Registration Methods Branch
Division of Vital Statistics

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service
National Office of Vital Statistics
Washington 25, D. C.

ERRATA

Vital Statistics of the United States, 1957, Volume II

Page 33, table 61, supplement A: For the total group (category numbers E810-E825) and category number E812, published figures in the 7th column (.5) and the 11th column (.9) are incorrect. The corrected figures are shown below:

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), COLOR, AND SEX	Passenger motor vehicle and motor bus (.5)	Unspecified motor vehicle(s) (.9)
E810-E825	Motor-vehicle accidents	184	657
	White--Male	111	464
	Female	48	104
	Nonwhite--Male	18	75
	Female	7	14
E812	To pedestrian	3	234
	White--Male	-	152
	Female	2	38
	Nonwhite--Male	-	39
	Female	1	5

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
ARTHUR S. FLEMMING, SECRETARY
PUBLIC HEALTH SERVICE
LEROY E. BURNEY, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1957

VOLUME II

MORTALITY DATA

Registration Methods Branch
Division of Vital Statistics

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1959

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. - Price $4.25

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Assistant Chief*

CARL C. DAUER, M. D., *Medical Advisor*

IWAO M. MORIYAMA, *Mortality Analysis*

JOSEPH SCHACHTER, *Natality Analysis*

HUGH CARTER, *Marriage and Divorce Analysis*

MONROE G. SIRKEN, *Actuarial Analysis and Survey Methods*

HAZEL V. AUNE, *National Consulting Service*

WILLIAM S. WAGENER, *Statistical Processing*

MYRTLE E. BURGDORF, *Administrative Officer*

LESTER GOLDNER, *Program Management Officer*

JOHN STORCK, *Publications Officer*

JUNIOR K. KNEE, *Public Health Advisor*

PREFACE

This is one of two volumes presenting final vital statistics for the United States, its Territories, and two possessions for the year 1957. Their subject matter consists of vital events that occurred in these areas during the year—marriages, divorces, births, fetal deaths, infant deaths, and deaths among the general population.

This annual report is organized as follows:

Volume I. Introduction and text tables.
Statistics for Alaska, Hawaii, the Commonwealth of Puerto Rico, and the Virgin Islands (U. S.).
Marriage, divorce, natality, fetal mortality, and infant mortality statistics for the United States and each State.

Volume II. Mortality statistics for the United States and each State.

In using statistics from either volume, it is recommended that reference be made to the text in Volume I which describes the sources and limitations of the data.

CONTENTS

Total Deaths (exclusive of fetal deaths)

Table		Page
55.	Deaths by State of occurrence distributed according to State of residence: United States and each State, 1957	2
56.	Deaths by month: United States and each State, 1957 (by place of occurrence)	5
57.	Deaths by month, color, and sex: United States and each State, 1957	6
58.	Deaths by specified race and sex: United States and each State, 1957	12
59.	Deaths by color and sex for metropolitan and nonmetropolitan counties: United States and each State, 1957	13
60.	Deaths by age for metropolitan and nonmetropolitan counties: United States and each State, 1957	15
61.	Deaths and death rates for each cause, by color and sex: United States, 1957	17
61.	Supplement A: Deaths from motor-vehicle accidents by color, sex, and type of motor vehicle involved: United States, 1957	33
61.	Supplement B: Deaths from nontransport accidents by color, sex, and place of accident: United States, 1957	35
62.	Deaths from 256 selected causes, by month: United States, 1957	39
63.	Deaths from 256 selected causes, by specified race and sex: United States, 1957	44
64.	Deaths from 256 selected causes, by age, race, and sex: United States, 1957	52
65.	Deaths from 256 selected causes, by color and sex: United States and each State, 1957	102
65.	Supplement: Deaths from nontransport accidents by place of accident, color, and sex: United States and each State, 1957	170
66A.	Deaths from 64 selected causes, by age, color, and sex: United States, 1957	174
66B.	Deaths from 64 selected causes, by age, color, and sex: Each State, 1957	184
67.	Deaths from 64 selected causes: United States and each State, 1957 (by place of occurrence)	380
68.	Deaths from selected causes: United States, each State and county, metropolitan and nonmetropolitan counties, and specified urban places, 1957	384
69A.	Deaths from specified infective diseases: United States, specified States and counties, 1957	518
69B.	Deaths from specified infective diseases: Specified urban places in the United States, 1957	523

Explanation of Symbols

Class or item not applicable	...
Data not available	---
Quantity zero in frequency tables	-
Quantity zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.05	0.0
Both frequency and population base zero in rate or percent tables	-

TOTAL DEATHS

(exclusive of fetal deaths)

Table 55. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1957

(Excludes fetal deaths)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in place of residence[1]	DEATHS OF NONRESIDENTS														
			Total	Intra-state non-residents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	1,633,128	[2]1,101,681	[2]531,447	[2]479,503	51,944	882	381	935	1,690	421	782	217	863	1,534	969	459	3,536
Alabama	28,193	19,980	8,213	7,491	722	...	-	4	5	1	-	-	4	151	161	-	22
Arizona	9,175	5,459	3,716	2,885	831	3	...	9	187	20	3	-	-	5	3	10	53
Arkansas	16,483	10,814	5,669	4,882	787	11	1	...	13	2	3	-	-	6	2	-	35
California	124,078	76,532	47,546	45,940	1,606	5	143	12	...	49	15	3	6	17	8	31	99
Colorado	14,859	9,854	5,005	4,177	828	2	18	10	65	...	1	2	4	7	4	8	51
Connecticut	22,440	14,851	7,589	7,038	551	2	1	1	2	-	...	-	2	21	2	-	5
Delaware	4,091	2,329	1,762	1,383	379	-	-	-	-	-	6	...	4	6	2	-	-
District of Columbia	9,917	8,162	1,755	...	1,755	18	1	2	17	4	3	3	...	31	8	-	12
Florida	41,844	26,235	15,609	12,339	3,270	119	2	7	25	5	87	14	17	...	230	-	234
Georgia	33,649	22,997	10,652	9,481	1,171	229	2	2	7	1	4	-	6	248	...	-	28
Idaho	5,097	3,263	1,834	1,550	284	-	3	5	25	8	-	-	-	1	-	...	4
Illinois	100,916	69,746	31,170	29,024	2,146	10	10	20	74	11	3	1	8	67	6	1	...
Indiana	43,824	29,713	14,111	12,725	1,386	8	3	6	24	4	4	-	1	18	9	-	558
Iowa	27,992	18,716	9,276	8,188	1,088	3	3	7	32	9	-	-	2	6	3	1	372
Kansas	20,270	13,849	6,421	5,367	1,054	-	10	16	24	42	-	-	-	2	3	-	27
Kentucky	28,971	20,192	8,779	7,685	1,094	8	3	2	11	1	2	-	3	19	11	-	51
Louisiana	28,362	19,658	8,704	7,926	778	37	-	93	24	4	3	-	-	33	11	-	10
Maine	10,149	6,835	3,314	3,033	281	-	-	-	1	-	21	-	2	12	-	-	1
Maryland	26,458	18,245	8,213	6,497	1,716	8	-	2	12	3	10	74	573	59	19	1	8
Massachusetts	54,619	---	---	---	1,123	4	-	1	10	2	169	-	6	44	1	-	9
Michigan	66,160	41,508	24,652	23,537	1,115	19	5	18	41	1	4	2	1	57	14	-	144
Minnesota	31,687	20,457	11,230	9,791	1,439	1	7	4	46	10	3	-	2	12	4	4	87
Mississippi	20,231	14,587	5,644	5,098	546	125	-	27	7	-	1	1	1	21	14	1	27
Missouri	47,781	32,901	14,880	12,705	2,175	11	6	128	50	13	1	-	3	12	6	1	877
Montana	6,406	4,186	2,220	2,010	210	-	-	-	13	1	-	-	1	-	2	16	7
Nebraska	13,759	9,634	4,125	3,577	548	-	2	1	25	19	-	-	-	1	1	1	17
Nevada	2,296	1,411	885	527	358	3	4	-	202	9	-	-	1	2	-	14	7
New Hampshire	6,692	4,537	2,155	1,677	478	-	-	-	2	-	12	-	3	9	-	-	2
New Jersey	56,053	34,027	22,026	20,426	1,600	6	3	-	17	2	32	17	12	50	5	-	10
New Mexico	6,146	4,004	2,142	1,628	514	4	60	8	65	46	2	1	1	2	1	1	17
New York	172,662	126,912	45,750	42,706	3,044	16	2	1	61	6	276	7	13	155	22	2	47
North Carolina	35,104	23,063	12,041	11,103	938	9	2	2	5	1	4	3	18	98	48	1	9
North Dakota	5,493	3,268	2,225	1,834	391	2	-	1	16	1	-	-	-	2	-	1	6
Ohio	90,844	61,110	29,734	27,729	2,005	9	8	1	34	5	2	2	9	77	10	1	64
Oklahoma	21,076	14,288	6,788	6,266	522	4	5	64	42	16	1	-	1	3	2	-	14
Oregon	15,555	9,856	5,699	5,175	524	-	6	1	119	4	2	-	-	-	-	70	7
Pennsylvania	118,846	80,901	37,945	35,334	2,611	10	5	4	36	3	20	78	29	68	17	-	22
Rhode Island	8,551	5,419	3,132	2,776	356	-	1	-	4	-	60	-	2	5	1	-	-
South Carolina	18,928	12,392	6,536	6,094	442	6	-	2	2	-	3	1	-	34	95	-	-
South Dakota	6,227	3,933	2,294	1,898	396	-	2	-	10	9	-	-	-	1	-	-	9
Tennessee	32,572	21,910	10,662	8,620	2,042	147	2	350	6	1	1	-	-	50	196	1	36
Texas	72,969	52,222	20,747	19,164	1,583	29	27	111	129	35	3	-	2	40	15	7	51
Utah	5,927	3,800	2,127	1,771	356	-	21	3	58	21	-	-	1	2	1	100	2
Vermont	4,408	2,679	1,729	1,434	295	1	-	1	-	-	13	-	2	4	-	-	1
Virginia	32,530	21,196	11,334	10,040	1,294	10	2	2	11	1	5	7	103	42	24	-	13
Washington	25,409	17,563	7,846	7,084	762	-	6	2	86	7	-	-	-	4	1	174	12
West Virginia	17,881	11,188	6,693	5,521	1,172	-	-	-	3	1	-	-	18	12	2	-	7
Wisconsin	36,882	23,570	13,312	12,230	1,082	2	3	-	18	2	2	1	1	17	2	2	457
Wyoming	2,666	1,634	1,032	736	296	1	2	5	24	41	1	-	1	1	1	10	5

[1]Unit of residence is defined as the individual urban place of 10,000 or more, or cities of 2,500 to 10,000 as a group, or the rural area of the county, of which the decedent was a resident. Urban places include every incorporated place having a population of 2,500 or more in 1950, as well as certain unincorporated places classified as "urban" under special rules. For further discussion of residence allocation rules, see text in Volume I, Vital Statistics of the United States, 1957.

[2]Includes estimate for Massachusetts; for explanation, see text in Volume I.

Table 55. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1957—Continued

(Excludes fetal deaths)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	1,757	1,080	1,175	1,322	567	297	1,637	1,169	1,411	963	837	1,780	279	596	193	460	3,067	482	3,059
Alabama	10	4	2	17	24	-	1	4	16	1	89	3	-	1	-	-	6	2	37
Arizona	24	30	17	4	7	3	4	1	37	15	1	15	15	10	8	-	8	90	37
Arkansas	11	6	16	7	50	-	1	-	7	2	15	189	1	1	-	-	1	1	9
California	22	43	35	7	9	2	6	22	51	59	4	40	21	44	106	2	16	28	76
Colorado	11	19	100	4	5	-	4	3	11	9	3	36	11	68	5	-	4	85	12
Connecticut	2	2	-	-	3	13	10	103	1	-	-	1	-	-	-	12	34	1	253
Delaware	-	-	-	-	1	-	119	1	1	1	1	-	-	-	-	1	78	-	23
District of Columbia	4	3	-	6	1	2	854	5	7	1	-	6	1	1	-	1	15	1	33
Florida	123	25	4	50	16	30	42	159	229	30	15	46	3	6	1	36	236	1	587
Georgia	12	1	4	19	3	1	8	8	21	4	10	5	-	4	-	2	13	5	34
Idaho	1	2	1	-	-	-	-	1	2	3	-	2	27	3	3	1	-	6	1
Illinois	564	121	26	73	13	1	5	13	155	35	26	344	2	15	3	2	6	3	37
Indiana	...	9	6	158	6	1	1	6	168	5	2	17	-	3	-	-	5	-	17
Iowa	10	...	20	1	4	-	1	-	19	82	1	142	2	163	3	-	1	1	4
Kansas	7	16	...	2	1	1	-	2	5	6	3	570	2	47	-	-	2	9	3
Kentucky	298	1	2	...	3	1	4	2	32	1	4	16	-	1	-	1	3	2	13
Louisiana	5	5	6	4	...	2	3	3	4	1	191	12	-	-	-	-	6	3	15
Maine	2	-	-	-	4	...	6	93	-	2	-	-	-	-	-	59	15	-	29
Maryland	2	5	2	5	7	2	...	13	11	1	5	4	1	3	-	6	59	3	87
Massachusetts	1	6	1	2	2	95	4	...	7	2	3	4	-	-	-	188	42	4	183
Michigan	130	12	4	13	4	-	5	7	...	13	2	19	5	2	-	1	8	1	34
Minnesota	35	209	21	6	2	1	4	6	57	...	7	24	34	36	1	-	3	1	27
Mississippi	9	-	1	3	157	1	1	1	4	3	...	12	-	1	-	-	2	-	6
Missouri	39	74	621	12	11	-	2	2	22	9	17	...	3	20	1	-	5	3	7
Montana	2	4	1	-	1	-	-	1	1	9	-	5	...	1	1	1	3	1	-
Nebraska	4	231	78	-	1	-	-	6	3	16	2	23	2	...	1	-	1	3	5
Nevada	2	3	2	-	-	2	3	1	2	2	-	3	5	2	...	1	2	5	5
New Hampshire	-	-	1	-	-	75	2	147	2	-	-	-	1	-	-	...	9	-	28
New Jersey	6	1	-	2	1	8	36	30	11	1	1	5	-	4	3	6	...	-	635
New Mexico	10	7	17	3	6	-	3	2	12	11	4	15	1	4	5	-	2	...	10
New York	17	8	5	12	8	22	37	176	36	4	6	11	1	3	1	10	1,263	1	...
North Carolina	7	2	1	8	5	3	28	13	7	2	4	1	-	-	-	1	20	-	54
North Dakota	1	2	1	-	-	-	-	1	1	231	-	1	36	1	-	-	-	-	-
Ohio	251	5	17	380	1	4	9	4	254	6	3	20	-	3	1	-	21	-	71
Oklahoma	4	6	95	2	4	-	1	2	4	2	1	34	2	4	1	1	4	7	4
Oregon	1	6	2	-	1	-	1	-	4	2	-	5	12	8	5	-	-	2	3
Pennsylvania	15	5	2	12	6	2	179	20	34	1	5	8	1	2	-	-	1,094	1	376
Rhode Island	-	1	-	-	2	5	-	206	-	2	-	2	-	1	-	2	5	-	28
South Carolina	3	-	-	1	-	1	9	4	5	-	1	1	-	-	-	1	7	-	34
South Dakota	5	81	1	-	-	-	-	2	-	88	-	5	15	77	-	-	-	-	2
Tennessee	25	2	3	284	14	2	7	1	26	2	379	59	1	-	1	-	7	1	18
Texas	20	27	31	4	169	3	6	9	26	17	29	37	2	8	1	-	8	201	39
Utah	-	3	3	1	-	-	2	3	1	2	-	6	4	5	38	2	1	4	3
Vermont	-	-	-	-	-	6	2	58	-	-	-	-	-	-	-	119	12	-	65
Virginia	18	4	4	50	6	3	94	20	14	3	1	2	-	-	1	4	31	1	79
Washington	5	8	9	1	2	-	2	1	4	10	-	5	36	4	1	-	1	-	9
West Virginia	10	1	2	165	4	-	128	4	13	-	1	-	-	-	-	-	6	-	7
Wisconsin	27	70	3	2	-	5	2	-	79	256	-	15	4	8	-	-	-	-	12
Wyoming	2	10	8	2	3	-	1	3	5	11	1	10	28	32	2	-	2	5	6

Table 55. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1957—Continued

(Excludes fetal deaths)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		Total deaths of residents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	849	393	2,346	1,006	644	2,715	411	672	438	882	1,358	193	294	1,783	616	1,147	1,158	239	1,633,128
Alabama	10	2	19	4	1	2	2	5	1	89	15	-	1	4	-	1	1	-	28,353
Arizona	3	3	33	16	18	13	1	-	4	12	50	7	-	2	23	5	16	6	8,725
Arkansas	5	2	5	146	1	4	-	2	1	39	179	1	-	1	3	-	6	2	16,631
California	10	14	57	41	151	34	4	3	11	6	79	36	3	11	115	5	36	9	124,162
Colorado	2	5	15	32	8	10	-	2	12	3	66	25	1	1	11	4	7	62	14,452
Connecticut	2	-	7	3	-	27	20	3	-	-	3	-	5	3	1	2	3	1	22,671
Delaware	2	-	4	-	-	118	1	-	-	2	1	-	-	5	-	2	-	-	3,929
District of Columbia	18	1	16	4	1	45	-	11	1	4	5	-	1	588	1	15	4	-	9,025
Florida	52	7	254	5	7	231	28	47	4	51	27	-	17	51	4	37	67	2	40,108
Georgia	53	-	20	2	2	25	3	266	1	85	13	-	-	8	-	5	7	-	33,447
Idaho	1	2	-	-	40	1	-	-	2	-	15	38	-	-	78	2	1	5	5,272
Illinois	9	5	63	22	5	28	1	4	6	47	40	1	2	5	11	6	234	-	102,306
Indiana	3	1	266	3	3	18	1	1	3	16	7	1	-	3	1	7	13	-	44,195
Iowa	1	4	8	4	3	5	1	1	82	5	12	1	-	6	7	-	54	2	27,984
Kansas	5	-	6	189	6	2	-	2	1	1	29	-	-	2	6	1	1	3	20,391
Kentucky	19	3	245	2	2	13	3	3	3	167	12	-	-	28	-	97	2	-	29,199
Louisiana	5	-	4	11	1	5	-	2	-	15	246	1	-	5	1	5	2	-	28,151
Maine	3	-	2	2	1	8	7	1	-	2	-	-	1	4	-	1	1	1	10,165
Maryland	35	1	20	1	1	227	6	12	1	14	11	1	2	246	1	147	5	-	26,379
Massachusetts	4	1	7	1	1	20	246	1	-	-	8	-	36	5	-	1	2	-	54,665
Michigan	1	2	212	11	4	38	5	-	2	15	17	-	1	6	1	14	220	-	86,456
Minnesota	1	202	12	9	8	3	-	2	144	5	28	4	-	4	12	3	343	5	31,211
Mississippi	4	-	8	3	1	3	-	1	-	61	28	-	-	3	1	2	5	-	20,522
Missouri	3	5	18	64	4	10	25	3	4	27	32	3	-	2	10	1	6	2	47,386
Montana	-	38	2	4	2	1	-	-	9	-	5	3	-	1	32	-	7	35	6,475
Nebraska	1	6	2	3	5	5	-	-	51	1	3	2	-	-	-	-	-	26	13,807
Nevada	-	2	2	2	17	4	-	-	2	1	3	26	-	1	9	-	5	2	2,131
New Hampshire	1	-	5	1	-	5	6	-	-	-	1	-	165	-	-	1	-	-	6,674
New Jersey	10	-	19	3	1	617	6	5	-	1	3	-	5	17	-	6	2	1	57,520
New Mexico	1	1	7	27	5	3	-	-	-	4	133	4	-	2	3	2	2	-	6,114
New York	25	4	76	7	4	537	17	19	2	8	13	2	42	28	5	11	15	-	172,677
North Carolina	...	1	15	6	-	17	2	221	2	72	3	1	-	221	4	13	4	-	35,015
North Dakota	1	...	1	2	7	1	-	-	55	-	4	-	-	-	11	-	3	2	5,495
Ohio	11	-	...	7	1	300	2	2	1	16	14	3	-	10	4	347	14	1	91,185
Oklahoma	3	4	7	...	3	3	-	3	1	4	151	-	1	2	3	1	3	3	21,560
Oregon	-	3	6	4	...	8	-	2	-	-	9	4	1	-	222	-	1	3	15,675
Pennsylvania	17	-	332	2	3	...	6	5	-	3	10	2	1	41	2	118	12	-	118,950
Rhode Island	1	-	4	-	-	17	...	4	-	-	-	-	-	1	1	1	-	-	8,606
South Carolina	177	-	6	2	2	10	6	...	-	7	3	-	-	11	-	6	2	-	19,158
South Dakota	-	44	3	4	2	2	-	-	...	-	2	2	-	1	5	-	7	17	6,269
Tennessee	61	-	29	5	-	20	-	12	1	...	20	1	5	248	1	10	7	-	31,412
Texas	12	3	37	332	4	25	1	10	5	19	...	5	-	10	10	5	15	4	72,744
Utah	1	-	2	2	6	3	-	-	1	-	10	...	-	1	6	-	2	35	5,764
Vermont	-	-	2	-	-	1	7	-	-	-	1	-	...	-	-	-	-	-	4,407
Virginia	260	1	37	2	2	81	4	12	6	65	7	2	2	...	1	254	2	1	33,019
Washington	2	15	8	7	306	8	-	-	3	-	5	1	1	2	...	4	8	2	25,263
West Virginia	11	-	420	1	-	148	-	1	-	11	3	-	-	188	-	...	5	-	17,856
Wisconsin	1	8	18	3	1	6	-	2	3	2	22	-	1	4	9	5	...	7	38,958
Wyoming	2	3	5	5	4	3	-	2	13	2	10	16	-	1	1	-	6	...	2,609

Table 56. Deaths by Month: United States and Each State, 1957

(By place of occurrence. Excludes fetal deaths)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,633,128	145,338	125,852	140,363	132,151	131,920	131,698	131,610	124,433	123,536	148,985	148,487	148,755
Alabama	28,193	2,417	2,113	2,537	2,266	2,241	2,174	2,255	2,203	2,163	2,509	2,676	2,639
Arizona	9,175	811	741	780	699	662	735	718	680	715	804	854	976
Arkansas	16,483	1,511	1,343	1,516	1,271	1,338	1,227	1,349	1,239	1,174	1,504	1,552	1,459
California	124,078	10,976	9,743	10,494	9,864	10,033	10,151	9,975	9,698	9,641	10,612	11,122	11,769
Colorado	14,859	1,332	1,091	1,273	1,204	1,111	1,191	1,207	1,169	1,186	1,399	1,364	1,332
Connecticut	22,440	2,034	1,795	1,880	1,870	1,815	1,923	1,716	1,666	1,785	1,998	2,000	1,958
Delaware	4,091	390	335	325	314	345	342	341	294	320	359	337	389
District of Columbia	9,917	877	759	819	810	775	833	813	697	730	994	893	917
Florida	41,844	3,898	3,409	3,988	3,548	3,288	3,180	3,128	3,252	2,944	3,313	3,617	4,279
Georgia	33,649	3,037	2,586	3,017	2,714	2,600	2,556	2,592	2,581	2,533	3,065	3,194	3,174
Idaho	5,097	436	344	444	396	419	434	475	419	359	451	458	462
Illinois	100,916	8,878	7,773	8,407	8,045	8,440	8,038	7,995	7,774	7,873	9,526	9,159	9,008
Indiana	43,824	3,930	3,263	3,728	3,592	3,612	3,417	3,463	3,351	3,454	4,066	3,980	3,968
Iowa	27,992	2,414	2,156	2,402	2,274	2,274	2,205	2,378	2,130	2,137	2,555	2,657	2,410
Kansas	20,270	1,807	1,547	1,744	1,660	1,641	1,593	1,720	1,595	1,540	1,703	1,891	1,829
Kentucky	28,971	2,594	2,335	2,537	2,347	2,319	2,229	2,302	2,147	2,170	2,630	2,805	2,556
Louisiana	28,362	2,480	2,065	2,477	2,242	2,116	2,483	2,318	2,312	2,144	2,482	2,426	2,817
Maine	10,149	882	775	822	806	852	797	804	861	800	922	914	914
Maryland	26,458	2,402	2,036	2,300	2,173	2,120	2,243	2,096	1,884	1,953	2,434	2,370	2,447
Massachusetts	54,619	5,070	4,433	4,636	4,275	4,526	4,350	4,235	4,049	4,208	4,732	5,118	4,987
Michigan	66,160	5,772	5,096	5,489	5,340	5,486	5,377	5,362	5,123	5,173	6,244	5,834	5,864
Minnesota	31,687	2,705	2,381	2,571	2,665	2,663	2,418	2,585	2,389	2,488	2,874	3,120	2,828
Mississippi	20,231	1,885	1,462	1,746	1,591	1,562	1,594	1,618	1,544	1,476	1,874	1,813	2,066
Missouri	47,781	4,221	3,808	4,187	3,877	3,810	3,719	4,107	3,672	3,499	4,074	4,455	4,352
Montana	6,406	505	501	557	547	531	528	527	527	506	557	603	517
Nebraska	13,759	1,258	1,016	1,197	1,105	1,114	1,031	1,217	1,038	1,044	1,213	1,317	1,209
Nevada	2,296	202	170	168	191	192	179	189	200	199	192	203	211
New Hampshire	6,692	636	511	577	588	527	520	542	542	496	584	600	569
New Jersey	56,053	4,935	4,290	4,929	4,473	4,535	4,789	4,528	4,068	4,244	5,396	4,849	5,017
New Mexico	6,146	522	477	525	500	458	489	509	478	479	578	576	555
New York	172,662	15,603	13,265	14,249	14,038	13,994	14,433	13,659	12,712	13,149	16,823	15,014	15,723
North Carolina	35,104	3,076	2,712	3,088	2,890	2,712	2,852	2,791	2,687	2,630	3,210	3,419	3,057
North Dakota	5,493	461	412	464	438	451	433	490	415	440	460	535	494
Ohio	90,844	8,039	6,971	7,819	7,551	7,346	7,235	7,301	6,983	6,781	8,365	8,334	8,139
Oklahoma	21,076	1,860	1,616	1,911	1,641	1,709	1,685	1,795	1,620	1,521	1,837	1,943	1,938
Oregon	15,555	1,344	1,186	1,292	1,302	1,326	1,229	1,261	1,247	1,235	1,341	1,405	1,387
Pennsylvania	118,846	10,743	9,158	10,254	9,627	9,479	10,121	9,331	8,652	8,713	11,675	10,553	10,540
Rhode Island	8,551	766	700	793	674	740	713	704	617	591	749	746	758
South Carolina	18,928	1,650	1,444	1,776	1,488	1,469	1,431	1,507	1,543	1,414	1,703	1,783	1,720
South Dakota	6,227	529	472	535	503	470	484	549	479	525	518	588	575
Tennessee	32,572	2,959	2,475	2,973	2,685	2,564	2,602	2,562	2,506	2,348	2,920	2,990	2,988
Texas	72,969	6,575	5,476	6,252	5,800	5,953	5,748	6,365	5,715	5,190	6,347	6,562	6,986
Utah	5,927	494	390	476	471	514	488	526	453	468	568	519	560
Vermont	4,408	392	333	329	341	331	352	402	353	340	427	426	382
Virginia	32,530	2,935	2,472	2,872	2,609	2,545	2,722	2,534	2,397	2,379	3,056	3,139	2,870
Washington	25,409	2,195	1,947	2,181	2,129	2,109	1,984	2,038	2,048	1,924	2,164	2,390	2,300
West Virginia	17,881	1,596	1,403	1,607	1,470	1,446	1,334	1,405	1,417	1,258	1,611	1,750	1,584
Wisconsin	36,882	3,086	2,864	3,207	3,049	3,114	2,910	3,100	2,827	2,981	3,333	3,396	3,015
Wyoming	2,666	218	202	213	198	243	197	226	220	216	234	238	261

Table 57. Deaths by Month, Color, and Sex: United States and Each State, 1957

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov	Dec.
UNITED STATES	1,633,128	145,338	125,852	140,363	132,151	131,920	131,698	131,610	124,433	123,536	148,985	148,487	148,755
Male	930,728	82,504	70,943	79,566	75,092	75,356	75,096	75,047	71,644	70,812	85,049	84,931	84,688
Female	702,400	62,834	54,909	60,797	57,059	56,564	56,602	56,563	52,789	52,724	63,936	63,556	64,067
White	1,437,652	128,067	111,082	123,596	116,848	116,658	116,132	116,163	109,536	108,660	129,693	130,728	130,489
Male	823,067	73,068	62,898	70,213	66,672	66,919	66,412	66,605	63,396	62,692	74,477	75,107	74,608
Female	614,585	54,999	48,184	53,383	50,176	49,739	49,720	49,558	46,140	45,968	55,216	55,621	55,881
Nonwhite	195,476	17,271	14,770	16,767	15,303	15,262	15,566	15,447	14,897	14,876	19,292	17,759	18,266
Male	107,661	9,436	8,045	9,353	8,420	8,437	8,684	8,442	8,248	8,120	10,572	9,824	10,080
Female	87,815	7,835	6,725	7,414	6,883	6,825	6,882	7,005	6,649	6,756	8,720	7,935	8,186
ALABAMA	28,353	2,429	2,129	2,553	2,270	2,251	2,199	2,271	2,222	2,180	2,520	2,679	2,650
Male	16,218	1,352	1,213	1,430	1,305	1,303	1,241	1,294	1,291	1,237	1,496	1,538	1,518
Female	12,135	1,077	916	1,123	965	948	958	977	931	943	1,024	1,141	1,132
White	17,578	1,539	1,372	1,576	1,418	1,406	1,365	1,434	1,359	1,350	1,544	1,642	1,573
Male	10,491	894	805	928	847	864	809	840	827	811	935	992	939
Female	7,087	645	567	648	571	542	556	594	532	539	609	650	634
Nonwhite	10,775	890	757	977	852	845	834	837	863	830	976	1,037	1,077
Male	5,727	458	408	502	458	439	432	454	464	426	561	546	579
Female	5,048	432	349	475	394	406	402	383	399	404	415	491	498
ARIZONA	8,725	733	669	710	664	651	719	726	685	705	750	802	911
Male	5,411	478	414	440	420	397	447	432	427	439	455	494	568
Female	3,314	255	255	270	244	254	272	294	258	266	295	308	343
White	7,538	631	579	622	588	559	635	641	611	584	638	663	787
Male	4,732	413	373	391	371	348	404	384	381	372	392	414	469
Female	2,806	218	206	231	217	211	231	257	230	212	246	249	298
Nonwhite	1,187	102	90	88	76	92	84	85	74	121	112	139	124
Male	679	65	41	49	49	49	43	48	46	67	63	80	79
Female	508	37	49	39	27	43	41	37	28	54	49	59	45
ARKANSAS	16,631	1,508	1,344	1,512	1,278	1,353	1,253	1,366	1,278	1,184	1,519	1,566	1,470
Male	9,815	893	803	906	727	810	725	818	733	700	887	919	894
Female	6,816	615	541	606	551	543	528	548	545	484	632	647	576
White	12,285	1,085	1,018	1,124	944	996	912	1,015	929	882	1,118	1,181	1,081
Male	7,444	674	617	689	560	612	545	616	545	527	667	724	668
Female	4,841	411	401	435	384	384	367	399	384	355	451	457	413
Nonwhite	4,346	423	326	388	334	357	341	351	349	302	401	385	389
Male	2,371	219	186	217	167	198	180	202	188	173	220	195	226
Female	1,975	204	140	171	167	159	161	149	161	129	181	190	163
CALIFORNIA	124,162	10,939	9,668	10,480	9,847	10,046	10,184	10,020	9,763	9,650	10,667	11,158	11,740
Male	71,724	6,319	5,552	6,119	5,650	5,736	5,903	5,773	5,662	5,628	6,212	6,454	6,716
Female	52,438	4,620	4,116	4,361	4,197	4,310	4,281	4,247	4,101	4,022	4,455	4,704	5,024
White	116,370	10,248	9,091	9,812	9,213	9,382	9,559	9,398	9,184	9,012	10,028	10,424	11,019
Male	67,023	5,878	5,205	5,597	5,275	5,326	5,529	5,426	5,314	5,236	5,831	6,028	6,278
Female	49,347	4,370	3,886	4,115	3,938	4,056	4,030	3,972	3,870	3,776	4,197	4,396	4,741
Nonwhite	7,792	691	577	668	634	664	625	622	579	638	639	734	721
Male	4,701	441	347	422	375	410	374	347	348	392	381	426	438
Female	3,091	250	230	246	259	254	251	275	231	246	258	308	283
COLORADO	14,452	1,320	1,074	1,245	1,161	1,093	1,173	1,155	1,098	1,133	1,361	1,338	1,301
Male	8,362	758	638	682	660	646	673	688	661	649	790	764	753
Female	6,090	562	436	563	501	447	500	467	437	484	571	574	548
White	14,034	1,293	1,037	1,217	1,130	1,062	1,145	1,127	1,062	1,095	1,321	1,290	1,255
Male	8,112	740	614	669	645	629	659	672	637	621	766	732	728
Female	5,922	553	423	548	485	433	486	455	425	474	555	558	527
Nonwhite	418	27	37	28	31	31	28	28	36	38	40	48	46
Male	250	18	24	13	15	17	14	16	24	28	24	32	25
Female	168	9	13	15	16	14	14	12	12	10	16	16	21
CONNECTICUT	22,671	2,047	1,832	1,905	1,893	1,849	1,947	1,710	1,692	1,779	2,000	2,029	1,988
Male	12,463	1,134	949	1,046	1,066	1,019	1,059	992	949	964	1,080	1,118	1,067
Female	10,208	913	883	859	827	830	888	718	743	815	920	911	901
White	21,872	1,976	1,775	1,839	1,834	1,800	1,869	1,647	1,633	1,711	1,915	1,946	1,907
Male	12,031	1,093	918	1,012	1,027	992	1,026	954	920	937	1,038	1,070	1,044
Female	9,841	883	857	827	807	808	863	693	713	774	877	876	863
Nonwhite	799	71	57	66	59	49	58	63	59	68	85	83	81
Male	432	41	31	34	39	27	33	38	29	27	42	48	43
Female	367	30	26	32	20	22	25	25	30	41	43	35	38
DELAWARE	3,929	367	337	321	295	325	319	329	285	306	340	322	383
Male	2,191	195	176	182	156	191	186	176	154	183	188	182	222
Female	1,738	172	161	139	139	134	133	153	131	123	152	140	161
White	3,251	306	281	271	248	267	276	271	230	255	271	260	315
Male	1,800	158	146	153	132	155	160	149	122	147	152	142	184
Female	1,451	148	135	118	116	112	116	122	108	108	119	118	131
Nonwhite	678	61	56	50	47	58	43	58	55	51	69	62	68
Male	391	37	30	29	24	36	26	27	32	36	36	40	38
Female	287	24	26	21	23	22	17	31	23	15	33	22	30
DISTRICT OF COLUMBIA	9,025	809	686	764	727	709	754	728	634	648	887	832	847
Male	4,878	462	354	387	401	376	435	381	369	346	488	421	458
Female	4,147	347	332	377	326	333	319	347	265	302	399	411	389
White	5,155	479	411	448	444	402	416	399	355	365	488	472	476
Male	2,773	287	219	228	239	214	231	203	201	197	273	236	245
Female	2,382	192	192	220	205	188	185	196	154	168	215	236	231
Nonwhite	3,870	330	275	316	283	307	338	329	279	283	399	360	371
Male	2,105	175	135	159	162	162	204	178	168	149	215	185	213
Female	1,765	155	140	157	121	145	134	151	111	134	184	175	158

Table 57. Deaths by Month, Color, and Sex: United States and Each State, 1957—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA	40,108	3,539	2,992	3,528	3,272	3,212	3,180	3,173	3,312	3,013	3,319	3,531	4,037
Male	24,136	2,173	1,795	2,147	1,961	1,929	1,901	1,872	1,994	1,802	1,990	2,137	2,435
Female	15,972	1,366	1,197	1,381	1,311	1,283	1,279	1,301	1,318	1,211	1,329	1,394	1,602
White	31,697	2,749	2,346	2,821	2,594	2,557	2,497	2,574	2,612	2,372	2,608	2,783	3,184
Male	19,432	1,731	1,435	1,732	1,583	1,577	1,521	1,552	1,602	1,457	1,579	1,706	1,957
Female	12,265	1,018	911	1,089	1,011	980	976	1,022	1,010	915	1,029	1,077	1,227
Nonwhite	8,411	790	646	707	678	655	683	599	700	641	711	748	853
Male	4,704	442	360	415	378	352	380	320	392	345	411	431	478
Female	3,707	348	286	292	300	303	303	279	308	296	300	317	375
GEORGIA	33,447	3,015	2,580	2,995	2,706	2,576	2,530	2,564	2,589	2,520	3,050	3,174	3,148
Male	18,975	1,655	1,493	1,719	1,541	1,430	1,437	1,447	1,492	1,430	1,705	1,829	1,797
Female	14,472	1,360	1,087	1,276	1,165	1,146	1,093	1,117	1,097	1,090	1,345	1,345	1,351
White	20,999	1,872	1,670	1,891	1,727	1,645	1,595	1,636	1,650	1,564	1,801	2,053	1,895
Male	12,279	1,047	995	1,120	1,031	929	929	980	968	921	1,065	1,192	1,102
Female	8,720	825	675	771	696	716	666	656	682	643	736	861	793
Nonwhite	12,448	1,143	910	1,104	979	931	935	928	939	956	1,249	1,121	1,253
Male	6,696	608	498	599	510	501	508	467	524	509	640	637	695
Female	5,752	535	412	505	469	430	427	461	415	447	609	484	558
IDAHO	5,272	455	362	472	403	431	444	485	425	379	450	477	489
Male	3,229	288	216	298	257	249	277	278	259	232	291	285	299
Female	2,043	167	146	174	146	182	167	207	166	147	159	192	190
White	5,184	447	354	464	396	425	437	477	414	375	440	472	483
Male	3,177	282	211	293	251	244	272	274	255	230	286	283	296
Female	2,007	165	143	171	145	181	165	203	159	145	154	189	187
Nonwhite	88	8	8	8	7	6	7	8	11	4	10	5	6
Male	52	6	5	5	6	5	5	4	4	2	5	2	3
Female	36	2	3	3	1	1	2	4	7	2	5	3	3
ILLINOIS	102,306	8,966	7,887	8,522	8,123	8,517	8,145	8,203	7,926	7,999	9,636	9,267	9,115
Male	58,345	5,168	4,508	4,811	4,602	4,871	4,584	4,647	4,533	4,587	5,542	5,272	5,220
Female	43,961	3,798	3,379	3,711	3,521	3,646	3,561	3,556	3,393	3,412	4,094	3,995	3,895
White	91,995	8,136	7,066	7,697	7,322	7,669	7,344	7,396	7,128	7,149	8,574	8,340	8,174
Male	52,733	4,720	4,065	4,362	4,148	4,395	4,166	4,205	4,105	4,144	4,960	4,772	4,691
Female	39,262	3,416	3,001	3,335	3,174	3,274	3,178	3,191	3,023	3,005	3,614	3,568	3,483
Nonwhite	10,311	830	821	825	801	848	801	807	798	850	1,062	927	941
Male	5,612	448	443	449	454	476	418	442	428	443	582	500	529
Female	4,699	382	378	376	347	372	383	365	370	407	480	427	412
INDIANA	44,195	3,964	3,300	3,801	3,655	3,627	3,432	3,475	3,357	3,471	4,082	4,007	4,024
Male	25,081	2,272	1,797	2,116	2,089	2,034	1,936	2,008	1,897	1,987	2,364	2,259	2,322
Female	19,114	1,692	1,503	1,685	1,566	1,593	1,496	1,467	1,460	1,484	1,718	1,748	1,702
White	41,492	3,739	3,107	3,568	3,426	3,417	3,222	3,285	3,159	3,247	3,798	3,762	3,762
Male	23,594	2,147	1,703	1,976	1,951	1,921	1,835	1,890	1,793	1,866	2,207	2,116	2,189
Female	17,898	1,592	1,404	1,592	1,475	1,496	1,387	1,395	1,366	1,381	1,591	1,646	1,573
Nonwhite	2,703	225	193	233	229	210	210	190	198	224	284	245	262
Male	1,487	125	94	140	138	113	101	118	104	121	157	143	133
Female	1,216	100	99	93	91	97	109	72	94	103	127	102	129
IOWA	27,984	2,423	2,160	2,425	2,295	2,265	2,192	2,396	2,124	2,120	2,530	2,653	2,401
Male	15,892	1,374	1,236	1,338	1,338	1,285	1,224	1,301	1,205	1,241	1,448	1,551	1,351
Female	12,092	1,049	924	1,087	957	980	968	1,095	919	879	1,082	1,102	1,050
White	27,645	2,388	2,137	2,396	2,256	2,231	2,175	2,362	2,099	2,092	2,502	2,631	2,376
Male	15,701	1,352	1,223	1,321	1,316	1,265	1,213	1,279	1,193	1,224	1,436	1,536	1,343
Female	11,944	1,036	914	1,075	940	966	962	1,083	906	868	1,066	1,095	1,033
Nonwhite	339	35	23	29	39	34	17	34	25	28	28	22	25
Male	191	22	13	17	22	20	11	22	12	17	12	15	8
Female	148	13	10	12	17	14	6	12	13	11	16	7	17
KANSAS	20,391	1,786	1,551	1,773	1,676	1,646	1,587	1,724	1,621	1,562	1,716	1,897	1,852
Male	11,652	1,004	840	1,033	961	947	926	978	942	889	1,006	1,085	1,041
Female	8,739	782	711	740	715	699	661	746	679	673	710	812	811
White	19,296	1,680	1,474	1,670	1,587	1,560	1,504	1,617	1,550	1,481	1,635	1,803	1,735
Male	11,029	948	799	971	910	897	877	924	897	842	955	1,034	975
Female	8,267	732	675	699	677	663	627	693	653	639	680	769	760
Nonwhite	1,095	106	77	103	89	86	83	107	71	81	81	94	117
Male	623	56	41	62	51	50	49	54	45	47	51	51	66
Female	472	50	36	41	38	36	34	53	26	34	30	43	51
KENTUCKY	29,199	2,627	2,361	2,591	2,358	2,338	2,209	2,329	2,163	2,169	2,657	2,839	2,558
Male	16,739	1,480	1,331	1,451	1,315	1,333	1,319	1,373	1,248	1,261	1,566	1,616	1,446
Female	12,460	1,147	1,030	1,140	1,043	1,005	890	956	915	908	1,091	1,223	1,112
White	26,022	2,328	2,103	2,317	2,131	2,079	1,971	2,090	1,923	1,948	2,335	2,520	2,277
Male	15,074	1,330	1,198	1,302	1,185	1,195	1,194	1,250	1,121	1,151	1,409	1,453	1,286
Female	10,948	998	905	1,015	946	884	777	840	802	797	926	1,067	991
Nonwhite	3,177	299	258	274	227	259	238	239	240	221	322	319	281
Male	1,665	150	133	149	130	138	125	123	127	110	157	163	160
Female	1,512	149	125	125	97	121	113	116	113	111	165	156	121
LOUISIANA	28,151	2,461	2,041	2,456	2,225	2,101	2,474	2,299	2,285	2,132	2,462	2,425	2,790
Male	16,040	1,424	1,151	1,385	1,277	1,187	1,424	1,279	1,323	1,239	1,412	1,374	1,565
Female	12,111	1,037	890	1,071	948	914	1,050	1,020	962	893	1,050	1,051	1,225
White	17,070	1,517	1,237	1,460	1,360	1,270	1,460	1,401	1,371	1,263	1,497	1,502	1,732
Male	10,005	904	734	842	803	744	843	809	828	736	885	857	1,018
Female	7,065	613	503	618	557	526	617	592	543	525	612	645	714
Nonwhite	11,081	944	804	996	865	831	1,014	898	914	869	965	923	1,058
Male	6,035	520	417	543	474	443	581	470	495	501	527	517	547
Female	5,046	424	387	453	391	388	433	428	419	368	438	406	511

Table 57. Deaths by Month, Color, and Sex: United States and Each State, 1957—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE	10,165	899	793	831	807	863	802	775	822	796	923	923	931
Male	5,682	498	418	469	447	464	456	428	488	451	498	541	524
Female	4,483	401	375	362	360	399	346	347	334	345	425	382	407
White	10,135	899	791	828	804	859	801	772	819	795	922	920	925
Male	5,668	498	417	469	446	460	455	427	485	451	498	540	522
Female	4,467	401	374	359	358	399	346	345	334	344	424	380	403
Nonwhite	30	-	2	3	3	4	1	3	3	1	1	3	6
Male	14	-	1	-	1	4	1	1	3	-	-	1	2
Female	16	-	1	3	2	-	-	2	-	1	1	2	4
MARYLAND	26,379	2,382	2,032	2,287	2,182	2,115	2,234	2,102	1,880	1,924	2,437	2,374	2,430
Male	14,745	1,320	1,111	1,288	1,251	1,182	1,256	1,179	1,068	1,100	1,352	1,310	1,328
Female	11,634	1,062	921	999	931	933	978	923	812	824	1,085	1,064	1,102
White	21,225	1,954	1,655	1,838	1,750	1,724	1,823	1,707	1,478	1,534	1,875	1,924	1,963
Male	11,832	1,086	907	1,035	995	966	1,026	946	834	874	1,051	1,049	1,063
Female	9,393	868	748	803	755	758	797	761	644	660	824	875	900
Nonwhite	5,154	428	377	449	432	391	411	395	402	390	562	450	467
Male	2,913	234	204	253	256	216	230	233	234	226	301	261	265
Female	2,241	194	173	196	176	175	181	162	168	164	261	189	202
MASSACHUSETTS	54,665	5,109	4,462	4,675	4,277	4,531	4,341	4,236	4,057	4,194	4,702	5,107	4,974
Male	29,213	2,663	2,344	2,486	2,268	2,466	2,308	2,281	2,225	2,280	2,464	2,805	2,623
Female	25,452	2,446	2,118	2,189	2,009	2,065	2,033	1,955	1,832	1,914	2,238	2,302	2,351
White	53,531	5,008	4,363	4,583	4,191	4,455	4,257	4,143	3,964	4,115	4,573	5,019	4,860
Male	28,564	2,615	2,285	2,437	2,215	2,413	2,262	2,229	2,169	2,232	2,387	2,761	2,559
Female	24,967	2,393	2,078	2,146	1,976	2,042	1,995	1,914	1,795	1,883	2,186	2,258	2,301
Nonwhite	1,134	101	99	92	86	76	84	93	93	79	129	88	114
Male	649	48	59	49	53	53	46	52	56	48	77	44	64
Female	485	53	40	43	33	23	38	41	37	31	52	44	50
MICHIGAN	66,456	5,845	5,144	5,564	5,385	5,510	5,390	5,347	5,095	5,173	6,258	5,852	5,893
Male	38,888	3,406	2,942	3,235	3,140	3,203	3,192	3,113	3,032	3,093	3,693	3,408	3,431
Female	27,568	2,439	2,202	2,329	2,245	2,307	2,198	2,234	2,063	2,080	2,565	2,444	2,462
White	60,962	5,395	4,729	5,073	4,954	5,032	4,977	4,872	4,675	4,786	5,680	5,378	5,411
Male	35,770	3,160	2,708	2,941	2,902	2,933	2,949	2,847	2,790	2,869	3,368	3,130	3,173
Female	25,192	2,235	2,021	2,132	2,052	2,099	2,028	2,025	1,885	1,917	2,312	2,248	2,238
Nonwhite	5,494	450	415	491	431	478	413	475	420	387	578	474	482
Male	3,118	246	234	294	238	270	243	266	242	224	325	278	258
Female	2,376	204	181	197	193	208	170	209	178	163	253	196	224
MINNESOTA	31,211	2,704	2,358	2,553	2,645	2,625	2,351	2,523	2,315	2,447	2,809	3,082	2,799
Male	18,084	1,565	1,380	1,441	1,476	1,507	1,398	1,491	1,392	1,401	1,619	1,819	1,595
Female	13,127	1,139	978	1,112	1,169	1,118	953	1,032	923	1,046	1,190	1,263	1,204
White	30,844	2,673	2,334	2,518	2,608	2,605	2,323	2,503	2,294	2,421	2,775	3,034	2,756
Male	17,877	1,545	1,364	1,425	1,456	1,493	1,383	1,476	1,378	1,389	1,600	1,794	1,574
Female	12,967	1,128	970	1,093	1,152	1,112	940	1,027	916	1,032	1,175	1,240	1,182
Nonwhite	367	31	24	35	37	20	28	20	21	26	34	48	43
Male	207	20	16	16	20	14	15	15	14	12	19	25	21
Female	160	11	8	19	17	6	13	5	7	14	15	23	22
MISSISSIPPI	20,522	1,909	1,471	1,795	1,625	1,573	1,614	1,652	1,574	1,479	1,909	1,834	2,087
Male	11,455	1,042	800	990	907	906	912	949	880	831	1,086	1,003	1,149
Female	9,067	867	671	805	718	667	702	703	694	648	823	831	938
White	10,400	936	744	927	857	814	811	838	825	723	972	923	1,030
Male	6,083	524	435	524	514	488	470	506	486	438	569	537	592
Female	4,317	412	309	403	343	326	341	332	339	285	403	386	438
Nonwhite	10,122	973	727	868	768	759	803	814	749	756	937	911	1,057
Male	5,372	518	365	466	393	418	442	443	394	393	517	466	557
Female	4,750	455	362	402	375	341	361	371	355	363	420	445	500
MISSOURI	47,386	4,220	3,799	4,144	3,825	3,793	3,699	4,086	3,638	3,461	4,019	4,405	4,297
Male	26,684	2,410	2,093	2,350	2,169	2,138	2,069	2,250	2,027	1,930	2,239	2,535	2,474
Female	20,702	1,810	1,706	1,794	1,656	1,655	1,630	1,836	1,611	1,531	1,780	1,870	1,823
White	42,707	3,818	3,423	3,772	3,483	3,423	3,326	3,668	3,257	3,118	3,556	3,997	3,866
Male	24,172	2,193	1,901	2,131	1,981	1,926	1,856	2,032	1,831	1,755	2,015	2,306	2,245
Female	18,535	1,625	1,522	1,641	1,502	1,497	1,470	1,636	1,426	1,363	1,541	1,691	1,621
Nonwhite	4,679	402	376	372	342	370	373	418	381	343	463	408	431
Male	2,512	217	192	219	188	212	213	218	196	175	224	229	229
Female	2,167	185	184	153	154	158	160	200	185	168	239	179	202
MONTANA	6,475	515	530	572	560	529	535	528	522	504	557	597	526
Male	4,111	320	339	344	359	346	336	347	326	317	358	383	336
Female	2,364	195	191	228	201	183	199	181	196	187	199	214	190
White	6,196	492	508	551	539	511	516	510	489	474	531	570	505
Male	3,951	308	327	332	344	336	326	334	306	302	341	369	326
Female	2,245	184	181	219	195	175	190	176	183	172	190	201	179
Nonwhite	279	23	22	21	21	18	19	18	33	30	26	27	21
Male	160	12	12	12	15	10	10	13	20	15	17	14	10
Female	119	11	10	9	6	8	9	5	13	15	9	13	11
NEBRASKA	13,807	1,254	1,029	1,196	1,120	1,117	1,030	1,212	1,034	1,057	1,231	1,315	1,212
Male	8,062	716	594	692	661	684	605	673	599	616	722	787	713
Female	5,745	538	435	504	459	433	425	539	435	441	509	528	499
White	13,450	1,215	997	1,164	1,105	1,099	1,009	1,186	992	1,021	1,201	1,278	1,183
Male	7,857	694	576	675	652	671	593	656	575	594	709	765	697
Female	5,593	521	421	489	453	428	416	530	417	427	492	513	486
Nonwhite	357	39	32	32	15	18	21	26	42	36	30	37	29
Male	205	22	18	17	9	13	12	17	24	22	13	22	16
Female	152	17	14	15	6	5	9	9	18	14	17	15	13

Table 57. Deaths by Month, Color, and Sex: United States and Each State, 1957—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA	2,131	197	166	149	175	178	172	152	175	184	183	193	207
Male	1,452	139	108	106	116	118	118	102	115	122	125	146	137
Female	679	58	58	43	59	60	54	50	60	62	58	47	70
White	1,954	179	151	136	157	161	154	138	165	177	167	182	187
Male	1,350	127	98	97	105	112	106	96	108	119	115	141	126
Female	604	52	53	39	52	49	48	42	57	58	52	41	61
Nonwhite	177	18	15	13	18	17	18	14	10	7	16	11	20
Male	102	12	10	9	11	6	12	6	7	3	10	5	11
Female	75	6	5	4	7	11	6	8	3	4	6	6	9
NEW HAMPSHIRE	6,674	643	519	587	606	516	498	512	520	498	586	607	582
Male	3,675	348	288	314	334	284	253	282	303	278	325	341	325
Female	2,999	295	231	273	272	232	245	230	217	220	261	266	257
White	6,664	641	518	586	605	516	497	511	520	498	585	606	581
Male	3,670	347	288	313	333	284	253	282	303	278	324	340	325
Female	2,994	294	230	273	272	232	244	229	217	220	261	266	256
Nonwhite	10	2	1	1	1	-	1	1	-	-	1	1	1
Male	5	1	-	1	1	-	-	-	-	-	1	1	-
Female	5	1	1	-	-	-	1	1	-	-	-	-	1
NEW JERSEY	57,520	5,117	4,450	5,067	4,619	4,656	4,915	4,570	4,128	4,310	5,539	4,975	5,174
Male	31,847	2,873	2,432	2,808	2,512	2,545	2,712	2,484	2,291	2,411	3,065	2,762	2,952
Female	25,673	2,244	2,018	2,259	2,107	2,111	2,203	2,086	1,837	1,899	2,474	2,213	2,222
White	52,773	4,723	4,070	4,660	4,251	4,305	4,531	4,195	3,792	3,945	5,014	4,534	4,753
Male	29,275	2,654	2,229	2,589	2,312	2,358	2,495	2,286	2,116	2,210	2,793	2,521	2,712
Female	23,498	2,069	1,841	2,071	1,939	1,947	2,036	1,909	1,676	1,735	2,221	2,013	2,041
Nonwhite	4,747	394	380	407	368	351	384	375	336	365	525	441	421
Male	2,572	219	203	219	200	187	217	198	175	201	272	241	240
Female	2,175	175	177	188	168	164	167	177	161	164	253	200	181
NEW MEXICO	6,114	514	485	528	511	452	468	471	458	495	589	581	562
Male	3,696	302	294	314	333	273	276	294	285	295	346	341	343
Female	2,418	212	191	214	178	179	192	177	173	200	243	240	219
White	5,510	478	443	487	464	412	424	434	411	431	523	491	512
Male	3,312	283	272	286	296	252	247	268	254	257	305	278	314
Female	2,198	195	171	201	168	160	177	166	157	174	218	213	198
Nonwhite	604	36	42	41	47	40	44	37	47	64	66	90	50
Male	384	19	22	28	37	21	29	26	31	38	41	63	29
Female	220	17	20	13	10	19	15	11	16	26	25	27	21
NEW YORK	172,677	15,604	13,294	14,346	14,088	13,986	14,378	13,718	12,702	13,142	16,747	14,971	15,721
Male	95,366	8,527	7,236	7,845	7,721	7,853	7,873	7,649	7,142	7,228	9,280	8,339	8,673
Female	77,311	7,077	6,058	6,501	6,347	6,133	6,505	6,069	5,560	5,914	7,467	6,632	7,048
White	160,011	14,514	12,339	13,342	13,114	12,985	13,308	12,741	11,762	12,183	15,271	13,842	14,610
Male	88,392	7,936	6,704	7,312	7,211	7,293	7,267	7,076	6,609	6,720	8,443	7,733	8,088
Female	71,619	6,578	5,635	6,030	5,903	5,692	6,041	5,665	5,153	5,463	6,828	6,109	6,522
Nonwhite	12,666	1,090	955	1,004	954	1,001	1,070	977	940	959	1,476	1,129	1,111
Male	6,974	591	532	533	510	560	606	573	533	508	837	606	585
Female	5,692	499	423	471	444	441	464	404	407	451	639	523	526
NORTH CAROLINA	35,015	3,074	2,697	3,090	2,864	2,703	2,858	2,803	2,620	2,632	3,204	3,410	3,060
Male	20,194	1,745	1,570	1,815	1,640	1,529	1,660	1,613	1,516	1,539	1,818	1,987	1,762
Female	14,821	1,329	1,127	1,275	1,224	1,174	1,198	1,190	1,104	1,093	1,386	1,423	1,298
White	23,840	2,036	1,804	2,162	1,958	1,922	1,946	1,956	1,823	1,794	2,055	2,336	2,048
Male	14,083	1,186	1,076	1,286	1,160	1,112	1,144	1,132	1,087	1,069	1,214	1,402	1,215
Female	9,757	850	728	876	798	810	802	824	736	725	841	934	833
Nonwhite	11,175	1,038	893	928	906	781	912	847	797	838	1,149	1,074	1,012
Male	6,111	559	494	529	480	417	516	481	429	470	604	585	547
Female	5,064	479	399	399	426	364	396	366	368	368	545	489	465
NORTH DAKOTA	5,495	460	430	469	437	454	435	467	399	427	469	542	506
Male	3,329	262	274	260	260	282	256	284	253	273	292	312	321
Female	2,166	198	156	209	177	172	179	183	146	154	177	230	185
White	5,373	447	426	459	431	442	420	456	393	412	464	528	495
Male	3,249	250	272	254	258	274	244	276	251	264	289	304	313
Female	2,124	197	154	205	173	168	176	180	142	148	175	224	182
Nonwhite	122	13	4	10	6	12	15	11	6	15	5	14	11
Male	80	12	2	6	2	8	12	8	2	9	3	8	8
Female	42	1	2	4	4	4	3	3	4	6	2	6	3
OHIO	91,185	8,070	6,999	7,854	7,596	7,368	7,276	7,347	7,000	6,783	8,351	8,340	8,201
Male	51,198	4,493	3,882	4,392	4,288	4,091	4,125	4,171	4,024	3,822	4,655	4,639	4,616
Female	39,987	3,577	3,117	3,462	3,308	3,277	3,151	3,176	2,976	2,961	3,696	3,701	3,585
White	83,816	7,440	6,436	7,230	7,015	6,771	6,700	6,734	6,450	6,221	7,593	7,663	7,563
Male	47,061	4,158	3,570	4,048	3,963	3,753	3,773	3,838	3,703	3,518	4,240	4,250	4,247
Female	36,755	3,282	2,866	3,182	3,052	3,018	2,927	2,896	2,747	2,703	3,353	3,413	3,316
Nonwhite	7,369	630	563	624	581	597	576	613	550	562	758	677	638
Male	4,137	335	312	344	325	338	352	333	321	304	415	389	369
Female	3,232	295	251	280	256	259	224	280	229	258	343	288	269
OKLAHOMA	21,560	1,908	1,652	1,951	1,670	1,746	1,722	1,835	1,674	1,559	1,879	1,992	1,972
Male	12,716	1,123	928	1,170	978	1,043	1,037	1,080	995	912	1,097	1,177	1,176
Female	8,844	785	724	781	692	703	685	755	679	647	782	815	796
White	19,204	1,700	1,467	1,740	1,507	1,538	1,530	1,627	1,487	1,377	1,677	1,803	1,751
Male	11,457	1,016	824	1,047	895	918	938	987	898	810	990	1,076	1,058
Female	7,747	684	643	693	612	620	592	640	589	567	687	727	693
Nonwhite	2,356	208	185	211	163	208	192	208	187	182	202	189	221
Male	1,259	107	104	123	83	125	99	93	97	102	107	101	118
Female	1,097	101	81	88	80	83	93	115	90	80	95	88	103

Table 57. Deaths by Month, Color, and Sex: United States and Each State, 1957—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.			July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON	15,675	1,349	1,204	1,290	1,322	1,338	1,243	1,272	1,245	1,242	1,338	1,412	1,420
Male	9,455	811	721	765	812	843	739	758	740	754	809	877	826
Female	6,220	538	483	525	510	495	504	514	505	488	529	535	594
White	15,386	1,328	1,189	1,266	1,295	1,313	1,220	1,242	1,218	1,216	1,316	1,383	1,400
Male	9,267	799	710	747	799	825	723	737	724	737	796	856	814
Female	6,119	529	479	519	496	488	497	505	494	479	520	527	586
Nonwhite	289	21	15	24	27	25	23	30	27	28	22	29	20
Male	188	12	11	18	13	18	16	21	16	17	13	21	12
Female	101	9	4	6	14	7	7	9	11	9	9	8	8
PENNSYLVANIA	118,950	10,813	9,191	10,233	9,628	9,472	10,103	9,334	8,672	8,733	11,663	10,576	10,532
Male	66,577	5,960	5,122	5,695	5,337	5,328	5,631	5,267	4,959	4,922	6,513	5,948	5,895
Female	52,373	4,853	4,069	4,538	4,291	4,144	4,472	4,067	3,713	3,811	5,150	4,628	4,637
White	110,347	10,067	8,562	9,497	8,929	8,796	9,383	8,657	8,033	8,103	10,665	9,889	9,786
Male	61,856	5,576	4,771	5,262	4,953	4,952	5,253	4,897	4,600	4,599	5,966	5,537	5,490
Female	48,491	4,491	3,791	4,235	3,976	3,844	4,130	3,760	3,433	3,504	4,699	4,332	4,296
Nonwhite	8,603	746	629	736	699	676	720	677	639	630	998	707	746
Male	4,721	384	351	433	384	376	378	370	359	323	547	411	405
Female	3,882	362	278	303	315	300	342	307	280	307	451	296	341
RHODE ISLAND	8,606	767	700	788	689	737	713	713	613	592	762	755	777
Male	4,662	421	377	426	358	425	387	383	338	323	408	410	406
Female	3,944	346	323	362	331	312	326	330	275	269	354	345	371
White	8,434	753	686	775	678	722	694	699	601	581	746	734	765
Male	4,559	411	368	417	350	415	378	378	333	315	400	396	398
Female	3,875	342	318	358	328	307	316	321	268	266	346	338	367
Nonwhite	172	14	14	13	11	15	19	14	12	11	16	21	12
Male	103	10	9	9	8	10	9	5	5	8	6	14	8
Female	69	4	5	4	3	5	10	9	7	3	8	7	4
SOUTH CAROLINA	19,158	1,662	1,471	1,791	1,500	1,492	1,456	1,530	1,563	1,426	1,724	1,810	1,733
Male	11,005	961	861	1,012	845	872	841	872	920	832	986	1,008	995
Female	8,153	701	610	779	655	620	615	658	643	594	738	802	738
White	10,594	868	783	992	840	829	800	878	923	794	925	1,022	940
Male	6,344	528	471	596	497	512	469	517	563	482	550	604	555
Female	4,250	340	312	396	343	317	331	361	360	312	375	418	385
Nonwhite	8,564	794	688	799	660	663	656	652	640	632	799	788	793
Male	4,661	433	390	416	348	360	372	355	357	350	436	404	440
Female	3,903	361	298	383	312	303	284	297	283	282	363	384	353
SOUTH DAKOTA	6,269	535	487	548	490	478	478	547	485	544	525	582	570
Male	3,868	328	286	330	304	300	301	332	300	324	328	373	364
Female	2,401	207	201	218	186	178	177	215	185	220	199	209	206
White	5,950	516	458	527	457	452	457	521	460	516	494	547	545
Male	3,684	317	274	317	284	286	291	316	283	308	311	346	351
Female	2,266	199	184	210	173	166	166	205	177	208	183	201	194
Nonwhite	319	19	29	21	33	26	21	26	25	28	31	35	25
Male	184	11	12	13	20	14	10	16	17	16	15	27	13
Female	135	8	17	8	13	12	11	10	8	12	16	8	12
TENNESSEE	31,412	2,871	2,405	2,856	2,615	2,462	2,526	2,423	2,399	2,252	2,823	2,883	2,897
Male	17,745	1,606	1,323	1,604	1,462	1,419	1,411	1,401	1,361	1,264	1,589	1,643	1,662
Female	13,667	1,265	1,082	1,252	1,153	1,043	1,115	1,022	1,038	988	1,234	1,240	1,235
White	24,385	2,204	1,858	2,218	2,055	1,903	2,000	1,895	1,855	1,717	2,134	2,273	2,273
Male	13,985	1,249	1,040	1,238	1,155	1,111	1,142	1,102	1,080	986	1,228	1,315	1,339
Female	10,400	955	818	980	900	792	858	793	775	731	906	958	934
Nonwhite	7,027	667	547	638	560	559	526	528	544	535	689	610	624
Male	3,760	357	283	366	307	308	269	299	281	278	361	328	323
Female	3,267	310	264	272	253	251	257	229	263	257	328	282	301
TEXAS	72,744	6,529	5,440	6,178	5,783	5,927	5,740	6,365	5,731	5,216	6,361	6,518	6,956
Male	42,638	3,778	3,209	3,616	3,451	3,482	3,461	3,662	3,278	3,108	3,755	3,813	4,025
Female	30,106	2,751	2,231	2,562	2,332	2,445	2,279	2,703	2,453	2,108	2,606	2,705	2,931
White	60,721	5,487	4,577	5,131	4,798	4,974	4,814	5,285	4,817	4,346	5,248	5,452	5,792
Male	35,932	3,179	2,723	3,023	2,899	2,962	2,917	3,099	2,787	2,631	3,131	3,216	3,365
Female	24,789	2,308	1,854	2,108	1,899	2,012	1,897	2,186	2,030	1,715	2,117	2,236	2,427
Nonwhite	12,023	1,042	863	1,047	985	953	926	1,080	914	870	1,113	1,066	1,164
Male	6,706	599	486	593	552	520	544	563	491	477	624	597	660
Female	5,317	443	377	454	433	433	382	517	423	393	489	469	504
UTAH	5,764	482	381	461	466	507	468	508	436	454	558	505	538
Male	3,328	274	224	256	275	293	276	307	256	253	319	291	304
Female	2,436	208	157	205	191	214	192	201	180	201	239	214	234
White	5,622	465	371	452	457	497	463	496	427	440	538	488	528
Male	3,247	264	218	251	270	288	272	300	249	247	310	281	297
Female	2,375	201	153	201	187	209	191	196	178	193	228	207	231
Nonwhite	142	17	10	9	9	10	5	12	9	14	20	17	10
Male	81	10	6	5	5	5	4	7	7	6	9	10	7
Female	61	7	4	4	4	5	1	5	2	8	11	7	3
VERMONT	4,407	392	332	333	344	329	356	400	343	331	423	430	394
Male	2,492	218	199	173	199	168	195	223	183	195	252	261	226
Female	1,915	174	133	160	145	161	161	177	160	136	171	169	168
White	4,399	391	332	332	343	329	356	400	342	329	423	428	394
Male	2,487	217	199	172	199	168	195	223	183	193	252	260	226
Female	1,912	174	133	160	144	161	161	177	159	136	171	168	168
Nonwhite	8	1	-	1	1	-	-	-	1	2	-	2	-
Male	5	1	-	1	-	-	-	-	-	2	-	1	-
Female	3	-	-	-	1	-	-	-	1	-	-	1	-

Table 57. Deaths by Month, Color, and Sex: United States and Each State, 1957—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA	33,019	2,996	2,547	2,902	2,655	2,563	2,720	2,568	2,477	2,397	3,106	3,167	2,921
Male	18,923	1,758	1,412	1,639	1,510	1,466	1,549	1,478	1,411	1,404	1,791	1,847	1,658
Female	14,096	1,238	1,135	1,263	1,145	1,097	1,171	1,090	1,066	993	1,315	1,320	1,263
White	23,871	2,138	1,820	2,124	1,956	1,852	1,965	1,910	1,810	1,741	2,173	2,288	2,094
Male	13,837	1,287	1,025	1,204	1,117	1,085	1,139	1,116	1,030	1,021	1,273	1,354	1,186
Female	10,034	851	795	920	839	767	826	794	780	720	900	934	908
Nonwhite	9,148	858	727	778	699	711	755	658	667	656	933	879	827
Male	5,086	471	387	435	393	381	410	362	381	383	518	493	472
Female	4,062	387	340	343	306	330	345	296	286	273	415	386	355
WASHINGTON	25,263	2,193	1,942	2,183	2,117	2,114	1,973	2,007	2,024	1,899	2,158	2,370	2,283
Male	15,058	1,309	1,142	1,281	1,240	1,294	1,167	1,203	1,209	1,143	1,303	1,419	1,348
Female	10,205	884	800	902	877	820	806	804	815	756	855	951	935
White	24,430	2,129	1,873	2,114	2,057	2,044	1,908	1,927	1,954	1,840	2,087	2,288	2,209
Male	14,557	1,267	1,103	1,247	1,204	1,252	1,122	1,154	1,165	1,113	1,259	1,368	1,303
Female	9,873	862	770	867	853	792	786	773	789	727	828	920	906
Nonwhite	833	64	69	69	60	70	65	80	70	59	71	82	74
Male	501	42	39	34	36	42	45	49	44	30	44	51	45
Female	332	22	30	35	24	28	20	31	26	29	27	31	29
WEST VIRGINIA	17,856	1,610	1,388	1,621	1,460	1,430	1,342	1,407	1,382	1,283	1,638	1,728	1,567
Male	10,596	983	811	947	857	851	811	845	819	766	970	1,019	917
Female	7,260	627	577	674	603	579	531	562	563	517	668	709	650
White	16,598	1,490	1,278	1,516	1,364	1,338	1,253	1,312	1,294	1,192	1,499	1,601	1,461
Male	9,860	912	753	883	806	793	759	787	765	722	887	942	851
Female	6,738	578	525	633	558	545	494	525	529	470	612	659	610
Nonwhite	1,258	120	110	105	96	92	89	95	88	91	139	127	106
Male	736	71	58	64	51	58	52	58	54	44	83	77	66
Female	522	49	52	41	45	34	37	37	34	47	56	50	40
WISCONSIN	36,958	3,113	2,878	3,248	3,056	3,128	2,923	3,055	2,789	2,957	3,343	3,416	3,052
Male	21,130	1,773	1,625	1,868	1,719	1,807	1,662	1,791	1,637	1,677	1,929	1,923	1,719
Female	15,828	1,340	1,253	1,380	1,337	1,321	1,261	1,264	1,152	1,280	1,414	1,493	1,333
White	36,309	3,065	2,842	3,191	3,009	3,079	2,870	2,991	2,740	2,887	3,281	3,352	3,002
Male	20,748	1,747	1,601	1,829	1,693	1,778	1,628	1,762	1,613	1,640	1,886	1,888	1,683
Female	15,561	1,318	1,241	1,362	1,316	1,301	1,242	1,229	1,127	1,247	1,395	1,464	1,319
Nonwhite	649	48	36	57	47	49	53	64	49	70	62	64	50
Male	382	26	24	39	26	29	34	29	24	37	43	35	36
Female	267	22	12	18	21	20	19	35	25	33	19	29	14
WYOMING	2,609	214	203	220	206	238	198	192	202	195	225	239	277
Male	1,703	143	132	145	137	151	126	118	133	134	145	166	173
Female	906	71	71	75	69	87	72	74	69	61	80	73	104
White	2,528	205	197	212	199	229	194	189	197	188	217	231	270
Male	1,651	137	129	140	134	143	124	116	129	128	141	161	169
Female	877	68	68	72	65	86	70	73	68	60	76	70	101
Nonwhite	81	9	6	8	7	9	4	3	5	7	8	8	7
Male	52	6	3	5	3	8	2	2	4	6	4	5	4
Female	29	3	3	3	4	1	2	1	1	1	4	3	3

Table 58. Deaths by Specified Race and Sex: United States and Each State, 1957

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	ALL RACES			WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		OTHER RACES	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,633,128	930,728	702,400	823,067	614,585	102,709	85,203	2,484	1,947	1,150	206	750	326	568	133
Alabama	28,353	16,218	12,135	10,491	7,087	5,727	5,045	-	2	-	-	-	1	-	-
Arizona	8,725	5,411	3,314	4,732	2,806	271	148	388	354	12	4	4	2	4	-
Arkansas	16,631	9,815	6,816	7,444	4,841	2,365	1,973	1	-	2	2	1	-	2	-
California	124,162	71,724	52,438	67,023	49,347	3,209	2,574	216	133	438	125	498	207	340	52
Colorado	14,452	8,362	6,090	8,112	5,922	199	148	13	9	4	-	26	9	8	2
Connecticut	22,671	12,463	10,208	12,031	9,841	425	366	1	1	5	-	-	-	1	-
Delaware	3,929	2,191	1,738	1,800	1,451	388	287	2	-	-	-	1	-	-	-
District of Columbia	9,025	4,878	4,147	2,773	2,382	2,071	1,755	3	-	21	6	1	2	9	2
Florida	40,108	24,136	15,972	19,432	12,265	4,690	3,702	8	4	4	1	1	-	1	-
Georgia	33,447	18,975	14,472	12,279	8,720	6,691	5,750	1	-	1	1	1	-	2	1
Idaho	5,272	3,229	2,043	3,177	2,007	9	9	32	26	2	-	8	1	1	-
Illinois	102,306	58,345	43,961	52,733	39,262	5,488	4,665	9	7	65	5	40	18	10	4
Indiana	44,195	25,081	19,114	23,594	17,898	1,475	1,215	6	-	5	-	-	-	1	1
Iowa	27,984	15,892	12,092	15,701	11,944	177	140	9	7	1	-	2	-	2	1
Kansas	20,391	11,652	8,739	11,029	8,267	602	462	14	6	1	-	-	1	6	3
Kentucky	29,199	16,739	12,460	15,074	10,948	1,665	1,512	-	-	-	-	-	-	-	-
Louisiana	28,151	16,040	12,111	10,005	7,065	6,021	5,042	9	3	4	1	1	-	-	-
Maine	10,165	5,682	4,483	5,668	4,467	8	10	5	3	1	-	-	1	-	2
Maryland	26,379	14,745	11,634	11,832	9,393	2,903	2,234	1	2	8	3	-	2	1	-
Massachusetts	54,665	29,213	25,452	28,564	24,967	578	473	8	4	42	3	1	3	20	2
Michigan	66,456	38,888	27,568	35,770	25,192	3,038	2,349	47	22	27	1	-	2	6	2
Minnesota	31,211	18,084	13,127	17,877	12,967	110	89	85	68	4	1	5	1	3	1
Mississippi	20,522	11,455	9,067	6,083	4,317	5,347	4,731	19	18	6	1	-	-	-	-
Missouri	47,386	26,684	20,702	24,172	18,535	2,504	2,165	4	1	3	-	-	1	1	-
Montana	6,475	4,111	2,364	3,951	2,245	10	11	143	106	3	1	4	1	-	-
Nebraska	13,807	8,062	5,745	7,857	5,593	158	124	40	28	2	-	5	-	-	-
Nevada	2,131	1,452	679	1,350	604	56	39	43	36	-	-	3	-	-	-
New Hampshire	6,674	3,675	2,999	3,670	2,994	5	4	-	-	-	-	-	1	-	-
New Jersey	57,520	31,847	25,673	29,275	23,498	2,536	2,158	3	-	13	4	2	4	18	9
New Mexico	6,114	3,696	2,418	3,312	2,198	98	50	285	168	1	1	1	1	1	-
New York	172,677	95,366	77,311	88,392	71,619	6,495	5,600	74	54	320	21	43	4	42	13
North Carolina	35,015	20,194	14,821	14,083	9,757	6,013	4,958	96	105	-	-	1	-	1	1
North Dakota	5,495	3,329	2,166	3,249	2,124	4	1	75	41	-	-	-	-	1	-
Ohio	91,185	51,198	39,987	47,061	36,755	4,098	3,219	7	-	19	5	5	7	8	1
Oklahoma	21,560	12,716	8,844	11,457	7,747	961	813	297	283	1	1	-	-	-	-
Oregon	15,675	9,455	6,220	9,267	6,119	95	51	41	41	24	5	25	3	3	1
Pennsylvania	118,950	66,577	52,373	61,856	48,491	4,666	3,867	7	2	40	6	-	-	8	7
Rhode Island	8,606	4,662	3,944	4,559	3,875	100	66	-	2	2	1	1	-	-	-
South Carolina	19,158	11,005	8,153	6,344	4,250	4,655	3,901	4	2	1	-	-	-	1	-
South Dakota	6,269	3,868	2,401	3,684	2,266	4	3	180	131	-	-	-	1	-	-
Tennessee	31,412	17,745	13,667	13,985	10,400	3,759	3,262	-	3	-	1	1	-	-	1
Texas	72,744	42,638	30,106	35,932	24,789	6,674	5,299	5	8	14	-	3	2	10	8
Utah	5,764	3,328	2,436	3,247	2,375	25	21	35	28	4	1	17	10	-	1
Vermont	4,407	2,492	1,915	2,487	1,912	4	2	1	-	-	-	-	-	-	1
Virginia	33,019	18,923	14,096	13,837	10,034	5,067	4,055	3	5	9	1	1	1	6	-
Washington	25,263	15,058	10,205	14,557	9,873	231	136	152	140	30	4	41	36	47	16
West Virginia	17,856	10,596	7,260	9,860	6,738	734	522	-	-	1	-	-	-	1	-
Wisconsin	36,958	21,130	15,828	20,748	15,561	282	184	87	80	8	-	3	2	2	1
Wyoming	2,609	1,703	906	1,651	877	20	13	25	14	2	-	4	2	1	-

Table 59. Deaths by Color and Sex for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1957

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES	1,633,128	930,728	702,400	1,437,652	823,067	614,585	195,476	107,661	87,815
Metropolitan counties[1]	962,877	540,884	421,993	850,520	479,077	371,443	112,357	61,807	50,550
Nonmetropolitan counties[1]	670,251	389,844	280,407	587,132	343,990	243,142	83,119	45,854	37,265
Alabama	28,353	16,218	12,135	17,578	10,491	7,087	10,775	5,727	5,048
Metropolitan counties	10,627	5,967	4,660	6,163	3,588	2,575	4,464	2,379	2,085
Nonmetropolitan counties	17,726	10,251	7,475	11,415	6,903	4,512	6,311	3,348	2,963
Arizona	8,725	5,411	3,314	7,538	4,732	2,806	1,187	679	508
Metropolitan counties	4,018	2,480	1,538	3,705	2,287	1,418	313	193	120
Nonmetropolitan counties	4,707	2,931	1,776	3,833	2,445	1,388	874	486	388
Arkansas	16,631	9,815	6,816	12,285	7,444	4,841	4,346	2,371	1,975
Metropolitan counties	2,116	1,214	902	1,463	857	606	653	357	296
Nonmetropolitan counties	14,515	8,601	5,914	10,822	6,587	4,235	3,693	2,014	1,679
California	124,162	71,724	52,438	116,370	67,023	49,347	7,792	4,701	3,091
Metropolitan counties	101,059	57,351	43,708	94,356	53,396	40,960	6,703	3,955	2,748
Nonmetropolitan counties	23,103	14,373	8,730	22,014	13,627	8,387	1,089	746	343
Colorado	14,452	8,362	6,090	14,034	8,112	5,922	418	250	168
Metropolitan counties	7,585	4,293	3,292	7,253	4,095	3,158	332	198	134
Nonmetropolitan counties	6,867	4,069	2,798	6,781	4,017	2,764	86	52	34
Connecticut	22,671	12,463	10,208	21,872	12,031	9,841	799	432	367
Metropolitan counties	17,948	9,863	8,085	17,204	9,455	7,749	744	408	336
Nonmetropolitan counties	4,723	2,600	2,123	4,668	2,576	2,092	55	24	31
Delaware	3,929	2,191	1,738	3,251	1,800	1,451	678	391	287
Metropolitan counties	2,567	1,428	1,139	2,167	1,211	956	400	217	183
Nonmetropolitan counties	1,362	763	599	1,084	589	495	278	174	104
District of Columbia	9,025	4,878	4,147	5,155	2,773	2,382	3,870	2,105	1,765
Florida	40,108	24,136	15,972	31,697	19,432	12,265	8,411	4,704	3,707
Metropolitan counties	20,218	12,139	8,079	16,877	10,288	6,589	3,341	1,851	1,490
Nonmetropolitan counties	19,890	11,997	7,893	14,820	9,144	5,676	5,070	2,853	2,217
Georgia	33,447	18,975	14,472	20,999	12,279	8,720	12,448	6,696	5,752
Metropolitan counties	13,055	7,283	5,772	8,168	4,684	3,484	4,887	2,599	2,288
Nonmetropolitan counties	20,392	11,692	8,700	12,831	7,595	5,236	7,561	4,097	3,464
Idaho	5,272	3,229	2,043	5,184	3,177	2,007	88	52	36
Nonmetropolitan counties	5,272	3,229	2,043	5,184	3,177	2,007	88	52	36
Illinois	102,306	58,345	43,961	91,995	52,733	39,262	10,311	5,612	4,699
Metropolitan counties	73,463	42,005	31,458	63,835	36,763	27,072	9,628	5,242	4,386
Nonmetropolitan counties	28,843	16,340	12,503	28,160	15,970	12,190	683	370	313
Indiana	44,195	25,081	19,114	41,492	23,594	17,898	2,703	1,487	1,216
Metropolitan counties	19,362	10,966	8,396	16,987	9,682	7,305	2,375	1,284	1,091
Nonmetropolitan counties	24,833	14,115	10,718	24,505	13,912	10,593	328	203	125
Iowa	27,984	15,892	12,092	27,645	15,701	11,944	339	191	148
Metropolitan counties	7,788	4,410	3,378	7,546	4,270	3,276	242	140	102
Nonmetropolitan counties	20,196	11,482	8,714	20,099	11,431	8,668	97	51	46
Kansas	20,391	11,652	8,739	19,296	11,029	8,267	1,095	623	472
Metropolitan counties	5,916	3,342	2,574	5,230	2,955	2,275	686	387	299
Nonmetropolitan counties	14,475	8,310	6,165	14,066	8,074	5,992	409	236	173
Kentucky	29,199	16,739	12,460	26,022	15,074	10,948	3,177	1,665	1,512
Metropolitan counties	9,638	5,311	4,327	8,122	4,511	3,611	1,516	800	716
Nonmetropolitan counties	19,561	11,428	8,133	17,900	10,563	7,337	1,661	865	796
Louisiana	28,151	16,040	12,111	17,070	10,005	7,065	11,081	6,035	5,046
Metropolitan parishes	11,897	6,557	5,340	7,443	4,183	3,260	4,454	2,374	2,080
Nonmetropolitan parishes	16,254	9,483	6,771	9,627	5,822	3,805	6,627	3,661	2,966
Maine	10,165	5,682	4,483	10,135	5,668	4,467	30	14	16
Metropolitan counties	2,025	1,114	911	2,016	1,110	906	9	4	5
Nonmetropolitan counties	8,140	4,568	3,572	8,119	4,558	3,561	21	10	11
Maryland	26,379	14,745	11,634	21,225	11,832	9,393	5,154	2,913	2,241
Metropolitan counties	18,909	10,383	8,526	14,952	8,190	6,762	3,957	2,193	1,764
Nonmetropolitan counties	7,470	4,362	3,108	6,273	3,642	2,631	1,197	720	477
Massachusetts[2]	54,665	29,213	25,452	53,531	28,564	24,967	1,134	649	485
Michigan	66,456	38,888	27,568	60,962	35,770	25,192	5,494	3,118	2,376
Metropolitan counties	41,994	24,717	17,277	37,102	21,953	15,149	4,892	2,764	2,128
Nonmetropolitan counties	24,462	14,171	10,291	23,860	13,817	10,043	602	354	248
Minnesota	31,211	18,084	13,127	30,844	17,877	12,967	367	207	160
Metropolitan counties	14,654	8,301	6,353	14,408	8,167	6,241	246	134	112
Nonmetropolitan counties	16,557	9,783	6,774	16,436	9,710	6,726	121	73	48
Mississippi	20,522	11,455	9,067	10,400	6,083	4,317	10,122	5,372	4,750
Metropolitan counties	1,435	774	661	706	391	315	729	383	346
Nonmetropolitan counties	19,087	10,681	8,406	9,694	5,692	4,002	9,393	4,989	4,404
Missouri	47,386	26,684	20,702	42,707	24,172	18,535	4,679	2,512	2,167
Metropolitan counties	25,073	13,698	11,375	21,364	11,727	9,637	3,709	1,971	1,738
Nonmetropolitan counties	22,313	12,986	9,327	21,343	12,445	8,898	970	541	429

[1]Includes estimate for Massachusetts; for explanation, see text in Volume I.
[2]Data are shown only for the State as a whole; for explanation, see text in Volume I.

Table 59. Deaths by Color and Sex for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1957—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Montana	6,475	4,111	2,364	6,196	3,951	2,245	279	160	119
Nonmetropolitan counties	6,475	4,111	2,364	6,196	3,951	2,245	279	160	119
Nebraska	13,807	8,062	5,745	13,450	7,857	5,593	357	205	152
Metropolitan counties	4,633	2,657	1,976	4,353	2,494	1,859	280	163	117
Nonmetropolitan counties	9,174	5,405	3,769	9,097	5,363	3,734	77	42	35
Nevada	2,131	1,452	679	1,954	1,350	604	177	102	75
Nonmetropolitan counties	2,131	1,452	679	1,954	1,350	604	177	102	75
New Hampshire	6,674	3,675	2,999	6,664	3,670	2,994	10	5	5
Metropolitan counties	1,926	1,013	913	1,924	1,013	911	2	-	2
Nonmetropolitan counties	4,748	2,662	2,086	4,740	2,657	2,083	8	5	3
New Jersey	57,520	31,847	25,673	52,773	29,275	23,498	4,747	2,572	2,175
Metropolitan counties	50,546	27,937	22,609	46,342	25,650	20,692	4,204	2,287	1,917
Nonmetropolitan counties	6,974	3,910	3,064	6,431	3,625	2,806	543	285	258
New Mexico	6,114	3,696	2,418	5,510	3,312	2,198	604	384	220
Metropolitan counties	1,381	837	544	1,324	795	529	57	42	15
Nonmetropolitan counties	4,733	2,859	1,874	4,186	2,517	1,669	547	342	205
New York	172,677	95,366	77,311	160,011	88,392	71,619	12,666	6,974	5,692
Metropolitan counties	142,658	78,576	64,082	130,463	71,892	58,571	12,195	6,684	5,511
Nonmetropolitan counties	30,019	16,790	13,229	29,548	16,500	13,048	471	290	181
North Carolina	35,015	20,194	14,821	23,840	14,083	9,757	11,175	6,111	5,064
Metropolitan counties	8,337	4,744	3,593	5,613	3,265	2,348	2,724	1,479	1,245
Nonmetropolitan counties	26,678	15,450	11,228	18,227	10,818	7,409	8,451	4,632	3,819
North Dakota	5,495	3,329	2,166	5,373	3,249	2,124	122	80	42
Nonmetropolitan counties	5,495	3,329	2,166	5,373	3,249	2,124	122	80	42
Ohio	91,185	51,198	39,987	83,816	47,061	36,755	7,369	4,137	3,232
Metropolitan counties	61,114	34,316	26,798	54,397	30,566	23,831	6,717	3,750	2,967
Nonmetropolitan counties	30,071	16,882	13,189	29,419	16,495	12,924	652	387	265
Oklahoma	21,560	12,716	8,844	19,204	11,457	7,747	2,356	1,259	1,097
Metropolitan counties	5,854	3,447	2,407	5,185	3,070	2,115	669	377	292
Nonmetropolitan counties	15,706	9,269	6,437	14,019	8,387	5,632	1,687	882	805
Oregon	15,675	9,455	6,220	15,386	9,267	6,119	289	188	101
Metropolitan counties	7,331	4,280	3,051	7,141	4,147	2,994	190	133	57
Nonmetropolitan counties	8,344	5,175	3,169	8,245	5,120	3,125	99	55	44
Pennsylvania	118,950	66,577	52,373	110,347	61,856	48,491	8,603	4,721	3,882
Metropolitan counties	93,059	51,866	41,193	84,765	47,319	37,446	8,294	4,547	3,747
Nonmetropolitan counties	25,891	14,711	11,180	25,582	14,537	11,045	309	174	135
Rhode Island	8,606	4,662	3,944	8,434	4,559	3,875	172	103	69
Metropolitan counties	7,490	4,045	3,445	7,359	3,964	3,395	131	81	50
Nonmetropolitan counties	1,116	617	499	1,075	595	480	41	22	19
South Carolina	19,158	11,005	8,153	10,594	6,344	4,250	8,564	4,661	3,903
Metropolitan counties	5,115	2,928	2,187	3,037	1,804	1,233	2,078	1,124	954
Nonmetropolitan counties	14,043	8,077	5,966	7,557	4,540	3,017	6,486	3,537	2,949
South Dakota	6,269	3,868	2,401	5,950	3,684	2,266	319	184	135
Metropolitan counties	697	429	268	695	428	267	2	1	1
Nonmetropolitan counties	5,572	3,439	2,133	5,255	3,256	1,999	317	183	134
Tennessee	31,412	17,745	13,667	24,385	13,985	10,400	7,027	3,760	3,267
Metropolitan counties	13,619	7,575	6,044	9,174	5,231	3,943	4,445	2,344	2,101
Nonmetropolitan counties	17,793	10,170	7,623	15,211	8,754	6,457	2,582	1,416	1,166
Texas	72,744	42,638	30,106	60,721	35,932	24,789	12,023	6,706	5,317
Metropolitan counties	35,012	20,286	14,726	28,882	16,860	12,022	6,130	3,426	2,704
Nonmetropolitan counties	37,732	22,352	15,380	31,839	19,072	12,767	5,893	3,280	2,613
Utah	5,764	3,328	2,436	5,622	3,247	2,375	142	81	61
Metropolitan counties	3,198	1,824	1,374	3,126	1,783	1,343	72	41	31
Nonmetropolitan counties	2,566	1,504	1,062	2,496	1,464	1,032	70	40	30
Vermont	4,407	2,492	1,915	4,399	2,487	1,912	8	5	3
Nonmetropolitan counties	4,407	2,492	1,915	4,399	2,487	1,912	8	5	3
Virginia	33,019	18,923	14,096	23,871	13,837	10,034	9,148	5,086	4,062
Metropolitan counties	12,157	6,841	5,316	8,708	4,966	3,742	3,449	1,875	1,574
Nonmetropolitan counties	20,862	12,082	8,780	15,163	8,871	6,292	5,699	3,211	2,488
Washington	25,263	15,058	10,205	24,430	14,557	9,873	833	501	332
Metropolitan counties	14,701	8,642	6,059	14,162	8,307	5,855	539	335	204
Nonmetropolitan counties	10,562	6,416	4,146	10,268	6,250	4,018	294	166	128
West Virginia	17,856	10,596	7,260	16,598	9,860	6,738	1,258	736	522
Metropolitan counties	5,793	3,451	2,342	5,345	3,188	2,157	448	263	185
Nonmetropolitan counties	12,063	7,145	4,918	11,253	6,672	4,581	810	473	337
Wisconsin	36,958	21,130	15,828	36,309	20,748	15,561	649	382	267
Metropolitan counties	14,657	8,277	6,380	14,181	7,989	6,192	476	288	188
Nonmetropolitan counties	22,301	12,853	9,448	22,128	12,759	9,369	173	94	79
Wyoming	2,609	1,703	906	2,528	1,651	877	81	52	29
Nonmetropolitan counties	2,609	1,703	906	2,528	1,651	877	81	52	29

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nometropolitan counties" includes all other counties in the State.

Table 60. Deaths by Age for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1957

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UNITED STATES	1,633,128	112,094	17,188	15,882	25,137	35,929	71,841	149,133	266,594	401,901	371,940	164,453	1,036
Metropolitan counties[1]	962,877	64,834	9,036	8,055	12,157	21,028	44,819	95,629	170,615	242,735	206,200	87,372	397
Nonmetropolitan counties[1]	670,251	47,260	8,152	7,827	12,980	14,901	27,022	53,504	95,979	159,166	165,740	77,081	639
Alabama	28,353	2,696	437	403	682	949	1,659	3,024	4,506	6,378	5,501	2,037	81
Metropolitan counties	10,627	984	159	139	221	372	723	1,261	1,907	2,393	1,829	633	6
Nonmetropolitan counties	17,726	1,712	278	264	461	577	936	1,763	2,599	3,985	3,672	1,404	75
Arizona	8,725	1,142	200	149	237	301	524	946	1,432	1,795	1,422	562	15
Metropolitan counties	4,018	435	79	47	88	107	232	440	688	942	702	254	4
Nonmetropolitan counties	4,707	707	121	102	149	194	292	506	744	853	720	308	11
Arkansas	16,631	1,095	230	216	326	348	719	1,436	2,662	4,133	3,899	1,563	4
Metropolitan counties	2,116	176	26	20	27	47	115	222	374	491	449	169	-
Nonmetropolitan counties	14,515	919	204	196	299	301	604	1,214	2,288	3,642	3,450	1,394	4
California	124,162	8,720	1,267	1,124	1,903	2,996	6,010	11,891	19,901	30,275	27,570	12,463	42
Metropolitan counties	101,059	7,076	1,001	849	1,462	2,407	4,907	9,914	16,297	24,466	22,426	10,234	20
Nonmetropolitan counties	23,103	1,644	266	275	441	589	1,103	1,977	3,604	5,809	5,144	2,229	22
Colorado	14,452	1,250	186	200	272	333	585	1,143	1,965	3,248	3,480	1,786	4
Metropolitan counties	7,585	687	58	98	117	192	338	677	1,123	1,681	1,730	854	3
Nonmetropolitan counties	6,867	563	101	102	155	141	247	466	842	1,567	1,750	932	1
Connecticut	22,671	1,236	161	165	230	363	891	2,015	3,782	6,009	5,258	2,542	19
Metropolitan counties	17,948	992	127	114	173	299	745	1,673	3,045	4,835	4,045	1,888	12
Nonmetropolitan counties	4,723	244	34	51	57	64	146	342	737	1,174	1,213	654	7
Delaware	3,929	273	33	33	57	97	181	401	641	935	872	399	7
Metropolitan counties	2,567	178	21	21	35	64	123	293	437	610	522	257	6
Nonmetropolitan counties	1,362	95	12	12	22	33	58	108	204	325	350	142	1
District of Columbia	9,025	725	83	65	99	264	606	1,165	1,746	1,923	1,657	684	8
Florida	40,108	3,323	575	420	656	1,093	2,069	4,026	6,930	10,065	7,846	3,083	22
Metropolitan counties	20,218	1,406	234	158	241	504	1,065	2,130	3,594	5,259	4,074	1,550	3
Nonmetropolitan counties	19,890	1,917	341	262	415	589	1,004	1,896	3,336	4,806	3,772	1,533	19
Georgia	33,447	3,099	512	469	735	1,152	2,205	4,010	5,892	7,219	5,918	2,223	13
Metropolitan counties	13,055	1,202	164	143	253	515	975	1,755	2,532	2,664	2,081	769	2
Nonmetropolitan counties	20,392	1,897	348	326	482	637	1,230	2,255	3,360	4,555	3,837	1,454	11
Idaho	5,272	415	79	73	116	118	221	421	728	1,238	1,286	574	3
Nonmetropolitan counties	5,272	415	79	73	116	118	221	421	728	1,238	1,286	574	3
Illinois	102,306	6,080	891	832	1,282	2,096	4,403	9,623	17,701	26,499	22,918	9,975	6
Metropolitan counties	73,463	4,840	682	568	907	1,664	3,517	7,752	13,839	19,251	14,605	5,833	5
Nonmetropolitan counties	28,843	1,240	209	264	375	432	886	1,871	3,862	7,248	8,313	4,142	1
Indiana	44,195	2,754	431	383	694	886	1,753	3,491	6,574	10,712	11,234	5,259	24
Metropolitan counties	19,362	1,432	224	173	299	439	920	1,873	3,288	4,707	4,195	1,801	11
Nonmetropolitan counties	24,833	1,322	207	210	395	447	833	1,618	3,286	6,005	7,039	3,458	13
Iowa	27,984	1,330	226	231	359	378	757	1,865	3,745	6,849	7,969	4,262	13
Metropolitan counties	7,788	481	60	77	112	102	258	633	1,181	1,886	1,938	1,055	5
Nonmetropolitan counties	20,196	849	166	154	247	276	499	1,232	2,564	4,963	6,031	3,207	8
Kansas	20,391	1,190	183	193	326	367	649	1,458	2,745	4,683	5,695	2,901	1
Metropolitan counties	5,916	531	77	65	92	147	278	541	946	1,290	1,315	634	-
Nonmetropolitan counties	14,475	659	106	128	234	220	371	917	1,799	3,393	4,380	2,267	1
Kentucky	29,199	2,142	348	321	599	739	1,278	2,400	4,178	6,622	7,191	3,364	17
Metropolitan counties	9,638	703	94	78	134	238	447	957	1,678	2,227	2,091	988	3
Nonmetropolitan counties	19,561	1,439	254	243	465	501	831	1,443	2,500	4,395	5,100	2,376	14
Louisiana	28,151	2,937	526	408	623	839	1,463	2,951	4,700	6,350	5,160	2,083	111
Metropolitan parishes	11,897	1,102	178	109	177	349	649	1,432	2,328	2,773	2,011	777	12
Nonmetropolitan parishes	16,254	1,835	348	299	446	490	814	1,519	2,372	3,577	3,149	1,306	99
Maine	10,165	576	89	92	135	161	287	620	1,475	2,512	2,784	1,426	8
Metropolitan counties	2,025	120	16	20	23	26	52	120	321	473	557	297	-
Nonmetropolitan counties	8,140	456	73	72	112	135	235	500	1,154	2,039	2,227	1,129	8
Maryland	26,379	2,111	314	289	381	678	1,396	2,756	4,633	6,180	5,371	2,265	5
Metropolitan counties	18,909	1,616	206	201	233	503	1,093	2,134	3,519	4,399	3,593	1,408	4
Nonmetropolitan counties	7,470	495	108	88	148	175	303	622	1,114	1,781	1,778	857	1
Massachusetts[2]	54,665	2,621	361	344	429	733	1,905	4,378	8,968	14,368	13,769	6,709	80
Michigan	66,456	5,099	795	665	946	1,408	2,889	6,228	11,482	16,508	14,276	6,150	10
Metropolitan counties	41,994	3,596	538	402	565	982	2,089	4,427	8,115	10,333	7,746	3,195	6
Nonmetropolitan counties	24,462	1,503	257	263	381	426	800	1,801	3,367	6,175	6,530	2,955	4
Minnesota	31,211	1,980	281	305	448	500	954	2,257	4,423	7,982	8,070	3,994	17
Metropolitan counties	14,654	969	132	126	175	235	504	1,181	2,294	3,878	3,466	1,688	6
Nonmetropolitan counties	16,557	1,011	149	179	273	265	450	1,076	2,129	4,104	4,604	2,306	11
Mississippi	20,522	2,253	340	273	463	581	960	1,918	2,950	4,539	4,232	1,977	36
Metropolitan counties	1,435	170	20	16	29	50	79	169	221	298	261	121	1
Nonmetropolitan counties	19,087	2,083	320	257	434	531	881	1,749	2,729	4,241	3,971	1,856	35
Missouri	47,386	2,433	398	355	627	786	1,604	3,732	7,183	11,776	12,441	6,029	22
Metropolitan counties	25,073	1,464	208	160	291	478	1,004	2,316	4,408	6,369	5,716	2,648	11
Nonmetropolitan counties	22,313	969	190	195	336	308	600	1,416	2,775	5,407	6,725	3,381	11

[1]Includes estimate for Massachusetts; for explanation, see text in Volume I.
[2]Data are shown only for the State as a whole; for explanation, see text in Volume I.

Table 60. Deaths by Age for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1957—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Montana	6,475	456	89	78	130	158	292	516	916	1,698	1,472	657	13
Nonmetropolitan counties	6,475	456	89	78	130	158	292	516	916	1,698	1,472	657	13
Nebraska	13,807	791	144	123	173	216	424	969	1,881	3,403	3,693	1,989	1
Metropolitan counties	4,633	345	42	43	60	99	187	398	678	1,197	1,065	518	1
Nonmetropolitan counties	9,174	446	102	80	113	117	237	571	1,203	2,206	2,628	1,471	-
Nevada	2,131	207	30	25	56	86	143	272	416	419	338	135	4
Nonmetropolitan counties	2,131	207	30	25	56	86	143	272	416	419	338	135	4
New Hampshire	6,674	348	32	47	74	93	191	468	1,022	1,658	1,803	932	6
Metropolitan counties	1,926	92	6	8	16	25	69	152	322	506	495	235	-
Nonmetropolitan counties	4,748	256	26	39	58	68	122	316	700	1,152	1,308	697	6
New Jersey	57,520	3,153	449	426	571	1,067	2,515	5,484	10,583	15,474	12,658	5,126	14
Metropolitan counties	50,546	2,822	384	357	484	942	2,258	4,921	9,442	13,567	10,977	4,385	7
Nonmetropolitan counties	6,974	331	65	69	87	125	257	563	1,141	1,907	1,681	741	7
New Mexico	6,114	1,100	184	126	237	257	336	532	830	1,099	925	482	6
Metropolitan counties	1,381	211	25	28	52	59	83	140	203	277	210	93	-
Nonmetropolitan counties	4,733	889	159	98	185	198	253	392	627	822	715	389	6
New York	172,677	8,578	1,187	1,211	1,868	3,105	6,868	16,333	31,714	46,657	39,076	15,998	82
Metropolitan counties	142,658	7,076	941	946	1,467	2,652	5,946	14,244	27,499	38,980	30,876	11,971	60
Nonmetropolitan counties	30,019	1,502	246	265	401	453	922	2,089	4,215	7,677	8,200	4,027	22
North Carolina	35,015	3,460	588	476	917	1,223	2,265	3,770	5,634	7,623	6,540	2,501	18
Metropolitan counties	8,337	778	127	97	148	315	573	1,059	1,498	1,734	1,414	590	4
Nonmetropolitan counties	26,678	2,682	461	379	769	908	1,692	2,711	4,136	5,889	5,126	1,911	14
North Dakota	5,495	419	66	53	87	97	175	397	731	1,352	1,440	676	2
Nonmetropolitan counties	5,495	419	66	53	87	97	175	397	731	1,352	1,440	676	2
Ohio	91,185	6,024	812	868	1,241	1,786	3,799	7,963	14,383	22,177	22,140	9,970	22
Metropolitan counties	61,114	4,340	546	542	742	1,258	2,822	5,861	10,470	15,229	13,600	5,692	12
Nonmetropolitan counties	30,071	1,684	266	326	499	528	977	2,102	3,913	6,948	8,540	4,278	10
Oklahoma	21,560	1,310	226	244	382	461	850	1,781	3,017	4,916	5,607	2,726	40
Metropolitan counties	5,854	518	73	74	101	155	300	636	886	1,276	1,231	596	8
Nonmetropolitan counties	15,706	792	153	170	281	306	550	1,145	2,131	3,640	4,376	2,130	32
Oregon	15,675	826	134	169	249	281	589	1,359	2,413	3,941	3,905	1,802	7
Metropolitan counties	7,331	321	46	48	85	118	243	594	1,132	1,965	1,904	871	4
Nonmetropolitan counties	8,344	505	88	121	164	163	346	765	1,281	1,976	2,001	931	3
Pennsylvania	118,950	6,250	830	897	1,335	2,072	4,791	10,655	20,629	31,587	28,279	11,578	47
Metropolitan counties	93,059	5,049	637	698	948	1,611	3,908	8,605	16,689	24,877	21,477	8,526	34
Nonmetropolitan counties	25,891	1,201	193	199	387	461	883	2,050	3,940	6,710	6,802	3,052	13
Rhode Island	8,606	457	39	50	64	139	276	723	1,490	2,342	2,055	968	3
Metropolitan counties	7,490	371	28	46	51	118	237	647	1,319	2,054	1,788	828	3
Nonmetropolitan counties	1,116	86	11	4	13	21	39	76	171	288	267	140	-
South Carolina	19,158	2,003	347	329	524	747	1,455	2,400	3,603	3,807	2,826	1,028	89
Metropolitan counties	5,115	543	78	85	112	219	403	737	978	990	690	261	19
Nonmetropolitan counties	14,043	1,460	269	244	412	528	1,052	1,663	2,625	2,817	2,136	767	70
South Dakota	6,269	460	75	79	134	108	207	417	831	1,603	1,590	762	3
Metropolitan counties	697	50	7	5	6	9	17	56	90	189	173	95	-
Nonmetropolitan counties	5,572	410	68	74	128	99	190	361	741	1,414	1,417	667	3
Tennessee	31,412	2,451	362	370	578	800	1,547	2,985	4,938	7,181	7,203	2,995	2
Metropolitan counties	13,619	1,166	160	140	207	388	784	1,529	2,468	3,054	2,673	1,049	1
Nonmetropolitan counties	17,793	1,285	202	230	371	412	763	1,456	2,470	4,127	4,530	1,946	1
Texas	72,744	7,398	1,224	986	1,676	2,166	3,549	7,146	11,470	15,824	14,927	6,348	30
Metropolitan counties	35,012	4,018	624	494	789	1,236	2,018	3,936	5,912	7,191	6,222	2,563	9
Nonmetropolitan counties	37,732	3,380	600	492	887	930	1,531	3,210	5,558	8,633	8,705	3,785	21
Utah	5,764	562	117	98	138	161	257	501	811	1,253	1,259	606	1
Metropolitan counties	3,198	267	57	45	67	70	157	287	473	712	703	360	-
Nonmetropolitan counties	2,566	295	60	53	71	91	100	214	338	541	556	246	1
Vermont	4,407	241	52	36	64	70	135	305	580	1,040	1,242	638	4
Nonmetropolitan counties	4,407	241	52	36	64	70	135	305	580	1,040	1,242	638	4
Virginia	33,019	2,940	421	363	643	1,039	1,965	3,379	5,433	7,416	6,535	2,846	37
Metropolitan counties	12,157	1,158	154	133	167	409	782	1,434	2,253	2,682	2,102	874	9
Nonmetropolitan counties	20,862	1,782	267	230	476	630	1,183	1,945	3,180	4,736	4,433	1,972	28
Washington	25,263	1,602	264	242	362	466	1,032	2,082	3,669	6,341	6,341	2,839	23
Metropolitan counties	14,701	914	128	113	178	242	607	1,248	2,213	3,743	3,632	1,668	15
Nonmetropolitan counties	10,562	688	136	129	184	224	425	834	1,456	2,598	2,709	1,171	8
West Virginia	17,856	1,210	177	199	367	488	893	1,638	2,647	4,182	4,187	1,857	11
Metropolitan counties	5,793	386	59	53	109	149	325	569	907	1,436	1,278	517	5
Nonmetropolitan counties	12,063	824	118	146	258	339	568	1,069	1,740	2,746	2,909	1,340	6
Wisconsin	36,958	2,150	347	343	566	606	1,198	2,700	5,602	9,500	9,526	4,419	1
Metropolitan counties	14,657	979	148	114	196	255	520	1,230	2,516	3,903	3,327	1,468	1
Nonmetropolitan counties	22,301	1,171	199	229	370	351	678	1,470	3,086	5,597	6,199	2,951	-
Wyoming	2,609	218	46	36	76	71	121	203	409	608	554	265	2
Nonmetropolitan counties	2,609	218	46	36	76	71	121	203	409	608	554	265	2

NOTE.—The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	1,633,128	823,067	614,585	107,661	87,815	959.0	1,099.9	800.9	1,180.9	913.6
	I. Infective and parasitic diseases										
001-008	Tuberculosis of respiratory system	12,384	7,112	2,354	1,956	962	7.3	9.5	3.1	21.5	10.0
001	Respiratory tuberculosis with mention of occupational disease of lung	457	414	3	40	-	0.3	0.6	0.0	0.4	0
002	Pulmonary tuberculosis	11,335	6,409	2,198	1,827	901	6.7	8.6	2.9	20.0	9.4
003	Pleural tuberculosis	210	100	67	23	20	0.1	0.1	0.1	0.3	0.2
.0	Pleurisy specified as tuberculous	59	26	14	14	5	0.0	0.0	0.0	0.2	0.1
.1	Pleurisy with effusion without mention of cause	151	74	53	9	15	0.1	0.1	0.1	0.1	0.2
004	Primary tuberculosis complex with symptoms	7	3	1	-	3	0.0	0.0	0.0	0	0.0
005	Tracheobronchial glandular tuberculosis with symptoms	3	-	1	-	2	0.0	0	0.0	0	0.0
007	Other respiratory tuberculosis	4	2	2	-	-	0.0	0.0	0.0	0	0
008	Tuberculosis, unspecified site	368	184	82	66	36	0.2	0.2	0.1	0.7	0.4
010-019	Tuberculosis, other forms	940	353	211	228	148	0.6	0.5	0.3	2.5	1.5
010	Tuberculosis of meninges and central nervous system	249	73	59	72	45	0.1	0.1	0.1	0.8	0.5
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	47	18	9	11	9	0.0	0.0	0.0	0.1	0.1
012	Tuberculosis of bones and joints, active or unspecified	116	48	37	16	15	0.1	0.1	0.0	0.2	0.2
.0	Active or unspecified tuberculosis of vertebral column	102	41	37	12	12	0.1	0.1	0.0	0.1	0.1
.1	Active or unspecified tuberculosis of hip	4	1	-	2	1	0.0	0.0	0	0.0	0.0
.2	Active or unspecified tuberculosis of knee	4	2	-	1	1	0.0	0.0	0	0.0	0.0
.3	Active or unspecified tuberculosis of other and unspecified bones and joints	6	4	-	1	1	0.0	0.0	0	0.0	0.0
013	Late effects of tuberculosis of bones and joints	4	1	3	-	-	0.0	0.0	0.0	0	0
.0	Late effects of tuberculosis of vertebral column	4	1	3	-	-	0.0	0.0	0.0	0	0
014	Tuberculosis of skin and subcutaneous cellular tissue	7	1	4	-	2	0.0	0.0	0.0	0	0.0
015	Tuberculosis of lymphatic system	18	4	8	5	1	0.0	0.0	0.0	0.1	0.0
016	Tuberculosis of genito-urinary system	129	72	30	19	8	0.1	0.1	0.0	0.2	0.1
017	Tuberculosis of adrenal glands	29	10	10	7	2	0.0	0.0	0.0	0.1	0.0
018	Tuberculosis of other organs	27	11	2	10	4	0.0	0.0	0.0	0.1	0.0
019	Disseminated tuberculosis	314	115	49	88	62	0.2	0.2	0.1	1.0	0.6
.1	Acute miliary tuberculosis, unspecified	16	5	5	3	3	0.0	0.0	0.0	0.0	0.0
.2	Other forms of disseminated tuberculosis	298	110	44	85	59	0.2	0.1	0.1	0.9	0.6
020-029	Syphilis and its sequelae	3,825	1,868	672	891	394	2.2	2.5	0.9	9.8	4.1
020	Congenital syphilis	47	17	17	8	5	0.0	0.0	0.0	0.1	0.1
.1	Juvenile neurosyphilis	5	1	2	2	-	0.0	0.0	0.0	0.0	0
.2	Other congenital syphilis	42	16	15	6	5	0.0	0.0	0.0	0.1	0.1
021	Early syphilis	2	1	-	1	-	0.0	0.0	0	0.0	0
022	Aneurysm of aorta	1,466	843	299	217	107	0.9	1.1	0.4	2.4	1.1
023	Other cardiovascular syphilis	1,377	569	181	436	191	0.8	0.8	0.2	4.8	2.0
024	Tabes dorsalis	79	53	12	12	2	0.0	0.1	0.0	0.1	0.0
025	General paralysis of insane	420	211	83	87	39	0.2	0.3	0.1	1.0	0.4
026	Other syphilis of central nervous system	358	147	63	109	39	0.2	0.2	0.1	1.2	0.4
027	Other forms of late syphilis	47	19	10	13	5	0.0	0.0	0.0	0.1	0.1
029	Syphilis, unqualified	29	8	7	8	6	0.0	0.0	0.0	0.1	0.1
030-039	Gonococcal infection and other venereal diseases	39	9	-	14	16	0.0	0.0	0	0.2	0.2
030	Acute or unspecified gonorrhea	1	-	-	-	1	0.0	0	0	0	0.0
031	Chronic gonococcal infection of genito-urinary system	1	-	-	-	1	0.0	0	0	0	0.0
034	Gonococcal infection of other sites	1	-	-	1	-	0.0	0	0	0.0	0
035	Late effects of gonococcal infection	18	7	-	11	-	0.0	0.0	0	0.1	0
037	Lymphogranuloma venereum	12	1	-	-	11	0.0	0.0	0	0	0.1
038	Granuloma inguinale, venereal	4	-	-	2	2	0.0	0	0	0.0	0.0
039	Other and unspecified venereal diseases	2	1	-	-	1	0.0	0.0	0	0	0.0
040-049	Infectious diseases commonly arising in intestinal tract	605	199	193	121	92	0.4	0.3	0.3	1.3	1.0
040	Typhoid fever	34	14	8	8	4	0.0	0.0	0.0	0.1	0.0
041	Paratyphoid fever	3	2	1	-	-	0.0	0.0	0.0	0	0
042	Other Salmonella infections	57	25	18	7	7	0.0	0.0	0.0	0.1	0.1
044	Brucellosis (undulant fever)	8	2	4	1	1	0.0	0.0	0.0	0.0	0.0
045	Bacillary dysentery	156	42	50	38	26	0.1	0.1	0.1	0.4	0.3
.0	Flexner-Boyd group	5	2	1	1	1	0.0	0.0	0.0	0.0	0.0
.2	Shiga	19	7	6	3	3	0.0	0.0	0.0	0.0	0.0
.3	Sonne	1	1	-	-	-	0.0	0.0	0	0	0
.4	Bacillary, other, and unspecified	131	32	43	34	22	0.1	0.0	0.1	0.4	0.2
046	Amebiasis	95	33	35	15	12	0.1	0.0	0.0	0.2	0.1
048	Unspecified forms of dysentery	189	59	63	40	27	0.1	0.1	0.1	0.4	0.3
049	Food poisoning (infection and intoxication)	63	22	14	12	15	0.0	0.0	0.0	0.1	0.2
.0	Staphylococcal	6	3	2	-	1	0.0	0.0	0.0	0	0.0
.1	Botulism	11	2	6	1	2	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	46	17	6	11	12	0.0	0.0	0.0	0.1	0.1
050-064	Other bacterial diseases	2,976	1,302	979	386	309	1.7	1.7	1.3	4.2	3.2
050	Scarlet fever	48	15	29	2	2	0.0	0.0	0.0	0.0	0.0
051	Streptococcal sore throat	165	60	69	21	15	0.1	0.1	0.1	0.2	0.2
052	Erysipelas	27	11	16	-	-	0.0	0.0	0.0	0	0
053	Septicemia and pyemia	1,351	647	435	158	111	0.8	0.9	0.6	1.7	1.2
.0	Streptococcus	67	38	20	4	5	0.0	0.1	0.0	0.0	0.1
.1	Staphylococcus	217	135	58	15	9	0.1	0.2	0.1	0.2	0.1
.2	Pneumococcus	23	9	10	1	3	0.0	0.0	0.0	0.0	0.0
.3	Other specified organism	76	37	31	7	1	0.0	0.0	0.0	0.1	0.0
.4	Organism unspecified	968	428	316	131	93	0.6	0.6	0.4	1.4	1.0

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases—Continued										
	Other bacterial diseases—Continued										
054	Bacterial toxemia	2	1	1	-	-	0.0	0.0	0.0	0	0
055	Diphtheria	81	22	28	14	17	0.0	0.0	0.0	0.2	0.2
056	Whooping cough	183	41	46	42	54	0.1	0.1	0.1	0.5	0.6
.0	Without mention of pneumonia	71	20	16	18	17	0.0	0.0	0.0	0.2	0.2
.1	With pneumonia	112	21	30	24	37	0.1	0.0	0.0	0.3	0.4
057	Meningococcal infections	785	375	290	61	59	0.5	0.5	0.4	0.7	0.6
.0	Meningococcal meningitis	389	186	140	32	31	0.2	0.2	0.2	0.4	0.3
.1	Acute and unspecified meningococcemia	395	188	150	29	28	0.2	0.3	0.2	0.3	0.3
.3	Other forms of meningococcal infection	1	1	-	-	-	0.0	0.0	0	0	0
059	Tularemia	3	2	-	1	-	0.0	0.0	0	0.0	0
060	Leprosy	3	2	1	-	-	0.0	0.0	0.0	0	0
061	Tetanus	279	101	52	79	47	0.2	0.1	0.1	0.9	0.5
062	Anthrax	2	1	-	1	-	0.0	0.0	0	0.0	0
063	Gas gangrene	46	24	11	7	4	0.0	0.0	0.0	0.1	0.0
064	Other bacterial diseases	1	-	1	-	-	0.0	0	0.0	0	0
070-074	Spirochetal diseases, except syphilis	22	10	5	6	1	0.0	0.0	0.0	0.1	0.0
070	Vincent's infection	11	6	4	1	-	0.0	0.0	0.0	0.0	0
072	Leptospirosis icterohemorrhagica (Weil's disease)	9	4	-	4	1	0.0	0.0	0	0.0	0.0
074	Other spirochetal and leptospirochetal infections	2	-	1	1	-	0.0	0	0.0	0.0	0
080-096	Diseases attributable to viruses	2,747	1,213	1,160	187	187	1.6	1.6	1.5	2.1	1.9
080	Acute poliomyelitis	221	107	82	21	11	0.1	0.1	0.1	0.2	0.1
.0	Specified as bulbar or poliocencephalitis	151	80	53	10	8	0.1	0.1	0.1	0.1	0.1
.1	With other paralysis	13	6	6	1	-	0.0	0.0	0.0	0.0	0
.3	Unspecified	57	21	23	10	3	0.0	0.0	0.0	0.1	0.0
081	Late effects of acute poliomyelitis	148	79	63	3	3	0.1	0.1	0.1	0.0	0.0
082	Acute infectious encephalitis	465	221	181	30	33	0.3	0.3	0.2	0.3	0.3
A	Arthropod-borne encephalitis	27	17	6	2	2	0.0	0.0	0.0	0.0	0.0
B	Other acute encephalitis	438	204	175	28	31	0.3	0.3	0.2	0.3	0.3
083	Late effects of acute infectious encephalitis	107	63	37	5	2	0.1	0.1	0.0	0.1	0.0
.0	Postencephalitic Parkinsonism	82	46	30	4	2	0.0	0.1	0.0	0.0	0.0
.2	Postencephalitic psychosis	5	3	2	-	-	0.0	0.0	0.0	0	0
.3	Other postencephalitic conditions	20	14	5	1	-	0.0	0.0	0.0	0.0	0
085	Measles	389	154	147	46	42	0.2	0.2	0.2	0.5	0.4
.0	Without mention of pneumonia	172	75	67	17	13	0.1	0.1	0.1	0.2	0.1
.1	With pneumonia	217	79	80	29	29	0.1	0.1	0.1	0.3	0.3
086	Rubella (German measles)	10	4	6	-	-	0.0	0.0	0.0	0	0
087	Chickenpox	113	44	56	7	6	0.1	0.1	0.1	0.1	0.1
088	Herpes zoster	47	21	26	-	-	0.0	0.0	0.0	0	0
089	Mumps	45	22	18	4	1	0.0	0.0	0.0	0.0	0.0
092	Infectious hepatitis	897	368	416	50	63	0.5	0.5	0.5	0.5	0.7
093	Glandular fever (infectious mononucleosis)	15	6	5	3	1	0.0	0.0	0.0	0.0	0.0
094	Rabies	5	2	1	2	-	0.0	0.0	0.0	0.0	0
095	Trachoma	1	-	1	-	-	0.0	0	0.0	0	0
096	Other diseases attributable to viruses	284	122	121	16	25	0.2	0.2	0.2	0.2	0.3
.0	Herpes febrilis	13	8	4	-	1	0.0	0.0	0.0	0	0.0
.2	Psittacosis and ornithosis	3	1	2	-	-	0.0	0.0	0.0	0	0
.3	Cowpox	1	-	1	-	-	0.0	0	0.0	0	0
.9	Other	267	113	114	16	24	0.2	0.2	0.1	0.2	0.2
100-108	Typhus and other rickettsial diseases	26	15	6	1	4	0.0	0.0	0.0	0.0	0.0
101	Flea-borne endemic typhus (murine)	2	2	-	-	-	0.0	0.0	0	0	0
104	Tick-borne typhus	18	10	4	-	4	0.0	0.0	0.0	0	0.0
A	Rocky Mountain spotted fever	18	10	4	-	4	0.0	0.0	0.0	0	0.0
107	Typhus, unspecified	5	2	2	1	-	0.0	0.0	0.0	0.0	0
108	Other rickettsial diseases	1	1	-	-	-	0.0	0.0	0	0	0
110-117	Malaria	14	6	3	3	2	0.0	0.0	0.0	0.0	0.0
110	Vivax malaria (benign tertian)	1	1	-	-	-	0.0	0.0	0	0	0
112	Falciparum malaria (malignant tertian)	3	2	1	-	-	0.0	0.0	0.0	0	0
116	Other and unspecified forms of malaria	10	3	2	3	2	0.0	0.0	0.0	0.0	0.0
120-138	Other infective and parasitic diseases	678	287	191	103	97	0.4	0.4	0.2	1.1	1.0
120	Leishmaniasis	1	1	-	-	-	0.0	0.0	0	0	0
121	Trypanosomiasis	1	1	-	-	-	0.0	0.0	0	0	0
122	Other protozoal diseases	25	11	11	2	1	0.0	0.0	0.0	0.0	0.0
123	Schistosomiasis	3	-	2	1	-	0.0	0	0.0	0.0	0
124	Other trematode infestation	2	-	-	2	-	0.0	0	0	0.0	0
125	Hydatid disease	5	1	3	-	1	0.0	0.0	0.0	0	0.0
126	Trichiniasis	4	2	2	-	-	0.0	0.0	0.0	0	0
130	Infestation with worms of other, mixed, and unspecified type	52	10	7	17	18	0.0	0.0	0.0	0.2	0.2
131	Dermatophytosis	1	1	-	-	-	0.0	0.0	0	0	0
132	Actinomycosis	15	9	4	1	1	0.0	0.0	0.0	0.0	0.0
133	Coccidioidomycosis	53	22	10	14	7	0.0	0.0	0.0	0.2	0.1
134	Other fungus infections	300	170	93	23	14	0.2	0.2	0.1	0.3	0.1
.0	Blastomycosis	28	22	2	3	1	0.0	0.0	0.0	0.0	0.0
.1	Cryptococcosis (torulosis)	55	27	15	10	3	0.0	0.0	0.0	0.1	0.0
.2	Histoplasmosis	77	55	17	1	4	0.0	0.1	0.0	0.0	0.0
.3	Moniliasis	82	35	38	4	5	0.0	0.0	0.0	0.0	0.1
.5	Other	58	31	21	5	1	0.0	0.0	0.0	0.1	0.0
138	Other infective and parasitic diseases	216	59	59	43	55	0.1	0.1	0.1	0.5	0.6

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms										
140-148	Malignant neoplasm of buccal cavity and pharynx	5,861	4,199	1,142	410	110	3.4	5.6	1.5	4.5	1.1
140	Malignant neoplasm of lip	338	293	33	9	3	0.2	0.4	0.0	0.1	0.0
141	Malignant neoplasm of tongue	1,374	975	283	93	23	0.8	1.3	0.4	1.0	0.2
142	Malignant neoplasm of salivary gland	579	357	185	25	12	0.3	0.5	0.2	0.3	0.1
.0	Mixed salivary gland tumor	40	23	14	3	-	0.0	0.0	0.0	0.0	0
.1	Other	539	334	171	22	12	0.3	0.4	0.2	0.2	0.1
143	Malignant neoplasm of floor of mouth	313	248	41	21	3	0.2	0.3	0.1	0.2	0.0
144	Malignant neoplasm of other parts of mouth and mouth unspecified	880	571	216	69	24	0.5	0.8	0.3	0.8	0.2
145	Malignant neoplasm of oral mesopharynx	469	377	57	29	6	0.3	0.5	0.1	0.3	0.1
146	Malignant neoplasm of nasopharynx	425	285	84	46	10	0.2	0.4	0.1	0.5	0.1
147	Malignant neoplasm of hypopharynx	286	233	34	15	4	0.2	0.3	0.0	0.2	0.0
148	Malignant neoplasm of pharynx, unspecified	1,197	860	209	103	25	0.7	1.1	0.3	1.1	0.3
150-159	Malignant neoplasm of digestive organs and peritoneum	89,009	44,202	37,051	4,673	3,083	52.3	59.1	48.3	51.3	32.1
150	Malignant neoplasm of esophagus	4,578	2,970	886	597	125	2.7	4.0	1.2	6.5	1.3
151	Malignant neoplasm of stomach	21,522	11,862	7,162	1,680	818	12.6	15.9	9.3	18.4	8.5
152	Malignant neoplasm of small intestine, including duodenum	723	353	305	35	30	0.4	0.5	0.4	0.4	0.3
153	Malignant neoplasm of large intestine, except rectum	26,689	11,498	13,607	709	875	15.7	15.4	17.7	7.8	9.1
154	Malignant neoplasm of rectum	10,834	5,767	4,353	365	349	6.4	7.7	5.7	4.0	3.6
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	5,692	2,134	3,189	203	166	3.3	2.9	4.2	2.2	1.7
A	Liver	1,430	723	530	121	56	0.8	1.0	0.7	1.3	0.6
B	Biliary passages	4,262	1,411	2,659	82	110	2.5	1.9	3.5	0.9	1.1
156	Malignant neoplasm of liver (secondary and unspecified)	4,950	2,260	2,112	346	232	2.9	3.0	2.8	3.8	2.4
A	Not stated whether primary or secondary	4,037	1,849	1,721	276	191	2.4	2.5	2.2	3.0	2.0
B	Secondary	913	411	391	70	41	0.5	0.5	0.5	0.8	0.4
157	Malignant neoplasm of pancreas	12,343	6,633	4,688	636	386	7.2	8.9	6.1	7.0	4.0
158	Malignant neoplasm of peritoneum	826	373	392	28	33	0.5	0.5	0.5	0.3	0.3
159	Malignant neoplasm of unspecified digestive organs	852	352	357	74	69	0.5	0.5	0.5	0.8	0.7
160-165	Malignant neoplasm of respiratory system	34,558	27,003	4,841	2,276	438	20.3	36.1	6.3	25.0	4.6
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	627	358	212	42	15	0.4	0.5	0.3	0.5	0.2
161	Malignant neoplasm of larynx	2,157	1,797	179	159	22	1.3	2.4	0.2	1.7	0.2
162	Malignant neoplasm of trachea, and of bronchus and lung specified as primary	14,617	11,732	1,678	1,061	146	8.6	15.7	2.2	11.6	1.5
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	16,159	12,545	2,450	949	215	9.5	16.8	3.2	10.4	2.2
164	Malignant neoplasm of mediastinum	335	216	82	25	12	0.2	0.3	0.1	0.3	0.1
165	Malignant neoplasm of thoracic organs (secondary)	663	355	240	40	28	0.4	0.5	0.3	0.4	0.3
170-181	Malignant neoplasm of breast and genito-urinary organs	73,339	21,235	44,648	2,294	5,162	43.1	28.4	58.2	25.2	53.7
170	Malignant neoplasm of breast	22,720	230	20,805	31	1,654	13.3	0.3	27.1	0.3	17.2
171	Malignant neoplasm of cervix uteri	8,597	...	6,924	...	1,673	5.0	...	9.0	...	17.4
172	Malignant neoplasm of corpus uteri	1,253	...	1,122	...	131	0.7	...	1.5	...	1.4
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	81	...	64	...	17	0.0	...	0.1	...	0.2
174	Malignant neoplasm of uterus, unspecified	4,923	...	4,136	...	787	2.9	...	5.4	...	8.2
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament	7,567	...	7,081	...	486	4.4	...	9.2	...	5.1
176	Malignant neoplasm of other and unspecified female genital organs	806	...	726	...	80	0.5	...	0.9	...	0.8
177	Malignant neoplasm of prostate	14,296	12,645	...	1,651	...	8.4	16.9	...	18.1	...
178	Malignant neoplasm of testis	638	612	...	26	...	0.4	0.8	...	0.3	...
179	Malignant neoplasm of other and unspecified male genital organs	311	241	...	70	...	0.2	0.3	...	0.8	...
180	Malignant neoplasm of kidney	4,661	2,720	1,653	190	98	2.7	3.6	2.2	2.1	1.0
181	Malignant neoplasm of bladder and other urinary organs	7,486	4,787	2,137	326	236	4.4	6.4	2.8	3.6	2.5
190-199	Malignant neoplasm of other and unspecified sites	26,849	13,185	11,475	1,094	1,095	15.8	17.6	15.0	12.0	11.4
190	Malignant melanoma of skin	1,932	1,027	856	24	25	1.1	1.4	1.1	0.3	0.3
191	Other malignant neoplasm of skin	1,937	1,131	696	53	57	1.1	1.5	0.9	0.6	0.6
192	Malignant neoplasm of eye	376	190	162	12	12	0.2	0.3	0.2	0.1	0.1
193	Malignant neoplasm of brain and other parts of nervous system	5,819	3,264	2,235	212	108	3.4	4.4	2.9	2.3	1.1
194	Malignant neoplasm of thyroid gland	1,055	353	630	24	48	0.6	0.5	0.8	0.3	0.5
195	Malignant neoplasm of other endocrine glands	403	213	156	20	14	0.2	0.3	0.2	0.2	0.1
196	Malignant neoplasm of bone (including jaw bone)	2,025	1,059	769	116	81	1.2	1.4	1.0	1.3	0.8
197	Malignant neoplasm of connective tissue	877	455	358	29	35	0.5	0.6	0.5	0.3	0.4
198	Secondary and unspecified malignant neoplasm of lymph nodes	239	152	67	17	3	0.1	0.2	0.1	0.2	0.0
A	Not stated whether primary or secondary	160	101	45	12	2	0.1	0.1	0.1	0.1	0.0
B	Secondary	79	51	22	5	1	0.0	0.1	0.0	0.1	0.0
199	Malignant neoplasm of other and unspecified sites	12,186	5,341	5,546	587	712	7.2	7.1	7.2	6.4	7.4
A	Of other specified sites, not stated to be secondary	3,187	1,264	1,597	140	186	1.9	1.7	2.1	1.5	1.9
B	Of unspecified site, not stated to be secondary	720	287	295	47	91	0.4	0.4	0.4	0.5	0.9
C	Of small intestine, including duodenum, specified as secondary	4	2	2	-	-	0.0	0.0	0.0	0	0
D	Of large intestine, except rectum, specified as secondary	22	7	14	-	1	0.0	0.0	0.0	0	0.0
E	Of brain and other parts of nervous system specified as secondary	177	101	62	9	5	0.1	0.1	0.1	0.1	0.1
F	Of bone (including jaw bone), specified as secondary	200	106	71	12	11	0.1	0.1	0.1	0.1	0.1
G	Specified as secondary of any other site except liver, thoracic organs, and lymph nodes	278	132	125	11	10	0.2	0.2	0.2	0.1	0.1
H	Generalized and secondary malignant neoplasm of multiple specified sites, with primary site not indicated	3,061	1,533	1,280	128	120	1.8	2.0	1.7	1.4	1.2
M	Generalized or disseminated malignant neoplasm with no site specified	4,537	1,909	2,100	240	288	2.7	2.6	2.7	2.6	3.0

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
200-205	Neoplasms of lymphatic and hematopoietic tissues	23,567	12,851	9,121	978	617	13.8	17.2	11.9	10.7	6.4
200	Lymphosarcoma and reticulosarcoma	5,373	3,031	2,016	207	119	3.2	4.1	2.6	2.3	1.2
.0	Reticulum cell sarcoma	1,190	662	447	50	31	0.7	0.9	0.6	0.5	0.3
.1	Lymphosarcoma	3,315	1,888	1,254	115	58	1.9	2.5	1.6	1.3	0.6
.2	Other primary malignant neoplasms of lymphoid tissue	868	481	315	42	30	0.5	0.6	0.4	0.5	0.3
201	Hodgkin's disease	3,050	1,754	1,108	132	56	1.8	2.3	1.4	1.4	0.6
202	Other forms of lymphoma (reticulosis)	869	459	342	32	36	0.5	0.6	0.4	0.4	0.4
.0	Giant follicular lymphoma (Brill-Symmer's disease)	106	52	50	-	4	0.1	0.1	0.1	0	0.0
.1	Other	763	407	292	32	32	0.4	0.5	0.4	0.4	0.3
203	Multiple myeloma (plasmocytoma)	2,499	1,279	950	153	117	1.5	1.7	1.2	1.7	1.2
204	Leukemia and aleukemia	11,718	6,296	4,686	449	287	6.9	8.4	6.1	4.9	3.0
.0	Lymphatic leukemia	4,653	2,613	1,767	177	96	2.7	3.5	2.3	1.9	1.0
.1	Myeloid leukemia	3,616	1,870	1,522	133	91	2.1	2.5	2.0	1.5	0.9
.2	Monocytic leukemia	892	467	379	27	19	0.5	0.6	0.5	0.3	0.2
.3	Acute leukemia, unspecified type	1,305	691	535	50	29	0.8	0.9	0.7	0.5	0.3
.4	Other and unspecified leukemia	1,252	655	483	62	52	0.7	0.9	0.6	0.7	0.5
205	Mycosis fungoides	58	32	19	5	2	0.0	0.0	0.0	0.1	0.0
210-229	Benign neoplasm	2,462	779	1,260	93	330	1.4	1.0	1.6	1.0	3.4
210	Benign neoplasm of buccal cavity and pharynx	12	6	5	1	-	0.0	0.0	0.0	0.0	0
211	Benign neoplasm of other parts of digestive system	240	123	93	16	8	0.1	0.2	0.1	0.2	0.1
212	Benign neoplasm of respiratory system	77	35	37	1	4	0.0	0.0	0.0	0.0	0.0
213	Benign neoplasm of breast	4	1	1	1	1	0.0	0.0	0.0	0.0	0.0
214	Uterine fibromyoma	391	...	210	...	181	0.2	...	0.3	...	1.9
215	Other benign neoplasm of uterus	50	...	38	...	12	0.0	...	0.0	...	0.1
216	Benign neoplasm of ovary	222	...	173	...	49	0.1	...	0.2	...	0.5
217	Benign neoplasm of other female genital organs	2	...	1	...	1	0.0	...	0.0	...	0.0
218	Benign neoplasm of male genital organs	2	2	...	-	...	0.0	0.0	...	0	...
219	Benign neoplasm of kidney and other urinary organs	35	17	14	3	1	0.0	0.0	0.0	0.0	0.0
221	Pilonidal cyst	4	2	2	-	-	0.0	0.0	0.0	0	0
222	Other benign neoplasm of skin	5	1	3	-	1	0.0	0.0	0.0	0	0.0
223	Benign neoplasm of brain and other parts of nervous system	906	366	456	42	42	0.5	0.5	0.6	0.5	0.4
224	Benign neoplasm of endocrine glands	269	115	119	19	16	0.2	0.2	0.2	0.2	0.2
225	Benign neoplasm of bone and cartilage	50	29	18	2	1	0.0	0.0	0.0	0.0	0.0
226	Lipoma	24	13	8	1	2	0.0	0.0	0.0	0.0	0.0
227	Other benign neoplasm of muscular and connective tissue	15	3	9	-	3	0.0	0.0	0.0	0	0.0
228	Hemangioma and lymphangioma	115	53	49	7	6	0.1	0.1	0.1	0.1	0.1
229	Benign neoplasm of other and unspecified organs and tissues	39	13	24	-	2	0.0	0.0	0.0	0	0.0
230-239	Neoplasm of unspecified nature	2.606	1,257	1,033	167	149	1.5	1.7	1.3	1.8	1.6
230	Neoplasm of unspecified nature of digestive organs	289	126	130	19	14	0.2	0.2	0.2	0.2	0.1
231	Neoplasm of unspecified nature of respiratory organs	200	128	50	19	3	0.1	0.2	0.1	0.2	0.0
232	Neoplasm of unspecified nature of breast	2	-	1	-	1	0.0	0	0.0	0	0.0
233	Neoplasm of unspecified nature of uterus	17	...	11	...	6	0.0	...	0.0	...	0.1
234	Neoplasm of unspecified nature of ovary	31	...	23	...	8	0.0	...	0.0	...	0.1
235	Neoplasm of unspecified nature of other female genital organs	2	...	2	...	-	0.0	...	0.0	...	0
236	Neoplasm of unspecified nature of other genito-urinary organs	94	52	31	7	4	0.1	0.1	0.0	0.1	0.0
237	Neoplasm of unspecified nature of brain and other parts of nervous system	1,695	850	647	108	90	1.0	1.1	0.8	1.2	0.9
238	Neoplasm of unspecified nature of skin and musculoskeletal system	22	10	9	-	3	0.0	0.0	0.0	0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs	254	91	129	14	20	0.1	0.1	0.2	0.2	0.2
	III. Allergic, endocrine system, metabolic, and nutritional diseases										
240-245	Allergic disorders	6,736	4,088	1,838	480	330	4.0	5.5	2.4	5.3	3.4
241	Asthma	6,677	4,065	1,816	471	325	3.9	5.4	2.4	5.2	3.4
242	Angioneurotic edema	11	8	2	-	1	0.0	0.0	0.0	0	0.0
243	Urticaria	6	-	3	3	-	0.0	0	0.0	0.0	0
244	Allergic eczema	7	3	2	1	1	0.0	0.0	0.0	0.0	0.0
245	Other allergic disorders	35	12	15	5	3	0.0	0.0	0.0	0.1	0.0
250-254	Diseases of thyroid gland	1,090	181	752	24	133	0.6	0.2	1.0	0.3	1.4
250	Simple goiter	59	12	35	2	10	0.0	0.0	0.0	0.0	0.1
251	Nontoxic nodular goiter	65	13	41	2	9	0.0	0.0	0.1	0.0	0.1
252	Thyrotoxicosis with or without goiter	697	99	483	15	100	0.4	0.1	0.6	0.2	1.0
.0	Toxic diffuse goiter	597	83	414	14	86	0.4	0.1	0.5	0.2	0.9
.1	Toxic nodular goiter	100	16	69	1	14	0.1	0.0	0.1	0.0	0.1
253	Myxedema and cretinism	223	46	165	4	8	0.1	0.1	0.2	0.0	0.1
254	Other diseases of thyroid gland	46	11	28	1	6	0.0	0.0	0.0	0.0	0.1
260	Diabetes mellitus	27,180	9,623	14,611	982	1,964	16.0	12.9	19.0	10.8	20.4
270-277	Diseases of other endocrine glands	929	392	416	68	53	0.5	0.5	0.5	0.7	0.6
270	Disorders of pancreatic internal secretion other than diabetes mellitus	38	19	12	2	5	0.0	0.0	0.0	0.0	0.1
271	Diseases of parathyroid gland	48	15	29	2	2	0.0	0.0	0.0	0.0	0.0
272	Diseases of pituitary gland	198	87	90	13	8	0.1	0.1	0.1	0.1	0.1
273	Diseases of thymus gland	197	91	64	20	22	0.1	0.1	0.1	0.2	0.2
274	Diseases of adrenal glands	392	163	189	28	12	0.2	0.2	0.2	0.3	0.1
277	Polyglandular dysfunction and other diseases of endocrine glands	56	17	32	3	4	0.0	0.0	0.0	0.0	0.0

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	III. Allergic, endocrine system, metabolic, and nutritional diseases—Continued										
280-289	Avitaminoses, and other metabolic diseases	1,314	563	521	124	106	0.8	0.8	0.7	1.4	1.1
280	Beriberi	40	16	14	4	6	0.0	0.0	0.0	0.0	0.1
281	Pellagra	76	24	26	6	20	0.0	0.0	0.0	0.1	0.2
282	Scurvy	4	4	-	-	-	0.0	0.0	0	0	0
283	Active rickets	12	6	3	2	1	0.0	0.0	0.0	0.0	0.0
285	Osteomalacia	9	-	8	-	1	0.0	0	0.0	0	0.0
286	Other avitaminoses and nutritional deficiency states	649	249	267	76	57	0.4	0.3	0.3	0.8	0.6
.0	Steatorrhea and sprue	62	24	33	4	1	0.0	0.0	0.0	0.0	0.0
.1-.4	Other vitamin deficiency states	4	3	1	-	-	0.0	0.0	0.0	0	0
.5	Malnutrition, unqualified	490	187	185	66	52	0.3	0.2	0.2	0.7	0.5
.6	Other and multiple deficiency states	93	35	48	6	4	0.1	0.	0.1	0.1	0.0
287	Obesity, not specified as of endocrine origin	18	5	7	2	4	0.0	0.0	0.0	0.0	0.0
288	Gout	46	36	5	5	-	0.0	0.0	0.0	0.1	0
289	Other metabolic diseases	460	223	191	29	17	0.3	0.3	0.2	0.3	0.2
	IV. Diseases of the blood and blood-forming organs										
290-299	Diseases of blood and blood-forming organs	4,758	2,039	2,038	347	334	2.8	2.7	2.7	3.8	3.5
290	Pernicious and other hyperchromic anemias	819	331	455	13	20	0.5	0.4	0.6	0.1	0.2
.0	Pernicious anemia	753	310	416	11	16	0.4	0.4	0.5	0.1	0.2
.1	Subacute combined degeneration of spinal cord	28	11	16	-	1	0.0	0.0	0.0	0	0.0
.2	Other hyperchromic anemias	38	10	23	2	3	0.0	0.0	0.0	0.0	0.0
291	Iron deficiency anemias (hypochromic anemias)	91	36	36	9	10	0.1	0.0	0.0	0.1	0.1
292	Other anemias of specified type	1,199	465	400	177	157	0.7	0.6	0.5	1.9	1.6
.0	Familial acholuric jaundice	3	2	1	-	-	0.0	0.0	0.0	0	0
.1	Acute hemolytic anemia	25	10	11	3	1	0.0	0.0	0.0	0.0	0.0
.2	Other hemolytic anemias	146	67	54	14	11	0.1	0.1	0.1	0.2	0.1
.3	Leuko-erythroblastic anemia	87	50	32	3	2	0.1	0.1	0.0	0.0	0.0
.4	Aplastic anemia	669	327	294	26	22	0.4	0.4	0.4	0.3	0.2
.5	Nonregenerative anemia	13	7	6	-	-	0.0	0.0	0.0	0	0
.6	Sickle cell anemia	255	1	2	131	121	0.1	0.0	0.0	1.4	1.3
.7	Other specified anemias	1	1	-	-	-	0.0	0.0	0	0	0
293	Anemia of unspecified type	878	335	391	70	82	0.5	0.4	0.5	0.8	0.9
294	Polycythemia	355	226	123	6	-	0.2	0.3	0.2	0.1	0
295	Hemophilia	65	58	1	6	-	0.0	0.1	0.0	0.1	0
296	Purpura and other hemorrhagic conditions	641	262	305	30	44	0.4	0.4	0.4	0.3	0.5
297	Agranulocytosis	202	82	112	5	3	0.1	0.1	0.1	0.1	0.0
298	Diseases of spleen	219	96	105	14	4	0.1	0.1	0.1	0.2	0.0
.0	Hepatolienal fibrosis	96	38	52	3	3	0.1	0.1	0.1	0.0	0.0
.1	Other	123	58	53	11	1	0.1	0.1	0.1	0.1	0.0
299	Other diseases of blood and blood-forming organs	289	148	110	17	14	0.2	0.2	0.1	0.2	0.1
	V. Mental, psychoneurotic, and personality disorders										
300-309	Psychoses	1,143	541	463	84	55	0.7	0.7	0.6	0.9	0.6
300	Schizophrenic disorders (dementia praecox)	152	56	72	10	14	0.1	0.1	0.1	0.1	0.1
301	Manic-depressive reaction	42	17	16	3	6	0.0	0.0	0.0	0.0	0.1
302	Involutional melancholia	8	3	5	-	-	0.0	0.0	0.0	0	0
303	Paranoia and paranoid states	2	1	1	-	-	0.0	0.0	0.0	0	0
304	Senile psychosis	357	122	204	13	18	0.2	0.2	0.3	0.1	0.2
305	Presenile psychosis	100	37	60	2	1	0.1	0.0	0.1	0.0	0.0
307	Alcoholic psychosis	341	267	25	45	4	0.2	0.4	0.0	0.5	0.0
309	Other and unspecified psychoses	141	38	80	11	12	0.1	0.1	0.1	0.1	0.1
310-318	Psychoneurotic disorders	61	12	42	3	4	0.0	0.0	0.1	0.0	0.0
310	Anxiety reaction without mention of somatic symptoms	3	3	-	-	-	0.0	0.0	0	0	0
311	Hysterical reaction without mention of anxiety reaction	39	4	32	1	2	0.0	0.0	0.0	0.0	0.0
314	Neurotic-depressive reaction	2	1	1	-	-	0.0	0.0	0.0	0	0
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	1	-	1	-	-	0.0	0	0.0	0	0
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	2	1	1	-	-	0.0	0.0	0.0	0	0
317	Psychoneurosis with somatic symptoms (somatization reactions) affecting other systems	1	1	-	-	-	0.0	0.0	0	0	0
318	Psychoneurotic disorders, other, mixed, and unspecified types	13	2	7	2	2	0.0	0.0	0.0	0.0	0.0
320-326	Disorders of character, behavior, and intelligence	2,461	1,539	371	411	140	1.4	2.1	0.5	4.5	1.5
320	Pathological personality	1	1	-	-	-	0.0	0.0	0	0	0
322	Alcoholism	2,256	1,441	306	387	122	1.3	1.9	0.4	4.2	1.3
.0	Acute	782	480	90	160	52	0.5	0.6	0.1	1.8	0.5
.1	Chronic	944	621	135	139	49	0.6	0.8	0.2	1.5	0.5
.2	Unspecified	530	340	81	88	21	0.3	0.5	0.1	1.0	0.2
323	Other drug addiction	57	22	11	16	8	0.0	0.0	0.0	0.2	0.1
325	Mental deficiency	146	74	54	8	10	0.1	0.1	0.1	0.1	0.1
326	Other and unspecified character, behavior, and intelligence disorders	1	1	-	-	-	0.0	0.0	0	0	0
	VI. Diseases of the nervous system and sense organs										
330-334	Vascular lesions affecting central nervous system	187,709	79,360	85,117	11,063	12,169	110.2	108.1	110.9	121.3	126.6
330	Subarachnoid hemorrhage	6,037	2,453	2,616	421	547	3.5	3.3	3.4	4.6	5.7
331	Cerebral hemorrhage	114,869	47,579	52,086	7,146	8,058	67.5	63.6	67.9	78.4	83.8
332	Cerebral embolism and thrombosis	49,479	22,120	22,720	2,333	2,306	29.1	29.6	29.6	25.6	24.0

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Continued										
	Vascular lesions affecting central nervous system—Continued										
333	Spasm of cerebral arteries	3	-	2	1	-	0.0	0	0.0	0.0	0
334	Other and ill-defined vascular lesions affecting central nervous system	17,321	7,208	7,693	1,162	1,258	10.2	9.6	10.0	12.7	13.1
340-345	Inflammatory diseases of central nervous system	5,002	2,154	1,917	494	437	2.9	2.9	2.5	5.4	4.5
340	Meningitis, except meningococcal and tuberculous	2,025	832	599	327	267	1.2	1.1	0.8	3.6	2.8
.0	H. influenza	287	122	100	37	28	0.2	0.2	0.1	0.4	0.3
.1	Pneumococcus	379	141	106	70	62	0.2	0.2	0.1	0.8	0.6
.2	Due to other specified organism	281	141	91	27	22	0.2	0.2	0.1	0.3	0.2
.3	Unspecified cause	1,078	428	302	193	155	0.6	0.6	0.4	2.1	1.6
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	58	27	23	4	4	0.0	0.0	0.0	0.0	0.0
342	Intracranial and intraspinal abscess	283	163	73	32	15	0.2	0.2	0.1	0.4	0.2
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	566	232	248	40	46	0.3	0.3	0.3	0.4	0.5
344	Late effects of intracranial abscess or pyogenic infection	603	282	205	59	57	0.4	0.4	0.3	0.6	0.6
A	Hydrocephalus, not otherwise specified	428	188	134	55	51	0.3	0.3	0.2	0.6	0.5
B	Other late effects of intracranial abscess or pyogenic infection	175	94	71	4	6	0.1	0.1	0.1	0.0	0.1
345	Multiple sclerosis	1,467	618	769	32	48	0.9	0.8	1.0	0.4	0.5
350-357	Other diseases of central nervous system	8,263	4,073	3,185	621	384	4.9	5.4	4.2	6.8	4.0
350	Paralysis agitans	2,592	1,378	1,152	41	21	1.5	1.8	1.5	0.4	0.2
351	Cerebral spastic infantile paralysis	643	309	248	48	38	0.4	0.4	0.3	0.5	0.4
352	Other cerebral paralysis	589	238	210	79	62	0.3	0.3	0.3	0.9	0.6
353	Epilepsy	2,166	980	681	336	169	1.3	1.3	0.9	3.7	1.8
.0	Petit mal	14	6	3	2	3	0.0	0.0	0.0	0.0	0.0
.1	Grand mal	389	190	115	47	37	0.2	0.3	0.1	0.5	0.4
.2	Status epilepticus	554	240	183	93	38	0.3	0.3	0.2	1.0	0.4
.3	Other and unspecified	1,209	544	380	194	91	0.7	0.7	0.5	2.1	0.9
355	Other diseases of brain	966	439	412	65	50	0.6	0.6	0.5	0.7	0.5
356	Motor neurone disease and muscular atrophy	1,089	622	403	38	26	0.6	0.8	0.5	0.4	0.3
.0	Progressive muscular atrophy	197	95	79	12	11	0.1	0.1	0.1	0.1	0.1
.1	Amyotrophic lateral sclerosis	854	504	313	25	12	0.5	0.7	0.4	0.3	0.1
.2	Spinal type of muscular atrophy	28	17	7	1	3	0.0	0.0	0.0	0.0	0.0
.3	Other and unspecified manifestations	10	6	4	-	-	0.0	0.0	0.0	0	0
357	Other diseases of spinal cord	218	107	79	14	18	0.1	0.1	0.1	0.2	0.2
360-369	Diseases of nerves and peripheral ganglia	222	111	88	12	11	0.1	0.1	0.1	0.1	0.1
360	Facial paralysis	1	1	-	-	-	0.0	0.0	0	0	0
361	Trigeminal neuralgia	30	13	15	2	-	0.0	0.0	0.0	0.0	0
363	Sciatica	1	-	1	-	-	0.0	0	0.0	0	0
364	Polyneuritis and polyradiculitis	135	74	44	8	9	0.1	0.1	0.1	0.1	0.1
366	Other and unspecified forms of neuralgia and neuritis	21	8	12	1	-	0.0	0.0	0.0	0.0	0
367	Other diseases of cranial nerves	12	8	4	-	-	0.0	0.0	0.0	0	0
368	Other diseases of peripheral nerves except autonomic	20	6	11	1	2	0.0	0.0	0.0	0.0	0.0
369	Diseases of peripheral autonomic nervous system	2	1	1	-	-	0.0	0.0	0.0	0	0
370-379	Inflammatory diseases of eye	10	8	-	1	1	0.0	0.0	0	0.0	0.0
371	Blepharitis	1	1	-	-	-	0.0	0.0	0	0	0
372	Hordeolum (sty)	3	2	-	-	1	0.0	0.0	0	0	0.0
376	Other inflammation of uveal tract	2	2	-	-	-	0.0	0.0	0	0	0
377	Inflammation of optic nerve and retina	1	1	-	-	-	0.0	0.0	0	0	0
379	Other inflammatory diseases of eye	3	2	-	1	-	0.0	0.0	0	0.0	0
380-389	Other diseases and conditions of eye	84	35	39	2	8	0.0	0.0	0.1	0.0	0.1
384	Strabismus	9	6	3	-	-	0.0	0.0	0.0	0	0
385	Cataract	40	15	22	-	3	0.0	0.0	0.0	0	0.0
386	Detachment of retina	9	4	5	-	-	0.0	0.0	0.0	0	0
387	Glaucoma	16	3	8	1	4	0.0	0.0	0.0	0.0	0.0
388	Other diseases of eye	10	7	1	1	1	0.0	0.0	0.0	0.0	0.0
390-398	Diseases of ear and mastoid process	408	189	135	45	39	0.2	0.3	0.2	0.5	0.4
390	Otitis externa	3	1	2	-	-	0.0	0.0	0.0	0	0
391	Otitis media without mention of mastoiditis	294	126	97	39	32	0.2	0.2	0.1	0.4	0.3
.0	Acute	47	20	22	2	3	0.0	0.0	0.0	0.0	0.0
.1	Chronic	37	19	14	4	-	0.0	0.0	0.0	0.0	0
.2	Unspecified	210	87	61	33	29	0.1	0.1	0.1	0.4	0.3
392	Otitis media with mastoiditis	48	23	17	4	4	0.0	0.0	0.0	0.0	0.0
.0	Acute	14	8	6	-	-	0.0	0.0	0.0	0	0
.1	Chronic	11	6	5	-	-	0.0	0.0	0.0	0	0
.2	Unspecified	23	9	6	4	4	0.0	0.0	0.0	0.0	0.0
393	Mastoiditis without mention of otitis media	56	34	17	2	3	0.0	0.0	0.0	0.0	0.0
.0	Acute	9	6	2	1	-	0.0	0.0	0.0	0.0	0
.1	Chronic	25	17	7	-	1	0.0	0.0	0.0	0	0.0
.2	Unspecified	22	11	8	1	2	0.0	0.0	0.0	0.0	0.0
394	Other inflammatory diseases of ear	3	1	2	-	-	0.0	0.0	0.0	0	0
395	Ménière's disease	2	2	-	-	-	0.0	0.0	0	0	0
396	Other diseases of ear and mastoid process	2	2	-	-	-	0.0	0.0	0	0	0

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system										
400-402	Rheumatic fever	900	371	318	102	109	0.5	0.5	0.4	1.1	1.1
400	Rheumatic fever without mention of heart involvement	117	43	51	10	13	0.1	0.1	0.1	0.1	0.1
401	Rheumatic fever with heart involvement	776	325	264	92	95	0.5	0.4	0.3	1.0	1.0
.0	Active rheumatic pericarditis	137	71	39	21	6	0.1	0.1	0.1	0.2	0.1
.1	Active rheumatic endocarditis	74	27	28	10	9	0.0	0.0	0.0	0.1	0.1
.2	Active rheumatic myocarditis	72	22	27	13	10	0.0	0.0	0.0	0.1	0.1
.3	Active rheumatic fever with other and multiple types of heart involvement	493	205	170	48	70	0.3	0.3	0.2	0.5	0.7
402	Chorea	7	3	3	-	1	0.0	0.0	0.0	0	0.0
.0	Without mention of heart involvement	6	3	2	-	1	0.0	0.0	0.0	0	0.0
.1	With heart involvement	1	-	1	-	-	0.0	0	0.0	0	0
410-416	Chronic rheumatic heart disease	19,274	8,564	9,103	775	832	11.3	11.4	11.9	8.5	8.7
410	Diseases of mitral valve	6,958	2,895	3,512	270	281	4.1	3.9	4.6	3.0	2.9
411	Diseases of aortic valve specified as rheumatic	1,704	1,201	423	61	19	1.0	1.6	0.6	0.7	0.2
412	Diseases of tricuspid valve	25	6	14	2	3	0.0	0.0	0.0	0.0	0.0
413	Diseases of pulmonary valve specified as rheumatic	3	1	2	-	-	0.0	0.0	0.0	0	0
414	Other endocarditis specified as rheumatic	1,087	460	552	38	37	0.6	0.6	0.7	0.4	0.4
415	Other myocarditis specified as rheumatic	539	257	231	29	22	0.3	0.3	0.3	0.3	0.2
416	Other heart disease specified as rheumatic	8,958	3,744	4,369	375	470	5.3	5.0	5.7	4.1	4.9
420-422	Arteriosclerotic and degenerative heart disease	515,125	293,502	185,781	20,399	15,443	302.5	392.2	242.1	223.7	160.7
420	Arteriosclerotic heart disease, including coronary disease	452,507	265,752	157,870	16,762	12,123	265.7	355.1	205.7	183.9	126.1
.0	Arteriosclerotic heart disease, so described	188,837	96,521	80,160	6,702	5,454	110.9	129.0	104.5	73.5	56.7
.1	Heart disease specified as involving coronary arteries	262,955	168,824	77,501	10,007	6,623	154.4	225.6	101.0	109.8	68.9
.2	Angina pectoris without mention of coronary disease	715	407	209	53	46	0.4	0.5	0.3	0.6	0.5
421	Chronic endocarditis not specified as rheumatic	6,199	2,943	2,333	513	410	3.6	3.9	3.0	5.6	4.3
.0	Of mitral valve, specified as nonrheumatic	488	198	219	31	40	0.3	0.3	0.3	0.3	0.4
.1	Of aortic valve, not specified as rheumatic	2,133	1,233	615	195	90	1.3	1.6	0.8	2.1	0.9
.2	Of tricuspid valve, specified as nonrheumatic	1	1	-	-	-	0.0	0.0	0	0	0
.3	Of pulmonary valve, not specified as rheumatic	24	14	8	1	1	0.0	0.0	0.0	0.0	0.0
.4	Other and ill-defined, not specified as rheumatic	3,553	1,497	1,491	286	279	2.1	2.0	1.9	3.1	2.9
422	Other myocardial degeneration	56,419	24,807	25,578	3,124	2,910	33.1	33.2	33.3	34.3	30.3
.0	Fatty degeneration	57	21	28	4	4	0.0	0.0	0.0	0.0	0.0
.1	With arteriosclerosis	36,282	15,787	16,965	1,834	1,696	21.3	21.1	22.1	20.1	17.6
.2	Other	20,080	8,999	8,585	1,286	1,210	11.8	12.0	11.2	14.1	12.6
430-434	Other diseases of heart	21,733	10,756	7,139	2,186	1,652	12.8	14.4	9.3	24.0	17.2
430	Acute and subacute endocarditis	811	413	255	72	71	0.5	0.6	0.3	0.8	0.7
.0	Acute and subacute bacterial endocarditis	721	376	235	57	53	0.4	0.5	0.3	0.6	0.6
.1	Other acute endocarditis	90	37	20	15	18	0.1	0.0	0.0	0.2	0.2
431	Acute myocarditis not specified as rheumatic	1,253	547	449	131	126	0.7	0.7	0.6	1.4	1.3
432	Acute pericarditis specified as nonrheumatic	51	28	15	3	5	0.0	0.0	0.0	0.0	0.1
433	Functional disease of heart	2,561	1,258	1,131	86	86	1.5	1.7	1.5	0.9	0.9
.0	Heart block	557	310	217	13	17	0.3	0.4	0.3	0.1	0.2
.1	Other disorders of heart rhythm	1,993	943	909	72	69	1.2	1.3	1.2	0.8	0.7
.2	Other functional diseases of heart	11	5	5	1	-	0.0	0.0	0.0	0.0	0
434	Other and unspecified diseases of heart	17,057	8,510	5,289	1,894	1,364	10.0	11.4	6.9	20.8	14.2
.0	Kyphoscoliotic heart disease	96	34	55	4	3	0.1	0.0	0.1	0.0	0.0
.1	Congestive heart failure	6,584	2,897	2,458	695	534	3.9	3.9	3.2	7.6	5.6
.2	Left ventricular failure	718	369	236	62	51	0.4	0.5	0.3	0.7	0.5
.3	Other and unspecified disease of heart	9,659	5,210	2,540	1,133	776	5.7	7.0	3.3	12.4	8.1
440-447	Hypertensive disease	83,500	29,458	36,378	8,250	9,414	49.0	39.4	47.4	90.5	97.9
440	Essential benign hypertension with heart disease	804	269	401	59	75	0.5	0.4	0.5	0.6	0.8
441	Essential malignant hypertension with heart disease	637	226	215	115	81	0.4	0.3	0.3	1.3	0.8
442	Hypertensive heart disease with arteriolar nephrosclerosis	19,028	7,741	7,914	1,705	1,668	11.2	10.3	10.3	18.7	17.4
443	Other and unspecified hypertensive heart disease	51,903	16,850	23,456	5,175	6,422	30.5	22.5	30.6	56.8	66.8
444	Essential benign hypertension without mention of heart	1,732	527	739	199	267	1.0	0.7	1.0	2.2	2.8
445	Essential malignant hypertension without mention of heart	856	264	156	214	222	0.5	0.4	0.2	2.3	2.3
446	Hypertension with arteriolar nephrosclerosis without mention of heart	6,849	3,023	2,596	683	547	4.0	4.0	3.4	7.5	5.7
447	Other hypertensive disease without mention of heart	1,691	558	901	100	132	1.0	0.7	1.2	1.1	1.4
450-456	Diseases of arteries	42,787	20,759	18,689	1,748	1,591	25.1	27.7	24.4	19.2	16.6
450	General arteriosclerosis	33,272	14,822	16,023	1,222	1,205	19.5	19.8	20.9	13.4	12.5
.0	Without mention of gangrene	31,083	13,668	15,198	1,116	1,101	18.3	18.3	19.8	12.2	11.5
.1	With gangrene	2,189	1,154	825	106	104	1.3	1.5	1.1	1.2	1.1
451	Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm	7,074	4,795	1,707	358	214	4.2	6.4	2.2	3.9	2.2
452	Other aneurysm, except of heart and aorta	486	261	160	33	32	0.3	0.3	0.2	0.4	0.3
453	Peripheral vascular disease	290	194	69	15	12	0.2	0.3	0.1	0.2	0.1
.0	Raynaud's disease	39	18	17	1	3	0.0	0.0	0.0	0.0	0.0
.1	Thrombo-angiitis obliterans	195	143	39	9	4	0.1	0.2	0.1	0.1	0.0
.3	Other	56	33	13	5	5	0.0	0.0	0.0	0.1	0.1
454	Arterial embolism and thrombosis	467	246	179	29	13	0.3	0.3	0.2	0.3	0.1
455	Gangrene of unspecified cause	239	113	80	25	21	0.1	0.2	0.1	0.3	0.2
456	Other diseases of arteries	959	328	471	66	94	0.6	0.4	0.6	0.7	1.0
460-468	Diseases of veins and other diseases of circulatory system	5,765	2,665	2,335	423	342	3.4	3.6	3.0	4.6	3.6
460	Varicose veins of lower extremities	254	93	142	7	12	0.1	0.1	0.2	0.1	0.1
461	Hemorrhoids	62	38	19	1	4	0.0	0.1	0.0	0.0	0.0

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of veins and other diseases of circulatory system—Continued										
462	Varicose veins of other specified sites	345	208	109	21	7	0.2	0.3	0.1	0.2	0.1
463	Phlebitis and thrombophlebitis of lower extremities	720	320	327	37	36	0.4	0.4	0.4	0.4	0.4
464	Phlebitis and thrombophlebitis of other sites	526	214	248	34	30	0.3	0.3	0.3	0.4	0.3
465	Pulmonary embolism and infarction	2,292	1,080	855	208	149	1.3	1.4	1.1	2.3	1.6
466	Other venous embolism and thrombosis	1,080	463	479	64	74	0.6	0.6	0.6	0.7	0.8
467	Other diseases of circulatory system	411	217	133	39	22	0.2	0.3	0.2	0.4	0.2
.0	Hypotension	36	20	11	3	2	0.0	0.0	0.0	0.0	0.0
.1	Diseases of capillaries	24	19	5	-	-	0.0	0.0	0.0	0	0
.2	Other and unspecified circulatory diseases	351	178	117	36	20	0.2	0.2	0.2	0.4	0.2
468	Certain diseases of lymph nodes and lymph channels	75	32	23	12	8	0.0	0.0	0.0	0.1	0.1
	VIII. Diseases of the respiratory system										
470-475	Acute upper respiratory infections	1,045	439	356	147	103	0.6	0.6	0.5	1.6	1.1
470	Acute nasopharyngitis (common cold)	104	28	28	28	20	0.1	0.0	0.0	0.3	0.2
471	Acute sinusitis	27	13	7	6	1	0.0	0.0	0.0	0.1	0.0
472	Acute pharyngitis	119	51	49	11	8	0.1	0.1	0.1	0.1	0.1
473	Acute tonsillitis	86	39	25	14	8	0.1	0.1	0.0	0.2	0.1
474	Acute laryngitis and tracheitis	253	117	85	31	20	0.1	0.2	0.1	0.3	0.2
475	Acute upper respiratory infection of multiple or unspecified sites	456	191	162	57	46	0.3	0.3	0.2	0.6	0.5
480-483	Influenza	7,463	3,146	2,738	792	787	4.4	4.2	3.6	8.7	8.2
480	Influenza with pneumonia	4,769	1,982	1,743	538	506	2.8	2.6	2.3	5.9	5.3
481	Influenza with other respiratory manifestations, and influenza unqualified	2,377	1,037	886	216	238	1.4	1.4	1.2	2.4	2.5
482	Influenza with digestive manifestations, but without respiratory symptoms	146	53	52	22	19	0.1	0.1	0.1	0.2	0.2
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	171	74	57	16	24	0.1	0.1	0.1	0.2	0.2
490-493	Pneumonia	53,538	25,167	18,247	5,735	4,389	31 4	33.6	23.8	62.9	45.7
490	Lobar pneumonia	13,137	6,553	3,976	1,599	1,009	7.7	8.8	5.2	17.5	10.5
491	Bronchopneumonia	28,777	13,471	10,333	2,768	2,205	16.9	18.0	13.5	30.4	22.9
492	Primary atypical pneumonia	4,630	2,156	1,678	425	371	2.7	2.9	2.2	4.7	3.9
493	Pneumonia, other and unspecified	6,994	2,987	2,260	943	804	4.1	4.0	2.9	10.3	8.4
500-502	Bronchitis	3,581	2,089	1,032	259	201	2.1	2.8	1.3	2.8	2.1
500	Acute bronchitis	1,202	580	409	101	112	0.7	0.8	0.5	1.1	1.2
501	Bronchitis, unqualified	778	358	269	84	67	0.5	0.5	0.4	0.9	0.7
502	Chronic bronchitis	1,601	1,151	354	74	22	0.9	1.5	0.5	0.8	0.2
.0	Bronchitis with emphysema	825	697	94	33	1	0.5	0.9	0.1	0.4	0.0
.1	Other	776	454	260	41	21	0.5	0.6	0.3	0.4	0.2
510-527	Other diseases of respiratory system	18,459	12,607	4,029	1,228	595	10.8	16.8	5.3	13.5	6.2
510	Hypertrophy of tonsils and adenoids	171	74	71	5	21	0 1	0.1	0.1	0.1	0.2
.0	Without mention of tonsillectomy or adenoidectomy	13	3	7	-	3	0.0	0.0	0.0	0	0.0
.1	With tonsillectomy or adenoidectomy	158	71	64	5	18	0.1	0.1	0.1	0.1	0.2
511	Peritonsillar abscess (quinsy)	32	16	11	3	2	0.0	0.0	0.0	0.0	0.0
512	Chronic pharyngitis and nasopharyngitis	1	1	-	-	-	0 0	0.0	0	0	0
513	Chronic sinusitis	85	40	25	13	7	0.0	0.1	0.0	0.1	0.1
514	Deflected nasal septum	1	-	1	-	-	0.0	0	0.0	0	0
515	Nasal polyp	2	1	1	-	-	0.0	0.0	0.0	0	0
516	Chronic laryngitis	3	1	1	1	-	0.0	0.0	0.0	0.0	0
517	Other diseases of upper respiratory tract	227	106	90	16	15	0.1	0.1	0.1	0.2	0.2
518	Empyema	261	154	72	28	7	0.2	0.2	0.1	0.3	0.1
519	Pleurisy	189	96	64	20	9	0.1	0.1	0.1	0.2	0.1
.0	Without mention of effusion or tuberculosis	110	58	33	13	6	0.1	0.1	0.0	0.1	0.1
.1	With effusion with mention of a bacterial cause other than tuberculosis	4	2	1	1	-	0.0	0.0	0.0	0.0	0
.2	Other specified forms of effusion, except tuberculous	75	36	30	6	3	0.0	0.0	0.0	0.1	0.0
520	Spontaneous pneumothorax	95	65	16	12	2	0.1	0.1	0.0	0.1	0.0
521	Abscess of lung	601	338	126	102	35	0.4	0.5	0.2	1.1	0.4
522	Pulmonary congestion and hypostasis	1,478	636	630	116	96	0.9	0.8	0.8	1.3	1.0
523	Pneumoconiosis due to silica and silicates (occupational)	1,516	1,429	10	76	1	0.9	1.9	0.0	0.8	0.0
.0	Silicosis	618	566	7	44	1	0.4	0.8	0.0	0.5	0.0
.1	Anthracosilicosis	658	647	1	10	-	0.4	0.9	0.0	0.1	0
.2	Asbestosis	21	17	1	3	-	0.0	0.0	0.0	0.0	0
.3	Other, including pneumoconiosis unspecified	219	199	1	19	-	0.1	0.3	0.0	0.2	0
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	74	65	2	6	1	0.0	0.1	0.0	0.1	0.0
525	Other chronic interstitial pneumonia	3,049	1,897	781	235	136	1.8	2.5	1.0	2.6	1.4
526	Bronchiectasis	2,273	1,447	688	94	44	1.3	1.9	0.9	1.0	0.5
527	Other diseases of lung and pleural cavity	8,401	6,241	1,440	501	219	4.9	8.3	1.9	5.5	2.3
.0	Pulmonary collapse (1 year and over)	162	88	53	10	11	0.1	0.1	0.1	0.1	0.1
.1	Emphysema without mention of bronchitis	5,757	4,809	629	279	40	3.4	6.4	0.8	3.1	0.4
.2	Other	2,482	1,344	758	212	168	1.5	1.8	1.0	2.3	1.7

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	IX. Diseases of the digestive system										
530-539	Diseases of buccal cavity and esophagus	889	463	322	64	40	0.5	0.6	0.4	0.7	0.4
530	Dental caries	13	5	5	2	1	0.0	0.0	0.0	0.0	0.0
531	Abscesses of supporting structures of teeth	28	14	9	3	2	0.0	0.0	0.0	0.0	0.0
532	Other inflammatory diseases of supporting structures of teeth	34	14	11	3	6	0.0	0.0	0.0	0.0	0.1
535	Other diseases of teeth and supporting structures	41	19	16	3	3	0.0	0.0	0.0	0.0	0.0
536	Stomatitis	16	9	6	1	-	0.0	0.0	0.0	0.0	0
537	Diseases of salivary glands	128	43	78	4	3	0.1	0.1	0.1	0.0	0.0
538	Other diseases of buccal cavity	27	11	11	3	2	0.0	0.0	0.0	0.0	0.0
539	Diseases of esophagus	602	348	186	45	23	0.4	0.5	0.2	0.5	0.2
540-545	Diseases of stomach and duodenum	11,579	7,989	2,627	700	263	6.8	10.7	3.4	7.7	2.7
540	Ulcer of stomach	5,104	3,373	1,259	352	120	3.0	4.5	1.6	3.9	1.2
.0	Without mention of perforation	3,319	2,181	851	212	75	1.9	2.9	1.1	2.3	0.8
.1	With perforation	1,785	1,192	408	140	45	1.0	1.6	0.5	1.5	0.5
541	Ulcer of duodenum	5,261	3,896	1,049	245	71	3.1	5.2	1.4	2.7	0.7
.0	Without mention of perforation	3,400	2,583	629	148	40	2.0	3.5	0.8	1.6	0.4
.1	With perforation	1,861	1,313	420	97	31	1.1	1.8	0.5	1.1	0.3
542	Gastrojejunal ulcer	274	197	48	14	15	0.2	0.3	0.1	0.2	0.2
.0	Without mention of perforation	179	133	32	5	9	0.1	0.2	0.0	0.1	0.1
.1	With perforation	95	64	16	9	6	0.1	0.1	0.0	0.1	0.1
543	Gastritis and duodenitis	333	172	113	31	17	0.2	0.2	0.1	0.3	0.2
544	Disorders of function of stomach	137	49	32	26	30	0.1	0.1	0.0	0.3	0.3
.1	Disorders of gastric motility	46	23	14	4	5	0.0	0.0	0.0	0.0	0.1
.2	Other	91	26	18	22	25	0.1	0.0	0.0	0.2	0.3
545	Other diseases of stomach and duodenum	470	302	126	32	10	0.3	0.4	0.2	0.4	0.1
550-553	Appendicitis	1,982	1,089	575	178	140	1.2	1.5	0.7	2.0	1.5
550	Acute appendicitis	1,788	986	520	158	124	1.0	1.3	0.7	1.7	1.3
.0	Without mention of peritonitis	221	130	59	20	12	0.1	0.2	0.1	0.2	0.1
.1	With peritonitis	1,567	856	461	138	112	0.9	1.1	0.6	1.5	1.2
551	Appendicitis, unqualified	174	91	48	20	15	0.1	0.1	0.1	0.2	0.2
552	Other appendicitis	13	9	3	-	1	0.0	0.0	0.0	0	0.0
553	Other diseases of appendix	7	3	4	-	-	0.0	0.0	0.0	0	0
560,561	Hernia of abdominal cavity	3,607	1,755	1,478	239	135	2.1	2.3	1.9	2.6	1.4
560	Hernia of abdominal cavity without mention of obstruction	1,427	742	557	89	39	0.8	1.0	0.7	1.0	0.4
.0	Inguinal	233	194	8	31	-	0.1	0.3	0.0	0.3	0
.1	Femoral	18	6	10	-	2	0.0	0.0	0.0	0	0.0
.2	Umbilical	216	91	97	21	7	0.1	0.1	0.1	0.2	0.1
.3	Ventral (incisional)	170	55	100	3	12	0.1	0.1	0.1	0.0	0.1
.4	Other specified site	661	304	320	24	13	0.4	0.4	0.4	0.3	0.1
.5	Unspecified site	129	92	22	10	5	0.1	0.1	0.0	0.1	0.1
561	Hernia of abdominal cavity with obstruction	2,180	1,013	921	150	96	1.3	1.4	1.2	1.6	1.0
.0	Inguinal	687	491	99	88	9	0.4	0.7	0.1	1.0	0.1
.1	Femoral	254	69	172	1	12	0.1	0.1	0.2	0.0	0.1
.2	Umbilical	244	64	146	12	22	0.1	0.1	0.2	0.1	0.2
.3	Ventral (incisional)	364	80	251	4	29	0.2	0.1	0.3	0.0	0.3
.4	Other specified site	209	90	107	4	8	0.1	0.1	0.1	0.0	0.1
.5	Unspecified site	422	219	146	41	16	0.2	0.3	0.2	0.4	0.2
570-578	Other diseases of intestines and peritoneum	15,892	6,493	6,338	1,616	1,445	9.3	8.7	8.3	17.7	15.0
570	Intestinal obstruction without mention of hernia	4,964	2,046	2,246	340	332	2.9	2.7	2.9	3.7	3.5
.0	Intussusception	165	63	60	21	21	0.1	0.1	0.1	0.2	0.2
.1	Paralytic ileus	267	109	113	28	17	0.2	0.1	0.1	0.3	0.2
.2	Mesenteric infarction	1,183	557	516	57	53	0.7	0.7	0.7	0.6	0.6
.3	Volvulus	830	380	332	76	42	0.5	0.5	0.4	0.8	0.4
.4	Impaction of intestine	271	111	138	10	12	0.2	0.1	0.2	0.1	0.1
.5	Other	2,248	826	1,087	148	187	1.3	1.1	1.4	1.6	1.9
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	4,881	1,591	1,521	960	809	2.9	2.1	2.0	10.5	8.4
.0	Ages between 4 weeks and 2 years	3,412	1,010	866	833	703	2.0	1.3	1.1	9.1	7.3
.1	Ages 2 years and over	1,469	581	655	127	106	0.9	0.8	0.9	1.4	1.1
572	Chronic enteritis and ulcerative colitis	2,757	1,259	1,337	76	85	1.6	1.7	1.7	0.8	0.9
.0	Regional enteritis	151	72	72	5	2	0.1	0.1	0.1	0.1	0.0
.1	Diverticulitis	1,778	799	889	43	47	1.0	1.1	1.2	0.5	0.5
.2	Ulcerative colitis	729	348	328	23	30	0.4	0.5	0.4	0.3	0.3
.3	Other	99	40	48	5	6	0.1	0.1	0.1	0.1	0.1
573	Functional disorders of intestines	68	28	26	5	9	0.0	0.0	0.0	0.1	0.1
574	Anal fissure and fistula	18	10	3	3	2	0.0	0.0	0.0	0.0	0.0
575	Abscess of anal and rectal regions	82	37	23	12	10	0.0	0.0	0.0	0.1	0.1
576	Peritonitis	694	311	275	49	59	0.4	0.4	0.4	0.5	0.6
577	Peritoneal adhesion	74	23	37	5	9	0.0	0.0	0.0	0.1	0.1
578	Other diseases of intestines and peritoneum	2,354	1,188	870	166	130	1.4	1.6	1.1	1.8	1.4
580-587	Diseases of liver, gallbladder, and pancreas	29,216	15,988	10,606	1,461	1,161	17.2	21.4	13.8	16.0	12.1
580	Acute and subacute yellow atrophy of liver	565	232	233	52	48	0.3	0.3	0.3	0.6	0.5
581	Cirrhosis of liver	19,317	11,802	5,755	1,051	709	11.3	15.8	7.5	11.5	7.4
.0	Without mention of alcoholism	13,524	8,042	4,320	688	474	7.9	10.7	5.6	7.5	4.9
.1	With alcoholism	5,793	3,760	1,435	363	235	3.4	5.0	1.9	4.0	2.4
582	Suppurative hepatitis and liver abscess	111	60	35	10	6	0.1	0.1	0.0	0.1	0.1
583	Other diseases of liver	799	374	307	50	68	0.5	0.5	0.4	0.5	0.7
584	Cholelithiasis	3,262	1,250	1,877	39	96	1.9	1.7	2.4	0.4	1.0

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	IX. Diseases of the digestive system—Continued										
	Diseases of liver, gallbladder, and pancreas—Continued										
585	Cholecystitis without mention of calculi	1,682	669	908	40	65	1.0	0.9	1.2	0.4	0.7
586	Other diseases of gallbladder and biliary ducts	1,107	403	633	26	45	0.7	0.5	0.8	0.3	0.5
587	Diseases of pancreas	2,373	1,198	858	193	124	1.4	1.6	1.1	2.1	1.3
.0	Acute pancreatitis	1,850	938	649	157	106	1.1	1.3	0.8	1.7	1.1
.1	Chronic pancreatitis	200	107	66	18	9	0.1	0.1	0.1	0.2	0.1
.2	Other diseases of pancreas	323	153	143	18	9	0.2	0.2	0.2	0.2	0.1
	X. Diseases of the genito-urinary system										
590-594	Nephritis and nephrosis	17,307	7,442	6,184	1,847	1,834	10.2	9.9	8.1	20.3	19.1
590	Acute nephritis	1,157	478	371	162	146	0.7	0.6	0.5	1.8	1.5
591	Nephritis with edema, including nephrosis	1,118	529	369	106	114	0.7	0.7	0.5	1.2	1.2
592	Chronic nephritis	11,878	5,159	4,354	1,169	1,196	7.0	6.9	5.7	12.8	12.4
593	Nephritis not specified as acute or chronic	2,989	1,207	1,028	395	359	1.8	1.6	1.3	4.3	3.7
594	Other renal sclerosis	165	69	62	15	19	0.1	0.1	0.1	0.2	0.2
600-609	Other diseases of urinary system	9,723	4,365	3,648	960	750	5.7	5.8	4.8	10.5	7.8
600	Infections of kidney	6,346	2,623	2,522	606	595	3.7	3.5	3.3	6.6	6.2
.0	Pyelitis, pyelocystitis, and pyelonephritis	6,162	2,539	2,445	591	587	3.6	3.4	3.2	6.5	6.1
.1	Abscess of kidney and perirenal tissue	122	57	52	7	6	0.1	0.1	0.1	0.1	0.1
.2	Other	62	27	25	8	2	0.0	0.0	0.0	0.1	0.0
601	Hydronephrosis	299	154	104	28	12	0.2	0.2	0.1	0.3	0.1
602	Calculi of kidney and ureter	1,227	617	507	49	54	0.7	0.8	0.7	0.5	0.6
603	Other diseases of kidney and ureter	603	270	212	73	48	0.4	0.4	0.3	0.8	0.5
604	Calculi of other parts of urinary system	122	80	27	13	2	0.1	0.1	0.0	0.1	0.0
605	Cystitis	416	194	170	27	25	0.2	0.3	0.2	0.3	0.3
606	Other diseases of bladder	275	179	49	41	6	0.2	0.2	0.1	0.4	0.1
607	Urethritis (nonvenereal)	8	3	1	4	-	0.0	0.0	0.0	0.0	0
608	Stricture of urethra	219	117	8	92	2	0.1	0.2	0.0	1.0	0.0
609	Other diseases of urethra	208	128	48	26	6	0.1	0.2	0.1	0.3	0.1
610-617	Diseases of male genital organs	5,602	4,823	...	779	...	3.3	6.4	...	8.5	...
610	Hyperplasia of prostate	5,097	4,419	..	678	...	3.0	5.9	...	7.4	...
611	Prostatitis	341	274	...	67	...	0.2	0.4	...	0.7	...
612	Other diseases of prostate	91	73	..	18	...	0.1	0.1	...	0.2	...
613	Hydrocele	10	8	...	2	...	0.0	0.0	...	0.0	...
614	Orchitis and epididymitis	11	10	...	1	...	0.0	0.0	...	0.0	...
615	Redundant prepuce and phimosis	5	5	..	-	..	0.0	0.0	..	0	...
617	Other diseases of male genital organs	47	34	...	13	...	0.0	0.0	...	0.1	...
620-626	Diseases of breast, ovary, fallopian tube, and parametrium	265	2	146	-	117	0.2	0.0	0.2	0	1.2
620	Chronic cystic disease of breast	2	-	2	-	-	0.0	0	0.0	0	0
621	Other diseases of breast	10	2	6	-	2	0.0	0.0	0.0	0	0.0
622	Acute salpingitis and oophoritis	16	...	11	...	5	0.0	...	0.0	...	0.1
623	Chronic salpingitis and oophoritis	7	...	4	...	3	0.0	...	0.0	...	0.0
624	Salpingitis and oophoritis, unqualified	91	...	37	...	54	0.1	...	0.0	...	0.6
625	Other diseases of ovary and fallopian tube	26	...	24	...	2	0.0	...	0.0	...	0.0
626	Diseases of parametrium and pelvic peritoneum (female)	113	...	62	...	51	0.1	...	0.1	...	0.5
630-637	Diseases of uterus and other female genital organs	443	...	350	...	93	0.3	...	0.5	...	1.0
630	Infective diseases of uterus, vagina, and vulva	47	...	34	...	13	0.0	..	0.0	...	0.1
631	Uterovaginal prolapse	146	..	137	...	9	0.1	...	0.2	...	0.1
632	Malposition of uterus	6	...	5	..	1	0.0	...	0.0	...	0.0
633	Other diseases of uterus	196	...	137	...	59	0.1	...	0.2	...	0.6
634	Disorders of menstruation	14	...	11	...	3	0.0	...	0.0	...	0.0
635	Menopausal symptoms	4	..	2	...	2	0.0	...	0.0	...	0.0
637	Other diseases of female genital organs	30	...	24	...	6	0.0	...	0.0	...	0.1
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium										
640-649	Complications of pregnancy	684	..	378	...	306	0.4	...	0.5	...	3.2
640	Pyelitis and pyelonephritis of pregnancy	4	...	3	...	1	0.0	...	0.0	...	0.0
641	Other infections of genito-urinary tract during pregnancy	12	...	6	...	6	0.0	..	0.0	..	0.1
642	Toxemias of pregnancy	436	...	238	...	198	0.3	..	0.3	...	2.1
.0	Hypertensive disease arising during pregnancy	46	...	16	...	30	0.0	...	0.0	...	0.3
.1	Renal disease arising during pregnancy	54	...	33	...	21	0.0	...	0.0	...	0.2
.2	Preeclampsia of pregnancy	40	...	20	...	20	0.0	...	0.0	...	0.2
.3	Eclampsia of pregnancy	165	...	88	..	77	0.1	...	0.1	...	0.8
.4	Hyperemesis gravidarum	6	...	4	...	2	0.0	...	0.0	...	0.0
.5	Other	125	...	77	...	48	0.1	...	0.1	...	0.5
643	Placenta praevia	4	...	1	...	3	0.0	...	0.0	...	0.0
644	Other hemorrhage of pregnancy	12	...	6	...	6	0.0	...	0.0	...	0.1
645	Ectopic pregnancy	126	...	60	...	66	0.1	...	0.1	...	0.7
.0	Without mention of sepsis	113	...	55	...	58	0.1	...	0.1	...	0.6
.1	With sepsis	13	...	5	..	8	0.0	...	0.0	...	0.1
646	Anemia of pregnancy	3	...	1	.	2	0.0	...	0.0	...	0.0
648	Other complications arising from pregnancy	87	...	63	...	24	0.1	...	0.1	...	0.2
.1	Hydatidiform mole	5	...	4	..	1	0.0	...	0.0	...	0.0
.2	Placental abnormalities not classified elsewhere	24	...	20	...	4	0.0	...	0.0	...	0.0
.3	Other	58	...	39	...	19	0.0	...	0.1	...	0.2

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium—Continued										
650-652	Abortion	260	...	126	...	134	0.2	...	0.2	...	1.4
650	Abortion without mention of sepsis or toxemia	77	...	41	...	36	0.0	...	0.1	...	0.4
.0	Spontaneous or unspecified	46	...	21	...	25	0.0	...	0.0	...	0.3
.1	Induced for medical or legal indications	1	...	-	...	1	0.0	...	0	...	0.0
.2	Induced for other reasons	26	...	17	...	9	0.0	...	0.0	...	0.1
.3	Other	4	...	3	...	1	0.0	...	0.0	...	0.0
651	Abortion with sepsis	169	...	77	...	92	0.1	...	0.1	...	1.0
.0	Spontaneous or unspecified	104	...	38	...	66	0.1	...	0.0	...	0.7
.1	Induced for medical or legal indications	6	...	4	...	2	0.0	...	0.0	...	0.0
.2	Induced for other reasons	58	...	34	...	24	0.0	...	0.0	...	0.2
.3	Other	1	...	1	...	-	0.0	..	0.0	...	0
652	Abortion with toxemia, without mention of sepsis	14	...	8	...	6	0.0	...	0.0	...	0.1
.0	Spontaneous or unspecified	8	...	4	...	4	0.0	...	0.0	...	0.0
.1	Induced for medical or legal indications	3	...	2	...	1	0.0	...	0.0	...	0.0
.2	Induced for other reasons	3	...	2	...	1	0.0	...	0.0	...	0.0
660	Delivery without complication	71	...	43	...	28	0.0	...	0.1	...	0.3
670-678	Delivery with specified complication	500	...	310	...	190	0.3	...	0.4	...	2.0
670	Delivery complicated by placenta praevia or antepartum hemorrhage	145	...	89	...	56	0.1	...	0.1	...	0.6
671	Delivery complicated by retained placenta	34	...	21	...	13	0.0	...	0.0	...	0.1
672	Delivery complicated by other postpartum hemorrhage	152	...	87	...	65	0.1	...	0.1	...	0.7
673	Delivery complicated by abnormality of bony pelvis	1	...	-	...	1	0.0	...	0	...	0.0
674	Delivery complicated by disproportion or malposition of fetus	33	...	19	...	14	0.0	...	0.0	...	0.1
675	Delivery complicated by prolonged labor of other origin	15	...	8	...	7	0.0	...	0.0	...	0.1
677	Delivery with other trauma	77	...	52	...	25	0.0	...	0.1	...	0.3
678	Delivery with other complications of childbirth	43	...	34	...	9	0.0	...	0.0	...	0.1
680-689	Complications of the puerperium	231	...	140	...	91	0.1	...	0.2	...	0.9
680	Puerperal urinary infection without other sepsis	4	...	1	...	3	0.0	...	0.0	...	0.0
681	Sepsis of childbirth and the puerperium	50	...	27	...	23	0.0	...	0.0	...	0.2
682	Puerperal phlebitis and thrombosis	38	...	29	...	9	0.0	...	0.0	...	0.1
684	Puerperal pulmonary embolism	58	...	36	...	22	0.0	...	0.0	...	0.2
685	Puerperal eclampsia	32	...	16	...	16	0.0	...	0.0	...	0.2
686	Other forms of puerperal toxemia	4	...	2	...	2	0.0	...	0.0	...	0.0
687	Cerebral hemorrhage in the puerperium	20	...	14	...	6	0.0	...	0.0	...	0.1
688	Other and unspecified complications of the puerperium	24	...	14	...	10	0.0	...	0.0	...	0.1
689	Mastitis and other disorders of lactation	1	...	1	...	-	0.0	...	0.0	...	0
	XII. Diseases of the skin and cellular tissue										
690-698	Infections of skin and subcutaneous tissue	483	218	173	50	42	0.3	0.3	0.2	0.5	0.4
690	Boil and carbuncle	99	56	35	5	3	0.1	0.1	0.0	0.1	0.0
691	Cellulitis of finger and toe	3	2	1	-	-	0.0	0.0	0.0	0	0
692	Other cellulitis and abscess without mention of lymphangitis	321	134	118	39	30	0.2	0.2	0.2	0.4	0.3
693	Other cellulitis and abscess with lymphangitis	5	4	-	1	-	0.0	0.0	0	0.0	0
694	Acute lymphadenitis	1	1	-	-	-	0.0	0.0	0	0	0
695	Impetigo	8	2	3	1	2	0.0	0.0	0.0	0.0	0.0
698	Other local infections of skin and subcutaneous tissue	46	19	16	4	7	0.0	0.0	0.0	0.0	0.1
700-716	Other diseases of skin and subcutaneous tissue	1,183	359	595	79	150	0.7	0.5	0.8	0.9	1.6
700	Seborrheic dermatitis	1	-	1	-	-	0.0	0	0.0	0	0
701	Eczema	11	6	3	2	-	0.0	0.0	0.0	0.0	0
703	Other dermatitis	32	14	9	4	5	0.0	0.0	0.0	0.0	0.1
704	Pemphigus	170	73	77	9	11	0.1	0.1	0.1	0.1	0.1
705	Erythematous conditions	360	101	175	16	68	0.2	0.1	0.2	0.2	0.7
706	Psoriasis and similar disorders	3	3	-	-	-	0.0	0.0	0	0	0
708	Pruritus and related conditions	2	1	1	-	-	0.0	0.0	0.0	0	0
709	Corns and callosities	1	1	-	-	-	0.0	0.0	0	0	0
710	Other hypertrophic and atrophic conditions of skin	324	89	187	18	30	0.2	0.1	0.2	0.2	0.3
711	Other dermatoses	4	1	2	1	-	0.0	0.0	0.0	0.0	0
714	Diseases of sweat and sebaceous glands	5	-	2	2	1	0.0	0	0.0	0.0	0.0
715	Chronic ulcer of skin	258	65	134	27	32	0.2	0.1	0.2	0.3	0.3
716	Other diseases of skin	12	5	4	-	3	0.0	0.0	0.0	0	0.0
	XIII. Diseases of the bones and organs of movement										
720-727	Arthritis and rheumatism, except rheumatic fever	1,510	496	892	54	68	0.9	0.7	1.2	0.6	0.7
720	Acute arthritis due to pyogenic organisms	24	9	9	3	3	0.0	0.0	0.0	0.0	0.0
722	Rheumatoid arthritis and allied conditions	818	267	514	15	22	0.5	0.4	0.7	0.2	0.2
.0	Rheumatoid arthritis	807	259	511	15	22	0.5	0.3	0.7	0.2	0.2
.1	Spondylitis ankylopoietica	11	8	3	-	-	0.0	0.0	0.0	0	0
723	Osteo-arthritis (arthrosis) and allied conditions	294	101	168	15	10	0.2	0.1	0.2	0.2	0.1
.0	Osteo-arthritis (arthrosis)	276	86	166	14	10	0.2	0.1	0.2	0.2	0.1
.1	Spondylitis osteo-arthritica (spondylarthrosis)	18	15	2	1	-	0.0	0.0	0.0	0.0	0
724	Other specified forms of arthritis	15	9	5	1	-	0.0	0.0	0.0	0.0	0
725	Arthritis, unspecified	328	101	184	17	26	0.2	0.1	0.2	0.2	0.3
726	Muscular rheumatism	11	4	4	1	2	0.0	0.0	0.0	0.0	0.0
727	Rheumatism unspecified	20	5	8	2	5	0.0	0.0	0.0	0.0	0.1

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII. Diseases of the bones and organs of movement—Continued										
730-738	Osteomyelitis and other diseases of bone and joint	520	245	227	30	18	0.3	0.3	0.3	0.3	0.2
730	Osteomyelitis and periostitis	159	86	47	19	7	0.1	0.1	0.1	0.2	0.1
.0	Acute osteomyelitis	14	9	2	2	1	0.0	0.0	0.0	0.0	0.0
.1	Chronic osteomyelitis	50	27	18	5	-	0.0	0.0	0.0	0.1	0
.2	Unspecified osteomyelitis	94	50	26	12	6	0.1	0.1	0.0	0.1	0.1
.3	Periostitis without mention of osteomyelitis	1	-	1	-	-	0.0	0	0.0	0	0
731	Osteitis deformans	89	49	35	2	3	0.1	0.1	0.0	0.0	0.0
732	Osteochondrosis	3	1	1	1	-	0.0	0.0	0.0	0.0	0
733	Other diseases of bone	192	67	117	3	5	0.1	0.1	0.2	0.0	0.1
734	Internal derangement of knee joint	3	1	1	1	-	0.0	0.0	0.0	0.0	0
735	Displacement of intervertebral disc	58	33	19	4	2	0.0	0.0	0.0	0.0	0.0
737	Ankylosis of joint	4	3	1	-	-	0.0	0.0	0.0	0	0
739	Other diseases of joint	12	5	6	-	1	0.0	0.0	0.0	0	0.0
740-749	Other diseases of musculoskeletal system	969	518	358	54	39	0.6	0.7	0.5	0.6	0.4
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	7	4	-	3	-	0.0	0 0	0	0.0	0
743	Infective myositis and other inflammatory diseases of tendon and fascia	2	-	2	-	-	0.0	0	0.0	0	0
744	Other diseases of muscle, tendon, and fascia	828	456	293	44	35	0.5	0.6	0.4	0.5	0.4
.0	Myasthenia gravis	250	98	124	17	11	0.1	0.1	0.2	0.2	0.1
.1	Inborn defect of muscle	537	342	149	25	21	0.3	0.5	0.2	0.3	0.2
.2	Other	41	16	20	2	3	0.0	0.0	0.0	0.0	0.0
745	Curvature of spine	105	39	56	6	4	0.1	0.1	0.1	0.1	0.0
748	Clubfoot	4	3	1	-	-	0.0	0.0	0.0	0	0
749	Other deformities	23	16	6	1	-	0.0	0.0	0.0	0.0	0
	XIV. Congenital malformations										
750-759	Congenital malformations	21,818	10,347	8,794	1,464	1,213	12.8	13.8	11.5	16.1	12.6
750	Monstrosity	1,076	426	577	28	45	0.6	0.6	0.8	0.3	0.5
751	Spina bifida and meningocele	1,333	528	724	41	40	0.8	0.7	0.9	0.4	0.4
752	Congenital hydrocephalus	1,732	751	731	142	108	1.0	1.0	1.0	1.6	1.1
753	Other congenital malformations of nervous system and sense organs	855	386	387	40	42	0.5	0.5	0.5	0.4	0.4
.1	Other	855	386	387	40	42	0.5	0.5	0.5	0.4	0.4
754	Congenital malformations of circulatory system	10,485	5,032	4,105	716	632	6.2	6.7	5.3	7.9	6.6
.0	Tetralogy of Fallot	470	238	179	30	23	0.3	0.3	0.2	0.3	0.2
.1	Patent ductus arteriosus (Botalli)	480	215	205	30	30	0.3	0.3	0.3	0.3	0.3
.2	Interventricular septal defect	898	402	385	53	58	0.5	0.5	0.5	0.6	0.6
.3	Interauricular septal defect	725	307	345	37	36	0.4	0.4	0.4	0.4	0.4
.4	Other and unspecified malformations of heart	6,652	3,156	2,555	496	445	3.9	4.2	3.3	5.4	4.6
.5	Coarctation of aorta	351	212	109	20	10	0.2	0.3	0.1	0.2	0.1
.6	Other circulatory malformations	909	502	327	50	30	0.5	0.7	0.4	0.5	0.3
755	Cleft palate and harelip	128	54	53	13	8	0.1	0.1	0.1	0.1	0.1
756	Congenital malformations of digestive system	2,399	1,183	886	180	150	1.4	1.6	1.2	2.0	1.6
.0	Congenital hypertrophic pyloric stenosis	99	52	25	15	7	0.1	0.1	0.0	0.2	0.1
.1	Imperforate anus	135	86	30	13	6	0.1	0.1	0.0	0.1	0.1
.2	Other	2,165	1,045	831	152	137	1.3	1.4	1.1	1.7	1.4
757	Congenital malformations of genito-urinary system	1,674	910	563	129	72	1.0	1.2	0.7	1.4	0.7
.0	Undescended testicle	5	5	...	-	...	0.0	0.0	...	0	...
.1	Polycystic disease of kidney	1,025	511	393	62	59	0.6	0.7	0.5	0.7	0.6
.2	Congenital malformations of external genital organs	16	14	2	-	-	0.0	0.0	0.0	0	0
.3	Other	628	380	168	67	13	0.4	0.5	0.2	0.7	0.1
758	Congenital malformations of bone and joint	343	150	148	25	20	0.2	0.2	0.2	0.3	0.2
759	Other and unspecified congenital malformations, not elsewhere classified	1,793	927	620	150	96	1.1	1.2	0.8	1.6	1.0
.0	Of respiratory system	542	310	159	49	24	0.3	0.4	0.2	0.5	0.2
.1	Of skin	37	18	12	3	4	0.0	0.0	0.0	0.0	0.0
.2	Of muscle	194	106	75	9	4	0.1	0.1	0.1	0.1	0.0
.3	Other and unspecified	1,020	493	374	89	64	0.6	0.7	0.5	1.0	0.7
	XV. Certain diseases of early infancy										
760-769	Birth injuries, asphyxia, and infections of newborn	36,012	16,937	11,109	4,562	3,404	21.1	22.6	14.5	50.0	35.4
760	Intracranial and spinal injury at birth	4,140	2,056	1,130	587	367	2.4	2.7	1.5	6.4	3.8
.0	Without mention of immaturity	2,554	1,295	706	356	197	1.5	1.7	0.9	3.9	2.0
.5	With immaturity	1,586	761	424	231	170	0.9	1.0	0.6	2.5	1.8
761	Other birth injury	7,257	3,684	2,571	607	395	4.3	4.9	3.4	6.7	4.1
.0	Without mention of immaturity	2,193	1,034	704	268	187	1.3	1.4	0.9	2.9	1.9
.5	With immaturity	5,064	2,650	1,867	339	208	3.0	3.5	2.4	3.7	2.2
762	Postnatal asphyxia and atelectasis	18,876	8,894	5,884	2,309	1,789	11.1	11.9	7.7	25.3	18.6
.0	Without mention of immaturity	5,367	2,474	1,705	660	528	3.2	3.3	2.2	7.2	5.5
.5	With immaturity	13,509	6,420	4,179	1,649	1,261	7.9	8.6	5.4	18.1	13.1
763	Pneumonia of newborn	3,715	1,470	999	678	568	2.2	2.0	1.3	7.4	5.9
.0	Without mention of immaturity	2,547	1,023	644	486	394	1.5	1.4	0.8	5.3	4.1
.5	With immaturity	1,168	447	355	192	174	0.7	0.6	0.5	2.1	1.8
764	Diarrhea of newborn	516	162	103	144	107	0.3	0.2	0.1	1.6	1.1
.0	Without mention of immaturity	399	128	75	114	82	0.2	0.2	0.1	1.3	0.9
.5	With immaturity	117	34	28	30	25	0.1	0.0	0.0	0.3	0.3
765	Ophthalmia neonatorum	1	1	-	-	-	0.0	0.0	0	0	0
.0	Without mention of immaturity	1	1	-	-	-	0.0	0.0	0	0	0
766	Pemphigus neonatorum	23	13	6	3	1	0.0	0.0	0.0	0.0	0.0
.0	Without mention of immaturity	17	11	4	1	1	0.0	0.0	0.0	0.0	0.0
.5	With immaturity	6	2	2	2	-	0.0	0.0	0.0	0.0	0

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XV. Certain diseases of early infancy—Continued										
	Birth injuries, asphyxia, and infections of newborn—Continued										
767	Umbilical sepsis	96	37	22	21	16	0.1	0.0	0.0	0.2	0.2
.0	Without mention of immaturity	77	27	20	17	13	0.0	0.0	0.0	0.2	0.1
.5	With immaturity	19	10	2	4	3	0.0	0.0	0.0	0.0	0.0
768	Other sepsis of newborn	736	314	180	136	106	0.4	0.4	0.2	1.5	1.1
.0	Without mention of immaturity	478	226	110	86	56	0.3	0.3	0.1	0.9	0.6
.5	With immaturity	258	88	70	50	50	0.2	0.1	0.1	0.5	0.5
769	Neonatal disorders arising from maternal toxemia	652	306	214	77	55	0.4	0.4	0.3	0.8	0.6
.0-.4	Without mention of immaturity	202	93	64	22	23	0.1	0.1	0.1	0.2	0.2
.0	Attributed to "toxemia of pregnancy"	128	51	38	20	19	0.1	0.1	0.0	0.2	0.2
.1	Attributed to maternal diabetes	63	35	23	1	4	0.0	0.0	0.0	0.0	0.0
.2	Attributed to maternal rubella	4	1	3	-	-	0.0	0.0	0.0	0	0
.4	Attributed to other or unspecified maternal toxemia	7	6	-	1	-	0.0	0.0	0	0.0	0
.5-.9	With immaturity	450	213	150	55	32	0.3	0.3	0.2	0.6	0.3
.5	Attributed to "toxemia of pregnancy"	318	148	99	44	27	0.2	0.2	0.1	0.5	0.3
.6	Attributed to maternal diabetes	90	45	38	5	2	0.1	0.1	0.0	0.1	0.0
.7	Attributed to maternal rubella	2	1	1	-	-	0.0	0.0	0.0	0	0
.9	Attributed to other or unspecified maternal toxemia	40	19	12	6	3	0.0	0.0	0.0	0.1	0.0
770-776	Other diseases peculiar to early infancy	30,557	13,208	9,886	4,070	3,393	17.9	17.7	12.9	44.6	35.3
770	Hemolytic disease of newborn (erythroblastosis)	2,538	1,267	1,063	112	96	1.5	1.7	1.4	1.2	1.0
.0	Erythroblastosis, without mention of nervous affection or immaturity	1,898	938	815	78	67	1.1	1.3	1.1	0.9	0.7
.1	Kernicterus, without mention of immaturity	152	92	44	12	4	0.1	0.1	0.1	0.1	0.0
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	8	3	4	-	1	0.0	0.0	0.0	0	0.0
.5	Erythroblastosis, without mention of nervous affection but with immaturity	442	212	188	19	23	0.3	0.3	0.2	0.2	0.2
.6	Kernicterus, with immaturity	36	21	11	3	1	0.0	0.0	0.0	0.0	0.0
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	2	1	1	-	-	0.0	0.0	0.0	0	0
771	Hemorrhagic disease of newborn	740	340	214	125	61	0.4	0.5	0.3	1.4	0.6
.0	Without mention of immaturity	462	204	139	81	38	0.3	0.3	0.2	0.9	0.4
.5	With immaturity	278	136	75	44	23	0.2	0.2	0.1	0.5	0.2
772	Nutritional maladjustment	489	124	88	154	123	0.3	0.2	0.1	1.7	1.3
.0	Without mention of immaturity	374	102	58	117	97	0.2	0.1	0.1	1.3	1.0
.5	With immaturity	115	22	30	37	26	0.1	0.0	0.0	0.4	0.3
773	Ill-defined diseases peculiar to early infancy	3,566	1,475	1,085	531	475	2.1	2.0	1.4	5.8	4.9
.0	Without mention of immaturity	609	229	165	120	95	0.4	0.3	0.2	1.3	1.0
.5	With immaturity	2,957	1,246	920	411	380	1.7	1.7	1.2	4.5	4.0
774	Immaturity with mention of any other subsidiary condition	2,489	1,191	804	281	213	1.5	1.6	1.0	3.1	2.2
776	Immaturity unqualified	20,735	8,811	6,632	2,867	2,425	12.2	11.8	8.6	31.4	25.2
	XVI. Symptoms, senility, and ill-defined conditions										
780-789	Symptoms referable to systems or organs	2,687	1,297	792	315	283	1.6	1.7	1.0	3.5	2.9
780	Certain symptoms referable to nervous system and special senses	139	43	50	22	24	0.1	0.1	0.1	0.2	0.2
.0	Coma and stupor	35	10	11	4	10	0.0	0.0	0.0	0.0	0.1
.2	Convulsions	98	30	38	18	12	0.1	0.0	0.0	0.2	0.1
.3	Jacksonian epilepsy	2	1	-	-	1	0.0	0.0	0	0	0.0
.4-.9	Other specified symptoms referable to nervous system and special senses	4	2	1	-	1	0.0	0.0	0.0	0	0.0
781	Other symptoms referable to nervous system and special senses	38	24	7	3	4	0.0	0.0	0.0	0.0	0.0
782	Symptoms referable to cardiovascular and lymphatic system	1,847	946	552	189	160	1.1	1.3	0.7	2.1	1.7
.2	Tachycardia	3	2	-	1	-	0.0	0.0	0	0.0	0
.3	Pallor and cyanosis (not of newborn)	2	1	1	-	-	0.0	0.0	0.0	0	0
.4	Acute heart failure, undefined	1,750	907	522	180	141	1.0	1.2	0.7	2.0	1.5
.5	Syncope or collapse	9	5	2	-	2	0.0	0.0	0.0	0	0.0
.6	Edema and dropsy (not of newborn)	23	6	4	6	7	0.0	0.0	0.0	0.1	0.1
.8	Splenomegaly	4	1	2	-	1	0.0	0.0	0.0	0	0.0
.9	Shock without mention of trauma	56	24	21	2	9	0.0	0.0	0.0	0.0	0.1
783	Symptoms referable to respiratory system	179	82	49	24	24	0.1	0.1	0.1	0.3	0.2
.0	Epistaxis	13	5	4	3	1	0.0	0.0	0.0	0.0	0.0
.1	Hemoptysis	154	69	45	19	21	0.1	0.1	0.1	0.2	0.2
.2	Dyspnea	1	1	-	-	-	0.0	0.0	0	0	0
.3-.7	Other symptoms referable to respiratory system	11	7	-	2	2	0.0	0.0	0	0.0	0.0
784	Symptoms referable to upper gastro-intestinal tract	196	101	57	17	21	0.1	0.1	0.1	0.2	0.2
785	Symptoms referable to abdomen and lower gastro-intestinal system	115	35	33	22	25	0.1	0.0	0.0	0.2	0.3
.2	Jaundice	46	16	12	9	9	0.0	0.0	0.0	0.1	0.1
.6	Diarrhea, age 2 years and over	38	10	11	9	8	0.0	0.0	0.0	0.1	0.1
.0, .1, .3-.5, .7-.9	Other symptoms referable to abdomen and lower gastro-intestinal system	31	9	10	4	8	0.0	0.0	0.0	0.0	0.1
786	Symptoms referable to genito-urinary system	34	19	5	9	1	0.0	0.0	0.0	0.1	0.0
787	Symptoms referable to limbs and back	2	2	-	-	-	0.0	0.0	0	0	0
788	Other general symptoms	130	44	36	27	23	0.1	0.1	0.0	0.3	0.2
.0-.5	Other specified general symptoms	37	14	11	10	2	0.0	0.0	0.0	0.1	0.0
.6	Acidosis	17	4	5	1	7	0.0	0.0	0.0	0.0	0.1
.8	Pyrexia of unknown origin	68	23	19	13	13	0.0	0.0	0.0	0.1	0.1
.9	Other specified symptoms not classifiable elsewhere	8	3	1	3	1	0.0	0.0	0.0	0.0	0.0
789	Abnormal urinary constituents of unspecified cause	7	1	3	2	1	0.0	0.0	0.0	0.0	0.0

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVI. Symtoms, senility, and ill-defined conditions—Continued										
790-795	Senility and ill-defined diseases	16,477	6,252	4,211	3,347	2,667	9.7	8.4	5.5	36.7	27.7
790	Nervousness and debility	36	13	13	4	6	0.0	0.0	0.0	0.0	0.1
791	Headache	4	1	2	1	-	0.0	0.0	0.0	0.0	0
792	Uremia, unqualified	562	262	165	85	50	0.3	0.4	0.2	0.9	0.5
794	Senility without mention of psychosis	3,243	1,108	1,542	284	309	1.9	1.5	2.0	3.1	3.2
795	Ill-defined and unknown causes of mortality	12,632	4,868	2,489	2,973	2,302	7.4	6.5	3.2	32.6	23.9
.0	Other ill-defined conditions	782	306	244	151	81	0.5	0.4	0.3	1.7	0.8
.2	Sudden death (cause unknown)	417	178	70	100	69	0.2	0.2	0.1	1.1	0.7
.3	Found dead (cause unknown)	366	161	61	88	56	0.2	0.2	0.1	1.0	0.6
.4	Died without sign of disease	5,051	2,202	886	1,113	850	3.0	2.9	1.2	12.2	8.8
.5	Other, unknown, and unspecified causes	6,016	2,021	1,228	1,521	1,246	3.5	2.7	1.6	16.7	13.0
	XVII. Accidents, poisonings, and violence										
E800-E802	Railway accidents	1,238	867	97	242	32	0.7	1.2	0.1	2.7	0.3
E800	Railway accident involving railroad employee	206	184	4	18	-	0.1	0.2	0.0	0.2	0
E801	Railway accident involving passenger	9	8	-	-	1	0.0	0.0	0	0	0.0
E802	Railway accident involving other and unspecified person	1,023	675	93	224	31	0.6	0 9	0.1	2.5	0.3
E810-E825	Motor-vehicle traffic accidents	37,686	24,746	8,446	3,392	1,102	22.1	33.1	11.0	37.2	11.5
E810	Motor-vehicle traffic accident involving collision with railway train	1,376	930	348	75	23	0.8	1.2	0.5	0.8	0.2
E811	Motor-vehicle traffic accident involving collision with streetcar	13	10	2	1	-	0.0	0.0	0.0	0.0	0
E812	Motor-vehicle traffic accident to pedestrian	7,291	4,490	1,568	887	346	4.3	6.0	2.0	9.7	3.6
E813	Motor-vehicle traffic accident to pedal cyclist	429	338	43	42	6	0.3	0.5	0.1	0.5	0.1
E814	Motor-vehicle traffic accident to rider or passenger of motor-cycle in collision with nonmotor vehicle or object	39	36	3	-	-	0.0	0.0	0.0	0	0
E815	Motor-vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	438	397	30	9	2	0.3	0.5	0.0	0.1	0.0
E816	Other motor-vehicle traffic accident involving two or more motor vehicles	11,791	7,218	3,464	807	302	6.9	9.6	4.5	8.9	3.1
E818	Motor-vehicle traffic accident involving collision with animal or animal-drawn vehicle	61	34	12	14	1	0.0	0.0	0.0	0.2	0.0
E819	Motor-vehicle traffic accident involving collision with fixed or unspecified object	1,969	1,354	411	150	54	1.2	1.8	0.5	1.6	0.6
E820	Motor-vehicle traffic accident while boarding and alighting	47	21	24	2	-	0.0	0.0	0.0	0.0	0
E821	Motor-vehicle traffic accident to rider of motorcycle not involving collision	258	225	20	12	1	0.2	0.3	0.0	0.1	0.0
E822	Motor-vehicle traffic accident involving overturning in roadway	1,288	940	192	125	31	0.8	1.3	0.3	1.4	0.3
E823	Motor-vehicle traffic accident involving running off roadway	7,649	5,469	1,243	744	193	4.5	7.3	1.6	8.2	2.0
E824	Other noncollision motor-vehicle traffic accident	585	333	123	100	29	0.3	0.4	0.2	1.1	0.7
E825	Motor-vehicle traffic accident of unspecified nature	4,452	2,951	963	424	114	2.6	3.9	1.3	4.7	1.2
E830-E835	Motor-vehicle nontraffic accidents	1,016	670	222	92	32	0.6	0.9	0.3	1.0	0.3
E830	Motor-vehicle nontraffic accident to pedestrian	581	343	166	50	22	0.3	0.5	0.2	0.5	0.2
E832	Motor-vehicle nontraffic accident to rider or passenger of motorcycle	19	19	-	-	-	0.0	0.0	0	0	0
E833	Other motor-vehicle nontraffic accident involving two or more motor vehicles	20	16	2	2	-	0.0	0.0	0.0	0.0	0
E834	Motor-vehicle nontraffic accident while boarding and alighting	17	8	9	-	-	0.0	0.0	0.0	0	0
E835	Motor-vehicle nontraffic accident of other and unspecified nature	379	284	45	40	10	0 2	0.4	0.1	0.4	0.1
E840-E845	Other road-vehicle accidents	296	193	70	28	5	0.2	0.3	0.1	0.3	0.1
E840	Streetcar accident to pedestrian	18	9	5	3	1	0.0	0.0	0.0	0.0	0.0
E841	Other streetcar accident, except collision with motor vehicle	2	-	1	1	-	0.0	0	0.0	0.0	0
E842	Accident to pedestrian caused by pedal cycle	16	6	8	1	1	0.0	0.0	0.0	0.0	0.0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	48	34	9	2	3	0.0	0.0	0.0	0.0	0.0
E844	Accident to pedestrian caused by other nonmotor road vehicle	4	3	1	-	-	0.0	0.0	0.0	0	0
E845	Other nonmotor road-vehicle accidents	208	141	46	21	-	0.1	0.2	0.1	0.2	0
E850-E858	Water-transport accidents	1,574	1,317	90	156	11	0.9	1.8	0.1	1.7	0.1
E850	Submersion of occupant of small boat	1,287	1,073	79	124	11	0.8	1.4	0.1	1.4	0.1
E851	Other water-transport injury by submersion	117	100	3	14	-	0.1	0.1	0.0	0.2	0
E852	Fall on stairs and ladders in water transport	9	8	-	1	-	0.0	0.0	0	0.0	0
E853	Other falls from one level to another in water transport	24	18	1	5	-	0.0	0.0	0.0	0.1	0
E854	Falls on same level in water transport	2	2	-	-	-	0.0	0.0	0	0	0
E855	Unspecified falls in water transport	9	9	-	-	-	0.0	0.0	0	0	0
E856	Machinery accident in water transport	12	11	1	-	-	0.0	0.0	0.0	0	0
E857	Other specified accidents in water transport	112	95	5	12	-	0.1	0.1	0.0	0.1	0
E858	Water-transport accident of unspecified cause	2	1	1	-	-	0.0	0.0	0.0	0	0
E860-E866	Aircraft accidents	1,411	1,273	106	27	5	0.8	1.7	0.1	0.3	0.1
E860	Accident to personnel in military aircraft	259	254	-	5	-	0.2	0.3	0	0.1	0
E861	Injury to occupant by accident to commercial "transport" aircraft	67	43	21	1	2	0.0	0.1	0.0	0.0	0.0
E863	Injury to occupant by accident to other aircraft	198	175	20	3	-	0.1	0.2	0.0	0.0	0
E864	Aircraft accident at airfield to person not in aircraft	20	19	1	-	-	0.0	0.0	0.0	0	0
E865	Aircraft accident elsewhere to person not in aircraft	23	15	5	2	1	0.0	0.0	0.0	0.0	0.0
E866	Other and unspecified aircraft accidents	844	767	59	16	2	0.5	1.0	0.1	0.2	0.0

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
E870-E888	Accidental poisoning by solid and liquid substances	1,390	620	450	183	137	0.8	0.8	0.6	2.0	1.4
E870	Accidental poisoning by morphine and other opium derivatives	41	21	7	9	4	0.0	0.0	0.0	0.1	0.0
E871	Accidental poisoning by barbituric acid and derivatives	326	124	190	7	5	0.2	0.2	0.2	0.1	0.1
E872	Accidental poisoning by aspirin and salicylates	124	52	49	14	9	0.1	0.1	0.1	0.2	0.1
E873	Accidental poisoning by bromides	10	5	5	-	-	0.0	0.0	0.0	0	0
E874	Accidental poisoning by other analgesic and soporific drugs	111	63	38	7	3	0.1	0.1	0.0	0.1	0.0
E876	Accidental poisoning by strychnine	16	9	3	3	1	0.0	0.0	0.0	0.0	0.0
E877	Accidental poisoning by belladonna, hyoscine, and atropine	1	-	1	-	-	0.0	0	0.0	0	0
E878	Accidental poisoning by other and unspecified drugs	79	27	38	9	5	0.0	0.0	0.0	0.1	0.1
E879	Accidental poisoning by noxious foodstuffs	8	1	5	2	-	0.0	0.0	0.0	0.0	0
E880	Accidental poisoning by alcohol	265	144	17	74	30	0.2	0.2	0.0	0.8	0.3
E881	Accidental poisoning by petroleum products	72	26	14	13	19	0.0	0.0	0.0	0.1	0.2
E882	Accidental poisoning by industrial solvents	46	27	11	5	3	0.0	0.0	0.0	0.1	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	30	17	6	4	3	0.0	0.0	0.0	0.0	0.0
E884	Accidental poisoning by mercury and its compounds	11	2	3	1	5	0.0	0.0	0.0	0.0	0.1
E885	Accidental poisoning by lead and its compounds	51	18	11	6	16	0.0	0.0	0.0	0.1	0.2
E886	Accidental poisoning by arsenic and antimony, and their compounds	37	19	6	3	9	0.0	0.0	0.0	0.0	0.1
E887	Accidental poisoning by fluorides	5	5	-	-	-	0.0	0.0	0	0	0
E888	Accidental poisoning by other and unspecified solid and liquid substances	157	60	46	26	25	0.1	0.1	0.1	0.3	0.3
E890-E895	Accidental poisoning by gases and vapors	1,143	706	267	117	53	0.7	0.9	0.3	1.3	0.6
E890	Accidental poisoning by utility (illuminating) gas	431	212	143	47	29	0.3	0.3	0.2	0.5	0.3
E891	Accidental poisoning by motor-vehicle exhaust gas	328	250	43	29	6	0.2	0.3	0.1	0.3	0.1
E892	Accidental poisoning by other carbon monoxide gas	246	151	63	20	12	0.1	0.2	0.1	0.2	0.1
E893	Accidental poisoning by cyanide gas	2	1	1	-	-	0.0	0.0	0.0	0	0
E894	Accidental poisoning by other specified gases and vapors	122	82	16	19	5	0.1	0.1	0.0	0.2	0.1
E895	Accidental poisoning by unspecified gases and vapors	14	10	1	2	1	0.0	0.0	0.0	0.0	0.0
E900-E904	Accidental falls	20,545	9,111	10,116	815	503	12.1	12.2	13.2	8.9	5.2
E900	Fall on stairs	2,513	1,355	971	132	55	1.5	1.8	1.3	1.4	0.6
E901	Fall from ladders	318	276	25	16	1	0.2	0.4	0.0	0.2	0.0
E902	Other falls from one level to another	3,802	2,224	1,154	288	136	2.2	3.0	1.5	3.2	1.4
E903	Fall on same level	3,851	1,452	2,218	103	78	2.3	1.9	2.9	1.1	0.8
E904	Unspecified falls	10,061	3,804	5,748	276	233	5.9	5.1	7.5	3.0	2.4
E910-E936	Other accidents	27,319	16,223	5,140	3,988	1,968	16.0	21.7	6.7	43.7	20.5
E910	Blow from falling object	1,201	977	48	166	10	0.7	1.3	0.1	1.8	0.1
E911	Accident caused by vehicle	105	92	2	11	-	0.1	0.1	0.0	0.1	0
E912	Accident caused by machinery	2,072	1,814	70	180	8	1.2	2.4	0.1	2.0	0.1
E913	Accident caused by cutting and piercing instruments	142	70	19	44	9	0.1	0.1	0.0	0.5	0.1
E914	Accident caused by electric current	1,030	902	59	62	7	0.6	1.2	0.1	0.7	0.1
E915	Accident caused by explosion of pressure vessel	55	50	-	5	-	0.0	0.1	0	0.1	0
E916	Accident caused by fire and explosion of combustible material	6,269	2,583	1,798	942	946	3.7	3.5	2.3	10.3	9.8
E917	Accident caused by hot substance, corrosive liquid, and steam	777	320	261	108	88	0.5	0.4	0.3	1.2	0.9
E919	Accident caused by firearm	2,369	1,772	206	323	68	1.4	2.4	0.3	3.5	0.7
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,666	775	529	198	164	1.0	1.0	0.7	2.2	1.7
E922	Inhalation and ingestion of other object causing obstruction or suffocation	377	184	120	39	34	0.2	0.2	0.2	0.4	0.4
E923	Foreign body entering other orifice	111	61	30	14	6	0.1	0.1	0.0	0.2	0.1
E924	Accidental mechanical suffocation in bed and cradle	1,118	425	331	188	174	0.7	0.6	0.4	2.1	1.8
E925	Accidental mechanical suffocation in other and unspecified circumstances	442	266	71	69	36	0.3	0.4	0.1	0.8	0.4
E926	Lack of care of infants under 1 year of age	48	11	6	18	13	0.0	0.0	0.0	0.2	0.1
E927	Accidents caused by bites and stings of venomous animals and insects	52	34	9	7	2	0.0	0.0	0.0	0.1	0.0
E928	Other accidents caused by animals	128	98	14	13	3	0.1	0.1	0.0	0.1	0.0
E929	Accidental drowning and submersion	5,209	3,434	688	967	120	3.1	4.6	0.9	10.6	1.2
E930	High and low air pressure	2	2	-	-	-	0.0	0.0	0	0	0
E931	Excessive heat and insolation	280	157	65	46	12	0.2	0.2	0.1	0.5	0.1
E932	Excessive cold	248	140	36	55	17	0.1	0.2	0.0	0.6	0.2
E933	Hunger, thirst, and exposure	333	186	49	65	33	0.2	0.2	0.1	0.7	0.3
E934	Cataclysm	632	210	181	131	110	0.4	0.3	0.2	1.4	1.1
E935	Lightning	160	127	24	22	7	0.1	0.2	0.0	0.2	0.1
E936	Other and unspecified accidents	2,473	1,533	524	315	101	1.5	2.0	0.7	3.5	1.1
E940-E946	Complications due to nontherapeutic medical and surgical procedures	59	19	29	7	4	0.0	0.0	0.0	0.1	0.0
E940	Generalized vaccinia following vaccination	1	1	-	-	-	0.0	0.0	0	0	0
E941	Postvaccinal encephalitis	6	4	2	-	-	0.0	0.0	0.0	0	0
E942	Other complications of smallpox vaccination	1	-	-	1	-	0.0	0	0	0.0	0
E943	Postimmunization jaundice and hepatitis	2	-	1	-	1	0.0	0	0.0	0	0.0
E944	Other complications of prophylactic inoculation	6	1	2	2	1	0.0	0.0	0.0	0.0	0.0
E945	Complications of anesthesia for nontherapeutic purpose	10	1	8	-	1	0.0	0.0	0.0	0	0.0
E946	Other complications due to nontherapeutic medical and surgical procedures	33	12	16	4	1	0.0	0.0	0.0	0.0	0.0
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures	969	387	423	69	90	0.6	0.5	0.6	0.8	0.9
E950	Therapeutic misadventure in surgical treatment	442	183	183	31	45	0.3	0.2	0.2	0.3	0.5
E951	Therapeutic misadventure in infusion or transfusion	131	62	52	7	10	0.1	0.1	0.1	0.1	0.1

Table 61. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Includes each three-digit category of the Detailed List to which one or more deaths were assigned in 1957 and selected four-digit subcategories)

SIXTH REVISION OF INTERNATIONAL LISTS, 1948		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Continued										
	Therapeutic misadventure and late complications of therapeutic procedures—Continued										
E952	Therapeutic misadventure in local applications	7	2	5	-	-	0.0	0.0	0.0	0	0
E953	Therapeutic misadventure in administration of drugs or biologicals	164	67	68	15	14	0.1	0.1	0.1	0.2	0.1
E954	Therapeutic misadventure in anesthesia	78	30	31	7	10	0.0	0.0	0.0	0.1	0.1
E955	Other and unspecified therapeutic misadventure	30	15	6	8	1	0.0	0.0	0.0	0.1	0.0
E956	Late complication of surgical operation	109	25	72	1	10	0.1	0.0	0.1	0.0	0.1
E958	Late complication of irradiation	5	1	4	-	-	0.0	0.0	0.0	0	0
E959	Late complications of other forms of treatment	3	1	2	-	-	0.0	0.0	0.0	0	0
E960-E965	Late effects of injury and poisoning	714	382	234	67	31	0.4	0.5	0.3	0.7	0.3
E960	Late effect of motor-vehicle accident	89	61	15	8	5	0.1	0.1	0.0	0.1	0.1
E961	Late effect of accidental poisoning	1	1	-	-	-	0.0	0.0	0	0	0
E962	Late effect of other accidental injury	571	282	218	47	24	0.3	0.4	0.3	0.5	0.2
E963	Late effect of self-inflicted injury	3	2	1	-	-	0.0	0.0	0.0	0	0
E964	Late effect of injury purposely inflicted by another person (not in war)	16	4	-	10	2	0.0	0.0	0	0.1	0.0
E965	Late effects of injuries due to war operations	34	32	-	2	-	0.0	0.0	0	0.0	0
E970-E979	Suicide and self-inflicted injury	16,629	12,329	3,546	620	134	9.8	16.5	4.6	6.8	1.4
E970	Suicide and self-inflicted poisoning by analgesic and soporific substances	993	393	583	11	6	0.6	0.5	0.8	0.1	0.1
A	Suicide by morphine and other opium derivatives	12	7	4	-	1	0.0	0.0	0.0	0	0.0
B	Suicide by barbituric acid and derivatives	817	326	478	9	4	0.5	0.4	0.6	0.1	0.0
C	Suicide by acetylsalicylic acid	14	1	13	-	-	0.0	0.0	0.0	0	0
D	Suicide by methyl salicylate	7	2	5	-	-	0.0	0.0	0.0	0	0
E	Suicide by other salicylates	8	4	4	-	-	0.0	0.0	0.0	0	0
F	Suicide by bromides	1	1	-	-	-	0.0	0.0	0	0	0
H	Suicide by other analgesic and soporific substances	122	48	71	2	1	0.1	0.1	0.1	0.0	0.0
M	Suicide by unspecified drugs	12	4	8	-	-	0.0	0.0	0.0	0	0
E971	Suicide and self-inflicted poisoning by other solid and liquid substances	651	313	300	23	15	0.4	0.4	0.4	0.3	0.2
A	Suicide by poisoning with strychnine	63	35	28	-	-	0.0	0.0	0.0	0	0
B	Suicide by phenol compounds	37	25	11	1	-	0.0	0.0	0.0	0.0	0
C	Suicide by lye and potash	38	7	28	-	3	0.0	0.0	0.0	0	0.0
D	Suicide by cresol compounds	12	6	5	-	1	0.0	0.0	0.0	0	0.0
E	Suicide by mercury and its compounds	15	4	10	-	1	0.0	0.0	0.0	0	0.0
F	Suicide by arsenic and its compounds	98	50	41	4	3	0.1	0.1	0.1	0.0	0.0
G	Suicide by fluorides	33	11	18	2	2	0.0	0.0	0.0	0.0	0.0
H	Suicide by other and unspecified solid and liquid substances	355	175	159	16	5	0.2	0.2	0.2	0.2	0.1
E972	Suicide and self-inflicted poisoning by gases in domestic use	204	130	71	1	2	0.1	0.2	0.1	0.0	0.0
E973	Suicide and self-inflicted poisoning by other gases	1,499	1,228	256	15	-	0.9	1.6	0.3	0.2	0
A	Suicide by motor-vehicle exhaust gas	1,326	1,087	225	14	-	0.8	1.5	0.3	0.2	0
B	Suicide by other motor exhaust gas	10	8	2	-	-	0.0	0.0	0.0	0	0
C	Suicide by other carbon monoxide	139	121	17	1	-	0.1	0.2	0.0	0.0	0
D	Suicide by other poisonous gases	24	12	12	-	-	0.0	0.0	0.0	0	0
E974	Suicide and self-inflicted injury by hanging and strangulation	3,559	2,563	849	120	27	2.1	3.4	1.1	1.3	0.3
E975	Suicide and self-inflicted injury by submersion (drowning)	641	324	261	32	24	0.4	0.4	0.3	0.4	0.2
E976	Suicide and self-inflicted injury by firearms and explosives	7,841	6,546	887	365	43	4.6	8.7	1.2	4.0	0.4
E977	Suicide and self-inflicted injury by cutting and piercing instruments	449	342	96	8	3	0.3	0.5	0.1	0.1	0.0
E978	Suicide and self-inflicted injury by jumping from high place	518	326	154	29	9	0.3	0.4	0.2	0.3	0.1
E979	Suicide and self-inflicted injury by other and unspecified means	274	164	89	16	5	0.2	0.2	0.1	0.2	0.1
E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	7,625	2,422	1,018	3,303	882	4.5	3.2	1.3	36.2	9.2
E980	Nonaccidental poisoning by another person	30	12	11	5	2	0.0	0.0	0.0	0.1	0.0
E981	Assault by firearms and explosives	4,010	1,379	550	1,664	417	2.4	1.8	0.7	18.3	4.3
E982	Assault by cutting and piercing instruments	1,867	337	139	1,131	260	1.1	0.5	0.2	12.4	2.7
E983	Assault by other means	1,426	544	317	362	203	0.8	0.7	0.4	4.0	2.1
E984	Injury by intervention of police	228	119	-	109	-	0.1	0.2	0	1.2	0
E985	Execution	64	31	1	32	-	0.0	0.0	0.0	0.4	0

Table 61. Supplement A: Deaths From Motor-Vehicle Accidents by Color, Sex, and Type of Motor Vehicle Involved: United States, 1957

(Includes only deaths occurring within the continental United States. Includes each three-digit category from E810 to E835 to which one or more deaths were assigned in 1957. Numbers under types of vehicle are fourth-digit subcategory numbers of the International Lists, 1948)

Sixth Revision No.	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), COLOR, AND SEX	Total	TYPE OF VEHICLE: Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motor bus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motor bus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor bus(es) only (.7)	Motor bus and unspecified motor vehicle (.8)	Unspecified motor vehicle(s) (.9)
E810-E825	Motor-vehicle traffic accidents	37,686	2,920	3,557	45	106	29,770	226	233	208	6	615
	White--Male	24,746	2,176	2,359	30	84	19,262	140	141	114	5	435
	White--Female	8,446	293	864	9	17	6,981	59	73	57	-	93
	Nonwhite--Male	3,392	374	247	4	5	2,632	19	13	23	1	74
	Nonwhite--Female	1,102	77	87	2	-	895	8	6	14	-	13
E810	Involving collision with railway train	1,376	218	4	-	-	1,127	1	1	2	-	23
	White--Male	930	192	4	-	-	712	1	1	2	-	18
	White--Female	348	13	-	-	-	331	-	-	-	-	4
	Nonwhite--Male	75	12	-	-	-	62	-	-	-	-	1
	Nonwhite--Female	23	1	-	-	-	22	-	-	-	-	-
E811	Involving collision with streetcar	13	-	-	-	-	12	-	-	1	-	-
	White--Male	10	-	-	-	-	9	-	-	1	-	-
	White--Female	2	-	-	-	-	2	-	-	-	-	-
	Nonwhite--Male	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
E812	To pedestrian	7,291	824	20	2	-	6,060	45	-	148	-	192
	White--Male	4,490	521	16	2	-	3,721	29	-	78	-	123
	White--Female	1,568	160	3	-	-	1,326	13	-	39	-	27
	Nonwhite--Male	887	105	1	-	-	723	1	-	19	-	38
	Nonwhite--Female	346	38	-	-	-	290	2	-	12	-	4
E813	To pedal cyclist	429	91	-	-	-	325	-	-	8	-	5
	White--Male	338	73	-	-	-	254	-	-	7	-	4
	White--Female	43	7	-	-	-	34	-	-	1	-	1
	Nonwhite--Male	42	10	-	-	-	32	-	-	-	-	-
	Nonwhite--Female	6	1	-	-	-	5	-	-	-	-	-
E814	To rider or passenger of motorcycle, in collision with nonmotor vehicle or object	39	-	1	-	-	38	-	-	-	-	-
	White--Male	36	-	1	-	-	35	-	-	-	-	-
	White--Female	3	-	-	-	-	3	-	-	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
E815	To rider or passenger of motorcycle in collision with other motor vehicle	438	3	76	-	-	352	2	5	-	-	-
	White--Male	397	1	69	-	-	321	2	4	-	-	-
	White--Female	30	-	6	-	-	23	-	1	-	-	-
	Nonwhite--Male	9	1	1	-	-	7	-	-	-	-	-
	Nonwhite--Female	2	1	-	-	-	1	-	-	-	-	-
E816	Other, involving two or more motor vehicles	11,791	400	3,446	43	102	7,304	176	225	-	6	89
	White--Male	7,218	321	2,260	28	81	4,218	106	134	-	5	65
	White--Female	3,464	26	854	9	16	2,425	46	72	-	-	16
	Nonwhite--Male	807	45	245	4	5	470	18	13	-	1	6
	Nonwhite--Female	302	8	87	2	-	191	6	6	-	-	2
818	Involving collision with animal or animal-drawn vehicle	61	10	-	-	-	49	-	-	-	-	2
	White--Male	34	6	-	-	-	28	-	-	-	-	-
	White--Female	12	1	-	-	-	10	-	-	-	-	1
	Nonwhite--Male	14	2	-	-	-	11	-	-	-	-	1
	Nonwhite--Female	1	1	-	-	-	-	-	-	-	-	-
E819	Involving collision with fixed or unspecified object	1,969	113	1	-	4	1,801	-	1	4	-	45
	White--Male	1,354	93	1	-	3	1,222	-	1	3	-	31
	White--Female	411	5	-	-	1	386	-	-	-	-	9
	Nonwhite--Male	150	12	-	-	-	134	-	-	1	-	3
	Nonwhite--Female	54	3	-	-	-	49	-	-	-	-	2
E820	While boarding and alighting	47	2	-	-	-	31	-	1	13	-	-
	White--Male	21	1	-	-	-	12	-	1	7	-	-
	White--Female	24	-	-	-	-	18	-	-	6	-	-
	Nonwhite--Male	2	1	-	-	-	1	-	-	-	-	-
	Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
E821	To rider of motorcycle not involving collision	258	-	-	-	-	256	1	-	-	-	1
	White--Male	225	-	-	-	-	223	1	-	-	-	1
	White--Female	20	-	-	-	-	20	-	-	-	-	-
	Nonwhite--Male	12	-	-	-	-	12	-	-	-	-	-
	Nonwhite--Female	1	-	-	-	-	1	-	-	-	-	-

Table 61. Supplement A: Deaths From Motor-Vehicle Accidents by Color, Sex, and Type of Motor Vehicle Involved: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Includes each three-digit category from E810 to E835 to which one or more deaths were assigned in 1957. Numbers under types of vehicle are fourth-digit subcategory numbers of the International Lists, 1948)

Sixth Revision No.	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), COLOR, AND SEX	Total	TYPE OF VEHICLE									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motor bus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motor bus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor bus(es) only (.7)	Motor bus and unspecified motor vehicle (.8)	Unspecified motor vehicle(s) (.9)
	Motor-vehicle traffic accidents—Con.											
E822	Involving overturning in roadway	1,288	250	1	-	-	1,018	-	-	1	-	18
	White--Male	940	200	1	-	-	722	-	-	1	-	16
	Female	192	14	-	-	-	178	-	-	-	-	-
	Nonwhite--Male	125	34	-	-	-	89	-	-	-	-	2
	Female	31	2	-	-	-	29	-	-	-	-	-
E823	Involving running off roadway	7,649	633	8	-	-	6,835	-	-	14	-	159
	White--Male	5,469	501	7	-	-	4,830	-	-	7	-	124
	Female	1,243	44	1	-	-	1,170	-	-	6	-	22
	Nonwhite--Male	744	75	-	-	-	657	-	-	-	-	12
	Female	193	13	-	-	-	178	-	-	1	-	1
E824	Other noncollision accident	585	249	-	-	-	308	1	-	13	-	14
	White--Male	333	160	-	-	-	158	1	-	7	-	7
	Female	123	17	-	-	-	97	-	-	5	-	4
	Nonwhite--Male	100	67	-	-	-	30	-	-	1	-	2
	Female	29	5	-	-	-	23	-	-	-	-	1
E825	Of unspecified nature	4,452	127	-	-	-	4,254	-	-	4	-	67
	White--Male	2,951	107	-	-	-	2,797	-	-	1	-	46
	Female	963	6	-	-	-	948	-	-	-	-	9
	Nonwhite--Male	424	10	-	-	-	403	-	-	2	-	9
	Female	114	4	-	-	-	106	-	-	1	-	3
E830-E835	Motor-vehicle nontraffic accidents	1,016	455	11	1	3	517	1	2	10	4	12
	White--Male	670	319	10	-	3	318	1	1	7	2	9
	Female	222	71	1	-	-	142	-	1	2	2	3
	Nonwhite--Male	92	58	-	1	-	32	-	-	1	-	-
	Female	32	7	-	-	-	25	-	-	-	-	-
E830	To pedestrian	581	267	4	-	1	290	-	-	8	3	8
	White--Male	343	180	3	-	1	146	-	-	6	1	6
	Female	166	54	1	-	-	105	-	-	2	2	2
	Nonwhite--Male	50	26	-	-	-	24	-	-	-	-	-
	Female	22	7	-	-	-	15	-	-	-	-	-
E832	To rider or passenger of motorcycle	19	-	-	-	-	19	-	-	-	-	-
	White--Male	19	-	-	-	-	19	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E833	Other, involving two or more motor vehicles	20	5	5	1	1	6	-	2	-	-	-
	White--Male	16	4	5	-	1	5	-	1	-	-	-
	Female	2	-	-		-	1	-	1	-	-	-
	Nonwhite--Male	2	1	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E834	While boarding and alighting	17	5	-	-	-	11	-	-	-	-	1
	White--Male	8	5	-	-	-	3	-	-	-	-	-
	Female	9	-	-	-	-	8	-	-	-	-	1
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E835	Of other and unspecified nature	379	178	2	-	1	191	1	-	2	1	3
	White--Male	284	130	2	-	1	145	1	-	1	1	3
	Female	45	17	-	-	-	28	-	-	-	-	-
	Nonwhite--Male	40	31	-	-	-	8	-	-	1	-	-
	Female	10	-	-	-	-	10	-	-	-	-	-

Table 61. Supplement B: Deaths From Nontransport Accidents by Color, Sex, and Place of Accident: United States, 1957

(Includes only deaths occurring within the continental United States. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1957. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1948)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), COLOR, AND SEX	Total	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
E870-E888	Accidental poisoning by solid and liquid substances	1,390	739	8	1	14	4	21	35	25	32	511
	White--Male	620	299	6	-	11	3	15	23	11	17	235
	Female	450	287	1	1	2	1	1	9	9	5	134
	Nonwhite--Male	183	74	1	-	1	-	3	2	3	10	89
	Female	137	79	-	-	-	-	2	1	2	-	53
E870	Accidental poisoning by morphine and other opium derivatives	41	15	-	1	1	-	1	6	1	3	13
	White--Male	21	8	-	-	1	-	-	5	1	-	6
	Female	7	2	-	1	-	-	1	-	-	1	2
	Nonwhite--Male	9	4	-	-	-	-	-	-	-	2	3
	Female	4	1	-	-	-	-	-	1	-	-	2
E871	Accidental poisoning by barbituric acid and derivatives	326	227	-	-	-	-	3	12	4	9	71
	White--Male	124	80	-	-	-	-	2	7	2	5	28
	Female	190	140	-	-	-	-	-	5	2	3	40
	Nonwhite--Male	7	3	-	-	-	-	1	-	-	1	2
	Female	5	4	-	-	-	-	-	-	-	-	1
E872	Accidental poisoning by aspirin and salicylates	124	81	-	-	-	1	-	-	2	-	40
	White--Male	52	33	-	-	-	1	-	-	-	-	18
	Female	49	32	-	-	-	-	-	-	2	-	15
	Nonwhite--Male	14	11	-	-	-	-	-	-	-	-	3
	Female	9	5	-	-	-	-	-	-	-	-	4
E873	Accidental poisoning by bromides	10	5	-	-	1	-	-	-	-	-	4
	White--Male	5	2	-	-	1	-	-	-	-	-	2
	Female	5	3	-	-	-	-	-	-	-	-	2
	Nonwhite--Male	-	-	-	-	-	-	-		-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E874	Accidental poisoning by other analgesic and soporific drugs	111	58	-	-	-	-	2	2	3	3	43
	White--Male	63	33	-	-	-	-	2	2	1	2	23
	Female	38	21	-	-	-	-	-	-	1	1	15
	Nonwhite--Male	7	2	-	-	-	-	-	-	-	-	5
	Female	3	2	-	-	-	-	-	-	1	-	-
E876	Accidental poisoning by strychnine	16	4	1	-	-	3	-	1	-	1	6
	White--Male	9	2	1	-	-	2	-	1	-	-	3
	Female	3	-	-	-	-	1	-	-	-	-	2
	Nonwhite--Male	3	1	-	-	-	-	-	-	-	1	1
	Female	1	1	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscine, and atropine	1	1	-	-	-	-	-	-	-	-	-
	White--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs	79	39	1	-	-	-	1	4	-	1	33
	White--Male	27	14	1	-	-	-	1	3	-	-	8
	Female	38	21	-	-	-	-	-	1	-	-	16
	Nonwhite--Male	9	2	-	-	-	-	-	-	-	1	6
	Female	5	2	-	-	-	-	-	-	-	-	3
E879	Accidental poisoning by noxious foodstuffs	8	2	1	-	-	-	-	-	-	-	5
	White--Male	1	-	-	-	-	-	-	-	-	-	1
	Female	5	2	1	-	-	-	-	-	-	-	2
	Nonwhite--Male	2	-	-	-	-	-	-	-	-	-	2
	Female	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol	265	83	-	-	2	-	12	6	7	10	145
	White--Male	144	39	-	-	1	-	10	4	4	5	81
	Female	17	8	-	-	-	-	-	-	1	-	8
	Nonwhite--Male	74	20	-	-	1	-	1	2	2	5	43
	Female	30	16	-	-	-	-	1	-	-	-	13
E881	Accidental poisoning by petroleum products	72	57	-	-	-	-	-	-	-	-	15
	White--Male	26	21	-	-	-	-	-	-	-	-	5
	Female	14	12	-	-	-	-	-	-	-	-	2
	Nonwhite--Male	13	11	-	-	-	-	-	-	-	-	2
	Female	19	13	-	-	-	-	-	-	-	-	6
E882	Accidental poisoning by industrial solvents	46	32	-	-	2	-	-	1	1	-	10
	White--Male	27	17	-	-	2	-	-	1	-	-	7
	Female	11	10	-	-	-	-	-	-	-	-	1
	Nonwhite--Male	5	2	-	-	-	-	-	-	1	-	2
	Female	3	3	-	-	-	-	-	-	-	-	-
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	30	18	-	-	1	-	-	-	3	1	7
	White--Male	17	9	-	-	1	-	-	-	2	1	4
	Female	6	3	-	-	-	-	-	-	1	-	2
	Nonwhite--Male	4	4	-	-	-	-	-	-	-	-	-
	Female	3	2	-	-	-	-	-	-	-	-	1
E884	Accidental poisoning by mercury and its compounds	11	4	-	-	-	-	-	-	-	-	7
	White--Male	2	1	-	-	-	-	-	-	-	-	1
	Female	3	1	-	-	-	-	-	-	-	-	2
	Nonwhite--Male	1	1	-	-	-	-	-	-	-	-	-
	Female	5	1	-	-	-	-	-	-	-	-	4

See footnotes at end of table.

Table 61. Supplement B: Deaths From Nontransport Accidents by Color, Sex, and Place of Accident: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1957. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1948)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), COLOR, AND SEX	Total	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental poisoning by solid and liquid substances—Continued											
E885	Accidental poisoning by lead and its compounds	51	23	-	-	1	-	-	-	-	-	27
	White—Male	18	5	-	-	1	-	-	-	-	-	12
	Female	11	3	-	-	-	-	-	-	-	-	8
	Nonwhite—Male	6	3	-	-	-	-	-	-	-	-	3
	Female	16	12	-	-	-	-	-	-	-	-	4
E886	Accidental poisoning by arsenic and antimony, and their compounds	37	19	1	-	2	-	2	-	-	3	10
	White—Male	19	8	1	-	2	-	-	-	-	3	5
	Female	6	6	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	3	-	-	-	-	-	1	-	-	-	2
	Female	9	5	-	-	-	-	1	-	-	-	3
*E887	Accidental poisoning by fluorides	5	4	-	-	-	-	-	-	-	-	1
	White—Male	5	4	-	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E888	Accidental poisoning by other and unspecified solid and liquid substances	157	67	4	-	4	-	-	3	4	1	74
	White—Male	60	23	3	-	2	-	-	-	1	1	30
	Female	46	22	-	-	2	-	-	3	2	-	17
	Nonwhite—Male	26	10	1	-	-	-	-	-	-	-	15
	Female	25	12	-	-	-	-	-	-	1	-	12
E890-E895	Accidental poisoning by gases and vapors	1,143	779	15	9	94	1	41	54	3	53	94
	White—Male	706	441	13	9	72	1	26	38	1	40	65
	Female	267	222	-	-	6	-	6	10	1	4	18
	Nonwhite—Male	117	71	2	-	14	-	7	4	1	8	10
	Female	53	45	-	-	2	-	2	2	-	1	1
E890	Accidental poisoning by utility (illuminating) gas	431	394	-	-	1	-	1	21	-	2	12
	White—Male	212	189	-	-	1	-	-	13	-	2	7
	Female	143	134	-	-	-	-	-	4	-	-	5
	Nonwhite—Male	47	43	-	-	-	-	1	3	-	-	-
	Female	29	28	-	-	-	-	-	1	-	-	-
E891	Accidental poisoning by motor-vehicle exhaust gas	328	175	8	-	48	-	36	15	-	27	19
	White—Male	250	142	7	-	37	-	22	13	-	18	11
	Female	43	23	-	-	5	-	6	2	-	3	4
	Nonwhite—Male	29	9	1	-	4	-	6	-	-	5	4
	Female	6	1	-	-	2	-	2	-	-	1	-
E892	Accidental poisoning by other carbon monoxide gas	246	163	2	2	9	-	-	13	2	14	41
	White—Male	151	89	1	2	6	-	-	8	1	13	31
	Female	63	50	-	-	1	-	-	4	-	1	7
	Nonwhite—Male	20	13	1	-	2	-	-	1	1	-	2
	Female	12	11	-	-	-	-	-	-	-	-	1
E893	Accidental poisoning by cyanide gas	2	1	-	-	1	-	-	-	-	-	-
	White—Male	1	-	-	-	1	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors	122	44	4	7	28	1	4	5	1	9	19
	White—Male	82	20	4	7	22	1	4	4	-	6	14
	Female	16	14	-	-	-	-	-	-	1	-	1
	Nonwhite—Male	19	6	-	-	6	-	-	-	-	3	4
	Female	5	4	-	-	-	-	-	1	-	-	-
E895	Accidental poisoning by unspecified gases and vapors	14	2	1	-	7	-	-	-	-	1	3
	White—Male	10	1	1	-	5	-	-	-	-	1	2
	Female	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	2	-	-	-	2	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-
E900-E904	Accidental falls	20,545	10,894	198	38	394	90	1,058	760	2,570	789	3,754
	White—Male	9,111	4,140	170	33	345	62	700	534	1,006	595	1,526
	Female	10,116	6,020	20	2	8	21	251	183	1,469	95	2,047
	Nonwhite—Male	815	374	7	3	40	6	88	36	62	84	115
	Female	503	360	1	-	1	1	19	7	33	15	66
E900	Fall on stairs	2,513	1,952	5	-	15	5	26	254	70	73	113
	White—Male	1,355	1,000	4	-	13	4	15	176	31	47	65
	Female	971	804	-	-	1	1	8	70	35	13	39
	Nonwhite—Male	132	102	1	-	1	-	2	7	4	11	4
	Female	55	46	-	-	-	-	1	1	-	2	5
E901	Fall from ladders	318	188	20	-	32	3	2	25	2	27	19
	White—Male	276	162	16	-	29	2	2	23	1	24	17
	Female	25	21	-	-	-	1	-	-	1	-	2
	Nonwhite—Male	16	5	3	-	3	-	-	2	-	3	-
	Female	1	-	1	-	-	-	-	-	-	-	-
E902	Other falls from one level to another	3,802	1,649	114	25	258	51	105	219	686	509	186
	White—Male	2,224	749	106	21	231	36	82	185	297	416	101
	Female	1,154	648	6	1	3	9	12	17	348	31	79
	Nonwhite—Male	288	144	2	3	24	5	11	16	27	51	5
	Female	136	108	-	-	-	1	-	1	14	11	1

See footnotes at end of table.

Table 61. Supplement B: Deaths From Nontransport Accidents by Color, Sex, and Place of Accident: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1957. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1948)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), COLOR, AND SEX	Total	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Accidental falls—Continued											
E903	Fall on same level	3,851	2,344	20	4	19	15	590	81	622	46	110
	White—Male	1,452	709	16	3	15	10	365	41	225	25	43
	Female	2,218	1,546	3	1	1	4	165	34	377	21	66
	Nonwhite—Male	103	30	1	-	3	1	47	6	14	-	1
	Female	78	59	-	-	-	-	13	-	6	-	-
E904	Unspecified falls	10,061	4,761	39	9	70	16	335	181	1,190	134	3,326
	White—Male	3,804	1,520	28	9	57	10	236	109	452	83	1,300
	Female	5,748	3,001	11	-	3	6	66	62	708	30	1,861
	Nonwhite—Male	276	93	-	-	9	-	28	5	17	19	105
	Female	233	147	-	-	1	-	5	5	13	2	60
E910-E936	Other accidents	27,319	10,360	2,199	722	1,488	499	962	519	620	5,315	4,635
	White—Male	16,223	4,496	1,737	648	1,250	351	719	391	293	3,877	2,461
	Female	5,140	2,962	160	11	25	87	85	60	255	465	1,030
	Nonwhite—Male	3,988	1,502	271	59	207	56	150	61	50	878	754
	Female	1,968	1,400	31	4	6	5	8	7	22	95	390
E910	Blow from falling object	1,201	146	124	282	173	8	80	34	2	287	65
	White—Male	977	106	109	267	141	5	62	23	2	222	40
	Female	48	18	7	3	1	2	1	3	-	8	5
	Nonwhite—Male	166	15	8	12	30	1	17	8	-	56	19
	Female	10	7	-	-	1	-	-	-	-	1	1
E911	Accident caused by vehicle	105	2	1	57	35	-	1	4	-	3	2
	White—Male	92	2	1	54	29	-	-	3	-	2	1
	Female	2	-	-	-	-	-	1	-	-	-	1
	Nonwhite—Male	11	-	-	3	6	-	-	1	-	1	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E912	Accident caused by machinery	2,072	62	884	80	430	18	247	38	3	232	78
	White—Male	1,814	52	780	77	373	16	206	33	2	209	66
	Female	70	6	39	-	3	2	10	2	1	3	4
	Nonwhite—Male	180	4	60	3	54	-	28	3	-	20	8
	Female	8	-	5	-	-	-	3	-	-	-	-
E913	Accident caused by cutting and piercing instruments	142	76	12	-	3	1	10	10	-	6	24
	White—Male	70	38	7	-	3	-	1	9	-	2	10
	Female	19	13	3	-	-	-	2	-	-	1	
	Nonwhite—Male	44	19	2	-	-	1	7	1	-	3	11
	Female	9	6	-	-	-	-	-	-	-	-	3
E914	Accident caused by electric current	1,030	258	87	20	184	14	148	35	8	193	83
	White—Male	902	196	81	20	164	13	134	33	6	180	75
	Female	59	48	2	-	-	1	3	-	-	2	3
	Nonwhite—Male	62	7	4	-	20	-	11	2	2	11	5
	Female	7	7	-	-	-	-	-	-	-	-	-
E915	Accident caused by explosion of pressure vessel	55	2	1	-	41	-	-	2	3	4	2
	White—Male	50	2	1	-	37	-	-	2	2	4	2
	Female	-	-	-	-	-	-	-				
	Nonwhite—Male	5	-	-	-	4	-	-	-	1	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E916	Accident caused by fire and explosion of combustible material	6,269	5,052	92	68	306	14	43	165	197	156	176
	White—Male	2,583	1,742	65	63	243	9	29	118	110	115	89
	Female	1,798	1,589	11	-	16	3	3	28	76	18	54
	Nonwhite—Male	942	817	10	5	43	2	11	16	7	19	12
	Female	946	904	6	-	4	-	-	3	4	4	21
E917	Accident caused by hot substance, corrosive liquid, and steam	777	379	6	1	46	1	2	10	28	13	291
	White—Male	320	141	5	1	38	1	1	8	15	9	101
	Female	261	144	1	-	-	-	-	1	12	3	100
	Nonwhite—Male	108	51	-	-	8	-	1	1	1	1	45
	Female	88	43	-	-	-	-	-	-	-	-	45
E919	Accident caused by firearm	2,369	1,062	306	20	43	13	98	73	1	375	378
	White—Male	1,772	729	261	18	40	10	72	53	1	316	272
	Female	206	146	11	1	-	-	6	4	-	11	27
	Nonwhite—Male	323	133	33	1	3	3	20	16	-	46	68
	Female	68	54	1	-	-	-	-	-	-	2	11
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,666	735	2	-	1	2	12	43	179	17	675
	White—Male	775	325	-	-	-	1	9	29	68	8	335
	Female	529	220	1	-	-	1	3	12	79	5	208
	Nonwhite—Male	198	99	-	-	1	-	-	-	20	4	74
	Female	164	91	1	-	-	-	-	2	12	-	58
E922	Inhalation and ingestion of other object causing obstruction or suffocation	377	169	2	-	1	1	2	3	35	1	163
	White—Male	184	81	2	-	-	-	1	2	17	1	80
	Female	120	55	-	-	-	1	1	1	13	-	49
	Nonwhite—Male	39	19	-	-	1	-	-	-	4	-	15
	Female	34	14	-	-	-	-	-	-	1	-	19
E923	Foreign body entering other orifice	111	23	3	-	1	-	-	2	5	-	77
	White—Male	61	10	2	-	1	-	-	1	3	-	44
	Female	30	9	1	-	-	-	-	1	1	-	18
	Nonwhite—Male	14	3	-	-	-	-	-	-	1	-	10
	Female	6	1	-	-	-	-	-	-	-	-	5

See footnotes at end of table.

Table 61. Supplement B: Deaths From Nontransport Accidents by Color, Sex, and Place of Accident: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1957. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1948)

Sixth Revision number	CAUSE OF DEATH (EXTERNAL CAUSE OF INJURY), COLOR, AND SEX	Total	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	Other accidents—Continued											
E924	Accidental mechanical suffocation in bed and cradle	1,118	996	-	-	-	-	3	2	9	9	99
	White--------Male----	425	380	-	-	-	-	-	2	3	3	37
	Female--	331	292	-	-	-	-	3	-	4	3	29
	Nonwhite-----Male----	188	170	-	-	-	-	-	-	2	1	15
	Female--	174	154	-	-	-	-	-	-	-	2	18
E925	Accidental mechanical suffocation in other and unspecified circumstances	442	154	21	23	34	1	35	5	5	44	120
	White--------Male----	286	67	19	21	29	1	23	5	2	32	67
	Female--	71	40	1	1	-	-	-	-	1	3	25
	Nonwhite-----Male----	69	24	-	1	5	-	12	-	-	9	18
	Female--	36	23	1	-	-	-	-	-	2	-	10
E926	Lack of care of infants under 1 year of age	48	8	-	-	-	-	-	-	-	2	38
	White--------Male----	11	2	-	-	-	-	-	-	-	1	8
	Female--	6	2	-	-	-	-	-	-	-	-	4
	Nonwhite-----Male----	18	3	-	-	-	-	-	-	-	1	14
	Female--	13	1	-	-	-	-	-	-	-	-	12
E927	Accidents caused by bites and stings of venomous animals and insects	52	17	8	-	-	1	-	2	-	7	17
	White--------Male----	34	11	2	-	-	-	-	2	-	7	12
	Female--	9	5	1	-	-	1	-	-	-	-	2
	Nonwhite-----Male----	7	1	5	-	-	-	-	-	-	-	1
	Female--	2	-	-	-	-	-	-	-	-	-	2
E928	Other accidents caused by animals	128	12	91	-	1	6	2	1	-	4	11
	White--------Male----	98	7	72	-	1	6	2	1	-	4	5
	Female--	14	3	6	-	-	-	-	-	-	-	5
	Nonwhite-----Male----	13	2	11	-	-	-	-	-	-	-	-
	Female--	3	-	2	-	-	-	-	-	-	-	1
E929	Accidental drowning and submersion	5,209	396	404	124	27	358	29	17	14	3,562	278
	White------- Male----	3,434	191	217	85	19	238	15	14	8	2,487	160
	Female--	688	148	59	5	-	70	5	2	4	367	28
	Nonwhite-----Male----	967	37	115	30	8	46	7	1	2	643	78
	Female--	120	20	13	4	-	4	2	-	-	65	12
E930	High and low air pressure	2	-	-	-	-	-	-	-	-	-	-
	White--------Male----	2	-	-	-	-	-	-	-	-	-	2
	Female--	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite-----Male----	-	-	-	-	-	-	-	-	-	-	-
	Female--	-	-	-	-	-	-	-	-	-	-	-
E931	Excessive heat and insolation	280	28	9	1	8	2	12	4	6	26	184
	White--------Male----	157	13	6	-	4	1	7	3	3	20	100
	Female--	65	8	-	-	-	-	1	-	3	2	51
	Nonwhite-----Male----	46	5	3	1	4	1	4	1	-	4	23
	Female--	12	2	-	-	-	-	-	-	-	-	10
E932	Excessive cold	248	37	12	1	7	2	14	2	-	62	111
	White--------Male----	140	17	7	1	4	2	8	2	-	34	65
	Female--	36	10	-	-	-	-	2	-	-	10	14
	Nonwhite-----Male----	55	5	5	-	2	-	4	-	-	13	26
	Female--	17	5	-	-	1	-	-	-	-	5	6
E933	Hunger, thirst, and exposure	333	19	15	1	4	1	8	-	1	71	213
	White--------Male----	186	8	10	1	4	1	4	-	1	41	116
	Female--	49	4	2	-	-	-	1	-	-	11	31
	Nonwhite-----Male----	65	5	3	-	-	-	2	-	-	11	44
	Female--	33	2	-	-	-	-	1	-	-	8	22
E934	Cataclysm	632	211	17	-	3	1	37	3	2	37	321
	White--------Male----	210	71	10	-	1	1	23	1	1	23	79
	Female--	181	77	5	-	2	-	11	1	-	5	80
	Nonwhite-----Male----	131	32	1	-	-	-	3	1	1	4	89
	Female--	110	31	1	-	-	-	-	-	-	5	73
E935	Lightning	180	34	53	-	1	18	9	5	2	38	20
	Nonwhite-----Male----	127	17	40	-	1	14	7	4	1	30	13
	Female--	24	12	5	-	-	3	-	1	-	3	-
	Nonwhite-----Male----	22	2	7	-	-	1	2	-	1	5	4
	Female--	7	3	1	-	-	-	-	-	-	-	3
E936	Other and unspecified accidents	2,473	482	49	44	139	37	170	59	120	164	1,209
	White--------Male----	1,533	288	40	40	118	32	115	43	48	125	684
	Female--	524	113	5	1	3	3	32	4	61	10	292
	Nonwhite-----Male----	315	49	4	3	18	1	21	10	8	26	175
	Female--	101	32	-	-	-	1	2	2	3	3	58

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 62. Deaths From 256 Selected Causes, by Month: United States, 1957

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES	1,633,128	145,338	125,852	140,363	132,151	131,920	131,698	131,610	124,433	123,536	148,985	148,487	148,755
I. Infective and parasitic diseases	24,256	2,183	1,942	2,181	1,925	1,975	2,038	1,959	1,786	1,822	2,232	2,151	2,062
Tuberculosis, all forms 001-019	13,324	1,194	1,074	1,197	1,040	1,115	1,138	1,113	974	1,000	1,180	1,169	1,130
Tuberculosis of respiratory system 001-008	12,384	1,103	987	1,106	959	1,040	1,060	1,042	893	941	1,107	1,098	1,048
Tuberculosis of meninges and central nervous system 010	249	23	25	24	20	19	17	25	19	13	23	17	24
Tuberculosis of intestines, peritoneum, and mesenteric glands 011	47	5	4	4	5	3	3	2	5	3	5	1	7
Tuberculosis of vertebral column 012.0,013.0	106	12	13	9	6	7	14	5	10	4	7	10	9
Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	14	-	-	3	1	2	-	-	1	3	-	3	1
Tuberculosis of genito-urinary system 016	129	15	10	12	14	10	8	6	6	8	12	13	15
Tuberculosis of lymphatic system and other organs 014,015,017,018	81	5	7	10	6	4	10	8	5	6	7	6	7
Disseminated tuberculosis 019	314	31	28	29	29	30	26	25	35	22	19	21	19
Syphilis and its sequelae 020-029	3,825	333	323	350	312	293	333	307	278	292	322	337	345
Congenital syphilis 020	47	6	6	4	3	4	4	4	4	4	3	3	2
Early syphilis 021	2	-	-	-	-	-	1	-	-	-	1	-	-
Aneurysm of aorta 022	1,466	112	124	121	118	117	141	109	101	129	117	126	151
Other cardiovascular syphilis 023	1,377	126	109	150	116	107	114	113	103	110	113	103	113
Tabes dorsalis 024	79	9	9	7	8	3	7	7	5	3	5	8	8
General paralysis of insane 025	420	43	36	35	37	28	33	37	29	21	38	49	34
Other syphilis of central nervous system 026	358	29	32	29	26	30	25	25	30	22	35	43	32
Other syphilis 027-029	76	8	7	4	4	-	8	12	6	3	10	5	5
Gonococcal infection 030-035	21	2	-	3	1	2	-	1	1	2	2	3	4
Typhoid fever 040	34	1	2	3	1	4	6	5	3	4	1	2	2
Paratyphoid fever 041	3	1	1	1	-	-	-	-	-	-	-	-	-
Other Salmonella infections 042	57	5	6	5	1	1	5	5	8	7	7	3	4
Cholera 043	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever) 044	8	2	-	-	1	1	-	2	1	1	-	-	-
Dysentery, all forms 045-048	440	32	26	25	24	32	45	57	49	43	47	27	33
Food poisoning (infection and intoxication) 049	63	5	3	5	6	3	10	8	10	2	4	2	5
Scarlet fever 050	48	4	5	7	3	3	5	4	3	2	5	3	4
Streptococcal sore throat 051	165	18	16	16	18	12	10	15	9	16	15	11	9
Erysipelas 052	27	1	1	1	3	4	1	3	2	1	4	2	4
Septicemia and pyemia 053	1,351	142	105	127	100	98	93	101	97	87	140	143	116
Diphtheria 055	81	7	8	4	3	2	3	5	6	7	16	13	7
Whooping cough 056	183	19	18	19	9	25	12	5	12	19	11	19	15
Meningococcal infections 057	785	68	64	74	78	56	47	32	31	42	114	107	72
Plague 058	-	-	-	-	-	-	-	-	-	-	-	-	-
Tularemia 059	3	-	-	-	-	1	1	-	-	-	-	1	-
Leprosy 060	3	-	-	1	1	-	-	-	-	-	1	-	-
Tetanus 061	279	19	17	20	20	31	27	29	29	35	23	17	12
Anthrax 062	2	-	-	-	1	-	-	-	1	-	-	-	-
Acute poliomyelitis 080	221	17	12	7	9	10	13	26	49	32	21	12	13
Late effects of acute poliomyelitis 081	148	20	10	17	11	11	12	8	17	11	11	13	7
Acute infectious encephalitis 082	465	35	20	41	34	24	26	37	35	45	76	52	40
Late effects of acute infectious encephalitis 083	107	8	6	7	8	5	18	5	11	9	10	13	7
Smallpox 084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles 085	389	40	39	69	64	59	38	23	10	5	10	10	22
Yellow fever 091	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis 092	897	83	71	70	68	76	75	75	70	58	82	82	87
Rabies 094	5	1	-	-	1	1	-	-	-	1	1	-	-
Tick-borne typhus 104	18	-	-	-	-	3	6	7	1	-	-	-	1
Rocky Mountain spotted fever 104A	18	-	-	-	-	3	6	7	1	-	-	-	1
Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus, other and unspecified, and other rickettsial diseases 100-103,105-108	8	-	-	-	1	2	2	1	1	-	-	-	1
Malaria 110-117	14	1	1	1	3	-	2	1	-	3	1	-	1
Schistosomiasis 123	3	-	-	-	1	-	-	-	1	-	-	1	-
Hydatid disease 125	5	-	-	1	1	-	1	-	-	1	-	-	1
Filariasis 127	-	-	-	-	-	-	-	-	-	-	-	-	-
Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases due to helminths 124,126,128,130	58	6	4	8	4	4	4	1	3	7	7	5	5
All other infective and parasitic diseases 036-039, 054,063-074,086-090,093,095,096,120-122,131-138	1,216	119	110	102	98	97	105	83	74	90	121	104	113
II. Neoplasms	258,251	22,023	19,504	21,756	21,055	21,520	21,441	21,811	21,306	21,190	22,859	21,712	22,074
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	253,183	21,559	19,145	21,334	20,621	21,089	21,017	21,393	20,904	20,788	22,417	21,264	21,652
Malignant neoplasm of buccal cavity and pharynx 140-148	5,861	483	440	503	460	473	505	478	465	490	522	511	531
Malignant neoplasm of lip 140	338	34	28	30	21	31	29	23	34	26	31	26	25
Malignant neoplasm of tongue 141	1,374	112	95	139	113	96	138	113	97	124	103	120	122
Malignant neoplasm of other and unspecified parts of buccal cavity 142-144	1,772	142	135	158	118	143	141	154	151	149	174	156	151
Malignant neoplasm of pharynx 145-148	2,377	195	182	176	208	201	197	188	183	191	214	209	233
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	88,096	7,544	6,556	7,546	7,307	7,324	7,317	7,460	7,272	7,267	7,655	7,335	7,513
Malignant neoplasm of esophagus 150	4,578	372	381	374	380	396	388	375	362	379	382	405	384
Malignant neoplasm of stomach 151	21,522	1,877	1,609	1,907	1,762	1,729	1,833	1,829	1,713	1,743	1,871	1,834	1,815
Malignant neoplasm of intestine, except rectum 152,153	27,412	2,378	2,072	2,317	2,247	2,345	2,259	2,269	2,299	2,198	2,415	2,205	2,408
Malignant neoplasm of rectum 154	10,834	948	771	914	939	858	884	968	879	942	940	927	864
Malignant neoplasm of biliary passages and of liver (stated to be primary site) 155	5,692	472	413	495	461	471	501	465	494	465	502	509	444
Malignant neoplasm of liver not specified whether primary or secondary 156A	4,037	317	299	342	357	348	328	335	340	336	350	320	365
Malignant neoplasm of pancreas 157	12,343	1,036	901	1,048	1,031	1,044	979	1,059	1,051	1,057	1,054	994	1,089
Malignant neoplasm of peritoneum and of unspecified digestive organs 158,159	1,678	144	110	149	130	133	145	160	134	147	141	141	144

Table 62. Deaths From 256 Selected Causes, by Month: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms—Continued													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued													
Malignant neoplasm of respiratory system, not specified as secondary----------160-164	33,895	2,883	2,553	2,836	2,731	2,802	2,768	2,859	2,791	2,720	3,105	2,927	2,920
Malignant neoplasm of larynx----------161	2,157	177	173	190	164	175	178	192	188	168	203	180	169
Malignant neoplasm of trachea, and of bronchus and lung specified as primary----------162	14,617	1,266	1,072	1,169	1,183	1,223	1,172	1,197	1,213	1,209	1,338	1,259	1,316
Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary-163	16,159	1,356	1,236	1,393	1,316	1,310	1,350	1,402	1,315	1,273	1,460	1,390	1,358
Malignant neoplasm of other parts of respiratory system----------160,164	962	84	72	84	68	94	68	68	75	70	104	98	77
Malignant neoplasm of breast----------170	22,720	1,996	1,705	1,903	1,862	1,937	1,882	1,921	1,811	1,831	2,034	1,898	1,940
Malignant neoplasm of genital organs--------171-179	38,472	3,237	3,026	3,319	3,141	3,219	3,253	3,263	3,178	3,096	3,387	3,115	3,238
Malignant neoplasm of cervix uteri----------171	8,597	728	657	703	713	714	747	751	735	680	761	688	720
Malignant neoplasm of other and unspecified parts of uterus----------172-174	6,257	499	513	560	498	527	552	535	532	498	546	484	513
Malignant neoplasm of ovary, fallopian tube, and broad ligament----------175	7,567	657	631	658	621	599	660	623	645	598	637	626	612
Malignant neoplasm of other and unspecified female genital organs----------176	806	65	58	73	60	69	64	79	69	70	73	61	65
Malignant neoplasm of prostate----------177	14,296	1,207	1,090	1,238	1,169	1,228	1,153	1,199	1,125	1,175	1,294	1,172	1,246
Malignant neoplasm of testis, and of other and unspecified male genital organs------178,179	949	81	77	87	80	82	77	76	72	75	76	84	82
Malignant neoplasm of urinary organs--------180,181	12,147	1,045	919	993	989	1,012	997	1,034	1,000	978	1,063	1,037	1,080
Malignant neoplasm of kidney----------180	4,661	376	319	380	388	426	363	392	387	409	414	411	396
Malignant neoplasm of bladder and other urinary organs----------181	7,486	669	600	613	601	586	634	642	613	569	649	626	684
Malignant neoplasm of other and unspecified sites----------156B,165,190-199	28,425	2,387	2,145	2,332	2,222	2,356	2,380	2,406	2,435	2,441	2,533	2,399	2,389
Malignant neoplasm of skin----------190,191	3,869	328	284	344	290	322	330	358	337	302	326	313	335
Malignant neoplasm of eye----------192	376	31	33	34	21	37	24	36	40	28	30	28	34
Malignant neoplasm of brain and other parts of nervous system----------193	5,819	493	445	482	456	505	464	475	473	536	521	479	490
Malignant neoplasm of thyroid gland----------194	1,055	85	83	78	88	82	91	84	83	103	98	92	88
Malignant neoplasm of bone (including jaw bone)----------196	2,025	185	148	157	169	153	186	152	163	200	180	178	154
Malignant neoplasm of connective tissue-------197	877	70	67	72	63	72	83	83	75	76	53	70	93
Malignant neoplasm of other specified sites, not stated to be secondary--195,198A,199A	3,750	350	288	306	297	312	301	324	329	314	319	307	303
Malignant neoplasm of unspecified sites----------156B,165,198B,199B-M	10,654	845	797	859	838	873	901	894	935	882	1,006	932	892
Leukemia and aleukemia----------204	11,718	989	889	947	963	993	967	966	987	960	1,029	1,056	972
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----------200-203,205	11,849	995	912	955	946	973	948	1,006	965	1,005	1,089	986	1,069
Lymphosarcoma and reticulosarcoma----------200	5,373	485	430	441	434	427	425	463	449	432	483	431	473
Hodgkin's disease----------201	3,050	225	230	243	271	247	250	245	237	282	298	242	280
Other neoplasms of lymphatic and hematopoietic tissues----------202,203,205	3,426	285	252	271	241	299	273	298	279	291	308	313	316
Benign neoplasms and neoplasms of unspecified nature----------210-239	5,068	464	359	422	434	431	424	418	402	402	442	448	422
Benign neoplasms of female genital organs-214-217	665	71	54	51	49	68	61	52	65	44	54	46	50
Benign neoplasm of brain and other parts of nervous system----------223	906	87	60	85	87	87	60	82	78	64	78	82	76
Other benign neoplasms----210-213,218-222,224-229	891	67	61	81	70	70	79	87	50	79	78	90	79
Neoplasm of unspecified nature of female genital organs----------233-235	50	3	2	5	7	4	8	3	3	5	2	7	1
Neoplasm of unspecified nature of brain and other parts of nervous system----------237	1,695	155	113	150	138	126	138	131	143	146	151	156	148
Other neoplasms of unspecified nature----------230-232,236,238,239	861	81	69	70	83	76	78	63	63	64	79	67	68
III. Allergic, endocrine system, metabolic, and nutritional diseases----------	37,249	3,322	2,948	3,224	2,915	2,937	2,950	2,883	2,812	2,833	3,657	3,451	3,317
Asthma----------241	6,677	602	528	598	478	473	474	438	472	527	746	699	642
Nontoxic goiter----------250,251	124	18	11	12	5	11	8	10	10	4	11	15	9
Thyrotoxicosis with or without goiter----------252	697	62	57	74	58	79	60	39	60	47	72	47	42
Myxedema, cretinism, and other diseases of thyroid gland----------253,254	269	30	15	22	25	21	22	22	19	18	16	26	33
Diabetes mellitus----------260	27,180	2,410	2,165	2,350	2,177	2,174	2,225	2,173	2,053	2,045	2,579	2,444	2,385
Diseases of thymus gland----------273	197	13	18	18	19	15	6	16	19	17	18	22	16
Diseases of adrenal glands----------274	392	30	40	28	33	29	23	37	34	29	40	30	39
Pellagra----------281	76	10	7	7	7	7	7	6	2	5	7	7	4
All other avitaminoses and nutritional deficiency states----------280,282-286	714	69	46	60	50	45	57	62	68	48	74	62	73
Other allergic, endocrine, and metabolic diseases-------240,242-245,270-272,275-277,287-289	923	78	61	55	63	83	68	80	75	93	94	99	74
IV. Diseases of the blood and blood-forming organs----------	4,758	429	377	407	370	382	364	380	370	357	466	422	434
Anemias----------290-293	2,987	276	253	243	221	247	215	241	227	227	292	274	271
Pernicious and other hyperchromic anemias-----290	819	86	68	67	58	69	63	66	60	54	75	80	73
Anemias of other and unspecified type-----291-293	2,168	190	185	176	163	178	152	175	167	173	217	194	198
Purpura and other hemorrhagic conditions--------296	641	55	48	61	51	44	57	54	49	40	79	45	58
All other diseases of blood and blood-forming organs----------294,295,297-299	1,130	98	76	103	98	91	92	85	94	90	95	103	105
V. Mental, psychoneurotic, and personality disorders----------	3,665	340	291	313	293	246	277	305	282	283	333	320	382
Senile psychosis----------304	357	34	30	25	32	25	22	35	32	26	28	38	30
Alcoholic psychosis----------307	341	31	19	19	21	24	39	33	27	31	34	34	29
Other psychoses----------300-303,305,306,308,309	445	42	47	41	39	31	29	30	41	35	32	40	38

Table 62. Deaths From 256 Selected Causes, by Month: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
V. Mental, psychoneurotic, and personality disorders—Continued													
Alcoholism----------322	2,256	212	180	204	175	150	165	182	162	167	218	183	258
Mental deficiency----------325	146	11	8	14	13	12	14	16	6	9	11	15	17
Psychoneuroses and other disorders of personality----------310-321,323,324,326	120	10	7	10	13	4	8	9	14	15	10	10	10
VI. Diseases of the nervous system and sense organs----------	201,698	18,348	15,485	17,721	16,541	16,438	16,212	16,772	15,089	14,962	17,357	17,796	18,977
Vascular lesions affecting central nervous system----------330-334	187,709	17,055	14,415	16,512	15,436	15,386	15,027	15,588	14,059	13,876	16,061	16,516	17,778
Subarachnoid hemorrhage----------330	6,037	484	467	521	524	541	446	471	474	502	534	520	553
Cerebral hemorrhage----------331	114,869	10,412	8,842	10,134	9,387	9,483	9,158	9,476	8,615	8,443	9,878	10,128	10,913
Cerebral embolism and thrombosis----------332	49,479	4,539	3,835	4,371	4,085	3,943	4,010	4,145	3,702	3,654	4,237	4,293	4,665
Other vascular lesions affecting central nervous system----------333,334	17,324	1,620	1,271	1,486	1,440	1,419	1,413	1,496	1,268	1,277	1,412	1,575	1,647
Meningitis, except meningococcal and tuberculous---340	2,025	221	176	200	157	144	160	116	113	133	197	217	191
Multiple sclerosis----------345	1,467	139	109	123	103	117	133	151	93	109	134	129	127
Paralysis agitans----------350	2,592	240	178	182	216	209	226	256	215	205	213	225	227
Cerebral spastic infantile paralysis----------351	643	60	54	49	64	40	52	40	30	53	73	64	64
Epilepsy----------353	2,166	205	141	202	173	184	201	188	182	164	202	171	153
Inflammatory diseases of eye----------370-379	10	2	1	-	1	1	1	-	1	1	1	1	-
Cataract----------385	40	1	6	1	2	3	8	7	3	3	2	4	-
Glaucoma----------387	16	1	-	1	2	3	1	2	2	1	1	-	2
Otitis media and mastoiditis----------391-393	398	39	45	46	41	32	24	21	19	24	30	39	38
Other diseases of nervous system and sense organs-341-344,352,354-369,380-384,386,388-390,394-398	4,632	385	360	405	346	319	379	403	372	393	443	430	397
VII. Diseases of the circulatory system------	689,084	63,044	54,069	60,695	56,835	56,193	55,451	54,060	50,488	50,943	62,232	61,905	63,169
Rheumatic fever----------400-402	900	87	55	94	83	81	86	65	71	67	79	68	64
Diseases of heart----------410-443	628,504	57,617	49,338	55,247	51,736	51,301	50,470	49,135	45,979	46,575	56,931	56,516	57,659
Chronic rheumatic heart disease----------410-416	19,274	1,786	1,507	1,699	1,584	1,500	1,454	1,417	1,443	1,379	1,992	1,803	1,710
Diseases of mitral valve----------410	6,958	625	558	605	581	551	549	492	511	522	713	658	593
Diseases of aortic valve specified as rheumatic----------411	1,704	173	132	156	150	112	129	142	126	122	154	151	157
Diseases of tricuspid valve----------412	25	3	1	1	3	5	3	-	-	3	4	2	-
Diseases of pulmonary valve and other endocarditis specified as rheumatic-------413,414	1,090	107	86	104	90	92	63	87	75	81	118	95	92
Other diseases of heart specified as rheumatic----------415,416	9,497	878	730	833	760	740	710	696	731	651	1,003	897	868
Arteriosclerotic heart disease, including coronary disease----------420	452,507	41,138	34,945	39,393	37,205	37,206	36,325	35,384	33,408	34,045	40,732	40,692	42,034
Arteriosclerotic heart disease so described--420.0	188,837	16,944	14,604	16,239	15,464	15,223	15,301	14,688	13,633	14,192	17,351	17,386	17,812
Heart disease specified as involving coronary arteries----------420.1	262,955	24,128	20,278	23,073	21,679	21,936	20,982	20,650	19,711	19,787	23,331	23,248	24,152
Angina pectoris without mention of coronary disease----------420.2	715	66	63	81	62	47	42	46	64	66	50	58	70
Chronic endocarditis not specified as rheumatic----------421	6,199	588	482	548	518	505	491	506	418	459	585	508	591
Of mitral valve, specified as nonrheumatic---421.0	488	50	35	40	35	46	48	31	25	42	50	32	54
Of aortic valve, not specified as rheumatic--421.1	2,133	191	171	183	178	186	150	181	155	171	199	170	198
Of other valves, not specified as rheumatic----------421.2-421.4	3,578	347	276	325	305	273	293	294	238	246	336	306	339
Other myocardial degeneration----------422	56,419	5,201	4,640	5,017	4,713	4,459	4,632	4,442	4,096	4,006	5,119	5,074	5,020
With arteriosclerosis----------422.1	36,282	3,184	2,921	3,154	3,020	2,881	3,045	2,841	2,687	2,564	3,279	3,330	3,376
Without mention of arteriosclerosis----422.0,422.2	20,137	2,017	1,719	1,863	1,693	1,578	1,587	1,601	1,409	1,442	1,840	1,744	1,644
Other diseases of heart----------430-434	21,733	2,031	1,716	2,007	1,778	1,637	1,701	1,793	1,529	1,558	1,974	2,027	1,982
Acute and subacute endocarditis----------430	811	72	54	75	79	72	54	78	67	59	64	67	70
Acute myocarditis not specified as rheumatic---431	1,253	117	105	122	80	112	81	96	90	100	122	130	98
Acute pericarditis specified as nonrheumatic---432	51	8	2	4	-	3	10	4	2	4	2	7	5
Functional disease of heart----------433	2,561	251	219	241	230	196	208	215	176	183	196	208	238
Other and unspecified diseases of heart--------434	17,057	1,583	1,336	1,565	1,389	1,254	1,348	1,400	1,194	1,212	1,590	1,615	1,571
Hypertension with heart disease----------440-443	72,372	6,873	6,048	6,583	5,938	5,994	5,867	5,593	5,085	5,128	6,529	6,412	6,322
Hypertensive heart disease with arteriolar nephrosclerosis----------442	19,028	1,807	1,615	1,714	1,532	1,601	1,533	1,477	1,323	1,369	1,770	1,675	1,612
Essential hypertension with heart disease, other and unspecified hypertensive heart disease----------440,441,443	53,344	5,066	4,433	4,869	4,406	4,393	4,334	4,116	3,762	3,759	4,759	4,737	4,710
Hypertension without mention of heart--------444-447	11,128	1,020	956	1,005	947	908	883	895	777	805	992	966	974
Hypertension with arteriolar nephrosclerosis without mention of heart----------446	6,849	611	614	633	546	560	561	567	487	487	613	583	587
Essential hypertension and other hypertensive disease without mention of heart------444,445,447	4,279	409	342	372	401	348	322	328	290	318	379	383	387
Diseases of arteries----------450-456	42,787	3,807	3,319	3,840	3,595	3,499	3,597	3,487	3,206	3,042	3,701	3,770	3,924
General arteriosclerosis----------450	33,272	2,999	2,625	3,005	2,760	2,679	2,863	2,764	2,492	2,326	2,788	2,918	3,053
Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm----------451	7,074	623	510	629	606	595	528	522	527	523	691	661	659
Gangrene of unspecified cause----------455	239	22	18	26	27	19	24	23	18	14	12	24	12
Other arterial diseases----------452-454,456	2,202	163	166	180	202	206	182	178	169	179	210	167	200
Diseases of veins and other diseases of circulatory system----------460-468	5,765	513	401	509	474	404	415	478	455	454	529	585	548
VIII. Diseases of the respiratory system------	84,086	7,912	6,711	7,133	6,056	4,964	4,881	4,724	4,399	4,821	11,048	12,226	9,211
Acute upper respiratory infections----------470-475	1,045	136	95	108	79	55	47	47	40	59	130	117	132
Influenza----------480-483	7,463	286	255	414	250	127	92	89	122	249	1,916	2,753	910
Pneumonia, except pneumonia of newborn--------490-493	53,538	5,465	4,600	4,766	3,959	3,121	3,151	3,051	2,735	3,042	6,678	6,984	5,986
Lobar pneumonia----------490	13,137	1,430	1,135	1,256	1,032	740	792	716	629	663	1,661	1,676	1,407
Bronchopneumonia----------491	28,777	2,825	2,456	2,470	2,114	1,734	1,767	1,742	1,534	1,728	3,563	3,663	3,181
Primary atypical pneumonia----------492	4,630	460	406	398	341	260	242	246	244	275	626	594	538
Pneumonia, other and unspecified----------493	6,994	750	603	642	472	387	350	347	328	376	828	1,051	860
Acute bronchitis----------500	1,202	155	128	94	88	51	63	49	48	68	192	129	137
Bronchitis, chronic and unqualified----------501,502	2,379	262	208	204	181	167	146	154	140	156	261	280	220
Hypertrophy of tonsils and adenoids----------510	171	16	10	19	19	23	14	11	8	9	15	15	12

Table 62. Deaths From 256 Selected Causes, by Month: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIII. Diseases of the respiratory system—Continued													
Empyema and abscess of lung----------518,521	862	79	84	70	74	73	63	52	62	52	83	83	87
Pleurisy----------519	189	24	11	17	17	17	11	10	13	12	16	20	21
All other respiratory diseases--511-517,520,522-527	17,237	1,489	1,320	1,441	1,389	1,330	1,294	1,261	1,231	1,174	1,757	1,845	1,706
IX. Diseases of the digestive system--------	63,165	5,517	4,901	5,309	5,057	5,142	5,020	5,159	5,128	4,933	5,660	5,669	5,670
Diseases of teeth and supporting structures-530-535	116	8	13	13	12	5	10	9	9	10	16	7	4
Ulcer of stomach----------540	5,104	437	426	450	393	393	402	377	374	397	471	512	472
Ulcer of duodenum----------541	5,261	441	436	445	410	444	388	363	396	420	458	545	495
Gastritis and duodenitis----------543	333	42	21	27	30	25	24	29	24	21	34	27	29
Appendicitis----------550-553	1,982	156	143	173	155	154	187	189	182	147	181	158	157
Hernia and intestinal obstruction-------560,561,570	8,571	700	681	706	717	697	669	747	739	670	714	786	745
Gastro-enteritis and colitis, except diarrhea of newborn----------571,572	7,638	749	633	627	539	583	641	651	605	630	655	618	707
Cirrhosis of liver----------581	19,317	1,769	1,368	1,611	1,528	1,544	1,482	1,494	1,643	1,483	1,847	1,791	1,757
Without mention of alcoholism----------581.0	13,524	1,226	977	1,123	1,057	1,078	1,040	1,048	1,154	1,032	1,309	1,256	1,224
With alcoholism----------581.1	5,793	543	391	488	471	466	442	446	489	451	538	535	533
Cholelithiasis and cholecystitis----------584,585	4,944	392	413	445	461	426	420	443	402	370	380	383	409
Other diseases of digestive system-536-539,542,544,545,573-580,582,583,586,587	9,899	823	767	812	812	871	797	837	754	785	904	842	895
X. Diseases of the genito-urinary system----	33,340	2,982	2,643	2,896	2,724	2,766	2,626	2,764	2,696	2,464	2,947	2,932	2,900
Nephritis and nephrosis----------590-594	17,307	1,566	1,411	1,588	1,433	1,423	1,346	1,390	1,295	1,283	1,518	1,507	1,547
Acute nephritis----------590	1,157	113	94	121	93	100	99	81	88	84	100	81	103
Nephritis with edema, including nephrosis-----591	1,118	78	96	102	91	102	84	84	78	82	107	92	122
Chronic and unspecified nephritis and other renal sclerosis----------592-594	15,032	1,375	1,221	1,365	1,249	1,221	1,163	1,225	1,129	1,117	1,311	1,334	1,322
Infections of kidney----------600	6,346	544	485	512	524	516	485	561	571	422	588	589	549
Calculi of urinary system----------602,604	1,349	120	106	106	125	128	117	105	106	90	108	121	117
Other diseases of urinary system----601,603,605-609	2,028	180	159	183	152	148	155	165	180	162	202	169	173
Hyperplasia of prostate----------610	5,097	470	386	428	386	440	422	430	426	407	424	444	434
Other diseases of male genital organs-------611-617	505	46	46	35	44	36	40	48	44	40	42	42	42
Diseases of breast----------620,621	12	-	-	-	1	2	-	2	-	2	2	3	-
Diseases of female genital organs----------622-637	696	56	50	44	59	73	61	63	74	58	63	57	38
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium--	1,746	158	148	148	140	139	139	157	133	147	158	141	138
Sepsis of pregnancy, childbirth, and puerperium----------640,641,681,682,684	162	10	16	8	11	13	17	15	19	10	17	17	9
Toxemias of pregnancy and puerperium, except abortion with toxemia----------642,685,686	472	41	37	39	41	46	31	54	29	42	40	33	39
Hemorrhage of pregnancy and childbirth----------643,644,670-672	347	27	36	22	26	27	31	25	29	29	37	33	25
Ectopic pregnancy----------645	126	16	7	14	8	12	10	9	10	9	10	10	11
Abortion without mention of sepsis or toxemia---650	77	9	5	6	4	8	4	4	4	12	8	6	7
Abortion with sepsis----------651	169	18	21	27	16	10	13	12	10	7	9	11	15
Abortion with toxemia, without mention of sepsis-652	14	3	2	2	-	1	2	1	2	-	-	1	-
Other complications of pregnancy, childbirth, and puerperium---------646-649,660,673-680,683,687-689	379	34	24	30	34	22	31	37	30	38	37	30	32
XII. Diseases of the skin and cellular tissue	1,666	149	127	125	127	122	136	147	124	130	155	167	157
Infections of skin and subcutaneous tissue--690-698	483	38	40	29	32	37	42	56	37	45	47	42	38
Other diseases of skin and subcutaneous tissue----------700-716	1,183	111	87	96	95	85	94	91	87	85	108	125	119
XIII. Diseases of the bones and organs of movement----------	2,999	297	241	266	237	242	215	238	222	213	293	261	274
Arthritis and spondylitis----------720-725	1,479	159	120	128	124	117	114	114	119	103	136	125	120
Muscular rheumatism and rheumatism, unspecified----------726,727	31	3	-	4	5	2	2	1	2	1	3	3	5
Osteomyelitis and periostitis----------730	159	15	9	10	6	17	14	18	11	12	14	16	17
Ankylosis and acquired musculoskeletal deformities----------737,745-749	136	9	12	16	10	8	8	16	5	11	17	13	11
All other diseases of musculoskeletal system----------731-736,738-744	1,194	111	100	108	92	98	77	89	85	86	123	104	121
XIV. Congenital malformations----------	21,818	1,927	1,708	1,790	1,750	1,728	1,794	1,750	1,816	1,827	1,923	1,878	1,927
Spina bifida and meningocele----------751	1,333	137	98	93	119	93	140	115	105	111	116	108	98
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs----------752,753	2,587	217	176	239	194	229	205	218	233	207	215	218	236
Congenital malformations of circulatory system----------754	10,485	949	843	853	836	843	847	799	842	886	935	907	945
Other congenital malformations----------750,755-759	7,413	624	591	605	601	563	602	618	636	623	657	645	648
XV. Certain diseases of early infancy-------	66,569	5,232	4,726	5,348	5,282	5,736	5,865	6,279	5,957	5,583	5,847	5,380	5,334
Birth injuries----------760,761	11,397	929	850	963	934	1,001	971	1,070	998	968	935	901	877
Postnatal asphyxia and atelectasis----------762	18,876	1,422	1,285	1,466	1,494	1,698	1,659	1,817	1,685	1,573	1,607	1,603	1,567
Infections of newborn----------763-768	5,087	474	392	413	346	377	387	440	450	436	499	446	427
Hemolytic disease of newborn (erythroblastosis)--770	2,538	222	184	204	185	192	219	231	219	246	225	212	199
All other defined diseases of early infancy----------769,771,772	1,881	165	145	148	152	151	146	144	149	167	180	171	163
Ill-defined diseases peculiar to early infancy, and immaturity unqualified--------773-776	26,790	2,020	1,870	2,154	2,171	2,317	2,483	2,577	2,456	2,193	2,401	2,047	2,101
XVI. Symptoms, senility and ill-defined conditions----------	19,164	1,695	1,453	1,660	1,493	1,482	1,463	1,476	1,448	1,432	1,849	1,834	1,879
Senility without mention of psychosis----------794	3,243	287	252	264	273	249	259	265	252	211	333	295	303
Symptoms, ill-defined and unknown causes----------780-793,795	15,921	1,408	1,201	1,396	1,220	1,233	1,204	1,211	1,196	1,221	1,516	1,539	1,576

Table 62. Deaths From 256 Selected Causes, by Month: United States, 1957—Continued

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence	119,614	9,780	8,578	9,391	9,351	9,908	10,826	10,746	10,377	9,596	9,969	10,242	10,850
Accidents—E800-E962	95,307	7,934	6,720	7,325	7,223	7,773	8,818	8,670	8,345	7,570	7,964	8,217	8,748
Railway accidents—E800-E802	1,238	92	88	80	90	95	113	140	137	125	103	81	94
Motor-vehicle accidents—E810-E835	38,702	2,882	2,508	2,843	2,933	3,065	3,302	3,308	3,635	3,365	3,466	3,620	3,775
Motor-vehicle traffic accidents—E810-E825	37,686	2,825	2;456	2,786	2,870	2,965	3,179	3,181	3,522	3,256	3,373	3,561	3,712
Motor-vehicle traffic accident involving collision with railway train—E810	1,376	136	112	99	111	101	92	75	114	107	156	121	152
Motor-vehicle traffic accident to pedestrian—E812	7,291	624	504	583	572	509	533	538	543	590	656	775	864
Other motor-vehicle traffic accidents involving collision—E811,E813-E819	14,740	1,043	945	1,019	1,113	1,217	1,280	1,292	1,488	1,258	1,271	1,375	1,439
Motor-vehicle noncollision traffic accidents—E820-E824	9,827	714	628	771	731	803	885	892	913	893	858	876	863
Motor-vehicle traffic accident of unspecified nature—E825	4,452	308	267	314	343	335	389	384	464	408	432	414	394
Motor-vehicle nontraffic accidents—E830-E835	1,016	57	52	57	63	100	123	127	113	109	93	59	63
Other road-vehicle accidents—E840-E845	296	9	10	19	26	28	26	56	35	27	28	18	14
Water-transport accidents—E850-E858	1,574	52	57	88	151	179	232	229	197	130	91	85	83
Aircraft accidents—E860-E866	1,411	121	123	117	100	94	127	139	136	113	139	102	100
Accidental poisoning by solid and liquid substances—E870-E888	1,390	124	115	126	115	129	98	142	107	98	104	119	113
Accidental poisoning by gases and vapors—E890-E895	1,143	187	139	110	90	63	23	35	28	43	102	152	171
Accidental falls—E900-E904	20,545	1,876	1,581	1,781	1,522	1,708	1,632	1,726	1,665	1,633	1,890	1,689	1,842
Fall from one level to another—E900-E902	6,633	521	449	501	478	567	566	615	608	577	646	518	587
Fall on same level—E903	3,851	394	370	354	284	287	292	292	296	274	351	335	322
Unspecified falls—E904	10,061	961	762	926	760	854	774	819	761	782	893	836	933
Blow from falling object—E910	1,201	96	105	99	97	99	94	101	110	110	108	96	86
Accident caused by machinery—E912	2,072	111	92	133	176	217	218	232	215	202	208	146	122
Accident caused by electric current—E914	1,030	47	47	53	77	96	153	160	125	115	63	51	43
Accident caused by fire and explosion of combustible material—E916	6,269	950	777	607	478	359	317	260	253	300	461	618	889
Accident caused by hot substance, corrosive liquid, steam, and radiation—E917,E918	777	106	80	64	75	60	47	55	42	52	41	73	82
Accident caused by firearm—E919	2,369	190	153	170	126	146	157	163	217	193	251	349	254
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	2,043	216	161	192	153	163	158	153	129	163	165	195	195
Accidental drowning and submersion—E929	5,209	144	166	219	422	612	1,028	1,102	666	380	177	147	146
Excessive heat and insolation—E931	280	1	1	2	1	3	94	123	45	7	-	2	1
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures—E940-E959	1,028	82	78	69	79	84	87	92	96	86	87	90	98
All other accidents—E911,E913, E915,E920,E923-E928,E930,E932-E936,E960-E962	6,730	648	439	553	512	573	912	454	507	428	480	584	640
Suicide—E963,E970-E979	16,632	1,304	1,284	1,444	1,511	1,480	1,367	1,417	1,365	1,340	1,411	1,365	1,344
Suicide by poisoning—E970-E973	3,347	279	249	299	305	317	250	255	267	254	295	279	298
Suicide by hanging and strangulation—E974	3,559	272	288	326	331	321	312	287	304	293	291	281	253
Suicide by firearms and explosives—E976	7,841	627	623	660	716	657	623	696	639	635	650	658	657
Suicide by all other means—E963,E975,E977-E979	1,885	126	124	159	159	185	182	179	155	158	175	147	136
Homicide—E964,E980-E985	7,641	536	570	619	616	651	641	658	663	685	592	655	755
Assault by firearms and explosives—E981	4,010	273	289	325	322	325	327	339	370	347	311	355	427
Assault by cutting and piercing instruments—E982	1,867	126	137	157	144	170	161	185	152	169	134	156	176
Assault by other means—E964,E980,E983	1,472	116	113	111	128	130	129	110	121	141	125	121	127
Injury by intervention of police—E984	228	15	24	15	18	23	19	19	14	22	15	20	24
Execution—E985	64	6	7	11	4	3	5	5	6	6	7	3	1
Injury resulting from operations of war—E965,E990-E999	34	6	4	3	1	4	-	1	4	1	2	5	3

Table 63. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH		ALL RACES		
				Total	Male	Female
1		ALL CAUSES		1,633,128	930,728	702,400
2		I. Infective and parasitic diseases		24,256	16,270	7,986
3		Tuberculosis, all forms	001-019	13,324	9,649	3,675
4	A 1	Tuberculosis of respiratory system	001-008	12,384	9,068	3,316
5	A 2	Tuberculosis of meninges and central nervous system	010	249	145	104
6	A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands	011	47	29	18
7	A 4 pt.	Tuberculosis of vertebral column	012.0,013.0	106	54	52
8	A 4 pt.	Tuberculosis of other bones and joints	012.1-012.3,013.1-013.3	14	11	3
9	A 5 pt.	Tuberculosis of genito-urinary system	016	129	91	38
10	A 5 pt.	Tuberculosis of lymphatic system and other organs	014,015,017,018	81	48	33
11	A 5 pt.	Disseminated tuberculosis	019	314	203	111
12		Syphilis and its sequelae	020-029	3,825	2,759	1,066
13	A 6	Congenital syphilis	020	47	25	22
14	A 7	Early syphilis	021	2	2	-
15	A 10 pt.	Aneurysm of aorta	022	1,466	1,060	406
16	A 10 pt.	Other cardiovascular syphilis	023	1,377	1,005	372
17	A 8	Tabes dorsalis	024	79	65	14
18	A 9	General paralysis of insane	025	420	298	122
19	A 10 pt.	Other syphilis of central nervous system	026	358	256	102
20	A 10 pt.	Other syphilis	027-029	76	48	28
21	A 11	Gonococcal infection	030-035	21	19	2
22	A 12	Typhoid fever	040	34	22	12
23	A 13 pt.	Paratyphoid fever	041	3	2	1
24	A 13 pt.	Other Salmonella infections	042	57	32	25
25	A 14	Cholera	043	-	-	-
26	A 15	Brucellosis (undulant fever)	044	8	3	5
27	A 16	Dysentery, all forms	045-048	440	227	213
28	A 43 pt.	Food poisoning (infection and intoxication)	049	63	34	29
29	A 17	Scarlet fever	050	48	17	31
30	A 18	Streptococcal sore throat	051	165	81	84
31	A 19	Erysipelas	052	27	11	16
32	A 20	Septicemia and pyemia	053	1,351	805	546
33	A 21	Diphtheria	055	81	36	45
34	A 22	Whooping cough	056	183	83	100
35	A 23	Meningococcal infections	057	785	436	349
36	A 24	Plague	058	-	-	-
37	A 43 pt.	Tularemia	059	3	3	-
38	A 25	Leprosy	060	3	2	1
39	A 26	Tetanus	061	279	180	99
40	A 27	Anthrax	062	2	2	-
41	A 28	Acute poliomyelitis	080	221	128	93
42	A 30 pt.	Late effects of acute poliomyelitis	081	148	82	66
43	A 29	Acute infectious encephalitis	082	465	251	214
44	A 30 pt.	Late effects of acute infectious encephalitis	083	107	68	39
45	A 31	Smallpox	084	-	-	-
46	A 32	Measles	085	389	200	189
47	A 33	Yellow fever	091	-	-	-
48	A 34	Infectious hepatitis	092	897	418	479
49	A 35	Rabies	094	5	4	1
50	A 36 pt.	Tick-borne typhus	104	18	10	8
51		Rocky Mountain spotted fever	104A	18	10	8
52		Other forms of tick-borne typhus	104B	-	-	-
53	A 36 pt.	Typhus, other and unspecified, and other rickettsial diseases	100-103,105-108	8	6	2
54	A 37	Malaria	110-117	14	9	5
55	A 38	Schistosomiasis	123	3	1	2
56	A 39	Hydatid disease	125	5	1	4
57	A 40	Filariasis	127	-	-	-
58	A 41	Ankylostomiasis	129	-	-	-
59	A 42	Other diseases due to helminths	124,126,128,130	58	31	27
60	A 43 pt.	All other infective and parasitic diseases	036-039,054,063-074,086-090,093,095,096,120-122,131-138	1,216	658	558
61		II. Neoplasms		258,251	136,696	121,555
62		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-205	253,183	134,400	118,783
63	A 44	Malignant neoplasm of buccal cavity and pharynx	140-148	5,861	4,609	1,252
64		Malignant neoplasm of lip	140	338	302	36
65		Malignant neoplasm of tongue	141	1,374	1,068	306
66		Malignant neoplasm of other and unspecified parts of buccal cavity	142-144	1,772	1,291	481
67		Malignant neoplasm of pharynx	145-148	2,377	1,948	429
68		Malignant neoplasm of digestive organs and peritoneum, not specified as secondary	150-156A,157-159	88,096	48,394	39,702
69	A 45	Malignant neoplasm of esophagus	150	4,578	3,567	1,011
70	A 46	Malignant neoplasm of stomach	151	21,522	13,542	7,980
71	A 47	Malignant neoplasm of intestine, except rectum	152,153	27,412	12,595	14,817
72	A 48	Malignant neoplasm of rectum	154	10,834	6,132	4,702
73	A 57 pt.	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	155	5,692	2,337	3,355
74	A 57 pt.	Malignant neoplasm of liver not specified whether primary or secondary	156A	4,037	2,125	1,912
75	A 57 pt.	Malignant neoplasm of pancreas	157	12,343	7,269	5,074
76	A 57 pt.	Malignant neoplasm of peritoneum and of unspecified digestive organs	158,159	1,678	827	851
77		Malignant neoplasm of respiratory system, not specified as secondary	160-164	33,895	28,884	5,011
78	A 49	Malignant neoplasm of larynx	161	2,157	1,956	201
79	A 50 pt.	Malignant neoplasm of trachea, and of bronchus and lung specified as primary	162	14,617	12,793	1,824
80	A 50 pt.	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary	163	16,159	13,494	2,665
81	A 57 pt.	Malignant neoplasm of other parts of respiratory system	160,164	962	641	321
82	A 51	Malignant neoplasm of breast	170	22,720	261	22,459
83		Malignant neoplasm of genital organs	171-179	38,472	15,245	23,227
84	A 52	Malignant neoplasm of cervix uteri	171	8,597	...	8,597
85	A 53	Malignant neoplasm of other and unspecified parts of uterus	172-174	6,257	...	6,257
86	A 57 pt.	Malignant neoplasm of ovary, fallopian tube, and broad ligament	175	7,567	...	7,567
87	A 57 pt.	Malignant neoplasm of other and unspecified female genital organs	176	806	...	806
88	A 54	Malignant neoplasm of prostate	177	14,296	14,296	...
89	A 57 pt.	Malignant neoplasm of testis, and of other and unspecified male genital organs	178,179	949	949	...

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1957

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,437,652	823,067	614,585	187,912	102,709	85,203	4,431	2,484	1,947	1,356	1,150	206	1,076	750	326	701	568	133	1
18,148	12,374	5,774	5,704	3,649	2,055	264	128	136	75	65	10	29	24	5	36	30	6	2
10,030	7,465	2,565	3,042	2,022	1,020	148	71	77	57	52	5	23	20	3	24	19	5	3
9,466	7,112	2,354	2,708	1,814	894	113	57	56	54	49	5	21	19	2	22	17	5	4
132	73	59	99	62	37	17	9	8	-	-	-	-	-	-	1	1	-	5
27	18	9	17	9	8	2	1	1	1	1	-	-	-	-	-	-	-	6
82	42	40	22	11	11	2	1	1	-	-	-	-	-	-	-	-	-	7
7	7	-	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	8
102	72	30	21	18	3	5	1	4	-	-	-	1	-	1	-	-	-	9
50	26	24	27	19	8	2	1	1	1	1	-	-	-	-	1	1	-	10
164	115	49	141	85	56	7	1	6	1	1	-	1	1	-	-	-	-	11
2,540	1,868	672	1,257	873	384	14	8	6	9	6	3	2	2	-	3	2	1	12
34	17	17	12	8	4	1	-	1	-	-	-	-	-	-	-	-	-	13
1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1,142	843	299	321	215	106	1	1	-	1	-	1	1	1	-	-	-	-	15
750	569	181	611	425	186	6	4	2	6	4	2	1	1	-	3	2	1	16
65	53	12	14	12	2	-	-	-	-	-	-	-	-	-	-	-	-	17
294	211	83	123	85	38	2	1	1	1	1	-	-	-	-	-	-	-	18
210	147	63	144	106	38	3	2	1	1	1	-	-	-	-	-	-	-	19
44	27	17	31	21	10	1	-	1	-	-	-	-	-	-	-	-	-	20
7	7	-	14	12	2	-	-	-	-	-	-	-	-	-	-	-	-	21
22	14	8	11	7	4	1	1	-	-	-	-	-	-	-	-	-	-	22
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
43	25	18	13	7	6	1	-	1	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
6	2	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	26
282	134	148	139	86	53	18	6	12	-	-	-	-	-	-	1	1	-	27
36	22	14	25	11	14	2	1	1	-	-	-	-	-	-	-	-	-	28
44	15	29	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	29
129	60	69	33	19	14	3	2	1	-	-	-	-	-	-	-	-	-	30
27	11	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1,082	647	435	248	143	105	15	10	5	4	3	1	-	-	-	2	2	-	32
50	22	28	30	14	16	1	-	1	-	-	-	-	-	-	-	-	-	33
87	41	46	89	41	48	7	1	6	-	-	-	-	-	-	-	-	-	34
665	375	290	112	58	54	8	3	5	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	37
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
153	101	52	125	78	47	1	1	-	-	-	-	-	-	-	-	-	-	39
1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	40
189	107	82	31	20	11	1	1	-	-	-	-	-	-	-	-	-	-	41
142	79	63	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	42
402	221	181	59	29	30	2	1	1	1	-	1	1	-	1	-	-	-	43
100	63	37	6	4	2	1	1	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
301	154	147	56	27	29	29	16	13	1	1	-	2	2	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
784	368	416	106	46	60	4	2	2	-	-	-	1	-	1	2	2	-	48
3	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	49
14	10	4	3	-	3	1	-	1	-	-	-	-	-	-	-	-	-	50
14	10	4	3	-	3	1	-	1	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
7	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	53
9	6	3	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	54
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	55
4	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
21	12	9	35	17	18	-	-	-	2	2	-	-	-	-	-	-	-	59
958	530	428	247	121	126	7	3	4	1	1	-	-	-	-	3	3	-	60
235,282	124,711	110,571	22,109	11,406	10,703	318	149	169	236	201	35	221	155	66	85	74	11	61
230,953	122,675	108,278	21,394	11,161	10,233	304	142	162	232	197	35	219	154	65	81	71	10	62
5,341	4,199	1,142	484	376	108	7	6	1	23	22	1	1	1	-	5	5	-	63
326	293	33	11	8	3	1	1	-	-	-	-	-	-	-	-	-	-	64
1,258	975	283	115	92	23	-	-	-	-	-	-	-	-	-	1	1	-	65
1,618	1,176	442	147	108	39	4	4	-	2	2	-	-	-	-	1	1	-	66
2,139	1,755	384	211	168	43	2	1	1	21	20	1	1	1	-	3	3	-	67
80,451	43,791	36,660	7,303	4,347	2,956	95	52	43	85	77	8	127	94	33	35	33	2	68
3,856	2,970	886	698	574	124	-	-	-	13	12	1	8	8	-	3	3	-	69
19,024	11,862	7,162	2,374	1,586	788	24	17	7	24	21	3	67	48	19	9	8	1	70
25,763	11,851	13,912	1,602	711	891	16	8	8	12	11	1	13	9	4	6	5	1	71
10,120	5,767	4,353	676	335	341	8	5	3	12	11	1	13	9	4	5	5	-	72
5,323	2,134	3,189	326	177	149	23	8	15	7	6	1	8	7	1	5	5	-	73
3,570	1,849	1,721	440	253	187	9	6	3	8	8	-	4	3	1	6	6	-	74
11,321	6,633	4,688	989	612	377	12	7	5	8	7	1	12	9	3	1	1	-	75
1,474	725	749	198	99	99	3	1	2	1	1	-	2	1	1	-	-	-	76
31,249	26,648	4,601	2,513	2,122	391	26	20	6	63	53	10	37	34	3	7	7	-	77
1,976	1,797	179	175	154	21	2	1	1	1	1	-	2	2	-	1	1	-	78
13,410	11,732	1,678	1,143	1,001	142	9	9	-	31	28	3	21	20	1	3	3	-	79
14,995	12,545	2,450	1,106	904	202	14	9	5	28	21	7	13	12	1	3	3	-	80
868	574	294	89	63	26	1	1	-	3	3	-	1	-	1	-	-	-	81
21,035	230	20,805	1,659	31	1,628	12	-	12	7	-	7	5	-	5	2	-	2	82
33,551	13,498	20,053	4,809	1,718	3,091	78	20	58	8	1	7	21	6	15	5	2	3	83
6,924	...	6,924	1,625	...	1,625	39	...	39	3	...	3	5	...	5	1	...	1	84
5,322	...	5,322	917	...	917	11	...	11	2	...	2	4	...	4	1	...	1	85
7,081	...	7,081	470	...	470	8	...	8	1	...	1	6	...	6	1	...	1	86
726	...	726	79	...	79	-	...	-	1	...	1	-	...	-	-	...	-	87
12,645	12,645	...	1,625	1,625	...	17	17	...	1	1	...	6	6	...	2	2	...	88
853	853	...	93	93	...	3	3	...	-	-	...	-	-	...	-	-	...	89

Table 63. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		II. Neoplasms—Continued			
		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued			
1	A 57 pt.	Malignant neoplasm of urinary organs----------180,181	12,147	8,023	4,124
2		Malignant neoplasm of kidney----------180	4,661	2,910	1,751
3		Malignant neoplasm of bladder and other urinary organs----------181	7,486	5,113	2,373
4		Malignant neoplasm of other and unspecified sites----------156B,165,190-199	28,425	15,155	13,270
5	A 55	Malignant neoplasm of skin----------190,191	3,869	2,235	1,634
6	A 57 pt.	Malignant neoplasm of eye----------192	376	202	174
7	A 57 pt.	Malignant neoplasm of brain and other parts of nervous system----------193	5,819	3,476	2,343
8	A 57 pt.	Malignant neoplasm of thyroid gland----------194	1,055	377	678
9	A 56 pt.	Malignant neoplasm of bone (including jaw bone)----------196	2,025	1,175	850
10	A 56 pt.	Malignant neoplasm of connective tissue----------197	877	484	393
11	A 57 pt.	Malignant neoplasm of other specified sites, not stated to be secondary----------195,198A,199A	3,750	1,750	2,000
12	A 57 pt.	Malignant neoplasm of unspecified sites----------156B,165,198B,199B-M	10,654	5,456	5,198
13	A 58	Leukemia and aleukemia----------204	11,718	6,745	4,973
14	A 59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues----------200-203,205	11,849	7,084	4,765
15		Lymphosarcoma and reticulosarcoma----------200	5,373	3,238	2,135
16		Hodgkin's disease----------201	3,050	1,886	1,164
17		Other neoplasms of lymphatic and hematopoietic tissues----------202,203,205	3,426	1,960	1,466
18	A 60	Benign neoplasms and neoplasms of unspecified nature----------210-239	5,068	2,296	2,772
19		Benign neoplasms of female genital organs----------214-217	665	...	665
20		Benign neoplasm of brain and other parts of nervous system----------223	906	408	498
21		Other benign neoplasms----------210-213,218-222,224-229	891	464	427
22		Neoplasm of unspecified nature of female genital organs----------233-235	50	...	50
23		Neoplasm of unspecified nature of brain and other parts of nervous system----------237	1,695	958	737
24		Other neoplasms of unspecified nature----------230-232,236,238,239	861	466	395
25		III. Allergic, endocrine system, metabolic, and nutritional diseases----------	37,249	16,525	20,724
26	A 66 pt.	Asthma----------241	6,677	4,536	2,141
27	A 61	Nontoxic goiter----------250,251	124	29	95
28	A 62	Thyrotoxicosis with or without goiter----------252	697	114	583
29	A 66 pt.	Myxedema, cretinism, and other diseases of thyroid gland----------253,254	269	62	207
30	A 63	Diabetes mellitus----------260	27,180	10,605	16,575
31	A 66 pt.	Diseases of thymus gland----------273	197	111	86
32	A 66 pt.	Diseases of adrenal glands----------274	392	191	201
33	A 64 pt.	Pellagra----------281	76	30	46
34	A 64 pt.	All other avitaminoses and nutritional deficiency states----------280,282-286	714	357	357
35	A 66 pt.	Other allergic, endocrine, and metabolic diseases----------240,242-245,270-272,275-277,287-289	923	490	433
36		IV. Diseases of the blood and blood-forming organs----------	4,758	2,386	2,372
37	A 65	Anemias----------290-293	2,987	1,436	1,551
38		Pernicious and other hyperchromic anemias----------290	819	344	475
39		Anemias of other and unspecified type----------291-293	2,168	1,092	1,076
40	A 66 pt.	Purpura and other hemorrhagic conditions----------296	641	292	349
41	A 66 pt.	All other diseases of blood and blood-forming organs----------294,295,297-299	1,130	658	472
42		V. Mental, psychoneurotic, and personality disorders----------	3,665	2,590	1,075
43	A 67 pt.	Senile psychosis----------304	357	135	222
44	A 67 pt.	Alcoholic psychosis----------307	341	312	29
45	A 67 pt.	Other psychoses----------300-303,305,306,308,309	445	178	267
46	A 68 pt.	Alcoholism----------322	2,256	1,828	428
47	A 69	Mental deficiency----------325	146	82	64
48	A 68 pt.	Psychoneuroses and other disorders of personality----------310-321,323,324,326	120	55	65
49		VI. Diseases of the nervous system and sense organs----------	201,698	98,168	103,530
50	A 70	Vascular lesions affecting central nervous system----------330-334	187,709	90,423	97,286
51		Subarachnoid hemorrhage----------330	6,037	2,874	3,163
52		Cerebral hemorrhage----------331	114,869	54,725	60,144
53		Cerebral embolism and thrombosis----------332	49,479	24,453	25,026
54		Other vascular lesions affecting central nervous system----------333,334	17,324	8,371	8,953
55	A 71	Meningitis, except meningococcal and tuberculous----------340	2,025	1,159	866
56	A 72	Multiple sclerosis----------345	1,467	650	817
57	A 78 pt.	Paralysis agitans----------350	2,592	1,419	1,173
58	A 78 pt.	Cerebral spastic infantile paralysis----------351	643	357	286
59	A 73	Epilepsy----------353	2,166	1,316	850
60	A 74	Inflammatory diseases of eye----------370-379	10	9	1
61	A 75	Cataract----------385	40	15	25
62	A 76	Glaucoma----------387	16	4	12
63	A 77	Otitis media and mastoiditis----------391-393	398	228	170
64	A 78 pt.	Other diseases of nervous system and sense organs----------341-344,352,354-369,380-384,386,388-390,394-398	4,632	2,588	2,044
65		VII. Diseases of the circulatory system----------	689,084	399,958	289,126
66	A 79	Rheumatic fever----------400-402	900	473	427
67		Diseases of heart----------410-443	628,504	368,322	260,182
68	A 80	Chronic rheumatic heart disease----------410-416	19,274	9,339	9,935
69		Diseases of mitral valve----------410	6,958	3,165	3,793
70		Diseases of aortic valve specified as rheumatic----------411	1,704	1,262	442
71		Diseases of tricuspid valve----------412	25	8	17
72		Diseases of pulmonary valve and other endocarditis specified as rheumatic----------413,414	1,080	499	581
73		Other diseases of heart specified as rheumatic----------415,416	9,497	4,405	5,092
74	A 81 pt.	Arteriosclerotic heart disease, including coronary disease----------420	452,507	282,514	169,993
75		Arteriosclerotic heart disease so described----------420.0	188,837	103,223	85,614
76		Heart disease specified as involving coronary arteries----------420.1	262,955	178,831	84,124
77		Angina pectoris without mention of coronary disease----------420.2	715	460	255

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1957—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
11,297	7,507	3,790	820	499	321	15	5	10	6	5	1	5	3	2	4	4	-	1
4,373	2,720	1,653	274	180	94	5	3	2	4	3	1	2	1	1	3	3	-	2
6,924	4,787	2,137	546	319	227	10	2	8	2	2	-	3	2	1	1	1	-	3
26,057	13,951	12,106	2,274	1,139	1,135	45	22	23	26	25	1	10	7	3	13	11	2	4
3,710	2,158	1,552	152	72	80	2	-	2	2	2	-	2	2	-	1	1	-	5
352	190	162	24	12	12	-	-	-	-	-	-	-	-	-	-	-	-	6
5,499	3,264	2,235	310	202	108	2	2	-	2	2	-	2	2	-	4	4	-	7
983	353	630	69	22	47	-	-	-	1	1	-	-	-	-	2	1	1	8
1,828	1,059	769	189	108	81	4	4	-	4	4	-	-	-	-	-	-	-	9
813	455	358	62	28	34	1	-	1	-	-	-	-	-	-	1	1	-	10
3,376	1,578	1,798	357	160	197	9	6	3	4	4	-	2	-	2	2	2	-	11
9,496	4,894	4,602	1,111	535	576	27	10	17	13	12	1	4	3	1	3	2	1	12
10,982	6,296	4,686	705	425	280	13	9	4	8	8	-	6	4	2	4	3	1	13
10,990	6,555	4,435	827	504	323	13	8	5	6	6	-	7	5	2	6	6	-	14
5,047	3,031	2,016	311	195	116	6	4	2	3	3	-	4	3	1	2	2	-	15
2,862	1,754	1,108	183	127	56	2	2	-	-	-	-	1	1	-	2	2	-	16
3,081	1,770	1,311	333	182	151	5	2	3	3	3	-	2	1	1	2	2	-	17
4,329	2,036	2,293	715	245	470	14	7	7	4	4	-	2	1	1	4	3	1	18
422	...	422	239	...	239	3	...	3	-	...	-	-	...	-	1	...	1	19
822	366	456	82	40	42	1	1	-	1	1	-	-	-	-	-	-	-	20
795	413	382	94	50	44	1	-	1	-	-	-	-	-	-	1	1	-	21
36	...	36	14	...	14	-	...	-	-	...	-	-	...	-	-	...	-	22
1,497	850	647	187	101	86	7	4	3	1	1	-	1	-	1	2	2	-	23
757	407	350	99	54	45	2	2	-	2	2	-	1	1	-	-	-	-	24
32,985	14,847	18,138	4,077	1,565	2,512	90	35	55	51	45	6	32	20	12	14	13	1	25
5,881	4,065	1,816	767	450	317	11	6	5	6	5	1	8	6	2	4	4	-	26
101	25	76	23	4	19	-	-	-	-	-	-	-	-	-	-	-	-	27
582	99	483	115	15	100	-	-	-	-	-	-	-	-	-	-	-	-	28
250	57	193	19	5	14	-	-	-	-	-	-	-	-	-	-	-	-	29
24,234	9,623	14,611	2,812	903	1,909	65	23	42	40	36	4	20	11	9	9	9	-	30
155	91	64	41	20	21	1	-	1	-	-	-	-	-	-	-	-	-	31
352	163	189	35	25	10	4	2	2	1	1	-	-	-	-	-	-	-	32
50	24	26	25	6	19	1	-	1	-	-	-	-	-	-	-	-	-	33
567	275	292	135	73	62	7	4	3	2	2	-	3	3	-	-	-	-	34
813	425	388	105	64	41	1	-	1	2	1	1	1	-	1	1	-	1	35
4,077	2,039	2,038	667	339	328	5	-	5	4	3	1	3	3	-	2	2	-	36
2,449	1,167	1,282	529	264	265	3	-	3	3	2	1	2	2	-	1	1	-	37
786	331	455	33	13	20	-	-	-	-	-	-	-	-	-	-	-	-	38
1,663	836	827	496	251	245	3	-	3	3	2	1	2	2	-	1	1	-	39
567	262	305	72	29	43	1	-	1	-	-	-	1	1	-	-	-	-	40
1,061	610	451	66	46	20	1	-	1	1	1	-	-	-	-	1	1	-	41
2,968	2,092	876	653	465	188	40	29	11	1	1	-	-	-	-	3	3	-	42
326	122	204	31	13	18	-	-	-	-	-	-	-	-	-	-	-	-	43
292	267	25	46	42	4	2	2	-	-	-	-	-	-	-	1	1	-	44
386	152	234	58	25	33	1	1	-	-	-	-	-	-	-	-	-	-	45
1,747	1,441	306	470	359	111	36	25	11	1	1	-	-	-	-	2	2	-	46
128	74	54	17	7	10	1	1	-	-	-	-	-	-	-	-	-	-	47
89	36	53	31	19	12	-	-	-	-	-	-	-	-	-	-	-	-	48
176,411	85,930	90,481	24,623	11,828	12,795	333	167	166	125	98	27	139	87	52	67	58	9	49
164,477	79,360	85,117	22,662	10,712	11,950	261	126	135	116	91	25	132	81	51	61	53	8	50
5,069	2,453	2,616	934	400	534	12	8	4	9	7	2	7	2	5	6	4	2	51
99,665	47,579	52,086	14,848	6,929	7,919	164	81	83	76	56	20	77	46	31	39	34	5	52
44,840	22,120	22,720	4,509	2,249	2,260	56	26	30	23	21	2	38	24	14	13	13	-	53
14,903	7,208	7,695	2,371	1,134	1,237	29	11	18	8	7	1	10	9	1	3	2	1	54
1,431	832	599	551	300	251	35	21	14	4	3	1	1	1	-	3	2	1	55
1,387	618	769	78	31	47	-	-	-	1	1	-	1	-	1	-	-	-	56
2,530	1,378	1,152	58	38	20	3	2	1	1	1	-	-	-	-	-	-	-	57
557	309	248	85	47	38	1	1	-	-	-	-	-	-	-	-	-	-	58
1,661	980	681	493	329	164	11	6	5	-	-	-	-	-	-	1	1	-	59
8	8	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	60
37	15	22	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	61
11	3	8	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	62
314	183	131	74	42	32	8	2	6	1	-	1	-	-	-	1	1	-	63
3,998	2,244	1,754	612	327	285	14	9	5	2	2	-	5	5	-	1	1	-	64
625,818	366,075	259,743	61,489	32,584	28,905	780	464	316	469	413	56	321	244	77	207	178	29	65
689	371	318	204	99	105	7	3	4	-	-	-	-	-	-	-	-	-	66
571,917	337,908	234,009	54,973	29,222	25,751	695	423	272	424	373	51	301	230	71	194	166	28	67
17,667	8,564	9,103	1,532	731	801	44	22	22	15	11	4	6	3	3	10	8	2	68
6,407	2,895	3,512	522	251	271	20	13	7	4	4	-	2	-	2	3	2	1	69
1,624	1,201	423	74	56	18	3	3	-	2	1	1	1	1	-	-	-	-	70
20	6	14	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	71
1,015	461	554	71	36	35	3	1	2	-	-	-	-	-	-	1	1	-	72
8,601	4,001	4,600	860	386	474	18	5	13	9	6	3	3	2	1	6	5	1	73
423,622	265,752	157,870	27,805	15,910	11,895	421	279	142	294	268	26	222	177	45	143	128	15	74
176,681	96,521	80,160	11,695	6,339	5,356	169	108	61	136	125	11	99	80	19	57	50	7	75
246,325	168,824	77,501	16,011	9,518	6,493	252	171	81	158	143	15	123	97	26	86	78	8	76
616	407	209	99	53	46	-	-	-	-	-	-	-	-	-	-	-	-	77

Table 63. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		VII. Diseases of the circulatory system—Continued			
		Diseases of heart—Continued			
1	A 81 pt.	Chronic endocarditis not specified as rheumatic----421	6,199	3,456	2,743
2		Of mitral valve, specified as nonrheumatic----421.0	486	229	259
3		Of aortic valve, not specified as rheumatic----421.1	2,133	1,428	705
4		Of other valves, not specified as rheumatic----421.2-421.4	3,578	1,799	1,779
5	A 81 pt.	Other myocardial degeneration----422	56,419	27,931	28,488
6		With arteriosclerosis----422.1	36,282	17,621	18,661
7		Without mention of arteriosclerosis----422.0,422.2	20,137	10,310	9,827
8	A 82	Other diseases of heart----430-434	21,733	12,942	8,791
9		Acute and subacute endocarditis----430	811	485	326
10		Acute myocarditis not specified as rheumatic----431	1,253	678	575
11		Acute pericarditis specified as nonrheumatic----432	51	31	20
12		Functional disease of heart----433	2,561	1,344	1,217
13		Other and unspecified diseases of heart----434	17,057	10,404	6,653
14	A 83	Hypertension with heart disease----440-443	72,372	32,140	40,232
15		Hypertensive heart disease with arteriolar nephrosclerosis----442	19,028	9,446	9,582
16		Essential hypertension with heart disease, other and unspecified hypertensive heart disease----440,441,443	53,344	22,694	30,650
17	A 84	Hypertension without mention of heart----444-447	11,128	5,568	5,560
18		Hypertension with arteriolar nephrosclerosis without mention of heart----446	6,849	3,706	3,143
19		Essential hypertension and other hypertensive disease without mention of heart----444,445,447	4,279	1,862	2,417
20	A 85	Diseases of arteries----450-456	42,787	22,507	20,280
21		General arteriosclerosis----450	33,272	16,044	17,228
22		Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm----451	7,074	5,153	1,921
23		Gangrene of unspecified cause----455	239	138	101
24		Other arterial diseases----452-454,456	2,202	1,172	1,030
25	A 86	Diseases of veins and other diseases of circulatory system----460-468	5,765	3,088	2,677
26		VIII. Diseases of the respiratory system----	84,086	51,609	32,477
27	A 87	Acute upper respiratory infections----470-475	1,045	586	459
28	A 88	Influenza----480-483	7,463	3,938	3,525
29		Pneumonia, except pneumonia of newborn----490-493	53,538	30,902	22,636
30	A 89	Lobar pneumonia----490	13,137	8,152	4,985
31	A 90	Bronchopneumonia----491	28,777	16,239	12,538
32	A 91 pt.	Primary atypical pneumonia----492	4,630	2,581	2,049
33	A 91 pt.	Pneumonia, other and unspecified----493	6,994	3,930	3,064
34	A 92	Acute bronchitis----500	1,202	681	521
35	A 93	Bronchitis, chronic and unqualified----501,502	2,379	1,667	712
36	A 94	Hypertrophy of tonsils and adenoids----510	171	79	92
37	A 95	Empyema and abscess of lung----518,521	862	622	240
38	A 96	Pleurisy----519	189	116	73
39	A 97	All other respiratory diseases----511-517,520,522-527	17,237	13,018	4,219
40		IX. Diseases of the digestive system----	63,165	38,035	25,130
41	A 98	Diseases of teeth and supporting structures----530-535	116	63	53
42	A 99	Ulcer of stomach----540	5,104	3,725	1,379
43	A 100	Ulcer of duodenum----541	5,261	4,141	1,120
44	A 101	Gastritis and duodenitis----543	333	203	130
45	A 102	Appendicitis----550-553	1,982	1,267	715
46	A 103	Hernia and intestinal obstruction----560,561,570	8,571	4,380	4,191
47	A 104	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	7,638	3,886	3,752
48	A 105	Cirrhosis of liver----581	19,317	12,853	6,464
49		Without mention of alcoholism----581.0	13,524	8,730	4,794
50		With alcoholism----581.1	5,793	4,123	1,670
51	A 106	Cholelithiasis and cholecystitis----584,585	4,944	1,998	2,946
52	A 107	Other diseases of digestive system----536-539,542,544,545,573-580,582,583,586,587	9,899	5,519	4,380
53		X. Diseases of the genito-urinary system----	33,340	20,218	13,122
54		Nephritis and nephrosis----590-594	17,307	9,289	8,018
55	A 108	Acute nephritis----590	1,157	640	517
56	A 109 pt.	Nephritis with edema, including nephrosis----591	1,118	635	483
57	A 109 pt.	Chronic and unspecified nephritis and other renal sclerosis----592-594	15,032	8,014	7,018
58	A 110	Infections of kidney----600	6,346	3,229	3,117
59	A 111	Calculi of urinary system----602,604	1,349	759	590
60	A 114 pt.	Other diseases of urinary system----601,603,605-609	2,028	1,337	691
61	A 112	Hyperplasia of prostate----610	5,097	5,097	...
62	A 114 pt.	Other diseases of male genital organs----611-617	505	505	...
63	A 113	Diseases of breast----620,621	12	2	10
64	A 114 pt.	Diseases of female genital organs----622-637	696	...	696
65		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	1,746	...	1,746
66	A 115	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	162	...	162
67	A 116 pt.	Toxemias of pregnancy and puerperium, except abortion with toxemia----642,685,686	472	...	472
68	A 117	Hemorrhage of pregnancy and childbirth----643,644,670-672	347	...	347
69	A 120 pt.	Ectopic pregnancy----645	126	...	126
70	A 118	Abortion without mention of sepsis or toxemia----650	77	...	77
71	A 119	Abortion with sepsis----651	169	...	169
72	A 116 pt.	Abortion with toxemia, without mention of sepsis----652	14	...	14
73	A 120 pt.	Other complications of pregnancy, childbirth, and puerperium----646-649,660,673-680,683,687-689	379	...	379
74		XII. Diseases of the skin and cellular tissue----	1,666	706	960
75	A 121	Infections of skin and subcutaneous tissue----690-698	483	268	215
76	A 126 pt.	Other diseases of skin and subcutaneous tissue----700-716	1,183	438	745
77		XIII. Diseases of the bones and organs of movement----	2,999	1,397	1,602
78	A 122	Arthritis and spondylitis----720-725	1,479	538	941
79	A 123	Muscular rheumatism and rheumatism, unspecified----726,727	31	12	19
80	A 124	Osteomyelitis and periostitis----730	159	105	54
81	A 125	Ankylosis and acquired musculoskeletal deformities----737,745-749	136	68	68
82	A 126 pt.	All other diseases of musculoskeletal system----731-736,738-744	1,194	674	520

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1957—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
5,276	2,943	2,333	906	500	406	7	4	3	4	4	-	5	4	1	1	1	-	1
417	198	219	71	31	40	-	-	-	-	-	-	-	-	-	-	-	-	2
1,848	1,233	615	279	189	90	2	2	-	2	2	-	2	2	-	-	-	-	3
3,011	1,512	1,499	556	280	276	5	2	3	2	2	-	3	2	1	1	1	-	4
50,385	24,807	25,578	5,917	3,047	2,870	57	36	21	32	27	5	20	12	8	8	2	6	5
32,752	15,787	16,965	3,462	1,788	1,674	30	22	8	19	15	4	12	7	5	7	2	5	6
17,633	9,020	8,613	2,455	1,259	1,196	27	14	13	13	12	1	8	5	3	1	-	1	7
17,895	10,756	7,139	3,729	2,115	1,614	74	41	33	17	15	2	9	7	2	9	8	1	8
668	413	255	139	70	69	2	-	2	-	-	-	-	-	-	2	2	-	9
996	547	449	254	129	125	1	-	1	2	2	-	-	-	-	-	-	-	10
43	28	15	8	3	5	-	-	-	-	-	-	-	-	-	-	-	-	11
2,389	1,258	1,131	162	79	83	7	4	3	2	2	-	1	1	-	-	-	-	12
13,799	8,510	5,289	3,166	1,834	1,332	64	37	27	13	11	2	8	6	2	7	6	1	13
57,072	25,086	31,986	15,084	6,919	8,165	92	41	51	62	48	14	39	27	12	23	19	4	14
15,655	7,741	7,914	3,338	1,688	1,650	22	7	15	6	5	1	5	4	1	2	1	1	15
41,417	17,345	24,072	11,746	5,231	6,515	70	34	36	56	43	13	34	23	11	21	18	3	16
8,764	4,372	4,392	2,334	1,176	1,158	17	8	9	9	9	-	2	1	1	2	2	-	17
5,619	3,023	2,596	1,209	667	542	10	6	4	8	8	-	2	1	1	1	1	-	18
3,145	1,349	1,796	1,125	509	616	7	2	5	1	1	-	-	-	-	1	1	-	19
39,448	20,759	18,689	3,230	1,677	1,553	52	24	28	32	27	5	17	12	5	8	8	-	20
30,845	14,822	16,023	2,358	1,182	1,176	42	17	25	19	17	2	7	5	2	1	1	-	21
6,502	4,795	1,707	541	329	212	6	5	1	11	10	1	7	7	-	7	7	-	22
193	113	80	46	25	21	-	-	-	-	-	-	-	-	-	-	-	-	23
1,908	1,029	879	285	141	144	4	2	2	2	-	2	3	-	3	-	-	-	24
5,000	2,665	2,335	748	410	338	9	6	3	4	4	-	1	1	-	3	2	1	25
69,850	43,448	26,402	13,446	7,679	5,767	588	317	271	95	81	14	62	49	13	45	35	10	26
795	439	356	235	135	100	10	7	3	1	1	-	1	1	-	3	3	-	27
5,884	3,146	2,738	1,495	745	750	75	42	33	2	1	1	3	3	-	4	1	3	28
43,414	25,167	18,247	9,561	5,390	4,171	426	232	194	74	63	11	35	27	8	28	23	5	29
10,529	6,553	3,976	2,481	1,507	974	84	51	33	24	23	1	11	10	1	8	8	-	30
23,804	13,471	10,333	4,693	2,602	2,091	207	107	100	42	34	8	16	13	3	15	12	3	31
3,834	2,156	1,678	764	408	356	23	10	13	3	3	-	3	2	1	3	2	1	32
5,247	2,987	2,260	1,623	873	750	112	64	48	5	3	2	5	2	3	2	1	1	33
989	580	409	200	94	106	10	4	6	-	-	-	2	2	-	1	1	-	34
2,132	1,509	623	232	149	83	11	5	6	2	2	-	1	1	-	1	1	-	35
145	74	71	26	5	21	-	-	-	-	-	-	-	-	-	-	-	-	36
690	492	198	163	124	39	3	3	-	1	1	-	5	2	3	-	-	-	37
160	96	64	28	19	9	1	1	-	-	-	-	-	-	-	-	-	-	38
15,641	11,945	3,696	1,506	1,018	488	52	23	29	15	13	2	15	13	2	8	6	2	39
55,723	33,777	21,946	6,892	3,939	2,953	389	174	215	89	86	3	38	30	8	34	29	5	40
93	52	41	22	10	12	1	1	-	-	-	-	-	-	-	-	-	-	41
4,632	3,373	1,259	447	330	117	10	8	2	8	8	-	5	4	1	2	2	-	42
4,945	3,896	1,049	294	224	70	1	1	-	13	12	1	3	3	-	5	5	-	43
285	172	113	44	28	16	2	1	1	-	-	-	1	1	-	1	1	-	44
1,664	1,089	575	308	171	137	7	4	3	2	2	-	-	-	-	1	1	-	45
7,525	3,801	3,724	1,009	557	452	22	10	12	4	4	-	5	3	2	6	5	1	46
5,708	2,850	2,858	1,733	930	803	183	96	87	4	4	-	7	5	2	3	1	2	47
17,557	11,802	5,755	1,623	965	658	82	34	48	40	38	2	7	6	1	8	8	-	48
12,362	8,042	4,320	1,087	640	447	36	11	25	29	27	2	3	3	-	7	7	-	49
5,195	3,760	1,435	536	325	211	46	23	23	11	11	-	4	3	1	1	1	-	50
4,704	1,919	2,785	193	59	134	37	12	25	2	2	-	4	3	1	4	3	1	51
8,610	4,823	3,787	1,219	665	554	44	7	37	16	16	-	6	5	1	4	3	1	52
26,960	16,632	10,328	6,201	3,469	2,732	95	56	39	34	29	5	31	17	14	19	15	4	53
13,626	7,442	6,184	3,579	1,791	1,788	56	26	30	17	15	2	18	7	11	11	8	3	54
849	478	371	299	158	141	6	2	4	2	2	-	-	-	-	1	-	1	55
898	529	369	212	102	110	6	3	3	-	-	-	1	-	1	1	1	-	56
11,879	6,435	5,444	3,068	1,531	1,537	44	21	23	15	13	2	17	7	10	9	7	2	57
5,145	2,623	2,522	1,166	582	584	17	11	6	9	7	2	4	2	2	5	4	1	58
1,231	697	534	112	58	54	2	1	1	2	1	1	2	2	-	-	-	-	59
1,637	1,045	592	382	284	98	3	3	-	2	2	-	3	2	1	1	1	-	60
4,419	4,419	...	657	657	...	11	11	...	4	4	...	4	4	...	2	2	...	61
404	404	...	97	97	...	4	4	...	-	-	...	-	-	...	-	-	...	62
10	2	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	63
488	...	488	206	...	206	2	...	2	-	...	-	-	...	-	-	...	-	64
997	...	997	725	...	725	17	...	17	2	...	2	3	...	3	2	...	2	65
101	...	101	60	...	60	1	...	1	-	...	-	-	...	-	-	...	-	66
256	...	256	209	...	209	5	...	5	1	...	1	-	...	-	1	...	1	67
204	...	204	137	...	137	4	...	4	-	...	-	2	...	2	-	...	-	68
60	...	60	65	...	65	1	...	1	-	...	-	-	...	-	-	...	-	69
41	...	41	35	...	35	1	...	1	-	...	-	-	...	-	-	...	-	70
77	...	77	91	...	91	1	...	1	-	...	-	-	...	-	-	...	-	71
8	...	8	6	...	6	-	...	-	-	...	-	-	...	-	-	...	-	72
250	...	250	122	...	122	4	...	4	1	...	1	1	...	1	1	...	1	73
1,345	577	768	314	127	187	5	1	4	1	1	-	1	-	1	-	-	-	74
391	218	173	88	49	39	4	1	3	-	-	-	-	-	-	-	-	-	75
954	359	595	226	78	148	1	-	1	1	1	-	1	-	1	-	-	-	76
2,736	1,259	1,477	253	133	120	7	3	4	1	-	1	2	2	-	-	-	-	77
1,367	487	880	105	48	57	4	1	3	1	-	1	2	2	-	-	-	-	78
21	9	12	10	3	7	-	-	-	-	-	-	-	-	-	-	-	-	79
133	86	47	25	18	7	1	1	-	-	-	-	-	-	-	-	-	-	80
125	61	64	11	7	4	-	-	-	-	-	-	-	-	-	-	-	-	81
1,090	616	474	102	57	45	2	1	1	-	-	-	-	-	-	-	-	-	82

Table 63. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		XIV. Congenital malformations	21,818	11,811	10,007
2	A 127	Spina bifida and meningocele—751	1,333	569	764
3	A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	2,587	1,319	1,268
4	A 128	Congenital malformations of circulatory system—754	10,485	5,748	4,737
5	A 129 pt.	Other congenital malformations—750,755-759	7,413	4,175	3,238
6		XV. Certain diseases of early infancy	66,569	38,777	27,792
7	A 130	Birth injuries—760,761	11,397	6,934	4,463
8	A 131	Postnatal asphyxia and atelectasis—762	18,876	11,203	7,673
9	A 132	Infections of newborn—763-766	5,087	2,979	2,108
10	A 133	Hemolytic disease of newborn (erythroblastosis)—770	2,538	1,379	1,159
11	A 134	All other defined diseases of early infancy—769,771,772	1,881	1,126	755
12	A 135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified—773-776	26,790	15,156	11,634
13		XVI. Symptoms, senility, and ill-defined conditions	19,164	11,211	7,953
14	A 136	Senility without mention of psychosis—794	3,243	1,392	1,851
15	A 137	Symptoms, ill-defined and unknown causes—780-793,795	15,921	9,819	6,102
16		XVII. Accidents, poisonings, and violence	119,614	84,371	35,243
17		Accidents—E800-E962	95,307	65,647	29,660
18	AE 139 pt.	Railway accidents—E800-E802	1,238	1,109	129
19	AE 138	Motor-vehicle accidents—E810-E835	38,702	28,900	9,802
20		Motor-vehicle traffic accidents—E810-E825	37,686	28,138	9,548
21		Motor-vehicle traffic accident involving collision with railway train—E810	1,376	1,005	371
22		Motor-vehicle traffic accident to pedestrian—E812	7,291	5,377	1,914
23		Other motor-vehicle traffic accidents involving collision—E811,E813-E819	14,740	10,410	4,330
24		Motor-vehicle noncollision traffic accidents—E820-E824	9,827	7,971	1,856
25		Motor-vehicle traffic accident of unspecified nature—E825	4,452	3,375	1,077
26		Motor-vehicle nontraffic accidents—E830-E835	1,016	762	254
27	AE 139 pt.	Other road-vehicle accidents—E840-E845	296	221	75
28	AE 139 pt.	Water-transport accidents—E850-E858	1,574	1,473	101
29	AE 139 pt.	Aircraft accidents—E860-E866	1,411	1,300	111
30	AE 140 pt.	Accidental poisoning by solid and liquid substances—E870-E888	1,390	803	587
31	AE 140 pt.	Accidental poisoning by gases and vapors—E890-E895	1,143	823	320
32	AE 141	Accidental falls—E900-E904	20,545	9,926	10,619
33		Fall from one level to another—E900-E902	6,633	4,291	2,342
34		Fall on same level—E903	3,851	1,555	2,296
35		Unspecified falls—E904	10,061	4,080	5,981
36	AE 147 pt.	Blow from falling object—E910	1,201	1,143	58
37	AE 142	Accident caused by machinery—E912	2,072	1,994	78
38	AE 147 pt.	Accident caused by electric current—E914	1,030	964	66
39	AE 143	Accident caused by fire and explosion of combustible material—E916	6,269	3,525	2,744
40	AE 144	Accident caused by hot substance, corrosive liquid, steam, and radiation—E917,E918	777	428	349
41	AE 145	Accident caused by firearm—E919	2,369	2,095	274
42	AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	2,043	1,196	847
43	AE 146	Accidental drowning and submersion—E929	5,209	4,401	808
44	AE 147 pt.	Excessive heat and insolation—E931	280	203	77
45	AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures—E940-E959	1,028	482	546
46	AE 147 pt.	All other accidents—E911,E913,E915,E920,E923-E928,E930,E932-E936,E960-E962	6,730	4,661	2,069
47	AE 148	Suicide—E963,E970-E979	16,632	12,951	3,681
48		Suicide by poisoning—E970-E973	3,347	2,114	1,233
49		Suicide by hanging and strangulation—E974	3,559	2,683	876
50		Suicide by firearms and explosives—E976	7,841	6,911	930
51		Suicide by all other means—E963,E975,E977-E979	1,885	1,243	642
52	AE 149	Homicide—E964,E980-E985	7,641	5,739	1,902
53		Assault by firearms and explosives—E981	4,010	3,043	967
54		Assault by cutting and piercing instruments—E982	1,867	1,468	399
55		Assault by other means—E964,E980,E983	1,472	937	535
56		Injury by intervention of police—E984	228	228	-
57		Execution—E985	64	63	1
58	AE 150	Injury resulting from operations of war—E965,E990-E999	34	34	-

[1]See Intermediate List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

Specified Race and Sex: United States, 1957—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
19,141	10,347	8,794	2,558	1,399	1,159	70	39	31	15	11	4	19	9	10	15	6	9	1
1,252	528	724	76	38	38	5	3	2	-	-	-	-	-	-	-	-	-	2
2,255	1,137	1,118	321	175	146	4	2	2	1	1	-	5	3	2	1	1	-	3
9,137	5,032	4,105	1,286	680	606	35	21	14	11	8	3	8	4	4	8	3	5	4
6,497	3,650	2,847	875	506	369	26	13	13	3	2	1	6	2	4	6	2	4	5
51,140	30,145	20,995	14,900	8,355	6,545	336	177	159	45	23	22	73	34	39	75	43	32	6
9,441	5,740	3,701	1,879	1,150	729	40	21	19	11	5	6	14	7	7	12	11	1	7
14,778	8,894	5,884	3,943	2,224	1,719	96	53	43	15	8	7	18	10	8	26	14	12	8
3,307	1,997	1,310	1,713	952	761	56	27	29	5	2	3	3	-	3	3	1	2	9
2,330	1,267	1,063	202	109	93	5	3	2	-	-	-	-	-	-	1	-	1	10
1,286	770	516	577	347	230	13	7	6	-	-	-	1	-	1	4	2	2	11
19,998	11,477	8,521	6,586	3,573	3,013	126	66	60	14	8	6	37	17	20	29	15	14	12
12,552	7,549	5,003	6,330	3,511	2,819	258	133	125	7	5	2	13	11	2	4	2	2	13
2,650	1,108	1,542	539	255	284	50	25	25	2	2	-	2	2	-	-	-	-	14
9,902	6,441	3,461	5,791	3,256	2,535	208	108	100	5	3	2	11	9	2	4	2	2	15
101,519	71,265	30,254	16,971	12,261	4,710	836	612	224	106	88	18	89	65	24	93	80	13	16
82,165	56,476	25,689	12,245	8,510	3,735	705	506	199	64	53	11	59	42	17	69	60	9	17
964	867	97	238	210	28	32	28	4	4	4	-	-	-	-	-	-	-	18
34,084	25,416	8,668	4,195	3,172	1,023	346	251	95	24	21	3	24	17	7	29	23	6	19
33,192	24,746	8,446	4,086	3,090	996	333	242	91	23	20	3	24	17	7	28	23	5	20
1,278	930	348	83	65	18	12	7	5	-	-	-	-	-	-	3	3	-	21
6,058	4,490	1,568	1,140	815	325	71	54	17	11	10	1	9	6	3	2	2	-	22
13,352	9,387	3,965	1,283	951	332	79	55	24	5	3	2	9	5	4	12	9	3	23
8,590	6,988	1,602	1,088	867	221	129	97	32	6	6	-	5	5	-	9	8	1	24
3,914	2,951	963	492	392	100	42	29	13	1	1	-	1	1	-	2	1	1	25
892	670	222	109	82	27	13	9	4	1	1	-	-	-	-	1	-	1	26
263	193	70	31	27	4	1	1	-	1	-	1	-	-	-	-	-	-	27
1,407	1,317	90	158	147	11	6	6	-	2	2	-	1	1	-	-	-	-	28
1,379	1,273	106	21	18	3	-	-	-	-	-	-	4	3	1	7	6	1	29
1,070	620	450	302	170	132	13	10	3	1	1	-	2	-	2	2	2	-	30
973	706	267	160	110	50	7	5	2	1	1	-	1	-	1	1	1	-	31
19,227	9,111	10,116	1,230	750	480	56	36	20	9	6	3	14	14	-	9	9	-	32
6,005	3,855	2,150	592	408	184	24	18	6	3	1	2	6	6	-	3	3	-	33
3,670	1,452	2,218	162	90	72	10	4	6	1	1	-	5	5	-	3	3	-	34
9,552	3,804	5,748	476	252	224	22	14	8	5	4	1	3	3	-	3	3	-	35
1,025	977	48	167	158	9	8	7	1	-	-	-	1	1	-	-	-	-	36
1,884	1,814	70	178	172	6	8	6	2	1	1	-	-	-	-	1	1	-	37
961	902	59	68	61	7	-	-	-	-	-	-	-	-	-	1	1	-	38
4,381	2,583	1,798	1,823	904	919	56	33	23	4	2	2	3	1	2	2	2	-	39
581	320	261	192	106	86	4	2	2	-	-	-	-	-	-	-	-	-	40
1,978	1,772	206	373	307	66	14	14	-	2	1	1	1	-	1	1	1	-	41
1,608	959	649	411	229	182	17	4	13	3	3	-	1	-	1	3	1	2	42
4,122	3,434	688	1,009	903	106	59	46	13	6	6	-	4	3	1	9	9	-	43
222	157	65	57	46	11	1	-	1	-	-	-	-	-	-	-	-	-	44
858	406	452	165	72	93	2	2	-	2	1	1	-	-	-	1	1	-	45
5,178	3,649	1,529	1,467	948	519	75	55	20	4	4	-	3	2	1	3	3	-	46
15,878	12,331	3,547	619	506	113	58	52	6	37	32	5	26	20	6	14	10	4	47
3,274	2,064	1,210	60	38	22	3	2	1	6	6	-	3	3	-	1	1	-	48
3,412	2,563	849	95	80	15	10	10	-	21	16	5	19	13	6	2	1	1	49
7,433	6,546	887	356	315	41	40	39	1	6	6	-	2	2	-	4	3	1	50
1,759	1,158	601	108	73	35	5	1	4	4	4	-	2	2	-	7	5	2	51
3,444	2,426	1,018	4,106	3,244	862	73	54	19	5	3	2	3	2	1	10	10	-	52
1,929	1,379	550	2,045	1,636	409	27	20	7	1	1	-	1	-	1	7	7	-	53
476	337	139	1,374	1,118	256	13	10	3	2	1	1	1	1	-	1	1	-	54
888	560	328	549	352	197	30	21	9	2	1	1	1	1	-	2	2	-	55
119	119	-	106	106	-	3	3	-	-	-	-	-	-	-	-	-	-	56
32	31	1	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	57
32	32	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	58

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		ALL CAUSES	1,633,128	112,094	7,396	4,198	3,105	2,489	129,282	8,785	7,097	11,608
2		Male	930,728	64,366	3,940	2,350	1,687	1,386	73,729	5,182	4,502	8,068
3		Female	702,400	47,728	3,456	1,848	1,418	1,103	55,553	3,603	2,595	3,540
4		White--Male	823,067	49,047	2,876	1,808	1,335	1,115	56,181	4,306	3,715	6,855
5		Female	614,585	35,385	2,514	1,399	1,125	841	41,244	2,872	2,159	2,805
6		Negro--Male	102,709	14,610	995	500	337	256	16,698	818	754	1,145
7		Female	85,203	11,750	876	425	276	245	13,572	695	406	687
8		Other--Male	4,952	709	69	42	15	15	850	58	33	68
9		Female	2,612	613	66	24	17	17	737	36	30	48
10		I. Infective and parasitic diseases	24,256	1,624	560	319	193	154	2,850	478	255	264
11		White--Male	12,374	610	210	141	66	67	1,094	211	102	106
12		Female	5,774	503	183	95	79	47	907	171	109	73
13		Negro--Male	3,649	246	83	37	21	14	401	53	20	42
14		Female	2,055	205	63	38	21	21	348	31	20	35
15		Other--Male	247	30	8	6	1	2	47	9	1	4
16		Female	157	30	13	2	5	3	53	3	3	4
17	001-019	Tuberculosis, all forms	13,324	77	80	34	14	16	221	36	26	72
18		White--Male	7,465	17	23	16	7	3	66	10	10	18
19		Female	2,565	17	22	7	-	6	52	12	5	13
20		Negro--Male	2,022	18	18	4	3	1	44	7	5	14
21		Female	1,020	20	12	6	3	3	44	4	5	19
22		Other--Male	162	2	2	1	-	1	6	2	1	4
23		Female	90	3	3	-	1	2	9	1	-	4
24	001-008	Tuberculosis of respiratory system	12,384	36	27	13	3	4	83	7	16	59
25		White--Male	7,112	10	7	7	-	1	25	2	7	13
26		Female	2,354	7	7	3	-	1	18	3	4	10
27		Negro--Male	1,814	6	6	-	1	1	14	1	2	12
28		Female	894	12	5	2	1	1	21	-	3	19
29		Other--Male	142	-	1	1	-	-	2	1	-	3
30		Female	68	1	1	-	1	-	3	-	-	2
31	010	Tuberculosis of meninges and central nervous system	249	23	39	15	10	10	97	19	5	4
32		White--Male	73	2	13	7	7	1	30	7	2	1
33		Female	59	7	9	3	-	5	24	5	1	1
34		Negro--Male	62	7	8	3	1	-	19	4	1	-
35		Female	37	5	6	2	2	2	17	2	1	-
36		Other--Male	10	1	1	-	-	1	3	1	-	1
37		Female	8	1	2	-	-	1	4	-	-	1
38	011	Tuberculosis of intestines, peritoneum, and mesenteric glands	47	-	-	-	-	-	-	-	-	-
39		White--Male	18	-	-	-	-	-	-	-	-	-
40		Female	9	-	-	-	-	-	-	-	-	-
41		Negro--Male	9	-	-	-	-	-	-	-	-	-
42		Female	8	-	-	-	-	-	-	-	-	-
43		Other--Male	2	-	-	-	-	-	-	-	-	-
44		Female	1	-	-	-	-	-	-	-	-	-
45	012.0,013.0	Tuberculosis of vertebral column	106	-	-	-	-	-	-	-	3	2
46		White--Male	42	-	-	-	-	-	-	-	-	1
47		Female	40	-	-	-	-	-	-	-	-	-
48		Negro--Male	11	-	-	-	-	-	-	-	1	1
49		Female	11	-	-	-	-	-	-	-	1	-
50		Other--Male	1	-	-	-	-	-	-	-	1	-
51		Female	1	-	-	-	-	-	-	-	-	-
52	012.1-	Tuberculosis of other bones and joints	14	-	-	-	-	-	-	-	-	-
53	012.3,	White--Male	7	-	-	-	-	-	-	-	-	-
54	013.1-	Female	-	-	-	-	-	-	-	-	-	-
55	013.3	Negro--Male	4	-	-	-	-	-	-	-	-	-
56		Female	3	-	-	-	-	-	-	-	-	-
57		Other--Male	-	-	-	-	-	-	-	-	-	-
58		Female	-	-	-	-	-	-	-	-	-	-
59	016	Tuberculosis of genito-urinary system	129	1	-	-	-	-	1	-	-	2
60		White--Male	72	-	-	-	-	-	-	-	-	1
61		Female	30	-	-	-	-	-	-	-	-	-
62		Negro--Male	18	-	-	-	-	-	-	-	-	-
63		Female	3	-	-	-	-	-	-	-	-	-
64		Other--Male	1	-	-	-	-	-	-	-	-	-
65		Female	5	1	-	-	-	-	1	-	-	1
66	014,015,	Tuberculosis of lymphatic system and other organs	81	2	1	1	-	-	4	1	1	-
67	017,018	White--Male	26	-	-	-	-	-	-	-	1	-
68		Female	24	-	1	1	-	-	2	1	-	-
69		Negro--Male	19	1	-	-	-	-	1	-	-	-
70		Female	8	-	-	-	-	-	-	-	-	-
71		Other--Male	3	1	-	-	-	-	1	-	-	-
72		Female	1	-	-	-	-	-	-	-	-	-
73	019	Disseminated tuberculosis	314	15	13	5	1	2	36	9	1	5
74		White--Male	115	5	3	2	-	1	11	1	-	2
75		Female	49	3	5	-	-	-	8	3	-	2
76		Negro--Male	85	4	4	1	1	-	10	2	1	1
77		Female	56	3	1	2	-	-	6	2	-	-
78		Other--Male	3	-	-	-	-	-	-	-	-	-
79		Female	6	-	-	-	-	1	1	1	-	-
80	020-029	Syphilis and its sequelae	3,825	27	-	-	-	-	27	-	1	4
81		White--Male	1,868	8	-	-	-	-	8	-	1	-
82		Female	672	9	-	-	-	-	9	-	-	1
83		Negro--Male	873	6	-	-	-	-	6	-	-	3
84		Female	384	3	-	-	-	-	3	-	-	-
85		Other--Male	18	-	-	-	-	-	-	-	-	-
86		Female	10	1	-	-	-	-	1	-	-	-

Age, Race, and Sex: United States, 1957

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13,529	15,259	20,670	29,094	42,747	62,432	86,701	114,172	152,422	192,720	209,181	200,768	171,172	109,081	42,689	10,897	1,786	1,036	1
9,524	9,836	12,430	17,339	26,306	39,188	55,905	73,773	97,347	117,870	120,404	106,173	82,667	48,322	17,031	3,872	622	638	2
4,005	5,423	8,240	11,755	16,441	23,244	30,796	40,399	55,075	74,850	88,777	94,595	88,505	60,759	25,658	7,025	1,164	398	3
7,767	7,585	9,527	13,718	21,483	32,766	47,757	63,837	86,448	106,306	110,908	99,361	78,334	45,785	16,058	3,535	438	397	4
2,929	3,866	5,870	8,529	12,311	17,846	24,024	32,350	46,973	65,763	81,123	88,994	84,546	58,345	24,436	6,529	845	226	5
1,637	2,115	2,778	3,498	4,676	6,214	7,845	9,556	10,486	11,049	9,018	6,373	4,040	2,368	920	316	172	233	6
1,016	1,487	2,279	3,138	4,028	5,281	6,637	7,884	7,945	8,907	7,498	5,450	3,830	2,340	1,182	472	305	164	7
120	136	125	123	147	208	303	380	413	515	478	439	293	169	53	21	12	8	8
60	70	91	88	102	117	135	165	157	180	156	151	129	74	40	24	14	8	9
351	542	812	1,002	1,295	1,715	2,058	2,252	2,466	2,608	2,207	1,569	944	432	112	24	3	17	10
115	128	224	365	543	798	1,074	1,303	1,514	1,643	1,399	938	540	213	47	10	2	5	11
93	162	262	281	307	382	360	346	414	499	456	424	298	168	49	11	-	2	12
55	117	146	194	269	359	421	399	391	323	234	111	68	26	10	2	1	7	13
78	122	166	148	164	156	179	173	125	103	92	68	21	17	5	1	-	3	14
4	8	3	5	6	12	14	23	20	29	24	22	10	5	1	-	-	-	15
6	5	11	9	6	8	10	8	2	11	2	6	7	3	-	-	-	-	16
180	349	563	717	946	1,165	1,303	1,408	1,485	1,606	1,367	961	584	250	64	10	1	10	17
38	76	135	263	411	605	750	885	1,015	1,089	929	627	357	136	33	7	1	4	18
39	81	170	188	219	217	206	179	189	256	248	222	157	88	20	3	-	1	19
38	89	124	141	194	238	242	248	209	184	127	53	39	14	8	-	-	4	20
55	92	122	115	112	87	90	76	54	46	43	34	15	4	2	-	-	1	21
4	6	2	3	6	11	9	16	16	23	19	19	9	5	1	-	-	-	22
6	5	10	7	4	7	6	4	2	8	1	6	7	3	-	-	-	-	23
150	313	515	658	898	1,096	1,233	1,342	1,399	1,520	1,302	919	549	241	63	10	1	10	24
30	68	127	248	395	573	725	861	977	1,044	896	604	339	133	33	7	1	4	25
28	78	161	176	207	201	189	169	172	234	235	214	148	84	19	3	-	1	26
35	76	107	128	182	227	225	229	186	171	114	47	34	12	8	-	-	4	27
50	82	112	97	105	80	81	64	47	41	40	31	14	4	2	-	-	1	28
3	5	1	3	6	10	8	15	15	22	16	17	9	5	1	-	-	-	29
4	4	7	6	3	5	5	4	2	8	1	6	5	3	-	-	-	-	30
10	15	13	7	8	13	12	7	13	9	7	6	4	-	-	-	-	-	31
2	1	-	1	2	5	4	3	5	6	1	2	1	-	-	-	-	-	32
4	3	4	1	2	2	2	1	3	1	2	3	-	-	-	-	-	-	33
1	6	4	4	3	4	5	1	4	2	2	-	2	-	-	-	-	-	34
1	5	4	1	1	1	-	1	1	-	1	1	-	-	-	-	-	-	35
-	-	1	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	36
2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	37
1	2	1	5	6	4	3	3	3	6	4	6	2	1	-	-	-	-	38
-	2	-	-	3	2	-	1	2	3	2	3	-	-	-	-	-	-	39
1	-	-	-	-	2	-	1	-	-	1	1	2	1	-	-	-	-	40
-	-	1	1	3	-	2	-	-	-	-	2	-	-	-	-	-	-	41
-	-	-	3	-	-	1	1	1	2	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	43
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
2	5	4	9	4	11	8	6	17	12	9	6	7	-	1	-	-	-	45
2	1	1	3	1	3	2	2	9	4	5	5	3	-	-	-	-	-	46
-	-	2	5	2	6	4	1	5	7	3	1	3	-	1	-	-	-	47
-	3	1	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	48
-	-	-	1	1	2	1	3	-	1	-	-	1	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	1	1	2	2	3	1	1	1	2	-	-	-	-	-	52
-	-	-	-	1	1	1	-	2	-	-	-	2	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	55
-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
2	3	7	10	10	12	12	9	21	17	8	6	7	2	-	-	-	-	59
1	1	3	5	3	8	7	6	14	8	6	5	2	2	-	-	-	-	60
1	-	1	3	4	3	2	2	5	5	-	1	3	-	-	-	-	-	61
-	1	2	1	2	-	2	1	2	3	2	-	2	-	-	-	-	-	62
-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	63
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	65
2	1	6	6	6	6	10	8	3	10	11	5	1	-	-	-	-	-	66
1	-	-	2	2	2	4	2	-	5	4	2	1	-	-	-	-	-	67
-	-	1	1	2	2	4	2	-	4	3	2	-	-	-	-	-	-	68
-	-	3	2	2	2	1	3	1	1	2	1	-	-	-	-	-	-	69
1	1	1	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	71
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
13	10	17	22	13	22	23	31	26	31	25	12	12	6	-	-	-	-	73
2	3	4	4	4	11	7	10	6	19	15	6	9	1	-	-	-	-	74
5	-	1	2	2	1	5	3	4	5	4	-	1	3	-	-	-	-	75
2	3	6	5	2	5	6	12	13	7	5	2	1	2	-	-	-	-	76
3	4	5	11	5	4	4	6	3	-	1	2	-	-	-	-	-	-	77
1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	78
-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	79
13	18	32	67	127	234	423	510	634	625	527	329	160	74	14	3	-	3	80
6	3	12	16	28	68	176	254	342	356	305	170	84	33	5	1	-	-	81
1	5	5	11	22	44	41	71	92	107	100	85	46	25	6	-	-	1	82
3	6	4	29	48	84	142	119	144	117	87	45	24	9	1	1	-	1	83
3	4	11	10	28	37	63	57	55	41	30	26	5	7	2	1	-	1	84
-	-	-	-	-	1	-	6	1	2	4	3	1	-	-	-	-	-	85
-	-	-	1	1	-	1	3	-	2	1	-	-	-	-	-	-	-	86

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
		Syphilis and its sequelae—Continued										
1	020	Congenital syphilis	47	26	-	-	-	-	26	-	1	3
2		White--Male	17	7	-	-	-	-	7	-	1	-
3		Female	17	9	-	-	-	-	9	-	-	1
4		Negro--Male	8	6	-	-	-	-	6	-	-	2
5		Female	4	3	-	-	-	-	3	-	-	-
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	1	1	-	-	-	-	1	-	-	-
8	021	Early syphilis	2	-	-	-	-	-	-	-	-	-
9		White--Male	1	-	-	-	-	-	-	-	-	-
10		Female	-	-	-	-	-	-	-	-	-	-
11		Negro--Male	1	-	-	-	-	-	-	-	-	-
12		Female	-	-	-	-	-	-	-	-	-	-
13		Other--Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	022	Aneurysm of aorta	1,466	-	-	-	-	-	-	-	-	-
16		White--Male	843	-	-	-	-	-	-	-	-	-
17		Female	299	-	-	-	-	-	-	-	-	-
18		Negro--Male	215	-	-	-	-	-	-	-	-	-
19		Female	106	-	-	-	-	-	-	-	-	-
20		Other--Male	2	-	-	-	-	-	-	-	-	-
21		Female	1	-	-	-	-	-	-	-	-	-
22	023	Other cardiovascular syphilis	1,377	-	-	-	-	-	-	-	-	-
23		White--Male	569	-	-	-	-	-	-	-	-	-
24		Female	181	-	-	-	-	-	-	-	-	-
25		Negro--Male	425	-	-	-	-	-	-	-	-	-
26		Female	186	-	-	-	-	-	-	-	-	-
27		Other--Male	11	-	-	-	-	-	-	-	-	-
28		Female	5	-	-	-	-	-	-	-	-	-
29	024	Tabes dorsalis	79	-	-	-	-	-	-	-	-	-
30		White--Male	53	-	-	-	-	-	-	-	-	-
31		Female	12	-	-	-	-	-	-	-	-	-
32		Negro--Male	12	-	-	-	-	-	-	-	-	-
33		Female	2	-	-	-	-	-	-	-	-	-
34		Other--Male	-	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	025	General paralysis of insane	420	-	-	-	-	-	-	-	-	-
37		White--Male	211	-	-	-	-	-	-	-	-	-
38		Female	83	-	-	-	-	-	-	-	-	-
39		Negro--Male	85	-	-	-	-	-	-	-	-	-
40		Female	38	-	-	-	-	-	-	-	-	-
41		Other--Male	2	-	-	-	-	-	-	-	-	-
42		Female	1	-	-	-	-	-	-	-	-	-
43	026	Other syphilis of central nervous system	358	1	-	-	-	-	1	-	-	1
44		White--Male	147	1	-	-	-	-	1	-	-	-
45		Female	63	-	-	-	-	-	-	-	-	-
46		Negro--Male	106	-	-	-	-	-	-	-	-	1
47		Female	38	-	-	-	-	-	-	-	-	-
48		Other--Male	3	-	-	-	-	-	-	-	-	-
49		Female	1	-	-	-	-	-	-	-	-	-
50	027-029	Other syphilis	76	-	-	-	-	-	-	-	-	-
51		White--Male	27	-	-	-	-	-	-	-	-	-
52		Female	17	-	-	-	-	-	-	-	-	-
53		Negro--Male	21	-	-	-	-	-	-	-	-	-
54		Female	10	-	-	-	-	-	-	-	-	-
55		Other--Male	-	-	-	-	-	-	-	-	-	-
56		Female	1	-	-	-	-	-	-	-	-	-
57	030-035	Gonococcal infection	21	-	-	-	-	-	-	-	-	-
58		White--Male	7	-	-	-	-	-	-	-	-	-
59		Female	-	-	-	-	-	-	-	-	-	-
60		Negro--Male	12	-	-	-	-	-	-	-	-	-
61		Female	2	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	040	Typhoid fever	34	1	1	1	1	-	4	2	-	2
65		White--Male	14	1	-	-	-	-	1	1	-	-
66		Female	8	-	1	1	-	-	2	-	-	-
67		Negro--Male	7	-	-	-	-	-	-	1	-	2
68		Female	4	-	-	-	-	-	-	-	-	-
69		Other--Male	1	-	-	-	1	-	1	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	041	Paratyphoid fever	3	2	-	-	-	-	2	1	-	-
72		White--Male	2	1	-	-	-	-	1	1	-	-
73		Female	1	1	-	-	-	-	1	-	-	-
74		Negro--Male	-	-	-	-	-	-	-	-	-	-
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	042	Other Salmonella infections	57	22	1	1	1	1	26	2	1	1
79		White--Male	25	6	1	1	1	-	9	-	1	1
80		Female	18	9	-	-	-	1	10	-	-	-
81		Negro--Male	7	3	-	-	-	-	3	1	-	-
82		Female	6	4	-	-	-	-	4	1	-	-
83		Other--Male	-	-	-	-	-	-	-	-	-	-
84		Female	1	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
4	4	2	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	1
3	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
1	2	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	8
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
5	5	12	25	47	68	127	199	233	242	225	139	86	41	10	2	-	-	15
3	1	6	11	15	25	72	111	149	152	148	80	46	19	4	1	-	-	16
-	1	2	5	11	6	15	27	33	54	49	41	31	19	5	-	-	-	17
1	1	-	6	13	28	32	39	35	23	18	11	7	1	-	-	-	-	18
1	2	4	2	8	9	8	22	16	13	10	6	1	2	1	1	-	-	19
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	20
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	2	7	20	41	94	177	184	240	239	185	122	38	22	2	1	-	3	22
-	-	1	3	5	23	53	81	112	117	90	51	24	8	1	-	-	-	23
-	1	1	1	4	15	13	22	29	29	31	27	4	3	-	-	-	1	24
-	-	3	14	18	35	71	54	70	71	47	24	9	7	-	1	-	1	25
-	1	2	2	13	21	40	23	28	18	13	18	1	4	1	-	-	1	26
-	-	-	-	-	-	-	3	1	2	3	2	-	-	-	-	-	-	27
-	-	-	-	1	-	-	1	-	2	1	-	-	-	-	-	-	-	28
-	1	-	1	1	3	7	6	11	19	13	11	4	2	-	-	-	-	29
-	-	-	-	1	1	3	6	8	15	8	7	3	1	-	-	-	-	30
-	-	-	-	-	-	2	-	-	3	3	3	1	-	-	-	-	-	31
-	1	-	1	-	1	2	-	3	1	2	1	-	-	-	-	-	-	32
-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	3	5	8	24	29	55	63	66	67	52	24	17	4	2	-	-	-	36
-	-	2	-	4	13	25	38	33	42	34	13	5	2	-	-	-	-	37
-	1	1	2	5	9	7	8	17	12	8	5	5	2	1	-	-	-	38
-	2	1	4	12	3	17	11	11	7	7	4	5	-	1	-	-	-	39
1	-	1	2	3	4	6	3	5	6	3	2	2	-	-	-	-	-	40
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	42
3	2	5	11	9	27	45	50	73	47	41	27	12	4	-	-	-	-	43
-	-	1	1	1	4	18	17	36	25	21	15	5	2	-	-	-	-	44
-	-	1	3	1	8	3	11	9	6	8	9	3	1	-	-	-	-	45
2	2	-	4	4	12	17	13	23	12	9	3	3	1	-	-	-	-	46
1	-	3	3	3	2	7	7	5	4	2	-	1	-	-	-	-	-	47
-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	49
-	1	1	-	4	9	11	8	11	11	10	6	3	1	-	-	-	-	50
-	-	-	-	2	1	4	1	4	5	4	4	1	1	-	-	-	-	51
-	-	-	-	-	3	1	3	4	3	1	-	2	-	-	-	-	-	52
-	-	-	-	1	5	3	2	2	3	3	2	-	-	-	-	-	-	53
-	1	1	-	1	-	2	2	1	-	2	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	56
-	-	1	3	1	3	1	4	1	2	2	1	-	-	1	-	1	-	57
-	-	-	1	-	-	-	1	-	1	2	1	-	-	1	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	1	1	1	2	1	3	1	1	-	-	-	-	-	-	1	-	60
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	-	-	1	2	1	2	4	4	1	5	4	-	-	-	-	-	-	64
-	-	-	-	2	-	2	2	3	-	2	1	-	-	-	-	-	-	65
-	-	-	-	-	1	-	1	-	1	1	2	-	-	-	-	-	-	66
-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	67
2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	1	2	3	5	3	4	-	3	3	2	1	-	-	-	78
-	-	-	-	1	1	-	3	1	3	-	3	1	1	-	-	-	-	79
-	-	-	-	-	1	-	1	1	1	-	-	2	1	1	-	-	-	80
-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes oni, deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	043	Cholera	-	-	-	-	-	-	-	-	-	-
2		White--Male	-	-	-	-	-	-	-	-	-	-
3		Female	-	-	-	-	-	-	-	-	-	-
4		Negro--Male	-	-	-	-	-	-	-	-	-	-
5		Female	-	-	-	-	-	-	-	-	-	-
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	044	Brucellosis (undulant fever)	8	-	-	-	-	-	-	-	-	2
9		White--Male	2	-	-	-	-	-	-	-	-	-
10		Female	4	-	-	-	-	-	-	-	-	1
11		Negro--Male	1	-	-	-	-	-	-	-	-	-
12		Female	1	-	-	-	-	-	-	-	-	1
13		Other--Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	045-048	Dysentery, all forms	440	217	25	14	11	4	271	12	4	-
16		White--Male	134	55	7	4	5	1	72	7	-	-
17		Female	148	73	8	3	4	3	91	3	3	-
18		Negro--Male	86	49	4	3	2	-	58	2	1	-
19		Female	53	28	3	3	-	-	34	-	-	-
20		Other--Male	7	5	1	-	-	-	6	-	-	-
21		Female	12	7	2	1	-	-	10	-	-	-
22	049	Food poisoning (infection and intoxication)	63	11	3	2	3	-	19	5	-	2
23		White--Male	22	4	2	-	-	-	6	1	-	1
24		Female	14	1	-	-	-	-	1	3	-	1
25		Negro--Male	11	3	-	-	1	-	4	-	-	-
26		Female	14	3	1	1	1	-	6	1	-	-
27		Other--Male	1	-	-	1	-	-	1	-	-	-
28		Female	1	-	-	-	1	-	1	-	-	-
29	050	Scarlet fever	48	2	2	1	-	1	6	3	4	4
30		White--Male	15	1	1	-	-	1	3	-	-	-
31		Female	29	1	1	1	-	-	3	2	3	2
32		Negro--Male	2	-	-	-	-	-	-	1	-	1
33		Female	2	-	-	-	-	-	-	-	1	1
34		Other--Male	-	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	051	Streptococcal sore throat	165	22	7	7	3	6	45	14	7	3
37		White--Male	60	8	2	4	-	2	16	9	2	2
38		Female	69	9	1	3	2	2	17	2	2	1
39		Negro--Male	19	4	3	-	-	1	8	2	1	-
40		Female	14	1	1	-	1	1	4	1	2	-
41		Other--Male	2	-	-	-	-	-	-	-	-	-
42		Female	1	-	-	-	-	-	-	-	-	-
43	052	Erysipelas	27	1	-	-	1	-	2	-	-	1
44		White--Male	11	1	-	-	1	-	2	-	-	1
45		Female	16	-	-	-	-	-	-	-	-	-
46		Negro--Male	-	-	-	-	-	-	-	-	-	-
47		Female	-	-	-	-	-	-	-	-	-	-
48		Other--Male	-	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	053	Septicemia and pyemia	1,351	433	67	33	10	9	552	32	26	12
51		White--Male	647	183	25	15	3	6	232	19	15	10
52		Female	435	134	25	12	7	2	180	9	10	1
53		Negro--Male	143	58	11	3	-	-	72	2	-	-
54		Female	105	46	4	3	-	1	54	1	1	1
55		Other--Male	15	10	1	-	-	-	11	-	-	-
56		Female	6	2	1	-	-	-	3	1	-	-
57	055	Diphtheria	81	2	6	11	10	14	43	20	5	1
58		White--Male	22	-	1	2	2	4	9	6	1	1
59		Female	28	-	-	3	3	6	12	8	2	-
60		Negro--Male	14	1	3	4	2	3	13	1	-	-
61		Female	16	1	2	2	3	1	9	4	2	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	1	-	-	-	-	-	-	1	-	-
64	056	Whooping cough	183	123	34	14	2	-	173	6	1	-
65		White--Male	41	27	6	4	1	-	38	1	-	-
66		Female	46	34	5	3	1	-	43	3	-	-
67		Negro--Male	41	25	10	4	-	-	39	1	-	-
68		Female	48	33	11	3	-	-	47	1	-	-
69		Other--Male	1	1	-	-	-	-	1	-	-	-
70		Female	6	3	2	-	-	-	5	-	1	-
71	057	Meningococcal infections	785	245	130	76	43	29	523	70	28	30
72		White--Male	375	130	75	43	12	16	276	25	9	11
73		Female	290	89	42	25	23	6	185	26	16	8
74		Negro--Male	58	11	6	4	4	2	27	12	2	5
75		Female	54	11	6	3	4	4	28	6	1	6
76		Other--Male	3	2	-	-	-	-	2	1	-	-
77		Female	5	2	1	1	-	1	5	-	-	-
78	058	Plague	-	-	-	-	-	-	-	-	-	-
79		White--Male	-	-	-	-	-	-	-	-	-	-
80		Female	-	-	-	-	-	-	-	-	-	-
81		Negro--Male	-	-	-	-	-	-	-	-	-	-
82		Female	-	-	-	-	-	-	-	-	-	-
83		Other--Male	-	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	2	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	8
-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	9
-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	10
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
7	3	3	8	8	8	6	10	16	18	21	19	12	13	1	-	-	-	15
6	2	1	2	4	4	1	2	3	5	7	9	5	3	1	-	-	-	16
1	1	-	3	1	2	3	3	7	5	4	9	6	6	-	-	-	-	17
-	-	1	-	2	2	1	3	3	6	4	1	1	1	-	-	-	-	18
-	-	1	3	-	-	-	2	2	2	6	-	-	3	-	-	-	-	19
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	20
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	21
1	1	-	1	1	2	5	4	5	3	4	8	1	1	-	-	-	-	22
-	-	-	-	1	1	2	1	1	1	2	3	1	1	-	-	-	-	23
-	-	-	1	-	-	1	-	4	1	1	1	-	-	-	-	-	-	24
-	1	-	-	-	-	1	3	-	1	-	1	-	-	-	-	-	-	25
1	-	-	-	-	1	1	-	-	-	1	3	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
1	-	3	5	6	2	3	3	3	2	1	2	-	-	-	-	-	-	29
1	-	1	1	4	-	1	1	-	-	1	2	-	-	-	-	-	-	30
-	-	2	4	2	2	2	2	3	2	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
4	5	7	4	7	9	10	12	6	4	8	10	3	4	3	-	-	-	36
2	1	1	1	2	3	1	6	3	-	7	2	1	1	-	-	-	-	37
2	2	3	2	4	1	6	5	3	3	1	8	2	3	2	-	-	-	38
-	-	-	-	1	4	2	-	-	-	-	-	-	-	1	-	-	-	39
-	2	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	40
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	42
1	-	-	-	1	-	1	-	-	1	4	5	2	7	-	2	-	-	43
-	-	-	-	1	-	-	-	-	-	1	4	1	1	-	-	-	-	44
1	-	-	-	-	-	1	-	-	1	3	1	1	6	-	2	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
29	16	16	27	29	49	56	59	89	104	84	81	62	19	4	2	-	3	50
9	2	4	11	15	25	28	33	44	59	51	41	35	10	2	1	-	1	51
12	7	10	8	8	14	15	17	25	32	22	30	24	9	2	-	-	-	52
3	4	1	5	3	6	4	2	12	7	8	8	3	-	-	1	-	2	53
5	3	1	3	3	3	8	7	7	3	3	2	-	-	-	-	-	-	54
-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	55
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	56
-	-	-	3	-	1	2	1	-	2	1	-	1	1	-	-	-	-	57
-	-	-	1	-	-	1	-	-	1	-	-	1	1	-	-	-	-	58
-	-	-	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	64
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
15	5	12	10	8	9	12	9	16	16	13	1	4	2	2	-	-	-	71
9	3	3	3	5	2	5	3	6	6	5	1	2	1	-	-	-	-	72
4	1	4	6	1	6	4	4	6	9	6	-	2	1	1	-	-	-	73
1	-	2	1	2	-	2	-	1	1	2	-	-	-	-	-	-	-	74
1	1	3	-	-	1	1	2	3	-	-	-	-	-	1	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	059	Tularemia	3	-	-	-	-	-	-	-	-	1
2		White--Male	2	-	-	-	-	-	-	-	-	1
3		Female	-	-	-	-	-	-	-	-	-	-
4		Negro--Male	1	-	-	-	-	-	-	-	-	-
5		Female	-	-	-	-	-	-	-	-	-	-
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	060	Leprosy	3	-	-	-	-	-	-	-	-	-
9		White--Male	2	-	-	-	-	-	-	-	-	-
10		Female	1	-	-	-	-	-	-	-	-	-
11		Negro--Male	-	-	-	-	-	-	-	-	-	-
12		Female	-	-	-	-	-	-	-	-	-	-
13		Other--Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	061	Tetanus	279	76	4	4	4	5	93	16	16	5
16		White--Male	101	15	1	1	2	1	20	9	6	3
17		Female	52	11	-	2	1	-	14	3	4	-
18		Negro--Male	78	31	3	-	1	2	37	3	4	2
19		Female	47	18	-	1	-	2	21	1	2	-
20		Other--Male	1	1	-	-	-	-	1	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	062	Anthrax	2	-	-	-	-	-	-	-	-	-
23		White--Male	1	-	-	-	-	-	-	-	-	-
24		Female	-	-	-	-	-	-	-	-	-	-
25		Negro--Male	1	-	-	-	-	-	-	-	-	-
26		Female	-	-	-	-	-	-	-	-	-	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	080	Acute poliomyelitis	221	10	18	9	6	10	53	27	20	19
30		White--Male	107	5	7	3	3	6	24	10	9	8
31		Female	82	2	6	2	2	1	13	8	11	9
32		Negro--Male	20	2	4	1	1	-	8	6	-	2
33		Female	11	1	1	3	-	2	7	3	-	-
34		Other--Male	1	-	-	-	-	1	1	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	081	Late effects of acute poliomyelitis	148	-	-	-	1	1	2	15	16	26
37		White--Male	79	-	-	-	1	1	2	7	7	17
38		Female	63	-	-	-	-	-	-	8	9	7
39		Negro--Male	3	-	-	-	-	-	-	-	-	1
40		Female	3	-	-	-	-	-	-	-	-	1
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	082	Acute infectious encephalitis	465	80	47	20	19	10	176	45	25	19
44		White--Male	221	34	18	10	6	6	74	29	13	11
45		Female	181	28	24	8	9	2	71	11	12	5
46		Negro--Male	29	8	2	1	-	1	12	4	-	2
47		Female	30	9	3	1	3	1	17	1	-	1
48		Other--Male	1	1	-	-	-	-	1	-	-	-
49		Female	3	-	-	-	1	-	1	-	-	-
50	083	Late effects of acute infectious encephalitis	107	-	-	1	1	-	2	3	1	1
51		White--Male	63	-	-	1	1	-	2	1	1	-
52		Female	37	-	-	-	-	-	-	1	-	-
53		Negro--Male	4	-	-	-	-	-	-	-	-	1
54		Female	2	-	-	-	-	-	-	-	-	-
55		Other--Male	1	-	-	-	-	-	-	1	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	084	Smallpox	-	-	-	-	-	-	-	-	-	-
58		White--Male	-	-	-	-	-	-	-	-	-	-
59		Female	-	-	-	-	-	-	-	-	-	-
60		Negro--Male	-	-	-	-	-	-	-	-	-	-
61		Female	-	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	085	Measles	389	77	74	49	30	22	252	91	19	9
65		White--Male	154	26	23	21	8	9	87	44	9	6
66		Female	147	22	30	15	16	10	93	33	9	3
67		Negro--Male	27	5	8	4	3	2	22	4	1	-
68		Female	29	8	6	5	2	1	22	6	-	-
69		Other--Male	19	8	3	4	-	-	15	4	-	-
70		Female	13	8	4	-	1	-	13	-	-	-
71	091	Yellow fever	-	-	-	-	-	-	-	-	-	-
72		White--Male	-	-	-	-	-	-	-	-	-	-
73		Female	-	-	-	-	-	-	-	-	-	-
74		Negro--Male	-	-	-	-	-	-	-	-	-	-
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	092	Infectious hepatitis	897	28	10	7	8	6	59	17	24	19
79		White--Male	368	9	4	4	3	4	24	6	7	5
80		Female	416	13	2	1	3	-	19	9	12	10
81		Negro--Male	46	5	2	1	-	1	9	1	1	1
82		Female	60	1	2	1	1	1	6	1	3	3
83		Other--Male	4	-	-	-	-	-	-	-	-	-
84		Female	3	-	-	-	1	-	1	-	1	-

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
4	8	8	9	8	16	21	13	15	21	12	4	8	2	-	-	-	-	15
3	2	-	1	3	6	10	5	10	11	5	2	5	-	-	-	-	-	16
-	3	2	4	2	2	5	1	3	2	2	2	3	-	-	-	-	-	17
-	1	3	3	3	2	6	4	2	4	3	-	-	1	-	-	-	-	18
1	2	3	1	-	6	-	3	-	4	2	-	-	1	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
20	27	18	13	6	7	6	1	1	1	1	1	-	-	-	-	-	-	29
12	13	11	6	3	3	4	1	1	1	1	-	-	-	-	-	-	-	30
8	12	6	6	3	4	1	-	-	-	-	1	-	-	-	-	-	-	31
-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	32
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
7	12	27	11	6	9	4	7	2	1	-	1	2	-	-	-	-	-	36
3	4	13	5	5	5	3	5	1	1	-	1	-	-	-	-	-	-	37
4	7	12	6	1	3	1	2	1	-	-	-	2	-	-	-	-	-	38
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
10	14	20	14	18	23	22	24	22	17	6	6	4	-	-	-	-	-	43
5	4	10	5	11	10	12	9	9	11	3	2	3	-	-	-	-	-	44
4	9	6	5	3	11	9	11	12	5	2	4	1	-	-	-	-	-	45
1	1	2	2	1	1	-	2	1	-	-	-	-	-	-	-	-	-	46
-	-	1	1	3	1	1	2	-	1	1	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	1	6	10	17	17	13	11	14	5	5	-	1	-	-	-	-	50
-	-	-	5	4	9	11	11	7	8	1	3	-	-	-	-	-	-	51
-	-	1	1	5	8	4	1	3	6	4	2	-	1	-	-	-	-	52
-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	53
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	1	4	1	-	-	1	-	-	3	-	3	2	1	-	-	-	-	64
-	1	1	-	-	-	1	-	-	2	-	2	1	-	-	-	-	-	65
2	-	3	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
26	30	39	59	54	89	74	77	65	76	72	59	36	19	2	-	1	-	78
8	5	12	27	16	28	26	39	25	42	35	33	19	10	-	-	1	-	79
9	18	22	23	29	47	40	27	34	31	34	25	17	8	2	-	-	-	80
3	3	2	5	1	8	5	3	4	-	-	-	-	-	-	-	-	-	81
6	4	3	4	8	6	2	7	2	1	2	1	-	1	-	-	-	-	82
-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		I. Infective and parasitic diseases—Continued										
1	094	Rabies	5	-	-	-	-	-	-	1	2	-
2		White--Male	2	-	-	-	-	-	-	1	-	-
3		Female	1	-	-	-	-	-	-	-	-	-
4		Negro--Male	2	-	-	-	-	-	-	-	2	-
5		Female	-	-	-	-	-	-	-	-	-	-
6		Other--Male	-	-	-	-	-	-	-	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	104	Tick-borne typhus	18	-	-	-	2	-	2	2	6	-
9		White--Male	10	-	-	-	1	-	1	1	3	-
10		Female	4	-	-	-	-	-	-	1	1	-
11		Negro--Male	-	-	-	-	-	-	-	-	-	-
12		Female	3	-	-	-	1	-	1	-	1	-
13		Other--Male	-	-	-	-	-	-	-	-	-	-
14		Female	1	-	-	-	-	-	-	-	1	-
15	104A	Rocky Mountain spotted fever	18	-	-	-	2	-	2	2	6	-
16		White--Male	10	-	-	-	1	-	1	1	3	-
17		Female	4	-	-	-	-	-	-	1	1	-
18		Negro--Male	-	-	-	-	-	-	-	-	-	-
19		Female	3	-	-	-	1	-	1	-	1	-
20		Other--Male	-	-	-	-	-	-	-	-	-	-
21		Female	1	-	-	-	-	-	-	-	1	-
22	104B	Other forms of tick-borne typhus	-	-	-	-	-	-	-	-	-	-
23		White--Male	-	-	-	-	-	-	-	-	-	-
24		Female	-	-	-	-	-	-	-	-	-	-
25		Negro--Male	-	-	-	-	-	-	-	-	-	-
26		Female	-	-	-	-	-	-	-	-	-	-
27		Other--Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	100-103,	Typhus, etc.*, and other rickettsial diseases	8	-	-	-	1	1	2	1	-	-
30	105-108	White--Male	5	-	-	-	1	-	1	-	-	-
31		Female	2	-	-	-	-	1	1	1	-	-
32		Negro--Male	1	-	-	-	-	-	-	-	-	-
33		Female	-	-	-	-	-	-	-	-	-	-
34		Other--Male	-	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	110-117	Malaria	14	2	-	-	-	-	2	-	-	-
37		White--Male	6	1	-	-	-	-	1	-	-	-
38		Female	3	-	-	-	-	-	-	-	-	-
39		Negro--Male	3	-	-	-	-	-	-	-	-	-
40		Female	2	1	-	-	-	-	1	-	-	-
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	123	Schistosomiasis	3	-	-	-	-	-	-	-	-	-
44		White--Male	-	-	-	-	-	-	-	-	-	-
45		Female	2	-	-	-	-	-	-	-	-	-
46		Negro--Male	-	-	-	-	-	-	-	-	-	-
47		Female	-	-	-	-	-	-	-	-	-	-
48		Other--Male	1	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	125	Hydatid disease	5	-	-	-	-	-	-	-	-	-
51		White--Male	1	-	-	-	-	-	-	-	-	-
52		Female	3	-	-	-	-	-	-	-	-	-
53		Negro--Male	-	-	-	-	-	-	-	-	-	-
54		Female	1	-	-	-	-	-	-	-	-	-
55		Other--Male	-	-	-	-	-	-	-	-	-	-
56		Female	-	-	-	-	-	-	-	-	-	-
57	127	Filariasis	-	-	-	-	-	-	-	-	-	-
58		White--Male	-	-	-	-	-	-	-	-	-	-
59		Female	-	-	-	-	-	-	-	-	-	-
60		Negro--Male	-	-	-	-	-	-	-	-	-	-
61		Female	-	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	129	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
65		White--Male	-	-	-	-	-	-	-	-	-	-
66		Female	-	-	-	-	-	-	-	-	-	-
67		Negro--Male	-	-	-	-	-	-	-	-	-	-
68		Female	-	-	-	-	-	-	-	-	-	-
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	124,126,	Other diseases due to helminths	56	2	16	9	10	4	41	4	3	-
72	128,130	White--Male	12	1	-	2	2	1	6	2	-	-
73		Female	9	-	1	-	3	-	4	2	1	-
74		Negro--Male	17	-	8	3	4	-	15	-	-	-
75		Female	18	1	7	4	1	3	16	-	2	-
76		Other--Male	2	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	Residual[1]	All other infective and parasitic diseases	1,216	164	35	26	12	15	252	53	20	31
79		White--Male	530	77	14	10	6	6	113	21	8	10
80		Female	428	50	15	9	5	7	86	26	9	11
81		Negro--Male	121	17	1	5	-	1	24	5	3	8
82		Female	126	16	4	2	1	1	24	-	-	2
83		Other--Male	7	-	1	-	-	-	1	1	-	-
84		Female	4	4	-	-	-	-	4	-	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	2	-	1	-	1	-	1	1	1	1	-	-	-	-	-	-	-	8
-	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	9
-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	2	-	1	-	1	-	1	1	1	1	-	-	-	-	-	-	-	15
-	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	16
-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	1	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	29
-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	1	1	-	1	3	-	4	-	-	1	-	1	-	-	-	-	-	36
-	1	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	37
-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	39
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	2	-	-	1	-	1	-	1	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	51
-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	-	-	1	1	1	1	2	1	1	-	1	-	-	-	-	-	-	71
1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	72
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	73
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
27	46	54	41	50	63	81	80	80	84	69	63	59	35	20	7	-	1	78
12	10	18	16	22	27	38	39	38	46	40	29	23	14	5	1	-	-	79
5	13	15	12	7	15	17	19	30	33	25	31	34	19	15	6	-	-	80
6	8	5	5	12	9	11	7	11	2	1	2	1	1	-	-	-	-	81
4	13	16	8	9	12	12	15	1	3	3	1	1	1	-	-	-	1	82
-	2	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		II. Neoplasms	258,251	413	407	464	487	457	2,228	1,432	990	993
2		White--Male	124,711	193	182	239	260	242	1,116	750	503	531
3		Female	110,571	178	177	187	187	187	916	536	386	354
4		Negro--Male	11,406	23	29	19	29	15	115	78	51	52
5		Female	10,703	15	16	19	11	12	73	60	46	51
6		Other--Male	579	3	3	-	-	1	7	7	2	2
7		Female	281	1	-	-	-	-	1	1	2	3
8	140-205	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	253,183	279	359	428	468	443	1,977	1,306	906	914
9		White--Male	122,675	128	162	222	252	234	998	690	468	494
10		Female	108,278	128	153	174	181	182	818	496	349	324
11		Negro--Male	11,161	12	28	16	26	15	97	66	47	44
12		Female	10,233	8	13	16	9	11	57	48	38	48
13		Other--Male	564	2	3	-	-	1	6	6	2	1
14		Female	272	1	-	-	-	-	1	-	2	3
15	140-148	Malignant neoplasm of buccal cavity and pharynx	5,861	1	-	3	1	2	7	10	7	8
16		White--Male	4,199	1	-	3	1	-	5	8	5	3
17		Female	1,142	-	-	-	-	2	2	1	1	3
18		Negro--Male	376	-	-	-	-	-	-	1	-	1
19		Female	108	-	-	-	-	-	-	-	1	1
20		Other--Male	34	-	-	-	-	-	-	-	-	-
21		Female	2	-	-	-	-	-	-	-	-	-
22	140	Of lip	338	-	-	-	-	-	-	-	-	-
23		White--Male	293	-	-	-	-	-	-	-	-	-
24		Female	33	-	-	-	-	-	-	-	-	-
25		Negro--Male	8	-	-	-	-	-	-	-	-	-
26		Female	3	-	-	-	-	-	-	-	-	-
27		Other--Male	1	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	141	Of tongue	1,374	-	-	1	-	-	1	-	-	-
30		White--Male	975	-	-	1	-	-	1	-	-	-
31		Female	283	-	-	-	-	-	-	-	-	-
32		Negro--Male	92	-	-	-	-	-	-	-	-	-
33		Female	23	-	-	-	-	-	-	-	-	-
34		Other--Male	1	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	142-144	Of other and unspecified parts of buccal cavity	1,772	1	-	1	-	1	3	2	2	1
37		White--Male	1,176	1	-	1	-	-	2	2	1	-
38		Female	442	-	-	-	-	1	1	-	1	1
39		Negro--Male	108	-	-	-	-	-	-	-	-	-
40		Female	39	-	-	-	-	-	-	-	-	-
41		Other--Male	7	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	145-148	Of pharynx	2,377	-	-	1	1	1	3	8	5	7
44		White--Male	1,755	-	-	1	1	-	2	6	4	3
45		Female	384	-	-	-	-	1	1	1	-	2
46		Negro--Male	168	-	-	-	-	-	-	1	-	1
47		Female	43	-	-	-	-	-	-	-	1	1
48		Other--Male	25	-	-	-	-	-	-	-	-	-
49		Female	2	-	-	-	-	-	-	-	-	-
50	150-156A, 157-159	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary	88,096	24	17	11	6	3	61	18	26	36
51		White--Male	43,791	12	6	7	3	3	31	11	14	16
52		Female	36,660	11	10	4	2	-	27	3	6	15
53		Negro--Male	4,347	1	1	-	-	-	2	3	3	2
54		Female	2,956	-	-	-	1	-	1	1	2	3
55		Other--Male	256	-	-	-	-	-	-	-	-	-
56		Female	86	-	-	-	-	-	-	-	1	-
57	150	Of esophagus	4,578	-	-	-	-	-	-	-	-	-
58		White--Male	2,970	-	-	-	-	-	-	-	-	-
59		Female	886	-	-	-	-	-	-	-	-	-
60		Negro--Male	574	-	-	-	-	-	-	-	-	-
61		Female	124	-	-	-	-	-	-	-	-	-
62		Other--Male	23	-	-	-	-	-	-	-	-	-
63		Female	1	-	-	-	-	-	-	-	-	-
64	151	Of stomach	21,522	4	-	-	-	1	5	2	1	2
65		White--Male	11,862	1	-	-	-	1	2	1	-	1
66		Female	7,162	3	-	-	-	-	3	-	-	1
67		Negro--Male	1,586	-	-	-	-	-	-	1	-	-
68		Female	788	-	-	-	-	-	-	-	1	-
69		Other--Male	94	-	-	-	-	-	-	-	-	-
70		Female	30	-	-	-	-	-	-	-	-	-
71	152,153	Of intestine, except rectum	27,412	5	1	1	1	1	9	1	7	13
72		White--Male	11,851	2	-	-	1	1	4	1	3	11
73		Female	13,912	2	1	1	-	-	4	-	1	-
74		Negro--Male	711	1	-	-	-	-	1	-	2	1
75		Female	891	-	-	-	-	-	-	-	-	1
76		Other--Male	33	-	-	-	-	-	-	-	-	-
77		Female	14	-	-	-	-	-	-	-	1	-
78	154	Of rectum	10,834	3	-	-	-	-	3	1	1	5
79		White--Male	5,767	3	-	-	-	-	3	-	-	-
80		Female	4,353	-	-	-	-	-	-	-	-	4
81		Negro--Male	335	-	-	-	-	-	-	1	1	1
82		Female	341	-	-	-	-	-	-	-	-	-
83		Other--Male	30	-	-	-	-	-	-	-	-	-
84		Female	8	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,083	1,766	3,302	5,345	9,072	14,430	20,826	26,745	33,990	38,496	36,238	29,021	19,649	9,442	2,588	474	54	87	1
545	797	1,188	1,730	3,111	5,358	8,843	12,658	17,337	20,291	19,467	14,974	9,806	4,396	1,101	170	11	28	2
392	755	1,649	2,826	4,650	7,110	9,243	10,935	13,433	15,018	14,426	12,552	9,028	4,653	1,381	266	27	35	3
77	76	140	247	461	826	1,248	1,573	1,838	1,806	1,311	839	389	199	48	19	4	9	4
64	127	310	522	814	1,083	1,405	1,470	1,268	1,257	931	576	375	171	56	19	12	13	5
2	5	6	6	13	30	62	60	76	92	81	66	37	21	2	-	-	2	6
3	6	9	14	23	23	25	49	38	32	22	14	14	2	-	-	-	-	7
984	1,653	3,081	5,064	8,702	14,000	20,330	26,298	33,484	37,997	35,872	28,712	19,437	9,321	2,542	465	51	87	8
511	760	1,115	1,645	2,995	5,207	8,634	12,472	17,119	20,065	19,285	14,846	9,724	4,350	1,090	169	10	28	9
352	707	1,545	2,706	4,476	6,914	9,037	10,740	13,212	14,784	14,270	12,391	8,905	4,585	1,348	259	25	35	10
64	67	132	234	442	805	1,225	1,548	1,803	1,788	1,302	833	387	197	48	19	4	9	11
52	108	276	460	734	1,022	1,353	1,430	1,238	1,239	912	564	370	167	54	18	12	13	12
2	5	5	5	13	29	60	60	74	90	81	64	37	20	2	-	-	2	13
3	6	8	14	22	23	21	48	38	31	22	14	14	2	-	-	-	-	14
18	23	30	61	172	365	542	681	746	868	828	691	464	227	90	19	1	3	15
12	12	13	31	109	241	369	487	557	674	632	508	306	156	61	10	-	-	16
4	6	10	14	37	69	100	120	108	122	157	152	141	63	22	9	1	-	17
1	3	3	11	16	38	57	53	65	59	27	24	9	3	3	-	-	2	18
1	2	1	3	5	14	11	18	11	10	8	5	7	5	4	-	-	1	19
-	-	3	2	3	3	5	3	5	3	4	2	1	-	-	-	-	-	20
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	1	1	1	6	12	14	16	29	49	52	62	51	26	13	4	1	-	22
-	1	1	1	6	12	13	14	20	42	47	53	43	23	13	4	-	-	23
-	-	-	-	-	-	-	2	4	5	5	6	7	3	-	-	1	-	24
-	-	-	-	-	-	-	-	4	2	-	2	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	26
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
2	3	4	6	38	85	133	178	171	221	187	163	113	50	16	2	-	1	29
1	2	3	4	28	54	92	125	127	171	136	114	76	30	10	1	-	-	30
1	1	1	1	5	18	25	32	21	35	44	41	35	16	6	1	-	-	31
-	-	-	-	3	10	12	14	21	14	6	7	2	2	-	-	-	1	32
-	-	-	1	2	3	3	7	2	1	1	1	-	2	-	-	-	-	33
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
5	10	9	22	38	103	132	198	211	249	268	238	156	79	37	9	-	-	36
1	5	3	10	21	62	83	137	146	179	192	165	93	48	23	3	-	-	37
3	4	4	7	13	19	31	46	42	46	65	60	54	28	11	6	-	-	38
-	-	2	4	3	17	15	11	16	16	7	10	5	1	1	-	-	-	39
1	1	-	1	1	5	3	4	5	7	3	1	3	2	2	-	-	-	40
-	-	-	-	-	-	-	-	2	1	1	2	1	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
11	9	16	32	90	165	263	289	335	349	321	228	144	72	24	4	-	2	43
10	4	6	16	54	113	181	211	264	282	257	176	94	55	15	2	-	-	44
-	1	5	6	19	32	44	40	41	36	43	45	45	16	5	2	-	-	45
1	3	1	7	10	11	30	28	24	27	14	5	2	-	2	-	-	1	46
-	1	1	1	2	6	5	7	3	2	4	2	3	1	2	-	-	1	47
-	-	3	2	3	3	3	3	3	2	3	-	-	-	-	-	-	-	48
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	49
75	194	479	969	1,918	3,343	5,659	8,225	11,577	14,479	14,755	12,334	8,442	4,203	1,081	169	22	31	50
33	83	183	413	859	1,527	2,681	4,035	6,058	7,603	7,885	6,152	3,951	1,783	405	55	3	10	51
23	85	207	413	751	1,292	2,117	3,055	4,360	5,631	5,956	5,583	4,137	2,249	626	97	12	15	52
10	12	51	71	163	304	496	642	721	740	502	339	165	87	24	8	-	2	53
8	11	36	67	136	206	333	449	388	454	362	220	163	73	25	9	7	2	54
-	2	-	2	4	11	26	29	32	40	41	33	22	11	1	-	-	2	55
1	1	2	3	5	3	6	15	18	11	9	7	4	-	-	-	-	-	56
1	-	10	28	122	236	388	524	709	766	716	531	313	178	49	6	1	-	57
-	-	2	16	49	126	212	310	481	539	514	376	199	118	25	3	-	-	58
1	-	1	5	25	27	56	88	111	122	145	130	95	53	23	3	1	-	59
-	-	5	6	32	67	95	108	98	83	45	20	11	3	1	-	-	-	60
-	-	2	1	15	16	22	13	14	18	10	3	7	3	-	-	-	-	61
-	-	-	-	1	-	3	5	5	4	2	2	-	1	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	63
12	44	104	217	410	745	1,233	1,784	2,698	3,553	3,815	3,215	2,239	1,117	276	45	1	4	64
4	18	43	93	203	361	652	943	1,547	2,042	2,288	1,803	1,208	530	105	17	-	1	65
2	20	38	79	125	241	333	491	752	1,058	1,216	1,189	916	524	152	19	-	3	66
2	2	11	25	50	91	181	219	275	276	202	142	59	36	10	4	-	-	67
3	3	10	18	28	48	59	114	106	153	94	65	49	22	9	5	1	-	68
-	1	-	-	2	3	8	12	13	19	12	14	5	5	-	-	-	-	69
1	-	2	2	2	1	-	5	5	5	3	2	2	-	-	-	-	-	70
36	83	188	338	623	1,038	1,745	2,488	3,339	4,284	4,498	3,971	2,827	1,450	379	66	13	16	71
16	29	64	121	245	409	692	1,052	1,515	1,983	2,101	1,762	1,165	521	137	15	2	3	72
13	45	100	187	313	523	865	1,237	1,608	2,039	2,158	2,070	1,574	884	229	45	7	10	73
4	4	14	10	19	42	58	86	100	133	102	70	37	17	8	2	-	1	74
3	4	10	20	44	63	125	113	111	123	125	62	48	25	5	4	4	1	75
-	-	-	-	1	1	3	-	1	4	10	6	3	3	-	-	-	1	76
-	1	-	-	1	-	2	-	4	2	2	1	-	-	-	-	-	-	77
11	31	66	113	252	414	722	1,041	1,434	1,822	1,714	1,480	1,019	517	161	19	2	6	78
4	16	27	54	118	182	345	531	807	1,057	997	810	508	234	67	4	-	3	79
4	9	29	48	99	184	300	390	531	675	640	603	470	267	86	14	-	-	80
2	5	3	5	14	24	36	43	52	47	37	32	22	5	3	1	-	1	81
1	1	7	6	20	22	37	72	40	38	33	30	15	11	5	-	2	1	82
-	-	-	-	-	2	3	3	4	3	6	4	4	-	-	-	-	1	83
-	-	-	-	1	-	1	2	-	2	1	1	-	-	-	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.—Continued										
		Malignant neoplasms of digestive organs and peritoneum, not specified as secondary—Continued										
1	155	Of biliary passages and of liver (stated to be primary site)	5,692	5	3	3	3	-	14	4	4	5
2		White--Male	2,134	2	-	2	1	-	5	2	3	-
3		Female	3,189	3	3	1	1	-	8	2	-	4
4		Negro--Male	177	-	-	-	-	-	-	-	-	-
5		Female	149	-	-	-	1	-	1	-	1	1
6		Other--Male	26	-	-	-	-	-	-	-	-	-
7		Female	17	-	-	-	-	-	-	-	-	-
8	156A	Of liver not specified whether primary or secondary	4,037	3	9	2	1	-	15	4	7	4
9		White--Male	1,849	1	6	2	-	-	9	3	4	2
10		Female	1,721	2	3	-	1	-	6	-	3	2
11		Negro--Male	253	-	-	-	-	-	-	1	-	-
12		Female	187	-	-	-	-	-	-	-	-	-
13		Other--Male	23	-	-	-	-	-	-	-	-	-
14		Female	4	-	-	-	-	-	-	-	-	-
15	157	Of pancreas	12,343	1	-	-	-	-	1	1	2	1
16		White--Male	6,633	1	-	-	-	-	1	-	2	-
17		Female	4,688	-	-	-	-	-	-	-	-	1
18		Negro--Male	612	-	-	-	-	-	-	-	-	-
19		Female	377	-	-	-	-	-	-	1	-	-
20		Other--Male	24	-	-	-	-	-	-	-	-	-
21		Female	9	-	-	-	-	-	-	-	-	-
22	158,159	Of peritoneum and of unspecified digestive organs	1,678	3	4	5	1	1	14	5	4	6
23		White--Male	725	2	-	3	1	1	7	4	2	2
24		Female	749	1	3	2	-	-	6	1	2	3
25		Negro--Male	99	-	1	-	-	-	1	-	-	-
26		Female	99	-	-	-	-	-	-	-	-	1
27		Other--Male	3	-	-	-	-	-	-	-	-	-
28		Female	3	-	-	-	-	-	-	-	-	-
29	160-164	Malignant neoplasm of respiratory system, not specified as secondary	33,895	4	8	3	3	2	20	9	7	18
30		White--Male	26,648	1	5	1	1	1	9	5	6	7
31		Female	4,601	1	1	2	2	1	7	2	-	6
32		Negro--Male	2,122	1	1	-	-	-	2	1	-	2
33		Female	391	1	1	-	-	-	2	1	1	3
34		Other--Male	114	-	-	-	-	-	-	-	-	-
35		Female	19	-	-	-	-	-	-	-	-	-
36	161	Of larynx	2,157	-	-	-	-	-	-	-	-	1
37		White--Male	1,797	-	-	-	-	-	-	-	-	-
38		Female	179	-	-	-	-	-	-	-	-	-
39		Negro--Male	154	-	-	-	-	-	-	-	-	-
40		Female	21	-	-	-	-	-	-	-	-	1
41		Other--Male	5	-	-	-	-	-	-	-	-	-
42		Female	1	-	-	-	-	-	-	-	-	-
43	162	Of trachea, and of bronchus and lung specified as primary	14,617	-	-	-	1	-	1	2	-	4
44		White--Male	11,732	-	-	-	-	-	-	-	-	2
45		Female	1,678	-	-	-	1	-	1	2	-	2
46		Negro--Male	1,001	-	-	-	-	-	-	-	-	-
47		Female	142	-	-	-	-	-	-	-	-	-
48		Other--Male	60	-	-	-	-	-	-	-	-	-
49		Female	4	-	-	-	-	-	-	-	-	-
50	163	Of lung and bronchus, unspecified as primary or secondary	16,159	3	4	-	1	1	9	2	4	10
51		White--Male	12,545	-	4	-	1	-	5	2	3	3
52		Female	2,450	1	-	-	-	1	2	-	-	3
53		Negro--Male	904	1	-	-	-	-	1	-	-	2
54		Female	202	1	-	-	-	-	1	-	1	2
55		Other--Male	45	-	-	-	-	-	-	-	-	-
56		Female	13	-	-	-	-	-	-	-	-	-
57	160,164	Of other parts of respiratory system	962	1	4	3	1	1	10	5	3	3
58		White--Male	574	1	1	1	-	1	4	3	3	2
59		Female	294	-	1	2	1	-	4	-	-	1
60		Negro--Male	63	-	1	-	-	-	1	1	-	-
61		Female	26	-	1	-	-	-	1	1	-	-
62		Other--Male	4	-	-	-	-	-	-	-	-	-
63		Female	1	-	-	-	-	-	-	-	-	-
64	170	Malignant neoplasm of breast	22,720	1	-	-	-	1	2	-	1	1
65		White--Male	230	-	-	-	-	-	-	-	-	-
66		Female	20,805	1	-	-	-	1	2	-	-	1
67		Negro--Male	31	-	-	-	-	-	-	-	-	-
68		Female	1,628	-	-	-	-	-	-	-	1	-
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	26	-	-	-	-	-	-	-	-	-
71	171-179	Malignant neoplasm of genital organs	38,472	1	8	10	6	2	27	11	25	68
72		White--Male	13,498	-	3	9	5	-	17	4	5	26
73		Female	20,053	1	4	1	1	1	8	6	15	28
74		Negro--Male	1,718	-	1	-	-	-	1	1	-	2
75		Female	3,091	-	-	-	-	1	1	-	4	12
76		Other--Male	29	-	-	-	-	-	-	-	-	-
77		Female	83	-	-	-	-	-	-	-	1	-
78	171	Of cervix uteri	8,597	-	1	-	-	-	1	-	-	-
79		White--Female	6,924	-	1	-	-	-	1	-	-	-
80		Negro--Female	1,625	-	-	-	-	-	-	-	-	-
81		Other--Female	48	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
5	9	25	55	89	185	340	541	829	1,054	1,029	763	506	184	38	10	-	3	1
3	4	13	26	34	68	136	212	325	422	408	236	162	60	10	3	-	2	2
1	5	6	15	41	88	161	268	445	582	582	496	329	122	26	7	-	1	3
1	-	5	5	9	15	19	28	31	22	18	15	7	-	2	-	-	-	4
-	-	1	7	4	10	20	25	21	26	14	12	4	2	-	-	-	-	5
-	-	-	2	-	2	2	4	3	-	7	3	3	-	-	-	-	-	6
-	-	-	-	1	2	2	4	4	2	-	1	1	-	-	-	-	-	7
4	8	21	42	82	149	267	358	539	636	670	574	381	205	62	6	3	-	8
2	1	7	15	30	59	119	169	270	323	317	259	153	83	21	3	-	-	9
1	4	7	16	33	52	84	119	202	243	304	284	207	111	38	2	3	-	10
1	1	6	6	11	18	40	42	34	43	22	12	7	8	-	1	-	-	11
-	1	1	5	8	18	18	25	29	24	25	14	13	3	3	-	-	-	12
-	1	-	-	-	2	5	3	4	3	1	3	1	-	-	-	-	-	13
-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	14
3	10	47	145	288	515	862	1,326	1,821	2,097	2,065	1,576	1,010	459	97	15	-	2	15
1	8	18	74	150	293	480	748	1,030	1,126	1,138	819	499	205	31	9	-	1	16
1	-	22	50	99	158	273	396	612	797	808	694	474	233	63	6	-	1	17
-	-	5	12	26	41	60	103	115	115	66	39	15	15	-	-	-	-	18
1	2	2	8	13	22	47	75	58	53	49	23	17	4	2	-	-	-	19
-	-	-	-	-	1	2	2	2	6	2	1	5	2	1	-	-	-	20
-	-	-	1	-	-	-	2	4	-	2	-	-	-	-	-	-	-	21
3	9	18	31	52	61	102	163	208	267	248	224	147	93	19	2	2	-	22
3	7	9	14	30	29	45	70	83	111	122	87	57	32	9	1	1	-	23
-	2	4	13	16	19	45	66	99	115	103	117	72	55	9	1	1	-	24
-	-	2	2	2	6	7	13	16	21	10	9	7	3	-	-	-	-	25
-	-	3	2	4	7	5	12	9	19	12	11	10	3	1	-	-	-	26
-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	27
-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	28
33	61	187	415	1,059	2,082	3,569	5,054	6,198	6,101	4,539	2,672	1,255	475	105	25	-	11	29
23	42	116	272	725	1,508	2,748	4,118	5,129	5,066	3,613	2,004	875	300	58	15	-	9	30
5	15	43	100	199	306	424	475	588	659	677	555	335	153	45	7	-	-	31
4	3	12	32	100	227	323	397	407	294	184	84	29	15	2	3	-	1	32
1	1	14	10	32	34	60	47	53	58	42	17	11	3	-	-	-	1	33
-	-	1	1	1	7	12	16	18	21	18	11	4	4	-	-	-	-	34
-	-	1	-	2	-	2	1	3	3	5	1	1	-	-	-	-	-	35
1	4	5	13	52	117	213	312	329	359	315	212	149	57	16	2	-	-	36
1	1	4	9	34	83	165	254	274	315	282	186	131	45	11	2	-	-	37
-	1	1	2	8	14	23	21	18	22	21	22	14	8	4	-	-	-	38
-	2	-	2	6	19	18	33	33	20	8	4	4	4	1	-	-	-	39
-	-	-	-	3	1	6	1	3	2	4	-	-	-	-	-	-	-	40
-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	41
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	42
7	24	89	194	474	954	1,549	2,279	2,847	2,686	1,864	1,040	423	144	27	3	-	6	43
3	18	55	136	343	722	1,207	1,889	2,393	2,257	1,494	798	298	94	14	3	-	6	44
1	5	22	42	77	106	167	182	214	254	250	188	107	45	13	-	-	-	45
2	-	4	12	43	110	147	182	214	145	88	37	13	4	-	-	-	-	46
1	1	7	4	10	14	21	16	16	19	21	8	3	1	-	-	-	-	47
-	-	-	-	1	2	6	10	10	11	9	9	2	-	-	-	-	-	48
-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	49
14	18	76	188	490	940	1,714	2,374	2,903	2,923	2,251	1,323	617	232	53	14	-	4	50
11	12	50	114	324	667	1,321	1,914	2,384	2,402	1,772	968	415	138	30	7	-	3	51
3	6	15	51	101	161	206	260	327	353	367	302	182	85	22	4	-	-	52
-	-	5	17	47	92	150	172	149	122	86	41	10	5	1	3	-	1	53
-	-	6	5	17	16	32	25	33	33	14	9	7	1	-	-	-	-	54
-	-	-	1	-	4	4	3	7	10	9	2	2	3	-	-	-	-	53
-	-	-	-	1	-	1	-	3	3	3	1	1	-	-	-	-	-	56
11	15	17	20	43	71	93	89	119	133	109	97	66	42	9	6	-	1	57
8	11	7	13	24	36	55	61	78	92	65	52	31	23	3	3	-	-	58
1	3	5	5	13	25	28	12	29	30	39	43	32	15	6	3	-	-	59
2	1	3	1	4	6	8	10	11	7	2	2	2	2	-	-	-	-	60
-	-	1	1	2	3	1	5	1	4	3	-	1	1	-	-	-	1	61
-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	62
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	63
9	101	388	846	1,502	2,357	2,610	2,609	2,877	2,767	2,395	1,889	1,362	702	235	57	4	6	64
-	-	1	4	5	9	19	22	29	46	37	29	18	7	3	-	-	1	65
7	89	335	732	1,324	2,115	2,353	2,361	2,665	2,548	2,244	1,782	1,289	671	226	54	3	4	66
-	-	-	-	3	2	2	7	3	8	2	2	1	1	-	-	-	-	67
2	12	51	107	167	227	236	216	176	161	110	75	54	22	6	3	1	1	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	1	3	3	4	-	3	4	4	2	1	-	1	-	-	-	-	70
132	309	635	1,013	1,615	2,320	3,056	3,488	4,365	5,215	5,484	4,808	3,597	1,750	461	65	7	21	71
60	94	101	86	83	90	201	414	1,054	1,826	2,687	2,830	2,394	1,187	302	32	1	4	72
56	172	409	721	1,208	1,819	2,281	2,497	2,706	2,704	2,188	1,593	1,011	464	133	24	1	9	73
-	2	1	8	18	33	79	133	244	360	368	248	128	66	14	7	3	2	74
15	37	121	192	300	367	482	425	351	312	232	133	55	31	11	2	2	6	75
-	-	-	-	-	-	1	1	3	6	8	3	4	2	1	-	-	-	76
1	4	3	6	6	11	12	18	7	7	1	1	5	-	-	-	-	-	77
22	122	367	578	838	1,033	1,153	1,078	941	854	665	484	278	125	39	8	2	9	78
16	93	280	443	637	805	879	846	791	720	571	433	251	112	35	7	-	4	79
6	26	85	131	197	220	267	223	146	132	93	50	24	13	4	1	2	5	80
-	3	2	4	4	8	7	9	4	2	1	1	3	-	-	-	-	-	81

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.—Continued										
		Malignant neoplasms of genital organs—Continued										
1	172-174	Of other and unspecified parts of uterus	6,257	-	1	-	-	-	1	1	1	7
2		White--Female	5,322	-	1	-	-	-	1	1	-	4
3		Negro--Female	917	-	-	-	-	-	-	-	1	3
4		Other--Female	18	-	-	-	-	-	-	-	-	-
5	175	Of ovary, fallopian tube, and broad ligament	7,567	1	-	1	-	2	4	5	19	32
6		White--Female	7,081	1	-	1	-	1	3	5	15	24
7		Negro--Female	470	-	-	-	-	1	1	-	3	8
8		Other--Female	16	-	-	-	-	-	-	-	1	-
9	176	Of other and unspecified female genital organs	806	-	2	-	1	-	3	-	-	1
10		White--Female	726	-	2	-	1	-	3	-	-	-
11		Negro--Female	79	-	-	-	-	-	-	-	-	1
12		Other--Female	1	-	-	-	-	-	-	-	-	-
13	177	Of prostate	14,296	-	1	2	2	-	5	1	2	-
14		White--Male	12,645	-	1	2	2	-	5	1	2	-
15		Negro--Male	1,625	-	-	-	-	-	-	-	-	-
16		Other--Male	26	-	-	-	-	-	-	-	-	-
17	178,179	Of testis, and of other and unspecified male genital organs	949	-	3	7	3	-	13	4	3	28
18		White--Male	853	-	2	7	3	-	12	3	3	26
19		Negro--Male	93	-	1	-	-	-	1	1	-	2
20		Other--Male	3	-	-	-	-	-	-	-	-	-
21	180,181	Malignant neoplasm of urinary organs	12,147	26	33	41	49	45	194	78	16	13
22		White--Male	7,507	6	16	23	21	16	82	31	8	8
23		Female	3,790	16	14	14	23	22	89	37	5	3
24		Negro--Male	499	2	2	1	5	3	13	5	2	2
25		Female	321	1	1	3	-	3	8	5	1	-
26		Other--Male	17	-	-	-	-	1	1	-	-	-
27		Female	13	1	-	-	-	-	1	-	-	-
28	180	Of kidney	4,661	24	32	40	48	45	189	74	15	10
29		White--Male	2,720	5	15	22	20	16	78	30	7	6
30		Female	1,653	15	14	14	23	22	88	36	5	2
31		Negro--Male	180	2	2	1	5	3	13	4	2	2
32		Female	94	1	1	3	-	3	8	4	1	-
33		Other--Male	10	-	-	-	-	1	1	-	-	-
34		Female	4	1	-	-	-	-	1	-	-	-
35	181	Of bladder and other urinary organs	7,486	2	1	1	1	-	5	4	1	3
36		White--Male	4,787	1	1	1	1	-	4	1	1	2
37		Female	2,137	1	-	-	-	-	1	1	-	1
38		Negro--Male	319	-	-	-	-	-	-	1	-	-
39		Female	227	-	-	-	-	-	-	1	-	-
40		Other--Male	7	-	-	-	-	-	-	-	-	-
41		Female	9	-	-	-	-	-	-	-	-	-
42	156B,165,	Malignant neoplasm of other and unspecified sites	28,425	80	132	149	126	90	577	387	314	325
43	190-199	White--Male	13,951	40	60	72	61	47	280	201	166	177
44		Female	12,106	36	52	64	48	37	237	144	116	112
45		Negro--Male	1,139	2	14	7	13	3	39	20	21	17
46		Female	1,135	1	4	6	4	3	18	19	11	18
47		Other--Male	65	1	2	-	-	-	3	3	-	1
48		Female	29	-	-	-	-	-	-	-	-	-
49	190,191	Of skin	3,869	4	1	1	-	2	8	5	4	14
50		White--Male	2,158	2	1	1	-	1	5	4	3	8
51		Female	1,552	1	-	-	-	1	2	1	-	4
52		Negro--Male	72	1	-	-	-	-	1	-	-	1
53		Female	80	-	-	-	-	-	-	-	1	1
54		Other--Male	5	-	-	-	-	-	-	-	-	-
55		Female	2	-	-	-	-	-	-	-	-	-
56	192	Of eye	376	2	4	20	12	6	44	10	4	1
57		White--Male	190	2	1	7	3	1	14	2	2	-
58		Female	162	-	2	6	3	5	16	5	1	1
59		Negro--Male	12	-	1	3	4	-	8	2	1	-
60		Female	12	-	-	4	2	-	6	1	-	-
61		Other--Male	-	-	-	-	-	-	-	-	-	-
62		Female	-	-	-	-	-	-	-	-	-	-
63	193	Of brain and other parts of nervous system	5,819	45	98	100	91	62	396	281	149	126
64		White--Male	3,264	26	47	52	45	36	206	141	80	65
65		Female	2,235	17	36	44	38	22	157	108	54	48
66		Negro--Male	202	-	10	3	8	2	23	15	11	5
67		Female	108	1	4	1	-	2	8	15	4	8
68		Other--Male	10	1	1	-	-	-	2	2	-	-
69		Female	-	-	-	-	-	-	-	-	-	-
70	194	Of thyroid gland	1,055	-	-	-	-	-	-	2	1	1
71		White--Male	353	-	-	-	-	-	-	2	-	-
72		Female	630	-	-	-	-	-	-	-	1	1
73		Negro--Male	22	-	-	-	-	-	-	-	-	-
74		Female	47	-	-	-	-	-	-	-	-	-
75		Other--Male	2	-	-	-	-	-	-	-	-	-
76		Female	1	-	-	-	-	-	-	-	-	-
77	196	Of bone (including jaw bone)	2,025	2	8	3	2	3	18	43	118	126
78		White--Male	1,059	-	2	-	1	1	4	26	62	72
79		Female	769	2	5	3	-	2	12	15	43	42
80		Negro--Male	108	-	-	-	-	-	-	-	7	8
81		Female	81	-	-	-	1	-	1	2	6	3
82		Other--Male	8	-	1	-	-	-	1	-	-	1
83		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
22	28	58	112	234	376	558	724	944	1,045	835	623	412	200	63	11	1	1	1
21	22	40	75	179	303	434	597	798	909	735	558	389	187	58	10	1	-	2
1	5	17	36	54	70	121	123	145	134	100	65	22	13	5	1	-	1	3
-	1	1	1	1	3	3	4	1	2	-	-	1	-	-	-	-	-	4
26	60	98	212	418	757	1,012	1,076	1,099	1,017	782	503	288	128	25	2	-	4	5
18	54	85	194	378	690	928	1,004	1,039	975	746	488	281	125	23	2	-	4	6
7	6	13	18	39	67	82	67	58	39	36	15	6	3	2	-	-	-	7
1	-	-	-	1	-	2	5	2	3	-	-	1	-	-	-	-	-	8
2	3	10	17	24	31	52	62	80	107	139	117	93	42	17	5	-	1	9
1	3	4	9	14	21	40	50	78	100	136	114	90	40	17	5	-	1	10
1	-	6	7	10	10	12	12	2	7	3	3	3	2	-	-	-	-	11
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
2	2	4	7	25	57	232	500	1,239	2,124	3,002	3,018	2,481	1,233	315	39	2	6	13
2	2	4	3	18	35	162	374	1,002	1,769	2,636	2,775	2,351	1,167	300	32	1	4	14
-	-	-	4	7	22	69	125	234	350	360	240	126	64	14	7	1	2	15
-	-	-	-	-	-	1	1	3	5	6	3	4	2	1	-	-	-	16
58	94	98	87	76	66	49	48	62	68	61	63	45	22	2	-	2	-	17
58	92	97	83	65	55	39	40	52	57	51	55	43	20	2	-	-	-	18
-	2	1	4	11	11	10	8	10	10	8	8	2	2	-	-	2	-	19
-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	20
12	18	53	103	245	448	774	1,141	1,589	1,949	1,920	1,673	1,159	571	153	30	5	3	21
6	9	22	51	130	261	479	730	1,054	1,296	1,239	1,049	644	298	83	21	3	3	22
2	7	21	36	76	121	199	299	399	515	602	569	478	257	65	9	1	-	23
2	1	5	9	21	40	59	60	88	86	48	30	18	7	3	-	-	-	24
2	1	5	6	16	25	34	47	46	47	30	21	15	9	2	-	1	-	25
-	-	-	-	1	1	3	2	1	3	1	2	2	-	-	-	-	-	26
-	-	-	1	1	-	-	3	1	2	-	2	2	-	-	-	-	-	27
12	16	38	70	161	261	415	530	681	745	620	426	268	100	26	3	-	1	28
6	8	19	42	92	159	263	333	448	459	360	239	117	40	12	1	-	1	29
2	6	16	20	47	78	118	156	196	248	239	178	144	58	14	2	-	-	30
2	1	2	5	14	17	23	22	27	23	13	5	4	1	-	-	-	-	31
2	1	1	3	7	6	8	17	9	13	8	2	3	1	-	-	-	-	32
-	-	-	-	1	1	3	1	1	1	-	1	-	-	-	-	-	-	33
-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	34
-	2	15	33	84	187	359	611	908	1,204	1,300	1,247	891	471	127	27	5	2	35
-	1	3	9	38	102	216	397	606	837	879	810	527	258	71	20	3	2	36
-	1	5	16	29	43	81	143	203	267	363	391	334	199	51	7	1	-	37
-	-	3	4	7	23	36	38	61	63	35	25	14	6	3	-	-	-	38
-	-	4	3	9	19	26	30	37	34	22	19	12	8	2	-	1	-	39
-	-	-	-	-	-	-	1	-	2	1	1	2	-	-	-	-	-	40
-	-	-	1	1	-	-	2	1	1	-	1	2	-	-	-	-	-	41
276	416	634	824	1,193	1,766	2,439	3,002	3,437	3,569	3,217	2,665	1,968	983	328	84	11	10	42
141	213	318	368	557	826	1,240	1,525	1,738	1,838	1,657	1,197	920	421	135	30	2	1	43
110	161	264	366	505	729	931	1,173	1,392	1,449	1,351	1,318	972	529	186	49	7	5	44
13	18	29	40	65	103	128	134	154	136	107	69	28	12	2	1	1	2	45
11	22	23	50	62	103	131	156	144	131	91	71	44	18	5	4	1	2	46
-	1	-	-	2	3	8	7	7	11	7	8	2	2	-	-	-	-	47
1	1	-	-	2	2	1	7	2	4	4	2	2	1	-	-	-	-	48
41	88	136	159	201	247	307	298	377	391	400	416	365	251	112	39	7	3	49
17	54	76	70	106	128	166	181	220	227	251	239	215	126	48	14	-	-	50
23	30	60	82	86	99	123	100	139	143	136	167	142	118	63	25	6	3	51
-	1	-	3	5	10	6	10	9	10	5	4	3	2	1	-	1	-	52
1	3	-	4	3	9	12	7	9	8	7	6	5	4	-	-	-	-	53
-	-	-	-	1	-	-	-	-	3	1	-	-	-	-	-	-	-	54
-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	55
2	-	3	5	8	20	29	40	41	50	36	40	27	12	3	1	-	-	56
-	-	2	3	3	13	11	24	30	24	20	23	11	6	2	-	-	-	57
2	-	1	2	5	7	16	16	10	24	16	17	15	6	1	1	-	-	58
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	2	-	-	2	-	-	1	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
104	164	279	336	403	578	703	787	706	437	237	89	31	9	3	1	-	-	63
61	76	158	178	224	313	418	470	415	250	143	45	18	1	2	-	-	-	64
37	72	103	138	155	233	251	285	267	177	87	40	13	8	1	1	-	-	65
3	10	15	13	12	19	23	22	18	7	3	3	-	-	-	-	-	-	66
3	5	3	7	11	12	11	10	5	3	2	1	-	-	-	-	-	-	67
-	1	-	-	1	1	-	-	1	-	2	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
2	12	9	21	20	42	81	100	157	171	159	139	82	45	11	-	-	-	70
-	6	2	8	10	14	29	36	50	61	58	45	21	11	-	-	-	-	71
1	5	6	11	9	25	43	52	87	98	96	90	61	33	11	-	-	-	72
-	1	1	2	-	-	4	5	6	2	1	-	-	-	-	-	-	-	73
-	-	-	-	1	3	5	5	14	10	4	4	-	1	-	-	-	-	74
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	75
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
57	34	37	50	73	100	121	173	204	233	249	177	138	49	18	6	1	-	77
34	18	16	22	33	50	60	94	101	128	132	94	76	24	7	5	1	-	78
17	10	14	22	33	33	43	59	75	82	102	75	56	24	11	1	-	-	79
5	3	3	2	6	11	14	7	14	12	9	4	3	-	-	-	-	-	80
1	3	4	4	1	6	3	13	12	10	5	4	3	-	-	-	-	-	81
-	-	-	-	-	-	1	-	2	1	1	-	-	1	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Malignant neoplasms, including neoplasms, etc.—Continued Malignant neoplasm of other and unspecified sites—Continued										
1	197	Of connective tissue	877	3	4	3	6	6	22	15	5	20
2		White--------Male----	455	1	3	1	2	3	10	11	1	14
3		Female--	358	2	1	2	3	2	10	3	4	5
4		Negro--------Male----	28	-	-	-	-	-	-	-	-	-
5		Female--	34	-	-	-	1	1	2	-	-	1
6		Other--------Male----	1	-	-	-	-	-	-	1	-	-
7		Female--	1	-	-	-	-	-	-	-	-	-
8	195,198A, 199A	Of other specified sites, not stated to be secondary	3,750	16	9	16	11	8	60	21	20	18
9		White--------Male----	1,578	7	2	8	8	3	28	10	10	8
10		Female--	1,798	9	6	6	2	4	27	8	8	6
11		Negro--------Male----	160	-	1	1	1	1	4	2	2	2
12		Female--	197	-	-	1	-	-	1	1	-	2
13		Other--------Male----	12	-	-	-	-	-	-	-	-	-
14		Female--	5	-	-	-	-	-	-	-	-	-
15	156B,165, 198B, 199B-M	Of unspecified sites	10,654	8	8	6	4	3	29	10	13	19
16		White--------Male----	4,894	2	4	3	2	2	13	5	8	10
17		Female--	4,602	5	2	3	2	1	13	4	5	5
18		Negro--------Male----	535	1	2	-	-	-	3	1	-	1
19		Female--	576	-	-	-	-	-	-	-	-	3
20		Other--------Male----	27	-	-	-	-	-	-	-	-	-
21		Female--	20	-	-	-	-	-	-	-	-	-
22	204	Leukemia and aleukemia	11,718	108	140	188	249	278	963	650	359	274
23		White--------Male----	6,298	53	58	91	142	151	495	335	172	147
24		Female--	4,686	47	65	84	100	114	410	270	159	108
25		Negro--------Male----	425	3	9	7	5	9	33	23	15	9
26		Female--	280	4	7	6	2	4	23	19	11	8
27		Other--------Male----	24	1	1	-	-	-	2	3	2	-
28		Female--	7	-	-	-	-	-	-	-	-	2
29	200-203,205	Lymphosarcoma, etc.*	11,849	34	21	23	28	20	126	143	151	171
30		White--------Male----	6,555	15	14	16	18	16	79	95	92	110
31		Female--	4,435	15	7	5	5	4	36	33	47	48
32		Negro--------Male----	504	3	-	1	3	-	7	12	6	9
33		Female--	323	1	-	1	2	-	4	3	6	3
34		Other--------Male----	25	-	-	-	-	-	-	-	-	-
35		Female--	7	-	-	-	-	-	-	-	-	1
36	200	Lymphosarcoma and reticulosarcoma	5,373	10	5	12	17	13	57	94	92	81
37		White--------Male----	3,031	3	3	7	10	9	32	64	62	60
38		Female--	2,016	3	2	4	3	4	16	21	24	15
39		Negro--------Male----	195	3	-	-	3	-	6	9	2	5
40		Female--	116	1	-	1	1	-	3	-	4	-
41		Other--------Male----	12	-	-	-	-	-	-	-	-	-
42		Female--	3	-	-	-	-	-	-	-	-	1
43	201	Hodgkin's disease	3,050	1	2	1	2	-	6	26	49	78
44		White--------Male----	1,754	1	2	1	2	-	6	19	26	41
45		Female--	1,108	-	-	-	-	-	-	5	18	30
46		Negro--------Male----	127	-	-	-	-	-	-	1	3	4
47		Female--	56	-	-	-	-	-	-	1	2	3
48		Other--------Male----	5	-	-	-	-	-	-	-	-	-
49		Female--	-	-	-	-	-	-	-	-	-	-
50	202,203,205	Other neoplasms of lymphatic and hematopoietic tissues	3,426	23	14	10	9	7	63	23	10	12
51		White--------Male----	1,770	11	9	8	6	7	41	12	4	9
52		Female--	1,311	12	5	1	2	-	20	7	5	3
53		Negro--------Male----	182	-	-	1	-	-	1	2	1	-
54		Female--	151	-	-	-	1	-	1	2	-	-
55		Other--------Male----	8	-	-	-	-	-	-	-	-	-
56		Female--	4	-	-	-	-	-	-	-	-	-
57	210-239	Benign neoplasms and neoplasms of unspecified nature	5,068	134	48	36	19	14	251	126	84	79
58		White--------Male----	2,036	65	20	17	8	8	118	60	35	37
59		Female--	2,293	50	24	13	6	5	98	40	37	30
60		Negro--------Male----	245	11	1	3	3	-	18	12	4	8
61		Female--	470	7	3	3	2	1	16	12	8	3
62		Other--------Male----	15	1	-	-	-	-	1	1	-	1
63		Female--	9	-	-	-	-	-	-	1	-	-
64	214-217	Benign neoplasms of female genital organs	665	-	-	1	-	-	1	-	1	2
65		White--------Female--	422	-	-	-	-	-	-	-	1	1
66		Negro--------Female--	239	-	-	1	-	-	1	-	-	1
67		Other--------Female--	4	-	-	-	-	-	-	-	-	-
68	223	Benign neoplasm of brain and other parts of nervous system	906	17	13	4	1	1	36	30	27	22
69		White--------Male----	366	7	6	3	1	-	17	18	11	10
70		Female--	456	8	6	1	-	1	16	8	12	9
71		Negro--------Male----	40	1	-	-	-	-	1	2	2	2
72		Female--	42	1	1	-	-	-	2	2	2	-
73		Other--------Male----	2	-	-	-	-	-	-	-	-	1
74		Female--	-	-	-	-	-	-	-	-	-	-
75	210-213, 218-222, 224-229	Other benign neoplasms	891	67	11	12	3	1	94	18	16	17
76		White--------Male----	413	33	4	4	1	-	42	6	7	7
77		Female--	382	28	6	4	2	1	41	10	5	9
78		Negro--------Male----	50	4	-	2	-	-	6	-	1	-
79		Female--	44	2	1	2	-	-	5	2	3	1
80		Other--------Male----	1	-	-	-	-	-	-	-	-	-
81		Female--	1	-	-	-	-	-	-	-	-	-
82	233-235	Neoplasm of unspecified nature of female genital organs	50	-	-	-	-	-	-	-	-	-
83		White--------Female--	36	-	-	-	-	-	-	-	-	-
84		Negro--------Female--	14	-	-	-	-	-	-	-	-	-
85		Other--------Female--	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
21	36	31	35	44	56	85	93	95	104	88	62	38	20	5	2	-	-	1
11	19	11	13	24	22	46	53	52	57	49	37	12	9	3	1	-	-	2
8	14	15	16	15	27	30	31	40	44	35	23	24	11	2	1	-	-	3
-	1	3	3	1	6	3	3	1	2	3	1	1	-	-	-	-	-	4
2	2	2	3	4	1	6	6	2	1	1	1	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	7
31	29	45	55	124	185	262	362	448	500	512	435	387	183	56	14	2	1	8
9	13	19	25	48	72	108	162	189	216	248	159	161	67	22	3	1	-	9
16	12	19	27	53	80	115	151	204	236	232	243	211	107	32	9	1	1	10
3	-	3	2	12	16	14	19	23	19	15	17	3	4	-	-	-	-	11
3	3	4	1	11	16	23	29	29	27	15	13	11	4	2	2	-	-	12
-	-	-	-	-	1	2	1	1	1	1	3	1	1	-	-	-	-	13
-	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	14
18	53	94	163	320	538	851	1,149	1,409	1,683	1,536	1,307	900	414	120	21	1	6	15
9	27	34	49	109	214	402	505	681	875	756	555	406	177	51	7	-	1	16
6	18	46	68	149	225	310	479	570	645	647	663	450	222	65	11	-	1	17
2	2	4	15	29	41	64	68	82	84	71	40	18	6	1	1	-	2	18
1	6	10	31	31	56	69	86	73	70	57	42	24	9	3	2	1	2	19
-	-	-	-	-	1	5	4	3	6	2	5	1	-	-	-	-	-	20
-	-	-	-	2	1	1	7	-	3	3	2	1	-	-	-	-	-	21
203	239	303	382	422	540	679	821	1,105	1,361	1,336	1,064	693	252	57	13	1	1	22
104	133	147	175	199	289	340	439	636	799	759	598	368	131	26	3	1	-	23
70	82	131	168	185	205	272	313	394	488	531	434	309	116	30	10	-	1	24
19	14	14	26	15	26	34	45	41	48	33	22	4	4	-	-	-	-	25
8	9	10	13	20	18	30	24	29	25	12	8	11	1	1	-	-	-	26
2	1	-	-	2	1	3	-	4	1	-	2	1	-	-	-	-	-	27
-	-	1	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	28
226	292	372	451	576	779	1,002	1,277	1,590	1,688	1,398	916	497	158	32	3	-	1	29
132	174	214	245	328	456	557	702	864	917	776	479	248	67	17	3	-	-	30
75	90	125	156	191	258	360	447	600	668	564	405	233	83	15	-	-	1	31
15	14	17	37	41	32	47	77	80	57	31	15	5	2	-	-	-	-	32
4	13	15	12	16	28	36	48	40	41	25	14	10	5	-	-	-	-	33
-	1	1	-	-	3	2	2	4	5	2	3	1	1	-	-	-	-	34
-	-	-	1	-	2	-	1	2	-	-	-	-	-	-	-	-	-	35
58	68	120	167	244	358	452	580	736	748	702	451	262	84	16	2	-	1	36
36	36	69	93	135	221	269	325	428	388	394	241	137	30	9	2	-	-	37
17	22	43	57	92	116	154	199	267	323	282	192	117	51	7	-	-	1	38
4	6	6	11	10	13	17	38	22	25	11	7	2	1	-	-	-	-	39
1	3	1	5	7	8	11	15	17	12	13	9	5	2	-	-	-	-	40
-	1	1	-	-	-	1	2	2	-	2	2	1	-	-	-	-	-	41
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	42
162	209	221	221	231	227	246	258	291	296	231	155	104	30	8	1	-	-	43
93	130	131	113	154	130	150	159	153	173	131	70	53	17	4	1	-	-	44
57	68	69	86	63	85	79	81	119	110	93	81	49	11	4	-	-	-	45
10	7	10	19	12	5	12	10	17	8	4	3	2	-	-	-	-	-	46
2	4	11	3	2	5	5	8	2	3	3	-	-	2	-	-	-	-	47
-	-	-	-	-	2	-	-	-	2	-	1	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
6	15	31	63	101	194	304	439	563	644	465	310	131	44	8	-	-	-	50
3	8	14	39	39	105	138	218	283	356	251	168	58	20	4	-	-	-	51
1	-	13	13	36	57	127	167	214	235	189	132	67	21	4	-	-	-	52
1	1	1	7	19	14	18	29	41	24	16	5	1	1	-	-	-	-	53
1	6	3	4	7	15	20	25	21	26	9	5	5	1	-	-	-	-	54
-	-	-	-	-	1	1	-	2	3	-	-	-	1	-	-	-	-	55
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	56
99	113	221	281	370	430	496	447	506	499	366	309	212	121	46	9	3	-	57
34	37	73	85	116	151	209	186	218	226	182	128	82	46	11	1	1	-	58
40	48	104	120	174	196	206	195	221	234	156	161	123	68	33	7	2	-	59
13	9	8	13	19	21	23	25	35	18	9	6	2	2	-	-	-	-	60
12	19	34	62	60	61	52	40	30	18	19	12	5	4	2	1	-	-	61
-	-	1	1	-	1	2	-	2	2	-	2	-	1	-	-	-	-	62
-	-	1	-	1	-	4	1	-	1	-	-	-	-	-	-	-	-	63
15	22	43	88	102	91	77	38	35	42	33	34	20	14	4	3	-	-	64
11	9	25	42	62	54	54	21	17	32	27	32	16	12	4	2	-	-	65
4	13	18	46	40	37	20	17	18	9	6	2	4	2	-	1	-	-	66
-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	67
21	33	58	63	66	90	96	88	102	85	42	29	13	4	1	-	-	-	68
7	15	30	28	24	31	40	31	37	32	20	8	6	1	-	-	-	-	69
11	16	25	28	31	52	46	47	55	51	20	18	7	3	1	-	-	-	70
2	-	2	3	4	5	3	3	7	2	-	2	-	-	-	-	-	-	71
1	2	1	4	7	2	7	7	2	-	2	1	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
11	18	24	36	51	62	72	83	94	104	69	52	42	20	6	1	1	-	75
6	6	9	17	23	28	31	45	46	44	32	29	22	12	1	-	-	-	76
3	8	13	14	22	27	28	30	38	50	31	21	19	6	5	1	1	-	77
-	2	1	3	2	4	5	6	8	7	4	-	1	-	-	-	-	-	78
2	2	1	2	4	3	6	2	2	3	2	2	-	2	-	-	-	-	79
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	81
1	-	4	4	2	3	1	4	2	10	6	5	4	2	2	-	-	-	82
1	-	1	1	2	1	-	4	1	9	5	3	4	2	2	-	-	-	83
-	-	3	3	-	2	1	-	1	1	1	2	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		II. Neoplasms—Continued										
		Benign neoplasms and neoplasms of unspecified nature—Con.										
1	237	Neoplasm of unspecified nature of brain, etc.*	1,695	25	22	17	14	11	89	71	37	36
2		White--Male	850	10	10	8	6	7	41	34	16	19
3		Female	647	8	11	8	3	3	33	20	18	11
4		Negro--Male	101	4	1	1	3	-	9	8	1	5
5		Female	86	2	-	-	2	1	5	7	2	1
6		Other--Male	7	1	-	-	-	-	1	1	-	-
7		Female	4	-	-	-	-	-	-	1	-	-
8	230-232,	Other neoplasms of unspecified nature	461	25	2	2	1	1	31	7	3	2
9	236,238,	White--Male	407	15	-	2	-	1	18	2	1	1
10	239	Female	350	6	1	-	1	-	8	2	1	-
11		Negro--Male	54	2	-	-	-	-	2	2	-	1
12		Female	45	2	1	-	-	-	3	1	1	-
13		Other--Male	5	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15		III. Allergic, endocrine system, metabolic, and nutritional diseases	37,249	424	101	62	53	31	671	140	146	163
16		White--Male	14,847	190	47	24	17	9	287	64	52	50
17		Female	18,138	146	28	20	26	11	231	51	66	66
18		Negro--Male	1,565	50	11	9	8	7	85	11	13	25
19		Female	2,512	34	10	6	2	4	56	13	15	21
20		Other--Male	113	2	3	2	-	-	7	-	-	-
21		Female	74	2	2	1	-	-	5	1	-	1
22	241	Asthma	6,677	52	34	20	21	12	139	38	24	32
23		White--Male	4,065	21	15	6	6	3	51	14	12	10
24		Female	1,816	16	11	7	9	3	46	8	8	13
25		Negro--Male	450	10	5	5	4	4	28	7	3	4
26		Female	317	4	2	1	2	2	11	8	1	4
27		Other--Male	21	-	1	1	-	-	2	-	-	-
28		Female	8	1	-	-	-	-	1	1	-	1
29	250,251	Nontoxic goiter	124	2	-	-	-	-	2	-	-	-
30		White--Male	25	1	-	-	-	-	1	-	-	-
31		Female	76	1	-	-	-	-	1	-	-	-
32		Negro--Male	4	-	-	-	-	-	-	-	-	-
33		Female	19	-	-	-	-	-	-	-	-	-
34		Other--Male	-	-	-	-	-	-	-	-	-	-
35		Female	-	-	-	-	-	-	-	-	-	-
36	252	Thyrotoxicosis with or without goiter	697	-	-	-	-	-	-	-	-	6
37		White--Male	99	-	-	-	-	-	-	-	-	2
38		Female	483	-	-	-	-	-	-	-	-	1
39		Negro--Male	15	-	-	-	-	-	-	-	-	2
40		Female	100	-	-	-	-	-	-	-	-	1
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	253,254	Myxedema, cretinism, and other diseases of thyroid gland	269	12	1	-	1	1	15	1	2	2
44		White--Male	57	6	-	-	1	-	7	-	-	-
45		Female	193	5	1	-	-	1	7	1	2	1
46		Negro--Male	5	1	-	-	-	-	1	-	-	1
47		Female	14	-	-	-	-	-	-	-	-	-
48		Other--Male	-	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	260	Diabetes mellitus	27,180	12	17	12	9	4	54	51	95	102
51		White--Male	9,623	2	10	5	4	1	22	22	27	28
52		Female	14,611	6	4	6	5	1	22	24	49	42
53		Negro--Male	903	-	1	-	-	1	2	2	7	17
54		Female	1,909	3	2	1	-	1	7	3	12	15
55		Other--Male	79	1	-	-	-	-	1	-	-	-
56		Female	55	-	-	-	-	-	-	-	-	-
57	273	Diseases of thymus gland	197	171	4	3	-	2	180	1	3	2
58		White--Male	91	78	1	2	-	1	82	-	1	1
59		Female	64	59	1	1	-	-	61	1	1	1
60		Negro--Male	20	13	2	-	-	1	16	-	1	-
61		Female	21	20	-	-	-	-	20	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	1	1	-	-	-	-	1	-	-	-
64	274	Diseases of adrenal glands	392	65	14	2	3	2	86	5	3	5
65		White--Male	163	33	7	1	2	1	44	1	1	3
66		Female	189	21	5	1	1	1	29	4	2	2
67		Negro--Male	25	10	1	-	-	-	11	-	-	-
68		Female	10	-	1	-	-	-	1	-	-	-
69		Other--Male	3	1	-	-	-	-	1	-	-	-
70		Female	2	-	-	-	-	-	-	-	-	-
71	281	Pellagra	76	-	-	-	-	-	-	-	-	-
72		White--Male	24	-	-	-	-	-	-	-	-	-
73		Female	26	-	-	-	-	-	-	-	-	-
74		Negro--Male	6	-	-	-	-	-	-	-	-	-
75		Female	19	-	-	-	-	-	-	-	-	-
76		Other--Male	-	-	-	-	-	-	-	-	-	-
77		Female	1	-	-	-	-	-	-	-	-	-
78	280,282-286	All other avitaminoses and nutritional deficiency states	714	32	14	15	7	2	70	5	4	4
79		White--Male	275	15	5	6	2	-	28	2	1	1
80		Female	292	8	1	1	2	1	13	1	1	2
81		Negro--Male	73	6	-	4	3	-	13	-	-	1
82		Female	62	3	5	2	-	1	11	2	2	-
83		Other--Male	9	-	2	1	-	-	3	-	-	-
84		Female	3	-	1	1	-	-	2	-	-	-

*For complete category title, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
43	37	79	82	134	159	200	186	206	152	99	53	22	8	2	-	-	-	1
17	15	32	38	66	82	109	88	102	87	61	26	10	6	1	-	-	-	2
12	14	34	31	51	55	68	78	89	59	34	26	11	2	1	-	-	-	3
9	6	3	6	10	7	9	11	9	5	1	1	1	-	-	-	-	-	4
5	2	9	6	6	14	13	8	5	-	3	-	-	-	-	-	-	-	5
-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	6
-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	7
8	3	13	8	15	25	50	48	67	106	117	136	111	73	31	5	2	-	8
4	1	2	2	3	10	29	22	33	63	69	65	44	27	9	1	1	-	9
2	1	6	4	6	7	10	15	21	33	39	61	66	43	20	4	1	-	10
2	1	2	1	3	5	6	5	11	4	4	3	-	2	-	-	-	-	11
-	-	2	1	3	3	5	6	2	5	5	5	1	-	2	-	-	-	12
-	-	1	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
240	381	560	764	936	1,382	2,043	3,085	4,742	6,094	6,121	4,907	3,104	1,318	347	76	10	19	15
77	158	221	307	385	563	856	1,244	1,897	2,402	2,427	1,996	1,217	491	113	31	2	7	16
107	150	203	268	317	469	750	1,313	2,278	3,105	3,333	2,659	1,747	764	214	37	4	6	17
20	25	55	77	78	124	142	165	186	230	140	90	53	27	8	6	2	3	18
35	46	77	108	147	216	279	339	362	336	196	142	76	32	10	2	2	2	19
-	-	2	3	5	6	10	14	14	15	16	12	6	2	-	-	-	1	20
1	2	2	1	4	4	6	10	5	6	9	8	5	2	2	-	-	-	21
51	77	103	171	221	342	479	685	892	1,056	944	767	422	184	36	11	-	3	22
12	20	25	57	76	160	270	434	638	735	678	517	240	89	16	9	-	2	23
17	21	44	62	85	106	126	159	169	240	217	219	167	88	18	2	-	1	24
6	12	9	25	29	39	54	56	53	58	30	25	10	2	-	-	-	-	25
15	24	25	27	31	35	27	32	28	16	19	4	4	4	2	-	-	-	26
-	-	-	-	-	2	1	4	3	5	-	2	1	1	-	-	-	-	27
1	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	28
-	1	1	2	3	6	10	12	14	14	17	23	12	6	1	-	-	-	29
-	-	-	-	1	2	1	1	4	4	1	6	1	3	-	-	-	-	30
-	-	-	2	2	2	5	8	8	7	13	15	10	2	1	-	-	-	31
-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	32
-	1	1	-	-	2	2	3	2	2	2	2	1	1	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
7	13	24	20	37	38	46	76	85	123	101	77	32	9	2	1	-	-	36
-	3	2	1	7	8	12	9	14	26	11	4	-	-	-	-	-	-	37
4	6	9	9	16	18	23	52	61	90	86	67	30	8	2	1	-	-	38
-	1	1	2	2	2	1	3	-	-	-	1	-	-	-	-	-	-	39
3	3	12	8	12	10	10	12	10	7	4	5	2	1	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
2	3	5	5	12	24	16	31	31	37	42	25	13	3	-	-	-	-	43
-	1	2	1	4	5	6	7	5	6	5	5	1	2	-	-	-	-	44
1	2	2	1	8	14	10	23	25	30	36	18	11	1	-	-	-	-	45
-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	46
1	-	1	3	-	4	-	1	1	1	1	-	1	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
151	244	376	482	582	839	1,343	2,137	3,547	4,681	4,845	3,846	2,478	1,017	257	37	3	13	50
55	116	174	214	269	330	510	731	1,166	1,550	1,652	1,390	901	361	85	15	1	4	51
74	100	127	160	167	278	513	1,010	1,935	2,660	2,907	2,286	1,479	616	158	19	-	5	52
9	12	40	41	40	68	77	96	122	157	100	51	35	17	6	2	1	1	53
13	15	33	65	98	155	231	281	310	300	163	121	56	20	7	1	1	2	54
-	-	2	2	4	4	8	9	11	10	14	10	2	1	-	-	-	1	55
-	1	-	-	4	4	4	10	3	4	9	8	5	2	1	-	-	-	56
2	2	-	-	1	1	-	2	1	1	-	-	-	-	-	-	-	1	57
1	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	1	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	60
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
6	11	15	20	19	28	37	30	30	34	24	21	11	6	1	-	-	-	64
3	5	3	9	7	9	7	11	13	15	14	9	6	3	-	-	-	-	65
2	6	7	9	10	14	25	17	17	17	9	10	5	3	1	-	-	-	66
-	-	2	1	-	4	3	2	-	-	1	1	-	-	-	-	-	-	67
1	-	2	1	1	1	-	-	-	2	-	1	-	-	-	-	-	-	68
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	69
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	2	3	2	1	3	5	8	10	17	15	4	4	2	-	-	71
-	-	-	-	-	1	1	-	1	1	4	5	9	1	-	1	-	-	72
-	-	-	2	-	-	-	-	2	3	6	6	3	1	2	1	-	-	73
-	-	-	-	1	-	-	-	-	2	-	2	-	1	-	-	-	-	74
-	-	-	-	2	1	-	3	2	2	-	4	3	1	1	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	77
6	6	7	10	15	22	26	31	43	62	69	90	93	75	42	25	7	2	78
-	-	3	2	4	8	11	11	14	32	32	37	45	25	12	6	1	-	79
4	5	3	3	8	6	10	13	18	19	25	42	32	40	29	14	4	-	80
2	-	1	3	2	4	2	3	5	7	5	7	5	5	1	4	1	2	81
-	1	-	1	1	4	3	4	5	4	5	4	8	5	-	1	1	-	82
-	-	-	1	-	-	-	-	-	-	2	-	3	-	-	-	-	-	83
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		III. Allergic, endocrine system, metabolic, and nutritional diseases—Continued										
1	Residual[1]	Other allergic, endocrine, and metabolic diseases	923	78	17	10	12	8	125	39	15	10
2		White—Male	425	34	9	4	2	3	52	25	10	5
3		Female	388	30	5	4	9	4	52	12	3	4
4		Negro—Male	64	10	2	-	1	1	14	2	2	-
5		Female	41	4	-	2	-	-	6	-	-	1
6		Other—Male	1	-	-	-	-	-	-	-	-	-
7		Female	4	-	1	-	-	-	1	-	-	-
8		IV. Diseases of the blood and blood-forming organs	4,758	306	126	42	44	35	553	122	80	74
9		White—Male	2,039	115	43	13	18	10	199	41	27	26
10		Female	2,038	78	27	7	15	12	139	37	27	24
11		Negro—Male	339	65	30	12	8	6	121	22	12	10
12		Female	328	46	26	10	3	7	92	21	14	14
13		Other—Male	8	-	-	-	-	-	-	-	-	-
14		Female	6	2	-	-	-	-	2	1	-	-
15	290-293	Anemias	2,987	150	94	33	27	23	327	86	55	43
16		White—Male	1,167	43	23	8	6	3	83	22	16	11
17		Female	1,282	27	21	5	11	8	72	24	20	13
18		Negro—Male	264	45	27	11	7	5	95	19	9	10
19		Female	265	34	23	9	3	7	76	20	10	9
20		Other—Male	5	-	-	-	-	-	-	-	-	-
21		Female	4	1	-	-	-	-	1	1	-	-
22	290	Pernicious and other hyperchromic anemias	819	6	2	-	-	-	8	-	1	3
23		White—Male	331	1	-	-	-	-	1	-	1	-
24		Female	455	3	-	-	-	-	3	-	-	2
25		Negro—Male	13	-	1	-	-	-	1	-	-	-
26		Female	20	2	1	-	-	-	3	-	-	1
27		Other—Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	291-293	Anemias of other and unspecified type	2,168	144	92	33	27	23	319	86	54	40
30		White—Male	836	42	23	8	6	3	82	22	15	11
31		Female	827	24	21	5	11	8	69	24	20	11
32		Negro—Male	251	45	26	11	7	5	94	19	9	10
33		Female	245	32	22	9	3	7	73	20	10	8
34		Other—Male	5	-	-	-	-	-	-	-	-	-
35		Female	4	1	-	-	-	-	1	1	-	-
36	296	Purpura and other hemorrhagic conditions	641	80	17	3	6	7	113	14	11	12
37		White—Male	262	33	8	2	2	3	48	5	4	1
38		Female	305	33	4	1	4	4	46	6	3	6
39		Negro—Male	29	9	2	-	-	-	11	2	1	-
40		Female	43	4	3	-	-	-	7	1	3	5
41		Other—Male	1	-	-	-	-	-	-	-	-	-
42		Female	1	1	-	-	-	-	1	-	-	-
43	294,295,	All other diseases of blood and blood-forming organs	1,130	76	15	6	11	5	113	22	14	19
44	297-299	White—Male	610	39	12	3	10	4	68	14	7	14
45		Female	451	18	2	1	-	-	21	7	4	5
46		Negro—Male	46	11	1	1	1	1	15	1	2	-
47		Female	20	8	-	1	-	-	9	-	1	-
48		Other—Male	2	-	-	-	-	-	-	-	-	-
49		Female	1	-	-	-	-	-	-	-	-	-
50		V. Mental, psychoneurotic, and personality disorders	3,665	61	14	10	12	2	99	11	9	22
51		White—Male	2,092	30	9	5	7	1	52	5	3	6
52		Female	876	25	3	3	3	1	35	5	3	7
53		Negro—Male	465	3	1	-	1	-	5	1	1	3
54		Female	188	2	1	1	1	-	5	-	1	5
55		Other—Male	33	1	-	1	-	-	2	-	-	1
56		Female	11	-	-	-	-	-	-	-	1	-
57	304	Senile psychosis	357	-	-	-	-	-	-	-	-	-
58		White—Male	122	-	-	-	-	-	-	-	-	-
59		Female	204	-	-	-	-	-	-	-	-	-
60		Negro—Male	13	-	-	-	-	-	-	-	-	-
61		Female	18	-	-	-	-	-	-	-	-	-
62		Other—Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	307	Alcoholic psychosis	341	-	-	-	-	-	-	-	-	-
65		White—Male	267	-	-	-	-	-	-	-	-	-
66		Female	25	-	-	-	-	-	-	-	-	-
67		Negro—Male	42	-	-	-	-	-	-	-	-	-
68		Female	4	-	-	-	-	-	-	-	-	-
69		Other—Male	3	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	300-303,	Other psychoses	445	-	-	1	-	-	1	-	-	4
72	305,306,	White—Male	152	-	-	-	-	-	-	-	-	2
73	308,309	Female	234	-	-	-	-	-	-	-	-	2
74		Negro—Male	25	-	-	-	-	-	-	-	-	-
75		Female	33	-	-	-	-	-	-	-	-	-
76		Other—Male	1	-	-	1	-	-	1	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-
78	322	Alcoholism	2,256	-	1	-	1	-	2	-	1	8
79		White—Male	1,441	-	-	-	-	-	-	-	-	2
80		Female	306	-	-	-	-	-	-	-	-	-
81		Negro—Male	359	-	-	-	1	-	1	-	-	3
82		Female	111	-	1	-	-	-	1	-	-	2
83		Other—Male	28	-	-	-	-	-	-	-	-	1
84		Female	11	-	-	-	-	-	-	-	1	-

[1]For category numbers, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
15	24	29	52	43	80	85	78	94	78	69	41	28	14	4	-	-	-	1
6	12	12	23	17	39	38	39	41	32	30	23	14	7	-	-	-	-	2
5	10	11	20	21	31	38	31	43	39	34	16	10	5	3	-	-	-	3
2	-	2	5	3	6	3	4	6	5	3	1	3	2	1	-	-	-	4
2	1	3	3	2	4	6	3	4	2	2	1	1	-	-	-	-	-	5
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	6
-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
90	91	105	116	135	155	190	274	358	484	562	557	466	247	69	24	4	2	8
28	27	27	39	52	59	85	134	159	239	273	259	217	108	33	6	1	-	9
32	34	50	46	53	67	75	117	156	211	271	272	241	132	35	15	3	1	10
11	15	11	12	11	16	14	8	26	19	10	14	4	2	-	-	-	1	11
19	15	17	18	19	13	16	14	15	14	5	10	3	5	1	3	-	-	12
-	-	-	1	-	-	-	1	2	1	-	2	1	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	14
48	53	50	50	70	71	86	137	192	277	368	390	381	216	60	21	4	2	15
12	10	11	10	18	18	32	63	78	126	168	179	176	98	30	5	1	-	16
13	17	16	17	27	32	35	57	84	126	185	189	198	111	29	13	3	1	17
8	13	9	10	9	12	9	7	16	11	9	11	4	2	-	-	-	1	18
15	13	14	12	16	9	10	10	13	13	4	9	3	5	1	3	-	-	19
-	-	-	1	-	-	-	-	1	1	-	2	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	21
1	1	1	1	7	15	10	30	48	75	149	158	161	105	36	8	-	1	22
-	-	-	-	2	6	1	7	17	29	60	71	67	48	20	1	-	-	23
-	-	-	-	4	8	7	19	29	40	87	84	93	56	15	7	-	1	24
-	-	-	-	-	1	1	2	1	2	-	3	1	1	-	-	-	-	25
1	1	1	1	1	-	1	2	1	4	2	-	-	-	1	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
47	52	49	49	63	56	76	107	144	202	219	232	220	111	24	13	4	1	29
12	10	11	10	16	12	31	56	61	97	108	108	109	50	10	4	1	-	30
13	17	16	17	23	24	28	38	55	86	98	105	105	55	14	6	3	-	31
8	13	9	10	9	11	8	5	15	9	9	8	3	1	-	-	-	1	32
14	12	13	11	15	9	9	8	12	9	2	9	3	5	-	3	-	-	33
-	-	-	1	-	-	-	-	1	1	-	2	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	35
23	21	33	35	22	30	33	47	41	52	52	55	26	18	3	-	-	-	36
7	4	6	7	11	11	9	26	20	23	30	31	12	6	1	-	-	-	37
11	14	23	22	9	17	16	17	17	26	21	24	13	12	2	-	-	-	38
1	1	1	1	1	1	2	1	4	2	-	-	-	-	-	-	-	-	39
4	2	3	5	1	1	6	3	-	1	1	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
19	17	22	31	43	54	71	90	125	155	142	112	59	13	6	3	-	-	43
9	13	10	22	23	30	44	45	61	90	75	49	29	4	2	1	-	-	44
8	3	11	7	17	18	24	43	55	59	65	59	30	9	4	2	-	-	45
2	1	1	1	1	3	3	-	6	6	1	3	-	-	-	-	-	-	46
-	-	-	1	2	3	-	1	2	-	-	1	-	-	-	-	-	-	47
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	49
48	115	197	317	406	467	432	377	274	282	199	127	130	95	41	9	4	4	50
21	38	80	158	237	303	299	242	187	182	113	62	52	36	11	4	-	1	51
10	21	36	54	73	78	68	80	60	69	62	53	71	53	30	4	3	1	52
11	34	61	73	61	59	43	41	22	23	15	6	3	1	-	-	-	2	53
4	17	18	25	30	22	15	12	5	4	8	6	4	5	-	1	1	-	54
1	4	2	4	5	2	6	2	-	3	1	-	-	-	-	-	-	-	55
1	1	-	3	-	3	1	-	-	1	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	1	2	4	24	51	61	86	75	39	9	4	1	57
-	-	-	-	-	-	-	1	1	7	16	21	33	28	11	4	-	-	58
-	-	-	-	-	-	-	-	2	13	30	32	49	43	28	4	3	-	59
-	-	-	-	-	-	-	1	1	2	2	3	2	1	-	-	-	1	60
-	-	-	-	-	-	1	-	-	2	3	5	2	3	-	1	1	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
1	5	21	42	61	52	56	35	28	22	12	5	1	-	-	-	-	-	64
-	3	18	27	44	38	47	30	26	19	10	5	-	-	-	-	-	-	65
-	-	-	4	7	5	2	1	2	2	1	-	1	-	-	-	-	-	66
1	1	3	9	8	9	6	3	-	1	1	-	-	-	-	-	-	-	67
-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	68
-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
8	17	22	27	27	28	38	73	51	46	35	27	25	14	2	-	-	-	71
5	4	6	12	10	7	19	30	14	16	14	4	5	4	-	-	-	-	72
2	7	8	8	11	15	12	38	35	29	18	21	18	8	2	-	-	-	73
-	4	5	2	3	5	1	3	1	-	-	1	-	-	-	-	-	-	74
1	2	3	5	3	1	6	2	1	1	3	1	2	2	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
25	74	141	235	307	379	327	256	184	175	89	32	14	4	-	-	-	3	78
12	25	56	115	179	254	231	175	144	131	69	31	13	3	-	-	-	1	79
1	8	23	39	51	54	49	37	17	19	6	-	-	1	-	-	-	1	80
8	24	49	57	49	45	35	34	19	20	12	1	1	-	-	-	-	1	81
2	12	11	19	24	21	5	8	4	1	1	-	-	-	-	-	-	-	82
1	4	2	2	4	2	6	2	-	3	1	-	-	-	-	-	-	-	83
1	1	-	3	-	3	1	-	-	1	-	-	-	-	-	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		V. Mental psychoneurotic, and personality disorders—Continued										
1	325	Mental deficiency	146	60	13	9	11	2	95	11	7	8
2		White—Male	74	29	9	5	7	1	51	5	3	2
3		Female	54	25	3	3	3	1	35	5	2	4
4		Negro—Male	7	3	1	-	-	-	4	1	1	-
5		Female	10	2	-	1	1	-	4	-	1	2
6		Other—Male	1	1	-	-	-	-	1	-	-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	310-321,	Psychoneuroses and other disorders of personality	120	1	-	-	-	-	1	-	1	2
9	323,324,	White—Male	36	1	-	-	-	-	1	-	-	-
10	326	Female	53	-	-	-	-	-	-	-	1	1
11		Negro—Male	19	-	-	-	-	-	-	-	-	-
12		Female	12	-	-	-	-	-	-	-	-	1
13		Other—Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15		VI. Diseases of the nervous system and sense organs	201,698	1,621	529	297	258	162	2,867	647	468	516
16		White—Male	85,930	655	214	128	114	68	1,179	309	211	256
17		Female	90,481	495	186	108	93	55	937	230	178	165
18		Negro—Male	11,828	249	65	29	31	17	391	53	37	50
19		Female	12,795	184	60	30	19	18	311	50	38	41
20		Other—Male	410	25	4	2	1	1	33	2	1	2
21		Female	254	13	-	-	-	3	16	3	3	2
22	330-334	Vascular lesions affecting central nervous system	187,709	197	58	44	43	24	366	156	96	171
23		White—Male	79,360	83	19	22	21	7	152	73	45	82
24		Female	85,117	64	26	12	15	9	126	55	34	62
25		Negro—Male	10,712	30	6	4	5	1	46	12	7	13
26		Female	11,950	16	7	6	2	5	36	14	7	13
27		Other—Male	351	3	-	-	-	1	4	1	1	-
28		Female	219	1	-	-	-	1	2	1	2	1
29	330	Subarachnoid hemorrhage	6,037	49	10	2	2	1	64	39	46	70
30		White—Male	2,453	26	2	-	-	1	29	19	24	32
31		Female	2,616	10	6	1	2	-	19	13	13	30
32		Negro—Male	400	11	-	-	-	-	11	3	4	3
33		Female	534	2	2	1	-	-	5	3	3	4
34		Other—Male	21	-	-	-	-	-	-	1	1	-
35		Female	13	-	-	-	-	-	-	-	1	1
36	331	Cerebral hemorrhage	114,869	80	15	12	10	8	125	53	26	70
37		White—Male	47,579	30	4	7	5	3	49	29	9	35
38		Female	52,086	27	6	3	5	2	43	20	12	22
39		Negro—Male	6,929	14	4	-	-	-	18	4	2	7
40		Female	7,919	9	1	2	-	3	15	-	3	6
41		Other—Male	217	-	-	-	-	-	-	-	-	-
42		Female	139	-	-	-	-	-	-	-	-	-
43	332	Cerebral embolism and thrombosis	49,479	32	7	4	2	2	47	8	6	10
44		White—Male	22,120	11	4	1	-	-	16	5	4	2
45		Female	22,720	17	2	2	-	2	23	2	1	5
46		Negro—Male	2,249	1	-	-	2	-	3	-	1	1
47		Female	2,260	3	1	1	-	-	5	1	-	2
48		Other—Male	84	-	-	-	-	-	-	-	-	-
49		Female	46	-	-	-	-	-	-	-	-	-
50	333,334	Other vascular lesions affecting central nervous system	17,324	36	26	26	29	13	130	56	18	21
51		White—Male	7,208	16	9	14	16	3	58	20	8	13
52		Female	7,695	10	12	6	8	5	41	20	8	5
53		Negro—Male	1,134	4	2	4	3	1	14	5	-	2
54		Female	1,237	2	3	2	2	2	11	10	1	1
55		Other—Male	29	3	-	-	-	1	4	-	-	-
56		Female	21	1	-	-	-	1	2	1	1	-
57	340	Meningitis, except meningococcal and tuberculous	2,025	769	177	94	59	38	1,137	89	67	40
58		White—Male	832	293	71	44	25	18	451	40	25	18
59		Female	599	218	58	26	19	14	335	29	26	9
60		Negro—Male	300	136	21	11	7	4	179	10	8	10
61		Female	251	96	25	12	8	-	141	9	7	3
62		Other—Male	27	18	2	1	-	-	21	-	-	-
63		Female	16	8	-	-	-	2	10	1	1	-
64	345	Multiple sclerosis	1,467	-	-	-	-	-	-	-	1	6
65		White—Male	618	-	-	-	-	-	-	-	-	6
66		Female	769	-	-	-	-	-	-	-	1	-
67		Negro—Male	31	-	-	-	-	-	-	-	-	-
68		Female	47	-	-	-	-	-	-	-	-	-
69		Other—Male	1	-	-	-	-	-	-	-	-	-
70		Female	1	-	-	-	-	-	-	-	-	-
71	350	Paralysis agitans	2,592	-	-	-	-	-	-	-	-	-
72		White—Male	1,378	-	-	-	-	-	-	-	-	-
73		Female	1,152	-	-	-	-	-	-	-	-	-
74		Negro—Male	38	-	-	-	-	-	-	-	-	-
75		Female	20	-	-	-	-	-	-	-	-	-
76		Other—Male	3	-	-	-	-	-	-	-	-	-
77		Female	1	-	-	-	-	-	-	-	-	-
78	351	Cerebral spastic infantile paralysis	643	52	56	34	36	37	215	122	80	59
79		White—Male	309	21	27	15	14	15	92	62	38	37
80		Female	248	24	16	13	18	9	80	41	34	18
81		Negro—Male	47	2	9	4	4	7	26	9	3	4
82		Female	38	5	4	2	-	6	17	10	5	-
83		Other—Male	1	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
4	3	1	3	4	2	4	1	2	-	-	-	-	1	-	-	-	-	1
2	3	-	1	3	2	1	-	1	-	-	-	-	-	-	-	-	-	2
2	-	1	2	-	-	-	1	1	-	-	-	-	1	-	-	-	-	3
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
10	16	12	10	7	6	6	10	5	15	12	2	4	1	-	-	-	-	8
2	3	-	3	1	2	1	6	1	9	4	1	1	1	-	-	-	-	9
5	6	4	1	4	4	5	3	3	6	7	-	3	-	-	-	-	-	10
2	5	4	5	1	-	-	-	1	-	-	1	-	-	-	-	-	-	11
1	2	4	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
604	787	1,146	2,023	3,145	4,916	7,344	10,523	15,687	23,816	31,087	34,155	31,733	20,528	7,589	1,737	261	119	15
259	318	409	722	1,081	1,831	2,833	4,417	6,960	10,995	14,259	15,312	13,327	7,997	2,674	498	47	36	16
196	248	361	673	1,013	1,600	2,437	3,363	5,627	9,163	13,545	16,501	16,858	11,611	4,511	1,103	131	30	17
79	103	155	284	445	658	951	1,331	1,511	1,772	1,546	1,098	722	402	137	46	29	28	18
65	110	212	332	588	795	1,085	1,361	1,526	1,812	1,641	1,159	771	482	253	86	52	25	19
4	4	4	4	10	23	23	29	39	40	67	54	41	22	6	1	1	-	20
1	4	5	8	8	9	15	22	24	34	29	31	14	14	8	3	1	-	21
262	444	708	1,419	2,470	4,188	6,574	9,600	14,620	22,497	29,840	33,262	31,157	20,265	7,523	1,719	259	113	22
110	174	236	459	795	1,509	2,452	3,932	6,413	10,264	13,627	14,866	13,064	7,892	2,642	493	47	33	23
81	126	194	444	737	1,330	2,158	3,026	5,213	8,668	12,993	16,096	16,577	11,467	4,481	1,091	129	29	24
31	59	102	223	377	581	898	1,262	1,446	1,717	1,519	1,078	709	394	136	46	29	27	25
38	82	170	284	546	736	1,031	1,331	1,489	1,779	1,612	1,139	756	476	250	85	52	24	26
2	1	3	3	9	23	22	27	36	36	61	53	39	22	6	1	1	-	27
-	2	3	6	6	9	13	22	23	33	28	30	12	14	8	3	1	-	28
145	220	335	507	611	773	741	588	539	493	337	254	168	83	15	6	1	2	29
66	99	134	195	240	316	299	234	219	203	127	105	69	35	4	4	-	-	30
55	69	107	201	227	324	346	266	257	238	178	126	90	44	9	2	-	2	31
8	21	34	48	46	49	42	47	33	19	15	13	2	1	1	-	-	-	32
15	30	59	61	95	76	52	39	27	28	15	10	7	3	1	-	1	-	33
1	-	-	-	2	7	2	1	1	3	2	-	-	-	-	-	-	-	34
-	1	1	2	1	1	-	1	2	2	-	-	-	-	-	-	-	-	35
92	174	303	747	1,508	2,770	4,545	6,578	9,735	14,379	18,799	20,162	18,280	11,348	4,088	883	127	77	36
36	61	86	207	427	938	1,605	2,655	4,112	6,450	8,406	8,798	7,616	4,368	1,402	252	16	22	37
17	43	72	193	428	855	1,495	2,104	3,584	5,680	8,330	9,935	9,748	6,425	2,445	554	63	18	38
18	29	57	149	271	421	649	858	939	1,060	977	671	407	238	85	32	19	18	39
20	40	85	193	370	535	771	926	1,054	1,149	1,026	714	479	296	145	45	28	19	40
1	1	2	3	7	14	15	19	28	16	42	28	23	13	5	-	-	-	41
-	-	1	2	5	7	10	16	18	24	18	16	7	8	6	-	1	-	42
11	23	35	96	217	449	948	1,836	3,400	5,805	8,107	9,597	9,398	6,350	2,451	570	94	21	43
4	6	7	38	85	195	447	839	1,704	2,840	3,929	4,488	3,952	2,492	889	148	21	9	44
5	7	9	33	54	114	233	503	1,100	2,112	3,431	4,548	5,042	3,616	1,448	381	48	5	45
1	2	5	10	32	69	135	243	321	437	357	268	195	107	40	10	7	5	46
1	7	12	14	46	69	128	240	267	396	371	266	193	123	72	28	17	2	47
-	-	1	-	-	1	4	7	6	14	13	15	11	9	1	1	1	-	48
-	1	1	1	-	1	1	4	2	6	6	12	5	3	1	2	-	-	49
14	27	35	69	134	196	340	598	946	1,820	2,597	3,249	3,311	2,484	969	260	37	13	50
4	8	9	19	43	60	101	204	378	771	1,165	1,475	1,427	997	347	89	10	2	51
4	7	6	17	28	37	84	153	272	638	1,054	1,487	1,697	1,382	579	154	18	4	52
4	7	6	16	28	42	72	114	153	201	170	126	105	48	10	4	3	4	53
2	5	14	16	35	56	80	126	141	206	200	149	77	54	32	12	6	3	54
-	-	-	-	-	1	1	-	1	3	4	10	5	-	-	-	-	-	55
-	-	-	1	-	-	2	1	1	1	4	2	-	3	1	1	-	-	56
28	18	35	35	57	73	67	77	86	75	62	37	32	5	4	-	-	1	57
12	4	11	10	29	26	27	36	41	39	31	16	15	-	1	-	-	-	58
6	6	11	14	11	23	12	16	21	23	25	15	11	4	2	-	-	-	59
5	1	6	3	8	14	14	15	14	7	1	3	2	-	-	-	-	-	60
4	6	7	6	8	10	14	8	9	5	5	3	3	1	1	-	-	1	61
-	-	-	1	-	-	-	2	1	1	-	-	1	-	-	-	-	-	62
1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	63
24	49	70	108	189	187	180	162	159	148	93	49	27	10	4	-	1	-	64
4	14	25	41	66	75	76	72	80	69	48	24	14	2	2	-	-	-	65
13	28	39	66	105	100	95	84	74	75	43	24	12	7	2	-	1	-	66
2	-	1	-	12	6	3	2	2	2	1	-	-	-	-	-	-	-	67
5	5	5	1	6	6	6	4	3	2	1	1	1	1	-	-	-	-	68
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	1	-	11	18	27	74	129	246	507	627	495	295	134	22	5	-	1	71
-	-	-	6	8	18	43	81	129	289	341	250	138	61	12	1	-	1	72
-	1	-	3	9	7	26	45	102	204	278	237	154	72	10	4	-	-	73
-	-	-	-	-	1	2	2	12	8	4	7	2	-	-	-	-	-	74
-	-	-	2	1	1	2	1	3	4	3	1	1	1	-	-	-	-	75
-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	76
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	77
43	17	17	22	13	12	5	11	4	8	9	4	1	-	1	-	-	-	78
15	13	10	13	4	5	3	6	1	3	3	3	-	-	1	-	-	-	79
22	3	6	7	9	6	2	4	3	5	6	1	1	-	-	-	-	-	80
2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
3	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	82
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VI. Diseases of the nervous system and sense organs—Continued										
1	353	Epilepsy	2,166	35	25	25	22	18	125	106	114	154
2		White—Male	980	16	10	6	13	11	56	52	51	66
3		Female	681	9	11	12	4	6	42	33	39	49
4		Negro—Male	329	6	3	4	2	1	16	13	11	17
5		Female	164	4	1	3	2	-	10	7	13	20
6		Other—Male	7	-	-	-	1	-	1	1	-	2
7		Female	5	-	-	-	-	-	-	-	-	-
8	370-379	Inflammatory diseases of eye	10	3	-	-	-	-	3	-	2	-
9		White—Male	8	3	-	-	-	-	3	-	-	-
10		Female	-	-	-	-	-	-	-	-	-	-
11		Negro—Male	1	-	-	-	-	-	-	-	1	-
12		Female	1	-	-	-	-	-	-	-	1	-
13		Other—Male	-	-	-	-	-	-	-	-	-	-
14		Female	-	-	-	-	-	-	-	-	-	-
15	385	Cataract	40	-	-	-	2	-	2	-	-	-
16		White—Male	15	-	-	-	-	-	-	-	-	-
17		Female	22	-	-	-	2	-	2	-	-	-
18		Negro—Male	-	-	-	-	-	-	-	-	-	-
19		Female	3	-	-	-	-	-	-	-	-	-
20		Other—Male	-	-	-	-	-	-	-	-	-	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	387	Glaucoma	16	-	-	-	-	-	-	-	-	-
23		White—Male	3	-	-	-	-	-	-	-	-	-
24		Female	8	-	-	-	-	-	-	-	-	-
25		Negro—Male	1	-	-	-	-	-	-	-	-	-
26		Female	4	-	-	-	-	-	-	-	-	-
27		Other—Male	-	-	-	-	-	-	-	-	-	-
28		Female	-	-	-	-	-	-	-	-	-	-
29	391-393	Otitis media and mastoiditis	398	150	31	10	6	4	201	22	10	13
30		White—Male	183	58	16	6	1	1	82	10	5	6
31		Female	131	43	9	2	5	1	60	9	3	4
32		Negro—Male	42	28	2	2	-	-	32	-	1	2
33		Female	32	16	3	-	-	2	21	2	1	-
34		Other—Male	3	2	1	-	-	-	3	-	-	-
35		Female	7	3	-	-	-	-	3	1	-	1
36	Residual[1]	Other diseases of nervous system and sense organs	4,632	415	182	90	90	41	818	152	98	73
37		White—Male	2,244	181	71	35	40	16	343	72	47	41
38		Female	1,754	137	66	43	30	16	292	63	41	23
39		Negro—Male	327	47	24	4	13	4	92	9	6	4
40		Female	285	47	20	7	7	5	86	8	4	5
41		Other—Male	17	2	1	1	-	-	4	-	-	-
42		Female	5	1	-	-	-	-	1	-	-	-
43		VII. Diseases of the circulatory system	689,084	364	145	46	40	39	634	213	315	599
44		White—Male	366,075	157	39	19	14	19	248	84	95	255
45		Female	259,743	112	47	7	14	10	190	57	114	200
46		Negro—Male	32,584	48	30	12	4	7	101	26	53	53
47		Female	28,905	42	27	8	8	3	88	40	47	86
48		Other—Male	1,299	5	1	-	-	-	6	6	2	3
49		Female	478	-	1	-	-	-	1	-	4	2
50	400-402	Rheumatic fever	900	4	9	5	9	7	34	67	121	59
51		White—Male	371	2	3	3	2	2	12	24	33	22
52		Female	318	1	1	-	4	2	8	18	44	26
53		Negro—Male	99	-	3	1	-	2	6	7	21	4
54		Female	105	1	2	1	3	1	8	18	18	7
55		Other—Male	3	-	-	-	-	-	-	-	1	-
56		Female	4	-	-	-	-	-	-	-	4	-
57	410-443	Diseases of heart	628,504	303	125	38	29	24	519	125	163	455
58		White—Male	337,908	132	31	15	11	13	202	51	54	205
59		Female	234,009	97	43	7	9	7	163	34	56	136
60		Negro—Male	29,222	39	24	10	4	2	79	16	26	45
61		Female	25,751	31	25	6	5	2	69	19	26	65
62		Other—Male	1,192	4	1	-	-	-	5	5	1	2
63		Female	422	-	1	-	-	-	1	-	-	2
64	410-416	Chronic rheumatic heart disease	19,274	2	4	1	2	1	10	13	56	250
65		White—Male	8,564	2	-	1	1	-	4	4	15	109
66		Female	9,103	-	1	-	-	-	1	3	20	83
67		Negro—Male	731	-	1	-	-	1	2	2	9	19
68		Female	801	-	2	-	1	-	3	4	11	37
69		Other—Male	44	-	-	-	-	-	-	-	1	1
70		Female	31	-	-	-	-	-	-	-	-	1
71	410	Diseases of mitral valve	6,958	2	3	1	-	1	7	2	25	72
72		White—Male	2,895	2	-	1	-	-	3	1	5	26
73		Female	3,512	-	1	-	-	-	1	-	9	34
74		Negro—Male	251	-	1	-	-	1	2	-	4	3
75		Female	271	-	1	-	-	-	1	1	6	7
76		Other—Male	19	-	-	-	-	-	-	-	1	1
77		Female	10	-	-	-	-	-	-	-	-	1
78	411	Diseases of aortic valve specified as rheumatic	1,704	-	-	-	-	-	-	2	1	9
79		White—Male	1,201	-	-	-	-	-	-	1	-	7
80		Female	423	-	-	-	-	-	-	-	-	1
81		Negro—Male	56	-	-	-	-	-	-	1	-	1
82		Female	18	-	-	-	-	-	-	-	1	-
83		Other—Male	5	-	-	-	-	-	-	-	-	-
84		Female	1	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
162	164	206	222	190	163	127	109	104	84	62	31	25	13	1	2	-	2	1
69	70	94	96	76	74	66	52	53	46	28	16	8	4	-	2	-	1	2
48	52	59	67	64	46	36	26	33	24	25	15	14	8	1	-	-	-	3
36	29	34	37	38	31	13	25	12	8	6	-	1	1	-	-	-	1	4
8	11	18	21	11	12	11	6	6	5	3	-	2	-	-	-	-	-	5
1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
1	2	-	-	-	1	1	3	2	4	7	7	7	2	1	-	-	-	15
-	-	-	-	-	1	-	1	1	2	2	5	2	-	1	-	-	-	16
-	2	-	-	-	-	1	1	1	1	5	2	5	2	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	1	2	5	5	3	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
14	9	6	10	18	17	12	13	15	11	11	8	4	3	-	1	-	-	29
11	6	2	4	12	5	6	7	10	8	3	3	1	1	-	1	-	-	30
3	2	2	3	6	6	5	6	4	2	7	5	2	2	-	-	-	-	31
-	1	1	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	32
-	-	-	1	-	4	1	-	-	1	1	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	35
70	83	104	196	190	248	304	419	450	477	369	257	182	96	33	10	1	2	36
38	37	31	93	91	118	160	230	232	272	172	128	85	37	15	1	-	1	37
23	28	50	69	72	82	102	155	176	159	161	104	80	49	15	8	1	1	38
3	12	11	17	10	23	21	25	24	30	15	9	8	7	1	-	-	-	39
6	6	11	17	16	25	20	9	15	15	15	14	7	3	2	1	-	-	40
-	-	1	-	1	-	1	-	2	1	5	1	1	-	-	-	-	-	41
-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	42
780	1,378	3,183	6,627	12,900	22,242	34,959	49,812	70,675	92,609	104,433	103,770	91,368	60,283	24,664	6,295	974	371	43
274	532	1,481	3,665	7,997	14,159	22,629	31,374	43,593	53,551	56,464	51,653	41,428	24,966	9,177	2,049	247	154	44
260	417	793	1,268	2,208	4,050	6,631	11,053	18,859	29,915	40,101	46,229	45,841	32,839	14,344	3,808	475	91	45
116	188	448	842	1,446	2,138	3,007	3,908	4,482	4,770	4,077	2,967	1,961	1,181	499	168	89	64	46
121	226	441	826	1,212	1,827	2,562	3,308	3,546	4,097	3,561	2,696	1,958	1,197	604	250	152	60	47
3	8	11	15	28	44	92	132	142	225	180	173	118	68	29	8	5	1	48
6	7	9	11	9	24	38	37	53	51	50	52	62	32	11	12	6	1	49
36	36	57	59	62	61	73	63	41	43	34	28	11	12	3	-	-	-	50
15	10	18	30	33	24	39	33	27	17	9	14	4	7	-	-	-	-	51
13	14	22	17	16	18	25	19	10	21	20	13	6	5	3	-	-	-	52
4	5	7	9	7	9	5	6	2	4	3	-	-	-	-	-	-	-	53
4	7	10	2	5	10	4	5	2	1	2	1	1	-	-	-	-	-	54
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
615	1,153	2,723	5,996	11,964	20,940	33,173	47,197	66,754	86,865	96,686	94,581	80,863	51,576	20,175	4,911	725	345	57
230	480	1,367	3,475	7,639	13,648	21,731	30,006	41,400	50,385	52,405	47,192	36,695	21,305	7,486	1,621	187	144	58
193	332	648	1,117	1,987	3,706	6,200	10,374	17,786	28,120	37,208	42,149	40,558	28,134	11,743	2,943	339	83	59
95	154	353	709	1,267	1,907	2,757	3,615	4,113	4,352	3,650	2,645	1,739	1,014	414	140	71	61	60
90	175	337	671	1,039	1,614	2,363	3,041	3,276	3,758	3,207	2,387	1,712	1,036	499	191	121	55	61
2	7	11	14	24	43	86	128	129	202	169	163	105	61	24	7	3	1	62
5	5	7	10	8	22	36	33	50	48	47	45	54	26	9	9	4	1	63
284	462	752	1,064	1,471	1,965	2,278	2,374	2,251	2,004	1,595	1,164	721	402	116	31	6	5	64
94	179	309	456	683	864	1,054	1,129	1,060	918	706	500	292	143	38	4	1	2	65
117	189	323	476	629	920	1,067	1,077	1,059	990	823	606	390	232	68	23	4	3	66
31	35	51	56	77	86	78	76	70	48	27	25	20	16	3	-	-	-	67
40	56	64	68	74	90	64	84	54	42	38	30	19	11	7	4	1	-	68
-	1	3	4	4	3	9	5	6	5	1	1	-	-	-	-	-	-	69
2	2	2	4	4	2	6	3	2	1	-	2	-	-	-	-	-	-	70
85	150	284	399	520	635	755	746	740	680	647	501	371	232	80	23	3	1	71
24	52	100	157	227	257	323	334	326	297	292	204	152	87	26	2	-	-	72
41	78	156	208	253	328	382	357	357	334	318	286	195	127	48	17	2	1	73
7	9	17	12	21	22	25	24	28	19	18	15	13	11	1	-	-	-	74
12	10	9	19	16	27	22	29	25	26	18	15	11	7	5	4	1	-	75
-	1	1	2	2	1	2	1	3	3	1	-	-	-	-	-	-	-	76
1	-	1	1	1	-	1	1	1	1	-	1	-	-	-	-	-	-	77
24	37	65	95	116	165	229	224	240	229	131	77	35	19	4	1	-	1	78
15	27	50	68	92	123	161	168	171	148	81	55	22	9	3	-	-	-	79
5	6	9	21	17	32	58	43	63	77	47	21	12	9	-	1	-	1	80
2	4	2	5	5	8	7	6	6	4	2	1	-	1	1	-	-	-	81
2	-	2	1	1	2	2	5	-	-	1	-	1	-	-	-	-	-	82
-	-	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
		Chronic rheumatic heart disease—Continued										
1	412	Diseases of tricuspid valve	25	-	-	-	-	-	-	-	-	1
2		White--Male	6	-	-	-	-	-	-	-	-	-
3		Female	14	-	-	-	-	-	-	-	-	1
4		Negro--Male	2	-	-	-	-	-	-	-	-	-
5		Female	3	-	-	-	-	-	-	-	-	-
6		Other--Male	-	-	-	-	-	-	-		-	-
7		Female	-	-	-	-	-	-	-	-	-	-
8	413,414	Diseases of pulmonary valve, etc.*, specified as rheumatic	1,090	-	-	-	-	-	-	3	2	11
9		White--Male	461	-	-	-	-	-	-	-	1	3
10		Female	554	-	-	-	-	-	-	1	1	6
11		Negro--Male	36	-	-	-	-	-	-	-	-	-
12		Female	35	-	-	-	-	-	-	2	-	2
13		Other--Male	2	-	-	-	-	-	-	-	-	-
14		Female	2	-	-	-	-	-	-	-	-	-
15	415,416	Other diseases of heart specified as rheumatic	9,497	-	1	-	2	-	3	6	28	157
16		White--Male	4,001	-	-	-	1	-	1	2	9	73
17		Female	4,600	-	-	-	-	-	-	2	10	41
18		Negro--Male	386	-	-	-	-	-	-	1	5	15
19		Female	474	-	1	-	1	-	2	1	4	28
20		Other--Male	18	-	-	-	-	-	-	-	-	-
21		Female	18	-	-	-	-	-	-	-	-	-
22	420	Arteriosclerotic heart disease, including coronary disease	452,507	47	6	3	2	3	61	27	11	66
23		White--Male	265,752	27	1	3	2	2	35	17	4	28
24		Female	157,870	9	1	-	-	1	11	3	3	24
25		Negro--Male	15,910	7	1	-	-	-	8	2	1	4
26		Female	11,895	4	2	-	-	-	6	4	3	10
27		Other--Male	852	-	1	-	-	-	1	1	-	-
28		Female	228	-	-	-	-	-	-	-	-	-
29	420.0	Arteriosclerotic heart disease so described	188,837	13	1	1	-	-	15	9	5	6
30		White--Male	96,521	9	-	1	-	-	10	6	2	4
31		Female	80,160	2	-	-	-	-	2	2	1	-
32		Negro--Male	6,339	2	1	-	-	-	3	-	1	1
33		Female	5,356	-	-	-	-	-	-	1	1	1
34		Other--Male	363	-	-	-	-	-	-	-	-	-
35		Female	98	-	-	-	-	-	-	-	-	-
36	420.1	Heart disease specified as involving coronary arteries	262,955	34	5	2	2	3	46	18	6	60
37		White--Male	168,824	18	1	2	2	2	25	11	2	24
38		Female	77,501	7	1	-	-	1	9	1	2	24
39		Negro--Male	9,518	5	-	-	-	-	5	2	-	3
40		Female	6,493	4	2	-	-	-	6	3	2	9
41		Other--Male	489	-	1	-	-	-	1	1	-	-
42		Female	130	-	-	-	-	-	-	-	-	-
43	420.2	Angina pectoris without mention of coronary disease	715	-	-	-	-	-	-	-	-	-
44		White--Male	407	-	-	-	-	-	-	-	-	-
45		Female	209	-	-	-	-	-	-	-	-	-
46		Negro--Male	53	-	-	-	-	-	-	-	-	-
47		Female	46	-	-	-	-	-	-	-	-	-
48		Other--Male	-	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	421	Chronic endocarditis not specified as rheumatic	6,199	13	16	9	3	-	41	6	4	15
51		White--Male	2,943	5	4	2	1	-	12	1	3	8
52		Female	2,333	6	7	2	2	-	17	5	-	3
53		Negro--Male	500	-	3	4	-	-	7	-	1	2
54		Female	406	1	2	1	-	-	4	-	-	2
55		Other--Male	13	1	-	-	-	-	1	-	-	-
56		Female	4	-	-	-	-	-	-	-	-	-
57	421.0	Of mitral valve, specified as nonrheumatic	488	-	-	-	-	-	-	-	-	-
58		White--Male	198	-	-	-	-	-	-	-	-	-
59		Female	219	-	-	-	-	-	-	-	-	-
60		Negro--Male	31	-	-	-	-	-	-	-	-	-
61		Female	40	-	-	-	-	-	-	-	-	-
62		Other--Male	-	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	421.1	Of aortic valve, not specified as rheumatic	2,133	-	-	-	-	-	-	2	1	4
65		White--Male	1,233	-	-	-	-	-	-	-	1	4
66		Female	615	-	-	-	-	-	-	2	-	-
67		Negro--Male	189	-	-	-	-	-	-	-	-	-
68		Female	90	-	-	-	-	-	-	-	-	-
69		Other--Male	6	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	421.2-421.4	Of other valves, not specified as rheumatic	3,578	13	16	9	3	-	41	4	3	11
72		White--Male	1,512	5	4	2	1	-	12	1	2	4
73		Female	1,499	6	7	2	2	-	17	3	-	3
74		Negro--Male	280	-	3	4	-	-	7	-	1	2
75		Female	276	1	2	1	-	-	4	-	-	2
76		Other--Male	7	1	-	-	-	-	1	-	-	-
77		Female	4	-	-	-	-	-	-	-	-	-
78	422	Other myocardial degeneration	56,419	50	28	5	4	4	91	19	21	29
79		White--Male	24,807	16	7	3	1	3	30	3	7	15
80		Female	25,578	18	10	1	2	1	32	7	7	7
81		Negro--Male	3,047	8	2	-	-	-	10	5	4	3
82		Female	2,870	8	8	1	1	-	18	2	3	4
83		Other--Male	77	-	-	-	-	-	-	2	-	-
84		Female	40	-	1	-	-	-	1	-	-	-

*For complete category title, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	3	5	3	1	-	2	2	-	2	3	2	1	-	-	-	-	-	1
-	-	2	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	2
-	1	2	2	-	-	1	2	-	2	1	1	1	-	-	-	-	-	3
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
21	25	42	55	81	107	124	138	137	119	93	70	44	13	3	1	1	-	8
9	15	23	22	28	47	55	60	71	40	41	24	18	3	-	-	1	-	9
8	5	16	28	47	48	63	67	63	75	50	43	21	8	3	1	-	-	10
3	3	2	-	4	6	3	6	1	2	1	-	4	1	-	-	-	-	11
1	1	1	5	2	5	2	5	2	1	1	3	1	1	-	-	-	-	12
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	13
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	14
154	247	356	512	753	1,058	1,168	1,264	1,134	974	721	514	270	138	29	6	2	3	15
46	85	134	208	336	437	514	567	492	433	291	216	100	44	9	2	-	2	16
63	99	140	217	312	512	563	608	576	502	407	275	161	88	17	4	2	1	17
19	18	29	39	47	50	43	40	35	23	6	9	3	3	1	-	-	-	18
25	44	52	43	54	56	38	45	27	15	17	12	6	3	2	-	-	-	19
-	-	-	2	1	2	6	2	3	1	-	1	-	-	-	-	-	-	20
1	1	1	3	3	1	4	2	1	-	-	1	-	-	-	-	-	-	21
123	348	1,296	3,595	8,216	14,982	24,546	35,572	51,284	66,099	71,903	68,188	55,647	34,014	12,853	3,020	425	231	22
56	201	855	2,624	6,188	11,324	18,260	25,090	34,655	41,332	41,444	36,104	26,540	14,668	5,030	1,056	121	120	23
24	57	171	388	932	1,874	3,641	6,901	12,641	20,354	26,769	29,275	27,230	18,226	7,335	1,762	197	52	24
24	46	151	341	671	1,053	1,528	2,046	2,312	2,433	1,973	1,504	917	543	212	74	42	25	25
16	41	110	231	405	688	1,039	1,429	1,553	1,809	1,564	1,157	852	517	251	117	60	33	26
2	3	7	8	18	30	64	91	89	145	121	120	81	45	19	4	2	1	27
1	-	2	3	2	13	14	15	34	26	32	28	27	15	6	7	3	-	28
8	19	92	364	1,033	2,299	4,998	9,084	16,117	24,512	31,540	34,019	31,866	21,561	8,803	2,119	282	86	29
4	12	73	256	752	1,574	3,322	5,744	9,877	14,029	16,886	16,765	14,348	8,762	3,258	714	80	43	30
1	3	11	35	128	339	934	2,097	4,633	8,431	12,744	15,663	16,386	12,099	5,219	1,272	135	25	31
2	3	2	38	90	215	398	668	892	1,085	987	840	552	341	146	43	29	3	32
1	1	5	32	61	159	323	548	672	886	852	674	521	321	167	80	36	14	33
-	-	-	3	2	8	16	23	34	69	55	63	44	29	11	4	1	1	34
-	-	1	-	-	4	5	4	9	12	16	14	15	9	2	6	1	-	35
115	328	1,202	3,228	7,168	12,649	19,495	26,431	35,102	41,481	40,244	34,055	23,692	12,411	4,038	898	143	145	36
52	189	781	2,366	5,426	9,730	14,905	19,307	24,743	27,230	24,489	19,277	12,150	5,888	1,769	342	41	77	37
23	54	160	353	801	1,530	2,695	4,802	7,995	11,900	13,985	13,569	10,807	6,104	2,109	489	62	27	38
22	43	149	303	580	831	1,127	1,369	1,414	1,341	979	656	362	202	65	30	13	22	39
15	39	104	198	343	527	711	874	870	920	709	482	324	195	83	36	24	19	40
2	3	7	5	16	22	48	68	55	76	66	57	37	16	8	-	1	-	41
1	-	1	3	2	9	9	11	25	14	16	14	12	6	4	1	2	-	42
-	1	2	3	15	34	53	57	65	106	119	114	89	42	12	3	-	-	43
-	-	1	2	10	20	33	39	35	73	69	62	42	18	3	-	-	-	44
-	-	-	-	3	5	12	2	13	23	40	43	37	23	7	1	-	-	45
-	-	-	-	1	7	3	9	6	7	7	8	3	-	1	1	-	-	46
-	1	1	1	1	2	5	7	11	3	3	1	7	1	1	1	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
14	24	47	70	123	185	326	434	651	784	907	886	879	538	204	49	11	1	50
8	11	26	33	68	95	161	216	379	403	428	420	390	200	63	15	2	1	51
2	9	12	14	29	34	76	106	154	243	359	379	428	307	121	32	3	-	52
3	2	6	12	15	36	53	60	69	69	69	41	29	9	12	1	4	-	53
1	1	3	11	11	18	35	51	48	68	48	41	31	22	8	1	2	-	54
-	-	-	-	-	2	-	1	1	1	2	4	1	-	-	-	-	-	55
-	1	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	56
-	-	1	5	10	5	18	30	26	54	61	97	84	65	26	4	2	-	57
-	-	1	2	4	1	10	11	11	19	28	42	38	20	9	1	1	-	58
-	-	-	1	3	2	3	9	6	25	25	42	42	41	16	3	1	-	59
-	-	-	1	-	2	3	6	4	5	4	3	1	2	-	-	-	-	60
-	-	-	1	3	-	2	4	5	5	4	10	3	2	1	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
3	8	20	37	53	90	165	188	307	349	307	269	190	91	39	4	5	1	64
3	5	15	21	37	58	99	117	208	215	174	136	89	34	13	2	1	1	65
-	2	1	5	9	7	30	33	58	92	103	108	86	55	23	1	-	-	66
-	1	3	6	5	17	24	27	28	30	21	13	8	1	3	-	2	-	67
-	-	1	5	2	7	12	10	12	12	8	10	7	1	-	1	2	-	68
-	-	-	-	-	1	-	1	1	-	1	2	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
11	16	26	28	60	90	143	216	318	381	539	520	605	382	139	41	4	-	71
5	6	10	10	27	38	52	88	160	169	226	242	263	146	41	12	-	-	72
2	7	11	8	17	25	43	64	90	126	231	229	300	211	82	28	2	-	73
3	1	3	5	10	17	26	27	37	34	44	25	20	6	9	1	2	-	74
1	1	2	5	6	11	21	37	31	51	36	21	21	19	7	-	-	-	75
-	-	-	-	-	1	-	-	-	1	1	2	1	-	-	-	-	-	76
-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	77
43	62	125	234	343	732	1,199	1,942	3,221	5,330	7,881	9,766	11,178	8,663	4,140	1,180	194	26	78
20	19	31	74	141	288	520	868	1,542	2,531	3,883	4,504	4,927	3,517	1,459	360	40	8	79
7	18	30	49	70	191	288	513	979	1,866	3,078	4,565	5,693	4,794	2,503	764	108	9	80
7	12	35	53	67	128	215	302	380	478	471	325	269	168	68	26	15	6	81
9	12	28	57	65	121	172	232	312	438	434	353	270	172	108	28	29	3	82
-	-	-	1	-	2	2	6	7	10	11	13	11	8	2	1	1	-	83
-	1	1	-	-	2	2	1	1	7	4	6	8	4	-	1	1	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Diseases of heart—Continued										
		Other myocardial degeneration—Continued										
1	422.1	With arteriosclerosis	36,282	9	2	-	1	-	12	1	-	2
2		White--Male	15,787	2	1	-	1	-	4	-	-	1
3		Female	16,965	5	1	-	-	-	6	-	-	-
4		Negro--Male	1,788	-	-	-	-	-	-	1	-	-
5		Female	1,674	2	-	-	-	-	2	-	-	1
6		Other--Male	46	-	-	-	-	-	-	-	-	-
7		Female	22	-	-	-	-	-	-	-	-	-
8	422.0,422.2	Without mention of arteriosclerosis	20,137	41	26	5	3	4	79	18	21	27
9		White--Male	9,020	14	6	3	-	3	26	3	7	14
10		Female	8,613	13	9	1	2	1	26	7	7	7
11		Negro--Male	1,259	8	2	-	-	-	10	4	4	3
12		Female	1,196	6	8	1	1	-	16	2	3	3
13		Other--Male	31	-	-	-	-	-	-	2	-	-
14		Female	18	-	1	-	-	-	1	-	-	-
15	430-434	Other diseases of heart	21,733	191	70	20	18	16	315	59	62	86
16		White--Male	10,756	82	19	6	6	8	121	26	23	40
17		Female	7,139	64	23	4	5	5	101	15	23	19
18		Negro--Male	2,115	24	17	6	4	1	52	7	8	15
19		Female	1,614	18	11	4	3	2	38	9	8	10
20		Other--Male	71	3	-	-	-	-	3	2	-	1
21		Female	38	-	-	-	-	-	-	-	-	1
22	430	Acute and subacute endocarditis	811	5	4	4	1	2	16	6	6	15
23		White--Male	413	1	1	1	-	1	4	2	1	5
24		Female	255	-	2	1	1	1	5	1	5	6
25		Negro--Male	70	2	1	2	-	-	5	1	-	-
26		Female	69	2	-	-	-	-	2	2	-	4
27		Other--Male	2	-	-	-	-	-	-	-	-	-
28		Female	2	-	-	-	-	-	-	-	-	-
29	431	Acute myocarditis not specified as rheumatic	1,253	46	19	2	7	2	76	12	11	16
30		White--Male	547	18	4	1	1	-	24	4	5	9
31		Female	449	18	7	-	2	2	29	4	3	3
32		Negro--Male	129	5	5	1	2	-	13	1	1	1
33		Female	125	5	3	-	2	-	10	2	2	2
34		Other--Male	2	-	-	-	-	-	-	1	-	-
35		Female	1	-	-	-	-	-	-	-	-	1
36	432	Acute pericarditis specified as nonrheumatic	51	4	1	1	-	-	6	1	-	-
37		White--Male	28	3	-	1	-	-	4	1	-	-
38		Female	15	1	1	-	-	-	2	-	-	-
39		Negro--Male	3	-	-	-	-	-	-	-	-	-
40		Female	5	-	-	-	-	-	-	-	-	-
41		Other--Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	433	Functional disease of heart	2,561	29	2	-	-	-	31	6	5	10
44		White--Male	1,258	16	1	-	-	-	17	5	3	6
45		Female	1,131	9	1	-	-	-	10	-	1	1
46		Negro--Male	79	3	-	-	-	-	3	-	-	2
47		Female	83	1	-	-	-	-	1	1	1	1
48		Other--Male	7	-	-	-	-	-	-	-	-	-
49		Female	3	-	-	-	-	-	-	-	-	-
50	434	Other and unspecified diseases of heart	17,057	107	44	13	10	12	186	34	40	45
51		White--Male	8,510	44	13	3	5	7	72	14	14	20
52		Female	5,289	36	12	3	2	2	55	10	14	9
53		Negro--Male	1,834	14	11	3	2	1	31	5	7	12
54		Female	1,332	10	8	4	1	2	25	4	5	3
55		Other--Male	60	3	-	-	-	-	3	1	-	1
56		Female	32	-	-	-	-	-	-	-	-	-
57	440-443	Hypertension with heart disease	72,372	-	1	-	-	-	1	1	9	9
58		White--Male	25,086	-	-	-	-	-	-	-	2	5
59		Female	31,986	-	1	-	-	-	1	1	3	-
60		Negro--Male	6,919	-	-	-	-	-	-	-	3	2
61		Female	8,165	-	-	-	-	-	-	-	1	2
62		Other--Male	135	-	-	-	-	-	-	-	-	-
63		Female	81	-	-	-	-	-	-	-	-	-
64	442	Hypertensive heart disease with arteriolar nephrosclerosis	19,028	-	-	-	-	-	-	1	3	4
65		White--Male	7,741	-	-	-	-	-	-	-	-	2
66		Female	7,914	-	-	-	-	-	-	1	1	-
67		Negro--Male	1,688	-	-	-	-	-	-	-	1	1
68		Female	1,650	-	-	-	-	-	-	-	1	1
69		Other--Male	17	-	-	-	-	-	-	-	-	-
70		Female	18	-	-	-	-	-	-	-	-	-
71	440,441,443	Essential hypertension with heart disease, etc.*	53,344	-	1	-	-	-	1	-	6	5
72		White--Male	17,345	-	-	-	-	-	-	-	2	3
73		Female	24,072	-	1	-	-	-	1	-	2	-
74		Negro--Male	5,231	-	-	-	-	-	-	-	2	1
75		Female	6,515	-	-	-	-	-	-	-	-	1
76		Other--Male	118	-	-	-	-	-	-	-	-	-
77		Female	63	-	-	-	-	-	-	-	-	-
78	444-447	Hypertension without mention of heart	11,128	-	1	-	1	-	2	3	1	5
79		White--Male	4,372	-	-	-	-	-	-	1	-	2
80		Female	4,392	-	-	-	1	-	1	1	1	2
81		Negro--Male	1,176	-	1	-	-	-	1	-	-	1
82		Female	1,158	-	-	-	-	-	-	1	-	-
83		Other--Male	20	-	-	-	-	-	-	-	-	-
84		Female	10	-	-	-	-	-	-	-	-	-

*For complete category title, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
3	9	18	60	102	250	515	943	1,820	3,246	5,126	6,615	7,691	6,044	2,896	795	119	15	1
2	3	5	20	34	94	209	417	816	1,501	2,522	3,012	3,393	2,457	1,019	251	23	4	2
1	2	2	6	18	48	95	227	557	1,157	2,033	3,154	3,946	3,366	1,756	515	71	5	3
-	3	8	14	23	56	115	165	245	299	306	207	162	110	46	14	10	4	4
-	1	3	20	27	51	94	132	197	278	254	231	174	104	74	15	14	2	5
-	-	-	-	-	-	1	1	4	7	8	10	9	5	1	-	-	-	6
-	-	-	-	-	1	1	1	1	4	3	1	7	2	-	-	1	-	7
40	53	107	174	241	482	684	999	1,401	2,084	2,755	3,151	3,487	2,619	1,244	385	75	11	8
18	16	26	54	107	194	311	471	726	1,030	1,361	1,492	1,534	1,060	440	109	17	4	9
6	16	28	43	52	143	193	286	422	709	1,045	1,411	1,747	1,428	747	249	37	4	10
7	9	27	39	44	72	100	137	135	179	165	118	107	58	22	12	5	2	11
9	11	25	37	38	70	78	100	115	160	180	122	96	68	34	13	15	1	12
-	-	-	1	-	2	1	5	3	3	3	3	2	3	1	1	1	-	13
-	1	1	-	-	1	1	-	-	3	1	5	1	2	-	1	-	-	14
120	158	260	395	578	901	1,287	1,729	2,126	2,745	3,005	2,947	2,425	1,660	654	174	25	22	15
46	49	106	161	278	456	635	924	1,154	1,467	1,603	1,518	1,131	696	248	60	8	6	16
35	46	70	94	110	185	279	367	510	764	947	1,160	1,101	845	349	103	10	6	17
19	30	37	75	111	152	207	260	258	279	255	148	103	53	30	5	3	8	18
18	31	45	63	76	103	157	167	193	220	187	111	82	61	24	6	4	1	19
-	2	-	1	1	3	5	7	8	11	12	5	4	4	2	-	-	-	20
2	-	2	1	2	2	4	4	3	4	1	5	4	1	1	-	-	1	21
30	25	42	38	57	61	71	88	93	89	68	58	26	16	5	1	-	-	22
14	6	20	17	31	34	37	46	55	43	44	28	13	11	2	-	-	-	23
4	12	15	9	12	18	21	25	26	31	20	26	11	5	2	1	-	-	24
4	3	2	4	9	6	7	8	8	8	3	1	-	-	1	-	-	-	25
7	4	5	8	5	1	6	8	4	7	1	3	2	-	-	-	-	-	26
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	27
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	28
12	23	23	29	34	38	62	100	83	145	139	152	137	107	43	7	2	2	29
5	7	8	13	18	17	24	51	35	63	63	79	61	37	21	2	-	1	30
5	6	7	6	6	9	19	22	23	44	49	64	86	58	20	4	1	1	31
2	6	2	4	7	7	14	16	11	21	8	7	3	2	1	1	1	-	32
-	4	6	6	3	5	5	11	14	16	19	2	7	10	1	-	-	-	33
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
2	1	2	-	1	4	5	4	7	6	4	4	-	3	1	-	-	-	36
1	1	1	-	1	1	3	1	4	6	1	2	-	1	-	-	-	-	37
-	-	-	-	-	1	-	2	2	-	3	2	-	2	1	-	-	-	38
-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	39
1	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
14	14	20	40	47	77	131	179	241	323	417	385	338	194	67	17	4	1	43
8	5	12	22	27	41	73	94	128	162	206	196	143	82	20	5	3	-	44
2	5	6	13	12	23	42	73	93	139	184	175	187	109	44	11	1	-	45
3	2	1	5	6	8	8	3	10	7	10	4	5	1	1	-	-	-	46
1	1	1	-	2	4	7	8	10	14	16	7	2	2	2	1	-	1	47
-	1	-	-	-	1	1	-	-	1	1	2	-	-	-	-	-	-	48
-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	49
62	95	173	288	439	721	1,018	1,358	1,702	2,182	2,377	2,348	1,924	1,340	538	149	19	19	50
18	30	65	109	201	363	498	732	932	1,193	1,289	1,213	914	565	205	53	5	5	51
24	23	42	66	80	134	197	245	366	550	691	893	837	671	282	87	8	5	52
10	19	32	62	89	130	177	233	228	243	234	136	95	50	27	4	2	8	53
9	22	32	49	66	92	138	139	165	183	151	99	71	49	21	5	4	-	54
-	1	-	1	1	-	4	7	8	9	11	3	4	4	2	-	-	-	55
1	-	2	1	2	2	4	2	3	4	1	4	3	1	1	-	-	1	56
31	99	243	638	1,233	2,175	3,537	5,146	7,221	9,903	11,395	11,630	10,013	6,299	2,208	457	64	60	57
6	21	40	127	281	621	1,101	1,759	2,610	3,734	4,341	4,146	3,415	2,081	648	126	15	7	58
8	13	42	96	217	502	849	1,410	2,443	3,903	5,232	6,164	5,716	3,730	1,367	259	17	13	59
11	29	73	172	326	452	676	871	1,024	1,045	855	602	401	225	89	34	7	22	60
6	34	87	241	408	594	896	1,078	1,116	1,181	936	695	458	253	101	35	25	18	61
-	1	1	-	1	3	6	18	18	30	22	20	8	4	1	2	-	-	62
-	1	-	2	-	3	9	10	10	10	9	3	15	6	2	1	-	-	63
11	29	86	170	311	475	702	968	1,369	2,093	2,762	3,213	3,206	2,346	990	240	30	19	64
1	6	14	35	62	142	260	365	532	897	1,239	1,420	1,364	980	339	73	8	2	65
3	5	17	27	52	109	142	229	424	726	1,110	1,493	1,611	1,227	585	138	10	4	66
4	6	29	41	101	121	129	180	215	240	202	169	115	70	37	18	3	6	67
3	11	25	67	96	103	165	193	192	228	204	130	112	65	28	10	9	7	68
-	1	1	-	-	-	1	1	3	2	4	1	2	1	-	-	-	-	69
-	-	-	-	-	-	5	-	3	-	3	-	2	3	1	1	-	-	70
20	70	157	468	922	1,700	2,835	4,178	5,852	7,810	8,633	8,417	6,807	3,953	1,218	217	34	41	71
5	15	26	92	219	479	841	1,394	2,078	2,837	3,102	2,726	2,051	1,101	309	53	7	5	72
5	8	25	69	165	393	707	1,181	2,019	3,177	4,122	4,671	4,105	2,503	782	121	7	9	73
7	23	44	131	225	331	547	691	809	805	653	433	286	155	52	16	4	16	74
3	23	62	174	312	491	731	885	924	953	732	565	346	188	73	25	16	11	75
-	-	-	-	1	3	5	17	15	28	18	19	6	3	1	2	-	-	76
-	1	-	2	-	3	4	10	7	10	6	3	13	3	1	-	-	-	77
25	66	154	282	373	477	547	627	771	1,127	1,513	1,633	1,718	1,175	470	136	17	6	78
8	11	27	52	105	145	192	222	310	502	646	710	728	486	167	51	4	3	79
6	14	18	31	56	95	124	172	254	399	617	743	884	631	267	70	6	-	80
3	17	56	91	99	126	131	112	107	122	124	86	45	29	17	4	3	2	81
8	23	53	108	111	109	99	120	95	100	122	91	57	28	17	11	4	1	82
-	-	-	-	1	-	1	1	4	4	3	2	2	1	1	-	-	-	83
-	1	-	-	1	2	-	-	1	-	1	1	2	-	1	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VII. Diseases of the circulatory system—Continued										
		Hypertension without mention of heart—Continued										
1	446	Hypertension with arteriolar nephrosclerosis, etc.*	6,849	-	-	-	-	-	-	2	1	-
2		White-Male	3,023	-	-	-	-	-	-	1	-	-
3		Female	2,596	-	-	-	-	-	-	-	1	-
4		Negro-Male	667	-	-	-	-	-	-	-	-	-
5		Female	542	-	-	-	-	-	-	1	-	-
6		Other-Male	16	-	-	-	-	-	-	-	-	-
7		Female	5	-	-	-	-	-	-	-	-	-
8	444,445,447	Essential hypertension, other hypertensive disease, etc.*	4,279	-	1	-	1	-	2	1	-	5
9		White-Male	1,349	-	-	-	-	-	-	-	-	2
10		Female	1,796	-	-	-	1	-	1	1	-	2
11		Negro-Male	509	-	1	-	-	-	1	-	-	1
12		Female	616	-	-	-	-	-	-	-	-	-
13		Other-Male	4	-	-	-	-	-	-	-	-	-
14		Female	5	-	-	-	-	-	-	-	-	-
15	450-456	Diseases of arteries	42,787	10	1	2	-	4	17	11	21	51
16		White-Male	20,759	2	1	-	-	3	6	3	7	12
17		Female	18,689	3	-	-	-	1	4	4	8	28
18		Negro-Male	1,677	4	-	1	-	-	5	2	4	1
19		Female	1,553	1	-	1	-	-	2	2	2	10
20		Other-Male	71	-	-	-	-	-	-	-	-	-
21		Female	38	-	-	-	-	-	-	-	-	-
22	450	General arteriosclerosis	33,272	-	-	-	-	-	-	-	-	-
23		White-Male	14,822	-	-	-	-	-	-	-	-	-
24		Female	16,023	-	-	-	-	-	-	-	-	-
25		Negro-Male	1,182	-	-	-	-	-	-	-	-	-
26		Female	1,176	-	-	-	-	-	-	-	-	-
27		Other-Male	40	-	-	-	-	-	-	-	-	-
28		Female	29	-	-	-	-	-	-	-	-	-
29	451	Aortic aneurysm specified as nonsyphilitic, etc.*	7,074	-	-	-	-	-	-	-	1	2
30		White-Male	4,795	-	-	-	-	-	-	-	1	1
31		Female	1,707	-	-	-	-	-	-	-	-	1
32		Negro-Male	329	-	-	-	-	-	-	-	-	-
33		Female	212	-	-	-	-	-	-	-	-	-
34		Other-Male	29	-	-	-	-	-	-	-	-	-
35		Female	2	-	-	-	-	-	-	-	-	-
36	455	Gangrene of unspecified cause	239	1	-	1	-	-	2	-	-	-
37		White-Male	113	-	-	-	-	-	-	-	-	-
38		Female	80	-	-	-	-	-	-	-	-	-
39		Negro-Male	25	1	-	-	-	-	1	-	-	-
40		Female	21	-	-	1	-	-	1	-	-	-
41		Other-Male	-	-	-	-	-	-	-	-	-	-
42		Female	-	-	-	-	-	-	-	-	-	-
43	452-454,456	Other arterial diseases	2,202	9	1	1	-	4	15	11	20	49
44		White-Male	1,029	2	1	-	-	3	6	3	6	11
45		Female	879	3	-	-	-	1	4	4	8	27
46		Negro-Male	141	3	-	1	-	-	4	2	4	1
47		Female	144	1	-	-	-	-	1	2	2	10
48		Other-Male	2	-	-	-	-	-	-	-	-	-
49		Female	7	-	-	-	-	-	-	-	-	-
50	460-468	Diseases of veins and other diseases of circulatory system	5,765	47	9	1	1	4	62	7	9	29
51		White-Male	2,665	21	4	1	1	1	28	5	1	14
52		Female	2,335	11	3	-	-	-	14	-	5	8
53		Negro-Male	410	5	2	-	-	3	10	1	2	2
54		Female	338	9	-	-	-	-	9	-	1	4
55		Other-Male	13	1	-	-	-	-	1	1	-	1
56		Female	4	-	-	-	-	-	-	-	-	-
57		VIII. Diseases of the respiratory system	84,086	13,456	1,992	846	486	337	17,117	941	636	671
58		White-Male	43,448	5,371	704	328	184	145	6,732	421	261	269
59		Female	26,402	3,615	616	266	177	106	4,780	326	260	288
60		Negro-Male	7,679	2,210	335	131	62	44	2,782	91	62	54
61		Female	5,767	1,959	298	101	52	40	2,450	98	45	53
62		Other-Male	482	167	17	13	5	2	204	3	4	2
63		Female	308	134	22	7	6	-	169	2	4	5
64	470-475	Acute upper respiratory infections	1,045	459	93	50	42	23	667	52	11	19
65		White-Male	439	168	43	17	22	10	260	26	5	10
66		Female	356	126	28	23	16	9	202	20	4	7
67		Negro-Male	135	86	13	7	3	3	112	5	1	1
68		Female	100	70	8	3	1	1	83	1	1	-
69		Other-Male	12	7	1	-	-	-	8	-	-	1
70		Female	3	2	-	-	-	-	2	-	-	-
71	480-483	Influenza	7,463	646	144	65	45	45	945	147	152	164
72		White-Male	3,146	189	44	26	12	18	289	64	61	67
73		Female	2,738	139	54	18	19	14	244	53	74	77
74		Negro-Male	745	155	25	12	7	5	204	19	11	9
75		Female	750	140	17	6	5	7	175	11	6	10
76		Other-Male	47	13	3	2	1	1	20	-	-	-
77		Female	37	10	1	1	1	-	13	-	-	1
78	490-493	Pneumonia, except pneumonia of newborn	53,538	8,965	1,447	576	292	203	11,483	541	401	407
79		White-Male	25,167	3,316	485	205	100	83	4,189	237	160	156
80		Female	18,247	2,327	423	185	107	62	3,104	175	155	177
81		Negro-Male	5,390	1,627	261	93	44	31	2,056	55	45	37
82		Female	4,171	1,473	247	77	32	26	1,855	70	35	33
83		Other-Male	345	122	11	10	4	1	148	2	4	1
84		Female	218	100	20	6	5	-	131	2	2	3

*For complete category title, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
15	32	78	136	181	239	300	337	484	693	981	1,051	1,115	772	319	98	11	4	1
7	8	17	28	50	80	100	123	205	339	451	510	556	374	129	39	4	2	2
3	9	12	11	26	50	89	94	150	243	378	435	507	365	166	51	6	-	3
1	7	27	45	56	65	65	66	72	68	82	50	26	20	11	3	1	2	4
4	8	22	52	47	44	46	53	53	40	66	53	24	12	12	5	-	-	5
-	-	-	-	1	-	-	1	3	3	3	2	1	1	1	-	-	-	6
-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-	-	7
10	34	76	146	192	238	247	290	287	434	532	582	603	403	151	38	6	2	8
1	3	10	24	55	65	92	99	105	163	195	200	172	112	38	12	-	1	9
3	5	6	20	30	45	35	78	104	156	239	308	377	266	101	19	-	-	10
2	10	29	46	43	61	66	46	35	54	42	36	19	9	6	1	2	-	11
4	15	31	56	64	65	53	67	42	60	56	38	33	16	5	6	4	1	12
-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	13
-	1	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	14
62	72	142	166	279	456	786	1,370	2,394	3,737	5,426	6,877	8,292	7,235	3,924	1,224	228	17	15
10	18	38	64	130	217	470	846	1,508	2,234	3,046	3,420	3,778	3,036	1,488	368	55	5	16
33	33	69	55	77	131	157	299	548	1,047	1,894	3,029	4,149	3,925	2,283	792	127	7	17
7	9	17	22	44	48	83	123	192	233	269	214	169	133	62	24	15	1	18
11	11	16	24	27	59	71	98	135	205	208	200	179	130	86	46	27	4	19
1	-	-	-	1	1	3	1	9	16	7	8	11	6	4	1	2	-	20
-	1	2	1	-	-	2	3	2	2	2	6	6	5	1	3	2	-	21
4	3	6	8	34	108	263	479	1,077	2,118	3,941	5,664	7,513	6,831	3,791	1,195	223	14	22
2	1	3	4	18	51	137	237	547	1,073	2,017	2,677	3,356	2,850	1,432	359	53	5	23
1	-	2	-	6	26	64	125	314	714	1,509	2,616	3,820	3,717	2,215	765	124	5	24
1	1	1	-	6	10	29	55	116	166	229	190	157	126	57	23	15	-	25
-	1	-	3	4	21	31	61	98	158	179	171	165	127	82	44	27	4	26
-	-	-	-	-	-	1	-	1	6	5	5	9	6	4	1	2	-	27
-	-	-	1	-	-	1	1	1	1	2	5	6	5	1	3	2	-	28
5	11	40	47	88	160	336	650	1,070	1,373	1,255	1,018	607	309	77	20	3	2	29
1	4	16	25	45	95	237	491	821	1,033	899	632	326	140	32	5	1	-	30
4	4	11	5	15	25	28	85	149	249	308	339	262	163	42	14	2	1	31
-	2	9	11	18	22	39	54	64	49	25	22	9	3	1	-	-	1	32
-	1	3	6	9	18	30	29	28	32	21	21	8	3	2	1	-	-	33
-	-	-	-	1	-	2	1	8	10	2	3	2	-	-	-	-	-	34
-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	35
-	-	2	2	1	8	11	10	19	33	33	34	39	27	15	3	-	-	36
-	-	-	1	1	3	5	6	8	10	19	17	25	10	6	2	-	-	37
-	-	1	1	-	2	4	1	4	14	7	14	11	16	5	-	-	-	38
-	-	-	-	-	2	1	1	5	5	4	1	1	1	3	-	-	-	39
-	-	1	-	-	1	1	2	2	4	3	2	2	-	1	1	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
53	58	94	109	156	180	176	231	228	213	197	161	133	68	41	6	2	1	43
7	13	19	34	66	68	91	122	132	118	111	94	71	36	18	2	1	-	44
28	29	55	49	56	78	61	88	81	70	70	60	56	29	21	3	1	1	45
6	6	7	11	20	14	14	13	7	13	11	1	2	3	1	1	-	-	46
11	9	12	15	14	19	9	6	7	11	5	6	4	-	1	-	-	-	47
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	48
-	1	1	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	49
42	51	107	124	222	308	380	555	715	837	774	651	484	285	92	24	4	3	50
11	13	31	44	90	125	197	267	348	413	358	317	223	132	36	9	1	2	51
15	24	36	48	72	100	125	189	261	328	362	295	244	144	48	13	3	1	52
7	3	15	11	29	48	31	52	68	59	31	22	8	5	6	-	-	-	53
8	10	25	21	30	35	25	44	38	33	22	17	9	3	2	2	-	-	54
-	1	-	-	1	-	2	2	-	3	1	-	-	-	-	-	-	-	55
1	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	56
738	741	888	1,299	1,814	2,508	3,318	4,538	6,318	8,262	8,587	8,458	7,703	5,711	2,710	883	194	51	57
272	220	289	524	793	1,307	1,907	2,763	4,171	5,397	5,351	4,683	3,923	2,655	1,131	311	50	18	58
273	300	285	362	491	561	685	879	1,259	1,863	2,443	3,164	3,362	2,766	1,441	503	100	11	59
79	103	161	230	321	398	455	550	569	584	438	346	211	136	54	27	15	13	60
104	110	139	176	190	218	247	308	287	371	310	210	172	135	76	36	24	8	61
4	5	5	4	8	14	17	28	22	39	29	39	28	15	6	4	2	-	62
6	3	9	3	11	10	7	10	10	8	16	16	7	4	2	2	3	1	63
8	9	11	13	13	14	12	19	19	24	37	28	31	41	12	3	2	-	64
4	3	4	9	9	8	5	9	8	14	16	17	13	15	3	-	1	-	65
3	3	5	1	3	2	4	7	6	9	17	9	16	26	8	3	1	-	66
1	3	1	1	-	2	1	-	4	-	-	-	2	-	1	-	-	-	67
-	-	1	2	1	1	1	3	1	1	3	1	-	-	-	-	-	-	68
-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	70
154	130	115	173	203	240	311	392	531	708	758	751	611	552	309	81	28	8	71
42	34	34	59	73	104	139	181	258	349	405	327	254	239	128	24	13	2	72
77	71	42	59	71	64	74	85	167	219	239	332	299	275	159	50	5	2	73
15	5	18	24	35	33	41	57	45	67	59	45	22	20	6	3	4	3	74
18	20	19	29	23	32	54	65	59	68	51	35	33	18	16	4	3	1	75
2	-	-	1	1	3	1	2	1	5	2	6	2	-	-	-	1	-	76
-	-	2	1	-	4	2	2	1	-	2	6	1	-	-	-	2	-	77
469	472	589	827	1,179	1,538	1,922	2,470	3,238	4,449	5,094	5,603	5,644	4,281	2,063	685	143	40	78
175	139	191	331	497	759	1,004	1,305	1,880	2,576	2,833	2,858	2,791	1,932	860	246	33	15	79
169	181	174	219	296	353	421	566	769	1,206	1,702	2,315	2,557	2,129	1,103	387	80	9	80
47	78	115	156	235	270	310	369	366	380	304	238	153	98	38	21	10	9	81
70	66	100	116	138	141	171	202	196	256	228	161	122	107	54	26	18	6	82
2	5	3	3	4	10	12	22	19	25	19	24	20	12	6	3	1	-	83
6	3	6	2	9	5	4	6	8	6	8	7	1	3	2	2	1	1	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		VIII. Diseases of the respiratory system—Continued										
		Pneumonia, except pneumonia of newborn—Continued										
1	490	Lobar pneumonia	13,137	1,093	210	96	43	36	1,478	91	93	124
2		White—Male	6,553	405	80	37	19	15	556	37	32	42
3		Female	3,976	262	46	34	14	5	361	32	37	54
4		Negro—Male	1,507	190	42	12	1	10	255	11	11	16
5		Female	974	207	37	13	7	6	270	10	12	10
6		Other—Male	92	19	1	-	2	-	22	-	1	-
7		Female	35	10	4	-	-	-	14	1	-	2
8	491	Bronchopneumonia	28,777	4,723	810	323	151	104	6,111	301	213	179
9		White—Male	13,471	1,659	264	114	40	43	2,120	135	90	85
10		Female	10,333	1,248	235	94	62	28	1,667	99	82	69
11		Negro—Male	2,602	921	151	58	29	18	1,177	26	21	11
12		Female	2,091	768	148	46	15	15	992	39	18	13
13		Other—Male	166	65	6	7	2	-	80	1	-	-
14		Female	114	62	6	4	3	-	75	1	2	1
15	492	Primary atypical pneumonia	4,630	1,519	189	63	43	26	1,840	60	45	41
16		White—Male	2,156	678	75	22	20	11	806	31	21	11
17		Female	1,678	447	65	26	15	11	564	20	13	24
18		Negro—Male	408	189	24	9	4	2	228	3	6	2
19		Female	356	189	21	6	4	2	222	6	2	4
20		Other—Male	17	9	-	-	-	-	9	-	3	-
21		Female	15	7	4	-	-	-	11	-	-	-
22	493	Pneumonia, other and unspecified	6,994	1,630	238	94	55	37	2,054	89	50	63
23		White—Male	2,987	574	66	32	21	14	707	34	17	16
24		Female	2,260	370	77	31	16	18	512	24	23	30
25		Negro—Male	873	327	44	14	10	1	396	15	7	8
26		Female	750	309	41	12	6	3	371	15	3	6
27		Other—Male	70	29	4	3	-	1	37	1	-	1
28		Female	54	21	6	2	2	-	31	-	-	-
29	500	Acute bronchitis	1,202	457	87	51	28	10	633	48	12	10
30		White—Male	580	223	37	24	16	7	307	26	7	3
31		Female	409	130	37	15	8	2	192	17	4	6
32		Negro—Male	94	47	6	5	2	-	60	2	-	-
33		Female	106	48	6	7	2	1	64	3	-	1
34		Other—Male	7	4	1	-	-	-	5	-	-	-
35		Female	6	5	-	-	-	-	5	-	1	-
36	501,502	Bronchitis, chronic and unqualified	2,379	310	74	32	14	12	442	22	10	6
37		White—Male	1,509	125	35	18	5	9	192	13	4	2
38		Female	623	96	28	12	7	2	145	7	6	2
39		Negro—Male	149	47	6	2	1	1	57	1	-	1
40		Female	83	35	5	-	1	-	41	1	-	1
41		Other—Male	9	5	-	-	-	-	5	-	-	-
42		Female	6	2	-	-	-	-	2	-	-	-
43	510	Hypertrophy of tonsils and adenoids	171	2	2	12	23	16	55	71	12	9
44		White—Male	74	-	2	9	14	9	34	26	4	2
45		Female	71	1	-	3	8	6	18	35	7	3
46		Negro—Male	5	-	-	-	-	-	-	3	-	1
47		Female	21	1	-	-	1	1	3	7	1	3
48		Other—Male	-	-	-	-	-	-	-	-	-	-
49		Female	-	-	-	-	-	-	-	-	-	-
50	518,521	Empyema and abscess of lung	862	55	10	3	-	2	70	4	2	9
51		White—Male	492	29	5	2	-	1	37	1	1	3
52		Female	198	18	4	-	-	1	23	1	-	3
53		Negro—Male	124	6	1	1	-	-	8	-	1	2
54		Female	39	2	-	-	-	-	2	1	-	1
55		Other—Male	6	-	-	-	-	-	-	1	-	-
56		Female	3	-	-	-	-	-	-	-	-	-
57	519	Pleurisy	189	17	1	2	-	-	20	1	-	-
58		White—Male	96	8	-	-	-	-	8	1	-	-
59		Female	64	7	1	1	-	-	9	-	-	-
60		Negro—Male	19	2	-	-	-	-	2	-	-	-
61		Female	9	-	-	1	-	-	1	-	-	-
62		Other—Male	1	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	Residual[1]	All other respiratory diseases	17,237	2,545	134	55	42	26	2,802	55	36	47
65		White—Male	11,945	1,313	53	27	15	8	1,416	27	19	26
66		Female	3,696	771	41	9	12	10	843	18	10	13
67		Negro—Male	1,018	240	23	11	5	4	283	6	4	3
68		Female	488	190	15	7	10	4	226	4	2	4
69		Other—Male	55	16	1	1	-	-	18	-	-	-
70		Female	35	15	1	-	-	-	16	-	1	1
71		IX. Diseases of the digestive system	63,165	4,692	494	167	104	91	5,548	301	195	195
72		White—Male	33,777	1,634	202	74	38	33	1,981	133	97	78
73		Female	21,946	1,296	161	53	40	36	1,586	113	47	72
74		Negro—Male	3,939	910	50	18	16	5	999	29	31	19
75		Female	2,953	678	57	17	9	14	775	23	18	25
76		Other—Male	319	94	13	4	-	2	113	1	1	-
77		Female	231	80	11	1	1	1	94	2	1	1
78	530-535	Diseases of teeth and supporting structures	116	-	-	1	-	1	2	4	-	3
79		White—Male	52	-	-	-	-	-	-	2	-	3
80		Female	41	-	-	1	-	1	2	1	-	-
81		Negro—Male	10	-	-	-	-	-	-	1	-	-
82		Female	12	-	-	-	-	-	-	-	-	-
83		Other—Male	1	-	-	-	-	-	-	-	-	-
84		Female	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
151	139	230	334	455	579	732	828	1,035	1,291	1,387	1,384	1,331	886	405	144	31	9	1
58	39	62	136	182	278	399	455	620	793	789	733	675	422	168	65	8	4	2
56	42	58	75	103	121	127	148	209	306	418	542	571	416	217	66	16	1	3
15	34	65	70	111	127	143	151	135	117	101	64	44	19	7	4	4	3	4
20	20	42	50	52	47	58	66	62	64	73	36	34	24	12	9	2	1	5
2	4	1	2	3	2	4	8	9	11	3	8	7	4	1	-	-	-	6
-	-	2	1	4	4	1	-	-	-	3	1	-	1	-	-	1	-	7
196	211	244	335	515	672	829	1,191	1,688	2,385	2,783	3,199	3,316	2,619	1,263	419	85	23	8
82	61	89	136	221	363	437	624	990	1,364	1,539	1,624	1,662	1,160	523	141	17	8	9
57	85	76	95	152	153	200	308	421	681	986	1,357	1,508	1,343	681	257	50	6	10
22	30	37	55	80	92	111	154	172	191	138	115	77	53	23	8	5	4	11
33	33	38	47	57	58	73	92	92	134	106	87	60	59	31	12	13	4	12
-	-	2	1	1	5	6	10	8	10	12	13	9	4	3	1	-	-	13
2	2	2	1	4	1	2	3	5	5	2	3	-	-	2	-	-	1	14
57	60	51	74	79	99	133	173	209	292	328	352	336	253	115	26	5	2	15
14	21	19	26	36	41	61	94	120	176	182	177	165	100	46	6	2	1	16
30	30	20	30	21	33	50	48	56	84	114	153	159	141	65	20	3	-	17
5	4	5	12	11	16	11	22	20	17	15	14	6	7	3	-	-	1	18
7	5	6	6	11	9	10	8	11	14	16	8	6	4	1	-	-	-	19
-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	20
1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	21
65	62	64	84	130	188	228	278	306	481	596	668	661	523	280	96	22	6	22
21	18	21	33	58	77	107	132	150	243	323	324	289	250	123	34	6	2	23
26	24	20	19	20	46	44	62	83	135	184	263	319	229	140	44	11	2	24
5	10	8	19	33	35	45	42	39	55	50	45	26	19	5	9	1	1	25
10	8	14	13	18	27	30	36	31	44	33	30	22	20	10	5	3	1	26
-	1	-	-	-	3	2	3	1	3	3	3	4	3	2	2	1	-	27
3	1	1	-	1	-	-	3	2	1	3	3	1	2	-	2	-	-	28
12	9	13	10	16	36	25	29	44	58	59	54	64	42	15	10	3	-	29
7	3	5	3	8	15	15	19	25	31	34	27	22	14	6	3	-	-	30
2	5	4	5	5	7	5	5	9	18	20	23	38	27	9	6	2	-	31
-	-	2	1	-	6	4	3	6	4	2	2	1	1	-	-	-	-	32
3	1	2	1	2	8	1	2	4	5	3	2	2	-	-	1	1	-	33
-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
7	7	11	23	31	47	89	127	292	317	306	241	209	125	46	18	3	-	36
3	2	2	9	13	28	65	90	228	259	223	158	118	72	20	7	1	-	37
1	1	6	7	9	8	14	25	41	44	71	72	83	48	24	8	1	-	38
-	-	1	5	5	8	9	8	20	10	8	8	5	3	-	-	-	-	39
3	4	1	2	4	2	1	4	3	2	3	3	1	2	2	2	1	-	40
-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	41
-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	42
4	3	2	2	3	5	1	-	1	1	-	2	-	-	-	-	-	-	43
3	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	44
-	1	1	1	2	1	-	-	-	-	-	2	-	-	-	-	-	-	45
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
8	17	24	22	45	70	72	86	97	112	82	69	46	21	5	-	-	1	50
5	4	6	7	13	40	41	42	64	78	57	47	27	16	3	-	-	-	51
1	6	12	4	19	11	11	19	14	18	19	16	15	4	2	-	-	-	52
1	3	4	10	9	16	16	18	15	10	5	4	-	1	-	-	-	1	53
1	4	2	1	4	3	3	6	3	5	-	-	3	-	-	-	-	-	54
-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	55
-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	56
4	5	7	10	4	6	7	17	24	18	19	22	13	11	1	-	-	-	57
2	2	4	3	2	2	6	10	14	10	10	8	6	7	1	-	-	-	58
-	1	2	4	2	-	-	4	7	6	7	11	7	4	-	-	-	-	59
2	2	-	2	-	3	1	2	2	1	-	2	-	-	-	-	-	-	60
-	-	-	1	-	1	-	1	1	1	2	1	-	-	-	-	-	-	61
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
72	89	116	219	320	552	879	1,398	2,072	2,575	2,232	1,688	1,085	638	259	86	15	2	64
31	32	43	103	178	349	632	1,107	1,693	2,079	1,773	1,241	692	360	110	31	2	1	65
20	31	39	62	84	115	156	168	246	343	368	384	347	253	136	49	11	-	66
12	12	20	31	37	60	73	93	111	112	60	47	28	13	9	3	1	-	67
9	14	13	23	17	28	15	25	20	33	20	7	11	8	4	3	1	1	68
-	-	1	-	2	-	2	4	2	7	6	6	4	3	-	-	-	-	69
-	-	-	-	2	-	1	1	-	1	5	3	3	1	-	-	-	-	70
271	513	1,100	2,027	3,229	4,321	5,198	5,755	6,435	7,466	6,929	5,788	4,349	2,486	822	182	29	26	71
104	171	444	935	1,707	2,432	3,182	3,503	3,948	4,470	4,052	2,943	2,117	1,081	324	56	9	10	72
98	181	368	668	1,011	1,294	1,438	1,618	1,899	2,484	2,499	2,563	2,082	1,320	469	118	13	5	73
28	74	143	215	278	320	321	360	327	291	211	146	85	43	10	2	1	6	74
37	76	131	184	214	242	231	234	216	191	140	103	55	30	15	4	5	4	75
2	3	2	11	7	17	16	28	35	20	21	25	6	8	-	2	1	-	76
2	8	12	14	12	16	10	12	10	10	6	8	4	4	4	-	-	1	77
3	3	4	2	14	13	9	10	9	6	8	10	6	5	2	2	1	-	78
1	-	2	1	6	5	3	4	6	2	5	4	4	2	1	1	-	-	79
2	3	1	-	5	3	2	3	2	4	2	4	2	3	1	1	-	-	80
-	-	-	1	2	2	1	-	-	-	1	1	-	-	-	-	1	-	81
-	-	1	-	1	3	3	3	1	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		IX. Diseases of the digestive system—Continued										
1	540	Ulcer of stomach	5,104	39	3	2	2	1	47	3	2	7
2		White--Male	3,373	14	2	1	-	-	17	1	2	4
3		Female	1,259	13	1	1	2	1	18	2	-	2
4		Negro--Male	330	7	-	-	-	-	7	-	-	-
5		Female	117	5	-	-	-	-	5	-	-	1
6		Other--Male	22	-	-	-	-	-	-	-	-	-
7		Female	3	-	-	-	-	-	-	-	-	-
8	541	Ulcer of duodenum	5,261	30	2	1	1	1	35	3	5	6
9		White--Male	3,896	7	2	1	-	-	10	2	1	1
10		Female	1,049	12	-	-	1	1	14	1	3	3
11		Negro--Male	224	7	-	-	-	-	7	-	1	2
12		Female	70	4	-	-	-	-	4	-	-	-
13		Other--Male	21	-	-	-	-	-	-	-	-	-
14		Female	1	-	-	-	-	-	-	-	-	-
15	543	Gastritis and duodenitis	333	11	5	2	2	4	24	1	2	2
16		White--Male	172	3	2	1	-	1	7	1	1	1
17		Female	113	3	1	1	2	2	9	-	1	1
18		Negro--Male	28	4	1	-	-	-	5	-	-	-
19		Female	16	1	1	-	-	1	3	-	-	-
20		Other--Male	3	-	-	-	-	-	-	-	-	-
21		Female	1	-	-	-	-	-	-	-	-	-
22	550-553	Appendicitis	1,982	14	8	21	12	19	74	82	65	42
23		White--Male	1,089	8	5	9	7	7	36	36	34	17
24		Female	575	3	3	10	5	5	26	26	13	15
25		Negro--Male	171	2	-	-	-	2	4	11	9	5
26		Female	137	1	-	2	-	5	8	7	8	4
27		Other--Male	7	-	-	-	-	-	-	1	1	-
28		Female	3	-	-	-	-	-	-	1	-	1
29	560,561,570	Hernia and intestinal obstruction	8,571	1,042	46	28	9	9	1,134	31	22	19
30		White--Male	3,801	504	26	20	6	6	562	16	14	7
31		Female	3,724	366	12	3	-	1	382	7	3	3
32		Negro--Male	557	111	6	2	2	-	121	6	5	4
33		Female	452	49	2	3	1	2	57	2	-	5
34		Other--Male	22	8	-	-	-	-	8	-	-	-
35		Female	15	4	-	-	-	-	4	-	-	-
36	571,572	Gastro-enteritis and colitis, except diarrhea of newborn	7,638	3,085	365	79	41	25	3,595	66	33	46
37		White--Male	2,850	885	141	30	12	8	1,076	28	12	24
38		Female	2,858	762	119	23	12	9	925	26	8	16
39		Negro--Male	930	706	37	14	10	2	769	5	8	3
40		Female	803	579	44	7	7	3	640	7	4	3
41		Other--Male	106	83	13	4	-	2	102	-	-	-
42		Female	91	70	11	1	-	1	83	-	1	-
43	581	Cirrhosis of liver	19,317	42	10	4	6	4	66	18	23	16
44		White--Male	11,802	18	3	1	3	2	27	6	10	5
45		Female	5,755	14	3	1	2	2	22	9	6	8
46		Negro--Male	965	6	2	-	1	-	9	1	3	-
47		Female	658	2	2	2	-	-	6	2	4	3
48		Other--Male	86	1	-	-	-	-	1	-	-	-
49		Female	51	1	-	-	-	-	1	-	-	-
50	581.0	Without mention of alcoholism	13,524	42	10	4	5	4	65	17	23	15
51		White--Male	8,042	18	3	1	2	2	26	5	10	4
52		Female	4,320	14	3	1	2	2	22	9	6	8
53		Negro--Male	640	6	2	-	1	-	9	1	3	-
54		Female	447	2	2	2	-	-	6	2	4	3
55		Other--Male	48	1	-	-	-	-	1	-	-	-
56		Female	27	1	-	-	-	-	1	-	-	-
57	581.1	With alcoholism	5,793	-	-	-	1	-	1	1	-	1
58		White--Male	3,760	-	-	-	1	-	1	1	-	1
59		Female	1,435	-	-	-	-	-	-	-	-	-
60		Negro--Male	325	-	-	-	-	-	-	-	-	-
61		Female	211	-	-	-	-	-	-	-	-	-
62		Other--Male	38	-	-	-	-	-	-	-	-	-
63		Female	24	-	-	-	-	-	-	-	-	-
64	584,585	Cholelithiasis and cholecystitis	4,944	-	-	-	2	-	2	1	1	5
65		White--Male	1,919	-	-	-	-	-	-	-	1	-
66		Female	2,785	-	-	-	1	-	1	1	-	4
67		Negro--Male	59	-	-	-	1	-	1	-	-	-
68		Female	134	-	-	-	-	-	-	-	-	1
69		Other--Male	20	-	-	-	-	-	-	-	-	-
70		Female	27	-	-	-	-	-	-	-	-	-
71	Residual[1]	Other diseases of digestive system	9,899	429	55	29	29	27	569	92	42	49
72		White--Male	4,823	195	21	11	10	9	246	41	22	16
73		Female	3,787	123	22	13	15	14	187	40	13	20
74		Negro--Male	665	67	4	2	2	1	76	5	5	5
75		Female	554	37	8	3	1	3	52	5	2	8
76		Other--Male	31	2	-	-	-	-	2	-	-	-
77		Female	39	5	-	-	1	-	6	1	-	-
78		X. Diseases of the genito-urinary system	33,340	191	67	48	48	45	399	199	235	330
79		White--Male	16,632	85	22	19	19	25	170	90	92	150
80		Female	10,328	44	25	14	21	6	110	79	105	108
81		Negro--Male	3,469	41	11	8	4	9	73	14	15	27
82		Female	2,732	20	7	6	4	4	41	13	22	38
83		Other--Male	117	1	1	-	-	-	2	1	-	4
84		Female	62	-	1	1	-	1	3	2	1	3

[1]For category numbers, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
10	28	52	111	191	288	414	486	653	723	736	572	464	244	58	11	3	1	1
6	12	23	64	125	184	290	346	467	502	506	369	290	124	30	8	2	1	2
1	9	14	22	31	61	73	87	117	159	193	179	152	109	27	3	-	-	3
1	3	13	14	27	33	39	38	53	46	23	13	15	5	-	-	-	-	4
1	3	2	11	7	10	10	12	13	13	9	8	6	4	1	-	1	-	5
-	-	-	-	-	-	2	3	3	3	5	3	1	2	-	-	-	-	6
1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7
7	28	62	122	220	341	441	570	682	751	739	547	419	208	61	13	-	1	8
5	20	37	87	163	252	344	433	538	592	580	393	275	123	33	6	-	1	9
1	4	13	20	37	47	66	88	107	129	137	133	133	82	27	4	-	-	10
-	3	9	14	17	28	25	32	26	20	17	15	5	2	-	1	-	-	11
1	1	3	1	3	11	4	11	9	8	4	4	4	1	1	-	-	-	12
-	-	-	-	-	3	2	5	2	2	1	2	2	-	-	2	-	-	13
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	14
-	3	4	15	14	26	29	32	31	26	34	29	26	26	7	2	-	-	15
-	3	2	7	11	13	19	16	17	16	18	15	13	10	2	-	-	-	16
-	-	-	5	2	6	7	11	9	8	8	12	11	16	5	2	-	-	17
-	-	-	3	-	4	2	4	1	1	4	2	2	-	-	-	-	-	18
-	-	2	-	1	2	1	1	2	1	3	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	20
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	21
29	29	37	51	85	114	140	154	211	234	221	201	124	64	20	3	1	1	22
13	10	16	26	43	68	92	87	119	149	135	110	61	28	8	1	-	-	23
9	9	8	9	17	24	20	33	54	56	72	79	56	36	11	2	-	-	24
4	6	7	7	11	13	15	20	20	18	11	5	4	-	-	-	-	1	25
3	4	6	7	13	9	13	14	16	10	3	7	3	-	1	-	1	-	26
-	-	-	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	27
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
36	38	67	155	196	284	374	481	689	980	1,100	1,121	941	827	218	43	6	9	29
17	10	30	48	60	92	161	228	324	444	517	488	400	269	93	16	1	4	30
9	14	20	59	86	115	129	162	269	422	499	562	505	331	115	25	4	3	31
9	7	8	20	16	29	38	50	48	58	50	42	21	18	5	1	-	1	32
1	7	9	27	33	47	43	40	46	50	33	23	14	9	3	1	1	1	33
-	-	-	1	1	-	-	1	2	5	-	3	1	-	-	-	-	-	34
-	-	-	-	-	1	3	-	-	1	1	3	-	-	2	-	-	-	35
45	61	75	113	133	167	214	283	381	482	546	514	483	257	101	31	6	6	36
18	27	24	48	67	87	102	157	189	221	248	202	191	87	34	5	2	1	37
23	29	35	49	48	58	87	105	156	217	260	285	282	159	61	25	4	-	38
2	2	8	11	7	12	7	12	13	21	20	11	7	6	3	-	-	3	39
2	3	8	4	11	10	17	9	23	22	15	15	3	3	1	1	-	2	40
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	41
-	-	-	1	-	-	1	-	-	1	1	-	-	1	2	-	-	-	42
48	159	528	1,049	1,783	2,353	2,637	2,584	2,356	2,350	1,587	987	502	206	47	12	3	3	43
10	51	212	489	962	1,394	1,718	1,665	1,585	1,600	1,061	576	291	109	20	6	2	3	44
19	48	190	358	601	701	714	684	608	642	464	361	197	92	25	5	1	-	45
2	28	56	97	119	144	118	136	99	71	37	29	11	5	-	-	-	-	46
16	27	59	89	91	95	73	80	46	31	19	12	2	-	2	1	-	-	47
1	3	2	8	3	10	12	12	15	5	6	7	1	-	-	-	-	-	48
-	2	9	8	7	9	2	7	3	1	-	2	-	-	-	-	-	-	49
35	108	313	610	1,083	1,460	1,769	1,777	1,665	1,740	1,287	854	453	187	45	12	3	3	50
9	34	125	270	584	833	1,125	1,124	1,061	1,144	821	487	257	94	18	6	2	3	51
16	35	112	219	379	460	509	505	481	512	415	327	185	89	25	5	1	-	52
1	15	36	58	66	91	79	86	72	57	32	22	8	4	-	-	-	-	53
9	21	36	57	50	66	44	55	38	24	16	11	2	-	2	1	-	-	54
-	1	-	2	1	5	11	6	10	2	3	5	1	-	-	-	-	-	55
-	2	4	4	3	5	1	1	3	1	-	2	-	-	-	-	-	-	56
13	51	215	439	700	893	868	807	691	610	300	133	49	19	2	-	-	-	57
1	17	87	219	378	561	593	541	524	456	240	89	34	15	2	-	-	-	58
3	13	78	139	222	241	205	179	127	130	49	34	12	3	-	-	-	-	59
1	13	20	39	53	53	39	50	27	14	5	7	3	1	-	-	-	-	60
7	6	23	32	41	29	29	25	8	7	3	1	-	-	-	-	-	-	61
1	2	2	6	2	5	1	6	5	3	3	2	-	-	-	-	-	-	62
-	-	5	4	4	4	1	6	-	-	-	-	-	-	-	-	-	-	63
19	33	45	63	103	176	234	344	490	772	764	790	616	329	121	30	6	-	64
6	4	13	12	38	66	96	132	207	331	338	310	214	109	36	6	-	-	65
12	21	27	42	54	92	116	188	250	412	397	457	390	211	82	24	4	-	66
-	-	-	3	2	9	4	5	9	8	5	6	4	2	1	-	-	-	67
1	6	4	6	7	6	15	16	16	13	19	12	5	4	2	-	1	-	68
-	-	-	-	-	1	-	1	4	3	3	4	1	2	-	-	1	-	69
-	2	1	-	2	2	3	2	4	5	2	1	2	1	-	-	-	-	70
74	131	226	346	490	559	706	811	933	1,142	1,194	1,017	768	520	187	35	3	5	71
28	34	85	153	232	271	357	435	496	613	644	476	378	220	67	7	2	-	72
22	44	60	104	130	187	224	257	327	435	467	491	354	281	115	27	-	2	73
10	25	42	45	77	46	72	63	58	48	43	22	16	5	1	-	-	1	74
12	25	37	39	47	49	52	48	44	43	35	22	18	9	4	1	1	1	75
1	-	-	1	2	3	-	6	5	1	3	4	-	3	-	-	-	-	76
1	3	2	4	2	3	1	2	3	2	2	2	2	2	-	-	-	1	77
425	562	778	946	1,212	1,490	1,734	2,255	2,939	3,807	4,250	4,233	3,780	2,609	890	213	40	14	78
194	233	297	331	424	558	685	919	1,368	1,938	2,336	2,415	2,249	1,553	492	117	18	3	79
150	187	242	303	389	448	526	698	926	1,107	1,219	1,331	1,165	838	313	75	8	1	80
31	51	96	104	169	219	251	344	402	455	463	307	234	139	52	12	6	5	81
42	84	135	201	219	262	256	280	225	291	215	167	119	71	30	8	8	5	82
3	4	3	5	6	2	7	12	13	8	14	11	12	7	3	-	-	-	83
5	3	5	2	5	1	9	2	5	8	3	2	1	1	-	1	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		X. Diseases of the genito-urinary system—Continued										
1	590-594	Nephritis and nephrosis	17,307	72	52	43	39	39	245	169	194	257
2		White--Male	7,442	28	13	15	17	24	97	78	77	122
3		Female	6,184	25	20	13	17	5	80	62	83	81
4		Negro--Male	1,791	9	11	8	3	6	37	13	13	24
5		Female	1,788	10	7	6	2	3	28	13	20	23
6		Other--Male	56	-	-	-	-	-	-	1	-	4
7		Female	46	-	1	1	-	1	3	2	1	3
8	590	Acute nephritis	1,157	21	19	15	5	13	73	29	35	37
9		White--Male	478	10	3	2	1	6	22	14	14	17
10		Female	371	5	7	5	2	-	19	10	12	8
11		Negro--Male	158	3	5	5	1	4	18	3	2	3
12		Female	141	3	3	3	1	2	12	2	7	9
13		Other--Male	4	-	-	-	-	-	-	-	-	-
14		Female	5	-	1	-	-	1	2	-	-	-
15	591	Nephritis with edema, including nephrosis	1,118	32	19	20	19	17	107	41	25	18
16		White--Male	529	10	8	10	10	13	51	24	9	8
17		Female	369	13	6	6	7	4	36	9	11	5
18		Negro--Male	102	4	2	1	1	-	8	2	3	2
19		Female	110	5	3	2	1	-	11	4	2	3
20		Other--Male	4	-	-	-	-	-	-	1	-	-
21		Female	4	-	-	1	-	-	1	1	-	-
22	592-594	Chronic and unspecified nephritis and other renal sclerosis	15,032	19	14	8	15	9	65	99	134	202
23		White--Male	6,435	8	2	3	6	5	24	40	54	97
24		Female	5,444	7	7	2	8	1	25	43	60	68
25		Negro--Male	1,531	2	4	2	1	2	11	8	8	19
26		Female	1,537	2	1	1	-	1	5	7	11	11
27		Other--Male	48	-	-	-	-	-	-	-	-	4
28		Female	37	-	-	-	-	-	-	1	1	3
29	600	Infections of kidney	6,346	52	6	1	6	2	67	14	22	37
30		White--Male	2,623	16	4	1	2	1	24	5	6	14
31		Female	2,522	12	2	-	3	-	17	6	14	14
32		Negro--Male	582	19	-	-	1	1	21	1	2	3
33		Female	564	4	-	-	-	-	4	-	-	6
34		Other--Male	24	1	-	-	-	-	1	-	-	-
35		Female	11	-	-	-	-	-	-	-	-	-
36	602,604	Calculi of urinary system	1,349	-	-	-	-	1	1	2	2	11
37		White--Male	697	-	-	-	-	-	-	1	1	6
38		Female	534	-	-	-	-	-	-	1	1	4
39		Negro--Male	58	-	-	-	-	-	-	-	-	-
40		Female	54	-	-	-	-	1	1	-	-	1
41		Other--Male	4	-	-	-	-	-	-	-	-	-
42		Female	2	-	-	-	-	-	-	-	-	-
43	601,603,	Other diseases of urinary system	2,028	55	9	4	3	3	74	14	13	9
44	605-609	White--Male	1,045	32	5	3	-	-	40	6	7	8
45		Female	592	6	3	1	1	1	12	8	5	1
46		Negro--Male	284	13	-	-	-	2	15	-	-	-
47		Female	98	4	-	-	2	-	6	-	1	-
48		Other--Male	8	-	1	-	-	-	1	-	-	-
49		Female	1	-	-	-	-	-	-	-	-	-
50	610	Hyperplasia of prostate	5,097	-	-	-	-	-	-	-	-	-
51		White--Male	4,419	-	-	-	-	-	-	-	-	-
52		Negro--Male	657	-	-	-	-	-	-	-	-	-
53		Other--Male	21	-	-	-	-	-	-	-	-	-
54	611-617	Other diseases of male genital organs	505	7	-	-	-	-	7	-	1	-
55		White--Male	404	7	-	-	-	-	7	-	1	-
56		Negro--Male	97	-	-	-	-	-	-	-	-	-
57		Other--Male	4	-	-	-	-	-	-	-	-	-
58	620,621	Diseases of breast	12	5	-	-	-	-	5	-	-	-
59		White--Male	2	2	-	-	-	-	2	-	-	-
60		Female	8	1	-	-	-	-	1	-	-	-
61		Negro--Male	-	-	-	-	-	-	-	-	-	-
62		Female	2	2	-	-	-	-	2	-	-	-
63		Other--Male	-	-	-	-	-	-	-	-	-	-
64		Female	-	-	-	-	-	-	-	-	-	-
65	622-637	Diseases of female genital organs	696	-	-	-	-	-	-	-	3	16
66		White--Female	488	-	-	-	-	-	-	-	2	8
67		Negro--Female	206	-	-	-	-	-	-	-	1	8
68		Other--Female	2	-	-	-	-	-	-	-	-	-
69		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium	1,746	...	...	...	...	...	...	...	10	157
70		White--Female	997	...	...	...	...	...	...	...	2	75
71		Negro--Female	725	...	...	...	...	...	...	...	7	80
72		Other--Female	24	...	...	...	...	...	...	...	1	2
73	640,641,	Sepsis of pregnancy, childbirth, and puerperium	162	...	...	...	...	...	...	...	3	17
74	681,682,	White--Female	101	...	...	...	...	...	...	...	-	8
75	684	Negro--Female	60	..	...	...	...	...	...	...	3	9
76		Other--Female	1	...	...	...	...	...	...	...	-	-
77	642,685,686	Toxemias of pregnancy and puerperium, etc.*	472	...	...	...	...	...	...	...	3	55
78		White--Female	256	...	...	...	...	...	...	...	-	27
79		Negro--Female	209	...	...	...	...	...	...	...	2	27
80		Other--Female	7	...	...	...	...	...	...	...	1	1

*For complete category title, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
320	401	555	658	809	943	1,054	1,293	1,517	1,863	1,909	1,870	1,593	1,127	394	108	22	6	1
161	191	249	255	329	413	453	528	649	824	876	812	672	463	142	41	10	-	2
102	115	143	187	220	248	292	396	540	641	681	793	725	538	200	54	3	-	3
24	46	82	84	126	126	136	183	171	188	188	142	101	68	30	5	3	1	4
25	44	75	125	127	153	163	179	145	200	160	118	94	56	22	7	6	5	5
3	2	2	5	5	2	5	7	7	3	3	4	1	2	-	-	-	-	6
5	3	4	2	2	1	5	-	5	7	1	1	-	-	-	1	-	-	7
31	25	55	45	43	54	67	81	84	117	116	106	77	58	16	6	2	-	8
13	10	14	13	14	26	21	40	34	54	49	49	39	24	8	2	1	-	9
11	7	14	14	13	13	16	18	31	38	36	43	30	29	6	2	1	-	10
2	2	12	8	9	6	18	17	12	11	16	13	4	1	1	-	-	-	11
5	4	13	9	7	8	12	5	7	14	15	1	4	4	1	2	-	-	12
-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	13
-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	14
25	24	38	54	54	66	72	64	102	93	94	104	70	42	19	4	-	2	15
14	11	15	19	28	24	41	35	48	48	48	52	29	15	10	-	-	-	16
5	6	8	13	16	28	19	16	34	26	30	41	33	21	9	3	-	-	17
3	2	7	10	4	8	5	6	9	10	9	5	5	2	-	1	-	1	18
3	4	8	12	6	6	7	7	9	9	6	5	3	4	-	-	-	1	19
-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	21
264	352	462	559	712	823	915	1,148	1,331	1,653	1,699	1,660	1,446	1,027	359	98	20	4	22
134	170	220	223	287	363	391	453	567	722	779	711	604	424	124	39	9	-	23
86	102	121	160	191	207	257	362	475	577	615	709	662	488	185	49	2	-	24
19	42	63	66	113	112	113	160	150	167	163	124	92	65	29	4	3	-	25
17	36	54	104	114	139	144	167	129	177	139	112	87	48	21	5	6	4	26
3	-	1	4	5	2	5	6	7	3	2	3	1	2	-	-	-	-	27
5	2	3	2	2	-	5	-	3	7	1	1	-	-	-	1	-	-	28
58	89	106	157	206	299	390	504	647	779	830	829	649	464	155	34	7	3	29
25	25	29	50	52	79	118	178	271	346	397	384	331	211	59	17	1	1	30
24	41	45	56	85	106	133	176	225	283	328	359	284	224	81	14	4	1	31
6	5	12	14	21	54	64	71	87	80	57	47	15	12	7	2	-	1	32
3	16	19	37	46	60	69	77	61	67	44	36	14	15	7	1	2	-	33
-	2	1	-	-	-	2	2	3	2	2	3	4	1	1	-	-	-	34
-	-	-	-	2	-	4	-	-	1	2	-	1	1	-	-	-	-	35
7	15	22	32	48	72	77	141	201	207	187	147	117	47	10	1	1	1	36
1	7	10	13	23	35	35	66	110	114	102	75	64	27	6	-	-	1	37
6	6	11	13	17	21	30	59	77	75	73	67	49	18	4	1	1	-	38
-	-	-	1	4	4	6	7	10	9	11	2	3	1	-	-	-	-	39
-	2	-	5	4	12	6	7	4	9	-	2	1	-	-	-	-	-	40
-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	41
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	42
14	23	25	34	54	72	106	128	176	237	293	265	263	149	62	16	-	1	43
7	9	7	12	17	22	47	49	82	121	161	159	151	93	36	10	-	1	44
4	12	10	13	16	21	33	34	41	55	82	81	85	51	24	4	-	-	45
1	-	2	5	14	22	17	35	41	49	40	18	17	5	1	2	-	-	46
2	2	6	4	6	7	9	9	12	12	6	6	9	-	1	-	-	-	47
-	-	-	-	1	-	-	1	-	-	4	-	1	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	49
-	-	1	1	5	17	50	126	316	623	889	991	1,044	734	241	50	8	1	50
-	-	1	1	3	7	26	83	230	500	741	905	953	687	228	48	6	-	51
-	-	-	-	2	10	24	42	84	120	145	83	86	44	12	2	2	1	52
-	-	-	-	-	-	-	1	2	3	3	3	5	3	1	-	-	-	53
-	1	1	-	2	5	10	21	36	42	82	95	91	81	24	2	2	2	54
-	1	1	-	-	2	6	15	26	33	59	80	78	72	21	1	1	-	55
-	-	-	-	2	3	4	6	9	9	22	15	12	9	2	1	1	2	56
-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	57
-	-	-	-	-	1	1	2	-	1	2	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	1	1	2	-	1	2	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
26	33	68	64	88	81	46	40	46	55	58	36	23	7	4	2	-	-	65
14	13	33	34	51	51	37	31	43	52	53	31	22	7	4	2	-	-	66
12	20	35	30	36	30	9	8	3	3	5	5	1	-	-	-	-	-	67
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	68
267	346	434	359	138	19	6	3	5	-	1	1	-	-	-	-	-	-	69
154	193	246	217	87	10	5	2	5	-	-	1	-	-	-	-	-	-	70
111	145	183	139	48	9	1	1	-	-	1	-	-	-	-	-	-	-	71
2	8	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	72
29	42	35	22	11	2	1	-	-	-	-	-	-	-	-	-	-	-	73
21	28	19	14	10	1	-	-	-	-	-	-	-	-	-	-	-	-	74
8	13	16	8	1	1	1	-	-	-	-	-	-	-	-	-	-	-	75
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
77	77	106	98	37	9	4	2	2	-	1	1	-	-	-	-	-	-	77
40	40	56	54	26	4	4	2	2	-	-	1	-	-	-	-	-	-	78
36	35	49	44	10	5	-	-	-	-	1	-	-	-	-	-	-	-	79
1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	80

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium—Continued										
1	643,644,	Hemorrhage of pregnancy and childbirth	347	...	...	...	...	...	...	...	1	23
2	670-672	White--Female	204	...	...	...	...	...	...	...	1	10
3		Negro--Female	137	...	...	...	...	...	...	...	-	12
4		Other--Female	6	...	...	...	...	...	...	...	-	1
5	645	Ectopic pregnancy	126	...	...	...	...	...	...	...	1	8
6		White--Female	60	...	...	...	...	...	...	...	1	4
7		Negro--Female	65	...	...	...	...	...	...	...	-	4
8		Other--Female	1	...	...	...	...	...	...	...	-	-
9	650	Abortion without mention of sepsis or toxemia	77	...	...	...	...	...	...	...	-	14
10		White--Female	41	...	...	...	...	...	...	...	-	8
11		Negro--Female	35	...	...	...	...	...	...	...	-	6
12		Other--Female	1	...	...	...	...	...	...	...	-	-
13	651	Abortion with sepsis	169	...	..	...	...	...	...	...	-	14
14		White--Female	77	...	...	...	...	...	...	...	-	3
15		Negro--Female	91	...	...	...	...	...	...	...	-	11
16		Other--Female	1	...	...	...	...	...	...	...	-	-
17	652	Abortion with toxemia, without mention of sepsis	14	...	...	...	...	...	...	...	-	1
18		White--Female	8	...	...	...	...	...	...	...	-	1
19		Negro--Female	6	...	...	...	...	...	...	...	-	-
20		Other--Female	-	...	...	...	...	...	...	...	-	-
21	Residual[1]	Other complications of pregnancy, childbirth, and puerperium	379	...	...	...	...	...	...	...	2	25
22		White--Female	250	...	...	...	...	...	...	...	-	14
23		Negro--Female	122	...	...	...	...	...	...	...	2	11
24		Other--Female	7	...	...	...	...	...	...	...	-	-
25		XII. Diseases of the skin and cellular tissue	1,666	87	7	3	4	3	104	26	25	42
26		White--Male	577	39	3	3	2	1	48	9	2	11
27		Female	768	21	1	-	2	-	24	12	16	18
28		Negro--Male	127	14	2	-	-	2	18	2	1	3
29		Female	187	10	1	-	-	-	11	3	6	10
30		Other--Male	2	1	-	-	-	-	1	-	-	-
31		Female	5	2	-	-	-	-	2	-	-	-
32	690-698	Infections of skin and subcutaneous tissue	483	62	4	2	3	3	74	9	1	10
33		White--Male	218	28	1	2	2	1	34	4	-	7
34		Female	173	14	1	-	1	-	16	3	1	2
35		Negro--Male	49	10	1	-	-	2	13	1	-	1
36		Female	39	7	1	-	-	-	8	1	-	-
37		Other--Male	1	1	-	-	-	-	1	-	-	-
38		Female	3	2	-	-	-	-	2	-	-	-
39	700-716	Other diseases of skin and subcutaneous tissue	1,183	25	3	1	1	-	30	17	24	32
40		White--Male	359	11	2	1	-	-	14	5	2	4
41		Female	595	7	-	-	1	-	8	9	15	16
42		Negro--Male	78	4	1	-	-	-	5	1	1	2
43		Female	148	3	-	-	-	-	3	2	6	10
44		Other--Male	1	-	-	-	-	-	-	-	-	-
45		Female	2	-	-	-	-	-	-	-	-	-
46		XIII. Diseases of the bones and organs of movement	2,999	148	25	13	12	3	201	36	59	119
47		White--Male	1,259	82	9	9	3	1	104	17	36	94
48		Female	1,477	55	14	4	7	1	81	16	15	11
49		Negro--Male	133	5	1	-	2	1	9	2	5	11
50		Female	120	5	1	-	-	-	6	1	2	3
51		Other--Male	5	-	-	-	-	-	-	-	-	-
52		Female	5	1	-	-	-	-	1	-	1	-
53	720-725	Arthritis and spondylitis	1,479	1	-	-	1	-	2	6	5	-
54		White--Male	487	-	-	-	-	-	-	3	1	-
55		Female	880	1	-	-	1	-	2	2	2	-
56		Negro--Male	48	-	-	-	-	-	-	1	-	-
57		Female	57	-	-	-	-	-	-	-	1	-
58		Other--Male	3	-	-	-	-	-	-	-	-	-
59		Female	4	-	-	-	-	-	-	-	1	-
60	726,727	Muscular rheumatism and rheumatism, unspecified	31	-	-	-	-	-	-	1	-	-
61		White--Male	9	-	-	-	-	-	-	-	-	-
62		Female	12	-	-	-	-	-	-	1	-	-
63		Negro--Male	3	-	-	-	-	-	-	-	-	-
64		Female	7	-	-	-	-	-	-	-	-	-
65		Other--Male	-	-	-	-	-	-	-	-	-	-
66		Female	-	-	-	-	-	-	-	-	-	-
67	730	Osteomyelitis and periostitis	159	4	-	-	-	-	4	3	3	2
68		White--Male	86	3	-	-	-	-	3	-	2	2
69		Female	47	-	-	-	-	-	-	1	-	-
70		Negro--Male	18	-	-	-	-	-	-	1	1	-
71		Female	7	1	-	-	-	-	1	1	-	-
72		Other--Male	1	-	-	-	-	-	-	-	-	-
73		Female	-	-	-	-	-	-	-	-	-	-
74	737,745-749	Ankylosis and acquired musculoskeletal deformities	136	18	1	4	1	1	25	-	1	3
75		White--Male	61	11	1	3	-	1	16	-	-	2
76		Female	64	6	-	1	1	-	8	-	1	-
77		Negro--Male	7	1	-	-	-	-	1	-	-	1
78		Female	4	-	-	-	-	-	-	-	-	-
79		Other--Male	-	-	-	-	-	-	-	-	-	-
80		Female	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
39	53	97	86	44	3	-	-	1	-	-	-	-	-	-	-	-	-	1
26	34	56	51	23	2	-	-	1	-	-	-	-	-	-	-	-	-	2
13	18	39	34	20	1	-	-	-	-	-	-	-	-	-	-	-	-	3
-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4
20	35	29	23	9	1	-	-	-	-	-	-	-	-	-	-	-	-	5
9	15	10	14	6	1	-	-	-	-	-	-	-	-	-	-	-	-	6
11	20	18	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
14	8	19	13	8	1	-	-	-	-	-	-	-	-	-	-	-	-	9
7	3	12	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-	10
7	5	6	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
27	43	50	28	7	-	-	-	-	-	-	-	-	-	-	-	-	-	13
10	26	22	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	14
17	17	28	14	4	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16
3	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	17
1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	18
2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
58	83	96	87	21	3	1	1	2	-	-	-	-	-	-	-	-	-	21
40	45	69	64	13	2	1	-	2	-	-	-	-	-	-	-	-	-	22
17	34	27	21	8	1	-	1	-	-	-	-	-	-	-	-	-	-	23
1	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
37	47	58	66	98	116	118	116	131	156	151	147	109	74	34	7	4	-	25
7	12	12	15	28	34	38	38	55	68	66	64	39	19	11	1	-	-	26
18	23	29	36	40	47	53	53	56	65	68	74	62	47	19	6	2	-	27
1	2	7	6	9	10	10	12	12	11	11	5	3	4	-	-	-	-	28
11	10	10	9	21	24	16	12	8	11	6	4	5	4	4	-	2	-	29
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	31
8	11	8	16	15	24	28	25	35	51	56	34	39	24	10	4	1	-	32
5	4	4	5	6	11	10	8	19	24	28	18	17	9	4	1	-	-	33
2	5	2	6	3	5	8	8	12	18	21	16	20	15	6	3	1	-	34
-	1	1	3	4	3	4	7	1	5	5	-	-	-	-	-	-	-	35
1	1	1	2	2	4	6	2	3	4	2	-	2	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	38
29	36	50	50	83	92	90	91	96	105	95	113	70	50	24	3	3	-	39
2	8	8	10	22	23	28	30	36	44	38	46	22	10	7	-	-	-	40
16	18	27	30	37	42	45	45	44	47	47	58	42	32	13	3	1	-	41
1	1	6	3	5	7	6	5	11	6	6	5	3	4	-	-	-	-	42
10	9	9	7	19	20	10	10	5	7	4	4	3	4	4	-	2	-	43
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	45
72	42	42	70	100	104	143	221	245	322	368	337	267	176	49	23	1	2	46
49	25	19	29	51	47	56	98	104	133	130	115	84	50	12	6	-	-	47
11	13	18	31	31	47	70	106	114	161	208	205	174	112	36	15	1	1	48
7	-	3	1	8	5	9	10	12	18	11	10	6	5	1	-	-	-	49
5	4	2	9	10	5	8	6	14	10	16	5	3	8	-	2	-	1	50
-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	51
-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	52
2	7	8	23	27	37	64	124	146	207	238	224	190	126	26	15	1	1	53
1	4	3	9	15	15	21	51	54	78	73	66	50	32	6	5	-	-	54
-	3	3	11	9	20	39	63	79	110	143	147	132	85	19	9	1	1	55
1	-	1	-	1	1	1	4	5	10	6	7	6	3	1	-	-	-	56
-	-	1	3	2	1	3	5	7	9	14	2	2	6	-	1	-	-	57
-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	58
-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	59
-	-	2	-	4	1	1	2	4	4	3	2	2	1	3	1	-	-	60
-	-	1	-	2	-	1	1	-	1	-	-	-	1	2	-	-	-	61
-	-	-	-	-	-	-	-	1	3	2	1	2	-	1	1	-	-	62
-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	63
-	-	-	-	1	1	-	1	2	-	1	1	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
2	4	6	7	5	6	10	12	12	16	19	20	14	7	6	-	-	1	67
-	2	4	5	3	3	5	5	8	10	12	9	8	1	4	-	-	-	68
1	-	1	2	-	2	2	5	3	3	6	9	6	4	2	-	-	-	69
1	-	1	-	1	1	3	2	1	3	1	1	-	1	-	-	-	-	70
-	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	71
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
10	2	1	6	13	9	17	11	6	6	10	7	6	2	1	-	-	-	74
4	-	1	2	8	7	4	4	3	1	3	3	3	-	-	-	-	-	75
3	2	-	3	5	2	10	7	3	5	5	4	3	2	1	-	-	-	76
2	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	77
1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XIII. Diseases of the bones and organs of movement—Continued										
1	731-736,	All other diseases of musculoskeletal system	1,194	125	24	9	10	2	170	26	50	114
2	738-744	White--Male	616	68	8	6	3	-	85	14	33	90
3		Female	474	48	14	3	5	1	71	12	12	11
4		Negro--Male	57	4	1	-	2	1	8	-	4	10
5		Female	45	4	1	-	-	-	5	-	1	3
6		Other--Male	1	-	-	-	-	-	-	-	-	-
7		Female	1	1	-	-	-	-	1	-	-	-
8		XIV. Congenital malformations	21,818	15,801	1,022	522	325	219	17,889	703	378	276
9		White--Male	10,347	7,588	427	221	144	94	8,474	298	181	135
10		Female	8,794	6,267	436	204	147	98	7,152	319	153	108
11		Negro--Male	1,399	1,015	82	55	21	13	1,186	40	23	23
12		Female	1,159	844	71	39	13	12	979	40	17	9
13		Other--Male	65	48	3	2	-	2	55	2	1	-
14		Female	54	39	3	1	-	-	43	4	1	1
15	751	Spina bifida and meningocele	1,333	1,175	61	25	9	7	1,277	19	9	7
16		White--Male	528	459	27	8	3	2	499	9	1	6
17		Female	724	644	32	15	5	4	700	8	8	1
18		Negro--Male	38	34	1	1	1	-	37	-	-	-
19		Female	38	34	1	1	-	-	36	2	-	-
20		Other--Male	3	2	-	-	-	1	3	-	-	-
21		Female	2	2	-	-	-	-	2	-	-	-
22	752,753	Congenital hydrocephalus, etc.*	2,587	1,768	265	126	86	41	2,286	130	57	32
23		White--Male	1,137	760	125	56	41	27	1,009	60	20	12
24		Female	1,118	783	104	51	38	11	987	55	26	11
25		Negro--Male	175	110	21	14	6	2	153	7	6	5
26		Female	146	106	14	5	1	1	127	7	5	4
27		Other--Male	7	6	1	-	-	-	7	-	-	-
28		Female	4	3	-	-	-	-	3	1	-	-
29	754	Congenital malformations of circulatory system	10,485	7,573	493	257	152	124	8,599	387	223	181
30		White--Male	5,032	3,777	198	101	67	47	4,190	155	110	90
31		Female	4,105	2,824	210	102	67	59	3,262	178	86	71
32		Negro--Male	680	493	40	32	8	9	582	25	15	14
33		Female	606	439	42	20	10	8	519	24	10	5
34		Other--Male	36	26	1	1	-	1	29	2	1	-
35		Female	26	14	2	1	-	-	17	3	1	1
36	750,755-759	Other congenital malformations	7,413	5,285	203	114	78	47	5,727	167	87	56
37		White--Male	3,650	2,592	77	56	33	18	2,776	74	50	27
38		Female	2,847	2,016	90	36	37	24	2,203	78	33	25
39		Negro--Male	506	378	20	8	6	2	414	8	2	4
40		Female	369	265	14	13	2	3	297	7	2	-
41		Other--Male	19	14	1	1	-	-	16	-	-	-
42		Female	22	20	1	-	-	-	21	-	-	-
43		XV. Certain diseases of early infancy	66,569	66,552	5	2	2	4	66,565	3	-	1
44		White--Male	30,145	30,141	2	-	-	1	30,144	-	-	1
45		Female	20,995	20,984	2	2	1	3	20,992	3	-	-
46		Negro--Male	8,355	8,353	1	-	1	-	8,355	-	-	-
47		Female	6,545	6,545	-	-	-	-	6,545	-	-	-
48		Other--Male	277	277	-	-	-	-	277	-	-	-
49		Female	252	252	-	-	-	-	252	-	-	-
50	760,761	Birth injuries	11,397	11,397	-	-	-	-	11,397	-	-	-
51		White--Male	5,740	5,740	-	-	-	-	5,740	-	-	-
52		Female	3,701	3,701	-	-	-	-	3,701	-	-	-
53		Negro--Male	1,150	1,150	-	-	-	-	1,150	-	-	-
54		Female	729	729	-	-	-	-	729	-	-	-
55		Other--Male	44	44	-	-	-	-	44	-	-	-
56		Female	33	33	-	-	-	-	33	-	-	-
57	762	Postnatal asphyxia and atelectasis	18,876	18,876	-	-	-	-	18,876	-	-	-
58		White--Male	8,894	8,894	-	-	-	-	8,894	-	-	-
59		Female	5,884	5,884	-	-	-	-	5,884	-	-	-
60		Negro--Male	2,224	2,224	-	-	-	-	2,224	-	-	-
61		Female	1,719	1,719	-	-	-	-	1,719	-	-	-
62		Other--Male	85	85	-	-	-	-	85	-	-	-
63		Female	70	70	-	-	-	-	70	-	-	-
64	763-768	Infections of newborn	5,087	5,087	-	-	-	-	5,087	-	-	-
65		White--Male	1,997	1,997	-	-	-	-	1,997	-	-	-
66		Female	1,310	1,310	-	-	-	-	1,310	-	-	-
67		Negro--Male	952	952	-	-	-	-	952	-	-	-
68		Female	761	761	-	-	-	-	761	-	-	-
69		Other--Male	30	30	-	-	-	-	30	-	-	-
70		Female	37	37	-	-	-	-	37	-	-	-
71	770	Hemolytic disease of newborn (erythroblastosis)	2,538	2,523	4	2	1	4	2,534	3	-	1
72		White--Male	1,267	1,264	1	-	-	1	1,266	-	-	1
73		Female	1,063	1,052	2	2	1	3	1,060	3	-	-
74		Negro--Male	109	108	1	-	-	-	109	-	-	-
75		Female	93	93	-	-	-	-	93	-	-	-
76		Other--Male	3	3	-	-	-	-	3	-	-	-
77		Female	3	3	-	-	-	-	3	-	-	-
78	769,771,772	All other defined diseases of early infancy	1,881	1,880	-	-	1	-	1,881	-	-	-
79		White--Male	770	770	-	-	-	-	770	-	-	-
80		Female	516	516	-	-	-	-	516	-	-	-
81		Negro--Male	347	346	-	-	1	-	347	-	-	-
82		Female	230	230	-	-	-	-	230	-	-	-
83		Other--Male	9	9	-	-	-	-	9	-	-	-
84		Female	9	9	-	-	-	-	9	-	-	-

*For complete category title, see table 63.

Age, Race, and Sex: United States; 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
58	29	25	34	51	51	51	72	77	89	98	84	55	40	13	7	-	-	1
44	19	10	13	23	22	25	37	39	43	42	37	23	16	-	1	-	-	2
7	8	14	15	17	23	19	31	28	40	52	44	31	21	13	5	-	-	3
3	-	-	1	5	3	3	4	5	5	3	2	-	1	-	-	-	-	4
4	2	1	5	6	3	4	-	5	1	-	1	1	2	-	1	-	-	5
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
221	195	232	279	257	264	274	247	191	153	110	69	48	21	4	1	-	8	8
116	92	102	132	127	138	133	117	89	74	54	38	28	12	1	1	-	5	9
83	81	95	127	98	98	115	103	86	68	47	27	20	9	3	-	-	2	10
7	12	18	7	16	13	11	18	9	9	5	1	-	-	-	-	-	1	11
13	8	16	12	16	15	14	6	7	1	4	2	-	-	-	-	-	-	12
-	-	1	1	-	-	1	2	-	1	-	1	-	-	-	-	-	-	13
2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	14
4	5	3	3	-	3	-	-	1	1	-	-	-	-	-	-	-	1	15
3	2	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1	16
1	3	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
12	15	15	14	6	6	4	4	3	1	-	-	1	-	-	-	-	1	22
6	7	6	8	2	1	2	2	1	-	-	-	1	-	-	-	-	-	23
6	6	9	5	4	3	2	1	2	-	-	-	-	-	-	-	-	1	24
-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	25
-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
161	131	136	139	121	91	85	74	56	37	35	14	9	5	-	-	-	1	29
83	62	50	59	56	49	31	30	20	19	11	8	6	2	-	-	-	1	30
61	55	66	74	54	34	49	35	32	17	20	5	3	3	-	-	-	-	31
6	6	10	2	4	5	2	5	2	-	2	-	-	-	-	-	-	-	32
9	6	9	4	7	3	2	3	2	-	2	1	-	-	-	-	-	-	33
-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	34
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
44	44	78	123	130	164	185	169	131	114	75	55	38	16	4	1	-	5	36
24	21	43	63	69	86	100	85	68	55	43	30	21	10	1	1	-	3	37
15	17	20	47	40	60	64	67	51	51	27	22	17	6	3	-	-	1	38
1	5	8	4	12	6	9	13	7	8	3	1	-	-	-	-	-	1	39
4	1	7	8	9	12	12	2	5	-	2	1	-	-	-	-	-	-	40
-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	41
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XV. Certain diseases of early infancy—Continued										
1	773-776	Ill-defined diseases peculiar to early infancy, and immaturity unqualified	26,790	26,789	1	-	-	-	26,790	-	-	-
2		White--Male	11,477	11,476	1	-	-	-	11,477	-	-	-
3		Female	8,521	8,521	-	-	-	-	8,521	-	-	-
4		Negro--Male	3,573	3,573	-	-	-	-	3,573	-	-	-
5		Female	3,013	3,013	-	-	-	-	3,013	-	-	-
6		Other--Male	106	106	-	-	-	-	106	-	-	-
7		Female	100	100	-	-	-	-	100	-	-	-
8		XVI. Symptoms, senility, and ill-defined conditions	19,164	2,557	179	93	66	28	2,923	102	69	174
9		White--Male	7,549	651	44	21	20	8	744	35	32	76
10		Female	5,003	430	42	23	19	8	522	28	14	44
11		Negro--Male	3,511	778	41	33	14	7	873	21	12	19
12		Female	2,819	638	41	13	12	5	709	18	8	29
13		Other--Male	151	28	6	1	-	-	35	-	1	4
14		Female	131	32	5	2	1	-	40	-	2	2
15	794	Senility without mention of psychosis	3,243	-	-	-	-	-	-	-	-	-
16		White--Male	1,108	-	-	-	-	-	-	-	-	-
17		Female	1,542	-	-	-	-	-	-	-	-	-
18		Negro--Male	255	-	-	-	-	-	-	-	-	-
19		Female	284	-	-	-	-	-	-	-	-	-
20		Other--Male	29	-	-	-	-	-	-	-	-	-
21		Female	25	-	-	-	-	-	-	-	-	-
22	780-793,795	Symptoms, ill-defined and unknown causes	15,921	2,557	179	93	66	28	2,923	102	69	174
23		White--Male	6,441	651	44	21	20	8	744	35	32	76
24		Female	3,461	430	42	23	19	8	522	28	14	44
25		Negro--Male	3,256	778	41	33	14	7	873	21	12	19
26		Female	2,535	638	41	13	12	5	709	18	8	29
27		Other--Male	122	28	6	1	-	-	35	-	1	4
28		Female	106	32	5	2	1	-	40	-	2	2
29		XVII. Accidents, poisonings, and violence	119,614	3,797	1,723	1,264	971	879	8,634	3,431	3,229	7,012
30		White--Male	71,265	1,506	719	564	429	391	3,609	1,839	2,021	4,811
31		Female	30,254	1,116	566	406	294	260	2,642	889	664	1,192
32		Negro--Male	12,261	600	223	137	115	109	1,184	375	418	754
33		Female	4,710	523	197	137	121	105	1,083	284	100	187
34		Other--Male	845	27	10	11	8	5	61	27	20	46
35		Female	279	25	8	9	4	9	55	17	6	22
36	E800-E962	Accidents	95,307	3,674	1,695	1,241	951	862	8,423	3,372	3,082	6,298
37		White--Male	56,476	1,452	712	559	423	386	3,532	1,815	1,936	4,485
38		Female	25,689	1,079	557	398	285	255	2,574	866	634	1,072
39		Negro--Male	8,510	586	216	133	113	105	1,153	368	395	547
40		Female	3,735	506	193	131	119	102	1,051	280	93	131
41		Other--Male	661	27	9	11	8	5	60	26	18	41
42		Female	236	24	8	9	3	9	53	17	6	22
43	E800-E802	Railway accidents	1,238	4	11	7	3	3	28	26	50	35
44		White--Male	867	1	5	3	2	2	13	16	32	28
45		Female	97	1	6	2	1	-	10	3	6	2
46		Negro--Male	210	1	-	-	-	1	2	5	10	3
47		Female	28	1	-	2	-	-	3	1	2	1
48		Other--Male	32	-	-	-	-	-	-	1	-	-
49		Female	4	-	-	-	-	-	-	-	-	1
50	E810-E835	Motor-vehicle accidents	38,702	337	397	361	346	344	1,785	1,480	1,124	4,084
51		White--Male	25,416	157	174	174	180	169	854	811	702	2,917
52		Female	8,668	136	169	127	108	110	650	431	311	844
53		Negro--Male	3,172	22	29	30	33	39	153	129	82	208
54		Female	1,023	18	20	26	21	24	109	93	18	72
55		Other--Male	312	3	3	3	3	1	13	10	8	26
56		Female	111	1	2	1	1	1	6	6	3	17
57	E810-E825	Motor-vehicle traffic accidents	37,686	326	238	296	318	316	1,494	1,423	1,091	4,031
58		White--Male	24,746	152	104	148	163	154	721	785	679	2,876
59		Female	8,446	131	102	101	98	100	532	409	306	840
60		Negro--Male	3,090	21	18	26	33	38	136	123	78	202
61		Female	996	18	12	19	21	22	92	91	18	71
62		Other--Male	302	3	1	2	2	1	9	9	7	26
63		Female	106	1	1	-	1	1	4	6	3	16
64	E810	Motor-vehicle traffic accident with railway train*	1,376	14	6	7	8	12	47	28	49	180
65		White--Male	930	7	3	4	4	5	23	12	23	115
66		Female	348	6	2	2	4	5	19	12	24	59
67		Negro--Male	65	-	-	-	-	1	1	2	1	3
68		Female	18	-	1	1	-	1	3	-	-	1
69		Other--Male	10	1	-	-	-	-	1	1	1	2
70		Female	5	-	-	-	-	-	-	1	-	-
71	E812	Motor-vehicle traffic accident to pedestrian	7,291	11	84	157	170	201	623	867	290	211
72		White--Male	4,490	6	38	77	92	91	304	474	184	140
73		Female	1,568	3	32	47	40	58	180	217	70	47
74		Negro--Male	815	2	9	19	24	34	88	95	28	14
75		Female	325	-	5	13	14	16	48	69	7	6
76		Other--Male	72	-	-	1	-	1	2	7	1	4
77		Female	21	-	-	-	-	1	1	5	-	-
78	E811,E813-	Other motor-vehicle traffic accidents, etc.*	14,740	189	80	73	63	56	461	371	478	1,542
79	E819	White--Male	9,387	87	35	37	27	33	219	222	311	1,069
80		Female	3,965	77	39	29	27	21	193	121	127	362
81		Negro--Male	951	14	4	3	5	-	26	17	30	82
82		Female	332	10	2	3	4	2	21	11	7	21
83		Other--Male	72	-	-	1	-	-	1	-	2	5
84		Female	33	1	-	-	-	-	1	-	1	3

*For complete category title, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
205	255	343	436	579	766	903	1,171	1,312	1,627	1,654	1,643	1,776	1,527	1,031	444	149	75	8
73	73	103	163	254	338	406	540	649	729	736	732	731	587	337	138	35	38	9
36	56	67	84	118	130	171	203	219	315	408	468	675	658	506	225	46	10	10
52	63	82	98	107	158	188	249	251	337	278	255	187	141	81	25	21	13	11
38	60	85	84	91	134	132	169	181	227	216	172	158	119	95	45	42	7	12
4	3	3	2	5	4	2	6	9	12	10	6	15	15	4	5	3	3	13
2	-	3	5	4	2	4	4	3	7	6	10	10	7	8	6	2	4	14
-	-	-	-	1	-	4	7	24	85	173	324	667	841	690	316	107	4	15
-	-	-	-	-	-	1	1	3	20	46	119	255	306	231	97	28	1	16
-	-	-	-	-	-	1	-	4	20	57	139	303	429	370	178	41	-	17
-	-	-	-	1	-	1	2	6	24	28	29	49	51	37	13	12	2	18
-	-	-	-	-	-	1	4	11	18	40	34	46	44	41	22	22	1	19
-	-	-	-	-	-	-	-	-	2	2	1	9	7	3	3	2	-	20
-	-	-	-	-	-	-	-	-	1	-	2	5	4	8	3	2	-	21
205	255	343	436	578	766	899	1,164	1,288	1,542	1,481	1,319	1,109	686	341	128	42	71	22
73	73	103	163	254	338	405	539	646	709	690	613	476	281	106	41	7	37	23
36	56	67	84	118	130	170	203	215	295	351	329	372	229	136	47	5	10	24
52	63	82	98	106	158	187	247	245	313	250	226	138	90	44	12	9	11	25
38	60	85	84	91	134	131	165	170	209	176	138	112	75	54	23	20	6	26
4	3	3	2	5	4	2	6	9	10	8	5	6	8	1	2	1	3	27
2	-	3	5	4	2	4	4	3	6	6	8	5	3	-	3	-	4	28
8,097	7,498	7,490	7,418	7,431	7,537	7,155	6,798	6,654	6,538	6,284	5,986	5,746	4,132	1,739	505	59	241	29
5,633	4,761	4,631	4,603	4,693	4,841	4,731	4,487	4,417	4,194	3,781	3,177	2,576	1,621	594	137	16	92	30
1,016	1,045	1,166	1,285	1,425	1,455	1,397	1,481	1,582	1,720	2,037	2,471	2,922	2,375	1,085	343	32	30	31
1,063	1,252	1,252	1,108	997	911	774	588	448	401	268	178	114	62	20	9	4	81	32
269	327	337	345	245	260	191	191	160	182	156	130	110	64	33	15	5	36	33
93	92	83	62	54	54	52	43	41	30	33	26	19	5	2	1	-	1	34
23	21	21	15	17	16	10	8	6	11	9	4	5	5	5	-	2	1	35
6,675	5,601	5,227	5,126	4,995	5,154	4,851	4,658	4,832	4,978	5,098	5,217	5,303	3,952	1,696	497	59	213	36
4,984	3,920	3,578	3,440	3,286	3,381	3,168	2,986	3,096	3,036	2,838	2,550	2,200	1,466	556	131	16	76	37
820	712	760	815	912	977	941	1,046	1,200	1,420	1,873	2,358	2,873	2,355	1,082	342	32	25	38
637	704	649	617	590	562	538	436	360	319	210	157	101	59	20	9	4	75	39
144	181	165	199	153	182	157	154	144	169	147	126	110	63	32	14	5	35	40
74	70	59	48	39	39	38	29	28	24	23	22	16	4	1	1	-	1	41
16	14	16	7	15	13	9	7	4	10	7	4	3	5	5	-	2	1	42
57	80	85	111	118	90	109	99	93	76	71	40	41	17	2	1	-	9	43
38	47	52	78	86	61	80	81	70	56	50	29	28	15	1	1	-	5	44
4	6	4	3	4	5	4	4	9	5	15	4	6	2	1	-	-	-	45
9	22	21	27	22	18	21	14	10	11	5	3	4	-	-	-	-	3	46
1	-	1	-	1	2	2	-	3	4	1	4	2	-	-	-	-	-	47
5	5	7	3	5	2	2	-	1	-	-	-	1	-	-	-	-	-	48
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	49
4,583	3,379	2,901	2,584	2,366	2,321	2,129	2,004	2,091	1,932	1,628	1,254	704	250	58	9	-	36	50
3,458	2,355	2,000	1,700	1,507	1,485	1,302	1,218	1,320	1,224	1,046	826	456	176	39	3	-	17	51
621	497	484	501	525	529	523	524	570	547	482	347	203	60	14	3	-	2	52
356	367	304	276	245	207	229	185	138	109	69	55	32	9	4	3	-	12	53
85	108	68	78	65	77	51	58	47	40	21	15	10	3	1	-	-	4	54
52	42	31	24	15	16	16	15	13	8	8	9	3	2	-	-	-	1	55
11	10	14	5	9	7	8	4	3	4	2	2	-	-	-	-	-	-	56
4,510	3,317	2,651	2,536	2,320	2,278	2,082	1,952	2,048	1,894	1,599	1,229	687	245	55	8	-	36	57
3,395	2,316	1,959	1,662	1,469	1,456	1,261	1,175	1,284	1,198	1,024	808	448	173	38	2	-	17	58
618	488	481	496	522	523	521	519	564	539	477	341	194	58	13	3	-	2	59
350	357	299	271	242	199	227	181	138	106	67	54	32	9	4	3	-	12	60
85	107	67	78	64	77	49	58	46	40	21	15	10	3	-	-	-	4	61
51	40	31	24	14	16	16	15	13	8	8	9	3	2	-	-	-	1	62
11	9	14	5	9	7	8	4	3	3	2	2	-	-	-	-	-	-	63
130	116	109	114	100	104	85	60	61	76	59	34	16	7	-	-	-	1	64
95	87	84	72	67	68	56	44	41	56	42	27	12	5	-	-	-	1	65
26	19	17	31	26	22	24	13	13	16	17	5	4	1	-	-	-	-	66
5	6	4	10	3	10	5	3	6	3	-	2	-	1	-	-	-	-	67
-	4	2	1	3	3	-	-	-	1	-	-	-	-	-	-	-	-	68
3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	69
1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	70
167	188	202	213	274	327	383	468	624	681	668	574	349	136	31	6	-	9	71
116	107	117	125	165	209	219	275	408	431	436	398	240	110	25	2	-	5	72
13	26	24	31	47	54	77	90	129	164	163	133	78	19	4	1	-	1	73
25	33	44	38	44	43	67	74	56	57	47	32	21	3	2	3	-	1	74
7	15	10	14	14	13	14	24	25	24	15	8	8	3	-	-	-	1	75
5	5	6	5	3	3	6	3	6	4	5	3	2	1	-	-	-	1	76
1	2	1	-	1	5	-	2	-	1	2	-	-	-	-	-	-	-	77
1,776	1,307	1,193	1,128	987	1,001	912	832	833	721	550	370	193	56	15	1	-	13	78
1,282	893	799	720	596	612	516	484	489	438	346	228	121	28	10	-	-	4	79
324	244	258	263	272	279	297	282	292	242	191	120	65	27	4	1	-	1	80
115	119	94	103	77	72	74	47	37	26	7	13	4	1	1	-	-	6	81
33	40	29	36	33	32	17	16	10	13	5	4	2	-	-	-	-	2	82
16	8	7	5	5	6	4	3	3	2	1	3	1	-	-	-	-	-	83
6	3	6	1	4	-	4	-	2	-	-	2	-	-	-	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Accidents—Continued										
		Motor-vehicle accidents—Continued										
		Motor-vehicle traffic accidents—Continued										
1	E820-E824	Motor-vehicle noncollision traffic accidents	9,827	69	36	40	55	28	228	97	195	1,515
2		White—Male	6,988	28	10	21	27	11	97	50	116	1,131
3		Female	1,602	29	17	14	19	12	91	30	57	273
4		Negro—Male	867	5	3	3	4	3	18	8	14	60
5		Female	221	5	4	2	2	2	15	8	4	30
6		Other—Male	116	2	1	-	2	-	5	1	2	12
7		Female	33	-	1	-	1	-	2	-	2	9
8	E825	Motor-vehicle traffic accident of unspecified nature	4,452	43	32	19	22	19	135	60	79	583
9		White—Male	2,951	24	18	9	13	14	78	27	45	421
10		Female	963	16	12	9	8	4	49	29	28	99
11		Negro—Male	392	-	2	1	-	-	3	1	5	43
12		Female	100	3	-	-	1	1	5	3	-	13
13		Other—Male	32	-	-	-	-	-	-	-	1	3
14		Female	14	-	-	-	-	-	-	-	-	4
15	E830-E835	Motor-vehicle nontraffic accidents	1,016	11	159	65	28	28	291	57	33	53
16		White—Male	670	5	70	26	17	15	133	26	23	41
17		Female	222	5	67	26	10	10	118	22	5	4
18		Negro—Male	82	1	11	4	-	1	17	6	4	6
19		Female	27	-	8	7	-	2	17	2	-	1
20		Other—Male	10	-	2	1	1	-	4	1	1	-
21		Female	5	-	1	1	-	-	2	-	-	1
22	E840-E845	Other road-vehicle accidents	296	-	1	3	3	3	10	39	56	26
23		White—Male	193	-	-	1	2	1	4	24	35	14
24		Female	70	-	1	1	1	2	5	12	17	11
25		Negro—Male	27	-	-	1	-	-	1	2	2	1
26		Female	4	-	-	-	-	-	-	-	2	-
27		Other—Male	1	-	-	-	-	-	-	-	-	-
28		Female	1	-	-	-	-	-	-	1	-	-
29	E850-E858	Water-transport accidents	1,574	1	7	3	5	9	25	69	90	130
30		White—Male	1,317	1	3	3	5	7	19	50	63	106
31		Female	90	-	3	-	-	2	5	10	5	7
32		Negro—Male	147	-	1	-	-	-	1	8	17	14
33		Female	11	-	-	-	-	-	-	1	5	2
34		Other—Male	9	-	-	-	-	-	-	-	-	1
35		Female	-	-	-	-	-	-	-	-	-	-
36	E860-E866	Aircraft accidents	1,411	1	4	2	1	4	12	14	11	40
37		White—Male	1,273	-	2	1	-	3	6	7	9	31
38		Female	106	1	1	1	1	1	5	7	1	8
39		Negro—Male	18	-	-	-	-	-	-	-	-	1
40		Female	3	-	1	-	-	-	1	-	1	-
41		Other—Male	9	-	-	-	-	-	-	-	-	-
42		Female	2	-	-	-	-	-	-	-	-	-
43	E870-E888	Accidental poisoning by solid and liquid substances	1,390	44	203	82	33	12	374	18	4	18
44		White—Male	620	13	75	29	12	1	130	7	2	10
45		Female	450	13	57	27	10	7	114	5	2	5
46		Negro—Male	170	7	34	9	5	2	57	1	-	1
47		Female	132	11	35	17	6	1	70	5	-	2
48		Other—Male	13	-	-	-	-	-	-	-	-	-
49		Female	5	-	2	-	-	1	3	-	-	-
50	E890-E895	Accidental poisoning by gases and vapors	1,143	30	13	12	3	6	64	21	31	60
51		White—Male	706	12	4	4	1	3	24	9	15	32
52		Female	267	8	4	5	1	2	20	9	13	22
53		Negro—Male	110	6	2	1	-	1	10	-	1	2
54		Female	50	3	3	2	1	-	9	2	-	3
55		Other—Male	7	-	-	-	-	-	-	-	2	1
56		Female	3	1	-	-	-	-	1	1	-	-
57	E900-E904	Accidental falls	20,545	161	128	76	44	17	426	110	113	112
58		White—Male	9,111	71	59	28	22	5	185	65	74	80
59		Female	10,116	42	31	27	13	7	120	31	25	15
60		Negro—Male	750	23	20	9	6	3	61	9	13	12
61		Female	480	21	17	12	2	2	54	3	1	3
62		Other—Male	65	2	1	-	-	-	3	-	-	2
63		Female	23	2	-	-	1	-	3	2	-	-
64	E900-E902	Fall from one level to another	6,633	115	102	55	35	16	323	79	80	80
65		White—Male	3,855	53	48	21	18	5	145	50	59	57
66		Female	2,150	28	24	16	9	7	84	18	12	12
67		Negro—Male	408	15	16	9	5	3	48	8	8	9
68		Female	184	17	14	9	2	1	43	2	1	2
69		Other—Male	28	1	-	-	-	-	1	-	-	-
70		Female	8	1	-	-	1	-	2	1	-	-
71	E903	Fall on same level	3,851	3	7	5	2	-	17	10	9	5
72		White—Male	1,452	2	3	1	1	-	7	5	5	4
73		Female	2,218	1	1	4	1	-	7	5	3	-
74		Negro—Male	90	-	1	-	-	-	1	-	1	1
75		Female	72	-	1	-	-	-	1	-	-	-
76		Other—Male	13	-	1	-	-	-	1	-	-	-
77		Female	6	-	-	-	-	-	-	-	-	-
78	E904	Unspecified falls	10,061	43	19	16	7	1	86	21	24	27
79		White—Male	3,804	16	8	6	3	-	33	10	10	19
80		Female	5,748	13	6	7	3	-	29	8	10	3
81		Negro—Male	252	8	3	-	1	-	12	1	4	2
82		Female	224	4	2	3	-	1	10	1	-	1
83		Other—Male	24	1	-	-	-	-	1	-	-	2
84		Female	9	1	-	-	-	-	1	1	-	-

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,772	1,224	962	769	677	591	450	385	330	216	164	143	68	23	7	-	-	11	1
1,405	897	698	549	455	406	307	260	224	140	105	87	38	16	1	-	-	6	2
175	127	113	110	116	106	67	66	75	58	51	49	27	6	5	-	-	-	3
135	143	116	81	92	52	56	40	23	12	5	3	3	1	1	-	-	4	4
35	33	18	17	8	19	11	13	5	2	1	1	-	-	-	-	-	1	5
21	22	13	9	4	7	6	5	2	2	2	3	-	-	-	-	-	-	6
1	2	4	3	2	1	3	1	1	2	-	-	-	-	-	-	-	-	7
665	482	385	312	282	255	252	207	200	200	158	108	61	23	2	1	-	2	8
497	332	261	196	186	161	163	112	122	133	95	68	37	14	2	-	-	1	9
80	72	69	61	61	62	56	68	55	59	55	34	20	5	-	1	-	-	10
70	56	41	39	26	22	25	17	16	8	8	4	4	3	-	-	-	1	11
10	15	8	10	6	10	7	5	6	-	-	2	-	-	-	-	-	-	12
6	5	4	5	2	-	-	4	1	-	-	-	-	1	-	-	-	-	13
2	2	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	14
73	62	50	48	46	43	47	52	43	38	29	25	17	5	3	1	-	-	15
63	39	41	38	38	29	41	43	36	26	22	18	8	3	1	1	-	-	16
3	9	3	5	3	6	2	5	6	8	5	6	9	2	1	-	-	-	17
6	10	5	5	3	8	2	4	-	3	2	1	-	-	-	-	-	-	18
-	1	1	-	1	-	2	-	1	-	-	-	-	-	1	-	-	-	19
1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	21
13	9	5	6	13	10	11	14	14	20	21	16	9	3	1	-	-	-	22
6	6	3	4	10	8	7	8	8	16	18	13	7	1	1	-	-	-	23
6	1	2	-	1	-	3	4	2	-	-	2	2	2	-	-	-	-	24
1	2	-	1	2	1	1	2	4	4	2	1	-	-	-	-	-	-	25
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	26
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
166	174	161	182	153	121	104	74	57	33	19	8	3	1	-	-	-	4	29
130	152	135	158	131	108	88	66	49	30	18	8	1	1	-	-	-	4	30
11	9	10	7	9	5	3	2	3	3	-	-	1	-	-	-	-	-	31
21	13	14	14	13	8	13	5	5	-	-	-	1	-	-	-	-	-	32
1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
3	-	1	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
292	292	244	204	121	69	52	26	15	9	6	1	-	1	2	-	-	-	36
269	271	228	190	111	59	46	21	11	7	4	1	-	1	1	-	-	-	37
13	12	13	12	7	10	4	5	4	2	2	-	-	-	1	-	-	-	38
6	6	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	39
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
3	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	42
53	61	90	94	127	150	111	96	65	50	33	22	11	7	1	-	-	5	43
24	21	35	39	61	83	60	51	35	28	18	10	2	2	-	-	-	2	44
11	13	29	31	48	47	38	33	24	18	11	6	9	4	1	-	-	1	45
9	13	16	15	10	15	7	9	5	2	4	4	-	-	-	-	-	2	46
7	12	6	8	8	4	5	1	1	-	-	2	-	1	-	-	-	-	47
1	1	4	1	-	1	1	2	-	2	-	-	-	-	-	-	-	-	48
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
91	73	88	77	84	93	92	76	70	60	58	40	41	19	2	2	-	1	50
60	46	61	48	51	58	63	53	50	42	34	25	23	9	2	-	-	1	51
17	12	9	14	22	18	13	16	13	9	20	13	16	9	-	2	-	-	52
11	11	12	11	6	15	12	4	5	7	2	1	-	-	-	-	-	-	53
2	4	6	4	5	2	3	2	2	1	2	-	2	1	-	-	-	-	54
1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	55
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	56
158	180	267	329	463	561	657	798	1,024	1,500	2,142	2,859	3,681	3,178	1,474	442	52	19	57
127	121	156	213	299	367	450	516	620	813	975	1,123	1,282	1,056	449	112	14	14	58
11	22	35	49	84	98	109	206	315	565	1,053	1,636	2,320	2,081	993	315	30	3	59
18	31	57	51	64	72	66	50	53	62	44	36	23	13	7	4	3	1	60
1	5	16	15	11	20	28	24	32	54	58	53	44	24	20	10	3	1	61
1	1	3	1	5	4	4	1	4	4	9	10	10	1	1	1	-	-	62
-	-	-	-	-	-	-	1	-	2	3	1	2	3	4	-	2	-	63
120	143	163	201	263	334	361	417	489	566	655	692	743	582	253	78	7	4	64
99	101	99	141	185	229	269	291	346	363	390	361	321	221	96	26	3	3	65
6	15	18	24	33	48	44	88	101	159	228	305	402	345	153	51	4	-	66
13	24	31	27	37	41	36	29	26	29	17	10	6	7	-	1	-	1	67
1	2	13	8	5	13	11	7	13	14	13	14	10	9	3	-	-	-	68
1	1	2	1	3	3	1	1	3	1	5	2	3	-	-	-	-	-	69
-	-	-	-	-	-	-	1	-	-	2	-	1	-	1	-	-	-	70
6	3	20	24	41	58	78	90	152	276	457	636	815	707	328	105	10	4	71
5	1	11	9	25	34	45	54	72	116	180	236	262	241	106	28	2	4	72
-	1	4	5	10	15	16	28	64	135	253	375	534	462	219	75	7	-	73
1	-	5	8	3	8	8	4	9	11	11	9	7	1	1	-	1	-	74
-	1	-	2	2	1	8	4	6	10	12	12	9	2	-	2	-	-	75
-	-	-	-	1	-	1	-	1	3	-	4	2	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	-	-	77
32	34	84	104	159	169	218	291	383	658	1,030	1,531	2,123	1,889	893	259	35	11	78
23	19	46	63	89	104	136	171	202	334	405	526	699	594	247	58	9	7	79
5	6	13	20	41	35	49	90	150	271	572	956	1,384	1,274	621	189	19	3	80
4	7	21	16	24	23	22	17	18	22	16	17	10	5	6	3	2	-	81
-	2	3	5	4	6	9	13	13	30	33	27	25	13	17	8	3	1	82
-	-	1	-	1	1	2	-	-	-	4	4	5	1	1	1	-	-	83
-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	2	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Accidents—Continued										
01	E910	Blow from falling object	1,201	3	11	15	12	15	56	38	18	46
02		White—Male	977	1	4	10	7	7	29	19	14	42
03		Female	48	1	4	4	3	7	19	15	1	1
04		Negro—Male	158	-	1	1	1	1	4	2	3	3
05		Female	9	1	2	-	1	-	4	1	-	-
06		Other—Male	8	-	-	-	-	-	-	1	-	-
07		Female	1	-	-	-	-	-	-	-	-	-
08	E912	Accident caused by machinery	2,072	1	9	18	19	8	55	48	81	131
09		White—Male	1,814	1	6	13	11	7	38	34	64	111
10		Female	70	-	2	4	8	-	14	11	7	5
11		Negro—Male	172	-	-	1	-	-	1	2	9	14
12		Female	6	-	1	-	-	-	1	1	1	-
13		Other—Male	8	-	-	-	-	-	-	-	-	1
14		Female	2	-	-	-	-	1	1	-	-	-
15	E914	Accident caused by electric current	1,030	14	20	12	5	4	55	28	34	75
16		White—Male	902	9	12	11	3	2	37	21	27	69
17		Female	59	4	7	1	2	2	16	6	3	1
18		Negro—Male	61	-	1	-	-	-	1	1	3	4
19		Female	7	1	-	-	-	-	1	-	-	1
20		Other—Male	1	-	-	-	-	-	-	-	1	-
21		Female	-	-	-	-	-	-	-	-	-	-
22	E916	Accident caused by fire and explosion, etc.*	6,269	242	251	238	210	228	1,169	483	170	113
23		White—Male	2,583	55	61	73	48	60	297	133	67	43
24		Female	1,798	59	47	70	55	66	297	149	57	34
25		Negro—Male	904	62	71	40	35	35	243	67	22	14
26		Female	919	63	68	49	69	59	308	128	23	21
27		Other—Male	38	2	3	3	2	3	13	1	1	-
28		Female	27	1	1	3	1	5	11	5	-	1
29	E917,E918	Accident caused by hot substance, etc.*	777	43	83	54	22	12	214	16	12	8
30		White—Male	320	18	36	14	5	1	74	4	6	4
31		Female	261	14	28	25	8	3	78	5	3	2
32		Negro—Male	106	5	14	9	3	2	33	1	1	2
33		Female	86	4	5	6	6	6	27	6	2	-
34		Other—Male	2	2	-	-	-	-	2	-	-	-
35		Female	2	-	-	-	-	-	-	-	-	-
36	E919	Accident caused by firearm	2,369	1	9	19	18	20	67	149	333	404
37		White—Male	1,772	-	1	9	10	8	28	88	244	309
38		Female	206	1	3	4	4	3	15	23	42	26
39		Negro—Male	307	-	2	2	2	7	13	26	40	58
40		Female	66	-	3	4	2	2	11	11	6	5
41		Other—Male	16	-	-	-	-	-	-	1	1	6
42		Female	2	-	-	-	-	-	-	-	-	-
43	E921,E922	Inhalation and ingestion of food or other object, etc.*	2,043	1,123	140	59	25	20	1,367	32	17	15
44		White—Male	959	488	60	30	7	8	593	19	9	6
45		Female	649	333	47	17	12	11	420	11	7	8
46		Negro—Male	229	150	14	9	6	-	179	2	-	1
47		Female	182	133	18	2	-	1	154	-	1	-
48		Other—Male	8	6	-	-	-	-	6	-	-	-
49		Female	16	13	1	1	-	-	15	-	-	-
50	E929	Accidental drowning	5,209	58	253	190	128	94	723	570	667	770
51		White—Male	3,434	20	148	115	79	73	435	374	376	527
52		Female	688	25	92	57	34	12	220	86	93	46
53		Negro—Male	903	6	8	10	9	6	39	87	172	182
54		Female	106	6	3	2	4	2	17	11	20	10
55		Other—Male	64	-	-	5	2	1	8	11	4	4
56		Female	14	1	2	1	-	-	4	1	2	1
57	E931	Excessive heat and insolation	280	12	2	3	1	-	18	2	1	12
58		White—Male	157	6	1	2	-	-	9	-	-	7
59		Female	65	2	-	1	1	-	4	2	-	1
60		Negro—Male	46	3	1	-	-	-	4	-	-	4
61		Female	11	1	-	-	-	-	1	-	1	-
62		Other—Male	-	-	-	-	-	-	-	-	-	-
63		Female	1	-	-	-	-	-	-	-	-	-
64	E940-E959	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*	1,028	37	11	6	10	3	67	14	9	16
65		White—Male	406	14	3	4	3	1	25	9	4	4
66		Female	452	9	3	1	3	2	18	3	4	9
67		Negro—Male	72	11	4	-	4	-	19	1	-	1
68		Female	93	3	1	-	-	-	4	1	1	2
69		Other—Male	4	-	-	-	-	-	-	-	-	-
70		Female	1	-	-	1	-	-	1	-	-	-
71	Residual[1]	All other accidents	6,730	1,562	142	81	63	60	1,908	215	261	203
72		White—Male	3,649	585	58	35	26	28	732	125	193	145
73		Female	1,529	430	52	24	20	18	544	47	37	25
74		Negro—Male	948	290	14	11	9	8	332	25	20	22
75		Female	519	240	16	9	7	5	277	16	9	9
76		Other—Male	64	12	2	-	1	-	15	1	1	-
77		Female	21	5	-	2	-	1	8	1	1	2
78	E963,E970	Suicide	16,632	-	-	-	-	-	-	-	68	288
79	E979	White—Male	12,331	-	-	-	-	-	-	-	54	208
80		Female	3,547	-	-	-	-	-	-	-	13	52
81		Negro—Male	506	-	-	-	-	-	-	-	1	20
82		Female	113	-	-	-	-	-	-	-	-	5
83		Other—Male	114	-	-	-	-	-	-	-	-	3
84		Female	21	-	-	-	-	-	-	-	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
61	107	110	134	136	142	116	88	64	43	19	15	4	1	-	1	-	2	1
51	93	94	116	113	112	95	73	51	37	18	15	4	1	-	-	-	-	2
-	1	3	1	-	3	-	1	2	-	-	-	-	-	-	1	-	-	3
9	12	13	16	20	24	20	14	10	5	1	-	-	-	-	-	-	2	4
-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	5
1	1	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	7
126	148	162	168	181	215	184	179	140	103	88	44	16	2	-	-	-	1	8
104	124	144	149	151	191	167	157	131	98	88	44	16	2	-	-	-	1	9
6	4	1	5	2	5	4	2	2	2	-	-	-	-	-	-	-	-	10
15	19	16	12	28	16	13	20	6	1	-	-	-	-	-	-	-	-	11
-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	12
1	1	1	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	14
132	156	129	110	81	94	48	44	16	11	10	4	1	2	-	-	-	-	15
123	139	117	98	72	81	45	38	13	9	7	4	1	1	-	-	-	-	16
3	6	3	4	4	4	-	2	2	2	2	-	-	1	-	-	-	-	17
5	10	8	8	5	8	2	4	1	-	1	-	-	-	-	-	-	-	18
1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
154	210	259	318	302	368	358	342	330	393	369	355	319	176	61	9	2	9	22
62	93	120	159	161	187	188	177	162	184	159	141	143	73	26	3	-	5	23
48	48	63	77	71	93	103	79	88	110	123	149	118	61	26	3	-	1	24
28	38	51	47	46	55	32	52	43	51	39	26	23	19	3	1	1	3	25
14	28	21	34	22	32	30	33	35	45	45	38	34	20	5	2	1	-	26
2	2	3	1	1	-	5	-	2	2	2	1	1	1	-	-	-	-	27
-	1	1	-	1	1	-	1	-	1	1	-	-	2	1	-	-	-	28
19	10	25	27	24	29	31	33	40	45	70	62	65	27	13	2	1	4	29
9	3	14	16	13	16	18	14	20	19	28	21	25	9	5	2	-	-	30
4	2	5	2	4	6	3	14	14	15	27	29	28	13	5	-	-	2	31
2	3	3	5	7	3	7	4	3	5	10	8	4	2	2	-	-	1	32
4	2	3	4	-	4	3	1	3	6	5	3	7	3	1	-	1	1	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	35
214	175	134	126	126	144	142	103	98	66	51	26	7	1	1	-	-	2	36
152	128	92	99	96	106	125	83	85	59	47	22	7	1	1	-	-	-	37
15	10	10	7	11	21	8	5	4	3	3	2	-	-	-	-	-	1	38
35	31	22	18	15	14	8	12	9	3	1	1	-	-	-	-	-	1	39
10	4	8	2	3	3	-	3	-	-	-	-	-	-	-	-	-	-	40
-	2	2	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	41
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
11	22	28	57	45	45	43	60	64	51	54	51	47	21	6	5	2	-	43
5	7	9	25	23	22	26	31	36	32	36	31	28	12	4	3	2	-	44
4	8	14	22	14	17	11	25	19	11	14	16	18	7	2	1	-	-	45
2	4	3	7	3	4	5	1	4	5	4	2	1	1	-	1	-	-	46
-	2	1	3	4	2	1	3	5	3	-	2	-	1	-	-	-	-	47
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	49
348	263	237	233	225	245	192	183	184	117	99	64	49	13	5	2	-	20	50
243	160	156	149	152	177	140	124	134	89	76	55	34	13	4	2	-	14	51
20	24	21	21	24	22	17	30	24	8	13	6	11	-	-	-	-	2	52
80	66	55	47	38	36	28	20	22	14	7	3	2	-	1	-	-	4	53
3	6	3	9	5	5	5	5	-	3	2	-	2	-	-	-	-	-	54
2	6	2	7	5	3	2	4	4	1	1	-	-	-	-	-	-	-	55
-	1	-	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	56
4	8	10	15	26	24	31	21	23	21	10	19	17	9	6	3	-	-	57
2	5	4	11	18	16	17	14	15	11	5	10	7	2	3	1	-	-	58
1	1	-	1	2	2	4	5	4	8	2	9	9	6	3	1	-	-	59
1	2	6	3	6	5	7	1	3	2	1	-	-	1	-	-	-	-	60
-	-	-	-	-	1	3	1	1	-	1	-	1	-	-	1	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	63
12	36	43	57	58	72	88	73	102	128	88	67	58	33	4	1	-	2	64
2	9	7	12	16	21	33	27	53	67	43	29	27	16	1	-	-	1	65
9	17	24	20	31	37	37	34	37	48	41	35	28	15	3	1	-	1	66
-	7	1	4	3	3	8	4	6	9	2	1	2	1	-	-	-	-	67
1	3	11	19	8	11	10	7	5	4	2	2	1	1	-	-	-	-	68
-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
181	218	249	294	346	361	353	345	342	320	262	270	230	191	60	20	2	99	71
119	140	151	176	215	223	218	234	233	215	168	143	109	75	19	4	-	12	72
16	19	30	38	49	55	57	55	64	64	65	104	104	94	33	15	2	12	73
29	47	44	55	56	58	58	35	33	29	18	16	9	13	3	-	-	46	74
13	6	19	18	21	17	15	16	9	7	9	7	7	9	5	1	-	29	75
2	5	4	6	4	7	5	4	3	4	2	-	1	-	-	-	-	-	76
2	1	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	77
592	857	1,177	1,328	1,642	1,710	1,835	1,766	1,587	1,365	1,070	712	409	170	41	8	-	7	78
404	544	763	889	1,177	1,251	1,394	1,328	1,216	1,058	884	600	360	152	37	6	-	6	79
125	230	306	359	394	393	389	382	329	276	143	99	38	15	2	1	-	1	80
39	54	73	55	50	52	36	34	25	24	28	8	6	1	-	-	-	-	81
10	14	18	14	12	4	5	16	6	2	3	1	-	1	1	1	-	-	82
10	13	16	9	8	8	10	5	9	4	10	4	3	1	1	-	-	-	83
4	2	1	2	1	2	1	1	2	1	2	-	2	-	-	-	-	-	84

Table 64. Deaths From 256 Selected Causes, by

(Includes only deaths occurring within the

	Sixth Revision number	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		XVII. Accidents, poisonings, and violence—Continued										
		Suicide—Continued										
1	E970-E973	Suicide by poisoning	3,347	-	-	-	-	-	-	-	4	43
2		White--Male	2,064	-	-	-	-	-	-	-	2	32
3		Female	1,210	-	-	-	-	-	-	-	2	9
4		Negro--Male	38	-	-	-	-	-	-	-	-	1
5		Female	22	-	-	-	-	-	-	-	-	1
6		Other--Male	12	-	-	-	-	-	-	-	-	-
7		Female	1	-	-	-	-	-	-	-	-	-
8	E974	Suicide by hanging and strangulation	3,559	-	-	-	-	-	-	-	33	78
9		White--Male	2,563	-	-	-	-	-	-	-	30	67
10		Female	849	-	-	-	-	-	-	-	3	4
11		Negro--Male	80	-	-	-	-	-	-	-	-	6
12		Female	15	-	-	-	-	-	-	-	-	1
13		Other--Male	40	-	-	-	-	-	-	-	-	-
14		Female	12	-	-	-	-	-	-	-	-	-
15	E976	Suicide by firearms and explosives	7,841	-	-	-	-	-	-	-	30	150
16		White--Male	6,546	-	-	-	-	-	-	-	21	102
17		Female	887	-	-	-	-	-	-	-	8	30
18		Negro--Male	315	-	-	-	-	-	-	-	1	13
19		Female	41	-	-	-	-	-	-	-	-	2
20		Other--Male	50	-	-	-	-	-	-	-	-	3
21		Female	2	-	-	-	-	-	-	-	-	-
22	E963, E975, E977-E979	Suicide by all other means	1,885	-	-	-	-	-	-	-	1	17
23		White--Male	1,158	-	-	-	-	-	-	-	1	7
24		Female	601	-	-	-	-	-	-	-	-	9
25		Negro--Male	73	-	-	-	-	-	-	-	-	-
26		Female	35	-	-	-	-	-	-	-	-	1
27		Other--Male	12	-	-	-	-	-	-	-	-	-
28		Female	6	-	-	-	-	-	-	-	-	-
29	E964, E980-E985	Homicide	7,641	123	28	23	20	17	211	59	79	426
30		White--Male	2,426	54	7	5	6	5	77	24	31	118
31		Female	1,018	37	9	8	9	5	68	23	17	68
32		Negro--Male	3,244	14	7	4	2	4	31	7	22	187
33		Female	862	17	4	6	2	3	32	4	7	51
34		Other--Male	69	-	1	-	-	-	1	1	2	2
35		Female	22	1	-	-	1	-	2	-	-	-
36	E981	Assault by firearms and explosives	4,010	4	4	4	7	2	21	23	47	224
37		White--Male	1,379	3	-	3	1	1	8	11	23	61
38		Female	550	-	1	1	4	1	7	4	4	41
39		Negro--Male	1,636	-	1	-	-	-	1	6	13	103
40		Female	409	1	2	-	1	-	4	1	5	18
41		Other--Male	28	-	-	-	-	-	-	1	2	1
42		Female	8	-	-	-	1	-	1	-	-	-
43	E982	Assault by cutting and piercing instruments	1,867	16	4	3	2	3	28	12	15	126
44		White--Male	337	8	2	-	1	3	14	1	5	31
45		Female	139	7	1	3	1	-	12	10	-	12
46		Negro--Male	1,118	-	-	-	-	-	-	-	8	60
47		Female	256	1	1	-	-	-	2	1	2	22
48		Other--Male	13	-	-	-	-	-	-	-	-	1
49		Female	4	-	-	-	-	-	-	-	-	-
50	E964, E980-E983	Assault by other means	1,472	103	20	16	11	12	162	24	15	47
51		White--Male	560	43	5	2	4	1	55	12	1	12
52		Female	328	30	7	4	4	4	49	9	13	15
53		Negro--Male	352	14	6	4	2	4	30	1	1	9
54		Female	197	15	1	6	1	3	26	2	-	11
55		Other--Male	25	-	1	-	-	-	1	-	-	-
56		Female	10	1	-	-	-	-	1	-	-	-
57	E984	Injury by intervention of police	228	-	-	-	-	-	-	-	2	28
58		White--Male	119	-	-	-	-	-	-	-	2	14
59		Female	-	-	-	-	-	-	-	-	-	-
60		Negro--Male	106	-	-	-	-	-	-	-	-	14
61		Female	-	-	-	-	-	-	-	-	-	-
62		Other--Male	3	-	-	-	-	-	-	-	-	-
63		Female	-	-	-	-	-	-	-	-	-	-
64	E985	Execution	64	-	-	-	-	-	-	-	-	1
65		White--Male	31	-	-	-	-	-	-	-	-	-
66		Female	1	-	-	-	-	-	-	-	-	-
67		Negro--Male	32	-	-	-	-	-	-	-	-	1
68		Female	-	-	-	-	-	-	-	-	-	-
69		Other--Male	-	-	-	-	-	-	-	-	-	-
70		Female	-	-	-	-	-	-	-	-	-	-
71	E965, E990-E999	Injury resulting from operations of war	34	-	-	-	-	-	-	-	-	-
72		White--Male	32	-	-	-	-	-	-	-	-	-
73		Female	-	-	-	-	-	-	-	-	-	-
74		Negro--Male	1	-	-	-	-	-	-	-	-	-
75		Female	-	-	-	-	-	-	-	-	-	-
76		Other--Male	1	-	-	-	-	-	-	-	-	-
77		Female	-	-	-	-	-	-	-	-	-	-

Age, Race, and Sex: United States, 1957—Continued

continental United States. Excludes fetal deaths)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
128	239	289	324	423	440	387	348	266	184	124	89	45	10	2	1	-	1	1
73	136	161	179	263	284	246	219	172	107	86	58	36	7	1	1	-	1	2
46	93	112	135	153	150	140	124	92	76	36	29	9	3	1	-	-	-	3
2	7	7	5	5	5	-	3	-	1	1	1	-	-	-	-	-	-	4
6	1	4	5	2	-	-	1	1	-	1	-	-	-	-	-	-	-	5
-	2	5	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	6
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
91	133	177	216	267	289	393	422	412	390	303	191	97	46	13	4	-	4	8
63	91	121	143	179	205	278	287	285	283	236	157	80	40	12	2	-	4	9
17	28	43	56	75	74	104	126	116	101	50	30	15	5	1	1	-	-	10
7	8	10	9	7	7	4	4	5	4	7	2	-	-	-	-	-	-	11
1	1	2	1	2	1	2	2	1	-	-	-	-	-	-	1	-	-	12
1	3	1	7	4	1	4	3	3	1	8	2	1	1	-	-	-	-	13
2	2	-	-	-	1	1	-	2	1	2	-	1	-	-	-	-	-	14
326	422	583	661	772	827	836	779	699	607	502	337	206	79	22	2	-	1	15
243	293	422	497	629	678	722	676	624	551	467	322	198	78	21	2	-	-	16
46	83	109	124	107	106	82	71	54	37	16	11	2	-	-	-	-	1	17
26	32	40	31	29	35	28	23	15	16	17	3	5	1	-	-	-	-	18
2	7	5	6	3	2	-	8	3	1	1	-	-	-	1	-	-	-	19
9	7	7	2	4	5	4	1	3	2	1	1	1	-	-	-	-	-	20
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	21
47	63	128	127	180	154	219	217	210	184	141	95	61	35	4	1	-	1	22
25	24	59	70	106	84	148	146	135	117	95	63	46	27	3	1	-	1	23
16	26	42	44	59	63	63	61	67	62	41	29	12	7	-	-	-	-	24
4	7	16	10	9	5	4	4	5	3	3	2	1	-	-	-	-	-	25
1	5	7	2	5	1	3	5	1	1	1	1	-	1	-	-	-	-	26
-	1	3	-	-	1	1	-	2	1	1	-	1	-	1	-	-	-	27
1	-	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	28
829	1,040	1,078	957	793	673	467	373	227	190	115	57	34	10	2	-	-	21	29
244	297	283	268	229	209	167	172	97	95	58	27	16	3	1	-	-	10	30
71	103	100	111	119	85	67	53	53	24	21	14	11	5	1	-	-	4	31
387	494	530	435	357	297	200	118	63	58	30	13	7	2	-	-	-	6	32
115	132	154	132	80	74	29	21	10	11	6	3	-	-	-	-	-	1	33
9	9	7	5	7	7	4	9	4	2	-	-	-	-	-	-	-	-	34
3	5	4	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	35
456	585	607	512	460	375	233	186	110	86	45	24	9	2	-	-	-	5	36
155	189	182	166	147	122	87	93	50	43	24	12	3	1	-	-	-	2	37
52	63	68	63	74	56	33	30	25	11	8	6	4	1	-	-	-	-	38
197	256	276	208	191	164	94	51	28	26	12	6	2	-	-	-	-	2	39
47	74	77	69	43	30	16	11	6	6	1	-	-	-	-	-	-	1	40
4	2	3	3	4	3	3	1	1	-	-	-	-	-	-	-	-	-	41
1	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	42
227	292	304	246	190	153	114	63	42	29	14	5	-	3	-	-	-	4	43
34	54	34	26	32	32	25	20	11	11	4	1	-	-	-	-	-	2	44
10	17	15	11	18	4	7	4	10	3	2	2	-	2	-	-	-	-	45
135	184	198	170	117	92	73	37	20	12	8	1	-	1	-	-	-	2	46
45	34	51	37	22	24	9	2	1	3	-	1	-	-	-	-	-	-	47
2	3	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	48
1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
86	102	123	166	127	131	114	112	66	73	54	28	23	5	2	-	-	12	50
24	21	45	60	44	46	51	55	29	40	30	14	12	2	1	-	-	6	51
9	23	17	37	27	25	26	19	18	10	11	6	7	2	1	-	-	4	52
27	28	34	40	39	36	32	22	13	19	8	6	4	1	-	-	-	2	53
23	24	26	26	15	20	4	8	3	2	5	2	-	-	-	-	-	-	54
2	2	-	1	2	3	1	8	3	2	-	-	-	-	-	-	-	-	55
1	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	56
49	46	33	25	11	9	4	9	7	1	2	-	2	-	-	-	-	-	57
29	25	17	12	3	5	3	3	5	-	-	-	1	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
19	19	16	13	8	4	1	6	2	1	2	-	1	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
11	15	11	8	5	5	2	3	2	1	-	-	-	-	-	-	-	-	64
2	8	5	4	3	4	1	1	2	1	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	66
9	7	6	4	2	1	-	2	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	-	8	7	1	-	2	1	8	5	1	-	-	-	-	-	-	-	71
1	-	7	6	1	-	2	1	8	5	1	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	1,633,128	823,067	614,585	107,661	87,815	28,353	10,491	7,087	5,727	5,048
2	I. Infective and parasitic diseases	24,256	12,374	5,774	3,896	2,212	570	179	88	177	126
3	Tuberculosis, all forms 001-019	13,324	7,465	2,565	2,184	1,110	318	108	48	96	66
4	Tuberculosis of respiratory system 001-008	12,384	7,112	2,354	1,956	962	293	103	46	86	58
5	Tuberculosis of meninges and central nervous system 010	249	73	59	72	45	10	1	1	5	3
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	47	18	9	11	9	1	-	-	1	-
7	Tuberculosis of vertebral column 012.0,013.0	106	42	40	12	12	3	1	-	1	1
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	14	7	-	4	3	1	1	-	-	-
9	Tuberculosis of genito-urinary system 016	129	72	30	19	8	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	81	26	24	22	9	3	1	1	-	1
11	Disseminated tuberculosis 019	314	115	49	88	62	7	1	-	3	3
12	Syphilis and its sequelae 020-029	3,825	1,868	672	891	394	75	20	2	33	20
13	Congenital syphilis 020	47	17	17	8	5	1	-	-	-	1
14	Early syphilis 021	2	1	-	1	-	-	-	-	-	-
15	Aneurysm of aorta 022	1,466	843	299	217	107	29	12	2	9	6
16	Other cardiovascular syphilis 023	1,377	569	181	436	191	27	2	-	18	7
17	Tabes dorsalis 024	79	53	12	12	2	2	1	-	-	1
18	General paralysis of insane 025	420	211	83	87	39	7	3	-	3	1
19	Other syphilis of central nervous system 026	358	147	63	109	39	6	1	-	2	3
20	Other syphilis 027-029	76	27	17	21	11	3	1	-	1	1
21	Gonococcal infection 030-035	21	7	-	12	2	-	-	-	-	-
22	Typhoid fever 040	34	14	8	8	4	2	1	-	-	1
23	Paratyphoid fever 041	3	2	1	-	-	-	-	-	-	-
24	Other Salmonella infections 042	57	25	18	7	7	1	-	1	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	8	2	4	1	1	-	-	-	-	-
27	Dysentery, all forms 045-048	440	134	148	93	65	17	3	3	5	6
28	Food poisoning (infection and intoxication) 049	63	22	14	12	15	5	2	-	1	2
29	Scarlet fever 050	48	15	29	2	2	-	-	-	-	-
30	Streptococcal sore throat 051	165	60	69	21	15	6	1	-	2	3
31	Erysipelas 052	27	11	16	-	-	1	1	-	-	-
32	Septicemia and pyemia 053	1,351	647	435	158	111	27	9	6	7	5
33	Diphtheria 055	81	22	28	14	17	6	-	1	1	4
34	Whooping cough 056	183	41	46	42	54	3	-	1	1	1
35	Meningococcal infections 057	785	375	290	61	59	20	8	6	4	2
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	3	2	-	1	-	-	-	-	-	-
38	Leprosy 060	3	2	1	-	-	-	-	-	-	-
39	Tetanus 061	279	101	52	79	47	8	2	-	5	1
40	Anthrax 062	2	1	-	1	-	-	-	-	-	-
41	Acute poliomyelitis 080	221	107	82	21	11	4	-	1	2	1
42	Late effects of acute poliomyelitis 081	148	79	63	3	3	3	1	1	1	-
43	Acute infectious encephalitis 082	465	221	181	30	33	5	-	2	1	2
44	Late effects of acute infectious encephalitis 083	107	63	37	5	2	3	1	2	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	389	154	147	46	42	15	5	3	5	2
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	897	368	416	50	63	20	9	4	3	4
49	Rabies 094	5	2	1	2	-	-	-	-	-	-
50	Tick-borne typhus 104	18	10	4	-	4	1	1	-	-	-
51	Rocky Mountain spotted fever 104A	18	10	4	-	4	1	1	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	8	5	2	1	-	1	1	-	-	-
54	Malaria 110-117	14	6	3	3	2	-	-	-	-	-
55	Schistosomiasis 123	3	-	2	1	-	-	-	-	-	-
56	Hydatid disease 125	5	1	3	-	1	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	58	12	9	19	18	3	-	-	2	1
60	All other infective and parasitic diseases Residual[1]	1,216	530	428	128	130	26	6	7	8	5
61	II. Neoplasms	258,251	124,711	110,571	11,985	10,984	3,603	1,368	1,223	477	535
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	253,183	122,675	108,278	11,725	10,505	3,519	1,339	1,198	468	514
63	Malignant neoplasm of buccal cavity and pharynx 140-148	5,861	4,199	1,142	410	110	90	41	28	15	6
64	Of lip 140	338	293	33	9	3	3	2	1	-	-
65	Of tongue 141	1,374	975	283	93	23	20	9	7	3	1
66	Of other and unspecified parts of buccal cavity 142-144	1,772	1,176	442	115	39	33	12	14	5	2
67	Of pharynx 145-148	2,377	1,755	384	193	45	34	18	6	7	3
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	88,096	43,791	36,660	4,603	3,042	1,037	402	342	156	137
69	Of esophagus 150	4,578	2,970	886	597	125	41	16	13	9	3
70	Of stomach 151	21,522	11,862	7,162	1,680	818	295	115	63	64	53
71	Of intestine, except rectum 152,153	27,412	11,851	13,912	744	905	303	103	130	33	37
72	Of rectum 154	10,834	5,767	4,353	365	349	105	37	41	10	17
73	Of biliary passages and of liver (stated to be primary site) 155	5,692	2,134	3,189	203	166	95	27	41	19	8
74	Of liver not specified whether primary or secondary 156A	4,037	1,849	1,721	276	191	21	7	5	6	3
75	Of pancreas 157	12,343	6,633	4,688	636	386	159	93	44	9	13
76	Of peritoneum and of unspecified digestive organs 158,159	1,678	725	749	102	102	18	4	5	6	3
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	33,895	26,648	4,601	2,236	410	417	267	68	72	10
78	Of larynx 161	2,157	1,797	179	159	22	24	14	4	5	1
79	Of trachea, and of bronchus and lung specified as primary 162	14,617	11,732	1,678	1,061	146	342	223	55	57	7
80	Of lung and bronchus, unspecified as primary or secondary 163	16,159	12,545	2,450	949	215	34	21	4	7	2
81	Of other parts of respiratory system 160,164	962	574	294	67	27	17	9	5	3	-
82	Malignant neoplasm of breast 170	22,720	230	20.805	31	1,654	298	1	216	2	79

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,725	4,732	2,806	679	508	16,631	7,444	4,841	2,371	1,975	124,162	67,023	49,347	4,701	3,091	14,452	8,112	5,922	250	188	1
335	183	61	49	42	399	162	83	85	69	1,646	994	425	170	57	188	106	67	14	1	2
223	140	30	32	21	253	112	55	49	37	906	586	195	95	30	110	68	32	9	1	3
197	130	29	24	14	240	110	53	44	33	834	557	174	83	20	108	68	30	9	1	4
12	4	-	5	3	3	-	1	1	1	10	4	5	1	-	-	-	-	-	-	5
1	1	-	-	-	2	1	-	-	1	5	1	3	-	1	-	-	-	-	-	6
1	-	-	1	-	-	-	-	-	-	3	2	1	-	-	1	-	1	-	-	7
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	8
4	1	-	1	2	1	-	1	-	-	12	8	2	2	-	1	-	1	-	-	9
1	-	1	-	-	-	-	-	-	-	6	1	2	3	-	-	-	-	-	-	10
7	4	-	1	2	6	1	-	3	2	36	13	8	6	9	-	-	-	-	-	11
30	17	8	5	-	50	19	3	15	13	271	164	60	37	10	27	19	5	3	-	12
2	1	1	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
13	9	4	-	-	21	12	3	5	1	107	65	28	9	5	9	7	2	-	-	15
6	3	-	3	-	24	4	-	9	11	114	70	21	21	2	12	9	1	2	-	16
-	-	-	-	-	1	1	-	-	-	6	5	1	-	-	1	-	1	-	-	17
2	1	-	1	-	-	-	-	-	-	13	8	2	1	2	3	3	-	-	-	18
7	3	3	1	-	3	2	-	1	-	25	12	7	6	-	1	-	1	-	-	19
-	-	-	-	-	1	-	-	-	1	3	2	-	-	1	1	-	-	1	-	20
-	-	-	-	-	1	-	-	1	-	3	1	-	2	-	-	-	-	-	-	21
-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	-	1	-	-	1	-	-	-	1	3	1	1	-	1	1	1	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	26
21	6	6	3	6	13	2	-	5	6	23	14	8	1	-	3	2	1	-	-	27
-	-	-	-	-	3	-	-	1	2	1	1	-	-	-	1	-	1	-	-	28
1	1	-	-	-	-	-	-	-	-	2	-	2	-	-	1	-	1	-	-	29
2	-	1	1	-	1	-	1	-	-	5	3	1	1	-	1	-	1	-	-	30
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	1	-	-	31
2	-	1	-	1	21	8	7	2	4	97	53	35	8	1	6	3	3	-	-	32
-	-	-	-	-	4	-	3	-	1	-	-	-	-	-	-	-	-	-	-	33
3	1	-	-	2	4	-	-	2	2	8	4	4	-	-	1	-	1	-	-	34
9	4	3	1	1	5	4	1	-	-	44	25	16	1	2	11	3	8	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
2	1	1	-	-	6	3	1	1	1	10	5	5	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	3	1	-	1	1	23	18	4	1	-	2	2	-	-	-	41
1	1	-	-	-	2	1	1	-	-	10	4	5	-	1	-	-	-	-	-	42
4	2	1	-	1	2	-	2	-	-	25	12	12	1	-	3	2	1	-	-	43
-	-	-	-	-	2	1	-	1	-	9	6	2	1	-	1	1	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
17	1	5	4	7	6	5	-	1	-	27	14	10	3	-	3	-	2	1	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
4	1	2	1	-	5	2	1	1	1	83	38	37	5	3	5	3	2	-	-	48
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	49
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	59
15	8	2	2	3	13	3	5	5	-	89	41	26	13	9	10	2	7	1	-	60
1,118	590	453	36	39	2,366	1,037	849	242	238	20,755	10,256	9,383	650	466	2,085	1,043	993	33	16	61
1,085	575	438	33	39	2,300	1,012	822	233	233	20,319	10,065	9,167	637	450	2,039	1,023	967	33	16	62
27	19	6	1	1	72	45	17	5	5	493	348	113	26	6	37	32	3	1	1	63
2	2	-	-	-	5	4	-	1	-	28	26	2	-	-	5	5	-	-	-	64
8	6	2	-	-	13	7	4	1	1	109	78	27	3	1	6	5	-	-	1	65
4	4	-	-	-	23	12	8	1	2	152	95	46	8	3	11	10	1	-	-	66
13	7	4	1	1	31	22	5	2	2	204	149	38	15	2	15	12	2	1	-	67
343	182	134	14	13	732	325	248	98	61	6,700	3,400	2,910	265	125	678	336	323	15	4	68
16	12	4	-	-	36	22	5	8	1	398	272	95	23	8	21	14	6	1	-	69
83	50	29	2	2	201	91	45	44	21	1,616	910	571	102	33	175	97	70	6	2	70
106	47	52	3	4	196	69	94	18	15	2,026	930	1,017	44	35	198	78	116	3	1	71
40	18	18	3	1	74	31	29	9	5	899	452	400	29	18	85	47	36	2	-	72
28	12	8	4	4	38	14	21	1	2	458	170	266	15	7	62	23	37	2	-	73
11	6	5	-	-	50	27	14	3	6	181	79	82	16	4	20	6	14	-	-	74
49	30	16	2	1	121	66	32	13	10	1,018	542	425	34	17	111	68	41	1	1	75
10	7	2	-	1	16	5	8	2	1	104	45	54	2	3	6	3	3	-	-	76
172	140	24	3	5	273	205	32	27	9	2,870	2,311	396	145	18	246	201	40	5	-	77
8	7	-	1	-	23	18	1	3	1	162	144	10	8	-	7	7	-	-	-	78
80	68	10	1	1	99	76	7	14	2	1,620	1,340	186	87	7	141	120	20	1	-	79
83	64	14	1	4	146	107	23	10	6	1,009	786	171	43	9	91	69	18	4	-	80
1	1	-	-	-	5	4	1	-	-	79	41	29	7	2	7	5	2	-	-	81
95	2	90	-	3	163	3	124	1	35	1,968	17	1,892	-	59	195	1	192	-	2	82

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	38,472	13,498	20,053	1,747	3,174	707	182	249	96	180
2	Of cervix uteri----------171	8,597	...	6,924	..	1,673	203	...	102	...	101
3	Of other and unspecified parts of uterus----------172-174	6,257	...	5,322	...	935	120	...	61	...	59
4	Of ovary, fallopian tube, and broad ligament----------175	7,567	...	7,081	...	486	97	...	79	...	18
5	Of other and unspecified female genital organs----------176	806	...	726	...	80	9	...	7	...	2
6	Of prostate----------177	14,296	12,645	...	1,651	...	264	174	...	90	...
7	Of testis, and of other and unspecified male genital organs----178,179	949	853	...	96	...	14	8	...	6	...
8	Malignant neoplasm of urinary organs----------180,181	12,147	7,507	3,790	516	334	118	56	24	24	14
9	Of kidney----------180	4,661	2,720	1,653	190	98	43	19	12	9	3
10	Of bladder and other urinary organs----------181	7,486	4,787	2,137	326	236	75	37	12	15	11
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	28,425	13,951	12,106	1,204	1,164	504	218	163	54	69
12	Of skin----------190,191	3,869	2,158	1,552	77	82	89	48	30	3	8
13	Of eye----------192	376	190	162	12	12	6	3	1	2	-
14	Of brain and other parts of nervous system----------193	5,819	3,264	2,235	212	108	104	55	32	9	8
15	Of thyroid gland----------194	1,055	353	630	24	48	16	6	7	-	3
16	Of bone (including jaw bone)----------196	2,025	1,059	769	116	81	38	18	9	7	4
17	Of connective tissue----------197	877	455	358	29	35	11	7	2	1	1
18	Of other specified sites, not stated to be secondary-----195,198A,199A	3,750	1,578	1,798	172	202	61	25	20	4	12
19	Of unspecified sites----------156B,165,198B,199B-M	10,654	4,894	4,602	562	596	179	56	62	28	33
20	Leukemia and aleukemia----------204	11,718	6,296	4,686	449	287	189	92	64	25	8
21	Lymphosarcoma, etc.*----------200-203,205	11,849	6,555	4,435	529	330	159	80	44	24	11
22	Lymphosarcoma and reticulosarcoma----------200	5,373	3,031	2,016	207	119	75	32	22	13	8
23	Hodgkin's disease----------201	3,050	1,754	1,108	132	56	37	20	12	3	2
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	3,426	1,770	1,311	190	155	47	28	10	8	1
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	5,068	2,036	2,293	260	479	84	29	25	9	21
26	Benign neoplasms of female genital organs----------214-217	665	...	422	...	243	18	...	7	...	11
27	Benign neoplasm of brain and other parts of nervous system----------223	906	366	456	42	42	13	5	7	1	-
28	Other benign neoplasms----------210-213,218-222,224-229	891	413	382	51	45	14	8	5	1	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	50	...	36	...	14	1	...	-	...	1
30	Neoplasm of unspecified nature of brain, etc.*----------237	1,695	850	647	108	90	27	14	3	6	4
31	Other neoplasms of unspecified nature----------230-232,236,238,239	861	407	350	59	45	11	2	3	1	5
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	37,249	14,847	18,138	1,678	2,586	519	175	178	52	114
33	Asthma----------241	6,677	4,065	1,816	471	325	104	48	22	20	14
34	Nontoxic goiter----------250,251	124	25	76	4	19	2	-	-	-	2
35	Thyrotoxicosis with or without goiter----------252	697	99	483	15	100	17	1	8	1	7
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	269	57	193	5	14	2	1	-	-	1
37	Diabetes mellitus----------260	27,180	9,623	14,611	982	1,964	347	110	130	26	81
38	Diseases of thymus gland----------273	197	91	64	20	22	3	-	1	1	1
39	Diseases of adrenal glands----------274	392	163	189	28	12	7	2	4	-	1
40	Pellagra----------281	76	24	26	6	20	12	4	8	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	714	275	292	82	65	15	5	3	2	5
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	923	425	388	65	45	10	4	2	2	2
43	IV. Diseases of the blood and blood-forming organs----------	4,758	2,039	2,038	347	334	82	19	21	23	19
44	Anemias----------290-293	2,987	1,167	1,282	269	269	59	11	13	19	16
45	Pernicious and other hyperchromic anemias----------290	819	331	455	13	20	9	5	2	1	1
46	Anemias of other and unspecified type----------291-293	2,168	836	827	256	249	50	6	11	18	15
47	Purpura and other hemorrhagic conditions----------296	641	262	305	30	44	8	2	2	2	2
48	All other diseases of blood and blood-forming organs-----294,295,297-299	1,130	610	451	48	21	15	6	6	2	1
49	V. Mental, psychoneurotic, and personality disorders----------	3,665	2,092	876	498	199	97	32	39	16	10
50	Senile psychosis----------304	357	122	204	13	18	9	2	3	3	1
51	Alcoholic psychosis----------307	341	267	25	45	4	4	4	-	-	-
52	Other psychoses----------300-303,305,306,308,309	445	152	234	26	33	36	4	29	2	1
53	Alcoholism----------322	2,256	1,441	306	387	122	43	22	5	10	6
54	Mental deficiency----------325	146	74	54	8	10	3	-	-	1	2
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	120	36	53	19	12	2	-	2	-	-
56	VI. Diseases of the nervous system and sense organs----------	201,698	85,930	90.481	12,238	13,049	4,193	1,319	1,220	783	871
57	Vascular lesions affecting central nervous system----------330-334	187,709	79,360	85,117	11,063	12,169	3,924	1,235	1,154	712	823
58	Subarachnoid hemorrhage----------330	6,037	2,453	2,616	421	547	113	40	38	17	18
59	Cerebral hemorrhage----------331	114,869	47,579	52,086	7,146	8,058	2,453	732	726	445	550
60	Cerebral embolism and thrombosis----------332	49,479	22,120	22,720	2,333	2,306	876	338	278	142	118
61	Other vascular lesions affecting central nervous system--------333,334	17,324	7,208	7,695	1,163	1,258	482	125	112	108	137
62	Meningitis, except meningococcal and tuberculous----------340	2,025	832	599	327	267	42	10	8	14	10
63	Multiple sclerosis----------345	1,467	618	769	32	48	11	6	4	1	-
64	Paralysis agitans----------350	2,592	1.378	1,152	41	21	28	19	7	2	-
65	Cerebral spastic infantile paralysis----------351	643	309	248	48	38	18	7	5	3	3
66	Epilepsy----------353	2,166	980	681	336	169	62	9	13	24	16
67	Inflammatory diseases of eye----------370-379	10	8	-	1	1	-	-	-	-	-
68	Cataract----------365	40	15	22	-	3	-	-	-	-	-
69	Glaucoma----------387	16	3	8	1	4	1	-	1	-	-
70	Otitis media and mastoiditis----------391-393	398	183	131	45	39	4	3	1	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	4,632	2,244	1,754	344	290	103	30	27	27	19
72	VII. Diseases of the circulatory system----------	689,084	366,075	259,743	33,883	29,383	10,305	4,238	2,539	1,839	1,689
73	Rheumatic fever----------400-402	900	371	318	102	109	33	13	4	7	9
74	Diseases of heart----------410-443	628,504	337,908	234,009	30,414	26,173	9,294	3,907	2,283	1,624	1,480
75	Chronic rheumatic heart disease----------410-416	19,274	8,564	9,103	775	832	196	72	56	38	30
76	Diseases of mitral valve----------410	6,958	2,895	3,512	270	281	89	30	26	18	15
77	Diseases of aortic valve specified as rheumatic----------411	1,704	1,201	423	61	19	13	10	2	1	-
78	Diseases of tricuspid valve----------412	25	6	14	2	3	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	1,090	461	554	38	37	7	-	4	2	1
80	Other diseases of heart specified as rheumatic----------415,416	9,497	4,001	4,600	404	492	87	32	24	17	14

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
158	58	87	2	11	440	125	188	55	72	3,011	1,072	1,743	62	134	330	136	182	8	4	1
41	...	36	...	5	123	...	84	...	39	741	...	671	...	70	78	...	76	...	2	2
21	...	18	...	3	62	...	39	...	23	384	...	353	...	31	42	...	40	...	2	3
32	...	30	...	2	68	...	59	...	9	696	...	668	...	28	57	...	57	...	-	4
4	...	3	...	1	7	...	6	...	1	56	...	51	...	5	9	...	9	...	-	5
56	54	...	2	...	169	116	...	53	...	1,048	988	...	60	...	134	126	...	8	...	6
4	4	...	-	...	11	9	...	2	...	86	84	...	2	...	10	10	...	-	...	7
42	30	10	1	1	101	52	26	10	13	1,015	671	292	31	21	104	72	32	-	-	8
17	11	4	1	1	37	18	11	3	5	357	227	116	8	6	45	32	13	-	-	9
25	19	6	-	-	64	34	15	7	8	658	444	176	23	15	59	40	19	-	-	10
118	71	43	3	1	329	146	130	23	30	2,266	1,167	993	53	53	232	121	105	3	3	11
11	7	4	-	-	52	30	19	-	3	314	199	104	5	6	38	26	12	-	-	12
2	1	1	-	-	6	1	4	1	-	37	21	16	-	-	6	4	2	-	-	13
32	21	10	1	-	35	23	12	-	-	511	293	203	10	5	60	29	31	-	-	14
5	3	2	-	-	10	3	5	-	2	88	24	60	2	2	11	2	8	-	1	15
7	4	3	-	-	15	6	5	3	1	136	75	54	5	2	25	12	13	-	-	16
5	2	3	-	-	10	4	6	-	-	80	45	32	1	2	6	3	3	-	-	17
12	5	6	1	-	54	22	23	6	3	273	109	144	8	12	18	8	10	-	-	18
44	28	14	1	1	147	57	56	13	21	827	401	380	22	24	68	37	26	3	2	19
68	38	23	5	2	111	70	30	5	6	964	520	396	31	17	111	62	47	1	1	20
62	35	21	4	2	79	41	27	9	2	1,032	559	432	24	17	106	62	43	-	1	21
30	16	12	2	-	34	22	11	1	-	517	277	221	14	5	65	39	26	-	-	22
15	9	6	-	-	25	11	9	4	1	214	121	86	5	2	19	11	8	-	-	23
17	10	3	2	2	20	8	7	4	1	301	161	125	5	10	22	12	9	-	1	24
33	15	15	3	-	66	25	27	9	5	436	191	216	13	16	46	20	26	-	-	25
3	...	3	...	-	7	...	5	...	2	37	...	29	...	8	4	...	4	...	-	26
6	5	1	-	-	7	4	2	1	-	100	47	51	1	1	10	5	5	-	-	27
11	6	4	1	-	6	3	2	1	-	91	34	52	3	2	8	4	4	-	-	28
-	...	-	...	-	1	...	1	...	-	2	...	1	...	1	1	...	1	...	-	29
8	2	4	2	-	30	10	14	4	2	129	70	53	3	3	19	8	11	-	-	30
5	2	3	-	-	15	8	3	3	1	77	40	30	6	1	4	3	1	-	-	31
244	122	101	13	8	286	105	99	37	45	2,130	930	1,009	94	97	281	141	132	6	2	32
111	78	29	3	1	57	31	10	9	7	468	282	140	26	20	87	61	24	2	-	33
-	-	-	-	-	-	-	-	-	-	18	4	14	-	-	1	-	1	-	-	34
2	-	2	-	-	4	-	3	-	1	34	7	25	-	2	6	2	4	-	-	35
2	-	2	-	-	3	-	3	-	-	17	7	9	-	1	4	1	3	-	-	36
108	40	56	6	6	187	64	71	20	32	1,430	563	747	55	65	164	66	92	4	2	37
1	-	1	-	-	2	1	-	1	-	12	4	4	-	4	1	1	-	-	-	38
3	2	1	-	-	4	3	1	-	-	26	7	16	2	1	3	1	2	-	-	39
-	-	-	-	-	2	1	-	-	1	2	2	-	-	-	-	-	-	-	-	40
10	1	6	2	1	17	2	6	6	3	45	19	19	7	-	5	4	1	-	-	41
7	1	4	2	-	10	3	5	1	1	78	35	35	4	4	10	5	5	-	-	42
27	15	9	2	1	56	21	14	10	11	317	164	125	12	16	44	25	18	-	1	43
18	9	6	2	1	34	10	6	8	10	194	92	82	8	12	22	12	10	-	-	44
5	3	2	-	-	3	-	1	1	1	47	14	32	-	1	6	4	2	-	-	45
13	6	4	2	1	31	10	5	7	9	147	78	50	8	11	16	8	8	-	-	46
1	1	-	-	-	12	5	4	2	1	40	21	14	2	3	5	3	2	-	-	47
8	5	3	-	-	10	6	4	-	-	83	51	29	2	1	17	10	6	-	1	48
41	24	8	7	2	43	24	9	6	4	275	177	83	9	6	39	23	13	2	1	49
1	1	-	-	-	7	2	3	2	-	26	5	20	-	1	3	2	1	-	-	50
3	3	-	-	-	-	-	-	-	-	30	25	3	1	1	2	2	-	-	-	51
7	5	1	-	1	12	5	3	1	3	24	10	12	-	2	4	-	4	-	-	52
27	14	5	7	1	19	15	-	3	1	179	131	38	8	2	28	17	8	2	1	53
1	-	1	-	-	3	-	3	-	-	9	5	4	-	-	-	-	-	-	-	54
2	1	1	-	-	2	2	-	-	-	7	1	6	-	-	2	2	-	-	-	55
799	345	367	52	35	2,388	915	787	329	357	15,036	6,626	7,577	444	389	1,660	769	850	18	23	56
711	315	339	33	24	2,266	878	746	303	339	13,972	6,085	7,137	399	351	1,536	693	805	18	20	57
32	13	14	2	3	48	24	12	6	6	587	233	280	32	42	55	21	33	-	1	58
406	175	194	18	19	1,639	612	537	228	262	7,454	3,189	3,863	210	192	984	434	525	14	11	59
213	102	102	9	-	369	167	132	34	36	4,769	2,154	2,381	134	100	368	179	178	3	8	60
60	25	29	4	2	210	75	65	35	35	1,162	509	613	23	17	129	59	69	1	-	61
27	4	5	13	5	22	5	6	5	6	190	98	63	10	19	14	9	4	-	1	62
4	1	3	-	-	8	4	4	-	-	102	41	56	5	-	12	7	5	-	-	63
5	3	-	-	2	13	3	9	1	-	220	110	102	5	3	25	13	12	-	-	64
2	1	1	-	-	9	2	5	2	-	33	10	20	1	2	5	3	2	-	-	65
12	6	4	2	-	18	5	2	6	5	114	64	41	5	4	15	11	4	-	-	66
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	8	3	5	-	-	1	1	-	-	-	68
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	69
7	3	-	1	3	1	1	-	-	-	42	20	17	2	3	5	4	-	-	1	70
31	12	15	3	1	51	17	15	12	7	351	193	135	17	6	47	28	18	-	1	71
2,867	1,754	944	98	71	6,405	3,172	1,839	769	625	51,239	28,981	20,009	1,348	901	5,539	3,248	2,160	71	60	72
11	2	6	2	1	8	4	1	3	-	43	21	19	2	1	18	10	8	-	-	73
2,588	1,602	839	86	61	5,830	2,927	1,661	678	564	45,931	26,346	17,615	1,192	778	4,955	2,952	1,893	57	53	74
115	47	53	9	6	120	60	44	6	10	1,623	769	783	36	35	260	125	129	2	4	75
49	15	26	6	2	45	18	19	4	4	655	257	374	16	8	110	51	58	1	-	76
7	6	1	-	-	12	10	2	-	-	255	179	65	7	4	18	17	1	-	-	77
1	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	78
10	4	6	-	-	1	-	1	-	-	71	33	34	1	3	19	11	7	-	1	79
48	22	20	3	3	62	32	22	2	6	640	299	309	12	20	113	46	63	1	3	80

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	452,507	265,752	157,870	16,762	12,123	5,520	2,787	1,399	748	586
2	Arteriosclerotic heart disease so described----------420.0	188,837	96,521	80,160	6,702	5,454	1,747	724	541	280	202
3	Heart disease specified as involving coronary arteries----------420.1	262,955	168,824	77,501	10,007	6,623	3,746	2,049	851	465	381
4	Angina pectoris without mention of coronary disease----------420.2	715	407	209	53	46	27	14	7	3	3
5	Chronic endocarditis not specified as rheumatic----------421	6,199	2,943	2,333	513	410	147	42	30	31	44
6	Of mitral valve, specified as nonrheumatic----------421.0	488	198	219	31	40	9	3	4	-	2
7	Of aortic valve, not specified as rheumatic----------421.1	2,133	1,233	615	195	90	30	13	3	8	6
8	Of other valves, not specified as rheumatic----------421.2-421.4	3,578	1,512	1,499	287	280	108	26	23	23	36
9	Other myocardial degeneration----------422	56,419	24,807	25,578	3,124	2,910	1,037	332	261	228	216
10	With arteriosclerosis----------422.1	36,282	15,787	16,965	1,834	1,696	634	196	146	152	140
11	Without mention of arteriosclerosis----------422.0,422.2	20,137	9,020	8,613	1,290	1,214	403	136	115	76	76
12	Other diseases of heart----------430-434	21,733	10,756	7,139	2,186	1,652	660	265	126	146	123
13	Acute and subacute endocarditis----------430	811	413	255	72	71	13	4	4	3	2
14	Acute myocarditis not specified as rheumatic----------431	1,253	547	449	131	126	35	11	5	7	12
15	Acute pericarditis specified as nonrheumatic----------432	51	28	15	3	5	-	-	-	-	-
16	Functional disease of heart----------433	2,561	1,258	1,131	86	86	35	25	9	-	1
17	Other and unspecified diseases of heart----------434	17,057	8,510	5,289	1,894	1,364	577	225	108	136	108
18	Hypertension with heart disease----------440-443	72,372	25,086	31,986	7,054	8,246	1,734	409	411	433	481
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	19,028	7,741	7,914	1,705	1,668	459	134	95	115	115
20	Essential hypertension with heart disease, etc.*----------440,441,443	53,344	17,345	24,072	5,349	6,578	1,275	275	316	318	366
21	Hypertension without mention of heart----------444-447	11,128	4,372	4,392	1,196	1,168	269	62	56	72	79
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	6,849	3,023	2,596	683	547	116	30	28	33	25
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	4,279	1,349	1,796	513	621	153	32	28	39	54
24	Diseases of arteries----------450-456	42,787	20,759	18,689	1,748	1,591	623	227	174	116	106
25	General arteriosclerosis----------450	33,272	14,822	16,023	1,222	1,205	469	149	146	88	86
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	7,074	4,795	1,707	358	214	103	54	17	18	14
27	Gangrene of unspecified cause----------455	239	113	80	25	21	8	5	-	-	3
28	Other arterial diseases----------452-454,456	2,202	1,029	879	143	151	43	19	11	10	3
29	Diseases of veins and other diseases of circulatory system--------460-468	5,765	2,665	2,335	423	342	86	29	22	20	15
30	VIII. Diseases of the respiratory system----------	84,086	43,448	26,402	8,161	6,075	1,410	452	326	365	267
31	Acute upper respiratory infections----------470-475	1,045	439	356	147	103	36	9	12	9	6
32	Influenza----------480-483	7,463	3,146	2,738	792	787	266	66	83	63	54
33	Pneumonia, except pneumonia of newborn----------490-493	53,538	25,167	18,247	5,735	4,389	806	229	163	227	187
34	Lobar pneumonia----------490	13,137	6,553	3,976	1,599	1,009	265	84	49	73	59
35	Bronchopneumonia----------491	28,777	13,471	10,333	2,768	2,205	333	92	65	96	80
36	Primary atypical pneumonia----------492	4,630	2,156	1,678	425	371	77	24	25	14	14
37	Pneumonia, other and unspecified----------493	6,994	2,987	2,260	943	804	131	29	24	44	34
38	Acute bronchitis----------500	1,202	580	409	101	112	17	7	2	4	4
39	Bronchitis, chronic and unqualified----------501,502	2,379	1,509	623	158	89	45	22	13	8	2
40	Hypertrophy of tonsils and adenoids----------510	171	74	71	5	21	1	-	1	-	-
41	Empyema and abscess of lung----------518,521	862	492	198	130	42	10	3	3	4	-
42	Pleurisy----------519	189	96	64	20	9	3	1	-	1	1
43	All other respiratory diseases----------Residual[1]	17,237	11,945	3,696	1,073	523	226	115	49	49	13
44	IX. Diseases of the digestive system----------	63,165	33,777	21,946	4,258	3,184	884	321	230	176	157
45	Diseases of teeth and supporting structures----------530-535	116	52	41	11	12	5	3	-	1	1
46	Ulcer of stomach----------540	5,104	3,373	1,259	352	120	56	25	13	11	7
47	Ulcer of duodenum----------541	5,261	3,896	1,049	245	71	64	39	13	8	4
48	Gastritis and duodenitis----------543	333	172	113	31	17	8	4	2	1	1
49	Appendicitis----------550-553	1,982	1,089	575	178	140	39	9	11	7	12
50	Hernia and intestinal obstruction----------560,561,570	8,571	3,801	3,724	579	467	149	34	43	39	33
51	Gastro-enteritis and colitis, except diarrhea of newborn--------571,572	7,638	2,850	2,858	1,036	894	178	40	41	48	49
52	Cirrhosis of liver----------581	19,317	11,802	5,755	1,051	709	180	90	38	29	23
53	Without mention of alcoholism----------581.0	13,524	8,042	4,320	688	474	141	67	33	24	17
54	With alcoholism----------581.1	5,793	3,760	1,435	363	235	39	23	5	5	6
55	Cholelithiasis and cholecystitis----------584,585	4,944	1,919	2,785	79	161	70	27	30	5	8
56	Other diseases of digestive system----------Residual[1]	9,899	4,823	3,787	696	593	135	50	39	27	19
57	X. Diseases of the genito-urinary system----------	33,340	16,632	10,328	3,586	2,794	800	249	157	226	168
58	Nephritis and nephrosis----------590-594	17,307	7,442	6,184	1,847	1,834	441	129	79	104	129
59	Acute nephritis----------590	1,157	478	371	162	146	23	6	3	5	9
60	Nephritis with edema, including nephrosis----------591	1,118	529	369	106	114	31	11	7	7	6
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	15,032	6,435	5,444	1,579	1,574	387	112	69	92	114
62	Infections of kidney----------600	6,346	2,623	2,522	606	595	162	40	53	43	26
63	Calculi of urinary system----------602,604	1,349	697	534	62	56	21	10	10	1	-
64	Other diseases of urinary system----------601,603,605-609	2,028	1,045	592	292	99	31	9	7	13	2
65	Hyperplasia of prostate----------610	5,097	4,419	...	678	..	105	51	..	54	...
66	Other diseases of male genital organs----------611-617	505	404	.	101	...	21	10	...	11	...
67	Diseases of breast----------620,621	12	2	8	-	2	1	-	1	-	-
68	Diseases of female genital organs----------622-637	696	...	488	...	208	18	...	7	...	11
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	1,746	...	997	...	749	69	...	13	...	56
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	162	...	101	...	61	8	...	1	...	7
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	472	...	256	..	216	17	...	3	...	14
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	347	...	204	...	143	19	...	4	...	15
73	Ectopic pregnancy----------645	126	...	60	...	66	6	...	2	...	4
74	Abortion without mention of sepsis or toxemia----------650	77	...	41	..	36	3	...	-	...	3
75	Abortion with sepsis----------651	169	...	77	...	92	6	...	-	...	6
76	Abortion with toxemia, without mention of sepsis----------652	14	...	8	...	6	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	379	...	250	...	129	10	...	3	...	7

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,968	1,306	582	49	31	4,006	2,282	1,118	342	264	35,633	21,804	12,581	835	413	3,868	2,427	1,363	45	33	1
854	504	292	36	22	1,369	669	502	106	92	15,468	8,425	6,498	333	212	1,587	872	669	28	18	2
1,113	802	289	13	9	2,623	1,604	615	233	171	20,143	13,371	6,070	502	200	2,279	1,553	694	17	15	3
1	-	1	-	-	14	9	1	3	1	22	8	13	-	1	2	2	-	-	-	4
17	13	4	-	-	78	17	12	27	22	385	225	135	14	11	62	34	26	1	1	5
3	2	1	-	-	9	3	1	2	3	36	17	18	-	1	4	2	2	-	-	6
3	3	-	-	-	15	6	2	5	2	216	154	56	6	-	18	12	6	-	-	7
11	8	3	-	-	54	8	9	20	17	133	54	61	8	10	40	20	18	1	1	8
197	112	73	8	4	322	148	90	47	37	2,916	1,340	1,462	57	57	269	123	140	3	3	9
133	78	44	7	4	161	80	47	23	11	2,095	946	1,080	32	37	183	85	93	3	2	10
64	34	29	1	-	161	68	43	24	26	821	394	382	25	20	86	38	47	-	1	11
91	45	29	10	7	417	176	93	95	53	929	506	362	37	24	106	63	41	-	2	12
6	3	3	-	-	10	1	4	3	2	73	47	21	4	1	8	6	2	-	-	13
4	2	1	-	1	14	1	4	6	3	64	34	24	4	2	3	2	1	-	-	14
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	15
12	6	6	-	-	18	7	6	1	4	166	78	82	4	2	15	6	9	-	-	16
69	34	19	10	6	375	167	79	85	44	622	344	234	25	19	80	49	29	-	2	17
200	79	98	10	13	887	244	304	161	178	4,445	1,702	2,292	213	238	390	180	194	6	10	18
54	32	18	1	3	206	73	61	40	32	873	378	403	47	45	180	91	84	2	3	19
146	47	80	9	10	681	171	243	121	146	3,572	1,324	1,889	166	193	210	89	110	4	7	20
57	30	22	3	2	139	48	44	24	23	631	262	306	35	28	94	44	45	3	2	21
39	23	12	3	1	63	28	22	7	6	405	174	189	24	18	70	34	32	3	1	22
18	7	10	-	1	76	20	22	17	17	226	88	117	11	10	24	10	13	-	1	23
188	110	67	7	4	370	163	119	55	33	4,224	2,154	1,903	92	75	372	194	167	7	4	24
135	70	57	5	3	289	109	109	43	28	3,120	1,412	1,617	44	47	276	133	138	3	2	25
44	36	6	2	-	49	33	5	9	2	932	669	210	42	11	69	51	14	3	1	26
-	-	-	-	-	2	2	-	-	-	7	4	2	-	1	2	2	-	-	-	27
9	4	4	-	1	30	19	5	3	3	165	69	74	6	16	25	8	15	1	1	28
23	10	10	-	3	58	30	14	9	5	410	198	166	27	19	100	48	47	4	1	29
725	395	169	86	75	906	362	257	143	144	6,351	3,724	2,082	356	189	1,318	774	509	21	14	30
7	4	1	2	-	12	2	4	4	2	64	32	19	7	6	9	5	4	-	-	31
29	13	6	3	7	129	39	43	13	34	182	74	96	7	5	84	46	36	1	1	32
409	166	111	72	60	585	219	164	107	95	4,031	2,195	1,459	246	131	900	490	392	13	5	33
85	42	23	12	8	136	50	47	18	21	859	528	251	63	17	177	109	67	1	-	34
233	86	60	48	39	239	80	70	46	43	2,364	1,242	916	120	86	622	318	289	10	5	35
36	14	16	3	3	65	34	21	2	8	509	260	188	43	18	60	41	18	1	-	36
55	24	12	9	10	145	55	26	41	23	299	165	104	20	10	41	22	18	1	-	37
8	2	2	2	2	9	2	4	2	1	120	67	41	4	8	25	13	7	3	2	38
50	39	6	4	1	19	10	8	-	1	192	133	50	6	3	26	20	6	-	-	39
4	3	1	-	-	1	-	1	-	-	22	12	5	2	3	7	3	4	-	-	40
3	1	1	-	1	10	4	3	2	1	87	44	29	8	6	3	2	1	-	-	41
-	-	-	-	-	-	-	-	-	-	18	9	7	2	-	-	-	-	-	-	42
215	167	41	3	4	141	86	30	15	10	1,635	1,158	376	74	27	264	195	59	4	6	43
466	197	141	64	64	501	221	150	80	50	5,921	3,282	2,241	251	147	638	348	268	15	7	44
-	-	-	-	-	2	-	-	1	1	13	6	7	-	-	1	1	-	-	-	45
22	17	5	-	-	36	23	8	4	1	438	270	147	18	3	55	41	13	1	-	46
28	21	5	1	1	42	33	4	4	1	536	377	134	21	4	65	44	19	1	1	47
-	-	-	-	-	5	-	1	2	2	32	17	11	4	-	3	1	2	-	-	48
13	9	2	2	-	18	12	1	1	4	133	78	44	7	4	18	11	6	1	-	49
46	19	22	4	1	69	22	25	13	9	675	302	333	23	17	83	42	39	2	-	50
160	35	40	45	40	78	19	25	23	11	476	196	228	28	24	73	35	36	1	1	51
102	56	36	6	4	115	61	29	18	7	2,459	1,484	808	101	66	169	92	68	5	4	52
70	35	28	3	4	98	49	27	17	5	1,296	756	446	60	34	110	56	49	3	2	53
32	21	8	3	-	17	12	2	1	2	1,163	728	362	41	32	59	36	19	2	2	54
42	15	16	2	9	35	13	19	1	2	393	147	225	11	10	69	32	36	-	1	55
53	25	15	4	9	101	38	38	13	12	766	405	304	38	19	102	49	49	4	-	56
188	98	61	21	8	477	191	117	117	52	2,145	1,234	690	127	94	267	163	89	8	7	57
106	52	41	8	5	294	114	74	63	43	849	408	331	57	53	137	76	48	7	6	58
10	6	3	1	-	19	8	3	7	1	40	14	19	5	2	5	2	1	-	2	59
12	6	5	-	1	11	4	2	2	3	59	29	22	3	5	6	4	2	-	-	60
84	40	33	7	4	264	102	69	54	39	750	365	290	49	46	126	70	45	7	4	61
31	10	15	3	3	70	18	29	15	8	536	274	211	29	22	46	22	24	-	-	62
6	4	2	-	-	12	7	5	-	-	130	72	47	5	6	4	1	2	1	-	63
9	7	-	2	-	25	9	7	9	-	181	101	65	11	4	15	7	7	-	1	64
32	25	...	7	...	63	38	...	25	...	374	349	...	25	...	53	53	...	-	...	65
1	-	...	1	...	10	5	...	5	...	30	30	...	-	...	4	4	...	-	...	66
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	67
3	...	3	...	-	3	...	2	...	1	44	...	35	...	9	8	...	8	...	-	68
8	...	7	...	1	38	...	11	...	27	126	...	94	...	32	13	...	11	...	2	69
2	...	1	...	1	4	...	1	...	3	13	...	9	...	4	2	...	1	...	1	70
3	...	3	...	-	15	...	4	...	11	27	...	20	...	7	2	...	2	...	-	71
-	...	-	...	-	9	...	5	...	4	16	...	13	...	3	3	...	3	...	-	72
-	...	-	...	-	2	...	-	...	2	11	...	7	...	4	-	...	-	...	-	73
-	...	-	...	-	-	...	-	...	-	6	...	5	...	1	-	...	-	...	-	74
-	...	-	...	-	1	...	-	...	1	23	...	17	...	6	-	...	-	...	-	75
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	76
3	...	3	...	-	7	...	1	...	6	28	...	21	...	7	5	...	4	...	1	77

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	1,666	577	768	129	192	40	12	2	11	15
2	Infections of skin and subcutaneous tissue 690-698	483	218	173	50	42	9	3	-	3	3
3	Other diseases of skin and subcutaneous tissue 700-716	1,183	359	595	79	150	31	9	2	8	12
4	XIII. Diseases of the bones and organs of movement	2,999	1,259	1,477	138	125	65	26	31	6	2
5	Arthritis and spondylitis 720-725	1,479	487	880	51	61	46	18	22	4	2
6	Muscular rheumatism and rheumatism, unspecified 726,727	31	9	12	3	7	1	-	1	-	-
7	Osteomyelitis and periostitis 730	159	86	47	19	7	2	2	-	-	-
8	Ankylosis and acquired musculoskeletal deformities 737,745-749	136	61	64	7	4	1	1	-	-	-
9	All other diseases of musculoskeletal system 731-736,738-744	1,194	616	474	58	46	15	5	8	2	-
10	XIV. Congenital malformations	21,818	10,347	8,794	1,464	1,213	413	159	132	60	62
11	Spina bifida and meningocele 751	1,333	528	724	41	40	30	16	14	-	-
12	Congenital hydrocephalus, etc.* 752,753	2,587	1,137	1,118	182	150	53	17	18	9	9
13	Congenital malformations of circulatory system 754	10,485	5,032	4,105	716	632	198	77	63	25	33
14	Other congenital malformations 750,755-759	7,413	3,650	2,847	525	391	132	49	37	26	20
15	XV. Certain diseases of early infancy	66,569	30,145	20,995	8,632	6,797	1,482	457	308	386	331
16	Birth injuries 760,761	11,397	5,740	3,701	1,194	762	212	76	44	63	29
17	Postnatal asphyxia and atelectasis 762	18,876	8,894	5,884	2,309	1,789	339	120	92	64	63
18	Infections of newborn 763-768	5,087	1,997	1,310	982	798	170	39	27	61	43
19	Hemolytic disease of newborn (erythroblastosis) 770	2,538	1,267	1,063	112	96	26	11	8	5	2
20	All other defined diseases of early infancy 769,771,772	1,881	770	516	356	239	63	18	9	19	17
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified 773-776	26,790	11,477	8,521	3,679	3,113	672	193	128	174	177
22	XVI. Symptoms, senility, and ill-defined conditions	19,164	7,549	5,003	3,662	2,950	1,202	272	170	393	367
23	Senility without mention of psychosis 794	3,243	1,108	1,542	284	309	129	22	37	32	38
24	Symptoms, ill-defined and unknown causes 780-793,795	15,921	6,441	3,461	3,378	2,641	1,073	250	133	361	329
25	XVII. Accidents, poisonings, and violence	119,614	71,265	30,254	13,106	4,989	2,619	1,213	410	737	259
26	Accidents E800-E962	95,307	56,476	25,689	9,171	3,971	2,029	968	364	491	206
27	Railway accidents E800-E802	1,238	867	97	242	32	41	23	2	14	2
28	Motor-vehicle accidents E810-E835	38,702	25,416	8,668	3,484	1,134	937	510	152	204	71
29	Motor-vehicle traffic accidents E810-E825	37,686	24,746	8,446	3,392	1,102	911	497	146	197	71
30	Motor-vehicle traffic accident with railway train* E810	1,376	930	348	75	23	27	15	2	6	4
31	Motor-vehicle traffic accident to pedestrian E812	7,291	4,490	1,568	887	346	150	68	25	36	21
32	Other motor-vehicle traffic accidents, etc.* E811,E813-E819	14,740	9,387	3,965	1,023	365	384	219	74	67	24
33	Motor-vehicle noncollision traffic accidents E820-E824	9,827	6,988	1,602	983	254	317	174	38	83	22
34	Motor-vehicle traffic accident of unspecified nature E825	4,452	2,951	963	424	114	33	21	7	5	-
35	Motor-vehicle nontraffic accidents E830-E835	1,016	670	222	92	32	26	13	6	7	-
36	Other road-vehicle accidents E840-E845	296	193	70	28	5	7	2	1	3	1
37	Water-transport accidents E850-E858	1,574	1,317	90	156	11	55	36	2	17	-
38	Aircraft accidents E860-E866	1,411	1,273	106	27	5	27	21	6	-	-
39	Accidental poisoning by solid and liquid substances E870-E888	1,390	620	450	183	137	41	9	9	11	12
40	Accidental poisoning by gases and vapors E890-E895	1,143	706	267	117	53	17	8	2	7	-
41	Accidental falls E900-E904	20,545	9,111	10,116	815	503	239	89	107	25	18
42	Fall from one level to another E900-E902	6,633	3,855	2,150	436	192	88	42	23	15	8
43	Fall on same level E903	3,851	1,452	2,218	103	78	82	24	50	4	4
44	Unspecified falls E904	10,061	3,804	5,748	276	233	69	23	34	6	6
45	Blow from falling object E910	1,201	977	48	166	10	30	18	-	12	-
46	Accident caused by machinery E912	2,072	1,814	70	180	8	31	22	1	7	1
47	Accident caused by electric current E914	1,030	902	59	62	7	21	17	1	2	1
48	Accident caused by fire and explosion, etc.* E916	6,269	2,583	1,798	942	946	176	42	33	45	56
49	Accident caused by hot substance, etc.* E917,E918	777	320	261	108	88	25	7	4	7	7
50	Accident caused by firearm E919	2,369	1,772	206	323	68	76	45	4	22	5
51	Inhalation and ingestion of food or other object, etc.* E921,E922	2,043	959	649	237	198	25	7	4	9	5
52	Accidental drowning E929	5,209	3,434	688	967	120	91	40	6	43	2
53	Excessive heat and insolation E931	280	157	65	46	12	4	1	-	3	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.* E940-E959	1,028	406	452	76	94	11	3	4	2	2
55	All other accidents Residual[1]	6,730	3,649	1,529	1,012	540	175	68	26	58	23
56	Suicide E963,E970-E979	16,632	12,331	3,547	620	134	233	178	28	20	7
57	Suicide by poisoning E970-E973	3,347	2,064	1,210	50	23	25	14	9	-	2
58	Suicide by hanging and strangulation E974	3,559	2,563	849	120	27	13	10	1	-	2
59	Suicide by firearms and explosives E976	7,841	6,546	887	365	43	182	147	16	16	3
60	Suicide by all other means E963,E975,E977-E979	1,885	1,158	601	85	41	13	7	2	4	-
61	Homicide E964,E980-E985	7,641	2,426	1,018	3,313	884	357	67	18	226	46
62	Assault by firearms and explosives E981	4,010	1,379	550	1,664	417	186	48	10	113	15
63	Assault by cutting and piercing instruments E982	1,867	337	139	1,131	260	111	9	-	76	26
64	Assault by other means E964,E980,E983	1,472	560	328	377	207	45	10	7	23	5
65	Injury by intervention of police E984	228	119	-	109	-	13	-	-	13	-
66	Execution E985	64	31	1	32	-	2	-	1	1	-
67	Injury resulting from operations of war E965,E990-E999	34	32	-	2	-	-	-	-	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12	7	4	-	1	26	9	11	4	2	135	52	67	6	10	13	5	6	-	2	1
4	2	1	-	1	4	1	1	2	-	53	31	18	2	2	2	-	1	-	1	2
8	5	3	-	-	22	8	10	2	2	82	21	49	4	8	11	5	5	-	1	3
32	14	15	2	1	44	13	24	4	3	219	91	120	3	5	21	12	9	-	-	4
16	6	9	-	1	27	3	20	3	1	92	25	63	2	2	10	5	5	-	-	5
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6
3	1	-	2	-	2	2	-	-	-	17	11	5	1	-	1	1	-	-	-	7
-	-	-	-	-	2	2	-	-	-	9	3	6	-	-	-	-	-	-	-	8
12	7	5	-	-	12	5	4	1	2	101	52	46	-	3	10	6	4	-	-	9
153	67	63	13	10	188	74	64	24	26	1,725	867	686	87	85	238	135	97	2	4	10
11	6	4	1	-	7	2	4	-	1	51	16	31	2	2	8	2	6	-	-	11
15	8	6	-	1	22	8	9	2	3	169	74	80	4	11	35	20	12	1	2	12
65	24	27	7	7	104	46	31	12	15	919	473	355	45	46	118	68	48	1	1	13
62	29	26	5	2	55	18	20	10	7	586	304	220	36	26	77	45	31	-	1	14
552	258	183	54	57	571	193	151	127	100	5,336	2,715	1,814	438	369	764	409	318	22	15	15
70	43	20	3	4	90	38	26	16	10	1,150	606	406	86	52	148	82	60	3	3	16
119	57	34	13	15	130	56	37	18	19	1,583	805	527	129	122	223	104	107	8	4	17
59	20	19	6	14	38	8	6	11	13	382	205	106	39	32	62	33	28	-	1	18
16	10	5	1	-	20	11	7	1	1	192	93	86	4	9	26	15	11	-	-	19
19	7	6	4	2	26	9	3	5	9	120	62	42	10	6	24	13	9	1	1	20
269	121	99	27	22	267	71	72	76	48	1,909	944	647	170	148	281	162	103	10	6	21
132	32	20	40	40	480	136	86	152	106	418	215	170	17	16	69	45	22	1	1	22
34	6	10	10	8	102	24	32	22	24	122	46	71	2	3	12	5	6	1	-	23
98	26	10	30	32	378	112	54	130	82	296	169	99	15	13	57	40	16	-	1	24
1,026	631	200	142	53	1,457	809	290	242	116	10,388	6,715	2,772	689	212	1,275	866	360	37	12	25
792	489	159	101	43	1,184	648	255	182	99	7,770	5,025	2,108	485	152	1,015	677	304	23	11	26
19	5	1	12	1	18	13	1	4	-	97	79	4	13	1	5	5	-	-	-	27
383	252	73	41	17	508	315	108	60	25	3,895	2,588	1,007	235	65	418	295	109	8	6	28
360	241	68	37	14	496	308	104	59	25	3,784	2,505	984	230	65	379	273	92	8	6	29
6	5	1	-	-	9	6	1	2	-	150	95	48	5	2	12	8	4	-	-	30
72	42	10	16	4	76	37	12	16	11	783	516	185	68	14	53	40	10	3	-	31
138	92	33	9	4	158	104	42	10	2	1,716	1,093	510	83	30	162	103	52	3	4	32
131	95	21	9	6	75	45	14	12	4	1,039	732	218	70	19	107	85	18	2	2	33
13	7	3	3	-	178	116	35	19	8	96	69	23	4	-	45	37	8	-	-	34
23	11	5	4	3	12	7	4	1	-	111	83	23	5	-	39	22	17	-	-	35
1	-	-	1	-	6	2	2	2	-	29	22	4	2	1	5	3	2	-	-	36
5	5	-	-	-	16	13	1	2	-	118	103	6	9	-	7	5	-	2	-	37
26	22	1	3	-	27	24	1	2	-	253	229	19	4	1	17	16	-	1	-	38
15	6	8	-	1	9	3	2	3	1	189	84	91	7	7	23	16	7	-	-	39
5	4	1	-	-	9	4	3	1	1	93	52	19	17	5	24	16	8	-	-	40
69	31	29	6	3	130	46	70	9	5	1,307	689	552	53	13	188	94	92	1	1	41
16	9	4	2	1	20	10	5	4	1	405	271	108	21	5	65	39	25	1	-	42
13	5	8	-	-	12	3	8	1	-	141	70	60	9	2	26	13	12	-	1	43
40	17	17	4	2	98	33	57	4	4	761	348	384	23	6	97	42	55	-	-	44
14	10	-	3	1	18	14	-	4	-	64	57	3	4	-	17	16	1	-	-	45
12	10	-	1	1	29	26	-	3	-	133	125	2	6	-	34	32	1	1	-	46
21	21	-	-	-	11	9	2	-	-	55	47	7	1	-	9	8	1	-	-	47
34	9	11	5	9	118	36	21	21	40	407	205	127	47	28	37	20	13	2	2	48
2	2	-	-	-	25	8	6	8	3	24	10	13	-	1	8	3	5	-	-	49
26	22	3	1	-	51	32	6	9	4	135	116	6	11	2	42	32	7	2	1	50
29	13	9	3	4	21	15	3	2	1	175	94	67	8	6	37	21	14	1	1	51
52	33	10	5	4	72	37	7	23	5	386	288	56	38	4	49	37	12	-	-	52
15	9	4	1	1	5	5	-	-	-	16	10	3	1	2	1	1	-	-	-	53
5	2	3	-	-	7	-	2	2	3	83	32	43	5	3	16	7	9	-	-	54
59	33	6	19	1	104	46	20	27	11	311	195	79	24	13	78	50	23	5	-	55
146	113	24	8	1	153	120	23	8	2	2,066	1,449	521	82	14	220	162	48	9	1	56
31	22	9	-	-	9	5	3	1	-	720	417	290	13	-	72	48	23	1	-	57
18	14	1	3	-	18	16	2	-	-	320	223	65	26	6	33	23	8	2	-	58
85	69	11	5	-	114	93	13	6	2	805	672	98	32	3	99	80	12	6	1	59
12	8	3	-	1	12	6	5	1	-	221	137	68	11	5	16	11	5	-	-	60
87	28	17	33	9	120	41	12	52	15	547	237	143	121	46	40	27	8	5	-	61
51	19	10	17	5	84	32	9	37	6	267	101	82	56	28	19	12	3	4	-	62
13	3	2	8	-	21	2	1	11	7	96	32	19	40	5	6	4	2	-	-	63
21	4	5	8	4	11	6	2	1	2	155	79	42	21	13	10	6	3	1	-	64
1	1	-	-	-	3	-	-	3	-	21	17	-	4	-	4	4	-	-	-	65
1	1	-	-	-	1	1	-	-	-	8	8	-	-	-	1	1	-	-	-	66
1	1	-	-	-	-	-	-	-	-	5	4	-	1	-	-	-	-	-	-	67

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	22,671	12,031	9,841	432	367	3,929	1,800	1,451	391	287
2	I. Infective and parasitic diseases	243	155	63	15	10	66	26	15	15	10
3	Tuberculosis, all forms 001-019	119	84	21	9	5	46	14	11	12	9
4	Tuberculosis of respiratory system 001-008	109	80	20	6	3	43	14	11	11	7
5	Tuberculosis of meninges and central nervous system 010	2	-	-	2	-	1	-	-	-	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	-	-	-	-	-	1	-	-	-	1
7	Tuberculosis of vertebral column 012.0,013.0	-	-	-	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	3	3	-	-	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	-	-	-	-	-	-	-	-	-	-
11	Disseminated tuberculosis 019	5	1	1	1	2	1	-	-	1	-
12	Syphilis and its sequelae 020-029	52	28	15	6	3	5	4	-	1	-
13	Congenital syphilis 020	-	-	-	-	-	-	-	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	25	16	8	1	-	2	2	-	-	-
16	Other cardiovascular syphilis 023	21	9	5	4	3	3	2	-	1	-
17	Tabes dorsalis 024	-	-	-	-	-	-	-	-	-	-
18	General paralysis of insane 025	1	-	1	-	-	-	-	-	-	-
19	Other syphilis of central nervous system 026	5	3	1	1	-	-	-	-	-	-
20	Other syphilis 027-029	-	-	-	-	-	-	-	-	-	-
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	-	-	-	-	-	1	1	-	-	-
28	Food poisoning (infection and intoxication) 049	-	-	-	-	-	-	-	-	-	-
29	Scarlet fever 050	-	-	-	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	2	-	2	-	-	-	-	-	-	-
31	Erysipelas 052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	29	19	9	-	1	1	-	1	-	-
33	Diphtheria 055	1	1	-	-	-	-	-	-	-	-
34	Whooping cough 056	-	-	-	-	-	-	-	-	-	-
35	Meningococcal infections 057	5	3	2	-	-	3	1	1	1	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	2	1	1	-	-	-	-	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	-	-	-	-	-	-	-	-	-	-
42	Late effects of acute poliomyelitis 081	1	1	-	-	-	1	1	-	-	-
43	Acute infectious encephalitis 082	4	2	2	-	-	3	2	1	-	-
44	Late effects of acute infectious encephalitis 083	3	3	-	-	-	1	1	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	4	1	3	-	-	3	1	-	1	1
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	8	6	2	-	-	-	-	-	-	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	13	6	6	-	1	2	1	1	-	-
61	II. Neoplasms	4,204	2,164	1,917	76	47	629	281	272	49	27
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	4,126	2,129	1,881	72	44	622	276	271	48	27
63	Malignant neoplasm of buccal cavity and pharynx 140-148	93	76	15	2	-	16	10	4	2	-
64	Of lip 140	6	5	-	1	-	1	1	-	-	-
65	Of tongue 141	21	17	4	-	-	5	1	3	1	-
66	Of other and unspecified parts of buccal cavity 142-144	25	19	5	1	-	4	3	1	-	-
67	Of pharynx 145-148	41	35	6	-	-	6	5	-	1	-
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	1,513	808	661	28	16	210	86	99	21	4
69	Of esophagus 150	92	71	9	10	2	17	10	1	6	-
70	Of stomach 151	346	214	125	6	1	40	15	16	9	-
71	Of intestine, except rectum 152,153	525	237	282	2	4	73	26	44	1	2
72	Of rectum 154	190	110	76	2	2	18	5	11	2	-
73	Of biliary passages and of liver (stated to be primary site) 155	95	32	62	-	1	14	3	10	1	-
74	Of liver not specified whether primary or secondary 156A	55	27	26	1	1	12	5	5	2	-
75	Of pancreas 157	188	106	72	7	3	31	18	11	-	2
76	Of peritoneum and of unspecified digestive organs 158,159	22	11	9	-	2	5	4	1	-	-
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	546	463	69	13	1	78	63	5	10	-
78	Of larynx 161	43	38	5	-	-	12	11	-	1	-
79	Of trachea, and of bronchus and lung specified as primary 162	122	105	14	2	1	43	33	3	7	-
80	Of lung and bronchus, unspecified as primary or secondary 163	363	308	45	10	-	22	18	2	2	-
81	Of other parts of respiratory system 160,164	18	12	5	1	-	1	1	-	-	-
82	Malignant neoplasm of breast 170	395	2	387	-	6	57	-	52	-	5

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
9,025	2,773	2,382	2,105	1,765	40,108	19,432	12,26.	4,704	3,707	33,447	12,279	8,720	6,696	5,752	5,272	3,177	2,007	52	36	1
180	52	21	72	35	623	267	103	157	96	583	191	100	183	109	49	30	17	1	1	2
110	41	9	45	15	264	135	34	60	35	261	112	36	67	46	20	16	2	1	1	3
102	38	9	42	13	256	134	32	57	33	238	105	35	59	39	18	15	1	1	1	4
2	1	-	1	-	3	-	1	1	1	6	1	-	1	4	-	-	-	-	-	5
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	6
2	2	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	-	7
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	9
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	10
3	-	-	1	2	3	-	1	1	1	12	3	1	5	3	-	-	-	-	-	11
38	7	4	17	10	126	52	9	47	18	98	25	8	54	11	7	4	3	-	-	12
1	-	-	1	-	2	-	-	-	2	3	1	1	1	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
21	3	4	9	5	58	31	8	13	6	33	9	3	17	4	5	4	1	-	-	15
12	2	-	5	5	44	14	-	22	8	38	5	3	26	4	2	-	2	-	-	16
-	-	-	-	-	2	1	-	1	-	3	1	-	2	-	-	-	-	-	-	17
2	1	-	1	-	10	3	1	5	1	13	6	1	4	2	-	-	-	-	-	18
2	1	-	1	-	7	3	-	3	1	8	3	-	4	1	-	-	-	-	-	19
-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	20
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	26
1	-	1	-	-	10	-	1	5	4	22	4	3	11	4	-	-	-	-	-	27
-	-	-	-	-	4	2	1	1	-	2	-	-	1	1	-	-	-	-	-	28
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	29
2	-	1	1	-	6	-	3	2	1	7	2	2	2	1	1	-	1	-	-	30
-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	31
8	2	2	2	2	34	10	10	5	9	34	8	11	9	6	3	2	1	-	-	32
-	-	-	-	-	5	-	1	3	1	8	3	1	2	2	-	-	-	-	-	33
-	-	-	-	-	4	-	-	1	3	5	-	-	2	3	-	-	-	-	-	34
3	-	-	1	2	26	13	5	5	3	23	10	8	2	3	4	2	2	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	35	8	5	14	8	20	1	3	10	6	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
2	-	-	2	-	7	3	3	1	-	2	-	1	-	1	-	-	-	-	-	41
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	1	-	1	-	-	42
-	-	-	-	-	12	8	3	1	-	7	2	2	-	3	2	1	1	-	-	43
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	-	-	-	1	11	3	5	2	1	20	1	4	7	8	9	4	5	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
5	1	1	1	2	30	14	12	1	3	25	11	6	4	4	1	-	1	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	54
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	7	-	-	4	3	4	-	-	2	2	-	-	-	-	-	59
9	1	3	2	3	32	13	8	4	7	34	8	11	10	5	1	1	-	-	-	60
1,569	487	497	308	277	6,214	3,044	2,305	468	397	4,200	1,563	1,454	518	665	696	362.	324	4	6	61
1,526	478	483	300	265	6,093	2,999	2,254	462	378	4,103	1,533	1,433	512	625	679	356	313	4	6	62
47	23	8	11	5	152	107	28	15	2	117	64	28	18	7	14	11	3	-	-	63
-	-	-	-	-	3	1	1	1	-	4	3	1	-	-	1	1	-	-	-	64
12	8	-	4	-	27	20	5	2	-	24	16	4	3	1	1	-	1	-	-	65
14	4	5	2	3	56	40	12	4	-	41	19	12	7	3	6	5	1	-	-	66
21	11	3	5	2	66	46	10	8	2	48	26	11	8	3	6	5	1	-	-	67
508	156	151	131	70	1,841	907	678	162	94	1,178	426	399	192	161	235	126	105	3	1	68
58	9	2	40	7	114	67	23	20	4	71	22	22	19	8	1	-	1	-	-	69
106	31	28	34	13	422	221	110	65	26	280	104	63	76	37	52	35	15	2	-	70
148	46	57	19	26	571	269	262	15	25	318	91	151	28	48	77	34	42	-	1	71
57	24	22	5	6	217	105	90	11	11	108	34	34	20	20	23	9	13	1	-	72
32	15	9	6	2	97	40	46	7	4	81	28	38	9	6	19	8	11	-	-	73
16	4	3	5	4	94	37	29	22	6	59	21	15	8	15	12	7	5	-	-	74
79	23	27	20	9	298	153	109	21	15	226	114	65	28	19	44	30	14	-	-	75
12	4	3	2	3	28	15	9	1	3	35	12	11	4	8	7	3	4	-	-	76
222	127	15	69	11	1,046	828	110	91	17	548	380	72	78	18	69	55	14	-	-	77
23	11	1	9	2	58	47	7	3	1	41	30	2	7	2	3	2	1	-	-	78
125	74	3	43	5	387	313	33	36	5	317	226	48	38	5	34	29	5	-	-	79
68	40	9	16	3	582	459	62	52	9	175	116	20	29	10	29	22	7	-	-	80
6	2	2	1	1	19	9	8	-	2	15	8	2	4	1	3	2	1	-	-	81
161	1	111	-	49	461	1	400	1	59	355	5	255	6	89	56	1	54	-	1	82

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----171-179	557	213	320	12	12	125	46	60	9	10
2	Of cervix uteri----171	91	...	82	...	9	23	...	19	...	4
3	Of other and unspecified parts of uterus----172-174	98	...	96	...	2	18	...	17	...	1
4	Of ovary, fallopian tube, and broad ligament----175	135	...	134	...	1	28	...	24	...	4
5	Of other and unspecified female genital organs----176	8	...	8	...	-	1	...	-	...	1
6	Of prostate----177	209	198	...	11	...	50	42	...	8	...
7	Of testis, and of other and unspecified male genital organs----178,179	16	15	...	1	...	5	4	...	1	...
8	Malignant neoplasm of urinary organs----180,181	195	128	64	3	-	40	20	17	-	3
9	Of kidney----180	64	41	22	1	-	19	8	10	-	1
10	Of bladder and other urinary organs----181	131	87	42	2	-	21	12	7	-	2
11	Malignant neoplasm of other and unspecified sites----156B,165,190-199	440	224	206	5	5	54	28	20	2	4
12	Of skin----190,191	55	31	24	-	-	11	6	5	-	-
13	Of eye----192	2	1	1	-	-	-	-	-	-	-
14	Of brain and other parts of nervous system----193	80	48	31	1	-	11	7	4	-	-
15	Of thyroid gland----194	10	7	3	-	-	-	-	-	-	-
16	Of bone (including jaw bone)----196	30	16	13	1	-	2	1	1	-	-
17	Of connective tissue----197	6	4	2	-	-	1	1	-	-	-
18	Of other specified sites, not stated to be secondary----195,198A,199A	59	28	30	1	-	11	5	4	2	-
19	Of unspecified sites----156B,165,198B,199B-M	198	89	102	2	5	18	8	6	-	4
20	Leukemia and aleukemia----204	174	104	67	2	1	19	10	7	2	-
21	Lymphosarcoma, etc.*----200-203,205	213	111	92	7	3	23	13	7	2	1
22	Lymphosarcoma and reticulosarcoma----200	88	47	39	2	-	6	3	2	1	-
23	Hodgkin's disease----201	52	29	19	2	2	8	3	4	-	1
24	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	73	35	34	3	1	9	7	1	1	-
25	Benign neoplasms and neoplasms of unspecified nature----210-239	78	35	36	4	3	7	5	1	1	-
26	Benign neoplasms of female genital organs----214-217	3	...	2	..	1	-	...	-	...	-
27	Benign neoplasm of brain and other parts of nervous system----223	13	7	5	1	-	2	1	1	-	-
28	Other benign neoplasms----210-213,218-222,224-229	18	6	10	2	-	-	-	-	-	-
29	Neoplasm of unspecified nature of female genital organs----233-235	2	...	2	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----237	33	19	13	1	-	5	4	-	1	-
31	Other neoplasms of unspecified nature----230-232,236,238,239	9	3	4	-	2	-	-	-	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----	498	202	285	4	7	102	39	46	7	10
33	Asthma----241	55	36	17	2	-	8	3	2	2	1
34	Nontoxic goiter----250,251	1	-	1	-	-	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----252	11	2	8	-	1	3	-	1	-	2
36	Myxedema, cretinism, and other diseases of thyroid gland----253,254	2	1	1	-	-	1	-	1	-	-
37	Diabetes mellitus----260	404	148	249	1	6	82	32	39	5	6
38	Diseases of thymus gland----273	-	-	-	-	-	2	2	-	-	-
39	Diseases of adrenal glands----274	6	4	1	1	-	-	-	-	-	-
40	Pellagra----281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states----280,282-286	4	3	1	-	-	4	2	1	-	1
42	Other allergic, endocrine, and metabolic diseases----Residual[1]	15	8	7	-	-	2	-	2	-	-
43	IV. Diseases of the blood and blood-forming organs----	47	17	26	4	-	11	4	4	2	1
44	Anemias----290-293	24	8	12	4	-	6	2	2	1	1
45	Pernicious and other hyperchromic anemias----290	5	2	3	-	-	2	1	1	-	-
46	Anemias of other and unspecified type----291-293	19	6	9	4	-	4	1	1	1	1
47	Purpura and other hemorrhagic conditions----296	12	4	8	-	-	4	2	1	1	-
48	All other diseases of blood and blood-forming organs----294,295,297-299	11	5	6	-	-	1	-	1	-	-
49	V. Mental, psychoneurotic, and personality disorders----	79	53	19	6	1	10	5	1	3	1
50	Senile psychosis----304	-	-	-	-	-	-	-	-	-	-
51	Alcoholic psychosis----307	6	5	-	1	-	-	-	-	-	-
52	Other psychoses----300-303,305,306,308,309	7	3	3	1	-	-	-	-	-	-
53	Alcoholism----322	65	44	16	4	1	10	5	1	3	1
54	Mental deficiency----325	1	1	-	-	-	-	-	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----	2,789	1,228	1,473	41	47	352	126	172	30	24
57	Vascular lesions affecting central nervous system----330-334	2,589	1,127	1,382	35	45	325	117	161	24	23
58	Subarachnoid hemorrhage----330	82	38	37	4	3	11	4	3	3	1
59	Cerebral hemorrhage----331	1,373	602	720	21	30	178	60	89	14	15
60	Cerebral embolism and thrombosis----332	850	369	466	5	10	112	47	52	6	7
61	Other vascular lesions affecting central nervous system----333,334	284	118	159	5	2	24	6	17	1	-
62	Meningitis, except meningococcal and tuberculous----340	28	16	8	2	2	6	2	3	1	-
63	Multiple sclerosis----345	19	3	16	-	-	1	1	-	-	-
64	Paralysis agitans----350	40	18	22	-	-	6	2	4	-	-
65	Cerebral spastic infantile paralysis----351	4	2	2	-	-	-	-	-	-	-
66	Epilepsy----353	40	22	14	4	-	5	1	-	4	-
67	Inflammatory diseases of eye----370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----385	-	-	-	-	-	-	-	-	-	-
69	Glaucoma----387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----391-393	3	2	1	-	-	-	-	-	-	-
71	Other diseases of nervous system and sense organs----Residual[1]	66	38	28	-	-	9	3	4	1	1
72	VII. Diseases of the circulatory system----	10,029	5,464	4,330	107	128	1,785	881	661	129	114
73	Rheumatic fever----400-402	8	5	3	-	-	3	2	-	1	-
74	Diseases of heart----410-443	9,123	5,025	3,895	96	107	1,628	815	599	118	96
75	Chronic rheumatic heart disease----410-416	300	131	157	4	8	47	19	16	5	7
76	Diseases of mitral valve----410	95	41	51	-	3	16	7	7	1	1
77	Diseases of aortic valve specified as rheumatic----411	23	13	9	1	-	4	3	1	-	-
78	Diseases of tricuspid valve----412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	6	1	5	-	-	3	2	-	1	-
80	Other diseases of heart specified as rheumatic----415,416	176	76	92	3	5	24	7	8	3	6

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
239	40	86	30	83	1,032	352	464	75	141	759	163	290	93	213	114	55	57	-	2	1
71	...	28	...	43	281	...	196	...	85	263	...	140	...	123	23	...	22	...	1	2
39	...	21	...	18	151	...	118	...	33	141	...	84	...	57	13	...	12	...	1	3
56	...	35	...	21	160	...	141	...	19	77	...	55	...	22	22	...	22	...	-	4
3	...	2	...	1	13	...	9	...	4	22	...	11	...	11	1	...	1	...	-	5
67	37	...	30	...	401	334	...	67	...	239	153	...	86	...	50	50	...	-	...	6
3	3	...	-	...	26	18	...	8	...	17	10	...	7	...	5	5	...	-	...	7
85	39	22	17	7	301	189	84	20	8	166	82	42	27	15	26	16	10	-	-	8
23	12	5	4	2	105	58	32	8	7	65	39	15	9	2	12	9	3	-	-	9
62	27	17	13	5	196	131	52	12	1	101	43	27	18	13	14	7	7	-	-	10
145	44	55	19	27	768	363	303	59	43	586	237	214	52	83	89	50	38	1	-	11
12	4	7	-	1	111	62	39	7	3	106	48	50	3	5	14	6	8	-	-	12
3	1	1	-	1	8	5	2	-	1	6	3	2	-	1	1	-	1	-	-	13
30	13	12	1	4	133	72	44	11	6	114	53	42	11	8	27	17	9	1	-	14
4	1	2	-	1	20	8	9	3	-	6	1	3	1	1	3	1	2	-	-	15
5	1	1	2	1	39	18	13	4	4	32	11	12	6	3	6	4	2	-	-	16
5	2	-	1	2	17	8	8	1	-	17	6	8	-	3	4	4	-	-	-	17
12	3	5	2	2	106	42	51	8	5	74	17	29	8	20	11	6	5	-	-	18
74	19	27	13	15	334	148	137	25	24	231	98	68	23	42	23	12	11	-	-	19
58	27	13	11	7	257	124	107	20	6	204	91	72	23	18	32	15	16	-	1	20
61	21	22	12	6	235	128	80	19	8	190	85	61	23	21	44	27	16	-	1	21
24	11	7	3	3	114	70	33	5	6	70	30	24	10	6	21	14	7	-	-	22
13	6	2	4	1	51	23	22	5	1	46	24	15	2	5	15	8	7	-	-	23
24	4	13	5	2	70	35	25	9	1	74	31	22	11	10	8	5	2	-	1	24
43	9	14	8	12	121	45	51	6	19	97	30	21	6	40	17	6	11	-	-	25
4	...	-	...	4	23	...	10	...	13	25	...	4	...	21	2	...	2	...	-	26
1	1	-	-	-	22	6	14	2	-	14	3	5	3	3	3	1	2	-	-	27
7	1	2	2	2	19	8	7	1	3	18	9	4	-	5	-	-	-	-	-	28
1	...	-	...	1	-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	29
23	6	10	3	4	34	16	14	3	1	27	14	6	1	6	6	3	3	-	-	30
7	1	2	3	1	23	15	6	-	2	11	4	1	2	4	6	2	4	-	-	31
157	38	46	31	42	802	321	305	83	93	642	190	215	98	139	102	42	59	-	1	32
38	12	8	10	8	192	96	41	30	25	131	46	29	29	27	22	11	11	-	-	33
1	-	-	-	1	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	34
5	1	3	-	1	19	3	11	-	5	16	-	5	4	7	2	1	1	-	-	35
2	-	2	-	-	6	1	4	-	1	9	2	7	-	-	1	-	1	-	-	36
101	22	29	19	31	512	190	223	43	56	412	123	152	46	91	74	27	46	-	1	37
-	-	-	-	-	4	2	-	1	1	4	2	-	2	-	-	-	-	-	-	38
4	1	2	1	-	11	8	2	1	-	8	1	4	2	1	-	-	-	-	-	39
1	-	-	-	1	4	1	1	1	1	14	3	3	3	5	-	-	-	-	-	40
2	1	1	-	-	31	11	10	6	4	28	8	8	6	6	1	1	-	-	-	41
3	1	1	1	-	22	9	13	-	-	19	5	7	6	1	2	2	-	-	-	42
27	4	6	9	8	126	42	40	19	25	100	30	27	19	24	23	12	11	-	-	43
14	3	2	5	4	88	25	26	17	20	68	14	18	15	21	13	5	8	-	-	44
3	-	1	-	2	10	3	7	-	-	6	2	1	-	3	7	2	5	-	-	45
11	3	1	5	2	78	22	19	17	20	62	12	17	15	18	6	3	3	-	-	46
7	1	1	2	3	12	5	4	-	3	15	7	4	4	-	3	2	1	-	-	47
6	-	3	2	1	26	12	10	2	2	17	9	5	-	3	7	5	2	-	-	48
33	11	5	15	2	89	36	19	25	9	122	53	11	38	20	11	7	1	3	-	49
-	-	-	-	-	6	2	4	-	-	5	1	1	1	2	-	-	-	-	-	50
5	1	-	4	-	4	3	-	1	-	8	5	1	2	-	2	2	-	-	-	51
-	-	-	-	-	11	3	2	4	2	3	-	-	1	2	1	-	1	-	-	52
27	10	5	10	2	62	26	12	18	6	100	46	6	33	15	8	5	-	3	-	53
1	-	-	1	-	3	1	1	-	1	2	1	1	-	-	-	-	-	-	-	54
-	-	-	-	-	3	1	-	2	-	4	-	2	1	1	-	-	-	-	-	55
828	190	293	151	194	5,090	2,027	1,868	551	644	5,731	1,669	1,638	1,196	1,228	682	369	306	5	2	56
760	174	272	134	180	4,734	1,892	1,767	481	594	5,432	1,567	1,561	1,123	1,181	621	334	283	3	1	57
52	11	14	13	14	203	80	74	13	36	177	45	53	35	44	9	7	1	-	1	58
392	86	141	66	99	2,768	1,050	991	334	393	3,559	941	912	836	870	376	191	183	2	-	59
254	66	97	42	49	1,328	608	537	76	107	1,283	458	467	180	178	141	81	59	1	-	60
62	11	20	13	18	435	154	165	58	58	413	123	129	72	89	95	55	40	-	-	61
21	6	2	8	5	75	24	12	25	14	55	14	13	17	11	5	2	1	1	1	62
5	-	3	-	2	20	9	9	1	1	12	4	5	1	2	10	2	8	-	-	63
10	5	5	-	-	62	37	25	-	-	24	12	11	1	-	8	6	2	-	-	64
1	-	1	-	-	21	4	5	8	4	33	14	10	5	4	2	1	1	-	-	65
10	1	-	7	2	35	10	8	12	5	72	31	9	19	13	9	6	3	-	-	66
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	67
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	69
2	1	1	-	-	5	1	2	2	-	10	4	2	2	2	1	1	-	-	-	70
19	3	9	2	5	135	48	39	22	26	92	23	27	28	14	26	17	8	1	-	71
3,782	1,287	1,064	730	701	15,672	8,598	4,823	1,204	1,047	11,944	4,929	3,167	2,056	1,792	2,118	1,327	770	14	7	72
6	1	-	4	1	15	4	4	4	3	14	2	1	5	6	3	3	-	-	-	73
3,421	1,188	950	658	625	14,316	7,940	4,368	1,084	924	10,602	4,477	2,788	1,780	1,557	1,931	1,217	696	12	6	74
93	25	30	20	18	425	188	180	26	31	213	81	60	34	38	100	57	41	1	1	75
28	11	11	2	4	155	59	71	12	13	83	25	32	10	16	34	18	15	-	1	76
10	5	1	3	1	44	30	11	3	-	22	17	2	2	1	10	9	1	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
3	-	3	-	-	26	11	15	-	-	11	4	3	3	1	4	2	2	-	-	79
52	9	15	15	13	200	88	83	11	18	97	35	23	19	20	52	28	23	1	-	80

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	7,296	4,214	2,945	70	67	1,010	564	346	62	38
2	Arteriosclerotic heart disease so described----------420.0	3,765	1,948	1,739	39	39	395	198	143	35	19
3	Heart disease specified as involving coronary arteries----------420.1	3,527	2,264	1,204	31	28	613	365	202	27	19
4	Angina pectoris without mention of coronary disease----------420.2	4	2	2	-	-	2	1	1	-	-
5	Chronic endocarditis not specified as rheumatic----------421	71	44	27	-	-	35	15	11	5	4
6	Of mitral valve, specified as nonrheumatic----------421.0	5	3	2	-	-	3	2	1	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	33	20	13	-	-	9	5	2	1	1
8	Of other valves, not specified as rheumatic----------421.2-421.4	33	21	12	-	-	23	8	8	4	3
9	Other myocardial degeneration----------422	555	260	284	6	5	205	94	88	13	10
10	With arteriosclerosis----------422.1	464	209	246	5	4	162	74	72	8	8
11	Without mention of arteriosclerosis----------422.0,422.2	91	51	38	1	1	43	20	16	5	2
12	Other diseases of heart----------430-434	150	73	67	4	6	41	16	17	6	2
13	Acute and subacute endocarditis----------430	17	10	7	-	-	2	1	-	1	-
14	Acute myocarditis not specified as rheumatic----------431	11	3	8	-	-	1	-	1	-	-
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	-	-	-	-	-
16	Functional disease of heart----------433	27	17	7	1	2	4	2	2	-	-
17	Other and unspecified diseases of heart----------434	95	43	45	3	4	34	13	14	5	2
18	Hypertension with heart disease----------440-443	751	303	415	12	21	290	107	121	27	35
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	204	78	118	4	4	90	41	40	5	4
20	Essential hypertension with heart disease, etc.*----------440,441,443	547	225	297	8	17	200	66	81	22	31
21	Hypertension without mention of heart----------444-447	156	71	72	7	6	31	10	12	4	5
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	111	52	51	3	5	26	9	11	3	3
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	45	19	21	4	1	5	1	1	1	2
24	Diseases of arteries----------450-456	642	315	312	2	13	113	49	47	5	12
25	General arteriosclerosis----------450	499	219	268	1	11	87	36	36	5	10
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	108	79	27	-	2	18	10	8	-	-
27	Gangrene of unspecified cause----------455	3	1	2	-	-	-	-	-	-	-
28	Other arterial diseases----------452-454,456	32	16	15	1	-	8	3	3	-	2
29	Diseases of veins and other diseases of circulatory system--------460-468	100	48	48	2	2	10	5	3	1	1
30	VIII. Diseases of the respiratory system----------	996	596	358	25	17	212	89	79	24	20
31	Acute upper respiratory infections----------470-475	15	8	3	1	3	3	2	-	-	1
32	Influenza----------480-483	30	19	11	-	-	7	2	4	-	1
33	Pneumonia, except pneumonia of newborn----------490-493	659	354	277	14	14	137	55	55	16	11
34	Lobar pneumonia----------490	167	98	65	2	2	43	13	18	10	2
35	Bronchopneumonia----------491	331	167	150	4	10	70	32	28	4	6
36	Primary atypical pneumonia----------492	59	29	27	3	-	10	5	2	1	2
37	Pneumonia, other and unspecified----------493	102	60	35	5	2	14	5	7	1	1
38	Acute bronchitis----------500	16	6	10	-	-	2	1	1	-	-
39	Bronchitis, chronic and unqualified----------501,502	26	16	8	2	-	3	2	1	-	-
40	Hypertrophy of tonsils and adenoids----------510	2	1	1	-	-	-	-	-	-	-
41	Empyema and abscess of lung----------518,521	16	14	2	-	-	3	-	1	2	-
42	Pleurisy----------519	1	-	1	-	-	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	231	178	45	8	-	57	27	17	6	7
44	IX. Diseases of the digestive system----------	964	568	365	23	8	133	68	40	12	13
45	Diseases of teeth and supporting structures----------530-535	1	1	-	-	-	-	-	-	-	-
46	Ulcer of stomach----------540	70	53	16	1	-	16	12	3	1	-
47	Ulcer of duodenum----------541	77	58	19	-	-	6	4	2	-	-
48	Gastritis and duodenitis----------543	6	6	-	-	-	1	-	-	-	1
49	Appendicitis----------550-553	26	12	12	1	1	2	1	-	1	-
50	Hernia and intestinal obstruction----------560,561,570	108	50	52	5	1	11	3	5	2	1
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	72	35	34	2	1	17	3	8	2	4
52	Cirrhosis of liver----------581	382	235	134	10	3	47	25	12	5	5
53	Without mention of alcoholism----------581.0	281	176	99	6	-	36	19	10	4	3
54	With alcoholism----------581.1	101	59	35	4	3	11	6	2	1	2
55	Cholelithiasis and cholecystitis----------584,585	55	29	26	-	-	17	11	6	-	-
56	Other diseases of digestive system----------Residual[1]	167	89	72	4	2	16	9	4	1	2
57	X. Diseases of the genito-urinary system----------	383	205	149	11	18	89	39	27	15	8
58	Nephritis and nephrosis----------590-594	185	88	78	7	12	56	24	16	10	6
59	Acute nephritis----------590	10	4	4	-	2	9	4	3	1	1
60	Nephritis with edema, including nephrosis----------591	17	5	10	1	1	6	4	1	1	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	158	79	64	6	9	41	16	12	8	5
62	Infections of kidney----------600	94	49	38	1	6	16	5	6	4	1
63	Calculi of urinary system----------602,604	11	5	6	-	-	3	1	1	1	-
64	Other diseases of urinary system----------601,603,605-609	28	14	13	1	-	4	1	3	-	-
65	Hyperplasia of prostate----------610	46	44	...	2	...	8	8	...	-	...
66	Other diseases of male genital organs----------611-617	5	5	...	-	...	-	-	.	-	...
67	Diseases of breast----------620,621	1	-	1	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	13	...	13	...	-	2	...	1	...	1
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	10	...	8	...	2	4	...	1	...	3
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	1	...	1	...	-	1	...	1	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	2	..	2	...	-	-	...	-	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	2	...	2	...	-	1	...	-	...	1
73	Ectopic pregnancy----------645	2	..	2	..	-	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	1	...	-	...	1	-	...	-	...	-
75	Abortion with sepsis----------651	-	...	-	...	-	2	...	-	...	2
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	2	...	1	...	1	-	...	-	...	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,063	877	628	298	260	10,423	6,472	3,014	553	384	6,797	3,444	1,829	851	673	1,337	914	412	9	2	1
987	346	335	149	157	4,108	2,338	1,377	221	172	1,768	750	576	236	206	371	207	162	2	-	2
1,075	530	293	149	103	6,282	4,118	1,629	329	206	5,010	2,685	1,250	611	464	962	705	248	7	2	3
1	1	-	-	-	33	16	8	3	6	19	9	3	4	3	4	2	2	-	-	4
26	6	3	9	8	143	59	42	20	22	154	52	33	40	29	22	13	7	2	-	5
1	-	-	-	1	11	1	5	2	3	26	14	5	3	4	-	-	-	-	-	6
11	3	2	5	1	59	34	11	8	6	43	14	5	17	7	8	6	2	-	-	7
14	3	1	4	6	73	24	26	10	13	85	24	23	20	18	14	7	5	2	-	8
395	107	99	96	93	951	388	370	103	90	909	246	277	206	180	219	113	106	-	-	9
186	54	67	30	35	646	289	238	64	55	637	184	212	132	109	125	66	59	-	-	10
209	53	32	66	58	305	99	132	39	35	272	62	65	74	71	94	47	47	-	-	11
96	29	13	35	19	751	358	219	99	75	599	178	137	156	128	86	51	33	-	2	12
7	3	-	1	3	22	10	6	1	5	23	4	5	8	6	1	-	1	-	-	13
2	-	-	2	-	47	15	13	9	10	35	3	4	15	13	3	2	1	-	-	14
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	15
7	2	2	1	2	53	28	20	2	3	61	20	33	3	5	8	5	3	-	-	16
80	24	11	31	14	627	305	178	87	57	480	151	95	130	104	74	44	28	-	2	17
748	144	177	200	227	1,623	475	543	283	322	1,930	476	452	493	509	167	69	97	-	1	18
297	64	85	71	77	487	160	180	74	73	484	124	116	120	124	49	22	27	-	-	19
451	80	92	129	150	1,136	315	363	209	249	1,446	352	336	373	385	118	47	70	-	1	20
67	12	11	23	21	276	104	85	43	44	390	107	90	105	88	25	9	14	2	-	21
52	10	8	16	18	192	84	61	29	18	164	56	35	49	24	15	5	8	2	-	22
15	2	3	7	3	84	20	24	14	26	226	51	55	56	64	10	4	6	-	-	23
223	73	85	30	35	908	483	313	56	56	831	295	268	144	124	136	85	50	-	1	24
156	44	69	18	25	590	264	246	38	42	629	206	222	99	102	97	54	42	-	1	25
55	27	13	7	8	261	197	43	12	9	148	69	33	31	15	29	25	4	-	-	26
-	-	-	-	-	6	1	3	1	1	2	-	-	1	1	-	-	-	-	-	27
12	2	3	5	2	51	21	21	5	4	52	20	13	13	6	10	6	4	-	-	28
65	13	18	15	19	157	67	53	17	20	107	48	20	22	17	23	13	10	-	-	29
541	167	103	187	84	1,915	848	443	342	282	2,075	620	430	559	466	295	200	84	5	6	30
3	1	1	1	-	28	7	9	10	2	22	8	3	5	6	5	3	1	1	-	31
15	2	3	5	5	147	28	40	34	45	339	88	66	94	91	43	33	10	-	-	32
391	105	85	136	65	1,143	435	279	243	186	1,281	307	259	393	322	151	88	55	4	4	33
114	25	22	53	14	291	115	57	70	49	341	68	63	113	97	28	21	7	-	-	34
219	66	46	67	40	633	244	170	122	97	456	120	112	127	97	71	38	29	1	3	35
27	4	7	7	9	112	47	31	22	12	149	45	27	45	32	15	10	3	1	1	36
31	10	10	9	2	107	29	21	29	28	335	74	57	108	96	37	19	16	2	-	37
7	-	1	2	4	33	9	10	6	8	20	10	3	3	4	2	1	1	-	-	38
12	4	3	4	1	53	35	12	1	5	46	19	12	9	6	9	9	-	-	-	39
-	-	-	-	-	5	1	-	-	4	3	-	3	-	-	1	-	1	-	-	40
18	5	2	7	4	22	12	4	5	1	20	13	-	5	2	3	3	-	-	-	41
2	-	1	1	-	6	1	3	1	1	5	-	2	3	-	-	-	-	-	-	42
93	50	7	31	5	478	320	86	42	30	339	175	82	47	35	81	63	16	-	2	43
434	159	92	107	76	1,753	804	513	244	192	1,121	415	280	232	194	203	123	71	5	4	44
-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	-	-	-	-	-	45
28	13	6	5	4	115	76	20	14	5	99	38	22	27	12	24	19	4	1	-	46
31	22	1	7	1	122	87	20	11	4	89	57	14	12	6	20	17	2	1	-	47
3	1	1	-	1	13	5	3	2	3	6	-	2	4	-	1	1	-	-	-	48
21	9	3	4	5	49	24	13	8	4	34	10	8	8	8	8	5	3	-	-	49
51	15	16	11	9	252	101	90	29	32	158	39	50	32	37	33	18	14	1	-	50
33	7	8	12	6	306	71	62	97	76	211	47	27	77	60	23	11	9	-	3	51
181	76	31	47	27	525	284	165	42	34	254	134	60	34	26	34	17	16	-	1	52
109	47	19	28	15	376	197	120	33	26	145	70	41	21	13	31	16	14	-	1	53
72	29	12	19	12	149	87	45	9	8	109	64	19	13	13	3	1	2	-	-	54
11	1	9	-	1	76	28	41	2	5	75	33	35	2	5	20	7	12	1	-	55
75	15	17	21	22	294	128	99	39	28	193	56	61	36	40	40	28	11	1	-	56
202	45	30	58	69	964	434	237	163	130	1,012	287	226	270	229	96	63	31	1	1	57
68	10	12	19	27	469	178	131	78	82	579	117	137	156	169	55	33	21	-	1	58
3	-	1	1	1	38	13	12	6	7	64	11	7	19	27	2	-	2	-	-	59
8	1	2	2	3	38	19	9	4	6	29	8	4	7	10	7	3	4	-	-	60
57	9	9	16	23	393	146	110	68	69	486	98	126	130	132	46	30	15	-	1	61
79	15	11	25	28	194	75	72	26	21	182	57	54	33	38	8	3	5	-	-	62
8	1	2	2	3	46	29	11	3	3	43	12	20	6	5	5	5	-	-	-	63
18	5	3	5	5	72	34	9	23	6	57	19	11	22	5	3	1	2	-	-	64
17	12	...	5	...	135	111	...	24	...	125	72	...	53	...	21	20	...	1	...	65
4	2	...	2	...	16	7	...	9	...	10	10	...	-	...	1	1	...	-	...	66
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	67
8	...	2	...	6	31	...	14	...	17	16	...	4	...	12	3	...	3	...	-	68
8	...	-	...	8	62	...	18	...	44	83	...	25	...	58	6	...	6	...	-	69
-	...	-	...	-	8	...	3	...	5	7	...	-	...	7	-	...	-	...	-	70
1	...	-	...	1	18	...	6	...	12	34	...	9	...	25	3	...	3	...	-	71
-	...	-	...	-	7	...	1	...	6	15	...	8	...	7	-	...	-	...	-	72
1	...	-	...	1	5	...	2	...	3	8	...	2	...	6	-	...	-	...	-	73
2	...	-	...	2	4	...	1	...	3	4	...	2	...	2	-	...	-	...	-	74
3	...	-	...	3	8	...	2	...	6	4	...	-	...	4	1	...	1	...	-	75
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	76
1	...	-	...	1	12	...	3	...	9	9	...	3	...	6	2	...	2	...	-	77

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	26	8	15	-	3	5	1	1	-	3
2	Infections of skin and subcutaneous tissue---690-698	11	4	6	-	1	5	1	1	-	3
3	Other diseases of skin and subcutaneous tissue---700-716	15	4	9	-	2	-	-	-	-	-
4	XIII. Diseases of the bones and organs of movement	38	15	23	-	-	9	1	8	-	-
5	Arthritis and spondylitis---720-725	17	5	12	-	-	4	-	4	-	-
6	Muscular rheumatism and rheumatism, unspecified---726,727	1	1	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	1	1	-	-	-	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	4	1	3	-	-	-	-	-	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	15	7	8	-	-	5	1	4	-	-
10	XIV. Congenital malformations	309	149	135	16	9	52	19	22	6	5
11	Spina bifida and meningocele---751	20	9	9	1	1	-	-	-	-	-
12	Congenital hydrocephalus, etc.*---752,753	55	19	29	3	4	8	1	5	1	1
13	Congenital malformations of circulatory system---754	133	66	56	7	4	21	10	6	2	3
14	Other congenital malformations---750,755-759	101	55	41	5	-	23	8	11	3	1
15	XV. Certain diseases of early infancy	787	408	293	39	47	165	66	43	27	29
16	Birth injuries---760,761	130	77	43	2	8	19	9	2	4	4
17	Postnatal asphyxia and atelectasis---762	262	145	91	11	15	60	26	18	6	10
18	Infections of newborn---763-768	30	16	12	1	1	11	2	4	2	3
19	Hemolytic disease of newborn (erythroblastosis)---770	35	14	21	-	-	3	2	1	-	-
20	All other defined diseases of early infancy---769,771,772	21	11	7	-	3	4	3	-	1	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	309	145	119	25	20	68	24	18	14	12
22	XVI. Symptoms, senility, and ill-defined conditions	76	40	30	5	1	9	4	3	-	2
23	Senility without mention of psychosis---794	12	3	9	-	-	3	1	1	-	1
24	Symptoms, ill-defined and unknown causes---780-793,795	64	37	21	5	1	6	3	2	-	1
25	XVII. Accidents, poisonings, and violence	1,193	759	352	60	22	296	151	56	72	17
26	Accidents---E800-E962	929	570	294	46	19	233	123	43	56	11
27	Railway accidents---E800-E802	8	8	-	-	-	2	1	-	1	-
28	Motor-vehicle accidents---E810-E835	317	219	75	20	3	92	54	12	22	4
29	Motor-vehicle traffic accidents---E810-E825	312	215	74	20	3	90	54	12	20	4
30	Motor-vehicle traffic accident with railway train*---E810	4	4	-	-	-	4	4	-	-	-
31	Motor-vehicle traffic accident to pedestrian---E812	85	58	22	5	-	21	14	1	4	2
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	92	58	27	5	2	27	16	8	3	-
33	Motor-vehicle noncollision traffic accidents---E820-E824	100	75	17	8	-	31	18	2	10	1
34	Motor-vehicle traffic accident of unspecified nature---E825	31	20	8	2	1	7	2	1	3	1
35	Motor-vehicle nontraffic accidents---E830-E835	5	4	1	-	-	2	-	-	2	-
36	Other road-vehicle accidents---E840-E845	-	-	-	-	-	1	1	-	-	-
37	Water-transport accidents---E850-E858	5	5	-	-	-	7	6	-	1	-
38	Aircraft accidents---E860-E866	6	6	-	-	-	4	4	-	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	11	8	1	2	-	7	2	-	4	1
40	Accidental poisoning by gases and vapors---E890-E895	23	11	1	6	5	1	-	-	1	-
41	Accidental falls---E900-E904	283	139	137	4	3	41	17	20	3	1
42	Fall from one level to another---E900-E902	104	63	37	2	2	15	9	5	1	-
43	Fall on same level---E903	24	10	13	1	-	14	5	7	2	-
44	Unspecified falls---E904	155	66	87	1	1	12	3	8	-	1
45	Blow from falling object---E910	11	10	-	1	-	2	1	-	1	-
46	Accident caused by machinery---E912	9	5	2	2	-	7	5	-	2	-
47	Accident caused by electric current---E914	11	11	-	-	-	2	2	-	-	-
48	Accident caused by fire and explosion, etc.*---E916	76	32	36	3	5	17	3	5	6	3
49	Accident caused by hot substance, etc.*---E917,E918	10	7	3	-	-	-	-	-	-	-
50	Accident caused by firearm---E919	11	11	-	-	-	6	5	-	1	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	17	12	4	1	-	6	3	1	2	-
52	Accidental drowning---E929	54	41	10	3	-	20	11	2	7	-
53	Excessive heat and insolation---E931	4	2	2	-	-	1	1	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	12	6	5	-	1	3	1	1	-	1
55	All other accidents---Residual[1]	61	37	18	4	2	14	6	2	5	1
56	Suicide---E963,E970-E979	226	174	48	4	-	35	21	12	2	-
57	Suicide by poisoning---E970-E973	58	42	16	-	-	12	7	4	1	-
58	Suicide by hanging and strangulation---E974	80	60	17	3	-	7	5	2	-	-
59	Suicide by firearms and explosives---E976	58	54	4	-	-	13	8	4	1	-
60	Suicide by all other means---E963,E975,E977-E979	30	18	11	1	-	3	1	2	-	-
61	Homicide---E964,E980-E985	37	14	10	10	3	28	7	1	14	6
62	Assault by firearms and explosives---E981	17	7	6	3	1	15	4	-	8	3
63	Assault by cutting and piercing instruments---E982	7	1	2	4	-	6	1	-	4	1
64	Assault by other means---E964,E980,E983	13	6	2	3	2	5	2	1	-	2
65	Injury by intervention of police---E984	-	-	-	-	-	2	-	-	2	-
66	Execution---E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
16	5	2	1	8	43	14	17	6	6	39	12	7	8	12	7	3	4	-	-	1
2	1	-	-	1	18	6	7	4	1	11	8	-	2	1	-	-	-	-	-	2
14	4	2	1	7	25	8	10	2	5	28	4	7	6	11	7	3	4	-	-	3
16	4	4	6	2	76	33	29	5	9	64	22	24	9	9	11	5	6	-	-	4
5	1	2	2	-	33	12	11	4	6	28	9	13	3	3	6	3	3	-	-	5
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	6
3	1	1	1	-	4	2	2	-	-	3	-	1	-	2	-	-	-	-	-	7
2	1	-	1	-	3	1	1	-	1	4	1	1	1	1	-	-	-	-	-	8
6	1	1	2	2	36	18	15	1	2	27	12	9	4	2	5	2	3	-	-	9
118	28	29	33	28	541	212	198	74	57	476	177	154	80	65	90	51	37	1	1	10
4	-	2	-	2	39	15	19	5	-	40	22	11	3	4	3	1	2	-	-	11
14	2	2	3	7	78	29	31	11	7	82	31	27	16	8	10	6	4	-	-	12
65	12	17	23	13	245	92	87	31	35	210	75	70	34	31	39	24	15	-	-	13
35	14	8	7	6	179	76	61	27	15	144	49	46	27	22	38	20	16	1	1	14
482	77	67	197	141	1,883	672	459	449	303	1,726	544	407	464	311	249	148	99	1	1	15
64	16	12	24	12	265	117	71	54	23	260	103	68	62	27	51	33	18	-	-	16
266	23	24	123	96	551	203	139	141	68	516	187	138	104	87	53	35	18	-	-	17
22	3	3	6	10	130	37	22	37	34	162	29	26	67	40	18	9	9	-	-	18
8	5	-	1	2	44	20	15	5	4	40	18	12	5	5	11	6	5	-	-	19
8	-	2	4	2	67	17	13	21	16	68	14	12	25	17	5	3	2	-	-	20
114	30	26	39	19	826	278	199	191	158	680	193	151	201	135	111	62	47	1	1	21
15	6	7	2	-	661	244	154	149	114	440	115	70	145	110	74	36	35	2	1	22
-	-	-	-	-	98	32	36	13	17	87	18	32	18	19	40	17	22	-	1	23
15	6	7	2	-	563	212	118	136	97	353	97	38	127	91	34	19	13	2	-	24
617	213	116	198	90	3,594	1,836	734	765	259	3,089	1,462	485	821	321	560	399	146	10	5	25
456	146	95	146	69	2,679	1,400	577	511	191	2,371	1,154	404	556	257	461	324	126	7	4	26
4	2	-	2	-	40	18	1	19	2	37	21	2	12	2	2	1	1	-	-	27
130	49	21	48	12	1,113	629	222	201	61	1,031	613	161	210	47	195	138	52	2	3	28
125	46	21	46	12	1,084	614	213	197	60	1,001	601	156	200	44	192	135	52	2	3	29
-	-	-	-	-	49	33	9	6	1	28	18	4	4	2	10	7	2	-	1	30
36	13	4	14	5	224	116	45	46	17	166	84	21	44	17	23	17	5	1	-	31
41	11	9	16	5	430	247	105	60	18	321	188	70	52	11	39	23	16	-	-	32
31	14	5	10	2	292	171	34	68	19	286	189	33	58	6	46	34	11	-	1	33
17	8	3	6	-	89	47	20	17	5	200	122	28	42	8	74	54	18	1	1	34
5	3	-	2	-	29	15	9	4	1	30	12	5	10	3	3	3	-	-	-	35
2	1	-	-	1	7	4	2	1	-	7	4	2	1	-	2	1	1	-	-	36
8	2	-	5	1	87	65	6	16	-	40	29	1	8	2	10	7	2	1	-	37
2	1	1	-	-	80	77	3	-	-	31	27	2	2	-	14	13	1	-	-	38
6	-	4	2	-	61	23	18	14	6	53	25	10	8	10	3	1	2	-	-	39
-	-	-	-	-	26	14	10	1	1	7	2	1	1	3	4	1	3	-	-	40
141	52	45	26	18	367	140	186	18	23	261	93	120	20	28	60	29	30	1	-	41
59	26	8	18	7	91	44	28	9	10	74	34	16	11	13	21	13	7	1	-	42
22	10	10	1	1	54	17	35	1	1	28	8	15	2	3	12	3	9	-	-	43
60	16	27	7	10	222	79	123	8	12	159	51	89	7	12	27	13	14	-	-	44
1	-	-	1	-	25	14	-	11	-	36	17	1	18	-	13	13	-	-	-	45
2	-	-	2	-	37	24	-	13	-	54	32	-	20	2	24	22	2	-	-	46
5	3	-	2	-	56	45	4	7	-	22	16	1	5	-	4	3	1	-	-	47
37	6	5	12	14	176	42	35	54	45	221	49	32	62	78	11	7	4	-	-	48
5	-	1	-	4	19	4	4	6	5	17	1	6	6	4	2	1	1	-	-	49
6	2	-	3	1	72	52	5	12	3	112	61	6	40	5	24	19	5	-	-	50
18	3	6	6	3	75	26	21	13	15	83	21	15	23	24	10	3	6	-	1	51
22	9	1	12	-	260	151	23	76	10	147	65	12	66	4	32	24	7	1	-	52
4	1	2	1	-	6	1	1	4	-	5	2	-	2	1	-	-	-	-	-	53
3	2	1	-	-	32	11	10	5	6	13	5	4	1	3	5	3	2	-	-	54
60	13	8	24	15	140	60	26	40	14	194	71	28	51	44	46	38	6	2	-	55
93	59	18	10	6	498	349	126	18	5	301	225	46	26	4	85	67	16	2	-	56
17	11	4	2	-	133	76	52	4	1	36	22	12	1	1	22	11	11	-	-	57
25	16	4	4	1	61	46	14	1	-	15	11	3	1	-	12	11	-	1	-	58
23	15	4	2	2	253	199	40	12	2	227	179	23	23	2	48	42	5	1	1	59
28	17	6	2	3	51	28	20	1	2	23	13	8	1	1	3	3	-	-	-	60
68	8	3	42	15	416	86	31	236	63	416	82	35	239	60	14	8	4	1	1	61
22	4	1	13	4	231	54	22	123	32	240	51	18	143	28	7	4	3	-	-	62
27	3	1	19	4	119	10	5	86	18	90	10	3	58	19	4	3	-	-	1	63
16	1	1	7	7	51	14	4	20	13	64	14	14	23	13	3	1	1	1	-	64
2	-	-	2	-	13	7	-	6	-	12	6	-	6	-	-	-	-	-	-	65
1	-	-	1	-	2	1	-	1	-	10	1	-	9	-	-	-	-	-	-	66
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	67

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	102,306	52,733	39,262	5,612	4,699	44,195	23,594	17,898	1,487	1,216
2	I. Infective and parasitic diseases	1,192	661	247	189	95	618	355	191	45	27
3	Tuberculosis, all forms 001-019	740	417	110	150	63	309	185	82	28	14
4	Tuberculosis of respiratory system 001-008	692	404	100	136	52	285	176	75	23	11
5	Tuberculosis of meninges and central nervous system 010	15	2	5	5	3	6	4	2	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	4	1	-	1	2	1	-	-	-	1
7	Tuberculosis of vertebral column 012.0,013.0	7	2	3	1	1	2	-	2	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	1	-	-	1	-	1	-	-	-	1
9	Tuberculosis of genito-urinary system 016	5	5	-	-	-	4	1	2	1	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	2	-	-	2	-	1	1	-	-	-
11	Disseminated tuberculosis 019	14	3	2	4	5	9	3	1	4	1
12	Syphilis and its sequelae 020-029	160	94	29	28	9	111	75	21	11	4
13	Congenital syphilis 020	2	1	1	-	-	-	-	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	75	51	10	10	4	42	29	11	1	1
16	Other cardiovascular syphilis 023	55	29	8	14	4	32	22	5	4	1
17	Tabes dorsalis 024	1	1	-	-	-	7	5	1	1	-
18	General paralysis of insane 025	20	10	7	3	-	8	7	1	-	-
19	Other syphilis of central nervous system 026	5	1	3	1	-	20	10	3	5	2
20	Other syphilis 027-029	2	1	-	-	1	2	2	-	-	-
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	1	-	1	-	-	1	-	1	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	1	1	-	-	-	2	1	1	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	11	5	6	-	-	3	2	1	-	-
28	Food poisoning (infection and intoxication) 049	3	2	-	-	1	-	-	-	-	-
29	Scarlet fever 050	3	2	1	-	-	2	1	1	-	-
30	Streptococcal sore throat 051	6	4	2	-	-	2	1	1	-	-
31	Erysipelas 052	1	1	-	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	52	28	19	2	3	29	16	10	3	-
33	Diphtheria 055	-	-	-	-	-	2	1	1	-	-
34	Whooping cough 056	2	1	1	-	-	3	1	2	-	-
35	Meningococcal infections 057	34	17	11	3	3	31	18	12	-	1
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	8	4	-	1	3	5	2	3	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	16	10	5	1	-	11	4	5	-	2
42	Late effects of acute poliomyelitis 081	9	5	4	-	-	2	1	1	-	-
43	Acute infectious encephalitis 082	27	13	13	-	1	26	9	14	2	1
44	Late effects of acute infectious encephalitis 083	3	2	1	-	-	6	4	2	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	8	4	3	-	1	9	3	5	-	1
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	44	14	23	1	6	23	9	13	1	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	1	-	1	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	1	-	1	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	1	1	-	-	-	1	-	1	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	1	-	-	1	-	1	1	-	-	-
60	All other infective and parasitic diseases Residual[1]	60	36	17	2	5	39	21	14	-	4
61	II. Neoplasms	16,494	8,120	7,090	643	641	6,726	3,338	3,027	200	161
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	16,200	7,988	6,960	630	622	6,602	3,288	2,965	194	155
63	Malignant neoplasm of buccal cavity and pharynx 140-148	394	303	61	24	6	142	102	30	8	2
64	Of lip 140	15	13	1	1	-	10	7	2	1	-
65	Of tongue 141	97	70	17	9	1	33	24	7	-	2
66	Of other and unspecified parts of buccal cavity 142-144	105	79	20	3	3	39	23	11	5	-
67	Of pharynx 145-148	177	141	23	11	2	60	48	10	2	-
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	6,037	3,076	2,508	253	200	2,258	1,169	961	74	54
69	Of esophagus 150	383	263	56	54	10	97	57	30	10	-
70	Of stomach 151	1,458	792	528	83	55	501	316	150	23	12
71	Of intestine, except rectum 152,153	1,883	807	977	38	61	744	342	364	19	19
72	Of rectum 154	756	451	263	15	27	292	158	122	7	5
73	Of biliary passages and of liver (stated to be primary site) 155	359	143	200	7	9	154	52	96	2	4
74	Of liver not specified whether primary or secondary 156A	306	143	137	16	10	137	69	60	4	5
75	Of pancreas 157	811	443	306	37	25	301	157	127	9	8
76	Of peritoneum and of unspecified digestive organs 158,159	81	34	41	3	3	32	19	12	-	1
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	2,213	1,763	294	125	31	860	687	118	49	6
78	Of larynx 161	154	131	16	6	1	48	38	5	4	1
79	Of trachea, and of bronchus and lung specified as primary 162	924	740	103	64	17	319	262	32	20	5
80	Of lung and bronchus, unspecified as primary or secondary 163	1,076	849	161	53	13	456	366	66	24	-
81	Of other parts of respiratory system 160,164	59	43	14	2	-	37	21	15	1	-
82	Malignant neoplasm of breast 170	1,447	15	1,329	2	101	574	8	547	-	19

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
27,984	15,701	11,944	191	148	20,391	11,029	8,267	623	472	29,199	15,074	10,948	1,665	1,512	28,151	10,005	7,065	6,035	5,046	1
223	126	92	3	2	188	106	62	12	8	675	360	232	51	32	645	209	79	219	138	2
79	43	33	2	1	77	49	20	5	3	441	238	150	37	16	302	124	37	93	48	3
75	41	31	2	1	74	49	18	5	2	410	220	139	35	16	285	121	34	88	42	4
1	-	1	-	-	-	-	-	-	-	14	8	6	-	-	4	-	1	1	2	5
-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	6
-	-	-	-	-	2	-	2	-	-	5	4	1	-	-	3	-	1	1	1	7
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	8
2	2	-	-	-	-	-	-	-	-	3	-	2	1	-	2	1	1	-	-	9
-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	-	-	-	-	-	10
1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	8	2	-	3	3	11
39	24	15	-	-	49	25	14	6	4	46	26	9	8	3	150	36	4	62	48	12
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
20	12	8	-	-	19	13	4	2	-	12	8	3	1	-	52	18	2	16	16	15
10	6	4	-	-	14	7	5	2	-	17	7	3	5	2	67	12	1	30	24	16
1	-	1	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	17
3	2	1	-	-	7	1	4	-	2	6	5	1	-	-	12	1	-	8	3	18
5	4	1	-	-	6	2	1	1	2	6	4	1	-	1	13	4	1	5	3	19
-	-	-	-	-	2	1	-	1	-	2	1	1	-	-	6	1	-	3	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	21
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	2	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
4	1	3	-	-	-	-	-	-	-	15	5	9	-	1	10	1	1	6	2	27
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	28
2	1	1	-	-	2	2	-	-	-	1	1	-	-	-	1	-	1	-	-	29
2	1	1	-	-	1	1	-	-	-	5	3	2	-	-	1	-	-	1	-	30
1	-	1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	31
27	18	8	1	-	9	6	3	-	-	20	9	5	2	4	64	15	10	24	15	32
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	4	-	-	2	2	33
3	1	2	-	-	-	-	-	-	-	4	1	2	-	1	2	-	-	1	1	34
10	6	4	-	-	9	4	5	-	-	31	16	13	1	1	14	6	2	4	2	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
3	3	-	-	-	3	3	-	-	-	10	5	4	-	1	18	4	2	7	5	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
1	-	1	-	-	2	2	-	-	-	5	4	1	-	-	5	1	1	2	1	41
5	3	2	-	-	1	1	-	-	-	3	-	2	-	1	1	-	1	-	-	42
7	4	3	-	-	9	6	2	-	1	16	8	7	1	-	4	2	1	-	1	43
-	-	-	-	-	1	1	-	-	-	4	3	1	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
5	1	4	-	-	2	1	1	-	-	12	8	3	-	1	12	2	8	2	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
10	4	6	-	-	10	3	6	1	-	15	8	6	1	-	16	5	5	1	5	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
23	14	8	-	1	13	2	11	-	-	5	2	3	-	-	7	1	1	3	2	59
4,564	2,338	2,177	28	21	3,068	1,532	1,379	91	66	3,832	1,771	1,676	211	174	4,026	1,493	1,190	736	607	60
4,481	2,306	2,127	28	20	3,017	1,516	1,351	89	61	3,726	1,716	1,637	207	166	3,930	1,462	1,166	719	583	61
83	67	14	2	-	65	45	15	3	2	100	68	23	8	1	85	49	8	22	6	62
6	6	-	-	-	5	5	-	-	-	11	9	2	-	-	5	4	-	1	-	63
24	18	6	-	-	7	3	4	-	-	17	13	2	2	-	19	14	2	3	-	64
26	21	3	2	-	27	16	7	2	2	33	18	12	2	1	25	15	3	6	1	65
27	22	5	-	-	26	21	4	1	-	39	28	7	4	-	36	16	3	12	5	66
1,595	814	764	11	6	981	476	462	32	11	1,310	605	556	85	64	1,238	429	337	300	172	67
57	41	13	3	-	36	20	12	2	2	53	33	9	11	-	66	30	13	18	5	68
363	220	141	2	-	215	122	87	4	2	316	182	97	26	11	351	113	62	121	55	69
535	231	302	1	1	327	120	192	12	3	396	156	200	22	18	293	101	106	41	45	70
192	102	86	3	1	114	62	46	4	2	127	51	64	5	7	119	42	38	21	18	71
102	35	67	-	-	63	25	38	-	-	74	23	45	-	6	57	20	22	10	5	72
84	39	43	1	1	51	24	23	3	1	118	51	53	7	7	88	28	21	24	15	73
239	134	102	1	2	157	91	59	6	1	200	95	80	13	12	230	88	64	56	22	74
23	12	10	-	1	18	12	5	1	-	26	14	8	1	3	34	7	11	9	7	75
500	414	81	3	2	380	311	48	20	1	439	316	84	34	5	627	397	71	139	20	76
25	24	1	-	-	24	18	2	4	-	18	11	3	4	-	38	29	2	6	1	77
176	157	18	1	-	144	115	17	11	1	163	120	28	14	1	223	149	16	55	3	78
286	226	56	2	2	196	167	24	5	-	244	176	48	16	4	350	212	50	76	12	79
13	7	6	-	-	16	11	5	-	-	14	9	5	-	-	16	7	3	2	4	80
419	4	410	-	5	257	5	243	-	9	279	1	252	-	26	293	1	209	1	82	81
																				82

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----171-179	2,314	800	1,253	88	173	1,137	435	635	24	43
2	Of cervix uteri----171	453	...	377	...	76	279	...	254	...	25
3	Of other and unspecified parts of uterus----172-174	445	...	392	...	53	181	...	171	...	10
4	Of ovary, fallopian tube, and broad ligament----175	474	...	431	...	43	198	...	191	...	7
5	Of other and unspecified female genital organs----176	54	...	53	...	1	20	...	19	...	1
6	Of prostate----177	831	746	...	85	...	430	408	...	22	...
7	Of testis, and of other and unspecified male genital organs----178,179	57	54	...	3	...	29	27	...	2	...
8	Malignant neoplasm of urinary organs----180,181	793	505	245	21	22	316	191	113	4	8
9	Of kidney----180	290	175	96	9	10	124	66	56	2	-
10	Of bladder and other urinary organs----181	503	330	149	12	12	192	125	57	2	8
11	Malignant neoplasm of other and unspecified sites----156B,165,190-199	1,520	741	687	55	37	673	332	314	15	12
12	Of skin----190,191	169	89	79	-	1	85	42	43	-	-
13	Of eye----192	18	8	10	-	-	14	9	5	-	-
14	Of brain and other parts of nervous system----193	300	179	107	11	3	138	81	51	4	2
15	Of thyroid gland----194	79	28	49	-	2	23	10	12	-	1
16	Of bone (including jaw bone)----196	147	71	61	11	4	65	32	29	2	2
17	Of connective tissue----197	59	27	27	5	-	18	12	6	-	-
18	Of other specified sites, not stated to be secondary----195,198A,199A	198	90	91	6	11	100	41	56	1	2
19	Of unspecified sites----156B,165,198B,199B-M	550	249	263	22	16	230	105	112	8	5
20	Leukemia and aleukemia----204	707	370	299	20	18	316	167	131	11	7
21	Lymphosarcoma, etc.*----200-203,205	775	415	284	42	34	326	197	116	9	4
22	Lymphosarcoma and reticulosarcoma----200	380	217	133	15	15	140	86	48	4	2
23	Hodgkin's disease----201	196	105	77	8	6	93	62	28	1	2
24	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	199	93	74	19	13	93	49	40	4	-
25	Benign neoplasms and neoplasms of unspecified nature----210-239	294	132	130	13	19	124	50	62	6	6
26	Benign neoplasms of female genital organs----214-217	21	...	14	...	7	13	...	10	...	3
27	Benign neoplasm of brain and other parts of nervous system----223	53	17	29	3	4	22	13	8	-	1
28	Other benign neoplasms----210-213,218-222,224-229	46	29	12	2	3	29	9	17	2	1
29	Neoplasm of unspecified nature of female genital organs----233-235	7	...	6	...	1	1	...	1	...	-
30	Neoplasm of unspecified nature of brain, etc.*----237	117	59	51	4	3	33	17	13	2	1
31	Other neoplasms of unspecified nature----230-232,236,238,239	50	27	18	4	1	26	11	13	2	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----	2,081	855	1,037	83	106	1,057	428	554	22	53
33	Asthma----241	368	231	105	17	15	193	119	59	10	5
34	Nontoxic goiter----250,251	3	-	3	-	-	8	2	5	-	1
35	Thyrotoxicosis with or without goiter----252	35	5	27	-	3	28	7	18	-	3
36	Myxedema, cretinism, and other diseases of thyroid gland----253,254	12	2	7	-	3	3	1	1	1	-
37	Diabetes mellitus----260	1,552	563	847	61	81	784	282	453	10	39
38	Diseases of thymus gland----273	18	12	3	2	1	2	-	2	-	-
39	Diseases of adrenal glands----274	20	11	9	-	-	9	5	4	-	-
40	Pellagra----281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states----280,282-286	27	10	17	-	-	14	7	5	1	1
42	Other allergic, endocrine, and metabolic diseases----Residual[1]	46	21	19	3	3	16	5	7	-	4
43	IV. Diseases of the blood and blood-forming organs----	276	122	124	12	18	120	56	51	12	1
44	Anemias----290-293	170	67	78	10	15	78	34	34	9	1
45	Pernicious and other hyperchromic anemias----290	61	26	35	-	-	23	10	12	1	-
46	Anemias of other and unspecified type----291-293	109	41	43	10	15	55	24	22	8	1
47	Purpura and other hemorrhagic conditions----296	32	14	14	1	3	15	8	7	-	-
48	All other diseases of blood and blood-forming organs----294,295,297-299	74	41	32	1	-	27	14	10	3	-
49	V. Mental, psychoneurotic, and personality disorders----	142	96	25	15	6	74	49	17	6	2
50	Senile psychosis----304	13	6	7	-	-	10	6	4	-	-
51	Alcoholic psychosis----307	19	13	1	4	1	6	6	-	-	-
52	Other psychoses----300-303,305,306,308,309	14	7	5	1	1	6	1	5	-	-
53	Alcoholism----322	81	63	8	9	1	48	36	5	5	2
54	Mental deficiency----325	5	5	-	-	-	3	-	3	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	10	2	4	1	3	1	-	-	1	-
56	VI. Diseases of the nervous system and sense organs----	11,493	5,038	5,357	487	611	6,254	2,912	2,974	171	197
57	Vascular lesions affecting central nervous system----330-334	10,740	4,682	5,053	435	570	5,888	2,724	2,826	152	186
58	Subarachnoid hemorrhage----330	300	124	144	9	23	159	62	84	7	6
59	Cerebral hemorrhage----331	6,768	2,889	3,252	290	337	3,778	1,722	1,818	109	129
60	Cerebral embolism and thrombosis----332	2,766	1,260	1,232	106	168	1,460	689	709	24	38
61	Other vascular lesions affecting central nervous system----333,334	906	409	425	30	42	491	251	215	12	13
62	Meningitis, except meningococcal and tuberculous----340	110	50	27	19	14	38	20	12	3	3
63	Multiple sclerosis----345	106	45	55	3	3	43	18	22	2	1
64	Paralysis agitans----350	154	76	77	1	-	80	44	36	-	-
65	Cerebral spastic infantile paralysis----351	30	20	7	2	1	13	2	8	3	-
66	Epilepsy----353	90	45	32	8	5	37	16	18	2	1
67	Inflammatory diseases of eye----370-379	1	1	-	-	-	-	-	-	-	-
68	Cataract----385	1	1	-	-	-	-	-	-	-	-
69	Glaucoma----387	2	1	1	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----391-393	20	8	9	1	2	12	7	3	1	1
71	Other diseases of nervous system and sense organs----Residual[1]	239	109	96	18	16	143	81	49	8	5
72	VII. Diseases of the circulatory system----	47,532	25,417	18,345	2,051	1,719	18,869	10,597	7,421	467	384
73	Rheumatic fever----400-402	58	30	18	7	3	21	12	7	-	2
74	Diseases of heart----410-443	44,126	23,803	16,840	1,900	1,583	17,114	9,743	6,610	415	346
75	Chronic rheumatic heart disease----410-416	1,219	542	578	49	50	591	258	294	24	15
76	Diseases of mitral valve----410	423	178	217	14	14	202	83	104	8	7
77	Diseases of aortic valve specified as rheumatic----411	59	40	18	1	-	43	30	13	-	-
78	Diseases of tricuspid valve----412	1	-	1	-	-	1	1	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	72	27	39	4	2	43	18	22	2	1
80	Other diseases of heart specified as rheumatic----415,416	664	297	303	30	34	302	126	155	14	7

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
689	323	357	4	5	511	223	252	15	21	626	220	326	31	49	613	146	194	102	171	1
130	...	128	...	2	85	...	76	...	9	164	...	143	...	21	163	...	76	...	87	2
85	...	82	...	3	81	...	74	...	7	88	...	69	...	19	107	...	47	...	60	3
134	...	134	...	-	101	...	97	...	4	106	...	98	...	8	87	...	67	...	20	4
13	...	13	...	-	6	...	5	...	1	17	...	16	...	1	8	...	4	...	4	5
304	300	...	4	...	221	208	...	13	...	233	203	...	30	...	236	138	...	98	...	6
23	23	...	-	...	17	15	...	2	...	18	17	...	1	...	12	8	...	4	...	7
244	179	65	-	-	122	73	44	3	2	153	87	57	5	4	180	79	55	29	17	8
84	57	27	-	-	65	33	29	2	1	62	32	25	4	1	63	25	24	10	4	9
160	122	38	-	-	57	40	15	1	1	91	55	32	1	3	117	54	31	19	13	10
507	255	248	4	-	364	187	165	5	7	481	242	203	25	11	557	212	180	84	81	11
66	43	23	-	-	61	32	29	-	-	68	41	26	1	-	54	25	20	7	2	12
4	2	2	-	-	4	3	1	-	-	7	4	3	-	-	5	1	3	1	-	13
97	57	38	2	-	76	40	35	1	-	75	41	31	2	1	93	47	31	8	7	14
11	3	8	-	-	17	4	12	-	1	17	6	9	1	1	12	4	5	1	2	15
25	16	9	-	-	20	13	6	1	-	35	26	7	2	-	35	8	15	7	5	16
16	8	8	-	-	10	1	8	-	1	8	5	3	-	-	12	5	4	1	2	17
85	33	52	-	-	57	30	23	1	3	64	29	27	4	4	59	21	18	10	10	18
203	93	108	2	-	119	64	51	2	2	207	90	97	15	5	287	101	84	49	53	19
217	125	89	3	-	183	101	73	4	5	191	97	83	8	3	186	81	65	21	19	20
227	125	99	1	2	154	95	49	7	3	147	80	53	11	3	151	68	47	21	15	21
111	62	48	-	1	62	37	21	3	1	65	33	26	6	-	61	29	22	5	5	22
46	27	19	-	-	42	22	17	3	-	50	30	15	3	2	47	26	9	10	2	23
70	36	32	1	1	50	36	11	1	2	32	17	12	2	1	43	13	16	6	8	24
83	32	50	-	1	51	16	28	2	5	106	55	39	4	8	96	31	24	17	24	25
4	...	4	...	-	14	...	10	...	4	10	...	6	...	4	7	...	3	...	4	26
16	7	9	-	-	10	2	7	1	-	11	5	6	-	-	11	3	4	2	2	27
8	3	5	-	-	11	7	3	-	1	15	8	5	1	1	16	8	3	2	3	28
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	1	...	-	...	1	29
34	13	20	-	1	6	2	4	-	-	43	27	12	1	3	45	13	11	9	12	30
21	9	12	-	-	9	5	3	1	-	26	15	9	2	-	16	7	3	4	2	31
649	303	336	4	6	468	217	221	9	21	644	280	302	16	46	732	177	248	117	190	32
155	101	50	1	3	110	76	28	3	3	141	87	42	8	4	101	41	14	25	21	33
3	-	3	-	-	2	1	1	-	-	1	-	-	-	1	2	-	-	1	1	34
16	1	15	-	-	9	-	8	1	-	15	-	15	-	-	13	1	2	1	9	35
8	3	5	-	-	2	1	1	-	-	5	3	2	-	-	5	-	3	-	2	36
430	181	244	3	2	317	127	168	5	17	442	174	223	8	37	558	120	214	77	147	37
5	4	1	-	-	2	2	-	-	-	4	2	2	-	-	7	2	-	2	3	38
9	-	8	-	1	5	3	2	-	-	7	2	5	-	-	7	-	4	1	2	39
-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	3	1	-	1	1	40
11	5	6	-	-	12	4	7	-	1	15	7	6	-	2	18	7	5	5	1	41
12	8	4	-	-	9	3	6	-	-	11	4	6	-	1	18	5	6	4	3	42
76	38	38	-	-	93	40	51	1	1	99	43	45	7	4	99	20	27	26	26	43
47	25	22	-	-	63	23	38	1	1	71	37	26	5	3	72	13	14	21	24	44
13	10	3	-	-	19	5	14	-	-	16	9	5	-	2	3	1	-	2	-	45
34	15	19	-	-	44	18	24	1	1	55	28	21	5	1	69	12	14	19	24	46
9	5	4	-	-	9	5	4	-	-	12	-	10	1	1	8	1	3	3	1	47
20	8	12	-	-	21	12	9	-	-	16	6	9	1	-	19	6	10	2	1	48
67	42	24	1	-	63	40	20	2	1	42	25	13	1	3	35	15	5	7	8	49
24	11	13	-	-	19	7	12	-	-	12	3	6	1	2	1	1	-	-	-	50
4	4	-	-	-	1	1	-	-	-	3	3	-	-	-	4	3	-	1	-	51
8	4	4	-	-	4	1	3	-	-	4	2	2	-	-	2	1	1	-	-	52
22	18	3	1	-	35	29	3	2	1	20	16	3	-	1	21	10	3	5	3	53
6	3	3	-	-	2	1	1	-	-	2	1	1	-	-	6	-	1	1	4	54
3	2	1	-	-	2	1	1	-	-	1	-	1	-	-	1	-	-	-	1	55
4,171	2,064	2,066	20	21	2,850	1,305	1,403	70	72	4,047	1,855	1,736	199	257	3,120	914	859	684	663	56
3,928	1,930	1,959	19	20	2,666	1,213	1,320	64	69	3,774	1,717	1,632	183	242	2,855	818	807	619	611	57
72	36	36	-	-	55	28	24	2	1	83	36	37	4	6	100	25	24	26	25	58
2,525	1,222	1,279	14	10	1,696	762	853	38	43	2,417	1,135	1,035	104	143	2,140	602	557	474	507	59
957	482	464	2	9	645	300	312	19	14	886	398	382	48	58	405	137	156	69	43	60
374	190	180	3	1	270	123	131	5	11	388	148	178	27	35	210	54	70	50	36	61
20	11	8	1	-	17	8	8	-	1	45	24	14	5	2	71	18	7	23	23	62
36	19	17	-	-	23	12	10	1	-	16	8	8	-	-	11	4	5	2	-	63
62	37	25	-	-	43	25	18	-	-	47	26	20	1	-	21	16	5	-	-	64
10	7	3	-	-	10	6	3	-	1	13	6	7	-	-	14	5	4	3	2	65
33	17	16	-	-	25	12	10	2	1	46	23	11	5	7	46	16	6	15	9	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	1	-	1	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	69
6	5	1	-	-	-	-	-	-	-	10	6	3	-	1	10	1	1	6	2	70
76	38	37	-	1	65	28	34	3	-	95	45	40	5	5	90	36	23	16	15	71
12,009	7,044	4,845	63	57	8,503	4,761	3,350	221	171	11,935	6,323	4,361	649	602	10,593	4,131	2,742	1,918	1,802	72
13	8	4	-	1	7	5	2	-	-	18	10	6	1	1	17	4	3	6	4	73
10,769	6,416	4,248	60	45	7,566	4,314	2,912	187	153	10,907	5,838	3,954	581	534	9,768	3,878	2,506	1,739	1,645	74
298	151	143	2	2	190	94	84	8	4	287	141	129	8	9	126	41	27	21	37	75
130	63	67	-	-	103	50	50	2	1	94	42	46	5	1	58	16	12	12	18	76
21	17	4	-	-	18	17	-	1	-	17	11	6	-	-	6	4	2	-	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	78
29	12	17	-	-	5	-	4	-	1	10	4	6	-	-	1	-	1	-	-	79
118	59	55	2	2	64	27	30	5	2	166	84	71	3	8	60	21	12	9	18	80

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	32,172	18,547	11,449	1,272	904	12,270	7,615	4,199	261	195
2	Arteriosclerotic heart disease so described----------420.0	14,564	7,198	6,140	661	565	4,475	2,394	1,887	109	85
3	Heart disease specified as involving coronary arteries----------420.1	17,570	11,322	5,301	611	336	7,780	5,212	2,306	152	110
4	Angina pectoris without mention of coronary disease----------420.2	38	27	8	-	3	15	9	6	-	-
5	Chronic endocarditis not specified as rheumatic----------421	367	179	170	9	9	190	104	79	3	4
6	Of mitral valve, specified as nonrheumatic----------421.0	27	13	12	-	2	11	5	5	-	1
7	Of aortic valve, not specified as rheumatic----------421.1	114	73	34	5	2	49	28	18	2	1
8	Of other valves, not specified as rheumatic----------421.2-421.4	226	93	124	4	5	130	71	56	1	2
9	Other myocardial degeneration----------422	4,855	2,139	2,252	219	245	1,324	604	678	23	19
10	With arteriosclerosis----------422.1	2,591	1,154	1,313	54	70	677	308	351	10	8
11	Without mention of arteriosclerosis----------422.0,422.2	2,264	985	939	165	175	647	296	327	13	11
12	Other diseases of heart----------430-434	1,585	911	463	123	88	612	301	277	17	17
13	Acute and subacute endocarditis----------430	69	27	24	10	8	21	14	5	-	2
14	Acute myocarditis not specified as rheumatic----------431	109	56	49	3	1	47	24	21	1	1
15	Acute pericarditis specified as nonrheumatic----------432	3	2	1	-	-	1	1	-	-	-
16	Functional disease of heart----------433	144	64	73	4	3	117	56	58	2	1
17	Other and unspecified diseases of heart----------434	1,260	762	316	106	76	426	206	193	14	13
18	Hypertension with heart disease----------440-443	3,928	1,485	1,928	228	287	2,127	861	1,083	87	96
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	880	393	428	31	28	1,176	516	614	23	23
20	Essential hypertension with heart disease, etc.*----------440,441,443	3,048	1,092	1,500	197	259	951	345	469	64	73
21	Hypertension without mention of heart----------444-447	734	312	304	55	63	296	130	137	19	10
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	546	253	215	37	41	190	91	82	11	6
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	188	59	89	18	22	106	39	55	8	4
24	Diseases of arteries----------450-456	2,258	1,109	1,032	66	51	1,298	641	604	30	23
25	General arteriosclerosis----------450	1,813	836	895	45	37	1,060	483	535	24	18
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	330	216	93	15	6	166	116	45	2	3
27	Gangrene of unspecified cause----------455	13	9	4	-	-	6	4	1	-	1
28	Other arterial diseases----------452-454,456	102	48	40	6	8	66	38	23	4	1
29	Diseases of veins and other diseases of circulatory system--------460-468	356	163	151	23	19	140	71	63	3	3
30	VIII. Diseases of the respiratory system----------	5,438	2,778	1,694	519	447	1,997	1,074	711	122	90
31	Acute upper respiratory infections----------470-475	45	25	16	2	2	19	14	3	-	2
32	Influenza----------480-483	210	107	88	8	7	212	104	93	8	7
33	Pneumonia, except pneumonia of newborn----------490-493	4,155	1,951	1,348	450	406	1,242	635	452	87	68
34	Lobar pneumonia----------490	659	332	188	73	66	387	203	125	37	22
35	Bronchopneumonia----------491	3,000	1,392	974	343	291	657	330	252	37	38
36	Primary atypical pneumonia----------492	252	115	94	16	27	123	65	48	6	4
37	Pneumonia, other and unspecified----------493	244	112	92	18	22	75	37	27	7	4
38	Acute bronchitis----------500	72	42	22	6	2	19	6	11	-	2
39	Bronchitis, chronic and unqualified----------501,502	134	86	29	12	7	31	15	10	5	1
40	Hypertrophy of tonsils and adenoids----------510	5	3	-	-	2	5	2	3	-	-
41	Empyema and abscess of lung----------518,521	63	43	12	7	1	19	10	6	2	1
42	Pleurisy----------519	16	10	6	-	-	4	2	2	-	-
43	All other respiratory diseases----------Residual[1]	738	511	173	34	20	446	286	131	20	9
44	IX. Diseases of the digestive system----------	3,674	2,081	1,254	195	144	1,556	899	561	51	45
45	Diseases of teeth and supporting structures----------530-535	4	3	1	-	-	8	4	2	2	-
46	Ulcer of stomach----------540	322	221	75	17	9	126	93	27	4	2
47	Ulcer of duodenum----------541	308	230	61	12	5	120	94	22	3	1
48	Gastritis and duodenitis----------543	16	12	4	-	-	10	5	4	-	1
49	Appendicitis----------550-553	115	62	33	13	7	53	31	18	4	-
50	Hernia and intestinal obstruction----------560,561,570	465	213	214	20	18	249	123	102	13	11
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	403	143	168	51	41	194	95	87	4	8
52	Cirrhosis of liver----------581	1,241	821	345	44	31	435	294	117	12	12
53	Without mention of alcoholism----------581.0	864	551	269	30	14	325	209	99	7	10
54	With alcoholism----------581.1	377	270	76	14	17	110	85	18	5	2
55	Cholelithiasis and cholecystitis----------584,585	226	85	135	3	3	118	36	77	-	5
56	Other diseases of digestive system----------Residual[1]	574	291	218	35	30	243	124	105	9	5
57	X. Diseases of the genito-urinary system----------	1,926	1,006	613	161	146	951	519	323	53	56
58	Nephritis and nephrosis----------590-594	1,088	496	425	80	87	541	265	216	28	32
59	Acute nephritis----------590	62	34	21	6	1	38	15	17	5	1
60	Nephritis with edema, including nephrosis----------591	74	30	31	5	8	46	24	18	1	3
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	952	432	373	69	78	457	226	181	22	28
62	Infections of kidney----------600	370	173	118	32	47	156	68	63	12	13
63	Calculi of urinary system----------602,604	56	36	17	3	-	26	16	7	-	3
64	Other diseases of urinary system----------601,603,605-609	86	54	25	7	-	55	31	18	2	4
65	Hyperplasia of prostate----------610	261	224	...	37	...	128	118	...	10	...
66	Other diseases of male genital organs----------611-617	25	23	...	2	...	22	21	...	1	...
67	Diseases of breast----------620,621	1	-	1	-	-	1	-	-	-	1
68	Diseases of female genital organs----------622-637	39	..	27	..	12	22	...	19	...	3
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	62	...	37	...	25	37	...	29	...	8
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	5	...	5	...	-	2	...	2	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	23	...	14	...	9	14	...	10	...	4
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	15	...	11	...	4	7	...	5	...	2
73	Ectopic pregnancy----------645	5	...	1	...	4	2	...	1	...	1
74	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	1	...	1	...	-
75	Abortion with sepsis----------651	2	...	1	...	1	5	...	4	...	1
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	12	...	5	...	7	6	...	6	...	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,963	5,021	2,871	43	28	5,480	3,406	1,892	110	72	7,082	4,098	2,412	320	252	6,500	3,123	1,688	943	746	1
2,892	1,580	1,279	19	14	1,849	989	796	34	30	2,445	1,225	1,032	110	78	2,824	1,128	891	431	374	2
5,053	3,430	1,586	24	13	3,614	2,405	1,092	76	41	4,623	2,864	1,375	210	174	3,672	1,993	796	512	371	3
18	11	6	-	1	17	12	4	-	1	14	9	5	-	-	4	2	1	-	1	4
122	63	57	1	1	117	57	53	1	6	148	75	57	10	6	88	23	21	23	21	5
12	6	6	-	-	13	3	9	-	1	6	2	3	1	-	2	1	1	-	-	6
34	21	12	-	1	34	23	8	-	3	21	11	7	2	1	46	17	7	12	10	7
76	36	39	1	-	70	31	36	1	2	121	62	47	7	5	40	5	13	11	11	8
1,029	517	504	5	3	748	330	368	26	24	933	423	396	60	54	767	195	209	191	172	9
633	315	313	5	-	454	195	241	9	9	555	257	251	26	21	457	126	119	105	107	10
396	202	191	-	3	294	135	127	17	15	378	166	145	34	33	310	69	90	86	65	11
398	245	151	1	1	272	150	107	8	7	730	423	194	61	52	520	159	113	136	112	12
11	7	4	-	-	11	4	5	-	2	14	10	4	-	-	9	6	2	1	-	13
20	11	9	-	-	15	8	6	1	-	70	32	8	20	10	16	2	6	3	5	14
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	1	1	15
68	40	27	-	1	49	28	21	-	-	50	25	18	2	5	44	16	13	7	8	16
299	187	111	1	-	197	110	75	7	5	595	355	164	39	37	449	135	92	124	98	17
959	419	522	8	10	759	277	408	34	40	1,727	678	766	122	161	1,767	337	448	425	557	18
394	193	197	2	2	235	105	112	9	9	405	166	171	29	39	200	46	50	46	58	19
565	226	325	6	8	524	172	298	25	31	1,322	512	595	93	122	1,567	291	398	379	499	20
195	105	86	-	4	189	88	78	17	6	199	93	62	22	22	171	29	42	56	44	21
122	76	43	-	3	119	61	42	14	2	116	64	32	11	9	79	19	19	23	18	22
73	29	43	-	1	70	27	36	3	4	83	29	30	11	13	92	10	23	33	26	23
933	466	458	2	7	656	310	320	15	11	698	326	298	36	38	506	177	160	85	84	24
778	362	409	1	6	532	231	283	9	9	592	269	265	29	29	377	122	133	59	63	25
112	76	34	1	1	93	62	26	5	-	55	32	17	4	2	80	40	15	15	10	26
6	3	3	-	-	2	-	1	1	-	8	5	-	2	1	8	1	1	4	2	27
37	25	12	-	-	29	17	10	-	2	43	20	16	1	6	41	14	11	7	9	28
99	49	49	1	-	85	44	38	2	1	113	56	41	9	7	131	43	31	32	25	29
1,424	824	571	17	12	954	539	354	32	29	1,682	884	582	107	109	1,647	530	343	442	332	30
23	14	8	1	-	18	9	8	-	1	27	10	12	4	1	14	4	5	4	1	31
217	110	103	3	1	134	82	50	-	2	252	118	114	7	13	157	24	41	45	47	32
837	456	362	9	10	546	268	229	25	24	1,054	538	354	77	85	1,056	291	217	312	236	33
210	135	72	2	1	130	74	43	6	7	251	133	79	18	21	264	80	57	79	48	34
372	191	174	3	4	289	137	129	13	10	443	225	147	37	34	485	132	107	140	106	35
90	49	38	1	2	70	29	33	4	4	71	36	30	3	2	126	34	17	37	38	36
165	81	78	3	3	57	28	24	2	3	289	144	98	19	28	181	45	36	56	44	37
10	5	5	-	-	12	7	4	-	1	10	4	4	-	2	34	9	9	10	6	38
39	26	13	-	-	16	10	5	1	-	31	17	12	1	1	63	32	10	14	7	39
2	-	2	-	-	3	-	2	1	-	4	3	1	-	-	-	-	-	-	-	40
6	4	2	-	-	7	4	3	-	-	12	8	3	1	-	16	6	3	6	1	41
1	1	-	-	-	5	3	2	-	-	6	4	1	-	1	7	3	2	2	-	42
289	208	76	4	1	213	156	51	5	1	286	182	81	17	6	300	161	56	49	34	43
926	547	365	8	6	676	371	265	24	16	951	504	347	60	40	1,029	373	258	235	163	44
-	-	-	-	-	3	2	-	1	-	1	-	-	-	1	1	-	-	1	-	45
89	68	20	1	-	62	42	16	3	1	86	52	23	7	4	76	35	11	22	8	46
81	60	19	2	-	60	50	8	2	-	76	56	13	7	-	55	30	7	15	3	47
7	2	5	-	-	-	-	-	-	-	3	1	1	1	-	10	3	6	-	1	48
38	27	10	1	-	25	21	3	1	-	32	15	13	3	1	36	10	8	10	8	49
158	80	76	1	1	124	47	67	7	3	134	54	61	4	15	154	44	46	37	27	50
92	45	44	2	1	75	40	29	3	3	137	61	57	12	7	155	25	26	57	47	51
194	129	64	-	1	128	78	45	4	1	251	157	73	14	7	283	150	69	41	23	52
152	97	54	-	1	89	55	33	1	-	193	113	66	8	6	229	121	55	31	22	53
42	32	10	-	-	39	23	12	3	1	58	44	7	6	1	54	29	14	10	1	54
76	36	39	-	1	87	33	49	3	2	69	32	37	-	-	53	11	28	6	8	55
191	100	88	1	2	112	58	48	-	6	162	76	69	12	5	206	65	57	46	38	56
534	340	187	2	5	528	328	156	32	12	698	370	202	68	58	700	188	160	195	157	57
287	152	130	2	3	278	150	101	19	8	424	191	140	49	44	350	78	85	94	93	58
18	11	7	-	-	19	12	6	1	-	46	26	10	7	3	14	3	4	4	3	59
21	15	5	-	1	19	5	11	2	1	13	3	6	3	1	19	7	4	6	2	60
248	126	118	2	2	240	133	84	16	7	365	162	124	39	40	317	68	77	84	88	61
76	44	31	-	1	82	38	38	2	4	105	53	36	11	5	162	45	54	29	34	62
12	5	7	-	-	24	14	8	2	-	29	18	10	1	-	15	6	4	1	4	63
34	20	13	-	1	17	15	2	-	-	25	15	7	2	1	60	18	8	22	12	64
107	107	...	-	...	110	101	...	9	...	90	86	...	4	...	69	32	...	37	...	65
12	12	...	-	...	10	10	...	-	...	8	7	...	1	...	21	9	...	12	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
6	...	6	...	-	7	...	7	...	-	17	...	9	...	8	23	...	9	...	14	68
13	...	12	...	1	13	...	12	...	1	30	...	21	...	9	57	...	16	...	41	69
1	...	-	...	1	2	...	2	...	-	2	...	1	...	1	5	...	1	...	4	70
3	...	3	...	-	2	...	2	...	-	7	...	6	...	1	19	...	5	...	14	71
4	...	4	...	-	3	...	2	...	1	8	...	6	...	2	8	...	3	...	5	72
2	...	2	...	-	-	...	-	...	-	3	...	1	...	2	3	...	-	...	3	73
1	...	1	...	-	1	...	1	...	-	2	...	2	...	-	1	...	1	...	-	74
-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	6	...	1	...	5	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	76
2	...	2	...	-	4	...	4	...	-	7	...	5	...	2	15	...	5	...	10	77

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	83	30	39	3	11	53	14	33	3	3
2	Infections of skin and subcutaneous tissue---690-698	21	11	7	2	1	10	4	4	2	-
3	Other diseases of skin and subcutaneous tissue---700-716	62	19	32	1	10	43	10	29	1	3
4	XIII. Diseases of the bones and organs of movement	114	51	57	5	1	93	43	45	2	3
5	Arthritis and spondylitis---720-725	47	15	31	1	-	45	16	27	-	2
6	Muscular rheumatism and rheumatism, unspecified---726,727	1	-	-	1	-	4	2	2	-	-
7	Osteomyelitis and periostitis---730	5	2	2	1	-	4	3	1	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	5	1	3	1	-	6	2	3	1	-
9	All other diseases of musculoskeletal system---731-736,738-744	56	33	21	1	1	34	20	12	1	1
10	XIV. Congenital malformations	1,160	588	452	61	59	605	284	285	19	17
11	Spina bifida and meningocele---751	52	24	25	1	2	35	14	19	-	2
12	Congenital hydrocephalus, etc.*---752,753	141	62	66	6	7	59	29	27	2	1
13	Congenital malformations of circulatory system---754	574	293	209	35	37	290	137	134	8	11
14	Other congenital malformations---750,755-759	393	209	152	19	13	221	104	105	9	3
15	XV. Certain diseases of early infancy	3,687	1,623	1,089	539	436	1,658	850	579	123	106
16	Birth injuries---760,761	531	262	188	45	36	267	147	91	18	11
17	Postnatal asphyxia and atelectasis---762	1,615	743	461	227	184	500	251	180	38	31
18	Infections of newborn---763-768	469	127	76	155	111	106	53	33	13	7
19	Hemolytic disease of newborn (erythroblastosis)---770	127	61	55	2	9	85	36	42	5	2
20	All other defined diseases of early infancy---769,771,772	79	36	28	7	8	37	23	12	1	1
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	866	394	281	103	88	663	340	221	48	54
22	XVI. Symptoms, senility, and ill-defined conditions	601	312	188	67	34	212	93	98	13	8
23	Senility without mention of psychosis---794	46	13	31	1	1	72	26	45	-	1
24	Symptoms, ill-defined and unknown causes---780-793,795	555	299	157	66	33	140	67	53	13	7
25	XVII. Accidents, poisonings, and violence	6,351	3,955	1,614	582	200	3,315	2,083	999	178	55
26	Accidents---E800-E962	4,929	3,065	1,364	351	149	2,729	1,695	864	126	44
27	Railway accidents---E800-E802	104	74	15	13	2	49	39	4	6	-
28	Motor-vehicle accidents---E810-E835	2,044	1,372	500	124	48	1,172	827	277	55	13
29	Motor-vehicle traffic accidents---E810-E825	2,012	1,350	493	122	47	1,152	811	273	55	13
30	Motor-vehicle traffic accident with railway train*---E810	91	60	31	-	-	90	61	28	1	-
31	Motor-vehicle traffic accident to pedestrian---E812	414	275	79	44	16	157	110	35	9	3
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	963	612	289	45	17	521	353	143	20	5
33	Motor-vehicle noncollision traffic accidents---E820-E824	413	300	71	30	12	282	219	39	19	5
34	Motor-vehicle traffic accident of unspecified nature---E825	131	103	23	3	2	102	68	28	6	-
35	Motor-vehicle nontraffic accidents---E830-E835	32	22	7	2	1	20	16	4	-	-
36	Other road-vehicle accidents---E840-E845	13	11	2	-	-	6	5	1	-	-
37	Water-transport accidents---E850-E858	65	57	7	1	-	31	30	-	1	-
38	Aircraft accidents---E860-E866	63	55	8	-	-	27	24	3	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	76	20	36	12	8	25	9	12	2	2
40	Accidental poisoning by gases and vapors---E890-E895	64	55	6	3	-	39	22	12	4	1
41	Accidental falls---E900-E904	1,139	549	513	51	26	733	303	410	13	7
42	Fall from one level to another---E900-E902	437	266	122	38	11	201	134	61	1	5
43	Fall on same level---E903	219	79	123	8	9	309	95	207	6	1
44	Unspecified falls---E904	483	204	268	5	6	223	74	142	6	1
45	Blow from falling object---E910	53	49	2	2	-	21	20	1	-	-
46	Accident caused by machinery---E912	112	98	4	9	-	74	70	3	1	-
47	Accident caused by electric current---E914	56	51	2	2	1	38	34	3	1	-
48	Accident caused by fire and explosion, etc.*---E916	316	152	87	47	30	141	69	52	13	7
49	Accident caused by hot substance, etc.*---E917,E918	33	15	16	1	1	20	14	5	1	-
50	Accident caused by firearm---E919	94	71	8	12	3	44	37	3	3	1
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	76	42	29	2	3	49	31	12	3	3
52	Accidental drowning---E929	241	183	28	26	4	89	63	13	9	4
53	Excessive heat and insolation---E931	11	8	2	1	-	8	4	3	1	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	61	19	30	2	10	21	9	9	-	3
55	All other accidents---Residual[1]	308	183	69	43	13	142	85	41	13	3
56	Suicide---E963,E970-E979	964	745	186	27	6	443	330	101	11	1
57	Suicide by poisoning---E970-E973	158	106	51	1	-	98	64	32	1	1
58	Suicide by hanging and strangulation---E974	299	227	67	4	1	91	58	30	3	-
59	Suicide by firearms and explosives---E976	388	339	32	16	1	204	179	19	6	-
60	Suicide by all other means---E963,E975,E977-E979	119	73	36	6	4	50	29	20	1	-
61	Homicide---E964,E980-E985	456	143	64	204	45	142	57	34	41	10
62	Assault by firearms and explosives---E981	210	74	20	93	23	76	25	22	22	7
63	Assault by cutting and piercing instruments---E982	111	19	8	72	12	25	10	5	10	-
64	Assault by other means---E964,E980,E983	109	39	36	24	10	29	15	7	4	3
65	Injury by intervention of police---E984	26	11	-	15	-	12	7	-	5	-
66	Execution---E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	2	2	-	-	-	1	1	-	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
16	9	7	-	-	19	4	12	1	2	20	6	11	3	-	43	10	12	7	14	1
3	2	1	-	-	2	1	-	-	1	2	1	1	-	-	10	2	4	1	3	2
13	7	6	-	-	17	3	12	1	1	18	5	10	3	-	33	8	8	6	11	3
58	26	30	1	1	49	21	24	2	2	53	22	27	2	2	66	17	29	7	13	4
28	11	16	1	-	18	5	12	-	1	33	9	21	1	2	36	8	21	1	6	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
2	1	1	-	-	3	1	2	-	-	-	-	-	-	-	2	1	-	1	-	7
2	1	1	-	-	2	2	-	-	-	1	-	1	-	-	2	1	1	-	-	8
26	13	12	-	1	26	13	10	2	1	19	13	5	1	-	26	7	7	5	7	9
314	169	140	3	2	319	167	137	7	8	371	195	147	19	10	452	148	139	93	72	10
11	4	7	-	-	15	4	10	-	1	17	8	9	-	-	25	7	12	1	5	11
44	22	22	-	-	41	18	22	1	-	34	17	13	1	3	49	17	16	12	4	12
155	84	69	2	-	152	92	55	1	4	188	95	77	11	5	220	67	68	49	36	13
104	59	42	1	2	111	53	50	5	3	132	75	48	7	2	158	57	43	31	27	14
789	445	322	16	6	708	382	246	47	33	1,238	621	464	86	67	1,735	495	366	497	377	15
139	77	56	5	1	165	95	57	6	7	162	92	58	7	5	268	74	43	98	53	16
211	125	81	4	1	179	102	59	12	6	323	181	122	14	6	519	160	117	127	115	17
66	38	26	1	1	41	23	13	4	1	121	54	48	14	5	194	43	20	71	60	18
36	26	10	-	-	34	18	16	-	-	63	33	30	-	-	65	17	22	12	14	19
17	10	7	-	-	13	5	4	2	2	47	27	18	1	1	61	12	8	30	11	20
320	169	142	6	3	276	139	97	23	17	522	234	188	50	50	628	189	156	159	124	21
172	81	90	1	-	196	94	88	6	8	369	163	164	19	23	364	86	66	113	99	22
102	36	65	1	-	89	33	50	-	6	129	47	77	1	4	104	23	20	32	29	23
70	45	25	-	-	107	61	38	6	2	240	116	87	18	19	260	63	46	81	70	24
1,979	1,305	642	24	8	1,696	1,122	487	66	21	2,513	1,652	618	167	76	2,808	1,199	526	739	344	25
1,656	1,055	576	19	6	1,379	899	433	34	13	2,062	1,352	543	106	61	2,401	1,042	466	585	308	26
11	10	1	-	-	11	11	-	-	-	39	27	7	3	2	23	7	1	14	1	27
710	500	203	6	1	589	417	146	19	7	797	599	144	42	12	827	438	151	185	53	28
687	482	198	6	1	573	403	145	18	7	781	586	143	40	12	805	430	144	179	52	29
25	21	3	1	-	41	32	8	1	-	30	22	8	-	-	28	16	5	7	-	30
59	44	14	1	-	44	28	14	2	-	133	93	29	8	3	140	61	21	43	15	31
357	230	124	2	1	282	184	85	10	3	193	138	42	11	2	349	197	80	53	19	32
171	133	37	1	-	157	124	27	3	3	157	128	16	8	5	192	108	21	53	10	33
75	54	20	1	-	49	35	11	2	1	268	205	48	13	2	96	48	17	23	8	34
23	18	5	-	-	16	14	1	1	-	16	13	1	2	-	22	8	7	6	1	35
1	1	-	-	-	3	2	1	-	-	8	8	-	-	-	6	2	1	3	-	36
11	11	-	-	-	12	10	2	-	-	28	23	5	-	-	103	73	5	21	4	37
19	18	1	-	-	23	22	1	-	-	13	11	1	1	-	26	24	1	1	-	38
22	10	7	5	-	10	5	5	-	-	24	17	4	1	2	17	10	-	3	4	39
7	5	2	-	-	19	12	6	-	1	34	15	18	-	1	7	3	2	2	-	40
407	164	242	-	1	305	124	176	3	2	387	169	198	9	11	296	106	127	35	28	41
115	66	49	-	-	77	47	27	3	-	81	56	21	3	1	67	29	18	11	9	42
56	22	34	-	-	129	44	84	-	1	43	20	19	1	3	18	6	9	-	3	43
236	76	159	-	1	99	33	65	-	1	263	93	158	5	7	211	71	100	24	16	44
18	17	1	-	-	19	15	4	-	-	57	56	1	-	-	25	14	1	9	1	45
75	72	3	-	-	60	54	6	-	-	53	47	3	3	-	38	25	1	12	-	46
24	22	2	-	-	22	21	1	-	-	31	30	-	1	-	48	40	2	5	1	47
83	43	34	4	2	76	42	26	6	2	147	56	61	14	16	152	27	28	46	51	48
19	12	7	-	-	6	4	1	1	-	27	11	10	2	4	37	3	10	11	13	49
24	23	1	-	-	33	27	4	2	-	92	80	6	6	-	55	33	4	11	7	50
27	13	12	1	1	23	12	9	2	-	38	16	17	1	4	49	11	12	17	9	51
59	53	4	2	-	72	54	18	-	-	100	81	14	5	-	135	66	7	54	8	52
10	6	4	-	-	8	8	-	-	-	3	2	1	-	-	6	4	-	2	-	53
36	15	21	-	-	16	9	7	-	-	20	9	9	1	1	32	9	10	8	5	54
93	60	31	1	1	72	50	20	1	1	164	95	44	17	8	519	147	103	146	123	55
295	238	55	2	-	255	200	48	4	3	252	194	47	9	2	168	111	39	15	3	56
53	32	21	-	-	41	27	14	-	-	20	13	7	-	-	19	7	11	1	-	57
85	64	20	1	-	44	33	11	-	-	35	25	9	1	-	9	5	3	1	-	58
135	123	11	1	-	141	126	10	3	2	173	143	26	4	-	117	85	20	10	2	59
22	19	3	-	-	29	14	13	1	1	24	13	5	4	2	23	14	5	3	1	60
27	11	11	3	2	61	22	6	28	5	197	104	28	52	13	239	46	21	139	33	61
15	7	5	2	1	43	16	5	18	4	140	77	21	33	9	141	32	11	76	22	62
3	-	2	1	-	7	1	-	5	1	22	4	1	15	2	60	5	3	45	7	63
9	4	4	-	1	10	4	1	5	-	30	18	6	4	2	28	7	7	10	4	64
-	-	-	-	-	1	1	-	-	-	5	5	-	-	-	4	2	-	2	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	6	-	66
1	1	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	67

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	10,165	5,668	4,467	14	16	26,379	11,832	9,393	2,913	2,241
2	I. Infective and parasitic diseases	104	64	39	-	1	522	215	88	144	75
3	Tuberculosis, all forms 001-019	48	36	12	-	-	319	143	44	95	37
4	Tuberculosis of respiratory system 001-008	45	33	12	-	-	291	134	37	84	36
5	Tuberculosis of meninges and central nervous system 010	1	1	-	-	-	7	-	3	4	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	-	-	-	-	-	1	1	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	1	1	-	-	-	4	2	2	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-		-
9	Tuberculosis of genito-urinary system 016	1	1	-	-	-	2	1	-	1	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	-	-	-	-	-	4	-	-	3	1
11	Disseminated tuberculosis 019	-	-	-	-	-	10	5	2	3	
12	Syphilis and its sequelae 020-029	15	8	7	-	-	83	25	6	35	17
13	Congenital syphilis 020	-	-	-	-	-	1	1	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	5	3	2	-	-	29	15	3	9	2
16	Other cardiovascular syphilis 023	6	4	2	-	-	37	4	2	17	14
17	Tabes dorsalis 024	1	-	1	-	-	-	-	-	-	-
18	General paralysis of insane 025	2	1	1	-	-	8	4	1	2	1
19	Other syphilis of central nervous system 026	1	-	1	-	-	8	1	-	7	-
20	Other syphilis 027-029	-	-	-	-	-	-	-	-	-	-
21	Gonococcal infection 030-035	-	-	-	-	-	1	-	-	-	1
22	Typhoid fever 040	-	-	-	-	-	1	1	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	1	1	-	-	-
24	Other Salmonella infections 042	1	1	-	-	-	2	-	-	1	1
25	Cholera 043	-	-	-	-	-	-	-			-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	2	-	2	-	-	1	-		-	1
28	Food poisoning (infection and intoxication) 049	-	-	-	-	-	2	-	2	-	-
29	Scarlet fever 050	1	-	1	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	3	1	1	-	1	-	-	-	-	-
31	Erysipelas 052	-	-	-	-	-	2	1	1	-	-
32	Septicemia and pyemia 053	13	9	4	-	-	47	16	18	7	6
33	Diphtheria 055	-	-	-	-	-	-	-	-	-	-
34	Whooping cough 056	-	-	-	-	-	4	1	1	-	2
35	Meningococcal infections 057	7	4	3	-	-	14	6	3	-	5
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	1	1	-	-	-	2	1	-	1	-
40	Anthrax 062	-	-	-	-	-	-	-	-		-
41	Acute poliomyelitis 080	-	-	-	-	-	2	1	-	1	-
42	Late effects of acute poliomyelitis 081	-	-	-	-	-	2	1	1	-	-
43	Acute infectious encephalitis 082	2	-	2	-	-	-	-	-	-	-
44	Late effects of acute infectious encephalitis 083	-	-	-	-	-	-	-	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	2	1	1	-	-	1	-	-	1	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	4	1	3	-	-	11	7	4	-	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	2	2	-	-	
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	2	2	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	5	2	3	-	-	25	9	8	3	5
61	II. Neoplasms	1,642	842	797	1	2	4,305	1,989	1,732	351	333
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	1,606	829	774	1	2	4,192	1,845	1,692	343	312
63	Malignant neoplasm of buccal cavity and pharynx 140-148	35	27	8	-	-	98	69	15	10	4
64	Of lip 140	6	6	-	-	-	3	3	-	-	-
65	Of tongue 141	12	7	5	-	-	20	13	4	3	-
66	Of other and unspecified parts of buccal cavity 142-144	7	5	2	-	-	24	17	5	2	-
67	Of pharynx 145-148	10	9	1	-	-	51	36	6	5	4
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	565	286	277	1	1	1,352	597	513	137	105
69	Of esophagus 150	24	16	8	-	-	85	52	8	23	2
70	Of stomach 151	137	88	47	1	1	329	152	90	51	36
71	Of intestine, except rectum 152,153	204	88	116	-	-	405	152	201	21	31
72	Of rectum 154	83	42	41	-	-	160	74	59	14	13
73	Of biliary passages and of liver (stated to be primary site) 155	23	4	19	-	-	68	21	44	2	1
74	Of liver not specified whether primary or secondary 156A	21	11	10	-	-	86	45	27	7	7
75	Of pancreas 157	66	33	33	-	-	185	92	73	11	9
76	Of peritoneum and of unspecified digestive organs 158,159	7	4	3	-	-	34	9	11	8	6
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	197	167	30	-	-	636	471	81	75	9
78	Of larynx 161	9	9	-	-	-	45	35	4	4	2
79	Of trachea, and of bronchus and lung specified as primary 162	97	85	12	-	-	191	142	19	26	4
80	Of lung and bronchus, unspecified as primary or secondary 163	86	71	15	-	-	381	285	51	42	3
81	Of other parts of respiratory system 160,164	5	2	3	-	-	19	9	7	3	-
82	Malignant neoplasm of breast 170	142	1	140	-	1	360	2	310	-	48

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
54,665	28,564	24,967	649	485	66,456	35,770	25,192	3,118	2,376	31,211	17,877	12,967	207	160	20,522	6,083	4,317	5,372	4,750	1
665	457	164	31	13	838	439	211	134	54	300	189	101	3	7	397	106	50	143	98	2
416	310	78	20	8	448	252	78	91	27	108	75	28	1	4	166	51	14	57	44	3
399	299	75	19	6	409	234	66	85	24	97	71	25	-	1	152	49	13	52	38	4
4	1	-	1	2	8	5	2	1	-	1	-	1	-	-	5	1	-	1	3	5
1	1	-	-	-	6	4	-	2	-	-	-	-	-	-	1	-	-	1	-	6
1	1	-	-	-	2	1	1	-	-	1	-	-	-	1	3	1	1	-	1	7
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	8
2	1	1	-	-	6	4	2	-	-	2	1	-	-	1	1	-	-	-	1	9
2	2	-	-	-	5	-	4	1	-	1	-	1	-	-	-	-	-	-	-	10
7	5	2	-	-	10	3	3	2	2	6	3	1	1	1	4	-	-	3	1	11
101	66	28	5	2	113	60	27	20	6	60	38	20	-	2	54	15	3	28	8	12
-	-	-	-	-	2	2	-	-	-	2	-	1	-	1	1	-	-	1	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
58	41	15	1	1	37	26	6	5	-	26	16	9	-	1	22	10	3	7	2	15
28	14	9	4	1	39	17	8	10	4	19	11	8	-	-	27	4	-	17	6	16
3	3	-	-	-	3	1	2	-	-	2	2	-	-	-	-	-	-	-	-	17
7	6	1	-	-	15	5	7	3	-	5	5	-	-	-	-	-	-	-	-	18
5	2	3	-	-	13	8	2	2	1	5	4	1	-	-	4	1	-	3	-	19
-	-	-	-	-	4	1	2	-	1	1	-	1	-	-	-	-	-	-	-	20
-	-	-	-	-	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	2	-	-	1	1	5	3	2	-	-	4	1	2	1	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
3	-	2	1	-	6	2	2	1	1	3	1	1	1	-	39	4	5	18	12	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	1	4	2	28
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	29
2	2	-	-	-	6	4	1	-	1	4	2	2	-	-	7	3	1	3	-	30
1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	31
51	35	15	-	1	59	28	19	8	4	41	26	15	-	-	24	8	6	5	5	32
1	1	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	33
1	-	1	-	-	6	4	2	-	-	1	1	-	-	-	14	-	-	4	10	34
19	11	7	-	1	39	18	18	2	1	11	7	4	-	-	11	2	4	2	3	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	3	3	-	-	-	2	2	-	-	-	13	2	1	8	2	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
3	2	1	-	-	14	7	5	2	-	5	2	3	-	-	3	-	1	2	-	41
2	2	-	-	-	9	4	5	-	-	6	3	3	-	-	-	-	-	-	-	42
7	4	2	1	-	19	9	5	2	3	5	3	2	-	-	8	3	4	1	-	43
2	1	1	-	-	7	2	4	1	-	1	-	1	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
4	2	2	-	-	22	6	12	2	2	15	6	7	1	1	5	4	-	-	1	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
22	11	10	1	-	35	16	17	-	2	10	5	5	-	-	14	6	3	2	3	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	4	-	-	2	2	59
28	9	16	3	-	42	21	13	2	6	20	14	6	-	-	23	6	5	6	6	60
9,906	5,103	4,616	113	74	10,979	5,558	4,607	406	408	4,991	2,560	2,397	15	19	2,535	776	730	505	524	61
9,676	4,985	4,512	110	69	10,790	5,478	4,521	394	397	4,904	2,522	2,350	14	18	2,479	760	715	491	513	62
274	222	47	4	1	229	166	48	12	3	81	57	24	-	-	57	26	14	10	7	63
12	11	1	-	-	12	12	-	-	-	5	5	-	-	-	2	2	-	-	-	64
73	60	12	1	-	55	38	11	5	1	23	15	8	-	-	11	3	3	2	3	65
85	67	17	1	-	65	47	16	1	1	26	16	10	-	-	26	11	10	2	3	66
104	84	17	2	1	97	69	21	6	1	27	21	6	-	-	18	10	1	6	1	67
3,584	1,863	1,655	41	25	3,931	2,112	1,548	157	114	1,844	993	845	2	4	777	193	224	204	156	68
210	166	38	4	2	183	127	35	20	1	59	49	10	-	-	35	15	6	11	3	69
872	511	343	10	8	1,000	619	311	48	22	515	324	191	-	-	226	53	37	83	53	70
1,187	501	665	12	9	1,254	578	607	25	44	566	258	308	-	-	191	36	78	37	40	71
456	252	199	3	2	466	275	165	17	9	206	127	77	-	2	61	17	22	9	13	72
181	71	107	2	1	262	97	155	3	7	149	61	88	-	-	39	11	13	10	5	73
162	86	71	4	1	198	97	76	14	11	49	20	29	-	-	77	21	24	14	18	74
446	246	193	5	2	491	275	172	27	17	274	143	128	1	2	125	39	36	34	16	75
70	30	39	1	-	77	44	27	3	3	26	11	14	1	-	23	1	8	6	8	76
1,278	1,032	206	33	7	1,468	1,182	189	80	17	448	367	73	7	1	266	172	28	48	18	77
114	101	12	1	-	93	77	10	6	-	22	20	1	1	-	17	10	2	5	-	78
282	234	38	7	3	548	462	54	27	5	229	195	31	3	-	97	71	7	16	3	79
847	675	145	24	3	790	622	111	45	12	174	136	34	3	1	144	86	17	26	15	80
35	22	11	1	1	37	21	14	2	-	23	16	7	-	-	8	5	2	1	-	81
953	13	929	-	11	946	7	868	-	71	479	6	470	1	2	181	2	105	1	73	82

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	275	124	151	-	-	644	178	331	46	89
2	Of cervix uteri----------171	65	...	65	...	-	149	...	102	...	47
3	Of other and unspecified parts of uterus----------172-174	41	...	41	...	-	119	...	93	...	26
4	Of ovary, fallopian tube, and broad ligament----------175	32	...	32	...	-	135	...	121	...	14
5	Of other and unspecified female genital organs----------176	13	...	13	...	-	17	...	15	...	2
6	Of prostate----------177	118	118	...	-	...	206	163	...	43	...
7	Of testis, and of other and unspecified male genital organs----178,179	6	6	...	-	...	18	15	...	3	...
8	Malignant neoplasm of urinary organs----------180,181	96	65	31	-	-	192	98	67	13	14
9	Of kidney----------180	31	22	9	-	-	72	40	25	3	4
10	Of bladder and other urinary organs----------181	65	43	22	-	-	120	58	42	10	10
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	164	79	85	-	-	526	221	235	46	24
12	Of skin----------190,191	21	15	6	-	-	63	29	30	4	-
13	Of eye----------192	-	-	-	-	-	5	2	2	-	1
14	Of brain and other parts of nervous system----------193	21	11	10	-	-	100	48	40	11	1
15	Of thyroid gland----------194	2	-	2	-	-	21	3	13	3	2
16	Of bone (including jaw bone)----------196	11	5	6	-	-	34	18	13	2	1
17	Of connective tissue----------197	4	2	2	-	-	6	2	3	-	1
18	Of other specified sites, not stated to be secondary-----195,198A,199A	28	10	18	-	-	64	24	33	2	5
19	Of unspecified sites----------156B,165,198B,199B-M	77	36	41	-	-	233	95	101	24	13
20	Leukemia and aleukemia----------204	67	37	30	-	-	188	100	73	5	10
21	Lymphosarcoma, etc.*----------200-203,205	55	43	22	-	-	196	109	67	11	9
22	Lymphosarcoma and reticulosarcoma----------200	36	26	10	-	-	85	45	33	5	2
23	Hodgkin's disease----------201	19	10	9	-	-	55	37	14	4	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	10	7	3	-	-	56	27	20	2	7
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	36	13	23	-	-	113	44	40	8	21
26	Benign neoplasms of female genital organs----------214-217	5	...	5	...	-	13	...	4	...	9
27	Benign neoplasm of brain and other parts of nervous system---------223	10	4	6	-	-	16	9	5	-	2
28	Other benign neoplasms----------210-213,218-222,224-229	3	1	2	-	-	17	5	6	4	2
29	Neoplasm of unspecified nature of female genital organs--------233-235	3	...	3	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	12	6	6	-	-	50	21	19	3	7
31	Other neoplasms of unspecified nature----------230-232,236,238,239	3	2	1	-	-	17	9	6	1	1
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	220	99	120	1	-	677	236	312	47	82
33	Asthma----------241	38	31	7	-	-	106	57	29	13	7
34	Nontoxic goiter----------250,251	1	1	-	-	-	1	-	-	-	1
35	Thyrotoxicosis with or without goiter----------252	1	-	1	-	-	8	1	4	-	3
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	4	1	3	-	-	8	2	6	-	-
37	Diabetes mellitus----------260	168	61	106	1	-	518	160	264	30	64
38	Diseases of thymus gland----------273	-	-	-	-	-	1	1	-	-	-
39	Diseases of adrenal glands----------274	2	1	1	-	-	6	3	2	1	-
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	2	1	1	-	-	11	3	3	2	3
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	4	3	1	-	-	18	9	4	1	4
43	IV. Diseases of the blood and blood-forming organs----------	38	19	19	-	-	74	23	36	9	6
44	Anemias----------290-293	27	13	14	-	-	49	15	22	7	5
45	Pernicious and other hyperchromic anemias----------290	13	4	9	-	-	9	3	6	-	-
46	Anemias of other and unspecified type----------291-293	14	9	5	-	-	40	12	16	7	5
47	Purpura and other hemorrhagic conditions----------296	4	2	2	-	-	7	2	4	-	1
48	All other diseases of blood and blood-forming organs-----294,295,297-299	7	4	3	-	-	18	6	10	2	-
49	V. Mental, psychoneurotic, and personality disorders----------	16	11	5	-	-	70	37	8	23	2
50	Senile psychosis----------304	4	1	3	-	-	2	-	2	-	-
51	Alcoholic psychosis----------307	3	2	1	-	-	11	6	1	4	-
52	Other psychoses----------300-303,305,306,308,309	-	-	-	-	-	3	-	-	2	1
53	Alcoholism----------322	9	8	1	-	-	49	27	4	17	1
54	Mental deficiency----------325	-	-	-	-	-	2	2	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	3	2	1	-	-
56	VI. Diseases of the nervous system and sense organs----------	1,328	620	704	1	3	2,610	1,029	1,073	259	249
57	Vascular lesions affecting central nervous system----------330-334	1,237	570	664	1	2	2,334	905	1,003	214	212
58	Subarachnoid hemorrhage----------330	25	15	10	-	-	131	53	53	11	14
59	Cerebral hemorrhage----------331	796	365	428	1	2	1,487	570	629	140	148
60	Cerebral embolism and thrombosis----------332	338	158	180	-	-	530	216	239	40	35
61	Other vascular lesions affecting central nervous system--------333,334	78	32	46	-	-	186	66	82	23	15
62	Meningitis, except meningococcal and tuberculous----------340	11	4	7	-	-	44	18	11	7	8
63	Multiple sclerosis----------345	5	1	4	-	-	18	7	5	2	4
64	Paralysis agitans----------350	18	12	6	-	-	47	28	15	4	-
65	Cerebral spastic infantile paralysis----------351	3	2	1	-	-	13	7	4	1	1
66	Epilepsy----------353	27	15	11	-	1	39	18	6	11	4
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	1	-	1	-	-	1	1	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	4	3	1	-	-	31	6	8	9	8
71	Other diseases of nervous system and sense organs----------Residual[1]	22	13	9	-	-	83	39	21	11	12
72	VII. Diseases of the circulatory system----------	4,619	2,676	1,934	5	4	11,620	5,506	4,339	985	810
73	Rheumatic fever----------400-402	4	2	2	-	-	11	4	4	2	1
74	Diseases of heart----------410-443	4,183	2,470	1,707	4	2	10,713	5,115	3,970	881	747
75	Chronic rheumatic heart disease----------410-416	127	59	67	1	-	293	112	136	20	25
76	Diseases of mitral valve----------410	46	24	21	1	-	97	32	49	9	7
77	Diseases of aortic valve specified as rheumatic----------411	7	5	2	-	-	22	12	7	3	-
78	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	1	1	-	-	-	11	8	2	1	-
80	Other diseases of heart specified as rheumatic----------415,416	73	29	44	-	-	163	60	78	7	18

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,273	560	693	8	12	1,612	558	892	45	117	729	358	364	-	7	490	95	141	98	156	1
192	...	185	...	7	361	...	299	...	62	91	...	87	...	4	129	...	56	...	73	2
215	...	211	...	4	273	...	238	...	35	94	...	91	...	3	97	...	35	...	62	3
264	...	263	...	1	340	...	324	...	16	168	...	168	...	-	63	...	45	...	18	4
34	...	34	...	-	35	...	31	...	4	18	...	18	...	-	8	...	5	...	3	5
547	539	...	8	...	558	515	...	43	...	346	346	...	-	...	185	89	...	96	...	6
21	21	...	-	...	45	43	...	2	...	12	12	...	-	...	8	6	...	2	...	7
479	303	171	4	1	545	351	164	18	12	262	172	88	1	1	113	37	25	34	17	8
196	111	83	2	-	193	110	76	4	3	128	78	48	1	1	38	14	13	7	4	9
283	192	88	2	1	352	241	88	14	9	134	94	40	-	-	75	23	12	27	13	10
1,069	556	500	6	7	1,097	565	450	42	40	490	245	242	2	1	404	161	109	63	71	11
128	69	59	-	-	134	72	58	1	3	73	36	36	1	-	53	30	17	3	3	12
6	3	3	-	-	11	8	2	1	-	11	4	7	-	-	3	2	-	-	1	13
167	102	65	-	-	246	134	96	11	5	115	68	47	-	-	60	31	18	7	4	14
55	20	34	1	-	43	14	27	-	2	19	5	14	-	-	6	2	2	1	1	15
70	39	31	-	-	76	45	26	4	1	43	24	19	-	-	22	12	7	-	3	16
25	9	15	1	-	34	19	14	-	1	11	8	3	-	-	7	2	2	2	1	17
113	53	56	2	2	141	63	66	5	7	59	25	33	1	-	79	30	16	18	15	18
505	261	237	2	5	412	210	161	20	21	159	75	83	-	1	174	52	47	32	43	19
378	216	155	6	1	487	255	197	21	14	317	175	141	1	-	99	33	39	19	8	20
388	220	156	8	4	475	282	165	19	9	254	149	103	-	2	92	41	30	14	7	21
160	91	64	3	2	179	113	63	2	1	91	47	43	-	1	38	20	11	4	3	22
124	74	49	1	-	108	78	26	2	2	62	35	27	-	-	19	10	6	3	-	23
104	55	43	4	2	188	91	76	15	6	101	67	33	-	1	35	11	13	7	4	24
230	118	104	3	5	189	80	86	12	11	87	38	47	1	1	56	16	15	14	11	25
14	...	12	...	2	26	...	20	...	6	9	...	8	...	1	6	...	1	...	5	26
33	16	15	-	2	45	17	22	5	1	25	15	10	-	-	6	1	1	2	2	27
26	15	10	1	-	47	25	19	1	2	23	8	15	-	-	6	2	2	2	-	28
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	29
112	61	48	2	1	46	26	14	5	1	19	9	10	-	-	29	9	8	8	4	30
45	26	19	-	-	24	12	11	1	-	11	6	4	1	-	8	4	2	2	-	31
1,285	527	738	7	13	2,023	876	1,016	48	83	735	354	376	1	4	358	82	102	67	107	32
205	135	68	1	1	348	229	91	11	17	113	82	31	-	-	64	23	10	18	13	33
5	1	3	-	1	7	1	6	-	-	5	3	2	-	-	2	1	-	-	1	34
15	2	12	1	-	35	2	32	-	1	8	1	7	-	-	7	-	2	2	3	35
13	2	11	-	-	17	4	11	1	1	7	1	6	-	-	5	1	1	2	1	36
970	342	614	4	10	1,517	597	829	30	61	549	240	305	1	3	248	49	83	36	80	37
2	-	2	-	-	21	6	10	3	2	-	-	-	-	-	1	-	1	-	-	38
12	10	2	-	-	19	8	9	1	1	6	4	2	-	-	1	-	-	1	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	40
25	15	9	1	-	21	10	10	1	-	13	6	7	-	-	16	3	2	4	7	41
38	20	17	-	1	38	19	18	1	-	34	17	16	-	1	11	4	3	3	1	42
158	73	81	3	1	228	126	83	7	12	110	60	49	-	1	58	15	15	14	14	43
97	45	49	2	1	142	73	54	6	9	65	32	33	-	-	40	6	8	13	13	44
33	8	24	1	-	54	29	24	-	1	25	10	15	-	-	2	-	1	1	-	45
64	37	25	1	1	88	44	30	6	8	40	22	18	-	-	38	6	7	12	13	46
21	11	10	-	-	36	20	12	1	3	10	6	3	-	1	7	3	4	-	-	47
40	17	22	1	-	50	33	17	-	-	35	22	13	-	-	11	6	3	1	1	48
105	78	21	5	1	109	63	34	11	1	79	54	23	1	1	31	9	6	12	4	49
1	1	-	-	-	9	-	8	1	-	19	11	8	-	-	4	1	1	2	-	50
22	21	-	1	-	14	11	1	2	-	10	10	-	-	-	3	2	-	1	-	51
14	4	10	-	-	15	3	11	1	-	13	6	7	-	-	5	-	2	-	3	52
57	48	7	2	-	65	46	11	7	1	29	24	3	1	1	17	5	2	9	1	53
5	3	2	-	-	4	2	2	-	-	5	2	3	-	-	2	1	1	-	-	54
6	1	2	2	1	2	1	1	-	-	3	1	2	-	-	-	-	-	-	-	55
6,269	2,718	3,441	53	57	8,247	3,863	3,799	307	278	4,551	2,283	2,221	24	23	2,925	775	716	685	749	56
5,784	2,473	3,216	45	50	7,640	3,551	3,562	273	254	4,214	2,091	2,077	23	23	2,766	731	676	645	713	57
195	84	104	4	3	257	116	101	17	23	122	61	59	1	1	60	25	10	8	17	58
3,442	1,441	1.949	21	31	4,859	2,211	2,310	174	164	2,655	1,286	1,339	15	15	1,753	438	406	430	479	59
1,801	794	976	16	15	1,929	941	864	72	52	991	504	476	5	6	552	176	169	109	98	60
346	154	187	4	1	595	283	287	10	15	446	240	203	2	1	401	92	91	99	119	61
63	30	28	3	2	98	47	33	12	6	27	14	13	-	-	30	5	5	12	8	62
72	30	41	-	1	86	41	40	1	4	46	21	25	-	-	9	3	3	2	1	63
90	42	45	1	2	109	65	43	1	-	80	46	34	-	-	14	5	8	1	-	64
14	9	5	-	-	24	10	12	1	1	13	5	8	-	-	9	6	-	1	2	65
88	55	31	1	1	82	40	28	10	4	41	24	16	1	-	30	8	4	6	12	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	-	1	-	-	-	-	-	-	-	3	1	2	-	-	1	1	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
11	6	4	1	-	19	10	7	1	1	5	2	3	-	-	3	-	2	1	-	70
146	73	70	2	1	189	99	74	8	8	122	79	43	-	-	63	16	18	16	13	71
24,769	13,090	11,299	212	168	27,641	15,738	10,143	1,010	750	12,992	7,771	5,111	62	48	6,989	2,444	1,615	1,556	1,374	72
19	6	13	-	-	41	23	8	6	4	22	12	10	-	-	8	1	3	1	3	73
22,717	12,170	10,207	189	151	25,309	14,548	9,153	924	684	11,692	7,081	4,509	60	42	6,378	2,253	1,463	1,422	1,240	74
774	314	447	7	6	952	450	439	38	25	372	194	175	2	1	147	39	40	32	36	75
255	99	153	1	2	360	159	186	9	6	164	79	84	1	-	69	14	23	17	15	76
60	41	19	-	-	83	58	22	2	1	46	35	11	-	-	8	6	1	-	1	77
1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	78
23	4	18	1	-	46	21	20	4	1	39	21	17	-	1	12	4	1	1	6	79
435	170	256	5	4	461	212	209	23	17	123	59	63	1	-	58	15	15	14	14	80

Table 65. Deaths From 256 Selected Causes, by Color*

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	3,082	1,933	1,145	2	2	5,879	3,300	1,981	358	240
2	Arteriosclerotic heart disease so described----------420.0	1,112	622	488	1	1	1,706	805	691	115	95
3	Heart disease specified as involving coronary arteries----------420.1	1,949	1,296	651	1	1	4,162	2,490	1,286	242	144
4	Angina pectoris without mention of coronary disease----------420.2	21	15	6	-	-	11	5	4	1	1
5	Chronic endocarditis not specified as rheumatic----------421	51	17	34	-	-	92	37	29	19	7
6	Of mitral valve, specified as nonrheumatic----------421.0	3	1	2	-	-	5	1	2	1	1
7	Of aortic valve, not specified as rheumatic----------421.1	5	2	3	-	-	41	19	9	9	4
8	Of other valves, not specified as rheumatic----------421.2-421.4	43	14	29	-	-	46	17	18	9	2
9	Other myocardial degeneration----------422	418	218	200	-	-	2,236	946	945	198	147
10	With arteriosclerosis----------422.1	224	133	91	-	-	1,936	820	813	174	129
11	Without mention of arteriosclerosis----------422.0,422.2	194	85	109	-	-	300	126	132	24	18
12	Other diseases of heart----------430-434	88	54	34	-	-	270	112	88	36	34
13	Acute and subacute endocarditis----------430	3	2	1	-	-	19	7	5	4	3
14	Acute myocarditis not specified as rheumatic----------431	3	2	1	-	-	17	9	4	2	2
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	1	-	-	-	1
16	Functional disease of heart----------433	12	7	5	-	-	26	13	10	2	1
17	Other and unspecified diseases of heart----------434	70	43	27	-	-	207	83	69	28	27
18	Hypertension with heart disease----------440-443	417	189	227	1	-	1,943	608	791	250	294
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	133	71	62	-	-	567	203	216	79	69
20	Essential hypertension with heart disease, etc.*----------440,441,443	284	118	165	1	-	1,376	405	575	171	225
21	Hypertension without mention of heart----------444-447	75	35	39	-	1	170	62	54	34	20
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	57	33	24	-	-	107	41	31	25	10
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	18	2	15	-	1	63	21	23	9	10
24	Diseases of arteries----------450-456	312	148	163	-	1	619	284	261	35	39
25	General arteriosclerosis----------450	260	118	141	-	1	442	183	213	21	25
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	33	21	12	-	-	118	71	29	8	10
27	Gangrene of unspecified cause----------455	1	-	1	-	-	6	3	2	-	1
28	Other arterial diseases----------452-454,456	18	9	9	-	-	53	27	17	6	3
29	Diseases of veins and other diseases of circulatory system-------460-468	45	21	23	1	-	107	41	50	13	3
30	VIII. Diseases of the respiratory system----------	470	301	168	1	-	1,216	570	307	222	117
31	Acute upper respiratory infections----------470-475	5	4	1	-	-	35	12	11	6	6
32	Influenza----------480-483	51	30	21	-	-	68	31	20	8	9
33	Pneumonia, except pneumonia of newborn----------490-493	280	174	106	-	-	781	331	212	159	79
34	Lobar pneumonia----------490	58	38	20	-	-	235	96	64	55	20
35	Bronchopneumonia----------491	140	85	55	-	-	332	144	96	65	27
36	Primary atypical pneumonia----------492	40	26	14	-	-	61	24	21	6	10
37	Pneumonia, other and unspecified----------493	42	25	17	-	-	153	67	31	33	22
38	Acute bronchitis----------500	12	5	7	-	-	18	12	4	2	-
39	Bronchitis, chronic and unqualified----------501,502	13	9	4	-	-	32	19	8	3	2
40	Hypertrophy of tonsils and adenoids----------510	-	-	-	-	-	6	3	3	-	-
41	Empyema and abscess of lung----------518,521	5	4	1	-	-	30	16	7	7	-
42	Pleurisy----------519	1	1	-	-	-	4	2	1	1	-
43	All other respiratory diseases----------Residual[1]	103	74	28	1	-	242	144	41	36	21
44	IX. Diseases of the digestive system----------	357	210	146	-	1	1,029	487	333	122	87
45	Diseases of teeth and supporting structures----------530-535	1	1	-	-	-	2	-	-	1	1
46	Ulcer of stomach----------540	31	22	9	-	-	80	53	19	5	3
47	Ulcer of duodenum----------541	29	23	6	-	-	43	26	12	4	1
48	Gastritis and duodenitis----------543	-	-	-	-	-	1	1	-	-	-
49	Appendicitis----------550-553	23	17	6	-	-	31	12	11	7	1
50	Hernia and intestinal obstruction----------560,561,570	60	37	23	-	-	141	61	51	17	12
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	41	23	18	-	-	128	39	47	25	17
52	Cirrhosis of liver----------581	82	53	29	-	-	363	190	99	43	31
53	Without mention of alcoholism----------581.0	70	47	23	-	-	248	132	69	28	19
54	With alcoholism----------581.1	12	6	6	-	-	115	58	30	15	12
55	Cholelithiasis and cholecystitis----------584,585	39	9	29	-	1	52	22	22	2	6
56	Other diseases of digestive system----------Residual[1]	51	25	26	-	-	188	83	72	18	15
57	X. Diseases of the genito-urinary system----------	200	90	109	-	1	481	199	139	73	70
58	Nephritis and nephrosis----------590-594	119	40	78	-	1	269	110	77	42	40
59	Acute nephritis----------590	6	3	3	-	-	15	7	1	5	2
60	Nephritis with edema, including nephrosis----------591	5	2	3	-	-	21	11	4	3	3
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	108	35	72	-	1	233	92	72	34	35
62	Infections of kidney----------600	42	21	21	-	-	90	25	33	9	23
63	Calculi of urinary system----------602,604	2	1	1	-	-	19	4	12	2	1
64	Other diseases of urinary system----------601,603,605-609	11	6	5	-	-	27	10	7	7	3
65	Hyperplasia of prostate----------610	19	19	...	-	...	57	45	...	12	...
66	Other diseases of male genital organs----------611-617	3	3	...	-	...	6	5	...	1	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	4	...	4	...	-	13	...	10	...	3
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	8	...	7	...	1	20	...	15	...	5
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	-	...	-	...	-	1	...	1	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	3	...	2	...	1	3	...	3	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	2	...	2	...	-	5	...	3	...	2
73	Ectopic pregnancy----------645	1	...	1	...	-	1	...	-	...	1
74	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	1	...	1	...	-
75	Abortion with sepsis----------651	1	...	1	...	-	4	...	2	...	2
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	1	...	1	...	-	5	...	5	...	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
17,838	10,109	7,499	133	97	18,707	11,577	6,148	616	366	8,949	5,704	3,167	47	31	3,572	1,630	876	591	475	1
8,025	3,784	4,135	59	47	7,476	4,025	3,058	240	153	3,070	1,818	1,221	20	11	1,200	438	357	218	187	2
9,794	6,315	3,356	73	50	11,213	7,542	3,082	376	213	5,874	3,883	1,944	27	20	2,345	1,184	514	366	281	3
19	10	8	1	-	18	10	8	-	-	5	3	2	-	-	27	8	5	7	7	4
197	79	110	6	2	243	124	102	7	10	153	99	53	-	1	101	31	25	30	15	5
12	2	9	1	-	20	9	11	-	-	11	4	7	-	-	6	2	-	2	2	6
93	44	44	5	-	61	35	19	4	3	77	53	23	-	1	32	14	7	8	3	7
92	33	57	-	2	162	80	72	3	7	65	42	23	-	-	63	15	18	20	10	8
1,363	610	740	5	8	2,057	985	995	36	41	811	409	395	5	2	617	157	163	150	147	9
871	389	478	2	2	1,118	546	534	21	17	571	268	297	4	2	290	70	81	77	62	10
492	221	262	3	6	939	439	461	15	24	240	141	98	1	-	327	87	82	73	85	11
610	324	271	11	4	944	489	377	49	29	342	193	146	2	1	484	134	74	148	128	12
32	22	10	-	-	29	13	10	5	1	17	7	10	-	-	9	-	2	4	3	13
48	21	27	-	-	81	34	22	11	14	8	5	3	-	-	19	6	1	6	6	14
2	1	1	-	-	1	-	-	1	-	3	2	1	-	-	2	1	-	-	1	15
65	35	29	1	-	116	66	48	2	-	78	45	32	1	-	38	12	10	5	11	16
463	245	204	10	4	717	376	297	30	14	236	134	100	1	1	416	115	61	133	107	17
1,935	734	1,140	27	34	2,406	923	1,092	178	213	1,065	482	573	4	6	1,457	262	285	471	439	18
306	147	152	3	4	547	247	244	22	34	166	91	74	-	1	308	65	55	120	68	19
1,629	587	988	24	30	1,859	676	848	156	179	899	391	499	4	5	1,149	197	230	351	371	20
326	141	175	6	4	413	163	190	31	29	212	104	104	1	3	212	47	44	65	56	21
224	109	110	3	2	252	116	103	20	13	88	50	35	1	2	111	23	29	36	23	22
102	32	65	3	2	161	47	87	11	16	124	54	69	-	1	101	24	15	29	33	23
1,427	635	773	10	9	1,697	916	715	39	27	940	516	420	1	3	315	116	87	53	59	24
1,145	447	682	10	6	1,252	612	601	23	16	729	392	335	-	2	220	70	69	37	44	25
192	135	55	-	2	352	251	83	11	7	150	101	48	-	1	64	39	6	11	8	26
6	2	4	-	-	8	6	2	-	-	9	2	7	-	-	6	1	2	2	1	27
84	51	32	-	1	85	47	29	5	4	52	21	30	1	-	25	6	10	3	6	28
280	138	131	7	4	181	88	77	10	6	126	58	68	-	-	76	27	18	15	16	29
2,671	1,578	1,022	38	33	3,093	1,790	930	220	153	1,588	974	577	23	14	1,044	287	185	296	276	30
17	8	9	-	-	44	20	17	3	4	24	12	12	-	-	16	-	3	9	4	31
85	45	38	1	1	193	105	73	4	11	182	103	75	3	1	173	27	29	57	60	32
1,828	1,003	777	24	24	2,040	1,094	651	169	126	983	584	377	14	8	630	148	107	187	188	33
401	245	147	4	5	559	337	144	51	27	284	174	104	5	1	175	47	29	45	54	34
1,044	543	476	12	13	954	494	324	72	64	492	284	199	5	4	257	66	46	70	75	35
164	83	72	4	5	213	107	65	25	16	63	41	20	2	-	38	8	12	8	10	36
219	132	82	4	1	314	156	118	21	19	144	85	54	2	3	160	27	20	64	49	37
29	19	8	1	1	55	36	16	1	2	17	10	6	-	1	8	3	3	1	1	38
90	65	22	2	1	100	66	29	4	1	53	36	16	-	1	23	8	4	6	5	39
4	1	3	-	-	12	6	4	1	1	-	-	-	-	-	3	-	2	-	1	40
40	26	14	-	-	21	14	5	2	-	12	9	3	-	-	11	3	-	6	2	41
6	4	2	-	-	6	5	1	-	-	3	2	1	-	-	5	2	2	1	-	42
572	407	149	10	6	622	444	134	36	8	314	218	87	6	3	175	96	35	29	15	43
2,220	1,300	871	23	26	2,757	1,541	983	139	94	1,124	662	447	8	7	571	172	111	158	130	44
1	1	-	-	-	4	2	2	-	-	2	-	2	-	-	2	1	-	-	1	45
182	128	52	1	1	240	163	47	24	6	94	63	28	3	-	35	19	5	8	3	46
205	141	63	-	1	226	169	47	8	2	102	90	12	-	-	32	24	4	4	-	47
16	10	5	-	1	11	8	2	1	-	13	9	4	-	-	4	2	-	1	1	48
55	34	20	-	1	94	56	24	4	10	31	26	4	1	-	17	1	2	9	5	49
258	125	128	3	2	374	173	176	14	11	182	90	92	-	-	95	25	19	32	19	50
150	78	67	3	2	294	130	126	20	18	116	55	59	1	1	167	23	9	68	67	51
808	516	274	6	12	868	535	269	39	25	258	172	78	3	5	73	29	24	14	6	52
597	364	218	5	10	672	410	220	25	17	188	123	58	3	4	61	24	19	13	5	53
211	152	56	1	2	196	125	49	14	8	70	49	20	-	1	12	5	5	1	1	54
151	57	92	-	2	259	97	154	2	6	130	46	83	-	1	42	14	18	4	6	55
394	210	170	10	4	387	208	136	27	16	196	111	85	-	-	104	34	30	18	22	56
947	507	400	23	17	1,249	663	403	97	86	522	340	172	3	7	586	145	109	190	142	57
431	207	204	14	6	669	320	259	46	44	239	133	101	1	4	356	68	69	108	111	58
30	15	13	1	1	38	17	16	2	3	23	11	12	-	-	35	3	8	13	11	59
24	13	10	1	-	44	23	17	3	1	19	14	3	1	1	24	6	6	5	7	60
377	179	181	12	5	587	280	226	41	40	197	108	86	-	3	297	59	55	90	93	61
269	124	133	4	8	206	76	79	21	30	86	41	41	2	2	84	26	26	14	18	62
48	24	24	-	-	41	23	15	3	-	28	17	11	-	-	13	5	5	2	1	63
83	53	27	1	2	65	30	26	8	1	48	36	12	-	-	33	7	8	14	4	64
96	93	...	3	...	212	193	...	19	...	106	106	...	-	...	77	34	...	43	...	65
7	6	...	1	...	21	21	...	-	...	7	7	...	-	...	14	5	...	9	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
13	...	12	...	1	35	...	24	...	11	8	...	7	...	1	9	...	1	...	8	68
16	...	15	...	1	76	...	58	...	18	17	...	16	...	1	75	...	16	...	59	69
3	...	3	...	-	11	...	9	...	2	3	...	3	...	-	2	...	-	...	2	70
2	...	1	...	1	19	...	14	...	5	2	...	2	...	-	21	...	5	...	16	71
1	...	1	...	-	8	...	6	...	2	5	...	4	...	1	31	...	7	...	24	72
2	...	2	...	-	7	...	3	...	4	1	...	1	...	-	3	...	1	...	2	73
1	...	1	...	-	4	...	3	...	1	-	...	-	...	-	1	...	-	...	1	74
3	...	3	...	-	3	...	2	...	1	-	...	-	...	-	5	...	-	...	5	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	76
4	...	4	...	-	24	...	21	...	3	6	...	6	...	-	12	...	3	...	9	77

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	11	5	6	-	-	34	13	12	3	6
2	Infections of skin and subcutaneous tissue---690-698	5	3	2	-	-	13	6	1	3	3
3	Other diseases of skin and subcutaneous tissue---700-716	6	2	4	-	-	21	7	11	-	3
4	XIII. Diseases of the bones and organs of movement	14	6	8	-	-	40	15	20	2	3
5	Arthritis and spondylitis---720-725	8	3	5	-	-	17	5	10	1	1
6	Muscular rheumatism and rheumatism, unspecified---726,727	-	-	-	-	-	1	-	1	-	-
7	Osteomyelitis and periostitis---730	2	2	-	-	-	3	1	1	-	1
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	-	-	-	-	-	1	-	1	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	4	1	3	-	-	18	9	7	1	1
10	XIV. Congenital malformations	110	64	46	-	-	431	168	170	57	36
11	Spina bifida and meningocele---751	17	11	6	-	-	19	5	13	1	-
12	Congenital hydrocephalus, etc.*---752,753	10	8	2	-	-	53	19	22	5	7
13	Congenital malformations of circulatory system---754	44	21	23	-	-	222	88	79	34	21
14	Other congenital malformations---750,755-759	39	24	15	-	-	137	56	56	17	8
15	XV. Certain diseases of early infancy	346	191	152	1	2	1,279	458	336	269	216
16	Birth injuries---760,761	78	44	33	-	1	236	98	67	47	24
17	Postnatal asphyxia and atelectasis---762	112	65	46	1	-	284	102	86	59	37
18	Infections of newborn---763-768	14	8	6	-	-	109	37	16	31	25
19	Hemolytic disease of newborn (erythroblastosis)---770	8	2	6	-	-	54	30	14	4	6
20	All other defined diseases of early infancy---769,771,772	7	3	4	-	-	26	6	7	5	8
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	127	69	57	-	1	570	185	146	123	116
22	XVI. Symptoms, senility, and ill-defined conditions	63	28	35	-	-	108	39	41	16	10
23	Senility without mention of psychosis---794	47	21	26	-	-	21	8	9	2	2
24	Symptoms, ill-defined and unknown causes---780-793,795	16	7	9	-	-	87	31	32	16	8
25	XVII. Accidents, poisonings, and violence	619	442	172	4	1	1,863	948	432	349	134
26	Accidents---E800-E962	491	341	147	2	1	1,397	717	339	242	99
27	Railway accidents---E800-E802	7	7	-	-	-	11	7	2	2	-
28	Motor-vehicle accidents---E810-E835	151	114	36	1	-	526	298	110	84	34
29	Motor-vehicle traffic accidents---E810-E825	147	112	34	1	-	516	292	108	82	34
30	Motor-vehicle traffic accident with railway train*---E810	5	3	2	-	-	11	5	3	1	2
31	Motor-vehicle traffic accident to pedestrian---E812	51	35	16	-	-	142	78	22	24	18
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	32	25	7	-	-	199	114	54	26	5
33	Motor-vehicle noncollision traffic accidents---E820-E824	54	44	9	1	-	111	69	17	19	6
34	Motor-vehicle traffic accident of unspecified nature---E825	5	5	-	-	-	53	26	12	12	3
35	Motor-vehicle nontraffic accidents---E830-E835	4	2	2	-	-	10	6	2	2	-
36	Other road-vehicle accidents---E840-E845	-	-	-	-	-	4	4	-	-	-
37	Water-transport accidents---E850-E858	15	14	1	-	-	31	28	-	3	-
38	Aircraft accidents---E860-E866	9	7	2	-	-	9	8	-	-	1
39	Accidental poisoning by solid and liquid substances---E870-E888	5	3	1	-	1	23	9	5	6	3
40	Accidental poisoning by gases and vapors---E890-E895	6	5	1	-	-	16	7	3	4	2
41	Accidental falls---E900-E904	104	39	65	-	-	321	138	140	28	15
42	Fall from one level to another---E900-E902	37	20	17	-	-	152	78	49	18	7
43	Fall on same level---E903	22	6	16	-	-	44	16	23	3	2
44	Unspecified falls---E904	45	13	32	-	-	125	44	68	7	6
45	Blow from falling object---E910	9	9	-	-	-	12	8	-	4	-
46	Accident caused by machinery---E912	10	10	-	-	-	30	23	-	7	-
47	Accident caused by electric current---E914	-	-	-	-	-	9	8	-	1	-
48	Accident caused by fire and explosion, etc.*---E916	49	34	15	-	-	127	51	29	26	21
49	Accident caused by hot substance, etc.*---E917,E918	4	3	1	-	-	10	4	4	2	-
50	Accident caused by firearm---E919	19	16	3	-	-	17	13	3	1	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	15	6	9	-	-	45	14	10	11	10
52	Accidental drowning---E929	49	42	6	1	-	119	63	14	41	1
53	Excessive heat and insolation---E931	-	-	-	-	-	8	2	3	2	1
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	1	1	-	-	-	17	5	4	4	4
55	All other accidents---Residual[1]	38	31	7	-	-	62	27	12	16	7
56	Suicide---E963,E970-E979	110	90	19	1	-	301	198	76	19	8
57	Suicide by poisoning---E970-E973	21	17	4	-	-	82	44	33	2	3
58	Suicide by hanging and strangulation---E974	15	6	8	1	-	54	34	14	3	3
59	Suicide by firearms and explosives---E976	58	55	3	-	-	129	98	18	11	2
60	Suicide by all other means---E963,E975,E977-E979	16	12	4	-	-	36	22	11	3	-
61	Homicide---E964,E980-E985	18	11	6	1	-	165	33	17	88	27
62	Assault by firearms and explosives---E981	11	6	4	1	-	64	15	10	29	10
63	Assault by cutting and piercing instruments---E982	-	-	-	-	-	52	6	2	39	5
64	Assault by other means---E964,E980,E983	6	4	2	-	-	45	11	5	17	12
65	Injury by intervention of police---E984	1	1	-	-	-	4	1	-	3	-
66	Execution---E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
72	26	45	1	-	49	15	27	4	3	43	17	26	-	-	19	5	7	2	5	1
20	9	11	-	-	17	6	9	2	-	14	4	10	-	-	4	1	1	-	2	2
52	17	34	1	-	32	9	18	2	3	29	13	16	-	-	15	4	6	2	3	3
110	47	61	1	1	108	44	56	4	4	75	33	41	1	-	46	12	24	7	3	4
50	18	32	-	-	56	17	38	1	-	53	21	31	1	-	30	8	17	3	2	5
2	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	6
3	3	-	-	-	9	4	3	1	1	4	3	1	-	-	1	-	1	-	-	7
6	1	5	-	-	5	1	3	-	1	1	-	1	-	-	1	-	-	1	-	8
49	24	23	1	1	37	22	12	2	1	17	9	8	-	-	14	4	6	3	1	9
606	307	277	12	10	1,066	499	465	44	58	496	271	219	2	4	257	82	80	56	39	10
43	18	23	-	2	86	32	51	-	3	43	20	23	-	-	14	7	6	-	1	11
81	36	43	1	1	105	45	47	5	8	60	31	28	-	1	35	4	9	14	8	12
287	160	114	8	5	514	241	220	21	32	240	135	103	1	1	113	48	28	23	14	13
195	93	97	3	2	361	181	147	18	15	153	85	65	1	2	95	23	37	19	16	14
1,648	907	651	45	45	3,252	1,547	1,111	360	234	1,200	665	504	17	14	1,016	240	166	341	269	15
244	144	88	5	7	608	316	201	59	32	218	121	91	1	5	147	35	28	54	30	16
399	232	146	14	7	822	405	278	80	59	274	159	103	9	3	219	65	44	62	48	17
98	54	32	8	4	187	87	71	20	9	60	34	24	-	2	91	15	7	41	28	18
86	40	45	1	-	136	68	62	4	2	88	51	37	-	-	27	9	9	5	4	19
37	26	9	2	-	69	32	21	8	8	25	8	17	-	-	56	6	7	32	11	20
784	411	331	15	27	1,430	639	478	189	124	535	292	232	7	4	476	110	71	147	148	21
243	135	99	9	-	189	114	59	8	8	189	112	73	3	1	1,907	258	131	806	712	22
18	10	8	-	-	25	10	15	-	-	58	25	33	-	-	94	11	19	32	32	23
225	125	91	9	-	164	104	44	8	8	131	87	40	3	1	1,813	247	112	774	680	24
2,975	1,711	1,166	73	25	4,552	2,894	1,207	319	132	2,199	1,532	614	44	9	1,708	675	254	534	245	25
2,541	1,395	1,070	58	18	3,639	2,295	1,035	212	97	1,860	1,268	549	36	7	1,368	535	209	406	218	26
22	19	1	2	-	31	22	6	2	1	24	20	2	2	-	16	6	-	9	1	27
463	323	129	10	1	1,662	1,099	442	91	30	750	542	186	19	3	550	259	90	147	54	28
452	314	127	10	1	1,613	1,066	429	89	29	723	522	179	19	3	537	253	89	143	52	29
5	3	-	2	-	76	54	20	2	-	53	39	11	3	-	19	9	9	1	-	30
143	94	47	1	1	333	197	103	21	12	116	77	32	7	-	101	30	16	39	16	31
88	59	28	1	-	627	374	209	33	11	302	202	96	3	1	218	117	40	47	14	32
117	84	30	3	-	419	320	66	29	4	219	180	32	5	2	165	79	17	50	19	33
99	74	22	3	-	158	121	31	4	2	33	24	8	1	-	34	18	7	6	3	34
11	9	2	-	-	49	33	13	2	1	27	20	7	-	-	13	6	1	4	2	35
8	5	3	-	-	9	5	4	-	-	5	3	1	1	-	7	3	1	3	-	36
23	22	1	-	-	78	70	6	2	-	57	50	6	1	-	25	17	-	5	3	37
31	29	2	-	-	29	27	2	-	-	25	23	2	-	-	21	20	1	-	-	38
28	14	11	3	-	43	27	7	6	3	19	6	11	2	-	13	1	2	7	3	39
33	18	14	1	-	63	44	12	5	2	35	24	6	4	1	6	4	1	1	-	40
1,180	475	690	9	6	761	375	356	16	14	440	210	226	3	1	130	38	54	19	19	41
182	95	84	3	-	223	143	67	8	5	146	91	53	2	-	31	12	7	7	5	42
108	51	54	1	2	94	54	39	1	-	116	49	66	1	-	14	4	5	2	3	43
890	329	552	5	4	444	178	250	7	9	178	70	107	-	1	85	22	42	10	11	44
6	4	1	-	1	33	29	1	3	-	21	19	2	-	-	25	12	2	10	1	45
16	12	3	1	-	73	66	2	5	-	65	62	3	-	-	23	10	1	10	2	46
12	11	1	-	-	37	33	3	1	-	16	15	1	-	-	23	17	1	4	1	47
141	70	55	12	4	226	108	61	34	23	72	44	26	2	-	126	21	10	34	61	48
37	19	16	-	2	27	12	10	2	3	14	8	6	-	-	22	3	6	6	7	49
19	12	4	3	-	55	48	5	1	1	43	39	4	-	-	85	37	9	28	11	50
51	42	9	-	-	96	51	30	6	9	41	28	12	1	-	44	9	6	16	13	51
114	87	18	7	2	211	157	32	21	1	92	78	14	-	-	96	37	3	51	5	52
2	2	-	-	-	5	4	1	-	-	8	5	3	-	-	2	1	-	1	-	53
46	26	16	3	1	17	6	7	1	3	14	6	8	-	-	23	3	5	6	9	54
309	205	96	7	1	183	112	48	16	7	119	86	30	1	2	131	37	17	49	28	55
372	280	84	7	1	683	525	139	13	6	292	240	49	3	-	154	106	31	16	1	56
82	60	22	-	-	146	90	53	2	1	47	32	15	-	-	16	5	10	1	-	57
131	94	34	3	-	160	122	33	3	2	79	63	16	-	-	11	9	1	1	-	58
92	80	9	3	-	297	260	30	6	1	128	118	8	2	-	121	89	18	13	1	59
67	46	19	1	1	80	53	23	2	2	38	27	10	1	-	6	3	2	1	-	60
61	35	12	8	6	228	72	33	94	29	47	24	16	5	2	186	34	14	112	26	61
24	16	4	2	2	94	29	10	40	15	29	15	9	4	1	110	27	9	63	11	62
15	7	2	4	2	62	11	4	40	7	2	-	2	-	-	47	3	3	28	13	63
21	11	6	2	2	68	29	19	13	7	14	7	5	1	1	23	3	2	16	2	64
-	-	-	-	-	4	3	-	1	-	2	2	-	-	-	4	1	-	3	-	65
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	66
1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	67

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	47,386	24,172	18,535	2,512	2,167	6,475	3,951	2,245	160	119
2	I. Infective and parasitic diseases	698	398	170	80	50	114	70	24	7	13
3	Tuberculosis, all forms 001-019	394	248	78	44	24	66	47	6	4	9
4	Tuberculosis of respiratory system 001-008	370	236	73	39	22	58	42	4	4	8
5	Tuberculosis of meninges and central nervous system 010	5	2	2	1	-	1	-	-	-	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	-	-	-	-	-	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	5	3	2	-	-	1	1	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	1	-	-	-	1	3	2	1	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	1	-	1	-	-	-	-	-	-	-
11	Disseminated tuberculosis 019	12	7	-	4	1	3	2	1	-	-
12	Syphilis and its sequelae 020-029	122	63	22	23	14	16	10	5	-	1
13	Congenital syphilis 020	-	-	-	-	-	-	-	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	45	23	10	7	5	12	8	4	-	-
16	Other cardiovascular syphilis 023	46	17	6	14	9	1	-	1	-	-
17	Tabes dorsalis 024	1	1	-	-	-	-	-	-	-	-
18	General paralysis of insane 025	18	14	4	-	-	-	-	-	-	-
19	Other syphilis of central nervous system 026	10	7	2	1	-	1	-	-	-	1
20	Other syphilis 027-029	2	1	-	1	-	2	2	-	-	-
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	2	1	-	1	-	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	10	5	5	-	-	2	-	2	-	-
28	Food poisoning (infection and intoxication) 049	1	1	-	-	-	-	-	-	-	-
29	Scarlet fever 050	1	1	-	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	13	7	4	1	1	-	-	-	-	-
31	Erysipelas 052	2	-	2	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	42	20	13	6	3	11	6	5	-	-
33	Diphtheria 055	-	-	-	-	-	1	1	-	-	-
34	Whooping cough 056	-	-	-	-	-	2	-	-	-	2
35	Meningococcal infections 057	13	5	5	2	1	3	2	1	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	8	5	2	1	-	-	-	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	8	4	3	-	1	1	-	-	1	-
42	Late effects of acute poliomyelitis 081	2	2	-	-	-	3	2	1	-	-
43	Acute infectious encephalitis 082	14	10	4	-	-	2	1	1	-	-
44	Late effects of acute infectious encephalitis 083	3	-	3	-	-	-	-	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	8	4	4	-	-	3	-	-	2	1
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	26	13	12	-	1	2	1	1	-	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	1	-	-	-	1	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	28	9	13	2	4	2	-	2	-	-
61	II. Neoplasms	7,307	3,459	3,253	319	276	883	510	351	12	10
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	7,203	3,422	3,208	313	260	864	499	343	12	10
63	Malignant neoplasm of buccal cavity and pharynx 140-148	179	142	23	11	3	12	10	2	-	-
64	Of lip 140	10	10	-	-	-	4	4	-	-	-
65	Of tongue 141	45	34	5	4	2	3	3	-	-	-
66	Of other and unspecified parts of buccal cavity 142-144	56	41	11	3	1	4	3	1	-	-
67	Of pharynx 145-148	68	57	7	4	-	1	-	1	-	-
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	2,462	1,193	1,087	118	64	315	182	122	7	4
69	Of esophagus 150	117	73	20	20	4	8	5	1	2	-
70	Of stomach 151	559	286	210	45	18	100	62	35	1	2
71	Of intestine, except rectum 152,153	786	347	406	15	18	86	41	43	1	1
72	Of rectum 154	269	135	119	8	7	32	24	8	-	-
73	Of biliary passages and of liver (stated to be primary site) 155	195	82	107	6	-	19	5	13	1	-
74	Of liver not specified whether primary or secondary 156A	151	70	69	5	7	17	10	7	-	-
75	Of pancreas 157	344	180	139	15	10	49	32	15	2	-
76	Of peritoneum and of unspecified digestive organs 158,159	41	20	17	4	-	4	3	-	-	1
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	976	740	149	74	13	121	109	10	1	1
78	Of larynx 161	61	50	3	7	1	3	2	-	-	1
79	Of trachea, and of bronchus and lung specified as primary 162	391	301	56	28	6	44	41	3	-	-
80	Of lung and bronchus, unspecified as primary or secondary 163	491	373	78	36	4	69	62	6	1	-
81	Of other parts of respiratory system 160,164	33	16	12	3	2	5	4	1	-	-
82	Malignant neoplasm of breast 170	630	8	575	3	44	63	1	62	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13,807	7,857	5,593	205	152	2,131	1,350	604	102	75	6,674	3,670	2,994	5	5	57,520	29,275	23,498	2,572	2,175	1
149	87	47	9	6	44	30	3	9	2	48	25	23	-	-	792	441	169	122	60	2
74	48	16	6	4	25	20	1	3	1	18	10	8	-	-	531	320	84	87	40	3
65	44	13	5	3	25	20	1	3	1	16	9	7	-	-	503	308	77	82	36	4
3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	8	2	1	3	2	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	1	1	2	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	9
3	1	2	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	10
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	8	5	2	1	-	11
14	8	3	2	1	9	3	1	4	1	8	4	4	-	-	97	50	15	23	9	12
1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
3	2	1	-	-	3	2	1	-	-	4	2	2	-	-	36	22	8	5	1	15
9	4	2	2	1	1	-	-	1	-	3	2	1	-	-	27	12	3	8	4	16
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	5	2	-	3	-	17
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	14	10	2	1	1	18
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	10	3	1	3	3	19
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	4	1	-	3	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	5	4	1	-	-	27
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	28
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	30
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	31
7	4	3	-	-	2	1	-	1	-	4	3	1	-	-	33	18	13	2	-	32
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	3	3	-	-	-	34
5	2	2	1	-	1	1	-	-	-	4	1	3	-	-	19	8	5	2	4	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	39
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	40
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
4	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	42
10	8	1	-	1	-	-	-	-	-	-	-	-	-	-	20	8	10	1	1	43
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	2	2	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	1	1	-	-	1	1	-	-	-	1	1	-	-	-	9	2	6	-	1	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
12	4	8	-	-	1	-	1	-	-	3	1	2	-	-	24	8	13	2	1	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	59
9	6	3	-	-	2	2	-	-	-	4	2	2	-	-	36	16	14	3	3	60
2,288	1,205	1,036	30	17	301	165	120	6	10	1,081	545	536	-	-	10,642	5,344	4,657	329	312	61
2,257	1,190	1,022	29	16	289	160	113	6	10	1,067	539	528	-	-	10,477	5,275	4,585	319	298	62
39	33	4	2	-	9	7	2	-	-	32	23	9	-	-	234	181	36	14	3	63
3	2	-	1	-	1	1	-	-	-	1	1	-	-	-	12	11	1	-	-	64
7	5	1	1	-	2	2	-	-	-	7	4	3	-	-	66	48	12	5	1	65
16	14	2	-	-	2	-	2	-	-	13	10	3	-	-	66	49	13	3	1	66
13	12	1	-	-	4	4	-	-	-	11	8	3	-	-	90	73	10	6	1	67
819	447	357	12	3	94	50	37	3	4	404	204	200	-	-	3,922	2,022	1,671	134	95	68
23	14	7	2	-	1	1	-	-	-	19	16	3	-	-	207	132	43	26	6	69
218	141	73	4	-	25	13	8	3	1	103	54	49	-	-	913	525	314	47	27	70
280	128	149	2	1	29	13	15	-	1	131	52	79	-	-	1,296	577	670	23	26	71
81	51	28	-	2	16	8	8	-	-	60	35	25	-	-	563	320	225	9	9	72
82	32	49	1	-	3	2	-	-	1	13	3	10	-	-	202	71	122	3	6	73
6	2	2	2	-	4	3	-	-	1	17	5	12	-	-	171	91	72	6	2	74
114	70	43	1	-	16	10	6	-	-	59	38	21	-	-	472	266	179	14	13	75
15	9	6	-	-	-	-	-	-	-	2	1	1	-	-	98	40	46	6	6	76
257	216	31	8	2	50	43	7	-	-	138	123	15	-	-	1,472	1,229	172	60	11	77
15	13	2	-	-	2	2	-	-	-	7	7	-	-	-	96	88	1	7	-	78
213	181	23	8	1	19	19	-	-	-	32	26	6	-	-	497	423	50	20	4	79
19	17	2	-	-	26	20	6	-	-	92	84	8	-	-	855	706	112	33	4	80
10	5	4	-	1	3	2	1	-	-	7	6	1	-	-	24	12	9	-	3	81
213	3	207	-	3	25	-	25	-	-	107	1	106	-	-	1,015	7	951	4	53	82

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	1,176	392	653	43	88	136	69	63	1	3
2	Of cervix uteri----------171	253	...	210	...	43	25	...	22	...	3
3	Of other and unspecified parts of uterus----------172-174	209	...	181	...	28	18	...	18	...	-
4	Of ovary, fallopian tube, and broad ligament----------175	254	...	237	...	17	22	...	22	...	-
5	Of other and unspecified female genital organs----------176	25	...	25	...	-	1	..	1	...	-
6	Of prostate----------177	412	370	...	42	...	62	62	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	23	22	...	1	...	8	7	...	1	...
8	Malignant neoplasm of urinary organs----------180,181	358	223	113	16	6	44	27	16	-	1
9	Of kidney----------180	138	90	43	4	1	18	9	9	-	-
10	Of bladder and other urinary organs----------181	220	133	70	12	5	26	18	7	-	1
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	776	387	340	25	24	87	43	41	2	1
12	Of skin----------190,191	100	48	48	1	3	11	7	4	-	-
13	Of eye----------192	15	8	5	1	1	1	-	1	-	-
14	Of brain and other parts of nervous system----------193	145	77	62	4	2	17	10	6	1	-
15	Of thyroid gland----------194	26	9	17	-	-	1	1	-	-	-
16	Of bone (including jaw bone)----------196	54	31	18	2	3	6	4	2	-	-
17	Of connective tissue----------197	27	12	13	1	1	3	1	2	-	-
18	Of other specified sites, not stated to be secondary----195,198A,199A	104	52	47	4	1	16	5	10	1	-
19	Of unspecified sites----------156B,165,198B,199B-M	305	150	130	12	13	32	15	16	-	1
20	Leukemia and aleukemia----------204	331	168	142	13	8	48	31	16	1	-
21	Lymphosarcoma, etc.*----------200-203,205	315	169	126	10	10	38	27	11	-	-
22	Lymphosarcoma and reticulosarcoma----------200	147	79	55	8	5	7	5	2	-	-
23	Hodgkin's disease----------201	74	45	26	2	1	15	10	5	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	94	45	45	-	4	16	12	4	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	104	37	45	6	16	19	11	8	-	-
26	Benign neoplasms of female genital organs----------214-217	24	...	13	...	11	-	...	-	..	-
27	Benign neoplasm of brain and other parts of nervous system---------223	26	9	13	2	2	2	-	2	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	19	10	5	3	1	1	1	-	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	1	...	1	...	-	1	...	1	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	19	9	8	1	1	12	8	4	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	15	9	5	-	1	3	2	1	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1,068	443	514	54	57	151	66	80	3	2
33	Asthma----------241	203	132	48	18	5	25	17	7	1	-
34	Nontoxic goiter----------250,251	3	1	-	-	2	2	-	2	-	-
35	Thyrotoxicosis with or without goiter----------252	22	6	15	1	-	2	-	2	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	7	1	6	-	-	1	-	1	-	-
37	Diabetes mellitus----------260	762	273	417	27	45	112	42	66	2	2
38	Diseases of thymus gland----------273	5	1	1	1	2	1	1	-	-	-
39	Diseases of adrenal glands----------274	14	6	7	1	-	2	2	-	-	-
40	Pellagra----------281	1	-	1	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	27	9	11	5	2	3	2	1	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	24	14	8	1	1	3	2	1	-	-
43	IV. Diseases of the blood and blood-forming organs----------	171	71	87	6	7	14	10	4	-	-
44	Anemias----------290-293	112	38	62	5	7	4	4	-	-	-
45	Pernicious and other hyperchromic anemias----------290	36	11	25	-	-	1	1	-	-	-
46	Anemias of other and unspecified type----------291-293	76	27	37	5	7	3	3	-	-	-
47	Purpura and other hemorrhagic conditions----------296	22	8	14	-	-	2	2	-	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	37	25	11	1	-	8	4	4	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	87	50	25	9	3	25	18	5	2	-
50	Senile psychosis----------304	13	7	6	-	-	2	1	1	-	-
51	Alcoholic psychosis----------307	8	5	1	2	-	1	-	-	1	-
52	Other psychoses----------300-303,305,306,308,309	15	6	9	-	-	-	-	-	-	-
53	Alcoholism----------322	48	30	8	7	3	22	17	4	1	-
54	Mental deficiency----------325	2	2	-	-	-	-	-	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	1	-	1	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----------	6,522	2,915	2,971	264	372	731	380	332	12	7
57	Vascular lesions affecting central nervous system----------330-334	6,144	2,743	2,804	241	356	690	361	314	9	6
58	Subarachnoid hemorrhage----------330	127	52	61	4	10	10	5	3	2	-
59	Cerebral hemorrhage----------331	3,574	1,600	1,659	129	186	490	253	228	4	5
60	Cerebral embolism and thrombosis----------332	1,701	762	753	75	111	131	70	58	3	-
61	Other vascular lesions affecting central nervous system--------333,334	742	329	331	33	49	59	33	25	-	1
62	Meningitis, except meningococcal and tuberculous----------340	46	18	14	6	8	2	1	-	1	-
63	Multiple sclerosis----------345	34	17	16	1	-	3	-	3	-	-
64	Paralysis agitans----------350	87	45	41	1	-	8	5	3	-	-
65	Cerebral spastic infantile paralysis----------351	22	9	11	2	-	1	-	1	-	-
66	Epilepsy----------353	66	33	24	7	2	10	6	4	-	-
67	Inflammatory diseases of eye----------370-379	1	1	-	-	-	-	-	-	-	-
68	Cataract----------385	1	-	1	-	-	-	-	-	-	-
69	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	8	2	5	1	-	1	-	1	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	113	47	55	5	6	16	7	6	2	1
72	VII. Diseases of the circulatory system----------	20,076	10,637	7,862	808	769	2,527	1,613	866	30	18
73	Rheumatic fever----------400-402	35	10	16	3	6	1	-	1	-	-
74	Diseases of heart----------410-443	18,255	9,824	7,032	715	684	2,241	1,441	757	28	15
75	Chronic rheumatic heart disease----------410-416	588	249	289	21	29	82	38	44	-	-
76	Diseases of mitral valve----------410	263	104	134	10	15	34	15	19	-	-
77	Diseases of aortic valve specified as rheumatic----------411	38	24	12	2	-	16	13	3	-	-
78	Diseases of tricuspid valve----------412	2	1	1	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	24	11	12	-	1	6	3	3	-	-
80	Other diseases of heart specified as rheumatic----------415,416	261	109	130	9	13	26	7	19	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
342	153	183	3	3	42	17	20	1	4	162	68	94	-	-	1,435	483	823	39	90	1
51	...	50	...	1	11	...	8	...	3	29	...	29	...	-	247	...	206	...	41	2
36	...	34	...	2	5	...	4	...	1	30	...	30	...	-	289	...	262	...	27	3
91	...	91	...	-	8	...	8	...	-	32	...	32	...	-	338	...	317	...	21	4
8	...	8	...	-	-	...	-	...	-	3	...	3	...	-	39	...	38	...	1	5
149	146	...	3	...	17	16	...	1	...	63	63	...	-	...	493	455	...	38	...	6
7	7	...	-	...	1	1	...	-	...	5	5	...	-	...	29	28	...	1	...	7
113	66	45	-	2	15	8	6	1	-	51	32	19	-	-	545	362	171	10	2	8
52	26	25	-	1	4	3	1	-	-	21	14	7	-	-	169	98	69	2	-	9
61	40	20	-	1	11	5	5	1	-	30	18	12	-	-	376	264	102	8	2	10
225	130	92	1	2	34	24	9	-	1	95	45	50	-	-	1,015	531	423	33	28	11
32	18	14	-	-	7	6	1	-	-	10	3	7	-	-	129	79	48	-	2	12
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	10	3	7	-	-	13
71	49	22	-	-	6	3	3	-	-	23	12	11	-	-	242	136	96	6	4	14
11	5	6	-	-	1	-	1	-	-	4	2	2	-	-	44	17	26	1	-	15
17	9	8	-	-	1	1	-	-	-	7	3	4	-	-	96	57	29	6	4	16
16	10	6	-	-	-	-	-	-	-	3	2	1	-	-	37	18	14	4	1	17
20	7	12	-	1	1	1	-	-	-	15	6	9	-	-	110	52	49	5	4	18
56	30	24	1	1	18	13	4	-	1	32	16	16	-	-	347	169	154	11	13	19
114	66	46	1	1	10	5	4	1	-	36	20	16	-	-	397	221	159	12	5	20
135	76	57	2	-	10	6	3	-	1	42	23	19	-	-	442	239	179	13	11	21
63	39	24	-	-	2	1	1	-	-	24	12	12	-	-	213	123	75	8	7	22
41	21	18	2	-	5	3	2	-	-	10	5	5	-	-	117	61	55	1	-	23
31	16	15	-	-	3	2	-	-	1	8	6	2	-	-	112	55	49	4	4	24
31	15	14	1	1	12	5	7	-	-	14	6	8	-	-	165	69	72	10	14	25
5	...	4	...	1	1	...	1	...	-	-	...	-	...	-	28	...	23	...	5	26
9	4	5	-	-	1	-	1	-	-	3	-	3	-	-	35	12	17	4	2	27
6	4	2	-	-	-	-	-	-	-	5	3	2	-	-	26	15	7	1	3	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	29
7	4	2	1	-	7	2	5	-	-	3	-	3	-	-	50	30	14	4	2	30
4	3	1	-	-	3	3	-	-	-	3	3	-	-	-	25	12	10	1	2	31
363	189	167	4	3	44	25	15	2	2	169	87	82	-	-	1,463	525	809	36	93	32
71	57	12	2	-	10	8	2	-	-	32	26	6	-	-	173	96	54	12	11	33
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	3	1	2	-	-	34
9	2	7	-	-	-	-	-	-	-	2	-	2	-	-	21	4	14	-	3	35
1	-	1	-	-	-	-	-	-	-	4	1	3	-	-	8	1	6	-	1	36
259	120	135	1	3	26	12	10	2	2	121	57	64	-	-	1,187	388	705	20	74	37
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	17	9	8	-	-	38
1	-	1	-	-	1	-	1	-	-	1	1	-	-	-	11	6	4	1	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	40
9	3	5	1	-	3	2	1	-	-	4	-	4	-	-	16	10	3	1	2	41
11	6	5	-	-	4	3	1	-	-	4	2	2	-	-	26	10	12	2	2	42
47	25	22	-	-	4	3	1	-	-	16	8	8	-	-	144	62	63	12	7	43
33	17	16	-	-	2	2	-	-	-	10	6	4	-	-	81	30	38	8	5	44
19	10	9	-	-	-	-	-	-	-	6	3	3	-	-	20	8	12	-	-	45
14	7	7	-	-	2	2	-	-	-	4	3	1	-	-	61	22	26	8	5	46
5	2	3	-	-	-	-	-	-	-	2	1	1	-	-	24	10	12	-	2	47
9	6	3	-	-	2	1	1	-	-	4	1	3	-	-	39	22	13	4	-	48
39	30	5	2	2	14	7	5	2	-	16	9	7	-	-	110	65	28	15	2	49
8	5	3	-	-	-	-	-	-	-	1	-	1	-	-	3	1	2	-	-	50
3	3	-	-	-	1	-	1	-	-	1	1	-	-	-	26	21	-	5	-	51
5	1	1	1	2	-	-	-	-	-	4	1	3	-	-	17	7	8	1	1	52
20	19	-	1	-	13	7	4	2	-	9	7	2	-	-	48	31	9	7	1	53
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	10	4	6	-	-	54
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	6	1	3	2	-	55
1,965	959	967	17	22	202	114	79	6	3	879	410	469	-	-	5,707	2,409	2,830	211	257	56
1,833	889	907	16	21	188	104	75	6	3	832	390	442	-	-	5,246	2,192	2,641	178	235	57
34	17	16	1	-	4	2	2	-	-	24	8	16	-	-	169	78	71	7	13	58
1,111	539	554	5	13	122	63	51	6	2	486	228	258	-	-	3,013	1,241	1,512	109	151	59
511	246	250	8	7	40	24	16	-	-	264	129	135	-	-	1,639	701	847	44	47	60
177	87	87	2	1	22	15	6	-	1	58	25	33	-	-	425	172	211	18	24	61
12	4	8	-	-	5	3	2	-	-	6	3	3	-	-	73	29	23	9	12	62
13	5	8	-	-	1	-	1	-	-	3	1	2	-	-	64	29	35	-	-	63
25	16	9	-	-	-	-	-	-	-	15	7	8	-	-	109	52	55	1	1	64
15	10	5	-	-	2	2	-	-	-	-	-	-	-	-	6	1	4	-	1	65
23	12	11	-	-	2	2	-	-	-	13	4	9	-	-	58	25	18	13	2	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
8	3	4	-	1	-	-	-	-	-	1	1	-	-	-	7	5	2	-	-	70
36	20	15	1	-	4	3	1	-	-	9	4	5	-	-	141	74	51	10	6	71
5,706	3,364	2,231	60	51	737	523	177	19	18	3,018	1,702	1,311	3	2	26,670	14,098	10,889	859	824	72
12	6	6	-	-	-	-	-	-	-	1	1	-	-	-	30	11	12	3	4	73
5,169	3,081	1,986	56	46	683	492	157	17	17	2,682	1,547	1,132	3	-	24,834	13,239	10,053	791	751	74
162	98	61	1	2	19	12	6	-	1	79	32	47	-	-	839	368	412	28	31	75
78	42	35	1	-	2	2	-	-	-	31	10	21	-	-	243	101	128	8	6	76
19	15	4	-	-	2	1	1	-	-	7	3	4	-	-	77	52	20	3	2	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	78
14	7	5	-	2	3	2	1	-	-	4	2	2	-	-	41	15	24	-	2	79
51	34	17	-	-	12	7	4	-	1	37	17	20	-	-	476	200	239	16	21	80

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	12,457	7,378	4,431	357	291	1,539	1,069	443	18	9
2	Arteriosclerotic heart disease so described----------420.0	5,117	2,672	2,147	154	144	453	286	159	6	2
3	Heart disease specified as involving coronary arteries----------420.1	7,308	4,680	2,279	202	147	1,084	781	284	12	7
4	Angina pectoris without mention of coronary disease----------420.2	32	26	5	1	-	2	2	-	-	-
5	Chronic endocarditis not specified as rheumatic----------421	259	128	103	18	10	20	12	8	-	-
6	Of mitral valve, specified as nonrheumatic----------421.0	24	11	10	2	1	3	2	1	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	79	46	23	8	2	11	8	3	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	156	71	70	8	7	6	2	4	-	-
9	Other myocardial degeneration----------422	2,044	931	987	63	63	221	131	86	2	2
10	With arteriosclerosis----------422.1	1,165	526	570	36	33	81	49	31	-	1
11	Without mention of arteriosclerosis----------422.0,422.2	879	405	417	27	30	140	82	55	2	1
12	Other diseases of heart----------430-434	653	317	214	76	46	161	100	53	8	-
13	Acute and subacute endocarditis----------430	31	21	8	1	1	3	1	2	-	-
14	Acute myocarditis not specified as rheumatic----------431	30	15	13	1	1	6	3	3	-	-
15	Acute pericarditis specified as nonrheumatic----------432	1	1	-	-	-	-	-	-	-	-
16	Functional disease of heart----------433	88	42	43	1	2	9	5	4	-	-
17	Other and unspecified diseases of heart----------434	503	238	150	73	42	143	91	44	8	-
18	Hypertension with heart disease----------440-443	2,254	821	1,008	180	245	218	91	123	-	4
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	718	327	308	35	48	67	30	36	-	1
20	Essential hypertension with heart disease, etc.*----------440,441,443	1,536	494	700	145	197	151	61	87	-	3
21	Hypertension without mention of heart----------444-447	334	130	142	31	31	33	20	13	-	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	212	98	72	22	20	11	7	4	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	122	32	70	9	11	22	13	9	-	-
24	Diseases of arteries----------450-456	1,295	600	605	51	39	221	135	81	2	3
25	General arteriosclerosis----------450	1,071	468	537	35	31	177	105	68	1	3
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	164	106	41	12	5	25	20	5	-	-
27	Gangrene of unspecified cause----------455	5	1	3	1	-	3	3	-	-	-
28	Other arterial diseases----------452-454,456	55	25	24	3	3	16	7	8	1	-
29	Diseases of veins and other diseases of circulatory system--------460-468	157	73	67	8	9	31	17	14	-	-
30	VIII. Diseases of the respiratory system----------	2,442	1,265	814	203	160	395	255	105	20	15
31	Acute upper respiratory infections----------470-475	26	9	12	4	1	5	3	1	1	-
32	Influenza----------480-483	260	128	112	7	13	24	14	8	-	2
33	Pneumonia, except pneumonia of newborn----------490-493	1,553	742	558	149	104	258	149	81	16	12
34	Lobar pneumonia----------490	480	229	155	60	36	52	28	18	5	1
35	Bronchopneumonia----------491	746	345	280	69	52	127	77	38	5	7
36	Primary atypical pneumonia----------492	128	57	59	8	4	12	8	4	-	-
37	Pneumonia, other and unspecified----------493	199	111	64	12	12	67	36	21	6	4
38	Acute bronchitis----------500	34	13	15	2	4	6	3	2	1	-
39	Bronchitis, chronic and unqualified----------501,502	93	59	24	6	4	13	9	3	-	1
40	Hypertrophy of tonsils and adenoids----------510	8	3	4	-	1	-	-	-	-	-
41	Empyema and abscess of lung----------518,521	31	18	2	8	3	4	3	1	-	-
42	Pleurisy----------519	4	1	-	1	2	1	1	-	-	-
43	All other respiratory diseases----------Residual[1]	433	292	87	26	28	84	73	9	2	-
44	IX. Diseases of the digestive system----------	1,685	928	561	112	84	267	151	100	4	12
45	Diseases of teeth and supporting structures----------530-535	8	4	3	-	1	-	-	-	-	-
46	Ulcer of stomach----------540	143	93	36	9	5	21	17	4	-	-
47	Ulcer of duodenum----------541	152	114	29	7	2	20	19	1	-	-
48	Gastritis and duodenitis----------543	10	6	4	-	-	3	1	2	-	-
49	Appendicitis----------550-553	58	25	22	5	6	6	4	2	-	-
50	Hernia and intestinal obstruction----------560,561,570	251	120	113	11	7	39	21	17	-	1
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	156	61	64	17	14	28	11	13	2	2
52	Cirrhosis of liver----------581	510	325	117	37	31	70	40	25	1	4
53	Without mention of alcoholism----------581.0	380	235	102	24	19	61	35	23	1	2
54	With alcoholism----------581.1	130	90	15	13	12	9	5	2	-	2
55	Cholelithiasis and cholecystitis----------584,585	137	51	80	3	3	31	12	16	-	3
56	Other diseases of digestive system----------Residual[1]	260	129	93	23	15	49	26	20	1	2
57	X. Diseases of the genito-urinary system----------	1,160	605	378	111	66	109	65	38	3	3
58	Nephritis and nephrosis----------590-594	642	290	260	50	42	65	34	28	3	-
59	Acute nephritis----------590	26	11	11	2	2	2	1	1	-	-
60	Nephritis with edema, including nephrosis----------591	41	18	18	2	3	3	3	-	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	575	261	231	46	37	60	30	27	3	-
62	Infections of kidney----------600	197	93	70	19	15	16	9	6	-	1
63	Calculi of urinary system----------602,604	43	23	15	3	2	2	1	-	-	1
64	Other diseases of urinary system----------601,603,605-609	59	31	19	8	1	7	5	2	-	-
65	Hyperplasia of prostate----------610	183	156	...	27	...	14	14	...	-	...
66	Other diseases of male genital organs----------611-617	16	12	...	4	...	2	2	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	20	...	14	...	6	3	...	2	...	1
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	30	...	21	...	9	6	...	5	...	1
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	-	...	-	...	-	-	...	-	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	8	...	7	...	1	1	...	-	...	1
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	8	...	5	...	3	3	...	3	...	-
73	Ectopic pregnancy----------645	1	...	1	...	-	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	1	...	-	...	1	-	...	-	...	-
75	Abortion with sepsis----------651	1	...	1	...	-	1	...	1	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	11	...	7	...	4	1	...	1	...	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,643	2,305	1,272	40	26	518	397	99	13	9	2,076	1,261	812	3	-	17,770	10,137	6,694	531	408	1
1,095	610	449	20	16	161	117	37	3	4	956	513	442	1	-	9,217	4,651	4,099	237	230	2
2,541	1,690	821	20	10	356	280	61	10	5	1,114	745	367	2	-	8,542	5,482	2,588	294	178	3
7	5	2	-	-	1	-	1	-	-	6	3	3	-	-	11	4	7	-	-	4
75	32	43	-	-	7	5	2	-	-	44	24	20	-	-	181	85	76	6	14	5
5	1	4	-	-	-	-	-	-	-	13	9	4	-	-	7	-	5	1	1	6
18	10	8	-	-	3	3	-	-	-	15	7	8	-	-	78	40	29	3	6	7
52	21	31	-	-	4	2	2	-	-	16	8	8	-	-	96	45	42	2	7	8
585	290	286	5	4	67	46	20	-	1	152	74	78	-	-	3,222	1,535	1,484	100	103	9
346	176	166	3	1	36	23	13	-	-	96	47	49	-	-	1,953	855	968	63	67	10
239	114	120	2	3	31	23	7	-	1	56	27	29	-	-	1,269	680	516	37	36	11
225	143	75	5	2	24	13	8	2	1	65	42	23	-	-	400	195	169	13	23	12
4	2	2	-	-	1	1	-	-	-	2	1	1	-	-	18	7	6	3	2	13
4	1	2	-	1	1	-	1	-	-	4	1	3	-	-	43	23	17	1	2	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	15
32	17	14	1	-	2	-	1	1	-	9	5	4	-	-	64	32	29	1	2	16
185	123	57	4	1	20	12	6	1	1	50	35	15	-	-	273	133	115	8	17	17
479	213	249	5	12	48	19	22	2	5	266	114	152	-	-	2,422	919	1,218	113	172	18
202	106	89	2	5	17	10	5	-	2	69	33	36	-	-	588	266	259	26	37	19
277	107	160	3	7	31	9	17	2	3	197	81	116	-	-	1,834	653	959	87	135	20
53	22	30	1	-	15	10	4	1	-	37	17	20	-	-	337	144	144	19	30	21
25	12	12	1	-	10	8	1	1	-	24	9	15	-	-	234	103	101	12	18	22
28	10	18	-	-	5	2	3	-	-	13	8	5	-	-	103	41	43	7	12	23
433	235	190	3	5	34	18	15	-	1	268	122	144	-	2	1,306	638	602	37	29	24
338	167	165	2	4	30	15	14	-	1	217	94	122	-	1	961	417	500	22	22	25
75	56	17	1	1	4	3	1	-	-	38	23	15	-	-	265	179	69	12	5	26
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	3	1	-	27
19	11	8	-	-	-	-	-	-	-	13	5	7	-	1	75	41	30	2	2	28
39	20	19	-	-	5	3	1	1	-	30	15	15	-	-	163	66	78	9	10	29
698	408	259	17	14	107	68	28	6	5	321	197	121	1	2	2,489	1,312	846	204	127	30
9	6	3	-	-	2	-	2	-	-	6	2	4	-	-	22	10	7	-	5	31
97	54	40	2	1	6	3	2	1	-	21	11	10	-	-	128	51	55	13	9	32
427	225	181	10	11	58	30	20	3	5	190	103	85	-	2	1,700	804	649	148	99	33
96	52	41	2	1	19	10	6	2	1	50	27	22	-	1	409	203	134	50	22	34
215	116	89	4	6	21	10	9	1	1	89	44	45	-	-	1,128	512	464	84	68	35
53	30	22	-	1	4	2	2	-	-	25	14	10	-	1	130	67	45	12	6	36
63	27	29	4	3	14	8	3	-	3	26	18	8	-	-	33	22	6	2	3	37
11	6	5	-	-	3	1	1	1	-	5	3	2	-	-	37	19	11	4	3	38
18	12	5	1	-	3	3	-	-	-	13	10	3	-	-	70	38	20	10	2	39
7	4	2	-	1	1	-	1	-	-	2	2	-	-	-	5	4	1	-	-	40
7	4	2	1	-	2	2	-	-	-	3	3	-	-	-	32	22	4	6	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	3	-	-	42
122	97	21	3	1	32	29	2	1	-	81	63	17	1	-	489	361	96	23	9	43
528	310	202	8	8	117	68	36	7	6	265	163	102	-	-	2,449	1,357	906	110	76	44
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	45
39	23	16	-	-	8	5	3	-	-	21	14	7	-	-	193	132	49	11	1	46
63	44	17	2	-	10	7	2	-	1	24	19	5	-	-	194	146	38	9	1	47
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	9	3	6	-	-	48
16	10	5	1	-	6	5	-	-	1	3	2	1	-	-	78	52	18	5	3	49
77	44	32	-	1	12	6	6	-	-	32	17	15	-	-	329	141	166	12	10	50
60	25	32	2	1	12	3	6	2	1	33	20	13	-	-	207	86	93	8	20	51
115	84	26	1	4	48	27	15	4	2	80	56	24	-	-	905	552	286	45	22	52
45	25	19	-	1	35	19	12	3	1	67	46	21	-	-	703	426	228	31	18	53
70	59	7	1	3	13	8	3	1	1	13	10	3	-	-	202	126	58	14	4	54
70	32	38	-	-	8	6	2	-	-	22	9	13	-	-	230	98	128	-	4	55
84	46	34	2	2	13	9	2	1	1	47	23	24	-	-	303	146	122	20	15	56
255	183	68	2	2	39	20	15	2	2	107	58	49	-	-	1,018	518	360	83	57	57
123	72	48	1	2	22	9	11	-	2	63	30	33	-	-	465	196	206	34	29	58
6	2	3	1	-	-	-	-	-	-	8	5	3	-	-	23	11	4	6	2	59
2	2	-	-	-	4	1	3	-	-	4	3	1	-	-	32	17	6	4	5	60
115	68	45	-	2	18	8	8	-	2	51	22	29	-	-	410	168	196	24	22	61
27	17	10	-	-	5	2	3	-	-	18	6	12	-	-	234	95	100	27	12	62
8	8	-	-	-	1	-	-	1	-	1	1	-	-	-	48	25	15	3	5	63
17	11	6	-	-	5	4	-	1	-	3	1	2	-	-	60	32	18	9	1	64
75	74	...	1	...	4	4	...	-	...	19	19	...	-	...	172	163	...	9	...	65
1	1	...	-	...	1	1	...	-	...	1	1	...	-	...	8	7	...	1	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
4	...	4	...	-	1	...	1	...	-	2	...	2	...	-	31	...	21	...	10	68
12	...	11	...	1	1	...	-	...	1	6	...	6	...	-	40	...	24	...	16	69
2	...	2	...	-	-	...	-	...	-	1	...	1	...	-	6	...	4	...	2	70
3	...	3	...	-	-	...	-	...	-	1	...	1	...	-	7	...	4	...	3	71
4	...	3	...	1	-	...	-	...	-	2	...	2	...	-	6	...	4	...	2	72
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	73
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	1	...	2	74
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	4	...	2	...	2	75
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	76
-	...	-	...	-	1	...	-	...	1	1	...	1	...	-	12	...	8	...	4	77

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	32	7	21	1	3	4	3	1	-	-
2	Infections of skin and subcutaneous tissue---690-698	7	4	1	1	1	1	1	-	-	-
3	Other diseases of skin and subcutaneous tissue---700-716	25	3	20	-	2	3	2	1	-	-
4	XIII. Diseases of the bones and organs of movement	82	43	32	6	1	7	5	1	-	1
5	Arthritis and spondylitis---720-725	42	21	18	3	-	4	3	1	-	-
6	Muscular rheumatism and rheumatism, unspecified---726,727	-	-	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis---730	3	-	1	2	-	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	4	-	3	1	-	-	-	-	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	33	22	10	-	1	3	2	-	-	1
10	XIV. Congenital malformations	490	246	199	30	15	94	53	35	3	3
11	Spina bifida and meningocele---751	27	12	13	2	-	3	1	2	-	-
12	Congenital hydrocephalus, etc.*---752,753	53	26	21	5	1	14	10	4	-	-
13	Congenital malformations of circulatory system---754	232	120	95	10	7	51	29	17	3	2
14	Other congenital malformations---750,755-759	178	88	70	13	7	26	13	12	-	1
15	XV. Certain diseases of early infancy	1,456	648	491	175	142	261	144	93	13	11
16	Birth injuries---760,761	232	114	84	23	11	55	36	15	2	2
17	Postnatal asphyxia and atelectasis---762	395	205	129	33	28	75	44	27	3	1
18	Infections of newborn---763-768	106	49	31	13	13	15	10	3	1	1
19	Hemolytic disease of newborn (erythroblastosis)---770	51	26	20	5	-	15	9	5	-	1
20	All other defined diseases of early infancy---769,771,772	37	20	9	6	2	10	4	4	-	2
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	635	234	218	95	88	91	41	39	7	4
22	XVI. Symptoms, senility, and ill-defined conditions	544	295	174	50	25	191	120	61	5	5
23	Senility without mention of psychosis---794	108	42	60	2	4	63	34	26	2	1
24	Symptoms, ill-defined and unknown causes---780-793,795	436	253	114	48	21	128	86	35	3	4
25	XVII. Accidents, poisonings, and violence	3,536	2,162	962	284	128	696	488	144	46	18
26	Accidents---E800-E962	2,844	1,707	856	176	105	573	392	127	38	16
27	Railway accidents---E800-E802	45	35	5	3	2	10	8	-	1	1
28	Motor-vehicle accidents---E810-E835	1,060	772	211	59	18	226	152	51	17	6
29	Motor-vehicle traffic accidents---E810-E825	1,021	746	204	54	17	216	146	48	16	6
30	Motor-vehicle traffic accident with railway train*---E810	33	23	8	1	1	7	4	1	1	1
31	Motor-vehicle traffic accident to pedestrian---E812	147	93	32	18	4	20	13	4	3	-
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	482	333	117	23	9	68	46	19	3	-
33	Motor-vehicle noncollision traffic accidents---E820-E824	330	278	39	10	3	70	50	11	6	3
34	Motor-vehicle traffic accident of unspecified nature---E825	29	19	8	2	-	51	33	13	3	2
35	Motor-vehicle nontraffic accidents---E830-E835	39	26	7	5	1	10	6	3	1	-
36	Other road-vehicle accidents---E840-E845	9	8	-	1	-	5	2	2	1	-
37	Water-transport accidents---E850-E858	35	31	3	1	-	7	7	-	-	-
38	Aircraft accidents---E860-E866	19	17	1	1	-	18	15	3	-	-
39	Accidental poisoning by solid and liquid substances---E870-E888	27	11	9	2	5	5	2	2	-	1
40	Accidental poisoning by gases and vapors---E890-E895	23	14	4	2	3	6	4	2	-	-
41	Accidental falls---E900-E904	739	282	388	41	28	94	46	43	4	1
42	Fall from one level to another---E900-E902	210	114	71	21	4	39	22	14	3	-
43	Fall on same level---E903	117	42	68	4	3	10	6	4	-	-
44	Unspecified falls---E904	412	126	249	16	21	45	18	25	1	1
45	Blow from falling object---E910	25	20	-	3	2	15	14	1	-	-
46	Accident caused by machinery---E912	61	58	3	-	-	27	25	-	2	-
47	Accident caused by electric current---E914	26	23	1	1	1	6	6	-	-	-
48	Accident caused by fire and explosion, etc.*---E916	257	129	92	15	21	26	13	6	4	3
49	Accident caused by hot substance, etc.*---E917,E918	15	8	3	4	-	7	4	2	1	-
50	Accident caused by firearm---E919	80	64	9	5	2	34	28	3	3	-
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	37	20	11	5	1	12	9	3	-	-
52	Accidental drowning---E929	112	76	22	11	3	30	22	3	4	1
53	Excessive heat and insolation---E931	20	8	7	3	2	1	1	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	28	8	15	3	2	5	5	-	-	-
55	All other accidents---Residual[1]	226	123	72	16	15	39	29	6	1	3
56	Suicide---E963,E970-E979	469	377	75	13	4	103	87	11	4	1
57	Suicide by poisoning---E970-E973	65	50	12	1	2	16	12	3	-	1
58	Suicide by hanging and strangulation---E974	77	57	19	1	-	17	17	-	-	-
59	Suicide by firearms and explosives---E976	270	235	25	9	1	64	54	7	3	-
60	Suicide by all other means---E963,E975,E977-E979	57	35	19	2	1	6	4	1	1	-
61	Homicide---E964,E980-E985	221	76	31	95	19	20	9	6	4	1
62	Assault by firearms and explosives---E981	106	43	16	38	9	13	6	4	2	1
63	Assault by cutting and piercing instruments---E982	56	10	2	40	4	2	-	1	1	-
64	Assault by other means---E964,E980,E983	50	19	13	12	6	5	3	1	1	-
65	Injury by intervention of police---E984	8	3	-	5	-	-	-	-	-	-
66	Execution---E985	1	1	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war---E965,E990-E999	2	2	-	-	-	-	-	-	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5	3	2	-	-	2	1	-	-	1	7	4	3	-	-	65	20	39	4	2	1
3	1	2	-	-	2	1	-	-	1	4	3	1	-	-	25	8	15	2	-	2
2	2	-	-	-	-	-	-	-	-	3	1	2	-	-	40	12	24	2	2	3
19	6	13	-	-	4	2	2	-	-	15	5	10	-	-	84	38	36	6	4	4
8	3	5	-	-	2	1	1	-	-	10	4	6	-	-	25	5	18	1	1	5
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	1	-	1	6
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	3	2	-	1	-	7
4	1	3	-	-	-	-	-	-	-	2	-	2	-	-	8	5	1	1	1	8
6	1	5	-	-	1	1	-	-	-	2	-	2	-	-	46	26	16	3	1	9
157	75	77	3	2	20	11	6	-	3	87	43	43	1	-	730	362	283	45	40	10
6	4	2	-	-	1	1	-	-	-	8	1	7	-	-	41	13	25	2	1	11
19	10	9	-	-	5	3	1	-	1	8	2	6	-	-	77	40	26	5	6	12
85	36	45	2	2	6	2	3	-	1	41	22	18	1	-	345	164	141	24	16	13
47	25	21	1	-	8	5	2	-	1	30	18	12	-	-	267	145	91	14	17	14
501	280	190	21	10	141	76	37	21	7	183	113	69	-	1	1,970	927	614	243	186	15
74	43	29	1	1	24	15	7	2	-	41	31	10	-	-	278	145	100	21	12	16
125	74	46	3	2	40	24	8	6	2	26	13	12	-	1	690	341	206	83	60	17
27	13	11	2	1	17	8	4	3	2	9	7	2	-	-	142	73	32	23	14	18
22	11	10	-	1	3	2	1	-	-	14	4	10	-	-	80	34	38	4	4	19
21	12	5	2	2	2	2	-	-	-	3	2	1	-	-	44	20	12	6	6	20
232	127	89	13	3	55	25	17	10	3	90	56	34	-	-	736	314	226	106	90	21
61	38	20	2	1	43	24	11	4	4	67	42	25	-	-	169	63	81	14	11	22
14	7	7	-	-	10	5	2	2	1	6	1	5	-	-	68	22	43	-	3	23
47	31	13	2	1	33	19	9	2	3	61	41	20	-	-	101	41	38	14	8	24
1,014	695	276	30	13	311	213	69	18	11	389	259	130	-	-	2,978	1,734	864	279	101	25
834	548	254	19	13	239	164	54	13	8	305	193	112	-	-	2,390	1,376	711	225	78	26
15	13	2	-	-	3	2	-	-	1	3	3	-	-	-	39	27	5	7	-	27
351	248	84	10	9	104	70	25	6	3	98	70	28	-	-	825	560	180	71	14	28
336	239	81	8	8	101	68	25	5	3	94	67	27	-	-	813	550	179	70	14	29
24	17	5	1	1	3	2	1	-	-	1	-	1	-	-	13	9	4	-	-	30
34	22	9	3	-	12	7	2	1	2	16	9	7	-	-	265	181	53	25	6	31
185	127	54	2	2	25	16	7	1	1	30	19	11	-	-	299	190	79	26	4	32
84	66	12	2	4	32	23	9	-	-	43	38	5	-	-	212	153	36	19	4	33
9	7	1	-	1	29	20	6	3	-	4	1	3	-	-	24	17	7	-	-	34
15	9	3	2	1	3	2	-	1	-	4	3	1	-	-	12	10	1	1	-	35
6	6	-	-	-	1	1	-	-	-	1	-	1	-	-	5	2	2	1	-	36
8	7	1	-	-	1	1	-	-	-	10	10	-	-	-	25	23	2	-	-	37
14	11	3	-	-	9	9	-	-	-	4	4	-	-	-	24	24	-	-	-	38
8	3	5	-	-	4	2	1	1	-	2	-	2	-	-	34	14	16	4	-	39
3	3	-	-	-	3	1	1	1	-	3	3	-	-	-	44	26	11	5	2	40
202	90	108	2	2	31	19	10	-	2	78	32	46	-	-	766	354	358	36	18	41
64	34	29	1	-	9	7	2	-	-	25	16	9	-	-	264	143	97	15	9	42
61	23	36	1	1	2	1	-	-	1	16	6	10	-	-	124	55	59	8	2	43
77	33	43	-	1	20	11	8	-	1	37	10	27	-	-	378	156	202	13	7	44
7	7	-	-	-	6	4	-	2	-	3	3	-	-	-	12	10	-	2	-	45
40	36	4	-	-	6	5	1	-	-	5	5	-	-	-	26	22	1	3	-	46
11	11	-	-	-	-	-	-	-	-	3	3	-	-	-	17	16	-	1	-	47
52	30	19	1	2	19	13	3	1	2	27	13	14	-	-	177	75	51	35	16	48
2	1	1	-	-	1	1	-	-	-	4	1	3	-	-	17	5	6	3	3	49
23	20	2	1	-	13	12	1	-	-	5	5	-	-	-	26	18	4	4	-	50
11	6	5	-	-	11	6	4	1	-	9	2	7	-	-	66	22	21	13	10	51
30	23	6	1	-	9	7	1	1	-	25	21	4	-	-	133	98	13	21	1	52
7	5	2	-	-	-	-	-	-	-	1	1	-	-	-	14	7	5	-	2	53
5	1	4	-	-	1	1	-	-	-	4	2	2	-	-	16	5	6	3	2	54
39	27	8	4	-	17	10	7	-	-	20	15	5	-	-	124	68	30	16	10	55
154	136	17	1	-	51	33	14	3	1	78	62	16	-	-	461	309	132	13	7	56
19	15	4	-	-	14	8	6	-	-	18	10	8	-	-	95	54	36	2	3	57
47	38	8	1	-	5	1	4	-	-	13	10	3	-	-	185	124	55	4	2	58
77	75	2	-	-	29	22	4	2	1	41	38	3	-	-	122	100	17	4	1	59
11	8	3	-	-	3	2	-	1	-	6	4	2	-	-	59	31	24	3	1	60
26	11	5	10	-	21	16	1	2	2	5	3	2	-	-	127	49	21	41	16	61
15	6	3	6	-	13	8	1	2	2	2	1	1	-	-	49	24	7	12	6	62
4	1	1	2	-	4	4	-	-	-	1	1	-	-	-	34	6	6	17	5	63
7	4	1	2	-	3	3	-	-	-	2	1	1	-	-	40	16	8	11	5	64
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	3	3	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	6,114	3,312	2,198	384	220	172,677	88,392	71,619	6,974	5,692
2	I. Infective and parasitic diseases	183	82	66	21	14	2,403	1,403	490	344	166
3	Tuberculosis, all forms 001-019	100	49	36	10	5	1,552	948	236	262	106
4	Tuberculosis of respiratory system 001-008	86	45	30	7	4	1,480	917	222	245	96
5	Tuberculosis of meninges and central nervous system 010	4	1	2	1	-	18	6	4	4	4
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	-	-	-	-	-	2	1	-	1	-
7	Tuberculosis of vertebral column 012.0,013.0	2	-	1	1	-	4	1	2	-	1
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	1	1	-	-	-
9	Tuberculosis of genito-urinary system 016	3	1	2	-	-	16	9	2	5	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	1	-	-	1	-	4	1	1	-	2
11	Disseminated tuberculosis 019	4	2	1	-	1	27	12	5	7	3
12	Syphilis and its sequelae 020-029	8	5	1	1	1	373	220	72	47	34
13	Congenital syphilis 020	1	-	-	-	1	1	-	1	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	4	3	1	-	-	128	81	31	7	9
16	Other cardiovascular syphilis 023	2	2	-	-	-	142	86	19	22	15
17	Tabes dorsalis 024	-	-	-	-	-	9	7	1	1	-
18	General paralysis of insane 025	-	-	-	-	-	58	31	14	9	4
19	Other syphilis of central nervous system 026	1	-	-	1	-	32	14	5	7	6
20	Other syphilis 027-029	-	-	-	-	-	3	1	1	1	-
21	Gonococcal infection 030-035	-	-	-	-	-	5	2	-	2	1
22	Typhoid fever 040	1	-	-	1	-	2	1	1	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	2	1	1	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	18	5	10	1	2	7	1	4	2	-
28	Food poisoning (infection and intoxication) 049	1	1	-	-	-	-	-	-	-	-
29	Scarlet fever 050	2	1	1	-	-	4	-	3	-	1
30	Streptococcal sore throat 051	1	-	1	-	-	9	4	4	1	-
31	Erysipelas 052	-	-	-	-	-	2	-	2	-	-
32	Septicemia and pyemia 053	7	2	1	3	1	84	51	27	4	2
33	Diphtheria 055	1	-	-	-	1	5	2	2	-	1
34	Whooping cough 056	3	1	2	-	-	7	4	1	1	1
35	Meningococcal infections 057	10	5	3	1	1	69	32	30	5	2
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	-	-	-	-	-	7	5	-	1	1
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	3	2	1	-	-	5	1	4	-	-
42	Late effects of acute poliomyelitis 081	-	-	-	-	-	10	5	5	-	-
43	Acute infectious encephalitis 082	1	-	1	-	-	49	27	15	5	2
44	Late effects of acute infectious encephalitis 083	-	-	-	-	-	17	12	5	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	15	4	4	4	3	12	8	3	1	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	4	2	2	-	-	93	40	43	6	4
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	2	-	1	-	1
55	Schistosomiasis 123	-	-	-	-	-	2	-	1	1	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	1	-	-	-	1
60	All other infective and parasitic diseases Residual[1]	8	5	3	-	-	84	39	30	6	9
61	II. Neoplasms	756	379	333	31	13	30,778	15,404	13,550	957	867
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	734	370	321	30	13	30,213	15,175	13,278	935	825
63	Malignant neoplasm of buccal cavity and pharynx 140-148	9	7	2	-	-	688	502	127	50	9
64	Of lip 140	3	2	1	-	-	30	26	3	1	-
65	Of tongue 141	3	2	1	-	-	202	141	43	14	4
66	Of other and unspecified parts of buccal cavity 142-144	3	3	-	-	-	201	142	46	9	4
67	Of pharynx 145-148	-	-	-	-	-	255	193	35	26	1
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	253	132	107	10	4	11,228	5,874	4,732	395	227
69	Of esophagus 150	7	6	-	1	-	645	428	121	85	11
70	Of stomach 151	102	57	42	2	1	2,647	1,495	991	115	46
71	Of intestine, except rectum 152,153	47	20	24	2	1	3,597	1,639	1,821	60	77
72	Of rectum 154	19	9	8	2	-	1,593	918	611	39	25
73	Of biliary passages and of liver (stated to be primary site) 155	21	4	13	2	2	645	272	340	20	13
74	Of liver not specified whether primary or secondary 156A	15	4	11	-	-	442	232	173	27	10
75	Of pancreas 157	33	26	7	-	-	1,414	781	567	35	31
76	Of peritoneum and of unspecified digestive organs 158,159	9	6	2	1	-	245	109	108	14	14
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	82	62	16	3	1	4,377	3,541	604	194	38
78	Of larynx 161	3	3	-	-	-	315	261	33	20	1
79	Of trachea, and of bronchus and lung specified as primary 162	36	31	4	1	-	1,821	1,532	187	93	9
80	Of lung and bronchus, unspecified as primary or secondary 163	40	25	12	2	1	2,138	1,681	354	76	27
81	Of other parts of respiratory system 160,164	3	3	-	-	-	103	67	30	5	1
82	Malignant neoplasm of breast 170	53	2	49	-	2	2,982	41	2,802	1	138

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
35,015	14,083	9,757	6,111	5,064	5,495	3,249	2,124	80	42	91,185	47,061	36,755	4,137	3,232	21,560	11,457	7,747	1,259	1,097	1
509	157	101	149	102	56	28	25	2	1	1,241	637	319	195	90	359	175	107	38	39	2
222	77	44	63	38	23	13	8	1	1	634	357	115	113	49	162	87	40	13	22	3
197	76	39	52	30	21	13	6	1	1	573	330	103	95	45	155	84	40	13	18	4
3	-	-	3	-	-	-	-	-	-	14	2	4	7	1	2	-	-	-	2	5
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
7	-	4	1	2	1	-	1	-	-	9	6	3	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	8
5	1	1	3	-	1	-	1	-	-	14	11	1	1	1	-	-	-	-	-	9
4	-	-	2	2	-	-	-	-	-	7	1	1	5	-	2	1	-	-	1	10
5	-	-	1	4	-	-	-	-	-	16	7	3	4	2	3	2	-	-	1	11
92	22	12	43	15	5	4	1	-	-	267	118	63	63	23	56	35	7	9	5	12
1	-	-	1	-	-	-	-	-	-	5	2	3	-	-	-	-	-	-	-	13
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
37	14	8	10	5	3	2	1	-	-	76	44	20	10	2	24	18	4	1	1	15
30	3	3	17	7	1	1	-	-	-	91	34	14	32	11	14	10	-	3	1	16
-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	-	-	-	-	-	17
14	3	-	10	1	-	-	-	-	-	40	19	10	6	5	7	2	1	2	2	18
7	1	1	3	2	1	1	-	-	-	42	14	10	13	5	10	5	2	2	1	19
2	1	-	1	-	-	-	-	-	-	8	2	4	2	-	1	-	-	1	-	20
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	21
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	1	22
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	7	5	2	-	-	2	1	1	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	26
13	1	5	5	2	-	-	-	-	-	6	2	3	1	-	10	2	3	2	3	27
3	-	-	2	1	-	-	-	-	-	2	1	1	-	-	3	1	-	-	2	28
1	-	-	-	1	1	-	1	-	-	5	-	5	-	-	2	-	2	-	-	29
6	1	2	-	3	-	-	-	-	-	7	2	4	1	-	4	1	3	-	-	30
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	31
33	14	7	4	8	10	6	4	-	-	67	37	20	8	2	19	7	8	3	1	32
2	-	-	-	2	1	-	1	-	-	1	1	-	-	-	1	-	-	1	-	33
12	-	-	7	5	-	-	-	-	-	6	2	2	1	1	7	1	2	3	1	34
27	9	7	5	6	4	1	3	-	-	49	32	14	1	2	12	5	5	1	1	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
8	3	2	2	1	1	1	-	-	-	7	5	1	1	-	3	1	1	1	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
1	-	-	-	1	-	-	-	-	-	13	6	6	-	1	6	2	4	-	-	41
2	-	2	-	-	-	-	-	-	-	12	4	8	-	-	3	3	-	-	-	42
13	4	4	2	3	2	-	2	-	-	24	11	10	1	2	6	3	3	-	-	43
2	2	-	-	-	1	-	1	-	-	7	4	2	-	1	2	2	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
3	-	1	1	1	2	-	1	1	-	8	5	3	-	-	3	1	2	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
25	6	8	5	6	4	1	3	-	-	47	13	31	2	1	17	6	9	1	1	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	50
4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
35	15	6	8	6	2	2	-	-	-	65	28	26	3	8	38	17	17	3	1	60
4,206	1,680	1,574	455	497	825	463	352	8	2	14,747	7,165	6,532	562	488	3,355	1,661	1,401	137	156	61
4,094	1,647	1,534	440	473	811	461	340	8	2	14,520	7,085	6,417	556	462	3,281	1,628	1,370	136	147	62
100	60	32	5	3	14	12	2	-	-	318	247	50	19	2	90	62	18	8	2	63
8	6	2	-	-	2	2	-	-	-	16	13	3	-	-	10	9	1	-	-	64
14	8	4	2	-	2	2	-	-	-	83	68	10	5	-	14	11	2	1	-	65
34	19	13	1	1	1	1	-	-	-	88	64	19	5	-	33	17	11	4	1	66
44	27	13	2	2	9	7	2	-	-	131	102	18	9	2	33	25	4	3	1	67
1,212	506	417	156	133	315	200	112	2	1	5,048	2,476	2,202	225	145	1,063	517	455	46	45	68
81	31	17	10	3	3	2	1	-	-	264	191	35	33	5	31	19	10	1	1	69
344	143	77	74	50	120	83	37	-	-	1,131	618	408	74	31	259	152	81	18	8	70
318	118	142	25	33	74	36	38	-	-	1,650	707	852	47	44	319	128	173	8	10	71
123	47	46	13	17	29	21	7	1	-	655	347	268	21	19	98	43	42	5	8	72
112	49	46	7	10	20	9	10	-	1	344	115	208	9	12	70	33	28	2	7	73
12	5	5	2	-	15	10	4	1	-	263	108	138	14	3	88	40	39	4	5	74
214	107	70	21	16	47	33	14	-	-	656	363	246	23	24	172	90	70	7	5	75
28	6	14	4	4	7	6	1	-	-	85	27	47	4	7	26	12	12	1	1	76
523	363	67	76	17	75	55	15	5	-	1,886	1,469	262	115	20	427	342	62	15	8	77
28	23	2	2	1	6	6	-	-	-	111	93	10	8	-	23	19	4	-	-	78
400	281	50	57	12	35	27	5	3	-	727	592	77	55	3	115	100	10	4	1	79
63	43	8	9	3	32	22	8	2	-	1,007	781	161	50	15	276	215	44	11	6	80
32	16	7	8	1	2	-	2	-	-	41	23	14	2	2	13	8	4	-	1	81
355	5	262	-	88	67	-	67	-	-	1,318	8	1,229	1	80	232	4	215	-	13	82

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	126	51	67	5	3	3,819	1,297	2,183	93	246
2	Of cervix uteri----------171	23	...	22	...	1	763	..	626	..	137
3	Of other and unspecified parts of uterus----------172-174	26	...	24	...	2	637	...	580	...	57
4	Of ovary, fallopian tube, and broad ligament----------175	20	...	20	...	-	941	...	893	...	48
5	Of other and unspecified female genital organs----------176	1	...	1	...	-	88	...	84	...	4
6	Of prostate----------177	55	50	...	5	...	1,300	1,212	...	88	...
7	Of testis, and of other and unspecified male genital organs----178,179	1	1	...	-	...	90	85	...	5	...
8	Malignant neoplasm of urinary organs----------180,181	30	17	12	1	-	1,551	975	508	35	33
9	Of kidney----------180	12	6	6	-	-	596	327	243	15	11
10	Of bladder and other urinary organs----------181	18	11	6	1	-	955	648	265	20	22
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	98	47	42	6	3	2,944	1,522	1,245	99	78
12	Of skin----------190,191	12	6	5	-	1	352	210	130	9	3
13	Of eye----------192	2	1	1	-	-	36	23	13	-	-
14	Of brain and other parts of nervous system----------193	20	10	10	-	-	656	376	239	24	17
15	Of thyroid gland----------194	1	-	1	-	-	137	44	86	2	5
16	Of bone (including jaw bone)----------196	7	3	3	1	-	207	110	83	10	4
17	Of connective tissue----------197	3	3	-	-	-	94	46	39	3	6
18	Of other specified sites, not stated to be secondary-----195,198A,199A	13	5	8	-	-	320	150	153	6	11
19	Of unspecified sites----------156B,165,198B,199B-M	40	19	14	5	2	1,142	563	502	45	32
20	Leukemia and aleukemia----------204	45	26	18	1	-	1,211	657	497	32	25
21	Lymphosarcoma, etc.*----------200-203,205	38	26	8	4	-	1,413	766	580	36	31
22	Lymphosarcoma and reticulosarcoma----------200	16	8	6	2	-	681	372	283	17	9
23	Hodgkin's disease----------201	12	10	1	1	-	357	192	148	11	6
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	10	8	1	1	-	375	202	149	8	16
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	22	9	12	1	-	565	229	272	22	42
26	Benign neoplasms of female genital organs----------214-217	4	..	4	...	-	99	..	70	...	29
27	Benign neoplasm of brain and other parts of nervous system---------223	2	1	1	-	-	104	41	52	4	7
28	Other benign neoplasms----------210-213,218-222,224-229	7	3	3	1	-	96	53	37	5	1
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	4	...	3	...	1
30	Neoplasm of unspecified nature of brain, etc.*----------237	5	3	2	-	-	163	93	60	8	2
31	Other neoplasms of unspecified nature----------230-232,236,238,239	4	2	2	-	-	99	42	50	5	2
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	122	57	56	3	6	3,824	1,484	2,020	122	198
33	Asthma----------241	33	18	13	1	1	579	340	181	34	24
34	Nontoxic goiter----------250,251	-	-	-	-	-	8	2	5	-	1
35	Thyrotoxicosis with or without goiter----------252	4	-	4	-	-	57	10	39	-	8
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	1	-	1	-	-	24	6	18	-	-
37	Diabetes mellitus----------260	65	31	28	1	5	3,002	1,046	1,717	75	164
38	Diseases of thymus gland----------273	4	1	3	-	-	15	11	3	1	-
39	Diseases of adrenal glands----------274	6	1	4	1	-	29	10	16	3	-
40	Pellagra----------261	-	-	-	-	-	2	2	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	7	4	3	-	-	30	14	11	4	1
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	2	2	-	-	-	78	43	30	5	-
43	IV. Diseases of the blood and blood-forming organs----------	17	9	8	-	-	419	186	196	18	19
44	Anemias----------290-293	10	6	4	-	-	247	105	117	11	14
45	Pernicious and other hyperchromic anemias----------290	-	-	-	-	-	66	24	40	1	1
46	Anemias of other and unspecified type----------291-293	10	6	4	-	-	181	81	77	10	13
47	Purpura and other hemorrhagic conditions----------296	4	3	1	-	-	74	30	37	2	5
48	All other diseases of blood and blood-forming organs-----294,295,297-299	3	-	3	-	-	98	51	42	5	-
49	V. Mental, psychoneurotic, and personality disorders----------	20	15	3	1	1	398	233	71	70	24
50	Senile psychosis----------304	1	-	1	-	-	4	3	1	-	-
51	Alcoholic psychosis----------307	1	1	-	-	-	33	24	4	5	-
52	Other psychoses----------300-303,305,306,308,309	2	2	-	-	-	52	17	27	3	5
53	Alcoholism----------322	15	11	2	1	1	269	170	32	54	13
54	Mental deficiency----------325	-	-	-	-	-	21	14	5	1	1
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	1	1	-	-	-	19	5	2	7	5
56	VI. Diseases of the nervous system and sense organs----------	498	240	227	17	14	16,566	7,188	8,429	481	468
57	Vascular lesions affecting central nervous system----------330-334	440	204	214	14	8	15,354	6,612	7,932	393	417
58	Subarachnoid hemorrhage----------330	13	5	7	1	-	590	234	291	30	35
59	Cerebral hemorrhage----------331	291	136	142	9	4	8,775	3,706	4,585	227	257
60	Cerebral embolism and thrombosis----------332	94	46	43	3	2	4,704	2,098	2,407	104	95
61	Other vascular lesions affecting central nervous system--------333,334	42	17	22	1	2	1,285	574	649	32	30
62	Meningitis, except meningococcal and tuberculous----------340	14	7	1	2	4	150	64	50	22	14
63	Multiple sclerosis----------345	2	2	-	-	-	154	64	86	3	1
64	Paralysis agitans----------350	8	4	3	1	-	265	142	118	3	2
65	Cerebral spastic infantile paralysis----------351	3	2	1	-	-	49	26	19	-	4
66	Epilepsy----------353	9	7	1	-	1	230	99	74	45	12
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	3	3	-	-	-
68	Cataract----------365	-	-	-	-	-	2	-	2	-	-
69	Glaucoma----------387	1	-	1	-	-	3	1	-	-	2
70	Otitis media and mastoiditis----------391-393	-	-	-	-	-	28	14	11	3	-
71	Other diseases of nervous system and sense organs----------Residual[1]	21	14	6	-	1	328	163	137	12	16
72	VII. Diseases of the circulatory system----------	1,584	914	588	46	36	81,960	42,880	34,645	2,235	2,200
73	Rheumatic fever----------400-402	6	1	4	1	-	69	24	35	3	7
74	Diseases of heart----------410-443	1,378	811	499	38	30	76,679	40,424	32,161	2,065	2,029
75	Chronic rheumatic heart disease----------410-416	76	31	38	1	6	2,435	1,014	1,255	75	91
76	Diseases of mitral valve----------410	33	17	12	1	3	707	286	387	13	21
77	Diseases of aortic valve specified as rheumatic----------411	7	4	3	-	-	176	119	49	5	3
78	Diseases of tricuspid valve----------412	-	-	-	-	-	1	-	1	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	3	-	3	-	-	127	59	64	3	1
80	Other diseases of heart specified as rheumatic----------415,416	33	10	20	-	3	1,424	550	754	54	66

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
748	194	313	98	143	128	61	66	-	1	2,242	820	1,229	74	119	547	206	264	27	50	1
232	...	156	...	76	18	...	18	...	-	493	...	424	...	69	122	...	90	...	32	2
96	...	54	...	42	18	...	18	...	-	384	...	361	...	23	100	...	89	...	11	3
103	...	86	...	17	30	...	29	...	1	421	...	398	...	23	87	...	80	...	7	4
25	...	17	...	8	1	...	1	...	-	50	...	46	...	4	5	...	5	...	-	5
280	184	...	96	...	59	59	...	-	...	838	767	...	71	...	221	195	...	26	...	6
12	10	...	2	...	2	2	...	-	...	56	53	...	3	...	12	11	...	1	...	7
167	74	59	18	16	41	29	12	-	-	721	465	213	22	21	113	67	37	6	3	8
84	41	28	9	6	27	18	9	-	-	291	177	89	16	9	48	27	18	2	1	9
83	33	31	9	10	14	11	3	-	-	430	288	124	6	12	65	40	19	4	2	10
556	231	230	47	48	75	43	32	-	-	1,569	780	691	54	44	461	235	188	20	18	11
116	51	55	5	5	12	4	8	-	-	174	90	71	6	7	90	49	38	2	1	12
13	5	7	1	-	1	-	1	-	-	19	10	8	-	1	6	5	1	-	-	13
134	72	45	12	5	22	15	7	-	-	344	193	138	9	4	80	45	33	2	-	14
12	4	5	1	2	2	2	-	-	-	52	16	33	2	1	19	6	11	-	2	15
49	19	17	5	8	8	6	2	-	-	121	69	46	3	3	35	15	15	3	2	16
18	9	6	3	-	5	3	2	-	-	57	29	25	-	3	11	9	2	-	-	17
55	16	29	4	6	3	1	2	-	-	240	99	124	8	9	66	32	27	5	2	18
159	55	66	16	22	22	12	10	-	-	562	274	246	26	16	154	74	61	8	11	19
203	96	77	19	11	48	37	11	-	-	727	405	291	17	14	190	101	83	3	3	20
230	118	77	21	14	48	24	23	1	-	691	395	250	29	17	158	94	48	11	5	21
76	46	20	7	3	20	7	13	-	-	313	182	112	15	4	68	41	21	3	3	22
62	30	24	7	1	14	8	6	-	-	171	106	61	3	1	48	34	11	2	1	23
92	42	33	7	10	14	9	4	1	-	207	107	77	11	12	42	19	16	6	1	24
112	33	40	15	24	14	2	12	-	-	227	80	115	6	26	74	33	31	1	9	25
13	...	4	...	9	4	...	4	...	-	34	...	22	...	12	12	...	7	...	5	26
18	7	7	3	1	3	-	3	-	-	54	14	36	1	3	8	5	3	-	-	27
18	4	8	4	2	2	-	2	-	-	43	19	18	2	4	13	5	8	-	-	28
1	...	-	...	1	1	...	1	...	-	1	...	1	...	-	1	...	1	...	-	29
47	18	17	4	8	-	-	-	-	-	48	30	14	1	3	32	19	10	-	3	30
15	4	4	4	3	4	2	2	-	-	47	17	24	2	4	8	4	2	1	1	31
720	254	242	87	137	149	72	75	-	2	2,705	1,035	1,441	85	144	456	208	187	29	32	32
167	81	36	27	23	32	22	10	-	-	380	227	118	22	13	103	67	31	4	1	33
2	-	2	-	-	-	-	-	-	-	8	4	4	-	-	1	-	1	-	-	34
12	1	6	2	3	-	-	-	-	-	65	8	48	-	9	8	3	4	-	1	35
4	1	3	-	-	1	-	1	-	-	19	2	16	-	1	3	1	2	-	-	36
483	157	176	47	103	109	46	61	-	2	2,118	746	1,197	56	119	308	125	135	20	28	37
4	-	-	2	2	-	-	-	-	-	8	3	4	-	1	1	1	-	-	-	38
4	1	2	1	-	-	-	-	-	-	20	11	9	-	-	7	3	4	-	-	39
5	1	3	-	1	-	-	-	-	-	1	1	-	-	-	4	2	1	-	1	40
18	5	7	5	1	1	-	1	-	-	37	14	20	2	1	11	4	4	2	1	41
21	7	7	3	4	6	4	2	-	-	49	19	25	5	-	10	2	5	3	-	42
98	28	36	25	9	11	4	7	-	-	272	132	122	8	10	70	30	31	4	5	43
59	12	20	21	6	6	2	4	-	-	161	79	72	4	6	40	13	19	3	5	44
4	1	2	1	-	3	1	2	-	-	50	27	23	-	-	9	2	7	-	-	45
55	11	18	20	6	3	1	2	-	-	111	52	49	4	6	31	11	12	3	5	46
10	2	7	1	-	1	-	1	-	-	44	15	24	2	3	6	1	5	-	-	47
29	14	9	3	3	4	2	2	-	-	67	38	26	2	1	24	16	7	1	-	48
144	65	21	43	15	10	6	4	-	-	168	92	49	18	9	50	28	9	6	7	49
11	5	4	-	2	2	1	1	-	-	19	8	11	-	-	14	5	5	2	2	50
8	6	-	1	1	2	2	-	-	-	27	19	2	5	1	2	2	-	-	-	51
10	3	3	3	1	2	-	2	-	-	16	2	13	-	1	5	3	2	-	-	52
108	49	11	38	10	3	3	-	-	-	99	60	19	13	7	23	13	1	4	5	53
4	1	1	1	1	1	-	1	-	-	4	2	2	-	-	2	2	-	-	-	54
3	1	2	-	-	-	-	-	-	-	3	1	2	-	-	4	3	1	-	-	55
5,060	1,713	1,665	881	801	799	429	363	3	4	11,623	5,138	5,677	373	435	3,001	1,374	1,320	144	163	56
4,743	1,595	1,571	819	758	747	405	335	3	4	10,798	4,756	5,332	324	386	2,819	1,290	1,247	134	148	57
163	53	63	26	21	6	4	2	-	-	328	137	143	16	32	76	32	34	4	6	58
2,738	883	877	504	474	525	278	243	2	2	6,773	2,903	3,432	194	244	1,881	863	835	91	92	59
1,342	504	501	176	161	136	75	59	1	1	2,769	1,319	1,286	87	77	543	256	242	19	26	60
500	155	130	113	102	80	48	31	-	1	928	397	471	27	33	319	139	136	20	24	61
56	17	14	14	11	5	-	5	-	-	112	45	37	18	12	17	9	6	-	2	62
20	8	11	-	1	12	3	9	-	-	91	34	50	-	7	10	6	4	-	-	63
24	14	9	1	-	9	5	4	-	-	183	94	85	4	-	27	15	12	-	-	64
26	12	6	5	3	1	-	1	-	-	53	30	18	2	3	14	5	8	-	1	65
71	15	17	23	16	4	3	1	-	-	115	56	39	10	10	22	7	9	3	3	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	67
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	68
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
7	2	-	3	2	-	-	-	-	-	26	11	10	2	3	3	2	1	-	-	70
111	49	36	16	10	21	13	8	-	-	244	112	105	13	14	88	40	33	6	9	71
13,524	6,083	3,818	1,920	1,703	2,221	1,395	805	15	6	38,583	20,859	15,362	1,312	1,050	8,097	4,632	2,819	352	294	72
34	6	6	10	12	3	1	1	-	1	41	26	7	5	3	7	2	2	-	3	73
12,308	5,613	3,453	1,724	1,518	1,992	1,276	700	14	2	34,609	18,958	13,602	1,148	901	7,298	4,238	2,497	310	253	74
295	117	114	34	30	53	32	21	-	-	1,114	495	544	42	33	169	80	73	7	9	75
99	41	36	9	13	22	11	11	-	-	407	187	194	18	8	69	26	32	5	6	76
16	8	5	3	-	6	5	1	-	-	105	67	31	6	1	10	6	3	1	-	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
23	6	12	3	2	4	2	2	-	-	86	45	36	3	2	13	7	5	-	1	79
157	62	61	19	15	21	14	7	-	-	516	196	283	15	22	77	41	33	1	2	80

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	897	570	299	20	8	60,095	33,789	23,864	1,340	1,102
2	Arteriosclerotic heart disease so described----------420.0	297	153	128	10	6	33,111	16,349	15,334	720	708
3	Heart disease specified as involving coronary arteries----------420.1	598	417	170	9	2	26,947	17,411	8,522	620	394
4	Angina pectoris without mention of coronary disease----------420.2	2	-	1	1	-	37	29	8	-	-
5	Chronic endocarditis not specified as rheumatic----------421	22	12	7	2	1	408	213	177	12	6
6	Of mitral valve, specified as nonrheumatic----------421.0	2	1	1	-	-	24	9	14	-	1
7	Of aortic valve, not specified as rheumatic----------421.1	7	5	1	1	-	165	100	56	7	2
8	Of other valves, not specified as rheumatic----------421.2-421.4	13	6	5	1	1	219	104	107	5	3
9	Other myocardial degeneration----------422	149	79	64	3	3	5,925	2,521	2,942	229	233
10	With arteriosclerosis----------422.1	73	43	27	1	2	4,628	1,887	2,326	197	218
11	Without mention of arteriosclerosis----------422.0,422.2	76	36	37	2	1	1,297	634	616	32	15
12	Other diseases of heart----------430-434	93	60	21	7	5	695	375	269	27	24
13	Acute and subacute endocarditis----------430	3	1	2	-	-	52	33	15	2	2
14	Acute myocarditis not specified as rheumatic----------431	7	6	1	-	-	68	37	27	2	2
15	Acute pericarditis specified as nonrheumatic----------432	1	1	-	-	-	3	1	2	-	-
16	Functional disease of heart----------433	11	6	4	-	1	118	60	54	3	1
17	Other and unspecified diseases of heart----------434	71	46	14	7	4	454	244	171	20	19
18	Hypertension with heart disease----------440-443	141	59	70	5	7	7,121	2,512	3,654	382	573
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	26	13	9	2	2	1,051	485	468	51	47
20	Essential hypertension with heart disease, etc.*----------440,441,443	115	46	61	3	5	6,070	2,027	3,186	331	526
21	Hypertension without mention of heart----------444-447	30	18	7	2	3	1,004	417	457	63	67
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	22	13	4	2	3	747	328	325	47	47
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	8	5	3	-	-	257	89	132	16	20
24	Diseases of arteries----------450-456	155	75	73	4	3	3,821	1,817	1,829	90	85
25	General arteriosclerosis----------450	112	47	58	4	3	2,969	1,287	1,564	59	59
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	29	21	8	-	-	641	445	161	20	15
27	Gangrene of unspecified cause----------455	2	1	1	-	-	12	5	3	3	1
28	Other arterial diseases----------452-454,456	12	6	6	-	-	199	80	101	8	10
29	Diseases of veins and other diseases of circulatory system-------460-468	15	9	5	1	-	387	198	163	14	12
30	VIII. Diseases of the respiratory system----------	500	245	178	48	29	8,053	4,378	2,752	571	352
31	Acute upper respiratory infections----------470-475	11	3	4	2	2	79	39	27	8	5
32	Influenza----------480-483	52	22	20	8	2	470	232	202	24	12
33	Pneumonia, except pneumonia of newborn----------490-493	302	140	116	29	17	5,716	2,850	2,107	464	295
34	Lobar pneumonia----------490	90	46	35	5	4	1,586	845	483	171	67
35	Bronchopneumonia----------491	125	52	52	14	7	3,682	1,764	1,427	278	213
36	Primary atypical pneumonia----------492	22	10	7	3	2	235	114	109	6	6
37	Pneumonia, other and unspecified----------493	65	32	22	7	4	233	127	88	9	9
38	Acute bronchitis----------500	14	6	8	-	-	143	71	43	14	15
39	Bronchitis, chronic and unqualified----------501,502	16	9	6	-	1	250	178	57	10	5
40	Hypertrophy of tonsils and adenoids----------510	1	-	1	-	-	8	3	4	1	-
41	Empyema and abscess of lung----------518,521	3	1	1	1	-	82	47	23	9	3
42	Pleurisy----------519	-	-	-	-	-	14	9	4	1	-
43	All other respiratory diseases----------Residual[1]	101	64	22	8	7	1,291	949	285	40	17
44	IX. Diseases of the digestive system----------	342	176	111	31	24	7,344	4,190	2,577	368	209
45	Diseases of teeth and supporting structures----------530-535	1	-	1	-	-	5	2	3	-	-
46	Ulcer of stomach----------540	14	9	4	-	1	699	473	192	25	9
47	Ulcer of duodenum----------541	21	18	3	-	-	701	532	139	22	8
48	Gastritis and duodenitis----------543	2	1	1	-	-	22	15	7	-	-
49	Appendicitis----------550-553	10	7	3	-	-	240	129	81	18	12
50	Hernia and intestinal obstruction----------560,561,570	47	23	21	1	2	835	411	360	43	21
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	113	42	34	24	13	562	245	275	25	17
52	Cirrhosis of liver----------581	75	50	21	3	1	2,807	1,698	817	181	111
53	Without mention of alcoholism----------581.0	56	38	17	-	1	1,894	1,116	594	114	70
54	With alcoholism----------581.1	19	12	4	3	-	913	582	223	67	41
55	Cholelithiasis and cholecystitis----------584,585	20	7	8	2	3	611	250	344	5	12
56	Other diseases of digestive system----------Residual[1]	39	19	15	1	4	862	435	359	49	19
57	X. Diseases of the genito-urinary system----------	126	69	46	8	3	2,986	1,685	1,015	152	134
58	Nephritis and nephrosis----------590-594	66	27	31	5	3	1,388	676	558	83	71
59	Acute nephritis----------590	4	-	2	1	1	67	29	33	2	3
60	Nephritis with edema, including nephrosis----------591	3	3	-	-	-	76	42	29	2	3
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	59	24	29	4	2	1,245	605	496	79	65
62	Infections of kidney----------600	17	8	8	1	-	609	286	263	23	37
63	Calculi of urinary system----------602,604	5	3	2	-	-	164	84	70	3	7
64	Other diseases of urinary system----------601,603,605-609	6	4	2	-	-	187	105	66	8	8
65	Hyperplasia of prostate----------610	27	25	...	2	...	550	516	...	34	...
66	Other diseases of male genital organs----------611-617	2	2	...	-	...	19	18	...	1	...
67	Diseases of breast----------620,621	-	-	-	-	-	2	-	2	-	-
68	Diseases of female genital organs----------622-637	3	...	3	...	-	67	...	56	...	11
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	14	...	10	...	4	158	...	112	...	46
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	2	...	2	...	-	14	...	12	..	2
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	6	...	4	...	2	25	...	20	...	5
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	2	...	1	...	1	29	...	23	...	6
73	Ectopic pregnancy----------645	1	...	1	...	-	15	...	10	...	5
74	Abortion without mention of sepsis or toxemia----------650	1	...	1	...	-	10	...	7	...	3
75	Abortion with sepsis----------651	-	...	-	...	-	33	...	19	...	14
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	2	...	-	...	2
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	2	...	1	...	1	30	...	21	...	9

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,703	4,142	2,104	823	634	1,492	999	482	9	2	24,951	14,846	8,947	707	451	5,297	3,311	1,684	168	134	1
2,232	1,065	761	204	202	510	322	186	1	1	9,964	5,040	4,485	247	192	1,561	860	590	64	47	2
5,439	3,064	1,328	617	430	981	676	296	8	1	14,962	9,790	4,454	459	259	3,719	2,445	1,089	102	83	3
32	13	15	2	2	1	1	-	-	-	25	16	8	1	-	17	6	5	2	4	4
144	52	40	29	23	20	11	9	-	-	375	188	150	28	9	71	39	28	3	2	5
12	2	5	2	3	-	-	-	-	-	30	9	15	3	3	6	5	1	-	-	6
44	20	10	12	2	11	7	4	-	-	136	80	43	13	-	10	5	4	-	1	7
88	30	25	15	18	9	4	5	-	-	209	99	92	12	6	55	28	23	3	1	8
1,028	367	394	143	124	172	100	71	1	-	2,946	1,375	1,436	73	62	481	234	196	30	21	9
742	262	295	101	84	125	74	50	1	-	1,897	855	966	37	39	254	132	112	7	3	10
286	105	99	42	40	47	26	21	-	-	1,049	520	470	36	23	227	102	84	23	18	11
778	342	139	187	110	81	49	31	1	-	1,121	554	472	53	42	518	269	188	40	21	12
11	1	5	1	4	4	3	1	-	-	49	26	21	-	2	8	3	4	-	1	13
13	6	3	4	-	2	2	-	-	-	68	31	28	5	4	15	8	7	-	-	14
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	15
46	21	15	8	2	11	5	6	-	-	215	117	89	5	4	52	18	27	4	3	16
706	312	116	174	104	64	39	24	1	-	788	379	334	43	32	443	240	150	36	17	17
2,360	593	662	508	597	174	85	86	3	-	4,102	1,500	2,053	245	304	762	306	328	62	66	18
713	181	197	171	164	54	32	22	-	-	1,369	588	661	67	53	232	104	88	26	14	19
1,647	412	465	337	433	120	53	64	3	-	2,733	912	1,392	178	251	530	202	240	36	52	20
323	97	76	74	76	42	22	20	-	-	671	277	292	49	53	169	80	54	18	17	21
174	64	36	39	35	25	15	10	-	-	461	211	187	30	33	80	38	24	11	7	22
149	33	40	35	41	17	7	10	-	-	210	66	105	19	20	89	42	30	7	10	23
740	318	246	98	78	169	86	80	1	2	2,924	1,452	1,313	85	74	530	263	228	22	17	24
534	208	201	72	53	145	73	70	-	2	2,341	1,090	1,154	48	49	430	204	191	19	16	25
142	85	27	15	15	20	12	7	1	-	429	293	94	25	17	52	35	14	2	1	26
10	5	1	2	2	-	-	-	-	-	9	4	5	-	-	9	5	3	1	-	27
54	20	17	9	8	4	1	3	-	-	145	65	60	12	8	39	19	20	-	-	28
119	49	37	14	19	15	10	4	-	1	338	146	148	25	19	93	49	38	2	4	29
2,027	659	483	470	415	333	180	126	14	13	4,394	2,453	1,414	346	181	1,105	564	367	89	85	30
45	8	9	18	10	2	1	1	-	-	94	40	40	5	9	11	4	4	2	1	31
320	100	72	77	71	47	20	22	1	4	438	226	183	13	16	167	62	75	16	14	32
1,260	366	289	316	289	219	118	86	9	6	2,449	1,278	855	211	105	643	306	221	57	59	33
285	97	59	76	53	61	36	22	3	-	696	377	211	78	30	141	65	50	13	13	34
545	157	141	122	125	132	70	51	6	5	1,360	709	486	110	55	275	139	89	25	22	35
132	32	35	29	36	15	5	10	-	-	217	101	91	12	13	59	29	23	2	5	36
298	80	54	89	75	11	7	3	-	1	176	91	67	11	7	168	73	59	17	19	37
13	4	5	3	1	3	2	1	-	-	88	38	25	9	16	7	3	2	1	1	38
55	27	17	5	6	8	4	2	-	2	148	93	43	8	4	30	17	11	2	-	39
3	-	2	-	1	-	-	-	-	-	6	3	3	-	-	3	-	3	-	-	40
22	10	1	8	3	-	-	-	-	-	45	28	11	4	2	8	5	2	1	-	41
7	4	-	2	1	-	-	-	-	-	9	7	1	1	-	2	2	-	-	-	42
302	140	88	41	33	54	35	14	4	1	1,117	740	253	95	29	234	165	49	10	10	43
1,142	460	299	223	160	179	102	63	8	6	3,362	1,857	1,251	140	114	780	403	265	66	46	44
3	1	1	-	1	1	1	-	-	-	5	2	3	-	-	5	3	1	-	1	45
77	32	19	23	3	15	12	3	-	-	256	178	55	16	7	61	45	10	4	2	46
121	82	15	20	4	12	9	3	-	-	279	203	59	13	4	59	46	12	1	-	47
5	3	1	1	-	-	-	-	-	-	10	7	1	1	1	3	-	2	1	-	48
24	6	7	4	7	10	7	3	-	-	108	62	30	9	7	32	17	11	3	1	49
172	58	54	38	22	27	13	11	2	1	473	217	223	12	21	129	58	50	14	7	50
219	45	30	77	67	29	7	13	5	4	364	159	166	20	19	107	36	42	14	15	51
237	127	62	29	19	43	34	8	-	1	1,079	690	320	41	28	168	104	42	13	9	52
162	81	49	16	16	34	27	7	-	-	791	481	261	26	23	141	90	36	9	6	53
75	46	13	13	3	9	7	1	-	1	288	209	59	15	5	27	14	6	4	3	54
66	20	37	2	7	26	9	16	1	-	258	103	150	2	3	70	18	44	3	5	55
218	86	73	29	30	16	10	6	-	-	530	236	244	26	24	146	76	51	13	6	56
876	309	227	201	139	87	54	29	4	-	1,765	934	592	120	119	533	275	170	57	31	57
499	163	125	102	109	51	33	17	1	-	885	421	342	60	62	317	136	122	37	22	58
27	7	3	11	6	4	3	1	-	-	54	24	24	2	4	34	17	9	2	6	59
28	10	9	2	7	6	3	3	-	-	76	38	27	3	8	12	6	3	2	1	60
444	146	113	89	96	41	27	13	1	-	755	359	291	55	50	271	113	110	33	15	61
173	55	68	34	16	10	3	6	1	-	376	140	168	28	40	67	24	31	6	6	62
34	14	16	2	2	4	2	2	-	-	57	30	24	1	2	14	10	3	-	1	63
48	11	9	23	5	6	3	3	-	-	124	71	30	17	6	29	16	9	3	1	64
94	59	...	35	...	13	13	...	-	...	261	247	...	14	...	93	82	...	11	...	65
12	7	...	5	...	2	-	...	2	...	25	25	...	-	...	7	7	...	-	...	66
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	67
16	...	9	...	7	1	...	1	...	-	35	...	26	...	9	6	...	5	...	1	68
84	...	18	...	66	4	...	4	...	-	70	...	51	...	19	22	...	13	...	9	69
11	...	4	...	7	-	...	-	...	-	8	...	8	...	-	6	...	3	...	3	70
27	...	7	...	20	1	...	1	...	-	16	...	12	...	4	5	...	3	...	2	71
18	...	1	...	17	1	...	1	...	-	8	...	6	...	2	3	...	2	...	1	72
3	...	-	...	3	1	...	1	...	-	3	...	2	...	1	2	...	1	...	1	73
5	...	2	...	3	-	...	-	...	-	3	...	1	...	2	1	...	-	...	1	74
6	...	2	...	4	-	...	-	...	-	5	...	3	...	2	1	...	-	...	1	75
1	...	-	...	1	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	76
13	...	2	...	11	1	...	1	...	-	26	...	19	...	7	4	...	4	...	-	77

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	6	3	3	-	-	148	53	79	5	11
2	Infections of skin and subcutaneous tissue---690-698	3	2	1	-	-	37	18	16	1	2
3	Other diseases of skin and subcutaneous tissue---700-716	3	1	2	-	-	111	35	63	4	9
4	XIII. Diseases of the bones and organs of movement	23	8	15	-	-	240	116	112	10	2
5	Arthritis and spondylitis---720-725	12	4	8	-	-	95	44	50	-	1
6	Muscular rheumatism and rheumatism, unspecified---726,727	-	-	-	-	-	2	1	1	-	-
7	Osteomyelitis and periostitis---730	1	-	1	-	-	23	11	10	2	-
8	Ankylosis and acquired musculoskeletal deformities---737,745-749	1	-	1	-	-	17	10	7	-	-
9	All other diseases of musculoskeletal system---731-736,738-744	9	4	5	-	-	103	50	44	8	1
10	XIV. Congenital malformations	150	76	70	2	2	1,984	986	785	106	107
11	Spina bifida and meningocele---751	6	2	4	-	-	114	46	65	1	2
12	Congenital hydrocephalus, etc.*---752,753	17	6	11	-	-	245	116	104	14	11
13	Congenital malformations of circulatory system---754	83	45	36	1	1	958	457	370	63	68
14	Other congenital malformations---750,755-759	44	23	19	1	1	667	367	246	28	26
15	XV. Certain diseases of early infancy	536	275	204	35	22	5,516	2,539	1,748	674	555
16	Birth injuries---760,761	88	48	35	4	1	864	440	301	67	56
17	Postnatal asphyxia and atelectasis---762	120	50	49	9	12	1,780	854	549	211	166
18	Infections of newborn---763-768	46	23	15	7	1	311	150	80	43	38
19	Hemolytic disease of newborn (erythroblastosis)---770	16	9	6	1	-	221	113	94	9	5
20	All other defined diseases of early infancy---769,771,772	18	10	7	1	-	91	48	28	11	4
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified---773-776	248	135	92	13	8	2,249	934	696	333	286
22	XVI. Symptoms, senility, and ill-defined conditions	392	232	120	24	16	1,096	517	379	133	67
23	Senility without mention of psychosis---794	23	6	12	1	4	59	27	31	1	-
24	Symptoms, ill-defined and unknown causes---780-793,795	369	226	108	23	12	1,037	490	348	132	67
25	XVII. Accidents, poisonings, and violence	845	532	160	117	36	8,804	5,150	2,659	728	267
26	Accidents---E800-E962	707	451	125	97	34	7,167	4,126	2,294	539	208
27	Railway accidents---E800-E802	9	4	-	4	1	110	72	10	26	2
28	Motor-vehicle accidents---E810-E835	370	250	60	51	9	2,344	1,566	571	145	62
29	Motor-vehicle traffic accidents---E810-E825	355	241	56	50	8	2,301	1,528	566	145	62
30	Motor-vehicle traffic accident with railway train*---E810	6	1	1	2	2	52	38	13	1	-
31	Motor-vehicle traffic accident to pedestrian---E812	46	28	10	7	1	748	474	184	64	26
32	Other motor-vehicle traffic accidents, etc.*---E811,E813-E819	132	90	24	15	3	661	407	192	43	19
33	Motor-vehicle noncollision traffic accidents---E820-E824	162	117	18	25	2	621	456	122	30	13
34	Motor-vehicle traffic accident of unspecified nature---E825	9	5	3	1	-	219	153	55	7	4
35	Motor-vehicle nontraffic accidents---E830-E835	15	9	4	1	1	43	38	5	-	-
36	Other road-vehicle accidents---E840-E845	2	1	1	-	-	22	14	8	-	-
37	Water-transport accidents---E850-E858	4	3	-	1	-	97	87	3	7	-
38	Aircraft accidents---E860-E866	32	30	1	1	-	67	51	13	2	1
39	Accidental poisoning by solid and liquid substances---E870-E888	11	6	3	2	-	60	33	20	3	4
40	Accidental poisoning by gases and vapors---E890-E895	6	3	1	-	2	87	56	22	7	2
41	Accidental falls---E900-E904	54	21	25	4	4	2,491	1,154	1,169	124	44
42	Fall from one level to another---E900-E902	17	7	6	1	3	995	586	304	75	30
43	Fall on same level---E903	15	5	9	-	1	669	238	409	15	7
44	Unspecified falls---E904	22	9	10	3	-	827	330	456	34	7
45	Blow from falling object---E910	6	5	-	1	-	35	26	5	4	-
46	Accident caused by machinery---E912	14	14	-	-	-	109	98	6	5	-
47	Accident caused by electric current---E914	5	5	-	-	-	50	45	2	2	1
48	Accident caused by fire and explosion, etc.*---E916	22	12	4	3	3	438	191	157	49	41
49	Accident caused by hot substance, etc.*---E917,E918	4	1	1	1	1	82	39	31	8	4
50	Accident caused by firearm---E919	26	22	1	3	-	75	62	7	5	1
51	Inhalation and ingestion of food or other object, etc.*---E921,E922	18	11	5	1	1	146	71	61	9	7
52	Accidental drowning---E929	41	23	9	5	4	392	263	51	69	9
53	Excessive heat and insolation---E931	2	1	1	-	-	14	9	5	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*---E940-E959	5	2	3	-	-	96	38	47	5	6
55	All other accidents---Residual[1]	76	37	10	20	9	450	251	106	69	24
56	Suicide---E963,E970-E979	83	51	21	11	-	1,219	881	293	36	9
57	Suicide by poisoning---E970-E973	16	4	12	-	-	209	128	79	1	1
58	Suicide by hanging and strangulation---E974	5	5	-	-	-	477	344	111	19	3
59	Suicide by firearms and explosives---E976	58	40	8	10	-	286	255	21	10	-
60	Suicide by all other means---E963,E975,E977-E979	4	2	1	1	-	247	154	82	6	5
61	Homicide---E964,E980-E985	55	30	14	9	2	415	140	72	153	50
62	Assault by firearms and explosives---E981	35	19	12	4	-	90	42	19	24	5
63	Assault by cutting and piercing instruments---E982	7	2	2	2	1	190	39	24	97	30
64	Assault by other means---E964,E980,E983	10	7	-	2	1	116	49	29	23	15
65	Injury by intervention of police---E984	3	2	-	1	-	15	7	-	8	-
66	Execution---E985	-	-	-	-	-	4	3	-	1	-
67	Injury resulting from operations of war---E965,E990-E999	-	-	-	-	-	3	3	-	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
60	13	19	14	14	4	2	2	-	-	82	35	36	6	5	20	9	11	-	-	1
17	5	4	5	3	2	1	1	-	-	22	12	6	2	2	3	2	1	-	-	2
43	8	15	9	11	2	1	1	-	-	60	23	30	4	3	17	7	10	-	-	3
92	38	35	8	11	15	5	10	-	-	166	82	75	4	5	46	24	18	3	1	4
49	17	24	4	4	9	2	7	-	-	62	22	37	1	2	23	10	11	1	1	5
2	-	-	-	2	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	6
4	3	1	-	-	-	-	-	-	-	14	8	6	-	-	2	1	-	1	-	7
1	1	-	-	-	2	1	1	-	-	10	5	5	-	-	1	-	1	-	-	8
36	17	10	4	5	3	2	1	-	-	79	46	27	3	3	20	13	6	1	-	9
537	201	192	80	64	93	47	44	-	2	1,355	653	584	74	44	240	117	91	18	14	10
39	11	21	6	1	4	1	3	-	-	90	33	55	2	-	12	9	3	-	-	11
80	23	36	12	9	15	6	9	-	-	149	75	68	4	2	25	13	12	-	-	12
239	94	83	30	32	45	22	21	-	2	662	318	276	39	29	119	56	45	13	5	13
179	73	52	32	22	29	18	11	-	-	454	227	185	29	13	84	39	31	5	9	14
1,926	646	421	477	382	250	142	94	9	5	3,692	1,767	1,249	359	317	749	391	223	72	63	15
315	127	74	67	47	53	35	16	1	1	732	373	267	48	44	146	87	38	14	7	16
522	196	127	122	77	71	36	31	4	-	1,025	504	329	105	87	191	107	55	14	15	17
189	37	29	52	71	22	10	8	2	2	225	108	77	25	15	56	20	17	8	11	18
45	23	13	8	1	15	7	8	-	-	147	68	66	8	5	21	12	7	1	1	19
71	21	8	26	16	4	2	2	-	-	87	36	36	9	6	22	11	5	3	3	20
784	242	170	202	170	85	52	29	2	2	1,476	678	474	164	160	313	154	101	32	26	21
824	203	125	282	214	41	20	21	-	-	565	285	198	44	38	815	417	212	99	87	22
81	15	29	22	15	26	12	14	-	-	111	48	59	1	3	209	84	90	19	16	23
743	188	96	260	199	15	8	7	-	-	454	237	139	43	35	606	333	122	80	71	24
3,186	1,574	481	796	335	418	300	100	17	1	6,395	3,937	1,803	491	164	1,862	1,149	503	145	65	25
2,448	1,236	393	545	274	362	251	93	17	1	5,051	3,064	1,546	319	122	1,584	967	457	109	51	26
30	15	1	12	2	2	2	-	-	-	65	53	6	5	1	17	13	-	4	-	27
1,144	680	159	226	79	158	116	35	6	1	2,124	1,463	490	133	38	709	450	189	50	20	28
1,114	666	153	218	77	147	106	34	6	1	2,076	1,426	482	131	37	697	440	187	50	20	29
24	14	6	3	1	4	2	2	-	-	107	73	30	4	-	40	30	9	-	1	30
244	113	35	70	26	7	6	1	-	-	434	283	104	36	11	78	52	18	5	3	31
391	245	85	56	25	69	44	24	-	1	796	516	214	46	20	291	185	87	15	4	32
391	255	37	77	22	49	40	6	3	-	455	350	75	27	3	98	65	17	12	4	33
64	39	10	12	3	18	14	1	3	-	284	204	59	18	3	190	108	56	18	8	34
30	14	6	8	2	11	10	1	-	-	48	37	8	2	1	12	10	2	-	-	35
5	4	-	-	1	4	4	-	-	-	6	5	1	-	-	8	7	1	-	-	36
40	26	4	10	-	7	6	1	-	-	53	50	1	2	-	12	9	2	1	-	37
26	24	1	1	-	3	3	-	-	-	32	28	4	-	-	23	20	3	-	-	38
52	20	7	15	10	4	4	-	-	-	49	26	18	1	4	21	13	6	-	2	39
17	10	3	3	1	6	5	1	-	-	106	59	26	14	7	26	19	5	1	1	40
268	92	129	23	24	49	23	26	-	-	1,433	637	729	46	21	262	106	137	14	5	41
93	49	21	12	11	18	10	8	-	-	491	259	191	32	9	60	28	24	8	-	42
77	21	48	2	6	14	3	11	-	-	238	87	147	4	-	44	15	26	1	2	43
98	22	60	9	7	17	10	7	-	-	704	291	391	10	12	158	63	87	5	3	44
29	18	-	11	-	6	4	2	-	-	41	34	3	4	-	17	16	-	1	-	45
43	31	-	11	1	21	21	-	-	-	93	80	5	8	-	35	32	1	2	-	46
32	24	1	7	-	2	2	-	-	-	46	41	3	2	-	28	26	2	-	-	47
182	46	28	41	67	19	10	3	6	-	304	141	100	40	23	89	43	25	11	10	48
18	3	8	6	1	-	-	-	-	-	21	12	6	2	1	18	9	5	2	2	49
91	47	10	29	5	16	15	1	-	-	83	65	6	11	1	60	50	6	4	-	50
60	18	8	16	18	2	1	1	-	-	75	32	27	9	7	21	7	8	5	1	51
182	97	7	70	8	24	16	5	3	-	205	143	38	17	7	95	63	19	10	3	52
6	2	-	4	-	2	-	2	-	-	7	4	2	1	-	4	3	1	-	-	53
25	8	8	5	4	1	1	-	-	-	53	26	21	4	2	16	4	9	3	-	54
198	71	19	55	53	36	18	16	2	-	255	165	60	20	10	123	77	38	1	7	55
369	257	65	41	6	53	47	6	-	-	998	757	210	28	3	179	137	32	6	4	56
38	22	16	-	-	8	7	1	-	-	189	133	53	3	-	27	16	9	1	1	57
38	27	4	6	1	21	19	2	-	-	260	185	67	7	1	18	12	6	-	-	58
259	197	30	31	1	20	19	1	-	-	447	371	59	15	2	118	100	10	5	3	59
34	11	15	4	4	4	2	2	-	-	102	68	31	3	-	16	9	7	-	-	60
369	81	23	210	55	3	2	1	-	-	345	115	47	144	39	98	44	14	30	10	61
224	65	16	115	28	2	2	-	-	-	187	68	22	79	18	56	26	7	17	6	62
107	9	4	78	16	-	-	-	-	-	69	13	4	42	10	21	7	3	9	2	63
32	5	3	13	11	1	-	1	-	-	78	28	21	18	11	13	5	4	2	2	64
4	1	-	3	-	-	-	-	-	-	10	5	-	5	-	5	4	-	1	-	65
2	1	-	1	-	-	-	-	-	-	1	1	-	-	-	3	2	-	1	-	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	67

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	15,675	9,267	6,119	188	101	118,950	61,856	48,491	4,721	3,882
2	I. Infective and parasitic diseases	153	101	44	7	1	1,697	972	378	232	115
3	Tuberculosis, all forms 001-019	67	48	15	4	-	1,031	663	161	143	64
4	Tuberculosis of respiratory system 001-008	59	46	10	3	-	963	633	152	123	55
5	Tuberculosis of meninges and central nervous system 010	1	-	1	-	-	20	8	2	6	4
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	-	-	-	-	-	1	-	1	-	-
7	Tuberculosis of vertebral column 012.0,013.0	1	-	1	-	-	5	2	1	2	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	1	1	-	-	-
9	Tuberculosis of genito-urinary system 018	5	2	3	-	-	7	5	1	1	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	-	-	-	-	-	5	3	2	-	-
11	Disseminated tuberculosis 019	1	-	-	1	-	29	11	2	11	5
12	Syphilis and its sequelae 020-029	26	20	4	2	-	267	127	53	60	27
13	Congenital syphilis 020	-	-	-	-	-	1	1	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	10	7	2	1	-	76	47	14	9	6
16	Other cardiovascular syphilis 023	12	10	1	1	-	99	36	16	33	14
17	Tabes dorsalis 024	1	1	-	-	-	3	2	1	-	-
18	General paralysis of insane 025	2	2	-	-	-	53	24	15	9	5
19	Other syphilis of central nervous system 026	-	-	-	-	-	28	15	4	8	1
20	Other syphilis 027-029	1	-	1	-	-	7	2	3	1	1
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	-	-	-	-	-	1	1	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	-	-	-	-	-	2	-	1	1	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	1	-	1	-	-
27	Dysentery, all forms 045-048	2	2	-	-	-	4	1	3	-	-
28	Food poisoning (infection and intoxication) 049	-	-	-	-	-	-	-	-	-	-
29	Scarlet fever 050	1	-	1	-	-	5	1	4	-	-
30	Streptococcal sore throat 051	5	2	2	-	1	6	4	1	-	1
31	Erysipelas 052	-	-	-	-	-	2	2	-	-	-
32	Septicemia and pyemia 053	11	6	5	-	-	75	37	30	6	2
33	Diphtheria 055	-	-	-	-	-	3	-	1	2	-
34	Whooping cough 056	-	-	-	-	-	13	5	7	-	1
35	Meningococcal infections 057	7	7	-	-	-	42	23	13	3	3
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	-	-	-	-	-	10	6	3	1	-
40	Anthrax 062	-	-	-	-	-	1	-	-	1	-
41	Acute poliomyelitis 080	2	-	2	-	-	3	2	1	-	-
42	Late effects of acute poliomyelitis 081	1	1	-	-	-	8	3	5	-	-
43	Acute infectious encephalitis 082	5	2	3	-	-	42	17	14	5	6
44	Late effects of acute infectious encephalitis 083	1	1	-	-	-	13	5	6	1	1
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	7	4	2	1	-	11	8	3	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	9	4	5	-	-	71	29	35	3	4
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	1	1	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	1	-	-	1	-
60	All other infective and parasitic diseases Residual[1]	9	4	5	-	-	84	37	36	5	6
61	II. Neoplasms	2,495	1,308	1,156	21	10	19,423	9,642	8,550	680	551
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	2,463	1,295	1,138	20	10	19,034	9,479	8,359	665	531
63	Malignant neoplasm of buccal cavity and pharynx 140-148	52	41	11	-	-	408	310	68	25	5
64	Of lip 140	3	3	-	-	-	18	15	2	-	1
65	Of tongue 141	13	11	2	-	-	85	66	14	4	1
66	Of other and unspecified parts of buccal cavity 142-144	9	8	1	-	-	125	94	21	8	2
67	Of pharynx 145-148	27	19	8	-	-	180	135	31	13	1
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	825	436	380	6	3	7,165	3,668	3,040	285	172
69	Of esophagus 150	39	24	14	1	-	376	266	66	37	7
70	Of stomach 151	187	115	70	1	1	1,697	1,006	550	99	42
71	Of intestine, except rectum 152,153	259	112	146	-	1	2,381	1,053	1,206	48	74
72	Of rectum 154	107	60	46	1	-	986	541	404	24	17
73	Of biliary passages and of liver (stated to be primary site) 155	56	18	38	-	-	409	155	237	12	5
74	Of liver not specified whether primary or secondary 156A	29	16	13	-	-	353	161	172	12	8
75	Of pancreas 157	132	84	45	3	-	846	436	345	48	17
76	Of peritoneum and of unspecified digestive organs 158,159	16	7	8	-	1	117	50	60	5	2
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	309	261	43	5	-	2,508	2,010	335	141	22
78	Of larynx 161	12	10	1	1	-	156	137	11	7	1
79	Of trachea, and of bronchus and lung specified as primary 162	178	148	29	1	-	892	712	105	67	8
80	Of lung and bronchus, unspecified as primary or secondary 163	109	94	12	3	-	1,392	1,120	195	64	13
81	Of other parts of respiratory system 160,164	10	9	1	-	-	68	41	24	3	-
82	Malignant neoplasm of breast 170	233	-	230	-	3	1,658	18	1,543	3	94

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,606	4,559	3,875	103	69	19,158	6,344	4,250	4,661	3,903	6,269	3,684	2,266	184	135	31,412	13,985	10,400	3,760	3,267	1
102	71	26	3	2	384	102	39	149	94	84	44	18	14	8	686	300	193	117	76	2
53	40	12	1	-	190	45	18	73	54	31	14	1	11	5	455	208	133	73	41	3
50	38	11	1	-	172	42	15	65	50	27	14	1	8	4	412	193	124	58	37	4
2	1	1	-	-	7	-	1	3	3	2	-	-	2	-	18	5	4	8	1	5
1	1	-	-	-	2	1	-	-	1	1	-	-	1	-	2	1	-	1	-	6
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	6	3	2	-	1	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	2	2	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	1	1	10
-	-	-	-	-	6	1	2	3	-	-	-	-	-	-	11	3	2	5	1	11
20	14	4	2	-	62	21	3	30	8	12	10	2	-	-	60	14	8	23	15	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
10	5	4	1	-	22	7	2	10	3	9	7	2	-	-	14	5	2	5	2	15
2	2	-	-	-	20	6	1	9	4	2	2	-	-	-	35	8	3	12	12	16
2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	17
2	2	-	-	-	13	6	-	7	-	1	1	-	-	-	3	1	-	2	-	18
4	4	-	-	-	6	1	-	4	1	-	-	-	-	-	5	-	3	2	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	21
-	-	-	-	-	3	1	-	2	-	-	-	-	-	-	2	2	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
5	-	5	-	-	7	-	-	5	2	3	1	1	-	1	9	2	3	2	2	27
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	5	2	1	-	2	28
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	29
-	-	-	-	-	2	-	1	-	1	1	-	1	-	-	7	3	3	1	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	31
3	2	1	-	-	19	7	5	4	3	3	2	-	1	-	24	9	7	5	3	32
-	-	-	-	-	4	1	-	2	1	-	-	-	-	-	3	1	2	-	-	33
-	-	-	-	-	18	1	1	8	8	2	1	-	-	1	4	1	1	-	2	34
-	-	-	-	-	12	3	6	-	3	5	3	1	1	-	14	7	4	1	2	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	15	3	-	8	4	3	1	1	1	-	8	1	1	2	4	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	4	4	-	-	-	4	2	2	-	-	2	1	-	-	1	41
7	6	1	-	-	-	-	-	-	-	2	-	2	-	-	4	3	1	-	-	42
3	2	1	-	-	2	2	-	-	-	-	-	-	-	-	9	4	4	1	-	43
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	8	3	1	3	1	5	3	2	-	-	14	5	5	2	2	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
6	3	2	-	1	10	6	1	2	1	6	3	3	-	-	23	13	9	-	1	48
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	1	1	-	-	-	49
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	53
-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	1	1	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	6	-	-	2	4	-	-	-	-	-	3	2	1	-	-	59
5	4	-	-	1	14	4	2	4	4	6	4	1	-	1	30	17	7	5	1	60
1,517	749	741	21	6	2,194	779	672	380	363	985	563	388	15	19	4,219	1,729	1,713	398	379	61
1,484	735	723	20	6	2,134	762	658	369	345	955	550	375	12	18	4,134	1,708	1,675	392	359	62
35	26	8	1	-	63	40	8	11	4	17	15	1	1	-	107	54	33	16	4	63
2	2	-	-	-	3	3	-	-	-	4	4	-	-	-	9	4	3	1	1	64
8	6	1	1	-	13	10	1	1	1	1	1	-	-	-	20	11	7	2	-	65
13	8	5	-	-	19	9	4	5	1	6	5	-	1	-	33	13	14	6	-	66
12	10	2	-	-	28	18	3	5	2	6	5	1	-	-	45	26	9	7	3	67
569	297	262	7	3	592	205	159	131	97	328	200	119	4	5	1,316	551	515	151	99	68
28	18	7	2	1	54	15	5	22	12	11	9	2	-	-	67	30	17	17	3	69
130	87	41	-	2	189	54	34	66	35	104	77	24	2	1	351	162	102	62	25	70
191	78	112	1	-	133	52	49	16	16	101	53	44	2	2	356	131	182	18	25	71
94	50	43	1	-	45	11	19	7	8	32	18	13	-	1	113	43	39	10	21	72
27	7	20	-	-	29	11	13	1	4	17	2	14	-	1	73	22	42	5	4	73
17	9	8	-	-	46	20	12	6	8	17	9	8	-	-	91	37	32	12	10	74
66	41	22	3	-	82	36	22	11	13	43	30	13	-	-	234	113	86	27	8	75
16	7	9	-	-	14	6	5	2	1	3	2	1	-	-	31	13	15	-	3	76
205	170	30	4	1	299	196	34	62	7	98	81	15	1	1	520	364	77	64	15	77
19	16	3	-	-	14	9	1	4	-	7	7	-	-	-	37	29	3	3	2	78
68	57	10	1	-	101	68	10	20	3	37	33	4	-	-	206	154	23	26	3	79
112	92	16	3	1	171	116	20	32	3	54	41	11	1	1	258	169	47	32	10	80
6	5	1	-	-	13	3	3	6	1	-	-	-	-	-	19	12	4	3	-	81
151	2	147	-	2	170	1	130	-	39	80	1	76	-	3	355	5	288	-	62	82

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	374	163	207	-	4	2,678	940	1,539	70	129
2	Of cervix uteri----------171	69	...	66	...	3	574	...	511	...	63
3	Of other and unspecified parts of uterus----------172-174	60	...	60	...	-	503	...	459	...	44
4	Of ovary, fallopian tube, and broad ligament----------175	71	...	71	...	-	528	...	508	...	20
5	Of other and unspecified female genital organs----------176	11	...	10	...	1	63	...	61	...	2
6	Of prostate----------177	159	159	...	-	...	940	873	...	67	...
7	Of testis, and of other and unspecified male genital organs----178,179	4	4	...	-	...	70	67	...	3	...
8	Malignant neoplasm of urinary organs----------180,181	124	77	47	-	-	888	591	249	33	15
9	Of kidney----------180	44	26	18	-	-	322	203	101	16	2
10	Of bladder and other urinary organs----------181	80	51	29	-	-	566	388	148	17	13
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	265	137	124	4	-	2,127	1,032	965	63	67
12	Of skin----------190,191	32	23	9	-	-	256	154	95	2	5
13	Of eye----------192	6	2	4	-	-	26	9	16	-	1
14	Of brain and other parts of nervous system----------193	85	45	39	1	-	355	197	139	13	6
15	Of thyroid gland----------194	17	6	10	1	-	80	27	51	-	2
16	Of bone (including jaw bone)----------196	11	10	1	-	-	171	93	63	5	10
17	Of connective tissue----------197	7	4	3	-	-	78	43	30	2	3
18	Of other specified sites, not stated to be secondary-----195,198A,199A	30	12	17	1	-	301	109	174	8	10
19	Of unspecified sites----------156B,165,198B,199B-M	77	35	41	1	-	860	400	397	33	30
20	Leukemia and aleukemia----------204	137	92	43	2	-	783	431	322	19	11
21	Lymphosarcoma, etc.*----------200-203,205	144	88	53	3	-	819	479	298	26	16
22	Lymphosarcoma and reticulosarcoma----------200	68	40	27	1	-	388	225	146	12	5
23	Hodgkin's disease----------201	33	27	6	-	-	237	147	79	7	4
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	43	21	20	2	-	194	107	73	7	7
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	32	13	18	1	-	389	163	191	15	20
26	Benign neoplasms of female genital organs----------214-217	2	...	2	...	-	47	...	33	...	14
27	Benign neoplasm of brain and other parts of nervous system----------223	7	1	6	-	-	60	22	33	3	2
28	Other benign neoplasms----------210-213,218-222,224-229	8	2	6	-	-	58	29	26	3	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	..	-	...	-	2	...	2	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	10	6	3	1	-	152	75	67	7	3
31	Other neoplasms of unspecified nature----------230-232,236,238,239	5	4	1	-	-	70	37	30	2	1
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	304	157	140	5	2	3,266	1,149	1,896	86	135
33	Asthma----------241	77	54	20	2	1	467	322	110	19	16
34	Nontoxic goiter----------250,251	1	-	1	-	-	10	-	6	2	2
35	Thyrotoxicosis with or without goiter----------252	5	1	4	-	-	58	11	42	1	4
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	1	-	1	-	-	26	4	22	-	-
37	Diabetes mellitus----------260	198	93	101	3	1	2,556	747	1,646	55	108
38	Diseases of thymus gland----------273	2	2	-	-	-	12	9	3	-	-
39	Diseases of adrenal glands----------274	1	1	-	-	-	41	13	24	3	1
40	Pellagra----------281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	6	-	6	-	-	27	8	18	-	1
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	13	6	7	-	-	69	35	25	6	3
43	IV. Diseases of the blood and blood-forming organs----------	54	25	28	-	1	323	143	143	17	20
44	Anemias----------290-293	36	16	19	-	1	188	77	89	8	14
45	Pernicious and other hyperchromic anemias----------290	14	7	7	-	-	65	26	37	-	2
46	Anemias of other and unspecified type----------291-293	22	9	12	-	1	123	51	52	8	12
47	Purpura and other hemorrhagic conditions----------296	5	2	3	-	-	49	21	24	-	4
48	All other diseases of blood and blood-forming organs-----294,295,297-299	13	7	6	-	-	86	45	30	9	2
49	V. Mental, psychoneurotic, and personality disorders----------	53	22	31	-	-	162	92	54	15	1
50	Senile psychosis----------304	27	5	22	-	-	20	5	15	-	-
51	Alcoholic psychosis----------307	-	-	-	-	-	14	12	1	1	-
52	Other psychoses----------300-303,305,306,308,309	4	-	4	-	-	23	9	13	1	-
53	Alcoholism----------322	19	14	5	-	-	88	59	17	11	1
54	Mental deficiency----------325	3	3	-	-	-	8	4	4	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	-	-	-	-	-	9	3	4	2	-
56	VI. Diseases of the nervous system and sense organs----------	2,102	1,044	1,032	16	10	13,765	6,219	6,580	442	524
57	Vascular lesions affecting central nervous system----------330-334	1,970	967	981	14	8	12,793	5,715	6,200	391	487
58	Subarachnoid hemorrhage----------330	74	27	45	2	-	395	176	171	17	31
59	Cerebral hemorrhage----------331	1,138	543	579	9	7	7,633	3,380	3,742	211	300
60	Cerebral embolism and thrombosis----------332	619	329	287	2	1	3,612	1,667	1,692	128	125
61	Other vascular lesions affecting central nervous system--------333,334	139	68	70	1	-	1,153	492	595	35	31
62	Meningitis, except meningococcal and tuberculous----------340	14	7	5	1	1	104	48	30	11	15
63	Multiple sclerosis----------345	24	12	12	-	-	129	57	60	2	10
64	Paralysis agitans----------350	15	8	7	-	-	205	106	94	3	2
65	Cerebral spastic infantile paralysis----------351	4	3	1	-	-	35	22	13	-	-
66	Epilepsy----------353	16	8	7	1	-	167	91	50	23	3
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	1	-	1	-	-	4	1	2	-	1
69	Glaucoma----------387	-	-	-	-	-	1	-	1	-	-
70	Otitis media and mastoiditis----------391-393	6	5	-	-	1	18	13	5	-	-
71	Other diseases of nervous system and sense organs----------Residual[1]	52	34	18	-	-	309	166	125	12	6
72	VII. Diseases of the circulatory system----------	6,659	4,156	2,443	43	17	54,446	29,054	22,353	1,625	1,414
73	Rheumatic fever----------400-402	5	1	4	-	-	88	38	36	7	7
74	Diseases of heart----------410-443	5,997	3,802	2,141	38	16	49,465	26,673	20,125	1,444	1,223
75	Chronic rheumatic heart disease----------410-416	242	125	114	1	2	1,645	708	840	44	53
76	Diseases of mitral valve----------410	94	43	51	-	-	530	208	309	4	9
77	Diseases of aortic valve specified as rheumatic----------411	30	27	3	-	-	160	116	34	7	3
78	Diseases of tricuspid valve----------412	-	-	-	-	-	2	-	2	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	18	7	11	-	-	109	47	60	1	1
80	Other diseases of heart specified as rheumatic----------415,416	100	48	49	1	2	844	337	435	32	40

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
162	56	103	3	-	432	89	137	82	124	139	82	52	4	1	730	209	352	60	109	1
35	...	35	...	-	136	...	65	...	71	11	...	11	...	-	230	...	165	...	65	2
28	...	28	...	-	66	...	32	...	34	20	...	20	...	-	113	...	87	...	26	3
37	...	37	...	-	54	...	40	...	14	22	...	21	...	1	106	...	91	...	15	4
3	...	3	...	-	5	...	-	...	5	-	...	-	...	-	12	...	9	...	3	5
56	53	...	3	...	152	82	...	70	...	84	80	...	4	...	250	193	...	57	...	6
3	3	...	-	...	19	7	...	12	...	2	2	...	-	...	19	16	...	3	...	7
66	42	24	-	-	88	39	28	12	9	57	43	12	-	2	159	78	49	27	5	8
27	21	6	-	-	36	19	10	4	3	26	18	8	-	-	70	36	25	8	1	9
39	21	18	-	-	52	20	18	8	6	31	25	4	-	2	89	42	24	19	4	10
181	87	90	4	-	280	103	89	39	49	134	71	56	1	6	553	247	217	44	45	11
20	14	6	-	-	49	24	16	4	5	16	10	6	-	-	95	50	38	3	4	12
1	-	1	-	-	3	1	-	2	-	1	-	1	-	-	8	3	3	1	1	13
19	13	6	-	-	58	23	26	6	3	28	17	11	-	-	131	76	44	8	3	14
6	3	3	-	-	8	2	3	-	3	5	2	3	-	-	29	8	16	1	4	15
6	3	3	-	-	18	3	6	7	2	11	5	6	-	-	39	17	17	2	3	16
6	4	2	-	-	5	2	-	1	2	1	-	1	-	-	15	6	8	1	-	17
39	17	21	1	-	42	16	10	7	9	22	11	9	1	1	64	19	29	8	8	18
84	33	48	3	-	97	32	28	12	25	50	26	19	-	5	172	68	62	20	22	19
61	27	33	1	-	104	38	45	13	8	52	32	19	1	-	209	98	82	17	12	20
54	28	26	-	-	106	51	28	19	8	50	25	25	-	-	185	102	62	13	8	21
26	14	12	-	-	52	28	11	9	4	16	8	8	-	-	82	43	33	5	1	22
16	8	8	-	-	23	13	7	2	1	14	8	6	-	-	42	22	12	6	2	23
12	6	6	-	-	31	10	10	8	3	20	9	11	-	-	61	37	17	2	5	24
33	14	18	1	-	60	17	14	11	18	30	13	13	3	1	85	21	38	6	20	25
2	...	2	...	-	13	...	3	...	10	3	...	3	...	-	19	...	7	...	12	26
6	2	4	-	-	9	7	1	-	1	5	3	1	1	-	12	6	6	-	-	27
4	4	-	-	-	7	2	2	2	1	8	4	3	-	1	15	4	7	2	2	28
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	5	...	3	...	2	29
15	5	9	1	-	25	8	6	8	3	10	5	3	2	-	18	6	10	1	1	30
6	3	3	-	-	6	-	2	1	3	4	1	3	-	-	16	5	5	3	3	31
285	104	177	-	4	366	105	99	51	111	138	75	53	3	7	540	213	191	60	76	32
29	20	9	-	-	60	26	18	10	6	33	25	7	1	-	112	61	23	20	8	33
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	34
4	-	4	-	-	6	-	2	-	4	1	1	-	-	-	10	-	7	-	3	35
5	-	5	-	-	1	-	-	-	1	-	-	-	-	-	4	2	2	-	-	36
237	81	152	-	4	261	71	73	35	82	91	42	44	-	5	367	136	134	34	63	37
1	-	1	-	-	4	1	1	-	2	-	-	-	-	-	2	1	1	-	-	38
2	-	2	-	-	4	-	-	2	2	2	2	-	-	-	8	2	4	1	1	39
-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	3	-	2	-	1	40
3	2	1	-	-	14	1	2	3	8	5	1	-	2	2	11	4	6	1	-	41
4	1	3	-	-	13	6	3	1	3	6	4	2	-	-	22	7	11	4	-	42
20	9	10	-	1	53	11	17	14	11	33	13	19	-	1	73	24	35	8	6	43
12	6	5	-	1	34	6	9	11	8	24	9	14	-	1	49	14	22	8	5	44
6	1	5	-	-	4	1	1	1	1	11	6	5	-	-	6	4	2	-	-	45
6	5	-	-	1	30	5	8	10	7	13	3	9	-	1	43	10	20	8	5	46
6	3	3	-	-	7	-	4	1	2	2	-	2	-	-	10	3	6	-	1	47
2	-	2	-	-	12	5	4	2	1	7	4	3	-	-	14	7	7	-	-	48
23	19	3	1	-	49	26	3	14	6	8	4	-	2	2	94	49	26	9	10	49
-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	10	3	6	-	1	50
2	1	1	-	-	3	2	1	-	-	1	1	-	-	-	6	6	-	-	-	51
6	5	-	1	-	2	1	-	-	1	-	-	-	-	-	32	13	15	-	4	52
12	11	1	-	-	40	23	2	12	3	6	2	-	2	2	43	27	3	9	4	53
2	2	-	-	-	2	-	-	2	-	-	-	-	-	-	3	-	2	-	1	54
1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	55
908	397	495	7	9	2,852	766	711	686	689	805	399	388	11	7	4,863	1,885	1,888	493	597	56
844	363	467	6	8	2,675	717	677	633	648	741	367	362	6	6	4,607	1,770	1,807	460	570	57
25	14	10	-	1	110	28	31	26	25	9	2	7	-	-	122	38	49	14	21	58
521	225	289	2	5	1,696	427	377	424	468	535	260	269	4	2	2,809	1,097	1,096	265	351	59
248	102	140	4	2	665	213	222	128	102	130	70	56	1	3	1,121	419	453	125	124	60
50	22	28	-	-	204	49	47	55	53	67	35	30	1	1	555	216	209	56	74	61
2	2	-	-	-	44	8	2	18	16	11	7	2	1	1	31	11	12	3	5	62
13	5	7	-	1	7	3	2	2	-	9	3	6	-	-	11	6	3	1	1	63
11	6	5	-	-	8	6	2	-	-	11	6	5	-	-	43	15	18	4	6	64
2	-	2	-	-	14	6	2	4	2	3	2	-	1	-	16	7	7	1	1	65
11	7	4	-	-	36	11	3	13	9	4	2	1	1	-	48	17	11	16	4	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	69
3	2	1	-	-	8	1	1	4	2	1	-	1	-	-	11	6	4	-	1	70
22	12	9	1	-	60	14	22	12	12	25	12	11	2	-	95	53	26	7	9	71
4,041	2,213	1,763	37	28	7,054	2,673	1,658	1,413	1,310	2,527	1,595	882	29	21	11,573	5,546	3,838	1,167	1,022	72
6	5	1	-	-	17	2	3	7	5	4	1	3	-	-	23	9	5	3	6	73
3,722	2,053	1,608	34	27	6,307	2,425	1,495	1,240	1,147	2,280	1,464	768	29	19	10,487	5,098	3,458	1,037	894	74
101	49	50	2	-	136	37	31	27	41	62	34	25	1	2	286	121	97	36	32	75
41	20	21	-	-	49	6	13	11	19	17	8	8	-	1	128	55	45	13	15	76
11	6	4	1	-	12	7	3	1	1	4	4	-	-	-	14	9	3	2	-	77
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	78
4	1	3	-	-	8	5	3	-	-	9	3	5	-	1	21	6	7	6	2	79
45	22	22	1	-	66	19	11	15	21	32	19	12	1	-	122	50	42	15	15	80

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	4,535	3,079	1,423	25	8	34,179	20,144	12,650	841	544
2	Arteriosclerotic heart disease so described----------420.0	1,599	954	634	8	3	14,630	7,590	6,295	452	293
3	Heart disease specified as involving coronary arteries----------420.1	2,933	2,122	789	17	5	19,509	12,532	6,339	367	251
4	Angina pectoris without mention of coronary disease----------420.2	3	3	-	-	-	40	22	16	2	-
5	Chronic endocarditis not specified as rheumatic----------421	57	43	13	-	1	476	230	206	19	21
6	Of mitral valve, specified as nonrheumatic----------421.0	5	5	-	-	-	32	11	17	1	3
7	Of aortic valve, not specified as rheumatic----------421.1	39	30	8	-	1	138	79	47	10	2
8	Of other valves, not specified as rheumatic----------421.2-421.4	13	8	5	-	-	306	140	142	8	16
9	Other myocardial degeneration----------422	312	154	155	2	1	5,702	2,624	2,780	157	141
10	With arteriosclerosis----------422.1	187	88	97	1	1	4,073	1,861	1,979	128	105
11	Without mention of arteriosclerosis----------422.0,422.2	125	66	58	1	-	1,629	763	801	29	36
12	Other diseases of heart----------430-434	188	112	74	1	1	1,373	707	561	51	54
13	Acute and subacute endocarditis----------430	2	1	1	-	-	54	27	23	1	3
14	Acute myocarditis not specified as rheumatic----------431	8	4	4	-	-	116	55	48	6	7
15	Acute pericarditis specified as nonrheumatic----------432	-	-	-	-	-	7	3	3	-	1
16	Functional disease of heart----------433	32	18	14	-	-	193	94	94	2	3
17	Other and unspecified diseases of heart----------434	146	89	55	1	1	1,003	528	393	42	40
18	Hypertension with heart disease----------440-443	663	289	362	9	3	6,090	2,260	3,088	332	410
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	229	123	105	-	1	1,855	805	890	86	74
20	Essential hypertension with heart disease, etc.*----------440,441,443	434	166	257	9	2	4,235	1,455	2,198	246	336
21	Hypertension without mention of heart----------444-447	68	30	36	2	-	777	320	346	50	61
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	46	22	22	2	-	539	234	235	34	36
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	22	8	14	-	-	238	86	111	16	25
24	Diseases of arteries----------450-456	533	290	240	2	1	3,624	1,795	1,630	96	103
25	General arteriosclerosis----------450	397	197	198	2	-	2,968	1,354	1,449	79	86
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	118	82	35	-	1	512	362	128	13	9
27	Gangrene of unspecified cause----------455	-	-	-	-	-	23	15	8	-	-
28	Other arterial diseases----------452-454,456	18	11	7	-	-	121	64	45	4	8
29	Diseases of veins and other diseases of circulatory system-------460-468	56	33	22	1	-	492	228	216	28	20
30	VIII. Diseases of the respiratory system----------	871	536	298	24	13	5,957	3,615	1,798	314	230
31	Acute upper respiratory infections----------470-475	6	4	2	-	-	59	21	25	10	3
32	Influenza----------480-483	39	20	16	1	2	478	220	221	20	17
33	Pneumonia, except pneumonia of newborn----------490-493	556	319	209	19	9	3,351	1,748	1,214	215	174
34	Lobar pneumonia----------490	100	66	24	8	2	906	467	342	55	42
35	Bronchopneumonia----------491	347	191	143	10	3	1,625	875	546	114	90
36	Primary atypical pneumonia----------492	36	21	15	-	-	400	197	163	25	15
37	Pneumonia, other and unspecified----------493	73	41	27	1	4	420	209	163	21	27
38	Acute bronchitis----------500	11	6	3	1	1	95	48	42	2	3
39	Bronchitis, chronic and unqualified----------501,502	35	28	7	-	-	149	95	44	8	2
40	Hypertrophy of tonsils and adenoids----------510	1	-	1	-	-	11	4	4	-	3
41	Empyema and abscess of lung----------518,521	5	2	3	-	-	49	33	10	2	4
42	Pleurisy----------519	3	-	3	-	-	16	5	8	1	2
43	All other respiratory diseases----------Residual[1]	215	157	54	3	1	1,749	1,441	230	56	22
44	IX. Diseases of the digestive system----------	535	333	182	12	8	4,425	2,486	1,628	181	130
45	Diseases of teeth and supporting structures----------530-535	2	1	1	-	-	3	1	1	-	1
46	Ulcer of stomach----------540	43	31	12	-	-	371	250	93	23	5
47	Ulcer of duodenum----------541	63	50	13	-	-	348	272	58	13	5
48	Gastritis and duodenitis----------543	2	1	1	-	-	29	18	10	1	-
49	Appendicitis----------550-553	14	7	5	2	-	135	80	41	10	4
50	Hernia and intestinal obstruction----------560,561,570	85	46	35	1	3	659	305	306	28	20
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	44	28	15	1	-	414	188	198	12	16
52	Cirrhosis of liver----------581	146	100	41	2	3	1,321	830	404	53	34
53	Without mention of alcoholism----------581.0	83	58	23	-	2	1,057	658	344	30	25
54	With alcoholism----------581.1	63	42	18	2	1	264	172	60	23	9
55	Cholelithiasis and cholecystitis----------584,585	37	22	13	2	-	369	141	221	1	6
56	Other diseases of digestive system----------Residual[1]	99	47	48	4	2	776	401	296	40	39
57	X. Diseases of the genito-urinary system----------	246	148	88	4	6	2,322	1,250	820	124	128
58	Nephritis and nephrosis----------590-594	114	63	44	2	5	1,280	607	532	63	78
59	Acute nephritis----------590	13	9	2	1	1	79	42	32	3	2
60	Nephritis with edema, including nephrosis----------591	8	6	2	-	-	89	48	28	7	6
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	93	48	40	1	4	1,112	517	472	53	70
62	Infections of kidney----------600	58	28	28	1	1	394	176	160	27	31
63	Calculi of urinary system----------602,604	10	6	4	-	-	117	57	56	2	2
64	Other diseases of urinary system----------601,603,605-609	17	9	7	1	-	139	83	37	13	6
65	Hyperplasia of prostate----------610	38	38	...	-	...	307	290	...	17	...
66	Other diseases of male genital organs----------611-617	3	3	...	-	...	38	36	...	2	...
67	Diseases of breast----------620,621	1	1	-	-	-	1	1	-	-	-
68	Diseases of female genital organs----------622-637	5	...	5	...	-	46	...	35	...	11
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	8	...	6	...	2	74	...	56	...	18
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	1	...	1	...	-	6	...	6	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	-	...	-	...	-	15	...	13	...	2
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	3	...	2	...	1	10	...	10	...	-
73	Ectopic pregnancy----------645	2	...	2	...	-	4	...	1	...	3
74	Abortion without mention of sepsis or toxemia----------650	-	...	-	...	-	6	...	2	...	4
75	Abortion with sepsis----------651	1	...	-	...	1	5	...	2	...	3
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	1	...	-	...	1
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	1	...	1	...	-	27	...	22	...	5

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,015	1,750	1,222	24	19	3,760	1,823	911	572	454	1,721	1,164	524	21	12	6,748	3,733	2,190	487	338	1
1,811	947	839	14	11	918	370	262	164	122	514	311	189	12	2	2,482	1,179	941	219	143	2
1,204	803	383	10	8	2,806	1,444	643	397	322	1,205	852	334	9	10	4,240	2,537	1,243	265	195	3
-	-	-	-	-	36	9	6	11	10	2	1	1	-	-	26	17	6	3	-	4
33	20	12	1	-	127	32	19	35	41	38	23	15	-	-	143	44	44	32	23	5
6	2	4	-	-	12	6	1	1	4	2	-	2	-	-	17	4	5	5	3	6
14	10	4	-	-	49	12	7	17	13	7	4	3	-	-	32	13	11	5	3	7
13	8	4	1	-	66	14	11	17	24	29	19	10	-	-	94	27	28	22	17	8
133	55	77	-	1	517	168	158	94	97	148	81	67	-	-	1,123	437	417	144	125	9
77	31	45	-	1	369	119	113	70	67	77	37	40	-	-	533	229	208	45	51	10
56	24	32	-	-	148	49	45	24	30	71	44	27	-	-	590	208	209	99	74	11
58	37	20	-	1	379	117	83	95	84	125	69	46	6	4	521	231	152	70	68	12
4	4	-	-	-	18	3	3	5	7	2	1	1	-	-	14	7	1	3	3	13
1	1	-	-	-	7	2	1	2	2	5	4	1	-	-	39	6	9	9	15	14
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
12	7	5	-	-	32	8	13	7	4	14	7	7	-	-	52	22	22	5	3	16
40	25	14	-	1	322	104	66	81	71	104	57	37	6	4	416	196	120	53	47	17
382	142	227	7	6	1,388	248	293	417	430	186	93	91	1	1	1,666	532	558	268	308	18
87	42	44	1	-	339	68	54	100	117	63	38	24	-	1	388	153	134	52	49	19
295	100	183	6	6	1,049	180	239	317	313	123	55	67	1	-	1,278	379	424	216	259	20
68	30	36	1	1	190	41	31	65	53	47	26	20	-	1	266	83	85	43	55	21
46	21	23	1	1	89	23	19	29	18	27	16	11	-	-	139	47	42	23	27	22
22	9	13	-	-	101	18	12	36	35	20	10	9	-	1	127	36	43	20	28	23
216	114	100	2	-	478	186	112	93	87	177	96	80	-	1	651	293	243	59	56	24
169	78	89	2	-	375	140	91	74	70	135	69	65	-	1	516	221	204	44	47	25
43	33	10	-	-	71	37	14	12	8	31	23	8	-	-	94	59	18	13	4	26
2	2	-	-	-	4	-	-	2	2	2	2	-	-	-	2	1	-	-	1	27
2	1	1	-	-	28	9	7	5	7	9	2	7	-	-	39	12	21	2	4	28
29	11	18	-	-	62	19	17	8	18	19	8	11	-	-	146	63	47	25	11	29
325	204	111	6	4	1,151	305	204	361	281	342	187	111	31	13	1,758	763	553	244	198	30
4	2	2	-	-	14	-	1	11	2	9	2	7	-	-	20	8	6	3	3	31
10	7	3	-	-	216	37	34	77	68	44	20	13	9	2	291	105	91	46	49	32
217	122	88	4	3	682	152	117	229	184	199	96	74	20	9	1,060	413	372	152	123	33
34	13	20	-	1	172	43	30	58	41	37	29	4	2	2	295	116	93	52	44	34
149	91	52	4	2	318	67	56	112	83	74	32	37	4	1	540	215	205	69	51	35
9	4	5	-	-	56	14	11	15	16	25	14	10	-	1	70	28	22	10	10	36
25	14	11	-	-	136	28	20	44	44	63	21	23	14	5	155	54	62	21	18	37
8	4	4	-	-	9	2	1	1	5	6	3	3	-	-	12	5	2	2	3	38
14	12	-	1	1	19	8	7	3	1	11	7	4	-	-	41	20	8	6	7	39
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	5	3	2	-	-	40
-	-	-	-	-	17	6	1	8	2	4	4	-	-	-	12	7	4	1	-	41
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	4	1	2	1	-	42
72	57	14	1	-	192	99	43	32	18	69	55	10	2	2	313	201	66	33	13	43
361	223	133	3	2	610	195	131	167	117	222	119	79	10	14	920	402	312	103	103	44
2	2	-	-	-	2	-	-	2	-	2	-	1	1	-	3	2	-	-	1	45
34	25	9	-	-	49	20	11	16	2	18	12	5	1	-	72	40	20	7	5	46
28	23	5	-	-	42	28	7	7	-	14	14	-	-	-	75	55	12	5	3	47
4	1	3	-	-	5	2	-	2	1	1	-	1	-	-	16	5	5	5	1	48
11	7	3	1	-	19	4	6	3	6	9	7	2	-	-	30	12	7	9	2	49
54	25	27	1	1	83	23	29	17	14	39	23	16	-	-	129	46	51	15	17	50
32	19	12	1	-	170	20	18	74	58	44	13	15	8	8	127	36	45	26	20	51
121	84	36	-	1	105	56	20	20	9	25	15	10	-	-	216	113	66	18	19	52
72	48	23	-	1	86	45	19	16	6	21	11	10	-	-	171	84	59	15	13	53
49	36	13	-	-	19	11	1	4	3	4	4	-	-	-	45	29	7	3	6	54
27	9	18	-	-	25	11	12	-	2	26	9	14	-	3	84	24	49	3	8	55
48	28	20	-	-	110	31	28	26	25	44	26	15	-	3	168	69	57	15	27	56
155	90	57	6	2	531	126	106	176	123	136	98	31	6	1	673	286	144	149	94	57
78	37	38	2	1	306	64	52	97	93	57	36	19	1	1	355	135	81	78	61	58
6	3	3	-	-	31	5	7	8	11	2	1	1	-	-	27	13	3	7	4	59
5	2	2	1	-	12	3	2	6	1	2	2	-	-	-	21	7	4	6	4	60
67	32	33	1	1	263	56	43	83	81	53	33	18	1	1	307	115	74	65	53	61
29	16	11	1	1	103	14	39	30	20	23	16	6	1	-	118	40	39	19	20	62
8	5	2	1	-	23	12	8	1	2	8	6	2	-	-	21	9	7	4	1	63
10	7	3	-	-	26	5	6	10	5	10	8	1	1	-	42	15	9	15	3	64
22	22	...	-	...	57	26	...	31	...	32	30	...	2	...	109	80	...	29	...	65
5	3	...	2	...	12	5	...	7	...	3	2	...	1	...	11	7	...	4	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
3	...	3	...	-	4	...	1	...	3	3	...	3	...	-	17	...	8	...	9	68
5	...	5	...	-	60	...	12	...	48	6	...	6	...	-	47	...	21	...	26	69
-	...	-	...	-	3	...	-	...	3	-	...	-	...	-	5	...	2	...	3	70
-	...	-	...	-	28	...	7	...	21	1	...	1	...	-	22	...	8	...	14	71
1	...	1	...	-	14	...	4	...	10	3	...	3	...	-	10	...	6	...	4	72
1	...	1	...	-	5	...	-	...	5	1	...	1	...	-	4	...	2	...	2	73
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	74
-	...	-	...	-	4	...	-	...	4	1	...	1	...	-	2	...	1	...	1	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	76
1	...	1	...	-	6	...	1	...	5	-	...	-	...	-	3	...	2	...	1	77

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	11	5	6	-	-	104	44	49	5	6
2	Infections of skin and subcutaneous tissue 690-698	5	4	1	-	-	32	18	9	3	2
3	Other diseases of skin and subcutaneous tissue 700-716	6	1	5	-	-	72	26	40	2	4
4	XIII. Diseases of the bones and organs of movement	27	12	15	-	-	171	68	96	4	3
5	Arthritis and spondylitis 720-725	14	4	10	-	-	88	26	60	1	1
6	Muscular rheumatism and rheumatism, unspecified 726,727	1	1	-	-	-	1	-	1	-	-
7	Osteomyelitis and periostitis 730	-	-	-	-	-	9	6	1	1	1
8	Ankylosis and acquired musculoskeletal deformities 737,745-749	1	1	-	-	-	6	3	3	-	-
9	All other diseases of musculoskeletal system 731-736,738-744	11	6	5	-	-	67	33	31	2	1
10	XIV. Congenital malformations	215	117	93	3	2	1,286	636	539	64	47
11	Spina bifida and meningocele 751	6	2	3	-	1	112	47	62	2	1
12	Congenital hydrocephalus, etc.* 752,753	15	11	4	-	-	157	64	79	10	4
13	Congenital malformations of circulatory system 754	103	48	53	1	1	576	293	230	32	21
14	Other congenital malformations 750,755-759	91	56	33	2	-	441	232	168	20	21
15	XV. Certain diseases of early infancy	448	254	173	11	10	3,908	1,821	1,365	402	320
16	Birth injuries 760,761	110	67	37	2	4	788	360	287	92	49
17	Postnatal asphyxia and atelectasis 762	116	66	45	3	2	1,069	501	361	111	96
18	Infections of newborn 763-768	32	20	8	2	2	257	109	90	30	28
19	Hemolytic disease of newborn (erythroblastosis) 770	27	14	12	1	-	174	93	72	4	5
20	All other defined diseases of early infancy 769,771,772	8	6	2	-	-	101	53	29	12	7
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified 773-776	155	81	69	3	2	1,519	705	526	153	135
22	XVI. Symptoms, senility, and ill-defined conditions	137	77	51	3	6	849	435	252	101	61
23	Senility without mention of psychosis 794	46	22	23	-	1	135	53	74	4	4
24	Symptoms, ill-defined and unknown causes 780-793,795	91	55	28	3	5	714	382	178	97	57
25	XVII. Accidents, poisonings, and violence	1,357	972	333	39	13	6,772	4,230	1,934	429	179
26	Accidents E800-E962	1,109	795	278	27	9	5,484	3,394	1,659	300	131
27	Railway accidents E800-E802	11	11	-	-	-	73	59	7	5	2
28	Motor-vehicle accidents E810-E835	473	333	125	11	4	1,927	1,376	417	95	39
29	Motor-vehicle traffic accidents E810-E825	456	320	122	10	4	1,896	1,353	411	94	38
30	Motor-vehicle traffic accident with railway train* E810	11	5	5	1	-	19	11	5	3	-
31	Motor-vehicle traffic accident to pedestrian E812	73	51	21	1	-	503	356	93	34	20
32	Other motor-vehicle traffic accidents, etc.* E811,E813-E819	187	122	61	1	3	653	440	176	26	11
33	Motor-vehicle noncollision traffic accidents E820-E824	134	98	29	6	1	427	338	65	20	4
34	Motor-vehicle traffic accident of unspecified nature E825	51	44	6	1	-	294	208	72	11	3
35	Motor-vehicle nontraffic accidents E830-E835	17	13	3	1	-	31	23	6	1	1
36	Other road-vehicle accidents E840-E845	5	3	2	-	-	19	9	9	1	-
37	Water-transport accidents E850-E858	26	24	2	-	-	46	38	3	5	-
38	Aircraft accidents E860-E866	28	26	2	-	-	41	38	2	1	-
39	Accidental poisoning by solid and liquid substances E870-E888	15	9	5	1	-	82	25	29	16	12
40	Accidental poisoning by gases and vapors E890-E895	9	6	3	-	-	84	54	26	2	2
41	Accidental falls E900-E904	155	84	68	3	-	1,768	852	838	58	20
42	Fall from one level to another E900-E902	59	39	18	2	-	702	414	240	36	12
43	Fall on same level E903	31	15	16	-	-	328	143	175	8	2
44	Unspecified falls E904	65	30	34	1	-	738	295	423	14	6
45	Blow from falling object E910	43	42	-	1	-	98	91	3	3	1
46	Accident caused by machinery E912	51	51	-	-	-	99	92	3	4	-
47	Accident caused by electric current E914	6	6	-	-	-	39	33	2	3	1
48	Accident caused by fire and explosion, etc.* E916	59	32	25	-	2	284	131	96	29	28
49	Accident caused by hot substance, etc.* E917,E918	9	5	4	-	-	36	21	12	2	1
50	Accident caused by firearm E919	24	21	1	2	-	88	77	6	5	-
51	Inhalation and ingestion of food or other object, etc.* E921,E922	32	16	13	1	2	112	69	37	4	2
52	Accidental drowning E929	71	54	12	4	1	233	164	33	30	6
53	Excessive heat and insolation E931	-	-	-	-	-	24	12	8	4	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.* E940-E959	7	6	-	1	-	89	39	44	1	5
55	All other accidents Residual[1]	85	66	16	3	-	342	214	84	32	12
56	Suicide E963,E970-E979	199	158	40	1	-	1,033	758	240	25	10
57	Suicide by poisoning E970-E973	48	34	14	-	-	221	135	80	4	2
58	Suicide by hanging and strangulation E974	20	14	5	1	-	290	208	77	4	1
59	Suicide by firearms and explosives E976	118	100	18	-	-	390	335	43	10	2
60	Suicide by all other means E963,E975,E977-E979	13	10	3	-	-	132	80	40	7	5
61	Homicide E964,E980-E985	49	19	15	11	4	254	77	35	104	38
62	Assault by firearms and explosives E981	32	14	9	7	2	95	30	15	39	11
63	Assault by cutting and piercing instruments E982	6	-	2	4	-	74	9	5	47	13
64	Assault by other means E964,E980,E983	10	4	4	-	2	78	34	15	15	14
65	Injury by intervention of police E984	1	1	-	-	-	5	2	-	3	-
66	Execution E985	-	-	-	-	-	2	2	-	-	-
67	Injury resulting from operations of war E965,E990-E999	-	-	-	-	-	1	1	-	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
13	7	5	1	-	30	8	8	6	8	8	3	5	-	-	30	6	9	5	10	1
7	4	2	1	-	8	3	2	3	-	2	1	1	-	-	9	-	4	1	4	2
6	3	3	-	-	22	5	6	3	8	6	2	4	-	-	21	6	5	4	6	3
25	12	13	-	-	35	10	11	6	8	14	7	5	-	2	66	26	35	3	2	4
8	2	6	-	-	20	5	9	1	5	11	5	4	-	2	40	12	26	1	1	5
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	6
1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	3	-	2	1	-	7
5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	8
11	6	5	-	-	12	5	2	4	1	3	2	1	-	-	22	13	7	1	1	9
130	71	58	1	-	266	93	85	45	43	104	57	42	4	1	391	179	142	49	21	10
18	9	9	-	-	24	10	12	1	1	5	4	1	-	-	27	12	12	3	-	11
13	10	3	-	-	34	7	14	8	5	13	7	6	-	-	51	16	31	2	2	12
60	34	25	1	-	114	38	34	20	22	43	22	19	2	-	183	91	58	22	12	13
39	18	21	-	-	94	38	25	16	15	43	24	16	2	1	130	60	41	22	7	14
272	147	111	9	5	997	298	181	296	222	247	116	105	14	12	1,404	569	398	242	197	15
66	43	22	1	-	153	67	27	35	24	40	22	17	1	-	205	104	51	27	23	16
58	33	20	3	2	217	62	47	51	37	56	24	26	4	2	335	164	93	44	34	17
6	3	2	-	1	98	17	8	42	31	13	4	4	2	3	107	42	27	17	21	18
7	3	4	-	-	20	7	12	-	1	18	9	8	1	-	48	24	18	2	4	19
6	4	2	-	-	68	12	10	31	15	5	3	-	-	2	54	16	18	14	6	20
129	61	61	5	2	441	113	77	137	114	115	54	50	6	5	655	219	189	138	109	21
34	22	11	-	1	637	90	43	259	245	82	36	18	16	12	1,687	681	368	348	290	22
5	4	1	-	-	18	3	4	6	5	30	7	11	5	7	97	33	51	6	7	23
29	18	10	-	1	619	87	39	253	240	52	29	7	11	5	1,590	648	317	342	-283	24
390	221	156	8	5	1,889	757	270	638	224	528	368	116	29	15	2,388	1,327	536	365	160	25
322	174	136	7	5	1,529	602	246	497	184	451	310	103	23	15	1,817	1,010	454	221	132	26
-	-	-	-	-	12	4	-	7	1	2	2	-	-	-	25	16	3	5	1	27
85	55	26	3	1	662	318	100	194	50	188	138	32	10	8	776	485	167	85	39	28
82	52	26	3	1	647	311	100	188	48	178	132	30	8	8	750	467	162	85	36	29
1	1	-	-	-	21	11	6	4	-	11	7	4	-	-	17	7	8	2	-	30
21	14	5	1	1	119	34	12	48	25	15	13	1	-	1	120	67	19	23	11	31
26	14	11	1	-	131	74	31	22	4	65	46	15	2	2	314	198	73	28	15	32
27	18	8	1	-	86	55	4	25	2	71	56	6	6	3	239	158	48	26	7	33
7	5	2	-	-	290	137	47	89	17	16	10	4	-	2	60	37	14	6	3	34
3	3	-	-	-	15	7	-	6	2	10	6	2	2	-	26	18	5	-	3	35
1	1	-	-	-	6	2	-	4	-	1	-	1	-	-	5	2	1	1	1	36
8	7	1	-	-	29	18	1	10	-	3	3	-	-	-	50	45	2	3	-	37
7	6	1	-	-	12	10	-	-	2	9	8	1	-	-	8	7	-	1	-	38
8	3	4	-	1	28	10	3	11	4	3	-	3	-	-	31	16	7	3	5	39
2	1	1	-	-	7	4	1	1	1	3	3	-	-	-	10	2	2	5	1	40
133	53	77	2	1	131	51	54	14	12	88	43	40	3	2	274	100	142	14	18	41
44	23	18	2	1	37	20	11	4	2	27	16	9	1	1	73	41	21	7	4	42
38	11	27	-	-	14	4	9	-	1	11	3	7	-	1	41	13	24	2	2	43
51	19	32	-	-	80	27	34	10	9	50	24	24	2	-	160	46	97	5	12	44
-	-	-	-	-	17	5	1	10	1	7	6	-	1	-	35	27	4	3	1	45
-	-	-	-	-	21	11	-	9	1	30	29	-	1	-	34	31	-	3	-	46
3	3	-	-	-	17	13	1	3	-	3	3	-	-	-	27	18	4	5	-	47
24	14	9	-	1	163	31	24	45	63	22	10	9	1	2	174	48	46	37	43	48
3	1	1	1	-	33	6	9	10	8	1	-	1	-	-	10	4	1	2	3	49
4	3	1	-	-	84	40	5	35	4	23	21	2	-	-	63	41	10	10	2	50
7	4	2	-	1	40	11	8	14	7	6	4	-	-	2	34	20	6	6	2	51
17	12	5	-	-	116	32	11	68	5	23	16	6	1	-	93	58	13	19	3	52
-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	1	-	-	1	-	53
7	3	4	-	-	14	3	6	3	2	8	5	3	-	-	14	4	7	1	2	54
13	8	4	1	-	134	33	22	56	23	31	19	5	6	1	153	86	39	17	11	55
58	42	16	-	-	146	110	12	20	4	67	57	8	2	-	296	222	57	17	-	56
14	9	5	-	-	13	9	4	-	-	9	7	2	-	-	27	13	12	2	-	57
20	14	6	-	-	15	11	1	3	-	14	9	4	1	-	30	23	6	1	-	58
11	10	1	-	-	111	87	5	15	4	37	36	-	1	-	220	176	32	12	-	59
13	9	4	-	-	7	3	2	2	-	7	5	2	-	-	19	10	7	2	-	60
10	5	4	1	-	214	45	12	121	36	10	1	5	4	-	275	95	25	127	28	61
2	2	-	-	-	142	39	9	72	22	5	-	5	-	-	158	63	21	60	14	62
2	-	1	1	-	42	2	-	31	9	2	1	-	1	-	67	14	-	43	10	63
6	3	3	-	-	22	2	3	12	5	2	-	-	2	-	42	15	4	19	4	64
-	-	-	-	-	4	-	-	4	-	1	-	-	1	-	8	3	-	5	-	65
-	-	-	-	-	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	72,744	35,932	24,789	6,706	5,317	5,764	3,247	2,375	81	61
2	I. Infective and parasitic diseases	1,670	781	511	242	136	67	35	25	2	5
3	Tuberculosis, all forms 001-019	793	434	227	89	43	21	17	-	1	3
4	Tuberculosis of respiratory system 001-008	742	411	210	83	38	19	17	-	1	1
5	Tuberculosis of meninges and central nervous system 010	17	11	3	2	1	1	-	-	-	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	4	2	2	-	-	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	1	-	1	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	3	1	2	-	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	10	3	4	2	1	-	-	-	-	-
11	Disseminated tuberculosis 019	16	6	5	2	3	1	-	-	-	1
12	Syphilis and its sequelae 020-029	270	116	39	83	32	9	3	6	-	-
13	Congenital syphilis 020	9	3	5	1	-	-	-	-	-	-
14	Early syphilis 021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	116	63	19	23	11	5	2	3	-	-
16	Other cardiovascular syphilis 023	89	28	8	41	12	3	1	2	-	-
17	Tabes dorsalis 024	9	6	-	1	-	-	-	-	-	-
18	General paralysis of insane 025	24	8	3	6	7	1	-	1	-	-
19	Other syphilis of central nervous system 026	17	3	3	10	1	-	-	-	-	-
20	Other syphilis 027-029	6	3	1	1	1	-	-	-	-	-
21	Gonococcal infection 030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever 040	7	2	3	1	1	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	4	3	-	-	1	2	2	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	1	-	-	1	-	-	-	-	-	-
27	Dysentery, all forms 045-048	112	51	40	12	9	1	-	1	-	-
28	Food poisoning (infection and intoxication) 049	9	3	3	1	2	1	-	1	-	-
29	Scarlet fever 050	2	1	1	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	13	3	9	1	-	3	1	2	-	-
31	Erysipelas 052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	95	39	31	14	11	9	3	4	1	1
33	Diphtheria 055	11	4	6	1	-	-	-	-	-	-
34	Whooping cough 056	25	5	10	5	5	-	-	-	-	-
35	Meningococcal infections 057	39	14	20	3	2	-	-	-	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	1	-	-	1	-	-	-	-	-	-
38	Leprosy 060	2	1	1	-	-	-	-	-	-	-
39	Tetanus 061	44	16	8	12	8	-	-	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	38	15	20	3	-	-	-	-	-	-
42	Late effects of acute poliomyelitis 081	13	8	5	-	-	-	-	-	-	-
43	Acute infectious encephalitis 082	24	7	13	2	2	4	2	2	-	-
44	Late effects of acute infectious encephalitis 083	2	2	-	-	-	-	-	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	31	11	17	-	3	5	3	2	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	47	18	24	2	3	6	1	4	-	1
49	Rabies 094	1	-	1	-	-	-	-	-	-	-
50	Tick-borne typhus 104	2	1	-	-	1	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	2	1	-	-	1	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	2	1	-	1	-	-	-	-	-	-
54	Malaria 110-117	1	1	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	1	1	-	-	-
60	All other infective and parasitic diseases Residual[1]	81	25	33	10	13	5	2	3	-	-
61	II. Neoplasms	10,640	5,001	4,252	724	663	789	404	371	8	6
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	10,442	4,934	4,161	719	628	773	397	362	8	6
63	Malignant neoplasm of buccal cavity and pharynx 140-148	253	161	62	23	7	16	10	6	-	-
64	Of lip 140	27	21	5	-	1	-	-	-	-	-
65	Of tongue 141	45	30	11	3	1	5	3	2	-	-
66	Of other and unspecified parts of buccal cavity 142-144	78	46	23	7	2	6	4	2	-	-
67	Of pharynx 145-148	103	64	23	13	3	5	3	2	-	-
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	3,253	1,571	1,251	256	175	244	135	103	5	1
69	Of esophagus 150	162	94	43	18	7	4	3	1	-	-
70	Of stomach 151	813	426	245	101	41	68	46	18	3	1
71	Of intestine, except rectum 152,153	931	403	427	37	64	68	32	34	2	-
72	Of rectum 154	292	135	126	15	16	25	15	10	-	-
73	Of biliary passages and of liver (stated to be primary site) 155	365	156	163	29	17	27	9	18	-	-
74	Of liver not specified whether primary or secondary 156A	60	27	20	5	8	6	1	5	-	-
75	Of pancreas 157	537	290	185	44	18	40	26	14	-	-
76	Of peritoneum and of unspecified digestive organs 158,159	93	40	42	7	4	6	3	3	-	-
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	1,472	1,102	204	142	24	71	63	6	1	1
78	Of larynx 161	91	75	4	9	3	2	2	-	-	-
79	Of trachea, and of bronchus and lung specified as primary 162	1,191	908	157	109	17	59	52	5	1	1
80	Of lung and bronchus, unspecified as primary or secondary 163	135	87	27	17	4	7	7	-	-	-
81	Of other parts of respiratory system 160,164	55	32	16	7	-	3	2	1	-	-
82	Malignant neoplasm of breast 170	847	7	742	3	95	72	2	68	-	2

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,407	2,487	1,912	5	3	33,019	13,837	10,034	5,086	4,062	25,263	14,557	9,873	501	332	17,856	9,860	6,738	736	522	1
59	43	16	-	-	607	210	129	170	98	272	174	67	23	8	272	148	84	30	10	2
39	30	9	-	-	331	126	58	93	54	113	76	22	10	5	166	96	51	14	5	3
37	29	8	-	-	295	115	51	82	47	106	71	21	10	4	158	93	47	13	5	4
1	-	1	-	-	4	1	2	-	1	1	1	-	-	-	2	-	1	1	-	5
-	-	-	-	-	3	1	-	1	1	1	-	1	-	-	1	-	1	-	-	6
1	1	-	-	-	7	2	3	1	1	-	-	-	-	-	2	1	1	-	-	7
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	2	-	-	2	-	2	1	-	-	1	-	-	-	-	-	9
-	-	-	-	-	3	2	-	1	-	2	2	-	-	-	-	-	-	-	-	10
-	-	-	-	-	16	5	2	6	3	1	1	-	-	-	3	2	1	-	-	11
6	5	1	-	-	108	36	21	34	17	65	49	9	7	-	34	18	5	9	2	12
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
4	4	-	-	-	44	20	10	8	6	32	24	5	3	-	10	5	2	2	1	15
2	1	1	-	-	31	9	5	13	4	21	15	2	4	-	15	7	2	5	1	16
-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	1	-	-	1	-	17
-	-	-	-	-	10	3	1	4	2	4	4	-	-	-	5	5	-	-	-	18
-	-	-	-	-	16	1	2	9	4	5	5	-	-	-	3	1	1	1	-	19
-	-	-	-	-	4	2	2	-	-	2	1	1	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	5	1	2	1	1	-	-	-	-	-	1	-	1	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	26
-	-	-	-	-	12	2	4	5	1	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	28
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	29
-	-	-	-	-	3	-	-	2	1	-	-	-	-	-	3	2	-	1	-	30
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	31
5	5	-	-	-	33	11	11	6	5	20	9	8	3	-	12	5	5	1	1	32
-	-	-	-	-	4	1	1	-	2	2	2	-	-	-	1	-	1	-	-	33
-	-	-	-	-	9	2	-	5	2	1	-	-	1	-	1	-	1	-	-	34
2	1	1	-	-	24	9	7	7	1	13	4	8	-	1	11	2	8	1	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	5	1	1	2	1	1	1	-	-	-	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	6	2	1	2	1	2	2	-	-	-	2	1	1	-	-	41
-	-	-	-	-	3	1	1	1	-	1	-	1	-	-	6	2	2	1	1	42
1	1	-	-	-	8	3	2	-	3	4	2	1	1	-	9	5	3	1	-	43
-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
2	1	1	-	-	5	2	2	-	1	7	4	1	1	1	4	3	1	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
3	-	3	-	-	13	3	5	2	3	20	10	9	-	1	8	3	3	1	1	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	5	1	2	2	-	-	-	-	-	-	1	1	-	-	-	59
-	-	-	-	-	29	8	9	8	4	15	11	4	-	-	12	9	2	1	-	60
686	373	312	1	-	4,532	1,843	1,727	515	447	3,992	2,184	1,711	60	37	2,492	1,208	1,103	104	77	61
679	371	307	1	-	4,419	1,800	1,687	505	427	3,922	2,151	1,675	59	37	2,427	1,179	1,075	99	74	62
4	3	1	-	-	108	71	19	16	2	86	65	18	3	-	43	27	13	2	1	63
-	-	-	-	-	3	2	1	-	-	8	8	-	-	-	-	-	-	-	-	64
2	1	1	-	-	27	14	6	6	1	17	14	2	1	-	13	7	5	1	-	65
1	1	-	-	-	30	19	6	4	1	31	19	10	2	-	11	6	3	1	1	66
1	1	-	-	-	48	36	6	6	-	30	24	6	-	-	19	14	5	-	-	67
227	120	107	-	-	1,355	523	524	195	113	1,315	751	533	21	10	859	427	368	36	28	68
14	9	5	-	-	77	39	12	22	4	52	37	14	1	-	32	19	9	3	1	69
38	20	18	-	-	330	136	94	69	31	335	211	110	10	4	224	132	71	14	7	70
83	43	40	-	-	394	145	191	31	27	379	186	187	5	1	245	97	133	5	10	71
31	17	14	-	-	126	46	52	13	15	160	102	56	-	2	81	35	41	4	1	72
14	5	9	-	-	81	29	44	4	4	94	42	51	-	1	54	14	34	1	5	73
11	6	5	-	-	90	26	34	18	12	52	22	27	3	-	67	33	31	2	1	74
28	16	12	-	-	234	97	85	34	18	224	140	80	2	2	138	87	41	7	3	75
8	4	4	-	-	23	5	12	4	2	19	11	8	-	-	18	10	8	-	-	76
105	96	9	-	-	618	436	74	91	17	503	415	73	14	1	342	268	44	27	3	77
5	5	-	-	-	40	26	5	9	-	23	22	1	-	-	24	23	-	1	-	78
27	24	3	-	-	173	136	16	19	2	258	212	40	6	-	116	95	10	10	1	79
70	64	6	-	-	386	267	47	61	11	214	173	32	8	1	193	143	32	16	2	80
3	3	-	-	-	19	7	6	2	4	8	8	-	-	-	9	7	2	-	-	81
58	-	58	-	-	383	3	301	1	78	326	4	316	-	6	181	1	171	-	9	82

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----------171-179	1,759	581	869	126	183	123	51	70	-	2
2	Of cervix uteri----------171	408	...	327	...	81	17	...	17	...	-
3	Of other and unspecified parts of uterus----------172-174	269	...	197	..	72	28	...	26	...	2
4	Of ovary, fallopian tube, and broad ligament----------175	348	..	322	...	26	26	...	26	...	-
5	Of other and unspecified female genital organs----------176	27	..	23	...	4	1	...	1	...	-
6	Of prostate----------177	662	544	...	118	..	49	49	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	45	37	...	8	..	2	2	...	-	...
8	Malignant neoplasm of urinary organs----------180,181	443	254	131	42	16	44	25	18	1	-
9	Of kidney----------180	179	101	58	16	4	18	11	6	1	-
10	Of bladder and other urinary organs----------181	264	153	73	26	12	26	14	12	-	-
11	Malignant neoplasm of other and unspecified sites-------156B,165,190-199	1,329	662	526	63	78	124	63	60	1	-
12	Of skin----------190,191	279	161	106	5	7	12	8	4	-	-
13	Of eye----------192	23	9	11	1	2	1	1	-	-	-
14	Of brain and other parts of nervous system----------193	301	170	114	11	6	36	22	14	-	-
15	Of thyroid gland----------194	47	15	25	2	5	7	2	5	-	-
16	Of bone (including jaw bone)----------196	107	53	39	9	6	6	6	-	-	-
17	Of connective tissue----------197	41	22	17	-	2	9	5	4	-	-
18	Of other specified sites, not stated to be secondary-----195,198A,199A	239	108	101	12	18	13	4	9	-	-
19	Of unspecified sites----------156B,165,198B,199B-M	292	124	113	23	32	40	15	24	1	-
20	Leukemia and aleukemia----------204	574	324	201	26	23	39	27	12	-	-
21	Lymphosarcoma, etc.*----------200-203,205	512	272	175	38	27	40	21	19	-	-
22	Lymphosarcoma and reticulosarcoma----------200	244	140	82	9	13	18	11	7	-	-
23	Hodgkin's disease----------201	147	71	52	19	5	11	4	7	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	121	61	41	10	9	11	6	5	-	-
25	Benign neoplasms and neoplasms of unspecified nature----------210-239	198	67	91	5	35	16	7	9	-	-
26	Benign neoplasms of female genital organs----------214-217	37	...	21	...	16	1	.	1	..	-
27	Benign neoplasm of brain and other parts of nervous system---------223	42	19	18	-	5	4	2	2	-	-
28	Other benign neoplasms----------210-213,218-222,224-229	55	20	31	-	4	6	2	4	-	-
29	Neoplasm of unspecified nature of female genital organs--------233-235	-	...	-	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----------237	39	20	11	2	6	4	2	2	-	-
31	Other neoplasms of unspecified nature----------230-232,236,238,239	25	8	10	3	4	1	1	-	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----------	1,570	628	668	112	162	164	71	92	-	1
33	Asthma----------241	324	190	88	35	11	44	32	12	-	-
34	Nontoxic goiter----------250,251	5	-	2	-	3	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----------252	35	3	18	1	13	2	-	2	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland---------253,254	11	2	7	1	1	1	-	1	-	-
37	Diabetes mellitus----------260	1,021	363	487	53	118	109	34	74	-	1
38	Diseases of thymus gland----------273	16	6	4	4	2	-	-	-	-	-
39	Diseases of adrenal glands----------274	30	11	15	3	1	-	-	-	-	-
40	Pellagra----------281	11	3	5	-	3	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states-----280,282-286	78	32	27	10	9	4	2	2	-	-
42	Other allergic, endocrine, and metabolic diseases----------Residual[1]	39	18	15	5	1	4	3	1	-	-
43	IV. Diseases of the blood and blood-forming organs----------	229	90	93	23	23	28	15	13	-	-
44	Anemias----------290-293	146	51	57	20	18	16	9	7	-	-
45	Pernicious and other hyperchromic anemias----------290	28	11	15	1	1	6	4	2	-	-
46	Anemias of other and unspecified type----------291-293	118	40	42	19	17	10	5	5	-	-
47	Purpura and other hemorrhagic conditions----------296	32	9	17	2	4	2	-	2	-	-
48	All other diseases of blood and blood-forming organs-----294,295,297-299	51	30	19	1	1	10	6	4	-	-
49	V. Mental, psychoneurotic, and personality disorders----------	149	84	39	17	9	19	8	8	1	2
50	Senile psychosis----------304	27	4	17	1	5	1	1	-	-	-
51	Alcoholic psychosis----------307	6	6	-	-	-	-	-	-	-	-
52	Other psychoses----------300-303,305,306,308,309	17	8	9	-	-	2	1	1	-	-
53	Alcoholism----------322	87	61	8	14	4	12	6	3	1	2
54	Mental deficiency----------325	5	2	2	1	-	1	-	1	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	7	3	3	1	-	3	-	3	-	-
56	VI. Diseases of the nervous system and sense organs----------	9,016	3,664	3,686	820	846	622	295	317	4	6
57	Vascular lesions affecting central nervous system----------330-334	8,301	3,349	3,400	753	799	544	254	282	3	5
58	Subarachnoid hemorrhage----------330	281	129	103	22	27	14	7	7	-	-
59	Cerebral hemorrhage----------331	5,333	2,115	2,175	506	537	327	147	177	1	2
60	Cerebral embolism and thrombosis----------332	1,693	720	728	119	126	163	82	76	2	3
61	Other vascular lesions affecting central nervous system--------333,334	994	385	394	106	109	40	18	22	-	-
62	Meningitis, except meningococcal and tuberculous----------340	112	43	36	21	12	9	4	5	-	-
63	Multiple sclerosis----------345	42	15	24	1	2	7	2	5	-	-
64	Paralysis agitans----------350	95	47	44	2	2	15	9	6	-	-
65	Cerebral spastic infantile paralysis----------351	38	19	16	2	1	6	3	3	-	-
66	Epilepsy----------353	99	37	47	11	4	15	9	6	-	-
67	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----------385	1	-	1	-	-	-	-	-	-	-
69	Glaucoma----------387	1	-	1	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----------391-393	23	13	6	1	3	4	-	2	1	1
71	Other diseases of nervous system and sense organs----------Residual[1]	304	141	111	29	23	22	14	8	-	-
72	VII. Diseases of the circulatory system----------	26,350	14,041	8,468	2,099	1,742	2,102	1,203	865	19	15
73	Rheumatic fever----------400-402	34	12	13	2	7	10	5	4	-	1
74	Diseases of heart----------410-443	23,988	12,979	7,542	1,913	1,554	1,899	1,102	765	18	14
75	Chronic rheumatic heart disease----------410-416	473	231	196	18	28	151	68	82	1	-
76	Diseases of mitral valve----------410	194	94	80	8	12	40	16	23	1	-
77	Diseases of aortic valve specified as rheumatic----------411	44	36	6	1	1	11	9	2	-	-
78	Diseases of tricuspid valve----------412	3	1	1	1	-	-	-	-	-	
79	Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	21	6	14	-	1	8	3	5	-	-
80	Other diseases of heart specified as rheumatic----------415,416	211	94	95	8	14	92	40	52	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
105	45	60	-	-	728	196	320	87	125	620	281	320	4	15	383	131	219	15	18	1
25	...	25	...	-	192	...	129	...	63	150	...	141	...	9	116	...	106	...	10	2
18	...	18	...	-	113	...	72	...	41	79	...	75	...	4	59	...	54	...	5	3
15	...	15	...	-	120	...	104	...	16	97	...	95	...	2	58	...	55	...	3	4
2	...	2	...	-	20	...	15	...	5	9	...	9	...	-	4	...	4	...	-	5
42	42	...	-	...	257	176	...	81	...	268	266	...	2	...	137	124	...	13	...	6
3	3	...	-	...	26	20	...	6	...	17	15	...	2	...	9	7	...	2	...	7
31	20	11	-	-	201	85	79	20	17	179	126	51	1	1	85	47	32	3	3	8
10	6	4	-	-	88	41	37	7	3	80	56	23	1	-	32	19	12	-	1	9
21	14	7	-	-	113	44	42	13	14	99	70	28	-	1	53	28	20	3	2	10
84	47	37	-	-	590	258	224	55	53	453	249	194	8	2	305	145	146	8	6	11
11	8	3	-	-	73	34	32	4	3	50	30	19	-	1	43	21	21	1	-	12
-	-	-	-	-	10	8	1	-	1	13	7	5	1	-	4	1	3	-	-	13
28	17	11	-	-	84	35	38	8	3	98	57	38	2	1	40	23	17	-	-	14
1	-	1	-	-	18	9	7	-	2	13	6	7	-	-	7	-	7	-	-	15
4	2	2	-	-	39	21	10	4	4	27	17	8	2	-	20	8	11	-	1	16
4	1	3	-	-	15	9	4	-	2	15	11	4	-	-	7	4	3	-	-	17
11	6	5	-	-	90	37	36	8	9	68	36	30	2	-	44	26	17	1	-	18
25	13	12	-	-	261	105	96	31	29	169	85	83	1	-	140	62	67	6	5	19
28	16	11	1	-	206	104	73	19	10	199	110	85	3	1	124	70	50	2	2	20
37	24	13	-	-	230	124	73	21	12	241	150	85	5	1	105	63	32	6	4	21
15	8	7	-	-	92	47	34	9	2	104	71	32	1	-	52	35	13	2	2	22
12	7	5	-	-	76	47	23	4	2	60	36	20	3	1	28	14	10	2	2	23
10	9	1	-	-	62	30	16	8	8	77	43	33	1	-	25	14	9	2	-	24
7	2	5	-	-	113	43	40	10	20	70	33	36	1	-	65	29	28	5	3	25
-	...	-	...	-	17	...	7	...	10	4	...	4	...	-	5	...	3	...	2	26
4	1	3	-	-	12	6	5	-	1	7	3	4	-	-	3	-	2	1	-	27
-	-	-	-	-	12	6	4	1	1	8	4	4	-	-	6	4	1	1	-	28
-	...	-	...	-	2	...	-	...	2	-	...	-	...	-	3	...	2	...	1	29
-	-	-	-	-	55	28	16	6	5	33	17	15	1	-	30	17	11	2	-	30
3	1	2	-	-	15	3	8	3	1	18	9	9	-	-	18	8	9	1	-	31
85	44	41	-	-	624	219	245	60	100	591	286	285	10	10	372	148	194	8	22	32
19	17	2	-	-	134	67	42	16	9	127	90	33	3	1	77	48	25	3	1	33
2	1	1	-	-	3	-	3	-	-	3	1	2	-	-	-	-	-	-	-	34
2	1	1	-	-	12	2	7	-	3	12	2	10	-	-	12	1	10	-	1	35
-	-	-	-	-	1	-	1	-	-	5	2	3	-	-	-	-	-	-	-	36
55	21	34	-	-	427	135	173	39	80	405	170	220	6	9	257	87	145	5	20	37
-	-	-	-	-	4	-	3	-	1	1	-	1	-	-	1	1	-	-	-	38
1	-	1	-	-	8	4	3	1	-	5	5	-	-	-	3	2	1	-	-	39
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	14	3	7	2	2	14	7	6	1	-	14	7	7	-	-	41
6	4	2	-	-	19	7	6	2	4	19	9	10	-	-	8	2	6	-	-	42
8	2	6	-	-	87	26	28	17	16	83	37	41	3	2	68	26	36	1	5	43
6	2	4	-	-	62	13	21	14	14	56	24	27	3	2	41	12	24	-	5	44
2	1	1	-	-	9	3	3	1	2	21	9	11	1	-	9	2	5	-	2	45
4	1	3	-	-	53	10	18	13	12	35	15	16	2	2	32	10	19	-	3	46
2	-	2	-	-	14	8	3	2	1	8	2	6	-	-	9	3	5	1	-	47
-	-	-	-	-	11	5	4	1	1	19	11	8	-	-	18	11	7	-	-	48
6	4	2	-	-	145	64	22	43	16	87	55	21	6	5	39	27	8	4	-	49
-	-	-	-	-	4	-	3	-	1	4	-	4	-	-	2	1	1	-	-	50
1	-	1	-	-	14	10	1	3	-	6	4	2	-	-	3	3	-	-	-	51
-	-	-	-	-	16	4	7	3	2	4	1	3	-	-	5	3	2	-	-	52
5	4	1	-	-	107	49	8	37	13	72	50	11	6	5	27	20	3	4	-	53
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	54
-	-	-	-	-	3	1	2	-	-	1	-	1	-	-	1	-	1	-	-	55
613	288	325	-	-	4,311	1,500	1,484	652	675	3,416	1,632	1,707	34	43	2,189	1,066	989	65	69	56
561	258	303	-	-	3,983	1,369	1,393	595	626	3,154	1,499	1,589	28	38	2,068	999	939	63	67	57
15	6	9	-	-	198	69	70	29	30	129	57	71	-	1	76	30	40	3	3	58
301	129	172	-	-	2,474	815	858	381	420	1,963	908	1,019	13	23	1,345	637	622	36	50	59
188	98	90	-	-	950	366	339	125	120	816	417	378	11	10	422	213	183	19	7	60
57	25	32	-	-	361	119	126	60	56	246	117	121	4	4	225	119	94	5	7	61
3	2	1	-	-	50	19	9	13	9	34	14	13	4	3	19	8	10	1	-	62
9	4	5	-	-	29	11	12	1	5	36	13	23	-	-	18	8	10	-	-	63
10	6	4	-	-	51	28	19	3	1	67	31	36	-	-	14	10	4	-	-	64
-	-	-	-	-	9	4	3	1	1	11	9	2	-	-	4	1	3	-	-	65
6	3	3	-	-	70	17	19	23	11	29	17	9	2	1	23	14	8	-	1	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
1	1	-	-	-	10	4	2	3	1	5	2	3	-	-	2	2	-	-	-	70
23	14	9	-	-	107	47	27	13	20	79	47	32	-	-	41	24	15	1	1	71
1,900	1,084	813	-	3	13,088	5,807	4,063	1,745	1,473	10,573	6,456	3,917	128	72	7,257	4,159	2,645	260	193	72
-	-	-	-	-	22	5	5	5	7	13	8	5	-	-	19	5	12	2	-	73
1,714	992	719	-	3	11,875	5,362	3,648	1,567	1,298	9,635	5,950	3,512	113	60	6,630	3,840	2,384	229	177	74
48	27	21	-	-	321	115	139	35	32	337	162	168	4	3	177	88	85	2	2	75
13	6	7	-	-	128	39	59	19	11	116	56	59	-	1	71	39	31	-	1	76
7	6	1	-	-	30	23	6	1	-	36	24	11	1	-	16	11	3	2	-	77
-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	1	-	1	-	-	78
4	3	1	-	-	23	3	16	1	3	15	6	8	1	-	13	5	8	-	-	79
24	12	12	-	-	139	50	58	14	17	168	75	89	2	2	76	33	42	-	1	80

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	16,900	10,013	4,995	1,086	806	1,231	791	418	13	9
2	Arteriosclerotic heart disease so described----------420.0	4,712	2,458	1,760	280	214	474	251	215	4	4
3	Heart disease specified as involving coronary arteries----------420.1	12,137	7,524	3,223	800	590	757	540	203	9	5
4	Angina pectoris without mention of coronary disease----------420.2	51	31	12	6	2	-	-	-	-	-
5	Chronic endocarditis not specified as rheumatic----------421	207	101	59	34	13	20	11	9	-	-
6	Of mitral valve, specified as nonrheumatic----------421.0	16	11	3	2	-	1	1	-	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	96	56	22	16	2	6	6	-	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	95	34	34	16	11	13	4	9	-	-
9	Other myocardial degeneration----------422	1,875	775	800	147	153	222	102	119	-	1
10	With arteriosclerosis----------422.1	991	407	439	66	79	151	65	85	-	1
11	Without mention of arteriosclerosis----------422.0,422.2	884	368	361	81	74	71	37	34	-	-
12	Other diseases of heart----------430-434	1,894	957	506	261	170	64	39	24	1	-
13	Acute and subacute endocarditis----------430	39	20	6	6	7	3	2	1	-	-
14	Acute myocarditis not specified as rheumatic----------431	64	27	21	8	8	7	4	3	-	-
15	Acute pericarditis specified as nonrheumatic----------432	8	6	1	-	1	-	-	-	-	-
16	Functional disease of heart----------433	165	91	58	8	8	7	6	1	-	-
17	Other and unspecified diseases of heart----------434	1,618	813	420	239	146	47	27	19	1	-
18	Hypertension with heart disease----------440-443	2,639	902	986	367	384	211	91	113	3	4
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	596	229	189	92	86	59	27	30	1	1
20	Essential hypertension with heart disease, etc.*----------440,441,443	2,043	673	797	275	298	152	64	83	2	3
21	Hypertension without mention of heart----------444-447	574	205	204	79	86	20	10	10	-	-
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	232	101	71	35	25	12	7	5	-	-
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	342	104	133	44	61	8	3	5	-	-
24	Diseases of arteries----------450-456	1,528	731	640	80	77	141	66	74	1	-
25	General arteriosclerosis----------450	1,152	512	531	54	55	101	41	59	1	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	239	161	52	16	10	28	19	9	-	-
27	Gangrene of unspecified cause----------455	19	5	9	3	2	1	1	-	-	-
28	Other arterial diseases----------452-454,456	118	53	48	7	10	11	5	6	-	-
29	Diseases of veins and other diseases of circulatory system-------460-468	226	114	69	25	18	32	20	12	-	-
30	VIII. Diseases of the respiratory system----------	4,149	1,959	1,352	486	352	348	230	103	7	8
31	Acute upper respiratory infections----------470-475	62	29	17	9	7	4	2	2	-	-
32	Influenza----------480-483	459	180	156	67	56	40	23	13	2	2
33	Pneumonia, except pneumonia of newborn----------490-493	2,574	1,093	913	318	250	178	98	70	4	6
34	Lobar pneumonia----------490	632	294	198	79	61	50	30	17	1	2
35	Bronchopneumonia----------491	1,019	445	381	106	87	91	46	39	3	3
36	Primary atypical pneumonia----------492	157	72	51	24	10	18	9	9	-	-
37	Pneumonia, other and unspecified----------493	766	282	283	109	92	19	13	5	-	1
38	Acute bronchitis----------500	44	19	18	5	2	2	1	1	-	-
39	Bronchitis, chronic and unqualified----------501,502	106	68	29	8	1	12	9	3	-	-
40	Hypertrophy of tonsils and adenoids----------510	13	6	4	-	3	-	-	-	-	-
41	Empyema and abscess of lung----------518,521	43	20	12	7	4	1	1	-	-	-
42	Pleurisy----------519	6	3	1	1	1	1	1	-	-	-
43	All other respiratory diseases----------Residual[1]	842	541	202	71	28	110	95	14	1	-
44	IX. Diseases of the digestive system----------	3,121	1,572	1,108	248	193	256	137	113	3	3
45	Diseases of teeth and supporting structures----------530-535	6	2	2	1	1	-	-	-	-	-
46	Ulcer of stomach----------540	203	138	38	22	5	21	17	4	-	-
47	Ulcer of duodenum----------541	197	148	39	8	2	33	22	10	1	-
48	Gastritis and duodenitis----------543	19	6	8	4	1	1	-	1	-	-
49	Appendicitis----------550-553	95	45	33	9	8	7	6	-	-	1
50	Hernia and intestinal obstruction----------560,561,570	397	166	161	37	33	42	14	28	-	-
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	775	321	306	76	72	20	9	8	2	1
52	Cirrhosis of liver----------581	662	379	216	42	25	59	38	20	-	1
53	Without mention of alcoholism----------581.0	507	285	171	29	22	33	22	11	-	-
54	With alcoholism----------581.1	155	94	45	13	3	26	16	9	-	1
55	Cholelithiasis and cholecystitis----------584,585	254	104	133	8	9	27	7	20	-	-
56	Other diseases of digestive system----------Residual[1]	513	263	172	41	37	46	24	22	-	-
57	X. Diseases of the genito-urinary system----------	1,789	816	532	259	182	90	53	35	2	-
58	Nephritis and nephrosis----------590-594	964	384	320	123	137	48	24	24	-	-
59	Acute nephritis----------590	94	30	32	14	18	5	4	1	-	-
60	Nephritis with edema, including nephrosis----------591	46	23	15	3	5	4	3	1	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	824	331	273	106	114	39	17	22	-	-
62	Infections of kidney----------600	296	105	126	40	25	19	11	6	2	
63	Calculi of urinary system----------602,604	77	37	33	5	2	4	2	2	-	-
64	Other diseases of urinary system----------601,603,605-609	107	50	28	21	8	4	2	2	-	-
65	Hyperplasia of prostate----------610	270	213	...	57	...	13	13	...	-	...
66	Other diseases of male genital organs----------611-617	40	27	...	13	...	1	1	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	35	...	25	...	10	1	...	1	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	116	...	72	...	44	8	...	7	...	1
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	8	...	6	...	2	2	...	2	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	35	...	21	...	14	1	...	1	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	25	...	18	...	7	-	...	-	...	-
73	Ectopic pregnancy----------645	7	...	2	...	5	1	...	1	...	-
74	Abortion without mention of sepsis or toxemia----------650	2	...	2	...	-	2	..	1	...	1
75	Abortion with sepsis----------651	12	...	3	...	9	1	...	1	...	-
76	Abortion with toxemia, without mention of sepsis----------652	-	...	-	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	27	...	20	...	7	1	...	1	...	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,348	819	528	-	1	7,657	4,138	2,159	828	532	7,359	4,816	2,439	73	31	4,490	2,810	1,445	138	97	1
697	382	314	-	1	3,010	1,368	1,078	303	261	2,575	1,501	1,040	19	15	1,780	971	722	50	37	2
648	435	213	-	-	4,633	2,761	1,078	523	271	4,778	3,310	1,398	54	16	2,695	1,829	718	88	60	3
3	2	1	-	-	14	9	3	2	-	6	5	1	-	-	15	10	5	-	-	4
19	10	9	-	-	123	37	36	30	20	98	66	30	1	1	94	51	36	5	2	5
1	-	1	-	-	11	2	7	2	-	8	3	5	-	-	5	2	3	-	-	6
5	4	1	-	-	29	15	6	5	3	41	29	11	1	-	21	14	6	-	1	7
13	6	7	-	-	83	20	23	23	17	49	34	14	-	1	68	35	27	5	1	8
138	67	70	-	1	1,294	415	499	202	178	623	314	292	8	9	677	342	286	27	22	9
94	41	52	-	1	788	255	330	113	90	416	209	199	2	6	431	214	192	15	10	10
44	26	18	-	-	506	160	169	89	88	207	105	93	6	3	246	128	94	12	12	11
37	18	19	-	-	444	142	158	73	71	368	210	146	9	3	327	185	125	12	5	12
2	-	2	-	-	22	11	6	4	1	11	8	2	1	-	8	5	3	-	-	13
-	-	-	-	-	16	2	7	3	4	11	5	6	-	-	15	6	9	-	-	14
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	15
6	3	3	-	-	46	12	29	1	4	51	19	31	1	-	21	6	15	-	-	16
29	15	14	-	-	359	117	116	64	62	294	177	107	7	3	283	168	98	12	5	17
124	51	72	-	1	2,036	515	657	399	465	850	382	437	18	13	865	364	407	45	49	18
29	14	15	-	-	683	193	219	135	136	252	116	126	7	3	260	112	129	8	11	19
95	37	57	-	1	1,353	322	438	264	329	598	266	311	11	10	605	252	278	37	38	20
23	12	11	-	-	264	70	77	54	63	100	48	47	2	3	123	62	46	10	5	21
15	9	6	-	-	132	42	40	27	23	54	29	22	1	2	90	52	26	9	3	22
8	3	5	-	-	132	28	37	27	40	46	19	25	1	1	33	10	20	1	2	23
151	73	78	-	-	815	324	295	103	93	720	394	309	9	8	411	216	173	13	9	24
130	56	74	-	-	614	220	241	77	76	551	275	264	7	5	327	165	146	10	6	25
17	14	3	-	-	149	86	42	13	8	126	91	31	2	2	51	33	14	3	1	26
-	-	-	-	-	6	2	2	1	1	3	2	1	-	-	7	4	3	-	-	27
4	3	1	-	-	46	16	10	12	8	40	26	13	-	1	26	14	10	-	2	28
12	7	5	-	-	112	46	38	16	12	105	56	44	4	1	74	36	30	6	2	29
216	136	80	-	-	1,984	755	535	393	301	1,342	784	469	51	38	1,110	611	402	66	31	30
2	1	1	-	-	18	5	4	4	5	12	7	5	-	-	5	4	-	-	1	31
20	12	8	-	-	200	69	60	35	36	106	54	48	3	1	154	77	65	6	6	32
114	61	53	-	-	1,304	443	364	276	221	890	470	347	42	31	646	327	266	35	18	33
26	16	10	-	-	283	107	79	62	35	163	88	64	7	4	153	77	58	15	3	34
66	37	29	-	-	674	216	209	138	111	461	244	182	22	13	324	170	131	12	11	35
9	3	6	-	-	94	42	18	18	16	130	67	50	5	8	54	28	24	2	-	36
13	5	8	-	-	253	78	58	58	59	136	71	51	8	6	115	52	53	6	4	37
3	1	2	-	-	20	7	4	5	4	14	8	5	1	-	13	9	4	-	-	38
6	3	3	-	-	51	34	12	2	3	26	15	7	2	2	36	20	12	3	1	39
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	40
2	1	1	-	-	26	10	6	9	1	9	7	2	-	-	7	3	4	-	-	41
-	-	-	-	-	4	3	1	-	-	4	1	3	-	-	4	2	2	-	-	42
69	57	12	-	-	360	184	83	62	31	280	221	52	3	4	245	169	49	22	5	43
164	104	60	-	-	1,176	569	285	170	152	937	549	348	19	21	610	350	235	14	11	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	45
14	9	5	-	-	89	56	16	14	3	90	69	20	1	-	43	30	10	1	2	46
24	21	3	-	-	87	63	9	9	6	86	61	25	-	-	50	38	10	2	-	47
2	1	1	-	-	5	3	2	-	-	5	3	1	-	1	1	-	1	-	-	48
5	4	1	-	-	44	21	9	4	10	30	20	8	1	1	21	16	5	-	-	49
25	11	14	-	-	180	74	55	29	22	136	59	72	3	2	77	41	30	4	2	50
23	14	9	-	-	184	46	44	44	50	91	41	39	7	4	85	39	42	2	2	51
30	20	10	-	-	284	177	55	32	20	242	148	80	6	8	153	101	51	1	-	52
25	16	9	-	-	159	89	39	18	13	164	95	62	3	4	120	81	38	1	-	53
5	4	1	-	-	125	88	16	14	7	78	53	18	3	4	33	20	13	-	-	54
11	6	5	-	-	72	24	36	3	9	90	42	47	-	1	38	12	26	-	-	55
30	18	12	-	-	231	105	59	35	32	167	106	56	1	4	138	73	56	4	5	56
75	47	28	-	-	745	258	195	164	128	429	261	146	14	8	387	233	121	15	18	57
30	16	14	-	-	414	130	109	91	84	186	93	79	8	6	223	117	83	10	13	58
5	4	1	-	-	34	11	4	12	7	6	4	2	-	-	12	5	7	-	-	59
3	3	-	-	-	32	7	12	7	6	21	11	8	2	-	14	5	6	1	2	60
22	9	13	-	-	348	112	93	72	71	159	78	69	6	6	197	107	70	9	11	61
15	9	6	-	-	148	42	53	26	27	89	41	44	2	2	63	36	22	2	3	62
3	-	3	-	-	30	13	12	2	3	16	10	5	1	-	13	6	7	-	-	63
9	5	4	-	-	36	9	15	9	3	34	21	12	1	-	14	10	3	-	1	64
16	16	...	-	...	93	61	...	32	...	90	88	...	2	...	63	60	...	3	...	65
1	1	...	-	...	7	3	...	4	...	8	8	...	-	...	4	4	...	-	...	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	...	1	...	-	17	...	6	...	11	6	...	6	...	-	7	...	6	...	1	68
4	...	4	...	-	48	...	17	...	31	18	...	15	...	3	15	...	15	...	-	69
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	1	...	1	...	-	70
1	...	1	...	-	11	...	6	...	5	5	...	5	...	-	4	...	4	...	-	71
1	...	1	...	-	12	...	3	...	9	5	...	5	...	-	4	...	4	...	-	72
-	...	-	...	-	4	...	2	...	2	2	...	1	...	1	-	...	-	...	-	73
-	...	-	...	-	3	...	-	...	3	2	...	1	...	1	-	...	-	...	-	74
-	...	-	...	-	9	...	2	...	7	1	...	1	...	-	1	...	1	...	-	75
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	76
2	...	2	...	-	7	...	3	...	4	3	...	2	...	1	4	...	4	...	-	77

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	81	20	34	11	16	5	2	3	-	-
2	Infections of skin and subcutaneous tissue 690-698	20	7	7	4	2	1	1	-	-	-
3	Other diseases of skin and subcutaneous tissue 700-716	61	13	27	7	14	4	1	3	-	-
4	XIII. Diseases of the bones and organs of movement	166	69	76	13	8	10	2	8	-	-
5	Arthritis and spondylitis 720-725	101	29	61	7	4	5	2	3	-	-
6	Muscular rheumatism and rheumatism, unspecified 726,727	1	-	-	-	1	1	-	1	-	-
7	Osteomyelitis and periostitis 730	11	6	-	4	1	-	-	-	-	-
8	Ankylosis and acquired musculoskeletal deformities 737,745-749	5	4	1	-	-	1	-	1	-	-
9	All other diseases of musculoskeletal system 731-736,738-744	48	30	14	2	2	3	-	3	-	-
10	XIV. Congenital malformations	1,178	532	500	82	64	137	79	57	1	-
11	Spina bifida and meningocele 751	80	24	51	2	3	3	1	2	-	-
12	Congenital hydrocephalus, etc.* 752,753	130	54	62	7	7	14	10	3	1	-
13	Congenital malformations of circulatory system 754	545	271	211	40	23	81	44	37	-	-
14	Other congenital malformations 750,755-759	423	183	176	33	31	39	24	15	-	-
15	XV. Certain diseases of early infancy	4,171	1,937	1,347	484	403	334	206	114	7	7
16	Birth injuries 760,761	673	355	207	55	56	48	28	19	-	1
17	Postnatal asphyxia and atelectasis 762	973	476	324	97	76	110	76	33	1	-
18	Infections of newborn 763-768	415	158	136	67	54	22	12	7	2	1
19	Hemolytic disease of newborn (erythroblastosis) 770	126	70	47	7	2	21	10	10	-	1
20	All other defined diseases of early infancy 769,771,772	161	74	52	31	24	13	9	3	1	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified 773-776	1,803	804	581	227	191	120	71	42	3	4
22	XVI. Symptoms, senility, and ill-defined conditions	1,359	615	432	165	127	194	105	77	11	1
23	Senility without mention of psychosis 794	308	94	152	29	33	52	19	31	2	-
24	Symptoms, ill-defined and unknown causes 780-793,795	1,051	521	280	156	94	142	86	46	9	1
25	XVII. Accidents, poisonings, and violence	6,990	4,123	1,619	901	347	591	402	167	16	6
26	Accidents E800-E962	5,586	3,366	1,366	584	270	510	344	152	9	5
27	Railway accidents E800-E802	48	31	-	16	1	6	4	1	1	-
28	Motor-vehicle accidents E810-E835	2,587	1,688	569	242	88	207	139	63	4	1
29	Motor-vehicle traffic accidents E810-E825	2,505	1,640	546	238	81	201	137	59	4	1
30	Motor-vehicle traffic accident with railway train* E810	113	76	24	9	4	8	8	-	-	-
31	Motor-vehicle traffic accident to pedestrian E812	331	206	69	43	13	26	20	6	-	-
32	Other motor-vehicle traffic accidents, etc.* E811,E813-E819	1,371	892	332	101	46	94	62	30	1	1
33	Motor-vehicle noncollision traffic accidents E820-E824	605	415	102	73	15	53	32	19	2	-
34	Motor-vehicle traffic accident of unspecified nature E825	85	51	19	12	3	20	15	4	1	-
35	Motor-vehicle nontraffic accidents E830-E835	82	48	23	4	7	6	2	4	-	-
36	Other road-vehicle accidents E840-E845	15	12	1	2	-	4	4	-	-	-
37	Water-transport accidents E850-E858	83	71	3	9	-	4	4	-	-	-
38	Aircraft accidents E860-E866	115	106	6	3	-	10	9	1	-	-
39	Accidental poisoning by solid and liquid substances E870-E888	90	38	29	11	12	12	7	4	-	1
40	Accidental poisoning by gases and vapors E890-E895	63	39	11	8	5	7	7	-	-	-
41	Accidental falls E900-E904	880	288	355	13	24	87	41	42	3	1
42	Fall from one level to another E900-E902	194	122	61	7	4	36	21	14	1	-
43	Fall on same level E903	109	40	56	3	10	30	14	15	1	-
44	Unspecified falls E904	377	126	238	3	10	21	6	13	1	1
45	Blow from falling object E910	46	31	2	12	1	17	17	-	-	-
46	Accident caused by machinery E912	128	113	2	13	-	25	24	1	-	-
47	Accident caused by electric current E914	97	85	8	4	-	3	3	-	-	-
48	Accident caused by fire and explosion, etc.* E916	425	166	137	51	71	10	6	4	-	-
49	Accident caused by hot substance, etc.* E917,E918	40	17	10	8	5	1	1	-	-	-
50	Accident caused by firearm E919	188	147	14	23	4	17	16	1	-	-
51	Inhalation and ingestion of food or other object, etc.* E921,E922	128	53	41	19	15	19	11	8	-	-
52	Accidental drowning E929	342	217	46	73	6	37	25	11	-	1
53	Excessive heat and insolation E931	29	19	1	7	2	-	-	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.* E940-E959	56	24	24	1	7	8	3	4	-	1
55	All other accidents Residual[1]	426	221	107	69	29	36	23	12	1	-
56	Suicide E963,E970-E979	742	524	186	27	5	69	49	15	5	-
57	Suicide by poisoning E970-E973	123	55	61	3	4	21	13	7	1	-
58	Suicide by hanging and strangulation E974	104	72	31	1	-	13	8	3	2	-
59	Suicide by firearms and explosives E976	462	367	74	20	1	31	27	2	2	-
60	Suicide by all other means E963,E975,E977-E979	53	30	20	3	-	4	1	3	-	-
61	Homicide E964,E980-E985	660	231	67	290	72	11	8	-	2	1
62	Assault by firearms and explosives E981	380	134	44	167	35	6	4	-	1	1
63	Assault by cutting and piercing instruments E982	177	54	6	97	20	2	1	-	1	-
64	Assault by other means E964,E980,E983	81	27	17	20	17	3	3	-	-	-
65	Injury by intervention of police E984	15	12	-	3	-	-	-	-	-	-
66	Execution E985	7	4	-	3	-	-	-	-	-	-
67	Injury resulting from operations of war E965,E990-E999	2	2	-	-	-	1	1	-	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
5	2	3	-	-	47	10	19	8	10	35	16	19	-	-	10	5	5	-	-	1
4	2	2	-	-	6	-	1	4	1	8	4	4	-	-	5	3	2	-	-	2
1	-	1	-	-	41	10	18	4	9	27	12	15	-	-	5	2	3	-	-	3
14	4	10	-	-	80	26	38	6	10	55	22	33	-	-	32	15	15	-	2	4
9	1	8	-	-	53	17	26	3	7	28	10	18	-	-	18	6	10	-	2	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	2	1	1	-	-	2	-	2	-	-	2	1	1	-	-	7
1	1	-	-	-	-	-	-	-	-	3	2	1	-	-	1	1	-	-	-	8
4	2	2	-	-	25	8	11	3	3	22	10	12	-	-	11	7	4	-	-	9
54	27	27	-	-	497	217	180	55	45	335	180	137	9	9	272	125	123	13	11	10
5	-	5	-	-	35	13	18	1	3	13	5	5	2	1	28	11	16	1	-	11
6	4	2	-	-	71	29	21	13	8	38	23	12	2	1	34	21	11	2	-	12
28	13	15	-	-	239	114	91	17	17	174	93	73	5	3	113	45	53	5	10	13
15	10	5	-	-	152	61	50	24	17	110	59	47	-	4	97	48	43	5	1	14
152	92	59	1	-	1,806	676	427	396	307	946	511	356	42	37	719	396	261	33	29	15
46	28	18	-	-	263	116	64	52	31	158	98	53	5	2	133	69	56	5	3	16
24	14	10	-	-	487	203	116	99	69	279	147	102	18	12	202	117	70	10	5	17
11	7	4	-	-	155	50	26	44	35	54	25	20	5	4	38	21	12	3	2	18
6	3	3	-	-	51	24	22	4	1	54	39	10	1	4	29	19	9	1	-	19
2	1	1	-	-	64	17	7	21	19	10	5	3	2	-	19	11	7	-	1	20
63	39	23	1	-	786	266	192	176	152	391	197	168	11	15	298	159	107	14	18	21
73	41	31	1	-	364	130	98	82	54	139	74	55	6	4	379	202	139	22	16	22
11	2	8	1	-	83	19	40	10	14	47	22	24	1	-	94	46	42	2	4	23
62	39	23	-	-	281	111	58	72	40	92	52	31	5	4	285	156	97	20	12	24
293	196	95	2	-	2,878	1,527	542	610	199	2,013	1,336	546	96	35	1,633	1,141	363	101	28	25
238	154	83	1	-	2,150	1,142	428	422	158	1,613	1,054	454	79	26	1,378	953	326	76	23	26
-	-	-	-	-	26	15	1	8	2	18	15	1	2	-	23	17	4	2	-	27
98	72	26	-	-	842	480	156	156	50	590	397	147	35	11	495	365	102	24	4	28
97	71	26	-	-	819	465	151	154	49	581	390	145	35	11	490	362	101	23	4	29
1	1	-	-	-	18	16	2	-	-	12	10	1	1	-	13	8	5	-	-	30
14	9	5	-	-	149	68	26	40	15	97	67	26	3	1	86	61	18	6	1	31
24	12	12	-	-	230	138	51	31	10	198	144	44	8	2	108	80	23	4	1	32
49	41	8	-	-	198	121	30	38	9	174	104	44	19	7	110	89	18	3	-	33
9	8	1	-	-	224	122	42	45	15	100	65	30	4	1	173	124	37	10	2	34
1	1	-	-	-	23	15	5	2	1	9	7	2	-	-	5	3	1	1	-	35
1	-	1	-	-	7	4	3	-	-	7	3	4	-	-	2	2	-	-	-	36
6	5	1	-	-	65	53	4	8	-	49	44	3	2	-	22	18	1	2	1	37
7	7	-	-	-	48	45	-	3	-	37	36	1	-	-	5	4	1	-	-	38
3	2	1	-	-	49	25	4	10	10	32	22	8	2	-	14	8	3	1	2	39
6	4	1	1	-	21	13	2	4	2	24	16	7	1	-	18	9	4	4	1	40
51	15	36	-	-	343	134	154	34	21	356	157	187	8	4	233	105	111	12	5	41
14	7	7	-	-	125	65	31	20	9	109	68	35	4	2	70	50	18	1	1	42
18	2	16	-	-	61	18	38	3	2	58	23	34	1	-	23	9	9	5	-	43
19	6	13	-	-	157	51	85	11	10	189	66	118	3	2	140	46	84	6	4	44
5	5	-	-	-	56	41	-	15	-	28	26	2	-	-	88	79	1	8	-	45
4	4	-	-	-	43	32	1	10	-	38	36	-	2	-	48	48	-	-	-	46
3	3	-	-	-	19	16	1	2	-	15	14	1	-	-	20	20	-	-	-	47
22	14	8	-	-	189	69	24	56	40	85	50	22	8	5	125	72	43	6	4	48
3	3	-	-	-	11	3	2	3	3	8	6	2	-	-	19	6	11	1	1	49
5	5	-	-	-	67	45	8	11	3	36	33	1	2	-	43	34	6	2	1	50
4	2	2	-	-	47	19	17	5	6	41	24	13	1	3	21	9	12	-	-	51
6	5	1	-	-	137	70	14	48	5	124	86	22	14	2	60	50	5	4	1	52
-	-	-	-	-	8	2	1	4	1	1	1	-	-	-	1	1	-	-	-	53
3	1	2	-	-	26	5	12	4	5	17	7	10	-	-	19	12	6	1	-	54
11	7	4	-	-	146	71	24	41	10	107	81	23	2	1	122	94	16	9	3	55
51	40	11	-	-	439	315	86	35	3	334	246	78	5	5	176	146	25	4	1	56
8	6	2	-	-	57	35	22	-	-	85	57	27	1	-	11	9	2	-	-	57
8	7	1	-	-	62	44	11	6	1	62	38	21	-	3	25	21	4	-	-	58
26	23	3	-	-	278	211	40	25	2	151	128	18	4	1	119	98	17	4	-	59
9	4	5	-	-	42	25	13	4	-	36	23	12	-	1	21	18	2	-	1	60
4	2	1	1	-	287	69	28	152	38	65	35	14	12	4	79	42	12	21	4	61
4	2	1	1	-	188	52	20	91	25	27	12	7	6	2	52	29	6	15	2	62
-	-	-	-	-	56	5	3	42	6	15	8	3	3	1	13	5	2	5	1	63
-	-	-	-	-	34	9	5	13	7	21	13	4	3	1	12	6	4	1	1	64
-	-	-	-	-	6	3	-	3	-	1	1	-	-	-	2	2	-	-	-	65
-	-	-	-	-	3	-	-	3	-	1	1	-	-	-	-	-	-	-	-	66
-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	67

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	36,958	20,748	15,561	382	267	2,609	1,651	877	52	29
2	I. Infective and parasitic diseases	323	208	91	18	6	35	20	10	1	4
3	Tuberculosis, all forms 001-019	138	98	26	11	3	12	7	1	1	3
4	Tuberculosis of respiratory system 001-008	132	95	23	11	3	11	6	1	1	3
5	Tuberculosis of meninges and central nervous system 010	-	-	-	-	-	-	-	-	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	-	-	-	-	-	-	-	-	-	-
7	Tuberculosis of vertebral column 012.0,013.0	1	-	1	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints 012.1-012.3,013.1-013.3	-	-	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system 016	4	2	2	-	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs 014,015,017,018	1	1	-	-	-	-	-	-	-	-
11	Disseminated tuberculosis 019	-	-	-	-	-	1	1	-	-	-
12	Syphilis and its sequelae 020-029	51	36	9	5	1	8	6	2	-	-
13	Congenital syphilis 020	2	1	1	-	-	-	-	-	-	-
14	Early syphilis 021	1	1	-	-	-	-	-	-	-	-
15	Aneurysm of aorta 022	15	11	3	-	1	4	3	1	-	-
16	Other cardiovascular syphilis 023	22	14	3	5	-	3	2	1	-	-
17	Tabes dorsalis 024	3	3	-	-	-	-	-	-	-	-
18	General paralysis of insane 025	4	2	2	-	-	1	1	-	-	-
19	Other syphilis of central nervous system 026	3	3	-	-	-	-	-	-	-	-
20	Other syphilis 027-029	1	1	-	-	-	-	-	-	-	-
21	Gonococcal infection 030-035	1	1	-	-	-	-	-	-	-	-
22	Typhoid fever 040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever 041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections 042	1	1	-	-	-	-	-	-	-	-
25	Cholera 043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever) 044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms 045-048	4	2	2	-	-	-	-	-	-	-
28	Food poisoning (infection and intoxication) 049	2	2	-	-	-	-	-	-	-	-
29	Scarlet fever 050	-	-	-	-	-	-	-	-	-	-
30	Streptococcal sore throat 051	5	1	4	-	-	-	-	-	-	-
31	Erysipelas 052	-	-	-	-	-	-	-	-	-	-
32	Septicemia and pyemia 053	22	13	8	1	-	3	2	-	-	1
33	Diphtheria 055	1	1	-	-	-	3	-	3	-	-
34	Whooping cough 056	-	-	-	-	-	-	-	-	-	-
35	Meningococcal infections 057	16	10	6	-	-	1	1	-	-	-
36	Plague 058	-	-	-	-	-	-	-	-	-	-
37	Tularemia 059	-	-	-	-	-	-	-	-	-	-
38	Leprosy 060	-	-	-	-	-	-	-	-	-	-
39	Tetanus 061	4	-	4	-	-	-	-	-	-	-
40	Anthrax 062	-	-	-	-	-	-	-	-	-	-
41	Acute poliomyelitis 080	7	4	3	-	-	2	1	1	-	-
42	Late effects of acute poliomyelitis 081	5	5	-	-	-	-	-	-	-	-
43	Acute infectious encephalitis 082	16	10	5	1	-	-	-	-	-	-
44	Late effects of acute infectious encephalitis 083	1	1	-	-	-	-	-	-	-	-
45	Smallpox 084	-	-	-	-	-	-	-	-	-	-
46	Measles 085	10	7	2	-	1	-	-	-	-	-
47	Yellow fever 091	-	-	-	-	-	-	-	-	-	-
48	Infectious hepatitis 092	15	5	10	-	-	2	1	1	-	-
49	Rabies 094	-	-	-	-	-	-	-	-	-	-
50	Tick-borne typhus 104	-	-	-	-	-	-	-	-	-	-
51	Rocky Mountain spotted fever 104A	-	-	-	-	-	-	-	-	-	-
52	Other forms of tick-borne typhus 104B	-	-	-	-	-	-	-	-	-	-
53	Typhus, etc.* and other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-
54	Malaria 110-117	-	-	-	-	-	-	-	-	-	-
55	Schistosomiasis 123	-	-	-	-	-	-	-	-	-	-
56	Hydatid disease 125	-	-	-	-	-	-	-	-	-	-
57	Filariasis 127	-	-	-	-	-	-	-	-	-	-
58	Ankylostomiasis 129	-	-	-	-	-	-	-	-	-	-
59	Other diseases due to helminths 124,126,128,130	-	-	-	-	-	-	-	-	-	-
60	All other infective and parasitic diseases Residual[1]	24	11	12	-	1	4	2	2	-	-
61	II. Neoplasms	6,274	3,233	2,960	49	32	337	200	132	2	3
62	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	6,162	3,187	2,897	48	30	331	196	130	2	3
63	Malignant neoplasm of buccal cavity and pharynx 140-148	135	105	26	4	-	9	8	1	-	-
64	Of lip 140	10	10	-	-	-	1	1	-	-	-
65	Of tongue 141	40	28	12	-	-	-	-	-	-	-
66	Of other and unspecified parts of buccal cavity 142-144	34	22	10	2	-	2	1	1	-	-
67	Of pharynx 145-148	51	45	4	2	-	6	6	-	-	-
68	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	2,357	1,270	1,060	15	12	109	67	40	1	1
69	Of esophagus 150	120	103	13	2	2	3	2	1	-	-
70	Of stomach 151	614	370	235	8	1	22	16	6	-	-
71	Of intestine, except rectum 152,153	713	340	367	2	4	39	20	19	-	-
72	Of rectum 154	343	200	141	-	2	13	11	2	-	-
73	Of biliary passages and of liver (stated to be primary site) 155	161	46	114	-	1	9	6	3	-	-
74	Of liver not specified whether primary or secondary 156A	86	40	45	-	1	3	3	-	-	-
75	Of pancreas 157	286	155	127	3	1	14	7	5	1	1
76	Of peritoneum and of unspecified digestive organs 158,159	34	16	18	-	-	6	2	4	-	-
77	Malignant neoplasm of respiratory system, not specified as secondary 160-164	626	529	91	6	-	36	26	8	1	1
78	Of larynx 161	45	36	6	3	-	1	1	-	-	-
79	Of trachea, and of bronchus and lung specified as primary 162	263	229	32	2	-	15	11	4	-	-
80	Of lung and bronchus, unspecified as primary or secondary 163	300	249	50	1	-	18	13	3	1	1
81	Of other parts of respiratory system 160,164	18	15	3	-	-	2	1	1	-	-
82	Malignant neoplasm of breast 170	576	6	565	-	5	36	1	35	-	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of genital organs----171-179	895	370	508	9	8	56	31	24	-	1
2	Of cervix uteri----171	159	...	153	...	6	9	...	8	...	1
3	Of other and unspecified parts of uterus----172-174	131	...	129	...	2	7	...	7	...	-
4	Of ovary, fallopian tube, and broad ligament----175	201	...	201	...	-	7	...	7	...	-
5	Of other and unspecified female genital organs----176	25	...	25	...	-	2	...	2	...	-
6	Of prostate----177	358	349	...	9	...	31	31	...	-	...
7	Of testis, and of other and unspecified male genital organs----178,179	21	21	...	-	...	-	-	...	-	...
8	Malignant neoplasm of urinary organs----180,181	333	229	99	3	2	12	11	1	-	-
9	Of kidney----180	130	85	43	2	-	6	5	1	-	-
10	Of bladder and other urinary organs----181	203	144	56	1	2	6	6	-	-	-
11	Malignant neoplasm of other and unspecified sites----156B,165,190-199	643	340	295	6	2	39	27	12	-	-
12	Of skin----190,191	93	55	38	-	-	7	5	2	-	-
13	Of eye----192	9	5	4	-	-	-	-	-	-	-
14	Of brain and other parts of nervous system----193	163	93	67	3	-	8	8	-	-	-
15	Of thyroid gland----194	28	11	16	1	-	1	1	-	-	-
16	Of bone (including jaw bone)----196	39	19	20	-	-	1	-	1	-	-
17	Of connective tissue----197	27	16	9	1	1	1	-	1	-	-
18	Of other specified sites, not stated to be secondary----195,198A,199A	80	26	54	-	-	6	6	-	-	-
19	Of unspecified sites----156B,165,198B,199B-M	204	115	87	1	1	15	7	8	-	-
20	Leukemia and aleukemia----204	299	168	129	1	1	20	16	4	-	-
21	Lymphosarcoma, etc.*----200-203,205	298	170	124	4	-	14	9	5	-	-
22	Lymphosarcoma and reticulosarcoma----200	129	76	52	1	-	5	3	2	-	-
23	Hodgkin's disease----201	64	40	24	-	-	5	4	1	-	-
24	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	105	54	48	3	-	4	2	2	-	-
25	Benign neoplasms and neoplasms of unspecified nature----210-239	112	46	63	1	2	6	4	2	-	-
26	Benign neoplasms of female genital organs----214-217	23	...	21	...	2	-	...	-	...	-
27	Benign neoplasm of brain and other parts of nervous system----223	21	7	13	1	-	-	-	-	-	-
28	Other benign neoplasms----210-213,218-222,224-229	26	15	11	-	-	3	1	2	-	-
29	Neoplasm of unspecified nature of female genital organs----233-235	1	...	1	...	-	-	...	-	...	-
30	Neoplasm of unspecified nature of brain, etc.*----237	23	15	8	-	-	1	1	-	-	-
31	Other neoplasms of unspecified nature----230-232,236,238,239	18	9	9	-	-	2	2	-	-	-
32	III. Allergic, endocrine system, metabolic, and nutritional diseases----	953	422	513	9	9	65	42	19	2	2
33	Asthma----241	127	84	41	1	1	24	22	1	-	1
34	Nontoxic goiter----250,251	4	1	3	-	-	-	-	-	-	-
35	Thyrotoxicosis with or without goiter----252	27	6	21	-	-	-	-	-	-	-
36	Myxedema, cretinism, and other diseases of thyroid gland----253,254	2	-	2	-	-	1	-	1	-	-
37	Diabetes mellitus----260	738	304	418	8	8	32	15	15	2	-
38	Diseases of thymus gland----273	5	1	4	-	-	1	1	-	-	-
39	Diseases of adrenal glands----274	14	5	9	-	-	2	1	1	-	-
40	Pellagra----281	-	-	-	-	-	-	-	-	-	-
41	All other avitaminoses and nutritional deficiency states----280,282-286	9	5	4	-	-	2	1	1	-	-
42	Other allergic, endocrine, and metabolic diseases----Residual[1]	27	16	11	-	-	3	2	-	-	1
43	IV. Diseases of the blood and blood-forming organs----	121	57	64	-	-	6	5	-	-	1
44	Anemias----290-293	89	38	51	-	-	2	2	-	-	-
45	Pernicious and other hyperchromic anemias----290	50	17	33	-	-	-	-	-	-	-
46	Anemias of other and unspecified type----291-293	39	21	18	-	-	2	2	-	-	-
47	Purpura and other hemorrhagic conditions----296	11	6	5	-	-	1	1	-	-	-
48	All other diseases of blood and blood-forming organs----294,295,297-299	21	13	8	-	-	3	2	-	-	1
49	V. Mental, psychoneurotic, and personality disorders----	65	47	15	3	-	13	9	3	1	-
50	Senile psychosis----304	7	3	4	-	-	-	-	-	-	-
51	Alcoholic psychosis----307	7	5	2	-	-	1	1	-	-	-
52	Other psychoses----300-303,305,306,308,309	11	6	5	-	-	2	-	2	-	-
53	Alcoholism----322	31	26	2	3	-	9	7	1	1	-
54	Mental deficiency----325	8	7	1	-	-	1	1	-	-	-
55	Psychoneuroses and other disorders of personality----310-321,323,324,326	1	-	1	-	-	-	-	-	-	-
56	VI. Diseases of the nervous system and sense organs----	4,964	2,397	2,501	35	31	306	150	149	4	3
57	Vascular lesions affecting central nervous system----330-334	4,656	2,231	2,364	31	30	282	139	137	4	2
58	Subarachnoid hemorrhage----330	114	60	48	3	3	3	2	1	-	-
59	Cerebral hemorrhage----331	2,917	1,388	1,505	12	12	200	100	94	4	2
60	Cerebral embolism and thrombosis----332	1,105	547	544	7	7	50	23	27	-	-
61	Other vascular lesions affecting central nervous system----333,334	520	236	267	9	8	29	14	15	-	-
62	Meningitis, except meningococcal and tuberculous----340	31	19	11	1	-	4	1	2	-	1
63	Multiple sclerosis----345	47	21	25	-	1	4	2	2	-	-
64	Paralysis agitans----350	80	50	30	-	-	1	1	-	-	-
65	Cerebral spastic infantile paralysis----351	13	7	6	-	-	2	-	2	-	-
66	Epilepsy----353	41	22	18	1	-	2	1	1	-	-
67	Inflammatory diseases of eye----370-379	-	-	-	-	-	-	-	-	-	-
68	Cataract----385	2	1	1	-	-	-	-	-	-	-
69	Glaucoma----387	1	-	1	-	-	-	-	-	-	-
70	Otitis media and mastoiditis----391-393	5	-	5	-	-	1	-	1	-	-
71	Other diseases of nervous system and sense organs----Residual[1]	88	46	40	2	-	10	6	4	-	-
72	VII. Diseases of the circulatory system----	16,053	9,343	6,540	89	71	1,002	668	311	16	7
73	Rheumatic fever----400-402	18	8	10	-	-	1	-	1	-	-
74	Diseases of heart----410-443	14,614	8,583	5,878	87	66	902	616	271	9	6
75	Chronic rheumatic heart disease----410-416	492	253	231	2	6	24	11	12	-	1
76	Diseases of mitral valve----410	177	84	92	-	1	12	8	3	-	1
77	Diseases of aortic valve specified as rheumatic----411	40	30	9	1	-	2	1	1	-	-
78	Diseases of tricuspid valve----412	-	-	-	-	-	-	-	-	-	-
79	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	34	19	15	-	-	2	-	2	-	-
80	Other diseases of heart specified as rheumatic----415,416	241	120	115	1	5	8	2	6	-	-

*For complete category title, see table 61.

[1]For category numbers, see table 61.

Table 65. Deaths From 256 Selected Causes, by Color

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Arteriosclerotic heart disease, including coronary disease----------420	11,092	6,851	4,143	61	37	619	463	148	6	2
2	Arteriosclerotic heart disease so described----------420.0	4,744	2,518	2,186	24	16	160	96	59	4	1
3	Heart disease specified as involving coronary arteries----------420.1	6,338	4,325	1,955	37	21	459	367	89	2	1
4	Angina pectoris without mention of coronary disease----------420.2	10	8	2	-	-	-	-	-	-	-
5	Chronic endocarditis not specified as rheumatic----------421	117	62	55	-	-	12	5	7	-	-
6	Of mitral valve, specified as nonrheumatic----------421.0	11	6	5	-	-	-	-	-	-	-
7	Of aortic valve, not specified as rheumatic----------421.1	25	18	7	-	-	2	2	-	-	-
8	Of other valves, not specified as rheumatic----------421.2-421.4	81	38	43	-	-	10	3	7	-	-
9	Other myocardial degeneration----------422	1,395	715	667	8	5	135	79	52	1	3
10	With arteriosclerosis----------422.1	860	437	415	4	4	36	23	12	1	-
11	Without mention of arteriosclerosis----------422.0,422.2	535	278	252	4	1	99	56	40	-	3
12	Other diseases of heart----------430-434	319	195	115	6	3	41	23	16	2	-
13	Acute and subacute endocarditis----------430	20	16	4	-	-	-	-	-	-	-
14	Acute myocarditis not specified as rheumatic----------431	29	15	14	-	-	2	-	2	-	-
15	Acute pericarditis specified as nonrheumatic----------432	1	1	-	-	-	-	-	-	-	-
16	Functional disease of heart----------433	54	31	23	-	-	6	3	3	-	-
17	Other and unspecified diseases of heart----------434	215	132	74	6	3	33	20	11	2	-
18	Hypertension with heart disease----------440-443	1,199	507	667	10	15	71	35	36	-	-
19	Hypertensive heart disease with arteriolar nephrosclerosis----------442	350	183	166	-	1	32	23	9	-	-
20	Essential hypertension with heart disease, etc.*----------440,441,443	849	324	501	10	14	39	12	27	-	-
21	Hypertension without mention of heart----------444-447	221	108	109	2	2	12	5	3	3	1
22	Hypertension with arteriolar nephrosclerosis, etc.*----------446	128	69	58	1	-	11	4	3	3	1
23	Essential hypertension, other hypertensive disease, etc.*--444,445,447	93	39	51	1	2	1	1	-	-	
24	Diseases of arteries----------450-456	1,087	591	485	8	3	70	39	28	3	-
25	General arteriosclerosis----------450	913	470	436	5	2	52	28	21	3	-
26	Aortic aneurysm specified as nonsyphilitic, etc.*----------451	134	97	35	2	-	16	10	6	-	-
27	Gangrene of unspecified cause----------455	5	2	3	-	-	-	-	-	-	-
28	Other arterial diseases----------452-454,456	35	22	11	1	1	2	1	1	-	-
29	Diseases of veins and other diseases of circulatory system-------460-468	113	53	58	2	-	17	8	8	1	-
30	VIII. Diseases of the respiratory system----------	1,549	925	564	31	29	152	98	45	6	3
31	Acute upper respiratory infections----------470-475	25	14	8	1	2	2	2	-	-	-
32	Influenza----------480-483	153	90	61	-	2	18	13	5	-	-
33	Pneumonia, except pneumonia of newborn----------490-493	988	557	391	20	20	79	41	30	5	3
34	Lobar pneumonia----------490	202	134	64	3	1	20	11	6	2	1
35	Bronchopneumonia----------491	570	318	223	14	15	38	21	15	-	2
36	Primary atypical pneumonia----------492	106	55	47	-	4	4	3	1	-	-
37	Pneumonia, other and unspecified----------493	110	50	57	3	-	17	6	8	3	-
38	Acute bronchitis----------500	46	22	19	2	3	-	-	-	-	-
39	Bronchitis, chronic and unqualified----------501,502	41	26	13	1	1	9	7	2	-	-
40	Hypertrophy of tonsils and adenoids----------510	4	3	1	-	-	-	-	-	-	-
41	Empyema and abscess of lung----------518,521	9	5	3	1	-	2	2	-	-	-
42	Pleurisy----------519	4	2	2	-	-	-	-	-	-	-
43	All other respiratory diseases----------Residual[1]	279	206	66	6	1	42	33	8	1	-
44	IX. Diseases of the digestive system----------	1,378	854	495	15	14	102	66	32	4	-
45	Diseases of teeth and supporting structures----------530-535	4	1	3	-	-	1	1	-	-	-
46	Ulcer of stomach----------540	114	87	26	-	1	14	10	3	1	-
47	Ulcer of duodenum----------541	131	102	26	3	-	10	8	2	-	-
48	Gastritis and duodenitis----------543	7	5	2	-	-	-	-	-	-	-
49	Appendicitis----------550-553	54	36	17	1	-	6	6	-	-	-
50	Hernia and intestinal obstruction----------560,561,570	194	113	78	2	1	19	9	10	-	-
51	Gastro-enteritis and colitis, except diarrhea of newborn---------571,572	146	71	68	4	3	14	9	3	2	-
52	Cirrhosis of liver----------581	366	264	94	5	3	18	12	6	-	-
53	Without mention of alcoholism----------581.0	263	188	70	2	3	13	9	4	-	-
54	With alcoholism----------581.1	103	76	24	3	-	5	3	2	-	-
55	Cholelithiasis and cholecystitis----------584,585	162	71	90	-	1	8	1	7	-	-
56	Other diseases of digestive system----------Residual[1]	200	104	91	-	5	12	10	1	1	-
57	X. Diseases of the genito-urinary system----------	703	454	233	9	7	53	34	18	1	-
58	Nephritis and nephrosis----------590-594	348	193	144	4	7	28	17	11	-	-
59	Acute nephritis----------590	19	10	6	1	2	2	2	-	-	-
60	Nephritis with edema, including nephrosis----------591	19	14	4	1	-	2	2	-	-	-
61	Chronic and unspecified nephritis and other renal sclerosis----592-594	310	169	134	2	5	24	13	11	-	-
62	Infections of kidney----------600	91	48	42	1	-	5	1	4	-	-
63	Calculi of urinary system----------602,604	34	15	19	-	-	2	2	-	-	-
64	Other diseases of urinary system----------601,603,605-609	38	22	13	3	-	4	3	1	-	-
65	Hyperplasia of prostate----------610	163	162	...	1	...	8	7	...	1	...
66	Other diseases of male genital organs----------611-617	14	14	...	-	...	4	4	...	-	...
67	Diseases of breast----------620,621	-	-	-	-	-	-	-	-	-	-
68	Diseases of female genital organs----------622-637	15	...	15	...	-	2	...	2	...	-
69	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	37	...	36	..	1	2	...	2	...	-
70	Sepsis of pregnancy, childbirth, and puerperium------640,641,681,682,684	1	...	1	...	-	-	...	-	...	-
71	Toxemias of pregnancy and puerperium, etc.*----------642,685,686	8	...	7	...	1	1	...	1	...	-
72	Hemorrhage of pregnancy and childbirth----------643,644,670-672	6	...	6	..	-	-	...	-	...	-
73	Ectopic pregnancy----------645	1	...	1	...	-	-	...	-	...	-
74	Abortion without mention of sepsis or toxemia----------650	2	...	2	...	-	-	...	-	...	-
75	Abortion with sepsis----------651	1	...	1	...	-	-	...	-	...	-
76	Abortion with toxemia, without mention of sepsis----------652	1	...	1	...	-	-	...	-	...	-
77	Other complications of pregnancy, childbirth, and puerperium---Residual[1]	17	...	17	...	-	1	...	1	...	-

*For complete category title, see table 63.

[1]For category numbers, see table 63.

and Sex: United States and Each State, 1957—Continued

deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XII. Diseases of the skin and cellular tissue	27	14	13	-	-	1	-	1	-	-
2	Infections of skin and subcutaneous tissue—690-698	10	6	4	-	-	-	-	-	-	-
3	Other diseases of skin and subcutaneous tissue—700-716	17	8	9	-	-	1	-	1	-	-
4	XIII. Diseases of the bones and organs of movement	79	34	45	-	-	11	7	3	-	1
5	Arthritis and spondylitis—720-725	33	7	26	-	-	5	2	2	-	1
6	Muscular rheumatism and rheumatism, unspecified—726,727	1	1	-	-	-	-	-	-	-	-
7	Osteomyelitis and periostitis—730	1	1	-	-	-	1	1	-	-	-
8	Ankylosis and acquired musculoskeletal deformities—737;745-749	4	3	1	-	-	1	-	1	-	-
9	All other diseases of musculoskeletal system—731-736,738-744	40	22	18	-	-	4	4	-	-	-
10	XIV. Congenital malformations	486	256	217	7	6	40	28	11	-	1
11	Spina bifida and meningocele—751	36	13	22	1	-	-	-	-	-	-
12	Congenital hydrocephalus, etc.*—752,753	48	26	22	-	-	3	2	1	-	-
13	Congenital malformations of circulatory system—754	222	117	96	5	4	22	16	6	-	-
14	Other congenital malformations—750,755-759	180	100	77	1	2	15	10	4	-	1
15	XV. Certain diseases of early infancy	1,289	718	490	44	37	142	85	49	7	1
16	Birth injuries—760,761	263	169	86	6	2	27	15	10	1	1
17	Postnatal asphyxia and atelectasis—762	284	162	106	9	7	47	30	15	2	-
18	Infections of newborn—763-768	67	41	22	1	3	7	6	1	-	-
19	Hemolytic disease of newborn (erythroblastosis)—770	72	35	37	-	-	5	3	2	-	-
20	All other defined diseases of early infancy—769,771,772	39	20	18	-	1	2	-	-	2	-
21	Ill-defined diseases peculiar to early infancy, and immaturity unqualified—773-776	564	291	221	28	24	54	31	21	2	-
22	XVI. Symptoms, senility, and ill-defined conditions	207	107	95	2	3	26	18	7	-	1
23	Senility without mention of psychosis—794	92	42	48	1	1	3	2	1	-	-
24	Symptoms, ill-defined and unknown causes—780-793,795	115	65	47	1	2	23	16	6	-	1
25	XVII. Accidents, poisonings, and violence	2,450	1,679	689	61	21	316	221	85	8	2
26	Accidents—E800-E962	1,987	1,342	583	44	18	258	178	75	3	2
27	Railway accidents—E800-E802	21	18	-	3	-	4	3	-	1	-
28	Motor-vehicle accidents—E810-E835	882	641	216	16	9	117	82	33	1	1
29	Motor-vehicle traffic accidents—E810-E825	867	632	210	16	9	114	81	31	1	1
30	Motor-vehicle traffic accident with railway train*—E810	40	32	8	-	-	4	4	-	-	-
31	Motor-vehicle traffic accident to pedestrian—E812	160	113	39	4	4	4	3	1	-	-
32	Other motor-vehicle traffic accidents, etc.*—E811,E813-E819	230	161	58	8	3	41	27	12	1	1
33	Motor-vehicle noncollision traffic accidents—E820-E824	151	122	27	2	-	44	30	14	-	-
34	Motor-vehicle traffic accident of unspecified nature—E825	286	204	78	2	2	21	17	4	-	-
35	Motor-vehicle nontraffic accidents—E830-E835	15	9	6	-	-	3	1	2	-	-
36	Other road-vehicle accidents—E840-E845	8	5	3	-	-	4	3	1	-	-
37	Water-transport accidents—E850-E858	46	45	1	-	-	1	1	-	-	-
38	Aircraft accidents—E860-E866	22	19	3	-	-	9	8	1	-	-
39	Accidental poisoning by solid and liquid substances—E870-E888	20	12	6	2	-	3	1	2	-	-
40	Accidental poisoning by gases and vapors—E890-E895	16	15	1	-	-	5	4	1	-	-
41	Accidental falls—E900-E904	463	212	244	5	2	27	11	15	-	1
42	Fall from one level to another—E900-E902	143	90	49	4	-	8	7	1	-	-
43	Fall on same level—E903	94	38	55	1	-	8	3	4	-	1
44	Unspecified falls—E904	226	84	140	-	2	11	1	10	-	-
45	Blow from falling object—E910	24	19	3	2	-	5	5	-	-	-
46	Accident caused by machinery—E912	56	50	5	1	-	14	13	-	1	-
47	Accident caused by electric current—E914	19	19	-	-	-	-	-	-	-	-
48	Accident caused by fire and explosion, etc.*—E916	92	47	35	8	2	17	9	8	-	-
49	Accident caused by hot substance, etc.*—E917,E918	20	12	6	1	1	1	-	1	-	-
50	Accident caused by firearm—E919	47	43	3	-	1	7	5	2	-	-
51	Inhalation and ingestion of food or other object, etc.*—E921,E922	25	13	11	-	1	7	6	1	-	-
52	Accidental drowning—E929	97	82	12	3	-	13	11	2	-	-
53	Excessive heat and insolation—E931	3	2	1	-	-	-	-	-	-	-
54	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*—E940-E959	10	4	4	1	1	1	-	1	-	-
55	All other accidents—Residual[1]	116	84	29	2	1	23	16	7	-	-
56	Suicide—E963,E970-E979	412	319	89	4	-	48	37	8	3	-
57	Suicide by poisoning—E970-E973	65	44	21	-	-	13	7	6	-	-
58	Suicide by hanging and strangulation—E974	114	77	36	1	-	4	3	1	-	-
59	Suicide by firearms and explosives—E976	176	162	12	2	-	30	27	1	2	-
60	Suicide by all other means—E963,E975,E977-E979	57	36	20	1	-	1	-	-	1	-
61	Homicide—E964,E980-E985	51	18	17	13	3	10	6	2	2	-
62	Assault by firearms and explosives—E981	27	11	9	6	1	4	2	2	-	-
63	Assault by cutting and piercing instruments—E982	8	1	3	2	2	2	1	-	1	-
64	Assault by other means—E964,E980,E983	14	6	5	3	-	4	3	-	1	-
65	Injury by intervention of police—E984	2	-	-	2	-	-	-	-	-	-
66	Execution—E985	-	-	-	-	-	-	-	-	-	-
67	Injury resulting from operations of war—E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 61.

[1]For category numbers, see table 61.

Table 65. Supplement: Deaths From Nontransport Accidents by Place of Accident, Color, and Sex: United States and Each State, 1957

(By place of residence. Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers E870-E936 of the Sixth Revision of the International Lists, 1948. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1948)

AREA, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
UNITED STATES	50,397	22,772	2,420	770	1,990	594	2,082	1,368	3,218	6,189	8,994
White--Male	26,660	9,376	1,926	690	1,678	417	1,460	986	1,311	4,529	4,287
White--Female	15,973	9,491	181	14	41	109	343	262	1,734	569	3,229
Nonwhite--Male	5,103	2,021	281	62	262	62	248	103	116	980	968
Nonwhite--Female	2,661	1,884	32	4	9	6	31	17	57	111	510
Alabama	925	501	42	11	56	13	33	24	27	108	110
White--Male	363	152	24	9	38	9	16	15	14	60	26
White--Female	181	146	2	-	-	1	4	3	10	4	21
Nonwhite--Male	244	100	15	2	17	3	10	6	3	41	47
Nonwhite--Female	127	103	1	-	1	-	3	-	-	3	16
Arizona	347	134	20	13	11	9	16	12	17	77	38
White--Male	200	57	13	11	11	7	12	9	8	54	18
White--Female	81	48	1	-	-	2	1	1	6	13	9
Nonwhite--Male	41	14	6	2	-	-	2	2	2	6	7
Nonwhite--Female	25	15	-	-	-	-	1	-	1	4	4
Arkansas	593	241	50	9	16	6	11	7	8	61	184
White--Male	278	85	33	8	11	3	7	4	5	38	84
White--Female	136	71	3	-	-	2	-	1	2	3	54
Nonwhite--Male	108	37	12	1	5	1	4	2	1	18	27
Nonwhite--Female	71	48	2	-	-	-	-	-	-	2	19
California	3,255	1,545	96	13	146	47	189	142	243	504	330
White--Male	1,951	747	87	11	128	29	147	104	106	408	184
White--Female	1,011	650	3	2	2	12	26	27	127	43	119
Nonwhite--Male	214	83	5	-	16	6	16	10	8	51	19
Nonwhite--Female	79	65	1	-	-	-	-	1	2	2	8
Colorado	538	230	39	16	23	5	24	18	45	59	79
White--Male	340	114	36	14	23	3	19	15	17	48	51
White--Female	182	105	3	2	-	2	5	2	28	10	25
Nonwhite--Male	11	6	-	-	-	-	-	1	-	1	3
Nonwhite--Female	5	5	-	-	-	-	-	-	-	-	-
Connecticut	578	277	13	1	27	3	22	15	42	67	111
White--Male	324	132	11	1	13	2	15	10	14	56	70
White--Female	214	119	2	-	9	1	6	5	28	8	36
Nonwhite--Male	26	17	-	-	2	-	1	-	-	3	3
Nonwhite--Female	14	9	-	-	3	-	-	-	-	-	2
Delaware	124	56	4	1	6	1	7	1	9	22	17
White--Male	56	17	1	1	6	1	4	-	6	13	7
White--Female	30	25	-	-	-	-	-	1	2	-	2
Nonwhite--Male	32	9	3	-	-	-	3	-	1	9	7
Nonwhite--Female	6	5	-	-	-	-	-	-	-	-	1
District of Columbia	300	161	1	-	4	3	12	13	37	29	40
White--Male	86	37	-	-	-	-	5	6	15	12	11
White--Female	72	40	-	-	-	1	4	3	9	2	13
Nonwhite--Male	88	45	1	-	4	2	2	2	9	15	8
Nonwhite--Female	54	39	-	-	-	-	1	2	4	-	8
Florida	1,305	588	39	16	42	24	52	41	84	262	157
White--Male	589	212	18	5	32	13	31	31	26	172	49
White--Female	330	200	2	1	-	2	7	7	49	16	46
Nonwhite--Male	265	94	18	8	10	8	13	2	5	67	40
Nonwhite--Female	121	82	1	2	-	1	1	1	4	7	22
Georgia	1,191	629	96	2	28	14	40	30	44	155	153
White--Male	445	168	46	2	9	7	18	21	17	87	70
White--Female	225	156	2	-	-	4	4	4	20	4	31
Nonwhite--Male	319	135	44	-	19	3	16	4	4	58	36
Nonwhite--Female	202	170	4	-	-	-	2	1	3	6	16
Idaho	228	78	19	10	14	2	6	4	11	57	27
White--Male	159	40	15	9	14	-	5	4	4	51	17
White--Female	64	37	4	-	-	2	1	-	7	4	9
Nonwhite--Male	4	-	-	1	-	-	-	-	-	2	1
Nonwhite--Female	1	1	-	-	-	-	-	-	-	-	-
Illinois	2,563	1,214	99	35	136	24	136	131	168	321	299
White--Male	1,466	530	93	34	117	19	100	92	73	253	155
White--Female	799	502	4	1	4	4	21	31	84	27	121
Nonwhite--Male	210	106	2	-	15	1	15	8	8	38	17
Nonwhite--Female	88	76	-	-	-	-	-	-	3	3	6
Indiana	1,409	680	70	11	61	13	68	37	115	111	243
White--Male	752	290	63	10	51	8	48	28	49	89	116
White--Female	565	346	6	-	5	2	12	8	64	12	110
Nonwhite--Male	64	26	-	1	5	2	8	-	2	8	12
Nonwhite--Female	28	18	1	-	-	1	-	1	-	2	5
Iowa	850	320	85	12	24	6	52	17	76	78	180
White--Male	493	130	78	12	22	6	43	13	33	70	86
White--Female	339	179	7	-	1	-	9	4	43	5	91
Nonwhite--Male	13	7	-	-	1	-	-	-	-	3	2
Nonwhite--Female	5	4	-	-	-	-	-	-	-	-	1

See footnotes at end of table.

Table 65. Supplement: Deaths From Nontransport Accidents by Place of Accident, Color, and Sex: United States and Each State, 1957—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers E870-E936 of the Sixth Revision of the International Lists, 1948. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1948).

AREA, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Kansas	716	333	82	4	30	15	22	22	45	73	90
White—Male	425	152	71	4	28	9	18	16	18	60	49
Female	270	166	11	-	1	6	4	6	27	10	39
Nonwhite—Male	15	10	-	-	1	-	-	-	-	3	1
Female	6	5	-	-	-	-	-	-	-	-	1
Kentucky	1,143	432	67	69	39	10	47	6	32	95	346
White—Male	668	201	51	66	37	10	33	6	11	79	174
Female	371	180	10	1	-	-	7	-	19	14	140
Nonwhite—Male	58	22	6	2	2	-	6	-	-	2	18
Female	46	29	-	-	-	-	1	-	2	-	14
Louisiana	1,371	482	35	1	43	5	29	15	44	175	542
White—Male	484	124	17	-	36	-	18	9	11	98	171
Female	294	131	3	-	-	2	3	3	25	14	113
Nonwhite—Male	349	105	15	-	7	3	7	3	4	56	149
Female	244	122	-	1	-	-	1	-	4	7	109
Maine	302	115	5	-	18	6	7	5	11	70	65
White—Male	194	56	4	-	18	6	5	4	1	64	36
Female	106	59	1	-	-	-	2	1	10	5	28
Nonwhite—Male	1	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	1
Maryland	792	416	31	6	30	13	31	21	64	105	75
White—Male	364	161	27	4	21	6	13	17	22	64	29
Female	222	145	1	-	1	2	5	3	37	10	18
Nonwhite—Male	148	60	3	2	7	4	12	1	4	31	24
Female	58	50	-	-	1	1	1	-	1	-	4
Massachusetts	1,938	479	2	1	17	13	43	19	162	129	1,073
White—Male	967	194	1	-	15	8	31	12	51	104	551
Female	912	264	1	1	1	4	10	6	110	20	495
Nonwhite—Male	43	16	-	-	1	1	1	1	-	4	19
Female	16	5	-	-	-	-	1	-	1	1	8
Michigan	1,795	825	82	25	69	15	61	43	66	256	353
White—Male	1,057	410	74	24	58	12	48	29	37	200	165
Female	560	308	7	1	1	1	9	10	29	30	164
Nonwhite—Male	115	57	1	-	10	2	4	4	-	25	12
Female	63	50	-	-	-	-	-	-	-	1	12
Minnesota	964	410	82	12	26	15	45	28	96	117	133
White—Male	614	217	75	12	26	14	37	23	33	101	76
Female	333	185	7	-	-	1	7	5	62	15	51
Nonwhite—Male	13	6	-	-	-	-	1	-	1	-	5
Female	4	2	-	-	-	-	-	-	-	1	1
Mississippi	714	258	56	4	22	5	20	10	12	79	248
White—Male	223	59	20	-	11	4	10	4	3	43	69
Female	111	46	5	-	1	-	-	-	5	1	53
Nonwhite—Male	233	64	24	4	10	1	8	6	3	32	81
Female	147	89	7	-	-	-	2	-	1	3	45
Missouri	1,827	851	100	6	31	20	66	49	188	118	198
White—Male	828	332	91	5	28	11	54	33	80	88	106
Female	609	395	7	-	-	7	7	13	99	11	70
Nonwhite—Male	108	61	2	1	2	2	4	3	7	15	11
Female	82	63	-	-	1	-	1	-	2	4	11
Montana	300	116	28	13	19	2	15	10	11	43	43
White—Male	202	53	25	12	19	2	13	7	4	38	29
Female	70	47	2	-	-	-	2	2	5	2	10
Nonwhite—Male	19	10	1	1	-	-	-	1	2	2	2
Female	9	6	-	-	-	-	-	-	-	1	2
Nebraska	427	208	66	6	10	5	17	14	26	20	55
White—Male	257	96	58	6	9	3	12	11	12	17	33
Female	157	104	8	-	-	2	3	3	14	2	21
Nonwhite—Male	9	4	-	-	1	-	2	-	-	1	1
Female	4	4	-	-	-	-	-	-	-	-	-
Nevada	119	58	2	4	7	3	9	5	4	14	13
White—Male	79	29	2	4	6	3	8	4	1	13	9
Female	29	23	-	-	-	-	1	1	1	-	3
Nonwhite—Male	7	3	-	-	1	-	-	-	2	1	-
Female	4	3	-	-	-	-	-	-	-	-	1
New Hampshire	181	86	4	-	6	2	5	5	13	34	26
White—Male	101	38	4	-	6	1	4	3	4	31	10
Female	80	48	-	-	-	1	1	2	9	3	16
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,444	747	25	2	62	18	74	38	137	160	181
White—Male	727	303	19	2	52	15	49	27	57	117	86
Female	513	331	4	-	1	2	14	7	75	14	65
Nonwhite—Male	143	67	2	-	9	-	10	4	3	29	19
Female	61	46	-	-	-	1	1	-	2	-	11

See footnotes at end of table.

Table 65. Supplement: Deaths From Nontransport Accidents by Place of Accident, Color, and Sex: United States and Each State, 1957—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers E870-E936 of the Sixth Revision of the International Lists, 1948. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1948)

AREA, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
New Mexico	281	101	16	7	14	5	9	7	11	60	51
White--Male	157	50	15	7	14	3	7	5	6	34	16
Female	60	32	-	-	-	2	2	2	5	7	10
Nonwhite--Male	40	9	-	-	-	-	-	-	-	10	21
Female	24	10	1	-	-	-	-	-	-	9	4
New York	4,400	2,062	92	14	135	52	229	124	409	580	703
White--Male	2,277	872	82	12	109	41	147	91	159	400	364
Female	1,635	983	8	2	2	8	57	25	230	59	261
Nonwhite--Male	352	119	2	-	24	2	19	5	16	108	57
Female	136	88	-	-	-	1	6	3	4	13	21
North Carolina	1,162	601	105	11	28	8	36	22	40	182	129
White--Male	473	168	56	5	19	8	20	12	25	116	44
Female	216	163	4	-	-	-	4	3	11	6	25
Nonwhite--Male	288	123	43	5	9	-	11	5	2	54	36
Female	185	147	2	1	-	-	1	2	2	6	24
North Dakota	183	88	27	2	4	2	11	3	11	21	14
White--Male	117	46	22	2	4	2	9	3	5	15	9
Female	55	37	5	-	-	-	2	-	5	3	3
Nonwhite--Male	11	5	-	-	-	-	-	-	1	3	2
Female	-	-	-	-	-	-	-	-	-	-	-
Ohio	2,674	1,423	99	19	135	26	132	66	224	220	330
White--Male	1,405	611	82	17	109	17	98	41	88	167	175
Female	1,016	676	13	-	5	7	16	15	128	29	127
Nonwhite--Male	172	80	1	2	20	2	16	10	4	21	16
Female	81	56	3	-	1	-	2	-	4	3	12
Oklahoma	782	309	74	2	33	12	26	23	40	78	185
White--Male	455	143	53	1	31	11	22	18	20	60	96
Female	246	132	10	-	-	1	4	3	18	12	66
Nonwhite--Male	51	20	8	1	2	-	-	2	1	5	12
Female	30	14	3	-	-	-	-	-	1	1	11
Oregon	549	234	28	2	34	15	19	9	31	137	40
White--Male	385	129	27	2	34	12	16	8	13	126	18
Female	145	100	1	-	-	1	2	1	17	7	16
Nonwhite--Male	14	2	-	-	-	2	1	-	1	3	5
Female	5	3	-	-	-	-	-	-	-	1	1
Pennsylvania	3,264	1,453	89	120	168	42	136	80	193	296	687
White--Male	1,823	631	79	115	157	33	94	63	84	226	341
Female	1,165	687	7	-	-	6	29	15	102	29	290
Nonwhite--Male	192	78	3	5	11	2	12	1	5	34	41
Female	84	57	-	-	-	1	1	1	2	7	15
Rhode Island	213	100	2	-	2	7	12	5	42	17	26
White--Male	102	37	1	-	2	6	10	4	17	14	11
Female	103	57	1	-	-	1	2	1	23	3	15
Nonwhite--Male	4	4	-	-	-	-	-	-	-	-	-
Female	4	2	-	-	-	-	-	-	2	-	-
South Carolina	785	363	33	2	24	16	21	17	18	103	188
White--Male	242	87	13	-	16	11	7	11	5	37	55
Female	135	86	-	-	-	1	1	2	7	11	27
Nonwhite--Male	279	100	19	2	8	4	11	4	4	49	78
Female	129	90	1	-	-	-	2	-	2	6	28
South Dakota	239	84	41	1	3	2	15	7	8	28	50
White--Male	153	35	36	1	3	1	12	5	5	20	35
Female	66	41	4	-	-	1	1	2	2	3	12
Nonwhite--Male	13	4	1	-	-	-	2	-	-	4	2
Female	7	4	-	-	-	-	-	-	1	1	1
Tennessee	914	493	77	10	30	8	24	23	23	97	129
White--Male	439	166	64	10	25	6	15	17	11	63	62
Female	262	194	2	-	-	1	3	4	8	13	37
Nonwhite--Male	125	64	9	-	4	1	6	-	4	17	20
Female	88	69	2	-	1	-	-	2	-	4	10
Texas	2,631	1,244	155	10	154	35	93	85	85	372	398
White--Male	1,415	481	132	8	135	24	69	60	39	264	203
Female	734	503	6	-	1	7	14	16	41	35	111
Nonwhite--Male	308	125	15	2	18	4	8	8	3	68	57
Female	174	135	2	-	-	-	2	1	2	5	27
Utah	266	112	13	26	15	5	13	10	16	38	18
White--Male	178	61	12	26	15	4	10	9	6	28	7
Female	81	49	1	-	-	1	2	-	10	9	9
Nonwhite--Male	4	1	-	-	-	-	1	1	-	1	-
Female	3	1	-	-	-	-	-	-	-	-	2
Vermont	122	68	9	1	6	1	6	3	11	8	9
White--Male	68	30	9	1	6	1	4	2	5	8	2
Female	53	38	-	-	-	-	1	1	6	-	7
Nonwhite--Male	1	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

Table 65. Supplement: Deaths From Nontransport Accidents by Place of Accident, Color, and Sex: United States and Each State, 1957—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Deaths are those assigned to category numbers E870-E936 of the Sixth Revision of the International Lists, 1948. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1948)

AREA, COLOR, AND SEX	Total	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Virginia	1,113	470	57	67	39	15	42	26	86	159	152
White—Male	530	159	35	64	23	7	26	17	42	86	71
White—Female	247	152	3	-	-	4	7	6	36	9	30
Nonwhite—Male	238	90	18	3	16	4	9	2	2	59	35
Nonwhite—Female	98	69	1	-	-	-	-	1	6	5	16
Washington	881	353	32	10	55	8	38	29	53	170	133
White—Male	543	167	30	10	53	4	28	26	19	132	74
White—Female	283	162	1	-	1	3	7	2	31	21	55
Nonwhite—Male	40	13	1	-	1	1	3	1	2	15	3
Nonwhite—Female	15	11	-	-	-	-	-	-	1	2	1
West Virginia	796	245	30	151	41	1	24	19	19	78	188
White—Male	525	116	28	135	39	1	17	14	8	73	94
White—Female	207	113	1	-	1	-	4	2	11	1	74
Nonwhite—Male	46	8	1	16	1	-	2	3	-	3	12
Nonwhite—Female	18	8	-	-	-	-	1	-	-	1	8
Wisconsin	984	452	88	9	40	15	34	25	55	127	139
White—Male	602	227	82	6	32	13	25	20	20	113	64
White—Female	350	208	6	3	4	1	8	3	33	10	74
Nonwhite—Male	24	12	-	-	3	1	1	1	2	4	-
Nonwhite—Female	8	5	-	-	1	-	-	1	-	-	1
Wyoming	119	47	13	3	7	2	3	3	6	19	16
White—Male	79	24	11	2	7	1	1	3	2	19	9
White—Female	38	22	2	-	-	1	2	-	4	-	7
Nonwhite—Male	1	-	-	1	-	-	-	-	-	-	-
Nonwhite—Female	1	1	-	-	-	-	-	-	-	-	-

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 66A. Deaths From 64 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Abbreviated List number[1]	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		ALL CAUSES	1,633,128	112,094	7,396	4,198	3,105	2,489	129,282	8,785	7,097	11,608
2		White--Male	823,067	49,047	2,876	1,808	1,335	1,115	56,181	4,306	3,715	6,855
3		Female	614,585	35,365	2,514	1,399	1,125	841	41,244	2,872	2,159	2,805
4		Nonwhite--Male	107,661	15,319	1,064	542	352	271	17,548	876	787	1,213
5		Female	87,815	12,363	942	449	293	262	14,309	731	436	735
6		Tuberculosis, all forms (001-019)	13,324	77	80	34	14	16	221	36	26	72
7		White--Male	7,465	17	23	16	7	3	66	10	10	18
8		Female	2,565	17	22	7	-	6	52	12	5	13
9		Nonwhite--Male	2,184	20	20	5	3	2	50	9	6	18
10		Female	1,110	23	15	6	4	5	53	5	5	23
11	B 1	Tuberculosis of respiratory system (001-008)	12,384	36	27	13	3	4	83	7	16	59
12		White--Male	7,112	10	7	7	-	1	25	2	7	13
13		Female	2,354	7	7	3	-	1	18	3	4	10
14		Nonwhite--Male	1,956	6	7	1	1	1	16	2	2	15
15		Female	962	13	6	2	2	1	24	-	3	21
16	B 2	Tuberculosis, other forms (010-019)	940	41	53	21	11	12	138	29	10	13
17		White--Male	353	7	16	9	7	2	41	8	3	5
18		Female	211	10	15	4	-	5	34	9	1	3
19		Nonwhite--Male	228	14	13	4	2	1	34	7	4	3
20		Female	148	10	9	4	2	4	29	5	2	2
21	B 3	Syphilis and its sequelae (020-029)	3,825	27	-	-	-	-	27	-	1	4
22		White--Male	1,868	8	-	-	-	-	8	-	1	-
23		Female	672	9	-	-	-	-	9	-	-	1
24		Nonwhite--Male	891	6	-	-	-	-	6	-	-	3
25		Female	394	4	-	-	-	-	4	-	-	-
26	B 4	Typhoid fever (040)	34	1	1	1	1	-	4	2	-	2
27		White--Male	14	1	-	-	-	-	1	1	-	-
28		Female	8	-	1	1	-	-	2	-	-	-
29		Nonwhite--Male	8	-	-	-	1	-	1	1	-	2
30		Female	4	-	-	-	-	-	-	-	-	-
31	B 6	Dysentery, all forms (045-048)	440	217	25	14	11	4	271	12	4	-
32		White--Male	134	55	7	4	5	1	72	7	-	-
33		Female	148	73	8	3	4	3	91	3	3	-
34		Nonwhite--Male	93	54	5	3	2	-	64	2	1	-
35		Female	65	35	5	4	-	-	44	-	-	-
36	B 7	Scarlet fever and streptococcal sore throat (050,051)	213	24	9	8	3	7	51	17	11	7
37		White--Male	75	9	3	4	-	3	19	9	2	2
38		Female	98	10	2	4	2	2	20	4	5	3
39		Nonwhite--Male	23	4	3	-	-	1	8	3	1	1
40		Female	17	1	1	-	1	1	4	1	3	1
41	B 8	Diphtheria (055)	81	2	6	11	10	14	43	20	5	1
42		White--Male	22	-	1	2	2	4	9	6	1	1
43		Female	28	-	-	3	3	6	12	8	2	-
44		Nonwhite--Male	14	1	3	4	2	3	13	1	-	-
45		Female	17	1	2	2	3	1	9	5	2	-
46	B 9	Whooping cough (056)	183	123	34	14	2	-	173	6	1	-
47		White--Male	41	27	6	4	1	-	38	1	-	-
48		Female	46	34	5	3	1	-	43	3	-	-
49		Nonwhite--Male	42	26	10	4	-	-	40	1	-	-
50		Female	54	36	13	3	-	-	52	1	1	-
51	B 10	Meningococcal infections (057)	785	245	130	76	43	29	523	70	28	30
52		White--Male	375	130	75	43	12	16	276	25	9	11
53		Female	290	89	42	25	23	6	185	26	16	8
54		Nonwhite--Male	61	13	6	4	4	2	29	13	2	5
55		Female	59	13	7	4	4	5	33	6	1	6
56	B 12	Acute poliomyelitis (080)	221	10	18	9	6	10	53	27	20	19
57		White--Male	107	5	7	3	3	6	24	10	9	8
58		Female	82	2	6	2	2	1	13	8	11	9
59		Nonwhite--Male	21	2	4	1	1	1	9	6	-	2
60		Female	11	1	1	3	-	2	7	3	-	-
61	B 14	Measles (085)	389	77	74	49	30	22	252	91	19	9
62		White--Male	154	26	23	21	8	9	87	44	9	6
63		Female	147	22	30	15	16	10	93	33	9	3
34		Nonwhite--Male	46	13	11	8	3	2	37	8	1	-
65		Female	42	16	10	5	3	1	35	6	-	-
66	B 15	Typhus and other rickettsial diseases (100-108)	26	-	-	-	3	1	4	3	6	-
67		White--Male	15	-	-	-	2	-	2	1	3	-
68		Female	6	-	-	-	-	1	1	2	1	-
69		Nonwhite--Male	1	-	-	-	-	-	-	-	-	-
70		Female	4	-	-	-	1	-	1	-	2	-
71	B 16	Malaria (110-117)	14	2	-	-	-	-	2	-	-	-
72		White--Male	6	1	-	-	-	-	1	-	-	-
73		Female	3	-	-	-	-	-	-	-	-	-
74		Nonwhite--Male	3	-	-	-	-	-	-	-	-	-
75		Female	2	1	-	-	-	-	1	-	-	-

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

by Age, Color, and Sex: United States, 1957

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13,529	15,259	20,670	29,094	42,747	62,432	86,701	114,172	152,422	192,720	209,181	200,768	171,172	109,081	42,689	10,897	1,786	1,036	1
7,767	7,585	9,527	13,718	21,483	32,766	47,757	63,837	86,448	106,306	110,908	99,361	78,334	45,785	16,058	3,535	438	397	2
2,929	3,866	5,670	8,529	12,311	17,846	24,024	32,350	46,973	65,763	81,123	88,994	84,546	58,345	24,436	6,529	845	226	3
1,757	2,251	2,903	3,621	4,823	6,422	8,148	9,936	10,899	11,564	9,496	6,812	4,333	2,537	973	337	184	241	4
1,076	1,557	2,370	3,226	4,130	5,398	6,772	8,049	8,102	9,087	7,654	5,601	3,959	2,414	1,222	496	319	172	5
180	349	563	717	946	1,165	1,303	1,408	1,485	1,606	1,367	961	584	250	64	10	1	10	6
38	76	135	263	411	605	750	885	1,015	1,089	929	627	357	136	33	7	1	4	7
39	81	170	188	219	217	206	179	189	256	248	222	157	88	20	3	-	1	8
42	95	126	144	200	249	251	264	225	207	146	72	48	19	9	-	-	4	9
61	97	132	122	116	94	96	80	56	54	44	40	22	7	2	-	-	1	10
150	313	515	658	898	1,096	1,233	1,342	1,399	1,520	1,302	919	549	241	63	10	1	10	11
30	68	127	248	395	573	725	861	977	1,044	896	604	339	133	33	7	1	4	12
28	78	161	176	207	201	189	169	172	234	235	214	148	84	19	3	-	1	13
38	81	108	131	188	237	233	244	201	193	130	64	43	17	9	-	-	4	14
54	86	119	103	108	85	86	68	49	49	41	37	19	7	2	-	-	1	15
30	36	48	59	48	69	70	66	86	86	65	42	35	9	1	-	-	-	16
8	8	8	15	16	32	25	24	38	45	33	23	18	3	-	-	-	-	17
11	3	9	12	12	16	17	10	17	22	13	8	9	4	1	-	-	-	18
4	14	18	13	12	12	18	20	24	14	16	8	5	2	-	-	-	-	19
7	11	13	19	8	9	10	12	7	5	3	3	3	-	-	-	-	-	20
13	18	32	67	127	234	423	510	634	625	527	329	160	74	14	3	-	3	21
6	3	12	16	28	68	176	254	342	356	305	170	84	33	5	1	-	-	22
1	5	5	11	22	44	41	71	92	107	100	85	46	25	6	-	-	1	23
3	6	4	29	48	85	142	125	145	119	91	48	25	9	1	1	-	1	24
3	4	11	11	29	37	64	60	55	43	31	26	5	7	2	1	-	1	25
2	-	-	1	2	1	2	4	4	1	5	4	-	-	-	-	-	-	26
-	-	-	-	2	-	2	2	3	-	2	1	-	-	-	-	-	-	27
-	-	-	-	-	1	-	1	-	1	1	2	-	-	-	-	-	-	28
-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	29
2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	30
7	3	3	8	8	8	6	10	16	18	21	19	12	13	1	-	-	-	31
6	2	1	2	4	4	1	2	3	5	7	9	5	3	1	-	-	-	32
1	1	-	3	1	2	3	3	7	5	4	9	6	6	-	-	-	-	33
-	-	1	-	2	2	1	3	4	6	4	1	1	1	-	-	-	-	34
-	-	1	3	1	-	1	2	2	2	6	-	-	3	-	-	-	-	35
5	5	10	9	13	11	13	15	9	6	9	12	3	4	3	-	-	-	36
3	1	2	2	6	3	2	7	3	-	8	4	1	1	-	-	-	-	37
2	2	5	6	6	3	8	7	6	5	1	8	2	3	2	-	-	-	38
-	-	1	1	1	4	2	-	-	-	-	-	-	-	1	-	-	-	39
-	2	2	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	40
-	-	-	3	-	1	2	1	-	2	1	-	1	1	-	-	-	-	41
-	-	-	1	-	-	1	-	-	1	-	-	1	1	-	-	-	-	42
-	-	-	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	46
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
15	5	12	10	8	9	12	9	16	16	13	1	4	2	2	-	-	-	51
9	3	3	3	5	2	5	3	6	6	5	1	2	1	-	-	-	-	52
4	1	4	6	1	6	4	4	6	9	6	-	2	1	1	-	-	-	53
1	-	2	1	2	-	2	-	1	1	2	-	-	-	-	-	-	-	54
1	1	3	-	-	1	1	2	3	-	-	-	-	-	1	-	-	-	55
20	27	18	13	6	7	6	1	1	1	1	1	-	-	-	-	-	-	56
12	13	11	6	3	3	4	1	1	1	1	-	-	-	-	-	-	-	57
8	12	6	6	3	4	1	-	-	-	-	1	-	-	-	-	-	-	58
-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	59
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
2	1	4	1	-	-	1	-	-	3	-	3	2	1	-	-	-	-	61
-	1	1	-	-	-	1	-	-	2	-	2	1	-	-	-	-	-	62
2	-	3	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	2	1	1	1	1	-	1	3	1	2	-	-	-	-	-	-	-	66
-	1	1	1	1	1	-	1	3	-	-	-	-	-	-	-	-	-	67
-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	70
-	1	1	-	1	3	-	4	-	-	1	-	1	-	-	-	-	-	71
-	1	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	72
-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	74
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75

Table 66A. Deaths From 64 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Abbreviated List number[1]	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	B 17	All other infective and parasitic diseases (030-039, 041,042,044,049,052-054,059-074,081-083,086-096,120-138)----	4,721	819	183	103	70	51	1,226	194	134	120
2		White--------Male----	2,098	331	65	44	26	25	491	97	58	60
3		Female--	1,681	247	67	32	28	12	386	72	57	36
4		Nonwhite-----Male----	509	137	29	14	6	5	191	18	10	15
5		Female--	433	104	22	13	10	9	158	7	9	9
6	B 18	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)----------	253,183	279	359	428	468	443	1,977	1,306	906	914
7		White--------Male----	122,675	128	162	222	252	234	998	690	468	494
8		Female--	108,278	128	153	174	181	182	818	496	349	324
9		Nonwhite-----Male----	11,725	14	31	16	26	16	103	72	49	45
10		Female--	10,505	9	13	16	9	11	58	48	40	51
11		Malignant neoplasm of buccal cavity and pharynx (140-148)--	5,861	1	-	3	1	2	7	10	7	8
12		White--------Male----	4,199	1	-	3	1	-	5	8	5	3
13		Female--	1,142	-	-	-	-	2	2	1	1	3
14		Nonwhite-----Male----	410	-	-	-	-	-	-	1	-	1
15		Female--	110	-	-	-	-	-	-	-	1	1
16		Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)----------	88,096	24	17	11	6	3	61	18	26	36
17		White--------Male----	43,791	12	6	7	3	3	31	11	14	16
18		Female--	36,650	11	10	4	2	-	27	3	6	15
19		Nonwhite-----Male----	4,603	1	1	-	-	-	2	3	3	2
20		Female--	3,042	-	-	-	1	-	1	1	3	3
21		Malignant neoplasm of respiratory system, not specified as secondary (160-164)----------	33,895	4	8	3	3	2	20	9	7	18
22		White--------Male----	26,648	1	5	1	1	1	9	5	6	7
23		Female--	4,601	1	1	2	2	1	7	2	-	6
24		Nonwhite-----Male----	2,236	1	1	-	-	-	2	1	-	2
25		Female--	410	1	1	-	-	-	2	1	1	3
26		Malignant neoplasm of breast (170)----------	22,720	1	-	-	-	1	2	-	1	1
27		White--------Male----	230	-	-	-	-	-	-	-	-	-
28		Female--	20,805	1	-	-	-	1	2	-	-	1
29		Nonwhite-----Male----	31	-	-	-	-	-	-	-	-	-
30		Female--	1,654	-	-	-	-	-	-	-	1	-
31		Malignant neoplasm of genital organs (171-179)----------	38,472	1	8	10	6	2	27	11	25	68
32		White--------Male----	13,498	-	3	9	5	-	17	4	5	26
33		Female--	20,053	1	4	1	1	1	8	6	15	28
34		Nonwhite-----Male----	1,747	-	1	-	-	-	1	1	-	2
35		Female--	3,174	-	-	-	-	1	1	-	5	12
36		Malignant neoplasm of urinary organs (180,181)----------	12,147	26	33	41	49	45	194	78	16	13
37		White--------Male----	7,507	6	16	23	21	16	82	31	8	8
38		Female--	3,790	16	14	14	23	22	89	37	5	3
39		Nonwhite-----Male----	516	2	2	1	5	4	14	5	2	2
40		Female--	334	2	1	3	-	3	9	5	1	-
41		Malignant neoplasm of other and unspecified sites (156B,165,190-199)----------	28,425	80	132	149	126	90	577	387	314	325
42		White--------Male----	13,951	40	60	72	61	47	280	201	166	177
43		Female--	12,106	36	52	64	48	37	237	144	116	112
44		Nonwhite-----Male----	1,204	3	16	7	13	3	42	23	21	18
45		Female--	1,164	1	4	6	4	3	18	19	11	18
46		Leukemia and aleukemia (204)----------	11,718	108	140	186	249	278	963	650	359	274
47		White--------Male----	6,296	53	58	91	142	151	495	335	172	147
48		Female--	4,686	47	65	84	100	114	410	270	159	108
49		Nonwhite-----Male----	449	4	10	7	5	9	35	26	17	9
50		Female--	287	4	7	6	2	4	23	19	11	10
51		Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)----------	11,849	34	21	23	28	20	126	143	151	171
52		White--------Male----	6,555	15	14	16	18	16	79	95	92	110
53		Female--	4,435	15	7	5	5	4	36	33	47	48
54		Nonwhite-----Male----	529	3	-	1	3	-	7	12	6	9
55		Female--	330	1	-	1	2	-	4	3	6	4
56	B 19	Benign neoplasms and neoplasms of unspecified nature (210-239)----------	5,068	134	48	36	19	14	251	126	84	79
57		White--------Male----	2,036	65	20	17	8	8	118	60	35	37
58		Female--	2,293	50	24	13	6	5	98	40	37	30
59		Nonwhite-----Male----	260	12	1	3	3	-	19	13	4	9
60		Female--	479	7	3	3	2	1	16	13	8	3
61	B 20	Diabetes mellitus (260)----------	27,180	12	17	12	9	4	54	51	95	102
62		White--------Male----	9,623	2	10	5	4	1	22	22	27	28
63		Female--	14,611	6	4	6	5	1	22	24	49	42
64		Nonwhite-----Male----	982	1	1	-	-	1	3	2	7	17
65		Female--	1,964	3	2	1	-	1	7	3	12	15
66	B 21	Anemias (290-293)----------	2,987	150	94	33	27	23	327	86	55	43
67		White--------Male----	1,167	43	23	8	6	3	83	22	16	11
68		Female--	1,282	27	21	5	11	8	72	24	20	13
69		Nonwhite-----Male----	269	45	27	11	7	5	95	19	9	10
70		Female--	269	35	23	9	3	7	77	21	10	9

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

by Age, Color, and Sex: United States, 1957—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
107	131	167	172	183	275	289	288	298	329	260	239	177	87	28	11	2	4	1
41	27	57	71	82	112	131	147	138	183	141	124	88	38	8	2	1	1	2
36	59	69	60	55	102	96	79	114	114	94	96	84	44	20	8	-	-	3
13	23	14	22	22	30	36	27	35	19	13	11	4	2	-	1	1	2	4
17	22	27	19	24	31	26	35	11	13	12	8	1	3	-	-	-	1	5
984	1,653	3,081	5,064	8,702	14,000	20,330	26,298	33,484	37,997	35,872	28,712	19,437	9,321	2,542	465	51	87	6
511	760	1,115	1,645	2,995	5,207	8,634	12,472	17,119	20,065	19,285	14,846	9,724	4,350	1,090	169	10	28	7
352	707	1,545	2,706	4,476	6,914	9,037	10,740	13,212	14,784	14,270	12,391	8,905	4,585	1,348	259	25	35	8
66	72	137	239	455	834	1,285	1,608	1,877	1,878	1,383	897	424	217	50	19	4	11	9
55	114	284	474	776	1,045	1,374	1,478	1,276	1,270	934	578	384	169	54	18	12	13	10
18	23	30	61	172	365	542	681	746	868	828	691	464	227	90	19	1	3	11
12	12	13	31	109	241	369	487	557	674	632	508	306	156	61	10	-	-	12
4	6	10	14	37	69	100	120	108	122	157	152	141	63	22	9	1	-	13
1	3	6	13	19	41	62	56	70	62	31	26	10	3	3	-	-	2	14
1	2	1	3	7	14	11	18	11	10	8	5	7	5	4	-	-	1	15
75	194	479	969	1,918	3,343	5,659	8,225	11,577	14,479	14,755	12,334	8,442	4,203	1,081	169	22	31	16
33	83	183	413	859	1,527	2,681	4,035	6,058	7,603	7,885	6,152	3,951	1,783	405	55	3	10	17
23	85	207	413	751	1,292	2,117	3,055	4,360	5,631	5,956	5,583	4,137	2,249	626	97	12	15	18
10	14	51	73	167	315	522	671	753	780	543	372	187	98	25	8	-	4	19
9	12	38	70	141	209	339	464	406	465	371	227	167	73	25	9	7	2	20
33	61	187	415	1,059	2,082	3,569	5,054	6,198	6,101	4,539	2,672	1,255	475	105	25	-	11	21
23	42	116	272	725	1,508	2,748	4,118	5,129	5,066	3,613	2,004	875	300	58	15	-	9	22
5	15	43	100	199	306	424	475	588	659	677	555	335	153	45	7	-	-	23
4	3	13	33	101	234	335	413	425	315	202	95	33	19	2	3	-	1	24
1	1	15	10	34	34	62	48	56	61	47	18	12	3	-	-	-	1	25
9	101	388	846	1,502	2,357	2,610	2,609	2,877	2,767	2,395	1,889	1,362	702	235	57	4	6	26
-	-	1	4	5	9	19	22	29	46	37	29	18	7	3	-	-	1	27
7	89	335	732	1,324	2,115	2,353	2,361	2,665	2,548	2,244	1,782	1,289	671	226	54	3	4	28
-	-	-	-	3	2	2	7	3	8	2	2	1	1	-	-	-	-	29
2	12	52	110	170	231	236	219	180	165	112	76	54	23	6	3	1	1	30
132	309	635	1,013	1,615	2,320	3,056	3,488	4,365	5,215	5,484	4,808	3,597	1,750	461	65	7	21	31
60	94	101	86	83	90	201	414	1,054	1,826	2,687	2,830	2,394	1,187	302	32	1	4	32
56	172	409	721	1,208	1,819	2,281	2,497	2,706	2,704	2,188	1,593	1,011	464	133	24	1	9	33
-	2	1	8	18	33	80	134	247	366	376	251	132	68	15	7	3	2	34
16	41	124	198	306	378	494	443	358	319	233	134	60	31	11	2	2	6	35
12	18	53	103	245	448	774	1,141	1,589	1,949	1,920	1,673	1,159	571	153	30	5	3	36
6	9	22	51	130	261	479	730	1,054	1,296	1,239	1,049	644	298	83	21	3	3	37
2	7	21	36	76	121	199	299	399	515	602	569	478	257	65	9	1	-	38
2	1	5	9	22	41	62	62	89	89	49	32	20	7	3	-	-	-	39
2	1	5	7	17	25	34	50	47	49	30	23	17	9	2	-	1	-	40
276	416	634	824	1,193	1,766	2,439	3,002	3,437	3,569	3,217	2,665	1,968	983	328	84	11	10	41
141	213	318	368	557	826	1,240	1,525	1,738	1,838	1,657	1,197	920	421	135	30	2	1	42
110	161	264	366	505	729	931	1,173	1,392	1,449	1,351	1,318	972	529	186	49	7	5	43
13	19	29	40	67	106	136	141	161	147	114	77	30	14	2	1	1	2	44
12	23	23	50	64	105	132	163	146	135	95	73	46	19	5	4	1	2	45
203	239	303	382	422	540	679	821	1,105	1,361	1,336	1,064	693	252	57	13	1	1	46
104	133	147	175	199	289	340	439	636	799	759	598	368	131	26	3	1	-	47
70	82	131	168	185	205	272	313	394	488	531	434	309	116	30	10	-	1	48
21	15	14	26	17	27	37	45	45	49	33	24	5	4	-	-	-	-	49
8	9	11	13	21	19	30	24	30	25	13	8	11	1	1	-	-	-	50
226	292	372	451	576	779	1,002	1,277	1,590	1,688	1,398	916	497	158	32	3	-	1	51
132	174	214	245	328	456	557	702	864	917	776	479	248	67	17	3	-	-	52
75	90	125	156	191	258	360	447	600	668	564	405	233	83	15	-	-	1	53
15	15	18	37	41	35	49	79	84	62	33	18	6	3	-	-	-	-	54
4	13	15	13	16	30	36	49	42	41	25	14	10	5	-	-	-	-	55
99	113	221	281	370	430	496	447	506	499	366	309	212	121	46	9	3	-	56
34	37	73	85	116	151	209	186	218	226	182	128	82	46	11	1	1	-	57
40	48	104	120	174	196	206	195	221	234	156	161	123	68	33	7	2	-	58
13	9	9	14	19	22	25	25	37	20	9	8	2	3	-	-	-	-	59
12	19	35	62	61	61	56	41	30	19	19	12	5	4	2	1	-	-	60
151	244	376	482	582	839	1,343	2,137	3,547	4,681	4,845	3,846	2,478	1,017	257	37	3	13	61
55	116	174	214	269	330	510	731	1,166	1,550	1,652	1,390	901	361	85	15	1	4	62
74	100	127	160	167	278	513	1,010	1,935	2,660	2,907	2,266	1,479	616	158	19	-	5	63
9	12	42	43	44	72	85	105	133	167	114	61	37	18	6	2	1	2	64
13	16	33	65	102	159	235	291	313	304	172	129	61	22	8	1	1	2	65
48	53	50	50	70	71	86	137	192	277	368	390	381	216	60	21	4	2	66
12	10	11	10	18	18	32	63	78	126	168	179	176	98	30	5	1	-	67
13	17	16	17	27	32	35	57	84	126	185	189	198	111	29	13	3	1	68
8	13	9	11	9	12	9	7	17	12	9	13	4	2	-	-	-	1	69
15	13	14	12	16	9	10	10	13	13	6	9	3	5	1	3	-	-	70

Table 66A. Deaths From 64 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Abbreviated List number[1]	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	B 23	Meningitis, except meningococcal and tuberculous (340)	2,025	769	177	94	59	38	1,137	89	67	40
2		White—Male	832	293	71	44	25	18	451	40	25	18
3		Female	599	218	58	26	19	14	335	29	26	9
4		Nonwhite—Male	327	154	23	12	7	4	200	10	8	10
5		Female	267	104	25	12	8	2	151	10	8	3
6		Major cardiovascular-renal diseases (330-334,400-468,592-594)	891,825	580	217	98	98	72	1,065	468	545	972
7		White—Male	451,870	248	60	44	41	31	424	197	194	434
8		Female	350,304	183	80	21	37	20	341	155	208	330
9		Nonwhite—Male	46,525	88	41	18	10	11	168	53	71	92
10		Female	43,126	61	36	15	10	10	132	63	72	116
11		Diseases of cardiovascular system (330-334,400-468)	876,793	561	203	90	83	63	1,000	369	411	770
12		White—Male	445,435	240	58	41	35	26	400	157	140	337
13		Female	344,860	176	73	19	29	19	316	112	148	262
14		Nonwhite—Male	44,946	86	37	16	9	9	157	45	63	69
15		Female	41,552	59	35	14	10	9	127	55	60	102
16	B 22	Vascular lesions affecting central nervous system (330-334)	187,709	197	58	44	43	24	366	156	96	171
17		White—Male	79,360	83	19	22	21	7	152	73	45	82
18		Female	85,117	64	26	12	15	9	126	55	34	62
19		Nonwhite—Male	11,063	33	6	4	5	2	50	13	8	13
20		Female	12,169	17	7	6	2	6	38	15	9	14
21	B 24	Rheumatic fever (400-402)	900	4	9	5	9	7	34	67	121	59
22		White—Male	371	2	3	3	2	2	12	24	33	22
23		Female	318	1	1	-	4	2	8	18	44	26
24		Nonwhite—Male	102	-	3	1	-	2	6	7	22	4
25		Female	109	1	2	1	3	1	8	18	22	7
26		Diseases of heart (410-443)	628,504	303	125	38	29	24	519	125	163	455
27		White—Male	337,908	132	31	15	11	13	202	51	54	205
28		Female	234,009	97	43	7	9	7	163	34	56	136
29		Nonwhite—Male	30,414	43	25	10	4	2	84	21	27	47
30		Female	26,173	31	26	6	5	2	70	19	26	67
31	B 25	Chronic rheumatic heart disease (410-416)	19,274	2	4	1	2	1	10	13	56	250
32		White—Male	8,564	2	-	1	1	-	4	4	15	109
33		Female	9,103	-	1	-	-	-	1	3	20	83
34		Nonwhite—Male	775	-	1	-	-	1	2	2	10	20
35		Female	832	-	2	-	1	-	3	4	11	38
36	B 26 pt.	Arteriosclerotic heart disease, including coronary disease (420)	452,507	47	6	3	2	3	61	27	11	66
37		White—Male	265,752	27	1	3	2	2	35	17	4	28
38		Female	157,870	9	1	-	-	1	11	3	3	24
39		Nonwhite—Male	16,762	7	2	-	-	-	9	3	1	4
40		Female	12,123	4	2	-	-	-	6	4	3	10
41	B 26 pt.	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	62,618	63	44	14	7	4	132	25	25	44
42		White—Male	27,750	21	11	5	2	3	42	4	10	23
43		Female	27,911	24	17	3	4	1	49	12	7	10
44		Nonwhite—Male	3,637	9	5	4	-	-	18	7	5	5
45		Female	3,320	9	11	2	1	-	23	2	3	6
46	B 27	Other diseases of heart (430-434)	21,733	191	70	20	18	16	315	59	62	86
47		White—Male	10,756	82	19	6	6	8	121	26	23	40
48		Female	7,139	64	23	4	5	5	101	15	23	19
49		Nonwhite—Male	2,186	27	17	6	4	1	55	9	8	16
50		Female	1,652	18	11	4	3	2	38	9	8	11
51	B 28	Hypertension with heart disease (440-443)	72,372	-	1	-	-	-	1	1	9	9
52		White—Male	25,086	-	-	-	-	-	-	-	2	5
53		Female	31,986	-	1	-	-	-	1	1	3	-
54		Nonwhite—Male	7,054	-	-	-	-	-	-	-	3	2
55		Female	8,246	-	-	-	-	-	-	-	1	2
56	B 29	Hypertension without mention of heart (444-447)	11,128	-	1	-	1	-	2	3	1	5
57		White—Male	4,372	-	-	-	-	-	-	1	-	2
58		Female	4,392	-	-	-	1	-	1	1	1	2
59		Nonwhite—Male	1,196	-	1	-	-	-	1	-	-	1
60		Female	1,168	-	-	-	-	-	-	1	-	-
61	B 46 pt.	General arteriosclerosis (450)	33,272	-	-	-	-	-	-	-	-	-
62		White—Male	14,822	-	-	-	-	-	-	-	-	-
63		Female	16,023	-	-	-	-	-	-	-	-	-
64		Nonwhite—Male	1,222	-	-	-	-	-	-	-	-	-
65		Female	1,205	-	-	-	-	-	-	-	-	-
66	B 46 pt.	Other diseases of circulatory system (451-468)	15,280	57	10	3	1	8	79	18	30	80
67		White—Male	8,602	23	5	1	1	4	34	8	8	26
68		Female	5,001	14	3	-	-	1	18	4	13	36
69		Nonwhite—Male	949	10	2	1	-	3	16	4	6	4
70		Female	728	10	-	1	-	-	11	2	3	14

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

by Age, Color, and Sex: United States, 1957—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
28	18	35	35	57	73	67	77	86	75	62	37	32	5	4	-	-	1	1
12	4	11	10	29	26	27	36	41	39	31	16	15	-	1	-	-	-	2
6	6	11	14	11	23	12	16	21	23	25	15	11	4	2	-	-	-	3
5	1	6	4	8	14	14	17	15	8	1	3	3	-	-	-	-	-	4
5	7	7	7	9	10	14	8	9	5	5	3	3	1	1	-	-	1	5
1,306	2,174	4,353	8,605	16,082	27,253	42,448	60,560	86,626	116,759	135,972	138,692	123,971	81,575	32,546	8,112	1,253	488	6
518	876	1,937	4,347	9,079	16,031	25,472	35,759	50,573	64,537	70,870	67,230	55,096	33,282	11,943	2,581	303	187	7
427	645	1,108	1,872	3,136	5,587	9,046	14,441	24,547	39,160	53,709	63,034	63,080	44,794	19,010	4,948	606	120	8
174	298	628	1,153	1,978	2,900	4,137	5,495	6,263	6,918	6,002	4,398	2,920	1,732	669	227	127	92	9
187	355	680	1,233	1,889	2,735	3,793	4,865	5,243	6,144	5,391	4,030	2,875	1,767	894	356	217	89	10
1,042	1,822	3,891	8,046	15,370	26,430	41,533	59,412	85,295	115,106	134,273	137,032	122,525	80,548	32,187	8,014	1,233	464	11
384	706	1,717	4,124	8,792	15,668	25,081	35,306	50,006	63,815	70,091	66,519	54,492	32,858	11,819	2,542	294	187	12
341	543	987	1,712	2,945	5,380	8,789	14,079	24,072	38,583	53,094	62,325	62,418	44,306	18,825	4,899	604	120	13
152	256	564	1,083	1,860	2,786	4,019	5,329	6,106	6,748	5,837	4,271	2,827	1,685	670	223	124	92	14
165	317	623	1,127	1,773	2,596	3,644	4,698	5,111	5,960	5,251	3,917	2,788	1,719	873	350	211	85	15
262	444	708	1,419	2,470	4,188	6,574	9,600	14,620	22,497	29,840	33,262	31,157	20,265	7,523	1,719	259	113	16
110	174	236	459	795	1,509	2,452	3,932	6,413	10,264	13,627	14,866	13,064	7,892	2,642	493	47	33	17
81	126	194	444	737	1,330	2,158	3,026	5,213	8,668	12,993	16,096	16,577	11,467	4,481	1,091	129	29	18
33	60	105	226	386	604	920	1,289	1,482	1,753	1,580	1,151	748	416	142	47	30	27	19
38	84	173	290	552	745	1,044	1,353	1,512	1,812	1,640	1,169	768	490	258	88	53	24	20
36	36	57	59	62	61	73	63	41	43	34	28	11	12	3	-	-	-	21
15	10	18	30	33	24	39	33	27	17	9	14	4	7	-	-	-	-	22
13	14	22	17	16	18	25	19	10	21	20	13	6	5	3	-	-	-	23
4	5	7	10	8	9	5	6	2	4	3	-	-	-	-	-	-	-	24
4	7	10	2	5	10	4	5	2	1	2	1	1	-	-	-	-	-	25
615	1,153	2,723	5,996	11,964	20,940	33,173	47,197	66,754	86,865	96,686	94,581	80,863	51,576	20,175	4,911	725	345	26
230	480	1,367	3,475	7,639	13,648	21,731	30,006	41,400	50,385	52,405	47,192	36,695	21,305	7,486	1,621	187	144	27
193	332	648	1,117	1,987	3,706	6,200	10,374	17,786	28,120	37,208	42,149	40,558	28,134	11,743	2,943	339	83	28
97	161	364	723	1,291	1,950	2,843	3,743	4,242	4,554	3,819	2,808	1,844	1,075	438	147	74	62	29
95	180	344	681	1,047	1,636	2,399	3,074	3,326	3,806	3,254	2,432	1,766	1,062	508	200	125	56	30
284	462	752	1,064	1,471	1,965	2,278	2,374	2,251	2,004	1,595	1,164	721	402	116	31	6	5	31
94	179	309	456	683	864	1,054	1,129	1,060	918	706	500	292	143	38	4	1	2	32
117	189	323	476	629	920	1,067	1,077	1,059	990	823	606	390	232	68	23	4	3	33
31	36	54	60	81	89	87	81	76	53	28	26	20	16	3	-	-	-	34
42	38	86	72	78	92	70	87	56	43	38	32	19	11	7	4	1	-	35
123	348	1,296	3,595	8,216	14,982	24,546	35,572	51,284	66,099	71,903	68,188	55,647	34,014	12,853	3,020	425	231	36
56	201	855	2,624	6,188	11,324	18,260	25,090	34,655	41,332	41,444	36,104	26,540	14,668	5,030	1,056	121	120	37
24	57	171	388	932	1,874	3,641	6,901	12,641	20,354	26,769	29,275	27,230	18,226	7,335	1,762	197	52	38
26	49	158	349	689	1,083	1,592	2,137	2,401	2,578	2,094	1,624	998	588	231	78	44	26	39
17	41	112	234	407	701	1,053	1,444	1,587	1,835	1,596	1,185	879	532	257	124	63	33	40
57	86	172	304	466	917	1,525	2,376	3,872	6,114	8,788	10,652	12,057	9,201	4,344	1,229	205	27	41
28	30	57	107	209	383	681	1,104	1,921	2,934	4,311	4,924	5,317	3,717	1,522	375	42	9	42
9	27	42	63	99	225	364	619	1,133	2,109	3,437	4,944	6,121	5,101	2,624	796	111	9	43
10	14	41	66	82	168	270	369	457	558	553	383	310	185	82	28	20	6	44
10	15	32	68	76	141	210	284	361	513	487	401	309	198	116	30	32	3	45
120	158	260	395	578	901	1,287	1,729	2,126	2,745	3,005	2,947	2,425	1,660	654	174	25	22	46
46	49	106	161	278	456	635	924	1,154	1,467	1,603	1,518	1,131	696	248	60	8	6	47
35	46	70	94	110	185	279	367	510	764	947	1,160	1,101	845	349	103	10	6	48
19	32	37	76	112	155	212	267	266	290	267	153	107	57	32	5	3	8	49
20	31	47	64	78	105	161	171	196	224	188	116	86	62	25	6	4	2	50
31	99	243	638	1,233	2,175	3,537	5,146	7,221	9,903	11,395	11,630	10,013	6,299	2,208	457	64	60	51
6	21	40	127	281	621	1,101	1,759	2,610	3,734	4,341	4,146	3,415	2,081	648	126	15	7	52
8	13	42	96	217	502	849	1,410	2,443	3,903	5,232	6,164	5,716	3,730	1,367	259	17	13	53
11	30	74	172	327	455	682	889	1,042	1,075	877	622	409	229	90	36	7	22	54
6	35	87	243	408	597	905	1,088	1,126	1,191	945	698	473	259	103	36	25	18	55
25	66	154	282	373	477	547	627	771	1,127	1,513	1,633	1,718	1,175	470	136	17	6	56
8	11	27	52	105	145	192	222	310	502	646	710	728	486	167	51	4	3	57
6	14	18	31	56	95	124	172	254	399	617	743	884	631	267	70	6	-	58
3	17	56	91	100	126	132	113	111	126	127	88	47	30	18	4	3	2	59
8	24	53	108	112	111	99	120	96	100	123	92	59	28	18	11	4	1	60
4	3	6	8	34	108	263	479	1,077	2,118	3,941	5,664	7,513	6,831	3,791	1,195	223	14	61
2	1	3	4	18	51	137	237	547	1,073	2,017	2,677	3,356	2,850	1,432	359	53	5	62
1	-	2	-	6	26	64	125	314	714	1,509	2,616	3,820	3,717	2,215	765	124	5	63
1	1	1	-	6	10	30	55	117	172	234	195	166	132	61	24	17	-	64
-	1	-	4	4	21	32	62	99	159	181	176	171	132	83	47	29	4	65
100	120	243	282	467	656	903	1,446	2,032	2,456	2,259	1,864	1,263	689	225	53	9	6	66
19	30	66	104	202	291	530	876	1,309	1,574	1,387	1,060	645	318	92	18	3	2	67
47	57	103	103	143	205	218	363	495	661	747	708	573	352	116	30	6	3	68
14	12	31	33	69	87	89	123	152	139	74	49	22	12	11	1	-	1	69
20	21	43	42	53	73	66	84	76	82	51	47	23	7	6	4	-	-	70

Table 66A. Deaths From 64 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Abbreviated List number[1]	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	B 38 pt.	Chronic and unspecified nephritis and other renal sclerosis (592-594)	15,032	19	14	8	15	9	65	99	134	202
2		White--Male	6,435	8	2	3	6	5	24	40	54	97
3		Female	5,444	7	7	2	8	1	25	43	60	68
4		Nonwhite--Male	1,579	2	4	2	1	2	11	8	8	23
5		Female	1,574	2	1	1	-	1	5	8	12	14
6		Influenza and pneumonia, except pneumonia of newborn (480-493)	61,001	9,611	1,591	641	337	248	12,428	688	553	571
7		White--Male	28,313	3,505	529	231	112	101	4,478	301	221	223
8		Female	20,985	2,466	477	203	126	76	3,348	228	229	254
9		Nonwhite--Male	6,527	1,917	300	117	56	38	2,428	76	60	47
10		Female	5,176	1,723	285	90	43	33	2,174	83	43	47
11	B 30	Influenza (480-483)	7,463	646	144	65	45	45	945	147	152	164
12		White--Male	3,146	189	44	26	12	18	289	64	61	67
13		Female	2,738	139	54	18	19	14	244	53	74	77
14		Nonwhite--Male	792	168	28	14	8	6	224	19	11	9
15		Female	787	150	18	7	6	7	188	11	6	11
16	B 31	Pneumonia, except pneumonia of newborn (490-493)	53,538	8,965	1,447	576	292	203	11,483	541	401	407
17		White--Male	25,167	3,316	485	205	100	83	4,189	237	160	156
18		Female	18,247	2,327	423	185	107	62	3,104	175	155	177
19		Nonwhite--Male	5,735	1,749	272	103	48	32	2,204	57	49	38
20		Female	4,389	1,573	267	83	37	26	1,986	72	37	36
21	B 32	Bronchitis (500-502)	3,581	767	161	83	42	22	1,075	70	22	16
22		White--Male	2,089	348	72	42	21	16	499	39	11	5
23		Female	1,032	226	65	27	15	4	337	24	10	8
24		Nonwhite--Male	259	103	13	7	3	1	127	3	-	1
25		Female	201	90	11	7	3	1	112	4	1	2
26	B 33	Ulcer of stomach and duodenum (540,541)	10,365	69	5	3	3	2	82	6	7	13
27		White--Male	7,269	21	4	2	-	-	27	3	3	5
28		Female	2,308	25	1	1	3	2	32	3	3	5
29		Nonwhite--Male	597	14	-	-	-	-	14	-	1	2
30		Female	191	9	-	-	-	-	9	-	-	1
31	B 34	Appendicitis (550-553)	1,982	14	8	21	12	19	74	82	65	42
32		White--Male	1,089	8	5	9	7	7	36	36	34	17
33		Female	575	3	3	10	5	5	26	26	13	15
34		Nonwhite--Male	178	2	-	-	-	2	4	12	10	5
35		Female	140	1	-	2	-	5	8	8	8	5
36	B 35	Hernia and intestinal obstruction (560,561,570)	8,571	1,042	46	28	9	9	1,134	31	22	19
37		White--Male	3,801	504	26	20	6	6	562	16	14	7
38		Female	3,724	366	12	3	-	1	382	7	3	3
39		Nonwhite--Male	579	119	6	2	2	-	129	6	5	4
40		Female	467	53	2	3	1	2	61	2	-	5
41	B 36	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	7,971	3,096	370	81	43	29	3,619	67	35	48
42		White--Male	3,022	888	143	31	12	9	1,083	29	13	25
43		Female	2,971	765	120	24	14	11	934	26	9	17
44		Nonwhite--Male	1,067	793	51	18	10	4	876	5	8	3
45		Female	911	650	56	8	7	5	726	7	5	3
46	B 37	Cirrhosis of liver (581)	19,317	42	10	4	6	4	66	18	23	16
47		White--Male	11,802	18	3	1	3	2	27	6	10	5
48		Female	5,755	14	3	1	2	2	22	9	6	8
49		Nonwhite--Male	1,051	7	2	-	1	-	10	1	3	-
50		Female	709	3	2	2	-	-	7	2	4	3
51	B 38 pt.	Acute nephritis and nephritis with edema, including nephrosis (590,591)	2,275	53	38	35	24	30	180	70	60	55
52		White--Male	1,007	20	11	12	11	19	73	38	23	25
53		Female	740	18	13	11	9	4	55	19	23	13
54		Nonwhite--Male	268	7	7	6	2	4	26	6	5	5
55		Female	260	8	7	6	2	3	26	7	9	12
56	B 39	Hyperplasia of prostate (610)	5,097	-	-	-	-	-	-	-	-	-
57		White--Male	4,419	-	-	-	-	-	-	-	-	-
58		Nonwhite--Male	678	-	-	-	-	-	-	-	-	-
59	B 40	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	1,746	...	...	...	...	...	...	...	10	157
60		White--Female	997	...	...	...	...	...	...	...	2	75
61		Nonwhite--Female	749	...	...	...	...	...	...	...	8	82
62		Abortion (650-652)	260	...	...	...	...	...	...	...	-	29
63		White--Female	126	...	...	...	...	...	...	...	-	12
64		Nonwhite--Female	134	...	...	...	...	...	...	...	-	17
65		All other complications (640-649,660-689)	1,486	...	...	...	...	...	...	...	10	128
66		White--Female	871	...	...	...	...	...	...	...	2	63
67		Nonwhite--Female	615	...	...	...	...	...	...	...	8	65
68	B 41	Congenital malformations (750-759)	21,818	15,801	1,022	522	325	219	17,889	703	376	276
69		White--Male	10,347	7,588	427	221	144	94	8,474	298	181	135
70		Female	8,794	6,267	436	204	147	98	7,152	319	153	108
71		Nonwhite--Male	1,464	1,063	85	57	21	15	1,241	42	24	23
72		Female	1,213	883	74	40	13	12	1,022	44	18	10

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

by Age, Color, and Sex: United States, 1957—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
264	352	462	559	712	823	915	1,148	1,331	1,653	1,699	1,660	1,446	1,027	359	98	20	4	1
134	170	220	223	287	363	391	453	567	722	779	711	604	424	124	39	9	-	2
86	102	121	160	191	207	257	362	475	577	615	709	662	488	185	49	2	-	3
22	42	64	70	118	114	118	166	157	170	165	127	93	67	29	4	3	-	4
22	38	57	108	116	139	149	167	132	184	140	113	87	48	21	6	6	4	5
623	602	704	1,000	1,382	1,778	2,233	2,862	3,769	5,157	5,852	6,354	6,255	4,833	2,372	766	171	48	6
217	173	225	390	570	863	1,143	1,486	2,138	2,925	3,238	3,185	3,045	2,171	988	270	46	17	7
246	252	216	278	367	417	495	651	936	1,425	1,941	2,647	2,856	2,404	1,262	437	85	11	8
66	88	136	184	275	316	364	450	431	477	384	313	197	130	50	27	16	12	9
94	89	127	148	170	182	231	275	264	330	289	209	157	128	72	32	24	8	10
154	130	115	173	203	240	311	392	531	708	758	751	611	552	309	81	28	8	11
42	34	34	59	73	104	139	181	258	349	405	327	254	239	128	24	13	2	12
77	71	42	59	71	64	74	85	167	219	239	332	299	275	159	50	5	2	13
17	5	18	25	36	36	42	59	46	72	61	51	24	20	6	3	5	3	14
18	20	21	30	23	36	56	67	60	68	53	41	34	18	16	4	5	1	15
469	472	589	827	1,179	1,538	1,922	2,470	3,238	4,449	5,094	5,603	5,644	4,281	2,063	685	143	40	16
175	139	191	331	497	759	1,004	1,305	1,880	2,576	2,833	2,858	2,791	1,932	860	246	33	15	17
169	181	174	219	296	353	421	566	769	1,206	1,702	2,315	2,557	2,129	1,103	387	80	9	18
49	83	118	159	239	280	322	391	385	405	323	262	173	110	44	24	11	9	19
76	69	106	118	147	146	175	208	204	262	236	168	123	110	56	28	19	7	20
19	16	24	33	47	83	114	156	336	375	365	295	273	167	61	28	6	-	21
10	5	7	12	21	43	80	109	253	290	257	185	140	86	26	10	1	-	22
3	6	10	12	14	15	19	30	50	62	91	95	121	75	33	14	3	-	23
-	-	3	6	6	14	13	11	26	15	11	10	8	4	-	1	-	-	24
6	5	4	3	6	11	2	6	7	8	6	5	4	2	2	3	2	-	25
17	56	114	233	411	629	855	1,056	1,335	1,474	1,475	1,119	883	452	119	24	3	2	26
11	32	60	151	288	436	634	779	1,005	1,094	1,086	762	565	247	63	14	2	2	27
2	13	27	42	68	108	139	175	224	288	330	312	285	191	54	7	-	-	28
1	6	22	28	44	64	68	78	84	71	46	33	23	9	-	3	-	-	29
3	5	5	12	11	21	14	24	22	21	13	12	10	5	2	-	1	-	30
29	29	37	51	85	114	140	154	211	234	221	201	124	64	20	3	1	1	31
13	10	16	26	43	68	92	87	119	149	135	110	61	28	8	1	-	-	32
9	9	8	9	17	24	20	33	54	56	72	79	56	36	11	2	-	-	33
4	6	7	8	12	13	15	20	22	19	11	5	4	-	-	-	-	1	34
3	4	6	8	13	9	13	14	16	10	3	7	3	-	1	-	1	-	35
36	38	67	155	196	284	374	481	689	980	1,100	1,121	941	627	218	43	6	9	36
17	10	30	48	60	92	161	228	324	444	517	488	400	269	93	16	1	4	37
9	14	20	59	86	115	129	162	269	422	499	562	505	331	115	25	4	3	38
9	7	8	21	17	29	38	51	50	63	50	45	22	18	5	1	-	1	39
1	7	9	27	33	48	46	40	46	51	34	26	14	9	5	1	1	1	40
45	64	79	128	147	193	243	315	412	508	580	543	509	283	108	33	6	6	41
18	30	26	55	78	100	121	173	206	237	266	217	204	97	36	5	2	1	42
23	29	35	54	50	64	94	116	165	225	268	297	293	175	66	27	4	-	43
2	2	8	14	7	16	9	16	16	22	27	14	9	7	3	-	-	3	44
2	3	10	5	12	13	19	10	25	24	19	15	3	4	3	1	-	2	45
48	159	528	1,049	1,783	2,353	2,637	2,584	2,356	2,350	1,587	987	502	206	47	12	3	3	46
10	51	212	489	962	1,394	1,718	1,665	1,585	1,600	1,061	576	291	109	20	6	2	3	47
19	48	190	358	601	701	714	684	608	642	464	361	197	92	25	5	1	-	48
3	31	58	105	122	154	130	148	114	76	43	36	12	5	-	-	-	-	49
16	29	68	97	98	104	75	87	49	32	19	14	2	-	2	1	-	-	50
56	49	93	99	97	120	139	145	186	210	210	210	147	100	35	10	2	2	51
27	21	29	32	42	50	62	75	82	102	97	101	68	39	18	2	1	-	52
16	13	22	27	29	41	35	34	65	64	66	84	63	50	15	5	1	-	53
5	6	20	19	13	14	23	24	21	21	26	19	9	3	1	1	-	1	54
8	9	22	21	13	15	19	12	18	23	21	6	7	8	1	2	-	1	55
-	-	1	1	5	17	50	126	316	623	889	991	1,044	734	241	50	8	1	56
-	-	1	1	3	7	26	83	230	500	741	905	953	687	228	48	6	-	57
-	-	-	-	2	10	24	43	86	123	148	86	91	47	13	2	2	1	58
267	346	434	359	138	19	6	3	5	-	1	1	-	-	-	-	-	-	59
154	193	246	217	87	10	5	2	5	-	-	1	-	-	-	-	-	-	60
113	153	188	142	51	9	1	1	-	-	1	-	-	-	-	-	-	-	61
44	56	71	43	16	1	-	-	-	-	-	-	-	-	-	-	-	-	62
18	31	36	20	9	-	-	-	-	-	-	-	-	-	-	-	-	-	63
26	25	35	23	7	1	-	-	-	-	-	-	-	-	-	-	-	-	64
223	290	363	316	122	18	6	3	5	-	1	1	-	-	-	-	-	-	65
136	162	210	197	78	10	5	2	5	-	-	1	-	-	-	-	-	-	66
87	128	153	119	44	8	1	1	-	-	1	-	-	-	-	-	-	-	67
221	195	232	279	257	264	274	247	191	153	110	69	48	21	4	1	-	8	68
116	92	102	132	127	138	133	117	89	74	54	38	28	12	1	1	-	5	69
83	81	95	127	98	98	115	103	86	68	47	27	20	9	3	-	-	2	70
7	12	19	8	16	13	12	20	9	10	5	2	-	-	-	-	-	1	71
15	10	16	12	16	15	14	7	7	1	4	2	-	-	-	-	-	-	72

Table 66A. Deaths From 64 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	Abbreviated List number[1]	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1		Certain diseases of early infancy (760-776)	66,569	66,552	5	2	2	4	66,565	3	-	1
2		White--Male	30,145	30,141	2	-	-	1	30,144	-	-	1
3		Female	20,995	20,984	2	2	1	3	20,992	3	-	-
4		Nonwhite--Male	8,632	8,630	1	-	1	-	8,632	-	-	-
5		Female	6,797	6,797	-	-	-	-	6,797	-	-	-
6	B 42	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	30,273	30,273	-	-	-	-	30,273	-	-	-
7		White--Male	14,634	14,634	-	-	-	-	14,634	-	-	-
8		Female	9,585	9,585	-	-	-	-	9,585	-	-	-
9		Nonwhite--Male	3,503	3,503	-	-	-	-	3,503	-	-	-
10		Female	2,551	2,551	-	-	-	-	2,551	-	-	-
11	B 43	Infections of newborn (763-768)	5,087	5,087	-	-	-	-	5,087	-	-	-
12		White--Male	1,997	1,997	-	-	-	-	1,997	-	-	-
13		Female	1,310	1,310	-	-	-	-	1,310	-	-	-
14		Nonwhite--Male	982	982	-	-	-	-	982	-	-	-
15		Female	798	798	-	-	-	-	798	-	-	-
16	B 44	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	31,209	31,192	5	2	2	4	31,205	3	-	1
17		White--Male	13,514	13,510	2	-	-	1	13,513	-	-	1
18		Female	10,100	10,089	2	2	1	3	10,097	3	-	-
19		Nonwhite--Male	4,147	4,145	1	-	1	-	4,147	-	-	-
20		Female	3,448	3,448	-	-	-	-	3,448	-	-	-
21	B 45	Symptoms, senility, and ill-defined conditions (780-795)	19,164	2,557	179	93	66	28	2,923	102	69	174
22		White--Male	7,549	651	44	21	20	8	744	35	32	76
23		Female	5,003	430	42	23	19	8	522	28	14	44
24		Nonwhite--Male	3,662	806	47	34	14	7	908	21	13	23
25		Female	2,950	670	46	15	13	5	749	18	10	31
26	B 46 pt.	All other diseases (Residual)	77,533	5,145	766	401	392	248	6,952	910	619	794
27		White--Male	40,373	2,460	335	173	168	99	3,235	424	285	392
28		Female	27,311	1,570	251	144	152	90	2,207	352	232	242
29		Nonwhite--Male	5,609	641	104	50	44	33	872	71	51	71
30		Female	4,240	474	76	34	28	26	638	63	51	89
31		Accidents (E800-E962)	95,307	3,674	1,695	1,241	951	862	8,423	3,372	3,082	6,298
32		White--Male	56,476	1,452	712	559	423	386	3,532	1,815	1,936	4,485
33		Female	25,689	1,079	557	398	285	255	2,574	866	634	1,072
34		Nonwhite--Male	9,171	613	225	144	121	110	1,213	394	413	588
35		Female	3,971	530	201	140	122	111	1,104	297	99	153
36	BE 47	Motor-vehicle accidents (E810-E835)	38,702	337	397	361	346	344	1,785	1,480	1,124	4,084
37		White--Male	25,416	157	174	174	180	169	854	811	702	2,917
38		Female	8,668	136	169	127	108	110	650	431	311	844
39		Nonwhite--Male	3,484	25	32	33	36	40	166	139	90	234
40		Female	1,134	19	22	27	22	25	115	99	21	89
41	BE 48	All other accidents (E800-E802,E840-E962)	56,605	3,337	1,298	880	605	516	6,638	1,892	1,958	2,214
42		White--Male	31,060	1,295	538	385	243	217	2,678	1,004	1,234	1,568
43		Female	17,021	943	388	271	177	145	1,924	435	323	228
44		Nonwhite--Male	5,687	588	193	111	85	70	1,047	255	323	354
45		Female	2,837	511	179	113	100	86	989	198	78	64
46	BE 49	Suicide (E963,E970-E979)	16,632	-	-	-	-	-	-	-	68	288
47		White--Male	12,331	-	-	-	-	-	-	-	54	208
48		Female	3,547	-	-	-	-	-	-	-	13	52
49		Nonwhite--Male	620	-	-	-	-	-	-	-	1	23
50		Female	134	-	-	-	-	-	-	-	-	5
51	BE 50 pt.	Homicide (E964,E980-E985)	7,641	123	28	23	20	17	211	59	79	426
52		White--Male	2,426	54	7	5	6	5	77	24	31	118
53		Female	1,018	37	9	8	9	5	68	23	17	68
54		Nonwhite--Male	3,313	14	8	4	2	4	32	8	24	189
55		Female	884	18	4	6	3	3	34	4	7	51
56	BE 50 pt.	Injury resulting from operations of war (E965,E990-E999)	34	-	-	-	-	-	-	-	-	-
57		White--Male	32	-	-	-	-	-	-	-	-	-
58		Female	-	-	-	-	-	-	-	-	-	-
59		Nonwhite--Male	2	-	-	-	-	-	-	-	-	-
60		Female	-	-	-	-	-	-	-	-	-	-

[1]See Abbreviated List of 50 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

NOTE.—The List of 64 selected causes includes cholera (043, B 5), plague (058, B 11), and smallpox (084, B 13). No deaths were reported from these causes.

by Age, Color, and Sex: United States, 1957—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
205	255	343	436	579	766	903	1,171	1,312	1,627	1,654	1,643	1,776	1,527	1,031	444	149	75	21
73	73	103	163	254	338	406	540	649	729	736	732	731	587	337	138	35	38	22
36	56	67	84	118	130	171	203	219	315	408	468	675	658	506	225	46	10	23
56	66	85	100	112	162	190	255	260	349	288	261	202	156	85	30	24	16	24
40	60	88	89	95	136	136	173	184	234	222	182	168	126	103	51	44	11	25
899	1,155	1,596	2,334	3,031	3,894	4,750	6,166	7,743	9,595	9,161	7,693	5,469	3,248	1,127	310	55	32	26
365	396	540	940	1,293	1,835	2,492	3,458	4,642	5,782	5,352	4,158	2,738	1,482	439	106	8	11	27
308	422	595	807	1,053	1,256	1,482	1,871	2,276	2,990	3,192	3,110	2,459	1,603	632	182	33	7	28
114	153	222	295	358	427	446	510	538	532	380	271	155	88	28	12	5	10	29
112	184	239	292	327	376	330	327	287	291	237	154	117	75	28	10	9	4	30
6,675	5,601	5,227	5,126	4,995	5,154	4,851	4,658	4,832	4,978	5,098	5,217	5,303	3,952	1,696	497	59	213	31
4,984	3,920	3,578	3,440	3,286	3,381	3,168	2,986	3,096	3,036	2,838	2,550	2,200	1,466	556	131	16	76	32
820	712	760	815	912	977	941	1,046	1,200	1,420	1,873	2,358	2,873	2,355	1,082	342	32	25	33
711	774	708	665	629	601	576	465	388	343	233	179	117	63	21	10	4	76	34
160	195	181	206	168	195	166	161	148	179	154	130	113	68	37	14	7	36	35
4,583	3,379	2,901	2,584	2,366	2,321	2,129	2,004	2,091	1,932	1,628	1,254	704	250	58	9	-	36	36
3,458	2,355	2,000	1,700	1,507	1,485	1,302	1,218	1,320	1,224	1,046	826	456	176	39	3	-	17	37
621	497	484	501	525	529	523	524	570	547	482	347	203	60	14	3	-	2	38
408	409	335	300	260	223	245	200	151	117	77	64	35	11	4	3	-	13	39
96	118	82	83	74	84	59	62	50	44	23	17	10	3	1	-	-	4	40
2,092	2,222	2,326	2,542	2,629	2,833	2,722	2,654	2,741	3,046	3,470	3,963	4,599	3,702	1,638	488	59	177	41
1,526	1,565	1,578	1,740	1,779	1,896	1,866	1,768	1,776	1,812	1,792	1,724	1,744	1,290	517	128	16	59	42
199	215	276	314	387	448	418	522	630	873	1,391	2,011	2,670	2,295	1,068	339	32	23	43
303	365	373	365	369	378	331	265	237	226	156	115	82	52	17	7	4	63	44
64	77	99	123	94	111	107	99	98	135	131	113	103	65	36	14	7	32	45
592	857	1,177	1,328	1,642	1,710	1,835	1,766	1,587	1,365	1,070	712	409	170	41	8	-	7	46
404	544	763	889	1,177	1,251	1,394	1,328	1,216	1,058	884	600	360	152	37	6	-	6	47
125	230	306	359	394	393	389	382	329	276	143	99	38	15	2	1	-	1	48
49	67	89	64	58	60	46	39	34	28	38	12	9	2	1	-	-	-	49
14	16	19	16	13	6	6	17	8	3	5	1	2	1	1	1	-	-	50
829	1,040	1,076	957	793	673	467	373	227	190	115	57	34	10	2	-	-	21	51
244	297	283	268	229	209	167	172	97	95	58	27	16	3	1	-	-	10	52
71	103	100	111	119	85	67	53	53	24	21	14	11	5	1	-	-	4	53
396	503	537	440	364	304	204	127	67	60	30	13	7	2	-	-	-	6	54
118	137	158	138	81	75	29	21	10	11	6	3	-	-	-	-	-	1	55
1	-	8	7	1	-	2	1	8	5	1	-	-	-	-	-	-	-	56
1	-	7	6	1	-	2	1	8	5	1	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALABAMA																							
	ALL CAUSES------	28,353	2,696	437	208	195	300	382	391	558	679	980	1,309	1,715	2,003	2,503	3,151	3,227	3,071	2,430	1,375	472	190	81
	White-----M--	10,491	749	104	70	64	124	153	155	184	247	353	487	633	758	1,000	1,149	1,247	1,285	982	544	160	36	7
	F--	7,087	528	98	42	41	49	53	56	112	94	183	225	286	318	462	704	932	1,083	958	584	190	82	7
	Nonwhite--M--	5,727	772	119	49	53	85	121	110	135	162	229	301	410	490	552	673	557	388	277	129	58	25	32
	F--	5,048	647	116	47	37	42	55	70	127	176	215	296	386	437	469	625	491	315	213	118	64	47	35
001-019	Tuberculosis, all forms--------	318	4	6	1	2	3	9	8	16	18	22	30	27	35	31	31	35	22	13	4	-	-	1
	White-----M--	108	-	-	1	-	1	1	-	1	6	7	8	8	17	14	13	13	11	5	2	-	-	-
	F--	48	1	-	-	-	-	-	-	3	3	4	4	5	3	1	3	8	6	5	2	-	-	-
	Nonwhite--M--	96	1	3	-	1	1	3	2	5	6	6	10	9	10	14	11	8	3	3	-	-	-	-
	F--	66	2	3	-	1	1	5	6	7	3	5	8	5	5	2	4	6	2	-	-	-	-	1
001-008	Tuberculosis of respiratory system----------	293	2	1	-	-	3	9	7	16	17	20	30	26	32	30	29	32	21	13	4	-	-	1
	White-----M--	103	-	-	-	-	1	1	-	1	6	6	8	8	17	14	12	12	10	5	2	-	-	-
	F--	46	-	-	-	-	-	-	-	3	3	4	4	5	3	1	3	7	6	5	2	-	-	-
	Nonwhite--M--	86	1	-	-	-	1	3	2	5	5	5	10	9	8	14	10	7	3	3	-	-	-	-
	F--	58	1	1	-	-	1	5	5	7	3	5	8	4	4	1	4	6	2	-	-	-	-	1
010-019	Tuberculosis, other forms------	25	2	5	1	2	-	-	1	-	1	2	-	1	3	1	2	3	1	-	-	-	-	-
	White-----M--	5	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		-	-	-	
	Nonwhite--M--	10	-	3	-	1	-	-	-	-	1	1	-	-	2	-	1	1	-	-	-	-	-	-
	F--	8	1	2	-	1	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	75	-	-	-	-	-	-	-	3	4	4	5	9	12	11	11	10	2	4	-	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	2	-	-	2	4	3	5	3	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	1	2	2	5	5	5	4	5	1	3	-	-	-	-
	F--	20	-	-	-	-	-	-	-	3	1	2	3	2	2	3	2	1	1	-	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
045-048	Dysentery, all forms--------	17	7	2	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-
	White-----M--	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	F--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	6	1	1	-	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	6	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	20	6	5	2	1	2	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	8	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	2	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	4	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	15	2	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	White-----M--	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	102	26	15	8	1	3	2	2	-	3	6	10	7	5	5	5	1	2	-	1	-	-	-
	White-----M--	31	8	3	3	-	-	-	-	-	3	3	2	4	1	-	2	-	1	-	1	-	-	-
	F--	23	5	2	2	-	1	-	-	-	-	1	3	3	2	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	28	7	4	3	-	2	-	1	-	-	2	4	-	1	3	1	-	-	-	-	-	-	-
	F--	20	6	6	-	1	-	2	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALABAMA—Con.																							
140-205	Malignant neoplasms, etc.*----	3,519	4	29	24	18	23	23	23	72	80	161	267	322	359	463	486	437	354	231	112	22	4	5
	White-----M--	1,339	3	17	9	5	12	9	9	21	18	41	89	107	135	181	174	182	167	101	45	12	1	1
	F--	1,198	-	4	3	7	7	4	10	35	37	69	89	100	104	139	158	152	127	93	48	8	2	2
	Nonwhite--M--	468	1	7	6	4	3	6	2	4	5	22	32	53	52	81	77	58	29	19	6	-	-	1
	F--	514	-	1	6	2	1	4	2	12	20	29	57	62	68	62	77	45	31	18	13	2	1	1
140-148	Of buccal cavity and pharynx------	90	-	-	-	-	-	-	1	3	2	2	3	10	14	8	10	14	12	8	2	1	-	-
	White-----M--	41	-	-	-	-	-	-	-	-	1	1	1	3	8	3	8	5	7	4	-	-	-	-
	F--	28	-	-	-	-	-	-	-	3	-	1	-	4	2	1	1	7	4	4	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	1	-	1	2	4	2	1	2	1	-	1	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,037	-	-	2	-	2	4	5	13	11	25	62	70	100	136	161	172	132	93	44	3	1	1
	White-----M--	402	-	-	-	-	1	-	1	4	1	9	31	21	38	58	63	62	59	38	14	2	-	-
	F--	342	-	-	-	-	1	1	3	3	4	8	10	18	25	40	46	68	51	41	20	1	1	1
	Nonwhite--M--	156	-	-	1	-	-	3	1	3	1	3	13	17	19	24	32	19	10	7	3	-	-	-
	F--	137	-	-	1	-	-	-	-	3	5	5	8	14	18	14	20	23	12	7	7	-	-	-
160-164	Of respiratory system (not secondary)-------	417	-	-	1	-	1	-	2	3	5	23	34	54	48	80	59	57	26	14	8	2	-	-
	White-----M--	267	-	-	-	-	1	-	1	3	2	10	23	38	37	50	34	38	19	4	5	2	-	-
	F--	68	-	-	-	-	-	-	-	-	2	4	5	5	6	7	11	13	3	9	3	-	-	-
	Nonwhite--M--	72	-	-	1	-	-	-	1	-	1	6	5	10	5	22	10	6	4	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	3	1	1	-	1	4	-	-	-	-	-	-	-
170	Of breast---------	298	-	-	-	-	-	-	-	4	18	17	32	40	31	35	50	27	19	16	7	2	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	216	-	-	-	-	-	-	-	2	12	12	25	27	18	28	34	21	16	14	5	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	79	-	-	-	-	-	-	-	2	6	4	7	13	12	7	16	5	3	2	2	-	-	-
171-179	Of genital organs-	707	-	-	-	-	1	4	4	15	16	41	65	70	71	88	88	75	86	48	24	9	-	2
	White-----M--	182	-	-	-	-	-	-	2	-	-	2	3	7	4	18	16	30	47	32	16	4	-	1
	F--	249	-	-	-	-	-	2	2	11	8	24	27	33	32	31	30	13	20	6	5	4	-	1
	Nonwhite--M--	96	-	-	-	-	-	-	-	-	-	-	2	11	10	11	20	22	11	7	2	-	-	-
	F--	180	-	-	-	-	1	2	-	4	8	15	33	19	25	28	22	10	8	3	1	1	-	-
180, 181	Of urinary organs-	118	1	3	1	-	1	-	-	2	1	5	6	10	13	19	19	12	11	7	5	1	1	-
	White-----M--	56	-	-	1	-	-	-	-	-	-	2	3	6	6	11	6	6	8	2	3	1	1	-
	F--	24	-	1	-	-	-	-	-	2	1	1	-	1	1	3	5	5	2	1	1	-	-	-
	Nonwhite--M--	24	1	2	-	-	1	-	-	-	-	2	1	3	2	3	5	1	1	2	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	2	-	4	2	3	-	-	2	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	504	1	7	9	5	7	4	6	16	18	28	41	49	42	55	58	51	49	33	17	4	2	2
	White-----M--	218	1	4	4	-	5	3	3	7	9	11	17	23	22	21	28	22	19	12	4	3	-	-
	F--	163	-	-	1	2	1	-	3	8	7	11	13	6	11	17	17	16	21	16	11	1	1	-
	Nonwhite--M--	54	-	3	1	1	1	-	-	-	1	5	6	8	2	10	5	6	2	2	-	-	-	1
	F--	69	-	-	3	2	-	1	-	1	1	1	5	12	7	7	8	7	7	3	2	-	1	1
204	Leukemia and aleukemia--------	189	2	18	9	10	9	5	3	8	7	6	13	9	18	21	22	12	6	9	2	-	-	-
	White-----M--	92	2	12	3	4	4	2	1	3	3	1	4	4	10	11	11	8	-	7	2	-	-	-
	F--	64	-	3	2	4	5	1	2	3	3	3	7	3	4	4	8	4	6	2	-	-	-	-
	Nonwhite--M--	25	-	2	2	2	-	1	-	1	1	2	2	2	3	5	2	-	-	-	-	-	-	-
	F--	8	-	1	2	-	-	1	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	159	-	1	2	3	2	6	2	8	2	14	11	10	22	21	19	17	13	3	3	-	-	-
	White-----M--	80	-	1	1	1	1	4	1	4	2	5	7	5	10	9	8	10	8	2	1	-	-	-
	F--	44	-	-	-	1	-	-	-	3	-	5	2	3	5	8	6	5	4	-	2	-	-	-
	Nonwhite--M--	24	-	-	1	1	1	2	-	-	-	3	2	-	6	4	2	2	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	1	1	-	1	-	2	1	-	3	-	1	1	-	-	-	-
210-239	Benign and unspecified neoplasms--	84	4	4	4	1	3	2	3	3	6	9	10	7	3	3	9	7	3	1	1	1	-	-
	White-----M--	29	1	1	2	-	1	-	1	1	1	3	2	1	1	3	5	3	3	-	-	-	-	-
	F--	25	1	-	-	1	-	2	-	1	3	2	4	2	1	-	3	2	-	1	1	1	-	-
	Nonwhite--M--	9	1	2	1	-	2	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	21	1	1	1	-	-	-	1	1	2	3	4	3	1	-	1	2	-	-	-	-	-	-
260	Diabetes mellitus-	347	-	-	1	3	5	3	2	8	19	16	15	29	30	33	58	55	36	21	9	4	-	-
	White-----M--	110	-	-	-	-	2	1	1	4	8	9	7	8	6	9	10	21	12	8	3	1	-	-
	F--	130	-	-	-	1	1	1	-	1	1	1	1	7	2	17	27	29	22	13	4	2	-	-
	Nonwhite--M--	26	-	-	-	-	2	1	1	2	2	-	1	2	7	-	6	2	-	-	-	-	-	-
	F--	81	-	-	1	2	-	-	-	1	8	6	6	12	15	7	15	3	2	-	2	1	-	-
290-293	Anemias----------	59	2	2	6	2	1	2	1	1	4	5	2	3	2	4	3	3	5	7	1	2	-	1
	White-----M--	11	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	1	4	-	2	-	-
	F--	13	-	1	-	1	-	-	-	-	-	1	1	1	-	3	-	1	1	2	1	-	-	-
	Nonwhite--M--	19	2	1	4	1	-	1	1	-	1	1	1	1	-	-	2	-	2	-	-	-	-	1
	F--	16	-	-	2	-	-	1	-	1	3	2	-	1	2	1	1	-	1	1	-	-	-	-
340	Nonmeningococcal meningitis*------	42	19	6	1	3	-	1	1	3	1	1	-	-	-	1	2	2	-	1	-	-	-	-
	White-----M--	10	6	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	14	8	-	1	1	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	10	1	4	-	2	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases--------	14,616	11	19	8	17	25	34	68	116	205	374	597	883	1,145	1,496	2,031	2,178	2,161	1,762	968	336	133	49
	White-----M--	5,585	3	5	2	6	6	11	21	30	61	136	226	322	430	589	752	850	898	712	387	109	24	5
	F--	3,762	2	4	1	3	1	11	11	22	17	49	73	104	143	227	413	606	766	697	412	141	56	3
	Nonwhite--M--	2,643	4	8	3	5	8	9	22	20	58	83	148	225	296	330	430	363	269	194	90	44	20	14
	F--	2,626	2	2	2	3	10	3	14	44	69	106	150	232	276	350	436	359	228	159	79	42	33	27
330-334, 400-468	Diseases of cardiovascular system-	14,229	11	16	8	15	23	30	63	108	184	352	575	856	1,112	1,472	1,986	2,140	2,115	1,716	944	327	128	48
	White-----M--	5,473	3	5	2	6	4	9	19	27	57	129	218	316	419	582	740	845	881	697	378	109	22	5
	F--	3,693	2	3	1	1	1	10	9	22	16	45	72	100	142	220	409	601	757	681	406	138	54	3
	Nonwhite--M--	2,551	4	6	3	5	8	8	21	19	54	80	145	219	285	322	418	346	259	186	87	42	20	14
	F--	2,512	2	2	2	3	10	3	14	40	57	98	140	221	266	348	419	348	218	152	73	38	32	26
330-334	Vascular lesions, etc.*----------	3,924	3	6	2	4	3	7	23	17	36	85	132	214	290	360	518	644	649	510	290	88	30	13
	White-----M--	1,235	-	1	1	3	-	2	7	5	8	13	33	40	71	108	143	221	238	195	113	29	3	1
	F--	1,154	2	3	1	-	1	2	2	3	4	14	19	46	46	53	96	209	254	223	121	42	11	2
	Nonwhite--M--	712	1	1	-	1	1	3	9	4	10	23	42	55	89	84	132	95	78	45	21	7	7	4
	F--	823	-	1	-	-	1	-	5	5	14	35	38	73	84	115	147	119	79	47	35	10	9	6

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALABAMA—Con.																							
400-402	Rheumatic fever---	33	-	1	3	1	2	-	3	7	2	5	3	3	-	-	2	1	-	-	-	-	-	-
	White-----M--	13	-	-	1	-	-	-	1	1	1	3	2	2	-	-	2	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	1	-	1	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	2	-	1	-	2	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-
410-443	Diseases of heart-	9,294	8	8	3	8	16	21	33	71	128	233	399	590	770	1,035	1,362	1,375	1,320	1,072	547	192	70	33
	White-----M--	3,907	3	3	-	2	4	7	10	18	45	107	172	264	336	450	567	579	590	445	229	59	13	4
	F--	2,283	-	-	-	1	-	6	7	15	11	30	47	49	89	154	291	365	451	408	244	83	33	1
	Nonwhite--M--	1,624	3	4	3	2	5	5	10	11	33	46	87	144	182	218	256	227	154	130	55	29	10	10
	F--	1,480	2	1	-	3	7	3	6	27	39	50	93	133	163	213	248	204	125	91	19	21	14	18
410-416	Chronic rheumatic heart disease----	196	-	-	1	1	3	9	7	13	14	19	21	15	13	11	14	19	11	13	10	1	1	-
	White-----M--	72	-	-	-	-	1	5	3	2	4	6	10	7	3	6	5	7	5	5	3	-	-	-
	F--	56	-	-	-	-	-	2	2	6	4	6	4	4	3	3	8	6	3	2	3	-	-	-
	Nonwhite--M--	38	-	-	1	1	1	1	1	2	2	3	5	2	4	2	-	4	3	4	2	-	-	-
	F--	30	-	-	-	-	1	1	1	3	4	4	2	2	3	-	1	2	-	2	2	1	1	-
420	Arteriosclerotic heart dis., etc.*	5,520	1	2	-	1	4	2	13	34	71	141	244	359	486	654	860	822	813	604	271	93	28	17
	White-----M--	2,787	1	2	-	-	-	-	5	12	32	85	139	213	270	355	434	414	393	279	114	30	5	4
	F--	1,399	-	-	-	-	-	-	1	5	5	16	25	29	60	111	199	234	282	242	130	46	13	1
	Nonwhite--M--	748	-	-	-	-	1	1	5	5	12	22	47	60	83	104	126	105	82	59	21	9	3	3
	F--	586	-	-	-	1	3	1	2	12	22	18	33	57	73	84	101	69	56	24	6	8	7	9
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,184	2	3	1	2	5	1	4	3	5	7	29	51	61	94	166	180	170	200	129	46	24	1
	White-----M--	374	-	-	-	1	1	1	-	-	-	1	1	9	15	23	36	50	70	87	59	16	4	-
	F--	291	-	-	-	-	-	-	3	1	1	-	4	4	5	8	26	32	59	65	55	16	12	-
	Nonwhite--M--	259	1	3	1	1	2	-	1	1	2	1	10	24	24	22	53	45	17	25	11	10	5	-
	F--	260	1	-	-	-	2	-	-	1	2	5	14	14	17	41	51	53	24	23	4	4	3	1
430-434	Other diseases of heart---------	660	5	3	1	3	4	5	6	11	16	26	37	60	68	77	70	97	75	46	28	13	7	2
	White-----M--	265	2	1	-	-	2	1	2	4	7	9	12	20	24	31	30	45	40	17	12	3	3	-
	F--	126	-	-	-	1	-	3	1	3	-	5	8	7	8	12	8	15	21	12	12	6	4	-
	Nonwhite--M--	146	2	1	1	-	1	-	1	3	5	9	8	17	18	19	18	17	9	9	3	3	-	2
	F--	123	1	1	-	2	1	1	2	1	4	3	9	16	18	15	14	20	5	8	1	1	-	-
440-443	Hypertension with heart dis.--	1,734	-	-	-	1	-	4	3	10	22	40	68	105	142	199	252	257	251	209	109	39	10	13
	White-----M--	409	-	-	-	1	-	-	-	-	2	6	10	15	24	35	62	63	82	57	41	10	1	-
	F--	411	-	-	-	-	-	1	-	-	1	3	6	5	13	20	50	78	86	85	44	15	4	-
	Nonwhite--M--	433	-	-	-	-	-	3	2	-	12	11	17	41	53	71	59	56	43	33	18	7	2	5
	F--	481	-	-	-	-	-	-	1	10	7	20	35	44	52	73	81	60	40	34	6	7	3	8
444-447	Hypertension without mention of heart----------	269	-	-	-	-	-	2	3	6	13	19	21	18	23	24	25	19	31	36	19	6	3	1
	White-----M--	62	-	-	-	-	-	-	-	-	2	3	3	1	3	3	4	11	11	14	6	1	-	-
	F--	56	-	-	-	-	-	2	-	1	1	-	2	2	4	6	3	1	7	14	8	4	1	-
	Nonwhite--M--	72	-	-	-	-	-	-	2	2	8	6	9	8	6	5	8	2	7	5	2	1	1	-
	F--	79	-	-	-	-	-	-	1	3	2	10	7	7	10	10	10	5	6	3	3	-	1	1
450	General arteriosclerosis--------	469	-	-	-	-	-	-	-	-	1	-	4	9	7	18	40	74	88	82	82	39	24	1
	White-----M--	149	-	-	-	-	-	-	-	-	-	-	2	1	1	5	6	19	33	31	27	18	6	-
	F--	146	-	-	-	-	-	-	-	-	-	-	1	1	-	2	9	20	31	34	31	9	8	-
	Nonwhite--M--	88	-	-	-	-	-	-	-	-	-	-	1	4	3	6	16	19	18	6	8	5	2	-
	F--	86	-	-	-	-	-	-	-	-	1	-	-	3	3	5	9	16	6	11	16	7	8	1
451-468	Other diseases of circulatory sys.-	240	-	1	-	2	2	-	1	7	4	10	16	22	22	35	39	27	27	16	6	2	1	-
	White-----M--	107	-	1	-	1	-	-	1	3	1	3	6	8	8	16	18	15	9	12	3	2	-	-
	F--	50	-	-	-	-	-	-	-	-	-	1	3	1	3	5	10	6	14	4	2	-	1	-
	Nonwhite--M--	48	-	-	-	1	1	-	-	1	2	4	5	8	5	9	6	3	2	-	1	-	-	-
	F--	35	-	-	-	-	1	-	-	3	1	2	2	5	6	5	5	3	2	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	387	-	3	-	2	2	4	5	8	21	22	22	27	33	24	45	38	46	46	24	9	5	1
	White-----M--	112	-	-	-	-	2	2	2	3	4	7	8	6	11	7	12	5	17	15	9	-	2	-
	F--	69	-	1	-	2	-	1	2	-	1	4	1	4	1	7	4	5	9	16	6	3	2	-
	Nonwhite--M--	92	-	2	-	-	-	1	1	1	4	3	3	6	11	8	12	17	10	8	3	2	-	-
	F--	114	-	-	-	-	-	-	-	4	12	8	10	11	10	2	17	11	10	7	6	4	1	1
480-493	Influenza and pneumonia, etc.*-	1,072	226	68	15	15	9	13	10	10	25	18	24	29	55	58	86	85	101	99	78	30	13	5
	White-----M--	295	34	12	10	3	3	2	2	3	9	4	3	4	12	18	26	22	41	44	26	11	6	-
	F--	246	22	10	2	5	2	3	4	2	3	1	2	7	5	7	16	23	36	41	38	13	3	1
	Nonwhite--M--	290	99	20	2	3	3	4	1	2	7	9	10	10	23	14	26	25	12	10	7	1	-	2
	F--	241	71	26	1	4	1	4	3	3	6	4	9	8	15	19	18	15	12	4	7	5	4	2
480-483	Influenza---------	266	25	7	7	4	2	4	4	1	8	3	4	6	10	14	30	31	40	29	24	8	3	2
	White-----M--	66	-	1	5	-	-	-	-	-	1	1	2	1	1	4	9	7	12	11	7	3	1	-
	F--	83	-	-	1	3	1	1	1	1	2	-	-	1	-	5	7	12	17	15	12	3	-	1
	Nonwhite--M--	63	13	2	1	1	1	2	-	-	3	1	-	1	5	1	11	6	8	2	3	1	-	1
	F--	54	12	4	-	-	-	1	3	-	2	1	2	3	4	4	3	6	3	1	2	1	2	-
490-493	Pneumonia, etc.*--	806	201	61	8	11	7	9	6	9	17	15	20	23	45	44	56	54	61	70	54	22	10	3
	White-----M--	229	34	11	5	3	3	2	2	3	8	3	1	3	11	14	17	15	29	33	19	8	5	-
	F--	163	22	10	1	2	1	2	3	1	1	1	2	6	5	2	9	11	19	26	26	10	3	-
	Nonwhite--M--	227	86	18	1	2	2	2	1	2	4	8	10	9	18	13	15	19	4	8	4	-	-	1
	F--	187	59	22	1	4	1	3	-	3	4	3	7	5	11	15	15	9	9	3	5	4	2	2
500-502	Bronchitis--------	62	10	10	-	-	-	-	-	1	2	-	-	4	5	7	5	5	5	4	2	2	-	-
	White-----M--	29	4	4	-	-	-	-	-	1	2	-	-	2	2	5	2	3	3	1	-	-	-	-
	F--	15	1	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	2	2	-	-
	Nonwhite--M--	12	2	2	-	-	-	-	-	-	-	-	-	2	2	1	1	1	1	-	-	-	-	-
	F--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	120	-	-	-	-	-	1	2	4	6	8	11	9	16	18	16	12	10	6	1	-	-	-
	White-----M--	64	-	-	-	-	-	-	2	2	6	3	7	3	9	11	5	7	5	3	1	-	-	-
	F--	26	-	-	-	-	-	-	-	1	-	3	2	2	3	2	5	3	2	3	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	2	1	2	3	5	4	1	1	-	-	-	-	-
	F--	11	-	-	-	-	-	1	-	1	-	-	1	2	1	-	2	1	2	-	-	-	-	-
550-553	Appendicitis------	39	-	1	4	3	2	-	-	2	1	4	3	2	3	3	1	3	4	2	1	-	-	-
	White-----M--	9	-	-	-	1	1	-	-	-	-	2	-	1	2	1	-	-	1	-	-	-	-	-
	F--	11	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	3	2	1	1	-	-	-
	Nonwhite--M--	7	-	-	2	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	F--	12	-	-	2	1	-	-	-	1	1	2	3	-	-	-	-	-	1	1	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	149	30	3	1	-	1	3	-	-	2	2	6	11	8	14	16	14	17	10	5	4	2	-
	White-----M--	34	6	1	-	-	1	-	-	-	-	1	1	4	1	2	4	1	5	3	3	1	-	-
	F--	43	9	-	-	-	-	1	-	-	-	-	1	-	2	3	5	8	7	3	1	1	2	-
	Nonwhite--M--	39	8	2	1	-	-	2	-	-	1	1	1	2	2	5	4	2	4	1	1	2.	-	-
	F--	33	7	-	-	-	-	-	-	-	1	-	3	5	3	4	3	3	1	3	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALABAMA—Con.																							
543,	Gastritis, etc.*--	186	108	12	3	3	-	1	2	2	2	2	-	4	8	3	7	8	6	7	7	-	1	-
571,	White-----M--	44	17	1	1	2	-	1	2	1	2	1	-	1	4	1	2	1	2	3	2	-	-	-
572	F--	43	13	5	1	-	-	-	-	1	-	-	-	2	1	1	2	5	2	4	5	-	1	-
	Nonwhite--M--	49	39	2	1	1	-	-	-	-	-	1	-	-	1	-	1	2	1	-	-	-	-	-
	F--	50	39	4	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	-	-	-	-	-
581	Cirrhosis of liver	180	1	1	-	-	-	-	3	4	13	17	19	26	25	22	21	11	9	6	2	-	-	-
	White-----M--	90	1	-	-	-	-	-	1	1	3	7	7	12	19	15	9	6	5	2	2	-	-	-
	F--	38	-	1	-	-	-	-	-	1	2	3	3	8	2	5	4	2	4	3	-	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	1	1	3	3	5	5	3	2	3	2	-	1	-	-	-	-
	F--	23	-	-	-	-	-	-	1	1	5	4	4	1	1	-	5	1	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	54	1	6	2	3	3	-	1	-	3	4	5	3	5	2	5	2	3	2	1	2	-	1
	White-----M--	17	-	1	-	-	1	-	1	-	1	1	2	1	3	2	-	-	1	1	-	2	-	-
	F--	10	1	2	1	2	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M--	12	-	2	-	-	1	-	-	-	1	2	2	-	-	-	2	-	1	-	-	-	-	1
	F--	15	-	1	1	1	1	-	-	-	1	-	-	2	2	-	3	2	1	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	105	-	-	-	-	-	-	-	-	-	-	1	3	2	7	18	28	12	22	9	3	-	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	12	9	13	6	3	-	-
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	-	-	-	3	2	5	13	16	3	9	3	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	69	...	...	...	-	3	7	13	22	17	5	1	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	...	...	...	-	-	1	3	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	56	...	...	...	-	3	6	10	19	13	4	-	1	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	9	...	...	...	-	1	1	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	-	1	1	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	60	...	...	...	-	2	6	12	18	15	5	1	1	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	13	...	...	...	-	-	1	3	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	47	...	...	...	-	2	5	9	15	11	4	-	1	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	413	291	61	12	3	8	8	2	4	6	4	1	1	3	2	3	2	-	1	-	-	-	1
	White-----M--	159	116	22	2	1	3	4	-	2	5	1	-	-	1	-	-	1	-	1	-	-	-	-
	F--	132	92	18	7	2	3	3	2	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	60	41	9	1	-	-	1	-	1	-	1	-	-	2	1	2	-	-	-	-	-	-	1
	F--	62	42	12	2	-	2	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	1,482	1,481	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	457	456	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	308	308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	386	386	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	331	331	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	551	551	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	761	760	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	222	221	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,202	260	28	3	5	7	9	20	17	27	39	61	61	66	78	110	102	85	86	65	40	25	8
795	White-----M--	272	29	1	-	-	2	2	3	4	6	14	17	18	14	24	32	25	27	19	21	10	4	-
	F--	170	30	4	-	1	-	1	2	1	1	3	6	4	13	6	11	14	9	23	22	8	11	-
	Nonwhite--M--	393	107	10	1	3	2	2	4	5	7	12	19	21	19	29	36	34	31	24	9	10	3	5
	F--	367	94	13	2	1	3	4	11	7	13	10	19	18	20	19	31	29	18	20	13	12	7	3
Re-	All other diseases	1,364	104	32	22	13	10	23	35	41	43	76	69	102	102	129	130	130	141	81	57	15	6	3
sid-	White-----M--	494	37	3	8	4	3	2	6	13	11	22	26	34	37	60	53	60	50	34	30	1	-	-
ual	F--	398	21	10	7	2	2	6	9	12	8	19	11	22	24	30	36	38	71	35	20	11	4	-
	Nonwhite--M--	284	27	12	2	3	2	8	11	7	13	17	17	27	23	29	31	22	13	10	6	1	1	2
	F--	188	19	7	5	4	3	7	9	9	11	18	15	19	18	10	10	10	7	2	1	2	1	1
E800-	Accidents--------	2,029	92	114	83	91	159	192	140	144	135	131	105	114	79	89	74	81	76	58	51	11	5	5
E962	White-----M--	968	22	27	30	42	81	108	94	77	77	64	56	65	45	45	37	24	28	22	15	8	1	-
	F--	364	14	26	16	12	31	18	8	18	11	19	17	15	9	15	15	32	26	29	26	3	3	1
	Nonwhite--M--	491	32	31	17	26	36	55	34	41	33	35	25	28	21	22	11	14	16	2	7	-	1	4
	F--	206	24	30	20	11	11	11	4	8	14	13	7	6	4	7	11	11	6	5	3	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	937	7	31	46	29	109	129	82	79	68	70	56	51	44	41	34	28	23	4	4	1	-	1
	White-----M--	510	4	9	21	15	56	82	54	45	40	31	31	25	28	24	17	8	12	4	3	1	-	-
	F--	152	1	12	9	6	23	14	6	7	8	13	9	11	4	9	6	11	3	-	-	-	-	-
	Nonwhite--M--	204	-	6	8	6	21	27	19	22	13	19	12	12	11	7	5	7	7	-	1	-	-	1
	F--	71	2	4	8	2	9	6	3	5	7	7	4	3	1	1	6	2	1	-	-	-	-	-
E800-	All ot. accidents-	1,092	85	83	37	62	50	63	58	65	67	61	49	63	35	48	40	53	53	54	47	10	5	4
E802,	White-----M--	458	18	18	9	27	25	26	40	32	37	33	25	40	17	21	20	16	16	18	12	7	1	-
E840-	F--	212	13	14	7	6	8	4	2	11	3	6	8	4	5	6	9	21	23	29	26	3	3	1
E962	Nonwhite--M--	287	32	25	9	20	15	28	15	19	20	16	13	16	10	15	6	7	9	2	6	-	1	3
	F--	135	22	26	12	9	2	5	1	3	7	6	3	3	3	6	5	9	5	5	3	-	-	-
E963,	Suicide----------	233	-	-	-	1	7	7	10	23	18	30	34	30	16	17	13	9	13	4	-	-	1	-
E970-	White-----M--	178	-	-	-	-	5	6	4	15	14	25	28	25	10	12	10	8	13	3	-	-	-	-
E979	F--	28	-	-	-	1	-	1	4	6	1	1	4	3	2	2	2	1	-	-	-	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	1	2	2	3	2	2	4	2	1	-	-	1	-	-	-	-
	F--	7	-	-	-	-	2	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	1	-
E964,	Homicide----------	357	2	2	1	5	26	40	44	62	39	41	31	28	16	5	8	4	-	1	-	-	-	2
E980-	White-----M--	67	-	-	-	-	1	6	7	8	11	7	4	11	3	3	2	2	-	1	-	-	-	1
E985	F--	18	1	-	1	-	1	1	2	3	2	4	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	226	1	1	-	4	20	27	28	44	22	25	21	11	13	2	4	2	-	-	-	-	-	1
	F--	46	-	1	-	1	4	6	7	7	4	5	5	5	-	-	1	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARIZONA																							
	ALL CAUSES------	8,725	1,142	200	83	66	112	125	133	168	219	305	436	510	631	801	885	910	805	617	364	142	56	15
	White-----M--	4,732	440	61	47	33	69	77	68	81	117	169	253	310	387	526	569	568	429	286	160	52	19	11
	F--	2,806	342	63	20	22	23	19	29	53	60	95	126	156	182	220	258	284	314	272	171	73	23	1
	Nonwhite--M--	679	182	38	8	6	11	20	32	27	23	20	35	24	35	29	38	42	37	37	19	8	7	1
	F--	508	178	38	8	5	9	9	4	7	19	21	22	20	27	26	20	16	25	22	14	9	7	2
001-019	Tuberculosis, all forms--------	223	4	5	5	1	4	2	7	13	20	11	22	25	19	26	25	12	11	8	-	2	-	1
	White-----M--	140	2	-	2	-	-	-	3	5	14	7	17	13	11	23	21	8	6	5	-	2	-	1
	F--	30	-	2	-	-	-	-	1	3	2	2	4	6	5	1	1	1	1	1	-	-	-	-
	Nonwhite--M--	32	1	1	2	1	1	1	2	4	1	2	-	4	2	2	2	2	3	1	-	-	-	-
	F--	21	1	2	1	-	3	1	1	1	3	-	1	2	1	-	1	1	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	197	1	3	-	-	1	2	6	11	20	11	21	23	19	24	23	10	11	8	-	2	-	1
	White-----M--	130	1	-	-	-	-	-	3	4	14	7	16	13	11	21	19	7	6	5	-	2	-	1
	F--	29	-	2	-	-	-	-	1	3	2	2	4	6	5	1	1	-	1	1	-	-	-	-
	Nonwhite--M--	24	-	1	-	-	-	1	1	3	1	2	-	3	2	2	2	2	3	1	-	-	-	-
	F--	14	-	-	-	-	1	1	1	1	3	-	1	1	1	-	1	1	1	1	-	-	-	-
010-019	Tuberculosis, other forms------	26	3	2	5	1	3	-	1	2	-	-	1	2	-	2	2	2	-	-	-	-	-	-
	White-----M--	10	1	-	2	-	-	-	-	1	-	-	1	-	-	2	2	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	8	1	-	2	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	7	1	2	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	30	2	-	-	-	-	-	-	-	2	-	2	3	6	1	8	2	2	1	1	-	-	-
	White-----M--	17	1	-	-	-	-	-	-	-	1	-	-	1	2	1	8	1	-	1	1	-	-	-
	F--	8	1	-	-	-	-	-	-	-	1	-	-	2	3	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	2	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	21	12	4	1	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	6	3	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	9	2	2	1	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute policmyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	17	6	7	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	29	6	3	2	1	1	1	-	2	-	1	2	2	2	2	1	2	1	-	-	-	-	-
	White-----M--	13	1	-	1	1	1	-	-	1	-	-	1	2	2	-	1	1	1	-	-	-	-	-
	F--	8	3	1	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	5	2	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARIZONA—Con.																							
140-205	Malignant neoplasms, etc.*	1,085	3	9	8	2	10	3	10	13	21	41	70	107	138	135	147	153	106	72	28	7	2	-
	White----M--	575	-	5	7	-	4	2	6	4	9	13	29	58	66	81	84	89	62	34	17	3	2	-
	F--	438	2	4	-	1	5	1	3	8	12	24	34	43	60	50	53	56	36	34	9	3	-	-
	Nonwhite--M--	33	1	-	1	1	-	-	1	1	-	-	3	1	5	1	5	7	3	2	1	-	-	-
	F--	39	-	-	-	-	1	-	-	-	-	4	4	5	7	3	5	1	5	2	1	1	-	-
140-148	Of buccal cavity and pharynx	27	-	-	-	-	-	1	-	-	-	1	3	1	3	5	6	5	-	1	1	-	-	-
	White----M--	19	-	-	-	-	-	1	-	-	-	-	1	-	1	4	6	5	-	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	343	-	-	-	-	1	-	1	2	6	6	11	34	38	44	54	52	46	33	12	3	-	-
	White----M--	182	-	-	-	-	1	-	1	1	4	4	5	23	15	22	29	32	24	14	6	1	-	-
	F--	134	-	-	-	-	-	-	-	1	2	2	3	8	17	19	22	17	19	17	5	2	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	2	1	3	1	1	3	1	2	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	2	3	2	2	-	2	-	1	-	-	-
160-164	Of respiratory system (not secondary)	172	-	-	-	-	-	-	1	3	4	6	14	23	33	22	30	17	10	4	5	-	-	-
	White----M--	140	-	-	-	-	-	-	1	1	2	3	11	20	31	19	25	12	8	3	4	-	-	-
	F--	24	-	-	-	-	-	-	-	1	2	3	3	3	2	3	2	3	1	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-
170	Of breast	95	-	-	-	-	-	-	-	1	2	4	11	18	14	8	8	16	6	6	1	-	-	-
	White----M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	90	-	-	-	-	-	-	-	1	2	4	11	16	13	8	8	15	5	6	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
171-179	Of genital organs	158	-	-	-	-	2	1	-	2	3	11	16	14	17	19	17	27	16	9	2	1	1	-
	White----M--	58	-	-	-	-	-	-	-	-	-	1	1	2	2	8	6	19	10	6	2	-	1	-
	F--	87	-	-	-	-	2	1	-	2	3	8	13	11	12	10	10	7	6	2	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	2	2	1	3	1	-	-	-	1	-	1	-	-
180, 181	Of urinary organs	42	1	-	-	-	-	-	-	-	-	3	3	3	9	6	-	7	2	6	2	-	-	-
	White----M--	30	-	-	-	-	-	-	-	-	-	1	3	3	7	5	-	4	2	4	1	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	-	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	118	-	5	1	1	2	-	4	3	3	6	4	4	11	21	17	7	14	8	4	2	1	-
	White----M--	71	-	3	1	-	1	-	1	1	-	1	4	3	6	16	11	5	11	3	2	1	1	-
	F--	43	-	2	-	1	1	-	2	2	3	5	-	1	5	5	4	2	3	5	1	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia	68	2	3	4	1	3	1	-	2	1	1	3	5	6	7	5	10	8	4	1	1	-	-
	White----M--	38	-	1	3	-	1	1	-	1	1	1	1	3	2	5	2	6	5	3	1	1	-	-
	F--	23	1	2	-	-	1	-	-	1	-	-	2	2	4	2	2	4	1	1	-	-	-	-
	Nonwhite--M--	5	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	62	-	1	3	-	2	-	4	-	2	3	5	5	7	3	10	12	4	1	-	-	-	-
	White----M--	35	-	1	3	-	1	-	3	-	2	2	3	3	2	2	5	5	2	1	-	-	-	-
	F--	21	-	-	-	-	1	-	1	-	-	1	-	1	5	1	5	5	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	33	1	2	3	1	-	-	-	4	1	2	3	1	4	5	5	-	-	-	1	-	-	-
	White----M--	15	-	-	2	1	-	-	-	1	1	-	2	1	2	4	-	-	-	-	1	-	-	-
	F--	15	-	2	-	-	-	-	-	3	-	2	1	-	2	1	4	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	108	1	-	-	-	-	-	2	4	5	5	4	8	10	11	18	15	13	11	1	-	-	-
	White----M--	40	-	-	-	-	-	-	-	3	3	3	1	3	5	2	6	6	5	3	-	-	-	-
	F--	56	-	-	-	-	-	-	2	1	1	2	3	4	3	8	11	9	5	6	1	-	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2	1	-	-	-	-
290-293	Anemias	18	2	1	1	-	-	1	-	-	-	-	-	2	-	-	1	2	4	2	1	-	1	-
	White----M--	9	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	27	13	5	1	-	1	1	1	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-
	White----M--	4	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	13	8	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	5	3	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	3,662	5	1	4	7	11	9	3	22	44	83	160	213	286	411	491	548	540	408	271	102	38	5
	White----M--	2,109	3	-	3	1	3	3	2	9	26	49	103	142	197	258	316	341	280	198	118	38	14	5
	F--	1,316	2	1	-	4	2	4	1	12	10	24	45	61	70	127	150	175	228	187	138	58	17	-
	Nonwhite--M--	138	-	-	-	1	3	1	-	1	3	4	7	4	9	15	17	23	22	12	9	5	2	-
	F--	99	-	-	1	1	3	1	-	-	5	6	5	6	10	11	8	9	10	11	6	1	5	-
330-334, 400-468	Diseases of cardiovascular system	3,578	5	-	3	6	6	6	2	19	43	77	156	209	282	402	479	542	532	403	264	99	38	5
	White----M--	2,069	3	-	3	-	1	1	1	7	25	47	102	140	194	255	307	339	278	193	116	38	14	5
	F--	1,283	2	-	-	4	1	4	1	11	10	20	43	59	69	122	148	171	225	187	134	55	17	-
	Nonwhite--M--	131	-	-	-	1	2	-	-	1	3	4	6	4	9	14	17	23	20	12	8	5	2	-
	F--	95	-	-	-	1	2	1	-	-	5	6	5	6	10	11	7	9	9	11	6	1	5	-
330-334	Vascular lesions, etc.*	711	4	-	1	-	2	2	1	1	4	10	23	28	42	51	88	109	130	109	62	36	8	-
	White----M--	315	2	-	1	-	-	-	-	-	1	3	12	11	18	25	47	54	64	45	16	12	4	-
	F--	339	2	-	-	-	1	1	1	1	1	5	8	15	15	22	37	45	56	59	43	23	4	-
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	1	3	1	2	3	4	8	6	2	2	1	-	-
	F--	24	-	-	-	-	1	1	-	-	2	1	-	1	7	1	-	2	4	3	1	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARIZONA—Con.																							
400-402	Rheumatic fever---	11	-	-	1	4	-	1	-	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	6	-	-	-	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	2,588	1	-	-	2	4	3	1	14	37	64	122	176	231	331	362	380	357	251	170	55	22	5
	White-----M--	1,602	1	-	-	-	1	1	1	7	23	43	86	126	169	216	241	251	192	126	82	24	7	5
	F--	839	-	-	-	1	-	2	-	6	9	15	29	42	53	96	104	110	148	112	78	26	8	-
	Nonwhite--M--	86	-	-	-	1	2	-	-	1	2	2	3	3	7	10	12	12	12	8	5	4	2	-
	F--	61	-	-	-	-	1	-	-	-	3	4	4	5	2	9	5	7	5	5	5	1	5	-
410-416	Chronic rheumatic heart disease----	115	-	-	-	1	2	2	-	3	11	18	14	16	13	14	8	6	4	2	1	-	-	-
	White-----M--	47	-	-	-	-	-	1	-	-	5	2	8	6	6	9	5	3	2	-	-	-	-	-
	F--	53	-	-	-	-	-	1	-	3	4	12	4	9	5	5	3	2	2	2	1	-	-	-
	Nonwhite--M--	9	-	-	-	1	2	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,968	1	-	-	1	-	1	1	7	20	38	90	129	194	251	294	299	271	188	124	40	16	3
	White-----M--	1,306	1	-	-	-	-	-	1	4	17	36	72	107	151	168	203	202	157	102	60	17	5	3
	F--	582	-	-	-	1	-	1	-	3	2	2	17	18	40	75	77	89	101	75	56	20	5	-
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	-	-	1	1	3	4	10	5	10	8	3	2	2	-
	F--	31	-	-	-	-	-	-	-	-	1	-	-	3	-	4	4	3	3	3	5	1	4	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	214	-	-	-	-	-	-	-	1	1	3	4	8	10	27	21	35	37	29	25	9	4	-
	White-----M--	125	-	-	-	-	-	-	-	1	-	2	2	7	6	19	10	22	19	17	15	4	1	-
	F--	77	-	-	-	-	-	-	-	-	1	-	2	1	3	5	11	11	15	12	10	4	2	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	1	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-
430-434	Other diseases of heart---------	91	-	-	-	-	2	-	-	2	1	2	3	9	6	13	12	17	10	5	3	3	1	2
	White-----M--	45	-	-	-	-	1	-	-	1	-	2	1	2	3	6	6	11	4	3	1	1	1	2
	F--	29	-	-	-	-	-	-	-	-	-	-	1	6	1	4	5	3	6	1	1	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	2	-	-	1	1	-	-
	F--	7	-	-	-	-	1	-	-	-	-	-	1	-	1	2	-	1	-	1	-	-	-	-
440-443	Hypertension with heart dis.---	200	-	-	-	-	-	-	-	1	4	3	11	14	8	26	27	23	35	27	17	3	1	-
	White-----M--	79	-	-	-	-	-	-	-	1	1	1	3	4	3	14	17	13	10	4	6	2	-	-
	F--	98	-	-	-	-	-	-	-	-	2	1	5	8	4	7	8	5	24	22	10	1	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	3	1	-	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	1	1	2	2	1	2	1	2	-	1	-	-	-	-
444-447	Hypertension without mention of heart----------	57	-	-	-	-	-	-	-	-	-	1	4	2	1	5	4	16	11	5	7	-	1	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	2	2	-	4	3	7	6	2	4	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	8	5	2	3	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	135	-	-	-	-	-	-	-	-	-	-	2	2	2	4	8	21	21	37	23	8	7	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	1	1	2	2	5	14	8	19	13	2	3	-
	F--	57	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	5	12	14	9	6	4	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
451-468	Other diseases of circulatory sys.-	76	-	-	1	-	-	-	-	2	1	1	5	1	6	11	17	16	12	1	2	-	-	-
	White-----M--	50	-	-	1	-	-	-	-	-	1	1	1	-	5	8	11	13	7	1	1	-	-	-
	F--	20	-	-	-	-	-	-	-	2	-	-	4	1	-	2	3	3	4	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	84	-	1	1	1	5	3	1	3	1	6	4	4	4	9	12	6	8	5	7	3	-	-
	White-----M--	40	-	-	-	1	2	2	1	2	1	2	1	2	3	3	9	2	2	5	2	-	-	-
	F--	33	-	1	-	-	1	-	-	1	-	4	2	2	1	5	2	4	3	-	4	3	-	-
	Nonwhite--M--	7	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	2	-	1	-	-	-
	F--	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	438	173	37	6	3	1	4	6	6	5	7	16	11	22	16	18	32	22	18	18	11	6	-
	White-----M--	179	57	12	3	1	1	1	2	4	2	1	12	4	10	12	14	18	8	5	7	5	-	-
	F--	117	38	9	1	1	-	1	3	-	2	5	-	5	6	2	1	9	11	8	9	2	4	-
	Nonwhite--M--	75	39	6	-	1	-	1	1	2	1	1	2	1	3	1	2	3	2	5	1	2	1	-
	F--	67	39	10	2	-	-	1	-	-	-	-	2	1	3	1	1	2	1	-	1	2	1	-
480-483	Influenza---------	29	10	4	-	-	-	-	2	-	-	1	1	1	3	1	2	1	2	-	1	-	-	-
	White-----M--	13	3	1	-	-	-	-	2	-	-	-	1	-	2	1	2	-	-	-	1	-	-	-
	F--	6	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	409	163	33	6	3	1	4	4	6	5	6	15	10	19	15	16	31	20	18	17	11	6	-
	White-----M--	166	54	11	3	1	1	1	-	4	2	1	11	4	8	11	12	18	8	5	6	5	-	-
	F--	111	36	8	1	1	-	1	3	-	2	4	-	5	6	2	1	8	10	8	9	2	4	-
	Nonwhite--M--	72	37	5	-	1	-	1	1	2	1	1	2	1	3	1	2	3	2	5	1	2	1	-
	F--	60	36	9	2	-	-	1	-	-	-	-	2	-	2	1	1	2	-	-	1	2	1	-
500-502	Bronchitis---------	58	9	4	-	1	-	-	-	-	1	1	2	6	-	14	7	6	2	3	1	-	1	-
	White-----M--	41	1	2	-	-	-	-	-	-	1	-	2	6	-	14	6	5	1	2	1	-	-	-
	F--	8	2	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-
	Nonwhite--M--	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F--	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	50	-	-	-	-	-	-	-	-	1	2	4	3	6	12	6	4	3	4	3	1	-	1
	White-----M--	38	-	-	-	-	-	-	-	-	1	2	2	2	4	12	5	3	3	2	1	-	-	1
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	2	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	13	1	-	-	-	1	-	-	-	1	-	1	2	1	2	2	-	2	-	-	-	-	-
	White-----M--	9	1	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	46	12	1	-	-	-	-	-	-	2	-	3	1	3	3	8	5	6	2	-	-	-	-
	White-----M--	19	5	-	-	-	-	-	-	-	1	-	1	-	1	2	2	4	2	1	-	-	-	-
	F--	22	6	1	-	-	-	-	-	-	-	-	2	-	1	-	6	1	4	1	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARIZONA—Con.																							
543,	Gastritis, etc.*--	160	124	23	-	1	-	-	-	-	-	1	-	-	1	-	1	3	2	1	2	1	-	-
571,	White-----M--	35	29	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	-	-	-
572	F--	40	28	5	-	1	-	-	-	-	-	1	-	-	-	-	1	1	2	1	-	-	-	-
	Nonwhite--M--	45	36	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	40	31	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
581	Cirrhosis of liver	102	-	2	-	-	-	1	2	1	5	11	12	11	18	15	12	7	2	2	-	1	-	-
	White-----M--	56	-	1	-	-	-	-	-	-	3	5	8	7	13	4	8	5	1	-	-	1	-	-
	F--	36	-	1	-	-	-	-	-	1	2	4	2	4	5	9	4	2	1	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	2	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	22	1	1	1	2	1	1	1	-	-	2	3	1	1	2	2	2	1	-	-	-	-	-
	White-----M--	12	-	-	1	2	1	-	-	-	-	1	1	1	1	1	1	2	-	-	-	-	-	-
	F--	8	-	1	-	-	-	1	1	-	-	1	2	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	32	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	7	4	8	1	1	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	7	4	6	1	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	2	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	8	...	...	...	-	1	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	8	...	...	...	-	1	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	7	...	...	...	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	153	104	11	10	4	4	1	1	1	1	5	3	2	5	-	-	-	-	1	-	-	-	-
	White-----M--	67	48	2	4	1	3	-	1	1	-	3	1	2	1	-	-	-	-	-	-	-	-	-
	F--	63	39	6	6	3	1	1	-	-	1	2	1	-	2	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	13	8	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	10	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	552	551	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	258	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	183	182	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	304	303	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	110	109	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	132	23	5	-	1	-	2	2	4	3	3	4	1	4	5	4	9	9	17	18	8	6	4
795	White-----M--	32	-	1	-	-	-	1	-	1	-	2	2	1	1	3	3	3	3	3	4	1	2	1
	F--	20	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	2	4	4	3	1	-
	Nonwhite--M--	40	10	2	-	-	-	1	1	2	-	-	2	-	1	1	-	3	1	5	6	1	3	1
	F--	40	11	2	-	1	-	-	-	1	3	1	-	-	1	1	1	1	3	5	4	3	-	2
Re-	All other diseases	665	44	19	7	8	8	6	7	20	36	38	40	44	56	88	82	70	43	33	11	3	1	1
sid-	White-----M--	395	16	10	4	5	4	6	3	10	15	22	19	23	37	65	62	49	25	15	3	1	1	-
ual	F--	193	14	7	2	3	2	-	2	7	17	11	15	18	12	14	16	19	15	11	5	2	-	1
	Nonwhite--M--	39	7	2	-	-	2	-	2	1	2	3	3	-	4	2	3	1	-	5	2	-	-	-
	F--	38	7	-	1	-	-	-	-	2	2	2	3	3	3	7	1	1	3	2	1	-	-	-
E800-	Accidents---------	792	38	56	30	32	58	74	60	56	48	60	58	43	31	33	29	23	25	23	6	5	1	3
E962	White-----M--	489	11	22	18	19	46	56	39	34	28	42	37	25	22	25	18	17	17	8	2	-	-	3
	F--	159	17	18	7	9	8	6	5	11	9	7	10	6	6	5	6	3	6	13	3	4	-	-
	Nonwhite--M--	101	6	7	2	2	3	10	14	11	7	8	7	11	3	2	2	2	2	2	-	-	-	-
	F--	43	4	9	3	2	1	2	2	-	4	3	4	1	-	1	3	1	-	-	1	1	1	-
E810-	Motor-vehicle																							
E835	accidents--------	383	4	17	13	14	42	48	30	27	25	26	32	26	9	21	13	13	16	4	1	-	-	2
	White-----M--	252	1	4	8	8	33	38	20	17	13	18	21	14	6	17	8	10	11	3	-	-	-	2
	F--	73	3	6	4	5	7	4	3	6	5	3	6	5	3	3	3	3	3	-	1	-	-	-
	Nonwhite--M--	41	-	4	1	-	2	4	6	4	3	3	3	6	-	1	1	-	2	1	-	-	-	-
	F--	17	-	3	-	1	-	2	1	-	4	2	2	1	-	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents-	409	34	39	17	18	16	26	30	29	23	34	26	17	22	12	16	10	9	19	5	5	1	1
E802,	White-----M--	237	10	18	10	11	13	18	19	17	15	24	16	11	16	8	10	7	6	5	2	-	-	1
E840-	F--	86	14	12	3	4	1	2	2	5	4	4	4	1	3	2	3	-	3	13	2	4	-	-
E962	Nonwhite--M--	60	6	3	1	2	1	6	8	7	4	5	4	5	3	1	1	2	-	1	-	-	-	-
	F--	26	4	6	3	1	1	-	1	-	-	1	2	-	-	1	2	1	-	-	1	1	1	-
E963,	Suicide----------	146	-	-	-	1	1	6	14	12	12	24	12	17	9	12	10	6	7	2	1	-	-	-
E970-	White-----M--	113	-	-	-	1	1	4	8	8	8	16	10	14	8	11	9	5	7	2	1	-	-	-
E979	F--	24	-	-	-	-	-	-	5	2	2	7	2	2	1	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	2	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	87	2	-	-	1	8	11	14	6	9	5	14	6	6	3	-	1	-	1	-	-	-	-
E980-	White-----M--	28	-	-	-	1	4	3	4	-	3	1	4	3	2	2	-	1	-	-	-	-	-	-
E985	F--	17	1	-	-	-	3	2	2	2	-	2	3	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	33	-	-	-	-	1	3	8	2	4	1	7	2	3	1	-	-	-	1	-	-	-	-
	F--	9	1	-	-	-	-	3	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E999	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARKANSAS																							
	ALL CAUSES------	16,631	1,095	230	115	101	152	174	154	194	316	403	587	849	1,147	1,515	1,987	2,146	2,154	1,745	1,052	376	135	4
	White-----M--	7,444	348	76	37	50	83	87	73	84	131	190	279	415	531	722	934	967	993	817	447	141	36	3
	F--	4,841	262	55	33	24	32	32	34	45	77	86	133	168	266	337	513	616	741	695	449	183	60	-
	Nonwhite--M--	2,371	270	46	22	16	23	30	26	34	48	65	81	135	171	253	317	339	244	120	80	28	22	1
	F--	1,975	215	53	23	11	14	25	21	31	60	62	94	131	179	203	223	224	176	113	76	24	17	-
001-019	Tuberculosis, all forms--------	253	-	2	-	-	3	9	6	9	12	16	25	13	24	33	29	28	25	9	9	1	-	-
	White-----M--	112	-	-	-	-	-	-	2	1	4	7	13	8	7	21	14	16	12	5	2	-	-	-
	F--	55	-	-	-	-	-	1	2	2	5	3	4	2	1	5	6	8	8	3	4	1	-	-
	Nonwhite--M--	49	-	1	-	-	2	2	-	2	1	4	5	3	10	4	4	4	4	1	2	-	-	-
	F--	37	-	1	-	-	1	6	2	4	2	2	3	-	6	3	5	-	1	-	1	-	-	-
001-008	Tuberculosis of respiratory system----------	240	-	-	-	-	3	7	5	9	11	15	23	12	24	32	29	26	25	9	9	1	-	-
	White-----M--	110	-	-	-	-	-	-	2	1	4	7	12	8	7	21	14	15	12	5	2	-	-	-
	F--	53	-	-	-	-	-	-	2	2	5	2	4	2	1	5	6	8	8	3	4	1	-	-
	Nonwhite--M--	44	-	-	-	-	2	2	-	2	1	4	4	2	10	3	4	3	4	1	2	-	-	-
	F--	33	-	-	-	-	1	5	1	4	1	2	3	-	6	3	5	-	1	-	1	-	-	-
010-019	Tuberculosis, other forms------	13	-	2	-	-	-	2	1	-	1	1	2	1	-	1	-	2	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
	F--	4	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	50	-	-	-	-	-	-	-	-	-	-	3	2	10	9	8	6	9	2	1	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	4	4	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	2	-	4	1	2	2	2	1	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	1	4	4	1	-	2	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	13	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F--	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	5	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	6	2	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	58	8	6	2	5	-	2	1	-	2	2	1	3	5	4	8	5	3	-	1	-	-	-
	White-----M--	19	2	1	-	4	-	1	-	-	1	-	-	2	-	1	4	3	-	-	-	-	-	-
	F--	18	3	2	2	-	-	-	1	-	-	-	1	1	1	2	3	-	1	-	1	-	-	-
	Nonwhite--M--	12	1	2	-	1	-	1	-	-	1	1	-	-	3	1	1	-	-	-	-	-	-	-
	F--	9	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARKANSAS—Con.																							
140-205	Malignant neoplasms, etc.*----	2,300	-	14	8	7	8	17	16	24	49	84	114	201	243	271	361	321	270	177	83	24	7	1
	White-----M--	1,012	-	6	2	4	4	9	4	6	16	25	38	76	106	119	164	151	128	96	45	12	-	1
	F--	822	-	4	6	2	4	5	9	11	21	41	59	74	85	83	116	100	94	60	33	9	6	-
	Nonwhite--M--	233	-	3	-	-	-	1	-	1	3	7	3	20	22	40	46	42	27	12	3	2	1	-
	F--	233	-	1	-	1	-	2	3	6	9	11	14	31	30	29	35	28	21	9	2	1	-	-
140-148	Of buccal cavity and pharynx------	72	-	-	-	-	1	-	-	1	-	-	2	6	8	6	8	10	14	11	3	2	-	-
	White-----M--	45	-	-	-	-	-	-	-	1	-	-	-	5	5	5	5	9	7	5	2	1	-	-
	F--	17	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	6	5	1	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	732	-	2	-	-	-	1	-	4	11	16	25	55	68	90	129	123	98	69	33	3	4	1
	White-----M--	325	-	2	-	-	-	1	-	2	4	6	14	20	28	30	55	58	47	39	17	1	-	1
	F--	248	-	-	-	-	-	-	-	2	6	5	7	17	21	33	42	35	37	25	14	1	3	-
	Nonwhite--M--	98	-	-	-	-	-	-	-	-	1	4	2	12	9	19	20	18	7	3	1	1	1	-
	F--	61	-	-	-	-	-	-	-	-	-	1	2	6	10	8	12	12	7	2	1	-	-	-
160-164	Of respiratory system (not secondary)--------	273	-	-	-	-	-	1	-	1	6	5	16	22	49	49	59	31	15	12	6	1	-	-
	White-----M--	205	-	-	-	-	-	1	-	1	3	2	12	18	38	43	42	22	11	8	4	-	-	-
	F--	32	-	-	-	-	-	-	-	-	1	2	3	1	5	2	6	5	3	2	1	1	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	1	1	1	2	5	4	7	3	1	1	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	-	1	1	-	4	1	-	1	-	-	-	-
170	Of breast---------	163	-	-	-	-	-	-	2	2	5	16	27	28	11	17	17	14	13	5	4	1	1	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	F--	124	-	-	-	-	-	-	1	2	4	14	23	21	7	12	14	7	10	4	3	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	35	-	-	-	-	-	-	1	-	1	2	4	7	4	4	3	4	3	1	1	-	-	-
171-179	Of genital organs-	440	-	-	-	1	-	4	9	8	12	22	23	35	48	42	60	57	54	42	14	9	-	-
	White-----M--	125	-	-	-	-	-	2	1	-	2	1	-	2	6	7	17	21	25	26	10	5	-	-
	F--	188	-	-	-	1	-	2	6	4	6	15	17	18	32	20	20	21	12	9	3	2	-	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	-	-	-	2	3	7	13	10	11	7	1	1	-	-
	F--	72	-	-	-	-	-	-	2	4	4	6	6	13	7	8	10	5	6	-	-	1	-	-
180, 181	Of urinary organs-	101	-	3	-	-	-	-	-	-	3	2	1	5	10	14	20	17	19	1	4	2	-	-
	White-----M--	52	-	-	-	-	-	-	-	-	2	1	1	4	4	6	10	6	12	1	3	2	-	-
	F--	26	-	-	-	-	-	-	-	-	-	1	-	-	1	2	9	9	3	-	1	-	-	-
	Nonwhite--M--	10	-	2	-	-	-	-	-	-	-	-	-	-	1	3	1	1	2	-	-	-	-	-
	F--	13	-	1	-	-	-	-	-	-	1	-	-	1	4	3	-	1	2	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	329	-	2	4	1	3	7	2	4	9	16	11	37	37	27	44	33	43	29	13	5	2	-
	White-----M--	146	-	1	-	1	2	3	1	2	4	9	4	18	17	14	22	13	16	11	6	2	-	-
	F--	130	-	-	4	-	1	3	1	1	3	3	6	14	14	7	14	13	21	13	7	3	2	-
	Nonwhite--M--	23	-	1	-	-	-	-	-	-	-	2	-	3	3	1	3	5	4	1	-	-	-	-
	F--	30	-	-	-	-	-	1	-	1	2	2	1	2	3	5	5	2	2	4	-	-	-	-
204	Leukemia and aleukemia--------	111	-	7	4	4	4	3	-	3	2	3	5	6	6	15	12	20	7	4	5	1	-	-
	White-----M--	70	-	3	2	2	2	2	-	-	1	3	4	6	5	9	7	11	5	4	3	1	-	-
	F--	30	-	4	2	1	2	-	-	2	1	-	1	-	1	2	5	5	2	-	2	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-	-
	F--	6	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	79	-	-	-	1	-	1	3	1	1	4	4	7	6	11	12	16	7	4	1	-	-	-
	White-----M--	41	-	-	-	1	-	-	2	-	-	3	3	3	3	4	6	9	5	2	-	-	-	-
	F--	27	-	-	-	-	-	-	1	-	-	1	1	3	3	5	5	5	-	2	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	1	-	-	1	-	-	1	-	2	1	2	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	66	4	2	1	-	-	3	-	1	5	4	4	6	7	8	3	9	4	3	1	1	-	-
	White-----M--	25	2	1	-	-	-	-	-	-	1	2	3	3	1	2	3	2	2	2	1	-	-	-
	F--	27	1	1	-	-	-	2	-	1	3	2	1	1	2	5	-	6	-	1	-	1	-	-
	Nonwhite--M--	9	1	-	-	-	-	1	-	-	-	-	-	-	4	1	-	-	2	-	-	-	-	-
	F--	5	-	-	1	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-
260	Diabetes mellitus-	187	-	-	1	-	1	2	-	-	3	5	4	8	20	16	42	23	38	17	4	2	1	-
	White-----M--	64	-	-	-	-	-	-	-	-	1	-	2	3	10	7	7	9	15	7	3	-	-	-
	F--	71	-	-	1	-	-	2	-	-	1	1	1	-	7	6	20	8	14	7	1	1	1	-
	Nonwhite--M--	20	-	-	-	-	1	-	-	-	-	-	-	1	2	1	5	3	4	2	-	1	-	-
	F--	32	-	-	-	-	-	-	-	-	1	4	1	4	1	2	10	3	5	1	-	-	-	-
290-293	Anemias----------	34	5	6	2	2	-	-	1	1	-	-	2	-	2	2	3	4	1	1	1	-	1	-
	White-----M--	10	2	-	-	1	-	-	-	1	-	-	1	-	2	-	1	1	-	-	1	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-
	Nonwhite--M--	8	2	4	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	10	1	2	2	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	1	-
340	Nonmeningococcal meningitis*------	22	6	5	2	1	1	2	-	-	-	-	-	2	-	-	-	-	2	1	-	-	-	-
	White-----M--	5	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	6	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	5	2	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	8,935	10	7	6	4	15	11	20	34	84	164	254	430	615	913	1,241	1,402	1,446	1,222	709	264	82	2
	White-----M--	4,152	3	3	4	2	7	4	7	14	33	84	131	218	298	448	602	628	682	582	297	98	25	2
	F--	2,654	2	3	-	-	5	3	6	6	14	22	32	64	126	173	299	408	508	504	313	134	32	-
	Nonwhite--M--	1,126	4	-	2	-	2	1	2	6	15	27	44	74	79	161	197	217	142	75	46	16	16	-
	F--	1,003	1	1	-	2	1	3	5	8	22	31	47	74	112	131	143	149	114	81	53	16	9	-
330-334, 400-468	Diseases of cardiovascular system-	8,671	9	7	4	3	10	7	17	31	77	158	244	415	599	893	1,201	1,368	1,415	1,186	686	259	80	2
	White-----M--	4,050	3	3	3	1	6	3	5	13	29	81	128	213	295	438	586	612	670	550	289	96	24	2
	F--	2,585	1	3	-	-	2	1	6	5	11	22	31	62	123	168	288	403	500	492	303	133	31	-
	Nonwhite--M--	1,072	4	-	1	-	2	1	1	5	15	26	42	70	73	157	190	210	133	68	43	15	16	-
	F--	964	1	1	-	2	-	2	5	8	22	29	43	70	108	130	137	143	112	76	51	15	9	-
330-334	Vascular lesions, etc.*----------	2,266	4	4	2	-	3	3	1	6	16	44	41	95	125	205	274	375	426	347	195	71	27	2
	White-----M--	878	1	2	2	-	2	1	-	2	2	14	12	34	39	65	105	146	184	151	83	25	6	2
	F--	746	1	1	-	-	-	1	-	1	3	9	6	22	27	48	70	118	160	147	81	39	12	-
	Nonwhite--M--	303	2	-	-	-	1	-	-	-	3	8	11	16	23	46	49	64	42	21	10	2	5	-
	F--	339	-	1	-	-	-	1	1	3	8	13	12	23	36	46	50	47	40	28	21	5	4	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARKANSAS—Con.																							
400-402	Rheumatic fever---	8	-	-	2	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	1	-	-	-
	White-----M--	4	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	5,830	5	3	-	3	6	3	14	22	50	109	187	301	447	635	879	913	906	749	418	142	38	-
	White-----M--	2,927	2	1	-	1	3	2	5	11	25	66	106	166	247	351	459	428	447	362	175	55	15	-
	F--	1,661	-	2	-	-	2	-	4	3	8	13	23	39	91	113	208	267	311	306	191	67	13	-
	Nonwhite--M--	678	2	-	-	-	1	-	1	4	8	16	31	49	44	97	130	130	82	38	26	12	7	-
	F--	564	1	-	-	2	-	1	4	4	9	14	27	47	65	74	82	88	66	43	26	8	3	-
410-416	Chronic rheumatic heart disease----	120	-	-	-	1	2	1	4	5	5	5	10	10	19	14	11	12	9	5	6	1	-	-
	White-----M--	60	-	-	-	1	2	1	-	4	1	3	5	2	8	10	10	3	3	2	5	-	-	-
	F--	44	-	-	-	-	-	-	2	1	2	2	2	5	8	4	1	7	5	3	1	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	2	-	2	-	2	1	1	-	-	1	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,006	-	-	-	-	1	-	5	9	29	77	130	217	318	470	625	639	626	488	264	88	20	-
	White-----M--	2,282	-	-	-	-	1	-	3	5	22	56	80	149	208	296	368	342	337	256	120	33	6	-
	F--	1,118	-	-	-	-	-	-	-	1	4	5	17	21	55	82	154	190	218	198	119	46	8	-
	Nonwhite--M--	342	-	-	-	-	-	-	1	1	3	8	18	28	21	56	55	73	43	12	13	5	5	-
	F--	264	-	-	-	-	-	-	1	2	-	8	15	19	34	36	48	34	28	22	12	4	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	400	1	-	-	1	1	-	2	2	3	6	3	8	15	33	44	62	70	78	44	21	6	-
	White-----M--	165	-	-	-	-	-	-	1	1	1	1	1	1	7	12	18	22	33	41	13	9	4	-
	F--	102	-	-	-	-	1	-	1	-	1	2	-	2	2	4	4	10	17	26	22	9	1	-
	Nonwhite--M--	74	-	-	-	-	-	-	-	1	-	1	2	2	3	8	15	20	11	7	1	2	1	-
	F--	59	1	-	-	1	-	-	-	-	1	2	-	3	3	9	7	10	9	4	8	1	-	-
430-434	Other diseases of heart---------	417	4	3	-	1	2	2	2	1	3	11	21	22	30	36	61	68	55	52	24	14	5	-
	White-----M--	176	2	1	-	-	-	1	1	1	-	5	12	8	10	13	25	27	26	21	13	7	3	-
	F--	93	-	2	-	-	1	-	1	-	-	2	2	1	7	6	8	10	16	21	9	5	2	-
	Nonwhite--M--	95	2	-	-	-	1	-	-	-	3	4	4	9	8	14	21	17	3	7	1	1	-	-
	F--	53	-	-	-	1	-	1	-	-	-	-	3	4	5	3	7	14	10	3	1	1	-	-
440-443	Hypertension with heart dis.---	887	-	-	-	-	-	-	1	5	10	10	23	44	65	82	138	132	146	126	80	18	7	-
	White-----M--	244	-	-	-	-	-	-	-	-	1	1	8	6	14	20	38	34	48	42	24	6	2	-
	F--	304	-	-	-	-	-	-	-	1	1	2	2	10	19	17	41	50	55	58	40	6	2	-
	Nonwhite--M--	161	-	-	-	-	-	-	-	2	2	3	6	8	10	19	39	19	25	12	11	4	1	-
	F--	178	-	-	-	-	-	-	1	2	6	4	7	20	22	26	20	29	18	14	5	2	2	-
444-447	Hypertension without mention of heart----------	139	-	-	-	-	-	-	-	1	6	3	5	7	10	11	10	19	24	19	15	7	2	-
	White-----M--	48	-	-	-	-	-	-	-	-	1	-	1	2	-	5	5	6	11	8	7	2	-	-
	F--	44	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	5	10	9	6	5	1	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	3	2	-	5	3	1	1	3	2	2	1	-	1	-
	F--	23	-	-	-	-	-	-	-	1	2	1	3	-	5	3	1	5	1	-	1	-	-	-
450	General arteriosclerosis--------	289	-	-	-	-	-	-	-	-	-	-	2	1	6	9	22	41	43	64	50	38	13	-
	White-----M--	109	-	-	-	-	-	-	-	-	-	-	1	1	4	-	8	17	15	25	21	14	3	-
	F--	109	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	10	17	29	20	21	5	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	12	7	6	6	1	3	-
	F--	28	-	-	-	-	-	-	-	-	-	-	1	-	2	4	4	2	4	4	3	2	2	-
451-468	Other diseases of circulatory sys.-	139	-	-	-	-	1	1	2	2	5	2	8	9	11	32	15	20	16	7	7	1	-	-
	White-----M--	84	-	-	-	-	1	-	-	-	1	1	7	8	5	17	9	15	13	4	3	-	-	-
	F--	24	-	-	-	-	-	-	2	1	-	-	1	1	3	3	2	3	2	1	4	1	-	-
	Nonwhite--M--	21	-	-	-	-	-	1	-	1	1	-	-	-	3	9	4	1	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	3	1	-	-	-	3	-	1	1	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	264	1	-	2	1	5	4	3	3	7	6	10	15	16	20	40	34	31	36	23	5	2	-
	White-----M--	102	-	-	1	1	1	1	2	1	4	3	3	5	3	10	16	16	12	12	8	2	1	-
	F--	69	1	-	-	-	3	2	-	1	3	-	1	2	3	5	11	5	8	12	10	1	1	-
	Nonwhite--M--	54	-	-	1	-	-	-	1	1	-	1	2	4	6	4	7	7	9	7	3	1	-	-
	F--	39	-	-	-	-	1	1	-	-	-	2	4	4	4	1	6	6	2	5	2	1	-	-
480-493	Influenza and pneumonia, etc.*-	714	125	38	14	12	8	8	4	5	4	14	14	18	21	45	42	71	84	86	70	22	9	-
	White-----M--	258	28	18	1	4	4	2	1	1	2	4	6	7	8	17	15	27	28	41	31	9	4	-
	F--	207	20	5	5	4	2	3	1	2	1	2	3	4	3	14	11	27	30	33	24	8	5	-
	Nonwhite--M--	120	39	5	5	2	-	1	1	1	-	5	1	3	5	8	7	7	16	5	8	1	-	-
	F--	129	38	10	3	2	2	2	1	1	1	3	4	4	5	6	9	10	10	7	7	4	-	-
480-483	Influenza---------	129	12	4	2	4	2	5	1	2	2	2	4	4	3	10	9	16	14	13	13	5	2	-
	White-----M--	39	2	3	-	1	1	1	-	1	-	-	1	-	2	4	1	5	4	3	8	1	1	-
	F--	43	1	-	-	1	1	2	-	-	1	1	3	2	-	4	2	7	5	6	3	3	1	-
	Nonwhite--M--	13	4	-	2	-	-	-	1	-	-	-	-	-	-	1	2	-	2	-	1	-	-	-
	F--	34	5	1	-	2	-	2	-	1	1	1	-	2	1	1	4	4	3	4	1	1	-	-
490-493	Pneumonia, etc.*--	585	113	34	12	8	6	3	3	3	2	12	10	14	18	35	33	55	70	73	57	17	7	-
	White-----M--	219	26	15	1	3	3	1	1	-	2	4	5	7	6	13	14	22	24	38	23	8	3	-
	F--	164	19	5	5	3	1	1	1	2	-	1	-	2	3	10	9	20	25	27	21	5	4	-
	Nonwhite--M--	107	35	5	3	2	-	1	-	1	-	5	1	3	5	7	5	7	14	5	7	1	-	-
	F--	95	33	9	3	-	2	-	1	-	-	2	4	2	4	5	5	6	7	3	6	3	-	-
500-502	Bronchitis--------	28	5	3	-	-	-	-	-	1	-	1	2	-	3	2	4	3	2	1	1	-	-	-
	White-----M--	12	1	1	-	-	-	-	-	-	-	1	-	-	3	2	3	1	-	-	-	-	-	-
	F--	12	3	1	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	78	-	-	-	-	-	-	-	-	2	5	2	4	9	8	9	14	12	8	3	1	1	-
	White-----M--	56	-	-	-	-	-	-	-	-	2	4	1	4	6	7	7	11	7	4	2	1	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	2	3	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	2	1	-	-	1	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
550-553	Appendicitis------	18	-	1	2	1	-	1	-	-	-	-	3	2	1	1	2	3	1	-	-	-	-	-
	White-----M--	12	-	-	1	1	-	1	-	-	-	-	2	1	1	-	1	3	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	69	4	-	-	1	-	2	1	-	2	1	4	3	5	11	5	10	9	6	3	1	1	-
	White-----M--	22	-	-	-	-	-	2	-	-	-	-	2	2	2	3	1	3	2	4	1	-	-	-
	F--	25	2	-	-	-	-	-	1	-	1	1	1	-	1	3	3	3	5	1	2	1	-	-
	Nonwhite--M--	13	1	-	-	1	-	-	-	-	1	-	-	1	1	3	1	3	1	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	1	1	-	-	1	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ARKANSAS—Con.																							
543,	Gastritis, etc.*--	83	35	6	2	1	-	-	1	2	-	1	2	2	1	3	5	3	7	10	2	-	-	-
571,	White-----M--	19	7	1	1	-	-	-	1	1	-	-	-	1	-	-	1	1	1	3	1	-	-	-
572	F--	26	3	3	-	-	-	-	-	-	-	-	2	1	1	2	3	-	5	6	-	-	-	-
	Nonwhite--M--	25	16	2	1	1	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-
	F--	13	9	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-
581	Cirrhosis of liver	115	-	-	-	-	-	-	1	2	8	6	13	11	16	12	12	13	14	4	3	-	-	-
	White-----M--	61	-	-	-	-	-	-	-	1	5	3	7	7	9	6	6	9	5	1	2	-	-	-
	F--	29	-	-	-	-	-	-	1	1	3	1	4	2	4	3	2	2	4	1	1	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	2	1	1	3	1	2	2	4	2	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	1	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	30	1	3	2	-	-	1	-	-	-	-	-	3	3	2	1	5	4	3	2	-	-	-
	White-----M--	12	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	3	3	3	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-
	Nonwhite--M--	9	-	1	-	-	-	-	-	-	-	-	-	1	3	1	1	1	1	-	-	-	-	-
	F--	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
610	Hyperplasia of																							
	prostate---------	63	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	15	10	18	5	3	1	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	6	5	14	4	3	1	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	9	5	4	1	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	38	...	...	...	1	5	5	6	9	6	5	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	...	...	...	-	2	-	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	27	...	...	...	1	3	5	4	5	4	4	1	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	37	...	...	...	1	5	5	5	9	6	5	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	11	...	...	...	-	2	-	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	26	...	...	...	1	3	5	3	5	4	4	1	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	188	142	21	6	3	2	2	1	2	5	1	1	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	74	53	11	1	2	1	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	64	46	7	3	1	1	-	1	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	24	17	3	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	571	571	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	193	193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn---------	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	313	313	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	480	63	10	3	1	5	1	3	3	5	5	14	16	21	32	46	53	50	54	57	23	15	-
795	White-----M--	136	12	2	1	1	2	-	-	-	2	1	5	5	5	10	12	15	16	18	19	7	3	-
	F--	86	6	1	1	-	-	-	-	-	-	-	1	1	2	3	9	3	10	17	20	7	5	-
	Nonwhite--M--	152	29	6	1	-	-	-	-	1	2	3	3	5	8	10	16	23	15	10	11	6	3	-
	F--	106	16	1	-	-	3	1	3	2	1	1	5	5	6	9	9	12	9	9	7	3	4	-
Re-	All other diseases	756	35	24	7	7	7	4	11	12	30	17	29	43	57	69	81	89	97	60	53	13	11	-
sid-	White-----M--	312	14	7	1	1	4	1	5	7	10	8	11	24	20	33	36	32	48	26	20	3	1	-
ual	F--	253	7	5	5	3	2	1	3	2	10	3	8	4	23	20	21	29	34	31	24	10	8	-
	Nonwhite--M--	119	12	7	-	1	-	1	3	2	3	4	4	8	10	9	18	17	13	2	5	-	-	-
	F--	72	2	5	1	2	1	1	-	1	7	2	6	7	4	7	6	11	2	1	4	-	2	-
E800-	Accidents---------	1,184	67	66	52	52	88	89	62	67	64	54	71	60	59	47	54	55	56	55	39	21	6	-
E962	White-----M--	648	27	18	23	27	59	57	46	43	35	40	43	35	34	23	34	33	24	22	15	8	2	-
	F--	255	14	16	10	13	15	13	2	10	7	9	12	9	6	12	11	14	21	25	22	11	3	-
	Nonwhite--M--	182	14	10	9	9	13	16	11	12	15	2	10	14	13	7	8	5	6	4	1	2	1	-
	F--	99	12	22	10	3	1	3	3	2	7	3	6	2	6	5	1	3	5	4	1	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	508	8	16	20	23	53	51	40	36	21	30	41	25	30	27	28	21	24	8	2	3	1	-
	White-----M--	315	4	6	10	13	37	35	31	22	10	19	22	17	19	10	21	17	15	5	1	1	-	-
	F--	108	4	8	7	8	13	7	2	9	3	8	8	3	3	7	7	2	3	3	1	2	-	-
	Nonwhite--M--	60	-	2	1	2	2	8	5	4	5	2	7	4	6	6	-	1	4	-	-	-	1	-
	F--	25	-	-	2	-	1	1	2	1	3	1	4	1	2	4	-	1	2	-	-	-	-	-
E800-	All ot. accidents-	676	59	50	32	29	35	38	22	31	43	24	30	35	29	20	26	34	32	47	37	18	5	-
E802,	White-----M--	333	23	12	13	14	22	22	15	21	25	21	21	18	15	13	13	16	9	17	14	7	2	-
E840-	F--	147	10	8	3	5	2	6	-	1	4	1	4	6	3	5	4	12	18	22	21	9	3	-
E962	Nonwhite--M--	122	14	8	8	7	11	8	6	8	10	-	3	10	7	1	8	4	2	4	1	2	-	-
	F--	74	12	22	8	3	-	2	1	1	4	2	2	1	4	1	1	2	3	4	1	-	-	-
E963,	Suicide----------	153	-	-	-	-	1	3	6	10	19	8	10	13	17	19	19	8	9	8	3	-	-	-
E970-	White-----M--	120	-	-	-	-	1	3	4	4	12	6	8	12	13	15	16	8	8	8	2	-	-	-
E979	F--	23	-	-	-	-	-	-	2	5	6	-	-	1	2	3	2	-	1	-	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	2	2	-	1	1	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	120	1	2	3	2	7	12	14	12	16	10	14	6	7	3	6	3	1	-	-	-	-	1
E980-	White-----M--	41	-	1	1	2	-	2	3	5	4	4	6	3	4	2	2	1	1	-	-	-	-	-
E985	F--	12	1	1	-	-	1	2	2	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	52	-	-	1	-	4	6	9	6	6	6	5	2	1	-	3	2	-	-	-	-	-	1
	F--	15	-	-	1	-	2	2	-	1	4	-	2	-	1	1	1	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CALIFORNIA																							
	ALL CAUSES------	124,162	8,720	1,267	669	455	814	1,089	1,209	1,787	2,520	3,490	5,004	6,887	8,832	11,069	14,528	15,747	15,151	12,419	8,203	3,264	996	42
	White-----M--	67,023	4,433	609	363	260	531	687	692	924	1,367	1,949	2,930	4,245	5,426	6,898	8,714	8,879	7,654	5,573	3,367	1,152	347	23
	F--	49,347	3,051	495	239	149	221	281	344	580	847	1,146	1,562	2,023	2,731	3,548	5,122	6,244	6,979	6,506	4,631	2,028	611	9
	Nonwhite--M--	4,701	676	90	39	28	41	83	110	163	169	230	299	399	415	381	436	406	328	214	125	42	19	8
	F--	3,091	560	73	28	18	21	38	63	120	137	165	213	220	260	242	256	218	190	126	80	42	19	2
001-019	Tuberculosis, all forms--------	906	9	5	1	1	4	9	19	32	41	81	58	97	101	99	99	116	71	36	19	4	3	1
	White-----M--	586	2	3	-	1	1	1	5	13	22	43	31	58	68	76	79	89	55	25	9	2	3	-
	F--	195	5	1	1	-	2	3	10	12	12	21	20	25	19	13	10	15	8	6	9	2	-	1
	Nonwhite--M--	95	1	1	-	-	1	4	3	2	3	11	6	13	7	8	10	12	8	4	1	-	-	-
	F--	30	1	-	-	-	-	1	1	5	4	6	1	1	7	2	-	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	834	5	2	-	1	3	8	17	26	34	74	53	92	94	91	96	110	70	32	18	4	3	1
	White-----M--	557	1	1	-	1	1	1	4	11	20	42	28	55	67	72	76	85	54	22	9	2	3	-
	F--	174	2	-	-	-	1	3	9	11	9	18	18	25	18	11	9	15	8	6	8	2	-	1
	Nonwhite--M--	83	1	1	-	-	1	3	3	-	3	10	6	12	5	7	9	10	8	3	1	-	-	-
	F--	20	1	-	-	-	-	1	1	4	2	4	1	-	4	1	-	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	72	4	3	1	-	1	1	2	6	7	7	5	5	7	8	3	6	1	4	1	-	-	-
	White-----M--	29	1	2	-	-	-	-	1	2	2	1	3	3	1	4	1	4	1	3	-	-	-	-
	F--	21	3	1	1	-	1	-	1	1	3	3	2	-	1	2	1	-	-	-	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	1	-	2	-	1	-	1	2	1	1	2	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	2	2	-	1	3	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae----------	271	-	-	-	-	-	-	3	2	5	7	11	29	32	49	55	37	20	13	5	2	1	-
	White-----M--	164	-	-	-	-	-	-	1	1	2	3	5	19	25	28	36	24	13	5	1	1	-	-
	F--	60	-	-	-	-	-	-	2	-	1	1	3	3	4	13	11	9	3	5	4	1	-	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	1	1	3	6	2	8	6	4	2	3	-	-	1	-
	F--	10	-	-	-	-	-	-	-	1	1	2	-	1	1	-	2	-	2	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	23	4	9	-	1	-	-	-	-	1	1	-	1	-	1	1	2	2	-	-	-	-	-
	White-----M--	14	3	6	-	-	-	-	-	-	-	1	-	1	-	-	-	2	1	-	-	-	-	-
	F--	8	1	3	-	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	7	-	-	1	-	-	-	-	1	3	-	-	-	1	-	-	-	1	-	-	-	-	-
	White-----M--	3	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	8	6	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	44	14	18	2	3	1	1	-	-	1	-	-	-	3	-	1	-	-	-	-	-	-	-
	White-----M--	25	9	11	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	5	6	1	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	23	1	3	1	1	1	3	5	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	1	2	-	1	1	1	4	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	27	5	7	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	1	4	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	2	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	335	52	26	10	5	12	8	14	16	23	9	23	28	14	20	28	15	16	11	4	1	-	-
	White-----M--	165	25	11	6	3	4	3	4	3	14	6	10	13	7	13	16	9	8	7	3	-	-	-
	F--	125	22	14	3	1	6	4	7	8	4	2	10	8	5	5	7	6	7	4	1	1	-	-
	Nonwhite--M--	30	4	1	1	-	1	-	3	1	3	1	3	5	-	2	4	-	1	-	-	-	-	-
	F--	15	1	-	-	1	1	1	-	4	2	-	-	2	2	-	1	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CALIFORNIA—Con.																							
140-205	Malignant neoplasms, etc.*	20,319	18	164	109	72	70	75	137	250	437	734	1,143	1,652	2,123	2,656	3,036	2,846	2,318	1,484	754	199	40	2
	White—M	10,065	10	75	63	39	41	39	59	88	151	278	435	762	1,042	1,467	1,620	1,556	1,201	690	349	81	19	-
	F	9,167	7	75	40	24	26	32	63	131	257	398	617	763	932	1,057	1,278	1,177	1,039	739	380	111	20	1
	Nonwhite—M	637	1	9	4	5	2	4	7	19	8	25	45	78	86	72	87	76	51	33	19	5	-	1
	F	450	-	5	2	4	1	-	8	12	21	33	46	49	63	60	51	37	27	22	6	2	1	-
140-148	Of buccal cavity and pharynx	493	-	-	2	-	-	-	1	3	4	17	37	67	59	63	87	59	48	32	11	2	1	-
	White—M	348	-	-	1	-	-	-	-	-	3	9	22	51	37	48	68	43	37	22	6	-	1	-
	F	113	-	-	-	-	-	-	1	-	-	5	14	13	18	12	12	14	10	8	5	1	-	-
	Nonwhite—M	26	-	-	1	-	-	-	-	3	1	2	1	3	2	2	6	2	1	2	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	1	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	6,700	-	5	-	-	1	5	18	41	71	168	239	424	612	859	1,117	1,156	940	615	317	93	17	2
	White—M	3,400	-	2	-	-	-	3	3	12	34	82	114	223	299	495	596	646	449	260	139	34	9	-
	F	2,910	-	2	-	-	1	2	13	22	29	75	105	158	251	312	465	460	459	327	165	56	7	1
	Nonwhite—M	265	-	-	-	-	-	-	1	6	5	5	17	33	40	28	40	33	21	20	12	3	-	1
	F	125	-	1	-	-	-	-	1	1	3	6	3	10	22	24	16	17	11	8	1	-	1	-
160-164	Of respiratory system (not secondary)	2,870	-	2	-	1	-	3	4	15	37	98	165	309	438	532	490	378	246	105	37	7	3	-
	White—M	2,311	-	1	-	1	-	2	2	8	23	64	117	248	366	455	414	309	190	79	24	5	3	-
	F	396	-	1	-	-	-	1	2	3	13	23	30	40	42	49	59	51	45	23	12	2	-	-
	Nonwhite—M	145	-	-	-	-	-	-	-	3	1	8	14	20	28	27	16	15	10	2	1	-	-	-
	F	18	-	-	-	-	-	-	-	1	-	3	4	1	2	1	1	3	1	1	-	-	-	-
170	Of breast	1,968	-	-	-	-	-	-	10	30	81	133	197	232	199	243	271	202	167	111	65	23	4	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	2	4	1	-	-	-	-
	F	1,892	-	-	-	-	-	-	10	28	78	123	188	225	188	233	263	197	161	109	62	23	4	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	59	-	-	-	-	-	-	-	2	3	10	9	5	8	8	5	3	2	1	3	-	-	-
171-179	Of genital organs	3,011	-	1	1	2	2	11	30	46	85	120	196	232	295	316	390	427	394	268	152	39	4	-
	White—M	1,072	-	1	-	-	1	7	11	11	11	8	7	13	42	85	152	199	228	170	99	26	1	-
	F	1,743	-	-	1	-	1	4	12	30	64	101	165	191	234	215	216	209	150	89	47	11	3	-
	Nonwhite—M	62	-	-	-	-	-	-	2	-	-	1	4	4	4	4	9	13	9	5	5	2	-	-
	F	134	-	-	-	2	-	-	5	5	10	10	20	24	15	12	13	6	7	4	1	-	-	-
180, 181	Of urinary organs	1,015	1	18	4	-	2	1	-	5	4	17	35	66	107	127	143	162	157	96	57	11	2	-
	White—M	671	1	9	1	-	2	-	-	2	1	10	23	47	74	100	95	106	105	52	33	8	2	-
	F	292	-	7	3	-	-	1	-	2	2	6	9	10	29	22	40	50	46	40	23	2	-	-
	Nonwhite—M	31	-	2	-	-	-	-	-	-	-	1	1	7	2	3	4	4	5	2	-	-	-	-
	F	21	-	-	-	-	-	-	-	1	1	-	2	2	2	2	4	2	1	2	1	1	-	-
156B, 165, 190-199	Of other sites, etc.*	2,266	9	51	31	30	31	22	35	54	82	109	139	193	238	265	285	231	208	144	85	19	5	-
	White—M	1,167	4	21	18	14	14	11	15	21	43	65	74	109	124	141	157	124	107	64	34	6	1	-
	F	993	4	26	12	11	15	11	17	30	36	39	57	75	98	114	115	98	94	73	51	13	4	-
	Nonwhite—M	53	1	2	1	3	1	-	2	3	-	3	4	5	8	3	5	7	3	2	-	-	-	-
	F	53	-	2	-	2	1	-	1	-	3	2	4	4	8	7	8	2	4	5	-	-	-	-
204	Leukemia and aleukemia	964	6	77	60	25	26	20	19	27	31	34	63	43	61	99	103	105	79	61	18	3	4	-
	White—M	520	3	33	37	11	19	10	14	13	14	18	34	22	38	57	54	57	46	27	10	1	2	-
	F	396	3	37	20	12	6	7	4	11	17	11	25	18	21	37	45	46	30	34	8	2	2	-
	Nonwhite—M	31	-	5	2	2	1	3	1	1	-	4	1	2	-	3	3	1	2	-	-	-	-	-
	F	17	-	2	1	-	-	-	-	2	-	1	3	1	2	2	1	1	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	1,032	2	10	11	14	8	13	20	29	42	38	72	86	114	152	150	126	79	52	12	2	-	-
	White—M	559	2	8	6	13	5	6	14	21	22	22	44	47	59	84	81	70	35	15	4	1	-	-
	F	432	-	2	4	1	3	6	4	5	18	15	24	33	51	63	63	52	44	36	7	1	-	-
	Nonwhite—M	24	-	-	-	-	-	1	1	3	1	1	3	4	2	2	4	1	-	-	1	-	-	-
	F	17	-	-	1	-	-	-	1	-	1	-	1	2	2	3	2	3	-	1	-	-	-	-
210-239	Benign and unspecified neoplasms	436	16	10	8	10	4	8	6	16	18	25	30	38	48	37	64	36	27	11	15	8	1	-
	White—M	191	6	6	3	5	1	3	3	8	5	11	9	15	19	15	33	22	12	6	5	4	-	-
	F	216	9	3	5	5	3	4	2	4	10	12	19	20	27	20	27	14	13	5	9	4	1	-
	Nonwhite—M	13	-	1	-	-	-	1	-	1	-	-	1	2	1	2	3	-	-	-	1	-	-	-
	F	16	1	-	-	-	-	-	1	3	3	2	1	1	1	-	1	-	2	-	-	-	-	-
260	Diabetes mellitus	1,430	-	6	2	11	5	12	14	39	34	41	44	53	121	170	228	252	195	135	48	16	2	2
	White—M	563	-	1	-	3	3	4	6	21	15	23	23	22	46	56	82	90	93	49	19	5	1	1
	F	747	-	5	2	6	2	8	7	16	12	12	15	22	58	97	128	146	91	83	25	11	-	1
	Nonwhite—M	55	-	-	-	1	-	-	-	1	3	3	3	4	7	7	9	9	5	1	1	-	1	-
	F	65	-	-	-	1	-	-	1	1	4	3	3	5	10	10	9	7	6	2	3	-	-	-
290-293	Anemias	194	8	10	6	3	-	4	2	2	2	6	1	8	13	11	24	24	25	23	17	5	-	-
	White—M	92	4	5	3	1	-	2	1	1	1	1	-	2	9	8	11	9	8	14	9	3	-	-
	F	82	2	4	-	1	-	1	-	-	1	1	1	6	3	2	12	13	16	9	8	2	-	-
	Nonwhite—M	8	1	-	-	1	-	1	1	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-
	F	12	1	1	3	-	-	-	-	1	-	3	-	-	1	1	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	190	67	40	9	7	1	2	3	3	9	3	7	2	9	7	7	5	4	4	1	-	-	-
	White—M	98	38	24	3	5	1	1	1	2	1	2	2	2	6	5	3	2	-	-	-	-	-	-
	F	63	18	11	6	1	-	-	2	1	5	1	4	-	2	1	3	2	3	3	-	-	-	-
	Nonwhite—M	10	5	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-
	F	19	6	5	-	-	-	1	-	-	3	-	1	-	-	-	-	1	1	-	1	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	65,961	37	24	34	20	49	82	132	297	660	1,121	2,002	3,139	4,432	5,992	8,690	10,195	10,406	9,083	6,223	2,554	774	15
	White—M	35,431	20	10	13	10	20	38	63	158	405	749	1,404	2,180	2,990	3,876	5,285	5,632	5,076	3,914	2,436	878	267	7
	F	27,436	15	7	15	8	20	32	43	85	164	221	373	672	1,112	1,797	2,999	4,178	5,010	4,940	3,648	1,613	479	5
	Nonwhite—M	1,798	1	5	4	-	4	6	15	25	57	84	122	174	193	192	232	231	191	139	77	29	12	3
	F	1,298	1	2	2	2	5	6	11	29	34	67	103	113	137	127	174	154	129	90	62	34	16	-
330-334, 400-468	Diseases of cardiovascular system	65,211	35	22	25	13	42	65	107	261	627	1,085	1,955	3,087	4,377	5,922	8,595	10,123	10,348	9,025	6,176	2,538	768	15
	White—M	35,066	18	9	8	7	19	29	50	142	395	734	1,372	2,156	2,959	3,841	5,241	5,596	5,053	3,881	2,415	871	263	7
	F	27,146	15	6	11	6	14	26	34	73	151	212	364	656	1,096	1,768	2,955	4,150	4,982	4,919	3,622	1,604	477	5
	Nonwhite—M	1,747	1	5	4	-	4	6	13	21	51	80	119	166	185	191	230	226	186	138	77	29	12	3
	F	1,252	1	2	2	-	5	4	10	25	30	59	100	109	137	122	169	151	127	87	62	34	16	-
330-334	Vascular lesions, etc.*	13,972	13	10	12	4	13	25	29	48	108	140	252	387	606	916	1,564	2,203	2,579	2,462	1,731	671	196	3
	White—M	6,085	7	4	4	4	6	11	12	13	49	52	111	183	311	455	802	1,059	1,116	966	646	220	52	2
	F	7,137	6	3	7	-	4	10	10	18	46	57	95	145	220	396	658	1,030	1,377	1,437	1,043	437	137	1
	Nonwhite—M	399	-	3	1	-	1	2	3	5	9	16	16	32	39	36	54	64	49	37	23	6	3	-
	F	351	-	-	-	-	2	2	4	12	4	15	30	27	36	29	50	50	37	22	19	8	4	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CALIFORNIA--Con.																							
400-402	Rheumatic fever---	43	-	2	2	2	2	4	1	3	9	3	-	3	4	1	4	1	1	1	-	-	-	-
	White-----M--	21	-	2	2	1	2	3	-	-	5	1	-	1	-	-	1	1	1	1	-	-	-	-
	F--	19	-	-	-	1	-	1	1	3	3	1	-	2	4	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	45,931	20	8	7	5	17	33	65	179	469	895	1,613	2,563	3,541	4,643	6,482	7,184	6,899	5,653	3,738	1,490	415	12
	White-----M--	26,346	10	2	1	1	7	15	34	116	329	662	1,210	1,895	2,507	3,153	4,085	4,106	3,517	2,518	1,487	527	159	5
	F--	17,615	8	3	3	4	6	13	19	39	89	140	251	474	815	1,274	2,127	2,947	3,182	2,990	2,169	922	236	4
	Nonwhite--M--	1,192	1	2	2	-	3	4	7	15	34	56	91	120	135	130	158	143	122	91	47	19	9	3
	F--	778	1	1	1	-	1	1	5	9	17	37	61	74	84	86	112	88	78	54	35	22	11	-
410-416	Chronic rheumatic heart disease----	1,623	1	-	1	1	8	10	26	53	95	126	157	184	206	190	182	146	135	49	39	7	5	2
	White-----M--	769	1	-	1	-	3	3	13	23	46	66	77	101	102	87	83	60	59	26	15	2	1	-
	F--	783	-	-	-	1	3	7	11	22	45	56	64	76	95	94	94	86	73	22	23	5	4	2
	Nonwhite--M--	36	-	-	-	-	1	-	1	4	3	1	8	5	5	6	2	-	-	-	-	-	-	-
	F--	35	-	-	-	-	1	-	1	4	1	3	8	2	4	3	3	-	3	1	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	35,633	-	-	1	1	1	11	18	108	308	647	1,266	2,082	2,817	3,808	5,242	5,808	5,309	4,220	2,662	1,039	276	9
	White-----M--	21,804	-	-	-	1	-	5	13	85	255	542	1,045	1,661	2,133	2,733	3,453	3,462	2,846	1,951	1,111	396	107	5
	F--	12,581	-	-	1	-	1	4	2	11	27	56	142	297	541	935	1,603	2,192	2,328	2,168	1,502	617	153	1
	Nonwhite--M--	835	-	-	-	-	-	2	3	10	21	35	58	89	101	89	119	95	88	67	33	16	6	3
	F--	413	-	-	-	-	-	-	-	2	5	14	21	35	42	51	67	59	47	34	16	10	10	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,301	13	4	2	1	1	4	5	5	14	21	38	57	123	177	336	420	565	624	535	256	99	1
	White-----M--	1,565	7	1	-	-	1	3	3	2	6	14	17	27	77	108	196	218	283	281	206	75	40	-
	F--	1,597	5	2	1	1	-	-	2	2	5	4	11	20	37	57	122	182	269	324	321	175	56	1
	Nonwhite--M--	71	-	-	1	-	-	-	-	-	2	1	5	4	4	8	12	13	6	8	4	1	2	-
	F--	68	1	1	-	-	-	1	-	1	1	2	5	6	5	4	6	7	7	11	4	5	1	-
430-434	Other diseases of heart---------	929	6	4	3	2	7	5	10	5	20	32	39	49	67	73	113	113	126	115	81	47	12	-
	White-----M--	506	2	1	-	-	3	3	2	2	12	21	23	30	43	43	67	71	66	60	35	18	4	-
	F--	362	3	1	1	2	2	-	4	3	4	8	8	17	20	25	37	36	57	54	44	28	8	-
	Nonwhite--M--	37	1	2	1	-	2	2	1	-	2	1	6	2	2	2	5	5	1	1	1	-	-	-
	F--	24	-	-	1	-	-	-	3	-	2	2	2	-	2	3	4	1	2	-	1	1	-	-
440-443	Hypertension with heart dis.--	4,445	-	-	-	-	-	3	6	8	32	69	113	191	328	395	609	697	764	645	421	141	23	-
	White-----M--	1,702	-	-	-	-	-	1	3	4	10	19	48	76	152	182	286	295	263	200	120	36	7	-
	F--	2,292	-	-	-	-	-	2	-	1	8	16	26	64	122	163	271	351	455	422	279	97	15	-
	Nonwhite--M--	213	-	-	-	-	-	-	2	1	6	18	14	20	23	25	20	30	27	15	9	2	1	-
	F--	238	-	-	-	-	-	-	1	2	8	16	25	31	31	25	32	21	19	8	13	6	-	-
444-447	Hypertension without mention of heart----------	631	-	-	-	-	-	-	4	4	17	14	34	36	34	55	61	84	98	85	66	33	6	-
	White-----M--	262	-	-	-	-	-	-	1	2	5	4	16	15	18	22	30	37	43	32	26	8	3	-
	F--	306	-	-	-	-	-	-	1	-	2	3	6	11	12	25	31	43	53	51	40	25	3	-
	Nonwhite--M--	35	-	-	-	-	-	-	2	-	4	4	6	7	1	5	-	3	2	1	-	-	-	-
	F--	28	-	-	-	-	-	-	-	2	6	3	6	3	3	3	-	1	-	1	-	-	-	-
450	General arteriosclerosis--------	3,120	-	-	-	-	-	-	-	1	-	1	7	21	36	113	216	418	573	677	587	325	145	-
	White-----M--	1,412	-	-	-	-	-	-	-	-	-	1	4	15	22	76	128	230	255	289	235	108	49	-
	F--	1,617	-	-	-	-	-	-	-	1	-	-	3	4	10	31	77	173	302	373	338	210	95	-
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	-	-	-	1	1	2	8	8	7	6	7	4	-	-
	F--	47	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	7	9	9	7	3	1	-
451-468	Other diseases of circulatory sys.-	1,514	2	2	4	2	10	3	8	26	24	32	49	77	156	194	268	233	198	147	54	19	6	-
	White-----M--	940	1	1	1	1	4	-	3	11	7	14	31	47	101	135	195	163	121	75	21	8	-	-
	F--	452	1	-	1	1	4	2	3	12	11	11	9	20	35	41	60	57	68	68	32	10	6	-
	Nonwhite--M--	75	-	-	1	-	-	-	1	1	3	4	6	6	9	18	9	8	6	3	-	-	-	-
	F--	47	-	1	1	-	2	1	1	2	3	3	3	4	11	-	4	5	3	1	1	1	-	-
592-594	Chronic nephritis, etc.*----------	750	2	2	9	7	7	17	25	36	33	36	47	52	55	70	95	72	58	58	47	16	6	-
	White-----M--	365	2	1	5	3	1	9	13	16	10	15	32	24	31	35	44	36	23	33	21	7	4	-
	F--	290	-	1	4	2	6	6	9	12	13	9	9	16	16	29	44	28	28	21	26	9	2	-
	Nonwhite--M--	49	-	-	-	-	-	-	2	4	6	4	3	8	8	1	2	5	5	1	-	-	-	-
	F--	46	-	-	-	2	-	2	1	4	4	8	3	4	-	5	5	3	2	3	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	4,213	799	168	43	34	32	38	32	47	65	114	143	167	199	232	328	369	432	393	327	175	75	1
	White-----M--	2,269	398	78	20	13	12	17	9	23	31	53	84	110	123	164	220	238	225	208	154	69	19	1
	F--	1,555	277	59	20	16	18	15	18	14	17	40	35	38	43	51	94	118	187	177	164	100	54	-
	Nonwhite--M--	253	73	19	1	3	1	3	3	5	9	17	14	14	27	10	11	6	17	8	7	4	1	-
	F--	136	51	12	2	2	1	3	2	5	8	4	10	5	6	7	3	7	3	-	2	2	1	-
480-483	Influenza---------	182	11	6	3	5	8	4	3	4	1	6	6	8	8	15	18	15	22	11	12	10	6	-
	White-----M--	74	5	3	1	2	2	1	1	1	1	1	2	6	5	8	5	11	10	1	5	3	-	-
	F--	96	5	2	2	3	6	3	2	2	-	4	1	2	2	6	13	4	11	9	7	7	5	-
	Nonwhite--M--	7	1	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	1	-
490-493	Pneumonia, etc.*--	4,031	788	162	40	29	24	34	29	43	64	108	137	159	191	217	310	354	410	382	315	165	69	1
	White-----M--	2,195	393	75	19	11	10	16	8	22	30	52	82	104	118	156	215	227	215	207	149	66	19	1
	F--	1,459	272	57	18	13	12	12	16	12	17	36	34	36	41	45	81	114	176	168	157	93	49	-
	Nonwhite--M--	246	72	18	1	3	1	3	3	5	9	16	13	14	27	9	11	6	16	7	7	4	1	-
	F--	131	51	12	2	2	1	3	2	4	8	4	8	5	5	7	3	7	3	-	2	2	-	-
500-502	Bronchitis--------	312	89	33	10	3	4	1	1	1	4	5	7	9	12	18	26	23	28	16	11	7	4	-
	White-----M--	200	52	18	6	1	2	1	-	1	1	1	5	6	10	15	21	17	23	10	5	3	2	-
	F--	91	27	14	3	2	2	-	1	-	2	2	1	3	1	3	3	6	5	6	6	3	1	-
	Nonwhite--M--	10	4	-	1	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-	-	-
	F--	11	6	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-
540, 541	Ulcer of stomach and duodenum-----	974	7	2	2	-	-	2	5	9	10	33	65	79	95	126	134	126	113	91	56	14	5	-
	White-----M--	647	3	1	1	-	-	2	3	3	5	24	45	59	71	92	94	87	70	52	28	5	2	-
	F--	281	3	1	1	-	-	-	1	5	5	7	15	15	18	30	37	34	38	36	25	9	1	-
	Nonwhite--M--	39	1	-	-	-	-	-	-	1	-	1	4	5	5	3	3	5	5	1	3	-	2	-
	F--	7	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-	2	-	-	-	-
550-553	Appendicitis------	133	-	2	4	3	2	1	5	3	1	7	8	7	13	14	22	17	13	6	4	1	-	-
	White-----M--	78	-	2	3	3	-	-	3	2	-	3	4	6	10	6	15	9	5	4	3	-	-	-
	F--	44	-	-	1	-	2	1	1	1	1	3	3	-	2	5	6	7	7	2	1	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	-	1	1	1	2	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	675	89	7	2	2	1	2	2	3	9	13	16	23	45	45	70	80	103	84	56	20	3	-
	White-----M--	302	41	6	-	2	-	1	2	-	2	5	8	9	25	25	35	33	48	31	21	7	1	-
	F--	333	38	1	2	-	1	-	-	-	7	6	6	9	17	17	32	44	51	52	35	13	2	-
	Nonwhite--M--	23	8	-	-	-	-	1	-	-	-	1	1	2	2	1	2	3	1	1	-	-	-	-
	F--	17	2	-	-	-	-	-	-	3	-	1	1	3	1	2	1	-	3	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CALIFORNIA—Con.																							
543,	Gastritis, etc.*--	508	143	23	1	4	4	2	-	6	9	12	12	20	21	34	49	58	35	39	22	12	2	-
571,	White-----M--	213	52	9	-	-	2	1	-	3	5	6	4	11	9	22	22	31	13	14	6	3	-	-
572	F--	239	58	8	1	3	2	1	-	2	2	6	7	8	12	9	24	24	22	24	15	9	2	-
	Nonwhite--M--	32	17	3	-	-	-	-	-	1	1	-	-	-	-	3	2	3	-	1	1	-	-	-
	F--	24	16	3	-	1	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	2,459	6	2	2	3	1	8	20	92	155	267	345	389	351	271	239	155	79	41	27	5	-	1
	White-----M--	1,484	3	1	1	1	-	1	9	33	64	130	205	246	209	196	180	117	46	28	12	1	-	1
	F--	808	-	1	1	2	1	5	6	40	66	117	117	120	119	64	53	36	29	13	14	4	-	-
	Nonwhite--M--	101	2	-	-	-	-	-	5	8	13	9	16	11	15	10	6	2	3	-	1	-	-	-
	F--	66	1	-	-	-	-	2	-	11	12	11	7	12	8	1	-	-	1	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	99	4	9	3	4	1	5	-	1	7	5	4	9	6	7	7	8	9	5	3	1	1	-
	White-----M--	43	1	6	3	-	1	3	-	-	3	2	2	3	3	4	-	4	6	1	-	1	-	-
	F--	41	3	2	-	3	-	1	-	-	1	2	1	4	2	3	5	3	3	4	3	-	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	1	1	2	1	-	1	1	-	-	-	-	-	-
	F--	7	-	1	-	1	-	1	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	374	-	-	-	-	-	-	-	-	-	-	2	2	8	24	45	59	95	78	45	11	5	-
	White-----M--	349	-	-	-	-	-	-	-	-	-	-	1	1	6	19	42	56	92	75	42	10	5	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	3	3	3	3	1	-	-
640-	Complications of																							
689	pregnancy, etc.*-	126	...	...	...	-	8	21	31	37	21	8	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	94	...	...	...	-	8	20	20	23	17	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	32	...	...	...	-	-	1	11	14	4	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	31	...	...	...	-	1	5	7	14	2	2	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	24	...	...	...	-	1	5	6	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	-	-	-	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	95	...	...	...	-	7	16	24	23	19	6	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	70	...	...	...	-	7	15	14	14	15	5	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	25	...	...	...	-	-	1	10	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	1,725	1,246	156	54	27	20	25	11	18	32	21	22	25	24	14	10	8	8	2	2	-	-	-
	White-----M--	867	635	68	24	14	7	16	4	4	18	14	13	15	14	5	7	3	4	1	1	-	-	-
	F--	686	484	71	25	12	11	7	4	10	12	5	8	7	7	9	3	5	4	1	1	-	-	-
	Nonwhite--M--	87	66	9	1	1	2	-	1	-	1	1	1	3	1	-	-	-	-	-	-	-	-	-
	F--	85	61	8	4	-	-	2	2	4	1	1	-	-	2	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	5,336	5,335	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,715	2,715	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,814	1,813	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	438	438	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	369	369	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	2,733	2,733	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,411	1,411	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	933	933	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	382	382	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	205	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	2,221	2,220	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,099	1,099	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	775	774	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	418	36	9	6	7	9	7	6	13	9	11	15	13	24	25	33	24	35	41	32	40	15	8
795	White-----M--	215	21	7	4	5	4	2	3	9	3	6	12	5	17	19	15	17	15	17	11	9	10	4
	F--	170	12	2	1	1	3	3	3	3	3	4	3	7	6	4	13	6	17	24	20	30	5	-
	Nonwhite--M--	17	1	-	-	1	2	1	-	1	1	-	-	1	1	1	3	-	1	-	-	1	-	2
	F--	16	2	-	1	-	-	1	-	-	2	1	-	-	-	1	2	1	2	-	1	-	-	2
Re-	All other diseases	6,246	496	158	82	40	46	51	80	124	179	200	306	362	496	604	775	748	653	440	277	97	32	-
sid-	White-----M--	3,492	271	83	39	21	30	26	31	52	74	86	149	192	298	377	517	467	366	225	139	39	11	-
ual	F--	2,283	166	61	33	16	12	19	33	57	79	85	117	134	156	180	229	248	255	200	127	57	19	-
	Nonwhite--M--	283	33	7	5	1	1	4	6	8	10	18	20	23	27	24	24	30	22	9	8	1	2	-
	F--	188	26	7	5	2	3	2	10	7	16	11	20	13	15	23	5	3	10	6	4	-	-	-
E800-	Accidents---------	7,770	219	364	254	184	483	596	498	547	502	474	486	464	399	422	398	410	375	330	235	88	32	10
E962	White-----M--	5,025	115	166	158	124	363	446	380	373	374	314	326	316	251	277	275	266	207	156	97	28	6	7
	F--	2,108	74	138	67	43	92	99	71	105	89	111	116	98	122	119	101	126	153	165	135	57	26	1
	Nonwhite--M--	485	16	34	20	13	19	39	42	58	32	38	32	39	24	23	19	13	12	8	2	-	-	2
	F--	152	14	26	9	4	9	12	5	11	7	11	12	11	2	3	3	5	3	1	1	3	-	-
E810-	Motor-vehicle																							
E835	accidents--------	3,895	34	133	125	79	347	431	314	335	289	243	256	224	202	230	209	192	133	77	29	7	-	6
	White-----M--	2,588	15	69	76	46	248	317	231	221	210	161	164	140	120	143	144	130	79	48	17	5	-	4
	F--	1,007	15	49	41	30	81	81	53	77	54	61	72	56	66	72	55	55	50	25	11	2	-	1
	Nonwhite--M--	235	2	9	7	3	11	24	25	31	22	17	13	21	15	12	10	5	3	3	1	-	-	1
	F--	65	2	6	1	-	7	9	5	6	3	4	7	7	1	3	-	2	1	1	-	-	-	-
E800-	All ot. accidents-	3,875	185	231	129	105	136	165	184	212	213	231	230	240	197	192	189	218	242	253	206	81	32	4
E802,	White-----M--	2,437	100	97	82	78	115	129	149	152	164	153	162	176	131	134	131	136	128	108	80	23	6	3
E840-	F--	1,101	59	89	26	13	11	18	18	28	35	50	44	42	56	47	46	71	103	140	124	55	26	-
E962	Nonwhite--M--	250	14	25	13	10	8	15	17	27	10	21	19	19	9	11	9	8	9	5	1	-	-	1
	F--	87	12	20	8	4	2	3	-	5	4	7	5	4	1	-	3	3	2	-	1	3	-	-
E963,	Suicide----------	2,066	-	-	-	4	31	68	102	158	218	231	216	232	212	170	145	124	79	50	20	4	1	1
E970-	White-----M--	1,449	-	-	-	3	23	48	65	102	145	162	138	169	149	126	103	91	63	39	18	3	1	1
E979	F--	521	-	-	-	1	6	16	29	45	62	63	65	55	55	39	38	26	13	7	1	-	-	-
	Nonwhite--M--	82	-	-	-	-	2	2	7	11	8	6	12	7	7	4	3	6	3	2	1	1	-	-
	F--	14	-	-	-	-	-	2	1	-	3	-	1	1	1	1	1	1	-	2	-	-	-	-
E964,	Homicide----------	547	14	11	7	6	25	58	81	63	60	61	37	38	29	20	14	10	9	3	-	-	-	1
E980-	White-----M--	237	5	5	2	2	15	30	36	18	21	26	14	22	17	6	3	8	4	2	-	-	-	1
E985	F--	143	6	4	5	3	4	8	20	17	15	20	6	6	7	10	7	1	3	1	-	-	-	-
	Nonwhite--M--	121	2	1	-	1	5	17	16	20	15	11	13	8	4	2	4	-	2	-	-	-	-	-
	F--	46	1	1	-	-	1	3	9	8	9	4	4	2	1	2	-	1	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*--------	5	-	-	-	-	-	-	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
E999	White-----M--	4	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	COLORADO																							
	ALL CAUSES------	14,452	1,250	186	115	85	137	135	146	187	230	355	515	628	860	1,105	1,513	1,735	1,812	1,668	1,164	480	142	4
	White-----M--	8,112	690	94	65	42	91	96	90	101	141	201	310	406	551	713	882	1,001	986	845	519	231	55	2
	F--	5,922	507	86	47	38	42	29	49	68	82	129	183	202	285	355	590	702	774	793	629	244	86	2
	Nonwhite--M--	250	30	2	2	3	4	5	4	13	2	15	13	13	10	18	31	23	36	15	9	2	-	-
	F--	168	23	4	1	2	-	5	3	5	5	10	9	7	14	19	10	9	16	15	7	3	1	-
001-019	Tuberculosis, all forms--------	110	-	-	1	-	-	1	1	3	8	5	7	12	12	17	15	10	6	4	7	1	-	-
	White-----M--	68	-	-	-	-	-	1	-	1	3	2	5	8	9	11	9	6	4	3	5	1	-	-
	F--	32	-	-	1	-	-	-	1	-	5	2	2	3	2	5	5	3	-	1	2	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	2	-	1	-	1	1	-	1	1	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	108	-	-	1	-	-	1	1	3	8	5	7	11	12	17	14	10	6	4	7	1	-	-
	White-----M--	68	-	-	-	-	-	1	-	1	3	2	5	8	9	11	9	6	4	3	5	1	-	-
	F--	30	-	-	1	-	-	-	1	-	5	2	2	2	2	5	4	3	-	1	2	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	2	-	1	-	1	1	-	1	1	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	27	-	-	-	-	-	-	-	1	-	-	-	-	4	6	4	2	7	2	1	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	1	-	-	-	-	4	6	1	1	4	1	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	11	3	5	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	White-----M--	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	2	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	29	5	2	-	1	1	-	1	2	3	-	-	-	1	1	3	1	3	1	3	1	-	-
	White-----M--	12	2	2	-	-	-	-	-	-	2	-	-	-	1	1	2	-	1	-	1	-	-	-
	F--	16	3	-	-	1	1	-	1	1	1	-	-	-	-	-	1	1	2	1	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	COLORADO—Con.																							
140-205	Malignant neoplasms, etc.*----	2,039	2	25	18	10	10	18	8	28	32	58	106	154	211	242	258	298	254	192	84	27	3	1
	White-----M--	1,023	2	11	13	5	6	11	4	8	16	16	38	73	105	127	129	161	136	108	37	17	-	-
	F--	967	-	13	5	5	4	6	4	20	16	39	66	76	103	107	120	132	113	77	47	10	3	1
	Nonwhite--M--	33	-	1	-	-	-	-	-	-	-	2	-	4	1	5	7	4	5	4	-	-	-	-
	F--	16	-	-	-	-	-	1	-	-	-	1	2	1	2	3	2	1	-	3	-	-	-	-
140-148	Of buccal cavity and pharynx------	37	-	-	1	-	-	1	-	-	-	2	2	1	4	7	6	7	1	4	-	1	-	-
	White-----M--	32	-	-	1	-	-	1	-	-	-	1	2	1	3	7	4	7	1	3	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	678	-	-	-	-	-	3	2	1	3	10	28	41	77	85	78	117	105	82	32	12	2	-
	White-----M--	336	-	-	-	-	-	2	1	1	3	3	16	21	40	49	31	61	51	38	13	6	-	-
	F--	323	-	-	-	-	-	1	1	-	-	7	11	17	36	33	42	54	54	40	19	6	2	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	3	1	2	5	1	-	3	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-
160-164	Of respiratory system (not secondary)-------	246	-	-	-	-	-	-	-	2	4	6	6	32	37	37	45	38	21	12	5	1	-	-
	White-----M--	201	-	-	-	-	-	-	-	-	4	4	3	27	35	32	42	28	16	8	1	1	-	-
	F--	40	-	-	-	-	-	-	-	2	-	1	3	4	2	4	3	8	5	4	4	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	195	-	-	-	-	-	-	-	4	3	16	21	18	27	16	29	23	20	8	10	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	192	-	-	-	-	-	-	-	4	3	15	21	18	27	16	29	23	19	7	10	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
171-179	Of genital organs-	330	-	1	-	-	2	2	1	9	10	6	21	26	21	37	41	39	54	42	16	2	-	-
	White-----M--	136	-	1	-	-	1	1	1	-	2	-	2	2	1	9	12	23	37	29	14	1	-	-
	F--	182	-	-	-	-	1	1	-	9	8	6	19	23	20	27	25	15	13	12	2	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
180, 181	Of urinary organs-	104	-	2	-	-	-	1	-	1	-	1	2	10	9	9	19	16	12	9	8	5	-	-
	White-----M--	72	-	1	-	-	-	1	-	-	-	1	2	7	7	6	15	9	6	9	5	3	-	-
	F--	32	-	1	-	-	-	-	-	1	-	-	-	3	2	3	4	7	6	-	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	232	1	3	4	5	4	5	2	6	8	6	17	11	22	30	21	32	19	20	8	6	1	1
	White-----M--	121	1	2	3	3	2	2	1	5	4	-	7	5	13	12	12	21	9	12	2	5	-	-
	F--	105	-	1	1	2	2	2	1	1	4	6	9	6	9	15	9	11	9	8	6	1	1	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia--------	111	1	17	11	3	4	4	-	3	1	3	5	2	7	7	9	10	14	8	2	-	-	-
	White-----M--	62	1	5	7	2	3	4	-	1	1	1	3	1	4	4	7	3	10	5	-	-	-	-
	F--	47	-	11	4	1	1	-	-	2	-	2	2	1	3	3	2	7	4	2	2	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
200-203, 205	Lymphomas, etc.*--	106	-	2	2	2	-	2	3	2	3	8	4	13	7	14	10	16	8	7	3	-	-	-
	White-----M--	62	-	2	2	-	-	-	1	1	2	6	3	9	2	8	6	9	5	4	2	-	-	-
	F--	43	-	-	-	2	-	2	2	1	1	2	1	4	4	6	4	7	3	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	46	-	1	3	1	2	1	-	-	1	5	2	6	2	3	8	4	1	3	2	1	-	-
	White-----M--	20	-	1	3	1	2	-	-	-	-	1	1	-	1	-	5	1	1	1	2	-	-	-
	F--	26	-	-	-	-	-	1	-	-	1	4	1	6	1	3	3	3	-	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	164	1	-	1	1	2	1	2	5	5	-	6	5	16	16	31	25	15	20	10	2	-	-
	White-----M--	66	1	-	1	-	1	1	-	2	3	-	2	2	7	7	9	8	8	7	5	2	-	-
	F--	92	-	-	-	1	1	-	2	2	2	-	4	3	7	8	21	16	7	13	5	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	22	-	-	2	-	-	-	1	2	-	-	-	-	1	1	1	3	5	4	1	-	1	-
	White-----M--	12	-	-	1	-	-	-	1	1	-	-	-	-	1	-	1	2	3	2	-	-	-	-
	F--	10	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	1	2	2	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	14	3	2	-	2	1	-	-	-	-	3	-	1	-	1	-	1	-	-	-	-	-	-
	White-----M--	9	1	1	-	2	-	-	-	-	-	3	-	-	-	1	-	1	-	-	-	-	-	-
	F--	4	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	7,201	4	7	7	6	8	9	22	35	59	126	198	260	417	584	875	1,046	1,178	1,112	807	336	104	1
	White-----M--	4,011	4	1	2	1	5	4	12	20	33	77	136	187	288	398	513	606	632	544	350	157	40	1
	F--	3,010	-	6	5	5	3	4	10	11	22	36	50	64	113	167	342	427	513	549	445	175	63	-
	Nonwhite--M--	96	-	-	-	-	-	-	-	2	1	6	5	6	7	9	14	9	21	9	6	1	-	-
	F--	84	-	-	-	-	-	1	-	2	3	7	7	3	9	10	6	4	12	10	6	3	1	-
330-334, 400-468	Diseases of cardiovascular system-	7,075	4	7	4	5	6	7	16	32	54	118	191	251	407	577	855	1,035	1,166	1,105	798	333	103	1
	White-----M--	3,941	4	1	1	1	4	2	7	19	30	73	132	183	285	395	502	600	625	539	343	155	39	1
	F--	2,965	-	6	3	4	2	4	9	11	20	34	47	62	107	164	334	422	509	547	443	174	63	-
	Nonwhite--M--	89	-	-	-	-	-	-	-	1	1	5	5	4	7	8	13	9	20	9	6	1	-	-
	F--	80	-	-	-	-	-	1	-	1	3	6	7	2	8	10	6	4	12	10	6	3	1	-
330-334	Vascular lesions, etc.*----------	1,536	3	2	3	-	-	2	4	5	8	20	18	25	54	91	171	224	271	307	221	81	26	-
	White-----M--	693	3	-	1	-	-	-	2	3	2	8	7	12	25	49	80	115	126	136	86	31	7	-
	F--	805	-	2	2	-	-	2	2	2	5	9	10	13	25	35	89	106	139	165	131	49	19	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	3	3	3	2	-	-	-
	F--	20	-	-	-	-	-	-	-	-	1	2	-	-	2	6	-	-	3	3	2	1	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	COLORADO—Con.																							
400-402	Rheumatic fever---	18	-	2	1	-	2	-	2	-	-	1	1	1	1	1	2	2	1	1	-	-	-	-
	White-----M--	10	-	1	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	-	-	-	-
	F--	8	-	1	1	-	2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	4,955	1	2	-	4	3	3	9	22	41	87	160	212	324	457	627	736	815	708	483	203	57	1
	White-----M--	2,952	1	-	-	1	3	2	4	13	26	58	116	164	238	329	387	448	458	356	217	105	25	1
	F--	1,893	-	2	-	3	-	-	5	9	13	25	34	44	76	118	223	281	332	340	260	97	31	-
	Nonwhite--M--	57	-	-	-	-	-	-	-	-	-	1	4	3	4	7	11	3	16	5	3	-	-	-
	F--	53	-	-	-	-	-	1	-	-	2	3	6	1	6	3	6	4	9	7	3	1	1	-
410-416	Chronic rheumatic heart disease----	260	-	-	-	2	1	1	5	10	13	17	26	28	27	27	25	24	22	19	11	2	-	-
	White-----M--	125	-	-	-	-	1	1	3	4	7	6	14	15	15	15	9	9	12	7	5	2	-	-
	F--	129	-	-	-	2	-	-	2	6	5	10	11	13	12	12	14	15	9	12	6	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,868	-	-	-	-	-	-	2	7	23	61	113	161	261	381	515	614	641	542	367	143	36	1
	White-----M--	2,427	-	-	-	-	-	-	1	6	17	47	89	136	203	289	331	387	377	283	173	74	13	1
	F--	1,363	-	-	-	-	-	-	1	1	5	13	19	22	51	83	172	223	246	248	189	68	22	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	4	3	4	6	8	2	11	5	2	-	-	-
	F--	33	-	-	-	-	-	-	-	-	1	1	1	-	3	3	4	2	7	6	3	1	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	331	-	-	-	-	-	-	-	1	2	2	6	5	6	16	34	34	60	68	55	35	7	-
	White-----M--	157	-	-	-	-	-	-	-	-	1	2	4	2	3	8	16	19	26	31	24	18	3	-
	F--	166	-	-	-	-	-	-	-	1	1	-	1	3	3	8	18	13	31	36	30	17	4	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-
430-434	Other diseases of heart---------	106	1	2	-	2	1	2	1	3	3	1	6	5	7	10	15	6	16	13	8	2	2	-
	White-----M--	63	1	-	-	1	1	1	-	2	1	1	5	3	5	6	11	4	7	6	5	1	2	-
	F--	41	-	2	-	1	-	-	1	1	2	-	1	2	1	4	4	2	9	7	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	390	-	-	-	-	1	-	1	1	-	6	9	13	23	23	38	58	76	66	42	21	12	-
	White-----M--	180	-	-	-	-	1	-	-	1	-	2	4	8	12	11	20	29	36	29	10	10	7	-
	F--	194	-	-	-	-	-	-	1	-	-	2	2	4	9	11	15	28	37	37	32	11	5	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	3	1	2	-	1	1	1	-	-	-	-	-
444-447	Hypertension without mention of heart----------	94	-	-	-	-	-	-	1	2	1	5	2	1	-	3	11	9	14	23	12	7	3	-
	White-----M--	44	-	-	-	-	-	-	1	1	1	3	2	1	-	1	4	4	7	12	5	1	1	-
	F--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	4	7	10	7	6	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	276	-	-	-	-	-	-	-	-	-	-	1	2	5	4	17	28	43	48	71	41	16	-
	White-----M--	133	-	-	-	-	-	-	-	-	-	-	1	1	5	4	12	11	24	23	29	18	5	-
	F--	138	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	16	19	25	40	21	11	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
451-468	Other diseases of circulatory sys.-	196	-	1	-	1	1	2	-	3	4	5	9	10	23	21	27	36	22	18	11	1	1	-
	White-----M--	109	-	-	-	-	1	-	-	2	1	3	5	4	16	11	18	21	9	11	6	-	1	-
	F--	76	-	1	-	1	-	2	-	-	2	-	3	4	6	9	9	14	12	7	5	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	126	-	-	3	1	2	2	6	3	5	8	7	9	10	7	20	11	12	7	9	3	1	-
	White-----M--	70	-	-	1	-	1	2	5	1	3	4	4	4	3	3	11	6	7	5	7	2	1	-
	F--	45	-	-	2	1	1	-	1	-	2	2	3	2	6	3	8	5	4	2	2	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	1	-	2	-	1	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	984	116	31	17	8	8	8	5	6	9	11	31	28	30	36	74	100	125	147	117	60	16	1
	White-----M--	536	74	16	7	3	1	6	1	2	6	5	19	21	24	26	44	57	63	72	55	27	7	-
	F--	428	39	15	10	5	7	1	4	4	3	6	12	7	5	10	27	39	58	74	59	33	9	1
	Nonwhite--M--	14	2	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	1	2	-	-	-
	F--	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
480-483	Influenza---------	84	10	3	2	2	4	1	1	-	1	-	2	2	4	2	7	9	6	10	10	6	2	-
	White-----M--	46	6	1	1	1	1	1	-	-	-	-	2	2	1	2	4	8	2	4	5	3	2	-
	F--	36	4	2	1	1	3	-	1	-	1	-	-	-	3	-	2	1	4	5	5	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	900	106	28	15	6	4	7	4	6	8	11	29	26	26	34	67	91	119	137	107	54	14	1
	White-----M--	490	68	15	6	2	-	5	1	2	6	5	17	19	23	24	40	49	61	68	50	24	5	-
	F--	392	35	13	9	4	4	1	3	4	2	6	12	7	2	10	25	38	54	69	54	30	9	1
	Nonwhite--M--	13	2	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	-	2	-	-	-
	F--	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
500-502	Bronchitis--------	51	10	7	1	-	-	2	-	1	-	2	2	6	1	2	1	8	5	2	1	-	-	-
	White-----M--	33	5	4	1	-	-	-	-	-	-	2	-	5	1	2	1	5	4	2	1	-	-	-
	F--	13	2	3	-	-	-	1	-	1	-	-	1	1	-	-	-	3	1	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	120	1	1	-	-	1	-	-	1	3	6	8	9	11	17	11	10	21	10	9	1	-	-
	White-----M--	85	-	1	-	-	-	-	-	1	3	3	7	5	8	12	9	9	15	6	6	-	-	-
	F--	32	1	-	-	-	1	-	-	-	-	3	1	4	3	3	2	1	5	4	3	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis------	18	-	1	1	1	-	-	-	-	1	-	-	1	3	2	-	2	3	1	1	-	1	-
	White-----M--	11	-	1	-	-	-	-	-	-	1	-	-	-	3	2	-	2	1	-	-	-	1	-
	F--	6	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	83	9	-	-	-	-	-	-	-	2	4	3	3	7	5	5	13	11	9	6	6	-	-
	White-----M--	42	9	-	-	-	-	-	-	-	2	-	1	1	2	2	2	6	5	4	4	4	-	-
	F--	39	-	-	-	-	-	-	-	-	-	4	1	2	5	3	3	7	5	5	2	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	COLORADO—Con.																							
543,	Gastritis, etc.*--	76	32	2	-	-	-	-	-	-	1	-	3	3	2	5	3	9	-	5	5	3	3	-
571,	White-----M--	36	17	1	-	-	-	-	-	-	1	-	2	2	1	1	1	5	-	3	2	-	-	-
572	F--	38	15	1	-	-	-	-	-	-	-	-	1	1	1	3	2	3	-	2	3	3	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	169	-	-	-	-	-	-	1	5	9	18	22	13	17	14	27	25	8	8	2	-	-	-
	White-----M--	92	-	-	-	-	-	-	1	2	4	9	11	6	11	9	17	11	6	4	1	-	-	-
	F--	68	-	-	-	-	-	-	-	3	4	7	9	7	5	4	9	13	2	4	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	11	-	-	-	-	-	-	1	1	2	1	1	2	-	-	1	-	2	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	53	-	-	-	-	-	-	-	-	-	-	-	-	3	6	3	5	7	15	8	5	1	-
	White-----M--	53	-	-	-	-	-	-	-	-	-	-	-	-	3	6	3	5	7	15	8	5	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	13	...	...	...	1	1	1	-	5	3	-	-	2	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	...	...	...	-	1	1	-	4	3	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	1	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	12	...	...	...	1	-	1	-	5	3	-	-	2	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	10	...	...	...	-	-	1	-	4	3	-	-	2	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	2	...	...	...	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	238	165	24	13	4	4	2	2	2	1	5	1	2	3	-	4	3	-	1	2	-	-	-
	White-----M--	135	91	14	6	2	2	2	2	2	-	4	1	2	2	-	2	1	-	1	1	-	-	-
	F--	97	71	9	5	2	2	-	-	-	1	1	-	-	1	-	2	2	-	-	1	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	764	764	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	409	409	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	318	318	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	371	371	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	186	186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	167	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	331	331	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	69	11	-	1	-	-	-	1	-	1	2	1	1	4	6	6	7	12	2	7	6	1	-
795	White-----M--	45	7	-	1	-	-	-	1	-	1	2	1	1	2	4	4	5	8	2	1	4	1	-
	F--	22	4	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	3	-	5	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Re-	All other diseases	854	72	10	16	9	9	11	17	14	13	26	31	49	46	85	119	104	91	66	42	17	7	-
sid-	White-----M--	516	40	6	8	3	7	5	8	3	9	10	15	34	33	59	78	68	56	40	23	8	3	-
ual	F--	311	30	4	8	5	2	4	8	9	4	13	15	12	13	24	39	34	32	24	19	8	4	-
	Nonwhite--M--	13	-	-	-	-	-	2	-	1	-	2	1	2	-	1	1	-	1	1	-	1	-	-
	F--	14	2	-	-	1	-	-	1	1	-	1	-	1	-	1	1	2	2	1	-	-	-	-
E800-	Accidents---------	1,015	48	67	33	37	79	66	63	55	55	52	60	45	54	40	54	43	48	53	44	14	5	-
E962	White-----M--	677	27	33	21	23	60	52	45	44	45	43	46	39	35	27	44	30	23	20	12	6	2	-
	F--	304	18	30	11	13	16	10	14	7	9	7	13	6	19	11	8	12	25	32	32	8	3	-
	Nonwhite--M--	23	2	1	1	1	3	3	2	3	1	2	1	-	-	1	2	-	-	-	-	-	-	-
	F--	11	1	3	-	-	-	1	2	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	418	5	18	11	14	49	43	37	36	30	26	31	20	25	18	16	15	13	9	1	1	-	-
	White-----M--	295	2	6	5	7	39	33	28	28	24	21	23	16	15	12	13	9	6	6	1	1	-	-
	F--	109	2	11	6	6	10	8	7	6	5	4	7	4	10	6	2	5	7	3	-	-	-	-
	Nonwhite--M--	8	-	-	-	1	-	2	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-
	F--	6	1	1	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E800-	All ot. accidents-	597	43	49	22	23	30	23	26	19	25	26	29	25	29	22	38	28	35	44	43	13	5	-
E802,	White-----M--	382	25	27	16	16	21	19	17	16	21	22	23	23	20	15	31	21	17	14	11	5	2	-
E840-	F--	195	16	19	5	7	6	2	7	1	4	3	6	2	9	5	6	7	18	29	32	8	3	-
E962	Nonwhite--M--	15	2	1	1	-	3	1	2	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F--	5	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
E963,	Suicide----------	220	-	-	-	2	8	7	14	17	21	25	28	25	14	12	10	13	10	9	4	-	-	1
E970-	White-----M--	162	-	-	-	2	5	6	8	12	12	20	20	20	10	11	7	9	7	8	4	-	-	1
E979	F--	48	-	-	-	-	2	1	4	3	8	5	7	5	4	1	3	1	3	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	1	-	2	2	-	-	1	-	-	-	-	3	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	40	-	1	-	2	3	7	6	4	-	6	5	-	-	2	-	2	-	2	-	-	-	-
E980-	White-----M--	27	-	1	-	-	2	7	5	1	-	4	4	-	-	-	-	1	-	2	-	-	-	-
E985	F--	8	-	-	-	-	1	-	1	2	-	1	-	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CONNECTICUT																							
	ALL CAUSES------	22,671	1,236	161	89	76	115	115	136	227	353	538	840	1,175	1,509	2,273	2,918	3,091	2,795	2,463	1,644	691	207	19
	White-----M--	12,031	618	78	47	44	73	71	79	119	201	300	490	728	957	1,415	1,682	1,724	1,353	1,115	635	232	58	12
	F--	9,841	479	68	37	29	32	28	41	74	122	188	311	388	480	785	1,169	1,302	1,401	1,321	982	448	149	7
	Nonwhite--M--	432	70	10	4	3	2	14	10	21	18	29	15	37	34	45	37	35	20	13	12	3	-	-
	F--	367	69	5	1	-	8	2	6	13	12	21	24	22	38	28	30	30	21	14	15	8	-	-
001-019	Tuberculosis, all forms--------	119	-	3	-	-	-	-	-	4	3	7	9	9	14	15	18	16	9	8	2	2	-	-
	White-----M--	84	-	-	-	-	-	-	-	1	2	4	6	5	12	11	16	15	4	6	-	2	-	-
	F--	21	-	-	-	-	-	-	-	-	1	1	3	2	1	3	2	1	4	2	1	-	-	-
	Nonwhite--M--	9	-	2	-	-	-	-	-	2	-	-	-	2	1	1	-	-	1	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-
001-008	Tuberculosis of respiratory system----------	109	-	-	-	-	-	-	-	4	3	5	9	9	14	13	17	16	7	8	2	2	-	-
	White-----M--	80	-	-	-	-	-	-	-	1	2	3	6	5	12	10	15	15	3	6	-	2	-	-
	F--	20	-	-	-	-	-	-	-	-	1	1	3	2	1	2	2	1	4	2	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-
010-019	Tuberculosis, other forms------	10	-	3	-	-	-	-	-	-	-	2	-	-	-	2	1	-	2	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	52	-	-	-	-	-	-	1	2	2	-	3	3	4	12	9	4	7	2	2	1	-	-
	White-----M--	28	-	-	-	-	-	-	-	2	1	-	1	3	2	6	5	2	5	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	-	-	-	1	4	4	2	1	1	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	5	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	60	13	4	1	5	-	1	1	2	2	1	1	2	1	4	9	4	5	2	2	-	-	-
	White-----M--	38	8	3	1	3	-	1	-	1	2	1	-	2	-	3	6	3	2	2	-	-	-	-
	F--	20	4	1	-	2	-	-	1	1	-	-	-	-	1	1	3	1	3	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CONNECTICUT—Con.																							
140-205	Malignant neoplasms, etc.*----	4,126	3	18	18	14	18	11	25	39	72	137	218	324	387	523	673	608	472	336	175	43	9	3
	White-----M--	2,129	1	11	11	10	9	5	11	20	26	46	102	138	185	283	385	357	254	173	79	15	5	3
	F--	1,881	2	7	6	4	8	5	13	16	42	81	107	174	187	221	273	235	214	159	95	28	4	-
	Nonwhite--M--	72	-	-	1	-	-	1	1	1	-	5	4	9	10	11	10	14	2	2	1	-	-	-
	F--	44	-	-	-	-	1	-	-	2	4	5	5	3	5	8	5	2	2	2	-	-	-	-
140-148	Of buccal cavity and pharynx------	93	-	-	-	-	-	-	-	-	-	4	3	4	10	14	19	15	11	7	3	2	1	-
	White-----M--	76	-	-	-	-	-	-	-	-	-	3	3	2	7	11	17	14	10	6	2	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	1	-	2	2	3	2	1	-	1	1	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,513	-	-	-	-	1	1	3	5	17	34	55	76	131	208	264	255	205	146	89	18	4	1
	White-----M--	808	-	-	-	-	1	-	1	2	10	19	27	41	62	112	151	149	111	78	34	6	3	1
	F--	661	-	-	-	-	-	1	2	1	7	15	24	30	61	89	107	100	91	66	54	12	1	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	2	4	7	5	3	5	1	-	1	-	-	-
	F--	16	-	-	-	-	-	-	-	2	-	-	2	1	1	2	3	1	2	2	-	-	-	-
160-164	Of respiratory system (not secondary)-------	546	-	-	-	-	-	1	1	2	5	14	41	46	71	96	114	79	42	20	10	2	-	2
	White-----M--	463	-	-	-	-	-	1	1	1	5	8	34	42	62	86	98	64	37	13	8	1	-	2
	F--	69	-	-	-	-	-	-	-	1	-	4	6	3	9	7	12	12	5	7	2	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	2	1	1	-	2	4	3	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	Of breast---------	395	-	-	-	-	-	-	3	5	13	23	29	58	37	54	45	38	38	30	17	5	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	387	-	-	-	-	-	-	3	5	12	22	28	58	36	52	45	38	37	29	17	5	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	1	1	-	1	2	-	-	-	-	-	-	-	-
171-179	Of genital organs-	557	-	-	2	-	1	1	2	5	13	26	34	51	49	51	80	82	69	58	25	6	2	-
	White-----M--	213	-	-	1	-	1	1	-	2	1	-	3	2	4	18	27	43	45	43	17	4	1	-
	F--	320	-	-	-	-	-	-	2	3	12	23	30	47	42	27	51	35	24	13	8	2	1	-
	Nonwhite--M--	12	-	-	1	-	-	-	-	-	-	-	-	-	-	3	2	4	-	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	3	1	2	3	3	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	195	-	1	1	-	-	-	-	-	1	3	5	14	12	16	39	33	35	21	10	3	1	-
	White-----M--	128	-	1	1	-	-	-	-	-	1	-	3	9	7	11	30	25	23	8	6	2	1	-
	F--	64	-	-	-	-	-	-	-	-	-	3	2	3	5	5	9	7	12	13	4	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	440	2	8	2	6	7	4	11	9	8	12	26	48	48	41	59	58	36	35	13	6	1	-
	White-----M--	224	1	6	-	5	3	2	5	4	2	5	15	26	29	19	36	33	9	14	9	1	-	-
	F--	206	1	2	2	1	4	1	5	5	5	5	10	21	19	22	22	23	27	21	4	5	1	-
	Nonwhite--M--	5	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-
204	Leukemia and aleukemia--------	174	1	8	13	5	4	2	2	7	6	8	12	15	7	15	17	24	13	10	4	1	-	-
	White-----M--	104	-	3	9	4	2	-	1	6	2	4	9	9	2	11	11	16	9	5	1	-	-	-
	F--	67	1	5	4	1	1	2	1	1	4	4	2	6	5	4	5	8	4	5	3	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	213	-	1	-	3	5	2	3	6	9	13	13	12	22	28	36	24	23	9	4	-	-	-
	White-----M--	111	-	1	-	1	2	1	3	5	5	7	8	7	12	15	15	13	9	5	2	-	-	-
	F--	92	-	-	-	2	3	1	-	-	2	4	5	4	8	12	20	11	14	4	2	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	2	-	1	2	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	78	2	2	2	2	1	-	3	4	8	1	4	7	5	13	9	6	5	2	2	-	-	-
	White-----M--	35	1	1	-	1	1	-	3	1	4	-	2	3	2	9	4	1	2	-	-	-	-	-
	F--	36	1	1	2	1	-	-	-	2	1	1	2	4	2	4	4	5	3	1	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
260	Diabetes mellitus-	404	-	1	-	1	1	-	2	1	10	7	17	22	26	44	62	84	62	34	21	7	2	-
	White-----M--	148	-	1	-	-	-	-	1	1	4	3	8	9	12	20	18	33	18	11	7	1	1	-
	F--	249	-	-	-	1	1	-	1	-	6	4	9	10	14	22	44	49	44	23	14	6	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	-	-	-
290-293	Anemias----------	24	1	4	1	-	1	-	-	-	-	-	1	-	-	4	2	2	3	2	3	-	-	-
	White-----M--	8	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	-	-	-
	F--	12	-	2	1	-	1	-	-	-	-	-	1	-	-	1	-	2	3	1	-	-	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	28	16	2	3	-	-	-	-	1	-	3	1	-	-	-	-	1	-	1	-	-	-	-
	White-----M--	16	8	2	2	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-
	F--	8	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	12,776	4	4	5	9	5	10	22	55	118	201	330	533	793	1,308	1,751	1,984	1,887	1,774	1,251	553	169	10
	White-----M--	6,670	2	2	3	3	3	5	13	33	75	133	214	374	556	845	1,007	1,072	881	761	461	180	42	5
	F--	5,776	2	2	2	4	2	5	6	16	31	47	100	126	192	425	705	871	980	992	772	363	127	5
	Nonwhite--M--	148	-	-	-	2	-	-	2	2	7	11	4	20	17	22	16	16	10	10	6	3	-	-
	F--	182	-	-	-	-	-	-	1	4	5	10	12	13	28	16	22	25	16	11	12	7	-	-
330-334, 400-468	Diseases of cardiovascular system-	12,618	4	4	4	4	5	8	21	49	110	195	320	520	782	1,296	1,728	1,966	1,870	1,765	1,242	548	167	10
	White-----M--	6,591	2	2	2	-	3	4	12	28	71	129	210	389	550	840	992	1,062	876	755	458	179	42	5
	F--	5,712	2	2	2	3	2	4	6	15	30	46	95	121	188	420	699	865	968	989	766	359	125	5
	Nonwhite--M--	142	-	-	-	1	-	-	2	2	7	11	4	17	16	22	16	15	10	10	6	3	-	-
	F--	173	-	-	-	-	-	-	1	4	2	9	11	13	28	14	21	24	16	11	12	7	-	-
330-334	Vascular lesions, etc.*----------	2,589	-	-	-	-	1	3	3	12	20	28	47	69	111	217	330	391	434	420	326	138	35	4
	White-----M--	1,127	-	-	-	-	-	2	1	6	11	10	24	32	67	111	169	182	177	167	112	48	7	1
	F--	1,382	-	-	-	-	1	1	1	4	8	10	19	33	31	96	155	197	250	246	213	86	28	3
	Nonwhite--M--	35	-	-	-	-	-	-	1	-	1	4	-	2	6	8	3	4	2	2	1	1	-	-
	F--	45	-	-	-	-	-	-	-	2	-	4	4	2	7	2	3	8	5	5	-	3	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CONNECTICUT—Con.																							
400-402	Rheumatic fever---	8	-	1	1	-	-	-	-	1	1	-	-	1	2	-	1	-	-	-	-	-	-	-
	White-----M--	5	-	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	9,123	4	3	2	4	3	2	16	31	85	156	259	424	634	1,013	1,315	1,441	1,290	1,194	775	360	106	6
	White-----M--	5,025	2	1	1	-	2	1	11	20	57	114	178	319	460	692	783	797	626	531	280	114	32	4
	F--	3,895	2	2	1	3	1	1	4	9	21	32	73	82	145	297	506	620	647	654	479	240	74	2
	Nonwhite--M--	96	-	-	-	1	-	-	-	2	5	5	3	12	10	14	13	11	8	5	5	2	-	-
	F--	107	-	-	-	-	-	-	1	-	2	5	5	11	19	10	13	13	9	4	11	4	-	-
410-416	Chronic rheumatic heart disease----	300	-	-	-	1	1	2	7	10	18	26	33	32	46	39	41	22	8	8	4	2	-	-
	White-----M--	131	-	-	-	-	1	1	3	6	7	11	11	15	28	18	15	6	4	4	1	-	-	-
	F--	157	-	-	-	-	-	1	3	3	10	14	21	17	16	18	25	16	4	4	3	2	-	-
	Nonwhite--M--	4	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	-	1	-	1	-	2	3	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	7,296	-	-	-	-	-	-	8	16	59	110	195	337	507	856	1,081	1,184	1,037	949	604	273	75	5
	White-----M--	4,214	-	-	-	-	-	-	8	12	48	87	151	278	383	606	668	680	528	429	221	88	23	4
	F--	2,945	-	-	-	-	-	-	-	3	8	17	38	44	104	234	395	488	494	513	373	181	52	1
	Nonwhite--M--	70	-	-	-	-	-	-	-	1	2	4	2	9	9	12	10	7	7	4	2	1	-	-
	F--	67	-	-	-	-	-	-	-	-	1	2	4	6	11	4	8	9	8	3	8	3	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	626	3	1	1	-	-	-	-	1	1	6	9	8	18	32	59	92	101	123	91	57	23	-
	White-----M--	304	1	1	-	-	-	-	-	-	-	5	8	4	16	20	37	55	38	55	38	19	7	-
	F--	311	2	-	1	-	-	-	-	1	1	1	1	3	2	10	21	35	63	67	50	37	16	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	3	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-
430-434	Other diseases of heart--------	150	1	2	1	3	2	-	1	4	3	5	8	13	11	11	26	15	21	10	6	6	1	-
	White-----M--	73	1	-	1	-	1	-	-	2	1	3	3	7	7	9	15	7	6	5	1	3	1	-
	F--	67	-	2	-	3	1	-	1	2	1	-	5	4	2	2	9	8	15	5	5	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	2	-	1	1	-	2	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	751	-	-	-	-	-	-	-	-	4	9	14	34	52	75	108	128	123	104	70	22	7	1
	White-----M--	303	-	-	-	-	-	-	-	-	1	8	5	15	26	39	48	49	50	38	19	4	1	-
	F--	415	-	-	-	-	-	-	-	-	1	-	8	14	21	33	56	73	71	65	48	18	6	1
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	2	-	1	1	-	1	2	3	1	1	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	1	-	4	5	2	2	3	1	-	3	-	-	-
444-447	Hypertension without mention of heart----------	156	-	-	-	-	1	-	-	-	2	4	3	12	9	12	25	15	31	19	17	4	2	-
	White-----M--	71	-	-	-	-	1	-	-	-	1	2	1	5	6	2	11	8	19	4	8	2	1	-
	F--	72	-	-	-	-	-	-	-	-	-	1	-	4	2	9	14	6	12	13	8	2	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	2	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	1	-	-	-
450	General arteriosclerosis--------	499	-	-	-	-	-	-	-	-	-	-	1	4	4	21	25	72	82	113	114	42	21	-
	White-----M--	219	-	-	-	-	-	-	-	-	-	-	1	3	2	12	9	42	37	46	52	14	1	-
	F--	268	-	-	-	-	-	-	-	-	-	-	-	1	1	8	13	28	43	64	62	28	20	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	2	-	-	-	-
451-468	Other diseases of circulatory sys.-	243	-	-	1	-	-	3	2	5	2	7	10	10	22	33	32	47	33	19	10	4	3	-
	White-----M--	144	-	-	-	-	-	1	-	2	2	3	6	9	14	23	19	33	17	7	6	1	1	-
	F--	92	-	-	1	-	-	2	1	1	-	3	3	1	8	10	11	14	16	12	4	3	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	158	-	-	1	5	-	2	1	6	8	6	10	13	11	12	23	18	17	9	9	5	2	-
	White-----M--	79	-	-	1	3	-	1	1	5	4	4	4	5	6	5	15	10	5	6	3	1	-	-
	F--	64	-	-	-	1	-	1	-	1	1	1	5	5	4	5	7	6	12	3	6	4	2	-
	Nonwhite--M--	6	-	-	-	1	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	3	1	1	-	-	2	1	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	689	72	25	6	5	5	3	4	8	11	14	19	28	33	48	65	63	80	90	66	36	8	-
	White-----M--	373	29	11	3	4	2	2	1	4	6	14	8	18	20	35	41	40	48	40	27	16	4	-
	F--	288	31	12	3	1	2	1	3	4	4	-	11	9	12	11	21	22	31	49	37	20	4	-
	Nonwhite--M--	14	6	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	2	-	-	-
	F--	14	6	1	-	-	1	-	-	-	1	-	-	1	1	-	2	1	-	-	-	-	-	-
480-483	Influenza--------	30	1	3	-	-	1	-	-	-	3	-	1	2	2	2	3	3	2	2	2	3	-	-
	White-----M--	19	1	2	-	-	1	-	-	-	1	-	-	2	-	2	2	2	2	1	2	1	-	-
	F--	11	-	1	-	-	-	-	-	-	2	-	1	-	2	-	1	1	-	1	-	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	659	71	22	6	5	4	3	4	8	8	14	18	26	31	46	62	60	78	88	64	33	8	-
	White-----M--	354	28	9	3	4	1	2	1	4	5	14	8	16	20	33	39	38	46	39	25	15	4	-
	F--	277	31	11	3	1	2	1	3	4	2	-	10	9	10	11	20	21	31	48	37	18	4	-
	Nonwhite--M--	14	6	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	2	-	-	-
	F--	14	6	1	-	-	1	-	-	-	1	-	-	1	1	-	2	1	-	-	-	-	-	-
500-502	Bronchitis--------	42	6	2	2	1	-	1	-	-	1	-	2	1	2	3	7	5	4	1	3	-	1	-
	White-----M--	22	2	1	1	1	-	1	-	-	-	-	-	-	1	2	4	5	2	-	1	-	1	-
	F--	18	4	1	1	-	-	-	-	-	1	-	1	1	1	1	3	-	2	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	147	-	-	-	-	-	-	-	-	4	4	9	9	17	16	21	22	18	15	10	1	1	-
	White-----M--	111	-	-	-	-	-	-	-	-	4	4	6	8	15	13	17	16	14	7	7	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	-	3	1	2	3	3	6	4	8	3	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	26	-	-	-	-	-	-	-	-	1	-	4	2	3	2	2	3	6	2	1	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	2	4	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	1	2	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	108	12	1	-	-	-	-	-	1	1	-	1	8	3	10	14	12	20	9	8	7	1	-
	White-----M--	50	5	1	-	-	-	-	-	-	1	-	-	4	3	6	7	7	8	3	2	3	-	-
	F--	52	5	-	-	-	-	-	-	1	-	-	-	3	-	4	7	5	10	6	6	4	1	-
	Nonwhite--M--	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	CONNECTICUT—Con.																							
543,	Gastritis, etc.*--	78	9	1	2	-	-	-	2	2	3	3	4	7	4	8	3	11	8	2	6	1	2	-
571,	White-----M--	41	6	1	2	-	-	-	2	-	2	-	3	4	4	5	2	3	5	-	1	-	1	-
572	F--	34	2	-	-	-	-	-	-	1	1	2	1	3	-	3	1	8	3	2	5	1	1	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	382	-	-	-	-	-	2	3	13	18	36	42	60	53	44	44	38	17	9	3	-	-	-
	White-----M--	235	-	-	-	-	-	-	2	5	11	17	26	43	33	28	25	25	10	7	3	-	-	-
	F--	134	-	-	-	-	-	1	1	5	6	14	15	17	19	15	19	13	7	2	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	3	1	4	-	-	1	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	27	-	4	-	-	1	1	-	1	1	-	3	1	3	2	3	2	1	1	2	1	-	-
	White-----M--	9	-	-	-	-	-	1	-	-	-	-	-	-	2	2	2	-	-	1	1	-	-	-
	F--	14	-	3	-	-	-	-	-	-	1	-	2	1	1	-	1	2	1	-	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	46	-	-	-	-	-	-	-	-	-	-	1	-	2	2	8	6	9	10	5	1	2	-
	White-----M--	44	-	-	-	-	-	-	-	-	-	-	1	-	2	2	8	6	7	10	5	1	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	10	...	...	...	-	1	-	3	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	8	...	...	...	-	-	-	2	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	1	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	9	...	...	...	-	-	-	3	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-
660-	White-----F--	8	...	...	...	-	-	-	2	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	309	219	32	10	8	3	4	5	3	4	4	2	3	4	2	3	2	1	-	-	-	-	-
	White-----M--	149	107	15	3	3	2	2	1	2	1	3	1	2	2	1	2	2	-	-	-	-	-	-
	F--	135	93	16	5	5	-	2	3	-	3	1	1	1	2	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	16	11	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	8	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	787	787	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	408	408	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	293	293	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	392	392	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	365	365	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	76	13	1	-	-	2	2	-	4	1	2	5	2	3	2	9	6	5	8	4	4	1	2
795	White-----M--	40	4	-	-	-	1	1	-	2	1	1	5	2	2	1	7	3	2	5	1	1	-	1
	F--	30	7	1	-	-	1	1	-	-	-	1	-	-	-	1	1	3	3	3	3	3	1	1
	Nonwhite--M--	5	1	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	1,072	48	13	13	7	13	11	16	20	30	42	66	68	91	136	128	127	106	82	37	14	4	-
sid-	White-----M--	617	25	10	9	4	6	5	7	7	16	22	33	44	60	86	76	77	50	48	22	8	2	-
ual	F--	411	16	3	4	2	7	3	6	11	12	14	31	20	30	47	48	48	54	34	13	6	2	-
	Nonwhite--M--	28	5	-	-	1	-	2	1	1	1	5	1	2	1	1	3	2	2	-	-	-	-	-
	F--	16	2	-	-	-	-	1	2	1	1	1	1	2	-	2	1	-	-	-	2	-	-	-
E800-	Accidents---------	929	28	41	24	23	56	56	33	45	42	46	64	54	32	56	58	71	63	69	37	20	7	4
E962	White-----M--	570	9	18	12	15	44	41	26	29	34	31	47	42	19	43	30	42	33	35	12	5	-	3
	F--	294	14	17	10	8	8	7	3	7	4	11	13	10	9	10	26	27	29	34	24	15	7	1
	Nonwhite--M--	46	3	4	1	-	1	8	4	6	4	3	1	2	1	3	2	2	-	-	1	-	-	-
	F--	19	2	2	1	-	3		-	3	-	1	3	-	3	-	-	-	1	-	-	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	317	2	8	11	11	39	37	21	23	22	14	23	18	11	19	19	18	14	4	3	-	-	-
	White-----M--	219	-	3	7	7	30	25	17	17	19	8	18	15	7	17	7	12	8	2	-	-	-	-
	F--	75	2	5	4	4	6	6	1	4	2	4	5	3	3	1	10	6	5	2	2	-	-	-
	Nonwhite--M--	20	-	-	-	-	1	6	3	2	1	2	-	-	1	1	2	-	-	-	1	-	-	-
	F--	3	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E800-	All ot. accidents-	612	26	33	13	12	17	19	12	22	20	32	41	36	21	37	39	53	49	65	34	20	7	4
E802,	White-----M--	351	9	15	5	8	14	16	9	12	15	23	29	27	12	26	23	30	25	33	12	5	-	3
E840-	F--	219	12	12	6	4	2	1	2	3	2	7	8	7	6	9	16	21	24	32	22	15	7	1
E962	Nonwhite--M--	26	3	4	1	-	-	2	1	4	3	1	1	2	-	2	-	2	-	-	-	-	-	-
	F--	16	2	2	1	-	1	-	-	3	-	1	3	-	3	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	226	-	-	-	-	5	9	14	13	16	25	30	29	24	17	17	14	6	4	3	-	-	-
E970-	White-----M--	174	-	-	-	-	4	6	11	8	9	18	22	25	20	11	16	13	4	4	3	-	-	-
E979	F--	48	-	-	-	-	-	2	2	5	7	7	8	4	4	6	1	-	2	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	37	-	1	1	-	2	4	2	6	3	3	4	2	4	1	3	-	1	-	-	-	-	-
E980-	White-----M--	14	-	-	-	-	-	1	1	2	1	-	2	-	4	1	2	-	-	-	-	-	-	-
E985	F--	10	-	-	1	-	2	1	-	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	1	-	-	-	2	-	2	2	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E999	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DELAWARE																							
	ALL CAUSES------	3,929	273	33	15	18	23	34	46	51	64	117	181	220	258	383	452	483	456	416	257	106	36	7
	White-----M--	1,800	107	10	6	6	16	19	18	20	23	54	88	107	116	195	247	232	205	174	100	44	9	4
	F--	1,451	80	6	6	4	4	8	10	10	20	32	38	63	85	117	140	192	205	215	138	56	21	1
	Nonwhite--M--	391	38	11	3	7	3	5	12	14	14	17	31	36	32	45	35	26	28	17	10	2	3	2
	F--	287	48	6	-	1	-	2	6	7	7	14	24	14	25	26	30	33	18	10	9	4	3	-
001-019	Tuberculosis, all forms--------	46	-	-	-	-	-	-	2	1	-	3	2	9	7	5	3	6	4	4	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	5	2	1	-	-	-	-
	F--	11	-	-	-	-	-	-	1	-	-	1	-	2	1	1	1	-	1	3	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	-	-	-	1	5	2	2	-	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	1	-	-	2	1	4	-	-	-	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	43	-	-	-	-	-	-	1	1	-	3	2	8	7	5	2	6	4	4	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	5	2	1	-	-	-	-
	F--	11	-	-	-	-	-	-	1	-	-	1	-	2	1	1	1	-	1	3	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	1	-	-	-	1	5	2	1	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	8	-	-	1	-	-	1	-	1	-	2	1	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	5	-	-	1	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DELAWARE—Con.																							
140-205	Malignant neoplasms, etc.*----	622	2	4	-	5	-	2	3	4	13	19	38	38	66	97	85	94	76	48	21	7	-	-
	White-----M--	276	-	2	-	2	-	1	2	4	1	3	17	16	26	51	39	41	35	21	10	5	-	-
	F--	271	2	-	-	1	-	1	1	-	12	13	17	18	29	32	33	40	36	24	10	2	-	-
	Nonwhite--M--	48	-	2	-	1	-	-	-	-	-	1	1	2	6	11	8	8	4	3	1	-	-	-
	F--	27	-	-	-	1	-	-	-	-	-	2	3	2	5	3	5	5	1	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	16	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	-	-	5	1	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	-	-	1	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	210	-	-	-	-	-	-	1	-	2	6	10	9	15	38	29	42	30	18	8	2	-	-
	White-----M--	86	-	-	-	-	-	-	-	-	-	2	7	3	4	17	11	17	11	9	4	1	-	-
	F--	99	-	-	-	-	-	-	1	-	2	3	3	5	8	13	15	17	18	9	4	1	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	1	-	1	2	7	3	6	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	78	-	-	-	-	-	-	-	-	-	1	7	5	13	23	10	7	10	1	1	-	-	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	1	6	4	9	20	8	7	7	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	57	-	-	-	-	-	-	-	-	3	3	8	2	7	7	8	10	2	5	2	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	-	-	-	-	-	-	-	-	3	3	7	1	7	7	6	9	2	5	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-
171-179	Of genital organs-	125	-	-	-	-	-	-	-	1	4	8	8	9	13	13	18	13	20	12	2	4	-	-
	White-----M--	46	-	-	-	-	-	-	-	1	-	-	-	1	4	4	7	7	11	6	2	3	-	-
	F--	60	-	-	-	-	-	-	-	-	4	6	6	7	8	6	7	4	7	4	-	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	2	2	1	1	2	2	-	-	-	-	-	-	-
180, 181	Of urinary organs-	40	-	-	-	-	-	-	-	-	1	-	1	4	3	3	6	8	7	2	4	1	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	1	3	-	2	4	3	3	-	3	1	-	-
	F--	17	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	5	4	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	54	2	2	-	1	-	-	1	1	2	-	3	6	7	5	6	11	4	2	1	-	-	-
	White-----M--	28	-	1	-	1	-	-	1	1	1	-	2	4	3	3	3	5	2	1	-	-	-	-
	F--	20	2	-	-	-	-	-	-	-	1	-	1	2	3	2	2	4	1	1	1	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-
204	Leukemia and aleukemia--------	19	-	1	-	3	-	-	1	1	-	-	-	1	1	1	1	2	2	3	2	-	-	-
	White-----M--	10	-	1	-	1	-	-	1	1	-	-	-	-	1	-	-	1	1	3	-	-	-	-
	F--	7	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	1	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	23	-	1	-	1	-	2	-	1	1	1	1	-	5	3	5	1	1	-	-	-	-	-
	White-----M--	13	-	-	-	-	-	1	-	1	-	-	1	-	4	1	4	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	1	1	-	-	1	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	7	1	1	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	-
	White-----M--	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	82	1	-	-	-	-	-	-	2	3	-	5	3	10	11	15	8	14	8	2	-	-	-
	White-----M--	32	1	-	-	-	-	-	-	1	3	-	3	1	-	3	9	-	5	5	1	-	-	-
	F--	39	-	-	-	-	-	-	-	-	-	-	1	1	8	6	4	7	8	3	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-	-
290-293	Anemias----------	6	-	1	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	6	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,151	2	1	1	2	1	5	8	11	16	44	80	108	128	219	276	309	319	300	202	86	32	1
	White-----M--	1,014	1	1	-	1	1	2	2	3	7	29	43	56	59	116	163	151	143	123	73	32	8	-
	F--	834	1	-	1	1	-	2	1	3	3	7	8	29	38	63	77	124	145	153	111	48	18	1
	Nonwhite--M--	161	-	-	-	-	-	-	2	2	3	3	20	17	17	23	15	14	17	14	9	2	3	-
	F--	142	-	-	-	-	-	1	3	3	3	5	9	6	14	17	21	20	14	10	9	4	3	-
330-334, 400-468	Diseases of cardiovascular system-	2,110	1	1	-	1	-	3	7	11	13	43	75	105	127	217	272	302	315	300	199	86	31	1
	White-----M--	998	-	1	-	-	-	1	2	3	6	29	43	56	59	116	160	145	141	123	73	32	8	-
	F--	822	1	-	-	1	-	1	1	3	3	7	7	27	38	62	76	123	144	153	109	48	17	1
	Nonwhite--M--	153	-	-	-	-	-	-	2	2	2	2	17	16	16	22	15	14	17	14	9	2	3	-
	F--	137	-	-	-	-	-	1	2	3	2	5	8	6	14	17	21	20	13	10	8	4	3	-
330-334	Vascular lesions, etc.*----------	325	-	1	-	1	-	-	2	3	2	4	10	18	16	23	29	40	62	54	41	14	5	-
	White-----M--	117	-	1	-	-	-	-	-	1	1	3	2	7	5	11	12	18	26	14	14	2	-	-
	F--	161	-	-	-	1	-	-	-	-	1	-	2	7	9	8	13	18	28	36	24	11	3	-
	Nonwhite--M--	24	-	-	-	-	-	-	1	1	-	-	4	2	1	1	3	2	4	4	1	-	-	-
	F--	23	-	-	-	-	-	-	1	1	-	1	2	2	1	3	1	2	4	-	2	1	2	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DELAWARE—Con.																							
400-402	Rheumatic fever---	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	1,628	1	-	-	-	-	3	4	6	11	38	63	82	106	184	222	243	234	212	137	61	20	1
	White-----M--	815	-	-	-	-	-	1	2	2	5	25	41	46	53	98	139	121	109	93	51	25	4	-
	F--	599	1	-	-	-	-	1	1	2	2	7	5	19	27	52	57	99	105	104	73	31	12	1
	Nonwhite--M--	118	-	-	-	-	-	-	-	1	2	2	13	13	13	21	9	12	11	8	8	2	3	-
	F--	96	-	-	-	-	-	1	1	1	2	4	4	4	13	13	17	11	9	7	5	3	1	-
410-416	Chronic rheumatic heart disease----	47	-	-	-	-	-	3	2	1	-	4	5	6	7	4	5	5	2	2	-	1	-	-
	White-----M--	19	-	-	-	-	-	1	1	-	-	1	2	3	4	2	3	1	-	-	-	1	-	-
	F--	16	-	-	-	-	-	1	-	-	-	2	-	3	2	1	2	3	1	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-
	F--	7	-	-	-	-	-	1	1	-	-	1	2	-	-	1	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,010	-	-	-	-	-	-	1	3	3	28	45	58	61	120	160	145	154	121	73	28	9	1
	White-----M--	564	-	-	-	-	-	-	-	2	3	23	33	40	33	73	110	80	76	52	29	9	1	-
	F--	346	-	-	-	-	-	-	1	1	-	4	3	11	12	31	36	57	71	60	37	16	5	1
	Nonwhite--M--	62	-	-	-	-	-	-	-	-	-	1	8	6	8	12	6	5	5	4	4	1	2	-
	F--	38	-	-	-	-	-	-	-	-	-	-	1	1	8	4	8	3	2	5	3	2	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	240	1	-	-	-	-	-	-	1	4	1	4	1	7	19	20	36	42	44	34	18	8	-
	White-----M--	109	-	-	-	-	-	-	-	-	1	-	3	1	1	8	11	19	17	24	14	7	3	-
	F--	99	1	-	-	-	-	-	-	1	1	-	1	-	3	5	6	11	21	18	17	9	5	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	1	1	-	-	1	5	1	3	2	1	2	1	-	-
	F--	14	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	3	2	1	1	1	-	-
430-434	Other diseases of heart---------	41	-	-	-	-	-	-	1	-	-	1	3	3	4	5	2	6	2	6	6	2	-	-
	White-----M--	16	-	-	-	-	-	-	1	-	-	-	-	1	2	2	-	5	1	3	1	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	1	3	4	2	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	290	-	-	-	-	-	-	-	1	4	4	6	14	27	36	35	51	34	39	24	12	3	-
	White-----M--	107	-	-	-	-	-	-	-	-	1	1	3	1	13	13	15	16	15	14	7	8	-	-
	F--	121	-	-	-	-	-	-	-	-	1	-	1	4	8	14	12	27	11	22	15	4	2	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	1	-	1	6	3	3	2	3	4	2	1	-	1	-
	F--	35	-	-	-	-	-	-	-	1	1	3	1	3	3	6	6	5	4	1	1	-	-	-
444-447	Hypertension without mention of heart----------	31	-	-	-	-	-	-	-	-	-	-	1	-	2	1	6	3	6	8	4	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	3	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	3	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-	-	-
450	General arteriosclerosis--------	87	-	-	-	-	-	-	-	-	-	-	-	-	-	4	11	11	9	22	14	10	6	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	3	10	5	5	4	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	9	8	5	2	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	-	2	1	-	-	-
451-468	Other diseases of circulatory sys.-	36	-	-	-	-	-	-	-	2	-	1	1	4	3	5	4	5	4	4	2	1	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	1	-	2	1	4	2	3	1	3	1	-	-	-
	F--	14	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	2	3	1	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	41	1	-	1	1	1	2	1	-	3	1	5	3	1	2	4	7	4	-	3	-	1	-
	White-----M--	16	1	-	-	1	1	1	-	-	1	-	-	-	-	-	3	6	2	-	-	-	-	-
	F--	12	-	-	1	-	-	1	-	-	-	-	1	2	-	1	1	1	1	-	2	-	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	1	3	1	1	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	144	10	5	3	-	1	3	-	1	4	4	6	11	4	10	10	14	21	16	13	7	1	-
	White-----M--	57	2	2	1	-	-	-	-	-	-	3	4	7	1	2	5	6	9	7	5	3	-	-
	F--	59	3	1	2	-	1	1	-	-	1	-	-	2	2	7	3	6	8	9	8	4	1	-
	Nonwhite--M--	16	3	-	-	-	-	2	-	1	1	1	1	2	-	1	1	1	2	-	-	-	-	-
	F--	12	2	2	-	-	-	-	-	-	2	-	1	-	1	-	1	1	2	-	-	-	-	-
480-483	Influenza---------	7	-	1	1	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	137	10	4	2	-	1	3	-	1	4	4	6	10	3	9	10	13	20	16	13	7	1	-
	White-----M--	55	2	2	1	-	-	-	-	-	-	3	4	6	1	1	5	6	9	7	5	3	-	-
	F--	55	3	-	1	-	1	1	-	-	1	-	-	2	2	7	3	5	7	9	8	4	1	-
	Nonwhite--M--	16	3	-	-	-	-	2	-	1	1	1	1	2	-	1	1	1	2	-	-	-	-	-
	F--	11	2	2	-	-	-	-	-	-	2	-	1	-	-	-	1	1	2	-	-	-	-	-
500-502	Bronchitis---------	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	22	-	-	-	-	-	-	-	-	-	1	1	3	2	2	6	1	2	4	-	-	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	1	1	2	2	2	4	-	1	3	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	11	3	-	-	-	-	1	-	-	-	-	1	-	1	-	1	3	1	-	-	-	-	-
	White-----M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DELAWARE—Con.																							
543,	Gastritis, etc.*--	18	8	-	-	-	-	-	1	-	-	1	1	-	-	2	4	1	-	-	-	-	-	-
571,	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
572	F--	8	3	-	-	-	-	-	1	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	47	-	-	-	-	-	-	-	1	2	4	8	9	5	5	6	2	-	5	-	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	1	-	-	5	5	4	2	4	2	-	2	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	2	1	2	-	2	1	-	-	3	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	15	1	-	-	-	1	-	-	3	-	-	1	2	1	-	4	2	-	-	-	-	-	-
	White-----M--	8	1	-	-	-	-	-	-	1	-	-	1	2	1	-	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	1	1	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	4	...	...	...	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	3	...	...	...	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	2	...	...	...	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	52	34	4	2	-	-	1	1	-	2	2	1	2	1	2	-	-	-	-	-	-	-	-
	White-----M--	19	13	-	-	-	-	1	-	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-
	F--	22	14	2	2	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	3	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	165	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	9	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	2	1	2	-	-	1	-
795	White-----M--	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Re-	All other diseases	191	30	2	-	-	-	3	4	6	2	11	14	11	17	13	23	22	9	15	7	1	1	-
sid-	White-----M--	79	14	-	-	-	-	-	2	-	1	5	3	4	9	6	10	10	5	3	7	-	-	-
ual	F--	66	8	-	-	-	-	2	1	3	1	1	3	3	6	4	10	8	2	12	-	1	1	-
	Nonwhite--M--	25	1	1	-	-	-	-	1	3	-	3	4	4	1	3	1	1	2	-	-	-	-	-
	F--	21	7	1	-	-	-	1	-	-	-	2	4	-	1	-	2	3	-	-	-	-	-	-
E800-	Accidents---------	233	9	11	6	7	17	14	21	14	14	13	10	14	10	13	12	15	6	7	11	4	-	5
E962	White-----M--	123	2	4	3	3	13	12	10	7	7	8	6	5	9	5	6	10	2	1	3	3	-	4
	F--	43	3	2	-	1	1	-	3	2	1	1	2	2	-	2	2	3	3	6	8	1	-	-
	Nonwhite--M--	56	2	3	3	3	3	2	7	4	5	4	2	6	1	4	4	1	1	-	-	-	-	1
	F--	11	2	2	-	-	-	-	1	1	1	-	-	1	-	2	-	1	-	-	-	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	92	1	4	3	2	11	7	14	6	5	9	5	5	1	5	5	6	1	1	-	-	-	1
	White-----M--	54	-	2	2	1	9	6	6	4	4	6	3	1	1	1	2	5	-	1	-	-	-	-
	F--	12	1	1	-	-	-	-	2	-	1	1	2	1	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	22	-	-	1	1	2	1	5	2	-	2	-	3	-	2	2	-	-	-	-	-	-	1
	F--	4	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
E800-	All ot. accidents-	141	8	7	3	5	6	7	7	8	9	4	5	9	9	8	7	9	5	6	11	4	-	4
E802,	White-----M--	69	2	2	1	2	4	6	4	3	3	2	3	4	8	4	4	5	2	-	3	3	-	4
E840-	F--	31	2	1	-	1	1	-	1	2	-	-	-	1	-	1	1	3	2	6	8	1	-	-
E962	Nonwhite--M--	34	2	3	2	2	1	1	2	2	5	2	2	3	1	2	2	1	1	-	-	-	-	-
	F--	7	2	1	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-
E963,	Suicide----------	35	-	-	-	-	1	2	2	1	2	8	5	6	3	1	1	1	-	2	-	-	-	-
E970-	White-----M--	21	-	-	-	-	-	1	2	1	2	4	2	2	2	1	1	1	-	2	-	-	-	-
E979	F--	12	-	-	-	-	1	1	-	-	-	4	2	3	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	28	-	-	-	2	2	1	2	2	6	3	5	2	1	1	-	-	-	-	-	-	-	1
E980-	White-----M--	7	-	-	-	-	2	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-
E985	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	2	-	1	2	1	4	2	1	-	-	-	-	-	-	-	-	-	-	1
	F--	6	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DISTRICT OF COLUMBIA																							
	ALL CAUSES------	9,025	725	83	45	20	41	58	108	156	261	345	519	646	805	941	994	929	912	745	451	174	59	8
	White-----M--	2,773	116	14	11	2	11	15	22	26	54	87	147	190	303	396	380	334	281	205	129	35	10	5
	F--	2,382	108	6	6	5	3	5	9	20	33	45	84	96	123	205	252	289	350	374	240	100	27	2
	Nonwhite--M--	2,105	286	35	13	6	15	20	36	67	100	132	177	202	218	215	191	145	119	69	39	15	4	1
	F--	1,765	215	28	15	7	12	18	41	43	74	81	111	158	161	125	171	161	162	97	43	24	18	-
001-019	Tuberculosis, all forms--------	110	3	1	-	-	1	-	2	9	6	10	16	10	10	13	10	8	4	6	1	-	-	-
	White-----M--	41	-	-	-	-	-	-	-	2	3	4	4	2	5	6	6	3	2	3	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	2	-	2	1	1	-	1	-	2	-	-	-	-
	Nonwhite--M--	45	-	1	-	-	1	-	2	4	3	4	9	5	3	5	4	3	1	-	-	-	-	-
	F--	15	3	-	-	-	-	-	-	3	-	-	3	1	1	1	-	1	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	102	3	-	-	-	1	-	2	9	6	10	15	10	9	11	10	7	3	5	1	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	2	3	4	3	2	5	5	6	3	2	2	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	2	-	2	1	1	-	1	-	2	-	-	-	-
	Nonwhite--M--	42	-	-	-	-	1	-	2	4	3	4	9	5	2	5	4	3	-	-	-	-	-	-
	F--	13	3	-	-	-	-	-	-	3	-	-	3	1	1	-	-	-	1	1	-	-	-	-
010-019	Tuberculosis, other forms------	8	-	1	-	-	-	-	-	-	-	-	1	-	1	2	-	1	1	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	38	1	-	-	-	-	1	-	-	1	1	1	4	9	3	8	4	4	-	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	17	1	-	-	-	-	-	-	-	-	1	1	2	6	1	3	1	1	-	-	-	-	-
	F--	10	-	-	-	-	-	1	-	-	1	-	-	1	-	2	2	1	1	-	1	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	23	2	2	1	-	1	-	2	1	2	1	1	1	-	2	-	1	4	1	1	-	-	-
	White-----M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
	F--	6	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	6	-	1	-	-	1	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																							
140-205	Malignant neoplasms, etc.*----	1,526	2	5	5	5	7	6	12	16	36	48	102	170	200	198	208	192	146	107	44	13	3	1
	White-----M--	478	-	2	4	1	1	1	5	4	8	6	18	44	57	76	79	72	55	31	11	2	-	1
	F--	483	2	1	-	-	-	-	1	4	8	7	34	45	49	60	61	65	56	55	26	7	2	-
	Nonwhite--M--	300	-	1	-	-	4	2	-	4	6	18	26	40	51	43	38	32	18	11	4	2	-	-
	F--	265	-	1	1	4	2	3	6	4	14	17	24	41	43	19	30	23	17	10	3	2	1	-
140-148	Of buccal cavity and pharynx------	47	-	-	-	-	-	-	-	-	1	2	2	12	6	7	6	4	2	3	1	1	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	2	1	5	4	4	3	2	2	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	3	-	1	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	1	5	1	1	1	2	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	508	-	-	1	-	1	-	1	4	8	11	23	41	59	74	75	76	60	48	19	5	2	-
	White-----M--	156	-	-	1	-	-	-	-	-	-	1	3	12	20	28	29	29	19	9	4	1	-	-
	F--	151	-	-	-	-	-	-	-	-	2	-	4	9	11	19	14	25	27	25	11	2	2	-
	Nonwhite--M--	131	-	-	-	-	1	-	-	3	3	8	12	15	21	19	21	11	6	8	2	1	-	-
	F--	70	-	-	-	-	-	-	1	1	3	2	4	5	7	8	11	11	8	6	2	1	-	-
160-164	Of respiratory system (not secondary)-------	222	-	-	-	-	-	1	1	-	2	7	21	29	42	36	37	25	13	4	2	1	-	1
	White-----M--	127	-	-	-	-	-	1	1	-	1	1	11	16	20	21	26	15	8	4	1	-	-	1
	F--	15	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	4	2	-	1	1	-	-
	Nonwhite--M--	69	-	-	-	-	-	-	-	-	1	3	5	11	19	13	10	4	3	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	2	4	1	1	1	-	2	-	-	-	-	-	-
170	Of breast---------	161	-	-	-	-	-	1	-	-	6	7	19	24	21	16	23	15	17	7	5	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	111	-	-	-	-	-	-	-	-	1	2	13	15	13	13	16	13	13	7	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	-	-	-	-	-	1	-	-	5	5	6	9	8	3	7	1	4	-	-	-	-	-
171-179	Of genital organs-	239	-	-	-	1	1	1	2	6	5	10	16	33	30	24	29	34	21	17	6	3	-	-
	White-----M--	40	-	-	-	-	-	-	-	2	-	-	1	1	-	4	4	7	8	9	3	1	-	-
	F--	86	-	-	-	-	-	-	-	2	2	4	9	11	11	13	14	11	4	3	2	-	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	1	-	1	2	3	3	11	5	2	1	1	-	-
	F--	83	-	-	-	1	1	1	2	2	3	5	6	20	17	4	8	5	4	3	-	1	-	-
180, 181	Of urinary organs-	85	1	-	-	-	-	-	1	-	1	1	2	5	14	9	11	11	13	11	3	1	1	-
	White-----M--	39	-	-	-	-	-	-	-	-	-	-	-	1	6	6	6	7	9	3	1	-	-	-
	F--	22	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	8	2	1	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	1	1	2	3	5	1	2	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	-	-	-	-	1	-
156B, 165, 190-199	Of other sites, etc.*----------	145	-	2	3	1	-	-	5	3	6	7	13	20	14	19	18	12	8	9	4	1	-	-
	White-----M--	44	-	1	2	1	-	-	3	1	2	1	1	7	2	9	5	4	2	3	-	-	-	-
	F--	55	-	-	-	-	-	-	-	1	1	-	5	6	5	7	10	6	4	5	4	1	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	1	3	3	5	1	2	1	2	1	-	-	-	-	-
	F--	27	-	1	1	-	-	-	2	1	2	3	4	2	6	1	2	-	1	1	-	-	-	-
204	Leukemia and aleukemia--------	58	1	2	-	2	4	2	1	2	5	1	3	4	5	2	4	6	9	3	1	1	-	-
	White-----M--	27	-	1	-	-	1	-	-	1	3	1	-	2	1	2	4	5	5	1	-	-	-	-
	F--	13	1	-	-	-	-	-	1	-	1	-	1	1	3	-	-	-	2	2	-	1	-	-
	Nonwhite--M--	11	-	1	-	-	2	1	-	1	-	-	2	-	1	-	-	-	2	-	1	-	-	-
	F--	7	-	-	-	2	1	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	61	-	1	1	1	1	1	1	1	2	2	3	2	9	11	5	9	3	5	3	-	-	-
	White-----M--	21	-	-	1	-	-	-	1	-	2	-	1	-	4	2	2	2	2	2	2	-	-	-
	F--	22	-	1	-	-	-	-	-	1	-	-	1	1	3	4	3	4	1	2	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	1	1	-	-	-	2	1	-	1	4	-	1	-	1	-	-	-	-
	F--	6	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	43	-	-	2	-	1	-	2	1	4	2	6	4	3	6	2	4	3	2	1	-	-	-
	White-----M--	9	-	-	-	-	1	-	-	-	1	-	3	1	-	1	1	-	1	-	-	-	-	-
	F--	14	-	-	-	-	-	-	1	1	-	1	-	-	2	3	1	2	1	2	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	1	-	2	1	1	1	-	1	-	1	-	-	-	-	-	-
	F--	12	-	-	2	-	-	-	-	-	1	-	2	2	1	1	-	1	1	-	1	-	-	-
260	Diabetes mellitus-	101	-	-	-	1	-	1	2	1	4	4	3	8	10	12	14	18	14	6	3	-	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	1	1	-	2	-	3	2	8	2	1	2	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	1	2	3	6	6	7	3	1	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	1	1	-	1	1	1	3	1	3	2	3	2	-	-	-	-	-
	F--	31	-	-	-	1	-	-	1	1	2	2	2	2	7	3	4	1	3	2	-	-	-	-
290-293	Anemias----------	14	4	-	1	-	-	-	1	-	-	-	1	1	1	-	1	2	1	1	-	-	-	-
	White-----M--	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	5	2	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	21	10	2	1	-	2	-	1	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-
	White-----M--	6	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	5	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	4,599	7	9	6	2	4	7	18	45	101	138	242	303	415	541	585	566	589	510	325	138	43	5
	White-----M--	1,470	2	2	-	-	1	2	3	5	16	39	74	85	172	227	218	197	162	133	92	30	7	3
	F--	1,345	1	1	2	-	-	1	2	6	7	14	29	30	47	109	147	182	236	258	176	79	17	1
	Nonwhite--M--	880	2	4	1	2	1	2	7	16	44	47	81	103	108	122	109	75	72	44	25	10	4	1
	F--	904	2	2	3	-	2	2	6	18	34	38	58	85	88	83	111	112	119	75	32	19	15	-
330-334, 400-468	Diseases of cardiovascular system-	4,542	7	8	4	2	3	6	17	43	97	131	237	293	409	539	581	562	587	509	322	138	42	5
	White-----M--	1,461	2	2	-	-	-	2	3	5	16	39	72	85	169	227	217	197	162	133	90	30	7	3
	F--	1,336	1	1	1	-	-	-	2	6	7	12	29	30	47	109	146	180	236	258	175	79	16	1
	Nonwhite--M--	864	2	4	1	2	1	2	6	16	41	45	79	99	105	122	108	75	72	44	25	10	4	1
	F--	881	2	1	2	-	2	2	6	16	33	35	57	79	88	81	110	110	117	74	32	19	15	-
330-334	Vascular lesions, etc.*----------	760	-	2	3	1	1	1	3	10	13	16	37	54	61	80	72	103	103	102	66	25	5	2
	White-----M--	174	-	-	-	-	-	1	2	1	1	2	4	9	14	30	16	26	28	19	14	4	2	1
	F--	272	-	1	1	-	-	-	-	3	-	1	7	8	8	18	24	38	44	59	44	15	1	-
	Nonwhite--M--	134	-	1	-	1	-	-	1	2	5	7	8	25	22	19	14	7	10	8	2	1	-	1
	F--	180	-	-	2	-	1	-	-	4	7	6	18	12	17	13	18	32	21	16	6	5	2	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																							
400-402	Rheumatic fever---	6	1	1	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	3,421	6	5	1	1	2	5	12	29	77	101	180	226	328	429	465	420	433	356	224	88	30	3
	White-----M--	1,188	2	2	-	-	-	1	1	4	14	36	62	72	147	184	191	158	123	97	67	20	5	2
	F--	950	1	-	-	-	-	-	2	2	7	10	20	21	35	84	108	134	174	175	114	51	11	1
	Nonwhite--M--	658	2	2	1	1	1	2	3	11	32	32	63	69	79	97	84	62	55	32	20	6	4	-
	F--	625	1	1	-	-	1	2	6	12	24	23	35	64	67	64	82	66	81	52	23	11	10	-
410-416	Chronic rheumatic heart disease----	93	-	-	-	-	1	3	5	1	7	7	8	13	8	13	7	7	7	6	-	-	-	-
	White-----M--	25	-	-	-	-	-	1	1	1	1	3	2	3	3	5	2	-	3	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	2	-	3	4	1	6	4	2	3	5	-	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	1	1	-	3	1	-	5	3	2	1	2	1	-	-	-	-	-
	F--	18	-	-	-	-	1	1	3	-	1	3	3	1	1	-	-	3	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,063	-	1	-	1	-	-	-	7	21	48	81	110	195	279	312	268	281	236	146	56	19	2
	White-----M--	877	-	1	-	-	-	-	-	2	9	27	41	53	113	142	142	124	88	71	47	11	4	2
	F--	628	-	-	-	-	-	-	-	1	2	4	5	13	24	57	79	85	122	120	70	37	9	-
	Nonwhite--M--	298	-	-	-	1	-	-	-	3	8	11	22	25	32	51	48	34	25	19	13	4	2	-
	F--	260	-	-	-	-	-	-	-	1	2	6	13	19	26	29	43	25	46	26	16	4	4	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	421	-	-	-	-	-	-	1	2	10	8	19	26	41	46	62	53	53	49	29	16	6	-
	White-----M--	113	-	-	-	-	-	-	-	-	-	3	3	4	11	14	24	13	16	12	8	4	1	-
	F--	102	-	-	-	-	-	-	1	-	-	-	1	1	4	7	7	19	14	20	17	10	1	-
	Nonwhite--M--	105	-	-	-	-	-	-	-	-	7	3	11	11	14	17	16	7	7	8	2	1	1	-
	F--	101	-	-	-	-	-	-	-	2	3	2	4	10	12	8	15	14	16	9	2	1	3	-
430-434	Other diseases of heart---------	96	6	4	1	-	-	2	-	6	6	1	12	10	8	8	5	6	9	5	5	2	-	-
	White-----M--	29	2	1	-	-	-	-	-	-	1	-	3	4	4	3	2	1	5	3	-	-	-	-
	F--	13	1	-	-	-	-	-	-	1	-	1	2	-	-	-	1	2	1	1	3	-	-	-
	Nonwhite--M--	35	2	2	1	-	-	1	-	4	3	-	4	4	3	3	1	1	3	1	1	1	-	-
	F--	19	1	1	-	-	-	1	-	1	2	-	3	2	1	2	1	2	-	-	1	1	-	-
440-443	Hypertension with heart dis.--	748	-	-	-	-	1	-	6	13	33	37	60	67	76	83	79	86	83	60	44	14	5	1
	White-----M--	144	-	-	-	-	-	-	-	1	3	3	13	8	16	20	21	20	11	11	12	5	-	-
	F--	177	-	-	-	-	-	-	1	-	3	5	9	3	6	14	17	26	34	29	24	4	1	1
	Nonwhite--M--	200	-	-	-	-	1	-	2	4	11	17	26	24	27	24	18	18	19	4	4	-	1	-
	F--	227	-	-	-	-	-	-	3	8	16	12	12	32	27	25	23	22	19	16	4	5	3	-
444-447	Hypertension without mention of heart----------	67	-	-	-	-	-	-	1	3	4	6	5	5	3	3	3	7	9	9	4	4	1	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	2	1	1	3	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	5	1	1	1	-
	Nonwhite--M--	23	-	-	-	-	-	-	1	3	3	2	5	3	1	-	2	1	1	1	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	1	3	-	1	1	1	-	4	6	2	2	-	-	-
450	General arteriosclerosis--------	156	-	-	-	-	-	-	-	-	-	-	3	2	4	4	18	21	26	32	22	19	5	-
	White-----M--	44	-	-	-	-	-	-	-	-	-	-	3	1	1	-	4	8	6	12	6	3	-	-
	F--	69	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	5	12	14	12	11	3	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	2	3	3	2	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	6	3	1	3	2	-
451-468	Other diseases of circulatory sys.-	132	-	-	-	-	-	-	1	1	3	6	11	6	13	23	23	10	16	10	6	2	1	-
	White-----M--	42	-	-	-	-	-	-	-	-	1	-	2	2	6	11	6	5	3	4	2	-	-	-
	F--	34	-	-	-	-	-	-	-	1	-	1	2	1	2	5	5	1	6	5	4	1	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	1	-	1	2	3	1	3	4	5	2	4	-	-	1	-	-
	F--	29	-	-	-	-	-	-	-	-	1	3	4	2	2	3	7	2	3	1	-	-	1	-
592-594	Chronic nephritis, etc.*----------	57	-	1	2	-	1	1	1	2	4	7	5	10	6	2	4	4	2	1	3	-	1	-
	White-----M--	9	-	-	-	-	1	-	-	-	-	-	2	-	3	-	1	-	-	-	2	-	-	-
	F--	9	-	-	1	-	-	1	-	-	-	2	-	-	-	-	1	2	-	-	1	-	1	-
	Nonwhite--M--	16	-	-	-	-	-	-	1	-	3	2	2	4	3	-	1	-	-	-	-	-	-	-
	F--	23	-	1	1	-	-	-	-	2	1	3	1	6	-	2	1	2	2	1	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	406	37	16	3	2	1	3	2	11	13	21	19	24	31	32	40	24	50	39	25	8	5	-
	White-----M--	107	1	1	2	-	-	-	-	2	1	3	3	9	12	16	11	10	17	9	8	1	1	-
	F--	88	2	1	-	1	-	-	-	1	3	2	2	-	2	7	8	4	16	18	12	6	3	-
	Nonwhite--M--	141	19	6	-	1	-	1	-	7	8	15	13	11	14	7	14	7	9	7	1	1	-	-
	F--	70	15	8	1	-	1	2	2	1	1	1	1	4	3	2	7	3	8	5	4	-	1	-
480-483	Influenza---------	15	-	1	-	-	-	-	-	1	1	-	-	-	2	1	-	2	1	2	4	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-
490-493	Pneumonia, etc.*--	391	37	15	3	2	1	3	2	10	12	21	19	24	29	31	40	22	49	37	21	8	5	-
	White-----M--	105	1	1	2	-	-	-	-	2	1	3	3	9	12	16	11	9	17	9	7	1	1	-
	F--	85	2	1	-	1	-	-	-	1	3	2	2	-	2	7	8	4	16	17	10	6	3	-
	Nonwhite--M--	136	19	6	-	1	-	1	-	6	7	15	13	11	12	7	14	6	9	7	1	1	-	-
	F--	65	15	7	1	-	1	2	2	1	1	1	1	4	3	1	7	3	7	4	3	-	1	-
500-502	Bronchitis--------	19	2	4	-	-	-	1	-	-	1	-	-	-	1	4	1	2	-	2	-	-	1	-
	White-----M--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-
	Nonwhite--M--	6	-	2	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	5	2	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	59	1	-	-	-	1	1	-	1	-	1	2	6	9	8	8	9	5	5	2	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	1	-	6	4	4	7	5	2	5	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	1	-	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	-	-	2	-	2	1	1	3	2	-	-	-	-	-
	F--	5	1	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
550-553	Appendicitis------	21	-	-	2	-	-	-	1	1	-	3	3	2	1	-	1	2	3	2	-	-	-	-
	White-----M--	9	-	-	1	-	-	-	-	-	-	1	3	1	-	-	1	-	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	51	5	-	-	-	-	-	-	2	2	1	-	2	2	7	7	7	3	8	5	-	-	-
	White-----M--	15	1	-	-	-	-	-	-	-	1	-	-	1	1	1	4	2	1	1	2	-	-	-
	F--	16	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	2	-	7	2	-	-	-
	Nonwhite--M--	11	4	-	-	-	-	-	-	1	-	-	-	1	-	2	-	1	1	-	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	2	1	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																							
543,	Gastritis, etc.*	36	11	5	-	-	3	-	-	-	2	1	-	1	1	2	1	3	2	1	2	1	-	-
571,	White-----M--	8	2	-	-	-	1	-	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-	-
572	F--	9	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-
	Nonwhite--M--	12	5	1	-	-	2	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	-	-
	F--	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	181	-	-	-	-	1	1	4	13	13	22	38	29	17	19	13	3	6	2	-	-	-	-
	White-----M--	76	-	-	-	-	-	-	-	3	4	7	20	13	8	11	6	1	1	2	-	-	-	-
	F--	31	-	-	-	-	-	-	1	1	4	4	4	4	3	2	4	-	4	-	-	-	-	-
	Nonwhite--M--	47	-	-	-	-	-	-	1	4	2	9	9	7	6	4	3	1	1	-	-	-	-	-
	F--	27	-	-	-	-	1	1	2	5	3	2	5	5	-	2	-	1	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*	11	1	2	1	-	-	-	-	1	-	1	-	1	-	1	1	-	1	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	4	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate	17	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	4	3	4	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	3	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*	8	...	...	...	-	1	2	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	-	1	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	5	...	...	...	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications	3	...	...	...	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	3	...	...	...	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations	118	78	11	4	6	2	1	1	2	2	4	2	-	2	1	1	-	1	-	-	-	-	-
	White-----M--	28	20	2	1	1	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	29	19	-	1	3	-	-	-	1	1	1	-	-	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	33	20	8	1	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	28	19	1	1	2	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy	482	482	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	197	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*	330	330	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	15	-	-	-	-	-	-	-	-	2	-	1	2	1	2	3	1	2	-	1	-	-	-
795	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	500	29	11	-	1	2	3	16	14	25	35	35	31	47	54	55	57	37	25	17	3	3	-
sid-	White-----M--	142	7	2	-	-	-	-	2	-	5	6	6	9	14	25	25	21	10	7	2	-	1	-
ual	F--	106	4	1	-	1	1	-	1	3	2	6	4	6	9	7	10	14	11	11	12	1	2	-
	Nonwhite--M--	142	13	3	-	-	-	1	5	6	7	14	17	9	16	12	9	12	11	4	2	1	-	-
	F--	110	5	5	-	-	1	2	8	5	11	9	8	7	8	10	11	10	5	3	1	1	-	-
E800-	Accidents	456	49	12	15	3	10	24	26	19	26	27	30	31	30	21	27	19	30	20	22	10	3	2
E962	White-----M--	146	3	3	1	-	5	9	6	7	9	11	10	6	17	10	10	7	16	6	8	1	-	1
	F--	95	10	-	1	-	2	4	2	1	1	4	6	6	2	3	9	5	11	11	8	6	2	1
	Nonwhite--M--	146	18	6	9	3	2	8	12	11	12	9	10	13	6	8	6	4	1	2	5	1	-	-
	F--	69	18	3	4	-	1	3	6	-	4	3	4	6	5	-	2	3	2	1	1	2	1	-
E810-	Motor-vehicle																							
E835	accidents	130	-	4	2	-	6	15	18	7	11	10	12	12	9	6	7	5	3	1	1	1	-	-
	White-----M--	49	-	2	-	-	3	6	5	3	5	3	5	4	6	2	2	1	2	-	-	-	-	-
	F--	21	-	-	-	-	2	3	2	-	1	2	2	2	-	1	3	1	1	-	1	-	-	-
	Nonwhite--M--	48	-	2	2	-	-	6	8	4	3	4	4	5	2	3	1	2	-	1	-	1	-	-
	F--	12	-	-	-	-	1	-	3	-	2	1	1	1	1	-	1	1	-	-	-	-	-	-
E800-	All ot. accidents	326	49	8	13	3	4	9	8	12	15	17	18	19	21	15	20	14	27	19	21	9	3	2
E802,	White-----M--	97	3	1	1	-	2	3	1	4	4	8	5	2	11	8	8	6	14	6	8	1	-	1
E840-	F--	74	10	-	1	-	-	1	-	1	-	2	4	4	2	2	6	4	10	11	7	6	2	1
E962	Nonwhite--M--	98	18	4	7	3	2	2	4	7	9	5	6	8	4	5	5	2	1	1	5	-	-	-
	F--	57	18	3	4	-	-	3	3	-	2	2	3	5	4	-	1	2	2	1	1	2	1	-
E963,	Suicide	93	-	-	-	-	1	2	6	6	8	14	9	10	11	9	6	2	4	2	1	1	1	-
E970-	White-----M--	59	-	-	-	-	1	2	3	1	3	7	5	9	7	9	4	2	2	2	-	1	1	-
E979	F--	18	-	-	-	-	-	-	-	1	4	2	4	-	2	-	2	-	2	-	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	2	3	1	3	-	1	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-
E964,	Homicide	68	1	-	3	-	2	5	11	9	11	11	7	4	2	1	-	1	-	-	-	-	-	-
E980-	White-----M--	8	-	-	-	-	1	-	3	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E985	F--	3	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	42	-	-	1	-	1	5	4	6	9	6	5	2	1	1	-	1	-	-	-	-	-	-
	F--	15	1	-	1	-	-	-	4	1	1	3	2	2	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	FLORIDA																							
	ALL CAUSES------	40,108	3,323	575	242	178	296	360	475	618	852	1,217	1,669	2,357	3,071	3,859	5,013	5,052	4,377	3,469	2,051	770	262	22
	White-----M--	19,432	1,053	177	102	80	147	175	165	246	321	513	730	1,164	1,510	2,038	2,835	2,839	2,302	1,708	942	303	76	6
	F--	12,265	779	145	63	44	48	50	87	130	207	256	391	499	650	1,004	1,429	1,645	1,752	1,549	983	409	142	3
	Nonwhite--M--	4,704	866	135	48	36	60	80	131	131	169	258	296	384	500	438	414	323	188	120	72	27	18	10
	F--	3,707	625	118	29	18	41	55	92	111	155	190	252	310	411	379	335	245	135	92	54	31	26	3
001-019	Tuberculosis, all forms--------	264	2	1	-	2	1	2	9	10	13	29	26	29	30	28	23	26	18	13	1	1	-	-
	White-----M--	135	-	-	-	-	-	-	-	2	4	19	9	16	18	15	15	16	12	9	-	-	-	-
	F--	34	-	-	-	-	-	1	1	1	2	1	3	3	1	5	4	2	4	4	1	1	-	-
	Nonwhite--M--	60	1	-	-	1	-	-	4	1	5	5	9	7	9	6	3	8	1	-	-	-	-	-
	F--	35	1	1	-	1	1	1	4	6	2	4	5	3	2	2	1	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	256	-	-	-	2	1	1	9	10	13	29	26	27	30	26	23	26	18	13	1	1	-	-
	White-----M--	134	-	-	-	-	-	-	-	2	4	19	9	16	18	14	15	16	12	9	-	-	-	-
	F--	32	-	-	-	-	-	-	1	1	2	1	3	2	1	5	4	2	4	4	1	1	-	-
	Nonwhite--M--	57	-	-	-	1	-	-	4	1	5	5	9	6	9	5	3	8	1	-	-	-	-	-
	F--	33	-	-	-	1	1	1	4	6	2	4	5	3	2	2	1	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	8	2	1	-	-	-	1	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	126	2	-	-	-	-	1	-	1	2	4	6	18	13	20	29	15	8	4	3	-	-	-
	White-----M--	52	-	-	-	-	-	1	-	1	-	-	-	2	4	9	19	7	4	3	2	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	2	-	-	-	-	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	1	2	5	12	6	8	8	2	1	1	1	-	-	-
	F--	18	2	-	-	-	-	-	-	-	1	2	1	3	3	3	-	2	1	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	10	7	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	7	1	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	26	10	5	3	1	2	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-
	White-----M--	13	5	3	1	-	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	7	1	1	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	11	1	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	161	35	18	4	1	2	6	5	6	5	4	6	8	12	11	13	8	8	5	3	1	-	-
	White-----M--	58	8	4	2	-	1	1	-	2	2	2	2	5	4	7	6	5	2	2	2	1	-	-
	F--	42	7	2	2	-	-	1	1	4	2	1	1	-	3	3	4	2	6	3	-	-	-	-
	Nonwhite--M--	31	11	5	-	-	1	1	4	-	1	1	-	3	1	1	1	1	-	-	-	-	-	-
	F--	30	9	7	-	1	-	3	-	-	-	-	3	-	4	-	2	-	-	-	1	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	FLORIDA—Con.																							
140-205	Malignant neoplasms, etc.*----	6,093	2	43	30	18	20	21	42	73	108	235	362	472	676	811	984	878	640	432	188	47	10	1
	White-----M--	2,999	-	20	17	6	12	9	17	29	28	66	123	171	307	394	557	510	351	253	99	26	4	-
	F--	2,254	2	19	11	4	5	8	19	26	52	93	142	190	212	294	340	301	265	163	84	18	5	1
	Nonwhite--M--	462	-	3	2	6	3	2	2	9	7	31	44	63	88	73	53	39	18	12	4	2	1	-
	F--	378	-	1	-	2	-	2	4	9	21	45	53	48	69	50	34	28	6	4	1	1	-	-
140-148	Of buccal cavity and pharynx------	152	-	1	-	1	-	-	1	1	1	4	13	9	19	23	15	21	22	16	4	1	-	-
	White-----M--	107	-	1	-	-	-	-	-	-	1	2	6	7	13	15	13	17	16	12	4	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	1	2	2	5	4	1	3	6	4	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	1	1	-	1	5	-	1	4	1	-	-	-	-	1	-	-
	F--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,841	-	2	-	-	1	-	6	11	17	45	73	119	183	234	337	308	245	148	86	22	4	-
	White-----M--	907	-	-	-	-	1	-	2	2	6	11	25	44	75	116	182	185	130	80	36	9	3	-
	F--	678	-	2	-	-	-	-	3	5	7	14	21	46	50	79	122	101	105	62	48	12	1	-
	Nonwhite--M--	162	-	-	-	-	-	-	-	3	3	9	18	20	42	21	25	11	6	3	1	-	-	-
	F--	94	-	-	-	-	-	-	1	1	1	11	9	9	16	18	8	11	4	3	1	1	-	-
160-164	Of respiratory system (not secondary)-------	1,046	-	2	-	-	1	-	1	9	11	37	76	100	156	178	199	149	78	38	8	2	1	-
	White-----M--	828	-	2	-	-	-	-	1	6	9	22	55	64	122	149	177	122	67	25	5	2	-	-
	F--	110	-	-	-	-	-	-	-	2	-	3	11	11	13	12	17	20	9	10	2	-	-	-
	Nonwhite--M--	91	-	-	-	-	1	-	-	1	1	11	7	20	17	17	4	5	2	3	1	-	1	-
	F--	17	-	-	-	-	-	-	-	-	1	1	3	5	4	-	1	2	-	-	-	-	-	-
170	Of breast---------	461	-	-	-	-	-	1	3	3	21	41	48	58	49	69	54	49	33	20	9	3	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	400	-	-	-	-	-	1	2	1	15	31	38	49	40	64	49	48	32	19	8	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	59	-	-	-	-	-	-	1	2	6	10	10	8	9	5	5	1	1	1	-	-	-	-
171-179	Of genital organs-	1,032	-	-	-	-	2	4	10	16	22	48	68	69	103	121	151	146	121	98	42	10	-	1
	White-----M--	352	-	-	-	-	1	-	4	3	1	2	2	6	11	25	48	72	70	66	32	9	-	-
	F--	464	-	-	-	-	-	3	4	8	13	26	39	45	51	66	78	51	43	27	9	-	-	1
	Nonwhite--M--	75	-	-	-	-	1	-	-	-	-	1	5	2	12	13	13	14	7	5	1	1	-	-
	F--	141	-	-	-	-	-	1	2	5	8	19	22	16	29	17	12	9	1	-	-	-	-	-
180, 181	Of urinary organs-	301	-	2	3	1	-	-	-	1	4	7	9	15	25	35	64	49	39	30	12	3	2	-
	White-----M--	189	-	-	1	-	-	-	-	-	1	4	4	9	19	18	46	35	20	21	8	3	-	-
	F--	84	-	2	2	1	-	-	-	-	2	-	2	3	5	11	13	11	19	8	3	-	2	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	3	2	1	1	6	4	1	-	1	1	-	-	-
	F--	8	-	-	-	-	-	-	-	1	1	-	1	2	-	-	1	2	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	768	-	15	8	4	8	6	11	15	14	31	49	67	85	105	94	102	68	55	23	5	3	-
	White-----M--	363	-	7	4	2	5	2	6	10	1	15	17	24	37	52	53	48	31	34	12	2	1	-
	F--	303	-	5	4	-	2	2	5	4	8	11	20	23	31	38	31	47	35	21	11	3	2	-
	Nonwhite--M--	59	-	3	-	2	1	2	-	1	2	4	6	13	7	7	4	5	2	-	-	-	-	-
	F--	43	-	-	-	-	-	-	-	-	3	1	6	7	10	8	6	2	-	-	-	-	-	-
204	Leukemia and aleukemia--------	257	2	18	17	7	3	6	6	8	7	10	12	12	27	17	34	34	21	13	2	1	-	-
	White-----M--	124	-	8	10	2	2	4	3	3	3	5	4	6	14	4	17	19	11	8	-	1	-	-
	F--	107	2	9	5	2	1	2	3	3	4	4	5	4	8	11	15	13	9	5	2	-	-	-
	Nonwhite--M--	20	-	-	2	2	-	-	-	2	-	-	1	2	4	2	2	2	1	-	-	-	-	-
	F--	6	-	1	-	1	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	235	-	3	2	5	5	4	4	9	11	12	14	23	29	29	36	20	13	14	2	-	-	-
	White-----M--	128	-	2	2	2	3	3	1	5	6	5	10	11	16	15	21	12	6	7	1	-	-	-
	F--	80	-	1	-	1	2	-	2	3	3	3	4	7	9	9	14	7	7	7	1	-	-	-
	Nonwhite--M--	19	-	-	-	2	-	-	1	1	1	2	-	4	4	3	-	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	1	-	-	1	2	-	1	-	2	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	121	4	8	1	3	1	2	2	2	11	14	6	15	10	13	9	5	11	3	1	-	-	-
	White-----M--	45	1	8	-	1	-	1	-	1	1	2	1	7	4	6	1	3	7	1	-	-	-	-
	F--	51	3	-	1	1	1	1	2	1	5	6	3	4	3	5	7	2	3	2	1	-	-	-
	Nonwhite--M--	6	-	-	-	1	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	4	4	2	4	1	2	1	-	1	-	-	-	-	-
260	Diabetes mellitus-	512	1	1	1	-	1	-	7	5	12	13	22	17	51	59	98	78	75	50	15	5	1	-
	White-----M--	190	-	1	-	-	-	-	2	-	7	3	7	4	15	20	33	36	33	19	7	2	1	-
	F--	223	1	-	1	-	-	-	3	3	1	2	4	3	18	26	48	37	37	28	8	3	-	-
	Nonwhite--M--	43	-	-	-	-	-	-	1	1	1	4	3	4	6	7	9	4	1	2	-	-	-	-
	F--	56	-	-	-	-	1	-	1	1	3	4	8	6	12	6	8	1	4	1	-	-	-	-
290-293	Anemias----------	88	5	12	3	2	2	3	1	5	1	2	3	4	1	8	9	12	10	1	3	1	-	-
	White-----M--	25	-	1	-	-	-	1	-	1	-	-	1	2	-	2	4	3	7	1	2	-	-	-
	F--	26	-	2	-	-	-	-	-	1	1	1	-	1	1	4	4	8	1	-	1	1	-	-
	Nonwhite--M--	17	3	4	2	-	1	1	1	1	-	1	-	-	-	-	1	1	1	-	-	-	-	-
	F--	20	2	5	1	2	1	1	-	2	-	-	2	1	-	2	-	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*------	75	42	14	3	2	-	1	2	1	1	2	1	1	1	2	-	2	-	-	-	-	-	-
	White-----M--	24	12	5	1	-	-	-	-	-	-	1	1	-	-	2	-	2	-	-	-	-	-	-
	F--	12	7	1	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	25	16	5	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	14	7	3	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	20,799	22	24	15	15	23	30	47	114	263	448	722	1,215	1,656	2,244	3,032	3,291	2,946	2,428	1,505	565	184	10
	White-----M--	10,636	8	6	7	1	10	12	13	37	108	209	358	658	845	1,223	1,721	1,810	1,527	1,149	675	213	44	2
	F--	6,700	5	5	4	9	7	6	7	27	49	67	120	176	287	524	814	1,095	1,198	1,135	741	315	107	2
	Nonwhite--M--	1,753	3	4	2	4	3	4	7	23	47	91	132	181	263	243	250	209	124	76	52	14	16	5
	F--	1,710	6	9	2	1	3	8	20	27	59	81	112	200	261	254	247	177	97	68	37	23	17	1
330-334, 400-468	Diseases of cardiovascular system-	20,406	22	23	12	13	19	22	40	97	240	435	693	1,190	1,619	2,205	2,989	3,242	2,914	2,396	1,486	557	182	10
	White-----M--	10,490	8	6	5	1	7	9	9	32	99	206	348	652	832	1,216	1,704	1,788	1,512	1,137	663	211	43	2
	F--	6,590	5	4	3	7	7	5	7	19	45	64	116	172	280	508	803	1,084	1,189	1,119	735	310	106	2
	Nonwhite--M--	1,685	3	4	2	4	3	3	6	20	45	87	123	176	254	235	240	203	119	73	51	13	16	5
	F--	1,641	6	9	2	1	2	5	18	26	51	78	106	190	253	246	242	167	94	67	37	23	17	1
330-334	Vascular lesions, etc.*----------	4,734	6	10	7	2	5	6	9	29	51	98	136	222	320	425	615	763	760	653	402	161	53	1
	White-----M--	1,892	2	5	4	-	3	2	2	7	10	20	36	78	90	149	266	348	352	276	176	56	10	-
	F--	1,767	-	2	1	2	1	1	3	6	12	24	31	42	64	114	184	296	330	328	198	91	37	-
	Nonwhite--M--	481	2	-	1	-	1	-	1	5	11	25	32	39	80	67	72	59	41	23	17	3	1	1
	F--	594	2	3	1	-	-	3	3	11	18	29	37	63	86	95	93	60	37	26	11	11	5	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	FLORIDA—Con.																							
400-402	Rheumatic fever---	15	-	2	-	1	3	1	-	1	-	1	-	1	-	-	2	2	-	-	-	1	-	-
	White-----M--	4	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	Nonwhite--M--	4	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	14,316	14	9	5	6	8	11	24	57	173	305	524	917	1,229	1,654	2,216	2,273	1,960	1,565	928	331	98	9
	White-----M--	7,940	5	-	1	1	4	5	6	22	87	178	301	550	705	994	1,338	1,334	1,047	784	414	134	28	2
	F--	4,368	4	2	2	1	2	3	2	10	31	35	79	120	204	370	591	717	795	703	462	181	52	2
	Nonwhite--M--	1,084	1	2	1	3	1	2	4	14	32	53	82	127	167	152	148	131	69	45	29	7	10	4
	F--	924	4	5	1	1	1	1	12	11	23	39	62	120	153	138	139	91	49	33	23	9	8	1
410-416	Chronic rheumatic heart disease----	425	-	1	-	4	4	6	6	17	35	29	39	49	56	49	47	42	23	13	4	1	-	-
	White-----M--	188	-	-	-	-	2	2	2	6	8	12	18	21	24	26	30	24	10	3	-	-	-	-
	F--	180	-	-	-	1	1	3	-	5	21	7	17	20	27	19	16	16	13	9	4	1	-	-
	Nonwhite--M--	26	-	1	-	2	-	1	-	3	2	4	4	3	2	2	-	1	-	1	-	-	-	-
	F--	31	-	-	-	1	1	-	4	3	4	6	-	5	3	2	1	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	10,423	1	-	-	-	2	2	7	23	87	189	348	665	890	1,279	1,718	1,743	1,466	1,103	623	217	55	5
	White-----M--	6,472	-	-	-	-	1	2	2	14	64	138	241	475	600	854	1,122	1,108	839	603	300	93	15	1
	F--	3,014	-	-	-	-	-	-	1	2	7	18	37	68	135	283	452	527	567	470	301	117	28	1
	Nonwhite--M--	553	-	-	-	-	1	-	2	6	15	23	44	68	91	86	74	66	38	16	11	2	8	2
	F--	384	1	-	-	-	-	-	2	1	1	10	26	54	64	56	70	42	22	14	11	5	4	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,094	2	2	-	1	-	-	2	-	11	13	15	34	57	81	117	150	181	190	152	63	22	1
	White-----M--	447	1	-	-	-	-	-	-	-	3	3	7	11	11	29	53	69	75	86	60	29	10	-
	F--	412	-	-	-	-	-	-	-	-	1	-	2	8	8	17	34	49	87	90	78	29	9	-
	Nonwhite--M--	123	-	-	-	1	-	-	-	-	4	6	2	8	20	19	16	17	9	9	8	2	1	1
	F--	112	1	2	-	-	-	-	2	-	3	4	4	7	18	16	14	15	10	5	6	3	2	-
430-434	Other diseases of heart---------	751	11	6	5	1	2	2	5	6	19	33	50	63	62	64	99	97	88	74	43	11	9	1
	White-----M--	358	4	-	1	1	1	1	2	1	9	18	24	24	27	32	59	52	44	36	19	-	2	1
	F--	219	4	2	2	-	1	-	1	2	-	4	12	12	10	13	21	28	39	33	19	10	6	-
	Nonwhite--M--	99	1	1	1	-	-	1	1	1	3	7	10	17	16	5	10	13	5	4	2	1	-	-
	F--	75	2	3	1	-	-	-	1	2	7	4	4	10	9	14	9	4	-	1	3	-	1	-
440-443	Hypertension with heart dis.--	1,623	-	-	-	-	-	1	4	11	21	41	72	106	164	181	235	241	202	185	106	39	12	2
	White-----M--	475	-	-	-	-	-	-	-	1	3	7	11	19	43	53	74	81	79	56	35	12	1	-
	F--	543	-	-	-	-	-	-	-	1	2	6	11	12	24	38	68	97	89	101	60	24	9	1
	Nonwhite--M--	283	-	-	-	-	-	-	1	4	8	13	22	31	38	40	48	34	17	15	8	2	1	1
	F--	322	-	-	-	-	-	1	3	5	8	15	28	44	59	50	45	29	17	13	3	1	1	-
444-447	Hypertension without mention of heart----------	276	-	-	-	-	-	-	4	2	9	17	6	13	19	27	30	44	32	36	24	10	3	-
	White-----M--	104	-	-	-	-	-	-	1	1	-	3	2	3	7	10	18	16	17	13	9	4	-	-
	F--	85	-	-	-	-	-	-	-	-	1	2	-	2	3	7	2	16	11	20	14	5	2	-
	Nonwhite--M--	43	-	-	-	-	-	-	1	-	-	5	3	4	4	7	9	4	3	1	1	1	-	-
	F--	44	-	-	-	-	-	-	2	1	8	7	1	4	5	3	1	8	1	2	-	-	1	-
450	General arteriosclerosis--------	590	-	-	-	-	-	-	-	-	-	1	5	9	12	37	43	88	97	108	112	51	27	-
	White-----M--	264	-	-	-	-	-	-	-	-	-	-	1	5	6	17	19	42	50	46	57	17	4	-
	F--	246	-	-	-	-	-	-	-	-	-	-	2	3	2	9	12	34	37	53	49	30	15	-
	Nonwhite--M--	38	-	-	-	-	-	-	-	-	-	-	1	-	-	6	7	6	4	4	3	2	5	-
	F--	42	-	-	-	-	-	-	-	-	-	1	1	1	4	5	5	6	6	5	3	2	3	-
451-468	Other diseases of circulatory sys.-	475	2	2	-	4	3	4	3	8	7	13	22	28	39	62	83	72	65	34	20	3	1	-
	White-----M--	286	1	1	-	-	-	1	-	2	2	4	8	15	24	46	62	48	46	18	7	-	1	-
	F--	120	1	-	-	4	3	1	2	3	1	3	4	5	7	8	13	20	16	15	12	2	-	-
	Nonwhite--M--	35	-	1	-	-	-	1	-	1	2	4	5	6	3	3	4	2	2	-	1	-	-	-
	F--	34	-	-	-	-	-	1	1	2	2	2	5	2	5	5	4	2	1	1	-	1	-	-
592-594	Chronic nephritis, etc.*----------	393	-	1	3	2	4	8	7	17	23	13	29	25	37	39	43	49	32	32	19	8	2	-
	White-----M--	146	-	-	2	-	3	3	4	5	9	3	10	6	13	7	17	22	15	12	12	2	1	-
	F--	110	-	1	1	2	-	1	-	8	4	3	4	4	7	16	11	11	9	16	6	5	1	-
	Nonwhite--M--	68	-	-	-	-	-	1	1	3	2	4	9	5	9	8	10	6	5	3	1	1	-	-
	F--	69	-	-	-	-	1	3	2	1	8	3	6	10	8	8	5	10	3	1	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,290	294	90	9	6	19	7	14	16	21	34	32	47	53	71	93	115	114	112	78	40	22	3
	White-----M--	463	44	11	1	2	7	4	4	3	5	9	17	15	21	27	48	69	55	51	36	19	14	1
	F--	319	37	17	1	2	6	1	4	6	2	7	2	10	6	19	20	24	45	50	37	17	6	-
	Nonwhite--M--	277	118	32	2	1	3	-	3	4	8	11	6	13	13	17	15	11	7	6	3	2	-	2
	F--	231	95	30	5	1	3	2	3	3	6	7	7	9	13	8	10	11	7	5	2	2	2	-
480-483	Influenza---------	147	35	12	1	1	5	2	-	1	5	5	4	7	8	6	4	17	13	11	4	4	1	1
	White-----M--	28	2	-	-	-	1	1	-	-	2	-	1	1	-	-	2	9	4	3	-	2	-	-
	F--	40	1	2	1	-	2	1	-	-	2	2	-	3	2	1	-	4	7	6	4	1	1	-
	Nonwhite--M--	34	14	6	-	1	1	-	-	-	-	2	-	-	1	4	-	1	1	2	-	-	-	1
	F--	45	18	4	-	-	1	-	-	1	1	1	3	3	5	1	2	3	1	-	-	1	-	-
490-493	Pneumonia, etc.*--	1,143	259	78	8	5	14	5	14	15	16	29	28	40	45	65	89	98	101	101	74	36	21	2
	White-----M--	435	42	11	1	2	6	3	4	3	3	9	16	14	21	27	46	60	51	48	36	17	14	1
	F--	279	36	15	-	2	4	-	4	6	-	5	2	7	4	18	20	20	38	44	33	16	5	-
	Nonwhite--M--	243	104	26	2	-	2	-	3	4	8	9	6	13	12	13	15	10	6	4	3	2	-	1
	F--	186	77	26	5	1	2	2	3	2	5	6	4	6	8	7	8	8	6	5	2	1	2	-
500-502	Bronchitis--------	86	23	7	-	-	1	1	-	-	-	2	3	2	8	7	9	12	3	5	-	2	1	-
	White-----M--	44	3	2	-	-	-	-	-	-	-	-	1	1	6	6	7	11	3	3	-	1	-	-
	F--	22	6	4	-	-	1	1	-	-	-	-	-	1	2	-	2	1	-	2	-	1	1	-
	Nonwhite--M--	7	4	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	13	10	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	237	5	-	-	-	-	-	1	1	2	8	10	27	27	32	31	46	19	15	11	1	1	-
	White-----M--	163	1	-	-	-	-	-	-	1	1	3	6	15	17	22	26	42	11	12	4	1	1	-
	F--	40	2	-	-	-	-	-	-	-	-	-	2	4	3	5	5	4	6	3	6	-	-	-
	Nonwhite--M--	25	1	-	-	-	-	-	-	-	1	4	2	7	7	2	-	-	1	-	-	-	-	-
	F--	9	1	-	-	-	-	-	1	-	-	1	-	1	-	3	-	-	1	-	1	-	-	-
550-553	Appendicitis------	49	-	-	1	2	2	-	-	-	2	1	4	4	5	1	12	4	5	3	2	-	1	-
	White-----M--	24	-	-	1	-	2	-	-	-	1	-	2	2	1	-	8	2	2	2	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	2	2	1	1	-	1	-
	Nonwhite--M--	8	-	-	-	1	-	-	-	-	-	1	1	1	1	1	1	-	1	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	252	24	6	2	-	-	1	4	4	6	10	8	11	20	25	31	25	24	24	19	5	3	-
	White-----M--	101	13	2	1	-	-	1	1	-	1	3	-	6	3	15	17	11	10	6	8	2	1	-
	F--	90	4	-	-	-	-	-	2	2	1	3	3	2	6	3	10	12	11	17	10	3	1	-
	Nonwhite--M--	29	5	3	1	-	-	-	-	1	1	1	1	2	5	3	1	1	2	1	1	-	-	-
	F--	32	2	1	-	-	-	-	1	1	3	3	4	1	6	4	3	1	1	-	-	-	1	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	FLORIDA—Con.																							
543,	Gastritis, etc.*--	319	186	26	2	1	-	1	1	2	4	4	2	7	10	12	15	16	14	10	4	-	1	1
571,	White-----M--	76	18	6	-	-	-	1	-	-	1	4	2	4	6	6	8	10	2	7	1	-	-	-
572	F--	65	20	5	2	-	-	-	1	1	1	-	-	2	-	5	5	5	12	3	2	-	1	-
	Nonwhite--M--	99	86	7	-	1	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-
	F--	79	62	8	-	-	-	-	-	1	1	-	-	1	2	-	1	1	-	-	1	-	-	1
581	Cirrhosis of liver	525	-	-	-	-	-	2	2	17	33	53	67	81	68	55	56	40	28	13	6	3	1	-
	White-----M--	284	-	-	-	-	-	-	-	6	16	29	28	45	49	29	31	24	15	7	4	1	-	-
	F--	165	-	-	-	-	-	-	-	3	9	12	30	28	10	17	20	15	11	5	2	2	1	-
	Nonwhite--M--	42	-	-	-	-	-	-	1	-	2	9	6	6	8	5	2	1	1	1	-	-	-	-
	F--	34	-	-	-	-	-	2	1	8	6	3	3	2	1	4	3	-	1	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	76	1	6	-	1	3	5	4	3	5	1	7	3	7	2	8	7	4	5	3	1	-	-
	White-----M--	32	1	2	-	-	1	1	1	1	-	1	5	1	2	1	6	3	2	2	1	1	-	-
	F--	21	-	1	-	1	-	3	2	-	1	-	1	-	2	1	1	2	1	3	2	-	-	-
	Nonwhite--M--	10	-	1	-	-	-	1	-	1	1	-	1	1	2	-	-	1	1	-	-	-	-	-
	F--	13	-	2	-	-	2	-	1	1	3	-	-	1	1	-	1	1	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	135	-	-	-	-	-	-	-	-	-	-	1	1	1	7	26	23	24	33	15	3	1	-
	White-----M--	111	-	-	-	-	-	-	-	-	-	-	1	-	-	4	17	20	22	30	14	2	1	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	1	1	3	9	3	2	3	1	1	-	-
640-	Complications of																							
689	pregnancy, etc.*-	62	...	...	...	-	9	13	12	11	11	4	1	-	-	-	-	1	-	-	-	-	-	-
	White-----F--	18	...	...	...	-	2	4	1	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	44	...	...	...	-	7	9	11	6	6	3	1	-	-	-	-	1	-	-	-	-	-	-
650-	Abortion---------	12	...	...	...	-	2	3	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	-	2	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	50	...	...	...	-	7	10	11	8	8	4	1	-	-	-	-	1	-	-	-	-	-	-
660-	White-----F--	15	...	...	...	-	2	4	1	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	35	...	...	...	-	5	6	10	5	4	3	1	-	-	-	-	1	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	541	398	54	23	7	4	5	2	6	8	6	4	3	6	9	6	-	-	-	-	-	-	-
	White-----M--	212	160	17	7	3	-	3	-	1	3	3	1	3	2	5	4	-	-	-	-	-	-	-
	F--	198	146	20	9	2	3	1	-	2	3	2	2	-	4	2	2	-	-	-	-	-	-	-
	Nonwhite--M--	74	56	11	2	1	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F--	57	36	6	5	1	-	1	2	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	1,883	1,882	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	672	672	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	459	458	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	449	449	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	303	303	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	816	816	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	320	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	195	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn---------	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	937	936	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	315	315	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	227	226	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	217	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	178	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	661	70	9	6	1	1	1	3	7	12	18	26	34	44	58	73	83	68	56	38	35	17	1
795	White-----M--	244	14	-	3	-	-	-	1	2	6	8	4	15	17	22	24	39	30	24	15	15	4	1
	F--	154	4	2	1	-	1	-	-	1	3	1	3	6	9	9	16	22	22	19	16	12	7	-
	Nonwhite--M--	149	30	3	2	-	-	-	-	2	2	7	10	9	9	16	22	11	11	4	5	5	1	-
	F--	114	22	4	-	1	-	1	2	2	1	2	9	4	9	11	11	11	5	9	2	3	5	-
Re-	All other diseases	2,087	155	65	24	21	16	19	41	44	68	82	107	150	166	198	266	213	210	123	80	29	9	1
sid-	White-----M--	984	57	16	5	6	8	4	8	12	16	27	34	73	79	113	166	120	125	65	37	10	3	-
ual	F--	598	33	19	10	8	4	2	13	8	21	17	25	38	39	43	72	67	75	46	37	15	6	-
	Nonwhite--M--	283	39	16	7	4	-	4	12	8	13	24	19	23	30	24	20	19	6	9	2	3	-	1
	F--	222	26	14	2	3	4	9	8	16	18	14	29	16	18	18	8	7	4	3	4	1	-	-
E800-	Accidents---------	2,679	147	165	107	92	157	185	179	186	173	146	133	140	131	126	138	117	127	117	71	28	9	5
E962	White-----M--	1,400	35	72	50	59	100	120	99	108	94	78	68	81	67	69	79	65	65	50	29	8	2	2
	F--	577	40	40	19	15	14	18	17	25	30	22	26	17	24	25	39	37	49	61	34	19	6	-
	Nonwhite--M--	511	35	31	25	16	33	39	50	39	42	37	32	33	32	23	15	11	9	4	3	-	-	2
	F--	191	37	22	13	2	10	8	13	14	7	9	7	9	8	9	5	4	4	2	5	1	1	1
E810-	Motor-vehicle																							
E835	accidents--------	1,113	20	56	42	30	93	121	97	84	87	69	53	59	61	58	64	54	36	20	6	1	-	2
	White-----M--	629	6	24	21	19	58	82	49	47	47	40	27	31	33	29	37	34	22	18	5	-	-	-
	F--	222	10	18	7	9	12	14	12	15	18	12	13	9	11	15	20	13	10	2	1	1	-	-
	Nonwhite--M--	201	2	9	8	2	15	20	27	16	22	12	11	15	13	12	6	6	4	-	-	-	-	1
	F--	61	2	5	6	-	8	5	9	6	-	5	2	4	4	2	1	1	-	-	-	-	-	1
E800-	All ot. accidents-	1,566	127	109	65	62	64	64	82	102	86	77	80	81	70	68	74	63	91	97	65	27	9	3
E802,	White-----M--	771	29	48	29	40	42	38	50	61	47	38	41	50	34	40	42	31	43	32	24	8	2	2
E840-	F--	355	30	22	12	6	2	4	5	10	12	10	13	8	13	10	19	24	39	59	33	18	6	-
E962	Nonwhite--M--	310	33	22	17	14	18	19	23	23	20	25	21	18	19	11	9	5	5	4	3	-	-	1
	F--	130	35	17	7	2	2	3	4	8	7	4	5	5	4	7	4	3	4	2	5	1	1	-
E963,	Suicide----------	498	-	-	-	1	4	12	21	41	34	52	64	48	56	47	45	32	19	14	5	2	1	-
E970-	White-----M--	349	-	-	-	1	2	8	9	27	15	37	44	35	36	35	36	28	17	12	5	1	1	-
E979	F--	126	-	-	-	-	2	2	9	9	18	14	16	11	17	11	9	3	2	2	-	1	-	-
	Nonwhite--M--	18	-	-	-	-	-	1	2	3	1	1	4	2	3	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E964,	Homicide----------	416	2	2	2	2	27	41	74	61	57	44	46	19	18	11	5	1	2	2	-	-	-	-
E980-	White-----M--	86	1	-	2	1	2	7	9	11	12	8	15	2	7	6	2	1	-	-	-	-	-	-
E985	F--	31	-	-	-	-	1	1	5	5	1	6	7	2	-	2	-	-	-	1	-	-	-	-
	Nonwhite--M--	236	1	2	-	-	15	26	44	37	33	25	19	15	11	3	3	-	1	1	-	-	-	-
	F--	63	-	-	-	1	9	7	16	8	11	5	5	-	-	-	-	-	1	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	GEORGIA																							
	ALL CAUSES------	33,447	3,099	512	251	218	333	402	477	675	893	1,312	1,821	2,189	2,733	3,159	3,546	3.673	3,275	2,643	1,491	514	218	13
	White-----M--	12,279	849	132	79	86	141	176	193	216	286	409	634	838	995	1,196	1,465	1,482	1,367	1,027	501	147	56	4
	F--	8,720	643	109	62	34	60	56	58	104	144	229	309	335	445	597	826	1.130	1,324	1,205	730	237	82	1
	Nonwhite--M--	6,695	913	146	59	74	83	118	135	174	250	352	438	550	677	757	665	546	312	203	141	61	37	4
	F--	5,753	694	125	51	24	49	52	91	161	213	322	440	466	616	609	590	515	272	208	119	69	43	4
001-019	Tuberculosis, all forms--------	261	5	4	2	-	-	6	15	13	11	20	24	26	23	30	35	21	16	5	4	1	-	-
	White-----M--	112	-	1	-	-	-	1	-	1	1	7	11	14	12	17	20	15	8	3	1	-	-	-
	F--	36	1	-	-	-	-	-	-	2	-	4	3	2	-	5	7	4	5	-	2	1	-	-
	Nonwhite--M--	67	3	1	1	-	-	3	4	5	4	6	6	6	9	7	6	2	2	1	1	-	-	-
	F--	46	1	2	1	-	-	2	11	5	6	3	4	4	2	1	2	-	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	238	2	1	-	-	-	5	13	13	9	19	22	26	22	30	34	18	16	3	4	1	-	-
	White-----M--	105	-	-	-	-	-	1	-	1	1	7	10	14	12	17	19	13	8	1	1	-	-	-
	F--	35	1	-	-	-	-	-	-	2	-	4	3	2	-	5	7	3	5	-	2	1	-	-
	Nonwhite--M--	59	1	-	-	-	-	2	3	5	3	6	6	6	8	7	6	2	2	1	1	-	-	-
	F--	39	-	1	-	-	-	2	10	5	5	2	3	4	2	1	2	-	1	1	-	-	-	-
010-019	Tuberculosis, other forms------	23	3	3	2	-	-	1	2	-	2	1	2	-	1	-	1	3	-	2	-	-	-	-
	White-----M--	7	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	8	2	1	1	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	7	1	1	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	98	2	-	-	-	-	1	-	2	5	8	13	15	13	14	6	8	5	4	1	1	-	-
	White-----M--	25	1	-	-	-	-	-	-	-	-	2	2	2	1	4	2	4	4	2	-	1	-	-
	F--	8	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	-	1	2	-	-	-	-
	Nonwhite--M--	54	1	-	-	-	-	-	-	1	5	6	8	12	9	6	2	3	-	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	1	-	-	2	1	3	3	-	1	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	22	10	3	1	-	-	-	-	-	1	1	-	1	-	-	3	1	-	-	1	-	-	-
	White-----M--	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite--M--	11	7	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	7	2	2	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	8	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	23	6	4	3	1	2	-	-	1	1	-	1	2	-	2	-	-	-	-	-	-	-	-
	White-----M--	10	5	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	8	1	3	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	20	6	8	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	3	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	133	22	13	3	2	4	3	6	4	4	6	11	11	8	4	8	9	8	5	2	-	-	-
	White-----M--	32	4	4	1	-	-	-	1	1	-	1	3	2	3	1	3	5	3	-	-	-	-	-
	F--	37	5	1	1	-	2	2	3	2	1	1	2	3	1	2	3	-	2	4	2	-	-	-
	Nonwhite--M--	36	6	5	1	2	-	1	1	-	2	3	3	4	2	1	1	2	2	-	-	-	-	-
	F--	28	7	3	-	-	2	-	1	1	1	1	3	2	2	-	1	2	1	1	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	GEORGIA—Con.																							
140-205	Malignant neoplasms, etc.*----	4,103	6	40	23	13	18	16	31	81	143	234	320	393	456	512	545	490	386	261	105	25	5	-
	White-----M--	1,533	1	20	9	6	10	8	18	17	37	62	85	137	161	210	218	219	160	116	32	7	-	-
	F--	1,433	3	12	8	3	5	4	3	35	57	82	108	120	137	143	182	167	177	112	58	14	3	-
	Nonwhite--M--	512	2	4	5	1	1	2	3	5	18	30	49	53	66	93	73	53	27	15	9	2	1	-
	F--	625	-	4	1	3	2	2	7	24	31	60	78	83	92	66	72	51	22	18	6	2	1	-
140-148	Of buccal cavity and pharynx------	117	-	-	-	-	-	-	1	-	4	3	10	12	20	14	22	11	11	5	2	2	-	-
	White-----M--	64	-	-	-	-	-	-	1	-	1	-	6	3	14	10	11	8	7	1	1	1	-	-
	F--	28	-	-	-	-	-	-	-	-	1	3	1	2	3	1	6	3	4	3	1	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	2	-	2	5	2	3	4	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	1	-	1	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,178	1	-	-	2	-	3	2	14	25	52	79	93	131	150	162	174	140	97	39	10	4	-
	White-----M--	426	-	-	-	2	-	1	1	5	8	19	27	32	40	49	61	70	56	38	15	2	-	-
	F--	399	1	-	-	-	-	-	-	5	6	13	16	19	41	40	55	59	68	50	18	6	2	-
	Nonwhite--M--	192	-	-	-	-	-	1	1	1	3	14	18	23	25	40	26	23	8	5	2	1	1	-
	F--	161	-	-	-	-	-	1	-	3	8	6	18	19	25	21	20	22	8	4	4	1	1	-
160-164	Of respiratory system (not secondary)-------	548	-	2	1	-	-	-	4	-	18	23	41	74	69	97	94	69	32	20	3	1	-	-
	White-----M--	380	-	1	-	-	-	-	4	-	12	15	22	54	46	70	68	48	21	16	2	1	-	-
	F--	72	-	-	1	-	-	-	-	-	3	1	7	10	6	11	12	9	9	2	1	-	-	-
	Nonwhite--M--	78	-	1	-	-	-	-	-	-	3	6	12	8	14	13	8	10	2	1	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	1	-	2	3	3	6	2	-	1	-	-	-	-
170	Of breast---------	355	-	-	-	-	-	-	-	5	14	31	55	50	49	38	31	26	31	13	11	1	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-
	F--	255	-	-	-	-	-	-	-	4	8	23	36	37	29	23	23	22	29	10	10	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	1	-	-	-
	F--	89	-	-	-	-	-	-	-	1	6	8	18	12	16	13	7	4	1	3	-	-	-	-
171-179	Of genital organs-	759	-	2	-	1	1	4	5	28	36	65	59	64	78	79	95	90	78	50	22	2	-	-
	White-----M--	163	-	2	-	-	-	2	1	2	1	-	1	5	6	16	17	37	38	26	8	1	-	-
	F--	290	-	-	-	-	1	1	-	11	19	27	35	29	31	23	39	25	25	16	8	-	-	-
	Nonwhite--M--	93	-	-	-	-	-	-	-	1	3	5	1	3	10	19	17	12	10	5	6	1	-	-
	F--	213	-	-	-	1	-	1	4	14	13	33	22	27	31	21	22	16	5	3	-	-	-	-
180, 181	Of urinary organs-	166	1	4	2	-	-	-	1	-	2	4	8	16	23	19	29	22	15	15	5	-	-	-
	White-----M--	82	-	2	1	-	-	-	1	-	1	1	3	9	12	11	14	10	5	8	4	-	-	-
	F--	42	1	2	-	-	-	-	-	-	-	-	-	2	4	3	8	9	7	5	1	-	-	-
	Nonwhite--M--	27	-	-	1	-	-	-	-	-	1	-	3	2	5	4	5	3	2	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	3	2	3	2	1	2	-	1	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	586	1	8	6	3	8	3	10	18	24	34	41	59	60	73	74	52	47	36	19	9	1	-
	White-----M--	237	-	2	4	1	4	2	5	5	6	12	14	23	28	35	33	25	18	16	2	2	-	-
	F--	214	-	5	2	1	2	1	3	10	12	12	7	14	17	27	24	18	20	15	16	7	1	-
	Nonwhite--M--	52	1	-	-	-	1	-	1	1	3	3	9	9	5	5	7	3	3	1	-	-	-	-
	F--	83	-	1	-	1	1	-	1	2	3	7	11	13	10	6	10	6	6	4	1	-	-	-
204	Leukemia and aleukemia--------	204	3	22	11	5	6	1	4	8	11	11	11	9	7	21	19	21	15	18	1	-	-	-
	White-----M--	91	1	12	3	2	3	-	2	3	4	9	5	4	4	8	9	9	7	6	-	-	-	-
	F--	72	1	5	5	2	2	1	-	1	5	2	3	1	2	9	6	10	7	9	1	-	-	-
	Nonwhite--M--	23	1	3	2	1	-	-	-	2	1	-	1	1	1	3	3	1	1	2	-	-	-	-
	F--	18	-	2	1	-	1	-	2	2	1	-	2	3	-	1	1	1	-	1	-	-	-	-
200-203, 205	Lymphomas, etc.*--	190	-	2	3	2	3	5	4	8	9	11	16	16	19	21	19	25	17	7	3	-	-	-
	White-----M--	85	-	1	1	1	3	3	3	2	4	6	7	6	9	10	5	12	7	5	-	-	-	-
	F--	61	-	-	-	-	-	1	-	4	3	1	3	6	4	6	9	12	8	2	2	-	-	-
	Nonwhite--M--	23	-	-	2	-	-	1	1	-	2	2	2	2	2	5	2	1	1	-	-	-	-	-
	F--	21	-	1	-	1	-	-	-	2	-	2	4	2	4	-	3	-	1	-	1	-	-	-
210-239	Benign and unspecified neoplasms--	97	-	3	4	2	2	-	5	5	9	17	13	9	8	6	5	4	2	2	-	1	-	-
	White-----M--	30	-	1	1	-	-	-	2	2	1	4	3	3	3	2	4	2	1	1	-	-	-	-
	F--	21	-	1	-	-	1	-	2	1	2	3	1	3	3	1	1	2	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-
	F--	40	-	1	3	2	1	-	1	2	5	7	7	3	2	3	-	-	1	1	-	1	-	-
260	Diabetes mellitus-	412	-	2	-	5	6	9	3	11	11	20	24	34	37	60	49	64	40	22	11	3	1	-
	White-----M--	123	-	-	-	1	-	4	2	4	3	7	9	9	14	15	16	13	14	6	6	-	-	-
	F--	152	-	-	-	2	1	1	1	2	3	3	4	10	7	19	19	38	21	13	5	2	1	-
	Nonwhite--M--	46	-	1	-	1	4	1	-	2	4	3	2	2	5	7	5	6	1	1	-	1	-	-
	F--	91	-	1	-	1	1	3	-	3	1	7	9	13	11	19	9	7	4	2	-	-	-	-
290-293	Anemias----------	68	6	6	2	2	3	1	3	1	1	5	4	2	5	6	1	8	3	7	2	-	-	-
	White-----M--	14	-	1	-	-	1	-	-	1	-	1	-	1	1	1	-	3	1	3	-	-	-	-
	F--	18	-	1	-	-	-	-	-	-	-	1	-	-	3	1	1	4	2	4	1	-	-	-
	Nonwhite--M--	15	2	4	-	1	-	-	1	-	1	1	1	-	-	3	-	1	-	-	-	-	-	-
	F--	21	4	-	2	1	2	1	2	-	-	2	3	1	1	1	-	-	-	-	1	-	-	-
340	Nonmeningococcal meningitis*-------	55	29	8	1	2	1	1	-	1	-	3	-	2	2	3	-	-	1	1	-	-	-	-
	White-----M--	14	8	2	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-
	F--	13	7	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	10	3	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-
	F--	11	4	1	-	-	-	1	-	1	-	1	-	1	-	-	-	-	1	1	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	17,862	13	19	11	17	28	34	64	161	280	539	909	1,211	1,691	1,997	2,353	2,574	2,369	1,957	1,113	373	142	7
	White-----M--	6,594	2	3	3	-	7	11	11	44	71	151	310	442	603	739	949	1,020	961	741	378	105	41	2
	F--	4,854	1	4	3	4	8	5	10	18	24	57	113	132	223	325	501	779	970	913	542	168	53	1
	Nonwhite--M--	3,309	6	4	2	9	3	13	25	50	87	171	241	344	449	500	465	386	230	151	100	48	24	1
	F--	3,105	4	8	3	4	10	5	18	49	98	160	245	293	416	433	438	389	208	152	93	52	24	3
330-334, 400-468	Diseases of cardiovascular system-	17,376	13	17	9	12	22	30	54	140	259	515	872	1,177	1,643	1,967	2,306	2,514	2,313	1,912	1,091	362	141	7
	White-----M--	6,496	2	2	2	-	4	9	9	40	66	148	302	436	592	736	943	1,008	949	727	374	104	41	2
	F--	4,728	1	4	2	2	7	3	9	16	23	54	109	127	215	318	491	762	949	889	530	164	52	1
	Nonwhite--M--	3,179	6	4	2	7	3	13	20	41	80	158	227	337	436	488	450	373	218	149	97	45	24	1
	F--	2,973	4	7	3	3	8	5	16	43	90	155	234	277	400	425	422	371	197	147	90	49	24	3
330-334	Vascular lesions, etc.*----------	5,432	5	5	4	4	7	9	15	38	72	160	240	334	464	583	662	813	774	686	373	142	39	3
	White-----M--	1,567	1	-	2	-	-	2	1	4	9	19	42	58	97	140	196	281	287	255	120	41	11	1
	F--	1,561	1	3	1	-	5	1	4	5	9	19	34	47	54	93	133	246	324	327	182	58	15	-
	Nonwhite--M--	1,123	1	-	-	3	-	5	5	13	26	50	72	130	156	170	166	125	88	49	37	23	4	-
	F--	1,181	2	2	1	1	2	1	5	16	28	72	92	99	157	180	167	161	75	55	34	20	9	2

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	GEORGIA—Con.																							
400-402	Rheumatic fever---	14	-	2	1	3	1	1	-	1	1	-	2	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	-	2	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
410-443	Diseases of heart-	10,602	5	9	4	3	11	13	26	78	164	328	578	787	1,090	1,281	1,485	1,502	1,352	1,029	601	177	75	4
	White-----M--	4,477	-	1	-	-	1	6	7	31	54	124	250	362	471	557	690	656	584	393	213	50	26	1
	F--	2,786	-	1	1	-	2	1	3	10	12	31	65	76	147	215	322	458	556	484	299	81	23	1
	Nonwhite--M--	1,780	3	4	1	2	3	4	11	19	44	96	135	186	250	292	246	211	113	79	47	20	13	1
	F--	1,557	2	3	2	1	5	2	5	18	54	77	128	163	222	217	227	177	99	73	42	26	13	1
410-416	Chronic rheumatic heart disease----	213	-	-	-	2	7	3	8	14	14	13	37	23	19	22	16	17	11	5	2	-	-	-
	White-----M--	81	-	-	-	-	1	2	3	5	4	4	16	9	11	7	5	7	5	1	1	-	-	-
	F--	60	-	-	-	-	2	-	2	1	4	2	10	7	4	7	7	6	4	3	1	-	-	-
	Nonwhite--M--	34	-	-	-	1	1	-	1	4	3	6	5	3	2	5	1	1	-	1	-	-	-	-
	F--	38	-	-	-	1	3	1	2	4	3	1	6	4	2	3	3	3	2	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,797	3	-	1	-	2	5	6	43	87	219	358	531	729	857	998	949	883	639	347	95	43	2
	White-----M--	3,444	-	-	-	-	-	3	3	24	47	107	202	317	401	460	541	486	412	270	127	31	13	-
	F--	1,829	-	-	-	-	-	-	-	3	4	21	31	49	98	157	241	316	367	305	177	46	13	1
	Nonwhite--M--	851	2	-	-	-	-	2	2	8	21	55	65	101	130	145	115	79	54	31	25	7	9	-
	F--	673	1	-	1	-	2	-	1	8	15	36	60	64	100	95	101	68	50	33	18	11	8	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,063	1	2	1	-	-	2	2	3	15	19	55	40	77	95	132	162	157	150	103	31	15	1
	White-----M--	298	-	-	-	-	-	-	-	-	1	3	8	6	14	25	32	50	61	45	41	5	6	1
	F--	310	-	-	-	-	-	-	-	1	1	1	10	7	10	11	25	44	61	71	44	17	7	-
	Nonwhite--M--	246	1	1	-	-	-	1	2	2	6	11	23	15	23	34	43	36	17	17	8	4	-	-
	F--	209	-	1	1	-	-	1	-	-	7	4	14	12	30	25	32	30	18	17	10	5	2	-
430-434	Other diseases of heart---------	599	1	7	2	1	1	2	8	6	16	14	30	44	67	65	82	88	61	49	39	12	4	-
	White-----M--	178	-	1	-	-	-	1	1	1	2	2	9	10	18	16	34	25	21	20	13	2	2	-
	F--	137	-	1	1	-	-	1	1	2	2	3	3	4	6	12	10	26	23	20	17	4	1	-
	Nonwhite--M--	156	-	3	1	1	1	-	5	-	5	6	9	15	24	20	16	23	10	7	5	4	1	-
	F--	128	1	2	-	-	-	-	1	3	7	3	9	15	19	17	22	14	7	2	4	2	-	-
440-443	Hypertension with heart dis.--	1,930	-	-	-	-	1	1	2	12	32	63	98	149	198	242	257	286	240	186	110	39	13	1
	White-----M--	476	-	-	-	-	-	-	-	1	-	8	15	20	27	49	78	88	85	57	31	12	5	-
	F--	452	-	-	-	-	-	-	-	3	1	4	11	9	29	28	39	66	101	85	60	14	2	-
	Nonwhite--M--	493	-	-	-	-	1	1	1	5	9	18	33	52	71	88	71	70	32	23	9	5	3	1
	F--	509	-	-	-	-	-	-	1	3	22	33	39	68	71	77	69	62	22	21	10	8	3	-
444-447	Hypertension without mention of heart----------	390	-	-	-	1	-	-	7	16	18	15	22	16	29	25	41	58	48	41	38	10	5	-
	White-----M--	107	-	-	-	-	-	-	-	3	3	1	3	5	3	6	11	18	17	20	13	2	2	-
	F--	90	-	-	-	1	-	-	-	-	1	2	5	1	3	4	10	14	18	10	15	5	1	-
	Nonwhite--M--	105	-	-	-	-	-	-	3	6	7	8	7	7	14	9	11	15	4	6	6	1	1	-
	F--	88	-	-	-	-	-	-	4	7	7	4	7	3	9	6	9	11	9	5	4	2	1	-
450	General arteriosclerosis--------	629	-	-	-	-	-	1	-	-	-	1	7	12	22	35	74	106	111	136	73	30	21	-
	White-----M--	206	-	-	-	-	-	-	-	-	-	-	1	2	4	7	23	37	47	49	25	10	1	-
	F--	222	-	-	-	-	-	-	-	-	-	-	2	2	3	3	16	33	39	61	32	18	13	-
	Nonwhite--M--	99	-	-	-	-	-	1	-	-	-	-	2	4	8	9	19	19	11	13	6	1	6	-
	F--	102	-	-	-	-	-	-	-	-	-	1	2	4	7	16	16	17	14	13	10	1	1	-
451-468	Other diseases of circulatory sys.-	309	3	1	-	1	3	6	6	7	4	11	23	28	37	43	44	34	28	20	6	3	1	-
	White-----M--	137	1	1	-	-	3	1	1	1	-	4	5	9	17	26	23	16	14	10	3	1	1	-
	F--	66	-	-	-	-	-	1	2	1	1	2	3	1	8	3	10	11	12	7	2	2	-	-
	Nonwhite--M--	67	2	-	-	-	-	2	1	3	3	4	11	10	7	8	8	3	2	2	1	-	-	-
	F--	39	-	-	-	1	-	2	2	2	-	1	4	8	5	6	3	4	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	486	-	2	2	5	6	4	10	21	21	24	37	34	48	30	47	60	56	45	22	11	1	-
	White-----M--	98	-	1	1	-	3	2	2	4	5	3	8	6	11	3	6	12	12	14	4	1	-	-
	F--	126	-	-	1	2	1	2	1	2	1	3	4	5	8	7	10	17	21	24	12	4	1	-
	Nonwhite--M--	130	-	-	-	2	-	-	5	9	7	13	14	7	13	12	15	13	12	2	3	3	-	-
	F--	132	-	1	-	1	2	-	2	6	8	5	11	16	16	8	16	18	11	5	3	3	-	-
480-493	Influenza and pneumonia, etc.*-	1,620	378	104	24	18	14	19	16	28	43	53	43	80	87	100	116	117	117	112	84	39	26	2
	White-----M--	395	50	13	8	5	2	5	-	4	6	4	9	27	20	28	35	38	55	44	29	9	4	-
	F--	325	39	16	3	6	7	6	3	3	2	6	4	5	5	15	18	29	39	48	39	23	10	-
	Nonwhite--M--	487	155	45	7	6	5	4	4	10	22	20	16	27	28	32	34	27	14	11	9	3	6	2
	F--	413	134	30	6	1	-	4	9	11	13	23	14	21	34	25	29	23	10	9	7	4	6	-
480-483	Influenza---------	339	39	13	7	8	3	5	5	5	9	8	10	19	20	29	37	33	29	24	23	9	4	-
	White-----M--	88	6	1	3	1	-	-	-	-	1	1	2	4	3	9	9	12	17	9	7	3	-	-
	F--	66	6	3	-	3	1	2	1	-	-	2	-	1	-	6	5	6	6	10	6	5	3	-
	Nonwhite--M--	94	14	7	2	3	2	1	-	3	5	2	4	6	7	5	12	7	4	2	7	-	1	-
	F--	91	13	2	2	1	-	2	4	2	3	3	4	8	10	9	11	8	2	3	3	1	-	-
490-493	Pneumonia, etc.*--	1,281	339	91	17	10	11	14	11	23	34	45	33	61	67	71	79	84	88	88	61	30	22	2
	White-----M--	307	44	12	5	4	2	5	-	4	5	3	7	23	17	19	26	26	38	35	22	6	4	-
	F--	259	33	13	3	3	6	4	2	3	2	4	4	4	5	9	13	23	32	38	33	18	7	-
	Nonwhite--M--	393	141	38	5	3	3	3	4	7	17	18	12	21	21	27	22	20	10	9	2	3	5	2
	F--	322	121	28	4	-	-	2	5	9	10	20	10	13	24	16	18	15	8	6	4	3	6	-
500-502	Bronchitis--------	66	18	8	1	-	-	-	-	-	-	-	5	4	4	6	3	5	2	2	3	4	1	-
	White-----M--	29	6	1	-	-	-	-	-	-	-	-	3	2	2	5	-	3	1	2	2	2	-	-
	F--	15	4	4	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	2	-	-
	Nonwhite--M--	12	5	2	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-
	F--	10	3	1	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	1	-
540, 541	Ulcer of stomach and duodenum-----	188	-	-	-	-	-	-	5	2	6	12	17	25	15	30	22	14	19	12	8	1	-	-
	White-----M--	95	-	-	-	-	-	-	1	2	2	7	6	11	4	14	16	6	13	9	3	1	-	-
	F--	36	-	-	-	-	-	-	1	-	-	-	6	6	3	3	2	6	4	1	4	-	-	-
	Nonwhite--M--	39	-	-	-	-	-	-	2	-	2	4	4	7	5	10	3	1	-	1	-	-	-	-
	F--	18	-	-	-	-	-	-	1	-	2	1	1	1	3	3	1	1	2	1	1	-	-	-
550-553	Appendicitis------	34	-	1	4	3	2	1	1	-	-	4	2	3	3	1	4	2	2	-	-	1	-	-
	White-----M--	10	-	-	1	1	-	-	-	-	-	-	-	-	-	1	4	2	1	-	-	-	-	-
	F--	8	-	-	1	2	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-
	Nonwhite--M--	8	-	1	1	-	1	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-
	F--	8	-	-	1	-	-	1	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	158	21	1	1	-	2	1	-	3	4	6	14	15	7	17	17	13	14	12	7	2	1	-
	White-----M--	39	5	-	1	-	-	-	-	-	1	1	2	-	2	6	8	3	4	1	4	1	-	-
	F--	50	6	-	-	-	-	-	-	-	-	2	4	3	1	3	5	7	6	8	3	1	1	-
	Nonwhite--M--	32	6	-	-	-	1	1	-	1	2	-	2	5	2	5	3	1	2	1	-	-	-	-
	F--	37	4	1	-	-	1	-	-	2	1	3	6	7	2	3	1	2	2	2	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	GEORGIA—Con.																							
543, 571, 572	Gastritis, etc.*--	217	127	21	-	-	3	-	-	-	3	7	5	4	4	6	10	5	7	7	6	1	1	-
	White-----M--	47	14	3	-	-	3	-	-	-	-	3	3	2	1	2	3	4	2	4	2	-	1	-
	F--	29	8	3	-	-	-	-	-	-	-	2	-	-	1	1	3	1	4	3	3	-	-	-
	Nonwhite--M--	81	62	9	-	-	-	-	-	-	3	-	2	1	-	1	2	-	-	-	-	1	-	-
	F--	60	43	6	-	-	-	-	-	-	-	2	-	1	2	2	2	-	1	-	1	-	-	-
581	Cirrhosis of liver	254	-	3	-	3	-	1	4	6	26	23	43	26	24	23	40	15	10	3	3	1	-	-
	White-----M--	134	-	1	-	-	-	-	-	2	15	10	23	13	14	14	23	8	8	2	1	-	-	-
	F--	60	-	1	-	-	-	-	1	1	5	6	10	7	3	5	13	3	1	1	2	1	-	-
	Nonwhite--M--	34	-	-	-	1	-	-	1	1	2	4	7	4	6	2	2	3	1	-	-	-	-	-
	F--	26	-	1	-	2	-	1	2	2	4	3	3	2	1	2	2	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	93	1	7	2	3	3	-	-	6	3	5	4	5	6	8	8	12	11	4	1	2	2	-
	White-----M--	19	-	-	2	-	1	-	-	1	1	2	-	1	3	1	2	2	2	-	-	1	-	-
	F--	11	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	1	4	1	-	1	-	-
	Nonwhite--M--	26	-	4	-	1	-	-	-	1	1	1	-	1	2	4	2	3	4	1	-	-	1	-
	F--	37	1	2	-	2	1	-	-	4	1	2	4	2	1	3	3	6	1	2	1	-	1	-
610	Hyperplasia of prostate---------	125	-	-	-	-	-	-	-	-	-	2	3	2	4	13	19	19	27	19	8	7	2	-
	White-----M--	72	-	-	-	-	-	-	-	-	-	-	1	-	-	2	10	11	22	13	6	5	2	-
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	-	2	2	2	4	11	9	8	5	6	2	2	-	-
640-689	Complications of pregnancy, etc.*-	83	...	...	...	3	10	11	12	23	17	6	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	25	...	...	...	1	3	7	4	3	4	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	58	...	...	...	2	7	4	8	20	13	3	1	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	10	...	...	...	-	1	2	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	3	...	...	...	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	7	...	...	...	-	1	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	73	...	...	...	3	9	9	11	21	15	4	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	22	...	...	...	1	3	6	4	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	51	...	...	...	2	6	3	7	18	11	3	1	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	476	328	51	25	11	8	2	8	2	10	4	5	8	4	3	1	1	2	1	1	1	-	-
	White-----M--	177	116	22	7	7	1	-	3	1	4	1	3	4	3	2	1	-	1	1	-	-	-	-
	F--	154	102	18	11	2	5	1	3	1	4	1	1	1	1	-	-	1	-	-	1	1	-	-
	Nonwhite--M--	80	61	6	4	2	2	-	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-
	F--	65	49	5	3	-	-	1	1	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,726	1,725	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	544	544	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	407	407	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	464	463	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	311	311	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	776	776	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	290	290	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	206	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Ot. dis. of infancy, & immaturity unqualified, etc.*-	788	787	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	225	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	175	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	231	230	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	440	108	14	5	1	1	7	6	3	10	11	16	18	33	25	29	32	24	35	26	17	18	1
	White-----M--	115	14	5	1	-	-	-	2	-	3	4	7	5	14	6	11	9	9	10	9	3	2	1
	F--	70	5	-	-	-	1	2	2	-	1	1	1	-	2	3	3	6	7	16	9	6	5	-
	Nonwhite--M--	145	52	4	2	1	-	3	1	1	2	1	6	9	12	5	13	11	4	5	5	4	4	-
	F--	110	37	5	2	-	-	2	1	2	4	5	2	4	5	11	2	6	4	4	3	4	7	-
Residual	All other diseases	1,698	118	34	29	25	29	30	30	73	56	97	129	107	129	172	167	160	140	91	55	18	8	1
	White-----M--	642	45	6	7	13	11	11	6	17	14	33	40	43	55	63	76	76	72	33	12	8	1	-
	F--	454	21	8	11	5	4	4	5	8	14	20	28	23	26	45	45	49	48	44	34	8	4	-
	Nonwhite--M--	326	30	12	2	4	2	7	8	22	20	21	32	24	25	40	32	21	9	6	8	-	1	-
	F--	276	22	8	9	3	12	8	11	26	8	23	29	17	23	24	14	14	11	8	1	2	2	1
E800-E962	Accidents---------	2,371	158	144	104	103	166	192	189	148	162	143	151	125	124	85	81	81	66	75	47	15	11	1
	White-----M--	1,154	31	44	32	53	100	117	121	89	104	70	83	79	47	36	44	28	22	30	14	4	5	1
	F--	404	29	30	22	6	19	17	11	17	14	22	16	14	20	18	15	30	32	35	24	8	5	-
	Nonwhite--M--	556	38	32	33	41	43	49	47	32	33	42	34	28	43	22	10	11	9	5	4	-	-	-
	F--	257	60	38	17	3	4	9	10	10	11	9	18	4	14	9	12	12	3	5	5	3	1	-
E810-E835	Motor-vehicle accidents--------	1,031	6	41	43	34	105	132	124	90	84	76	65	60	59	35	29	26	7	12	2	-	-	1
	White-----M--	613	2	15	15	27	71	86	85	54	55	39	39	41	23	14	16	16	5	7	2	-	-	1
	F--	161	2	11	12	3	16	11	10	15	10	12	7	9	13	9	9	7	2	3	-	-	-	-
	Nonwhite--M--	210	-	11	12	4	17	29	26	18	13	23	10	9	19	10	4	3	-	2	-	-	-	-
	F--	47	2	4	4	-	1	6	3	3	6	2	9	1	4	2	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,340	152	103	61	69	61	60	65	58	78	67	86	65	65	50	52	55	59	63	45	15	11	-
	White-----M--	541	29	29	17	26	29	31	36	35	49	31	44	38	24	22	28	12	17	23	12	4	5	-
	F--	243	27	19	10	3	3	6	1	2	4	10	9	5	7	9	6	23	30	32	24	8	5	-
	Nonwhite--M--	346	38	21	21	37	26	20	21	14	20	19	24	19	24	12	6	8	9	3	4	-	-	-
	F--	210	58	34	13	3	3	3	7	7	5	7	9	3	10	7	12	12	3	5	5	3	1	-
E963, E970-E979	Suicide----------	301	-	-	-	-	7	11	23	28	27	45	28	36	28	26	16	14	3	6	2	1	-	-
	White-----M--	225	-	-	-	-	4	9	15	15	19	29	24	32	23	21	14	9	3	6	2	-	-	-
	F--	46	-	-	-	-	1	1	5	7	5	12	3	3	5	2	2	-	-	-	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	1	1	3	5	3	4	1	1	-	2	-	5	-	-	-	-	-	-
	F--	4	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
E964, E980-E985	Homicide----------	416	5	3	-	2	24	55	56	72	59	39	35	25	18	8	8	4	1	-	1	-	-	1
	White-----M--	82	1	1	-	-	1	10	11	15	4	9	6	7	9	2	4	2	-	-	-	-	-	-
	F--	35	3	1	-	-	-	4	4	4	6	1	3	2	2	3	1	1	-	-	-	-	-	-
	Nonwhite--M--	239	1	-	-	2	20	33	34	38	37	25	19	15	7	3	1	1	1	-	1	-	-	1
	F--	60	-	1	-	-	3	8	7	15	12	4	7	1	-	-	2	-	-	-	-	-	-	-
E965, E990-E999	Operations of war, etc.*--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IDAHO																							
	ALL CAUSES------	5,272	415	79	37	36	60	56	54	64	93	128	175	246	297	431	562	676	710	576	362	175	37	3
	White-----M--	3,177	235	46	25	24	42	37	36	40	61	77	107	174	211	281	341	431	404	316	183	90	15	1
	F--	2,007	165	30	11	10	18	17	16	20	31	47	60	67	83	146	213	241	295	255	176	83	21	2
	Nonwhite--M--	52	6	2	1	-	-	1	-	3	1	2	3	3	2	1	6	4	10	3	2	2	-	-
	F--	36	9	1	-	2	-	1	2	1	-	2	5	2	1	3	2	-	1	2	1	-	1	-
001-019	Tuberculosis, all forms--------	20	-	-	-	-	-	-	-	-	2	-	1	1	2	2	2	4	3	2	-	1	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	2	-	-	1	2	2	2	3	3	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	18	-	-	-	-	-	-	-	-	2	-	1	1	2	1	2	4	3	1	-	1	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	2	-	-	1	2	1	2	3	3	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	7	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	-	1	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	9	-	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	8	2	-	-	2	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	4	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IDAHO—Con.																							
140-205	Malignant neoplasms, etc.*----	679	2	4	3	4	5	5	5	4	12	18	34	54	59	91	96	97	88	61	24	13	-	-
	White-----M--	356	-	2	1	2	-	2	2	3	5	7	11	32	33	45	49	55	56	31	10	10	-	-
	F--	313	2	2	1	1	5	3	3	1	7	11	21	21	26	45	47	42	31	28	13	3	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	F--	6	-	-	-	1	-	-	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-
140-148	Of buccal cavity and pharynx------	14	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	3	3	1	1	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	2	3	-	1	-	2	2	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	235	-	-	-	1	-	-	1	-	3	1	7	12	18	26	39	45	40	32	7	3	-	-
	White-----M--	126	-	-	-	-	-	-	-	-	3	-	3	7	11	16	18	22	24	17	2	3	-	-
	F--	105	-	-	-	-	-	-	1	-	-	1	4	5	7	10	21	23	15	14	4	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	69	-	-	-	-	-	-	-	-	-	1	2	9	13	11	10	8	11	1	1	2	-	-
	White-----M--	55	-	-	-	-	-	-	-	-	-	1	1	8	12	8	8	7	7	1	-	2	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	1	4	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	56	-	-	-	-	-	-	-	-	2	5	8	6	5	6	9	2	5	6	2	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	54	-	-	-	-	-	-	-	-	2	5	8	6	5	6	8	2	5	5	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
171-179	Of genital organs-	114	-	-	-	1	-	1	1	2	1	4	6	5	9	19	18	17	13	9	5	3	-	-
	White-----M--	55	-	-	-	1	-	1	1	1	-	1	-	-	1	5	8	11	10	8	4	3	-	-
	F--	57	-	-	-	-	-	-	-	1	1	3	5	5	8	13	10	6	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	26	-	-	-	-	-	1	-	-	-	1	-	3	-	4	5	2	4	4	1	1	-	-
	White-----M--	16	-	-	-	-	-	1	-	-	-	-	-	2	-	3	4	1	4	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	3	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	89	1	2	1	2	1	-	2	-	2	5	5	11	9	13	6	11	6	4	5	3	-	-
	White-----M--	50	-	-	-	1	-	-	1	-	1	4	3	8	5	6	4	5	6	2	2	2	-	-
	F--	38	1	2	-	1	1	-	1	-	1	1	2	3	4	7	2	6	-	2	3	1	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia--------	32	1	2	2	-	2	1	1	-	1	-	2	2	1	5	3	3	3	3	-	-	-	-
	White-----M--	15	-	2	1	-	-	-	-	-	-	-	1	2	1	3	1	2	1	1	-	-	-	-
	F--	16	1	-	1	-	2	1	1	-	1	-	-	-	-	2	2	1	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	44	-	-	-	-	2	2	-	2	3	1	2	3	4	6	6	6	3	1	2	1	-	-
	White-----M--	27	-	-	-	-	-	-	-	2	1	1	1	2	3	3	5	5	2	1	1	-	-	-
	F--	16	-	-	-	-	2	2	-	-	2	-	1	-	1	3	1	1	1	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	17	1	1	1	-	1	-	-	1	1	2	1	-	-	-	1	3	1	3	-	-	-	-
	White-----M--	6	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-
	F--	11	1	-	-	-	-	-	-	1	1	2	1	-	-	-	1	1	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	74	-	-	1	-	-	1	-	1	-	4	2	3	2	9	14	15	11	7	2	2	-	-
	White-----M--	27	-	-	-	-	-	1	-	-	-	2	1	1	-	4	5	5	3	4	1	-	-	-
	F--	46	-	-	1	-	-	-	-	1	-	2	1	2	2	5	8	10	8	3	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
290-293	Anemias----------	13	-	-	-	-	2	-	-	-	-	-	1	-	-	1	2	-	4	1	2	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-
	F--	8	-	-	-	-	2	-	-	-	-	-	1	-	-	1	1	-	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	2,785	5	1	1	-	2	4	6	10	31	42	70	114	155	241	335	461	484	410	267	120	23	3
	White-----M--	1,691	3	-	1	-	1	1	5	6	21	28	52	83	118	164	206	294	278	226	134	59	10	1
	F--	1,068	1	1	-	-	1	3	-	2	10	13	17	30	36	76	123	163	202	183	131	61	13	2
	Nonwhite--M--	17	1	-	-	-	-	-	-	2	-	-	-	1	-	-	5	4	3	-	1	-	-	-
	F--	9	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	1	1	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	2,739	5	1	-	-	1	3	5	9	30	38	66	113	153	239	331	452	476	407	264	120	23	3
	White-----M--	1,661	3	-	-	-	1	1	5	5	21	26	49	83	116	162	202	286	274	224	133	59	10	1
	F--	1,053	1	1	-	-	-	2	-	2	9	11	16	29	36	76	123	162	198	182	129	61	13	2
	Nonwhite--M--	17	1	-	-	-	-	-	-	2	-	-	-	1	-	-	5	4	3	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	1	1	-	-	-
330-334	Vascular lesions, etc.*----------	621	3	-	-	-	-	1	2	3	8	8	8	12	17	48	64	113	134	97	66	31	5	1
	White-----M--	334	3	-	-	-	-	1	2	1	5	3	1	9	7	26	33	66	78	49	32	16	2	-
	F--	283	-	-	-	-	-	-	-	1	3	4	7	3	10	22	31	45	56	48	34	15	3	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IDAHO—Con.																							
400-402	Rheumatic fever	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	White----M	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart	1,931	2	1	-	-	1	2	2	5	21	29	56	93	128	177	254	314	315	261	176	79	13	2
	White----M	1,217	-	-	-	-	1	-	2	3	15	23	47	71	101	127	157	201	182	146	94	40	6	1
	F	696	1	1	-	-	-	2	-	1	6	6	8	21	26	49	92	111	130	114	81	39	7	1
	Nonwhite--M	12	1	-	-	-	-	-	-	1	-	-	-	1	-	-	4	2	2	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	-	-	-	-
410-416	Chronic rheumatic heart disease	100	-	-	-	-	1	1	2	-	9	7	7	15	14	10	8	8	9	5	4	-	-	-
	White----M	57	-	-	-	-	1	-	2	-	5	5	3	6	10	8	5	5	3	2	2	-	-	-
	F	41	-	-	-	-	-	1	-	-	4	2	4	9	4	2	2	3	6	2	2	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,337	-	-	-	-	-	1	-	5	11	21	41	68	104	140	199	230	211	160	98	41	6	1
	White----M	914	-	-	-	-	-	-	-	3	10	17	40	61	84	107	129	153	133	96	55	23	2	1
	F	412	-	-	-	-	-	1	-	1	1	4	1	6	19	33	67	75	76	64	42	18	4	-
	Nonwhite--M	9	-	-	-	-	-	-	-	1	-	-	-	1	-	-	3	2	1	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	241	1	-	-	-	-	-	-	-	-	-	2	4	1	11	21	26	45	53	46	26	4	1
	White----M	126	-	-	-	-	-	-	-	-	-	-	1	3	1	3	10	16	24	29	25	13	1	-
	F	113	-	-	-	-	-	-	-	-	-	-	1	1	-	8	11	10	20	24	21	13	3	1
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	86	1	1	-	-	-	-	-	-	1	-	3	1	4	8	7	16	11	19	10	2	2	-
	White----M	51	-	-	-	-	-	-	-	-	-	-	2	-	3	5	5	10	5	12	7	-	2	-
	F	33	1	1	-	-	-	-	-	-	1	-	1	1	1	2	1	6	6	7	3	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	167	-	-	-	-	-	-	-	-	-	1	3	5	5	8	19	34	39	24	18	10	1	-
	White----M	69	-	-	-	-	-	-	-	-	-	1	1	1	3	4	8	17	17	7	5	4	1	-
	F	97	-	-	-	-	-	-	-	-	-	-	1	4	2	4	11	17	22	17	13	6	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	25	-	-	-	-	-	-	-	-	-	-	-	2	4	1	2	-	1	8	6	1	-	-
	White----M	9	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	3	1	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	5	5	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	97	-	-	-	-	-	-	-	-	-	-	1	-	-	5	3	9	18	35	13	8	5	-
	White----M	54	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	9	22	6	3	2	-
	F	42	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	9	13	6	5	3	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
451-468	Other diseases of circulatory sys.	62	-	-	-	-	-	-	1	1	-	1	1	5	4	7	8	16	8	6	3	1	-	-
	White----M	44	-	-	-	-	-	-	1	1	-	-	1	2	4	5	8	13	5	4	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	1	-	3	-	2	-	3	3	2	3	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	46	-	-	1	-	1	1	1	1	1	4	4	1	2	2	4	9	8	3	3	-	-	-
	White----M	30	-	-	1	-	-	-	-	1	-	2	3	-	2	2	4	8	4	2	1	-	-	-
	F	15	-	-	-	-	1	1	-	-	1	2	1	1	-	-	-	1	4	1	2	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	194	24	9	4	5	3	1	-	1	2	5	7	3	11	17	21	9	21	24	14	10	3	-
	White----M	121	13	5	3	2	3	-	-	1	-	3	5	3	8	14	14	9	13	12	5	6	2	-
	F	65	8	3	1	3	-	-	-	-	2	2	2	-	3	2	7	-	8	11	9	3	1	-
	Nonwhite--M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	F	4	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
480-483	Influenza	43	2	1	3	1	2	-	-	-	-	2	3	-	3	4	7	5	5	2	2	1	-	-
	White----M	33	2	1	2	-	2	-	-	-	-	1	2	-	3	4	4	5	3	2	1	1	-	-
	F	10	-	-	1	1	-	-	-	-	-	1	1	-	-	-	3	-	2	-	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	151	22	8	1	4	1	1	-	1	2	3	4	3	8	13	14	4	16	22	12	9	3	-
	White----M	88	11	4	1	2	1	-	-	1	-	2	3	3	5	10	10	4	10	10	4	5	2	-
	F	55	8	3	-	2	-	-	-	-	2	1	1	-	3	2	4	-	6	11	8	3	1	-
	Nonwhite--M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	F	4	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
500-502	Bronchitis	11	3	3	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	-
	White----M	10	3	2	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	44	-	-	-	-	-	-	-	-	-	2	1	3	5	5	6	8	4	4	5	1	-	-
	White----M	36	-	-	-	-	-	-	-	-	-	2	1	3	4	3	4	7	3	3	5	1	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	8	1	-	-	-	1	-	-	-	-	-	1	-	2	-	-	1	1	1	-	-	-	-
	White----M	5	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-
	F	3	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	33	7	-	-	-	-	-	-	-	-	1	1	1	1	-	5	4	7	3	2	1	-	-
	White----M	18	4	-	-	-	-	-	-	-	-	1	-	1	1	-	2	3	2	3	-	1	-	-
	F	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	-	2	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IDAHO—Con.																							
543,	Gastritis, etc.*--	24	7	1	1	-	-	-	-	-	1	-	-	1	1	1	1	2	4	1	1	1	1	-
571,	White-----M--	12	3	1	1	-	-	-	-	-	-	-	-	1	-	1	1	2	2	-	-	-	-	-
572	F--	9	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	1	1	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	34	-	-	-	-	-	-	-	-	-	-	4	6	5	4	8	2	3	1	1	-	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	-	2	3	2	2	5	2	1	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	2	2	3	2	3	-	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	9	-	-	-	-	-	-	-	1	-	-	3	1	-	-	-	2	-	1	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	7	3	1	1	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	6	3	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	6	...	...	...	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	...	...	...	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	5	...	...	...	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	5	...	...	...	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689.	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	90	65	11	2	-	-	1	1	2	-	1	1	2	-	3	-	-	1	-	-	-	-	-
	White-----M--	51	35	9	1	-	-	1	-	1	-	1	1	-	-	2	-	-	-	-	-	-	-	-
	F--	37	29	2	1	-	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	249	249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	148	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	74	1	-	-	-	-	-	-	-	-	1	1	-	1	3	3	6	17	12	11	12	6	-
795	White-----M--	36	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	5	7	8	6	2	-
	F--	35	1	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	10	5	3	6	3	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Re-	All other diseases	293	26	7	1	2	1	4	3	4	6	15	11	21	20	34	42	31	33	19	8	4	1	-
sid-	White-----M--	184	12	4	-	1	1	3	1	2	3	8	7	19	13	27	31	17	17	13	4	1	-	-
ual	F--	100	11	2	1	1	-	1	2	2	3	7	4	1	6	7	10	14	14	6	4	3	1	-
	Nonwhite--M--	7	1	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	461	19	35	19	20	36	35	30	30	26	29	27	24	20	18	14	14	19	16	19	9	2	-
E962	White-----M--	324	11	20	15	17	31	27	23	21	23	21	19	18	16	13	10	9	10	6	9	5	-	-
	F--	126	7	14	4	3	5	7	7	7	2	6	5	6	4	5	4	5	9	10	10	4	2	-
	Nonwhite--M--	7	-	1	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	195	3	12	7	7	20	22	20	22	9	14	10	12	7	10	5	6	4	4	-	1	-	-
	White-----M--	138	2	7	5	6	16	16	14	13	9	10	6	6	6	8	5	4	2	2	-	1	-	-
	F--	52	1	4	2	1	4	6	6	7	-	3	3	6	1	2	-	2	2	2	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	266	16	23	12	13	16	13	10	8	17	15	17	12	13	8	9	8	15	12	19	8	2	-
E802,	White-----M--	186	9	13	10	11	15	11	9	8	14	11	13	12	10	5	5	5	8	4	9	4	-	-
E840-	F--	74	6	10	2	2	1	1	1	-	2	3	2	-	3	3	4	3	7	8	10	4	2	-
E962	Nonwhite--M--	5	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	85	-	-	-	1	6	2	5	8	7	7	5	11	10	2	5	7	5	2	2	-	-	-
E970-	White-----M--	67	-	-	-	1	3	2	3	6	4	4	5	7	9	2	5	7	5	2	2	-	-	-
E979	F--	16	-	-	-	-	3	-	2	2	3	2	-	3	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	14	-	-	-	-	-	1	4	-	4	1	1	1	1	-	1	-	-	-	-	-	-	-
E980-	White-----M--	8	-	-	-	-	-	-	2	-	3	-	1	1	-	-	1	-	-	-	-	-	-	-
E985	F--	4	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ILLINOIS																							
	ALL CAUSES------	102,306	6,080	891	450	382	595	687	869	1,227	1,722	2,681	3,959	5,664	7,433	10,268	12,814	13,685	12,521	10,397	6,698	2,599	678	6
	White-----M--	52,733	2,668	374	237	199	360	364	413	547	842	1,336	2,109	3,230	4,277	5,949	7,279	7,399	6,353	4,869	2,737	971	215	5
	F--	39,262	1,840	305	150	130	159	150	206	341	507	803	1,185	1,619	2,151	3,306	4,507	5,483	5,570	5,140	3,761	1,533	416	-
	Nonwhite--M--	5,612	855	103	30	36	45	100	136	176	203	276	366	484	574	584	541	440	320	197	98	31	16	1
	F--	4,699	717	109	33	17	31	73	114	163	170	266	299	331	431	429	487	363	278	191	102	64	31	-
001-019	Tuberculosis, all forms--------	740	3	8	1	2	3	8	20	36	47	52	79	82	74	82	95	67	44	26	9	2	-	-
	White-----M--	417	-	2	-	1	-	1	2	7	19	25	39	51	45	60	64	51	25	20	5	-	-	-
	F--	110	1	4	-	-	1	2	3	9	9	9	15	5	6	8	12	8	8	5	4	1	-	-
	Nonwhite--M--	150	1	-	-	1	-	4	8	10	9	14	22	20	19	11	16	7	6	1	-	1	-	-
	F--	63	1	2	1	-	2	1	7	10	10	4	3	6	4	3	3	1	5	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	692	-	4	-	1	2	6	16	32	45	48	79	75	71	78	91	65	43	25	9	2	-	-
	White-----M--	404	-	2	-	-	-	1	2	7	19	24	39	48	44	58	62	49	25	19	5	-	-	-
	F--	100	-	1	-	-	-	1	3	8	9	9	15	4	5	7	12	8	8	5	4	1	-	-
	Nonwhite--M--	136	-	-	-	1	-	3	5	9	9	12	22	17	18	10	16	7	5	1	-	1	-	-
	F--	52	-	1	-	-	2	1	6	8	8	3	3	6	4	3	1	1	5	-	-	-	-	-
010-019	Tuberculosis, other forms------	48	3	4	1	1	1	2	4	4	2	4	-	7	3	4	4	2	1	1	-	-	-	-
	White-----M--	13	-	-	-	1	-	-	-	-	-	1	-	3	1	2	2	2	-	1	-	-	-	-
	F--	10	1	3	-	-	1	1	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	1	-	-	-	-	1	3	1	-	2	-	3	1	1	-	-	1	-	-	-	-	-
	F--	11	1	1	1	-	-	-	1	2	2	1	-	-	-	-	2	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	160	1	-	-	-	-	1	-	2	1	7	9	19	24	23	26	22	13	8	2	1	1	-
	White-----M--	94	-	-	-	-	-	1	-	2	1	1	2	11	16	16	15	13	9	5	1	-	1	-
	F--	29	1	-	-	-	-	-	-	-	-	3	2	3	3	3	6	3	3	1	1	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	3	3	2	5	2	5	5	1	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	2	3	-	2	-	1	-	-	-	1	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	11	2	1	3	1	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
	White-----M--	5	1	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	6	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	9	1	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	6	1	1	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	F--	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	34	13	13	2	-	-	1	2	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
	White-----M--	17	6	8	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	11	4	4	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	16	-	1	-	-	1	4	3	2	1	1	-	3	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	3	3	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	8	-	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	209	29	13	9	9	8	8	7	14	14	9	14	13	16	14	5	9	9	5	3	-	1	-
	White-----M--	106	16	7	3	4	5	1	1	2	5	5	9	7	12	9	4	6	6	3	1	-	-	-
	F--	77	9	5	6	5	2	4	3	6	4	3	4	6	4	4	1	3	3	2	2	-	1	-
	Nonwhite--M--	7	-	-	-	-	-	1	-	1	3	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	19	4	1	-	-	1	2	3	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ILLINOIS—Con.																							
140-205	Malignant neoplasms, etc.*----	16,200	16	90	80	54	41	52	95	177	303	567	854	1,332	1,713	2,234	2,556	2,369	1,764	1,143	568	160	32	-
	White-----M--	7,988	9	47	45	26	26	27	38	52	98	187	330	575	833	1,111	1,411	1,328	926	591	259	59	10	-
	F--	6,960	5	36	31	26	13	19	37	94	163	294	425	612	695	934	975	935	756	502	290	99	19	-
	Nonwhite--M--	630	1	5	2	1	2	2	6	8	17	25	40	70	96	115	98	58	53	19	10	1	1	-
	F--	622	1	2	2	1	-	4	14	23	25	61	59	75	89	74	72	48	29	31	9	1	2	-
140-148	Of buccal cavity and pharynx------	394	-	1	-	-	-	1	2	-	1	14	30	34	44	47	67	68	35	25	16	8	1	-
	White-----M--	303	-	-	-	-	-	-	1	-	-	12	22	18	37	34	52	57	31	18	15	5	1	-
	F--	61	-	1	-	-	-	-	1	-	1	2	3	11	3	6	10	9	3	7	1	3	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	3	5	2	6	5	2	1	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	6,037	2	4	-	1	-	6	7	35	67	118	200	403	573	859	1,024	1,007	807	551	274	90	9	-
	White-----M--	3,076	2	1	-	-	-	2	2	12	36	42	97	217	282	439	560	558	427	259	110	30	1	-
	F--	2,508	-	2	-	1	-	2	5	14	22	44	74	140	230	342	395	409	344	261	157	58	8	-
	Nonwhite--M--	253	-	1	-	-	-	1	-	3	4	16	12	24	36	48	45	23	24	11	4	1	-	-
	F--	200	-	-	-	-	-	1	-	6	5	16	17	22	25	30	24	17	12	21	3	1	-	-
160-164	Of respiratory system (not secondary)-------	2,213	1	1	-	-	-	6	3	11	35	70	121	223	337	404	402	297	184	81	34	3	-	-
	White-----M--	1,763	1	-	-	-	-	4	2	6	19	50	92	165	283	335	349	247	135	57	17	1	-	-
	F--	294	-	1	-	-	-	1	1	2	9	15	12	29	24	42	37	38	44	23	14	2	-	-
	Nonwhite--M--	125	-	-	-	-	-	1	-	-	4	3	14	21	30	23	13	9	4	1	2	-	-	-
	F--	31	-	-	-	-	-	-	-	3	3	2	3	8	-	4	3	3	1	-	1	-	-	-
170	Of breast---------	1,447	-	-	-	-	-	-	3	25	64	104	152	171	182	193	166	143	108	67	47	17	5	-
	White-----M--	15	-	-	-	-	-	-	-	-	1	-	1	1	2	-	3	1	3	3	-	-	-	-
	F--	1,329	-	-	-	-	-	-	2	21	59	90	139	157	161	182	152	135	102	63	45	17	4	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	101	-	-	-	-	-	-	1	4	4	13	12	13	19	11	10	7	3	1	2	-	1	-
171-179	Of genital organs-	2,314	-	3	-	3	1	8	19	33	58	112	138	184	210	283	343	339	281	177	100	15	7	-
	White-----M--	800	-	2	-	-	1	3	5	6	8	6	5	12	26	60	120	175	166	123	67	11	4	-
	F--	1,253	-	1	-	3	-	4	9	22	40	81	115	146	151	185	190	134	96	43	28	4	1	-
	Nonwhite--M--	88	-	-	-	-	-	-	-	-	-	1	2	3	5	17	18	18	13	6	4	-	1	-
	F--	173	-	-	-	-	-	1	5	5	10	24	16	23	28	21	15	12	6	5	1	-	1	-
180, 181	Of urinary organs-	793	1	11	5	-	-	-	-	2	5	15	34	62	68	94	134	149	107	71	25	7	3	-
	White-----M--	505	-	5	3	-	-	-	-	1	2	8	24	38	39	66	93	93	66	46	17	3	1	-
	F--	245	1	4	1	-	-	-	-	1	3	5	8	18	22	20	33	53	39	23	8	4	2	-
	Nonwhite--M--	21	-	1	-	-	-	-	-	-	-	1	-	5	5	6	1	1	1	-	-	-	-	-
	F--	22	-	1	1	-	-	-	-	-	-	1	2	1	2	2	7	2	1	2	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,520	6	21	21	21	17	7	24	37	37	74	89	138	165	182	209	178	124	98	52	16	4	-
	White-----M--	741	3	12	12	13	9	4	10	16	16	32	35	69	86	97	119	88	45	42	25	7	1	-
	F--	687	2	7	8	7	6	3	9	16	18	38	48	60	65	74	77	85	72	55	25	9	3	-
	Nonwhite--M--	55	-	1	1	1	2	-	2	4	2	1	3	6	7	8	10	3	4	-	-	-	-	-
	F--	37	1	1	-	-	-	-	3	1	1	3	3	3	7	3	3	2	3	1	2	-	-	-
204	Leukemia and aleukemia--------	707	2	46	44	21	12	9	11	12	18	22	39	49	55	60	96	97	54	46	10	3	1	-
	White-----M--	370	2	25	24	8	7	5	5	5	7	11	19	20	32	29	59	46	30	30	4	2	-	-
	F--	299	-	20	18	12	5	4	4	6	7	11	15	23	18	29	33	49	22	15	6	1	1	-
	Nonwhite--M--	20	-	1	1	-	-	-	1	-	3	-	3	2	3	1	2	-	2	1	-	-	-	-
	F--	18	-	-	1	1	-	-	1	1	1	-	2	4	2	1	2	2	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	775	4	3	10	8	11	15	26	22	18	38	51	68	79	112	115	91	64	27	10	1	2	-
	White-----M--	415	1	2	6	5	9	9	13	6	9	26	35	35	46	51	56	63	23	14	4	-	2	-
	F--	284	2	-	4	3	2	5	6	12	4	8	11	28	21	54	48	23	34	12	6	1	-	-
	Nonwhite--M--	42	1	1	-	-	-	-	3	1	4	2	3	4	8	6	3	2	4	-	-	-	-	-
	F--	34	-	-	-	-	-	1	4	3	1	2	2	1	4	1	8	3	3	1	-	-	-	-
210-239	Benign and unspecified neoplasms--	294	11	5	7	6	4	2	10	9	13	22	14	47	29	34	33	13	20	6	4	2	3	-
	White-----M--	132	6	1	4	3	2	-	7	2	6	11	4	23	15	16	18	8	5	-	1	-	-	-
	F--	130	4	2	3	3	2	-	2	4	5	6	8	18	13	14	15	5	12	6	3	2	3	-
	Nonwhite--M--	13	-	1	-	-	-	1	-	2	-	1	-	3	1	2	-	-	2	-	-	-	-	-
	F--	19	1	1	-	-	-	1	1	1	2	4	2	3	-	2	-	-	1	-	-	-	-	-
260	Diabetes mellitus-	1,552	1	6	6	3	7	7	16	23	26	41	51	81	120	225	252	286	209	124	56	12	-	-
	White-----M--	563	-	3	1	2	2	1	8	13	12	19	19	33	40	80	97	91	81	45	15	1	-	-
	F--	847	1	3	4	1	4	6	8	6	8	11	20	31	64	118	139	178	120	76	38	11	-	-
	Nonwhite--M--	61	-	-	-	-	1	-	-	3	4	4	6	8	7	10	7	7	1	1	2	-	-	-
	F--	81	-	-	1	-	-	-	-	1	2	7	6	9	9	17	9	10	7	2	1	-	-	-
290-293	Anemias----------	170	6	10	4	2	2	4	4	4	3	4	2	9	10	8	11	19	25	24	13	5	1	-
	White-----M--	67	3	1	-	1	1	1	1	-	-	-	-	3	4	2	9	8	13	11	7	2	-	-
	F--	78	1	4	3	-	-	-	1	1	2	2	2	6	6	5	2	10	11	12	6	3	1	-
	Nonwhite--M--	10	1	3	-	1	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	15	1	2	1	-	-	1	1	3	1	2	-	-	-	1	-	-	1	1	-	-	-	-
340	Nonmeningococcal meningitis*------	110	40	22	3	2	1	1	-	3	4	2	3	8	5	5	5	3	1	2	-	-	-	-
	White-----M--	50	21	11	-	-	-	-	-	1	1	-	1	5	3	2	2	-	1	2	-	-	-	-
	F--	27	8	6	-	1	1	1	-	-	2	2	2	-	-	1	1	2	-	-	-	-	-	-
	Nonwhite--M--	19	7	4	1	1	-	-	-	1	1	-	-	1	-	1	2	-	-	-	-	-	-	-
	F--	14	4	1	2	-	-	-	-	1	-	-	-	2	2	1	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	59,224	25	37	23	28	54	100	141	329	608	1,100	1,883	2,928	4,073	6,087	8,009	9,120	8,950	7,822	5,249	2,098	557	3
	White-----M--	30,531	11	11	13	9	24	29	47	147	324	603	1,096	1,797	2,460	3,623	4,502	4,793	4,452	3,551	2,085	771	180	3
	F--	23,771	9	18	8	10	18	30	40	71	129	225	419	674	1,016	1,825	2,833	3,776	4,095	3,982	3,010	1,245	338	-
	Nonwhite--M--	2,555	3	1	2	5	5	21	25	52	74	134	196	272	326	356	326	285	205	151	74	27	15	-
	F--	2,367	2	7	-	4	7	20	29	59	81	138	172	185	271	283	348	266	198	138	80	55	24	-
330-334, 400-468	Diseases of cardiovascular system-	58,272	25	35	19	21	48	87	112	299	572	1,055	1,826	2,884	4,006	6,001	7,907	8,995	8,845	7,733	5,181	2,066	552	3
	White-----M--	30,099	11	11	10	6	20	24	32	130	308	581	1,068	1,779	2,435	3,579	4,466	4,734	4,404	3,510	2,051	758	179	3
	F--	23,398	9	16	8	8	17	25	33	65	119	213	406	657	994	1,798	2,783	3,722	4,044	3,942	2,977	1,226	336	-
	Nonwhite--M--	2,486	3	1	1	4	4	20	22	47	69	128	190	267	316	349	322	280	202	146	74	27	14	-
	F--	2,289	2	7	-	3	7	18	25	57	76	133	162	181	261	275	336	259	195	135	79	55	23	-
330-334	Vascular lesions, etc.*----------	10,740	7	13	7	6	13	20	19	41	83	145	255	401	598	895	1,380	1,704	1,846	1,724	1,099	392	92	-
	White-----M--	4,682	2	6	4	3	7	9	10	16	36	50	104	165	245	409	648	785	845	734	438	144	22	-
	F--	5,053	2	5	3	3	4	9	6	10	22	43	90	144	227	356	576	784	906	935	633	232	63	-
	Nonwhite--M--	435	1	-	-	-	1	-	2	2	10	15	24	51	57	58	66	57	43	30	15	2	1	-
	F--	570	2	2	-	-	1	2	1	13	15	37	37	41	69	72	90	78	52	25	13	14	6	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ILLINOIS—Con.																							
400-402	Rheumatic fever---	58	-	3	4	6	5	-	5	5	4	3	4	6	7	3	1	1	-	1	-	-	-	-
	White-----M--	30	-	-	2	2	1	-	1	4	4	3	2	4	4	2	1	-	-	-	-	-	-	-
	F--	18	-	2	2	2	4	-	1	-	-	-	2	1	1	1	-	1	-	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	1	-	-	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	44,126	15	17	5	7	26	57	76	226	444	860	1,493	2,376	3,248	4,866	6,193	6,839	6,490	5,449	3,602	1,447	387	3
	White-----M--	23,803	8	5	2	-	11	12	21	105	254	511	932	1,562	2,101	3,039	3,626	3,702	3,326	2,516	1,413	525	129	3
	F--	16,840	6	8	3	2	8	13	20	43	84	163	299	486	728	1,361	2,090	2,756	2,879	2,725	2,073	863	230	-
	Nonwhite--M--	1,900	1	-	-	3	2	19	17	40	53	105	151	202	244	270	243	207	148	103	57	23	12	-
	F--	1,583	-	4	-	2	5	13	18	38	53	81	111	126	175	196	234	174	137	105	59	36	16	-
410-416	Chronic rheumatic heart disease----	1,219	-	1	-	2	11	26	24	50	71	106	140	141	144	144	129	99	63	48	16	4	-	-
	White-----M--	542	-	-	-	-	4	3	3	18	38	49	50	66	70	78	56	54	23	22	7	1	-	-
	F--	578	-	-	-	-	3	8	13	22	26	49	79	65	65	63	70	45	35	23	9	3	-	-
	Nonwhite--M--	49	-	-	-	1	1	8	2	4	4	5	6	5	6	2	1	-	3	1	-	-	-	-
	F--	50	-	1	-	1	3	7	6	6	3	3	5	5	3	1	2	-	2	2	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	32,172	3	1	-	-	5	10	28	106	262	590	1,078	1,758	2,479	3,785	4,744	5,116	4,797	3,820	2,427	905	255	3
	White-----M--	18,547	1	1	-	-	1	5	12	69	177	409	762	1,260	1,728	2,503	2,918	2,873	2,596	1,840	954	349	86	3
	F--	11,449	1	-	-	-	3	-	5	11	30	82	156	291	492	961	1,524	1,984	2,010	1,836	1,393	521	149	-
	Nonwhite--M--	1,272	1	-	-	-	-	3	8	16	28	60	105	136	163	191	176	145	102	75	39	16	8	-
	F--	904	-	-	-	-	1	2	3	10	27	39	55	71	96	130	126	114	89	69	41	19	12	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	5,222	2	7	2	3	2	11	12	38	48	66	91	163	224	318	536	735	813	933	737	374	107	-
	White-----M--	2,318	1	2	1	-	1	3	4	5	16	22	27	79	105	155	264	368	391	418	306	118	32	-
	F--	2,422	1	5	1	1	1	2	1	3	9	17	24	46	63	123	218	321	383	484	409	241	69	-
	Nonwhite--M--	228	-	-	-	1	-	4	3	16	12	15	14	18	30	22	21	20	20	13	12	4	3	-
	F--	254	-	-	-	1	-	2	4	14	11	12	26	20	26	18	33	26	19	18	10	11	3	-
430-434	Other diseases of heart---------	1,585	10	8	3	2	8	8	10	24	30	36	73	123	150	187	239	234	189	132	81	30	8	-
	White-----M--	911	6	2	1	-	5	1	1	11	12	15	48	74	96	131	163	145	103	51	29	13	4	-
	F--	463	4	3	2	1	1	3	1	4	11	4	10	28	30	34	50	63	74	72	51	14	3	-
	Nonwhite--M--	123	-	-	-	1	1	2	4	4	3	13	10	13	16	13	12	19	6	4	-	2	-	-
	F--	88	-	3	-	-	1	2	4	5	4	4	5	8	8	9	14	7	6	5	1	1	1	-
440-443	Hypertension with heart dis.--	3,928	-	-	-	-	-	2	2	8	33	62	111	191	251	432	545	655	628	516	341	134	17	-
	White-----M--	1,485	-	-	-	-	-	-	1	2	11	16	45	83	102	172	225	262	213	185	117	44	7	-
	F--	1,928	-	-	-	-	-	-	-	3	8	11	30	56	78	180	228	343	377	310	211	84	9	-
	Nonwhite--M--	228	-	-	-	-	-	2	-	-	6	12	16	30	29	42	33	23	17	10	6	1	1	-
	F--	287	-	-	-	-	-	-	1	3	8	23	20	22	42	38	59	27	21	11	7	5	-	-
444-447	Hypertension without mention of heart----------	734	-	1	-	-	-	3	3	9	20	23	29	37	42	63	72	98	115	113	70	30	6	-
	White-----M--	312	-	-	-	-	-	2	-	2	4	5	8	12	15	28	39	56	52	46	27	12	4	-
	F--	304	-	1	-	-	-	-	2	-	5	1	5	9	11	25	28	34	58	64	42	17	2	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	3	6	7	6	7	6	5	3	7	4	-	-	1	-	-
	F--	63	-	-	-	-	-	1	1	4	5	10	10	9	10	5	2	1	1	3	1	-	-	-
450	General arteriosclerosis--------	1,813	-	-	-	-	-	-	-	-	1	2	2	16	20	70	128	243	312	394	379	184	62	-
	White-----M--	836	-	-	-	-	-	-	-	-	1	-	2	8	10	41	73	128	140	185	158	69	21	-
	F--	895	-	-	-	-	-	-	-	-	-	1	-	5	5	22	42	103	162	194	213	109	39	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	-	1	2	6	6	7	6	13	2	1	1	-
	F--	37	-	-	-	-	-	-	-	-	-	1	-	2	3	1	7	5	4	2	6	5	1	-
451-468	Other diseases of circulatory sys.-	801	3	1	3	2	4	7	9	18	20	22	43	48	91	104	133	110	82	52	31	13	5	-
	White-----M--	436	1	-	2	1	1	1	-	3	9	12	20	28	60	60	79	63	41	29	15	8	3	-
	F--	288	1	-	-	1	1	3	4	12	8	5	10	12	22	33	47	44	39	23	16	5	2	-
	Nonwhite--M--	44	1	1	1	-	1	1	1	1	-	1	9	5	5	10	4	2	1	-	-	-	-	-
	F--	33	-	-	-	-	1	2	4	2	3	4	4	3	4	1	3	1	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	952	-	2	4	7	6	13	29	30	36	45	57	44	67	86	102	125	105	89	68	32	5	-
	White-----M--	432	-	-	3	3	4	5	15	17	16	22	28	18	25	44	36	59	48	41	34	13	1	-
	F--	373	-	2	-	2	1	5	7	6	10	12	13	17	22	27	50	54	51	40	33	19	2	-
	Nonwhite--M--	69	-	-	1	1	1	1	3	5	5	6	6	5	10	7	4	5	3	5	-	-	1	-
	F--	78	-	-	-	1	-	2	4	2	5	5	10	4	10	8	12	7	3	3	1	-	1	-
480-493	Influenza and pneumonia, etc.*-	4,365	730	203	39	30	26	46	46	45	67	111	132	178	236	293	405	446	452	408	298	137	36	1
	White-----M--	2,058	242	65	18	8	13	8	10	13	26	43	66	100	130	188	228	257	246	195	131	61	10	-
	F--	1,436	174	58	12	15	9	15	18	13	15	37	36	29	58	64	121	143	175	193	155	72	24	-
	Nonwhite--M--	458	164	40	5	4	2	4	10	10	15	14	16	25	33	26	33	29	14	9	3	1	-	1
	F--	413	150	40	4	3	2	19	8	9	11	17	14	24	15	15	23	17	17	11	9	3	2	-
480-483	Influenza---------	210	11	7	7	2	6	5	7	5	6	8	5	11	11	9	19	15	22	19	20	10	5	-
	White-----M--	107	6	2	4	1	4	1	2	2	5	2	2	5	9	5	10	9	15	8	8	6	1	-
	F--	88	4	4	3	1	2	4	5	2	1	5	2	3	2	3	9	3	5	10	12	4	4	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	3	-	-	-	-	-	-
	F--	7	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	-	-	-	-
490-493	Pneumonia, etc.*--	4,155	719	196	32	28	20	41	39	40	61	103	127	167	225	284	386	431	430	389	278	127	31	1
	White-----M--	1,951	236	63	14	7	9	7	8	11	21	41	64	95	121	183	218	248	231	187	123	55	9	-
	F--	1,348	170	54	9	14	7	11	13	11	14	32	34	26	56	61	112	140	170	183	143	68	20	-
	Nonwhite--M--	450	164	40	5	4	2	4	10	9	15	14	15	23	33	25	33	26	14	9	3	1	-	1
	F--	406	149	39	4	3	2	19	8	9	11	16	14	23	15	15	23	17	15	10	9	3	2	-
500-502	Bronchitis--------	206	58	13	3	-	2	1	1	2	2	3	5	5	5	17	23	26	16	11	8	3	2	-
	White-----M--	128	26	8	1	-	1	-	-	1	-	1	5	4	3	11	20	21	9	7	6	3	1	-
	F--	51	16	3	2	-	1	-	-	1	1	1	-	1	1	3	3	4	7	4	2	-	1	-
	Nonwhite--M--	18	11	1	-	-	-	-	-	-	1	1	-	-	1	3	-	-	-	-	-	-	-	-
	F--	9	5	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	630	9	3	-	1	1	2	1	8	12	29	39	49	66	87	92	94	70	44	17	4	2	-
	White-----M--	451	2	2	-	1	1	2	-	5	7	19	24	40	52	71	67	71	45	29	9	2	2	-
	F--	136	-	1	-	-	-	-	1	2	4	6	11	4	14	11	19	20	22	14	5	2	-	-
	Nonwhite--M--	29	4	-	-	-	-	-	-	-	-	2	2	3	-	3	5	3	3	1	3	-	-	-
	F--	14	3	-	-	-	-	-	-	1	1	2	2	2	-	2	1	-	-	-	-	-	-	-
550-553	Appendicitis------	115	1	3	6	3	-	2	1	3	4	6	11	7	12	11	16	13	9	7	-	-	-	-
	White-----M--	62	1	2	-	2	-	1	-	2	2	2	6	6	6	2	10	8	6	6	-	-	-	-
	F--	33	-	1	4	1	-	-	-	1	1	3	2	-	5	6	2	4	2	1	-	-	-	-
	Nonwhite--M--	13	-	-	1	-	-	1	1	-	1	-	3	-	1	2	1	1	1	-	-	-	-	-
	F--	7	-	-	1	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	465	53	3	4	2	5	5	1	3	6	10	21	20	30	41	69	65	47	39	31	7	3	-
	White-----M--	213	29	2	2	1	2	4	-	1	-	3	8	9	16	20	36	34	24	11	10	1	-	-
	F--	214	18	-	1	1	2	-	1	1	4	7	10	8	9	16	27	30	23	27	20	6	3	-
	Nonwhite--M--	20	2	-	1	-	1	1	-	-	2	-	-	2	2	3	4	1	-	-	1	-	-	-
	F--	18	4	1	-	-	-	-	-	1	-	-	3	1	3	2	2	-	-	1	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ILLINOIS—Con.																							
543,	Gastritis, etc.*	419	139	21	1	2	2	-	5	6	9	6	11	19	13	36	30	35	37	28	12	6	1	-
571,	White-----M--	155	39	7	-	-	1	-	1	3	4	3	5	6	6	23	13	15	13	11	2	3	-	-
572	F--	172	34	9	-	-	1	-	3	2	4	3	5	10	6	10	17	17	21	17	10	2	1	-
	Nonwhite--M--	51	38	2	-	2	-	-	-	1	1	-	1	-	1	-	-	3	2	-	-	-	-	-
	F--	41	28	3	1	-	-	-	1	-	-	-	-	3	-	3	-	-	1	-	-	1	-	-
581	Cirrhosis of liver	1,241	1	-	-	3	-	2	10	30	66	127	159	150	164	132	181	105	52	41	14	3	1	-
	White-----M--	821	-	-	-	2	-	1	3	16	39	74	103	113	112	85	129	78	31	26	7	2	-	-
	F--	345	1	-	-	-	-	-	3	13	22	38	49	32	39	39	45	24	18	14	6	1	1	-
	Nonwhite--M--	44	-	-	-	-	-	-	2	-	4	9	1	3	7	6	5	2	3	1	1	-	-	-
	F--	31	-	-	-	1	-	1	2	1	1	6	6	2	6	2	2	1	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*	136	4	4	3	4	1	4	1	6	6	6	10	10	7	15	14	13	8	12	5	3	-	-
	White-----M--	64	1	2	-	2	1	1	1	2	3	3	5	4	4	9	5	6	4	8	1	2	-	-
	F--	52	2	1	2	1	-	1	-	3	2	1	3	4	2	4	7	6	4	4	4	1	-	-
	Nonwhite--M--	11	1	1	-	-	-	1	-	1	-	2	1	2	1	1	-	-	-	-	-	-	-	-
	F--	9	-	-	1	1	-	1	-	-	1	-	1	-	-	1	2	1	-	-	-	-	-	-
610	Hyperplasia of prostate	261	-	-	-	-	-	-	-	-	-	1	-	1	9	21	37	58	44	52	28	8	2	-
	White-----M--	224	-	-	-	-	-	-	-	-	-	1	-	-	2	20	29	51	36	49	26	8	2	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	-	-	1	7	1	8	7	8	3	2	-	-	-
640-689	Complications of pregnancy, etc.*	62	...	...	...	-	5	2	14	24	15	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	37	...	...	...	-	4	2	7	13	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	25	...	...	...	-	1	-	7	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	2	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649,	All other complications	60	...	...	...	-	5	2	13	23	15	2	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	36	...	...	...	-	4	2	7	12	9	2	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	24	...	...	...	-	1	-	6	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	1,160	846	93	42	22	14	9	12	17	9	14	15	20	11	10	6	8	4	3	4	1	-	-
	White-----M--	588	433	44	20	12	8	5	6	7	5	8	7	8	3	5	5	5	3	1	3	-	-	-
	F--	452	327	33	16	9	6	4	4	8	3	4	8	10	8	3	1	3	1	2	1	1	-	-
	Nonwhite--M--	61	45	5	3	1	-	-	1	2	-	1	-	2	-	1	-	-	-	-	-	-	-	-
	F--	59	41	11	3	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	3,687	3,687	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,623	1,623	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,089	1,089	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	539	539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	436	436	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	2,146	2,146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,005	1,005	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	649	649	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	272	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	220	220	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	469	469	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Ot. dis. of infancy, & immaturity unqualified, etc.*	1,072	1,072	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	491	491	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	364	364	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	601	28	20	8	9	32	13	30	19	26	28	37	30	40	42	45	55	45	40	22	24	8	2
	White-----M--	312	15	6	5	5	18	2	10	7	14	12	19	22	24	29	24	33	22	24	8	9	2	2
	F--	188	6	6	2	2	9	4	7	5	5	9	12	4	12	10	15	16	16	16	14	14	4	-
	Nonwhite--M--	67	4	5	1	1	3	5	8	5	4	6	2	4	3	3	4	4	4	-	-	1	-	-
	F--	34	3	3	-	1	2	2	5	2	3	1	4	-	1	-	2	2	3	-	-	-	-	-
Residual	All other diseases	3,865	220	91	44	27	50	37	54	94	110	161	191	267	326	435	490	447	374	254	147	37	9	-
	White-----M--	2,087	102	44	23	17	28	13	15	34	49	68	89	152	191	269	311	255	212	128	68	18	1	-
	F--	1,383	83	29	15	8	14	11	21	32	45	58	70	81	91	130	156	175	146	116	77	19	6	-
	Nonwhite--M--	205	15	10	3	-	-	6	8	9	5	18	20	28	28	24	8	6	8	5	2	-	-	-
	F--	190	20	8	3	2	8	7	10	19	11	17	12	6	16	12	15	9	8	5	-	-	2	-
E800-E962	Accidents	4,929	145	215	156	160	284	291	283	256	264	256	282	257	306	296	307	329	281	261	196	83	21	-
	White-----M--	3,065	72	94	95	99	209	224	207	175	175	191	183	172	197	205	193	200	144	115	83	26	6	-
	F--	1,364	45	73	39	38	58	39	31	39	47	46	62	55	73	73	95	111	122	140	110	54	14	-
	Nonwhite--M--	351	17	24	10	19	13	23	30	34	35	19	26	25	25	11	14	14	8	4	-	-	-	-
	F--	149	11	24	12	4	4	5	15	8	7	-	11	5	11	7	5	4	7	2	3	3	1	-
E810-E835	Motor-vehicle accidents	2,044	13	74	70	61	191	201	169	149	141	120	122	107	119	137	140	101	62	50	12	5	-	-
	White-----M--	1,372	9	37	41	31	136	155	129	100	91	88	73	68	71	96	86	68	44	35	10	4	-	-
	F--	500	1	29	22	22	48	31	19	29	32	24	35	30	35	34	48	30	16	12	2	1	-	-
	Nonwhite--M--	124	3	7	1	6	3	12	14	17	14	8	9	7	6	4	5	3	2	3	-	-	-	-
	F--	48	-	1	6	2	4	3	7	3	4	-	5	2	7	3	1	-	-	-	-	-	-	-
E800-E802,	All ot. accidents	2,885	132	141	86	99	93	90	114	107	123	136	160	150	187	159	167	228	219	211	184	78	21	-
E840-	White-----M--	1,693	63	57	54	68	73	69	78	75	84	103	110	104	126	109	107	132	100	80	73	22	6	-
E962	F--	864	44	44	17	16	10	8	12	10	15	22	27	25	38	39	47	81	106	128	108	53	14	-
	Nonwhite--M--	227	14	17	9	13	10	11	16	17	21	11	17	18	19	7	9	11	6	1	-	-	-	-
	F--	101	11	23	6	2	-	2	8	5	3	-	6	3	4	4	4	4	7	2	3	3	1	-
E963,	Suicide	964	-	-	-	1	17	30	54	54	54	81	95	98	120	104	94	71	45	32	11	3	-	-
E970-	White-----M--	745	-	-	-	1	12	23	34	39	38	49	73	74	94	85	80	62	40	29	9	3	-	-
E979	F--	186	-	-	-	-	4	4	12	13	14	29	18	21	23	18	13	8	4	3	2	-	-	-
	Nonwhite--M--	27	-	-	-	-	1	2	7	1	2	2	4	3	2	1	1	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-
E964,	Homicide	456	9	8	3	10	34	55	57	61	52	34	41	28	22	16	9	12	2	2	1	-	-	-
E980-	White-----M--	143	8	4	3	3	6	16	17	15	14	6	15	11	7	8	4	5	-	1	-	-	-	-
E985	F--	64	-	3	-	7	8	6	3	3	8	4	2	4	3	7	1	2	1	1	1	-	-	-
	Nonwhite--M--	204	1	-	-	-	16	26	29	36	25	21	22	9	9	1	4	4	1	-	-	-	-	-
	F--	45	-	1	-	-	4	7	8	7	5	3	2	4	3	-	-	1	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
E999	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	INDIANA																							
	ALL CAUSES------	44,195	2,754	431	212	171	328	366	370	516	694	1,059	1,455	2,036	2,769	3,805	4,956	5,756	5,836	5,398	3,455	1,370	434	24
	White-----M--	23,594	1,373	202	107	101	214	240	212	279	349	584	824	1,203	1,682	2,302	2,884	3,165	3,028	2,591	1,544	552	148	10
	F--	17,898	1,013	179	85	59	94	86	115	168	257	343	468	613	841	1,242	1,767	2,335	2,623	2,702	1,836	788	273	11
	Nonwhite--M--	1,487	196	31	9	7	12	26	30	37	38	69	92	124	130	159	167	146	100	48	40	16	7	3
	F--	1,216	172	19	11	4	8	14	13	32	50	63	71	96	116	102	138	110	85	57	35	14	6	-
001-019	Tuberculosis, all forms--------	309	-	10	1	-	3	2	8	11	19	17	17	31	35	21	48	27	33	13	9	4	-	-
	White-----M--	185	-	6	1	-	1	1	5	6	5	10	10	24	24	17	30	12	18	9	3	3	-	-
	F--	82	-	2	-	-	-	-	-	4	9	4	4	4	7	1	11	13	12	4	6	1	-	-
	Nonwhite--M--	28	-	2	-	-	2	1	3	1	3	-	2	2	3	1	5	1	2	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	2	3	1	1	1	2	2	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	285	-	3	1	-	2	2	7	11	14	17	16	28	33	21	47	27	32	13	8	3	-	-
	White-----M--	176	-	2	1	-	1	1	4	6	4	10	10	23	23	17	29	12	18	9	3	3	-	-
	F--	75	-	-	-	-	-	-	-	4	8	4	3	4	6	1	11	13	12	4	5	-	-	-
	Nonwhite--M--	23	-	1	-	-	1	1	3	1	2	-	2	1	3	1	5	1	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	3	1	-	1	2	2	1	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	24	-	7	-	-	1	-	1	-	5	-	1	3	2	-	1	-	1	-	1	1	-	-
	White-----M--	9	-	4	-	-	-	-	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	7	-	2	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	1	-	-
	Nonwhite--M--	5	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	111	-	-	-	-	-	-	1	-	-	5	3	11	14	25	13	20	8	7	4	-	-	-
	White-----M--	75	-	-	-	-	-	-	-	-	-	4	2	7	9	19	10	14	4	3	3	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	1	2	4	3	1	3	2	4	1	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	1	-	-	-	-	2	-	2	1	3	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	4	-	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	31	9	12	3	1	1	1	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-
	White-----M--	18	8	7	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	12	1	5	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	11	-	-	3	1	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	9	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	133	28	11	3	4	3	1	4	7	2	6	8	5	6	11	11	8	7	5	-	2	1	-
	White-----M--	64	15	2	2	1	2	1	2	3	-	2	3	-	3	5	9	5	3	5	-	-	1	-
	F--	58	12	9	1	3	1	-	1	3	2	3	3	4	2	4	1	3	4	-	-	2	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	INDIANA—Con.																							
140-205	Malignant neoplasms, etc.*----	6,602	9	47	32	24	28	23	61	83	135	227	350	482	670	831	965	906	778	563	294	74	18	2
	White-----M--	3,288	3	22	14	15	17	14	31	33	44	73	140	212	325	440	518	478	405	302	154	39	8	1
	F--	2,965	5	22	17	7	9	7	28	41	84	131	186	227	291	347	382	392	355	256	133	34	10	1
	Nonwhite--M--	194	1	3	1	2	-	1	2	3	3	7	14	21	29	28	37	25	9	2	6	-	-	-
	F--	155	-	-	-	-	2	1	-	6	4	16	10	22	25	16	28	11	9	3	1	1	-	-
140-148	Of buccal cavity and pharynx------	142	-	-	-	-	-	-	1	-	2	3	6	14	13	23	18	19	17	14	10	2	-	-
	White-----M--	102	-	-	-	-	-	-	-	-	1	1	4	9	10	18	14	15	11	8	9	2	-	-
	F--	30	-	-	-	-	-	-	1	-	1	1	1	3	2	2	4	4	4	6	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	-	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	2,258	1	-	-	-	3	1	6	9	23	46	91	129	224	260	355	370	319	248	138	28	5	2
	White-----M--	1,169	-	-	-	-	1	1	5	6	8	26	43	69	118	148	184	210	152	120	62	12	3	1
	F--	961	1	-	-	-	2	-	1	2	13	15	37	49	83	97	143	144	158	125	73	15	2	1
	Nonwhite--M--	74	-	-	-	-	-	-	-	1	2	3	7	6	9	8	18	12	5	1	2	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	2	4	5	14	7	10	4	4	2	1	1	-	-
160-164	Of respiratory system (not secondary)-------	860	-	1	-	1	-	-	2	3	11	33	50	76	123	156	162	112	74	41	14	1	-	-
	White-----M--	687	-	1	-	1	-	-	2	3	8	18	37	59	102	133	144	88	54	28	8	1	-	-
	F--	118	-	-	-	-	-	-	-	-	3	8	9	8	8	15	11	21	18	12	5	-	-	-
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	-	3	4	9	13	8	6	3	1	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	-	1	-	-	-	-	-
170	Of breast---------	574	-	-	-	-	-	-	5	11	19	39	45	54	83	72	63	63	52	39	18	7	4	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	1	-	-	1	-	-
	F--	547	-	-	-	-	-	-	5	10	18	34	43	52	79	69	59	60	51	39	18	6	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	1	1	4	2	2	2	1	3	3	-	-	-	-	-	-
171-179	Of genital organs-	1,137	-	-	-	1	3	4	11	27	28	56	68	75	92	114	161	147	148	119	63	17	3	-
	White-----M--	435	-	-	-	-	-	1	2	8	2	2	1	4	18	27	61	65	95	87	45	15	2	-
	F--	635	-	-	-	1	1	3	9	16	22	52	63	64	68	79	85	73	49	32	15	2	1	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	1	-	1	-	1	3	7	7	1	-	3	-	-	-
	F--	43	-	-	-	-	2	-	-	3	3	2	3	7	5	5	8	2	3	-	-	-	-	-
180, 181	Of urinary organs-	316	2	5	1	1	1	-	1	1	6	4	11	25	23	51	53	40	41	27	14	8	1	-
	White-----M--	191	1	1	-	-	-	-	-	-	3	1	8	13	18	35	32	22	29	16	9	3	-	-
	F--	113	1	4	1	1	1	-	1	-	3	3	2	8	4	14	19	17	12	11	5	5	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	4	-	2	-	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	673	1	12	9	10	7	6	13	15	26	19	48	64	58	85	73	71	68	53	22	8	5	-
	White-----M--	332	1	6	5	7	5	4	5	8	13	10	27	33	27	38	30	38	29	28	12	3	3	-
	F--	314	-	5	4	2	2	2	7	6	13	8	21	26	28	43	36	32	38	24	10	5	2	-
	Nonwhite--M--	15	-	1	-	1	-	-	1	1	-	-	-	2	3	3	2	1	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	-	3	-	1	5	-	1	1	-	-	-	-
204	Leukemia and aleukemia--------	316	3	25	19	6	12	4	11	7	8	9	12	23	16	29	40	36	34	10	9	3	-	-
	White-----M--	167	-	11	8	3	9	1	7	2	3	3	10	16	6	17	22	17	20	5	5	2	-	-
	F--	131	2	13	10	2	3	2	3	5	5	4	2	6	5	12	16	17	14	5	4	1	-	-
	Nonwhite--M--	11	1	1	1	1	-	-	1	-	-	1	-	-	2	-	1	2	-	-	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	-	1	-	1	3	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	326	2	4	3	5	2	8	11	10	12	18	19	22	38	41	40	48	25	12	6	-	-	-
	White-----M--	197	1	3	1	4	2	7	10	6	6	11	10	9	24	22	30	23	14	10	4	-	-	-
	F--	116	1	-	2	1	-	-	1	2	6	6	8	11	14	16	9	24	11	2	2	-	-	-
	Nonwhite--M--	9	-	1	-	-	-	1	-	-	-	-	1	2	-	3	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	124	4	3	6	2	2	-	2	6	3	10	7	10	5	10	10	18	8	11	6	1	-	-
	White-----M--	50	2	1	3	-	2	-	1	2	1	3	5	6	1	6	3	7	2	4	1	-	-	-
	F--	62	2	1	1	2	-	-	1	3	2	5	2	4	1	3	7	10	6	6	5	1	-	-
	Nonwhite--M--	6	-	-	2	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	-	-	-
	F--	6	-	1	-	-	-	-	-	1	-	2	-	-	-	1	-	1	-	-	-	-	-	-
260	Diabetes mellitus-	784	-	-	1	5	3	4	7	6	14	13	19	44	63	101	132	130	111	83	36	11	1	-
	White-----M--	282	-	-	-	-	2	3	5	2	8	7	8	23	21	32	46	38	34	35	16	1	1	-
	F--	453	-	-	1	4	1	1	1	4	5	5	10	17	33	57	79	85	73	48	20	9	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	4	1	-	-	-	-	-
	F--	39	-	-	-	1	-	-	-	-	1	1	1	3	7	11	7	3	3	-	-	1	-	-
290-293	Anemias----------	78	3	4	2	3	1	1	2	1	2	1	1	2	5	7	4	10	10	10	7	1	1	-
	White-----M--	34	-	3	1	1	1	-	-	1	-	1	-	-	3	4	1	4	5	5	3	1	-	-
	F--	34	1	-	1	2	-	-	2	-	2	-	-	2	1	2	2	6	4	5	3	-	1	-
	Nonwhite--M--	9	2	1	-	-	-	1	-	-	-	-	1	-	1	1	-	-	1	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	38	13	7	3	2	-	-	1	1	1	-	2	2	4	1	1	-	-	-	-	-	-	-
	White-----M--	20	9	5	1	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-
	F--	12	2	1	2	2	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	25,214	7	10	12	9	31	45	41	111	200	413	671	1,013	1,455	2,189	3,047	3,851	4,105	3,989	2,615	1,065	323	12
	White-----M--	13,547	3	2	5	3	16	20	18	56	115	272	430	658	969	1,396	1,808	2,107	2,120	1,890	1,129	415	108	7
	F--	10,428	4	8	4	6	11	18	17	32	51	84	153	240	354	646	1,067	1,587	1,860	2,018	1,432	627	204	5
	Nonwhite--M--	641	-	-	1	-	2	4	3	10	12	33	44	64	68	85	93	80	60	36	27	13	6	-
	F--	598	-	-	2	-	2	3	3	13	22	24	44	51	64	62	79	77	65	45	27	10	5	-
330-334, 400-468	Diseases of cardiovascular system-	24,757	7	7	12	4	25	37	37	96	185	389	654	983	1,428	2,153	3,008	3,799	4,043	3,936	2,576	1,050	316	12
	White-----M--	13,321	3	1	5	1	12	15	16	50	106	262	421	640	957	1,380	1,784	2,082	2,087	1,873	1,104	412	103	7
	F--	10,247	4	6	4	3	9	16	15	26	49	79	152	231	344	629	1,055	1,564	1,838	1,982	1,419	615	202	5
	Nonwhite--M--	619	-	-	1	-	2	3	3	9	12	28	42	64	66	83	91	78	56	36	26	13	6	-
	F--	570	-	-	2	-	2	3	3	11	18	20	39	48	61	61	78	75	62	45	27	10	5	-
330-334	Vascular lesions, etc.*----------	5,888	4	2	3	-	8	8	8	14	35	55	114	159	237	391	673	953	1,106	1,084	700	261	73	-
	White-----M--	2,724	2	-	1	-	3	4	2	5	14	20	42	69	122	192	340	467	545	480	287	105	24	-
	F--	2,826	2	2	1	-	4	3	6	4	15	24	51	58	75	148	284	443	526	583	398	151	48	-
	Nonwhite--M--	152	-	-	1	-	-	-	-	1	3	2	8	15	19	27	26	18	16	7	5	3	1	-
	F--	186	-	-	-	-	1	1	-	4	3	9	13	17	21	24	23	25	19	14	10	2	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	INDIANA--Con.																							
400-402	Rheumatic fever---	21	-	-	3	2	2	2	-	-	-	1	5	-	1	1	1	1	2	-	-	-	-	-
	White-----M--	12	-	-	1	1	1	-	-	-	-	1	3	-	-	1	1	1	2	-	-	-	-	-
	F--	7	-	-	-	1	1	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	17,114	3	5	5	2	13	25	26	74	131	319	510	792	1,138	1,670	2,203	2,619	2,673	2,507	1,572	631	185	11
	White-----M--	9,743	1	1	2	-	7	11	13	43	83	234	362	553	801	1,132	1,363	1,501	1,404	1,223	695	249	58	7
	F--	6,610	2	4	3	2	3	10	7	17	28	52	95	164	254	449	725	1,022	1,196	1,237	847	370	119	4
	Nonwhite--M--	415	-	-	-	-	2	2	3	8	8	22	28	44	45	52	64	50	37	22	17	6	5	-
	F--	346	-	-	-	-	1	2	3	6	12	11	25	31	38	37	51	46	36	25	13	6	3	-
410-416	Chronic rheumatic heart disease----	591	1	-	1	1	6	16	13	25	29	37	47	70	68	68	58	59	44	24	16	4	4	-
	White-----M--	258	1	-	-	-	3	4	7	13	11	14	23	30	27	34	24	28	21	10	5	2	1	-
	F--	294	-	-	1	1	2	9	4	9	12	19	22	36	38	30	30	31	23	13	9	2	3	-
	Nonwhite--M--	24	-	-	-	-	1	2	1	2	2	4	-	1	2	4	3	-	-	-	2	-	-	-
	F--	15	-	-	-	-	-	1	1	1	4	-	2	3	1	-	1	-	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	12,270	-	-	2	-	2	4	8	38	81	244	385	613	894	1,338	1,717	1,958	1,888	1,630	986	370	105	7
	White-----M--	7,615	-	-	2	-	1	2	3	26	63	203	311	475	676	976	1,141	1,175	1,051	840	469	159	36	6
	F--	4,199	-	-	-	-	1	1	2	5	11	23	44	93	165	308	507	716	790	764	501	203	64	1
	Nonwhite--M--	261	-	-	-	-	-	-	1	3	3	12	17	33	30	36	38	34	25	13	11	3	2	-
	F--	195	-	-	-	-	-	1	2	4	4	6	13	12	23	18	31	33	22	13	5	5	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,514	2	2	1	-	1	2	1	2	3	5	14	27	50	75	139	189	260	333	242	129	37	-
	White-----M--	708	-	1	-	-	1	2	1	-	2	4	3	13	27	38	81	95	126	162	97	45	10	-
	F--	757	2	1	1	-	-	-	-	2	-	1	9	11	18	33	48	86	131	168	138	81	27	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	1	1	3	1	6	5	1	3	3	2	-	-
	F--	23	-	-	-	-	-	-	-	-	1	-	1	2	2	3	4	3	2	-	4	1	-	-
430-434	Other diseases of heart---------	612	-	3	1	1	4	3	4	3	8	10	12	30	35	49	69	92	89	106	59	23	10	1
	White-----M--	301	-	-	-	-	2	3	2	3	4	7	8	12	19	20	35	55	44	55	18	11	3	-
	F--	277	-	3	1	1	-	-	1	-	2	2	3	13	12	25	31	34	43	48	39	11	7	1
	Nonwhite--M--	17	-	-	-	-	1	-	1	-	2	1	1	-	3	1	1	2	2	-	1	1	-	-
	F--	17	-	-	-	-	1	-	-	-	-	-	-	5	1	3	2	1	-	3	1	-	-	-
440-443	Hypertension with heart dis.--	2,127	-	-	-	-	-	-	-	6	10	23	52	52	91	140	220	321	392	414	269	105	29	3
	White-----M--	861	-	-	-	-	-	-	-	1	3	6	17	23	52	64	82	148	162	156	106	32	8	1
	F--	1,083	-	-	-	-	-	-	-	1	3	7	17	11	21	53	109	155	209	244	160	73	18	2
	Nonwhite--M--	87	-	-	-	-	-	-	-	3	1	5	9	9	7	10	16	9	9	6	-	-	3	-
	F--	96	-	-	-	-	-	-	-	1	3	5	9	9	11	13	13	9	12	8	3	-	-	-
444-447	Hypertension without mention of heart----------	296	-	-	-	-	-	1	1	1	7	5	9	6	13	15	25	39	46	55	40	24	9	-
	White-----M--	130	-	-	-	-	-	-	-	1	3	3	1	1	8	7	12	16	25	28	14	8	3	-
	F--	137	-	-	-	-	-	-	1	-	1	-	2	3	4	5	10	20	20	25	26	15	5	-
	Nonwhite--M--	19	-	-	-	-	-	1	-	-	1	2	5	2	1	3	1	2	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	2	-	1	-	-	-	2	1	1	1	-	1	1	-
450	General arteriosclerosis--------	1,060	-	-	-	-	-	-	-	-	-	-	2	6	8	26	52	131	163	256	243	128	45	-
	White-----M--	483	-	-	-	-	-	-	-	-	-	-	1	4	4	13	25	61	83	125	102	47	18	-
	F--	535	-	-	-	-	-	-	-	-	-	-	-	2	3	13	26	60	74	121	134	76	26	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	7	3	5	3	4	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	4	1	1	-
451-468	Other diseases of circulatory sys.-	378	-	-	1	-	2	1	2	7	12	9	14	20	31	50	54	56	53	34	21	6	4	1
	White-----M--	229	-	-	1	-	1	-	1	1	6	4	12	13	22	35	43	36	28	17	6	3	-	-
	F--	132	-	-	-	-	1	1	1	5	5	3	2	4	7	14	10	19	22	16	14	3	4	1
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	2	-	3	-	1	-	1	-	1	1	-	-	-
	F--	8	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	3	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	457	-	3	-	5	6	8	4	15	15	24	17	30	27	36	39	52	62	53	39	15	7	-
	White-----M--	226	-	1	-	2	4	5	2	6	9	10	9	18	12	16	24	25	33	17	25	3	5	-
	F--	181	-	2	-	3	2	2	2	6	2	5	1	9	10	17	12	23	22	36	13	12	2	-
	Nonwhite--M--	22	-	-	-	-	-	1	-	1	-	5	2	-	2	2	2	2	4	-	1	-	-	-
	F--	28	-	-	-	-	-	-	-	2	4	4	5	3	3	1	1	2	3	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,454	240	80	12	15	21	16	10	16	25	24	21	51	68	93	116	146	156	155	107	58	23	1
	White-----M--	739	99	35	7	7	8	7	4	8	12	13	9	19	41	54	74	90	85	78	52	28	9	-
	F--	545	87	35	4	6	11	6	5	5	10	7	4	18	21	27	30	44	60	73	49	29	13	1
	Nonwhite--M--	95	23	5	-	1	2	-	1	1	2	3	5	7	4	10	10	6	11	1	2	1	-	-
	F--	75	31	5	1	1	-	3	-	2	1	1	3	7	2	2	2	6	-	3	4	-	1	-
480-483	Influenza---------	212	14	8	1	5	4	4	3	1	5	5	4	8	12	17	13	26	19	26	21	13	3	-
	White-----M--	104	4	3	1	3	2	2	1	1	3	2	3	3	8	7	4	16	12	12	12	5	-	-
	F--	93	9	4	-	2	2	1	2	-	2	3	1	4	3	9	6	7	6	14	8	8	2	-
	Nonwhite--M--	8	1	1	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	2	-	-	1	-	1	-
490-493	Pneumonia, etc.*---	1,242	226	72	11	10	17	12	7	15	20	19	17	43	56	76	103	120	137	129	86	45	20	1
	White-----M--	635	95	32	6	4	6	5	3	7	9	11	6	16	33	47	70	74	73	66	40	23	9	-
	F--	452	78	31	4	4	9	5	3	5	8	4	3	14	18	18	24	37	54	59	41	21	11	1
	Nonwhite--M--	87	22	4	-	1	2	-	1	1	2	3	5	7	3	9	8	5	10	1	2	1	-	-
	F--	68	31	5	1	1	-	2	-	2	1	1	3	6	2	2	1	4	-	3	3	-	-	-
500-502	Bronchitis--------	50	17	4	1	-	1	1	-	1	-	1	-	-	2	4	4	1	4	5	2	2	-	-
	White-----M--	21	8	2	-	-	-	-	-	-	-	-	-	-	2	3	3	-	1	2	-	-	-	-
	F--	21	7	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	3	3	2	2	-	-
	Nonwhite--M--	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F--	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	246	1	-	-	-	-	-	2	2	10	14	11	19	14	28	35	39	33	26	8	4	-	-
	White-----M--	187	1	-	-	-	-	-	1	1	5	8	7	16	12	23	28	35	27	15	5	3	-	-
	F--	49	-	-	-	-	-	-	1	1	4	4	1	1	2	4	7	4	6	10	3	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	2	2	2	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
550-553	Appendicitis------	53	-	2	-	2	1	-	1	1	1	-	3	3	7	4	4	6	6	6	5	1	-	-
	White-----M--	31	-	1	-	1	-	-	-	-	-	-	3	1	4	4	2	5	4	4	2	-	-	-
	F--	18	-	1	-	1	1	-	1	-	1	-	-	-	2	-	2	1	2	2	3	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	249	29	5	2	1	-	1	-	2	9	8	5	9	9	17	31	30	30	38	20	3	-	-
	White-----M--	123	17	3	-	-	-	1	-	1	3	-	4	5	4	5	15	18	17	16	13	1	-	-
	F--	102	9	1	1	1	-	-	-	1	4	5	-	3	3	10	14	9	11	21	7	2	-	-
	Nonwhite--M--	13	3	1	-	-	-	-	-	-	2	-	-	1	1	-	-	3	1	1	-	-	-	-
	F--	11	-	-	1	-	-	-	-	-	-	3	1	-	1	2	2	-	1	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	INDIANA—Con.																							
543,	Gastritis, etc.*--	204	65	20	5	1	-	3	2	2	1	3	5	5	11	12	16	11	8	15	14	4	1	-
571,	White-----M--	100	33	13	3	1	-	2	-	-	-	1	1	3	6	5	8	8	4	5	5	2	-	-
572	F--	91	23	7	1	-	-	1	2	1	1	2	4	2	5	7	8	2	4	10	9	1	1	-
	Nonwhite--M--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	9	6	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	435	1	-	-	1	2	-	1	3	18	29	59	62	53	52	68	47	25	8	5	1	-	-
	White-----M--	294	-	-	-	1	-	-	1	2	9	20	39	48	37	39	45	31	15	4	3	-	-	-
	F--	117	1	-	-	-	2	-	-	1	6	8	15	11	13	10	20	14	9	4	2	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	1	1	2	1	1	2	2	1	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	2	-	3	2	2	1	1	1	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	84	-	3	1	1	1	4	2	-	-	2	4	1	8	7	13	6	13	9	5	2	2	-
	White-----M--	39	-	2	1	-	-	4	1	-	-	-	-	-	4	4	5	3	8	3	3	-	1	-
	F--	35	-	1	-	1	1	-	1	-	-	1	3	1	3	2	6	2	4	4	2	2	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-
610	Hyperplasia of																							
	prostate---------	128	-	-	-	-	-	-	-	1	-	-	-	1	-	3	12	20	24	29	23	12	3	-
	White-----M--	118	-	-	-	-	-	-	-	1	-	-	-	-	-	3	10	18	21	28	22	12	3	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	1	1	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	37	...	...	...	-	1	4	6	8	9	6	1	1	-	1	-	-	-	-	-	-	-	-
	White-----F--	29	...	...	...	-	1	3	5	6	7	4	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	-	-	1	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	6	...	...	...	-	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	5	...	...	...	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	31	...	...	...	-	1	4	5	6	7	5	1	1	-	1	-	-	-	-	-	-	-	-
660-	White-----F--	24	...	...	...	-	1	3	5	4	5	3	1	1	-	1	-	-	-	-	-	-	-	-
669	Nonwhite--F--	7	...	...	...	-	-	1	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	605	453	58	10	8	5	6	5	8	13	3	5	6	5	9	2	4	3	2	-	-	-	-
	White-----M--	284	216	22	6	5	4	2	4	4	3	-	2	3	1	5	1	4	1	1	-	-	-	-
	F--	285	207	31	4	3	1	4	1	4	10	3	3	3	3	4	1	-	2	1	-	-	-	-
	Nonwhite--M--	19	16	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	14	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	1,658	1,658	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	850	850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	579	579	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	767	767	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	398	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	271	271	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	785	785	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	399	399	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	275	275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	212	31	2	-	1	2	1	2	2	-	4	4	7	7	10	15	10	16	23	38	21	14	2
795	White-----M--	93	13	-	-	1	1	-	2	-	-	3	3	3	4	5	11	4	10	7	10	11	5	-
	F--	98	8	-	-	-	1	1	-	2	-	1	-	4	2	4	2	5	5	15	27	10	9	2
	Nonwhite--M--	13	6	2	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-
	F--	8	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-
Re-	All other diseases	2,007	95	42	24	18	23	26	35	43	56	76	70	96	149	189	244	253	241	169	98	40	18	2
sid-	White-----M--	1,056	48	20	12	9	13	11	11	14	22	33	36	53	83	115	144	155	129	71	55	16	5	1
ual	F--	785	32	14	9	7	9	12	20	24	24	30	26	30	54	58	82	83	102	92	42	22	13	-
	Nonwhite--M--	90	10	5	2	1	1	1	-	2	1	7	4	10	6	13	8	9	7	2	-	-	-	1
	F--	76	5	3	1	1	-	2	4	3	9	6	4	3	6	3	10	6	3	4	1	2	-	-
E800-	Accidents---------	2,729	84	100	82	69	185	196	143	155	122	144	144	120	120	134	113	171	184	212	155	64	28	4
E962	White-----M--	1,695	45	50	48	54	137	156	105	118	94	102	94	84	85	84	75	100	89	86	62	20	7	-
	F--	864	30	36	28	12	40	26	22	25	20	30	38	23	28	41	32	63	92	124	89	43	20	2
	Nonwhite--M--	126	5	8	3	3	4	12	15	10	6	11	11	7	4	9	3	5	1	2	3	1	1	2
	F--	44	4	6	3	-	4	2	1	2	2	1	1	6	3	-	3	3	2	-	1	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	1,172	8	43	41	27	126	129	109	99	70	84	84	53	53	60	51	55	42	25	10	1	-	2
	White-----M--	827	5	24	22	20	92	102	80	75	56	56	51	35	33	41	36	40	33	17	8	1	-	-
	F--	277	3	15	17	6	30	19	18	17	11	21	28	15	17	15	15	12	8	8	2	-	-	-
	Nonwhite--M--	55	-	2	1	1	2	7	10	7	3	6	5	1	1	4	-	2	1	-	-	-	-	2
	F--	13	-	2	1	-	2	1	1	-	-	1	-	2	2	-	-	1	-	-	-	-	-	-
E800-	All ot. accidents-	1,557	76	57	41	42	59	67	34	56	52	60	60	67	67	74	62	116	142	187	145	63	28	2
E802,	White-----M--	868	40	26	26	34	45	54	25	43	38	46	43	49	52	43	39	60	56	69	54	19	7	-
E840-	F--	587	27	21	11	6	10	7	4	8	9	9	10	8	11	26	17	51	84	116	87	43	20	2
E962	Nonwhite--M--	71	5	6	2	2	2	5	5	3	3	5	6	6	3	5	3	3	-	2	3	1	1	-
	F--	31	4	4	2	-	2	1	-	2	2	-	1	4	1	-	3	2	2	-	1	-	-	-
E963,	Suicide----------	443	-	-	-	1	8	15	22	30	30	34	36	45	41	40	49	36	32	18	4	-	1	1
E970-	White-----M--	330	-	-	-	1	6	11	16	25	18	26	23	33	32	31	34	27	25	18	3	-	-	1
E979	F--	101	-	-	-	-	2	4	6	5	11	6	12	11	7	9	13	6	7	-	1	-	1	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	2	1	1	2	-	2	3	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	142	4	2	4	2	5	13	9	16	23	18	8	10	14	5	2	4	1	2	-	-	-	-
E980-	White-----M--	57	2	2	-	1	4	4	4	2	9	5	3	5	9	2	2	2	1	-	-	-	-	-
E985	F--	34	1	-	4	-	-	2	-	5	3	9	1	3	2	1	-	1	-	2	-	-	-	-
	Nonwhite--M--	41	-	-	-	-	1	6	4	8	8	2	4	2	3	2	-	1	-	-	-	-	-	-
	F--	10	1	-	-	1	-	1	1	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E999	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IOWA																							
	ALL CAUSES------	27,984	1,330	226	128	103	163	196	173	205	300	457	757	1,108	1,509	2,236	3,123	3,726	4,051	3,918	2,718	1,198	346	13
	White-----M--	15,701	743	102	77	62	114	138	101	126	177	281	470	710	969	1,448	1,951	2,150	2,243	1,967	1,257	487	120	8
	F--	11,944	545	115	48	38	47	55	68	74	115	166	276	371	508	757	1,142	1,548	1,773	1,918	1,448	702	225	5
	Nonwhite--M--	191	27	4	3	1	2	2	2	4	3	5	6	17	17	16	19	20	15	21	3	3	1	-
	F--	148	15	5	-	2	-	1	2	1	5	5	5	10	15	15	11	8	20	12	10	6	-	-
001-019	Tuberculosis, all forms--------	79	-	-	1	2	-	2	-	3	4	7	7	6	3	7	7	11	10	7	1	1	-	-
	White-----M--	43	-	-	-	1	-	-	-	1	2	2	4	5	-	6	5	7	5	5	-	-	-	-
	F--	33	-	-	1	1	-	2	-	2	2	3	3	-	3	1	2	4	5	2	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	75	-	-	1	1	-	2	-	3	4	7	7	6	3	5	6	11	10	7	1	1	-	-
	White-----M--	41	-	-	-	1	-	-	-	1	2	2	4	5	-	4	5	7	5	5	-	-	-	-
	F--	31	-	-	1	-	-	2	-	2	2	3	3	-	3	1	1	4	5	2	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	4	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	39	-	-	-	-	-	-	-	-	-	1	-	3	3	11	8	6	5	2	-	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	1	2	10	5	2	2	2	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	4	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	4	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	10	3	2	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	1	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	77	11	3	2	2	3	2	1	4	-	2	5	2	3	7	10	4	5	7	2	1	1	-
	White-----M--	47	5	-	2	-	3	1	-	2	-	2	2	1	3	5	9	2	4	5	-	-	1	-
	F--	28	4	3	-	2	-	1	1	2	-	-	3	1	-	2	1	2	1	2	2	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IOWA—Con.																							
140-205	Malignant neoplasms, etc.*----	4,481	6	26	22	10	8	16	25	36	61	104	207	291	376	572	651	638	628	466	254	68	14	2
	White-----M--	2,306	3	15	13	6	5	9	10	15	21	50	87	137	185	301	366	350	343	245	116	22	7	-
	F--	2,127	3	11	7	4	3	7	15	21	39	53	120	149	183	262	281	282	279	216	137	46	7	2
	Nonwhite--M--	28	-	-	2	-	-	-	-	-	-	-	-	1	5	4	4	5	2	4	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	1	1	-	4	3	5	-	1	4	1	-	-	-	-
140-148	Of buccal cavity and pharynx------	83	-	-	-	-	-	-	-	1	1	2	6	9	5	6	9	8	15	8	10	3	-	-
	White-----M--	67	-	-	-	-	-	-	-	-	1	2	6	9	3	3	7	6	14	5	9	2	-	-
	F--	14	-	-	-	-	-	-	-	1	-	-	-	-	2	2	2	1	1	3	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,595	2	-	-	1	-	2	3	5	13	23	49	84	127	164	237	261	273	209	109	29	3	1
	White-----M--	814	1	-	-	-	-	1	2	3	3	13	27	46	63	91	125	145	143	99	44	6	2	-
	F--	764	1	-	-	1	-	1	1	2	10	10	22	37	58	70	111	114	129	108	64	23	1	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	1	5	1	1	1	-	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	-	-	-	-
160-164	Of respiratory system (not secondary)-------	500	-	-	-	-	-	-	-	2	3	18	32	41	54	113	92	69	38	19	14	5	-	-
	White-----M--	414	-	-	-	-	-	-	-	2	2	15	26	38	51	98	77	56	26	11	9	3	-	-
	F--	81	-	-	-	-	-	-	-	-	1	3	6	3	3	13	14	13	10	8	5	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
170	Of breast---------	419	-	-	-	-	-	-	1	5	6	15	31	49	47	64	47	51	46	31	18	6	1	1
	White-----M--	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	-
	F--	410	-	-	-	-	-	-	1	5	5	14	31	47	46	63	46	51	45	30	18	6	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-	-	-	-
171-179	Of genital organs-	689	-	1	-	-	-	3	6	8	15	18	34	44	38	92	79	88	109	104	40	8	2	-
	White-----M--	323	-	1	-	-	-	2	2	2	4	4	2	3	7	28	36	50	80	73	25	4	-	-
	F--	357	-	-	-	-	-	1	4	6	11	14	32	38	31	62	42	38	28	29	15	4	2	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	1	-	-	-	-	-
180, 181	Of urinary organs-	244	-	4	4	1	-	-	-	-	1	3	2	7	20	27	39	40	40	29	18	5	4	-
	White-----M--	179	-	3	3	1	-	-	-	-	1	2	2	6	16	19	29	32	32	17	11	2	3	-
	F--	65	-	1	1	-	-	-	-	-	-	1	-	1	4	8	10	8	8	12	7	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	507	2	6	7	3	3	5	7	6	12	14	34	30	41	57	77	61	56	39	34	9	4	-
	White-----M--	255	-	4	4	1	2	2	2	4	6	9	15	18	21	31	46	30	17	24	13	4	2	-
	F--	248	2	2	2	2	1	3	5	2	6	5	19	12	20	26	31	30	38	14	21	5	2	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia--------	217	1	14	8	4	2	4	4	6	6	4	9	10	14	15	29	30	31	16	8	2	-	-
	White-----M--	125	1	6	3	3	-	3	1	2	3	2	4	5	8	11	23	16	20	9	4	1	-	-
	F--	89	-	8	4	1	2	1	3	4	3	2	5	5	6	4	6	12	11	7	4	1	-	-
	Nonwhite--M--	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	227	1	1	3	1	3	2	4	3	4	7	10	17	30	34	42	30	20	11	3	1	-	-
	White-----M--	125	1	1	3	1	3	1	3	2	1	2	5	11	16	20	22	15	11	6	1	-	-	-
	F--	99	-	-	-	-	-	1	1	1	3	4	5	6	13	14	19	15	9	5	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	83	-	3	1	3	-	1	4	3	2	4	2	6	12	7	6	8	7	10	1	2	1	-
	White-----M--	32	-	-	1	1	-	-	1	1	1	1	-	4	6	4	3	4	2	2	-	-	1	-
	F--	50	-	3	-	2	-	1	3	2	1	3	1	2	6	3	3	4	5	8	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	430	-	-	-	-	1	2	7	6	5	6	15	19	20	38	57	91	83	52	22	3	3	-
	White-----M--	181	-	-	-	-	1	-	3	3	3	2	7	7	9	20	28	32	35	20	8	-	3	-
	F--	244	-	-	-	-	-	2	4	3	2	3	8	11	11	17	28	59	47	32	14	3	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
290-293	Anemias----------	47	-	2	-	1	1	-	1	1	-	1	-	1	3	1	5	11	5	6	7	1	-	-
	White-----M--	25	-	1	-	-	1	-	-	-	-	1	-	1	1	-	1	6	2	4	6	1	-	-
	F--	22	-	1	-	1	-	-	1	1	-	-	-	-	2	1	4	5	3	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	20	7	4	2	1	1	-	-	-	-	1	-	-	-	1	-	3	-	-	-	-	-	-
	White-----M--	11	4	2	1	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	F--	8	2	2	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	16,185	5	10	9	9	14	20	20	24	91	167	285	522	783	1,209	1,859	2,448	2,783	2,780	2,013	882	243	9
	White-----M--	9,100	1	3	5	6	9	11	10	15	60	116	204	387	555	837	1,187	1,420	1,528	1,382	921	355	82	6
	F--	6,922	4	6	4	2	4	8	10	9	28	48	75	120	209	356	657	1,010	1,231	1,376	1,083	519	160	3
	Nonwhite--M--	84	-	1	-	-	1	1	-	-	1	2	4	11	8	8	7	11	10	14	2	2	1	-
	F--	79	-	-	-	1	-	-	-	-	2	1	2	4	11	8	8	7	14	8	7	6	-	-
330-334, 400-468	Diseases of cardiovascular system-	15,937	4	9	5	6	10	12	11	22	82	156	276	512	768	1,197	1,827	2,407	2,759	2,754	1,996	876	239	9
	White-----M--	8,974	1	2	3	4	7	7	5	15	53	112	200	379	547	833	1,167	1,397	1,517	1,369	915	354	81	6
	F--	6,804	3	6	2	1	2	4	6	7	26	42	71	119	202	348	645	992	1,219	1,363	1,072	514	157	3
	Nonwhite--M--	82	-	1	-	-	1	1	-	-	1	1	4	11	8	8	7	11	9	14	2	2	1	-
	F--	77	-	-	-	1	-	-	-	-	2	1	1	3	11	8	8	7	14	8	7	6	-	-
330-334	Vascular lesions, etc.*----------	3,928	1	5	2	1	2	2	4	2	14	22	37	81	129	210	385	617	767	776	555	254	59	3
	White-----M--	1,930	-	-	1	1	2	2	3	1	10	11	14	40	75	115	215	297	394	375	257	97	19	1
	F--	1,959	1	4	1	-	-	-	1	1	4	11	22	36	51	93	169	313	367	394	295	155	39	2
	Nonwhite--M--	19	-	1	-	-	-	-	-	-	-	-	1	4	2	-	-	3	4	3	-	-	1	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	2	4	3	2	-	-

*For complete category title, see table 68A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IOWA—Con.																							
400-402	Rheumatic fever---	13	-	-	2	2	2	-	-	-	-	-	-	1	2	1	-	1	1	-	1	-	-	-
	White-----M--	8	-	-	1	1	2	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-
	F--	4	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	10,769	2	4	1	3	5	8	7	17	64	125	224	407	607	935	1,344	1,669	1,789	1,744	1,179	488	142	5
	White-----M--	6,416	1	2	1	2	3	4	2	13	40	95	181	324	453	684	894	1,018	1,019	881	541	204	49	5
	F--	4,248	1	2	-	1	1	3	5	4	21	28	40	74	141	239	440	640	755	848	632	280	93	-
	Nonwhite--M--	60	-	-	-	-	1	1	-	-	1	1	3	7	6	6	6	8	5	11	2	2	-	-
	F--	45	-	-	-	-	-	-	-	-	2	1	-	2	7	6	4	3	10	4	4	2	-	-
410-416	Chronic rheumatic heart disease----	298	-	-	-	-	4	2	3	3	12	11	27	27	49	40	31	30	23	20	9	7	-	-
	White-----M--	151	-	-	-	-	3	-	-	3	2	4	15	12	27	17	19	20	14	9	4	2	-	-
	F--	143	-	-	-	-	-	2	3	-	9	7	12	15	21	23	11	10	9	11	5	5	-	-
	Nonwhite--M--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	7,963	-	-	-	-	-	4	3	9	42	96	170	333	473	758	1,085	1,296	1,317	1,207	782	301	83	4
	White-----M--	5,021	-	-	-	-	-	2	2	7	34	81	149	285	377	587	754	802	789	614	381	123	30	4
	F--	2,871	-	-	-	-	-	1	1	2	8	14	19	41	87	163	326	488	515	581	397	175	53	-
	Nonwhite--M--	43	-	-	-	-	-	1	-	-	-	1	2	6	5	4	3	5	5	8	2	1	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	1	4	4	2	1	8	4	2	2	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,151	-	2	-	1	-	1	1	-	3	6	4	12	23	45	73	144	201	280	204	111	39	1
	White-----M--	580	-	1	-	-	-	1	-	-	2	3	3	6	15	28	39	89	105	132	90	52	13	1
	F--	561	-	1	-	1	-	-	1	-	-	3	1	5	7	16	34	54	95	148	113	58	26	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-
430-434	Other diseases of heart---------	398	2	2	1	2	1	1	-	4	4	5	8	18	22	33	37	61	60	52	52	27	6	-
	White-----M--	245	1	1	1	2	-	1	-	2	1	5	5	11	14	23	27	42	35	38	22	12	2	-
	F--	151	1	1	-	-	1	-	-	2	3	-	3	7	7	9	10	19	25	14	30	15	4	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	959	-	-	-	-	-	-	-	1	3	7	15	17	40	59	118	138	188	185	132	42	14	-
	White-----M--	419	-	-	-	-	-	-	-	1	1	2	9	10	20	29	55	65	76	88	44	15	4	-
	F--	522	-	-	-	-	-	-	-	-	1	4	5	6	19	28	59	69	111	96	87	27	10	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	2	1	-	1	-	-	-
444-447	Hypertension without mention of heart----------	195	-	-	-	-	-	-	-	1	1	3	5	5	8	8	18	21	44	37	31	11	2	-
	White-----M--	105	-	-	-	-	-	-	-	-	1	3	-	3	3	5	11	14	22	22	14	6	1	-
	F--	86	-	-	-	-	-	-	-	1	-	-	4	2	5	3	6	7	21	15	17	4	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-
450	General arteriosclerosis--------	778	-	-	-	-	-	-	-	-	-	-	3	3	3	13	37	65	121	172	209	117	34	1
	White-----M--	362	-	-	-	-	-	-	-	-	-	-	3	3	1	5	22	41	65	77	90	45	10	-
	F--	409	-	-	-	-	-	-	-	-	-	-	-	-	-	8	12	24	55	95	119	71	24	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	1	-	-
451-468	Other diseases of circulatory sys.-	254	1	-	-	-	1	2	-	2	3	6	7	15	19	30	43	34	37	25	21	6	2	-
	White-----M--	153	-	-	-	-	-	1	-	1	2	3	2	9	14	23	25	26	17	14	12	2	2	-
	F--	98	1	-	-	-	1	1	-	1	1	3	5	6	4	5	18	8	20	11	9	4	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	248	1	1	4	3	4	8	9	2	9	11	9	10	15	12	32	41	24	26	17	6	4	-
	White-----M--	126	-	1	2	2	2	4	5	-	7	4	4	8	8	4	20	23	11	13	6	1	1	-
	F--	118	1	-	2	1	2	4	4	2	2	6	4	1	7	8	12	18	12	13	11	5	3	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,054	90	38	5	8	17	7	12	9	14	17	23	25	39	63	95	107	121	150	107	79	30	-
	White-----M--	566	55	15	1	3	5	4	3	4	6	10	17	14	30	42	55	61	76	71	53	36	5	-
	F--	465	30	20	4	5	12	3	8	5	8	7	6	11	7	19	34	45	44	78	51	43	25	-
	Nonwhite--M--	12	1	1	-	-	-	-	-	-	-	-	-	-	2	1	4	1	1	1	-	-	-	-
	F--	11	4	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	3	-	-	-
480-483	Influenza---------	217	8	5	3	5	9	2	6	3	4	7	5	10	8	20	26	25	15	20	19	12	5	-
	White-----M--	110	4	-	-	2	2	1	2	1	1	4	5	4	8	12	16	16	9	9	7	7	-	-
	F--	103	4	4	3	3	7	1	4	2	3	3	-	6	-	7	9	9	6	10	12	5	5	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	837	82	31	2	3	8	5	6	6	10	10	18	15	31	43	69	82	106	130	88	67	25	-
	White-----M--	456	51	15	1	1	3	3	1	3	5	6	12	10	22	30	39	45	67	62	46	29	5	-
	F--	362	26	16	1	2	5	2	4	3	5	4	6	5	7	12	25	36	38	68	39	38	20	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	1	-	-	-	-	-
	F--	10	4	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-
500-502	Bronchitis--------	49	5	-	1	-	-	-	1	-	-	-	1	1	2	7	7	7	4	9	3	1	-	-
	White-----M--	31	1	-	1	-	-	-	-	-	-	-	1	1	2	6	6	6	2	3	1	1	-	-
	F--	18	4	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	6	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	170	2	1	-	-	1	-	-	-	-	5	6	8	10	17	25	25	29	27	8	5	1	-
	White-----M--	128	1	1	-	-	1	-	-	-	-	5	5	5	8	13	21	22	20	16	7	2	1	-
	F--	39	1	-	-	-	-	-	-	-	-	-	1	3	2	4	2	3	8	11	1	3	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	38	-	1	-	1	-	-	1	2	-	-	1	2	3	7	6	5	4	2	3	-	-	-
	White-----M--	27	-	-	-	1	-	-	-	1	-	-	-	1	2	6	5	3	4	2	2	-	-	-
	F--	10	-	1	-	-	-	-	1	1	-	-	1	1	1	1	-	2	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	158	19	3	-	-	-	1	-	-	-	1	4	2	6	12	13	23	23	21	21	7	2	-
	White-----M--	80	8	2	-	-	-	1	-	-	-	-	2	1	3	5	4	14	15	10	9	5	1	-
	F--	76	10	1	-	-	-	-	-	-	-	1	1	1	3	7	9	9	8	11	12	2	1	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	IOWA—Con.																							
543,	Gastritis, etc.*--	99	22	6	-	-	2	1	1	1	-	4	-	2	6	6	10	10	6	13	5	4	-	-
571,	White-----M--	47	9	4	-	-	1	-	-	1	-	2	-	1	3	4	3	5	3	4	3	4	-	-
572	F--	49	12	2	-	-	1	1	1	-	-	2	-	-	3	2	7	5	3	8	2	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
581	Cirrhosis of liver	194	2	-	-	1	-	-	3	7	9	6	16	26	25	26	29	16	22	3	2	1	-	-
	White-----M--	129	1	-	-	-	-	-	2	5	5	4	12	20	18	16	20	9	13	2	1	1	-	-
	F--	64	1	-	-	1	-	-	1	2	3	2	4	6	7	10	9	7	9	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	39	-	2	-	1	-	-	1	3	1	1	2	1	5	2	2	6	6	5	1	-	-	-
	White-----M--	26	-	-	-	1	-	-	1	2	1	1	2	1	4	1	1	5	3	3	-	-	-	-
	F--	12	-	1	-	-	-	-	-	1	-	-	-	-	1	1	1	1	3	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	107	-	-	-	-	-	-	-	-	-	-	-	1	-	3	10	17	14	23	30	8	1	-
	White-----M--	107	-	-	-	-	-	-	-	-	-	-	-	1	-	3	10	17	14	23	30	8	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	13	...	...	...	-	-	4	2	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	...	...	...	-	-	3	2	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	12	...	...	...	-	-	4	2	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	11	...	...	...	-	-	3	2	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	314	238	27	14	5	5	2	2	3	2	5	2	1	2	1	2	-	1	2	-	-	-	-
	White-----M--	169	127	14	6	2	4	1	1	1	1	5	1	1	1	-	2	-	1	1	-	-	-	-
	F--	140	108	12	8	3	1	1	1	1	1	-	1	-	1	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	789	789	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	445	445	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	322	322	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	350	350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	202	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	373	373	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	205	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	172	6	1	-	-	-	-	1	1	-	1	2	-	5	2	4	10	22	29	42	28	18	-
795	White-----M--	81	6	-	-	-	-	-	-	1	-	-	2	-	3	2	2	4	14	10	22	10	5	-
	F--	90	-	1	-	-	-	-	1	-	-	1	-	-	2	-	1	6	8	19	20	18	13	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	1,340	77	32	12	14	12	12	7	13	26	38	42	66	96	121	162	156	159	153	91	37	14	-
sid-	White-----M--	779	54	11	3	10	8	5	3	8	13	17	21	32	56	90	107	103	87	92	34	18	7	-
ual	F--	540	21	19	9	4	4	7	4	5	12	18	20	32	37	30	55	53	70	58	57	18	7	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	2	-	1	-	-
	F--	12	-	2	-	-	-	-	-	-	1	3	1	1	1	-	-	-	2	1	-	-	-	-
E800-	Accidents---------	1,656	41	61	54	44	92	117	73	72	67	61	106	80	70	88	113	98	96	136	100	69	18	2
E962	White-----M--	1,055	20	31	42	31	70	99	59	57	53	46	79	53	51	54	80	55	54	51	39	23	6	2
	F--	576	17	27	11	11	21	17	12	13	12	15	26	25	19	32	33	40	42	84	61	46	12	-
	Nonwhite--M--	19	2	2	1	1	1	1	2	1	2	-	1	2	-	2	-	1	-	-	-	-	-	-
	F--	6	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	710	5	30	22	21	69	88	53	37	36	35	54	43	38	38	56	39	23	9	10	2	-	2
	White-----M--	500	2	16	17	11	50	72	42	30	25	25	38	27	23	19	38	27	18	7	9	2	-	2
	F--	203	3	14	5	8	18	15	10	7	10	10	15	16	15	19	18	12	5	2	1	-	-	-
	Nonwhite--M--	6	-	-	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	946	36	31	32	23	23	29	20	35	31	26	52	37	32	50	57	57	73	127	90	67	18	-
E802,	White-----M--	555	18	15	25	20	20	27	17	27	28	21	41	26	28	35	42	28	36	44	30	21	6	-
E840-	F--	373	14	13	6	3	3	2	2	6	2	5	11	9	4	13	15	28	37	82	60	46	12	-
E962	Nonwhite--M--	13	2	2	1	-	-	-	1	1	1	-	-	2	-	2	-	1	-	-	-	-	-	-
	F--	5	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E963,	Suicide----------	295	-	-	-	-	4	5	8	11	14	19	28	40	34	27	41	26	17	15	5	1	-	-
E970-	White-----M--	238	-	-	-	-	4	4	7	9	9	15	24	33	25	21	31	21	15	14	5	1	-	-
E979	F--	55	-	-	-	-	-	1	1	2	5	4	3	7	9	6	10	4	2	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	27	3	1	-	-	1	3	3	4	2	1	2	2	2	-	1	2	-	-	-	-	-	-
E980-	White-----M--	11	1	-	-	-	1	2	1	-	2	1	-	2	1	-	-	-	-	-	-	-	-	-
E985	F--	11	1	1	-	-	-	1	1	2	-	-	2	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E999	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KANSAS																							
	ALL CAUSES------	20,391	1,190	183	100	93	154	172	171	196	281	368	626	832	1,175	1,570	2,106	2,577	2,922	2,773	1,879	743	279	1
	White-----M--	11,029	641	90	48	57	107	109	106	117	158	212	387	524	751	976	1,258	1,401	1,539	1,338	827	290	92	1
	F--	8,267	422	84	47	33	42	46	51	62	93	119	193	233	348	483	720	1,060	1,274	1,353	1,001	438	165	-
	Nonwhite--M--	623	74	6	3	3	5	11	4	10	19	22	28	35	43	70	75	69	72	34	20	6	14	-
	F--	472	53	3	2	-	-	6	10	7	11	15	18	40	33	41	53	47	37	48	31	9	8	-
001-019	Tuberculosis, all forms--------	77	-	-	-	-	-	2	2	4	1	3	10	8	1	10	11	11	9	2	2	-	1	-
	White-----M--	49	-	-	-	-	-	2	-	2	-	2	9	6	1	5	7	8	4	1	1	-	1	-
	F--	20	-	-	-	-	-	-	2	2	1	1	1	2	-	1	4	1	3	1	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	74	-	-	-	-	-	2	2	4	1	3	10	8	1	8	10	11	9	2	2	-	1	-
	White-----M--	49	-	-	-	-	-	2	-	2	-	2	9	6	1	5	7	8	4	1	1	-	1	-
	F--	18	-	-	-	-	-	-	2	2	1	1	1	2	-	-	3	1	3	1	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	49	-	-	-	-	-	1	-	-	-	-	2	4	3	13	11	7	4	2	1	1	-	-
	White-----M--	25	-	-	-	-	-	1	-	-	-	-	-	2	2	7	7	3	2	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	1	1	4	-	3	1	1	1	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	9	5	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	46	5	1	3	1	1	1	-	1	2	1	4	4	3	6	2	7	1	1	1	1	-	-
	White-----M--	22	2	1	2	1	-	-	-	-	2	-	3	3	1	2	1	3	-	1	-	-	-	-
	F--	22	3	-	1	-	-	1	-	1	-	-	1	1	2	4	1	4	1	-	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KANSAS—Con.																							
140-205	Malignant neoplasms, etc.*----	3,017	4	28	12	5	12	17	26	35	67	88	139	193	291	360	440	452	382	286	135	36	9	-
	White-----M--	1,516	2	14	5	3	8	8	14	13	24	32	55	90	137	187	252	238	195	146	73	17	3	-
	F--	1,351	2	14	6	2	3	7	12	20	39	49	77	87	143	157	163	188	168	133	60	17	4	-
	Nonwhite--M--	89	-	-	-	-	1	-	-	1	3	2	5	4	4	11	20	16	13	4	2	1	2	-
	F--	61	-	-	1	-	-	2	-	1	1	5	2	12	7	5	5	10	6	3	-	1	-	-
140-148	Of buccal cavity and pharynx------	65	-	-	-	-	-	-	-	-	1	5	2	5	8	7	8	13	6	4	4	1	1	-
	White-----M--	45	-	-	-	-	-	-	-	-	1	3	1	5	6	6	5	9	4	2	2	-	1	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	2	2	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	981	1	-	-	-	-	2	1	3	14	19	19	39	94	121	130	179	152	130	57	16	4	-
	White-----M--	476	-	-	-	-	-	1	-	-	4	8	13	24	39	64	70	85	69	64	28	7	-	-
	F--	462	1	-	-	-	-	1	1	2	9	10	5	13	54	52	50	86	75	63	28	8	4	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	1	1	1	-	1	5	8	4	6	3	1	1	-	-
	F--	11	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	4	2	-	-	-	-	-
160-164	Of respiratory system (not secondary)--------	380	-	2	-	-	1	1	-	3	4	11	24	30	49	64	88	52	27	17	5	2	-	-
	White-----M--	311	-	-	-	-	-	1	-	1	3	10	19	24	45	55	75	41	21	11	4	1	-	-
	F--	48	-	2	-	-	1	-	-	2	1	1	3	4	3	7	8	5	3	6	1	1	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	2	2	1	2	5	5	3	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
170	Of breast---------	257	-	-	-	-	-	-	-	3	9	16	21	31	33	30	29	33	24	16	11	1	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	1	-	-	-
	F--	243	-	-	-	-	-	-	-	3	9	15	21	29	32	29	29	28	23	14	10	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	2	1	2	-	-	-	-
171-179	Of genital organs-	511	-	-	-	-	1	4	7	8	14	12	26	33	31	55	78	80	67	53	32	7	3	-
	White-----M--	223	-	-	-	-	1	2	3	2	1	-	-	4	4	18	29	43	48	36	25	6	1	-
	F--	252	-	-	-	-	-	2	4	6	12	10	24	26	25	34	46	27	14	15	6	1	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	7	2	1	1	-	2	-
	F--	21	-	-	-	-	-	-	-	-	1	2	1	3	2	2	3	3	3	1	-	-	-	-
180, 181	Of urinary organs-	122	-	3	3	-	-	1	1	2	2	2	5	4	13	11	17	10	22	18	8	-	-	-
	White-----M--	73	-	1	1	-	-	-	1	2	2	1	3	1	10	7	15	7	9	9	4	-	-	-
	F--	44	-	2	2	-	-	-	-	-	-	1	2	1	3	4	1	3	12	9	4	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	364	2	6	5	2	5	2	6	7	11	16	25	26	36	41	50	38	42	27	12	4	1	-
	White-----M--	187	1	3	4	1	4	1	4	4	4	7	10	13	21	20	33	22	15	13	5	1	1	-
	F--	165	1	3	1	1	1	1	2	3	6	8	15	10	14	18	16	16	26	14	7	2	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-	1	-	-
204	Leukemia and aleukemia--------	183	1	15	3	3	2	5	8	8	2	6	4	12	10	14	21	29	23	10	5	2	-	-
	White-----M--	101	1	8	-	2	1	3	3	4	1	2	2	8	4	9	12	18	15	3	3	2	-	-
	F--	73	-	7	2	1	-	1	5	3	1	4	2	2	5	4	8	11	8	7	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	154	-	2	1	-	3	2	3	1	10	1	13	13	17	17	19	18	19	11	1	3	-	-
	White-----M--	95	-	2	-	-	2	-	3	-	8	1	7	10	8	8	13	10	14	8	1	-	-	-
	F--	49	-	-	1	-	1	2	-	1	1	-	5	2	5	8	4	8	5	3	-	3	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	-	1	-	2	1	2	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	51	2	1	-	1	1	1	1	2	2	6	5	2	3	4	6	3	3	5	2	-	1	-
	White-----M--	16	1	1	-	1	-	1	-	1	1	-	2	-	1	-	2	1	1	2	1	-	-	-
	F--	28	1	-	-	-	1	-	1	1	1	6	2	-	1	3	2	2	2	3	1	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-
260	Diabetes mellitus-	317	-	1	-	1	1	-	4	4	5	5	6	11	23	29	51	57	52	40	23	4	-	-
	White-----M--	127	-	1	-	-	-	-	1	2	4	5	3	6	4	5	19	15	26	23	10	3	-	-
	F--	168	-	-	-	1	-	-	2	1	1	-	2	3	15	19	28	41	25	17	12	1	-	-
	Nonwhite--M--	5	-	-	-	-	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	-	1	-	-	-	1	2	4	4	2	1	1	-	1	-	-	-
290-293	Anemias----------	63	-	1	-	1	-	1	3	2	1	-	4	2	4	2	7	7	3	15	5	3	2	-
	White-----M--	23	-	1	-	1	-	1	-	-	1	-	1	1	3	1	2	1	1	7	1	1	-	-
	F--	38	-	-	-	-	-	-	2	2	-	-	2	1	1	1	5	6	2	8	4	2	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	17	3	4	1	2	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-	-	-
	White-----M--	8	2	2	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	F--	8	1	2	1	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	11,409	8	4	5	4	15	11	19	26	74	117	241	398	601	899	1,225	1,631	2,014	1,974	1,399	549	194	1
	White-----M--	6,107	5	1	3	3	9	3	13	15	42	83	161	280	429	602	743	897	1,052	928	579	200	58	1
	F--	4,754	2	2	1	1	4	6	5	8	21	26	56	82	125	226	404	674	891	986	778	337	119	-
	Nonwhite--M--	301	1	-	-	-	2	1	-	2	5	5	15	18	31	45	41	33	49	22	16	5	10	-
	F--	247	-	1	1	-	-	1	1	1	6	3	9	18	16	26	37	27	22	38	26	7	7	-
330-334, 400-468	Diseases of cardiovascular system-	11,169	8	4	4	2	8	8	15	22	70	108	233	389	588	883	1,198	1,599	1,978	1,943	1,372	543	193	1
	White-----M--	5,974	5	1	2	2	3	2	10	12	41	78	157	274	419	592	725	879	1,034	915	566	198	58	1
	F--	4,670	2	2	1	-	4	4	4	7	18	23	53	80	125	221	399	661	876	972	767	333	118	-
	Nonwhite--M--	285	1	-	-	-	1	1	-	2	5	4	14	17	28	45	39	32	47	20	14	5	10	-
	F--	240	-	1	1	-	-	1	1	1	6	3	9	18	16	25	35	27	21	36	25	7	7	-
330-334	Vascular lesions, etc.*----------	2,666	1	2	2	1	3	4	3	4	11	14	43	44	89	145	236	355	544	578	382	154	51	-
	White-----M--	1,213	1	-	1	1	-	1	1	3	1	4	15	21	52	73	122	175	257	265	155	50	15	-
	F--	1,320	-	2	1	-	2	2	2	1	7	7	20	14	29	58	98	162	268	301	214	101	31	-
	Nonwhite--M--	64	-	-	-	-	1	1	-	-	1	1	2	4	6	9	7	9	12	2	4	1	4	-
	F--	69	-	-	-	-	-	-	-	-	2	2	6	5	2	5	9	9	7	10	9	2	1	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KANSAS—Con.																							
400-402	Rheumatic fever---	7	-	-	-	-	1	-	1	-	-	-	1	1	1	-	-	-	1	-	1	-	-	-
	White-----M--	5	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	7,566	7	2	1	1	4	3	9	15	56	86	177	323	472	681	896	1,115	1,297	1,192	821	304	103	1
	White-----M--	4,314	4	1	1	1	2	1	8	8	39	71	135	244	353	475	564	645	702	574	338	113	34	1
	F--	2,912	2	-	-	-	2	1	1	4	11	11	30	57	88	152	284	437	549	582	459	184	58	-
	Nonwhite--M--	187	1	-	-	-	-	-	-	2	3	3	9	11	19	35	24	18	32	14	8	3	5	-
	F--	153	-	1	-	-	-	1	-	1	3	1	3	11	12	19	24	15	14	22	16	4	6	-
410-416	Chronic rheumatic heart disease----	190	-	-	-	-	2	1	1	5	12	5	13	14	30	17	19	25	22	11	9	3	1	-
	White-----M--	94	-	-	-	-	1	-	-	4	7	3	4	6	19	8	11	12	11	5	3	-	-	-
	F--	84	-	-	-	-	1	1	1	1	4	2	6	7	7	9	7	13	10	6	6	2	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	-	3	-	3	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	5,480	4	1	-	-	1	-	6	5	36	74	131	259	377	551	686	847	946	795	518	185	58	-
	White-----M--	3,406	3	1	-	-	1	-	6	3	30	64	113	212	302	397	463	520	548	417	233	73	20	-
	F--	1,892	-	-	-	-	-	-	-	-	5	8	14	37	58	118	198	309	379	357	289	109	31	-
	Nonwhite--M--	110	1	-	-	-	-	-	-	2	1	2	4	6	11	22	14	13	16	7	6	2	3	-
	F--	72	-	-	-	-	-	-	-	-	-	-	-	4	6	14	11	5	3	14	10	1	4	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	865	2	1	-	-	-	1	1	1	-	1	16	13	19	48	64	92	150	194	153	81	28	-
	White-----M--	387	-	-	-	-	-	1	1	-	-	1	9	8	10	34	33	47	67	84	53	31	8	-
	F--	421	2	-	-	-	-	-	-	1	-	-	5	2	5	8	21	40	71	102	96	49	19	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	1	1	2	4	4	3	7	4	1	-	-	-
	F--	30	-	1	-	-	-	-	-	-	-	-	1	2	2	2	6	2	5	4	3	1	1	-
430-434	Other diseases of heart---------	272	1	-	1	1	1	1	1	4	6	4	6	12	14	22	32	46	36	36	33	10	5	-
	White-----M--	150	1	-	1	1	-	-	1	1	2	3	3	9	6	15	19	26	26	14	16	3	3	-
	F--	107	-	-	-	-	1	-	-	2	2	1	1	3	7	5	13	19	9	20	17	6	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	1	1	-	1	1	-
	F--	7	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	1	-	1	-	-	-	-
440-443	Hypertension with heart dis.--	759	-	-	-	-	-	-	-	-	2	2	11	25	32	43	95	105	143	156	108	25	11	1
	White-----M--	277	-	-	-	-	-	-	-	-	-	-	6	9	16	21	38	40	50	54	33	6	3	1
	F--	408	-	-	-	-	-	-	-	-	-	-	4	8	11	12	45	56	80	97	71	18	6	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	1	1	4	2	7	5	2	8	2	1	-	1	-
	F--	40	-	-	-	-	-	-	-	-	2	1	-	4	3	3	7	7	5	3	3	1	1	-
444-447	Hypertension without mention of heart----------	189	-	-	1	-	-	-	1	-	2	2	6	4	10	10	17	38	29	36	24	8	1	-
	White-----M--	88	-	-	-	-	-	-	-	-	-	2	2	-	4	6	8	16	15	21	10	4	-	-
	F--	78	-	-	-	-	-	-	1	-	-	-	1	2	3	3	5	19	12	13	14	4	1	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	1	-	3	1	2	1	4	2	2	1	-	-	-	-
	F--	6	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	1	-	1	-	-	-	-
450	General arteriosclerosis--------	532	-	-	-	-	-	-	-	-	-	1	-	3	6	14	13	60	84	111	131	73	36	-
	White-----M--	231	-	-	-	-	-	-	-	-	-	-	-	2	3	10	7	27	47	43	55	28	9	-
	F--	283	-	-	-	-	-	-	-	-	-	1	-	-	2	3	4	30	36	64	74	43	26	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	1	1	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	3	-	1	-	-
451-468	Other diseases of circulatory sys.-	209	-	-	-	-	-	1	1	3	1	5	6	14	10	33	36	31	23	26	13	4	2	-
	White-----M--	123	-	-	-	-	-	-	-	1	1	1	4	7	6	28	24	16	13	12	7	3	-	-
	F--	75	-	-	-	-	-	1	-	2	-	4	2	6	3	5	8	13	10	12	6	1	2	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	2	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	240	-	-	1	2	7	3	4	4	4	9	8	9	13	16	27	32	36	31	27	6	1	-
	White-----M--	133	-	-	1	1	6	1	3	3	1	5	4	6	10	10	18	18	18	13	13	2	-	-
	F--	84	-	-	-	1	-	2	1	1	3	3	3	2	-	5	5	13	15	14	11	4	1	-
	Nonwhite--M--	16	-	-	-	-	1	-	-	-	-	1	1	1	3	-	2	1	2	2	2	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	680	82	19	6	7	3	5	6	5	12	12	20	13	18	22	44	72	81	111	79	42	21	-
	White-----M--	350	42	7	4	4	-	2	4	3	8	4	12	6	13	11	27	42	42	54	39	15	11	-
	F--	279	21	9	2	3	3	3	1	2	2	5	6	4	3	9	13	29	36	55	36	27	10	-
	Nonwhite--M--	25	10	3	-	-	-	-	-	-	1	2	-	1	1	1	2	-	2	-	2	-	-	-
	F--	26	9	-	-	-	-	-	1	-	1	1	2	2	1	1	2	1	1	2	2	-	-	-
480-483	Influenza---------	134	2	2	3	3	1	1	1	2	6	3	8	5	5	2	13	16	17	22	12	6	4	-
	White-----M--	82	1	1	3	2	-	-	1	1	4	1	5	3	5	1	9	11	10	11	8	2	3	-
	F--	50	1	1	-	1	1	1	-	1	1	2	3	2	-	1	4	5	6	11	4	4	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	546	80	17	3	4	2	4	5	3	6	9	12	8	13	20	31	56	64	89	67	36	17	-
	White-----M--	268	41	6	1	2	-	2	3	2	4	3	7	3	8	10	18	31	32	43	31	13	8	-
	F--	229	20	8	2	2	2	2	1	1	1	3	3	2	3	8	9	24	30	44	32	23	9	-
	Nonwhite--M--	25	10	3	-	-	-	-	-	-	1	2	-	1	1	1	2	-	2	-	2	-	-	-
	F--	24	9	-	-	-	-	-	1	-	-	1	2	2	1	1	2	1	-	2	2	-	-	-
500-502	Bronchitis--------	28	6	3	-	1	-	-	-	1	-	-	-	-	-	1	-	2	2	6	3	2	1	-
	White-----M--	17	4	2	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	1	1	-
	F--	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	122	1	-	-	-	-	-	1	-	3	3	7	8	9	8	14	13	18	22	12	3	-	-
	White-----M--	92	-	-	-	-	-	-	1	-	3	2	6	7	7	6	11	10	12	15	10	2	-	-
	F--	24	1	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	6	6	2	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
550-553	Appendicitis------	25	1	1	1	2	-	-	1	-	1	2	3	2	1	3	-	2	3	-	2	-	-	-
	White-----M--	21	1	-	1	2	-	-	1	-	1	2	3	1	-	2	-	2	3	-	2	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	124	13	1	1	1	-	-	-	-	-	1	1	9	5	3	12	20	18	19	10	6	2	-
	White-----M--	47	5	1	-	-	-	-	-	-	-	-	1	4	1	1	7	8	5	7	5	1	1	
	F--	67	6	-	1	-	-	-	-	-	-	1	-	3	4	2	4	9	12	12	5	7	1	
	Nonwhite--M--	7	2	-	-	1	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KANSAS—Con.																							
543,	Gastritis, etc.*--	75	13	3	1	-	-	1	-	-	-	1	2	3	3	4	7	9	13	7	4	3	1	-
571,	White-----M--	40	7	1	-	-	-	1	-	-	-	1	1	3	2	1	6	4	5	3	2	2	1	-
572	F--	29	2	1	1	-	-	-	-	-	-	-	1	-	1	3	1	5	8	3	2	1	-	-
	Nonwhite--M--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
581	Cirrhosis of liver	128	-	-	-	-	-	-	-	2	4	13	13	12	17	16	19	15	7	7	2	-	1	-
	White-----M--	78	-	-	-	-	-	-	-	1	2	7	7	8	10	13	13	8	3	3	2	-	1	-
	F--	45	-	-	-	-	-	-	-	1	2	5	6	3	5	3	6	6	4	4	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	38	-	3	-	2	1	-	-	-	-	1	-	5	2	3	1	5	5	4	5	1	-	-
	White-----M--	17	-	1	-	1	-	-	-	-	-	-	-	5	-	-	-	2	1	2	4	1	-	-
	F--	17	-	2	-	1	1	-	-	-	-	-	-	-	2	3	1	2	3	1	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	110	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	18	24	32	13	9	3	-
	White-----M--	101	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	16	23	28	13	9	3	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	13	...	...	...	-	-	3	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	...	...	...	-	-	3	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	2	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	11	...	...	...	-	-	3	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	10	...	...	...	-	-	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	319	230	30	14	7	4	2	-	3	4	3	10	2	2	1	3	1	3	-	-	-	-	-
	White-----M--	167	121	15	6	4	3	1	-	3	2	1	6	1	1	-	1	1	1	-	-	-	-	-
	F--	137	95	15	8	3	1	1	-	-	2	2	3	1	1	1	2	-	2	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	708	708	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	382	382	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	246	246	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	344	344	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	197	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	323	323	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	196	6	1	2	-	1	-	-	1	1	-	2	7	9	10	13	15	31	36	28	16	17	-
795	White-----M--	94	2	-	1	-	1	-	-	-	1	-	1	2	8	8	8	5	18	14	16	5	4	-
	F--	88	3	1	-	-	-	-	-	1	-	-	-	4	1	2	4	7	13	21	10	10	11	-
	Nonwhite--M--	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	2	1	1	-
Re-	All other diseases	1,067	63	17	11	8	7	14	9	18	13	25	39	51	78	80	140	136	159	107	59	21	12	-
sid-	White-----M--	598	39	6	4	3	2	3	1	8	8	13	21	31	52	55	83	78	91	55	30	12	3	-
ual	F--	415	20	8	6	5	5	8	5	9	3	9	15	16	23	20	55	51	63	48	29	9	8	-
	Nonwhite--M--	29	2	1	1	-	-	2	-	1	1	1	2	3	2	4	1	3	3	1	-	-	1	-
	F--	25	2	2	-	-	-	1	3	-	1	2	1	1	1	1	1	4	2	3	-	-	-	-
E800-	Accidents---------	1,379	36	61	42	50	100	98	75	65	69	59	81	62	69	66	60	75	78	90	88	42	13	-
E962	White-----M--	899	20	33	22	32	77	78	60	54	52	44	69	43	53	48	35	42	43	39	32	19	4	-
	F--	433	14	27	19	16	23	16	13	5	12	10	11	17	13	17	22	28	32	50	56	23	9	-
	Nonwhite--M--	34	2	1	1	2	-	3	2	4	4	4	1	1	1	-	2	4	1	1	-	-	-	-
	F--	13	-	-	-	-	-	1	-	2	1	1	-	1	2	1	1	1	2	-	-	-	-	-
E810-	Motor-vehicle																							
E835	accidents---------	589	10	25	19	17	69	67	53	34	43	33	30	36	42	29	20	25	19	9	6	2	1	-
	White-----M--	417	6	16	12	7	52	52	42	24	32	23	25	25	28	21	11	15	15	4	4	2	1	-
	F--	146	4	9	6	9	17	11	11	4	8	6	4	11	12	8	8	8	3	5	2	-	-	-
	Nonwhite--M--	19	-	-	1	1	-	3	-	4	3	3	1	-	-	-	-	2	1	-	-	-	-	-
	F--	7	-	-	-	-	-	1	-	2	-	1	-	-	2	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents-	790	26	36	23	33	31	31	22	31	26	26	51	26	27	37	40	50	59	81	82	40	12	-
E802,	White-----M--	482	14	17	10	25	25	26	18	30	20	21	44	18	25	27	24	27	28	35	28	17	3	-
E840-	F--	287	10	18	13	7	6	5	2	1	4	4	7	6	1	9	14	20	29	45	54	23	9	-
E962	Nonwhite--M--	15	2	1	-	1	-	-	2	-	1	1	-	1	1	-	2	2	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	2	-	-	-	-	-
E963,	Suicide----------	255	-	-	-	-	6	6	12	19	13	18	30	30	25	24	28	17	12	7	5	2	1	-
E970-	White-----M--	200	-	-	-	-	6	4	9	12	7	13	24	23	20	19	25	14	10	6	5	2	1	-
E979	F--	48	-	-	-	-	-	1	2	6	6	5	6	6	3	5	3	2	2	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	61	2	-	-	-	2	8	8	3	7	9	5	5	6	2	2	1	-	-	1	-	-	-
E980-	White-----M--	22	2	-	-	-	1	3	2	2	-	2	2	2	5	-	-	1	-	-	-	-	-	-
E985	F--	6	-	-	-	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	4	2	1	5	6	3	2	1	2	2	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KENTUCKY																							
	ALL CAUSES------	29,199	2,142	348	166	155	290	309	321	418	526	752	1,032	1,368	1,764	2,414	3,118	3,504	3,774	3,417	2,263	855	246	17
	White-----M--	15,074	1,056	183	82	92	174	207	197	223	294	426	574	785	968	1,355	1,670	1,785	1,935	1,640	1,017	325	77	9
	F--	10,947	794	126	69	48	89	64	88	141	154	223	291	351	512	674	1,048	1,392	1,579	1,586	1,106	468	138	6
	Nonwhite--M--	1,666	160	15	6	9	18	23	18	23	38	51	84	120	160	232	217	169	123	101	63	22	12	2
	F--	1,512	132	24	9	6	9	15	18	31	40	52	83	112	124	153	183	157	137	91	77	40	19	-
001-019	Tuberculosis, all forms--------	441	3	10	-	1	1	4	10	15	25	33	36	43	37	41	47	46	38	30	20	1	-	-
	White-----M--	238	1	5	-	1	-	2	4	6	9	18	21	25	24	25	23	27	25	13	8	1	-	-
	F--	150	2	4	-	-	1	-	5	8	10	11	10	10	4	11	18	16	13	16	11	-	-	-
	Nonwhite--M--	37	-	1	-	-	-	2	-	-	4	2	4	7	7	2	5	1	-	1	1	-	-	-
	F--	16	-	-	-	-	-	-	1	1	2	2	1	1	2	3	1	2	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	410	1	2	-	-	1	4	10	15	22	31	35	43	35	38	45	44	35	28	20	1	-	-
	White-----M--	220	1	-	-	-	-	2	4	6	9	17	20	25	22	23	21	26	23	12	8	1	-	-
	F--	139	-	1	-	-	1	-	5	8	8	10	10	10	4	11	18	15	12	15	11	-	-	-
	Nonwhite--M--	35	-	1	-	-	-	2	-	-	3	2	4	7	7	1	5	1	-	1	1	-	-	-
	F--	16	-	-	-	-	-	-	1	1	2	2	1	1	2	3	1	2	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	31	2	8	-	1	-	-	-	-	3	2	1	-	2	3	2	2	3	2	-	-	-	-
	White-----M--	18	-	5	-	1	-	-	-	-	-	1	1	-	2	2	2	1	2	1	-	-	-	-
	F--	11	2	3	-	-	-	-	-	-	2	1	-	-	-	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	46	1	-	-	-	-	-	-	-	1	1	5	4	4	10	3	8	7	2	-	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	1	1	1	2	3	5	2	4	5	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	2	-	-	-	-	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	-	2	-	-	3	-	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	15	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1	-	-	-
	White-----M--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	6	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-
	White-----M--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	31	8	18	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	16	2	11	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	6	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	12	2	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	1	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	111	11	15	11	6	3	2	4	3	5	1	8	6	5	3	5	4	10	5	3	-	1	-
	White-----M--	55	5	11	5	2	2	2	-	1	3	1	4	2	1	1	4	2	5	2	2	-	-	-
	F--	42	6	2	6	4	1	-	2	-	1	-	2	3	2	1	1	2	5	2	1	-	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-
	F--	9	-	2	-	-	-	-	1	2	1	-	1	1	-	1	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KENTUCKY—Con.																							
140-205	Malignant neoplasms, etc.*----	3,726	4	26	22	13	17	20	39	52	85	127	206	279	382	466	530	507	417	304	172	52	6	-
	White-----M--	1,716	-	13	7	6	9	13	19	18	27	47	90	106	177	227	259	246	190	156	84	20	2	-
	F--	1,637	3	12	10	6	8	7	18	33	52	67	90	124	152	192	206	213	201	128	84	27	4	-
	Nonwhite--M--	207	1	1	3	-	-	-	2	1	-	7	12	21	32	31	37	27	15	13	2	2	-	-
	F--	166	-	-	2	1	-	-	-	-	6	6	14	28	21	16	28	21	11	7	2	3	-	-
140-148	Of buccal cavity and pharynx------	100	-	-	-	-	1	1	-	-	-	1	9	5	12	14	11	16	22	5	-	3	-	-
	White-----M--	68	-	-	-	-	-	1	-	-	-	1	5	4	9	12	5	11	14	3	-	3	-	-
	F--	23	-	-	-	-	1	-	-	-	-	-	1	1	2	2	4	4	6	2	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,310	-	2	1	1	2	2	7	11	17	29	54	85	117	144	215	210	185	121	84	20	3	-
	White-----M--	605	-	1	1	1	1	-	3	3	7	13	33	37	60	61	113	100	74	53	37	6	1	-
	F--	556	-	1	-	-	1	2	4	7	8	12	16	27	38	65	73	86	99	60	44	11	2	-
	Nonwhite--M--	85	-	-	-	-	-	-	-	1	-	3	3	9	13	13	13	13	7	7	1	2	-	-
	F--	64	-	-	-	-	-	-	-	-	2	1	2	12	6	5	16	11	5	1	2	1	-	-
160-164	Of respiratory system (not secondary)-------	439	-	-	-	-	-	1	4	3	5	18	32	44	66	88	70	52	29	14	10	2	1	-
	White-----M--	316	-	-	-	-	-	1	3	3	5	13	24	32	50	69	48	35	14	9	9	-	1	-
	F--	84	-	-	-	-	-	-	-	-	-	5	3	7	8	13	12	13	15	5	1	2	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	1	-	-	-	5	4	7	5	8	4	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-
170	Of breast---------	279	-	-	-	-	-	1	5	4	10	13	25	30	26	36	29	30	23	22	18	5	2	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	252	-	-	-	-	-	1	5	4	9	12	21	28	22	32	25	27	21	20	18	5	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	1	1	4	2	4	4	4	2	2	2	-	-	-	-
171-179	Of genital organs-	626	-	-	1	-	1	2	8	13	27	26	34	51	51	63	92	78	62	73	34	10	-	-
	White-----M--	220	-	-	-	-	1	1	3	1	1	2	2	-	8	16	28	35	37	50	28	7	-	-
	F--	326	-	-	1	-	-	1	5	12	23	22	27	37	35	40	50	33	18	15	5	2	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	-	3	1	3	9	5	4	5	1	-	-	-
	F--	49	-	-	-	-	-	-	-	-	3	2	5	11	7	4	5	5	3	3	-	1	-	-
180, 181	Of urinary organs-	153	-	3	2	-	-	-	-	1	1	2	6	9	18	24	23	27	13	13	7	4	-	-
	White-----M--	87	-	-	-	-	-	-	-	-	-	-	2	8	6	16	18	17	10	7	2	1	-	-
	F--	57	-	3	1	-	-	-	-	1	1	2	3	1	12	6	3	8	3	5	5	3	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-
	F--	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	481	2	6	3	3	5	4	8	11	14	26	30	28	56	58	53	58	58	36	15	7	-	-
	White-----M--	242	-	3	1	3	2	2	7	7	6	11	20	10	28	27	24	30	29	23	7	2	-	-
	F--	203	2	2	1	-	3	2	1	4	8	11	9	13	22	25	26	24	26	12	8	4	-	-
	Nonwhite--M--	25	-	1	-	-	-	-	-	-	-	3	1	3	5	5	2	3	2	-	-	-	-	-
	F--	11	-	-	1	-	-	-	-	-	-	1	-	2	1	1	1	1	1	1	-	1	-	-
204	Leukemia and aleukemia--------	191	-	14	12	5	5	3	2	4	9	6	10	11	11	25	18	24	18	13	1	-	-	-
	White-----M--	97	-	9	3	1	3	3	1	-	6	3	2	4	6	15	12	11	7	10	1	-	-	-
	F--	83	-	5	7	3	2	-	1	4	3	2	7	5	4	7	6	13	11	3	-	-	-	-
	Nonwhite--M--	8	-	-	2	-	-	-	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-
	F--	3	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	147	2	1	3	4	3	6	5	5	2	6	6	16	25	14	19	12	7	7	3	1	-	-
	White-----M--	80	-	-	2	1	2	5	2	4	2	4	2	11	10	11	11	6	5	1	-	1	-	-
	F--	53	1	1	-	3	1	1	2	1	-	1	3	5	9	2	7	5	2	6	3	-	-	-
	Nonwhite--M--	11	1	-	1	-	-	-	1	-	-	1	-	-	4	1	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	106	2	2	3	2	4	2	1	7	8	8	8	14	4	9	8	11	6	3	2	2	-	-
	White-----M--	55	-	2	2	1	2	1	-	2	4	5	3	8	3	5	4	4	4	3	1	1	-	-
	F--	39	1	-	1	1	2	-	1	4	4	3	3	3	1	3	3	5	2	-	1	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-
	F--	8	1	-	-	-	-	1	-	-	-	-	1	3	-	1	1	-	-	-	-	-	-	-
260	Diabetes mellitus-	442	-	-	1	-	3	-	4	6	8	6	19	26	30	43	57	95	76	45	18	4	1	-
	White-----M--	174	-	-	1	-	1	-	2	3	4	2	6	8	11	17	18	41	33	18	7	2	-	-
	F--	223	-	-	-	-	2	-	1	3	2	2	4	10	15	16	36	50	41	27	11	2	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	1	-	1	-	1	-	-	2	1	1	1	-	-	-	-	-
	F--	37	-	-	-	-	-	-	-	-	1	2	8	8	4	8	2	3	1	-	-	-	-	-
290-293	Anemias----------	71	5	2	1	2	1	1	-	-	1	2	1	1	4	3	3	10	10	14	7	3	-	-
	White-----M--	37	3	1	1	2	-	1	-	-	-	1	-	-	-	2	1	3	8	9	5	-	-	-
	F--	26	1	-	-	-	1	-	-	-	1	-	-	-	2	1	2	7	2	4	2	3	-	-
	Nonwhite--M--	5	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	45	16	5	4	4	1	2	1	1	-	1	-	2	1	3	2	-	2	-	-	-	-	-
	White-----M--	24	7	3	3	3	1	-	-	1	-	-	-	1	1	2	1	-	1	-	-	-	-	-
	F--	14	7	1	1	1	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	5	1	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	16,074	6	5	9	11	33	39	42	84	152	272	470	691	937	1,430	1,989	2,315	2,680	2,473	1,627	635	166	8
	White-----M--	8,202	2	2	4	4	17	15	19	34	87	162	268	431	534	815	1,082	1,178	1,390	1,156	713	233	54	2
	F--	6,117	2	3	2	4	13	12	14	35	36	64	120	141	239	356	650	911	1,096	1,172	801	352	90	4
	Nonwhite--M--	871	2	-	-	2	3	6	3	3	12	20	37	60	87	149	133	112	89	74	50	19	8	2
	F--	884	-	-	3	1	-	6	6	12	17	26	45	59	77	110	124	115	105	70	63	31	14	-
330-334, 400-468	Diseases of cardiovascular system-	15,709	6	5	8	8	25	32	35	75	144	256	450	675	915	1,407	1,951	2,268	2,642	2,429	1,585	623	162	8
	White-----M--	8,040	2	2	3	4	13	11	15	32	83	155	258	422	525	806	1,068	1,162	1,372	1,134	689	231	51	2
	F--	5,993	2	3	2	3	12	10	11	30	34	59	115	137	232	348	638	890	1,084	1,154	791	344	90	4
	Nonwhite--M--	832	2	-	-	1	-	6	3	3	11	18	34	59	84	144	125	107	88	73	46	18	8	2
	F--	844	-	-	3	-	-	5	6	10	16	24	43	57	74	109	120	110	98	67	59	30	13	-
330-334	Vascular lesions, etc.*----------	3,774	2	3	3	1	5	9	12	12	26	32	88	122	179	280	426	569	732	650	421	165	36	1
	White-----M--	1,717	-	1	2	1	2	3	5	7	8	11	37	54	81	134	199	270	361	294	170	69	8	-
	F--	1,632	-	2	-	-	3	3	5	4	8	15	31	36	56	93	159	247	315	322	223	85	24	1
	Nonwhite--M--	183	2	-	-	-	-	2	1	-	3	3	5	14	19	26	36	22	22	16	7	4	1	-
	F--	242	-	-	1	-	-	1	1	1	7	3	15	18	23	27	32	30	34	18	21	7	3	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KENTUCKY—Con.																							
400-402	Rheumatic fever---	18	-	-	2	5	3	1	-	1	-	3	-	1	-	-	2	-	-	-	-	-	-	-
	White-----M--	10	-	-	1	2	2	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	2	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	10,907	3	2	2	2	17	20	21	54	111	207	340	526	697	1,071	1,433	1,593	1,741	1,585	1,007	371	98	6
	White-----M--	5,838	1	1	-	1	9	7	10	22	72	136	214	355	426	646	823	834	924	758	442	127	29	1
	F--	3,954	2	1	1	1	8	5	6	22	25	40	77	95	166	241	452	608	700	728	501	217	55	3
	Nonwhite--M--	581	-	-	-	-	-	4	1	1	8	15	26	41	59	109	81	77	59	51	32	9	6	2
	F--	534	-	-	1	-	-	4	4	9	6	16	23	35	46	75	77	75	58	47	32	18	8	-
410-416	Chronic rheumatic heart disease----	287	-	-	-	1	10	6	7	12	17	22	30	28	35	17	31	19	29	14	8	1	-	-
	White-----M--	141	-	-	-	-	5	2	4	3	9	9	14	18	13	7	19	11	16	6	5	-	-	-
	F--	129	-	-	-	1	5	4	3	7	8	13	13	7	20	9	9	8	13	6	3	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	2	-	-	2	1	-	-	1	-	-	2	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	7,082	-	1	1	-	4	7	9	23	71	129	234	370	490	783	1,014	1,052	1,105	944	580	202	59	4
	White-----M--	4,098	-	-	-	-	3	4	4	11	52	100	171	279	327	522	627	581	596	471	258	71	20	1
	F--	2,412	-	1	-	-	1	-	2	9	11	9	40	55	104	167	297	392	447	434	289	118	34	2
	Nonwhite--M--	320	-	-	-	-	-	2	-	1	5	13	12	24	34	57	48	44	34	19	19	6	1	1
	F--	252	-	-	1	-	-	1	3	2	3	7	11	12	25	37	42	36	28	19	14	7	4	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,081	-	1	-	-	2	2	-	3	5	9	11	14	30	54	82	146	184	244	190	79	25	-
	White-----M--	498	-	1	-	-	-	-	-	2	3	4	4	5	19	23	38	67	104	110	80	31	7	-
	F--	453	-	-	-	-	2	-	-	1	1	5	7	4	8	15	28	59	64	109	91	45	14	-
	Nonwhite--M--	70	-	-	-	-	-	-	-	-	1	-	-	1	3	7	9	9	10	19	8	1	2	-
	F--	60	-	-	-	-	-	2	-	-	-	-	-	4	-	9	7	11	6	6	11	2	2	-
430-434	Other diseases of heart---------	730	3	-	1	1	1	4	3	10	6	21	25	50	57	75	84	89	125	84	66	20	5	-
	White-----M--	423	1	-	-	1	1	1	1	5	3	13	12	27	36	41	45	59	82	51	34	8	2	-
	F--	194	2	-	1	-	-	1	1	3	1	5	5	7	13	14	18	19	36	28	27	10	3	-
	Nonwhite--M--	61	-	-	-	-	-	1	1	-	-	-	6	10	5	13	12	6	2	3	1	1	-	-
	F--	52	-	-	-	-	-	1	-	2	2	3	2	6	3	7	9	5	5	2	4	1	-	-
440-443	Hypertension with heart dis.--	1,727	-	-	-	-	-	1	2	6	12	26	40	64	85	142	222	287	298	299	163	69	9	2
	White-----M--	678	-	-	-	-	-	-	1	1	5	10	13	26	31	53	94	116	126	120	65	17	-	-
	F--	766	-	-	-	-	-	-	-	2	4	8	12	22	21	36	100	130	140	151	91	44	4	1
	Nonwhite--M--	122	-	-	-	-	-	1	-	-	2	2	7	4	15	31	10	18	13	10	4	1	3	1
	F--	161	-	-	-	-	-	-	1	3	1	6	8	12	18	22	18	23	19	18	3	7	2	-
444-447	Hypertension without mention of heart----------	199	-	-	1	-	-	2	1	2	1	4	9	7	10	17	19	22	40	33	22	9	-	-
	White-----M--	93	-	-	-	-	-	-	-	1	-	1	3	2	4	8	10	14	20	15	11	4	-	-
	F--	62	-	-	1	-	-	2	-	1	-	-	2	-	2	2	5	6	14	15	9	3	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	2	3	3	2	3	1	4	2	2	-	-	-
	F--	22	-	-	-	-	-	-	1	-	1	3	2	2	1	5	1	1	2	1	-	2	-	-
450	General arteriosclerosis--------	592	-	-	-	-	-	-	-	-	-	1	-	2	11	15	35	56	101	144	128	71	27	1
	White-----M--	269	-	-	-	-	-	-	-	-	-	1	-	1	4	6	15	27	52	58	63	28	13	1
	F--	265	-	-	-	-	-	-	-	-	-	-	-	1	4	4	9	20	44	81	54	37	11	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	6	2	4	5	3	1	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	2	1	8	3	3	1	6	3	2	-
451-468	Other diseases of circulatory sys.-	219	1	-	-	-	-	-	1	6	6	9	13	17	18	24	36	28	28	17	7	7	1	-
	White-----M--	113	1	-	-	-	-	-	-	1	3	3	4	10	10	12	21	17	15	9	3	3	1	-
	F--	74	-	-	-	-	-	-	-	3	1	4	5	4	4	8	11	9	11	8	4	2	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	1	2	-	-	1	1	2	3	2	1	1	-	-	2	-	-
	F--	16	-	-	-	-	-	-	-	-	2	2	3	2	2	1	2	1	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	365	-	-	1	3	8	7	7	9	8	16	20	16	22	23	38	47	38	44	42	12	4	-
	White-----M--	162	-	-	1	-	4	4	4	2	4	7	10	9	9	9	14	16	18	22	24	2	3	-
	F--	124	-	-	-	1	1	2	3	5	2	5	5	4	7	8	12	21	12	18	10	8	-	-
	Nonwhite--M--	39	-	-	-	1	3	-	-	-	1	2	3	1	3	5	8	5	1	1	4	1	-	-
	F--	40	-	-	-	1	-	1	-	2	1	2	2	2	3	1	4	5	7	3	4	1	1	-
480-493	Influenza and pneumonia, etc.*-	1,306	239	68	17	7	23	12	8	13	18	19	21	34	47	67	103	109	135	174	118	49	25	-
	White-----M--	656	119	27	4	3	6	5	1	4	11	9	11	20	25	45	51	56	67	95	61	26	10	-
	F--	468	67	32	10	3	15	6	6	6	2	7	2	7	9	7	38	42	57	67	51	20	14	-
	Nonwhite--M--	84	23	6	1	-	-	1	-	1	1	1	6	4	5	12	6	5	4	4	2	1	1	-
	F--	98	30	3	2	1	2	-	1	2	4	2	2	3	8	3	8	6	7	8	4	2	-	-
480-483	Influenza---------	252	19	5	8	2	9	5	4	2	4	7	3	11	11	13	21	29	26	32	28	10	3	-
	White-----M--	118	10	-	1	-	4	1	1	-	2	3	1	6	6	7	13	16	13	13	14	6	1	-
	F--	114	7	5	7	2	4	3	3	1	1	3	2	2	3	3	8	11	13	17	14	3	2	-
	Nonwhite--M--	7	1	-	-	-	-	1	-	-	1	-	-	1	-	3	-	-	-	-	-	-	-	-
	F--	13	1	-	-	-	1	-	-	1	-	1	-	2	2	-	-	2	-	2	-	1	-	-
490-493	Pneumonia, etc.*--	1,054	220	63	9	5	14	7	4	11	14	12	18	23	36	54	82	80	109	142	90	39	22	-
	White-----M--	538	109	27	3	3	2	4	-	4	9	6	10	14	19	38	38	40	54	82	47	20	9	-
	F--	354	60	27	3	1	11	3	3	5	1	4	-	5	6	4	30	31	44	50	37	17	12	-
	Nonwhite--M--	77	22	6	1	-	-	-	-	1	-	1	6	3	5	9	6	5	4	4	2	1	1	-
	F--	85	29	3	2	1	1	-	1	1	4	1	2	1	6	3	8	4	7	6	4	1	-	-
500-502	Bronchitis--------	41	5	2	-	-	-	1	-	-	-	-	-	1	-	4	6	6	3	8	4	1	-	-
	White-----M--	21	3	1	-	-	-	1	-	-	-	-	-	-	-	4	3	3	1	2	3	-	-	-
	F--	16	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	6	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	162	1	-	-	-	1	1	-	5	4	8	13	16	19	18	18	12	18	14	10	3	1	-
	White-----M--	108	-	-	-	-	-	1	-	3	2	7	7	10	12	12	16	8	13	10	4	2	1	-
	F--	36	-	-	-	-	-	-	-	2	1	1	2	3	5	3	2	3	4	3	6	1	-	-
	Nonwhite--M--	14	-	-	-	-	1	-	-	-	1	-	3	2	1	3	-	1	1	1	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	32	-	4	-	-	2	-	-	-	-	2	2	1	4	6	2	2	4	-	3	-	-	-
	White-----M--	15	-	1	-	-	1	-	-	-	-	1	1	1	1	4	-	2	2	-	1	-	-	-
	F--	13	-	3	-	-	1	-	-	-	-	1	1	-	1	1	1	-	2	-	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	134	14	1	-	-	-	-	1	2	4	3	4	2	3	10	13	28	15	12	15	5	-	2
	White-----M--	54	7	-	-	-	-	-	1	2	2	1	-	-	1	4	3	14	5	8	2	3	-	1
	F--	61	6	-	-	-	-	-	-	-	-	1	4	2	2	2	6	11	10	3	11	2	-	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-
	F--	15	1	1	-	-	-	-	-	-	1	1	-	-	-	4	3	2	-	-	2	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	KENTUCKY—Con.																							
543,	Gastritis, etc.*--	140	61	9	1	-	-	1	-	1	1	1	2	4	5	6	7	13	12	8	7	1	-	-
571,	White-----M--	62	27	7	1	-	-	-	-	-	-	1	1	3	2	2	3	4	5	3	2	1	-	-
572	F--	58	23	1	-	-	-	1	-	1	1	-	1	1	2	3	2	8	6	4	4	-	-	-
	Nonwhite--M--	13	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-
	F--	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
581	Cirrhosis of liver	251	1	-	1	-	-	1	2	8	14	22	29	36	31	33	23	20	17	7	5	1	-	-
	White-----M--	157	-	-	-	-	-	-	1	6	10	13	21	27	19	20	12	13	8	3	4	-	-	-
	F--	73	1	-	1	-	-	1	1	1	3	7	7	6	10	9	6	6	8	4	1	1	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	1	1	1	3	1	4	3	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	1	1	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	59	3	1	1	-	3	1	1	4	1	4	1	5	1	7	8	3	5	7	3	-	-	-
	White-----M--	29	3	1	1	-	2	1	1	2	-	1	-	2	-	4	4	2	2	3	-	-	-	-
	F--	16	-	-	-	-	1	-	-	-	-	1	-	2	-	1	-	1	3	4	3	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	1	-	1	1	1	1	1	4	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	90	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	12	23	23	19	5	-	-
	White-----M--	86	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	10	22	23	18	5	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	30	...	...	...	-	5	4	5	9	2	4	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	...	...	...	-	3	2	3	7	2	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	-	2	2	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	3	...	...	...	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	27	...	...	...	-	5	3	5	8	2	3	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	19	...	...	...	-	3	2	3	6	2	2	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	8	...	...	...	-	2	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	371	290	33	5	4	6	4	5	3	2	4	3	3	2	-	1	2	1	3	-	-	-	-
	White-----M--	195	149	19	3	3	4	3	2	3	1	-	1	2	1	-	-	1	-	3	-	-	-	-
	F--	147	116	13	2	1	1	1	3	-	1	4	1	1	1	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	19	16	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	1,238	1,238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	621	621	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	464	464	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	485	485	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	273	273	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	121	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	632	632	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	294	294	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	369	43	6	2	2	1	1	2	2	4	5	6	7	14	16	22	34	33	55	53	39	21	1
795	White-----M--	163	20	1	1	1	-	-	1	1	3	-	4	1	9	6	11	21	14	25	23	14	6	1
	F--	164	16	3	1	1	1	-	1	-	1	2	2	4	3	6	5	12	15	29	27	22	13	-
	Nonwhite--M--	19	4	-	-	-	-	-	-	-	-	2	-	2	1	3	1	1	3	-	2	-	-	-
	F--	23	3	2	-	-	-	1	-	1	-	1	-	-	1	1	5	-	1	1	1	3	2	-
Re-	All other diseases	1,324	87	26	22	12	12	16	19	29	37	52	55	66	103	136	153	140	136	105	87	19	11	1
sid-	White-----M--	687	44	14	11	5	4	10	9	14	17	24	28	41	55	81	90	72	68	53	38	8	1	-
ual	F--	505	32	10	10	3	6	4	4	8	14	24	17	20	36	39	47	62	59	49	43	11	6	1
	Nonwhite--M--	76	8	1	-	1	-	-	1	2	3	1	2	3	9	13	13	6	4	3	4	-	2	-
	F--	56	3	1	1	3	2	2	5	5	3	3	8	2	3	3	3	-	5	-	2	-	2	-
E800-	Accidents---------	2,082	91	100	62	84	162	164	141	120	111	122	99	87	90	79	78	106	116	114	85	34	14	3
E962	White-----M--	1,352	37	55	36	57	120	129	115	89	87	97	77	70	60	58	52	57	64	41	37	8	3	3
	F--	543	34	34	23	21	30	27	22	22	16	12	15	5	18	15	21	36	45	68	45	25	9	-
	Nonwhite--M--	106	10	3	2	6	9	7	3	7	5	11	6	10	10	5	2	7	2	-	-	-	1	-
	F--	61	10	8	1	-	3	1	1	2	3	2	1	2	2	1	3	6	5	5	3	1	1	-
E810-	Motor-vehicle																							
E835	accidents--------	797	7	23	27	28	115	112	78	70	51	41	41	31	40	31	27	32	27	9	5	-	-	2
	White-----M--	599	4	14	18	20	85	94	59	51	37	33	27	25	28	27	21	22	21	7	4	-	-	2
	F--	144	2	7	9	7	21	14	16	13	9	4	10	3	7	2	5	8	4	2	1	-	-	-
	Nonwhite--M--	42	1	1	-	1	6	4	2	5	4	2	3	3	4	2	1	2	1	-	-	-	-	-
	F--	12	-	1	-	-	3	-	1	1	1	2	1	-	1	-	-	-	1	-	-	-	-	-
E800-	All ot. accidents-	1,265	84	77	35	56	47	52	63	50	60	81	58	56	50	48	51	74	89	105	80	34	14	1
E802,	White-----M--	753	33	41	18	37	35	35	56	38	50	64	50	45	32	31	31	35	43	34	33	8	3	1
E840-	F--	399	32	27	14	14	9	13	6	9	7	8	5	2	11	13	16	28	41	66	44	25	9	-
E962	Nonwhite--M--	64	9	2	2	5	3	3	1	2	1	9	3	7	6	3	1	5	1	-	-	-	1	-
	F--	49	10	7	1	-	-	1	-	1	2	-	-	2	1	1	3	6	4	5	3	1	1	-
E963,	Suicide----------	252	-	-	-	1	2	13	14	29	21	30	23	19	31	18	26	11	-	9	3	1	-	1
E970-	White-----M--	194	-	-	-	1	1	9	9	21	16	22	19	16	22	14	20	10	-	9	3	1	-	1
E979	F--	47	-	-	-	-	1	2	5	7	5	6	4	3	8	3	2	1	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	2	-	1	-	1	-	-	-	1	4	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	197	1	2	-	1	9	18	21	23	22	24	20	21	10	4	7	6	5	2	-	-	-	1
E980-	White-----M--	104	1	-	-	1	3	12	12	11	10	12	11	9	7	1	4	5	2	2	-	-	-	1
E985	F--	28	-	-	-	-	2	-	2	4	2	7	4	3	2	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	52	-	-	-	-	4	4	7	6	9	3	5	7	1	1	3	-	2	-	-	-	-	-
	F--	13	-	2	-	-	-	2	-	2	1	2	-	2	-	1	-	-	1	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	LOUISIANA																							
	ALL CAUSES------	28,151	2,937	526	216	192	272	351	372	467	631	832	1,293	1,658	2,110	2,590	3,161	3,189	2,964	2,196	1,362	503	218	111
	White-----M--	10,005	768	125	69	76	118	148	132	166	222	308	505	647	862	1,009	1,198	1,174	1,095	752	436	137	48	10
	F--	7,065	575	106	41	26	49	43	55	80	109	152	220	292	412	542	663	689	1,033	895	588	205	75	15
	Nonwhite--M--	6,035	906	151	60	59	60	102	115	121	161	190	292	350	434	569	727	636	468	295	171	77	39	52
	F--	5,046	888	144	46	31	45	58	70	100	139	182	276	369	402	470	573	490	368	254	167	84	56	34
001-019	Tuberculosis, all forms--------	302	4	2	1	-	2	4	16	10	19	18	25	40	33	36	33	23	15	13	5	2	-	1
	White-----M--	124	2	-	-	-	1	-	1	-	4	6	8	18	18	21	13	13	9	6	3	1	-	-
	F--	37	-	-	1	-	-	-	1	2	5	2	3	5	-	3	5	4	3	2	1	-	-	-
	Nonwhite--M--	93	1	1	-	-	-	2	9	3	5	8	11	12	10	8	10	4	2	5	-	1	-	1
	F--	48	1	1	-	-	1	2	5	5	5	2	3	5	5	4	5	2	1	-	1	-	-	-
001-008	Tuberculosis of respiratory system----------	285	4	-	-	-	2	3	15	9	18	18	24	39	31	32	32	22	15	13	5	2	-	1
	White-----M--	121	2	-	-	-	1	-	1	-	4	6	8	18	18	19	12	13	9	6	3	1	-	-
	F--	34	-	-	-	-	-	-	1	2	5	2	3	4	-	3	5	3	3	2	1	-	-	-
	Nonwhite--M--	88	1	-	-	-	-	2	8	3	5	8	11	12	9	6	10	4	2	5	-	1	-	1
	F--	42	1	-	-	-	1	1	5	4	4	2	2	5	4	4	5	2	1	-	1	-	-	-
010-019	Tuberculosis, other forms------	17	-	2	1	-	-	1	1	1	1	-	1	1	2	4	1	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	5	-	1	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F--	6	-	1	-	-	-	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	150	-	-	-	-	-	-	-	2	5	11	12	22	21	21	19	13	16	4	3	-	1	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	1	6	5	6	9	5	2	1	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	62	-	-	-	-	-	-	-	-	3	7	7	11	7	6	6	5	7	2	1	-	-	-
	F--	48	-	-	-	-	-	-	-	2	1	4	3	5	9	9	4	3	5	1	1	-	1	-
040	Typhoid fever------	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	10	8	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	4	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	14	4	7	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	6	2	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	12	1	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	142	38	18	3	1	-	3	2	3	5	6	11	3	11	6	11	5	7	4	2	1	1	1
	White-----M--	39	7	4	2	-	-	1	-	1	-	3	5	-	3	2	2	3	3	2	1	-	-	-
	F--	25	5	3	-	-	-	-	-	1	2	2	-	1	2	1	3	1	1	1	1	1	-	-
	Nonwhite--M--	44	18	9	1	-	-	1	1	-	1	-	2	1	3	-	1	1	2	1	-	-	1	1
	F--	34	8	2	-	1	-	1	1	1	2	1	4	1	3	3	5	-	1	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	LOUISIANA—Con.																							
140-205	Malignant neoplasms, etc.*	3,930	9	36	18	17	15	21	25	57	94	147	248	408	455	491	569	517	412	223	120	37	9	2
	White----M--	1,462	7	17	9	10	4	5	7	19	18	43	67	141	174	178	231	202	169	98	46	14	2	1
	F--	1,166	2	14	7	3	5	4	11	16	30	47	80	109	134	125	137	155	149	76	48	9	4	1
	Nonwhite--M--	719	-	3	2	3	3	5	3	7	18	27	49	72	72	108	127	96	64	29	19	10	2	-
	F--	583	-	2	-	1	3	7	4	15	28	30	52	86	75	80	74	64	30	20	7	4	1	-
140-148	Of buccal cavity and pharynx	85	-	-	-	-	-	1	-	1	-	3	7	4	12	10	13	13	9	7	3	2	-	-
	White----M--	49	-	-	-	-	-	-	-	-	-	2	4	2	6	6	9	8	6	3	2	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	1	1	-	-
	Nonwhite--M--	22	-	-	-	-	-	1	-	1	-	1	3	2	2	3	4	2	2	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,238	1	-	-	3	-	1	4	14	21	33	62	112	139	171	187	199	144	88	47	10	2	-
	White----M--	429	1	-	-	2	-	1	1	4	6	10	19	38	46	60	65	63	58	37	16	2	-	-
	F--	337	-	-	-	1	-	-	1	4	6	5	15	28	33	35	40	66	50	32	19	1	1	-
	Nonwhite--M--	300	-	-	-	-	-	-	1	5	4	11	18	26	38	51	54	41	25	12	9	5	-	-
	F--	172	-	-	-	-	-	-	1	1	5	7	10	20	22	25	28	29	11	7	3	2	1	-
160-164	Of respiratory system (not secondary)	627	-	-	1	-	-	-	-	6	7	24	43	85	97	100	105	87	46	13	8	5	-	-
	White----M--	397	-	-	1	-	-	-	-	5	1	7	25	57	75	61	68	55	28	6	5	3	-	-
	F--	71	-	-	-	-	-	-	-	-	1	4	4	4	7	10	9	13	11	5	2	1	-	-
	Nonwhite--M--	139	-	-	-	-	-	-	-	-	3	10	14	21	14	28	24	14	7	2	1	1	-	-
	F--	20	-	-	-	-	-	-	-	1	2	3	-	3	1	1	4	5	-	-	-	-	-	-
170	Of breast	293	-	-	-	-	-	1	1	6	7	16	39	41	46	36	27	25	27	11	6	3	1	-
	White----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	209	-	-	-	-	-	-	1	3	3	15	27	25	33	26	20	18	22	8	4	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	82	-	-	-	-	-	1	-	3	4	1	12	16	13	8	7	7	4	3	2	1	-	-
171-179	Of genital organs	613	-	-	-	-	2	3	2	11	25	24	32	59	58	64	83	83	79	51	26	6	4	1
	White----M--	146	-	-	-	-	1	-	-	1	1	-	-	1	4	6	21	30	34	30	12	4	1	-
	F--	194	-	-	-	-	1	1	2	5	9	9	15	23	27	21	29	17	19	8	6	-	1	1
	Nonwhite--M--	102	-	-	-	-	-	-	-	-	1	1	1	3	7	8	19	24	17	11	6	2	2	-
	F--	171	-	-	-	-	-	2	-	5	14	14	16	32	20	29	14	12	9	2	2	-	-	-
180, 181	Of urinary organs	180	-	3	2	-	1	-	-	3	3	4	5	20	12	24	33	24	25	7	9	4	-	1
	White----M--	79	-	2	2	-	-	-	-	-	1	-	1	7	6	12	15	12	12	3	4	1	-	1
	F--	55	-	-	-	-	1	-	-	1	2	3	2	4	1	8	4	9	11	3	5	1	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	1	-	1	2	6	1	3	10	2	1	-	-	2	-	-
	F--	17	-	1	-	-	-	-	-	1	-	-	-	3	4	1	4	1	1	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	557	5	12	3	4	6	4	9	10	16	24	46	61	71	53	71	51	52	33	19	5	2	-
	White----M--	212	4	7	1	2	1	1	2	4	4	11	12	25	29	20	30	18	19	14	6	1	1	-
	F--	180	1	3	1	-	1	1	5	3	5	8	14	18	25	12	20	14	20	14	10	4	1	-
	Nonwhite--M--	84	-	1	1	2	1	1	-	-	6	1	8	10	8	10	12	11	8	1	3	-	-	-
	F--	81	-	1	-	-	3	1	2	3	1	4	12	8	9	11	9	8	5	4	-	-	-	-
204	Leukemia and aleukemia	186	2	19	9	5	4	9	6	3	4	9	7	13	5	17	27	15	19	9	2	2	-	-
	White----M--	81	2	6	2	2	1	3	3	2	3	5	3	6	1	7	14	8	8	3	1	1	-	-
	F--	65	-	11	6	1	1	2	1	-	-	3	-	4	3	6	7	6	9	4	1	-	-	-
	Nonwhite--M--	21	-	2	1	1	2	2	2	-	-	-	2	1	1	1	2	1	2	1	-	-	-	-
	F--	19	-	-	-	1	-	2	-	1	1	1	2	2	-	3	4	-	-	1	-	1	-	-
200-203, 205	Lymphomas, etc.*	151	1	2	3	5	2	2	3	3	11	10	7	13	15	16	23	20	11	4	-	-	-	-
	White----M--	68	-	2	3	4	1	-	1	3	2	8	3	5	7	6	9	8	4	2	-	-	-	-
	F--	47	1	-	-	1	1	-	1	-	4	-	3	3	4	5	8	10	6	-	-	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	1	-	-	4	2	1	3	1	4	2	1	1	1	-	-	-	-
	F--	15	-	-	-	-	-	1	1	-	1	-	-	2	3	1	4	1	-	1	-	-	-	-
210-239	Benign and unspecified neoplasms	96	3	4	1	2	3	4	2	4	9	7	10	4	11	11	10	4	4	1	2	-	-	-
	White----M--	31	-	2	-	1	1	2	-	1	3	2	4	2	3	3	3	1	3	-	-	-	-	-
	F--	24	2	-	-	-	1	1	1	1	1	-	1	2	6	2	3	1	1	1	-	-	-	-
	Nonwhite--M--	17	-	1	-	-	-	-	1	1	3	1	2	-	-	4	3	1	-	-	-	-	-	-
	F--	24	1	1	1	1	1	1	-	1	2	4	3	-	2	2	1	1	-	-	2	-	-	-
260	Diabetes mellitus	558	-	2	-	-	-	2	6	7	2	9	22	38	49	77	100	91	73	52	19	6	2	1
	White----M--	120	-	-	-	-	-	1	2	2	-	2	6	3	9	21	23	24	14	10	1	2	-	-
	F--	214	-	1	-	-	-	1	2	1	1	1	4	8	13	29	32	42	36	27	13	2	-	1
	Nonwhite--M--	77	-	-	-	-	-	-	1	3	-	2	5	8	3	5	17	14	7	7	3	1	1	-
	F--	147	-	1	-	-	-	-	1	1	1	4	7	19	24	22	28	11	16	8	2	1	1	-
290-293	Anemias	72	7	15	5	1	2	2	2	3	2	-	-	4	4	3	5	3	4	5	5	-	-	-
	White----M--	13	-	3	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	2	-	-	-
	F--	14	-	3	1	-	-	-	-	-	-	-	-	1	1	-	1	-	2	3	2	-	-	-
	Nonwhite--M--	21	4	2	2	1	1	-	-	2	1	-	-	1	1	1	2	1	-	1	1	-	-	-
	F--	24	3	7	2	-	1	2	2	1	1	-	-	1	1	1	1	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*	71	31	16	1	2	1	1	-	-	2	1	5	1	-	5	3	1	1	-	-	-	-	-
	White----M--	18	3	5	1	-	1	-	-	-	1	-	3	-	-	1	3	-	-	-	-	-	-	-
	F--	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	14	2	-	2	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	-
	F--	23	9	7	-	-	-	1	-	-	1	-	1	-	-	3	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	13,765	20	24	15	11	22	32	47	106	204	335	584	806	1,136	1,500	1,901	2,059	1,980	1,511	960	355	147	10
	White----M--	5,017	3	7	5	4	7	8	10	33	73	137	256	352	476	586	703	729	711	489	303	87	36	2
	F--	3,626	1	3	2	1	4	4	7	14	17	40	73	99	184	279	375	557	687	644	425	158	52	-
	Nonwhite--M--	2,621	10	8	6	3	6	8	13	27	60	75	115	165	243	342	445	418	310	192	107	45	20	3
	F--	2,501	6	6	2	3	5	12	17	32	54	83	140	190	233	293	378	355	272	186	125	65	39	5
330-334, 400-468	Diseases of cardiovascular system	13,448	20	23	13	9	20	21	41	94	194	321	565	785	1,119	1,464	1,868	2,032	1,946	1,476	935	347	146	9
	White----M--	4,949	3	7	4	3	7	6	9	29	72	136	251	344	474	577	700	724	703	480	297	86	35	2
	F--	3,549	1	3	2	-	3	2	5	14	16	38	70	93	181	269	370	550	676	632	415	157	52	-
	Nonwhite--M--	2,537	10	7	5	3	5	6	13	22	57	70	109	164	236	334	433	410	304	184	101	41	20	3
	F--	2,413	6	6	2	3	5	7	14	29	49	77	135	184	228	284	365	348	263	180	122	63	39	4
330-334	Vascular lesions, etc.*	2,855	11	8	5	-	5	6	11	20	30	65	96	135	195	295	394	480	427	350	220	71	29	2
	White----M--	818	2	2	2	-	3	2	3	4	7	11	18	38	51	71	113	148	137	118	62	17	9	-
	F--	807	-	2	1	-	-	1	1	6	6	12	14	22	36	58	74	126	149	151	104	33	11	-
	Nonwhite--M--	619	8	3	1	-	2	2	3	1	9	19	25	24	61	84	108	113	75	41	25	10	4	1
	F--	611	1	1	1	-	-	1	4	9	8	23	39	51	47	82	99	93	66	40	29	11	5	1

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	LOUISIANA—Con.																							
400-402	Rheumatic fever---	17	-	-	1	4	-	-	-	2	-	2	4	1	3	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	1	2	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	9,768	3	12	7	4	12	10	22	57	142	235	427	624	879	1,104	1,395	1,452	1,392	1,034	625	233	93	6
	White-----M--	3,878	-	4	2	2	3	4	6	22	64	119	225	296	408	490	559	536	522	328	206	60	21	1
	F--	2,506	-	1	1	-	2	-	3	6	9	24	44	67	132	197	285	403	492	439	265	103	33	-
	Nonwhite--M--	1,739	2	2	3	1	3	2	8	14	38	45	74	129	162	230	302	275	200	137	70	25	15	2
	F--	1,645	1	5	1	1	4	4	5	15	31	47	84	132	177	187	249	238	178	130	84	45	24	3
410-416	Chronic rheumatic heart disease----	126	-	1	1	-	5	3	3	10	8	17	13	8	11	10	9	12	11	2	-	2	-	-
	White-----M--	41	-	-	-	-	1	1	1	3	4	6	3	3	5	3	4	5	2	-	-	-	-	-
	F--	27	-	-	-	-	1	-	1	1	2	4	3	2	2	3	2	1	4	1	-	-	-	-
	Nonwhite--M--	21	-	-	1	-	-	-	1	2	2	2	4	1	1	2	1	3	-	1	-	-	-	-
	F--	37	-	1	-	-	3	2	-	4	-	5	3	2	3	2	2	3	5	-	-	2	-	-
420	Arteriosclerotic heart dis., etc.*	6,500	-	-	2	1	3	2	7	27	92	169	307	427	614	744	949	973	916	645	409	149	58	6
	White-----M--	3,123	-	-	1	-	-	1	3	15	52	103	201	258	342	402	460	431	403	237	154	42	17	1
	F--	1,688	-	-	-	-	1	-	1	2	4	16	28	51	97	143	214	279	315	279	171	64	23	-
	Nonwhite--M--	943	-	-	1	-	1	-	2	7	24	28	44	68	91	121	172	146	117	66	36	10	7	2
	F--	746	-	-	-	1	1	1	1	3	12	22	34	50	84	78	103	117	81	63	48	33	11	3
421, 422	Nonrheumatic chronic endocarditis, etc.*--	855	1	3	-	-	2	2	-	3	8	7	19	31	37	82	109	129	127	157	80	37	21	-
	White-----M--	218	-	1	-	-	1	1	-	1	1	2	5	6	10	26	24	33	35	40	21	9	2	-
	F--	230	-	1	-	-	-	-	-	1	-	-	4	2	5	13	15	29	40	58	35	19	8	-
	Nonwhite--M--	214	1	-	-	-	1	1	-	-	2	2	6	15	15	29	35	37	22	30	8	5	5	-
	F--	193	-	1	-	-	-	-	-	1	5	3	4	8	7	14	35	30	30	29	16	4	6	-
430-434	Other diseases of heart---------	520	2	8	4	2	2	3	8	8	11	15	18	32	43	62	83	67	61	51	25	13	2	-
	White-----M--	159	-	3	1	2	1	1	2	3	3	5	5	12	19	19	25	17	21	14	6	-	-	-
	F--	113	-	-	1	-	-	-	1	1	-	-	-	3	6	4	17	23	18	21	10	8	-	-
	Nonwhite--M--	136	1	2	1	-	1	1	2	2	5	6	9	7	10	19	21	17	13	8	7	3	1	-
	F--	112	1	3	1	-	-	1	3	2	3	4	4	10	8	20	20	10	9	8	2	2	1	-
440-443	Hypertension with heart dis.---	1,767	-	-	-	1	-	-	4	9	23	27	70	126	174	206	245	271	277	179	111	32	12	-
	White-----M--	337	-	-	-	-	-	-	-	-	4	3	11	17	32	40	46	50	61	37	25	9	2	-
	F--	448	-	-	-	-	-	-	-	1	3	4	9	9	22	34	37	71	115	80	49	12	2	-
	Nonwhite--M--	425	-	-	-	1	-	-	3	3	5	7	11	38	45	59	73	72	48	32	19	7	2	-
	F--	557	-	-	-	-	-	-	1	5	11	13	39	62	75	73	89	78	53	30	18	4	6	-
444-447	Hypertension without mention of heart----------	171	-	-	-	-	-	-	2	9	18	5	13	11	9	12	11	27	22	14	10	7	1	-
	White-----M--	29	-	-	-	-	-	-	-	1	1	-	3	1	-	2	1	5	5	5	3	2	-	-
	F--	42	-	-	-	-	-	-	-	-	1	-	1	1	4	4	3	9	4	7	4	4	-	-
	Nonwhite--M--	56	-	-	-	-	-	-	1	5	8	4	4	8	3	1	3	7	8	1	1	1	1	-
	F--	44	-	-	-	-	-	-	1	3	8	1	5	1	2	5	4	6	5	1	2	-	-	-
450	General arteriosclerosis--------	377	-	-	-	-	-	-	1	-	-	2	1	4	10	22	30	42	74	64	72	33	22	-
	White-----M--	122	-	-	-	-	-	-	-	-	-	1	-	2	2	4	11	15	28	23	24	7	5	-
	F--	133	-	-	-	-	-	-	-	-	-	-	1	1	4	4	4	8	20	28	39	16	8	-
	Nonwhite--M--	59	-	-	-	-	-	-	-	-	-	1	-	1	3	9	8	13	14	4	3	3	-	-
	F--	63	-	-	-	-	-	-	1	-	-	-	-	-	1	5	7	6	12	9	6	7	9	-
451-468	Other diseases of circulatory sys.-	260	6	3	-	1	3	5	5	6	4	12	24	10	23	31	38	31	31	14	8	3	1	1
	White-----M--	98	1	1	-	-	1	-	-	2	-	5	5	7	10	10	16	20	11	6	2	-	-	1
	F--	58	1	-	-	-	1	1	1	2	-	1	8	2	5	6	4	4	11	7	3	1	-	-
	Nonwhite--M--	58	-	2	-	-	-	2	1	1	2	1	5	1	7	10	12	2	7	1	2	2	-	-
	F--	46	4	-	-	1	1	2	3	1	2	5	6	-	1	5	6	5	2	-	1	-	1	-
592-594	Chronic nephritis, etc.*----------	317	-	1	2	2	2	11	6	12	10	14	19	21	17	36	33	27	34	35	25	8	1	1
	White-----M--	68	-	-	1	1	-	2	1	4	1	1	5	8	2	9	3	5	8	9	6	1	1	-
	F--	77	-	-	-	1	1	2	2	-	1	2	3	6	3	10	5	7	11	12	10	1	-	-
	Nonwhite--M--	84	-	1	1	-	1	2	-	5	3	5	6	1	7	8	12	8	6	8	6	4	-	-
	F--	88	-	-	-	-	-	5	3	3	5	6	5	6	5	9	13	7	9	6	3	2	-	1
480-493	Influenza and pneumonia, etc.*-	1,213	282	87	14	16	11	13	12	9	14	24	35	40	56	74	91	104	119	97	71	24	19	1
	White-----M--	315	39	10	4	4	3	3	3	-	5	5	5	8	14	22	29	45	40	35	26	11	3	1
	F--	258	20	5	-	2	4	1	3	1	3	5	5	11	6	20	17	26	46	39	28	9	7	-
	Nonwhite--M--	357	117	37	7	4	1	7	3	2	4	10	14	9	21	19	26	25	20	13	10	2	6	-
	F--	283	106	35	3	6	3	2	3	6	2	4	11	12	15	13	19	8	13	10	7	2	3	-
480-483	Influenza---------	157	23	10	2	2	3	3	2	3	2	3	6	6	9	13	12	15	15	12	10	4	2	-
	White-----M--	24	2	2	-	1	1	-	-	-	-	-	-	-	1	2	1	5	1	3	2	2	1	-
	F--	41	-	1	-	-	-	-	1	1	2	2	1	2	1	4	2	6	9	2	5	1	1	-
	Nonwhite--M--	45	11	3	2	-	-	2	-	-	-	1	2	2	4	-	7	4	2	4	1	-	-	-
	F--	47	10	4	-	1	2	1	1	2	-	-	3	2	3	7	2	-	3	3	2	1	-	-
490-493	Pneumonia, etc.*--	1,056	259	77	12	14	8	10	10	6	12	21	29	34	47	61	79	89	104	85	61	20	17	1
	White-----M--	291	37	8	4	3	2	3	3	-	5	5	5	8	13	20	28	40	39	32	24	9	2	1
	F--	217	20	4	-	2	4	1	2	-	1	3	4	9	5	16	15	20	37	37	23	8	6	-
	Nonwhite--M--	312	106	34	5	4	1	5	3	2	4	9	12	7	17	19	19	21	18	9	9	2	6	-
	F--	236	96	31	3	5	1	1	2	4	2	4	8	10	12	6	17	8	10	7	5	1	3	-
500-502	Bronchitis--------	97	18	9	1	-	-	1	-	2	1	-	3	6	4	12	12	8	7	6	5	1	1	-
	White-----M--	41	4	-	1	-	-	1	-	1	-	-	-	4	3	4	7	5	4	2	3	1	1	-
	F--	19	4	3	-	-	-	-	-	-	-	-	2	-	-	3	1	3	1	2	-	-	-	-
	Nonwhite--M--	24	5	2	-	-	-	-	-	1	-	-	1	2	-	5	4	-	1	2	1	-	-	-
	F--	13	5	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-
540, 541	Ulcer of stomach and duodenum-----	131	5	-	-	-	-	-	2	5	5	3	10	10	11	20	20	15	13	8	3	1	-	-
	White-----M--	65	-	-	-	-	-	-	2	1	2	1	7	4	5	8	10	10	11	2	1	1	-	-
	F--	18	1	-	-	-	-	-	-	-	-	1	-	2	1	2	3	1	-	5	2	-	-	-
	Nonwhite--M--	37	3	-	-	-	-	-	-	4	2	1	3	2	5	6	6	2	2	1	-	-	-	-
	F--	11	1	-	-	-	-	-	-	-	1	-	-	2	-	4	1	2	-	-	-	-	-	-
550-553	Appendicitis------	36	1	2	1	2	1	-	-	-	-	1	-	3	2	7	4	2	6	1	2	1	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	4	-	-	-	-	-
	F--	8	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	-
	Nonwhite--M--	10	-	-	-	1	-	-	-	-	-	-	-	1	2	2	3	-	-	1	-	-	-	-
	F--	8	-	2	1	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	154	24	1	1	2	-	-	1	3	-	5	12	2	7	10	16	26	15	16	11	2	-	-
	White-----M--	44	7	-	-	-	-	-	-	1	-	-	3	2	4	5	2	7	7	2	3	1	-	-
	F--	46	6	-	-	-	-	-	-	-	-	1	1	-	1	2	8	10	5	10	2	-	-	-
	Nonwhite--M--	37	9	-	-	2	-	-	-	2	-	-	3	-	2	2	3	6	3	3	2	-	-	-
	F--	27	2	1	1	-	-	-	1	-	-	4	5	-	-	1	3	3	-	1	4	1	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	LOUISIANA--Con.																							
543,	Gastritis, etc.*--	165	94	15	3	-	-	1	2	1	4	2	5	4	3	4	5	7	5	4	5	1	-	-
571,	White-----M--	28	9	3	2	-	-	-	-	-	1	-	1	2	-	-	2	2	1	2	2	1	-	-
572	F--	32	7	2	1	-	-	-	1	1	2	2	1	2	2	-	-	3	3	2	3	-	-	-
	Nonwhite--M--	57	44	3	-	-	-	1	-	-	1	-	2	-	1	1	3	1	-	-	-	-	-	-
	F--	48	34	7	-	-	-	-	1	-	-	-	1	-	-	3	-	1	1	-	-	-	-	-
581	Cirrhosis of liver	283	2	2	-	2	1	-	4	6	14	24	38	32	35	35	35	26	16	5	3	3	-	-
	White-----M--	150	-	-	-	1	-	-	-	2	6	12	19	18	22	20	22	15	9	3	-	1	-	-
	F--	69	-	-	-	-	-	-	-	3	3	9	8	5	8	8	8	7	4	1	3	2	-	-
	Nonwhite--M--	41	1	1	-	1	-	-	2	1	4	2	8	7	3	5	3	2	1	-	-	-	-	-
	F--	23	1	1	-	-	1	-	2	-	1	1	3	2	2	2	2	2	2	1	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	33	2	3	-	-	2	-	2	1	1	2	3	3	3	2	4	1	2	-	2	-	-	-
	White-----M--	10	-	2	-	-	-	-	1	-	-	1	-	2	1	1	1	-	-	-	1	-	-	-
	F--	8	-	-	-	-	-	-	1	1	-	1	1	-	1	-	1	-	1	-	1	-	-	-
	Nonwhite--M--	10	1	1	-	-	1	-	-	-	1	-	1	1	1	1	1	-	1	-	-	-	-	-
	F--	5	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	69	-	-	-	-	-	-	-	-	1	1	-	1	2	6	6	14	12	12	6	7	1	-
	White-----M--	32	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	5	6	7	5	3	-	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	9	6	5	1	4	1	-
640-	Complications of																							
689	pregnancy, etc.*-	57	...	...	...	-	7	9	14	16	7	3	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	...	...	...	-	1	5	2	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	41	...	...	...	-	6	4	12	11	5	2	1	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	7	...	...	...	-	-	2	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications--------	50	...	...	...	-	7	7	14	14	6	1	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	14	...	...	...	-	1	4	2	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	36	...	...	...	-	6	3	12	9	5	-	1	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	452	339	51	4	8	4	9	6	4	3	3	4	7	3	2	2	-	3	-	-	-	-	-
	White-----M--	148	118	13	1	2	-	4	3	1	1	-	1	1	-	-	-	-	3	-	-	-	-	-
	F--	139	103	17	1	3	3	1	1	-	1	1	1	2	2	1	2	-	-	-	-	-	-	-
	Nonwhite--M--	93	66	11	1	2	1	4	1	2	-	2	1	-	1	1	-	-	-	-	-	-	-	-
	F--	72	52	10	1	1	-	-	1	1	1	-	1	4	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	1,735	1,732	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	495	495	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	366	364	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	497	496	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	377	377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	787	787	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	234	234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	225	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn---------	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	754	751	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	218	218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	186	184	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	201	200	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	364	44	6	1	-	2	-	2	4	3	9	5	17	13	19	29	40	31	51	36	27	23	2
795	White-----M--	86	4	3	-	-	1	-	-	2	2	4	2	5	4	7	8	5	9	16	7	4	2	1
	F--	66	4	1	1	-	-	-	-	-	1	1	-	2	-	4	7	7	6	10	9	6	6	1
	Nonwhite--M--	113	20	1	-	-	1	-	-	-	-	1	1	8	6	5	5	17	11	12	11	8	6	-
	F--	99	16	1	-	-	-	-	2	2	-	3	2	2	3	3	9	11	5	13	9	9	9	-
Re-	All other diseases	1,417	149	62	16	15	18	27	22	26	42	54	84	79	115	120	167	135	120	94	55	13	4	-
sid-	White-----M--	512	43	11	4	4	6	9	5	6	12	9	32	26	46	57	72	48	53	42	21	4	2	-
ual	F--	364	31	10	6	3	2	3	5	8	10	14	14	17	26	33	36	46	37	37	20	6	-	-
	Nonwhite--M--	286	44	23	5	3	4	8	6	4	6	12	18	14	24	18	32	23	18	10	10	3	1	-
	F--	255	31	18	1	5	6	7	6	8	14	19	20	22	19	12	27	18	12	5	4	-	1	-
E800-	Accidents---------	2,401	116	146	125	109	158	180	160	151	136	132	136	101	111	101	104	81	96	88	45	22	10	93
E962	White-----M--	1,042	23	40	40	50	89	106	86	86	76	66	68	40	56	43	47	40	32	33	8	6	2	5
	F--	466	17	33	18	10	27	19	13	19	18	17	21	23	21	26	21	26	45	35	28	11	6	12
	Nonwhite--M--	585	45	38	34	36	31	42	49	39	30	33	30	24	25	22	21	8	11	11	5	3	1	47
	F--	308	31	35	33	13	11	13	12	7	12	16	17	14	9	10	15	7	8	9	4	2	1	29
E810-	Motor-vehicle																							
E835	accidents--------	827	10	36	39	31	87	106	68	70	50	54	50	42	48	40	36	24	22	10	2	1	1	-
	White-----M--	438	6	13	13	16	52	71	37	40	21	33	26	15	23	17	18	17	12	5	-	-	1	-
	F--	151	2	12	8	3	18	13	6	13	10	5	5	11	9	13	9	5	6	2	-	1	-	-
	Nonwhite--M--	185	1	9	12	8	14	18	21	14	13	12	12	11	14	10	6	1	4	3	2	-	-	-
	F--	53	1	2	6	2	3	4	4	3	6	4	7	5	2	-	3	1	-	-	-	-	-	-
E800-	All ot. accidents-	1,574	106	110	86	78	71	74	92	81	86	78	86	59	63	61	68	57	74	78	43	21	9	93
E802,	White-----M--	604	17	27	27	32	37	35	49	46	55	33	42	25	33	26	29	23	20	28	8	6	1	5
E840-	F--	315	15	21	10	7	9	6	7	6	8	12	16	12	12	13	12	21	39	33	28	10	6	12
E962	Nonwhite--M--	400	44	29	22	28	17	24	28	25	17	21	18	13	11	12	15	7	7	8	3	3	1	47
	F--	255	30	33	27	11	8	9	8	4	6	12	10	9	7	10	12	6	8	9	4	2	1	29
E963,	Suicide----------	168	-	-	-	-	4	5	10	14	21	16	19	11	17	19	12	11	6	1	2	-	-	-
E970-	White-----M--	111	-	-	-	-	2	2	2	7	12	10	13	8	16	15	7	10	4	1	2	-	-	-
E979	F--	39	-	-	-	-	1	3	6	6	8	5	2	1	1	2	3	-	1	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	1	-	2	1	1	-	4	1	-	1	2	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
E964,	Homicide----------	239	2	-	-	2	17	37	35	33	37	18	21	15	8	7	3	3	1	-	-	-	-	-
E980-	White-----M--	46	1	-	-	-	3	6	10	3	5	5	4	4	1	2	1	1	-	-	-	-	-	-
E985	F--	21	1	-	-	1	1	1	1	1	4	2	2	2	3	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	139	-	-	-	1	8	24	24	22	21	8	14	8	3	2	2	2	-	-	-	-	-	-
	F--	33	-	-	-	-	5	6	-	7	7	3	1	1	1	2	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MAINE																							
	ALL CAUSES------	10,165	576	89	56	36	71	64	72	89	121	166	244	376	628	847	1,110	1,402	1,442	1,342	930	397	99	8
	White-----M--	5,668	322	52	37	27	53	44	43	45	69	104	142	253	390	534	685	823	739	679	437	158	26	6
	F--	4,467	251	37	19	7	18	19	28	41	52	62	100	120	238	311	421	576	701	661	491	239	73	2
	Nonwhite--M--	14	1	-	-	1	-	1	-	1	-	-	2	1	-	-	2	2	1	1	1	-	-	-
	F--	16	2	-	-	1	-	-	1	2	-	-	-	2	-	2	2	1	1	1	1	-	-	-
001-019	Tuberculosis, all forms--------	48	-	1	-	-	-	-	1	5	5	1	-	3	1	9	8	7	3	4	-	-	-	-
	White-----M--	36	-	1	-	-	-	-	-	3	4	-	-	3	1	8	7	3	3	3	-	-	-	-
	F--	12	-	-	-	-	-	-	1	2	1	1	-	-	-	1	1	4	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	45	-	-	-	-	-	-	1	5	5	1	-	3	1	8	8	7	3	3	-	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	3	4	-	-	3	1	7	7	3	3	2	-	-	-	-
	F--	12	-	-	-	-	-	-	1	2	1	1	-	-	-	1	1	4	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	White-----M--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	15	-	-	-	-	-	-	-	-	-	-	-	-	4	2	3	3	2	-	1	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	4	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	7	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	26	5	4	2	-	-	1	-	-	2	-	1	-	2	1	3	2	1	1	-	-	-	1
	White-----M--	14	3	1	1	-	-	1	-	-	1	-	-	-	1	1	3	-	1	-	-	-	-	1
	F--	12	2	3	1	-	-	-	-	-	1	-	1	-	1	-	-	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MAINE—Continued																							
140-205	Malignant neoplasms, etc.*	1,606	2	10	8	3	3	6	8	14	27	40	59	102	153	197	225	240	229	160	85	31	3	1
	White--M	829	1	7	2	3	2	4	3	3	10	11	19	48	79	115	127	132	119	83	50	9	1	1
	F	774	1	3	6	-	1	2	5	10	17	29	39	54	74	82	97	108	110	77	35	22	2	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	35	-	-	-	-	-	-	-	1	-	-	2	2	5	1	7	9	5	2	1	-	-	-
	White--M	27	-	-	-	-	-	-	-	1	-	-	1	1	4	1	6	7	4	1	1	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	565	-	1	-	-	-	2	-	5	7	7	13	27	44	64	75	93	108	59	41	18	1	-
	White--M	286	-	1	-	-	-	1	-	-	4	3	5	13	22	39	40	49	53	28	22	6	-	-
	F	277	-	-	-	-	-	1	-	4	3	4	7	14	22	25	35	44	55	31	19	12	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)	197	-	-	-	-	-	-	-	-	2	2	4	18	32	33	40	33	13	15	4	-	-	1
	White--M	167	-	-	-	-	-	-	-	-	2	2	4	18	30	30	33	26	10	8	3	-	-	1
	F	30	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	7	3	7	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	142	1	-	-	-	-	-	1	1	1	7	13	13	16	16	26	14	11	11	9	1	1	-
	White--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	140	1	-	-	-	-	-	1	1	1	7	12	13	16	16	25	14	11	11	9	1	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
171-179	Of genital organs	275	-	-	-	-	-	-	5	1	6	13	13	12	18	34	33	36	34	45	19	5	1	-
	White--M	124	-	-	-	-	-	-	2	-	-	-	1	-	1	11	14	21	22	32	17	2	1	-
	F	151	-	-	-	-	-	-	3	1	6	13	12	12	17	23	19	15	12	13	2	3	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	96	-	1	1	-	-	-	-	1	-	-	3	5	12	13	13	13	19	9	3	3	-	-
	White--M	65	-	1	-	-	-	-	-	1	-	-	3	-	9	11	10	10	11	5	3	1	-	-
	F	31	-	-	1	-	-	-	-	-	-	-	-	5	3	2	3	3	8	4	-	2	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	164	-	2	2	-	1	2	-	1	7	6	5	16	17	20	14	26	20	15	6	4	-	-
	White--M	79	-	1	-	-	1	2	-	-	3	3	1	9	7	11	11	12	8	7	3	-	-	-
	F	85	-	1	2	-	-	-	-	1	4	3	4	7	10	9	3	14	12	8	3	4	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	67	-	5	5	1	2	2	1	3	2	1	2	3	4	8	5	7	12	3	1	-	-	-
	White--M	37	-	3	2	1	1	1	1	1	-	1	1	3	3	5	3	2	8	1	-	-	-	-
	F	30	-	2	3	-	1	1	-	2	2	-	1	-	1	3	2	5	4	2	1	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	65	1	1	-	2	-	-	1	1	2	4	4	6	5	8	12	9	7	1	1	-	-	-
	White--M	43	1	1	-	2	-	-	-	-	1	2	2	4	3	7	10	5	3	1	1	-	-	-
	F	22	-	-	-	-	-	-	1	1	1	2	2	2	2	1	2	4	4	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	36	1	-	3	-	1	1	2	1	-	-	2	3	4	4	4	4	3	3	-	-	-	-
	White--M	13	-	-	2	-	-	1	1	1	-	-	1	1	1	2	-	-	1	2	-	-	-	-
	F	23	1	-	1	-	1	-	1	-	-	-	1	2	3	2	4	4	2	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	168	-	-	-	-	1	-	3	2	-	2	6	9	10	19	37	28	28	15	6	2	-	-
	White--M	61	-	-	-	-	-	-	1	-	-	1	2	7	2	5	10	13	11	5	3	1	-	-
	F	106	-	-	-	-	1	-	2	2	-	1	3	2	8	14	27	15	17	10	3	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	27	-	-	-	-	1	-	1	-	-	1	1	1	1	2	3	7	4	2	3	-	-	-
	White--M	13	-	-	-	-	1	-	1	-	-	-	1	1	-	1	1	2	1	1	3	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	5	3	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	11	4	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White--M	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	2	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	5,964	3	1	2	1	5	7	7	21	35	55	93	185	337	486	665	949	1,011	993	710	315	77	6
	White--M	3,281	2	1	2	-	3	2	2	12	24	40	66	135	222	317	417	565	508	498	316	124	21	4
	F	2,670	1	-	-	1	2	5	5	9	11	15	27	48	115	168	245	381	501	494	393	191	56	2
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system	5,856	3	1	2	-	5	6	6	19	33	53	92	181	329	477	656	936	989	977	697	311	77	6
	White--M	3,246	2	1	2	-	3	1	2	11	23	39	66	133	218	316	412	560	503	493	313	123	21	4
	F	2,598	1	-	-	-	2	5	4	8	10	14	26	46	111	161	241	373	484	483	383	188	56	2
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	-	-
330-334	Vascular lesions, etc.*	1,237	1	-	1	-	2	3	1	3	9	8	9	19	40	72	132	190	229	248	169	84	15	2
	White--M	570	1	-	1	-	2	-	-	1	4	3	5	10	19	39	70	108	106	105	65	27	2	2
	F	664	-	-	-	-	-	3	1	2	5	5	4	9	21	33	61	81	123	143	103	57	13	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MAINE—Continued																							
400-402	Rheumatic fever---	4	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	4,183	2	1	1	-	2	3	4	13	21	43	76	155	271	392	492	707	697	634	438	185	43	3
	White-----M--	2,470	1	1	1	-	1	1	1	9	19	35	56	118	191	273	325	431	372	335	208	74	16	2
	F--	1,707	1	-	-	-	1	2	3	4	2	8	20	36	80	119	165	275	323	299	230	111	27	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	127	-	1	-	-	2	1	3	1	4	1	8	22	12	14	14	13	10	12	5	4	-	-
	White-----M--	59	-	1	-	-	1	-	1	-	3	1	5	13	3	8	10	6	3	3	-	1	-	-
	F--	67	-	-	-	-	1	1	2	1	1	-	3	9	9	6	3	7	7	9	5	3	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,082	-	-	-	-	-	1	-	11	15	37	58	120	226	330	380	541	525	431	259	123	23	2
	White-----M--	1,933	-	-	-	-	-	-	-	9	15	31	49	96	173	240	259	338	293	239	128	52	10	1
	F--	1,145	-	-	-	-	-	1	-	2	-	6	9	24	53	90	120	202	230	192	131	71	13	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	469	1	-	1	-	-	-	-	-	2	3	6	4	9	15	29	69	76	114	92	37	11	-
	White-----M--	235	-	-	1	-	-	-	-	-	1	1	2	3	4	9	18	38	39	56	45	13	5	-
	F--	234	1	-	-	-	-	-	-	-	1	2	4	1	5	6	11	31	37	58	47	24	6	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	88	1	-	-	-	-	1	-	-	-	2	-	4	9	10	15	10	13	9	9	3	2	-
	White-----M--	54	1	-	-	-	-	1	-	-	-	2	-	4	6	5	7	8	8	5	6	1	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	-	3	5	8	2	5	4	3	2	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	417	-	-	-	-	-	-	1	1	-	-	4	5	15	23	54	74	73	68	73	18	7	1
	White-----M--	189	-	-	-	-	-	-	-	-	-	-	-	2	5	11	31	41	29	32	29	7	1	1
	F--	227	-	-	-	-	-	-	1	1	-	-	4	2	10	12	23	33	44	36	44	11	6	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	75	-	-	-	-	-	-	1	1	-	-	-	2	3	2	8	7	7	23	10	6	5	-
	White-----M--	35	-	-	-	-	-	-	1	-	-	-	-	-	2	-	3	2	3	14	6	2	2	-
	F--	39	-	-	-	-	-	-	-	1	-	-	-	1	1	2	5	5	4	9	4	4	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	260	-	-	-	-	-	-	-	-	-	-	-	1	8	3	8	17	42	64	73	31	13	-
	White-----M--	118	-	-	-	-	-	-	-	-	-	-	-	1	5	1	5	10	14	35	31	16	-	-
	F--	141	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	7	28	28	42	15	13	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.-	97	-	-	-	-	1	-	-	2	2	2	5	4	6	8	16	15	14	8	7	5	1	1
	White-----M--	51	-	-	-	-	-	-	-	1	-	1	3	4	1	3	9	9	8	4	3	4	1	-
	F--	45	-	-	-	-	1	-	-	1	2	1	2	-	5	5	7	5	6	4	4	1	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	108	-	-	-	1	-	1	1	2	2	2	1	4	8	9	9	13	22	16	13	4	-	-
	White-----M--	35	-	-	-	-	-	1	-	1	1	1	-	2	4	1	5	5	5	5	3	1	-	-
	F--	72	-	-	-	1	-	-	1	1	1	1	1	2	4	7	4	8	17	11	10	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	331	53	11	6	2	4	3	4	3	2	3	8	7	10	24	35	29	35	37	37	14	4	-
	White-----M--	204	39	6	4	1	1	2	-	1	1	2	4	7	6	14	26	20	21	20	19	8	2	-
	F--	127	14	5	2	1	3	1	4	2	1	1	4	-	4	10	9	9	14	17	18	6	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	51	4	-	1	1	2	-	2	2	1	2	2	-	1	6	7	4	10	1	4	1	-	-
	White-----M--	30	4	-	1	-	-	-	-	1	1	1	-	-	-	5	5	1	7	1	2	1	-	-
	F--	21	-	-	-	1	2	-	2	1	-	1	2	-	1	1	2	3	3	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	280	49	11	5	1	2	3	2	1	1	1	6	7	9	18	28	25	25	36	33	13	4	-
	White-----M--	174	35	6	3	1	1	2	-	-	-	1	4	7	6	9	21	19	14	19	17	7	2	-
	F--	106	14	5	2	-	1	1	2	1	1	-	2	-	3	9	7	6	11	17	16	6	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	25	5	3	1	1	-	-	-	-	-	-	-	-	-	6	1	-	4	1	2	1	-	-
	White-----M--	14	-	1	1	1	-	-	-	-	-	-	-	-	-	4	1	-	4	-	1	1	-	-
	F--	11	5	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	60	-	-	-	-	-	-	3	-	1	1	2	8	6	5	9	9	6	7	3	-	-	-
	White-----M--	45	-	-	-	-	-	-	2	-	-	1	1	4	6	4	8	8	4	6	1	-	-	-
	F--	15	-	-	-	-	-	-	1	-	1	-	1	4	-	1	1	1	2	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	23	-	-	3	1	1	-	-	-	-	1	2	1	2	1	3	2	5	-	1	-	-	-
	White-----M--	17	-	-	2	1	1	-	-	-	-	1	2	1	2	-	2	1	4	-	-	-	-	-
	F--	6	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	60	3	-	-	-	-	-	1	1	-	1	3	3	4	4	7	5	7	9	6	4	2	-
	White-----M--	37	1	-	-	-	-	-	-	1	-	1	2	2	4	4	5	2	4	5	4	1	1	-
	F--	23	2	-	-	-	-	-	1	-	-	-	1	1	-	-	2	3	3	4	2	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MAINE—Continued																							
543,	Gastritis, etc.*--	41	11	4	-	-	-	-	-	3	1	1	1	3	3	4	-	1	4	2	2	1	-	-
571,	White-----M--	23	7	4	-	-	-	-	-	-	-	-	1	3	2	1	-	1	1	1	1	1	-	-
572	F--	18	4	-	-	-	-	-	-	3	1	1	-	-	1	3	-	-	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	82	-	1	-	-	-	1	-	3	3	3	6	4	12	8	15	8	10	7	1	-	-	-
	White-----M--	53	-	1	-	-	-	1	-	1	1	3	2	2	7	5	10	8	7	4	1	-	-	-
	F--	29	-	-	-	-	-	-	-	2	2	-	4	2	5	3	5	-	3	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	11	-	-	-	-	-	-	-	2	1	1	-	-	1	1	1	2	1	-	-	1	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	6	4	1	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	6	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	8	...	...	...	1	-	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	-	-	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	7	...	...	...	1	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	6	...	...	...	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	110	82	9	2	2	1	-	1	2	1	4	3	1	1	-	-	-	-	1	-	-	-	-
	White-----M--	64	45	6	2	1	1	-	1	1	-	3	2	1	-	-	-	-	-	1	-	-	-	-
	F--	46	37	3	-	1	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	346	346	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	191	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	63	3	2	-	-	-	-	-	-	-	-	1	-	2	-	-	1	4	10	18	16	6	-
795	White-----M--	28	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	9	7	1	-
	F--	35	2	2	-	-	-	-	-	-	-	-	1	-	2	-	-	1	2	2	9	9	5	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	451	31	7	2	3	5	9	5	3	14	15	24	18	48	31	61	59	46	39	24	4	3	-
sid-	White-----M--	261	15	5	1	2	4	5	2	1	7	7	17	13	31	19	42	34	24	17	14	1	-	-
ual	F--	187	16	2	1	1	1	4	3	1	7	8	7	5	17	11	19	25	22	22	9	3	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E800-	Accidents----------	491	23	26	25	18	44	29	31	16	17	22	24	15	15	31	19	31	31	41	23	6	4	-
E962	White-----M--	341	13	15	19	14	37	26	28	13	12	21	17	15	13	24	14	18	16	15	8	3	-	-
	F--	147	10	11	6	3	7	3	2	3	5	1	7	-	2	7	5	13	15	25	15	3	4	-
	Nonwhite--M--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	151	2	6	12	5	18	16	12	4	4	9	10	1	3	13	8	11	8	6	3	-	-	-
	White-----M--	114	1	4	9	3	15	16	12	4	1	9	7	1	3	8	6	7	5	2	1	-	-	-
	F--	36	1	2	3	2	3	-	-	-	3	-	3	-	-	5	2	4	3	3	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	340	21	20	13	13	26	13	19	12	13	13	14	14	12	18	11	20	23	35	20	6	4	-
E802,	White-----M--	227	12	11	10	11	22	10	16	9	11	12	10	14	10	16	8	11	11	13	7	3	-	-
E840-	F--	111	9	9	3	1	4	3	2	3	2	1	4	-	2	2	3	9	12	22	13	3	4	-
E962	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	110	-	-	-	2	4	1	1	10	9	12	8	11	11	10	8	9	6	3	4	1	-	-
E970-	White-----M--	90	-	-	-	2	3	1	1	7	8	10	5	9	9	8	7	8	5	3	3	1	-	-
E979	F--	19	-	-	-	-	1	-	-	2	1	2	3	2	2	2	1	1	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	18	-	-	-	1	-	3	1	2	2	3	-	1	-	1	1	2	-	1	-	-	-	-
E980-	White-----M--	11	-	-	-	1	-	1	1	1	1	2	-	1	-	-	1	1	-	1	-	-	-	-
E985	F--	6	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MARYLAND																							
	ALL CAUSES------	26,379	2,111	314	167	122	187	194	254	424	566	830	1,156	1,600	2,110	2,523	3,061	3,119	2,918	2,453	1,497	584	184	5
	White-----M--	11,832	757	107	80	56	97	106	101	154	234	351	539	765	1,123	1,286	1,532	1,472	1,252	1,009	578	187	42	4
	F--	9,393	569	96	43	35	50	39	53	125	151	196	289	394	495	752	1,017	1,215	1,359	1,245	812	349	109	-
	Nonwhite--M--	2,913	445	59	22	20	29	27	60	93	102	146	186	245	257	308	299	252	165	97	55	30	15	1
	F--	2,241	340	52	22	11	11	22	40	52	79	137	142	196	235	177	213	180	142	102	52	18	18	-
001-019	Tuberculosis, all forms--------	319	-	1	1	-	4	4	7	20	23	23	28	31	40	48	33	29	13	7	6	-	-	1
	White-----M--	143	-	-	-	-	1	2	3	2	8	5	10	13	24	25	19	15	7	4	4	-	-	1
	F--	44	-	-	1	-	-	1	-	3	7	1	3	5	2	7	3	7	3	1	-	-	-	-
	Nonwhite--M--	95	-	-	-	-	1	-	3	8	6	11	13	9	10	14	10	5	2	1	2	-	-	-
	F--	37	-	1	-	-	2	1	1	7	2	6	2	4	4	2	1	2	1	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	291	-	1	-	-	4	2	6	20	22	21	25	30	37	41	32	24	13	7	5	-	-	1
	White-----M--	134	-	-	-	-	1	1	3	2	8	4	8	13	22	23	18	15	7	4	4	-	-	1
	F--	37	-	-	-	-	-	-	-	3	7	1	3	5	2	4	3	5	3	1	-	-	-	-
	Nonwhite--M--	84	-	-	-	-	1	-	2	8	5	10	12	8	9	12	10	3	2	1	1	-	-	-
	F--	36	-	1	-	-	2	1	1	7	2	6	2	4	4	2	1	1	1	1	-	-	-	-
010-019	Tuberculosis, other forms------	28	-	-	1	-	-	2	1	-	1	2	3	1	3	7	1	5	-	-	1	-	-	-
	White-----M--	9	-	-	-	-	-	1	-	-	-	1	2	-	2	2	1	-	-	-	-	-	-	-
	F--	7	-	-	1	-	-	1	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	1	-	1	1	1	1	1	2	-	2	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	83	-	-	-	1	-	-	-	1	1	8	8	8	16	11	11	11	3	3	1	-	-	-
	White-----M--	25	-	-	-	1	-	-	-	-	1	-	2	-	6	3	2	8	-	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	-	-	-	-	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	4	4	4	5	6	6	3	1	2	-	-	-	-
	F--	17	-	-	-	-	-	-	-	1	-	3	2	4	4	-	1	-	2	-	-	-	-	-
040	Typhoid fever-----	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	14	4	5	-	-	-	2	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	White-----M--	6	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	95	23	5	2	-	4	1	1	1	3	3	3	10	9	6	7	6	3	6	2	-	-	-
	White-----M--	36	7	4	-	-	2	1	-	1	-	-	1	4	5	1	3	2	1	3	1	-	-	-
	F--	34	8	1	1	-	1	-	1	-	2	1	1	2	-	4	3	3	2	3	1	-	-	-
	Nonwhite--M--	12	5	-	-	-	1	-	-	-	-	1	1	2	-	1	1	-	-	-	-	-	-	-
	F--	13	3	-	1	-	-	-	-	-	1	1	-	2	4	-	-	1	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MARYLAND—Con.																							
140-205	Malignant neoplasms, etc.*----	4,192	5	30	32	18	23	10	19	75	88	141	285	401	482	551	616	514	406	306	139	44	6	1
	White-----M--	1,845	1	12	12	10	9	6	9	23	33	39	107	157	221	263	272	264	183	147	58	18	1	-
	F--	1,692	3	16	12	8	9	2	7	39	34	72	119	152	160	202	248	196	180	137	70	24	2	-
	Nonwhite--M--	343	1	-	3	-	4	1	2	5	7	11	26	47	46	51	61	34	25	10	6	-	2	1
	F--	312	-	2	5	-	1	1	1	8	14	19	33	45	55	35	35	20	18	12	5	2	1	-
140-148	Of buccal cavity and pharynx------	98	-	-	1	2	1	-	1	1	1	3	8	8	13	17	17	9	8	5	2	1	-	-
	White-----M--	69	-	-	1	2	-	-	1	1	1	1	3	4	8	15	13	5	7	5	1	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	2	1	4	1	2	4	1	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	1	-	-	-	-	1	1	3	1	1	1	-	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,352	-	2	-	-	1	-	2	7	17	21	67	107	154	176	228	191	183	114	60	21	1	-
	White-----M--	597	-	1	-	-	1	-	-	2	9	8	23	49	69	80	91	107	78	49	23	7	-	-
	F--	513	-	1	-	-	-	-	1	3	5	9	23	27	40	65	91	67	84	54	30	13	-	-
	Nonwhite--M--	137	-	-	-	-	-	-	-	2	-	3	10	17	23	23	29	9	12	5	4	-	-	-
	F--	105	-	-	-	-	-	-	1	-	3	1	11	14	22	8	17	8	9	6	3	1	1	-
160-164	Of respiratory system (not secondary)-------	636	1	-	-	-	-	-	1	3	8	20	55	86	90	115	111	69	38	30	4	3	2	-
	White-----M--	471	-	-	-	-	-	-	-	-	6	14	37	58	73	94	88	50	22	24	2	2	1	-
	F--	81	-	-	-	-	-	-	1	1	-	3	8	12	4	10	8	12	13	6	2	1	-	-
	Nonwhite--M--	75	1	-	-	-	-	-	-	1	2	3	9	14	10	11	14	7	2	-	-	-	1	-
	F--	9	-	-	-	-	-	-	-	1	-	-	1	2	3	-	1	-	1	-	-	-	-	-
170	Of breast---------	360	-	-	-	-	-	-	-	8	12	23	34	53	44	39	44	42	23	23	11	3	1	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	310	-	-	-	-	-	-	-	7	10	18	31	41	35	32	41	36	22	22	11	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	48	-	-	-	-	-	-	-	1	2	4	3	12	9	7	3	5	1	1	-	-	-	-
171-179	Of genital organs-	644	-	2	-	1	2	3	-	18	16	38	53	57	62	70	70	95	64	64	22	5	1	1
	White-----M--	178	-	1	-	-	1	1	-	1	-	1	4	2	6	10	18	44	34	40	11	4	-	-
	F--	331	-	1	-	1	-	2	-	12	10	28	36	40	39	40	41	32	19	19	11	-	-	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	5	4	8	3	14	7	3	-	-	1	1
	F--	89	-	-	-	-	1	-	-	5	6	9	13	10	13	12	8	5	4	2	-	1	-	-
180, 181	Of urinary organs-	192	1	1	2	-	-	-	-	3	2	3	5	20	24	30	20	19	21	26	13	2	-	-
	White-----M--	98	1	-	-	-	-	-	-	2	-	1	4	9	18	17	8	7	13	12	5	1	-	-
	F--	67	-	1	1	-	-	-	-	1	-	-	-	8	4	9	7	10	7	11	7	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	2	-	1	2	1	2	3	1	-	1	-	-	-	-
	F--	14	-	-	1	-	-	-	-	-	-	2	-	1	1	2	2	1	1	2	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	526	-	11	10	4	11	2	5	21	11	21	33	45	69	55	78	54	41	30	16	8	1	-
	White-----M--	221	-	3	4	2	3	1	3	7	5	11	14	20	32	26	27	27	14	10	9	3	-	-
	F--	235	-	8	3	2	6	-	-	11	3	7	15	15	26	24	41	23	22	18	5	5	1	-
	Nonwhite--M--	46	-	-	1	-	2	-	2	2	2	3	4	6	5	3	7	3	4	1	1	-	-	-
	F--	24	-	-	2	-	-	1	-	1	1	-	-	4	6	2	3	1	1	1	1	-	-	-
204	Leukemia and aleukemia--------	188	2	12	17	9	5	3	2	5	11	5	10	12	8	15	21	20	17	7	6	1	-	-
	White-----M--	100	-	5	7	4	3	2	1	3	5	1	8	7	6	6	11	14	10	3	4	-	-	-
	F--	73	2	5	8	5	2	-	1	2	4	3	2	4	1	7	8	6	6	4	2	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-
	F--	10	-	2	2	-	-	-	-	-	2	1	-	1	-	1	-	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	196	1	2	2	2	3	2	8	9	10	7	20	13	18	34	27	15	11	7	5	-	-	-
	White-----M--	109	-	2	-	2	1	2	4	7	7	1	14	8	9	15	16	9	5	4	3	-	-	-
	F--	67	1	-	-	-	1	-	4	2	2	4	2	4	7	14	9	6	6	3	2	-	-	-
	Nonwhite--M--	11	-	-	2	-	1	-	-	-	1	1	1	-	1	2	2	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	3	1	1	3	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	113	2	5	2	1	2	1	3	5	2	20	14	12	9	13	8	8	2	4	-	-	-	-
	White-----M--	44	1	2	2	-	-	-	-	2	-	3	7	5	3	8	5	5	-	1	-	-	-	-
	F--	40	-	2	-	1	1	1	2	1	-	9	5	4	2	4	2	1	2	3	-	-	-	-
	Nonwhite--M--	8	1	-	-	-	1	-	1	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-
	F--	21	-	1	-	-	-	-	-	2	2	7	1	2	3	1	1	1	-	-	-	-	-	-
260	Diabetes mellitus-	518	-	1	-	2	2	2	5	3	10	9	18	34	57	83	88	81	73	31	12	5	1	1
	White-----M--	160	-	-	-	-	1	1	2	3	1	3	6	7	19	22	31	27	23	8	3	1	1	1
	F--	264	-	-	-	-	1	-	2	-	4	2	2	14	25	43	42	51	45	21	9	3	-	-
	Nonwhite--M--	30	-	-	-	1	-	-	-	-	2	1	7	4	3	5	3	-	1	2	-	1	-	-
	F--	64	-	1	-	1	-	1	1	-	3	3	3	9	10	13	12	3	4	-	-	-	-	-
290-293	Anemias----------	49	3	4	3	2	1	1	1	1	3	1	1	2	1	3	3	2	4	9	4	-	-	-
	White-----M--	15	2	-	1	-	-	-	-	-	2	-	-	-	-	-	2	2	2	4	-	-	-	-
	F--	22	-	1	-	1	-	-	1	1	-	-	1	2	-	3	1	-	2	5	4	-	-	-
	Nonwhite--M--	7	1	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	44	15	6	4	1	-	1	-	-	-	2	1	3	3	-	2	3	2	-	-	1	-	-
	White-----M--	18	6	3	2	-	-	1	-	-	-	1	-	1	1	-	1	2	-	-	-	-	-	-
	F--	11	3	2	1	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	1	-	-
	Nonwhite--M--	7	5	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	8	1	1	1	-	-	-	-	-	-	1	-	2	-	-	-	1	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	14,187	10	8	8	4	15	23	37	90	179	342	488	785	1,129	1,432	1,903	2,091	2,047	1,802	1,178	462	152	2
	White-----M--	6,503	4	2	4	3	7	7	12	38	83	173	262	432	626	760	974	948	848	709	436	139	34	2
	F--	5,414	2	2	2	-	6	9	6	20	44	49	89	142	240	395	617	831	982	949	656	282	91	-
	Nonwhite--M--	1,213	3	3	1	-	2	1	8	19	33	56	73	107	141	173	171	170	111	60	44	26	11	-
	F--	1,057	1	1	1	1	-	6	11	13	19	64	64	104	122	104	141	142	106	84	42	15	16	-
330-334, 400-468	Diseases of cardiovascular system-	13,954	9	8	8	2	12	18	32	83	166	326	474	774	1,105	1,412	1,878	2,070	2,026	1,775	1,164	459	151	2
	White-----M--	6,411	4	2	4	1	5	7	10	35	78	168	258	430	616	749	960	941	844	694	431	138	34	2
	F--	5,342	2	2	2	-	5	6	5	18	40	48	86	138	232	389	612	822	971	941	651	282	90	-
	Nonwhite--M--	1,179	2	3	1	-	2	1	7	17	31	53	71	105	138	171	168	166	109	58	41	24	11	-
	F--	1,022	1	1	1	1	-	4	10	13	17	57	59	101	119	103	138	141	102	82	41	15	16	-
330-334	Vascular lesions, etc.*----------	2,334	4	2	4	1	2	5	11	21	33	41	69	90	142	206	321	355	351	340	233	74	28	1
	White-----M--	905	2	1	2	1	-	3	3	6	12	12	23	31	56	74	136	153	142	141	81	20	5	1
	F--	1,003	1	-	1	-	1	1	1	5	12	8	13	23	41	74	120	146	176	174	142	48	16	-
	Nonwhite--M--	214	1	1	1	-	1	-	1	5	5	7	13	20	17	40	36	27	18	11	6	2	2	-
	F--	212	-	-	-	-	-	1	6	5	4	14	20	16	28	18	29	29	15	14	4	4	5	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MARYLAND--Con.																							
400-402	Rheumatic fever---	11	-	-	2	-	2	-	-	-	-	2	1	-	1	-	-	2	1	-	-	-	-	-
	White-----M--	4	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	10,713	5	6	2	1	5	11	18	51	119	265	379	647	917	1,155	1,460	1,584	1,551	1,289	819	322	106	1
	White-----M--	5,115	2	1	1	-	3	3	7	27	61	151	228	385	533	647	775	728	642	500	302	92	26	1
	F--	3,970	1	2	1	-	2	5	3	10	25	33	65	108	178	303	460	635	741	687	449	200	82	-
	Nonwhite--M--	881	1	2	-	-	-	1	5	7	23	41	54	73	116	122	122	122	88	42	33	20	9	-
	F--	747	1	1	-	1	-	2	3	7	10	40	32	81	90	83	103	99	80	60	35	10	9	-
410-416	Chronic rheumatic heart disease----	293	-	-	-	-	4	7	8	18	17	30	34	34	47	23	27	24	10	5	3	2	-	-
	White-----M--	112	-	-	-	-	2	2	1	8	4	14	15	9	22	10	10	7	3	3	2	-	-	-
	F--	136	-	-	-	-	2	3	3	8	10	9	13	19	17	11	15	16	5	2	1	2	-	-
	Nonwhite--M--	20	-	-	-	-	-	1	2	-	2	2	4	2	3	-	2	-	2	-	-	-	-	-
	F--	25	-	-	-	-	-	1	2	2	1	5	2	4	5	2	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,879	-	1	-	1	-	2	4	19	67	144	239	396	555	731	881	845	817	650	349	139	38	1
	White-----M--	3,300	-	-	-	-	-	-	3	13	45	110	174	288	387	473	514	438	385	269	142	47	11	1
	F--	1,981	-	1	-	-	-	2	-	2	7	16	30	47	97	180	283	331	364	343	178	81	19	-
	Nonwhite--M--	358	-	-	-	-	-	-	1	3	10	12	23	32	48	54	52	45	36	14	16	9	3	-
	F--	240	-	-	-	1	-	-	-	1	5	6	12	29	23	24	32	31	32	24	13	2	5	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,328	1	1	-	-	-	1	2	6	14	20	35	84	121	179	242	386	388	368	308	122	50	-
	White-----M--	983	-	-	-	-	-	1	1	3	7	7	17	44	63	88	114	188	151	152	106	30	11	-
	F--	974	-	-	-	-	-	-	-	-	4	3	7	11	21	43	74	135	193	190	183	78	32	-
	Nonwhite--M--	217	-	-	-	-	-	-	1	2	3	2	7	18	21	30	27	43	27	15	8	8	5	-
	F--	154	1	1	-	-	-	-	-	1	-	8	4	11	16	18	27	20	17	11	11	6	2	-
430-434	Other diseases of heart---------	270	4	4	1	-	1	1	1	4	5	15	8	19	24	27	31	40	32	22	20	6	5	-
	White-----M--	112	2	1	1	-	1	-	-	3	2	4	3	5	16	11	15	13	13	10	8	3	1	-
	F--	88	1	1	-	-	-	-	-	-	2	2	2	5	3	8	8	16	18	6	9	3	4	-
	Nonwhite--M--	36	1	2	-	-	-	-	-	1	1	6	2	5	4	4	3	4	1	2	-	-	-	-
	F--	34	-	-	-	-	-	1	1	-	-	3	1	4	1	4	5	7	-	4	3	-	-	-
440-443	Hypertension with heart dis.--	1,943	-	-	1	-	-	-	3	4	16	56	63	114	170	195	279	289	304	244	139	53	13	-
	White-----M--	608	-	-	-	-	-	-	2	-	3	16	19	39	45	65	122	82	90	66	44	12	3	-
	F--	791	-	-	1	-	-	-	-	-	2	3	13	26	40	61	80	137	161	146	78	36	7	-
	Nonwhite--M--	250	-	-	-	-	-	-	1	1	7	19	18	16	40	34	38	30	22	11	9	3	1	-
	F--	294	-	-	-	-	-	-	-	3	4	18	13	33	45	35	39	40	31	21	8	2	2	-
444-447	Hypertension without mention of heart----------	170	-	-	-	-	-	-	1	7	5	9	7	15	10	12	22	23	18	17	17	6	1	-
	White-----M--	62	-	-	-	-	-	-	-	1	1	2	1	3	6	5	9	8	9	6	7	4	-	-
	F--	54	-	-	-	-	-	-	-	-	-	2	1	1	3	3	7	6	9	10	9	2	1	-
	Nonwhite--M--	34	-	-	-	-	-	-	1	5	2	2	3	8	1	3	2	6	-	-	1	-	-	-
	F--	20	-	-	-	-	-	-	-	1	2	3	2	3	-	1	4	3	-	1	-	-	-	-
450	General arteriosclerosis--------	442	-	-	-	-	-	-	-	-	-	1	1	1	2	11	30	62	78	101	85	54	16	-
	White-----M--	183	-	-	-	-	-	-	-	-	-	1	-	1	1	4	17	29	33	37	37	20	3	-
	F--	213	-	-	-	-	-	-	-	-	-	-	-	-	-	3	9	20	36	58	45	31	11	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	2	2	1	2	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	6	7	4	2	1	2	-
451-468	Other diseases of circulatory sys.-	284	-	-	-	-	3	2	2	4	9	8	17	21	33	28	45	44	27	28	10	3	-	-
	White-----M--	142	-	-	-	-	-	1	-	1	4	2	6	10	20	19	23	23	17	10	4	2	-	-
	F--	98	-	-	-	-	2	-	1	3	3	4	7	6	9	6	16	13	9	12	6	1	-	-
	Nonwhite--M--	27	-	-	-	-	1	-	-	-	1	2	-	4	3	3	5	4	1	3	-	-	-	-
	F--	17	-	-	-	-	-	1	1	-	1	-	4	1	1	-	1	4	-	3	-	-	-	-
592-594	Chronic nephritis, etc.*----------	233	1	-	-	2	3	5	5	7	13	16	14	11	24	20	25	21	21	27	14	3	1	-
	White-----M--	92	-	-	-	2	2	-	2	3	5	5	4	2	10	11	14	7	4	15	5	1	-	-
	F--	72	-	-	-	-	1	3	1	2	4	1	3	4	8	6	5	9	11	8	5	-	1	-
	Nonwhite--M--	34	1	-	-	-	-	-	1	2	2	3	2	2	3	2	3	4	2	2	3	2	-	-
	F--	35	-	-	-	-	-	2	1	-	2	7	5	3	3	1	3	1	4	2	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	849	137	51	8	6	7	9	10	23	18	28	43	31	49	57	73	82	70	71	46	22	8	-
	White-----M--	362	44	16	2	1	4	4	2	5	4	9	17	12	27	26	36	47	39	36	19	9	3	-
	F--	232	29	12	5	5	2	1	3	5	4	5	9	7	7	13	17	20	21	28	23	11	5	-
	Nonwhite--M--	167	38	14	1	-	1	2	2	7	5	9	13	9	10	13	15	11	8	6	1	2	-	-
	F--	88	26	9	-	-	-	2	3	6	5	5	4	3	5	5	5	4	2	1	3	-	-	-
480-483	Influenza---------	68	6	7	1	-	1	1	2	2	2	-	3	2	5	8	4	6	5	5	7	-	1	-
	White-----M--	31	1	2	1	-	-	1	1	-	-	-	-	2	3	4	2	4	3	3	3	-	1	-
	F--	20	2	1	-	-	1	-	1	-	-	-	2	-	1	3	1	1	2	1	4	-	-	-
	Nonwhite--M--	8	1	2	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	F--	9	2	2	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*--	781	131	44	7	6	6	8	8	21	16	28	40	29	44	49	69	76	65	66	39	22	7	-
	White-----M--	331	43	14	1	1	4	3	1	5	4	9	17	10	24	22	34	43	36	33	16	9	2	-
	F--	212	27	11	5	5	1	1	2	5	4	5	7	7	6	10	16	19	19	27	19	11	5	-
	Nonwhite--M--	159	37	12	1	-	1	2	2	7	5	9	12	9	9	12	14	10	8	6	1	2	-	-
	F--	79	24	7	-	-	-	2	3	4	3	5	4	3	5	5	5	4	2	-	3	-	-	-
500-502	Bronchitis--------	50	6	4	4	-	-	1	-	-	1	5	3	2	2	4	4	8	2	1	2	1	-	-
	White-----M--	31	4	3	2	-	-	1	-	-	1	1	1	1	2	3	3	6	1	1	-	1	-	-
	F--	12	1	1	1	-	-	-	-	-	-	1	1	-	-	1	1	2	1	-	2	-	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	123	1	-	-	2	-	-	-	2	4	4	5	11	14	17	21	10	13	15	4	-	-	-
	White-----M--	79	-	-	-	1	-	-	-	1	2	4	4	7	9	12	15	6	5	10	3	-	-	-
	F--	31	-	-	-	1	-	-	-	1	1	-	1	3	2	2	3	4	7	5	1	-	-	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	1	-	-	-	3	2	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
550-553	Appendicitis------	31	-	-	3	2	1	1	-	1	1	1	-	2	2	2	2	3	8	1	-	1	-	-
	White-----M--	12	-	-	1	1	-	-	-	-	1	-	-	2	-	1	1	1	2	1	-	1	-	-
	F--	11	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1	6	-	-	-	-	-
	Nonwhite--M--	7	-	-	2	1	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	141	20	4	-	-	-	-	1	3	2	2	2	10	8	15	13	22	17	11	11	-	-	-
	White-----M--	61	9	3	-	-	-	-	-	2	-	1	-	4	3	4	4	11	10	5	5	-	-	-
	F--	51	8	-	-	-	-	-	-	1	1	-	1	2	3	6	6	10	5	4	4	-	-	-
	Nonwhite--M--	17	2	1	-	-	-	-	1	-	-	-	-	3	2	3	1	-	1	1	2	-	-	-
	F--	12	1	-	-	-	-	-	-	-	1	1	1	1	-	2	2	1	1	1	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MARYLAND—Con.																							
543,	Gastritis, etc.*--	129	47	6	2	2	2	-	1	2	3	1	2	4	7	8	12	8	12	7	2	-	1	-
571,	White-----M--	40	15	2	1	-	1	-	1	-	-	1	2	1	2	1	5	2	3	1	2	-	-	-
572	F--	47	8	1	-	-	1	-	-	1	1	-	-	3	4	5	5	5	6	6	-	-	1	-
	Nonwhite--M--	25	15	1	-	2	-	-	-	-	1	-	-	-	1	2	1	1	1	-	-	-	-	-
	F--	17	9	2	1	-	-	-	-	1	1	-	-	-	-	-	1	-	2	-	-	-	-	-
581	Cirrhosis of liver	363	-	1	-	-	1	3	3	14	27	49	47	51	51	39	31	23	18	4	1	-	-	-
	White-----M--	190	-	-	-	-	-	-	1	3	10	24	22	34	32	22	17	9	14	1	1	-	-	-
	F--	99	-	-	-	-	-	1	2	6	4	11	14	11	10	13	10	12	3	2	-	-	-	-
	Nonwhite--M--	43	-	-	-	-	-	1	-	3	6	8	7	5	3	3	3	2	1	1	-	-	-	-
	F--	31	-	1	-	-	1	1	-	2	7	6	4	1	6	1	1	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	36	1	1	-	-	2	1	1	1	5	3	1	3	2	7	1	2	2	3	-	-	-	-
	White-----M--	18	-	-	-	-	2	-	-	-	3	2	-	1	1	4	1	1	2	1	-	-	-	-
	F--	5	-	1	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	1	-	1	1	-	-	1	-	1	-	1	-	2	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate--------	57	-	-	-	-	-	-	-	-	-	-	2	1	2	7	4	11	13	13	4	-	-	-
	White-----M--	45	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	10	12	12	4	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	2	1	1	4	1	1	1	1	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	20	---	---	---	-	2	1	3	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	---	---	---	-	1	1	3	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	---	---	---	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion--------	5	---	---	---	-	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	---	---	---	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	---	---	---	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	15	---	---	---	-	-	1	3	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	12	---	---	---	-	-	1	3	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	3	---	---	---	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	431	321	46	13	9	6	4	2	3	3	5	2	1	4	4	3	1	2	1	1	-	-	-
	White-----M--	168	128	14	3	4	3	2	2	-	3	-	1	-	1	2	2	-	1	1	1	-	-	-
	F--	170	119	23	8	4	3	2	-	2	-	4	-	-	3	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	57	47	6	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F--	36	27	3	2	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	1,279	1,279	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	458	458	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	336	336	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	269	269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	216	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	520	520	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	200	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	650	650	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	221	221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	167	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	108	18	3	-	-	2	-	2	-	2	5	1	5	7	9	8	7	9	7	11	8	4	-
795	White-----M--	39	6	-	-	-	1	-	-	-	-	2	1	-	3	3	5	2	4	3	6	2	1	-
	F--	41	7	1	-	-	1	-	1	-	-	-	-	2	2	3	2	4	4	2	5	5	2	-
	Nonwhite--M--	18	2	2	-	-	-	-	-	-	1	1	-	2	2	3	1	-	1	2	-	-	1	-
	F--	10	3	-	-	-	-	-	1	-	1	2	-	1	-	-	-	1	-	-	-	1	-	-
Re-	All other diseases	1,274	150	42	24	11	10	18	20	36	41	57	80	78	114	115	127	122	118	61	32	16	2	-
sid-	White-----M--	581	50	16	14	2	3	6	4	4	16	22	29	37	68	68	76	67	55	22	15	7	-	-
ual.	F--	380	31	11	3	5	4	7	5	18	11	13	22	15	20	28	31	43	55	33	16	8	1	-
	Nonwhite--M--	175	36	9	3	1	1	5	5	11	5	13	13	15	14	12	12	10	4	4	-	1	1	-
	F--	138	33	6	4	3	2	-	6	3	9	9	16	11	12	7	8	2	4	2	1	-	-	-
E800-	Accidents--------	1,397	63	84	58	56	90	80	95	80	90	70	79	74	55	67	72	60	69	83	39	23	10	-
E962	White-----M--	717	18	26	35	29	59	58	54	50	44	32	47	28	33	40	42	28	32	34	18	8	2	-
	F--	339	13	21	9	10	16	8	10	7	18	15	9	22	7	13	19	23	31	46	20	15	7	-
	Nonwhite--M--	242	18	19	9	14	12	10	22	20	20	18	16	22	9	10	8	7	6	2	-	-	-	-
	F--	99	14	18	5	3	3	4	9	3	8	5	7	2	6	4	3	2	-	1	1	-	1	-
E810-	Motor-vehicle																							
E835	accidents--------	526	1	24	25	21	56	57	56	40	43	27	29	28	18	28	24	20	16	13	-	-	-	-
	White-----M--	298	1	7	14	8	39	42	27	26	21	12	18	8	12	18	17	10	10	8	-	-	-	-
	F--	110	-	5	4	5	11	6	8	5	14	8	2	11	3	8	4	7	4	5	-	-	-	-
	Nonwhite--M--	84	-	6	4	6	3	6	15	7	7	5	7	9	2	1	2	2	2	-	-	-	-	-
	F--	34	-	6	3	2	3	3	6	2	1	2	2	-	1	1	1	1	-	-	-	-	-	-
E800-	All ot. accidents-	871	62	60	33	35	34	23	39	40	47	43	50	46	37	39	48	40	53	70	39	23	10	-
E802,	White-----M--	419	17	19	21	21	20	16	27	24	23	20	29	20	21	22	25	18	22	26	18	8	2	-
E840-	F--	229	13	16	5	5	5	2	2	2	4	7	7	11	4	5	15	16	27	41	20	15	7	-
E962	Nonwhite--M--	158	18	13	5	8	9	4	7	13	13	13	9	13	7	9	6	5	4	2	-	-	-	-
	F--	65	14	12	2	1	-	1	3	1	7	3	5	2	5	3	2	1	-	1	1	-	1	-
E963,	Suicide----------	301	-	-	-	3	5	22	18	31	31	36	30	25	35	21	15	10	11	5	2	1	-	-
E970-	White-----M--	198	-	-	-	3	3	13	7	16	18	26	18	18	29	14	12	7	8	4	1	1	-	-
E979	F--	76	-	-	-	-	1	4	7	13	12	6	10	7	3	5	3	1	3	-	1	-	-	-
	Nonwhite--M--	19	-	-	-	-	1	1	3	2	1	3	1	-	2	2	-	2	-	1	-	-	-	-
	F--	8	-	-	-	-	-	4	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	165	4	2	2	1	8	8	25	26	24	12	12	16	11	3	3	5	1	2	-	-	-	-
E980-	White-----M--	33	1	1	-	-	1	2	4	4	4	3	2	1	6	1	1	2	-	-	-	-	-	-
E985	F--	17	-	-	-	-	3	1	2	2	4	2	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	88	-	-	1	-	3	4	13	16	12	6	8	11	4	2	2	3	1	2	-	-	-	-
	F--	27	3	1	1	1	1	1	6	4	4	1	1	3	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MASSACHUSETTS																							
	ALL CAUSES------	54,665	2,621	361	177	167	207	222	312	421	752	1,153	1,739	2,639	3,548	5,420	6,905	7,463	7,256	6,513	4,436	1,782	491	80
	White-----M--	28,564	1,434	204	95	115	147	157	184	230	427	681	1,052	1,657	2,201	3,290	4,003	4,034	3,382	2,755	1,706	632	136	42
	F--	24,967	1,038	140	69	47	53	55	101	165	292	442	635	916	1,253	2,021	2,770	3,302	3,766	3,685	2,700	1,133	349	35
	Nonwhite--M--	649	81	9	11	2	6	4	17	20	20	14	29	36	62	71	78	70	56	37	13	9	1	3
	F--	485	68	8	2	3	1	6	10	6	13	16	23	30	32	38	54	57	52	36	17	8	5	-
001-019	Tuberculosis, all forms--------	416	2	1	-	-	1	4	7	13	24	26	39	46	47	55	42	52	34	16	6	1	-	-
	White-----M--	310	1	1	-	-	1	1	3	6	11	14	28	39	41	48	34	40	28	10	3	1	-	-
	F--	78	-	-	-	-	-	1	3	7	10	10	8	4	4	6	6	6	6	4	3	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	2	1	3	2	2	1	2	6	-	1	-	-	-	-
	F--	8	1	-	-	-	-	2	1	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	399	1	1	-	-	1	3	6	12	22	26	39	45	47	54	38	51	31	16	5	1	-	-
	White-----M--	299	1	1	-	-	1	-	3	5	9	14	28	38	41	47	32	40	25	10	3	1	-	-
	F--	75	-	-	-	-	-	1	3	7	10	10	8	4	4	6	4	6	6	4	2	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	2	1	3	2	2	1	2	5	-	1	-	-	-	-
	F--	6	-	-	-	-	-	2	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	17	1	-	-	-	-	1	1	1	2	-	-	1	-	1	4	1	3	-	1	-	-	-
	White-----M--	11	-	-	-	-	-	1	-	1	2	-	-	1	-	1	2	-	3	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	101	1	-	-	-	-	-	-	1	-	2	3	5	13	16	21	15	16	5	3	-	-	-
	White-----M--	66	1	-	-	-	-	-	-	1	-	-	2	2	7	13	16	11	8	4	1	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	2	1	2	5	2	2	3	8	1	2	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	19	9	5	1	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-
	White-----M--	11	5	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	7	4	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	115	17	9	6	3	2	1	1	4	4	3	10	7	6	6	12	8	7	6	2	-	1	-
	White-----M--	63	11	6	3	2	1	1	-	2	2	3	5	5	4	2	5	3	2	4	1	-	1	-
	F--	45	2	3	3	1	-	-	1	2	1	-	5	2	2	4	7	5	4	2	1	-	-	-
	Nonwhite--M--	5	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MASSACHUSETTS—Continued																							
140-205	Malignant neoplasms, etc.*	9,676	2	47	33	34	17	18	47	82	148	267	464	644	902	1,276	1,497	1,518	1,243	842	441	116	24	14
	White--M	4,985	1	27	20	27	10	13	26	28	50	112	185	513	466	687	834	858	634	419	203	58	10	4
	F	4,512	1	20	10	7	7	5	18	51	92	151	272	322	409	561	632	631	596	414	232	58	14	9
	Nonwhite--M	110	-	-	3	-	-	-	1	2	1	1	4	7	18	16	20	19	6	5	6	-	-	1
	F	69	-	-	-	-	-	-	2	1	5	3	3	2	9	12	11	10	7	4	-	-	-	-
140-148	Of buccal cavity and pharynx	274	-	1	-	-	-	1	-	1	4	4	18	22	23	32	36	52	31	28	15	3	3	-
	White--M	222	-	1	-	-	-	1	-	-	4	4	11	18	17	27	32	44	24	24	10	3	2	-
	F	47	-	-	-	-	-	-	-	1	-	-	6	4	5	4	3	8	7	3	5	-	1	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	3,584	-	1	2	-	-	-	6	16	38	72	111	196	278	466	632	640	532	344	190	47	9	4
	White--M	1,863	-	1	1	-	-	-	3	2	12	36	57	103	152	264	351	347	269	156	83	21	3	2
	F	1,655	-	-	-	-	-	-	2	12	25	33	54	88	120	194	267	283	257	183	104	26	6	1
	Nonwhite--M	41	-	-	1	-	-	-	1	2	-	1	-	5	5	4	6	5	5	2	3	-	-	1
	F	25	-	-	-	-	-	-	-	-	1	2	-	-	1	4	8	5	1	3	-	-	-	-
160-164	Of respiratory system (not secondary)	1,278	-	-	-	-	-	-	1	5	12	34	74	110	171	245	230	197	112	58	25	3	1	-
	White--M	1,032	-	-	-	-	-	-	1	4	7	26	56	94	139	211	194	162	81	39	14	3	1	-
	F	206	-	-	-	-	-	-	-	1	5	8	15	14	23	26	26	30	29	19	10	-	-	-
	Nonwhite--M	33	-	-	-	-	-	-	-	-	-	-	2	2	7	7	9	5	-	-	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	2	-	-	-	-	-
170	Of breast	953	-	1	-	-	-	-	2	16	25	56	91	90	107	129	119	94	99	62	43	15	2	2
	White--M	13	-	-	-	-	-	-	-	-	1	1	1	1	3	3	1	-	1	1	-	-	-	-
	F	929	-	1	-	-	-	-	2	16	21	55	89	88	103	125	117	94	96	60	43	15	2	2
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	3	-	1	1	1	1	1	-	2	1	-	-	-	-
171-179	Of genital organs	1,273	-	-	-	-	-	1	8	10	22	22	55	78	104	131	179	215	192	150	74	22	4	6
	White--M	560	-	-	-	-	-	1	3	2	1	2	1	9	19	34	79	125	109	103	52	17	2	1
	F	693	-	-	-	-	-	-	3	7	20	20	53	69	82	94	99	85	82	46	21	5	2	5
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	1	1	-	-	-
	F	12	-	-	-	-	-	-	2	1	1	-	1	-	3	2	1	1	-	-	-	-	-	-
180, 181	Of urinary organs	479	-	2	1	-	1	-	1	1	6	10	15	18	46	60	64	81	68	63	32	6	3	1
	White--M	303	-	1	1	-	1	-	1	1	2	6	7	12	30	39	39	57	46	33	20	4	2	1
	F	171	-	1	-	-	-	-	-	-	4	4	7	6	15	19	25	24	22	29	12	2	1	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,069	2	15	8	13	6	9	11	18	14	37	54	85	89	132	139	148	126	96	47	17	2	1
	White--M	556	1	8	5	11	4	6	6	9	8	17	28	52	60	82	75	78	57	44	17	8	-	-
	F	500	1	7	1	2	2	3	5	9	6	20	26	33	26	68	63	67	67	52	30	9	2	1
	Nonwhite--M	6	-	-	2	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	-	-	-	-	-
204	Leukemia and aleukemia	378	-	27	20	13	5	2	4	6	9	14	22	20	36	32	47	42	44	24	11	-	-	-
	White--M	216	-	16	11	13	2	1	3	4	3	6	12	12	20	22	28	18	28	11	6	-	-	-
	F	155	-	11	9	-	3	1	1	2	6	7	10	8	15	9	17	22	16	13	5	-	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	388	-	-	2	8	5	5	14	9	18	18	24	25	48	49	51	49	39	17	4	3	-	-
	White--M	220	-	-	2	3	3	4	9	6	12	14	12	12	26	25	35	27	19	8	1	2	-	-
	F	156	-	-	-	5	2	1	5	3	5	4	12	12	20	22	15	18	20	9	2	1	-	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	3	-	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	230	4	6	4	1	2	8	4	9	11	13	18	20	19	29	26	15	19	13	6	2	1	-
	White--M	118	2	4	-	-	2	4	1	6	6	6	9	14	11	15	13	8	8	6	3	-	-	-
	F	104	1	2	3	-	-	4	3	2	5	7	9	6	8	13	13	5	11	7	2	2	1	-
	Nonwhite--M	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	-
260	Diabetes mellitus	970	-	1	1	5	1	4	6	7	17	11	22	33	68	154	175	176	143	88	42	11	4	1
	White--M	342	-	-	1	2	1	1	4	3	12	6	12	19	26	53	60	56	42	21	18	4	1	-
	F	614	-	1	-	2	-	3	2	4	5	4	10	13	42	97	113	118	99	66	24	7	3	1
	Nonwhite--M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-
	F	10	-	-	-	1	-	-	-	-	-	1	-	1	-	2	2	1	1	1	-	-	-	-
290-293	Anemias	97	1	1	2	2	-	1	1	1	1	2	-	5	6	8	12	16	18	13	6	1	-	-
	White--M	45	-	1	1	1	-	1	1	-	-	1	-	1	5	6	4	9	8	4	2	-	-	-
	F	49	1	-	1	1	-	-	-	1	1	1	-	2	1	2	8	7	10	8	4	1	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	63	19	10	2	2	2	1	-	2	1	2	1	2	3	7	1	3	3	1	1	-	-	-
	White--M	30	7	6	2	1	2	1	-	1	1	1	-	1	1	4	-	-	1	1	-	-	-	-
	F	28	11	4	-	1	-	-	-	-	-	1	1	-	1	2	1	3	2	-	1	-	-	-
	Nonwhite--M	3	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	30,930	17	16	8	13	22	28	63	105	239	436	723	1,294	1,862	3,024	4,083	4,617	4,786	4,594	3,243	1,351	362	44
	White--M	15,742	10	8	6	5	17	17	37	59	162	295	523	893	1,253	1,904	2,356	2,438	2,144	1,853	1,189	458	91	24
	F	14,696	7	6	2	8	5	9	23	39	66	126	180	365	569	1,067	1,647	2,110	2,574	2,693	2,037	878	266	19
	Nonwhite--M	269	-	1	-	-	-	1	1	6	7	6	8	19	26	37	48	36	32	25	6	8	1	1
	F	223	-	1	-	-	-	1	2	1	4	9	12	17	14	16	32	33	36	23	11	7	4	-
330-334, 400-468	Diseases of cardiovascular system	30,553	17	15	7	9	16	24	52	99	224	420	705	1,270	1,832	2,983	4,041	4,576	4,741	4,557	3,219	1,343	359	44
	White--M	15,563	10	8	5	4	13	15	30	56	156	286	509	883	1,241	1,886	2,338	2,419	2,121	1,839	1,178	452	90	24
	F	14,515	7	5	2	5	3	7	19	36	59	120	176	354	554	1,048	1,624	2,090	2,553	2,670	2,024	876	264	19
	Nonwhite--M	257	-	1	-	-	-	1	1	6	5	6	8	17	24	34	47	35	31	25	6	8	1	1
	F	218	-	1	-	-	-	1	2	1	4	8	12	16	13	15	32	32	36	23	11	7	4	-
330-334	Vascular lesions, etc.*	5,784	1	9	4	5	6	6	14	16	39	62	84	173	263	445	708	861	1,038	1,018	709	252	60	11
	White--M	2,473	-	6	3	2	5	4	8	7	23	31	46	79	136	225	345	382	435	388	248	76	17	7
	F	3,216	1	3	1	3	1	1	5	6	16	29	33	89	120	212	345	466	590	619	458	172	42	4
	Nonwhite--M	45	-	-	-	-	-	1	1	3	-	1	3	1	3	5	7	6	5	4	2	3	-	-
	F	50	-	-	-	-	-	-	-	-	-	1	2	4	4	3	11	7	8	7	1	1	1	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MASSACHUSETTS—Continued																							
400-402	Rheumatic fever---	19	-	-	1	-	-	-	1	1	-	-	-	4	5	2	1	2	1	-	-	1	-	-
	White-----M--	6	-	-	-	-	-	-	1	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-
	F--	13	-	-	1	-	-	-	-	1	-	-	-	2	2	2	1	2	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	22,717	10	6	2	4	10	13	32	77	169	339	597	1,034	1,493	2,407	3,167	3,457	3,416	3,156	2,165	905	227	31
	White-----M--	12,170	8	2	2	2	8	10	19	47	125	244	449	765	1,056	1,579	1,903	1,904	1,553	1,314	808	300	56	16
	F--	10,207	2	2	-	2	2	3	12	26	36	83	134	243	410	790	1,208	1,508	1,817	1,810	1,345	595	167	14
	Nonwhite--M--	189	-	1	-	-	-	-	-	3	4	5	5	16	19	26	37	25	21	18	3	4	1	1
	F--	151	-	1	-	-	-	-	1	1	4	7	9	10	8	12	19	22	25	14	9	6	3	-
410-416	Chronic rheumatic heart disease----	774	-	-	-	-	8	7	14	14	36	46	79	102	101	123	95	54	48	24	14	6	2	1
	White-----M--	314	-	-	-	-	6	4	5	5	17	23	33	42	45	44	36	25	14	8	5	2	-	-
	F--	447	-	-	-	-	2	3	9	9	18	21	45	56	55	77	58	29	34	16	8	4	2	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	-	4	-	1	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	17,838	3	-	1	1	2	3	10	37	111	247	459	805	1,192	1,958	2,583	2,787	2,699	2,457	1,642	653	164	24
	White-----M--	10,109	3	-	1	1	2	3	10	29	94	201	384	658	896	1,361	1,623	1,596	1,296	1,051	628	216	43	13
	F--	7,499	-	-	-	-	-	-	-	8	11	41	65	133	280	571	916	1.156	1,369	1,383	1,008	430	118	10
	Nonwhite--M--	133	-	-	-	-	-	-	-	-	3	3	3	9	11	17	30	18	19	13	2	3	1	1
	F--	97	-	-	-	-	-	-	-	-	3	2	7	5	5	9	14	17	15	10	4	4	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,560	1	2	1	-	-	1	1	4	1	6	15	27	42	76	143	197	274	301	272	152	41	3
	White-----M--	689	1	1	1	-	-	1	1	3	-	4	10	16	21	46	79	98	116	120	106	53	10	2
	F--	850	-	-	-	-	-	-	-	1	1	2	5	10	18	29	63	95	154	176	166	98	31	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	3	-	3	-	1	-	-
	F--	10	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	-	-	-	-
430-434	Other diseases of heart---------	610	6	4	-	3	-	2	5	12	17	19	22	29	41	64	81	87	83	65	45	17	8	-
	White-----M--	324	4	1	-	1	-	2	2	6	11	8	12	12	30	36	51	53	33	32	20	8	2	-
	F--	271	2	2	-	2	-	-	3	4	5	9	10	16	9	27	29	32	48	33	25	9	6	-
	Nonwhite--M--	11	-	1	-	-	-	-	-	1	1	1	-	1	2	1	1	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,935	-	-	-	-	-	-	2	10	4	21	22	71	117	186	265	332	312	309	192	77	12	3
	White-----M--	734	-	-	-	-	-	-	1	4	3	8	10	37	64	92	114	132	94	103	49	21	1	1
	F--	1,140	-	-	-	-	-	-	-	4	1	10	9	28	48	86	142	194	212	202	138	54	10	2
	Nonwhite--M--	27	-	-	-	-	-	-	-	2	-	-	2	1	3	7	5	3	1	2	1	-	-	-
	F--	34	-	-	-	-	-	-	1	-	-	3	1	5	2	1	4	3	5	2	4	2	1	-
444-447	Hypertension without mention of heart----------	326	-	-	-	-	-	1	-	1	3	5	7	13	8	25	25	48	48	52	59	21	10	-
	White-----M--	141	-	-	-	-	-	-	-	1	-	2	3	7	6	13	13	23	23	18	22	7	3	-
	F--	175	-	-	-	-	-	1	-	-	2	3	4	5	-	12	12	23	23	33	36	14	7	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-
450	General arteriosclerosis--------	1,145	-	-	-	-	-	-	-	-	-	2	4	7	12	15	61	121	168	276	263	154	61	1
	White-----M--	447	-	-	-	-	-	-	-	-	-	1	3	4	5	7	32	60	71	96	89	64	14	1
	F--	682	-	-	-	-	-	-	-	-	-	1	1	3	7	8	26	57	93	177	173	89	47	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	1	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-
451-468	Other diseases of circulatory sys.-	562	6	-	-	-	-	4	5	4	13	12	13	39	51	89	79	87	70	55	23	10	1	1
	White-----M--	326	2	-	-	-	-	1	2	1	8	8	8	26	35	62	45	50	39	23	11	5	-	-
	F--	222	4	-	-	-	-	2	2	3	5	4	4	12	15	24	32	36	28	31	12	5	1	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	1	1	-	-	-	1	1	-	-	1	-	1	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	377	-	1	1	4	6	4	11	6	15	16	18	24	30	41	42	41	45	37	24	8	3	-
	White-----M--	179	-	-	1	1	4	2	7	3	6	9	14	10	12	18	18	19	23	14	11	6	1	-
	F--	181	-	1	-	3	2	2	4	3	7	6	4	11	15	19	23	20	21	23	13	2	2	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	2	-	-	2	2	3	1	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,913	173	44	13	7	19	11	13	19	31	46	58	68	83	131	184	207	233	242	195	103	30	3
	White-----M--	1,048	89	28	7	3	13	5	6	12	16	26	34	51	46	91	122	123	124	120	88	35	7	2
	F--	815	69	15	5	4	6	6	6	7	14	20	20	17	32	36	58	80	103	121	105	67	23	1
	Nonwhite--M--	25	5	1	1	-	-	-	1	-	-	-	4	-	4	2	1	1	3	-	1	1	-	-
	F--	25	10	-	-	-	-	-	-	-	1	-	-	-	1	2	3	3	3	1	1	-	-	-
480-483	Influenza---------	85	2	2	2	2	1	3	-	3	2	6	1	3	2	6	10	5	12	7	9	7	-	-
	White-----M--	45	1	2	1	-	-	1	-	1	-	2	1	2	1	5	8	4	7	2	2	5	-	-
	F--	38	1	-	-	2	1	2	-	2	2	4	-	1	1	1	2	1	4	5	7	2	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,828	171	42	11	5	18	8	13	16	29	40	57	65	81	125	174	202	221	235	186	96	30	3
	White-----M--	1,003	88	26	6	3	13	4	6	11	16	24	33	49	45	86	114	119	117	118	86	30	7	2
	F--	777	68	15	5	2	5	4	6	5	12	16	20	16	31	35	56	79	99	116	98	65	23	1
	Nonwhite--M--	24	5	1	-	-	-	-	1	-	-	-	4	-	4	2	1	1	3	-	1	1	-	-
	F--	24	10	-	-	-	-	-	-	-	1	-	-	-	1	2	3	3	2	1	1	-	-	-
500-502	Bronchitis--------	119	7	6	2	1	-	-	-	-	2	-	1	3	8	17	19	14	14	11	10	2	2	-
	White-----M--	84	5	5	-	-	-	-	-	-	-	-	-	2	7	14	18	10	12	4	5	2	-	-
	F--	30	-	1	2	1	-	-	-	-	2	-	-	1	1	3	1	3	2	7	5	-	1	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
540, 541	Ulcer of stomach and duodenum-----	387	1	-	-	1	-	1	1	1	4	7	21	24	30	54	59	66	45	44	21	6	1	-
	White-----M--	269	-	-	-	-	-	1	1	1	1	4	17	19	23	43	41	44	28	29	13	4	-	-
	F--	115	1	-	-	1	-	-	-	-	3	3	4	5	7	11	18	21	15	15	8	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
550-553	Appendicitis------	55	-	-	-	-	1	1	-	-	2	2	2	7	4	3	8	8	4	9	4	-	-	-
	White-----M--	34	-	-	-	-	1	-	-	-	2	2	2	5	4	3	6	3	3	2	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	5	1	7	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	258	21	5	-	-	-	-	-	2	2	4	10	5	8	19	32	33	43	29	30	10	3	2
	White-----M--	125	14	3	-	-	-	-	-	-	1	4	7	4	4	8	17	10	17	13	15	4	3	1
	F--	128	6	1	-	-	-	-	-	2	1	-	3	1	4	11	15	23	24	16	15	5	-	1
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MASSACHUSETTS—Continued																							
543, 571, 572	Gastritis, etc.*	166	16	2	-	1	-	1	1	2	2	5	5	7	12	13	19	13	19	28	13	7	-	-
	White-----M	88	9	-	-	1	-	-	1	1	2	3	3	4	10	6	11	6	12	12	4	3	-	-
	F	72	6	-	-	-	-	1	-	-	-	2	1	3	2	7	8	6	7	16	9	4	-	-
	Nonwhite--M	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	808	3	-	1	-	2	-	4	23	41	82	73	113	101	106	104	86	39	20	9	-	-	1
	White-----M	516	1	-	-	-	1	-	1	11	24	55	42	67	67	73	75	56	26	13	3	-	-	1
	F	274	2	-	1	-	1	-	2	10	17	27	28	41	30	31	29	30	12	7	6	-	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	2	-	-	-	2	-	1	-	-	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	1	-	-	-	3	3	4	1	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	54	2	1	3	1	-	1	1	-	4	-	6	3	5	6	5	5	3	5	2	-	1	-
	White-----M	28	-	1	2	1	-	1	-	-	1	-	4	-	4	2	3	4	1	2	1	-	1	-
	F	23	2	-	1	-	-	-	-	-	3	-	2	2	-	4	2	1	2	3	1	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	96	-	-	-	-	-	-	-	-	-	-	-	1	1	4	11	13	25	19	13	7	2	-
	White-----M	93	-	-	-	-	-	-	-	-	-	-	-	1	-	3	11	13	25	18	13	7	2	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
640-689	Complications of pregnancy, etc.*	16	...	...	...	-	2	3	3	2	4	1	-	-	-	1	-	-	-	-	-	-	-	-
	White-----F	15	...	...	...	-	2	3	3	1	4	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	4	...	...	...	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	4	...	...	...	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	12	...	...	...	-	2	2	2	2	2	1	-	-	-	1	-	-	-	-	-	-	-	
	White-----F	11	...	...	...	-	2	2	2	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	606	424	54	20	11	6	5	6	6	11	9	6	10	7	9	7	6	3	5	1	-	-	-
	White-----M	307	217	31	10	7	2	2	1	5	5	5	4	5	1	4	3	2	1	1	1	-	-	-
	F	277	188	22	10	4	4	3	5	1	5	4	2	5	6	5	4	3	2	4	-	-	-	-
	Nonwhite--M	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	7	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,648	1,647	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	907	907	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	651	650	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	643	643	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	376	376	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	234	234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Ot. dis. of infancy, & immaturity unqualified, etc.*	907	906	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	477	477	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	385	384	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	243	22	2	-	1	-	1	4	2	7	11	4	16	7	22	26	23	24	25	26	11	9	-
	White-----M	135	11	2	-	1	-	-	1	1	2	9	2	10	2	14	17	12	13	11	15	7	5	-
	F	99	10	-	-	-	-	1	1	1	4	2	2	6	4	8	9	10	10	12	11	4	4	-
	Nonwhite--M	9	1	-	-	-	-	-	2	-	1	-	-	-	1	-	-	1	1	2	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	2,690	156	48	29	16	21	24	38	46	79	102	129	159	196	270	348	327	288	219	132	43	14	6
	White-----M	1,500	96	23	14	13	12	18	21	21	47	50	72	89	117	166	212	196	142	106	61	17	4	3
	F	1,115	51	22	14	3	9	6	12	22	28	50	52	68	73	98	128	128	136	109	68	26	10	2
	Nonwhite--M	42	5	1	1	-	-	-	4	2	3	1	3	1	3	4	3	1	8	1	-	-	-	1
	F	33	4	2	-	-	-	-	1	1	1	1	2	1	3	2	5	2	2	3	3	-	-	-
E800-E962	Accidents	2,541	72	97	50	59	99	89	82	65	70	80	106	122	118	141	177	217	239	276	227	110	37	8
	White-----M	1,395	44	54	26	43	75	76	61	52	50	58	73	79	79	96	114	110	95	99	63	31	11	6
	F	1,070	24	37	17	13	18	11	15	9	17	21	26	39	37	39	61	101	142	173	163	79	26	2
	Nonwhite--M	58	4	5	5	2	5	2	6	4	3	1	6	3	2	4	1	2	2	1	-	-	-	-
	F	18	-	1	2	1	1	-	-	-	-	-	1	1	-	2	1	4	-	3	1	-	-	-
E810-E835	Motor-vehicle accidents	463	3	21	14	16	55	49	35	17	11	21	30	30	23	28	43	25	24	13	4	1	-	-
	White-----M	323	2	11	8	10	39	42	27	13	9	14	21	18	16	21	30	18	12	8	4	-	-	-
	F	129	1	10	4	6	13	6	7	3	2	7	8	12	7	7	13	7	11	4	-	1	-	-
	Nonwhite--M	10	-	-	1	-	3	1	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	2,078	69	76	36	43	44	40	47	48	59	59	76	92	95	113	134	192	215	263	223	109	37	8
	White-----M	1,072	42	43	18	33	36	34	34	39	41	44	52	61	63	75	84	92	83	91	59	31	11	6
	F	941	23	27	13	7	5	5	8	6	15	14	18	27	30	32	48	94	131	169	163	78	26	2
	Nonwhite--M	48	4	5	4	2	2	1	5	3	3	1	5	3	2	4	1	2	1	-	-	-	-	-
	F	17	-	1	1	1	1	-	-	-	-	-	1	1	-	2	1	4	-	3	1	-	-	-
E963, E970-E979	Suicide	372	-	-	-	3	9	16	20	24	36	35	32	44	36	48	32	23	7	3	3	1	-	-
	White-----M	280	-	-	-	2	9	13	14	16	25	26	26	33	19	34	28	21	7	3	3	1	-	-
	F	84	-	-	-	1	-	2	5	6	11	9	6	10	15	13	4	2	-	-	-	-	-	-
	Nonwhite--M	7	-	-	-	-	-	1	1	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	61	3	1	1	5	1	3	9	4	11	7	4	1	5	1	2	2	-	-	-	-	-	1
	White-----M	35	2	-	1	5	-	1	5	3	7	1	1	1	3	1	2	1	-	-	-	-	-	1
	F	12	1	1	-	-	1	-	1	-	2	1	3	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M	8	-	-	-	-	-	-	1	1	2	4	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	2	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war, etc.*	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MICHIGAN																							
	ALL CAUSES------	66,456	5,099	795	381	264	424	522	568	840	1,173	1,716	2,526	3,702	4,853	6,629	8,072	8,436	7,719	6,557	4,017	1,686	447	10
	White-----M--	35,770	2,438	389	198	148	269	337	287	414	602	912	1,364	2,168	2,830	3,998	4,822	4,815	4,040	3,154	1,755	671	154	5
	F--	25,192	1,815	283	138	107	122	118	162	253	352	510	761	1,030	1,427	2,090	2,719	3,235	3,422	3,244	2,158	973	271	2
	Nonwhite--M--	3,118	486	69	22	16	19	39	69	87	108	153	230	282	359	317	321	227	155	82	49	19	7	2
	F--	2,376	360	54	23	13	14	28	50	86	111	141	171	222	237	224	210	159	102	77	55	23	15	1
001-019	Tuberculosis, all forms--------	448	-	3	1	-	1	3	18	15	22	31	32	48	49	60	57	48	27	24	7	1	1	-
	White-----M--	252	-	1	1	-	1	-	4	3	8	12	15	22	26	45	42	37	15	15	3	1	1	-
	F--	78	-	2	-	-	-	1	3	1	3	7	8	11	8	6	7	7	8	4	2	-	-	-
	Nonwhite--M--	91	-	-	-	-	-	-	7	8	8	8	7	13	14	9	6	3	3	4	1	-	-	-
	F--	27	-	-	-	-	-	2	4	3	3	4	2	2	1	-	2	1	1	1	1	-	-	-
001-008	Tuberculosis of respiratory system----------	409	-	-	-	-	-	3	17	11	20	30	27	44	45	59	53	46	24	21	7	1	1	-
	White-----M--	234	-	-	-	-	-	-	3	3	7	12	12	22	24	45	40	35	14	12	3	1	1	-
	F--	66	-	-	-	-	-	1	3	1	3	7	6	7	6	5	7	7	7	4	2	-	-	-
	Nonwhite--M--	85	-	-	-	-	-	-	7	5	7	7	7	13	14	9	5	3	3	4	1	-	-	-
	F--	24	-	-	-	-	-	2	4	2	3	4	2	2	1	-	1	1	-	1	1	-	-	-
010-019	Tuberculosis, other forms------	39	-	3	1	-	1	-	1	4	2	1	5	4	4	1	4	2	3	3	-	-	-	-
	White-----M--	18	-	1	1	-	1	-	1	-	1	-	3	-	2	-	2	2	1	3	-	-	-	-
	F--	12	-	2	-	-	-	-	-	-	-	-	2	4	2	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae---------	113	1	-	-	-	-	-	1	3	5	5	10	11	16	12	16	18	12	3	-	-	-	-
	White-----M--	60	1	-	-	-	-	-	-	2	1	1	3	7	10	6	10	10	7	2	-	-	-	-
	F--	27	-	-	-	-	-	-	-	-	-	2	5	2	3	1	5	5	3	1	-	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	1	4	2	1	2	3	3	1	1	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	2	-	-	-	-	-	-
040	Typhoid fever------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	6	2	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	6	-	-	1	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-
	White-----M--	4	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	39	15	14	2	1	-	1	-	1	-	1	-	-	-	-	1	3	-	-	-	-	-	-
	White-----M--	18	7	6	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-
	F--	18	6	7	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	14	1	5	2	1	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	-	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	22	4	9	7	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	1	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	2	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	183	27	17	10	3	5	5	7	9	5	12	8	12	7	13	8	12	11	9	3	-	-	-
	White-----M--	86	10	8	5	-	4	4	1	1	1	2	4	6	6	7	5	7	8	5	2	-	-	-
	F--	65	11	6	3	3	1	-	5	5	2	4	3	5	1	3	2	3	3	4	1	-	-	-
	Nonwhite--M--	16	2	1	1	-	-	1	-	-	2	2	1	1	-	3	1	1	-	-	-	-	-	-
	F--	16	4	2	1	-	-	-	1	3	-	4	-	-	-	-	-	1	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MICHIGAN—Con.																							
140-205	Malignant neoplasms, etc.*----	10,790	16	81	69	42	42	50	77	144	230	356	586	887	1,152	1,473	1,651	1,550	1,152	733	385	96	17	1
	White-----M--	5,478	8	44	38	26	15	32	38	62	80	133	220	394	576	780	934	858	625	378	195	36	5	1
	F--	4,521	7	32	27	13	23	14	29	66	117	166	294	370	454	580	635	616	486	347	175	58	12	-
	Nonwhite--M--	394	-	5	1	2	1	4	3	4	8	18	31	62	68	58	46	46	24	6	5	2	-	-
	F--	397	1	-	3	1	3	-	7	12	25	39	41	61	54	55	36	30	17	2	10	-	-	-
140-148	Of buccal cavity and pharynx------	229	-	-	1	-	1	1	1	-	4	8	12	15	27	36	33	23	29	19	14	4	1	-
	White-----M--	166	-	-	1	-	-	-	-	-	2	6	8	8	22	27	23	18	24	14	11	2	-	-
	F--	48	-	-	-	-	-	1	-	-	2	2	2	5	4	4	8	5	5	5	2	2	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	1	-	-	-	2	2	1	4	2	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	3,931	1	2	1	1	-	5	12	24	47	92	155	272	368	517	681	703	494	343	177	33	3	-
	White-----M--	2,112	-	2	1	1	-	4	7	13	24	51	77	128	200	293	388	381	261	183	88	10	-	-
	F--	1,548	1	-	-	-	-	1	4	8	17	29	53	96	129	190	257	283	213	156	85	23	3	-
	Nonwhite--M--	157	-	-	-	-	-	-	1	1	3	7	16	32	20	19	18	23	13	2	2	-	-	-
	F--	114	-	-	-	-	-	-	-	2	3	5	9	16	19	15	18	16	7	2	2	-	-	-
160-164	Of respiratory system (not secondary)-------	1,468	-	-	-	-	2	3	3	7	18	56	85	171	252	249	266	185	103	49	15	2	1	1
	White-----M--	1,182	-	-	-	-	-	3	1	3	12	37	58	138	202	214	235	151	83	34	7	2	1	1
	F--	189	-	-	-	-	1	-	2	1	6	9	16	17	25	23	23	25	18	15	8	-	-	-
	Nonwhite--M--	80	-	-	-	-	-	-	-	1	-	6	8	16	24	9	7	8	1	-	-	-	-	-
	F--	17	-	-	-	-	1	-	-	2	-	4	3	-	1	3	1	1	1	-	-	-	-	-
170	Of breast---------	946	-	-	-	-	-	-	8	15	47	53	94	91	112	144	102	106	75	57	25	13	4	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	1	-	-	-
	F--	868	-	-	-	-	-	-	7	14	40	46	87	75	102	132	97	103	70	57	21	13	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	71	-	-	-	-	-	-	1	1	7	7	7	16	9	11	3	2	4	-	3	-	-	-
171-179	Of genital organs-	1,612	-	2	2	-	3	5	13	32	43	70	94	140	145	176	229	236	200	125	71	25	1	-
	White-----M--	558	-	2	1	-	1	3	5	6	3	3	4	8	15	43	87	118	127	73	44	15	-	-
	F--	892	-	-	1	-	1	2	6	21	29	51	75	112	106	113	128	100	66	50	21	9	1	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	1	2	8	7	6	9	6	2	3	1	-	-
	F--	117	-	-	-	-	1	-	2	5	11	16	14	18	16	13	8	9	1	-	3	-	-	-
180, 181	Of urinary organs-	545	2	11	4	1	-	-	-	4	4	9	19	36	52	83	89	76	70	50	31	4	-	-
	White-----M--	351	1	5	-	1	-	-	-	3	3	5	8	26	29	60	60	56	47	27	17	3	-	-
	F--	164	1	6	4	-	-	-	-	1	-	1	10	6	19	16	24	18	21	22	14	1	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	2	1	1	4	5	2	1	1	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	1	-	3	-	2	3	1	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,097	-	22	20	18	16	15	19	24	34	30	72	93	108	147	128	118	119	57	42	11	4	-
	White-----M--	565	-	11	15	9	9	11	12	14	18	16	36	48	52	67	67	72	49	31	21	4	3	-
	F--	450	-	7	4	7	7	4	4	8	11	12	30	37	43	64	53	41	66	25	20	6	1	-
	Nonwhite--M--	42	-	4	-	1	-	-	-	1	2	-	1	4	5	11	5	4	2	1	-	1	-	-
	F--	40	-	-	1	1	-	-	3	1	3	2	5	4	8	5	3	1	2	-	1	-	-	-
204	Leukemia and aleukemia--------	487	11	41	35	20	16	11	6	15	18	16	13	25	33	44	61	57	37	19	5	2	2	-
	White-----M--	255	7	23	15	14	4	3	2	8	11	3	4	15	15	32	39	34	18	5	3	-	-	-
	F--	197	3	17	17	5	11	4	2	7	6	10	7	7	15	8	18	23	17	14	2	2	2	-
	Nonwhite--M--	21	-	1	1	1	1	4	1	-	1	1	1	2	2	-	4	-	1	-	-	-	-	-
	F--	14	1	-	2	-	-	-	1	-	-	2	1	1	1	4	-	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	475	2	3	6	2	4	10	15	23	15	22	42	44	55	77	62	46	25	14	5	2	1	-
	White-----M--	282	-	1	5	1	1	8	11	15	7	12	25	23	40	43	33	27	15	11	3	-	1	-
	F--	165	2	2	1	1	3	2	4	6	6	6	14	15	11	30	27	18	10	3	2	2	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	1	2	2	1	3	4	3	2	1	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	-	2	2	3	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	189	3	4	3	1	3	3	1	9	9	14	16	24	18	23	10	21	11	9	4	3	-	-
	White-----M--	80	2	1	3	1	3	-	-	3	4	4	4	10	11	9	4	10	5	5	1	-	-	-
	F--	86	1	3	-	-	-	3	1	4	4	8	7	9	5	11	6	10	4	4	3	3	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	1	1	1	2	2	1	2	-	1	1	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	1	-	1	3	3	1	1	-	-	1	-	-	-	-	-
260	Diabetes mellitus-	1,517	-	3	4	1	5	10	10	21	27	27	42	73	113	236	279	256	215	141	44	7	3	-
	White-----M--	597	-	2	2	-	-	7	5	10	11	12	20	35	42	78	107	101	87	57	18	1	2	-
	F--	829	-	1	2	1	4	2	4	10	10	11	17	26	59	134	161	150	127	81	23	5	1	-
	Nonwhite--M--	30	-	-	-	-	1	-	1	1	-	-	3	2	2	11	3	2	-	2	1	1	-	-
	F--	61	-	-	-	-	-	1	-	-	6	4	2	10	10	13	8	3	1	1	2	-	-	-
290-293	Anemias----------	142	1	7	1	3	4	3	1	1	2	5	2	3	5	12	11	18	25	19	14	3	2	-
	White-----M--	73	-	2	1	2	-	1	-	1	-	2	2	-	3	9	5	12	13	11	7	2	-	-
	F--	54	1	2	-	-	2	1	1	-	1	1	-	3	-	2	5	5	12	8	7	1	2	-
	Nonwhite--M--	6	-	-	-	-	2	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	9	-	3	-	1	-	1	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	98	37	21	3	1	1	1	-	2	1	5	4	5	3	5	5	1	2	1	-	-	-	-
	White-----M--	47	15	11	1	-	1	1	-	1	1	2	-	2	3	2	3	1	2	1	-	-	-	-
	F--	33	15	9	1	-	-	-	-	1	-	-	1	2	-	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	12	4	1	1	1	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-
	F--	6	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	35,868	23	26	19	34	23	54	93	179	363	669	1,139	1,831	2,548	3,736	4,890	5,413	5,257	4,814	3,057	1,336	359	5
	White-----M--	19,569	7	11	7	10	11	24	41	88	204	420	706	1,177	1,568	2,345	2,947	3,088	2,711	2,254	1,298	531	119	2
	F--	13,931	14	7	7	20	11	18	31	49	78	124	252	400	648	1,073	1,604	2,089	2,381	2,438	1,691	774	220	2
	Nonwhite--M--	1,324	1	5	2	1	1	5	11	18	34	67	107	137	196	186	202	139	98	57	33	16	7	1
	F--	1,044	1	3	3	3	-	7	10	24	47	58	74	117	136	132	137	97	67	65	35	15	13	-
330-334, 400-468	Diseases of cardiovascular system-	35,281	22	26	16	23	17	41	81	165	345	640	1,101	1,799	2,497	3,668	4,831	5,344	5,190	4,774	3,021	1,323	352	5
	White-----M--	19,289	6	11	5	8	9	17	36	79	200	406	687	1,166	1,549	2,308	2,917	3,045	2,675	2,236	1,286	525	116	2
	F--	13,705	14	7	6	12	8	12	27	47	69	117	243	388	628	1,050	1,581	2,068	2,352	2,418	1,671	767	218	2
	Nonwhite--M--	1,283	1	5	2	-	-	5	8	17	33	62	104	133	190	180	198	136	97	56	32	16	7	1
	F--	1,004	1	3	3	3	-	7	10	22	43	55	67	112	130	130	135	95	66	64	32	15	11	-
330-334	Vascular lesions, etc.*----------	7,640	5	9	5	6	2	10	15	42	57	86	179	276	429	591	1,002	1,183	1,298	1,290	774	313	68	-
	White-----M--	3,551	1	4	1	3	-	3	7	14	23	37	68	118	199	292	536	602	619	584	300	120	20	-
	F--	3,562	4	3	2	3	2	4	4	19	18	22	71	107	157	229	381	531	639	678	456	186	46	-
	Nonwhite--M--	273	-	1	1	-	-	2	3	1	6	11	18	23	43	42	52	23	20	14	8	4	1	-
	F--	254	-	1	1	-	-	1	1	8	10	16	22	28	30	28	33	27	20	14	10	3	1	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MICHIGAN—Con.																							
400-402	Rheumatic fever---	41	-	6	2	9	3	1	-	2	2	4	2	2	4	-	2	1	1	-	-	-	-	-
	White-----M--	23	-	4	1	3	1	-	-	1	2	3	1	2	3	-	1	1	-	-	-	-	-	-
	F--	8	-	-	-	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	6	-	1	-	-	-	-	-	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-
	F--	4	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	25,309	16	10	8	7	8	26	61	110	264	514	885	1,446	1,959	2,921	3,596	3,856	3,567	3,102	1,912	813	223	5
	White-----M--	14,548	4	3	2	2	5	14	26	62	168	351	605	995	1,288	1,917	2,226	2,265	1,894	1,478	846	318	77	2
	F--	9,153	10	4	4	4	3	7	23	25	45	86	160	265	443	782	1,133	1,419	1,560	1,539	1,027	476	136	2
	Nonwhite--M--	924	1	2	1	-	-	1	4	12	23	44	79	105	135	129	139	106	70	40	18	10	4	1
	F--	684	1	1	1	1	-	4	8	11	28	33	41	81	93	93	98	66	43	45	21	9	6	-
410-416	Chronic rheumatic heart disease----	952	-	1	1	1	6	15	30	33	52	51	82	134	112	118	106	85	58	47	14	4	2	-
	White-----M--	450	-	-	-	-	5	9	10	14	21	28	29	71	59	57	56	36	29	22	4	-	-	-
	F--	439	-	1	-	-	1	5	14	14	22	20	44	52	47	55	48	47	28	25	10	4	2	-
	Nonwhite--M--	38	-	-	-	-	-	-	1	3	6	3	6	8	3	5	2	1	-	-	-	-	-	-
	F--	25	-	-	1	1	-	1	5	2	3	-	3	3	3	1	-	1	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	18,707	2	-	2	-	1	5	17	60	163	376	671	1,094	1,554	2,304	2,800	2,941	2,591	2,164	1,274	542	144	2
	White-----M--	11,577	-	-	1	-	-	1	12	41	132	292	522	816	1,109	1,609	1,845	1,828	1,440	1,071	588	217	52	1
	F--	6,148	2	-	-	-	1	1	4	5	15	46	80	165	297	553	808	993	1,082	1,039	661	312	83	1
	Nonwhite--M--	616	-	-	1	-	-	1	1	7	10	23	50	73	100	84	91	75	46	29	15	7	3	-
	F--	366	-	-	-	-	-	2	-	7	6	15	19	40	48	58	56	45	23	25	10	6	6	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,300	3	5	2	1	1	2	3	3	8	14	25	49	70	132	210	332	415	464	334	189	56	2
	White-----M--	1,109	-	2	-	-	-	1	1	1	2	8	16	30	36	79	107	169	202	228	147	64	15	1
	F--	1,097	2	2	2	1	1	1	2	1	2	6	9	15	26	45	89	149	198	221	182	101	41	1
	Nonwhite--M--	43	1	-	-	-	-	-	-	-	1	-	-	2	2	3	9	7	7	7	2	2	-	-
	F--	51	-	1	-	-	-	-	-	1	3	-	-	2	6	5	5	7	8	8	3	2	-	-
430-434	Other diseases of heart---------	944	11	4	3	4	-	3	7	8	12	29	29	37	49	94	127	132	142	133	80	32	8	-
	White-----M--	489	4	1	1	1	-	3	3	4	7	13	17	21	26	62	61	73	87	58	31	13	3	-
	F--	377	6	1	2	3	-	-	1	3	3	8	7	7	15	22	51	54	52	71	49	18	4	-
	Nonwhite--M--	49	-	2	-	-	-	-	1	-	-	6	3	5	6	6	10	3	3	3	-	-	1	-
	F--	29	1	-	-	-	-	-	2	1	2	2	2	4	2	4	5	2	-	1	-	1	-	-
440-443	Hypertension with heart dis.--	2,406	-	-	-	1	-	1	4	6	29	44	78	132	174	273	353	366	361	294	210	66	13	1
	White-----M--	923	-	-	-	1	-	-	-	2	6	10	21	57	58	110	157	159	136	99	76	24	7	-
	F--	1,092	-	-	-	-	-	-	2	2	3	6	20	26	58	107	137	176	200	183	125	41	6	-
	Nonwhite--M--	178	-	-	-	-	-	-	1	2	6	12	20	17	24	31	27	20	14	1	1	1	-	1
	F--	213	-	-	-	-	-	1	1	-	14	16	17	32	34	25	32	11	11	11	8	-	-	-
444-447	Hypertension without mention of heart----------	413	-	-	1	-	-	1	1	5	10	15	17	17	26	26	37	64	50	62	61	16	4	-
	White-----M--	163	-	-	1	-	-	-	1	-	2	4	6	8	10	11	19	27	19	29	19	5	2	-
	F--	190	-	-	-	-	-	-	-	1	-	6	3	4	8	7	15	34	28	31	40	11	2	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	2	3	2	5	4	3	4	1	3	2	-	2	-	-	-
	F--	29	-	-	-	-	-	1	-	2	5	3	3	1	5	4	2	-	1	2	-	-	-	-
450	General arteriosclerosis--------	1,252	-	-	-	-	-	-	-	1	-	3	2	11	20	44	81	142	200	274	242	177	55	-
	White-----M--	612	-	-	-	-	-	-	-	1	-	1	2	9	13	24	55	82	102	122	103	81	17	-
	F--	601	-	-	-	-	-	-	-	-	-	-	-	2	6	16	23	55	93	147	135	91	33	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	3	4	2	3	2	2	-
	F--	16	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	3	1	3	3	-
451-468	Other diseases of circulatory sys.-	626	1	1	-	1	4	3	4	5	12	18	16	47	59	86	113	98	74	46	32	4	2	-
	White-----M--	392	1	-	-	-	3	-	2	1	5	10	5	34	36	64	80	68	41	23	18	1	-	-
	F--	191	-	-	-	1	1	-	-	2	6	3	9	10	14	16	29	29	31	23	13	3	1	-
	Nonwhite--M--	26	-	1	-	-	-	2	1	1	1	3	1	1	7	2	3	1	1	-	1	-	-	-
	F--	17	-	-	-	-	-	1	1	1	-	2	1	2	2	4	1	-	1	-	-	-	1	-
592-594	Chronic nephritis, etc.*----------	587	1	-	3	11	6	13	12	14	18	29	38	32	51	68	59	69	67	40	36	13	7	-
	White-----M--	280	1	-	2	2	2	7	5	9	4	14	19	11	19	37	30	43	36	18	12	6	3	-
	F--	226	-	-	1	8	3	6	4	2	9	7	9	12	20	23	23	21	29	20	20	7	2	-
	Nonwhite--M--	41	-	-	-	1	1	-	3	1	1	5	3	4	6	6	4	3	1	1	1	-	-	-
	F--	40	-	-	-	-	-	-	-	2	4	3	7	5	6	2	2	2	1	1	3	-	2	-
480-493	Influenza and pneumonia, etc.*-	2,233	370	118	24	22	13	25	16	37	46	55	65	80	135	156	188	211	242	190	147	66	27	-
	White-----M--	1,199	182	53	14	9	6	9	5	17	24	24	31	52	80	109	124	129	123	105	64	28	11	-
	F--	724	115	40	7	9	6	10	6	5	15	16	14	13	26	29	45	63	102	78	75	36	14	-
	Nonwhite--M--	173	33	14	3	2	-	1	3	7	4	10	10	11	24	12	13	8	11	3	4	-	-	-
	F--	137	40	11	-	2	1	5	2	8	3	5	10	4	5	6	6	11	6	4	4	2	2	-
480-483	Influenza---------	193	14	13	3	5	3	5	1	5	8	2	4	5	14	21	16	19	19	15	9	7	5	-
	White-----M--	105	7	7	1	1	2	1	-	2	5	1	4	3	10	14	9	11	11	6	2	4	4	-
	F--	73	6	5	1	4	1	2	1	1	3	1	-	1	3	5	7	7	6	9	6	3	1	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	F--	11	1	1	-	-	-	2	-	2	-	-	-	-	1	2	-	-	2	-	-	-	-	-
490-493	Pneumonia, etc.*--	2,040	356	105	21	17	10	20	15	32	38	53	61	75	121	135	172	192	223	175	138	59	22	-
	White-----M--	1,094	175	46	13	8	4	8	5	15	19	23	27	49	70	95	115	118	112	99	62	24	7	-
	F--	651	109	35	6	5	5	8	5	4	12	15	14	12	23	24	38	56	96	69	69	33	13	-
	Nonwhite--M--	169	33	14	2	2	-	1	3	7	4	10	10	10	24	12	13	7	11	3	3	-	-	-
	F--	126	39	10	-	2	1	3	2	6	3	5	10	4	4	4	6	11	4	4	4	2	2	-
500-502	Bronchitis--------	155	45	10	3	2	-	1	2	-	2	1	5	4	10	12	16	15	13	9	2	2	1	-
	White-----M--	102	29	5	1	-	-	-	1	-	1	1	2	4	6	9	12	11	11	7	1	-	1	-
	F--	45	13	4	2	2	-	1	-	-	-	-	2	-	4	2	4	4	2	2	1	2	-	-
	Nonwhite--M--	5	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	466	4	-	-	-	-	1	1	4	15	23	35	33	58	62	67	57	38	38	20	7	3	-
	White-----M--	332	1	-	-	-	-	1	1	3	12	17	24	21	45	47	49	43	[illegible]	22	12	3	3	-
	F--	94	-	-	-	-	-	-	-	-	1	4	5	8	10	12	9	10	10	14	7	4	-	-
	Nonwhite--M--	32	1	-	-	-	-	-	-	1	2	2	5	4	1	1	9	4	-	1	1	-	-	-
	F--	8	2	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	1	-	-	-	-
550-553	Appendicitis------	94	-	2	4	2	1	2	-	4	2	5	5	9	4	19	9	11	10	3	2	-	-	-
	White-----M--	56	-	1	-	2	1	2	-	2	1	4	3	7	3	11	3	8	7	-	1	-	-	-
	F--	24	-	1	4	-	-	-	-	-	-	-	1	2	-	6	2	2	2	3	1	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	1	1	1	-	-	2	3	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	374	58	5	1	1	-	1	-	4	8	10	8	20	14	32	44	39	51	39	22	16	1	-
	White-----M--	173	29	3	1	-	-	-	-	2	4	1	5	10	3	21	25	16	22	17	5	9	-	-
	F--	176	24	1	-	-	-	1	-	1	3	7	2	8	8	11	17	22	26	21	17	6	1	-
	Nonwhite--M--	14	4	-	-	1	-	-	-	1	-	1	-	1	1	-	1	1	2	1	-	-	-	-
	F--	11	1	1	-	-	-	-	-	-	1	1	1	1	2	-	1	-	1	-	-	1	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MICHIGAN—Con.																							
543,	Gastritis, etc.*--	305	87	26	4	4	-	3	3	5	5	7	8	13	15	17	23	29	14	17	17	5	3	-
571,	White-----M--	138	39	12	2	2	-	2	2	2	1	3	5	5	12	6	13	16	9	2	4	-	1	-
572	F--	128	26	13	2	1	-	1	1	1	3	2	3	6	2	9	6	12	5	15	13	5	2	-
	Nonwhite--M--	21	12	1	-	1	-	-	-	-	1	2	-	1	1	1	1	-	-	-	-	-	-	-
	F--	18	10	-	-	-	-	-	-	2	-	-	-	1	-	1	3	1	-	-	-	-	-	-
581	Cirrhosis of liver	868	1	1	-	-	1	-	5	18	39	74	94	118	128	108	98	89	50	29	12	3	-	-
	White-----M--	535	-	1	-	-	-	-	1	7	22	32	54	84	77	74	76	57	25	15	8	2	-	-
	F--	269	-	-	-	-	1	-	3	8	14	32	25	30	38	28	22	27	22	14	4	1	-	-
	Nonwhite--M--	39	1	-	-	-	-	-	1	2	1	6	10	2	6	5	-	3	2	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	1	2	4	5	2	7	1	-	2	1	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	82	1	2	2	4	2	2	3	3	6	3	2	8	8	6	9	5	8	5	2	1	-	-
	White-----M--	40	-	2	2	1	2	1	1	2	4	-	-	4	4	1	4	3	5	2	1	1	-	-
	F--	33	1	-	-	2	-	1	1	1	2	2	2	3	3	5	2	2	2	3	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	212	-	-	-	-	-	-	-	-	-	1	2	3	7	15	25	35	46	32	35	11	-	-
	White-----M--	193	-	-	-	-	-	-	-	-	-	1	-	2	4	14	23	31	44	30	33	11	-	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	2	1	3	1	2	4	2	2	2	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	76	...	...	...	-	7	15	14	20	16	3	-	-	-	1	-	-	-	-	-	-	-	-
	White-----F--	58	...	...	...	-	5	13	8	15	13	3	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--F--	18	...	...	...	-	2	2	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	7	...	...	...	-	2	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	5	...	...	...	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	69	...	...	...	-	5	14	13	17	16	3	-	-	-	1	-	-	-	-	-	-	-	-
660-	White-----F--	53	...	...	...	-	4	12	7	13	13	3	-	-	-	1	-	-	-	-	-	-	-	-
689	Nonwhite--F--	16	...	...	...	-	1	2	6	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	1,066	771	121	22	17	11	8	4	12	14	8	12	13	17	14	9	5	3	3	1	-	-	1
	White-----M--	499	366	54	12	9	4	4	2	4	5	4	7	3	10	3	4	2	2	3	-	-	-	1
	F--	465	335	50	9	5	6	3	2	5	8	4	3	10	5	11	4	3	1	-	1	-	-	-
	Nonwhite--M--	44	30	8	-	-	1	1	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F--	58	40	9	1	3	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	3,252	3,252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,547	1,547	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,111	1,111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	360	360	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	234	234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	1,430	1,430	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	721	721	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	479	479	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	187	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	1,635	1,635	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	739	739	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	561	561	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	201	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	189	25	2	-	2	2	4	4	3	6	5	9	14	8	10	15	17	12	23	12	12	3	1
795	White-----M--	114	14	2	-	1	1	2	3	-	5	3	5	8	5	9	12	14	7	12	6	4	1	-
	F--	59	8	-	-	1	1	-	-	2	1	2	2	6	2	-	2	3	5	10	5	7	2	-
	Nonwhite--M--	8	1	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	-	1	1	-	-	-
	F--	8	2	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1
Re-	All other diseases	3,090	204	86	47	21	41	38	48	76	91	119	166	209	250	329	387	348	300	175	109	45	11	-
sid-	White-----M--	1,665	100	45	23	10	23	17	13	26	38	50	79	111	142	211	241	209	168	92	50	13	4	-
ual	F--	1,134	79	30	19	10	9	15	19	35	27	47	58	83	81	101	123	125	121	79	55	31	7	-
	Nonwhite--M--	183	17	7	2	1	4	2	6	8	8	12	14	17	18	11	17	10	6	2	1	-	-	-
	F--	128	8	4	3	-	5	4	10	7	8	10	15	18	9	6	6	4	5	2	3	1	-	-
E800-	Accidents---------	3,639	139	226	149	115	243	248	182	187	180	176	190	194	195	197	204	188	196	225	117	70	16	2
E962	White-----M--	2,295	72	116	80	68	187	204	129	138	128	118	125	143	125	133	139	110	96	107	43	27	6	1
	F--	1,035	40	66	48	38	47	28	34	28	32	47	38	32	51	53	48	70	96	115	74	40	10	-
	Nonwhite--M--	212	14	25	10	7	7	14	16	15	16	9	18	18	14	8	13	3	2	2	-	-	-	1
	F--	97	13	19	11	2	2	2	3	6	4	2	9	1	5	3	4	5	2	1	-	3	-	-
E810-	Motor-vehicle																							
E835	accidents--------	1,662	8	73	76	42	170	186	121	124	101	106	99	97	88	106	93	62	62	39	8	1	-	-
	White-----M--	1,099	4	37	40	25	124	153	84	89	70	68	58	71	52	62	61	33	37	25	6	-	-	-
	F--	442	3	26	29	17	41	24	26	21	21	33	28	16	28	39	23	28	23	13	2	1	-	-
	Nonwhite--M--	91	-	5	4	-	3	8	9	11	10	4	8	10	7	3	7	-	1	1	-	-	-	-
	F--	30	1	5	3	-	2	1	2	3	-	1	5	-	1	2	2	1	1	-	-	-	-	-
E800-	All ot. accidents-	1,977	131	153	73	73	73	62	61	63	79	70	91	97	107	91	111	126	134	186	109	69	16	2
E802,	White-----M--	1,196	68	79	40	43	63	51	45	49	58	50	67	72	73	71	78	77	59	82	37	27	6	1
E840-	F--	593	37	40	19	21	6	4	8	7	11	14	10	16	23	14	25	42	73	102	72	39	10	-
E962	Nonwhite--M--	121	14	20	6	7	4	6	7	4	6	5	10	8	7	5	6	3	1	1	-	-	-	1
	F--	67	12	14	8	2	-	1	1	3	4	1	4	1	4	1	2	4	1	1	-	3	-	-
E963,	Suicide----------	683	-	-	-	5	6	26	45	52	49	73	64	75	75	75	46	46	24	15	5	2	-	-
E970-	White-----M--	525	-	-	-	5	4	20	31	31	35	57	48	58	59	66	37	38	20	11	3	2	-	-
E979	F--	139	-	-	-	-	2	2	11	15	13	16	15	16	16	9	8	7	4	3	2	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	3	2	3	1	-	1	-	-	-	1	1	-	1	-	-	-	-
	F--	6	-	-	-	-	-	1	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	228	7	4	1	2	11	16	32	30	37	26	21	14	16	6	3	1	-	1	-	-	-	-
E980-	White-----M--	72	4	1	-	2	5	6	9	8	11	7	2	2	8	3	2	1	-	1	-	-	-	-
E985	F--	33	3	3	1	-	3	1	2	-	4	4	3	5	3	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	94	-	-	-	-	2	7	18	15	17	10	13	7	2	3	-	-	-	-	-	-	-	-
	F--	29	-	-	-	-	1	2	3	7	5	5	3	-	3	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MINNESOTA																							
	ALL CAUSES------	31,211	1,980	281	175	130	211	237	244	256	369	585	917	1,340	1,824	2,599	3,658	4,324	4,245	3,825	2,627	1,076	291	17
	White-----M--	17,877	1,118	149	102	84	148	172	157	147	223	383	593	856	1,223	1,673	2,295	2,548	2,256	1,893	1,268	471	109	9
	F--	12,967	809	124	71	41	58	56	77	103	137	190	301	464	578	886	1,336	1,745	1,955	1,903	1,345	601	179	8
	Nonwhite--M--	207	29	5	-	5	3	8	4	2	4	8	14	13	13	26	13	19	16	18	6	1	-	-
	F--	160	24	3	2	-	2	1	6	4	5	4	9	7	10	14	14	12	18	11	8	3	3	-
001-019	Tuberculosis, all forms--------	108	-	2	-	-	1	1	1	6	4	4	9	4	17	12	13	12	10	8	3	1	-	-
	White-----M--	75	-	-	-	-	1	-	-	3	3	3	8	3	13	10	7	10	7	6	1	-	-	-
	F--	28	-	2	-	-	-	-	-	2	1	1	1	1	4	1	6	2	3	1	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	97	-	-	-	-	1	1	-	5	3	4	8	4	16	10	12	12	10	7	3	1	-	-
	White-----M--	71	-	-	-	-	1	-	-	3	3	3	7	3	12	9	6	10	7	6	1	-	-	-
	F--	25	-	-	-	-	-	-	-	2	-	1	1	1	4	1	6	2	3	1	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	11	-	2	-	-	-	-	1	1	1	-	1	-	1	2	1	-	-	1	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
	F--	3	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
020-029	Syphilis and its sequelae---------	60	1	-	-	-	-	-	-	-	-	1	2	5	7	9	11	10	7	6	-	1	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	1	5	3	8	6	7	5	3	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	1	1	-	4	1	4	3	2	3	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	5	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	11	6	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	7	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	15	2	8	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	91	19	2	3	4	5	3	1	5	1	1	3	3	4	8	7	6	5	4	5	2	-	-
	White-----M--	56	15	-	2	1	4	2	1	4	1	-	2	-	4	4	3	6	3	2	2	-	-	-
	F--	35	4	2	1	3	1	1	-	1	-	1	1	3	-	4	4	-	2	2	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MINNESOTA—Con.																							
140-205	Malignant neoplasms, etc.*----	4,904	8	46	24	24	14	17	23	53	75	126	225	335	431	606	771	772	591	433	239	77	14	-
	White-----M--	2,522	6	25	12	12	11	8	12	20	29	61	93	134	234	320	440	425	314	205	114	40	7	-
	F--	2,350	2	21	12	12	3	9	11	33	46	65	126	198	196	276	329	343	274	226	124	37	7	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	2	2	1	4	1	2	1	1	-	-	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	4	1	-	6	1	2	2	1	1	-	-	-
140-148	Of buccal cavity and pharynx------	81	-	1	-	-	-	-	-	-	-	3	3	4	11	7	18	11	9	8	3	3	-	-
	White-----M--	57	-	-	-	-	-	-	-	-	-	2	2	4	7	7	14	6	7	3	2	3	-	-
	F--	24	-	1	-	-	-	-	-	-	-	1	1	-	4	-	4	5	2	5	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,844	-	2	-	-	1	2	2	5	16	36	50	102	153	230	307	321	267	212	103	31	4	-
	White-----M--	993	-	1	-	-	1	-	1	3	9	18	27	45	101	133	192	182	125	97	43	13	2	-
	F--	845	-	1	-	-	-	2	1	2	7	18	22	57	52	95	114	138	142	114	60	18	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-
160-164	Of respiratory system (not secondary)--------	448	-	-	-	-	-	-	1	5	4	12	33	43	63	75	66	68	47	15	14	1	1	-
	White-----M--	367	-	-	-	-	-	-	1	3	3	10	29	33	52	66	57	57	38	9	8	1	-	-
	F--	73	-	-	-	-	-	-	-	2	1	2	4	8	10	6	8	11	9	5	6	-	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	Of breast---------	479	-	-	-	-	-	-	-	10	17	17	53	52	50	63	69	56	31	34	21	5	1	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	1	-	-	-	-
	F--	470	-	-	-	-	-	-	-	10	17	17	51	52	50	62	68	53	31	33	20	5	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
171-179	Of genital organs-	729	-	1	-	-	-	-	2	6	15	14	25	48	42	85	114	134	100	71	51	17	4	-
	White-----M--	358	-	-	-	-	-	-	-	-	3	1	1	5	7	30	46	79	75	52	43	13	3	-
	F--	364	-	1	-	-	-	-	2	6	12	13	22	42	35	54	68	53	24	19	8	4	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	1	-	-	-	-	-
180, 181	Of urinary organs-	262	1	1	1	-	-	-	-	1	3	7	5	11	25	33	47	40	41	25	10	9	2	-
	White-----M--	172	1	-	1	-	-	-	-	-	3	5	3	9	16	22	39	24	23	15	2	7	2	-
	F--	88	-	1	-	-	-	-	-	1	-	2	2	2	9	11	8	15	17	10	8	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	490	1	12	10	9	6	6	11	15	7	11	31	36	41	59	60	63	46	32	25	7	2	-
	White-----M--	245	-	7	6	5	6	2	5	9	4	8	17	21	24	26	35	27	17	14	10	2	-	-
	F--	242	1	5	4	4	-	4	6	6	3	3	14	15	17	31	25	36	28	18	15	5	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia--------	317	5	25	10	12	5	5	4	4	6	14	10	23	22	19	46	46	25	23	11	2	-	-
	White-----M--	175	4	13	4	4	2	4	4	2	2	9	5	9	12	15	29	27	15	9	6	-	-	-
	F--	141	1	12	6	8	3	1	-	2	4	5	4	14	10	4	17	19	10	14	5	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	254	1	4	3	3	2	4	3	7	7	12	15	16	24	35	44	33	25	13	1	2	-	-
	White-----M--	149	1	4	1	3	2	2	1	3	5	8	8	8	15	21	27	20	14	5	-	1	-	-
	F--	103	-	-	2	-	-	2	2	4	2	4	6	8	9	13	17	13	11	8	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	87	1	1	1	-	2	1	3	5	2	6	8	10	5	8	12	8	9	2	3	-	-	-
	White-----M--	38	1	-	-	-	2	1	1	2	-	1	3	5	3	2	6	5	4	1	1	-	-	-
	F--	47	-	1	1	-	-	-	2	3	2	4	5	5	2	6	6	3	5	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	549	-	2	4	2	2	4	9	7	18	9	11	20	31	53	89	92	96	60	30	10	-	-
	White-----M--	240	-	1	3	1	1	1	3	4	9	7	10	9	14	18	41	34	39	26	13	6	-	-
	F--	305	-	1	1	1	1	3	6	3	9	2	-	11	16	34	48	57	57	34	17	4	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
290-293	Anemias----------	65	2	1	1	1	-	1	-	-	-	-	-	-	3	7	7	8	12	12	5	5	-	-
	White-----M--	32	-	1	-	1	-	1	-	-	-	-	-	-	1	2	4	5	6	7	2	2	-	-
	F--	33	2	-	1	-	-	-	-	-	-	-	-	-	2	5	3	3	6	5	3	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	27	8	5	2	3	1	1	-	-	-	-	1	1	1	-	-	4	-	-	-	-	-	-
	White-----M--	14	3	2	2	1	1	1	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
	F--	13	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	17,403	6	5	13	7	13	21	31	52	80	210	405	648	954	1,479	2,205	2,781	2,900	2,713	1,895	778	195	12
	White-----M--	9,970	4	4	9	4	7	13	21	28	46	157	294	484	680	1,018	1,410	1,644	1,524	1,324	902	324	69	4
	F--	7,274	2	1	3	3	6	8	9	23	30	45	101	155	259	443	776	1,118	1,359	1,368	982	451	124	8
	Nonwhite--M--	85	-	-	-	-	-	-	-	-	1	6	7	5	7	13	8	11	8	13	5	1	-	-
	F--	74	-	-	1	-	-	-	1	1	3	2	3	4	8	5	11	8	9	8	6	2	2	-
330-334, 400-468	Diseases of cardiovascular system-	17,206	6	5	10	6	9	15	27	50	77	199	397	638	937	1,462	2,184	2,748	2,881	2,687	1,884	777	195	12
	White-----M--	9,862	4	4	9	3	4	10	17	26	43	151	289	477	673	1,010	1,399	1,625	1,514	1,311	897	323	69	4
	F--	7,188	2	1	-	3	5	5	9	23	30	40	98	152	251	434	767	1,104	1,350	1,355	976	451	124	8
	Nonwhite--M--	85	-	-	-	-	-	-	-	-	1	6	7	5	7	13	8	11	8	13	5	1	-	-
	F--	71	-	-	1	-	-	-	1	1	3	2	3	4	6	5	10	8	9	8	6	2	2	-
330-334	Vascular lesions, etc.*----------	4,214	1	2	3	1	1	5	10	6	12	39	71	98	140	262	453	694	818	755	577	209	52	5
	White-----M--	2,091	-	2	3	-	-	4	5	3	5	20	35	45	82	146	252	388	393	342	268	80	18	-
	F--	2,077	1	-	-	1	1	1	4	3	5	18	32	52	54	113	196	301	420	406	303	127	34	5
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	1	4	-	3	3	2	2	2	4	2	-	-	-
	F--	23	-	-	-	-	-	-	1	-	2	-	-	1	1	-	3	3	3	3	4	2	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MINNESOTA—Con.																							
400-402	Rheumatic fever---	22	-	-	1	3	1	-	1	-	3	1	1	1	1	1	1	2	3	-	2	-	-	-
	White-----M--	12	-	-	1	1	1	-	-	-	1	1	-	1	1	1	1	-	2	-	1	-	-	-
	F--	10	-	-	-	2	-	-	1	-	2	-	1	-	-	-	-	2	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	11,692	5	3	5	2	7	8	16	40	51	152	304	517	754	1,137	1,628	1,895	1,859	1,678	1,086	445	95	5
	White-----M--	7,081	4	2	4	2	3	6	12	22	35	126	242	419	566	827	1,080	1,146	1,004	838	520	187	33	3
	F--	4,509	1	1	-	-	4	2	4	17	15	20	57	90	179	296	536	735	844	827	561	257	61	2
	Nonwhite--M--	60	-	-	-	-	-	-	-	-	1	5	2	5	4	10	6	9	6	8	3	1	-	-
	F--	42	-	-	1	-	-	-	-	1	-	1	3	3	5	4	6	5	5	5	2	-	1	-
410-416	Chronic rheumatic heart disease----	372	-	-	1	1	4	2	7	16	8	11	26	29	60	49	58	42	25	18	13	-	2	-
	White-----M--	194	-	-	1	1	1	1	6	6	1	6	16	19	34	30	29	20	12	5	5	-	1	-
	F--	175	-	-	-	-	3	1	1	10	7	4	10	10	26	18	29	22	13	13	7	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	8,949	-	-	2	-	1	3	5	14	38	124	246	427	601	917	1,314	1,504	1,428	1,207	760	296	59	3
	White-----M--	5,704	-	-	1	-	1	3	4	10	31	106	205	363	480	689	911	938	785	640	376	136	23	2
	F--	3,167	-	-	-	-	-	-	1	3	6	13	37	58	116	216	392	556	635	558	380	160	35	1
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	1	4	1	4	4	9	6	7	4	5	2	-	-	-
	F--	31	-	-	1	-	-	-	-	1	-	1	3	2	1	3	5	3	4	4	2	-	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	964	-	-	-	1	1	1	1	2	2	5	8	11	24	60	76	132	150	222	155	87	26	-
	White-----M--	508	-	-	-	1	1	1	-	2	1	4	5	5	16	42	43	80	83	107	76	34	7	-
	F--	448	-	-	-	-	-	-	1	-	1	1	3	6	8	17	33	51	64	112	79	53	19	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
430-434	Other diseases of heart---------	342	5	3	2	-	1	2	2	6	1	4	8	19	23	32	38	53	53	45	31	10	3	1
	White-----M--	193	4	2	2	-	-	1	2	4	1	3	5	13	13	21	25	26	28	25	13	2	2	1
	F--	146	1	1	-	-	1	1	-	2	-	1	2	5	10	11	13	27	25	20	18	7	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	1,065	-	-	-	-	-	-	1	2	2	8	16	31	46	79	142	164	203	186	127	52	5	1
	White-----M--	482	-	-	-	-	-	-	-	-	1	7	11	19	23	45	72	82	96	61	50	15	-	-
	F--	573	-	-	-	-	-	-	1	2	1	1	5	11	19	34	69	79	107	124	77	37	5	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	212	-	-	-	-	-	-	-	-	2	4	5	6	9	12	28	22	34	36	33	15	6	-
	White-----M--	104	-	-	-	-	-	-	-	-	1	2	3	2	5	7	19	11	10	17	16	7	4	-
	F--	104	-	-	-	-	-	-	-	-	1	1	2	4	4	4	9	11	23	18	17	8	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
450	General arteriosclerosis--------	729	-	-	-	-	-	-	-	-	1	-	2	3	5	12	36	76	119	174	162	97	40	2
	White-----M--	392	-	-	-	-	-	-	-	-	-	-	1	2	3	8	25	45	75	95	79	44	14	1
	F--	335	-	-	-	-	-	-	-	-	-	-	1	1	2	4	11	31	44	79	83	53	25	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
451-468	Other diseases of circulatory sys.-	337	-	-	1	-	-	2	-	4	8	3	14	13	28	38	38	59	48	44	24	11	2	-
	White-----M--	182	-	-	1	-	-	-	-	1	1	2	8	8	16	21	22	35	30	19	13	5	-	-
	F--	153	-	-	-	-	-	2	-	3	7	1	5	5	12	17	15	24	18	25	11	6	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	197	-	-	3	1	4	6	4	2	3	11	8	10	17	17	21	33	19	26	11	1	-	-
	White-----M--	108	-	-	-	1	3	3	4	2	3	6	5	7	7	8	11	19	10	13	5	1	-	-
	F--	86	-	-	3	-	1	3	-	-	-	5	3	3	8	9	9	14	9	13	6	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,165	119	28	12	9	9	10	11	5	12	21	26	31	46	62	97	118	126	183	145	63	29	3
	White-----M--	667	72	17	6	6	3	4	4	3	4	13	16	18	33	44	68	78	77	106	73	30	9	3
	F--	452	40	10	6	3	6	6	5	2	7	7	10	12	10	17	27	38	46	76	72	33	19	-
	Nonwhite--M--	17	5	1	-	-	-	-	-	-	1	-	-	1	3	-	2	2	2	-	-	-	-	-
	F--	9	2	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	1	1	-	-	1	-
480-483	Influenza---------	182	11	2	2	6	5	4	4	1	4	2	5	5	7	16	19	23	13	25	18	8	2	-
	White-----M--	103	6	2	1	4	1	-	1	1	3	1	2	3	4	11	12	16	7	15	11	2	-	-
	F--	75	4	-	1	2	4	4	3	-	1	1	3	2	2	4	7	7	5	10	7	6	2	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	983	108	26	10	3	4	6	7	4	8	19	21	26	39	46	78	95	113	158	127	55	27	3
	White-----M--	584	66	15	5	2	2	4	3	2	1	12	14	15	29	33	56	62	70	91	62	28	9	3
	F--	377	36	10	5	1	2	2	2	2	6	6	7	10	8	13	20	31	41	66	65	27	17	-
	Nonwhite--M--	14	4	1	-	-	-	-	-	-	1	-	-	1	2	-	2	2	1	-	-	-	-	-
	F--	8	2	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-
500-502	Bronchitis--------	70	18	6	-	-	-	-	1	-	1	-	-	1	-	1	5	15	8	6	7	1	-	-
	White-----M--	46	10	4	-	-	-	-	-	-	1	-	-	1	-	1	5	12	5	5	2	-	-	-
	F--	22	7	2	-	-	-	-	1	-	-	-	-	-	-	-	-	3	2	1	5	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	196	-	-	-	-	-	-	-	-	4	7	11	15	20	13	24	28	33	20	11	9	1	-
	White-----M--	153	-	-	-	-	-	-	-	-	4	6	8	13	18	11	21	22	23	14	8	4	1	-
	F--	40	-	-	-	-	-	-	-	-	-	1	3	1	2	2	3	5	10	5	3	5	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	31	-	1	2	1	-	-	1	-	1	2	1	1	5	3	5	4	-	1	2	1	-	-
	White-----M--	26	-	-	1	-	-	-	1	-	1	2	1	1	5	3	4	4	-	-	2	1	-	-
	F--	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	182	23	1	1	-	-	1	-	-	2	5	5	7	5	13	18	26	25	25	16	6	2	1
	White-----M--	90	14	1	1	-	-	-	-	-	1	2	3	3	3	7	11	11	8	11	11	1	1	1
	F--	92	9	-	-	-	-	1	-	-	1	3	2	4	2	6	7	15	17	14	5	5	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MINNESOTA—Con.																							
543,	Gastritis, etc.*--	129	22	5	-	-	1	-	1	-	1	5	4	4	9	5	9	18	19	20	4	1	1	-
571,	White-----M--	64	9	3	-	-	-	-	1	-	1	5	3	-	6	3	6	7	9	8	2	-	1	-
572	F--	63	11	2	-	-	1	-	-	-	-	-	1	4	3	2	3	11	10	12	2	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	258	1	-	1	-	-	-	1	4	13	24	21	26	37	28	39	31	19	10	3	-	-	-
	White-----M--	172	-	-	-	-	-	-	1	1	7	12	17	20	23	22	25	22	13	7	2	-	-	-
	F--	78	1	-	1	-	-	-	-	2	5	12	3	6	13	5	14	9	4	2	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	2	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	42	-	3	2	2	-	4	2	2	1	-	2	-	1	6	6	2	1	3	3	2	-	-
	White-----M--	25	-	3	-	2	-	2	1	1	-	-	2	-	-	2	4	2	-	2	2	2	-	-
	F--	15	-	-	1	-	-	2	-	1	1	-	-	-	1	4	2	-	1	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	106	-	-	-	-	-	-	-	-	-	-	-	2	-	2	13	15	24	21	21	7	1	-
	White-----M--	106	-	-	-	-	-	-	-	-	-	-	-	2	-	2	13	15	24	21	21	7	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	17	...	...	...	-	1	-	4	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	16	...	...	...	-	-	-	4	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	17	...	...	...	-	1	-	4	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	16	...	...	...	-	-	-	4	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	496	358	46	12	11	7	5	7	5	5	4	9	5	9	4	3	2	3	1	-	-	-	-
	White-----M--	271	204	19	4	9	3	3	4	3	3	1	3	2	6	3	1	-	2	1	-	-	-	-
	F--	219	149	26	8	2	4	2	3	2	2	3	6	3	3	1	2	2	1	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	1,200	1,200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	665	665	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	504	504	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	492	492	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	280	280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	648	648	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	351	351	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	286	286	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	189	11	4	-	-	1	2	2	-	4	4	2	10	12	11	9	16	24	19	25	16	17	-
795	White-----M--	112	5	1	-	-	-	2	1	-	1	4	2	6	11	8	8	12	18	10	10	4	9	-
	F--	73	6	3	-	-	1	-	1	-	3	-	-	3	1	2	-	3	6	9	15	12	8	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Re-	All other diseases	1,596	103	28	23	7	12	15	20	22	32	50	54	88	100	135	181	222	184	164	98	44	13	1
sid-	White-----M--	923	60	18	12	4	9	8	8	10	22	23	33	51	70	81	118	138	96	86	45	24	6	1
ual	F--	652	41	10	11	3	3	6	12	11	9	27	20	36	30	50	62	82	83	77	53	19	7	-
	Nonwhite--M--	11	1	-	-	-	-	1	-	-	-	-	-	-	-	3	1	1	3	1	-	-	-	-
	F--	10	1	-	-	-	-	-	-	1	1	-	1	1	-	1	-	1	2	-	-	1	-	-
E800-	Accidents---------	1,860	67	80	71	56	132	128	104	69	80	77	89	91	95	99	102	110	125	110	107	50	18	-
E962	White-----M--	1,268	43	44	49	41	100	110	87	54	67	64	68	72	70	77	70	69	57	44	52	25	5	-
	F--	549	22	31	22	11	28	13	15	14	12	12	18	16	23	19	31	40	65	65	54	25	13	-
	Nonwhite--M--	36	2	3	-	4	3	5	2	1	1	1	3	2	1	3	1	1	2	1	-	-	-	-
	F--	7	-	2	-	-	1	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-
E810-	Motor-vehicle																							
E835	accidents---------	750	10	26	26	21	82	90	80	41	40	32	44	36	38	44	45	41	30	16	5	3	-	-
	White-----M--	542	7	11	15	15	57	78	66	34	29	26	32	24	26	33	29	30	16	9	4	1	-	-
	F--	186	3	12	11	5	23	9	13	6	11	5	11	10	12	9	16	10	11	6	1	2	-	-
	Nonwhite--M--	19	-	1	-	1	2	3	1	1	-	1	1	2	-	2	-	1	2	1	-	-	-	-
	F--	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E800-	All ot. accidents-	1,110	57	54	45	35	50	38	24	28	40	45	45	55	57	55	57	69	95	94	102	47	18	-
E802,	White-----M--	726	36	33	34	26	43	32	21	20	38	38	36	48	44	44	41	39	41	35	48	24	5	-
E840-	F--	363	19	19	11	6	5	4	2	8	1	7	7	6	11	10	15	30	54	59	53	23	13	-
E962	Nonwhite--M--	17	2	2	-	3	1	2	1	-	1	-	2	-	1	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
E963,	Suicide----------	292	-	-	-	-	6	14	14	13	23	25	24	29	29	30	31	22	24	3	4	1	-	-
E970-	White-----M--	240	-	-	-	-	5	12	8	12	20	21	23	24	22	23	23	18	22	3	3	1	-	-
E979	F--	49	-	-	-	-	1	2	5	1	2	4	1	4	7	7	8	4	2	-	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	47	3	2	-	1	2	7	6	3	4	2	4	3	3	4	1	1	-	-	-	1	-	-
E980-	White-----M--	24	2	-	-	1	-	3	2	2	2	1	2	1	3	3	1	1	-	-	-	-	-	-
E985	F--	16	1	2	-	-	2	2	2	-	2	-	1	2	-	1	-	-	-	-	-	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSISSIPPI																							
	ALL CAUSES------	20.522	2,253	340	141	132	205	258	269	312	403	557	927	1,091	1,351	1.599	2,215	2,324	2,265	1,967	1,268	482	227	36
	White-----M--	6,083	400	56	33	43	65	77	84	82	117	172	258	349	459	578	705	767	742	625	338	111	21	1
	F--	4,317	295	51	19	21	24	30	37	46	60	89	129	184	193	266	412	540	660	626	447	138	48	2
	Nonwhite--M--	5,372	839	121	54	47	68	81	67	81	103	140	227	295	368	429	599	575	480	370	247	109	54	18
	F--	4,750	719	112	35	21	48	70	81	103	123	156	213	263	331	326	499	442	383	346	236	124	104	15
001-019	Tuberculosis, all forms--------	166	2	3	1	-	2	8	9	6	14	10	14	18	12	22	13	9	10	6	4	2	-	1
	White-----M--	51	-	-	-	-	-	1	-	3	4	2	3	3	4	11	4	5	6	3	2	-	-	-
	F--	14	-	-	-	-	-	-	1	-	-	2	2	1	1	2	-	1	1	1	2	-	-	-
	Nonwhite--M--	57	1	3	-	-	1	3	4	1	6	6	5	8	2	6	4	2	1	1	-	2	-	1
	F--	44	1	-	1	-	1	4	4	2	4	-	4	6	5	3	5	1	2	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	152	-	1	-	-	2	8	8	6	12	9	11	18	12	22	12	9	9	6	4	2	-	1
	White-----M--	49	-	-	-	-	-	1	-	3	3	2	3	3	4	11	4	5	5	3	2	-	-	-
	F--	13	-	-	-	-	-	-	1	-	-	2	1	1	1	2	-	1	1	1	2	-	-	-
	Nonwhite--M--	52	-	1	-	-	1	3	4	1	5	5	5	8	2	6	4	2	1	1	-	2	-	1
	F--	38	-	-	-	-	1	4	3	2	4	-	2	6	5	3	4	1	2	1	-	-	-	-
010-019	Tuberculosis, other forms------	14	2	2	1	-	-	-	1	-	2	1	3	-	-	-	1	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	1	-	1	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	54	1	-	-	-	-	-	-	-	-	1	4	9	6	11	9	9	-	2	2	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	1	3	1	4	2	3	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
	Nonwhite--M--	28	1	-	-	-	-	-	-	-	-	1	1	4	5	4	6	4	-	2	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	1	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	39	14	4	-	1	-	-	-	2	1	-	-	-	2	2	1	5	1	3	3	-	-	-
	White-----M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-
	Nonwhite--M--	18	7	4	-	1	-	-	-	1	-	-	-	-	1	1	-	3	-	-	-	-	-	-
	F--	12	4	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	3	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	7	1	1	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
	White-----M--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	3	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	14	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	11	2	4	2	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	97	32	7	3	5	1	1	2	2	4	2	5	6	4	4	5	5	5	3	1	-	-	-
	White-----M--	26	6	1	1	1	1	-	-	-	1	-	1	3	1	1	3	3	1	2	-	-	-	-
	F--	22	5	1	-	1	-	-	-	1	1	-	2	2	1	1	2	1	3	1	-	-	-	-
	Nonwhite--M--	29	12	3	-	2	-	1	-	1	2	1	1	1	1	2	-	1	1	-	-	-	-	-
	F--	20	9	2	2	1	-	-	2	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSISSIPPI—Con.																							
140-205	Malignant neoplasms, etc.*	2,479	5	13	13	5	9	17	30	27	48	91	132	241	260	311	323	330	273	215	96	31	8	1
	White--M	760	1	5	6	2	4	4	9	9	10	28	30	64	71	105	103	111	92	64	32	8	2	-
	F	715	2	2	3	2	2	3	11	5	18	30	45	63	74	71	81	97	86	76	32	9	3	-
	Nonwhite--M	491	1	4	2	1	-	6	2	3	3	10	26	53	51	77	82	65	53	36	12	3	-	1
	F	513	1	2	2	-	3	4	8	10	17	23	31	61	64	58	57	57	42	39	20	11	3	-
140-148	Of buccal cavity and pharynx	57	-	-	-	-	-	1	1	-	2	-	2	10	4	7	5	8	9	6	1	1	-	-
	White--M	26	-	-	-	-	-	1	1	-	1	-	1	6	1	6	1	2	3	3	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	5	2	-	1	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	1	-	-	3	2	1	1	1	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	1	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	777	-	-	-	-	-	2	5	6	8	16	30	59	87	109	103	109	112	73	43	11	4	-
	White--M	193	-	-	-	-	-	-	3	2	3	3	2	15	18	31	24	34	28	16	12	1	1	-
	F	224	-	-	-	-	-	-	1	1	3	4	9	13	19	26	27	29	41	29	17	3	2	-
	Nonwhite--M	204	-	-	-	-	-	-	-	2	1	6	14	22	24	28	34	28	27	10	6	2	-	-
	F	156	-	-	-	-	-	2	1	1	1	3	5	9	26	24	18	18	16	18	8	5	1	-
160-164	Of respiratory system (not secondary)	266	-	-	-	-	1	-	-	4	2	14	15	35	41	52	44	25	15	10	4	4	-	-
	White--M	172	-	-	-	-	-	-	-	2	1	10	11	18	28	32	30	19	11	5	2	3	-	-
	F	28	-	-	-	-	-	-	-	-	-	1	1	4	6	6	2	3	1	1	2	1	-	-
	Nonwhite--M	48	-	-	-	-	-	-	-	-	-	2	2	8	7	11	10	2	2	4	-	-	-	-
	F	18	-	-	-	-	1	-	-	2	1	1	1	5	-	3	2	1	1	-	-	-	-	-
170	Of breast	181	-	-	-	-	-	-	1	3	9	13	18	23	20	19	16	20	12	16	6	4	1	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F	105	-	-	-	-	-	-	-	1	3	8	8	12	12	14	9	14	7	11	5	-	1	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	73	-	-	-	-	-	-	1	2	6	4	9	11	8	4	7	6	5	5	1	4	-	-
171-179	Of genital organs	490	-	-	-	-	2	4	9	6	13	22	20	49	43	48	65	80	59	47	16	5	2	-
	White--M	95	-	-	-	-	-	1	1	-	-	-	-	4	1	5	12	20	26	15	8	1	1	-
	F	141	-	-	-	-	-	1	3	1	5	8	12	20	22	14	14	20	8	8	2	3	-	-
	Nonwhite--M	98	-	-	-	-	-	-	-	-	-	-	-	4	4	14	23	20	15	16	2	-	-	-
	F	156	-	-	-	-	2	2	5	5	8	14	8	21	16	15	16	20	10	8	4	1	1	-
180, 181	Of urinary organs	113	1	2	-	-	-	1	-	1	1	1	6	9	9	17	18	17	12	10	7	1	-	-
	White--M	37	-	1	-	-	-	-	-	1	-	-	1	4	4	2	10	7	3	3	1	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	1	3	1	-	2	2	6	6	3	1	-	-	-
	Nonwhite--M	34	1	1	-	-	-	1	-	-	1	-	2	3	2	10	4	3	1	2	2	1	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	1	2	2	3	-	-	-
156B, 165, 190-199	Of other sites, etc.*	404	2	8	6	-	3	6	5	6	8	22	30	39	43	42	43	50	33	37	15	4	1	1
	White--M	161	1	4	3	-	1	2	2	3	3	14	9	12	13	19	16	22	15	14	6	2	-	-
	F	109	1	1	-	-	2	1	2	2	4	7	10	7	10	7	12	13	10	15	4	1	-	-
	Nonwhite--M	63	-	2	2	-	-	3	1	1	-	1	4	8	9	9	6	8	2	4	2	-	-	1
	F	71	-	1	1	-	-	-	-	-	1	-	7	12	11	7	9	7	6	4	3	1	1	-
204	Leukemia and aleukemia	99	1	2	6	3	1	1	6	1	3	1	5	7	4	8	14	8	14	11	3	-	-	-
	White--M	33	-	-	3	1	1	-	1	1	-	-	1	4	1	3	4	1	4	6	2	-	-	-
	F	39	-	1	3	2	-	-	3	-	3	-	1	2	1	2	6	4	6	4	1	-	-	-
	Nonwhite--M	19	-	1	-	-	-	1	1	-	-	-	3	-	2	2	3	3	3	-	-	-	-	-
	F	8	1	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	1	1	-	-	-	-
200-203, 205	Lymphomas, etc.*	92	1	1	1	2	2	2	3	-	2	2	6	10	9	9	15	13	7	5	1	1	-	-
	White--M	41	-	-	-	1	2	-	1	-	2	1	4	1	5	6	6	6	2	2	1	1	-	-
	F	30	1	-	-	-	-	1	2	-	-	1	-	4	3	-	7	6	2	3	-	-	-	-
	Nonwhite--M	14	-	-	-	1	-	1	-	-	-	-	1	5	1	2	1	-	2	-	-	-	-	-
	F	7	-	1	1	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	56	1	1	3	3	2	3	4	4	7	3	6	7	1	4	4	-	1	1	1	-	-	-
	White--M	16	-	1	1	-	1	-	-	1	4	1	-	1	-	2	2	-	-	1	1	-	-	-
	F	15	1	-	2	1	-	1	1	2	1	1	1	1	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M	14	-	-	-	2	1	1	1	-	1	-	4	2	-	1	1	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	1	2	1	1	1	1	3	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	248	3	1	1	1	1	1	2	9	5	9	4	16	19	29	52	39	25	19	7	4	1	-
	White--M	49	-	-	-	-	-	-	2	3	-	1	1	3	5	7	6	6	4	6	3	2	-	-
	F	83	1	-	-	1	1	1	-	1	1	3	1	6	3	10	14	18	10	9	1	2	-	-
	Nonwhite--M	36	-	-	1	-	-	-	-	1	-	1	1	2	2	4	11	4	7	-	1	-	1	-
	F	80	2	1	-	-	-	-	-	4	4	4	1	5	9	8	21	11	4	4	2	-	-	-
290-293	Anemias	40	7	5	3	1	2	1	2	1	-	1	-	-	2	3	1	3	1	3	3	-	1	-
	White--M	6	-	-	1	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	F	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	-	-	-
	Nonwhite--M	13	3	2	2	1	1	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F	13	3	3	-	-	1	1	1	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-
340	Nonmeningococcal meningitis*	30	11	12	2	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	-	-	-	-
	White--M	5	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F	5	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	12	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	8	1	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	10,052	4	8	7	9	19	27	46	62	129	226	390	520	714	885	1,374	1,497	1,493	1,308	872	307	131	24
	White--M	3,234	-	1	-	-	5	3	6	12	41	68	129	184	254	327	445	508	498	429	234	76	13	1
	F	2,346	3	3	-	1	4	5	2	7	13	20	41	66	78	137	259	354	458	431	338	92	34	-
	Nonwhite--M	2,292	-	3	2	3	1	8	8	11	33	61	105	134	193	225	350	354	297	235	159	70	29	11
	F	2,180	1	1	5	5	9	11	30	32	42	77	115	136	189	196	320	281	240	213	141	69	55	12
330-334, 400-468	Diseases of cardiovascular system	9,755	4	6	5	7	17	25	37	59	119	211	373	508	698	865	1,334	1,467	1,463	1,270	841	295	128	23
	White--M	3,175	-	1	-	-	4	3	6	12	39	67	129	180	253	324	436	499	489	419	226	74	13	1
	F	2,291	3	2	-	-	4	3	1	6	13	20	40	63	74	132	255	350	453	425	326	88	33	-
	Nonwhite--M	2,202	-	2	-	3	1	8	5	9	31	55	101	133	188	219	336	344	289	222	150	66	29	11
	F	2,087	1	1	5	4	8	11	25	32	36	69	103	132	183	190	307	274	232	204	139	67	53	11
330-334	Vascular lesions, etc.*	2,766	-	4	1	-	2	2	9	14	31	41	95	140	167	221	383	439	452	379	253	87	38	8
	White--M	731	-	1	-	-	-	2	1	1	10	6	25	23	35	54	91	134	143	119	55	26	5	-
	F	676	-	1	-	-	-	-	-	-	1	7	15	25	21	32	74	98	151	117	103	23	8	-
	Nonwhite--M	646	-	1	-	-	-	-	1	1	8	8	24	38	54	64	106	113	72	75	47	20	10	4
	F	713	-	1	1	-	2	-	7	12	12	20	31	54	57	71	112	94	86	68	48	18	15	4

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSISSIPPI—Con.																							
400-402	Rheumatic fever---	8	-	1	-	-	1	2	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	6,378	3	1	4	5	14	18	22	33	76	147	254	346	503	610	894	940	908	816	524	173	72	15
	White-----M--	2,253	-	-	-	-	4	1	4	8	27	55	100	150	206	257	327	340	306	271	147	42	7	1
	F--	1,463	3	-	-	-	3	-	1	4	11	11	21	36	52	93	167	233	282	282	196	48	20	-
	Nonwhite--M--	1,422	-	1	-	2	1	7	2	6	19	39	69	89	125	147	218	203	197	139	95	40	16	7
	F--	1,240	-	-	4	3	6	10	15	15	19	42	64	71	120	113	182	164	123	124	86	43	29	7
410-416	Chronic rheumatic heart disease----	147	-	-	1	-	9	7	5	8	8	8	9	14	8	12	10	14	8	10	13	2	1	-
	White-----M--	39	-	-	-	-	3	1	-	2	2	5	2	6	3	4	5	2	2	-	1	1	-	-
	F--	40	-	-	-	-	1	-	1	1	4	3	2	1	2	2	-	8	4	5	6	-	-	-
	Nonwhite--M--	32	-	-	-	-	1	2	1	1	1	-	3	5	1	4	3	2	1	4	2	1	-	-
	F--	36	-	-	1	-	4	4	3	4	1	-	2	2	2	2	2	2	1	1	4	-	1	-
420	Arteriosclerotic heart dis., etc.*	3,572	1	-	1	-	2	5	7	13	40	79	156	215	326	380	524	549	480	430	265	68	26	5
	White-----M--	1,630	-	-	-	-	-	-	3	6	23	44	86	123	170	208	256	243	194	159	92	19	3	1
	F--	876	1	-	-	-	2	-	-	1	3	3	10	19	33	65	113	150	171	170	107	21	7	-
	Nonwhite--M--	591	-	-	-	-	-	3	-	1	9	13	28	43	65	64	91	88	77	54	34	14	5	2
	F--	475	-	-	1	-	-	2	4	5	5	19	32	30	58	43	64	68	38	47	32	14	11	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	718	-	1	-	-	-	2	2	2	2	11	20	22	29	35	90	102	120	123	89	44	21	3
	White-----M--	188	-	-	-	-	-	-	-	-	-	1	4	5	5	6	24	31	40	40	16	13	3	-
	F--	188	-	-	-	-	-	-	-	1	-	2	2	3	4	5	16	19	30	46	41	10	9	-
	Nonwhite--M--	180	-	1	-	-	-	-	1	-	-	5	9	5	12	15	28	25	31	18	16	8	4	2
	F--	162	-	-	-	-	-	2	1	1	2	3	5	9	8	9	22	27	19	19	16	13	5	1
430-434	Other diseases of heart---------	484	2	-	2	5	2	1	4	4	13	14	26	32	38	43	61	68	64	49	39	13	4	-
	White-----M--	134	-	-	-	-	1	-	1	-	2	3	4	9	12	11	17	18	22	19	13	2	-	-
	F--	74	2	-	-	-	-	-	-	1	3	1	5	3	4	8	8	12	10	9	6	2	-	-
	Nonwhite--M--	148	-	-	-	2	-	1	-	1	3	4	11	12	13	16	19	19	20	12	10	4	1	-
	F--	128	-	-	2	3	1	-	3	2	5	6	6	8	9	8	17	19	12	9	10	5	3	-
440-443	Hypertension with heart dis.--	1,457	-	-	-	-	1	3	4	6	13	35	43	63	102	140	209	207	236	204	118	46	20	7
	White-----M--	262	-	-	-	-	-	-	-	-	-	2	4	7	16	28	25	46	48	53	25	7	1	-
	F--	285	-	-	-	-	-	-	-	-	1	2	2	10	9	13	30	44	67	52	36	15	4	-
	Nonwhite--M--	471	-	-	-	-	-	1	-	3	6	17	18	24	34	48	77	69	68	51	33	13	6	3
	F--	439	-	-	-	-	1	2	4	3	6	14	19	22	43	51	77	48	53	48	24	11	9	4
444-447	Hypertension without mention of heart----------	212	-	-	-	-	-	-	4	2	9	16	10	12	10	10	18	31	32	26	20	6	6	-
	White-----M--	47	-	-	-	-	-	-	-	1	-	4	-	3	4	1	6	4	9	9	6	-	-	-
	F--	44	-	-	-	-	-	-	-	-	1	1	2	-	-	1	3	5	4	10	10	6	1	-
	Nonwhite--M--	65	-	-	-	-	-	-	2	1	4	6	5	5	4	4	5	14	11	1	2	-	1	-
	F--	56	-	-	-	-	-	-	2	-	4	5	3	4	2	4	4	8	8	6	2	-	4	-
450	General arteriosclerosis--------	220	-	-	-	-	-	-	-	1	-	-	3	3	1	5	14	35	51	34	41	20	12	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	2	2	-	-	3	8	22	11	17	4	1	-
	F--	69	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	11	11	12	17	9	4	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	10	8	6	4	2	2	-
	F--	44	-	-	-	-	-	-	-	-	-	-	1	-	1	2	6	6	10	5	3	5	5	-
451-468	Other diseases of circulatory sys.-	171	1	-	-	2	-	3	1	9	3	7	10	7	15	19	25	22	20	15	3	9	-	-
	White-----M--	73	-	-	-	-	-	-	1	2	2	2	2	2	7	12	9	13	9	9	1	2	-	-
	F--	36	-	-	-	-	-	3	-	2	-	1	1	2	1	4	8	3	5	4	-	2	-	-
	Nonwhite--M--	31	-	-	-	1	-	-	-	-	-	2	3	-	5	3	5	4	1	1	2	4	-	-
	F--	31	1	-	-	1	-	-	-	5	1	2	4	3	2	-	3	2	5	1	-	1	-	-
592-594	Chronic nephritis, etc.*----------	297	-	2	2	2	2	2	9	3	10	15	17	12	16	20	40	30	30	38	31	12	3	1
	White-----M--	59	-	-	-	-	1	-	-	-	2	1	-	4	1	3	9	9	9	10	8	2	-	-
	F--	55	-	1	-	1	-	2	1	1	-	-	1	3	4	5	4	4	5	6	12	4	1	-
	Nonwhite--M--	90	-	1	2	-	-	-	3	2	2	6	4	1	5	6	14	10	8	13	9	4	-	-
	F--	93	-	-	-	1	1	-	5	-	6	8	12	4	6	6	13	7	8	9	2	2	2	1
480-483	Influenza and pneumonia, etc.*-	803	208	47	6	13	8	6	5	7	12	8	12	23	32	24	55	62	79	80	64	29	21	2
	White-----M--	175	19	-	1	3	1	-	1	1	-	2	4	5	8	7	20	19	22	36	18	6	2	-
	F--	136	11	4	1	2	-	1	-	-	2	-	2	2	3	1	5	6	30	26	24	9	6	1
	Nonwhite--M--	244	85	23	2	7	5	3	2	2	4	3	2	9	12	9	17	20	14	5	9	6	5	-
	F--	248	93	20	2	1	2	2	2	4	6	3	4	7	9	7	13	17	13	13	13	8	8	1
480-483	Influenza---------	173	40	9	-	3	1	2	1	2	3	1	5	5	8	4	18	19	16	14	8	10	4	-
	White-----M--	27	3	-	-	1	-	-	-	-	-	-	3	1	-	-	4	2	2	6	3	1	1	-
	F--	29	2	2	-	-	-	-	-	-	1	-	-	-	1	-	2	4	7	4	1	4	1	-
	Nonwhite--M--	57	19	4	-	2	-	1	-	1	2	1	1	2	4	-	7	8	1	-	2	2	-	-
	F--	60	16	3	-	-	1	1	1	1	-	-	1	2	3	4	5	5	6	4	2	3	2	-
490-493	Pneumonia, etc.*--	630	168	38	6	10	7	4	4	5	9	7	7	18	24	20	37	43	63	66	56	19	17	2
	White-----M--	148	16	-	1	2	1	-	1	1	-	2	1	4	8	7	16	17	20	30	15	5	1	-
	F--	107	9	2	1	2	-	1	-	-	1	-	2	2	2	1	3	2	23	22	23	5	5	1
	Nonwhite--M--	187	66	19	2	5	5	2	2	1	2	2	1	7	8	9	10	12	13	5	7	4	5	-
	F--	188	77	17	2	1	1	1	1	3	6	3	3	5	6	3	8	12	7	9	11	5	6	1
500-502	Bronchitis--------	31	9	4	1	-	1	-	-	-	-	1	1	2	1	2	2	1	-	5	-	-	1	-
	White-----M--	11	-	1	1	-	1	-	-	-	-	-	-	1	1	1	2	1	-	2	-	-	-	-
	F--	7	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
	Nonwhite--M--	7	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F--	6	2	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	67	-	-	1	-	-	-	-	1	5	5	5	9	9	9	8	8	2	2	1	2	-	-
	White-----M--	43	-	-	1	-	-	-	-	-	2	3	4	5	7	4	7	5	2	-	1	2	-	-
	F--	9	-	-	-	-	-	-	-	1	-	-	-	1	-	3	1	3	-	-	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	2	1	1	3	1	2	-	-	-	2	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	17	-	-	1	1	1	-	2	1	-	-	2	2	-	3	-	1	2	-	-	-	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	9	-	-	1	1	1	-	1	-	-	-	2	1	-	-	-	1	-	-	-	-	-	1
	F--	5	-	-	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	95	11	-	-	-	1	-	1	-	5	6	2	6	8	4	13	8	14	10	3	2	1	-
	White-----M--	25	6	-	-	-	-	-	-	-	-	-	-	2	3	-	1	1	6	5	-	1	-	-
	F--	19	2	-	-	-	-	-	-	-	1	2	-	1	1	2	1	2	2	3	-	1	1	-
	Nonwhite--M--	32	1	-	-	-	1	-	-	-	1	1	1	2	4	2	7	5	4	1	2	-	-	-
	F--	19	2	-	-	-	-	-	1	-	3	3	1	1	-	-	4	-	2	1	1	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths).

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSISSIPPI—Con.																							
543,	Gastritis, etc.*--	171	118	14	2	1	1	1	-	1	1	3	5	2	-	5	6	4	2	4	-	1	-	-
571,	White-----M--	25	5	3	-	-	-	-	-	-	-	1	2	2	-	3	4	1	2	2	-	-	-	-
572	F--	9	2	1	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	2	-	-	-	-
	Nonwhite--M--	69	60	4	1	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-
	F--	68	51	6	1	1	-	1	-	1	-	2	1	-	-	1	2	1	-	-	-	-	-	-
581	Cirrhosis of liver	73	1	1	-	-	-	-	-	1	2	7	7	6	10	13	7	8	7	2	1	-	-	-
	White-----M--	29	-	1	-	-	-	-	-	-	-	4	4	2	7	4	4	2	-	-	1	-	-	-
	F--	24	-	-	-	-	-	-	-	1	-	2	3	3	2	4	1	3	4	1	-	-	-	-
	Nonwhite--M--	14	1	-	-	-	-	-	-	-	1	-	-	1	1	4	2	2	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	1	-	-	-	-
590,	Acute nephritis,	59	1	6	-	1	2	1	1	3	1	2	4	2	8	3	1	6	8	3	5	-	1	-
591	etc.*----------																							
	White-----M--	9	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	2	3	-	-	-	-	-
	F--	14	1	1	-	-	-	-	1	1	-	-	1	-	1	-	-	1	4	3	-	-	-	-
	Nonwhite--M--	18	-	1	-	-	1	-	-	1	1	2	2	1	5	-	-	2	-	-	2	-	-	-
	F--	18	-	3	-	1	1	1	-	1	-	-	1	1	1	1	1	1	1	-	3	-	1	-
610	Hyperplasia of prostate---------	77	-	-	-	-	-	-	-	-	-	-	-	4	2	9	12	10	13	15	10	1	1	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	6	10	6	1	1	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	-	-	4	1	6	10	6	7	5	4	-	-	-
640-	Complications of	75	---	---	---	-	5	14	14	14	19	7	1	-	-	-	-	-	1	-	-	-	-	-
689	pregnancy, etc.*-																							
	White-----F--	16	---	---	---	-	-	3	1	3	5	3	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--F--	59	---	---	---	-	5	11	13	11	14	4	1	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	6	---	---	---	-	-	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	---	---	---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	6	---	---	---	-	-	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-	69	---	---	---	-	5	11	13	14	18	6	1	-	-	-	-	-	1	-	-	-	-	-
649,	plications-------																							
660-	White-----F--	16	---	---	---	-	-	3	1	3	5	3	-	-	-	-	-	-	1	-	-	-	-	-
689	Nonwhite--F--	53	---	---	---	-	5	8	12	11	13	3	1	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-	257	191	30	9	3	3	2	2	3	2	2	2	2	3	1	-	1	1	-	-	-	-	-
759	formations--------																							
	White-----M--	82	67	9	1	-	-	1	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	80	55	9	3	2	-	-	1	2	2	-	2	1	1	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	56	39	7	4	1	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	39	30	5	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases	1,016	1,016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776	of early infancy-																							
	White-----M--	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	341	341	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	269	269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,	366	366	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762	etc.*----------																							
	White-----M--	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768	newborn----------																							
	White-----M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,	559	559	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
776	& immaturity un-																							
	qualified, etc.*-																							
	White-----M--	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,907	442	44	14	7	11	12	19	25	28	27	62	72	107	123	167	172	166	168	114	71	51	5
795	White-----M--	258	18	5	-	1	-	1	1	2	7	1	15	16	20	28	30	36	26	27	18	5	1	-
	F--	131	16	2	-	-	1	2	4	2	-	4	4	5	6	9	11	12	8	20	7	14	3	1
	Nonwhite--M--	806	215	22	8	2	3	4	7	8	10	8	19	28	50	56	73	71	73	64	48	21	14	2
	F--	712	193	15	6	4	7	5	7	13	11	14	24	23	31	30	53	53	59	57	41	31	33	2
Re-	All other diseases	864	71	23	10	8	17	14	11	22	32	35	53	43	62	69	94	86	92	65	39	12	6	-
sid-	White-----M--	300	15	3	4	1	5	1	3	5	8	10	17	12	25	36	41	34	41	19	15	3	2	-
ual	F--	228	16	9	1	2	2	3	2	5	3	9	9	11	13	12	23	25	33	29	18	3	-	-
	Nonwhite--M--	186	22	7	4	2	8	4	3	5	9	6	15	9	14	13	15	18	12	11	3	3	3	-
	F--	150	18	4	1	3	2	6	3	7	12	10	12	11	10	8	15	9	6	6	3	3	1	-
E800-	Accidents---------	1,368	90	105	58	69	109	114	99	71	59	74	83	63	63	43	45	51	55	51	40	20	4	2
E962	White-----M--	535	18	20	16	33	46	59	57	31	32	35	30	23	31	20	16	19	20	16	6	7	-	-
	F--	209	7	13	8	8	14	8	11	6	6	8	10	16	6	7	8	12	14	18	21	8	-	-
	Nonwhite--M--	406	35	32	21	24	37	32	28	26	14	23	30	20	18	10	16	12	8	7	6	3	2	2
	F--	218	30	40	13	4	12	15	3	8	7	8	13	4	8	6	5	8	13	10	7	2	2	-
E810-	Motor-vehicle	550	4	24	18	23	56	64	58	46	26	33	37	35	35	18	21	19	17	8	7	-	-	1
E835	accidents--------																							
	White-----M--	259	2	12	5	12	26	32	32	22	14	13	16	12	18	10	6	11	9	4	3	-	-	-
	F--	90	1	2	3	7	12	7	8	4	2	5	3	10	5	4	6	5	2	1	3	-	-	-
	Nonwhite--M--	147	1	5	8	4	14	16	15	15	7	11	13	12	8	2	8	2	3	2	-	-	-	1
	F--	54	-	5	2	-	4	9	3	5	3	4	5	1	4	2	1	1	3	1	1	-	-	-
E800-	All ot. accidents-	818	86	81	40	46	53	50	41	25	33	41	46	28	28	25	24	32	38	43	33	20	4	1
E802,	White-----M--	276	16	8	11	21	20	27	25	9	18	22	14	11	13	10	10	8	11	12	3	7	-	-
E840-	F--	119	6	11	5	1	2	1	3	2	4	3	7	6	1	3	2	7	12	17	18	8	-	-
E962	Nonwhite--M--	259	34	27	13	20	23	16	13	11	7	12	17	8	10	8	8	10	5	5	6	3	2	1
	F--	164	30	35	11	4	8	6	-	3	4	4	8	3	4	4	4	7	10	9	6	2	2	-
E963,	Suicide----------	154	-	-	-	-	-	10	5	11	6	14	19	23	19	14	15	6	10	2	-	-	-	-
E970-	White-----M--	106	-	-	-	-	-	4	3	5	5	10	13	16	16	10	10	4	8	2	-	-	-	-
E979	F--	31	-	-	-	-	-	3	1	6	1	3	3	3	3	3	3	1	1	-	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	3	-	-	-	1	3	4	-	1	2	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	186	1	1	1	2	7	26	15	39	23	22	13	13	6	5	8	1	2	-	1	-	-	-
E980-	White-----M--	34	-	-	-	1	1	3	-	9	3	6	4	2	1	1	2	-	1	-	-	-	-	-
E985	F--	14	-	-	-	-	-	-	1	3	4	1	1	1	-	-	2	-	1	-	-	-	-	-
	Nonwhite--M--	112	-	1	1	-	3	16	11	20	16	14	7	9	5	4	3	1	-	-	1	-	-	-
	F--	26	1	-	-	1	3	7	3	7	-	1	1	1	-	-	1	-	-	-	-	-	-	-
E965,	Operations of	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	war, etc.*-------																							
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSOURI																							
	ALL CAUSES------	47,386	2,433	398	187	168	327	300	315	471	614	990	1,556	2,176	3,049	4,134	5,358	6,418	6,536	5,905	4,007	1,573	449	22
	White-----M--	24,172	1,079	180	95	99	214	198	157	233	292	528	824	1,193	1,707	2,340	2,992	3,430	3,260	2,847	1,720	617	153	14
	F--	18,535	833	137	72	55	75	64	90	152	191	263	447	615	868	1,270	1,806	2,468	2,944	2,867	2,152	903	260	3
	Nonwhite--M--	2,512	284	43	10	7	23	25	40	45	74	98	151	182	265	297	316	278	183	93	65	19	12	2
	F--	2,167	237	38	10	7	15	13	28	41	57	101	134	186	209	227	244	242	149	98	70	34	24	3
001-019	Tuberculosis, all forms--------	394	1	2	1	-	2	1	9	15	15	26	34	34	38	40	53	53	29	24	9	7	1	-
	White-----M--	248	-	1	1	-	1	1	3	5	5	14	22	21	31	23	37	38	19	14	7	5	-	-
	F--	78	-	-	-	-	1	-	3	4	4	5	6	6	4	7	9	8	7	9	2	2	1	-
	Nonwhite--M--	44	-	1	-	-	-	-	1	4	2	2	4	4	3	8	7	5	2	1	-	-	-	-
	F--	24	1	-	-	-	-	-	2	2	4	5	2	3	-	2	-	2	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	370	1	2	-	-	2	-	9	14	12	23	33	32	36	37	50	51	29	22	9	7	1	-
	White-----M--	236	-	1	-	-	1	-	3	5	5	13	21	20	29	22	36	36	19	13	7	5	-	-
	F--	73	-	-	-	-	1	-	3	4	3	3	6	5	4	7	9	8	7	8	2	2	1	-
	Nonwhite--M--	39	-	1	-	-	-	-	1	3	2	2	4	4	3	6	5	5	2	1	-	-	-	-
	F--	22	1	-	-	-	-	-	2	2	2	5	2	3	-	2	-	2	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	24	-	-	1	-	-	1	-	1	3	3	1	2	2	3	3	2	-	2	-	-	-	-
	White-----M--	12	-	-	1	-	-	1	-	-	-	1	1	1	2	1	1	2	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	122	-	-	-	-	-	-	-	-	1	2	8	15	22	16	12	24	10	9	2	1	-	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	-	3	6	11	8	8	14	5	7	-	1	-	-
	F--	22	-	-	-	-	-	-	-	-	1	-	1	3	3	3	1	5	4	1	-	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	1	3	3	5	3	2	3	1	1	1	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	1	1	3	3	2	1	2	-	-	1	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	10	2	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	2	2	-	-	-
	White-----M--	5	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	14	1	1	2	1	1	-	-	-	-	-	-	-	-	2	-	3	1	-	-	2	-	-
	White-----M--	8	1	-	2	-	1	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	13	2	4	2	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-
	White-----M--	5	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F--	5	1	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	8	-	1	1	-	1	1	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	4	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	8	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	127	20	6	6	6	2	-	5	2	3	4	6	6	8	12	14	7	7	8	2	2	1	-
	White-----M--	60	10	1	4	4	1	-	2	1	-	1	2	1	8	6	7	4	4	4	-	-	-	-
	F--	49	8	3	2	2	1	-	2	1	1	2	4	1	-	3	7	3	-	4	2	2	1	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	3	-	-	-	-	-
	F--	9	1	2	-	-	-	-	1	-	2	-	-	2	-	1	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSOURI—Con.																							
140-205	Malignant neoplasms, etc.*----	7,203	14	45	31	24	13	16	37	80	133	200	363	523	707	906	1,033	1,074	920	643	336	89	15	1
	White-----M--	3,422	6	26	12	10	10	11	16	28	55	72	118	228	329	447	517	544	478	320	147	39	9	-
	F--	3,208	7	15	16	11	3	5	17	45	56	96	199	246	290	371	425	457	409	309	178	49	4	-
	Nonwhite--M--	313	1	2	2	1	-	-	2	1	11	8	22	23	45	54	64	43	22	6	6	-	-	-
	F--	260	-	2	1	2	-	-	2	6	11	24	24	26	43	34	27	30	11	8	5	1	2	1
140-148	Of buccal cavity and pharynx------	179	-	1	-	-	-	-	-	1	4	2	12	16	15	21	30	21	27	16	8	5	-	-
	White-----M--	142	-	1	-	-	-	-	-	-	2	1	8	14	14	17	22	15	26	14	6	2	-	-
	F--	23	-	-	-	-	-	-	-	1	1	-	3	2	1	-	4	4	1	2	1	3	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	1	1	-	-	-	4	3	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	2,462	2	1	-	2	-	1	4	12	21	37	79	138	194	290	380	437	386	278	158	37	4	1
	White-----M--	1,193	-	-	-	1	-	1	2	5	10	18	31	62	98	150	199	213	188	129	68	17	1	-
	F--	1,087	1	1	-	1	-	-	1	6	7	16	39	54	71	110	149	196	184	144	86	19	2	-
	Nonwhite--M--	118	1	-	-	-	-	-	1	1	2	1	7	14	15	20	24	17	10	3	2	-	-	-
	F--	64	-	-	-	-	-	-	-	-	2	2	2	8	10	10	8	11	4	2	2	1	1	1
160-164	Of respiratory system (not secondary)-------	976	-	1	-	1	1	-	1	1	14	30	51	94	143	171	156	156	82	53	13	5	3	-
	White-----M--	740	-	-	-	1	1	-	-	1	10	20	36	78	112	137	118	117	63	32	9	2	3	-
	F--	149	-	1	-	-	-	-	-	-	2	7	8	9	13	17	21	28	16	20	4	3	-	-
	Nonwhite--M--	74	-	-	-	-	-	-	1	-	2	2	7	6	15	15	14	9	3	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	-	1	3	2	3	2	-	1	-	-	-	-
170	Of breast---------	630	-	-	-	-	-	-	5	14	15	28	63	62	75	78	77	78	58	44	25	7	1	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	1	-	-	-	-
	F--	575	-	-	-	-	-	-	3	12	12	24	54	57	68	69	75	73	54	42	25	7	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F--	44	-	-	-	-	-	-	2	2	3	4	9	4	6	7	1	3	1	1	-	-	1	-
171-179	Of genital organs-	1,176	-	1	-	-	-	1	9	16	26	45	72	94	97	141	155	184	166	109	47	12	1	-
	White-----M--	392	-	-	-	-	-	1	5	2	4	4	1	4	6	30	47	87	89	74	31	7	-	-
	F--	653	-	1	-	-	-	-	4	12	17	27	62	76	74	94	87	79	72	30	12	5	1	-
	Nonwhite--M--	43	-	-	-	-	-	-	-	-	-	-	1	1	2	7	10	12	4	3	3	-	-	-
	F--	88	-	-	-	-	-	-	-	2	5	14	8	13	15	10	11	6	1	2	1	-	-	-
180, 181	Of urinary organs-	358	1	2	-	2	-	-	-	2	2	5	13	21	33	47	57	53	49	34	29	5	3	-
	White-----M--	223	-	2	-	1	-	-	-	2	1	4	8	16	21	31	39	33	27	18	13	4	3	-
	F--	113	1	-	-	-	-	-	-	-	1	1	3	4	7	15	13	17	18	16	16	1	-	-
	Nonwhite--M--	16	-	-	-	1	-	-	-	-	-	-	2	1	3	1	5	1	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	776	5	18	15	9	7	5	8	13	27	26	46	49	78	83	103	82	79	75	32	13	3	-
	White-----M--	387	3	10	5	3	6	5	2	6	14	9	20	31	39	42	49	45	45	38	10	3	2	-
	F--	340	2	6	8	4	1	-	6	7	10	13	21	18	29	35	48	34	30	36	21	10	1	-
	Nonwhite--M--	25	-	1	1	-	-	-	-	-	3	3	3	-	6	2	4	-	2	-	-	-	-	-
	F--	24	-	1	1	2	-	-	-	-	-	1	2	-	4	4	2	3	2	1	1	-	-	-
204	Leukemia and aleukemia--------	331	4	19	12	8	2	4	5	9	11	15	14	16	26	31	41	30	43	19	19	3	-	-
	White-----M--	168	2	11	5	3	1	1	3	5	7	8	7	8	13	16	24	15	22	7	8	2	-	-
	F--	142	2	6	7	5	1	3	2	3	3	4	6	7	9	13	15	12	21	12	10	1	-	-
	Nonwhite--M--	13	-	1	-	-	-	-	-	-	1	1	1	1	2	2	1	2	-	-	1	-	-	-
	F--	8	-	1	-	-	-	-	-	1	-	2	-	-	2	-	1	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	315	2	2	4	2	3	5	5	12	13	12	13	33	46	44	34	33	30	15	5	2	-	-
	White-----M--	169	1	2	2	1	2	3	4	7	7	8	7	14	25	23	19	17	16	7	2	2	-	-
	F--	126	1	-	1	1	1	2	1	4	3	4	3	19	18	18	13	14	13	7	3	-	-	-
	Nonwhite--M--	10	-	-	1	-	-	-	-	-	2	-	1	-	2	2	2	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	1	-	2	-	1	1	-	2	1	1	-	-	-	-
210-239	Benign and unspecified neoplasms--	104	4	3	3	2	-	2	-	4	5	4	15	10	5	12	7	10	2	5	8	3	-	-
	White-----M--	37	2	1	1	1	-	2	-	1	2	-	3	4	2	3	5	3	1	1	4	1	-	-
	F--	45	1	1	1	1	-	-	-	3	3	4	4	5	2	5	1	4	1	3	4	2	-	-
	Nonwhite--M--	6	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-
	F--	16	-	1	-	-	-	-	-	-	-	-	7	1	1	4	-	1	-	1	-	-	-	-
260	Diabetes mellitus-	762	-	-	-	-	2	3	5	9	13	16	23	39	57	67	136	148	113	91	35	5	-	-
	White-----M--	273	-	-	-	-	-	2	3	5	6	8	7	12	16	25	46	52	41	30	16	4	-	-
	F--	417	-	-	-	-	1	1	2	3	5	6	6	17	32	35	78	89	67	55	19	1	-	-
	Nonwhite--M--	27	-	-	-	-	1	-	-	1	1	1	3	3	3	1	5	2	3	3	-	-	-	-
	F--	45	-	-	-	-	-	-	-	-	1	1	7	7	6	6	7	5	2	3	-	-	-	-
290-293	Anemias----------	112	-	4	2	1	2	1	1	1	2	2	2	1	3	10	10	20	14	21	12	2	1	-
	White-----M--	38	-	1	-	-	1	-	1	-	-	1	-	1	-	-	3	10	5	9	4	2	-	-
	F--	62	-	2	-	1	-	-	-	1	2	-	2	-	3	8	6	8	9	12	7	-	1	-
	Nonwhite--M--	5	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	F--	7	-	1	2	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
340	Nonmeningococcal meningitis*------	46	20	12	1	1	-	1	-	1	-	-	2	3	2	2	-	1	-	-	-	-	-	-
	White-----M--	18	8	7	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	14	7	4	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	F--	8	3	1	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	26,795	15	4	10	11	26	29	52	112	144	371	609	992	1,529	2,297	3,201	4,122	4,561	4,251	2,938	1,184	325	12
	White-----M--	13,641	8	2	3	5	9	9	22	52	69	215	370	578	893	1,334	1,822	2,199	2,226	2,005	1,249	456	107	8
	F--	10,897	2	-	4	4	10	12	20	35	39	76	118	229	370	656	1,046	1,598	2,096	2,109	1,591	687	193	2
	Nonwhite--M--	1,095	4	1	2	1	2	6	6	15	17	40	55	81	140	162	161	154	117	65	45	13	7	1
	F--	1,162	1	1	1	1	5	2	4	10	19	40	66	104	126	145	172	171	122	72	53	28	18	1
330-334, 400-468	Diseases of cardiovascular system-	26,220	15	4	6	7	19	23	45	98	135	349	591	975	1,496	2,246	3,136	4,057	4,475	4,175	2,870	1,164	322	12
	White-----M--	13,380	8	2	3	3	4	7	18	44	67	208	358	570	882	1,314	1,789	2,168	2,190	1,971	1,216	445	105	8
	F--	10,666	2	-	1	2	8	10	17	32	34	68	116	222	358	638	1,019	1,577	2,058	2,070	1,559	680	193	2
	Nonwhite--M--	1,049	4	1	2	1	2	5	6	14	17	34	53	80	134	154	159	147	110	62	45	12	6	1
	F--	1,125	1	1	-	1	5	1	4	8	17	39	64	103	122	140	169	165	117	72	50	27	18	1
330-334	Vascular lesions, etc.*----------	6,144	4	3	5	1	4	4	14	22	16	59	98	172	243	420	703	994	1,174	1,133	753	248	73	1
	White-----M--	2,743	3	2	2	1	1	1	7	9	5	17	38	70	92	182	326	494	552	502	318	101	20	-
	F--	2,804	1	-	1	-	2	1	4	8	8	20	26	61	86	160	268	412	553	585	420	141	47	-
	Nonwhite--M--	241	-	1	2	-	1	2	1	4	2	6	10	14	30	31	40	33	35	19	7	2	-	1
	F--	356	-	-	-	-	-	-	2	1	1	16	24	27	35	47	69	55	34	27	8	4	6	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSOURI—Con.																							
400-402	Rheumatic fever---	35	1	-	-	3	3	2	2	1	2	1	1	6	1	2	2	1	1	5	1	-	-	-
	White-----M--	10	1	-	-	1	-	-	-	1	1	-	-	3	-	-	-	-	-	2	1	-	-	-
	F--	16	-	-	-	-	1	1	2	-	-	-	1	2	-	2	2	1	1	3	-	-	-	-
	Nonwhite--M--	3	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	1	2	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	18,255	7	1	1	3	8	13	26	66	107	267	467	754	1,179	1,719	2,296	2,856	3,012	2,717	1,822	727	196	11
	White-----M--	9,824	4	-	1	1	3	4	11	34	60	180	312	475	766	1,064	1,392	1,570	1,482	1,329	790	270	68	8
	F--	7,032	1	-	-	2	3	6	8	19	23	44	85	150	246	450	704	1,080	1,392	1,310	960	432	115	2
	Nonwhite--M--	715	1	-	-	-	1	2	5	8	10	25	36	63	93	116	107	101	65	39	33	6	4	-
	F--	684	1	1	-	-	1	1	2	5	14	18	34	66	74	89	93	105	73	39	39	19	9	1
410-416	Chronic rheumatic heart disease----	588	-	-	-	1	5	9	7	22	20	40	49	54	73	71	62	66	39	40	24	4	2	-
	White-----M--	249	-	-	-	-	2	2	2	6	7	20	20	29	38	26	28	29	13	15	11	-	1	-
	F--	289	-	-	-	1	2	5	3	15	11	17	24	21	31	39	27	35	22	21	11	3	1	-
	Nonwhite--M--	21	-	-	-	-	-	1	1	-	-	2	2	1	3	4	3	-	1	2	1	-	-	-
	F--	29	-	-	-	-	1	1	1	1	2	1	3	3	1	2	4	2	3	2	1	1	-	-
420	Arteriosclerotic heart dis., etc.*	12,457	2	-	1	1	2	1	8	32	66	178	336	539	846	1,263	1,704	2,009	2,095	1,738	1,115	401	109	11
	White-----M--	7,378	2	-	1	-	1	1	5	24	48	140	261	386	624	874	1,112	1,186	1,106	878	518	162	41	8
	F--	4,431	-	-	-	1	1	-	3	2	10	16	38	91	146	303	506	716	922	821	562	231	60	2
	Nonwhite--M--	357	-	-	-	-	-	-	-	3	3	13	24	34	47	48	52	54	33	22	17	3	4	-
	F--	291	-	-	-	-	-	-	-	3	5	9	13	28	29	38	34	53	34	17	18	5	4	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,303	2	1	-	-	-	2	1	2	4	14	17	35	80	127	177	311	390	491	385	204	60	-
	White-----M--	1,059	1	-	-	-	-	-	-	1	2	7	11	19	38	69	98	160	165	240	156	74	18	-
	F--	1,090	1	-	-	-	-	1	-	1	-	4	2	11	31	31	55	131	200	243	217	122	40	-
	Nonwhite--M--	81	-	-	-	-	-	1	1	-	1	2	2	3	8	16	11	15	9	5	5	2	-	-
	F--	73	-	1	-	-	-	-	-	-	1	1	2	2	3	11	13	5	16	3	7	6	2	-
430-434	Other diseases of heart---------	653	3	-	-	1	1	1	6	4	7	17	27	35	64	64	77	86	93	74	64	24	5	-
	White-----M--	317	1	-	-	1	-	1	3	1	2	6	10	13	32	34	44	43	46	42	26	10	2	-
	F--	214	-	-	-	-	-	-	2	-	2	4	8	8	7	11	18	35	41	28	34	13	3	-
	Nonwhite--M--	76	1	-	-	-	1	-	1	3	2	5	5	8	16	13	8	5	5	2	1	-	-	-
	F--	46	1	-	-	-	-	-	-	-	1	2	4	6	9	6	7	3	1	2	3	1	-	-
440-443	Hypertension with heart dis.--	2,254	-	-	-	-	-	-	4	6	10	18	38	91	116	194	276	384	395	374	234	94	20	-
	White-----M--	821	-	-	-	-	-	-	1	2	1	7	10	28	34	61	110	152	152	154	79	24	6	-
	F--	1,008	-	-	-	-	-	-	-	1	-	3	13	19	31	66	98	163	207	197	136	63	11	-
	Nonwhite--M--	180	-	-	-	-	-	-	2	2	4	3	3	17	19	35	33	27	17	8	9	1	-	-
	F--	245	-	-	-	-	-	-	1	1	5	5	12	27	32	32	35	42	19	15	10	6	3	-
444-447	Hypertension without mention of heart----------	334	-	-	-	-	1	-	-	2	5	7	11	14	20	23	30	45	56	50	40	20	10	-
	White-----M--	130	-	-	-	-	-	-	-	-	1	2	2	4	4	15	15	24	21	19	12	8	3	-
	F--	142	-	-	-	-	1	-	-	-	-	2	1	4	8	6	9	20	25	28	26	7	5	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	1	3	1	5	1	5	1	4	-	3	1	2	3	1	-
	F--	31	-	-	-	-	-	-	-	1	1	2	3	5	3	1	2	1	7	2	-	2	1	-
450	General arteriosclerosis--------	1,071	-	-	-	-	-	-	-	-	-	1	4	9	15	30	50	115	191	230	226	161	39	-
	White-----M--	468	-	-	-	-	-	-	-	-	-	1	-	5	2	17	23	51	111	97	86	63	12	-
	F--	537	-	-	-	-	-	-	-	-	-	-	2	2	3	9	21	47	74	126	134	95	24	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	1	4	2	3	13	4	3	3	1	1	-
	F--	31	-	-	-	-	-	-	-	-	-	-	2	1	6	2	3	4	2	4	3	2	2	-
451-468	Other diseases of circulatory sys.-	381	3	-	-	-	3	4	3	7	5	14	10	20	38	52	55	46	41	40	28	8	4	-
	White-----M--	205	-	-	-	-	-	2	-	-	-	8	6	13	18	36	33	29	24	22	9	3	2	-
	F--	135	-	-	-	-	1	2	3	5	3	2	1	3	15	11	15	17	13	18	19	5	2	-
	Nonwhite--M--	24	3	-	-	-	-	-	-	1	1	2	2	1	2	4	5	-	3	-	-	-	-	-
	F--	17	-	-	-	-	2	-	-	1	1	2	1	3	3	1	2	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	575	-	-	4	4	7	6	7	14	9	22	18	17	33	51	65	65	86	76	68	20	3	-
	White-----M--	261	-	-	-	2	5	2	4	8	2	7	12	8	11	20	33	31	36	34	33	11	2	-
	F--	231	-	-	3	2	2	2	3	3	5	8	2	7	12	18	27	21	33	39	32	7	-	-
	Nonwhite--M--	46	-	-	-	-	-	1	-	1	-	6	2	1	6	8	2	7	7	3	-	1	1	-
	F--	37	-	-	1	-	-	1	-	2	2	1	2	1	4	5	3	6	5	-	3	1	-	-
480-493	Influenza and pneumonia, etc.*-	1,813	191	59	21	12	11	20	12	20	20	27	55	75	87	101	163	187	201	209	209	97	35	1
	White-----M--	870	79	27	10	3	2	10	5	5	6	14	25	37	36	58	101	97	94	100	98	51	12	-
	F--	670	60	19	8	9	9	9	4	8	7	5	13	14	17	21	36	64	98	102	103	43	21	-
	Nonwhite--M--	156	19	9	1	-	-	1	1	3	5	3	10	14	27	15	16	16	6	4	3	1	2	-
	F--	117	33	4	2	-	-	-	2	4	2	5	7	10	7	7	10	10	3	3	5	2	-	1
480-483	Influenza---------	260	14	6	6	2	3	10	4	4	2	3	6	15	9	17	24	29	30	30	25	18	3	-
	White-----M--	128	6	3	2	-	-	5	2	2	1	2	-	11	4	8	15	16	10	13	16	10	2	-
	F--	112	6	1	3	2	3	5	1	1	1	1	4	3	2	8	7	11	19	17	9	7	1	-
	Nonwhite--M--	7	-	2	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-
	F--	13	2	-	1	-	-	-	1	1	-	-	1	1	2	-	2	1	-	-	-	1	-	-
490-493	Pneumonia, etc.*--	1,553	177	53	15	10	8	10	8	16	18	24	49	60	78	84	139	158	171	179	184	79	32	1
	White-----M--	742	73	24	8	3	2	5	3	3	5	12	25	26	32	50	86	81	84	87	82	41	10	-
	F--	558	54	18	5	7	6	4	3	7	6	4	9	11	15	13	29	53	79	85	94	36	20	-
	Nonwhite--M--	149	19	7	1	-	-	1	1	3	5	3	9	14	26	14	16	15	5	4	3	1	2	-
	F--	104	31	4	1	-	-	-	1	3	2	5	6	9	5	7	8	9	3	3	5	1	-	1
500-502	Bronchitis--------	127	14	6	2	1	-	1	1	-	1	2	7	6	1	20	12	11	14	14	9	2	3	-
	White-----M--	72	6	3	1	1	-	-	1	-	-	2	4	2	1	14	10	8	8	6	4	-	1	-
	F--	39	4	3	1	-	-	-	-	-	1	-	1	2	-	3	1	3	5	7	5	2	1	-
	Nonwhite--M--	8	3	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-
	F--	8	1	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	1	1	-	-	1	-
540, 541	Ulcer of stomach and duodenum-----	295	1	-	-	-	1	1	4	2	8	7	19	24	18	38	39	48	34	32	14	4	1	-
	White-----M--	207	-	-	-	-	-	1	3	1	6	3	10	16	15	32	27	34	24	24	8	3	-	-
	F--	65	1	-	-	-	1	-	-	1	1	1	5	6	2	2	10	10	9	8	6	1	1	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	1	3	3	1	1	3	1	2	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-
550-553	Appendicitis------	58	-	1	-	1	-	-	-	-	1	4	5	2	6	6	6	11	4	8	3	-	-	-
	White-----M--	25	-	1	-	-	-	-	-	-	1	1	3	1	2	3	3	7	1	2	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	4	3	6	3	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-
	F--	6	-	-	-	1	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	251	23	2	1	1	2	-	-	3	3	2	9	14	13	20	28	31	44	30	16	7	1	1
	White-----M--	120	10	2	-	1	2	-	-	2	1	1	3	6	9	10	11	15	25	14	6	1	1	-
	F--	113	10	-	1	-	-	-	-	-	1	-	5	7	1	9	13	15	19	16	10	6	-	-
	Nonwhite--M--	11	2	-	-	-	-	-	-	-	-	1	-	1	2	-	3	1	-	-	-	-	-	1
	F--	7	1	-	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MISSOURI—Con.																							
543,	Gastritis, etc.*--	166	43	5	2	-	2	-	1	1	4	4	3	7	10	11	8	23	14	12	10	5	1	-
571,	White-----M--	67	11	3	1	-	2	-	-	-	1	3	2	2	5	6	2	11	7	4	3	3	1	-
572	F--	68	16	1	-	-	-	-	-	1	3	-	-	4	3	3	5	9	6	8	7	2	-	-
	Nonwhite--M--	17	8	-	1	-	-	-	1	-	-	-	1	1	2	1	-	2	-	-	-	-	-	-
	F--	14	8	1	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-
581	Cirrhosis of liver	510	1	-	-	-	-	2	3	10	26	45	55	62	68	69	71	43	23	21	8	2	1	-
	White-----M--	325	1	-	-	-	-	1	1	6	11	26	40	39	48	45	45	29	10	17	5	1	-	-
	F--	117	-	-	-	-	-	-	1	2	6	10	10	9	14	18	17	11	11	4	3	1	-	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	-	4	4	4	7	3	3	8	2	2	-	-	-	-	-
	F--	31	-	-	-	-	-	1	1	2	5	5	1	7	3	3	1	1	-	-	-	-	1	-
590,	Acute nephritis,																							
591	etc.*----------	67	1	2	2	2	2	-	-	1	2	1	1	2	4	6	6	5	11	6	8	3	2	-
	White-----M--	29	-	-	2	2	-	-	-	1	-	-	-	1	3	3	3	4	5	2	3	-	-	-
	F--	29	1	1	-	-	1	-	-	-	1	1	1	-	1	2	1	-	6	4	5	2	2	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-
	F--	5	-	1	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	183	-	-	-	-	-	-	-	-	-	-	-	-	9	12	17	30	39	41	27	4	4	-
	White-----M--	156	-	-	-	-	-	-	-	-	-	-	-	-	7	9	16	20	35	39	23	4	3	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	10	4	2	4	-	1	-
640-	Complications of																							
689	pregnancy, etc.*-	30	...	...	...	-	3	5	3	11	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	...	...	...	-	2	3	2	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	-	1	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	28	...	...	...	-	3	5	3	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	20	...	...	...	-	2	3	2	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	8	...	...	...	-	1	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	490	370	48	12	4	7	2	2	2	5	6	5	7	5	2	3	6	2	1	-	-	-	1
	White-----M--	246	190	22	3	3	4	1	-	1	2	4	3	3	3	1	1	4	-	-	-	-	-	1
	F--	199	146	19	9	1	2	-	2	1	3	2	2	4	1	1	2	2	1	1	-	-	-	-
	Nonwhite--M--	30	25	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	15	9	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	1,456	1,456	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	648	648	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	491	491	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	175	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	627	627	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	319	319	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	213	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	723	723	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	280	280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	247	247	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	544	20	11	1	1	4	-	2	5	7	11	27	33	47	61	49	50	57	62	44	33	18	1
795	White-----M--	295	7	4	-	-	1	-	1	4	5	5	20	23	29	43	32	27	29	34	16	8	7	-
	F--	174	3	3	1	1	1	-	1	-	-	3	3	6	8	12	11	16	20	24	28	22	10	1
	Nonwhite--M--	50	9	3	-	-	-	-	-	-	2	2	4	2	8	4	4	2	6	2	-	2	-	-
	F--	25	1	1	-	-	2	-	-	1	-	1	-	2	2	2	2	5	2	2	-	1	1	-
Re-	All other diseases	2,140	139	57	13	18	28	21	28	32	41	75	91	109	185	214	263	265	209	176	124	39	13	-
sid-	White-----M--	1,123	54	19	8	8	18	8	8	11	14	35	42	54	99	122	155	163	121	101	59	18	6	-
ual	F--	752	43	21	5	9	4	13	15	12	17	24	33	28	68	58	77	87	81	70	60	21	6	-
	Nonwhite--M--	160	19	6	-	-	4	-	3	2	7	9	11	17	8	23	22	14	7	3	4	-	1	-
	F--	105	23	11	-	1	2	-	2	7	3	7	5	10	10	11	9	1	-	2	1	-	-	-
E800-	Accidents---------	2,844	89	121	69	78	199	165	112	112	131	118	143	155	148	135	165	199	191	224	180	79	27	4
E962	White-----M--	1,707	34	56	43	59	153	135	73	83	87	89	105	115	107	92	94	106	89	102	58	17	6	4
	F--	856	28	41	21	14	36	19	16	20	27	17	20	21	30	35	50	69	88	110	116	59	19	-
	Nonwhite--M--	176	14	15	2	4	9	8	14	9	12	8	11	14	6	6	11	14	9	6	2	1	1	-
	F--	105	13	9	3	1	1	3	9	-	5	4	7	5	5	2	10	10	5	6	4	2	1	-
E810-	Motor-vehicle																							
E835	accidents--------	1,060	7	35	24	28	136	117	71	68	65	59	59	67	72	58	64	59	31	27	8	3	2	-
	White-----M--	772	3	18	15	20	105	99	48	56	47	41	44	54	54	42	44	36	21	19	4	2	-	-
	F--	211	2	14	8	7	28	11	11	8	11	11	10	10	16	14	15	17	7	6	4	-	1	-
	Nonwhite--M--	59	1	1	1	1	3	5	6	4	7	5	5	3	2	1	3	5	3	1	-	1	1	-
	F--	18	1	2	-	-	-	2	6	-	-	2	-	-	-	1	2	1	-	1	-	-	-	-
E800-	All ot. accidents-	1,784	82	86	45	50	63	48	41	44	66	59	84	88	76	77	101	140	160	197	172	76	25	4
E802,	White-----M--	935	31	38	28	39	48	36	25	27	40	48	61	61	53	50	50	70	68	83	54	15	6	4
E840-	F--	645	26	27	13	7	8	8	5	12	16	6	10	11	14	21	35	52	81	104	112	59	18	-
E962	Nonwhite--M--	117	13	14	1	3	6	3	8	5	5	3	6	11	4	5	8	9	6	5	2	-	-	-
	F--	87	12	7	3	1	1	1	3	-	5	2	7	5	5	1	8	9	5	5	4	2	1	-
E963,	Suicide----------	469	-	-	-	1	5	11	16	26	25	34	44	40	62	58	49	40	33	14	8	3	-	-
E970-	White-----M--	377	-	-	-	1	4	9	10	19	17	27	34	36	45	47	40	36	30	12	7	3	-	-
E979	F--	75	-	-	-	-	-	1	3	5	5	6	8	3	15	10	9	4	3	2	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	1	1	2	1	2	1	2	1	1	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	221	4	1	2	3	13	18	21	21	18	25	29	14	14	14	12	7	2	1	1	-	-	1
E980-	White-----M--	76	2	-	1	-	4	6	8	8	3	7	7	5	7	6	6	2	2	-	1	-	-	1
E985	F--	31	1	-	1	2	2	1	1	1	5	2	3	3	2	5	-	1	-	1	-	-	-	-
	Nonwhite--M--	95	1	1	-	1	5	9	10	9	9	13	14	6	5	3	6	3	-	-	-	-	-	-
	F--	19	-	-	-	-	2	2	2	3	1	3	5	-	-	-	-	1	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
E999	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MONTANA																							
	ALL CAUSES------	6,475	456	89	41	37	76	54	67	91	114	178	208	308	405	511	748	950	824	648	442	166	49	13
	White-----M--	3,951	241	47	22	17	51	34	45	57	80	128	135	211	256	331	490	598	502	362	234	71	28	11
	F--	2,245	151	27	11	15	16	15	13	22	30	42	64	82	131	171	236	330	299	278	199	93	18	2
	Nonwhite--M--	160	34	9	8	4	4	4	6	7	4	3	3	12	8	4	13	8	15	7	4	2	1	-
	F--	119	30	6	-	1	5	1	3	5	-	5	6	3	10	5	9	14	8	1	5	-	2	-
001-019	Tuberculosis, all forms--------	66	1	1	-	-	-	-	-	1	-	3	-	8	6	6	12	12	9	4	2	-	-	1
	White-----M--	47	-	-	-	-	-	-	-	-	-	2	-	7	4	6	9	11	5	2	-	-	-	1
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-
	F--	9	1	1	-	-	-	-	-	1	-	1	-	-	-	-	2	-	2	-	1	-	-	-
001-008	Tuberculosis of respiratory system----------	58	1	-	-	-	-	-	-	1	-	3	-	6	6	6	9	11	8	4	2	-	-	1
	White-----M--	42	-	-	-	-	-	-	-	-	-	2	-	5	4	6	7	11	4	2	-	-	-	1
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-
	F--	8	1	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	2	-	1	-	-	-
010-019	Tuberculosis, other forms------	8	-	1	-	-	-	-	-	-	-	-	-	2	-	-	3	1	1	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	16	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	5	2	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	1	1	-	-	-		-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	20	4	1	-	-	-	-	-	1	2	-	2	2	-	4	3	-	1	-	-	-	-	-
	White-----M--	10	3	-	-	-	-	-	-	-	2	-	2	1	-	2	-	-	-	-	-	-	-	-
	F--	10	1	1	-	-	-	-	-	1	-	-	-	1	-	2	3	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MONTANA—Con.																							
140-205	Malignant neoplasms, etc.*----	864	-	6	4	1	4	3	8	6	14	30	43	55	89	93	122	166	113	68	33	4	1	1
	White-----M--	499	-	3	1	-	3	2	5	3	6	16	18	30	54	51	82	97	71	38	16	3	-	-
	F--	343	-	3	2	1	1	1	3	3	8	13	24	20	32	40	37	66	40	29	17	1	1	1
	Nonwhite--M--	12	-	-	1	-	-	-	-	-	-	-	-	5	-	-	3	1	2	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	1	1	-	3	2	-	2	-	1	-	-	-	-
140-148	Of buccal cavity and pharynx------	12	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	6	2	-	1	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	2	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	315	-	-	-	-	-	-	-	1	5	7	8	21	25	30	46	72	51	28	18	1	1	1
	White-----M--	182	-	-	-	-	-	-	-	-	2	4	5	11	15	20	31	37	32	17	7	1	-	-
	F--	122	-	-	-	-	-	-	-	1	3	3	3	7	9	9	14	32	17	11	11	-	1	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	121	-	-	-	-	-	-	1	-	2	5	6	11	26	19	18	13	13	4	3	-	-	-
	White-----M--	109	-	-	-	-	-	-	1	-	1	4	5	10	22	18	17	12	13	4	2	-	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	1	-	4	1	1	1	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	63	-	-	-	-	1	-	1	-	2	3	9	7	7	6	8	9	4	6	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	62	-	-	-	-	1	-	1	-	2	3	9	6	7	6	8	9	4	6	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	136	-	-	-	-	-	-	2	3	2	3	5	7	13	7	22	27	21	17	6	1	-	-
	White-----M--	69	-	-	-	-	-	-	1	1	-	1	-	1	3	2	13	17	13	12	4	1	-	-
	F--	63	-	-	-	-	-	-	1	2	2	2	4	6	8	5	8	10	8	5	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	44	-	1	1	-	-	-	-	-	-	1	3	1	3	5	9	9	6	2	2	1	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	1	2	1	2	2	7	6	4	1	1	-	-	-
	F--	16	-	1	1	-	-	-	-	-	-	-	1	-	1	2	2	3	2	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	87	-	1	2	1	1	1	-	-	2	3	7	3	5	14	8	19	10	8	2	-	-	-
	White-----M--	43	-	-	-	-	1	1	-	-	2	2	3	3	5	5	5	12	2	2	-	-	-	-
	F--	41	-	1	1	1	-	-	-	-	-	1	4	-	-	9	2	7	8	5	2	-	-	-
	Nonwhite--M--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
204	Leukemia and aleukemia--------	48	-	4	1	-	1	-	3	1	-	4	2	3	4	5	6	6	5	1	1	1	-	-
	White-----M--	31	-	3	1	-	1	-	2	1	-	2	1	1	2	1	5	5	4	-	1	1	-	-
	F--	16	-	1	-	-	-	-	1	-	-	2	1	1	2	4	1	1	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	38	-	-	-	-	1	2	1	1	1	3	3	2	5	7	4	5	1	2	-	-	-	-
	White-----M--	27	-	-	-	-	1	1	1	1	1	2	2	2	4	3	3	3	1	2	-	-	-	-
	F--	11	-	-	-	-	-	1	-	-	-	1	1	-	1	4	1	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	19	1	1	-	-	1	-	-	1	1	1	1	2	1	3	3	1	1	-	1	-	-	-
	White-----M--	11	1	-	-	-	1	-	-	1	-	-	-	1	1	1	3	1	1	-	-	-	-	-
	F--	8	-	1	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	112	-	-	-	-	-	3	-	1	2	1	2	4	4	14	22	29	12	14	3	1	-	-
	White-----M--	42	-	-	-	-	-	1	-	1	-	-	1	2	2	5	10	10	4	5	1	-	-	-
	F--	66	-	-	-	-	-	1	-	-	1	-	1	2	2	9	12	18	8	9	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
290-293	Anemias----------	4	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	White-----M--	4	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	3,277	1	3	3	2	9	5	8	12	27	61	90	144	194	288	437	560	536	432	307	120	34	4
	White-----M--	2,004	1	1	1	-	6	-	4	7	21	44	64	108	121	192	287	349	323	243	160	48	21	3
	F--	1,207	-	1	-	1	3	4	3	5	6	16	24	33	67	93	139	197	205	184	142	70	13	1
	Nonwhite--M--	42	-	1	2	1	-	1	1	-	-	1	-	1	5	2	7	6	5	5	2	2	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	2	2	1	1	4	8	3	-	3	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	3,217	1	3	2	1	7	5	7	10	25	59	86	141	188	282	430	552	533	428	301	118	34	4
	White-----M--	1,974	1	1	-	-	5	-	4	6	20	44	62	106	119	189	282	343	322	241	157	48	21	3
	F--	1,180	-	1	-	-	2	4	2	4	5	15	22	32	63	90	137	195	203	183	140	68	13	1
	Nonwhite--M--	39	-	1	2	1	-	1	1	-	-	-	-	1	5	2	7	6	5	4	1	2	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	2	2	1	1	4	8	3	-	3	-	-	-
330-334	Vascular lesions, etc.*----------	690	-	1	1	1	1	-	2	1	-	1	10	15	18	52	90	115	149	116	80	27	10	-
	White-----M--	361	-	1	-	-	-	-	2	-	-	1	6	10	8	26	50	68	78	63	35	5	8	-
	F--	314	-	-	-	-	1	-	-	1	-	-	4	5	10	26	38	41	69	52	43	22	2	-
	Nonwhite--M--	9	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	1	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MONTANA—Con.																							
400-402	Rheumatic fever---	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	2,241	1	2	1	-	3	2	4	8	25	54	74	124	158	218	315	393	336	263	176	69	12	3
	White-----M--	1,441	1	-	-	-	3	-	2	6	20	40	55	94	102	152	211	250	210	152	99	35	7	2
	F--	757	-	1	-	-	-	2	1	2	5	14	17	27	50	63	96	136	120	108	76	33	5	1
	Nonwhite--M--	28	-	1	1	-	-	-	1	-	-	-	-	1	5	2	6	4	3	3	-	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	2	2	1	1	2	3	3	-	1	-	-	-
410-416	Chronic rheumatic heart disease----	82	-	-	-	-	1	2	1	1	3	11	11	11	11	8	6	6	4	3	3	-	-	-
	White-----M--	38	-	-	-	-	1	-	-	-	2	5	5	5	2	7	3	3	2	2	1	-	-	-
	F--	44	-	-	-	-	-	2	1	1	1	6	6	6	9	1	3	3	2	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,539	-	1	-	-	1	-	1	5	19	32	47	97	111	170	245	264	223	169	107	39	6	2
	White-----M--	1,069	-	-	-	-	1	-	1	5	16	29	40	80	76	123	171	175	154	102	68	22	5	1
	F--	443	-	-	-	-	-	-	-	-	3	3	6	14	32	46	69	83	65	65	39	16	1	1
	Nonwhite--M--	18	-	1	-	-	-	-	-	-	-	-	-	1	2	1	5	4	1	2	-	1	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	2	3	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	241	-	-	-	-	1	-	1	-	-	4	3	2	16	9	15	44	49	50	30	13	3	1
	White-----M--	143	-	-	-	-	1	-	1	-	-	3	1	1	14	7	10	23	33	28	12	7	1	1
	F--	94	-	-	-	-	-	-	-	-	-	1	1	1	1	2	4	21	16	21	18	6	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	161	1	1	1	-	-	-	1	2	2	4	9	7	12	13	19	35	27	13	9	4	1	-
	White-----M--	100	1	-	-	-	-	-	-	1	1	3	7	5	8	8	11	25	15	6	6	2	1	-
	F--	53	-	1	-	-	-	-	-	1	1	1	2	2	2	4	7	10	10	7	3	2	-	-
	Nonwhite--M--	8	-	-	1	-	-	-	1	-	-	-	-	-	2	1	1	-	2	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	218	-	-	-	-	-	-	-	-	1	3	4	7	8	18	30	44	33	28	27	13	2	-
	White-----M--	91	-	-	-	-	-	-	-	-	1	-	2	3	2	7	16	24	6	14	12	4	-	-
	F--	123	-	-	-	-	-	-	-	-	-	3	2	4	6	10	13	19	27	14	14	9	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-
444-447	Hypertension without mention of heart----------	33	-	-	-	-	-	-	-	-	-	1	-	1	3	1	1	5	4	10	3	3	1	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	1	-	1	3	1	1	3	3	3	1	2	1	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	177	-	-	-	-	-	-	-	-	-	-	-	-	1	5	13	22	33	35	37	19	11	1
	White-----M--	105	-	-	-	-	-	-	-	-	-	-	-	-	1	5	10	13	23	21	20	6	5	1
	F--	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	10	14	16	12	6	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
451-468	Other diseases of circulatory sys.-	75	-	-	-	-	3	3	-	1	-	3	2	1	8	6	11	17	11	4	5	-	-	-
	White-----M--	47	-	-	-	-	2	-	-	-	-	2	1	1	5	5	10	9	8	2	2	-	-	-
	F--	27	-	-	-	-	1	2	-	1	-	1	1	-	3	1	1	8	3	2	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	60	-	-	1	1	2	-	1	2	2	2	4	3	6	6	7	8	3	4	6	2	-	-
	White-----M--	30	-	-	1	-	1	-	-	1	1	-	2	2	2	3	5	6	1	2	3	-	-	-
	F--	27	-	-	-	1	1	-	1	1	1	1	2	1	4	3	2	2	2	1	2	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	282	38	12	2	2	3	1	2	3	4	4	9	5	14	11	24	36	36	33	23	14	4	2
	White-----M--	163	18	7	1	2	-	-	1	2	4	3	8	2	7	7	12	24	23	17	13	7	3	2
	F--	89	5	3	1	-	2	1	-	1	-	1	1	3	5	4	10	11	8	16	10	7	-	-
	Nonwhite--M--	16	9	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	2	-	-	-	1	-
	F--	14	6	1	-	-	1	-	-	-	-	-	-	-	1	-	1	1	3	-	-	-	-	-
480-483	Influenza---------	24	1	1	-	-	-	1	-	1	-	-	-	-	-	1	2	5	3	3	4	1	1	-
	White-----M--	14	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	5	2	1	1	1	1	-
	F--	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	2	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	258	37	11	2	2	3	-	2	2	4	4	9	5	14	10	22	31	33	30	19	13	3	2
	White-----M--	149	18	6	1	2	-	-	1	1	4	3	8	2	7	6	12	19	21	16	12	6	2	2
	F--	81	5	3	1	-	2	-	-	1	-	1	1	3	5	4	8	11	8	14	7	7	-	-
	Nonwhite--M--	16	9	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	2	-	-	-	1	-
	F--	12	5	1	-	-	1	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-
500-502	Bronchitis--------	19	9	1	1	-	-	-	-	-	-	-	1	-	-	2	1	1	1	1	1	-	-	-
	White-----M--	12	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-
	F--	5	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	41	1	-	-	-	-	-	-	-	-	2	2	4	2	4	6	9	8	2	1	-	-	-
	White-----M--	36	1	-	-	-	-	-	-	-	-	2	2	4	1	4	5	7	8	1	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-
	White-----M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	39	2	-	-	-	-	1	-	-	2	2	1	1	3	3	3	3	6	5	5	2	-	-
	White-----M--	21	1	-	-	-	-	1	-	-	-	1	-	1	2	3	1	1	4	2	3	1	-	-
	F--	17	-	-	-	-	-	-	-	-	2	1	1	-	1	-	2	2	2	3	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	MONTANA—Con.																							
543,	Gastritis, etc.*--	31	17	1	-	-	-	-	-	-	-	-	-	2	1	3	2	1	-	3	-	1	-	-
571,	White-----M--	12	7	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-
572	F--	15	6	1	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	2	-	1	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	70	-	-	1	-	-	-	1	4	4	7	5	10	11	9	4	4	4	4	1	-	1	-
	White-----M--	40	-	-	1	-	-	-	1	-	2	3	2	8	3	7	3	4	3	2	-	-	1	-
	F--	25	-	-	-	-	-	-	-	2	2	4	3	1	6	2	1	-	1	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	5	-	1	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	3	2	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	6	...	...	...	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	5	...	...	...	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	4	...	...	...	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	94	67	8	5	2	2	1	-	1	1	3	1	-	-	1	1	-	-	-	-	-	-	1
	White-----M--	53	36	5	3	1	1	1	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	1
	F--	35	27	2	2	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	261	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	93	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	191	13	-	-	-	2	-	1	2	2	4	1	6	9	7	18	33	18	29	26	14	6	-
795	White-----M--	120	4	-	-	-	2	-	-	1	2	2	1	3	9	5	11	23	14	19	16	6	2	-
	F--	61	5	-	-	-	-	-	1	1	-	1	-	3	-	2	5	10	4	9	9	8	3	-
	Nonwhite--M--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-
Re-	All other diseases	328	12	5	3	1	1	6	5	4	7	11	7	20	34	24	48	52	40	24	19	2	2	1
sid-	White-----M--	209	6	3	1	-	-	4	2	1	3	9	2	12	25	16	34	39	24	13	11	2	1	1
ual	F--	100	4	2	2	1	1	1	2	1	3	1	4	7	7	7	13	10	15	11	7	-	1	-
	Nonwhite--M--	9	2	-	-	-	-	-	-	1	1	-	1	1	1	-	-	1	1	-	-	-	-	-
	F--	10	-	-	-	-	-	1	1	1	-	1	-	-	1	1	1	2	-	-	1	-	-	-
E800-	Accidents---------	573	24	42	18	27	49	30	32	39	36	37	31	31	25	23	28	24	31	22	15	5	1	3
E962	White-----M--	392	14	24	10	14	35	23	26	32	29	33	22	21	17	16	20	16	17	11	7	2	-	3
	F--	127	5	12	4	10	7	6	2	3	5	3	5	5	8	5	7	8	10	11	8	3	-	-
	Nonwhite--M--	38	1	4	4	3	4	1	3	3	2	1	2	4	-	1	1	-	4	-	-	-	-	-
	F--	16	4	2	-	-	3	-	1	1	-	-	2	1	-	1	-	-	-	-	-	-	1	-
E810-	Motor-vehicle																							
E835	accidents--------	226	1	10	4	12	30	19	16	16	16	13	18	17	10	11	12	8	6	4	2	-	-	1
	White-----M--	152	1	6	2	4	19	12	12	14	10	10	12	11	8	8	7	6	4	3	2	-	-	1
	F--	51	-	3	2	6	6	6	1	1	4	2	4	4	2	2	4	2	1	1	-	-	-	-
	Nonwhite--M--	17	-	1	-	2	4	1	2	-	2	1	1	1	-	-	1	-	1	-	-	-	-	-
	F--	6	-	-	-	-	1	-	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	347	23	32	14	15	19	11	16	23	20	24	13	14	15	12	16	16	25	18	13	5	1	2
E802,	White-----M--	240	13	18	8	10	16	11	14	18	19	23	10	10	9	8	13	10	13	8	5	2	-	2
E840-	F--	76	5	9	2	4	1	-	1	2	1	1	1	1	6	3	3	6	9	10	8	3	-	-
E962	Nonwhite--M--	21	1	3	4	1	-	-	1	3	-	-	1	3	-	1	-	-	3	-	-	-	-	-
	F--	10	4	2	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
E963,	Suicide----------	103	-	-	-	-	4	3	7	10	7	11	10	8	10	13	5	9	2	2	2	-	-	-
E970-	White-----M--	87	-	-	-	-	3	2	5	9	7	10	10	6	9	11	3	8	-	2	2	-	-	-
E979	F--	11	-	-	-	-	1	-	1	-	-	1	-	2	-	1	2	1	2	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	20	-	1	1	-	-	-	2	3	4	1	1	4	1	-	1	-	1	-	-	-	-	-
E980-	White-----M--	9	-	-	-	-	-	-	1	-	3	-	1	2	-	-	1	-	1	-	-	-	-	-
E985	F--	6	-	-	-	-	-	-	1	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEBRASKA																							
	ALL CAUSES------	13,807	791	144	67	56	77	96	97	119	160	264	386	583	779	1,102	1,566	1,837	1,866	1,827	1,277	538	174	1
	White-----M--	7,857	429	73	37	32	55	69	69	65	87	154	241	351	516	723	983	1,069	1,048	940	587	249	79	1
	F--	5,593	305	67	28	24	17	23	19	44	69	93	122	198	238	357	537	739	792	866	677	284	94	-
	Nonwhite--M--	205	37	4	1	-	2	-	8	4	2	6	14	20	16	19	25	13	13	12	7	2	-	-
	F--	152	20	-	1	-	3	4	1	6	2	11	9	14	9	3	21	16	13	9	6	3	1	-
001-019	Tuberculosis, all forms--------	74	-	2	1	-	-	1	-	3	3	4	5	4	8	9	13	8	7	1	4	1	-	-
	White-----M--	48	-	-	-	-	-	-	-	-	2	1	5	3	6	7	10	6	4	-	3	1	-	-
	F--	16	-	-	1	-	-	-	-	2	1	3	-	-	2	1	2	2	2	-	-	-	-	-
	Nonwhite--M--	6	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-
	F--	4	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	65	-	1	-	-	-	-	-	2	3	3	4	4	7	8	13	8	7	1	3	1	-	-
	White-----M--	44	-	-	-	-	-	-	-	-	2	-	4	3	6	6	10	6	4	-	2	1	-	-
	F--	13	-	-	-	-	-	-	-	1	1	3	-	-	1	1	2	2	2	-	-	-	-	-
	Nonwhite--M--	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	9	-	1	1	-	-	1	-	1	-	1	1	-	1	1	-	-	-	-	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-
	F--	3	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	14	-	-	-	-	-	1	-	-	-	-	-	1	3	2	3	4	-	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	1	-	-	-	-	-	-	2	1	1	3	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	4	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	5	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	44	8	4	2	-	4	1	-	4	1	-	3	2	2	2	1	2	3	3	1	1	-	-
	White-----M--	26	5	3	1	-	2	-	-	3	1	-	1	1	1	-	1	1	3	2	1	-	-	-
	F--	17	3	1	1	-	1	1	-	1	-	-	2	1	1	2	-	1	-	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEBRASKA—Con.																							
140-205	Malignant neoplasms, etc.*----	2,257	2	19	13	9	5	8	12	27	28	60	98	146	203	257	325	334	281	261	124	36	9	-
	White-----M--	1,190	-	8	10	4	3	7	9	7	5	27	42	57	101	146	179	192	146	157	65	20	5	-
	F--	1,022	2	11	3	5	2	1	3	19	22	33	52	82	98	108	141	134	129	102	56	15	4	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	1	1	-	3	6	4	1	2	4	3	2	1	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	4	3	-	2	-	-	-
140-148	Of buccal cavity and pharynx------	39	-	-	-	1	-	-	-	-	-	-	3	3	5	4	4	5	8	3	1	2	-	-
	White-----M--	33	-	-	-	1	-	-	-	-	-	-	3	2	4	4	4	3	7	2	1	2	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	819	-	-	-	-	-	1	1	4	3	16	25	29	66	83	118	136	132	121	60	21	3	-
	White-----M--	447	-	-	-	-	-	1	1	1	-	9	14	14	33	44	72	80	72	66	29	9	2	-
	F--	357	-	-	-	-	-	-	-	3	3	7	10	14	32	38	44	53	59	53	29	11	1	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	2	1	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
160-164	Of respiratory system (not secondary)-------	257	-	-	-	-	-	-	-	3	1	7	15	23	36	58	36	39	17	16	6	-	-	-
	White-----M--	216	-	-	-	-	-	-	-	2	1	7	12	19	29	52	34	30	13	13	4	-	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	1	2	5	6	2	7	4	3	1	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	1	-	-	2	2	2	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
170	Of breast---------	213	-	-	-	-	-	-	1	7	6	7	17	22	23	26	35	22	20	15	10	1	1	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F--	207	-	-	-	-	-	-	1	7	6	7	16	22	23	25	34	20	20	14	10	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
171-179	Of genital organs-	342	-	-	-	-	2	1	1	4	4	12	10	29	17	34	46	53	36	57	25	8	3	-
	White-----M--	153	-	-	-	-	-	1	-	2	-	2	-	-	1	8	18	28	21	45	18	7	2	-
	F--	183	-	-	-	-	2	-	1	2	4	10	10	28	16	25	27	24	13	12	7	1	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
180, 181	Of urinary organs-	113	-	1	-	-	-	-	-	-	-	1	5	8	7	13	20	22	17	13	5	1	-	-
	White-----M--	66	-	-	-	-	-	-	-	-	-	1	3	5	3	10	10	16	7	8	3	-	-	-
	F--	45	-	1	-	-	-	-	-	-	-	-	2	3	4	3	10	5	9	5	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	225	-	9	4	3	2	2	1	7	7	12	12	14	27	19	29	22	21	17	13	2	2	-
	White-----M--	130	-	5	3	2	2	1	1	2	3	7	5	7	16	13	22	15	9	9	6	1	1	-
	F--	92	-	4	1	1	-	1	-	5	4	5	7	6	11	5	6	7	12	8	7	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia--------	114	2	8	8	3	-	-	4	-	2	2	4	6	7	11	9	18	17	11	2	-	-	-
	White-----M--	66	-	3	6	-	-	-	4	-	-	-	3	2	5	7	7	9	10	8	2	-	-	-
	F--	46	2	5	2	3	-	-	-	-	2	2	1	4	1	4	2	9	6	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	135	-	1	1	2	1	4	4	2	5	3	7	12	15	9	28	17	13	8	2	1	-	-
	White-----M--	76	-	-	1	1	1	4	3	-	1	1	2	8	10	7	12	10	7	5	2	1	-	-
	F--	57	-	1	-	1	-	-	1	2	3	2	5	3	5	2	16	7	6	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	31	4	-	1	-	1	1	1	-	1	2	2	-	4	2	5	3	2	1	-	1	-	-
	White-----M--	15	3	-	1	-	1	1	-	-	1	1	-	-	2	2	1	1	-	1	-	-	-	-
	F--	14	-	-	-	-	-	-	1	-	-	1	1	-	2	-	4	2	2	-	-	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	259	-	-	1	3	-	4	3	4	8	4	5	13	13	11	43	51	48	37	6	4	1	-
	White-----M--	120	-	-	-	-	-	3	2	4	4	3	3	7	9	6	17	20	19	19	2	2	-	-
	F--	135	-	-	1	3	-	1	1	-	4	1	2	5	3	5	26	30	29	17	4	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
290-293	Anemias----------	33	-	-	-	-	-	-	-	-	-	2	1	1	2	2	5	4	4	6	4	2	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	4	2	3	2	-	-
	F--	16	-	-	-	-	-	-	-	-	-	1	1	-	2	2	2	3	-	4	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	12	6	4	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	4	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	7,654	3	5	3	3	5	8	10	19	42	95	128	259	377	602	898	1,164	1,284	1,277	937	405	129	1
	White-----M--	4,321	1	3	3	-	3	5	10	9	25	65	92	172	283	412	579	671	714	623	410	183	57	1
	F--	3,183	-	2	-	3	2	2	-	7	16	25	29	73	81	178	290	475	553	639	519	218	71	-
	Nonwhite--M--	76	1	-	-	-	-	-	-	1	-	-	3	8	9	11	14	7	9	8	4	1	-	-
	F--	74	1	-	-	-	-	1	-	2	1	5	4	6	4	1	15	11	8	7	4	3	1	-
330-334, 400-468	Diseases of cardiovascular system-	7,539	3	5	3	3	4	6	8	14	40	89	124	252	368	590	888	1,152	1,271	1,263	930	400	125	1
	White-----M--	4,253	1	3	3	-	2	5	8	7	25	61	90	166	275	404	572	663	707	620	405	181	54	1
	F--	3,138	-	2	-	3	2	1	-	5	14	23	27	72	80	174	287	471	547	628	517	215	70	-
	Nonwhite--M--	76	1	-	-	-	-	-	-	1	-	-	3	8	9	11	14	7	9	8	4	1	-	-
	F--	72	1	-	-	-	-	-	-	1	1	5	4	6	4	1	15	11	8	7	4	3	1	-
330-334	Vascular lesions, etc.*----------	1,833	1	1	2	-	-	2	6	2	7	13	20	28	64	86	183	302	331	372	270	116	27	-
	White-----M--	889	1	-	2	-	-	2	6	-	2	6	10	11	39	47	99	161	169	174	108	43	9	-
	F--	907	-	1	-	-	-	-	-	1	4	6	9	14	23	36	75	136	160	195	160	69	18	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	1	-	-	-	1	2	2	4	2	-	2	1	1	-	-
	F--	21	-	-	-	-	-	-	-	-	1	1	1	2	-	1	5	3	2	1	1	3	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEBRASKA—Con.																							
400-402	Rheumatic fever---	12	-	1	-	2	1	1	-	1	1	-	2	1	-	1	-	-	1	-	-	-	-	-
	White-----M--	6	-	1	-	-	-	1	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	F--	6	-	-	-	2	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	5,169	2	3	1	-	2	3	2	11	32	70	100	212	290	468	669	783	849	786	571	238	76	1
	White-----M--	3,081	-	2	1	-	1	2	2	6	23	52	78	148	223	330	451	463	495	398	253	116	36	1
	F--	1,986	-	1	-	-	1	1	-	4	9	14	16	54	56	130	200	309	340	377	313	122	39	-
	Nonwhite--M--	56	1	-	-	-	-	-	-	-	-	-	3	6	7	8	9	5	8	6	3	-	-	-
	F--	46	1	-	-	-	-	-	-	1	-	4	3	4	4	-	9	6	6	5	2	-	1	-
410-416	Chronic rheumatic heart disease----	162	-	-	1	-	-	1	1	2	5	16	8	17	15	18	22	24	10	10	7	4	1	-
	White-----M--	98	-	-	1	-	-	1	1	1	2	7	4	8	11	16	15	12	8	6	3	2	-	-
	F--	61	-	-	-	-	-	-	-	1	3	8	3	8	4	2	7	12	2	4	4	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,643	-	1	-	-	1	1	-	8	18	41	79	163	234	366	524	560	602	510	353	136	45	1
	White-----M--	2,305	-	1	-	-	-	1	-	5	15	37	66	118	186	269	367	354	363	277	153	69	23	1
	F--	1,272	-	-	-	-	1	-	-	3	3	3	10	39	40	90	142	200	230	227	196	67	21	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	1	4	5	7	8	3	6	4	2	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	1	2	2	3	-	7	3	3	2	2	-	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	660	-	1	-	-	-	-	-	-	1	1	1	9	16	33	37	78	114	165	121	61	22	-
	White-----M--	322	-	-	-	-	-	-	-	-	-	1	1	6	9	16	25	39	58	73	55	28	11	-
	F--	329	-	1	-	-	-	-	-	-	1	-	-	3	7	16	12	37	53	90	65	33	11	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
430-434	Other diseases of heart---------	225	2	1	-	-	1	1	-	-	6	7	7	13	13	24	23	37	33	26	23	6	2	-
	White-----M--	143	-	1	-	-	1	-	-	-	5	6	5	8	10	19	14	20	21	15	15	3	-	-
	F--	75	-	-	-	-	-	1	-	-	1	1	1	4	3	5	9	16	11	10	8	3	2	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
440-443	Hypertension with heart dis.--	479	-	-	-	-	-	-	1	1	2	5	5	10	12	27	63	84	90	75	67	31	6	-
	White-----M--	213	-	-	-	-	-	-	1	-	1	1	2	8	7	10	30	38	45	27	27	14	2	-
	F--	249	-	-	-	-	-	-	-	-	1	2	2	-	2	17	30	44	44	46	40	17	4	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	2	-	2	1	-	2	2	1	1	-	-	-	-
444-447	Hypertension without mention of heart----------	53	-	-	-	-	-	-	-	-	-	2	-	2	1	5	2	6	14	12	4	2	3	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	1	5	4	2	2	1	-
	F--	30	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	5	9	8	2	-	2	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	338	-	-	-	-	-	-	-	-	-	-	-	1	2	10	17	42	49	81	75	42	19	-
	White-----M--	167	-	-	-	-	-	-	-	-	-	-	-	1	2	7	8	28	20	37	36	20	8	-
	F--	165	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	13	28	43	38	22	11	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-
451-468	Other diseases of circulatory sys.-	134	-	-	-	1	1	-	-	-	-	4	2	8	11	20	17	19	27	12	10	2	-	-
	White-----M--	88	-	-	-	-	1	-	-	-	-	2	2	4	10	16	13	10	17	7	6	-	-	-
	F--	44	-	-	-	1	-	-	-	-	-	2	-	3	1	4	4	8	10	5	4	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	115	-	-	-	-	1	2	2	5	2	6	4	7	9	12	10	12	13	14	7	5	4	-
	White-----M--	68	-	-	-	-	1	-	2	2	-	4	2	6	8	8	7	8	7	3	5	2	3	-
	F--	45	-	-	-	-	-	1	-	2	2	2	2	1	1	4	3	4	6	11	2	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	524	52	19	4	5	2	4	2	5	10	10	14	16	17	22	43	49	54	74	73	36	13	-
	White-----M--	279	29	10	3	3	2	1	-	1	5	3	5	10	10	15	31	25	33	42	31	15	5	-
	F--	221	15	8	1	2	-	3	2	4	5	3	6	4	5	7	11	24	21	30	41	21	8	-
	Nonwhite--M--	12	3	1	-	-	-	-	-	-	-	1	3	1	-	-	1	-	-	1	1	-	-	-
	F--	12	5	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	1	-	-	-	-
480-483	Influenza---------	97	6	5	3	2	1	2	1	1	3	1	3	3	1	2	11	8	10	13	9	10	2	-
	White-----M--	54	4	3	2	1	1	1	-	-	-	-	1	3	-	2	8	6	4	7	6	5	-	-
	F--	40	1	2	1	1	-	1	1	1	3	1	-	-	1	-	3	2	6	6	3	5	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	427	46	14	1	3	1	2	1	4	7	9	11	13	16	20	32	41	44	61	64	26	11	-
	White-----M--	225	25	7	1	2	1	-	-	1	5	3	4	7	10	13	23	19	29	35	25	10	5	-
	F--	181	14	6	-	1	-	2	1	3	2	2	6	4	4	7	8	22	15	24	38	16	6	-
	Nonwhite--M--	10	3	1	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	1	1	-	-	-
	F--	11	4	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	1	-	-	-	-
500-502	Bronchitis--------	29	3	3	-	-	-	-	-	-	-	1	-	-	3	2	5	2	3	1	5	1	-	-
	White-----M--	18	-	2	-	-	-	-	-	-	-	1	-	-	3	2	4	1	2	1	2	-	-	-
	F--	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	102	-	-	-	-	-	-	2	-	1	3	11	5	14	7	15	12	16	9	7	-	-	-
	White-----M--	67	-	-	-	-	-	-	1	-	1	2	9	2	12	5	9	7	10	6	3	-	-	-
	F--	33	-	-	-	-	-	-	1	-	-	1	2	2	2	1	6	5	6	3	4	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	16	-	-	-	-	-	-	-	-	-	2	1	2	1	-	4	3	3	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	2	-	1	-	-	3	3	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	77	8	1	-	-	-	-	-	-	-	1	-	3	5	7	14	14	10	8	6	-	-	-
	White-----M--	44	2	1	-	-	-	-	-	-	-	1	-	2	4	5	6	10	6	5	2	-	-	-
	F--	32	5	-	-	-	-	-	-	-	-	-	-	1	1	2	8	4	4	3	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEBRASKA--Con.																							
543,	Gastritis, etc.*--	60	18	9	-	-	-	-	-	-	-	1	3	-	3	4	5	8	4	3	1	1	-	-
571,	White-----M--	25	7	2	-	-	-	-	-	-	-	1	1	-	2	3	2	3	2	2	-	-	-	-
572	F--	32	8	7	-	-	-	-	-	-	-	-	2	-	1	1	3	5	2	1	1	1	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	115	-	-	1	-	-	-	-	5	5	5	10	18	13	18	10	13	11	2	4	-	-	-
	White-----M--	84	-	-	-	-	-	-	-	2	5	4	7	15	8	12	9	8	8	2	4	-	-	-
	F--	26	-	-	1	-	-	-	-	1	-	1	3	2	4	5	1	5	3	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	8	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	1	-	1	-	1	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	75	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	15	10	14	18	6	1	-
	White-----M--	74	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	15	10	14	18	6	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	12	...	...	...	-	1	-	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	11	...	...	...	-	1	-	3	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	10	...	...	...	-	-	-	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	9	...	...	...	-	-	-	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	157	117	14	6	5	1	1	-	-	1	-	1	2	1	3	1	1	2	1	-	-	-	-
	White-----M--	75	61	4	2	3	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	-	-	-
	F--	77	52	10	4	2	1	-	-	-	1	-	1	1	1	2	1	1	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	501	501	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	280	280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	199	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	275	275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	61	5	-	1	-	-	1	2	-	-	1	2	3	3	4	5	7	6	9	5	2	5	-
795	White-----M--	38	4	-	-	-	-	-	-	-	-	-	2	2	3	4	4	6	4	2	3	2	2	-
	F--	20	1	-	1	-	-	1	-	-	-	-	-	1	-	-	1	1	2	7	2	-	3	-
	Nonwhite--M--	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	661	37	18	8	7	5	5	10	5	14	24	30	37	44	61	85	87	68	59	34	16	7	-
sid-	White-----M--	410	22	13	4	4	3	1	6	3	6	13	18	21	23	41	59	61	46	32	21	9	4	-
ual	F--	232	12	4	4	3	2	4	4	2	7	9	10	13	20	18	23	25	22	27	13	7	3	-
	Nonwhite--M--	12	2	1	-	-	-	-	-	-	-	1	1	1	-	2	3	1	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	834	24	42	23	23	48	51	46	29	28	37	50	46	47	58	58	47	46	53	46	23	9	-
E962	White-----M--	548	12	24	12	18	39	42	37	25	20	22	38	38	35	38	39	27	30	23	17	7	5	-
	F--	254	10	18	9	5	6	8	4	2	7	13	7	7	10	20	16	19	14	30	29	16	4	-
	Nonwhite--M--	19	2	-	1	-	1	-	4	1	1	2	3	-	2	-	1	-	1	-	-	-	-	-
	F--	13	-	-	1	-	2	1	1	1	-	-	2	1	-	-	2	1	1	-	-	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	351	1	16	7	8	36	36	31	22	10	25	22	22	21	31	23	19	11	8	1	1	-	-
	White-----M--	248	-	11	3	6	27	30	26	19	5	11	17	19	13	19	15	11	8	6	1	1	-	-
	F--	84	1	5	2	2	6	5	2	2	4	12	3	3	6	12	7	7	3	2	-	-	-	-
	Nonwhite--M--	10	-	-	1	-	1	-	2	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-
	F--	9	-	-	1	-	2	1	1	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-
E800-	All ot. accidents-	483	23	26	16	15	12	15	15	7	18	12	28	24	26	27	35	28	35	45	45	22	9	-
E802,	White-----M--	300	12	13	9	12	12	12	11	6	15	11	21	19	22	19	24	16	22	17	16	6	5	-
E840-	F--	170	9	13	7	3	-	3	2	-	3	1	4	4	4	8	9	12	11	28	29	16	4	-
E962	Nonwhite--M--	9	2	-	-	-	-	-	2	1	-	-	2	-	-	-	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-
E963,	Suicide----------	154	-	-	-	-	1	6	3	10	13	9	17	21	12	22	17	8	4	7	2	2	-	-
E970-	White-----M--	136	-	-	-	-	1	6	3	9	12	7	15	16	10	19	17	7	4	6	2	2	-	-
E979	F--	17	-	-	-	-	-	-	-	1	1	2	2	5	2	2	-	1	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	26	-	1	-	-	2	3	3	3	1	1	2	2	3	2	3	-	-	-	-	-	-	-
E980-	White-----M--	11	-	1	-	-	-	2	1	1	-	-	1	1	1	1	2	-	-	-	-	-	-	-
E985	F--	5	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	1	-	2	1	-	1	1	1	1	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEVADA																							
	ALL CAUSES------	2,131	207	30	15	10	22	34	26	60	53	90	105	167	188	228	210	209	194	144	90	35	10	4
	White-----M--	1,350	103	18	7	5	17	22	12	29	30	55	77	128	131	159	134	150	116	81	52	19	3	2
	F--	804	61	7	7	5	4	5	7	22	15	28	21	28	44	59	62	51	70	57	35	13	3	-
	Nonwhite--M--	102	31	2	-	-	-	5	4	6	3	6	1	5	8	8	6	3	5	5	1	2	1	-
	F--	75	12	3	1	-	1	2	3	3	5	1	6	6	5	2	8	5	3	1	2	1	3	2
001-019	Tuberculosis, all forms--------	25	-	1	-	-	-	-	-	1	-	1	-	1	2	4	4	4	4	1	2	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	4	4	1	2	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	25	-	1	-	-	-	-	-	1	-	1	-	1	2	4	4	4	4	1	2	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	1	-	1	1	3	3	4	4	1	2	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	9	1	-	-	-	-	-	-	-	-	1	-	1	1	3	1	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	7	1	1	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-
	White-----M--	5	1	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEVADA—Con.																							
140-205	Malignant neoplasms, etc.*----	289	-	-	1	2	-	3	3	3	6	14	14	32	49	39	37	23	32	16	11	3	1	-
	White-----M--	160	-	-	-	1	-	1	1	-	4	5	7	20	28	24	20	18	15	9	7	-	-	-
	F--	113	-	-	1	1	-	2	2	3	1	9	5	10	16	14	14	5	17	6	4	2	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1	-	1	-	-
	F--	10	-	-	-	-	-	-	-	-	1	-	2	1	3	-	3	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	9	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	3	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	94	-	-	-	-	-	-	1	1	-	1	5	9	15	11	14	9	16	7	4	1	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	-	2	6	7	7	7	7	8	4	2	-	-	-
	F--	37	-	-	-	-	-	-	1	1	-	1	2	2	5	4	5	2	8	3	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	50	-	-	-	-	-	-	-	-	-	2	-	8	15	11	7	5	-	-	1	-	1	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	2	-	7	13	10	6	4	-	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	25	-	-	-	-	-	-	-	1	-	4	2	5	2	4	2	2	2	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	1	-	4	2	5	2	4	2	2	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	42	-	-	-	-	-	1	-	1	2	4	1	3	6	4	7	-	6	3	3	1	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	-	4	3	3	-	-	-
	F--	20	-	-	-	-	-	1	-	1	1	3	-	2	5	2	3	-	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	15	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	3	2	1	1	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	3	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	34	-	-	1	2	-	1	-	-	2	-	3	4	4	4	2	4	2	4	1	-	-	-
	White-----M--	24	-	-	-	1	-	1	-	-	2	-	2	4	3	3	2	4	-	2	-	-	-	-
	F--	9	-	-	1	1	-	-	-	-	-	-	1	-	-	1	-	-	2	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia--------	10	-	-	-	-	-	1	1	-	1	1	-	1	1	2	1	-	1	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	10	-	-	-	-	-	-	1	-	1	-	1	1	-	1	3	-	-	-	1	1	-	-
	White-----M--	6	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	12	-	2	1	-	-	-	-	-	-	1	-	1	1	4	-	-	-	-	1	-	1	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	1	-
	F--	7	-	2	1	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	26	-	-	-	-	-	-	-	3	1	1	3	2	2	3	3	2	4	1	1	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	1	1	-	2	2	-	-	-	1	3	1	1	-	-	-
	F--	10	-	-	-	-	-	-	-	1	-	1	-	-	2	3	1	1	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
290-293	Anemias----------	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	5	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	943	3	-	2	1	1	-	3	9	10	26	40	72	87	128	123	128	126	95	56	28	4	1
	White-----M--	635	1	-	1	-	1	-	1	5	7	21	33	61	65	90	80	88	80	55	28	16	2	-
	F--	260	1	-	1	1	-	-	1	2	2	4	4	7	16	34	37	33	42	38	25	11	1	-
	Nonwhite--M--	25	1	-	-	-	-	-	-	1	-	1	1	1	4	3	4	3	3	1	1	1	-	-
	F--	23	-	-	-	-	-	-	1	1	1	-	2	3	2	1	2	4	1	1	2	-	1	1
330-334, 400-468	Diseases of cardiovascular system-	925	2	-	-	1	1	-	3	7	10	26	38	70	84	126	120	128	126	95	55	28	4	1
	White-----M--	627	1	-	-	-	1	-	1	4	7	21	32	60	64	89	78	88	80	55	28	16	2	-
	F--	252	-	-	-	1	-	-	1	2	2	4	3	7	14	33	36	33	42	38	24	11	1	-
	Nonwhite--M--	25	1	-	-	-	-	-	-	1	-	1	1	1	4	3	4	3	3	1	1	1	-	-
	F--	21	-	-	-	-	-	-	1	-	1	-	2	2	2	1	2	4	1	1	2	-	1	1
330-334	Vascular lesions, etc.*----------	188	-	-	-	-	-	-	-	-	1	1	7	9	13	21	27	21	38	23	16	8	3	-
	White-----M--	104	-	-	-	-	-	-	-	-	1	1	5	6	8	8	12	16	24	12	4	5	2	-
	F--	75	-	-	-	-	-	-	-	-	-	-	1	2	3	12	14	4	14	11	10	3	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEVADA—Con.																							
400-402	Rheumatic fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	683	2	-	-	1	1	-	3	7	9	25	30	59	70	100	83	98	78	64	34	17	1	1
	White-----M--	492	1	-	-	-	1	-	1	4	6	20	26	53	55	76	59	67	50	39	24	10	-	-
	F--	157	-	-	-	1	-	-	1	2	2	4	2	5	11	21	20	26	24	23	9	6	-	-
	Nonwhite--M--	17	1	-	-	-	-	-	-	1	-	1	1	-	2	2	2	2	3	1	-	1	-	-
	F--	17	-	-	-	-	-	-	1	-	1	-	1	1	2	1	2	3	1	1	1	-	1	1
410-416	Chronic rheumatic heart disease----	19	-	-	-	-	-	-	-	-	3	4	-	1	5	4	-	2	-	-	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	1	3	-	1	3	3	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	518	1	-	-	-	-	-	1	6	5	19	23	52	52	82	68	74	59	41	22	12	1	-
	White-----M--	397	1	-	-	-	-	-	-	4	4	16	20	48	44	66	50	56	39	27	15	7	-	-
	F--	99	-	-	-	-	-	-	1	1	-	2	1	4	5	14	14	16	17	13	6	5	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	1	-	1	1	-	2	1	2	2	2	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	-	1	-	1	-	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	74	-	-	-	-	1	-	1	-	-	1	3	2	4	6	8	9	10	15	11	3	-	-
	White-----M--	51	-	-	-	-	1	-	-	-	-	1	3	2	4	4	5	5	7	8	8	3	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	3	7	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	24	1	-	-	1	-	-	1	-	1	1	1	2	5	-	3	4	2	1	-	-	-	1
	White-----M--	13	-	-	-	-	-	-	1	-	1	-	1	1	3	-	1	3	1	1	-	-	-	-
	F--	8	-	-	-	1	-	-	-	-	-	1	-	1	2	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
440-443	Hypertension with heart dis.--	48	-	-	-	-	-	-	-	1	-	-	3	2	4	8	4	9	7	7	1	2	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	2	1	1	3	3	2	3	3	1	-	-	-
	F--	22	-	-	-	-	-	-	-	1	-	-	1	-	3	4	1	4	4	3	-	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	-	-	-	-
444-447	Hypertension without mention of heart----------	15	-	-	-	-	-	-	-	-	-	-	1	-	1	-	5	3	2	2	1	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	1	2	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	30	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	8	5	3	3	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	5	2	-	1	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	9	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	1	-	1	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	18	1	-	2	-	-	-	-	2	-	-	2	2	3	2	3	-	-	-	1	-	-	-
	White-----M--	8	-	-	1	-	-	-	-	1	-	-	1	1	1	1	2	-	-	-	-	-	-	-
	F--	8	1	-	1	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	64	16	3	-	-	-	2	1	-	1	2	1	7	3	5	4	8	6	2	2	-	1	-
	White-----M--	33	6	1	-	-	-	1	-	-	-	2	1	6	2	5	2	4	2	-	1	-	-	-
	F--	22	6	1	-	-	-	1	1	-	1	-	-	1	1	-	-	3	4	1	1	-	1	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
480-483	Influenza---------	6	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	58	15	3	-	-	-	2	1	-	1	2	-	6	3	4	4	7	5	2	2	-	1	-
	White-----M--	30	6	1	-	-	-	1	-	-	-	2	-	5	2	4	2	4	2	-	1	-	-	-
	F--	20	6	1	-	-	-	1	1	-	1	-	-	1	1	-	-	2	3	1	1	-	1	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
500-502	Bronchitis--------	6	2	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	18	-	-	-	-	-	-	-	1	-	-	1	6	1	2	1	5	-	1	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	1	4	1	2	1	3	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	6	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	2	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	12	1	-	-	-	-	-	-	-	-	-	1	1	-	3	-	4	1	1	-	-	-	-
	White-----M--	6	1	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEVADA—Con.																							
543,	Gastritis, etc.*--	12	7	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-
571,	White-----M--	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
572	F--	6	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	48	-	-	-	-	-	-	-	2	4	9	7	8	3	6	7	-	2	-	-	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	2	4	4	5	2	3	6	-	1	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	2	1	4	3	2	-	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	20	13	2	-	-	1	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	11	6	2	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	6	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	43	-	-	-	-	-	1	-	2	1	2	3	2	4	1	5	7	1	4	4	2	3	1
795	White-----M--	24	-	-	-	-	-	1	-	1	-	2	2	1	1	-	4	6	-	1	2	2	-	1
	F--	11	-	-	-	-	-	-	-	1	-	-	1	-	3	-	1	1	1	1	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	2	-
Re-	All other diseases	120	7	2	2	1	1	-	2	1	4	6	14	7	14	12	10	14	11	11	-	1	-	-
sid-	White-----M--	84	4	1	1	1	-	-	1	-	-	3	9	6	12	9	9	12	6	9	-	1	-	-
ual	F--	28	2	1	1	-	1	-	-	1	3	2	4	-	2	3	1	2	3	2	-	-	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
E800-	Accidents---------	239	12	17	8	6	17	24	12	24	15	17	10	15	11	12	6	7	5	8	10	1	-	2
E962	White-----M--	164	6	11	4	3	14	17	8	14	11	12	8	13	9	12	2	6	3	3	7	-	-	1
	F--	54	5	3	3	3	3	2	1	8	3	4	2	2	2	-	3	1	1	5	3	-	-	-
	Nonwhite--M--	13	1	2	-	-	-	4	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	1	1	-	-	1	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	1
E810-	Motor-vehicle																							
E835	accidents--------	104	1	1	2	4	11	14	8	15	7	10	7	7	5	3	4	4	-	1	-	-	-	-
	White-----M--	70	1	-	-	1	8	9	6	9	5	8	5	6	5	3	-	3	-	1	-	-	-	-
	F--	25	-	-	2	3	3	1	1	5	2	1	2	1	-	-	3	1	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents-	135	11	16	6	2	6	10	4	9	8	7	3	8	6	9	2	3	5	7	10	1	-	2
E802,	White-----M--	94	5	11	4	2	6	8	2	5	6	4	3	7	4	9	2	3	3	2	7	-	-	1
E840-	F--	29	5	3	1	-	-	1	-	3	1	3	-	1	2	-	-	-	1	5	3	-	-	-
E962	Nonwhite--M--	7	1	2	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1
E963,	Suicide----------	51	-	-	-	-	-	2	2	8	7	8	4	4	4	3	3	4	-	1	1	-	-	-
E970-	White-----M--	33	-	-	-	-	-	1	-	5	3	4	3	3	4	2	2	4	-	1	1	-	-	-
E979	F--	14	-	-	-	-	-	-	2	2	3	3	1	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	21	-	-	-	-	1	1	2	4	2	2	4	1	2	-	2	-	-	-	-	-	-	-
E980-	White-----M--	16	-	-	-	-	1	1	1	2	1	1	4	1	2	-	2	-	-	-	-	-	-	-
E985	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW HAMPSHIRE																							
	ALL CAUSES------	6,674	348	32	22	25	39	35	35	58	67	124	189	279	434	588	792	866	918	885	615	248	69	6
	White-----M--	3,670	209	15	11	15	31	26	19	35	43	71	109	186	284	369	502	491	466	418	267	81	17	5
	F--	2,994	135	16	11	10	8	9	16	23	24	53	79	93	150	216	290	374	451	467	348	166	52	1
	Nonwhite--M--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
	F--	5	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
001-019	Tuberculosis, all forms--------	18	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	4	2	3	-	1	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	16	-	-	-	-	-	-	-	-	-	1	-	-	1	-	4	4	2	3	-	1	-	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	1	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	1	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	16	3	-	-	-	-	-	-	-	-	-	1	-	2	4	-	1	4	1	-	-	-	-
	White-----M--	9	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	-	-	-	-
	F--	7	1	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW HAMPSHIRE—Continued																							
140-205	Malignant neoplasms, etc.*----	1,087	-	3	1	4	4	2	7	16	15	25	50	71	113	110	160	156	142	110	56	20	2	-
	White-----M--	539	-	1	1	3	2	1	1	8	8	7	19	29	60	58	94	89	69	58	24	7	-	-
	F--	528	-	2	-	1	2	1	6	8	7	18	31	42	53	52	66	67	73	52	32	13	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	32	-	-	-	-	-	-	1	1	-	1	-	1	6	3	7	3	2	4	2	-	1	-
	White-----M--	23	-	-	-	-	-	-	-	1	-	-	-	1	5	2	6	2	2	3	1	-	-	-
	F--	9	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	1	-	1	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	404	-	-	-	-	-	1	2	3	3	8	13	21	38	26	61	63	73	53	28	10	1	-
	White-----M--	204	-	-	-	-	-	-	-	-	1	5	5	9	22	16	41	35	33	22	12	3	-	-
	F--	200	-	-	-	-	-	1	2	3	2	3	8	12	16	10	20	28	40	31	16	7	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	138	-	-	-	-	-	-	-	2	1	4	4	11	25	30	24	20	12	4	-	1	-	-
	White-----M--	123	-	-	-	-	-	-	-	2	1	2	4	9	24	28	20	18	12	2	-	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	2	-	2	1	2	4	2	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast--------	107	-	-	-	-	-	-	-	2	2	3	9	12	14	13	14	12	13	7	5	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	106	-	-	-	-	-	-	-	2	2	3	9	11	14	13	14	12	13	7	5	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	162	-	-	-	-	-	1	-	2	2	6	8	13	9	21	18	23	19	23	12	5	-	-
	White-----M--	68	-	-	-	-	-	1	-	-	1	-	-	-	1	3	11	17	8	17	7	2	-	-
	F--	94	-	-	-	-	-	-	-	2	1	6	8	13	8	18	7	6	11	6	5	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	51	-	-	-	-	-	-	-	-	-	-	3	-	5	6	7	12	6	9	3	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	3	-	2	3	5	5	5	7	2	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	7	1	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	95	-	1	-	3	2	-	1	2	2	2	7	5	8	8	14	15	14	5	3	3	-	-
	White-----M--	45	-	1	-	2	1	-	-	1	1	-	4	3	3	4	6	6	7	4	1	1	-	-
	F--	50	-	-	-	1	1	-	1	1	1	2	3	2	5	4	8	9	7	1	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia--------	36	-	2	1	1	1	-	1	-	2	-	3	2	4	-	6	5	3	3	2	-	-	-
	White-----M--	20	-	-	1	1	-	-	-	-	2	-	2	1	2	-	2	4	2	2	1	-	-	-
	F--	16	-	2	-	-	1	-	1	-	-	-	1	1	2	-	4	1	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	42	-	-	-	-	1	-	2	4	3	1	3	6	4	3	9	3	-	2	1	-	-	-
	White-----M--	23	-	-	-	-	1	-	1	4	2	-	1	5	1	2	3	2	-	1	-	-	-	-
	F--	19	-	-	-	-	-	-	1	-	1	1	2	1	3	1	6	1	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	14	-	-	-	-	-	-	-	1	1	3	1	-	2	1	1	2	1	1	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	1	1	1	-	2	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	121	-	-	-	-	-	1	1	1	2	1	-	3	8	19	22	24	16	15	7	1	-	-
	White-----M--	57	-	-	-	-	-	1	-	1	2	1	-	2	5	6	9	10	9	7	3	1	-	-
	F--	64	-	-	-	-	-	-	1	-	-	-	-	1	3	13	13	14	7	8	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	2	-	1	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	1	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	6	3	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	3,901	5	1	1	3	4	1	5	11	23	42	85	137	228	353	454	547	649	635	486	189	57	5
	White-----M--	2,114	3	1	-	2	2	1	2	8	15	28	54	105	158	235	294	305	327	294	198	62	16	4
	F--	1,782	2	-	1	1	2	-	3	3	8	14	30	32	70	117	160	241	321	341	288	126	41	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	3,850	4	1	1	-	3	1	4	9	21	40	83	135	226	349	448	544	642	632	460	185	57	5
	White-----M--	2,092	3	1	-	-	1	1	2	6	13	27	54	103	157	234	294	304	326	292	195	59	16	4
	F--	1,753	1	-	1	-	2	-	2	3	8	13	28	32	69	114	154	239	315	340	265	125	41	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*----------	832	1	1	1	-	1	1	2	1	3	7	14	17	37	54	90	118	152	165	119	41	7	-
	White-----M--	390	1	1	-	-	-	1	1	-	1	3	5	13	22	26	55	64	66	69	51	11	-	-
	F--	442	-	-	1	-	1	-	1	1	2	4	9	4	15	28	35	54	86	96	68	30	7	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW HAMPSHIRE—Continued																							
400-402	Rheumatic fever---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	2,662	1	-	-	-	1	-	2	7	18	28	64	115	180	277	327	386	437	414	274	112	34	5
	White-----M--	1,547	1	-	-	-	-	-	1	5	12	22	46	87	130	197	220	222	232	200	116	40	12	4
	F--	1,132	-	-	-	-	1	-	1	2	6	6	18	28	50	80	107	163	204	214	158	71	22	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	79	-	-	-	-	1	-	1	2	2	4	8	7	10	5	13	6	9	5	3	3	-	-
	White-----M--	32	-	-	-	-	-	-	-	2	1	3	3	3	3	3	3	1	6	2	1	1	-	-
	F--	47	-	-	-	-	1	-	1	-	1	1	5	4	7	2	10	5	3	3	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,076	-	-	-	-	-	-	1	3	12	17	45	89	146	241	265	307	339	305	201	76	26	3
	White-----M--	1,261	-	-	-	-	-	-	1	3	8	17	38	72	113	173	190	184	178	160	86	26	9	3
	F--	812	-	-	-	-	-	-	-	-	4	-	7	17	33	68	75	122	160	145	115	49	17	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	196	-	-	-	-	-	-	-	1	1	-	3	2	9	6	12	21	28	49	33	24	6	1
	White-----M--	98	-	-	-	-	-	-	-	-	1	-	-	1	6	4	8	13	16	19	17	10	2	1
	F--	98	-	-	-	-	-	-	-	1	-	-	3	1	3	2	4	8	12	30	16	14	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	65	1	-	-	-	-	-	-	1	-	-	3	5	4	6	8	7	9	12	6	2	1	-
	White-----M--	42	1	-	-	-	-	-	-	-	-	-	3	3	4	6	6	4	6	8	1	-	-	-
	F--	23	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	3	3	4	5	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	266	-	-	-	-	-	-	-	-	3	7	5	12	11	19	29	45	52	43	31	7	1	1
	White-----M--	114	-	-	-	-	-	-	-	-	2	2	2	8	4	11	13	20	26	11	11	3	1	-
	F--	152	-	-	-	-	-	-	-	-	1	5	3	4	7	8	16	25	26	32	20	4	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	37	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	2	8	9	10	1	2	-
	White-----M--	17	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	3	4	4	-	1	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	6	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	217	-	-	-	-	-	-	-	-	-	1	-	1	4	10	9	21	35	39	52	31	14	-
	White-----M--	94	-	-	-	-	-	-	-	-	-	-	-	1	3	4	6	9	20	17	23	8	3	-
	F--	122	-	-	-	-	-	-	-	-	-	1	-	-	1	5	3	12	15	22	29	23	11	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	81	2	-	-	-	1	-	-	-	-	4	5	2	4	8	18	17	10	5	5	-	-	-
	White-----M--	43	1	-	-	-	1	-	-	-	-	2	3	2	1	7	10	8	5	2	1	-	-	-
	F--	37	1	-	-	-	-	-	-	-	-	2	1	-	3	1	8	9	5	3	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	51	1	-	-	3	1	-	1	2	2	2	2	2	2	4	6	3	7	3	6	4	-	-
	White-----M--	22	-	-	-	2	1	-	-	2	2	1	-	2	1	1	-	1	1	2	3	3	-	-
	F--	29	1	-	-	1	-	-	1	-	-	1	2	-	1	3	6	2	6	1	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	211	37	4	2	-	-	4	1	4	3	2	4	7	8	6	18	23	15	34	24	13	2	-
	White-----M--	114	24	2	-	-	-	2	-	2	2	1	4	6	6	5	12	13	11	12	10	2	-	-
	F--	95	12	1	2	-	-	2	1	2	1	1	-	1	2	1	6	10	4	22	14	11	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	21	1	2	1	-	-	-	-	-	-	1	-	1	-	1	3	4	2	3	2	-	-	-
	White-----M--	11	1	1	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	1	1	-	-	-
	F--	10	-	1	1	-	-	-	-	-	-	1	-	-	-	-	1	2	1	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	190	36	2	1	-	-	4	1	4	3	1	4	6	8	5	15	19	13	31	22	13	2	-
	White-----M--	103	23	1	-	-	-	2	-	2	2	1	4	5	6	4	10	11	10	11	9	2	-	-
	F--	85	12	-	1	-	-	2	1	2	1	-	-	1	2	1	5	8	3	20	13	11	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	18	5	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	1	1	1	-	-
	White-----M--	13	3	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	1	1	1	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	45	-	-	-	-	-	-	-	-	1	2	4	1	8	5	4	11	4	4	1	-	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	1	1	3	1	6	5	3	8	1	3	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	3	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	32	3	1	1	1	-	1	-	-	1	1	1	-	3	4	3	4	2	2	4	-	-	-
	White-----M--	17	2	-	1	1	-	1	-	-	-	-	-	-	1	3	2	3	1	-	2	-	-	-
	F--	15	1	1	-	-	-	-	-	-	1	1	1	-	2	1	1	1	1	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW HAMPSHIRE—Continued																							
543,	Gastritis, etc.*--	36	5	3	1	-	1	-	-	-	-	-	-	2	1	2	5	5	5	3	2	-	1	-
571,	White-----M--	23	4	2	1	-	-	-	-	-	-	-	-	2	1	1	5	2	2	2	1	-	-	-
572	F--	13	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	3	3	1	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	80	-	1	-	-	1	-	-	3	1	5	11	13	7	9	13	3	6	6	-	1	-	-
	White-----M--	56	-	-	-	-	1	-	-	1	-	3	7	9	4	8	10	3	5	4	-	1	-	-
	F--	24	-	1	-	-	-	-	-	2	1	2	4	4	3	1	3	-	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590;	Acute nephritis,																							
591	etc.*----------	12	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	4	2	-	2	-	-	-
	White-----M--	8	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	2	-	-	2	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	4	7	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	4	7	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	6	...	...	...	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	...	...	...	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	5	...	...	...	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
660-	White-----F--	5	...	...	...	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	87	69	4	1	2	-	1	-	1	3	2	-	1	-	-	1	1	-	1	-	-	-	-
	White-----M--	43	33	1	-	1	-	-	-	1	2	1	-	1	-	-	1	1	-	1	-	-	-	-
	F--	43	35	3	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn---------	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	67	4	-	1	-	-	1	-	-	1	-	1	2	6	10	9	7	9	3	5	5	3	-
795	White-----M--	42	3	-	-	-	-	1	-	-	1	-	1	2	3	7	5	7	5	2	2	3	-	-
	F--	25	1	-	1	-	-	-	-	-	-	-	-	-	3	3	4	-	4	1	3	2	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	319	16	1	3	2	4	3	4	5	2	11	9	23	21	32	48	41	34	37	14	7	2	-
sid-	White-----M--	178	11	-	1	1	2	2	3	2	-	4	7	14	16	17	29	26	16	18	6	3	-	-
ual	F--	140	4	1	2	1	2	1	1	3	2	7	2	9	5	15	19	15	18	19	8	4	2	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	305	12	11	11	9	21	14	14	10	8	23	14	11	13	21	21	23	14	20	23	10	1	1
E962	White-----M--	193	7	7	7	5	20	14	12	8	7	18	10	8	12	12	11	11	7	8	7	1	-	1
	F--	112	5	4	4	4	1	-	2	2	1	5	4	3	1	9	10	12	7	12	16	9	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	98	-	2	3	3	15	11	9	4	1	10	7	3	7	9	5	3	3	2	1	-	-	-
	White-----M--	70	-	-	2	3	14	11	7	2	1	7	5	2	7	5	-	2	1	1	-	-	-	-
	F--	28	-	2	1	-	1	-	2	2	-	3	2	1	-	4	5	1	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	207	12	9	8	6	6	3	5	6	7	13	7	8	6	12	16	20	11	18	22	10	1	1
E802,	White-----M--	123	7	7	5	2	6	3	5	6	6	11	5	6	5	7	11	9	6	7	7	1	-	1
E840-	F--	84	5	2	3	4	-	-	-	-	1	2	2	2	1	5	5	11	5	11	15	9	1	-
E962	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	78	-	-	-	1	3	4	1	4	4	5	7	7	11	8	15	2	4	1	1	-	-	-
E970-	White-----M--	62	-	-	-	1	3	3	1	3	4	4	4	7	8	7	11	1	3	1	1	-	-	-
E979	F--	16	-	-	-	-	-	1	-	1	-	1	3	-	3	1	4	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	5	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-
E980-	White-----M--	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
E985	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E999	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW JERSEY																							
	ALL CAUSES------	57,520	3,153	449	258	168	264	307	438	629	945	1,570	2,304	3,180	4,410	6,173	7,694	7,780	6,892	5,766	3,403	1,388	335	14
	White-----M--	29,275	1,457	218	138	81	150	183	202	265	446	803	1,259	1,836	2,540	3,538	4,324	4,141	3,365	2,467	1,288	469	96	9
	F--	23,498	1,010	141	84	61	70	75	144	189	316	521	724	979	1,376	2,226	2,922	3,233	3,245	3,111	1,985	869	214	3
	Nonwhite--M--	2,572	381	60	22	17	23	26	57	97	93	124	189	194	288	243	236	220	145	73	59	17	6	2
	F--	2,175	305	30	14	9	21	23	35	78	90	122	132	171	206	166	212	186	137	115	71	33	19	-
001-019	Tuberculosis, all forms--------	531	1	2	1	-	2	4	17	16	38	35	57	39	70	62	72	56	37	14	6	2	-	-
	White-----M--	320	-	1	-	-	-	-	4	3	16	15	26	22	45	42	57	42	32	9	5	1	-	-
	F--	84	-	-	-	-	-	2	4	3	6	8	9	5	8	10	12	8	4	3	1	1	-	-
	Nonwhite--M--	87	-	1	1	-	-	2	7	6	9	10	14	8	13	9	3	3	1	-	-	-	-	-
	F--	40	1	-	-	-	2	-	2	4	7	2	8	4	4	1	-	3	-	2	-	-	-	-
001-008	Tuberculosis of respiratory system----------	503	1	1	-	-	2	3	15	15	38	34	54	36	68	56	70	54	36	13	5	2	-	-
	White-----M--	308	-	-	-	-	-	-	4	2	16	15	25	21	43	41	56	41	31	8	4	1	-	-
	F--	77	-	-	-	-	-	1	4	3	6	8	8	4	8	7	11	8	4	3	1	1	-	-
	Nonwhite--M--	82	-	1	-	-	-	2	6	6	9	10	13	8	13	7	3	3	1	-	-	-	-	-
	F--	36	1	-	-	-	2	-	1	4	7	1	8	3	4	1	-	2	-	2	-	-	-	-
010-019	Tuberculosis, other forms------	28	-	1	1	-	-	1	2	1	-	1	3	3	2	6	2	2	1	1	1	-	-	-
	White-----M--	12	-	1	-	-	-	-	-	1	-	-	1	1	2	1	1	1	1	1	1	-	-	-
	F--	7	-	-	-	-	-	1	-	-	-	-	1	1	-	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	1	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	97	-	-	-	-	-	-	-	-	2	2	8	9	13	16	21	15	8	2	1	-	-	-
	White-----M--	50	-	-	-	-	-	-	-	-	-	2	1	4	6	7	16	7	6	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	2	1	2	4	1	2	2	-	1	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	1	-	4	4	3	4	2	5	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	1	-	2	1	2	1	-	1	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	5	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	19	4	9	2	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	White-----M--	8	1	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	5	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	9	-	3	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	123	17	14	6	3	4	1	5	7	2	8	3	8	12	8	11	7	3	2	1	1	-	-
	White-----M--	52	8	4	4	2	3	-	1	3	-	3	1	3	6	2	5	3	3	-	1	-	-	-
	F--	56	5	9	2	1	1	1	3	2	2	3	2	4	3	5	6	4	-	2	-	1	-	-
	Nonwhite--M--	9	3	-	-	-	-	-	1	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F--	6	1	1	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW JERSEY—Con.																							
140-205	Malignant neoplasms, etc.*	10,477	9	69	62	35	29	40	60	113	202	363	559	800	1,171	1,449	1,707	1,549	1,133	720	306	87	17	1
	White—M	5,275	5	38	37	19	18	24	28	40	72	128	202	379	571	769	937	862	611	358	138	33	6	-
	F	4,585	3	22	20	15	10	12	24	57	112	201	310	354	499	614	685	610	478	337	159	51	11	1
	Nonwhite—M	319	-	3	3	-	1	1	3	4	4	15	24	35	50	43	45	45	27	12	3	1	-	-
	F	298	1	2	2	1	-	3	5	12	14	19	23	32	51	23	40	32	17	13	6	2	-	-
140-148	Of buccal cavity and pharynx	234	-	-	-	-	-	-	1	-	3	8	10	21	30	37	31	38	20	23	8	3	1	-
	White—M	181	-	-	-	-	-	-	-	-	1	7	7	16	22	26	27	31	17	16	7	3	1	-
	F	36	-	-	-	-	-	-	-	-	2	1	3	3	3	7	2	6	2	6	1	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	1	4	4	2	1	1	1	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	3,922	2	3	2	-	3	3	7	17	49	86	152	247	383	517	700	719	510	334	144	34	10	-
	White—M	2,022	1	2	2	-	-	2	5	8	28	42	74	118	196	283	373	385	272	153	63	11	4	-
	F	1,671	1	1	-	-	3	-	2	4	18	37	65	99	152	211	289	295	221	170	77	20	6	-
	Nonwhite—M	134	-	-	-	-	-	-	-	2	2	5	10	18	20	16	21	23	10	4	2	1	-	-
	F	95	-	-	-	-	-	1	-	3	1	2	3	12	15	7	17	16	7	7	2	2	-	-
160-164	Of respiratory system (not secondary)	1,472	-	-	1	-	-	-	2	5	12	45	74	155	234	275	298	205	110	39	13	4	-	-
	White—M	1,229	-	-	-	-	-	-	2	4	9	31	54	128	202	245	255	174	84	32	9	-	-	-
	F	172	-	-	-	-	-	-	-	1	2	9	14	18	16	20	34	21	24	5	4	4	-	-
	Nonwhite—M	60	-	-	-	-	-	-	-	-	1	4	6	7	13	9	9	8	2	1	-	-	-	-
	F	11	-	-	1	-	-	-	-	-	-	1	-	2	3	1	-	2	-	1	-	-	-	-
170	Of breast	1,015	-	-	-	-	-	-	10	20	49	72	100	98	124	127	129	105	82	62	23	10	4	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	-	-	-	-
	F	951	-	-	-	-	-	-	8	19	43	67	89	96	115	124	121	98	77	58	22	10	4	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-
	F	53	-	-	-	-	-	-	2	1	6	5	11	2	7	2	6	4	3	3	1	-	-	-
171-179	Of genital organs	1,435	-	2	-	-	4	4	6	22	33	53	93	103	160	192	207	184	179	120	58	15	-	-
	White—M	483	-	1	-	-	3	1	3	5	2	5	5	8	20	46	78	83	105	74	35	9	-	-
	F	823	-	1	-	-	1	1	3	12	26	42	80	79	119	132	108	90	62	39	22	6	-	-
	Nonwhite—M	39	-	-	-	-	-	-	-	-	-	-	-	4	4	6	5	7	8	5	-	-	-	-
	F	90	-	-	-	-	-	2	-	5	5	6	8	12	17	8	16	4	4	2	1	-	-	-
180, 181	Of urinary organs	545	-	7	2	1	1	-	-	3	1	8	16	19	42	79	102	99	75	63	17	10	-	-
	White—M	362	-	3	2	1	1	-	-	1	1	4	7	15	28	52	66	75	49	43	7	7	-	-
	F	171	-	4	-	-	-	-	-	1	-	4	8	4	13	24	34	22	25	20	9	3	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	2	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,015	2	21	18	10	14	12	16	21	31	49	62	98	124	132	138	97	84	45	30	9	1	1
	White—M	531	2	10	9	6	9	9	9	10	16	23	30	54	62	66	83	52	42	24	12	2	1	-
	F	423	-	7	7	4	4	3	5	8	12	20	26	39	55	58	53	38	38	21	17	7	-	1
	Nonwhite—M	33	-	2	1	-	1	-	1	1	1	2	5	3	2	4	2	3	4	-	1	-	-	-
	F	28	-	2	1	-	-	-	1	2	2	4	1	2	5	4	-	4	-	-	-	-	-	-
204	Leukemia and aleukemia	397	4	30	31	18	2	9	7	14	10	16	14	20	29	44	53	36	34	17	6	2	1	-
	White—M	221	2	20	18	8	2	6	2	7	7	5	7	10	16	25	30	21	23	8	3	1	-	-
	F	159	1	9	11	9	-	2	3	7	3	10	6	9	12	19	21	13	10	9	3	1	1	-
	Nonwhite—M	12	-	1	2	-	-	1	2	-	-	-	1	1	1	-	2	1	-	-	-	-	-	-
	F	5	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	442	1	2	8	6	5	12	11	11	14	26	38	39	45	46	49	66	39	17	7	-	-	-
	White—M	239	-	2	6	4	3	6	7	5	8	11	18	30	25	25	24	38	17	8	2	-	-	-
	F	179	1	-	2	2	2	6	3	5	6	11	19	7	14	19	23	27	19	9	4	-	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	1	-	4	1	1	3	1	1	-	1	-	-	-	-	-
	F	11	-	-	-	-	-	-	1	-	-	-	-	1	3	1	1	1	2	-	1	-	-	-
210-239	Benign and unspecified neoplasms	165	4	5	1	2	2	4	4	10	6	12	18	17	17	17	16	10	6	8	3	3	-	-
	White—M	69	3	3	1	1	-	2	-	2	2	4	10	7	7	7	7	3	3	5	1	1	-	-
	F	72	1	2	-	-	2	1	3	5	2	5	6	8	6	7	8	7	2	3	2	2	-	-
	Nonwhite—M	10	-	-	-	-	-	1	1	-	1	1	-	-	2	3	1	-	-	-	-	-	-	-
	F	14	-	-	-	1	-	-	-	3	1	2	2	2	2	-	-	-	1	-	-	-	-	-
260	Diabetes mellitus	1,187	1	2	1	4	1	4	10	13	16	19	36	51	94	171	233	220	149	114	41	6	1	-
	White—M	388	-	2	1	-	-	2	4	7	7	6	18	20	42	51	68	77	42	32	8	1	-	-
	F	705	-	-	-	4	-	-	3	2	7	12	12	19	41	104	152	133	104	75	32	4	1	-
	Nonwhite—M	20	-	-	-	-	-	-	-	3	-	-	1	2	3	3	1	4	-	2	1	-	-	-
	F	74	1	-	-	-	1	2	3	1	2	1	5	10	8	13	12	6	3	5	-	1	-	-
290-293	Anemias	81	4	3	-	-	3	1	2	2	3	2	2	2	4	8	12	10	8	7	4	1	3	-
	White—M	30	3	-	-	-	-	-	-	-	1	1	-	1	3	5	5	4	2	3	1	-	1	-
	F	38	1	-	-	-	2	1	-	1	-	1	1	1	1	2	7	5	6	4	3	1	1	-
	Nonwhite—M	8	-	2	-	-	-	-	1	1	2	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	5	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
340	Nonmeningococcal meningitis*	73	21	10	5	5	2	1	1	2	1	4	2	5	1	3	2	3	3	1	1	-	-	-
	White—M	29	5	6	4	1	-	1	-	-	-	1	2	2	1	-	1	3	1	1	-	-	-	-
	F	23	6	3	1	2	1	-	1	1	1	1	-	1	-	2	1	-	1	-	1	-	-	-
	Nonwhite—M	9	5	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F	12	5	1	-	2	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	32,326	19	9	12	15	24	36	88	156	292	663	1,108	1,601	2,321	3,517	4,591	4,926	4,723	4,236	2,629	1,093	260	7
	White—M	16,458	4	5	3	6	9	16	43	71	162	403	712	1,013	1,431	2,070	2,577	2,570	2,218	1,745	959	362	74	5
	F	13,726	7	3	5	6	8	13	29	35	84	147	242	409	619	1,201	1,734	2,092	2,308	2,364	1,560	692	166	2
	Nonwhite—M	1,061	3	1	1	2	1	2	9	27	22	57	78	89	151	140	141	134	96	42	47	12	6	-
	F	1,081	5	-	3	1	6	5	7	23	24	56	76	90	120	106	139	130	101	85	63	27	14	-
330-334, 400-468	Diseases of cardiovascular system	31,916	19	8	11	11	20	24	74	141	274	646	1,083	1,573	2,292	3,479	4,538	4,879	4,680	4,208	2,611	1,082	256	7
	White—M	16,290	4	4	3	4	6	9	38	64	155	395	702	1,004	1,423	2,052	2,558	2,544	2,203	1,739	952	355	71	5
	F	13,530	7	3	4	5	7	9	20	30	75	142	232	394	603	1,185	1,705	2,078	2,283	2,343	1,550	688	165	2
	Nonwhite—M	1,037	3	1	1	1	1	1	9	25	21	56	77	87	148	137	139	129	95	41	47	12	6	-
	F	1,059	5	-	3	1	6	5	7	22	23	53	72	88	118	105	136	128	99	85	62	27	14	-
330-334	Vascular lesions, etc.*	5,246	3	3	3	2	2	5	26	18	36	85	118	200	292	483	706	842	892	817	497	178	37	1
	White—M	2,192	1	1	1	1	1	2	14	7	11	35	50	94	136	228	319	374	373	302	172	57	12	1
	F	2,641	1	2	1	-	1	1	4	4	20	29	44	77	109	201	331	410	476	490	302	115	23	-
	Nonwhite—M	178	-	-	-	-	-	1	4	4	2	7	12	10	19	28	27	28	21	4	9	1	1	-
	F	235	1	-	1	1	-	1	4	3	3	14	12	19	28	26	29	30	22	21	14	5	1	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW JERSEY—Con.																							
400-402	Rheumatic fever---	30	-	-	3	2	3	1	2	3	-	1	3	6	-	3	1	1	1	-	-	-	-	-
	White-----M--	11	-	-	-	-	1	-	-	2	-	-	1	2	-	3	-	1	1	-	-	-	-	-
	F--	12	-	-	1	1	2	1	1	1	-	1	1	2	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	24,834	11	4	4	5	14	15	41	101	226	531	921	1,312	1,916	2,852	3,651	3,794	3,540	3,074	1,856	782	179	5
	White-----M--	13,239	2	2	1	3	4	5	22	51	140	345	631	881	1,241	1,740	2,146	2,040	1,705	1,299	671	256	51	3
	F--	10,053	5	1	2	2	4	6	12	20	52	104	176	299	467	939	1,305	1,569	1,692	1,681	1,106	495	114	2
	Nonwhite--M--	791	1	1	-	-	1	-	5	18	17	47	61	69	121	99	103	93	71	35	34	10	5	-
	F--	751	3	-	1	-	5	4	2	12	17	35	53	63	87	74	97	92	72	59	45	21	9	-
410-416	Chronic rheumatic heart disease----	839	-	-	-	1	9	10	22	39	58	91	117	133	98	108	66	41	24	10	9	2	1	-
	White-----M--	368	-	-	-	1	3	4	12	17	25	48	46	54	45	51	23	23	10	4	1	1	-	-
	F--	412	-	-	-	-	3	3	7	15	27	34	63	73	47	51	43	18	13	6	7	1	1	-
	Nonwhite--M--	28	-	-	-	-	-	-	3	4	2	6	4	4	1	3	-	-	-	-	1	-	-	-
	F--	31	-	-	-	-	3	3	-	3	4	3	4	2	5	3	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	17,770	3	-	1	1	2	1	16	46	131	337	630	926	1,445	2,141	2,767	2,790	2,563	2,121	1,225	512	107	5
	White-----M--	10,137	-	-	1	-	1	-	9	29	98	243	492	703	1,017	1,389	1,702	1,563	1,282	929	470	173	33	3
	F--	6,694	2	-	-	1	-	1	4	2	17	50	70	152	294	644	931	1,117	1,181	1,129	709	323	65	2
	Nonwhite--M--	531	-	-	-	-	-	-	2	11	11	29	40	40	82	69	70	62	54	26	23	8	4	-
	F--	408	1	-	-	-	1	-	1	4	5	15	28	31	52	39	64	48	46	37	23	8	5	-
421, 422	Nonrheumatic chronic endocarditis, etc.*---	3,403	2	1	1	2	-	1	2	5	13	44	85	99	160	299	394	522	530	600	394	189	60	-
	White-----M--	1,620	-	1	-	1	-	1	-	2	6	29	54	59	92	171	222	283	244	242	136	60	17	-
	F--	1,560	-	-	1	1	-	-	1	-	4	6	19	24	49	108	141	201	259	344	244	117	41	-
	Nonwhite--M--	106	-	-	-	-	-	-	-	3	2	4	9	8	12	10	17	18	14	3	5	1	-	-
	F--	117	2	-	-	-	-	-	1	-	1	5	3	8	7	10	14	20	13	11	9	11	2	-
430-434	Other diseases of heart---------	400	6	3	2	1	3	3	-	5	8	12	16	17	44	53	52	57	49	39	18	11	1	-
	White-----M--	195	2	1	-	1	-	-	-	1	4	7	9	8	23	30	27	30	31	15	3	3	-	-
	F--	169	3	1	1	-	1	2	-	2	3	3	5	8	12	19	23	25	18	23	12	8	-	-
	Nonwhite--M--	13	1	1	-	-	1	-	-	-	1	1	-	-	3	2	1	1	-	-	1	-	-	-
	F--	23	-	-	1	-	1	1	-	2	-	1	2	1	6	2	1	1	-	1	2	-	1	-
440-443	Hypertension with heart dis.---	2,422	-	-	-	-	-	-	1	6	16	47	73	137	169	251	372	384	374	304	210	68	10	-
	White-----M--	919	-	-	-	-	-	-	1	2	7	18	30	57	64	99	172	141	138	109	61	18	1	-
	F--	1,218	-	-	-	-	-	-	-	1	1	11	19	42	65	117	167	208	221	179	134	46	7	-
	Nonwhite--M--	113	-	-	-	-	-	-	-	-	1	7	8	17	23	15	15	12	3	6	4	1	1	-
	F--	172	-	-	-	-	-	-	-	3	7	11	16	21	17	20	18	23	12	10	11	2	1	-
444-447	Hypertension without mention of heart----------	337	-	-	-	-	-	1	2	10	6	12	18	20	16	24	37	56	40	51	32	11	1	-
	White-----M--	144	-	-	-	-	-	1	1	2	1	6	7	8	8	10	21	23	16	22	14	4	-	-
	F--	144	-	-	-	-	-	-	1	-	1	2	5	4	6	9	13	28	22	29	17	6	1	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	3	2	1	2	4	1	4	-	2	-	-	-	-	-	-
	F--	30	-	-	-	-	-	-	-	5	2	3	4	4	1	1	3	3	2	-	1	1	-	-
450	General arteriosclerosis--------	961	-	-	-	-	-	1	-	-	-	-	4	5	17	37	59	104	160	220	207	109	38	-
	White-----M--	417	-	-	-	-	-	1	-	-	-	-	3	2	10	21	26	52	78	95	84	37	8	-
	F--	500	-	-	-	-	-	-	-	-	-	-	-	3	3	12	24	48	78	118	117	71	26	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	4	1	2	4	1	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	-	3	5	2	-	4	-
451-468	Other diseases of circulatory sys.-	508	5	1	1	2	1	1	3	9	6	17	19	30	51	80	84	82	47	46	19	2	1	1
	White-----M--	287	1	1	1	-	-	-	1	2	3	9	10	17	28	50	46	54	30	21	11	1	-	1
	F--	180	1	-	-	2	-	1	2	5	2	6	6	9	18	24	31	23	15	25	8	1	1	-
	Nonwhite--M--	24	2	-	-	-	-	-	-	-	-	1	2	3	4	4	4	2	2	-	-	-	-	-
	F--	17	1	-	-	-	1	-	-	2	1	1	1	1	1	2	3	3	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	410	-	1	1	4	4	12	14	15	18	17	25	28	29	36	53	47	43	28	18	11	4	-
	White-----M--	168	-	1	-	2	3	7	5	7	7	8	10	9	8	18	19	26	15	6	7	7	3	-
	F--	196	-	-	1	1	1	4	9	5	9	5	10	15	16	16	29	14	25	21	10	4	1	-
	Nonwhite--M--	24	-	-	-	1	-	1	-	2	1	1	1	2	3	3	2	5	1	1	-	-	-	-
	F--	22	-	-	-	-	-	-	-	1	1	3	4	2	2	1	3	2	2	-	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,828	249	67	28	13	27	16	23	31	25	41	55	82	99	153	183	179	185	159	120	69	23	1
	White-----M--	855	116	27	14	4	9	5	7	7	7	14	23	46	53	89	119	95	77	62	49	25	7	-
	F--	704	53	23	11	7	14	7	11	11	10	15	16	19	27	47	48	77	97	87	67	42	15	-
	Nonwhite--M--	161	48	12	1	1	-	1	5	10	3	5	12	10	15	8	11	4	5	6	3	-	-	1
	F--	108	32	5	2	1	4	3	-	3	5	7	4	7	4	9	5	3	6	4	1	2	1	-
480-483	Influenza---------	128	8	4	4	-	4	3	1	2	6	6	7	10	10	9	16	13	10	5	3	6	1	-
	White-----M--	51	2	2	2	-	1	-	1	-	1	3	2	4	3	4	10	9	3	1	-	2	1	-
	F--	55	4	1	2	-	3	3	-	1	3	3	3	3	2	3	5	4	6	3	3	3	-	-
	Nonwhite--M--	13	-	1	-	-	-	-	-	1	1	-	1	3	3	1	1	-	1	-	-	-	-	-
	F--	9	2	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	1	-	1	-	-
490-493	Pneumonia, etc.*--	1,700	241	63	24	13	23	13	22	29	19	35	48	72	88	144	167	166	175	154	117	63	22	1
	White-----M--	804	114	25	12	4	8	5	6	7	6	11	21	42	50	85	109	86	74	61	49	23	6	-
	F--	649	49	22	9	7	11	4	11	10	7	12	13	16	25	44	43	73	91	84	64	39	15	-
	Nonwhite--M--	148	48	11	1	1	-	1	5	9	2	5	11	7	12	7	10	4	4	6	3	-	-	1
	F--	99	30	5	2	1	4	3	-	3	4	7	3	7	2	8	5	3	6	3	1	1	1	-
500-502	Bronchitis--------	107	23	14	3	1	1	-	-	1	2	2	2	3	5	7	13	12	6	7	4	1	-	-
	White-----M--	57	8	9	1	1	-	-	-	-	-	1	1	1	5	4	8	7	4	4	3	-	-	-
	F--	31	8	5	2	-	-	-	-	1	-	1	-	2	-	-	3	4	1	2	1	1	-	-
	Nonwhite--M--	14	5	-	-	-	-	-	-	-	2	-	1	-	-	2	1	1	1	1	-	-	-	-
	F--	5	2	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	387	-	-	-	-	-	-	-	6	6	15	30	35	53	56	54	67	32	20	5	7	1	-
	White-----M--	278	-	-	-	-	-	-	-	4	3	10	23	24	40	48	40	43	22	12	5	3	1	-
	F--	87	-	-	-	-	-	-	-	1	2	3	4	8	8	7	11	22	10	7	-	4	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	1	1	2	2	3	5	1	3	1	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
550-553	Appendicitis------	78	-	-	2	2	2	2	1	2	4	2	5	6	5	8	11	12	5	6	3	-	-	-
	White-----M--	52	-	-	2	1	1	1	1	2	2	1	5	4	4	5	6	9	2	4	2	-	-	-
	F--	18	-	-	-	-	1	-	-	-	-	-	-	1	-	3	4	3	3	2	1	-	-	-
	Nonwhite--M--	5	-	-	-	1	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	329	38	3	-	1	1	-	3	3	7	7	9	16	17	29	36	53	41	39	23	2	1	-
	White-----M--	141	16	3	-	1	-	-	-	3	2	1	6	8	8	11	19	24	15	17	6	1	-	-
	F--	166	18	-	-	-	-	-	2	-	2	4	3	7	7	16	13	29	25	22	16	1	1	-
	Nonwhite--M--	12	3	-	-	-	1	-	-	-	1	-	-	1	1	1	2	-	1	-	1	-	-	-
	F--	10	1	-	-	-	-	-	1	-	2	2	-	-	1	1	2	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW JERSEY—Con.																							
543,	Gastritis, etc.*--	216	33	7	3	1	4	4	5	3	6	6	6	4	12	18	23	31	20	19	7	3	1	-
571,	White-----M--	89	4	3	-	-	2	-	3	-	5	5	3	1	8	11	7	17	10	6	3	1	-	-
572	F--	99	12	2	2	1	1	4	2	3	1	1	2	2	3	7	16	13	7	13	4	2	1	-
	Nonwhite--M--	8	5	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	20	12	1	1	-	1	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-
581	Cirrhosis of liver	905	-	2	-	-	2	1	8	30	48	74	111	115	108	125	133	77	40	24	4	3	-	-
	White-----M--	552	-	1	-	-	1	-	2	11	22	41	68	74	65	89	93	49	21	13	2	-	-	-
	F--	286	-	1	-	-	1	1	4	9	18	23	29	32	36	33	37	28	18	11	2	3	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	1	7	2	5	11	7	6	2	3	-	1	-	-	-	-	-
	F--	22	-	-	-	-	-	-	1	3	6	5	3	2	1	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	55	2	6	2	1	1	2	1	4	6	2	1	3	5	3	4	5	3	3	1	-	-	-
	White-----M--	28	-	4	1	-	1	2	-	2	2	1	-	1	2	3	3	3	2	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	1	1	2	1	-	-	-
	Nonwhite--M--	10	1	2	1	1	-	-	1	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	172	-	-	-	-	-	-	-	-	-	-	-	1	5	13	21	33	35	34	21	8	1	-
	White-----M--	163	-	-	-	-	-	-	-	-	-	-	-	1	5	13	18	30	34	33	20	8	1	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	1	1	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	40	...	...	...	-	2	3	8	15	7	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	24	...	...	...	-	1	2	3	8	6	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	16	...	...	...	-	1	1	5	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	7	...	...	...	-	1	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	33	...	...	...	-	1	2	6	13	7	4	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	21	...	...	...	-	-	1	3	8	6	3	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	12	...	...	...	-	1	1	3	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	730	523	71	22	9	9	3	4	7	11	10	10	14	12	10	8	3	1	1	-	1	-	1
	White-----M--	362	252	41	8	4	6	2	4	4	5	5	5	8	6	6	3	-	1	-	-	1	-	1
	F--	283	206	22	12	4	3	1	-	2	1	4	4	5	6	4	5	3	-	1	-	-	-	-
	Nonwhite--M--	45	32	5	1	1	-	-	-	1	3	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	40	33	3	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	1,970	1,970	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	927	927	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	614	614	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	243	243	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	186	186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	968	968	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	486	486	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	306	306	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn---------	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	860	860	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	368	368	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	276	276	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	169	20	3	3	1	1	-	2	3	5	4	8	8	6	5	9	13	12	18	20	18	8	2
795	White-----M--	63	8	1	1	-	1	-	-	2	1	1	4	3	2	3	6	5	7	4	6	5	2	1
	F--	81	7	2	2	1	-	-	-	-	1	2	3	3	2	2	2	5	4	13	14	12	6	-
	Nonwhite--M--	14	2	-	-	-	-	-	1	1	2	-	1	1	2	-	-	2	1	-	-	-	-	1
	F--	11	3	-	-	-	-	-	1	-	1	1	-	1	-	-	1	1	-	1	-	1	-	-
Re-	All other diseases	2,455	117	56	22	18	18	25	49	50	93	123	117	161	198	275	334	297	243	145	78	29	7	-
sid-	White-----M--	1,284	58	23	16	5	9	10	17	15	36	56	58	83	112	163	203	166	144	71	27	10	2	-
ual	F--	913	42	17	6	11	1	8	23	22	33	45	37	53	64	92	116	116	92	68	47	16	4	-
	Nonwhite--M--	158	11	9	-	1	5	4	5	5	13	11	17	14	15	12	12	9	5	4	3	3	-	-
	F--	100	6	7	-	1	3	3	4	8	11	11	5	11	7	8	3	6	2	2	1	-	1	-
E800-	Accidents---------	2,390	93	94	80	52	116	127	102	101	112	118	104	137	132	160	162	173	177	167	117	53	12	1
E962	White-----M--	1,376	36	43	45	33	83	100	65	65	75	75	60	89	86	100	97	96	93	71	45	16	2	1
	F--	711	23	26	16	8	21	15	19	14	13	28	25	26	27	46	52	69	76	91	72	36	8	-
	Nonwhite--M--	225	20	21	14	9	12	10	17	15	16	9	17	16	16	13	6	6	4	3	-	1	-	-
	F--	78	14	4	5	2	-	2	1	7	8	6	2	6	3	1	7	2	4	2	-	-	2	-
E810-	Motor-vehicle																							
E835	accidents--------	825	2	25	29	17	70	86	57	56	52	41	36	61	50	71	53	50	44	17	7	-	-	1
	White-----M--	560	1	17	19	10	49	71	39	36	38	25	23	36	36	46	31	33	30	13	6	-	-	1
	F--	180	-	4	6	3	14	8	12	9	7	11	8	18	9	20	20	15	11	4	1	-	-	-
	Nonwhite--M--	71	1	3	4	3	7	6	5	8	5	4	5	7	4	5	-	2	2	-	-	-	-	-
	F--	14	-	1	-	1	-	1	1	3	2	1	-	-	1	-	2	-	1	-	-	-	-	-
E800-	All ot. accidents-	1,565	91	69	51	35	46	41	45	45	60	77	68	76	82	89	109	123	133	150	110	53	12	-
E802,	White-----M--	816	35	26	26	23	34	29	26	29	37	50	37	53	50	54	66	63	63	58	39	16	2	-
E840-	F--	531	23	22	10	5	7	7	7	5	6	17	17	8	18	26	32	54	65	87	71	36	8	-
E962	Nonwhite--M--	154	19	18	10	6	5	4	12	7	11	5	12	9	12	8	6	4	2	3	-	1	-	-
	F--	64	14	3	5	1	-	1	-	4	6	5	2	6	2	1	5	2	3	2	-	-	2	-
E963,	Suicide----------	461	-	-	-	2	8	20	23	34	33	41	43	53	43	53	33	27	21	18	8	1	-	-
E970-	White-----M--	309	-	-	-	1	6	13	15	18	20	26	26	35	28	34	25	25	15	14	7	1	-	-
E979	F--	132	-	-	-	1	-	4	7	10	12	12	16	18	14	19	8	2	5	3	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	1	-	1	6	-	2	1	-	-	-	-	-	1	1	-	-	-	-
	F--	7	-	-	-	-	1	3	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	127	2	4	-	1	5	12	19	18	18	11	10	10	6	4	4	1	-	1	-	-	-	1
E980-	White-----M--	49	-	-	-	-	1	5	5	5	6	2	5	7	4	3	3	1	-	1	-	-	-	1
E985	F--	21	2	1	-	-	3	2	6	1	1	1	1	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	41	-	2	-	1	1	4	4	7	9	6	4	2	-	-	1	-	-	-	-	-	-	-
	F--	16	-	1	-	-	-	1	4	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW MEXICO																							
	ALL CAUSES------	6,114	1,100	184	65	61	100	137	120	137	156	180	250	282	364	466	529	570	474	451	295	137	50	6
	White-----M--	3,312	524	68	37	34	67	89	64	74	93	96	131	166	224	272	304	346	255	212	162	69	19	6
	F--	2,198	406	65	19	14	21	24	29	43	47	60	93	94	107	163	194	187	198	227	124	60	23	-
	Nonwhite--M--	384	106	26	5	8	10	19	21	13	10	15	14	7	27	24	17	25	14	7	6	4	6	-
	F--	220	64	25	4	5	2	5	6	7	6	9	12	15	6	7	14	12	7	5	3	4	2	-
001-019	Tuberculosis, all forms--------	100	2	3	-	2	3	1	5	7	10	6	5	8	7	11	17	7	5	1	-	-	-	-
	White-----M--	49	-	1	-	1	1	-	2	1	4	2	2	5	3	9	10	4	3	1	-	-	-	-
	F--	36	1	-	-	-	1	-	1	4	6	4	2	3	3	2	4	3	2	-	-	-	-	-
	Nonwhite--M--	10	1	1	-	1	1	1	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	86	-	1	-	-	2	1	5	5	10	5	5	7	7	11	15	7	4	1	-	-	-	-
	White-----M--	45	-	-	-	-	1	-	2	-	4	2	2	5	3	9	10	4	2	1	-	-	-	-
	F--	30	-	-	-	-	-	-	1	4	6	3	2	2	3	2	2	3	2	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	1	1	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	14	2	2	-	2	1	-	-	2	-	1	-	1	-	-	2	-	1	-	-	-	-	-
	White-----M--	4	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	6	1	-	-	-	1	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	8	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	-	1	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	18	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	10	3	5	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	5	1	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	15	6	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	21	8	1	1	-	1	1	-	2	-	-	1	1	-	1	1	-	1	1	1	-	-	-
	White-----M--	10	2	-	-	-	1	1	-	1	-	-	-	1	-	1	1	-	1	-	1	-	-	-
	F--	7	3	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW MEXICO—Con.																							
140-205	Malignant neoplasms, etc.*	734	2	12	6	8	7	1	7	16	13	32	49	47	86	104	92	94	60	56	26	13	3	-
	White--M	370	2	5	1	4	5	1	4	5	3	13	16	17	45	46	58	58	32	32	15	6	2	-
	F	321	-	6	5	4	2	-	2	11	10	19	29	29	34	48	32	30	22	22	8	7	1	-
	Nonwhite--M	30	-	1	-	-	-	-	1	-	-	-	2	-	4	6	2	6	4	2	2	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	2	1	3	4	-	-	2	-	1	-	-	-
140-148	Of buccal cavity and pharynx	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	2	1	-	-	-
	White--M	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	253	1	-	-	-	-	-	-	3	3	5	14	9	31	36	42	38	30	24	11	6	-	-
	White--M	132	1	-	-	-	-	-	-	1	2	4	6	4	14	22	24	20	16	11	5	2	-	-
	F	107	-	-	-	-	-	-	-	2	1	1	7	5	16	10	16	16	12	12	5	4	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	-	1	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
160-164	Of respiratory system (not secondary)	82	-	-	-	-	-	-	-	-	2	6	7	3	17	14	15	9	3	4	2	-	-	-
	White--M	62	-	-	-	-	-	-	-	-	-	5	5	2	15	8	13	8	2	2	2	-	-	-
	F	16	-	-	-	-	-	-	-	-	2	1	2	1	1	3	2	1	1	2	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	Of breast	53	-	-	-	-	-	-	-	1	1	5	8	8	8	9	4	5	3	1	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	49	-	-	-	-	-	-	-	1	1	5	6	7	8	9	3	5	3	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	126	-	-	-	-	-	-	2	5	4	10	7	6	11	19	10	18	11	14	6	3	-	-
	White--M	51	-	-	-	-	-	-	2	-	-	-	-	-	5	3	6	11	7	12	3	2	-	-
	F	67	-	-	-	-	-	-	-	5	4	10	7	5	4	15	4	5	3	2	2	1	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	30	-	-	1	-	-	-	-	-	-	-	3	1	5	5	5	4	3	2	-	-	1	-
	White--M	17	-	-	-	-	-	-	-	-	-	-	3	-	4	2	3	3	1	-	-	-	1	-
	F	12	-	-	1	-	-	-	-	-	-	-	-	1	-	3	2	1	2	2	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	98	-	4	-	4	1	1	1	2	3	4	8	14	7	12	9	8	6	6	2	4	2	-
	White--M	47	-	2	-	1	-	1	-	-	1	3	1	7	1	6	6	6	3	5	1	2	1	-
	F	42	-	1	-	3	1	-	1	2	2	1	7	7	4	5	3	1	1	-	-	2	1	-
	Nonwhite--M	6	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
204	Leukemia and aleukemia	45	1	7	4	3	6	-	1	3	-	1	1	1	4	4	1	2	1	2	3	-	-	-
	White--M	26	1	2	1	2	5	-	-	2	-	-	1	-	3	1	1	1	1	2	3	-	-	-
	F	18	-	5	3	1	1	-	1	1	-	1	-	1	1	2	-	1	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	38	-	1	1	1	-	-	3	2	-	1	1	5	2	5	5	6	3	1	1	-	-	-
	White--M	26	-	1	-	1	-	-	2	2	-	1	-	3	2	4	3	5	2	-	-	-	-	-
	F	8	-	-	1	-	-	-	-	-	-	-	-	2	-	1	2	-	-	1	1	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	22	2	1	-	-	1	-	1	3	2	1	3	-	2	2	-	1	2	1	-	-	-	-
	White--M	9	2	1	-	-	1	-	-	-	1	-	1	-	1	-	-	1	1	-	-	-	-	-
	F	12	-	-	-	-	-	-	1	3	1	1	2	-	-	2	-	-	1	1	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	65	-	1	-	1	1	1	1	3	-	1	1	5	1	12	8	11	9	5	3	-	-	1
	White--M	31	-	1	-	-	1	1	1	1	-	-	-	2	-	9	1	5	3	3	2	-	-	1
	F	28	-	-	-	1	-	-	-	2	-	1	-	2	1	2	6	5	5	2	1	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-
290-293	Anemias	10	-	-	1	1	-	-	1	-	-	-	-	-	-	2	3	1	-	1	-	-	-	-
	White--M	6	-	-	1	-	-	-	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	14	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	7	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,083	7	5	1	6	8	12	15	16	33	44	79	107	133	202	268	304	276	283	179	79	25	1
	White--M	1,142	4	1	-	3	4	6	4	6	23	25	48	68	90	123	147	177	143	126	94	42	7	1
	F	831	1	2	1	1	3	4	8	7	7	12	28	28	34	66	112	111	125	152	83	32	14	-
	Nonwhite--M	64	2	-	-	1	1	1	-	1	1	3	1	2	7	12	6	9	6	4	1	3	3	-
	F	46	-	2	-	1	-	1	3	2	2	4	2	9	2	1	3	7	2	1	1	2	1	-
330-334, 400-468	Diseases of cardiovascular system	2,024	7	3	1	5	7	8	12	13	30	43	78	105	132	192	259	296	274	279	175	79	25	1
	White--M	1,118	4	-	-	2	3	4	3	6	20	25	48	67	90	119	144	172	143	125	93	42	7	1
	F	802	1	1	1	1	3	3	6	5	7	11	27	28	33	63	106	108	123	149	80	32	14	-
	Nonwhite--M	60	2	-	-	1	1	-	-	1	1	3	1	2	7	9	6	9	6	4	1	3	3	-
	F	44	-	2	-	1	-	1	3	1	2	4	2	8	2	1	3	7	2	1	1	2	1	-
330-334	Vascular lesions, etc.*	440	3	2	-	1	1	1	1	3	10	6	17	12	23	39	49	69	67	71	41	19	5	-
	White--M	204	1	-	-	-	-	-	1	1	6	3	6	4	12	18	16	42	32	34	17	8	3	-
	F	214	1	1	-	-	1	1	-	-	4	2	11	5	9	19	31	24	34	36	23	10	2	-
	Nonwhite--M	14	1	-	-	-	-	-	-	1	-	1	-	1	2	2	1	2	-	1	1	1	-	-
	F	8	-	1	-	1	-	-	-	1	-	-	-	2	-	-	1	1	1	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW MEXICO—Con.																							
400-402	Rheumatic fever---	6	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	1,378	4	1	-	2	4	5	9	6	20	29	57	86	98	141	193	205	182	169	110	43	13	1
	White-----M--	811	3	-	-	2	2	4	2	3	14	19	39	59	72	93	118	114	96	72	68	27	3	1
	F--	499	-	-	-	-	2	-	4	3	3	6	15	20	21	41	69	79	79	94	41	14	8	-
	Nonwhite--M--	38	1	-	-	-	-	-	-	-	1	2	1	1	4	6	4	6	6	3	-	1	2	-
	F--	30	-	1	-	-	-	1	3	-	2	2	2	6	1	1	2	6	1	-	1	1	-	-
410-416	Chronic rheumatic heart disease----	76	-	1	-	-	2	3	4	-	6	7	5	8	8	7	11	7	3	4	-	-	-	-
	White-----M--	31	-	-	-	-	1	2	2	-	3	2	-	3	6	1	5	4	1	1	-	-	-	-
	F--	38	-	-	-	-	1	-	2	-	1	4	5	4	2	6	5	3	2	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	6	-	1	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	897	1	-	-	-	-	2	1	4	8	14	34	57	72	98	135	137	124	103	73	23	10	1
	White-----M--	570	1	-	-	-	-	2	-	3	8	13	29	43	57	72	87	80	67	48	42	14	3	1
	F--	299	-	-	-	-	-	-	-	1	-	-	4	12	13	24	46	52	51	52	30	8	6	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	3	6	3	-	-	1	-
	F--	8	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	2	-	-	1	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	171	-	-	-	1	-	-	2	-	1	1	12	6	2	9	22	28	28	31	18	9	1	-
	White-----M--	91	-	-	-	1	-	-	-	-	1	1	8	3	1	6	13	11	16	14	12	6	-	-
	F--	71	-	-	-	-	-	-	1	-	-	-	4	3	1	1	8	14	12	17	6	3	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
430-434	Other diseases of heart---------	93	3	-	-	1	2	-	1	1	2	5	-	7	10	10	7	11	10	8	9	6	-	-
	White-----M--	60	2	-	-	1	1	-	-	-	1	3	-	5	7	7	4	8	5	3	8	5	-	-
	F--	21	-	-	-	-	1	-	1	1	-	1	-	-	1	2	2	2	4	5	1	-	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-	-
440-443	Hypertension with heart dis.--	141	-	-	-	-	-	-	1	1	3	2	6	8	6	17	18	22	17	23	10	5	2	-
	White-----M--	59	-	-	-	-	-	-	-	-	1	-	4	5	1	7	9	11	7	6	6	2	-	-
	F--	70	-	-	-	-	-	-	-	1	2	1	2	1	4	8	8	8	10	17	4	3	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	1	-
	F--	7	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	2	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	30	-	-	-	-	-	-	-	-	-	2	1	3	2	1	2	4	6	7	-	2	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	3	4	4	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-
450	General arteriosclerosis--------	112	-	-	-	-	-	-	-	1	-	-	-	1	4	4	6	10	16	27	21	15	7	-
	White-----M--	47	-	-	-	-	-	-	-	1	-	-	-	-	1	3	3	6	9	11	6	6	1	-
	F--	58	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	7	15	15	8	4	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-
451-468	Other diseases of circulatory sys.-	58	-	-	-	-	1	1	2	2	-	6	3	3	5	7	9	8	3	5	3	-	-	-
	White-----M--	37	-	-	-	-	-	-	-	1	-	3	2	1	5	4	6	7	2	4	2	-	-	-
	F--	20	-	-	-	-	-	1	2	1	-	3	1	2	-	3	3	1	1	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	59	-	2	-	1	1	4	3	3	3	1	1	2	1	10	9	8	2	4	4	-	-	-
	White-----M--	24	-	1	-	1	1	2	1	-	3	-	-	1	-	4	3	5	-	1	1	-	-	-
	F--	29	-	1	-	-	-	1	2	2	-	1	1	-	1	3	6	3	2	3	3	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	354	110	43	2	3	4	5	1	4	7	4	6	10	10	21	20	26	23	24	15	11	5	-
	White-----M--	162	42	14	2	1	1	2	-	1	5	3	1	3	2	13	13	20	13	10	9	5	2	-
	F--	136	43	15	-	-	1	3	1	3	2	1	3	5	7	6	6	6	7	14	5	6	2	-
	Nonwhite--M--	37	16	7	-	2	1	-	-	-	-	-	1	1	1	2	1	-	3	-	1	-	1	-
	F--	19	9	7	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	52	22	6	1	-	-	1	1	-	2	-	2	2	2	2	1	3	2	1	2	2	-	-
	White-----M--	22	8	2	1	-	-	-	-	-	1	-	1	1	-	2	1	2	1	1	-	1	-	-
	F--	20	8	1	-	-	-	1	1	-	1	-	-	1	2	-	-	1	1	-	2	1	-	-
	Nonwhite--M--	8	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	302	88	37	1	3	4	4	-	4	5	4	4	8	8	19	19	23	21	23	13	9	5	-
	White-----M--	140	34	12	1	1	1	2	-	1	4	3	-	2	2	11	12	18	12	9	9	4	2	-
	F--	116	35	14	-	-	1	2	-	3	1	1	3	4	5	6	6	5	6	14	3	5	2	-
	Nonwhite--M--	29	12	4	-	2	1	-	-	-	-	-	-	1	1	2	1	-	3	-	1	-	1	-
	F--	17	7	7	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	30	11	5	-	-	-	-	-	-	1	-	1	-	1	2	4	-	1	3	1	-	-	-
	White-----M--	15	4	1	-	-	-	-	-	-	-	-	1	-	1	2	2	-	1	2	1	-	-	-
	F--	14	6	4	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	35	-	-	-	-	-	-	-	-	1	1	2	3	5	4	8	4	2	2	3	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	1	-	1	2	4	2	7	4	2	1	3	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	10	-	-	1	-	1	1	-	-	-	-	1	1	1	2	-	2	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-
	F--	3	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	47	8	1	-	1	-	-	-	-	1	-	1	5	6	1	5	5	3	4	3	3	-	-
	White-----M--	23	2	1	-	1	-	-	-	-	-	-	-	3	5	1	3	-	1	1	3	2	-	-
	F--	21	5	-	-	-	-	-	-	-	1	-	1	2	1	-	1	4	2	3	-	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW MEXICO—Con.																							
543,	Gastritis, etc.*--	115	96	7	-	-	-	-	2	-	1	1	1	1	2	2	-	1	-	1	-	-	-	-
571,	White-----M--	43	37	1	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-
572	F--	35	27	2	-	-	-	-	1	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	24	20	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	13	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	75	1	-	-	2	-	2	1	4	5	6	12	8	9	8	4	5	5	2	1	-	-	-
	White-----M--	50	1	-	-	1	-	-	1	2	3	6	8	6	4	6	3	5	2	1	1	-	-	-
	F--	21	-	-	-	1	-	2	-	1	1	-	3	2	4	2	1	-	3	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	7	1	2	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	27	-	-	-	-	-	-	-	-	-	-	-	1	-	4	6	2	6	6	1	1	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	2	6	5	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	14	...	...	...	-	2	-	3	1	3	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	10	...	...	...	-	1	-	3	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	13	...	...	...	-	2	-	3	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	9	...	...	...	-	1	-	3	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	4	...	...	...	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	150	126	8	3	2	2	-	1	1	2	1	-	-	-	2	-	2	-	-	-	-	-	-
	White-----M--	76	64	5	2	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	70	59	3	1	1	-	-	1	-	2	1	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	536	536	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	275	275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	208	208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn---------	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	282	282	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	392	65	13	3	4	2	3	2	3	4	16	11	18	31	25	29	42	28	32	29	19	9	4
795	White-----M--	232	40	4	1	3	-	2	-	1	4	11	9	13	23	15	16	25	17	14	15	10	5	4
	F--	120	16	2	2	1	1	-	1	1	-	5	2	5	3	9	10	14	9	17	12	7	3	-
	Nonwhite--M--	24	6	4	-	-	1	1	1	-	-	-	-	-	5	-	-	3	-	-	2	1	-	-
	F--	16	3	3	-	-	-	-	-	1	-	-	-	-	-	1	3	-	2	1	-	1	1	-
Re-	All other diseases	366	48	17	5	2	3	1	7	12	17	12	14	20	27	27	34	42	32	20	17	6	3	-
sid-	White-----M--	195	25	9	3	1	-	1	4	6	9	7	6	12	15	12	21	27	15	11	7	3	1	-
ual	F--	132	12	6	1	-	3	-	2	6	7	2	7	5	12	13	9	10	16	7	10	3	1	-
	Nonwhite--M--	19	7	1	1	-	-	-	1	-	-	2	-	-	-	2	1	2	1	-	-	-	1	-
	F--	20	4	1	-	1	-	-	-	-	1	1	1	3	-	-	3	3	-	2	-	-	-	-
E800-	Accidents---------	707	39	47	34	26	53	88	65	53	46	39	44	35	30	27	22	15	13	9	12	5	5	-
E962	White-----M--	451	13	20	22	16	41	66	41	43	35	22	26	26	22	18	11	9	8	4	6	-	2	-
	F--	125	14	17	6	3	9	8	6	3	3	7	6	6	2	7	5	3	5	4	5	4	2	-
	Nonwhite--M--	97	8	6	3	4	3	11	17	5	7	8	8	3	5	2	4	2	-	-	-	-	1	-
	F--	34	4	4	3	3	-	3	1	2	1	2	4	-	1	-	2	1	-	1	1	1	-	-
E810-	Motor-vehicle																							
E835	accidents--------	370	5	15	16	13	32	68	35	34	30	26	20	23	17	13	9	6	6	1	1	-	-	-
	White-----M--	250	1	5	9	10	26	50	20	26	25	15	8	18	12	8	5	4	6	1	1	-	-	-
	F--	60	2	8	5	1	4	6	4	2	2	7	5	3	2	4	3	2	-	-	-	-	-	-
	Nonwhite--M--	51	2	2	2	1	2	10	11	4	3	3	5	2	3	1	-	-	-	-	-	-	-	-
	F--	9	-	-	-	1	-	2	-	2	-	1	2	-	-	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents-	337	34	32	18	13	21	20	30	19	16	13	24	12	13	14	13	9	7	8	11	5	5	-
E802,	White-----M--	201	12	15	13	6	15	16	21	17	10	7	18	8	10	10	6	5	2	3	5	-	2	-
E840-	F--	65	12	9	1	2	5	2	2	1	1	-	1	3	-	3	2	1	5	4	5	4	2	-
E962	Nonwhite--M--	46	6	4	1	3	1	1	6	1	4	5	3	1	2	1	4	2	-	-	-	-	1	-
	F--	25	4	4	3	2	-	1	1	-	1	1	2	-	1	-	1	1	-	1	1	1	-	-
E963,	Suicide----------	83	-	-	-	-	9	9	5	6	7	7	14	6	6	6	2	2	3	-	1	-	-	-
E970-	White-----M--	51	-	-	-	-	6	5	2	3	4	4	7	2	5	6	1	2	3	-	1	-	-	-
E979	F--	21	-	-	-	-	-	2	2	-	2	2	7	4	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	3	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	55	-	-	1	1	2	11	3	6	3	3	5	5	6	-	5	-	3	-	1	-	-	-
E980-	White-----M--	30	-	-	-	1	2	3	3	4	1	1	3	3	2	-	4	-	2	-	1	-	-	-
E985	F--	14	-	-	1	-	-	4	-	1	1	1	1	1	2	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	3	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW YORK																							
	ALL CAUSES------	172,677	8,578	1,187	687	524	861	1,007	1,331	1,774	2,656	4,212	6,539	9,794	13,415	18,299	22,851	23,806	21,379	17,697	10,630	4,220	1,148	82
	White-----M--	88,392	4,019	539	347	280	516	533	596	751	1,148	2,025	3,463	5,547	7,815	10,783	12,986	12,775	10,348	7,734	4,238	1,527	368	54
	F--	71,619	2,804	442	225	188	237	277	426	563	881	1,439	2,171	3,126	4,314	6,283	8,685	10,151	10,356	9,532	6,170	2,599	733	17
	Nonwhite--M--	6,974	959	108	67	33	64	111	180	273	370	413	519	628	748	722	644	444	336	208	94	36	10	7
	F--	5,692	796	98	48	23	44	86	129	187	257	335	386	493	538	511	536	436	339	223	128	58	37	4
001-019	Tuberculosis, all forms--------	1,552	5	10	3	2	6	17	42	67	68	126	159	178	199	180	178	135	88	60	21	5	3	-
	White-----M--	948	1	6	1	1	2	5	5	14	21	41	90	111	141	131	138	106	70	46	12	4	2	-
	F--	236	-	3	1	-	2	4	12	23	14	34	26	24	20	16	16	15	9	10	6	-	1	-
	Nonwhite--M--	262	2	-	-	1	-	2	10	17	19	35	36	34	32	27	23	11	7	3	2	1	-	-
	F--	106	2	1	1	-	2	6	15	13	14	16	7	9	6	6	1	3	2	1	1	-	-	-
001-008	Tuberculosis of respiratory system----------	1,480	3	5	1	1	4	13	39	63	66	122	151	173	192	174	171	129	86	59	20	5	3	-
	White-----M--	917	1	2	-	1	-	5	4	14	19	39	86	107	139	130	136	102	68	46	12	4	2	-
	F--	222	-	2	1	-	2	3	12	22	14	33	25	23	18	15	13	14	9	10	5	-	1	-
	Nonwhite--M--	245	1	-	-	-	-	2	10	15	19	34	33	34	30	24	21	10	7	2	2	1	-	-
	F--	96	1	1	-	-	2	3	13	12	14	16	7	9	5	5	1	3	2	1	1	-	-	-
010-019	Tuberculosis, other forms------	72	2	5	2	1	2	4	3	4	2	4	8	5	7	6	7	6	2	1	1	-	-	-
	White-----M--	31	-	4	1	-	2	-	1	-	2	2	4	4	2	1	2	4	2	-	-	-	-	-
	F--	14	-	1	-	-	-	1	-	1	-	1	1	1	2	1	3	1	-	-	1	-	-	-
	Nonwhite--M--	17	1	-	-	1	-	-	-	2	-	1	3	-	2	3	2	1	-	1	-	-	-	-
	F--	10	1	-	1	-	-	3	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	373	-	-	-	-	-	-	2	1	8	8	19	36	59	60	69	61	16	21	11	1	-	1
	White-----M--	220	-	-	-	-	-	-	-	-	1	2	8	18	38	41	40	43	12	10	7	-	-	-
	F--	72	-	-	-	-	-	-	-	-	1	2	5	4	6	11	12	16	4	8	2	1	-	-
	Nonwhite--M--	47	-	-	-	-	-	-	2	1	5	1	4	7	9	4	8	2	-	2	1	-	-	1
	F--	34	-	-	-	-	-	-	-	-	1	3	2	7	6	4	9	-	-	1	1	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	7	2	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	13	2	-	-	1	2	-	-	-	-	3	2	-	2	-	-	1	-	-	-	-	-	-
	White-----M--	4	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	F--	7	2	-	-	-	1	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	5	-	-	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	69	18	15	10	5	2	1	-	3	2	-	2	-	1	3	4	2	-	1	-	-	-	-
	White-----M--	32	8	8	5	1	1	1	-	1	2	-	-	-	-	2	2	-	-	1	-	-	-	-
	F--	30	9	6	3	4	1	-	-	-	-	-	2	-	1	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	5	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	-	1	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	12	1	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	-	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	356	35	23	16	8	8	8	15	11	15	24	28	24	25	27	31	22	16	12	6	-	2	-
	White-----M--	182	22	14	8	3	4	3	3	6	5	14	10	12	12	15	19	13	7	7	5	-	-	-
	F--	129	8	5	6	4	4	3	7	1	8	6	11	11	9	9	12	9	8	5	1	-	2	-
	Nonwhite--M--	25	3	3	2	-	-	1	3	2	1	1	3	-	3	3	-	-	-	-	-	-	-	-
	F--	20	2	1	-	1	-	1	2	2	1	3	4	1	1	-	-	-	1	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW YORK—Con.																							
140-205	Malignant neoplasms, etc.*----	30,213	27	133	111	76	100	102	148	335	528	948	1,694	2,565	3,355	4,409	4,829	4,340	3,211	2,121	919	213	41	8
	White-----M--	15,175	14	70	52	39	60	50	72	126	166	309	604	1,117	1,670	2,361	2,698	2,474	1,699	1,040	441	96	15	2
	F--	13,278	10	53	51	33	32	41	66	166	300	532	895	1,210	1,442	1,777	1,915	1,729	1,398	1,031	456	113	23	5
	Nonwhite--M--	935	1	4	3	4	2	4	3	13	28	37	88	122	152	159	136	74	68	21	14	1	1	-
	F--	825	2	6	5	-	6	7	7	30	34	70	107	116	91	112	80	63	46	29	8	3	2	1
140-148	Of buccal cavity and pharynx------	688	-	-	-	2	-	1	1	4	4	19	45	65	94	93	104	100	70	46	30	7	3	-
	White-----M--	502	-	-	-	1	-	-	1	2	1	12	29	47	69	64	82	79	52	35	18	7	3	-
	F--	127	-	-	-	1	-	1	-	1	2	1	9	10	15	20	15	17	15	8	12	-	-	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	1	1	5	5	8	10	7	5	4	2	2	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	2	-	-	2	2	-	1	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	11,228	2	3	2	4	3	4	15	56	109	217	436	824	1,084	1,647	1,944	1,870	1,484	971	434	100	16	3
	White-----M--	5,874	-	1	1	2	2	-	5	20	42	100	191	402	576	925	1,082	1,073	756	456	196	41	3	-
	F--	4,732	2	2	1	2	1	3	8	31	49	90	192	334	415	621	771	741	674	498	227	57	12	3
	Nonwhite--M--	395	-	-	-	-	-	-	2	3	9	12	33	57	68	68	53	35	36	10	7	1	1	-
	F--	227	-	-	-	-	-	1	-	2	9	15	20	51	25	33	38	21	18	9	4	1	-	-
160-164	Of respiratory system (not secondary)-------	4,377	1	-	-	1	-	4	9	18	46	109	245	432	667	834	852	593	358	150	45	7	4	2
	White-----M--	3,541	-	-	-	1	-	2	7	10	26	72	179	330	556	699	734	501	276	107	33	3	3	2
	F--	604	-	-	-	-	-	1	2	6	17	27	39	62	73	84	87	80	72	39	10	4	1	-
	Nonwhite--M--	194	-	-	-	-	-	1	-	1	3	6	26	32	33	43	28	9	8	2	2	-	-	-
	F--	38	1	-	-	-	-	-	-	1	-	4	1	8	5	8	3	3	2	2	-	-	-	-
170	Of breast---------	2,982	-	-	-	-	-	1	7	47	88	194	333	353	355	384	387	332	239	169	72	16	5	-
	White-----M--	41	-	-	-	-	-	-	-	-	-	1	1	2	6	4	15	9	1	1	1	-	-	-
	F--	2,802	-	-	-	-	-	1	7	41	83	177	303	331	338	365	365	313	227	161	69	16	5	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	138	-	-	-	-	-	-	-	6	5	16	29	20	11	15	7	9	11	7	2	-	-	-
171-179	Of genital organs-	3,819	1	1	1	3	5	18	24	61	92	136	248	319	391	466	527	536	440	332	150	37	7	2
	White-----M--	1,297	-	1	-	2	3	10	9	11	12	3	5	24	36	112	193	277	258	221	97	21	2	-
	F--	2,183	1	-	1	1	2	6	12	34	65	110	201	252	311	332	300	226	160	103	47	15	3	1
	Nonwhite--M--	93	-	-	-	-	-	-	-	-	2	1	3	4	12	12	23	13	15	4	4	-	-	-
	F--	246	-	-	-	-	-	2	3	16	13	22	39	39	32	30	11	22	7	4	2	1	2	1
180, 181	Of urinary organs-	1,551	3	17	9	1	-	3	1	6	6	38	67	97	148	239	242	257	198	141	67	8	3	-
	White-----M--	975	1	8	2	-	-	3	1	2	4	22	43	57	94	160	166	164	133	73	36	4	2	-
	F--	508	2	5	6	1	-	-	-	3	1	12	15	33	46	68	66	86	62	67	31	3	1	-
	Nonwhite--M--	35	-	2	-	-	-	-	-	1	-	3	5	4	4	5	7	3	1	-	-	-	-	-
	F--	33	-	2	1	-	-	-	-	-	1	1	4	3	4	6	3	4	2	1	-	1	-	-
156B, 165, 190-199	Of other sites, etc.*----------	2,944	6	42	36	29	29	22	39	70	77	119	176	260	352	397	421	335	247	182	73	29	3	-
	White-----M--	1,522	4	23	19	16	15	6	24	41	35	45	73	140	189	211	225	191	127	86	34	16	2	-
	F--	1,245	1	19	15	12	9	11	13	22	35	57	80	98	139	162	177	138	113	92	38	13	1	-
	Nonwhite--M--	99	1	-	2	1	-	1	-	4	2	7	15	12	16	17	10	5	3	2	1	-	-	-
	F--	78	-	-	-	-	5	4	2	3	5	10	8	10	8	7	9	1	4	2	-	-	-	-
204	Leukemia and aleukemia--------	1,211	10	66	57	26	32	20	17	26	49	46	58	94	102	121	134	140	99	79	28	7	-	-
	White-----M--	657	6	34	26	13	18	13	8	13	14	18	42	51	57	68	81	87	50	39	16	3	-	-
	F--	497	4	26	27	11	14	5	9	12	27	25	15	36	41	46	48	50	47	38	12	4	-	-
	Nonwhite--M--	32	-	2	-	2	-	2	-	1	7	2	-	4	2	3	3	2	2	-	-	-	-	-
	F--	25	-	4	4	-	-	-	-	-	1	1	1	3	2	4	2	1	-	2	-	-	-	-
200-203, 205	Lymphomas, etc.*--	1,413	4	4	6	10	31	29	35	47	57	70	86	121	162	208	218	175	76	51	20	2	-	1
	White-----M--	766	3	3	4	4	22	16	17	27	32	36	41	64	87	118	120	93	46	22	10	1	-	-
	F--	580	-	1	1	5	6	13	15	16	21	33	41	54	64	79	86	78	28	27	10	1	-	1
	Nonwhite--M--	36	-	-	1	1	2	-	1	2	4	1	1	1	7	4	7	2	1	1	-	-	-	-
	F--	31	1	-	-	-	1	-	2	2	-	-	3	2	4	7	5	2	1	1	-	-	-	-
210-239	Benign and unspecified neoplasms--	565	13	6	8	7	4	3	14	29	36	43	51	50	58	56	66	44	39	25	13	-	-	-
	White-----M--	229	7	2	5	2	2	-	7	8	9	14	18	18	25	24	30	25	18	10	5	-	-	-
	F--	272	6	4	1	5	1	2	3	14	19	23	25	23	25	27	34	17	20	15	8	-	-	-
	Nonwhite--M--	22	-	-	1	-	1	1	1	2	-	2	2	3	3	4	1	-	1	-	-	-	-	-
	F--	42	-	-	1	-	-	-	3	5	8	4	6	6	5	1	1	2	-	-	-	-	-	-
260	Diabetes mellitus-	3,002	1	2	4	4	8	8	18	27	43	61	72	151	240	438	567	579	418	244	90	23	3	1
	White-----M--	1,046	-	1	2	3	3	2	9	8	19	23	27	59	100	147	196	196	134	80	31	4	2	-
	F--	1,717	1	1	1	1	2	5	7	13	17	26	29	66	108	249	333	359	268	152	58	19	1	1
	Nonwhite--M--	75	-	-	-	-	1	-	-	3	2	4	3	9	7	15	16	8	4	2	1	-	-	-
	F--	164	-	-	1	-	2	1	2	3	5	8	13	17	25	27	22	16	12	10	-	-	-	-
290-293	Anemias----------	247	7	14	7	6	5	7	8	3	6	7	7	6	10	12	32	35	28	30	13	3	1	-
	White-----M--	105	4	4	3	2	2	1	-	2	1	2	3	4	7	4	19	15	13	14	2	2	1	-
	F--	117	1	5	4	2	2	6	4	-	3	3	3	2	3	8	8	20	15	16	11	1	-	-
	Nonwhite--M--	11	-	1	-	1	-	-	2	-	2	2	1	-	-	-	2	-	-	-	-	-	-	-
	F--	14	2	4	-	1	1	-	2	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	150	41	21	5	3	2	3	2	3	2	5	8	7	16	4	10	8	6	2	1	1	-	-
	White-----M--	64	18	8	2	-	-	2	1	1	1	4	3	3	6	2	3	5	4	1	-	-	-	-
	F--	50	13	7	1	3	-	1	-	2	-	1	3	1	5	1	5	3	1	1	1	1	-	-
	Nonwhite--M--	22	5	4	2	-	2	-	-	-	1	-	2	1	4	-	-	-	1	-	-	-	-	-
	F--	14	5	2	-	-	-	-	1	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	98,559	24	26	34	41	109	96	226	392	783	1,563	2,812	4,625	6,997	10,339	13,853	15,662	15,071	13,159	8,306	3,466	934	41
	White-----M--	50,097	9	11	13	15	55	40	88	192	405	888	1,740	2,896	4,313	6,288	7,822	8,109	7,057	5,486	3,158	1,202	281	29
	F--	43,073	10	12	16	18	39	35	82	94	195	391	691	1,165	1,993	3,370	5,315	6,956	7,550	7,363	4,973	2,186	611	8
	Nonwhite--M--	2,707	3	2	3	2	7	8	24	63	99	140	203	308	368	370	354	289	211	144	67	31	9	2
	F--	2,682	2	1	2	6	8	13	32	43	84	144	178	256	323	311	362	308	253	166	108	47	33	2
330-334, 400-468	Diseases of cardiovascular system-	97,314	23	21	25	29	73	80	189	351	724	1,500	2,734	4,520	6,880	10,230	13,730	15,547	14,931	13,060	8,249	3,450	927	41
	White-----M--	49,492	9	11	11	11	37	31	72	168	381	864	1,700	2,837	4,254	6,232	7,755	8,045	6,988	5,444	3,139	1,196	278	29
	F--	42,577	10	8	11	11	29	31	72	86	172	366	670	1,136	1,950	3,324	5,271	6,907	7,484	7,308	4,940	2,176	607	8
	Nonwhite--M--	2,628	3	1	2	2	3	7	19	57	95	133	189	300	362	364	347	288	208	143	63	31	9	2
	F--	2,617	1	1	1	5	4	11	26	40	76	137	175	247	314	310	357	307	251	165	107	47	33	2
330-334	Vascular lesions, etc.*----------	15,354	14	11	13	8	14	21	47	53	115	188	316	523	752	1,281	1,977	2,564	2,726	2,509	1,497	580	140	5
	White-----M--	6,612	3	5	7	3	8	8	20	17	42	63	135	220	358	641	978	1,159	1,231	964	525	186	36	3
	F--	7,932	8	4	5	4	6	10	17	15	42	79	121	204	307	539	903	1,307	1,426	1,507	945	386	96	1
	Nonwhite--M--	393	2	1	-	-	-	1	4	11	14	22	30	53	42	51	47	47	28	24	10	4	2	-
	F--	417	1	1	1	1	-	2	6	10	17	24	30	46	45	50	49	51	41	14	17	4	6	1

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW YORK--Con.																							
400-402	Rheumatic fever---	69	-	2	4	9	6	3	1	5	2	7	4	8	4	6	2	2	3	1	-	-	-	-
	White-----M--	24	-	-	1	2	3	3	-	1	1	2	-	4	1	4	-	2	-	-	-	-	-	-
	F--	35	-	2	3	4	3	-	-	3	1	4	2	3	3	2	2	-	2	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	3	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-
410-443	Diseases of heart-	76,679	5	8	8	11	47	45	125	265	555	1,237	2,299	3,824	5,902	8,615	11,180	12,298	11,465	9,633	6,049	2,418	656	34
	White-----M--	40,424	4	6	3	5	25	17	52	143	317	778	1,516	2,521	3,770	5,405	6,448	6,499	5,410	4,097	2,331	849	204	24
	F--	32,161	1	2	3	3	16	15	44	60	118	252	512	891	1,572	2,670	4,150	5,330	5,700	5,287	3,594	1,511	423	7
	Nonwhite--M--	2,065	-	-	2	2	3	6	13	39	71	98	138	228	302	296	286	228	165	111	45	25	5	2
	F--	2,029	-	-	-	1	3	7	16	23	49	109	133	184	258	244	296	241	190	138	79	33	24	1
410-416	Chronic rheumatic heart disease----	2,435	-	-	1	8	32	27	72	99	146	213	312	335	335	301	230	145	92	55	21	9	2	-
	White-----M--	1,014	-	-	-	2	14	9	27	47	67	93	132	141	139	138	89	47	37	21	5	6	-	-
	F--	1,255	-	-	1	3	14	10	33	35	61	93	164	177	175	151	135	95	53	34	16	3	2	-
	Nonwhite--M--	75	-	-	-	2	2	3	5	9	8	7	5	11	10	9	3	1	-	-	-	-	-	-
	F--	91	-	-	-	1	2	5	7	8	10	20	11	6	11	3	3	2	2	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	60,095	-	1	3	1	4	7	22	112	301	806	1,619	2,910	4.654	6,966	9,109	9,952	9.099	7,538	4,642	1,831	488	30
	White-----M--	33,789	-	1	2	1	3	2	16	80	216	614	1,249	2,163	3,242	4,652	5,556	5.489	4,476	3,329	1,835	678	163	22
	F--	23,864	-	-	1	-	1	2	4	12	38	103	238	527	1,084	1,989	3,178	4,129	4,378	4,040	2,723	1,110	301	6
	Nonwhite--M--	1,340	-	-	-	-	-	2	2	13	34	57	79	134	188	190	203	172	127	82	32	19	5	1
	F--	1,102	-	-	-	-	-	1	-	7	13	32	53	86	140	135	172	162	118	87	52	24	19	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	6,333	1	2	3	2	5	4	13	21	34	48	86	154	249	416	645	947	1,112	1,166	879	410	135	1
	White-----M--	2,734	1	1	-	2	3	3	5	7	13	16	33	69	116	224	314	471	493	469	336	122	35	1
	F--	3,119	-	1	1	-	1	1	5	5	5	16	25	42	79	124	260	427	564	664	520	281	98	-
	Nonwhite--M--	241	-	-	2	-	1	-	2	6	9	7	12	26	35	35	31	27	23	10	10	5	-	-
	F--	239	-	-	-	-	-	-	1	3	7	9	16	17	19	33	40	22	32	23	13	2	2	-
430-434	Other diseases of heart---------	695	4	5	1	-	5	5	6	10	19	18	37	46	68	65	89	90	101	66	41	16	2	1
	White-----M--	375	3	4	1	-	4	2	2	5	6	10	21	25	41	34	52	55	51	32	20	6	-	1
	F--	269	1	1	-	-	-	2	2	4	6	4	7	11	26	29	30	32	49	33	21	9	2	-
	Nonwhite--M--	27	-	-	-	-	-	-	1	1	4	1	8	5	1	2	4	-	-	-	-	-	-	-
	F--	24	-	-	-	-	1	1	1	-	3	3	1	5	-	-	3	3	1	1	-	1	-	-
440-443	Hypertension with heart dis.--	7,121	-	-	-	-	1	2	12	23	55	152	245	379	596	867	1.107	1,164	1,061	808	466	152	29	2
	White-----M--	2,512	-	-	-	-	1	1	2	4	15	45	81	123	232	357	437	437	353	246	135	37	6	-
	F--	3,654	-	-	-	-	-	-	-	4	8	36	78	134	208	377	547	647	656	516	314	108	20	1
	Nonwhite--M--	382	-	-	-	-	-	1	3	10	16	26	34	52	68	60	45	28	15	19	3	1	-	1
	F--	573	-	-	-	-	-	-	7	5	16	45	52	70	88	73	78	52	37	27	14	6	3	-
444-447	Hypertension without mention of heart----------	1,004	-	-	-	-	-	2	2	13	25	22	49	63	49	66	138	143	123	154	90	53	10	2
	White-----M--	417	-	-	-	-	-	1	-	3	10	2	17	24	15	26	67	67	64	64	38	15	2	2
	F--	457	-	-	-	-	-	-	-	3	1	9	13	18	24	30	61	65	53	85	51	37	7	-
	Nonwhite--M--	63	-	-	-	-	-	-	-	4	7	8	12	9	5	5	4	5	3	-	1	-	-	-
	F--	67	-	-	-	-	-	1	2	3	7	3	7	12	5	5	6	6	3	5	-	1	1	-
450	General arteriosclerosis--------	2,969	-	-	-	-	-	-	-	-	-	4	11	25	52	107	200	342	476	677	572	388	115	-
	White-----M--	1,287	-	-	-	-	-	-	-	-	-	3	4	14	29	64	100	187	204	276	229	145	32	-
	F--	1,564	-	-	-	-	-	-	-	-	-	-	3	5	18	37	89	140	249	386	326	232	79	-
	Nonwhite--M--	59	-	-	-	-	-	-	-	-	-	1	2	5	4	3	8	6	12	8	6	2	2	-
	F--	59	-	-	-	-	-	-	-	-	-	-	2	1	1	3	3	9	11	7	11	9	2	-
451-468	Other diseases of circulatory sys.-	1,239	4	-	-	1	6	9	14	15	27	42	55	77	121	155	233	198	138	86	41	11	6	-
	White-----M--	728	2	-	-	1	1	2	-	4	11	16	28	54	81	92	162	131	79	43	16	1	4	-
	F--	428	1	-	-	-	4	6	11	5	10	22	19	15	26	46	66	65	54	42	24	10	2	-
	Nonwhite--M--	45	1	-	-	-	-	-	1	3	3	3	6	5	9	9	2	2	-	-	1	-	-	-
	F--	38	-	-	-	-	1	1	2	3	3	1	2	3	5	8	3	-	5	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	1,245	1	5	9	12	36	16	37	41	59	63	78	105	117	109	123	115	140	99	57	16	7	-
	White-----M--	605	-	-	2	4	18	9	16	24	24	24	40	59	59	56	67	64	69	42	19	6	3	-
	F--	496	-	4	5	7	10	4	10	8	23	25	21	29	43	46	44	49	66	55	33	10	4	-
	Nonwhite--M--	79	-	1	1	-	4	1	5	6	4	7	14	8	6	6	7	1	3	1	4	-	-	-
	F--	65	1	-	1	1	4	2	6	3	8	7	3	9	9	1	5	1	2	1	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	6,186	625	198	77	57	62	87	85	83	143	169	237	297	350	474	629	652	655	594	428	208	75	1
	White-----M--	3,082	264	81	35	29	26	30	23	30	50	76	127	162	209	293	365	357	323	287	197	90	28	-
	F--	2,309	178	70	27	23	30	34	41	24	44	41	59	85	76	129	212	261	304	287	224	113	47	-
	Nonwhite--M--	488	90	27	5	3	3	10	14	19	32	41	40	33	44	41	33	18	16	15	3	-	-	1
	F--	307	93	20	10	2	3	13	7	10	17	11	11	17	21	11	19	16	12	5	4	5	-	-
480-483	Influenza---------	470	12	10	11	12	13	22	12	14	14	16	30	30	41	46	54	38	38	24	14	14	4	1
	White-----M--	232	6	5	6	5	5	7	2	9	5	7	16	16	24	24	32	23	14	13	7	5	1	-
	F--	202	5	4	4	6	6	9	10	2	6	6	12	12	14	18	21	14	23	11	7	9	3	-
	Nonwhite--M--	24	1	1	-	1	1	3	-	2	2	2	2	-	3	2	1	1	1	-	-	-	-	1
	F--	12	-	-	1	-	1	3	-	1	1	1	-	2	-	2	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	5,716	613	188	66	45	49	65	73	69	129	153	207	267	309	428	575	614	617	570	414	194	71	-
	White-----M--	2,850	258	76	29	24	21	23	21	21	45	69	111	146	185	269	333	334	309	274	190	85	27	-
	F--	2,107	173	66	23	17	24	25	31	22	38	35	47	73	62	111	191	247	281	276	217	104	44	-
	Nonwhite--M--	464	89	26	5	2	2	7	14	17	30	39	38	33	41	39	32	17	15	15	3	-	-	-
	F--	295	93	20	9	2	2	10	7	9	16	10	11	15	21	9	19	16	12	5	4	5	-	-
500-502	Bronchitis--------	393	85	27	7	3	2	3	4	3	1	5	4	14	26	37	50	48	29	24	12	3	6	-
	White-----M--	249	38	16	5	1	-	3	-	1	1	3	2	10	18	29	42	39	20	12	6	1	2	-
	F--	100	21	8	2	2	1	-	2	-	-	1	1	4	6	6	7	8	9	11	6	2	3	-
	Nonwhite--M--	24	15	2	-	-	-	-	-	1	-	-	-	-	1	2	1	1	-	1	-	-	-	-
	F--	20	11	1	-	-	1	-	2	1	-	1	1	-	1	-	-	-	-	-	.-	-	1	-
540, 541	Ulcer of stomach and duodenum-----	1,400	5	-	2	1	2	1	5	14	35	52	68	132	146	196	226	208	139	102	54	11	1	-
	White-----M--	1,005	3	-	1	-	1	1	3	8	20	44	56	104	113	139	173	147	97	68	20	7	-	-
	F--	331	2	-	1	1	1	-	2	2	9	6	5	20	21	52	46	57	37	32	33	3	1	-
	Nonwhite--M--	47	-	-	-	-	-	-	-	4	5	2	3	7	8	5	5	4	3	1	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	1	-	4	1	4	-	2	-	2	1	1	1	-	-
550-553	Appendicitis------	240	2	6	3	9	4	4	4	4	10	16	10	20	13	28	30	25	21	19	8	4	-	-
	White-----M--	129	2	2	1	5	1	2	2	2	3	9	4	13	9	17	18	12	15	9	2	1	-	-
	F--	81	-	3	1	3	2	2	2	-	4	3	5	5	2	7	8	12	6	8	6	2	-	-
	Nonwhite--M--	18	-	-	1	-	-	-	-	2	2	3	-	2	-	2	4	1	-	1	-	-	-	-
	F--	12	-	1	-	1	1	-	-	-	1	1	1	-	2	2	-	-	-	1	-	1	-	-
560, 561, 570	Hernia, intestinal obstruction--	835	91	9	-	3	-	3	6	1	11	16	26	40	57	71	103	106	110	103	54	18	6	1
	White-----M--	411	48	4	-	3	-	2	1	1	4	8	9	15	35	37	44	54	49	60	23	10	4	-
	F--	360	24	5	-	-	-	1	2	-	6	5	11	20	16	28	54	49	57	42	30	7	2	1
	Nonwhite--M--	43	13	-	-	-	-	-	1	-	1	2	5	3	5	3	5	1	2	-	1	1	-	-
	F--	21	6	-	-	-	-	-	2	-	-	1	1	2	1	3	-	2	2	1	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NEW YORK—Con.																							
543,	Gastritis, etc.*--	584	79	25	3	4	6	4	8	9	16	17	28	32	54	43	48	59	75	44	23	4	2	1
571,	White-----M--	260	33	9	-	3	4	-	3	5	8	9	16	16	30	17	19	29	28	23	6	-	1	1
572	F--	282	20	13	2	1	2	3	5	-	8	8	12	14	23	24	28	29	47	21	17	4	1	-
	Nonwhite--M--	25	17	2	-	-	-	1	-	2	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	F--	17	9	1	1	-	-	-	-	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	2,807	2	2	4	3	-	8	25	76	140	263	290	433	421	382	348	207	134	44	18	5	1	1
	White-----M--	1,698	1	-	2	-	-	3	6	26	58	122	158	290	263	256	237	153	83	26	10	2	1	1
	F--	817	-	-	1	2	-	3	7	26	37	101	97	106	112	99	102	48	48	18	7	3	-	-
	Nonwhite--M--	181	1	1	1	1	-	1	8	12	29	24	22	19	29	19	6	4	3	-	1	-	-	-
	F--	111	-	1	-	-	-	1	4	12	16	16	13	18	17	8	3	2	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	143	4	10	6	6	1	4	3	10	4	8	4	10	10	13	24	9	11	4	-	2	-	-
	White-----M--	71	3	3	4	1	1	2	-	2	2	3	2	6	6	8	16	4	4	4	-	-	-	-
	F--	62	1	6	1	5	-	2	2	4	1	5	1	4	4	4	8	5	7	-	-	2	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	6	-	-	1	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	550	-	-	-	-	-	-	-	-	-	-	-	7	14	40	92	108	107	92	64	25	1	-
	White-----M--	516	-	-	-	-	-	-	-	-	-	-	-	5	12	35	87	98	104	86	64	24	1	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	2	2	5	5	10	3	6	-	1	-	-
640-	Complications of																							
689	pregnancy, etc.*-	158	...	...	...	-	7	24	40	38	35	10	3	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	112	...	...	...	-	2	16	29	27	27	7	3	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	46	...	...	...	-	5	8	11	11	8	3	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	45	...	...	...	-	3	3	17	12	9	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	26	...	...	...	-	1	1	12	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	19	...	...	...	-	2	2	5	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	113	...	...	...	-	4	21	23	26	26	9	3	-	1	-	-	-	-	-	-	-	-	-
660-	White-----F--	86	...	...	...	-	1	15	17	20	23	6	3	-	1	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	27	...	...	...	-	3	6	6	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	1,984	1,398	182	57	37	30	17	19	23	24	39	36	32	28	21	16	14	6	3	1	-	1	-
	White-----M--	986	701	76	26	16	17	8	13	13	11	23	20	19	13	9	7	6	5	2	-	-	1	-
	F--	785	549	79	23	16	10	7	4	8	12	12	13	11	13	10	9	6	1	1	1	-	-	-
	Nonwhite--M--	106	76	15	2	3	2	-	2	1	-	2	1	-	2	-	-	-	-	-	-	-	-	-
	F--	107	72	12	6	2	1	2	-	1	1	2	2	2	-	2	-	2	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	5,516	5,514	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2,539	2,539	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,748	1,746	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	674	674	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	555	555	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	2,644	2,644	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,294	1,294	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	850	850	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	278	278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	311	311	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	2,561	2,559	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,095	1,095	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	818	816	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	353	353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	295	295	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,096	112	43	11	4	34	68	73	75	78	80	71	67	89	68	60	40	38	20	27	22	10	6
795	White-----M--	517	57	15	5	4	20	29	24	21	23	39	34	32	46	40	35	26	21	10	14	12	5	5
	F--	379	39	20	4	-	8	10	16	22	25	29	26	30	36	24	23	14	17	9	12	10	5	-
	Nonwhite--M--	133	9	3	-	-	3	21	25	26	19	5	8	4	6	2	1	-	-	-	1	-	-	-
	F--	67	7	5	2	-	3	8	8	6	11	7	3	1	1	2	1	-	-	1	-	-	-	1
Re-	All other diseases	6,842	274	132	69	55	63	75	123	163	245	298	378	480	645	765	927	832	596	435	198	75	14	-
sid-	White-----M--	3,660	155	67	31	28	29	31	45	60	92	124	195	248	349	467	565	519	305	224	94	27	5	-
ual	F--	2,597	93	49	22	23	25	30	51	54	82	111	132	188	235	255	319	293	277	201	101	47	9	-
	Nonwhite--M--	353	15	13	12	2	5	5	14	34	47	35	33	24	36	29	26	8	10	5	-	-	-	-
	F--	232	11	3	4	2	4	9	13	15	24	28	18	20	25	14	17	12	4	5	3	1	-	-
E800-	Accidents---------	7,167	192	286	234	177	352	375	336	290	306	316	385	399	423	486	537	502	517	510	354	126	47	17
E962	White-----M--	4,126	83	134	136	116	262	270	229	184	183	192	250	261	275	324	317	262	237	205	134	40	19	13
	F--	2,294	63	86	53	40	63	57	57	51	47	57	78	88	113	133	192	223	268	296	216	85	27	1
	Nonwhite--M--	539	30	28	33	14	25	37	40	40	55	53	51	36	29	23	15	9	7	7	3	1	-	3
	F--	208	16	38	12	7	2	11	10	15	21	14	6	14	6	6	13	8	5	2	1	-	1	-
E810-	Motor-vehicle																							
E835	accidents--------	2,344	18	61	105	49	224	250	190	137	141	124	147	136	144	161	161	125	103	48	14	5	1	-
	White-----M--	1,566	7	29	66	28	167	187	134	95	90	81	97	88	88	101	107	79	74	34	11	3	-	-
	F--	571	7	19	20	15	51	43	36	26	29	27	34	35	42	51	46	45	27	13	2	2	1	-
	Nonwhite--M--	145	3	5	15	2	5	15	15	13	14	13	13	8	11	7	2	-	2	1	1	-	-	-
	F--	62	1	8	4	4	1	5	5	3	8	3	3	5	3	2	6	1	-	-	-	-	-	-
E800-	All ot. accidents-	4,823	174	225	129	128	128	125	146	153	165	192	238	263	279	325	376	377	414	462	340	121	46	17
E802,	White-----M--	2,580	76	105	70	88	95	83	95	89	93	111	153	173	187	223	210	183	163	171	123	37	19	13
E840-	F--	1,723	56	67	33	25	12	14	21	25	18	30	44	53	71	82	146	178	241	283	214	83	26	1
E962	Nonwhite--M--	394	27	23	18	12	20	22	25	27	41	40	38	28	18	16	13	9	5	6	2	1	-	3
	F--	146	15	30	8	3	1	6	5	12	13	11	3	9	3	4	7	7	5	2	1	-	1	-
E963,	Suicide----------	1,219	-	-	-	8	23	44	66	62	74	90	106	159	152	133	112	99	48	27	9	5	-	2
E970-	White-----M--	881	-	-	-	7	19	31	43	32	49	60	77	118	111	91	87	76	43	23	7	5	-	2
E979	F--	293	-	-	-	1	2	7	16	26	17	26	29	36	39	40	24	20	5	4	1	-	-	-
	Nonwhite--M--	36	-	-	-	-	2	6	7	3	7	3	-	3	1	2	-	2	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	1	1	-	2	1	-	1	1	-	-	1	-	-	-
E964,	Homicide----------	415	14	4	9	3	29	45	59	52	39	45	37	28	22	10	9	7	-	1	-	-	-	2
E980-	White-----M--	140	7	1	5	-	7	17	19	8	12	15	10	10	12	4	6	6	-	-	-	-	-	1
E985	F--	72	5	3	3	-	7	8	9	6	3	7	6	7	3	2	1	-	-	1	-	-	-	1
	Nonwhite--M--	153	2	-	1	2	11	14	24	26	15	21	13	11	7	4	2	-	-	-	-	-	-	-
	F--	50	-	-	-	1	4	6	7	12	9	2	8	-	-	-	-	1	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
E999	White-----M--	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH CAROLINA																							
	ALL CAUSES------	35,015	3,460	588	269	207	419	498	514	709	951	1,314	1,674	2,096	2,544	3,090	3,818	3,805	3,720	2,820	1,698	560	243	18
	White-----M--	14,083	978	163	106	88	195	219	205	239	354	534	732	945	1,126	1,327	1,618	1,645	1,593	1,170	609	176	60	1
	F--	9,757	710	139	52	41	60	81	81	131	188	230	300	375	532	715	971	1,203	1,450	1,235	874	284	103	2
	Nonwhite--M--	6,111	953	155	64	48	99	118	135	194	224	325	364	402	498	583	679	509	351	211	110	45	35	9
	F--	5,064	819	131	47	30	65	80	93	145	185	225	278	374	388	465	550	448	326	204	105	55	45	6
001-019	Tuberculosis, all forms--------	222	3	2	-	-	1	3	10	14	19	17	14	20	27	24	19	23	15	7	3	1	-	-
	White-----M--	77	-	-	-	-	-	-	3	3	8	4	4	8	9	12	10	8	6	1	1	-	-	-
	F--	44	-	-	-	-	-	-	2	3	4	4	2	-	5	4	6	3	8	2	1	-	-	-
	Nonwhite--M--	63	2	1	-	-	-	1	2	4	3	3	7	7	10	8	3	6	-	4	1	1	-	-
	F--	38	1	1	-	-	1	2	3	4	4	6	1	5	3	-	-	6	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	197	1	-	-	-	1	3	9	14	14	17	12	18	23	22	17	22	14	6	3	1	-	-
	White-----M--	76	-	-	-	-	-	-	3	3	8	4	4	8	9	11	10	8	6	1	1	-	-	-
	F--	39	-	-	-	-	-	-	2	3	1	4	2	-	5	4	5	3	7	2	1	-	-	-
	Nonwhite--M--	52	-	-	-	-	-	1	1	4	3	3	6	6	9	7	2	5	-	3	1	1	-	-
	F--	30	1	-	-	-	1	2	3	4	2	6	-	4	-	-	-	6	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	25	2	2	-	-	-	-	1	-	5	-	2	2	4	2	2	1	1	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	11	2	1	-	-	-	-	1	-	-	-	1	1	1	1	1	1	-	1	-	-	-	-
	F--	8	-	1	-	-	-	-	-	-	2	-	1	1	3	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	92	-	-	-	-	1	1	-	1	1	8	8	21	13	11	14	6	6	-	-	1	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	2	2	3	4	3	5	2	1	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	1	1	-	-	-	-	-
	Nonwhite--M--	43	-	-	-	-	1	-	-	-	1	4	4	9	7	5	5	3	3	-	-	1	-	-
	F--	15	-	-	-	-	-	1	-	1	-	2	2	5	-	1	2	-	1	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	13	6	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	2	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	5	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	7	1	2	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	12	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	27	8	8	2	1	2	1	1	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	9	2	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	1	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	F--	6	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	4	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	125	21	17	7	4	-	5	3	5	2	4	9	8	7	7	7	3	8	2	6	-	-	-
	White-----M--	45	7	5	3	2	-	2	-	2	-	1	4	1	1	3	4	1	5	1	3	-	-	-
	F--	29	3	4	1	2	-	1	1	1	-	1	2	3	2	1	2	-	3	1	1	-	-	-
	Nonwhite--M--	24	5	2	-	-	-	1	1	1	1	1	2	3	3	2	-	1	-	-	1	-	-	-
	F--	27	6	6	3	-	-	1	1	1	1	1	1	1	1	1	1	1	-	-	1	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH CAROLINA—Continued																							
140-205	Malignant neoplasms, etc.*----	4,094	11	31	28	23	28	24	36	76	138	198	291	376	460	514	528	515	387	255	129	26	17	3
	White-----M--	1,647	3	13	11	5	12	10	16	24	33	73	96	140	190	208	224	237	181	107	51	9	4	-
	F--	1,534	6	13	7	10	8	11	12	26	66	83	114	135	162	179	162	186	147	123	66	14	4	-
	Nonwhite--M--	440	-	4	7	5	2	1	2	7	20	14	29	37	55	76	70	57	29	14	6	2	2	1
	F--	473	2	1	3	3	6	2	6	19	19	28	52	64	53	51	72	35	30	11	6	1	7	2
140-148	Of buccal cavity and pharynx------	100	-	-	-	-	-	1	-	1	5	4	9	8	14	7	10	9	15	10	3	3	-	1
	White-----M--	60	-	-	-	-	-	1	-	-	1	3	7	7	8	6	7	4	9	4	1	2	-	-
	F--	32	-	-	-	-	-	-	-	-	2	1	1	-	6	-	3	5	6	5	2	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	1
	F--	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,212	-	-	-	5	1	1	4	9	26	36	59	89	131	158	198	174	160	97	51	7	6	-
	White-----M--	506	-	-	-	2	-	-	2	6	13	22	27	38	50	64	71	86	71	32	19	3	-	-
	F--	417	-	-	-	-	1	-	1	1	6	5	13	28	39	47	67	64	57	57	28	2	1	-
	Nonwhite--M--	156	-	-	-	1	-	1	-	1	6	5	10	11	29	32	24	14	13	5	2	1	1	-
	F--	133	-	-	-	2	-	-	1	1	1	4	9	12	13	15	36	10	19	3	2	1	4	-
160-164	Of respiratory system (not secondary)-------	523	-	-	-	-	-	-	2	3	12	23	36	68	89	85	81	72	28	14	9	-	1	-
	White-----M--	363	-	-	-	-	-	-	1	1	5	16	28	44	60	61	65	50	17	9	5	-	1	-
	F--	67	-	-	-	-	-	-	-	2	4	2	3	7	10	7	8	9	7	5	3	-	-	-
	Nonwhite--M--	76	-	-	-	-	-	-	-	-	3	4	5	13	16	15	5	10	4	-	1	-	-	-
	F--	17	-	-	-	-	-	-	1	-	-	1	-	4	3	2	3	3	-	-	-	-	-	-
170	Of breast----------	355	-	-	-	-	-	-	1	13	19	37	41	49	40	50	23	33	22	10	12	4	-	1
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-
	F--	262	-	-	-	-	-	-	-	8	14	29	29	38	26	36	13	26	18	8	11	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	88	-	-	-	-	-	-	1	5	5	8	12	11	13	12	9	6	3	1	1	-	-	1
171-179	Of genital organs-	748	-	1	-	-	5	4	7	17	32	34	68	59	68	95	100	102	66	59	25	5	1	-
	White-----M--	194	-	-	-	-	1	1	1	-	3	-	1	3	8	19	24	38	41	33	19	1	1	-
	F--	313	-	-	-	-	1	2	4	8	20	24	45	27	41	44	36	27	13	15	3	3	-	-
	Nonwhite--M--	98	-	1	-	-	-	-	-	-	-	-	1	3	3	17	25	28	8	9	2	1	-	-
	F--	143	-	-	-	-	3	1	2	9	9	10	21	26	16	15	15	9	4	2	1	-	-	-
180, 181	Of urinary organs-	167	2	8	4	-	1	-	1	2	5	6	13	14	11	16	18	22	19	13	9	3	-	-
	White-----M--	74	-	4	2	-	1	-	1	1	1	3	3	6	8	6	7	12	10	8	1	-	-	-
	F--	59	1	2	-	-	-	-	-	-	2	1	2	5	1	8	6	9	8	5	6	3	-	-
	Nonwhite--M--	18	-	1	2	-	-	-	-	1	1	1	4	2	1	1	2	1	-	-	1	-	-	-
	F--	16	1	1	-	-	-	-	-	-	1	1	4	1	1	1	3	-	1	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	556	2	6	9	5	9	6	9	17	19	32	43	58	63	55	51	67	45	35	13	3	8	1
	White-----M--	231	-	3	3	1	4	2	4	9	7	18	17	28	30	28	21	23	16	9	5	2	1	-
	F--	230	2	3	1	2	2	3	3	4	9	10	13	21	27	17	16	35	27	23	8	1	3	-
	Nonwhite--M--	47	-	-	4	2	1	-	1	1	2	1	7	4	4	6	9	3	1	-	-	-	1	-
	F--	48	-	-	1	-	2	1	1	3	1	3	6	5	2	4	5	6	1	3	-	-	3	1
204	Leukemia and aleukemia---------	203	5	14	15	8	9	6	5	5	9	9	8	15	17	17	19	16	14	6	4	1	1	-
	White-----M--	96	2	4	6	1	4	2	2	2	2	3	3	7	10	9	12	12	7	5	1	1	1	-
	F--	77	2	8	6	6	4	4	2	1	4	6	5	5	4	5	4	2	5	1	3	-	-	-
	Nonwhite--M--	19	-	2	1	1	-	-	1	2	3	-	-	1	2	1	2	1	2	-	-	-	-	-
	F--	11	1	-	2	-	1	-	-	-	-	-	-	2	1	2	1	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	230	2	2	-	5	3	6	7	9	11	17	14	16	27	31	28	20	18	11	3	-	-	-
	White-----M--	118	1	2	-	1	2	4	5	5	1	8	10	7	15	15	16	11	9	6	-	-	-	-
	F--	77	1	-	-	2	-	2	2	2	5	5	3	4	8	13	9	9	6	4	2	-	-	-
	Nonwhite--M--	21	-	-	-	1	1	-	-	2	4	3	1	2	-	3	3	-	1	-	-	-	-	-
	F--	14	-	-	-	1	-	-	-	-	1	1	-	3	4	-	-	-	2	1	1	-	-	-
210-239	Benign and unspecified neoplasms--	112	1	2	2	4	2	5	5	4	8	8	13	16	11	8	9	4	3	3	4	-	-	-
	White-----M--	33	-	-	-	1	1	1	2	1	2	3	5	5	3	1	4	2	1	1	-	-	-	-
	F--	40	-	1	2	2	-	1	1	3	2	3	3	4	6	2	3	2	-	1	4	-	-	-
	Nonwhite--M--	15	1	-	-	-	1	1	1	-	1	1	-	2	1	3	1	-	1	1	-	-	-	-
	F--	24	-	1	-	1	-	2	1	-	3	1	5	5	1	2	1	-	1	-	-	-	-	-
260	Diabetes mellitus-	483	-	1	2	4	7	6	5	10	17	23	23	30	45	72	73	59	46	34	21	4	1	-
	White-----M--	157	-	-	1	2	-	1	1	7	2	11	5	9	14	25	24	23	11	15	4	2	-	-
	F--	176	-	-	1	-	2	3	2	-	4	3	5	7	14	25	26	24	25	16	16	2	1	-
	Nonwhite--M--	47	-	1	-	1	2	1	1	-	6	3	2	4	6	5	9	4	1	1	-	-	-	-
	F--	103	-	-	-	1	3	1	1	3	5	6	11	10	11	17	14	8	9	2	1	-	-	-
290-293	Anemias----------	59	8	7	1	1	3	2	2	1	1	1	2	2	3	5	5	6	5	4	-	-	-	-
	White-----M--	12	3	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	2	-	-	-	-	-
	F--	20	-	-	1	1	-	-	-	1	-	-	1	-	-	3	4	3	2	4	-	-	-	-
	Nonwhite--M--	21	4	6	-	-	1	-	2	-	1	1	1	2	1	1	-	-	1	-	-	-	-	-
	F--	6	1	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	56	25	11	2	-	3	-	1	1	-	1	2	1	2	3	3	-	1	-	-	-	-	-
	White-----M--	17	6	3	1	-	1	-	-	1	-	1	-	-	-	2	1	-	1	-	-	-	-	-
	F--	14	8	1	-	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	14	5	5	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	11	6	2	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	18,711	15	25	21	26	39	54	72	203	325	546	828	1,174	1,514	1,969	2,514	2,666	2,775	2,117	1,248	419	153	8
	White-----M--	7,824	5	5	7	7	11	10	21	52	107	205	388	581	685	874	1,051	1,134	1,186	884	443	126	42	-
	F--	5,502	3	3	2	4	9	13	11	44	47	66	100	137	249	390	639	846	1,084	923	653	214	64	1
	Nonwhite--M--	2,828	2	9	8	8	12	14	20	59	88	159	190	219	317	372	445	350	264	158	76	32	22	4
	F--	2,557	5	8	4	7	7	17	20	48	83	116	150	237	263	333	379	336	241	152	76	47	25	3
330-334, 400-468	Diseases of cardiovascular system-	18,267	14	23	17	21	33	44	62	182	307	521	801	1,152	1,484	1,932	2,460	2,620	2,731	2,079	1,219	407	150	8
	White-----M--	7,678	5	4	7	5	9	6	18	42	101	197	377	570	678	866	1,038	1,120	1,169	869	433	123	41	-
	F--	5,389	3	3	-	3	8	10	7	39	45	61	92	136	242	384	626	837	1,068	910	643	208	63	1
	Nonwhite--M--	2,739	2	8	6	8	10	11	20	55	84	153	187	215	308	362	437	336	257	154	70	31	21	4
	F--	2,461	4	8	4	5	6	17	17	46	77	110	145	231	256	320	359	327	237	146	73	45	25	3
330-334	Vascular lesions, etc.*----------	4,743	4	8	6	4	6	4	19	34	70	108	160	236	339	419	590	759	786	623	397	117	51	3
	White-----M--	1,595	1	2	1	1	1	-	3	4	18	18	46	74	82	131	191	271	330	241	136	31	13	-
	F--	1,571	2	1	-	-	2	-	2	6	14	19	26	39	67	89	161	258	297	288	220	55	25	-
	Nonwhite--M--	819	1	2	3	2	3	-	5	17	20	42	49	59	101	102	135	114	78	51	18	9	7	1
	F--	758	-	3	2	1	-	4	9	7	18	29	39	64	89	97	103	116	81	43	23	22	6	2

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH CAROLINA—Continued																							
400-402	Rheumatic fever---	34	-	2	4	8	2	4	1	3	3	1	2	2	-	1	-	-	1	-	-	-	-	-
	White-----M--	6	-	-	1	-	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	6	-	-	-	2	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	10	-	1	1	3	1	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	F--	12	-	1	2	3	-	3	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	12,308	8	11	7	8	20	31	39	126	208	369	604	857	1,081	1.408	1,713	1,716	1,769	1,299	700	245	84	5
	White-----M--	5.613	3	-	5	4	7	5	12	37	79	165	321	468	569	690	775	792	771	560	246	78	26	-
	F--	3,453	1	2	-	1	3	9	5	28	26	40	60	89	166	279	434	534	692	555	367	129	32	1
	Nonwhite--M--	1,724	1	5	2	2	6	10	14	32	54	94	131	146	193	236	265	201	168	89	42	19	11	3
	F--	1,518	3	4	-	1	4	7	8	29	49	70	92	154	153	203	239	189	138	95	45	19	15	1
410-416	Chronic rheumatic heart disease----	295	-	-	-	3	8	10	10	25	16	26	28	31	28	27	29	20	18	8	5	1	2	-
	White-----M--	117	-	-	-	3	3	2	4	8	6	11	12	14	14	7	11	8	5	4	3	1	1	-
	F--	114	-	-	-	-	2	4	2	12	9	4	11	13	6	16	12	8	8	4	2	-	1	-
	Nonwhite--M--	34	-	-	-	-	2	2	4	2	1	8	3	1	4	-	4	1	2	-	-	-	-	-
	F--	30	-	-	-	-	1	2	-	3	-	3	2	3	4	4	2	3	3	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	7,703	2	1	3	-	2	6	16	55	114	233	393	556	741	940	1,102	1,108	1,068	766	405	143	47	2
	White-----M--	4,142	1	-	2	-	1	2	5	22	59	126	256	366	456	548	595	597	527	367	146	49	17	-
	F--	2,104	-	-	-	-	-	1	1	7	10	26	26	56	118	195	269	351	412	324	214	75	18	1
	Nonwhite--M--	823	1	-	1	-	1	2	5	14	26	50	73	67	104	117	131	83	81	33	21	10	3	-
	F--	634	-	1	-	-	-	1	5	12	19	31	38	67	63	80	107	77	48	42	24	9	9	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,172	1	2	1	-	3	1	-	5	12	10	21	50	49	79	144	170	217	197	141	50	19	-
	White-----M--	419	1	-	-	-	2	-	-	2	3	7	10	17	13	29	49	56	81	81	45	18	5	-
	F--	434	-	1	-	-	-	1	-	-	2	1	4	7	11	13	39	58	97	89	82	23	6	-
	Nonwhite--M--	172	-	-	1	-	-	-	-	2	2	1	3	18	14	21	29	28	24	10	9	4	6	-
	F--	147	-	1	-	-	1	-	-	1	5	1	4	8	11	16	27	28	15	17	5	5	2	-
430-434	Other diseases of heart---------	778	5	8	3	5	6	13	9	19	27	34	48	70	83	91	98	78	86	57	29	6	2	1
	White-----M--	342	1	-	3	1	1	1	2	2	9	14	25	43	43	40	40	32	44	24	14	2	1	-
	F--	139	1	1	-	1	1	3	2	5	4	2	3	5	9	12	18	18	19	19	13	2	1	-
	Nonwhite--M--	187	-	5	-	2	3	6	3	7	11	10	13	19	19	25	24	18	11	8	1	1	-	1
	F--	110	3	2	-	1	1	3	2	5	3	8	7	3	12	14	16	10	12	6	1	1	-	-
440-443	Hypertension with heart dis.--	2,360	-	-	-	-	1	1	4	22	39	66	114	150	180	271	340	340	380	271	120	45	14	2
	White-----M--	593	-	-	-	-	-	-	1	3	2	7	18	28	43	66	80	99	114	84	38	8	2	-
	F--	662	-	-	-	-	-	-	-	4	1	7	16	8	22	43	96	99	156	119	56	29	6	-
	Nonwhite--M--	508	-	-	-	-	-	-	2	7	14	25	39	41	52	73	77	71	50	38	11	4	2	2
	F--	597	-	-	-	-	1	1	1	8	22	27	41	73	63	89	87	71	60	30	15	4	4	-
444-447	Hypertension without mention of heart----------	323	-	-	-	-	-	1	-	13	17	25	22	21	19	28	44	33	40	32	21	6	1	-
	White-----M--	97	-	-	-	-	-	-	-	-	2	6	6	7	5	7	16	8	10	17	11	2	-	-
	F--	76	-	-	-	-	-	-	-	1	1	-	3	3	3	4	11	9	17	12	9	2	1	-
	Nonwhite--M--	74	-	-	-	-	-	-	-	5	6	11	5	7	3	9	14	7	2	2	1	2	-	-
	F--	76	-	-	-	-	-	1	-	7	8	8	8	4	8	8	3	9	11	1	-	-	-	-
450	General arteriosclerosis--------	534	-	-	-	-	-	-	-	-	-	2	4	5	16	29	52	69	108	106	93	37	13	-
	White-----M--	208	-	-	-	-	-	-	-	-	-	2	1	2	8	9	18	31	43	43	39	10	2	-
	F--	201	-	-	-	-	-	-	-	-	-	-	1	1	1	5	9	21	49	47	41	22	4	-
	Nonwhite--M--	72	-	-	-	-	-	-	-	-	-	-	-	1	5	9	16	8	9	11	9	1	3	-
	F--	53	-	-	-	-	-	-	-	-	-	-	2	1	2	6	9	9	7	5	4	4	4	-
451-468	Other diseases of circulatory sys.-	325	2	2	-	1	5	4	3	6	9	16	9	31	29	47	61	43	27	19	8	2	1	-
	White-----M--	159	1	2	-	-	1	-	2	1	1	5	3	19	14	28	38	18	15	8	1	2	-	-
	F--	82	-	-	-	-	2	1	-	3	4	2	2	3	5	7	11	15	12	8	6	-	1	-
	Nonwhite--M--	40	-	-	-	1	-	1	1	1	2	6	-	2	6	6	7	6	-	1	-	-	-	-
	F--	44	1	-	-	-	2	2	-	1	2	3	4	7	4	6	5	4	-	2	1	-	-	-
592-594	Chronic nephritis, etc.*----------	444	1	2	4	5	6	10	10	21	18	25	27	22	30	37	54	46	44	38	29	12	3	-
	White-----M--	146	-	1	-	2	2	4	3	10	6	8	11	11	7	8	13	14	17	15	10	3	1	-
	F--	113	-	-	2	1	1	3	4	5	2	5	8	1	7	6	13	9	16	13	10	6	1	-
	Nonwhite--M--	89	-	1	2	-	2	3	-	4	4	6	3	4	9	10	8	14	7	4	6	1	1	-
	F--	96	1	-	-	2	1	-	3	2	6	6	5	6	7	13	20	9	4	6	3	2	-	-
480-493	Influenza and pneumonia, etc.*-	1,580	400	118	21	21	19	21	32	24	26	39	32	47	61	73	132	123	132	105	81	45	27	1
	White-----M--	466	56	28	4	9	2	4	8	3	8	10	10	15	23	21	53	46	59	51	28	21	7	-
	F--	361	46	23	5	5	7	10	6	7	3	5	5	7	8	16	21	30	45	41	42	19	9	1
	Nonwhite--M--	393	160	34	7	4	6	3	7	6	6	13	13	13	15	20	27	24	15	5	6	4	5	-
	F--	360	138	33	5	3	4	4	11	8	9	11	4	12	15	16	31	23	13	8	5	1	6	-
480-483	Influenza---------	320	40	24	7	5	6	6	11	8	8	13	7	14	17	18	37	16	29	18	17	10	9	-
	White-----M--	100	5	7	2	3	2	-	2	-	-	2	2	3	8	6	14	8	15	6	6	4	5	-
	F--	72	5	6	2	1	1	4	2	2	-	1	1	2	2	7	7	1	6	7	9	4	2	-
	Nonwhite--M--	77	18	6	2	1	1	1	-	3	4	7	3	4	3	2	6	3	6	2	1	2	2	-
	F--	71	12	5	1	-	2	1	7	3	4	3	1	5	4	3	10	4	2	3	1	-	-	-
490-493	Pneumonia, etc.*--	1,260	360	94	14	16	13	15	21	16	18	26	25	33	44	55	95	107	103	87	64	35	18	1
	White-----M--	366	51	21	2	6	-	4	6	3	8	8	8	12	15	15	39	38	44	45	22	17	2	-
	F--	289	41	17	3	4	6	6	4	5	3	4	4	5	6	9	14	29	39	34	33	15	7	1
	Nonwhite--M--	316	142	28	5	3	5	2	7	3	2	6	10	9	12	18	21	21	9	3	5	2	3	-
	F--	289	126	28	4	3	2	3	4	5	5	8	3	7	11	13	21	19	11	5	4	1	6	-
500-502	Bronchitis--------	68	18	4	1	1	-	1	-	2	2	1	-	-	-	5	9	7	6	4	5	1	1	-
	White-----M--	31	4	2	1	1	-	-	-	1	1	1	-	-	-	3	7	5	2	1	1	1	-	-
	F--	22	5	1	-	-	-	-	-	1	1	-	-	-	-	1	-	2	3	3	4	-	1	-
	Nonwhite--M--	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	7	3	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	198	-	-	1	-	1	1	1	5	8	17	16	17	24	19	34	24	11	13	4	1	1	-
	White-----M--	114	-	-	-	-	-	-	-	-	4	9	9	12	15	11	21	15	9	7	2	-	-	-
	F--	34	-	-	1	-	1	-	-	-	-	2	2	1	5	1	6	4	2	5	2	1	1	-
	Nonwhite--M--	43	-	-	-	-	-	1	1	4	2	6	4	4	2	7	7	4	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	2	-	1	-	2	-	-	1	-	-	-	-	-	-
550-553	Appendicitis------	24	1	-	2	3	1	1	1	-	-	1	2	-	1	4	-	2	4	-	1	-	-	-
	White-----M--	6	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-
	F--	7	-	-	-	1	-	-	-	-	-	1	-	-	1	2	-	1	-	-	1	-	-	-
	Nonwhite--M--	4	1	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	7	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	172	34	5	-	-	1	-	3	3	6	9	8	9	7	11	15	20	15	10	8	5	3	-
	White-----M--	58	10	2	-	-	-	-	1	3	2	3	3	3	3	2	7	10	3	3	2	1	-	-
	F--	54	9	-	-	-	-	-	-	-	1	3	-	1	1	4	5	7	7	6	4	4	2	-
	Nonwhite--M--	38	13	2	-	-	-	-	2	-	1	1	2	2	3	3	1	1	5	-	1	-	1	-
	F--	22	2	1	-	-	1	-	-	-	2	2	3	3	-	2	2	2	-	1	1	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH CAROLINA—Continued																							
543,	Gastritis, etc.*--	224	143	20	-	-	2	-	3	-	-	2	1	5	2	6	11	3	8	11	4	1	2	-
571,	White-----M--	48	10	5	-	-	2	-	3	-	-	2	1	3	1	5	7	1	2	4	1	1	-	-
572	F--	31	10	4	-	-	-	-	-	-	-	-	-	2	-	1	2	1	4	4	1	-	2	-
	Nonwhite--M--	78	64	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	1	-	-	-
	F--	67	59	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-
581	Cirrhosis of liver	237	1	1	3	1	1	1	2	8	24	29	36	29	34	17	19	19	7	3	2	-	-	-
	White-----M--	127	1	-	1	-	1	-	-	4	9	17	16	20	25	8	14	7	3	-	1	-	-	-
	F--	62	-	1	1	-	-	-	-	1	9	5	12	4	4	6	5	7	4	2	1	-	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	1	4	2	8	4	3	2	-	4	-	1	-	-	-	-
	F--	19	-	-	1	1	-	1	2	2	2	5	-	1	2	1	-	1	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	55	1	3	2	-	-	1	1	5	3	5	1	5	2	5	2	9	3	5	1	1	-	-
	White-----M--	17	-	1	1	-	-	-	1	1	3	2	1	1	1	2	-	-	1	-	1	1	-	-
	F--	12	-	1	1	-	-	-	-	1	-	-	-	1	-	1	1	3	1	2	-	-	-	-
	Nonwhite--M--	13	1	-	-	-	-	1	-	2	-	-	-	3	-	2	-	3	-	1	-	-	-	-
	F--	13	-	1	-	-	-	-	-	1	-	3	-	-	1	-	1	3	1	2	-	-	-	-
610	Hyperplasia of																							
	prostate---------	94	-	-	-	-	-	-	-	-	-	-	-	2	7	7	14	17	14	14	13	3	3	-
	White-----M--	59	-	-	-	-	-	-	-	-	-	-	-	1	5	1	5	11	12	10	9	3	2	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	1	2	6	9	6	2	4	4	-	1	-
640-	Complications of																							
689	pregnancy, etc.*-	84	...	...	...	-	10	22	11	17	15	6	2	-	1	-	-	-	-	-	-	-	-	-
	White-----F--	18	...	...	...	-	4	3	3	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	66	...	...	...	-	6	19	8	12	14	4	2	-	1	-	-	-	-	-	-	-	-	-
650-	Abortion---------	12	...	...	...	-	1	2	3	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	-	-	1	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	72	...	...	...	-	9	20	8	15	12	5	2	-	1	-	-	-	-	-	-	-	-	-
660-	White-----F--	14	...	...	...	-	3	2	2	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	58	...	...	...	-	6	18	6	11	11	3	2	-	1	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	537	373	62	24	11	8	5	9	7	5	9	6	5	4	4	1	3	-	-	1	-	-	-
	White-----M--	201	138	17	13	5	3	1	4	3	2	4	4	1	3	1	-	2	-	-	-	-	-	-
	F--	192	134	28	5	-	4	3	2	1	3	3	-	3	-	3	1	1	-	-	1	-	-	-
	Nonwhite--M--	80	57	8	5	3	-	-	3	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F--	64	44	9	1	3	1	1	-	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	1,926	1,925	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	646	645	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	421	421	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	477	477	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	382	382	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	837	837	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	323	323	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	201	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn---------	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	900	899	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	286	285	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	191	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	187	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	824	160	23	7	1	11	6	9	15	20	41	40	35	57	53	80	58	54	64	49	16	24	1
795	White-----M--	203	19	6	3	-	-	-	2	4	6	18	6	14	20	11	20	19	16	19	16	1	3	-
	F--	125	16	2	1	-	1	2	-	2	2	1	6	1	3	4	8	9	12	24	14	7	10	-
	Nonwhite--M--	282	66	11	2	1	4	4	3	4	8	13	14	14	21	23	33	19	9	11	13	4	4	1
	F--	214	59	4	1	-	6	-	4	5	4	9	14	6	13	15	19	11	17	10	6	4	7	-
Re-	All other diseases	1,782	142	66	20	12	28	42	44	55	92	111	117	123	124	137	179	157	144	92	68	22	7	-
sid-	White-----M--	686	39	16	8	6	8	11	12	12	33	41	43	45	41	67	89	77	64	40	26	6	2	-
ual	F--	550	27	18	4	2	4	11	10	15	18	26	23	35	50	42	50	52	67	41	37	13	5	-
	Nonwhite--M--	321	38	22	5	3	8	9	11	15	23	28	33	28	22	17	28	17	10	3	-	1	-	-
	F--	225	38	10	3	1	8	11	11	13	18	16	18	15	11	11	12	11	3	8	5	2	-	-
E800-	Accidents---------	2,448	154	168	122	87	216	237	181	158	154	149	138	104	81	99	118	68	70	73	49	14	4	4
E962	White-----M--	1,236	30	52	51	46	144	161	109	88	97	86	82	50	42	44	53	31	22	24	19	4	-	1
	F--	393	15	36	19	13	18	19	15	12	15	14	16	15	13	22	22	20	34	35	26	10	4	-
	Nonwhite--M--	545	45	38	27	23	39	51	43	50	34	41	30	32	19	19	31	8	7	5	1	-	-	2
	F--	274	64	42	25	5	15	6	14	8	8	8	10	7	7	14	12	9	7	9	3	-	-	1
E810-	Motor-vehicle																							
E835	accidents--------	1,144	8	48	73	36	120	174	125	85	86	79	59	50	36	51	54	23	16	11	6	1	-	3
	White-----M--	680	3	20	31	24	93	121	74	51	53	50	35	18	17	26	29	14	9	5	6	1	-	-
	F--	159	3	15	14	7	13	16	13	7	10	7	9	11	7	10	7	5	3	2	-	-	-	-
	Nonwhite--M--	226	1	9	14	5	8	31	29	24	18	17	10	17	9	5	16	3	4	4	-	-	-	2
	F--	79	1	4	14	-	6	6	9	3	5	5	5	4	3	10	2	1	-	--	-	-	-	1
E800-	All ot. accidents-	1,304	146	120	49	51	96	63	56	73	68	70	79	54	45	48	64	45	54	62	43	13	4	1
E802,	White-----M--	556	27	32	20	22	51	40	35	37	44	36	47	32	25	18	24	17	13	19	13	3	-	1
E840-	F--	234	12	21	5	6	5	3	2	5	5	7	7	4	6	12	15	15	31	33	26	10	4	-
E962	Nonwhite--M--	319	44	29	13	18	31	20	14	26	16	24	20	15	10	14	15	5	3	1	1	-	-	-
	F--	195	63	38	11	5	9	-	5	5	3	3	5	3	4	4	10	8	7	9	3	-	-	-
E963,	Suicide----------	369	-	-	-	3	8	17	24	31	36	41	49	48	43	27	23	10	4	4	1	-	-	-
E970-	White-----M--	257	-	-	-	3	6	11	10	14	22	31	41	31	35	20	17	10	3	2	1	-	-	-
E979	F--	65	-	-	-	-	1	3	10	6	8	6	5	12	5	3	4	-	-	2	-	-	-	-
	Nonwhite--M--	41	-	-	-	-	1	3	3	10	5	2	3	5	2	4	2	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	369	-	3	-	1	27	42	56	63	46	45	33	19	14	10	7	2	-	-	-	-	-	1
E980-	White-----M--	81	-	-	-	-	3	7	11	16	14	10	11	2	4	2	1	-	-	-	-	-	-	-
E985	F--	23	-	-	-	-	-	1	4	2	4	2	4	2	1	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	210	-	2	-	-	20	27	33	30	19	30	16	12	9	6	4	1	-	-	-	-	-	1
	F--	55	-	1	-	1	4	7	8	15	9	3	2	3	-	-	2	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH DAKOTA																							
	ALL CAUSES------	5,495	419	66	30	23	46	41	40	57	64	111	179	218	296	435	586	766	774	666	443	176	57	2
	White-----M--	3,249	218	38	12	10	31	32	28	41	41	68	114	134	201	294	348	464	465	364	229	92	24	1
	F--	2,124	165	25	17	11	11	7	10	14	20	41	62	81	89	135	231	291	296	294	210	82	32	-
	Nonwhite--M--	80	21	3	1	1	3	2	2	1	2	1	2	2	3	4	3	8	9	7	2	2	-	1
	F--	42	15	-	-	1	1	-	-	1	1	1	1	1	3	2	4	3	4	1	2	-	1	-
001-019	Tuberculosis, all forms--------	23	-	-	-	-	-	-	1	1	2	2	3	1	2	2	2	1	2	3	1	-	-	-
	White-----M--	13	-	-	-	-	-	-	1	-	2	-	1	-	1	1	2	1	1	2	1	-	-	-
	F--	8	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	21	-	-	-	-	-	-	1	-	2	2	2	1	2	2	2	1	2	3	1	-	-	-
	White-----M--	13	-	-	-	-	-	-	1	-	2	-	1	-	1	1	2	1	1	2	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	20	2	4	-	-	-	-	-	1	-	1	-	-	2	2	5	2	1	-	-	-	-	-
	White-----M--	10	-	1	-	-	-	-	-	-	-	-	-	-	1	2	4	1	1	-	-	-	-	-
	F--	10	2	3	-	-	-	-	-	1	-	1	-	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH DAKOTA—Continued																							
140-205	Malignant neoplasms, etc.*----	811	2	7	1	4	5	6	5	12	14	26	37	54	58	95	119	137	113	76	33	7	-	-
	White-----M--	461	2	6	1	2	2	5	-	5	7	10	18	25	31	62	66	70	75	48	20	6	-	-
	F--	340	-	1	-	2	3	1	5	7	7	16	19	28	25	33	51	66	36	26	13	1	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	2	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	14	-	-	-	-	-	1	-	-	-	1	-	2	1	-	3	2	1	1	2	-	-	-
	White-----M--	12	-	-	-	-	-	1	-	-	-	1	-	1	1	-	2	2	1	1	2	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	315	1	-	-	-	-	-	-	5	6	3	8	14	19	35	52	53	63	39	14	3	-	-
	White-----M--	200	1	-	-	-	-	-	-	4	3	3	3	10	11	27	30	29	42	26	8	3	-	-
	F--	112	-	-	-	-	-	-	-	1	3	-	5	4	7	8	22	24	20	12	6	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)--------	75	-	-	-	-	-	-	-	-	3	-	6	6	7	19	11	11	10	2	-	-	-	-
	White-----M--	55	-	-	-	-	-	-	-	-	2	-	6	5	6	16	7	6	7	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	-	-	-	-	3	4	4	2	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	67	-	-	-	-	-	-	-	3	1	6	5	8	8	6	10	12	2	3	3	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	67	-	-	-	-	-	-	-	3	1	6	5	8	8	6	10	12	2	3	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	128	-	-	-	-	2	1	1	1	1	6	7	10	8	11	11	29	20	12	6	2	-	-
	White-----M--	61	-	-	-	-	1	1	-	-	-	-	-	1	-	4	6	15	15	10	6	2	-	-
	F--	66	-	-	-	-	1	-	1	1	1	6	7	9	8	7	4	14	5	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
180, 181	Of urinary organs-	41	-	-	-	-	-	-	-	-	-	3	2	1	4	7	7	8	4	4	1	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	-	2	2	-	4	4	6	5	2	4	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	3	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	75	-	2	-	-	1	1	2	1	2	2	4	7	3	7	12	10	5	9	5	2	-	-
	White-----M--	43	-	2	-	-	-	-	-	1	2	-	3	4	2	4	8	7	2	3	4	1	-	-
	F--	32	-	-	-	-	1	1	2	-	-	2	1	3	1	3	4	3	3	6	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia---------	48	1	5	1	2	2	1	-	1	-	2	2	3	2	5	3	6	7	3	2	-	-	-
	White-----M--	37	1	4	1	2	1	1	-	-	-	2	2	3	2	3	3	4	6	2	-	-	-	-
	F--	11	-	1	-	-	1	-	-	1	-	-	-	-	-	2	-	2	1	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	48	-	-	-	2	-	2	2	1	1	3	3	3	6	5	10	6	1	3	-	-	-	-
	White-----M--	24	-	-	-	-	-	2	-	-	-	2	2	1	5	4	4	2	-	2	-	-	-	-
	F--	23	-	-	-	2	-	-	2	1	1	1	1	2	1	1	5	4	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	14	1	-	-	-	-	-	1	-	1	1	1	-	1	-	3	1	2	2	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	12	1	-	-	-	-	-	1	-	1	1	1	-	1	-	2	-	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	109	-	-	-	-	1	2	1	3	1	2	3	4	5	12	18	21	20	11	4	1	-	-
	White-----M--	46	-	-	-	-	-	1	1	3	-	2	-	2	2	7	6	10	6	3	3	-	-	-
	F--	61	-	-	-	-	1	1	-	-	1	-	3	2	3	5	12	10	13	8	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
290-293	Anemias----------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	3,009	-	-	3	1	3	-	4	4	9	39	87	103	163	243	350	496	550	469	327	122	35	1
	White-----M--	1,827	-	-	1	-	1	-	2	4	7	33	62	72	118	171	217	309	334	253	164	64	14	1
	F--	1,153	-	-	2	-	1	-	2	-	2	6	24	31	43	69	130	182	210	213	161	57	20	-
	Nonwhite--M--	19	-	-	-	-	1	-	-	-	-	-	1	-	1	2	2	4	5	2	-	1	-	-
	F--	10	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	-	1	-
330-334, 400-468	Diseases of cardiovascular system-	2,968	-	-	2	1	1	-	2	4	9	37	86	102	161	239	341	493	544	469	321	121	34	1
	White-----M--	1,800	-	-	1	-	1	-	-	4	7	31	62	71	117	168	212	308	328	253	160	63	13	1
	F--	1,140	-	-	1	-	-	-	2	-	2	6	23	31	42	68	126	180	210	213	159	57	20	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	4	5	2	-	1	-	-
	F--	10	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	-	1	-
330-334	Vascular lesions, etc.*----------	747	-	-	-	-	1	-	-	2	2	3	18	20	29	49	79	115	148	144	98	31	8	-
	White-----M--	405	-	-	-	-	1	-	-	2	1	3	10	9	16	29	38	61	88	81	47	17	2	-
	F--	335	-	-	-	-	-	-	-	-	1	-	7	11	12	19	41	51	60	62	51	14	6	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH DAKOTA—Continued																							
400-402	Rheumatic fever---	3	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	1,992	-	-	1	-	-	-	2	2	7	32	63	76	126	177	247	348	356	283	183	69	19	1
	White-----M--	1,276	-	-	1	-	-	-	-	2	6	26	48	59	96	130	162	231	222	154	91	39	8	1
	F--	700	-	-	-	-	-	-	2	-	1	6	15	17	29	45	83	115	128	127	92	29	11	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	5	2	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
410-416	Chronic rheumatic heart disease----	53	-	-	-	-	-	-	1	-	-	-	5	6	9	5	11	8	4	3	1	-	-	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	3	2	4	4	9	5	3	1	1	-	-	-
	F--	21	-	-	-	-	-	-	1	-	-	-	2	4	5	1	2	3	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,492	-	-	-	-	-	-	-	1	5	31	48	61	99	143	193	270	258	206	115	50	11	1
	White-----M--	999	-	-	-	-	-	-	-	1	4	25	39	52	81	112	130	185	161	120	55	29	4	1
	F--	482	-	-	-	-	-	-	-	-	1	6	9	9	17	30	61	84	93	85	60	20	7	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	-	1	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	192	-	-	-	-	-	-	1	-	1	-	2	3	5	6	13	23	44	41	37	9	7	-
	White-----M--	111	-	-	-	-	-	-	-	-	1	-	1	-	2	2	6	16	28	25	21	6	3	-
	F--	80	-	-	-	-	-	-	1	-	-	-	1	3	3	4	7	7	16	15	16	3	4	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	81	-	-	1	-	-	-	-	1	-	-	5	2	4	6	15	14	11	12	7	3	-	-
	White-----M--	49	-	-	1	-	-	-	-	1	-	-	3	2	2	5	8	10	9	3	3	2	-	-
	F--	31	-	-	-	-	-	-	-	-	-	-	2	-	2	1	7	4	1	9	4	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	174	-	-	-	-	-	-	-	-	1	1	3	4	9	17	15	33	39	21	23	7	1	-
	White-----M--	85	-	-	-	-	-	-	-	-	1	1	2	3	7	7	9	15	21	5	11	2	1	-
	F--	86	-	-	-	-	-	-	-	-	-	-	1	1	2	9	6	17	17	16	12	5	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	42	-	-	-	-	-	-	-	-	-	1	1	4	2	4	3	11	7	5	2	1	1	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	1	1	2	2	2	3	5	2	2	1	-	1	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	6	5	3	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	145	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	13	26	36	36	19	6	-
	White-----M--	73	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	9	12	15	21	7	2	-
	F--	70	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	14	21	14	12	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
451-468	Other diseases of circulatory sys.-	39	-	-	-	-	-	-	-	-	-	-	3	1	3	7	8	6	7	1	2	1	-	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	2	-	3	5	6	2	4	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	4	3	-	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
592-594	Chronic nephritis, etc.*----------	41	-	-	1	-	2	-	2	-	-	2	1	1	2	4	9	3	6	-	6	1	1	-
	White-----M--	27	-	-	-	-	-	-	2	-	-	2	-	1	1	3	5	1	6	-	4	1	1	-
	F--	13	-	-	1	-	1	-	-	-	-	-	1	-	1	1	4	2	-	-	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	266	44	14	1	2	1	-	-	1	6	5	3	9	8	11	24	34	20	29	25	17	12	-
	White-----M--	138	25	5	-	-	-	-	-	1	3	1	2	4	3	3	14	21	10	21	13	8	4	-
	F--	108	14	7	1	2	-	-	-	-	2	3	-	4	5	7	9	11	7	7	12	9	8	-
	Nonwhite--M--	10	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-
	F--	10	2	-	-	-	1	-	-	-	1	1	1	-	-	1	1	1	1	-	-	-	-	-
480-483	Influenza---------	47	4	2	-	1	1	-	-	1	3	2	2	-	5	4	5	8	1	4	2	2	-	-
	White-----M--	20	1	-	-	-	-	-	-	1	1	1	1	-	1	-	3	6	-	3	2	-	-	-
	F--	22	2	2	-	1	-	-	-	-	1	1	-	-	4	4	2	1	1	1	-	2	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	219	40	12	1	1	-	-	-	-	3	3	1	9	3	7	19	26	19	25	23	15	12	-
	White-----M--	118	24	5	-	-	-	-	-	-	2	-	1	4	2	3	11	15	10	18	11	8	4	-
	F--	86	12	5	1	1	-	-	-	-	1	2	-	4	1	3	7	10	6	6	12	7	8	-
	Nonwhite--M--	9	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-
	F--	6	2	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-
500-502	Bronchitis--------	11	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	1	1	-	-
	White-----M--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	27	-	-	-	-	-	-	1	-	1	-	1	1	2	5	1	3	6	5	1	-	-	-
	White-----M--	21	-	-	-	-	-	-	1	-	1	-	1	1	2	5	-	2	4	3	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	10	-	1	1	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	2	-	-
	White-----M--	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	-	-
	F--	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	27	3	-	-	-	-	-	-	-	1	-	1	-	1	2	3	3	4	7	-	2	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	5	-	2	-	-
	F--	11	1	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	3	2	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	NORTH DAKOTA—Continued																							
543, 571, 572	Gastritis, etc.*--	29	17	-	-	1	-	-	-	-	3	-	1	-	-	-	2	-	3	-	2	-	-	-
	White-----M--	7	2	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	2	-	-	-
	F--	13	6	-	-	1	-	-	-	-	1	-	1	-	-	-	2	-	2	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	43	-	-	-	1	-	1	-	2	2	-	2	5	6	5	2	9	3	4	-	1	-	-
	White-----M--	34	-	-	-	1	-	-	-	2	2	-	2	4	4	5	1	7	3	2	-	1	-	-
	F--	8	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	2	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	10	-	-	-	1	1	1	-	1	-	-	2	-	1	1	-	-	2	-	-	-	-	-
	White-----M--	6	-	-	-	-	1	1	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	1	6	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	1	6	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	4	...	...	...	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	4	...	...	...	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	93	68	11	7	-	1	-	-	1	-	-	1	3	-	-	-	1	-	-	-	-	-	-
	White-----M--	47	30	9	3	-	1	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F--	44	36	2	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	250	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Ot. dis. of infancy, & immaturity unqualified, etc.*-	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	41	1	-	-	-	-	1	-	-	-	-	-	1	1	2	2	1	3	8	11	8	2	-
	White-----M--	20	1	-	-	-	-	1	-	-	-	-	-	1	-	1	1	1	2	3	5	3	1	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	5	6	5	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	243	14	2	1	2	1	2	-	6	6	5	12	8	18	26	26	32	24	28	15	11	4	-
	White-----M--	129	10	1	-	-	-	2	-	3	4	3	8	4	13	14	13	16	14	11	9	2	2	-
	F--	105	2	1	1	2	1	-	-	3	2	2	4	4	4	11	13	14	10	16	5	8	2	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	1	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents---------	362	7	25	15	10	33	25	26	17	12	25	14	19	20	22	20	15	15	18	15	4	4	1
	White-----M--	251	4	15	7	7	26	20	22	16	9	15	7	13	18	16	15	13	8	10	4	3	3	-
	F--	93	3	9	7	2	5	3	2	-	1	9	7	5	2	5	5	2	7	7	10	1	1	-
	Nonwhite--M--	17	-	1	1	1	2	2	2	1	2	1	-	-	-	1	-	-	-	1	1	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents--------	158	1	8	3	1	27	15	16	7	5	16	5	8	10	7	7	7	7	6	1	1	-	-
	White-----M--	116	-	5	2	-	22	12	15	7	4	10	-	4	9	5	6	6	5	3	-	1	-	-
	F--	35	1	3	1	-	4	2	-	-	-	6	5	3	1	2	1	1	2	3	-	-	-	-
	Nonwhite--M--	6	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	204	6	17	12	9	6	10	10	10	7	9	9	11	10	15	13	8	8	12	14	3	4	1
	White-----M--	135	4	10	5	7	4	8	7	9	5	5	7	9	9	11	9	7	3	7	4	2	3	-
	F--	58	2	6	6	2	1	1	2	-	1	3	2	2	1	3	4	1	5	4	10	1	1	-
	Nonwhite--M--	11	-	1	1	-	1	1	1	1	1	1	-	-	-	1	-	-	-	1	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	53	-	-	-	-	-	1	1	6	4	2	11	7	7	5	3	4	2	-	-	-	-	-
	White-----M--	47	-	-	-	-	-	1	1	5	4	2	11	6	5	5	1	4	2	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	3	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OHIO																							
	ALL CAUSES------	91,185	6,024	812	505	363	567	674	736	1,050	1,526	2,273	3,269	4,694	5,986	8,397	10,405	11,772	11,680	10,460	6,642	2,643	685	22
	White-----M--	47,061	2,895	375	281	202	372	412	395	521	743	1,241	1,765	2,674	3,426	4,891	5,788	6,303	5,864	4,866	2,813	980	240	14
	F--	38,755	2,103	314	181	136	148	183	201	322	493	675	998	1,456	1,851	2,778	3,844	4,844	5,367	5,251	3,621	1,580	405	4
	Nonwhite--M--	4,137	552	69	19	17	30	51	79	113	164	194	277	323	424	441	466	349	238	181	102	30	15	3
	F--	3,232	474	54	24	8	17	28	61	94	126	163	229	241	285	287	307	276	211	162	106	53	25	1
001-019	Tuberculosis, all forms--------	634	4	10	1	1	2	7	17	32	48	40	51	71	59	64	78	54	44	30	19	2	-	-
	White-----M--	357	2	2	-	1	2	1	5	11	18	19	27	40	35	42	52	40	30	18	12	-	-	-
	F--	115	1	2	1	-	-	2	4	10	12	8	7	11	7	8	11	9	8	8	6	-	-	-
	Nonwhite--M--	113	-	3	-	-	-	3	3	5	12	9	9	14	16	11	15	5	4	3	-	1	-	-
	F--	49	1	3	-	-	-	1	5	6	6	4	8	6	1	3	-	-	2	1	1	1	-	-
001-008	Tuberculosis of respiratory system----------	573	2	3	-	1	1	5	15	28	40	38	46	68	57	60	67	50	43	29	18	2	-	-
	White-----M--	330	-	1	-	1	1	1	5	10	14	17	25	38	34	40	46	39	30	17	11	-	-	-
	F--	103	1	-	-	-	-	1	2	10	12	8	5	11	7	7	9	8	8	8	6	-	-	-
	Nonwhite--M--	95	-	-	-	-	-	2	3	3	9	9	8	14	15	10	12	3	3	3	-	1	-	-
	F--	45	1	2	-	-	-	1	5	5	5	4	8	5	1	3	-	-	2	1	1	1	-	-
010-019	Tuberculosis, other forms------	61	2	7	1	-	1	2	2	4	8	2	5	3	2	4	11	4	1	1	1	-	-	-
	White-----M--	27	2	1	-	-	1	-	-	1	4	2	2	2	1	2	6	1	-	1	1	-	-	-
	F--	12	-	2	1	-	-	1	2	-	-	-	2	-	-	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	18	-	3	-	-	-	1	-	2	3	-	1	-	1	1	3	2	1	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	267	3	-	-	-	-	2	2	-	5	6	20	34	37	46	46	29	25	4	5	3	-	-
	White-----M--	118	1	-	-	-	-	-	1	-	-	2	5	15	14	24	23	16	10	4	2	1	-	-
	F--	63	2	-	-	-	-	-	1	-	2	4	8	1	9	6	12	5	8	-	3	2	-	-
	Nonwhite--M--	63	-	-	-	-	-	1	-	-	1	-	4	13	9	13	10	8	4	-	-	-	-	-
	F--	23	-	-	-	-	-	1	-	-	2	-	3	5	5	3	1	-	3	-	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	6	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	12	1	1	1	1	1	-	-	-	-	1	-	2	-	2	1	-	1	-	-	-	-	-
	White-----M--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	1	1	-	-	-	-	1	-	2	-	2	1	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	49	16	21	4	1	2	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	32	9	15	1	1	2	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	F--	14	6	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	13	-	3	1	1	3	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	-	2	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	1	-	-	2	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	8	1	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	5	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	242	32	16	14	9	8	7	10	4	12	9	13	8	15	11	22	14	14	13	10	1	-	-
	White-----M--	110	17	6	9	5	6	3	3	1	3	5	4	3	7	6	7	7	8	8	2	-	-	-
	F--	103	11	8	4	4	2	3	4	1	6	2	6	5	5	3	15	6	5	4	8	1	-	-
	Nonwhite--M--	15	3	1	1	-	-	1	1	1	-	-	2	-	-	2	-	1	1	1	-	-	-	-
	F--	14	1	1	-	-	-	-	2	1	3	2	1	-	3	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OHIO—Continued																							
140-205	Malignant neoplasms, etc.*	14,520	16	93	93	41	51	51	85	176	301	502	780	1,140	1,431	1,963	2,145	2,021	1,701	1,202	545	158	25	-
	White--M	7,085	10	58	54	21	34	21	33	64	102	192	284	498	689	1,047	1,138	1,040	895	584	252	56	13	-
	F	6,417	5	31	37	19	11	24	44	98	167	250	404	547	606	770	857	883	729	561	268	95	11	-
	Nonwhite--M	556	1	2	1	1	4	3	4	4	11	19	46	52	71	90	100	61	45	30	7	4	-	-
	F	462	-	2	1	-	2	3	4	10	21	41	46	43	65	56	50	37	32	27	18	3	1	-
140-148	Of buccal cavity and pharynx	318	1	-	1	-	-	1	1	2	4	7	16	28	35	42	40	57	43	26	8	6	-	-
	White--M	247	1	-	1	-	-	-	1	2	3	2	10	20	28	36	34	46	35	20	4	4	-	-
	F	50	-	-	-	-	-	1	-	-	1	4	5	7	3	3	4	8	4	5	4	1	-	-
	Nonwhite--M	19	-	-	-	-	-	-	-	-	-	-	1	1	4	3	2	3	3	1	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	5,048	1	1	2	1	-	6	10	21	57	120	222	301	447	666	787	843	724	501	261	64	13	-
	White--M	2,476	1	1	2	1	-	2	3	6	17	50	83	137	227	372	414	451	365	220	97	19	8	-
	F	2,202	-	-	-	-	-	2	5	11	33	55	104	129	174	247	312	353	327	255	149	42	4	-
	Nonwhite--M	225	-	-	-	-	-	1	1	3	2	9	21	23	22	34	43	27	20	15	4	-	-	-
	F	145	-	-	-	-	-	1	1	1	5	6	14	12	24	13	18	12	12	11	11	3	1	-
160-164	Of respiratory system (not secondary)	1,886	-	1	1	1	2	2	5	12	20	60	113	199	268	356	337	240	155	79	29	6	-	-
	White--M	1,489	-	1	1	1	1	2	3	8	10	51	76	158	215	294	281	188	118	59	20	2	-	-
	F	262	-	-	-	-	-	-	2	3	8	6	17	26	26	37	36	42	30	17	8	4	-	-
	Nonwhite--M	115	-	-	-	-	1	-	-	-	2	3	16	12	24	21	19	7	7	2	1	-	-	-
	F	20	-	-	-	-	-	-	-	1	-	-	4	3	3	4	1	3	-	1	-	-	-	-
170	Of breast	1,318	-	-	-	-	-	-	4	19	46	86	116	138	131	167	171	159	119	102	34	23	3	-
	White--M	8	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	2	1	-	-	-	-
	F	1,229	-	-	-	-	-	-	4	16	43	71	108	130	127	157	157	150	112	95	33	23	3	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	80	-	-	-	-	-	-	-	3	3	15	8	8	3	7	12	9	5	6	1	-	-	-
171-179	Of genital organs	2,242	-	2	-	-	7	2	19	42	59	77	108	183	199	265	296	300	292	232	118	38	3	-
	White--M	820	-	1	-	-	3	-	4	7	6	7	4	14	30	67	116	127	179	150	79	23	3	-
	F	1,229	-	1	-	-	4	2	14	30	45	56	91	152	150	170	156	146	94	72	33	13	-	-
	Nonwhite--M	74	-	-	-	-	-	-	-	-	-	-	1	3	3	14	15	17	10	7	2	2	-	-
	F	119	-	-	-	-	-	-	1	5	8	14	12	14	16	14	9	10	9	3	4	-	-	-
180, 181	Of urinary organs	721	1	8	8	-	3	1	2	4	4	15	23	47	75	92	113	114	107	66	34	4	-	-
	White--M	465	-	6	5	-	2	-	1	1	3	11	14	30	50	65	79	74	69	35	20	-	-	-
	F	213	1	2	3	-	-	-	1	3	1	2	6	11	16	19	29	37	36	29	13	4	-	-
	Nonwhite--M	22	-	-	-	-	1	-	-	-	-	1	1	5	3	4	3	1	2	1	-	-	-	-
	F	21	-	-	-	-	-	1	-	-	-	1	2	1	6	4	2	2	-	1	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,569	6	31	22	15	17	17	20	32	50	67	100	134	165	205	195	168	151	122	35	12	5	-
	White--M	780	4	17	12	6	9	8	9	14	24	36	50	76	78	109	95	79	71	59	17	5	2	-
	F	691	2	10	10	8	5	8	7	17	20	29	43	51	70	80	84	86	77	57	18	6	3	-
	Nonwhite--M	54	-	2	-	1	1	-	3	1	2	2	3	5	9	8	10	2	-	4	-	1	-	-
	F	44	-	2	-	-	2	1	1	-	4	-	4	2	8	8	6	1	3	2	-	-	-	-
204	Leukemia and aleukemia	727	5	42	40	17	14	10	15	23	34	35	32	41	53	79	95	74	56	41	17	3	1	-
	White--M	405	3	25	21	9	12	3	8	11	20	17	17	21	30	48	59	37	32	19	11	2	-	-
	F	291	2	17	17	8	2	7	6	12	10	14	14	18	18	29	34	35	20	21	5	1	1	-
	Nonwhite--M	17	-	-	1	-	-	-	-	-	3	1	-	1	3	2	1	2	3	-	-	-	-	-
	F	14	-	-	1	-	-	-	1	-	1	3	1	1	2	-	1	-	1	1	1	-	-	-
200-203, 205	Lymphomas, etc.*	691	2	8	19	7	8	12	9	21	27	35	50	69	58	91	111	66	54	33	9	2	-	-
	White--M	398	1	7	12	4	7	6	4	15	19	18	30	42	30	53	59	38	24	21	4	1	-	-
	F	250	-	1	7	3	-	4	5	6	6	13	16	23	22	28	45	26	29	10	5	1	-	-
	Nonwhite--M	29	1	-	-	-	1	2	-	-	2	3	3	2	3	4	6	2	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	1	1	2	3	6	1	-	1	2	-	-	-	-
210-239	Benign and unspecified neoplasms	227	7	4	7	4	3	2	3	9	11	17	24	23	23	16	19	14	14	18	5	3	1	-
	White--M	80	4	1	5	-	2	1	1	2	2	4	9	6	5	9	10	6	3	7	2	1	-	-
	F	115	2	3	2	2	1	1	-	6	7	8	12	15	14	5	6	7	9	10	2	2	1	-
	Nonwhite--M	6	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-
	F	26	-	-	-	2	-	-	2	1	2	5	2	2	3	1	2	1	2	1	-	-	-	-
260	Diabetes mellitus	2,118	-	-	3	11	3	12	17	19	19	34	67	104	155	289	369	408	315	193	85	13	1	1
	White--M	746	-	-	1	7	1	1	10	7	8	17	30	46	59	88	118	132	117	76	21	6	1	-
	F	1,197	-	-	2	3	2	10	6	6	5	14	18	37	76	174	223	256	187	111	59	7	-	1
	Nonwhite--M	56	-	-	-	1	-	1	1	2	3	1	5	5	5	10	10	5	3	3	1	-	-	-
	F	119	-	-	-	-	-	-	-	4	3	2	14	16	15	17	18	15	8	3	4	-	-	-
290-293	Anemias	161	4	5	5	4	-	2	4	4	-	4	5	4	11	4	18	25	24	25	9	3	1	-
	White--M	79	2	2	1	1	-	-	1	1	-	-	2	1	5	3	9	14	14	15	6	2	-	-
	F	72	1	2	3	2	-	2	1	2	-	3	1	3	6	1	9	11	10	10	3	1	1	-
	Nonwhite--M	4	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	112	40	15	3	-	2	1	2	3	2	1	8	2	7	7	5	4	2	8	-	-	-	-
	White--M	45	18	6	2	-	-	1	-	-	-	1	4	-	4	2	2	2	-	3	-	-	-	-
	F	37	13	6	1	-	1	-	1	3	1	-	-	-	-	2	3	1	2	3	-	-	-	-
	Nonwhite--M	18	5	1	-	-	-	-	1	-	-	-	3	2	2	2	-	-	-	2	-	-	-	-
	F	12	4	2	-	-	1	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	50,136	26	21	23	24	44	71	106	221	442	855	1,390	2,329	3,131	4,574	6,149	7,549	8,023	7,595	4,967	2,041	545	10
	White--M	25,974	12	13	11	11	22	26	41	119	263	542	865	1,473	1,933	2,763	3,478	4,018	3,949	3,442	2,055	754	178	6
	F	20,985	7	3	8	10	19	31	37	64	86	168	325	574	822	1,434	2,225	3,113	3,797	3,930	2,770	1,227	333	2
	Nonwhite--M	1,691	4	2	1	2	2	10	14	14	54	74	99	151	218	211	248	221	138	116	75	23	13	1
	F	1,486	3	3	3	1	1	4	14	24	39	71	101	131	158	166	198	197	139	107	67	37	21	1
330-334, 400-468	Diseases of cardiovascular system	49,381	25	19	17	17	37	59	88	195	419	822	1,360	2,273	3,080	4,511	6,058	7,472	7,927	7,523	4,917	2,015	537	10
	White--M	25,615	11	11	7	7	18	20	34	101	252	524	854	1,451	1,911	2,736	3,435	3,977	3,900	3,410	2,031	744	175	6
	F	20,694	7	3	7	7	17	26	32	57	79	164	314	557	806	1,403	2,190	3,079	3,756	3,894	2,749	1,215	330	2
	Nonwhite--M	1,636	4	2	1	2	1	9	10	13	51	69	96	141	212	209	243	220	134	114	72	20	12	1
	F	1,436	3	3	2	1	1	4	12	24	37	65	96	124	151	163	190	196	137	105	65	36	20	1
330-334	Vascular lesions, etc.*	10,798	6	4	7	6	9	13	14	29	63	101	201	330	486	716	1,141	1,727	2,068	1,976	1,293	496	112	-
	White--M	4,756	4	4	2	4	6	5	2	13	28	44	72	122	216	352	543	856	938	840	498	177	30	-
	F	5,332	1	-	3	2	3	6	7	8	18	35	87	148	188	289	494	769	1,053	1,080	761	304	76	-
	Nonwhite--M	324	-	-	-	-	-	1	1	-	5	5	15	25	45	40	53	50	35	32	15	-	2	-
	F	386	1	-	2	-	-	1	4	8	12	17	27	35	37	35	51	52	42	24	19	15	4	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OHIO--Continued																							
400-402	Rheumatic fever---	41	-	-	4	2	1	2	1	2	7	3	1	3	3	5	4	1	1	-	1	-	-	-
	White-----M--	26	-	-	3	-	1	1	1	1	4	2	1	1	1	5	2	1	1	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	2	1	-	2	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	1	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	34,609	18	14	6	7	23	36	60	149	320	662	1,087	1,835	2,451	3,574	4,576	5,283	5,260	4,755	2,993	1,181	310	9
	White-----M--	18,958	6	6	2	3	10	9	29	80	212	457	756	1,272	1,612	2,259	2,692	2,890	2,664	2,182	1,253	447	111	6
	F--	13,602	6	3	4	4	11	18	21	45	52	110	200	377	587	1,049	1,589	2,123	2,423	2,442	1,658	702	176	2
	Nonwhite--M--	1,148	4	2	-	-	1	6	7	12	37	55	71	105	151	153	170	148	90	67	47	13	9	-
	F--	901	2	3	-	-	1	3	3	12	19	40	60	81	101	113	125	122	83	64	35	19	14	1
410-416	Chronic rheumatic heart disease----	1,114	-	-	-	2	11	14	30	49	56	82	107	125	121	141	128	112	66	34	23	12	1	-
	White-----M--	495	-	-	-	-	6	3	9	22	25	40	55	50	60	61	54	54	30	12	10	4	-	-
	F--	544	-	-	-	2	5	8	18	23	22	36	42	66	52	73	70	52	34	21	12	7	1	-
	Nonwhite--M--	42	-	-	-	-	-	1	2	1	7	3	5	6	3	5	2	3	1	1	1	1	-	-
	F--	33	-	-	-	-	-	2	1	3	2	3	5	3	6	2	2	3	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	24,951	5	-	1	-	5	8	18	73	200	483	810	1,398	1,868	2,769	3,524	3,942	3,759	3,236	1,931	730	184	7
	White-----M--	14,846	2	-	1	-	-	3	14	49	165	374	628	1,076	1,353	1,873	2,221	2,257	2,025	1,584	848	291	77	5
	F--	8,947	1	-	-	-	4	2	1	14	15	60	116	211	391	728	1,117	1,525	1,637	1,581	1,035	421	97	1
	Nonwhite--M--	707	1	-	-	-	-	2	2	7	15	32	38	72	93	103	113	96	56	39	28	7	3	-
	F--	451	1	-	-	-	1	1	1	3	5	17	28	39	41	65	73	64	41	32	20	11	7	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,321	2	3	3	2	3	2	1	6	9	13	38	60	108	166	282	439	590	721	547	250	75	1
	White-----M--	1,563	1	2	-	2	1	-	-	3	5	10	21	32	59	100	160	242	277	321	215	89	23	-
	F--	1,586	-	-	3	-	1	-	1	2	2	-	9	23	27	52	101	164	295	379	322	156	48	1
	Nonwhite--M--	101	1	1	-	-	1	2	-	1	2	2	7	3	13	10	12	18	8	11	7	-	2	-
	F--	71	-	-	-	-	-	-	-	-	-	1	1	2	9	4	9	15	10	10	3	5	2	-
430-434	Other diseases of heart---------	1,121	11	10	2	2	3	9	6	16	22	31	29	63	85	102	122	151	163	136	101	43	14	-
	White-----M--	554	3	4	1	1	2	3	3	4	10	19	19	36	40	55	62	79	84	*63	48	17	1	-
	F--	472	5	2	1	1	1	6	1	6	8	7	5	17	30	40	50	61	72	70	52	26	11	-
	Nonwhite--M--	53	2	1	-	-	-	-	1	2	3	1	3	4	10	5	4	8	5	2	1	-	1	-
	F--	42	1	3	-	-	-	-	1	4	1	4	2	6	5	2	6	3	2	1	-	-	1	-
440-443	Hypertension with heart dis.--	4,102	-	1	-	1	1	3	5	5	33	53	103	189	269	396	520	639	682	628	391	146	36	1
	White-----M--	1,500	-	-	-	-	1	-	3	2	7	14	33	78	100	170	195	258	248	202	132	46	10	1
	F--	2,053	-	1	-	1	-	2	-	-	5	7	28	60	97	156	251	321	385	391	237	92	19	-
	Nonwhite--M--	245	-	-	-	-	-	1	2	1	10	17	18	20	32	30	39	23	20	14	10	5	3	-
	F--	304	-	-	-	-	-	-	-	2	11	15	24	31	40	40	35	37	29	21	12	3	4	-
444-447	Hypertension without mention of heart----------	671	-	-	-	-	-	2	6	5	13	25	27	38	33	42	62	87	99	127	76	28	10	1
	White-----M--	277	-	-	-	-	-	2	1	1	2	8	12	16	8	17	27	29	38	59	40	11	6	-
	F--	292	-	-	-	-	-	-	2	1	1	7	5	13	8	14	23	45	57	63	34	15	4	-
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	5	5	5	7	3	4	8	4	2	3	1	1	-	1
	F--	53	-	-	-	-	-	-	3	3	5	5	5	2	4	7	4	9	2	2	1	1	-	-
450	General arteriosclerosis--------	2,341	-	-	-	-	-	1	-	1	-	-	4	19	25	55	135	241	371	584	506	294	105	-
	White-----M--	1,090	-	-	-	-	-	1	-	1	-	-	2	11	14	33	76	127	182	291	220	104	28	-
	F--	1,154	-	-	-	-	-	-	-	-	-	-	2	6	8	15	49	95	180	271	269	185	74	-
	Nonwhite--M--	48	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	11	5	10	7	4	1	-
	F--	49	-	-	-	-	-	-	-	-	-	-	-	2	-	4	6	8	4	12	10	1	2	-
451-468	Other diseases of circulatory sys.-	921	1	1	-	2	4	5	7	9	16	31	40	48	92	119	140	133	128	81	48	16	-	-
	White-----M--	508	1	1	-	-	1	2	1	5	6	13	11	29	60	70	95	74	77	38	19	5	-	-
	F--	307	-	-	-	1	3	2	2	3	6	11	20	11	15	36	33	47	43	38	27	9	-	-
	Nonwhite--M--	62	-	-	-	1	-	1	2	1	3	4	5	4	9	9	8	7	2	2	2	2	-	-
	F--	44	-	-	-	-	-	-	2	-	1	3	4	4	8	4	4	5	6	3	-	-	-	-
592-594	Chronic nephritis, etc.*----------	755	1	2	6	7	7	12	18	26	23	33	30	56	51	63	91	77	96	72	50	26	8	-
	White-----M--	359	1	2	4	4	4	6	7	18	11	18	11	22	22	27	43	41	49	32	24	10	3	-
	F--	291	-	-	1	3	2	5	5	7	7	4	11	17	16	31	35	34	41	36	21	12	3	-
	Nonwhite--M--	55	-	-	-	-	1	1	4	1	3	5	3	10	6	2	5	1	4	2	3	3	1	-
	F--	50	-	-	1	-	-	-	2	-	2	6	5	7	7	3	8	1	2	2	2	1	1	-
480-493	Influenza and pneumonia, etc.*-	2,887	369	117	37	32	28	30	28	29	32	71	99	102	129	187	236	282	313	313	278	139	33	3
	White-----M--	1,504	174	42	21	15	15	13	10	9	19	32	62	52	78	107	144	174	168	176	119	56	16	2
	F--	1,038	120	46	11	14	10	15	16	10	11	19	17	24	30	44	64	91	131	126	148	74	16	1
	Nonwhite--M--	224	44	18	2	2	1	1	2	3	1	13	15	19	17	28	18	12	13	7	5	2	1	-
	F--	121	31	11	3	1	2	1	-	7	1	7	5	7	4	8	10	5	1	4	6	7	-	-
480-483	Influenza---------	438	23	17	7	10	9	11	8	11	2	9	16	14	22	24	34	45	54	33	60	25	4	-
	White-----M--	226	16	8	3	5	6	5	2	3	2	5	9	7	19	13	19	23	22	17	28	12	2	-
	F--	183	4	8	2	5	2	4	6	7	-	2	4	4	2	8	12	20	31	16	32	12	2	-
	Nonwhite--M--	13	1	1	-	-	-	1	-	-	-	2	2	1	-	1	1	2	1	-	-	-	-	-
	F--	16	2	-	2	-	1	1	-	1	-	-	1	2	1	2	2	-	-	-	-	1	-	-
490-493	Pneumonia, etc.*--	2,449	346	100	30	22	19	19	20	18	30	62	83	88	107	163	202	237	259	280	218	114	29	3
	White-----M--	1,278	158	34	18	10	9	8	8	6	17	27	53	45	59	94	125	151	146	159	91	44	14	2
	F--	855	116	38	9	9	8	11	10	3	11	17	13	20	28	36	52	71	100	110	116	62	14	1
	Nonwhite--M--	211	43	17	2	2	1	-	2	3	1	11	13	18	17	27	17	10	12	7	5	2	1	-
	F--	105	29	11	1	1	1	-	-	6	1	7	4	5	3	6	8	5	1	4	6	6	-	-
500-502	Bronchitis--------	236	47	17	4	-	-	-	-	2	2	1	4	13	6	26	26	21	23	27	11	2	4	-
	White-----M--	131	20	8	4	-	-	-	-	-	1	-	3	10	2	18	20	13	9	13	7	2	1	-
	F--	68	10	5	-	-	-	-	-	2	1	1	-	1	3	6	5	5	11	12	3	-	3	-
	Nonwhite--M--	17	5	2	-	-	-	-	-	-	-	-	-	2	1	2	-	1	2	1	1	-	-	-
	F--	20	12	2	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	535	3	-	-	-	-	-	4	7	12	19	31	43	53	71	80	85	53	52	17	4	1	-
	White-----M--	381	-	-	-	-	-	-	3	5	8	11	21	37	39	55	56	65	36	31	11	2	1	-
	F--	114	3	-	-	-	-	-	1	2	2	4	7	4	9	8	15	20	16	17	5	1	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	2	3	3	1	4	7	4	-	1	4	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	1	1	1	5	-	-	-	1	1	-	-
550-553	Appendicitis------	108	2	3	4	-	3	3	1	4	2	6	3	6	6	15	22	13	5	8	1	1	-	-
	White-----M--	62	-	1	3	-	3	2	-	2	-	3	3	5	4	7	14	7	2	5	1	-	-	-
	F--	30	-	2	1	-	-	1	1	-	1	2	-	1	1	5	6	3	3	2	-	1	-	-
	Nonwhite--M--	9	1	-	-	-	-	-	-	1	1	1	-	-	1	-	1	2	-	1	-	-	-	-
	F--	7	1	-	-	-	-	-	-	1	-	-	-	-	-	3	1	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	473	51	3	2	1	1	2	4	2	10	8	17	20	33	36	54	52	65	53	46	12	1	-
	White-----M--	217	25	2	1	1	-	1	1	1	3	4	2	11	18	17	25	30	26	19	23	6	1	-
	F--	223	23	1	-	-	-	1	2	1	4	2	13	4	12	19	24	20	36	33	22	6	-	-
	Nonwhite--M--	12	2	-	1	-	-	-	1	-	-	2	-	-	1	-	3	-	1	-	1	-	-	-
	F--	21	1	-	-	-	1	-	-	-	3	-	2	5	2	-	2	2	2	1	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OHIO—Continued																							
543, 571, 572	Gastritis, etc.*--	374	102	22	4	2	2	2	3	3	4	12	11	7	16	26	29	37	39	33	11	7	2	-
	White-----M--	166	43	9	2	1	-	2	1	1	4	8	4	4	9	15	19	12	13	11	7	1	-	-
	F--	167	32	12	2	-	2	-	2	2	-	3	4	3	6	10	9	22	25	21	4	6	2	-
	Nonwhite--M--	21	13	-	-	-	-	-	-	-	-	1	2	-	1	-	1	1	1	1	-	-	-	-
	F--	20	14	1	-	1	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-
581	Cirrhosis of liver	1,079	3	-	1	-	-	2	6	19	59	94	137	128	128	144	129	103	72	37	10	3	4	-
	White-----M--	690	2	-	-	-	-	-	3	8	24	62	88	78	89	110	86	67	47	13	6	3	4	-
	F--	320	1	-	-	-	-	-	2	7	28	22	32	44	29	32	37	36	23	23	4	-	-	-
	Nonwhite--M--	41	-	-	-	-	-	-	-	2	5	5	8	6	6	2	5	-	1	1	-	-	-	-
	F--	28	-	-	1	-	-	2	1	2	2	5	9	-	4	-	1	-	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	130	1	5	2	2	5	4	2	2	6	7	8	10	8	9	10	12	14	16	5	2	-	-
	White-----M--	62	-	3	1	1	2	2	1	-	1	3	4	6	3	5	6	6	7	7	3	1	-	-
	F--	51	-	2	1	1	2	2	1	-	1	3	3	2	2	4	4	6	7	7	2	1	-	-
	Nonwhite--M--	5	-	-	-	-	1	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	12	1	-	-	-	-	-	-	1	2	1	1	2	2	-	-	-	-	2	-	-	-	-
610	Hyperplasia of prostate---------	261	-	-	-	-	-	-	-	-	-	-	1	1	4	11	28	44	58	47	48	16	3	-
	White-----M--	247	-	-	-	-	-	-	-	-	-	-	1	1	4	9	26	38	57	45	47	16	3	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	1	2	1	-	-	-
640-689	Complications of pregnancy, etc.*-	70	...	...	...	-	6	13	17	10	18	6	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	51	...	...	...	-	5	11	7	10	12	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	19	...	...	...	-	1	2	10	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	9	...	...	...	-	3	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	5	...	...	...	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications-------	61	...	...	...	-	3	13	15	10	14	6	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	47	...	...	...	-	3	11	7	10	10	6	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	14	...	...	...	-	-	2	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations-------	1,355	977	125	51	22	17	10	13	12	22	14	19	17	16	15	12	3	5	4	1	-	-	-
	White-----M--	653	489	49	24	10	8	5	8	5	8	8	5	7	7	8	4	1	3	3	1	-	-	-
	F--	584	401	63	24	11	8	4	5	7	12	5	10	10	5	7	7	2	2	1	-	-	-	-
	Nonwhite--M--	74	54	10	1	1	-	-	-	-	1	-	3	-	3	-	1	-	-	-	-	-	-	-
	F--	44	33	3	2	-	1	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	3,692	3,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,767	1,767	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,249	1,249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	359	359	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	317	317	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	1,757	1,757	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	877	877	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	596	596	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	225	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Ot. dis. of infancy, & immaturity unqualified, etc.*-	1,710	1,710	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	782	782	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	576	576	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	181	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	171	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	565	70	16	6	2	9	12	18	21	22	26	30	26	30	32	29	23	37	54	41	39	19	3
	White-----M--	285	37	7	1	2	5	9	5	5	8	13	18	13	15	19	18	13	23	36	14	13	8	3
	F--	198	22	6	4	-	3	2	7	4	5	8	5	8	10	10	7	8	13	17	24	24	11	-
	Nonwhite--M--	44	6	-	1	-	-	1	3	5	4	4	4	4	4	1	3	1	1	-	2	-	-	-
	F--	38	5	3	-	-	1	-	3	7	5	1	3	1	1	2	1	1	-	1	1	2	-	-
Residual	All other diseases	4,510	393	98	48	32	47	57	37	76	131	141	184	260	362	472	527	586	434	310	226	73	16	-
	White-----M--	2,313	188	47	24	13	22	26	19	18	52	64	92	132	187	273	306	355	227	147	93	21	7	-
	F--	1,717	130	40	20	18	20	21	11	34	55	51	55	91	129	143	182	208	180	147	124	51	7	-
	Nonwhite--M--	271	39	7	1	1	1	6	3	10	14	12	19	20	32	39	29	15	14	6	3	-	-	-
	F--	209	36	4	3	-	4	4	4	14	10	14	18	17	14	17	10	8	13	10	6	1	2	-
E800-E962	Accidents---------	5,051	148	205	187	160	307	327	276	293	239	267	226	210	202	256	277	311	334	388	287	119	29	3
	White-----M--	3,064	68	99	113	105	232	264	208	215	150	169	150	142	126	175	160	177	170	181	115	37	7	2
	F--	1,546	58	71	57	46	54	46	32	34	50	65	43	44	50	56	98	122	152	202	165	81	20	-
	Nonwhite--M--	319	13	18	8	7	19	13	27	39	28	28	26	20	23	17	12	8	5	1	5	-	1	1
	F--	122	9	18	9	2	2	4	9	5	11	5	7	4	3	8	7	4	7	4	2	1	1	-
E810-E835	Motor-vehicle accidents--------	2,124	17	72	98	76	211	246	183	185	129	140	114	96	98	119	88	95	72	60	18	3	2	2
	White-----M--	1,463	7	38	60	50	164	198	136	148	79	85	82	58	54	79	57	56	52	42	13	3	1	1
	F--	490	10	25	33	23	42	33	21	21	31	41	22	30	30	24	30	35	19	17	3	-	-	-
	Nonwhite--M--	133	-	5	3	3	5	11	19	15	13	11	8	7	13	10	1	4	-	1	2	-	1	1
	F--	38	-	4	2	-	-	4	7	1	6	3	2	1	1	6	-	-	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	2,927	131	133	89	84	96	81	93	108	110	127	112	114	104	137	189	216	262	328	269	116	27	1
	White-----M--	1,601	61	60	53	55	68	66	72	67	71	84	68	84	72	96	103	121	118	139	102	34	6	1
	F--	1,056	48	46	24	23	12	13	11	13	19	24	21	14	20	32	68	87	133	185	162	81	20	-
	Nonwhite--M--	186	13	13	5	4	14	2	8	24	15	17	18	13	10	7	11	4	5	-	3	-	-	-
	F--	84	9	14	7	2	2	-	2	4	5	2	5	3	2	2	7	4	6	4	2	1	1	-
E963, E970-E979	Suicide----------	998	-	-	-	7	15	29	39	51	78	92	95	114	111	108	85	77	59	24	12	2	-	-
	White-----M--	757	-	-	-	3	10	23	25	35	52	69	67	90	90	81	62	68	48	20	12	2	-	-
	F--	210	-	-	-	3	3	5	11	13	20	19	25	23	20	26	23	8	9	2	-	-	-	-
	Nonwhite--M--	28	-	-	-	1	2	1	1	2	6	4	3	1	1	1	-	1	2	2	-	-	-	-
	F--	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	345	10	6	2	5	8	26	40	50	48	37	45	18	13	10	9	4	5	5	2	-	-	2
	White-----M--	115	2	2	1	2	5	10	16	12	16	11	14	2	4	6	5	1	2	2	1	-	-	1
	F--	47	3	3	1	2	2	1	3	5	5	6	3	2	-	2	1	2	2	3	1	-	-	-
	Nonwhite--M--	144	2	1	-	1	-	10	17	24	19	18	24	13	7	2	3	1	1	-	-	-	-	1
	F--	39	3	-	-	-	1	5	4	9	8	2	4	1	2	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war, etc.*-------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OKLAHOMA																							
	ALL CAUSES------	21,560	1,310	226	128	116	192	190	196	265	354	496	758	1,023	1,282	1,735	2,345	2,571	2,930	2,677	1,896	626	204	40
	White-----M--	11,457	621	99	63	68	119	112	105	145	188	268	435	597	760	1,055	1,341	1,389	1,513	1,340	866	289	73	13
	F--	7,747	412	80	48	31	44	34	53	81	111	146	236	274	362	487	750	962	1,168	1,163	903	292	102	8
	Nonwhite--M--	1,259	151	19	12	8	16	24	18	18	26	33	39	78	89	106	136	145	128	96	73	24	10	10
	F--	1,097	126	28	5	9	13	20	20	21	29	51	48	74	71	87	118	75	121	78	54	21	19	9
001-019	Tuberculosis, all forms--------	162	-	-	-	-	1	3	3	4	3	22	10	15	14	18	21	13	16	13	5	1	-	-
	White-----M--	87	-	-	-	-	-	1	-	1	1	10	6	6	11	15	13	8	7	5	3	-	-	-
	F--	40	-	-	-	-	-	-	1	1	2	7	1	5	3	1	3	4	6	4	1	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	2	-	-	-	1	2	-	2	2	1	1	1	1	-	-	-
	F--	22	-	-	-	-	1	2	-	2	-	5	2	2	-	-	3	-	2	3	-	-	-	-
001-008	Tuberculosis of respiratory system----------	155	-	-	-	-	1	1	3	3	3	22	9	15	14	18	20	12	16	12	5	1	-	-
	White-----M--	84	-	-	-	-	-	-	-	1	1	10	6	6	11	15	12	7	7	5	3	-	-	-
	F--	40	-	-	-	-	-	-	1	1	2	7	1	5	3	1	3	4	6	4	1	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	2	-	-	-	1	2	-	2	2	1	1	1	1	-	-	-
	F--	18	-	-	-	-	1	1	-	1	-	5	1	2	-	-	3	-	2	2	-	-	-	-
010-019	Tuberculosis, other forms------	7	-	-	-	-	-	2	-	1	-	-	1	-	-	-	1	1	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-
020-029	Syphilis and its sequelae---------	56	-	-	-	-	-	1	1	-	-	-	5	4	8	5	11	5	7	6	3	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	2	2	4	5	9	5	3	3	2	-	-	-
	F--	7	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	2	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	4	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	10	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	6	-	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	12	6	3	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	6	-	-	-	-	-	-	3	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	94	12	11	2	1	1	3	2	4	6	3	4	3	8	5	4	4	7	9	2	2	1	-
	White-----M--	41	3	4	1	1	-	1	-	-	3	1	4	3	4	2	1	3	4	5	1	-	-	-
	F--	39	6	4	1	-	-	1	2	4	3	1	-	-	2	3	1	1	3	3	1	2	1	-
	Nonwhite--M--	9	2	1	-	-	1	1	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-
	F--	5	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OKLAHOMA—Con.																							
140-205	Malignant neoplasms, etc.*----	3,281	7	26	16	14	16	11	21	47	57	110	178	240	313	392	494	417	419	292	151	46	6	8
	White-----M--	1,628	1	18	9	8	6	7	8	20	16	46	71	105	160	204	259	219	217	152	73	23	4	2
	F--	1,370	5	8	5	6	5	4	10	24	33	54	91	113	120	148	191	171	166	125	65	23	1	2
	Nonwhite--M--	136	-	-	2	-	2	-	-	-	3	3	6	8	13	22	24	14	21	8	9	-	-	1
	F--	147	1	-	-	-	3	-	3	3	5	7	10	14	20	18	20	13	15	7	4	-	1	3
140-148	Of buccal cavity and pharynx------	90	-	-	1	-	-	-	-	1	-	4	4	7	10	10	12	9	17	8	6	1	-	-
	White-----M--	62	-	-	-	-	-	-	-	-	-	4	3	4	7	5	10	8	11	4	5	1	-	-
	F--	18	-	-	1	-	-	-	-	1	-	-	-	2	1	3	1	1	4	4	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,063	-	-	-	-	-	-	4	7	13	14	40	53	84	136	176	158	163	119	74	18	3	1
	White-----M--	517	-	-	-	-	-	-	2	6	2	8	15	26	45	71	96	74	76	55	32	7	2	-
	F--	455	-	-	-	-	-	-	1	1	7	5	20	22	34	49	64	71	75	57	37	11	-	1
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	2	-	2	1	2	10	7	7	7	4	4	-	-	-
	F--	45	-	-	-	-	-	-	1	-	2	1	3	4	3	6	9	6	5	3	1	-	1	-
160-164	Of respiratory system (not secondary)-------	427	-	-	-	-	1	-	1	2	3	12	32	43	60	61	79	59	46	16	7	3	-	2
	White-----M--	342	-	-	-	-	-	-	1	2	2	8	28	35	54	52	65	47	33	9	4	2	-	-
	F--	62	-	-	-	-	1	-	-	-	1	4	2	4	3	7	10	10	10	7	2	1	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	1	4	2	2	3	-	1	-	1	-	-	1
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	-	-	-	-	1
170	Of breast---------	232	-	-	-	-	-	-	-	8	7	16	31	25	26	29	28	18	17	15	8	2	1	1
	White-----M--	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	1
	F--	215	-	-	-	-	-	-	-	6	7	12	30	24	25	27	26	18	17	12	8	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	1	-	4	1	1	1	2	1	-	-	2	-	-	-	-
171-179	Of genital organs-	547	-	-	-	2	-	3	6	10	15	22	27	39	49	46	71	73	75	64	30	11	1	3
	White-----M--	206	-	-	-	-	-	2	1	1	3	1	2	3	4	11	20	40	46	45	19	6	1	1
	F--	264	-	-	-	2	-	1	4	7	10	20	21	28	31	26	39	28	20	16	6	5	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	1	2	3	7	3	6	2	3	-	-	-
	F--	50	-	-	-	-	-	-	1	2	2	1	4	7	12	6	5	2	3	1	2	-	-	2
180, 181	Of urinary organs-	113	1	1	-	-	-	-	-	2	2	2	2	6	11	15	19	19	15	13	4	1	-	-
	White-----M--	67	-	1	-	-	-	-	-	-	-	2	-	4	8	9	12	12	7	8	3	1	-	-
	F--	37	-	-	-	-	-	-	-	2	1	-	2	2	1	3	7	6	7	5	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	1	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	461	-	3	7	3	8	4	3	8	9	24	21	45	49	58	52	41	60	40	16	8	1	1
	White-----M--	235	-	1	6	1	2	2	2	4	3	13	13	22	23	38	23	16	31	22	8	4	1	-
	F--	188	-	2	-	2	3	2	1	4	5	8	7	21	21	19	23	20	20	17	8	4	-	1
	Nonwhite--M--	20	-	-	1	-	2	-	-	-	-	2	1	-	3	-	3	2	5	1	-	-	-	-
	F--	18	-	-	-	-	1	-	-	-	1	1	-	2	2	1	3	3	4	-	-	-	-	-
204	Leukemia and aleukemia--------	190	6	19	5	5	4	2	4	4	4	7	8	8	12	19	33	23	12	12	2	1	-	-
	White-----M--	101	1	14	1	4	2	1	1	3	3	4	2	3	8	11	19	12	5	6	-	1	-	-
	F--	83	5	5	3	1	1	1	2	1	1	3	6	5	4	7	14	10	7	5	2	-	-	-
	Nonwhite--M--	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
200-203, 205	Lymphomas, etc.*--	158	-	3	3	4	3	2	3	5	4	9	13	14	12	18	24	17	14	5	4	1	-	-
	White-----M--	94	-	2	2	3	2	2	1	3	3	6	8	8	11	7	13	10	8	2	2	1	-	-
	F--	48	-	1	1	1	-	-	2	2	1	2	3	5	-	7	7	7	6	2	1	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	-	-	1	1	-	-	-
	F--	5	-	-	-	-	1	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	74	2	2	2	1	-	2	1	2	2	4	5	5	12	10	6	6	7	3	2	-	-	-
	White-----M--	33	1	1	1	1	-	2	-	2	-	2	3	5	5	4	1	2	1	2	-	-	-	-
	F--	31	1	1	-	-	-	-	-	-	1	1	2	-	6	4	4	2	6	1	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	9	-	-	1	-	-	-	1	-	1	1	-	-	1	2	1	1	-	-	-	-	-	-
260	Diabetes mellitus-	308	-	1	-	2	2	-	5	6	1	2	8	17	27	43	50	47	40	37	14	5	-	1
	White-----M--	125	-	1	-	-	-	-	2	1	1	1	2	6	6	16	20	17	23	19	7	3	-	-
	F--	135	-	-	-	2	2	-	2	2	-	1	3	6	12	20	22	24	16	17	5	1	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	1	2	-	-	1	1	3	2	2	4	1	1	1	1	-	-
	F--	28	-	-	-	-	-	-	-	1	-	-	2	4	6	5	6	2	-	-	1	-	-	1
290-293	Anemias----------	40	3	-	-	-	1	-	2	-	-	1	1	-	2	6	8	2	4	5	4	1	-	-
	White-----M--	13	1	-	-	-	-	-	-	-	-	-	-	-	-	3	4	-	1	2	1	1	-	-
	F--	19	-	-	-	-	1	-	1	-	-	1	1	-	1	2	3	2	1	3	3	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	17	5	3	2	-	-	-	-	1	-	-	-	-	1	-	3	-	-	1	-	-	-	1
	White-----M--	9	2	-	1	-	-	-	-	1	-	-	-	-	1	-	3	-	-	1	-	-	-	-
	F--	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	11,187	8	5	10	4	11	11	27	47	89	149	282	474	605	907	1,332	1,639	1,892	1,826	1,315	419	119	16
	White-----M--	6,035	5	2	2	1	4	6	12	24	52	100	185	316	378	573	773	899	968	913	589	189	39	5
	F--	4,176	3	2	5	1	5	4	9	15	22	28	61	90	153	239	417	617	777	810	651	202	61	4
	Nonwhite--M--	519	-	-	-	-	-	1	1	4	4	7	20	35	46	50	70	85	70	53	45	14	8	6
	F--	457	-	1	3	2	2	-	5	4	11	14	16	33	28	45	72	38	77	50	30	14	11	1
330-334, 400-468	Diseases of cardiovascular system-	10,916	8	3	8	4	10	7	22	43	80	142	274	458	585	885	1,314	1,611	1,853	1,785	1,283	408	117	16
	White-----M--	5,922	5	1	2	1	3	3	9	22	49	97	179	309	373	563	764	886	951	897	579	185	39	5
	F--	4,066	3	1	3	1	5	4	8	13	19	26	60	83	145	230	412	606	761	791	635	196	60	4
	Nonwhite--M--	486	-	-	-	-	-	-	1	4	2	6	19	34	40	50	67	81	67	48	41	13	7	6
	F--	442	-	1	3	2	2	-	4	4	10	13	16	32	27	42	71	38	74	49	28	14	11	1
330-334	Vascular lesions, etc.*----------	2,819	5	2	5	2	1	3	7	12	11	29	36	74	96	174	298	421	542	531	407	128	32	3
	White-----M--	1,290	5	1	2	1	-	2	3	4	2	18	16	27	37	82	141	206	241	256	179	58	9	-
	F--	1,247	-	-	2	-	1	1	2	5	5	6	11	29	45	58	121	180	254	241	208	61	17	-
	Nonwhite--M--	134	-	-	-	-	-	-	1	2	1	2	7	6	7	17	13	24	17	18	9	3	4	3
	F--	148	-	1	1	1	-	-	1	1	3	3	2	12	7	17	23	11	30	16	11	6	2	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OKLAHOMA—Con.																							
400-402	Rheumatic fever---	7	-	-	1	1	1	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	7,298	3	-	2	1	6	1	14	27	61	105	220	372	461	673	959	1,084	1,181	1,094	739	218	66	11
	White-----M--	4,238	-	-	-	-	1	-	6	18	44	76	155	273	320	457	586	626	649	556	338	106	23	4
	F--	2,497	3	-	1	1	3	1	6	5	11	18	41	52	91	163	282	387	452	485	359	99	33	4
	Nonwhite--M--	310	-	-	-	-	-	-	-	2	-	3	11	28	30	30	49	50	43	25	27	6	3	3
	F--	253	-	-	1	-	2	-	2	2	6	8	13	19	20	23	42	21	37	28	15	7	7	-
410-416	Chronic rheumatic heart disease----	169	-	-	1	-	3	-	5	10	9	12	16	20	16	18	12	13	19	9	3	2	1	-
	White-----M--	80	-	-	-	-	-	-	1	5	7	6	8	15	6	7	2	8	8	4	2	1	-	-
	F--	73	-	-	-	-	2	-	4	4	2	5	7	4	9	10	7	4	8	4	1	1	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	1	1	-	-	-	-	-
	F--	9	-	-	1	-	1	-	-	-	-	1	-	1	1	-	1	-	2	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,297	-	-	-	-	-	1	8	10	41	83	156	295	365	529	757	834	830	753	472	124	33	6
	White-----M--	3,311	-	-	-	-	-	-	4	9	33	67	121	229	279	384	504	509	471	395	224	67	13	2
	F--	1,684	-	-	-	-	-	1	2	-	6	10	23	40	62	106	207	290	312	333	225	49	16	2
	Nonwhite--M--	168	-	-	-	-	-	-	-	1	-	1	4	17	15	22	21	25	25	14	16	4	1	2
	F--	134	-	-	-	-	-	-	2	-	2	5	8	9	9	17	25	10	22	11	7	4	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	552	-	-	-	-	1	-	1	3	3	2	7	11	14	35	42	63	90	121	103	36	18	2
	White-----M--	272	-	-	-	-	1	-	1	2	1	1	2	6	6	21	18	29	53	62	50	13	5	1
	F--	224	-	-	-	-	-	-	-	1	-	-	2	2	4	14	13	27	31	52	47	21	9	1
	Nonwhite--M--	33	-	-	-	-	-	-	-	-	-	-	2	3	3	-	7	4	4	3	4	1	2	-
	F--	23	-	-	-	-	-	-	-	-	2	1	1	-	1	-	4	3	2	4	2	1	2	-
430-434	Other diseases of heart---------	518	3	-	1	1	2	-	-	3	3	5	24	23	26	42	59	76	88	72	61	22	6	1
	White-----M--	269	-	-	-	-	-	-	-	2	1	2	16	17	14	27	31	35	48	34	29	11	2	-
	F--	188	3	-	1	1	1	-	-	-	2	2	5	1	6	12	20	27	31	33	28	10	4	1
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	1	2	3	4	3	6	11	4	4	2	-	-	-
	F--	21	-	-	-	-	1	-	-	1	-	-	1	2	2	-	2	3	5	1	2	1	-	-
440-443	Hypertension with heart dis.---	762	-	-	-	-	-	-	-	1	5	3	17	23	40	49	89	98	154	139	100	34	8	2
	White-----M--	306	-	-	-	-	-	-	-	-	2	-	8	6	15	18	31	45	69	61	33	14	3	1
	F--	328	-	-	-	-	-	-	-	-	1	1	4	5	10	21	35	39	70	63	58	18	3	-
	Nonwhite--M--	62	-	-	-	-	-	-	-	-	-	1	2	5	8	4	13	9	9	4	5	1	-	1
	F--	66	-	-	-	-	-	-	-	1	2	1	3	7	7	6	10	5	6	11	4	1	2	-
444-447	Hypertension without mention of heart----------	169	-	-	-	-	-	-	-	1	4	3	6	5	4	7	17	34	25	35	16	8	3	1
	White-----M--	80	-	-	-	-	-	-	-	-	2	1	2	4	1	6	10	17	10	16	8	2	-	1
	F--	54	-	-	-	-	-	-	-	-	-	1	3	-	2	-	-	10	10	15	7	4	2	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	5	3	2	-	1	-	-
	F--	17	-	-	-	-	-	-	-	1	1	1	1	1	-	-	3	2	2	2	1	1	1	-
450	General arteriosclerosis--------	430	-	-	-	-	-	-	-	-	-	1	1	1	4	10	19	42	85	101	109	42	14	1
	White-----M--	204	-	-	-	-	-	-	-	-	-	-	1	1	3	6	14	20	43	54	46	11	5	-
	F--	191	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	17	33	42	57	28	8	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	4	3	5	3	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	2	1	-	1	1
451-468	Other diseases of circulatory sys.-	193	-	1	-	-	2	3	-	3	4	4	10	6	19	21	21	29	20	24	12	12	2	-
	White-----M--	108	-	-	-	-	1	1	-	-	1	2	5	4	11	12	13	17	8	15	8	8	2	-
	F--	75	-	1	-	-	1	2	-	3	3	1	4	2	7	6	6	11	12	8	4	4	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	271	-	2	2	-	1	4	5	4	9	7	8	16	20	22	18	28	39	41	32	11	2	-
	White-----M--	113	-	1	-	-	1	3	3	2	3	3	6	7	5	10	9	13	17	16	10	4	-	-
	F--	110	-	1	2	-	-	-	1	2	3	2	1	7	8	9	5	11	16	19	16	6	1	-
	Nonwhite--M--	33	-	-	-	-	-	1	-	-	2	1	1	1	6	-	3	4	3	5	4	1	1	-
	F--	15	-	-	-	-	-	-	1	-	1	1	-	1	1	3	1	-	3	1	2	-	-	-
480-493	Influenza and pneumonia, etc.*-	810	88	39	8	12	6	6	5	3	11	10	19	30	32	46	49	74	96	116	98	39	20	3
	White-----M--	368	34	10	4	6	2	1	2	2	3	2	8	15	14	31	29	36	48	46	48	18	8	1
	F--	296	23	12	2	5	4	1	1	-	4	5	7	3	9	8	14	32	39	56	44	19	7	1
	Nonwhite--M--	73	15	5	2	-	-	1	1	1	2	1	1	10	5	2	4	6	4	8	3	1	1	-
	F--	73	16	12	-	1	-	3	1	-	2	2	3	2	4	5	2	-	5	6	3	1	4	1
480-483	Influenza---------	167	13	8	1	6	3	1	1	-	3	4	5	7	6	10	14	18	20	21	15	10	-	1
	White-----M--	62	6	2	-	3	1	-	-	-	-	2	1	3	2	6	7	7	6	7	6	2	-	1
	F--	75	2	4	1	3	2	1	-	-	1	1	2	1	2	1	4	10	11	12	9	8	-	-
	Nonwhite--M--	16	1	2	-	-	-	-	1	-	2	-	-	2	1	1	3	1	1	1	-	-	-	-
	F--	14	4	-	-	-	-	-	-	-	-	1	2	1	1	2	-	-	2	1	-	-	-	-
490-493	Pneumonia, etc.*--	643	75	31	7	6	3	5	4	3	8	6	14	23	26	36	35	56	76	95	83	29	20	2
	White-----M--	306	28	8	4	3	1	1	2	2	3	-	7	12	12	25	22	29	42	39	42	16	8	-
	F--	221	21	8	1	2	2	-	1	-	3	4	5	2	7	7	10	22	28	44	35	11	7	1
	Nonwhite--M--	57	14	3	2	-	-	1	-	1	-	1	1	8	4	1	1	5	3	7	3	1	1	-
	F--	59	12	12	-	1	-	3	1	-	2	1	1	1	3	3	2	-	3	5	3	1	4	1
500-502	Bronchitis--------	37	4	6	1	-	-	-	-	-	-	-	2	-	1	6	-	3	4	3	4	3	-	-
	White-----M--	20	1	5	1	-	-	-	-	-	-	-	-	-	-	4	-	2	2	1	3	1	-	-
	F--	13	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	2	1	2	-	-
	Nonwhite--M--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	120	-	1	-	-	-	1	-	3	5	5	7	6	13	18	20	13	14	9	4	1	-	-
	White-----M--	91	-	-	-	-	-	-	-	2	4	3	6	6	11	17	14	9	10	6	3	-	-	-
	F--	22	-	1	-	-	-	-	-	1	1	2	1	-	2	1	3	2	4	2	1	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
550-553	Appendicitis-------	32	-	-	2	1	-	-	-	-	1	3	2	3	1	2	3	2	3	5	3	1	-	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	1	2	2	1	2	3	1	1	1	2	1	-	-
	F--	11	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	1	2	4	1	-	-	-
	Nonwhite--M--	3	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	129	14	-	1	1	-	-	1	-	5	1	2	5	5	8	11	20	16	18	13	6	1	1
	White-----M--	58	7	-	1	1	-	-	-	-	3	-	-	1	2	6	5	8	8	6	6	3	-	1
	F--	50	6	-	-	-	-	-	-	-	1	1	2	2	3	2	2	8	5	9	7	1	1	-
	Nonwhite--M--	14	1	-	-	-	-	-	1	-	1	-	-	1	-	-	2	2	3	2	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	1	-	1	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OKLAHOMA—Con.																							
543,	Gastritis, etc.*--	110	38	8	2	-	-	2	-	1	4	2	1	4	2	1	8	5	9	9	8	4	2	-
571,	White-----M--	36	9	6	-	-	-	-	-	-	1	1	1	1	1	1	4	2	1	5	2	1	-	-
572	F--	44	10	1	2	-	-	1	-	1	2	-	-	2	1	-	2	2	7	3	5	3	2	-
	Nonwhite--M--	15	9	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	-	-	-
	F--	15	10	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-
581	Cirrhosis of liver	188	1	-	-	-	-	-	-	4	7	10	20	17	23	20	24	12	12	14	4	-	-	-
	White-----M--	104	-	-	-	-	-	-	-	1	4	4	12	9	20	10	15	9	6	12	2	-	-	-
	F--	42	-	-	-	-	-	-	-	3	3	5	3	5	1	4	9	1	4	2	2	-	-	-
	Nonwhite--M--	13	1	-	-	-	-	-	-	-	-	-	2	2	1	4	-	2	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	3	1	1	2	-	-	1	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	46	1	1	1	1	1	1	2	2	1	-	1	3	2	5	6	5	3	2	7	1	-	-
	White-----M--	23	1	-	1	1	-	1	-	2	-	-	-	-	2	1	4	3	2	2	2	1	-	-
	F--	12	-	1	-	-	1	-	1	-	-	-	1	1	-	-	1	2	-	-	4	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	1	-	1	-	-	1	-	2	1	-	-	-	1	-	-	-
610	Hyperplasia of																							
	prostate---------	93	-	-	-	-	-	-	-	-	-	-	-	2	2	2	10	12	14	22	20	7	2	-
	White-----M--	82	-	-	-	-	-	-	-	-	-	-	-	2	2	2	9	9	10	21	19	6	2	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	1	1	1	-	-
640-	Complications of																							
689	pregnancy, etc.*-	22	...	...	...	-	5	4	2	2	7	1	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	...	...	...	-	2	2	2	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	-	3	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	2	...	...	...	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	20	...	...	...	-	4	4	2	2	7	1	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	13	...	...	...	-	2	2	2	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	7	...	...	...	-	2	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	240	184	18	7	2	1	4	1	3	2	2	5	3	2	2	-	3	-	-	1	-	-	-
	White-----M--	117	87	7	2	1	1	3	-	2	1	1	5	-	2	2	-	3	-	-	-	-	-	-
	F--	91	69	11	4	-	-	1	1	1	1	1	-	1	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	18	15	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	14	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	749	749	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	391	391	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	223	223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	337	337	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	93	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*	356	356	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	177	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	815	57	5	2	1	3	7	2	9	14	24	26	37	42	60	83	84	113	92	82	45	25	2
795	White-----M--	417	21	3	1	-	2	3	1	2	8	10	15	19	27	37	48	45	63	47	34	21	9	1
	F--	212	10	1	1	-	-	-	-	3	1	5	6	6	5	9	18	22	30	29	35	18	12	1
	Nonwhite--M--	99	16	-	-	1	-	-	-	1	3	3	2	5	6	9	12	11	7	13	6	3	1	-
	F--	87	10	1	-	-	1	4	1	3	2	6	3	7	4	5	5	6	13	3	7	3	3	-
Residual	All other diseases	1,061	64	12	16	15	6	10	13	17	19	37	47	41	72	89	115	130	146	102	73	23	11	3
	White-----M--	566	33	3	7	4	2	5	6	6	7	17	23	22	44	62	69	76	81	49	31	11	8	-
	F--	371	21	7	8	5	2	4	5	9	10	10	20	14	17	20	34	39	55	46	33	9	3	-
	Nonwhite--M--	67	7	2	-	4	2	-	-	-	1	2	1	1	8	5	9	7	7	2	5	2	-	2
	F--	57	3	-	1	2	-	1	2	2	1	8	3	4	3	2	3	8	3	5	4	1	-	1
E800-	Accidents---------	1,584	55	77	54	57	124	104	87	83	95	90	99	91	81	72	72	63	94	88	75	21	17	5
E962	White-----M--	967	21	35	32	42	96	72	65	62	66	58	66	64	41	45	46	25	46	39	31	9	3	3
	F--	457	23	24	15	11	20	14	11	14	18	19	29	22	15	23	22	29	42	43	39	10	14	-
	Nonwhite--M--	109	5	8	7	1	7	16	7	3	8	11	4	3	5	4	3	7	2	4	2	1	-	1
	F--	51	6	10	-	3	1	2	4	4	3	2	-	2	-	-	1	2	4	2	3	1	-	1
E810-	Motor-vehicle																							
E835	accidents-------	709	12	33	21	17	74	77	51	48	56	43	58	51	36	37	29	22	22	13	8	-	1	-
	White-----M--	450	5	18	11	11	56	51	35	35	33	26	35	32	27	20	19	10	11	9	6	-	-	-
	F--	189	5	14	8	6	14	9	7	9	16	11	20	15	7	16	9	8	8	4	2	-	1	-
	Nonwhite--M--	50	-	1	2	-	3	15	6	1	4	5	3	2	2	1	1	3	1	-	-	-	-	-
	F--	20	2	-	-	-	1	2	3	3	3	1	-	2	-	-	-	1	2	-	-	-	-	-
E800-	All ot. accidents-	875	43	44	33	40	50	27	36	35	39	47	41	40	25	35	43	41	72	75	67	21	16	5
E802,	White-----M--	517	16	17	21	31	40	21	30	27	33	32	31	32	14	25	27	15	35	30	25	9	3	3
E840-	F--	268	18	10	7	5	6	5	4	5	2	8	9	7	8	7	13	21	34	39	37	10	13	-
E962	Nonwhite--M--	59	5	7	5	1	4	1	1	2	4	6	1	1	3	3	2	4	1	4	2	1	-	1
	F--	31	4	10	-	3	-	-	1	1	-	1	-	-	-	-	1	1	2	2	3	1	-	1
E963,	Suicide----------	179	-	-	-	1	5	8	9	15	13	7	23	13	27	12	12	11	12	3	8	-	-	-
E970-	White-----M--	137	-	-	-	1	3	6	6	11	12	5	17	10	19	10	10	8	10	2	7	-	-	-
E979	F--	32	-	-	-	-	1	1	1	1	1	2	5	2	8	2	2	2	2	1	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
E964,	Homicide---------	98	2	1	-	-	9	11	8	12	10	11	10	8	5	6	3	1	1	-	-	-	-	-
E980-	White-----M--	44	1	-	-	-	3	4	3	6	5	3	7	2	4	3	2	-	1	-	-	-	-	-
E985	F--	14	1	1	-	-	1	-	1	1	1	2	2	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	30	-	-	-	-	4	4	3	4	2	5	1	5	-	2	-	-	-	-	-	-	-	-
	F--	10	-	-	-	-	1	3	1	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OREGON																							
	ALL CAUSES------	15,675	826	134	92	77	119	130	113	168	248	341	570	789	1,027	1,386	1,815	2,126	2,177	1,728	1,178	485	139	7
	White-----M--	9,267	476	70	55	52	80	89	73	108	149	214	365	506	680	908	1,169	1,291	1,251	925	537	202	62	5
	F--	6,119	308	59	33	24	33	34	34	46	80	115	188	253	323	451	632	811	916	787	633	281	76	2
	Nonwhite--M--	188	22	2	4	1	5	4	3	5	10	8	15	20	14	21	11	18	8	10	7	-	-	-
	F--	101	20	3	-	-	1	3	3	9	9	4	2	10	10	6	3	6	2	6	1	2	1	-
001-019	Tuberculosis, all forms--------	67	-	-	1	-	-	1	1	1	2	3	5	9	4	10	11	8	6	4	1	-	-	-
	White-----M--	48	-	-	-	-	-	1	-	-	-	1	4	8	3	8	10	7	3	2	1	-	-	-
	F--	15	-	-	1	-	-	-	1	1	1	2	1	-	1	2	1	1	2	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	59	-	-	-	-	-	-	1	1	2	3	4	8	4	9	11	8	4	3	1	-	-	-
	White-----M--	46	-	-	-	-	-	-	-	-	-	1	4	7	3	8	10	7	3	2	1	-	-	-
	F--	10	-	-	-	-	-	-	1	1	1	2	-	-	1	1	1	1	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	8	-	-	1	-	-	1	-	-	-	-	1	1	-	1	-	-	2	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	26	-	-	-	-	-	-	-	1	-	-	-	-	4	5	7	1	5	3	-	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	1	-	-	-	-	3	5	6	-	4	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	6	-	-	-	-	1	-	-	1	-	-	-	-	2	1	-	-	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	7	-	3	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	4	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	36	10	1	2	-	-	-	1	2	-	-	2	3	1	4	2	-	5	1	1	1	-	-
	White-----M--	18	5	-	1	-	-	-	-	-	-	-	1	2	-	2	2	-	4	-	-	1	-	-
	F--	18	5	1	1	-	-	-	1	2	-	-	1	1	1	2	-	-	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OREGON—Continued																							
140-205	Malignant neoplasms, etc.*	2,463	1	13	18	12	11	7	17	23	42	78	120	187	240	331	348	368	324	179	112	24	7	1
	White----M	1,295	-	3	12	10	8	4	5	11	17	25	53	86	110	171	188	232	179	112	56	10	2	1
	F	1,138	1	10	6	2	3	3	12	10	23	51	67	95	126	153	158	132	145	66	56	14	5	-
	Nonwhite--M	20	-	-	-	-	-	-	-	1	-	1	-	5	3	5	2	3	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	2	1	-	1	1	2	-	1	-	1	-	-	-	-
140-148	Of buccal cavity and pharynx	52	-	-	-	-	-	-	1	-	-	2	4	6	3	6	6	8	6	6	4	-	-	-
	White----M	41	-	-	-	-	-	-	1	-	-	1	4	4	2	5	4	6	6	4	4	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	2	-	2	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	825	-	-	-	-	-	1	4	4	7	18	19	44	69	110	122	147	144	71	51	11	3	-
	White----M	436	-	-	-	-	-	-	1	2	3	6	14	23	32	51	69	89	70	47	23	4	2	-
	F	380	-	-	-	-	-	1	3	2	4	11	5	21	37	55	52	55	74	24	28	7	1	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)	309	-	-	-	-	-	1	1	1	3	8	15	31	46	58	55	49	27	9	4	-	-	1
	White----M	261	-	-	-	-	-	1	-	-	1	6	12	25	42	52	47	41	23	7	3	-	-	1
	F	43	-	-	-	-	-	-	1	1	2	2	3	2	4	6	8	7	4	2	1	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	233	-	-	-	-	-	-	2	4	8	11	27	26	32	39	30	19	16	9	6	3	1	-
	White----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	230	-	-	-	-	-	-	2	3	7	11	27	26	31	39	30	19	16	9	6	3	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	374	-	-	1	-	1	2	3	1	2	14	21	23	39	45	45	63	46	35	29	3	1	-
	White----M	163	-	-	-	-	-	-	-	-	-	-	2	3	5	15	14	40	35	27	20	2	-	-
	F	207	-	-	1	-	1	2	3	1	1	13	19	19	34	30	31	23	11	7	9	1	1	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-
180, 181	Of urinary organs	124	-	-	-	-	-	-	-	-	1	3	5	9	10	10	24	24	20	11	6	1	-	-
	White----M	77	-	-	-	-	-	-	-	-	1	1	3	7	8	7	14	18	12	5	1	-	-	-
	F	47	-	-	-	-	-	-	-	-	-	2	2	2	2	3	10	6	8	6	5	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	265	-	6	4	3	7	1	1	8	9	11	12	27	20	30	43	19	28	21	10	4	1	-
	White----M	137	-	1	2	3	7	1	-	5	4	3	7	12	10	18	24	12	11	11	3	3	-	-
	F	124	-	5	2	-	-	-	1	2	5	8	5	15	9	11	18	7	17	10	7	1	1	-
	Nonwhite--M	4	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	137	-	6	12	6	3	1	3	1	7	6	7	13	6	14	6	21	14	9	1	-	1	-
	White----M	92	-	2	9	4	1	1	2	1	4	5	4	6	3	12	4	19	8	6	1	-	-	-
	F	43	-	4	3	2	2	-	1	-	3	1	3	6	3	1	2	2	6	3	-	-	1	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	144	1	1	1	3	-	1	2	4	5	5	10	8	15	19	17	18	23	8	1	2	-	-
	White----M	88	-	-	1	3	-	1	1	3	4	3	7	6	8	11	12	7	14	5	1	1	-	-
	F	53	1	1	-	-	-	-	1	1	1	2	3	2	5	7	5	11	9	3	-	1	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	32	2	1	1	2	1	-	1	1	-	1	7	2	1	4	3	1	3	-	1	-	-	-
	White----M	13	1	1	-	1	-	-	-	1	-	-	3	-	1	-	3	-	1	-	1	-	-	-
	F	18	1	-	1	1	1	-	1	-	-	1	3	2	-	4	-	1	2	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	198	-	-	-	-	-	3	1	5	5	2	6	8	15	23	27	33	33	24	12	1	-	-
	White----M	93	-	-	-	-	-	1	-	2	2	2	3	3	6	13	15	12	19	12	3	-	-	-
	F	101	-	-	-	-	-	2	1	3	3	-	2	5	8	10	12	20	13	12	9	1	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
290-293	Anemias	36	-	3	-	1	-	-	1	-	-	2	1	1	-	2	3	10	5	3	4	-	-	-
	White----M	16	-	2	-	-	-	-	1	-	-	1	1	-	-	-	1	6	3	1	-	-	-	-
	F	19	-	1	-	1	-	-	-	-	-	1	-	-	-	2	2	4	2	2	4	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	14	7	1	-	-	1	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	White----M	7	2	1	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F	5	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	8,722	4	4	5	3	6	9	13	34	56	96	215	375	546	792	1,121	1,404	1,481	1,227	863	368	96	4
	White----M	5,171	1	2	1	-	3	3	8	27	34	72	157	277	400	548	746	844	832	627	391	150	45	3
	F	3,464	2	1	3	3	3	6	4	6	18	22	55	88	135	231	365	550	643	593	467	217	51	1
	Nonwhite--M	58	1	1	1	-	-	-	1	-	2	1	3	6	5	11	7	8	5	2	4	-	-	-
	F	29	-	-	-	-	-	-	-	1	2	1	-	4	6	2	3	2	1	5	1	1	-	-
330-334, 400-468	Diseases of cardiovascular system	8,629	4	3	4	1	5	7	11	30	51	93	210	368	540	782	1,113	1,393	1,470	1,222	856	366	96	4
	White----M	5,123	1	1	1	-	3	2	7	24	32	71	154	273	397	543	740	837	827	625	388	149	45	3
	F	3,424	2	1	2	1	2	5	3	5	16	21	53	86	132	226	363	546	639	590	463	216	51	1
	Nonwhite--M	57	1	1	1	-	-	-	1	-	2	1	3	6	5	11	7	8	4	2	4	-	-	-
	F	25	-	-	-	-	-	-	-	1	1	-	-	3	6	2	3	2	-	5	1	1	-	-
330-334	Vascular lesions, etc.*	1,970	2	2	3	-	-	1	2	2	8	4	34	51	75	131	221	335	362	357	246	106	27	1
	White----M	967	-	1	1	-	-	1	1	1	4	1	13	20	40	69	127	170	180	183	101	45	8	-
	F	981	1	1	2	-	-	-	1	1	2	3	20	30	33	59	90	161	181	172	145	60	19	-
	Nonwhite--M	14	1	-	-	-	-	-	-	-	2	-	1	1	-	2	2	3	1	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	1	-	1	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OREGON—Continued																							
400-402	Rheumatic fever---	5	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	5,997	2	1	1	1	4	5	7	24	40	86	158	307	442	615	836	961	993	752	497	212	50	3
	White-----M--	3,802	1	-	-	-	3	1	5	21	26	68	130	245	342	450	571	620	580	389	232	87	29	2
	F--	2,141	1	-	-	1	1	4	1	3	13	18	27	54	92	155	259	335	411	359	260	125	21	1
	Nonwhite--M--	38	-	1	1	-	-	-	1	-	-	-	1	5	4	9	5	5	2	-	4	-	-	-
	F--	16	-	-	-	-	-	-	-	-	1	-	-	3	4	1	1	1	-	4	1	-	-	-
410-416	Chronic rheumatic heart disease----	242	-	-	-	-	-	3	1	10	13	18	12	28	27	36	30	31	17	5	10	-	-	1
	White-----M--	125	-	-	-	-	-	1	-	9	5	9	7	13	14	21	14	18	8	2	3	-	-	1
	F--	114	-	-	-	-	-	2	1	1	8	9	5	14	13	14	16	13	9	3	6	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,535	1	-	-	-	1	-	4	12	24	63	132	249	363	508	672	737	732	538	331	132	35	1
	White-----M--	3,079	-	-	-	-	1	-	3	11	20	55	112	218	299	387	483	490	445	301	172	59	22	1
	F--	1,423	1	-	-	-	-	-	-	1	3	8	19	27	59	114	184	242	287	236	156	73	13	-
	Nonwhite--M--	25	-	-	-	-	-	-	1	-	-	-	1	2	3	7	4	5	-	-	2	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	2	2	-	1	-	-	1	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	369	-	-	1	-	-	-	2	2	-	1	1	6	15	18	25	46	72	74	61	38	7	-
	White-----M--	197	-	-	-	-	-	-	2	1	-	1	1	5	9	10	22	27	44	34	26	13	2	-
	F--	168	-	-	-	-	-	-	-	1	-	-	-	1	5	7	3	19	28	39	35	25	5	-
	Nonwhite--M--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
430-434	Other diseases of heart---------	188	1	1	-	1	3	1	-	-	-	1	6	3	4	15	18	33	35	30	21	11	3	1
	White-----M--	112	1	-	-	-	2	-	-	-	-	1	6	2	3	11	11	24	23	12	8	5	3	-
	F--	74	-	-	-	1	1	1	-	-	-	-	-	1	1	4	7	8	12	18	13	6	-	1
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	663	-	-	-	-	-	1	-	-	3	3	7	21	33	38	91	114	137	105	74	31	5	-
	White-----M--	289	-	-	-	-	-	-	-	-	1	2	4	7	17	21	41	61	60	40	23	10	2	-
	F--	362	-	-	-	-	-	1	-	-	2	1	3	11	14	16	49	53	75	63	50	21	3	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	2	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
444-447	Hypertension without mention of heart----------	68	-	-	-	-	1	-	-	1	-	-	5	-	5	6	7	9	13	12	7	1	1	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	2	-	2	4	4	-	7	6	5	-	-	-
	F--	36	-	-	-	-	1	-	-	1	-	-	2	-	2	2	3	9	6	6	2	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	397	-	-	-	-	-	-	1	-	-	1	1	3	7	8	14	49	68	86	96	45	18	-
	White-----M--	197	-	-	-	-	-	-	1	-	-	1	1	2	4	6	6	29	38	39	46	16	8	-
	F--	198	-	-	-	-	-	-	-	-	-	-	-	1	3	2	8	20	29	45	50	29	10	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	192	-	-	-	-	-	1	-	3	2	2	11	7	11	22	35	38	33	15	10	2	-	-
	White-----M--	126	-	-	-	-	-	-	-	2	1	1	8	6	9	14	32	18	22	8	4	1	-	-
	F--	64	-	-	-	-	-	1	-	-	1	-	3	1	2	8	3	20	11	7	6	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	93	-	1	1	2	1	2	2	4	5	3	5	7	6	10	8	11	11	5	7	2	-	-
	White-----M--	48	-	1	-	-	-	1	1	3	2	1	3	4	3	5	6	7	5	2	3	1	-	-
	F--	40	-	-	1	2	1	1	1	1	2	1	2	2	3	5	2	4	4	3	4	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	595	58	17	4	4	4	2	5	4	4	10	18	14	26	28	40	65	82	88	75	35	12	-
	White-----M--	339	35	10	2	2	1	1	1	2	1	6	11	7	16	16	26	43	55	45	36	18	5	-
	F--	225	19	5	1	2	3	1	4	1	1	4	4	4	7	9	14	19	27	40	37	17	6	-
	Nonwhite--M--	20	1	1	1	-	-	-	-	-	1	-	2	3	2	2	-	2	-	3	2	-	-	-
	F--	11	3	1	-	-	-	-	-	1	1	-	1	-	1	1	-	1	-	-	-	-	1	-
480-483	Influenza---------	39	2	1	1	2	1	-	1	1	-	1	1	-	2	-	2	6	4	7	4	-	3	-
	White-----M--	20	1	1	1	1	-	-	-	1	-	1	1	-	1	-	2	3	-	3	2	-	2	-
	F--	16	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	2	4	4	2	-	-	
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	
490-493	Pneumonia, etc.*--	556	56	16	3	2	3	2	4	3	4	9	17	14	24	28	38	59	78	81	71	35	9	-
	White-----M--	319	34	9	1	1	1	1	1	1	1	5	10	7	15	16	24	40	55	42	34	18	3	-
	F--	209	18	5	1	1	2	1	3	1	1	4	4	4	7	9	14	17	23	36	35	17	6	-
	Nonwhite--M--	19	1	1	1	-	-	-	-	-	1	-	2	3	1	2	-	2	-	3	2	-	-	-
	F--	9	3	1	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	46	8	1	-	-	-	1	-	-	-	2	-	-	4	6	5	4	7	6	2	-	-	-
	White-----M--	34	3	1	-	-	-	1	-	-	-	2	-	-	4	6	4	2	4	6	1	-	-	-
	F--	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	106	-	-	-	-	1	-	-	-	1	4	4	5	9	13	16	22	11	11	6	3	-	-
	White-----M--	81	-	-	-	-	1	-	-	-	1	3	3	5	7	12	11	17	8	9	3	1	-	-
	F--	25	-	-	-	-	-	-	-	-	-	1	1	-	2	1	5	5	3	2	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	14	1	-	1	1	1	-	1	-	-	-	-	1	-	1	1	1	2	3	-	-	-	-
	White-----M--	7	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-
	F--	5	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	85	12	-	1	-	-	-	-	1	-	-	2	3	5	5	9	9	14	14	5	3	2	-
	White-----M--	46	8	-	1	-	-	-	-	-	-	-	-	3	1	2	7	6	8	6	2	2	-	-
	F--	35	2	-	-	-	-	-	-	1	-	-	1	-	3	3	2	3	6	8	3	1	2	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	OREGON—Continued																							
543,	Gastritis, etc.*--	46	5	4	-	-	-	-	-	1	1	1	6	3	1	1	5	2	8	5	2	-	1	-
571,	White-----M--	29	2	4	-	-	-	-	-	-	-	1	4	3	1	1	4	2	4	3	-	-	-	-
572	F--	16	2	-	-	-	-	-	-	1	1	-	2	-	-	-	1	-	4	2	2	-	1	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	146	-	-	-	-	-	2	-	2	11	17	18	14	19	11	29	10	12	1	-	-	-	-
	White-----M--	100	-	-	-	-	-	-	-	1	5	10	14	7	15	11	19	8	9	1	-	-	-	-
	F--	41	-	-	-	-	-	1	-	-	4	6	4	7	4	-	10	2	3	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	21	-	-	-	-	2	-	-	1	1	2	1	-	1	2	4	1	1	4	-	1	-	-
	White-----M--	15	-	-	-	-	1	-	-	-	-	2	1	-	-	1	4	1	1	3	-	1	-	-
	F--	4	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	38	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	10	13	4	3	1	-
	White-----M--	38	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	10	13	4	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	8	...	...	...	-	-	3	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	...	...	...	-	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	7	...	...	...	-	-	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
660-	White-----F--	6	...	...	...	-	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	215	154	18	10	6	3	4	1	1	4	-	4	3	3	-	2	-	-	1	1	-	-	-
	White-----M--	117	94	7	3	4	1	-	-	1	2	-	1	2	-	-	1	-	-	-	1	-	-	-
	F--	93	58	11	7	2	2	4	-	-	2	-	2	1	2	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	448	447	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	254	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	173	172	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	190	189	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	83	82	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	137	14	-	-	-	1	1	-	3	1	3	7	6	12	8	8	10	6	21	14	12	9	1
795	White-----M--	77	7	-	-	-	-	1	-	3	1	2	6	3	9	4	3	5	4	11	8	4	5	1
	F--	51	6	-	-	-	1	-	-	-	-	1	1	-	2	3	5	3	2	10	6	7	4	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	1	-	-
Re-	All other diseases	795	62	13	8	4	5	4	4	13	23	23	37	50	55	61	111	106	90	64	36	22	4	-
sid-	White-----M--	462	40	7	5	3	3	3	3	4	9	12	19	26	38	43	77	62	52	35	15	5	1	-
ual	F--	313	19	6	2	1	2	1	1	8	11	10	15	22	17	17	33	43	36	28	21	17	3	-
	Nonwhite--M--	14	2	-	1	-	-	-	-	1	1	1	3	1	-	-	1	1	1	1	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	1	-	-	-	-	-
E800-	Accidents---------	1,109	36	53	36	39	79	80	59	55	74	65	86	70	57	59	48	54	58	46	37	12	6	-
E962	White-----M--	795	19	29	27	27	59	68	48	46	61	51	66	56	47	47	28	31	37	26	13	7	2	-
	F--	278	14	22	9	11	14	9	8	7	12	10	18	14	9	10	19	21	21	16	23	5	4	-
	Nonwhite--M--	27	2	-	-	1	5	3	1	1	1	3	2	-	-	2	1	2	-	2	1	-	-	-
	F--	9	1	2	-	-	1	-	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	473	2	14	13	13	49	50	32	30	34	30	39	25	23	33	21	26	23	11	5	-	-	-
	White-----M--	333	1	6	11	7	36	41	24	23	25	21	29	17	15	24	9	17	16	6	5	-	-	-
	F--	125	-	8	2	6	12	8	6	5	9	5	10	8	7	8	11	8	7	5	-	-	-	-
	Nonwhite--M--	11	1	-	-	-	1	1	1	1	-	3	-	-	-	1	1	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	636	34	39	23	26	30	30	27	25	40	35	47	45	34	26	27	28	35	35	32	12	6	-
E802,	White-----M--	462	18	23	16	20	23	27	24	23	36	30	37	39	32	23	19	14	21	20	8	7	2	-
E840-	F--	153	14	14	7	5	2	1	2	2	3	5	8	6	2	2	8	13	14	13	23	5	4	-
E962	Nonwhite--M--	16	1	-	-	1	4	2	-	-	1	-	2	-	-	1	-	1	-	2	1	-	-	-
	F--	5	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	199	-	-	-	2	2	9	6	11	15	25	24	29	19	14	9	12	11	8	2	-	1	-
E970-	White-----M--	158	-	-	-	1	1	5	6	8	13	22	18	18	15	12	8	9	11	8	2	-	1	-
E979	F--	40	-	-	-	1	1	4	-	3	2	3	6	11	4	2	1	2	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	49	-	-	2	2	1	4	1	5	6	7	5	6	2	2	1	2	1	1	-	-	-	1
E980-	White-----M--	19	-	-	1	2	-	1	1	1	3	2	-	-	2	2	1	1	1	1	-	-	-	-
E985	F--	15	-	-	1	-	1	1	-	1	-	3	3	3	-	-	-	1	-	-	-	-	-	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	2	2	2	2	3	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PENNSYLVANIA																							
	ALL CAUSES------	118,950	6,250	830	486	411	630	705	870	1,202	1,863	2,928	4,378	6,277	8,558	12,071	15,118	16,469	15,534	12,745	7,772	3,002	804	47
	White-----M--	61,856	2,940	382	272	248	385	432	469	574	928	1,607	2,452	3,548	4,925	6,996	8,521	8,922	7,798	5,816	3,294	1,108	223	16
	F--	48,491	2,216	325	154	121	182	182	240	418	634	956	1,395	1,976	2,693	4,129	5,672	6,786	7,193	6,578	4,279	1,813	531	18
	Nonwhite--M--	4,721	619	60	33	29	43	54	85	121	144	184	288	411	526	547	521	444	299	164	90	29	19	11
	F--	3,882	475	63	27	13	20	37	76	89	157	181	243	342	414	399	404	317	244	187	109	52	31	2
001-019	Tuberculosis, all forms--------	1,031	3	8	3	1	1	9	16	42	53	89	82	89	114	114	150	121	77	35	19	2	1	2
	White-----M--	663	2	3	1	1	-	2	6	7	18	47	50	67	83	89	106	90	50	24	16	1	-	-
	F--	161	-	1	1	-	-	2	3	11	15	15	13	5	9	10	28	15	22	8	2	-	1	-
	Nonwhite--M--	143	1	1	1	-	-	1	5	12	9	16	15	13	17	12	16	13	4	3	1	1	-	2
	F--	64	-	3	-	-	1	4	2	12	11	11	4	4	5	3	-	3	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	963	-	2	-	1	1	8	12	40	50	85	75	82	111	109	141	117	72	33	19	2	1	2
	White-----M--	633	-	-	-	1	-	1	5	7	18	46	46	64	82	86	100	88	48	24	16	1	-	-
	F--	152	-	1	-	-	-	2	3	11	15	15	12	4	9	10	26	14	20	7	2	-	1	-
	Nonwhite--M--	123	-	-	-	-	-	1	2	11	8	14	14	11	15	10	15	12	4	2	1	1	-	2
	F--	55	-	1	-	-	1	4	2	11	9	10	3	3	5	3	-	3	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	68	3	6	3	-	-	1	4	2	3	4	7	7	3	5	9	4	5	2	-	-	-	-
	White-----M--	30	2	3	1	-	-	1	1	-	-	1	4	3	1	3	6	2	2	-	-	-	-	-
	F--	9	-	-	1	-	-	-	-	-	-	-	1	1	-	-	2	1	2	1	-	-	-	-
	Nonwhite--M--	20	1	1	1	-	-	-	3	1	1	2	1	2	2	2	1	1	-	1	-	-	-	-
	F--	9	-	2	-	-	-	-	-	1	2	1	1	1	-	-	-	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae---------	267	1	-	-	-	-	-	1	2	7	14	17	33	35	49	39	36	19	6	7	1	-	-
	White-----M--	127	1	-	-	-	-	-	-	-	2	3	7	13	15	26	22	20	12	2	3	1	-	-
	F--	53	-	-	-	-	-	-	-	2	2	1	4	4	6	10	7	6	5	4	2	-	-	-
	Nonwhite--M--	60	-	-	-	-	-	-	-	-	2	5	5	12	12	10	7	7	-	-	-	-	-	-
	F--	27	-	-	-	-	-	-	1	-	1	5	1	4	2	3	3	3	2	-	2	-	-	-
040	Typhoid fever-----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	11	-	2	-	-	-	-	1	3	-	-	2	-	1	-	1	1	-	-	-	-	-	-
	White-----M--	5	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	13	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	42	14	13	2	2	2	1	-	-	2	-	-	2	-	1	1	2	-	-	-	-	-	-
	White-----M--	23	7	9	1	-	1	1	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-
	F--	13	7	1	1	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	11	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	8	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	311	56	21	10	8	9	7	8	11	12	13	20	23	16	20	12	25	15	15	4	6	-	-
	White-----M--	137	24	9	5	2	5	2	2	4	8	6	11	9	10	9	3	14	7	2	1	4	-	-
	F--	131	15	9	5	3	4	4	2	5	4	6	7	10	4	10	8	9	8	13	3	2	-	-
	Nonwhite--M--	24	10	1	-	2	-	-	3	-	-	-	-	3	1	1	1	2	-	-	-	-	-	-
	F--	19	7	2	-	1	-	1	1	2	-	1	2	1	1	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PENNSYLVANIA—Continued																							
140-205	Malignant neoplasms, etc.*----	19,034	14	108	82	59	50	76	122	229	366	646	980	1,508	1,992	2,586	2,965	2,805	2,234	1,398	568	199	40	7
	White-----M--	9,479	5	54	56	38	24	47	63	80	120	216	375	664	964	1,392	1,634	1,516	1,181	698	261	80	10	1
	F--	8,359	9	45	21	17	21	27	48	129	210	364	501	688	848	1,018	1,183	1,152	975	667	290	117	26	3
	Nonwhite--M--	665	-	5	5	1	3	2	6	9	14	19	50	79	100	115	91	89	47	15	10	1	2	2
	F--	531	-	4	-	3	2	-	5	11	22	47	54	77	80	61	57	48	31	18	7	1	2	1
140-148	Of buccal cavity and pharynx------	408	-	-	2	1	2	1	3	3	7	10	23	41	45	52	65	52	52	28	14	5	1	1
	White-----M--	310	-	-	2	1	1	1	2	2	5	7	18	26	33	47	54	39	39	20	10	3	-	-
	F--	68	-	-	-	-	1	-	-	1	-	3	4	8	7	2	5	9	13	8	4	2	1	-
	Nonwhite--M--	25	-	-	-	-	-	-	1	-	1	-	1	7	4	2	6	3	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	1
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)---------	7,165	1	1	2	1	1	4	12	34	81	144	263	443	688	1,001	1,226	1,252	985	646	270	88	17	5
	White-----M--	3,668	-	-	1	1	-	4	10	14	32	64	119	220	339	537	678	670	518	308	117	32	3	1
	F--	3,040	1	1	-	-	1	-	2	15	38	66	106	168	269	394	493	515	438	320	145	55	11	2
	Nonwhite--M--	285	-	-	1	-	-	-	-	3	7	4	22	35	46	52	36	44	17	7	6	1	2	2
	F--	172	-	-	-	-	-	-	-	2	4	10	16	20	34	18	19	23	12	11	2	-	1	-
160-164	Of respiratory system (not secondary)-------	2,508	-	2	1	1	2	3	2	16	24	71	129	281	370	455	483	344	197	82	30	12	3	-
	White-----M--	2,010	-	1	1	-	1	3	1	8	19	54	92	222	299	388	413	277	144	60	21	5	1	-
	F--	335	-	1	-	-	-	-	1	5	3	9	19	37	36	41	54	51	43	18	8	7	2	-
	Nonwhite--M--	141	-	-	-	-	-	-	-	1	1	7	17	19	31	25	15	14	8	3	-	-	-	-
	F--	22	-	-	-	1	1	-	-	2	1	1	1	3	4	1	1	2	2	1	1	-	-	-
170	Of breast---------	1,658	-	-	-	-	-	1	9	29	54	116	169	187	172	207	185	178	168	107	48	20	7	1
	White-----M--	18	-	-	-	-	-	-	-	-	1	-	2	2	-	5	3	1	2	1	1	-	-	-
	F--	1,543	-	-	-	-	-	1	7	27	49	102	153	167	158	194	172	174	164	103	46	19	6	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F--	94	-	-	-	-	-	-	2	2	4	14	14	17	14	7	9	3	2	3	1	1	1	-
171-179	Of genital organs-	2,678	-	1	1	4	6	10	26	50	74	124	154	189	239	324	371	389	359	234	90	29	4	-
	White-----M--	940	-	1	1	1	1	6	7	8	2	3	10	14	31	92	134	188	203	154	60	22	2	-
	F--	1,539	-	-	-	2	4	4	19	38	64	104	128	157	191	203	205	180	128	78	25	7	2	-
	Nonwhite--M--	70	-	-	-	-	-	-	-	-	-	1	2	-	3	13	17	10	19	1	4	-	-	-
	F--	129	-	-	-	1	1	-	-	4	8	16	14	18	14	16	15	11	9	1	1	-	-	-
180, 181	Of urinary organs-	888	1	13	4	2	-	2	5	1	9	11	37	52	86	103	156	145	136	75	32	15	3	-
	White-----M--	591	-	6	1	2	-	1	1	1	2	7	24	36	58	70	110	104	99	44	15	7	3	-
	F--	249	1	6	3	-	-	1	3	-	6	4	11	14	20	23	37	34	33	28	17	8	-	-
	Nonwhite--M--	33	-	1	-	-	-	-	1	-	-	-	2	1	5	8	6	5	2	2	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	-	-	1	3	2	3	2	2	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	2,127	6	24	20	16	14	23	29	42	57	101	117	192	250	259	265	278	200	146	58	26	4	-
	White-----M--	1,032	2	9	12	12	7	13	18	22	30	44	60	82	129	141	120	140	92	65	24	10	-	-
	F--	965	4	11	7	3	4	9	8	17	22	46	46	90	109	98	135	122	103	78	33	16	4	-
	Nonwhite--M--	63	-	2	1	-	3	1	-	2	3	6	4	11	5	7	5	10	1	2	-	-	-	-
	F--	67	-	2	-	1	-	-	3	1	2	5	7	9	7	13	5	6	4	1	1	-	-	-
204	Leukemia and aleukemia--------	783	5	58	45	21	9	11	18	18	21	31	37	51	55	75	99	89	77	42	17	3	1	-
	White-----M--	431	2	31	32	10	5	5	12	7	10	13	17	19	28	45	57	53	45	29	10	-	1	-
	F--	322	3	25	11	10	4	6	4	10	11	16	19	26	25	25	37	35	32	13	7	3	-	-
	Nonwhite--M--	19	-	1	2	1	-	-	2	1	-	1	-	3	1	3	3	1	-	-	-	-	-	-
	F--	11	-	1	-	-	-	-	-	-	-	1	1	3	1	2	2	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	819	1	9	7	13	16	21	18	36	39	38	51	72	87	110	115	78	60	38	9	1	-	-
	White-----M--	479	1	6	6	11	9	14	12	18	19	24	33	43	47	67	65	44	39	17	3	1	-	-
	F--	298	-	1	-	2	7	6	4	16	17	14	15	21	33	38	45	32	21	21	5	-	-	-
	Nonwhite--M--	26	-	1	1	-	-	1	2	2	2	-	2	2	5	4	2	2	-	-	-	-	-	-
	F--	16	-	1	-	-	-	-	-	-	1	-	1	6	2	1	3	-	-	-	1	-	-	-
210-239	Benign and unspecified neoplasms--	389	6	-	9	5	7	13	8	16	27	20	36	44	41	45	34	25	25	15	8	5	-	-
	White-----M--	163	4	-	4	3	2	4	1	2	11	8	13	20	18	18	11	20	10	8	4	2	-	-
	F--	191	2	-	5	2	5	4	5	14	12	9	20	21	16	22	22	5	14	7	4	2	-	-
	Nonwhite--M--	15	-	-	-	-	-	3	-	-	-	1	1	1	4	4	-	-	1	-	-	-	-	-
	F--	20	-	-	-	-	-	2	2	-	4	2	2	2	3	1	1	-	-	-	-	1	-	-
260	Diabetes mellitus-	2,556	2	2	1	9	9	10	12	28	26	40	73	112	204	355	471	480	356	240	94	27	4	1
	White-----M--	747	-	1	-	3	2	4	6	13	11	21	26	40	58	98	126	126	97	84	23	7	-	1
	F--	1,646	2	1	1	6	6	4	5	7	11	12	35	62	123	231	311	337	246	152	71	19	4	-
	Nonwhite--M--	55	-	-	-	-	1	1	-	3	2	2	5	-	9	8	10	7	5	2	-	-	-	-
	F--	108	-	-	-	-	-	1	1	5	2	5	7	10	14	18	24	10	8	2	-	1	-	-
290-293	Anemias----------	188	14	7	2	3	-	1	-	2	5	5	5	5	8	15	15	23	32	25	15	3	2	1
	White-----M--	77	4	1	-	-	-	-	-	1	2	1	-	3	5	6	6	11	18	10	8	-	1	-
	F--	89	3	2	1	2	-	1	-	-	2	4	5	-	3	6	8	12	14	15	7	2	1	1
	Nonwhite--M--	8	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	14	3	2	1	1	-	-	-	1	1	-	-	2	-	1	1	-	-	-	-	1	-	-
340	Nonmeningococcal meningitis*------	104	39	16	7	1	3	1	-	-	2	4	5	6	2	7	7	2	-	2	-	-	-	-
	White-----M--	48	17	8	4	1	3	-	-	-	-	2	1	4	-	4	2	-	-	2	-	-	-	-
	F--	30	13	5	3	-	-	-	-	-	-	1	-	-	1	2	3	2	-	-	-	-	-	-
	Nonwhite--M--	11	3	1	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-	-	-	-	-	-
	F--	15	6	2	-	-	-	1	-	-	1	1	2	1	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	68,351	56	30	25	44	55	86	145	289	590	1,206	2,037	3,138	4,618	6,914	9,094	10,627	10,850	9,480	6,067	2,349	633	18
	White-----M--	35,286	32	12	11	24	26	49	66	141	337	783	1,287	1,918	2,787	4,072	5,068	5,632	5,314	4,181	2,510	850	181	5
	F--	29,025	18	15	10	17	25	21	50	95	165	267	502	833	1,307	2,285	3,443	4,518	5,155	5,037	3,405	1,439	409	9
	Nonwhite--M--	2,069	1	1	1	3	2	10	10	33	42	80	133	206	269	297	309	252	202	117	60	22	16	3
	F--	1,971	5	2	3	-	2	6	19	20	46	76	115	181	255	260	274	225	179	145	92	38	27	1
330-334, 400-468	Diseases of cardiovascular system-	67,239	56	30	22	34	45	68	123	264	552	1,155	1,964	3,080	4,520	6,796	8,981	10,494	10,713	9,370	5,999	2,328	627	18
	White-----M--	34,769	32	12	8	18	23	35	52	128	316	758	1,252	1,892	2,746	4,009	5,019	5,568	5,252	4,136	2,484	844	180	5
	F--	28,553	18	15	10	13	20	19	46	89	154	246	478	814	1,271	2,247	3,387	4,457	5,087	4,979	3,365	1,425	404	9
	Nonwhite--M--	2,016	1	1	1	3	-	8	8	31	39	78	129	200	264	290	302	248	198	115	59	22	16	3
	F--	1,901	5	2	3	-	2	6	17	16	43	73	105	174	239	250	273	221	176	140	91	37	27	1
330-334	Vascular lesions, etc.*----------	12,793	21	14	6	12	10	15	23	41	77	166	280	428	639	1,091	1,642	2,128	2,269	2,035	1,313	477	103	3
	White-----M--	5,715	13	6	2	6	7	8	10	20	27	72	126	185	299	532	803	1,003	1,030	844	538	159	24	1
	F--	6,200	6	7	4	6	3	3	9	15	37	57	113	175	242	444	694	993	1,143	1,127	750	301	70	1
	Nonwhite--M--	391	-	-	-	-	-	2	-	2	5	7	19	29	39	64	68	71	45	25	7	6	1	1
	F--	487	2	1	-	-	-	2	4	4	8	30	22	39	59	51	77	61	51	39	18	11	8	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PENNSYLVANIA--Continued																							
400-402	Rheumatic fever---	88	1	1	7	13	1	2	4	7	9	8	6	8	4	2	8	4	2	-	1	-	-	-
	White-----M--	38	1	-	2	7	-	1	2	1	3	6	1	5	4	2	3	-	-	-	-	-	-	-
	F--	36	-	-	4	4	1	1	1	4	5	1	1	3	-	-	4	4	2	-	1	-	-	-
	Nonwhite--M--	7	-	-	-	2	-	-	-	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-
	F--	7	-	1	1	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	49,465	26	14	7	7	31	48	85	193	431	926	1,603	2,506	3,680	5,379	6,880	7,757	7,613	6,398	3,961	1,509	399	12
	White-----M--	26,673	13	6	4	4	15	24	35	105	272	651	1,096	1,637	2,330	3,283	3,963	4,232	3,817	2,874	1,633	562	113	4
	F--	20,125	10	7	2	2	14	14	32	61	103	175	337	591	979	1,700	2,530	3,226	3,558	3,373	2,228	914	262	7
	Nonwhite--M--	1,444	1	1	-	1	-	6	7	21	29	65	99	155	208	211	209	161	130	73	42	13	11	1
	F--	1,223	2	-	1	-	2	4	11	6	27	35	71	123	163	185	178	138	108	78	58	20	13	-
410-416	Chronic rheumatic heart disease----	1,645	-	-	1	2	16	30	34	67	84	145	176	227	211	180	157	124	93	68	20	7	3	-
	White-----M--	708	-	-	-	2	8	13	14	25	30	69	83	104	89	81	75	47	34	24	6	4	-	-
	F--	840	-	-	1	-	6	12	12	35	46	66	85	110	114	87	78	73	57	41	13	2	2	-
	Nonwhite--M--	44	-	-	-	-	-	3	2	4	3	6	5	6	2	6	2	1	-	2	1	1	-	-
	F--	53	-	-	-	-	2	2	6	3	5	4	3	7	6	6	2	3	2	1	-	-	1	-
420	Arteriosclerotic heart dis., etc.*	34,179	6	1	2	1	6	5	24	86	280	637	1,143	1,811	2,760	4,088	5,055	5,508	5,230	4,069	2,413	850	194	10
	White-----M--	20,144	4	1	2	1	2	3	14	62	217	528	906	1,337	1,925	2,711	3,118	3,173	2,801	1,941	1,006	331	57	4
	F--	12,650	1	-	-	-	4	1	7	15	36	71	162	339	629	1,155	1.734	2,165	2,311	2,039	1,346	501	126	6
	Nonwhite--M--	841	1	-	-	-	-	1	2	8	15	31	56	91	130	129	117	94	80	45	30	7	4	-
	F--	544	-	-	-	-	-	-	1	1	10	7	19	44	76	93	86	76	38	44	31	11	7	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	6,178	4	2	1	1	4	2	5	13	11	30	74	135	203	346	622	899	1,132	1,228	892	433	140	1
	White-----M--	2,854	2	-	-	-	2	1	1	7	9	13	38	66	109	178	315	466	523	548	385	160	31	-
	F--	2,986	2	2	1	1	2	-	3	2	2	8	19	33	62	135	242	393	558	657	494	268	101	1
	Nonwhite--M--	176	-	-	-	-	-	1	1	4	-	5	9	13	21	18	33	28	26	8	5	1	3	-
	F--	162	-	-	-	-	-	-	-	-	-	4	8	23	11	15	32	12	25	15	8	4	5	-
430-434	Other diseases of heart---------	1,373	16	11	3	2	5	9	15	14	19	36	44	62	93	148	176	205	185	166	97	44	12	1
	White-----M--	707	7	5	2	1	3	6	4	8	9	20	17	39	53	91	111	118	93	64	42	10	4	-
	F--	561	7	5	-	1	2	-	7	5	7	11	19	18	28	40	57	76	89	99	50	33	7	-
	Nonwhite--M--	51	-	1	-	-	-	1	1	1	2	4	3	3	8	6	7	4	6	-	2	-	1	1
	F--	54	2	-	1	-	-	2	3	-	1	1	5	2	4	11	1	7	7	3	3	1	-	-
440-443	Hypertension with heart dis.--	6,090	-	-	-	1	-	2	7	13	37	78	166	271	413	617	870	1,021	983	867	539	175	50	-
	White-----M--	2,260	-	-	-	-	-	1	2	3	7	21	52	91	154	222	344	428	366	297	194	57	21	-
	F--	3,088	-	-	-	-	-	1	3	4	10	19	52	91	146	283	419	519	543	537	325	110	26	-
	Nonwhite--M--	332	-	-	-	1	-	-	1	4	9	19	26	42	47	52	50	34	18	18	4	4	3	-
	F--	410	-	-	-	-	-	-	1	2	11	19	36	47	66	60	57	40	36	15	16	4	-	-
444-447	Hypertension without mention of heart----------	777	-	-	-	-	-	1	6	9	14	25	23	31	43	59	71	101	137	138	79	30	10	-
	White-----M--	320	-	-	-	-	-	1	3	-	2	15	8	13	21	21	31	49	58	52	34	9	3	-
	F--	346	-	-	-	-	-	-	1	3	3	2	6	9	11	29	26	42	69	78	42	19	6	-
	Nonwhite--M--	50	-	-	-	-	-	-	1	4	2	4	5	5	6	4	6	4	2	4	1	1	1	-
	F--	61	-	-	-	-	-	-	1	2	7	4	4	4	5	5	8	6	8	4	2	1	-	-
450	General arteriosclerosis--------	2,968	-	-	-	-	-	1	-	-	1	3	5	27	40	99	184	334	556	720	593	293	110	2
	White-----M--	1,354	-	-	-	-	-	-	-	-	1	3	2	7	24	55	96	181	261	326	251	107	40	-
	F--	1,449	-	-	-	-	-	1	-	-	-	-	-	9	9	31	73	129	268	364	321	181	62	1
	Nonwhite--M--	79	-	-	-	-	-	-	-	-	-	-	1	6	2	8	8	10	19	11	9	2	3	-
	F--	86	-	-	-	-	-	-	-	-	-	-	2	5	5	5	7	14	8	19	12	3	5	1
451-468	Other diseases of circulatory sys.-	1,148	8	1	2	2	3	1	5	14	20	27	47	80	114	166	196	170	136	79	52	19	5	1
	White-----M--	669	5	-	-	1	1	1	2	2	11	11	19	45	68	116	123	103	86	40	28	7	-	-
	F--	397	2	1	-	1	2	-	3	6	6	11	21	27	30	43	60	63	47	37	23	10	4	-
	Nonwhite--M--	45	-	-	1	-	-	-	-	3	2	2	3	5	9	3	10	2	2	2	-	-	-	1
	F--	37	1	-	1	-	-	-	-	3	1	3	4	3	7	4	3	2	1	-	1	2	1	-
592-594	Chronic nephritis, etc.*----------	1,112	-	-	3	10	10	18	22	25	38	51	73	58	98	118	113	133	137	110	68	21	6	-
	White-----M--	517	-	-	3	6	3	14	14	13	21	25	35	26	41	63	49	64	62	45	26	6	1	-
	F--	472	-	-	-	4	5	2	4	6	11	21	24	19	36	38	56	61	68	58	40	14	5	-
	Nonwhite--M--	53	-	-	-	-	2	2	2	2	3	2	4	6	5	7	7	4	4	2	1	-	-	-
	F--	70	-	-	-	-	-	-	2	4	3	3	10	7	16	10	1	4	3	5	1	1	-	-
480-493	Influenza and pneumonia, etc.*-	3,829	367	132	47	51	43	47	52	47	74	115	120	169	211	306	421	466	423	332	240	119	43	4
	White-----M--	1,968	155	55	21	25	21	16	21	18	26	56	64	94	120	176	257	281	215	179	110	45	12	1
	F--	1,435	142	53	16	22	19	28	21	17	24	40	31	37	66	90	126	153	191	139	122	68	30	-
	Nonwhite--M--	235	36	11	3	2	1	1	5	6	10	13	17	23	16	20	23	20	10	7	6	2	-	3
	F--	191	34	13	7	2	2	2	5	6	14	6	8	15	9	20	15	12	7	7	2	4	1	-
480-483	Influenza---------	478	14	16	14	14	15	11	10	6	13	19	18	26	32	41	53	64	41	23	31	12	5	-
	White-----M--	220	4	3	6	6	8	1	3	2	3	7	9	16	19	18	32	34	17	12	13	7	-	-
	F--	221	7	11	7	8	6	9	6	4	7	11	5	6	9	22	18	28	22	8	17	5	5	-
	Nonwhite--M--	20	3	1	-	-	-	1	1	-	1	1	1	2	1	1	1	2	2	1	1	-	-	-
	F--	17	-	1	1	-	1	-	-	-	2	-	3	2	3	-	2	-	-	2	-	-	-	-
490-493	Pneumonia, etc.*--	3,351	353	116	33	37	28	36	42	41	61	96	102	143	179	265	368	402	382	309	209	107	38	4
	White-----M--	1,748	151	52	15	19	13	15	18	16	23	49	55	78	101	158	225	247	198	167	97	38	12	1
	F--	1,214	135	42	9	14	13	19	15	13	17	29	26	31	57	68	108	125	169	131	105	63	25	-
	Nonwhite--M--	215	33	10	3	2	1	-	4	6	9	12	16	21	15	19	22	18	8	6	5	2	-	3
	F--	174	34	12	6	2	1	2	5	6	12	6	5	13	6	20	13	12	7	5	2	4	1	-
500-502	Bronchitis--------	244	33	27	8	3	1	-	1	3	2	5	8	4	13	24	25	27	20	21	13	4	2	-
	White-----M--	143	19	12	4	3	-	-	1	1	-	3	6	2	7	19	20	16	10	12	7	1	-	-
	F--	86	13	11	4	-	1	-	-	2	1	1	1	-	5	5	5	8	9	9	6	3	2	-
	Nonwhite--M--	10	-	2	-	-	-	-	-	-	1	1	-	2	1	-	-	2	1	-	-	-	-	-
	F--	5	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	719	7	2	-	2	-	1	1	10	19	25	57	71	70	93	101	95	74	50	31	9	1	-
	White-----M--	522	3	1	-	1	-	1	1	8	14	18	36	55	52	73	81	78	54	25	15	6	-	-
	F--	151	3	1	-	-	-	-	-	2	2	5	9	12	11	14	16	15	20	21	16	3	1	-
	Nonwhite--M--	36	1	-	-	1	-	-	-	-	3	-	8	3	6	6	4	2	-	2	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	2	4	1	1	-	-	-	-	2	-	-	-	-
550-553	Appendicitis------	135	-	3	3	6	3	2	2	2	3	3	4	9	13	13	18	18	13	11	5	4	-	-
	White-----M--	80	-	2	2	2	1	-	-	2	3	2	1	7	8	11	10	8	8	8	3	2	-	-
	F--	41	-	1	-	2	2	1	2	-	-	1	3	-	2	1	7	8	4	3	2	2	-	-
	Nonwhite--M--	10	-	-	-	1	-	1	-	-	-	-	-	1	3	1	1	2	-	-	-	-	-	-
	F--	4	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	659	60	2	1	2	-	3	1	4	10	15	21	28	44	66	80	106	95	66	44	10	1	-
	White-----M--	305	35	2	-	1	-	1	-	2	4	3	8	11	23	36	33	53	38	33	20	2	-	-
	F--	306	15	-	1	1	-	-	1	2	4	10	10	14	16	25	40	49	55	32	22	8	1	-
	Nonwhite--M--	28	7	-	-	-	-	1	-	-	-	-	1	1	4	2	5	3	1	1	2	-	-	-
	F--	20	3	-	-	-	-	1	-	-	2	2	2	2	1	3	2	1	1	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PENNSYLVANIA—Continued																							
543,	Gastritis, etc.*--	443	84	24	6	-	4	4	6	13	11	10	14	20	25	30	37	41	40	45	18	9	2	-
571,	White-----M--	206	38	13	4	-	1	2	3	5	5	4	8	10	12	15	15	22	20	19	6	4	-	-
572	F--	208	31	7	2	-	2	2	2	8	6	5	5	5	13	14	22	19	20	26	12	5	2	-
	Nonwhite--M--	13	8	1	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F--	16	7	3	-	-	1	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	1,321	2	1	1	1	-	1	8	29	50	92	161	174	183	169	184	116	90	33	21	3	2	-
	White-----M--	830	-	1	1	1	-	-	4	14	22	57	92	108	122	118	130	76	53	20	9	1	1	-
	F--	404	2	-	-	-	-	1	-	11	16	30	53	56	45	46	47	35	35	13	11	2	1	-
	Nonwhite--M--	53	-	-	-	-	-	-	2	2	5	3	8	7	11	4	5	4	1	-	1	-	-	-
	F--	34	-	-	-	-	-	-	2	2	7	2	8	3	5	1	2	1	1	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	168	5	3	12	5	2	1	4	7	6	8	7	12	9	20	10	22	19	8	5	2	1	-
	White-----M--	90	2	1	6	3	2	1	4	3	3	4	3	7	7	5	5	14	11	6	2	1	-	-
	F--	60	2	2	5	2	-	-	-	1	1	4	4	4	2	9	3	7	7	2	3	1	1	-
	Nonwhite--M--	10	1	-	1	-	-	-	-	3	-	-	-	1	-	3	-	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	2	-	-	-	-	3	2	1	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	307	-	-	-	-	-	-	-	-	-	-	-	2	10	18	38	54	52	67	51	13	2	-
	White-----M--	290	-	-	-	-	-	-	-	-	-	-	-	1	9	16	33	53	50	64	50	13	1	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	1	2	3	1	-	1	-
640-	Complications of																							
689	pregnancy, etc.*-	74	...	...	...	-	7	6	19	14	19	7	-	-	-	2	-	-	-	-	-	-	-	-
	White-----F--	56	...	...	...	-	3	4	13	14	13	7	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite--F--	18	...	...	...	-	4	2	6	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	12	...	...	...	-	3	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	8	...	...	...	-	3	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	62	...	...	...	-	4	3	16	13	17	7	-	-	-	2	-	-	-	-	-	-	-	-
660-	White-----F--	52	...	...	...	-	3	3	12	13	12	7	-	-	-	2	-	-	-	-	-	-	-	-
689	Nonwhite--F--	10	...	...	...	-	1	-	4	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	1,286	965	95	24	23	16	15	14	15	18	13	23	18	15	10	7	10	4	-	-	1	-	-
	White-----M--	636	485	39	12	9	9	8	8	5	10	5	14	9	6	3	5	6	3	-	-	-	-	-
	F--	539	395	48	11	12	5	6	6	8	8	8	7	9	6	4	2	2	1	-	-	1	-	-
	Nonwhite--M--	64	50	5	1	1	2	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-
	F--	47	35	3	-	1	-	1	-	2	-	-	2	-	1	1	-	1	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	3,908	3,905	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,821	1,819	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,365	1,364	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	402	402	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	320	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	1,857	1,857	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	861	861	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	648	648	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	257	257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	1,794	1,791	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	851	849	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	627	626	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	169	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	849	122	8	2	2	3	10	5	7	17	23	34	59	60	61	99	83	62	68	67	39	14	4
795	White-----M--	435	37	1	1	2	3	2	-	3	8	15	20	30	33	37	77	52	33	34	30	11	5	1
	F--	252	22	3	1	-	-	3	2	-	4	5	10	17	11	14	11	25	24	30	33	26	9	2
	Nonwhite--M--	101	39	4	-	-	-	3	2	-	2	2	3	9	8	6	8	4	3	2	3	2	-	1
	F--	61	24	-	-	-	-	2	1	4	3	1	1	3	8	4	3	2	2	2	1	-	-	-
Re-	All other diseases	5,917	303	103	62	37	55	63	88	93	170	207	280	389	470	717	855	804	582	372	184	62	19	2
sid-	White-----M--	3,528	159	48	31	19	30	27	28	36	79	108	155	228	306	477	586	524	365	207	85	26	4	2
ual	F--	1,936	94	48	24	12	20	27	37	36	60	76	94	118	117	201	234	250	196	152	93	32	15	-
	Nonwhite--M--	258	31	5	4	6	3	4	10	11	13	14	10	23	28	28	22	23	12	7	4	-	-	-
	F--	195	19	2	3	-	2	5	13	10	18	11	21	20	19	11	13	7	9	6	2	4	-	-
E800-	Accidents---------	5,484	170	209	171	139	332	294	273	228	259	243	269	249	284	312	343	406	402	424	302	133	37	5
E962	White-----M--	3,394	81	103	102	105	242	243	215	173	183	172	192	165	195	207	211	244	206	171	123	49	8	4
	F--	1,659	56	67	40	20	62	34	30	29	44	50	53	58	56	79	116	149	188	244	174	81	28	1
	Nonwhite--M--	300	24	17	17	10	24	14	19	21	24	15	20	16	25	19	11	11	6	4	2	1	-	-
	F--	131	9	22	12	4	4	3	9	5	8	6	4	10	8	7	5	2	2	5	3	2	1	-
E810-	Motor-vehicle																							
E835	accidents--------	1,927	13	66	88	57	227	223	165	119	110	93	102	110	96	98	106	98	85	47	19	4	-	1
	White-----M--	1,376	7	34	54	45	163	189	133	96	81	64	68	71	60	66	69	70	60	28	14	4	-	-
	F--	417	6	19	22	8	51	27	19	17	18	25	22	29	25	27	33	23	24	17	4	-	-	1
	Nonwhite--M--	95	-	6	5	3	12	7	7	6	9	3	9	7	8	5	2	4	1	1	-	-	-	-
	F--	39	-	7	7	1	1	-	6	-	2	1	3	3	3	-	2	1	-	1	1	-	-	-
E800-	All ot. accidents-	3,557	157	143	83	82	105	71	108	109	149	150	167	139	188	214	237	308	317	377	283	129	37	4
E802,	White-----M--	2,018	74	69	48	60	79	54	82	77	102	108	124	94	135	141	142	174	146	143	109	45	8	4
E840-	F--	1,242	50	48	18	12	11	7	11	12	26	25	31	29	31	52	83	126	164	227	170	81	28	-
E962	Nonwhite--M--	205	24	11	12	7	12	7	12	15	15	12	11	9	17	14	9	7	5	3	2	1	-	-
	F--	92	9	15	5	3	3	3	3	5	6	5	1	7	5	7	3	1	2	4	2	2	1	-
E963,	Suicide----------	1,033	-	-	-	2	16	32	52	72	86	96	103	101	105	114	101	70	45	28	8	2	-	-
E970-	White-----M--	758	-	-	-	2	11	19	35	44	54	64	76	78	80	85	73	62	40	25	8	2	-	-
E979	F--	240	-	-	-	-	5	13	10	19	27	31	25	21	21	27	27	7	4	3	-	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	5	6	3	1	2	2	3	1	-	1	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	2	3	2	-	-	-	1	1	1	-	-	-	-	-	-	-
E964,	Homicide----------	254	5	5	3	3	11	22	31	35	29	29	19	11	15	10	10	3	5	4	1	-	-	3
E980-	White-----M--	77	3	1	3	2	1	3	5	10	7	11	5	4	5	4	6	1	3	2	-	-	-	1
E985	F--	35	-	2	-	-	2	-	3	4	2	4	2	1	4	3	2	2	-	1	1	-	-	2
	Nonwhite--M--	104	1	-	-	1	7	13	17	15	13	12	7	5	5	3	2	-	2	1	-	-	-	-
	F--	38	1	2	-	-	1	6	6	6	7	2	5	1	1	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	RHODE ISLAND																							
	ALL CAUSES------	8,606	457	39	26	24	37	27	58	81	101	175	306	417	588	902	1,126	1,216	1,119	936	654	250	64	3
	White-----M--	4,559	255	20	13	15	29	15	32	54	50	101	181	270	361	565	636	615	552	420	272	84	17	2
	F--	3,875	183	15	13	9	6	8	23	20	47	71	113	142	208	323	471	581	556	503	374	161	47	1
	Nonwhite--M--	103	12	2	-	-	2	2	2	5	-	1	10	3	9	9	12	13	6	8	5	2	-	-
	F--	69	7	2	-	-	-	2	1	2	4	2	2	2	10	5	7	7	5	5	3	3	-	-
001-019	Tuberculosis, all forms--------	53	-	1	-	1	-	-	1	1	-	1	4	4	6	6	8	8	10	-	2	-	-	-
	White-----M--	40	-	1	-	-	-	-	-	1	-	1	4	1	5	5	6	8	6	-	2	-	-	-
	F--	12	-	-	-	1	-	-	1	-	-	-	-	3	1	1	2	-	3	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	50	-	-	-	1	-	-	1	1	-	1	4	4	6	6	8	8	8	-	2	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	1	-	1	4	1	5	5	6	8	5	-	2	-	-	-
	F--	11	-	-	-	1	-	-	1	-	-	-	-	3	1	1	2	-	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	20	-	-	-	-	-	-	-	-	-	-	1	2	2	6	4	2	1	1	1	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	2	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	24	-	2	2	-	1	-	-	2	-	1	3	2	5	-	2	1	-	2	1	-	-	-
	White-----M--	17	-	1	1	-	1	-	-	2	-	1	1	2	3	-	2	-	-	2	1	-	-	-
	F--	5	-	-	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	RHODE ISLAND—Continued																							
140-205	Malignant neoplasms, etc.*----	1,484	-	5	2	1	3	4	9	14	25	46	82	105	146	231	204	224	186	109	74	9	5	-
	White-----M--	735	-	2	-	1	3	1	4	7	6	17	37	48	70	130	104	116	95	56	33	5	-	-
	F--	723	-	3	2	-	-	2	5	6	17	29	43	57	71	99	95	105	90	50	40	4	5	-
	Nonwhite--M--	20	-	-	-	-	-	1	-	-	-	-	2	-	4	1	4	3	1	3	1	-	-	-
	F--	6	-	-	-	-	-	-	-	1	2	-	-	-	1	1	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	35	-	-	-	-	-	-	-	-	-	-	3	1	6	4	4	5	5	3	3	1	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	2	1	5	3	3	4	4	2	1	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)---------	569	-	-	-	-	-	-	2	2	1	9	19	44	51	94	82	94	86	47	33	3	2	-
	White-----M--	297	-	-	-	-	-	-	1	-	1	5	11	24	28	48	44	44	46	27	16	2	-	-
	F--	262	-	-	-	-	-	-	1	1	-	4	7	20	20	46	36	48	40	19	17	1	2	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	205	-	-	-	-	-	-	-	2	2	6	12	16	26	47	32	33	19	5	4	1	-	-
	White-----M--	170	-	-	-	-	-	-	-	2	1	3	8	12	20	44	27	28	17	5	3	-	-	-
	F--	30	-	-	-	-	-	-	-	-	1	3	4	4	4	1	4	5	2	-	1	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	Of breast---------	151	-	-	-	-	-	-	1	-	11	11	16	11	16	20	15	24	5	11	9	-	1	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	147	-	-	-	-	-	-	1	-	9	11	16	11	16	20	14	23	5	11	9	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	162	-	-	-	-	-	-	-	2	2	9	9	11	16	17	21	23	23	17	11	1	-	-
	White-----M--	56	-	-	-	-	-	-	-	-	-	2	1	-	1	4	4	15	10	12	7	-	-	-
	F--	103	-	-	-	-	-	-	-	2	2	7	8	11	15	13	16	7	13	4	4	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	66	-	-	-	-	-	-	-	-	-	1	3	1	7	16	10	11	9	4	3	1	-	-
	White-----M--	42	-	-	-	-	-	-	-	-	-	1	2	-	3	13	6	7	5	2	2	1	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	1	1	4	3	4	4	4	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	181	-	2	1	1	2	1	5	4	3	7	12	14	11	20	24	24	25	14	8	1	2	-
	White-----M--	87	-	1	-	1	2	-	2	3	2	4	9	9	6	12	12	12	6	4	2	-	-	-
	F--	90	-	1	1	-	-	-	3	1	1	3	2	5	5	8	12	12	18	9	6	1	2	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia--------	61	-	2	1	-	-	1	1	-	4	1	3	5	7	4	8	7	7	7	3	-	-	-
	White-----M--	27	-	1	-	-	-	-	1	-	2	-	2	1	5	-	2	4	3	4	2	-	-	-
	F--	33	-	1	1	-	-	1	-	-	2	1	1	4	2	4	5	3	4	3	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	54	-	1	-	-	1	2	-	4	2	2	5	2	6	9	8	3	7	1	-	1	-	-
	White-----M--	28	-	-	-	-	1	1	-	2	-	2	2	1	2	6	5	1	4	-	-	1	-	-
	F--	26	-	1	-	-	-	1	-	2	2	-	3	1	4	3	3	2	3	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	33	-	1	1	2	-	2	1	1	2	3	2	4	5	5	3	1	-	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	1	-	1	-	3	-	3	3	1	1	1	-	-	-	-	-	-
	F--	18	-	1	1	2	-	1	-	-	2	-	2	1	2	4	2	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	237	-	-	-	-	1	-	2	1	3	6	3	8	17	32	49	48	34	18	12	3	-	-
	White-----M--	81	-	-	-	-	1	-	2	1	2	3	2	2	8	15	9	16	12	5	2	1	-	-
	F--	152	-	-	-	-	-	-	-	-	1	2	1	6	7	17	40	32	22	12	10	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-
290-293	Anemias----------	12	1	1	-	-	1	-	-	-	-	-	-	-	-	1	1	2	3	-	2	-	-	-
	White-----M--	6	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	4,952	12	1	2	3	2	5	11	23	28	59	124	208	312	507	706	768	748	684	487	209	51	2
	White-----M--	2,608	8	-	2	2	1	3	6	14	17	45	90	157	207	333	415	371	364	292	196	70	14	1
	F--	2,263	4	1	-	1	1	-	4	6	9	14	31	47	96	165	281	383	378	385	284	135	37	1
	Nonwhite--M--	44	-	-	-	-	-	1	1	2	-	-	2	2	4	6	5	9	3	3	4	2	-	-
	F--	37	-	-	-	-	-	1	-	1	2	-	1	2	5	3	5	5	3	4	3	2	-	-
330-334, 400-468	Diseases of cardiovascular system-	4,885	12	1	2	3	2	5	11	16	27	57	121	205	306	499	701	755	740	678	485	207	50	2
	White-----M--	2,576	8	-	2	2	1	3	6	11	16	44	90	155	203	330	412	364	362	289	195	68	14	1
	F--	2,230	4	1	-	1	1	-	4	4	9	13	28	46	94	160	279	377	372	382	283	135	36	1
	Nonwhite--M--	43	-	-	-	-	-	1	1	1	-	-	2	2	4	6	5	9	3	3	4	2	-	-
	F--	36	-	-	-	-	-	1	-	-	2	-	1	2	5	3	5	5	3	4	3	2	-	-
330-334	Vascular lesions, etc.*----------	844	-	1	1	1	-	1	2	1	6	9	15	18	41	66	125	147	137	137	98	33	5	-
	White-----M--	363	-	-	1	-	-	1	2	-	1	3	8	7	18	31	75	65	56	45	42	6	2	-
	F--	467	-	1	-	1	-	-	-	1	4	6	7	10	19	35	49	79	80	90	55	27	3	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	1	2	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	RHODE ISLAND—Continued																							
400-402	Rheumatic fever---	6	-	-	-	2	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	3,722	12	-	1	-	2	2	9	14	21	45	103	179	253	407	543	568	560	478	334	155	34	2
	White-----M--	2,053	8	-	1	-	1	1	4	11	15	40	81	142	178	260	320	278	281	210	134	56	11	1
	F--	1,608	4	-	-	-	1	-	4	2	5	5	19	34	70	118	215	279	274	263	195	96	23	1
	Nonwhite--M--	34	-	-	-	-	-	1	1	1	-	-	2	2	2	6	4	6	3	3	2	1	-	-
	F--	27	-	-	-	-	-	-	-	-	1	-	1	1	3	3	4	5	2	2	3	2	-	-
410-416	Chronic rheumatic heart disease----	101	-	-	-	-	1	2	6	5	3	5	12	13	11	14	10	8	6	2	3	-	-	-
	White-----M--	49	-	-	-	-	-	1	2	4	3	3	5	6	5	7	3	4	3	2	1	-	-	-
	F--	50	-	-	-	-	1	-	4	1	-	2	7	7	5	7	7	4	3	-	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,015	-	-	1	-	-	-	-	6	12	38	84	145	216	334	449	460	468	372	270	131	27	2
	White-----M--	1,750	-	-	1	-	-	-	-	5	8	36	73	121	158	239	278	238	249	170	116	49	8	1
	F--	1,222	-	-	-	-	-	-	-	-	4	2	8	22	55	88	165	214	214	201	150	79	19	1
	Nonwhite--M--	24	-	-	-	-	-	-	-	1	-	-	2	1	1	5	3	4	3	1	2	1	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	1	1	2	2	3	4	2	-	2	2	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	166	-	-	-	-	1	-	2	1	3	1	-	1	1	13	18	17	30	32	27	14	5	-
	White-----M--	75	-	-	-	-	1	-	2	-	2	-	-	1	-	11	11	8	14	12	7	4	2	-
	F--	89	-	-	-	-	-	-	-	1	-	1	-	-	1	2	7	9	16	19	20	10	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	58	12	-	-	-	-	-	-	2	1	-	1	3	3	5	10	9	2	4	3	3	-	-
	White-----M--	37	8	-	-	-	-	-	-	2	1	-	-	3	2	5	6	4	2	2	2	-	-	-
	F--	20	4	-	-	-	-	-	-	-	-	-	1	-	1	-	4	4	-	2	1	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	382	-	-	-	-	-	-	1	-	2	1	6	17	22	41	56	74	54	68	31	7	2	-
	White-----M--	142	-	-	-	-	-	-	-	-	1	1	3	11	13	18	22	24	13	24	8	3	1	-
	F--	227	-	-	-	-	-	-	-	-	1	-	3	5	8	21	32	48	41	41	22	4	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	2	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	-	-	-
444-447	Hypertension without mention of heart----------	68	-	-	-	-	-	1	-	-	-	1	2	2	4	5	9	7	12	18	6	-	1	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	1	1	1	2	3	4	2	4	8	4	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	1	1	2	2	4	5	8	10	2	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	169	-	-	-	-	-	-	-	-	-	-	-	1	1	8	10	22	17	38	43	19	10	-
	White-----M--	78	-	-	-	-	-	-	-	-	-	-	-	1	-	6	5	11	13	21	14	6	1	-
	F--	89	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	11	4	17	28	12	9	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	76	-	-	-	-	-	-	-	1	-	2	1	3	6	13	14	11	14	7	4	-	-	-
	White-----M--	47	-	-	-	-	-	-	-	-	-	-	-	3	4	10	8	8	8	5	1	-	-	-
	F--	29	-	-	-	-	-	-	-	1	-	2	1	-	2	3	6	3	6	2	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	67	-	-	-	-	-	-	-	7	1	2	3	3	6	8	5	13	8	6	2	2	1	-
	White-----M--	32	-	-	-	-	-	-	-	3	1	1	-	2	4	3	3	7	2	3	1	2	-	-
	F--	33	-	-	-	-	-	-	-	2	-	1	3	1	2	5	2	6	6	3	1	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	227	10	4	3	2	2	-	2	3	2	6	10	8	12	12	22	32	33	27	29	7	1	-
	White-----M--	129	4	1	1	2	1	-	1	2	-	5	6	6	10	7	14	24	18	10	16	1	-	-
	F--	91	5	2	2	-	1	-	1	1	2	1	4	2	2	5	6	8	13	17	13	5	1	-
	Nonwhite--M--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
480-483	Influenza---------	10	-	-	-	-	-	-	-	-	-	3	1	-	-	-	1	3	-	1	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	2	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	217	10	4	3	2	2	-	2	3	2	3	9	8	12	12	21	29	33	26	28	7	1	-
	White-----M--	122	4	1	1	2	1	-	1	2	-	2	5	6	10	7	14	22	18	10	15	1	-	-
	F--	88	5	2	2	-	1	-	1	1	2	1	4	2	2	5	5	7	13	16	13	5	1	-
	Nonwhite--M--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
500-502	Bronchitis--------	22	5	-	1	-	1	-	-	-	-	-	1	2	1	2	5	1	1	-	2	-	-	-
	White-----M--	16	1	-	1	-	1	-	-	-	-	-	1	2	1	2	4	1	1	-	1	-	-	-
	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	62	-	-	-	-	-	-	1	-	2	1	3	5	7	7	10	8	10	7	1	-	-	-
	White-----M--	48	-	-	-	-	-	-	-	-	2	1	2	5	7	7	7	5	5	7	-	-	-	-
	F--	14	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	3	5	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	11	-	1	2	-	1	-	-	-	-	-	1	1	-	1	-	2	1	1	-	-	-	-
	White-----M--	7	-	1	2	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	54	6	-	-	-	-	-	-	1	1	1	4	1	5	1	5	10	5	8	4	2	-	-
	White-----M--	25	3	-	-	-	-	-	-	1	1	1	1	-	1	-	3	4	2	5	3	-	-	-
	F--	27	3	-	-	-	-	-	-	-	-	-	3	1	3	1	1	6	3	3	1	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	RHODE ISLAND—Continued																							
543, 571, 572	Gastritis, etc.*	36	7	-	-	2	-	-	1	-	1	-	3	4	-	3	-	4	6	3	-	2	-	-
	White-----M	20	4	-	-	2	-	-	-	-	-	-	2	2	-	2	-	2	4	1	-	1	-	-
	F	15	3	-	-	-	-	-	1	-	1	-	-	2	-	1	-	2	2	2	-	1	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	121	-	-	-	-	-	-	2	1	6	9	26	17	18	14	13	7	3	4	1	-	-	-
	White-----M	84	-	-	-	-	-	-	-	1	3	5	17	12	13	12	9	6	2	3	1	-	-	-
	F	36	-	-	-	-	-	-	2	-	3	3	9	5	5	2	4	1	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	11	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	2	4	-	-	-	-	-
	White-----M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	4	4	-	-	-
	White-----M	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	4	4	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	5	...	...	...	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	5	...	...	...	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	2	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	3	...	...	...	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	3	...	...	...	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	130	102	6	3	2	1	2	-	3	1	1	1	2	3	-	2	-	-	-	-	-	-	1
	White-----M	71	57	3	2	1	1	-	-	2	-	-	-	-	2	-	2	-	-	-	-	-	-	1
	F	58	44	3	1	1	-	2	-	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	272	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Ot. dis. of infancy, & immaturity unqualified, etc.*	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	34	6	-	-	-	-	-	-	-	2	2	1	1	2	5	3	2	1	4	2	2	1	-
	White-----M	22	4	-	-	-	-	-	-	-	1	1	1	1	1	3	2	2	-	2	2	1	1	-
	F	11	1	-	-	-	-	-	-	-	1	1	-	-	1	2	1	-	1	2	-	1	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	387	28	7	4	1	5	5	5	6	7	22	21	24	28	37	52	59	33	32	7	2	2	-
	White-----M	225	23	5	1	-	3	1	2	4	4	9	11	14	18	23	33	35	17	16	4	1	1	-
	F	152	5	2	3	1	2	3	3	2	3	12	8	9	9	13	19	23	16	14	3	1	1	-
	Nonwhite--M	8	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	2	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents	322	6	10	6	10	15	8	17	14	11	11	11	11	15	21	23	28	33	30	24	14	4	-
	White-----M	174	2	6	3	7	11	8	13	12	9	6	4	7	8	13	12	14	15	13	6	4	1	-
	F	136	4	3	3	3	2	-	3	1	2	5	5	4	6	7	10	13	17	17	18	10	3	-
	Nonwhite--M	7	-	1	-	-	2	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-
E810-E835	Motor-vehicle accidents	85	-	3	4	3	10	6	8	6	4	6	2	4	5	3	6	5	5	3	1	1	-	-
	White-----M	55	-	2	2	2	7	6	6	4	3	4	1	1	2	2	3	3	3	2	1	1	-	-
	F	26	-	-	2	1	2	-	2	1	1	2	1	3	3	1	3	1	2	1	-	-	-	-
	Nonwhite--M	3	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	237	6	7	2	7	5	2	9	8	7	5	9	7	10	18	17	23	28	27	23	13	4	-
	White-----M	119	2	4	1	5	4	2	7	8	6	2	3	6	6	11	9	11	12	11	5	3	1	-
	F	110	4	3	1	2	-	-	1	-	1	3	4	1	3	6	7	12	15	16	18	10	3	-
	Nonwhite--M	4	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
E963, E970-E979	Suicide	58	-	-	-	-	3	1	6	7	6	4	3	7	4	4	7	3	1	2	-	-	-	-
	White-----M	42	-	-	-	-	3	1	4	5	4	3	1	6	2	3	4	3	1	2	-	-	-	-
	F	16	-	-	-	-	-	-	2	2	2	1	2	1	2	1	3	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	10	2	-	-	-	1	-	-	2	1	-	1	-	-	1	1	-	1	-	-	-	-	-
	White-----M	5	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH CAROLINA																							
	ALL CAUSES------	19,158	2,003	347	167	162	227	297	360	387	651	804	1,078	1,322	1,654	1,949	1,988	1,819	1,652	1,174	677	234	117	89
	White-----M--	6,344	459	72	38	45	77	103	121	92	157	239	380	434	495	666	767	743	669	469	230	63	19	6
	F--	4,250	339	50	30	25	21	28	39	55	96	103	146	174	235	288	451	520	639	511	329	106	49	16
	Nonwhite--M--	4,661	660	133	51	59	92	109	128	143	213	254	311	350	476	521	428	270	199	110	67	30	21	34
	F--	3,903	545	92	48	33	37	57	72	97	185	208	241	364	446	474	342	286	145	84	51	35	28	33
001-019	Tuberculosis, all forms--------	190	2	2	1	3	5	6	8	13	19	23	21	11	19	17	23	7	4	4	2	-	-	-
	White-----M--	45	-	-	-	-	-	-	1	-	2	2	6	4	3	9	11	-	4	2	1	-	-	-
	F--	18	-	1	-	-	1	1	1	-	1	2	-	-	2	2	5	1	-	1	-	-	-	-
	Nonwhite--M--	73	1	-	1	-	3	1	2	7	11	10	9	2	11	5	5	4	-	-	1	-	-	-
	F--	54	1	1	-	3	1	4	4	6	5	9	6	5	3	1	2	2	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	172	-	-	1	2	4	5	7	11	17	22	21	11	19	17	19	6	4	4	2	-	-	-
	White-----M--	42	-	-	-	-	-	-	-	-	2	1	6	4	3	9	10	-	4	2	1	-	-	-
	F--	15	-	-	-	-	1	-	1	-	1	2	-	-	2	2	4	1	-	1	-	-	-	-
	Nonwhite--M--	65	-	-	1	-	2	1	2	5	9	10	9	2	11	5	4	3	-	-	1	-	-	-
	F--	50	-	-	-	2	1	4	4	6	5	9	6	5	3	1	1	2	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	18	2	2	-	1	1	1	1	2	2	1	-	-	-	-	4	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	8	1	-	-	-	1	-	-	2	2	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	62	-	-	-	-	-	-	3	2	2	4	5	6	10	13	5	6	4	-	-	-	-	2
	White-----M--	21	-	-	-	-	-	-	-	-	-	1	1	2	2	5	3	4	3	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	30	-	-	-	-	-	-	2	-	2	2	3	3	6	7	2	2	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	1	-	1	1	1	1	1	-	-	-	-	-	-	-	1
040	Typhoid fever-----	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	4	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	18	12	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	12	3	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	4	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	8	2	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	71	16	10	3	5	4	1	-	-	1	2	2	7	8	2	2	1	2	2	1	-	-	2
	White-----M--	22	1	3	-	2	-	1	-	-	1	2	1	2	4	1	1	-	1	1	1	-	-	-
	F--	9	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-
	Nonwhite--M--	24	8	3	1	3	2	-	-	-	-	-	-	4	-	1	1	-	-	-	-	-	-	1
	F--	16	4	4	-	-	2	-	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	1

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH CAROLINA—Continued																							
140-205	Malignant neoplasms, etc.*----	2,134	2	22	14	16	8	10	17	33	62	112	164	211	269	292	291	217	195	107	61	16	7	8
	White-----M--	762	-	6	3	5	4	3	12	6	8	29	59	77	82	105	113	93	82	45	23	6	-	1
	F--	658	2	10	5	6	2	1	2	16	27	32	48	49	61	78	81	70	78	50	25	7	4	4
	Nonwhite--M--	369	-	4	4	3	1	5	2	2	4	24	28	28	61	67	61	36	21	3	10	1	3	1
	F--	345	-	2	2	2	1	1	1	9	23	27	29	57	65	42	36	18	14	9	3	2	-	2
140-148	Of buccal cavity and pharynx------	63	-	-	-	-	1	1	-	-	-	3	7	2	6	12	9	7	8	3	2	2	-	-
	White-----M--	40	-	-	-	-	1	1	-	-	-	2	5	1	3	6	6	5	4	3	2	1	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	1	2	1	2	2	2	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	592	-	-	-	1	1	2	3	6	4	29	35	55	87	84	83	68	69	33	23	4	3	2
	White-----M--	205	-	-	-	-	1	-	2	1	1	6	13	20	26	25	31	28	31	11	9	-	-	-
	F--	159	-	-	-	-	-	-	-	3	1	4	11	6	15	17	20	24	25	16	10	3	2	2
	Nonwhite--M--	131	-	-	-	1	-	2	1	1	-	13	6	13	25	23	20	11	9	1	3	1	1	-
	F--	97	-	-	-	-	-	-	-	1	2	6	5	16	21	19	12	5	4	5	1	-	-	-
160-164	Of respiratory system (not secondary)-------	299	1	-	-	-	-	1	-	2	5	8	31	46	51	57	43	22	19	9	3	-	1	-
	White-----M--	196	-	-	-	-	-	-	-	2	5	7	15	36	30	35	30	17	12	6	1	-	-	-
	F--	34	1	-	-	-	-	-	-	-	-	-	3	2	4	7	4	3	7	3	-	-	-	-
	Nonwhite--M--	62	-	-	-	-	-	1	-	-	-	1	11	6	15	14	9	2	-	-	2	-	1	-
	F--	7	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	-	-
170	Of breast---------	170	-	-	-	-	-	-	1	5	12	8	23	14	22	15	25	15	15	9	5	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	130	-	-	-	-	-	-	1	2	9	3	20	9	15	12	20	12	14	7	5	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	-	-	-	-	-	-	-	3	3	5	3	5	7	3	4	3	1	2	-	-	-	-
171-179	Of genital organs-	432	-	1	-	1	-	-	2	12	22	33	22	47	47	56	51	57	38	20	14	6	-	3
	White-----M--	89	-	-	-	-	-	-	1	1	-	3	1	2	4	10	9	19	15	15	6	3	-	-
	F--	137	-	-	-	1	-	-	1	7	9	15	5	21	14	17	15	14	10	3	3	2	-	-
	Nonwhite--M--	82	-	-	-	-	-	-	-	-	-	3	3	2	7	15	18	17	10	2	4	-	-	1
	F--	124	-	1	-	-	-	-	-	4	13	12	13	22	22	14	9	7	3	-	1	1	-	2
180, 181	Of urinary organs-	88	-	1	1	-	-	-	-	1	1	4	6	5	8	12	22	10	7	5	4	-	-	1
	White-----M--	39	-	-	-	-	-	-	-	-	-	2	2	3	4	3	13	3	4	2	2	-	-	1
	F--	28	-	1	-	-	-	-	-	-	1	-	1	1	2	5	5	5	3	2	2	-	-	-
	Nonwhite--M--	12	-	-	1	-	-	-	-	1	-	1	2	1	1	2	1	2	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	-	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	280	-	8	5	5	4	3	4	6	9	16	24	28	27	28	37	21	27	14	8	3	2	1
	White-----M--	103	-	1	1	1	2	1	4	2	1	3	11	9	9	12	15	12	11	3	3	2	-	-
	F--	89	-	3	2	2	1	1	-	4	3	8	6	5	5	9	9	5	10	10	3	1	1	1
	Nonwhite--M--	39	-	3	-	2	-	1	-	-	2	4	3	3	3	5	8	2	1	-	1	-	1	-
	F--	49	-	1	2	-	1	-	-	-	3	1	4	11	10	2	5	2	5	1	1	-	-	-
204	Leukemia and aleukemia--------	104	-	12	5	6	1	1	5	1	6	4	5	6	7	10	6	9	7	9	2	-	1	1
	White-----M--	38	-	5	1	3	-	-	4	-	-	1	2	2	2	7	2	3	3	3	-	-	-	-
	F--	45	-	6	3	2	-	-	-	-	3	2	1	2	2	2	3	5	4	6	2	-	1	1
	Nonwhite--M--	13	-	1	1	-	1	-	-	-	1	-	1	2	3	1	1	1	-	-	-	-	-	-
	F--	8	-	-	-	1	-	1	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	106	1	-	3	3	1	2	2	-	3	7	11	8	14	18	15	8	5	5	-	-	-	-
	White-----M--	51	-	-	1	1	-	1	1	-	1	5	10	4	4	7	6	6	2	2	-	-	-	-
	F--	28	1	-	-	1	1	-	-	-	1	-	1	3	4	5	5	-	3	3	-	-	-	-
	Nonwhite--M--	19	-	-	2	-	-	1	1	-	1	1	-	-	5	5	2	1	-	-	-	-	-	-
	F--	8	-	-	-	1	-	-	-	-	-	1	-	1	1	1	2	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	60	2	1	4	1	1	3	-	6	6	8	4	7	5	4	4	1	3	-	-	-	-	-
	White-----M--	17	2	1	1	-	-	1	-	3	1	2	2	2	-	1	1	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	2	2	3	1	1	1	1	2	-	-	-	-	-
	Nonwhite--M--	11	-	-	2	1	1	2	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-
	F--	18	-	-	1	-	-	-	-	3	4	4	-	1	4	-	-	-	1	-	-	-	-	-
260	Diabetes mellitus-	261	-	-	-	4	4	3	2	5	9	17	18	28	17	34	38	32	28	18	2	-	-	2
	White-----M--	71	-	-	-	-	1	1	2	-	1	4	6	4	2	9	11	11	12	7	-	-	-	-
	F--	73	-	-	-	-	1	-	-	2	1	-	2	4	3	8	12	15	12	11	2	-	-	-
	Nonwhite--M--	35	-	-	-	1	-	1	-	3	4	5	3	4	1	4	7	1	-	-	-	-	-	1
	F--	82	-	-	-	3	2	1	-	-	3	8	7	16	11	13	8	5	4	-	-	-	-	1
290-293	Anemias----------	34	7	8	3	2	1	1	-	-	1	-	-	-	2	3	1	1	2	1	1	-	-	-
	White-----M--	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	F--	9	1	1	-	1	-	-	-	-	-	-	-	-	2	1	-	-	1	1	1	-	-	-
	Nonwhite--M--	11	3	4	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	8	2	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	44	18	6	1	3	1	-	-	1	-	2	3	2	1	3	1	-	-	1	-	1	-	-
	White-----M--	8	2	1	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	8	2	1	-	-	-	-	1	-	-	1	2	-	3	-	-	-	-	-	-	-	-
	F--	16	7	2	-	2	1	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	9,992	11	8	9	16	19	31	61	102	237	390	544	752	1,037	1,265	1,319	1,284	1,203	874	517	168	90	55
	White-----M--	3,446	1	-	1	4	4	4	17	22	41	120	186	227	322	429	493	513	475	350	176	43	15	3
	F--	2,378	3	-	1	1	4	3	5	13	24	34	49	84	122	157	298	362	468	375	254	75	40	6
	Nonwhite--M--	2,129	5	5	2	5	6	10	23	35	82	128	166	220	308	328	272	189	150	86	48	25	14	22
	F--	2,039	2	3	5	6	5	14	16	32	90	108	143	221	285	351	256	220	110	63	39	25	21	24
330-334, 400-468	Diseases of cardiovascular system-	9,729	11	6	7	14	16	27	56	92	222	369	523	735	1,004	1,230	1,297	1,254	1,190	859	510	165	88	54
	White-----M--	3,390	1	-	-	2	3	3	15	19	39	115	183	224	314	424	487	505	473	347	175	43	15	3
	F--	2,335	3	-	1	1	3	2	5	13	21	32	45	84	117	152	296	355	466	370	249	75	39	6
	Nonwhite--M--	2,046	5	3	2	5	5	8	20	32	76	122	160	215	299	314	265	179	147	82	48	23	14	22
	F--	1,958	2	3	4	6	5	14	16	28	86	100	135	212	274	340	249	215	104	60	38	24	20	23
330-334	Vascular lesions, etc.*----------	2,675	8	1	-	2	2	10	12	24	64	93	139	213	266	315	330	367	322	262	155	43	30	17
	White-----M--	717	1	-	-	1	1	1	3	1	3	14	31	39	47	67	95	140	112	92	50	11	6	2
	F--	677	2	-	-	-	-	1	-	1	2	8	9	32	31	41	80	102	137	118	80	20	12	1
	Nonwhite--M--	633	4	-	-	-	-	2	6	10	27	35	53	71	91	98	71	62	41	32	14	4	4	8
	F--	648	1	1	-	1	1	6	3	12	32	36	46	71	97	109	84	63	32	20	11	8	8	6

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH CAROLINA--Continued																							
400-402	Rheumatic fever---	17	-	1	3	4	1	-	1	1	2	1	-	1	-	-	-	2	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	7	-	1	-	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	6,307	2	4	3	8	8	13	32	57	139	247	355	485	681	842	896	780	756	520	303	97	46	33
	White-----M--	2,425	-	-	-	1	2	2	9	16	34	94	147	175	256	336	370	316	307	220	110	22	7	1
	F--	1,495	1	-	-	-	1	-	2	10	19	20	33	50	78	107	202	234	302	220	147	47	19	3
	Nonwhite--M--	1,240	1	2	2	3	3	3	11	17	42	78	93	134	186	189	177	101	86	46	28	16	9	13
	F--	1,147	-	2	1	4	2	8	10	14	44	55	82	126	161	210	147	129	61	34	18	12	11	16
410-416	Chronic rheumatic heart disease----	136	-	1	-	3	5	6	9	6	9	16	15	11	17	12	8	6	9	2	1	-	-	-
	White-----M--	37	-	-	-	-	1	-	2	1	-	5	3	3	7	5	2	3	3	1	1	-	-	-
	F--	31	-	-	-	-	-	-	1	2	4	4	4	5	3	1	2	1	4	-	-	-	-	-
	Nonwhite--M--	27	-	1	-	1	2	2	3	1	2	4	1	3	4	1	-	-	2	-	-	-	-	-
	F--	41	-	-	-	2	2	4	3	2	3	3	7	-	3	5	4	2	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,760	-	1	-	-	-	2	11	26	78	152	212	295	407	516	586	482	449	288	168	51	21	15
	White-----M--	1,823	-	-	-	-	-	1	4	10	31	82	119	146	206	268	303	238	201	128	69	14	2	1
	F--	911	-	-	-	-	-	-	-	7	9	11	19	31	49	77	139	154	180	124	78	24	9	-
	Nonwhite--M--	572	-	1	-	-	-	-	2	4	20	36	42	63	82	83	87	48	48	22	16	8	5	5
	F--	454	-	-	-	-	-	1	5	5	18	23	32	55	70	88	57	42	20	14	5	5	5	9
421, 422	Nonrheumatic chronic endocarditis, etc.*--	644	1	1	1	1	1	1	1	3	10	9	21	34	48	68	67	98	96	84	60	23	13	3
	White-----M--	200	-	-	-	-	1	-	1	2	-	3	1	8	8	14	16	31	44	40	21	7	3	-
	F--	177	1	-	-	-	-	-	-	1	1	-	2	3	4	6	11	29	36	34	34	10	5	-
	Nonwhite--M--	129	-	-	-	1	-	-	-	-	2	4	11	15	19	27	19	10	8	4	1	3	3	2
	F--	138	-	1	1	-	-	1	-	-	7	2	7	8	17	21	21	28	8	6	4	3	2	1
430-434	Other diseases of heart---------	379	1	1	2	3	2	3	7	8	9	17	31	26	33	44	36	38	46	38	22	6	1	4
	White-----M--	117	-	-	-	1	-	1	2	3	2	3	11	5	10	13	14	15	19	12	6	-	-	-
	F--	83	-	-	-	-	1	-	1	-	-	3	3	1	4	6	6	7	17	17	12	3	1	1
	Nonwhite--M--	95	1	-	2	1	1	1	3	2	5	4	12	9	11	12	8	7	4	6	2	2	-	2
	F--	84	-	1	-	1	-	1	1	3	2	7	5	11	8	13	8	9	6	4	2	1	-	1
440-443	Hypertension with heart dis.---	1,388	-	-	-	1	-	1	4	14	33	53	76	119	176	202	199	156	156	107	52	17	11	11
	White-----M--	248	-	-	-	-	-	-	-	-	1	1	13	13	25	36	35	29	40	39	13	1	2	-
	F--	293	-	-	-	-	-	-	-	-	5	2	5	10	18	17	44	43	65	45	23	10	4	2
	Nonwhite--M--	417	-	-	-	-	-	-	3	10	13	30	27	44	70	66	63	36	24	14	9	3	1	4
	F--	430	-	-	-	1	-	1	1	4	14	20	31	52	63	83	57	48	27	9	7	3	4	5
444-447	Hypertension without mention of heart----------	190	-	-	-	-	1	1	7	6	12	13	13	12	23	20	18	25	11	14	8	4	1	1
	White-----M--	41	-	-	-	-	-	-	-	-	1	3	3	3	1	3	3	10	5	5	3	1	-	-
	F--	31	-	-	-	-	-	-	3	-	-	1	1	1	1	2	4	3	4	7	2	1	1	-
	Nonwhite--M--	65	-	-	-	-	1	1	2	5	6	4	8	4	12	10	4	4	1	-	1	1	-	1
	F--	53	-	-	-	-	-	-	2	1	5	5	1	4	9	5	7	8	1	2	2	1	-	-
450	General arteriosclerosis--------	375	-	-	-	-	-	-	-	-	1	1	5	9	13	35	30	62	83	61	42	19	11	3
	White-----M--	140	-	-	-	-	-	-	-	-	-	-	-	2	2	8	9	30	39	28	12	8	2	-
	F--	91	-	-	-	-	-	-	-	-	-	1	-	-	3	-	4	8	17	25	18	6	7	2
	Nonwhite--M--	74	-	-	-	-	-	-	-	-	-	-	2	2	4	15	10	12	17	4	5	2	1	-
	F--	70	-	-	-	-	-	-	-	-	1	-	3	5	4	12	7	12	10	4	7	3	1	1
451-468	Other diseases of circulatory sys.-	165	1	-	1	-	4	3	4	4	4	14	11	15	21	18	23	18	18	2	2	2	-	-
	White-----M--	65	-	-	-	-	-	-	3	1	1	4	2	4	8	10	10	9	10	2	-	1	-	-
	F--	38	-	-	1	-	2	1	-	2	-	2	2	1	4	2	6	6	6	-	2	1	-	-
	Nonwhite--M--	27	-	-	-	-	-	2	-	-	-	4	4	4	6	2	3	-	2	-	-	-	-	-
	F--	35	1	-	-	-	2	-	1	1	3	4	3	6	3	4	4	3	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	263	-	2	2	2	3	4	5	10	15	21	21	17	33	35	22	30	13	15	7	3	2	1
	White-----M--	56	-	-	1	2	1	1	2	3	2	5	3	3	8	5	6	8	2	3	1	-	-	-
	F--	43	-	-	-	-	1	1	-	-	3	2	4	-	5	5	2	7	2	5	5	-	1	-
	Nonwhite--M--	83	-	2	-	-	1	2	3	3	6	6	6	5	9	14	7	10	3	4	-	2	-	-
	F--	81	-	-	1	-	-	-	-	4	4	8	8	9	11	11	7	5	6	3	1	1	1	1
480-493	Influenza and pneumonia, etc.*-	898	264	72	14	9	16	12	11	12	15	21	28	43	49	65	56	53	52	48	28	19	8	3
	White-----M--	189	30	10	-	3	6	2	2	-	2	2	4	6	8	14	25	17	23	17	9	7	2	-
	F--	151	26	6	1	3	1	2	3	-	2	1	-	5	4	5	4	12	24	23	16	11	1	1
	Nonwhite--M--	306	106	36	6	3	6	5	3	9	4	11	15	20	20	27	18	7	2	4	2	1	1	-
	F--	252	102	20	7	-	3	3	3	3	7	7	9	12	17	19	9	17	3	4	1	-	4	2
480-483	Influenza---------	216	46	13	6	5	5	4	5	4	4	8	7	15	15	20	13	8	16	12	3	4	2	1
	White-----M--	37	3	1	-	3	3	1	2	-	-	-	-	2	2	4	5	3	3	3	-	2	-	-
	F--	34	1	2	-	2	-	-	1	-	-	-	-	1	1	2	3	-	9	6	3	2	1	-
	Nonwhite--M--	77	23	7	4	-	2	2	1	4	1	6	3	4	7	6	2	2	2	1	-	-	-	-
	F--	68	19	3	2	-	-	1	1	-	3	2	4	8	5	8	3	3	2	2	-	-	1	1
490-493	Pneumonia, etc.*--	682	218	59	8	4	11	8	6	8	11	13	21	28	34	45	43	45	36	36	25	15	6	2
	White-----M--	152	27	9	-	-	3	1	-	-	2	2	4	4	6	10	20	14	20	14	9	5	2	-
	F--	117	25	4	1	1	1	2	2	-	2	1	-	4	3	3	1	12	15	17	13	9	-	1
	Nonwhite--M--	229	83	29	2	3	4	3	2	5	3	5	12	16	13	21	16	5	-	3	2	1	1	-
	F--	184	83	17	5	-	3	2	2	3	4	5	5	4	12	11	6	14	1	2	1	-	3	1
500-502	Bronchitis--------	28	9	1	1	-	-	-	-	1	-	1	1	-	-	3	5	3	1	2	-	-	-	-
	White-----M--	10	1	1	1	-	-	-	-	-	-	-	-	-	-	-	4	2	-	1	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	1	-	-	-	-
	Nonwhite--M--	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	6	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	91	2	-	-	-	-	-	2	2	2	5	7	6	12	17	10	11	8	3	4	-	-	-
	White-----M--	48	2	-	-	-	-	-	-	-	-	-	4	3	6	13	5	8	4	1	2	-	-	-
	F--	18	-	-	-	-	-	-	1	-	-	3	1	-	1	2	3	3	2	-	2	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	1	2	1	2	2	3	5	2	2	-	1	2	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
550-553	Appendicitis------	19	-	2	2	-	-	2	-	3	2	-	2	-	2	1	1	-	1	1	-	-	-	-
	White-----M--	4	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	1	-	2	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	6	-	2	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	83	10	1	1	-	-	1	2	-	5	2	7	6	5	12	10	9	4	6	2	-	-	-
	White-----M--	23	3	-	-	-	-	-	1	-	1	-	1	1	2	4	3	5	1	-	1	-	-	-
	F--	29	3	-	-	-	-	-	-	-	1	1	2	3	3	3	4	2	3	4	-	-	-	-
	Nonwhite--M--	17	2	1	1	-	-	1	-	-	1	1	2	-	-	3	1	2	-	2	-	-	-	-
	F--	14	2	-	-	-	-	-	1	-	2	-	2	2	-	2	2	-	-	-	1	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH CAROLINA—Continued																							
543,	Gastritis, etc.*--	175	115	14	4	1	-	-	4	3	5	3	6	3	1	3	4	3	3	1	-	-	-	2
571,	White-----M--	22	9	1	-	-	-	-	3	-	3	2	1	1	-	-	1	-	1	-	-	-	-	-
572	F--	18	7	2	2	-	-	-	-	-	-	1	-	-	-	1	-	3	1	1	-	-	-	-
	Nonwhite--M--	76	55	8	1	-	-	-	-	3	2	-	3	-	-	-	2	-	-	-	-	-	-	2
	F--	59	44	3	1	1	-	-	1	-	-	-	2	2	1	2	1	-	1	-	-	-	-	-
581	Cirrhosis of liver	105	1	-	1	1	-	-	3	6	10	10	16	12	9	9	12	4	7	3	-	-	1	-
	White-----M--	56	-	-	-	1	-	-	2	2	3	6	9	8	5	4	7	2	5	2	-	-	-	-
	F--	20	-	-	1	-	-	-	-	-	3	-	5	1	2	1	3	2	1	-	-	-	1	-
	Nonwhite--M--	20	-	-	-	-	-	-	1	1	4	2	2	3	2	3	-	-	1	1	-	-	-	-
	F--	9	1	-	-	-	-	-	-	3	-	2	-	-	-	1	2	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	43	-	5	2	3	2	-	3	4	5	1	3	1	4	-	2	2	2	2	2	-	-	-
	White-----M--	8	-	1	1	1	-	-	-	-	-	-	1	-	3	-	-	-	1	-	-	-	-	-
	F--	9	-	1	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	2	2	-	-	-
	Nonwhite--M--	14	-	2	1	1	1	-	1	1	3	-	-	1	1	-	1	1	-	-	-	-	-	-
	F--	12	-	1	-	1	1	-	2	2	2	1	1	-	-	-	-	1	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	57	-	-	-	-	-	-	-	-	-	-	1	1	4	9	4	11	10	9	6	2	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	6	6	5	2	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	-	-	1	1	4	9	2	6	4	3	1	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	60	...	...	...	1	6	9	17	10	12	5	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	12	...	...	...	-	1	-	4	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	48	...	...	...	1	5	9	13	7	9	4	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	4	...	...	...	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
648,	plications-------	56	...	...	...	1	6	7	15	10	12	5	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	12	...	...	...	-	1	-	4	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	44	...	...	...	1	5	7	11	7	9	4	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	266	188	30	10	7	4	4	3	4	3	3	2	4	2	1	-	1	-	-	-	-	-	-
	White-----M--	93	65	9	4	2	-	3	-	1	3	1	1	2	1	1	-	-	-	-	-	-	-	-
	F--	85	65	7	3	1	-	1	2	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	45	28	8	-	2	4	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	43	30	6	3	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	997	997	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	298	298	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	181	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	296	296	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	370	370	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	529	529	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	637	154	21	2	4	5	9	6	25	22	30	55	48	65	50	49	37	18	10	11	8	5	3
795	White-----M--	90	11	1	-	-	1	1	1	1	4	3	7	7	9	11	11	10	4	2	4	-	1	1
	F--	43	7	1	-	-	-	1	-	2	2	1	4	1	3	1	-	5	2	5	3	2	2	1
	Nonwhite--M--	259	65	12	1	2	2	2	2	11	11	14	25	19	26	21	25	8	7	2	-	2	1	1
	F--	245	71	7	1	2	2	5	3	11	5	12	19	21	27	17	13	14	5	1	4	4	1	-
Re-	All other diseases	901	75	32	14	10	19	21	23	22	56	44	66	81	64	79	90	78	58	41	16	7	3	2
sid-	White-----M--	308	15	9	3	4	5	4	3	4	13	13	23	34	18	30	39	38	28	18	5	1	1	-
ual	F--	227	16	5	4	1	2	2	6	3	13	6	13	12	13	15	30	31	24	20	6	4	-	1
	Nonwhite--M--	207	26	9	5	3	6	9	4	11	16	11	19	18	17	23	14	4	4	2	3	1	1	1
	F--	159	18	9	2	2	6	6	10	4	14	14	11	17	16	11	7	5	2	1	2	1	1	-
E800-	Accidents---------	1,529	107	93	71	72	114	141	141	93	119	90	87	71	48	53	53	52	41	39	22	12	3	7
E962	White-----M--	602	16	24	21	21	51	75	62	39	50	35	41	37	19	19	29	29	13	16	2	3	-	-
	F--	246	19	13	9	11	8	12	12	9	15	16	15	10	11	10	7	11	17	15	18	6	1	1
	Nonwhite--M--	497	45	31	19	33	47	48	59	36	44	31	26	17	12	12	11	8	7	4	1	-	1	5
	F--	184	27	25	22	7	8	6	8	9	10	8	5	7	6	12	6	4	4	4	1	3	1	1
E810-	Motor-vehicle																							
E835	accidents--------	662	6	32	29	27	56	86	77	56	60	49	44	35	23	18	21	18	14	5	2	1	-	3
	White-----M--	318	3	14	6	10	30	51	39	29	26	18	23	19	6	9	14	12	5	4	-	-	-	-
	F--	100	1	4	4	5	5	9	8	4	8	13	10	7	6	4	3	3	3	1	2	-	-	-
	Nonwhite--M--	194	1	9	9	11	17	24	27	19	22	13	8	8	8	3	4	3	6	-	-	-	-	2
	F--	50	1	5	10	1	4	2	3	4	4	5	3	1	3	2	-	-	-	-	-	1	-	1
E800-	All ot. accidents-	867	101	61	42	45	58	55	64	37	59	41	43	36	25	35	32	34	27	34	20	11	3	4
E802,	White-----M--	284	13	10	15	11	21	24	23	10	24	17	18	18	13	10	15	17	8	12	2	3	-	-
E840-	F--	146	18	9	5	6	3	3	4	5	7	3	5	3	5	6	4	8	14	14	16	6	1	1
E962	Nonwhite--M--	303	44	22	10	22	30	24	32	17	22	18	18	9	4	9	7	5	1	4	1	-	1	3
	F--	134	26	20	12	6	4	4	5	5	6	3	2	6	3	10	6	4	4	4	1	2	1	-
E963,	Suicide----------	146	-	-	-	-	5	7	6	10	21	16	23	17	13	8	4	5	6	1	2	1	-	1
E970-	White-----M--	110	-	-	-	-	3	3	5	8	17	12	20	15	6	7	3	5	4	1	1	-	-	-
E979	F--	12	-	-	-	-	-	1	-	-	-	1	1	-	5	1	-	-	1	-	-	1	-	1
	Nonwhite--M--	20	-	-	-	-	2	3	1	2	2	3	2	2	-	-	1	-	1	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	214	-	-	2	2	10	36	48	30	37	14	13	5	6	5	3	-	-	1	-	-	-	2
E980-	White-----M--	45	-	-	-	-	-	4	10	6	7	3	5	2	3	2	2	-	-	-	-	-	-	1
E985	F--	12	-	-	-	-	1	3	3	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	121	-	-	2	2	9	22	27	18	21	9	3	2	2	2	1	-	-	1	-	-	-	-
	F--	36	-	-	-	-	-	7	8	5	6	2	5	-	1	1	-	-	-	-	-	-	-	1
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH DAKOTA																							
	ALL CAUSES------	6,269	460	75	44	35	57	77	49	59	87	120	180	237	351	480	749	854	834	756	502	206	54	3
	White-----M--	3,684	211	40	26	22	29	49	34	43	54	77	102	148	234	319	501	512	509	390	265	94	23	2
	F--	2,266	171	24	11	12	17	13	9	11	28	32	69	77	105	148	221	314	301	341	225	108	28	1
	Nonwhite--M--	184	47	7	4	1	6	9	3	4	3	5	8	7	4	5	20	15	12	15	7	1	1	-
	F--	135	31	4	3	-	5	6	3	1	2	6	1	5	8	8	7	13	12	10	5	3	2	-
001-019	Tuberculosis, all forms--------	31	-	-	1	-	1	-	-	1	3	4	3	2	4	2	2	3	2	2	1	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	2	2	2	1	4	1	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	1	-	1	-	-	-	-	1	1	1	-	-	1	2	1	1	1	-	-	-
	F--	5	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system----------	27	-	-	1	-	1	-	-	1	3	3	2	1	4	2	2	2	2	2	1	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	2	2	2	1	4	1	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	-	-	1	-	1	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms------	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	12	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	1	-	-	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	5	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	4	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	20	5	1	1	-	2	-	1	1	-	1	4	-	1	-	1	1	1	-	-	-	-	-
	White-----M--	10	2	1	-	-	1	-	1	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	F--	7	-	-	1	-	1	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH DAKOTA—Continued																							
140-205	Malignant neoplasms, etc.*----	955	2	6	5	3	5	6	7	7	18	29	33	52	92	106	140	154	124	98	50	17	-	1
	White-----M--	550	2	4	4	2	1	3	5	5	8	13	13	22	50	66	92	83	86	48	31	11	-	1
	F--	375	-	2	1	1	4	2	1	2	10	15	20	29	37	36	46	61	36	48	18	6	-	-
	Nonwhite--M--	12	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	5	-	1	1	-	-	-
	F--	18	-	-	-	-	-	-	1	-	-	1	-	1	4	3	-	5	2	1	-	-	-	-
140-148	Of buccal cavity and pharynx------	17	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	5	2	-	-	1	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	2	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	328	-	-	-	-	-	-	2	1	6	4	9	12	29	32	51	56	57	35	26	7	-	1
	White-----M--	200	-	-	-	-	-	-	-	1	3	1	6	7	18	22	34	34	38	16	14	5	-	1
	F--	119	-	-	-	-	-	-	1	-	3	3	3	4	9	9	16	19	19	19	12	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)--------	98	-	-	-	-	-	-	1	1	-	4	3	6	17	17	15	13	11	6	3	1	-	-
	White-----M--	81	-	-	-	-	-	-	1	1	-	3	2	6	16	15	13	10	9	4	-	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	3	2	2	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	Of breast---------	80	-	-	-	-	-	-	-	-	-	6	8	13	7	7	8	15	4	11	-	1	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	76	-	-	-	-	-	-	-	-	-	6	8	13	6	7	8	13	3	11	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
171-179	Of genital organs-	139	-	-	-	-	-	-	1	-	1	1	4	6	12	12	17	30	22	19	13	1	-	-
	White-----M--	82	-	-	-	-	-	-	1	-	-	-	-	-	2	6	10	18	18	15	11	1	-	-
	F--	52	-	-	-	-	-	-	-	-	1	1	4	6	9	5	6	10	4	4	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	57	-	1	-	-	-	-	-	-	1	3	1	3	7	6	7	8	8	6	4	2	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	1	2	1	2	6	6	6	4	6	4	3	2	-	-
	F--	12	-	1	-	-	-	-	-	-	-	1	-	1	1	-	1	4	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	134	1	1	3	1	1	4	-	1	7	8	5	8	11	16	21	17	12	11	3	3	-	-
	White-----M--	71	1	1	2	1	-	2	-	1	2	5	3	6	4	8	14	7	6	4	3	1	-	-
	F--	56	-	-	1	-	1	2	-	-	5	2	2	2	6	7	7	8	5	6	-	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	1	-	-	-	-	-
204	Leukemia and aleukemia--------	52	1	4	2	2	3	2	3	1	-	2	2	1	2	5	9	3	4	4	1	1	-	-
	White-----M--	32	1	3	2	1	1	1	3	-	-	1	1	1	1	2	6	2	3	3	-	-	-	-
	F--	19	-	1	-	1	2	-	-	1	-	1	1	-	1	3	3	1	1	1	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	50	-	-	-	-	1	-	-	3	3	1	1	3	5	9	7	7	4	6	-	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	2	2	1	-	-	1	5	5	4	3	2	-	-	-	-
	F--	25	-	-	-	-	1	-	-	1	1	-	1	3	4	4	2	3	1	4	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	30	-	1	1	1	1	2	-	2	1	3	1	2	-	6	3	1	2	1	1	1	-	-
	White-----M--	13	-	-	-	-	-	1	-	2	-	2	1	-	-	3	2	-	1	-	1	-	-	-
	F--	13	-	1	-	1	-	1	-	-	1	1	-	1	-	3	-	1	1	1	-	1	-	-
	Nonwhite--M--	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	91	-	-	-	-	-	1	-	2	3	2	3	4	6	8	12	16	17	12	4	1	-	-
	White-----M--	42	-	-	-	-	-	1	-	1	-	2	2	4	2	3	6	9	7	2	3	-	-	-
	F--	44	-	-	-	-	-	-	-	1	3	-	1	-	3	5	6	7	9	8	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-
290-293	Anemias----------	24	-	-	-	-	-	-	-	-	-	2	2	1	3	1	2	2	3	3	4	-	1	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	1	2	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	1	2	2	2	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	11	2	2	2	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	7	1	1	1	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	3,321	3	-	3	2	5	3	6	9	20	37	73	107	169	262	435	543	564	524	367	146	41	2
	White-----M--	1,995	1	-	1	2	2	1	2	6	13	27	46	76	124	186	292	328	338	276	194	61	18	1
	F--	1,262	2	-	2	-	1	1	3	2	6	8	25	25	44	72	131	207	216	238	172	85	21	1
	Nonwhite--M--	36	-	-	-	-	1	-	-	1	1	2	2	3	1	-	8	4	5	7	1	-	-	-
	F--	28	-	-	-	-	1	1	1	-	-	-	-	3	-	4	4	4	5	3	-	-	2	-
330-334, 400-468	Diseases of cardiovascular system-	3,268	3	-	3	1	4	1	6	6	20	34	70	106	167	258	426	532	558	519	367	145	40	2
	White-----M--	1,962	1	-	1	1	2	-	2	4	13	24	44	75	123	184	286	322	335	271	194	61	18	1
	F--	1,244	2	-	2	-	1	-	3	1	6	8	24	25	43	71	128	202	213	238	172	84	20	1
	Nonwhite--M--	35	-	-	-	-	-	-	-	1	1	2	2	3	1	-	8	4	5	7	1	-	-	-
	F--	27	-	-	-	-	1	1	1	-	-	-	-	3	-	3	4	4	5	3	-	-	2	-
330-334	Vascular lesions, etc.*----------	741	1	-	1	-	-	-	1	-	3	6	11	11	28	47	88	125	139	132	100	42	5	1
	White-----M--	367	-	-	1	-	-	-	1	-	2	3	3	8	16	27	44	71	71	61	43	14	1	1
	F--	362	1	-	-	-	-	-	-	-	1	1	7	2	12	19	42	52	68	68	57	28	4	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	2	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1		1	1	2	-	1	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH DAKOTA—Continued																							
400-402	Rheumatic fever---	4	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	2,280	2	-	-	1	3	1	3	5	15	25	55	92	130	202	318	365	393	335	230	77	27	1
	White-----M--	1,464	1	-	-	1	1	-	1	3	9	21	40	66	99	151	231	223	252	185	131	36	13	-
	F--	768	1	-	-	-	1	-	1	1	5	4	14	21	30	49	77	136	133	143	98	41	12	1
	Nonwhite--M--	29	-	-	-	-	-	-	-	1	1	-	1	3	1	-	7	4	5	5	1	-	-	-
	F--	19	-	-	-	-	1	1	1	-	-	-	-	2	-	2	3	2	3	2	-	-	2	-
410-416	Chronic rheumatic heart disease----	82	-	-	-	-	1	-	1	-	3	3	6	4	12	9	9	5	3	4	1	1	-	-
	White-----M--	34	-	-	-	-	-	-	-	-	-	2	5	2	5	8	6	2	2	2	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	2	1	1	2	7	1	3	3	1	2	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,721	-	-	-	-	1	-	1	4	9	18	42	72	100	163	269	291	295	230	153	52	21	-
	White-----M--	1,164	-	-	-	-	-	-	-	2	7	17	30	58	81	126	202	186	194	132	93	25	11	-
	F--	524	-	-	-	-	1	-	1	1	2	1	11	10	18	35	61	100	95	92	60	27	9	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	1	-	-	1	2	1	-	6	3	3	4	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	3	2	-	-	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	186	-	-	-	-	-	-	-	-	2	-	4	5	3	7	15	20	36	37	40	13	4	-
	White-----M--	104	-	-	-	-	-	-	-	-	2	-	3	3	2	3	9	13	23	16	23	6	1	-
	F--	82	-	-	-	-	-	-	-	-	-	-	1	2	1	4	6	7	13	21	17	7	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	125	2	-	-	1	1	1	1	1	-	4	1	5	8	10	11	12	21	22	18	4	1	1
	White-----M--	69	1	-	-	1	1	-	1	1	-	2	-	1	7	8	6	5	14	11	6	3	1	-
	F--	46	1	-	-	-	-	-	-	-	-	2	1	3	1	2	1	6	6	10	11	1	-	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	186	-	-	-	-	-	-	-	-	1	-	2	6	7	13	14	37	38	42	18	7	1	-
	White-----M--	93	-	-	-	-	-	-	-	-	-	-	2	2	4	6	8	17	19	24	9	2	-	-
	F--	91	-	-	-	-	-	-	-	-	1	-	-	4	3	7	6	20	18	18	9	5	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
444-447	Hypertension without mention of heart----------	47	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	10	8	14	5	2	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	6	4	8	1	1	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	6	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
450	General arteriosclerosis--------	135	-	-	-	-	-	-	-	-	-	-	-	1	4	-	7	20	13	30	28	24	8	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	-	-	4	-	5	12	6	12	16	10	4	-
	F--	65	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	8	6	18	12	14	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	61	-	-	1	-	-	-	2	1	2	1	4	1	3	8	9	12	5	8	4	-	-	-
	White-----M--	35	-	-	-	-	-	-	-	1	2	-	1	-	3	5	3	10	2	5	3	-	-	-
	F--	26	-	-	1	-	-	-	2	-	-	1	3	1	-	3	6	2	3	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	53	-	-	-	1	1	2	-	3	-	3	3	1	2	4	9	11	6	5	-	1	1	-
	White-----M--	33	-	-	-	1	-	1	-	2	-	3	2	1	1	2	6	6	3	5	-	-	-	-
	F--	18	-	-	-	-	-	1	-	1	-	-	1	-	1	1	3	5	3	-	-	1	1	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	243	48	12	-	3	3	4	2	-	4	2	6	3	6	12	20	21	27	30	24	13	3	-
	White-----M--	116	21	6	-	1	1	2	1	-	3	2	4	1	2	6	11	10	16	13	9	7	-	-
	F--	87	13	3	-	2	1	-	1	-	1	-	-	-	3	5	7	7	7	15	13	6	3	-
	Nonwhite--M--	29	11	2	-	-	-	1	-	-	-	-	1	2	-	1	2	4	2	2	1	-	-	-
	F--	11	3	1	-	-	1	1	-	-	-	-	1	-	1	-	-	-	2	-	1	-	-	-
480-483	Influenza---------	44	5	2	-	2	-	1	2	-	2	-	2	1	1	2	5	6	8	3	-	1	1	-
	White-----M--	20	2	2	-	1	-	-	1	-	1	-	2	-	-	1	3	3	4	-	-	-	-	-
	F--	13	-	-	-	1	-	-	1	-	1	-	-	-	-	1	1	2	1	3	-	1	1	-
	Nonwhite--M--	9	3	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	199	43	10	-	1	3	3	-	-	2	2	4	2	5	10	15	15	19	27	24	12	2	-
	White-----M--	96	19	4	-	-	1	2	-	-	2	2	2	1	2	5	8	7	12	13	9	7	-	-
	F--	74	13	3	-	1	1	-	-	-	-	-	-	-	3	4	6	5	6	12	13	5	2	-
	Nonwhite--M--	20	8	2	-	-	-	-	-	-	-	-	1	1	-	1	1	3	-	2	1	-	-	-
	F--	9	3	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-
500-502	Bronchitis---------	17	2	1	2	-	-	-	1	-	-	-	-	-	1	1	1	2	1	5	-	-	-	-
	White-----M--	10	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	2	1	3	-	-	-	-
	F--	7	1	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	32	-	-	-	-	-	-	-	-	2	2	2	3	1	-	10	5	3	3	1	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	2	2	2	3	1	-	7	4	2	2	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	9	-	1	1	-	-	1	-	-	-	-	-	-	2	-	1	-	2	-	-	-	1	-
	White-----M--	7	-	1	1	-	-	1	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	39	2	1	1	-	-	-	-	-	1	-	2	2	-	6	4	6	4	7	2	1	-	-
	White-----M--	23	-	1	1	-	-	-	-	-	1	-	-	1	-	2	3	3	3	6	1	1	-	-
	F--	16	2	-	-	-	-	-	-	-	-	-	2	1	-	4	1	3	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	SOUTH DAKOTA—Continued																							
543, 571, 572	Gastritis, etc.*--	45	17	-	-	-	-	-	-	-	1	-	-	3	3	3	7	4	1	3	1	2	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	1	-	2	-	1	-	-
	F--	16	1	-	-	-	-	-	-	-	1	-	-	2	2	2	1	3	1	1	1	1	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	25	-	-	-	-	-	-	-	-	-	1	2	3	4	3	4	4	2	1	1	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	1	1	3	4	-	3	3	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate---------	32	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	4	9	3	3	2	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	4	8	3	3	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	6	...	...	...	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	6	...	...	...	-	1	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion----------	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	1	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications--------	5	...	...	...	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	5	...	...	...	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations--------	104	75	9	5	2	1	2	-	2	3	2	2	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	57	37	6	5	-	1	1	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-
	F--	42	34	2	-	2	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	247	247	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Ot. dis. of infancy, & immaturity unqualified, etc.*-	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	82	11	1	-	-	-	-	-	-	1	2	4	2	1	5	6	4	10	11	10	10	4	-
	White-----M--	36	6	-	-	-	-	-	-	-	-	-	2	2	1	4	1	3	3	4	3	5	2	-
	F--	18	-	-	-	-	-	-	-	-	1	-	-	-	-	1	4	1	3	2	2	3	1	-
	Nonwhite--M--	16	4	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	2	2	3	-	1	-
	F--	12	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	3	2	2	-	-
Residual	All other diseases	340	26	13	5	7	-	6	3	1	4	7	17	19	20	33	50	43	42	25	12	6	1	-
	White-----M--	204	14	2	4	5	-	2	1	-	2	4	9	10	14	22	34	27	26	17	7	3	1	-
	F--	107	9	6	-	2	-	1	1	-	1	2	8	9	4	9	13	14	15	7	4	2	-	-
	Nonwhite--M--	15	1	3	-	-	-	2	1	1	-	-	-	-	1	1	2	-	1	1	-	1	-	-
	F--	14	2	2	1	-	-	1	-	-	1	1	-	-	1	1	1	2	-	-	1	-	-	-
E800-E962	Accidents---------	451	17	23	12	17	36	43	24	27	22	16	17	25	26	17	30	32	14	24	20	6	3	-
	White-----M--	310	8	14	7	12	22	35	20	23	19	12	12	18	17	13	21	24	9	10	10	2	2	-
	F--	103	4	8	3	4	8	3	2	2	1	2	4	6	7	4	6	7	5	13	9	4	1	-
	Nonwhite--M--	23	3	-	1	1	3	2	1	2	2	1	1	1	1	-	3	-	-	1	-	-	-	-
	F--	15	2	1	1	-	3	3	1	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-
E810-E835	Motor-vehicle accidents--------	188	2	10	2	8	27	29	14	18	12	8	9	4	12	9	10	11	2	-	1	-	-	-
	White-----M--	138	2	8	1	5	15	23	11	15	11	5	7	3	7	6	7	10	1	-	1	-	-	-
	F--	32	-	2	1	2	6	2	2	1	1	1	2	1	3	3	3	1	1	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	1	3	2	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	3	2	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	263	15	13	10	9	9	14	10	9	10	8	8	21	14	8	20	21	12	24	19	6	3	-
	White-----M--	172	6	6	6	7	7	12	9	8	8	7	5	15	10	7	14	14	8	10	9	2	2	-
	F--	71	4	6	2	2	2	1	-	1	-	1	2	5	4	1	3	6	4	13	9	4	1	-
	Nonwhite--M--	13	3	-	1	-	-	-	1	-	2	-	1	1	-	-	3	-	-	1	-	-	-	-
	F--	7	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
E963, E970-E979	Suicide----------	67	-	-	-	-	-	2	3	3	2	8	4	6	10	8	10	5	3	3	-	-	-	-
	White-----M--	57	-	-	-	-	-	1	3	2	2	7	4	4	9	6	9	5	2	3	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	-	1	-	2	1	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	10	-	-	-	-	-	4	1	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TENNESSEE																							
	ALL CAUSES------	31,412	2,451	362	190	180	266	312	328	472	619	928	1,300	1,685	2,180	2,758	3,374	3,807	3,924	3,279	2,006	747	242	2
	White-----M--	13,985	975	135	90	81	145	174	144	203	258	433	581	764	1,000	1,340	1,498	1,773	1,782	1,435	840	272	62	-
	F--	10,400	683	121	57	53	63	66	73	109	159	200	285	403	538	725	966	1,290	1,647	1,529	945	373	113	2
	Nonwhite--M--	3,760	440	61	17	33	31	41	62	84	96	163	201	271	334	402	476	392	283	175	118	53	27	-
	F--	3,267	353	45	26	13	27	31	49	76	106	132	233	247	308	291	434	352	212	140	103	49	40	-
001-019	Tuberculosis, all forms--------	455	3	8	1	-	3	13	9	14	21	20	31	43	40	39	55	55	50	32	12	6	-	-
	White-----M--	208	-	3	-	-	2	3	-	4	7	10	13	19	18	24	25	26	32	13	5	4	-	-
	F--	133	1	2	-	-	-	4	1	5	5	5	8	7	8	8	18	21	16	15	7	2	-	-
	Nonwhite--M--	73	2	2	1	-	1	2	3	3	3	2	8	12	12	6	5	6	1	4	-	-	-	-
	F--	41	-	1	-	-	-	4	5	2	6	3	2	5	2	1	7	2	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	412	2	2	-	-	2	12	8	13	20	19	26	38	35	35	53	52	47	30	12	6	-	-
	White-----M--	193	-	1	-	-	1	3	-	4	7	10	10	18	17	23	24	25	29	12	5	4	-	-
	F--	124	1	-	-	-	-	3	1	5	5	5	7	6	7	7	17	20	16	15	7	2	-	-
	Nonwhite--M--	58	1	1	-	-	1	2	2	2	3	1	8	9	9	5	5	5	1	3	-	-	-	-
	F--	37	-	-	-	-	-	4	5	2	5	3	1	5	2	-	7	2	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	43	1	6	1	-	1	1	1	1	1	1	5	5	5	4	2	3	3	2	-	-	-	-
	White-----M--	15	-	2	-	-	1	-	-	-	-	-	3	1	1	1	1	1	3	1	-	-	-	-
	F--	9	-	2	-	-	-	1	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-
	Nonwhite--M--	15	1	1	1	-	-	-	1	1	-	1	-	3	3	1	-	1	-	1	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	60	-	-	-	-	1	-	-	-	-	2	6	8	4	14	8	8	4	4	1	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	1	1	-	1	5	-	4	1	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	2	-	-	-	-
	Nonwhite--M--	23	-	-	-	-	1	-	-	-	-	-	3	3	1	5	4	3	1	2	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	5	2	3	2	1	1	-	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	8	1	2	-	1	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	14	7	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	14	3	5	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	112	22	10	3	5	4	2	2	2	1	3	5	10	10	8	6	10	5	1	2	1	-	-
	White-----M--	55	9	5	3	2	2	-	1	1	-	1	3	3	5	4	5	5	4	1	1	-	-	-
	F--	32	6	3	-	2	1	-	1	-	-	1	1	4	3	4	1	2	1	-	1	1	-	-
	Nonwhite--M--	14	3	2	-	-	1	1	-	1	1	1	1	2	1	-	-	-	-	-	-	-	-	-
	F--	11	4	-	-	1	-	1	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TENNESSEE—Con.																							
140-205	Malignant neoplasms, etc.*----	4,134	8	26	27	20	19	20	35	61	111	173	277	363	435	532	524	520	467	315	157	32	12	-
	White-----M--	1,708	2	14	16	9	9	11	13	16	37	59	95	132	179	219	225	236	201	142	71	18	4	-
	F--	1,675	5	7	7	10	5	6	13	27	52	79	121	154	169	206	186	194	208	144	68	10	4	-
	Nonwhite--M--	392	1	2	1	-	1	3	4	6	5	9	27	36	42	60	68	56	42	14	9	3	3	-
	F--	359	-	3	3	1	4	-	5	12	17	26	34	41	45	47	45	34	16	15	9	1	1	-
140-148	Of buccal cavity and pharynx------	107	-	-	-	-	-	-	1	-	-	3	8	15	13	8	16	11	16	13	2	-	1	-
	White-----M--	54	-	-	-	-	-	-	1	-	-	3	6	7	6	3	11	6	6	3	1	-	1	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	2	4	4	3	3	8	8	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	2	5	2	1	2	1	2	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,316	-	1	-	1	1	-	7	9	16	33	59	93	132	180	191	190	188	138	60	12	5	-
	White-----M--	551	-	1	-	1	-	-	5	1	8	17	23	36	55	69	79	86	76	63	23	7	1	-
	F--	515	-	-	-	-	1	-	-	4	4	8	21	33	43	73	70	73	87	60	32	4	2	-
	Nonwhite--M--	151	-	-	-	-	-	-	1	-	2	4	11	13	15	29	29	19	17	7	2	1	1	-
	F--	99	-	-	-	-	-	-	1	4	2	4	4	11	19	9	13	12	8	8	3	-	1	-
160-164	Of respiratory system (not secondary)-------	520	-	-	-	-	2	1	1	6	9	19	36	57	77	101	84	48	42	26	10	1	-	-
	White-----M--	364	-	-	-	-	1	-	1	3	7	13	29	41	63	66	52	32	27	20	8	1	-	-
	F--	77	-	-	-	-	1	1	-	1	1	5	2	6	8	15	16	8	8	4	1	-	-	-
	Nonwhite--M--	64	-	-	-	-	-	-	-	2	1	1	5	9	6	15	11	6	6	1	1	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	5	5	2	1	1	-	-	-	-
170	Of breast---------	355	-	-	-	-	-	1	2	6	21	35	48	47	33	33	31	29	29	26	10	3	1	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	-	-
	F--	288	-	-	-	-	-	1	2	5	15	27	37	36	24	26	25	26	27	25	9	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	62	-	-	-	-	-	-	-	1	6	8	10	10	9	7	5	3	2	-	1	-	-	-
171-179	Of genital organs-	730	-	1	-	-	-	1	4	14	27	36	64	70	64	81	85	101	84	51	38	6	3	-
	White-----M--	209	-	1	-	-	-	-	-	3	3	2	3	3	7	17	26	46	43	30	21	3	1	-
	F--	352	-	-	-	-	-	1	3	5	18	25	43	48	44	50	32	32	26	14	10	1	-	-
	Nonwhite--M--	60	-	-	-	-	-	-	-	-	-	-	1	2	4	3	13	14	10	4	5	2	2	-
	F--	109	-	-	-	-	-	-	1	6	6	9	17	17	9	11	14	9	5	3	2	-	-	-
180, 181	Of urinary organs-	159	1	3	-	1	-	1	1	-	5	5	6	8	14	22	24	25	26	9	5	2	1	-
	White-----M--	78	-	1	-	-	-	-	1	-	3	2	2	5	9	12	15	11	12	2	2	1	-	-
	F--	49	1	2	-	-	-	-	-	-	1	1	3	3	3	5	2	7	11	6	2	1	1	-
	Nonwhite--M--	27	-	-	-	-	-	1	-	-	1	2	1	-	2	4	6	5	3	1	1	-	-	-
	F--	5	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	553	1	6	15	7	10	8	11	16	23	25	36	44	63	59	48	70	45	34	24	7	1	-
	White-----M--	247	1	3	9	3	7	6	3	4	11	12	20	23	24	24	16	29	18	15	13	5	1	-
	F--	217	-	2	4	4	1	2	5	8	10	8	9	16	26	20	20	30	25	18	8	1	-	-
	Nonwhite--M--	44	-	1	-	-	-	-	1	4	-	1	5	4	8	6	6	6	2	-	-	-	-	-
	F--	45	-	-	2	-	2	-	2	-	2	4	2	1	5	9	6	5	-	1	3	1	-	-
204	Leukemia and aleukemia--------	209	6	14	9	9	4	4	3	5	6	5	7	14	16	19	21	24	22	13	7	1	-	-
	White-----M--	98	1	7	4	4	1	2	-	3	1	3	3	7	5	11	12	14	10	7	3	-	-	-
	F--	82	4	3	3	5	1	-	2	2	3	2	3	6	9	3	7	7	11	6	4	1	-	-
	Nonwhite--M--	17	1	1	1	-	-	2	1	-	1	-	1	1	2	1	1	3	1	-	-	-	-	-
	F--	12	-	3	1	-	2	-	-	-	1	-	-	-	-	4	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	185	-	1	3	2	2	4	5	5	4	12	13	15	23	29	24	22	15	5	1	-	-	-
	White-----M--	102	-	1	3	1	-	3	2	2	4	7	8	9	10	17	13	12	9	1	-	-	-	-
	F--	62	-	-	-	1	1	1	1	2	-	3	3	4	8	10	11	8	5	3	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	1	-	1	-	-	1	1	2	3	1	-	2	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	1	1	-	1	1	-	2	1	-	-	-	1	-	-	-	-
210-239	Benign and unspecified neoplasms--	85	3	-	2	-	1	2	4	5	4	7	6	9	7	9	12	3	7	2	2	-	-	-
	White-----M--	21	-	-	2	-	-	-	1	-	-	2	1	2	-	2	4	2	3	1	1	-	-	-
	F--	38	2	-	-	-	1	-	2	3	3	5	2	4	3	2	4	1	4	1	1	-	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-
	F--	20	-	-	-	-	-	2	1	2	1	-	3	2	4	2	3	-	-	-	-	-	-	-
260	Diabetes mellitus-	367	-	1	2	2	5	2	4	8	4	9	18	19	39	40	61	53	52	24	17	6	1	-
	White-----M--	136	-	1	1	-	1	1	4	6	1	6	4	5	15	12	16	23	19	9	8	3	1	-
	F--	134	-	-	-	1	1	1	-	2	1	-	3	6	10	18	27	19	26	11	5	3	-	-
	Nonwhite--M--	34	-	-	1	1	1	-	-	-	2	-	1	2	4	4	6	5	3	2	2	-	-	-
	F--	63	-	-	-	-	2	-	-	-	-	3	10	6	10	6	12	6	4	2	2	-	-	-
290-293	Anemias----------	49	4	2	3	2	-	2	-	-	-	-	3	1	2	3	7	7	8	5	-	-	-	-
	White-----M--	14	1	-	1	-	-	-	-	-	-	-	1	1	-	1	1	3	3	2	-	-	-	-
	F--	22	1	-	-	1	-	-	-	-	-	-	2	-	2	2	5	3	4	2	-	-	-	-
	Nonwhite--M--	8	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	F--	5	-	-	1	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	31	9	6	1	2	1	-	2	-	1	2	1	2	-	-	2	1	-	-	-	1	-	-
	White-----M--	11	1	3	-	-	-	-	1	-	1	2	-	1	-	-	1	1	-	-	-	-	-	-
	F--	12	4	3	1	1	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	16,487	19	10	7	17	23	33	51	92	180	333	558	784	1,146	1,531	2,045	2,447	2,713	2,352	1,451	532	163	-
	White-----M--	7,431	7	1	4	4	6	15	17	36	76	150	262	390	543	767	924	1,150	1,223	1,019	606	189	42	-
	F--	5,719	5	3	2	7	9	5	14	18	35	51	91	139	224	365	580	842	1,168	1,121	696	270	74	-
	Nonwhite--M--	1,692	6	2	-	3	3	6	9	18	24	70	85	119	199	228	268	228	167	116	83	39	18	-
	F--	1,645	1	4	1	3	5	7	11	20	45	62	119	136	180	171	273	227	155	96	66	34	29	-
330-334, 400-468	Diseases of cardiovascular system-	16,180	18	8	4	17	19	26	42	85	171	317	539	768	1,124	1,497	2,007	2,417	2,682	2,312	1,437	530	160	-
	White-----M--	7,316	7	1	2	4	5	10	13	33	74	141	257	380	533	755	910	1,139	1,212	1,007	603	189	41	-
	F--	5,645	5	3	1	7	8	4	12	16	33	50	88	139	222	358	572	834	1,154	1,109	687	269	74	-
	Nonwhite--M--	1,627	5	1	-	3	2	5	7	18	21	65	82	117	194	218	260	221	163	107	82	38	18	-
	F--	1,592	1	3	1	3	4	7	10	18	43	61	112	132	175	166	265	223	153	89	65	34	27	-
330-334	Vascular lesions, etc.*----------	4,607	9	1	1	4	3	5	7	13	33	64	116	154	271	380	540	728	862	761	452	165	38	-
	White-----M--	1,770	3	-	-	-	2	3	2	1	9	18	30	49	96	143	198	311	346	314	175	62	8	-
	F--	1,807	4	1	1	3	-	1	2	3	9	15	25	42	61	118	167	253	402	372	223	84	21	-
	Nonwhite--M--	460	1	-	-	-	-	-	1	1	4	14	20	19	54	60	77	70	62	37	30	6	4	-
	F--	570	1	-	-	1	1	1	2	8	11	17	41	44	60	59	98	94	52	38	24	13	5	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TENNESSEE—Con.																							
400-402	Rheumatic fever---	23	-	-	-	7	2	2	-	3	-	2	1	-	-	2	1	-	2	1	-	-	-	-
	White-----M--	9	-	-	-	2	-	1	-	-	-	2	1	-	-	1	-	-	2	-	-	-	-	-
	F--	5	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	1	1	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-
410-443	Diseases of heart-	10,487	9	7	3	5	14	13	29	60	121	227	393	572	794	1,027	1,366	1,577	1,646	1,382	851	303	88	-
	White-----M--	5,098	4	1	2	1	3	5	10	28	62	114	218	317	415	568	673	777	779	619	367	109	26	-
	F--	3,458	1	2	-	1	7	1	7	12	20	32	56	89	148	221	384	543	694	656	399	149	36	-
	Nonwhite--M--	1,037	4	1	-	2	2	5	4	11	13	46	55	86	129	140	164	138	86	63	47	29	12	-
	F--	894	-	3	1	1	2	2	8	9	26	35	64	80	102	98	145	119	87	44	38	16	14	-
410-416	Chronic rheumatic heart disease----	286	-	-	1	-	9	4	9	15	16	25	36	26	31	23	28	19	13	16	12	2	1	-
	White-----M--	121	-	-	-	-	1	2	5	8	8	12	13	12	15	10	11	9	5	7	3	-	-	-
	F--	97	-	-	-	-	6	1	3	6	6	7	12	9	5	6	11	5	6	7	6	1	-	-
	Nonwhite--M--	36	-	-	-	-	1	1	-	-	-	6	6	2	7	3	3	3	2	-	2	-	-	-
	F--	32	-	-	1	-	1	-	1	1	2	-	5	3	4	4	3	2	-	2	1	1	1	-
420	Arteriosclerotic heart dis., etc.*	6,748	1	-	-	-	2	5	6	26	64	141	252	379	528	714	924	1,054	1,097	832	498	175	50	-
	White-----M--	3,733	1	-	-	-	-	1	3	16	42	94	175	262	333	462	527	566	551	386	226	71	17	-
	F--	2,190	-	-	-	-	1	-	-	3	7	17	30	52	100	158	266	372	457	394	233	81	19	-
	Nonwhite--M--	487	-	-	-	-	-	3	-	4	6	19	27	33	59	61	81	58	54	36	23	15	8	-
	F--	338	-	-	-	-	1	1	3	3	9	11	20	32	36	33	50	58	35	16	16	8	6	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,266	2	6	-	2	-	2	3	2	6	12	24	43	64	94	134	182	187	257	166	57	23	-
	White-----M--	481	1	1	-	-	-	1	-	-	3	4	9	12	19	29	43	78	82	110	69	14	6	-
	F--	461	-	2	-	-	-	-	-	1	2	2	3	6	12	15	36	54	80	118	84	34	12	-
	Nonwhite--M--	176	1	1	-	1	-	-	1	1	1	4	6	17	15	31	26	32	8	18	9	4	-	-
	F--	148	-	2	-	1	-	1	2	-	-	2	6	8	18	19	29	18	17	11	4	5	5	-
430-434	Other diseases of heart---------	521	6	1	2	1	3	2	6	10	14	11	17	35	44	46	68	73	65	56	39	16	6	-
	White-----M--	231	2	-	2	1	2	1	2	4	5	3	11	13	19	23	31	29	34	27	14	7	1	-
	F--	152	1	-	-	-	-	-	3	1	3	1	3	6	9	7	21	23	23	22	18	7	4	-
	Nonwhite--M--	70	3	-	-	-	1	1	1	1	-	5	1	8	8	10	10	13	4	1	1	1	1	-
	F--	68	-	1	-	-	-	-	-	4	6	2	2	8	8	6	6	8	4	6	6	1	-	-
440-443	Hypertension with heart dis.--	1,666	-	-	-	2	-	-	5	7	21	38	64	89	127	150	212	249	284	221	136	53	8	-
	White-----M--	532	-	-	-	-	-	-	-	-	4	1	10	18	29	44	61	95	107	89	55	17	2	-
	F--	558	-	-	-	1	-	-	1	1	2	5	8	16	22	35	50	89	128	115	58	26	1	-
	Nonwhite--M--	268	-	-	-	1	-	-	2	5	6	12	15	26	40	35	44	32	18	8	12	9	3	-
	F--	308	-	-	-	-	-	-	2	1	9	20	31	29	36	36	57	33	31	9	11	1	2	-
444-447	Hypertension without mention of heart----------	266	-	-	-	-	-	1	2	5	9	13	10	17	18	21	17	31	42	32	34	8	6	-
	White-----M--	83	-	-	-	-	-	-	-	1	1	3	3	3	2	7	1	13	19	11	14	3	2	-
	F--	85	-	-	-	-	-	-	1	-	2	-	1	2	3	5	6	7	14	20	18	4	2	-
	Nonwhite--M--	43	-	-	-	-	-	-	1	4	2	3	2	6	5	7	3	4	3	1	2	-	-	-
	F--	55	-	-	-	-	-	1	-	-	4	7	4	6	8	2	7	7	6	-	-	1	2	-
450	General arteriosclerosis--------	516	-	-	-	-	-	-	1	-	1	-	2	6	16	20	42	52	93	120	89	50	24	-
	White-----M--	221	-	-	-	-	-	-	-	-	-	-	1	2	7	7	16	28	47	55	40	14	4	-
	F--	204	-	-	-	-	-	-	-	-	-	-	1	-	4	3	7	17	33	53	44	30	12	-
	Nonwhite--M--	44	-	-	-	-	-	-	1	-	-	-	-	2	2	5	8	4	8	6	3	3	2	-
	F--	47	-	-	-	-	-	-	-	-	1	-	-	2	3	5	11	3	5	6	2	3	6	-
451-468	Other diseases of circulatory sys.-	281	-	-	-	1	-	5	3	4	7	11	17	19	25	47	41	29	37	16	11	4	4	-
	White-----M--	135	-	-	-	1	-	1	1	3	2	4	4	9	13	29	22	10	19	8	7	1	1	-
	F--	86	-	-	-	-	-	1	2	1	2	3	5	6	6	11	8	14	11	8	3	2	3	-
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	2	2	5	4	4	6	8	5	4	-	-	-	-	-
	F--	20	-	-	-	-	-	3	-	-	1	2	3	-	2	1	3	-	3	-	1	1	-	-
592-594	Chronic nephritis, etc.*----------	307	1	2	3	-	4	7	9	7	9	16	19	16	22	34	38	30	31	40	14	2	3	-
	White-----M--	115	-	-	2	-	1	5	4	3	2	9	5	10	10	12	14	11	11	12	3	-	1	-
	F--	74	-	-	1	-	1	1	2	2	2	1	3	-	2	7	8	8	14	12	9	1	-	-
	Nonwhite--M--	65	1	1	-	-	1	1	2	-	3	5	4	2	5	10	8	7	4	9	1	1	-	-
	F--	53	-	1	-	-	1	-	1	2	2	1	7	4	5	5	8	4	2	7	1	-	2	-
480-493	Influenza and pneumonia, etc.*-	1,351	198	61	15	14	10	17	13	10	15	27	35	48	64	74	104	138	163	154	113	48	30	-
	White-----M--	518	55	22	6	4	4	4	3	4	7	9	10	16	24	30	47	65	70	73	43	15	7	-
	F--	463	53	19	5	7	5	9	3	2	3	3	5	9	19	20	21	44	68	65	59	27	17	-
	Nonwhite--M--	198	53	10	1	3	1	1	4	1	3	10	9	14	9	13	18	15	13	8	6	2	4	-
	F--	172	37	10	3	-	-	3	3	3	2	5	11	9	12	11	18	14	12	8	5	4	2	-
480-483	Influenza---------	291	22	7	1	6	5	6	4	2	5	12	11	15	18	23	25	33	32	27	19	12	6	-
	White-----M--	105	8	3	-	2	2	3	2	-	3	4	4	5	4	13	9	10	16	11	5	1	-	-
	F--	91	5	3	1	4	3	3	1	1	1	1	1	3	3	3	3	11	9	12	12	9	2	-
	Nonwhite--M--	46	8	-	-	-	-	-	-	-	-	5	2	3	4	4	5	5	2	3	-	1	4	-
	F--	49	1	1	-	-	-	-	1	1	1	2	4	4	7	3	8	7	5	1	2	1	-	-
490-493	Pneumonia, etc.*--	1,060	176	54	14	8	5	11	9	8	10	15	24	33	46	51	79	105	131	127	94	36	24	-
	White-----M--	413	47	19	6	2	2	1	1	4	4	5	6	11	20	17	38	55	54	62	38	14	7	-
	F--	372	48	16	4	3	2	6	2	1	2	2	4	6	16	17	18	33	59	53	47	18	15	-
	Nonwhite--M--	152	45	10	1	3	1	1	4	1	3	5	7	11	5	9	13	10	11	5	6	1	-	-
	F--	123	36	9	3	-	-	3	2	2	1	3	7	5	5	8	10	7	7	7	3	3	2	-
500-502	Bronchitis--------	53	11	6	1	1	-	-	1	-	-	-	2	-	6	8	2	1	6	3	3	2	-	-
	White-----M--	25	5	4	-	-	-	-	-	-	-	-	1	-	1	6	2	-	3	1	1	1	-	-
	F--	10	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-
	Nonwhite--M--	8	1	-	1	-	-	-	-	-	-	-	1	-	2	1	-	1	1	-	-	-	-	-
	F--	10	2	1	-	-	-	-	1	-	-	-	-	-	3	1	-	-	-	-	1	1	-	-
540, 541	Ulcer of stomach and duodenum-----	147	-	-	-	-	2	-	1	5	3	11	11	10	15	21	16	21	11	11	7	1	1	-
	White-----M--	95	-	-	-	-	-	-	-	3	2	10	9	7	12	16	8	12	7	7	1	1	-	-
	F--	32	-	-	-	-	1	-	-	1	1	-	1	3	3	2	5	4	4	3	4	-	-	-
	Nonwhite--M--	12	-	-	-	-	1	-	-	1	-	-	1	-	-	3	1	3	-	1	1	-	-	-
	F--	8	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	2	-	-	1	-	1	-
550-553	Appendicitis------	30	-	4	4	2	1	-	-	-	1	1	2	1	3	4	2	-	2	2	1	-	-	-
	White-----M--	12	-	1	3	1	1	-	-	-	1	-	-	-	-	2	1	-	1	1	-	-	-	-
	F--	7	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
	Nonwhite--M--	9	-	1	-	1	-	-	-	-	-	-	2	-	3	2	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	129	18	1	1	-	1	-	1	2	3	3	4	6	7	7	15	20	18	13	5	3	1	-
	White-----M--	46	9	-	1	-	-	-	-	1	-	1	-	2	3	2	4	6	7	7	1	2	-	-
	F--	51	7	1	-	-	-	-	-	-	-	-	-	1	2	4	7	7	10	6	4	1	1	-
	Nonwhite--M--	15	2	-	-	-	-	-	1	1	2	1	2	1	1	-	1	3	-	-	-	-	-	-
	F--	17	-	-	-	-	1	-	-	-	1	1	2	2	1	1	3	4	1	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TENNESSEE—Con.																							
543,	Gastritis, etc.*--	143	60	16	-	1	1	-	-	-	-	1	1	3	5	7	9	12	8	9	6	4	-	-
571,	White-----M--	41	18	5	-	1	1	-	-	-	-	-	-	1	2	3	1	2	3	2	2	-	-	-
572	F--	50	14	6	-	-	-	-	-	-	-	1	-	1	2	2	3	4	4	7	2	4	-	-
	Nonwhite--M--	31	17	3	-	-	-	-	-	-	-	-	-	1	1	1	2	3	1	-	2	-	-	-
	F--	21	11	2	-	-	-	-	-	-	-	-	1	-	-	1	3	3	-	-	-	-	-	-
581	Cirrhosis of liver	216	-	1	-	-	-	-	4	4	9	21	24	18	20	32	30	26	17	7	3	-	-	-
	White-----M--	113	-	-	-	-	-	-	-	1	5	15	10	9	11	17	18	13	9	5	-	-	-	-
	F--	66	-	1	-	-	-	-	2	2	4	5	6	7	4	6	7	11	6	2	3	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	1	2	1	3	5	4	-	2	-	-	-	-	-
	F--	19	-	-	-	-	-	-	2	1	-	-	6	1	2	4	1	2	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	48	3	-	2	1	3	2	2	4	2	2	3	2	1	5	3	5	3	1	3	-	1	-
	White-----M--	20	2	-	1	-	2	1	-	1	-	2	3	1	1	2	-	1	1	-	1	-	1	-
	F--	7	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	1	-	-	2	-	-	-
	Nonwhite--M--	13	-	-	1	1	-	-	1	1	1	-	-	1	-	1	-	3	2	1	-	-	-	-
	F--	8	1	-	-	-	1	-	1	1	-	-	-	-	-	1	3	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	109	-	-	-	-	-	-	-	-	-	-	-	3	6	8	12	15	17	19	23	5	1	-
	White-----M--	80	-	-	-	-	-	-	-	-	-	-	-	1	3	4	8	10	14	15	19	5	1	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	-	2	3	4	4	5	3	4	4	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	47	...	...	...	2	10	9	5	10	8	2	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	21	...	...	...	1	4	4	4	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	26	...	...	...	1	6	5	1	6	5	1	1	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	3	...	...	...	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	2	...	...	...	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	44	...	...	...	2	10	7	4	10	8	2	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	20	...	...	...	1	4	3	4	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	24	...	...	...	1	6	4	-	6	5	1	1	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	391	277	47	16	8	7	2	4	3	4	5	3	3	2	2	2	3	1	2	-	-	-	-
	White-----M--	179	136	13	7	6	4	1	2	1	1	2	1	2	1	-	-	1	1	-	-	-	-	-
	F--	142	95	22	7	1	2	1	1	1	3	1	2	-	1	2	1	-	-	2	-	-	-	-
	Nonwhite--M--	49	27	11	2	1	1	-	1	1	-	1	-	1	-	-	1	2	-	-	-	-	-	-
	F--	21	19	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	1,404	1,403	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	569	569	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	396	395	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	242	242	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	197	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	540	540	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	268	268	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	757	756	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	259	259	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	225	224	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,687	217	20	4	6	10	5	8	31	42	58	74	99	115	173	192	179	162	145	78	52	17	-
795	White-----M--	681	68	4	2	2	6	2	4	12	14	24	31	37	46	86	77	72	72	69	31	17	5	-
	F--	368	41	8	-	3	3	1	-	4	5	8	5	12	15	21	35	50	44	54	29	23	7	-
	Nonwhite--M--	348	56	3	1	1	-	1	-	3	12	19	22	30	29	36	45	28	34	14	6	7	1	-
	F--	290	52	5	1	-	1	1	4	12	11	7	16	20	25	30	35	29	12	8	12	5	4	-
Re-	All other diseases	1,430	75	34	23	18	16	17	19	35	35	65	86	97	132	138	168	183	124	90	52	21	2	-
sid-	White-----M--	658	40	14	13	6	9	7	6	8	12	25	33	44	65	72	77	95	62	38	24	8	-	-
ual	F--	458	19	13	8	8	4	8	6	11	10	18	17	25	44	39	46	54	48	45	22	12	1	-
	Nonwhite--M--	171	9	4	1	2	1	2	2	7	5	9	17	15	14	17	31	19	9	4	3	-	-	-
	F--	143	7	3	1	2	2	-	5	9	8	13	19	13	9	10	14	15	5	3	3	1	1	-
E800-	Accidents---------	1,817	100	87	71	74	139	152	108	116	114	102	97	103	85	69	64	71	72	79	88	31	13	2
E962	White-----M--	1,010	44	39	26	43	97	114	67	81	76	68	70	58	45	40	31	26	33	22	22	7	1	-
	F--	454	27	19	24	8	22	22	20	19	21	12	12	22	23	16	11	28	31	46	40	20	9	2
	Nonwhite--M--	221	15	16	5	19	15	15	16	12	13	18	10	18	8	11	12	7	3	3	2	2	1	-
	F--	132	14	13	16	4	5	1	5	4	4	4	5	5	9	2	10	10	5	8	4	2	2	-
E810-	Motor-vehicle																							
E835	accidents--------	776	8	23	36	19	89	109	59	69	66	51	45	46	40	36	27	24	17	9	3	-	-	-
	White-----M--	485	4	15	14	16	59	78	34	47	44	32	33	22	22	21	14	11	11	6	2	-	-	-
	F--	167	3	3	14	2	19	20	15	10	11	10	5	12	13	9	6	8	4	2	1	-	-	-
	Nonwhite--M--	85	1	3	1	1	7	10	6	9	11	7	6	9	2	5	3	3	1	-	-	-	-	-
	F--	39	-	2	7	-	4	1	4	3	-	2	1	3	3	1	4	2	1	1	-	-	-	-
E800-	All ot. accidents-	1,041	92	64	35	55	50	43	49	47	48	51	52	57	45	33	37	47	55	70	65	31	13	2
E802,	White-----M--	525	40	24	12	27	38	36	33	34	32	36	37	36	23	19	17	15	22	16	20	7	1	-
E840-	F--	287	24	16	10	6	3	2	5	9	10	2	7	10	10	7	5	20	27	44	39	20	9	2
E962	Nonwhite--M--	136	14	13	4	18	8	5	10	3	2	11	4	9	6	6	9	4	2	3	2	2	1	-
	F--	93	14	11	9	4	1	-	1	1	4	2	4	2	6	1	6	8	4	7	4	2	2	-
E963,	Suicide----------	296	-	-	-	3	2	8	20	18	15	41	36	33	28	23	24	21	13	8	2	1	-	-
E970-	White-----M--	222	-	-	-	3	-	6	15	9	9	32	27	25	22	18	17	16	12	8	2	1	-	-
E979	F--	57	-	-	-	-	2	2	5	6	4	5	6	7	6	5	5	3	1	-	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	3	2	4	3	1	-	-	2	2	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	275	-	3	1	-	6	26	34	50	45	39	15	19	8	10	10	6	1	1	-	1	-	-
E980-	White-----M--	95	-	-	1	-	1	9	9	19	9	13	6	7	3	7	6	3	1	-	-	1	-	-
E985	F--	25	-	1	-	-	2	2	1	2	8	4	2	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	127	-	2	-	-	3	10	21	25	23	18	5	11	2	2	2	2	-	1	-	-	-	-
	F--	28	-	-	-	-	-	5	3	4	5	4	2	-	3	-	2	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TEXAS																							
	ALL CAUSES------	72,744	7,398	1,224	529	457	724	952	973	1,193	1,531	2,018	3,065	4,081	5,216	6,254	7,669	8,155	8,061	6,866	4,335	1,474	539	30
	White-----M--	35,932	3,259	508	249	242	420	550	517	558	709	993	1,586	2,136	2,836	3,489	3,970	4,186	3,990	3,117	1,820	591	187	19
	F--	24,789	2,523	474	193	135	185	221	237	343	431	553	743	957	1,226	1,558	2,293	2,877	3,272	3,246	2,239	786	291	6
	Nonwhite--M--	6,706	898	127	44	48	79	111	143	165	186	248	370	559	632	706	830	612	465	263	151	40	26	3
	F--	5,317	718	115	43	32	40	70	76	127	205	224	366	429	522	501	576	480	334	240	125	57	35	2
001-019	Tuberculosis, all forms--------	793	9	19	4	5	6	19	23	41	35	41	89	67	75	83	92	82	54	39	6	3	1	-
	White-----M--	434	4	11	2	2	2	7	8	10	10	20	45	31	43	54	68	53	35	25	2	1	1	-
	F--	227	3	7	1	3	3	9	7	21	16	11	30	19	18	18	10	19	14	12	4	2	-	-
	Nonwhite--M--	89	1	-	1	-	-	1	3	2	4	8	10	16	11	9	13	8	2	-	-	-	-	-
	F--	43	1	1	-	-	1	2	5	8	5	2	4	1	3	2	1	2	3	2	-	-	-	-
001-008	Tuberculosis of respiratory system----------	742	6	8	1	5	6	17	22	37	33	38	86	65	71	81	90	78	52	36	6	3	1	-
	White-----M--	411	3	4	1	2	2	5	7	10	9	18	44	31	41	53	67	51	35	24	2	1	1	-
	F--	210	2	3	-	3	3	9	7	19	16	10	29	18	17	17	9	18	14	10	4	2	-	-
	Nonwhite--M--	83	-	-	-	-	-	1	3	2	4	8	9	15	11	9	13	7	1	-	-	-	-	-
	F--	38	1	1	-	-	1	2	5	6	4	2	4	1	2	2	1	2	2	2	-	-	-	-
010-019	Tuberculosis, other forms------	51	3	11	3	-	-	2	1	4	2	3	3	2	4	2	2	4	2	3	-	-	-	-
	White-----M--	23	1	7	1	-	-	2	1	-	1	2	1	-	2	1	1	2	-	1	-	-	-	-
	F--	17	1	4	1	-	-	-	-	2	-	1	1	1	1	1	1	1	-	2	-	-	-	-
	Nonwhite--M--	6	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae---------	270	7	-	-	-	-	2	3	2	2	6	18	33	30	50	35	39	30	9	4	-	-	-
	White-----M--	116	1	-	-	-	-	2	1	-	1	-	5	12	16	22	15	21	14	5	1	-	-	-
	F--	39	5	-	-	-	-	-	1	1	-	2	3	3	3	3	4	5	6	1	2	-	-	-
	Nonwhite--M--	83	1	-	-	-	-	-	1	1	1	2	7	15	6	21	12	7	7	1	1	-	-	-
	F--	32	-	-	-	-	-	-	-	-	-	2	3	3	5	4	4	6	3	2	-	-	-	-
040	Typhoid fever-----	7	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
045-048	Dysentery, all forms--------	112	81	9	2	-	-	4	1	-	1	-	2	-	3	-	2	3	2	2	-	-	-	-
	White-----M--	51	34	4	2	-	-	4	1	-	-	-	1	-	-	-	-	3	1	1	-	-	-	-
	F--	40	34	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	12	8	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
	F--	9	5	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	15	3	2	3	-	-	-	-	-	-	-	1	1	2	-	1	1	1	-	-	-	-	-
	White-----M--	4	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	10	2	1	2	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	11	-	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	25	16	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	39	7	18	5	-	2	-	1	3	-	-	1	-	-	1	-	-	-	-	-	1	-	-
	White-----M--	14	4	8	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	20	3	9	3	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M--	3	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	38	3	9	4	7	3	2	2	5	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	15	2	3	1	3	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	1	4	3	4	1	2	-	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	31	6	20	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	11	3	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	17	2	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	White-----M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
110-117	Malaria----------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	324	77	34	19	11	5	12	7	10	10	16	19	21	14	17	16	8	9	11	5	2	1	-
	White-----M--	122	21	14	7	5	2	5	1	4	1	7	8	14	5	7	10	3	2	4	1	1	-	-
	F--	119	27	13	6	5	1	3	3	5	5	5	5	1	6	6	4	5	7	7	3	1	1	-
	Nonwhite--M--	43	16	4	6	-	1	-	1	-	2	2	1	2	2	3	2	-	-	-	1	-	-	-
	F--	40	13	3	-	1	1	4	2	1	2	2	5	4	1	1	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TEXAS—Continued																							
140-205	Malignant neoplasms, etc.*----	10,442	13	98	56	56	52	60	98	157	257	431	671	946	1,127	1,283	1,515	1,271	1,131	761	347	89	19	4
	White-----M--	4,934	7	47	30	20	26	25	52	59	81	140	275	364	524	642	751	674	611	393	169	36	5	3
	F--	4,161	6	42	22	25	21	26	43	81	126	219	280	406	412	453	527	473	447	331	161	45	14	1
	Nonwhite--M--	719	-	5	2	5	3	5	-	5	16	29	43	89	107	120	135	69	51	24	9	2	-	-
	F--	628	-	4	2	6	2	4	3	12	34	43	73	87	84	68	102	55	22	13	8	6	-	-
140-148	Of buccal cavity and pharynx------	253	-	-	-	-	-	3	-	1	3	10	21	24	27	28	38	30	35	14	12	5	2	-
	White-----M--	161	-	-	-	-	-	2	-	1	1	6	12	15	20	17	27	22	22	6	7	3	-	-
	F--	62	-	-	-	-	-	1	-	-	-	2	5	4	4	7	6	7	10	8	5	1	2	-
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	2	2	2	3	2	4	5	-	2	-	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	1	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	3,253	2	1	-	1	4	6	10	25	34	111	125	248	306	408	557	480	444	304	142	38	4	3
	White-----M--	1,571	1	-	-	-	-	3	5	13	18	48	66	107	136	208	277	231	234	145	61	15	1	2
	F--	1,251	1	1	-	-	2	1	5	8	10	41	38	87	106	131	183	207	187	143	76	20	3	1
	Nonwhite--M--	256	-	-	-	1	1	1	-	4	5	7	9	32	40	45	56	24	18	10	3	-	-	-
	F--	175	-	-	-	-	1	1	-	-	1	15	12	22	24	24	41	18	5	6	2	3	-	-
160-164	Of respiratory system (not secondary)-------	1,472	-	-	-	1	2	2	4	12	25	45	136	166	227	245	226	184	114	59	19	4	-	1
	White-----M--	1,102	-	-	-	1	1	-	2	9	18	30	98	115	176	200	175	140	82	40	13	1	-	1
	F--	204	-	-	-	-	1	-	2	3	5	10	16	24	24	15	22	33	27	15	5	2	-	-
	Nonwhite--M--	142	-	-	-	-	-	1	-	-	1	5	20	22	24	26	24	9	4	4	1	1	-	-
	F--	24	-	-	-	-	-	1	-	-	1	-	2	5	3	4	5	2	1	-	-	-	-	-
170	Of breast---------	847	-	-	-	1	-	-	6	23	40	71	108	114	119	91	93	62	53	43	15	6	2	-
	White-----M--	7	-	-	-	-	-	-	-	-	1	-	-	2	-	-	3	-	-	1	-	-	-	-
	F--	742	-	-	-	-	-	-	6	20	29	62	94	101	103	84	78	55	48	40	14	6	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	F--	95	-	-	-	1	-	-	-	3	10	9	14	11	14	7	11	7	5	2	1	-	-	-
171-179	Of genital organs-	1,759	-	2	1	1	4	5	23	23	54	81	119	186	153	179	261	214	217	141	75	17	3	-
	White-----M--	581	-	1	-	-	2	1	8	3	1	4	7	14	19	46	83	110	121	101	49	11	-	-
	F--	869	-	1	1	1	2	3	15	16	36	63	82	126	98	99	125	69	71	33	21	4	3	-
	Nonwhite--M--	126	-	-	-	-	-	-	-	-	1	1	3	10	15	20	29	22	18	5	2	-	-	-
	F--	183	-	-	-	-	-	1	-	4	16	13	27	36	21	14	24	13	7	2	3	2	-	-
180, 181	Of urinary organs-	443	-	12	4	2	1	-	2	2	8	12	18	40	40	48	63	62	58	51	13	6	1	-
	White-----M--	254	-	7	1	1	-	-	-	1	5	6	11	19	25	31	41	39	31	26	6	3	1	-
	F--	131	-	4	2	-	1	-	2	1	2	3	2	7	8	10	12	20	26	22	6	3	-	-
	Nonwhite--M--	42	-	-	1	1	-	-	-	-	1	1	3	11	5	5	8	2	-	3	1	-	-	-
	F--	16	-	1	-	-	-	-	-	-	-	2	2	3	2	2	2	1	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,329	2	30	18	26	18	20	26	35	48	55	91	108	150	170	140	120	114	86	54	11	7	-
	White-----M--	662	1	12	9	10	8	7	16	19	14	21	47	60	88	83	73	64	64	35	26	2	3	-
	F--	526	1	14	6	11	9	12	9	14	27	25	32	37	42	64	51	43	41	50	26	8	4	-
	Nonwhite--M--	63	-	2	1	3	1	-	-	-	3	6	2	6	10	10	4	6	7	1	1	-	-	-
	F--	78	-	2	2	2	-	1	1	2	4	3	10	5	10	13	12	7	2	-	1	1	-	-
204	Leukemia and aleukemia--------	574	7	49	25	21	11	13	15	20	21	18	24	18	51	47	69	52	57	46	8	2	-	-
	White-----M--	324	4	25	14	6	5	9	13	7	13	9	19	8	25	26	38	35	35	29	3	1	-	-
	F--	201	3	20	11	13	6	3	2	11	7	5	3	5	15	19	23	15	21	14	4	1	-	-
	Nonwhite--M--	26	-	3	-	-	-	1	-	-	1	3	1	3	6	1	4	1	1	-	1	-	-	-
	F--	23	-	1	-	2	-	-	-	2	-	1	1	2	5	1	4	1	-	3	-	-	-	-
200-203, 205	Lymphomas, etc.*--	512	2	4	8	3	12	11	12	16	24	28	29	42	54	67	68	67	39	17	9	-	-	-
	White-----M--	272	1	2	6	2	10	3	8	6	10	16	15	24	35	31	34	33	22	10	4	-	-	-
	F--	175	1	2	2	-	-	6	2	8	10	8	8	15	12	24	27	24	16	6	4	-	-	-
	Nonwhite--M--	38	-	-	-	-	1	2	-	1	2	4	3	2	3	9	4	5	1	1	-	-	-	-
	F--	27	-	-	-	1	1	-	2	1	2	-	3	1	4	3	3	5	-	-	1	-	-	-
210-239	Benign and unspecified neoplasms--	198	7	7	7	2	6	5	8	10	17	16	17	17	13	18	11	9	10	10	5	2	1	-
	White-----M--	67	4	3	3	2	2	1	2	3	4	2	3	8	5	7	6	2	5	1	3	1	-	-
	F--	91	2	3	3	-	4	1	3	5	4	9	10	6	6	8	5	5	5	8	2	1	1	-
	Nonwhite--M--	5	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	F--	35	1	1	1	-	-	2	3	2	9	4	3	2	2	2	-	2	-	1	-	-	-	-
260	Diabetes mellitus-	1,021	-	-	6	6	5	10	18	13	20	30	36	53	91	130	158	177	133	83	40	12	-	-
	White-----M--	363	-	-	3	1	2	3	9	4	10	15	8	18	18	47	54	62	53	33	19	4	-	-
	F--	487	-	-	3	5	1	5	7	3	7	6	9	19	42	59	78	97	73	47	18	8	-	-
	Nonwhite--M--	53	-	-	-	-	-	-	1	4	-	2	6	2	12	6	10	5	2	1	2	-	-	-
	F--	118	-	-	-	-	2	2	1	2	3	7	13	14	19	18	16	13	5	2	1	-	-	-
290-293	Anemias----------	146	21	17	4	2	1	1	3	7	5	3	4	-	5	7	11	9	13	18	10	3	2	-
	White-----M--	51	5	3	-	1	1	-	-	-	1	1	2	-	3	2	5	6	6	7	6	1	1	-
	F--	57	6	8	1	-	-	-	1	3	1	1	-	-	2	4	6	3	5	10	3	2	1	-
	Nonwhite--M--	20	5	4	1	1	-	1	1	4	-	-	1	-	-	-	-	-	2	-	-	-	-	-
	F--	18	5	2	2	-	-	-	1	-	3	1	1	-	-	1	-	-	-	1	1	-	-	-
340	Nonmeningococcal meningitis*------	112	50	21	5	4	3	2	-	2	2	4	2	3	2	4	3	1	4	-	-	-	-	-
	White-----M--	43	17	9	3	1	1	-	-	1	1	3	1	-	1	1	2	-	2	-	-	-	-	-
	F--	36	16	8	-	2	-	-	-	1	1	1	-	1	1	1	1	1	2	-	-	-	-	-
	Nonwhite--M--	21	9	3	1	-	2	1	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-
	F--	12	8	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	35,475	47	26	28	36	57	78	100	207	406	673	1,289	1,987	2,784	3,503	4,503	5,275	5,331	4,710	3,033	1,036	356	10
	White-----M--	17,721	16	11	8	13	27	35	47	88	201	371	740	1,128	1,575	2,035	2,320	2,688	2,554	2,079	1,241	417	122	5
	F--	12,141	20	8	12	13	23	29	28	55	84	102	186	303	525	744	1,311	1,845	2,228	2,280	1,594	556	192	3
	Nonwhite--M--	2,958	8	6	3	3	2	6	10	26	47	94	164	303	357	401	516	409	289	177	99	23	14	1
	F--	2,655	3	1	5	7	5	8	15	38	74	106	199	253	327	323	356	333	260	174	99	40	28	1
330-334, 400-468	Diseases of cardiovascular system-	34,651	43	25	23	29	45	67	83	181	381	639	1,245	1,938	2,724	3,432	4,410	5,184	5,245	4,625	2,965	1,013	344	10
	White-----M--	17,390	15	10	7	11	23	29	34	76	188	355	718	1,111	1,557	2,008	2,279	2,652	2,522	2,040	1,221	411	118	5
	F--	11,868	17	8	9	11	15	26	25	48	77	93	178	294	506	720	1,287	1,818	2,198	2,246	1,559	543	187	3
	Nonwhite--M--	2,852	8	6	3	2	2	5	10	22	46	89	159	289	347	391	504	394	276	173	92	21	12	1
	F--	2,541	3	1	4	5	5	7	14	35	70	102	190	244	314	313	340	320	249	166	93	38	27	1
330-334	Vascular lesions, etc.*----------	8,301	18	8	14	8	10	22	22	36	75	113	187	351	475	669	993	1,312	1,393	1,320	890	288	96	1
	White-----M--	3,349	5	4	6	5	5	8	9	21	19	34	67	113	188	283	386	554	578	565	366	98	35	-
	F--	3,400	10	3	7	2	5	7	6	7	24	29	46	86	114	198	349	521	660	652	464	163	47	-
	Nonwhite--M--	753	2	1	1	-	-	4	1	2	14	15	30	80	76	91	144	125	79	52	26	5	5	-
	F--	799	1	-	-	1	-	3	6	6	18	35	44	72	97	97	114	112	76	51	34	22	9	1

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TEXAS--Continued																							
400-402	Rheumatic fever---	34	-	-	4	6	-	1	1	2	2	1	3	2	5	2	1	1	1	-	1	1	-	-
	White-----M--	12	-	-	-	3	-	-	1	1	2	-	2	-	2	1	-	-	-	-	-	-	-	-
	F--	13	-	-	1	1	-	1	-	1	-	1	-	1	2	-	1	1	1	-	1	1	-	-
	Nonwhite--M--	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	3	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	23,988	23	14	3	15	33	36	49	122	273	473	988	1,510	2,113	2,618	3,179	3,573	3,508	2,914	1,768	571	196	9
	White-----M--	12,979	8	5	-	3	18	18	20	51	162	304	627	960	1,311	1,647	1,773	1,949	1,785	1,301	722	242	68	5
	F--	7,542	7	4	1	8	8	15	14	36	42	53	117	197	355	491	869	1,193	1,387	1,401	933	303	105	3
	Nonwhite--M--	1,913	6	4	1	1	2	1	9	14	28	63	116	194	251	280	331	240	179	111	59	15	7	1
	F--	1,554	2	1	1	3	5	2	6	21	41	53	128	159	196	200	206	191	157	101	54	11	16	-
410-416	Chronic rheumatic heart disease----	473	-	1	-	8	21	10	12	31	37	25	42	41	56	47	48	41	21	12	14	5	1	-
	White-----M--	231	-	1	-	1	10	2	5	9	18	14	24	26	27	22	24	22	11	7	5	3	-	-
	F--	196	-	-	-	4	6	8	4	18	15	10	13	14	24	18	21	17	9	4	8	2	1	-
	Nonwhite--M--	18	-	-	-	-	1	-	2	3	-	1	2	-	2	4	1	1	1	-	-	-	-	-
	F--	28	-	-	-	3	4	-	1	1	4	-	3	1	3	3	2	1	-	1	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	16,900	3	1	1	-	6	8	19	60	162	350	747	1,142	1,611	2,008	2,338	2,544	2,428	1,925	1,077	356	109	5
	White-----M--	10,013	3	-	-	-	5	6	11	35	119	255	542	820	1,090	1,366	1,409	1,472	1,308	890	471	170	37	4
	F--	4,995	-	-	1	-	1	1	3	10	11	34	75	129	262	358	628	841	937	916	552	177	58	1
	Nonwhite--M--	1,086	-	-	-	-	-	-	3	7	14	38	81	111	154	176	191	130	100	60	32	4	5	-
	F--	806	-	1	-	-	-	1	2	8	18	23	69	82	105	108	110	101	83	59	22	5	9	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,082	4	5	1	2	3	5	4	8	10	10	23	63	87	135	215	288	388	386	295	103	46	1
	White-----M--	876	1	1	-	1	2	4	1	1	4	4	11	23	36	59	79	137	177	176	106	35	18	-
	F--	859	1	2	-	1	-	1	1	3	4	1	3	14	15	27	80	102	163	183	171	63	23	1
	Nonwhite--M--	181	2	2	1	-	-	-	1	1	-	2	6	16	15	28	32	22	25	17	7	3	1	-
	F--	166	-	-	-	-	1	-	1	3	2	3	3	10	21	21	24	27	23	10	11	2	4	-
430-434	Other diseases of heart---------	1,894	16	7	1	5	2	11	11	16	35	41	77	113	171	180	257	278	249	204	147	51	20	2
	White-----M--	957	4	3	-	1	-	5	3	4	15	24	37	50	92	105	138	156	127	103	60	23	7	-
	F--	506	6	2	-	3	1	5	5	5	8	3	7	19	23	32	49	63	88	78	71	25	12	1
	Nonwhite--M--	261	4	2	-	1	1	-	2	1	6	7	17	24	35	26	48	38	20	16	10	2	-	1
	F--	170	2	-	1	-	-	1	1	6	6	7	16	20	21	17	22	21	14	7	6	1	1	-
440-443	Hypertension with heart dis.--	2,639	-	-	-	-	1	2	3	7	29	47	99	151	188	248	321	422	422	387	235	56	20	1
	White-----M--	902	-	-	-	-	1	1	-	2	6	7	13	41	66	95	123	162	162	125	80	11	6	1
	F--	986	-	-	-	-	-	-	1	-	4	5	19	21	31	56	91	170	190	220	131	36	11	-
	Nonwhite--M--	367	-	-	-	-	-	1	1	2	8	15	30	43	45	46	59	49	33	18	10	6	1	-
	F--	384	-	-	-	-	-	-	1	3	11	20	37	46	46	51	48	41	37	24	14	3	2	-
444-447	Hypertension without mention of heart----------	574	-	-	-	-	-	1	3	5	14	23	35	26	43	34	72	73	84	84	52	20	5	-
	White-----M--	205	-	-	-	-	-	1	1	-	2	6	8	7	9	13	23	31	38	31	23	8	4	-
	F--	204	-	-	-	-	-	-	-	1	3	3	4	2	13	8	26	28	37	45	24	10	-	-
	Nonwhite--M--	79	-	-	-	-	-	-	-	1	3	4	11	10	10	6	15	8	6	2	2	1	-	-
	F--	86	-	-	-	-	-	-	2	3	6	10	12	7	11	7	8	6	3	6	3	1	1	-
450	General arteriosclerosis--------	1,152	-	-	-	-	-	-	-	1	-	3	8	14	20	38	81	145	190	258	223	125	46	-
	White-----M--	512	-	-	-	-	-	-	-	-	-	1	4	9	6	18	38	71	81	119	95	59	11	-
	F--	531	-	-	-	-	-	-	-	1	-	1	1	2	6	11	26	48	89	129	121	62	34	-
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	-	1	-	-	2	4	9	17	10	6	5	-	-	-
	F--	55	-	-	-	-	-	-	-	-	-	-	3	3	6	5	8	9	10	4	2	4	1	-
451-468	Other diseases of circulatory sys.-	602	2	3	2	-	2	7	8	15	17	26	24	35	68	71	84	80	69	49	31	8	1	-
	White-----M--	333	2	1	1	-	-	2	3	3	3	10	10	22	41	46	59	47	40	24	15	4	-	-
	F--	178	-	1	-	-	2	3	5	2	8	6	10	6	16	12	16	27	24	19	16	4	1	-
	Nonwhite--M--	51	-	1	1	-	-	-	-	5	1	6	2	4	8	10	5	4	2	2	-	-	-	-
	F--	40	-	-	-	-	-	2	-	5	5	4	2	3	3	3	4	2	3	4	-	-	-	-
592-594	Chronic nephritis, etc.*----------	824	4	1	5	7	12	11	17	26	25	34	44	49	60	71	93	91	86	85	68	23	12	-
	White-----M--	331	1	1	1	2	4	6	13	12	13	16	22	17	18	27	41	36	32	39	20	6	4	-
	F--	273	3	-	3	2	8	3	3	7	7	9	8	9	19	24	24	27	30	34	35	13	5	-
	Nonwhite--M--	106	-	-	-	1	-	1	-	4	1	5	5	14	10	10	12	15	13	4	7	2	2	-
	F--	114	-	-	1	2	-	1	1	3	4	4	9	9	13	10	16	13	11	8	6	2	1	-
480-493	Influenza and pneumonia, etc.*-	3,033	669	212	40	21	20	32	25	31	49	58	86	88	117	173	207	231	316	295	222	88	51	2
	White-----M--	1,273	239	75	13	5	6	13	5	8	21	19	33	38	56	85	101	113	157	124	103	38	20	1
	F--	1,069	216	87	13	7	10	12	11	11	11	14	23	16	22	40	58	72	125	143	107	44	26	1
	Nonwhite--M--	385	114	23	8	5	2	3	4	3	11	14	21	21	24	25	26	29	25	14	6	4	3	-
	F--	306	100	27	6	4	2	4	5	9	6	11	9	13	15	23	22	17	9	14	6	2	2	-
480-483	Influenza---------	459	62	19	8	9	6	5	9	3	13	11	17	15	26	43	42	37	57	29	24	14	9	1
	White-----M--	180	20	9	3	3	3	1	1	1	5	6	4	5	9	19	18	17	29	10	8	4	4	1
	F--	156	15	7	2	3	2	3	7	1	5	3	5	1	3	12	15	10	21	15	12	9	5	-
	Nonwhite--M--	67	14	1	3	2	1	-	1	1	1	-	5	5	7	6	4	6	6	3	1	-	-	-
	F--	56	13	2	-	1	-	1	-	-	2	2	3	4	7	6	5	4	1	1	3	1	-	-
490-493	Pneumonia, etc.*--	2,574	607	193	32	12	14	27	16	28	36	47	69	73	91	130	165	194	259	266	198	74	42	1
	White-----M--	1,093	219	66	10	2	3	12	4	7	16	13	29	33	47	66	83	96	128	114	95	34	16	-
	F--	913	201	80	11	4	8	9	4	10	6	11	18	15	19	28	43	62	104	128	95	35	21	1
	Nonwhite--M--	318	100	22	5	3	1	3	3	2	10	14	16	16	17	19	22	23	19	11	5	4	3	-
	F--	250	87	25	6	3	2	3	5	9	4	9	6	9	8	17	17	13	8	13	3	1	2	-
500-502	Bronchitis--------	150	31	19	3	-	-	1	-	-	1	1	3	4	4	10	15	20	13	12	10	3	-	-
	White-----M--	87	18	7	1	-	-	1	-	-	-	-	2	3	3	9	11	11	7	7	7	-	-	-
	F--	47	8	7	1	-	-	-	-	-	1	-	-	1	-	-	4	8	6	5	3	3	-	-
	Nonwhite--M--	13	4	3	1	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-
	F--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	400	10	1	-	-	-	2	4	6	5	19	17	38	41	49	60	54	39	36	15	2	1	1
	White-----M--	286	2	-	-	-	-	-	2	3	3	15	10	29	28	38	52	41	29	26	5	1	1	1
	F--	77	6	1	-	-	-	2	1	-	2	2	4	5	5	6	4	12	8	9	9	1	-	-
	Nonwhite--M--	30	2	-	-	-	-	-	1	3	-	2	2	4	7	4	2	1	1	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	1	-	-	-	-
550-553	Appendicitis------	95	1	4	9	4	3	2	4	3	1	3	6	5	6	10	8	8	10	5	2	-	1	-
	White-----M--	45	-	2	5	3	-	1	-	-	1	2	5	3	1	5	4	5	5	2	1	-	-	-
	F--	33	1	2	4	-	3	1	1	1	-	-	1	-	2	4	3	2	5	2	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	2	1	-	1	-	-	1	1	1	1	-	1	-	-	-	-
	F--	8	-	-	-	1	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	1	-
560, 561, 570	Hernia, intestinal obstruction--	397	55	7	2	1	-	3	2	4	4	13	14	18	26	35	41	37	57	42	29	6	1	-
	White-----M--	166	29	7	2	1	-	-	1	3	1	3	4	8	5	10	18	20	22	14	14	3	1	-
	F--	161	18	-	-	-	-	2	1	-	2	6	5	3	5	20	13	14	30	26	13	3	-	-
	Nonwhite--M--	37	4	-	-	-	-	1	-	1	-	1	3	3	7	1	6	2	4	2	2	-	-	-
	F--	33	4	-	-	-	-	-	-	-	1	3	2	4	9	4	4	1	1	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	TEXAS—Continued																							
543,	Gastritis, etc.*--	794	522	64	6	-	4	4	1	2	9	5	10	10	9	17	21	23	31	30	20	2	4	-
571,	White-----M--	327	214	29	4	-	2	3	1	1	1	2	4	3	7	8	9	9	10	11	8	1	-	-
572	F--	314	196	27	2	-	1	1	-	1	6	1	2	4	2	3	9	9	17	17	12	1	3	-
	Nonwhite--M--	80	61	6	-	-	-	-	-	-	-	-	2	1	-	3	-	2	3	2	-	-	-	-
	F--	73	51	2	-	-	1	-	-	-	2	2	2	2	-	3	3	3	1	-	-	-	1	-
581	Cirrhosis of liver	662	4	1	-	1	2	3	12	21	37	48	91	94	88	66	71	48	30	26	14	4	1	-
	White-----M--	379	3	-	-	1	1	1	3	6	16	27	56	52	58	39	45	29	19	16	5	2	-	-
	F--	216	1	-	-	-	1	2	4	11	14	16	27	33	19	22	21	17	8	10	8	1	1	-
	Nonwhite--M--	42	-	1	-	-	-	-	2	4	2	2	5	9	6	3	4	1	2	-	1	-	-	-
	F--	25	-	-	-	-	-	-	3	-	5	3	3	-	5	2	1	1	1	-	-	1	-	-
590,	Acute nephritis,																							
591	etc.*----------	140	1	11	9	4	3	7	2	2	6	6	6	9	8	8	8	15	16	8	10	-	1	-
	White-----M--	53	-	9	3	1	-	1	2	1	1	2	2	2	2	3	2	5	7	5	5	-	-	-
	F--	47	1	1	6	1	1	2	-	-	2	2	3	2	3	3	5	4	6	2	2	-	1	-
	Nonwhite--M--	17	-	1	-	1	-	-	-	-	-	2	-	1	1	1	1	4	3	1	1	-	-	-
	F--	23	-	-	-	1	2	4	-	1	3	-	1	4	2	1	-	2	-	-	2	-	-	-
610	Hyperplasia of																							
	prostate---------	270	-	-	-	-	-	-	-	-	-	-	1	-	7	15	31	52	48	58	45	13	-	-
	White-----M--	213	-	-	-	-	-	-	-	-	-	-	1	-	4	10	22	36	39	53	37	11	-	-
	Nonwhite--M--	57	-	-	-	-	-	-	-	-	-	-	-	-	3	5	9	16	9	5	8	2	-	-
640-	Complications of																							
689	pregnancy, etc.*-	116	...	...	...	1	11	17	19	34	26	7	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	72	...	...	...	-	4	12	15	21	15	4	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	44	...	...	...	1	7	5	4	13	11	3	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion--------	14	...	...	...	-	2	1	3	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	5	...	...	...	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	9	...	...	...	-	1	1	-	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	102	...	...	...	1	9	16	16	29	23	7	-	1	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	67	...	...	...	-	3	12	12	20	15	4	-	1	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	35	...	...	...	1	6	4	4	9	8	3	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	1,178	859	127	37	21	14	15	13	8	8	10	9	15	14	7	12	4	1	3	-	-	-	1
	White-----M--	532	385	53	15	12	6	6	6	3	6	5	5	9	6	5	7	2	-	1	-	-	-	-
	F--	500	376	52	15	6	7	7	6	4	1	3	2	5	5	1	5	1	1	2	-	-	-	1
	Nonwhite--M--	82	53	11	4	2	1	1	1	1	1	1	-	1	3	1	-	1	-	-	-	-	-	-
	F--	64	45	11	3	1	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	4,171	4,171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1,937	1,937	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,347	1,347	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	484	484	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	403	403	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	1,646	1,646	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	831	831	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	531	531	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn---------	415	415	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	158	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*	2,110	2,110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	948	948	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	680	680	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	265	265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	217	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	1,359	119	18	6	2	4	8	4	17	24	25	43	61	87	82	122	133	158	155	148	84	54	5
795	White-----M--	615	53	5	3	1	1	2	-	5	11	12	21	42	49	45	60	64	75	62	51	29	19	5
	F--	432	36	9	1	1	3	1	1	5	5	5	8	6	12	12	26	36	46	67	79	47	26	-
	Nonwhite--M--	185	25	2	-	-	-	4	3	4	3	4	8	7	14	13	20	18	26	12	13	3	6	-
	F--	127	5	2	2	-	-	1	-	3	5	4	6	6	12	12	16	15	11	14	5	5	3	-
Re—	All other diseases	3,925	343	115	60	35	42	61	57	84	113	136	201	218	270	333	459	424	381	317	186	64	23	3
sid-	White-----M--	1,936	160	51	29	13	19	26	17	28	39	59	91	122	155	191	247	216	206	153	80	24	8	2
ual	F--	1,371	98	43	24	14	16	24	23	33	44	50	62	54	66	81	143	164	139	144	101	34	14	-
	Nonwhite--M--	366	58	12	1	4	4	8	6	10	17	14	22	27	27	41	41	25	25	15	3	4	1	1
	F--	252	27	9	6	4	3	3	11	13	13	13	26	15	22	20	28	19	11	5	2	2	-	-
E800-	Accidents---------	5,586	258	342	200	224	418	480	415	360	344	322	301	291	282	259	207	191	206	225	178	58	21	4
E962	White-----M--	3,366	96	144	108	148	288	365	293	256	232	216	201	187	191	157	117	96	102	84	56	19	8	2
	F--	1,366	84	119	65	48	72	58	55	51	55	64	51	46	49	54	45	77	86	123	117	36	11	-
	Nonwhite--M--	584	40	38	15	23	48	41	54	41	40	33	39	40	32	34	28	10	12	7	4	2	2	1
	F--	270	38	41	12	5	10	16	13	12	17	9	10	18	10	14	17	8	6	11	1	1	-	1
E810-	Motor-vehicle																							
E835	accidents--------	2,587	32	113	94	82	248	304	250	211	208	185	144	156	143	136	90	77	58	36	15	2	-	3
	White-----M--	1,688	12	47	51	57	176	220	174	148	137	113	93	92	98	88	57	47	43	22	10	1	-	2
	F--	569	16	47	35	23	55	49	35	36	40	48	31	30	28	28	17	25	12	11	3	-	-	-
	Nonwhite--M--	242	2	9	5	1	13	25	31	21	21	18	15	26	13	16	14	5	2	2	2	1	-	-
	F--	88	2	10	3	1	4	10	10	6	10	6	5	8	4	4	2	-	1	1	-	-	-	1
E800-	All ot. accidents-	2,999	226	229	106	142	170	176	165	149	136	137	157	135	139	123	117	114	148	189	163	56	21	1
E802,	White-----M--	1,678	84	97	57	91	112	145	119	108	95	103	108	95	93	69	60	49	59	62	46	18	8	-
E840-	F--	797	68	72	30	25	17	9	20	15	15	16	20	16	21	26	28	52	74	112	114	36	11	-
E962	Nonwhite--M--	342	38	29	10	22	35	16	23	20	19	15	24	14	19	18	14	5	10	5	2	1	2	1
	F--	182	36	31	9	4	6	6	3	6	7	3	5	10	6	10	15	8	5	10	1	1	-	-
E963,	Suicide----------	742	-	-	-	6	13	42	42	60	66	75	80	69	83	77	48	31	30	11	6	2	1	-
E970-	White-----M--	524	-	-	7	6	7	19	26	35	38	51	55	50	67	60	40	24	26	11	6	2	1	-
E979	F--	186	-	-	-	-	6	18	15	20	23	21	22	18	14	13	7	5	4	-	-	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	4	1	2	5	3	3	1	2	4	1	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E964,	Homicide----------	660	7	7	3	7	50	80	109	104	82	69	47	31	28	15	10	7	4	-	-	-	-	-
E980-	White-----M--	231	1	1	2	3	25	30	39	37	28	20	7	13	13	5	3	2	2	-	-	-	-	-
E985	F--	67	1	1	-	-	6	4	10	5	6	9	7	3	5	3	3	3	1	-	-	-	-	-
	Nonwhite--M--	290	2	1	-	4	15	34	51	53	37	32	30	14	8	5	2	1	1	-	-	-	-	-
	F--	72	3	4	1	-	4	12	9	9	11	8	3	1	2	2	2	1	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
E999	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	UTAH																							
	ALL CAUSES------	5,764	562	117	46	52	67	71	93	68	114	143	212	289	365	446	535	718	667	592	381	184	41	1
	White-----M--	3,247	330	58	25	39	38	49	53	38	70	88	126	191	229	295	322	404	367	262	180	70	12	1
	F--	2,375	200	51	20	11	28	20	30	26	40	52	82	89	127	143	199	305	290	323	201	112	26	-
	Nonwhite--M--	81	15	4	-	1	-	1	5	2	2	2	4	3	4	3	9	8	9	5	-	1	3	-
	F--	61	17	4	1	1	1	1	5	2	2	1	-	6	5	5	5	1	1	2	-	1	-	-
001-019	Tuberculosis, all forms--------	21	1	1	-	-	-	1	-	-	1	1	1	2	2	3	2	2	1	2	1	-	-	-
	White-----M--	17	-	-	-	-	-	1	-	-	-	1	1	2	2	3	2	1	1	2	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	19	-	-	-	-	-	1	-	-	1	1	1	2	2	3	2	2	1	2	1	-	-	-
	White-----M--	17	-	-	-	-	-	1	-	-	-	1	1	2	2	3	2	1	1	2	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	2	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
060	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	28	7	6	1	2	-	-	1	-	-	1	2	1	2	1	2	2	-	-	-	-	-	-
	White-----M--	11	3	2	-	1	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-
	F--	14	2	3	1	1	-	-	1	-	-	1	2	-	-	-	1	2	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	UTAH—Continued																							
140-205	Malignant neoplasms, etc.*	773	2	14	7	6	5	6	2	9	14	31	35	63	81	84	94	121	90	68	29	10	1	1
	White----M--	397	1	8	3	5	5	3	-	5	5	13	9	32	38	33	53	73	46	38	21	5	-	1
	F--	362	1	6	4	1	-	3	2	4	9	18	26	28	41	50	38	47	40	30	8	5	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	4	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	16	-	-	-	-	-	-	-	1	-	1	1	4	1	-	-	3	3	1	1	-	-	-
	White----M--	10	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	2	1	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	244	-	-	-	-	-	1	-	2	2	11	9	19	17	25	37	45	35	26	8	6	1	-
	White----M--	135	-	-	-	-	-	1	-	2	1	5	1	13	7	12	21	29	18	18	4	3	-	-
	F--	103	-	-	-	-	-	-	-	-	1	6	8	6	8	13	14	16	15	8	4	3	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)	71	-	-	-	-	-	-	-	2	-	3	2	6	12	12	7	16	8	2	1	-	-	-
	White----M--	63	-	-	-	-	-	-	-	1	-	3	2	5	12	12	7	14	5	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
170	Of breast	72	-	-	-	-	-	-	-	2	2	4	6	6	10	12	7	7	7	6	2	1	-	-
	White----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F--	68	-	-	-	-	-	-	-	2	2	4	6	5	10	10	7	7	7	6	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
171-179	Of genital organs	123	-	-	-	-	-	-	1	-	5	3	6	9	13	18	12	19	10	17	9	-	-	1
	White----M--	51	-	-	-	-	-	-	-	-	1	1	1	1	2	2	7	9	7	11	8	-	-	1
	F--	70	-	-	-	-	-	-	1	-	4	2	5	6	11	16	5	10	3	6	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	44	-	2	1	-	-	-	-	-	-	-	1	3	4	4	10	4	9	3	2	1	-	-
	White----M--	25	-	-	-	-	-	-	-	-	-	-	-	2	4	2	6	2	5	2	2	-	-	-
	F--	18	-	2	1	-	-	-	-	-	-	-	1	1	-	2	3	2	4	1	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	124	2	9	4	3	-	2	1	2	4	5	7	11	18	8	10	13	10	8	5	2	-	-
	White----M--	63	1	6	2	2	-	1	-	1	2	3	3	6	9	2	6	6	5	3	3	2	-	-
	F--	60	1	3	2	1	-	1	1	1	2	2	4	5	9	6	4	7	4	5	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	39	-	2	2	3	4	2	-	-	-	-	2	1	3	3	3	7	4	2	1	-	-	-
	White----M--	27	-	2	1	3	4	1	-	-	-	-	1	-	1	-	2	7	3	1	1	-	-	-
	F--	12	-	-	1	-	-	1	-	-	-	-	1	1	2	3	1	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	40	-	1	-	-	1	1	-	-	1	4	1	4	3	2	8	7	4	3	-	-	-	-
	White----M--	21	-	-	-	-	1	-	-	-	1	1	-	3	2	2	4	4	2	1	-	-	-	-
	F--	19	-	1	-	-	-	1	-	-	-	3	1	1	1	-	4	3	2	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	16	1	1	-	1	-	1	-	-	-	-	1	2	1	2	4	1	1	-	-	-	-	-
	White----M--	7	1	-	-	1	-	1	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-
	F--	9	-	1	-	-	-	-	-	-	-	-	1	1	1	2	3	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	109	-	-	2	-	-	-	1	2	4	1	2	3	9	9	16	24	18	9	8	1	-	-
	White----M--	34	-	-	1	-	-	-	-	-	1	1	2	-	3	2	5	9	6	1	3	-	-	-
	F--	74	-	-	1	-	-	-	1	2	3	-	-	3	5	7	11	15	12	8	5	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
290-293	Anemias	16	-	1	-	-	-	-	1	-	1	-	1	1	1	1	1	5	2	-	-	1	-	-
	White----M--	9	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	3	1	-	-	1	-	-
	F--	7	-	1	-	-	-	-	1	-	-	-	1	-	-	1	-	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	9	2	3	-	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White----M--	4	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,685	1	6	2	7	6	8	14	8	32	44	81	121	169	237	288	416	441	406	255	122	21	-
	White----M--	1,474	1	5	-	4	2	3	5	4	24	25	60	87	112	166	176	226	244	170	109	44	7	-
	F--	1,169	-	1	2	2	4	5	8	3	7	19	20	31	52	67	103	186	192	231	146	76	14	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	1	-	1	2	2	-	4	4	4	3	-	1	-	-
	F--	20	-	-	-	1	-	-	1	1	-	-	-	1	3	4	5	-	1	2	-	1	-	-
330-334, 400-468	Diseases of cardiovascular system	2,646	1	5	-	7	5	5	11	7	31	43	80	117	168	235	283	412	436	405	253	121	21	-
	White----M--	1,457	1	4	-	4	2	2	5	3	24	24	59	85	112	164	172	224	243	170	108	44	7	-
	F--	1,147	-	1	-	2	3	3	5	3	6	19	20	29	51	67	102	184	188	230	145	75	14	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	1	-	1	2	2	-	4	4	4	3	-	1	-	-
	F--	20	-	-	-	1	-	-	1	1	-	-	-	1	3	4	5	-	1	2	-	1	-	-
330-334	Vascular lesions, etc.*	544	1	1	-	1	-	1	2	1	-	1	8	16	29	38	54	94	101	109	62	23	2	-
	White----M--	254	1	-	-	1	-	1	1	-	-	1	4	5	14	20	30	44	56	40	26	9	1	-
	F--	282	-	1	-	-	-	-	-	-	-	-	4	11	15	18	23	50	43	67	36	13	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	F--	5	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	UTAH—Continued																							
400-402	Rheumatic fever---	10	-	-	-	1	-	1	1	1	1	2	1	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	1,899	-	4	-	5	4	2	8	5	27	38	69	94	132	186	210	298	298	260	162	82	15	-
	White-----M--	1,102	-	4	-	3	2	1	3	3	21	21	54	75	93	133	128	171	173	113	72	28	4	-
	F--	765	-	-	-	2	2	1	5	2	5	17	14	16	34	49	74	123	122	144	90	54	11	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	1	-	1	2	2	-	4	4	3	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	-	-	2	-	-	-	-
410-416	Chronic rheumatic heart disease----	151	-	-	-	4	2	-	6	3	8	17	11	16	15	22	16	11	13	4	2	1	-	-
	White-----M--	68	-	-	-	2	1	-	2	1	4	6	4	10	4	9	8	6	8	1	2	-	-	-
	F--	82	-	-	-	2	1	-	4	2	3	11	7	6	11	13	8	5	5	3	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,231	-	-	-	-	-	-	1	2	18	18	51	67	93	136	147	189	196	168	89	47	9	-
	White-----M--	791	-	-	-	-	-	-	1	2	16	14	44	56	75	102	94	115	125	84	42	18	3	-
	F--	418	-	-	-	-	-	-	-	-	2	4	6	8	16	31	49	70	69	81	47	29	6	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	4	2	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	-	2	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	242	-	2	-	1	1	1	-	-	-	2	2	3	6	6	15	51	46	38	45	18	5	-
	White-----M--	113	-	2	-	1	-	1	-	-	-	-	1	3	5	4	9	29	20	11	20	6	1	-
	F--	128	-	-	-	-	1	-	-	-	-	2	1	-	1	2	5	22	26	27	25	12	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
430-434	Other diseases of heart---------	64	-	2	-	-	-	1	1	-	1	1	4	4	3	6	12	4	8	7	7	3	-	-
	White-----M--	39	-	2	-	-	-	-	-	-	1	1	4	3	3	6	8	2	6	-	2	1	-	-
	F--	24	-	-	-	-	-	1	1	-	-	-	-	1	-	-	3	2	2	7	5	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	211	-	-	-	-	1	-	-	-	-	-	1	4	15	16	20	43	35	43	19	13	1	-
	White-----M--	91	-	-	-	-	1	-	-	-	-	-	1	3	6	12	9	19	14	17	6	3	-	-
	F--	113	-	-	-	-	-	-	-	-	-	-	-	1	6	3	9	24	20	26	13	10	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	20	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	4	4	4	-	2	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	2	-	1	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	101	-	-	-	-	-	-	-	-	1	-	-	-	2	-	6	10	23	23	19	15	2	-
	White-----M--	41	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	4	8	11	5	7	1	-
	F--	59	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	15	12	14	7	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	72	-	-	-	-	1	1	-	-	2	2	2	6	3	9	11	9	10	9	6	1	-	-
	White-----M--	45	-	-	-	-	-	-	-	-	1	1	-	4	2	9	10	5	5	5	3	-	-	-
	F--	27	-	-	-	-	1	1	-	-	1	1	2	2	1	-	1	4	5	4	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	39	-	1	2	-	1	3	3	1	1	1	1	4	1	2	5	4	5	1	2	1	-	-
	White-----M--	17	-	1	-	-	-	1	-	1	-	1	1	2	-	2	4	2	1	-	1	-	-	-
	F--	22	-	-	2	-	1	2	3	-	1	-	-	2	1	-	1	2	4	1	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	218	33	12	3	6	2	6	7	3	1	2	6	7	10	10	24	22	12	16	16	15	5	-
	White-----M--	121	16	7	2	2	-	3	2	1	-	2	4	7	6	10	13	17	6	7	6	8	2	-
	F--	83	8	4	1	4	2	3	4	2	1	-	-	-	4	-	11	5	6	8	10	7	3	-
	Nonwhite--M--	6	2	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-
	F--	8	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	40	4	3	-	4	1	3	4	-	-	1	1	1	3	1	5	3	1	3	-	2	-	-
	White-----M--	23	3	1	-	1	-	1	2	-	-	1	-	1	1	1	4	3	-	3	-	1	-	-
	F--	13	-	1	-	3	1	2	1	-	-	-	-	-	2	-	1	-	1	-	-	1	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	178	29	9	3	2	1	3	3	3	1	1	5	6	7	9	19	19	11	13	16	13	5	-
	White-----M--	98	13	6	2	1	-	2	-	1	-	1	4	6	5	9	9	14	6	4	6	7	2	-
	F--	70	8	3	1	1	1	1	3	2	1	-	-	-	2	-	10	5	5	8	10	6	3	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	14	1	-	-	-	1	-	1	-	-	-	-	2	1	1	4	-	1	1	1	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	-	1	1	-	-	-	-
	F--	4	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	54	-	1	-	-	-	-	-	1	-	3	6	4	6	6	7	6	5	3	4	2	-	-
	White-----M--	39	-	-	-	-	-	-	-	-	-	2	5	3	5	5	5	3	5	2	3	1	-	-
	F--	14	-	1	-	-	-	-	-	1	-	1	1	1	1	-	2	3	-	1	1	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	7	-	1	1	1	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
	White-----M--	6	-	1	-	1	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	42	5	-	-	-	-	-	-	-	-	1	1	4	2	1	7	4	5	7	4	1	-	-
	White-----M--	14	4	-	-	-	-	-	-	-	-	-	-	2	1	-	4	1	1	1	-	-	-	-
	F--	28	1	-	-	-	-	-	-	-	-	1	1	2	1	1	3	3	4	6	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	UTAH—Continued																							
543,	Gastritis, etc.*--	21	5	4	-	-	-	-	-	-	-	-	2	1	1	-	2	1	3	-	1	-	1	-
571,	White-----M--	9	2	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	1	-	1	-	-	-
572	F--	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	59	-	-	-	-	-	-	-	-	2	6	7	10	13	6	6	3	4	1	1	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	-	1	4	5	5	10	4	5	2	2	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	1	2	2	4	3	2	1	1	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	9	2	2	-	-	1	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	White-----M--	7	2	-	-	-	1	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	1	1	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	8	...	...	...	-	1	2	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	7	...	...	...	-	1	2	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	3	...	...	...	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	5	...	...	...	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	5	...	...	...	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	137	104	15	3	-	2	-	-	-	2	1	2	3	2	3	-	-	-	-	-	-	-	-
	White-----M--	79	60	7	2	-	1	-	-	-	2	-	1	1	2	3	-	-	-	-	-	-	-	-
	F--	57	44	7	1	-	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	334	334	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	206	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	114	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	158	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn---------	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	194	8	1	-	1	-	-	2	-	1	2	6	6	13	21	14	16	20	33	23	21	6	-
795	White-----M--	105	1	-	-	1	-	-	2	-	-	1	4	4	9	19	9	9	10	16	12	7	1	-
	F--	77	5	-	-	-	-	-	-	-	1	1	2	2	3	1	4	6	9	16	11	14	2	-
	Nonwhite--M--	11	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	3	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	368	25	9	8	2	8	1	10	7	12	8	23	22	28	36	37	66	38	23	19	5	1	-
sid-	White-----M--	238	16	5	3	2	2	1	6	1	4	5	10	14	20	27	26	43	28	13	10	2	-	-
ual	F--	142	8	4	5	-	5	-	1	6	7	3	13	7	8	9	11	22	10	10	9	3	1	-
	Nonwhite--M--	5	1	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	510	51	35	18	26	39	45	44	23	33	28	22	27	20	17	18	22	18	18	16	5	5	-
E962	White-----M--	344	17	18	13	22	26	36	33	16	25	23	16	20	14	14	12	10	8	8	11	1	1	-
	F--	152	12	16	5	3	13	7	8	5	8	5	5	6	6	3	6	11	10	10	5	4	4	-
	Nonwhite--M--	9	2	-	-	1	-	1	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	5	-	1	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	207	5	8	5	13	23	33	22	9	18	12	12	8	7	10	8	7	6	1	-	-	-	-
	White-----M--	139	3	3	3	11	14	24	15	5	12	9	7	5	4	9	6	4	5	-	-	-	-	-
	F--	63	2	5	2	1	9	7	6	3	6	3	5	3	3	1	2	3	1	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	303	26	27	13	13	16	12	22	14	15	16	10	19	13	7	10	15	12	17	16	5	5	-
E802,	White-----M--	205	14	15	10	11	12	12	18	11	15	14	9	15	10	5	6	6	3	8	11	1	1	-
E840-	F--	89	10	11	3	2	4	-	2	2	2	2	-	3	3	2	4	8	9	9	5	4	4	-
E962	Nonwhite--M--	5	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	69	-	-	-	-	-	1	7	11	5	12	11	5	3	5	4	4	1	-	-	-	-	-
E970-	White-----M--	49	-	-	-	-	-	1	4	8	3	11	7	5	2	4	1	3	-	-	-	-	-	-
E979	F--	15	-	-	-	-	-	-	2	3	1	-	4	-	1	-	2	1	1	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	11	-	-	-	-	-	-	2	2	2	2	-	1	-	2	-	-	-	-	-	-	-	-
E980-	White-----M--	8	-	-	-	-	-	-	1	2	2	-	-	1	-	2	-	-	-	-	-	-	-	-
E985	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VERMONT																							
	ALL CAUSES------	4,407	241	52	21	15	32	32	27	43	63	72	131	174	247	333	457	583	614	628	421	164	53	4
	White-----M--	2,487	140	31	11	9	24	24	12	34	37	43	91	110	176	209	303	339	342	304	184	52	9	3
	F--	1,912	100	21	10	6	8	8	15	9	25	28	40	63	71	123	154	244	271	322	237	112	44	1
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
001-019	Tuberculosis, all forms--------	39	-	1	-	-	-	-	-	1	1	-	1	4	5	4	4	12	4	2	-	-	-	-
	White-----M--	30	-	-	-	-	-	-	-	-	1	-	-	3	5	3	4	10	3	1	-	-	-	-
	F--	9	-	1	-	-	-	-	-	1	-	-	1	1	-	1	-	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	37	-	-	-	-	-	-	-	1	1	-	1	4	5	4	4	11	4	2	-	-	-	-
	White-----M--	29	-	-	-	-	-	-	-	-	1	-	-	3	5	3	4	9	3	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	6	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	9	4	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-
	White-----M--	6	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VERMONT—Con.																							
140-205	Malignant neoplasms, etc.*	679	-	5	3	4	2	3	2	3	14	14	36	49	61	81	100	110	84	71	24	9	3	1
	White---M	371	-	3	1	3	1	1	-	2	6	4	22	20	38	43	61	67	49	38	9	2	-	1
	F	307	-	2	2	1	1	2	2	1	8	10	14	29	23	37	39	43	35	33	15	7	3	-
	Nonwhite---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-
	White---M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	227	-	-	-	-	-	-	-	1	2	4	9	10	20	20	33	43	34	33	12	3	2	1
	White---M	120	-	-	-	-	-	-	-	1	2	1	5	5	13	11	18	24	17	19	3	-	-	1
	F	107	-	-	-	-	-	-	-	-	-	3	4	5	7	9	15	19	17	14	9	3	2	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)	105	-	-	-	-	-	-	-	-	2	1	9	8	15	21	22	16	8	3	-	-	-	-
	White---M	96	-	-	-	-	-	-	-	-	2	1	8	7	15	20	21	13	7	2	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	1	1	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	58	-	-	-	-	-	-	2	-	3	2	3	8	5	6	11	7	4	4	-	3	-	-
	White---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	58	-	-	-	-	-	-	2	-	3	2	3	8	5	6	11	7	4	4	-	3	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	105	-	-	-	-	-	1	-	-	2	3	5	10	7	14	14	14	14	15	5	1	-	-
	White---M	45	-	-	-	-	-	1	-	-	-	-	-	2	1	1	7	8	12	8	4	1	-	-
	F	60	-	-	-	-	-	-	-	-	2	3	5	8	6	13	7	6	2	7	1	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	31	-	-	-	-	-	-	-	-	-	1	1	4	2	2	2	5	4	3	5	1	1	-
	White---M	20	-	-	-	-	-	-	-	-	-	1	1	3	2	1	1	5	3	1	2	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	3	1	1	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	84	-	4	-	1	-	2	-	1	3	2	5	7	4	11	12	13	9	7	2	1	-	-
	White---M	47	-	2	-	-	-	-	-	1	2	1	4	3	2	6	10	9	2	4	-	1	-	-
	F	37	-	2	-	1	-	2	-	-	1	1	1	4	2	5	2	4	7	3	2	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	28	-	1	3	2	2	-	-	-	1	1	-	-	1	4	1	6	5	1	-	-	-	-
	White---M	16	-	1	1	2	1	-	-	-	-	-	-	-	-	2	1	4	3	1	-	-	-	-
	F	11	-	-	2	-	1	-	-	-	1	1	-	-	1	1	-	2	2	-	-	-	-	-
	Nonwhite---M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	37	-	-	-	1	-	-	-	1	1	-	4	2	7	3	4	5	6	3	-	-	-	-
	White---M	24	-	-	-	1	-	-	-	-	-	-	4	-	5	2	2	3	5	2	-	-	-	-
	F	13	-	-	-	-	-	-	-	1	1	-	-	2	2	1	2	2	1	1	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	1	-	-	-
	White---M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	55	-	-	-	-	-	-	-	1	1	-	3	1	4	4	10	10	13	2	4	1	1	-
	White---M	21	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	4	7	-	-	1	-	-
	F	34	-	-	-	-	-	-	-	1	1	-	2	1	2	3	5	6	6	2	4	-	1	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-
	White---M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White---M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,483	-	2	2	1	2	-	4	8	12	22	51	69	119	171	261	370	424	478	322	125	38	2
	White---M	1,351	-	1	-	-	2	-	3	5	10	15	35	52	91	111	174	203	234	232	136	39	7	1
	F	1,129	-	1	2	1	-	-	1	3	2	7	16	16	28	60	87	167	189	245	186	86	31	1
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system	2,461	-	2	1	-	2	-	3	8	11	22	51	67	118	171	258	365	420	475	322	125	38	2
	White---M	1,342	-	1	-	-	2	-	2	5	10	15	35	50	91	111	174	201	232	230	136	39	7	1
	F	1,116	-	1	1	-	-	-	1	3	1	7	16	16	27	60	84	164	187	244	186	86	31	1
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
330-334	Vascular lesions, etc.*	561	-	1	-	-	1	-	-	1	-	3	8	10	8	33	42	100	106	128	89	22	8	1
	White---M	258	-	1	-	-	1	-	-	-	-	-	5	5	4	17	27	47	55	57	33	5	-	1
	F	303	-	-	-	-	-	-	-	1	-	3	3	5	4	16	15	53	51	71	56	17	8	-
	Nonwhite---M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VERMONT—Con.																							
400-402	Rheumatic fever---	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	1,714	-	1	1	-	1	-	2	7	11	18	42	53	105	133	199	242	293	302	195	84	24	1
	White-----M--	992	-	-	-	-	1	-	1	5	10	15	29	41	83	91	136	142	167	153	87	26	5	-
	F--	719	-	1	1	-	-	-	1	2	1	3	13	11	22	42	63	100	125	148	108	58	19	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
410-416	Chronic rheumatic heart disease----	48	-	-	-	-	1	-	2	1	2	4	4	4	8	3	5	5	3	3	2	1	-	-
	White-----M--	27	-	-	-	-	1	-	1	1	1	3	2	2	6	3	2	3	2	-	-	-	-	-
	F--	21	-	-	-	-	-	-	1	-	1	1	2	2	2	-	3	2	1	3	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,348	-	-	-	-	-	-	-	5	9	12	33	44	88	115	166	196	233	228	141	59	18	1
	White-----M--	819	-	-	-	-	-	-	-	4	9	11	25	35	71	82	121	117	140	123	59	19	3	-
	F--	528	-	-	-	-	-	-	-	1	-	1	8	8	17	33	45	79	93	105	82	40	15	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	157	-	1	-	-	-	-	-	1	-	1	-	1	2	3	7	18	25	41	33	20	4	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	10	11	19	20	6	1	-
	F--	79	-	1	-	-	-	-	-	1	-	1	-	-	-	-	3	8	13	22	13	14	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
430-434	Other diseases of heart---------	37	-	-	1	-	-	-	-	-	-	1	3	1	3	1	5	1	9	4	5	2	1	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	1	1	1	2	-	3	1	4	2	2	-	1	-
	F--	19	-	-	1	-	-	-	-	-	-	-	2	-	1	1	2	-	5	2	3	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	124	-	-	-	-	-	-	-	-	-	-	2	3	4	11	16	22	23	26	14	2	1	-
	White-----M--	51	-	-	-	-	-	-	-	-	-	-	1	2	2	3	6	11	10	9	6	1	-	-
	F--	72	-	-	-	-	-	-	-	-	-	-	1	1	2	8	10	11	13	16	8	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
444-447	Hypertension without mention of heart----------	23	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	2	2	4	3	4	1	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	2	3	3	-	-
	F--	11	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	2	-	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	130	-	-	-	-	-	-	-	-	-	-	1	-	-	-	9	13	14	40	33	15	5	-
	White-----M--	56	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	6	7	17	13	5	2	-
	F--	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	7	23	20	10	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	33	-	-	-	-	-	-	1	-	-	-	-	2	4	4	6	8	5	1	2	-	-	-
	White-----M--	24	-	-	-	-	-	-	1	-	-	-	-	2	3	3	5	6	3	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	22	-	-	1	1	-	-	1	-	1	-	-	2	1	-	3	5	4	3	-	-	-	-
	White-----M--	9	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	2	2	2	-	-	-	-
	F--	13	-	-	1	1	-	-	-	-	1	-	-	-	1	-	3	3	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	134	14	6	-	1	1	2	-	-	1	2	3	3	7	7	11	9	14	22	20	8	3	-
	White-----M--	73	5	3	-	1	1	1	-	-	1	2	2	2	6	6	6	8	7	8	9	4	1	-
	F--	61	9	3	-	-	-	1	-	-	-	-	1	1	1	1	5	1	7	14	11	4	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	20	1	-	-	-	-	2	-	-	-	1	1	1	1	1	3	-	-	2	6	1	-	-
	White-----M--	12	-	-	-	-	-	1	-	-	-	1	1	1	1	1	2	-	-	1	2	1	-	-
	F--	8	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	114	13	6	-	1	1	-	-	-	1	1	2	2	6	6	8	9	14	20	14	7	3	-
	White-----M--	61	5	3	-	1	1	-	-	-	1	1	1	1	5	5	4	8	7	7	7	3	1	-
	F--	53	8	3	-	-	-	-	-	-	-	-	1	1	1	1	4	1	7	13	7	4	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis---------	9	1	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	3	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-
	F--	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	38	-	-	-	-	-	-	-	1	-	1	2	1	3	5	7	6	6	3	3	-	-	-
	White-----M--	30	-	-	-	-	-	-	-	1	-	1	2	1	2	4	7	6	4	1	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	25	2	1	-	-	-	-	-	-	-	1	-	2	2	2	1	3	3	2	5	1	-	-
	White-----M--	11	1	1	-	-	-	-	-	-	-	-	-	2	1	2	-	1	1	-	2	-	-	-
	F--	14	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	2	2	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VERMONT—Con.																							
543,	Gastritis, etc.*--	25	4	-	-	-	-	-	-	1	1	3	1	1	2	3	1	4	1	-	1	1	1	-
571,	White-----M--	15	4	-	-	-	-	-	-	1	-	1	1	1	2	1	-	2	1	-	-	1	-	-
572	F--	10	-	-	-	-	-	-	-	-	1	2	-	-	-	2	1	2	-	-	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	30	-	1	-	-	-	-	-	-	3	4	1	3	5	4	3	2	2	1	1	-	-	-
	White-----M--	20	-	1	-	-	-	-	-	-	1	2	1	3	4	2	3	2	1	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	2	2	-	-	1	2	-	-	1	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	8	1	1	1	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-
	White-----M--	7	-	1	1	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	2	3	1	-	-
	White-----M--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	2	3	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	4	...	...	...	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	4	...	...	...	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	4	...	...	...	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	54	34	7	-	1	1	1	5	-	1	-	-	1	1	-	-	-	1	1	-	-	-	-
	White-----M--	27	19	4	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	27	15	3	-	1	1	-	4	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn---------	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	73	7	-	-	-	-	-	-	1	3	1	3	5	3	5	10	4	7	4	5	9	5	1
795	White-----M--	41	2	-	-	-	-	-	-	1	2	-	3	4	3	5	9	1	3	-	4	3	-	1
	F--	31	5	-	-	-	-	-	-	-	1	1	-	1	-	-	1	3	4	3	1	6	5	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	249	16	6	3	1	2	1	4	4	6	9	15	14	17	25	32	27	34	19	10	3	1	-
sid-	White-----M--	159	11	5	2	-	1	1	-	4	3	7	9	7	11	16	20	17	22	13	8	1	1	-
ual	F--	90	5	1	1	1	1	-	4	-	3	2	6	7	6	9	12	10	12	6	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	Accidents---------	238	5	15	12	7	22	23	10	16	14	8	9	8	7	11	8	13	15	10	19	5	1	-
E962	White-----M--	154	2	8	7	5	18	18	8	14	10	8	9	5	3	8	6	8	4	4	9	-	-	-
	F--	83	3	7	5	2	4	5	2	2	3	-	-	3	4	3	2	5	11	6	10	5	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	98	1	3	6	5	19	18	7	8	6	4	2	5	2	2	2	4	1	1	1	1	-	-
	White-----M--	72	1	-	3	3	15	13	6	6	6	4	2	3	-	2	2	3	1	1	1	-	-	-
	F--	26	-	3	3	2	4	5	1	2	-	-	-	2	2	-	-	1	-	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	140	4	12	6	2	3	5	3	8	8	4	7	3	5	9	6	9	14	9	18	4	1	-
E802,	White-----M--	82	1	8	4	2	3	5	2	8	4	4	7	2	3	6	4	5	3	3	8	-	-	-
E840-	F--	57	3	4	2	-	-	-	1	-	3	-	-	1	2	3	2	4	11	6	10	4	1	-
E962	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	51	-	-	-	-	1	2	1	4	3	6	4	11	8	2	1	3	1	4	-	-	-	-
E970-	White-----M--	40	-	-	-	-	1	2	-	4	3	3	4	9	5	1	1	3	1	3	-	-	-	-
E979	F--	11	-	-	-	-	-	-	1	-	-	3	-	2	3	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E985	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGINIA																							
	ALL CAUSES------	33,019	2,940	421	202	161	295	348	418	621	843	1,122	1,475	1,904	2,422	3,011	3,641	3,777	3,541	2,994	1,894	718	234	37
	White-----M--	13,837	1,062	141	84	76	146	166	178	266	331	488	658	877	1,129	1,354	1,575	1,616	1,481	1,202	728	223	54	2
	F--	10,034	690	114	57	44	49	53	73	115	171	234	313	383	484	691	975	1,261	1,473	1,387	945	382	128	12
	Nonwhite--M--	5,086	663	87	34	26	67	91	103	127	178	244	292	354	438	557	624	493	292	216	122	48	19	11
	F--	4,062	525	79	27	15	33	38	64	113	163	156	212	290	371	409	467	407	295	189	99	65	33	12
001-019	Tuberculosis, all forms-------	331	-	2	-	-	4	6	14	16	21	22	40	30	30	38	28	32	25	14	6	3	-	-
	White-----M--	126	-	-	-	-	-	-	3	2	3	7	15	14	14	15	13	15	13	10	2	-	-	-
	F--	58	-	-	-	-	1	2	4	3	5	5	3	4	3	2	6	8	7	1	2	2	-	-
	Nonwhite--M--	93	-	1	-	-	1	2	5	5	4	7	16	9	7	16	7	7	3	1	2	-	-	-
	F--	54	-	1	-	-	2	2	2	6	9	3	6	3	6	5	2	2	2	2	-	1	-	-
001-008	Tuberculosis of respiratory system----------	295	-	1	-	-	4	5	12	12	20	21	37	27	24	36	25	30	21	12	5	3	-	-
	White-----M--	115	-	-	-	-	-	-	2	2	3	7	14	14	12	15	11	13	11	9	2	-	-	-
	F--	51	-	-	-	-	1	1	4	1	5	5	2	3	3	2	5	8	6	1	2	2	-	-
	Nonwhite--M--	82	-	1	-	-	1	2	4	3	4	6	15	8	5	15	7	7	2	1	1	-	-	-
	F--	47	-	-	-	-	2	2	2	6	8	3	6	2	4	4	2	2	2	1	-	1	-	-
010-019	Tuberculosis, other forms------	36	-	1	-	-	-	1	2	4	1	1	3	3	6	2	3	2	4	2	1	-	-	-
	White-----M--	11	-	-	-	-	-	-	1	-	-	-	1	-	2	-	2	2	2	1	-	-	-	-
	F--	7	-	-	-	-	-	1	-	2	-	-	1	1	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	1	2	-	1	1	1	2	1	-	-	1	-	1	-	-	-
	F--	7	-	1	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	1	-	-	-	-
020-029	Syphilis and its sequelae---------	108	-	-	-	-	1	1	-	2	2	6	7	19	10	18	16	10	11	4	1	-	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	1	4	9	3	7	4	3	4	1	-	-	-	-
	F--	21	-	-	-	-	-	-	-	1	-	1	-	-	-	3	6	1	7	2	-	-	-	-
	Nonwhite--M--	34	-	-	-	-	1	1	-	-	1	3	2	7	4	6	5	3	-	1	-	-	-	-
	F--	17	-	-	-	-	-	-	-	1	1	1	1	3	3	2	1	3	-	-	1	-	-	-
040	Typhoid fever-----	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	12	6	-	1	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	Nonwhite--M--	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	9	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	24	6	11	3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-
	White-----M--	9	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	1	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	7	1	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
080	Acute poliomyelitis----------	6	1	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	102	13	12	3	5	2	1	2	6	4	4	5	12	7	4	7	5	6	2	2	-	-	-
	White-----M--	29	5	3	2	2	-	-	-	2	2	1	1	1	2	-	3	2	2	1	-	-	-	-
	F--	34	4	4	1	3	-	-	1	1	1	-	2	5	2	2	1	1	3	1	2	-	-	-
	Nonwhite--M--	22	3	3	-	-	2	1	1	1	-	3	1	2	-	1	2	1	1	-	-	-	-	-
	F--	17	1	2	-	-	-	-	-	2	1	-	1	4	3	1	1	1	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGINIA—Con.																							
140-205	Malignant neoplasms, etc.*	4,419	4	41	25	22	19	15	43	76	104	177	273	409	461	600	629	579	433	309	147	41	9	3
	White--M--	1,800	2	22	13	10	8	6	18	35	27	51	93	148	194	260	263	260	179	133	60	18	-	-
	F--	1,687	2	12	8	10	7	6	16	24	50	86	115	147	150	186	217	207	192	146	77	23	6	-
	Nonwhite--M--	505	-	5	1	2	1	2	5	5	11	21	28	51	58	90	95	64	39	16	8	-	2	1
	F--	427	-	2	3	-	3	1	4	12	16	19	37	63	59	64	54	48	23	14	2	-	1	2
140-148	Of buccal cavity and pharynx	108	-	-	-	-	1	-	-	2	1	5	8	11	16	21	17	13	6	3	1	2	-	1
	White--M--	71	-	-	-	-	1	-	-	1	-	1	5	9	10	14	13	9	3	3	1	1	-	-
	F--	19	-	-	-	-	-	-	-	1	-	1	-	2	4	2	3	2	3	-	-	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	3	3	-	1	5	1	2	-	-	-	-	-	1
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	1,355	1	1	-	-	2	-	4	4	15	30	57	109	153	181	201	194	166	147	72	15	2	1
	White--M--	523	1	1	-	-	-	-	-	3	3	11	24	39	67	65	73	85	63	56	25	7	-	-
	F--	524	-	-	-	-	1	-	2	1	6	8	14	35	33	59	75	81	80	77	43	8	1	-
	Nonwhite--M--	195	-	-	-	-	-	-	1	-	5	6	9	22	28	40	41	15	16	9	3	-	-	-
	F--	113	-	-	-	-	1	-	1	-	1	5	10	13	25	17	12	13	7	5	1	-	1	1
160-164	Of respiratory system (not secondary)	618	-	1	-	-	-	1	1	5	6	16	49	72	88	115	112	86	36	18	6	5	1	-
	White--M--	436	-	-	-	-	-	1	-	3	5	11	34	49	65	83	80	57	28	14	3	3	-	-
	F--	74	-	-	-	-	-	-	1	-	-	2	6	6	6	11	16	11	7	3	2	2	1	-
	Nonwhite--M--	91	-	-	-	-	-	-	-	1	1	3	9	14	15	18	12	16	1	-	1	-	-	-
	F--	17	-	1	-	-	-	-	-	1	-	-	-	3	2	3	4	2	-	1	-	-	-	-
170	Of breast	383	-	-	-	-	-	1	-	9	19	37	51	45	37	44	50	32	24	22	8	3	1	-
	White--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	F--	301	-	-	-	-	-	1	-	4	16	32	42	33	33	28	39	24	19	19	7	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	78	-	-	-	-	-	-	-	5	3	5	9	12	4	16	10	8	4	2	-	-	-	-
171-179	Of genital organs	728	-	-	-	-	3	2	6	14	25	38	52	71	59	74	110	106	88	50	23	4	2	1
	White--M--	196	-	-	-	-	2	1	2	2	3	5	2	2	6	16	25	41	42	30	16	1	-	-
	F--	320	-	-	-	-	1	1	1	8	17	27	34	39	32	38	41	34	25	14	5	3	-	-
	Nonwhite--M--	87	-	-	-	-	-	-	-	-	-	2	-	5	6	9	26	18	14	4	1	-	2	-
	F--	125	-	-	-	-	-	-	3	4	5	4	16	25	15	11	18	13	7	2	1	-	-	1
180, 181	Of urinary organs	201	1	3	2	1	-	-	-	1	3	7	9	18	24	30	17	32	27	14	9	3	-	-
	White--M--	85	-	2	1	-	-	-	-	-	3	2	4	9	10	15	6	12	10	6	2	3	-	-
	F--	79	1	1	-	1	-	-	-	-	-	1	2	6	11	6	7	15	14	8	6	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	2	2	-	1	5	2	4	3	-	1	-	-	-
	F--	17	-	-	1	-	-	-	-	1	-	2	1	3	2	4	2	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	590	2	14	6	7	-	5	10	14	15	18	30	48	61	82	76	67	63	42	22	5	3	-
	White--M--	258	1	4	2	4	-	1	4	8	5	6	15	25	27	36	44	28	21	19	8	-	-	-
	F--	224	1	6	3	2	-	2	5	4	6	8	13	16	22	26	18	23	32	17	12	5	3	-
	Nonwhite--M--	55	-	4	-	1	-	2	1	1	1	2	2	3	4	10	8	7	5	2	2	-	-	-
	F--	53	-	-	1	-	-	-	-	1	3	2	-	4	8	10	6	9	5	4	-	-	-	-
204	Leukemia and aleukemia	206	-	21	13	10	9	3	9	13	10	10	6	14	6	21	14	25	11	7	2	2	-	-
	White--M--	104	-	15	7	4	3	1	4	8	3	5	1	6	3	13	8	13	5	3	1	1	-	-
	F--	73	-	4	4	5	3	2	3	4	2	3	3	3	3	7	5	10	6	4	1	1	-	-
	Nonwhite--M--	19	-	1	1	1	1	-	2	1	3	1	2	3	-	1	-	2	-	-	-	-	-	-
	F--	10	-	1	1	-	2	-	-	-	2	1	-	2	-	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	230	-	1	4	4	4	3	13	14	10	16	11	21	17	32	32	24	12	6	4	2	-	-
	White--M--	124	-	-	3	2	2	2	8	10	5	10	8	9	6	18	14	15	6	1	3	2	-	-
	F--	73	-	1	1	2	2	-	4	2	3	4	1	7	6	9	13	7	6	4	1	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	1	2	1	2	1	4	3	2	4	-	-	1	-	-	-	-
	F--	12	-	-	-	-	-	1	-	-	1	-	1	1	2	3	1	2	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	113	3	2	6	5	1	4	1	8	11	9	13	7	5	8	13	11	4	-	1	-	1	-
	White--M--	43	1	1	3	3	-	-	1	3	4	3	5	1	4	4	4	5	1	-	-	-	-	-
	F--	40	-	1	-	2	-	4	-	-	1	4	7	3	1	2	6	5	3	-	1	-	-	-
	Nonwhite--M--	10	1	-	2	-	1	-	-	1	-	-	-	1	-	2	2	-	-	-	-	-	-	-
	F--	20	1	-	1	-	-	-	-	4	6	2	1	2	-	-	1	1	-	-	-	-	1	-
260	Diabetes mellitus	427	-	2	-	-	2	2	5	9	15	17	21	25	46	56	72	53	47	27	19	6	3	-
	White--M--	135	-	1	-	-	-	-	3	2	7	5	4	10	10	15	20	19	18	10	8	3	-	-
	F--	173	-	1	-	-	1	1	-	3	3	3	7	3	15	22	36	26	23	16	9	2	2	-
	Nonwhite--M--	39	-	-	-	-	-	1	1	3	2	3	5	4	4	4	6	2	1	1	2	-	-	-
	F--	80	-	-	-	-	1	-	1	1	3	6	5	8	17	15	10	6	5	-	-	1	1	-
290-293	Anemias	62	4	8	2	2	-	1	-	2	2	1	2	5	2	2	6	4	9	6	1	2	1	-
	White--M--	13	1	2	-	1	-	1	-	-	-	-	-	1	-	-	1	2	1	2	-	1	-	-
	F--	21	-	1	1	1	-	-	-	-	-	-	-	-	2	-	2	2	5	4	1	1	1	-
	Nonwhite--M--	14	1	2	1	-	-	-	-	-	-	1	2	3	-	1	2	-	1	-	-	-	-	-
	F--	14	2	3	-	-	-	-	-	2	2	-	-	1	-	1	1	-	2	-	-	-	-	-
340	Nonmeningococcal meningitis*	50	22	8	1	5	1	1	-	1	-	-	2	-	3	2	1	1	1	1	-	-	-	-
	White--M--	19	11	2	-	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	9	3	1	-	1	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite--M--	13	4	4	-	-	1	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	F--	9	4	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	17,419	20	6	7	16	29	33	53	120	268	442	662	956	1,353	1,805	2,275	2,532	2,505	2,199	1,421	527	169	21
	White--M--	7,288	8	2	4	4	12	13	17	47	100	203	315	451	660	803	972	1,053	1,035	864	526	160	37	2
	F--	5,549	5	1	1	6	5	9	9	16	36	65	104	151	203	375	565	835	1,027	1,031	720	280	96	9
	Nonwhite--M--	2,412	3	2	-	3	4	4	11	28	59	108	136	188	258	345	391	349	213	157	96	39	13	5
	F--	2,170	4	1	2	3	8	7	16	29	73	66	107	166	232	282	347	295	230	147	79	48	23	5
330-334, 400-468	Diseases of cardiovascular system	17,071	19	6	6	13	25	26	44	105	253	413	645	927	1,314	1,774	2,247	2,489	2,477	2,172	1,405	522	168	21
	White--M--	7,176	7	2	4	3	11	8	14	42	98	196	310	444	645	792	963	1,040	1,023	857	521	157	37	2
	F--	5,456	5	1	1	5	4	7	8	13	32	56	99	145	195	370	562	822	1,018	1,019	712	278	95	9
	Nonwhite--M--	2,340	3	2	-	3	2	4	8	23	56	101	131	181	251	338	382	342	210	153	93	39	13	5
	F--	2,099	4	1	1	2	8	7	14	27	67	60	105	157	223	274	340	285	226	143	79	48	23	5
330-334	Vascular lesions, etc.*	3,983	7	2	3	1	7	7	10	18	52	75	124	187	251	362	532	610	610	601	356	125	35	8
	White--M--	1,369	4	1	2	-	4	2	2	6	11	20	32	56	78	97	181	209	242	248	131	36	7	-
	F--	1,393	1	-	1	1	2	1	3	4	7	14	30	35	47	90	134	216	247	285	180	73	16	6
	Nonwhite--M--	595	2	-	-	-	-	1	3	4	17	22	31	45	60	91	103	98	52	34	24	5	2	1
	F--	626	-	1	-	-	1	3	2	4	17	19	31	51	66	84	114	87	69	34	21	11	10	1

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGINIA—Con.																							
400-402	Rheumatic fever---	22	-	-	-	6	2	-	1	1	1	-	3	1	4	2	-	1	-	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
	F--	7	-	-	-	2	1	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	11,875	11	3	3	2	14	15	27	68	181	312	488	707	998	1,315	1,600	1,716	1,688	1,373	899	331	111	13
	White-----M--	5,362	3	1	2	1	5	6	11	29	83	173	267	381	541	655	743	760	712	520	340	102	25	2
	F--	3,648	4	1	-	1	1	5	2	8	23	38	67	102	135	261	392	560	700	659	448	171	67	3
	Nonwhite--M--	1,567	1	1	-	-	2	2	5	13	37	67	90	128	180	222	261	214	142	103	57	29	9	4
	F--	1,298	3	-	1	-	6	2	9	18	38	34	64	96	142	177	204	182	134	91	54	29	10	4
410-416	Chronic rheumatic heart disease----	321	-	-	-	1	10	8	13	11	26	25	29	31	24	41	24	16	27	18	13	-	4	-
	White-----M--	115	-	-	-	-	5	3	6	2	11	9	9	10	11	17	9	3	7	11	2	-	-	-
	F--	139	-	-	-	1	1	3	1	5	8	12	16	17	7	19	7	10	15	5	9	-	3	-
	Nonwhite--M--	35	-	-	-	-	2	1	2	-	2	3	3	2	2	4	5	1	4	2	2	-	-	-
	F--	32	-	-	-	-	2	1	4	4	5	1	1	2	4	1	3	2	1	-	-	-	1	-
420	Arteriosclerotic heart dis., etc.*	7,657	2	-	1	-	-	3	8	37	112	229	348	509	708	906	1,074	1,137	1,072	804	464	178	57	8
	White-----M--	4,138	2	-	1	-	-	-	4	22	66	154	239	335	459	537	599	581	528	334	203	56	16	2
	F--	2,159	-	-	-	-	-	1	-	2	7	19	30	58	99	174	252	368	427	378	222	91	29	2
	Nonwhite--M--	828	-	-	-	-	-	1	3	8	24	42	56	73	90	121	134	108	67	55	21	17	7	1
	F--	532	-	-	-	-	-	1	1	5	15	14	23	43	60	74	89	80	50	37	18	14	5	3
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,417	4	1	-	-	2	1	2	5	13	11	20	39	51	97	153	178	247	244	225	88	34	2
	White-----M--	452	-	-	-	-	-	1	1	2	3	6	4	9	11	30	50	57	88	91	66	29	4	-
	F--	535	2	1	-	-	-	-	-	-	4	2	6	3	7	19	39	49	99	110	121	46	26	1
	Nonwhite--M--	232	-	-	-	-	-	-	-	1	4	2	5	15	26	25	38	39	30	20	20	4	2	1
	F--	198	2	-	-	-	2	-	1	2	2	1	5	12	7	23	26	33	30	23	18	9	2	-
430-434	Other diseases of heart---------	444	5	2	2	1	2	2	3	5	5	15	21	21	38	39	67	63	52	48	36	11	6	-
	White-----M--	142	1	1	1	1	-	1	-	3	1	1	6	8	14	11	20	24	15	18	12	3	1	-
	F--	158	2	-	-	-	-	1	1	1	2	2	6	6	7	6	22	21	25	24	21	7	4	-
	Nonwhite--M--	73	1	1	-	-	-	-	-	1	-	8	2	7	12	11	11	9	7	2	1	-	-	-
	F--	71	1	-	1	-	2	-	2	-	2	4	7	-	5	11	14	9	5	4	2	1	1	-
440-443	Hypertension with heart dis.--	2,036	-	-	-	-	-	1	1	10	25	32	70	107	177	232	282	322	290	259	161	54	10	3
	White-----M--	515	-	-	-	-	-	1	-	-	2	3	9	19	46	60	65	95	74	66	57	14	4	-
	F--	657	-	-	-	-	-	-	-	-	2	3	9	18	15	43	72	112	134	142	75	27	5	-
	Nonwhite--M--	399	-	-	-	-	-	-	-	3	7	12	24	31	50	61	73	57	34	24	13	8	-	2
	F--	465	-	-	-	-	-	-	1	7	14	14	28	39	66	68	72	58	48	27	16	5	1	1
444-447	Hypertension without mention of heart----------	264	-	1	-	-	1	4	2	8	11	14	16	19	23	17	18	44	31	27	20	7	1	-
	White-----M--	70	-	-	-	-	1	-	-	4	1	-	6	3	6	3	1	16	13	7	7	2	-	-
	F--	77	-	-	-	-	-	1	-	-	1	2	-	5	4	5	7	13	9	15	11	3	1	-
	Nonwhite--M--	54	-	1	-	-	-	1	-	2	1	6	6	3	3	7	4	9	7	1	1	2	-	-
	F--	63	-	-	-	-	-	2	2	2	8	6	4	8	10	2	6	6	2	4	1	-	-	-
450	General arteriosclerosis--------	614	-	-	-	-	-	-	-	-	-	1	1	1	12	25	53	77	105	144	121	55	19	-
	White-----M--	220	-	-	-	-	-	-	-	-	-	-	-	1	5	5	18	34	34	67	35	16	5	-
	F--	241	-	-	-	-	-	-	-	-	-	-	1	-	1	6	12	17	45	49	72	28	10	-
	Nonwhite--M--	77	-	-	-	-	-	-	-	-	-	1	-	-	4	9	8	16	9	15	11	3	1	-
	F--	76	-	-	-	-	-	-	-	-	-	-	-	-	2	5	15	10	17	13	3	8	3	-
451-468	Other diseases of circulatory sys.-	313	1	-	-	4	1	-	4	10	8	11	13	12	26	53	44	41	43	27	9	4	2	-
	White-----M--	150	-	-	-	2	1	-	1	2	2	3	5	3	13	31	20	21	22	15	8	1	-	-
	F--	92	-	-	-	-	-	-	2	1	1	2	1	3	8	8	17	16	17	11	1	3	1	-
	Nonwhite--M--	42	-	-	-	2	-	-	-	4	1	5	4	4	3	8	6	4	-	-	-	-	1	-
	F--	29	1	-	-	-	-	-	1	3	4	1	3	2	2	6	1	-	4	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	348	1	-	1	3	4	7	9	15	15	29	17	29	39	31	28	43	28	27	16	5	1	-
	White-----M--	112	1	-	-	1	1	5	3	5	2	7	5	7	15	11	9	13	12	7	5	3	-	-
	F--	93	-	-	-	1	1	2	1	3	4	9	5	6	8	5	3	13	9	12	8	2	1	-
	Nonwhite--M--	72	-	-	-	-	2	-	3	5	3	7	5	7	7	7	9	7	3	4	3	-	-	-
	F--	71	-	-	1	1	-	-	2	2	6	6	2	9	9	8	7	10	4	4	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,504	258	82	17	6	16	10	23	26	33	41	41	54	78	81	132	141	148	150	96	46	23	2
	White-----M--	512	60	20	6	-	4	2	4	2	9	14	17	22	24	35	57	52	61	61	42	13	7	-
	F--	424	36	17	5	1	6	1	5	6	5	3	4	8	21	16	27	53	64	70	42	23	10	1
	Nonwhite--M--	311	88	23	2	-	3	4	6	11	12	13	13	16	16	22	29	20	11	11	5	3	3	-
	F--	257	74	22	4	5	3	3	8	7	7	11	7	8	17	8	19	16	12	8	7	7	3	1
480-483	Influenza---------	200	17	8	5	1	8	2	2	3	9	10	7	6	10	11	19	27	19	13	12	8	2	1
	White-----M--	69	3	2	1	-	3	-	1	-	2	2	4	2	4	5	5	15	9	2	6	3	-	-
	F--	60	2	2	2	-	5	-	1	2	2	1	1	1	2	3	4	7	7	9	4	3	1	1
	Nonwhite--M--	35	7	2	1	-	-	1	-	1	1	3	2	1	2	1	4	4	3	-	2	-	-	-
	F--	36	5	2	1	1	-	1	-	-	4	4	-	2	2	2	6	1	-	2	-	2	1	-
490-493	Pneumonia, etc.*--	1,304	241	74	12	5	8	8	21	23	24	31	34	48	68	70	113	114	129	137	84	38	21	1
	White-----M--	443	57	18	5	-	1	2	3	2	7	12	13	20	20	30	52	37	52	59	36	10	7	-
	F--	364	34	15	3	1	1	1	4	4	3	2	3	7	19	13	23	46	57	61	38	20	9	-
	Nonwhite--M--	276	81	21	1	-	3	3	6	10	11	10	11	15	14	21	25	16	8	11	3	3	3	-
	F--	221	69	20	3	4	3	2	8	7	3	7	7	6	15	6	13	15	12	6	7	5	2	1
500-502	Bronchitis---------	71	9	7	1	-	-	-	-	-	2	1	2	3	4	5	7	8	11	7	3	1	-	-
	White-----M--	41	2	3	-	-	-	-	-	-	1	1	1	3	3	4	4	5	8	2	3	1	-	-
	F--	16	2	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	5	-	-	-	-
	Nonwhite--M--	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	7	1	2	1	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	176	1	-	-	-	-	1	2	4	6	13	12	11	22	15	16	30	21	13	6	2	1	-
	White-----M--	119	1	-	-	-	-	1	1	-	4	10	7	9	11	10	10	22	16	10	4	2	1	-
	F--	25	-	-	-	-	-	-	-	3	-	-	-	1	4	1	3	4	4	3	2	-	-	-
	Nonwhite--M--	23	-	-	-	-	-	-	1	-	1	3	5	1	4	3	2	2	1	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	2	-	-	-	-	-	-
550-553	Appendicitis------	44	-	3	1	1	1	-	-	-	2	2	2	5	5	7	5	5	4	1	-	-	-	-
	White-----M--	21	-	1	1	1	-	-	-	-	1	1	-	3	2	4	3	3	1	-	-	-	-	-
	F--	9	-	1	-	-	-	-	-	-	1	1	-	1	2	-	-	1	2	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-
	F--	10	-	1	-	-	1	-	-	-	-	-	1	1	1	1	2	-	1	1	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	180	33	1	2	-	2	1	-	6	7	6	7	6	9	12	23	18	20	9	11	5	1	1
	White-----M--	74	18	1	1	-	1	-	-	2	4	2	1	1	3	6	9	7	7	3	6	2	-	-
	F--	55	6	-	-	-	-	-	-	3	1	1	1	3	3	1	8	5	12	4	5	1	1	-
	Nonwhite--M--	29	6	-	1	-	-	1	-	-	1	2	1	1	2	3	4	4	-	2	-	1	-	-
	F--	22	3	-	-	-	1	-	-	1	1	1	4	1	1	2	2	2	1	-	-	1	-	1

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGINIA—Con.																							
543,	Gastritis, etc.*--	189	97	15	1	1	2	1	1	2	3	3	2	3	7	6	4	12	7	13	5	2	-	2
571,	White-----M--	49	15	5	1	-	1	-	-	1	2	-	-	3	4	2	3	5	1	4	2	-	-	-
572	F--	46	11	4	-	-	1	1	1	1	-	-	1	-	-	3	-	6	3	9	3	2	-	-
	Nonwhite--M--	44	34	3	-	-	-	-	-	-	1	1	-	-	2	-	-	1	1	-	-	-	-	1
	F--	50	37	3	-	1	-	-	-	-	-	2	1	-	1	1	1	-	2	-	-	-	-	1
581	Cirrhosis of liver	284	1	-	-	-	-	1	2	10	24	34	47	42	37	41	16	12	9	7	1	-	-	-
	White-----M--	177	1	-	-	-	-	-	2	4	10	23	31	33	20	26	10	10	3	4	-	-	-	-
	F--	55	-	-	-	-	-	-	-	1	8	6	8	3	7	6	5	2	6	2	1	-	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	3	3	2	4	4	7	7	1	-	-	1	-	-	-	-
	F--	20	-	-	-	-	-	1	-	2	3	3	4	2	3	2	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	66	1	1	1	-	1	1	4	4	6	3	5	2	2	6	11	3	7	2	4	2	-	-
	White-----M--	18	-	-	-	-	1	-	2	-	1	1	-	-	-	2	5	-	3	1	2	-	-	-
	F--	16	-	-	-	-	-	-	-	1	2	2	-	-	1	2	2	2	1	-	2	1	-	-
	Nonwhite--M--	19	1	1	1	-	-	-	-	2	2	-	3	2	1	-	3	-	2	1	-	-	-	-
	F--	13	-	-	-	-	-	1	2	1	1	-	2	-	-	2	1	1	1	-	-	1	-	-
610	Hyperplasia of																							
	prostate---------	93	-	-	-	-	-	-	-	-	-	-	2	-	2	6	14	15	17	18	12	4	2	1
	White-----M--	61	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	8	14	13	12	3	2	-
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	2	-	1	3	9	7	3	5	-	1	-	1
640-	Complications of																							
689	pregnancy, etc.*-	48	...	...	...	-	6	9	6	16	7	4	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	17	...	...	...	-	4	1	3	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	31	...	...	...	-	2	8	3	8	6	4	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion---------	12	...	...	...	-	1	3	1	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	10	...	...	...	-	1	3	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	36	...	...	...	-	5	6	5	12	6	2	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	15	...	...	...	-	4	1	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	21	...	...	...	-	1	5	2	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	497	361	47	23	7	4	5	5	7	3	4	7	7	4	2	7	1	1	1	1	-	-	-
	White-----M--	217	162	13	10	3	1	3	2	4	2	-	5	4	1	1	2	1	1	1	1	-	-	-
	F--	180	124	22	8	3	1	2	3	2	1	3	2	2	3	1	3	-	-	-	-	-	-	-
	Nonwhite--M--	55	45	5	2	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	45	30	7	3	1	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	1,806	1,806	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	676	676	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	427	427	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	396	396	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	307	307	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	750	750	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	319	319	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn---------	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	901	901	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	307	307	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	221	221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	201	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	364	62	6	1	1	3	4	5	9	7	12	16	16	27	30	19	28	19	30	29	26	13	1
795	White-----M--	130	21	1	-	1	1	2	1	3	2	5	5	7	15	17	5	8	9	7	9	6	5	-
	F--	98	11	2	1	-	-	-	2	2	-	3	4	3	3	3	2	8	5	16	13	14	6	-
	Nonwhite--M--	82	16	1	-	-	2	1	1	3	3	3	5	2	7	6	8	7	3	5	5	3	-	1
	F--	54	14	2	-	-	-	1	1	1	2	1	2	4	2	4	4	5	2	2	2	3	2	-
Re-	All other diseases	1,722	133	43	14	17	23	23	26	43	85	88	118	113	153	150	201	161	140	106	57	18	6	4
sid-	White-----M--	707	41	17	3	9	7	5	5	13	28	29	47	50	71	75	100	74	62	44	22	4	1	-
ual	F--	516	29	12	8	3	7	5	7	7	18	19	29	22	35	40	60	57	68	45	28	13	2	2
	Nonwhite--M--	279	35	10	2	2	5	6	5	8	21	21	23	25	32	26	28	12	5	9	2	-	1	1
	F--	220	28	4	1	3	4	7	9	15	18	19	19	16	15	9	13	18	5	8	5	1	2	1
E800-	Accidents---------	2,150	87	110	90	71	154	173	149	166	152	151	119	111	102	81	98	81	80	69	67	32	5	2
E962	White-----M--	1,142	27	39	39	38	100	114	94	108	87	85	66	60	54	42	58	38	30	25	27	10	1	-
	F--	428	26	27	23	12	14	18	13	19	25	18	15	14	19	17	14	29	34	32	35	20	4	-
	Nonwhite--M--	422	18	21	17	19	34	38	34	26	33	40	31	31	21	14	20	8	7	6	2	1	-	1
	F--	158	16	23	11	2	6	3	8	13	7	8	7	6	8	8	6	6	9	6	3	1	-	1
E810-	Motor-vehicle																							
E835	accidents--------	842	6	36	34	22	99	118	82	76	68	46	48	41	42	25	30	30	17	15	5	1	-	1
	White-----M--	480	1	15	13	12	73	78	49	45	36	24	28	19	19	13	19	15	12	6	3	-	-	-
	F--	156	3	11	10	4	10	13	9	13	16	7	11	9	9	7	5	11	5	2	1	-	-	-
	Nonwhite--M--	156	2	6	4	5	12	24	19	13	13	11	7	12	10	3	5	4	-	4	-	1	-	1
	F--	50	-	4	7	1	4	3	5	5	3	4	2	1	4	2	1	-	-	3	1	-	-	-
E800-	All ot. accidents-	1,308	81	74	56	49	55	55	67	90	84	105	71	70	60	56	68	51	63	54	62	31	5	1
E802,	White-----M--	662	26	24	26	26	27	36	45	63	51	61	38	41	35	29	39	23	18	19	24	10	1	-
E840-	F--	272	23	16	13	8	4	5	4	6	9	11	4	5	10	10	9	18	29	30	34	20	4	-
E962	Nonwhite--M--	266	16	15	13	14	22	14	15	13	20	29	24	19	11	11	15	4	7	2	2	-	-	-
	F--	108	16	19	4	1	2	-	3	8	4	4	5	5	4	6	5	6	9	3	2	1	-	1
E963,	Suicide----------	439	-	-	-	2	10	14	29	37	43	54	45	53	42	28	33	29	13	5	2	-	-	-
E970-	White-----M--	315	-	-	-	-	7	9	17	26	30	38	34	41	31	20	22	21	12	5	2	-	-	-
E979	F--	86	-	-	-	2	1	1	7	8	8	13	8	10	7	7	7	6	1	-	-	-	-	-
	Nonwhite--M--	35	-	-	-	-	2	4	4	3	5	2	2	2	4	1	4	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	287	5	1	1	-	14	39	48	50	33	28	23	14	11	8	4	5	2	-	1	-	-	-
E980-	White-----M--	69	3	-	-	-	3	9	8	11	7	8	6	6	1	3	2	2	-	-	-	-	-	-
E985	F--	28	2	1	1	-	1	2	2	6	3	1	2	3	2	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	152	-	-	-	-	9	25	29	27	18	11	10	4	8	5	2	3	1	-	-	-	-	-
	F--	38	-	-	-	-	1	3	9	6	5	8	5	1	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WASHINGTON																							
	ALL CAUSES------	25,263	1,602	264	147	95	177	185	201	265	424	608	885	1,197	1,581	2,088	2,895	3,446	3,377	2,964	1,871	757	211	23
	White-----M--	14,557	867	131	80	64	122	126	125	154	243	376	539	742	1,031	1,347	1,813	2,072	1,875	1,527	897	333	78	15
	F--	9,873	577	108	56	28	37	45	57	84	145	185	290	404	506	689	1,021	1,315	1,448	1,389	954	410	120	5
	Nonwhite--M--	501	81	18	4	2	10	10	13	13	23	24	37	34	28	34	46	41	38	21	12	5	4	3
	F--	332	77	7	7	1	8	4	6	14	13	23	19	17	16	18	15	18	16	27	8	9	9	-
001-019	Tuberculosis, all forms--------	113	-	-	-	-	1	1	1	4	4	5	12	10	11	14	20	10	12	5	2	-	-	1
	White-----M--	76	-	-	-	-	-	-	1	-	2	-	9	7	7	9	16	9	10	4	1	-	-	1
	F--	22	-	-	-	-	-	-	-	4	1	2	-	2	3	3	3	-	2	1	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	1	-	-	-	1	2	2	-	1	2	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	106	-	-	-	-	1	1	1	4	3	5	11	9	11	13	18	10	12	4	2	-	-	1
	White-----M--	71	-	-	-	-	-	-	1	-	1	-	9	6	7	8	14	9	10	4	1	-	-	1
	F--	21	-	-	-	-	-	-	-	4	1	2	-	2	3	3	3	-	2	-	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	1	-	-	-	1	2	2	-	1	2	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	7	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	-	-	1	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	65	-	-	-	-	1	-	-	-	2	-	2	5	7	6	8	12	11	8	3	-	-	-
	White-----M--	49	-	-	-	-	-	-	-	-	2	-	2	4	6	3	8	9	5	7	3	-	-	-
	F--	9	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	4	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	13	4	3	1	1	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	White-----M--	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	8	2	1	1	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	7	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	68	11	2	3	1	1	2	1	-	2	3	1	6	6	6	5	9	4	4	-	-	1	-
	White-----M--	36	5	2	1	1	-	-	-	-	2	-	-	3	4	2	4	6	3	3	-	-	-	-
	F--	27	4	-	2	-	1	2	1	-	-	3	-	3	2	3	1	3	1	1	-	-	-	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WASHINGTON—Con.																							
140-205	Malignant neoplasms, etc.*----	3,922	3	29	29	15	18	21	25	30	69	119	205	287	374	455	587	613	470	353	165	44	10	1
	White-----M--	2,151	2	11	15	8	11	11	12	16	25	50	87	134	208	250	326	379	287	214	75	26	3	1
	F--	1,675	1	17	13	7	7	8	10	14	41	59	109	141	154	193	254	223	177	135	87	18	7	-
	Nonwhite--M--	59	-	1	-	-	-	1	2	-	1	3	7	6	7	7	4	9	6	3	2	-	-	-
	F--	37	-	-	1	-	-	1	1	-	2	7	2	6	5	5	3	2	-	1	1	-	-	-
140-148	Of buccal cavity and pharynx------	86	-	-	-	-	-	-	-	-	-	3	-	12	6	12	12	13	10	9	6	2	1	-
	White-----M--	65	-	-	-	-	-	-	-	-	-	2	-	10	5	10	12	11	6	6	1	2	-	-
	F--	18	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	2	3	3	5	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	1,315	1	-	-	-	-	1	3	4	13	19	47	64	111	158	237	235	194	143	63	18	4	-
	White-----M--	751	1	-	-	-	-	-	-	3	6	9	27	37	75	85	126	145	127	76	26	7	1	-
	F--	533	-	-	-	-	-	-	2	1	7	6	19	25	32	68	108	89	64	65	35	11	3	-
	Nonwhite--M--	21	-	-	-	-	-	-	1	-	-	3	1	1	2	4	3	1	3	1	1	-	-	-
	F--	10	-	-	-	-	-	1	-	-	-	1	-	1	2	1	2	-	-	1	1	-	-	-
160-164	Of respiratory system (not secondary)-------	503	-	-	1	-	1	1	-	2	5	15	22	50	73	87	86	76	57	17	9	1	-	-
	White-----M--	415	-	-	1	-	-	-	-	1	4	12	19	41	62	74	75	61	47	13	4	1	-	-
	F--	73	-	-	-	-	1	1	-	1	-	2	1	7	8	12	10	13	9	3	5	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	1	-	2	2	3	1	1	2	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	326	-	-	-	-	-	-	-	5	13	21	31	37	40	40	41	33	28	18	14	5	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	F--	316	-	-	-	-	-	-	-	5	13	20	30	37	39	37	40	30	28	18	14	5	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	-	-	-	-	-	-
171-179	Of genital organs-	620	-	1	-	1	1	1	2	7	13	22	35	48	48	55	72	105	80	81	36	10	2	-
	White-----M--	281	-	1	-	1	-	1	-	2	1	2	2	6	4	16	33	59	49	65	27	10	2	-
	F--	320	-	-	-	-	1	-	2	5	10	17	33	38	42	37	38	42	30	16	9	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	2	3	-	4	2	2	1	1	-	-	-	-	-	-
180, 181	Of urinary organs-	179	-	3	1	-	-	-	1	-	1	7	6	11	15	16	35	32	22	20	9	-	-	-
	White-----M--	126	-	-	-	-	-	-	1	-	1	3	3	8	11	12	27	26	15	16	3	-	-	-
	F--	51	-	3	1	-	-	-	-	-	-	3	3	2	4	4	8	6	7	4	6	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	453	2	7	8	4	8	8	4	8	13	15	34	32	49	44	51	65	33	39	18	7	3	1
	White-----M--	249	1	3	4	2	6	5	3	6	7	12	13	15	31	25	21	42	17	21	9	5	-	1
	F--	194	1	3	4	2	2	3	1	2	6	3	16	16	18	19	30	21	16	18	8	2	3	-
	Nonwhite--M--	8	-	1	-	-	-	-	-	-	-	-	4	-	-	-	-	2	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia--------	199	-	16	14	7	5	6	7	1	4	8	9	8	11	16	19	21	22	18	6	1	-	-
	White-----M--	110	-	7	6	3	3	3	4	1	3	4	6	2	5	9	12	14	11	12	4	1	-	-
	F--	85	-	9	8	4	2	2	2	-	1	4	3	6	6	7	7	6	11	5	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	241	-	2	5	3	3	4	8	3	7	9	21	25	21	27	34	33	24	8	4	-	-	-
	White-----M--	150	-	-	4	2	2	2	4	3	3	6	17	15	15	18	19	19	15	5	1	-	-	-
	F--	85	-	2	-	1	1	2	3	-	4	3	4	8	4	9	15	14	9	3	3	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	70	1	3	1	-	2	1	1	3	2	2	6	12	8	5	7	2	4	7	1	2	-	-
	White-----M--	33	1	1	-	-	1	-	1	1	-	-	3	7	6	4	5	1	-	2	-	-	-	-
	F--	36	-	2	1	-	1	1	-	2	2	2	3	4	2	1	2	1	4	5	1	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus--	405	-	1	3	-	1	2	3	9	7	12	8	24	29	41	59	65	74	42	20	4	-	1
	White-----M--	170	-	1	2	-	1	-	-	6	4	9	4	12	11	16	21	23	35	15	8	2	-	-
	F--	220	-	-	1	-	-	2	3	3	3	2	4	8	16	24	37	40	39	24	12	2	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	1
	F--	9	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	1	-	3	-	-	-	-
290-293	Anemias----------	56	1	-	5	-	1	2	-	-	1	-	3	2	2	3	3	6	15	5	5	2	-	-
	White-----M--	24	-	-	1	-	-	1	-	-	-	-	1	2	1	2	2	3	5	3	1	2	-	-
	F--	27	-	-	2	-	1	1	-	-	-	-	2	-	1	1	1	3	9	2	4	-	-	-
	Nonwhite--M--	3	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*-------	34	13	6	2	1	2	-	-	-	1	3	1	-	-	2	-	3	-	-	-	-	-	-
	White-----M--	14	6	2	1	-	1	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-
	F--	13	3	4	-	1	1	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	13,886	12	7	7	5	12	15	29	44	108	211	344	565	809	1,181	1,761	2,242	2,320	2,104	1,370	569	155	16
	White-----M--	8,033	7	4	4	4	8	10	13	28	71	150	239	379	555	813	1,123	1,336	1,277	1,035	666	246	56	9
	F--	5,575	2	3	3	1	2	4	14	12	31	48	83	167	236	343	599	878	1,012	1,039	692	313	88	5
	Nonwhite--M--	162	2	-	-	-	-	-	1	1	2	8	13	13	15	15	31	18	18	11	7	3	2	2
	F--	116	1	-	-	-	2	1	1	3	4	5	9	6	3	10	8	10	13	19	5	7	9	-
330-334, 400-468	Diseases of cardiovascular system-	13,727	11	4	5	5	7	12	26	37	99	202	338	553	795	1,172	1,742	2,220	2,308	2,087	1,367	568	153	16
	White-----M--	7,955	6	3	4	4	6	8	13	25	66	145	233	374	550	806	1,116	1,324	1,272	1,026	664	246	55	9
	F--	5,506	2	1	1	1	1	4	11	8	28	46	83	161	228	341	589	869	1,006	1,031	691	312	87	5
	Nonwhite--M--	156	2	-	-	-	-	-	1	1	2	6	13	12	15	15	30	17	17	11	7	3	2	2
	F--	110	1	-	-	-	-	-	1	3	3	5	9	6	2	10	7	10	13	19	5	7	9	-
330-334	Vascular lesions, etc.*----------	3,154	4	1	2	1	1	3	8	8	18	30	46	86	122	207	320	515	618	597	374	151	37	5
	White-----M--	1,499	2	1	2	1	-	3	2	6	7	14	20	34	65	112	180	254	317	250	149	61	15	4
	F--	1,589	1	-	-	-	1	-	6	1	9	13	24	45	52	90	131	255	291	339	221	89	20	1
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	2	-	3	4	1	5	3	5	2	3	-	-	-
	F--	38	1	-	-	-	-	-	-	1	2	1	2	4	1	4	4	3	5	6	1	1	2	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WASHINGTON--Con.																							
400-402	Rheumatic fever---	13	-	-	1	2	1	-	1	-	-	2	-	1	-	1	2	-	1	1	-	-	-	-
	White-----M--	8	-	-	-	2	1	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-
	F--	5	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	9,635	5	2	2	2	4	8	15	29	78	156	277	450	641	914	1,335	1,594	1,523	1,310	851	335	93	11
	White-----M--	5,950	3	1	2	1	4	4	9	19	56	120	206	332	465	661	876	1,006	863	691	444	151	31	5
	F--	3,512	1	1	-	1	-	4	4	7	19	30	53	107	164	235	433	568	643	602	402	177	57	4
	Nonwhite--M--	113	1	-	-	-	-	-	1	1	2	3	13	9	11	12	23	14	10	7	2	2	-	2
	F--	60	-	-	-	-	-	-	1	2	1	3	5	2	1	6	3	6	7	10	3	5	5	-
410-416	Chronic rheumatic heart disease----	337	-	-	1	1	1	3	8	10	15	16	30	44	41	39	39	34	30	11	9	4	-	1
	White-----M--	162	-	-	1	-	1	1	6	3	7	7	16	18	23	18	20	18	14	4	4	-	-	1
	F--	168	-	-	-	1	-	2	1	6	8	8	14	24	18	21	18	16	15	7	5	4	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	7,359	1	-	-	-	1	-	2	13	58	122	209	359	509	748	1,070	1,278	1,138	986	588	205	63	9
	White-----M--	4,816	1	-	-	-	1	-	2	12	49	106	170	289	390	572	742	820	679	528	326	101	24	4
	F--	2,439	-	-	-	-	-	-	-	-	8	12	29	62	111	167	314	444	449	448	258	98	35	4
	Nonwhite--M--	73	-	-	-	-	-	-	-	-	1	2	8	7	8	6	14	11	7	4	2	2	-	1
	F--	31	-	-	-	-	-	-	-	1	-	2	2	1	-	3	-	3	3	6	2	4	4	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	721	1	1	-	-	-	-	1	2	1	4	6	12	24	34	59	86	136	139	125	69	21	-
	White-----M--	380	1	-	-	-	-	-	-	2	-	1	2	5	16	21	32	57	74	70	65	28	6	-
	F--	322	-	1	-	-	-	-	1	-	-	3	1	6	7	13	24	26	59	67	60	40	14	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	2	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	1	-	1	1	-
430-434	Other diseases of heart---------	368	3	1	1	1	2	4	2	2	2	5	14	15	20	30	44	44	66	48	42	19	2	1
	White-----M--	210	1	1	1	1	2	2	-	1	-	3	10	10	15	19	24	32	34	28	17	9	-	-
	F--	146	1	-	-	-	-	2	1	-	2	1	3	5	5	7	20	12	31	20	24	10	2	-
	Nonwhite--M--	9	1	-	-	-	-	-	1	-	-	1	1	-	-	4	-	-	-	-	-	-	-	1
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-
440-443	Hypertension with heart dis.--	850	-	-	-	-	-	1	2	2	2	9	18	20	47	63	123	152	153	126	87	38	7	-
	White-----M--	382	-	-	-	-	-	1	1	1	-	3	8	10	21	31	58	79	62	61	32	13	1	-
	F--	437	-	-	-	-	-	-	1	1	1	6	6	10	23	27	57	70	89	60	55	25	6	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	1	-	2	2	8	1	2	2	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	1	-	3	-	1	3	-	2	-	3	-	-	-	-
444-447	Hypertension without mention of heart----------	100	-	-	-	-	-	-	-	-	-	2	4	6	3	3	14	17	19	18	9	4	1	-
	White-----M--	48	-	-	-	-	-	-	-	-	-	2	1	3	-	2	8	9	9	8	3	2	1	-
	F--	47	-	-	-	-	-	-	-	-	-	-	3	3	3	1	6	7	10	8	6	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-
450	General arteriosclerosis--------	551	-	-	-	-	-	-	-	-	1	-	1	1	6	11	26	60	113	124	114	72	22	-
	White-----M--	275	-	-	-	-	-	-	-	-	1	-	1	-	6	4	20	34	61	55	57	28	8	-
	F--	264	-	-	-	-	-	-	-	-	-	-	-	1	-	6	6	26	50	67	54	44	10	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	2	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-
451-468	Other diseases of circulatory sys.-	274	2	1	-	-	1	1	2	-	2	12	10	9	23	36	45	34	34	37	19	6	-	-
	White-----M--	175	1	1	-	-	1	1	2	-	2	8	5	4	14	26	31	21	21	22	11	4	-	-
	F--	89	-	-	-	-	-	-	-	-	-	2	3	5	9	9	12	13	12	14	8	2	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	159	1	3	2	-	5	3	3	7	9	9	6	12	14	9	19	22	12	17	3	1	2	-
	White-----M--	78	1	1	-	-	2	2	-	3	5	5	6	5	5	7	7	12	5	9	2	-	1	-
	F--	69	-	2	2	-	1	-	3	4	3	2	-	6	8	2	10	9	6	8	1	1	1	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	1	-	-	-	-	-
	F--	6	-	-	-	-	2	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	996	191	39	11	10	6	6	3	13	15	15	28	32	31	44	65	98	107	121	88	55	16	2
	White-----M--	524	103	12	6	6	3	4	2	2	5	9	11	19	21	28	41	65	49	68	37	24	7	2
	F--	395	53	18	4	4	3	2	1	7	8	3	11	12	8	16	21	31	53	53	49	30	8	-
	Nonwhite--M--	45	17	5	-	-	-	-	-	2	1	1	6	1	-	-	3	1	4	-	2	1	1	-
	F--	32	18	4	1	-	-	-	-	2	1	2	-	-	2	-	-	1	1	-	-	-	-	-
480-483	Influenza---------	106	6	4	2	3	2	2	-	4	2	2	3	4	5	9	11	14	8	10	7	7	1	-
	White-----M--	54	3	2	1	3	-	1	-	1	-	1	2	2	1	6	6	10	2	7	4	2	-	-
	F--	48	1	2	1	-	2	1	-	3	2	1	1	2	4	3	5	4	5	3	3	5	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	890	185	35	9	7	4	4	3	9	13	13	25	28	26	35	54	84	99	111	81	48	15	2
	White-----M--	470	100	10	5	3	3	3	2	1	5	8	9	17	20	22	35	55	47	61	33	22	7	2
	F--	347	52	16	3	4	1	1	1	4	6	2	10	10	4	13	16	27	48	50	46	25	8	-
	Nonwhite--M--	42	16	5	-	-	-	-	-	2	1	1	6	1	-	-	3	1	3	-	2	1	-	-
	F--	31	17	4	1	-	-	-	-	2	1	2	-	-	2	-	-	1	1	-	-	-	-	-
500-502	Bronchitis--------	40	12	3	-	-	-	-	1	-	-	1	-	-	4	7	5	1	-	4	1	1	-	-
	White-----M--	23	9	1	-	-	-	-	1	-	-	-	-	-	2	6	3	1	-	-	-	-	-	-
	F--	12	2	2	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	1	1	1	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	176	-	-	-	-	-	-	2	-	5	2	4	13	13	19	25	25	24	21	21	2	-	-
	White-----M--	130	-	-	-	-	-	-	1	-	4	2	3	11	12	13	24	19	11	18	12	-	-	-
	F--	45	-	-	-	-	-	-	1	-	1	-	1	2	1	6	1	6	12	3	9	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	30	-	2	3	1	-	-	-	-	1	-	2	2	4	1	2	7	5	-	-	-	-	-
	White-----M--	20	-	1	1	1	-	-	-	-	-	-	2	2	3	1	1	4	4	-	-	-	-	-
	F--	8	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	136	21	1	-	-	-	-	1	2	1	3	4	5	3	8	11	16	22	22	9	4	3	-
	White-----M--	59	11	-	-	-	-	-	-	-	-	1	-	2	1	4	5	8	8	11	5	2	1	-
	F--	72	10	1	-	-	-	-	1	2	1	2	4	1	2	4	6	8	12	10	4	2	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WASHINGTON—Con.																							
543,	Gastritis, etc.*	96	14	7	-	-	2	1	3	1	1	1	4	5	4	11	14	8	6	7	5	2	-	-
571,	White----M	44	3	3	-	-	1	-	1	-	-	1	2	2	1	7	8	4	4	4	2	1	-	-
572	F	40	5	2	-	-	1	1	2	1	1	-	1	2	3	4	5	4	2	3	3	-	-	-
	Nonwhite--M	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	5	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-
581	Cirrhosis of liver	242	1	-	-	-	-	1	4	5	13	28	36	31	27	31	27	17	11	6	3	1	-	-
	White----M	148	1	-	-	-	-	1	-	3	6	16	23	19	20	20	19	13	1	4	2	-	-	-
	F	80	-	-	-	-	-	-	1	1	3	10	11	12	7	10	7	4	10	2	1	1	-	-
	Nonwhite--M	6	-	-	-	-	-	-	1	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*	27	-	3	2	1	2	-	1	-	1	-	3	1	2	-	5	2	4	-	-	-	-	-
	White----M	15	-	2	1	1	-	-	1	-	-	-	1	1	2	-	4	-	2	-	-	-	-	-
	F	10	-	1	-	-	2	-	-	-	1	-	2	-	-	-	1	1	2	-	-	-	-	-
	Nonwhite--M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate	90	-	-	-	-	-	-	-	-	-	-	-	2	3	3	8	15	20	18	13	4	4	-
	White----M	88	-	-	-	-	-	-	-	-	-	-	-	2	3	3	8	14	20	17	13	4	4	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*	18	...	...	...	-	-	2	5	4	4	2	1	-	-	-	-	-	-	-	-	-	-	-
	White----F	15	...	...	...	-	-	1	4	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	3	...	...	...	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	3	...	...	...	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White----F	2	...	...	...	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications	15	...	...	...	-	-	1	4	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-
660-	White----F	13	...	...	...	-	-	1	3	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	2	...	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations	335	225	35	16	8	5	6	1	7	6	2	4	3	6	3	3	2	3	-	-	-	-	-
	White----M	180	123	21	7	4	4	4	1	1	1	1	2	1	4	3	2	-	1	-	-	-	-	-
	F	137	87	12	9	4	1	2	-	6	5	1	2	2	2	-	-	2	2	-	-	-	-	-
	Nonwhite--M	9	6	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy	946	946	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	511	511	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	356	356	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*	437	437	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	245	245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*	455	455	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White----M	241	241	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	181	181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	139	10	4	-	-	-	3	1	1	2	3	4	6	5	5	10	5	9	26	24	11	9	1
795	White----M	74	4	2	-	-	-	2	1	-	-	2	2	4	4	5	6	3	5	14	9	5	5	1
	F	55	4	2	-	-	-	-	-	1	2	-	1	2	1	-	2	2	3	10	15	6	4	-
	Nonwhite--M	6	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-	-	2	-	-	-	-
	F	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
Re-	All other diseases	1,334	73	32	10	7	7	6	16	14	41	53	72	62	114	114	170	177	150	122	71	17	6	-
sid-	White----M	806	44	19	6	7	4	3	11	6	22	26	44	41	63	69	116	107	88	65	38	9	-	-
ual	F	489	28	11	3	-	2	3	4	4	14	22	24	18	30	44	52	66	63	55	32	8	6	-
	Nonwhite--M	20	-	1	-	-	1	-	1	1	3	2	2	3	-	1	1	2	1	-	1	-	-	-
	F	19	1	1	1	-	-	-	-	3	2	3	2	-	1	-	1	2	-	2	-	-	-	-
E800-	Accidents	1,613	57	80	50	45	113	102	84	86	100	94	91	85	92	84	77	85	91	82	68	39	7	1
E962	White----M	1,054	32	44	33	32	86	80	67	61	71	77	70	65	58	56	50	46	52	36	23	12	2	1
	F	454	19	30	14	10	13	15	10	16	20	11	17	15	29	22	26	35	35	44	43	25	5	-
	Nonwhite--M	79	3	5	1	2	8	7	6	7	9	4	3	5	4	6	-	3	4	1	-	1	-	-
	F	26	3	1	2	1	6	-	1	2	-	2	1	-	1	-	1	1	-	1	2	1	-	-
E810-	Motor-vehicle																							
E835	accidents	590	5	18	23	17	72	72	46	38	45	31	30	26	37	39	27	23	26	10	4	1	-	-
	White----M	397	4	11	15	15	52	54	36	21	27	23	20	14	20	22	18	16	17	8	3	1	-	-
	F	147	1	7	8	1	9	13	8	11	14	7	8	10	14	13	8	6	6	2	1	-	-	-
	Nonwhite--M	35	-	-	-	-	6	5	2	4	4	1	1	2	2	4	-	1	3	-	-	-	-	-
	F	11	-	-	-	1	5	-	-	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents	1,023	52	62	27	28	41	30	38	48	55	63	61	59	55	45	50	62	65	72	64	38	7	1
E802,	White----M	657	28	33	18	17	34	26	31	40	44	54	50	51	38	34	32	30	35	28	20	11	2	1
E840-	F	307	18	23	6	9	4	2	2	5	6	4	9	5	15	9	18	29	29	42	42	25	5	-
E962	Nonwhite--M	44	3	5	1	2	2	2	4	3	5	3	2	3	2	2	-	2	1	1	-	1	-	-
	F	15	3	1	2	-	1	-	1	-	-	2	-	-	-	-	-	1	-	1	2	1	-	-
E963,	Suicide	334	-	-	-	-	1	8	14	31	29	43	42	36	24	42	21	24	12	6	1	-	-	-
E970-	White----M	246	-	-	-	-	1	6	8	24	21	29	31	23	18	29	21	20	8	6	1	-	-	-
E979	F	78	-	-	-	-	-	2	4	6	7	14	9	13	5	11	-	3	4	-	-	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-
E964,	Homicide	65	3	4	2	-	2	6	4	8	9	6	8	3	3	2	1	2	2	-	-	-	-	-
E980-	White----M	35	2	1	1	-	1	4	3	4	6	3	3	2	1	2	-	1	1	-	-	-	-	-
E985	F	14	1	1	1	-	1	1	1	1	-	2	4	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M	12	-	2	-	-	-	1	-	1	3	-	1	1	1	-	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White----M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WEST VIRGINIA																							
	ALL CAUSES------	17,856	1,210	177	106	93	178	189	220	268	367	526	683	955	1,149	1,498	1,928	2,254	2,278	1,909	1,288	442	127	11
	White-----M--	9,860	625	76	65	51	124	136	138	162	217	310	425	572	700	875	1,096	1,245	1,219	979	604	193	44	4
	F--	8,738	478	86	34	39	42	41	69	78	122	170	197	276	329	461	678	861	956	868	644	234	74	1
	Nonwhite--M--	736	56	8	3	3	5	7	11	17	18	25	37	60	73	101	103	82	62	34	20	5	2	4
	F--	522	51	7	4	-	7	5	2	11	10	21	24	47	47	61	51	66	41	28	20	10	7	2
001-018	Tuberculosis, all forms--------	166	1	1	1	-	-	4	1	11	8	17	16	16	22	17	16	16	9	7	3	-	-	-
	White-----M--	96	-	-	-	-	-	1	1	3	3	8	10	9	13	13	13	9	5	6	2	-	-	-
	F--	51	1	1	1	-	-	1	-	7	5	7	4	4	4	2	3	6	3	1	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	1	-	-	-	1	2	3	4	2	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	158	-	1	-	-	-	3	1	10	8	16	16	16	22	16	15	15	9	7	3	-	-	-
	White-----M--	93	-	-	-	-	-	1	1	2	3	8	10	9	13	13	12	8	5	6	2	-	-	-
	F--	47	-	1	-	-	-	-	-	7	5	6	4	4	4	2	3	6	3	1	1	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	1	-	-	-	1	2	3	4	1	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	8	1	-	1	-	-	1	-	1	-	1	-	-	-	1	1	1	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	4	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	34	-	-	-	-	-	-	-	-	1	1	3	4	5	8	3	4	3	1	1	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	1	2	4	3	4	2	1	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	3	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	11	3	5	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White-----M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	2	3	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	4	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	50	4	6	2	4	1	-	5	2	2	3	2	4	3	6	2	2	-	2	-	-	-	-
	White-----M--	26	2	3	1	3	-	-	3	-	1	3	-	4	1	3	1	1	-	-	-	-	-	-
	F--	16	1	2	1	1	-	-	1	1	1	-	1	-	2	2	1	-	-	2	-	-	-	-
	Nonwhite--M--	5	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WEST VIRGINIA—Continued																							
140-205	Malignant neoplasms, etc.*	2,427	1	12	11	4	17	11	20	30	62	105	138	192	234	310	342	344	278	198	89	20	9	-
	White----M--	1,179	-	6	4	2	8	6	9	13	20	31	61	85	114	154	174	197	145	102	37	9	2	-
	F--	1,075	1	6	7	2	6	5	10	16	38	70	64	84	98	125	143	127	118	90	49	11	5	-
	Nonwhite--M--	99	-	-	-	-	1	-	-	1	-	1	7	12	12	20	19	11	11	3	1	-	-	-
	F--	74	-	-	-	-	2	-	1	-	4	3	6	11	10	11	6	9	4	3	2	-	2	-
140-148	Of buccal cavity and pharynx	43	-	-	-	-	-	-	2	-	-	3	1	3	7	6	9	4	4	1	1	1	1	-
	White----M--	27	-	-	-	-	-	-	1	-	-	2	1	1	5	4	7	3	2	-	-	1	-	-
	F--	13	-	-	-	-	-	-	1	-	-	1	-	1	2	-	2	1	2	1	1	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	859	-	-	1	-	3	-	-	2	15	22	31	50	69	109	135	144	131	93	45	6	3	-
	White----M--	427	-	-	-	-	2	-	-	1	7	12	15	22	36	54	69	85	65	43	14	1	1	-
	F--	368	-	-	1	-	-	-	-	1	8	9	12	19	22	44	55	51	62	49	29	5	1	-
	Nonwhite--M--	36	-	-	-	-	-	-	-	-	-	-	3	3	7	6	10	3	3	-	1	-	-	-
	F--	28	-	-	-	-	1	-	-	-	-	1	1	6	4	5	1	5	1	1	1	-	1	-
160-164	Of respiratory system (not secondary)	342	-	1	-	-	1	-	1	2	6	10	29	46	51	56	53	39	23	18	4	2	-	-
	White----M--	268	-	1	-	-	1	-	1	1	5	8	22	38	44	42	43	32	14	12	3	1	-	-
	F--	44	-	-	-	-	-	-	-	1	1	2	4	3	3	6	6	6	5	5	1	1	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	1	5	4	8	3	1	4	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
170	Of breast	181	-	-	-	-	-	-	1	3	12	19	11	25	21	21	20	19	16	6	3	2	2	-
	White----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	171	-	-	-	-	-	-	1	3	10	19	11	23	20	21	17	19	15	6	3	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	2	-	-	2	1	-	2	-	1	-	-	-	1	-
171-179	Of genital organs	383	-	-	-	1	1	1	4	7	12	26	26	31	36	34	45	55	39	41	18	5	1	-
	White----M--	131	-	-	-	-	-	-	-	1	-	-	1	1	2	9	15	30	27	23	17	4	1	-
	F--	219	-	-	-	1	-	1	3	6	12	24	24	27	30	21	26	17	10	15	1	1	-	-
	Nonwhite--M--	15	-	-	-	-	1	-	-	-	-	-	-	1	-	2	4	5	1	1	-	-	-	-
	F--	18	-	-	-	-	-	-	1	-	-	2	1	2	4	2	-	3	1	2	-	-	-	-
180, 181	Of urinary organs	85	-	1	-	-	-	-	-	-	1	4	6	2	10	16	14	8	12	6	4	1	-	-
	White----M--	47	-	1	-	-	-	-	-	-	-	1	3	1	6	10	9	5	7	3	-	1	-	-
	F--	32	-	-	-	-	-	-	-	-	1	3	2	1	2	5	5	3	3	3	4	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	305	1	1	3	-	5	7	6	7	9	15	19	17	21	40	39	45	28	25	13	3	1	-
	White----M--	145	-	-	-	-	1	4	3	4	6	4	12	9	10	19	14	23	16	16	3	1	-	-
	F--	146	1	1	3	-	4	3	3	3	2	11	7	6	11	19	22	19	11	8	9	2	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	-	-	1	-	-	-
204	Leukemia and aleukemia	124	-	9	5	2	5	1	4	3	5	2	8	9	9	15	14	15	13	3	1	-	1	-
	White----M--	70	-	4	2	1	4	1	3	2	1	2	4	5	5	8	8	10	8	2	-	-	-	-
	F--	50	-	5	3	1	1	-	1	1	4	-	2	3	4	6	6	5	5	1	1	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	105	-	-	2	1	2	2	2	6	2	4	7	9	10	13	13	15	12	5	-	-	-	-
	White----M--	63	-	-	2	1	-	1	1	4	1	2	3	8	6	8	8	9	6	3	-	-	-	-
	F--	32	-	-	-	-	1	1	1	1	-	1	2	1	4	3	4	6	5	2	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	65	-	4	4	1	-	1	1	2	1	5	3	4	5	6	5	10	5	2	4	2	-	-
	White----M--	29	-	-	1	-	-	1	-	1	-	2	1	2	3	3	3	7	3	1	1	-	-	-
	F--	28	-	2	2	1	-	-	1	1	1	2	1	2	2	3	1	1	2	1	3	2	-	-
	Nonwhite--M--	5	-	2	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
260	Diabetes mellitus	257	-	2	-	-	-	2	3	3	3	7	8	12	14	39	45	55	36	17	7	4	-	-
	White----M--	87	-	1	-	-	-	1	1	3	1	4	3	3	6	11	13	17	10	8	3	2	-	-
	F--	145	-	1	-	-	-	1	2	-	1	3	2	6	8	21	28	33	25	9	4	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	1	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	1	-	2	1	-	7	4	4	-	-	-	1	-	-
290-293	Anemias	41	1	2	2	-	-	-	-	-	-	-	-	1	1	3	4	7	7	8	3	2	-	-
	White----M--	12	-	-	2	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	1	-	-	-
	F--	24	1	1	-	-	-	-	-	-	-	-	-	1	-	2	3	3	6	4	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-
340	Nonmeningococcal meningitis*	19	6	3	1	2	-	-	-	1	-	-	-	-	-	1	1	2	1	1	-	-	-	-
	White----M--	8	1	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
	F--	10	5	1	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	9,522	5	6	10	9	20	18	37	41	102	185	285	476	599	838	1,149	1,441	1,602	1,381	918	315	79	6
	White----M--	5,265	4	4	7	3	11	6	19	22	67	124	191	301	376	518	660	784	865	694	439	138	30	2
	F--	3,654	1	2	2	6	7	9	16	15	28	40	72	123	157	231	401	565	674	642	455	165	43	-
	Nonwhite--M--	332	-	-	1	-	-	1	2	2	6	7	12	23	37	51	58	51	36	23	13	4	2	3
	F--	271	-	-	-	-	2	2	-	2	1	14	10	29	29	38	30	41	27	22	11	8	4	1
330-334, 400-468	Diseases of cardiovascular system	9,325	5	5	10	8	17	15	28	36	88	178	277	465	589	815	1,133	1,417	1,577	1,364	903	310	79	6
	White----M--	5,158	4	3	7	3	10	4	13	19	58	119	188	297	372	507	651	774	850	682	430	135	30	2
	F--	3,584	1	2	2	5	5	8	15	13	23	40	68	117	154	223	396	554	664	639	449	163	43	-
	Nonwhite--M--	323	-	-	1	-	-	1	-	2	6	6	11	23	36	49	57	50	36	23	13	4	2	3
	F--	260	-	-	-	-	2	2	-	2	1	13	10	28	27	36	29	39	27	20	11	8	4	1
330-334	Vascular lesions, etc.*	2,068	2	-	4	1	4	-	3	5	13	27	41	81	83	142	232	326	419	379	225	68	12	1
	White----M--	999	2	-	2	-	4	-	3	4	3	10	19	41	38	83	111	155	207	182	102	29	4	-
	F--	939	-	-	2	1	-	-	-	-	7	11	17	26	33	45	101	152	193	187	120	37	7	-
	Nonwhite--M--	63	-	-	-	-	-	-	-	1	2	1	-	3	5	7	12	12	11	5	1	2	-	1
	F--	67	-	-	-	-	-	-	-	-	1	5	5	11	7	7	8	7	8	5	2	-	1	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WEST VIRGINIA—Continued																							
400-402	Rheumatic fever	19	1	-	3	4	3	1	-	-	3	1	1	-	-	1	-	-	-	-	1	-	-	-
	White-----M	5	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	12	1	-	-	3	3	1	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart	6,630	2	5	3	3	8	13	22	27	70	139	217	367	479	638	841	1,014	1,058	877	578	210	55	4
	White-----M	3,840	2	3	3	2	6	4	9	15	54	100	161	248	325	410	502	577	583	441	281	90	23	1
	F	2,384	-	2	-	1	1	7	13	9	14	26	44	84	106	161	283	374	436	406	279	110	28	-
	Nonwhite--M	229	-	-	-	-	-	1	-	1	2	5	8	18	29	40	39	32	22	16	10	2	2	2
	F	177	-	-	-	-	1	1	-	2	-	8	4	17	19	27	17	31	17	14	8	8	2	1
410-416	Chronic rheumatic heart disease	177	-	-	-	1	5	7	7	6	12	12	11	21	15	20	19	15	12	11	3	-	-	-
	White-----M	88	-	-	-	1	3	3	3	2	5	7	6	12	7	7	12	5	8	6	1	-	-	-
	F	85	-	-	-	-	1	3	4	3	6	5	5	9	8	13	7	10	4	5	2	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,490	-	-	-	-	1	3	10	14	50	111	165	270	364	474	604	691	721	524	338	111	36	3
	White-----M	2,810	-	-	-	-	1	1	4	9	44	84	131	202	274	331	380	417	413	276	179	48	16	-
	F	1,445	-	-	-	-	-	2	6	4	5	20	26	51	61	107	190	235	281	232	150	58	17	-
	Nonwhite--M	138	-	-	-	-	-	-	-	-	1	2	6	8	18	23	27	19	15	8	5	2	2	2
	F	97	-	-	-	-	-	-	-	1	-	5	2	9	11	13	7	20	12	8	4	3	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	771	-	3	1	-	2	1	2	3	3	4	8	24	29	43	65	124	127	149	122	51	10	-
	White-----M	393	-	2	1	-	2	-	1	2	-	3	5	15	10	25	36	64	66	76	58	22	5	-
	F	322	-	1	-	-	-	1	1	-	3	-	3	5	13	13	22	44	56	67	60	28	5	-
	Nonwhite--M	32	-	-	-	-	-	-	-	-	-	-	-	3	5	2	6	7	3	4	2	-	-	-
	F	24	-	-	-	-	-	-	-	1	-	1	-	1	1	3	1	9	2	2	2	1	-	-
430-434	Other diseases of heart	327	2	2	2	1	-	2	2	3	3	6	12	9	23	25	33	43	50	57	34	16	1	1
	White-----M	185	2	1	2	1	-	-	1	2	3	5	11	6	13	16	21	23	28	23	14	12	-	1
	F	125	-	1	-	-	-	1	1	1	-	1	1	2	6	7	8	20	21	32	18	4	1	-
	Nonwhite--M	12	-	-	-	-	-	1	-	-	-	-	-	-	3	2	3	-	1	2	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	2	-	-	-
440-443	Hypertension with heart dis.	865	-	-	-	1	-	-	1	1	2	6	21	43	48	76	120	141	148	136	81	32	8	-
	White-----M	364	-	-	-	-	-	-	-	-	2	1	8	13	21	31	53	68	68	60	29	8	2	-
	F	407	-	-	-	1	-	-	1	1	-	-	9	17	18	21	56	65	74	70	49	20	5	-
	Nonwhite--M	45	-	-	-	-	-	-	-	-	-	3	2	7	3	13	3	6	3	2	3	-	-	-
	F	49	-	-	-	-	-	-	-	-	-	2	2	6	6	11	8	2	3	4	-	4	1	-
444-447	Hypertension without mention of heart	123	-	-	-	-	-	-	-	2	1	2	4	3	8	9	13	15	22	19	15	7	3	-
	White-----M	62	-	-	-	-	-	-	-	-	-	1	2	1	1	3	8	7	13	11	8	5	2	-
	F	46	-	-	-	-	-	-	-	2	1	1	-	1	5	4	2	7	6	8	7	2	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	2	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	1	-
450	General arteriosclerosis	327	-	-	-	-	-	-	-	-	-	-	3	6	8	9	29	36	52	76	74	24	9	1
	White-----M	165	-	-	-	-	-	-	-	-	-	-	1	3	4	3	16	19	32	40	34	11	1	1
	F	146	-	-	-	-	-	-	-	-	-	-	2	3	4	5	9	13	18	33	38	13	8	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	2	2	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	-	-	-	-
451-468	Other diseases of circulatory sys.	158	-	-	-	-	2	1	3	2	1	9	11	8	11	16	18	26	26	13	10	1	-	-
	White-----M	87	-	-	-	-	-	-	1	-	-	8	5	4	4	8	14	16	15	8	4	-	-	-
	F	57	-	-	-	-	1	-	2	2	-	1	4	3	6	7	1	8	11	5	5	1	-	-
	Nonwhite--M	9	-	-	-	-	-	-	-	-	1	-	2	1	-	1	3	1	-	-	-	-	-	-
	F	5	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
592-594	Chronic nephritis, etc.*	197	-	1	-	1	3	3	9	5	14	7	8	11	10	23	16	24	25	17	15	5	-	-
	White-----M	107	-	1	-	-	1	2	6	3	9	5	3	4	4	11	9	10	15	12	9	3	-	-
	F	70	-	-	-	1	2	1	1	2	5	-	4	6	3	8	5	11	10	3	6	2	-	-
	Nonwhite--M	9	-	-	-	-	-	-	2	-	-	1	1	-	1	2	1	1	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	2	-	2	-	-	-	-
480-493	Influenza and pneumonia, etc.*	800	113	39	9	10	17	10	11	10	14	17	16	20	29	42	60	81	82	84	85	38	13	-
	White-----M	404	48	13	6	6	13	7	6	3	9	7	6	11	14	20	39	46	44	43	42	16	5	-
	F	331	51	21	2	4	3	3	5	4	4	5	7	6	10	15	18	29	34	39	41	22	8	-
	Nonwhite--M	41	6	3	-	-	-	-	-	-	-	5	1	3	4	7	2	4	4	1	1	-	-	-
	F	24	8	2	1	-	1	-	-	3	1	-	2	-	1	-	1	2	-	1	1	-	-	-
480-483	Influenza	154	8	6	3	5	8	3	3	2	1	2	2	3	4	13	14	14	21	13	16	11	2	-
	White-----M	77	1	3	2	3	7	2	-	-	-	-	1	1	3	6	11	10	9	6	7	4	1	-
	F	65	6	3	1	2	1	1	3	1	-	-	1	1	1	5	2	3	11	6	9	7	1	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	-	1	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	1	-	-	-	-
490-493	Pneumonia, etc.*	646	105	33	6	5	9	7	8	8	13	15	14	17	25	29	46	67	61	71	69	27	11	-
	White-----M	327	47	10	4	3	6	5	6	3	9	7	5	10	11	14	28	36	35	37	35	12	4	-
	F	266	45	18	1	2	2	2	2	3	4	5	6	5	9	10	16	26	23	33	32	15	7	-
	Nonwhite--M	35	6	3	-	-	-	-	-	-	-	3	1	2	4	5	2	4	3	1	1	-	-	-
	F	18	7	2	1	-	1	-	-	2	-	-	2	-	1	-	-	1	-	-	1	-	-	-
500-502	Bronchitis	49	8	8	-	-	1	-	-	-	-	1	-	4	2	2	5	5	6	4	3	-	-	-
	White-----M	29	5	4	-	-	-	-	-	-	-	-	-	3	2	1	4	3	3	3	1	-	-	-
	F	16	3	4	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	1	2	-	-	-
	Nonwhite--M	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	93	-	1	-	-	1	-	1	1	3	1	6	3	11	9	19	14	12	3	7	1	-	-
	White-----M	68	-	-	-	-	1	-	1	1	3	1	5	3	9	6	13	11	8	3	3	-	-	-
	F	20	-	1	-	-	-	-	-	-	-	-	-	-	1	2	6	3	2	-	4	1	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
550-553	Appendicitis	21	-	2	-	2	-	1	1	-	-	-	-	3	-	3	3	2	2	2	-	-	-	-
	White-----M	16	-	2	-	2	-	-	1	-	-	-	-	3	-	2	3	1	1	1	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	77	9	-	-	-	1	1	-	-	7	3	4	2	5	8	6	9	13	5	3	1	-	-
	White-----M	41	4	-	-	-	1	-	-	-	-	2	2	2	2	3	5	6	8	2	3	1	-	-
	F	30	5	-	-	-	-	1	-	-	6	1	2	-	3	2	1	3	3	3	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WEST VIRGINIA—Continued																							
543, 571, 572	Gastritis, etc.*	86	31	4	4	1	-	3	-	-	-	-	4	2	3	6	6	6	4	8	4	-	-	-
	White-----M--	39	16	2	1	-	-	1	-	-	-	-	4	1	1	3	2	2	1	4	1	-	-	-
	F--	43	11	2	3	1	-	2	-	-	-	-	-	1	2	3	4	4	3	4	3	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	153	1	-	1	-	-	-	2	1	8	16	16	27	18	14	15	21	5	5	2	1	-	-
	White-----M--	101	-	-	-	-	-	-	1	-	3	9	11	18	11	10	13	17	4	2	2	-	-	-
	F--	51	1	-	1	-	-	-	1	1	5	7	5	9	6	4	2	4	1	3	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	26	-	-	1	1	-	-	1	-	-	2	4	-	1	4	1	2	3	2	3	-	-	1
	White-----M--	10	-	-	1	-	-	-	-	-	-	1	1	-	1	-	1	1	2	1	1	-	-	-
	F--	13	-	-	-	1	-	-	1	-	-	1	3	-	-	3	-	-	1	1	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
610	Hyperplasia of prostate	63	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	12	7	22	11	3	1	-
	White-----M--	60	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	11	7	21	10	3	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
640-689	Complications of pregnancy, etc.*	15	...	...	...	-	1	2	1	3	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	15	...	...	...	-	1	2	1	3	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	2	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	13	...	...	...	-	1	2	1	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	13	...	...	...	-	1	2	1	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	272	200	22	6	2	2	6	6	7	2	3	2	2	2	1	3	2	-	-	3	-	-	1
	White-----M--	125	90	9	4	1	1	4	3	3	-	1	2	-	1	1	2	1	-	-	2	-	-	-
	F--	123	91	12	1	1	1	1	3	3	2	2	-	1	1	-	1	1	-	-	1	-	-	1
	Nonwhite--M--	13	12	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	11	7	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	719	719	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	396	396	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	261	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	335	335	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	186	186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Ot. dis. of infancy, & immaturity unqualified, etc.*	346	346	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	379	27	3	-	1	3	2	1	1	7	9	14	12	17	18	36	41	48	50	48	25	14	2
	White-----M--	202	16	2	-	-	1	2	1	1	4	6	11	7	10	8	17	21	26	30	22	11	5	1
	F--	139	11	1	-	1	2	-	-	-	3	2	2	1	5	6	11	13	18	18	23	13	9	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	3	3	2	1	1	-	1
	F--	16	-	-	-	-	-	-	-	-	-	1	1	3	1	1	2	4	1	-	2	-	-	-
Residual	All other diseases	867	38	12	6	10	15	9	8	17	27	42	46	67	78	80	111	109	72	54	46	15	4	1
	White-----M--	500	21	7	5	5	9	5	4	9	17	25	28	39	54	49	64	66	38	31	17	6	-	1
	F--	308	14	5	1	5	5	4	2	6	8	13	17	24	15	26	34	41	32	21	24	8	3	-
	Nonwhite--M--	37	1	-	-	-	-	-	2	2	1	2	1	1	8	5	7	2	2	1	2	-	-	-
	F--	22	2	-	-	-	1	-	-	-	1	2	-	3	1	-	6	-	-	1	3	1	1	-
E800-E962	Accidents	1,378	38	43	45	40	88	106	96	116	95	86	89	77	76	67	67	60	71	51	46	14	7	-
	White-----M--	953	20	20	31	26	73	96	72	87	75	71	67	54	59	54	38	33	35	20	15	6	1	-
	F--	326	17	20	11	11	13	7	21	19	9	11	13	11	12	8	18	23	29	28	31	8	6	-
	Nonwhite--M--	76	1	-	1	3	2	2	2	8	9	4	8	12	4	4	10	2	2	2	-	-	-	-
	F--	23	-	3	2	-	-	1	1	2	2	-	1	-	1	1	1	2	5	1	-	-	-	-
E810-E835	Motor-vehicle accidents	495	2	11	22	12	53	68	52	55	29	30	37	24	26	18	22	11	12	9	2	-	-	-
	White-----M--	365	-	6	16	8	44	64	36	42	19	22	26	16	19	13	11	7	10	4	2	-	-	-
	F--	102	2	5	6	4	8	2	16	10	5	6	8	4	6	3	9	4	2	2	-	-	-	-
	Nonwhite--M--	24	-	-	-	-	1	1	-	1	5	2	3	4	1	2	2	-	-	2	-	-	-	-
	F--	4	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents	883	36	32	23	28	35	38	44	61	66	56	52	53	50	49	45	49	59	42	44	14	7	-
	White-----M--	588	20	14	15	18	29	32	36	45	56	49	41	38	40	41	27	26	25	16	13	6	1	-
	F--	224	15	15	5	7	5	5	5	9	4	5	5	7	6	5	9	19	27	26	31	8	6	-
	Nonwhite--M--	52	1	-	1	3	1	1	2	7	4	2	5	8	3	2	8	2	2	-	-	-	-	-
	F--	19	-	3	2	-	-	-	1	-	2	-	1	-	1	1	1	2	5	-	-	-	-	-
E963, E970-E979	Suicide	176	-	-	-	3	3	8	14	13	12	11	17	23	19	11	19	7	11	2	2	1	-	-
	White-----M--	146	-	-	-	1	2	5	11	12	9	9	13	20	17	8	18	6	11	1	2	1	-	-
	F--	25	-	-	-	2	1	3	3	1	3	1	3	3	1	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	79	3	-	1	1	6	5	10	9	7	10	9	4	4	3	5	1	1	-	-	-	-	-
	White-----M--	42	1	-	-	-	3	1	4	4	5	5	7	3	3	-	4	1	1	-	-	-	-	-
	F--	12	-	-	1	1	2	1	2	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	-	-	-	-	1	3	4	3	1	3	2	1	-	2	1	-	-	-	-	-	-	-
	F--	4	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WISCONSIN																							
	ALL CAUSES------	36,958	2,150	347	194	149	284	282	273	333	460	738	1,084	1,616	2,279	3,323	4,399	5,101	5,064	4,462	2,921	1,209	289	1
	White-----M--	20,748	1,191	176	114	83	201	207	160	193	276	449	675	1,043	1,440	2,059	2,658	2,924	2,677	2,238	1,346	527	110	1
	F--	15,561	815	146	72	62	75	64	93	126	156	261	370	528	795	1,224	1,682	2,130	2,353	2,201	1,559	675	174	-
	Nonwhite--M--	382	77	15	5	3	4	9	14	8	20	20	27	26	19	23	36	30	16	17	8	4	1	-
	F--	267	67	10	3	1	4	2	6	6	8	8	12	19	25	17	23	17	18	6	8	3	4	-
001-019	Tuberculosis, all forms--------	138	-	-	-	-	-	2	1	3	2	8	6	18	14	14	23	16	13	13	3	2	-	-
	White-----M--	98	-	-	-	-	-	1	1	1	-	4	3	13	11	11	19	11	11	7	3	2	-	-
	F--	26	-	-	-	-	-	-	-	1	2	1	2	4	3	1	-	4	2	6	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	3	1	1	-	2	3	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	132	-	-	-	-	-	2	1	3	1	7	6	17	14	13	23	15	13	12	3	2	-	-
	White-----M--	95	-	-	-	-	-	1	1	1	-	4	3	12	11	10	19	10	11	7	3	2	-	-
	F--	23	-	-	-	-	-	-	-	1	1	-	2	4	3	1	-	4	2	5	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	3	1	1	-	2	3	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	6	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	51	1	-	-	-	-	-	-	-	-	-	3	3	5	9	10	14	4	1	1	-	-	-
	White-----M--	36	1	-	-	-	-	-	-	-	-	-	1	2	5	7	7	9	3	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	3	-	-	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	4	-	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	16	5	7	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	4	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	7	-	-	3	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	10	2	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	7	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	91	13	9	2	1	2	3	1	2	6	5	2	2	7	4	9	11	5	4	1	1	1	-
	White-----M--	49	7	4	2	-	1	1	-	1	2	4	1	2	4	-	7	6	4	1	1	1	-	-
	F--	39	4	4	-	1	1	2	1	1	4	1	1	-	3	4	2	5	1	3	-	-	1	-
	Nonwhite--M--	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WISCONSIN—Con.																							
140-205	Malignant neoplasms, etc.*	6,162	9	38	43	27	25	13	38	62	102	165	287	411	538	844	947	948	754	550	271	77	13	-
	White—M	3,187	5	19	21	12	12	10	20	30	47	67	119	182	254	453	533	547	389	297	132	32	6	-
	F	2,897	4	19	21	15	13	3	17	32	51	93	158	218	275	385	399	393	360	251	139	44	7	-
	Nonwhite—M	48	-	-	1	-	-	-	1	-	3	3	5	5	6	4	10	6	2	1	-	1	-	-
	F	30	-	-	-	-	-	-	-	-	1	2	5	6	3	2	5	2	3	1	-	-	-	-
140-148	Of buccal cavity and pharynx	135	-	1	-	-	-	1	2	-	2	2	6	11	12	18	19	23	17	18	3	-	-	-
	White—M	105	-	1	-	-	-	1	1	-	-	2	6	10	9	11	17	20	11	15	1	-	-	-
	F	26	-	-	-	-	-	-	1	-	-	-	-	1	2	7	1	3	6	3	2	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	2,357	1	2	1	-	3	1	4	11	15	46	85	121	179	301	370	411	373	266	125	40	2	-
	White—M	1,270	1	1	-	-	3	1	2	5	9	22	50	60	102	165	203	242	189	141	54	19	1	-
	F	1,060	-	1	1	-	-	-	2	6	6	21	31	55	76	132	164	166	182	125	71	20	1	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	2	2	2	1	2	2	2	1	-	-	1	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	2	4	-	2	1	1	1	-	-	-	-	-
160-164	Of respiratory system (not secondary)	626	-	-	1	1	-	-	-	3	9	15	26	64	65	130	138	86	46	25	15	2	1	-
	White—M	529	-	-	1	-	-	-	-	3	8	13	19	51	54	120	122	76	36	17	8	1	-	-
	F	91	-	-	-	-	-	-	-	-	1	2	7	10	10	9	15	10	10	8	7	1	1	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	576	-	-	-	-	-	1	3	6	20	25	49	56	63	87	77	66	51	38	23	8	3	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-
	F	565	-	-	-	-	-	1	3	6	20	25	48	55	63	86	72	66	48	38	23	8	3	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	-	-	-	-	-	-
171-179	Of genital organs	895	-	-	1	1	-	3	6	10	12	27	43	50	96	102	120	149	124	97	45	8	1	-
	White—M	370	-	-	1	-	-	3	2	1	2	1	1	1	18	23	53	81	72	70	36	5	-	-
	F	508	-	-	-	1	-	-	4	9	9	25	40	48	76	78	64	64	51	26	9	3	1	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	1	1	-	-	-	-	-
180, 181	Of urinary organs	333	2	3	3	2	1	-	-	-	2	3	11	25	19	47	58	54	40	41	15	5	2	-
	White—M	229	-	1	1	1	1	-	-	-	2	3	8	16	15	39	42	36	26	24	10	2	2	-
	F	99	2	2	2	1	-	-	-	-	-	-	2	9	2	8	16	17	13	17	5	3	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	643	2	7	13	8	8	1	12	16	20	20	34	44	60	87	88	77	56	42	34	10	4	-
	White—M	340	1	4	5	4	5	1	9	11	9	11	17	20	35	47	45	46	25	18	19	5	3	-
	F	295	1	3	8	4	3	-	2	5	10	8	15	24	24	40	42	31	31	23	15	5	1	-
	Nonwhite—M	6	-	-	-	-	-	-	1	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
204	Leukemia and aleukemia	299	4	23	18	11	9	1	5	11	7	11	12	11	20	36	34	41	23	11	7	4	-	-
	White—M	168	3	11	11	4	2	-	3	8	6	6	6	5	9	25	22	23	15	5	4	-	-	-
	F	129	1	12	7	7	7	1	2	3	1	5	6	6	11	11	10	18	8	6	3	4	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	298	-	2	6	5	4	5	6	5	15	16	21	29	24	36	43	41	24	12	4	-	-	-
	White—M	170	-	1	2	3	1	4	3	2	11	9	12	19	12	22	27	23	12	7	-	-	-	-
	F	124	-	1	3	2	3	1	3	3	4	7	9	10	11	14	15	18	11	5	4	-	-	-
	Nonwhite—M	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	112	3	1	2	2	4	3	-	3	4	4	10	8	5	12	12	10	15	9	4	-	1	-
	White—M	46	1	1	2	2	2	1	-	1	1	2	2	3	2	6	3	6	8	2	1	-	-	-
	F	63	1	-	-	-	1	2	-	2	3	2	8	4	3	6	9	4	7	7	3	-	1	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	738	-	-	1	3	2	7	14	12	15	10	15	29	59	94	113	132	114	83	26	8	1	-
	White—M	304	-	-	1	2	-	2	6	5	11	6	7	16	18	33	45	59	44	31	13	4	1	-
	F	418	-	-	-	1	1	5	7	7	3	2	6	11	39	60	68	72	67	52	13	4	-	-
	Nonwhite—M	8	-	-	-	-	1	-	-	-	1	2	-	1	-	1	-	1	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	1	-	-	-	2	1	2	-	-	-	2	-	-	-	-	-
290-293	Anemias	89	2	1	2	-	1	-	-	-	-	2	2	2	3	4	8	12	19	17	8	4	2	-
	White—M	38	-	1	-	-	-	-	-	-	-	-	1	2	1	2	6	4	10	6	2	2	1	-
	F	51	2	-	2	-	1	-	-	-	-	2	1	-	2	2	2	8	9	11	6	2	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*	31	9	8	-	-	1	1	-	-	-	-	3	-	2	-	1	3	-	2	1	-	-	-
	White—M	19	7	4	-	-	1	-	-	-	-	-	2	-	1	-	1	2	-	1	-	-	-	-
	F	11	2	3	-	-	-	1	-	-	-	-	1	-	1	-	-	1	-	1	1	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	21,019	9	5	9	10	14	20	34	78	122	286	471	797	1,260	1,784	2,655	3,325	3,515	3,273	2,236	906	209	1
	White—M	11,743	6	4	7	4	7	12	17	48	78	199	334	580	885	1,166	1,633	1,854	1,820	1,601	1,008	401	78	1
	F	9,038	1	1	2	5	6	7	16	27	33	78	119	195	347	597	994	1,442	1,673	1,653	1,214	500	128	-
	Nonwhite—M	132	1	-	-	-	1	1	1	-	8	5	13	15	10	9	15	18	10	14	7	3	1	-
	F	106	1	-	-	1	-	-	-	3	3	4	5	7	18	12	13	11	12	5	7	2	2	-
330-334, 400-468	Diseases of cardiovascular system	20,709	9	4	6	8	13	11	26	68	112	271	454	770	1,237	1,760	2,617	3,299	3,480	3,242	2,212	901	208	1
	White—M	11,574	6	3	5	3	7	6	12	43	72	193	328	563	871	1,152	1,612	1,837	1,804	1,584	996	399	77	1
	F	8,904	1	1	1	4	5	4	13	23	31	70	109	185	340	587	977	1,433	1,654	1,639	1,202	497	128	-
	Nonwhite—M	130	1	-	-	-	1	1	1	-	7	5	12	15	10	9	15	18	10	14	7	3	1	-
	F	101	1	-	-	1	-	-	-	2	2	3	5	7	16	12	13	11	12	5	7	2	2	-
330-334	Vascular lesions, etc.*	4,656	4	2	4	2	7	4	5	14	17	52	74	122	189	314	531	784	885	866	536	201	43	-
	White—M	2,231	2	2	3	1	5	2	2	8	4	29	35	60	98	157	286	381	423	399	230	88	16	-
	F	2,364	-	-	1	1	2	1	3	6	12	22	33	54	83	155	237	396	453	462	305	112	26	-
	Nonwhite—M	31	1	-	-	-	-	1	-	-	1	-	6	4	4	-	3	1	6	3	1	-	-	-
	F	30	1	-	-	-	-	-	-	-	-	1	-	4	4	2	5	6	3	2	-	1	1	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WISCONSIN—Con.																							
400-402	Rheumatic fever---	18	-	2	1	4	-	1	1	-	-	1	1	2	3	1	-	1	-	-	-	-	-	-
	White-----M--	8	-	1	1	1	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	F--	10	-	1	-	3	-	-	1	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	14,614	5	-	1	2	5	6	17	50	91	208	360	614	998	1,386	1,963	2,339	2,383	2,082	1,407	571	125	1
	White-----M--	8,583	4	-	1	1	2	3	10	34	67	159	282	479	737	957	1,251	1,353	1,271	1,030	650	248	43	1
	F--	5,878	1	-	-	-	2	3	6	15	17	42	69	122	243	410	695	967	1,100	1,042	745	319	80	-
	Nonwhite--M--	87	-	-	-	-	1	-	1	-	5	5	6	10	6	9	10	14	4	7	5	3	1	-
	F--	66	-	-	-	1	-	-	-	1	2	2	3	3	12	10	7	5	8	3	7	1	1	-
410-416	Chronic rheumatic heart disease----	492	-	-	-	2	4	1	10	15	16	35	45	48	70	61	70	45	36	20	11	3	-	-
	White-----M--	253	-	-	-	1	1	-	6	6	10	16	23	27	43	33	39	19	15	10	3	1	-	-
	F--	231	-	-	-	-	2	1	4	8	5	19	21	21	25	28	30	26	21	10	8	2	-	-
	Nonwhite--M--	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	1	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	11,092	-	-	-	-	-	2	5	24	59	150	271	488	786	1,130	1,577	1,874	1,821	1,509	940	373	80	1
	White-----M--	6,851	-	-	-	-	-	2	2	21	47	129	233	405	603	833	1,046	1,117	995	763	457	170	27	1
	F--	4,143	-	-	-	-	-	-	2	3	9	16	34	78	173	284	519	742	815	741	476	199	52	-
	Nonwhite--M--	61	-	-	-	-	-	-	1	-	3	5	4	4	5	5	8	11	4	5	3	3	-	-
	F--	37	-	-	-	-	-	-	-	-	-	-	-	1	7	8	4	4	7	-	4	1	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,512	1	-	-	-	-	-	-	4	4	4	7	25	32	59	112	194	260	337	291	150	32	-
	White-----M--	777	1	-	-	-	-	-	-	2	3	3	4	19	21	34	65	108	152	163	131	60	11	-
	F--	722	-	-	-	-	-	-	-	2	1	1	2	4	9	24	47	84	107	172	158	90	21	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	1	2	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-
430-434	Other diseases of heart---------	319	4	-	1	-	1	2	1	5	6	4	13	13	28	28	43	42	50	42	26	7	3	-
	White-----M--	195	3	-	1	-	1	1	1	4	3	2	7	8	24	15	28	29	27	23	14	3	1	-
	F--	115	1	-	-	-	-	1	-	1	1	1	6	5	4	10	14	13	23	17	12	4	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	2	-	-	-	-	2	1	-	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
440-443	Hypertension with heart dis.--	1,199	-	-	-	-	-	1	1	2	6	15	24	40	80	108	161	184	216	174	139	38	10	-
	White-----M--	507	-	-	-	-	-	-	1	1	4	9	15	20	46	42	73	80	82	71	45	14	4	-
	F--	667	-	-	-	-	-	1	-	1	1	5	6	14	32	64	85	102	134	102	91	24	5	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	1	4	1	1	-	2	-	-	-	-	1	-
	F--	15	-	-	-	-	-	-	-	-	1	1	2	2	1	1	3	-	-	1	3	-	-	-
444-447	Hypertension without mention of heart----------	221	-	-	-	-	-	-	1	1	3	3	9	8	17	13	17	34	32	45	29	7	2	-
	White-----M--	108	-	-	-	-	-	-	-	-	1	1	2	7	16	11	7	16	13	19	12	2	1	-
	F--	109	-	-	-	-	-	-	1	1	1	2	5	1	1	2	10	18	19	25	17	5	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	913	-	-	-	-	-	-	-	-	-	-	-	4	4	16	53	92	147	224	220	116	37	-
	White-----M--	470	-	-	-	-	-	-	-	-	-	-	-	3	2	9	31	58	77	123	93	58	16	-
	F--	436	-	-	-	-	-	-	-	-	-	-	-	1	2	7	21	32	69	99	126	58	21	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	287	-	-	-	-	1	-	2	3	1	7	10	20	26	30	53	49	33	25	20	6	1	-
	White-----M--	174	-	-	-	-	-	-	-	1	-	3	8	13	17	18	37	29	20	13	11	3	1	-
	F--	107	-	-	-	-	1	-	2	1	1	4	2	6	9	12	14	19	13	11	9	3	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	310	-	1	3	2	1	9	8	10	10	15	17	27	23	24	38	26	35	31	24	5	1	-
	White-----M--	169	-	1	2	1	-	6	5	5	6	6	6	17	14	14	21	17	16	17	12	2	1	-
	F--	134	-	-	1	1	1	3	3	4	2	8	10	10	7	10	17	9	19	14	12	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,141	177	49	15	6	6	9	10	7	9	16	28	25	33	71	87	114	133	149	108	67	22	-
	White-----M--	647	92	23	12	2	5	1	6	2	7	10	18	16	21	43	58	73	74	84	62	25	13	-
	F--	452	58	23	3	4	1	7	4	5	2	6	9	6	12	27	28	38	58	64	46	42	9	-
	Nonwhite--M--	20	14	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	1	-	-	-	-
	F--	22	13	3	-	-	-	1	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-
480-483	Influenza---------	153	13	10	6	2	1	2	2	2	3	4	3	4	3	12	18	19	17	9	16	5	2	-
	White-----M--	90	8	5	5	1	1	1	1	1	3	3	1	4	2	8	10	16	6	2	7	3	2	-
	F--	61	4	5	1	1	-	1	1	1	-	1	2	-	1	4	8	3	10	7	9	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
490-493	Pneumonia, etc.*--	988	164	39	9	4	5	7	8	5	6	12	25	21	30	59	69	95	116	140	92	62	20	-
	White-----M--	557	84	18	7	1	4	-	5	1	4	7	17	12	19	35	48	57	68	82	55	22	11	-
	F--	391	54	18	2	3	1	6	3	4	2	5	7	6	11	23	20	35	48	57	37	40	9	-
	Nonwhite--M--	20	14	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	1	-	-	-	-
	F--	20	12	3	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
500-502	Bronchitis--------	87	36	5	3	2	-	-	-	1	-	1	2	-	3	5	4	8	5	4	4	3	1	-
	White-----M--	48	23	2	2	-	-	-	-	-	-	-	-	-	3	3	2	7	4	2	-	-	-	-
	F--	32	6	3	1	2	-	-	-	1	-	1	2	-	-	2	2	1	1	2	4	3	1	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	245	-	-	-	-	-	-	1	-	6	10	11	18	29	39	24	43	27	25	8	3	1	-
	White-----M--	189	-	-	-	-	-	-	1	-	3	7	10	15	20	32	17	37	21	17	6	2	1	-
	F--	52	-	-	-	-	-	-	-	-	1	3	1	3	7	7	7	6	6	8	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	54	1	4	1	-	1	-	-	-	3	1	3	5	2	7	7	5	7	4	2	1	-	-
	White-----M--	36	1	3	1	-	1	-	-	-	3	1	3	4	1	4	7	3	1	3	-	-	-	-
	F--	17	-	1	-	-	-	-	-	-	-	-	-	1	1	3	-	2	5	1	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	194	27	4	1	-	-	1	1	2	1	6	4	4	8	14	31	22	24	23	16	5	-	-
	White-----M--	113	17	3	1	-	-	1	1	1	1	4	1	2	6	9	12	15	16	12	7	4	-	-
	F--	78	10	1	-	-	-	-	-	1	-	1	3	2	2	4	19	6	8	11	9	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WISCONSIN—Con.																							
543,	Gastritis, etc.*--	153	49	12	1	-	-	4	3	1	4	4	5	1	8	8	11	10	9	9	10	4	-	-
571,	White-----M--	76	22	9	1	-	-	2	-	-	2	2	4	1	5	5	4	5	4	6	4	-	-	-
572	F--	70	20	3	-	-	-	2	3	1	2	2	1	-	3	3	7	5	5	3	6	4	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	366	3	-	-	-	-	1	3	9	18	29	37	49	47	62	49	35	13	8	1	1	1	-
	White-----M--	264	1	-	-	-	-	1	1	8	12	16	28	41	34	52	35	20	9	5	1	-	-	-
	F--	94	2	-	-	-	-	-	2	1	5	12	8	8	13	9	12	14	4	3	-	-	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
590,	Acute nephritis,																							
591	etc.*----------	38	3	3	1	2	1	1	1	1	2	2	-	3	1	2	3	3	3	2	2	2	-	-
	White-----M--	24	2	1	1	1	1	-	-	1	2	2	-	3	1	2	2	-	1	2	1	1	-	-
	F--	10	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	3	2	-	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	163	-	-	-	-	-	-	-	-	-	-	-	2	3	10	14	32	43	30	20	6	3	-
	White-----M--	162	-	-	-	-	-	-	-	-	-	-	-	1	3	10	14	32	43	30	20	6	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	37	...	...	...	-	1	5	11	6	8	5	-	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	36	...	...	...	-	1	5	11	6	8	4	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	4	...	...	...	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	4	...	...	...	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	33	...	...	...	-	1	4	9	6	8	4	-	1	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	32	...	...	...	-	1	4	9	6	8	3	-	1	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	1	...	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	486	336	38	24	13	7	6	6	6	6	6	3	8	7	10	2	4	2	2	-	-	-	-
	White-----M--	256	186	18	10	2	4	4	2	2	5	3	2	4	5	5	1	1	1	1	-	-	-	-
	F--	217	140	19	13	10	3	2	4	4	1	3	1	4	2	5	1	3	1	1	-	-	-	-
	Nonwhite--M--	7	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	1,289	1,289	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	718	718	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	490	490	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	547	547	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	331	331	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	192	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	675	675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	346	346	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	276	276	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	207	8	1	-	-	-	-	2	1	1	7	6	8	6	10	11	18	18	21	39	35	15	-
795	White-----M--	107	3	1	-	-	-	-	1	-	-	4	4	5	5	7	5	12	11	14	17	14	4	-
	F--	95	4	-	-	-	-	-	1	1	1	3	2	3	1	2	5	6	7	7	21	21	10	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Re-	All other diseases	1,574	108	36	16	11	21	18	20	29	30	47	66	86	115	169	222	191	177	109	64	32	7	-
sid-	White-----M--	884	58	17	9	3	15	10	13	10	17	21	35	55	65	103	130	114	103	57	35	14	-	-
ual	F--	660	45	17	6	8	5	8	7	17	11	25	27	30	48	62	89	76	74	51	29	18	7	-
	Nonwhite--M--	19	4	1	1	-	1	-	-	-	1	-	4	-	1	3	2	-	-	1	-	-	-	-
	F--	11	1	1	-	-	-	-	-	2	1	1	-	1	1	1	1	1	-	-	-	-	-	-
E800-	Accidents---------	1,987	60	119	68	67	185	173	101	84	80	77	76	83	79	109	113	106	139	111	93	52	12	-
E962	White-----M--	1,342	35	60	41	50	142	154	77	66	59	62	67	58	57	73	85	76	82	46	30	19	3	-
	F--	583	24	46	22	15	39	14	15	14	17	10	7	24	21	35	25	30	57	65	62	33	8	-
	Nonwhite--M--	44	1	10	2	2	1	5	6	4	3	5	2	-	-	1	2	-	-	-	-	-	-	-
	F--	18	-	3	3	-	3	-	3	-	1	-	-	1	1	-	1	-	-	-	1	-	1	-
E810-	Motor-vehicle																							
E835	accidents--------	882	9	34	26	23	142	131	68	47	51	45	37	49	34	45	55	35	37	8	4	2	-	-
	White-----M--	641	4	17	17	13	104	115	49	38	34	37	32	33	16	30	40	27	26	5	2	2	-	-
	F--	216	5	17	7	9	35	13	12	9	15	6	4	15	17	15	13	8	11	3	2	-	-	-
	Nonwhite--M--	16	-	-	1	1	-	3	5	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-
	F--	9	-	-	1	-	3	-	2	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,105	51	85	42	44	43	42	33	37	29	32	39	34	45	64	58	71	102	103	89	50	12	-
E802,	White-----M--	701	31	43	24	37	38	39	28	28	25	25	35	25	41	43	45	49	56	41	28	17	3	-
E840-	F--	367	19	29	15	6	4	1	3	5	2	4	3	9	4	20	12	22	46	62	60	33	8	-
E962	Nonwhite--M--	28	1	10	1	1	1	2	1	4	1	3	1	-	-	1	1	-	-	-	-	-	-	-
	F--	9	-	3	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-
E963,	Suicide----------	412	-	-	-	1	6	10	16	21	33	41	40	49	41	38	40	38	22	13	3	-	-	-
E970-	White-----M--	319	-	-	-	1	6	5	13	16	24	33	30	36	31	33	29	30	17	12	3	-	-	-
E979	F--	89	-	-	-	-	-	4	3	4	8	8	10	13	10	5	11	8	4	1	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	51	-	2	-	-	3	5	10	4	6	4	4	3	3	3	2	1	1	-	-	-	-	-
E980-	White-----M--	18	-	-	-	-	2	2	1	-	2	1	3	2	2	-	2	1	-	-	-	-	-	-
E985	F--	17	-	1	-	-	1	2	2	1	2	3	1	-	1	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	13	-	1	-	-	-	1	5	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WYOMING																							
	ALL CAUSES------	2,609	218	46	23	13	35	41	37	34	45	76	81	122	183	226	276	332	308	246	179	68	18	2
	White-----M--	1,651	128	27	11	6	23	26	24	22	31	44	48	91	135	166	187	228	191	129	96	28	8	2
	F--	877	77	18	12	7	11	10	11	9	14	29	28	28	44	52	82	97	110	112	77	40	9	-
	Nonwhite--M--	52	9	-	-	-	1	3	1	1	-	3	4	2	2	3	6	4	4	5	3	-	1	-
	F--	29	4	1	-	-	-	2	1	2	-	-	1	1	2	5	1	3	3	-	3	-	-	-
001-019	Tuberculosis, all forms--------	12	-	-	-	-	-	1	2	-	-	-	-	-	3	1	2	1	1	-	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	11	-	-	-	-	-	1	2	-	-	-	-	-	2	1	2	1	1	-	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms------	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	-	1	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	9	2	-	-	-	1	-	-	-	-	-	1	-	1	2	1	-	1	-	-	-	-	-
	White-----M--	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 66A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WYOMING—Con.																							
140-205	Malignant neoplasms, etc.*----	331	-	6	6	3	-	1	2	1	5	18	14	16	28	51	47	45	45	28	12	4	1	-
	White-----M--	196	-	6	4	1	-	1	1	1	2	3	6	10	18	30	31	29	27	17	5	4	-	-
	F--	130	-	-	2	2	-	-	1	-	3	15	8	5	9	19	15	16	18	9	7	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	9	-	-	1	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	1	1	-
	White-----M--	8	-	-	1	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	109	-	-	1	-	-	-	-	-	1	2	2	3	7	14	17	21	19	15	7	-	-	-
	White-----M--	67	-	-	1	-	-	-	-	-	1	-	2	-	5	10	12	11	11	10	4	-	-	-
	F--	40	-	-	-	-	-	-	-	-	-	2	-	2	2	3	5	10	8	5	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	36	-	-	1	-	-	-	-	-	-	2	3	2	5	9	8	1	1	2	2	-	-	-
	White-----M--	26	-	-	-	-	-	-	-	-	-	-	2	2	4	7	6	1	1	2	1	-	-	-
	F--	8	-	-	1	-	-	-	-	-	-	2	1	-	1	1	1	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
170	Of breast---------	36	-	-	-	-	-	-	-	-	1	7	2	2	3	6	4	3	6	1	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	35	-	-	-	-	-	-	-	-	1	7	2	2	3	6	4	3	5	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	56	-	-	-	-	-	-	-	-	1	2	2	2	3	9	8	10	12	5	-	2	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	9	8	2	-	2	-	-
	F--	24	-	-	-	-	-	-	-	-	1	2	2	1	1	6	3	1	4	3	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	12	-	1	-	-	-	-	-	-	-	1	-	-	-	3	2	3	1	-	-	1	-	-
	White-----M--	11	-	1	-	-	-	-	-	-	-	-	-	-	-	3	2	3	1	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	39	-	2	-	2	-	-	-	1	-	1	5	2	5	4	4	4	4	3	2	-	-	-
	White-----M--	27	-	2	-	1	-	-	-	1	-	-	2	2	4	4	2	2	4	3	-	-	-	-
	F--	12	-	-	-	1	-	-	-	-	-	1	3	-	1	-	2	2	-	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia--------	20	-	2	2	1	-	1	1	-	-	1	-	2	2	2	3	2	1	-	-	-	-	-
	White-----M--	16	-	2	1	-	-	1	-	-	-	1	-	2	2	1	3	2	1	-	-	-	-	-
	F--	4	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	14	-	1	1	-	-	-	1	-	2	2	-	1	2	3	-	-	1	-	-	-	-	-
	White-----M--	9	-	1	1	-	-	-	1	-	1	2	-	1	1	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	6	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	32	-	-	-	-	-	-	-	1	1	2	1	-	-	3	8	9	4	2	1	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	1	1	1	-	-	-	2	6	2	2	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	6	2	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	4	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	1,308	1	-	1	-	2	2	3	7	10	22	45	66	98	115	167	208	198	166	134	49	14	-
	White-----M--	820	-	-	1	-	-	-	1	4	5	16	30	49	72	88	108	144	124	81	71	19	7	-
	F--	459	1	-	-	-	2	2	2	2	5	5	12	16	25	24	53	62	72	82	58	30	6	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	1	3	-	-	1	6	2	-	3	3	-	1	-
	F--	9	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	2	-	2	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	1,284	1	-	1	-	1	2	1	6	9	22	45	64	98	112	163	203	195	165	133	49	14	-
	White-----M--	807	-	-	1	-	-	-	1	3	4	16	30	48	72	87	107	141	121	80	70	19	7	-
	F--	448	1	-	-	-	1	2	-	2	5	5	12	15	25	22	50	60	72	82	58	30	6	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	1	3	-	-	1	6	2	-	3	3	-	1	-
	F--	9	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	2	-	2	-	-	-
330-334	Vascular lesions, etc.*----------	282	-	-	-	-	-	-	-	-	1	3	6	14	17	19	34	44	36	54	36	16	2	-
	White-----M--	139	-	-	-	-	-	-	-	-	-	1	1	4	8	12	17	26	18	28	18	5	1	-
	F--	137	-	-	-	-	-	-	-	-	1	2	2	10	9	5	17	18	17	26	18	11	1	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-

*For complete category title, see table 66A.

Table 66B. Deaths From 64 Selected Causes,

(By place of residence. Includes only deaths occurring

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WYOMING--Con.																							
400-402	Rheumatic fever---	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	902	1	-	1	-	1	1	1	6	6	18	39	47	73	82	120	150	143	94	86	24	9	-
	White-----M--	616	-	-	1	-	-	-	1	3	4	15	29	42	59	68	86	108	93	44	47	10	6	-
	F--	271	1	-	-	-	1	1	-	2	2	3	10	5	13	13	31	41	49	48	34	14	3	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	3	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	2	-	-	-
410-416	Chronic rheumatic heart disease----	24	-	-	-	-	1	-	-	1	1	3	5	2	2	3	-	1	1	2	1	1	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	1	2	1	1	1	2	-	1	1	-	1	-	-	-
	F--	12	-	-	-	-	1	-	-	-	-	1	4	1	1	1	-	-	-	2	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	619	-	-	-	-	-	-	-	2	3	13	28	39	61	62	94	104	88	59	53	10	3	-
	White-----M--	463	-	-	-	-	-	-	-	2	3	13	26	37	52	54	73	78	64	28	29	3	1	-
	F--	148	-	-	-	-	-	-	-	-	-	-	2	2	9	7	20	26	23	29	21	7	2	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	147	1	-	-	-	-	1	1	2	-	-	1	2	5	8	11	29	29	23	21	9	4	-
	White-----M--	84	-	-	-	-	-	-	1	-	-	-	1	1	3	4	8	22	14	12	11	4	3	-
	F--	59	1	-	-	-	-	1	-	2	-	-	-	1	1	4	2	7	15	11	8	5	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
430-434	Other diseases of heart---------	41	-	-	1	-	-	-	-	1	2	2	4	3	1	5	4	6	6	4	2	-	-	-
	White-----M--	23	-	-	1	-	-	-	-	1	-	-	-	2	1	5	2	4	4	2	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	2	2	4	1	-	-	1	1	2	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	71	-	-	-	-	-	-	-	-	-	-	1	1	4	4	11	10	19	6	9	4	2	-
	White-----M--	35	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	3	10	2	5	3	2	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	-	2	1	8	7	9	4	4	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	12	-	-	-	-	-	-	-	-	-	1	-	1	3	-	2	1	2	2	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	52	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	4	8	10	10	9	3	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	4	5	5	4	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	4	5	5	2	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	35	-	-	-	-	-	1	-	-	2	-	-	2	4	8	3	4	6	5	-	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	2	3	5	-	3	4	2	-	-	-	-
	F--	15	-	-	-	-	-	1	-	-	2	-	-	-	1	3	2	1	2	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	24	-	-	-	-	1	-	2	1	1	-	-	2	-	3	4	5	3	1	1	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	3	3	1	1	-	-	-
	F--	11	-	-	-	-	1	-	2	-	-	-	-	1	-	2	3	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	97	15	4	1	1	-	-	-	1	3	3	1	5	6	3	4	16	10	13	9	2	-	-
	White-----M--	54	4	4	1	1	-	-	-	-	2	3	1	3	3	3	2	11	5	5	5	1	-	-
	F--	35	9	-	-	-	-	-	-	1	1	-	-	1	2	-	2	3	3	8	4	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
480-483	Influenza---------	18	2	-	1	-	-	-	-	1	1	1	1	2	2	-	1	1	3	2	-	-	-	-
	White-----M--	13	2	-	1	-	-	-	-	-	1	1	1	1	1	-	-	1	3	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	79	13	4	-	1	-	-	-	-	2	2	-	3	4	3	3	15	7	11	9	2	-	-
	White-----M--	41	2	4	-	1	-	-	-	-	1	2	-	2	2	3	2	10	2	4	5	1	-	-
	F--	30	9	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	3	7	4	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-
	F--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
500-502	Bronchitis--------	9	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	24	-	-	-	-	-	-	-	-	-	-	-	3	-	5	3	4	5	2	1	1	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	3	-	5	3	2	3	1	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	6	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	2	-	-	-
	White-----M--	6	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	2	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	19	2	-	-	-	-	-	-	-	-	1	-	-	1	-	2	5	-	2	3	3	-	-
	White-----M--	9	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	1	1	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	2	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 86A.

by Age, Color, and Sex: Each State, 1957—Continued

within the continental United States. Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	WYOMING—Con.																							
543,	Gastritis, etc.*--	14	3	1	-	-	-	-	-	-	-	-	-	1	1	1	2	-	3	2	-	-	-	-
571,	White-----M--	9	-	1	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	1	-	-	-	-
572	F--	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	18	-	-	-	-	1	-	-	-	1	4	-	-	2	2	-	2	5	1	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	1	5	1	-	-	-	-
	F--	6	-	-	-	-	1	-	-	-	1	2	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																							
591	etc.*----------	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	White-----M--	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																							
	prostate---------	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	3	1	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640-	Complications of																							
689	pregnancy, etc.*-	2	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	2	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																							
649,	plications-------	2	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	2	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	-	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																							
759	formations-------	40	23	5	3	-	3	-	1	-	2	-	1	-	-	-	2	-	-	-	-	-	-	-
	White-----M--	28	17	4	1	-	3	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	11	6	-	2	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																							
776	of early infancy-	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																							
762	etc.*----------	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																							
768	newborn----------	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Ot. dis. of infancy,																							
776	& immaturity un-																							
	qualified, etc.*-	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	26	1	-	1	-	-	-	-	1	1	2	-	2	1	1	1	4	4	4	2	-	1	-
795	White-----M--	18	1	-	-	-	-	-	-	-	1	2	-	1	1	1	1	2	3	2	2	-	1	-
	F--	7	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	166	14	7	2	1	2	2	2	2	3	3	2	11	14	25	19	16	14	16	7	4	-	-
	White-----M--	115	9	4	-	-	1	-	-	2	2	1	1	8	13	20	14	11	10	13	4	2	-	-
	F--	44	5	3	2	1	1	1	1	-	1	2	1	3	1	3	5	4	3	3	2	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
E800-	Accidents---------	258	12	19	8	6	22	31	22	16	15	18	8	7	16	10	10	6	13	5	5	5	2	2
E962	White-----M--	178	7	8	4	3	17	24	19	12	14	13	5	5	14	6	9	5	5	2	2	2	-	2
	F--	75	5	11	4	3	5	5	3	4	1	4	3	2	2	4	1	-	8	2	3	3	2	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E810-	Motor-vehicle																							
E835	accidents--------	117	2	6	1	3	16	22	16	6	8	8	4	4	5	6	5	-	4	-	-	-	-	1
	White-----M--	82	1	3	1	2	12	16	14	4	7	6	2	2	3	3	4	-	1	-	-	-	-	1
	F--	33	1	3	-	1	4	4	2	2	1	2	2	2	2	3	1	-	3	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	141	10	13	7	3	6	9	6	10	7	10	4	3	11	4	5	6	9	5	5	5	2	1
E802,	White-----M--	96	6	5	3	1	5	8	5	8	7	7	3	3	11	3	5	5	4	2	2	2	-	1
E840-	F--	42	4	8	4	2	1	1	1	2	-	2	1	-	-	1	-	-	5	2	3	3	2	-
E962	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E963,	Suicide----------	48	-	-	-	-	2	2	5	1	2	1	6	9	6	3	1	7	2	1	-	-	-	-
E970-	White-----M--	37	-	-	-	-	1	-	3	-	2	1	4	9	4	3	1	7	1	1	-	-	-	-
E979	F--	8	-	-	-	-	-	1	2	-	-	-	2	-	2	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	10	-	-	-	-	2	-	-	3	1	1	1	-	2	-	-	-	-	-	-	-	-	-
E980-	White-----M--	6	-	-	-	-	1	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-
E985	F--	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of																							
E990-	war, etc.*--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 66A.

NOTE.—The list of 64 selected causes includes cholera (043), plague (058), and smallpox (084). No deaths were reported from these causes.

Table 67. Deaths From 64 Selected Causes:

(By place of occurrence. Excludes fetal deaths. Numbers under causes of death

	AREA	Total	Tuberculosis, all forms 001-019	Tuberculosis of respiratory system 001-008	Tuberculosis, other forms 010-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Scarlet fever and streptococcal sore throat 050,051	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	Typhus and other rickettsial diseases 100-108	Malaria 110-117	All other infective and parasitic diseases 030-039, 041,042, 044,049, 052-054, 059-074, 081-083, 086-096, 120-138
1	UNITED STATES----	1,633,128	13,324	12,384	940	3,825	34	440	213	81	183	785	221	389	26	14	4,721
2	Alabama----------	28,193	308	282	26	74	2	17	6	6	2	20	4	15	2	-	102
3	Arizona----------	9,175	223	199	24	30	-	20	3	-	2	9	-	16	-	-	31
4	Arkansas----------	16,483	248	234	14	48	1	14	1	4	4	5	3	6	1	-	57
5	California----------	124,078	905	833	72	270	1	23	7	-	9	44	22	27	-	1	338
6	Colorado----------	14,859	132	129	3	27	-	3	4	-	1	11	2	3	-	-	32
7	Connecticut----------	22,440	115	105	10	50	-	-	1	1	-	5	-	4	-	-	57
8	Delaware----------	4,091	50	46	4	5	-	1	-	-	-	2	-	3	-	-	8
9	District of Columbia------	9,917	85	77	8	39	-	1	2	-	-	3	5	1	-	-	36
10	Florida----------	41,844	260	253	7	126	1	10	7	5	4	28	8	11	-	1	164
11	Georgia----------	33,649	263	240	23	98	-	22	7	8	6	23	2	20	3	1	137
12	Idaho----------	5,097	15	14	1	7	-	-	1	-	-	3	-	9	-	-	8
13	Illinois----------	100,916	716	672	44	158	1	11	8	-	2	34	17	8	1	1	194
14	Indiana----------	43,824	308	284	24	108	1	3	5	2	4	29	11	9	-	1	139
15	Iowa----------	27,992	83	80	3	39	1	4	5	-	3	10	1	5	-	-	76
16	Kansas----------	20,270	75	72	3	48	-	-	2	-	-	9	2	2	-	-	45
17	Kentucky----------	28,971	441	409	32	49	1	15	6	2	4	32	6	12	1	1	109
18	Louisiana----------	28,362	312	295	17	153	2	10	2	4	2	16	5	12	-	-	148
19	Maine----------	10,149	44	42	2	14	-	2	5	-	-	7	-	2	-	-	24
20	Maryland----------	26,458	347	319	28	85	1	1	-	-	4	13	2	1	2	-	90
21	Massachusetts----------	54,619	419	401	18	102	-	3	2	1	1	19	3	4	-	-	114
22	Michigan----------	66,160	447	407	40	107	-	6	6	1	5	39	14	22	-	-	182
23	Minnesota----------	31,687	111	98	13	61	-	3	5	1	1	12	5	14	-	-	89
24	Mississippi----------	20,231	155	141	14	48	-	39	7	-	14	8	2	5	1	-	94
25	Missouri----------	47,781	397	373	24	124	2	10	14	-	-	13	9	7	-	-	130
26	Montana----------	6,406	67	59	8	16	-	2	-	1	2	3	1	3	-	-	20
27	Nebraska----------	13,759	74	63	11	12	-	1	4	2	1	5	2	2	-	-	47
28	Nevada----------	2,296	21	20	1	9	-	1	-	-	-	1	-	1	-	-	6
29	New Hampshire----------	6,692	20	17	3	7	-	-	-	-	1	4	-	2	-	-	17
30	New Jersey----------	56,053	505	480	25	94	-	5	3	-	3	19	-	9	1	1	113
31	New Mexico----------	6,146	103	88	15	8	1	19	2	1	3	9	3	15	-	-	22
32	New York----------	172,662	1,564	1,493	71	377	2	7	13	5	7	70	5	12	-	2	362
33	North Carolina----------	35,104	248	222	26	91	-	13	7	2	12	26	2	3	4	1	126
34	North Dakota----------	5,493	18	17	1	4	-	-	1	1	-	4	-	3	-	-	18
35	Ohio----------	90,844	631	572	59	269	2	6	12	1	5	46	13	8	-	1	229
36	Oklahoma----------	21,076	152	145	7	53	1	10	6	1	7	13	5	3	1	-	90
37	Oregon----------	15,555	67	59	8	28	-	2	6	-	-	6	2	7	-	-	36
38	Pennsylvania----------	118,846	1,029	959	70	270	1	4	12	3	13	44	3	11	-	-	318
39	Rhode Island----------	8,551	53	50	3	20	-	5	-	-	-	-	-	-	-	-	21
40	South Carolina----------	18,928	188	170	18	64	3	7	3	4	18	12	2	8	1	1	70
41	South Dakota----------	6,227	31	28	3	13	-	3	1	1	2	5	4	5	-	1	21
42	Tennessee----------	32,572	475	430	45	67	3	9	8	3	6	15	2	14	2	-	122
43	Texas----------	72,969	785	733	52	276	6	111	15	11	25	38	38	32	4	1	322
44	Utah----------	5,927	26	25	1	9	-	1	2	-	-	-	-	5	-	-	30
45	Vermont----------	4,408	40	38	2	6	-	-	1	-	-	2	-	1	-	-	7
46	Virginia----------	32,530	314	279	35	102	1	12	3	4	8	26	5	5	2	-	99
47	Washington----------	25,409	123	115	8	65	-	-	1	2	1	16	2	7	-	-	68
48	West Virginia----------	17,881	178	169	9	34	-	-	2	1	1	12	1	4	-	-	53
49	Wisconsin ----------	36,882	146	141	5	52	-	4	5	-	-	14	6	11	-	-	89
50	Wyoming----------	2,666	7	7	-	9	-	-	-	3	-	1	2	-	-	-	11

United States and Each State, 1957

are category numbers of the Sixth Revision of the International Lists, 1948).

Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of buccal cavity and pharynx 140-148	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Malignant neoplasm of other and unspecified sites 156B,165 190-199	Leukemia and aleukemia 204	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues 200-203, 205	Benign neoplasms and neoplasms of unspecified nature 210-239	Diabetes mellitus 260	Anemias 290-293	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	
253,183	5,861	88,096	33,895	22,720	38,472	12,147	28,425	11,718	11,849	5,068	27,180	2,987	2,025	891,825	876,793	187,709	1
3,489	91	1,029	407	298	710	119	497	182	156	78	352	61	41	14,549	14,170	3,909	2
1,096	27	352	176	92	164	44	118	65	58	31	110	16	26	3,894	3,806	747	3
2,256	72	724	267	154	439	94	325	103	76	60	188	32	20	8,900	8,642	2,264	4
20,351	496	6,686	2,886	1,970	3,011	1,014	2,270	969	1,049	439	1,423	196	190	66,018	65,272	14,026	5
2,133	40	699	261	204	334	110	253	122	110	49	169	25	14	7,361	7,237	1,570	6
4,027	92	1,492	537	385	537	192	433	151	208	78	402	25	27	12,716	12,560	2,597	7
665	16	218	89	59	132	45	63	19	24	8	90	7	5	2,227	2,183	340	8
1,807	59	576	240	196	292	84	189	83	88	61	105	17	27	4,850	4,775	798	9
6,061	148	1,861	1,020	460	1,013	297	767	259	236	115	537	84	73	22,297	21,902	4,961	10
4,125	118	1,186	561	361	771	160	581	200	187	94	418	69	56	17,939	17,440	5,439	11
635	14	216	70	51	111	25	83	26	39	14	72	15	3	2,719	2,673	606	12
16,034	387	5,976	2,193	1,435	2,293	789	1,494	694	773	289	1,521	174	110	58,608	57,669	10,607	13
6,482	133	2,262	828	568	1,120	305	647	307	312	114	787	75	35	25,041	24,587	5,869	14
4,456	79	1,574	495	429	689	245	513	210	222	83	436	48	20	16,191	15,949	3,944	15
2,990	62	960	388	246	516	122	352	187	157	53	322	60	20	11,315	11,073	2,620	16
3,607	99	1,267	425	280	610	147	462	178	139	102	431	69	46	15,984	15,617	3,755	17
3,971	86	1,247	638	299	610	182	572	181	156	98	559	71	72	13,807	13,488	2,859	18
1,574	32	561	197	141	274	96	158	58	57	31	162	24	11	5,984	5,877	1,228	19
4,269	97	1,364	653	367	647	203	538	203	197	120	503	49	43	14,224	13,990	2,316	20
9,791	280	3,604	1,275	987	1,282	479	1,096	415	393	232	970	97	62	30,767	30,384	5,766	21
10,746	233	3,920	1,459	941	1,617	536	1,087	480	473	180	1,522	139	98	35,742	35,157	7,625	22
5,064	82	1,890	476	491	733	263	510	345	274	98	552	61	26	17,533	17,328	4,229	23
2,387	54	763	256	173	480	109	374	98	80	55	243	40	27	9,973	9,679	2,740	24
7,367	182	2,520	998	645	1,183	368	815	340	316	113	767	117	46	26,842	26,258	6,144	25
854	10	318	116	63	135	44	82	50	36	17	111	4	2	3,234	3,176	683	26
2,293	41	835	267	208	344	112	229	118	139	32	261	33	14	7,625	7,505	1,838	27
281	9	96	47	24	42	15	32	6	10	11	29	3	7	1,031	1,012	199	28
1,062	33	399	133	110	164	53	98	34	38	18	130	11	6	3,919	3,870	838	29
9,895	216	3,797	1,391	981	1,381	513	896	334	386	147	1,169	72	69	31,943	31,549	5,198	30
706	8	248	78	49	130	28	92	39	34	22	65	8	13	2,082	2,024	443	31
30,645	705	11,329	4,442	3,009	3,868	1,571	3,013	1,250	1,458	575	2,989	244	151	98,126	96,884	15,299	32
4,117	101	1,224	536	360	746	162	554	206	228	112	488	60	56	18,781	18,329	4,773	33
816	14	311	76	65	134	44	76	47	49	14	109	7	6	2,974	2,935	736	34
14,507	319	5,035	1,871	1,321	2,250	726	1,575	726	684	234	2,127	163	109	49,963	49,213	10,798	35
3,195	87	1,036	419	228	532	105	457	183	148	74	300	37	16	10,941	10,672	2,750	36
2,433	52	810	297	231	372	126	272	132	141	33	199	35	17	8,640	8,545	1,946	37
19,193	414	7,185	2,541	1,666	2,687	897	2,167	804	832	396	2,565	195	108	68,088	66,978	12,696	38
1,462	30	571	203	148	161	64	167	60	58	30	238	12	2	4,936	4,868	839	39
2,045	59	566	279	166	418	86	273	99	99	62	257	35	40	9,867	9,611	2,648	40
940	18	331	101	74	140	59	122	49	46	27	95	25	10	3,292	3,243	735	41
4,371	114	1,354	559	361	754	178	607	234	210	102	371	50	36	16,959	16,634	4,760	42
10,545	258	3,280	1,470	859	1,779	453	1,330	584	532	198	1,027	147	115	35,586	34,761	8,311	43
789	16	245	74	73	123	46	127	42	43	17	105	15	10	2,753	2,713	567	44
670	6	226	104	56	100	33	83	24	38	4	56	6	3	2,497	2,477	564	45
4,211	100	1,314	594	346	694	199	562	193	209	109	425	64	53	17,275	16,939	3,934	46
3,933	86	1,331	504	330	619	177	442	205	239	69	407	58	32	13,972	13,814	3,186	47
2,417	42	859	348	176	380	89	294	124	105	57	252	39	15	9,509	9,310	2,070	48
6,129	135	2,349	620	574	897	328	645	288	293	106	730	91	33	20,999	20,686	4,655	49
291	9	100	30	30	54	11	33	12	12	7	34	2	4	1,352	1,329	286	50

Table 67. Deaths From 64 Selected Causes:

(By place of occurrence. Excludes fetal deaths. Numbers under causes of death

	AREA	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416	Arteriosclerotic heart disease, including coronary disease 420	Nonrheumatic chronic endocarditis and other myocardial degeneration 421,422	Other diseases of heart 430-434	Hypertension with heart disease 440-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Influenza 480-483	Pneumonia, except pneumonia of newborn 490-493	Bronchitis 500-502	Ulcer of stomach and duodenum 540, 541	Appendicitis 550-553
1	UNITED STATES----	900	628,504	19,274	452,507	62,618	21,733	72,372	11,128	33,272	15,280	15,032	61,001	7,463	53,538	3,581	10,365	1,982
2	Alabama----------	34	9,256	188	5,495	1,180	659	1,734	267	472	232	379	1,078	267	811	59	113	40
3	Arizona----------	11	2,764	130	2,109	223	97	205	61	142	81	88	458	29	429	67	49	11
4	Arkansas----------	7	5,816	113	4,013	394	420	876	135	290	130	258	705	126	579	28	77	20
5	California----------	43	45,918	1,627	35,632	3,308	901	4,450	629	3,136	1,520	746	4,192	179	4,013	314	974	133
6	Colorado----------	23	5,063	269	3,954	335	108	397	96	280	205	124	1,010	84	926	50	123	19
7	Connecticut----------	8	9,063	295	7,250	615	150	753	155	502	235	156	693	33	660	41	144	24
8	Delaware----------	3	1,670	51	1,038	236	42	303	37	97	36	44	148	9	139	6	26	2
9	District of Columbia------	7	3,581	120	2,166	422	102	771	75	157	157	75	440	15	425	18	64	24
10	Florida----------	16	15,529	438	11,492	1,144	798	1,657	288	603	505	395	1,303	142	1,161	89	237	48
11	Georgia----------	17	10,665	218	6,836	1,066	609	1,936	386	625	308	499	1,630	341	1,289	67	192	36
12	Idaho----------	2	1,888	95	1,303	236	85	169	25	97	55	46	191	44	147	10	41	8
13	Illinois----------	59	43,689	1,189	31,855	5,194	1,574	3,877	733	1,800	781	939	4,346	203	4,143	205	604	111
14	Indiana----------	20	16,990	568	12,165	1,519	600	2,138	290	1,054	364	454	1,443	218	1,225	52	239	54
15	Iowa----------	13	10,767	285	7,956	1,163	398	965	197	780	248	242	1,063	222	841	45	173	41
16	Kansas----------	5	7,513	188	5,442	862	264	757	189	534	212	242	678	136	542	30	117	30
17	Kentucky----------	18	10,850	285	7,022	1,078	735	1,730	198	599	197	367	1,301	254	1,047	37	151	30
18	Louisiana----------	17	9,800	128	6,518	851	531	1,772	171	379	262	319	1,224	159	1,065	97	135	36
19	Maine----------	4	4,212	127	3,110	468	86	421	75	260	98	107	331	51	280	25	58	24
20	Maryland----------	11	10,777	308	5,862	2,367	273	1,967	165	446	275	234	834	66	768	50	128	28
21	Massachusetts----------	19	22,564	787	17,700	1,544	607	1,926	329	1,146	560	383	1,900	81	1,819	118	385	55
22	Michigan----------	40	25,208	941	18,618	2,311	936	2,402	422	1,247	615	585	2,232	193	2,039	151	465	95
23	Minnesota----------	23	11,767	403	8,975	968	346	1,075	216	736	357	205	1,176	187	989	73	198	35
24	Mississippi----------	8	6,340	138	3,545	718	481	1,456	212	216	163	294	792	173	619	34	68	18
25	Missouri----------	34	18,288	599	12,478	2,301	646	2,264	334	1,070	388	584	1,826	257	1,569	127	312	54
26	Montana----------	1	2,206	74	1,525	240	161	206	32	178	76	58	277	24	253	20	40	6
27	Nebraska----------	12	5,136	164	3,611	659	230	472	55	331	133	120	521	95	426	31	105	15
28	Nevada----------	-	755	23	577	73	33	49	14	29	15	19	63	5	58	5	17	6
29	New Hampshire----------	1	2,699	77	2,091	195	69	267	36	215	81	49	210	22	188	17	43	4
30	New Jersey----------	29	24,593	774	17,620	3,416	392	2,391	322	937	470	394	1,784	124	1,660	107	374	76
31	New Mexico----------	6	1,381	73	900	170	91	147	30	108	56	58	344	54	290	31	30	10
32	New York----------	67	76,318	2,419	59,808	6,300	668	7,123	998	2,960	1,242	1,242	6,211	471	5,740	394	1,411	241
33	North Carolina----------	32	12,341	296	7,707	1,173	790	2,375	329	531	323	452	1,572	318	1,254	66	199	23
34	North Dakota----------	3	1,974	53	1,467	197	82	175	43	137	42	39	263	44	219	11	30	9
35	Ohio----------	37	34,444	1,114	24,831	3,291	1,114	4,094	673	2,335	928	750	2,880	437	2,443	242	536	106
36	Oklahoma----------	7	7,130	161	5,193	528	510	738	171	429	185	269	796	165	631	34	117	31
37	Oregon----------	5	5,947	237	4,501	366	180	663	63	393	191	95	591	40	551	42	106	15
38	Pennsylvania----------	90	49,288	1,703	33,969	6,184	1,369	6,063	775	2,977	1,152	1,110	3,828	476	3,352	236	718	138
39	Rhode Island----------	6	3,709	100	3,007	162	57	383	68	171	75	68	227	10	217	22	66	11
40	South Carolina----------	17	6,225	128	3,730	630	375	1,362	186	377	158	256	893	218	675	28	90	20
41	South Dakota----------	4	2,267	65	1,710	184	121	187	45	135	57	49	242	45	197	17	30	8
42	Tennessee----------	25	10,735	299	6,913	1,287	530	1,706	276	521	317	325	1,382	294	1,088	53	164	30
43	Texas----------	34	24,069	484	16,944	2,084	1,908	2,649	570	1,147	630	825	3,028	459	2,569	150	404	95
44	Utah----------	11	1,939	151	1,265	247	66	210	20	102	74	40	214	37	177	16	59	6
45	Vermont----------	-	1,722	47	1,346	169	35	125	26	131	34	20	139	20	119	10	38	2
46	Virginia----------	21	11,812	310	7,615	1,424	440	2,023	255	613	304	336	1,505	205	1,300	68	174	43
47	Washington----------	13	9,676	341	7,387	725	375	848	104	555	280	158	998	107	891	43	179	31
48	West Virginia----------	19	6,611	178	4,495	761	331	846	127	325	158	199	808	153	655	52	94	21
49	Wisconsin----------	18	14,599	486	11,098	1,504	314	1,197	215	915	284	313	1,134	153	981	85	244	53
50	Wyoming----------	-	950	27	663	146	44	70	10	52	31	23	97	18	79	8	24	6

NOTE.—The list of 64 selected causes includes cholera (043), plague (058), and smallpox (084). No deaths were reported from these causes.

United States and Each State, 1957—Continued

are category numbers of the Sixth Revision of the International Lists, 1948)

Hernia and intestinal obstruction 560, 561, 570	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Hyperplasia of prostate 610	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Abortion 650-652	All other complications 640-649, 660-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Birth injuries, postnatal asphyxia-, and atelectasis 760-762	Infections of newborn 763-768	Other diseases peculiar to early infancy, and immaturity unqualified 769-776	Symptoms, senility, and ill-defined conditions 780-795	All other diseases Residual	Accidents E800-E962	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	Injury resulting from operations of war E965, E990-E999	
8,571	7,971	19,317	2,275	5,097	1,746	260	1,486	21,818	66,569	30,273	5,087	31,209	19,164	77,533	95,307	38,702	56,605	16,632	7,641	34	1
149	188	180	54	108	69	9	60	402	1,462	538	172	752	1,192	1,356	2,018	947	1,071	234	363	-	2
47	170	106	22	31	11	-	11	147	558	193	60	305	134	705	909	473	436	149	93	1	3
69	80	110	32	65	37	1	36	174	560	220	32	308	478	736	1,190	503	687	154	120	-	4
671	508	2,464	102	372	126	31	95	1,723	5,310	2,716	384	2,210	396	6,273	7,651	3,792	3,859	2,048	552	5	5
82	81	176	14	54	14	1	13	276	770	375	63	332	67	867	1,028	411	617	220	42	-	6
113	76	375	24	48	10	1	9	304	777	388	31	358	75	1,057	910	302	608	224	36	1	7
12	16	51	16	8	4	2	2	42	168	85	11	72	8	197	253	101	152	37	26	-	8
61	44	201	16	22	9	5	4	176	620	410	30	180	15	573	419	87	332	100	76	-	9
257	321	531	72	138	62	12	50	539	1,867	810	129	928	682	2,154	2,820	1,145	1,675	518	413	1	10
161	219	252	94	123	83	10	73	479	1,742	789	158	795	436	1,714	2,413	1,067	1,346	304	412	1	11
29	26	31	9	20	5	1	4	75	237	92	18	127	73	261	474	214	260	88	18	-	12
453	410	1,228	136	254	60	3	57	1,141	3,612	2,111	457	1,044	600	3,781	4,690	1,931	2,759	947	449	2	13
249	202	418	82	128	37	6	31	582	1,677	771	105	801	203	1,968	2,752	1,200	1,552	438	145	1	14
162	96	190	40	110	12	1	11	311	814	365	66	383	172	1,335	1,641	718	923	300	25	1	15
118	77	145	38	113	13	2	11	298	687	328	42	317	194	1,075	1,393	608	785	259	61	1	16
133	137	242	53	85	31	3	28	369	1,251	499	122	630	363	1,296	2,119	843	1,276	254	200	1	17
159	163	288	35	71	57	7	50	455	1,737	787	195	755	360	1,432	2,452	842	1,610	172	245	-	18
59	41	83	11	19	9	2	7	107	345	191	13	141	63	454	503	157	346	115	18	-	19
133	131	355	34	55	20	6	14	457	1,216	473	105	638	101	1,252	1,444	558	886	300	166	-	20
258	168	812	60	100	14	3	11	636	1,660	644	99	917	239	2,703	2,493	421	2,072	374	56	1	21
377	307	865	81	215	76	7	69	1,058	3,241	1,422	187	1,632	179	3,079	3,572	1,582	1,990	682	227	2	22
185	133	275	45	111	17	-	17	598	1,185	487	58	640	178	1,667	1,837	727	1,110	292	46	-	23
91	178	69	57	73	74	6	68	233	1,012	368	89	555	1,920	831	1,350	562	788	148	185	-	24
258	165	498	65	181	33	2	31	530	1,494	651	114	729	542	2,142	2,887	1,070	1,817	478	229	2	25
37	32	68	4	13	6	1	5	89	262	129	15	118	193	326	572	221	351	105	19	-	26
82	59	111	9	76	11	2	9	153	504	200	27	277	60	657	787	317	470	146	24	-	27
13	12	47	4	4	1	-	1	16	151	69	16	66	45	119	303	144	159	64	25	-	28
33	37	78	11	15	4	-	4	75	188	68	14	106	68	325	308	98	210	73	5	1	29
320	211	874	48	169	38	6	32	630	1,899	937	131	831	161	2,348	2,393	854	1,539	452	121	-	30
49	111	74	6	24	12	1	11	126	518	202	43	273	428	365	792	465	327	89	55	-	31
835	578	2,830	144	552	160	46	114	2,008	5,543	2,668	312	2,563	1,100	6,852	7,035	2,208	4,827	1,194	415	3	32
169	226	238	60	95	85	12	73	540	1,935	836	190	909	820	1,780	2,418	1,134	1,284	369	360	-	33
29	29	41	9	13	4	-	4	88	264	132	24	108	44	247	381	165	216	52	4	-	34
471	379	1,074	130	262	73	10	63	1,351	3,667	1,749	225	1,693	554	4,536	4,921	2,076	2,845	995	340	1	35
125	107	169	41	90	22	2	20	226	741	330	58	353	826	1,031	1,548	696	852	170	96	1	36
83	46	144	20	38	9	1	8	211	459	237	32	190	136	774	1,127	489	638	197	46	-	37
656	445	1,325	173	299	77	12	65	1,345	3,933	1,856	263	1,814	848	5,923	5,359	1,857	3,502	1,037	253	-	38
53	35	122	10	21	6	2	4	129	271	128	6	137	31	378	324	84	240	54	12	-	39
79	176	102	42	57	60	4	56	266	987	359	99	529	647	877	1,566	698	868	146	205	-	40
38	47	29	2	30	7	1	6	98	247	98	14	135	82	341	458	190	268	65	10	-	41
135	147	235	55	113	47	3	44	423	1,488	560	116	812	1,729	1,525	1,850	783	1,067	302	279	-	42
399	785	673	139	270	114	14	100	1,196	4,174	1,650	411	2,113	1,333	3,936	5,586	2,575	3,011	748	655	2	43
43	19	61	9	13	8	3	5	153	340	160	25	155	205	410	531	230	301	67	10	1	44
24	23	29	7	16	5	-	5	49	154	73	7	74	75	234	254	103	151	53	3	-	45
179	187	259	65	97	47	12	35	456	1,762	732	154	876	361	1,680	2,194	933	1,261	444	288	3	46
142	95	248	27	91	18	3	15	334	957	447	55	455	137	1,359	1,596	553	1,043	328	69	1	47
76	81	167	26	65	12	1	11	253	706	328	37	341	381	874	1,430	488	942	180	79	1	48
194	157	358	38	162	36	3	33	458	1,283	543	66	674	204	1,566	2,025	913	1,112	418	52	-	49
21	10	16	4	8	1	-	1	33	134	69	7	58	26	162	331	167	164	49	13	-	50

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	UNITED STATES	1,633,128	13,324	3,825	221	6,886	253,183	88,096	33,895	131,192	27,180	891,825	876,793	187,709	900	628,504	19,274
2	Metropolitan counties[1]	962,877	8,582	2,472	110	3,485	159,779	56,087	22,727	80,965	16,595	523,113	515,475	100,143	503	380,991	12,656
3	Nonmetropolitan counties[1]	670,251	4,742	1,353	111	3,401	93,404	32,009	11,168	50,227	10,585	368,712	361,318	87,566	397	247,513	6,618
4	ALABAMA	28,353	318	75	4	173	3,519	1,037	417	2,065	347	14,616	14,229	3,924	33	9,294	196
5	Metropolitan counties	10,627	143	39	1	46	1,449	432	204	813	136	5,520	5,402	1,274	15	3,692	65
6	Nonmetropolitan counties	17,726	175	36	3	127	2,070	605	213	1,252	211	9,096	8,827	2,650	18	5,602	131
7	Autauga	188	-	-	-	-	27	6	3	18	-	94	91	23	-	59	3
8	Baldwin	463	4	1	-	4	65	23	11	31	6	225	223	51	-	160	-
9	Barbour	270	-	1	-	3	15	5	1	9	4	147	140	40	1	91	-
10	Bibb	162	1	1	-	1	25	12	2	11	3	82	80	22	-	55	2
11	Blount	193	4	-	-	-	27	8	3	16	6	102	100	32	-	60	2
12	Bullock	189	1	4	-	1	18	9	2	7	2	88	85	20	-	61	-
13	Butler	246	3	-	-	4	31	6	2	23	7	133	131	36	1	81	-
14	Calhoun	764	16	2	-	6	82	22	11	49	11	358	346	101	1	227	7
15	Anniston	400	10	2	-	4	35	10	5	20	6	190	183	61	1	112	4
16	Balance of county	364	6	-	-	2	47	12	6	29	5	168	163	40	-	115	3
17	Chambers	361	3	-	-	3	43	12	3	28	5	202	196	97	-	89	3
18	Cherokee	139	-	-	-	-	17	3	1	13	1	74	72	11	1	49	2
19	Chilton	237	3	-	-	1	37	9	5	23	2	123	122	35	-	77	1
20	Choctaw	164	-	-	-	1	11	5	3	3	1	85	84	25	-	52	13
21	Clarke	250	2	-	-	2	29	9	2	18	2	142	140	45	-	92	1
22	Clay	140	2	1	-	1	15	3	1	11	2	81	81	25	-	52	-
23	Cleburne	108	1	-	-	2	8	5	-	3	1	66	64	15	1	45	3
24	Coffee	209	2	1	-	2	27	3	2	22	-	100	98	31	-	66	2
25	Colbert	374	2	-	-	2	39	12	6	21	3	193	183	50	-	119	3
26	Sheffield	145	-	-	-	-	18	3	4	11	2	78	74	18	-	51	1
27	Balance of county	229	2	-	-	2	21	9	2	10	1	115	109	32	-	68	2
28	Conecuh	194	2	-	-	2	30	12	2	16	2	102	99	32	-	55	1
29	Coosa	113	1	-	-	1	19	2	1	16	-	56	54	5	-	42	-
30	Covington	317	3	1	-	1	29	5	7	17	5	175	173	53	-	110	8
31	Crenshaw	175	3	-	-	-	13	5	3	5	-	99	97	35	-	58	1
32	Cullman	362	4	-	-	-	60	17	3	40	3	177	164	48	-	108	-
33	Dale	223	-	1	-	1	19	3	1	15	4	123	122	36	-	75	1
34	Dallas	655	2	-	-	9	61	14	6	41	3	320	297	101	-	177	3
35	Selma	323	1	-	-	2	30	5	5	20	2	165	159	54	-	96	-
36	Balance of county	332	1	-	-	7	31	9	1	21	1	155	138	47	-	81	3
37	De Kalb	350	2	-	-	5	51	14	5	32	5	181	177	52	-	115	3
38	Elmore	267	-	-	-	1	36	13	5	18	7	160	151	46	-	89	3
39	Escambia	299	6	2	-	1	35	14	1	20	9	153	149	36	-	108	2
40	Etowah	750	9	2	1	3	104	40	10	54	10	369	364	93	-	246	8
41	Gadsden	453	5	2	1	3	55	24	5	26	7	225	221	58	-	147	6
42	Balance of county	297	4	-	-	-	49	16	5	28	3	144	143	35	-	99	2
43	Fayette	172	1	-	-	1	23	8	1	14	1	96	96	27	-	67	1
44	Franklin	207	3	2	-	1	31	11	3	17	3	96	93	38	-	49	1
45	Geneva	211	1	-	-	-	27	9	3	15	4	101	99	34	1	59	-
46	Greene	155	-	1	-	4	17	1	2	14	2	66	64	23	-	35	-
47	Hale	213	1	-	-	2	17	4	-	13	3	131	129	39	-	83	-
48	Henry	145	1	1	-	-	23	7	2	14	1	74	73	25	-	45	1
49	Houston	444	1	1	-	4	45	14	8	23	7	220	214	77	1	119	6
50	Dothan	239	1	1	-	1	24	8	7	9	3	115	111	46	1	60	3
51	Balance of county	205	-	-	-	3	21	6	1	14	4	105	103	31	-	59	3
52	Jackson	319	2	-	-	2	39	15	5	19	6	167	163	55	-	98	4
53	Jefferson	5,697	76	22	-	22	819	241	109	469	83	2,903	2,854	729	7	1,892	36
54	Birmingham	3,427	44	15	-	10	473	130	66	277	46	1,786	1,760	429	2	1,186	20
55	Bessemer	385	4	3	-	2	47	12	4	31	7	188	183	48	2	114	2
56	Fairfield	136	1	-	-	-	23	12	1	10	-	75	73	21	-	45	1
57	Homewood	137	2	-	-	-	26	12	3	11	3	77	77	16	-	57	2
58	Balance of county	1,612	25	4	-	10	250	75	35	140	27	777	761	215	3	490	11
59	Lamar	152	2	-	-	1	20	8	6	6	3	84	82	20	-	52	1
60	Lauderdale	458	4	1	-	1	47	17	3	27	3	238	231	58	-	155	3
61	Florence	250	-	1	-	-	22	9	1	12	2	137	131	33	-	86	2
62	Balance of county	208	4	-	-	1	25	8	2	15	1	101	100	25	-	69	1
63	Lawrence	181	3	-	1	-	22	7	-	15	3	90	86	21	-	61	1
64	Lee	354	3	-	-	3	39	6	2	31	3	158	154	37	1	104	2
65	Auburn	61	-	-	-	-	6	-	-	6	-	29	28	9	-	18	-
66	Opelika	100	2	-	-	-	14	2	2	10	3	45	43	8	-	29	-
67	Balance of county	193	1	-	-	3	19	4	-	15	-	84	83	20	1	57	2
68	Limestone	281	7	1	-	2	29	7	3	19	2	146	146	38	-	98	3
69	Lowndes	165	-	-	-	1	18	5	1	12	2	76	72	24	-	38	5
70	Macon	257	5	2	-	1	34	12	5	17	3	129	126	32	1	85	-
71	Madison	705	9	-	-	3	91	28	8	55	6	334	328	79	-	224	4
72	Huntsville	405	4	-	-	-	60	18	5	37	2	202	197	49	-	132	1
73	Balance of county	300	5	-	-	3	31	10	3	18	4	132	131	30	-	92	3
74	Marengo	361	1	1	-	4	34	9	1	24	2	201	190	79	-	97	1
75	Marion	184	2	-	-	1	13	2	2	9	3	102	101	36	1	59	3
76	Marshall	365	5	-	-	-	48	13	5	30	5	173	165	48	2	106	1

[1]Includes estimate for Massachusetts; for explanation, see text in Volume I.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
452,507	72,372	84,351	11,128	33,272	15,280	15,032	61,001	10,365	7,971	19,317	2,275	1,746	21,818	66,569	19,164	38,702	56,605	16,632	7,641	106,878	1
281,597	41,978	44,760	5,939	18,458	9,441	7,638	34,897	6,663	4,004	14,488	1,134	855	13,386	40,497	7,714	18,165	29,772	9,525	4,585	63,056	2
170,910	30,394	39,591	5,189	14,814	5,839	7,394	26,104	3,702	3,967	4,829	1,141	891	8,432	26,072	11,450	20,537	26,833	7,107	3,056	43,822	3
5,520	1,734	1,844	269	469	240	387	1,072	120	186	180	54	69	413	1,482	1,202	937	1,092	233	357	1,904	4
2,205	710	712	116	185	120	118	350	48	43	102	14	19	163	598	323	269	397	70	163	734	5
3,315	1,024	1,132	153	284	120	269	722	72	143	78	40	50	250	884	879	668	695	163	194	1,170	6
30	13	13	1	7	1	3	5	1	2	-	-	-	2	11	12	5	13	-	1	15	7
88	41	31	1	8	3	2	15	2	2	1	-	1	5	29	24	25	25	3	5	21	8
48	26	17	3	5	-	7	16	2	1	-	3	2	3	18	11	8	7	1	2	26	9
26	18	9	3	-	-	2	8	1	1	2	1	-	2	4	7	4	7	-	5	7	10
34	12	12	2	4	2	2	5	2	3	-	-	-	2	7	4	10	11	1	-	9	11
35	13	13	2	1	1	3	6	2	2	-	-	1	3	9	30	3	4	2	-	13	12
54	16	11	-	9	4	2	8	-	-	-	1	1	6	7	5	15	3	2	1	19	13
144	21	55	5	8	4	12	21	7	3	2	2	1	15	53	59	27	29	4	15	51	14
67	11	30	3	4	2	7	13	1	2	1	2	-	6	31	35	12	19	-	7	24	15
77	10	25	2	4	2	5	8	6	1	1	-	1	9	22	24	15	10	4	8	27	16
64	14	8	1	5	4	6	4	3	4	2	3	-	5	22	5	14	12	3	6	22	17
30	7	10	1	10	-	2	7	-	2	-	-	-	1	12	10	5	5	1	1	3	18
51	17	8	1	7	2	1	12	1	2	-	-	1	3	8	4	10	5	1	4	20	19
11	18	10	2	5	-	1	7	-	-	-	-	-	2	5	23	5	4	3	2	15	20
41	7	43	2	1	-	2	9	-	2	-	-	-	-	15	12	10	11	1	3	10	21
41	7	4	-	2	2	-	6	-	1	-	-	-	1	5	2	2	8	-	-	13	22
30	6	6	-	3	-	2	2	1	-	-	2	-	2	4	8	4	3	1	1	2	23
48	6	10	-	-	1	2	11	2	2	3	-	1	5	10	6	8	10	3	4	12	24
77	22	17	6	4	4	10	24	5	-	2	-	2	3	18	16	12	19	2	8	24	25
34	9	7	2	2	1	4	8	1	-	-	-	1	1	10	8	4	5	1	1	7	26
43	13	10	4	2	3	6	16	4	-	2	-	1	2	8	8	8	14	1	7	17	27
33	7	14	-	12	-	3	9	-	1	1	-	-	1	3	11	11	8	-	2	9	28
30	5	7	1	6	-	2	2	-	3	-	-	1	4	7	3	7	1	1	-	7	29
57	31	14	3	3	4	2	13	1	2	-	1	-	2	19	14	12	15	3	4	17	30
35	6	16	2	-	2	2	11	-	1	1	-	1	2	2	11	8	6	2	3	12	31
53	16	39	1	2	5	13	14	-	2	2	2	-	8	15	12	12	15	9	-	27	32
48	16	10	3	3	5	1	9	1	1	-	-	1	-	16	3	10	8	3	3	20	33
99	25	50	8	5	6	23	38	3	9	2	-	1	9	31	60	22	22	5	14	44	34
55	9	32	3	2	4	6	18	2	6	2	-	1	5	14	23	4	11	4	6	27	35
44	16	18	5	3	2	17	20	1	3	-	-	-	4	17	37	18	11	1	8	17	36
76	7	29	2	5	3	4	17	1	1	-	-	-	7	6	8	21	12	4	3	26	37
54	15	17	6	8	2	9	6	1	-	-	2	2	2	6	8	6	10	2	1	17	38
62	31	13	-	2	3	4	13	1	2	2	-	2	6	17	6	12	9	3	2	18	39
170	28	40	5	12	8	5	26	4	3	4	-	3	10	39	48	23	26	7	9	50	40
105	12	24	4	4	8	4	17	3	1	3	-	2	5	22	29	12	18	4	5	34	41
65	16	16	1	8	-	1	9	1	2	1	-	1	5	17	19	11	8	3	4	16	42
42	15	9	2	-	-	-	4	1	-	1	-	-	4	8	5	6	3	4	1	13	43
36	3	9	-	4	2	3	12	1	-	1	-	-	2	10	2	12	7	4	2	18	44
40	9	10	1	3	1	2	11	-	5	2	1	-	3	4	4	13	13	1	-	21	45
14	10	11	2	4	-	2	5	-	-	-	-	2	-	8	31	6	8	-	-	5	46
34	22	27	3	4	-	2	10	-	3	1	1	2	4	7	9	10	3	1	1	7	47
25	6	13	1	1	1	1	10	1	-	-	-	-	-	5	7	3	7	-	-	12	48
47	23	43	4	8	5	6	15	2	7	2	-	4	3	26	18	16	23	4	4	42	49
28	12	17	1	1	2	4	8	2	5	1	-	4	3	13	9	6	12	2	3	26	50
19	11	26	3	7	3	2	7	-	2	1	-	-	-	13	9	10	11	2	1	16	51
64	12	18	3	6	1	4	17	4	2	-	-	-	2	9	9	16	15	7	1	21	52
1,026	357	473	68	97	61	49	186	24	14	54	3	9	86	323	204	139	203	36	88	403	53
654	213	299	41	65	37	26	120	16	8	33	2	4	53	186	132	55	119	25	67	233	54
53	26	33	5	7	7	5	18	1	2	5	-	1	4	35	9	10	15	3	3	28	55
28	8	8	4	1	2	2	3	2	-	2	-	1	2	6	7	1	3	-	1	9	56
35	8	12	1	2	1	-	3	-	-	-	-	-	1	7	1	2	5	-	2	8	57
256	102	121	17	22	14	16	42	5	4	14	1	3	26	89	55	71	61	8	15	125	58
27	6	18	5	5	-	2	3	-	1	1	-	-	2	5	9	5	3	3	-	10	59
101	24	27	4	7	7	7	24	1	7	2	1	-	8	25	23	22	17	6	4	24	60
55	14	15	4	4	4	6	14	1	5	1	-	-	5	18	16	6	6	3	3	10	61
46	10	12	-	3	3	1	10	-	2	1	1	-	3	7	7	16	11	3	1	14	62
29	18	13	2	1	1	4	9	-	-	1	-	-	6	6	6	5	11	4	2	12	63
50	34	18	5	6	1	4	11	2	7	2	3	3	3	26	14	11	23	6	7	30	64
9	7	2	-	1	-	1	3	-	2	-	1	1	1	4	1	4	1	-	1	7	65
15	10	4	3	3	-	2	2	1	-	-	1	-	1	8	5	1	5	2	-	10	66
26	17	12	2	2	1	1	6	1	5	2	1	2	1	14	8	6	17	4	6	13	67
51	21	23	7	3	-	-	16	1	4	1	-	-	2	15	12	7	12	6	1	17	68
21	7	5	5	3	2	4	4	-	1	-	-	1	1	11	26	5	8	-	3	8	69
39	38	8	2	5	1	3	6	2	3	2	-	1	5	15	19	5	6	-	1	18	70
152	32	36	3	18	4	6	32	5	12	4	1	1	11	48	48	34	22	3	5	36	71
94	18	19	2	12	2	5	17	3	8	4	1	-	7	23	20	12	13	2	4	23	72
58	14	17	1	6	2	1	15	2	4	-	-	1	4	25	28	22	9	1	1	13	73
50	22	24	8	1	5	11	23	1	4	1	1	2	2	12	24	7	9	1	7	24	74
45	8	3	4	1	-	1	7	-	1	-	-	-	4	7	13	7	11	5	-	8	75
74	17	14	2	4	3	8	12	-	3	3	-	1	10	27	12	24	13	3	7	19	76

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ALABAMA—Continued																
1	Mobile	2,329	38	11	-	13	323	93	62	168	19	1,217	1,191	179	3	918	13
2	Mobile	1,477	20	4	-	9	221	71	42	108	6	822	810	120	-	630	7
3	Prichard	252	6	3	-	-	34	8	6	20	4	112	107	17	-	82	-
4	Balance of county	600	12	4	-	4	68	14	14	40	9	283	274	42	3	206	6
5	Monroe	224	-	1	-	4	27	10	2	15	3	114	110	33	-	69	-
6	Montgomery	1,416	15	3	-	8	160	48	19	93	17	817	786	205	3	511	6
7	Montgomery	1,132	15	3	-	8	135	40	17	78	16	660	637	168	2	419	5
8	Balance of county	284	-	-	-	-	25	8	2	15	1	157	149	37	1	92	1
9	Morgan	508	7	-	-	4	56	21	2	33	5	271	266	77	1	173	3
10	Decatur	245	4	-	-	1	31	13	2	16	3	131	130	41	1	81	2
11	Balance of county	263	3	-	-	3	25	8	-	17	2	140	136	36	-	92	1
12	Perry	193	1	1	-	2	17	5	2	10	-	105	101	27	1	71	-
13	Pickens	192	2	1	-	1	22	9	2	11	-	112	110	28	-	74	-
14	Pike	286	1	-	-	5	31	9	3	19	4	163	160	63	1	92	1
15	Randolph	195	2	2	-	1	24	8	4	12	6	103	102	31	-	65	1
16	Russell	435	5	1	-	-	43	10	4	29	7	214	207	68	2	125	2
17	Phenix City	246	4	1	-	-	28	10	2	16	4	132	129	48	1	72	-
18	Balance of county	189	1	-	-	-	15	-	2	13	3	82	78	20	1	53	2
19	St. Clair	207	4	-	-	3	24	4	4	16	1	106	103	25	-	73	4
20	Shelby	284	2	-	-	3	37	9	3	25	4	139	138	44	1	83	2
21	Sumter	214	4	-	-	5	20	4	1	15	1	110	108	36	-	63	3
22	Talladega	545	6	4	-	2	65	20	8	37	7	280	272	88	1	170	3
23	Talladega	132	1	-	-	1	17	5	3	9	1	70	69	28	1	35	1
24	Balance of county	413	5	4	-	1	48	15	5	28	6	210	203	60	-	135	2
25	Tallapoosa	331	3	-	-	2	28	9	5	14	6	167	159	42	-	101	3
26	Tuscaloosa	761	11	1	1	5	95	29	10	56	9	389	382	99	-	263	6
27	Tuscaloosa	423	6	1	1	4	55	17	5	33	7	218	215	60	-	145	2
28	Balance of county	338	5	-	-	1	40	12	5	23	2	171	167	39	-	118	4
29	Walker	529	7	-	-	4	68	15	12	41	3	267	264	92	-	162	2
30	Washington	125	1	-	-	-	13	2	-	11	1	60	60	22	-	34	-
31	Wilcox	247	3	1	1	-	31	10	2	19	2	120	96	34	1	56	2
32	Winston	144	3	-	-	1	26	7	1	18	3	67	65	16	-	47	-
33	ARIZONA	8,725	223	30	-	82	1,085	343	172	570	108	3,662	3,578	711	11	2,588	115
34	Metropolitan counties	4,018	96	12	-	29	597	179	94	324	54	1,792	1,772	356	2	1,273	62
35	Nonmetropolitan counties	4,707	127	18	-	53	488	164	78	246	54	1,870	1,806	355	9	1,315	53
36	Apache	231	8	1	-	6	9	4	1	4	-	37	31	8	1	20	3
37	Cochise	388	8	1	-	1	46	20	13	13	9	178	171	32	-	123	4
38	Coconino	238	6	1	-	6	16	8	2	6	2	64	61	15	1	42	1
39	Gila	242	7	-	-	2	33	12	3	18	2	106	101	21	-	70	2
40	Graham	104	4	1	-	-	12	5	2	5	2	40	38	11	-	25	2
41	Greenlee	67	-	-	-	-	11	-	-	11	-	28	27	6	-	19	-
42	Maricopa	4,018	96	12	-	29	597	179	94	324	54	1,792	1,772	356	2	1,273	62
43	Phoenix	1,835	47	9	-	9	301	96	45	160	26	867	858	161	-	633	31
44	Mesa	197	3	-	-	-	29	9	5	15	4	99	97	27	-	61	4
45	Balance of county	1,986	46	3	-	20	267	74	44	149	24	826	817	168	2	579	27
46	Mohave	87	-	-	-	-	7	2	1	4	-	42	41	12	-	29	-
47	Navajo	286	9	1	-	11	18	6	3	9	1	71	71	23	1	46	4
48	Pima	1,840	59	7	-	14	222	66	38	118	21	811	782	139	5	590	26
49	Tucson	1,124	38	5	-	6	153	46	25	82	17	523	504	98	5	370	15
50	Balance of county	716	21	2	-	8	69	20	13	36	4	288	278	41	-	220	11
51	Pinal	505	12	6	-	9	38	12	4	22	11	161	154	32	-	105	2
52	Santa Cruz	81	-	-	-	1	8	2	1	5	1	39	38	6	1	26	2
53	Yavapai	335	6	-	-	-	34	11	3	20	4	173	172	30	-	132	4
54	Yuma	303	8	-	-	3	34	16	7	11	1	120	119	20	-	88	3
55	ARKANSAS	16,631	253	50	3	93	2,300	732	273	1,295	187	8,935	8,671	2,266	8	5,830	120
56	Metropolitan counties	2,116	33	10	-	2	306	94	45	167	24	1,113	1,081	276	1	709	6
57	Nonmetropolitan counties	14,515	220	40	3	91	1,994	638	228	1,128	163	7,822	7,590	1,990	7	5,121	114
58	Arkansas	189	2	-	1	1	30	12	2	16	2	96	92	25	-	60	1
59	Ashley	202	2	-	-	1	22	8	1	13	1	85	83	25	-	53	1
60	Baxter	98	3	-	-	-	17	4	1	12	-	52	51	6	-	42	1
61	Benton	410	4	3	-	3	66	24	7	35	4	243	241	64	-	160	5
62	Boone	147	3	-	-	-	19	4	3	12	1	93	91	30	-	57	4
63	Bradley	124	3	-	-	1	17	5	2	10	1	72	70	21	-	45	-
64	Calhoun	61	-	-	-	1	10	2	-	8	-	39	37	6	-	31	2
65	Carroll	147	1	-	-	-	20	6	3	11	2	81	80	27	-	43	1
66	Chicot	193	4	8	-	2	20	8	-	12	2	91	89	30	-	57	2
67	Clark	198	4	-	-	2	21	7	-	14	2	117	116	40	-	71	1
68	Clay	240	5	1	-	1	34	13	4	17	2	133	127	30	-	92	4
69	Cleburne	82	-	-	-	-	13	3	2	8	1	42	41	9	-	31	1
70	Cleveland	69	1	-	-	-	14	4	2	8	2	38	38	8	-	28	-
71	Columbia	206	3	-	-	2	20	9	2	9	3	112	107	31	-	68	2
72	Conway	152	1	-	-	2	17	4	1	12	-	80	77	20	-	52	1
73	Craighead	380	5	-	-	2	57	18	2	37	2	206	203	42	1	151	4
74	Jonesboro	155	1	-	-	-	26	6	2	18	-	87	87	16	1	64	1
75	Balance of county	225	4	-	-	2	31	12	-	19	2	119	116	26	-	87	3
76	Crawford	195	3	-	-	-	25	8	3	14	4	101	99	34	-	61	2
77	Crittenden	438	10	2	-	4	37	15	1	21	6	211	203	56	-	133	5

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
570	227	108	19	38	34	26	72	11	9	27	4	5	38	152	22	67	103	11	40	147	1
402	150	71	9	28	23	12	41	6	4	21	2	1	24	82	17	29	53	6	21	88	2
49	29	4	2	1	5	5	13	2	2	4	-	2	4	19	1	4	14	1	9	18	3
119	48	33	8	9	6	9	18	3	3	2	2	2	10	51	4	34	36	4	10	41	4
45	15	9	1	6	1	4	9	1	3	2	-	1	3	7	6	8	16	-	5	14	5
368	69	68	20	34	13	31	40	6	11	14	5	1	24	64	24	33	45	11	20	98	6
311	56	47	15	22	11	23	29	6	8	12	3	1	18	48	18	16	28	11	16	81	7
57	13	21	5	12	2	8	11	-	3	2	2	-	6	16	6	17	17	-	4	17	8
96	23	51	3	5	7	5	25	-	4	2	-	-	4	25	14	19	20	5	6	41	9
39	10	30	1	2	4	1	13	-	2	1	-	-	2	11	8	9	7	1	4	17	10
57	13	21	2	3	3	4	12	-	2	1	-	-	2	14	6	10	13	4	2	24	11
22	18	31	1	-	1	4	8	2	1	-	-	3	8	12	4	6	7	1	-	15	12
53	16	5	2	6	-	2	8	1	3	-	1	1	3	4	5	4	7	2	3	12	13
61	12	18	1	3	-	3	5	1	2	1	5	1	2	16	9	2	7	1	4	26	14
51	7	6	5	-	1	1	5	2	-	1	-	2	3	8	15	2	5	2	-	12	15
71	29	23	4	4	4	7	26	3	6	3	2	1	5	20	25	7	20	5	6	36	16
42	14	16	2	2	4	3	12	2	3	2	1	-	4	8	7	1	10	3	5	19	17
29	15	7	2	2	-	4	14	1	3	1	1	1	1	12	18	6	10	2	1	17	18
44	8	17	-	4	1	3	8	-	1	2	-	1	3	8	5	8	9	3	3	18	19
53	8	20	4	3	3	1	6	-	1	1	1	1	4	13	23	11	12	2	1	23	20
30	10	20	1	7	1	2	6	-	1	-	-	1	2	4	25	9	2	1	2	21	21
102	22	43	2	6	5	8	32	4	7	5	1	-	6	32	6	12	26	8	8	34	22
23	5	6	1	3	1	1	10	4	3	1	1	-	1	5	2	3	4	3	1	4	23
79	17	37	1	3	4	7	22	-	4	4	-	-	5	27	4	9	22	5	7	30	24
56	25	17	1	12	3	8	14	-	5	4	2	1	9	17	7	14	13	3	5	31	25
185	42	30	8	11	1	7	27	1	4	9	3	2	17	46	32	20	32	7	14	36	26
103	20	20	4	5	1	3	11	-	3	5	2	1	9	28	17	8	15	4	6	22	27
82	22	10	4	6	-	4	16	1	1	4	1	1	8	18	15	12	17	3	8	14	28
101	34	25	2	4	4	3	19	1	1	5	2	-	6	27	34	26	23	4	2	30	29
21	5	8	1	3	-	-	3	-	-	-	-	1	2	8	7	9	12	2	2	4	30
30	19	5	1	4	-	24	8	1	1	1	-	-	1	18	19	12	4	2	3	19	31
25	10	12	1	1	-	2	10	-	-	1	-	-	4	6	3	4	4	2	-	10	32
1,968	200	305	57	135	76	84	438	50	160	102	22	8	153	552	132	383	409	146	87	893	33
988	95	128	26	74	41	20	190	23	37	53	7	2	75	222	22	146	173	57	35	396	34
980	105	177	31	61	35	64	248	27	123	49	15	6	78	330	110	237	236	89	52	497	35
11	2	4	-	2	-	6	34	-	12	1	-	-	5	19	27	16	24	1	7	24	36
81	8	30	7	7	2	7	15	2	5	4	3	1	5	34	5	20	10	5	1	35	37
34	4	3	2	1	-	3	20	-	3	2	-	-	5	28	8	10	16	6	2	43	38
54	6	8	1	7	2	5	9	1	3	-	2	-	3	14	8	15	15	5	2	15	39
17	3	3	1	1	-	2	6	1	1	2	-	-	2	4	2	10	3	4	1	9	40
14	4	1	-	1	1	1	1	-	-	-	-	-	-	6	3	5	6	1	-	6	41
988	95	128	26	74	41	20	190	23	37	53	7	2	75	222	22	146	173	57	35	396	42
496	47	59	14	32	18	9	84	7	11	21	3	-	21	82	5	51	53	29	22	187	43
48	5	4	2	4	3	2	7	2	2	2	-	-	3	6	1	6	4	4	-	25	44
444	43	65	10	38	20	9	99	14	24	30	4	2	51	134	16	89	116	24	13	184	45
19	5	5	-	-	-	1	2	-	1	2	-	-	1	3	3	11	5	2	1	7	46
25	3	14	1	-	-	-	31	3	33	1	-	1	4	21	16	18	20	3	2	22	47
453	47	64	5	25	18	29	72	16	20	21	4	2	32	111	23	71	55	40	25	214	48
289	30	36	3	19	9	19	42	12	8	17	2	2	18	56	6	34	26	29	16	114	49
164	17	28	2	6	9	10	30	4	12	4	2	-	14	55	17	37	29	11	9	100	50
86	8	9	8	6	3	7	42	3	32	3	2	1	9	50	11	30	32	5	8	40	51
19	4	1	1	3	1	1	1	-	3	1	1	-	-	7	1	5	2	2	-	9	52
107	6	15	2	5	3	1	8	-	3	6	2	-	2	9	1	15	24	7	2	39	53
60	5	20	3	3	5	1	7	1	7	6	1	1	10	24	2	11	24	8	1	34	54
4,006	887	817	139	289	139	264	714	78	83	115	30	38	188	571	480	508	676	153	120	1,056	55
568	93	42	11	66	18	32	96	15	5	24	1	-	38	108	19	51	68	29	28	146	56
3,438	794	775	128	223	121	232	618	63	78	91	29	38	150	463	461	457	608	124	92	910	57
37	16	6	1	4	2	4	10	-	1	1	1	-	1	11	7	4	8	1	3	9	58
35	13	4	2	2	1	2	14	1	1	-	3	1	3	6	17	15	10	1	2	17	59
27	5	9	-	1	2	1	6	-	-	-	-	-	1	1	1	1	8	2	1	5	60
125	12	18	2	11	4	2	10	2	2	4	-	-	1	13	2	14	8	2	4	25	61
42	4	7	2	1	1	2	4	1	1	1	-	-	1	2	-	4	5	3	2	7	62
36	2	7	3	-	1	2	3	-	2	-	-	1	-	2	1	2	5	1	1	12	63
17	4	8	-	-	-	2	2	-	-	-	-	-	-	2	-	2	2	-	-	3	64
33	3	6	5	2	3	1	10	-	1	-	-	1	-	3	2	3	4	1	1	17	65
40	10	5	1	-	1	2	5	1	-	-	1	1	2	9	13	10	10	1	1	12	66
49	16	5	1	2	2	1	9	-	1	1	-	-	-	8	10	3	8	2	2	8	67
62	11	15	1	2	2	6	15	-	1	-	-	-	3	10	5	3	12	4	-	11	68
27	1	2	-	1	-	1	3	1	-	-	-	-	-	1	5	6	1	3	-	6	69
13	5	10	-	1	1	-	1	-	-	-	-	1	-	1	-	1	5	2	-	3	70
47	13	6	-	5	3	5	9	-	2	-	1	-	7	14	3	7	9	3	2	9	71
32	8	11	2	2	1	3	7	1	-	2	-	-	2	5	3	8	10	2	2	10	72
92	25	30	1	4	4	3	17	2	2	2	1	-	5	12	10	15	14	6	1	21	73
36	14	13	1	1	4	-	8	1	-	-	-	-	2	5	5	6	6	3	1	4	74
56	11	17	-	3	-	3	9	1	2	2	1	-	3	7	5	9	8	3	-	17	75
45	9	5	1	2	1	2	15	2	-	2	-	1	2	5	11	7	7	-	-	10	76
58	12	58	7	5	2	8	12	2	10	4	1	2	3	23	47	17	12	2	6	27	77

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ARKANSAS—Continued																
1	Cross	207	9	-	-	3	33	6	2	25	3	98	97	17	-	77	1
2	Dallas	112	2	1	-	-	15	4	-	11	1	61	58	18	-	39	2
3	Desha	218	2	2	-	3	31	6	6	17	2	102	98	28	-	63	1
4	Drew	151	3	-	-	-	25	9	2	14	2	80	78	18	-	50	1
5	Faulkner	193	-	-	-	-	24	12	-	12	2	119	117	28	-	78	1
6	Franklin	93	2	-	-	-	15	3	3	9	2	53	52	21	-	29	-
7	Fulton	74	1	-	-	-	8	2	-	6	-	46	43	14	-	26	-
8	Garland	571	9	2	-	3	92	23	13	56	8	328	322	68	-	233	4
9	Hot Springs	420	7	1	-	3	66	15	9	42	6	251	248	54	-	178	3
10	Balance of county	151	2	1	-	-	26	8	4	14	2	77	74	14	-	55	1
11	Grant	84	-	1	-	1	11	4	-	7	1	50	50	18	1	28	-
12	Greene	206	1	1	-	-	32	7	8	17	2	111	110	21	-	88	-
13	Hempstead	215	5	1	-	4	33	12	3	18	4	106	105	29	1	64	1
14	Hot Spring	179	-	-	-	-	23	8	3	12	1	101	100	20	-	74	-
15	Howard	139	5	-	-	-	20	6	1	13	1	94	92	26	-	55	1
16	Independence	207	2	-	-	3	16	6	2	8	1	141	128	42	-	77	1
17	Izard	70	2	-	-	-	8	2	1	5	1	44	40	9	-	30	-
18	Jackson	201	2	1	-	1	33	11	5	17	1	103	103	43	-	53	-
19	Jefferson	760	17	2	-	2	101	26	13	62	6	421	412	87	-	302	5
20	Pine Bluff	440	7	1	-	1	61	13	9	39	2	246	243	47	-	184	5
21	Balance of county	320	10	1	-	1	40	13	4	23	4	175	169	40	-	118	-
22	Johnson	138	1	-	-	-	25	10	3	12	1	78	72	21	-	47	-
23	Lafayette	121	-	1	-	-	12	3	-	9	1	70	69	30	-	36	-
24	Lawrence	153	4	-	-	1	26	10	4	12	-	90	89	22	-	63	-
25	Lee	193	2	-	-	1	25	5	2	18	2	83	82	15	-	55	-
26	Lincoln	115	1	2	-	1	16	6	1	9	1	58	56	17	-	33	-
27	Little River	111	4	-	-	-	14	3	2	9	-	57	52	16	-	32	1
28	Logan	177	9	1	-	2	18	7	2	9	2	98	96	30	-	61	2
29	Lonoke	241	1	1	-	1	34	12	2	20	3	127	122	30	-	85	5
30	Madison	89	-	-	-	2	14	8	1	5	-	52	51	15	-	33	3
31	Marion	63	1	-	-	-	6	3	1	2	2	36	34	4	-	24	1
32	Miller	296	5	2	-	2	45	18	6	21	2	132	128	44	-	75	1
33	Texarkana[2]	190	3	1	-	1	27	10	4	13	2	88	86	29	-	50	1
34	Balance of county	106	2	1	-	1	18	8	2	8	-	44	42	15	-	25	-
35	Mississippi	574	5	-	-	11	70	21	7	42	6	272	263	79	-	172	4
36	Blytheville	201	1	-	-	1	30	10	1	19	3	94	93	24	-	65	2
37	Balance of county	373	4	-	-	10	40	11	6	23	3	178	170	55	-	107	2
38	Monroe	176	2	1	-	3	25	5	6	14	-	89	87	10	-	71	-
39	Montgomery	53	2	-	-	-	13	2	-	11	1	24	22	5	-	15	-
40	Nevada	124	1	-	-	1	13	7	2	4	3	66	64	27	-	31	1
41	Newton	48	2	-	-	-	11	4	1	6	2	27	25	3	-	20	2
42	Ouachita	281	5	-	2	3	45	16	4	25	4	169	159	52	-	96	-
43	Camden	130	4	-	1	2	25	9	2	14	2	71	68	26	-	38	-
44	Balance of county	151	1	-	1	1	20	7	2	11	2	98	91	26	-	58	-
45	Perry	50	1	-	-	-	5	1	-	4	1	24	23	6	-	15	1
46	Phillips	441	7	2	-	5	58	22	8	28	6	215	204	47	1	145	-
47	Helena	159	1	1	-	2	21	8	3	10	2	85	80	19	-	57	-
48	Balance of county	282	6	1	-	3	37	14	5	18	4	130	124	28	1	88	-
49	Pike	80	4	-	-	1	17	6	1	10	-	42	40	13	-	25	-
50	Poinsett	240	4	-	-	-	28	5	3	20	2	118	117	27	1	76	1
51	Polk	167	2	-	-	-	26	16	2	8	-	103	102	14	-	86	2
52	Pope	227	2	1	-	1	33	9	5	19	2	137	133	47	-	80	7
53	Prairie	76	4	-	-	-	12	4	2	6	-	47	46	12	-	33	1
54	Pulaski	2,116	33	10	-	2	306	94	45	167	24	1,113	1,081	276	1	709	6
55	Little Rock	1,176	15	7	-	-	168	51	27	90	13	653	637	153	-	425	4
56	North Little Rock	542	7	3	-	-	87	26	10	51	7	271	263	68	1	174	2
57	Balance of county	398	11	-	-	2	51	17	8	26	4	189	181	55	-	110	-
58	Randolph	132	1	-	-	1	17	6	2	9	2	67	67	23	-	40	-
59	St. Francis	286	2	1	-	3	36	12	3	21	6	127	123	31	-	89	1
60	Saline	170	3	-	-	-	21	9	2	10	4	87	81	16	1	61	-
61	Scott	88	1	-	-	-	14	2	2	10	-	52	50	10	-	38	1
62	Searcy	83	2	-	-	-	8	1	-	7	-	55	52	4	-	43	-
63	Sebastian	627	8	-	-	2	93	32	11	50	9	341	333	74	-	241	8
64	Fort Smith	515	6	-	-	2	77	26	9	42	8	281	274	63	-	197	5
65	Balance of county	112	2	-	-	-	16	6	2	8	1	60	59	11	-	44	3
66	Sevier	120	3	1	-	-	17	5	1	11	2	71	67	21	-	41	1
67	Sharp	73	3	-	-	-	8	1	2	5	2	42	39	13	-	26	-
68	Stone	47	1	1	-	-	6	2	2	2	1	29	29	10	-	17	-
69	Union	380	1	-	-	2	55	15	11	29	3	206	196	52	-	131	2
70	El Dorado	189	-	-	-	1	25	7	4	14	1	102	98	23	-	72	2
71	Balance of county	191	1	-	-	1	30	8	7	15	2	104	98	29	-	59	-
72	Van Buren	73	1	-	-	-	10	4	1	5	2	36	35	9	-	23	1
73	Washington	440	1	-	-	1	66	19	15	32	10	260	257	61	1	177	7
74	Fayetteville	125	1	-	-	-	21	5	5	11	5	66	64	17	-	42	1
75	Balance of county	315	-	-	-	1	45	14	10	21	5	194	193	44	1	135	6
76	White	279	3	-	-	1	39	13	6	20	5	150	146	38	-	92	1
77	Woodruff	141	2	1	-	3	22	8	4	10	2	62	60	14	-	44	3
78	Yell	131	3	-	-	1	12	5	1	6	1	73	69	17	-	48	2

[2]Includes data for Texarkana, Ark., only.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
44	17	15	2	1	-	1	8	1	1	-	1	-	1	3	13	10	11	1	1	10	1
23	9	5	-	1	-	3	5	1	1	-	1	-	2	-	6	5	3	1	2	5	2
29	22	11	2	4	1	4	5	1	2	3	1	-	6	9	21	5	8	2	3	10	3
37	9	3	1	7	2	2	14	2	-	-	-	-	-	2	4	2	5	-	2	10	4
63	6	8	1	8	2	2	6	1	-	2	-	-	3	-	3	8	9	-	1	15	5
24	3	2	-	2	-	1	6	-	-	-	-	-	-	-	2	2	1	2	1	7	6
17	4	5	2	1	-	3	3	-	1	1	-	-	1	1	1	2	2	1	-	6	7
170	28	31	7	11	3	6	14	6	1	6	2	-	7	3	4	17	21	9	3	36	8
133	21	21	6	8	2	3	9	4	-	6	-	-	4	2	4	10	13	4	3	27	9
37	7	10	1	3	1	3	5	2	1	-	2	-	3	1	-	7	8	5	-	9	10
24	4	-	1	2	-	-	4	-	-	-	-	-	-	1	-	-	5	1	2	7	11
65	14	9	-	-	1	1	11	1	-	1	-	-	4	4	4	11	14	2	-	7	12
47	8	8	4	5	2	1	10	1	1	1	-	2	4	7	2	6	7	-	2	19	13
45	13	16	2	2	2	1	6	-	1	1	-	-	-	8	7	9	5	1	-	16	14
45	6	3	5	5	1	2	5	-	-	-	-	-	1	1	-	4	3	1	-	4	15
62	8	6	-	5	4	13	7	2	3	-	-	-	1	9	2	4	6	1	1	8	16
21	7	2	-	1	-	4	3	-	-	-	1	-	-	1	3	2	3	-	-	2	17
30	8	15	1	3	3	-	7	1	1	2	-	1	4	12	6	8	6	2	1	9	18
179	64	54	7	11	5	9	33	2	5	5	-	-	11	34	14	21	21	2	11	52	19
113	37	29	3	7	2	3	22	2	5	4	-	-	6	18	4	16	11	1	6	27	20
56	27	25	4	4	3	6	11	-	-	1	-	-	5	16	10	5	10	1	5	25	21
35	8	4	-	2	2	6	2	1	-	-	1	-	-	2	-	4	13	-	-	10	22
29	6	1	1	1	1	1	4	1	1	1	1	2	-	7	1	2	6	1	-	10	23
41	16	6	1	2	1	1	4	1	-	-	-	1	1	3	5	7	5	-	-	5	24
28	7	20	1	11	-	1	9	-	1	-	-	2	1	10	17	6	24	-	-	10	25
28	3	2	4	2	-	2	8	1	-	-	-	-	-	3	2	2	10	-	1	9	26
20	5	6	2	1	1	5	3	-	1	3	-	-	-	12	3	8	4	-	-	2	27
40	4	15	2	3	-	2	8	1	-	1	-	-	2	4	9	4	8	1	-	9	28
64	8	8	1	4	2	5	7	2	-	1	-	-	2	10	2	7	18	4	4	17	29
21	4	5	3	-	-	1	2	-	-	-	-	-	1	3	2	1	3	-	1	8	30
9	4	10	1	3	2	2	5	-	1	-	1	-	-	3	1	2	2	-	-	3	31
46	16	12	1	4	4	4	6	1	1	6	2	3	7	5	18	7	17	5	3	27	32
29	10	10	1	3	3	2	4	1	1	3	2	2	3	4	10	4	11	4	2	17	33
17	6	2	-	1	1	2	2	-	-	3	-	1	4	1	8	3	6	1	1	10	34
101	25	42	3	7	2	9	33	2	6	3	2	2	5	29	24	22	33	3	5	41	35
30	8	25	-	3	1	1	8	-	1	1	2	2	1	11	9	6	13	-	1	17	36
71	17	17	3	4	1	8	25	2	5	2	-	-	4	18	15	16	20	3	4	24	37
37	24	10	2	1	3	2	16	-	-	1	1	-	4	7	9	6	5	1	-	6	38
9	4	2	-	1	1	2	3	-	-	-	-	-	-	-	2	2	2	1	-	3	39
22	4	4	1	5	-	2	7	-	-	2	3	1	3	5	3	5	5	-	-	6	40
12	3	3	1	1	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	4	41
62	15	19	5	3	3	10	5	-	1	2	-	1	2	2	2	12	8	2	2	14	42
23	5	10	1	3	-	3	1	-	-	1	-	-	1	1	1	8	3	1	2	6	43
39	10	9	4	-	3	7	4	-	1	1	-	1	1	1	1	4	5	1	-	8	44
8	4	2	1	-	1	1	1	1	1	-	-	-	-	2	1	4	2	-	-	7	45
84	41	20	3	3	5	11	19	1	8	4	2	3	5	11	35	7	24	-	4	25	46
35	14	8	2	1	1	5	8	-	1	2	-	-	1	5	10	2	6	-	2	10	47
49	27	12	1	2	4	6	11	1	7	2	2	3	4	6	25	5	18	-	2	15	48
21	2	2	-	1	1	2	2	-	-	1	-	-	-	1	4	1	2	-	-	5	49
53	5	17	3	4	6	1	12	-	3	1	-	1	6	24	4	7	13	3	1	13	50
29	24	31	-	2	-	1	4	1	2	-	-	1	-	4	1	4	7	2	1	9	51
58	11	4	2	4	-	4	6	2	1	-	-	2	5	2	4	2	10	1	2	14	52
25	3	4	-	1	-	1	2	-	-	-	-	-	1	-	1	2	2	1	-	4	53
568	93	42	11	66	18	32	96	15	5	24	1	-	38	108	19	51	68	29	28	146	54
345	54	22	8	40	11	16	44	7	4	12	1	-	15	53	11	29	31	14	13	86	55
131	27	14	3	12	5	8	26	7	1	9	-	-	13	25	2	14	16	10	8	36	56
92	12	6	-	14	2	8	26	1	-	3	-	-	10	30	6	8	21	5	7	24	57
34	4	2	2	1	1	-	14	1	1	1	-	-	-	7	3	3	3	1	-	10	58
36	28	24	1	1	1	4	22	-	2	1	1	5	3	17	19	9	13	3	2	14	59
53	2	6	1	1	1	6	12	-	1	1	-	-	2	5	2	8	10	1	-	13	60
25	3	9	-	-	2	2	3	-	1	-	-	-	-	-	1	1	1	2	-	12	61
36	2	5	2	1	2	3	4	-	-	1	-	-	-	-	-	1	5	1	-	6	62
188	22	23	5	9	4	8	19	3	1	5	1	1	11	15	20	20	23	7	3	45	63
156	20	16	4	8	2	7	14	3	1	5	-	1	11	14	17	12	17	6	3	37	64
32	2	7	1	1	2	1	5	-	-	-	1	-	-	1	3	8	6	1	-	8	65
34	6	-	2	-	3	4	5	1	-	1	-	-	-	2	1	3	8	1	-	4	66
16	4	6	-	-	-	3	3	-	-	2	-	1	1	-	-	1	2	1	-	7	67
14	2	1	-	2	-	-	2	-	-	-	-	-	-	2	-	-	2	-	-	3	68
92	26	11	2	5	6	10	18	3	2	5	-	1	3	9	7	10	13	5	4	33	69
50	12	8	-	2	1	4	8	2	2	4	-	1	3	4	2	3	6	4	1	20	70
42	14	3	2	3	5	6	10	1	-	1	-	-	-	5	5	7	7	1	3	13	71
16	2	4	1	2	-	1	5	-	-	1	-	-	2	2	4	1	3	3	-	3	72
135	21	14	5	7	6	3	10	2	1	3	-	-	4	13	2	10	16	7	-	34	73
29	8	4	1	2	2	2	1	-	-	1	-	-	1	6	-	5	7	3	-	8	74
106	13	10	4	5	4	1	9	2	1	2	-	-	3	7	2	5	9	4	-	26	75
72	13	6	3	11	2	4	13	3	-	3	-	-	1	9	14	11	8	4	-	15	76
29	7	5	-	1	1	2	13	-	1	2	-	-	2	4	6	7	7	-	1	6	77
34	7	5	2	2	-	4	8	3	-	-	-	-	-	6	2	9	3	1	-	9	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	CALIFORNIA	124,162	906	271	23	446	20,319	6,700	2,870	10,749	1,430	65,961	65,211	13,972	43	45,931	1,623
2	Metropolitan counties	101,059	724	213	19	350	16,863	5,612	2,361	8,890	1,140	54,051	53,453	11,434	36	37,576	1,366
3	Nonmetropolitan counties	23,103	182	58	4	96	3,456	1,088	509	1,859	290	11,910	11,758	2,538	7	8,355	257
4	Alameda	8,209	53	20	2	20	1,347	456	190	701	112	4,583	4,536	901	4	3,315	104
5	Oakland	4,429	34	12	-	8	742	238	112	392	61	2,506	2,486	483	3	1,819	53
6	Berkeley	1,139	2	2	1	4	205	88	25	92	18	681	669	147	-	474	17
7	Alameda	516	2	1	-	4	65	27	7	31	4	300	297	70	-	210	3
8	San Leandro	400	2	-	-	2	71	22	12	37	6	210	208	39	-	154	6
9	Albany	138	-	2	-	-	22	7	3	12	2	82	82	17	-	59	2
10	Hayward	434	4	-	-	-	72	22	10	40	5	211	208	42	1	150	7
11	Piedmont	111	1	-	-	-	27	10	3	14	1	64	63	16	-	45	3
12	Balance of county	1,042	8	3	1	2	143	42	18	83	15	529	523	87	-	404	13
13	Alpine	4	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
14	Amador	120	3	1	-	-	24	9	4	11	2	64	63	29	1	30	-
15	Butte	845	3	3	-	2	129	38	13	78	11	470	468	82	-	341	10
16	Chico	214	1	-	-	-	29	8	1	20	3	119	117	23	-	78	3
17	Balance of county	631	2	3	-	2	100	30	12	58	8	351	351	59	-	263	7
18	Calaveras	118	2	1	-	-	22	7	4	11	1	61	61	15	1	42	1
19	Colusa	147	-	-	-	1	23	5	6	12	5	85	83	20	-	54	3
20	Contra Costa	2,260	12	10	-	13	386	126	55	205	26	1,083	1,065	209	1	772	29
21	Richmond	532	3	1	-	3	89	18	19	52	3	274	269	60	-	188	4
22	Antioch	101	-	-	-	-	19	13	3	3	1	59	58	14	-	42	-
23	El Cerrito	143	2	-	-	1	34	12	5	17	-	68	67	20	-	46	1
24	Pittsburg	150	-	2	-	1	26	10	2	14	2	66	65	6	1	52	4
25	San Pablo	151	1	1	-	2	15	4	1	10	1	62	60	6	-	47	5
26	Balance of county	1,183	6	6	-	6	203	69	25	109	19	554	546	103	-	397	15
27	Del Norte	133	3	-	-	-	16	2	4	10	2	64	64	16	1	41	-
28	El Dorado	228	4	-	-	-	31	13	4	14	6	109	105	24	-	78	3
29	Fresno	2,784	23	2	2	7	446	151	62	233	33	1,379	1,361	232	2	1,031	27
30	Fresno	1,264	10	1	1	3	208	64	35	109	13	656	643	112	1	487	15
31	Balance of county	1,520	13	1	1	4	238	87	27	124	20	723	718	120	1	544	12
32	Glenn	166	-	-	-	-	29	8	3	18	3	91	89	22	-	62	1
33	Humboldt	803	8	1	-	5	129	40	19	70	16	386	382	91	-	269	11
34	Eureka	345	5	-	-	1	63	17	12	34	9	167	167	48	-	111	6
35	Balance of county	458	3	1	-	4	66	23	7	36	7	219	215	43	-	158	5
36	Imperial	532	6	3	1	3	61	11	13	37	12	209	200	49	-	134	1
37	Brawley	112	2	1	-	1	9	1	2	6	2	49	45	12	-	27	1
38	El Centro	115	1	1	-	-	14	2	5	7	1	42	40	10	-	27	-
39	Balance of county	305	3	1	1	2	38	8	6	24	9	118	115	27	-	80	-
40	Inyo	121	1	-	-	-	13	2	1	10	4	59	57	17	-	39	-
41	Kern	2,006	26	8	-	17	281	91	36	154	12	918	898	191	1	656	15
42	Bakersfield	559	9	1	-	2	90	23	16	51	5	282	277	59	-	203	5
43	Balance of county	1,447	17	7	-	15	191	68	20	103	7	636	621	132	1	453	10
44	Kings	365	3	1	-	2	53	20	8	25	12	175	172	53	-	102	5
45	Hanford	136	2	-	-	1	25	10	4	11	4	64	63	21	-	37	1
46	Balance of county	229	1	1	-	1	28	10	4	14	8	111	109	32	-	65	4
47	Lake	186	1	-	-	-	22	6	4	12	2	109	108	15	-	75	-
48	Lassen	131	1	-	-	-	17	9	1	7	1	67	66	12	-	47	1
49	Los Angeles	50,555	353	99	8	176	8,432	2,789	1,143	4,500	555	27,860	27,547	6,163	19	18,760	705
50	Long Beach	3,485	17	7	-	6	599	202	91	306	34	2,053	2,034	424	1	1,445	53
51	Los Angeles	24,454	217	63	5	81	4,020	1,361	567	2,092	293	13,416	13,255	2,899	8	9,018	326
52	Pasadena	1,593	4	2	-	5	253	90	14	149	15	998	992	267	-	607	17
53	Alhambra	656	2	2	-	2	119	51	12	56	1	412	408	85	-	292	8
54	Burbank	666	2	-	-	1	125	49	15	61	7	403	399	86	1	262	9
55	Glendale	1,281	7	1	-	2	211	82	22	107	17	794	789	174	-	522	18
56	Santa Monica	984	2	1	-	1	160	48	20	92	11	591	586	131	-	380	12
57	South Gate	451	3	1	-	3	93	29	10	54	5	247	245	55	-	171	6
58	Belvedere (twp.)[3] [4]	243	5	1	-	3	32	12	-	20	4	123	122	33	-	76	3
59	Beverly Hills	329	1	-	-	1	75	29	10	36	3	204	204	56	-	131	7
60	Compton	475	5	1	-	5	95	31	9	55	3	216	214	54	-	152	12
61	Huntington Park	350	1	-	-	1	68	19	16	33	5	196	196	39	-	141	5
62	Inglewood	547	-	-	-	3	69	24	8	37	6	334	331	60	1	245	10
63	Lynwood	240	2	1	-	1	40	17	5	18	3	142	140	27	-	106	2
64	Pomona	569	1	-	1	1	88	24	9	55	3	322	320	88	1	202	8
65	Redondo Beach	333	2	1	-	-	52	13	8	31	1	198	196	45	-	132	6
66	Arcadia	309	-	-	-	1	69	23	7	39	3	178	178	36	-	120	5
67	Azusa	131	-	-	-	1	19	4	6	9	2	66	66	14	-	47	2
68	Bell	159	1	1	-	1	34	8	3	23	-	79	77	18	-	55	1
69	Culver City	189	-	-	-	-	32	10	6	16	2	113	112	21	-	85	6
70	Gardena	192	2	-	-	-	33	7	5	21	-	89	89	21	-	63	2
71	Hawthorne	206	-	-	-	-	28	10	3	15	-	111	111	22	-	80	3
72	Hermosa Beach	127	-	-	-	-	19	6	1	12	-	72	71	17	-	43	2
73	Manhattan Beach	183	1	-	-	-	25	14	2	9	1	99	99	21	-	73	5
74	Maywood	149	1	1	-	-	19	4	4	11	3	84	82	20	-	58	1
75	Monrovia	311	3	-	-	-	58	19	8	31	2	180	175	50	-	109	5
76	Montebello	225	1	-	-	-	54	15	7	32	1	124	123	23	-	91	2
77	Monterey Park	215	1	-	-	1	47	14	7	26	1	117	114	20	1	89	3
78	San Fernando	160	7	-	-	3	28	12	9	7	1	76	76	23	-	46	2
79	San Gabriel	205	1	-	-	-	41	8	5	28	1	114	114	20	-	80	1
80	San Marino	105	-	-	-	-	17	7	2	8	-	75	75	20	-	49	-

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
35,633	4,445	4,230	631	3,120	1,514	750	4,213	974	508	2,459	99	126	1,725	5,336	418	3,895	3,875	2,066	547	8,565	1
29,274	3,628	3,308	509	2,647	1,251	598	3,263	811	398	2,125	87	108	1,439	4,408	244	2,843	2,897	1,672	431	6,973	2
6,359	817	922	122	473	263	152	950	163	110	334	12	18	286	928	174	1,052	978	394	116	1,592	3
2,428	315	468	50	151	115	47	207	46	26	171	9	13	100	374	31	179	216	123	37	540	4
1,344	184	238	36	85	60	20	108	30	12	115	2	4	47	183	17	74	108	59	28	279	5
360	45	52	9	20	19	12	28	6	4	12	3	2	10	40	3	19	18	15	2	64	6
159	15	33	2	7	8	3	14	2	2	8	1	-	8	29	6	8	21	6	1	34	7
107	13	28	-	3	12	2	10	1	-	6	2	1	4	26	-	10	12	6	1	30	8
49	5	3	-	3	3	-	2	1	-	3	-	-	5	3	-	2	2	3	-	9	9
93	15	35	1	10	4	3	14	2	2	14	-	2	9	29	1	15	12	7	2	33	10
35	3	4	-	2	-	1	2	-	-	3	-	-	1	1	-	2	-	3	-	6	11
281	35	75	2	21	9	6	29	4	6	10	1	4	16	63	4	49	43	24	3	85	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	13
28	1	1	1	2	-	1	3	1	-	2	-	-	2	3	-	5	3	1	-	6	14
265	23	43	6	23	16	2	38	11	1	9	1	1	6	19	4	24	45	10	1	57	15
54	7	14	2	9	5	2	8	3	-	1	-	-	1	3	-	11	15	1	1	18	
211	16	29	4	14	11	-	30	8	1	8	1	1	5	16	4	13	30	9	-	39	17
32	2	7	2	-	1	-	3	1	-	1	-	-	3	1	1	3	6	1	-	11	18
40	4	7	3	5	1	2	5	2	-	2	-	-	3	2	-	11	5	-	-	3	19
594	61	88	11	39	33	18	70	15	6	43	5	1	46	146	3	85	77	56	10	167	20
155	15	14	3	9	9	5	16	3	1	13	3	-	12	20	-	16	17	5	8	45	21
26	10	6	-	-	2	1	2	1	1	1	-	-	2	1	-	6	-	2	-	6	22
41	1	3	-	1	-	1	6	1	-	1	-	-	3	4	1	6	4	5	-	7	23
38	1	9	1	1	4	1	3	1	-	6	-	-	2	17	-	3	6	4	-	11	24
31	2	9	-	5	2	2	11	3	1	5	1	1	6	10	-	5	10	4	-	12	25
303	32	47	7	23	16	8	32	6	3	17	1	-	21	94	2	49	40	36	2	86	26
30	8	3	-	5	1	-	3	2	1	-	-	1	2	3	-	14	13	-	1	8	27
47	6	22	-	3	-	4	10	3	1	4	-	-	2	6	1	5	9	6	2	29	28
820	91	93	10	53	33	18	117	30	15	41	3	3	31	130	10	138	98	52	13	211	29
401	40	31	4	22	17	13	55	20	4	22	-	-	13	58	6	50	37	18	5	84	30
419	51	62	6	31	16	5	62	10	11	19	3	3	18	72	4	88	61	34	8	127	31
55	-	6	-	3	2	2	8	-	-	3	-	-	3	-	2	5	11	4	-	7	32
221	16	21	-	18	4	4	31	4	2	8	1	-	14	33	6	48	49	15	5	42	33
96	5	4	-	4	4	-	11	2	-	3	1	-	3	13	2	19	17	7	3	19	34
125	11	17	-	14	-	4	20	2	2	5	-	-	11	20	4	29	32	8	2	23	35
99	20	14	4	7	6	9	33	2	8	6	1	4	11	40	2	49	30	10	3	38	36
20	4	2	2	2	2	4	9	-	4	-	1	1	3	6	1	10	6	1	1	5	37
17	7	3	1	2	-	2	9	2	-	2	-	1	-	11	-	6	9	2	1	13	38
62	9	9	1	3	4	3	15	-	4	4	-	2	8	23	1	33	15	7	1	20	39
32	2	5	-	1	-	2	7	1	2	2	-	-	-	2	-	9	10	-	1	10	40
532	58	51	3	31	16	20	116	12	14	43	-	3	28	105	5	135	99	30	14	140	41
157	28	13	-	10	5	5	26	3	5	10	-	-	8	18	1	30	23	6	3	37	42
375	30	38	3	21	11	15	90	9	9	33	-	3	20	87	4	105	76	24	11	103	43
77	8	12	3	10	4	3	15	2	3	2	-	1	8	21	1	16	14	7	3	26	44
31	2	3	-	3	2	1	5	-	1	1	-	-	3	6	1	4	5	2	-	12	45
46	6	9	3	7	2	2	10	2	2	1	-	1	5	15	-	12	9	5	3	14	46
66	5	4	1	11	6	1	4	1	1	3	-	-	-	4	2	2	1	2	2	10	47
37	5	4	-	4	3	1	1	2	-	-	2	-	1	2	1	10	6	7	3	10	48
14,572	1,881	1,602	272	1,797	536	313	1,502	405	208	1,024	36	57	693	2,160	88	1,266	1,176	785	241	3,431	49
1,157	116	119	20	116	28	19	76	28	7	52	1	2	29	94	8	102	82	55	9	224	50
6,893	1,004	795	126	930	274	161	790	205	93	584	18	30	288	921	51	557	589	364	152	1,717	51
464	55	71	17	87	14	6	49	10	8	27	-	1	9	34	-	34	29	16	8	91	52
230	26	28	2	22	7	4	15	1	2	7	-	1	6	17	-	8	10	12	5	34	53
203	25	25	1	38	11	4	14	5	3	7	-	2	8	23	-	17	8	13	1	27	54
419	45	40	5	73	15	5	21	3	1	18	1	2	13	35	-	24	24	16	-	91	55
291	39	38	7	52	16	5	21	6	1	27	1	1	12	22	1	21	14	19	2	70	56
140	15	10	1	9	9	2	13	1	3	10	-	1	6	15	1	9	6	8	-	26	57
59	8	6	1	10	2	1	6	3	6	9	-	-	3	21	-	3	6	2	1	15	58
94	17	13	2	12	3	-	7	2	2	1	-	-	1	4	-	-	8	12	-	8	59
109	20	11	2	3	3	2	15	-	4	10	-	-	7	39	-	16	14	6	5	34	60
113	14	9	2	10	4	-	4	2	2	10	1	-	1	13	1	9	11	6	2	17	61
196	22	17	2	16	7	3	16	4	1	7	-	-	8	17	2	13	14	12	2	39	62
85	11	8	2	2	3	2	2	1	-	7	-	-	4	11	-	11	5	-	-	10	63
157	23	14	6	20	3	2	15	8	2	4	-	2	10	29	-	21	17	12	2	31	64
100	13	13	-	18	1	2	11	4	-	3	-	-	7	17	-	8	3	6	1	19	65
97	11	7	1	16	5	-	5	9	-	3	-	-	4	9	1	3	8	5	-	11	66
37	2	6	4	-	1	-	6	-	-	6	-	-	4	7	1	6	4	1	-	8	67
41	8	5	-	4	-	2	6	2	1	4	-	1	1	1	-	4	6	4	-	13	68
64	4	11	-	5	1	1	1	1	2	3	-	-	3	6	-	5	1	6	1	13	69
52	8	1	-	4	1	-	5	1	-	4	-	-	6	18	-	7	6	4	-	17	70
65	6	6	1	8	-	-	8	4	1	2	1	-	7	14	2	5	4	2	3	14	71
33	3	5	1	8	2	1	4	1	-	4	1	-	2	6	-	4	5	2	-	7	72
54	7	7	2	3	-	-	4	1	-	4	-	-	2	17	-	5	3	5	1	15	73
52	3	2	-	2	2	2	3	2	-	7	-	-	4	7	-	6	2	2	1	7	74
79	13	12	5	7	4	5	8	-	2	1	-	-	2	12	-	9	7	2	3	22	75
74	8	7	4	5	-	1	8	-	-	3	-	-	3	6	-	2	3	1	-	19	76
71	5	10	-	4	-	3	8	5	-	2	-	-	2	6	1	3	4	1	1	15	77
34	8	2	-	6	1	-	7	1	2	2	-	1	1	7	2	9	2	1	-	10	78
73	1	5	2	10	2	-	4	-	2	5	-	-	2	4	-	3	4	5	2	17	79
37	6	6	-	3	3	-	3	-	1	1	1	-	-	-	-	1	-	2	-	4	80

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	CALIFORNIA—Continued																
	Los Angeles—Continued																
1	South Pasadena	238	1	-	-	-	46	12	8	26	2	155	153	40	1	96	5
2	Torrance	380	1	-	-	2	65	20	10	35	5	167	164	41	-	117	4
3	Whittier	354	-	-	-	-	62	14	9	39	2	215	214	58	-	142	5
4	Balance of county	10,061	62	16	2	51	1,637	501	225	911	118	5,097	5,023	1,155	5	3,435	149
5	Madera	328	2	3	-	1	45	17	8	20	4	166	165	71	-	86	1
6	Madera	134	-	1	-	-	23	9	3	11	2	71	70	29	-	38	-
7	Balance of county	194	2	2	-	1	22	8	5	9	2	95	95	42	-	48	1
8	Marin	921	-	-	-	2	156	56	15	85	10	524	518	113	-	368	22
9	San Rafael	216	-	-	-	-	37	12	3	22	3	136	135	34	-	93	7
10	Balance of county	705	-	-	-	2	119	44	12	63	7	388	383	79	-	275	15
11	Mariposa	53	1	1	-	-	8	2	1	5	-	28	28	3	-	23	-
12	Mendocino	455	5	1	-	-	53	14	10	29	7	221	220	48	-	157	4
13	Merced	658	10	-	-	3	98	33	18	47	11	311	307	51	-	240	2
14	Merced	186	4	-	-	3	25	9	5	11	2	93	91	13	-	70	-
15	Balance of county	472	6	-	-	-	73	24	13	36	9	218	216	38	-	170	2
16	Modoc	76	-	-	-	1	10	7	-	3	1	41	40	9	-	28	-
17	Mono	13	-	-	-	-	-	-	-	-	-	4	4	2	-	1	-
18	Monterey	1,186	7	4	-	6	174	57	21	96	15	557	545	130	-	370	14
19	Monterey	147	-	-	-	2	20	9	1	10	4	71	71	13	-	51	1
20	Salinas	232	4	1	-	1	35	14	1	20	3	118	113	22	-	75	2
21	Balance of county	807	3	3	-	3	119	34	19	66	8	368	361	95	-	244	11
22	Napa	547	4	1	-	-	103	43	19	41	8	291	288	57	2	195	7
23	Napa	255	4	-	-	-	46	18	8	20	1	128	127	29	1	83	-
24	Balance of county	292	-	1	-	-	57	25	11	21	7	163	161	28	1	112	7
25	Nevada	240	4	-	-	-	32	15	2	15	-	151	148	13	-	117	1
26	Orange	3,601	21	1	-	15	550	171	75	304	40	1,862	1,840	422	-	1,325	51
27	Santa Ana	692	5	1	-	2	104	39	12	53	9	394	390	81	-	287	10
28	Anaheim	429	2	-	-	3	68	20	9	39	5	218	217	53	-	151	10
29	Fullerton	225	3	-	-	2	39	13	3	23	1	125	122	28	-	84	2
30	Newport Beach	196	1	-	-	-	36	15	4	17	1	107	107	20	-	85	2
31	Orange	202	-	-	-	-	37	14	4	19	1	109	108	27	-	78	3
32	Balance of county	1,857	10	-	-	8	266	70	43	153	23	909	896	213	-	640	24
33	Placer	485	3	2	-	-	93	31	13	49	2	268	264	42	-	211	7
34	Plumas	117	-	-	-	-	10	2	2	6	3	60	59	14	-	41	4
35	Riverside	2,532	26	4	1	9	392	107	60	225	26	1,283	1,271	243	-	935	34
36	Riverside	752	8	2	-	3	109	27	13	69	6	393	390	75	-	281	10
37	Corona	123	3	-	-	-	19	6	4	9	3	68	67	8	-	55	2
38	Balance of county	1,657	15	2	1	6	264	74	43	147	17	822	814	160	-	599	22
39	Sacramento	3,590	39	17	-	13	553	186	104	263	39	1,839	1,822	298	1	1,419	49
40	Sacramento	2,092	32	12	-	7	322	107	58	157	20	1,127	1,119	180	1	860	31
41	Balance of county	1,498	7	5	-	6	231	79	46	106	19	712	703	118	-	559	18
42	San Benito	155	1	-	1	-	25	7	3	15	1	68	68	17	-	46	1
43	San Bernardino	3,624	31	11	-	19	566	185	79	302	42	1,710	1,690	348	2	1,217	59
44	San Bernardino	949	5	3	-	4	156	58	25	73	15	460	448	95	-	321	10
45	Colton	143	2	-	-	2	24	10	4	10	2	64	64	16	-	44	1
46	Ontario	307	4	-	-	3	54	18	8	28	4	150	150	32	-	107	7
47	Redlands	273	2	2	-	1	51	17	5	29	4	138	137	35	-	90	4
48	Balance of county	1,952	18	6	-	9	281	82	37	162	17	898	891	170	2	655	37
49	San Diego	6,521	48	10	3	19	1,074	349	150	575	81	3,314	3,281	749	-	2,256	86
50	San Diego	3,924	27	5	1	8	650	200	100	350	48	1,994	1,977	462	-	1,340	51
51	Chula Vista	208	1	-	-	1	33	12	6	15	1	103	101	17	-	77	4
52	Coronado	103	-	-	-	-	15	3	1	11	-	49	48	13	-	29	2
53	La Mesa	177	2	1	-	-	32	11	3	18	3	99	99	13	-	81	5
54	National City	194	1	1	-	2	22	9	3	10	1	107	106	25	-	72	2
55	Oceanside	179	3	-	-	1	19	8	1	10	2	77	76	11	-	56	2
56	Balance of county	1,736	14	3	2	7	303	106	36	161	26	885	874	208	-	601	20
57	San Francisco, coextensive with San Francisco (city)	9,613	83	11	1	24	1,743	599	274	870	87	5,108	5,058	1,013	4	3,680	109
58	San Joaquin	2,244	29	9	2	14	372	152	47	173	22	1,155	1,147	223	-	859	32
59	Stockton	1,072	22	5	-	6	182	70	23	89	9	544	540	103	-	394	17
60	Lodi	191	-	-	-	-	38	18	4	16	1	111	111	25	-	84	3
61	Balance of county	981	7	4	2	8	152	64	20	68	12	500	496	95	-	381	12
62	San Luis Obispo	693	3	-	-	6	106	41	14	51	9	390	385	61	-	299	14
63	San Luis Obispo	159	-	-	-	1	25	7	4	14	-	92	92	15	-	69	5
64	Balance of county	534	3	-	-	5	81	34	10	37	9	298	293	46	-	230	9
65	San Mateo	2,580	10	8	-	10	486	155	53	278	21	1,349	1,331	257	-	997	41
66	Redwood City	349	4	2	-	1	67	27	8	32	4	178	177	28	-	135	6
67	San Mateo	478	1	2	-	2	86	24	9	53	5	261	256	53	-	191	8
68	Burlingame	237	1	-	-	-	48	19	5	24	-	147	146	32	-	107	3
69	Daly City	215	2	-	-	-	46	10	5	31	1	98	97	19	-	69	3
70	Menlo Park	213	1	-	-	1	36	9	3	24	-	114	112	29	-	77	3
71	San Bruno	139	-	-	-	-	17	4	2	11	1	71	71	8	-	57	1
72	San Carlos	155	-	1	-	-	35	16	3	16	1	80	78	14	-	60	5
73	South San Francisco	189	-	-	-	3	30	12	3	15	3	94	94	21	-	66	2
74	Balance of county	605	1	3	-	3	121	34	15	72	6	306	300	53	-	235	10
75	Santa Barbara	1,176	10	1	-	4	195	54	28	113	6	665	661	148	-	462	14
76	Santa Barbara	673	9	-	-	3	117	37	21	59	3	399	399	94	-	271	10
77	Santa Maria	131	-	1	-	-	17	4	-	13	1	74	72	14	-	54	1
78	Balance of county	372	1	-	-	1	61	13	7	41	2	192	190	40	-	137	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
76	9	6	-	12	4	2	5	3	1	-	-	-	-	1	1	4	5	5	-	9	1
96	10	7	1	2	3	3	11	3	-	7	1	2	14	42	-	17	16	4	1	22	2
124	9	4	3	6	5	1	8	2	1	6	-	1	2	9	-	6	9	6	1	24	3
2,703	307	276	52	274	102	74	323	87	60	177	10	10	222	676	16	314	247	168	37	731	4
68	10	7	4	1	3	1	7	2	1	5	-	-	7	17	2	10	20	9	1	26	5
29	4	5	2	1	-	1	3	-	-	3	-	-	1	8	1	4	3	2	-	12	6
39	6	2	2	-	3	-	4	2	1	2	-	-	6	9	1	6	17	7	1	14	7
280	24	42	1	18	18	6	20	3	8	13	1	1	8	43	3	24	30	21	1	53	8
70	2	14	-	5	3	1	3	1	2	3	-	-	1	4	-	5	7	5	-	9	9
210	22	28	1	13	15	5	17	2	6	10	1	1	7	39	3	19	23	16	1	44	10
17	2	4	1	1	-	-	3	2	-	1	-	-	-	2	-	1	-	-	-	6	11
100	14	39	-	9	6	1	30	6	-	1	-	-	6	21	2	25	27	16	2	32	12
166	40	32	4	5	7	4	23	6	6	12	-	3	12	31	3	29	29	16	4	51	13
51	14	5	2	2	4	2	8	3	1	5	-	-	1	6	1	8	8	5	1	12	14
115	26	27	2	3	3	2	15	3	5	7	-	3	11	25	2	21	21	11	3	39	15
18	4	6	1	1	1	1	2	-	1	1	-	-	2	-	-	1	3	2	-	11	16
1	-	-	-	1	-	-	2	-	-	1	-	-	-	1	-	2	1	1	-	1	17
286	32	38	8	18	19	12	52	7	6	21	2	2	22	60	2	67	65	13	8	96	18
40	5	5	1	2	4	-	8	-	-	1	1	-	2	9	-	5	7	-	1	16	19
60	3	10	1	8	7	5	5	-	1	7	-	1	8	5	-	16	10	2	-	15	20
186	24	23	6	8	8	7	39	7	5	13	1	1	12	46	2	46	48	11	7	65	21
136	22	30	4	21	9	3	26	2	3	8	-	-	7	7	3	22	14	5	3	40	22
60	10	13	3	9	2	1	14	1	3	2	-	-	3	3	1	15	9	1	1	23	23
76	12	17	1	12	7	2	12	1	-	6	-	-	4	4	2	7	5	4	2	17	24
50	39	27	2	13	3	3	4	-	2	3	-	-	1	1	1	5	13	5	1	17	25
1,044	115	115	16	48	29	22	90	29	14	51	5	6	84	198	13	156	129	78	11	248	26
225	26	26	2	13	7	4	13	6	2	10	-	-	9	30	2	18	18	10	-	59	27
117	12	12	3	6	4	1	11	2	3	2	1	1	18	22	2	17	11	9	1	33	28
60	11	11	-	8	2	3	6	2	-	3	-	1	5	7	1	7	7	1	-	15	29
78	4	1	1	-	1	-	6	2	2	6	-	-	3	4	-	3	5	9	3	8	30
64	5	6	1	2	-	1	7	-	-	2	1	-	4	6	1	7	6	3	-	18	31
500	57	59	9	19	15	13	47	17	7	28	3	4	45	129	7	104	82	46	7	115	32
161	22	21	2	3	6	4	16	4	2	4	-	-	3	7	-	15	19	14	-	33	33
31	3	3	-	3	1	1	6	2	-	2	-	-	3	7	2	4	6	4	-	8	34
696	101	104	13	56	24	12	130	22	12	35	1	1	29	116	26	125	70	37	10	177	35
209	30	32	3	25	6	3	46	5	3	8	1	-	11	33	9	30	20	12	4	49	36
37	11	5	2	1	1	1	4	1	2	1	-	-	-	3	1	4	5	2	-	7	37
450	60	67	8	30	17	8	80	16	7	26	-	1	18	80	16	91	45	23	6	121	38
1,159	92	119	13	47	44	17	168	36	13	77	-	3	50	146	12	114	129	56	17	269	39
693	62	74	12	34	32	8	103	22	8	51	-	2	21	54	5	47	68	30	11	150	40
466	30	45	1	13	12	9	65	14	5	26	-	1	29	92	7	67	61	26	6	119	41
39	-	6	1	2	2	-	9	3	-	4	-	-	-	8	1	4	9	2	2	17	42
976	104	78	5	56	62	20	184	39	20	62	5	6	53	191	17	170	142	62	14	280	43
253	34	24	-	14	18	12	53	9	6	18	3	1	19	47	4	34	29	12	5	66	44
33	5	5	1	1	2	-	11	-	-	4	-	-	1	9	1	4	5	1	-	13	45
93	4	3	2	5	4	-	11	4	1	2	-	-	7	16	-	13	11	5	-	22	46
66	12	8	-	1	11	1	11	2	2	3	-	-	1	5	4	9	15	2	1	20	47
531	49	38	2	35	27	7	98	24	11	35	2	5	25	114	8	110	82	42	8	159	48
1,753	264	153	43	137	96	33	240	48	35	122	8	5	138	374	8	209	218	99	21	447	49
1,042	164	83	32	86	57	17	150	29	20	87	6	3	86	229	4	94	121	64	12	286	50
65	5	3	2	2	3	2	4	-	4	-	-	-	10	20	-	8	5	1	1	16	51
19	7	1	-	5	1	1	4	-	-	2	-	-	2	11	-	4	8	2	-	6	52
62	8	6	-	3	2	-	7	2	-	-	-	-	3	8	-	5	1	2	-	12	53
62	4	4	-	5	4	1	7	1	2	5	-	-	9	12	1	8	2	2	1	10	54
40	7	7	1	4	4	1	13	2	1	1	-	-	2	27	1	9	6	2	-	13	55
463	69	49	8	32	25	11	55	14	8	27	2	2	26	67	2	81	75	26	7	104	56
2,927	370	274	41	163	157	50	330	92	26	359	7	10	82	224	16	167	372	192	30	649	57
684	60	83	12	27	26	8	90	18	8	33	2	-	24	67	15	93	79	38	12	162	58
306	29	42	8	19	16	4	44	10	2	17	2	-	9	29	8	42	41	17	6	77	59
66	6	9	-	1	1	-	5	1	2	4	-	-	2	2	2	5	2	3	1	12	60
312	25	32	4	7	9	4	41	7	4	12	-	-	13	36	5	46	36	18	5	73	61
221	28	36	7	10	8	5	29	5	1	9	-	-	6	24	1	22	29	11	2	40	62
54	5	5	3	3	2	-	5	-	-	5	-	-	-	7	1	5	7	2	-	9	63
167	23	31	4	7	6	5	24	5	1	4	-	-	6	17	-	17	22	9	2	31	64
770	108	78	13	25	39	18	74	24	7	41	1	1	49	112	5	58	72	43	5	204	65
105	17	7	1	4	9	1	12	4	1	6	-	1	7	10	1	11	8	6	-	26	66
147	25	11	1	5	6	5	9	7	4	4	1	-	8	19	1	13	17	6	-	32	67
76	12	16	-	4	3	1	9	1	-	4	-	-	1	2	-	3	3	3	-	15	68
46	13	7	3	4	2	1	7	5	-	10	-	-	7	8	-	1	10	3	-	17	69
59	7	8	2	1	3	2	7	1	-	1	-	-	2	15	-	10	5	3	2	15	70
44	6	6	1	-	5	-	3	1	-	2	-	-	4	9	1	4	5	2	-	19	71
45	5	5	1	-	3	2	2	1	1	3	-	-	-	6	-	-	3	6	-	16	72
55	4	5	2	1	4	-	9	1	1	1	-	-	4	10	-	3	3	2	-	25	73
193	19	13	2	6	4	6	16	3	-	10	-	-	16	33	2	13	18	12	3	39	74
337	66	45	5	35	11	4	29	7	8	23	-	1	11	35	9	33	34	23	2	80	75
197	38	26	4	22	8	-	13	5	3	15	-	-	7	12	1	11	18	13	1	43	76
41	5	7	1	1	2	2	3	1	-	3	-	-	2	6	5	8	4	3	-	3	77
99	23	12	-	12	1	2	13	1	5	5	-	1	2	17	3	14	12	7	1	34	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	CALIFORNIA—Continued																
1	Santa Clara	3,729	19	13	1	13	638	202	97	339	64	1,871	1,852	427	1	1,287	41
2	San Jose	1,270	9	3	1	5	210	61	36	113	29	674	668	152	-	456	16
3	Palo Alto	373	-	-	-	-	63	14	8	41	2	215	212	63	-	138	4
4	Santa Clara	233	-	-	-	-	34	9	4	21	6	118	117	28	-	81	1
5	Balance of county	1,853	10	10	-	8	331	118	49	164	27	864	855	184	1	612	20
6	Santa Cruz	1,073	6	-	-	3	174	62	25	87	9	665	661	146	-	458	13
7	Santa Cruz	485	1	-	-	2	67	29	9	29	4	314	311	80	-	201	4
8	Watsonville	151	2	-	-	1	32	8	5	19	3	77	76	20	-	50	1
9	Balance of county	437	3	-	-	-	75	25	11	39	2	274	274	46	-	207	8
10	Shasta	486	2	1	-	1	65	14	14	37	9	249	246	54	-	176	4
11	Redding	166	1	-	-	-	22	6	5	11	6	80	80	17	-	60	1
12	Balance of county	320	1	1	-	1	43	8	9	26	3	169	166	37	-	116	3
13	Sierra	23	-	-	-	-	1	-	-	1	-	12	12	2	-	10	-
14	Siskiyou	331	1	1	-	1	45	19	8	18	5	170	169	40	-	121	5
15	Solano	828	3	2	-	5	114	35	17	62	8	414	405	79	2	290	11
16	Vallejo	377	1	-	-	2	56	16	6	32	5	189	187	34	-	138	5
17	Balance of county	451	2	2	-	3	58	19	9	30	3	225	218	45	2	152	6
18	Sonoma	1,446	7	7	-	7	219	75	34	110	15	791	781	155	-	565	24
19	Petaluma	168	-	1	-	-	21	7	3	11	3	99	96	21	-	71	3
20	Santa Rosa	436	1	1	-	1	68	21	13	34	5	235	234	48	-	167	8
21	Balance of county	842	6	5	-	6	130	47	16	65	7	457	451	86	-	327	13
22	Stanislaus	1,283	3	2	-	2	203	53	35	115	21	704	701	168	-	482	17
23	Modesto	336	-	-	-	-	53	10	8	35	6	199	199	46	-	139	4
24	Balance of county	947	3	2	-	2	150	43	27	80	15	505	502	122	-	343	13
25	Sutter	284	1	-	-	1	44	7	7	30	8	140	136	35	-	92	3
26	Tehama	234	1	-	-	2	39	10	7	22	1	134	132	27	-	87	2
27	Trinity	68	-	-	-	-	9	3	1	5	2	35	35	6	-	29	1
28	Tulare	1,214	9	1	-	10	191	70	20	101	18	604	600	132	1	429	12
29	Tulare	126	1	-	-	2	17	7	1	9	-	60	60	15	-	43	1
30	Visalia	167	2	-	-	1	24	11	2	11	1	101	100	22	-	69	-
31	Balance of county	921	6	1	-	7	150	52	17	81	17	443	440	95	1	317	11
32	Tuolumne	168	1	-	-	-	21	6	5	10	-	113	112	36	-	71	1
33	Ventura	1,142	8	4	1	6	149	39	24	86	11	551	537	130	-	376	9
34	Oxnard	224	2	2	-	1	27	6	2	19	3	90	87	18	-	64	1
35	San Buenaventura	261	1	-	-	-	39	12	10	17	2	139	134	32	-	95	2
36	Santa Paula	111	1	-	-	-	18	4	2	12	2	53	53	20	-	32	1
37	Balance of county	546	4	2	1	5	65	17	10	38	4	269	263	60	-	185	5
38	Yolo	481	3	4	-	2	64	26	7	31	7	232	229	39	-	170	7
39	Yuba	271	3	3	-	1	36	11	3	22	2	139	138	23	-	108	5
40	COLORADO	14,452	110	27	2	49	2,039	678	246	1,115	164	7,201	7,075	1,536	18	4,955	260
41	Metropolitan counties	7,585	77	18	-	23	1,145	357	149	639	86	3,659	3,594	758	7	2,537	145
42	Nonmetropolitan counties	6,867	33	9	2	26	894	321	97	476	78	3,542	3,481	778	11	2,418	115
43	Adams	426	5	-	-	-	54	14	11	29	5	170	168	32	1	121	7
44	Aurora (part)	82	4	-	-	-	14	3	4	7	-	32	32	4	-	28	2
45	Aurora (total)	151	5	-	-	-	28	4	7	17	2	55	55	12	-	43	2
46	Balance of county	344	1	-	-	-	40	11	7	22	5	138	136	28	1	93	5
47	Alamosa	77	-	-	-	-	14	4	3	7	2	32	30	9	-	15	1
48	Arapahoe	585	3	1	-	5	103	23	16	64	7	281	279	59	-	200	12
49	Aurora (part)	69	1	-	-	-	14	1	3	10	2	23	23	8	-	15	-
50	Englewood	278	-	1	-	5	53	12	9	32	4	137	135	28	-	100	4
51	Balance of county	238	2	-	-	-	36	10	4	22	1	121	121	23	-	85	8
52	Archuleta	19	-	-	-	-	-	-	-	-	-	10	10	2	-	6	-
53	Baca	57	-	-	-	-	6	2	1	3	-	33	33	5	-	25	-
54	Bent	69	1	1	-	2	6	1	1	4	1	32	32	3	-	29	-
55	Boulder	507	6	-	-	1	71	20	5	46	6	272	268	48	-	201	9
56	Boulder	234	2	-	-	1	34	12	4	18	3	119	118	24	-	87	4
57	Balance of county	273	4	-	-	-	37	8	1	28	3	153	150	24	-	114	5
58	Chaffee	100	-	-	-	-	19	5	-	14	-	53	52	6	-	44	-
59	Cheyenne	24	-	-	-	1	4	1	-	3	-	15	15	4	-	9	1
60	Clear Creek	35	-	-	-	-	7	1	-	6	-	17	17	-	-	13	1
61	Conejos	84	1	-	-	2	8	3	-	5	1	31	31	10	-	19	3
62	Costilla	29	-	-	-	-	5	3	1	1	2	12	11	2	-	7	-
63	Crowley	43	-	-	-	-	7	2	2	3	3	17	17	1	1	15	-
64	Custer	13	-	-	-	-	1	-	-	1	-	10	9	2	-	7	-
65	Delta	186	1	-	-	-	27	13	4	10	2	103	99	25	1	68	1
66	Denver, coextensive with Denver (city)	4,982	55	12	-	11	723	231	90	402	54	2,480	2,440	515	6	1,696	100
67	Dolores	18	1	-	-	-	2	1	1	-	-	8	8	2	-	6	-
68	Douglas	46	-	-	-	-	10	2	1	7	-	19	19	7	-	12	-
69	Eagle	33	-	-	-	2	1	1	-	-	-	9	9	1	-	8	1
70	Elbert	29	-	-	-	-	4	2	-	2	-	13	13	1	1	9	-
71	El Paso	968	6	-	-	3	152	44	13	95	3	471	467	109	1	318	18
72	Colorado Springs	773	5	-	-	3	127	38	11	78	3	371	369	85	1	251	15
73	Balance of county	195	1	-	-	-	25	6	2	17	-	100	98	24	-	67	3
74	Fremont	282	2	1	-	1	36	14	7	15	3	155	151	30	-	114	5
75	Garfield	114	1	-	-	-	10	4	1	5	1	55	55	18	-	26	3
76	Gilpin	12	-	-	-	-	-	-	-	-	-	7	7	-	-	7	-
77	Grand	28	-	-	-	-	6	2	1	3	1	9	9	1	-	7	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,033	121	92	20	67	50	19	137	21	10	67	5	1	62	192	21	152	130	49	14	249	1
366	39	35	7	27	26	6	46	9	1	31	2	1	23	50	8	38	33	11	1	85	2
112	14	8	1	8	2	3	10	1	2	1	1	-	4	21	1	11	12	6	2	21	3
64	5	11	1	3	4	1	9	-	-	4	-	-	4	15	1	7	9	6	1	19	4
491	63	38	11	29	18	9	72	11	7	31	2	-	31	106	11	96	76	26	10	124	5
372	36	37	8	31	18	4	30	3	6	10	-	-	6	30	2	19	29	20	3	58	6
165	16	16	4	16	10	3	19	2	1	3	-	-	2	14	-	8	10	10	-	28	7
44	3	2	-	4	2	1	3	-	2	2	-	-	2	7	2	3	5	-	-	10	8
163	17	19	4	11	6	-	8	1	3	5	-	-	2	9	-	8	14	10	3	20	9
126	24	22	-	10	6	3	24	5	1	9	-	-	5	20	6	16	30	12	1	30	10
44	6	9	-	-	3	-	6	1	-	5	-	-	1	11	-	6	6	4	1	16	11
82	18	13	-	10	3	3	18	4	1	4	-	-	4	9	6	10	24	8	-	14	12
7	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	-	4	13
100	8	8	1	6	1	1	6	5	2	7	-	-	2	14	3	15	20	7	3	24	14
234	22	23	2	19	13	9	34	5	2	21	-	1	19	51	2	32	29	18	5	63	15
106	14	13	1	8	6	2	19	4	1	12	-	-	5	18	-	14	13	7	1	30	16
128	8	10	1	11	7	7	15	1	1	9	-	1	14	33	2	18	16	11	4	33	17
432	40	69	9	27	25	10	46	12	4	17	2	-	11	40	65	50	43	16	1	93	18
52	3	13	-	2	2	3	6	2	-	2	-	-	-	8	5	6	4	1	-	10	19
135	12	12	1	15	3	1	17	1	2	7	2	-	5	17	15	17	9	4	1	28	20
245	25	44	8	10	20	6	23	9	2	8	-	-	6	15	45	27	30	11	-	55	21
381	42	42	5	33	13	3	59	4	3	8	1	-	10	39	3	49	41	20	9	102	22
122	11	2	-	10	4	-	15	-	3	3	-	-	1	5	1	12	12	3	2	21	23
259	31	40	5	23	9	3	44	4	-	5	1	-	9	34	2	37	29	17	7	81	24
77	3	9	-	7	2	4	5	1	4	3	-	-	6	13	4	11	16	6	5	16	25
73	3	9	2	13	3	2	8	-	-	-	-	-	3	11	1	9	12	1	1	11	26
20	5	3	-	-	-	-	1	-	1	-	-	-	-	6	-	5	3	2	-	4	27
332	42	43	7	18	13	4	48	12	8	22	-	1	16	54	2	73	43	15	4	83	28
32	5	5	-	1	1	-	5	1	-	2	-	-	1	8	-	9	5	4	1	10	29
57	4	8	-	8	1	1	5	4	1	2	-	-	2	5	-	5	2	2	-	10	30
243	33	30	7	9	11	3	38	7	7	18	-	1	13	41	2	59	36	9	3	63	31
61	2	7	1	3	1	1	2	-	-	3	-	-	1	3	1	7	5	3	2	6	32
294	41	32	8	12	11	14	47	6	5	23	1	-	21	83	1	51	53	27	10	84	33
47	9	7	2	2	1	3	11	1	3	7	1	-	4	24	-	13	13	3	-	19	34
67	17	9	2	3	2	5	7	-	-	7	-	-	5	21	-	8	6	3	4	19	35
27	3	1	1	-	-	-	6	-	2	2	-	-	2	7	-	2	4	3	-	9	36
153	12	15	3	7	8	6	23	5	-	7	-	-	10	31	1	28	30	18	6	37	37
122	19	22	6	8	6	3	18	1	-	11	-	-	9	23	4	36	22	7	5	33	38
74	10	19	-	3	4	1	11	2	1	5	-	-	4	14	5	8	19	5	2	11	39
3,868	390	437	94	276	196	126	984	120	76	169	11	13	238	764	69	418	597	220	40	1,141	40
2,013	190	189	47	116	129	65	510	73	40	120	6	6	137	454	31	170	264	128	25	613	41
1,855	200	248	47	160	67	61	474	47	36	49	5	7	101	310	38	248	333	92	15	528	42
98	11	5	1	4	9	2	21	5	2	9	-	-	15	51	4	14	22	12	1	36	43
25	1	-	-	-	-	-	7	1	-	-	-	-	3	9	2	1	4	1	-	4	44
39	1	1	-	-	-	-	8	1	-	-	-	-	10	16	2	5	6	2	-	11	45
73	10	5	1	4	9	2	14	4	2	9	-	-	12	42	2	13	18	11	1	32	46
9	1	4	2	2	2	2	5	1	-	1	-	1	2	6	-	-	2	-	1	10	47
162	18	8	2	8	10	2	20	7	2	5	-	-	14	47	1	9	22	8	2	48	48
14	-	1	-	-	-	-	1	-	-	-	-	-	7	7	-	4	2	1	-	7	49
84	7	5	-	4	3	2	11	3	1	-	-	-	4	19	1	1	10	4	2	22	50
64	11	2	2	4	7	-	8	4	1	5	-	-	3	21	-	4	10	3	-	19	51
4	-	2	-	2	-	-	-	-	-	-	-	-	1	-	1	3	1	1	-	2	52
21	3	1	-	2	1	-	5	-	-	-	-	-	-	2	1	2	1	1	1	5	53
22	3	4	-	-	-	-	5	-	1	1	-	-	1	-	-	3	6	2	-	7	54
155	16	21	3	11	5	4	32	6	2	2	-	-	9	23	4	13	17	6	1	36	55
74	6	3	1	3	3	1	14	3	1	-	-	-	8	10	3	5	7	5	1	20	56
81	10	18	2	8	2	3	18	3	1	2	-	-	3	13	1	8	10	1	-	16	57
32	1	11	-	1	1	1	6	-	1	1	-	-	3	1	-	2	4	-	-	10	58
6	2	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	1	59
12	-	-	-	2	2	-	-	-	-	-	-	-	1	2	-	2	2	1	-	3	60
14	-	2	-	2	-	-	12	1	2	-	-	-	1	2	-	6	7	2	-	8	61
5	1	1	-	2	-	1	4	-	-	-	-	-	-	2	-	2	2	-	-	-	62
12	2	1	-	-	-	-	6	-	-	-	-	-	-	2	-	3	3	1	-	1	63
5	-	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	64
47	3	17	2	2	1	4	13	3	-	1	1	-	-	9	-	6	3	2	-	15	65
1,331	133	132	37	92	94	40	343	53	24	93	3	5	79	244	25	105	160	65	20	408	66
5	-	1	-	-	-	-	1	1	-	1	-	-	-	1	-	-	1	-	-	2	67
12	-	-	-	-	-	-	3	-	-	-	-	-	-	1	2	4	2	3	-	2	68
6	-	1	-	-	-	-	6	1	1	1	-	-	-	4	-	-	5	-	1	2	69
7	-	2	1	1	-	-	5	-	-	-	-	-	1	1	-	3	-	-	-	2	70
255	28	17	6	21	12	4	43	13	3	7	-	1	21	69	4	18	40	17	5	92	71
204	20	12	4	18	10	2	32	11	3	7	-	1	17	54	3	11	30	14	4	77	72
51	8	5	2	3	2	2	11	2	-	-	-	-	4	15	1	7	10	3	1	15	73
73	4	32	2	1	4	4	22	2	1	2	1	1	3	6	-	5	11	6	-	24	74
22	1	-	1	9	1	-	9	2	2	1	-	-	2	5	1	5	9	2	-	9	75
6	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	2	-	-	-	76
7	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-	3	3	-	-	3	77

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	COLORADO—Continued																
1	Gunnison	43	1	-	-	-	4	-	2	2	-	28	28	4	-	23	-
2	Hinsdale	2	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
3	Huerfano	123	-	-	-	-	15	9	-	6	1	59	59	15	-	36	1
4	Jackson	17	-	-	-	-	2	2	-	-	1	6	6	1	-	5	-
5	Jefferson	672	4	3	-	2	123	38	16	69	6	319	317	71	-	228	14
6	Kiowa	31	-	-	-	-	2	1	-	1	1	21	21	7	-	11	1
7	Kit Carson	52	-	-	-	-	8	2	1	5	2	27	27	9	-	17	-
8	Lake	83	1	-	-	1	9	4	2	3	1	24	23	5	-	13	1
9	La Plata	196	1	1	-	2	18	8	2	8	2	97	95	21	-	54	1
10	Larimer	465	-	-	1	1	75	27	4	44	4	271	270	64	-	189	4
11	Fort Collins	192	-	-	-	-	31	9	1	21	3	105	104	20	-	79	3
12	Balance of county	273	-	-	1	1	44	18	3	23	1	166	166	44	-	110	1
13	Las Animas	209	-	1	1	-	30	14	4	12	2	109	107	22	-	78	2
14	Trinidad	134	-	1	-	-	18	8	4	6	1	72	70	15	-	50	2
15	Balance of county	75	-	-	1	-	12	6	-	6	1	37	37	7	-	28	-
16	Lincoln	68	-	-	-	-	3	-	-	3	1	38	38	6	-	31	3
17	Logan	154	-	-	-	-	27	15	2	10	2	77	76	18	-	54	3
18	Mesa	483	3	1	-	-	56	22	11	23	6	258	253	51	-	181	8
19	Grand Junction	234	1	1	-	-	28	12	7	9	1	127	125	26	-	86	4
20	Balance of county	249	2	-	-	-	28	10	4	14	5	131	128	25	-	95	4
21	Mineral	8	-	-	-	-	1	-	1	-	-	4	4	-	-	4	1
22	Moffat	48	-	1	-	-	6	-	2	4	1	23	23	7	-	13	-
23	Montezuma	109	-	-	-	2	12	3	2	7	2	47	46	11	-	32	4
24	Montrose	147	1	-	-	2	19	8	1	10	3	68	64	18	-	40	2
25	Morgan	164	-	-	-	-	18	7	2	9	4	83	82	24	1	54	9
26	Otero	277	2	-	-	-	28	12	3	13	5	152	147	30	-	108	4
27	Ouray	18	1	-	-	-	2	2	-	-	-	6	5	1	-	3	-
28	Park	12	-	-	-	-	2	1	-	1	-	8	8	1	-	6	1
29	Phillips	41	1	-	-	-	7	3	-	4	1	22	22	5	-	12	1
30	Pitkin	16	-	-	-	-	3	1	1	1	-	8	8	2	1	4	-
31	Prowers	165	-	1	-	-	20	7	3	10	-	90	89	17	-	69	6
32	Pueblo	920	10	2	-	5	142	51	16	75	14	409	390	81	-	292	12
33	Pueblo	778	8	1	-	4	121	41	14	66	13	345	331	71	-	246	10
34	Balance of county	142	2	1	-	1	21	10	2	9	1	64	59	10	-	46	2
35	Rio Blanco	39	-	-	-	-	6	1	-	5	-	17	16	3	-	12	-
36	Rio Grande	119	-	1	-	-	10	2	3	5	-	53	53	11	2	34	-
37	Routt	65	-	-	-	2	6	4	-	2	1	32	31	5	-	23	2
38	Saguache	46	-	-	-	1	5	2	-	3	-	17	16	7	-	8	-
39	San Juan	14	-	-	-	-	1	-	-	1	-	9	8	1	-	6	-
40	San Miguel	31	-	-	-	-	4	-	1	3	-	17	17	-	-	15	2
41	Sedgwick	43	-	-	-	-	5	2	-	3	3	22	22	5	-	16	-
42	Summit	12	-	-	-	-	1	1	-	-	-	5	4	2	-	1	-
43	Teller	38	1	-	-	-	4	2	1	1	1	19	17	5	-	11	4
44	Washington	47	1	-	-	-	8	3	-	5	-	26	26	5	-	20	1
45	Weld	614	1	1	-	3	74	29	7	38	6	349	343	93	3	225	9
46	Greeley	297	1	-	-	2	34	13	2	19	6	174	172	57	-	100	4
47	Balance of county	317	-	1	-	1	40	16	5	19	-	175	171	36	3	125	5
48	Yuma	95	-	-	-	-	7	2	1	4	3	66	64	15	-	45	2
49	CONNECTICUT	22,671	119	52	-	72	4,126	1,513	546	2,067	404	12,776	12,618	2,589	8	9,123	300
50	Metropolitan counties	17,948	99	46	-	53	3,290	1,203	432	1,655	317	10,043	9,918	2,047	6	7,181	233
51	Nonmetropolitan counties	4,723	20	6	-	19	836	310	114	412	87	2,733	2,700	542	2	1,942	67
52	Fairfield	5,862	25	15	-	15	1,098	419	143	536	95	3,235	3,189	714	2	2,242	75
53	Bridgeport	1,856	19	4	-	6	321	129	39	153	31	1,092	1,078	244	-	779	19
54	Stamford	811	-	2	-	2	147	58	23	66	9	388	383	72	-	272	15
55	Norwalk	559	2	3	-	1	104	36	8	60	13	311	304	78	-	202	15
56	Stratford (town)[3]	395	2	3	-	-	78	24	11	43	5	211	208	42	-	146	7
57	Danbury	371	-	1	-	3	67	25	13	29	10	204	202	45	-	137	1
58	Shelton	140	1	-	-	-	23	10	1	12	4	78	76	11	1	59	3
59	Balance of county	1,730	1	2	-	3	358	137	48	173	23	951	938	222	1	647	15
60	Hartford	5,820	44	18	-	18	1,072	371	149	552	120	3,221	3,193	651	2	2,322	87
61	Hartford	1,939	19	8	-	7	341	120	51	170	38	1,067	1,056	223	-	773	27
62	New Britain	729	11	1	-	3	152	58	17	77	19	397	394	73	1	292	12
63	Bristol	331	2	-	-	1	55	19	11	25	8	197	197	36	1	147	6
64	East Hartford (town)[3]	287	1	-	-	1	52	17	9	26	7	148	147	28	-	111	3
65	West Hartford (town)[3]	523	-	2	-	1	91	25	8	58	6	326	322	66	-	231	9
66	Balance of county	2,011	11	7	-	5	381	132	53	196	42	1,086	1,077	224	-	768	30
67	Litchfield	1,145	5	1	-	7	225	83	27	115	26	624	617	147	-	429	18
68	Torrington	296	2	-	-	4	64	31	10	23	7	160	157	35	-	108	2
69	Balance of county	849	3	1	-	3	161	52	17	92	19	464	460	112	-	321	16
70	Middlesex	786	4	-	-	5	136	54	17	65	14	473	467	95	-	341	13
71	Middletown	256	2	-	-	2	43	14	7	22	4	148	147	29	-	109	2
72	Balance of county	530	2	-	-	3	93	40	10	43	10	325	320	66	-	232	11
73	New Haven	6,266	30	13	-	20	1,120	413	140	567	102	3,587	3,536	682	2	2,617	71
74	New Haven	2,004	9	7	-	7	341	130	41	170	33	1,158	1,144	199	-	864	18
75	Waterbury	1,001	11	1	-	3	178	75	27	76	16	563	554	111	-	396	9
76	Meriden	485	3	-	-	1	82	30	7	45	7	283	276	50	1	210	3
77	West Haven (town)[3]	399	-	-	-	-	77	30	10	37	3	241	236	40	-	181	3

[3]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral arterio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-specified nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enteri-tis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-genital mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
17	-	6	-	1	-	-	4	-	-	-	-	-	-	2	-	1	1	-	-	2	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2
30	1	4	1	5	2	-	16	1	-	5	-	1	-	-	1	5	6	1	1	11	3
4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	1	4
186	12	16	4	4	10	2	35	3	1	6	1	-	9	50	-	14	28	12	1	55	5
8	2	-	1	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	4	6
14	1	2	-	1	-	-	1	1	-	-	-	-	1	2	-	3	3	-	-	4	7
8	3	1	1	-	4	1	15	-	-	2	-	-	1	4	-	5	12	1	-	7	8
38	5	10	5	15	-	2	17	-	5	2	-	-	-	15	2	10	10	1	-	13	9
142	19	24	2	12	3	1	27	2	-	4	-	1	3	11	4	8	19	4	-	30	10
52	12	12	1	2	2	1	10	1	-	-	-	-	2	10	2	5	6	2	-	15	11
90	7	12	1	10	1	-	17	1	-	4	-	1	1	1	2	3	13	2	-	15	12
69	3	4	1	5	1	2	18	1	2	4	-	-	2	10	1	7	7	2	2	10	13
43	1	4	1	4	-	2	10	1	1	3	-	-	1	9	-	4	4	1	2	6	14
26	2	-	-	1	1	-	8	-	1	1	-	-	1	1	1	3	3	1	-	4	15
20	4	4	-	1	-	-	10	-	-	-	-	1	-	5	-	4	2	-	-	4	16
43	6	2	2	1	1	1	9	-	-	1	1	1	1	8	-	6	8	2	-	11	17
139	16	18	7	10	4	5	26	1	2	2	1	-	9	27	5	24	29	5	1	27	18
64	10	8	6	7	-	2	14	-	1	1	-	-	5	14	3	12	9	2	1	14	19
75	6	10	1	3	4	3	12	1	1	1	1	-	4	13	2	12	20	3	-	13	20
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	21
12	1	-	-	3	-	-	5	-	-	-	-	-	-	4	-	4	2	1	-	1	22
21	-	7	-	3	-	1	10	-	1	2	-	-	3	5	1	6	11	-	1	6	23
31	3	4	2	2	2	4	6	-	1	1	-	-	3	11	1	3	8	2	-	18	24
35	2	8	1	2	-	1	19	4	1	1	-	-	3	3	-	11	5	1	-	11	25
85	10	9	-	6	3	5	12	2	3	2	1	-	6	13	-	16	11	3	-	21	26
3	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	5	-	-	2	27
5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	28
8	1	2	-	3	2	-	4	-	-	-	-	-	-	2	-	2	-	-	-	2	29
4	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	2	-	-	-	30
39	23	1	1	-	2	1	13	-	-	1	-	-	2	5	1	6	10	3	-	13	31
236	16	28	3	8	6	19	91	5	11	7	2	1	20	62	1	28	32	11	1	66	32
195	14	27	3	5	6	14	81	5	8	5	1	1	19	52	-	22	24	10	-	58	33
41	2	1	-	3	-	5	10	-	3	2	1	-	1	10	1	6	8	1	1	8	34
12	-	-	-	1	-	1	1	1	-	1	-	-	2	-	-	1	3	2	-	5	35
27	5	2	-	5	1	-	16	-	3	1	-	-	3	11	1	5	2	2	1	10	36
13	3	5	-	3	-	1	5	-	-	-	-	-	1	1	-	2	1	4	-	10	37
8	-	-	-	1	-	1	8	-	1	-	-	-	-	2	1	1	5	-	-	5	38
5	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	1	-	-	1	39
12	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	5	2	-	-	3	40
15	1	-	1	-	-	-	1	-	-	-	-	-	-	2	-	-	3	-	-	7	41
1	-	-	-	1	-	1	1	-	-	-	-	-	1	3	1	-	-	-	-	-	42
6	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	1	7	-	-	3	43
13	3	3	-	-	1	-	-	2	-	-	-	-	2	2	-	3	2	-	-	1	44
190	16	10	3	13	6	6	35	2	4	1	-	-	7	24	6	22	23	11	-	45	45
87	6	3	3	9	3	2	18	1	-	1	-	-	-	12	2	8	8	5	-	25	46
103	10	7	-	4	3	4	17	1	4	-	-	-	7	12	4	14	15	6	-	20	47
38	4	1	-	4	-	2	2	-	-	1	-	-	3	1	-	1	7	1	-	3	48
7,296	751	776	156	499	243	158	689	147	78	382	27	10	309	787	76	317	612	226	37	1,425	49
5,723	619	606	132	353	199	125	543	109	65	327	20	7	248	642	70	241	487	182	35	1,124	50
1,573	132	170	24	146	44	33	146	38	13	55	7	3	61	145	6	76	125	44	2	301	51
1,837	153	177	36	116	79	46	198	40	15	107	5	2	70	214	20	96	174	59	8	371	52
643	52	65	10	29	16	14	58	12	3	32	4	2	20	62	3	32	40	10	2	103	53
217	24	16	10	16	13	5	41	7	2	22	-	-	10	41	-	12	39	11	1	77	54
162	11	14	4	10	10	7	19	5	-	14	-	-	5	19	5	9	16	2	2	29	55
118	10	11	3	14	3	3	11	1	-	8	-	-	3	21	1	9	13	5	-	24	56
114	7	15	2	8	10	2	20	2	3	6	-	-	6	10	-	1	8	6	-	24	57
40	4	12	-	1	4	2	3	-	1	1	-	-	1	6	-	1	10	2	-	9	58
543	45	44	7	38	23	13	46	13	6	24	1	-	25	55	11	32	48	23	3	105	59
1,831	204	200	42	121	55	28	148	29	24	105	10	3	83	232	19	71	152	67	17	367	60
629	56	61	13	31	16	11	50	11	9	39	4	1	21	74	7	12	55	16	12	148	61
217	33	30	7	14	7	3	13	1	5	14	2	-	12	23	1	10	18	9	-	38	62
120	11	10	2	8	3	-	12	4	1	5	-	-	2	12	-	2	5	3	1	21	63
86	14	8	-	5	2	1	9	-	1	4	-	2	7	21	-	4	5	4	2	19	64
187	17	18	3	14	8	4	14	2	3	9	1	-	7	9	-	5	11	8	-	28	65
592	73	73	17	49	19	9	50	11	5	34	3	-	34	93	11	38	58	27	2	113	66
339	36	36	4	27	10	7	38	12	2	11	2	1	15	30	-	16	38	6	1	85	67
95	6	5	2	8	4	3	11	2	1	3	-	-	4	2	-	6	7	1	-	22	68
244	30	31	2	19	6	4	27	10	1	8	2	1	11	28	-	10	31	5	1	63	69
276	21	31	1	24	6	6	21	4	3	11	1	-	10	20	1	9	18	13	-	43	70
89	11	7	-	8	1	1	7	-	1	6	1	-	5	8	-	2	8	5	-	14	71
187	10	24	1	16	5	5	14	4	2	5	-	-	5	12	1	7	10	8	-	29	72
2,055	262	229	54	116	65	51	197	40	26	115	5	2	95	196	31	74	161	56	10	386	73
687	79	80	15	35	31	14	57	10	9	49	-	1	32	57	16	14	57	17	4	126	74
302	57	28	17	22	8	9	41	6	4	14	2	1	16	37	1	15	21	5	2	64	75
184	17	6	4	11	-	7	12	6	1	10	1	-	4	21	1	7	12	4	3	27	76
146	25	7	4	6	5	5	16	2	1	5	2	-	3	5	1	3	9	2	1	28	77

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	CONNECTICUT—Continued																
	New Haven—Continued																
1	Ansonia	238	2	-	-	-	47	11	6	30	8	127	126	32	-	86	2
2	Derby	107	-	-	-	-	18	6	4	8	2	66	66	22	-	42	2
3	Naugatuck	191	2	-	-	-	37	13	8	16	2	112	109	26	-	73	2
4	Wallingford	231	1	-	-	2	41	15	5	21	9	136	136	22	-	107	2
5	Balance of county	1,610	2	5	-	7	299	103	32	164	22	901	889	180	1	658	30
6	New London	1,626	8	2	-	4	270	94	43	133	29	954	942	175	-	678	21
7	New London	361	-	-	-	1	62	19	9	34	5	211	208	30	-	156	4
8	Norwich	408	6	-	-	2	82	36	12	34	12	223	218	47	-	149	5
9	Balance of county	857	2	2	-	1	126	39	22	65	12	520	516	98	-	373	12
10	Tolland	478	1	2	-	1	88	37	8	43	7	286	283	58	2	198	7
11	Windham	688	2	1	-	2	117	42	19	56	11	396	391	67	-	296	8
12	Willimantic	144	1	-	-	-	18	4	4	10	2	87	85	20	-	61	1
13	Balance of county	544	1	1	-	2	99	38	15	46	9	309	306	47	-	235	7
14	DELAWARE	3,929	46	5	-	15	622	210	78	334	82	2,151	2,110	325	3	1,628	47
15	Metropolitan counties	2,567	26	4	-	10	429	149	56	224	50	1,361	1,328	184	3	1,061	37
16	Nonmetropolitan counties	1,362	20	1	-	5	193	61	22	110	32	790	782	141	-	567	10
17	Kent	503	7	-	-	-	74	22	8	44	15	305	303	37	-	236	5
18	New Castle	2,567	26	4	-	10	429	149	56	224	50	1,361	1,328	184	3	1,061	37
19	Wilmington	1,440	15	4	-	5	227	90	34	103	33	795	775	98	2	627	24
20	Balance of county	1,127	11	-	-	5	202	59	22	121	17	566	553	86	1	434	13
21	Sussex	859	13	1	-	5	119	39	14	66	17	485	479	104	-	331	5
22	DISTRICT OF COLUMBIA	9,025	110	38	2	30	1,526	508	222	796	101	4,599	4,542	760	6	3,421	93
23	FLORIDA	40,108	264	126	7	226	6,093	1,841	1,046	3,206	512	20,799	20,406	4,734	15	14,316	425
24	Metropolitan counties	20,218	155	78	3	91	3,296	989	600	1,707	239	10,671	10,496	2,244	5	7,557	245
25	Nonmetropolitan counties	19,890	109	48	4	135	2,797	852	446	1,499	273	10,128	9,910	2,490	10	6,759	180
26	Alachua	539	6	1	-	3	54	8	5	41	9	256	255	79	-	165	6
27	Gainesville	245	5	1	-	2	27	3	3	21	5	109	108	30	-	75	1
28	Balance of county	294	1	-	-	1	27	5	2	20	4	147	147	49	-	90	5
29	Baker	48	1	-	-	1	6	1	-	5	-	23	21	4	-	15	-
30	Bay	386	2	-	-	1	54	18	11	25	6	181	176	49	-	105	1
31	Panama City	253	2	-	-	1	39	13	8	18	6	116	112	27	-	71	1
32	Balance of county	133	-	-	-	-	15	5	3	7	-	65	64	22	-	34	-
33	Bradford	132	2	-	-	-	12	3	1	6	1	71	70	20	-	47	-
34	Brevard	519	1	2	-	3	55	23	7	25	6	246	245	60	-	170	2
35	Broward	2,057	11	5	-	12	359	115	59	185	30	1,001	984	192	-	714	38
36	Fort Lauderdale	802	5	3	-	2	132	34	26	72	9	411	404	73	-	289	15
37	Hollywood	304	1	-	-	3	77	25	12	40	5	161	160	28	-	125	9
38	Balance of county	951	5	2	-	7	150	56	21	73	16	429	420	91	-	300	14
39	Calhoun	66	-	-	-	-	6	2	-	4	-	41	40	18	-	20	1
40	Charlotte	99	-	-	-	-	19	4	5	10	2	56	56	20	-	32	1
41	Citrus	88	-	-	-	-	11	4	3	4	-	60	59	15	-	43	1
42	Clay	126	-	-	-	-	13	5	1	7	1	57	57	16	-	34	1
43	Collier	96	-	-	-	1	11	4	2	5	-	44	40	11	-	27	3
44	Columbia	188	1	-	-	1	22	4	4	14	2	95	95	43	-	47	-
45	Dade	7,232	58	30	1	35	1,215	368	243	604	95	3,613	3,554	645	2	2,674	112
46	Miami	3,370	42	14	-	12	561	162	115	284	40	1,719	1,685	309	-	1,261	54
47	Miami Beach	725	3	8	-	3	124	47	19	58	13	451	448	52	1	373	13
48	Coral Gables	260	1	1	-	1	48	14	10	24	6	136	133	29	-	89	1
49	Hialeah	326	2	1	-	-	57	16	10	31	1	141	138	28	-	102	3
50	North Miami	181	1	-	-	-	35	15	7	13	5	99	99	21	-	71	6
51	Balance of county	2,370	9	6	1	19	390	114	82	194	30	1,067	1,051	206	1	778	35
52	De Soto	135	1	-	-	-	20	5	2	13	3	78	73	21	-	47	-
53	Dixie	58	-	-	-	-	7	1	2	4	1	25	24	10	-	12	-
54	Duval	3,430	46	19	-	17	527	137	94	296	34	1,653	1,615	435	1	1,042	29
55	Jacksonville	2,482	38	18	-	11	367	97	65	205	26	1,196	1,165	331	1	739	19
56	Balance of county	948	8	1	-	6	160	40	29	91	8	457	450	104	-	303	10
57	Escambia	1,245	11	5	-	10	128	33	23	72	15	577	566	137	-	394	12
58	Pensacola	590	3	4	-	1	68	21	11	36	4	297	291	61	-	212	4
59	Balance of county	655	8	1	-	9	60	12	12	36	11	280	275	76	-	182	8
60	Flagler	58	-	-	-	-	8	2	1	5	2	21	20	8	-	10	-
61	Franklin	67	-	-	-	-	8	2	-	6	1	32	30	10	-	18	-
62	Gadsden	357	3	-	-	6	37	13	5	19	-	172	165	43	-	106	-
63	Gilchrist	20	-	-	-	-	2	2	-	-	-	11	11	3	-	8	-
64	Glades	24	-	-	-	-	1	-	1	-	-	15	14	1	-	12	-
65	Gulf	51	1	-	-	-	6	1	1	4	1	18	17	2	-	14	1
66	Hamilton	95	2	1	-	1	16	1	2	13	4	44	43	10	-	32	-
67	Hardee	113	1	1	-	1	17	3	3	11	4	56	55	10	-	38	1
68	Hendry	61	-	1	-	1	3	-	1	2	-	32	32	6	-	23	-
69	Hernando	102	1	1	-	-	18	3	4	11	2	49	47	13	-	30	1
70	Highlands	187	1	-	-	1	25	7	4	14	1	112	101	30	-	62	2
71	Hillsborough	3,327	22	16	1	17	516	162	94	260	39	1,678	1,647	297	1	1,261	36
72	Tampa	2,634	17	15	-	13	413	134	77	202	31	1,352	1,326	234	1	1,018	30
73	Balance of county	693	5	1	1	4	103	28	17	58	8	326	321	63	-	243	6
74	Holmes	112	1	-	-	-	20	8	2	10	1	53	52	16	-	34	-
75	Indian River	205	2	1	-	2	26	12	6	8	5	103	101	22	-	71	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
67	11	6	1	3	4	1	10	1	4	5	-	-	1	9	1	3	3	2	-	15	1
32	5	3	1	-	1	-	4	2	-	2	-	-	1	-	1	1	6	-	-	4	2
50	8	13	-	8	2	3	6	-	-	4	-	-	3	7	-	3	6	-	-	9	3
90	4	11	1	6	-	-	8	1	2	2	-	-	4	4	1	2	3	5	-	10	4
497	56	75	11	25	14	12	43	12	5	24	-	-	31	56	9	26	44	21	-	103	5
571	40	46	9	63	17	12	50	10	2	18	3	1	18	74	2	27	35	11	1	107	6
135	11	6	1	20	1	3	13	4	-	2	1	-	4	18	-	1	8	2	-	29	7
118	10	16	3	14	5	5	9	3	2	6	1	-	5	16	-	7	8	1	-	25	8
318	19	24	5	29	11	4	28	3	-	10	1	1	9	40	2	19	19	8	1	53	9
159	11	21	2	19	4	3	8	3	1	6	-	-	9	13	2	5	19	7	-	20	10
228	24	36	8	13	7	5	29	9	5	9	1	1	9	8	1	19	15	7	-	46	11
56	1	3	2	-	2	2	5	-	1	2	-	-	1	4	-	4	5	3	-	11	12
172	23	33	6	13	5	3	24	9	4	7	1	1	8	4	1	15	10	4	-	35	13
1,010	290	281	31	87	36	41	144	22	18	47	15	4	52	165	9	92	141	35	28	236	14
669	170	185	15	41	24	33	114	17	11	37	13	1	40	111	6	51	87	20	19	160	15
341	120	96	16	46	12	8	30	5	7	10	2	3	12	54	3	41	54	15	9	76	16
138	53	40	10	18	2	2	10	1	-	4	-	1	4	15	1	19	21	5	1	20	17
669	170	185	15	41	24	33	114	17	11	37	13	1	40	111	6	51	87	20	19	160	18
389	106	108	10	25	13	20	66	11	8	26	5	-	16	47	3	24	46	5	12	92	19
280	64	77	5	16	11	13	48	6	3	11	8	1	24	64	3	27	41	15	7	68	20
203	67	56	6	28	10	6	20	4	7	6	2	2	8	39	2	22	33	10	8	56	21
2,063	748	517	67	156	132	57	406	59	36	181	11	8	118	482	15	130	326	93	68	686	22
10,423	1,623	1,845	276	590	475	393	1,290	237	319	525	76	62	541	1,883	661	1,113	1,566	498	416	2,894	23
5,555	819	938	131	292	267	175	577	136	109	317	36	17	272	850	263	458	656	297	195	1,502	24
4,868	804	907	145	298	208	218	713	101	210	208	40	45	269	1,033	398	655	910	201	221	1,392	25
116	22	21	4	3	4	1	25	1	7	4	1	1	10	35	24	21	29	3	13	36	26
54	10	10	1	1	1	1	10	-	3	1	-	1	5	19	11	11	12	1	7	15	27
62	12	11	3	2	3	-	15	1	4	3	1	-	5	16	13	10	17	2	6	21	28
8	1	6	-	2	-	2	1	-	1	-	-	-	1	2	2	-	4	-	-	6	29
75	16	13	4	7	11	5	9	2	3	7	-	-	10	22	10	16	23	6	3	31	30
52	13	5	3	5	6	4	7	1	3	3	-	-	8	14	4	9	16	2	2	20	31
23	3	8	1	2	5	1	2	1	-	4	-	-	2	8	6	7	7	4	1	11	32
40	3	4	-	3	-	1	6	-	1	2	-	-	1	10	1	5	8	1	4	7	33
127	16	25	2	3	10	1	26	3	3	2	1	2	8	48	6	23	30	9	6	39	34
557	55	64	27	29	22	17	71	12	30	28	3	5	24	93	4	67	83	20	42	157	35
223	26	25	16	15	11	7	24	5	8	15	1	1	10	38	1	22	24	9	18	64	36
101	3	12	3	1	3	1	4	1	2	4	1	-	1	4	1	10	9	2	1	17	37
233	26	27	8	13	8	9	43	6	20	9	1	4	13	51	2	35	50	9	23	76	38
15	-	4	-	-	2	1	-	-	-	1	-	1	1	3	-	4	1	1	-	7	39
23	1	7	-	2	2	-	4	-	-	1	-	1	1	2	1	2	3	1	1	5	40
30	7	5	-	1	-	1	-	1	-	1	-	-	1	3	-	3	2	2	-	4	41
23	4	6	2	4	1	-	9	-	-	1	1	1	4	10	5	8	5	-	1	10	42
19	2	3	1	-	1	4	2	-	4	2	-	-	2	3	5	6	4	2	2	8	43
34	8	5	-	1	4	-	6	1	4	1	-	1	-	7	7	8	6	5	6	15	44
2,159	219	184	37	104	92	59	229	45	42	164	17	6	105	339	29	197	204	115	82	611	45
1,010	111	86	17	53	45	34	110	23	14	95	7	1	39	111	16	85	86	52	45	298	46
342	6	12	5	9	8	3	14	4	2	14	1	-	1	9	-	9	16	12	1	40	47
76	5	7	2	7	6	3	3	2	3	8	1	1	4	7	4	5	9	1	1	18	48
85	4	10	2	4	2	3	15	5	2	6	1	-	7	31	-	15	9	6	1	26	49
56	3	6	1	3	3	-	3	2	1	2	-	-	1	4	1	5	4	2	2	14	50
590	90	63	10	28	28	16	84	9	20	39	7	4	53	177	8	78	80	42	32	215	51
27	4	16	1	3	1	5	5	-	1	-	1	-	-	3	-	1	6	-	1	15	52
7	2	3	1	1	-	1	6	-	-	2	-	-	2	4	-	3	6	-	-	2	53
682	164	167	35	51	51	38	122	24	8	62	8	2	58	213	18	92	153	45	50	279	54
463	123	134	22	33	39	31	97	20	5	50	5	1	37	155	18	61	109	24	40	204	55
219	41	33	13	18	12	7	25	4	3	12	3	1	21	58	-	31	44	21	10	75	56
271	62	49	5	17	13	11	54	6	31	19	1	4	32	119	9	42	65	16	13	88	57
141	38	31	3	7	8	6	23	5	10	12	-	1	15	45	3	16	26	6	5	46	58
130	26	18	2	10	5	5	31	1	21	7	1	3	17	74	6	26	39	10	8	42	59
7	2	1	1	1	-	1	-	-	-	1	-	2	1	7	3	1	8	1	-	3	60
11	3	4	1	1	-	2	-	-	-	-	-	-	1	3	5	-	9	1	2	5	61
61	28	17	5	10	1	7	23	1	13	1	2	3	5	21	16	10	17	5	3	19	62
7	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	1	-	-	63
9	1	2	-	1	-	1	-	-	-	-	-	-	1	3	1	-	1	-	1	1	64
6	6	1	-	-	1	1	1	-	1	1	-	1	2	7	-	-	5	-	1	6	65
20	2	10	-	1	-	1	2	-	-	-	-	1	2	8	2	1	5	-	2	4	66
31	1	5	3	2	2	1	7	-	2	-	-	-	1	6	2	3	6	-	-	6	67
15	3	5	-	2	1	-	1	-	3	-	-	-	-	3	3	5	1	-	2	6	68
23	5	1	1	2	1	2	5	1	2	-	-	-	-	2	3	4	4	1	-	9	69
50	3	7	2	4	3	11	4	4	2	2	1	1	2	6	1	1	12	1	2	8	70
687	197	341	31	32	25	31	75	21	19	37	5	5	51	140	197	70	124	50	32	212	71
541	162	285	26	28	19	26	55	18	13	31	4	4	32	103	170	45	93	42	27	156	72
146	35	56	5	4	6	5	20	3	6	6	1	1	19	37	27	25	31	8	5	56	73
13	5	16	-	1	1	1	1	1	2	3	-	-	1	3	3	4	9	1	-	9	74
50	7	11	3	3	2	2	3	2	1	1	-	1	3	13	8	9	7	1	1	16	75

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	FLORIDA—Continued																
1	Jackson	270	1	-	-	-	20	7	6	7	1	148	144	46	-	87	1
2	Jefferson	122	1	-	-	1	15	4	1	10	2	67	67	23	-	41	-
3	Lafayette	27	-	-	-	-	2	1	-	1	-	16	16	3	-	12	-
4	Lake	599	5	1	-	3	82	24	16	42	14	312	305	68	-	223	5
5	Lee	404	2	3	-	2	65	19	12	34	5	198	197	48	1	130	13
6	Fort Myers	210	1	3	-	1	33	9	8	16	1	102	102	19	1	69	5
7	Balance of county	194	1	-	-	1	32	10	4	18	4	96	95	29	-	61	8
8	Leon	469	-	2	1	6	60	19	6	35	4	230	224	69	-	138	3
9	Tallahassee	299	-	1	1	3	39	13	2	24	4	142	138	42	-	82	2
10	Balance of county	170	-	1	-	3	21	6	4	11	-	88	86	27	-	56	1
11	Levy	137	-	1	-	1	8	4	-	4	-	85	84	17	-	65	1
12	Liberty	16	-	-	-	-	2	-	-	2	-	8	7	-	-	6	-
13	Madison	151	-	-	-	-	20	8	1	11	4	72	71	16	-	51	1
14	Manatee	703	3	2	-	7	108	40	16	52	9	397	386	88	1	273	6
15	Bradenton	336	3	-	-	2	47	20	5	22	3	203	198	48	1	135	3
16	Balance of county	367	-	2	-	5	61	20	11	30	6	194	188	40	-	138	3
17	Marion	489	1	2	-	1	72	18	10	44	4	277	270	65	-	190	6
18	Ocala	185	1	1	-	1	27	10	2	15	2	97	95	30	-	57	3
19	Balance of county	304	-	1	-	-	45	8	8	29	2	180	175	35	-	133	3
20	Martin	140	1	-	-	-	15	3	3	9	-	63	63	19	1	40	1
21	Monroe	293	2	-	-	2	59	13	16	30	4	122	121	39	-	78	3
22	Key West	229	2	-	-	1	52	12	14	26	2	97	96	33	-	59	3
23	Balance of county	64	-	-	-	1	7	1	2	4	2	25	25	6	-	19	-
24	Nassau	126	2	-	-	-	16	3	6	7	2	51	51	13	-	34	-
25	Okaloosa	257	1	-	-	2	23	2	4	17	1	111	105	30	-	74	2
26	Okeechobee	32	-	-	-	-	9	2	3	4	1	12	11	5	-	6	-
27	Orange	1,822	15	7	-	9	272	86	47	139	20	1,037	1,015	226	1	727	17
28	Orlando	874	9	5	-	2	129	31	24	74	9	508	498	110	-	366	6
29	Balance of county	948	6	2	-	7	143	55	23	65	11	529	517	116	1	361	11
30	Osceola	266	-	-	-	4	26	6	7	13	4	159	157	35	-	116	1
31	Palm Beach	1,926	11	1	1	25	332	94	49	189	34	957	943	208	1	675	12
32	West Palm Beach	629	3	-	-	10	126	36	21	69	9	326	318	72	-	226	3
33	Lake Worth	306	-	-	-	3	50	13	4	33	8	185	184	39	-	134	3
34	Balance of county	991	8	1	1	12	156	45	24	87	17	446	441	97	1	315	6
35	Pasco	346	1	1	-	2	46	17	4	25	5	189	187	50	-	121	3
36	Pinellas	4,407	14	6	1	13	766	236	122	408	51	2,690	2,665	641	-	1,853	51
37	St. Petersburg	2,660	7	1	1	11	456	147	65	244	30	1,656	1,644	408	-	1,133	29
38	Clearwater	424	1	1	-	-	71	21	8	42	5	256	252	67	-	169	4
39	Balance of county	1,323	6	4	-	2	239	68	49	122	16	778	769	166	-	551	18
40	Polk	1,512	8	7	-	7	228	76	40	112	24	786	775	220	1	522	8
41	Lakeland	456	2	1	-	2	70	21	8	41	6	254	252	63	1	180	5
42	Balance of county	1,056	6	6	-	5	158	55	32	71	18	532	523	157	-	342	3
43	Putnam	304	1	1	1	3	30	5	6	19	2	169	154	36	1	107	3
44	St. Johns	318	1	1	-	4	36	15	5	16	1	163	161	54	-	86	4
45	St. Augustine	196	1	-	-	2	22	10	4	8	-	110	109	39	-	54	2
46	Balance of county	122	-	1	-	2	14	5	1	8	1	53	52	15	-	32	2
47	St. Lucie	290	2	1	-	1	42	17	7	18	3	125	122	38	-	78	1
48	Fort Pierce	210	-	1	-	1	27	14	3	10	1	88	87	33	-	49	1
49	Balance of county	80	2	-	-	-	15	3	4	8	2	37	35	5	-	29	-
50	Santa Rosa	177	2	-	-	-	20	8	4	8	1	98	94	20	1	70	1
51	Sarasota	706	3	3	-	2	139	51	17	71	11	368	363	72	-	269	7
52	Sarasota	415	2	2	-	1	81	32	14	35	6	217	212	49	-	152	4
53	Balance of county	291	1	1	-	1	58	19	3	36	5	151	151	23	-	117	3
54	Seminole	399	3	-	1	4	46	15	4	27	10	191	180	43	1	129	5
55	Sanford	180	2	-	-	1	21	5	2	14	6	81	77	20	1	53	3
56	Balance of county	219	1	-	1	3	25	10	2	13	4	110	103	23	-	76	2
57	Sumter	111	-	-	-	-	15	3	1	11	1	70	68	20	-	42	3
58	Suwannee	178	1	1	-	3	15	3	5	7	1	97	95	35	-	54	2
59	Taylor	91	-	1	-	-	6	2	1	3	-	49	49	20	-	26	1
60	Union	52	1	-	-	-	6	1	3	2	-	22	21	5	-	15	-
61	Volusia	1,445	8	1	-	10	234	74	32	128	25	840	826	176	2	584	13
62	Daytona Beach	525	4	1	-	4	92	28	12	52	5	303	296	63	-	211	2
63	Balance of county	920	4	-	-	6	142	46	20	76	20	537	530	113	2	373	11
64	Wakulla	34	-	-	-	-	1	1	-	-	-	20	20	4	-	9	-
65	Walton	153	-	1	-	1	23	10	4	9	2	75	73	17	-	51	-
66	Washington	113	-	-	-	-	12	3	2	7	1	52	51	19	-	27	-
67	GEORGIA	33,447	261	98	2	222	4,103	1,178	548	2,377	412	17,862	17,376	5,432	14	10,602	213
68	Metropolitan counties	13,055	132	53	-	75	1,758	491	258	1,009	177	6,772	6,611	1,928	4	4,213	98
69	Nonmetropolitan counties	20,392	129	45	2	147	2,345	687	290	1,368	235	11,090	10,765	3,504	10	6,389	115
70	Appling	117	1	-	-	2	11	5	2	4	-	56	56	21	-	31	2
71	Atkinson	59	-	1	-	1	4	1	1	2	2	30	30	8	-	19	-
72	Bacon	88	2	-	-	1	9	3	-	6	2	48	47	14	-	29	1
73	Baker	51	-	-	-	1	4	1	1	2	3	25	24	7	-	12	-
74	Baldwin	192	-	-	-	2	23	3	1	19	2	108	104	39	-	59	1
75	Banks	53	-	-	-	-	6	1	-	5	-	31	31	9	-	20	1
76	Barrow	119	-	-	-	-	12	5	-	7	1	68	66	22	-	43	-
77	Bartow	246	2	-	-	2	41	14	3	24	2	116	115	41	-	62	1
78	Ben Hill	145	-	2	-	2	17	4	3	10	-	79	79	28	-	46	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
48	8	30	-	8	3	4	8	2	2	2	2	1	-	15	15	12	18	-	4	19	1
15	20	6	1	2	-	-	5	-	1	-	1	-	2	4	4	3	3	1	2	10	2
4	3	5	-	1	-	-	2	-	-	-	-	-	-	-	-	2	2	-	1	2	3
145	51	22	1	8	5	7	22	6	6	3	-	2	9	23	12	20	24	4	4	47	4
99	7	11	5	9	4	1	12	1	5	2	1	1	7	19	8	14	11	9	4	35	5
57	2	5	5	6	2	-	6	1	3	1	1	-	4	10	7	7	6	3	3	17	6
42	5	6	-	3	2	1	6	-	2	1	-	1	3	9	1	7	5	6	1	18	7
86	29	20	3	8	6	6	20	4	6	6	1	-	8	29	15	11	21	5	3	37	8
53	18	9	2	6	6	4	13	3	5	4	-	-	3	22	8	6	16	2	2	25	9
33	11	11	1	2	-	2	7	1	1	2	1	-	5	7	7	5	5	3	1	12	10
35	18	11	-	2	-	1	13	-	-	-	1	1	2	4	4	3	5	2	1	6	11
4	-	2	1	-	-	1	-	-	2	-	-	-	-	1	-	1	-	-	-	2	12
21	15	14	1	1	2	1	7	1	3	3	-	-	4	6	5	4	9	1	2	10	13
220	16	31	1	14	9	11	20	3	5	10	1	2	2	29	18	9	19	3	5	51	14
100	10	22	-	8	6	5	7	-	2	4	1	1	1	15	7	4	7	1	1	27	15
120	6	9	1	6	3	6	13	3	3	6	-	1	1	14	11	5	12	2	4	24	16
125	36	23	4	5	6	7	14	1	5	7	2	1	6	12	6	15	18	7	3	35	17
40	8	6	1	3	4	2	5	1	1	4	1	1	2	6	3	8	10	2	1	11	18
85	28	17	3	2	2	5	9	-	4	3	1	-	4	6	3	7	8	5	2	24	19
26	10	3	1	2	-	-	11	-	1	1	1	-	2	8	12	4	11	2	2	6	20
61	3	11	-	3	1	1	8	2	1	5	-	1	4	30	4	14	15	4	3	13	21
46	2	8	-	3	1	1	5	2	1	3	-	-	3	23	3	9	9	4	2	11	22
15	1	3	-	-	-	-	3	-	-	2	-	1	1	7	1	5	6	-	1	2	23
22	7	5	-	4	-	-	2	1	1	-	-	2	2	10	13	7	6	2	1	8	24
46	12	14	-	1	-	6	12	-	2	1	1	-	8	29	5	13	28	2	4	14	25
5	-	1	-	-	-	1	-	-	-	-	-	-	-	1	5	4	-	-	-	-	26
541	87	82	4	30	27	22	56	12	15	18	1	1	23	75	10	45	72	18	12	104	27
284	34	42	2	7	13	10	23	5	7	8	-	-	10	29	5	20	31	11	3	60	28
257	53	40	2	23	14	12	33	7	8	10	1	1	13	46	5	25	41	7	9	44	29
89	11	15	2	1	3	2	8	2	-	2	1	-	1	6	14	4	5	-	5	25	30
534	54	75	11	31	17	14	46	7	17	27	2	1	27	87	30	79	73	21	12	136	31
172	21	30	4	10	6	8	7	2	-	16	-	-	4	30	6	15	19	8	5	43	32
115	7	9	3	4	4	1	9	3	1	2	-	-	2	3	1	12	10	3	-	14	33
247	26	36	4	17	7	5	30	2	16	9	2	1	21	54	23	52	44	10	7	79	34
74	15	29	4	9	3	2	8	2	1	3	1	-	6	13	6	9	26	4	-	23	35
1,486	152	164	24	75	72	25	95	34	25	36	5	3	35	83	9	54	103	69	19	296	36
907	97	100	11	51	41	12	74	19	13	16	3	2	16	55	4	31	49	44	12	160	37
134	16	15	4	3	9	4	7	1	1	7	-	-	4	5	1	7	16	5	2	34	38
445	39	49	9	21	22	9	14	14	11	13	2	1	15	23	4	16	38	20	5	102	39
422	59	33	6	15	11	11	60	8	9	8	1	1	20	89	21	45	65	11	10	104	40
145	24	6	3	2	3	2	14	5	1	3	-	-	5	17	5	15	12	6	5	33	41
277	35	27	3	13	8	9	46	3	8	5	1	1	15	72	16	30	53	5	5	71	42
50	9	45	3	2	5	15	15	4	5	2	4	1	4	18	5	6	14	1	1	17	43
53	11	18	5	11	5	2	12	2	1	1	2	1	4	16	20	10	19	6	5	13	44
38	5	9	4	9	3	1	8	-	1	1	1	-	3	10	9	7	8	3	-	10	45
15	6	9	1	2	2	1	4	2	-	-	1	1	1	6	11	3	11	3	5	3	46
67	3	7	-	3	3	3	11	2	5	4	-	2	6	21	3	15	18	4	3	22	47
44	1	3	-	3	2	1	10	-	5	2	-	2	4	17	3	11	15	4	3	16	48
23	2	4	-	-	1	2	1	2	-	2	-	-	2	4	-	4	3	-	-	6	49
51	13	5	1	1	1	4	8	2	3	3	-	-	6	7	2	7	4	-	1	13	50
225	26	11	4	12	6	5	16	3	3	9	2	-	6	14	5	12	34	9	10	57	51
125	18	5	2	6	3	5	9	3	3	6	1	-	3	9	2	3	21	5	5	36	52
100	8	6	2	6	3	-	7	-	-	3	1	-	3	5	3	9	13	4	5	21	53
68	24	32	1	2	4	11	26	-	4	5	1	-	1	22	5	18	24	4	8	26	54
25	12	13	1	1	1	4	18	-	1	2	1	-	-	8	1	8	11	3	2	14	55
43	12	19	-	1	3	7	8	-	3	3	-	-	1	14	4	10	13	1	6	12	56
27	4	8	1	4	1	2	5	-	2	2	-	-	-	3	1	5	4	-	-	3	57
36	6	10	2	2	2	2	12	1	1	1	1	-	-	11	2	4	6	5	-	16	58
23	1	1	1	2	-	-	4	-	3	3	-	-	-	6	-	4	4	1	5	5	59
13	-	2	1	-	-	1	3	2	-	-	-	1	1	1	3	5	1	-	1	5	60
455	54	62	21	24	19	14	38	10	5	15	1	2	9	38	20	34	49	11	14	81	61
162	23	24	5	9	8	7	11	5	2	5	1	-	3	14	3	13	19	4	6	30	62
293	31	38	16	15	11	7	27	5	3	10	-	2	6	24	17	21	30	7	8	51	63
8	-	1	-	3	4	-	1	-	-	-	-	-	1	-	2	1	3	-	-	5	64
19	4	28	-	2	3	2	3	-	-	1	2	-	1	5	8	9	6	4	-	12	65
17	6	4	1	2	2	1	10	-	-	2	-	-	4	7	4	3	5	-	1	12	66
6,797	1,930	1,662	390	629	309	486	1,620	188	217	254	93	83	476	1,726	440	1,031	1,340	301	416	2,302	67
2,800	756	559	104	221	141	161	563	95	48	143	13	19	229	766	102	366	465	124	196	959	68
3,997	1,174	1,103	286	408	168	325	1,057	93	169	111	80	64	247	960	338	665	875	177	220	1,343	69
13	9	7	1	2	1	-	9	1	1	-	-	1	1	4	3	11	6	-	1	9	70
11	4	4	-	3	-	-	2	-	-	-	-	1	3	5	-	3	3	1	1	2	71
24	4	-	1	3	-	1	1	-	-	1	-	-	-	9	-	7	3	-	-	5	72
6	6	-	1	-	4	1	2	-	-	1	-	1	-	5	-	-	3	-	2	4	73
48	4	6	-	6	-	4	8	-	2	1	1	-	4	13	-	5	8	1	3	11	74
16	1	2	2	-	-	-	2	1	1	-	-	-	-	-	1	3	2	-	2	4	75
33	3	7	-	1	-	2	6	1	-	1	-	1	-	6	-	5	4	2	1	11	76
41	10	10	6	2	4	1	18	-	3	2	1	-	1	15	3	9	11	3	3	14	77
26	8	11	2	2	1	-	9	-	-	1	1	1	3	5	4	1	3	3	2	12	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	GEORGIA—Continued																
1	Berrien	103	1	1	-	1	8	1	2	5	-	66	65	18	-	43	-
2	Bibb	1,321	15	5	-	11	162	38	15	109	11	724	699	207	1	437	6
3	Macon	908	10	4	-	8	116	28	13	75	7	489	473	142	-	299	6
4	Balance of county	413	5	1	-	3	46	10	2	34	4	235	226	65	1	138	-
5	Bleckley	100	-	-	-	-	14	3	-	11	1	52	49	14	-	29	1
6	Brantley	50	1	-	-	-	7	1	1	5	1	33	32	9	1	22	-
7	Brooks	181	1	1	-	2	19	8	2	9	1	109	101	45	-	48	1
8	Bryan	68	-	-	-	1	15	4	1	10	-	20	18	8	-	8	-
9	Bulloch	191	3	3	-	1	14	6	-	8	2	99	96	35	-	49	1
10	Burke	241	-	2	-	4	27	6	6	15	1	137	135	33	-	89	1
11	Butts	84	1	1	-	-	9	3	2	4	-	50	48	11	-	36	-
12	Calhoun	103	-	1	-	-	9	3	2	4	1	62	61	19	-	41	-
13	Camden	76	1	-	-	1	4	-	2	2	2	38	36	13	-	19	-
14	Candler	71	-	-	-	-	4	-	-	4	1	39	39	10	-	24	-
15	Carroll	293	2	3	-	-	34	10	4	20	3	170	162	51	-	101	4
16	Catoosa	108	1	-	-	-	18	6	2	10	-	58	58	19	-	31	1
17	Charlton	43	-	-	-	-	4	1	-	3	-	22	22	2	-	15	-
18	Chatham	1,715	18	8	-	8	205	64	38	103	21	928	908	310	1	552	11
19	Savannah	1,427	15	6	-	8	173	50	34	89	17	780	760	263	1	458	9
20	Balance of county	288	3	2	-	-	32	14	4	14	4	148	148	47	-	94	2
21	Chattahoochee	31	-	-	-	1	2	-	1	1	-	14	14	4	-	10	-
22	Chattooga	178	9	-	-	1	24	7	2	15	3	93	89	39	-	45	1
23	Cherokee	143	-	-	-	-	18	4	-	14	-	81	79	22	-	51	2
24	Clarke	373	2	3	-	-	46	17	4	25	2	201	180	50	-	116	3
25	Athens	279	1	1	-	-	33	11	3	19	2	146	128	38	-	77	2
26	Balance of county	94	1	2	-	-	13	6	1	6	-	55	52	12	-	39	1
27	Clay	48	1	-	-	-	4	-	-	4	-	27	22	8	-	13	1
28	Clayton	216	2	-	-	3	28	8	3	17	3	105	103	25	-	72	1
29	College Park (part)	28	-	-	-	-	5	2	1	2	-	15	15	6	-	8	-
30	Balance of county	188	2	-	-	3	23	6	2	15	3	90	88	19	-	64	1
31	Clinch	61	-	-	-	-	4	-	-	4	-	34	32	7	-	20	-
32	Cobb	551	1	3	-	6	75	27	11	37	12	281	278	68	-	188	6
33	Marietta	186	1	-	-	-	22	5	-	17	4	103	103	24	-	70	2
34	Balance of county	365	-	3	-	6	53	22	11	20	8	178	175	44	-	118	4
35	Coffee	198	-	-	-	-	29	8	4	17	3	92	89	39	-	48	1
36	Colquitt	268	1	-	-	3	26	9	1	16	6	145	137	54	-	73	2
37	Moultrie	137	1	-	-	-	11	1	-	10	4	75	73	28	-	37	2
38	Balance of county	131	-	-	-	3	15	8	1	6	2	70	64	26	-	36	-
39	Columbia	94	-	-	-	2	10	4	3	3	3	39	37	16	-	18	-
40	Cook	117	-	-	-	1	10	4	3	3	2	58	56	19	-	33	-
41	Coweta	258	3	-	-	1	42	13	5	24	4	141	140	45	-	82	2
42	Crawford	46	-	-	-	-	3	1	1	1	-	32	29	9	-	17	-
43	Crisp	175	-	1	-	5	19	6	4	9	3	94	90	25	-	58	3
44	Dade	68	-	-	-	-	9	-	2	7	1	32	32	11	-	19	1
45	Dawson	34	-	-	-	-	3	-	-	3	-	19	19	9	-	10	-
46	Decatur	227	-	-	-	2	29	11	4	14	3	122	120	33	-	76	1
47	De Kalb	1,309	13	-	-	8	194	56	27	111	14	666	656	172	-	445	14
48	Atlanta (part)	360	3	-	-	2	53	16	8	29	3	193	188	45	-	131	3
49	Decatur	360	2	-	-	1	60	19	7	34	5	173	170	44	-	113	3
50	Balance of county	589	8	-	-	5	81	21	12	48	6	300	298	83	-	201	8
51	Dodge	181	-	1	-	3	15	3	4	8	3	105	105	36	-	66	2
52	Dooly	136	-	-	-	1	17	2	4	11	3	72	66	25	-	36	1
53	Dougherty	491	5	4	-	5	68	17	13	38	5	235	227	66	-	146	3
54	Albany	403	5	3	-	5	55	12	13	30	5	195	187	56	-	116	2
55	Balance of county	88	-	1	-	-	13	5	-	8	-	40	40	10	-	30	1
56	Douglas	107	1	-	-	1	13	3	2	8	3	59	59	24	-	29	-
57	Early	150	3	-	-	2	16	5	4	7	2	72	69	18	-	49	-
58	Echols	19	-	-	-	1	2	1	-	1	-	7	7	2	-	5	-
59	Effingham	94	-	-	-	-	14	5	3	6	2	51	50	24	-	24	1
60	Elbert	182	4	1	-	2	21	3	3	15	1	101	98	24	1	63	-
61	Emanuel	205	2	-	-	3	18	5	1	12	2	123	118	46	-	59	-
62	Evans	66	2	-	-	-	6	4	1	1	1	40	38	9	1	23	-
63	Fannin	112	1	1	-	-	14	4	2	8	-	57	7	19	-	31	-
64	Fayette	70	-	-	-	1	7	1	-	6	-	43	42	12	-	21	-
65	Floyd	511	6	1	1	2	72	14	5	53	3	278	273	67	1	181	6
66	Rome	310	3	1	-	-	49	10	3	36	2	173	169	43	-	109	2
67	Balance of county	201	3	-	1	2	23	4	2	17	1	105	104	24	1	72	4
68	Forsyth	80	-	-	-	-	10	4	1	5	1	44	44	12	-	31	1
69	Franklin	128	1	-	-	1	13	4	1	8	3	74	74	20	-	51	1
70	Fulton	5,453	61	26	-	31	778	215	113	450	79	2,727	2,654	774	1	1,658	41
71	Atlanta (part)	4,727	59	24	-	30	662	186	95	381	69	2,368	2,302	672	1	1,436	38
72	Atlanta (total)	5,087	62	24	-	32	715	202	103	410	72	2,561	2,490	717	1	1,567	41
73	College Park (part)	114	-	-	-	-	19	2	2	15	3	47	47	15	-	30	-
74	College Park (total)	142	-	-	-	-	24	4	3	17	3	62	62	21	-	38	-
75	East Point	186	1	1	-	-	24	4	5	15	1	96	94	26	-	60	2
76	Balance of county	426	1	1	-	1	73	23	11	39	6	216	211	61	-	132	1
77	Gilmer	75	-	-	-	1	7	5	-	2	1	37	37	17	-	17	-
78	Glascock	36	-	-	-	1	3	-	1	2	-	20	18	7	-	11	-
79	Glynn	318	2	4	-	6	46	19	8	19	6	142	140	44	-	85	1
80	Brunswick	223	2	3	-	4	30	14	2	14	3	98	97	32	-	61	-
81	Balance of county	95	-	1	-	2	16	5	6	5	3	44	43	12	-	24	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
30	9	4	2	2	-	1	5	-	-	1	-	-	-	3	4	1	3	-	-	9	1
325	71	35	17	24	13	25	35	7	6	9	3	1	23	65	15	38	50	12	33	96	2
218	50	25	11	14	7	16	27	4	6	6	3	1	15	42	11	24	34	7	25	69	3
107	21	10	6	10	6	9	8	3	-	3	-	-	8	23	4	14	16	5	8	27	4
20	4	4	-	4	2	3	7	1	2	1	-	-	2	5	-	4	4	1	1	5	5
9	5	8	-	-	-	1	2	-	-	-	-	-	-	1	-	-	2	-	-	3	6
29	10	8	4	3	1	8	11	1	1	-	-	3	2	5	3	4	2	2	4	10	7
5	1	2	-	1	1	2	7	-	-	-	-	-	-	2	1	2	14	1	1	4	8
31	9	8	6	6	-	3	8	-	2	-	1	-	5	12	5	10	7	-	2	17	9
46	23	19	9	3	1	2	6	2	5	2	2	2	1	10	9	5	5	1	4	16	10
25	4	7	-	1	-	2	8	-	-	-	-	1	2	3	-	1	3	1	-	4	11
18	18	5	-	-	1	1	6	2	1	-	-	-	-	3	1	2	5	-	-	10	12
11	4	4	1	2	1	2	5	1	-	-	1	1	2	5	1	6	5	-	1	2	13
19	4	1	4	-	1	-	1	-	1	-	-	-	1	3	2	3	2	-	2	12	14
76	15	6	5	4	1	8	12	-	2	-	-	1	3	11	3	6	20	7	2	14	15
21	4	5	-	6	2	-	5	-	-	2	-	-	1	6	6	2	3	-	-	6	16
10	2	3	1	4	-	-	1	1	1	1	-	-	-	2	2	1	4	1	1	2	17
374	102	65	13	14	18	20	81	14	5	22	2	4	26	112	5	50	70	8	24	104	18
311	88	50	10	13	15	20	75	10	5	20	2	3	22	93	5	37	47	6	20	83	19
63	14	15	3	1	3	-	6	4	-	2	-	1	4	19	-	13	23	2	4	21	20
7	1	2	-	-	-	-	2	-	-	-	-	-	-	5	1	1	1	3	-	1	21
28	6	10	-	5	-	4	4	1	1	1	-	1	3	10	3	1	7	1	1	14	22
34	6	9	1	4	1	2	7	-	1	1	-	-	1	4	2	9	7	-	1	11	23
79	26	8	9	4	1	21	23	3	2	4	2	1	1	17	7	5	13	4	3	34	24
55	16	4	9	4	-	18	20	2	1	3	2	-	1	13	6	2	13	3	3	27	25
24	10	4	-	-	1	3	3	1	1	1	-	1	-	4	1	3	-	1	-	7	26
7	1	4	-	-	1	5	4	-	-	-	-	1	-	2	-	2	4	-	1	2	27
44	10	17	2	3	1	2	15	1	2	1	-	-	3	12	1	9	12	5	2	12	28
7	1	-	1	-	-	-	2	-	-	-	-	-	1	2	-	1	-	-	1	1	29
37	9	17	1	3	1	2	13	1	2	1	-	-	2	10	1	8	12	5	1	11	30
13	5	2	1	4	-	2	2	1	1	-	-	1	2	6	-	2	2	-	1	5	31
132	29	21	3	7	12	3	15	9	1	5	-	1	9	33	3	28	22	5	8	34	32
55	5	8	-	4	5	-	5	3	-	1	-	-	3	10	2	9	8	1	6	8	33
77	24	13	3	3	7	3	10	6	1	4	-	1	6	23	1	19	14	4	2	26	34
29	11	7	2	-	-	3	15	4	3	-	2	-	3	10	3	6	6	3	3	16	35
42	18	11	3	3	4	8	10	1	-	1	1	5	3	6	5	11	18	3	4	19	36
21	11	3	2	3	3	2	4	1	-	1	-	3	1	3	3	3	9	2	1	15	37
21	7	8	1	-	1	6	6	-	-	-	1	2	2	3	2	8	9	1	3	4	38
12	4	2	2	1	-	2	9	1	-	-	-	-	3	5	2	4	4	1	1	10	39
16	10	7	1	3	-	2	10	-	1	1	-	1	-	10	1	4	7	1	2	8	40
37	18	25	4	6	3	1	6	2	1	-	-	-	5	16	8	4	12	2	2	9	41
12	3	2	-	3	-	3	1	-	-	-	-	-	2	3	-	4	-	-	-	1	42
35	8	12	2	3	2	4	6	1	1	3	-	-	-	10	5	4	7	3	5	8	43
12	5	1	-	1	1	-	4	-	-	-	-	-	1	4	2	8	3	1	-	3	44
5	3	2	-	-	-	-	1	-	-	4	-	-	-	1	1	3	-	-	-	2	45
39	15	21	4	5	2	2	13	-	5	-	1	1	4	6	3	5	8	-	2	23	46
338	48	45	6	24	9	10	33	8	5	18	2	2	42	86	6	43	35	17	17	100	47
97	18	13	1	5	6	5	9	2	2	7	2	-	9	19	2	8	6	4	7	29	48
90	8	12	2	10	1	3	8	4	-	5	-	1	11	26	-	15	12	4	2	31	49
151	22	20	3	9	2	2	16	2	3	6	-	1	22	41	4	20	17	9	8	40	50
41	12	11	1	2	-	-	5	-	2	1	1	-	1	11	2	7	6	1	2	15	51
23	3	9	1	3	1	6	5	-	2	-	1	1	1	9	3	3	11	-	2	5	52
88	32	23	6	7	2	8	34	1	4	2	3	1	7	39	3	13	14	5	8	35	53
73	23	18	6	7	2	8	25	1	3	2	3	1	6	25	3	12	12	5	7	30	54
15	9	5	-	-	-	-	9	-	1	-	-	-	1	14	-	1	2	-	1	5	55
16	7	6	2	3	1	-	2	-	-	1	-	-	2	4	1	2	4	4	-	10	56
27	13	9	1	1	-	3	17	2	-	1	1	-	3	5	4	5	8	3	-	6	57
2	2	1	-	-	-	-	2	-	-	-	-	-	-	2	1	-	2	-	1	1	58
15	6	2	1	-	1	1	6	-	-	-	-	-	-	6	4	5	2	-	-	4	59
31	12	20	1	4	5	3	3	1	-	-	4	-	3	5	3	2	11	1	2	17	60
33	7	19	3	6	4	5	10	-	1	2	1	1	1	2	-	12	7	-	3	17	61
16	1	6	1	4	-	2	2	-	-	2	-	-	-	3	-	3	3	-	-	4	62
17	6	8	2	4	1	-	8	1	-	-	-	-	1	9	4	1	6	-	-	9	63
19	-	2	3	5	1	1	5	-	-	-	-	-	1	-	1	5	1	1	-	5	64
138	22	15	4	15	5	5	15	-	3	4	1	1	12	25	4	18	20	4	7	34	65
86	14	7	2	10	5	4	9	-	2	3	1	1	10	14	2	6	8	3	6	17	66
52	8	8	2	5	-	1	6	-	1	1	-	-	2	11	2	12	12	1	1	17	67
17	7	6	-	1	-	-	1	1	-	-	-	-	2	3	5	7	1	-	1	4	68
36	10	4	1	2	-	-	2	-	1	-	5	-	1	4	1	5	5	1	-	11	69
1,035	323	259	45	110	66	73	281	38	22	74	5	7	74	291	45	134	176	57	90	457	70
877	289	232	41	97	55	66	247	36	16	61	4	6	64	243	39	110	147	51	85	406	71
974	307	245	42	102	61	71	256	38	18	68	6	6	73	262	41	118	153	55	92	435	72
23	4	3	-	1	1	-	5	-	3	6	-	-	2	4	-	4	7	2	2	10	73
30	5	3	1	1	1	-	7	-	3	6	-	-	3	6	-	5	7	2	3	11	74
43	9	6	2	5	1	2	15	-	1	2	-	-	3	15	1	4	7	2	1	12	75
92	21	18	2	7	9	5	14	2	2	5	1	1	5	29	5	16	15	2	2	29	76
15	2	-	1	2	-	-	5	-	-	-	-	-	2	3	2	7	5	-	-	5	77
8	-	3	-	-	-	2	2	-	-	-	-	1	-	-	1	3	-	1	2	2	78
55	13	16	2	2	7	2	24	4	7	1	3	1	5	15	4	9	13	2	1	23	79
41	6	14	2	1	1	1	19	1	7	1	2	-	2	13	4	6	8	2	1	17	80
14	7	2	-	1	6	1	5	3	-	-	1	1	3	2	-	3	5	-	-	6	81

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	GEORGIA—Continued																
1	Gordon	170	1	-	-	4	20	4	-	16	3	102	102	27	-	69	-
2	Grady	176	1	-	-	2	15	4	1	10	3	88	85	20	-	65	2
3	Greene	138	2	-	-	-	15	5	3	7	1	88	88	31	-	51	1
4	Gwinnett	286	1	-	-	2	31	9	4	18	6	156	154	41	-	97	7
5	Habersham	128	-	-	-	1	18	7	2	9	4	70	69	23	-	41	2
6	Hall	308	2	-	-	1	45	13	4	28	3	163	162	34	-	115	2
7	Gainesville	132	1	-	-	1	15	3	-	12	1	77	77	9	-	61	2
8	Balance of county	176	1	-	-	-	30	10	4	16	2	86	85	25	-	54	-
9	Hancock	100	1	-	-	1	10	1	1	8	-	56	55	12	-	37	1
10	Haralson	132	-	-	-	-	17	6	2	9	1	72	70	15	-	50	-
11	Harris	112	1	-	-	2	11	7	1	3	1	68	66	27	-	33	-
12	Hart	107	1	-	-	-	14	4	2	8	2	52	52	18	-	31	1
13	Heard	60	-	-	-	-	7	-	-	7	1	34	34	10	-	20	-
14	Henry	156	-	-	-	1	13	5	1	7	4	86	82	29	1	48	1
15	Houston	180	1	-	-	-	27	9	3	15	1	87	85	35	-	46	3
16	Irwin	82	-	-	-	-	4	1	2	1	-	56	55	15	-	36	1
17	Jackson	196	-	1	-	1	22	6	1	15	3	104	102	31	-	59	-
18	Jasper	81	-	-	-	1	7	2	2	3	-	48	47	14	-	25	-
19	Jeff Davis	81	1	-	-	1	9	6	-	3	-	45	44	18	-	22	1
20	Jefferson	197	2	-	-	1	27	9	5	13	1	114	113	34	-	72	2
21	Jenkins	102	1	-	-	-	8	1	1	6	1	58	56	29	-	25	-
22	Johnson	82	-	-	-	-	5	1	-	4	-	54	53	25	-	26	-
23	Jones	60	1	-	-	-	5	2	-	3	-	30	30	11	-	16	1
24	Lamar	109	1	1	-	-	15	5	1	9	1	63	53	15	-	34	-
25	Lanier	49	-	-	-	-	2	-	-	2	1	24	23	5	-	15	-
26	Laurens	323	2	-	-	3	26	10	6	10	4	190	183	52	-	118	-
27	Dublin	143	2	-	-	2	10	7	1	2	1	87	83	26	-	53	-
28	Balance of county	180	-	-	-	1	16	3	5	8	3	103	100	26	-	65	-
29	Lee	68	-	-	-	-	9	1	2	6	1	32	32	15	-	15	-
30	Liberty	101	-	-	-	2	6	1	1	4	2	47	45	10	-	33	-
31	Lincoln	60	-	-	-	-	4	2	-	2	1	31	29	11	-	16	1
32	Long	46	1	-	-	1	5	3	-	2	1	25	23	6	-	17	-
33	Lowndes	379	1	3	-	4	36	9	7	20	5	210	204	74	-	106	3
34	Valdosta	252	1	2	-	2	24	7	3	14	4	135	130	50	-	65	1
35	Balance of county	127	-	1	-	2	12	2	4	6	1	75	74	24	-	41	2
36	Lumpkin	52	1	1	-	1	6	2	-	4	-	29	29	11	-	16	-
37	McDuffie	136	-	1	-	1	12	-	2	10	-	70	69	19	-	37	2
38	McIntosh	70	-	1	-	-	2	2	-	-	1	39	37	12	-	23	-
39	Macon	141	-	-	-	3	13	3	1	9	1	83	83	24	-	50	-
40	Madison	102	-	1	-	-	19	10	-	9	-	58	56	16	-	35	-
41	Marion	74	-	-	-	1	9	2	-	7	-	43	40	10	-	25	-
42	Meriwether	210	1	-	-	-	29	6	5	18	1	135	131	61	-	64	-
43	Miller	58	-	-	-	-	8	2	1	5	1	28	27	6	-	17	-
44	Mitchell	205	1	-	-	1	24	3	4	17	1	107	105	37	-	61	-
45	Monroe	105	-	-	-	-	16	3	2	11	1	53	52	16	-	36	-
46	Montgomery	81	-	-	-	1	17	5	4	8	2	42	40	21	-	17	-
47	Morgan	105	1	-	-	-	6	2	1	3	3	60	57	13	-	39	-
48	Murray	70	1	-	-	-	9	-	1	8	-	38	38	16	1	13	-
49	Muscogee	1,033	7	7	-	4	132	30	15	87	12	543	531	143	-	359	9
50	Columbus	845	7	7	-	2	109	23	13	73	9	446	435	111	-	297	5
51	Balance of county	188	-	-	-	2	23	7	2	14	3	97	96	32	-	62	4
52	Newton	192	-	-	1	2	22	5	4	13	-	112	109	50	-	53	1
53	Oconee	57	-	-	-	-	6	1	1	4	1	33	32	5	-	26	-
54	Oglethorpe	85	1	-	-	-	13	5	3	5	-	44	42	12	-	27	-
55	Paulding	99	1	-	-	-	12	5	-	7	2	60	57	31	-	21	-
56	Peach	107	-	-	-	-	11	5	-	6	2	63	63	18	-	43	1
57	Pickens	99	2	-	-	1	18	7	2	9	1	43	43	17	-	24	-
58	Pierce	86	-	-	-	-	4	1	1	2	1	44	43	17	-	23	-
59	Pike	80	1	-	-	2	8	4	-	4	2	48	47	14	-	30	-
60	Polk	251	-	-	-	-	31	6	6	19	3	147	144	30	-	105	1
61	Pulaski	80	-	-	-	1	13	4	2	7	2	39	38	10	-	21	-
62	Putnam	71	-	-	-	-	12	2	3	7	1	35	32	13	-	15	-
63	Quitman	22	-	-	-	-	5	3	-	2	-	11	11	4	-	7	-
64	Rabun	76	-	-	-	-	10	1	3	6	3	39	39	7	-	27	1
65	Randolph	133	-	-	-	3	21	9	2	10	4	65	64	13	-	48	-
66	Richmond	1,142	14	4	-	6	135	36	26	73	21	640	629	175	1	414	5
67	Augusta	933	14	3	-	3	121	33	21	67	19	532	521	144	-	339	4
68	Balance of county	209	-	1	-	3	14	3	5	6	2	108	108	31	1	75	1
69	Rockdale	96	3	-	-	1	11	6	-	5	1	53	52	22	-	27	-
70	Schley	29	-	-	-	-	3	3	-	-	-	16	16	8	-	8	-
71	Screven	178	2	-	-	-	14	4	1	9	2	93	92	32	-	51	-
72	Seminole	74	-	-	-	-	4	-	2	2	1	43	42	14	-	28	-
73	Spalding	325	5	-	-	1	44	13	6	25	4	176	169	56	-	104	2
74	Griffin	225	4	-	-	1	32	7	4	21	4	119	114	41	-	67	1
75	Balance of county	100	1	-	-	-	12	6	2	4	-	57	55	15	-	37	1
76	Stephens	122	-	-	-	-	14	6	1	7	2	66	65	14	-	48	3
77	Stewart	66	-	-	-	-	5	-	-	5	-	38	38	10	-	21	-
78	Sumter	245	4	-	-	3	20	5	1	14	3	136	135	50	-	71	1
79	Americus	145	2	-	-	2	12	3	-	9	2	85	85	30	-	48	-
80	Balance of county	100	2	-	-	1	8	2	1	5	1	51	50	20	-	23	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enteri-tis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
42	12	15	3	3	-	-	6	2	-	-	-	-	1	2	5	4	5	2	2	11	1
35	17	11	-	-	-	3	9	1	1	1	2	1	1	15	3	8	11	2	-	12	2
26	17	7	2	2	2	-	9	-	1	-	-	-	-	3	3	1	2	2	1	10	3
69	11	10	4	9	3	2	14	-	-	1	2	1	1	18	4	21	6	2	4	16	4
29	6	4	-	3	2	1	6	-	-	1	-	-	1	5	-	7	4	1	3	7	5
90	13	10	-	10	3	1	14	1	3	2	2	-	7	13	3	13	9	5	-	22	6
50	6	3	-	5	2	-	6	-	2	2	1	-	3	6	-	6	4	-	-	7	7
40	7	7	-	5	1	1	8	1	1	-	1	-	4	7	3	7	5	5	-	15	8
19	5	12	1	2	3	1	7	-	-	1	-	1	1	4	-	-	5	3	2	8	9
33	7	10	3	1	1	2	1	-	1	-	-	-	1	5	4	7	8	1	2	12	10
23	3	7	2	3	1	2	6	1	-	1	1	-	-	6	1	5	1	-	1	6	11
24	4	2	-	1	2	-	2	1	1	-	7	-	-	8	2	1	5	1	1	9	12
10	5	5	1	1	2	-	3	-	-	-	-	1	2	2	1	2	5	-	-	2	13
29	10	8	2	-	2	4	5	-	3	-	-	1	-	7	1	5	9	2	6	13	14
16	11	16	2	1	1	2	5	2	-	-	-	-	4	19	-	8	14	2	2	8	15
24	4	7	1	3	-	1	4	-	-	-	-	-	3	4	3	-	3	2	1	2	16
45	4	10	1	9	2	2	5	-	-	1	1	-	3	12	2	16	5	3	2	15	17
19	1	5	1	4	3	1	9	-	1	-	-	1	-	4	-	1	3	-	1	5	18
20	-	1	1	2	1	1	6	1	-	-	3	1	-	3	1	-	3	-	1	6	19
42	10	18	2	3	2	1	12	-	3	1	1	2	1	8	4	5	5	2	1	7	20
14	3	8	1	1	-	2	6	-	2	-	-	-	2	6	3	2	3	-	2	8	21
16	3	7	-	2	-	1	4	-	-	2	-	-	1	6	1	2	2	1	1	3	22
7	5	3	-	2	1	-	3	1	-	-	-	1	-	3	2	6	3	-	2	3	23
24	4	6	1	3	-	10	7	-	1	1	1	-	-	6	-	2	2	-	1	7	24
8	3	4	-	2	1	1	2	-	2	-	-	-	-	1	2	1	4	1	1	8	25
54	45	19	4	5	4	7	15	2	1	4	-	2	5	15	7	8	14	3	4	18	26
28	17	8	-	-	4	4	6	1	-	-	-	1	2	8	2	5	6	2	2	6	27
26	28	11	4	5	-	3	9	1	1	4	-	1	3	7	5	3	8	1	2	12	28
9	4	2	2	-	-	-	1	-	1	-	2	-	1	2	5	4	5	-	1	4	29
22	2	9	-	1	1	2	10	1	1	-	-	1	4	8	2	2	7	-	1	7	30
10	4	1	1	1	-	2	2	-	1	-	-	-	-	4	4	3	2	1	1	6	31
12	2	3	-	-	-	2	3	-	1	-	-	-	1	4	-	-	2	1	-	1	32
64	19	20	9	8	7	6	14	1	1	1	-	-	3	19	5	17	23	6	3	27	33
34	13	17	5	5	5	5	11	1	1	1	-	-	2	14	3	9	17	4	1	20	34
30	6	3	4	3	2	1	3	-	-	-	-	-	1	5	2	8	6	2	2	7	35
12	2	2	-	2	-	-	5	-	-	-	-	-	-	-	-	2	2	1	-	4	36
25	1	9	-	11	2	1	13	1	2	5	-	-	1	8	4	1	9	1	1	6	37
9	10	4	1	1	-	2	4	-	1	-	1	-	-	5	1	8	3	-	1	3	38
27	21	2	3	2	4	-	11	1	-	-	-	-	2	7	2	3	5	1	2	7	39
22	4	9	-	3	2	2	3	1	-	-	-	-	2	3	2	5	-	1	1	6	40
24	1	-	3	2	-	3	3	1	1	-	-	-	1	3	1	1	5	1	-	4	41
35	20	9	2	3	1	4	9	1	-	-	-	1	2	4	-	3	8	2	1	13	42
8	7	2	2	2	-	1	1	1	-	-	-	1	-	4	1	3	4	-	2	4	43
33	17	11	2	4	1	2	17	2	4	2	-	-	4	14	6	5	6	-	2	9	44
16	9	11	-	-	-	1	9	1	3	2	-	-	-	4	-	1	3	-	1	11	45
11	4	2	-	2	-	2	4	-	1	1	-	-	1	3	2	1	-	-	1	5	46
24	7	8	1	3	1	3	6	-	2	1	-	-	1	1	2	3	8	-	1	10	47
9	3	1	5	2	1	-	5	1	-	1	-	-	3	2	1	1	5	-	-	3	48
224	82	44	6	15	8	12	42	8	5	4	-	2	24	90	6	27	41	11	8	60	49
189	63	40	6	13	8	11	33	7	5	4	-	2	20	68	5	21	36	10	7	47	50
35	19	4	-	2	-	1	9	1	-	-	-	-	4	22	1	6	5	1	1	13	51
39	4	9	1	4	1	3	10	1	2	-	-	-	2	10	2	7	7	2	2	10	52
12	4	10	-	-	1	1	5	-	1	-	-	-	-	1	1	1	2	2	-	4	53
12	9	6	-	2	1	2	2	1	-	1	1	-	1	6	7	-	1	2	1	4	54
18	1	2	2	2	1	3	3	-	-	1	-	-	2	5	-	-	1	3	2	7	55
22	17	3	1	1	-	-	4	-	5	1	-	-	3	4	1	3	5	-	1	4	56
22	2	-	1	1	-	-	9	-	-	-	-	-	-	3	1	6	4	2	-	9	57
12	9	2	1	2	-	1	4	-	3	-	-	-	-	3	4	3	9	1	2	8	58
10	4	16	1	2	-	1	2	1	1	-	-	-	-	1	1	2	6	1	1	3	59
64	26	14	3	3	3	3	9	3	1	-	-	-	4	10	2	13	9	1	5	13	60
14	3	4	3	4	-	1	2	1	-	-	-	2	2	3	6	1	5	-	1	2	61
11	2	2	1	1	2	3	3	-	1	-	1	-	1	6	4	1	-	1	-	5	62
3	2	2	-	-	-	-	1	-	1	-	-	-	-	3	-	-	1	-	-	-	63
23	2	1	-	4	1	-	5	-	-	-	-	-	-	7	-	1	5	-	-	6	64
23	11	14	-	2	1	1	5	-	-	-	-	1	5	6	-	3	5	2	2	11	65
270	81	58	9	19	11	11	55	9	3	9	1	2	23	50	2	26	47	6	12	77	66
218	68	49	9	18	11	11	44	8	3	7	1	1	19	38	2	17	24	5	10	62	67
52	13	9	-	1	-	-	11	1	-	2	-	1	4	12	-	9	23	1	2	15	68
17	3	7	1	-	2	1	4	1	-	1	1	1	1	4	2	5	4	-	1	2	69
2	6	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	2	-	-	5	70
26	12	13	6	2	1	1	7	-	3	2	-	1	5	5	9	6	10	1	6	12	71
9	3	16	-	-	-	1	4	2	-	-	-	1	2	2	-	2	6	-	1	6	72
76	13	13	1	7	1	7	17	4	4	3	-	1	9	17	2	4	9	1	4	20	73
50	6	10	1	5	-	5	10	4	4	2	-	1	7	10	1	2	6	1	2	15	74
26	7	3	-	2	1	2	7	-	-	1	-	-	2	7	1	2	3	-	2	5	75
33	4	8	1	1	1	1	4	1	-	-	-	-	5	9	1	3	2	2	-	13	76
16	1	4	1	5	1	-	4	-	-	1	4	-	-	3	-	2	7	-	-	2	77
33	17	20	7	7	-	1	13	1	1	3	2	-	3	11	3	7	10	3	4	18	78
23	10	15	4	3	-	-	9	-	1	-	2	-	2	4	1	2	6	2	4	9	79
10	7	5	3	4	-	1	4	1	-	3	-	-	1	7	2	5	4	1	-	9	80

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	GEORGIA—Continued																
1	Talbot	81	-	-	-	1	11	3	-	8	-	40	40	10	-	26	3
2	Taliaferro	47	-	-	-	-	5	4	1	-	2	30	26	5	-	16	-
3	Tattnall	131	2	-	-	-	15	2	2	11	1	64	64	16	-	44	1
4	Taylor	89	-	-	-	-	11	7	-	4	-	50	49	25	-	20	-
5	Telfair	120	-	1	-	-	17	2	2	13	-	59	59	22	-	29	2
6	Terrell	180	-	1	-	-	18	5	2	11	1	105	97	40	-	43	1
7	Thomas	333	-	1	-	-	42	11	7	24	5	180	177	77	-	89	2
8	Thomasville	189	-	1	-	-	22	9	5	8	2	106	104	46	-	54	1
9	Balance of county	144	-	-	-	-	20	2	2	16	3	74	73	31	-	35	1
10	Tift	222	1	-	-	1	24	5	1	18	2	122	118	34	-	74	3
11	Toombs	153	1	-	-	1	18	4	4	10	3	80	79	20	2	52	-
12	Towns	31	1	-	-	-	4	-	-	4	1	21	21	6	-	11	-
13	Treutlen	66	-	-	-	-	7	4	1	2	-	36	35	11	-	20	-
14	Troup	493	2	-	-	4	52	15	6	31	3	301	293	116	-	159	1
15	La Grange	256	2	-	-	1	32	10	5	17	1	152	149	64	-	77	-
16	Balance of county	237	-	-	-	3	20	5	1	14	2	149	144	52	-	82	1
17	Turner	81	1	-	-	2	3	1	1	1	-	53	52	17	1	28	-
18	Twiggs	75	-	-	-	2	6	1	1	4	1	41	41	8	-	32	3
19	Union	58	-	-	-	-	9	3	-	6	-	31	30	12	-	14	-
20	Upson	211	2	-	-	3	25	10	1	14	4	111	108	27	-	73	-
21	Walker	320	2	-	-	-	48	16	9	23	6	162	157	40	-	104	3
22	Walton	221	2	-	-	2	28	13	3	12	2	106	100	41	-	50	1
23	Ware	286	2	-	-	1	35	7	7	21	2	161	156	50	-	92	2
24	Waycross	218	1	-	-	1	28	6	6	16	1	122	118	37	-	70	1
25	Balance of county	68	1	-	-	-	7	1	1	5	1	39	38	13	-	22	1
26	Warren	87	-	-	-	-	7	3	-	4	-	51	42	13	-	25	1
27	Washington	228	2	1	-	1	22	6	4	12	4	127	123	32	-	66	1
28	Wayne	140	1	-	-	3	21	7	3	11	3	65	64	19	-	38	-
29	Webster	29	-	-	-	-	4	2	1	1	-	16	15	5	-	10	-
30	Wheeler	54	-	1	-	-	5	2	-	3	2	26	26	12	-	14	-
31	White	67	-	-	-	-	6	3	1	2	1	35	31	14	-	16	-
32	Whitfield	314	6	-	-	5	43	8	3	32	5	177	174	56	-	108	5
33	Dalton	159	3	-	-	1	24	5	-	19	3	88	86	27	-	53	1
34	Balance of county	155	3	-	-	4	19	3	3	13	2	89	88	29	-	55	4
35	Wilcox	79	-	-	-	-	7	3	-	4	1	43	42	16	1	24	-
36	Wilkes	132	-	-	-	1	17	9	4	4	1	77	72	27	-	37	-
37	Wilkinson	91	-	-	-	-	12	1	2	9	1	51	50	21	-	28	-
38	Worth	175	1	-	-	1	15	7	1	7	-	85	83	32	-	43	1
39	IDAHO	5,272	20	7	-	22	679	235	69	375	74	2,785	2,739	621	3	1,931	100
40	Nonmetropolitan counties	5,272	20	7	-	22	679	235	69	375	74	2,785	2,739	621	3	1,931	100
41	Ada	735	4	-	-	2	100	23	11	66	7	382	375	93	-	255	17
42	Boise City	580	3	-	-	1	77	18	7	52	5	299	294	77	-	193	14
43	Balance of county	155	1	-	-	1	23	5	4	14	2	83	81	16	-	62	3
44	Adams	26	-	-	-	-	2	-	-	2	-	11	11	1	-	9	1
45	Bannock	320	1	1	-	1	35	6	3	26	4	150	148	39	-	96	7
46	Pocatello (part)	246	-	1	-	1	30	3	3	24	4	110	108	30	-	70	5
47	Pocatello (total)	247	-	1	-	1	30	3	3	24	4	110	108	30	-	70	5
48	Balance of county	74	1	-	-	-	5	3	-	2	-	40	40	9	-	26	2
49	Bear Lake	38	-	-	-	1	5	3	-	2	-	23	21	5	-	16	2
50	Benewah	63	-	-	-	-	13	9	1	3	-	29	29	13	-	16	1
51	Bingham	166	1	-	-	-	11	3	-	8	2	93	91	22	-	62	5
52	Blaine	44	-	-	-	-	3	-	-	3	1	26	26	7	-	17	1
53	Boise	15	-	-	-	-	1	-	1	-	-	6	5	1	-	4	1
54	Bonner	178	1	1	-	-	28	8	4	16	3	95	95	22	-	68	1
55	Bonneville	231	1	-	-	3	26	3	4	19	2	118	118	29	1	82	8
56	Idaho Falls	183	1	-	-	2	18	2	3	13	2	93	93	23	-	64	4
57	Balance of county	48	-	-	-	1	8	1	1	6	-	25	25	6	1	18	4
58	Boundary	57	-	-	-	-	8	4	-	4	1	28	28	3	-	23	1
59	Butte	20	-	-	-	-	-	-	-	-	-	13	12	2	-	10	-
60	Camas	5	-	-	-	-	1	-	-	1	-	2	1	-	-	1	-
61	Canyon	471	3	1	-	1	68	24	8	36	7	276	269	52	-	200	10
62	Caldwell	109	-	-	-	1	13	7	-	6	2	64	61	10	-	45	2
63	Nampa	169	2	-	-	-	24	9	2	13	2	102	99	23	-	72	3
64	Balance of county	193	1	1	-	-	31	8	6	17	3	110	109	19	-	83	5
65	Caribou	44	-	-	-	1	6	4	-	2	-	28	28	8	-	18	-
66	Cassia	101	-	-	-	1	11	6	2	3	4	57	57	7	-	46	2
67	Clark	8	-	-	-	-	2	1	-	1	-	5	5	2	-	3	-
68	Clearwater	72	-	-	-	-	10	6	2	2	3	32	31	6	-	25	1
69	Custer	22	-	-	-	-	2	-	1	1	-	10	10	2	-	8	-
70	Elmore	61	-	-	-	-	6	3	1	2	-	24	24	3	-	21	1
71	Franklin	69	-	-	-	1	16	5	-	11	-	35	35	7	-	26	2
72	Fremont	78	-	-	-	2	6	1	1	4	1	47	46	13	-	28	2
73	Gem	98	1	-	-	-	12	3	-	9	-	65	65	14	-	48	1
74	Gooding	97	-	1	-	-	17	9	1	7	3	57	57	8	-	42	4
75	Idaho	108	-	-	-	-	15	8	1	6	2	55	55	11	-	38	2
76	Jefferson	72	-	-	-	1	10	4	-	6	-	35	35	7	-	26	1
77	Jerome	95	-	-	-	1	11	4	-	7	1	49	45	12	-	26	6

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
12	5	6	2	1	1	-	6	1	-	-	1	-	2	7	1	1	5	-	-	5	1
5	6	5	2	2	1	4	3	-	-	-	1	1	-	-	2	-	1	-	1	1	2
30	3	10	1	2	1	-	11	1	2	2	-	-	2	5	1	10	2	1	2	10	3
11	4	5	3	1	-	1	8	-	2	-	-	1	-	1	1	4	7	-	1	3	4
19	3	5	6	2	-	-	6	-	1	1	-	-	1	9	1	4	7	1	3	9	5
33	7	2	6	7	1	8	7	1	1	2	2	2	2	7	2	5	9	-	-	15	6
63	12	12	4	4	3	3	29	1	3	1	1	-	4	11	2	8	21	2	3	19	7
40	5	8	1	2	1	2	11	1	2	1	1	-	2	6	2	6	15	2	1	8	8
23	7	4	3	2	2	1	18	-	1	-	-	-	2	5	-	2	6	-	2	11	9
33	23	15	6	3	1	4	14	-	4	1	1	-	2	9	3	8	11	2	1	16	10
36	7	9	5	-	-	1	11	1	2	4	-	-	1	2	-	10	6	3	1	9	11
10	-	1	3	-	1	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	12
13	6	1	3	1	-	1	3	-	1	1	-	-	1	3	-	3	5	-	-	6	13
118	20	20	4	10	4	8	28	3	2	-	-	-	3	22	6	14	12	4	8	29	14
57	11	9	2	5	1	3	17	1	1	-	-	-	3	12	3	5	6	1	2	17	15
61	9	11	2	5	3	5	11	2	1	-	-	-	-	10	3	9	6	3	6	12	16
21	5	2	2	3	1	1	4	1	1	-	-	-	1	8	-	1	3	1	-	2	17
14	3	12	1	-	-	-	4	-	-	-	1	-	-	3	2	2	8	-	-	5	18
6	4	4	4	-	-	1	2	-	-	-	-	-	3	2	1	1	2	1	-	6	19
42	14	17	1	6	1	3	8	2	4	2	-	1	2	17	2	4	3	3	2	16	20
79	8	14	3	7	3	5	14	-	1	2	-	-	4	15	19	11	9	3	2	22	21
33	8	8	4	3	2	6	16	2	2	1	-	-	4	6	10	5	11	3	2	19	22
52	21	17	5	8	1	5	5	1	2	1	-	2	3	13	6	12	17	4	1	18	23
38	17	14	4	6	1	4	5	1	2	1	-	1	3	12	4	7	14	1	1	13	24
14	4	3	1	2	-	1	-	-	-	-	-	1	-	1	2	5	3	3	-	5	25
17	2	5	2	1	1	9	4	-	1	-	5	-	1	3	-	5	1	-	2	7	26
41	14	10	8	15	2	4	15	-	8	-	1	2	-	13	4	1	14	-	1	12	27
31	4	3	2	3	2	1	9	1	-	-	-	-	2	12	-	4	11	2	-	6	28
6	1	3	-	-	-	1	2	-	-	-	-	1	-	2	1	1	1	-	-	1	29
7	4	3	-	-	-	-	2	-	1	1	-	-	2	2	1	1	2	-	2	6	30
11	2	3	1	-	-	4	4	2	1	-	-	-	-	1	1	7	4	-	-	5	31
75	22	6	5	1	4	3	13	1	3	4	-	1	3	14	2	8	12	3	2	12	32
38	10	4	1	1	4	2	3	1	1	1	-	1	3	9	-	5	6	2	1	7	33
37	12	2	4	-	-	1	10	-	2	3	-	-	-	5	2	3	6	1	1	5	34
10	9	5	1	-	-	1	5	-	-	1	-	-	1	4	1	4	3	1	1	7	35
25	4	8	2	5	1	5	9	1	3	-	-	-	-	3	6	2	3	1	1	7	36
23	3	2	1	-	-	1	2	-	1	-	-	-	-	2	2	2	10	1	3	4	37
20	9	13	4	1	3	2	14	-	2	2	2	1	2	8	9	7	9	1	2	14	38
1,337	167	327	25	97	62	46	194	44	24	34	9	6	90	249	74	195	266	85	14	401	39
1,337	167	327	25	97	62	46	194	44	24	34	9	6	90	249	74	195	266	85	14	401	40
192	18	28	4	14	9	7	30	4	4	6	1	1	14	40	15	23	25	19	2	56	41
150	14	15	3	13	8	5	22	4	4	6	1	1	10	36	12	17	18	17	-	47	42
42	4	13	1	1	1	2	8	-	-	-	-	-	4	4	3	6	7	2	2	9	43
5	2	1	-	1	-	-	-	1	-	-	-	-	1	-	1	3	5	-	-	2	44
63	11	15	3	7	3	2	9	2	2	1	1	1	6	21	8	13	15	7	3	39	45
44	11	10	2	4	2	2	6	1	1	1	1	1	6	19	6	10	10	6	1	31	46
44	11	10	2	4	2	2	6	1	1	1	1	1	6	19	6	10	11	6	1	31	47
19	-	5	1	3	1	-	3	1	1	-	-	-	-	2	2	3	5	1	2	8	48
11	1	2	-	-	-	2	1	-	-	-	-	-	1	-	3	-	3	-	-	1	49
13	-	2	-	-	-	-	-	2	-	2	-	-	1	4	-	1	7	-	-	4	50
42	4	11	1	2	4	2	4	3	2	1	-	-	-	9	7	10	10	2	-	11	51
11	-	5	-	1	1	-	2	-	-	-	-	-	-	3	1	2	2	-	-	4	52
3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	4	2	-	1	53
43	12	12	1	2	2	-	8	1	-	1	-	-	3	7	1	5	7	1	-	16	54
53	12	9	-	4	2	-	11	1	-	3	-	-	10	19	1	5	11	5	-	15	55
42	9	9	-	4	2	-	9	-	-	3	-	-	8	18	1	3	9	4	-	12	56
11	3	-	-	-	-	-	2	1	-	-	-	-	2	1	-	2	2	1	-	3	57
14	2	6	-	2	-	-	5	1	1	-	-	-	1	1	-	5	5	-	-	1	58
7	-	3	-	-	-	1	2	-	-	-	-	-	-	-	-	1	2	-	-	2	59
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	60
120	25	45	3	7	7	7	16	3	3	5	-	1	9	18	2	9	14	4	1	30	61
28	6	9	1	3	2	3	3	-	1	2	-	-	2	6	1	1	3	1	-	9	62
37	11	21	1	2	1	3	7	1	-	2	-	1	3	4	-	5	1	2	1	12	63
55	8	15	1	2	4	1	6	2	2	1	-	-	4	8	1	3	10	1	-	9	64
12	-	6	-	1	1	-	1	1	-	-	-	-	-	2	-	1	2	1	-	1	65
28	4	12	-	2	2	-	1	1	-	-	-	-	-	6	1	8	2	-	-	9	66
2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67
21	-	3	-	-	-	1	4	-	-	1	-	-	1	5	-	2	2	3	-	9	68
7	1	-	-	-	-	-	2	-	-	-	-	1	2	1	-	1	1	-	-	2	69
19	1	-	-	-	-	-	8	2	-	-	-	-	4	6	-	2	3	1	-	5	70
20	2	2	-	1	1	-	1	-	-	1	-	-	3	2	3	2	2	-	-	3	71
21	-	5	1	4	-	1	-	-	2	-	-	-	2	5	-	4	5	-	-	4	72
30	5	12	1	2	-	-	3	1	-	-	-	-	1	2	2	8	-	-	-	3	73
29	1	8	2	1	4	-	5	1	1	-	-	-	1	1	-	2	2	-	-	6	74
25	8	3	-	5	1	-	7	-	-	-	-	-	1	4	1	5	8	1	1	8	75
14	4	7	1	-	1	-	3	-	-	-	-	-	2	7	-	2	1	-	-	11	76
9	1	10	1	4	2	4	7	3	-	-	-	-	2	4	2	3	6	-	-	6	77

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	IDAHO—Continued																
1	Kootenai	262	-	1	-	-	39	16	4	19	6	151	148	40	-	103	1
2	Coeur d'Alene	164	-	1	-	-	23	9	3	11	4	95	92	23	-	65	1
3	Balance of county	98	-	-	-	-	16	7	1	8	2	56	56	17	-	38	-
4	Latah	159	1	-	-	1	24	10	2	12	2	92	92	29	-	57	1
5	Moscow	71	-	-	-	-	9	2	1	6	1	42	42	14	-	25	-
6	Balance of county	88	1	-	-	1	15	8	1	6	1	50	50	15	-	32	1
7	Lemhi	55	-	-	-	-	7	3	2	2	-	25	24	5	-	19	-
8	Lewis	43	-	-	-	-	5	3	-	2	1	22	21	7	-	12	1
9	Lincoln	28	-	-	-	-	6	2	1	3	-	15	14	2	-	12	1
10	Nez Perce	70	-	1	-	-	6	4	1	1	1	36	34	6	-	28	-
11	Minidoka	104	-	-	-	-	11	7	-	4	2	47	46	9	-	33	2
12	Nez Perce	262	1	-	-	1	37	15	3	19	5	126	124	22	-	92	5
13	Lewiston	217	-	-	-	1	30	12	3	15	5	110	108	19	-	80	5
14	Balance of county	45	1	-	-	-	7	3	-	4	-	16	16	3	-	12	-
15	Oneida	39	-	-	-	-	2	1	-	1	2	21	21	5	-	16	-
16	Owyhee	44	-	-	-	-	4	2	1	1	2	25	25	3	-	22	1
17	Payette	122	-	-	-	-	14	4	1	9	2	74	73	16	-	51	2
18	Power	49	-	-	-	-	6	1	-	5	-	23	23	8	-	14	2
19	Pocatello(part)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Balance of county	48	-	-	-	-	6	1	-	5	-	23	23	8	-	14	2
21	Shoshone	211	4	-	-	2	30	7	6	17	4	80	77	9	-	60	2
22	Teton	20	-	-	-	-	3	1	-	2	1	9	9	2	-	6	-
23	Twin Falls	375	2	1	-	3	42	14	5	23	4	226	226	52	1	153	4
24	Twin Falls	187	-	1	-	2	22	8	2	12	2	112	112	33	1	68	1
25	Balance of county	188	2	-	-	1	20	6	3	11	2	114	114	19	-	85	3
26	Valley	30	-	-	-	-	7	3	1	3	-	11	10	2	-	7	-
27	Washington	105	-	-	-	-	11	5	1	5	1	51	50	15	1	32	1
28	Yellowstone Nat. Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	ILLINOIS	102,306	740	160	16	276	16,200	6,037	2,213	7,950	1,552	59,224	58,272	10,740	58	44,126	1,219
30	Metropolitan counties	73,463	611	117	10	191	11,890	4,445	1,688	5,757	1,118	41,823	41,185	7,034	48	32,006	949
31	Nonmetropolitan counties	28,843	129	43	6	85	4,310	1,592	525	2,193	434	17,401	17,087	3,706	10	12,120	270
32	Adams	932	7	-	-	-	128	48	17	63	14	585	581	134	1	380	7
33	Quincy	634	5	-	-	-	89	37	10	42	9	390	387	93	-	249	5
34	Balance of county	298	2	-	-	-	39	11	7	21	5	195	194	41	1	131	2
35	Alexander	290	1	1	-	2	26	11	6	9	6	187	181	59	-	107	5
36	Cairo	193	-	1	-	2	17	7	6	4	3	120	114	35	-	71	3
37	Balance of county	97	1	-	-	-	9	4	-	5	3	67	67	24	-	36	2
38	Bond	163	1	-	-	-	23	10	1	12	2	108	104	19	-	82	5
39	Boone	188	-	-	-	1	31	13	1	17	6	102	100	16	-	83	1
40	Brown	100	-	-	-	-	11	3	-	8	4	65	64	17	-	44	-
41	Bureau	421	-	1	-	2	64	22	6	36	7	255	252	52	-	181	7
42	Calhoun	76	-	1	-	-	11	3	2	6	2	47	46	11	-	33	-
43	Carroll	213	-	-	-	1	30	10	3	17	6	129	128	32	-	89	3
44	Cass	204	2	-	-	-	26	15	-	11	4	128	124	30	-	84	-
45	Champaign	887	5	1	-	-	146	55	13	78	13	463	449	105	1	309	7
46	Champaign	356	2	-	-	-	62	23	7	32	6	194	184	45	-	121	4
47	Urbana	191	-	1	-	-	36	15	2	19	3	100	98	19	-	72	2
48	Balance of county	340	3	-	-	-	48	17	4	27	4	169	167	41	1	116	1
49	Christian	465	6	1	-	1	66	20	4	42	8	279	274	56	-	196	9
50	Clark	219	-	-	-	2	37	17	-	20	2	135	134	37	1	90	1
51	Clay	163	-	1	-	-	20	7	1	12	-	103	99	21	-	74	2
52	Clinton	218	-	-	-	1	28	13	3	12	4	119	117	22	-	84	1
53	Centralia (part)	4	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
54	Balance of county	214	-	-	-	1	28	13	3	12	4	117	115	22	-	82	1
55	Coles	459	5	2	-	-	67	24	4	39	6	283	274	66	-	188	4
56	Mattoon	217	4	1	-	-	25	10	1	14	5	137	135	26	-	102	4
57	Balance of county	242	1	1	-	-	42	14	3	25	1	146	139	40	-	86	-
58	Cook	53,630	517	87	5	112	8,800	3,341	1,289	4,170	796	30,839	30,391	4,886	36	24,009	700
59	Chicago	43,593	484	76	4	79	7,001	2,716	1,042	3,243	642	25,210	24,853	3,920	28	19,725	543
60	Berwyn	589	-	-	-	-	109	46	18	45	3	361	360	73	1	272	13
61	Cicero	759	3	-	-	1	121	44	23	54	14	465	458	66	1	376	13
62	Evanston	808	6	-	-	2	152	53	17	82	12	477	469	97	2	342	12
63	Oak Park	734	3	3	-	-	141	54	12	75	9	461	456	84	1	343	12
64	Elgin (part)	10	-	-	-	-	2	-	-	2	-	6	6	-	-	6	-
65	Maywood	277	1	-	-	1	52	12	7	33	6	148	147	24	1	116	2
66	Blue Island	210	1	1	-	1	32	12	6	14	3	127	123	17	1	100	3
67	Brookfield	144	-	-	-	-	20	12	3	5	2	98	97	8	-	84	3
68	Calumet City	169	-	-	-	1	34	11	5	18	2	92	92	16	-	72	2
69	Chicago Heights	297	2	1	-	-	52	21	7	24	15	153	151	30	-	105	-
70	Des Plaines	213	-	-	-	-	34	11	3	20	3	112	110	22	-	79	3
71	Elmwood Park	171	2	-	-	-	32	8	6	18	1	98	95	20	-	71	3
72	Evergreen Park	127	-	-	-	2	22	7	4	11	1	68	67	10	-	54	1
73	Forest Park	175	-	-	-	-	30	10	5	15	4	101	101	21	-	74	4
74	Harvey	222	-	-	-	3	42	15	4	23	3	120	120	23	-	91	3
75	La Grange	178	-	-	-	-	41	12	8	21	3	102	100	11	-	85	3
76	Melrose Park	184	1	-	-	-	38	15	12	11	1	104	101	21	-	79	1
77	Park Ridge	196	-	-	-	1	34	11	3	20	2	128	125	24	-	97	4
78	River Forest	116	-	-	-	1	26	9	1	16	1	65	65	12	-	52	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
65	9	28	-	3	2	3	7	-	-	1	-	-	1	8	-	10	19	5	-	14	1
31	7	26	-	2	2	3	5	-	-	1	-	-	1	5	-	6	9	3	-	11	2
34	2	2	-	1	-	-	2	-	-	-	-	-	-	3	-	4	10	2	-	3	3
46	3	7	1	3	2	-	3	1	1	-	2	-	-	10	-	4	5	3	1	9	4
23	-	2	1	1	1	-	2	-	1	-	2	-	-	6	-	1	1	1	1	4	5
23	3	5	-	2	1	-	1	1	-	-	-	-	-	4	-	3	4	2	-	5	6
12	-	7	-	-	-	1	3	-	-	-	-	-	-	2	2	2	3	6	-	5	7
5	3	3	-	1	1	1	4	1	-	-	-	-	-	2	-	1	3	2	-	2	8
10	-	1	-	-	-	1	1	-	-	2	-	-	1	-	-	-	1	1	-	1	9
15	2	11	-	-	-	2	3	1	-	1	-	-	-	7	4	1	4	-	-	5	10
16	5	10	-	2	2	1	3	-	-	1	-	-	-	4	1	9	10	1	-	15	11
75	7	5	2	7	1	2	10	6	1	3	-	2	3	13	1	7	17	2	2	25	12
64	7	4	1	7	1	2	7	5	-	2	-	2	3	12	1	5	11	2	2	19	13
11	-	1	1	-	-	-	3	1	1	1	-	-	-	1	-	2	6	-	-	6	14
13	-	3	-	-	-	-	-	2	-	-	-	-	-	2	2	-	5	-	-	3	15
15	1	5	-	-	-	-	2	-	-	-	-	-	1	-	-	1	5	1	-	3	16
41	1	7	-	4	2	1	2	1	3	2	-	-	-	8	1	3	1	1	-	10	17
7	-	5	-	-	1	-	2	1	-	-	-	-	1	1	1	2	3	1	-	8	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	19
7	-	5	-	-	1	-	2	1	-	-	-	-	1	1	1	2	2	1	-	8	20
47	3	8	2	2	4	3	8	-	2	2	4	-	5	12	-	12	23	6	2	15	21
6	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	4	22
121	15	13	2	13	5	-	7	3	2	1	1	-	8	9	-	19	15	10	1	21	23
56	6	5	-	6	4	-	3	-	-	-	-	-	6	7	-	8	7	5	1	11	24
65	9	8	2	7	1	-	4	3	2	1	1	-	2	2	-	11	8	5	-	10	25
5	-	2	-	1	-	1	1	-	-	-	-	-	1	2	2	-	4	-	-	2	26
23	3	5	-	1	1	1	6	1	-	-	-	-	3	2	12	5	3	-	1	9	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
32,172	3,928	6,807	734	1,813	801	952	4,365	630	419	1,241	136	62	1,160	3,687	601	2,044	2,885	964	456	5,488	29
23,405	2,790	4,862	482	1,022	593	638	3,325	473	311	1,028	94	50	879	2,966	426	1,242	1,930	666	415	3,898	30
8,767	1,138	1,945	252	791	208	314	1,040	157	108	213	42	12	281	721	175	802	955	298	41	1,590	31
282	26	65	13	48	5	4	25	12	-	8	1	-	12	26	9	21	15	10	2	57	32
185	15	44	9	31	5	3	20	11	-	7	1	-	9	19	6	9	7	6	2	44	33
97	11	21	4	17	-	1	5	1	-	1	-	-	3	7	3	12	8	4	-	13	34
76	7	19	-	14	1	6	12	-	4	4	1	-	2	8	5	5	14	-	1	11	35
48	6	14	-	7	1	6	7	-	2	2	1	-	2	7	4	4	13	-	1	7	36
28	1	5	-	7	-	-	5	-	2	2	-	-	-	1	1	1	1	-	-	4	37
50	11	16	2	1	-	4	4	-	-	1	1	-	1	4	3	2	7	2	-	4	38
65	10	7	1	-	-	2	8	-	-	2	-	-	2	10	-	7	10	2	-	7	39
37	2	5	1	1	1	1	2	1	-	-	-	1	-	1	-	3	5	3	-	4	40
124	17	33	2	8	9	3	21	2	1	1	1	-	2	15	2	8	12	2	-	25	41
23	3	7	-	1	1	1	4	-	-	1	-	-	1	1	-	1	3	-	-	4	42
64	7	15	-	5	2	1	8	1	2	-	-	-	-	11	1	7	7	-	1	9	43
60	7	17	2	7	1	4	5	3	-	1	-	-	3	5	1	5	8	5	-	8	44
230	16	56	7	19	8	14	33	6	7	11	1	-	14	40	3	35	33	7	1	68	45
90	9	18	3	9	6	10	13	3	2	4	1	-	4	16	1	16	8	2	-	22	46
58	2	10	1	5	1	2	7	1	1	1	-	-	6	8	1	7	5	2	-	12	47
82	5	28	3	5	1	2	13	2	4	6	-	-	4	16	1	12	20	3	1	34	48
161	13	13	5	13	4	5	13	1	2	1	1	2	4	14	3	17	12	8	2	24	49
50	13	26	1	5	-	1	3	3	-	1	-	-	3	3	1	12	9	4	-	4	50
47	2	23	-	3	1	4	7	2	-	4	-	-	1	5	1	1	5	4	-	9	51
53	11	19	2	6	3	2	9	2	1	1	-	-	1	9	7	9	13	4	-	10	52
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	53
51	11	19	2	6	3	2	9	2	1	1	-	-	1	9	6	9	13	4	-	9	54
140	16	28	11	6	3	9	23	3	3	2	1	-	3	8	1	11	16	7	-	18	55
83	8	7	3	3	1	2	11	2	1	2	1	-	2	4	1	4	6	2	-	9	56
57	8	21	8	3	2	7	12	1	2	-	-	-	1	4	-	7	10	5	-	9	57
17,550	2,000	3,759	352	665	443	448	2,549	361	239	847	70	35	558	2,112	241	674	1,311	428	348	2,701	58
14,349	1,628	3,205	296	540	344	357	2,147	290	199	727	57	27	407	1,686	194	481	1,047	343	311	2,181	59
211	19	29	3	7	4	1	22	3	2	7	1	-	4	14	-	6	18	3	2	34	60
292	29	42	1	5	9	7	23	5	5	14	-	-	9	26	1	10	22	2	1	37	61
240	26	64	6	14	8	8	28	10	3	8	-	-	7	21	5	14	15	6	4	38	62
235	35	61	3	14	11	5	29	5	1	5	2	-	7	10	2	6	11	7	3	29	63
3	1	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	64
84	10	20	2	2	2	1	15	2	1	3	-	1	-	13	2	7	6	4	1	14	65
89	6	2	-	3	2	4	6	2	2	3	-	-	1	5	3	3	2	-	1	17	66
56	9	16	2	1	2	1	4	-	-	2	-	-	-	4	-	-	7	-	-	7	67
62	1	7	1	3	-	-	4	1	-	3	-	-	2	10	-	2	7	2	2	7	68
83	9	13	5	8	3	2	13	-	2	2	-	-	5	15	7	9	9	-	-	12	69
59	8	9	-	2	7	2	11	1	2	3	1	-	6	8	1	7	9	1	-	14	70
51	6	11	1	1	2	3	7	-	-	4	-	-	3	8	-	2	4	1	-	9	71
45	4	4	-	3	-	1	5	1	2	-	-	-	5	4	1	4	3	-	-	9	72
54	6	10	1	4	1	-	9	-	-	1	1	-	3	6	-	-	7	-	-	13	73
70	12	6	4	1	1	-	12	1	-	-	-	1	6	7	2	4	5	5	-	11	74
66	9	7	-	1	3	2	3	1	-	2	2	-	-	3	-	2	6	3	-	10	75
64	6	8	-	-	1	3	8	1	-	1	-	1	3	9	1	3	5	-	1	7	76
63	10	20	-	1	3	3	7	-	-	4	-	-	3	6	-	3	1	1	3	3	77
40	4	7	1	-	-	-	3	-	-	2	-	-	-	1	-	2	6	-	-	9	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ILLINOIS—Continued																
	Cook—Continued																
1	Skokie	235	-	-	-	1	56	16	11	29	5	127	127	17	-	106	4
2	Wilmette	198	-	-	-	1	41	8	6	27	2	119	118	22	-	84	1
3	Winnetka	107	-	-	-	-	18	5	3	10	1	68	68	20	-	40	3
4	Balance of county	3,918	14	6	1	18	670	233	83	354	61	2,029	1,982	328	1	1,556	66
5	Crawford	258	-	1	-	3	42	21	6	15	5	151	146	39	-	101	1
6	Cumberland	106	-	-	1	-	14	8	2	4	2	65	65	12	1	48	2
7	De Kalb	464	1	-	-	1	78	28	4	46	13	261	253	60	-	182	8
8	De Kalb	140	-	-	-	1	21	6	1	14	2	87	87	18	-	69	4
9	Balance of county	324	1	-	-	-	57	22	3	32	11	174	166	42	-	113	4
10	De Witt	213	-	2	-	-	34	11	8	15	1	134	128	22	-	97	-
11	Douglas	211	1	-	2	1	22	5	4	13	4	125	119	14	-	94	2
12	Du Page	1,744	3	2	-	12	299	107	40	152	32	946	927	179	1	701	17
13	Downers Grove	128	1	1	-	-	28	7	3	18	4	62	60	10	-	48	1
14	Elmhurst	261	-	-	-	5	44	12	5	27	6	140	137	24	-	102	3
15	Wheaton	115	-	-	-	1	20	7	3	10	1	67	66	14	-	47	2
16	Balance of county	1,240	2	1	-	6	207	81	29	97	21	677	664	131	1	504	11
17	Edgar	317	2	1	-	1	32	14	2	16	2	214	210	70	-	125	2
18	Edwards	113	1	-	-	-	19	10	1	8	-	72	72	18	-	49	2
19	Effingham	223	-	-	-	-	34	9	1	24	4	134	127	30	-	89	4
20	Fayette	288	-	2	-	1	55	16	6	33	4	163	159	38	-	98	5
21	Ford	180	1	-	-	-	30	13	4	13	1	112	111	24	-	73	2
22	Franklin	630	6	-	1	1	113	46	19	48	5	381	377	56	-	286	5
23	West Frankfort	172	2	-	-	-	29	14	5	10	2	102	101	23	-	71	1
24	Balance of county	458	4	-	1	1	84	32	14	38	3	279	276	33	-	215	4
25	Fulton	524	3	2	-	1	75	24	6	45	16	323	315	65	1	232	7
26	Canton	156	3	1	-	1	13	3	1	9	6	100	97	16	-	74	2
27	Balance of county	368	-	1	-	-	62	21	5	36	10	223	218	49	1	158	5
28	Gallatin	125	-	-	-	-	16	10	1	5	1	75	73	15	-	55	1
29	Greene	253	4	1	-	-	38	16	7	15	2	138	136	29	-	97	1
30	Grundy	250	1	-	-	-	45	15	3	27	3	130	130	31	-	90	2
31	Hamilton	141	1	-	-	1	15	6	1	8	2	99	98	23	-	67	2
32	Hancock	342	1	-	-	2	48	17	8	23	4	226	226	49	-	161	4
33	Hardin	62	2	-	-	-	13	4	2	7	-	38	38	10	-	26	1
34	Henderson	103	1	-	-	-	15	5	3	7	1	62	62	9	-	51	-
35	Henry	581	1	-	-	1	90	32	12	46	6	346	344	79	-	245	2
36	Kewanee	231	1	-	-	1	35	13	7	15	2	142	141	24	-	109	-
37	Balance of county	350	-	-	-	-	55	19	5	31	4	204	203	55	-	136	2
38	Iroquois	387	1	-	-	1	60	22	9	29	3	241	239	46	-	179	3
39	Jackson	446	1	-	-	2	72	24	11	37	5	266	258	56	-	178	2
40	Carbondale	131	-	-	-	1	20	5	3	12	3	83	81	27	-	49	-
41	Balance of county	315	1	-	-	1	52	19	8	25	2	183	177	29	-	129	2
42	Jasper	136	1	-	-	-	22	8	2	12	3	81	78	16	-	58	-
43	Jefferson	417	4	-	-	1	65	21	11	33	8	225	216	62	-	137	3
44	Mount Vernon	205	2	-	-	1	24	6	7	11	5	113	111	31	-	70	1
45	Balance of county	212	2	-	-	-	41	15	4	22	3	112	105	31	-	67	2
46	Jersey	177	-	-	-	2	25	10	3	12	5	95	94	24	-	65	-
47	Jo Daviess	225	-	2	-	1	31	10	2	19	4	142	141	39	-	97	1
48	Johnson	125	-	-	-	-	13	5	2	6	-	83	81	23	-	50	-
49	Kane	1,849	6	2	1	7	286	104	27	155	32	1,047	1,033	223	1	759	23
50	Aurora	751	3	-	1	2	114	36	10	68	15	434	428	106	1	297	9
51	Elgin (part)	514	1	-	-	1	77	34	9	34	10	310	306	64	-	228	9
52	Elgin (total)	524	1	-	-	1	79	34	9	36	10	316	312	64	-	234	9
53	Balance of county	584	2	2	-	4	95	34	8	53	7	303	299	53	-	234	5
54	Kankakee	749	1	-	-	2	115	55	14	46	8	429	421	64	1	329	3
55	Kankakee	358	1	-	-	1	54	28	7	19	4	207	205	32	-	156	1
56	Balance of county	391	-	-	-	1	61	27	7	27	4	222	216	32	1	173	2
57	Kendall	148	-	-	-	1	29	11	4	14	6	73	71	19	-	48	1
58	Knox	685	1	-	-	-	117	42	20	55	6	394	390	77	-	290	8
59	Galesburg	426	-	-	-	-	78	29	14	35	3	247	247	52	-	181	4
60	Balance of county	259	1	-	-	-	39	13	6	20	3	147	143	25	-	109	4
61	Lake	1,893	10	3	2	9	301	110	36	155	14	1,025	1,013	195	-	773	28
62	Waukegan	459	3	2	-	3	72	28	7	37	4	261	258	53	-	193	6
63	Highland Park	181	1	1	-	-	39	10	3	26	-	94	94	23	-	70	1
64	Balance of county	1,253	6	-	2	6	190	72	26	92	10	670	661	119	-	510	21
65	La Salle	1,181	1	2	-	3	195	69	29	97	19	681	672	132	1	510	18
66	La Salle	155	-	2	-	1	20	8	3	9	1	95	94	22	-	69	5
67	Ottawa	230	-	-	-	-	33	13	3	17	4	131	130	24	-	100	1
68	Streator (part)	181	1	-	-	-	32	10	8	14	2	104	103	18	-	79	6
69	Streator (total	191	1	-	-	-	34	10	9	15	2	105	104	18	-	80	6
70	Balance of county	615	-	-	-	2	110	38	15	57	12	351	345	68	1	262	6
71	Lawrence	250	1	-	-	1	31	12	3	16	7	149	143	46	-	86	4
72	Lee	368	1	1	-	1	58	19	7	32	4	214	212	49	-	141	1
73	Dixon	170	1	1	-	1	15	6	4	5	2	107	106	24	-	70	1
74	Balance of county	198	-	-	-	-	43	13	3	27	2	107	106	25	-	71	-
75	Livingston	410	-	1	-	2	61	24	9	28	11	266	260	60	-	186	6
76	Streator (part)	10	-	-	-	-	2	-	1	1	-	1	1	-	-	1	-
77	Balance of county	400	-	1	-	2	59	24	8	27	11	265	259	60	-	185	6
78	Logan	335	1	-	-	1	47	13	7	27	8	191	188	30	-	131	5
79	Lincoln	176	-	-	-	-	24	6	3	15	3	105	104	14	-	75	2
80	Balance of county	159	1	-	-	1	23	7	4	12	5	86	84	16	-	56	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
89	4	9	1	-	3	-	9	1	1	1	1	-	7	7	-	2	6	2	2	7	1
67	9	7	2	6	4	1	9	2	1	1	-	-	-	8	-	3	1	1	-	9	2
24	5	8	1	5	2	-	5	1	-	3	-	-	-	2	-	4	2	1	-	2	3
1,154	144	192	22	44	31	47	168	34	18	51	5	5	80	239	22	100	112	46	17	222	4
63	13	24	4	2	-	5	10	2	-	-	1	-	2	6	2	6	8	1	-	18	5
36	5	5	-	4	-	-	1	-	1	1	-	-	1	5	1	4	5	1	-	4	6
142	12	20	5	4	2	8	22	1	1	3	-	-	2	14	3	15	14	3	-	32	7
57	1	7	-	-	-	-	4	-	-	1	-	-	1	4	1	7	5	1	-	5	8
85	11	13	5	4	2	8	18	1	1	2	-	-	1	10	2	8	9	2	-	27	9
53	15	29	2	5	2	6	4	2	1	-	2	-	2	3	2	3	9	1	-	13	10
58	16	18	5	5	1	6	2	1	1	-	-	-	2	11	-	9	3	5	-	22	11
516	66	102	3	23	20	19	69	9	3	13	4	-	33	80	15	43	46	23	4	108	12
36	5	6	-	2	-	2	6	1	1	1	-	-	-	3	-	4	5	2	-	9	13
72	18	9	-	4	7	3	6	1	-	4	1	-	8	6	4	3	10	3	1	19	14
31	6	8	-	4	1	1	8	-	1	-	-	-	-	7	1	-	1	-	-	8	15
377	37	79	3	13	12	13	49	7	1	8	3	-	25	64	10	36	30	18	3	72	16
89	17	17	6	6	3	4	9	1	1	1	-	-	1	7	1	8	9	5	2	20	17
30	11	6	-	5	-	-	6	-	-	-	-	-	1	1	-	3	4	1	-	5	18
62	13	10	2	4	2	7	2	1	-	2	-	-	1	3	-	14	10	3	-	15	19
56	9	28	2	19	2	4	9	-	2	1	1	-	5	4	2	7	6	2	2	22	20
53	6	12	2	10	2	1	3	2	-	2	1	-	2	5	3	4	3	4	-	7	21
241	18	22	6	25	4	4	18	2	1	8	-	-	4	7	4	12	20	11	5	31	22
63	3	4	-	6	1	1	5	1	-	3	-	-	-	3	1	1	5	5	4	9	23
178	15	18	6	19	3	3	13	1	1	5	-	-	4	4	3	11	15	6	1	22	24
171	15	39	5	6	6	8	13	3	2	2	1	-	8	10	-	9	19	10	-	27	25
56	4	12	1	3	3	3	7	2	1	-	-	-	3	3	-	1	3	2	-	10	26
115	11	27	4	3	3	5	6	1	1	2	1	-	5	7	-	8	16	8	-	17	27
21	9	24	1	1	1	2	2	2	-	2	-	-	1	3	2	4	8	1	1	7	28
57	8	31	2	4	4	2	15	3	-	2	-	-	-	9	1	8	11	2	-	19	29
77	5	6	2	5	2	-	12	3	-	2	-	-	3	11	5	7	8	-	1	19	30
36	16	13	2	6	-	1	3	1	3	-	1	-	1	-	-	3	2	-	-	9	31
127	4	26	4	11	1	-	10	1	-	2	-	-	2	6	1	6	16	2	-	15	32
21	-	4	-	2	-	-	-	-	-	-	-	-	1	-	1	2	1	-	1	3	33
29	-	22	-	2	-	-	9	1	-	1	-	-	2	2	-	3	5	-	-	1	34
186	19	38	6	9	5	2	31	1	2	2	2	-	4	18	3	13	19	9	1	32	35
84	10	15	1	4	3	1	8	1	2	2	1	-	-	4	-	3	11	3	-	15	36
102	9	23	5	5	2	1	23	-	-	-	1	-	4	14	3	10	8	6	1	17	37
129	23	24	-	12	2	2	11	-	1	-	-	-	6	10	4	5	10	5	2	27	38
132	9	35	5	18	1	8	10	1	1	6	2	-	2	8	5	9	26	5	1	24	39
37	2	10	2	3	-	2	3	-	1	-	-	-	1	4	2	1	4	2	-	6	40
95	7	25	3	15	1	6	7	1	-	6	2	-	1	4	3	8	22	3	1	18	41
39	9	10	1	2	1	3	8	1	-	1	-	-	-	2	-	1	7	1	-	8	42
91	17	26	3	11	3	9	14	4	2	1	1	-	1	9	20	12	16	7	1	26	43
51	8	10	1	6	3	2	9	3	1	1	1	-	-	7	8	5	8	3	1	13	44
40	9	16	2	5	-	7	5	1	1	-	-	-	1	2	12	7	8	4	-	13	45
45	6	14	-	5	-	1	5	-	1	2	-	-	5	9	2	6	4	2	-	14	46
69	7	20	2	3	-	1	7	4	-	3	-	-	1	3	1	7	5	2	-	12	47
39	4	7	2	6	-	2	2	-	1	-	-	-	-	2	-	5	11	2	-	6	48
580	56	100	9	32	9	14	91	17	10	9	3	1	36	58	11	49	47	19	2	115	49
229	22	37	2	16	6	6	32	5	3	5	1	-	12	22	7	16	19	9	1	50	50
177	13	29	5	7	2	4	26	5	1	2	-	-	10	13	3	10	11	4	1	29	51
180	14	31	5	7	2	4	28	5	1	2	-	-	10	13	3	10	11	4	1	29	52
174	21	34	2	9	1	4	33	7	6	2	2	1	14	23	1	23	17	6	-	36	53
268	24	34	4	15	8	8	37	6	6	8	1	1	11	26	3	28	20	6	-	41	54
134	11	10	3	9	5	2	18	3	3	6	1	1	7	8	2	10	8	-	-	24	55
134	13	24	1	6	3	6	19	3	3	2	-	-	4	18	1	18	12	6	-	17	56
32	5	10	1	-	3	2	6	-	1	-	-	-	2	7	1	9	5	1	-	7	57
242	23	17	4	13	6	4	35	1	2	13	-	1	13	14	-	14	21	9	1	43	58
155	14	8	2	8	4	-	25	1	1	4	-	1	9	9	-	4	9	3	1	31	59
87	9	9	2	5	2	4	10	-	1	9	-	-	4	5	-	10	12	6	-	12	60
580	86	79	11	21	13	12	69	9	8	21	3	1	37	98	14	68	46	20	-	135	61
138	26	23	3	5	4	3	22	-	1	8	1	-	10	19	3	16	3	4	-	27	62
61	4	4	-	1	-	-	11	3	1	1	-	-	2	9	4	-	5	-	-	10	63
381	56	52	8	15	9	9	36	6	6	12	2	1	25	70	7	52	38	16	-	98	64
385	47	60	6	19	4	9	42	10	13	10	3	2	14	32	2	28	44	6	-	74	65
50	6	8	1	1	1	1	5	-	-	4	2	-	-	2	-	5	4	-	-	14	66
78	9	12	2	4	-	1	13	2	5	2	-	1	3	8	-	5	9	1	-	13	67
61	4	8	1	4	1	1	6	1	1	1	-	-	-	6	-	3	10	1	-	13	68
62	4	8	1	4	1	1	6	1	1	1	-	-	-	6	-	9	11	1	-	13	69
196	28	32	2	10	2	6	18	7	7	3	1	1	11	16	2	15	21	4	-	34	70
61	8	13	1	9	1	6	6	2	-	5	-	-	2	5	1	7	10	2	-	21	71
101	17	22	8	11	3	2	18	3	-	6	-	1	2	8	2	9	15	5	-	20	72
49	7	13	1	8	3	1	11	2	-	4	-	1	1	4	-	4	6	2	-	8	73
52	10	9	7	3	-	1	7	1	-	2	-	-	1	4	2	5	9	3	-	12	74
128	12	40	2	7	5	6	9	1	1	2	1	-	3	4	1	15	17	3	-	12	75
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	1	-	-	-	76
127	12	40	2	7	5	6	9	1	1	2	1	-	3	4	1	9	16	3	-	12	77
95	13	18	2	24	1	3	15	2	-	4	-	-	3	11	2	13	10	6	-	21	78
54	7	12	2	13	-	1	11	-	-	2	-	-	-	5	1	5	9	1	-	10	79
41	6	6	-	11	1	2	4	2	-	2	-	-	3	6	1	8	1	5	-	11	80

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ILLINOIS—Continued																
1	McDonough	369	-	-	-	2	56	24	6	26	8	223	219	36	-	164	1
2	Macomb	141	-	-	-	1	22	10	3	9	4	81	80	14	-	61	-
3	Balance of county	228	-	-	-	1	34	14	3	17	4	142	139	22	-	103	1
4	McHenry	716	2	1	-	5	116	48	18	50	11	379	372	60	-	282	7
5	McLean	914	5	5	-	-	134	54	19	61	14	568	563	109	-	414	16
6	Bloomington	457	2	4	-	-	59	23	9	27	8	289	285	58	-	206	8
7	Balance of county	457	3	1	-	-	75	31	10	34	6	279	278	51	-	208	8
8	Macon	1,107	2	4	1	2	174	56	17	101	15	663	653	126	1	494	15
9	Decatur	829	2	2	-	2	128	39	13	76	11	499	491	95	1	372	10
10	Balance of county	278	-	2	1	-	46	17	4	25	4	164	162	31	-	122	5
11	Macoupin	569	6	-	-	1	82	35	12	35	12	353	350	88	1	241	3
12	Madison	1,865	19	2	-	4	278	105	41	132	36	1,002	985	198	1	745	17
13	Alton	400	9	-	-	2	50	13	9	28	12	202	200	38	-	154	2
14	Granite City	305	4	-	-	-	52	20	6	26	3	163	159	33	-	117	4
15	Collinsville (part)	136	-	-	-	1	24	11	4	9	2	76	75	15	-	54	-
16	Collinsville (total)	148	-	-	-	1	28	14	5	9	2	79	78	15	-	57	-
17	Wood River	90	-	-	-	-	15	6	1	8	2	49	47	12	-	34	1
18	Balance of county	934	6	2	-	1	137	55	21	61	17	512	504	100	1	386	10
19	Marion	471	6	-	-	3	73	26	15	36	6	280	276	70	-	190	6
20	Centralia (part)	160	4	-	-	1	23	12	4	7	3	97	94	29	-	57	3
21	Centralia (total)	164	4	-	-	1	23	12	4	7	3	99	96	29	-	59	3
22	Balance of county	311	2	-	-	2	50	14	7	29	3	183	182	41	-	133	3
23	Marshall	141	-	-	-	-	18	10	3	5	-	98	91	21	-	67	4
24	Mason	194	-	-	-	2	29	8	4	17	2	111	110	30	1	74	3
25	Massac	158	1	-	-	3	23	9	1	13	3	98	97	16	-	75	-
26	Menard	124	2	-	-	-	15	6	1	8	3	85	83	19	-	59	2
27	Mercer	216	1	1	-	-	41	19	3	19	5	121	120	23	-	92	2
28	Monroe	158	-	-	-	-	21	10	2	9	-	104	101	23	-	68	2
29	Montgomery	428	1	-	-	3	64	22	10	32	7	257	254	63	-	181	2
30	Morgan	397	1	-	-	1	53	23	6	24	4	258	252	53	-	175	3
31	Jacksonville	244	1	-	-	-	30	12	6	12	4	160	158	33	-	109	1
32	Balance of county	153	-	-	-	1	23	11	-	12	-	98	94	20	-	66	2
33	Moultrie	155	-	1	-	3	20	7	1	12	3	98	97	23	-	71	1
34	Ogle	386	-	-	-	2	60	21	8	31	4	210	208	43	-	153	3
35	Peoria	1,826	6	2	-	4	278	86	40	152	32	1,082	1,072	230	3	738	47
36	Peoria	1,208	4	1	-	1	179	57	23	99	22	735	728	153	1	513	29
37	Balance of county	618	2	1	-	3	99	29	17	53	10	347	344	77	2	225	18
38	Perry	265	1	-	-	-	34	9	4	21	8	162	161	23	-	118	2
39	Piatt	154	1	-	-	1	23	8	4	11	3	92	90	16	-	65	1
40	Pike	270	3	1	-	1	46	17	7	22	4	168	166	34	-	119	2
41	Pope	66	-	-	-	-	10	3	3	4	1	40	39	16	-	19	-
42	Pulaski	168	5	-	-	-	18	3	4	11	3	90	88	23	-	61	2
43	Putnam	65	-	-	1	-	14	4	3	7	1	34	34	3	-	30	-
44	Randolph	403	1	2	-	1	59	23	8	28	5	255	253	56	-	170	3
45	Richland	186	1	-	-	-	33	11	5	17	-	122	121	26	-	87	1
46	Rock Island	1,481	5	1	-	5	249	96	36	117	26	801	791	158	-	566	8
47	Moline	509	1	-	-	1	94	32	13	49	7	282	281	52	-	209	4
48	Rock Island	587	2	1	-	1	106	48	9	49	9	318	311	65	-	213	4
49	East Moline	127	-	-	-	1	23	8	7	8	6	62	61	13	-	45	-
50	Balance of county	258	2	-	-	2	26	8	7	11	4	139	138	28	-	99	-
51	St. Clair	2,453	16	7	1	13	380	133	56	191	37	1,296	1,240	224	4	957	21
52	East St. Louis	1,090	7	3	-	5	145	56	18	71	16	587	545	97	1	417	9
53	Belleville	465	3	2	1	6	84	21	11	52	7	242	239	37	2	184	4
54	Collinsville (part)	12	-	-	-	-	4	3	1	-	-	3	3	-	-	3	-
55	Balance of county	886	6	2	-	2	147	53	26	68	14	464	453	90	1	353	8
56	Saline	427	6	-	-	1	57	17	5	35	5	294	286	46	-	221	1
57	Harrisburg	153	3	-	-	-	24	8	2	14	3	104	101	21	-	71	1
58	Balance of county	274	3	-	-	1	33	9	3	21	2	190	185	25	-	150	-
59	Sangamon	1,566	8	3	-	4	227	75	31	121	33	891	882	208	-	630	18
60	Springfield	1,106	8	2	-	3	161	56	22	83	23	636	630	141	-	457	9
61	Balance of county	460	-	1	-	1	66	19	9	38	10	255	252	67	-	173	9
62	Schuyler	112	-	1	-	-	13	3	1	9	-	84	83	17	-	59	2
63	Scott	102	-	1	-	1	19	8	3	8	1	57	57	6	-	44	2
64	Shelby	315	1	-	1	2	48	13	8	27	2	198	186	44	-	128	3
65	Stark	110	-	-	-	-	12	3	1	8	1	70	67	17	-	47	-
66	Stephenson	492	1	-	-	1	83	32	7	44	9	301	297	66	-	208	3
67	Freeport	315	1	-	-	-	54	25	4	25	7	205	201	45	-	142	2
68	Balance of county	177	-	-	-	1	29	7	3	19	2	96	96	21	-	66	1
69	Tazewell	730	3	-	-	3	108	42	12	54	13	418	410	68	-	306	9
70	Pekin	250	1	-	-	2	36	16	4	16	5	142	142	30	-	104	-
71	Balance of county	480	2	-	-	1	72	26	8	38	8	276	268	38	-	202	9
72	Union	213	3	-	-	1	27	5	4	18	2	135	133	32	1	82	2
73	Vermilion	1,155	4	2	-	3	175	60	26	89	16	713	698	135	-	502	9
74	Danville	596	3	1	-	2	96	32	18	46	8	359	349	69	-	246	5
75	Balance of county	559	1	1	-	1	79	28	8	43	8	354	349	66	-	256	4
76	Wabash	188	1	1	-	-	33	11	4	18	7	108	102	27	-	73	2
77	Warren	283	1	-	-	1	34	13	4	17	3	193	190	42	-	138	4
78	Monmouth	155	1	-	-	1	21	10	3	8	1	102	100	23	-	69	2
79	Balance of county	128	-	-	-	-	13	3	1	9	2	91	90	19	-	69	2
80	Washington	181	1	-	-	-	28	12	3	13	1	111	110	17	-	87	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
119	9	35	7	10	2	4	16	1	1	5	-	-	4	9	1	11	8	8	-	16	1
41	2	18	1	3	1	1	7	-	-	4	-	-	-	3	-	7	3	3	-	6	2
78	7	17	6	7	1	3	9	1	1	1	-	-	4	6	1	4	5	5	-	10	3
202	31	42	3	17	10	7	37	10	5	7	-	-	14	21	3	36	28	3	-	38	4
323	33	42	9	24	7	5	23	3	6	4	1	-	11	29	3	38	19	9	3	39	5
153	24	21	4	12	5	4	12	2	5	2	-	-	6	9	1	21	12	4	3	18	6
170	9	21	5	12	2	1	11	1	1	2	1	-	5	20	2	17	7	5	-	21	7
359	53	67	5	18	9	10	33	3	2	8	1	1	16	29	7	37	34	12	5	58	8
266	44	52	3	15	5	8	27	3	2	8	1	-	8	21	5	29	24	10	4	43	9
93	9	15	2	3	4	2	6	-	-	-	-	1	8	8	2	8	10	2	1	15	10
166	27	45	1	17	2	3	17	1	1	7	1	-	8	9	1	14	14	8	2	32	11
470	80	178	8	24	9	17	71	7	10	18	2	3	31	78	33	57	72	29	14	99	12
94	23	35	1	6	1	2	18	2	1	3	1	2	5	11	6	14	19	9	3	31	13
72	6	35	3	4	2	4	7	2	5	1	-	-	7	19	6	8	4	5	1	18	14
38	4	12	3	2	1	1	2	2	1	2	-	-	-	2	4	1	9	-	1	9	15
41	4	12	3	2	1	1	4	2	1	2	-	-	-	3	4	2	9	-	1	10	16
21	4	8	-	-	1	2	2	-	-	1	-	-	2	3	-	2	3	4	3	4	17
245	43	88	1	12	4	8	42	1	3	11	1	1	17	43	17	32	37	11	6	37	18
131	20	33	3	10	3	4	19	1	-	-	-	1	1	9	2	13	22	6	2	27	19
36	6	12	2	4	2	3	8	-	-	-	-	1	-	5	1	2	3	1	1	10	20
38	6	12	2	4	2	3	8	-	-	-	-	1	-	5	2	2	3	1	1	11	21
95	14	21	1	6	1	1	11	1	-	-	-	-	1	4	1	11	19	5	1	17	22
53	6	4	-	2	1	7	4	1	1	-	-	-	1	1	-	6	3	2	-	6	23
52	5	14	2	2	1	1	8	1	-	1	-	-	1	8	1	5	9	4	-	12	24
47	13	15	1	4	1	1	6	1	1	1	-	-	1	3	-	2	3	-	2	10	25
43	2	12	1	1	3	2	3	1	-	-	-	-	-	1	-	2	4	2	-	6	26
78	4	8	1	3	1	1	14	-	-	-	-	-	3	2	-	8	6	4	-	10	27
56	6	4	-	9	1	3	5	1	-	2	1	-	-	3	4	3	6	1	-	7	28
132	4	43	1	8	1	3	29	-	-	5	1	-	3	11	6	7	14	3	-	17	29
134	20	18	5	15	4	6	15	1	-	6	1	-	4	7	4	9	11	3	1	18	30
81	15	12	2	12	2	2	8	-	-	2	1	-	2	4	3	6	9	1	1	12	31
53	5	6	3	3	2	4	7	1	-	4	-	-	2	3	1	3	2	2	-	6	32
58	3	9	1	2	-	1	5	-	-	1	-	-	3	3	-	3	4	3	-	8	33
104	13	33	1	8	3	2	15	5	3	3	-	-	8	15	3	18	11	4	-	25	34
540	66	85	15	70	16	10	52	11	8	21	2	1	29	86	10	38	43	26	5	90	35
371	50	63	8	45	8	7	35	7	3	15	2	-	18	52	8	22	26	13	5	60	36
169	16	22	7	25	8	3	17	4	5	6	-	1	11	34	2	16	17	13	-	30	37
89	8	19	3	13	4	1	12	2	-	3	-	-	1	5	2	9	8	5	-	13	38
47	4	13	2	7	-	2	7	-	-	1	-	-	3	3	-	6	6	-	-	8	39
81	18	18	2	8	3	2	6	-	-	-	-	-	1	2	-	4	10	3	-	21	40
16	2	1	-	4	-	1	2	1	1	2	-	-	2	2	1	1	1	1	-	1	41
45	8	6	-	4	-	2	8	1	2	-	2	-	-	7	-	4	9	1	1	17	42
21	5	4	-	1	-	-	3	-	-	1	-	1	1	-	-	3	5	-	-	1	43
120	8	39	4	21	2	2	12	2	-	4	1	-	4	10	14	8	10	1	-	14	44
74	7	5	2	6	-	1	5	-	1	1	-	-	-	5	1	2	8	1	-	6	45
448	44	66	20	37	10	10	82	15	4	12	1	-	29	61	-	32	50	17	4	87	46
160	18	27	7	11	2	1	29	2	2	2	-	-	5	24	-	9	16	6	2	27	47
172	15	22	7	21	5	7	27	9	2	8	-	-	15	21	-	11	16	7	1	33	48
42	1	2	1	2	-	1	11	-	-	2	-	-	2	3	-	3	5	-	1	8	49
74	10	15	5	3	3	1	15	4	-	-	1	-	7	13	-	9	13	4	-	19	50
668	127	141	13	33	9	56	112	9	5	23	1	1	27	120	38	69	97	27	20	154	51
281	58	69	7	18	5	42	63	7	4	10	-	-	7	53	15	23	47	8	15	75	52
139	18	23	1	11	4	3	15	-	1	6	-	1	6	20	10	11	15	5	-	30	53
3	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	1	54
245	51	49	5	4	-	11	32	2	-	7	1	-	14	46	13	34	35	14	5	48	55
147	34	39	3	16	-	8	8	3	1	2	-	-	2	4	3	15	9	-	-	17	56
49	10	11	3	6	-	3	1	-	-	1	-	-	-	-	2	4	6	-	-	5	57
98	24	28	-	10	-	5	7	3	1	1	-	-	2	4	1	11	3	-	-	12	58
508	52	52	10	23	11	9	45	11	6	15	1	-	20	46	37	35	57	14	4	109	59
368	39	41	8	18	6	6	29	8	6	12	1	-	14	28	25	21	37	11	4	77	60
140	13	11	2	5	5	3	16	3	-	3	-	-	6	18	12	14	20	3	-	32	61
35	3	19	-	4	3	1	5	1	-	-	-	-	-			1	2	1	-	4	62
33	7	2	-	5	2	-	4	-	-	1	1	-	2	2	-	2	7	-	-	4	63
82	15	28	3	9	2	12	8	3	3	-	-	-	1	8	3	8	7	4	-	18	64
28	4	15	-	3	-	3	3	1	-	1	-	-	-	-	-	4	11	-	-	7	65
133	51	21	6	12	5	4	18	1	3	5	-	-	3	17	2	9	8	8	-	23	66
95	34	11	4	7	3	4	7	1	2	3	-	-	1	10	1	2	5	6	-	10	67
38	17	10	2	5	2	-	11	-	1	2	-	-	2	7	1	7	3	2	-	13	68
226	31	40	9	16	11	8	21	2	3	6	1	1	7	32	3	34	19	10	1	45	69
84	9	11	2	4	2	-	7	-	1	1	1	1	2	8	1	9	10	4	-	19	70
142	22	29	7	12	9	8	14	2	2	5	-	-	5	24	2	25	9	6	1	26	71
62	6	12	2	13	3	2	6	-	-	2	-	-	2	8	-	4	6	2	1	14	72
356	62	75	12	35	14	15	46	6	2	5	1	-	12	29	3	24	33	8	3	70	73
181	28	32	8	21	5	10	24	4	1	3	-	-	5	13	-	11	24	3	2	37	74
175	34	43	4	14	9	5	22	2	1	2	1	-	7	16	3	13	9	5	1	33	75
50	10	11	2	-	-	6	9	-	3	-	1	-	3	2	1	4	7	-	-	8	76
83	11	40	7	3	-	3	10	1	-	2	1	-	5	5	-	2	9	7	1	8	77
41	5	21	6	2	-	2	7	1	-	2	1	-	1	3	-	1	5	2	1	5	78
42	6	19	1	1	-	1	3	-	-	-	-	-	4	2	-	1	4	5	-	3	79
63	10	14	3	2	1	1	7	-	1	-	-	-	-	1	1	3	9	2	-	16	80

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	ILLINOIS—Continued																
1	Wayne	213	-	-	-	-	31	10	4	17	3	137	134	33	-	89	1
2	White	254	1	-	-	-	35	13	2	20	5	159	158	41	-	97	1
3	Whiteside	591	2	4	-	2	81	25	6	50	6	351	349	74	-	255	5
4	Sterling	165	1	3	-	-	24	9	3	12	2	96	94	19	-	70	1
5	Balance of county	426	1	1	-	2	57	16	3	38	4	255	255	55	-	185	4
6	Will	1,610	6	3	-	8	244	85	32	127	26	894	882	151	-	670	28
7	Joliet	736	2	1	-	3	112	40	21	51	14	425	420	65	-	324	12
8	Balance of county	874	4	2	-	5	132	45	11	76	12	469	462	86	-	346	16
9	Williamson	572	5	-	-	1	84	30	8	46	6	365	362	90	-	237	7
10	Marion	163	1	-	-	-	20	5	1	14	3	113	113	36	-	70	2
11	Balance of county	409	4	-	-	1	64	25	7	32	3	252	249	54	-	167	5
12	Winnebago	1,709	10	1	-	8	266	105	31	130	26	919	906	188	1	658	18
13	Rockford	1,211	10	-	-	5	201	85	24	92	19	657	650	138	1	470	13
14	Balance of county	498	-	1	-	3	65	20	7	38	7	262	256	50	-	188	5
15	Woodford	241	-	-	-	3	25	11	2	12	3	152	150	32	-	103	2
16	INDIANA	44,195	309	111	11	187	6,602	2,258	860	3,484	784	25,214	24,757	5,888	21	17,114	591
17	Metropolitan counties	19,362	159	53	5	81	3,026	1,011	428	1,587	370	10,448	10,267	2,402	9	7,159	286
18	Nonmetropolitan counties	24,833	150	58	6	106	3,576	1,247	432	1,897	414	14,766	14,490	3,486	12	9,955	305
19	Adams	231	-	1	-	1	37	12	3	22	3	146	142	40	1	87	2
20	Allen	1,939	15	12	1	10	329	95	40	194	41	1,080	1,046	263	3	705	32
21	Fort Wayne	1,547	12	8	1	6	272	83	33	156	35	869	845	219	2	565	24
22	Balance of county	392	3	4	-	4	57	12	7	38	6	211	201	44	1	140	8
23	Bartholomew	374	1	-	-	-	53	18	11	24	7	218	213	56	1	144	10
24	Columbus	205	-	-	-	-	42	15	10	17	3	111	108	27	-	76	7
25	Balance of county	169	1	-	-	-	11	3	1	7	4	107	105	29	1	68	3
26	Benton	148	-	-	-	1	17	9	1	7	2	88	86	17	-	62	4
27	Blackford	155	-	-	-	1	23	9	1	13	5	94	93	30	-	57	4
28	Boone	295	1	-	-	3	47	22	3	22	3	170	167	44	-	113	4
29	Brown	78	-	1	-	-	6	3	1	2	-	59	59	16	-	40	2
30	Carroll	146	1	-	-	-	15	5	5	5	-	100	98	28	-	66	1
31	Cass	501	-	1	-	1	67	24	15	28	17	291	286	62	-	204	6
32	Logansport	307	-	1	-	-	45	17	10	18	13	176	172	36	-	123	3
33	Balance of county	194	-	-	-	1	22	7	5	10	4	115	114	26	-	81	3
34	Clark	476	6	2	-	6	67	20	9	38	9	266	263	56	-	189	9
35	Jeffersonville	210	2	1	-	-	32	11	7	14	5	121	121	25	-	89	4
36	Balance of county	266	4	1	-	6	35	9	2	24	4	145	142	31	-	100	5
37	Clay	298	-	-	1	2	49	18	7	24	9	175	174	35	-	133	7
38	Clinton	342	2	3	-	-	39	14	5	20	4	216	216	48	-	153	3
39	Frankfort	170	-	2	-	-	22	7	4	11	2	102	102	20	-	73	1
40	Balance of county	172	2	1	-	-	17	7	1	9	2	114	114	28	-	80	2
41	Crawford	105	2	1	-	3	11	3	-	8	3	66	64	25	-	35	1
42	Daviess	273	-	-	-	1	38	11	2	25	7	161	161	35	-	115	5
43	Washington	126	-	-	-	1	25	8	1	16	4	69	69	19	-	45	4
44	Balance of county	147	-	-	-	-	13	3	1	9	3	92	92	16	-	70	1
45	Dearborn	288	3	-	-	3	40	16	4	20	5	160	157	45	-	102	5
46	Decatur	222	2	-	-	-	22	11	-	11	2	150	147	45	-	90	4
47	De Kalb	302	-	4	-	-	37	9	7	21	10	175	169	44	-	108	4
48	Delaware	929	9	3	-	4	131	34	23	74	9	526	524	148	-	344	11
49	Muncie	643	7	2	-	4	91	24	18	49	5	350	349	108	-	226	8
50	Balance of county	286	2	1	-	-	40	10	5	25	4	176	175	40	-	118	3
51	Dubois	263	1	-	-	1	31	11	3	17	3	154	150	47	-	98	2
52	Elkhart	907	3	3	-	2	118	46	14	58	17	525	521	129	-	346	19
53	Elkhart	421	2	2	-	-	48	14	8	26	7	240	239	54	-	162	12
54	Goshen	137	-	1	-	-	24	12	1	11	3	84	84	22	-	54	3
55	Balance of county	349	1	-	-	2	46	20	5	21	7	201	198	53	-	130	4
56	Fayette	230	1	-	-	-	50	16	3	31	1	131	129	24	-	94	3
57	Connersville	176	1	-	-	-	39	13	2	24	1	97	96	20	-	67	2
58	Balance of county	54	-	-	-	-	11	3	1	7	-	34	33	4	-	27	1
59	Floyd	559	5	2	-	-	73	21	13	39	9	331	326	69	-	232	8
60	New Albany	455	5	2	-	-	62	20	12	30	6	264	263	51	-	190	7
61	Balance of county	104	-	-	-	-	11	1	1	9	3	67	63	18	-	42	1
62	Fountain	260	3	1	-	1	42	15	3	24	7	159	156	27	-	120	2
63	Franklin	162	1	-	-	2	24	11	3	10	2	97	97	13	-	77	3
64	Fulton	161	-	-	1	2	21	8	2	11	3	119	117	16	-	95	-
65	Gibson	340	3	2	-	1	58	19	7	32	4	197	195	43	-	141	5
66	Grant	719	2	-	-	2	114	33	14	67	13	422	417	88	-	291	12
67	Marion	415	-	-	-	2	61	20	6	35	8	247	243	50	-	179	8
68	Balance of county	304	2	-	-	-	53	13	8	32	5	175	174	38	-	112	4
69	Greene	390	1	-	-	2	59	20	5	34	12	229	223	56	1	158	2
70	Hamilton	340	2	-	-	1	49	16	6	27	4	206	202	41	-	152	5
71	Hancock	249	1	-	-	1	32	5	5	22	2	158	154	42	-	96	3
72	Harrison	181	1	-	-	2	25	7	3	15	3	109	98	29	-	62	-
73	Hendricks	307	1	1	-	2	40	12	8	20	5	189	185	42	-	126	-
74	Henry	463	2	1	-	-	72	30	11	31	10	264	258	66	-	180	6
75	New Castle	182	-	1	-	-	24	10	3	11	7	99	95	19	-	73	3
76	Balance of county	281	2	-	-	-	48	20	8	20	3	165	163	47	-	107	3
77	Howard	629	7	5	-	5	107	45	10	52	8	323	318	73	1	204	4
78	Kokomo	486	5	5	-	5	83	35	7	41	6	251	247	53	1	162	4
79	Balance of county	143	2	-	-	-	24	10	3	11	2	72	71	20	-	42	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E965	All other causes Residual	
59	6	23	1	9	2	3	6	-	1	1	-	-	2	2	-	9	8	-	-	13	1
73	8	15	1	16	3	1	7	2	1	-	1	1	6	4	-	15	6	3	-	8	2
177	24	49	3	11	6	2	28	4	3	2	1	1	4	19	2	17	21	3	-	40	3
52	6	11	-	2	3	2	7	1	1	-	-	-	1	3	2	6	2	1	-	15	4
125	18	38	3	9	3	-	21	3	2	2	1	1	3	16	-	11	19	2	-	25	5
439	88	115	17	28	16	12	51	13	6	16	3	3	18	76	13	61	59	19	4	87	6
200	44	68	8	19	4	5	20	5	4	8	-	1	8	35	6	24	22	6	4	36	7
239	44	47	9	9	12	7	31	8	2	8	3	2	10	41	7	37	37	13	-	51	8
198	22	10	13	18	4	3	14	3	2	7	3	-	3	11	-	13	16	4	-	35	9
62	5	1	-	5	2	-	4	2	1	1	1	-	-	2	-	1	3	1	-	10	10
136	17	9	13	13	2	3	10	1	1	6	2	-	3	9	-	12	13	3	-	25	11
521	41	78	10	32	17	13	80	6	7	19	2	3	38	90	4	45	49	22	4	110	12
380	35	42	7	22	12	7	57	4	4	17	2	1	25	54	3	31	30	19	3	69	13
141	6	36	3	10	5	6	23	2	3	2	-	2	13	36	1	14	19	3	1	41	14
71	13	17	3	12	-	2	7	1	2	1	1	-	3	9	2	8	7	3	-	14	15
12,270	2,127	2,126	296	1,060	378	457	1,454	246	204	435	84	37	605	1,658	212	1,172	1,557	443	142	2,728	16
5,237	853	783	119	402	176	181	649	114	89	259	35	19	288	901	90	480	704	199	105	1,288	17
7,033	1,274	1,343	177	658	202	276	805	132	115	176	49	18	317	757	122	692	853	244	37	1,440	18
71	12	2	5	9	-	4	5	-	-	-	-	1	5	2	-	9	9	-	-	12	19
506	74	93	8	45	22	34	67	4	8	17	3	-	25	73	3	39	49	23	7	133	20
410	59	72	7	33	19	24	54	3	6	13	3	-	18	62	2	25	31	15	5	107	21
96	15	21	1	12	3	10	13	1	2	4	-	-	7	11	1	14	18	8	2	26	22
103	22	9	1	7	4	5	15	3	1	2	-	1	4	24	2	6	15	5	-	17	23
50	12	7	-	3	2	3	6	2	-	1	-	1	2	15	-	4	9	2	-	7	24
53	10	2	1	4	2	2	9	1	1	1	-	-	2	9	2	2	6	3	-	10	25
43	7	8	3	4	2	-	7	-	2	3	-	-	4	2	-	3	5	2	-	12	26
41	6	6	-	4	2	1	4	1	2	3	-	-	1	3	2	2	3	3	-	8	27
79	13	17	-	5	5	3	17	2	1	3	-	-	2	3	6	4	9	2	-	22	28
30	2	6	-	2	1	-	5	-	-	-	-	-	2	-	-	2	1	-	-	2	29
53	6	6	2	1	1	2	2	-	1	1	-	-	1	4	-	5	3	2	-	11	30
124	21	53	4	13	3	5	26	2	3	6	-	1	4	9	3	17	9	5	-	39	31
75	11	34	2	8	3	4	14	1	3	5	-	1	2	3	2	11	4	2	-	24	32
49	10	19	2	5	-	1	12	1	-	1	-	-	2	6	1	6	5	3	-	15	33
117	24	39	1	14	3	3	13	3	3	3	1	-	13	14	2	10	23	2	1	32	34
56	11	18	-	6	1	-	6	3	1	2	-	-	7	5	1	4	7	1	1	11	35
61	13	21	1	8	2	3	7	-	2	1	1	-	6	9	1	6	16	1	-	21	36
73	32	21	1	2	3	1	5	-	-	5	4	-	6	4	1	8	13	3	-	13	37
116	8	26	-	12	3	-	11	1	-	1	1	-	2	9	-	13	18	3	-	19	38
54	3	15	-	7	2	-	3	-	-	1	-	-	1	8	-	6	11	1	-	11	39
62	5	11	-	5	1	-	8	1	-	-	1	-	1	1	-	7	7	2	-	8	40
29	-	5	-	4	-	2	7	-	-	-	-	-	1	3	1	2	1	-	-	4	41
73	9	28	1	9	1	-	4	-	-	1	-	-	5	5	3	11	7	2	2	26	42
25	3	13	-	5	-	-	3	-	-	1	-	-	-	1	1	2	3	1	2	13	43
48	6	15	1	4	1	-	1	-	-	-	-	-	5	4	2	9	4	1	-	13	44
60	15	22	-	9	1	3	13	3	1	3	1	1	5	8	4	5	17	-	-	16	45
74	4	8	2	9	1	3	8	2	1	-	-	-	3	-	-	6	12	-	1	13	46
62	24	18	4	10	3	6	8	4	-	2	2	-	5	9	3	9	9	3	-	22	47
269	37	27	6	17	9	2	23	4	5	7	-	-	10	32	12	42	32	17	4	59	48
173	27	18	5	5	5	1	16	3	5	6	-	-	7	25	8	32	21	12	3	46	49
96	10	9	1	12	4	1	7	1	-	1	-	-	3	7	4	10	11	5	1	13	50
69	11	16	-	4	1	4	8	2	1	6	1	-	6	12	-	11	7	2	1	16	51
253	38	36	7	31	8	4	32	6	4	6	1	3	17	34	4	32	29	12	1	58	52
118	11	21	4	15	4	1	22	-	2	4	-	1	7	17	2	12	17	5	1	32	53
34	11	6	1	5	2	-	3	-	-	1	-	-	3	5	1	3	2	2	-	5	54
101	16	9	2	11	2	3	7	6	2	1	1	2	7	12	1	17	10	5	-	21	55
71	11	9	3	5	3	2	6	1	1	1	-	-	4	6	-	5	7	4	-	12	56
51	6	8	3	3	3	1	4	1	1	1	-	-	3	6	-	3	6	2	-	11	57
20	5	1	-	2	-	1	2	-	-	-	-	-	1	-	-	2	1	2	-	1	58
160	44	20	8	13	4	5	17	3	2	6	3	1	8	24	3	12	22	4	2	32	59
130	36	17	8	10	4	1	13	3	2	5	3	1	5	21	2	9	17	4	2	29	60
30	8	3	-	3	-	4	4	-	-	1	-	-	3	3	1	3	5	-	-	3	61
83	17	18	4	3	2	3	4	2	-	1	1	1	6	5	1	4	7	3	1	11	62
55	9	10	3	3	1	-	14	-	-	1	-	-	4	6	-	2	5	-	1	3	63
54	27	14	1	4	1	2	2	1	-	1	-	-	-	6	1	2	10	1	1	10	64
98	17	21	1	7	3	2	14	1	-	3	-	-	3	8	2	7	8	5	-	24	65
224	44	11	7	18	13	5	23	3	5	2	2	-	8	31	-	23	33	4	1	31	66
138	31	2	2	6	6	4	15	3	3	2	2	-	7	17	-	12	16	2	-	18	67
86	13	9	5	12	7	1	8	-	2	-	-	-	1	14	-	11	17	2	1	13	68
78	36	42	-	7	1	6	12	1	1	7	1	-	1	13	2	6	13	5	2	23	69
102	22	23	2	4	3	4	11	-	1	2	-	-	2	8	3	16	12	4	1	18	70
71	13	9	5	9	2	4	5	1	1	2	-	-	7	5	1	6	9	-	-	18	71
48	8	6	1	5	1	11	4	1	-	3	4	-	1	9	1	3	3	-	-	12	72
96	12	18	1	15	1	4	8	1	-	2	1	-	5	8	-	17	9	1	-	17	73
118	27	29	2	9	1	6	21	4	-	1	9	-	4	14	-	13	16	4	1	27	74
49	12	9	1	2	-	4	8	3	-	1	5	-	1	7	-	6	6	1	-	13	75
69	15	20	1	7	1	2	13	1	-	-	4	-	3	7	-	7	10	3	1	14	76
157	14	29	2	28	10	5	26	2	8	4	1	-	10	32	4	16	14	10	1	46	77
127	12	19	1	21	9	4	23	1	6	3	-	-	10	25	4	9	11	6	1	32	78
30	2	10	1	7	1	1	3	1	2	1	1	-	-	7	-	7	3	4	-	14	79

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	INDIANA—Continued																
1	Huntington	423	1	-	-	1	50	19	5	26	8	280	275	68	-	186	11
2	Huntington	181	1	-	-	-	25	12	3	10	6	110	108	22	-	79	3
3	Balance of county	242	-	-	-	1	25	7	2	16	2	170	167	46	-	107	8
4	Jackson	316	2	-	-	2	40	14	5	21	5	185	181	40	-	131	4
5	Jasper	165	-	-	-	-	21	7	2	12	5	102	102	29	-	67	1
6	Jay	293	3	1	-	1	34	9	2	23	4	201	201	45	1	132	1
7	Jefferson	236	1	-	-	1	20	7	1	12	4	151	151	41	-	99	3
8	Jennings	166	1	-	-	-	24	7	6	11	1	90	89	38	-	47	1
9	Johnson	368	2	1	1	3	51	23	3	25	3	209	206	39	1	150	1
10	Knox	532	3	2	-	4	84	24	16	44	7	302	296	62	-	208	3
11	Vincennes	263	1	2	-	3	36	9	6	21	2	148	145	28	-	103	2
12	Balance of county	269	2	-	-	1	48	15	10	23	5	154	151	34	-	105	1
13	Kosciusko	417	1	-	-	3	64	19	8	37	8	250	245	41	-	184	7
14	Lagrange	166	1	-	-	1	22	8	1	13	3	97	91	24	-	61	1
15	Lake	3,829	30	8	2	17	614	218	114	282	107	1,875	1,836	419	2	1,306	64
16	Gary	1,533	12	5	-	5	223	77	49	97	46	718	702	200	-	460	28
17	East Chicago	577	8	1	2	5	96	39	16	41	18	284	277	58	1	204	10
18	Hammond	815	6	2	-	5	146	58	22	66	17	409	396	67	-	311	13
19	Hobart	97	-	-	-	-	20	5	2	13	4	51	50	14	-	32	1
20	Balance of county	807	4	-	-	2	129	39	25	65	22	413	411	80	1	299	12
21	La Porte	893	-	2	-	3	163	59	28	76	23	479	467	109	-	318	16
22	Michigan City	321	-	1	-	1	59	19	11	29	9	180	173	53	-	102	7
23	La Porte	249	-	1	-	2	51	20	11	20	8	134	133	27	-	95	1
24	Balance of county	323	-	-	-	-	53	20	6	27	6	165	161	29	-	121	8
25	Lawrence	382	1	-	-	4	56	21	7	28	7	231	229	64	-	150	2
26	Bedford	151	-	-	-	-	22	7	4	11	2	101	101	24	-	70	1
27	Balance of county	231	1	-	-	4	34	14	3	17	5	130	128	40	-	80	1
28	Madison	1,037	11	4	1	2	168	60	19	89	26	595	585	138	1	407	9
29	Anderson	537	5	4	-	-	92	33	12	47	17	287	280	78	-	182	6
30	Elwood	123	3	-	-	-	23	11	2	10	3	74	74	15	-	53	2
31	Balance of county	377	3	-	1	2	53	16	5	32	6	234	231	45	1	172	1
32	Marion	6,575	60	14	2	30	1,031	343	128	560	109	3,525	3,479	791	4	2,441	88
33	Indianapolis	5,548	51	14	1	30	856	285	105	466	96	2,954	2,915	665	4	2,044	76
34	Balance of county	1,027	9	-	1	-	175	58	23	94	13	571	564	126	-	397	12
35	Marshall	339	-	-	-	-	53	27	4	22	3	212	211	50	-	141	1
36	Martin	103	-	-	-	-	8	1	-	7	1	66	65	9	-	52	1
37	Miami	393	5	-	-	3	57	16	8	33	7	238	235	48	-	173	7
38	Peru	196	3	-	-	1	27	5	5	17	5	121	120	21	-	91	4
39	Balance of county	197	2	-	-	2	30	11	3	16	2	117	115	27	-	82	3
40	Monroe	411	4	3	-	1	70	28	5	37	7	230	228	56	1	161	2
41	Bloomington	229	3	1	-	-	43	16	4	23	3	139	138	31	-	103	1
42	Balance of county	182	1	2	-	1	27	12	1	14	4	91	90	25	1	58	1
43	Montgomery	366	4	1	-	1	41	14	1	26	7	228	219	70	-	137	7
44	Crawfordsville	162	1	-	-	1	19	5	1	13	6	93	87	26	-	56	3
45	Balance of county	204	3	1	-	-	22	9	-	13	1	135	132	44	-	81	4
46	Morgan	299	-	2	-	-	42	13	1	28	4	177	176	46	-	117	4
47	Newton	124	1	-	-	1	14	6	2	6	3	68	68	15	-	48	-
48	Noble	315	1	1	1	-	43	17	5	21	5	206	199	32	-	139	1
49	Ohio	57	-	-	-	1	12	5	1	6	-	34	33	8	-	22	-
50	Orange	215	5	-	-	1	35	14	4	17	3	112	108	28	-	70	1
51	Owen	130	-	-	-	-	19	7	5	7	2	87	85	17	-	61	3
52	Parke	204	1	-	-	-	21	5	3	13	1	138	135	36	-	94	3
53	Perry	160	1	-	-	1	24	7	3	14	1	86	85	24	-	54	2
54	Pike	189	-	-	1	1	30	12	5	13	5	112	111	28	-	74	-
55	Porter	413	2	1	-	-	62	21	8	33	7	226	214	48	-	154	2
56	Valparaiso	135	2	-	-	-	23	8	2	13	4	66	64	9	-	50	1
57	Balance of county	278	-	1	-	-	39	13	6	20	3	160	150	39	-	104	1
58	Posey	226	1	-	-	-	44	18	5	21	2	128	127	28	-	88	1
59	Pulaski	132	-	-	-	1	20	9	2	9	1	72	66	11	-	47	2
60	Putnam	237	1	1	-	1	35	10	4	21	4	144	141	33	-	92	4
61	Randolph	363	3	2	-	2	57	21	4	32	10	222	217	56	-	158	8
62	Ripley	238	3	-	-	2	32	9	3	20	2	150	150	27	-	113	1
63	Rush	249	2	-	-	2	36	13	8	15	2	153	151	38	-	105	5
64	St. Joseph	2,096	8	5	-	7	340	130	46	164	41	1,149	1,128	269	-	797	39
65	South Bend	1,267	7	3	-	3	218	84	30	104	26	674	658	154	-	466	27
66	Mishawaka	313	1	-	-	2	54	26	5	23	7	176	176	42	-	124	3
67	Balance of county	516	-	2	-	2	68	20	11	37	8	299	294	73	-	207	9
68	Scott	130	1	-	-	2	12	3	-	9	6	69	67	26	2	38	2
69	Shelby	340	3	-	-	1	54	18	7	29	7	187	184	52	-	123	3
70	Shelbyville	149	2	-	-	1	26	8	5	13	3	83	83	22	-	56	1
71	Balance of county	191	1	-	-	-	28	10	2	16	4	104	101	30	-	67	2
72	Spencer	164	3	-	-	1	19	5	1	13	-	96	91	21	-	69	5
73	Starke	219	1	1	-	1	26	6	1	19	4	127	121	35	-	73	-
74	Steuben	216	-	1	-	-	32	8	1	23	4	133	131	26	-	92	6
75	Sullivan	319	2	2	-	-	38	21	7	10	5	212	208	45	-	150	5
76	Switzerland	109	5	-	-	1	19	4	5	10	1	62	59	12	-	40	1
77	Tippecanoe	705	4	2	-	1	90	33	14	43	5	417	414	94	1	286	9
78	Lafayette	421	1	2	-	1	54	19	12	23	2	255	253	56	1	175	6
79	West Lafayette	71	1	-	-	-	10	5	-	5	1	41	41	14	-	24	-
80	Balance of county	213	2	-	-	-	26	9	2	15	2	121	120	24	-	87	3

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
134	20	21	5	13	3	5	8	3	3	-	-	2	8	9	4	6	12	5	-	23	1
63	4	9	2	4	1	2	3	1	3	-	-	-	2	8	3	2	5	3	-	9	2
71	16	12	3	9	2	3	5	2	-	-	-	2	6	1	1	4	7	2	-	14	3
86	22	19	3	6	1	4	8	2	2	3	-	1	1	8	2	13	11	2	-	29	4
52	7	7	3	2	1	-	8	1	-	-	1	-	2	4	-	3	7	2	1	8	5
91	11	29	6	15	2	-	5	-	2	-	1	-	2	5	5	9	9	3	-	8	6
80	8	8	1	9	1	-	5	-	-	1	-	-	3	10	5	6	12	4	-	13	7
36	6	4	-	3	1	1	6	-	1	-	-	-	1	8	1	8	10	4	3	8	8
129	8	12	3	12	1	3	14	1	1	4	-	-	6	19	1	9	21	4	-	18	9
158	17	30	1	21	4	6	23	8	5	4	-	-	7	12	3	17	15	2	2	32	10
71	12	18	-	12	2	3	12	4	2	3	-	-	3	8	2	9	9	-	2	17	11
87	5	12	1	9	2	3	11	4	3	1	-	-	4	4	1	8	6	2	-	15	12
118	31	28	2	14	4	5	8	1	-	3	-	-	6	7	1	21	18	4	-	22	13
46	6	8	2	4	-	6	3	1	2	-	-	-	7	8	-	5	3	4	1	8	14
988	148	106	29	53	27	39	161	24	19	66	2	8	79	246	37	106	134	24	31	239	15
313	78	41	14	20	8	16	80	14	7	25	1	4	36	117	30	41	57	10	17	85	16
145	34	15	5	7	2	7	22	-	4	17	-	1	5	39	1	12	18	5	3	36	17
262	14	22	4	8	6	13	32	3	5	13	-	1	14	46	3	19	29	6	7	52	18
27	3	1	-	4	-	1	4	-	-	2	-	-	3	4	-	3	1	-	-	5	19
241	19	27	6	14	11	2	23	7	3	9	1	2	21	40	3	31	29	3	4	61	20
233	36	33	9	21	10	12	35	4	-	6	-	-	17	40	4	34	23	10	1	49	21
69	13	13	5	9	4	7	10	2	-	3	-	-	5	15	2	10	7	4	1	12	22
79	9	6	2	6	3	1	6	1	-	-	-	-	3	9	1	10	5	1	-	17	23
85	14	14	2	6	3	4	19	1	-	3	-	-	9	16	1	14	11	5	-	20	24
92	30	26	4	8	3	2	12	2	2	1	-	-	5	13	2	12	8	3	1	22	25
46	10	13	1	5	1	-	4	-	1	1	-	-	3	2	1	1	5	-	-	8	26
46	20	13	3	3	2	2	8	2	1	-	-	-	2	11	1	11	3	3	1	14	27
303	49	46	10	23	6	10	35	3	6	8	2	1	12	26	2	31	34	7	1	62	28
132	17	27	5	12	3	7	18	2	6	5	1	1	4	19	2	14	23	4	-	33	29
40	4	7	1	4	1	-	5	-	-	1	-	-	1	3	-	-	1	1	-	8	30
131	28	12	4	7	2	3	12	1	-	2	1	-	7	4	-	17	10	2	1	21	31
1,807	300	246	32	148	63	46	206	39	25	82	16	7	91	316	14	154	293	67	39	455	32
1,501	266	201	27	123	52	39	178	35	22	73	13	6	70	276	13	125	255	51	34	395	33
306	34	45	5	25	11	7	28	4	3	9	3	1	21	40	1	29	38	16	5	60	34
108	14	18	1	14	5	1	9	2	2	1	-	-	2	9	2	16	12	1	-	15	35
29	12	10	1	3	-	1	6	1	-	1	-	-	2	6	-	1	1	1	-	9	36
121	15	30	3	10	1	3	10	2	1	4	3	-	3	14	-	7	14	4	-	21	37
61	10	16	2	6	-	1	3	2	1	3	2	-	2	7	-	2	8	2	-	7	38
60	5	14	1	4	1	2	7	-	-	1	1	-	1	7	-	5	6	2	-	14	39
127	24	8	1	6	3	2	12	1	1	7	-	-	5	19	1	10	12	4	-	24	40
83	14	5	-	3	1	1	7	-	1	4	-	-	3	5	-	3	3	1	-	13	41
44	10	3	1	3	2	1	5	1	-	3	-	-	2	14	1	7	9	3	-	11	42
104	13	13	1	10	1	9	9	1	2	-	2	-	2	8	5	8	19	4	1	23	43
40	9	4	-	5	-	6	3	-	1	-	-	-	1	6	3	3	10	2	1	12	44
64	4	9	1	5	1	3	6	1	1	-	2	-	1	2	2	5	9	2	-	11	45
76	11	26	-	12	1	1	17	-	1	2	-	-	4	13	1	6	7	4	-	19	46
43	1	4	2	3	-	-	7	2	-	2	-	-	1	2	2	3	8	-	-	10	47
112	14	12	5	20	3	7	9	1	3	1	1	-	2	10	-	8	7	1	-	15	48
13	5	4	1	1	1	1	1	-	-	-	-	-	-	2	-	2	1	1	-	3	49
51	5	13	2	6	2	4	14	1	2	1	1	1	3	6	1	4	5	2	1	17	50
36	19	3	1	5	1	2	2	-	-	1	1	-	1	1	2	2	4	2	-	6	51
68	9	14	1	4	-	3	4	4	1	2	-	1	2	3	1	6	7	6	-	6	52
41	4	7	-	7	-	1	8	-	3	-	-	-	3	9	1	1	10	3	-	9	53
49	5	20	1	6	2	1	4	-	3	1	-	-	2	3	2	5	9	-	-	11	54
110	13	29	2	6	4	12	16	3	1	2	1	1	5	18	2	13	17	6	1	29	55
35	4	10	-	3	2	2	8	1	-	1	1	1	-	10	-	6	6	1	-	5	56
75	9	19	2	3	2	10	8	2	1	1	-	-	5	8	2	7	11	5	1	24	57
62	10	15	-	8	3	1	5	3	1	2	-	1	6	7	-	3	7	1	-	15	58
32	1	12	2	5	1	6	8	-	1	-	-	-	2	4	-	7	8	2	-	6	59
67	15	6	1	10	5	3	7	2	3	2	-	-	2	4	-	3	10	1	-	17	60
79	44	27	-	2	1	5	3	1	3	-	1	-	2	8	1	8	20	3	-	17	61
67	27	18	-	10	-	-	7	-	1	6	1	-	1	4	1	7	10	2	-	9	62
90	5	5	1	4	3	2	5	1	1	1	-	-	2	7	1	6	9	1	1	19	63
634	60	64	10	32	20	21	44	16	7	39	2	1	32	102	11	59	59	30	8	136	64
369	33	37	9	16	13	16	29	13	6	29	2	1	16	65	8	29	33	19	7	79	65
106	10	5	-	7	3	-	5	2	-	4	-	-	4	12	1	9	11	3	-	22	66
159	17	22	1	9	4	5	10	1	1	6	-	-	12	25	2	21	15	8	1	35	67
25	3	8	-	1	-	2	5	-	1	1	-	-	3	7	1	6	6	2	1	7	68
78	30	12	1	3	5	3	8	3	3	1	1	-	4	10	3	17	9	6	-	23	69
33	14	8	1	1	3	-	3	-	-	-	1	-	2	6	2	5	3	2	-	10	70
45	16	4	-	2	2	3	5	3	3	1	-	-	2	4	1	12	6	4	-	13	71
50	7	7	-	1	-	5	6	1	-	4	-	-	1	6	2	7	7	4	-	7	72
56	6	11	2	5	6	6	9	2	-	1	-	-	6	11	2	7	7	4	1	9	73
63	13	10	1	10	2	2	4	2	2	1	-	-	1	7	1	8	5	5	-	10	74
114	15	16	4	7	2	4	9	2	3	-	-	-	5	4	-	2	12	3	-	20	75
25	12	2	2	3	2	3	3	1	-	1	-	-	2	1	1	-	8	-	-	4	76
192	29	56	6	17	10	3	22	7	4	10	2	-	9	22	2	19	28	4	2	55	77
108	18	43	2	14	5	2	13	4	2	6	-	-	6	14	1	9	12	4	2	33	78
19	2	3	-	2	1	-	2	-	2	1	-	-	1	2	-	3	2	-	-	5	79
65	9	10	4	1	4	1	7	3	-	3	2	-	2	6	1	7	14	-	-	17	80

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	INDIANA—Continued																
1	Tipton	197	3	1	-	3	35	7	5	23	2	117	114	28	-	76	1
2	Union	65	1	1	-	-	13	3	2	8	1	39	39	8	-	27	-
3	Vanderburgh	1,610	14	2	-	2	250	88	27	135	27	921	908	223	-	620	15
4	Evansville	1,399	12	1	-	1	222	81	24	117	23	793	781	187	-	539	12
5	Balance of county	211	2	1	-	1	28	7	3	18	4	128	127	36	-	81	3
6	Vermillion	224	2	-	-	2	38	12	5	21	1	137	137	38	-	91	1
7	Vigo	1,349	12	5	-	5	191	62	28	101	18	775	757	164	-	525	20
8	Terre Haute	958	9	2	-	3	133	40	22	71	15	564	552	120	-	383	13
9	Balance of county	391	3	3	-	2	58	22	6	30	3	211	205	44	-	142	7
10	Wabash	340	5	-	-	4	47	17	10	20	6	206	198	69	1	122	5
11	Wabash	140	3	-	-	1	18	10	3	5	3	83	80	23	-	53	3
12	Balance of county	200	2	-	-	3	29	7	7	15	3	123	118	46	1	69	2
13	Warren	85	2	1	-	1	6	3	1	2	-	55	55	11	-	41	3
14	Warrick	253	1	1	-	1	26	13	1	12	1	160	158	39	-	114	2
15	Washington	184	5	-	-	1	29	8	4	17	1	109	107	30	-	75	2
16	Wayne	680	8	2	-	3	96	30	13	53	9	420	411	94	-	286	11
17	Richmond	426	5	1	-	1	64	21	10	33	5	268	263	63	-	178	6
18	Balance of county	254	3	1	-	2	32	9	3	20	4	152	148	31	-	108	5
19	Wells	232	1	-	-	-	45	12	5	28	2	141	137	28	-	99	3
20	White	227	-	-	-	-	29	7	3	19	5	137	135	38	-	89	2
21	Whitley	208	1	1	-	1	27	9	1	17	2	130	128	40	-	75	1
22	IOWA	27,984	79	39	1	104	4,481	1,595	500	2,386	430	16,185	15,937	3,928	13	10,769	298
23	Metropolitan counties	7,788	21	16	-	37	1,275	429	178	668	99	4,372	4,307	971	2	2,989	101
24	Nonmetropolitan counties	20,196	58	23	1	67	3,206	1,166	322	1,718	331	11,813	11,630	2,957	11	7,780	197
25	Adair	120	-	-	-	-	11	3	-	8	1	82	80	22	-	54	2
26	Adams	75	-	-	-	-	16	6	-	10	-	42	42	12	-	28	-
27	Allamakee	193	-	1	-	-	33	14	6	13	7	92	90	18	-	60	2
28	Appanoose	253	2	2	-	-	36	14	3	19	6	149	145	44	1	93	3
29	Audubon	94	-	-	-	-	17	6	2	9	4	50	50	12	-	34	1
30	Benton	266	2	-	-	-	30	10	4	16	6	153	152	49	1	92	-
31	Black Hawk	942	-	1	-	6	154	53	18	83	12	530	525	124	1	367	14
32	Waterloo	620	-	-	-	5	104	35	16	53	7	338	335	79	-	231	6
33	Cedar Falls	146	-	-	-	-	19	8	-	11	1	94	94	22	-	66	1
34	Balance of county	176	-	1	-	1	31	10	2	19	4	98	96	23	1	70	7
35	Boone	322	1	-	-	1	45	17	4	24	5	184	183	43	-	132	8
36	Boone	182	-	-	-	-	20	6	2	12	3	116	115	29	-	82	4
37	Balance of county	140	1	-	-	1	25	11	2	12	2	68	68	14	-	50	4
38	Bremer	197	1	-	-	-	35	20	4	11	2	110	107	36	-	64	3
39	Buchanan	223	-	-	-	-	36	16	2	18	3	124	122	30	-	79	6
40	Buena Vista	213	1	-	-	1	38	17	3	18	5	120	118	37	-	78	2
41	Butler	191	1	-	-	-	26	9	3	14	2	120	119	45	-	71	1
42	Calhoun	187	-	-	-	-	38	13	1	24	-	106	101	27	-	68	-
43	Carroll	245	2	-	-	3	44	15	5	24	5	128	128	32	-	92	2
44	Cass	219	1	1	-	1	27	7	4	16	6	136	133	37	-	87	4
45	Cedar	194	2	-	-	-	31	12	3	16	3	107	105	34	-	57	2
46	Cerro Gordo	492	1	1	-	3	81	30	10	41	4	265	261	53	-	188	2
47	Mason City	302	1	1	-	2	55	17	6	32	2	162	159	35	-	115	-
48	Balance of county	190	-	-	-	1	26	13	4	9	2	103	102	18	-	73	2
49	Cherokee	175	-	1	-	-	24	15	-	9	2	104	103	29	-	68	1
50	Chickasaw	173	-	-	-	-	20	4	-	16	6	114	112	26	-	74	3
51	Clarke	121	-	-	-	-	22	5	4	13	1	76	72	11	-	56	-
52	Clay	195	-	1	-	-	27	9	5	13	3	122	122	31	-	83	2
53	Clayton	270	1	-	-	1	42	12	5	25	4	163	156	32	-	111	-
54	Clinton	571	1	-	-	4	105	43	14	48	3	309	304	86	1	198	6
55	Clinton	355	-	-	-	2	64	27	10	27	3	194	190	52	1	122	5
56	Balance of county	216	1	-	-	2	41	16	4	21	-	115	114	34	-	76	1
57	Crawford	171	-	1	-	1	40	18	3	19	7	80	78	14	-	50	2
58	Dallas	287	1	2	-	2	46	12	2	32	4	165	165	35	-	125	4
59	Davis	107	-	-	-	-	21	9	3	9	3	67	66	18	-	47	3
60	Decatur	164	1	-	-	-	24	10	4	10	-	102	101	27	-	60	1
61	Delaware	179	-	-	-	-	30	7	5	18	3	110	108	49	-	53	1
62	Des Moines	471	2	1	-	3	68	29	7	32	9	294	288	74	-	183	3
63	Burlington	363	2	1	-	2	58	25	7	26	8	219	215	55	-	135	-
64	Balance of county	108	-	-	-	1	10	4	-	6	1	75	73	18	-	48	3
65	Dickinson	122	-	-	-	-	21	7	5	9	3	70	68	13	-	49	2
66	Dubuque	754	3	-	-	2	113	41	12	60	10	430	426	117	-	282	14
67	Dubuque	583	3	-	-	1	85	34	7	44	10	346	342	95	-	226	11
68	Balance of county	171	-	-	-	1	28	7	5	16	-	84	84	22	-	56	3
69	Emmet	142	1	-	-	1	20	5	2	13	2	81	81	18	-	60	-
70	Fayette	312	1	-	-	3	42	19	1	22	9	178	174	40	-	113	4
71	Floyd	216	-	-	-	-	37	13	4	20	5	135	133	40	-	71	4
72	Charles City	114	-	-	-	-	22	9	3	10	4	69	67	18	-	37	3
73	Balance of county	102	-	-	-	-	15	4	1	10	1	66	66	22	-	34	1
74	Franklin	152	-	-	-	-	32	11	3	18	3	78	77	20	-	51	1
75	Fremont	143	2	-	-	-	13	7	1	5	7	95	90	14	-	73	1
76	Greene	167	-	-	-	1	27	9	4	14	3	97	95	17	-	71	3
77	Grundy	125	1	-	-	-	23	7	1	15	3	73	72	15	-	51	-
78	Guthrie	162	-	-	-	-	26	14	3	9	1	97	94	26	-	58	1
79	Hamilton	197	-	-	-	-	27	5	2	20	5	117	114	33	-	73	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
61	8	6	-	10	-	3	-	1	1	-	-	-	4	6	2	8	7	2	-	5	1
20	2	5	1	3	-	-	4	-	-	-	-	-	-	-	-	1	1	3	-	1	2
416	110	79	10	41	14	13	56	10	11	22	5	1	23	54	4	35	44	19	8	102	3
361	101	65	9	35	11	12	50	7	9	21	5	1	16	48	4	33	39	17	8	89	4
55	9	14	1	6	3	1	6	3	2	1	-	-	7	6	-	2	5	2	-	13	5
61	10	19	2	3	3	-	9	1	1	4	-	-	2	5	-	-	8	2	1	11	6
340	56	109	15	39	14	18	62	11	9	17	3	1	7	40	4	23	48	13	5	100	7
250	40	80	11	27	11	12	46	8	6	12	2	1	5	27	4	12	28	10	1	70	8
90	16	29	4	12	3	6	16	3	3	5	1	-	2	13	-	11	20	3	4	30	9
85	18	14	4	2	-	8	6	1	2	2	1	-	3	17	3	14	7	3	-	13	10
35	8	7	3	1	-	3	3	-	1	-	-	-	2	10	-	4	5	-	-	7	11
50	10	7	1	1	-	5	3	1	1	2	1	-	1	7	3	10	2	3	-	6	12
24	5	9	1	1	1	-	4	-	-	-	-	-	1	2	-	-	3	1	-	9	13
78	23	11	-	4	1	2	13	4	2	1	-	-	4	9	2	6	12	3	-	7	14
56	9	8	-	1	1	2	7	2	1	1	-	-	1	4	1	3	6	1	-	12	15
204	48	23	9	18	4	9	18	4	2	5	1	1	7	20	1	12	13	6	4	48	16
136	24	12	8	11	3	5	15	4	2	3	-	-	3	13	1	4	6	2	3	26	17
68	24	11	1	7	1	4	3	-	-	2	1	1	4	7	-	8	7	4	1	22	18
75	15	6	4	4	2	4	6	3	1	1	-	1	2	5	1	6	3	2	-	12	19
60	9	18	2	2	4	2	7	3	4	4	-	-	3	5	3	5	11	1	-	10	20
55	8	11	1	8	4	2	5	-	-	1	-	-	2	8	-	6	7	4	-	13	21
7,963	959	1,549	195	778	254	248	1,054	170	99	194	39	13	314	789	172	710	946	295	27	1,843	22
2,265	268	355	52	211	82	65	297	54	31	61	5	6	111	273	27	177	281	89	13	543	23
5,698	691	1,194	143	567	172	183	757	116	68	133	34	7	203	516	145	533	665	206	14	1,300	24
38	8	6	1	1	2	2	-	1	-	-	-	-	1	4	2	6	5	-	-	7	25
22	2	4	-	1	1	-	5	1	-	-	-	-	1	1	-	1	1	1	-	6	26
46	-	12	1	9	2	2	18	-	-	3	1	-	-	8	-	4	3	1	-	22	27
48	7	35	-	5	2	4	12	1	-	1	1	-	4	1	4	9	7	2	-	16	28
25	6	2	-	3	1	-	6	1	1	-	-	-	1	3	1	1	4	-	-	5	29
74	4	14	-	9	1	1	12	4	1	-	1	-	2	7	1	6	16	6	-	19	30
286	20	47	3	24	6	5	22	10	4	6	1	1	19	43	2	23	37	7	3	61	31
189	14	22	2	19	4	3	15	9	4	5	1	1	13	25	1	19	24	3	3	43	32
47	4	14	-	4	2	-	3	-	-	1	-	-	4	10	-	1	3	2	-	8	33
50	2	11	1	1	-	2	4	1	-	-	-	-	2	8	1	3	10	2	-	10	34
80	28	16	-	7	1	1	15	6	2	2	-	-	1	7	7	10	15	4	-	17	35
46	21	11	-	4	-	1	6	3	-	1	-	-	-	5	5	5	7	2	-	9	36
34	7	5	-	3	1	-	9	3	2	1	-	-	1	2	2	5	8	2	-	8	37
48	3	10	2	4	1	3	4	2	1	1	-	-	4	8	1	4	6	1	-	17	38
51	16	6	3	6	4	2	7	1	3	1	-	-	4	8	-	9	7	5	-	15	39
60	2	14	1	1	1	2	8	2	-	-	-	-	1	7	1	10	7	-	-	12	40
50	12	8	1	2	-	1	4	1	1	2	1	1	3	5	-	7	4	3	-	10	41
53	2	13	1	5	-	5	3	1	2	1	-	-	1	7	1	3	4	6	-	14	42
74	8	8	-	4	-	-	9	1	2	-	1	-	2	11	2	5	5	4	-	21	43
57	14	12	2	4	3	3	3	-	1	2	2	-	4	4	1	3	6	3	-	18	44
41	6	8	1	7	6	2	9	-	1	3	-	-	3	2	1	7	2	6	2	15	45
160	13	13	7	8	5	4	31	5	1	4	1	-	11	16	-	20	17	7	-	24	46
98	9	8	3	5	1	3	17	4	1	3	1	-	6	11	-	6	10	5	-	15	47
62	4	5	4	3	4	1	14	1	-	1	-	-	5	5	-	14	7	2	-	9	48
51	10	6	1	4	1	1	6	4	1	2	-	-	-	8	2	5	8	-	-	8	49
38	12	21	2	7	3	2	4	1	-	2	-	-	1	3	-	12	1	4	-	5	50
31	1	24	1	3	1	4	4	-	-	-	-	-	1	4	-	3	1	-	-	9	51
64	4	13	1	4	3	-	6	1	-	1	-	-	2	3	-	9	5	4	-	11	52
85	11	15	2	8	3	7	7	2	2	3	1	1	1	3	3	7	9	3	-	17	53
150	12	30	2	12	5	5	21	4	2	6	-	1	5	16	2	11	27	8	1	45	54
95	8	14	2	8	5	4	14	4	-	4	-	1	5	8	1	7	19	1	-	28	55
55	4	16	-	4	-	1	7	-	2	2	-	-	-	8	1	4	8	7	1	17	56
28	6	14	3	9	2	2	4	1	1	2	-	-	3	1	3	6	9	4	-	8	57
87	13	21	1	3	1	-	8	-	1	1	-	1	3	4	5	6	13	3	1	21	58
34	3	7	1	-	-	1	3	-	-	-	-	-	-	2	1	3	3	-	-	4	59
44	6	9	1	11	2	1	8	-	2	-	2	-	1	3	1	7	4	1	-	8	60
44	4	4	3	2	1	2	12	-	-	1	-	-	1	2	1	2	7	4	-	6	61
149	12	19	9	21	1	6	19	2	2	1	-	-	4	8	2	9	13	4	-	30	62
113	10	12	8	16	1	4	16	2	2	1	-	-	2	7	-	8	9	4	-	22	63
36	2	7	1	5	-	2	3	-	-	-	-	-	2	1	2	1	4	-	-	8	64
36	3	8	1	3	2	2	5	-	-	1	-	-	1	3	-	4	5	1	-	8	65
193	39	36	1	20	6	4	38	4	3	9	1	-	15	31	-	12	34	3	-	46	66
154	34	27	1	16	4	4	27	3	3	6	-	-	10	24	-	10	21	3	-	31	67
39	5	9	-	4	2	-	11	1	-	3	1	-	5	7	-	2	13	-	-	15	68
51	4	5	1	1	1	-	4	2	-	2	1	-	4	8	1	6	2	-	-	7	69
74	9	26	1	18	2	4	8	3	-	1	-	-	5	7	2	11	8	4	1	29	70
52	5	10	3	18	1	2	5	2	1	1	-	1	-	5	1	6	4	1	-	12	71
26	2	6	2	9	1	2	3	1	-	1	-	-	-	2	1	3	3	-	-	5	72
26	3	4	1	9	-	-	2	1	1	-	-	1	-	3	-	3	1	1	-	7	73
39	4	7	4	1	1	1	7	1	-	-	-	-	5	6	2	5	3	2	-	8	74
50	14	8	-	2	1	5	7	-	-	1	-	-	-	1	1	4	5	1	-	6	75
49	8	11	3	1	3	2	7	1	4	-	-	-	2	6	1	5	3	1	-	9	76
44	1	6	1	5	-	1	2	-	2	1	-	-	-	1	1	4	3	1	-	10	77
38	9	10	1	6	3	3	5	2	-	1	-	-	2	4	1	3	3	2	-	15	78
60	5	8	2	4	2	3	7	1	1	2	-	-	3	3	2	9	5	2	-	13	79

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. - Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	IOWA—Continued																
1	Hancock	126	-	-	-	1	20	9	2	9	-	70	70	14	-	54	3
2	Hardin	239	-	1	-	1	39	13	4	22	2	150	148	41	-	96	-
3	Harrison	206	1	-	-	3	35	15	6	14	8	120	116	26	-	77	1
4	Henry	207	2	-	-	-	34	19	2	13	2	128	128	20	-	105	2
5	Howard	152	-	-	-	1	29	15	3	11	2	89	88	18	-	56	3
6	Humboldt	114	-	-	-	-	19	7	2	10	-	58	58	14	1	38	-
7	Ida	118	-	-	-	2	22	8	3	11	1	67	67	12	-	49	-
8	Iowa	177	1	-	-	-	26	10	1	15	1	111	110	32	-	65	1
9	Jackson	218	1	-	-	-	35	11	3	21	5	117	116	34	-	72	3
10	Jasper	307	-	-	-	1	55	16	6	33	-	161	180	43	-	116	4
11	Newton	146	-	-	-	1	24	8	4	12	-	82	81	18	-	52	2
12	Balance of county	161	-	-	-	-	31	8	2	21	-	99	99	25	-	64	2
13	Jefferson	182	2	-	-	1	17	2	3	12	1	120	117	36	-	78	-
14	Johnson	373	2	-	-	4	56	21	3	32	12	195	190	39	1	131	2
15	Iowa City	232	1	-	-	4	35	13	3	19	5	121	119	24	1	82	1
16	Balance of county	141	1	-	-	-	21	8	-	13	7	74	71	15	-	49	1
17	Jones	200	-	-	-	-	30	13	1	16	4	114	111	35	-	65	2
18	Keokuk	217	-	-	-	3	22	6	3	13	1	134	133	37	-	91	5
19	Kossuth	235	-	-	-	-	38	14	3	21	1	140	139	40	-	86	-
20	Lee	506	2	1	-	1	84	31	8	45	9	285	281	54	-	210	3
21	Fort Madison	154	-	-	-	1	33	13	1	19	4	80	79	12	-	62	1
22	Keokuk	223	2	1	-	-	26	7	4	15	4	132	131	31	-	92	2
23	Balance of county	129	-	-	-	-	25	11	3	11	1	73	71	11	-	56	-
24	Linn	1,200	6	1	-	4	201	69	23	109	12	711	705	157	1	478	13
25	Cedar Rapids	828	3	1	-	3	155	56	19	80	9	474	469	98	-	328	12
26	Balance of county	372	3	-	-	1	46	13	4	29	3	237	236	59	1	150	1
27	Louisa	130	2	1	-	-	18	7	2	9	4	82	81	23	-	52	-
28	Lucas	167	-	-	-	-	26	7	3	16	2	108	106	35	-	66	-
29	Lyon	103	-	-	-	-	22	5	5	12	4	59	58	16	-	40	1
30	Madison	162	1	1	-	-	25	11	5	9	2	103	101	16	-	82	3
31	Mahaska	270	-	-	-	-	43	23	1	19	5	165	163	40	-	113	1
32	Oskaloosa	143	-	-	-	-	23	10	1	12	3	87	86	24	-	58	1
33	Balance of county	127	-	-	-	-	20	13	-	7	2	78	77	16	-	55	-
34	Marion	270	-	-	-	1	55	19	5	31	3	149	145	41	-	87	4
35	Marshall	378	1	1	-	-	62	16	8	38	2	239	233	60	-	142	4
36	Marshalltown	237	1	-	-	-	36	10	6	20	1	151	149	39	-	93	3
37	Balance of county	141	-	1	-	-	26	6	2	18	1	88	84	21	-	49	1
38	Mills	117	-	-	-	-	23	7	3	13	2	70	70	18	-	44	1
39	Mitchell	140	1	-	-	-	23	9	2	12	4	83	82	18	-	58	-
40	Monona	155	-	-	-	-	27	11	3	13	2	94	92	24	1	61	1
41	Monroe	154	1	-	-	-	23	10	1	12	5	74	68	24	-	36	1
42	Montgomery	178	-	-	-	1	29	8	2	19	-	106	106	34	-	65	2
43	Muscatine	386	-	1	-	1	75	21	8	46	8	217	213	49	-	158	4
44	Muscatine	251	-	-	-	1	51	14	4	33	4	147	144	39	-	102	2
45	Balance of county	135	-	1	-	-	24	7	4	13	4	70	69	10	-	56	2
46	O'Brien	199	-	-	-	-	42	18	5	19	2	115	114	23	1	85	2
47	Osceola	91	-	-	1	-	15	8	-	7	1	50	50	7	-	38	-
48	Page	241	3	-	-	1	38	12	7	19	2	145	142	31	-	92	5
49	Palo Alto	155	-	-	-	2	26	10	1	15	2	90	88	38	-	48	-
50	Plymouth	204	-	-	-	-	34	9	6	19	1	120	119	33	-	80	2
51	Pocahontas	105	-	-	-	-	19	5	3	11	2	62	60	22	-	31	-
52	Polk	2,601	4	8	-	9	450	142	65	243	29	1,409	1,385	339	-	929	35
53	Des Moines	2,247	4	7	-	8	382	120	53	209	26	1,219	1,198	283	-	820	29
54	Balance of county	354	-	1	-	1	68	22	12	34	3	190	187	56	-	109	6
55	Pottawattamie	784	1	-	-	2	109	38	20	51	12	459	452	103	-	319	13
56	Council Bluffs	559	1	-	-	2	68	25	13	30	6	338	333	78	-	233	12
57	Balance of county	225	-	-	-	-	41	13	7	21	6	121	119	25	-	86	1
58	Poweshiek	196	-	-	-	1	25	6	3	16	-	123	122	48	-	68	-
59	Ringgold	108	1	-	-	-	17	6	2	9	3	65	64	19	-	41	1
60	Sac	161	1	-	-	1	24	11	2	11	2	91	91	19	-	63	3
61	Scott	1,125	6	2	-	4	197	60	27	110	13	608	599	109	-	446	15
62	Davenport	864	5	2	-	3	161	49	22	90	8	478	470	90	-	344	11
63	Balance of county	261	1	-	-	1	36	11	5	20	5	130	129	19	-	102	4
64	Shelby	119	-	-	-	-	21	8	2	11	3	68	68	11	1	53	1
65	Sioux	218	-	-	-	-	43	14	1	28	7	117	116	28	-	75	2
66	Story	374	1	-	-	3	48	17	4	27	8	211	209	49	-	141	3
67	Ames	142	1	-	-	1	16	8	1	7	2	80	80	20	-	52	2
68	Balance of county	232	-	-	-	2	32	9	3	20	6	131	129	29	-	89	1
69	Tama	249	-	-	-	-	36	11	4	21	6	149	147	39	2	98	3
70	Taylor	157	-	-	-	3	27	13	2	12	1	106	105	20	-	79	-
71	Union	202	-	-	-	-	29	11	2	16	6	139	138	28	1	100	4
72	Van Buren	165	-	-	-	2	20	9	3	8	2	111	108	29	-	74	1
73	Wapello	503	4	3	-	2	76	22	13	41	5	299	295	72	-	208	7
74	Ottumwa	353	3	3	-	1	55	16	11	28	4	208	204	51	-	144	5
75	Balance of county	150	1	-	-	1	21	6	2	13	1	91	91	21	-	64	2
76	Warren	161	1	-	-	1	28	7	4	17	1	85	84	26	-	49	-
77	Washington	225	-	-	-	-	34	9	3	22	1	131	128	38	-	76	4
78	Wayne	131	1	-	-	1	17	4	-	13	3	85	85	20	-	60	2
79	Webster	486	-	1	-	2	71	25	7	39	14	281	280	45	-	218	4
80	Fort Dodge	303	-	1	-	1	37	14	5	18	11	174	173	28	-	133	3
81	Balance of county	183	-	-	-	1	34	11	2	21	3	107	107	17	-	85	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
36	4	11	2	-	-	-	8	1	-	-	-	-	3	5	-	3	4	-	-	11	1
83	6	7	3	6	2	2	5	1	-	2	-	-	2	1	-	8	7	2	-	18	2
56	5	15	3	8	2	4	7	-	-	1	1	-	3	1	-	5	7	2	1	11	3
79	7	17	-	3	-	-	7	1	-	-	-	-	2	4	2	5	9	2	-	9	4
38	2	13	1	13	-	1	1	-	-	2	1	-	2	2	1	3	6	-	-	13	5
29	3	6	1	3	1	-	7	-	1	2	-	-	-	5	-	4	5	-	-	13	6
32	7	10	-	6	-	-	3	1	-	-	1	-	1	5	3	3	3	2	-	4	7
44	6	14	1	8	4	1	2	1	-	-	-	-	4	3	-	7	7	2	-	12	8
46	7	16	-	10	-	1	11	1	2	2	-	-	1	6	1	5	18	2	-	11	9
95	6	11	4	15	2	1	15	4	3	3	-	-	5	5	3	6	11	-	-	15	10
44	1	5	2	8	1	1	5	3	2	3	-	-	2	3	2	3	6	-	-	10	11
51	5	6	2	7	1	-	10	1	1	-	-	-	3	2	1	3	5	-	-	5	12
58	9	11	1	1	1	3	11	1	1	-	1	-	3	4	-	6	4	1	-	9	13
103	7	19	3	7	9	5	12	2	3	5	-	1	9	31	2	5	8	-	2	24	14
67	5	9	2	5	5	2	9	1	2	2	-	-	6	21	2	2	4	-	2	15	15
36	2	10	1	2	4	3	3	1	1	3	-	1	3	10	-	3	4	-	-	9	16
49	1	13	1	7	3	3	9	2	-	-	-	-	3	7	-	3	10	7	-	11	17
67	8	11	-	5	-	1	7	3	1	2	2	-	3	2	2	4	4	9	1	17	18
68	3	15	-	11	2	1	8	-	-	3	-	-	2	11	1	11	8	1	-	11	19
157	13	37	2	12	3	4	24	4	5	3	-	-	4	12	1	11	21	5	-	34	20
54	1	6	-	4	1	1	6	-	2	1	-	-	-	4	-	5	9	1	-	8	21
67	9	14	1	6	1	1	11	3	1	2	-	-	2	5	1	2	6	4	-	21	22
36	3	17	1	2	1	2	7	1	2	-	-	-	2	3	-	4	6	-	-	5	23
382	43	40	17	32	20	6	44	5	3	11	-	1	16	42	3	37	30	17	-	56	24
259	30	27	10	21	12	5	32	4	3	7	-	-	10	34	2	23	21	12	-	35	25
123	13	13	7	11	8	1	12	1	-	4	-	1	6	8	1	14	9	5	-	21	26
32	8	12	2	4	-	1	5	-	-	-	-	-	-	1	-	1	3	1	-	12	27
40	8	18	-	4	1	2	5	1	-	-	-	-	2	1	1	2	7	1	-	11	28
24	1	14	-	2	-	1	3	-	1	-	-	-	1	2	-	3	2	-	-	6	29
77	-	2	-	2	1	2	12	-	-	-	1	-	-	2	1	4	6	-	-	4	30
78	13	21	1	7	2	2	9	2	-	1	-	-	2	8	5	3	8	3	-	16	31
41	5	11	1	2	1	1	5	1	-	-	-	-	1	4	3	2	5	2	-	7	32
37	8	10	-	5	1	1	4	1	-	1	-	-	1	4	2	1	3	1	-	9	33
64	2	17	7	8	2	4	7	-	1	4	-	-	1	3	4	7	9	4	-	22	34
105	15	18	2	21	8	6	11	-	2	2	-	-	1	8	1	4	17	5	1	21	35
67	10	13	2	9	6	2	9	-	2	1	-	-	-	4	1	1	11	3	-	16	36
38	5	5	-	12	2	4	2	-	-	1	-	-	1	4	-	3	6	2	1	5	37
29	3	11	2	4	2	-	5	-	-	-	-	-	-	-	2	4	4	1	-	6	38
45	7	6	2	3	1	1	6	1	-	-	-	-	-	4	2	6	4	-	-	6	39
47	6	7	1	4	1	2	5	1	-	1	2	-	-	4	-	4	4	-	-	11	40
21	1	13	-	5	3	6	11	-	-	-	-	-	-	3	15	1	7	2	-	12	41
53	3	7	1	5	1	-	8	1	1	-	1	-	-	5	-	4	4	3	-	15	42
108	18	28	1	2	3	4	14	1	1	3	-	-	1	13	1	14	15	5	-	16	43
73	11	16	-	1	2	3	8	-	1	2	-	-	-	11	1	5	10		-	10	44
35	7	12	1	1	1	1	6	1	-	1	-	-	1	2	-	9	5	5	-	6	45
61	7	15	2	3	-	1	8	1	-	1	-	-	1	4	1	8	5	4	-	7	46
30	2	6	1	4	-	-	2	1	-	-	1	-	-	3	-	3	4	2	-	8	47
67	13	7	2	16	1	3	5	1	1	2	-	-	3	4	1	7	10	2	-	16	48
35	3	10	-	2	-	2	4	-	-	-	3	-	3	5	-	4	5	2	-	9	49
63	6	9	1	2	3	1	5	3	-	3	-	-	4	7	1	6	6	2	-	12	50
25	3	3	2	5	-	2	3	-	1	1	-	-	-	1	1	6	1	-	-	8	51
717	94	83	15	77	25	24	105	23	14	23	1	1	35	94	13	47	100	20	4	212	52
624	88	79	14	63	18	21	88	21	13	21	1	1	31	87	13	40	88	17	3	177	53
93	6	4	1	14	7	3	17	2	1	2	-	-	4	7	-	7	12	3	1	35	54
234	26	46	3	19	8	7	31	6	4	4	-	-	9	23	3	13	43	9	2	54	55
168	19	34	3	13	6	5	23	6	3	4	-	-	5	17	1	8	34	4	2	37	56
66	7	12	-	6	2	2	8	-	1	-	-	-	4	6	2	5	9	5	-	17	57
58	2	8	1	3	2	1	6	-	1	1	-	-	-	4	2	8	10	2	-	13	58
29	6	5	1	1	2	1	3	-	-	1	-	-	-	4	1	2	2	-	-	9	59
55	2	3	4	4	1	-	1	2	-	-	-	-	1	3	3	11	8	4	-	9	60
327	36	68	11	20	13	9	57	3	2	10	1	2	17	30	2	28	34	29	2	78	61
255	28	50	7	19	10	8	40	2	2	8	1	1	10	15	2	19	27	23	2	55	62
72	8	18	4	1	3	1	17	1	-	2	-	1	7	15	-	9	7	6	-	23	63
35	7	10	1	1	1	-	5	1	-	-	-	-	1	4	1	2	-	-	-	13	64
54	2	17	5	6	2	1	5	2	-	1	-	-	2	4	3	9	4	-	-	21	65
106	10	22	1	12	6	2	20	3	2	7	2	-	3	14	6	11	13	1	-	21	66
45	1	4	-	5	3	-	5	2	-	1	-	-	2	13	2	2	5	1	-	9	67
61	9	18	1	7	3	2	15	1	2	6	2	-	1	1	4	9	8	-	-	12	68
69	8	18	-	8	-	2	5	1	-	2	-	-	1	6	4	4	9	3	2	21	69
66	3	10	-	6	-	1	3	-	-	-	-	-	-	-	1	3	5	-	-	8	70
74	6	16	1	6	2	1	4	-	-	-	-	1	1	3	2	-	3	5	1	8	71
51	11	11	1	-	4	3	3	1	-	-	1	-	-	5	-	2	5	1	-	12	72
162	25	14	-	10	5	4	22	2	1	3	2	-	6	10	6	9	13	2	-	38	73
116	18	5	-	6	3	4	13	1	-	2	2	-	4	9	2	9	7	2	-	28	74
46	7	9	-	4	2	-	9	1	1	1	-	-	2	1	4	-	6	-	-	10	75
37	6	6	-	8	1	1	8	1	-	1	-	-	4	7	-	3	7	1	-	13	76
48	11	13	-	12	2	3	13	-	1	1	1	-	4	4	2	3	5	3	1	21	77
31	5	22	1	3	1	-	4	2	-	2	-	-	-	1	-	5	4	1	-	5	78
143	27	44	5	9	3	1	21	4	-	6	-	-	6	18	4	10	19	2	-	27	79
85	15	30	3	6	3	1	15	-	-	4	-	-	6	16	3	7	12	1	-	15	80
58	12	14	2	3	-	-	6	4	-	2	-	-	-	2	1	3	7	1	-	12	81

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	IOWA—Continued																
1	Winnebago	124	-	1	-	-	24	13	-	11	3	75	75	20	-	48	3
2	Winneshiek	234	-	-	-	-	43	20	-	23	3	142	141	31	-	99	1
3	Woodbury	1,136	4	4	-	12	164	67	25	72	21	655	641	139	-	450	11
4	Sioux City	948	4	4	-	10	135	59	20	56	19	540	533	116	-	376	9
5	Balance of county	188	-	-	-	2	29	8	5	16	2	115	108	23	-	74	2
6	Worth	117	1	-	-	-	14	4	1	9	2	65	65	12	-	49	2
7	Wright	224	-	1	-	-	29	10	2	17	4	135	131	40	-	77	2
8	KANSAS	20,391	77	49	2	60	3,017	981	380	1,656	317	11,409	11,169	2,666	7	7,566	190
9	Metropolitan counties	5,916	34	23	1	23	867	252	125	490	98	3,019	2,962	653	1	2,046	76
10	Nonmetropolitan counties	14,475	43	26	1	37	2,150	729	255	1,166	219	8,390	8,207	2,013	6	5,520	114
11	Allen	261	2	1	-	1	22	8	4	10	4	170	166	35	1	122	1
12	Anderson	106	-	-	-	-	14	6	2	6	2	73	73	15	-	56	-
13	Atchison	265	-	-	-	-	42	17	7	18	4	167	158	30	-	117	2
14	Atchison	188	-	-	-	-	27	8	6	13	4	115	108	21	-	83	1
15	Balance of county	77	-	-	-	-	15	9	1	5	-	52	50	9	-	34	1
16	Barber	97	-	-	-	1	9	3	4	2	2	75	74	17	-	55	-
17	Barton	275	-	1	1	-	46	20	5	21	3	133	132	19	-	101	5
18	Great Bend	118	-	-	-	-	19	9	3	7	2	57	57	7	-	43	-
19	Balance of county	157	-	1	1	-	27	11	2	14	1	76	75	12	-	58	5
20	Bourbon	207	-	1	-	-	29	12	3	14	4	133	130	32	-	86	1
21	Fort Scott	134	-	-	-	-	16	5	2	9	1	93	92	21	-	61	1
22	Balance of county	73	-	1	-	-	13	7	1	5	3	40	38	11	-	25	-
23	Brown	176	1	1	-	-	33	15	2	16	4	94	92	22	-	65	-
24	Butler	321	-	1	-	1	59	19	9	31	9	160	156	41	1	102	1
25	El Dorado	113	-	-	-	-	23	9	6	8	3	56	55	13	-	37	-
26	Balance of county	208	-	1	-	1	36	10	3	23	6	104	101	28	1	65	1
27	Chase	43	-	-	-	-	9	3	1	5	-	30	30	10	-	19	1
28	Chautauqua	74	-	-	-	1	10	4	-	6	1	38	38	6	-	29	-
29	Cherokee	337	7	1	-	-	60	19	7	34	8	199	194	52	-	129	4
30	Cheyenne	40	-	-	-	-	3	1	-	2	-	24	24	4	1	18	-
31	Clark	42	-	-	-	-	5	2	1	2	1	25	25	3	-	21	-
32	Clay	143	1	-	-	-	12	5	2	5	1	95	92	19	-	67	1
33	Cloud	181	1	-	-	2	30	11	6	13	2	107	104	34	-	61	2
34	Coffey	131	-	-	-	-	21	5	4	12	2	77	75	20	-	47	1
35	Comanche	34	-	-	-	-	7	1	1	5	-	16	16	2	-	12	-
36	Cowley	464	3	-	-	-	70	21	5	44	6	274	270	48	-	191	1
37	Arkansas City	182	-	-	-	-	33	9	2	22	1	113	111	26	-	71	1
38	Winfield	153	3	-	-	-	17	3	1	13	3	91	90	14	-	64	-
39	Balance of county	129	-	-	-	-	20	9	2	9	2	70	69	8	-	56	-
40	Crawford	521	3	1	-	-	86	26	12	48	8	321	318	72	1	221	3
41	Pittsburg	268	1	1	-	-	41	15	6	20	5	166	165	34	-	117	2
42	Balance of county	253	2	-	-	-	45	11	6	28	3	155	153	38	1	104	1
43	Decatur	58	-	-	-	1	8	2	1	5	1	38	37	10	-	26	-
44	Dickinson	252	-	-	-	1	38	9	6	23	2	136	132	46	-	76	1
45	Doniphan	128	2	-	-	-	13	6	2	5	2	83	83	23	-	54	-
46	Douglas	302	-	3	-	-	44	16	5	23	2	179	178	49	-	114	-
47	Lawrence	209	-	3	-	-	30	9	5	16	1	116	115	32	-	73	-
48	Balance of county	93	-	-	-	-	14	7	-	7	1	63	63	17	-	41	-
49	Edwards	76	1	-	-	1	18	8	4	6	-	37	37	2	-	33	-
50	Elk	88	-	-	-	-	13	5	1	7	-	47	45	11	-	26	-
51	Ellis	125	-	1	-	-	23	10	-	13	-	54	54	10	-	39	1
52	Ellsworth	107	1	-	-	-	19	10	-	9	4	64	64	26	-	33	-
53	Finney	102	1	-	-	2	23	8	3	12	2	40	36	9	-	25	3
54	Garden City	83	-	-	-	1	20	6	3	11	-	33	29	9	-	19	1
55	Balance of county	19	1	-	-	1	3	2	-	1	2	7	7	-	-	6	2
56	Ford	185	-	-	-	-	30	9	2	19	-	109	104	25	-	74	3
57	Dodge City	118	-	-	-	-	19	5	-	14	-	69	66	12	-	50	3
58	Balance of county	67	-	-	-	-	11	4	2	5	-	40	38	13	-	24	-
59	Franklin	249	-	1	-	-	28	7	4	17	1	153	148	32	-	107	1
60	Ottawa	151	-	1	-	-	13	4	-	9	-	98	94	18	-	70	1
61	Balance of county	98	-	-	-	-	15	3	4	8	1	55	54	14	-	37	-
62	Geary	191	-	-	-	-	25	8	4	13	2	76	74	17	-	53	1
63	Junction City	144	-	-	-	-	20	6	4	10	1	62	60	15	-	42	1
64	Balance of county	47	-	-	-	-	5	2	-	3	1	14	14	2	-	11	-
65	Gove	27	-	-	-	-	5	2	-	3	2	15	14	4	-	9	-
66	Graham	47	-	-	-	1	2	2	-	-	1	27	27	3	-	23	3
67	Grant	39	-	-	-	-	7	3	2	2	1	11	11	2	-	8	1
68	Gray	47	-	-	-	-	3	1	-	2	-	29	29	7	-	20	-
69	Greeley	11	-	-	-	-	-	-	-	-	-	5	5	1	-	4	-
70	Greenwood	127	-	-	-	1	20	9	3	8	-	69	68	18	-	45	1
71	Hamilton	35	-	-	-	-	4	2	-	2	2	11	11	3	-	7	-
72	Harper	119	-	-	-	-	13	5	2	6	1	77	68	19	-	34	-
73	Harvey	266	1	-	-	1	45	11	5	29	6	135	129	28	-	96	-
74	Newton	159	1	-	-	1	24	7	3	14	3	81	77	14	-	60	-
75	Balance of county	107	-	-	-	-	21	4	2	15	3	54	52	14	-	36	-
76	Haskell	18	-	-	-	-	4	2	-	2	-	8	8	2	-	5	-
77	Hodgeman	37	-	-	-	1	2	1	-	1	2	25	25	1	-	21	-
78	Jackson	142	-	-	-	-	20	8	-	12	3	91	90	23	-	61	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
42	2	1	-	5	2	-	3	1	-	-	-	-	1	7	-	3	3	-	-	3	1
77	6	15	1	10	-	1	7	2	-	-	1	-	2	1	2	2	7	4	-	18	2
319	49	71	3	39	10	14	38	7	4	7	2	1	15	41	4	29	37	7	2	82	3
258	48	61	2	32	7	7	31	7	2	7	2	-	14	36	3	24	32	7	2	69	4
61	1	10	1	7	3	7	7	-	2	-	-	1	1	5	1	5	5	-	-	13	5
34	8	5	2	2	-	-	13	1	-	2	-	-	-	2	-	3	3	-	-	11	6
65	5	5	5	4	5	4	3	-	1	5	-	-	3	6	2	9	8	3	-	15	7
5,480	759	1,137	189	532	209	240	680	122	75	128	38	13	319	708	196	589	790	255	61	1,486	8
1,516	198	256	62	127	73	57	227	35	21	51	14	2	149	314	92	172	207	87	37	443	9
3,964	561	881	127	405	136	183	453	87	54	77	24	11	170	394	104	417	583	168	24	1,043	10
78	19	24	1	3	4	4	14	3	-	2	-	1	-	4	-	5	8	3	-	21	11
49	-	7	1	-	1	-	3	1	-	-	-	-	2	1	-	1	3	-	-	6	12
69	18	28	3	5	3	9	8	1	-	4	1	1	2	6	-	3	10	1	1	14	13
47	14	21	1	3	-	7	7	1	-	4	1	1	1	5	-	2	9	1	1	9	14
22	4	7	2	2	3	2	1	-	-	-	-	-	1	1	-	1	1	-	-	5	15
41	7	7	1	-	1	1	-	-	-	-	-	-	-	3	1	-	1	1	-	4	16
68	9	19	3	4	5	1	15	-	-	1	1	-	5	8	1	20	15	1	-	24	17
34	1	8	2	2	3	-	7	-	-	-	-	-	4	6	-	4	5	1	-	13	18
34	8	11	1	2	2	1	8	-	-	1	1	-	1	2	1	16	10	-	-	11	19
74	9	2	5	5	2	3	4	1	-	1	-	-	1	5	-	3	10	3	-	12	20
52	7	1	5	4	1	1	3	-	-	1	-	-	1	3	-	2	7	-	-	7	21
22	2	1	-	1	1	2	1	1	-	-	-	-	-	2	-	1	3	3	-	5	22
45	7	13	1	3	1	2	14	3	-	2	-	-	1	2	-	2	4	-	1	14	23
80	12	9	3	8	1	4	11	3	-	1	2	-	4	9	1	11	18	4	-	27	24
31	3	3	2	3	-	1	2	1	-	1	2	-	1	3	-	5	5	2	-	9	25
49	9	6	1	5	1	3	9	2	-	-	-	-	3	6	1	6	13	2	-	18	26
15	2	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	27
23	3	3	-	2	1	-	-	-	3	2	-	-	1	-	1	1	4	1	-	11	28
89	16	20	2	9	2	5	7	-	-	3	-	-	3	2	1	5	11	1	-	29	29
12	2	4	-	-	1	-	3	-	-	-	-	-	-	2	-	-	2	2	-	4	30
16	1	4	-	1	-	-	1	-	-	-	-	-	-	1	-	1	4	-	-	4	31
49	6	11	-	3	3	3	5	1	-	1	-	-	1	3	2	2	8	1	-	10	32
48	5	6	2	4	3	3	6	1	-	2	1	-	1	4	-	2	9	1	-	12	33
29	10	7	3	5	-	2	4	4	-	-	-	-	-	1	4	5	7	-	-	6	34
9	2	1	2	-	-	-	2	2	-	-	-	1	-	1	-	-	3	-	-	2	35
153	15	22	6	21	4	4	14	-	2	1	-	-	7	14	3	15	19	10	-	26	36
58	6	6	4	10	-	2	4	-	2	-	-	-	2	8	-	7	5	4	-	3	37
49	6	9	1	9	2	1	2	-	-	1	-	-	1	5	1	4	8	3	-	14	38
46	3	7	1	2	2	1	8	-	-	-	-	-	4	1	2	4	6	3	-	9	39
171	27	20	6	12	6	3	9	2	3	4	2	-	4	11	2	5	15	5	-	40	40
90	14	11	4	6	4	1	4	1	2	3	2	-	-	7	1	3	8	2	-	21	41
81	13	9	2	6	2	2	5	1	1	1	-	-	4	4	1	2	7	3	-	19	42
22	1	3	-	-	1	1	1	1	-	1	-	-	1	1	-	-	1	-	-	4	43
50	6	19	2	7	1	4	7	4	2	2	-	-	2	12	2	11	11	-	1	21	44
34	9	11	1	4	1	-	5	2	-	-	-	-	2	4	-	4	2	2	1	6	45
82	6	26	5	8	2	1	8	1	1	-	1	-	6	8	-	7	16	4	1	21	46
61	6	6	2	6	2	1	7	1	1	-	-	-	5	7	-	7	12	1	1	17	47
21	-	20	3	2	-	-	1	-	-	-	1	-	1	1	-	-	4	3	-	4	48
27	1	5	-	2	-	-	3	1	-	-	-	1	-	1	1	2	1	5	-	4	49
22	2	2	-	6	2	2	1	1	-	-	-	1	5	1	4	3	5	2	-	5	50
30	3	5	1	3	1	-	3	-	2	1	-	-	4	9	-	11	10	-	-	7	51
27	3	3	1	1	3	-	2	-	1	2	-	-	2	1	1	2	1	-	-	7	52
17	1	4	1	1	-	4	12	1	2	1	-	-	-	4	-	2	6	-	-	6	53
14	1	3	-	1	-	4	8	1	2	1	-	-	-	4	-	2	6	-	-	5	54
3	-	1	1	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	55
50	7	14	2	1	2	5	4	3	2	1	-	-	3	6	-	8	6	1	-	12	56
36	3	8	2	1	1	3	3	3	-	1	-	-	2	4	-	5	4	1	-	7	57
14	4	6	-	-	1	2	1	-	2	-	-	-	1	2	-	3	2	-	-	5	58
61	12	33	3	5	1	5	3	-	-	1	2	1	3	5	-	10	10	3	1	27	59
41	8	20	3	3	-	4	2	-	-	1	2	-	3	3	-	6	7	1	1	13	60
20	4	13	-	2	1	1	1	-	-	-	-	1	-	2	-	4	3	2	-	14	61
33	7	12	-	4	-	2	6	1	-	-	-	-	11	23	3	14	11	6	4	9	62
27	6	8	-	3	-	2	6	-	-	-	-	-	8	16	2	6	8	4	3	8	63
6	1	4	-	1	-	-	-	1	-	-	-	-	3	7	1	8	3	2	1	1	64
7	-	2	-	-	1	1	-	-	-	1	-	-	-	-	-	1	3	-	-	-	65
18	-	2	-	1	-	-	1	1	-	-	-	-	-	4	-	1	5	-	-	4	66
6	-	1	1	-	-	-	1	-	1	-	-	-	1	4	1	3	3	3	-	3	67
17	-	3	-	2	-	-	-	1	-	-	-	-	-	1	-	6	4	1	-	2	68
4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	69
36	3	5	-	5	-	1	1	2	-	1	-	1	1	3	1	7	6	1	-	13	70
5	-	2	-	-	1	-	2	-	1	2	-	-	1	4	-	-	5	-	-	3	71
27	1	6	3	10	2	9	6	-	1	-	1	-	2	3	1	3	2	1	1	7	72
80	8	8	-	2	3	6	15	-	4	2	-	-	5	7	-	8	8	5	-	24	73
50	5	5	-	-	3	4	8	-	3	2	-	-	5	6	-	2	8	4	-	11	74
30	3	3	-	2	-	2	7	-	1	-	-	-	-	1	-	6	-	1	-	13	75
4	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	1	76
13	6	2	-	2	1	-	1	-	-	-	-	-	2	1	-	1	1	-	-	1	77
27	5	28	4	1	1	1	-	1	-	-	-	-	1	3	-	9	3	1	1	9	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KANSAS—Continued																
1	Jefferson	143	-	-	-	-	21	11	1	9	2	93	92	24	-	57	1
2	Jewell	120	-	-	-	-	20	5	4	11	2	72	70	15	-	52	1
3	Johnson	622	5	3	-	3	103	29	14	60	10	315	308	68	-	218	10
4	Kearny	15	-	-	-	-	2	-	1	1	-	9	9	4	-	5	1
5	Kingman	126	-	-	-	-	22	12	3	7	1	69	68	13	-	45	2
6	Kiowa	44	-	-	-	-	8	1	1	6	-	30	30	8	-	19	-
7	Labette	344	1	1	-	-	55	18	6	31	4	201	196	63	-	119	2
8	Parsons	191	-	1	-	-	30	8	3	19	4	114	112	33	-	68	-
9	Balance of county	153	1	-	-	-	25	10	3	12	-	87	84	30	-	51	2
10	Lane	20	-	-	-	-	3	1	-	2	1	10	10	2	-	8	-
11	Leavenworth	465	-	-	-	-	76	29	12	35	5	263	251	54	-	184	5
12	Leavenworth	314	-	-	-	-	53	23	7	23	5	178	170	36	-	126	3
13	Balance of county	151	-	-	-	-	23	6	5	12	-	85	81	18	-	58	2
14	Lincoln	63	-	-	-	1	12	2	1	9	-	37	35	5	-	25	1
15	Linn	119	-	-	-	-	22	7	4	11	1	76	75	25	-	48	1
16	Logan	22	-	-	-	-	7	2	1	4	-	12	12	4	-	8	-
17	Lyon	307	-	-	-	-	44	10	6	28	6	201	200	29	-	153	2
18	Emporia	200	-	-	-	-	30	7	4	19	3	134	133	21	-	103	1
19	Balance of county	107	-	-	-	-	14	3	2	9	3	67	67	8	-	50	1
20	McPherson	219	-	-	-	1	34	14	5	15	6	143	139	32	-	87	3
21	Marion	161	1	1	-	-	23	11	2	10	6	92	91	27	-	57	-
22	Marshall	212	-	1	-	2	33	13	4	16	7	114	108	37	-	61	1
23	Meade	47	-	-	-	-	6	1	1	4	-	24	23	5	-	16	-
24	Miami	243	1	-	-	1	33	10	3	20	5	134	128	30	-	83	1
25	Mitchell	130	-	-	-	-	16	4	3	9	-	96	96	13	-	75	1
26	Montgomery	563	2	1	-	2	83	22	8	53	2	336	328	80	1	220	2
27	Coffeyville	209	1	1	-	-	26	10	3	13	1	127	123	37	1	77	-
28	Independence	152	1	-	-	1	29	7	2	20	1	83	81	18	-	59	1
29	Balance of county	202	-	-	-	1	28	5	3	20	-	126	124	25	-	84	1
30	Morris	98	1	-	-	-	13	2	1	10	1	69	69	22	-	45	-
31	Morton	33	-	-	-	-	2	2	-	-	-	21	20	6	-	13	-
32	Nemaha	154	1	-	-	-	21	5	-	16	4	93	92	14	-	52	3
33	Neosho	246	2	1	-	1	38	15	1	22	4	149	145	37	-	99	3
34	Chanute	147	-	1	-	-	21	9	-	12	3	94	91	18	-	66	3
35	Balance of county	99	2	-	-	1	17	6	1	10	1	55	54	19	-	33	-
36	Ness	54	-	1	-	1	13	6	-	7	-	25	25	8	-	15	-
37	Norton	90	-	-	-	-	15	3	3	9	-	50	49	10	-	36	-
38	Osage	158	2	1	-	1	13	3	3	7	2	103	103	32	-	64	-
39	Osborne	85	-	-	-	-	20	8	-	12	-	46	45	14	-	26	4
40	Ottawa	92	-	-	-	-	11	1	2	8	1	60	58	23	-	30	2
41	Pawnee	82	-	-	-	-	10	3	1	6	1	51	49	15	-	28	4
42	Phillips	101	-	-	-	-	12	1	-	11	2	70	66	12	-	49	1
43	Pottawatomie	164	-	1	-	1	29	14	1	14	5	87	85	23	-	57	-
44	Pratt	120	-	-	-	1	18	6	2	10	1	60	59	12	-	38	-
45	Rawlins	36	-	-	-	-	4	-	-	4	1	18	17	6	-	9	-
46	Reno	593	-	1	-	2	79	26	12	41	10	332	324	75	-	213	10
47	Hutchinson	416	-	1	-	1	57	20	9	28	7	229	222	50	-	150	8
48	Balance of county	177	-	-	-	1	22	6	3	13	3	103	102	25	-	63	2
49	Republic	149	-	-	-	-	16	7	4	5	7	99	97	30	-	61	-
50	Rice	149	-	-	-	-	24	6	3	15	-	89	88	29	-	51	1
51	Riley	230	1	1	-	1	32	7	4	21	2	113	112	29	-	76	3
52	Manhattan	141	-	-	-	-	19	5	1	13	1	67	67	20	-	42	2
53	Balance of county	89	1	1	-	1	13	2	3	8	1	46	45	9	-	34	1
54	Rooks	85	-	-	-	-	12	4	2	6	2	48	47	11	-	35	-
55	Rush	61	2	1	-	-	5	3	-	2	-	28	28	3	-	25	-
56	Russell	109	-	-	-	1	19	4	2	13	5	59	59	13	-	43	2
57	Saline	384	1	2	-	1	64	20	8	36	5	199	198	61	-	124	6
58	Salina	314	1	2	-	1	50	12	6	32	5	166	165	55	-	98	5
59	Balance of county	70	-	-	-	-	14	8	2	4	-	33	33	6	-	26	1
60	Scott	27	-	-	-	-	9	4	1	4	-	12	12	2	-	10	-
61	Sedgwick	2,346	13	6	1	13	332	98	40	194	28	1,101	1,079	230	-	752	25
62	Wichita	2,068	12	6	1	11	282	77	36	169	25	977	957	206	-	672	23
63	Balance of county	278	1	-	-	2	50	21	4	25	3	124	122	24	-	80	2
64	Seward	93	-	-	-	1	15	2	4	9	2	40	40	12	1	26	1
65	Shawnee	1,194	5	5	-	2	171	47	21	103	25	640	635	167	-	388	15
66	Topeka	1,017	4	5	-	2	153	43	17	93	23	537	533	141	-	323	12
67	Balance of county	177	1	-	-	-	18	4	4	10	2	103	102	26	-	65	3
68	Sheridan	33	-	-	-	-	4	1	1	2	-	13	13	4	-	8	-
69	Sherman	72	-	-	-	-	11	5	1	5	2	42	42	7	-	30	1
70	Smith	94	1	-	-	1	23	8	1	14	1	49	48	10	-	33	1
71	Stafford	89	-	-	-	3	8	3	1	4	-	60	59	17	-	33	-
72	Stanton	16	-	-	-	-	2	-	-	2	-	9	9	1	-	6	-
73	Stevens	33	-	-	-	-	2	1	-	1	1	19	17	4	-	12	1
74	Sumner	272	2	1	-	-	40	15	5	20	4	161	159	53	-	97	2
75	Thomas	48	-	-	-	-	4	1	-	3	3	28	27	2	-	23	-
76	Trego	41	1	-	-	-	4	3	-	1	2	22	22	5	-	16	-
77	Wabaunsee	83	-	-	-	-	10	5	2	3	3	49	49	13	-	30	1
78	Wallace	14	-	-	-	-	2	1	-	1	-	8	8	2	-	6	-
79	Washington	159	-	-	-	-	21	8	-	13	2	99	97	27	-	63	3
80	Wichita	20	-	-	-	-	3	-	-	3	-	8	7	1	-	6	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
44	8	4	2	8	1	1	6	-	-	1	-	-	1	2	-	5	4	1	-	7	1
37	3	11	1	2	-	2	4	1	-	-	-	-	1	-	1	1	7	2	-	9	2
172	15	21	4	17	1	7	23	6	2	1	1	-	26	25	4	19	22	18	-	36	3
3	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	4
36	2	5	3	5	2	1	6	-	1	-	-	-	1	4	2	5	4	-	-	11	5
18	1	-	-	2	1	-	-	-	1	-	-	-	-	1	-	-	2	1	-	1	6
78	12	27	2	9	3	5	10	2	1	5	-	-	2	7	-	11	9	3	2	30	7
42	9	17	2	8	1	2	5	2	-	2	-	-	2	3	-	3	5	2	2	16	8
36	3	10	-	1	2	3	5	-	1	3	-	-	-	4	-	8	4	1	-	14	9
8	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	3	10
137	22	20	3	8	2	12	25	9	-	2	-	-	6	7	2	15	17	5	2	31	11
93	17	13	3	4	1	8	15	7	-	2	-	-	3	6	-	7	11	4	2	21	12
44	5	7	-	4	1	4	10	2	-	-	-	-	3	1	2	8	6	1	-	10	13
20	2	2	1	3	1	2	-	-	-	-	1	-	-	1	-	1	4	-	-	6	14
33	7	7	1	1	-	1	3	1	-	-	-	-	1	2	1	1	5	2	-	4	15
8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	16
117	21	13	2	14	2	1	7	-	-	3	-	-	4	2	2	10	7	3	-	18	17
80	16	6	2	5	2	1	4	-	-	1	-	-	2	2	-	5	5	2	-	12	18
37	5	7	-	9	-	-	3	-	-	2	-	-	2	-	2	5	2	1	-	6	19
68	10	6	3	16	1	4	2	2	1	-	1	-	1	1	2	5	7	3	-	10	20
48	3	6	-	5	2	1	8	-	2	1	-	-	2	2	-	2	11	1	-	9	21
46	6	8	-	7	3	6	10	1	1	2	1	-	1	5	-	3	9	4	-	18	22
13	2	1	-	1	1	1	2	-	-	-	-	-	1	2	-	1	2	2	1	6	23
45	24	13	-	11	4	6	8	3	-	2	1	-	1	4	2	12	10	5	-	21	24
48	3	23	3	5	-	-	1	-	-	1	-	-	-	3	-	1	1	2	-	9	25
169	18	31	9	15	3	8	10	2	9	1	-	1	7	12	12	10	23	9	1	40	26
59	8	10	5	2	1	4	6	-	3	1	-	1	2	5	-	6	11	2	1	15	27
42	6	10	-	3	1	2	1	-	3	-	-	-	1	3	3	2	7	3	-	14	28
68	4	11	4	10	1	2	3	2	3	-	-	-	4	4	9	2	5	4	-	11	29
33	2	10	-	1	1	-	1	-	-	-	-	-	-	2	-	2	3	-	-	6	30
10	-	3	-	-	1	1	1	-	-	-	-	-	-	1	1	-	-	-	-	7	31
34	4	11	-	23	3	1	5	2	-	1	1	1	-	5	-	1	6	2	-	11	32
55	12	29	3	3	3	4	10	-	-	1	-	-	5	1	2	5	8	1	-	18	33
43	7	13	2	3	2	3	6	-	-	1	-	-	2	-	2	3	5	-	-	9	34
12	5	16	1	-	1	1	4	-	-	-	-	-	3	1	-	2	3	1	-	9	35
10	1	4	-	1	1	-	3	-	-	-	-	-	1	2	1	2	2	2	1	-	36
25	3	8	-	3	-	1	1	1	-	-	-	-	1	7	1	2	4	1	-	7	37
53	3	8	-	6	1	-	4	2	1	-	-	-	-	1	-	5	7	4	-	12	38
11	4	7	-	5	-	1	2	-	-	-	-	-	-	-	1	1	3	2	-	10	39
25	3	-	1	2	2	2	-	-	-	-	-	-	1	2	-	2	5	2	-	8	40
18	1	5	1	4	1	2	2	-	-	-	-	-	1	3	-	-	5	2	-	7	41
32	2	14	-	5	-	4	3	-	-	-	-	-	1	1	-	-	6	-	-	6	42
42	5	10	-	2	3	2	2	-	2	-	-	-	1	4	2	4	11	3	-	12	43
22	8	8	1	5	3	1	2	2	-	-	-	-	2	3	-	7	8	1	-	15	44
5	3	1	2	-	-	1	3	-	-	-	-	-	1	-	-	1	4	-	-	4	45
142	32	29	5	25	6	8	27	1	4	3	2	-	5	24	15	23	15	11	2	37	46
97	22	23	2	16	4	7	21	1	2	2	2	-	3	21	10	13	6	9	2	29	47
45	10	6	3	9	2	1	6	-	2	1	-	-	2	3	5	10	9	2	-	8	48
44	2	15	-	6	-	2	1	-	-	-	1	-	1	4	-	4	2	1	-	13	49
41	7	2	4	-	4	1	5	1	1	-	-	-	1	3	-	2	8	2	-	13	50
57	7	9	1	4	2	1	12	-	-	1	1	-	8	22	1	6	9	1	-	19	51
34	4	2	-	4	1	-	5	-	-	1	1	-	6	15	-	4	7	1	-	14	52
23	3	7	1	-	1	1	7	-	-	-	-	-	2	7	1	2	2	-	-	5	53
34	1	-	-	1	-	1	3	-	-	-	-	-	-	5	-	4	2	-	-	9	54
17	2	6	-	-	-	-	8	-	-	2	1	-	1	-	1	2	2	1	-	7	55
34	2	5	1	2	-	-	2	-	-	-	-	-	1	2	3	6	8	-	-	3	56
87	20	11	1	5	7	1	7	6	-	3	-	-	3	23	5	18	20	3	1	23	57
68	15	10	1	5	6	1	6	4	-	2	-	-	1	20	4	12	17	3	1	19	58
19	5	1	-	-	1	-	1	2	-	1	-	-	2	3	1	6	3	-	-	4	59
7	-	3	-	-	-	-	2	-	-	-	-	-	-	-	1	3	-	-	-	-	60
578	53	96	21	41	35	22	92	12	12	21	6	-	76	156	60	80	101	37	18	181	61
513	49	87	14	37	28	20	79	12	11	21	6	-	70	144	53	66	79	32	14	167	62
65	4	9	7	4	7	2	13	-	1	-	-	-	6	12	7	14	22	5	4	14	63
22	-	3	-	1	-	-	6	-	1	-	-	-	3	5	1	4	6	-	-	9	64
284	45	44	22	43	15	5	40	9	4	8	3	1	26	54	17	34	39	16	7	88	65
239	38	34	20	35	14	4	34	8	3	8	3	-	25	45	15	26	34	12	6	74	66
45	7	10	2	8	1	1	6	1	1	-	-	1	1	9	2	8	5	4	1	14	67
4	-	4	-	1	-	-	-	-	-	-	-	-	1	2	1	1	4	2	-	5	68
25	1	3	2	2	1	-	1	1	-	-	-	-	1	5	-	2	2	-	-	5	69
14	8	10	2	3	-	1	-	-	-	-	-	-	2	1	-	1	5	2	-	8	70
26	3	4	-	6	3	1	2	-	-	3	-	-	1	2	1	2	6	-	-	1	71
6	-	-	1	-	1	-	1	-	-	-	1	-	-	1	-	1	-	-	-	1	72
10	1	-	1	-	-	2	-	-	-	1	-	-	-	1	-	-	3	-	-	6	73
62	8	25	2	5	2	2	4	3	1	3	-	1	3	9	1	8	7	4	-	20	74
18	4	1	-	2	-	1	1	1	-	-	-	-	4	1	-	1	1	1	-	3	75
11	2	3	-	1	-	-	4	-	-	-	-	-	-	2	1	1	3	-	-	1	76
26	-	3	1	4	1	-	6	1	1	-	-	-	-	-	1	1	4	1	-	6	77
5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	78
43	8	9	2	5	-	2	4	2	1	-	-	-	2	4	5	-	2	1	1	15	79
3	1	2	-	-	-	1	1	-	-	1	1	1	-	1	2	1	-	-	-	1	80

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KANSAS—Continued																
1	Wilson	171	-	-	-	-	22	10	3	9	2	109	107	31	-	66	-
2	Woodson	78	-	-	-	-	6	1	2	3	1	51	51	15	-	32	2
3	Wyandotte	1,754	11	9	-	5	261	78	50	133	35	963	940	188	1	688	26
4	Kansas City	1,519	11	9	-	4	220	70	43	107	32	835	814	163	1	591	24
5	Balance of county	235	-	-	-	1	41	8	7	26	3	128	126	25	-	97	2
6	KENTUCKY	29,199	441	46	5	183	3,726	1,310	439	1,977	442	16,074	15,709	3,774	18	10,907	287
7	Metropolitan counties	9,638	151	23	2	53	1,356	466	165	725	145	5,361	5,269	1,152	7	3,802	116
8	Nonmetropolitan counties	19,561	290	23	3	130	2,370	844	274	1,252	297	10,713	10,440	2,622	11	7,105	171
9	Adair	163	5	-	-	3	18	6	1	11	3	95	94	25	-	60	1
10	Allen	123	5	1	-	1	11	4	-	7	5	70	68	16	-	49	-
11	Anderson	86	3	-	-	1	6	2	-	4	2	54	54	20	-	30	-
12	Ballard	126	1	1	-	-	17	5	-	12	2	75	75	17	-	53	2
13	Barren	297	6	1	-	2	44	18	6	20	6	170	164	58	-	95	2
14	Bath	114	4	-	-	-	17	7	2	8	6	62	61	14	-	45	2
15	Bell	361	5	-	-	1	49	20	7	22	1	175	171	49	1	103	2
16	Middlesborough	136	1	-	-	-	16	10	1	5	-	75	74	26	-	42	1
17	Balance of county	225	4	-	-	1	33	10	6	17	1	100	97	23	1	61	1
18	Boone	156	-	-	-	1	18	10	1	7	2	89	85	14	-	65	2
19	Bourbon	210	6	1	-	7	24	6	5	13	9	111	109	16	-	81	-
20	Boyd	477	6	1	-	3	62	21	6	35	6	263	259	61	1	177	5
21	Ashland	317	4	-	-	1	40	15	5	20	6	184	182	42	-	126	3
22	Balance of county	160	2	1	-	2	22	6	1	15	-	79	77	19	1	51	2
23	Boyle	162	1	-	-	-	19	10	1	8	3	98	98	19	-	70	-
24	Bracken	119	-	-	-	1	15	4	2	9	3	75	70	20	-	45	1
25	Breathitt	113	-	-	-	2	8	5	1	2	4	58	57	16	1	39	4
26	Breckinridge	177	2	-	-	2	14	7	3	4	2	110	109	30	-	64	-
27	Bullitt	126	-	-	-	2	16	5	4	7	3	58	58	14	-	43	-
28	Butler	110	5	-	-	1	23	8	1	14	1	55	54	12	-	34	-
29	Caldwell	176	3	-	-	-	28	11	2	15	3	105	101	35	-	63	-
30	Calloway	202	-	-	-	1	25	6	-	19	3	133	132	35	-	88	1
31	Campbell	1,000	12	6	-	5	152	49	17	86	22	561	553	107	-	413	15
32	Newport	414	4	2	-	2	66	16	7	43	15	222	219	41	-	168	5
33	Fort Thomas	172	2	3	-	-	30	10	2	18	1	103	102	20	-	75	6
34	Balance of county	414	6	1	-	3	56	23	8	25	6	236	232	46	-	170	4
35	Carlisle	83	-	-	-	-	5	2	-	3	-	59	56	15	1	36	1
36	Carroll	103	1	-	-	-	12	6	1	5	4	61	61	20	1	37	-
37	Carter	163	3	1	-	1	17	6	1	10	1	75	75	16	-	54	1
38	Casey	134	5	-	-	1	11	3	1	7	1	80	77	16	-	58	2
39	Christian	462	8	-	-	2	44	19	4	21	3	256	236	58	-	164	6
40	Hopkinsville	224	4	-	-	1	30	14	3	13	3	129	121	29	-	85	4
41	Balance of county	238	4	-	-	1	14	5	1	8	-	127	115	29	-	79	2
42	Clark	224	4	-	-	-	30	15	3	12	5	141	135	23	1	103	3
43	Clay	176	1	-	-	4	11	3	3	5	-	66	63	15	-	46	1
44	Clinton	103	1	-	-	1	12	3	-	9	2	47	47	3	-	38	-
45	Crittenden	103	2	-	-	1	16	7	2	7	3	51	51	12	-	37	-
46	Cumberland	72	3	-	-	-	12	4	1	7	1	35	35	10	-	23	-
47	Daviess	620	4	1	-	3	89	33	9	47	5	343	337	80	-	250	2
48	Owensboro	443	3	1	-	1	62	21	7	34	5	246	241	60	-	177	1
49	Balance of county	177	1	-	-	2	27	12	2	13	-	97	96	20	-	73	1
50	Edmonson	68	4	-	-	-	5	2	-	3	1	38	38	5	-	33	1
51	Elliott	42	1	-	-	-	4	1	-	3	-	24	24	4	-	15	2
52	Estill	121	1	-	-	1	12	8	-	4	5	76	71	21	-	48	3
53	Fayette	1,201	20	1	-	13	167	63	24	80	15	708	697	141	1	506	18
54	Lexington	815	12	1	-	11	108	40	19	49	11	479	470	92	-	350	10
55	Balance of county	386	8	-	-	2	59	23	5	31	4	229	227	49	1	158	8
56	Fleming	132	4	-	-	3	8	-	-	8	1	94	89	27	-	60	3
57	Floyd	312	2	-	-	3	35	13	8	14	5	129	124	34	-	86	12
58	Franklin	261	3	-	-	1	34	11	5	18	-	140	137	51	-	77	1
59	Frankfort	183	1	-	-	1	24	9	4	11	-	97	95	34	-	54	-
60	Balance of county	78	2	-	-	-	10	2	1	7	-	43	42	17	-	23	1
61	Fulton	153	1	-	-	1	22	6	1	15	1	78	77	23	-	50	2
62	Gallatin	54	1	-	-	-	7	1	1	5	2	30	30	7	-	20	-
63	Garrard	89	-	-	-	1	11	2	2	7	4	54	54	17	-	31	1
64	Grant	125	1	-	-	2	19	10	1	8	3	69	67	19	-	43	1
65	Graves	350	5	-	-	3	47	14	7	26	6	211	210	63	-	131	5
66	Grayson	178	2	-	-	1	18	7	-	11	1	96	94	20	-	65	1
67	Green	80	1	-	-	1	5	2	1	2	-	52	50	18	-	29	1
68	Greenup	220	1	-	-	1	30	13	4	13	3	121	120	25	1	83	1
69	Hancock	66	3	-	-	-	6	1	1	4	1	41	40	7	-	25	1
70	Hardin	345	4	-	-	5	46	18	5	23	2	165	161	40	-	109	1
71	Harlan	425	9	2	-	3	50	16	7	27	2	183	178	45	-	125	4
72	Harrison	191	-	-	-	2	26	9	2	15	3	123	121	22	-	88	-
73	Hart	142	1	-	-	-	11	4	-	7	4	81	81	21	-	55	1
74	Henderson	342	2	-	-	1	41	11	8	22	3	213	208	49	-	140	1
75	Henderson	217	-	-	-	1	23	6	4	13	2	137	135	33	-	95	1
76	Balance of county	125	2	-	-	-	18	5	4	9	1	76	73	16	-	45	-
77	Henry	140	2	-	-	-	13	5	1	7	1	85	84	27	-	50	1
78	Hickman	76	1	-	-	-	10	2	-	8	1	41	39	7	-	32	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
39	3	24	2	7	1	2	8	1	-	1	-	-	1	3	1	6	3	2	1	11	1
19	2	9	1	2	1	-	3	-	-	-	-	-	-	2	1	5	3	1	-	5	2
482	85	95	15	26	22	23	72	8	3	21	4	1	21	79	11	39	45	16	12	138	3
408	76	83	15	22	22	21	64	7	2	19	4	-	19	69	11	32	37	14	12	118	4
74	9	12	-	4	-	2	8	1	1	2	-	1	2	10	-	7	8	2	-	20	5
7,082	1,727	1,811	199	592	219	365	1,306	162	140	251	59	30	371	1,238	369	797	1,265	252	197	1,845	6
2,564	608	514	63	176	69	92	359	57	43	153	15	8	138	439	62	195	354	80	65	579	7
4,518	1,119	1,297	136	416	150	273	947	105	97	98	44	22	233	799	307	602	911	172	132	1,266	8
41	10	8	1	7	1	1	7	-	2	-	-	-	-	4	2	7	5	1	-	11	9
34	7	8	-	2	1	2	14	1	-	-	-	-	3	1	1	2	1	-	-	7	10
27	2	1	-	1	3	-	5	-	1	-	-	-	-	1	-	2	3	1	-	7	11
37	10	4	1	2	2	-	3	1	-	-	-	-	2	6	-	2	3	3	1	9	12
69	13	11	3	8	-	6	9	-	1	-	1	-	2	10	4	9	9	2	2	19	13
35	5	3	-	1	1	1	5	-	1	1	-	-	-	4	1	4	5	1	-	3	14
61	16	24	4	11	3	4	20	7	2	3	1	-	6	14	9	11	19	3	3	32	15
29	4	8	1	4	1	1	8	3	-	3	-	-	2	3	6	4	3	-	-	12	16
32	12	16	3	7	2	3	12	4	2	-	1	-	4	11	3	7	16	3	3	20	17
36	16	11	1	3	2	4	3	2	3	1	-	-	-	6	3	4	7	3	1	13	18
44	14	23	3	6	3	2	8	1	-	2	-	-	-	9	1	5	10	1	-	15	19
137	13	22	4	10	6	4	21	7	2	4	1	-	6	24	5	7	16	2	4	37	20
97	10	16	2	6	6	2	14	4	2	3	1	-	4	14	2	1	9	2	2	24	21
40	3	6	2	4	-	2	7	3	-	1	-	-	2	10	3	6	7	-	2	13	22
38	9	23	1	7	1	-	7	1	1	-	-	-	1	4	5	4	5	3	-	10	23
25	4	15	2	2	1	5	3	-	-	-	-	1	-	2	2	2	8	1	-	6	24
25	4	6	-	-	1	1	5	-	1	-	-	-	4	10	-	4	8	1	2	6	25
25	7	32	3	11	1	1	10	-	-	-	-	-	4	6	4	6	1	4	1	11	26
31	11	1	-	1	-	-	7	3	1	-	-	-	3	4	1	6	8	3	2	9	27
18	12	4	1	4	3	1	2	1	-	-	-	-	2	5	1	1	3	-	1	9	28
39	12	12	2	1	-	4	4	-	1	2	-	-	-	1	7	4	9	-	4	5	29
62	10	15	2	7	-	1	4	2	-	1	-	-	-	4	1	7	4	-	4	13	30
295	39	64	5	25	3	8	35	5	6	22	1	-	6	45	7	18	39	12	5	41	31
123	16	24	1	7	2	3	18	2	2	9	1	-	1	26	1	7	11	4	4	17	32
60	3	6	1	5	1	1	3	-	2	3	-	-	1	5	2	3	6	2	-	6	33
112	20	34	3	13	-	4	14	3	2	10	-	-	4	14	4	8	22	6	1	18	34
20	2	13	1	2	1	3	1	3	-	-	-	-	4	3	2	1	2	1	-	2	35
32	1	4	-	3	-	-	5	-	-	2	-	-	-	-	-	6	4	1	2	5	36
35	6	12	-	5	-	-	11	2	-	2	-	-	2	11	7	7	8	2	-	13	37
33	6	17	-	2	1	3	11	-	2	-	1	-	1	2	-	2	9	4	-	4	38
99	41	18	2	8	4	20	24	2	1	-	2	2	8	39	1	21	20	5	2	22	39
51	21	9	2	3	2	8	14	-	1	-	1	-	2	11	1	4	10	1	1	11	40
48	20	9	-	5	2	12	10	2	-	-	1	2	6	28	-	17	10	4	1	11	41
72	8	20	-	6	2	6	5	-	2	2	-	-	2	12	1	1	9	1	1	8	42
39	5	1	-	2	-	3	12	2	1	1	1	-	3	14	15	10	13	2	3	17	43
17	14	7	3	1	2	-	13	-	-	1	-	1	1	2	4	6	3	1	1	7	44
25	2	10	-	2	-	-	2	-	1	-	-	-	1	4	3	4	8	1	-	6	45
10	12	1	-	1	1	-	5	1	-	-	-	-	1	2	-	3	3	-	-	6	46
191	40	17	3	2	2	6	21	8	5	3	4	1	6	35	11	9	29	8	1	34	47
144	21	11	1	1	2	5	16	6	4	2	2	1	4	25	7	7	18	6	-	27	48
47	19	6	2	1	-	1	5	2	1	1	2	-	2	10	4	2	11	2	1	7	49
17	11	4	-	-	-	-	2	-	-	-	-	-	1	3	4	3	2	1	-	4	50
5	4	4	-	3	2	-	1	-	-	-	-	-	1	3	1	2	2	-	-	3	51
32	2	11	1	1	-	5	5	1	-	1	-	-	-	4	1	2	2	3	1	6	52
291	76	123	8	35	4	11	39	5	5	13	2	-	15	43	8	21	37	13	14	62	53
191	53	96	3	22	3	9	26	3	5	10	1	-	11	27	7	17	22	11	12	41	54
100	23	27	5	13	1	2	13	2	-	3	1	-	4	16	1	4	15	2	2	21	55
36	7	14	-	2	-	5	5	-	1	-	-	-	-	6	-	3	2	-	-	5	56
47	11	16	-	2	2	5	19	1	2	7	1	-	4	19	17	19	18	5	3	23	57
56	8	12	2	6	1	3	19	1	-	1	-	-	3	9	4	7	13	3	1	22	58
41	5	8	2	4	1	2	15	1	-	1	-	-	3	6	2	3	8	2	-	19	59
15	3	4	-	2	-	1	4	-	-	-	-	-	-	3	2	4	5	1	1	3	60
21	11	16	-	2	2	1	6	1	-	2	-	-	2	6	4	4	6	3	1	15	61
14	4	2	-	2	1	-	2	-	-	-	-	1	-	2	-	2	2	1	-	4	62
18	2	10	2	3	1	-	1	-	-	-	-	1	-	6	-	1	2	-	1	7	63
33	2	7	1	3	1	2	5	1	1	-	1	-	1	1	-	4	4	1	-	12	64
91	10	25	2	10	4	1	14	2	1	2	1	-	2	5	3	8	14	1	-	25	65
40	16	8	3	5	1	2	9	1	-	-	-	-	3	4	6	7	14	2	-	14	66
15	5	8	-	2	1	2	4	-	-	1	-	-	1	2	2	2	1	2	1	5	67
65	11	6	3	7	1	1	13	1	3	-	1	-	6	13	1	2	9	1	-	14	68
17	3	4	3	5	-	1	2	-	-	1	-	-	1	1	1	-	1	2	-	6	69
61	19	28	6	6	-	4	20	2	3	1	-	1	9	37	1	15	13	-	3	18	70
83	19	19	1	1	6	5	33	3	2	2	4	1	8	14	8	14	37	3	8	39	71
47	7	34	1	6	4	2	6	1	-	-	-	1	1	5	-	2	8	2	-	11	72
26	10	18	1	1	3	-	7	-	1	1	-	-	1	8	-	9	5	-	1	12	73
109	22	8	7	6	6	5	10	2	2	2	2	-	1	9	1	8	16	4	5	20	74
72	16	6	2	3	2	2	6	1	2	2	2	-	1	5	1	5	11	3	5	10	75
37	6	2	5	3	4	3	4	1	-	-	-	-	-	4	-	3	5	1	-	10	76
34	10	5	-	7	-	1	13	1	-	1	-	-	-	1	1	7	8	2	-	5	77
19	5	8	-	-	-	2	3	1	-	-	-	-	-	1	2	-	6	-	1	9	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	KENTUCKY—Continued																
1	Hopkins	431	5	-	-	1	59	19	5	35	5	252	251	58	-	175	7
2	Madisonville	142	2	-	-	-	24	9	1	14	2	76	75	21	-	48	3
3	Balance of county	289	3	-	-	1	35	10	4	21	3	176	176	37	-	127	4
4	Jackson	103	3	-	-	2	5	1	1	3	-	72	72	20	-	48	-
5	Jefferson	5,685	102	14	2	29	791	276	90	425	81	3,080	3,018	716	5	2,123	55
6	Louisville	4,671	94	14	1	23	644	236	75	333	65	2,573	2,520	604	4	1,771	45
7	Balance of county	1,014	8	-	1	6	147	40	15	92	16	507	498	112	1	352	10
8	Jessamine	127	2	-	-	1	12	3	4	5	2	67	66	8	-	54	3
9	Johnson	192	4	-	-	3	17	6	3	8	9	110	108	32	-	69	2
10	Kenton	1,275	11	1	-	3	184	57	28	99	21	749	742	127	-	581	23
11	Covington	816	11	-	-	2	120	32	22	66	17	475	470	83	-	363	11
12	Balance of county	459	-	1	-	1	64	25	6	33	4	274	272	44	-	218	12
13	Knott	104	4	-	-	1	16	4	4	8	1	38	36	12	-	23	1
14	Knox	213	3	1	-	1	22	10	3	9	3	119	115	20	-	89	3
15	Larue	122	1	1	-	1	17	9	1	7	2	68	67	15	-	44	1
16	Laurel	230	1	-	-	1	25	11	1	13	2	126	122	29	-	88	2
17	Lawrence	124	-	2	-	1	14	8	2	4	1	72	70	13	-	51	-
18	Lee	59	2	-	-	-	10	3	2	5	2	26	26	10	-	15	-
19	Leslie	83	3	1	-	1	9	4	1	4	-	27	27	5	-	19	1
20	Letcher	234	6	-	-	1	36	14	4	18	3	105	97	20	1	71	2
21	Lewis	146	-	-	-	-	25	10	4	11	3	78	76	26	-	43	2
22	Lincoln	174	4	-	-	-	20	8	1	11	3	99	98	35	-	54	2
23	Livingston	74	8	-	-	-	13	1	-	12	2	36	36	9	-	24	1
24	Logan	218	2	-	-	-	27	6	2	19	3	133	130	29	-	94	1
25	Lyon	73	1	-	-	-	10	6	-	4	3	44	44	11	-	28	-
26	McCracken	626	3	1	-	4	71	16	15	40	7	386	379	93	-	253	9
27	Paducah	463	1	1	-	1	53	10	14	29	6	284	280	70	-	185	5
28	Balance of county	163	2	-	-	3	18	6	1	11	1	102	99	23	-	68	4
29	McCreary	129	3	-	-	1	13	6	1	6	3	64	59	15	-	40	-
30	McLean	112	2	-	-	-	12	5	3	4	1	66	66	15	1	47	-
31	Madison	299	6	2	-	4	33	9	4	20	6	156	155	37	-	105	3
32	Richmond	128	3	-	-	1	13	6	-	7	2	70	70	16	-	48	2
33	Balance of county	171	3	2	-	3	20	3	4	13	4	86	85	21	-	57	1
34	Magoffin	59	1	-	-	1	8	2	3	3	1	32	29	15	-	14	-
35	Marion	168	6	-	-	1	16	5	3	10	1	88	86	24	-	55	-
36	Marshall	157	4	-	-	-	19	8	2	9	3	102	96	19	-	71	2
37	Martin	76	3	-	-	-	7	2	-	5	1	34	33	9	-	22	-
38	Mason	232	4	-	-	2	29	13	1	15	1	147	146	29	-	107	2
39	Meade	78	2	-	-	-	7	2	1	4	1	44	44	19	-	19	-
40	Menifee	49	-	-	-	-	4	1	1	2	4	26	28	3	-	24	1
41	Mercer	156	1	-	-	-	17	8	3	6	4	104	102	24	-	71	1
42	Metcalfe	87	1	-	-	-	11	4	-	7	2	54	53	18	-	32	-
43	Monroe	116	1	-	1	-	16	7	3	6	3	58	56	13	-	37	-
44	Montgomery	177	3	-	-	-	24	8	3	13	3	92	91	18	-	63	6
45	Morgan	108	-	-	-	-	9	4	-	5	4	61	60	9	-	49	-
46	Muhlenberg	299	6	1	-	1	39	17	4	18	5	149	145	21	-	112	5
47	Nelson	222	3	1	-	-	16	4	-	12	1	122	120	29	-	85	-
48	Nicholas	92	2	-	-	1	11	4	-	7	2	56	54	11	-	40	-
49	Ohio	236	3	-	-	1	33	13	4	16	4	135	132	26	-	105	2
50	Oldham	109	-	-	-	-	15	2	1	12	2	55	51	20	-	25	-
51	Owen	107	-	-	-	2	12	3	1	8	2	62	62	15	-	43	3
52	Owsley	58	1	-	-	4	9	2	-	7	1	28	28	9	-	16	-
53	Pendleton	128	-	1	-	-	20	10	2	8	3	66	66	23	-	42	-
54	Perry	262	8	-	-	3	31	7	6	18	3	114	109	26	-	73	1
55	Pike	517	10	1	1	6	61	15	5	41	8	208	200	60	-	130	3
56	Powell	48	-	-	-	-	4	2	-	2	-	30	28	10	-	15	2
57	Pulaski	339	7	-	-	3	35	10	9	16	3	184	176	50	1	115	8
58	Robertson	22	-	-	-	-	3	2	-	1	1	15	15	2	-	13	-
59	Rockcastle	99	2	-	-	-	8	3	-	5	2	58	56	16	-	39	-
60	Rowan	83	1	-	-	-	15	6	4	5	2	38	38	6	-	24	1
61	Russell	103	4	-	-	2	6	4	-	2	1	64	62	14	1	46	-
62	Scott	170	2	-	-	-	24	9	4	11	2	109	108	16	-	87	1
63	Shelby	198	-	-	-	1	22	10	3	9	1	118	115	36	1	65	2
64	Simpson	133	2	-	-	-	16	3	1	12	4	80	80	22	-	51	1
65	Spencer	66	1	1	-	1	9	3	3	3	1	35	35	14	-	19	-
66	Taylor	152	1	-	-	-	14	10	1	3	2	75	70	22	-	43	-
67	Todd	129	2	-	-	1	15	4	1	10	1	79	77	20	-	54	2
68	Trigg	77	-	-	-	2	15	5	2	8	2	33	31	9	-	21	-
69	Trimble	51	1	-	-	-	5	2	1	2	2	26	26	10	-	14	1
70	Union	180	5	1	-	3	33	10	3	20	3	77	75	19	-	50	2
71	Warren	457	2	-	-	2	63	17	6	40	8	243	233	61	-	157	1
72	Bowling Green	269	1	-	-	-	35	9	5	21	4	143	138	38	-	93	1
73	Balance of county	188	1	-	-	2	28	8	1	19	4	100	95	23	-	64	-
74	Washington	115	2	-	1	1	16	4	2	10	3	65	61	13	-	45	-
75	Wayne	134	2	-	-	-	14	5	1	8	5	76	75	8	-	63	-
76	Webster	193	1	-	-	1	29	11	3	15	-	124	115	37	-	72	4
77	Whitley	291	4	-	-	-	44	18	9	17	2	153	151	30	-	112	4
78	Wolfe	57	1	-	-	-	8	4	-	4	-	35	35	8	-	27	-
79	Woodford	120	1	1	-	1	19	11	2	6	-	62	57	17	-	36	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
113	25	30	2	16	-	1	15	2	1	3	1	1	5	9	2	13	27	5	2	23	1
36	6	3	2	4	-	1	7	-	1	1	-	-	1	4	1	4	8	3	2	6	2
77	19	27	-	12	-	-	8	2	-	2	1	1	4	5	1	9	19	2	-	17	3
41	5	2	1	3	-	-	5	1	-	1	-	-	-	7	1	3	1	-	1	1	4
1,444	401	223	42	83	49	62	223	33	26	91	11	6	97	273	34	121	219	42	39	371	5
1,185	353	188	38	64	39	53	185	29	18	82	10	6	65	212	30	78	174	30	34	304	6
259	48	35	4	19	10	9	38	4	8	9	1	-	32	61	4	43	45	12	5	67	7
37	8	6	-	2	2	1	5	3	-	1	-	-	5	5	4	2	4	-	1	13	8
42	13	12	-	4	3	2	13	-	-	1	-	-	2	7	6	3	6	1	-	10	9
397	79	82	4	23	7	7	41	7	4	23	-	2	14	54	8	28	43	11	3	68	10
252	53	47	3	16	5	5	29	2	3	15	-	1	5	36	7	16	28	4	1	44	11
145	26	35	1	7	2	2	12	5	1	8	-	1	9	18	1	12	15	7	2	24	12
15	3	4	-	-	1	2	8	-	1	1	-	-	1	8	3	8	8	-	1	5	13
42	8	36	1	4	1	4	14	-	-	1	-	-	5	16	3	6	9	1	-	9	14
30	10	3	3	4	1	1	11	-	-	-	-	-	2	2	1	5	4	-	1	6	15
51	24	11	2	1	2	4	16	1	-	1	-	-	5	6	5	7	12	1	5	16	16
28	9	14	-	4	2	2	9	2	1	-	1	1	2	7	-	-	5	-	1	5	17
9	4	2	1	-	-	-	5	-	-	-	-	-	-	2	-	2	6	1	-	3	18
12	2	4	1	1	1	-	4	-	2	1	-	-	1	5	3	6	10	-	4	6	19
43	13	13	-	2	3	8	8	-	2	1	-	-	4	13	3	9	16	3	3	21	20
23	6	12	-	5	2	2	7	1	-	-	-	-	2	9	3	5	2	-	-	11	21
31	10	17	1	7	1	1	12	1	-	3	-	1	2	6	1	3	3	2	1	13	22
17	2	4	-	3	-	-	1	-	-	-	1	-	1	2	3	1	2	1	-	3	23
59	16	18	-	6	1	3	7	2	-	-	2	-	4	8	3	6	7	1	-	13	24
22	6	-	3	1	1	-	4	1	-	1	-	-	-	3	-	1	4	-	1	-	25
175	24	45	10	21	2	7	21	2	5	5	2	-	8	22	6	12	28	7	7	29	26
127	17	36	8	15	2	4	15	2	4	5	1	-	5	18	5	9	21	5	6	21	27
48	7	9	2	6	-	3	6	-	1	-	1	-	3	4	1	3	7	2	1	8	28
15	5	20	2	2	-	5	12	1	-	-	1	-	2	7	3	3	5	-	1	10	29
33	11	3	1	1	1	-	3	1	1	-	-	-	-	1	1	5	2	3	-	14	30
79	9	14	1	6	6	1	9	1	-	-	-	1	2	13	16	11	12	3	4	20	31
36	1	9	-	3	3	-	7	1	-	-	-	1	1	2	8	3	4	1	3	8	32
43	8	5	1	3	3	1	2	-	-	-	-	-	1	11	8	8	8	2	1	12	33
6	7	1	-	-	-	3	6	-	-	-	-	-	1	-	1	2	2	-	-	4	34
33	14	8	-	7	-	2	9	1	3	1	-	-	6	8	1	3	6	1	3	12	35
50	8	11	2	3	1	6	6	1	1	1	-	-	2	2	-	2	5	-	-	9	36
10	2	10	-	1	1	1	10	-	-	-	-	-	-	8	2	5	1	1	-	6	37
82	7	16	2	6	2	1	8	-	-	3	-	1	1	12	2	5	6	3	-	8	38
16	1	2	1	3	2	-	5	-	1	-	-	-	-	8	3	1	3	-	-	3	39
10	3	10	-	1	-	-	2	-	-	-	-	-	-	2	-	-	4	-	1	4	40
45	20	5	-	6	1	2	3	2	-	-	-	1	1	4	1	4	4	1	1	8	41
13	19	-	-	3	-	1	3	1	-	-	-	1	1	4	2	1	2	1	-	3	42
20	5	12	-	5	1	2	4	-	1	-	-	-	4	9	2	6	4	2	1	4	43
45	10	2	-	9	1	1	8	1	1	1	-	-	1	11	3	9	9	-	1	10	44
11	31	7	-	-	2	1	12	1	-	2	-	-	1	1	-	4	8	1	-	4	45
55	41	11	1	10	1	4	13	-	4	1	-	2	5	18	6	4	13	2	2	28	46
57	20	8	1	3	2	2	14	-	-	3	-	1	2	22	-	8	15	2	1	11	47
31	3	6	-	2	1	2	5	1	1	-	-	-	-	1	-	2	4	-	1	5	48
55	17	31	1	-	-	3	13	-	-	1	1	-	4	4	4	8	9	-	-	16	49
22	-	3	4	1	1	4	8	-	-	-	-	-	-	3	1	7	10	2	-	6	50
26	6	8	-	3	1	-	2	-	1	-	-	-	1	3	4	2	3	2	1	10	51
13	-	3	-	1	2	-	2	-	-	-	-	-	1	-	1	1	7	1	-	2	52
27	7	8	1	-	-	-	4	1	-	-	-	-	2	5	1	7	8	3	1	6	53
62	2	8	4	5	1	5	14	1	3	1	1	-	3	16	3	8	26	4	5	18	54
84	17	26	4	3	3	8	40	-	6	5	3	-	6	36	12	24	42	2	4	42	55
11	1	1	-	3	-	2	2	-	1	-	-	-	1	1	4	1	3	-	-	1	56
79	9	19	2	4	4	8	18	2	2	2	-	-	3	15	4	13	18	2	3	25	57
11	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	58
21	6	12	-	1	-	2	3	-	-	-	-	-	2	1	-	5	6	-	-	12	59
15	5	3	4	2	2	-	3	2	1	-	-	-	1	1	5	6	4	1	-	3	60
25	6	15	-	-	1	2	4	1	1	1	1	-	1	2	1	1	6	1	-	6	61
46	15	25	1	2	2	1	3	-	1	1	2	-	1	-	-	5	7	-	-	13	62
42	8	13	1	10	2	3	11	-	1	-	1	-	-	5	2	7	7	-	2	20	63
19	16	15	-	7	-	-	5	-	1	-	-	-	-	1	5	2	4	1	2	10	64
12	-	7	-	1	1	-	2	1	-	1	-	-	1	1	1	6	1	-	-	4	65
35	3	5	1	2	2	5	9	-	2	2	-	-	4	12	1	5	6	3	-	16	66
38	3	11	-	2	1	2	4	1	-	-	1	1	1	1	-	3	9	1	1	8	67
13	-	8	-	1	-	2	6	-	1	2	1	-	1	1	-	3	3	-	-	7	68
10	1	2	-	2	-	-	1	-	1	-	1	-	1	2	-	2	4	1	-	4	69
31	5	12	2	3	1	2	6	1	3	2	-	-	4	6	4	4	10	4	3	11	70
108	21	27	5	6	4	10	28	2	3	1	1	1	6	18	5	16	22	6	4	26	71
66	10	16	2	3	2	5	19	-	-	1	-	-	5	16	3	10	13	2	3	14	72
42	11	11	3	3	2	5	9	2	3	-	1	1	1	2	2	6	9	4	1	12	73
32	7	6	-	3	-	4	2	2	1	-	-	-	2	2	-	6	6	3	-	3	74
24	33	6	1	2	1	1	7	1	-	1	-	-	-	3	5	5	6	-	-	9	75
41	7	20	2	3	1	9	6	-	-	1	-	-	2	5	-	5	8	2	1	8	76
67	8	33	1	7	1	2	10	5	1	-	3	-	3	12	7	9	10	-	3	25	77
17	7	3	-	-	-	-	5	-	-	1	-	-	-	-	2	-	-	-	1	4	78
25	5	6	-	2	2	5	6	2	-	1	-	-	3	1	2	2	5	1	-	13	79

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	LOUISIANA	28,151	302	150	5	188	3,930	1,238	627	2,065	558	13,765	13,448	2,855	17	9,768	126
2	Metropolitan parishes	11,897	162	99	2	60	1,749	547	307	895	282	5,957	5,829	1,064	6	4,385	58
3	Nonmetropolitan parishes	16,254	140	51	3	128	2,181	691	320	1,170	276	7,808	7,619	1,791	11	5,383	68
4	Acadia	433	5	1	-	5	78	25	9	44	10	184	171	39	-	122	1
5	Crowley	140	5	1	-	3	23	4	5	14	6	56	51	13	-	35	-
6	Balance of parish	293	-	-	-	2	55	21	4	30	4	128	120	26	-	87	1
7	Allen	190	5	-	-	-	23	4	4	15	3	96	93	19	-	70	-
8	Ascension	217	1	1	-	1	27	16	2	9	2	106	106	19	-	83	1
9	Assumption	185	1	-	-	3	17	3	4	10	1	97	96	24	-	66	-
10	Avoyelles	367	3	1	-	1	61	25	13	23	4	185	183	30	1	144	1
11	Beauregard	190	3	-	-	2	26	9	5	12	4	91	88	22	-	61	1
12	Bienville	195	2	-	-	1	28	6	-	22	2	98	94	25	-	55	-
13	Bossier	287	2	2	-	2	34	5	1	28	6	131	129	37	-	86	2
14	Bossier City	131	1	2	-	-	13	2	-	11	2	55	55	11	-	43	1
15	Balance of parish	156	1	-	-	2	21	3	1	17	4	76	74	26	-	43	1
16	Caddo	1,862	23	10	1	9	258	84	36	138	14	929	905	205	-	657	4
17	Shreveport	1,477	18	8	1	8	207	69	25	113	10	722	703	152	-	520	4
18	Balance of parish	385	5	2	-	1	51	15	11	25	4	207	202	53	-	137	-
19	Calcasieu	912	5	2	-	8	130	42	26	62	14	424	414	85	2	293	7
20	Lake Charles	457	3	1	-	4	62	25	12	25	6	225	220	42	2	156	1
21	Balance of parish	455	2	1	-	4	68	17	14	37	8	199	194	43	-	137	6
22	Caldwell	93	-	1	-	-	15	4	2	9	1	53	53	12	-	39	1
23	Cameron	379	-	-	-	-	5	2	-	3	-	14	13	2	-	11	-
24	Catahoula	100	-	-	-	-	16	5	3	8	2	45	45	11	-	31	-
25	Claiborne	215	4	1	-	1	25	7	2	16	3	113	110	32	-	72	-
26	Concordia	174	2	-	-	-	16	3	2	11	2	86	84	14	-	69	-
27	De Soto	264	2	3	-	2	41	14	7	20	3	131	128	37	-	86	-
28	East Baton Rouge	1,446	16	14	1	6	184	64	21	99	40	720	708	149	3	501	6
29	Baton Rouge	1,124	12	11	1	6	158	56	16	86	28	541	532	116	1	375	5
30	Balance of parish	322	4	3	-	-	26	8	5	13	12	179	176	33	2	126	1
31	East Carroll	181	2	1	-	1	23	7	5	11	4	96	94	31	-	61	-
32	East Feliciana	172	2	-	-	1	22	5	3	14	2	85	83	21	-	60	2
33	Evangeline	286	6	-	-	5	43	18	6	19	4	135	131	17	-	108	1
34	Franklin	234	-	1	-	3	29	8	5	16	5	128	124	43	-	78	-
35	Grant	126	-	1	-	-	21	6	3	12	1	67	66	13	-	50	1
36	Iberia	381	2	1	-	3	51	15	11	25	5	184	178	41	-	128	4
37	New Iberia	203	2	1	-	3	19	6	7	6	2	97	95	23	-	67	3
38	Balance of parish	178	-	-	-	-	32	9	4	19	3	87	83	18	-	61	1
39	Iberville	281	1	1	-	1	32	8	8	16	5	158	154	48	-	96	-
40	Jackson	143	-	-	-	-	34	9	4	21	3	55	54	17	-	37	-
41	Jefferson	1,129	16	6	-	7	180	62	41	77	30	515	507	79	1	392	3
42	Gretna	170	1	2	-	1	34	15	7	12	4	79	78	14	1	58	-
43	Balance of parish	959	15	4	-	6	146	47	34	65	26	436	429	65	-	334	3
44	Jefferson Davis	275	4	1	-	-	30	9	8	13	6	141	137	38	-	90	1
45	Lafayette	527	7	1	1	7	86	30	17	39	12	240	240	63	-	164	3
46	Lafayette	327	7	1	1	3	50	15	12	23	9	154	154	35	-	109	2
47	Balance of parish	200	-	-	-	4	36	15	5	16	3	86	86	28	-	55	1
48	Lafourche	369	1	3	-	1	57	17	12	28	11	161	157	29	-	123	1
49	La Salle	116	-	-	-	-	19	3	5	11	2	70	68	13	-	50	-
50	Lincoln	199	1	-	-	1	32	5	2	25	3	99	97	30	1	60	-
51	Ruston	98	1	-	-	-	21	3	1	17	-	52	52	18	-	31	-
52	Balance of parish	101	-	-	-	1	11	2	1	8	3	47	45	12	1	29	-
53	Livingston	179	2	-	-	-	21	4	3	14	4	92	91	24	-	63	1
54	Madison	185	1	-	-	-	18	7	3	8	2	84	82	32	-	44	-
55	Morehouse	335	3	2	-	2	34	10	8	16	7	175	172	44	-	117	-
56	Bastrop	145	1	1	-	-	16	3	2	11	2	84	81	23	-	55	-
57	Balance of parish	190	2	1	-	2	18	7	6	5	5	91	91	21	-	62	-
58	Natchitoches	374	6	4	1	-	57	18	5	34	7	191	184	41	-	138	-
59	Orleans, coextensive with New Orleans	7,324	107	69	-	37	1.107	329	206	572	193	3,729	3,646	621	2	2,786	45
60	Ouachita	793	6	1	-	11	107	28	12	67	16	422	407	94	1	294	-
61	Monroe	481	3	-	-	6	55	12	8	35	7	265	254	56	-	187	-
62	West Monroe	137	3	-	-	3	24	8	2	14	3	63	62	17	1	40	-
63	Balance of parish	175	-	1	-	2	28	8	2	18	6	94	91	21	-	67	-
64	Plaquemines	114	1	-	-	1	11	5	2	4	-	44	44	6	1	36	1
65	Pointe Coupee	216	3	2	-	1	30	16	2	12	2	107	107	28	-	74	2
66	Rapides	891	5	7	-	8	129	39	14	76	17	470	455	84	1	337	7
67	Alexandria	420	1	4	-	6	57	20	4	33	10	224	216	40	-	161	3
68	Balance of parish	471	4	3	-	2	72	19	10	43	7	246	239	44	1	176	4
69	Red River	118	1	1	-	2	12	1	1	10	-	56	56	23	-	28	-
70	Richland	240	1	1	-	4	29	10	2	17	2	124	121	31	-	87	1
71	Sabine	169	3	1	-	1	22	8	2	12	-	100	100	31	-	64	-
72	St. Bernard	136	-	-	-	1	20	8	3	9	5	64	63	10	-	49	-
73	St. Charles	137	1	-	-	2	21	7	5	9	3	62	61	8	-	47	-
74	St. Helena	77	-	-	-	-	6	3	-	3	2	32	32	8	-	24	-
75	St. James	173	3	-	-	3	27	12	3	12	3	79	77	22	-	47	-
76	St. John the Baptist	156	3	-	-	1	18	5	1	12	2	78	76	14	-	60	1
77	St. Landry	667	9	-	1	9	80	30	3	47	12	304	299	77	-	205	5
78	Opelousas	164	2	-	-	1	20	8	1	11	3	74	73	15	-	53	1
79	Balance of parish	503	7	-	1	8	60	22	2	36	9	230	226	62	-	152	4

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
6,500	1,767	1,375	171	377	260	317	1,213	131	165	283	33	57	452	1,735	364	827	1,574	168	239	2,012	1
2,944	852	531	82	167	125	128	462	67	63	176	16	23	196	693	49	236	505	70	115	915	2
3,556	915	844	89	210	135	189	751	64	102	107	17	34	256	1,042	315	591	1,089	98	124	1,097	3
80	17	24	6	3	1	13	20	2	2	-	-	2	7	28	13	16	14	7	7	32	4
22	4	9	2	1	-	5	8	-	-	-	-	-	1	14	6	1	4	1	-	11	5
58	13	15	4	2	1	8	12	2	2	-	-	2	6	14	7	15	10	6	7	21	6
50	13	7	1	2	1	3	7	-	1	3	1	-	3	11	4	13	7	-	1	12	7
48	17	17	-	2	2	-	7	-	2	2	-	1	2	11	19	12	6	-	2	15	8
39	16	11	-	6	-	1	13	1	6	-	-	1	1	13	3	6	7	-	1	14	9
105	22	16	1	5	2	2	14	-	2	2	-	-	10	25	1	8	18	3	3	26	10
53	-	7	-	4	1	3	10	1	1	3	-	-	5	11	1	11	9	1	1	10	11
36	9	10	5	4	5	4	6	1	1	-	-	-	2	9	14	5	10	1	3	12	12
57	14	13	2	3	1	2	12	-	-	1	-	-	5	32	2	12	16	2	5	23	13
32	4	6	1	-	-	-	5	-	-	-	-	-	3	19	1	6	9	2	2	11	14
25	10	7	1	3	1	2	7	-	-	1	-	-	2	13	1	6	7	-	3	12	15
408	192	53	13	17	13	24	80	7	11	22	4	5	39	111	11	59	83	19	31	136	16
320	153	43	7	13	11	19	58	6	9	20	3	4	34	92	8	44	66	17	24	118	17
88	39	10	6	4	2	5	22	1	2	2	1	1	5	19	3	15	17	2	7	18	18
223	36	27	11	13	10	10	36	5	7	7	1	6	18	93	9	27	41	2	7	70	19
117	27	11	8	7	5	5	14	3	2	5	-	2	10	41	6	7	27	1	4	34	20
106	9	16	3	6	5	5	22	2	5	2	1	4	8	52	3	20	14	1	3	36	21
25	4	9	-	2	-	-	1	-	-	-	-	-	-	5	2	2	4	-	1	8	22
11	-	-	-	-	-	1	4	-	1	-	-	-	-	-	-	2	352	1	-	-	23
23	6	2	1	1	1	-	5	-	-	-	-	2	2	7	1	4	10	-	1	5	24
58	6	8	1	2	3	3	11	3	-	-	-	-	1	13	5	11	6	2	2	14	25
16	29	24	-	-	1	2	11	-	2	-	1	-	8	10	1	3	15	-	2	15	26
57	18	11	1	2	2	3	16	1	-	1	-	-	3	5	13	6	9	1	4	23	27
314	92	89	7	26	22	12	41	2	8	13	1	7	41	102	5	42	50	12	22	119	28
242	61	67	4	17	19	9	31	2	5	11	-	5	33	81	2	32	44	10	15	96	29
72	31	22	3	9	3	3	10	-	3	2	1	2	8	21	3	10	6	2	7	23	30
27	9	25	2	-	-	2	7	-	2	-	-	1	4	12	4	3	5	-	-	16	31
39	11	8	-	2	-	2	11	2	-	3	2	-	3	6	1	6	5	1	1	19	32
69	24	14	2	2	2	4	25	-	4	1	-	-	2	22	5	8	8	5	1	12	33
39	21	18	-	3	-	4	9	-	3	1	-	-	1	12	2	7	10	2	1	20	34
39	6	4	-	1	2	1	6	1	1	-	-	-	3	5	-	2	7	1	-	10	35
82	10	32	-	5	4	6	18	2	5	4	2	-	10	30	6	21	15	3	1	18	36
40	6	18	-	3	2	2	10	2	4	2	1	-	7	20	5	8	11	1	1	7	37
42	4	14	-	2	2	4	8	-	1	2	1	-	3	10	1	13	4	2	-	11	38
72	10	14	1	9	-	4	15	1	3	1	1	-	6	22	2	6	11	1	-	14	39
24	5	8	-	-	-	1	10	1	-	-	-	1	-	6	18	7	2	2	1	3	40
284	59	46	14	12	9	8	40	7	9	14	2	2	28	90	3	34	59	4	10	73	41
35	11	12	2	2	1	1	6	1	3	1	-	-	2	7	-	5	6	-	2	16	42
249	48	34	12	10	8	7	34	6	6	13	2	2	26	83	3	29	53	4	8	57	43
67	9	13	4	4	1	4	13	1	1	4	-	-	1	14	3	20	15	4	-	17	44
121	27	13	3	3	7	-	23	-	2	3	-	2	13	40	12	27	16	2	2	31	45
82	18	7	2	3	5	-	13	-	1	2	-	-	6	28	7	10	10	2	2	21	46
39	9	6	1	-	2	-	10	-	1	1	-	2	7	12	5	17	6	-	-	10	47
76	28	18	1	1	3	4	12	-	4	1	-	1	5	37	1	16	22	1	-	35	48
41	6	3	-	5	-	2	4	-	-	-	-	-	1	4	-	3	5	-	2	6	49
32	10	18	1	3	2	2	8	2	-	-	-	-	4	6	11	12	12	1	-	7	50
15	4	12	-	2	1	-	3	-	-	-	-	-	4	2	2	6	5	-	-	2	51
17	6	6	1	1	1	2	5	2	-	-	-	-	-	4	9	6	7	1	-	5	52
29	8	25	-	1	3	1	7	-	-	2	-	-	1	11	5	9	13	-	-	12	53
28	5	11	2	2	2	2	2	2	2	-	-	1	1	10	34	4	9	-	1	14	54
65	30	22	-	4	7	3	19	2	-	-	-	-	4	33	2	8	17	3	3	21	55
33	11	11	-	1	2	3	9	-	-	-	-	-	2	12	-	4	5	1	2	6	56
32	19	11	-	3	5	-	10	2	-	-	-	-	2	21	2	4	12	2	1	15	57
92	24	22	-	3	2	7	16	1	-	3	-	1	2	19	5	15	13	5	5	23	58
1,902	502	337	48	109	80	83	296	51	35	127	9	9	84	377	29	95	307	32	52	579	59
180	51	63	8	4	6	15	30	6	5	8	-	-	18	38	7	17	29	4	8	60	60
106	35	46	4	2	5	11	24	1	3	7	-	-	11	25	4	13	15	2	4	36	61
32	4	4	2	1	1	1	3	1	1	-	-	-	5	7	1	2	5	1	4	11	62
42	12	13	2	1	-	3	3	4	1	1	-	-	2	6	2	2	9	1	-	13	63
24	5	6	-	-	1	-	2	-	-	3	-	1	2	11	2	11	14	2	1	8	64
40	14	18	-	2	3	-	17	2	1	-	-	1	2	19	3	7	10	1	-	8	65
240	53	37	4	17	12	15	38	6	6	6	3	2	13	48	10	20	36	4	2	61	66
112	23	23	2	9	4	8	13	5	4	3	2	-	7	27	2	9	13	2	1	30	67
128	30	14	2	8	8	7	25	1	2	3	1	2	6	21	8	11	23	2	1	31	68
19	2	7	1	1	3	-	6	-	1	-	-	1	-	5	13	5	5	2	1	7	69
57	17	12	-	2	1	3	15	-	3	1	1	1	2	13	2	10	11	2	5	13	70
43	13	8	1	3	1	-	8	-	-	1	-	-	1	10	2	2	6	1	4	7	71
36	7	6	-	3	1	1	5	-	-	-	-	-	4	13	1	6	6	3	-	8	72
36	9	2	-	3	3	1	7	-	1	-	-	-	5	12	-	4	7	1	1	10	73
17	2	5	-	-	-	-	5	-	3	-	-	-	2	8	6	5	1	-	2	5	74
28	9	10	2	3	3	2	2	-	-	2	-	2	4	17	3	5	8	-	1	14	75
32	18	9	-	1	1	2	10	1	1	1	-	-	1	12	1	3	8	1	-	15	76
149	24	27	1	12	4	5	37	1	5	11	1	3	22	47	8	27	28	4	3	55	77
39	4	9	1	3	1	1	6	-	2	7	1	2	3	17	-	3	11	-	-	12	78
110	20	18	-	9	3	4	31	1	3	4	-	1	19	30	8	24	17	4	3	43	79

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	LOUISIANA—Continued																
1	St. Martin	244	3	-	-	3	33	10	4	19	5	110	108	23	1	79	1
2	St. Mary	354	2	1	-	2	50	19	7	24	11	162	157	39	-	106	-
3	St. Tammany	318	3	-	-	7	32	7	5	20	6	159	155	30	-	117	5
4	Tangipahoa	579	8	2	-	9	75	26	10	39	11	277	268	49	1	197	8
5	Tensas	136	-	-	-	1	19	5	4	10	4	74	72	20	-	49	1
6	Terrebonne	380	3	-	-	3	46	12	11	23	9	186	183	26	-	136	-
7	Houma	169	3	-	-	-	14	3	3	8	5	88	88	11	-	66	-
8	Balance of parish	211	-	-	-	3	32	9	8	15	4	98	95	15	-	70	-
9	Union	187	1	-	-	2	26	9	2	15	4	91	91	27	-	60	-
10	Vermilion	286	2	1	-	2	56	20	6	30	2	135	132	36	-	95	1
11	Vernon	208	-	2	-	-	28	11	4	13	3	73	72	13	-	55	1
12	Washington	396	4	-	-	4	55	20	12	23	10	199	192	38	1	144	4
13	Bogalusa	220	2	-	-	2	31	13	6	12	4	108	104	21	1	76	2
14	Balance of parish	176	2	-	-	2	24	7	6	11	6	91	88	17	-	68	2
15	Webster	350	3	1	-	-	53	16	9	28	6	182	175	60	-	101	1
16	West Baton Rouge	139	-	1	-	1	18	3	4	11	3	76	74	12	-	56	-
17	West Carroll	140	-	-	-	-	21	8	3	10	1	79	77	19	-	53	-
18	West Feliciana	79	1	1	-	-	12	4	3	5	1	32	32	11	-	14	-
19	Winn	143	1	1	-	-	14	8	1	5	1	78	77	9	1	63	1
20	MAINE	10,165	48	15	-	41	1,606	565	197	844	168	5,964	5,856	1,237	4	4,183	127
21	Metropolitan counties	2,025	9	3	-	12	305	103	26	176	23	1,207	1,181	236	-	870	30
22	Nonmetropolitan counties	8,140	39	12	-	29	1,301	462	171	668	145	4,757	4,675	1,001	4	3,313	97
23	Androscoggin	951	2	3	-	4	151	50	21	80	15	571	557	105	1	414	14
24	Lewiston	419	2	2	-	1	73	32	10	31	7	253	250	41	-	193	5
25	Auburn	229	-	-	-	2	32	9	6	17	5	141	134	31	1	96	5
26	Balance of county	303	-	1	-	1	46	9	5	32	3	177	173	33	-	125	4
27	Aroostook	756	3	2	-	7	120	43	17	60	16	371	360	81	-	254	12
28	Cumberland	2,025	9	3	-	12	305	103	26	176	23	1,207	1,181	236	-	870	30
29	Portland	982	5	1	-	4	151	55	10	86	12	590	581	113	-	430	15
30	South Portland	217	-	-	-	-	33	11	5	17	1	129	127	30	-	86	4
31	Westbrook	136	4	-	-	1	21	5	2	14	1	80	79	14	-	61	4
32	Balance of county	690	-	2	-	7	100	32	9	59	9	408	394	79	-	293	7
33	Franklin	224	1	-	-	1	32	14	4	14	4	135	134	35	-	89	1
34	Hancock	405	3	1	-	1	68	20	13	35	8	253	250	72	1	159	3
35	Kennebec	946	4	-	-	2	148	53	23	72	13	564	561	131	-	383	9
36	Augusta	172	1	-	-	-	26	7	5	14	1	108	107	26	-	71	1
37	Waterville	205	-	-	-	-	33	12	5	16	6	112	112	28	-	77	3
38	Balance of county	569	3	-	-	2	89	34	13	42	6	344	342	77	-	235	5
39	Knox	356	6	1	-	-	74	25	9	40	8	200	198	50	-	137	5
40	Lincoln	245	-	1	-	-	42	20	3	19	4	151	148	30	-	109	3
41	Oxford	405	1	-	-	1	54	23	6	25	6	247	243	47	-	180	8
42	Penobscot	1,161	8	1	-	3	184	57	27	100	23	678	669	119	1	498	15
43	Bangor	358	1	-	-	1	54	17	6	31	10	224	222	49	-	155	3
44	Balance of county	803	7	1	-	2	130	40	21	69	13	454	447	70	1	343	12
45	Piscataquis	195	1	1	-	-	28	8	4	16	3	115	113	20	-	84	4
46	Sagadahoc	261	-	-	-	1	37	15	6	16	5	169	163	24	-	121	-
47	Bath	144	-	-	-	-	12	7	2	3	5	97	94	15	-	69	-
48	Balance of county	117	-	-	-	1	25	8	4	13	-	72	69	9	-	52	-
49	Somerset	463	2	-	-	1	79	29	3	47	8	276	269	64	1	177	6
50	Waldo	271	-	-	-	2	38	15	5	18	2	159	157	39	-	103	2
51	Washington	425	5	-	-	4	70	29	10	31	5	249	245	67	-	162	5
52	York	1,076	3	2	-	2	176	61	20	95	25	619	608	117	-	443	10
53	Biddeford	189	-	1	-	2	27	8	7	12	4	112	108	19	-	78	1
54	Saco	117	1	-	-	-	13	7	1	5	2	68	68	16	-	48	1
55	Balance of county	770	2	1	-	-	136	46	12	78	19	439	432	82	-	317	8
56	MARYLAND	26,379	319	83	2	118	4,192	1,352	636	2,204	518	14,187	13,954	2,334	11	10,713	293
57	Metropolitan counties	18,909	274	66	1	94	3,144	1,012	489	1,643	369	9,886	9,749	1,539	5	7,626	220
58	Nonmetropolitan counties	7,470	45	17	1	24	1,048	340	147	561	149	4,301	4,205	795	6	3,087	73
59	Allegany	1,000	4	3	1	2	150	59	15	76	21	609	591	72	-	478	17
60	Cumberland	501	2	1	1	1	84	31	4	49	6	300	289	34	-	244	6
61	Balance of county	499	2	2	-	1	66	28	11	27	15	309	302	38	-	234	11
62	Anne Arundel	1,208	12	2	-	6	206	58	39	109	23	602	594	121	1	437	18
63	Annapolis	265	4	-	-	1	45	12	9	24	3	142	140	33	-	100	3
64	Balance of county	943	8	2	-	5	161	46	30	85	20	460	454	88	1	337	15
65	Baltimore	2,808	29	9	-	19	515	161	85	269	52	1,514	1,497	214	2	1,197	37
66	District 12[3] [4]	296	4	1	-	5	48	17	9	22	5	144	143	13	-	124	2
67	District 13[3] [4]	205	1	-	-	-	40	9	9	22	2	114	112	17	-	92	4
68	Balance of county	2,307	24	8	-	14	427	135	67	225	45	1,256	1,242	184	2	961	31
69	Baltimore (city)	11,552	207	52	1	51	1,861	628	303	930	261	6,096	6,012	865	2	4,805	126
70	Calvert	143	-	1	-	1	23	7	5	11	2	74	73	14	-	54	1
71	Caroline	262	2	-	-	-	30	9	4	17	6	169	166	25	-	119	4
72	Carroll	501	1	-	-	1	87	29	15	43	17	272	267	55	-	203	4
73	Cecil	419	-	-	-	6	49	14	8	27	12	222	211	41	-	157	4
74	Charles	257	-	1	-	1	32	11	5	16	4	105	105	18	1	78	2
75	Dorchester	372	3	-	-	-	41	10	7	24	9	222	219	42	1	156	1
76	Cambridge	160	2	-	-	-	15	4	5	6	4	96	96	13	-	74	-
77	Balance of county	212	1	-	-	-	26	6	2	18	5	126	123	29	1	82	1

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enteri-tis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
55	19	4	1	3	1	2	19	1	3	1	1	1	4	16	2	6	12	3	3	18	1
45	34	27	2	5	5	5	12	-	5	3	1	1	6	22	5	15	30	2	1	23	2
85	13	14	-	7	1	4	17	-	1	2	-	-	4	18	4	22	14	3	3	23	3
136	30	23	6	8	7	9	34	7	1	3	1	-	7	35	4	27	26	1	7	44	4
34	9	5	-	2	1	2	2	-	-	-	-	-	3	3	7	3	4	1	3	12	5
83	23	30	2	17	2	3	19	1	4	3	1	-	12	34	3	15	20	1	2	18	6
40	11	15	-	10	1	-	5	1	2	1	1	-	7	14	3	8	8	-	1	8	7
43	12	15	2	7	1	3	14	-	2	2	-	-	5	20	-	7	12	1	1	10	8
46	7	7	-	4	-	-	6	-	-	2	-	1	3	8	1	11	13	1	2	15	9
76	10	8	-	1	-	3	13	2	4	3	-	-	4	10	4	9	16	2	-	21	10
34	8	12	1	1	2	1	14	3	1	2	-	-	-	16	19	9	15	3	3	17	11
100	31	9	1	4	4	7	23	2	1	2	-	-	2	30	1	16	14	2	7	24	12
52	15	7	1	1	4	4	16	1	-	1	-	-	1	15	-	8	7	2	4	18	13
48	16	2	-	3	-	3	7	1	1	1	-	-	1	15	1	8	7	-	3	6	14
61	17	22	7	5	2	7	13	1	1	5	-	1	2	26	3	12	11	4	3	23	15
31	22	3	2	3	1	4	9	1	1	-	-	-	4	6	1	4	4	-	-	8	16
32	11	10	1	3	2	2	4	1	1	2	-	-	2	5	3	5	4	1	-	11	17
7	5	2	5	1	1	-	5	-	-	1	-	-	1	6	1	3	6	1	2	6	18
43	9	10	-	1	3	1	6	-	1	3	-	-	2	5	1	6	8	-	2	14	19
3,082	417	557	75	260	97	108	331	60	41	82	11	8	110	346	63	151	340	110	18	652	20
683	73	84	16	33	26	26	68	11	11	18	-	1	26	68	16	28	62	21	1	135	21
2,399	344	473	59	227	71	82	263	49	30	64	11	7	84	278	47	123	278	89	17	517	22
302	48	50	6	21	10	14	35	4	1	12	2	-	11	32	2	12	21	9	3	61	23
146	25	17	5	6	5	3	13	3	1	6	1	-	4	14	-	7	8	2	1	21	24
62	16	13	1	3	2	7	9	1	-	2	-	-	4	9	-	-	3	2	1	18	25
94	7	20	-	12	3	4	13	-	-	4	1	-	3	9	2	5	10	5	1	22	26
192	16	34	8	12	5	11	34	3	5	3	4	2	9	41	7	27	51	6	2	43	27
683	73	84	16	33	26	26	68	11	11	18	-	1	26	68	16	28	62	21	1	135	28
349	20	46	6	19	13	9	36	5	7	7	-	-	8	33	9	11	26	6	1	70	29
73	4	5	4	6	1	2	4	1	1	-	-	-	5	5	4	4	8	5	-	17	30
44	6	7	3	-	1	1	4	1	1	-	-	-	-	5	2	-	6	3	-	7	31
217	43	26	3	8	11	14	24	4	2	11	-	1	13	25	1	13	22	7	-	41	32
72	7	9	2	3	5	1	5	-	2	3	1	1	1	8	-	3	6	7	-	14	33
115	13	28	5	11	2	3	16	2	2	3	-	-	-	6	1	7	7	3	-	24	34
283	34	57	9	31	7	3	35	8	2	11	1	1	10	40	1	15	28	9	-	54	35
62	5	3	3	6	1	1	6	1	-	4	-	1	-	8	-	2	4	1	-	9	36
62	5	7	1	5	1	-	6	3	1	2	-	-	6	6	1	2	8	3	-	16	37
159	24	47	5	20	5	2	23	4	1	5	1	-	4	26	-	11	16	5	-	29	38
102	11	19	2	9	-	2	10	4	2	2	-	-	1	7	5	2	10	4	1	19	39
73	17	16	-	8	1	3	6	2	1	-	-	-	2	4	3	5	8	3	-	13	40
137	18	17	-	13	3	4	9	4	-	1	-	-	8	13	4	6	13	2	2	34	41
365	45	73	5	36	10	9	41	4	6	9	-	1	12	53	5	15	46	10	3	59	42
118	9	25	2	14	2	2	11	1	3	4	-	-	4	12	-	1	10	-	1	21	43
247	36	48	3	22	8	7	30	3	3	5	-	1	8	41	5	14	36	10	2	38	44
51	17	12	-	5	4	2	4	3	2	1	-	-	4	6	1	2	14	2	-	8	45
99	11	11	3	12	3	6	11	-	-	3	-	-	2	4	-	4	4	3	-	18	46
57	7	5	1	8	1	3	7	-	-	2	-	-	2	3	-	1	-	-	-	15	47
42	4	6	2	4	2	3	4	-	-	1	-	-	-	1	-	3	4	3	-	3	48
121	14	36	7	16	4	7	9	4	1	5	1	-	3	20	4	3	12	9	2	24	49
71	16	14	1	12	2	2	11	1	2	1	1	-	2	9	4	4	10	3	-	22	50
92	27	38	2	13	1	4	14	2	1	2	-	1	3	9	4	3	12	6	1	32	51
324	50	59	9	25	14	11	23	8	3	8	1	1	16	26	6	15	36	11	3	92	52
59	12	6	3	4	4	4	3	1	1	6	1	1	3	3	-	-	6	-	1	17	53
34	4	9	-	1	3	-	2	-	1	-	-	-	2	7	-	2	5	1	-	13	54
231	34	44	6	20	7	7	18	7	1	2	-	-	11	16	6	13	25	10	2	62	55
5,879	1,943	2,598	170	442	284	233	849	123	129	363	36	20	431	1,279	108	526	871	301	165	1,759	56
4,060	1,493	1,853	116	254	209	137	605	92	86	305	24	19	319	993	68	325	612	212	124	1,291	57
1,819	450	745	54	188	75	96	244	31	43	58	12	1	112	286	40	201	259	89	41	468	58
244	57	160	8	24	9	18	32	6	5	16	1	1	9	19	2	20	30	5	2	62	59
132	24	82	-	7	4	11	18	3	2	8	-	-	5	11	1	8	18	2	1	29	60
112	33	78	8	17	5	7	14	3	3	8	1	1	4	8	1	12	12	3	1	33	61
238	76	105	9	17	9	8	44	6	6	13	-	1	22	68	7	31	54	20	5	80	62
57	25	15	1	4	2	2	10	-	2	2	-	-	3	15	4	5	9	5	-	15	63
181	51	90	8	13	7	6	34	6	4	11	-	1	19	53	3	26	45	15	5	65	64
691	177	292	17	39	28	17	62	9	6	22	5	3	61	153	5	52	91	34	10	157	65
78	17	27	3	2	1	1	9	-	2	5	2	-	10	18	-	5	13	3	-	22	66
46	15	27	1	1	1	2	3	-	-	-	-	-	7	14	-	3	4	2	1	14	67
567	145	238	13	36	26	14	50	9	4	17	3	3	44	121	5	44	74	29	9	121	68
2,365	993	1,321	68	141	131	84	378	67	56	220	14	12	158	561	46	165	354	99	87	806	69
24	23	6	1	2	2	1	9	-	-	1	-	-	1	3	5	2	7	3	1	10	70
64	18	33	4	13	5	3	8	-	2	-	1	-	3	5	1	11	10	-	-	14	71
100	36	63	1	6	2	5	13	-	1	-	2	-	8	26	1	18	18	8	1	27	72
84	30	39	2	9	2	11	11	-	3	4	3	-	5	28	4	6	30	8	2	26	73
51	15	10	3	3	2	-	11	2	6	2	-	-	10	19	4	13	19	2	6	20	74
107	22	26	5	11	4	3	13	4	6	-	-	-	3	14	3	7	16	2	2	27	75
54	11	9	2	6	1	-	8	3	3	-	-	-	1	10	3	3	4	-	-	8	76
53	11	17	3	5	3	3	5	1	3	-	-	-	2	4	-	4	12	2	2	19	77

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MARYLAND—Continued																
1	Frederick	709	4	-	-	2	95	29	15	51	11	414	405	81	1	293	11
2	Frederick	213	3	-	-	-	27	4	4	19	3	121	121	31	1	83	3
3	Balance of county	496	1	-	-	2	68	25	11	32	8	293	284	50	-	210	8
4	Garrett	153	-	-	-	1	12	5	1	6	4	107	106	18	-	76	3
5	Harford	513	2	1	-	1	74	19	12	43	3	282	274	39	-	222	1
6	Howard	261	2	-	-	1	32	9	2	21	6	156	153	18	-	121	2
7	Kent	193	1	2	-	-	28	8	8	12	6	103	101	28	1	64	3
8	Montgomery	1,666	13	-	-	8	310	91	36	183	17	829	817	183	-	570	23
9	Takoma Park (part)	117	2	-	-	1	14	4	3	7	1	58	56	15	-	36	1
10	Takoma Park (total)	142	3	-	-	1	19	4	5	10	1	70	68	18	-	45	1
11	Balance of county	1,549	11	-	-	7	296	87	33	176	16	771	761	168	-	534	22
12	Prince Georges	1,675	13	3	-	10	252	74	26	152	16	845	829	156	-	617	16
13	College Park	82	1	-	-	1	5	1	-	4	-	41	41	10	-	27	1
14	Hyattsville	288	2	-	-	-	64	19	5	40	2	138	133	28	-	90	2
15	Mount Rainier	73	-	-	-	-	13	5	-	8	-	47	47	8	-	34	2
16	Takoma Park (part)	25	1	-	-	-	5	-	2	3	-	12	12	3	-	9	-
17	Balance of county	1,207	9	3	-	9	165	49	19	97	14	607	596	107	-	457	11
18	Queen Annes	202	3	2	-	-	26	10	1	15	6	119	117	15	1	91	1
19	St. Marys	246	1	-	-	1	33	10	4	19	2	100	100	23	-	67	3
20	Somerset	236	3	1	-	1	28	13	5	10	5	152	139	39	-	87	1
21	Talbot	278	1	-	-	3	52	22	6	24	4	170	166	39	1	112	1
22	Washington	849	7	4	-	3	128	41	16	71	15	508	505	99	-	364	5
23	Hagerstown	504	3	4	-	2	80	28	9	43	10	304	303	63	-	224	2
24	Balance of county	345	4	-	-	1	48	13	7	28	5	204	202	36	-	140	3
25	Wicomico	525	5	2	-	-	66	17	11	38	7	321	317	90	-	210	7
26	Salisbury	241	2	2	-	-	35	7	7	21	2	134	134	31	-	93	1
27	Balance of county	284	3	-	-	-	31	10	4	17	5	187	183	59	-	117	6
28	Worcester	351	6	-	-	-	62	18	7	37	9	196	190	39	-	135	2
29	MASSACHUSETTS[5]	54,665	416	101	3	145	9,676	3,584	1,278	4,814	970	30,930	30,553	5,784	19	22,717	774
30	MICHIGAN	66,456	448	113	14	263	10,790	3,931	1,468	5,391	1,517	35,868	35,281	7,640	41	25,309	952
31	Metropolitan counties	41,994	338	77	8	173	7,113	2,536	1,065	3,512	957	21,798	21,439	4,376	27	15,679	628
32	Nonmetropolitan counties	24,462	110	36	6	90	3,677	1,395	403	1,879	560	14,070	13,842	3,264	14	9,630	324
33	Alcona	70	-	-	-	-	9	4	2	3	5	44	44	10	-	31	-
34	Alger	109	3	1	-	-	16	1	1	14	-	56	54	8	-	43	3
35	Allegan	559	2	1	-	3	87	34	6	47	20	322	318	87	-	206	10
36	Alpena	256	1	-	-	1	37	17	1	19	12	150	149	36	-	107	4
37	Alpena	153	1	-	-	-	22	12	-	10	11	86	86	22	-	61	-
38	Balance of county	103	-	-	-	1	15	5	1	9	1	64	63	14	-	46	4
39	Antrim	166	-	-	-	-	32	14	4	14	4	101	101	25	-	67	2
40	Arenac	124	-	-	-	1	19	7	5	7	4	71	71	14	-	54	-
41	Baraga	94	2	1	-	-	12	5	-	7	-	60	57	14	-	38	1
42	Barry	290	-	-	-	1	44	19	4	21	9	167	165	34	-	111	2
43	Bay	896	4	1	-	3	158	53	27	78	19	481	472	109	-	336	9
44	Bay City	572	2	1	-	2	103	35	16	52	14	311	306	76	-	214	8
45	Balance of county	324	2	-	-	1	55	18	11	26	5	170	166	33	-	122	1
46	Benzie	103	-	-	-	-	17	8	2	7	4	62	62	19	-	43	1
47	Berrien	1,269	12	1	-	3	197	72	23	102	27	711	697	158	1	487	24
48	Benton Harbor	229	4	1	-	-	27	11	2	14	6	130	127	35	-	87	3
49	Niles	140	-	-	-	1	23	7	2	14	4	89	88	12	-	68	4
50	St. Joseph	129	-	-	-	-	25	10	5	10	3	74	73	16	-	51	3
51	Balance of county	771	8	-	-	2	122	44	14	64	14	418	409	95	1	281	14
52	Branch	368	1	1	-	3	53	20	8	25	7	220	219	61	1	140	7
53	Calhoun	1,305	7	3	3	8	199	65	28	106	24	750	738	172	-	520	19
54	Battle Creek	632	3	3	1	2	97	36	13	48	12	367	362	85	-	257	8
55	Albion	111	1	-	2	1	11	3	3	5	-	64	63	13	-	44	1
56	Balance of county	562	3	-	-	5	91	26	12	53	12	319	313	74	-	219	10
57	Cass	357	-	-	-	-	63	19	9	35	7	194	191	40	-	144	5
58	Charlevoix	163	-	-	-	-	19	9	1	9	3	88	84	17	-	57	3
59	Cheboygan	196	-	-	-	-	17	6	2	9	7	129	126	29	-	95	1
60	Chippewa	288	-	-	-	1	27	7	2	18	9	169	165	40	-	121	3
61	Sault Ste. Marie	184	-	-	-	1	20	5	2	13	7	103	100	26	-	73	1
62	Balance of county	104	-	-	-	-	7	2	-	5	2	66	65	14	-	48	2
63	Clare	118	-	-	-	-	18	7	1	10	2	64	60	16	-	43	1
64	Clinton	367	1	1	-	2	61	25	6	30	11	211	207	49	1	131	5
65	Crawford	52	-	-	-	-	6	3	1	2	2	32	32	6	-	24	1
66	Delta	384	2	2	-	2	64	31	7	26	13	212	207	43	-	159	4
67	Escanaba	182	1	1	-	-	28	12	4	12	6	103	101	27	-	72	2
68	Balance of county	202	1	1	-	2	36	19	3	14	7	109	106	16	-	87	2
69	Dickinson	269	1	-	-	-	53	22	8	23	1	159	154	27	-	116	1
70	Eaton	470	4	-	-	-	54	17	11	26	11	275	271	46	-	197	6
71	Emmet	186	-	-	-	2	28	12	2	14	5	115	115	16	-	97	2
72	Genesee	2,602	16	6	1	13	425	150	59	216	51	1,314	1,302	284	1	926	37
73	Flint	1,576	9	6	1	8	253	91	40	122	29	802	795	169	1	572	21
74	Balance of county	1,026	7	-	-	5	172	59	19	94	22	512	507	115	-	354	16
75	Gladwin	127	-	-	-	-	14	7	1	6	1	74	72	19	-	49	1

[5]Data are shown only for the State as a whole; for explanation, see text in Volume I.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-488	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
191	31	60	5	16	9	9	24	5	2	4	1	-	13	25	5	22	16	15	2	49	1
62	7	11	2	3	1	-	8	3	1	3	-	-	6	10	2	3	2	2	-	19	2
129	24	49	3	13	8	9	16	2	1	1	1	-	7	15	3	19	14	13	2	30	3
38	11	24	2	9	1	1	6	-	-	-	-	-	2	2	2	2	4	-	-	11	4
123	32	66	-	9	4	8	11	5	3	4	1	-	14	24	5	23	22	10	3	25	5
62	22	35	3	8	3	3	10	1	1	2	-	-	4	10	-	7	9	4	-	16	6
33	14	14	2	3	3	2	4	1	1	3	1	-	2	8	3	6	2	1	3	18	7
415	73	59	12	25	27	12	61	6	5	27	2	1	34	88	9	29	56	31	8	132	8
31	4	-	1	4	-	2	6	1	-	1	1	1	4	8	-	2	2	1	-	14	9
37	7	-	1	4	-	2	6	1	-	1	1	1	5	9	-	3	2	2	1	16	10
384	69	59	11	21	27	10	55	5	5	26	1	-	30	80	9	27	54	30	8	118	11
351	174	76	10	32	14	16	60	4	13	23	3	2	44	123	1	48	57	28	14	116	12
15	6	5	-	2	2	-	4	-	1	2	-	-	3	7	-	7	1	1	1	7	13
61	15	12	1	11	3	5	7	1	3	6	-	1	8	18	-	8	10	2	1	17	14
26	5	1	2	2	1	-	1	-	1	1	-	-	-	6	-	1	2	-	-	1	15
6	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	2	16
243	145	58	7	17	8	11	48	3	8	14	3	1	32	91	1	31	44	24	11	89	17
50	14	26	6	1	3	2	8	-	1	-	-	-	1	4	1	12	5	1	-	13	18
36	6	22	1	4	5	-	15	-	3	1	-	-	10	32	1	17	12	1	6	11	19
53	9	24	2	9	2	13	8	-	1	-	-	-	1	9	1	1	10	1	2	12	20
77	15	19	1	9	4	4	10	2	-	2	-	-	5	4	-	3	3	3	2	14	21
273	39	47	5	30	7	3	29	3	4	8	-	-	14	27	1	16	20	11	2	49	22
172	22	28	4	11	1	1	12	2	2	6	-	-	8	17	-	5	12	4	1	32	23
101	17	19	1	19	6	2	17	1	2	2	-	-	6	10	1	11	8	7	1	17	24
129	32	42	1	10	6	4	16	1	3	10	1	-	5	14	1	9	15	10	4	35	25
57	13	22	1	7	2	-	8	1	3	7	1	-	3	6	1	5	7	7	3	14	26
72	19	20	-	3	4	4	8	-	-	3	-	-	2	8	-	4	8	3	1	21	27
80	24	29	2	12	2	6	6	1	1	1	1	-	2	13	-	6	11	4	3	29	28
17,838	1,935	2,170	326	1,145	562	377	1,913	387	166	808	54	16	606	1,648	243	463	2,078	372	61	3,609	29
18,707	2,406	3,244	413	1,252	626	587	2,233	466	305	868	82	76	1,066	3,252	189	1,662	1,977	683	228	4,356	30
11,840	1,559	1,652	271	677	409	359	1,544	292	181	657	52	54	727	2,366	128	951	1,187	421	194	2,776	31
6,867	847	1,592	142	575	217	228	689	174	124	211	30	22	339	886	61	711	790	262	34	1,580	32
22	4	5	-	-	3	-	3	1	-	-	-	-	1	2	-	2	-	1	-	2	33
25	5	10	-	2	1	2	4	2	-	2	-	1	-	1	6	4	4	-	1	8	34
150	18	28	4	18	3	4	12	2	2	2	1	2	6	20	3	17	17	4	1	35	35
72	6	25	1	2	3	1	1	1	1	4	1	-	2	11	1	11	10	2	-	10	36
46	5	10	1	1	1	-	-	1	-	2	1	-	1	6	1	7	6	2	-	6	37
26	1	15	-	1	2	1	1	-	1	2	-	-	1	5	-	4	4	-	-	4	38
50	6	9	1	3	5	-	5	-	-	1	-	-	3	4	1	2	4	1	-	8	39
35	8	11	1	2	-	-	4	1	-	1	-	-	1	3	-	6	4	1	1	7	40
29	2	6	1	3	1	3	5	-	-	1	-	-	-	1	-	2	4	2	-	4	41
92	7	10	3	14	3	2	9	3	-	1	1	-	7	7	-	6	12	6	-	17	42
231	37	59	6	14	7	9	29	8	1	9	-	1	14	43	1	11	24	11	1	77	43
149	26	31	3	9	4	5	21	5	-	7	-	-	7	24	1	3	19	8	1	43	44
82	11	28	3	5	3	4	8	3	1	2	-	1	7	19	-	8	5	3	-	34	45
33	4	5	-	-	-	-	2	1	1	-	-	-	1	1	-	4	2	-	-	8	46
349	37	77	8	23	20	14	28	7	12	14	-	-	20	50	1	29	50	13	3	91	47
62	9	13	1	2	2	3	6	1	2	2	-	-	4	13	-	2	8	3	2	18	48
47	7	10	1	4	3	1	-	1	-	1	-	-	3	8	1	2	1	1	-	5	49
35	7	6	-	4	2	1	2	-	1	1	-	-	2	5	-	2	4	1	-	9	50
205	14	48	6	13	13	9	20	5	9	10	-	-	11	24	-	23	37	8	1	59	51
100	17	16	3	9	5	1	13	2	1	2	2	-	5	12	-	14	7	3	-	22	52
370	52	79	4	37	5	12	38	11	6	8	2	3	14	51	4	31	38	13	4	88	53
189	23	37	1	15	4	5	21	4	2	5	-	3	5	20	2	11	19	6	1	48	54
36	4	3	1	4	1	1	3	1	-	1	-	-	2	7	2	3	4	1	1	7	55
145	25	39	2	18	-	6	14	6	4	2	2	-	7	24	-	17	15	6	2	33	56
88	23	28	1	3	3	3	12	9	4	3	1	-	5	13	1	12	9	5	-	19	57
40	4	10	2	5	3	4	10	2	1	2	1	-	3	8	-	6	9	2	-	9	58
66	16	12	-	1	1	3	7	1	-	1	-	1	2	8	-	5	7	3	1	7	59
73	10	35	-	2	2	4	3	2	3	3	1	2	1	10	1	16	13	2	-	25	60
47	7	18	-	1	-	3	1	2	2	1	1	1	1	8	1	12	5	2	-	16	61
26	3	17	-	1	2	1	2	-	1	2	-	1	-	2	-	4	8	-	-	9	62
37	1	4	-	1	-	4	2	-	1	-	-	-	1	6	-	7	4	3	-	10	63
82	23	21	4	18	4	4	9	3	-	6	1	-	5	13	-	9	14	4	-	16	64
19	3	1	-	2	-	-	1	1	-	-	-	-	1	1	-	3	-	2	-	3	65
61	15	79	1	3	1	5	15	1	-	5	1	-	5	15	-	13	12	2	-	20	66
36	9	25	1	1	-	2	8	-	-	4	-	-	3	10	-	3	5	1	-	9	67
25	6	54	-	2	1	3	7	1	-	1	1	-	2	5	-	10	7	1	-	11	68
93	3	19	-	11	-	5	5	1	-	4	1	-	-	5	-	5	10	4	1	19	69
136	14	41	3	19	6	4	16	5	2	8	-	-	6	18	4	20	9	5	-	33	70
61	21	13	1	1	-	-	6	1	1	3	-	1	4	7	-	2	3	2	-	6	71
745	61	83	16	46	29	12	93	7	19	24	5	3	50	200	5	72	70	39	11	178	72
484	35	32	10	24	19	7	57	5	14	14	3	2	28	111	4	37	46	22	9	116	73
261	26	51	6	22	10	5	36	2	5	10	2	1	22	89	1	35	24	17	2	62	74
41	2	5	2	1	1	2	12	-	1	-	-	-	1	5	-	4	2	2	1	10	75

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MICHIGAN—Continued																
1	Gogebic	335	6	-	-	-	42	21	7	14	11	203	203	48	1	146	2
2	Ironwood	149	3	-	-	-	14	5	2	7	5	99	99	27	-	68	2
3	Balance of county	186	3	-	-	-	28	16	5	7	6	104	104	21	1	78	-
4	Grand Traverse	290	-	-	-	1	42	12	6	24	5	171	167	46	-	111	3
5	Traverse City	172	-	-	-	-	30	9	4	17	3	98	96	22	-	68	3
6	Balance of county	118	-	-	-	1	12	3	2	7	2	73	71	24	-	43	-
7	Gratiot	395	1	2	-	2	55	21	2	32	6	247	241	72	1	145	6
8	Hillsdale	360	-	-	-	4	51	17	5	29	5	203	201	48	-	124	2
9	Houghton	558	3	-	-	2	83	39	3	41	19	335	327	72	1	233	16
10	Huron	323	2	-	-	3	44	17	3	24	8	182	179	37	1	129	-
11	Ingham	1,656	4	1	2	8	268	81	35	152	25	902	890	215	-	597	34
12	Lansing	973	4	1	2	7	167	52	19	96	15	538	531	130	-	364	20
13	East Lansing	80	-	-	-	-	11	4	1	6	-	43	42	12	-	27	2
14	Balance of county	603	-	-	-	1	90	25	15	50	10	321	317	73	-	206	12
15	Ionia	476	-	1	-	1	74	22	7	45	10	282	274	60	-	199	4
16	Iosco	158	-	-	-	1	23	10	6	7	9	86	84	15	-	61	1
17	Iron	244	2	3	-	-	38	18	4	16	6	148	146	42	-	98	7
18	Isabella	308	-	-	-	2	50	19	7	24	4	184	182	44	-	125	6
19	Mount Pleasant	115	-	-	-	-	22	7	5	10	3	69	67	13	-	50	2
20	Balance of county	193	-	-	-	2	28	12	2	14	1	115	115	31	-	75	4
21	Jackson	1,137	3	2	-	7	191	63	32	96	28	612	603	125	-	422	11
22	Jackson	604	2	1	-	2	102	34	15	53	16	331	327	67	-	226	8
23	Balance of county	533	1	1	-	5	89	29	17	43	12	281	276	58	-	196	3
24	Kalamazoo	1,326	8	3	-	2	204	74	23	107	40	762	749	173	-	510	8
25	Kalamazoo	815	6	2	-	1	123	48	13	62	25	476	468	93	-	335	4
26	Balance of county	511	2	1	-	1	81	26	10	45	15	286	281	80	-	175	4
27	Kalkaska	64	-	-	-	-	7	4	-	3	1	45	45	16	-	27	1
28	Kent	3,092	10	6	-	17	520	186	76	258	74	1,667	1,651	418	2	1,098	32
29	Grand Rapids	2,060	7	4	-	12	355	140	51	164	47	1,117	1,108	287	-	728	18
30	Balance of county	1,032	3	2	-	5	165	46	25	94	27	550	543	131	2	370	14
31	Keweenaw	44	2	-	-	-	2	2	-	-	-	32	32	5	-	24	-
32	Lake	78	-	1	-	-	17	7	2	8	3	40	40	9	-	29	-
33	Lapeer	399	-	-	-	1	44	20	4	20	16	231	227	44	-	169	5
34	Leelanau	106	-	-	1	-	18	4	3	11	4	60	60	13	-	44	-
35	Lenawee	739	2	-	-	3	115	43	13	59	16	418	401	75	-	293	6
36	Adrian	202	1	-	-	1	35	12	5	18	4	107	99	20	-	72	2
37	Balance of county	537	1	-	-	2	80	31	8	41	12	311	302	55	-	221	4
38	Livingston	338	3	-	-	2	42	19	5	18	7	212	211	52	-	146	4
39	Luce	59	-	-	-	-	11	5	2	4	3	34	33	2	-	28	1
40	Mackinac	121	2	-	-	-	19	5	5	9	4	61	60	15	1	41	1
41	Macomb	2.002	10	2	1	4	328	118	44	166	52	1,009	992	183	3	755	34
42	East Detroit	260	1	2	-	-	42	14	6	22	6	120	120	19	-	95	6
43	Mount Clemens	253	3	-	-	2	44	19	4	21	7	133	132	30	-	95	4
44	Roseville	195	2	-	-	1	30	8	4	18	1	95	95	17	1	67	6
45	St. Clair Shores	322	-	-	-	-	51	10	7	34	4	151	147	17	1	122	4
46	Balance of county	972	4	-	1	1	161	67	23	71	34	510	498	100	1	376	14
47	Manistee	252	2	-	-	2	41	14	7	20	7	149	148	42	-	101	3
48	Marquette	517	6	1	-	4	87	42	7	38	8	294	291	67	-	211	7
49	Marquette	185	-	-	-	1	32	15	4	13	1	107	106	18	-	84	2
50	Balance of county	332	6	1	-	3	55	27	3	25	7	187	185	49	-	127	5
51	Mason	257	1	2	-	-	43	17	3	23	5	158	155	25	-	119	7
52	Mecosta	217	1	1	-	2	36	13	4	19	6	120	119	29	-	82	2
53	Menominee	266	4	1	-	2	40	20	7	13	2	170	168	51	-	109	1
54	Menominee	138	2	1	-	1	21	11	4	6	1	90	90	29	-	57	1
55	Balance of county	128	2	-	-	1	19	9	3	7	1	80	78	22	-	52	-
56	Midland	327	1	-	-	-	51	13	9	29	5	167	164	31	-	129	4
57	Midland	160	1	-	-	-	22	6	3	13	2	85	82	15	-	65	2
58	Balance of county	167	-	-	-	-	29	7	6	16	3	82	82	16	-	64	2
59	Missaukee	71	-	-	-	-	3	-	-	3	1	49	47	12	1	31	-
60	Monroe	789	2	3	-	3	110	44	14	52	25	422	416	101	-	292	11
61	Monroe	209	1	1	-	2	26	11	4	11	9	100	98	23	-	69	4
62	Balance of county	580	1	2	-	1	84	33	10	41	16	322	318	78	-	223	7
63	Montcalm	406	1	-	1	4	63	24	6	33	6	239	231	60	-	149	1
64	Montmorency	55	-	-	-	-	7	4	-	3	1	27	27	4	-	21	1
65	Muskegon	1,289	8	3	-	6	182	66	21	95	16	686	677	176	1	457	21
66	Muskegon	561	3	1	-	4	79	33	10	36	8	335	332	87	-	223	7
67	Muskegon Heights	210	3	-	-	-	37	16	3	18	1	100	98	27	1	66	8
68	Balance of county	498	2	2	-	2	66	17	8	41	7	251	247	62	-	168	6
69	Newaygo	275	-	-	-	1	39	20	4	15	10	160	157	38	1	107	4
70	Oakland	3,844	15	5	1	23	674	225	96	353	91	1,956	1,922	371	5	1,433	50
71	Pontiac	714	3	3	1	4	117	41	17	59	14	369	359	64	-	263	4
72	Ferndale	242	1	-	-	3	44	10	7	27	9	128	128	25	-	98	5
73	Royal Oak	439	4	-	-	2	77	29	9	39	10	227	227	40	1	173	5
74	Berkley	138	-	-	-	-	33	12	3	18	6	62	60	15	1	40	2
75	Birmingham	207	-	-	-	1	39	11	3	25	2	106	106	23	-	75	1
76	Hazel Park	159	-	-	-	1	37	16	7	14	5	67	67	5	-	55	2
77	Balance of county	1,945	7	2	-	12	327	106	50	171	45	997	975	199	3	729	31
78	Oceana	190	-	-	-	1	32	12	2	18	4	108	108	34	-	66	3
79	Ogemaw	95	-	-	1	-	18	4	1	13	2	52	51	17	-	32	2
80	Ontonagon	135	2	-	-	1	22	11	5	6	3	76	76	7	-	61	1
81	Osceola	203	-	-	-	-	20	7	1	12	8	123	123	31	-	84	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
108	12	24	1	5	2	-	6	4	3	7	1	-	1	11	1	4	8	6	-	21	1
54	6	6	-	2	2	-	3	1	-	5	-	-	1	3	-	1	3	1	-	10	2
54	6	18	1	3	-	-	3	3	3	2	1	-	-	8	1	3	5	5	-	11	3
75	12	21	1	7	2	4	10	3	4	1	-	-	9	9	1	7	7	4	-	16	4
43	8	14	1	4	1	2	6	1	3	-	-	-	4	4	1	4	3	3	-	12	5
32	4	7	-	3	1	2	4	2	1	1	-	-	5	5	-	3	4	1	-	4	6
98	11	30	6	13	4	6	10	3	3	1	1	1	5	13	-	12	8	3	-	22	7
97	7	18	2	23	4	2	20	3	3	2	-	-	5	8	2	8	11	6	1	28	8
171	7	39	3	15	3	8	13	2	-	4	-	1	3	7	3	4	28	8	1	42	9
88	3	38	1	6	5	3	11	1	3	6	-	-	6	9	1	15	14	2	-	16	10
444	57	62	15	44	19	12	34	12	8	10	1	-	34	94	2	49	38	19	5	140	11
276	40	28	8	21	8	7	21	8	3	4	1	-	18	39	2	25	22	10	2	84	12
23	1	1	-	1	2	1	2	1	-	-	-	-	4	6	-	5	1	1	-	6	13
145	16	33	7	22	9	4	11	3	5	6	-	-	12	49	-	19	15	8	3	50	14
131	21	43	-	12	3	8	12	3	-	6	-	-	8	19	1	11	14	2	1	31	15
37	5	18	1	4	3	2	6	-	2	-	-	1	2	7	-	3	5	1	-	12	16
72	9	10	-	5	1	2	6	3	-	1	-	-	1	2	1	12	6	2	-	13	17
97	11	11	1	8	4	2	8	3	2	2	-	-	7	10	1	12	5	2	-	16	18
42	4	2	-	1	3	2	2	2	1	1	-	-	-	5	-	2	1	-	-	7	19
55	7	9	1	7	1	-	6	1	1	1	-	-	7	5	1	10	4	2	-	9	20
325	40	46	3	39	14	9	40	3	4	12	2	2	20	48	1	22	41	8	2	89	21
175	25	18	3	20	11	4	20	1	2	8	1	-	11	24	1	11	18	5	2	46	22
150	15	28	-	19	3	5	20	2	2	4	1	2	9	24	-	11	23	3	-	43	23
400	38	64	11	38	17	13	43	11	3	10	2	1	20	59	8	24	34	10	1	81	24
260	29	42	8	27	5	8	23	8	2	6	2	-	9	32	7	14	24	5	-	50	25
140	9	22	3	11	12	5	20	3	1	4	-	1	11	27	1	10	10	5	1	31	26
19	4	3	-	1	1	-	2	-	1	-	-	-	1	-	-	1	3	-	-	3	27
825	73	168	28	69	36	16	69	22	15	35	5	-	52	142	38	77	93	33	4	213	28
565	48	97	18	48	27	9	47	16	9	27	3	-	32	88	31	37	60	18	4	146	29
260	25	71	10	21	9	7	22	6	6	8	2	-	20	54	7	40	33	15	-	67	30
19	2	3	-	2	1	-	1	-	-	1	-	-	1	-	1	-	3	-	-	1	31
15	1	13	-	1	1	-	3	2	1	1	1	-	2	1	-	1	4	1	-	-	32
129	16	19	3	9	2	4	11	7	3	5	1	-	8	19	1	13	12	5	2	20	33
35	3	6	1	1	1	-	2	-	-	2	-	-	1	1	-	1	3	2	-	11	34
207	26	54	5	23	5	17	15	3	5	3	-	2	15	25	4	28	21	11	2	51	35
45	10	15	3	4	-	8	3	1	3	1	-	1	4	11	1	6	5	5	-	13	36
162	16	39	2	19	5	9	12	2	2	2	-	1	11	14	3	22	16	6	2	38	37
122	8	12	1	9	3	1	11	2	3	4	-	-	5	11	-	8	10	2	-	16	38
20	-	7	1	1	1	1	3	-	1	-	-	-	-	2	1	2	1	-	-	1	39
32	2	6	-	1	2	1	9	1	-	-	-	-	-	4	-	4	12	1	-	4	40
521	81	119	6	32	13	17	53	12	8	26	1	6	67	167	1	51	61	14	4	125	41
75	7	7	-	4	2	-	9	-	2	4	-	2	10	36	-	2	5	1	-	18	42
58	11	22	-	5	2	1	8	2	1	1	1	1	3	17	-	4	8	-	1	17	43
45	5	11	2	5	3	-	7	3	-	3	-	-	9	22	-	4	8	1	-	9	44
83	17	18	2	4	1	4	9	-	1	5	-	1	19	39	1	4	10	5	-	22	45
260	41	61	2	14	5	12	20	7	4	13	-	2	26	53	-	37	30	7	3	59	46
76	5	17	-	4	1	1	10	-	-	-	-	-	3	6	-	2	12	3	-	15	47
148	15	41	2	9	2	3	10	4	3	9	1	-	5	13	3	13	23	3	1	29	48
59	6	17	-	4	-	1	3	2	1	3	-	-	3	5	-	5	13	-	-	9	49
89	9	24	2	5	2	2	7	2	2	6	1	-	2	8	3	8	10	3	1	20	50
98	4	10	2	7	2	3	6	1	1	2	-	-	1	5	-	8	7	4	-	13	51
60	3	17	-	7	1	1	6	1	1	-	-	1	3	4	-	3	10	5	1	16	52
75	9	24	1	6	1	2	3	-	2	2	-	-	3	9	-	5	9	3	-	11	53
47	5	4	1	3	-	-	2	-	-	1	-	-	1	4	-	2	5	1	-	6	54
28	4	20	-	3	1	2	1	-	2	1	-	-	2	5	-	3	4	2	-	5	55
103	9	13	-	1	3	3	8	3	1	1	-	-	7	29	-	11	10	3	1	29	56
52	5	6	-	-	2	3	1	2	1	1	-	-	3	18	-	5	4	2	-	13	57
51	4	7	-	1	1	-	7	1	-	-	-	-	4	11	-	6	6	1	1	16	58
24	1	6	1	2	-	2	5	1	-	-	-	-	-	2	-	1	2	1	-	6	59
226	22	33	4	17	2	6	31	6	2	7	-	3	15	41	1	24	29	9	1	55	60
51	7	7	-	5	1	2	11	4	-	2	-	1	4	11	1	9	8	-	-	19	61
175	15	26	4	12	1	4	20	2	2	5	-	2	11	30	-	15	21	9	1	36	62
110	10	28	6	12	4	8	15	3	3	-	-	-	5	14	1	16	12	4	-	19	63
16	1	3	-	1	1	-	1	-	1	-	1	-	3	3	-	3	3	-	-	5	64
373	32	31	7	27	9	9	40	13	11	14	-	1	26	67	5	35	43	16	2	95	65
188	16	12	3	16	3	3	15	7	2	7	-	-	9	18	2	12	17	6	2	34	66
51	4	3	1	3	-	2	10	3	2	4	-	-	2	17	1	3	9	-	-	18	67
134	12	16	3	8	6	4	15	3	7	3	-	1	15	32	2	20	17	10	-	43	68
54	18	31	2	4	5	3	12	2	3	1	-	-	4	7	-	7	9	3	-	17	69
1,076	121	186	17	59	37	34	87	26	15	46	7	4	83	244	11	125	110	58	17	246	70
192	19	48	3	20	9	10	14	4	2	8	1	1	11	50	2	17	28	11	7	47	71
64	12	17	1	3	1	-	2	1	1	3	1	-	5	12	1	6	6	2	-	17	72
137	13	18	1	4	8	-	8	3	1	5	1	-	14	30	2	11	7	5	1	31	73
25	7	6	1	3	-	2	-	2	1	4	-	-	4	7	-	6	4	4	1	4	74
63	7	4	1	6	1	-	11	1	2	1	-	-	5	11	2	7	3	3	1	12	75
36	7	10	1	1	5	-	5	1	1	3	-	-	8	11	-	7	2	4	1	6	76
559	56	83	9	22	13	22	47	14	7	22	4	3	36	123	4	71	60	29	6	129	77
44	10	9	2	4	2	-	5	1	-	-	1	-	6	5	-	6	4	2	-	15	78
29	1	-	1	1	-	1	3	-	-	4	1	-	1	2	-	2	1	1	-	7	79
51	1	8	-	8	-	-	2	-	1	-	-	-	1	7	-	1	7	2	-	10	80
43	11	29	-	6	2	-	4	1	2	1	-	-	6	10	-	5	10	1	-	12	81

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MICHIGAN—Continued																
1	Oscoda	41	-	-	-	-	6	3	-	3	-	27	26	4	-	22	-
2	Otsego	84	-	-	-	1	17	8	1	8	1	35	35	11	-	21	2
3	Ottawa	744	1	1	-	1	120	48	5	67	17	423	415	106	1	265	16
4	Holland	197	-	-	-	1	31	12	1	18	4	123	122	36	-	73	4
5	Balance of county	547	1	1	-	-	89	36	4	49	13	300	293	70	1	192	12
6	Presque Isle	121	1	-	-	-	19	5	2	12	1	66	66	10	-	54	-
7	Roscommon	78	-	-	-	-	18	10	2	6	2	38	38	9	-	26	3
8	Saginaw	1,626	12	4	-	7	243	89	30	124	46	887	871	193	1	588	15
9	Saginaw	1,023	6	3	-	6	162	63	24	75	33	547	535	115	1	362	12
10	Balance of county	603	6	1	-	1	81	26	6	49	13	340	336	78	-	226	3
11	St. Clair	1,077	-	3	-	1	162	61	20	81	29	625	616	150	1	427	9
12	Port Huron	411	-	-	-	-	63	26	7	30	13	241	238	53	1	165	3
13	Balance of county	666	-	3	-	1	99	35	13	51	16	384	378	97	-	262	6
14	St. Joseph	493	3	2	-	4	98	31	11	56	7	284	276	70	-	180	7
15	Sanilac	393	2	-	-	2	55	25	3	27	6	234	229	58	-	161	3
16	Schoolcraft	96	-	-	-	-	12	8	1	3	3	57	57	17	-	35	1
17	Shiawassee	505	4	-	-	1	83	30	10	43	11	296	294	71	-	208	7
18	Owosso	186	3	-	-	-	31	16	4	11	7	105	104	26	-	74	1
19	Balance of county	319	1	-	-	1	52	14	6	32	4	191	190	45	-	134	6
20	Tuscola	454	-	1	-	1	68	22	10	36	12	263	257	71	1	167	9
21	Van Buren	596	3	-	-	-	76	22	8	46	16	378	374	84	-	258	9
22	Washtenaw	1,131	7	-	-	3	189	60	18	111	15	595	594	142	-	410	17
23	Ann Arbor	415	2	-	-	1	77	29	4	44	6	222	221	58	-	139	5
24	Ypsilanti	206	1	-	-	-	21	6	4	11	3	113	113	28	-	80	1
25	Balance of county	510	4	-	-	2	91	25	10	56	6	260	260	56	-	191	11
26	Wayne	23,813	256	47	3	89	4,102	1,497	643	1,962	531	12,208	11,987	2,305	15	9,014	398
27	Detroit	17,952	218	36	2	72	3,109	1,134	508	1,467	422	9,385	9,212	1,789	12	6,912	300
28	Dearborn	863	6	2	-	3	159	63	19	77	15	450	441	93	2	330	18
29	Hamtramck	460	6	1	-	-	83	34	13	36	10	232	228	44	-	173	4
30	Highland Park	482	4	1	-	1	81	35	11	35	11	265	259	54	-	189	5
31	Lincoln Park	302	-	-	-	-	58	20	6	32	7	124	124	19	-	97	3
32	Wyandotte	346	3	-	1	1	59	23	8	28	8	179	175	36	-	129	10
33	Allen Park	153	1	1	-	1	23	4	3	16	6	71	71	11	-	51	3
34	Ecorse	142	4	-	-	-	25	10	3	12	-	59	55	10	-	41	2
35	Grosse Pointe Park	157	-	-	-	-	27	10	6	11	7	85	84	20	-	59	5
36	Grosse Pointe Woods	98	-	-	-	-	25	10	2	13	2	55	55	5	-	47	1
37	Inkster	191	1	1	-	3	26	4	4	18	3	82	80	13	-	58	5
38	Livonia	243	1	1	-	-	39	12	7	20	1	123	122	17	-	98	5
39	River Rouge	181	-	1	-	2	39	14	6	19	2	78	77	17	-	57	1
40	Balance of county	2,243	12	3	-	6	349	124	47	178	37	1,020	1,004	177	1	773	36
41	Wexford	240	2	-	-	1	37	15	2	20	6	139	135	35	-	93	1
42	Cadillac	132	2	-	-	1	21	7	1	13	3	80	78	23	-	53	-
43	Balance of county	108	-	-	-	-	16	8	1	7	3	59	57	12	-	40	1
44	MINNESOTA	31,211	108	60	5	127	4,904	1,844	448	2,612	549	17,403	17,206	4,214	22	11,692	372
45	Metropolitan counties	14,654	68	39	2	64	2,381	868	263	1,250	250	8,059	7,981	1,788	11	5,609	188
46	Nonmetropolitan counties	16,557	40	21	3	63	2,523	976	185	1,362	299	9,344	9,225	2,426	11	6,083	184
47	Aitkin	153	-	1	1	-	25	7	3	15	3	93	91	33	-	46	1
48	Anoka	321	1	-	-	4	40	8	3	29	5	166	166	37	-	121	3
49	Becker	235	-	-	-	1	33	12	2	19	4	142	140	40	1	90	3
50	Beltrami	262	2	2	-	4	30	11	3	16	2	143	143	45	-	88	3
51	Bemidji	107	-	2	-	-	13	5	3	5	2	63	63	20	-	40	1
52	Balance of county	155	2	-	-	4	17	6	-	11	-	80	80	25	-	48	2
53	Benton	124	1	-	-	-	16	9	1	6	2	67	66	15	-	48	4
54	St. Cloud (part)	25	-	-	-	-	4	2	-	2	-	14	14	1	-	13	-
55	Balance of county	99	1	-	-	-	12	7	1	4	2	53	52	14	-	35	4
56	Big Stone	110	1	-	-	1	19	7	2	10	-	59	59	16	-	41	1
57	Blue Earth	427	-	1	-	1	73	29	5	39	8	241	238	57	-	169	6
58	Mankato	229	-	-	-	1	39	15	3	21	3	142	140	33	-	100	4
59	Balance of county	198	-	1	-	-	34	14	2	18	5	99	98	24	-	69	2
60	Brown	309	-	-	-	-	55	19	2	34	6	170	168	36	-	110	5
61	Carlton	260	1	-	-	2	34	14	3	17	5	152	152	24	-	111	2
62	Carver	184	-	-	-	3	25	13	2	10	2	102	102	26	-	66	1
63	Cass	194	1	-	-	1	31	16	2	13	3	106	106	18	-	77	1
64	Chippewa	158	1	-	-	-	26	14	1	11	2	95	95	29	-	62	2
65	Chisago	180	-	-	-	1	32	9	1	22	3	100	99	28	-	61	-
66	Clay	281	-	-	-	-	52	16	5	31	8	146	144	49	-	84	3
67	Moorhead	138	-	-	-	-	20	6	3	11	4	73	71	20	-	44	2
68	Balance of county	143	-	-	-	-	32	10	2	20	4	73	73	29	-	40	1
69	Clearwater	125	1	-	-	-	7	1	1	5	4	72	69	10	-	58	2
70	Cook	27	-	-	-	-	4	1	2	1	1	17	16	8	-	6	-
71	Cottonwood	157	-	-	-	1	23	7	-	16	4	97	95	34	1	53	1
72	Crow Wing	289	1	-	-	3	53	16	9	28	2	176	175	49	-	119	1
73	Brainerd	119	-	-	-	-	22	6	3	13	1	76	75	23	-	49	1
74	Balance of county	170	1	-	-	3	31	10	6	15	1	100	100	26	-	70	-
75	Dakota	486	2	2	-	1	57	20	7	30	16	260	256	52	1	189	6
76	South St. Paul	127	1	1	-	-	14	6	2	6	4	67	65	11	-	49	-
77	Balance of county	359	1	1	-	1	43	14	5	24	12	193	191	41	1	140	6
78	Dodge	135	-	1	-	-	26	13	1	12	1	76	76	19	-	53	-
79	Douglas	215	2	-	-	1	37	12	1	24	3	126	123	36	-	76	3
80	Faribault	238	1	-	-	1	40	14	3	23	4	140	138	33	1	97	6

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
17	2	3	-	-	-	1	1	-	-	-	-	-	-	-	-	1	3	-	-	3	1
15	3	1	1	-	2	-	1	2	-	-	-	-	2	4	-	10	7	1	-	3	2
174	37	38	11	23	9	8	17	6	3	4	1	1	10	33	1	24	19	6	1	55	3
48	14	7	5	5	3	1	7	-	2	2	-	-	2	5	1	5	3	2	1	8	4
126	23	31	6	18	6	7	10	6	1	2	1	1	8	28	-	19	16	4	-	47	5
43	6	5	2	-	-	-	1	-	1	-	-	-	-	9	-	5	3	2	1	12	6
19	2	2	-	3	-	-	4	1	-	2	-	-	2	-	-	4	2	-	-	5	7
477	27	69	13	64	12	16	54	12	6	21	4	-	28	65	1	46	63	15	7	105	8
288	17	45	7	42	8	12	35	10	6	15	3	-	16	36	-	22	38	5	5	75	9
189	10	24	6	22	4	4	19	2	-	6	1	-	12	29	1	24	25	10	2	30	10
288	62	68	7	16	15	9	22	8	4	12	1	-	17	33	1	33	38	7	2	79	11
117	24	21	6	8	5	3	7	4	3	2	1	-	7	11	-	9	15	2	-	33	12
171	38	47	1	8	10	6	15	4	1	10	-	-	10	22	1	24	23	5	2	46	13
136	13	24	8	11	7	8	7	3	1	1	-	-	4	18	2	15	10	5	-	29	14
111	11	36	1	6	3	5	8	3	1	2	-	-	4	15	1	16	7	6	1	28	15
26	-	8	1	1	3	-	4	-	1	1	1	-	3	3	-	4	2	2	-	3	16
162	20	19	1	11	3	2	5	1	2	1	1	-	5	14	1	14	18	4	1	43	17
61	7	5	-	3	1	1	2	-	1	-	-	-	2	3	-	6	9	3	-	14	18
101	13	14	1	8	2	1	3	1	1	1	1	-	3	11	1	8	9	1	1	29	19
111	17	30	6	7	5	6	12	2	2	9	2	-	6	14	1	15	18	8	-	20	20
193	27	29	5	23	4	4	17	3	4	3	2	-	5	17	1	15	14	3	-	39	21
288	24	81	3	28	11	1	44	9	4	18	1	-	16	67	3	28	28	17	2	85	22
99	8	27	1	18	5	1	16	3	4	9	-	-	7	23	1	3	9	6	-	26	23
56	7	16	-	3	2	-	13	2	-	3	-	-	2	14	1	7	6	4	1	15	24
133	9	38	2	7	4	-	15	4	-	6	1	-	7	30	1	18	13	7	1	44	25
6,796	1,024	796	156	272	225	221	1,042	179	102	464	25	37	359	1,304	60	474	653	214	142	1,522	26
5,149	848	615	119	216	164	173	765	141	71	364	19	22	228	864	32	293	471	161	126	1,151	27
262	20	30	6	5	5	9	42	4	7	18	-	1	11	56	1	23	17	10	1	37	28
131	20	18	4	5	2	4	30	4	2	18	-	-	3	18	1	6	13	5	1	27	29
157	13	14	5	5	6	6	20	2	2	11	-	1	6	13	2	9	10	6	2	35	30
78	11	5	2	3	3	-	15	3	-	6	-	1	6	23	2	12	19	2	-	24	31
94	10	15	1	7	2	4	8	3	3	3	1	2	11	23	1	10	6	4	-	20	32
40	6	2	1	6	2	-	4	4	1	-	-	1	2	20	-	2	3	1	-	12	33
32	3	4	3	-	1	4	17	2	1	-	-	1	2	12	-	4	4	-	2	9	34
46	2	6	1	1	3	1	5	1	3	3	-	-	-	9	-	1	3	5	-	8	35
41	2	3	-	1	2	-	1	-	-	2	-	-	1	1	3	1	1	-	-	6	36
45	5	3	2	2	5	2	12	2	-	2	-	-	6	21	-	6	11	1	3	11	37
73	8	12	1	3	3	1	6	-	-	3	2	1	10	22	1	9	10	2	-	12	38
45	7	4	-	1	2	1	11	1	1	2	1	-	1	15	3	5	3	-	1	15	39
603	69	65	11	17	25	16	106	12	11	32	2	7	72	207	14	93	82	17	6	155	40
58	10	24	1	4	2	4	4	3	-	-	-	1	2	5	-	7	11	1	-	21	41
31	8	14	1	1	-	2	4	1	-	-	-	1	1	2	-	2	4	1	-	9	42
27	2	10	-	3	2	2	-	2	-	-	-	-	1	3	-	5	7	-	-	12	43
8,949	1,065	1,306	212	729	337	197	1,165	196	129	258	42	17	496	1,200	189	750	1,110	292	47	2,164	44
4,407	504	510	77	328	168	78	549	110	58	171	21	11	258	597	65	274	473	139	24	1,041	45
4,542	561	796	135	401	169	119	616	86	71	87	21	6	238	603	124	476	637	153	23	1,123	46
36	4	5	2	5	5	2	6	1	-	-	-	-	4	2	1	3	3	-	-	10	47
98	5	15	1	4	3	-	14	1	2	2	-	1	14	34	-	8	10	2	1	16	48
78	3	6	2	7	-	2	9	1	3	-	1	-	3	7	1	4	12	1	-	13	49
66	8	11	3	5	2	-	12	1	-	2	-	-	4	12	4	9	16	5	-	14	50
31	4	4	2	1	-	-	2	-	-	-	-	-	3	5	1	2	4	4	-	6	51
35	4	7	1	4	2	-	10	1	-	2	-	-	1	7	3	7	12	1	-	8	52
35	7	2	-	3	-	1	5	1	1	-	-	-	4	6	1	5	9	-	-	6	53
10	2	1	-	-	-	-	3	-	-	-	-	-	1	1	-	-	1	-	-	1	54
25	5	1	-	3	-	1	2	1	1	-	-	-	3	5	1	5	8	-	-	5	55
32	3	5	1	1	-	-	4	-	-	-	-	-	2	3	1	2	8	3	-	7	56
143	5	15	-	8	4	3	16	-	3	5	1	-	11	14	5	13	12	3	-	20	57
82	4	10	-	4	3	2	6	-	1	2	-	-	4	8	1	5	4	2	-	11	58
61	1	5	-	4	1	1	10	-	2	3	1	-	7	6	4	8	8	1	-	9	59
75	20	10	6	11	5	2	9	1	1	4	-	1	5	12	2	3	11	1	-	28	60
85	9	15	-	16	1	-	10	1	-	1	-	-	5	8	3	7	11	3	-	17	61
46	10	9	2	7	1	-	6	-	-	1	-	-	1	11	-	9	4	4	-	16	62
57	8	11	3	5	3	-	6	2	-	2	1	-	1	3	2	8	9	1	-	17	63
49	8	3	1	3	-	-	7	1	1	1	-	-	4	6	-	-	6	2	-	6	64
42	11	8	3	2	5	1	5	-	1	-	-	-	3	9	4	3	7	-	3	9	65
60	10	11	-	8	3	2	9	2	-	3	-	-	7	15	3	8	9	3	-	16	66
33	3	6	-	6	1	2	5	2	-	3	-	-	4	12	3	1	3	1	-	7	67
27	7	5	-	2	2	-	4	-	-	-	-	-	3	3	-	7	6	2	-	9	68
22	13	21	-	1	-	3	7	-	-	-	-	-	-	7	7	5	6	1	1	7	69
3	1	2	1	1	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	2	70
35	3	14	2	2	3	2	4	-	-	-	2	-	3	4	-	3	5	-	-	11	71
106	5	7	2	-	5	1	11	2	-	3	-	-	2	7	-	7	4	2	1	15	72
45	2	1	1	-	2	1	4	1	-	1	-	-	1	4	-	2	2	-	-	5	73
61	3	6	1	-	3	-	7	1	-	2	-	-	1	3	-	5	2	2	1	10	74
149	15	19	3	8	3	4	15	4	1	3	-	-	10	28	5	13	23	3	1	42	75
36	8	5	1	3	1	2	6	1	-	1	-	-	4	5	1	1	4	-	-	17	76
113	7	14	2	5	2	2	9	3	1	2	-	-	6	23	4	12	19	3	1	25	77
38	8	7	2	2	-	-	2	1	-	-	-	-	4	-	2	6	4	4	-	8	78
47	12	14	1	7	3	3	6	-	1	-	-	-	6	4	2	9	6	3	-	9	79
76	7	8	-	5	2	2	7	1	-	-	2	-	1	12	-	5	7	3	-	14	80

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MINNESOTA—Continued																
1	Fillmore	305	-	-	-	-	50	22	2	26	2	188	182	44	-	132	3
2	Freeborn	333	-	-	-	-	48	18	5	25	4	190	187	63	-	111	2
3	Albert Lea	152	-	-	-	-	22	9	3	10	1	83	81	30	-	46	-
4	Balance of county	181	-	-	-	-	26	9	2	15	3	107	106	33	-	65	2
5	Goodhue	346	2	2	-	-	51	17	3	31	6	195	193	55	-	120	4
6	Red Wing	144	1	1	-	-	19	8	-	11	4	77	77	23	-	48	1
7	Balance of county	202	1	1	-	-	32	9	3	20	2	118	116	32	-	72	3
8	Grant	90	1	-	-	-	11	3	-	8	2	52	50	15	1	33	2
9	Hennepin	7,550	33	20	1	33	1,222	460	139	623	129	4,141	4,100	931	9	2,821	98
10	Minneapolis	6,043	29	16	-	19	982	373	114	495	97	3,379	3,344	808	7	2,297	76
11	Richfield	145	-	1	-	-	23	7	3	13	2	66	63	13	1	47	3
12	Robbinsdale	104	-	-	-	1	10	5	1	4	3	55	55	15	-	36	1
13	St. Louis Park	194	-	-	-	1	45	15	3	27	3	98	98	24	-	70	3
14	Balance of county	1,064	4	3	1	12	162	60	18	84	24	543	540	131	1	371	15
15	Houston	157	-	-	-	-	14	7	1	6	2	101	101	30	-	67	2
16	Hubbard	99	-	-	-	2	10	2	2	6	3	58	58	14	-	42	1
17	Isanti	120	1	-	-	-	15	6	-	9	-	77	75	14	-	56	4
18	Itasca	332	1	1	-	2	51	14	4	33	7	169	164	28	-	124	7
19	Jackson	138	1	-	-	-	20	9	1	10	3	76	76	19	-	48	1
20	Kanabec	101	-	-	-	-	16	8	2	6	2	60	59	22	1	32	1
21	Kandiyohi	241	-	1	-	1	37	15	3	19	6	125	124	28	-	88	5
22	Kittson	98	1	-	-	1	16	9	-	7	2	54	53	9	-	30	3
23	Koochiching	179	-	1	-	2	15	5	2	8	3	112	110	16	-	80	-
24	Lac qui Parle	145	-	-	-	-	17	3	1	13	4	82	82	19	-	57	3
25	Lake	141	-	2	-	1	23	12	1	10	1	77	74	14	-	53	-
26	Lake of the Woods	69	-	-	-	-	7	6	-	1	-	47	47	13	-	29	3
27	Le Sueur	220	1	-	-	1	31	10	3	18	3	127	126	41	1	76	3
28	Lincoln	80	-	-	-	-	16	6	2	8	2	42	42	14	-	23	-
29	Lyon	209	1	-	-	-	31	11	2	18	6	118	116	32	-	73	3
30	McLeod	258	-	-	1	1	41	12	3	26	5	154	151	29	1	102	3
31	Mahnomen	55	-	-	-	-	6	3	1	2	-	32	32	5	-	26	-
32	Marshall	143	-	1	-	1	17	8	1	8	2	87	86	19	-	63	1
33	Martin	224	-	-	-	-	33	12	3	18	3	124	124	31	-	86	1
34	Meeker	197	-	-	-	-	31	13	7	11	4	125	122	39	-	64	3
35	Mille Lacs	194	-	-	-	-	32	13	1	18	2	115	114	39	-	65	1
36	Morrison	229	1	-	-	2	28	19	1	8	9	128	128	38	-	83	4
37	Mower	395	-	1	-	-	62	23	4	35	9	220	216	73	-	133	4
38	Austin	220	-	1	-	-	35	12	3	20	3	122	121	43	-	73	4
39	Balance of county	175	-	-	-	-	27	11	1	15	6	98	95	30	-	60	-
40	Murray	121	1	-	-	-	13	7	-	6	3	64	63	14	-	40	2
41	Nicollet	162	2	-	-	-	33	15	2	16	3	77	77	21	-	48	4
42	Nobles	200	-	-	-	2	25	11	1	13	2	106	104	27	-	70	2
43	Norman	124	1	-	-	-	19	8	2	9	1	82	81	29	-	45	-
44	Olmsted	472	1	2	-	4	82	29	6	47	8	221	216	53	-	138	3
45	Rochester	332	1	2	-	3	60	19	5	36	4	152	148	33	-	99	2
46	Balance of county	140	-	-	-	1	22	10	1	11	4	69	68	20	-	39	1
47	Otter Tail	503	1	1	-	1	80	31	5	44	13	285	285	75	-	189	4
48	Fergus Falls	129	-	-	-	-	30	13	2	15	-	66	66	15	-	47	-
49	Balance of county	374	1	1	-	1	50	18	3	29	13	219	219	60	-	142	4
50	Pennington	131	-	-	-	-	23	10	-	13	3	78	77	27	-	47	3
51	Pine	206	-	1	-	-	25	12	1	12	5	131	130	24	-	95	4
52	Pipestone	122	-	-	-	-	20	9	2	9	2	64	64	11	-	50	2
53	Polk	393	3	-	1	1	61	20	4	37	9	197	195	47	-	131	4
54	Pope	105	-	-	-	-	19	6	-	13	1	56	54	11	-	41	4
55	Ramsey	3,831	25	10	-	14	645	206	72	367	56	2,112	2,090	478	-	1,456	49
56	St. Paul	3,443	24	9	-	8	571	179	66	326	49	1,941	1,920	441	-	1,332	46
57	Balance of county	388	1	1	-	6	74	27	6	41	7	171	170	37	-	124	3
58	Red Lake	61	1	1	-	-	11	4	2	5	1	32	31	6	-	21	-
59	Redwood	192	-	-	-	1	23	9	1	13	6	110	109	27	-	74	2
60	Renville	213	-	1	-	-	27	13	1	13	2	138	133	39	3	76	1
61	Rice	357	1	-	-	2	62	18	8	36	6	190	188	45	-	136	1
62	Faribault	166	1	-	-	1	31	7	6	18	3	86	85	18	-	64	1
63	Balance of county	191	-	-	-	1	31	11	2	18	3	104	103	27	-	72	-
64	Rock	82	1	-	-	-	13	7	-	6	3	47	45	15	-	25	-
65	Roseau	120	-	-	-	-	19	10	2	7	4	70	69	23	-	45	2
66	St. Louis	2,466	7	7	1	12	417	174	42	201	44	1,380	1,369	230	1	1,022	32
67	Duluth	1,308	4	7	-	4	237	93	24	120	22	725	722	118	1	535	17
68	Hibbing	152	-	-	-	2	22	13	3	6	4	88	86	17	-	60	4
69	Virginia	158	1	-	-	-	21	10	2	9	2	106	104	17	-	82	2
70	Balance of county	848	2	-	1	6	137	58	13	66	16	461	457	78	-	345	9
71	Scott	191	-	-	-	4	35	15	1	19	4	82	82	25	-	45	1
72	Sherburne	107	-	-	-	-	12	2	4	6	3	70	67	12	-	52	1
73	St. Cloud (part)	12	-	-	-	-	1	-	1	-	-	7	7	2	-	5	-
74	Balance of county	95	-	-	-	-	11	2	3	6	3	63	60	10	-	47	1
75	Sibley	169	-	-	-	2	18	5	1	12	2	100	99	37	-	54	2
76	Stearns	615	-	-	-	4	103	37	8	58	13	322	319	72	1	230	8
77	St. Cloud (part)	228	-	-	-	1	33	6	3	24	2	126	125	26	1	93	4
78	St. Cloud (total)	265	-	-	-	1	38	8	4	26	2	147	146	29	1	111	4
79	Balance of county	387	-	-	-	3	70	31	5	34	11	196	194	46	-	137	4
80	Steele	197	-	-	-	-	30	11	4	15	3	110	109	30	-	74	1
81	Owatonna	107	-	-	-	-	19	7	2	10	2	56	55	17	-	35	1
82	Balance of county	90	-	-	-	-	11	4	2	5	1	54	54	13	-	39	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
98	4	27	2	1	3	6	7	1	2	1	-	-	3	7	3	5	14	5	-	17	1
79	22	8	2	4	7	3	9	2	1	1	-	-	3	7	-	13	13	9	-	33	2
34	7	5	2	-	3	2	4	-	1	-	-	-	1	3	-	6	5	5	-	21	3
45	15	3	-	4	4	1	5	2	-	1	-	-	2	4	-	7	8	4	-	12	4
84	16	16	6	9	3	2	17	3	3	1	1	1	4	6	2	6	11	3	-	32	5
31	10	6	3	2	1	-	8	2	1	-	-	1	2	5	1	2	5	2	-	13	6
53	6	10	3	7	2	2	9	1	2	1	1	-	2	1	1	4	6	1	-	19	7
21	2	8	1	-	-	2	9	-	1	-	-	-	1	-	1	3	1	2	1	5	8
2,246	224	253	44	146	89	41	298	59	26	102	14	6	138	284	41	133	237	73	10	550	9
1,830	184	207	40	120	72	35	240	50	20	94	12	2	92	174	38	101	186	60	8	444	10
39	3	2	-	1	1	3	7	2	1	-	1	1	4	15	-	3	2	2	-	15	11
25	6	4	1	2	1	-	4	-	-	2	-	-	5	7	-	3	3	-	-	11	12
56	8	3	-	2	2	-	6	2	-	-	-	1	4	11	-	4	3	2	2	12	13
296	23	37	3	21	13	3	41	5	5	6	1	2	33	77	3	22	43	9	-	68	14
46	3	16	-	2	2	-	5	-	3	2	-	-	1	2	5	3	4	2	-	13	15
32	2	7	-	1	1	-	6	1	-	-	-	-	-	2	-	2	6	3	-	6	16
46	4	2	1	4	-	2	4	1	-	-	-	1	-	5	-	4	3	1	1	7	17
86	12	19	2	10	-	5	17	3	2	3	1	-	6	13	-	11	20	3	-	22	18
39	6	2	5	4	-	-	6	2	4	1	-	-	-	7	1	-	4	1	-	12	19
25	4	2	1	1	2	1	2	1	1	1	-	-	1	2	1	2	5	1	-	6	20
63	1	19	2	3	3	1	10	1	-	2	1	-	2	5	6	8	10	4	-	22	21
21	-	6	6	5	3	1	2	1	-	-	-	-	1	2	4	8	2	1	-	3	22
59	10	11	-	14	-	2	4	4	2	-	-	-	2	5	-	4	12	3	1	9	23
38	6	10	-	3	3	-	5	1	-	-	-	-	5	6	1	6	9	1	-	8	24
43	4	6	1	4	2	3	1	-	1	-	-	-	5	8	-	6	5	3	-	8	25
23	2	1	1	1	3	-	1	-	-	-	-	-	-	5	1	-	4	-	-	4	26
61	4	8	1	7	-	1	6	1	3	1	-	-	-	5	-	7	9	2	-	23	27
13	2	8	-	5	-	-	6	-	-	-	-	-	-	2	1	4	1	-	-	6	28
54	9	7	2	7	2	2	6	2	-	-	1	-	7	7	-	9	7	-	-	14	29
67	4	8	3	15	1	3	4	1	-	1	1	-	4	12	1	9	7	3	-	13	30
23	-	3	-	1	-	-	2	-	-	-	-	-	-	1	3	-	3	1	1	6	31
33	9	20	3	1	-	1	10	-	-	-	1	-	2	5	2	7	5	-	-	3	32
81	1	3	-	6	1	-	15	2	-	-	-	-	1	6	5	7	10	-	-	18	33
51	6	4	1	14	4	3	5	-	-	1	1	-	1	3	-	13	-	1	-	12	34
53	4	7	3	5	2	1	7	4	1	1	-	-	1	2	1	7	7	3	-	11	35
52	8	19	1	2	4	-	12	1	1	1	-	-	2	11	1	4	12	1	1	14	36
108	5	16	2	6	2	4	11	3	2	3	-	-	8	17	1	15	12	3	1	27	37
60	1	8	-	3	2	1	6	1	1	3	-	-	5	13	1	5	4	3	-	17	38
48	4	8	2	3	-	3	5	2	1	-	-	-	3	4	-	10	8	-	1	10	39
37	1	-	1	5	3	1	9	1	1	1	-	-	1	7	-	3	7	1	1	8	40
36	3	5	2	4	2	-	8	-	-	2	-	-	3	3	1	8	9	1	-	12	41
57	6	5	1	1	5	2	9	2	1	3	2	-	1	12	-	11	8	1	2	13	42
39	3	3	1	3	3	1	4	-	-	-	-	-	3	3	-	1	2	-	-	8	43
111	13	11	8	5	12	5	15	4	1	3	-	-	8	25	4	12	19	3	1	59	44
83	8	6	6	1	9	4	12	3	1	3	-	-	5	20	4	7	9	-	-	46	45
28	5	5	2	4	3	1	3	1	-	-	-	-	3	5	-	5	10	3	1	13	46
145	11	29	5	12	4	-	16	2	2	3	1	1	11	14	1	8	19	3	-	41	47
39	2	6	1	2	1	-	3	-	1	1	-	1	2	7	-	2	6	-	-	10	48
106	9	23	4	10	3	-	13	2	1	2	1	-	9	7	1	6	13	3	-	31	49
30	9	5	-	2	1	1	7	1	-	-	-	-	2	6	-	2	6	-	-	3	50
79	3	9	-	10	1	1	4	2	1	1	-	-	2	-	1	8	6	7	3	9	51
31	8	9	2	1	-	-	6	-	2	1	-	-	1	6	-	5	3	1	-	11	52
99	10	18	3	9	5	2	19	1	2	2	-	-	6	11	4	10	27	2	1	36	53
27	3	7	-	2	-	2	2	-	-	-	-	-	4	5	6	1	3	1	-	7	54
1,147	149	111	25	90	41	22	162	29	16	42	6	3	69	165	15	59	102	25	4	272	55
1,044	138	104	23	85	39	21	152	26	16	39	5	2	56	132	14	49	83	21	4	242	56
103	11	7	2	5	2	1	10	3	-	3	1	1	13	33	1	10	19	4	-	30	57
14	3	4	-	3	1	1	1	-	1	-	-	-	3	2	-	1	2	1	1	3	58
55	5	12	4	4	-	1	6	1	-	3	-	-	3	4	1	10	8	-	-	16	59
56	7	12	2	13	-	5	9	-	-	3	-	1	2	7	-	5	6	-	-	12	60
101	23	11	1	4	2	2	18	2	3	1	2	-	1	13	-	10	15	5	1	25	61
41	15	7	1	1	1	1	12	2	1	-	1	-	1	5	-	1	6	3	1	11	62
60	8	4	-	3	1	1	6	-	2	1	1	-	-	8	-	9	9	2	-	14	63
22	1	2	-	4	1	2	3	1	1	-	-	-	1	3	-	5	1	2	-	1	64
38	3	2	-	1	-	1	8	-	-	1	-	-	1	3	2	5	3	-	-	4	65
767	111	112	4	80	32	11	60	17	13	22	1	1	27	86	4	61	101	36	8	161	66
385	65	68	3	48	17	3	40	11	5	14	-	-	11	43	3	31	56	14	2	79	67
50	1	5	-	6	3	2	1	-	4	-	-	-	1	9	-	5	8	1	-	7	68
73	2	5	-	5	-	2	3	2	1	2	-	-	1	3	-	2	4	1	2	7	69
259	43	34	1	21	12	4	16	4	3	6	1	1	14	31	1	23	33	20	4	68	70
35	5	4	2	6	4	-	4	1	1	3	-	-	6	14	2	7	8	3	1	16	71
35	3	13	-	1	2	3	8	2	1	1	-	-	1	3	-	-	2	-	-	4	72
4	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	-	73
31	3	12	-	1	2	3	7	2	-	1	-	-	1	3	-	-	-	-	-	4	74
44	1	7	3	3	2	1	6	-	-	1	-	-	2	9	1	5	9	1	-	13	75
165	33	24	4	7	5	3	29	1	3	3	-	-	11	38	2	18	23	7	-	38	76
64	17	8	2	-	3	1	7	1	1	-	-	-	6	20	1	4	10	2	-	14	77
78	19	10	2	-	3	1	11	1	2	-	-	-	7	21	1	4	13	2	-	15	78
101	16	16	2	7	2	2	22	-	2	3	-	-	5	18	1	14	13	5	-	24	79
52	10	11	-	1	4	1	8	1	-	2	-	-	3	10	1	4	7	1	-	17	80
24	4	6	-	-	3	1	3	-	-	1	-	-	2	9	1	2	4	-	-	8	81
28	6	5	-	1	1	-	5	1	-	1	-	-	1	1	-	2	3	1	-	9	82

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MINNESOTA—Continued																
1	Stevens	77	-	-	-	-	11	4	-	7	-	44	44	13	-	31	-
2	Swift	146	-	1	-	2	25	12	1	12	5	83	82	29	-	49	1
3	Todd	244	-	-	-	-	46	23	5	18	4	131	130	31	-	92	-
4	Traverse	68	-	-	-	1	12	5	1	6	-	40	40	8	-	24	-
5	Wabasha	203	1	-	-	1	33	12	3	18	1	99	98	33	-	53	-
6	Wadena	112	1	-	-	-	10	4	-	6	2	77	75	23	-	50	3
7	Waseca	168	-	-	-	-	32	9	2	21	1	97	96	27	-	61	2
8	Washington	366	1	-	-	-	46	19	3	24	6	214	211	53	-	142	4
9	Watonwan	158	-	-	-	1	20	8	1	11	4	96	93	29	-	58	2
10	Wilkin	88	1	-	-	-	11	6	-	5	2	52	52	15	-	35	-
11	Winona	411	-	-	-	2	82	34	7	41	9	221	219	51	-	150	7
12	Winona	268	-	-	-	2	58	23	4	31	4	141	140	33	-	95	5
13	Balance of county	143	-	-	-	-	24	11	3	10	5	80	79	18	-	55	2
14	Wright	346	1	-	-	1	59	23	1	35	4	199	198	50	-	130	2
15	Yellow Medicine	166	1	-	-	-	13	2	2	9	5	104	103	26	-	71	3
16	MISSISSIPPI	20,522	166	54	3	174	2,479	777	266	1.436	248	10.052	9,755	2,766	8	6,378	147
17	Metropolitan counties	1,435	19	5	-	9	207	62	26	119	13	655	632	163	1	430	5
18	Nonmetropolitan counties	19,087	147	49	3	165	2,272	715	240	1.317	235	9,397	9,123	2,603	7	5,948	142
19	Adams	419	3	-	-	1	45	13	3	29	11	230	226	56	1	159	6
20	Natchez	315	2	-	-	1	35	11	3	21	10	174	173	41	-	124	5
21	Balance of county	104	1	-	-	-	10	2	-	8	1	56	53	15	1	35	1
22	Alcorn	247	-	1	1	5	25	10	5	10	4	144	144	33	-	91	2
23	Amite	176	-	-	-	4	18	5	2	11	3	80	80	32	-	45	1
24	Attala	227	1	-	-	-	33	13	4	16	2	125	125	36	-	84	1
25	Benton	86	-	-	-	1	9	4	2	3	-	46	44	10	-	31	1
26	Bolivar	572	1	2	-	3	76	32	8	36	6	263	255	65	-	179	-
27	Calhoun	141	1	-	-	-	15	3	1	11	3	67	66	17	-	47	1
28	Carroll	114	-	-	-	-	12	6	1	5	2	57	55	13	-	34	2
29	Chickasaw	189	-	1	-	1	17	8	1	8	1	101	100	26	-	70	2
30	Choctaw	116	-	-	-	1	16	5	-	11	1	59	58	21	-	34	-
31	Claiborne	124	2	1	-	2	12	3	2	7	-	60	58	15	-	42	-
32	Clarke	197	3	1	-	1	34	10	1	23	3	102	98	26	-	66	3
33	Clay	201	-	1	-	2	19	5	2	12	2	109	108	22	-	84	2
34	Coahoma	491	8	2	-	4	67	26	6	35	3	216	205	54	-	137	5
35	Clarksdale	211	2	1	-	1	36	13	2	21	1	98	94	22	-	63	1
36	Balance of county	280	6	1	-	3	31	13	4	14	2	118	111	32	-	74	4
37	Copiah	302	2	4	-	2	31	9	7	15	2	150	146	33	-	105	2
38	Covington	154	-	-	-	3	16	2	2	12	3	85	84	31	-	52	-
39	De Soto	234	2	-	-	3	25	8	-	17	2	91	89	30	-	52	1
40	Forrest	448	7	1	-	1	54	10	7	37	10	236	231	62	-	156	3
41	Hattiesburg	294	6	-	-	1	33	4	4	25	4	157	152	41	-	99	1
42	Balance of county	154	1	1	-	-	21	6	3	12	6	79	79	21	-	57	2
43	Franklin	87	2	-	-	-	16	6	-	10	-	46	44	13	-	24	2
44	George	99	1	-	1	2	13	4	1	8	1	60	58	4	-	54	-
45	Greene	74	-	-	-	-	5	2	-	3	-	47	47	12	-	32	-
46	Grenada	184	1	-	-	1	25	11	2	12	1	87	86	44	-	37	2
47	Hancock	114	-	-	-	-	12	6	1	5	-	67	67	22	-	44	2
48	Harrison	840	10	1	-	8	101	27	13	61	4	420	410	89	1	296	8
49	Biloxi	284	4	1	-	1	30	7	5	18	-	139	134	34	-	89	3
50	Gulfport	262	3	-	-	2	36	8	5	23	2	127	124	33	-	85	2
51	Balance of county	294	3	-	-	5	35	12	3	20	2	154	152	22	1	122	3
52	Hinds	1,435	19	5	-	9	207	62	26	119	13	655	632	163	1	430	5
53	Jackson	957	13	4	-	3	139	42	19	78	7	439	427	99	1	299	4
54	Balance of county	478	6	1	-	6	68	20	7	41	6	216	205	64	-	131	1
55	Holmes	345	4	2	-	6	39	11	4	24	6	151	149	45	-	88	2
56	Humphreys	198	1	-	-	1	19	4	3	12	2	90	82	25	-	53	-
57	Issaquena	33	-	-	-	-	5	1	1	3	-	12	12	5	-	7	-
58	Itawamba	122	1	-	-	-	16	4	-	12	2	63	60	18	-	40	1
59	Jackson	343	2	1	-	1	44	12	7	25	5	153	152	39	-	101	2
60	Pascagoula	101	1	-	-	-	14	3	2	9	2	38	38	10	-	27	1
61	Balance of county	242	1	1	-	1	30	9	5	16	3	115	114	29	-	74	1
62	Jasper	163	-	-	-	1	14	5	-	9	3	90	88	23	-	58	1
63	Jefferson	107	-	-	-	-	19	6	2	11	1	57	56	12	1	37	4
64	Jefferson Davis	127	-	-	-	-	24	9	-	15	1	59	58	12	-	44	-
65	Jones	500	1	-	-	5	69	19	9	41	4	244	236	63	-	160	3
66	Laurel	250	-	-	-	3	33	9	3	21	2	119	116	30	-	78	1
67	Balance of county	250	1	-	-	2	36	10	6	20	2	125	120	33	-	82	2
68	Kemper	121	3	-	-	1	16	3	-	13	5	53	49	18	-	28	-
69	Lafayette	197	-	-	-	2	19	6	-	13	3	106	101	37	-	56	1
70	Lamar	105	-	-	-	2	20	6	6	8	2	50	48	11	-	35	2
71	Lauderdale	676	3	2	-	6	80	27	8	45	8	359	357	103	-	222	3
72	Meridian	462	3	-	-	6	64	25	5	34	6	237	236	70	-	145	2
73	Balance of county	214	-	2	-	-	16	2	3	11	2	122	121	33	-	77	1
74	Lawrence	110	1	-	-	1	18	4	2	12	1	44	44	10	-	33	1
75	Leake	216	2	-	-	3	23	7	4	12	5	111	108	40	-	62	5
76	Lee	370	6	-	-	2	61	16	6	39	4	176	172	45	-	121	3
77	Tupelo	125	3	-	-	-	19	4	3	12	2	64	63	20	-	42	1
78	Balance of county	245	3	-	-	2	42	12	3	27	2	112	109	25	-	79	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
27	1	3	-	-	-	-	3	-	-	-	-	-	1	3	-	6	5	1	-	3	1
36	4	8	-	3	1	1	4	-	-	-	-	-	-	8	1	3	4	-	-	10	2
66	10	16	1	4	2	1	7	2	1	1	1	1	2	14	5	3	11	1	-	14	3
15	2	7	1	5	2	-	1	1	-	-	-	-	-	-	3	3	3	1	-	3	4
43	3	7	4	7	1	1	15	1	1	1	-	-	5	5	1	8	11	3	-	17	5
33	5	9	-	2	-	2	2	-	1	1	-	-	-	7	1	1	4	-	-	5	6
42	4	13	-	5	3	1	3	1	2	2	-	-	4	6	-	3	-	-	-	17	7
107	17	14	6	9	1	3	13	4	2	1	-	-	6	15	-	11	16	6	-	25	8
43	4	9	-	5	1	3	6	-	2	-	-	-	1	7	1	-	5	1	-	14	9
29	3	3	1	1	-	-	2	-	-	-	-	-	1	3	-	6	2	1	-	7	10
102	19	22	2	11	5	2	12	1	2	1	-	-	5	16	4	13	14	3	-	26	11
67	11	12	1	6	5	1	7	1	2	1	-	-	3	11	3	10	7	2	-	16	12
35	8	10	1	5	-	1	5	-	-	-	-	-	2	5	1	3	7	1	-	10	13
91	19	18	3	11	4	1	14	3	2	3	-	-	3	15	1	7	15	1	1	17	14
50	1	17	1	3	2	1	5	1	-	1	1	-	4	10	1	1	9	-	-	10	15
3,572	1,457	1,202	212	220	171	297	803	67	171	73	59	75	257	1,016	1,907	550	818	154	186	1,210	16
255	125	45	12	15	11	23	44	4	14	3	4	3	25	91	134	38	46	15	14	92	17
3,317	1,332	1,157	200	205	160	274	759	63	157	70	55	72	232	925	1,773	512	772	139	172	1,118	18
60	45	48	2	1	7	4	11	-	3	2	1	-	8	22	18	15	10	4	7	28	19
48	36	35	1	1	6	1	9	-	2	2	1	-	8	18	9	9	7	3	6	19	20
12	9	13	1	-	1	3	2	-	1	-	-	-	-	4	9	6	3	1	1	9	21
65	10	14	8	10	2	-	10	1	1	1	-	-	1	11	4	8	12	5	2	11	22
28	10	6	-	1	2	-	7	1	4	-	1	1	3	7	16	4	4	1	1	21	23
49	14	20	2	3	-	-	9	1	2	1	-	-	3	11	12	4	8	2	4	9	24
19	6	5	2	-	1	2	2	-	-	-	-	-	2	8	4	-	2	1	1	10	25
86	62	31	3	5	3	8	21	1	15	1	2	4	2	28	81	6	28	2	4	26	26
19	14	13	-	2	-	1	8	1	-	1	-	1	1	4	18	4	7	1	-	9	27
20	6	6	7	1	-	2	3	-	-	-	-	-	1	2	26	4	2	-	-	5	28
38	24	6	1	3	-	1	9	2	-	1	-	2	1	11	14	3	15	-	-	10	29
21	7	6	2	-	1	1	2	1	-	-	-	1	1	2	6	6	6	-	3	11	30
20	15	7	-	1	-	2	5	-	-	-	-	1	-	8	20	2	4	-	1	6	31
24	9	30	2	3	1	4	2	-	3	-	1	-	3	7	6	8	13	-	-	10	32
47	22	13	-	1	1	1	9	-	5	3	-	2	2	10	14	3	14	1	1	4	33
66	37	29	7	4	3	11	17	3	9	1	1	3	4	29	52	8	24	2	6	32	34
25	21	16	4	4	1	4	5	2	5	-	-	2	2	14	11	5	9	2	1	14	35
41	16	13	3	-	2	7	12	1	4	1	1	1	2	15	41	3	15	-	5	18	36
65	26	12	3	3	2	4	19	1	1	1	-	1	5	11	15	10	18	-	3	26	37
38	6	8	-	-	1	1	8	-	-	-	2	-	1	7	13	5	2	1	1	7	38
22	13	16	3	3	1	2	14	-	1	-	-	-	4	8	46	7	11	-	2	18	39
110	17	26	4	5	4	5	19	2	1	2	2	-	2	24	19	9	19	2	3	35	40
72	10	16	3	5	4	5	11	-	1	2	1	-	1	17	15	6	14	1	3	21	41
38	7	10	1	-	-	-	8	2	-	-	1	-	1	7	4	3	5	1	-	14	42
12	8	2	1	6	-	2	1	1	1	2	-	-	1	5	2	-	4	2	-	4	43
34	17	3	-	-	-	2	3	-	1	1	-	-	2	2	2	-	3	2	1	4	44
26	4	2	-	1	2	-	4	-	1	-	-	-	-	1	7	2	3	2	1	1	45
24	4	7	4	-	1	1	7	-	4	1	2	-	2	9	24	5	7	2	1	5	46
35	5	2	1	-	-	-	4	-	-	-	-	-	-	4	14	-	7	1	1	4	47
188	49	51	8	4	12	10	23	2	3	6	3	2	14	53	62	19	37	8	13	51	48
50	19	17	3	1	7	5	9	1	2	4	1	1	5	24	26	7	13	2	3	11	49
58	10	15	2	-	4	3	6	1	1	1	-	1	4	21	13	5	13	3	4	19	50
80	20	19	3	3	1	2	8	-	-	1	2	-	5	8	23	7	11	3	6	21	51
255	125	45	12	15	11	23	44	4	14	3	4	3	25	91	134	38	46	15	14	92	52
175	88	32	9	10	9	12	27	2	9	2	3	1	13	67	81	31	31	12	10	63	53
80	37	13	3	5	2	11	17	2	5	1	1	2	12	24	53	7	15	3	4	29	54
56	18	12	3	6	7	2	16	-	3	1	1	1	1	15	45	10	15	2	1	26	55
27	14	12	1	1	2	8	5	-	6	-	1	1	1	10	33	5	8	1	4	10	56
2	2	3	-	-	-	-	-	-	-	-	-	-	-	7	4	1	3	-	-	1	57
27	8	4	1	1	-	3	9	1	-	-	1	-	-	1	10	4	2	3	-	9	58
66	16	17	3	7	2	1	15	3	3	3	3	2	9	22	26	11	17	2	6	15	59
13	5	8	-	-	1	-	3	1	1	1	-	1	2	8	9	6	5	1	3	5	60
53	11	9	3	7	1	1	12	2	2	2	3	1	7	14	17	5	12	1	3	10	61
25	14	18	1	2	4	2	5	-	-	-	2	3	-	7	10	5	12	-	2	9	62
12	8	13	-	4	2	1	3	2	1	-	-	-	-	7	7	-	3	1	1	5	63
34	4	6	1	-	1	1	4	2	3	2	-	1	2	3	8	2	3	1	-	12	64
95	30	32	3	4	6	8	26	2	9	2	3	2	4	28	17	23	25	7	7	22	65
45	16	16	2	3	3	3	14	-	6	1	2	2	3	20	5	13	12	2	6	7	66
50	14	16	1	1	3	5	12	2	3	1	1	-	1	8	12	10	13	5	1	15	67
14	5	9	2	-	1	4	4	-	2	-	-	1	2	1	15	4	6	2	1	5	68
32	9	14	4	1	3	5	8	-	-	-	3	1	3	16	9	11	7	2	2	5	69
18	6	9	-	1	1	2	6	1	-	1	-	-	-	6	4	1	2	1	2	7	70
124	68	27	11	14	7	2	13	1	4	3	1	-	9	45	59	13	17	3	5	45	71
82	47	14	8	10	5	1	9	1	4	3	1	-	8	34	36	7	7	2	3	31	72
42	21	13	5	4	2	1	4	-	-	-	-	-	1	11	23	6	10	1	2	14	73
19	7	6	-	1	-	-	6	1	-	1	1	-	3	5	6	9	5	-	-	8	74
40	10	7	1	3	2	3	11	-	2	-	2	-	6	13	12	5	8	4	1	8	75
72	17	29	3	3	-	4	27	2	2	2	-	2	4	16	14	11	17	3	4	17	76
21	6	14	-	1	-	1	8	-	1	1	-	1	-	7	6	3	4	-	3	3	77
51	11	15	3	2	-	3	19	2	1	1	-	1	4	9	8	8	13	3	1	14	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MISSISSIPPI--Continued																
1	Leflore	518	3	1	-	3	56	17	7	32	4	213	208	77	1	119	6
2	Greenwood	222	1	1	-	-	27	7	3	17	2	98	97	30	1	59	2
3	Balance of county	296	2	-	-	3	29	10	4	15	2	115	111	47	-	60	4
4	Lincoln	259	1	1	-	2	21	2	5	14	8	143	140	33	-	101	2
5	Lowndes	391	2	2	-	1	43	12	7	24	3	185	179	44	-	121	1
6	Columbus	210	1	1	-	1	27	6	4	17	1	100	97	24	-	63	-
7	Balance of county	181	1	1	-	-	16	6	3	7	2	85	82	20	-	58	1
8	Madison	314	1	-	-	2	29	15	2	12	6	156	146	51	-	88	4
9	Marion	204	5	3	-	1	35	8	3	24	1	92	88	31	-	53	-
10	Marshall	214	1	1	-	1	21	10	2	9	3	99	98	34	-	62	1
11	Monroe	267	1	-	-	1	31	7	2	22	7	141	128	38	-	81	3
12	Montgomery	147	2	1	-	-	21	11	1	9	3	74	73	25	-	45	-
13	Neshoba	190	2	-	-	2	20	3	3	14	2	93	93	35	-	56	3
14	Newton	167	-	-	-	1	23	7	1	15	-	86	86	26	-	48	1
15	Noxubee	189	2	1	-	2	23	8	1	14	3	89	87	34	-	50	1
16	Oktibbeha	201	2	1	-	3	23	4	5	14	4	86	86	33	-	51	2
17	Panola	306	1	3	-	4	39	16	1	22	5	152	147	42	1	97	3
18	Pearl River	201	1	1	-	-	20	4	4	12	3	103	97	15	-	72	-
19	Perry	66	1	-	-	-	6	4	-	2	2	36	36	8	-	25	-
20	Pike	397	6	2	-	6	49	14	6	29	7	194	190	52	-	116	1
21	McComb	140	2	1	-	1	18	4	2	12	1	74	74	23	-	40	-
22	Balance of county	257	4	1	-	5	31	10	4	17	6	120	116	29	-	76	1
23	Pontotoc	169	3	1	-	2	22	4	2	16	3	89	87	15	-	67	1
24	Prentiss	154	4	-	-	1	21	8	3	10	2	71	68	24	-	43	-
25	Quitman	197	3	1	-	3	18	7	-	11	2	84	78	35	-	42	1
26	Rankin	217	1	1	-	1	31	8	3	20	1	115	110	27	-	69	3
27	Scott	199	-	-	-	-	24	8	2	14	5	114	113	33	1	71	1
28	Sharkey	109	1	-	-	1	11	4	1	6	1	63	62	16	-	42	2
29	Simpson	178	2	-	-	-	20	3	3	14	-	95	92	24	-	63	-
30	Smith	97	-	-	-	1	11	5	1	5	-	58	55	15	-	35	3
31	Stone	46	-	-	-	-	5	2	1	2	1	24	24	4	-	20	-
32	Sunflower	423	3	1	-	4	49	15	5	29	8	186	177	59	-	109	5
33	Tallahatchie	289	-	1	-	5	35	8	4	23	4	130	125	40	-	77	-
34	Tate	176	-	2	-	4	22	6	4	12	2	93	86	16	-	66	2
35	Tippah	132	3	1	-	1	18	8	3	7	1	79	77	15	-	58	3
36	Tishomingo	146	1	-	-	-	16	4	1	11	2	84	81	43	-	29	-
37	Tunica	191	1	-	-	5	15	7	-	8	-	84	76	8	-	62	-
38	Union	206	-	-	-	2	25	7	1	17	-	133	130	44	-	78	-
39	Walthall	137	2	-	1	2	18	4	6	8	3	69	69	21	-	46	-
40	Warren	517	8	1	-	5	58	24	5	29	3	256	247	81	-	150	1
41	Vicksburg	371	7	1	-	3	48	17	5	26	3	191	184	56	-	115	1
42	Balance of county	146	1	-	-	2	10	7	-	3	-	65	63	25	-	35	-
43	Washington	824	6	1	-	10	101	36	12	53	6	354	342	75	-	241	5
44	Greenville	403	1	1	-	4	55	24	8	23	3	166	158	31	-	115	3
45	Balance of county	421	5	-	-	6	46	12	4	30	3	188	184	44	-	126	2
46	Wayne	164	1	1	-	2	19	4	4	11	3	77	72	22	-	41	1
47	Webster	100	1	-	-	-	18	6	1	11	1	52	51	20	-	29	1
48	Wilkinson	125	1	-	-	2	10	5	1	4	2	58	56	16	-	36	1
49	Winston	181	-	-	-	4	13	5	3	5	3	95	94	24	-	66	7
50	Yalobusha	151	1	-	-	1	18	7	1	10	2	83	73	25	1	42	-
51	Yazoo	359	6	1	-	4	32	10	-	22	3	143	140	51	-	81	3
52	MISSOURI	47,386	394	122	8	174	7,203	2,462	976	3,765	762	26,795	26,220	6.144	36	18,255	588
53	Metropolitan counties	25,073	213	66	3	96	4,008	1,348	594	2,066	427	13,682	13,434	2,916	25	9,572	343
54	Nonmetropolitan counties	22,313	181	56	5	78	3,195	1,114	382	1,699	335	13,113	12,786	3,228	10	8,683	245
55	Adair	267	3	1	-	3	42	16	4	22	4	155	152	44	-	100	1
56	Kirksville	161	2	1	-	2	29	11	2	16	3	93	92	27	-	60	1
57	Balance of county	106	1	-	-	1	13	5	2	6	1	62	60	17	-	40	-
58	Andrew	127	1	-	-	-	15	8	1	6	-	89	88	21	-	65	3
59	Atchison	119	1	-	-	-	21	10	5	6	3	76	76	16	-	56	2
60	Audrain	316	2	-	-	1	40	8	4	28	5	189	184	39	-	135	6
61	Mexico	161	-	-	-	-	19	4	1	14	2	98	94	21	-	66	-
62	Balance of county	155	2	-	-	1	21	4	3	14	3	91	90	18	-	69	6
63	Barry	234	4	-	-	-	29	11	5	13	2	150	143	26	-	110	4
64	Barton	160	1	-	1	1	23	10	3	10	1	94	92	23	-	63	-
65	Bates	255	3	-	-	-	38	14	-	24	2	153	140	29	-	102	4
66	Benton	119	2	-	-	-	21	10	2	9	-	78	78	25	-	46	1
67	Bollinger	100	2	-	-	1	21	5	3	13	2	60	60	11	-	45	2
68	Boone	425	2	2	-	-	64	26	8	30	9	254	249	71	-	159	3
69	Columbia	217	1	2	-	-	25	9	2	14	5	125	124	40	-	79	2
70	Balance of county	208	1	-	-	-	39	17	6	16	4	129	125	31	-	80	1
71	Buchanan	1,224	3	2	-	3	160	52	20	88	18	792	782	177	-	562	15
72	St. Joseph	1,037	3	1	-	-	137	39	18	80	16	673	663	148	-	476	14
73	Balance of county	187	-	1	-	3	23	13	2	8	2	119	119	29	-	86	1
74	Butler	427	6	1	-	1	50	16	8	26	8	252	247	68	-	172	5
75	Poplar Bluff	202	1	1	-	1	29	7	3	19	4	121	118	30	-	83	3
76	Balance of county	225	5	-	-	-	21	9	5	7	4	131	129	38	-	89	2
77	Caldwell	144	-	1	-	1	19	4	4	11	2	94	94	38	-	50	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
60	31	22	6	2	3	5	24	2	3	2	3	3	5	17	111	8	17	5	7	31	1
32	15	10	4	1	2	1	11	1	-	1	2	-	2	6	39	2	8	-	3	18	2
28	16	12	2	1	1	4	13	1	3	1	1	3	3	11	72	6	9	5	4	13	3
51	18	30	2	3	1	3	13	2	1	1	-	2	4	12	6	12	13	2	1	14	4
78	17	25	6	5	3	6	21	4	3	3	-	3	2	21	44	9	9	6	3	27	5
34	13	16	5	4	1	3	12	2	1	2	-	1	1	14	18	6	3	5	-	14	6
44	4	9	1	1	2	3	9	2	2	1	-	2	1	7	26	3	6	1	3	13	7
41	30	13	4	-	3	10	13	-	3	-	1	2	5	15	39	12	8	3	5	14	8
34	5	14	2	1	1	4	9	2	1	-	1	1	2	7	12	9	9	-	3	11	9
34	14	13	1	-	1	1	5	-	3	-	-	1	4	10	35	6	5	3	1	15	10
44	18	16	4	2	3	13	11	1	2	1	-	1	1	8	28	10	8	2	2	11	11
25	14	6	-	-	3	1	9	2	-	-	-	-	3	6	8	3	5	2	-	8	12
33	5	15	-	1	1	-	5	-	2	1	-	-	4	9	19	6	8	-	4	13	13
32	5	10	4	4	4	-	5	-	1	2	-	1	3	5	13	4	11	2	2	8	14
34	9	6	2	-	1	2	9	1	-	1	1	-	1	9	26	3	6	-	1	11	15
28	13	8	-	2	-	-	6	-	1	-	1	1	3	12	19	9	18	-	1	11	16
59	9	26	2	4	1	5	12	-	3	-	-	2	4	10	27	6	12	3	4	19	17
55	6	11	-	6	4	6	8	1	-	1	2	-	4	11	8	7	9	2	2	18	18
17	5	3	1	1	1	-	1	-	-	-	-	-	1	6	4	2	3	-	-	4	19
72	27	16	10	8	4	4	7	1	4	1	2	-	4	22	31	9	26	2	2	22	20
28	8	4	8	3	-	-	3	1	1	-	-	-	3	8	8	5	8	-	-	6	21
44	19	12	2	5	4	4	4	-	3	1	2	-	1	14	23	4	18	2	2	16	22
30	26	10	2	1	2	2	9	-	2	2	1	-	-	3	3	8	5	2	2	12	23
31	10	2	-	1	-	3	12	2	1	-	-	-	1	5	9	7	2	-	2	14	24
25	9	7	1	-	-	6	8	-	5	-	-	2	3	12	24	6	7	1	5	13	25
35	17	14	4	6	4	5	12	1	-	1	1	-	2	5	16	4	8	3	2	12	26
43	15	12	3	3	2	1	4	-	-	-	-	-	2	8	19	7	8	-	1	7	27
18	14	8	2	1	1	1	4	-	-	-	-	-	-	3	12	2	5	1	-	5	28
47	8	8	2	2	1	3	17	-	2	-	1	1	5	10	8	4	3	2	-	8	29
14	8	10	2	1	2	3	3	-	-	1	-	-	6	2	3	6	5	-	-	1	30
12	4	4	-	-	-	-	1	-	-	-	-	-	1	1	5	3	1	-	-	4	31
55	37	12	4	3	2	9	16	1	4	1	1	2	7	24	54	17	11	3	2	29	32
44	26	7	2	2	4	5	15	-	-	1	1	3	4	16	39	8	12	2	1	12	33
26	29	9	1	1	2	7	2	1	-	-	-	3	1	10	12	2	10	-	1	11	34
28	22	5	2	2	-	2	3	1	-	1	-	-	1	4	3	1	6	1	-	8	35
20	4	5	2	4	3	3	9	-	1	-	-	-	2	11	2	5	3	-	-	10	36
30	17	15	4	1	1	8	16	2	2	1	1	-	3	9	32	5	7	1	2	5	37
31	12	35	2	3	3	3	4	1	2	1	-	1	2	5	6	4	3	4	-	13	38
27	7	12	-	1	1	-	7	-	-	-	-	-	1	3	8	6	6	1	1	9	39
83	51	15	4	9	3	9	13	2	4	3	1	1	11	31	59	2	17	2	3	37	40
64	37	13	3	7	3	7	9	2	1	2	1	1	6	26	34	1	10	1	-	24	41
19	14	2	1	2	-	2	4	-	3	1	-	-	5	5	25	1	7	1	3	13	42
78	69	89	9	11	6	12	29	3	6	3	2	5	11	50	120	20	37	3	9	48	43
40	34	38	6	1	5	8	22	1	4	1	2	2	6	23	53	10	20	2	6	21	44
38	35	51	3	10	1	4	7	2	2	2	-	3	5	27	67	10	17	1	3	27	45
20	5	15	4	3	2	5	3	1	-	-	-	1	1	7	16	10	4	2	-	16	46
18	4	6	-	2	-	1	4	-	2	-	-	-	2	3	5	3	2	1	-	6	47
22	5	8	2	2	-	2	3	-	2	1	1	-	4	8	18	3	3	-	3	6	48
42	12	5	1	-	3	1	9	-	2	-	-	-	1	8	15	7	11	3	2	8	49
24	9	9	4	1	-	10	8	-	2	2	1	-	-	2	10	1	8	3	-	9	50
38	20	20	5	1	2	3	15	-	3	-	-	4	4	19	71	9	11	1	6	27	51
12,457	2,254	2,956	334	1,071	381	575	1,813	295	166	510	67	30	490	1,456	544	1,060	1,784	469	221	3,023	52
6,740	1,170	1,319	171	527	223	248	971	174	87	346	31	17	275	942	332	442	894	217	164	1,686	53
5,717	1,084	1,637	163	544	158	327	842	121	79	164	36	13	215	514	212	618	890	252	57	1,337	54
75	7	17	3	4	1	3	11	2	1	3	-	-	2	3	-	6	8	4	1	18	55
44	4	11	1	3	1	1	6	2	1	-	-	-	1	3	-	1	4	3	1	9	56
31	3	6	2	1	-	2	5	-	-	3	-	-	1	-	-	5	4	1	-	9	57
47	5	10	-	1	1	1	3	1	-	1	-	-	2	2	-	4	3	1	-	5	58
37	6	11	1	3	-	-	1	-	-	-	-	-	1	3	1	-	6	1	-	5	59
87	17	25	5	4	1	5	8	4	-	1	-	-	6	11	3	10	10	3	-	23	60
46	9	11	3	3	1	4	4	3	-	1	-	-	3	5	-	4	6	1	-	15	61
41	8	14	2	1	-	1	4	1	-	-	-	-	3	6	3	6	4	2	-	8	62
61	16	29	1	6	-	7	7	1	-	1	-	-	4	3	6	7	5	1	1	13	63
56	1	6	-	6	-	2	8	2	-	1	1	-	-	1	3	4	5	2	-	12	64
67	11	20	-	7	2	13	20	1	-	-	-	-	1	3	-	4	10	3	1	16	65
39	2	4	3	1	3	-	4	2	-	-	-	-	1	1	-	3	2	-	-	5	66
32	8	3	-	1	3	-	1	-	-	-	-	-	2	1	1	3	1	-	-	5	67
121	21	14	4	12	3	5	8	2	-	6	-	-	5	17	2	7	21	6	2	18	68
59	10	8	1	3	1	1	5	1	-	4	-	-	3	15	2	5	10	4	1	9	69
62	11	6	3	9	2	4	3	1	-	2	-	-	2	2	-	2	11	2	1	9	70
426	58	63	6	25	12	10	38	11	3	12	-	-	11	29	5	20	29	8	5	75	71
355	51	56	6	23	10	10	32	10	2	12	-	-	9	23	5	14	22	7	5	66	72
71	7	7	-	2	2	-	6	1	1	-	-	-	2	6	-	6	7	1	-	9	73
91	44	32	2	4	1	5	26	1	2	4	-	-	4	8	-	12	19	4	1	28	74
43	16	21	2	3	-	3	14	1	-	2	-	-	1	4	-	3	7	-	1	12	75
48	28	11	-	1	1	2	12	-	2	2	-	-	3	4	-	9	12	4	-	16	76
31	5	12	2	3	1	-	4	2	-	1	-	-	-	2	3	1	8	-	-	6	77

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-208	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MISSOURI—Continued																
1	Callaway	240	1	-	-	-	31	10	3	18	5	137	135	24	-	94	1
2	Fulton	91	-	-	-	-	12	4	1	7	3	51	51	12	-	37	1
3	Balance of county	149	1	-	-	-	19	6	2	11	2	86	84	12	-	57	-
4	Camden	86	1	-	-	-	22	5	6	11	3	44	42	10	-	29	3
5	Cape Girardeau	410	4	-	-	2	55	23	6	26	5	238	234	69	-	144	6
6	Cape Girardeau	225	3	-	-	2	28	10	5	13	4	128	127	38	-	80	3
7	Balance of county	185	1	-	-	-	27	13	1	13	1	110	107	31	-	64	3
8	Carroll	235	1	-	-	-	35	12	3	20	2	135	134	38	-	85	4
9	Carter	59	-	-	-	-	7	3	1	3	-	35	34	8	-	26	-
10	Cass	254	-	-	-	2	30	10	7	13	3	168	164	49	-	92	1
11	Cedar	153	1	-	-	-	19	5	2	12	5	95	92	32	-	58	1
12	Chariton	198	-	-	-	-	43	20	4	19	2	120	118	23	-	89	6
13	Christian	127	2	-	-	-	19	7	2	10	1	81	76	21	-	51	4
14	Clark	116	-	-	-	1	19	11	1	7	2	72	69	19	-	46	-
15	Clay	574	4	1	-	5	74	28	9	37	11	342	333	89	1	195	10
16	Kansas City (part)	105	1	-	-	1	20	6	3	11	2	58	54	8	1	38	2
17	Balance of county	469	3	1	-	4	54	22	6	26	9	284	279	81	-	157	8
18	Clinton	181	-	1	-	-	24	4	4	16	2	119	118	36	-	74	2
19	Cole	354	1	1	-	1	64	22	9	33	5	214	210	47	-	142	5
20	Jefferson City	267	1	1	-	-	53	16	7	30	3	159	156	36	-	103	5
21	Balance of county	87	-	-	-	1	11	6	2	3	2	55	54	11	-	39	-
22	Cooper	182	3	2	-	1	27	9	2	16	1	117	113	22	-	62	-
23	Crawford	143	1	-	-	-	24	5	4	15	2	82	80	19	-	54	2
24	Dade	129	1	-	-	-	24	6	3	15	5	70	68	19	-	43	2
25	Dallas	115	-	1	-	1	11	4	-	7	1	73	73	18	-	51	5
26	Daviess	132	1	1	-	1	19	10	3	6	5	80	74	15	-	51	-
27	De Kalb	97	-	-	-	-	9	3	-	6	3	68	68	11	-	56	-
28	Dent	139	-	1	-	-	18	7	3	8	1	86	85	27	-	54	2
29	Douglas	108	1	-	-	-	20	5	3	12	-	67	65	22	1	32	1
30	Dunklin	429	7	2	-	1	63	14	13	36	5	230	226	50	1	167	2
31	Franklin	495	2	1	-	4	78	30	6	42	10	269	266	59	-	192	3
32	Gasconade	144	-	-	-	-	24	8	2	14	3	90	87	17	-	63	5
33	Gentry	191	2	-	-	1	24	13	2	9	1	124	122	34	-	81	1
34	Greene	1,205	7	1	-	8	182	55	26	101	21	736	727	167	1	513	16
35	Springfield	965	6	-	-	5	148	43	23	82	19	589	583	127	1	422	12
36	Balance of county	240	1	1	-	3	34	12	3	19	2	147	144	40	-	91	4
37	Grundy	223	1	-	1	-	28	11	2	15	6	135	128	33	-	76	5
38	Harrison	188	-	-	-	-	34	12	2	20	2	110	109	26	-	77	1
39	Henry	304	-	1	-	-	44	15	7	22	4	185	183	49	-	116	3
40	Hickory	65	-	-	-	-	8	6	-	2	1	35	34	9	-	21	-
41	Holt	112	2	1	-	-	15	5	3	7	1	70	70	31	-	37	-
42	Howard	148	2	1	-	-	26	7	6	13	4	79	78	24	-	49	1
43	Howell	254	3	1	-	1	41	16	7	18	3	149	142	31	-	110	3
44	Iron	116	1	-	-	-	12	4	1	7	2	75	75	16	-	51	-
45	Jackson	6,630	66	13	-	18	996	340	154	502	100	3,574	3,505	824	8	2,379	94
46	Kansas City (part)	5,492	60	11	-	16	805	270	133	402	84	2,944	2,888	662	6	1,963	77
47	Kansas City (total)	5,597	61	11	-	17	825	276	136	413	86	3,002	2,942	670	7	2,001	79
48	Independence	471	2	-	-	-	78	28	6	44	7	277	272	81	-	176	8
49	Balance of county	667	4	2	-	2	113	42	15	56	9	353	345	81	2	240	9
50	Jasper	1,107	20	5	-	2	166	43	23	100	17	647	631	145	1	439	15
51	Joplin (part)	560	12	4	-	2	87	20	15	52	7	320	315	68	1	224	8
52	Joplin (total)	570	12	4	-	2	92	24	15	53	7	324	319	68	1	228	8
53	Carthage	175	1	-	-	-	23	5	2	16	3	106	102	27	-	69	5
54	Balance of county	372	7	1	-	-	56	18	6	32	7	221	214	50	-	146	2
55	Jefferson	464	2	1	-	-	72	19	10	43	7	255	253	58	-	179	7
56	Johnson	312	1	1	-	2	42	15	2	25	4	179	176	37	-	121	2
57	Knox	102	1	1	-	1	14	6	-	8	1	62	61	23	-	35	-
58	Laclede	215	2	-	-	-	23	7	4	12	2	119	118	26	-	85	3
59	Lafayette	318	-	2	-	-	57	19	4	34	3	185	183	41	-	132	3
60	Lawrence	305	7	1	-	-	46	18	6	22	4	188	181	45	-	124	10
61	Lewis	166	2	-	-	-	22	8	4	10	2	109	105	36	-	62	2
62	Lincoln	209	2	-	-	1	32	5	4	23	4	117	116	33	1	74	3
63	Linn	294	3	1	-	-	33	17	2	14	7	181	178	48	1	118	3
64	Livingston	220	1	-	-	-	40	14	7	19	5	127	123	32	-	77	5
65	McDonald	149	3	-	-	-	24	5	4	15	3	83	81	19	-	58	1
66	Macon	237	2	-	-	-	38	16	3	19	4	150	142	38	-	89	1
67	Madison	120	1	1	-	-	16	7	1	8	1	64	62	14	-	40	3
68	Maries	80	-	-	-	-	9	5	1	3	3	51	50	8	-	35	1
69	Marion	436	1	3	-	2	52	21	9	22	8	265	256	67	-	161	6
70	Hannibal (part)	324	1	2	-	1	39	17	7	15	7	200	192	50	-	122	3
71	Hannibal (total)	326	1	2	-	1	39	17	7	15	7	200	192	50	-	122	3
72	Balance of county	112	-	1	-	1	13	4	2	7	1	65	64	17	-	39	3
73	Mercer	81	-	-	-	1	8	3	1	4	4	52	50	6	-	39	2
74	Miller	151	2	-	-	-	22	7	-	15	7	87	85	20	-	62	5
75	Mississippi	225	8	-	-	1	24	12	4	8	3	118	115	36	2	75	1
76	Moniteau	147	-	-	-	2	21	8	-	13	3	97	97	33	1	53	1
77	Monroe	164	-	-	2	-	27	7	5	15	1	97	97	30	-	64	1
78	Montgomery	154	-	1	-	1	24	7	3	14	2	84	82	13	-	59	2
79	Morgan	116	-	-	-	-	14	1	2	11	2	80	78	28	-	47	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
61	11	21	1	15	1	2	11	3	1	-	-	-	2	10	1	8	13	-	1	16	1
24	3	9	-	2	-	-	2	1	-	-	-	-	2	6	-	3	5	-	-	6	2
37	8	12	1	13	1	2	9	2	1	-	-	-	-	4	1	5	8	-	1	10	3
18	5	3	-	1	2	2	2	-	-	-	-	-	2	-	-	3	4	1	-	4	4
104	22	12	3	13	5	4	12	3	3	4	1	1	3	14	2	5	18	8	2	30	5
60	9	8	1	8	-	1	7	1	1	2	-	-	1	10	-	3	11	6	2	16	6
44	13	4	2	5	5	3	5	2	2	2	1	1	2	4	2	2	7	2	-	14	7
54	8	19	4	6	1	1	8	-	1	3	-	-	1	2	13	6	14	4	-	10	8
12	5	9	-	-	-	1	4	-	-	-	1	-	-	-	-	2	8	-	1	1	9
77	7	7	8	15	-	4	11	-	1	2	-	-	6	7	-	6	4	2	1	11	10
45	4	8	-	2	-	3	5	-	-	-	-	-	-	1	2	4	7	3	1	10	11
62	8	13	3	2	1	2	8	2	-	-	-	-	2	-	-	7	5	2	-	7	12
35	4	8	-	3	1	5	3	1	-	1	-	-	4	2	1	3	3	1	1	4	13
32	3	11	-	4	-	3	6	1	-	-	-	-	-	-	1	4	2	1	-	7	14
147	10	28	4	41	3	9	8	4	4	4	-	1	9	18	2	10	15	8	1	53	15
33	1	2	-	6	1	4	-	1	1	1	-	1	1	5	-	2	2	1	-	8	16
114	9	26	4	35	2	5	8	3	3	3	-	-	8	13	2	8	13	7	1	45	17
47	7	18	2	4	2	1	8	2	-	-	-	-	2	4	-	1	9	2	1	6	18
93	28	16	8	9	4	4	10	7	1	4	-	-	4	9	-	8	8	4	-	13	19
71	17	10	7	7	3	3	5	6	1	3	-	-	2	6	-	8	6	4	-	9	20
22	11	6	1	2	1	1	5	1	-	1	-	-	2	3	-	-	2	-	-	4	21
59	11	12	1	8	-	4	5	1	-	2	-	-	-	4	-	3	4	1	-	11	22
32	3	17	1	3	3	2	4	-	1	-	1	-	-	2	9	3	6	1	1	6	23
33	5	3	-	5	1	2	6	-	-	-	-	-	1	2	5	-	4	1	-	10	24
33	6	7	-	3	1	-	7	2	-	2	-	-	-	-	3	5	1	1	-	7	25
31	6	14	2	6	-	6	2	1	-	1	-	-	-	-	2	2	4	1	1	11	26
41	5	10	1	-	-	-	4	1	-	1	1	-	1	-	1	-	3	1	-	4	27
41	9	2	1	3	-	1	3	1	-	-	-	-	1	3	5	6	2	1	1	10	28
18	2	11	3	6	1	2	4	1	1	1	-	-	2	2	1	4	1	-	-	3	29
106	24	35	4	2	2	4	19	-	2	4	-	-	7	17	3	15	23	3	-	28	30
124	20	45	3	11	1	3	15	3	4	6	-	1	3	16	2	16	26	5	1	33	31
45	6	7	1	5	1	3	5	-	1	5	-	-	-	1	1	4	4	1	-	5	32
46	8	26	-	5	2	2	7	3	-	1	1	-	-	4	-	1	6	1	2	13	33
349	72	76	2	36	8	9	24	4	3	7	-	1	10	45	4	27	38	15	4	68	34
283	61	66	2	25	6	6	20	4	2	7	-	1	6	38	3	19	33	11	3	51	35
66	11	10	-	11	2	3	4	-	1	-	-	-	4	7	1	8	5	4	1	17	36
33	16	22	-	17	2	7	9	-	-	2	-	-	-	3	4	5	8	4	2	15	37
47	11	18	1	4	1	1	9	2	2	1	1	-	-	3	-	2	6	3	-	13	38
89	5	19	2	13	3	2	16	1	2	1	-	-	1	4	1	7	9	3	-	25	39
15	1	5	-	3	1	1	9	-	-	-	-	-	1	-	1	1	4	1	-	4	40
34	1	2	-	2	-	-	3	1	-	1	-	-	1	2	1	1	4	-	-	9	41
35	6	7	2	3	-	1	3	-	-	-	-	-	-	3	-	9	9	1	-	11	42
62	16	29	-	-	1	7	3	2	-	1	-	1	-	5	5	5	14	5	-	15	43
36	5	10	-	7	1	-	2	-	2	-	-	-	2	3	-	7	5	-	1	4	44
1,697	272	316	44	189	61	69	303	51	20	108	10	4	71	251	141	122	247	61	41	433	45
1,405	226	255	34	172	51	56	268	44	17	100	7	3	53	209	134	90	185	49	40	373	46
1,438	227	257	34	178	52	60	268	45	18	101	7	4	54	214	134	92	187	50	40	381	47
121	21	26	4	8	3	5	16	-	1	4	1	1	8	17	2	14	13	7	1	22	48
171	25	35	6	9	7	8	19	7	2	4	2	-	10	25	5	18	49	5	-	38	49
296	54	74	5	29	12	16	42	8	4	13	1	-	8	21	5	30	34	13	1	70	50
161	28	27	2	13	7	5	24	6	3	8	-	-	4	9	2	14	15	7	-	36	51
164	29	27	2	13	7	5	24	6	3	8	-	-	4	9	2	14	15	7	-	37	52
44	9	11	2	3	1	4	6	1	1	3	-	-	1	3	-	6	4	3	1	13	53
91	17	36	1	13	4	7	12	1	-	2	1	-	3	9	3	10	15	3	-	21	54
91	27	54	3	9	4	2	16	8	2	1	1	-	11	22	2	16	16	6	2	24	55
81	15	23	5	9	4	3	15	-	-	1	-	1	9	21	2	13	6	1	-	14	56
20	6	9	1	1	1	1	2	1	-	-	-	-	3	1	-	2	7	2	-	4	57
47	18	17	1	2	4	1	12	2	2	1	1	2	3	8	1	12	9	-	2	14	58
98	19	12	3	3	4	2	8	1	1	4	-	-	2	10	2	8	10	5	-	20	59
74	16	24	1	9	2	7	9	2	-	1	1	-	2	8	1	6	11	1	-	17	60
42	5	13	2	4	1	4	3	2	2	2	1	-	1	3	1	4	5	-	1	6	61
48	5	18	2	5	1	1	7	-	1	2	-	-	2	5	3	6	13	4	-	10	62
79	15	21	2	8	1	3	6	1	2	4	2	-	1	2	1	11	9	4	1	25	63
47	2	23	3	10	1	4	8	1	1	-	-	-	1	3	-	7	10	3	-	13	64
40	-	17	-	2	2	2	6	1	-	2	-	-	2	1	1	5	6	4	-	8	65
68	9	11	3	10	2	8	1	-	1	3	-	-	3	2	2	2	8	4	-	17	66
22	4	11	2	4	2	2	6	-	-	1	-	1	2	3	-	9	2	2	-	11	67
25	3	6	1	3	3	1	4	-	-	-	-	-	1	1	-	3	4	-	-	4	68
114	18	23	2	22	4	9	15	1	2	2	1	-	5	6	3	9	17	10	2	32	69
87	15	17	1	16	3	8	9	1	2	2	-	-	5	4	2	7	14	3	1	24	70
87	15	17	1	16	3	8	9	1	2	2	-	-	5	4	2	9	14	3	1	24	71
27	3	6	1	6	1	1	6	-	-	-	1	-	-	2	1	2	3	7	1	8	72
21	4	12	-	2	3	2	6	2	-	1	-	-	-	1	-	-	2	-	-	4	73
32	11	14	-	3	-	2	5	1	-	-	-	-	1	4	-	4	4	6	2	6	74
35	16	23	1	-	1	3	14	-	2	-	1	1	2	7	13	6	12	1	2	10	75
29	10	13	1	7	2	-	5	-	1	1	-	-	2	2	-	2	4	3	-	4	76
39	3	21	1	-	2	-	2	-	-	-	-	-	3	1	3	4	7	5	-	12	77
38	7	12	6	2	2	2	6	2	1	1	1	-	-	4	1	8	8	1	-	9	78
38	-	7	2	1	-	2	1	-	1	1	-	-	-	2	-	5	5	-	1	4	79

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MISSOURI—Continued																
1	New Madrid	299	4	1	-	1	41	17	6	18	6	135	129	39	2	80	2
2	Sikeston (part)	3	-	-	-	-	-	-	-	-	-	3	3	1	-	2	-
3	Balance of county	296	4	1	-	1	41	17	6	18	6	132	126	38	2	78	2
4	Newton	338	6	3	-	4	59	22	6	31	2	172	168	43	-	114	4
5	Joplin (part)	10	-	-	-	-	5	4	-	1	-	4	4	-	-	4	-
6	Balance of county	328	6	3	-	4	54	18	6	30	2	168	164	43	-	110	4
7	Nodaway	269	3	-	-	2	38	12	8	18	4	167	164	47	-	109	4
8	Oregon	113	1	2	-	-	13	4	-	9	2	68	68	17	-	48	2
9	Osage	119	2	-	-	-	15	7	-	8	-	68	68	15	-	48	1
10	Ozark	66	1	1	-	-	9	4	-	5	-	41	35	6	-	26	-
11	Pemiscot	426	8	2	-	3	45	11	7	27	2	219	216	46	-	156	3
12	Perry	138	4	-	-	-	23	10	1	12	3	69	69	21	-	44	-
13	Pettis	487	1	1	-	-	63	23	6	34	10	305	294	75	-	204	1
14	Sedalia	368	1	-	-	-	50	20	5	25	9	226	215	55	-	152	1
15	Balance of county	119	-	1	-	-	13	3	1	9	1	79	79	20	-	52	-
16	Phelps	223	2	-	-	3	29	11	2	16	6	133	126	37	-	83	3
17	Pike	240	2	-	-	-	43	12	3	28	4	138	133	24	-	100	2
18	Platte	163	-	1	-	-	28	15	4	9	-	79	79	19	-	53	2
19	Polk	190	1	-	-	-	22	10	2	10	-	127	127	32	-	85	2
20	Pulaski	173	3	-	-	2	23	8	5	10	1	74	72	21	-	50	4
21	Putnam	109	-	1	-	-	17	8	2	7	1	65	59	22	-	34	1
22	Ralls	111	-	-	-	-	21	8	1	12	2	67	66	19	-	44	-
23	Hannibal (part)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Balance of county	109	-	-	-	-	21	8	1	12	2	67	66	19	-	44	-
25	Randolph	338	1	-	-	2	33	13	4	16	5	208	202	45	-	142	4
26	Moberly	198	-	-	-	1	20	8	3	9	4	120	115	24	-	84	-
27	Balance of county	140	1	-	-	1	13	5	1	7	1	88	87	21	-	58	4
28	Ray	209	1	-	-	-	33	13	4	16	1	127	126	37	-	79	-
29	Reynolds	46	-	-	-	2	8	5	1	2	-	27	26	7	-	17	1
30	Ripley	114	2	-	-	-	11	4	2	5	-	65	65	24	-	39	-
31	St. Charles	359	-	-	-	-	60	25	6	29	7	188	187	49	-	129	-
32	St. Charles	177	-	-	-	-	28	9	4	15	6	95	95	19	-	73	-
33	Balance of county	182	-	-	-	-	32	16	2	14	1	93	92	30	-	56	-
34	St. Clair	144	-	-	-	-	18	7	1	10	-	91	86	22	-	61	2
35	St. Francois	403	5	-	-	6	56	11	8	37	7	212	204	44	-	145	2
36	St. Louis	4,427	25	6	2	15	827	249	115	463	80	2,339	2,310	434	5	1,745	68
37	University City	514	2	1	-	1	95	38	9	48	12	310	310	50	1	241	6
38	Clayton	151	-	-	-	-	27	14	3	10	3	92	91	22	-	68	1
39	Ferguson	126	1	-	-	-	21	6	-	15	3	56	56	10	-	41	2
40	Jennings	156	1	-	-	-	29	6	6	17	7	84	82	20	-	58	3
41	Kirkwood	243	-	1	-	3	39	7	4	28	2	135	135	24	-	99	6
42	Maplewood	137	-	-	-	-	33	6	4	23	2	71	69	12	-	54	-
43	Overland	204	1	-	-	1	43	7	11	25	3	96	95	20	1	69	2
44	Richmond Heights	162	-	-	-	-	29	10	4	15	3	99	98	18	-	74	1
45	Webster Groves	257	-	-	-	-	48	11	4	33	4	139	135	29	-	103	4
46	Balance of county	2,477	20	4	2	10	463	144	70	249	41	1,257	1,239	229	3	938	43
47	St. Louis (city)	10,654	108	43	1	47	1,709	599	264	846	190	5,711	5,590	1,176	10	4,049	140
48	Ste. Genevieve	96	-	-	-	1	15	4	1	10	3	51	50	10	-	35	1
49	Saline	344	-	2	-	-	58	22	5	31	7	205	194	48	-	140	2
50	Schuyler	83	-	-	-	1	7	4	2	1	2	58	56	19	-	34	-
51	Scotland	115	1	-	-	1	8	2	1	5	1	76	73	18	-	54	-
52	Scott	296	1	-	-	1	41	9	4	28	3	167	163	32	-	121	2
53	Sikeston (part)	103	-	-	-	-	12	2	1	9	1	60	58	11	-	43	1
54	Sikeston (total)	106	-	-	-	-	12	2	1	9	1	63	61	12	-	45	1
55	Balance of county	193	1	-	-	1	29	7	3	19	2	107	105	21	-	78	1
56	Shannon	77	1	-	-	-	12	5	3	4	3	42	41	16	-	24	-
57	Shelby	165	-	1	-	1	22	3	6	13	1	106	100	22	-	64	2
58	Stoddard	262	-	1	-	2	41	19	3	19	-	139	133	33	-	91	-
59	Stone	107	2	1	-	-	16	6	1	9	1	62	62	17	-	43	3
60	Sullivan	153	-	-	-	-	23	8	1	14	3	93	91	25	-	60	5
61	Taney	98	1	-	-	1	11	5	-	6	1	58	57	13	-	42	1
62	Texas	186	1	1	1	1	26	12	3	11	9	109	107	25	-	77	-
63	Vernon	253	-	-	-	2	31	13	4	14	5	167	166	33	-	124	2
64	Warren	105	-	-	-	1	19	6	3	10	4	53	51	6	-	44	-
65	Washington	170	3	-	-	1	29	9	5	15	2	81	79	22	-	54	1
66	Wayne	113	-	-	-	2	14	2	2	10	1	58	57	14	-	40	1
67	Webster	163	-	-	-	1	24	12	-	12	2	97	94	24	-	58	3
68	Worth	51	-	-	-	-	8	2	-	6	1	32	32	7	-	23	-
69	Wright	166	1	2	-	-	16	6	2	8	-	109	103	27	-	70	1
70	MONTANA	6,475	66	16	1	31	864	315	121	428	112	3.277	3,217	690	1	2,241	82
71	Nonmetropolitan counties	6,475	66	16	1	31	864	315	121	428	112	3,277	3,217	690	1	2,241	82
72	Beaverhead	84	-	-	-	-	6	3	-	3	-	40	39	10	-	22	-
73	Big Horn	97	4	-	-	-	12	5	3	4	2	31	31	11	-	17	-
74	Blaine	82	2	-	-	-	9	2	3	4	1	36	34	7	-	27	-
75	Broadwater	27	-	-	-	-	4	2	-	2	-	12	12	-	-	10	-
76	Carbon	119	-	1	-	-	24	7	4	13	2	66	64	14	-	44	2
77	Carter	22	-	-	-	-	5	2	-	3	-	11	11	3	-	7	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
53	14	11	2	6	-	6	20	1	5	7	1	-	5	14	11	10	18	1	2	16	1
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
51	14	11	2	6	-	6	20	1	5	7	1	-	5	14	11	10	18	1	2	16	3
79	8	23	3	6	2	4	12	-	-	2	-	-	5	8	2	7	14	4	2	36	4
3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5
76	7	23	3	6	2	4	12	-	-	2	-	-	5	8	2	7	14	4	2	35	6
76	12	17	1	4	3	3	7	4	-	1	2	-	2	3	1	3	10	4	-	18	7
29	10	7	1	1	1	-	6	2	1	1	-	-	-	5	-	3	-	1	-	8	8
39	6	2	2	3	-	-	2	-	1	-	-	1	1	4	-	5	7	-	-	13	9
21	-	5	-	1	2	6	4	-	-	-	-	-	-	3	-	2	2	-	-	3	10
98	25	30	2	8	4	3	24	-	3	6	1	-	4	21	15	10	22	6	6	29	11
35	5	4	1	3	-	-	5	-	1	3	-	-	6	9	4	3	4	2	-	2	12
129	27	47	2	9	4	11	11	2	-	7	3	-	6	6	3	9	17	6	1	36	13
99	19	33	2	3	3	11	6	2	-	7	2	-	4	6	3	7	12	4	1	28	14
30	8	14	-	6	1	-	5	-	-	-	1	-	2	-	-	2	5	2	-	8	15
50	17	13	1	5	-	7	8	-	-	3	1	-	2	3	4	5	7	1	1	15	16
55	11	32	5	3	1	5	5	-	-	1	-	1	4	3	-	5	13	3	-	18	17
39	5	7	1	4	2	-	7	1	1	2	1	-	3	5	-	5	11	4	-	15	18
49	6	28	-	9	1	-	6	1	-	1	-	-	1	4	4	2	3	1	-	17	19
25	13	8	-	1	-	2	9	-	1	-	1	1	3	19	2	8	10	3	1	12	20
12	7	14	-	2	1	6	5	-	-	-	1	-	1	1	-	1	9	2	-	5	21
35	3	6	-	2	1	1	2	-	1	-	-	-	1	1	-	3	3	1	1	8	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	23
35	3	6	-	2	1	1	2	-	1	-	-	-	1	1	-	1	3	1	1	8	24
84	24	30	4	10	1	6	8	2	-	4	1	-	3	4	9	15	18	4	-	21	25
52	16	16	1	5	1	5	6	2	-	2	1	-	2	3	3	7	12	2	-	13	26
32	8	14	3	5	-	1	2	-	-	2	-	-	1	1	6	8	6	2	-	8	27
59	4	16	-	8	2	1	5	-	3	4	1	-	-	2	-	10	7	1	-	14	28
8	3	5	1	-	1	1	3	-	-	-	1	-	1	-	-	-	1	-	-	3	29
29	8	2	-	1	1	-	10	1	-	-	-	-	3	1	4	5	9	-	-	3	30
95	17	17	2	3	4	1	16	-	-	3	-	-	5	23	2	9	22	1	1	22	31
56	11	6	-	-	3	-	7	-	-	1	-	-	2	15	2	2	11	-	-	8	32
39	6	11	2	3	1	1	9	-	-	2	-	-	3	8	-	7	11	1	1	14	33
39	1	19	1	-	2	5	4	1	-	-	-	-	-	-	3	7	12	1	-	7	34
118	15	10	1	14	-	8	23	1	1	2	1	-	6	9	-	15	24	6	-	29	35
1,222	195	260	22	68	36	29	119	33	14	44	5	3	73	160	150	84	114	45	12	277	36
189	21	25	3	10	5	-	6	2	3	3	-	-	3	14	8	4	11	5	1	33	37
52	8	7	-	1	-	1	1	1	-	2	-	-	1	1	6	5	2	2	2	6	38
28	7	4	-	2	3	-	6	1	1	4	-	-	1	8	6	2	6	1	-	9	39
50	2	3	-	3	1	2	3	3	1	2	-	-	1	3	2	2	4	1	1	12	40
69	9	15	2	9	1	-	5	3	-	2	-	1	3	9	7	12	6	1	-	14	41
36	10	8	-	2	1	2	6	2	-	1	-	-	3	3	3	3	3	1	-	6	42
45	5	17	1	1	3	1	5	5	1	4	-	-	6	7	6	1	6	4	1	14	43
54	13	6	-	5	1	1	2	-	-	3	1	-	3	4	9	-	3	1	-	5	44
66	13	20	1	1	1	4	12	1	2	1	-	-	3	8	4	5	6	3	1	20	45
633	107	155	15	34	20	18	73	15	6	22	4	2	49	103	99	50	67	26	6	158	46
2,804	546	559	91	165	99	121	463	71	43	168	16	8	96	416	28	170	429	79	100	758	47
12	3	19	-	5	-	1	4	-	-	2	-	-	1	5	-	3	4	-	-	7	48
85	28	25	3	-	3	11	12	1	3	2	1	-	4	9	1	7	16	6	-	10	49
24	3	7	1	2	-	2	2	1	1	-	-	-	-	1	-	1	5	-	-	4	50
34	8	12	1	-	-	3	5	1	-	-	1	-	1	2	-	2	2	2	-	12	51
70	26	23	1	7	2	4	11	-	1	4	1	1	4	15	7	11	9	2	-	17	52
22	10	10	-	3	1	2	6	-	1	-	-	1	-	6	3	4	4	-	-	5	53
24	10	10	-	3	1	2	6	-	1	-	-	1	-	6	3	4	4	-	-	5	54
48	16	13	1	4	1	2	5	-	-	4	1	-	4	9	4	7	5	2	-	12	55
19	4	1	1	-	-	1	2	-	1	1	-	-	-	1	2	7	2	1	2	-	56
46	11	5	-	11	3	6	7	-	-	-	-	-	-	2	1	7	6	3	-	8	57
64	10	17	3	4	2	6	15	2	2	1	-	-	3	7	6	14	9	3	1	16	58
27	5	8	2	-	-	-	6	1	-	-	-	-	-	2	-	2	4	3	-	7	59
39	2	14	1	4	1	2	10	1	1	2	-	-	-	3	-	3	8	1	-	5	60
30	6	5	-	2	-	1	4	1	-	3	1	-	1	2	1	4	1	1	1	6	61
57	13	7	-	4	1	2	5	1	-	-	-	-	1	2	2	7	7	2	-	11	62
81	25	16	2	6	1	1	8	3	-	-	-	-	1	4	1	2	12	2	1	14	63
32	6	6	-	1	-	2	3	-	-	1	-	-	-	2	-	5	15	2	-	-	64
30	6	17	-	3	-	2	16	-	-	1	-	1	1	6	2	4	10	4	-	9	65
30	2	7	-	1	2	1	9	1	1	-	-	-	-	3	3	5	3	3	1	9	66
44	6	5	1	9	2	3	6	2	1	1	-	-	2	3	-	10	4	2	-	8	67
12	1	10	-	2	-	-	3	-	1	-	-	-	-	2	-	1	-	-	-	3	68
52	7	10	-	6	-	6	5	1	1	-	-	-	1	2	-	4	7	2	-	15	69
1,539	218	402	33	177	75	60	282	41	31	70	5	6	94	261	191	226	347	103	20	431	70
1,539	218	402	33	177	75	60	282	41	31	70	5	6	94	261	191	226	347	103	20	431	71
12	2	8	-	6	1	1	6	-	-	-	-	-	-	3	4	6	12	2	-	5	72
13	1	3	-	2	1	-	11	-	1	-	-	-	2	7	6	8	3	1	1	8	73
22	1	4	-	-	-	2	5	-	2	-	-	-	2	4	1	1	10	1	-	8	74
6	1	3	-	2	-	-	-	-	-	-	-	-	-	1	3	2	2	1	-	2	75
35	-	7	-	3	3	2	6	-	1	-	-	-	2	1	1	-	3	1	-	11	76
4	-	3	-	-	1	-	-	-	-	1	-	-	-	-	2	1	-	-	-	2	77

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	MONTANA—Continued																
1	Cascade	559	2	2	-	2	84	28	7	49	10	257	255	55	-	181	12
2	Great Falls	453	2	2	-	1	73	25	6	42	9	213	212	45	-	153	11
3	Balance of county	106	-	-	-	1	11	3	1	7	1	44	43	10	-	28	1
4	Chouteau	80	-	-	-	-	12	7	1	4	-	38	38	13	-	24	1
5	Custer	154	-	-	-	3	22	7	1	14	2	72	70	20	-	47	-
6	Daniels	41	-	-	-	-	2	1	-	1	2	22	22	5	-	15	1
7	Dawson	111	1	-	-	1	13	5	2	6	2	55	54	17	1	35	2
8	Deer Lodge	180	3	-	-	3	36	6	17	13	3	82	81	13	-	67	2
9	Anaconda	154	1	-	-	3	30	6	15	9	3	73	72	10	-	61	2
10	Balance of county	26	2	-	-	-	6	-	2	4	-	9	9	3	-	6	-
11	Fallon	35	-	-	-	-	8	2	1	5	1	15	14	4	-	9	-
12	Fergus	154	-	1	-	-	18	10	2	6	5	92	91	17	-	69	-
13	Flathead	324	-	-	-	-	41	17	2	22	8	207	205	48	-	141	4
14	Gallatin	188	-	2	-	3	31	11	4	16	6	91	90	13	-	69	2
15	Bozeman	106	-	1	-	2	16	8	1	7	2	57	56	10	-	42	1
16	Balance of county	82	-	1	-	1	15	3	3	9	4	34	34	3	-	27	1
17	Garfield	25	-	-	-	-	-	-	-	-	2	16	15	4	-	9	-
18	Glacier	125	3	1	-	4	15	4	3	8	-	49	48	7	-	34	-
19	Golden Valley	9	-	-	-	-	-	-	-	-	-	5	5	3	-	2	-
20	Granite	28	-	-	-	1	4	1	1	2	1	11	10	2	-	8	-
21	Hill	152	1	-	-	-	27	9	2	16	2	76	76	15	-	53	3
22	Jefferson	52	1	1	-	-	7	4	1	2	1	25	24	3	-	19	-
23	Judith Basin	33	-	-	-	-	2	2	-	-	1	22	22	1	-	17	2
24	Lake	157	3	-	-	-	20	4	2	14	6	80	80	19	-	54	-
25	Lewis and Clark	315	4	1	-	-	52	23	7	22	4	169	164	28	-	117	5
26	Helena	239	4	1	-	-	40	17	3	20	4	131	126	21	-	90	2
27	Balance of county	76	-	-	-	-	12	6	4	2	-	38	38	7	-	27	3
28	Liberty	19	-	-	-	-	3	1	-	2	-	8	8	1	-	5	-
29	Lincoln	87	1	-	-	-	8	1	1	6	3	37	37	5	-	27	-
30	McCone	24	-	-	-	1	4	2	-	2	-	12	12	-	-	11	1
31	Madison	70	-	-	-	-	13	4	1	8	-	37	35	11	-	21	1
32	Meagher	31	-	-	-	-	2	-	1	1	1	16	15	2	-	10	-
33	Mineral	25	-	-	-	1	5	4	1	-	-	13	13	4	-	9	1
34	Missoula	370	2	-	1	1	43	22	4	17	6	204	202	48	-	143	6
35	Missoula	289	2	-	-	1	31	17	1	13	3	166	164	37	-	117	5
36	Balance of county	81	-	-	1	-	12	5	3	4	3	38	38	11	-	26	1
37	Musselshell	71	-	-	-	-	9	1	1	7	1	37	37	7	-	29	-
38	Park	137	-	1	-	-	17	5	1	11	3	80	80	22	-	50	1
39	Petroleum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	Phillips	66	-	-	-	-	7	3	-	4	2	36	36	10	-	24	-
41	Pondera	75	1	-	-	-	9	2	-	7	1	38	38	7	-	27	1
42	Powder River	14	-	-	-	-	3	1	-	2	-	6	6	2	-	4	-
43	Powell	66	1	-	-	-	8	1	2	5	2	38	35	6	-	26	2
44	Prairie	27	-	-	-	-	1	1	-	-	-	16	16	-	-	14	-
45	Ravalli	166	-	-	-	-	14	5	-	9	3	93	92	27	-	61	3
46	Richland	107	-	-	-	-	18	7	1	10	3	50	50	11	-	34	2
47	Roosevelt	114	2	-	-	1	10	4	-	6	2	51	50	10	-	39	2
48	Rosebud	74	4	-	-	-	8	4	1	3	1	31	30	8	-	20	1
49	Sanders	84	-	1	-	-	10	5	-	5	1	44	41	10	-	29	2
50	Sheridan	55	-	-	-	1	3	1	-	2	2	30	29	5	-	23	-
51	Silver Bow	730	28	3	-	2	94	36	23	35	6	344	341	52	-	227	9
52	Butte	625	25	2	-	2	82	34	20	28	4	290	287	41	-	192	7
53	Balance of county	105	3	1	-	-	12	2	3	7	2	54	54	11	-	35	2
54	Stillwater	55	-	-	-	1	4	1	3	-	1	37	37	7	-	26	2
55	Sweet Grass	42	-	1	-	-	-	-	-	-	-	22	21	2	-	17	2
56	Teton	57	-	-	-	1	13	5	2	6	1	29	28	6	-	21	2
57	Toole	71	-	-	-	1	5	1	1	3	1	38	34	11	-	20	-
58	Treasure	11	-	-	-	-	1	-	-	1	-	5	4	1	-	2	-
59	Valley	90	2	-	-	1	8	5	-	3	1	49	49	12	-	32	2
60	Wheatland	23	-	-	-	-	4	1	1	2	-	11	11	2	-	8	-
61	Wibaux	17	-	-	-	-	2	1	-	1	-	7	7	1	-	6	-
62	Yellowstone	544	1	1	-	3	84	29	14	41	10	278	268	68	-	179	6
63	Billings	387	-	1	-	3	62	21	10	31	7	199	194	42	-	136	3
64	Balance of county	157	1	-	-	-	22	8	4	10	3	79	74	26	-	43	3
65	Yellowstone Nat. Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66	NEBRASKA	13,807	74	14	2	59	2,257	819	257	1,181	259	7,654	7,539	1,833	12	5,169	162
67	Metropolitan counties	4,633	40	7	-	25	798	261	111	426	73	2,435	2,399	561	3	1,634	52
68	Nonmetropolitan counties	9,174	34	7	2	34	1,459	558	146	755	186	5,219	5,140	1,272	9	3,535	110
69	Adams	274	1	-	-	1	40	12	4	24	5	166	163	55	1	102	3
70	Hastings	188	1	-	-	-	31	8	4	19	3	113	110	34	1	71	2
71	Balance of county	86	-	-	-	1	9	4	-	5	2	53	53	21	-	31	1
72	Antelope	121	1	-	-	-	18	8	1	9	1	83	83	25	-	54	3
73	Arthur	6	1	-	-	-	-	-	-	-	-	2	2	-	-	2	-
74	Banner	3	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
75	Blaine	6	-	-	-	-	1	1	-	-	-	1	1	-	-	1	-
76	Boone	93	-	-	-	1	9	2	1	6	2	58	58	11	-	45	-
77	Box Butte	124	-	-	-	1	12	2	2	8	2	69	68	14	-	46	1
78	Boyd	53	2	-	-	-	5	3	-	2	1	32	32	9	-	21	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
92	29	48	1	12	6	2	26	1	3	7	1	-	7	34	45	11	17	9	2	39	1
74	24	44	-	10	4	1	22	1	3	7	-	-	6	22	35	6	13	6	1	31	2
18	5	4	1	2	2	1	4	-	-	-	1	-	1	12	10	5	4	3	1	8	3
21	2	-	-	1	-	-	4	2	-	1	-	-	-	5	3	8	2	1	1	3	4
40	3	4	-	2	1	2	6	1	-	2	-	-	2	6	1	7	13	3	-	14	5
13	-	1	-	-	2	-	2	-	-	-	-	-	2	1	-	1	3	2	1	3	6
21	1	11	-	-	1	1	3	1	-	1	-	1	-	7	2	6	9	1	-	8	7
42	6	17	-	1	-	1	10	1	-	1	1	-	4	8	-	6	5	4	-	13	8
39	5	15	-	1	-	1	7	1	-	1	1	-	4	6	-	5	4	4	-	11	9
3	1	2	-	-	-	-	3	-	-	-	-	-	-	2	-	1	1	-	-	2	10
8	-	1	-	1	-	1	2	-	-	1	-	-	1	3	1	1	-	-	-	2	11
55	7	7	-	3	2	1	6	1	-	1	-	-	1	8	1	3	7	1	-	9	12
93	21	23	3	8	5	2	15	-	-	1	-	1	3	6	2	12	13	6	-	9	13
47	7	13	5	1	2	1	4	1	1	2	-	-	2	8	-	6	12	2	-	17	14
29	4	8	3	-	1	1	2	1	1	2	-	-	1	6	-	1	6	-	-	8	15
18	3	5	2	1	1	-	2	-	-	-	-	-	1	2	-	5	6	2	-	9	16
6	1	2	1	-	1	1	1	-	-	-	-	-	-	1	-	2	2	-	-	1	17
21	4	9	-	3	4	1	8	2	3	3	-	1	1	10	3	3	11	-	-	8	18
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	19
4	-	4	-	-	-	1	4	-	-	1	-	-	-	-	1	-	3	-	-	2	20
43	1	6	3	3	2	-	4	2	-	1	-	-	2	7	4	7	13	-	1	5	21
15	-	4	2	-	-	1	3	-	-	1	-	-	1	1	1	3	2	1	1	3	22
9	1	5	1	2	1	-	-	-	-	-	-	-	-	2	2	2	1	-	-	1	23
36	10	8	-	3	4	-	3	2	1	1	-	-	1	3	10	4	6	3	1	13	24
75	11	26	4	9	6	5	13	3	1	1	1	-	7	13	4	12	13	3	3	11	25
59	9	20	4	5	6	5	10	3	-	1	-	-	5	9	3	9	8	1	2	8	26
16	2	6	-	4	-	-	3	-	1	-	1	-	2	4	1	3	5	2	1	3	27
3	1	1	-	2	-	-	-	-	-	1	-	-	-	-	-	5	1	-	1	-	28
16	9	2	-	4	1	-	2	2	-	1	-	-	2	3	1	3	13	3	-	8	29
6	-	4	-	1	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	2	30
13	2	5	1	1	1	2	6	-	1	-	-	-	1	-	5	-	2	1	-	4	31
6	1	3	-	2	1	1	1	-	-	-	-	-	1	1	2	-	3	-	-	4	32
7	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	2	-	-	1	33
108	13	16	1	6	4	2	13	2	2	3	1	-	7	13	8	9	21	7	2	25	34
91	10	11	1	5	4	2	11	2	2	1	1	-	4	7	7	8	16	5	-	22	35
17	3	5	-	1	-	-	2	-	-	2	-	-	3	6	1	1	5	2	2	3	36
27	1	1	-	1	-	-	12	-	1	-	-	-	2	-	-	2	2	-	-	5	37
33	4	12	-	6	2	-	4	-	1	2	-	-	2	6	2	2	9	-	-	8	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
23	-	1	1	1	-	-	4	-	-	-	-	-	-	3	1	3	3	-	-	7	40
18	4	4	2	-	2	-	2	-	-	1	-	-	3	6	2	4	2	-	-	6	41
1	-	3	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	1	42
20	2	2	-	3	-	3	2	1	1	-	-	-	1	-	2	1	3	2	-	4	43
10	4	-	1	-	1	-	1	-	-	-	-	1	-	-	-	2	2	-	-	4	44
45	1	12	-	4	-	1	1	-	-	-	-	-	-	2	23	4	10	4	-	12	45
27	1	4	-	5	-	-	4	-	-	1	-	-	1	8	2	3	7	-	-	10	46
21	7	9	-	1	-	1	8	2	-	2	-	-	4	7	-	9	5	2	2	7	47
16	1	2	-	2	-	1	2	-	-	1	-	-	-	3	7	4	3	3	-	7	48
22	2	3	-	1	1	3	3	-	-	2	-	-	1	2	2	5	8	2	-	3	49
16	1	6	-	1	-	1	2	-	-	-	-	1	3	5	-	4	1	-	-	3	50
142	28	48	3	50	9	3	29	10	9	14	1	1	10	27	26	11	46	16	2	51	51
121	24	40	2	43	9	3	23	9	8	14	1	1	7	23	23	11	40	10	2	48	52
21	4	8	1	7	-	-	6	1	1	-	-	-	3	4	3	-	6	6	-	3	53
18	2	4	1	1	2	-	-	-	-	-	-	-	1	1	-	1	3	-	-	6	54
9	2	4	-	1	1	1	2	-	-	-	-	-	1	-	2	7	-	3	-	4	55
12	1	6	-	1	-	1	-	-	-	-	-	-	-	3	1	1	2	1	-	5	56
17	-	3	-	2	1	4	3	1	-	2	-	-	1	2	2	3	3	2	-	7	57
2	-	-	-	1	-	1	1	-	-	-	-	-	1	2	-	1	-	-	-	-	58
21	3	6	-	3	2	-	7	-	2	2	-	-	1	5	-	7	1	2	-	2	59
5	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	3	3	-	-	1	60
6	-	-	-	-	-	-	2	1	-	1	-	-	1	1	1	-	1	-	-	-	61
135	19	19	2	15	4	10	26	5	1	9	-	-	8	21	3	15	27	13	2	37	62
105	18	10	2	12	2	5	16	4	1	9	-	-	7	14	1	10	16	8	-	29	63
30	1	9	-	3	2	5	10	1	-	-	-	-	1	7	2	5	11	5	2	8	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
3,643	479	885	53	338	134	115	524	102	60	115	8	12	157	501	61	351	483	154	26	934	66
1,220	162	200	18	135	48	36	181	49	24	51	3	3	68	213	16	110	156	39	17	325	67
2,423	317	685	35	203	86	79	343	53	36	64	5	9	89	288	45	241	327	115	9	609	68
88	5	6	-	2	3	3	9	2	1	3	-	-	5	11	1	6	4	3	-	16	69
62	2	5	-	1	3	3	8	-	1	3	-	-	3	8	-	2	1	3	-	11	70
26	3	1	-	1	-	-	1	2	-	-	-	-	2	3	1	4	3	-	-	5	71
32	3	16	-	3	1	-	1	1	-	1	-	-	2	1	1	4	2	2	-	3	72
1	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	73
2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	74
1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	75
32	3	10	-	2	-	-	-	1	-	1	-	-	1	5	-	2	4	3	-	6	76
35	2	8	-	4	4	1	9	1	3	1	-	-	-	9	-	4	2	1	-	10	77
16	1	4	1	1	-	-	5	-	-	1	-	-	-	1	-	1	3	-	-	2	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEBRASKA—Continued																
1	Brown	62	-	-	-	-	9	2	-	7	-	36	36	5	-	31	2
2	Buffalo	250	-	-	-	-	50	19	5	26	2	144	143	21	-	112	4
3	Kearney	141	-	-	-	-	32	11	3	18	1	77	77	9	-	61	2
4	Balance of county	109	-	-	-	-	18	8	2	8	1	67	66	12	-	51	2
5	Burt	121	-	-	-	1	26	10	2	14	3	64	64	17	-	43	1
6	Butler	115	-	-	-	-	19	6	2	11	2	66	62	16	-	44	2
7	Cass	207	1	-	-	1	29	13	1	15	1	129	129	39	-	88	3
8	Cedar	122	-	-	-	1	15	7	2	6	4	75	73	17	1	48	1
9	Chase	43	1	-	-	-	3	2	-	1	1	27	26	6	-	19	-
10	Cherry	73	1	-	-	1	12	8	-	4	2	39	39	7	-	31	1
11	Cheyenne	134	-	2	-	-	15	3	1	11	4	68	68	12	-	52	-
12	Clay	105	-	-	-	1	11	6	-	5	3	68	68	17	-	46	1
13	Colfax	114	-	-	-	1	13	2	-	11	1	72	71	26	-	44	-
14	Cuming	130	-	1	-	-	14	6	1	7	3	82	82	23	-	53	2
15	Custer	180	-	-	-	-	24	9	2	13	4	102	101	21	-	71	2
16	Dakota	89	1	-	-	-	15	5	2	8	4	43	43	13	1	23	1
17	Dawes	104	-	1	-	-	18	6	4	8	1	57	57	10	-	44	2
18	Dawson	171	1	-	1	3	22	7	3	12	7	87	84	20	-	61	2
19	Deuel	25	-	1	-	-	5	2	-	3	-	13	13	3	-	10	-
20	Dixon	83	1	-	-	-	13	6	1	6	2	50	50	15	-	32	-
21	Dodge	291	-	-	-	-	48	20	8	20	2	178	172	38	-	118	3
22	Fremont	188	-	-	-	-	33	13	8	12	-	114	108	17	-	83	2
23	Balance of county	103	-	-	-	-	15	7	-	8	2	64	64	21	-	35	1
24	Douglas	3,256	33	5	-	12	565	188	84	293	42	1,713	1,692	378	2	1,165	35
25	Omaha	3,038	32	5	-	10	527	172	81	274	40	1,604	1,584	353	2	1,084	33
26	Balance of county	218	1	-	-	2	38	16	3	19	2	109	108	25	-	81	2
27	Dundy	26	-	-	-	-	2	-	-	2	1	18	18	-	-	18	2
28	Fillmore	127	-	-	-	1	26	10	-	16	3	76	75	11	-	58	-
29	Franklin	73	-	-	-	-	9	5	1	3	-	45	45	7	-	35	-
30	Frontier	51	-	-	-	-	6	2	-	4	-	33	33	12	-	19	2
31	Furnas	111	-	-	-	-	15	5	2	8	4	59	56	16	-	39	1
32	Gage	282	2	1	-	3	45	15	3	27	6	160	158	37	1	106	3
33	Beatrice	152	1	-	-	2	26	9	3	14	1	88	87	20	1	58	1
34	Balance of county	130	1	1	-	1	19	6	-	13	5	72	71	17	-	48	2
35	Garden	28	-	-	-	-	3	2	-	1	-	16	15	3	-	11	-
36	Garfield	26	-	1	-	-	4	2	1	1	1	14	14	5	-	6	-
37	Gosper	25	-	-	-	-	3	2	-	1	-	11	11	2	-	8	1
38	Grant	9	-	-	-	-	2	1	-	1	-	3	3	2	-	1	-
39	Greeley	48	-	-	-	-	8	3	1	4	1	26	25	6	-	16	1
40	Hall	368	2	-	-	-	55	24	11	20	4	226	220	65	1	142	5
41	Grand Island	284	2	-	-	-	44	17	10	17	4	174	170	50	-	111	4
42	Balance of county	84	-	-	-	-	11	7	1	3	-	52	50	15	1	31	1
43	Hamilton	90	-	-	-	2	15	8	3	4	5	50	49	16	1	30	-
44	Harlan	66	-	-	-	1	10	2	2	6	2	39	39	9	-	27	2
45	Hayes	11	-	-	-	-	4	3	-	1	-	3	3	2	-	1	-
46	Hitchcock	50	1	-	-	-	9	5	1	3	-	30	30	6	-	19	1
47	Holt	141	-	-	-	1	16	5	2	9	4	62	62	13	-	46	1
48	Hooker	10	-	-	-	-	2	1	-	1	-	5	5	-	-	5	-
49	Howard	66	-	-	-	-	9	2	2	5	-	41	40	11	-	22	-
50	Jefferson	141	-	-	-	1	25	12	2	11	4	75	75	17	-	54	1
51	Johnson	78	1	-	-	-	11	5	1	5	-	52	52	20	-	29	1
52	Kearney	69	-	-	-	-	10	6	2	2	4	34	33	8	1	24	3
53	Keith	74	-	-	-	-	14	3	-	11	-	34	33	14	-	19	1
54	Keya Paha	18	-	-	1	-	3	2	-	1	-	10	10	2	-	8	-
55	Kimball	55	-	-	-	-	6	2	1	3	1	17	17	2	-	15	1
56	Knox	120	-	-	-	1	18	6	4	8	3	71	70	21	-	44	1
57	Lancaster	1,261	7	1	-	11	216	69	24	123	28	667	654	168	1	433	15
58	Lincoln	1,102	6	-	-	10	192	62	23	107	23	578	569	146	-	385	13
59	Balance of county	159	1	1	-	1	24	7	1	16	5	89	85	22	1	48	2
60	Lincoln	245	-	-	-	4	39	13	4	22	7	137	131	28	-	96	4
61	North Platte	177	-	-	-	2	30	8	4	18	4	100	95	22	-	67	4
62	Balance of county	68	-	-	-	2	9	5	-	4	3	37	36	6	-	29	-
63	Logan	16	-	-	-	-	1	-	-	1	1	6	6	2	-	4	-
64	Loup	8	-	-	-	-	1	1	-	-	-	3	3	1	-	2	-
65	McPherson	5	-	-	-	-	1	-	-	1	-	3	3	1	-	1	-
66	Madison	275	-	-	-	-	57	24	7	26	4	150	149	21	-	113	5
67	Norfolk	150	-	-	-	-	29	10	2	17	3	85	85	11	-	66	3
68	Balance of county	125	-	-	-	-	28	14	5	9	1	65	64	10	-	47	2
69	Merrick	88	-	-	-	-	18	5	1	12	2	51	50	17	-	28	1
70	Morrill	57	-	-	-	-	8	1	1	6	3	31	31	7	1	21	2
71	Nance	62	-	-	-	1	8	2	1	5	-	40	40	14	-	24	-
72	Nemaha	127	3	-	-	-	12	4	2	6	7	81	81	30	1	43	-
73	Nuckolls	86	-	-	-	1	7	2	-	5	-	60	60	14	-	44	2
74	Otoe	211	2	-	-	-	41	15	6	20	7	110	106	27	-	69	1
75	Pawnee	94	-	-	-	-	15	9	-	6	-	55	55	8	-	46	2
76	Perkins	23	1	-	-	-	-	-	-	-	1	12	12	5	-	5	-
77	Phelps	116	-	-	-	-	25	10	-	15	2	71	69	25	-	41	1
78	Pierce	84	-	-	-	-	16	5	2	9	1	51	51	7	-	43	-
79	Platte	189	-	-	-	-	36	11	1	24	4	96	93	24	-	64	1
80	Polk	89	-	-	-	1	19	6	3	10	2	49	48	15	-	31	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
25	2	2	-	-	-	-	-	-	1	1	-	-	-	3	2	1	5	1	-	3	1
90	7	11	2	5	3	1	7	1	1	1	-	-	1	7	-	9	13	1	-	13	2
49	4	6	2	4	1	-	6	1	1	1	-	-	-	4	-	5	7	-	-	6	3
41	3	5	-	1	2	1	1	-	-	-	-	-	1	3	-	4	6	1	-	7	4
35	4	3	2	2	-	-	3	-	1	1	-	-	2	3	-	3	1	3	2	8	5
33	2	7	-	1	1	4	6	-	-	1	-	-	1	1	1	3	5	1	-	9	6
66	7	12	-	2	-	-	6	-	-	1	-	1	-	9	2	6	8	3	-	10	7
32	5	10	-	5	2	2	3	1	-	-	-	-	-	4	-	4	7	2	-	6	8
13	2	4	-	-	1	1	1	-	-	-	-	-	-	-	-	2	4	-	-	4	9
21	3	6	-	1	-	-	3	-	1	2	-	-	-	-	1	4	2	1	-	4	10
37	4	11	1	2	1	-	2	-	-	2	-	-	2	8	-	8	9	-	1	13	11
29	8	8	1	2	2	-	4	-	-	-	-	-	-	2	-	5	4	1	-	6	12
29	4	11	-	1	-	1	3	-	-	1	-	-	-	6	1	1	5	1	-	9	13
37	6	8	-	4	2	-	3	2	1	1	-	1	6	1	1	5	3	-	-	6	14
54	7	8	-	5	4	1	10	-	1	1	-	-	1	5	4	2	6	7	-	13	15
14	3	5	-	6	-	-	-	1	-	2	-	-	3	3	-	3	3	3	-	8	16
30	8	4	1	-	2	-	3	1	-	-	-	-	-	7	2	2	6	-	-	6	17
40	6	13	-	2	1	3	9	-	-	1	-	-	3	7	1	5	14	1	-	9	18
2	2	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	2	19
24	2	6	-	2	1	-	2	2	2	2	-	-	2	-	-	1	2	1	1	2	20
73	18	24	5	7	4	6	4	2	-	5	-	-	4	8	-	5	10	2	-	23	21
50	15	16	3	4	1	6	3	2	-	1	-	-	4	6	-	2	7	1	-	15	22
23	3	8	2	3	3	-	1	-	-	4	-	-	-	2	-	3	3	1	-	8	23
928	112	90	16	99	32	21	129	33	14	42	3	3	51	125	13	78	110	28	13	244	24
862	102	87	16	97	32	20	121	30	13	40	3	3	47	111	12	64	104	25	13	234	25
66	10	3	-	2	-	1	8	3	1	2	-	-	4	14	1	14	6	3	-	10	26
9	4	3	-	-	-	-	1	-	-	1	-	-	-	1	-	1	1	-	-	-	27
36	7	15	2	3	1	1	4	1	-	-	-	-	-	2	1	4	2	1	-	6	28
27	1	7	1	1	1	-	6	-	-	-	-	-	3	1	-	-	1	1	-	7	29
11	1	5	1	1	-	-	2	-	1	1	-	-	-	-	-	3	2	1	-	2	30
26	4	8	-	1	-	3	6	3	-	1	-	-	1	2	1	1	5	-	-	13	31
72	11	20	1	9	4	2	18	-	1	-	-	-	6	5	1	5	8	3	-	18	32
45	5	7	-	5	3	1	14	-	1	-	-	-	3	1	1	1	4	1	-	8	33
27	6	13	1	4	1	1	4	-	-	-	-	-	3	4	-	4	4	2	-	10	34
7	1	3	-	-	1	1	2	-	-	1	-	-	-	2	1	-	1	-	-	2	35
5	-	1	1	2	-	-	1	-	-	-	-	-	-	2	-	-	1	-	-	2	36
5	-	2	-	1	-	-	2	-	-	-	-	-	-	2	-	4	1	-	-	2	37
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	38
9	-	6	-	2	1	1	2	-	-	-	-	-	-	5	1	1	2	-	-	2	39
107	11	19	-	9	3	6	12	3	2	-	-	-	7	10	2	8	9	9	-	19	40
81	9	17	-	7	2	4	7	2	2	-	-	-	4	10	1	5	6	8	-	15	41
26	2	2	-	2	1	2	5	1	-	-	-	-	3	-	1	3	3	1	-	4	42
15	2	13	-	2	-	1	2	1	-	-	1	-	-	-	-	2	2	-	-	10	43
21	-	4	-	3	-	-	1	-	1	1	-	-	1	-	-	3	3	2	-	2	44
1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	45
13	2	3	-	4	1	-	1	1	-	-	-	-	-	2	-	-	3	-	-	3	46
35	2	8	-	-	3	-	13	2	-	1	1	-	1	9	4	3	10	1	-	13	47
2	1	2	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	48
12	3	7	-	6	1	1	3	-	-	-	-	-	2	1	-	2	2	1	-	5	49
35	5	13	-	4	-	-	12	2	-	1	1	-	-	2	-	3	3	2	-	10	50
22	3	3	-	3	-	-	2	2	-	-	1	-	-	1	-	1	3	-	-	4	51
17	1	3	-	-	-	1	3	-	-	1	-	-	-	1	2	2	-	1	-	11	52
14	2	2	-	-	-	1	8	-	1	1	-	-	1	3	1	1	3	-	-	7	53
8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	54
12	2	-	-	-	-	-	3	2	-	-	-	-	1	9	-	2	5	2	-	7	55
31	6	6	-	3	2	1	7	-	1	1	-	1	1	2	1	3	3	1	1	5	56
269	42	107	2	34	16	13	47	15	9	9	-	-	15	78	2	29	36	10	3	76	57
244	38	90	1	27	10	9	36	14	8	9	-	-	14	75	2	25	34	7	2	67	58
25	4	17	1	7	6	4	11	1	1	-	-	-	1	3	-	4	4	3	1	9	59
64	6	22	1	4	2	6	12	2	-	2	-	-	2	11	-	8	4	4	-	13	60
44	3	16	1	4	1	5	10	2	-	2	-	-	1	6	-	6	2	2	-	10	61
20	3	6	-	-	1	1	2	-	-	-	-	-	1	5	-	2	2	2	-	3	62
1	2	1	-	-	-	-	1	-	1	-	-	-	-	2	-	-	1	-	-	3	63
1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	64
-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	65
79	11	18	1	9	5	1	6	3	1	3	-	1	2	6	2	5	9	2	1	23	66
43	7	13	1	5	2	-	1	3	-	1	-	-	2	5	-	1	5	1	-	14	67
36	4	5	-	4	3	1	5	-	1	2	-	1	-	1	2	4	4	1	1	9	68
15	4	8	1	3	1	1	2	-	1	1	-	-	1	1	-	2	3	1	-	5	69
12	2	5	-	2	-	-	3	-	-	-	-	1	-	1	-	-	3	-	-	7	70
14	4	6	-	2	-	-	-	-	-	-	-	-	-	1	-	2	5	3	-	2	71
29	-	14	-	6	1	-	8	-	-	1	-	-	-	2	1	3	2	3	-	4	72
33	3	6	1	1	-	-	5	-	-	-	-	-	1	1	1	1	4	1	1	3	73
44	6	18	-	4	6	4	7	3	1	4	-	-	-	7	1	8	4	2	-	14	74
16	17	11	-	1	-	-	6	-	3	-	-	-	-	2	-	1	2	2	-	8	75
4	1	-	1	1	-	-	2	-	-	-	-	-	-	1	-	-	2	3	-	1	76
19	2	19	2	-	1	2	2	-	-	-	-	-	-	2	1	-	4	2	-	7	77
19	10	14	-	-	1	-	2	-	1	-	-	1	1	4	-	1	2	-	-	4	78
49	6	8	-	3	2	3	2	-	1	-	-	-	2	9	1	5	12	2	-	19	79
24	2	3	1	1	-	1	2	-	-	-	-	1	-	3	-	2	3	-	-	7	80

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEBRASKA—Continued																
1	Red Willow	135	1	-	-	-	27	8	6	13	4	72	69	19	-	45	1
2	Richardson	210	2	-	-	-	43	19	5	19	4	123	123	27	-	84	1
3	Rock	22	-	-	-	-	3	1	-	2	-	14	14	2	-	11	1
4	Saline	174	-	-	-	-	31	15	2	14	2	110	107	23	-	79	4
5	Sarpy	116	-	1	-	2	17	4	3	10	3	55	53	15	-	36	2
6	Saunders	167	1	-	-	-	37	14	4	19	1	95	94	28	-	63	4
7	Scotts Bluff	304	2	-	-	2	50	15	6	29	6	143	142	35	-	96	3
8	Scottsbluff	141	-	-	-	1	23	8	2	13	2	72	72	21	-	45	-
9	Balance of county	163	2	-	-	1	27	7	4	16	4	71	70	14	-	51	3
10	Seward	150	-	-	-	-	26	12	1	13	7	93	92	21	-	67	3
11	Sheridan	95	-	-	-	-	14	4	-	10	1	50	48	8	-	38	-
12	Sherman	55	-	-	-	1	12	3	2	7	1	28	28	8	-	19	1
13	Sioux	26	-	-	-	-	6	3	1	2	-	10	10	2	-	8	-
14	Stanton	51	1	-	-	-	5	2	-	3	3	27	27	9	-	18	-
15	Thayer	116	-	-	-	-	17	8	1	8	1	70	67	13	-	48	1
16	Thomas	12	-	-	-	-	2	1	-	1	-	8	7	2	-	5	-
17	Thurston	93	2	-	-	-	15	8	1	6	1	47	47	8	-	35	2
18	Valley	66	-	-	-	-	14	4	-	10	2	30	30	9	-	15	-
19	Washington	114	1	-	-	1	17	6	1	10	3	67	67	23	-	39	1
20	Wayne	87	-	-	-	-	15	4	3	8	1	54	52	14	-	37	1
21	Webster	76	-	-	-	1	17	10	3	4	-	43	43	9	-	28	2
22	Wheeler	13	-	-	-	-	1	-	-	1	1	10	10	2	-	6	-
23	York	171	1	-	-	-	27	13	1	13	7	96	94	17	-	74	3
24	NEVADA	2,131	25	9	-	10	289	94	50	145	26	943	925	188	-	683	19
25	Nonmetropolitan counties	2,131	25	9	-	10	289	94	50	145	26	943	925	188	-	683	19
26	Churchill	81	1	-	-	-	11	5	1	5	-	43	41	9	-	32	-
27	Clark	772	6	5	-	5	100	32	18	50	11	322	318	61	-	236	3
28	Las Vegas	505	2	4	-	2	70	23	15	32	8	229	226	44	-	167	2
29	Balance of county	267	4	1	-	3	30	9	3	18	3	93	92	17	-	69	1
30	Douglas	27	-	2	-	-	4	2	-	2	1	12	11	4	-	7	1
31	Elko	113	-	-	-	2	22	8	5	9	2	45	45	7	-	28	3
32	Esmeralda	6	-	-	-	-	-	-	-	-	-	3	3	2	-	1	-
33	Eureka	16	-	-	-	1	3	-	1	2	-	8	8	3	-	5	-
34	Humboldt	69	-	-	-	-	8	3	3	2	3	27	27	5	-	20	-
35	Lander	25	2	-	-	-	1	-	-	1	-	9	9	1	-	7	-
36	Lincoln	30	1	-	-	-	4	2	1	1	-	16	16	4	-	12	-
37	Lyon	55	1	-	-	-	6	2	-	4	-	25	24	11	-	13	-
38	Mineral	58	2	1	-	-	10	2	3	5	-	16	16	7	-	9	1
39	Nye	48	-	-	-	-	6	-	2	4	-	19	18	9	-	8	-
40	Ormsby	59	-	-	-	-	4	-	1	3	1	34	32	7	-	23	-
41	Pershing	34	1	-	-	-	1	1	-	-	1	14	13	1	-	12	1
42	Storey	11	1	-	-	-	4	2	-	2	-	3	3	-	-	2	-
43	Washoe	627	9	1	-	2	92	32	14	46	7	306	301	49	-	240	9
44	Reno	466	7	1	-	2	72	27	10	35	5	229	226	31	-	186	6
45	Balance of county	161	2	-	-	-	20	5	4	11	2	77	75	18	-	54	3
46	White Pine	100	1	-	-	-	13	3	1	9	-	41	40	8	-	28	1
47	NEW HAMPSHIRE	6,674	18	8	-	22	1,067	404	138	525	121	3,901	3,850	832	1	2,682	79
48	Metropolitan counties	1,926	4	1	-	5	332	135	41	156	38	1,102	1,090	217	-	754	20
49	Nonmetropolitan counties	4,748	14	7	-	17	735	269	97	369	83	2,799	2,760	615	1	1,928	59
50	Belknap	392	-	-	-	2	58	22	7	29	6	249	246	60	-	176	4
51	Laconia	195	-	-	-	-	30	11	3	16	3	125	124	34	-	83	3
52	Balance of county	197	-	-	-	2	28	11	4	13	3	124	122	26	-	93	1
53	Carroll	203	-	-	-	-	28	10	2	16	1	142	141	28	-	105	3
54	Cheshire	540	1	1	-	2	97	32	14	51	9	305	298	66	-	212	5
55	Keene	216	-	-	-	1	41	17	4	20	3	119	117	26	-	83	1
56	Balance of county	324	1	1	-	1	56	15	10	31	6	186	181	40	-	129	4
57	Coos	423	2	1	-	1	55	24	11	20	6	243	241	44	-	174	3
58	Berlin	214	1	1	-	1	37	16	8	13	4	110	109	17	-	82	-
59	Balance of county	209	1	-	-	-	18	8	3	7	2	133	132	27	-	92	3
60	Grafton	637	2	-	-	3	91	38	9	44	12	353	351	93	-	231	12
61	Hillsborough	1,926	4	1	-	5	332	135	41	156	38	1,102	1,090	217	-	754	20
62	Manchester	1,005	3	1	-	4	178	73	21	84	20	579	575	112	-	419	11
63	Nashua	428	-	-	-	1	69	27	10	32	11	231	226	48	-	138	1
64	Balance of county	493	1	-	-	-	85	35	10	40	7	292	289	57	-	197	8
65	Merrimack	764	2	2	-	3	118	41	14	63	12	449	440	89	-	320	11
66	Concord	309	-	-	-	1	50	16	4	30	5	188	185	41	-	132	2
67	Balance of county	455	2	2	-	2	68	25	10	33	7	261	255	48	-	188	9
68	Rockingham	897	4	3	-	5	142	50	21	71	18	526	518	109	1	363	12
69	Portsmouth	223	1	1	-	3	37	11	3	23	1	124	122	27	-	83	1
70	Balance of county	674	3	2	-	2	105	39	18	48	17	402	396	82	1	280	11
71	Strafford	547	2	-	-	1	97	35	11	51	13	316	311	69	-	211	3
72	Dover	199	1	-	-	-	24	10	2	12	6	117	115	27	-	68	1
73	Rochester	154	1	-	-	1	36	15	3	18	6	89	89	20	-	64	2
74	Balance of county	194	-	-	-	-	37	10	6	21	1	110	107	22	-	79	-
75	Sullivan	345	1	-	-	-	49	17	8	24	6	216	214	57	-	136	6
76	Claremont	158	-	-	-	-	25	8	3	14	3	97	95	18	-	65	4
77	Balance of county	187	1	-	-	-	24	9	5	10	3	119	119	39	-	71	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
32	-	12	-	3	2	3	6	-	-	2	-	-	1	8	1	3	5	-	-	5	1
62	6	15	-	9	3	-	11	3	-	1	-	-	-	3	-	4	5	3	-	8	2
10	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	1	-	1	3
48	4	23	1	3	1	3	3	-	1	1	-	-	2	2	-	4	3	3	-	12	4
23	8	3	-	2	-	2	5	1	1	-	-	-	2	10	1	3	8	1	1	5	5
46	7	6	-	2	1	1	5	-	2	1	-	-	1	6	-	3	3	2	1	9	6
74	5	14	1	6	4	1	9	-	2	-	-	1	5	17	-	16	21	2	1	27	7
34	1	10	1	3	2	-	4	-	2	-	-	-	3	8	-	6	7	-	1	12	8
40	4	4	-	3	2	1	5	-	-	-	-	1	2	9	-	10	14	2	-	15	9
47	6	11	1	2	1	1	4	-	-	-	-	-	2	5	-	2	1	1	-	9	10
32	3	3	-	2	-	2	5	-	-	-	-	-	1	6	-	5	2	2	-	9	11
13	2	3	-	1	-	-	1	1	-	1	-	-	1	1	-	1	3	-	-	4	12
7	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	4	1	-	3	13
8	1	9	-	-	-	-	1	-	-	1	-	1	-	2	-	2	3	1	-	4	
31	4	12	1	4	1	3	4	1	-	1	-	-	1	2	1	5	2	2	-	9	15
3	-	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	16
26	1	6	-	4	-	-	9	2	-	2	-	-	2	1	2	4	2	1	-	3	17
11	-	4	-	5	1	-	2	1	-	2	-	-	-	2	-	1	3	1	-	8	18
21	4	13	1	3	1	-	5	2	1	-	-	-	1	5	-	2	4	1	-	4	19
25	4	7	1	-	-	2	-	-	-	-	-	-	-	1	1	3	3	1	-	8	20
19	-	7	-	5	1	-	4	1	-	-	-	-	-	1	-	2	1	2	-	4	21
5	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	22
36	9	26	2	1	-	2	6	1	2	1	-	-	1	3	-	7	6	2	-	11	23
518	48	98	15	30	9	18	64	18	12	48	4	1	20	141	43	104	135	51	21	167	24
518	48	98	15	30	9	18	64	18	12	48	4	1	20	141	43	104	135	51	21	167	25
18	2	12	-	-	-	2	1	-	-	2	-	1	-	2	1	7	4	3	-	5	26
194	15	24	6	13	2	4	25	11	4	14	-	-	12	82	5	41	47	20	10	52	27
135	12	18	3	10	2	3	14	5	2	8	-	-	9	49	3	21	30	13	5	31	28
59	3	6	3	3	-	1	11	6	2	6	-	-	3	33	2	20	17	7	5	21	29
5	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	2	1	2	1	-	30
16	-	9	3	5	2	-	-	-	-	1	-	-	2	6	6	5	12	1	-	9	31
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	32
2	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	33
10	1	9	-	2	-	-	2	-	2	3	1	-	1	2	3	3	8	3	-	3	34
6	-	1	-	-	1	-	-	-	-	1	-	-	-	4	2	3	2	-	-	1	35
9	1	2	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	-	4	36
10	2	1	-	-	-	1	2	1	2	2	-	-	-	-	4	4	4	1	-	3	37
6	-	2	-	-	-	-	2	-	1	2	-	-	-	6	5	2	5	1	1	4	38
6	-	2	-	1	-	1	2	-	1	-	1	-	-	3	5	4	3	1	-	3	39
15	5	3	-	2	-	2	2	-	-	-	1	-	-	2	-	4	5	-	-	6	40
5	2	4	-	-	-	1	1	1	1	2	-	-	-	-	6	1	2	-	-	3	41
2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	42
193	16	22	5	3	4	5	21	5	1	17	1	-	4	27	3	22	31	14	7	57	43
150	13	17	3	2	4	3	13	4	1	15	1	-	4	20	2	12	23	9	4	42	44
43	3	5	2	1	-	2	8	1	-	2	-	-	-	7	1	10	8	5	3	15	45
20	4	3	1	3	-	1	4	-	-	3	-	-	1	4	2	5	6	5	2	13	46
2,076	266	261	37	217	81	51	211	45	36	80	12	6	87	183	67	98	207	78	5	422	47
579	90	65	4	95	20	12	61	16	11	31	2	1	26	50	26	22	60	13	1	124	48
1,497	176	196	33	122	61	39	150	29	25	49	10	5	61	133	41	76	147	65	4	298	49
137	27	8	1	6	3	3	11	4	1	2	1	1	8	9	2	4	11	6	1	16	50
62	13	5	1	5	1	1	7	2	1	2	-	1	3	3	2	2	3	2	1	8	51
75	14	3	-	1	2	2	4	2	-	-	1	-	5	6	-	2	8	4	-	8	52
79	12	11	1	2	5	1	4	2	-	1	-	-	2	3	1	3	2	3	-	11	53
172	17	18	4	11	5	7	15	4	2	5	-	-	4	20	6	8	15	6	-	40	54
68	5	9	2	4	2	2	8	1	1	2	-	-	2	8	4	4	5	2	-	15	55
104	12	9	2	7	3	5	7	3	1	3	-	-	2	12	2	4	10	4	-	25	56
120	27	24	3	13	7	2	16	1	2	3	1	1	7	15	1	12	23	5	-	28	57
63	10	9	2	3	5	1	9	-	2	2	1	1	3	8	-	6	9	2	-	17	58
57	17	15	1	10	2	1	7	1	-	1	-	-	4	7	1	6	14	3	-	11	59
172	18	29	5	13	9	2	18	2	-	10	2	1	7	21	23	14	25	11	-	42	60
579	90	65	4	95	20	12	61	16	11	31	2	1	26	50	26	22	60	13	1	124	61
335	52	21	2	29	13	4	36	7	8	21	1	1	13	23	1	11	29	6	1	62	62
102	17	18	1	35	4	5	9	2	-	5	1	-	9	13	16	7	20	2	-	32	63
142	21	26	1	31	3	3	16	7	3	5	-	-	4	14	9	4	11	5	-	30	64
266	18	25	3	20	8	9	31	5	9	10	3	-	10	19	1	11	25	4	1	49	65
109	8	13	1	7	4	3	14	-	3	7	-	-	4	7	-	2	6	1	-	21	66
157	10	12	2	13	4	6	17	5	6	3	3	-	6	12	1	9	19	3	1	28	67
269	34	48	5	30	10	8	27	5	8	11	1	-	14	26	5	12	21	15	1	53	68
57	18	7	-	10	2	2	9	2	4	1	-	-	7	8	1	3	5	5	-	11	69
212	16	41	5	20	8	6	18	3	4	10	1	-	7	18	4	9	16	10	1	42	70
172	14	22	5	16	10	5	14	5	2	6	2	1	6	11	2	7	14	6	1	41	71
57	1	9	3	11	6	2	4	3	2	3	-	-	5	4	2	1	7	2	1	17	72
54	4	4	-	2	3	-	2	-	-	2	1	1	-	2	-	1	4	2	-	6	73
61	9	9	2	3	1	3	8	2	-	1	1	-	1	5	-	5	3	2	-	18	74
110	9	11	6	11	4	2	14	1	1	1	-	1	3	9	-	5	11	9	-	18	75
51	4	6	4	6	2	2	6	1	1	-	-	-	2	6	-	3	4	2	-	8	76
59	5	5	2	5	2	-	8	-	-	1	-	1	1	3	-	2	7	7	-	10	77

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	NEW JERSEY	57,520	531	97	-	164	10,477	3,922	1,472	5,083	1,187	32,326	31,916	5,246	30	24,834	839
2	Metropolitan counties	50,546	483	88	-	148	9,275	3,486	1,275	4,514	1,055	28,257	27,886	4,564	29	21,761	753
3	Nonmetropolitan counties	6,974	48	9	-	16	1,202	436	197	569	132	4,069	4,030	682	1	3,073	86
4	Atlantic	2,083	21	3	-	3	334	138	51	145	36	1,256	1,242	208	1	955	15
5	Atlantic City	1,018	13	2	-	-	159	68	26	65	19	625	619	114	1	458	6
6	Pleasantville	171	1	-	-	2	32	13	4	15	2	97	96	12	-	80	1
7	Balance of county	894	9	1	-	1	143	57	21	65	15	534	527	82	-	417	8
8	Bergen	6,039	41	6	-	25	1,212	437	158	617	107	3,389	3,360	591	6	2,525	111
9	Garfield	234	-	-	-	-	38	19	7	12	7	142	141	27	1	104	1
10	Hackensack	305	3	-	-	-	54	17	11	26	1	179	176	34	-	135	3
11	Teaneck (twp.)[3 4]	352	1	-	-	1	69	29	10	30	6	193	191	17	-	159	10
12	Bergenfield	202	-	-	-	1	45	21	3	21	1	115	115	23	1	86	6
13	Cliffside Park	193	3	-	-	1	37	15	3	19	4	107	107	20	-	80	4
14	Dumont	118	-	-	-	-	32	13	4	15	4	61	61	10	-	47	7
15	East Paterson	124	-	-	-	-	24	6	4	14	1	69	68	12	-	54	3
16	Englewood	278	3	3	-	1	53	16	6	31	4	152	151	18	1	121	3
17	Fair Lawn	228	2	-	-	1	52	24	7	21	7	116	116	30	-	80	4
18	Fort Lee	168	-	-	-	-	40	13	8	19	2	87	86	13	-	64	5
19	Lodi	154	1	-	-	2	34	18	3	13	7	79	77	7	-	68	5
20	Lyndhurst (twp.)[3 4]	179	3	-	-	1	34	11	4	19	3	92	92	17	-	67	5
21	North Arlington	152	1	-	-	1	39	10	4	25	3	78	77	8	-	64	3
22	Ridgefield Park	148	1	-	-	-	28	11	3	14	1	93	91	18	-	62	1
23	Ridgewood	228	-	1	-	1	44	13	5	26	2	146	144	28	2	99	6
24	Rutherford	244	1	-	-	2	37	19	4	14	2	157	157	41	-	108	4
25	Balance of county	2,732	22	2	-	13	552	182	72	298	52	1,523	1,510	268	1	1,127	41
26	Burlington	1,429	14	4	-	6	231	87	29	115	23	791	781	143	1	595	15
27	Burlington	154	2	-	-	-	25	9	5	11	6	78	76	13	-	61	4
28	Balance of county	1,275	12	4	-	6	206	78	24	104	17	713	705	130	1	534	11
29	Camden	3,602	34	10	-	11	577	223	85	269	86	2,055	2,027	327	3	1,601	56
30	Camden	1,428	22	4	-	5	211	88	36	87	24	797	785	130	2	620	19
31	Collingswood	221	3	-	-	-	43	18	2	23	8	127	127	17	-	104	6
32	Gloucester City	175	2	2	-	-	22	7	6	9	5	103	103	15	1	85	1
33	Haddonfield	185	-	-	-	2	27	10	1	16	1	112	110	18	-	83	1
34	Pennsauken (twp.)[3 4]	214	1	-	-	3	29	11	4	14	9	123	119	16	-	96	2
35	Balance of county	1,379	6	4	-	1	245	89	36	120	39	793	783	131	-	613	27
36	Cape May	656	2	2	-	1	116	44	20	52	18	396	392	71	1	296	7
37	Cumberland	1,074	12	2	-	5	166	62	28	76	12	614	605	121	-	438	16
38	Bridgeton	227	4	1	-	-	27	11	4	12	1	136	135	28	-	92	5
39	Millville	226	3	1	-	-	47	19	8	20	2	128	126	25	-	96	5
40	Balance of county	621	5	-	-	5	92	32	16	44	9	350	344	68	-	250	6
41	Essex	10,636	113	25	-	28	1,936	769	240	927	228	5,941	5,846	826	2	4,728	148
42	Newark	5,259	87	15	-	19	843	340	107	396	133	2,840	2,787	368	1	2,300	74
43	East Orange	993	6	2	-	-	196	74	21	101	18	587	578	79	-	462	11
44	Irvington	698	1	2	-	1	163	63	28	72	9	416	414	64	-	331	7
45	Belleville	333	2	-	-	-	63	21	6	36	7	195	191	18	-	161	10
46	Bloomfield	490	2	1	-	-	97	38	8	51	11	293	286	42	-	226	8
47	Montclair	565	3	1	-	2	126	50	16	60	6	332	330	48	1	259	6
48	Nutley	284	1	-	-	1	70	34	6	30	5	153	150	27	-	116	4
49	Orange	471	3	4	-	-	95	39	14	42	9	240	232	31	-	190	8
50	West Orange	335	-	-	-	1	66	30	10	26	5	185	185	34	-	141	6
51	Maplewood (twp.)[3 4]	263	2	-	-	3	49	15	4	30	5	170	169	29	-	134	4
52	Millburn (twp.)[3 4]	129	2	-	-	-	17	8	-	9	2	84	84	9	-	69	1
53	South Orange	183	1	-	-	-	39	17	2	20	3	102	99	16	-	74	-
54	Verona	101	1	-	-	-	21	4	4	13	1	53	52	13	-	37	1
55	Balance of county	532	2	-	-	1	91	36	14	41	14	291	289	48	-	228	8
56	Gloucester	1,134	4	2	-	4	201	61	23	117	14	647	637	100	1	502	13
57	Woodbury	148	-	-	-	1	22	9	3	10	1	87	86	17	-	64	1
58	Balance of county	986	4	2	-	3	179	52	20	107	13	560	551	83	1	438	12
59	Hudson	7,366	84	9	-	24	1,348	514	219	615	180	4,163	4,119	615	2	3.321	113
60	Jersey City	3,441	40	6	-	12	615	232	99	284	73	1,900	1,880	322	2	1,478	63
61	Bayonne	814	9	1	-	2	155	64	22	69	33	474	466	58	-	389	7
62	Hoboken	585	9	1	-	1	95	43	13	39	15	333	332	41	-	279	4
63	Union City	707	6	-	-	2	135	40	35	80	22	412	407	56	-	332	16
64	Kearny	403	3	-	-	4	86	36	11	39	8	234	233	24	-	196	10
65	North Bergen (twp.)[3 4]	441	4	-	-	1	75	29	10	36	9	266	265	40	-	210	5
66	West New York	410	6	-	-	-	88	32	18	38	10	226	225	29	-	186	4
67	Harrison	165	2	1	-	1	29	13	3	13	1	95	93	8	-	81	1
68	Weehawken (twp.)[3 4]	179	1	-	-	-	32	14	2	16	5	102	102	23	-	75	1
69	Balance of county	221	4	-	-	1	38	11	6	21	4	121	116	14	-	95	2
70	Hunterdon	579	2	1	-	-	95	31	21	43	6	352	351	73	-	257	8
71	Mercer	2,703	46	5	-	5	465	173	52	240	56	1,496	1,475	234	1	1,149	39
72	Trenton	1,553	31	2	-	3	254	97	25	132	39	859	846	142	-	657	29
73	Princeton	115	-	-	-	-	20	9	2	9	3	63	62	10	-	45	-
74	Balance of county	1,035	15	3	-	2	191	67	25	99	14	574	567	82	1	447	10
75	Middlesex	2,945	28	1	-	6	602	216	103	283	64	1,508	1,490	272	2	1,136	50
76	New Brunswick	420	3	-	-	1	92	31	13	48	6	204	202	41	-	151	12
77	Perth Amboy	430	6	-	-	1	98	38	26	34	9	223	219	32	-	175	5
78	Woodbridge (twp.)[3 4]	427	7	-	-	-	83	35	12	36	9	212	208	32	-	162	5
79	Carteret	128	2	-	-	1	39	16	6	17	5	51	50	13	-	33	5
80	Sayreville	104	-	-	-	-	19	6	5	8	-	62	62	13	-	43	2
81	South River	123	1	-	-	-	24	11	3	10	3	65	65	13	-	50	-
82	Balance of county	1,313	9	1	-	3	247	79	38	130	32	691	684	128	2	522	21

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral arterio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-specified nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
17,770	2,422	3,803	337	961	508	410	1,828	387	216	905	55	40	730	1,970	169	825	1,565	461	127	3,460	1
15,666	2,072	3,270	293	802	437	371	1,630	356	192	838	49	36	633	1,793	144	675	1,345	398	116	3,035	2
2,104	350	533	44	159	71	39	198	31	24	67	6	4	97	177	25	150	220	63	11	425	3
725	81	134	17	42	19	14	70	20	7	26	2	-	25	60	11	36	45	14	4	110	4
367	39	46	12	22	12	6	36	8	4	17	2	-	7	25	9	15	16	6	2	55	5
62	6	11	-	3	1	1	5	1	-	1	-	-	2	8	1	4	5	1	-	9	6
296	36	77	5	17	6	7	29	11	3	8	-	-	16	27	1	17	24	7	2	46	7
1,971	240	203	28	145	65	29	149	54	18	80	6	-	81	203	26	82	127	61	6	366	8
87	9	7	1	3	5	1	3	3	-	11	-	-	5	4	1	1	9	2	-	8	9
113	12	7	1	1	5	3	9	5	-	2	1	-	5	10	1	1	8	-	2	24	10
124	15	10	1	10	4	2	12	3	1	4	-	-	4	11	-	7	8	8	-	24	11
66	10	4	-	4	1	-	4	3	2	2	-	-	5	8	2	1	3	-	-	10	12
60	11	5	-	5	2	-	5	3	-	5	-	-	-	3	2	2	5	3	1	12	13
33	3	4	2	1	1	-	1	1	-	2	-	-	-	4	1	2	-	4	-	6	14
37	7	7	-	2	-	1	3	1	1	2	-	-	1	10	-	1	4	1	-	6	15
92	11	15	1	9	1	1	11	1	2	5	1	-	5	7	1	6	3	2	-	18	16
65	9	2	2	3	1	-	3	2	1	3	-	-	1	11	-	3	6	3	1	16	17
47	8	4	2	5	2	1	5	1	-	1	-	-	2	10	1	4	2	2	-	11	18
52	5	6	-	2	-	2	5	1	-	1	-	-	2	4	-	4	7	-	-	7	19
52	9	1	2	6	-	-	10	1	2	3	-	-	2	8	-	3	2	1	-	14	20
46	9	6	-	3	2	1	1	-	-	6	-	-	2	6	-	3	3	2	-	7	21
47	8	6	1	10	-	2	2	-	1	2	-	-	3	2	-	4	1	1	-	9	22
73	10	10	1	3	11	2	2	1	-	3	-	-	1	5	1	2	9	5	-	5	23
83	7	14	1	5	2	-	8	3	1	1	-	-	4	5	3	3	-	-	-	17	24
894	97	95	13	73	28	13	65	25	7	27	4	-	39	95	13	35	57	27	2	172	25
423	67	90	11	13	18	10	42	6	4	12	-	-	22	76	9	31	50	22	5	81	26
36	12	9	1	-	1	2	9	1	-	1	-	-	4	6	2	6	5	-	-	9	27
387	55	81	10	13	17	8	33	5	4	11	-	-	18	70	7	25	45	22	5	72	28
1,031	220	294	17	43	36	28	124	23	19	56	3	4	46	147	5	51	104	26	7	214	29
399	90	112	4	14	15	12	66	7	8	30	1	2	23	58	2	19	52	12	5	80	30
64	15	19	2	2	2	-	4	-	1	2	-	-	1	16	1	2	4	1	-	8	31
57	11	16	1	-	1	-	6	4	1	7	-	-	2	4	-	2	6	-	-	9	32
51	14	17	2	4	3	2	3	3	1	1	-	1	1	10	-	3	5	3	-	12	33
58	17	19	2	1	4	4	6	-	-	4	-	-	2	9	-	6	4	2	-	16	34
402	73	111	6	22	11	10	39	9	8	12	2	1	17	50	2	19	33	8	2	89	35
186	35	68	2	12	10	4	10	8	1	7	-	1	4	13	10	12	17	4	-	34	36
253	78	91	6	30	10	9	33	1	8	5	3	-	14	27	4	43	41	7	4	73	37
46	25	16	2	10	3	1	6	1	2	2	-	-	3	8	2	7	13	1	-	13	38
59	9	23	1	3	1	2	2	-	2	1	2	-	4	4	1	6	6	-	-	17	39
148	44	52	3	17	6	6	25	-	4	2	1	-	7	15	1	30	22	6	4	43	40
3,392	440	748	59	161	70	95	308	79	43	169	11	11	124	387	32	103	323	82	42	651	41
1,695	231	300	24	62	32	53	161	44	25	97	6	8	66	250	15	52	178	27	42	351	42
302	38	111	5	23	9	9	23	6	1	16	-	-	12	17	7	9	27	8	-	58	43
258	26	40	6	10	3	2	14	3	2	8	2	-	3	11	-	4	14	11	-	34	44
120	16	15	3	7	2	4	13	4	1	4	1	-	3	10	-	7	8	2	-	13	45
151	16	51	3	7	8	7	12	3	1	4	1	-	8	12	-	3	10	6	-	26	46
183	21	49	7	11	4	2	18	4	2	6	-	2	3	12	1	4	16	4	-	23	47
79	10	23	1	5	1	3	8	2	1	6	-	-	2	11	1	2	5	1	-	15	48
122	13	47	4	7	-	8	13	2	4	5	-	-	7	20	3	8	18	7	-	33	49
98	16	21	1	7	2	-	9	4	1	10	-	-	3	15	-	2	10	4	-	20	50
92	13	25	-	4	2	1	5	2	2	-	-	-	1	3	1	3	5	-	-	12	51
50	7	11	1	2	3	-	3	2	1	3	-	-	2	3	1	-	3	1	-	5	52
58	6	10	2	6	1	3	5	1	-	1	1	-	2	5	-	1	6	2	-	14	53
30	2	4	-	2	-	1	2	-	-	2	-	-	2	3	-	1	6	1	-	8	54
154	25	41	2	8	3	2	22	2	2	7	-	1	10	15	3	7	17	8	-	39	55
326	88	75	10	13	11	10	36	3	5	14	4	2	18	57	2	29	29	7	3	53	56
44	9	10	2	2	1	1	7	-	-	3	1	-	3	7	-	2	4	2	-	8	57
282	79	65	8	11	10	9	29	3	5	11	3	2	15	50	2	27	25	5	3	45	58
2,164	232	812	44	77	60	44	266	58	24	170	5	3	56	212	19	65	173	40	18	449	59
975	83	357	13	37	28	20	151	20	10	85	2	1	33	109	11	34	87	13	14	225	60
297	35	50	3	11	5	8	20	6	2	20	1	-	2	20	2	6	14	4	-	43	61
153	29	93	3	3	6	1	30	8	2	13	2	1	2	14	2	6	13	6	1	31	62
191	28	97	7	4	8	5	16	9	3	16	-	-	4	15	2	3	13	5	-	44	63
136	20	30	6	6	1	1	8	2	1	10	-	-	5	11	1	3	8	-	-	19	64
136	9	60	3	8	4	1	13	6	1	7	-	-	4	15	1	4	6	6	1	22	65
115	11	56	3	5	2	1	12	1	2	9	-	1	3	14	-	4	6	2	1	25	66
56	6	18	2	1	1	2	4	1	1	4	-	-	1	3	-	2	6	2	-	12	67
42	7	25	2	-	2	-	4	2	-	1	-	-	1	6	-	2	10	-	1	12	68
63	4	26	2	2	3	5	8	3	2	5	-	-	1	5	-	1	10	2	-	16	69
186	25	38	4	10	7	1	29	2	-	3	-	-	8	10	4	11	16	4	2	34	70
854	148	108	22	44	25	21	100	19	11	49	7	3	39	82	4	50	73	21	2	170	71
498	80	50	11	24	12	13	67	12	4	34	6	2	20	41	2	30	39	7	2	99	72
35	9	1	2	4	1	1	4	2	-	1	-	-	3	4	-	4	4	-	-	7	73
321	59	57	9	16	12	7	29	5	7	14	1	1	16	37	2	16	30	14	-	64	74
828	111	147	15	41	24	18	114	15	8	51	1	5	47	128	8	57	75	32	6	189	75
107	12	20	2	4	4	2	15	3	2	13	-	-	10	10	-	5	19	3	2	32	76
125	17	28	2	6	4	4	13	-	1	7	-	-	6	12	1	6	14	7	1	25	77
128	13	16	4	7	3	4	14	3	1	6	-	2	8	29	1	12	9	6	-	25	78
26	2	-	1	3	-	1	6	1	-	2	-	-	1	3	1	3	-	3	-	10	79
33	2	6	-	5	1	-	6	-	-	1	-	1	2	2	1	1	1	1	-	7	80
38	9	3	1	-	1	-	6	1	-	3	-	-	3	4	-	2	1	2	-	8	81
371	56	74	5	16	11	7	54	7	4	19	1	2	17	68	4	28	31	10	3	82	82

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW JERSEY—Continued																
1	Monmouth	3,190	27	3	-	8	547	209	86	252	59	1,865	1,846	282	-	1,422	35
2	Asbury Park	292	8	1	-	-	48	23	7	18	6	173	170	23	-	133	5
3	Long Branch	280	-	1	-	-	41	16	7	18	3	184	181	28	-	141	5
4	Neptune (twp.)[3 4]	239	4	-	-	-	37	14	5	18	8	150	149	24	-	119	6
5	Red Bank	189	1	-	-	-	33	9	6	18	5	105	105	28	-	74	2
6	Balance of county	2,190	14	1	-	8	388	147	61	180	37	1,253	1,241	179	-	955	17
7	Morris	1,980	18	6	-	3	367	122	50	195	24	1,083	1,070	201	-	800	26
8	Dover	142	-	-	-	-	29	12	4	13	-	70	69	10	-	55	1
9	Madison	130	-	1	-	1	28	10	3	15	2	75	74	16	-	53	2
10	Morristown	225	3	-	-	1	37	13	5	19	1	129	126	21	-	97	2
11	Balance of county	1,483	15	5	-	1	273	87	38	148	21	809	801	154	-	595	21
12	Ocean	991	3	1	-	1	201	70	33	98	32	564	560	83	-	448	16
13	Passaic	3,970	27	8	-	14	703	270	94	339	114	2,196	2,161	364	3	1,675	60
14	Paterson	1,769	18	4	-	5	293	123	43	127	49	1,000	988	165	3	771	28
15	Clifton	662	3	1	-	4	139	49	17	73	24	326	319	47	-	248	8
16	Passaic	646	1	2	-	2	105	41	11	53	20	372	363	63	-	284	9
17	Hawthorne	162	-	-	-	-	31	7	3	21	3	98	95	22	-	66	2
18	Balance of county	731	5	1	-	3	135	50	20	65	18	400	396	67	-	306	13
19	Salem	562	4	3	-	2	100	35	14	51	10	291	286	71	-	198	3
20	Somerset	1,027	5	-	-	4	212	67	36	109	23	569	560	111	2	421	22
21	North Plainfield	131	-	-	-	-	38	12	3	23	6	69	68	12	-	56	2
22	Somerville	123	-	-	-	-	22	4	5	13	3	76	74	15	-	56	1
23	Balance of county	773	5	-	-	4	152	51	28	73	14	424	418	84	2	309	19
24	Sussex	484	2	-	-	1	77	20	9	48	5	278	276	52	-	212	4
25	Union	4,347	41	6	-	12	870	331	108	431	78	2,423	2,386	428	5	1,820	68
26	Elizabeth	1,266	16	3	-	4	219	85	31	103	21	730	717	126	1	555	22
27	Linden	283	5	-	-	1	64	26	7	31	5	135	135	24	-	99	6
28	Plainfield	551	7	-	-	1	105	41	9	55	10	308	306	58	-	222	9
29	Union (twp.)[3 4]	374	2	1	-	1	92	29	17	46	4	220	217	33	1	178	4
30	Cranford (twp.)[3 4]	179	-	1	-	-	40	12	5	23	5	98	98	25	-	66	2
31	Hillside (twp.)[3 4]	181	-	-	-	-	43	21	6	16	9	102	98	17	-	77	3
32	Rahway	273	-	-	-	2	60	26	7	27	5	135	133	21	1	101	2
33	Roselle	174	2	-	-	-	47	20	2	25	3	79	78	13	-	59	2
34	Roselle Park	132	-	-	-	1	22	6	5	11	2	77	74	14	-	56	3
35	Summit	232	3	-	-	-	44	19	4	21	5	138	133	30	-	96	7
36	Westfield	202	2	1	-	-	41	12	3	26	5	113	111	22	1	85	1
37	Balance of county	500	4	-	-	2	93	34	12	47	4	288	286	45	1	226	7
38	Warren	723	3	-	-	1	117	43	13	61	12	449	446	73	-	335	14
39	Phillipsburg	251	1	-	-	-	47	18	3	26	4	158	157	24	-	127	7
40	Balance of county	472	2	-	-	1	70	25	10	35	8	291	289	49	-	208	7
41	NEW MEXICO	6,114	100	8	3	72	734	253	82	399	65	2,083	2,024	440	6	1,378	76
42	Metropolitan counties	1,381	23	-	2	8	177	54	26	97	11	527	517	108	1	358	28
43	Nonmetropolitan counties	4,733	77	8	1	64	557	199	56	302	54	1,556	1,507	332	5	1,020	48
44	Bernalillo	1,381	23	-	2	8	177	54	26	97	11	527	517	108	1	358	28
45	Albuquerque	1,135	22	-	2	6	150	43	23	84	11	440	431	91	-	295	21
46	Balance of county	246	1	-	-	2	27	11	3	13	-	87	86	17	1	63	7
47	Catron	16	-	-	-	-	3	-	1	2	-	3	2	-	-	1	-
48	Chaves	327	8	-	-	3	29	8	5	16	7	107	106	16	-	77	3
49	Roswell	245	6	-	-	2	24	7	3	14	6	80	80	10	-	61	3
50	Balance of county	82	2	-	-	1	5	1	2	2	1	27	26	6	-	16	-
51	Colfax	129	1	1	-	-	17	8	1	8	2	58	58	13	-	37	3
52	Curry	211	2	-	-	2	37	13	4	20	4	99	96	20	-	65	2
53	Clovis	170	2	-	-	2	30	10	4	16	3	84	81	15	-	55	2
54	Balance of county	41	-	-	-	-	7	3	-	4	1	15	15	5	-	10	-
55	De Baca	36	2	-	-	1	5	2	-	3	-	19	19	7	-	11	-
56	Dona Ana	330	4	-	-	4	41	14	7	20	1	123	119	33	-	75	4
57	Las Cruces	153	-	-	-	2	14	3	3	8	-	65	63	17	-	42	3
58	Balance of county	177	4	-	-	2	27	11	4	12	1	58	56	16	-	33	1
59	Eddy	275	6	1	-	1	39	11	4	24	3	80	79	16	1	51	1
60	Carlsbad	149	5	-	-	1	25	5	3	17	1	46	46	7	-	31	-
61	Balance of county	126	1	1	-	-	14	6	1	7	2	34	33	9	1	20	1
62	Grant	201	3	-	-	2	35	10	5	20	5	67	67	14	-	49	2
63	Guadalupe	62	3	-	-	3	7	3	-	4	-	13	12	5	-	7	1
64	Harding	24	-	-	-	-	2	1	-	1	1	8	8	4	-	4	-
65	Hidalgo	41	-	-	-	-	2	1	-	1	1	6	6	2	-	4	3
66	Lea	280	5	-	-	3	30	7	3	20	4	83	79	14	-	58	1
67	Hobbs	158	5	-	-	-	17	3	2	12	3	42	39	7	-	28	-
68	Balance of county	122	-	-	-	3	13	4	1	8	1	41	40	7	-	30	1
69	Lincoln	53	-	-	-	-	12	6	-	6	-	20	20	2	-	17	-
70	Los Alamos	29	-	-	-	-	5	1	2	2	-	6	6	1	1	1	-
71	Luna	90	2	1	-	1	11	3	2	6	2	40	40	7	-	31	-
72	McKinley	276	6	-	-	3	23	10	2	11	1	63	59	12	-	42	3
73	Mora	87	2	-	-	3	6	2	-	4	-	24	22	3	-	15	2
74	Otero	160	1	-	-	5	16	6	2	8	2	39	36	12	2	20	1
75	Quay	117	1	-	-	-	13	9	-	4	1	62	61	17	-	38	-
76	Rio Arriba	222	6	-	-	1	18	3	-	15	2	70	70	16	-	44	4
77	Roosevelt	125	1	2	-	-	18	7	4	7	4	53	53	10	-	38	4
78	Sandoval	105	1	1	-	7	16	9	-	7	-	27	26	4	-	21	3

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
973	145	269	27	85	30	19	88	13	9	36	2	3	56	85	7	53	85	41	5	198	1
76	24	28	2	9	3	3	7	1	-	3	-	-	-	4	-	3	11	5	-	22	2
106	15	15	7	4	1	3	10	1	-	4	-	-	3	5	-	2	6	4	1	15	3
78	13	22	1	5	-	1	3	-	2	-	-	-	4	7	1	1	3	4	1	14	4
45	5	22	1	1	1	-	4	-	-	3	-	-	2	10	2	4	6	4	-	10	5
668	88	182	16	66	25	12	64	11	7	26	2	3	47	59	4	43	59	24	3	137	6
630	55	89	9	34	26	13	78	10	6	34	-	2	27	77	1	39	59	25	4	117	7
42	6	6	-	2	2	1	5	1	-	6	-	-	4	7	-	4	6	-	-	10	8
36	6	9	-	1	4	1	3	1	1	2	-	-	1	4	-	2	2	1	-	6	9
74	6	15	1	5	2	3	7	-	1	5	-	1	3	12	-	2	8	2	-	13	10
478	37	59	8	26	18	8	63	8	4	21	-	1	19	54	1	31	43	22	4	88	11
339	43	50	4	13	12	4	20	5	3	9	1	-	9	24	-	21	31	5	-	61	12
1,264	145	206	19	69	31	35	147	30	15	84	2	2	51	139	8	41	115	14	6	254	13
576	68	99	5	31	13	12	70	18	5	46	-	-	20	52	7	11	59	5	3	104	14
195	25	20	8	7	9	7	24	4	3	6	-	1	12	28	-	9	16	3	-	59	15
213	22	40	1	9	6	9	20	4	2	20	1	1	10	16	-	6	18	-	3	43	16
53	4	7	-	7	-	3	7	1	-	-	-	-	1	4	-	2	3	1	-	11	17
227	26	40	5	15	3	4	26	3	5	12	1	-	8	39	1	13	19	5	-	37	18
154	17	24	5	10	2	5	26	3	6	3	-	2	7	23	3	12	24	6	3	34	19
315	28	56	9	11	6	9	33	8	2	14	1	-	18	21	5	11	17	20	2	62	20
40	8	6	-	-	-	1	4	-	-	-	-	-	1	3	-	1	2	3	-	4	21
45	4	6	-	3	-	2	1	1	-	1	-	-	4	2	1	1	4	-	-	7	22
230	16	44	9	8	6	6	28	7	2	13	1	-	13	16	4	9	11	17	2	51	23
167	24	17	1	9	2	2	18	2	3	7	-	-	6	18	-	10	30	2	-	25	24
1,366	156	230	26	76	31	37	114	25	19	67	4	1	65	165	10	54	115	24	8	246	25
430	48	55	5	25	5	13	33	8	5	25	1	1	20	39	3	17	41	3	3	74	26
71	10	12	3	5	4	-	5	2	-	6	-	-	5	19	2	4	13	2	-	15	27
165	9	39	9	11	6	2	16	3	2	8	1	-	8	24	-	4	14	3	3	34	28
126	20	28	-	5	-	3	9	2	1	5	-	-	4	8	1	5	2	6	-	11	29
50	4	10	1	3	3	-	4	-	2	-	-	-	3	6	1	1	8	1	1	8	30
62	5	7	-	3	1	4	3	-	2	2	-	-	-	-	-	2	3	2	-	13	31
73	10	16	1	8	1	2	7	3	3	6	-	-	1	17	-	1	7	1	1	24	32
47	6	4	1	5	-	1	6	2	1	2	-	-	2	5	-	3	9	-	-	13	33
43	4	6	3	1	-	3	5	1	-	4	-	-	2	4	2	1	4	-	-	7	34
68	6	15	1	4	2	5	5	1	-	1	-	-	4	10	-	2	3	2	-	14	35
66	12	6	-	2	1	2	3	2	1	2	1	-	4	8	1	2	3	1	-	12	36
165	22	32	2	4	8	2	18	1	2	6	1	-	12	25	-	12	8	3	-	21	37
223	44	54	2	23	13	3	23	3	5	9	3	1	7	16	1	14	16	4	-	39	38
79	21	20	-	4	2	1	9	1	2	4	-	1	1	4	-	2	6	-	-	11	39
144	23	34	2	19	11	2	14	2	3	5	3	-	6	12	1	12	10	4	-	28	40
897	141	264	30	112	58	59	354	35	115	75	7	14	150	536	392	370	337	83	55	526	41
242	38	50	10	19	21	10	49	10	11	27	1	2	37	127	84	64	56	22	7	136	42
655	103	214	20	93	37	49	305	25	104	48	6	12	113	409	308	306	281	61	48	390	43
242	38	50	10	19	21	10	49	10	11	27	1	2	37	127	84	64	56	22	7	136	44
206	29	39	8	18	19	9	38	10	8	20	-	2	33	106	59	52	45	17	6	108	45
36	9	11	2	1	2	1	11	-	3	7	1	-	4	21	25	12	11	5	1	28	46
1	-	-	-	1	-	1	-	-	-	-	-	-	1	1	4	-	-	1	-	3	47
50	7	17	1	7	5	1	18	-	3	2	-	-	10	40	11	18	31	6	6	28	48
38	6	14	1	5	3	-	12	-	2	1	-	-	10	27	7	11	26	5	5	21	49
12	1	3	-	2	2	1	6	-	1	1	-	-	-	13	4	7	5	1	1	7	50
25	3	6	2	4	2	-	8	1	2	2	1	-	3	12	1	6	6	1	-	7	51
49	5	9	2	8	1	3	8	-	3	2	-	-	7	14	1	6	10	1	2	13	52
42	5	6	2	8	1	3	7	-	3	2	-	-	4	9	1	4	7	1	1	10	53
7	-	3	-	-	-	-	1	-	-	-	-	-	3	5	-	2	3	-	1	3	54
9	1	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	4	55
51	8	12	3	7	1	4	23	1	6	2	-	-	8	33	17	22	15	1	2	27	56
29	4	6	1	3	-	2	6	-	4	1	-	-	5	20	4	6	6	1	-	19	57
22	4	6	2	4	1	2	17	1	2	1	-	-	3	13	13	16	9	-	2	8	58
35	6	9	1	9	1	1	16	2	3	3	-	1	10	27	6	26	14	3	5	29	59
22	4	5	-	7	1	-	1	1	-	3	-	1	8	10	2	15	8	1	3	18	60
13	2	4	1	2	-	1	15	1	3	-	-	-	2	17	4	11	6	2	2	11	61
22	9	16	1	-	3	-	8	-	2	4	1	-	3	13	13	12	9	4	1	19	62
4	-	2	-	-	-	1	4	1	1	1	-	1	2	9	5	3	2	1	1	5	63
3	1	-	-	-	-	-	4	-	1	-	-	-	-	-	2	-	-	-	5	1	64
-	1	-	-	-	-	-	5	1	3	-	-	-	3	5	7	3	1	-	-	4	65
44	4	9	2	4	1	4	7	1	9	2	1	-	8	28	18	31	22	2	8	18	66
22	2	4	-	3	1	3	5	1	5	2	1	-	5	13	10	24	13	1	5	6	67
22	2	5	2	1	-	1	2	-	4	-	-	-	3	15	8	7	9	1	3	12	68
11	1	5	-	1	-	-	2	1	-	-	-	-	2	4	-	3	7	-	-	2	69
-	-	1	-	2	1	-	1	-	-	-	-	-	-	8	-	6	-	-	-	3	70
21	3	7	1	-	1	-	3	1	5	-	-	-	2	7	-	1	5	2	-	7	71
28	7	4	1	4	-	4	34	1	20	4	1	2	5	22	17	20	36	-	-	18	72
7	3	3	-	4	-	2	10	1	4	-	1	1	1	5	18	2	2	1	1	5	73
17	1	1	-	-	2	3	11	-	-	1	-	1	3	27	7	13	13	3	2	16	74
23	3	12	-	6	-	1	6	2	2	2	-	-	2	6	1	5	3	1	-	10	75
25	9	6	1	3	6	-	15	1	5	-	-	2	4	9	37	12	9	4	4	23	76
27	2	5	1	3	1	-	12	-	1	3	-	-	4	6	3	5	2	-	-	11	77
8	4	6	-	1	-	1	8	1	2	1	-	-	4	6	7	3	9	-	3	9	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW MEXICO—Continued																
1	San Juan	277	4	1	1	7	24	5	3	16	1	66	65	19	-	37	2
2	San Miguel	247	3	1	-	3	25	9	-	16	5	84	79	15	-	55	2
3	Santa Fe	301	4	-	-	1	45	16	4	23	3	97	94	16	-	68	3
4	Santa Fe	230	1	-	-	1	33	14	4	15	3	78	76	16	-	54	3
5	Balance of county	71	3	-	-	-	12	4	-	8	-	19	18	-	-	14	-
6	Sierra	101	3	-	-	-	19	7	1	11	-	46	43	8	-	33	1
7	Socorro	110	2	-	-	-	9	1	1	7	1	36	32	3	1	25	1
8	Taos	157	4	-	-	10	14	7	3	4	-	41	40	21	-	16	-
9	Torrance	64	-	-	-	2	6	3	-	3	-	26	22	3	-	17	-
10	Union	64	1	-	-	1	6	2	-	4	2	30	29	2	-	25	1
11	Valencia	216	2	-	-	1	24	13	2	9	2	60	59	17	-	36	1
12	NEW YORK	172,677	1552	373	5	473	30,213	11,228	4,377	14,608	3,002	98,559	97,314	15,354	69	76,679	2,435
13	Metropolitan counties	142,658	1422	309	5	378	25,823	9,681	3,821	12,321	2,540	80,477	79,503	11,750	55	63,702	2,102
14	Nonmetropolitan counties	30,019	130	64	-	95	4,390	1,547	556	2,287	462	18,082	17,811	3,604	14	12,977	333
15	Albany	3,279	27	12	-	8	542	192	86	264	78	1,941	1,927	288	2	1,536	30
16	Albany	1,963	17	9	-	7	327	121	50	156	50	1,144	1,138	162	1	911	14
17	Cohoes	269	-	3	-	-	41	14	9	18	12	167	165	22	1	132	7
18	Watervliet	210	4	-	-	-	41	19	8	14	7	121	120	20	-	95	4
19	Balance of county	837	6	-	-	1	133	38	19	76	9	509	504	84	-	398	5
20	Allegany	451	1	-	-	1	61	17	12	32	6	255	253	72	-	165	5
21	Broome	2,027	14	4	-	5	337	124	42	171	40	1,167	1,154	255	-	833	27
22	Binghamton	992	9	4	-	3	166	54	17	95	24	567	563	129	-	401	13
23	Endicott	227	2	-	-	-	40	16	6	18	3	148	146	34	-	103	-
24	Johnson City	211	1	-	-	1	39	17	7	15	2	122	119	30	-	82	4
25	Balance of county	597	2	-	-	1	92	37	12	43	11	330	326	62	-	247	10
26	Cattaraugus	877	3	1	-	1	130	40	18	72	8	499	490	93	1	358	17
27	Olean	264	1	-	-	1	48	11	9	28	3	154	151	38	1	103	1
28	Balance of county	613	2	1	-	-	82	29	9	44	5	345	339	55	-	255	16
29	Cayuga	934	3	3	-	3	129	45	15	69	18	602	596	123	-	427	5
30	Auburn	519	2	2	-	1	67	22	9	36	12	338	334	71	-	243	3
31	Balance of county	415	1	1	-	2	62	23	6	33	6	264	262	52	-	184	2
32	Chautauqua	1,750	7	1	-	10	277	102	35	140	28	1,041	1,023	198	1	712	21
33	Jamestown	583	-	1	-	-	89	33	17	39	7	363	359	80	-	242	7
34	Dunkirk	249	5	-	-	2	49	19	6	24	4	123	119	27	-	82	3
35	Balance of county	918	2	-	-	8	139	50	12	77	17	555	545	91	1	388	11
36	Chemung	977	9	1	-	2	151	54	26	71	8	573	568	138	-	393	13
37	Elmira	630	8	-	-	1	103	36	18	49	7	380	376	96	-	254	8
38	Balance of county	347	1	1	-	1	48	18	8	22	1	193	192	42	-	139	5
39	Chenango	484	1	-	-	4	75	24	7	44	7	288	273	40	1	210	2
40	Clinton	609	2	1	-	1	76	35	6	35	10	331	324	61	-	231	4
41	Plattsburgh	214	1	-	-	-	25	13	1	11	1	121	120	27	-	78	1
42	Balance of county	395	1	1	-	1	51	22	5	24	9	210	204	34	-	153	3
43	Columbia	622	3	3	-	3	97	35	16	46	15	383	378	70	-	298	5
44	Hudson	157	1	1	-	-	24	7	3	14	7	87	85	10	-	73	-
45	Balance of county	465	2	2	-	3	73	28	13	32	8	296	293	60	-	225	5
46	Cortland	501	2	2	-	3	68	21	10	37	8	299	292	70	-	203	13
47	Cortland	257	-	-	-	1	39	12	7	20	3	154	152	40	-	102	9
48	Balance of county	244	2	2	-	2	29	9	3	17	5	145	140	30	-	101	4
49	Delaware	552	1	1	-	1	73	27	8	38	8	323	318	70	-	217	8
50	Dutchess	1,616	7	6	-	2	255	110	38	107	27	965	950	161	1	724	21
51	Poughkeepsie	538	3	4	-	1	83	32	15	36	13	325	321	60	-	238	6
52	Beacon	177	1	1	-	-	35	17	6	12	2	102	101	13	-	76	2
53	Balance of county	901	3	1	-	1	137	61	17	59	12	538	528	88	1	410	13
54	Erie	10,534	61	20	-	21	1,795	643	247	905	239	5,851	5,786	1,017	3	4,453	117
55	Buffalo	6,949	48	13	-	17	1,147	429	151	567	168	3,903	3,860	690	-	2,968	77
56	Lackawanna	257	3	1	-	-	50	19	11	20	8	106	104	15	-	84	3
57	Kenmore	236	-	-	-	-	46	12	5	29	4	142	141	27	-	107	5
58	Tonawanda	195	-	1	-	1	33	15	3	15	9	110	110	18	-	88	2
59	Balance of county	2,897	10	5	-	3	519	168	77	274	50	1,590	1,571	287	3	1,206	30
60	Essex	446	4	2	-	-	63	23	6	34	10	265	264	49	-	202	6
61	Franklin	588	5	-	-	2	67	20	13	34	13	359	353	67	-	259	4
62	Fulton	712	1	3	-	2	107	40	11	56	8	450	445	88	1	341	10
63	Gloversville	346	-	1	-	1	50	19	5	26	5	206	203	40	1	154	8
64	Johnstown	164	1	2	-	1	24	11	3	10	2	109	108	23	-	80	1
65	Balance of county	202	-	-	-	-	33	10	3	20	1	135	134	25	-	107	1
66	Genesee	569	1	-	-	3	70	32	6	32	8	328	324	89	-	205	4
67	Batavia	218	1	-	-	-	25	11	1	13	2	131	130	34	-	81	2
68	Balance of county	351	-	-	-	3	45	21	5	19	6	197	194	55	-	124	2
69	Greene	446	2	-	-	2	73	24	8	41	8	288	286	55	-	212	5
70	Hamilton	56	-	-	-	-	6	2	-	4	1	29	29	5	1	19	-
71	Herkimer	793	3	2	-	7	133	49	13	71	14	456	449	75	-	345	11
72	Jefferson	1,156	4	4	-	1	159	55	22	82	24	724	714	159	-	507	15
73	Watertown	506	3	1	-	1	78	28	11	39	7	319	317	69	-	230	8
74	Balance of county	650	1	3	-	-	81	27	11	43	17	405	397	90	-	277	7
75	Lewis	252	1	-	-	-	33	12	2	19	3	158	158	41	1	109	2
76	Livingston	461	-	-	-	1	78	27	11	40	8	273	271	73	-	186	5
77	Madison	555	2	-	-	-	83	33	7	43	11	342	336	49	1	267	6
78	Oneida	156	-	-	-	-	29	11	2	16	5	95	91	13	-	74	2
79	Balance of county	399	2	-	-	-	54	22	5	27	6	247	245	36	1	193	4

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
22	2	11	2	5	2	1	19	1	10	1	-	1	5	27	15	40	22	9	2	21	1
26	10	17	-	9	-	5	17	3	9	5	-	1	6	20	29	5	10	2	2	17	2
50	3	12	1	7	2	3	21	1	4	4	-	-	8	30	17	19	15	4	-	28	3
41	1	9	-	4	2	2	20	1	3	3	-	-	8	26	9	11	8	3	-	22	4
9	2	3	1	3	-	1	1	-	1	1	-	-	-	4	8	8	7	1	-	6	5
20	1	11	-	1	1	3	3	1	-	2	1	-	-	1	4	-	3	2	-	16	6
18	2	4	1	1	1	4	11	-	5	2	-	1	1	7	12	7	8	2	-	6	7
11	1	4	-	3	-	1	14	1	1	2	-	-	4	13	32	4	5	3	1	8	8
10	2	5	-	-	2	4	3	-	-	-	-	-	2	3	4	5	3	1	1	8	9
16	-	8	-	-	2	1	5	-	-	1	-	-	2	6	-	2	4	-	-	4	10
22	4	11	-	2	2	1	9	3	3	2	-	1	3	19	19	26	14	6	2	20	11
60,095	7,121	7,028	1,004	2,969	1,239	1,245	6,186	1,400	584	2,807	143	158	1,984	5,516	1,096	2,344	4,823	1,219	415	9,825	12
50,371	5,979	5,250	775	2,228	993	974	5,239	1,170	470	2,549	111	137	1,657	4,572	980	1,680	3,828	909	385	8,017	13
9,724	1,142	1,778	229	741	246	271	947	230	114	258	32	21	327	944	116	664	995	310	30	1,808	14
1,244	117	145	19	54	28	14	106	26	17	31	3	1	38	96	9	50	90	27	3	174	15
741	84	72	12	31	21	6	71	17	10	23	1	1	18	58	8	24	43	15	2	118	16
103	5	17	2	6	2	2	6	1	3	3	-	-	4	7	-	2	6	1	-	13	17
73	11	7	2	2	1	1	6	2	3	2	1	-	3	4	-	3	7	1	-	5	18
327	17	49	3	15	4	5	23	6	1	3	1	-	13	27	1	21	34	10	1	38	19
110	19	31	2	12	2	2	20	3	3	3	-	-	3	17	9	14	14	5	-	36	20
709	52	45	7	38	21	13	89	12	7	30	1	1	23	71	13	29	61	7	1	115	21
336	29	23	5	16	12	4	40	3	5	10	1	-	7	37	6	13	32	3	1	61	22
90	7	6	-	6	3	2	5	1	-	5	-	-	4	6	-	1	2	-	-	10	23
72	5	1	-	5	2	3	9	4	2	6	-	-	2	4	4	2	5	-	-	8	24
211	11	15	2	11	4	4	35	4	-	9	-	1	10	24	3	13	22	4	-	36	25
233	25	83	9	23	6	9	33	8	5	8	3	-	14	30	-	22	25	24	-	63	26
79	8	15	1	6	2	3	6	4	-	4	1	-	2	10	-	3	4	3	-	20	27
154	17	68	8	17	4	6	27	4	5	4	2	-	12	20	-	19	21	21	-	43	28
305	43	74	8	32	6	6	16	8	3	11	3	-	10	31	3	8	22	8	-	53	29
185	17	38	6	11	3	4	11	4	2	8	1	-	4	19	2	5	9	5	-	27	30
120	26	36	2	21	3	2	5	4	1	3	2	-	6	12	1	3	13	3	-	26	31
506	54	131	11	86	15	18	56	16	3	22	1	3	20	59	4	39	54	12	2	95	32
191	17	27	3	33	1	4	19	6	-	9	1	2	9	16	1	10	12	4	-	34	33
56	9	14	2	5	3	4	14	6	2	5	-	-	2	9	1	1	7	2	1	16	34
259	28	90	6	48	11	10	23	4	1	8	-	1	9	34	2	28	35	6	1	45	35
324	25	31	3	19	15	5	34	12	7	9	-	-	15	33	-	17	24	12	2	68	36
213	14	19	2	13	11	4	21	7	3	8	-	-	7	17	-	7	14	5	-	42	37
111	11	12	1	6	4	1	13	5	4	1	-	-	8	16	-	10	10	7	2	26	38
147	24	37	7	10	5	15	13	-	2	1	1	2	2	11	1	14	15	10	-	37	39
181	19	27	4	23	5	7	30	3	4	5	1	-	7	35	6	31	25	3	-	38	40
69	2	6	3	10	2	1	9	3	3	3	-	-	3	15	3	10	1	2	-	14	41
112	17	21	1	13	3	6	21	-	1	2	1	-	4	20	3	21	24	1	-	24	42
223	25	45	2	6	2	5	14	6	2	6	1	-	1	7	3	12	24	10	2	30	43
48	11	14	-	2	-	2	4	1	1	3	-	-	1	5	-	4	7	1	1	9	44
175	14	31	2	4	2	3	10	5	1	3	1	-	-	2	3	8	17	9	1	21	45
147	20	23	2	12	5	7	22	1	3	5	2	1	4	19	1	10	6	7	-	38	46
71	11	11	1	7	2	2	12	1	1	3	1	1	2	8	1	7	4	3	-	16	47
76	9	12	1	5	3	5	10	-	2	2	1	-	2	11	-	3	2	4	-	22	48
169	10	30	11	16	4	5	35	2	6	1	-	1	5	14	6	17	15	13	1	29	49
586	66	51	15	37	12	15	55	12	4	25	1	-	10	65	3	35	38	18	-	88	50
207	14	11	7	13	3	4	16	4	1	10	-	-	3	19	2	7	15	5	-	27	51
59	5	10	3	8	1	1	6	2	-	2	-	-	1	6	-	6	2	-	-	11	52
320	47	30	5	16	8	10	33	6	3	13	1	-	6	40	1	22	21	13	-	50	53
3,501	406	429	56	149	108	65	299	68	58	174	10	13	128	412	41	202	333	74	15	720	54
2,351	276	264	31	100	71	43	198	46	35	137	7	7	77	229	28	111	205	44	14	515	55
65	12	4	2	2	1	2	12	4	3	5	1	-	5	22	-	2	12	1	1	21	56
80	10	12	2	1	4	1	4	2	2	4	-	-	1	10	1	3	2	3	-	12	57
64	9	13	2	1	1	-	5	1	1	-	-	1	6	11	-	2	4	2	-	8	58
941	99	136	19	45	31	19	80	15	17	28	2	5	39	140	12	84	110	24	-	164	59
157	19	20	4	7	2	1	15	4	-	3	-	-	4	9	1	7	23	7	-	29	60
223	13	19	5	17	5	6	31	2	3	8	-	-	5	16	3	14	22	2	-	36	61
232	34	65	5	4	6	5	14	6	2	6	2	1	2	19	3	13	28	3	-	42	62
108	9	29	4	1	3	3	9	5	1	3	1	-	2	11	1	7	17	1	-	25	63
51	9	19	1	1	3	1	1	-	1	3	1	-	-	2	1	3	3	1	-	9	64
73	16	17	-	2	-	1	4	1	-	-	-	1	-	6	1	3	8	1	-	8	65
167	23	11	8	17	5	4	20	9	2	2	1	-	11	21	-	16	25	5	2	45	66
71	5	3	3	10	2	1	6	3	-	1	-	-	5	13	-	3	10	2	-	16	67
96	18	8	5	7	3	3	14	6	2	1	1	-	6	8	-	13	15	3	2	29	68
174	16	17	3	13	3	2	8	4	1	5	1	-	3	8	-	7	11	1	-	24	69
12	1	6	1	3	-	-	4	-	1	1	-	-	1	1	2	1	5	1	-	3	70
258	24	52	8	14	7	7	20	6	3	3	1	1	8	36	3	17	20	8	1	51	71
415	33	44	8	28	12	10	41	7	1	4	3	1	11	33	3	22	48	11	2	53	72
204	13	5	2	9	7	2	12	2	-	3	1	-	6	19	1	9	15	7	-	22	73
211	20	39	6	19	5	8	29	5	1	1	2	1	5	14	2	13	33	4	2	31	74
90	8	9	-	6	1	-	10	2	1	-	1	-	1	14	1	4	9	3	-	11	75
144	12	25	2	7	3	2	6	2	3	3	-	-	2	10	4	9	16	1	2	43	76
200	17	44	8	4	7	6	15	5	1	4	-	-	8	8	1	18	13	9	-	35	77
61	3	8	1	-	3	4	2	1	-	2	-	-	3	1	-	4	2	2	-	10	78
139	14	36	7	4	4	2	13	4	1	2	-	-	5	7	1	14	11	7	-	25	79

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW YORK—Continued																
1	Monroe	5,890	48	12	-	19	954	318	116	520	91	3,606	3,573	655	3	2,688	62
2	Rochester	4,257	40	10	-	15	702	237	91	374	66	2,638	2,620	470	1	1,986	36
3	Irondequoit (town)[3]	328	1	-	-	-	51	12	6	33	5	195	194	35	-	149	2
4	Balance of county	1,305	7	2	-	4	201	69	19	113	20	773	759	150	2	553	24
5	Montgomery	755	3	3	-	2	125	50	15	60	16	431	420	91	1	296	9
6	Amsterdam	387	2	3	-	2	62	26	6	30	12	217	213	43	-	154	5
7	Balance of county	368	1	-	-	-	63	24	9	30	4	214	207	48	1	142	4
8	Nassau	7,976	49	15	-	14	1,578	543	234	801	127	4,304	4,238	706	2	3,319	131
9	Hempstead	348	8	-	-	1	63	11	13	39	6	185	182	26	-	145	6
10	Valley Stream	343	-	-	-	-	82	19	20	43	6	177	175	33	-	137	2
11	Floral Park	181	1	-	-	-	36	16	3	17	2	96	95	7	1	81	2
12	Freeport	343	2	-	-	-	59	20	15	24	3	218	216	34	-	167	13
13	Garden City	198	2	-	-	-	41	15	2	24	2	120	116	19	-	93	3
14	Glen Cove	165	1	-	-	-	33	8	5	20	3	85	85	14	-	65	-
15	Long Beach	225	2	1	-	-	34	12	4	18	9	139	135	31	-	99	6
16	Lynbrook	206	1	2	-	1	47	14	5	28	3	109	109	16	-	84	1
17	Mineola	164	1	2	-	2	27	9	7	11	3	96	94	17	-	73	6
18	Rockville Centre	248	1	-	-	-	51	17	5	29	6	139	138	21	-	112	2
19	Balance of county	5,555	30	10	-	10	1,105	402	155	548	84	2,940	2,893	488	1	2,263	90
20	New York City	87,536	1090	190	2	218	16,223	6,271	2,458	7,494	1,545	48,901	48,307	6,294	35	39,819	1,363
21	Bronx Bor. (Bronx)	15,213	145	19	-	40	3,161	1,241	467	1,453	324	8,270	8,185	1,002	9	6,798	239
22	Brooklyn Bor. (Kings)	28,496	295	48	2	70	5,148	2,085	749	2,314	546	16,494	16,284	2,230	15	13,395	478
23	Manhattan Bor. (N. Y.)	25,038	498	102	-	68	4,234	1,554	653	2,027	365	13,574	13,413	1,654	8	11,096	306
24	Queens Bor. (Queens)	16,549	135	18	-	33	3,302	1,234	530	1,538	270	9,286	9,168	1,226	3	7,513	309
25	Richmond Bor. (Richmond)	2,240	17	3	-	7	378	157	59	162	40	1,277	1,257	182	-	1,017	31
26	Niagara	2,058	14	1	-	6	342	123	63	156	30	1,136	1,118	216	3	847	36
27	Niagara Falls	925	5	-	-	3	182	71	37	74	15	451	443	82	2	333	18
28	Lockport	348	5	-	-	-	50	16	10	24	5	208	206	49	-	150	4
29	North Tonawanda	266	-	1	-	1	42	17	6	19	3	161	154	26	-	122	5
30	Balance of county	519	4	-	-	2	68	19	10	39	7	316	315	59	1	242	9
31	Oneida	2,686	11	6	1	9	390	151	41	198	52	1,619	1,598	278	1	1,227	30
32	Utica	1,266	7	4	-	1	187	75	19	93	30	767	756	137	1	573	16
33	Rome	390	-	2	-	1	59	26	6	27	8	243	240	31	-	199	2
34	Balance of county	1,030	4	-	1	7	144	50	16	78	14	609	602	110	-	455	12
35	Onondaga	4,039	31	10	-	20	639	218	87	334	78	2,397	2,367	485	1	1,705	44
36	Syracuse	2,620	25	8	-	11	398	148	55	195	54	1,576	1,552	318	1	1,112	29
37	Balance of county	1,419	6	2	-	9	241	70	32	139	24	821	815	167	-	593	15
38	Ontario	711	5	3	-	2	117	40	10	67	15	424	417	108	1	280	6
39	Geneva	208	1	2	-	1	31	5	3	23	9	123	122	39	-	76	3
40	Balance of county	503	4	1	-	1	86	35	7	44	6	301	295	69	1	204	3
41	Orange	1,972	18	4	-	11	315	104	47	164	34	1,162	1,143	210	-	864	33
42	Newburgh	456	6	1	-	3	65	19	12	34	4	262	253	42	-	186	4
43	Middletown	292	-	1	-	2	48	15	2	31	7	184	182	31	-	142	4
44	Balance of county	1,224	12	2	-	6	202	70	33	99	23	716	708	137	-	536	25
45	Orleans	406	2	1	-	1	58	22	4	32	8	257	253	39	1	202	6
46	Oswego	986	5	4	-	4	138	46	14	78	15	609	597	112	-	437	11
47	Fulton	159	-	-	-	1	29	9	3	17	6	95	95	15	-	71	4
48	Oswego	288	-	4	-	1	33	12	4	17	4	178	174	31	-	120	3
49	Balance of county	539	5	-	-	2	76	25	7	44	5	336	328	66	-	246	4
50	Otsego	699	2	-	-	2	111	40	19	52	5	432	425	92	-	304	6
51	Oneonta	165	1	-	-	-	22	8	4	10	2	108	108	35	-	64	1
52	Balance of county	534	1	-	-	2	89	32	15	42	3	324	317	57	-	240	5
53	Putnam	275	1	-	-	-	46	21	4	21	3	169	165	40	-	115	2
54	Rensselaer	1,804	5	4	-	1	276	105	36	135	38	1,098	1,080	187	-	820	17
55	Troy	1,057	4	1	-	1	172	70	24	78	23	650	637	118	-	482	12
56	Rensselaer	143	-	1	-	-	24	6	3	15	5	77	77	9	-	62	1
57	Balance of county	604	1	2	-	-	80	29	9	42	10	371	366	60	-	276	4
58	Rockland	1,006	4	4	-	2	182	66	31	85	18	585	571	99	1	435	19
59	St. Lawrence	1,189	4	5	-	9	129	34	19	76	14	678	671	118	-	522	4
60	Massena	119	1	-	-	-	10	5	2	3	3	65	65	9	-	51	1
61	Ogdensburg	210	1	1	-	2	27	8	3	16	1	132	130	24	-	99	2
62	Balance of county	860	2	4	-	7	92	21	14	57	10	481	476	85	-	372	1
63	Saratoga	963	1	1	-	2	150	51	14	85	15	580	572	145	-	397	9
64	Saratoga Springs	240	1	-	-	1	40	14	5	21	6	141	141	37	-	97	3
65	Balance of county	723	-	1	-	1	110	37	9	64	9	439	431	108	-	300	6
66	Schenectady	1,701	8	5	1	6	305	104	47	154	28	1,015	1,005	168	-	766	15
67	Schenectady	1,191	5	3	-	4	213	71	32	110	22	714	707	122	-	539	11
68	Balance of county	510	3	2	1	2	92	33	15	44	6	301	298	46	-	227	4
69	Schoharie	278	-	-	-	-	48	12	6	30	3	160	160	26	1	114	2
70	Schuyler	183	-	-	-	-	21	6	3	12	3	113	113	18	-	89	3
71	Seneca	321	2	2	-	1	54	18	8	28	9	176	171	33	-	123	-
72	Steuben	1,160	2	2	-	4	167	48	22	97	20	676	669	146	-	481	14
73	Corning	234	-	1	-	-	44	16	7	21	4	129	126	25	-	92	3
74	Hornell	206	2	-	-	2	29	9	6	14	5	128	128	30	-	96	2
75	Balance of county	720	-	1	-	2	94	23	9	62	11	419	415	91	-	293	9
76	Suffolk	4,134	21	8	1	17	737	283	123	351	61	2,368	2,345	387	1	1,794	71
77	Sullivan	541	4	-	-	2	72	28	10	34	10	333	328	54	-	256	8
78	Tioga	402	-	-	-	2	50	13	5	32	9	255	255	54	-	176	4

[3]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2,305	131	190	33	140	54	33	155	48	22	75	9	3	83	177	6	73	101	58	8	342	1
1,721	96	133	24	99	40	18	114	33	16	54	5	2	51	115	3	40	73	34	8	238	2
131	9	7	1	7	2	1	6	3	-	10	1	-	13	16	-	4	3	4	-	16	3
453	26	50	8	34	12	14	35	12	6	11	3	1	19	46	3	29	25	20	-	88	4
203	36	48	6	20	6	11	26	8	3	7	1	-	8	25	-	12	27	10	-	48	5
97	24	28	2	11	3	4	9	6	1	6	-	-	6	14	-	4	11	2	-	30	6
106	12	20	4	9	3	7	17	2	2	1	1	-	2	11	-	8	16	8	-	18	7
2,691	266	231	32	97	82	66	181	60	23	111	9	5	151	298	225	104	201	65	7	449	8
119	7	13	1	3	7	3	9	2	-	7	-	-	9	12	7	4	8	-	2	25	9
119	11	5	-	2	3	2	6	1	-	6	1	-	5	11	9	3	13	4	-	19	10
59	9	11	1	3	2	1	5	2	2	3	-	-	3	2	5	5	7	3	1	8	11
132	14	8	2	6	7	2	7	5	-	4	1	-	6	7	9	1	2	3	-	16	12
71	9	10	-	2	2	4	3	-	-	1	1	-	-	3	2	3	10	1	-	9	13
49	8	8	1	1	4	-	7	1	-	3	-	-	4	4	6	2	4	1	-	11	14
82	5	6	1	2	2	4	4	5	-	5	-	-	-	6	8	-	3	2	-	7	15
74	6	3	1	7	1	-	3	1	-	2	-	-	-	6	6	1	10	3	-	11	16
60	4	3	1	-	3	2	3	-	-	-	1	-	4	7	1	2	6	2	-	7	17
86	10	14	2	3	-	1	6	-	-	4	-	-	2	9	5	2	9	2	-	12	18
1,840	183	150	22	68	51	47	128	43	21	76	5	5	118	231	167	81	129	44	4	324	19
31,281	4,043	3,132	466	1,238	455	594	3,724	737	272	1,767	44	91	875	2,645	565	822	2,365	467	315	4,678	20
5,544	646	369	89	208	79	85	601	150	49	293	9	15	171	415	75	142	440	73	49	772	21
10,576	1,295	1,046	132	397	115	210	1,122	229	81	458	13	26	285	940	117	250	615	138	93	1,526	22
8,268	1,261	1,261	149	357	149	161	1,278	171	81	682	12	33	203	750	275	223	816	145	150	1,378	23
6,047	745	412	79	246	101	118	580	163	53	305	10	15	183	482	94	189	442	102	21	866	24
846	96	44	17	30	11	20	143	24	8	29	-	2	33	58	4	18	52	9	2	136	25
627	72	112	8	26	18	18	64	12	7	41	-	1	28	105	5	43	75	9	6	133	26
257	26	32	5	13	8	8	32	8	4	26	-	1	16	63	1	10	41	2	1	64	27
103	11	32	-	4	3	2	13	2	-	8	-	-	2	9	1	10	13	1	-	21	28
87	18	12	1	4	1	7	11	1	1	5	-	-	3	13	1	7	6	1	1	8	29
180	17	36	2	5	6	1	8	1	2	2	-	-	7	20	2	16	15	5	4	40	30
861	159	177	17	52	23	21	77	19	8	33	5	5	43	94	7	64	69	16	4	154	31
444	44	69	9	25	11	11	35	11	5	19	3	3	17	32	3	23	28	8	1	82	32
109	51	37	2	3	5	3	14	1	-	6	-	-	4	17	-	9	8	1	1	16	33
308	64	71	6	24	7	7	28	7	3	8	2	2	22	45	4	32	33	7	2	56	34
1,406	86	169	24	113	39	30	113	32	7	49	4	5	48	126	6	62	113	24	1	274	35
909	59	115	17	80	24	24	78	21	6	40	2	3	18	71	6	29	71	16	1	186	36
497	27	54	7	33	15	6	35	11	1	9	2	2	30	55	-	33	42	8	-	88	37
221	23	30	1	16	11	7	24	5	-	4	1	-	9	15	-	19	20	3	-	45	38
50	8	15	-	3	4	1	5	1	-	1	-	-	3	6	-	3	7	1	-	14	39
171	15	15	1	13	7	6	19	4	-	3	1	-	6	9	-	16	13	2	-	31	40
625	81	125	17	35	17	19	57	13	4	20	2	2	23	81	19	28	52	18	2	107	41
144	8	30	5	18	2	9	8	3	1	6	2	-	8	28	16	3	13	3	2	22	42
91	17	30	1	4	4	2	8	-	-	1	-	-	3	16	1	4	5	-	-	12	43
390	56	65	11	13	11	8	41	10	3	13	-	2	12	37	2	21	34	15	-	73	44
137	19	40	1	5	5	4	12	1	4	4	-	-	3	14	2	10	10	3	1	15	45
327	39	60	10	30	8	12	24	3	2	7	2	3	13	28	3	22	43	11	-	50	46
46	5	16	1	7	1	-	2	-	-	-	1	-	1	7	2	2	4	1	-	8	47
88	13	16	4	14	5	4	6	1	1	3	1	2	6	6	-	5	13	4	-	20	48
193	21	28	5	9	2	8	16	2	1	4	-	1	6	15	1	15	26	6	-	22	49
244	34	20	3	18	8	7	18	4	4	7	-	-	4	12	5	6	27	6	-	54	50
50	12	1	-	6	3	-	3	1	-	2	-	-	1	2	-	-	3	4	-	16	51
194	22	19	3	12	5	7	15	3	4	5	-	-	3	10	5	6	24	2	-	38	52
72	9	32	2	4	4	4	7	1	-	2	1	-	7	7	1	3	9	2	1	15	53
664	46	93	15	45	13	18	46	20	7	27	3	2	26	36	3	23	64	17	2	106	54
391	22	57	11	20	6	13	25	10	3	14	1	2	16	19	1	6	36	10	-	63	55
49	2	10	1	4	1	-	4	-	2	5	-	-	2	3	-	3	6	1	1	9	56
224	22	26	3	21	6	5	17	10	2	8	2	-	8	14	2	14	22	6	1	34	57
337	46	33	7	16	13	14	18	8	1	8	2	3	9	36	5	17	33	17	3	51	58
418	57	43	6	21	4	7	48	10	5	8	1	3	12	52	4	54	49	13	4	87	59
44	3	3	2	3	-	-	5	1	-	3	-	-	-	5	-	9	4	3	-	10	60
84	7	6	-	6	1	2	10	1	-	3	-	1	-	6	1	3	8	2	-	11	61
290	47	34	4	12	3	5	33	8	5	2	1	2	12	41	3	42	37	8	4	66	62
305	39	44	6	17	7	8	27	10	4	8	-	-	16	30	14	17	25	9	-	54	63
75	14	5	1	4	2	-	8	2	1	3	-	-	2	6	8	2	6	2	-	11	64
230	25	39	5	13	5	8	19	8	3	5	-	-	14	24	6	15	19	7	-	43	65
647	56	48	4	49	18	10	55	19	3	24	1	-	20	45	4	24	36	15	3	84	66
451	43	34	3	30	13	7	42	12	3	16	1	-	14	26	3	14	27	10	1	61	67
196	13	14	1	19	5	3	13	7	-	8	-	-	6	19	1	10	9	5	2	23	68
94	10	8	4	11	4	-	6	3	2	3	-	-	-	10	1	4	11	5	-	22	69
52	17	17	2	3	1	-	6	-	2	3	-	-	1	8	-	5	6	3	-	12	70
81	12	30	1	12	2	5	16	3	1	1	-	-	4	12	-	4	12	2	-	22	71
350	44	73	15	21	6	7	39	10	3	8	-	1	27	37	3	28	49	8	3	73	72
55	15	19	3	4	2	3	9	2	-	3	-	-	5	10	-	2	6	-	1	18	73
82	8	4	-	1	1	-	10	1	-	1	-	-	2	5	-	1	8	2	1	9	74
213	21	50	12	16	3	4	20	7	3	4	-	1	20	22	3	25	35	6	1	46	75
1,441	152	130	31	98	34	23	100	34	14	52	7	2	81	170	13	79	99	47	10	213	76
166	23	59	2	13	3	5	13	5	4	2	-	-	6	15	-	12	19	7	-	37	77
143	5	24	3	19	3	-	15	1	1	7	-	-	2	9	1	12	9	2	1	26	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NEW YORK—Continued																
1	Tompkins	572	-	2	-	1	75	28	11	36	2	376	373	59	-	272	5
2	Ithaca	293	-	2	-	-	44	17	7	20	1	190	188	29	-	135	2
3	Balance of county	279	-	-	-	1	31	11	4	16	1	186	185	30	-	137	3
4	Ulster	1,396	6	4	-	3	217	94	26	97	15	862	842	169	1	632	9
5	Kingston	423	-	1	-	1	74	31	11	32	6	250	245	54	-	175	2
6	Balance of county	973	6	3	-	2	143	63	15	65	9	612	597	115	1	457	7
7	Warren	580	4	1	-	2	82	27	5	50	7	373	372	76	-	274	8
8	Glens Falls	292	2	1	-	-	36	15	1	20	4	196	195	39	-	144	4
9	Balance of county	288	2	-	-	2	46	12	4	30	3	177	177	37	-	130	4
10	Washington	610	4	1	-	-	83	26	14	43	5	395	385	63	-	292	7
11	Wayne	738	6	2	-	4	109	32	15	62	8	428	422	76	-	323	8
12	Newark	100	3	1	-	1	16	5	3	8	-	53	52	15	-	36	-
13	Balance of county	638	3	1	-	3	93	27	12	54	8	375	370	61	-	287	8
14	Westchester	7,195	36	16	-	25	1,390	511	197	682	101	4,033	3,985	640	3	3,115	129
15	Yonkers	1,700	9	1	-	5	330	128	42	160	24	949	936	124	1	761	34
16	Mount Vernon	836	4	3	-	2	160	54	27	79	22	485	476	78	-	375	17
17	New Rochelle	747	6	2	-	6	142	56	15	71	18	419	415	81	1	306	12
18	White Plains	540	5	-	-	1	109	39	9	61	4	300	296	39	-	240	12
19	Mamaroneck	154	-	-	-	1	28	7	7	14	1	92	90	5	-	80	-
20	Ossining	173	-	1	-	-	39	16	3	20	4	81	81	16	-	58	1
21	Peekskill	259	2	-	-	-	31	13	4	14	4	161	159	38	-	115	2
22	Port Chester	244	-	1	-	3	39	18	8	13	1	134	131	24	-	102	5
23	Rye	140	-	-	-	1	25	7	5	13	1	73	73	14	-	57	5
24	Scarsdale	135	-	-	-	-	40	16	7	17	-	77	76	10	-	60	2
25	Balance of county	2,267	10	8	-	6	447	157	70	220	22	1,262	1,252	211	1	961	39
26	Wyoming	407	2	1	-	1	55	13	6	36	4	264	264	71	-	175	3
27	Yates	261	-	-	-	-	37	16	2	19	5	154	149	33	1	108	5
28	NORTH CAROLINA	35,015	222	92	1	194	4,094	1,212	523	2,359	483	18,711	18,267	4,743	34	12,308	295
29	Metropolitan counties	8,337	59	19	-	52	1,070	316	162	592	117	4,515	4,445	1,108	7	3,051	80
30	Nonmetropolitan counties	26,678	163	73	1	142	3,024	896	361	1,767	366	14,196	13,822	3,635	27	9,257	215
31	Alamance	588	1	1	-	-	76	21	7	48	7	339	331	100	2	206	4
32	Burlington	188	1	-	-	-	28	9	5	14	3	102	101	29	1	60	-
33	Balance of county	400	-	1	-	-	48	12	2	34	4	237	230	71	1	146	4
34	Alexander	115	-	-	-	-	13	5	-	8	-	50	49	13	-	31	-
35	Alleghany	79	1	-	-	-	9	2	1	6	1	47	47	10	-	35	3
36	Anson	255	2	-	-	1	39	16	9	14	1	132	127	28	-	90	2
37	Ashe	207	2	-	-	-	18	4	2	12	4	114	113	26	-	73	3
38	Avery	88	-	-	-	-	8	2	2	4	2	47	47	8	-	37	1
39	Beaufort	406	1	2	-	7	49	7	6	36	6	222	213	80	-	127	4
40	Bertie	214	1	2	-	2	22	4	2	16	1	114	103	35	-	55	-
41	Bladen	239	1	-	-	-	20	7	2	11	6	130	124	40	-	73	1
42	Brunswick	166	-	1	-	-	13	3	2	8	6	67	66	23	-	37	-
43	Buncombe	1,223	12	1	-	2	182	50	24	108	19	701	694	194	-	468	11
44	Asheville	634	6	-	-	-	91	25	10	56	11	378	373	96	-	257	7
45	Balance of county	589	6	1	-	2	91	25	14	52	8	323	321	98	-	211	4
46	Burke	325	3	-	-	4	52	13	7	32	10	148	148	36	-	101	2
47	Cabarrus	482	2	1	-	2	76	22	11	43	7	255	251	63	-	171	2
48	Concord	173	1	1	-	-	30	9	4	17	3	93	92	26	-	55	-
49	Balance of county	309	1	-	-	2	46	13	7	26	4	162	159	37	-	116	2
50	Caldwell	317	-	2	-	1	47	13	7	27	6	165	160	47	-	104	3
51	Camden	59	-	-	-	1	10	3	2	5	-	28	28	12	-	13	-
52	Carteret	204	-	1	-	1	34	9	7	18	5	104	99	25	-	70	-
53	Caswell	140	2	1	-	-	15	3	2	10	-	82	78	30	-	45	-
54	Catawba	490	2	1	-	1	55	14	4	37	4	277	266	61	-	196	9
55	Hickory	167	-	1	-	1	15	3	1	11	-	98	92	25	-	63	2
56	Balance of county	323	2	-	-	-	40	11	3	26	4	179	174	36	-	133	7
57	Chatham	243	-	-	-	-	29	8	4	17	3	149	143	40	-	95	-
58	Cherokee	131	-	-	-	-	28	11	3	14	2	65	63	19	-	41	3
59	Chowan	112	1	-	-	1	13	3	3	7	-	54	54	27	-	23	-
60	Clay	43	2	-	-	-	4	3	1	-	-	24	23	7	-	14	-
61	Cleveland	503	2	2	-	4	58	17	5	36	4	279	274	59	-	195	4
62	Shelby	149	1	1	-	1	15	4	-	11	1	93	91	18	-	67	1
63	Balance of county	354	1	1	-	3	43	13	5	25	3	186	183	41	-	128	3
64	Columbus	427	3	1	-	3	29	10	5	14	9	223	217	61	1	146	-
65	Craven	448	3	2	-	3	43	12	9	22	1	222	220	54	-	153	9
66	New Bern	166	1	1	-	1	21	8	5	8	1	84	83	18	-	61	6
67	Balance of county	282	2	1	-	2	22	4	4	14	-	138	137	36	-	92	3
68	Cumberland	699	2	4	-	4	63	19	6	38	15	270	264	78	-	166	2
69	Fayetteville	357	2	3	-	3	41	11	6	24	3	135	131	41	-	83	1
70	Balance of county	342	-	1	-	1	22	8	-	14	12	135	133	37	-	83	1
71	Currituck	80	1	-	-	-	14	5	1	8	1	42	42	1	-	41	2
72	Dare	60	-	1	-	-	7	1	-	6	-	35	35	8	-	27	-
73	Davidson	525	2	2	-	2	58	20	12	26	6	314	305	69	-	220	5
74	Lexington	127	-	1	-	-	13	7	3	3	-	83	81	21	-	58	3
75	Thomasville	99	-	1	-	-	13	7	-	6	3	45	44	6	-	36	-
76	Balance of county	299	2	-	-	2	32	6	9	17	3	186	180	42	-	126	2
77	Davie	128	-	-	-	1	17	5	2	10	7	71	67	8	-	55	-
78	Duplin	303	1	-	-	2	22	4	6	12	3	184	179	41	-	128	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
207	33	27	5	31	6	3	10	1	1	4	-	-	10	17	2	14	14	4	1	38	1
101	17	15	3	17	4	2	6	1	1	2	-	-	4	9	-	5	6	3	-	19	2
106	16	12	2	14	2	1	4	-	-	2	-	-	6	8	2	9	8	1	1	19	3
476	52	95	12	21	7	20	33	12	8	13	2	1	18	45	2	28	60	9	-	58	4
143	21	9	3	9	4	5	14	3	2	7	1	-	6	12	-	8	13	3	-	22	5
333	31	86	9	12	3	15	19	9	6	6	1	1	12	33	2	20	47	6	-	36	6
184	19	63	3	14	5	1	18	8	2	2	1	-	7	14	1	5	20	6	2	25	7
99	10	31	1	7	4	1	10	4	-	2	1	-	4	5	-	3	8	2	1	13	8
85	9	32	2	7	1	-	8	4	2	-	-	-	3	9	1	2	12	4	1	12	9
203	31	51	3	24	3	10	21	7	1	1	-	1	11	19	3	10	18	3	-	27	10
245	34	36	5	11	7	6	21	5	2	9	-	1	3	20	-	22	26	15	-	57	11
28	2	6	-	-	1	1	1	-	-	5	-	-	-	3	-	5	4	1	-	7	12
217	32	30	5	11	6	5	20	5	2	4	-	1	3	17	-	17	22	14	-	50	13
2,399	323	264	48	99	80	48	192	69	21	124	12	4	96	225	75	71	168	58	6	473	14
584	100	43	11	20	19	13	60	16	6	38	3	1	24	51	10	17	40	8	-	108	15
275	42	41	5	11	7	9	28	7	2	10	2	-	11	29	6	-	11	3	-	51	16
241	26	27	6	15	6	4	19	7	2	11	1	-	11	29	12	1	15	4	1	41	17
183	29	16	1	8	8	4	8	3	2	9	3	-	8	20	4	10	13	4	-	37	18
63	6	11	-	4	1	2	2	1	-	3	-	-	2	5	3	2	6	-	-	8	19
50	4	3	3	4	-	-	7	1	1	6	-	-	2	3	-	2	4	2	2	18	20
99	3	11	2	2	2	2	7	2	1	4	-	-	-	15	3	2	3	3	-	21	21
77	7	13	3	1	1	3	4	3	-	6	1	-	-	8	5	1	10	3	-	25	22
40	4	8	-	1	1	-	6	4	1	1	-	-	3	3	-	4	2	3	2	11	23
46	7	5	1	5	-	1	4	4	-	-	-	-	-	3	-	1	2	-	-	4	24
741	95	86	16	28	35	10	47	21	6	36	2	3	35	59	32	31	62	28	1	149	25
145	15	12	2	9	7	-	8	6	2	3	-	-	3	6	1	10	11	3	1	26	26
81	4	18	2	4	1	5	6	2	2	3	-	-	1	8	-	9	16	3	1	14	27
7,703	2,360	1,950	323	534	325	444	1,580	198	224	237	55	84	537	1,926	824	1,144	1,304	369	369	2,367	28
2,043	533	395	70	113	96	70	344	57	43	79	17	16	133	495	61	212	246	76	100	626	29
5,660	1,827	1,555	253	421	229	374	1,236	141	181	158	38	68	404	1,431	763	932	1,058	293	269	1,741	30
146	29	27	3	8	12	8	11	2	2	1	-	-	11	30	11	23	24	4	6	39	31
45	11	4	1	4	6	1	2	-	1	-	-	-	6	12	5	6	8	1	-	13	32
101	18	23	2	4	6	7	9	2	1	1	-	-	5	18	6	17	16	3	6	26	33
19	7	5	2	2	1	1	1	-	-	-	-	1	3	6	22	6	2	3	-	8	34
5	3	24	-	1	1	-	2	-	1	-	2	-	1	3	5	3	2	-	-	2	35
47	26	15	4	4	1	5	10	-	1	-	-	1	2	14	29	5	7	-	1	10	36
46	6	18	1	12	1	1	15	2	-	2	-	-	5	11	12	6	3	2	-	11	37
25	4	7	-	2	-	-	5	1	-	-	-	1	1	5	5	2	1	1	1	8	38
62	26	35	-	4	2	9	31	2	6	3	-	1	2	20	6	6	15	3	3	21	39
29	13	13	6	2	5	11	8	-	-	2	-	2	3	14	5	4	13	2	1	18	40
45	19	8	3	6	2	6	14	1	2	-	-	-	2	20	-	7	11	4	4	17	41
23	8	6	-	5	1	1	9	-	2	-	1	1	2	17	19	8	11	-	1	8	42
352	54	51	4	16	12	7	48	6	7	9	-	-	14	36	7	31	31	17	7	93	43
189	35	26	2	12	6	5	24	4	4	3	-	-	4	19	6	16	15	4	3	46	44
163	19	25	2	4	6	2	24	2	3	6	-	-	10	17	1	15	16	13	4	47	45
76	12	11	3	5	3	-	19	1	1	2	1	-	5	20	21	15	2	5	-	16	46
133	28	8	3	8	6	4	20	3	2	3	1	-	5	18	-	20	15	8	6	38	47
45	7	3	2	5	4	1	4	3	1	1	-	-	-	5	-	4	4	1	5	17	48
88	21	5	1	3	2	3	16	-	1	2	1	-	5	13	-	16	11	7	1	21	49
53	35	13	3	4	2	5	8	1	1	-	-	-	5	14	11	14	17	4	2	19	50
9	1	3	1	-	2	-	5	1	-	-	-	-	1	2	3	1	3	-	-	4	51
41	5	24	1	1	2	5	5	-	1	1	-	-	1	13	6	4	11	1	5	11	52
31	6	8	2	-	1	4	10	-	2	-	1	-	2	5	2	4	1	2	2	9	53
121	34	32	5	2	2	11	15	3	7	2	1	-	7	26	19	21	20	3	4	22	54
38	12	11	2	1	1	6	3	1	1	2	1	-	3	8	7	5	9	1	1	10	55
83	22	21	3	1	1	5	12	2	6	-	-	-	4	18	12	16	11	2	3	12	56
67	18	10	2	5	1	6	12	-	-	-	-	-	2	13	3	6	8	3	3	12	57
24	8	6	1	1	1	2	3	1	-	-	-	-	2	4	6	5	6	2	1	6	58
14	1	8	2	2	-	-	5	-	3	-	-	1	1	5	4	2	10	1	2	9	59
12	1	1	1	-	1	1	1	-	-	-	-	-	-	2	-	5	1	-	-	4	60
116	46	29	4	10	6	5	19	4	1	4	1	2	14	33	4	15	15	7	3	32	61
39	15	12	1	3	2	2	2	1	1	1	-	-	2	10	2	4	1	2	1	10	62
77	31	17	3	7	4	3	17	3	-	3	1	2	12	23	2	11	14	5	2	22	63
97	33	16	1	4	4	6	31	2	7	2	2	-	13	22	11	15	13	4	1	36	64
96	30	18	4	7	2	2	29	3	1	6	-	1	10	41	-	22	26	4	5	26	65
32	13	10	1	3	-	1	11	3	-	2	-	1	4	8	-	7	8	-	3	10	66
64	17	8	3	4	2	1	18	-	1	4	-	-	6	33	-	15	18	4	2	16	67
89	41	34	8	9	3	6	41	5	4	7	-	3	23	67	77	33	27	9	7	38	68
41	25	16	2	2	3	4	17	3	2	2	-	-	12	31	43	16	16	6	3	19	69
48	16	18	6	7	-	2	24	2	2	5	-	3	11	36	34	17	11	3	4	19	70
24	4	11	-	-	-	-	6	-	-	1	1	-	-	-	1	2	4	-	1	6	71
14	5	8	-	-	-	-	1	-	-	-	-	-	-	3	-	5	3	-	-	5	72
159	26	30	6	7	3	9	18	4	1	-	1	1	8	36	2	20	20	6	1	23	73
40	7	8	-	1	1	2	4	1	-	-	-	-	2	8	1	2	6	1	-	5	74
28	4	4	-	2	-	1	3	1	-	-	1	1	2	12	-	6	8	-	1	2	75
91	15	18	6	4	2	6	11	2	1	-	-	-	4	16	1	12	6	5	-	16	76
47	4	4	2	2	-	4	4	-	2	-	-	-	3	3	2	1	10	1	-	6	77
71	20	35	1	7	2	5	15	2	3	2	-	4	3	15	11	9	11	3	1	12	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NORTH CAROLINA—Con.																
1	Durham	852	3	3	-	7	109	30	16	63	14	457	445	102	-	310	8
2	Durham	596	1	3	-	5	75	20	10	45	13	307	300	66	-	208	5
3	Balance of county	256	2	-	-	2	34	10	6	18	1	150	145	36	-	102	3
4	Edgecombe	442	8	4	-	3	42	14	6	22	6	254	245	78	-	157	2
5	Rocky Mount (part)	114	-	-	-	-	12	6	1	5	2	69	65	21	-	43	-
6	Balance of county	328	8	4	-	3	30	8	5	17	4	185	180	57	-	114	2
7	Forsyth	1,455	14	3	-	5	174	58	20	96	17	754	745	178	-	521	13
9	Winston-Salem	1,016	10	3	-	4	109	34	14	61	10	514	508	124	-	347	12
9	Balance of county	439	4	-	-	1	65	24	6	35	7	240	237	54	-	174	1
10	Franklin	284	-	1	-	4	21	14	2	5	3	158	155	27	-	122	1
11	Gaston	859	4	4	-	2	104	36	9	59	9	471	459	105	-	329	17
12	Gastonia	299	1	2	-	1	31	15	1	15	3	152	144	38	-	93	2
13	Balance of county	560	3	2	-	1	73	21	8	44	6	319	315	67	-	236	15
14	Gates	104	-	1	-	-	10	3	2	5	1	58	57	18	1	36	-
15	Graham	41	1	-	-	-	7	2	1	4	-	18	18	4	-	12	1
16	Granville	261	1	-	-	1	32	9	4	19	2	137	121	34	-	78	1
17	Greene	141	1	-	-	3	8	2	-	6	4	74	73	22	-	50	2
18	Guilford	1,638	9	3	-	16	233	61	36	136	20	901	887	254	3	572	22
19	Greensboro	707	3	-	-	7	100	35	13	52	11	394	388	118	2	241	9
20	High Point	380	4	2	-	2	57	13	11	33	2	201	198	42	1	144	6
21	Balance of county	551	2	1	-	7	76	13	12	51	7	306	301	94	-	187	7
22	Halifax	530	-	1	-	2	57	17	5	35	8	257	253	74	-	160	2
23	Harnett	382	2	-	-	2	39	11	6	22	2	217	213	44	1	151	5
24	Haywood	297	2	-	-	-	40	15	4	21	3	169	163	54	-	103	5
25	Henderson	306	1	1	-	2	52	14	5	33	3	154	145	36	1	98	5
26	Hertford	212	2	-	-	3	24	7	5	12	1	106	105	26	1	74	2
27	Hoke	135	-	-	-	1	10	2	2	6	2	60	56	17	-	34	-
28	Hyde	55	-	-	-	-	4	1	-	3	-	32	31	12	-	19	-
29	Iredell	478	5	-	-	-	48	16	4	28	7	285	278	69	-	193	5
30	Statesville	166	3	-	-	-	14	4	3	7	1	96	94	20	-	65	1
31	Balance of county	312	2	-	-	-	34	12	1	21	6	189	184	49	-	128	4
32	Jackson	137	-	-	-	1	28	12	2	14	4	64	62	16	-	43	5
33	Johnston	566	7	2	-	2	53	26	4	23	7	307	299	70	1	219	3
34	Jones	99	2	-	-	-	4	1	-	3	2	61	57	15	-	40	-
35	Lee	221	2	-	-	1	23	9	2	12	3	101	99	20	-	73	-
36	Sanford	115	2	-	-	1	11	2	2	7	2	53	52	13	-	33	-
37	Balance of county	106	-	-	-	-	12	7	-	5	1	48	47	7	-	40	-
38	Lenoir	469	2	-	-	2	54	12	11	31	11	247	245	70	1	162	1
39	Kinston	247	1	-	-	-	36	7	9	20	9	129	129	38	-	87	-
40	Balance of county	222	1	-	-	2	18	5	2	11	2	118	116	32	1	75	1
41	Lincoln	223	-	-	-	1	19	8	2	9	4	140	137	48	1	82	4
42	McDowell	201	2	-	-	-	27	10	-	17	2	88	85	23	1	58	1
43	Macon	127	-	-	-	-	11	1	2	8	1	82	82	18	-	56	5
44	Madison	143	2	-	-	-	19	5	1	13	4	83	82	22	-	58	2
45	Martin	217	3	-	-	2	26	5	4	17	2	112	111	27	-	78	-
46	Mecklenburg	1,962	6	4	-	15	229	62	49	118	23	1,064	1,047	217	4	753	22
47	Charlotte	1,438	5	2	-	9	173	46	41	86	18	769	761	149	2	552	12
48	Balance of county	524	1	2	-	6	56	16	8	32	5	295	286	68	2	201	10
49	Mitchell	119	3	1	-	1	12	1	-	11	1	62	62	23	-	29	1
50	Montgomery	180	-	1	-	1	27	7	3	17	-	107	105	33	-	55	1
51	Moore	279	1	-	-	-	43	15	3	25	1	148	146	35	-	100	1
52	Nash	528	4	1	-	4	48	17	7	24	11	278	270	80	2	173	2
53	Rocky Mount (part)	172	-	1	-	2	18	5	4	9	6	86	85	21	-	58	1
54	Rocky Mount (total)	286	-	1	-	2	30	11	5	14	8	155	150	42	-	101	1
55	Balance of county	356	4	-	-	2	30	12	3	15	5	192	185	59	2	115	1
56	New Hanover	667	3	3	-	2	89	29	10	50	9	340	333	112	-	196	5
57	Wilmington	502	3	2	-	1	73	26	8	39	6	250	245	85	-	142	4
58	Balance of county	165	-	1	-	1	16	3	2	11	3	90	88	27	-	54	1
59	Northampton	230	2	1	-	4	34	11	3	20	-	133	130	34	1	86	2
60	Onslow	310	3	1	-	2	32	10	2	20	1	105	103	25	-	65	2
61	Orange	260	3	-	-	3	34	3	4	27	4	138	137	26	1	103	5
62	Pamlico	97	1	1	-	1	7	1	1	5	-	52	45	13	2	28	-
63	Pasquotank	248	3	3	-	-	31	9	7	15	3	133	131	31	-	89	-
64	Elizabeth City	180	2	3	-	-	28	8	5	15	2	92	90	19	-	62	-
65	Balance of county	68	1	-	-	-	3	1	2	-	1	41	41	12	-	27	-
66	Pender	152	-	1	-	-	16	4	2	10	-	78	78	23	-	49	-
67	Perquimans	93	-	-	-	-	10	4	2	4	1	54	54	21	-	28	1
68	Person	213	-	-	-	-	26	15	1	10	2	120	118	21	-	85	1
69	Pitt	512	7	1	-	3	59	18	9	32	5	255	254	60	1	177	2
70	Greenville	158	2	-	-	-	18	4	1	13	2	80	80	19	-	53	1
71	Balance of county	354	5	1	-	3	41	14	8	19	3	175	174	41	1	124	1
72	Polk	130	1	1	-	-	18	6	1	11	2	71	69	18	1	44	1
73	Randolph	388	1	-	-	2	65	18	6	41	4	206	202	44	-	140	2
74	Richmond	382	2	2	-	1	44	17	6	21	6	190	184	51	-	121	-
75	Robeson	782	4	1	-	6	71	17	5	49	11	342	334	95	1	210	4
76	Rockingham	510	1	2	-	4	54	17	6	31	5	312	303	84	-	197	7
77	Reidsville	111	-	-	-	2	9	2	1	6	-	80	75	27	-	43	2
78	Balance of county	399	1	2	-	2	45	15	5	25	5	232	228	57	-	154	5
79	Rowan	694	3	1	-	4	91	17	14	60	14	396	386	79	-	278	5
80	Salisbury	218	-	-	-	3	30	7	4	19	8	114	110	17	-	83	4
81	Balance of county	476	3	1	-	1	61	10	10	41	6	282	276	62	-	195	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-specified nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-genital mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
188	85	29	11	13	9	12	43	3	5	15	1	-	7	46	9	17	27	11	8	67	1
120	68	15	8	11	7	7	25	3	5	11	1	-	4	38	7	13	17	7	8	53	2
68	17	14	3	2	2	5	18	-	-	4	-	-	3	8	2	4	10	4	-	14	3
88	36	31	2	7	1	9	21	3	4	2	-	1	3	17	15	10	14	7	5	23	4
25	12	6	1	-	-	4	3	2	-	1	-	1	1	7	1	1	4	1	1	8	5
63	24	25	1	7	1	5	18	1	4	1	-	-	2	10	14	9	10	6	4	15	6
374	95	39	14	14	18	9	67	15	7	16	5	3	16	90	13	35	43	21	19	138	7
241	66	28	11	10	16	6	53	15	6	14	2	3	10	66	9	21	31	14	18	104	8
133	29	11	3	4	2	3	14	-	1	2	3	-	6	24	4	14	12	7	1	34	9
69	31	21	2	2	2	3	8	3	-	4	-	2	3	16	6	9	14	2	2	28	10
218	39	55	10	5	10	12	31	4	4	10	-	-	19	47	5	26	42	12	4	61	11
64	12	15	5	1	7	8	12	4	1	4	-	-	9	21	-	7	14	4	1	32	12
154	27	40	5	4	3	4	19	-	3	6	-	-	10	26	5	19	28	8	3	29	13
20	7	9	1	1	-	1	3	1	1	2	-	-	2	6	5	3	6	-	2	3	14
11	-	-	-	1	1	-	4	-	-	-	-	-	1	-	2	-	1	-	-	7	15
43	18	16	5	4	-	16	19	-	2	2	-	-	2	18	13	9	7	1	3	12	16
24	15	9	1	-	-	1	9	-	-	2	-	1	6	6	1	4	7	3	3	9	17
371	114	65	18	24	16	14	42	16	7	12	3	5	32	82	13	50	46	8	18	122	18
172	43	17	10	11	6	6	20	6	2	6	2	2	5	37	8	17	16	4	10	57	19
95	33	10	3	3	5	3	5	8	3	1	-	2	8	22	2	15	13	4	3	26	20
104	38	38	5	10	5	5	17	2	2	5	1	1	19	23	3	18	17	-	5	39	21
95	39	24	6	10	3	4	20	1	8	4	-	-	12	46	25	26	23	8	7	25	22
79	35	32	4	9	4	4	11	2	1	4	1	1	1	25	2	20	16	3	6	27	23
78	11	9	2	3	1	6	16	2	-	1	-	-	4	19	1	7	13	4	-	16	24
68	18	7	4	4	2	9	15	1	1	-	-	1	6	14	2	6	12	3	3	29	25
35	18	19	1	1	2	1	11	1	7	-	2	-	4	13	1	10	5	2	5	15	26
15	13	6	2	2	1	4	11	1	4	-	2	1	5	6	8	6	5	-	2	11	27
11	2	6	-	-	-	1	4	1	1	1	-	-	-	4	3	-	2	1	1	1	28
116	35	37	6	6	4	7	10	5	2	7	2	-	8	30	5	8	18	5	2	31	29
43	10	11	4	2	3	2	6	1	1	3	1	-	2	13	1	6	7	1	-	10	30
73	25	26	2	4	1	5	4	4	1	4	1	-	6	17	4	2	11	4	2	21	31
33	2	3	2	-	1	2	12	1	-	-	-	-	3	1	1	3	8	1	1	9	32
124	35	57	1	6	2	8	29	3	2	3	1	3	6	23	15	17	18	9	10	49	33
24	3	13	-	2	-	4	6	1	-	1	-	-	3	6	-	3	3	1	1	5	34
51	15	7	-	4	2	2	11	-	-	3	-	-	4	19	-	11	14	1	7	21	35
22	10	1	-	4	2	1	4	-	-	3	-	-	1	11	-	4	7	1	6	9	36
29	5	6	-	-	-	1	7	-	-	-	-	-	3	8	-	7	7	-	1	12	37
101	28	32	1	6	5	2	25	2	3	1	1	4	9	27	5	8	13	7	5	43	38
50	15	22	1	1	2	-	10	2	-	1	1	1	2	15	3	-	7	2	3	25	39
51	13	10	-	5	3	2	15	-	3	-	-	3	7	12	2	8	6	5	2	18	40
51	14	13	2	2	2	3	5	1	2	1	-	-	5	6	6	10	7	4	3	9	41
43	9	5	-	1	2	3	9	1	3	2	2	-	6	9	15	13	6	1	2	13	42
33	11	7	2	5	1	-	7	1	-	2	-	-	-	4	-	4	3	3	-	9	43
45	4	7	1	-	1	1	5	2	-	-	-	-	2	4	-	3	7	-	-	12	44
35	32	11	3	1	2	1	6	-	1	1	-	-	3	15	7	5	9	4	2	19	45
531	114	86	21	30	22	17	93	9	12	17	6	5	43	157	7	47	53	12	33	127	46
394	86	60	17	23	18	8	66	8	9	14	4	4	27	122	7	31	32	8	29	101	47
137	28	26	4	7	4	9	27	1	3	3	2	1	16	35	-	16	21	4	4	26	48
13	7	8	4	4	2	-	8	-	-	-	-	-	1	5	7	2	4	-	-	12	49
42	4	8	4	10	3	2	9	-	-	1	-	1	-	10	3	9	6	-	-	5	50
74	18	7	2	3	6	2	16	-	2	5	-	-	3	9	5	11	14	-	3	18	51
111	37	23	8	5	2	8	28	4	7	4	1	-	12	29	7	19	21	11	7	32	52
37	13	7	2	3	1	1	9	3	2	3	1	-	3	12	1	2	3	6	2	12	53
62	25	13	3	3	1	5	12	5	2	4	1	1	4	19	2	3	7	7	3	20	54
74	24	16	6	2	1	7	19	1	5	1	-	-	9	17	6	17	18	5	5	20	55
132	32	27	4	14	7	7	31	3	-	11	1	1	8	34	43	9	25	6	8	41	56
97	25	16	2	10	6	5	26	3	-	9	1	-	6	27	28	7	17	3	7	33	57
35	7	11	2	4	1	2	5	-	-	2	-	1	2	7	15	2	8	3	1	8	58
50	23	11	3	6	-	3	9	1	2	-	1	3	1	9	1	4	9	2	2	12	59
34	10	19	1	9	3	2	22	2	4	3	-	-	7	44	4	28	20	6	7	19	60
58	20	20	1	2	4	1	6	1	-	1	-	-	5	19	3	5	18	4	1	15	61
17	3	8	1	-	1	7	9	1	-	3	2	-	1	-	3	3	6	-	-	7	62
66	16	7	5	1	5	2	6	2	1	-	-	2	3	15	4	11	12	1	1	17	63
46	11	5	5	1	3	2	1	2	1	-	-	2	3	13	4	5	9	1	1	11	64
20	5	2	-	-	2	-	5	-	-	-	-	-	-	2	-	6	3	-	-	6	65
24	11	14	-	3	3	-	9	-	-	-	-	1	3	14	3	7	4	1	3	12	66
16	1	10	1	3	1	-	3	1	-	1	-	-	2	5	1	3	5	-	1	6	67
43	19	22	1	10	1	2	13	2	1	-	-	-	1	9	3	9	5	3	5	14	68
93	47	35	7	6	3	1	37	-	1	3	-	3	6	19	25	18	17	6	5	42	69
27	10	15	2	5	1	-	9	-	-	1	-	1	2	3	7	6	6	4	2	15	70
66	37	20	5	1	2	1	28	-	1	2	-	2	4	16	18	12	11	2	3	27	71
24	8	11	1	4	1	2	2	1	-	2	-	-	1	4	2	5	10	-	1	9	72
89	24	25	4	11	3	4	16	6	1	-	-	-	7	11	6	10	15	4	2	32	73
64	37	20	7	4	1	6	22	4	2	2	2	-	6	17	18	12	15	4	8	25	74
113	73	20	8	10	10	8	33	2	13	4	-	4	8	56	73	39	33	4	12	66	75
119	27	44	4	13	5	9	22	2	5	4	2	1	11	20	1	16	10	9	5	24	76
23	7	11	2	2	1	5	3	-	-	-	-	-	1	4	-	1	2	1	2	6	77
96	20	33	2	11	4	4	19	2	5	4	2	1	10	16	1	15	8	8	3	18	78
195	41	37	8	12	9	10	21	6	1	3	3	1	7	25	5	27	21	11	4	50	79
50	17	12	3	7	-	4	6	2	-	1	-	-	5	8	3	9	6	4	-	19	80
145	24	25	5	5	9	6	15	4	1	2	3	1	2	17	2	18	15	7	4	31	81

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NORTH CAROLINA—Con.																
1	Rutherford	348	2	-	-	3	42	12	6	24	5	195	192	56	-	116	5
2	Sampson	430	5	-	-	3	40	10	5	25	9	248	246	65	-	166	-
3	Scotland	217	1	-	-	1	15	5	2	8	2	132	132	18	1	96	1
4	Stanly	293	1	-	-	1	31	12	4	15	8	167	165	45	1	109	3
5	Albemarle	97	-	-	-	-	13	3	2	8	4	49	47	17	-	30	2
6	Balance of county	196	1	-	-	1	18	9	2	7	4	118	118	28	1	79	1
7	Stokes	185	1	1	-	1	30	10	3	17	2	95	93	19	1	68	5
8	Surry	358	4	1	-	2	45	7	5	33	3	193	189	40	-	142	4
9	Swain	82	1	-	-	2	7	2	-	5	3	45	45	11	1	30	2
10	Transylvania	93	1	1	-	-	19	4	3	12	1	52	49	6	-	38	2
11	Tyrrell	46	-	-	-	-	2	1	-	1	-	32	31	3	-	24	-
12	Union	368	-	1	-	-	50	16	6	28	9	193	186	49	-	130	-
13	Monroe	106	-	-	-	-	21	6	1	14	5	54	53	14	-	34	-
14	Balance of county	262	-	1	-	-	29	10	5	14	4	139	133	35	-	96	-
15	Vance	287	-	2	-	7	25	7	4	14	6	156	151	45	1	98	2
16	Henderson	136	-	1	-	5	14	5	2	7	5	72	72	21	1	46	1
17	Balance of county	151	-	1	-	2	11	2	2	7	1	84	79	24	-	52	1
18	Wake	1,207	15	5	-	7	143	55	17	71	24	638	627	163	-	427	4
19	Raleigh	625	9	4	-	3	78	28	12	38	15	331	323	86	-	219	1
20	Balance of county	582	6	1	-	4	65	27	5	33	9	307	304	77	-	208	3
21	Warren	187	1	2	-	1	19	5	3	11	2	105	101	36	1	58	-
22	Washington	124	2	-	-	2	19	6	-	13	2	53	52	17	-	33	-
23	Watauga	125	-	-	-	-	15	5	1	9	-	72	71	16	-	54	2
24	Wayne	611	8	5	1	5	45	10	6	29	9	328	318	83	1	204	8
25	Goldsboro	265	4	3	-	3	20	5	4	11	4	142	136	39	-	81	3
26	Balance of county	346	4	2	1	2	25	5	2	18	5	186	182	44	1	123	5
27	Wilkes	353	3	-	-	1	36	13	2	21	3	192	187	32	-	144	4
28	Wilson	496	5	1	-	3	47	11	3	33	4	265	247	69	-	151	2
29	Wilson	262	1	1	-	1	32	7	2	23	3	145	132	37	-	78	-
30	Balance of county	234	4	-	-	2	15	4	1	10	1	120	115	32	-	73	2
31	Yadkin	175	1	-	-	-	13	4	1	8	7	102	94	31	-	61	2
32	Yancey	120	3	-	-	-	10	2	2	6	3	63	62	28	-	29	1
33	NORTH DAKOTA	5,495	23	5	-	28	811	315	75	421	109	3,009	2,968	747	3	1,992	53
34	Nonmetropolitan counties	5,495	23	5	-	28	811	315	75	421	109	3,009	2,968	747	3	1,992	53
35	Adams	35	-	-	-	-	6	3	-	3	1	19	19	7	-	12	-
36	Barnes	173	1	1	-	-	23	8	3	12	4	116	116	20	-	93	1
37	Benson	95	-	1	-	1	8	4	1	3	-	54	53	13	-	34	-
38	Billings	9	-	-	-	1	1	1	-	-	-	4	4	-	-	4	-
39	Bottineau	138	2	-	-	1	22	9	1	12	1	77	75	24	-	49	2
40	Bowman	32	-	-	-	-	4	2	-	2	3	18	17	2	-	14	-
41	Burke	63	-	-	-	-	10	5	-	5	1	30	30	13	-	17	-
42	Burleigh	181	1	-	-	-	31	13	1	17	2	101	99	18	-	78	5
43	Bismarck	139	1	-	-	-	26	10	1	15	2	78	76	14	-	59	4
44	Balance of county	42	-	-	-	-	5	3	-	2	-	23	23	4	-	19	1
45	Cass	587	4	-	-	1	84	30	7	47	9	322	321	93	-	196	13
46	Fargo	429	4	-	-	-	63	23	4	36	7	232	232	68	-	139	8
47	Balance of county	158	-	-	-	1	21	7	3	11	2	90	89	25	-	57	5
48	Cavalier	87	-	-	-	-	13	3	1	9	2	48	47	11	-	35	1
49	Dickey	69	-	-	-	-	10	5	1	4	2	38	38	6	-	29	-
50	Divide	56	-	-	-	1	3	2	-	1	-	41	40	9	-	27	1
51	Dunn	43	-	-	-	-	4	1	-	3	1	23	21	5	-	13	-
52	Eddy	52	-	-	-	-	5	2	1	2	1	36	36	11	-	23	-
53	Emmons	66	-	-	-	-	11	3	3	5	2	31	30	4	-	25	-
54	Foster	48	-	-	-	-	10	2	2	6	-	24	24	3	-	20	-
55	Golden Valley	31	-	-	-	-	5	1	-	4	-	15	15	3	-	9	-
56	Grand Forks	407	-	-	-	2	62	19	5	38	7	226	224	61	-	149	6
57	Grand Forks	258	-	-	-	1	35	14	3	18	6	140	139	47	-	84	5
58	Balance of county	149	-	-	-	1	27	5	2	20	1	86	85	14	-	65	1
59	Grant	42	-	-	-	-	3	1	-	2	3	20	19	7	-	12	-
60	Griggs	53	-	-	-	-	9	5	1	3	2	26	26	6	-	19	2
61	Hettinger	46	-	-	-	-	8	2	3	3	-	28	28	5	-	22	-
62	Kidder	38	-	-	-	1	5	2	-	3	-	22	22	5	-	17	-
63	La Moure	78	-	-	-	-	10	3	1	6	1	45	45	17	-	24	-
64	Logan	35	-	-	-	1	9	6	-	3	-	19	19	1	-	14	1
65	McHenry	105	-	-	-	-	21	11	1	9	1	62	60	10	-	45	1
66	McIntosh	61	-	-	-	-	10	4	2	4	1	28	27	5	-	19	1
67	McKenzie	83	-	1	-	1	5	2	1	2	2	46	46	12	-	32	-
68	McLean	133	1	-	-	1	16	5	3	8	4	75	73	19	-	49	2
69	Mercer	55	-	-	-	-	10	2	2	6	1	28	28	7	-	16	-
70	Morton	176	1	-	-	-	31	13	3	15	10	94	89	23	2	55	1
71	Mountrail	90	-	-	-	-	15	6	-	9	-	48	47	9	-	37	1
72	Nelson	95	-	-	-	1	12	8	-	4	2	63	62	15	-	42	-
73	Oliver	23	-	-	-	-	7	4	-	3	-	10	10	3	-	6	2
74	Pembina	102	-	-	-	1	18	7	3	8	1	54	52	18	-	31	-
75	Pierce	72	1	-	-	-	8	3	-	5	2	43	42	4	-	33	-
76	Ramsey	141	2	-	-	2	17	8	2	7	4	78	76	24	-	47	-
77	Ransom	75	-	-	-	1	11	5	-	6	3	42	42	12	-	30	1
78	Renville	47	-	-	-	-	5	2	1	2	2	29	29	9	-	18	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
82	6	23	10	7	3	3	15	1	4	-	-	2	4	17	-	14	13	3	2	26	1
92	55	19	1	8	6	2	22	1	4	1	-	-	8	23	2	15	19	2	4	24	2
57	30	8	6	9	2	-	15	1	2	1	-	2	3	6	8	7	7	-	3	11	3
84	13	9	-	4	6	2	12	8	1	-	-	1	2	14	12	11	5	2	3	14	4
25	-	3	-	-	-	2	4	4	1	-	-	-	-	8	6	2	-	-	2	4	5
59	13	6	-	4	6	-	8	4	-	-	-	1	2	6	6	9	5	2	1	10	6
33	26	4	-	4	1	2	11	-	1	1	-	1	2	2	-	10	9	6	-	12	7
77	31	30	3	2	2	4	12	1	3	-	-	-	7	11	9	15	18	5	3	26	8
20	6	2	1	2	-	-	2	1	-	1	-	-	1	3	5	4	3	2	-	2	9
21	7	8	1	2	2	3	1	-	-	1	-	-	-	2	1	3	1	1	1	8	10
11	1	12	1	3	-	1	-	-	-	-	-	-	-	2	4	2	-	2	-	2	11
73	31	26	1	4	2	7	22	2	5	3	-	-	4	19	3	13	20	2	3	19	12
18	9	7	-	3	2	1	4	1	-	2	-	-	1	6	1	3	3	-	-	5	13
55	22	19	1	1	-	6	18	1	5	1	-	-	3	13	2	10	17	2	3	14	14
54	24	18	2	1	4	5	6	1	3	1	-	1	3	16	19	3	12	2	5	19	15
27	8	10	-	1	3	-	4	1	2	-	-	1	2	7	6	1	5	-	1	9	16
27	16	8	2	-	1	5	2	-	1	1	-	-	1	9	13	2	7	2	4	10	17
227	71	125	2	16	19	11	51	8	5	10	2	3	21	84	12	32	46	7	15	79	18
115	35	68	-	6	12	8	24	4	3	6	-	2	9	45	6	11	20	3	7	45	19
112	36	57	2	10	7	3	27	4	2	4	2	1	12	39	6	21	26	4	8	34	20
37	15	6	3	-	3	4	7	3	2	2	1	2	-	8	6	3	10	1	-	12	21
7	5	21	2	-	-	1	8	2	1	-	-	2	2	3	8	7	4	-	2	7	22
42	5	5	-	1	-	1	9	2	1	-	-	-	1	7	1	5	6	1	-	5	23
97	53	46	9	17	4	10	35	2	5	4	-	2	7	37	5	18	23	10	15	47	24
38	19	21	4	8	4	6	7	-	3	2	-	1	5	17	4	8	9	4	4	25	25
59	34	25	5	9	-	4	28	2	2	2	-	1	2	20	1	10	14	6	11	22	26
69	51	20	4	5	2	5	17	1	3	-	-	-	6	8	11	17	15	7	5	28	27
111	28	10	7	15	5	18	27	1	5	3	1	5	4	31	3	18	22	8	10	33	28
58	15	5	4	10	3	13	12	1	-	2	-	2	4	14	2	8	7	3	5	19	29
53	13	5	3	5	2	5	15	-	5	1	1	3	-	17	1	10	15	5	5	14	30
42	10	7	-	1	1	8	7	-	2	1	1	-	2	3	7	3	6	2	1	17	31
23	3	2	1	4	-	1	5	1	3	1	-	-	1	2	2	7	10	1	-	8	32
1,492	174	273	42	145	39	41	266	27	29	43	10	4	93	250	41	158	204	53	3	329	33
1,492	174	273	42	145	39	41	266	27	29	43	10	4	93	250	41	158	204	53	3	329	34
10	1	1	-	-	-	-	2	-	-	1	-	-	1	1	-	-	-	1	-	3	35
61	19	12	1	2	-	-	3	-	-	-	-	-	2	4	1	3	4	2	-	9	36
27	3	4	-	5	1	1	11	1	3	1	-	-	1	3	-	1	1	2	-	7	37
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	38
41	3	3	-	1	1	2	13	1	1	-	-	-	4	5	1	1	6	-	-	3	39
13	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	1	3	1	-	1	40
9	4	4	-	-	-	-	2	1	-	-	-	-	-	6	-	5	4	1	-	3	41
64	6	3	-	1	2	2	7	1	2	1	-	-	5	7	1	5	6	2	-	9	42
47	6	2	-	1	2	2	6	-	1	1	-	-	5	4	1	1	4	2	-	7	43
17	-	1	-	-	-	-	1	1	1	-	-	-	-	3	-	4	2	-	-	2	44
158	11	14	7	17	8	1	25	5	1	7	1	-	15	23	2	9	31	7	-	41	45
111	10	10	6	13	6	-	16	2	1	5	1	-	15	17	2	7	23	5	-	29	46
47	1	4	1	4	2	1	9	3	-	2	-	-	-	6	-	2	8	2	-	12	47
22	-	12	-	-	1	1	-	-	-	-	1	1	3	5	-	8	2	-	-	4	48
23	1	5	1	2	-	-	4	-	-	-	-	-	1	5	2	1	3	2	-	1	49
19	1	6	-	3	1	1	1	-	-	1	-	-	-	-	-	2	2	1	-	4	50
10	1	2	1	2	-	2	1	-	-	-	-	-	2	4	-	2	2	1	-	3	51
16	2	5	1	1	-	-	-	-	1	1	1	-	2	2	-	-	1	-	-	2	52
13	7	5	-	1	-	1	2	2	-	-	-	-	1	3	-	4	4	2	-	4	53
19	1	-	1	-	-	-	1	1	-	-	-	-	-	5	-	3	1	1	-	2	54
9	-	-	-	3	-	-	2	-	-	1	-	-	1	2	-	1	-	-	-	4	55
93	19	31	1	5	8	2	10	1	-	7	-	1	7	17	11	5	15	6	1	29	56
62	10	7	-	5	3	1	8	1	-	5	-	1	6	14	-	5	9	4	1	22	57
31	9	24	1	-	5	1	2	-	-	2	-	-	1	3	11	-	6	2	-	7	58
6	2	4	-	-	-	1	5	-	1	-	-	-	1	2	-	4	2	-	-	1	59
13	-	4	-	1	-	-	7	-	-	-	-	1	-	2	-	-	4	-	-	2	60
17	1	4	-	1	-	-	1	-	1	-	-	-	-	5	-	1	-	-	-	2	61
15	2	-	-	-	-	-	2	-	-	-	-	-	1	1	-	1	3	2	-	-	62
21	1	2	2	2	-	-	4	1	-	1	-	-	2	4	-	3	1	1	-	5	63
9	1	3	1	-	3	-	2	1	-	-	-	-	-	1	-	1	-	-	-	1	64
35	1	8	2	3	-	2	4	1	1	-	-	-	3	2	-	3	4	2	-	1	65
14	-	4	-	3	-	1	2	-	1	2	1	-	1	2	3	3	1	1	-	5	66
23	2	7	-	2	-	-	6	-	1	1	-	-	3	4	1	2	7	-	-	3	67
40	2	5	2	1	2	2	5	-	-	1	-	-	-	7	1	6	5	-	1	10	68
12	2	2	-	5	-	-	5	-	-	-	-	-	-	1	1	1	3	-	-	5	69
46	4	4	2	5	2	5	10	1	-	3	-	1	1	9	2	3	7	1	-	2	70
29	5	2	-	1	-	1	5	1	-	-	-	-	1	3	-	6	5	-	-	6	71
21	7	14	3	2	-	1	6	1	1	-	-	-	-	3	-	1	1	-	-	4	72
2	1	1	-	1	-	-	1	1	-	-	-	-	-	-	1	-	1	1	-	1	73
28	2	1	1	2	-	2	5	1	1	-	3	-	-	7	-	1	4	1	-	5	74
29	3	1	1	4	-	1	4	-	-	1	-	-	1	1	1	3	1	1	-	5	75
38	4	5	1	3	1	2	6	-	1	1	-	-	-	12	-	3	4	2	-	9	76
22	4	3	-	-	-	-	3	-	-	-	-	-	1	4	-	4	2	-	-	4	77
15	1	2	-	2	-	-	2	-	-	-	-	-	1	2	-	1	1	-	-	4	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	NORTH DAKOTA—Continued																
1	Richland	181	-	1	-	-	38	15	2	21	3	102	102	34	-	63	-
2	Rolette	95	-	-	-	1	11	2	4	5	3	37	36	13	-	18	-
3	Sargent	73	-	-	-	1	13	8	1	4	1	47	47	12	-	31	1
4	Sheridan	45	-	-	-	-	8	4	2	2	-	25	25	5	-	17	2
5	Sioux	30	3	-	-	1	1	1	-	-	-	11	11	2	1	7	-
6	Slope	15	-	-	-	-	2	1	-	1	1	6	6	2	-	3	-
7	Stark	124	-	-	-	2	22	9	2	11	7	60	60	14	-	40	-
8	Steele	49	-	-	-	-	7	-	-	7	-	32	32	6	-	26	1
9	Stutsman	194	3	-	-	1	26	10	2	14	5	110	110	25	-	69	2
10	Jamestown	111	3	-	-	-	16	6	1	9	4	64	64	16	-	37	1
11	Balance of county	83	-	-	-	1	10	4	1	5	1	46	46	9	-	32	1
12	Towner	53	-	-	-	2	10	6	-	4	-	27	27	7	-	20	-
13	Traill	114	1	-	-	1	16	10	-	6	2	66	65	13	-	48	1
14	Walsh	183	1	-	-	-	21	8	2	11	-	102	98	27	-	66	3
15	Ward	337	1	1	-	3	52	15	7	30	9	157	157	42	-	101	-
16	Minot	230	1	1	-	2	32	9	3	20	8	102	102	26	-	65	-
17	Balance of county	107	-	-	-	1	20	6	4	10	1	55	55	16	-	36	-
18	Wells	83	1	-	-	-	10	6	1	3	-	49	48	9	-	30	-
19	Williams	197	-	-	-	-	32	8	3	21	3	95	93	22	-	58	2
20	OHIO	91,185	634	267	13	327	14,520	5,048	1,886	7,586	2,118	50,136	49,381	10,798	41	34,609	1,114
21	Metropolitan counties	61,114	468	204	8	199	10,169	3,525	1,410	5,234	1,487	32,700	32,216	6,667	28	23,020	796
22	Nonmetropolitan counties	30,071	166	63	5	128	4,351	1,523	476	2,352	631	17,436	17,165	4,131	13	11,589	318
23	Adams	236	3	1	-	2	26	10	3	13	2	143	141	37	-	91	2
24	Allen	989	5	3	-	1	173	54	27	92	22	549	543	111	-	387	20
25	Lima	588	4	1	-	1	103	30	17	56	14	324	319	68	-	228	12
26	Balance of county	401	1	2	-	-	70	24	10	36	8	225	224	43	-	159	8
27	Ashland	399	1	-	-	3	58	19	5	34	5	227	223	62	1	143	2
28	Ashland	205	1	-	-	1	33	10	2	21	2	113	112	28	-	76	1
29	Balance of county	194	-	-	-	2	25	9	3	13	3	114	111	34	1	67	1
30	Ashtabula	961	-	2	-	6	143	54	19	70	29	559	549	136	-	378	5
31	Ashtabula	252	-	-	-	4	36	14	2	20	10	138	137	38	-	89	2
32	Conneaut	131	-	1	-	-	22	10	3	9	2	87	84	24	-	55	-
33	Balance of county	578	-	1	-	2	85	30	14	41	17	334	328	74	-	234	3
34	Athens	524	2	-	-	1	63	29	9	25	10	325	317	63	-	235	14
35	Athens	109	-	-	-	1	16	5	2	9	2	69	67	10	-	53	4
36	Balance of county	415	2	-	-	-	47	24	7	16	8	256	250	53	-	182	10
37	Auglaize	350	3	3	-	3	46	19	4	23	10	204	197	42	-	134	2
38	Belmont	1,038	3	2	-	2	147	54	17	76	17	620	616	169	-	408	12
39	Bellaire	171	2	-	-	1	29	9	3	17	4	94	94	23	-	66	2
40	Martins Ferry	164	-	-	-	-	27	12	4	11	3	93	93	23	-	59	3
41	Balance of county	703	1	2	-	1	91	33	10	48	10	433	429	123	-	283	7
42	Brown	287	-	-	-	2	43	18	5	20	4	169	167	39	-	119	1
43	Butler	1,542	9	5	-	5	247	70	48	129	30	807	794	165	2	548	8
44	Hamilton	656	5	3	-	2	104	32	23	49	14	353	346	75	1	250	4
45	Middletown	415	2	1	-	-	79	23	13	43	5	202	200	39	-	126	2
46	Balance of county	471	2	1	-	3	64	15	12	37	11	252	248	51	1	172	2
47	Carroll	213	2	1	-	-	39	22	3	14	2	134	134	34	-	87	4
48	Champaign	338	2	1	-	-	51	12	6	33	5	194	193	50	-	126	4
49	Clark	1,243	16	8	-	5	186	58	13	115	22	706	694	125	1	491	11
50	Springfield	947	13	5	-	3	147	46	10	91	13	523	514	92	1	363	9
51	Balance of county	296	3	3	-	2	39	12	3	24	9	183	180	33	-	128	2
52	Clermont	500	-	1	-	2	72	29	10	33	10	280	274	66	-	188	7
53	Clinton	313	-	-	1	2	39	15	3	21	5	205	205	52	-	137	5
54	Columbiana	1,176	10	4	-	6	172	51	33	88	26	698	692	137	2	492	15
55	East Liverpool	306	5	-	-	2	38	9	10	19	5	179	177	25	-	134	2
56	Salem	172	1	1	-	1	31	12	3	16	4	108	106	17	1	75	2
57	Balance of county	698	4	3	-	3	103	30	20	53	17	411	409	95	1	283	11
58	Coshocton	375	1	-	-	1	56	27	4	25	8	218	213	67	-	135	4
59	Coshocton	163	1	-	-	-	28	15	3	10	3	93	91	27	-	60	2
60	Balance of county	212	-	-	-	1	28	12	1	15	5	125	122	40	-	75	2
61	Crawford	473	2	1	-	1	71	34	6	31	3	275	271	86	-	165	5
62	Bucyrus	139	-	-	-	1	19	8	2	9	-	87	84	21	-	54	2
63	Balance of county	334	2	1	-	-	52	26	4	22	3	188	187	65	-	111	3
64	Cuyahoga	16,091	144	51	3	44	2,773	1,048	366	1,359	473	8,496	8,391	1,532	12	6,284	267
65	Cleveland	10,452	121	37	2	31	1,709	673	242	794	325	5,349	5,285	972	10	3,953	173
66	Cleveland Heights	756	1	2	-	4	149	65	9	75	25	458	455	74	1	352	12
67	Lakewood	784	5	1	-	1	149	55	24	70	20	457	453	96	-	323	18
68	East Cleveland	440	1	1	-	-	67	26	10	31	11	254	249	48	-	175	6
69	Euclid	411	-	-	-	1	83	26	10	47	11	215	211	48	-	155	10
70	Parma	411	3	4	-	2	89	39	9	41	9	194	189	32	-	149	4
71	Shaker Heights	287	1	-	-	-	56	19	4	33	12	172	171	28	-	133	3
72	Berea	97	1	1	-	1	19	6	1	12	3	48	46	9	-	34	2
73	Garfield Heights	234	2	-	-	1	41	9	9	23	6	124	121	16	-	96	3
74	Maple Heights	133	-	-	-	-	29	10	4	15	6	63	63	12	-	46	1
75	Rocky River	151	-	-	-	2	34	10	5	19	-	88	88	13	-	67	3
76	South Euclid	210	1	2	-	1	42	15	3	24	6	119	117	19	-	92	5
77	University Heights	106	1	-	-	-	18	9	-	9	4	63	63	11	-	51	2
78	Balance of county	1,619	7	3	1	-	288	86	36	166	35	892	880	154	1	658	25
79	Darke	503	5	1	-	3	79	27	10	42	10	295	293	62	2	209	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
59	2	2	-	4	1	-	12	-	-	-	1	-	1	2	2	2	8	-	1	8	1
15	2	1	-	3	2	1	8	-	5	-	-	-	2	7	-	7	7	-	-	7	2
26	1	3	1	3	-	-	5	1	-	1	-	-	-	-	1	-	1	-	-	2	3
9	2	4	-	3	-	-	2	-	1	1	-	-	-	2	-	2	2	-	-	2	4
7	-	-	-	1	-	-	2	-	1	1	-	-	-	3	1	1	2	-	-	3	5
3	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	2	-	-	1	6
36	2	2	4	2	-	-	4	1	-	-	-	-	2	11	-	3	5	-	-	7	7
14	4	7	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	1	-	4	8
54	7	6	4	11	1	-	9	-	-	1	-	-	4	11	-	9	3	1	-	11	9
30	3	3	3	7	1	-	6	-	-	1	-	-	-	3	-	4	-	1	-	9	10
24	4	3	1	4	-	-	3	-	-	-	-	-	4	8	-	5	3	-	-	2	11
9	-	11	-	-	-	-	3	-	1	1	-	-	-	-	3	-	1	1	-	4	12
38	3	6	-	4	-	1	6	-	-	-	-	-	-	1	-	5	3	3	-	10	13
44	4	15	-	5	-	4	6	-	1	1	1	-	3	4	2	10	6	2	-	23	14
76	14	11	2	9	3	-	23	4	1	2	1	-	11	26	2	10	11	2	-	21	15
51	8	6	2	6	3	-	18	3	1	1	1	-	10	19	1	6	7	2	-	15	16
25	6	5	-	3	-	-	5	1	-	1	-	-	1	7	1	4	4	-	-	6	17
20	5	5	3	4	2	1	3	-	1	-	-	-	4	3	-	2	1	1	-	8	18
36	4	16	-	13	-	2	11	-	1	4	-	-	4	15	2	8	9	1	-	12	19
24,951	4,102	4,442	671	2,341	921	755	2,887	535	374	1,079	130	70	1,355	3,692	565	2,124	2,927	998	345	6,089	20
16,781	2,910	2,533	401	1,445	655	484	1,913	398	268	865	75	51	959	2,730	416	1,232	1,853	643	287	4,189	21
8,170	1,192	1,909	270	896	266	271	974	137	106	214	55	19	396	962	149	892	1,074	355	58	1,900	22
70	4	15	4	7	2	2	9	2	1	2	-	-	-	6	-	11	13	1	-	14	23
262	40	65	6	30	9	6	34	6	5	7	1	2	15	30	2	28	27	9	2	68	24
159	23	34	2	16	5	5	21	3	3	5	-	2	10	21	1	14	15	5	1	40	25
103	17	31	4	14	4	1	13	3	2	2	1	-	5	9	1	14	12	4	1	28	26
110	10	21	3	12	2	4	15	2	1	4	-	-	9	15	4	17	14	6	-	18	27
58	5	12	2	6	-	1	7	2	-	2	-	-	7	9	2	5	10	2	-	9	28
52	5	9	1	6	2	3	8	-	1	2	-	-	2	6	2	12	4	4	-	9	29
275	51	47	6	25	4	10	45	7	1	10	-	1	10	30	-	26	28	6	3	55	30
62	12	13	2	7	1	1	9	3	-	5	-	-	3	12	-	9	8	1	1	13	31
43	7	5	-	3	2	3	3	1	1	2	-	-	1	1	-	2	1	2	-	5	32
170	32	29	4	15	1	6	33	3	-	3	-	1	6	17	-	15	19	3	2	37	33
173	18	30	4	13	2	8	14	3	-	4	1	-	4	17	3	17	23	3	-	34	34
39	6	4	1	3	-	2	3	-	-	1	-	-	2	5	-	1	1	-	-	8	35
134	12	26	3	10	2	6	11	3	-	3	1	-	2	12	3	16	22	3	-	26	36
95	13	24	5	13	3	7	9	1	2	3	-	1	6	10	-	7	9	3	-	30	37
313	26	57	6	26	7	4	41	2	4	15	1	-	13	31	2	12	43	15	3	65	38
55	3	6	1	1	3	-	7	-	-	3	-	-	1	6	-	1	7	2	-	14	39
48	2	6	3	8	-	-	7	-	-	3	-	-	5	4	1	1	8	1	-	11	40
210	21	45	2	17	4	4	27	2	4	9	1	-	7	21	1	10	28	12	3	40	41
85	17	16	1	7	1	2	5	2	-	2	2	-	3	11	4	8	10	4	-	18	42
415	59	66	10	53	16	13	48	9	12	14	1	1	26	79	14	57	58	8	3	109	43
188	31	27	1	13	6	7	13	5	6	4	-	1	9	42	5	16	19	3	3	49	44
101	15	8	7	22	6	2	18	-	3	6	1	-	5	17	4	19	20	1	-	32	45
126	13	31	2	18	4	4	17	4	3	4	-	-	12	20	5	22	19	4	-	28	46
51	9	23	4	6	3	-	4	-	1	2	-	-	4	-	1	7	7	3	1	5	47
96	6	20	3	11	3	1	18	2	2	1	-	-	6	6	1	14	7	2	1	25	48
380	47	53	10	37	30	12	54	10	4	17	2	1	13	49	3	25	33	13	1	75	49
277	37	40	7	28	23	9	45	8	4	13	1	1	11	41	2	19	26	11	1	60	50
103	10	13	3	9	7	3	9	2	-	4	1	-	2	8	1	6	7	2	-	15	51
129	23	29	2	16	2	6	21	6	1	2	-	1	8	18	2	7	23	5	1	40	52
99	12	21	2	11	3	-	12	1	-	6	-	1	1	7	-	9	8	2	-	14	53
402	42	33	10	45	6	6	30	4	2	8	2	2	14	43	2	24	42	8	1	78	54
110	11	11	2	15	1	2	4	2	-	1	-	-	3	19	1	10	6	5	-	26	55
64	4	5	3	8	2	2	4	1	1	-	-	-	1	4	-	2	2	-	1	10	56
228	27	17	5	22	3	2	22	1	1	7	2	2	10	20	1	12	34	3	-	42	57
88	7	36	3	6	2	5	22	1	2	2	1	-	3	8	-	7	14	5	1	25	58
40	3	15	2	1	1	2	9	-	1	1	1	-	2	2	-	2	7	1	1	11	59
48	4	21	1	5	1	3	13	1	1	1	-	-	1	6	-	5	7	4	-	14	60
117	18	25	5	12	3	4	13	1	1	2	2	1	3	16	1	20	26	3	3	28	61
37	-	15	2	6	1	3	5	1	1	1	1	1	-	4	-	1	7	-	1	9	62
80	18	10	3	6	2	1	8	-	-	1	1	-	3	12	1	19	19	3	2	19	63
4,573	886	558	97	281	185	105	458	92	68	306	18	18	236	678	64	248	522	158	100	1,141	64
2,813	583	384	71	166	113	64	343	55	44	248	13	16	160	456	47	166	357	105	97	771	65
277	42	21	4	13	11	3	10	6	3	9	2	-	4	8	-	2	20	8	-	45	66
247	38	20	3	22	9	4	12	4	2	9	1	1	3	28	4	9	24	4	-	50	67
125	29	15	1	15	10	5	14	6	1	4	-	-	5	13	1	2	22	7	-	31	68
112	17	16	2	1	5	4	8	1	1	3	-	-	10	18	-	6	11	6	-	37	69
117	15	13	-	4	4	5	12	3	2	3	-	1	7	37	1	6	10	3	-	25	70
97	20	13	1	6	3	1	2	3	4	1	-	-	5	4	1	1	11	2	-	12	71
28	2	2	-	2	1	2	2	-	-	2	-	-	3	4	-	4	5	-	-	4	72
72	15	6	3	6	-	3	5	-	-	3	-	-	3	15	1	3	6	2	-	22	73
40	2	3	2	2	1	-	-	1	2	2	-	-	3	5	1	2	3	1	-	15	74
54	6	4	-	6	2	-	4	-	-	3	1	-	1	4	-	1	7	-	-	6	75
68	12	7	2	3	1	2	7	1	1	-	-	-	5	7	1	2	2	1	-	12	76
38	10	1	-	1	-	-	4	-	1	-	-	-	-	1	2	1	4	-	-	7	77
485	95	53	8	34	25	12	35	12	7	19	1	-	27	78	5	43	40	19	3	104	78
141	36	30	7	4	9	2	10	1	2	4	-	-	8	9	2	18	23	7	-	26	79

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OHIO—Continued																
1	Defiance	318	2	-	-	4	51	17	4	30	4	190	183	33	-	127	3
2	Defiance	127	1	-	-	2	26	8	2	16	2	72	68	7	-	48	1
3	Balance of county	191	1	-	-	2	25	9	2	14	2	118	115	26	-	79	2
4	Delaware	376	1	-	-	-	53	16	7	30	5	235	230	39	1	175	6
5	Delaware	144	-	-	-	-	25	10	1	14	1	88	87	14	-	63	1
6	Balance of county	232	1	-	-	-	28	6	6	16	4	147	143	25	1	112	5
7	Erie	682	3	1	-	4	96	32	16	48	12	396	395	80	-	266	14
8	Sandusky	371	2	1	-	-	51	16	9	26	8	217	217	48	-	135	9
9	Balance of county	311	1	-	-	4	45	16	7	22	4	179	178	32	-	131	5
10	Fairfield	603	6	-	-	2	85	24	6	55	10	368	362	85	-	250	6
11	Lancaster	303	5	-	-	1	39	9	4	26	8	180	175	44	-	116	4
12	Balance of county	300	1	-	-	1	46	15	2	29	2	188	187	41	-	134	2
13	Fayette	267	1	1	-	-	35	9	3	23	3	168	165	49	-	99	1
14	Washington Court House	154	1	1	-	-	20	3	1	16	1	99	96	34	-	51	-
15	Balance of county	113	-	-	-	-	15	6	2	7	2	69	69	15	-	48	1
16	Franklin	5,641	46	16	-	19	901	301	142	458	117	3,062	3,022	696	2	2,114	61
17	Columbus	4,410	40	15	-	12	702	244	112	346	101	2,402	2,366	549	-	1,650	45
18	Bexley	84	-	-	-	-	19	6	4	9	1	50	49	14	-	30	-
19	Balance of county	1,147	6	1	-	7	180	51	26	103	15	610	607	133	2	434	16
20	Fulton	303	4	1	-	-	33	6	3	24	11	167	165	27	-	125	3
21	Gallia	275	5	-	-	1	39	11	4	24	5	152	150	44	-	95	6
22	Geauga	295	-	-	-	1	50	15	6	29	4	165	164	45	-	110	3
23	Greene	523	2	2	-	-	70	16	6	48	11	283	282	83	-	165	7
24	Xenia	165	-	-	-	-	21	4	2	15	3	102	102	37	-	56	3
25	Balance of county	358	2	2	-	-	49	12	4	33	8	181	180	46	-	109	4
26	Guernsey	496	1	1	-	5	80	27	9	44	5	293	292	92	-	164	4
27	Cambridge	242	-	-	-	2	40	11	5	24	4	151	151	40	-	100	1
28	Balance of county	254	1	1	-	3	40	16	4	20	1	142	141	52	-	84	3
29	Hamilton	8,845	73	46	1	40	1,496	486	225	785	188	4,741	4,674	944	4	3,291	97
30	Cincinnati	6,423	59	42	1	28	1,035	332	160	543	140	3,442	3,395	675	2	2,376	64
31	Norwood	356	-	-	-	-	73	29	13	31	5	193	192	44	-	140	2
32	Balance of county	2,066	14	4	-	12	388	125	52	211	43	1,106	1,087	225	2	775	31
33	Hancock	556	3	2	-	2	82	29	10	43	4	334	324	71	-	224	5
34	Findlay	287	3	1	-	2	39	18	2	19	-	174	168	39	-	114	4
35	Fostoria (part)	62	-	-	-	-	9	-	2	7	1	37	37	7	-	30	-
36	Balance of county	207	-	1	-	-	34	11	6	17	3	123	119	25	-	80	1
37	Hardin	351	2	-	-	1	55	20	4	31	6	214	210	51	-	143	5
38	Harrison	239	3	1	-	2	38	13	4	21	1	151	147	51	-	82	2
39	Henry	253	-	-	-	1	51	17	2	32	8	131	128	35	-	86	1
40	Highland	364	1	-	-	1	60	30	2	28	11	213	212	38	-	142	1
41	Hocking	235	1	-	-	1	30	13	8	9	5	147	147	32	-	99	1
42	Holmes	191	2	-	-	1	25	8	3	14	3	109	108	25	-	76	3
43	Huron	516	-	1	-	-	77	28	10	39	13	306	301	57	-	222	4
44	Jackson	340	1	3	-	1	44	16	9	19	12	208	208	46	-	149	6
45	Jefferson	1,054	7	4	-	1	175	60	33	82	24	595	582	111	1	446	12
46	Steubenville	432	5	3	-	-	71	28	15	28	12	247	244	42	-	187	8
47	Balance of county	622	2	1	-	1	104	32	18	54	12	348	338	69	1	259	4
48	Knox	392	3	-	-	-	59	19	7	33	6	217	210	56	-	133	2
49	Mount Vernon	161	1	-	-	-	27	12	3	12	1	91	87	24	-	53	1
50	Balance of county	231	2	-	-	-	32	7	4	21	5	126	123	32	-	80	1
51	Lake	915	5	-	-	2	143	45	19	79	23	473	462	104	-	311	8
52	Painesville	201	2	-	-	1	34	15	5	14	3	109	105	27	-	65	-
53	Balance of county	714	3	-	-	1	109	30	14	65	20	364	357	77	-	246	8
54	Lawrence	518	8	2	-	5	79	28	6	45	6	284	263	63	-	186	3
55	Ironton	203	3	2	-	1	30	15	3	12	4	115	109	24	-	78	3
56	Balance of county	315	5	-	-	4	49	13	3	33	2	169	154	39	-	108	-
57	Licking	930	5	1	-	4	127	41	15	71	17	526	520	110	1	361	13
58	Newark	497	3	1	-	1	77	22	9	46	11	278	274	54	-	189	9
59	Balance of county	433	2	-	-	3	50	19	6	25	6	248	246	56	1	172	4
60	Logan	441	-	-	-	1	61	22	4	35	15	253	246	71	-	153	5
61	Bellefontaine	161	-	-	-	1	24	7	2	15	8	90	86	30	-	50	2
62	Balance of county	280	-	-	-	-	37	15	2	20	7	163	160	41	-	103	3
63	Lorain	1,721	12	6	-	9	271	110	29	132	48	892	885	195	-	633	24
64	Lorain	575	5	2	-	-	100	41	9	50	21	279	275	55	-	209	10
65	Elyria	413	-	2	-	-	57	26	5	26	11	233	233	51	-	166	2
66	Balance of county	733	7	2	-	9	114	43	15	56	16	380	377	89	-	258	12
67	Lucas	4,621	21	17	4	13	737	257	109	371	133	2,561	2,511	512	2	1,730	57
68	Toledo	3,624	18	15	4	5	565	209	87	269	102	2,032	1,998	410	2	1,369	47
69	Balance of county	997	3	2	-	8	172	48	22	102	31	529	513	102	-	361	10
70	Madison	252	2	-	-	-	46	14	7	25	2	141	140	43	-	87	5
71	Mahoning	2,977	30	9	-	6	520	184	73	263	80	1,573	1,544	329	-	1,103	42
72	Youngstown (part)	1,986	22	8	-	5	358	134	57	167	54	1,018	998	212	-	721	29
73	Youngstown (total)	1,993	22	8	-	5	358	134	57	167	54	1,024	1,004	213	-	726	29
74	Campbell	129	1	-	-	-	22	7	2	13	8	62	59	16	-	40	1
75	Struthers	137	-	-	-	-	25	6	2	17	2	75	73	17	-	49	2
76	Balance of county	725	7	1	-	1	115	37	12	66	16	418	414	84	-	293	10
77	Marion	571	4	1	-	1	77	21	10	46	10	349	343	91	-	229	2
78	Marion	378	3	1	-	-	52	9	9	34	7	236	230	63	-	149	2
79	Balance of county	193	1	-	-	1	25	12	1	12	3	113	113	28	-	80	-
80	Medina	481	2	1	-	4	68	24	9	35	12	270	265	65	-	180	11

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral arterio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-specified nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enteri-tis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
89	11	24	-	16	7	7	6	-	3	2	1	-	5	8	-	10	6	6	-	20	1
33	6	8	-	10	3	4	1	-	2	-	-	-	4	4	-	2	4	2	-	5	2
56	5	16	-	6	4	3	5	-	1	2	1	-	1	4	-	8	2	4	-	15	3
124	20	25	2	12	1	5	12	-	-	3	3	-	6	18	-	10	8	6	-	16	4
45	7	10	2	8	-	1	5	-	-	2	2	-	1	9	-	4	1	-	-	6	5
79	13	15	-	4	1	4	7	-	-	1	1	-	5	9	-	6	7	6	-	10	6
188	32	32	7	33	9	1	14	5	5	6	-	1	8	28	5	32	18	7	4	37	7
96	15	15	5	23	6	-	10	4	4	6	-	1	4	12	2	17	7	3	1	21	8
92	17	17	2	10	3	1	4	1	1	-	-	-	4	16	3	15	11	4	3	16	9
183	24	37	3	15	9	6	14	3	3	6	3	1	4	25	5	15	14	6	1	32	10
84	10	18	1	12	2	5	11	2	2	4	-	-	2	11	4	5	6	2	1	20	11
99	14	19	2	3	7	1	3	1	1	2	3	1	2	14	1	10	8	4	-	12	12
81	4	13	2	13	2	3	8	1	1	1	-	-	4	8	-	1	13	7	1	14	13
41	2	8	1	9	1	3	8	1	1	1	-	-	1	4	-	1	8	2	-	5	14
40	2	5	1	4	1	-	-	-	-	-	-	-	3	4	-	-	5	5	1	9	15
1,373	411	269	33	112	65	40	173	29	28	76	5	5	86	273	102	105	158	62	11	367	16
1,046	353	206	30	85	52	36	138	21	19	67	4	5	62	207	73	74	120	50	8	290	17
22	3	5	-	3	2	1	2	-	-	-	-	-	-	1	-	1	2	2	-	6	18
305	55	58	3	24	11	3	33	8	9	9	1	-	24	65	29	30	36	10	3	71	19
73	19	30	2	8	3	2	12	3	2	1	-	-	5	13	2	13	9	4	-	23	20
73	6	10	-	10	1	2	16	1	-	2	-	-	-	6	2	9	15	3	4	15	21
63	19	25	3	5	1	1	7	1	2	4	2	-	3	11	4	8	13	5	-	15	22
142	6	10	4	21	9	1	18	5	5	2	1	1	11	39	2	17	18	10	3	23	23
44	2	7	3	1	5	-	2	1	2	-	-	-	3	11	2	2	7	1	-	8	24
98	4	3	1	20	4	1	16	4	3	2	1	1	8	28	-	15	11	9	3	15	25
134	13	33	1	12	3	1	11	4	-	3	1	-	4	13	1	13	18	4	1	38	26
70	10	19	1	8	2	-	5	2	-	2	-	-	1	6	-	5	8	1	-	15	27
64	3	14	-	4	1	1	6	2	-	1	1	-	3	7	1	8	10	3	1	23	28
2,416	432	346	59	271	105	67	288	71	51	112	13	8	104	348	28	136	286	85	53	677	29
1,733	336	243	47	213	82	47	231	56	38	84	10	3	57	244	21	97	216	57	49	513	30
108	11	19	-	7	1	1	8	5	1	8	1	-	7	10	2	9	10	5	-	19	31
575	85	84	12	51	22	19	49	10	12	20	2	5	40	94	5	30	60	23	4	145	32
161	20	38	3	18	8	10	10	3	3	4	2	-	4	18	8	10	19	6	-	42	33
82	8	20	1	10	4	6	5	-	-	2	-	-	2	8	6	4	8	4	-	29	34
23	-	7	-	-	-	-	-	2	1	1	-	-	1	2	1	3	3	-	-	1	35
56	12	11	2	8	4	4	5	1	2	1	2	-	1	8	1	3	8	2	-	12	36
106	12	20	2	11	3	4	11	1	4	2	1	1	-	4	-	11	15	1	-	22	37
67	3	10	4	7	3	4	6	-	-	-	-	-	1	7	2	5	9	3	-	10	38
47	13	25	2	2	3	3	11	3	1	3	-	-	4	8	1	8	11	1	1	10	39
86	23	32	4	27	1	1	16	-	2	2	1	-	3	7	1	9	8	5	-	24	40
65	13	20	3	12	1	-	5	1	1	-	-	-	3	6	-	8	9	3	2	13	41
49	8	16	1	3	3	1	17	-	-	-	-	-	3	5	3	-	3	2	1	17	42
145	25	48	3	16	3	5	18	2	1	3	-	-	12	13	1	15	24	6	1	23	43
107	22	14	5	5	3	-	15	-	2	3	1	-	4	4	1	5	15	2	1	18	44
319	47	68	6	14	4	13	35	7	3	16	1	1	10	39	8	22	33	17	3	53	45
130	19	30	4	8	3	3	11	2	3	10	-	1	2	15	3	6	13	7	1	20	46
189	28	38	2	6	1	10	24	5	-	6	1	-	8	24	5	16	20	10	2	33	47
105	7	19	7	13	1	7	13	-	1	2	2	-	4	13	3	12	17	6	-	34	48
45	2	5	3	7	-	4	4	-	-	1	2	-	2	3	2	2	7	2	-	16	49
60	5	14	4	6	1	3	9	-	1	1	-	-	2	10	1	10	10	4	-	18	50
237	33	33	6	31	10	11	37	5	1	15	1	-	19	75	4	20	25	15	2	50	51
52	8	5	2	11	-	4	6	2	-	3	1	-	3	9	-	4	4	-	2	18	52
185	25	28	4	20	10	7	31	3	1	12	-	-	16	66	4	16	21	15	-	32	53
137	21	25	4	7	3	21	28	2	1	4	1	1	8	16	2	14	18	5	2	32	54
52	8	15	1	4	2	6	6	-	-	3	1	1	3	6	1	3	6	2	2	14	55
85	13	10	3	3	1	15	22	2	1	1	-	-	5	10	1	11	12	3	-	18	56
268	41	39	7	23	18	6	28	8	2	16	-	-	18	31	3	31	29	10	1	73	57
135	23	22	6	16	9	4	13	4	1	7	-	-	7	15	1	16	19	4	-	39	58
133	18	17	1	7	9	2	15	4	1	9	-	-	11	16	2	15	10	6	1	34	59
96	30	22	5	15	2	7	12	2	2	2	-	1	5	10	2	20	25	1	-	29	60
29	9	10	1	4	1	4	5	2	-	1	-	-	1	3	2	7	5	1	-	11	61
67	21	12	4	11	1	3	7	-	2	1	-	1	4	7	-	13	20	-	-	18	62
458	78	73	7	36	14	7	52	10	3	21	-	-	36	101	23	65	44	20	3	105	63
144	26	29	1	9	1	4	17	4	1	12	-	-	10	36	6	19	19	6	2	36	64
124	23	17	1	12	3	-	15	1	1	3	-	-	13	20	5	16	9	3	1	23	65
190	29	27	5	15	10	3	20	5	1	6	-	-	13	45	12	30	16	11	-	46	66
1,192	218	263	35	182	50	50	102	38	24	73	3	1	71	184	10	97	136	51	14	331	67
924	186	212	27	151	39	34	73	35	16	61	3	1	48	133	8	67	115	32	13	278	68
268	32	51	8	31	11	16	29	3	8	12	-	-	23	51	2	30	21	19	1	53	69
71	2	9	4	5	1	1	6	-	-	2	-	-	2	5	2	8	9	5	-	22	70
827	113	121	23	57	32	29	100	15	10	37	5	1	53	133	7	56	113	28	21	180	71
546	70	76	16	32	17	20	67	12	7	28	2	-	35	92	5	27	76	21	17	132	72
549	71	77	16	32	17	20	67	12	7	28	2	-	35	92	5	27	77	21	17	132	73
20	11	8	2	1	-	3	5	-	-	3	1	1	3	6	-	1	3	1	2	10	74
37	5	5	2	5	-	2	6	1	1	2	-	-	3	9	-	3	4	-	-	6	75
224	27	32	3	19	15	4	22	2	2	4	2	-	12	26	2	25	30	6	2	32	76
171	28	28	5	14	4	6	13	1	1	7	-	-	4	27	1	14	19	3	3	36	77
116	17	14	2	13	3	6	9	1	-	6	-	-	2	17	-	8	9	2	3	22	78
55	11	14	3	1	1	-	4	-	1	1	-	-	2	10	1	6	10	1	-	14	79
134	12	23	3	12	5	5	15	1	1	4	4	-	9	21	2	16	12	7	-	32	80

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OHIO—Continued																
1	Meigs	259	2	-	-	1	39	14	5	20	5	165	160	34	-	114	2
2	Mercer	306	-	-	-	1	43	20	3	20	6	190	181	40	-	128	2
3	Miami	684	5	4	-	3	103	29	12	62	14	402	400	100	-	267	7
4	Piqua	219	2	4	-	-	38	8	6	24	6	121	120	32	-	80	3
5	Troy	134	1	-	-	-	19	6	1	12	4	80	79	20	-	54	1
6	Balance of county	331	2	-	-	3	46	15	5	26	4	201	201	48	-	133	3
7	Monroe	207	2	-	-	1	24	10	1	13	3	138	137	36	-	90	1
8	Montgomery	4,373	33	16	-	21	704	233	99	372	92	2,295	2,263	520	2	1,588	40
9	Dayton	2,932	27	12	-	13	490	159	71	260	65	1,509	1,486	344	2	1,038	23
10	Balance of county	1,441	6	4	-	8	214	74	28	112	27	786	777	176	-	550	17
11	Morgan	138	-	-	-	-	19	7	2	10	1	81	81	18	-	55	5
12	Morrow	202	3	-	1	-	26	5	4	17	4	116	115	31	-	72	2
13	Muskingum	848	4	2	-	4	102	37	7	58	22	498	493	109	1	354	11
14	Zanesville	490	3	1	-	3	52	19	4	29	14	295	294	57	-	224	4
15	Balance of county	358	1	1	-	1	50	18	3	29	8	203	199	52	1	130	7
16	Noble	116	-	-	-	1	18	5	6	7	4	66	65	17	-	43	2
17	Ottawa	342	2	-	-	3	52	18	8	26	12	192	191	37	-	136	1
18	Paulding	179	1	-	-	1	26	7	6	13	5	91	88	15	-	63	2
19	Perry	324	2	1	-	-	54	16	4	34	5	189	186	35	1	139	3
20	Pickaway	340	1	1	-	3	48	20	6	22	12	186	184	66	-	98	4
21	Pike	153	3	-	-	-	21	5	2	14	2	90	78	24	1	45	2
22	Portage	713	3	-	-	2	114	43	8	63	12	398	395	113	-	257	13
23	Kent	117	1	-	-	1	20	10	2	8	2	65	65	13	-	47	3
24	Balance of county	596	2	-	-	1	94	33	6	55	10	333	330	100	-	210	10
25	Preble	293	1	-	-	3	38	10	5	23	3	187	185	37	-	136	2
26	Putnam	270	2	-	-	-	51	16	8	27	7	139	139	40	-	87	2
27	Richland	1,025	7	4	-	3	150	64	18	68	30	563	555	149	2	349	10
28	Mansfield	546	4	2	-	2	89	35	13	41	16	292	290	63	-	182	2
29	Balance of county	479	3	2	-	1	61	29	5	27	14	271	265	66	2	167	8
30	Ross	543	3	1	-	1	79	25	4	50	10	309	303	74	-	196	2
31	Chillicothe	282	1	1	-	1	36	11	2	23	7	168	164	37	-	106	-
32	Balance of county	261	2	-	-	-	43	14	2	27	3	141	139	37	-	90	2
33	Sandusky	570	1	-	-	3	87	29	7	51	22	322	309	55	-	228	5
34	Fremont	238	-	-	-	2	35	10	4	21	7	130	126	24	-	93	1
35	Balance of county	332	1	-	-	1	52	19	3	30	15	192	183	31	-	135	4
36	Scioto	849	6	4	-	6	128	47	15	66	14	461	447	116	-	295	9
37	Portsmouth	423	4	2	-	2	69	25	9	35	6	225	222	57	-	141	3
38	Balance of county	426	2	2	-	4	59	22	6	31	8	236	225	59	-	154	6
39	Seneca	553	5	1	1	2	85	25	9	51	8	310	307	71	-	218	3
40	Fostoria (part)	95	1	-	1	-	16	5	1	10	1	54	54	16	-	33	-
41	Fostoria (total)	157	1	-	1	-	25	5	3	17	2	91	91	23	-	63	-
42	Tiffin	226	4	1	-	1	34	10	5	19	6	125	122	32	-	85	1
43	Balance of county	232	-	-	-	1	35	10	3	22	1	131	131	23	-	100	2
44	Shelby	286	3	-	-	1	37	12	1	24	10	155	155	27	-	120	1
45	Sidney	145	2	-	-	1	19	5	-	14	7	75	75	9	-	64	1
46	Balance of county	141	1	-	-	-	18	7	1	10	3	80	80	18	-	56	-
47	Stark	3,131	18	3	-	8	532	172	66	294	63	1,707	1,684	399	-	1,157	44
48	Canton	1,375	8	-	-	2	250	76	31	143	31	721	714	155	-	507	18
49	Alliance	339	3	1	-	2	51	18	8	25	6	177	174	46	-	110	1
50	Massillon	371	5	-	-	-	46	19	8	19	6	224	221	62	-	141	5
51	Balance of county	1,046	2	2	-	4	185	59	19	107	20	585	575	136	-	399	20
52	Summit	4,203	29	14	-	12	733	257	96	380	91	2,150	2,116	423	1	1,542	51
53	Akron	2,847	23	10	-	10	493	173	58	262	58	1,469	1,445	282	-	1,060	29
54	Barberton	302	1	2	-	-	56	23	10	23	4	154	151	20	-	120	6
55	Cuyahoga Falls	298	3	1	-	1	49	21	5	23	10	161	159	40	1	106	7
56	Balance of county	756	2	1	-	1	135	40	23	72	19	366	361	81	-	256	9
57	Trumbull	1,689	7	-	-	6	282	92	36	154	47	906	890	186	1	636	32
58	Youngstown (part)	7	-	-	-	-	-	-	-	-	-	6	6	1	-	5	-
59	Warren	581	2	-	-	2	99	36	11	52	20	311	306	73	-	213	10
60	Girard	128	-	-	-	-	25	10	5	10	5	66	66	11	-	50	1
61	Niles	188	1	-	-	1	37	11	6	20	4	102	102	25	-	70	7
62	Balance of county	785	4	-	-	3	121	35	14	72	18	421	410	76	1	298	14
63	Tuscarawas	768	5	1	-	1	112	41	12	59	16	486	481	135	-	307	16
64	New Philadelphia	166	1	-	-	-	25	11	1	13	4	104	103	30	-	65	4
65	Balance of county	602	4	1	-	1	97	30	11	46	12	382	378	105	-	242	12
66	Union	250	2	-	-	1	47	17	1	29	3	140	137	32	-	87	4
67	Van Wert	328	-	2	-	1	51	18	5	28	8	208	204	48	-	136	4
68	Van Wert	140	-	-	-	-	24	8	2	14	1	98	96	20	-	68	1
69	Balance of county	188	-	2	-	1	27	10	3	14	7	110	108	28	-	68	3
70	Vinton	122	1	-	-	-	13	3	-	10	6	67	66	14	-	47	1
71	Warren	457	2	1	-	3	57	22	2	33	4	233	230	47	1	168	2
72	Washington	582	6	4	-	3	71	28	8	35	14	330	327	84	-	217	8
73	Marietta	211	3	2	-	2	19	7	1	11	3	136	136	37	-	92	2
74	Balance of county	371	3	2	-	1	52	21	7	24	11	194	191	47	-	125	6
75	Wayne	730	3	1	-	4	101	30	10	61	16	399	389	94	-	246	3
76	Wooster	189	2	-	-	1	20	7	1	12	3	115	113	26	-	71	-
77	Balance of county	541	1	1	-	3	81	23	9	49	13	284	276	68	-	175	3
78	Williams	324	1	2	1	6	41	19	-	22	14	174	168	34	-	114	2
79	Wood	678	5	4	1	1	100	28	13	59	14	384	382	100	-	238	2
80	Bowling Green	116	2	-	-	1	15	3	6	6	1	71	71	22	-	44	-
81	Balance of county	562	3	4	1	-	85	25	7	53	13	313	311	78	-	194	2
82	Wyandot	257	2	1	-	-	34	15	2	17	12	148	143	30	-	103	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
73	4	35	5	4	3	5	6	-	1	3	-	-	4	8	1	5	12	1	-	6	1
81	13	32	2	9	2	9	8	1	2	3	-	-	3	11	2	7	7	6	1	15	2
209	16	35	9	17	7	2	15	6	6	4	1	-	13	16	1	24	14	10	1	42	3
60	3	14	2	5	1	1	4	3	3	3	1	-	3	5	1	5	5	4	-	11	4
46	2	5	1	3	1	1	4	2	-	1	-	-	1	3	-	5	4	2	-	8	5
103	11	16	6	9	5	-	7	1	3	-	-	-	9	8	-	14	5	4	1	23	6
59	7	23	-	10	1	1	2	2	-	-	1	-	-	5	2	3	11	4	-	9	7
1,208	171	169	31	85	37	32	102	29	22	44	5	6	86	264	19	114	131	42	33	315	8
793	102	120	19	57	26	23	69	19	17	33	3	4	53	161	12	72	96	26	28	223	9
415	69	49	12	28	11	9	33	10	5	11	2	2	33	103	7	42	35	16	5	92	10
33	6	11	1	6	1	-	4	-	-	-	-	-	3	3	4	6	6	3	-	8	11
43	10	17	4	5	3	1	11	2	1	1	-	-	2	4	3	8	9	3	-	8	12
258	34	51	5	20	4	5	37	5	3	6	-	1	11	33	4	11	30	11	3	61	13
166	27	27	4	6	3	1	20	3	2	5	-	1	5	23	3	4	19	6	1	30	14
92	7	24	1	14	1	4	17	2	1	1	-	-	6	10	1	7	11	5	2	31	15
31	3	7	1	3	1	1	2	2	1	1	-	-	3	3	2	2	2	1	-	8	16
96	18	21	7	7	4	1	10	2	3	2	-	-	5	10	-	10	8	6	3	22	17
42	4	15	2	7	1	3	6	1	1	-	-	-	4	4	3	5	14	5	-	12	18
70	20	46	2	9	-	3	10	2	-	-	1	-	4	8	2	7	12	7	-	20	19
67	9	18	2	18	-	2	13	1	2	1	1	-	8	16	2	3	9	3	-	30	20
27	5	11	1	6	1	2	8	2	1	-	1	-	4	5	1	6	6	1	-	12	21
180	22	42	5	14	6	3	21	5	2	6	2	-	12	31	2	28	25	12	4	34	22
29	6	9	2	2	1	-	2	-	-	2	-	-	4	2	1	6	3	2	1	5	23
151	16	33	3	12	5	3	19	5	2	4	2	-	8	29	1	22	22	10	3	29	24
93	11	30	4	6	2	2	5	-	1	-	1	-	5	9	-	9	4	6	-	21	25
64	10	11	3	4	5	-	7	-	3	1	-	1	6	12	2	7	10	1	-	21	26
231	39	69	11	33	11	8	37	5	3	9	2	-	15	33	5	32	38	11	4	74	27
129	18	33	5	16	4	2	17	5	1	4	1	-	8	15	3	15	24	6	2	40	28
102	21	36	6	17	7	6	20	-	2	5	1	-	7	18	2	17	14	5	2	34	29
124	27	43	7	16	10	6	23	2	1	1	-	-	12	15	1	6	23	9	1	46	30
70	10	26	3	10	8	4	10	1	1	1	-	-	7	7	-	4	9	8	-	20	31
54	17	17	4	6	2	2	13	1	-	-	-	-	5	8	1	2	14	1	1	26	32
168	24	31	7	12	7	13	18	1	3	6	1	1	6	23	2	16	21	6	-	31	33
66	15	11	-	4	5	4	11	1	-	2	1	-	1	12	-	8	9	2	-	17	34
102	9	20	7	8	2	9	7	-	3	4	-	1	5	11	2	8	12	4	-	14	35
181	36	69	8	18	10	14	30	5	2	9	1	-	6	33	5	27	37	8	2	65	36
91	21	26	5	10	9	3	15	4	-	4	-	-	2	14	4	17	17	3	2	33	37
90	15	43	3	8	1	11	15	1	2	5	1	-	4	19	1	10	20	5	-	32	38
159	27	29	3	13	2	3	20	2	3	5	4	-	9	17	4	21	23	7	-	26	39
21	2	10	1	4	-	-	1	-	-	-	4	-	1	2	1	6	3	-	-	4	40
44	2	17	1	4	-	-	1	2	1	1	4	-	2	4	2	9	6	-	-	5	41
66	9	9	1	2	2	3	12	2	1	2	-	-	4	6	1	5	10	3	-	9	42
72	16	10	1	7	-	-	7	-	2	3	-	-	4	9	2	10	10	4	-	13	43
83	10	26	1	5	2	-	8	2	-	3	-	1	7	14	2	9	16	3	1	14	44
44	5	14	-	-	2	-	5	-	-	2	-	1	2	5	2	7	5	3	1	8	45
39	5	12	1	5	-	-	3	2	-	1	-	-	5	9	-	2	11	-	-	6	46
859	115	139	26	81	21	23	140	17	11	40	5	1	48	124	23	57	74	41	14	205	47
379	52	58	13	32	7	7	59	10	6	21	2	1	21	59	9	30	30	13	10	92	48
75	6	28	4	12	2	3	15	1	2	5	2	-	3	9	5	3	8	4	2	40	49
105	17	14	2	11	5	3	14	3	-	3	-	-	4	12	2	10	10	6	-	26	50
300	40	39	7	26	7	10	52	3	3	11	1	-	20	44	7	14	26	18	2	47	51
1,189	151	151	24	83	43	34	157	29	11	43	8	4	87	187	81	125	90	46	13	293	52
822	99	110	13	63	27	24	110	20	11	36	6	3	54	127	59	74	51	27	12	194	53
94	12	8	5	3	3	3	10	1	-	1	1	-	7	13	4	15	13	3	-	17	54
80	10	9	-	5	7	2	6	2	-	1	-	-	9	12	4	4	7	4	-	24	55
193	30	24	6	12	6	5	31	6	-	5	1	1	17	35	14	32	19	12	1	58	56
481	56	67	14	38	15	16	46	22	5	23	4	-	37	80	22	34	44	18	6	100	57
3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	58
167	16	20	5	9	6	5	14	7	4	11	2	-	13	34	10	8	9	5	1	29	59
43	1	5	2	2	1	-	5	2	-	3	-	-	6	5	-	-	3	-	1	7	60
44	10	9	1	4	2	-	6	1	-	2	-	-	2	8	2	3	3	1	2	13	61
224	28	32	6	23	6	11	21	12	1	7	2	-	16	33	10	23	28	12	2	51	62
209	29	53	2	30	7	5	26	2	2	2	-	1	7	17	1	18	19	7	1	44	63
49	3	9	-	8	-	1	1	-	-	1	-	-	1	4	-	6	6	-	-	13	64
160	26	44	2	22	7	4	25	2	2	1	-	1	6	13	1	12	13	7	1	31	65
64	9	10	2	12	4	3	5	1	1	2	-	-	2	4	3	14	2	4	1	18	66
79	19	34	5	13	2	4	6	2	1	3	-	-	2	2	-	11	7	5	-	19	67
37	11	19	3	5	-	2	1	1	-	2	-	-	-	-	-	2	2	4	-	5	68
42	8	15	2	8	2	2	5	1	1	1	-	-	2	2	-	9	5	1	-	14	69
33	6	7	3	-	2	1	5	-	-	-	1	-	-	2	-	4	11	1	1	10	70
118	21	27	5	5	4	3	16	3	4	-	1	-	12	29	4	26	19	10	-	33	71
168	13	28	10	12	4	3	19	2	1	3	3	-	6	22	5	11	31	11	1	39	72
76	3	11	1	4	2	-	5	1	-	2	1	-	4	8	-	2	8	4	1	10	73
92	10	17	9	8	2	3	14	1	1	1	2	-	2	14	5	9	23	7	-	29	74
182	16	45	5	33	11	10	41	2	1	4	4	2	10	25	10	25	24	12	1	45	75
54	6	11	3	10	3	2	11	1	1	2	-	-	3	4	3	4	4	4	-	11	76
128	10	34	2	23	8	8	30	1	-	2	4	2	7	21	7	21	20	8	1	34	77
67	18	27	5	14	1	6	11	-	2	1	1	-	4	11	4	16	10	4	1	20	78
185	20	31	4	33	7	2	17	4	1	4	-	1	13	24	2	29	23	8	-	43	79
34	3	7	-	3	2	-	4	-	-	-	-	-	4	4	-	3	2	2	-	7	80
151	17	24	4	30	5	2	13	4	1	4	-	1	9	20	2	26	21	6	-	36	81
76	13	13	2	7	1	5	4	-	1	4	-	-	4	8	1	11	6	2	-	19	82

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	OKLAHOMA	21,560	162	56	6	135	3,281	1,063	427	1,791	308	11,187	10,916	2,819	7	7,298	169
2	Metropolitan counties	5,854	47	28	2	40	885	248	128	509	70	2,821	2,762	726	2	1,832	49
3	Nonmetropolitan counties	15,706	115	28	4	95	2,396	815	299	1,282	238	8,366	8,154	2,093	5	5,466	120
4	Adair	152	3	-	-	4	12	3	-	9	-	84	82	22	-	47	1
5	Alfalfa	112	1	1	-	2	26	8	7	11	3	60	59	12	-	39	-
6	Atoka	123	-	1	-	-	22	4	2	16	2	65	62	15	-	44	-
7	Beaver	56	-	-	-	-	6	1	-	5	1	34	32	9	-	22	-
8	Beckham	219	2	-	-	-	30	11	2	17	1	120	120	25	-	88	-
9	Blaine	162	-	-	-	-	29	11	1	17	7	88	86	24	-	60	-
10	Bryan	279	3	-	-	4	41	15	4	22	4	159	153	33	-	117	1
11	Durant	131	1	-	-	1	17	6	1	10	3	74	72	11	-	61	1
12	Balance of county	148	2	-	-	3	24	9	3	12	1	85	81	22	-	56	-
13	Caddo	332	5	-	-	2	42	13	7	22	6	151	147	35	-	100	3
14	Canadian	228	-	-	-	-	36	10	9	17	2	131	127	35	-	85	1
15	El Reno	145	-	-	-	-	27	6	6	15	1	83	80	25	-	50	-
16	Balance of county	83	-	-	-	-	9	4	3	2	1	48	47	10	-	35	1
17	Carter	368	3	1	-	2	48	21	4	23	6	195	193	54	-	122	1
18	Ardmore	211	3	1	-	1	33	12	3	18	2	111	109	31	-	71	-
19	Balance of county	157	-	-	-	1	15	9	1	5	4	84	84	23	-	51	1
20	Cherokee	189	2	-	-	-	26	5	3	18	2	106	103	27	-	66	-
21	Choctaw	174	-	1	-	-	21	5	3	13	2	101	100	25	-	66	2
22	Cimarron	38	-	-	-	1	5	-	1	4	-	22	22	10	-	11	-
23	Cleveland	296	1	1	-	1	37	15	8	14	2	158	157	46	-	100	1
24	Norman	181	-	1	-	1	25	12	5	8	1	96	95	23	-	66	1
25	Balance of county	115	1	-	-	-	12	3	3	6	1	62	62	23	-	34	-
26	Coal	68	-	-	-	-	9	2	3	4	1	36	33	2	-	28	-
27	Comanche	420	3	2	2	9	47	15	3	29	4	183	180	38	1	128	3
28	Lawton	316	3	1	2	5	36	9	3	24	3	130	129	27	1	94	3
29	Balance of county	104	-	1	-	4	11	6	-	5	1	53	51	11	-	34	-
30	Cotton	88	-	-	-	1	14	1	2	11	1	53	53	14	-	33	2
31	Craig	183	2	-	-	1	27	10	5	12	3	96	96	25	-	70	2
32	Creek	429	4	1	-	1	73	24	4	45	5	230	223	46	-	159	4
33	Sapulpa	141	1	-	-	1	13	4	-	9	3	89	88	21	-	62	1
34	Balance of county	288	3	1	-	-	60	20	4	36	2	141	135	25	-	97	3
35	Custer	233	3	-	-	2	39	13	4	22	1	125	123	28	-	82	3
36	Delaware	150	1	-	-	1	18	11	1	6	1	66	63	19	-	39	1
37	Dewey	82	-	1	-	-	9	1	2	6	2	44	43	13	-	28	-
38	Ellis	82	-	1	-	1	9	4	1	4	1	51	50	14	-	32	2
39	Garfield	487	-	-	-	1	86	31	5	50	8	248	244	61	-	166	9
40	Enid	354	-	-	-	-	70	24	5	41	4	177	174	44	-	116	5
41	Balance of county	133	-	-	-	1	16	7	-	9	4	71	70	17	-	50	4
42	Garvin	266	1	-	-	3	49	13	6	30	3	140	137	37	1	87	5
43	Grady	333	1	-	-	-	51	18	11	22	6	177	168	48	-	103	1
44	Chickasha	167	-	-	-	-	26	9	4	13	5	89	85	25	-	50	-
45	Balance of county	166	1	-	-	-	25	9	7	9	1	88	83	23	-	53	1
46	Grant	89	-	-	-	1	20	4	4	12	2	54	54	11	-	42	-
47	Greer	91	1	-	-	-	15	6	-	9	3	49	49	11	-	34	1
48	Harmon	64	-	-	-	1	11	5	-	6	1	35	35	7	-	20	-
49	Harper	56	-	-	-	-	7	2	1	4	2	33	31	14	-	13	-
50	Haskell	105	1	-	-	-	12	6	1	5	1	61	61	22	-	34	-
51	Hughes	210	2	-	-	4	33	8	4	21	1	123	117	36	-	70	3
52	Jackson	206	1	-	1	1	32	10	3	19	3	103	100	24	-	69	1
53	Jefferson	100	-	-	-	-	19	8	3	8	2	51	49	13	-	32	-
54	Johnston	94	-	-	-	1	16	5	2	9	2	56	55	13	-	40	1
55	Kay	465	1	-	-	1	101	34	16	51	11	250	241	46	-	184	1
56	Ponca City	219	-	-	-	-	54	18	9	27	5	113	108	19	-	86	-
57	Balance of county	246	1	-	-	1	47	16	7	24	6	137	133	27	-	98	1
58	Kingfisher	108	2	1	-	-	19	7	1	11	2	52	52	13	1	37	2
59	Kiowa	178	2	1	-	1	29	10	8	11	3	109	106	21	-	82	1
60	Latimer	100	2	-	-	1	16	4	2	10	1	48	46	7	-	33	-
61	Le Flore	278	5	1	-	-	38	12	5	21	4	150	149	33	-	105	1
62	Lincoln	213	2	-	-	1	46	20	4	22	5	109	108	29	-	70	1
63	Logan	281	2	1	-	2	29	10	4	15	4	156	153	48	-	98	1
64	Guthrie	152	1	1	-	2	15	7	3	5	2	93	92	31	-	57	-
65	Balance of county	129	1	-	-	-	14	3	1	10	2	63	61	17	-	41	1
66	Love	64	1	-	-	-	10	6	1	3	-	33	32	10	-	19	-
67	McClain	127	-	1	-	-	18	5	5	8	1	73	72	8	-	58	1
68	McCurtain	316	2	-	-	1	44	19	5	20	6	166	162	42	-	111	2
69	McIntosh	149	-	-	-	1	16	11	2	5	5	82	80	24	-	48	2
70	Major	74	-	-	-	2	7	3	1	3	1	47	46	13	-	32	5
71	Marshall	78	1	-	-	-	13	2	3	8	2	39	35	5	-	28	-
72	Mayes	204	1	1	-	4	32	12	5	15	3	103	103	37	-	62	3
73	Murray	138	-	1	-	1	20	3	2	15	1	73	68	13	-	43	2
74	Muskogee	709	7	4	-	4	118	36	17	65	13	348	336	89	-	222	8
75	Muskogee	488	5	2	-	1	85	26	16	43	8	241	234	59	-	157	5
76	Balance of county	221	2	2	-	3	33	10	1	22	5	107	104	30	-	65	3
77	Noble	128	1	-	-	1	17	10	-	7	1	79	77	16	-	55	-
78	Nowata	165	4	-	-	2	14	3	3	8	-	99	94	27	-	65	-
79	Okfuskee	171	1	1	-	1	26	8	-	18	4	76	65	19	-	38	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
5,297	762	1,070	169	430	193	271	810	120	110	168	46	22	240	749	815	709	875	179	98	1,484	1
1,393	147	243	34	117	51	59	182	32	33	56	13	5	99	297	353	195	208	47	24	417	2
3,904	615	827	135	313	142	212	628	88	77	112	33	17	141	452	462	514	667	132	74	1,067	3
26	10	10	10	2	1	2	13	2	-	-	-	-	1	5	2	9	4	1	1	11	4
28	5	6	3	3	2	1	3	1	-	-	1	-	-	-	2	1	2	1	-	8	5
24	8	12	2	-	1	3	7	1	2	-	-	-	-	3	4	2	1	2	1	10	6
17	3	2	-	-	1	2	3	-	-	-	-	-	-	1	1	5	2	-	-	3	7
53	22	13	4	2	1	-	13	-	-	1	1	-	1	4	4	12	9	2	1	18	8
45	2	13	-	2	-	2	7	1	2	1	-	-	-	2	4	4	8	1	-	8	9
81	24	11	1	2	-	6	13	1	3	1	1	-	-	3	8	5	15	2	-	16	10
44	11	5	-	-	-	2	5	1	2	1	1	-	-	1	4	3	8	1	-	8	11
37	13	6	1	2	-	4	8	-	1	-	-	-	-	2	4	2	7	1	-	8	12
65	7	25	5	7	-	4	21	3	1	3	1	3	5	12	12	21	10	5	1	28	13
66	7	11	1	3	3	4	9	-	3	-	-	-	2	6	6	8	9	3	-	13	14
40	4	6	1	1	3	3	3	-	2	-	-	-	1	3	6	5	4	2	-	8	15
26	3	5	-	2	-	1	6	-	1	-	-	-	1	3	-	3	5	1	-	5	16
87	10	24	2	10	5	2	13	3	-	3	1	1	9	24	7	12	17	-	3	20	17
46	8	17	1	2	4	2	7	1	-	1	-	-	4	18	2	5	10	-	-	12	18
41	2	7	1	8	1	-	6	2	-	2	1	1	5	6	5	7	7	-	3	8	19
43	7	16	3	3	4	3	11	-	3	2	-	-	1	8	4	1	6	2	3	12	20
43	8	13	-	8	1	1	4	-	-	1	-	1	1	2	15	5	7	1	-	12	21
11	-	-	-	1	-	-	2	-	-	-	-	-	-	1	-	4	2	-	-	1	22
86	7	6	3	7	1	1	9	1	-	4	-	1	1	20	4	18	7	3	-	28	23
59	4	2	2	4	-	1	3	-	-	3	-	-	-	15	2	11	4	3	-	16	24
27	3	4	1	3	1	-	6	1	-	1	-	1	1	5	2	7	3	-	-	12	25
13	9	6	-	2	1	3	2	-	-	1	-	-	1	1	3	-	7	-	-	7	26
86	17	22	4	6	3	3	16	3	4	2	-	2	10	42	8	10	27	7	10	29	27
67	13	11	2	4	1	1	14	2	4	1	-	2	8	38	8	6	18	3	10	22	28
19	4	11	2	2	2	2	2	1	-	1	-	-	2	4	-	4	9	4	-	7	29
21	4	6	1	3	2	-	6	1	-	-	-	-	1	1	2	1	3	-	-	4	30
36	12	20	-	1	-	-	10	2	2	1	-	-	1	2	11	7	8	2	2	6	31
116	23	16	4	11	3	7	18	4	2	2	1	2	5	13	11	8	14	1	5	29	32
45	11	5	-	4	1	1	7	-	-	1	-	2	1	6	3	2	2	1	-	9	33
71	12	11	4	7	2	6	11	4	2	1	1	-	4	7	8	6	12	-	5	20	34
62	4	13	2	8	3	2	10	2	1	2	1	-	2	14	6	5	6	1	-	13	35
24	6	8	1	3	1	3	14	-	1	1	1	-	-	7	14	6	5	3	2	9	36
21	1	6	-	1	1	1	6	1	-	-	-	-	-	-	-	3	11	-	-	5	37
23	6	1	-	4	-	1	4	1	1	-	-	-	-	2	-	3	3	1	1	3	38
116	9	32	2	12	3	4	14	6	2	2	4	-	7	7	20	18	19	4	1	40	39
84	7	20	2	10	2	3	9	2	2	1	1	-	4	6	17	13	14	4	1	29	40
32	2	12	-	2	1	1	5	4	-	1	3	-	3	1	3	5	5	-	-	11	41
60	10	12	2	8	2	3	5	2	-	1	1	-	3	8	2	16	8	3	-	21	42
65	12	25	4	10	3	9	6	3	2	2	-	1	4	14	7	12	13	1	3	30	43
30	6	14	2	5	3	4	4	1	1	1	-	-	1	6	5	6	8	-	-	14	44
35	6	11	2	5	-	5	2	2	1	1	-	1	3	8	2	6	5	1	3	16	45
34	2	6	-	-	1	-	-	1	-	-	-	-	1	1	-	1	3	-	-	5	46
28	-	5	-	3	1	-	5	-	-	1	-	-	-	2	-	3	7	-	-	5	47
17	-	3	-	7	1	-	-	1	-	1	-	-	1	6	-	-	3	-	-	4	48
8	1	4	-	-	4	2	3	1	-	-	-	-	-	1	1	1	3	-	-	4	49
19	7	8	4	1	-	-	3	1	-	-	-	-	1	2	7	-	3	2	-	11	50
54	6	7	5	2	4	6	5	-	-	3	-	-	1	3	12	6	5	1	-	11	51
55	3	10	-	5	2	3	8	1	2	3	1	-	2	11	4	8	9	2	1	13	52
22	4	6	-	3	1	2	9	-	-	-	-	-	3	3	1	4	2	-	-	6	53
30	7	2	-	2	-	1	3	-	2	2	-	-	1	-	1	2	2	-	-	6	54
142	18	23	1	6	4	9	10	2	3	2	2	1	6	10	9	14	12	3	1	26	55
71	8	7	-	2	1	5	5	-	3	-	2	-	2	7	3	6	4	1	-	14	56
71	10	16	1	4	3	4	5	2	-	2	-	1	4	3	6	8	8	2	1	12	57
32	2	1	-	1	-	-	6	-	-	2	-	-	-	-	1	5	5	2	1	10	58
62	8	11	-	2	1	3	3	-	-	2	-	-	-	1	4	5	5	3	2	8	59
19	4	10	1	3	2	2	1	-	-	-	2	-	1	-	7	5	7	-	1	8	60
83	8	13	4	4	3	1	16	2	2	3	1	1	3	2	7	7	9	7	-	20	61
51	6	12	1	7	1	1	8	2	-	2	1	-	3	3	4	5	7	1	1	13	62
56	30	11	1	2	4	3	12	-	1	2	-	-	2	4	18	6	21	4	-	17	63
29	21	7	1	-	3	1	7	-	1	2	-	-	1	1	10	-	7	2	-	7	64
27	9	4	-	2	1	2	5	-	-	-	-	-	1	3	8	6	14	2	-	10	65
15	2	2	-	2	1	1	6	-	-	-	-	-	-	-	1	2	4	1	-	6	66
52	3	2	4	1	1	1	3	1	-	2	1	-	-	3	1	6	6	2	1	8	67
63	14	32	-	3	6	4	10	1	3	3	-	-	6	12	19	6	14	4	3	16	68
32	5	9	1	5	2	2	9	2	-	1	-	-	2	1	2	4	8	1	2	11	69
18	6	3	-	-	1	1	-	-	2	1	-	-	-	1	1	1	5	1	-	5	70
22	4	2	-	-	2	4	3	-	1	-	-	-	1	2	1	5	4	-	1	5	71
48	4	7	2	-	2	-	11	2	1	-	-	-	1	5	6	7	7	2	-	18	72
34	5	2	3	8	1	5	5	-	-	1	-	-	-	6	2	6	8	2	-	12	73
160	23	31	6	18	3	10	27	3	3	7	1	1	9	19	20	30	30	7	2	56	74
119	18	15	3	13	2	7	17	3	3	4	-	-	8	13	15	16	19	7	2	39	75
41	5	16	3	5	1	3	10	-	-	3	1	1	1	6	5	14	11	-	-	17	76
48	6	1	3	2	1	2	2	-	-	1	-	-	1	1	2	9	2	-	-	11	77
40	5	20	-	2	-	5	8	-	1	2	1	1	2	5	3	3	5	5	-	10	78
26	6	6	3	1	4	11	17	1	1	3	-	-	-	7	7	4	5	3	2	12	79

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OKLAHOMA—Continued																
1	Oklahoma	3,298	21	13	1	21	468	140	58	270	40	1,572	1,539	423	2	1,001	29
2	Oklahoma City	2,656	19	10	-	19	384	116	50	218	33	1,279	1,252	333	1	820	25
3	Midwest City	82	-	1	-	-	10	1	2	7	1	25	24	5	-	19	-
4	Balance of county	560	2	2	1	2	74	23	6	45	6	268	263	85	1	162	4
5	Okmulgee	479	3	1	-	2	82	31	10	41	7	245	234	67	-	157	3
6	Okmulgee	217	1	1	-	1	46	16	6	24	4	108	103	25	-	71	2
7	Balance of county	262	2	-	-	1	36	15	4	17	3	137	131	42	-	86	1
8	Osage	318	4	1	-	3	53	20	9	24	4	161	156	47	-	99	1
9	Ottawa	325	7	-	-	4	52	14	10	28	3	175	170	29	1	124	1
10	Miami	112	2	-	-	-	21	3	6	12	-	68	68	11	1	48	-
11	Balance of county	213	5	-	-	4	31	11	4	16	3	107	102	18	-	76	1
12	Pawnee	134	-	2	-	1	26	10	1	15	3	73	71	17	-	47	-
13	Payne	388	3	1	-	1	69	23	9	37	4	209	206	46	1	148	6
14	Stillwater	149	1	1	-	-	25	9	4	12	-	81	80	14	-	61	2
15	Balance of county	239	2	-	-	1	44	14	5	25	4	128	126	32	1	87	4
16	Pittsburg	430	4	1	-	2	61	22	6	33	9	235	232	84	-	128	3
17	McAlester	196	2	-	-	1	27	8	2	17	4	103	102	46	-	51	2
18	Balance of county	234	2	1	-	1	34	14	4	16	5	132	130	38	-	77	1
19	Pontotoc	332	1	-	-	3	46	13	6	27	2	188	185	67	-	107	2
20	Ada	203	-	-	-	2	30	8	5	17	2	116	114	45	-	61	2
21	Balance of county	129	1	-	-	1	16	5	1	10	-	72	71	22	-	46	-
22	Pottawatomie	448	2	-	-	2	67	22	4	41	7	252	252	71	-	160	6
23	Shawnee	271	1	-	-	-	42	15	3	24	2	159	159	43	-	100	3
24	Balance of county	177	1	-	-	2	25	7	1	17	5	93	93	28	-	60	3
25	Pushmataha	110	3	-	-	-	15	4	2	9	1	61	57	12	-	42	-
26	Roger Mills	73	-	-	-	1	14	5	3	6	-	33	31	6	-	23	1
27	Rogers	220	-	-	1	1	22	7	3	12	3	118	115	32	-	74	2
28	Seminole	315	3	-	-	1	52	17	9	26	4	169	167	43	-	113	3
29	Seminole	78	-	-	-	-	13	3	1	9	1	47	47	7	-	38	-
30	Balance of county	237	3	-	-	1	39	14	8	17	3	122	120	36	-	75	3
31	Sequoyah	195	1	-	-	-	25	10	2	13	3	98	97	22	-	71	1
32	Stephens	318	1	-	-	2	44	15	7	22	3	159	156	35	-	105	3
33	Duncan	134	-	-	-	-	21	6	5	10	2	65	64	16	-	41	3
34	Balance of county	184	1	-	-	2	23	9	2	12	1	94	92	19	-	64	-
35	Texas	95	-	-	-	-	16	9	-	7	2	42	42	6	-	35	1
36	Tillman	158	-	-	-	1	29	14	5	10	4	88	85	23	-	59	-
37	Tulsa	2,556	26	15	1	19	417	108	70	239	30	1,249	1,223	303	-	831	20
38	Tulsa	2,052	20	13	1	12	334	81	51	202	28	1,001	986	248	-	666	18
39	Balance of county	504	6	2	-	7	83	27	19	37	2	248	237	55	-	165	2
40	Wagoner	131	3	-	-	-	16	7	-	9	2	83	77	22	-	51	2
41	Washington	295	4	-	-	2	44	14	5	25	7	157	155	36	-	102	2
42	Bartlesville	182	4	-	-	1	33	9	5	19	4	88	86	20	-	53	2
43	Balance of county	113	-	-	-	1	11	5	-	6	3	69	69	16	-	49	-
44	Washita	143	1	-	-	1	27	4	4	19	5	77	74	22	-	50	1
45	Woods	147	-	-	-	-	21	9	2	10	3	86	85	20	-	58	2
46	Woodward	142	1	-	-	1	23	11	2	10	4	77	73	18	-	47	2
47	OREGON	15,675	67	26	2	58	2,463	825	309	1,329	198	8,722	8,629	1,970	5	5,997	242
48	Metropolitan counties	7,331	37	15	-	27	1,170	401	155	614	85	4,163	4,127	958	4	2,866	122
49	Nonmetropolitan counties	8,344	30	11	2	31	1,293	424	154	715	113	4,559	4,502	1,012	1	3,131	120
50	Baker	176	2	-	-	1	24	11	5	8	1	103	103	23	-	69	3
51	Benton	207	-	-	-	2	24	6	1	17	2	131	129	29	-	91	4
52	Corvallis	117	-	-	-	-	11	2	-	9	1	82	81	16	-	58	2
53	Balance of county	90	-	-	-	2	13	4	1	8	1	49	48	13	-	33	2
54	Clackamas	899	1	2	-	-	156	62	12	82	16	513	509	94	1	379	13
55	Clatsop	329	2	2	-	-	53	20	5	28	2	194	194	41	-	139	4
56	Astoria	157	1	1	-	-	26	10	2	14	1	86	86	21	-	62	1
57	Balance of county	172	1	1	-	-	27	10	3	14	1	108	108	20	-	77	3
58	Columbia	235	-	-	-	1	25	6	5	14	2	135	134	27	-	97	5
59	Coos	420	3	-	-	1	67	18	13	36	5	211	207	54	1	135	2
60	Crook	60	-	-	-	-	11	2	4	5	3	33	33	9	-	20	-
61	Curry	83	-	1	-	1	7	3	1	3	1	45	45	9	-	35	3
62	Deschutes	207	-	1	-	-	28	11	5	12	11	112	112	26	-	80	3
63	Bend	108	-	1	-	-	12	6	3	3	9	54	54	12	-	39	1
64	Balance of county	99	-	-	-	-	16	5	2	9	2	58	58	14	-	41	2
65	Douglas	486	1	-	-	1	66	18	5	43	3	238	237	43	-	183	8
66	Gilliam	20	-	-	-	-	5	-	-	5	-	10	10	3	-	7	-
67	Grant	54	1	-	-	-	6	2	-	4	-	27	27	5	-	20	-
68	Harney	62	-	-	-	-	11	5	2	4	1	30	30	4	-	25	-
69	Hood River	107	-	-	-	-	20	5	5	10	1	54	54	15	-	34	-
70	Jackson	645	3	-	1	2	112	32	13	67	7	367	366	85	-	255	6
71	Medford	244	-	-	1	1	48	12	6	30	2	140	140	36	-	97	2
72	Balance of county	401	3	-	-	1	64	20	7	37	5	227	226	49	-	158	4
73	Jefferson	49	-	1	-	-	4	3	-	1	-	17	16	2	-	10	-
74	Josephine	257	2	-	-	1	47	13	8	26	5	133	128	36	-	78	3
75	Klamath	345	1	-	-	2	49	16	6	27	7	163	159	27	-	124	3
76	Klamath Falls	170	1	-	-	2	27	7	3	17	6	76	75	13	-	55	1
77	Balance of county	175	-	-	-	-	22	9	3	10	1	87	84	14	-	69	2
78	Lake	49	-	-	-	-	8	3	-	5	-	21	21	5	-	13	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral arterio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
745	87	140	22	54	37	33	105	15	21	43	5	3	55	156	265	118	101	23	16	236	1
608	75	112	22	48	28	27	80	13	19	34	4	3	45	124	227	84	75	16	12	176	2
15	2	2	-	-	-	1	4	1	-	1	-	-	4	8	2	9	6	1	1	8	3
122	10	26	-	6	9	5	21	1	2	8	1	-	6	24	36	25	20	6	3	52	4
126	13	15	6	3	1	11	25	1	4	5	2	1	3	15	20	8	22	6	3	24	5
54	7	8	5	1	1	5	10	-	2	-	1	-	-	8	10	3	8	4	2	8	6
72	6	7	1	2	-	6	15	1	2	5	1	1	3	7	10	5	14	2	1	16	7
73	10	15	2	5	3	5	16	3	1	7	-	-	1	10	7	8	16	4	1	18	8
101	14	8	3	11	2	5	15	-	1	3	1	-	8	2	8	7	17	-	2	20	9
45	2	1	2	6	-	-	3	-	1	-	-	-	4	-	2	1	4	-	1	5	10
56	12	7	1	5	2	5	12	-	-	3	1	-	4	2	6	6	13	-	1	15	11
30	9	8	1	4	2	2	4	-	-	-	1	-	-	3	-	3	4	1	-	13	12
109	15	18	1	5	5	3	6	4	2	1	-	-	3	13	11	12	16	4	1	28	13
42	7	10	1	3	1	1	2	-	-	-	-	-	3	9	5	6	8	1	1	6	14
67	8	8	-	2	4	2	4	4	2	1	-	-	-	4	6	6	8	3	-	22	15
87	17	21	6	8	6	3	11	5	2	6	1	-	2	5	20	11	18	2	2	33	16
36	10	3	1	4	-	1	5	1	2	2	1	-	-	2	8	9	12	1	-	16	17
51	7	18	5	4	6	2	6	4	-	4	-	-	2	3	12	2	6	1	2	17	18
95	5	5	-	10	1	3	13	1	4	3	1	-	4	6	9	11	10	2	-	28	19
56	-	3	-	7	1	2	7	-	2	3	-	-	3	6	5	7	3	2	-	15	20
39	5	2	-	3	-	1	6	1	2	-	1	-	1	-	4	4	7	-	-	13	21
124	9	21	2	12	7	-	11	3	2	4	-	-	3	13	11	17	17	2	2	33	22
77	6	14	1	9	6	-	4	1	1	2	-	-	1	9	5	11	13	1	1	18	23
47	3	7	1	3	1	-	7	2	1	2	-	-	2	4	6	6	4	1	1	15	24
25	6	11	-	3	-	4	6	1	1	1	-	-	-	2	11	2	2	-	1	3	25
14	1	7	-	1	1	2	6	1	1	-	-	-	-	1	1	-	7	1	1	6	26
55	8	9	-	8	1	3	14	2	2	-	-	-	2	5	7	9	19	1	-	14	27
90	11	9	2	7	2	2	10	1	1	1	1	-	2	7	9	17	11	3	2	21	28
33	4	1	1	-	1	-	1	-	1	-	-	-	-	2	2	3	2	1	-	5	29
57	7	8	1	7	1	2	9	1	-	1	1	-	2	5	7	14	9	2	2	16	30
40	16	14	-	2	2	1	11	-	1	-	-	-	-	5	15	1	16	-	1	18	31
79	14	9	5	9	2	3	17	3	2	1	-	-	3	15	6	19	17	2	2	22	32
29	5	4	4	2	1	1	4	1	2	1	-	-	-	9	2	3	11	2	1	10	33
50	9	5	1	7	1	2	13	2	-	-	-	-	3	6	4	16	6	-	1	12	34
29	4	1	1	-	-	-	3	-	-	-	1	-	-	10	-	8	7	1	-	5	35
41	8	10	1	2	-	3	7	1	-	2	-	-	3	3	3	4	5	-	-	8	36
648	60	103	12	63	14	26	77	17	12	13	8	2	44	141	88	77	107	24	8	181	37
526	49	73	9	52	11	15	62	12	10	11	6	-	35	115	75	60	86	20	6	145	38
122	11	30	3	11	3	11	15	5	2	2	2	2	9	26	13	17	21	4	2	36	39
29	4	16	1	3	-	6	3	-	1	-	-	-	2	3	6	3	2	-	-	7	40
66	11	23	4	4	9	2	9	1	-	3	-	-	-	10	9	9	17	1	4	18	41
36	7	8	2	3	8	2	5	1	-	2	-	-	-	7	6	6	9	-	3	13	42
30	4	15	2	1	1	-	4	-	-	1	-	-	-	3	3	3	8	1	1	5	43
38	8	3	-	1	1	3	3	1	-	-	-	-	-	4	4	6	4	2	-	8	44
35	6	15	3	3	1	1	4	-	-	-	2	-	2	4	6	4	6	-	-	9	45
30	4	11	4	3	1	4	2	1	1	1	-	1	1	3	1	4	10	1	-	10	46
4,535	663	557	68	397	192	93	595	106	46	146	21	8	215	448	137	473	636	199	49	1,060	47
2,187	317	240	28	187	84	36	310	57	19	80	5	4	94	181	49	158	224	80	25	548	48
2,348	346	317	40	210	108	57	285	49	27	66	16	4	121	267	88	315	412	119	24	512	49
58	-	8	-	5	6	-	3	-	-	2	-	-	1	7	1	7	13	3	-	8	50
77	5	5	3	2	4	2	4	-	-	2	-	1	7	5	-	4	11	3	-	11	51
51	4	1	3	2	2	1	3	-	-	-	-	-	4	4	-	1	4	1	-	6	52
26	1	4	-	-	2	1	1	-	-	2	-	1	3	1	-	3	7	2	-	5	53
278	56	32	2	25	8	4	22	6	2	4	-	-	16	19	5	25	34	12	1	65	54
110	14	11	1	11	2	-	9	3	-	4	-	-	2	8	3	10	13	11	1	12	55
47	8	6	-	3	-	-	7	1	-	4	-	-	1	5	2	4	5	8	-	5	56
63	6	5	1	8	2	-	2	2	-	-	-	-	1	3	1	6	8	3	1	7	57
65	16	11	-	5	5	1	12	-	3	-	-	-	2	9	3	8	10	4	1	20	58
93	22	18	-	13	4	4	16	1	3	1	1	-	4	20	17	13	23	8	-	26	59
14	5	1	2	1	1	-	-	-	1	-	-	-	-	2	-	6	2	1	-	1	60
26	2	4	-	1	-	-	2	-	-	-	-	-	1	6	-	7	7	2	-	3	61
58	8	11	1	5	-	-	16	1	-	1	1	-	3	8	-	4	8	1	-	12	62
31	2	5	-	3	-	-	8	-	-	1	1	-	1	7	-	2	4	1	-	7	63
27	6	6	1	2	-	-	8	1	-	-	-	-	2	1	-	2	4	-	-	5	64
135	22	18	2	6	3	1	26	1	3	3	1	-	12	24	2	25	34	14	2	30	65
5	-	2	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	1	66
15	3	2	-	1	1	-	-	-	1	-	-	-	2	2	-	2	6	3	-	4	67
19	4	2	-	-	1	-	1	-	-	-	2	-	3	2	-	3	5	1	-	3	68
25	7	2	1	1	3	-	-	1	1	2	-	-	-	4	5	4	7	-	-	8	69
201	19	29	2	16	8	1	25	3	1	5	2	1	7	16	7	21	24	5	-	36	70
78	7	10	-	6	1	-	9	-	-	1	-	-	2	6	3	7	5	2	-	17	71
123	12	19	2	10	7	1	16	3	1	4	2	1	5	10	4	14	19	3	-	19	72
6	-	4	-	2	2	1	3	-	-	-	-	-	2	3	1	4	7	1	-	6	73
46	9	20	3	7	4	5	5	1	1	2	2	-	3	2	5	10	15	5	2	16	74
104	4	13	-	4	4	4	12	5	1	11	-	1	2	16	1	21	17	5	8	23	75
46	2	6	-	3	4	1	6	3	1	5	-	-	1	9	1	10	10	3	1	8	76
58	2	7	-	1	-	3	6	2	-	6	-	1	1	7	-	11	7	2	7	15	77
11	2	-	1	1	1	-	3	-	-	-	-	-	1	1	-	3	1	1	1	9	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	OREGON—Continued																
1	Lane	1,039	3	1	-	5	172	56	25	91	12	550	545	131	-	371	15
2	Eugene	353	3	-	-	1	62	20	9	33	2	191	189	52	-	115	3
3	Springfield	88	-	-	-	1	12	1	3	8	1	55	55	11	-	38	1
4	Balance of county	598	-	1	-	3	98	35	13	50	9	304	301	68	-	218	11
5	Lincoln	221	-	-	-	1	38	16	4	18	3	125	124	38	-	78	6
6	Linn	489	3	-	-	-	61	26	8	27	9	283	279	55	-	202	12
7	Albany	123	1	-	-	-	5	4	-	1	3	79	78	15	-	55	3
8	Balance of county	366	2	-	-	-	56	22	8	26	6	204	201	40	-	147	9
9	Malheur	185	-	-	-	2	33	13	1	19	6	87	87	16	-	63	5
10	Marion	985	5	3	-	2	176	54	18	104	10	566	557	119	-	390	13
11	Salem (part)	432	3	2	-	-	84	22	9	53	5	251	249	58	-	167	5
12	Salem (total)	458	3	2	-	-	87	23	9	55	5	262	260	58	-	177	5
13	Balance of county	553	2	1	-	2	92	32	9	51	5	315	308	61	-	223	8
14	Morrow	42	-	-	-	-	6	2	2	2	1	16	15	3	-	9	1
15	Multnomah	5,808	35	13	-	25	904	302	132	470	63	3,301	3,274	787	2	2,240	98
16	Portland	4,803	30	12	-	20	764	263	111	390	47	2,751	2,727	641	1	1,877	75
17	Balance of county	1,005	5	1	-	5	140	39	21	80	16	550	547	146	1	363	23
18	Polk	218	-	-	1	2	27	10	1	16	6	121	120	31	-	83	2
19	Salem (part)	26	-	-	-	-	3	1	-	2	-	11	11	-	-	10	-
20	Balance of county	192	-	-	1	2	24	9	1	14	6	110	109	31	-	73	2
21	Sherman	23	-	-	-	-	3	2	-	1	-	13	13	3	-	9	1
22	Tillamook	168	1	-	-	-	22	8	1	13	-	112	110	27	-	75	8
23	Umatilla	380	1	1	-	3	66	19	6	41	4	197	194	51	-	121	4
24	Pendleton	128	-	-	-	1	21	6	2	13	2	74	74	23	-	37	2
25	Balance of county	252	1	1	-	2	45	13	4	28	2	123	120	28	-	84	2
26	Union	179	-	-	-	-	25	6	2	17	4	108	101	23	-	64	2
27	Wallowa	75	-	-	-	-	11	4	1	6	2	42	41	5	-	31	1
28	Wasco	160	1	1	-	1	26	6	3	17	-	78	78	19	-	52	2
29	Washington	624	1	-	-	2	110	37	11	62	6	349	344	77	1	247	11
30	Wheeler	37	-	-	-	-	3	1	-	2	1	29	28	7	-	20	-
31	Yamhill	352	1	-	-	3	57	27	4	26	4	208	205	41	-	148	4
32	PENNSYLVANIA	118,950	1031	267	3	396	19,034	7,165	2,508	9,361	2,556	68,351	67,239	12,793	88	49,465	1,645
33	Metropolitan counties	93,059	855	224	3	310	15,350	5,795	2,087	7,468	1,945	52,986	52,194	9,688	69	38,692	1,301
34	Nonmetropolitan counties	25,891	176	43	-	86	3,684	1,370	421	1,893	611	15,365	15,045	3,105	19	10,773	344
35	Adams	504	2	-	-	-	81	33	12	36	11	304	290	60	-	218	5
36	Allegheny	16,713	150	55	2	52	2,875	1,098	422	1,355	311	9,199	9,035	1,757	8	6,691	227
37	Pittsburgh	8,354	103	31	-	21	1,421	520	228	673	152	4,569	4,488	949	1	3,240	102
38	McKeesport	638	7	7	-	1	115	49	15	51	12	343	337	61	-	245	4
39	Mount Lebanon (twp.)[3 4]	262	-	-	-	-	58	18	15	25	2	139	138	20	-	112	2
40	Wilkinsburg	331	2	-	-	1	61	27	6	28	12	191	189	46	-	136	2
41	Bellevue	147	-	-	-	-	22	6	5	11	3	99	97	18	-	71	2
42	Bethel	82	-	-	-	-	17	8	3	6	-	42	41	4	-	35	3
43	Braddock	183	2	1	-	1	23	13	1	9	3	113	113	26	1	80	2
44	Brentwood	92	-	-	-	-	15	5	1	9	1	48	47	9	-	34	1
45	Carnegie	159	3	1	-	1	25	8	5	12	4	80	79	15	-	56	3
46	Clairton	180	2	-	-	1	34	14	10	10	8	88	87	20	-	62	3
47	Coraopolis	130	1	1	-	-	22	14	1	7	2	67	65	11	-	51	2
48	Dormont	150	-	-	-	-	27	11	2	14	-	97	97	12	1	79	2
49	Duquesne	196	4	-	-	-	40	16	7	17	6	104	102	14	1	84	3
50	Harrison (twp.)[3 4]	95	-	-	-	-	19	6	1	12	3	53	53	11	-	37	-
51	Homestead	168	4	1	-	-	24	14	2	8	2	99	94	15	-	76	3
52	McKees Rocks	226	2	-	-	1	43	13	13	17	8	105	105	20	-	79	1
53	Munhall	168	-	1	-	-	28	12	5	11	3	102	101	24	-	70	2
54	North Braddock	142	1	-	-	1	26	17	-	9	2	76	75	16	-	54	1
55	Shaler (twp.)[3 4]	136	1	-	-	-	26	9	2	15	2	89	88	14	1	66	4
56	Stowe (twp.)[3 4]	67	-	1	-	-	13	6	3	4	1	31	31	3	-	27	-
57	Swissvale	140	-	2	-	-	29	10	3	16	1	71	68	7	-	60	1
58	Turtle Creek	111	-	-	-	1	16	6	-	10	2	65	63	10	-	45	3
59	West Mifflin	121	-	-	-	1	26	11	1	14	3	66	62	9	-	51	5
60	Balance of county	4,435	18	9	2	22	745	285	93	367	79	2,462	2,415	423	3	1,841	76
61	Armstrong	811	4	-	-	1	131	39	27	65	14	490	484	105	1	347	7
62	Beaver	1,757	10	5	-	2	314	124	54	136	38	1,000	988	211	1	692	29
63	Aliquippa	265	1	-	-	1	44	19	8	17	3	148	146	36	1	98	5
64	Ambridge	177	1	1	-	-	32	10	8	14	3	101	101	13	-	79	1
65	Beaver Falls	222	1	-	-	-	36	9	7	20	6	132	131	29	-	93	3
66	Ellwood City (part)	8	-	-	-	-	1	-	1	-	-	5	5	2	-	3	-
67	Balance of county	1,085	7	4	-	1	201	86	30	85	28	614	605	131	-	419	20
68	Bedford	422	1	-	-	3	49	21	5	23	7	256	251	64	-	157	1
69	Berks	3,020	28	1	-	7	481	180	62	239	66	1,861	1,840	378	-	1,312	41
70	Reading	1,495	16	1	-	2	226	86	33	107	38	934	926	184	-	667	22
71	Balance of county	1,525	12	-	-	5	255	94	29	132	30	927	914	194	-	645	19
72	Blair	1,639	8	9	1	2	271	103	27	141	35	968	945	205	2	632	30
73	Altoona	989	7	8	1	1	168	62	16	90	20	583	573	135	1	365	13
74	Balance of county	650	1	1	-	1	103	41	11	51	15	385	372	70	1	267	17
75	Bradford	670	2	-	-	4	73	31	5	37	9	408	405	80	1	272	13

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-forma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
302	33	21	8	21	14	5	35	7	3	9	1	-	18	37	7	36	52	16	3	72	1
94	15	3	5	13	4	2	8	3	1	3	-	-	6	12	6	14	14	3	2	22	2
31	4	2	1	4	1	-	1	-	1	-	-	-	1	3	-	3	7	-	-	3	3
177	14	16	2	4	9	3	26	4	1	6	1	-	11	22	1	19	31	13	1	47	4
60	5	7	1	5	2	1	5	1	1	2	1	-	5	4	2	5	12	3	-	13	5
153	21	16	3	12	7	4	8	3	2	3	1	-	6	15	7	35	25	3	1	24	6
42	7	3	-	6	2	1	1	-	1	2	-	-	1	3	6	8	5	1	-	7	7
111	14	13	3	6	5	3	7	3	1	1	1	-	5	12	1	27	20	2	1	17	8
43	7	8	1	5	2	-	8	1	2	1	-	-	5	6	2	5	10	5	-	12	9
285	50	42	3	29	16	9	34	5	3	6	1	-	13	29	2	29	36	8	1	56	10
130	17	15	2	14	8	2	12	1	1	4	1	-	4	12	2	8	13	2	-	27	11
137	20	15	2	15	8	2	14	1	1	4	1	-	4	17	2	9	14	2	-	30	12
155	33	27	1	15	8	7	22	4	2	2	-	-	9	17	-	21	23	6	1	29	13
6	1	1	-	3	-	1	2	-	-	2	-	-	1	1	-	2	2	1	-	8	14
1,725	236	181	24	151	70	27	270	47	15	66	4	2	73	141	42	118	170	57	21	441	15
1,449	205	148	22	129	57	24	213	39	13	60	3	2	50	107	38	86	132	50	20	366	16
276	31	33	2	22	13	3	57	8	2	6	1	-	23	34	4	32	38	7	1	75	17
59	16	6	1	3	2	1	13	2	-	2	-	-	3	10	4	6	7	2	-	12	18
7	3	-	-	1	-	-	2	-	-	-	-	-	-	5	-	1	1	-	-	3	19
52	13	6	1	2	2	1	11	2	-	2	-	-	3	5	4	5	6	2	-	9	20
7	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	4	21
52	10	5	-	6	2	2	4	2	-	1	-	1	1	4	1	4	10	-	-	5	22
97	12	8	-	17	5	3	15	3	1	2	2	-	11	9	11	13	14	3	2	22	23
32	-	3	-	10	4	-	6	1	-	2	1	-	3	5	3	-	1	2	1	5	24
65	12	5	-	7	1	3	9	2	1	-	1	-	8	4	8	13	13	1	1	17	25
49	6	7	4	7	3	7	4	-	-	2	-	-	2	6	1	5	8	1	-	13	26
23	4	3	2	2	1	1	3	1	-	-	-	-	-	2	2	3	5	1	-	3	27
42	3	5	-	7	-	-	4	4	-	-	-	-	1	2	2	13	10	3	2	12	28
184	25	27	2	11	6	5	18	4	2	10	1	2	5	21	2	15	20	11	3	42	29
15	-	5	1	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	-	1	30
87	35	22	-	12	4	3	11	2	-	3	1	-	3	6	2	4	16	5	-	26	31
34,179	6,090	7,551	777	2,968	1,148	1,112	3,829	719	443	1,321	168	74	1,286	3,908	849	1,927	3,557	1,033	254	7,944	32
26,721	4,846	5,824	623	2,208	914	792	3,047	560	344	1,143	137	59	999	3,197	738	1,345	2,708	790	229	6,090	33
7,458	1,244	1,727	154	760	234	320	782	159	99	178	31	15	287	711	111	582	849	243	25	1,854	34
126	38	49	2	6	4	14	10	4	3	1	1	-	8	17	-	25	11	1	-	25	35
5,295	572	597	86	350	143	164	577	100	71	241	18	12	181	594	408	206	490	149	43	979	36
2,562	290	286	51	178	69	81	306	45	41	129	13	8	81	301	256	81	217	72	30	477	37
180	26	35	4	21	6	6	23	2	3	11	-	-	3	16	15	13	27	4	-	36	38
90	14	6	1	2	3	1	8	-	-	4	-	-	7	6	2	6	11	3	-	16	39
114	8	12	1	4	2	2	13	-	2	6	-	-	2	5	4	1	10	3	-	18	40
58	8	3	2	3	3	2	5	1	1	2	-	-	-	2	-	2	6	-	-	4	41
28	3	1	1	1	-	1	5	-	-	1	-	-	1	5	1	-	4	1	-	5	42
63	11	4	1	4	1	-	7	-	-	2	-	-	-	8	5	2	6	-	2	8	43
30	1	2	-	4	-	1	2	-	1	3	-	-	2	2	2	1	3	-	-	12	44
45	2	6	1	4	3	1	6	3	-	6	-	-	3	6	3	1	5	1	1	10	45
44	8	7	-	5	-	1	6	-	1	2	-	1	3	6	4	3	5	6	-	10	46
37	7	5	-	2	1	2	3	2	-	4	-	-	-	6	5	1	5	-	-	11	47
70	5	2	1	4	-	-	4	1	1	1	-	-	1	1	3	1	6	2	-	5	48
62	12	7	-	2	1	2	7	2	1	1	-	1	3	5	-	3	9	-	-	10	49
34	2	1	1	2	2	-	1	2	1	-	-	-	1	1	-	2	3	1	-	8	50
57	6	10	-	2	1	5	4	-	1	9	-	-	2	4	6	-	4	1	1	6	51
61	12	5	1	3	2	-	10	2	1	4	2	-	4	7	16	-	3	2	2	14	52
55	8	5	1	3	3	1	5	1	-	2	-	-	1	6	5	-	4	-	-	10	53
44	7	2	-	4	1	1	6	-	1	2	-	-	-	9	1	-	5	-	-	12	54
54	6	2	-	5	2	1	1	-	-	1	-	-	1	4	-	3	3	2	-	3	55
27	-	-	-	1	-	-	2	-	1	4	-	-	-	1	3	-	3	-	-	7	56
42	10	7	1	-	-	3	9	1	-	1	-	-	3	6	1	-	5	1	1	9	57
35	2	5	-	5	3	2	3	3	1	-	-	-	2	6	1	1	2	1	-	7	58
36	6	4	-	1	1	4	6	2	-	4	-	-	2	2	2	1	3	1	-	2	59
1,467	118	180	19	90	39	47	135	33	14	42	3	2	59	179	73	84	141	48	6	279	60
234	33	73	8	18	5	6	21	4	1	1	2	-	11	25	4	18	30	10	2	42	61
539	60	64	9	55	20	12	50	10	5	24	3	1	25	68	3	37	48	10	3	101	62
75	7	11	1	5	5	2	10	-	1	9	2	-	4	10	-	9	5	1	3	14	63
71	3	4	-	4	5	-	4	2	1	2	-	-	1	8	-	2	3	-	-	16	64
69	14	7	-	6	3	1	7	3	-	1	-	-	4	9	1	3	6	2	-	11	65
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	66
322	36	41	8	40	7	9	29	5	3	12	1	1	16	41	2	23	34	7	-	58	67
105	9	42	5	23	2	15	15	-	-	4	1	1	4	8	4	13	7	5	1	33	68
991	127	153	27	98	25	21	76	22	11	19	2	-	25	69	11	54	87	38	3	159	69
512	64	69	9	53	13	8	48	11	3	12	1	-	10	34	9	21	37	11	2	81	70
479	63	84	18	45	12	13	28	11	8	7	1	-	15	35	2	33	50	27	1	78	71
494	43	65	15	75	16	23	38	11	8	12	2	1	8	49	8	36	51	13	1	107	72
291	30	31	14	47	11	10	25	8	3	6	1	-	3	32	5	15	30	9	1	63	73
203	13	34	1	28	5	13	13	3	5	6	1	1	5	17	3	21	21	4	-	44	74
183	24	52	6	41	5	3	21	7	5	2	1	2	11	22	3	14	28	9	-	49	75

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	PENNSYLVANIA—Continued																
1	Bucks	1,866	7	4	-	9	303	109	38	156	33	1,051	1,031	197	1	784	40
2	Bristol	163	-	-	-	1	25	8	6	11	-	96	93	23	-	64	2
3	Balance of county	1,703	7	4	-	8	278	101	32	145	33	955	938	174	1	720	38
4	Butler	1,023	6	4	-	6	177	74	21	82	25	583	570	102	3	415	20
5	Butler	264	1	3	-	2	51	19	5	27	6	151	149	36	1	99	2
6	Balance of county	759	5	1	-	4	126	55	16	55	19	432	421	66	2	316	18
7	Cambria	2,175	19	1	-	4	290	117	30	143	72	1,207	1,186	210	-	877	28
8	Johnstown	926	7	-	-	1	132	54	17	61	31	528	514	90	-	379	15
9	Balance of county	1,249	12	1	-	3	158	63	13	82	41	679	672	120	-	498	13
10	Cameron	108	1	-	-	-	12	1	3	8	3	70	70	10	-	56	3
11	Carbon	653	7	2	-	-	117	42	10	65	17	365	354	46	-	295	9
12	Centre	603	2	2	-	2	87	30	10	47	11	349	343	82	1	226	6
13	State College	83	-	1	-	-	21	5	2	14	1	43	43	12	-	27	-
14	Balance of county	520	2	1	-	2	66	25	8	33	10	306	300	70	1	199	6
15	Chester	1,860	14	4	-	10	298	104	38	156	40	1,057	1,037	163	3	791	22
16	Coatesville	215	1	-	-	1	48	18	10	20	8	117	110	22	-	81	5
17	Phoenixville	133	1	-	-	-	19	7	2	10	2	81	80	11	-	64	1
18	West Chester	265	3	2	-	-	36	8	4	24	2	156	152	21	1	124	1
19	Balance of county	1,247	9	2	-	9	195	71	22	102	28	703	695	109	2	522	15
20	Clarion	349	-	-	-	2	48	17	6	25	8	209	205	44	1	134	1
21	Clearfield	879	2	2	-	5	114	41	14	59	19	532	520	125	-	345	12
22	Du Bois	166	-	-	-	1	21	6	2	13	2	100	99	21	-	69	2
23	Balance of county	713	2	2	-	4	93	35	12	46	17	432	421	104	-	276	10
24	Clinton	375	2	1	-	1	45	17	6	22	8	241	239	48	-	171	7
25	Lock Haven	145	-	-	-	1	16	6	3	7	4	91	90	20	-	64	1
26	Balance of county	230	2	1	-	-	29	11	3	15	4	150	149	28	-	107	6
27	Columbia	625	4	1	-	2	81	32	7	42	27	374	368	91	-	245	5
28	Berwick	154	1	1	-	-	18	9	1	8	5	93	93	19	-	67	1
29	Bloomsburg	129	1	-	-	-	15	4	2	9	5	87	87	20	-	58	3
30	Balance of county	342	2	-	-	2	48	19	4	25	17	194	188	52	-	120	1
31	Crawford	942	5	2	-	2	123	44	17	62	15	571	558	101	-	394	14
32	Meadville	245	1	-	-	1	31	11	2	18	4	157	153	30	-	107	5
33	Balance of county	697	4	2	-	1	92	33	15	44	11	414	405	71	-	287	9
34	Cumberland	1,121	11	1	-	4	160	61	19	80	22	706	701	158	1	500	11
35	Carlisle	224	6	-	-	1	28	9	2	17	1	151	150	41	1	96	-
36	Balance of county	897	5	1	-	3	132	52	17	63	21	555	551	117	-	404	11
37	Dauphin	2,283	13	8	-	3	366	126	44	196	60	1,319	1,306	238	5	964	26
38	Harrisburg	1,233	5	4	-	2	201	66	21	114	36	715	710	129	1	520	12
39	Steelton	134	1	2	-	-	23	13	3	7	-	81	78	14	-	58	2
40	Balance of county	916	7	2	-	1	142	47	20	75	24	523	518	95	4	386	12
41	Delaware	4,489	40	11	-	14	799	268	125	406	86	2,552	2,518	381	3	1,943	83
42	Chester	818	19	6	-	2	133	47	30	56	14	423	420	54	1	331	16
43	Upper Darby (twp.)[3 4]	796	5	1	-	1	149	47	26	76	12	494	487	73	-	377	14
44	Haverford (twp.)[3 4]	399	-	3	-	1	93	29	16	48	6	206	205	28	1	162	9
45	Darby	144	-	-	-	-	19	5	2	12	6	87	86	17	-	63	4
46	Lansdowne	162	1	-	-	-	25	6	1	18	5	99	98	15	-	72	4
47	Yeadon	105	1	-	-	-	28	10	1	17	4	51	51	8	-	37	-
48	Balance of county	2,065	14	1	-	10	352	124	49	179	39	1,192	1,171	186	1	901	36
49	Elk	325	2	2	-	1	47	20	5	22	8	190	187	27	-	147	2
50	Erie	2,475	7	1	-	6	432	144	69	219	57	1,344	1,333	300	4	960	44
51	Erie	1,576	5	-	-	4	293	90	52	151	36	849	844	186	3	613	26
52	Balance of county	899	2	1	-	2	139	54	17	68	21	495	489	114	1	347	18
53	Fayette	1,929	16	7	-	5	277	108	32	137	39	1,104	1,083	204	3	805	27
54	Connellsville	228	2	-	-	-	34	10	4	20	3	129	128	22	-	98	3
55	Uniontown	284	-	2	-	-	34	9	5	20	5	190	187	39	1	137	6
56	Balance of county	1,417	14	5	-	5	209	89	23	97	31	785	768	143	2	570	18
57	Forest	57	-	1	-	1	2	-	-	2	-	37	36	10	-	23	-
58	Franklin	807	7	2	-	2	105	27	15	63	15	500	495	128	-	324	10
59	Chambersburg	206	3	1	-	-	26	5	5	16	4	134	132	42	-	83	1
60	Waynesboro	130	1	1	-	-	16	6	-	10	2	78	76	21	-	51	4
61	Balance of county	471	3	-	-	2	63	16	10	37	9	288	287	65	-	190	5
62	Fulton	104	-	-	-	1	16	3	1	12	2	59	58	9	-	42	-
63	Greene	430	3	-	-	3	52	18	3	31	7	269	257	55	-	182	8
64	Huntingdon	441	3	-	-	1	54	27	4	23	11	279	275	31	-	204	2
65	Indiana	708	3	1	-	3	98	42	10	46	21	419	403	82	-	301	7
66	Indiana	125	-	1	-	-	18	8	-	10	1	81	77	21	-	51	-
67	Balance of county	583	3	-	-	3	80	34	10	36	20	338	326	61	-	250	7
68	Jefferson	484	-	-	-	2	51	23	3	25	14	298	293	63	-	218	2
69	Juniata	142	1	1	-	-	20	5	1	14	1	85	85	18	-	61	1
70	Lackawanna	3,340	30	2	-	16	509	242	57	210	68	1,982	1,953	313	1	1,518	35
71	Scranton	1,626	19	1	-	3	235	119	25	91	34	1,003	993	162	1	785	20
72	Carbondale	203	1	-	-	1	39	22	3	14	4	124	123	22	-	92	3
73	Dunmore	243	1	-	-	2	34	19	1	14	2	159	156	17	-	127	4
74	Balance of county	1,268	9	1	-	10	201	82	28	91	28	696	681	112	-	514	8
75	Lancaster	2,603	14	8	-	11	390	135	57	198	65	1,549	1,533	293	3	1,085	24
76	Lancaster	944	8	4	-	1	159	56	25	78	25	532	527	110	-	372	6
77	Columbia	157	3	-	-	-	20	5	5	10	1	98	97	28	-	62	1
78	Balance of county	1,502	3	4	-	10	211	74	27	110	39	919	919	155	3	651	17

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
544	80	120	8	30	11	20	46	11	2	16	6	1	40	109	2	45	50	16	1	114	1
40	7	15	2	2	2	3	4	2	1	2	2	-	3	8	2	3	4	-	-	10	2
504	73	105	6	28	9	17	42	9	1	14	4	1	37	101	-	42	46	16	1	104	3
324	45	26	6	34	10	13	25	6	4	4	4	1	23	30	3	21	42	8	-	51	4
73	19	5	2	8	3	2	4	2	2	1	-	-	3	6	1	3	11	2	-	15	5
251	26	21	4	26	7	11	21	4	2	3	4	1	20	24	2	18	31	6	-	36	6
633	63	153	19	63	17	21	112	12	7	32	5	1	28	94	7	41	62	9	-	172	7
264	29	71	10	28	7	14	37	6	4	16	2	1	7	39	3	18	23	1	-	70	8
369	34	82	9	35	10	7	75	6	3	16	3	-	21	55	4	23	39	8	-	102	9
28	9	16	-	4	-	-	2	1	-	2	-	-	2	1	-	2	4	1	-	7	10
189	42	55	-	11	2	11	16	2	4	12	-	-	7	9	-	10	19	1	-	65	11
149	35	36	7	22	5	6	17	6	1	6	1	-	7	19	3	14	26	7	-	43	12
22	2	3	-	3	1	-	-	2	-	1	-	-	1	2	2	-	4	1	-	4	13
127	33	33	7	19	4	6	17	4	1	5	1	-	6	17	1	14	22	6	-	39	14
524	107	138	14	45	21	20	61	9	5	21	5	1	21	80	15	38	46	22	4	109	15
49	15	12	2	4	1	7	4	1	-	4	-	-	1	11	-	2	4	1	1	11	16
42	3	18	-	3	2	1	3	1	1	4	-	-	3	6	1	1	5	1	-	4	17
84	18	21	2	1	3	4	10	-	1	2	-	-	3	20	1	2	7	3	-	17	18
349	71	87	10	37	15	8	44	7	3	11	5	1	14	43	13	33	30	17	3	77	19
83	20	30	2	21	3	4	11	6	1	3	-	-	-	6	1	7	17	4	1	25	20
240	29	64	8	37	5	12	31	4	4	7	-	1	19	23	6	18	29	6	1	56	21
49	6	12	-	6	3	1	6	1	1	2	-	-	3	8	2	3	7	1	-	8	22
191	23	52	8	31	2	11	25	3	3	5	-	1	16	15	4	15	22	5	1	48	23
112	24	28	4	16	-	2	15	-	1	-	-	-	4	14	4	8	14	-	-	17	24
45	7	11	1	5	-	1	6	-	-	-	-	-	1	7	2	2	6	-	-	9	25
67	17	17	3	11	-	1	9	-	1	-	-	-	3	7	2	6	8	-	-	8	26
172	29	39	4	25	3	6	20	6	5	2	-	-	7	5	6	16	17	5	-	47	27
53	5	8	2	4	1	-	5	2	3	2	-	-	2	1	3	5	2	-	-	11	28
37	9	9	-	7	2	-	4	1	-	-	-	-	1	-	-	2	7	-	-	6	29
82	15	22	2	14	-	6	11	3	2	-	-	-	4	4	3	9	8	5	-	30	30
280	39	61	12	44	7	13	33	6	3	6	-	-	8	22	3	31	32	12	-	68	31
67	18	17	3	9	4	4	11	3	1	1	-	-	2	4	2	6	8	1	-	12	32
213	21	44	9	35	3	9	22	3	2	5	-	-	6	18	1	25	24	11	-	56	33
348	72	69	5	29	8	5	32	7	3	3	-	-	18	34	1	22	31	10	1	55	34
63	20	13	-	11	1	1	3	2	2	-	-	-	2	6	-	6	3	3	1	9	35
285	52	56	5	18	7	4	29	5	1	3	-	-	16	28	1	16	28	7	-	46	36
669	145	124	17	46	36	13	88	11	12	24	2	-	21	78	10	37	68	22	7	134	37
357	86	65	10	26	24	5	53	6	6	11	1	-	7	35	5	19	34	11	4	78	38
50	3	3	1	3	2	3	2	-	1	1	-	-	6	5	-	1	1	-	1	9	39
262	56	56	6	17	10	5	33	5	5	12	1	-	8	38	5	17	33	11	2	47	40
1,248	302	310	29	107	55	34	132	25	21	58	5	1	56	157	15	56	115	39	11	296	41
214	50	51	4	20	10	3	39	3	8	6	1	-	10	29	2	15	28	4	6	70	42
264	42	57	2	22	13	7	22	1	1	13	2	-	8	22	4	3	17	4	1	36	43
101	28	24	1	9	4	1	5	6	1	5	1	1	2	19	2	7	7	8	-	26	44
27	19	13	-	4	2	1	4	1	1	1	-	-	2	5	-	2	6	1	-	9	45
45	13	10	5	4	2	1	7	1	1	2	-	-	3	-	-	1	5	1	1	10	46
24	5	8	3	2	1	-	3	-	1	4	-	-	1	1	-	1	2	-	-	8	47
573	145	147	14	46	23	21	52	13	8	27	1	-	30	81	7	27	50	21	3	137	48
122	11	12	1	7	5	3	8	3	1	5	2	-	3	10	1	6	13	2	-	21	49
696	95	125	12	30	27	11	84	15	16	33	4	2	26	97	10	52	73	29	4	183	50
451	56	80	9	16	17	5	60	9	10	26	4	2	17	65	7	27	33	10	4	115	51
245	39	45	3	14	10	6	24	6	6	7	-	-	9	32	3	25	40	19	-	68	52
608	78	92	10	40	21	21	65	11	3	24	1	2	24	62	9	45	83	21	5	126	53
63	10	22	1	6	1	1	6	3	1	1	-	-	3	7	3	6	14	2	-	14	54
110	10	11	2	5	3	3	5	2	1	5	-	-	5	6	-	1	9	1	-	18	55
435	58	59	7	29	17	17	54	6	1	18	1	2	16	49	6	38	60	18	5	94	56
14	1	8	-	3	-	1	3	-	-	1	-	-	-	1	-	3	5	-	-	3	57
221	40	53	7	30	6	5	19	2	6	4	1	-	10	22	2	22	23	12	-	53	58
70	9	3	1	6	-	2	4	-	1	2	-	-	2	5	1	2	2	1	-	18	59
22	6	19	2	2	-	2	5	1	2	-	1	-	2	3	-	5	6	1	-	6	60
129	25	31	4	22	6	1	10	1	3	2	-	-	6	14	1	15	15	10	-	29	61
24	5	13	1	3	3	1	5	-	-	-	-	-	1	1	-	5	3	4	-	7	62
147	7	20	6	11	3	12	14	1	1	4	-	-	6	12	3	7	18	4	-	26	63
117	49	36	3	32	5	4	14	2	1	1	1	-	9	9	2	5	12	7	-	30	64
218	29	47	-	13	7	16	19	1	3	3	1	-	9	21	7	24	19	8	2	46	65
39	2	10	-	2	3	4	6	-	1	1	-	-	2	2	1	4	1	2	-	4	66
179	27	37	-	11	4	12	13	1	2	2	1	-	7	19	6	20	18	6	2	42	67
147	28	41	1	9	2	5	13	1	2	2	1	-	5	21	1	13	21	1	1	37	68
37	7	16	-	4	2	-	8	-	3	1	-	-	1	5	-	4	4	1	-	7	69
979	197	307	20	76	25	29	87	25	9	38	4	2	33	70	10	42	103	17	2	291	70
523	100	142	11	22	12	10	44	10	4	20	1	1	14	39	5	20	45	9	1	118	71
41	17	31	-	8	1	1	4	2	-	1	1	1	2	3	-	2	4	2	-	12	72
82	20	21	1	9	2	3	8	2	-	1	-	-	1	2	-	3	5	1	-	22	73
333	60	113	8	37	10	15	31	11	5	16	2	-	16	26	5	17	49	5	1	139	74
769	119	173	17	112	23	16	58	15	6	24	5	1	41	87	11	47	77	27	1	166	75
267	45	54	4	31	10	5	22	7	1	8	2	-	13	45	4	11	26	8	1	67	76
43	5	13	-	5	2	1	4	-	-	2	1	-	1	7	1	3	6	2	-	8	77
459	69	106	13	76	11	10	32	8	5	14	2	1	27	35	6	33	45	17	-	91	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	PENNSYLVANIA—Continued																
1	Lawrence	1,133	3	1	-	1	187	71	17	99	18	684	668	143	-	469	23
2	New Castle	587	-	-	-	1	94	36	9	49	14	359	347	75	-	246	10
3	Ellwood City (part)	106	2	-	-	-	21	10	3	8	-	60	60	17	-	40	3
4	Ellwood City (total)	114	2	-	-	-	22	10	4	8	-	65	65	19	-	43	3
5	Balance of county	440	1	1	-	-	72	25	5	42	4	265	261	51	-	183	10
6	Lebanon	918	4	-	-	3	144	53	16	75	34	552	528	88	-	409	9
7	Lebanon	403	3	-	-	2	67	24	8	35	22	237	224	30	-	186	3
8	Balance of county	515	1	-	-	1	77	29	8	40	12	315	304	58	-	223	6
9	Lehigh	2,287	14	-	-	10	355	131	50	174	52	1,367	1,348	217	-	1,050	33
10	Allentown	1,250	6	-	-	5	197	74	33	90	25	754	744	118	-	576	16
11	Bethlehem (part)	196	1	-	-	1	26	12	5	9	5	110	109	15	-	85	4
12	Balance of county	841	7	-	-	4	132	45	12	75	22	503	495	84	-	389	13
13	Luzerne	4,382	61	6	-	13	635	260	70	305	126	2,396	2,344	379	2	1,814	47
14	Wilkes-Barre	1,021	15	2	-	2	154	60	18	76	27	568	556	84	-	450	12
15	Hazleton	389	4	-	-	2	47	14	2	31	16	230	227	47	1	160	5
16	Hanover (twp.)[3 4]	120	2	-	-	1	17	8	1	8	5	67	66	11	-	53	2
17	Kingston	254	-	-	-	1	41	15	2	24	10	139	136	16	-	103	4
18	Nanticoke	234	5	-	-	1	39	16	2	21	6	111	108	15	-	87	3
19	Pittston	201	5	1	-	-	25	11	1	13	3	124	121	19	-	99	3
20	Plains (twp.)[3 4]	122	2	1	-	1	23	9	3	11	3	54	52	7	-	40	-
21	Plymouth	162	3	-	-	-	16	9	3	4	4	100	100	20	-	75	1
22	Balance of county	1,879	25	2	-	5	273	118	38	117	52	1,003	978	160	1	747	17
23	Lycoming	1,204	6	-	-	1	174	56	24	94	36	729	721	165	-	518	15
24	Williamsport	583	3	-	-	1	94	38	11	45	16	352	350	68	-	260	5
25	Balance of county	621	3	-	-	-	80	18	13	49	20	377	371	97	-	258	10
26	McKean	608	5	1	-	2	104	33	12	59	6	373	366	75	-	267	9
27	Bradford	208	4	-	-	-	38	13	5	20	-	134	133	23	-	101	6
28	Balance of county	400	1	1	-	2	66	20	7	39	6	239	233	52	-	166	3
29	Mercer	1,253	6	4	-	5	195	72	29	94	26	693	688	141	2	503	18
30	Sharon	314	3	1	-	1	56	21	9	26	9	159	158	38	-	112	6
31	Farrell	152	1	1	-	1	19	8	4	7	6	82	82	13	1	60	-
32	Balance of county	787	2	2	-	3	120	43	16	61	11	452	448	90	1	331	12
33	Mifflin	475	2	-	-	-	64	23	6	35	12	294	286	53	-	214	8
34	Lewistown	213	1	-	-	-	30	12	2	16	7	135	130	24	-	96	4
35	Balance of county	262	1	-	-	-	34	11	4	19	5	159	156	29	-	118	4
36	Monroe	424	3	-	-	2	71	20	14	37	10	256	251	57	1	178	7
37	Montgomery	4,189	25	7	-	14	767	273	95	399	95	2,421	2,388	438	1	1,763	54
38	Abington (twp.)[3 4]	434	2	-	-	-	83	32	7	44	7	248	247	43	-	182	8
39	Lower Merion (twp.)[3 4]	518	3	1	-	1	98	39	11	48	9	314	312	58	-	234	10
40	Norristown	506	7	-	-	3	94	31	15	48	13	268	265	41	-	203	6
41	Cheltenham (twp.)[3 4]	273	2	-	-	-	58	31	9	18	4	165	163	31	-	120	2
42	Conshohocken	122	1	-	-	-	20	7	2	11	3	63	61	4	-	54	1
43	Pottstown	308	3	-	-	1	60	20	7	33	10	183	176	37	-	120	2
44	Balance of county	2,028	7	6	-	9	354	113	44	197	49	1,180	1,164	224	1	850	25
45	Montour	159	1	-	-	1	27	12	7	8	3	89	88	14	-	67	-
46	Northampton	2,016	9	2	-	6	305	121	33	151	44	1,214	1,202	234	2	904	38
47	Bethlehem (part)	519	1	1	-	2	80	34	12	34	12	317	314	61	-	237	7
48	Bethlehem (total)	715	2	1	-	3	106	46	17	43	17	427	423	76	-	322	11
49	Easton	534	3	-	-	2	75	26	9	40	11	327	326	68	-	239	12
50	Balance of county	963	5	1	-	2	150	61	12	77	21	570	562	105	2	428	19
51	Northumberland	1,362	17	3	-	4	181	60	22	99	45	798	778	159	1	565	17
52	Mount Carmel	148	3	1	-	-	20	9	1	10	6	77	75	19	-	50	-
53	Shamokin	243	5	-	-	1	33	11	3	19	8	135	132	32	-	94	3
54	Sunbury	223	-	1	-	2	32	6	5	21	8	150	144	30	-	105	4
55	Balance of county	748	9	1	-	1	96	34	13	49	23	436	427	78	1	316	10
56	Perry	274	1	-	-	1	40	17	2	21	5	165	160	36	-	117	7
57	Philadelphia, coextensive with Philadelphia (city)	25,106	340	79	-	99	4,315	1,644	608	2,063	457	14,120	13,906	2,378	25	10,401	357
58	Pike	141	1	1	-	-	23	10	2	11	3	75	75	17	-	47	2
59	Potter	225	-	-	-	1	24	6	4	14	2	146	145	31	-	102	-
60	Schuylkill	2,444	49	6	-	6	351	149	34	168	82	1,299	1,280	275	4	908	36
61	Mahanoy City	166	3	-	-	-	20	9	1	10	2	90	90	18	-	66	3
62	Pottsville	313	5	1	-	1	43	24	5	14	9	184	180	49	-	121	6
63	Shenandoah	195	2	1	-	1	28	9	3	16	8	100	98	19	-	66	3
64	Tamaqua	162	2	-	-	-	20	11	1	8	7	92	91	22	-	63	1
65	Balance of county	1,608	37	4	-	4	240	96	24	120	56	833	821	167	4	592	23
66	Snyder	277	4	-	-	2	33	8	1	24	7	186	183	37	-	132	10
67	Somerset	810	6	1	-	1	117	43	15	59	16	472	469	111	2	322	17
68	Sullivan	85	-	-	-	2	18	6	1	11	2	42	42	6	-	32	-
69	Susquehanna	387	-	1	-	3	52	22	7	23	12	224	221	45	-	158	6
70	Tioga	416	1	-	-	2	52	23	9	20	6	253	253	46	1	198	11
71	Union	234	1	1	-	-	26	10	-	16	4	153	149	35	-	107	4
72	Venango	723	1	-	-	4	99	31	12	56	12	449	437	115	1	280	6
73	Franklin	144	-	-	-	1	23	6	4	13	3	90	88	20	-	54	2
74	Oil City	245	1	-	-	2	34	12	4	18	5	155	148	42	-	98	1
75	Balance of county	334	-	-	-	1	42	13	4	25	4	204	201	53	1	128	3
76	Warren	459	2	1	-	3	62	24	7	31	12	264	259	58	-	187	4
77	Warren	183	1	1	-	-	26	8	2	16	4	104	102	24	-	74	1
78	Balance of county	276	1	-	-	3	36	16	5	15	8	160	157	34	-	113	3

[3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-specif-ied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-form-a-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
385	23	38	5	43	8	16	37	8	4	7	2	1	5	36	5	17	35	14	1	67	1
208	13	15	3	17	6	12	19	2	1	7	-	1	2	20	3	7	15	7	-	35	2
31	2	4	-	2	1	-	5	-	-	-	-	-	-	1	-	3	3	2	-	9	3
33	2	5	-	2	1	-	5	-	-	-	-	-	-	1	-	3	3	2	-	11	4
146	8	19	2	24	1	4	13	6	3	-	2	-	3	15	2	7	17	5	1	23	5
282	51	67	6	13	12	24	24	1	7	4	2	1	4	21	3	17	26	10	1	60	6
127	21	35	2	2	4	13	5	-	4	3	-	-	-	13	1	4	8	5	1	28	7
155	30	32	4	11	8	11	19	1	3	1	2	1	4	8	2	13	18	5	-	32	8
797	88	132	10	50	21	19	72	15	9	25	4	2	25	70	3	36	60	27	-	141	9
449	42	69	7	33	10	10	32	9	6	15	3	1	10	43	-	18	33	12	-	81	10
73	3	5	1	5	3	1	9	-	-	4	-	-	2	5	1	4	9	1	-	18	11
275	43	58	2	12	8	8	31	6	3	6	1	1	13	22	2	14	18	14	-	42	12
1,169	231	347	26	90	33	52	133	21	12	62	6	1	33	107	13	40	148	30	3	536	13
316	47	75	2	13	7	12	29	5	1	10	1	-	5	34	4	8	32	9	3	112	14
92	29	34	6	7	6	3	16	1	1	6	-	-	3	5	-	3	14	5	-	36	15
37	6	8	1	1	-	1	1	-	-	1	-	-	1	3	-	1	3	-	-	18	16
70	13	16	4	8	5	3	9	1	1	10	2	-	-	5	-	3	9	1	-	22	17
56	7	21	-	6	-	3	4	1	1	3	-	-	4	5	1	1	7	1	-	44	18
59	14	23	1	2	-	3	9	-	1	3	-	-	-	5	1	2	6	-	-	16	19
19	13	8	1	3	1	2	3	1	-	5	-	-	2	1	-	2	5	2	-	17	20
56	7	11	1	3	1	-	2	-	-	3	-	-	3	4	1	-	1	1	-	24	21
484	95	151	10	47	13	25	60	12	7	21	3	1	15	45	6	20	71	11	-	247	22
385	54	64	4	19	15	8	39	6	8	9	-	-	16	36	7	31	28	12	1	65	23
198	28	29	2	9	11	2	21	2	7	5	-	-	5	16	3	13	8	4	-	33	24
187	26	35	2	10	4	6	18	4	1	4	-	-	11	20	4	18	20	8	1	32	25
176	42	40	4	15	5	7	13	4	1	3	1	-	4	15	1	17	17	3	-	38	26
61	19	15	3	4	2	1	4	-	1	1	-	-	1	4	-	4	7	-	-	10	27
115	23	25	1	11	3	6	9	4	-	2	1	-	3	11	1	13	10	3	-	28	28
372	56	57	7	25	10	5	51	11	7	21	1	-	20	58	11	36	44	8	2	54	29
86	11	9	2	3	3	1	17	3	2	9	-	-	3	18	3	7	10	1	1	11	30
42	11	7	3	4	1	-	7	3	-	4	-	-	3	7	1	4	8	-	1	4	31
244	34	41	2	18	6	4	27	5	5	8	1	-	14	33	7	25	26	7	-	39	32
151	20	35	1	12	6	8	11	-	1	4	1	1	8	17	1	12	12	2	1	32	33
65	12	15	1	4	5	5	3	-	-	4	1	-	1	6	1	4	9	1	-	10	34
86	8	20	-	8	1	3	8	-	1	-	-	1	7	11	-	8	3	1	1	22	35
121	21	29	2	11	2	5	7	4	1	2	-	-	4	19	1	7	11	2	-	24	36
1,186	219	304	36	109	41	33	109	20	13	28	5	2	53	130	18	60	99	37	3	283	37
117	19	38	2	9	11	1	7	1	1	2	3	-	7	18	5	6	8	6	1	29	38
162	36	26	2	11	7	2	18	1	1	2	-	-	3	20	-	3	8	5	-	31	39
134	28	35	2	17	2	3	15	3	2	5	-	-	9	21	2	5	14	4	-	41	40
77	15	26	3	6	3	2	10	1	1	1	1	-	2	6	1	1	7	-	-	13	41
41	8	4	1	2	-	2	5	2	-	-	-	-	-	7	-	1	3	2	-	15	42
74	20	24	4	11	4	7	3	2	1	4	-	-	6	10	1	2	5	-	-	17	43
581	93	151	22	53	14	16	51	10	7	14	1	2	26	48	9	42	54	20	2	137	44
54	6	7	-	6	1	1	4	2	-	-	-	-	3	5	-	2	5	1	1	15	45
628	88	150	9	32	21	12	72	13	10	23	2	1	17	46	5	32	57	23	1	134	46
187	19	24	3	7	6	3	14	4	3	5	1	-	5	18	-	6	21	3	1	25	47
260	22	29	4	12	9	4	23	4	3	9	1	-	7	23	1	10	30	4	1	43	48
151	30	46	3	10	6	1	31	3	2	9	-	-	3	10	2	7	13	2	-	34	49
290	39	80	3	15	9	8	27	6	5	9	1	1	9	18	3	19	25	18	-	75	50
348	87	113	7	32	14	20	40	9	5	12	3	2	13	24	7	27	46	6	-	120	51
33	13	4	-	4	2	2	5	3	-	1	-	-	-	4	2	5	2	1	-	18	52
53	21	17	1	4	1	3	8	2	-	3	1	-	4	5	2	2	11	1	-	22	53
60	13	28	3	5	1	6	3	1	2	2	-	1	1	1	1	2	6	2	-	8	54
202	40	64	3	19	10	9	24	3	3	6	2	1	8	14	2	18	27	2	-	72	55
84	7	19	3	2	2	5	6	1	2	-	1	-	5	5	1	4	9	6	-	22	56
6,264	1,853	1,927	205	613	284	214	868	158	78	358	34	25	229	957	135	243	723	184	131	1,573	57
34	6	5	3	7	1	-	3	2	-	-	-	-	-	4	1	3	8	6	-	11	58
69	21	12	1	8	3	1	8	2	3	2	-	-	1	11	-	1	5	4	-	15	59
619	112	141	6	63	24	19	70	30	5	22	1	-	14	59	9	37	85	17	2	300	60
44	10	9	-	3	3	-	2	4	-	5	-	-	1	2	-	3	5	4	-	25	61
83	16	16	2	5	3	4	8	5	1	1	-	-	1	14	-	-	10	2	-	28	62
45	5	13	-	9	4	2	6	1	-	4	-	-	2	1	-	1	6	-	-	34	63
45	4	13	-	4	2	1	6	-	-	1	-	-	2	3	1	3	4	3	-	18	64
402	77	90	4	42	12	12	48	20	4	11	1	-	8	39	8	30	60	8	2	195	65
73	26	23	3	10	1	3	6	-	1	-	-	-	4	4	-	5	6	-	-	19	66
231	42	32	5	24	5	3	24	6	3	6	5	-	13	18	2	22	37	9	-	52	67
27	-	5	1	1	2	-	7	-	-	-	-	-	2	2	-	3	2	1	-	4	68
109	18	25	-	11	7	3	20	5	1	1	-	1	3	13	-	13	9	6	-	23	69
102	27	58	-	5	3	-	13	1	2	1	-	2	4	11	-	18	15	3	1	31	70
56	11	36	2	1	4	4	5	2	2	-	-	-	4	9	-	4	5	2	-	16	71
198	45	31	7	22	12	12	28	3	-	7	-	-	7	23	2	17	23	8	3	37	72
36	9	7	2	8	4	2	6	-	-	1	-	-	2	4	-	2	1	2	-	9	73
68	20	9	4	1	3	7	8	1	-	3	-	-	2	6	-	7	10	-	-	11	74
94	16	15	1	13	5	3	14	2	-	3	-	-	3	13	2	8	12	6	3	17	75
130	17	36	3	6	5	5	21	4	2	6	3	-	4	20	3	6	12	2	-	32	76
48	10	15	1	1	2	2	6	-	2	5	3	-	2	10	2	1	6	-	-	10	77
82	7	21	2	5	3	3	15	4	-	1	-	-	2	10	1	5	6	2	-	22	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	PENNSYLVANIA—Continued																
1	Washington	2,150	12	3	-	5	337	139	37	161	50	1,250	1,235	283	-	891	29
2	Washington	376	3	1	-	1	57	18	10	29	11	213	209	54	-	146	4
3	Canonsburg	137	-	-	-	-	21	6	1	14	4	80	80	18	-	59	1
4	Donora	127	2	1	-	-	27	12	1	14	8	61	60	15	-	41	1
5	Balance of county	1,510	7	1	-	4	232	103	25	104	27	896	886	196	-	645	23
6	Wayne	374	2	-	-	1	63	27	5	31	5	229	224	45	1	162	7
7	Westmoreland	3,299	17	5	-	10	498	192	62	244	68	1,951	1,926	403	2	1,400	38
8	New Kensington	277	1	1	-	-	45	14	11	20	7	156	152	28	-	121	2
9	Arnold	71	1	1	-	-	14	5	2	7	1	36	36	4	-	31	1
10	Greensburg	224	1	-	-	-	27	7	1	19	3	144	142	37	-	98	2
11	Jeannette	160	-	-	-	-	25	8	1	16	1	99	98	12	1	81	3
12	Latrobe	156	-	-	-	1	22	11	4	7	3	97	96	21	-	72	3
13	Monessen	210	3	-	-	2	33	13	7	13	11	117	114	20	-	84	2
14	Balance of county	2,201	11	3	-	7	332	134	36	162	42	1,302	1,288	281	1	913	25
15	Wyoming	178	-	-	-	-	29	14	2	13	3	103	102	20	-	74	1
16	York	2,226	14	7	-	7	338	109	46	183	58	1,307	1,282	300	1	895	30
17	York	863	11	3	-	1	143	42	26	75	24	494	489	107	-	348	13
18	Hanover	159	-	-	-	-	20	6	3	11	5	91	88	24	-	59	-
19	Balance of county	1,204	3	4	-	6	175	61	17	97	29	722	705	169	1	488	17
20	RHODE ISLAND	8,606	53	20	-	29	1,484	569	205	710	237	4,952	4,885	844	6	3,722	101
21	Metropolitan counties	7,490	48	19	-	23	1,332	503	186	643	211	4,282	4,228	736	5	3,212	89
22	Nonmetropolitan counties	1,116	5	1	-	6	152	66	19	67	26	670	657	108	1	510	12
23	Bristol	314	-	-	-	-	49	14	9	26	9	191	188	39	-	141	4
24	Bristol (town)[3]	135	-	-	-	-	20	5	5	10	2	88	87	18	-	67	1
25	Balance of county	179	-	-	-	-	29	9	4	16	7	103	101	21	-	74	3
26	Kent	851	3	1	-	-	154	57	20	77	21	471	470	82	-	355	9
27	Warwick	496	2	-	-	-	93	34	12	47	11	286	285	52	-	217	6
28	West Warwick (town)[3]	176	-	1	-	-	33	13	5	15	6	93	93	17	-	67	2
29	Balance of county	179	1	-	-	-	28	10	3	15	4	92	92	13	-	71	1
30	Newport	659	2	-	-	3	87	37	12	38	16	391	384	61	1	304	7
31	Newport	401	-	-	-	3	59	28	8	23	13	228	223	34	-	178	2
32	Balance of county	258	2	-	-	-	28	9	4	15	3	163	161	27	1	126	5
33	Providence	6,325	45	18	-	23	1,129	432	157	540	181	3,620	3,570	615	5	2,716	76
34	Providence	2,868	22	8	-	12	515	204	69	242	99	1,588	1,566	279	3	1,191	30
35	Cranston	537	3	3	-	1	102	38	14	50	13	316	313	60	-	229	6
36	Pawtucket	902	1	1	-	1	160	66	19	75	23	523	514	80	-	391	10
37	Woonsocket	521	3	3	-	2	93	32	14	47	8	314	308	49	2	245	6
38	East Providence (town)[3]	387	3	-	-	1	60	14	10	36	15	226	224	47	-	164	3
39	Central Falls	214	3	-	-	2	51	19	9	23	5	125	124	18	-	98	5
40	Cumberland (town)[3]	145	2	-	-	1	23	14	4	5	3	91	89	13	-	68	3
41	Johnston (town)[3]	109	-	1	-	1	21	8	3	10	1	61	61	9	-	46	3
42	Lincoln (town)[3]	114	1	-	-	-	21	7	6	8	2	58	58	9	-	46	3
43	North Providence (town)[3]	107	2	1	-	-	19	4	3	12	2	60	60	13	-	43	1
44	Balance of county	421	5	1	-	2	64	26	6	32	10	258	253	38	-	195	6
45	Washington	457	3	1	-	3	65	29	7	29	10	279	273	47	-	206	5
46	Westerly (town)[3]	129	-	-	-	2	22	7	3	12	2	79	76	19	-	56	1
47	Balance of county	328	3	1	-	1	43	22	4	17	8	200	197	28	-	150	4
48	SOUTH CAROLINA	19,158	190	62	4	128	2,134	592	299	1,243	261	9,992	9,729	2,675	17	6,307	136
49	Metropolitan counties	5,115	43	24	-	24	622	167	98	357	57	2,498	2,444	639	1	1,652	48
50	Nonmetropolitan counties	14,043	147	38	4	104	1,512	425	201	886	204	7,494	7,285	2,036	16	4,655	88
51	Abbeville	185	-	1	-	-	19	6	-	13	4	120	119	34	-	77	-
52	Aiken	649	9	1	-	2	88	30	12	46	7	340	338	62	-	262	8
53	Allendale	134	3	-	-	-	15	7	1	7	3	77	75	18	-	53	1
54	Anderson	746	5	1	1	5	107	26	17	64	11	401	393	88	-	276	5
55	Anderson	238	3	-	1	-	37	8	7	22	3	132	128	23	-	94	4
56	Balance of county	508	2	1	-	5	70	18	10	42	8	269	265	65	-	182	1
57	Bamberg	144	3	-	-	1	13	6	2	5	4	76	73	24	2	38	1
58	Barnwell	133	1	1	-	4	16	3	2	11	1	76	75	24	-	44	4
59	Beaufort	242	1	1	-	1	23	6	3	14	3	105	104	28	1	69	2
60	Berkeley	256	1	3	-	1	27	9	4	14	4	125	122	28	1	76	1
61	Calhoun	137	-	-	-	-	22	9	4	9	2	72	69	17	1	49	-
62	Charleston	1,584	6	9	-	8	191	59	36	96	14	637	612	166	-	416	10
63	Charleston	786	2	6	-	5	104	32	16	56	6	350	333	95	-	222	6
64	Balance of county	798	4	3	-	3	87	27	20	40	8	287	279	71	-	194	4
65	Cherokee	294	7	-	-	1	37	16	1	20	6	167	165	37	-	114	4
66	Chester	302	3	2	-	4	32	9	4	19	8	167	165	40	-	108	3
67	Chesterfield	314	3	-	1	2	38	14	3	21	3	170	166	36	1	106	2
68	Clarendon	288	1	-	-	4	23	7	2	14	6	133	126	36	-	77	1
69	Colleton	230	4	-	-	5	22	8	5	9	2	136	133	26	-	101	1
70	Darlington	511	7	2	-	2	34	7	8	19	6	261	251	60	-	174	4
71	Dillon	255	4	-	1	2	21	1	3	17	5	134	130	38	-	83	2
72	Dorchester	207	1	-	-	2	23	8	5	10	6	112	107	33	-	70	-
73	Edgefield	172	1	-	-	2	24	4	6	14	-	98	93	29	-	64	-
74	Fairfield	227	1	1	-	-	22	5	1	16	3	139	135	37	-	83	1

[3]Classified as urban under a special rule.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
668	87	107	7	30	24	15	67	10	8	26	4	1	21	66	9	53	83	17	4	124	1
112	11	19	1	4	4	4	14	1	1	6	-	-	7	17	1	8	10	4	1	20	2
43	7	8	1	1	1	-	2	-	1	2	1	-	-	5	-	4	8	2	-	7	3
24	1	15	1	2	1	1	3	-	-	2	-	-	-	5	2	2	3	3	-	8	4
489	68	65	4	23	18	10	48	9	6	16	3	1	14	39	6	39	62	8	3	89	5
119	13	23	3	11	2	5	8	2	2	3	-	-	2	7	-	8	10	4	-	28	6
1,053	126	183	24	68	29	25	127	16	16	37	7	4	37	98	17	58	97	35	3	198	7
86	11	22	-	1	2	4	13	3	2	3	1	1	4	6	3	5	4	2	-	20	8
20	4	6	-	1	-	-	4	1	1	4	-	-	-	1	1	-	2	-	-	4	9
80	7	9	2	3	2	2	8	-	1	2	-	-	3	10	1	4	7	2	-	11	10
65	3	10	-	2	2	1	7	-	-	1	2	-	2	6	1	-	5	2	-	9	11
58	2	9	-	2	1	1	4	-	1	1	1	-	1	7	2	3	2	1	-	10	12
59	15	8	1	7	2	3	9	-	-	4	-	-	2	4	2	3	6	2	-	12	13
685	84	119	21	52	20	14	82	12	11	22	3	3	25	64	7	43	71	26	3	132	14
56	6	11	-	8	-	1	7	-	-	-	-	-	1	5	8	2	3	5	1	11	15
604	74	187	16	51	19	25	83	17	12	12	8	-	28	61	14	52	59	19	1	129	16
243	29	63	4	21	9	5	37	9	5	7	2	-	10	24	6	13	18	8	1	47	17
41	4	14	1	1	3	3	4	1	1	1	-	-	1	5	1	8	8	1	-	12	18
320	41	110	11	29	7	17	42	7	6	4	6	-	17	32	7	31	33	10	-	70	19
3,015	382	224	68	169	76	67	227	62	36	121	11	5	130	272	34	85	237	58	10	543	20
2,601	328	194	60	148	67	54	198	56	34	114	10	5	115	211	29	68	197	46	9	483	21
414	54	30	8	21	9	13	29	6	2	7	1	-	15	61	5	17	40	12	1	60	22
100	18	19	3	3	2	3	6	1	2	5	1	-	6	7	-	2	11	2	1	21	23
49	6	11	1	1	-	1	2	-	-	-	-	-	4	6	-	1	1	-	-	11	24
51	12	8	2	2	2	2	4	1	2	5	1	-	2	1	-	1	10	2	1	10	25
279	43	24	8	19	6	1	15	6	2	11	-	-	19	33	8	12	28	5	1	61	26
170	27	14	4	10	2	1	7	1	2	10	-	-	10	18	3	3	16	1	-	33	27
54	9	2	3	4	2	-	7	3	-	-	-	-	3	7	1	6	4	1	-	11	28
55	7	8	1	5	2	-	1	2	-	1	-	-	6	8	4	3	8	3	1	17	29
258	23	16	4	7	7	7	24	4	1	4	1	-	8	39	4	7	23	8	-	37	30
153	16	7	2	5	4	5	15	2	1	3	1	-	6	20	1	3	17	4	-	25	31
105	7	9	2	2	3	2	9	2	-	1	-	-	2	19	3	4	6	4	-	12	32
2,222	267	151	49	126	59	50	177	49	30	98	9	5	90	171	21	54	158	39	7	401	33
994	117	50	18	46	29	22	78	22	9	53	6	2	45	84	8	23	70	19	5	200	34
188	21	14	3	15	6	3	11	2	3	4	-	-	6	13	2	7	16	1	-	34	35
324	33	24	14	22	7	9	34	11	5	19	-	-	13	20	4	7	16	4	-	60	36
200	20	19	-	10	2	6	11	4	2	5	1	1	7	21	-	6	9	4	1	26	37
131	19	11	4	6	3	2	13	5	3	6	-	-	4	9	3	3	13	1	-	22	38
79	7	7	3	5	-	1	6	-	1	4	-	-	1	1	1	-	4	3	-	7	39
52	10	3	1	5	2	2	-	-	-	4	-	-	3	3	-	1	5	-	-	9	40
36	5	2	2	4	-	-	2	2	1	-	1	1	2	6	-	1	4	1	-	3	41
37	5	1	-	-	3	-	4	2	2	-	-	-	-	2	-	2	6	1	1	12	42
36	6	-	1	1	2	-	5	-	1	1	-	1	4	3	-	2	2	-	-	4	43
145	24	20	3	12	5	5	13	1	3	2	1	-	5	9	3	2	13	5	-	24	44
156	31	14	4	14	2	6	5	2	1	3	-	-	7	22	1	10	17	4	1	23	45
37	15	3	-	1	-	3	-	2	-	2	-	-	2	3	-	3	2	2	-	8	46
119	16	11	4	13	2	3	5	-	1	1	-	-	5	19	1	7	15	2	1	15	47
3,760	1,388	1,023	190	375	165	263	898	91	175	105	43	60	266	997	637	662	867	146	214	1,226	48
1,056	354	194	35	80	37	54	200	27	35	37	9	8	107	278	290	167	235	49	76	329	49
2,704	1,034	829	155	295	128	209	698	64	140	68	34	52	159	719	347	495	632	97	138	897	50
49	11	17	1	6	1	1	8	-	2	1	1	1	1	8	2	2	3	3	2	7	51
148	71	35	4	5	5	2	21	3	4	1	2	2	13	41	3	21	32	6	12	41	52
17	12	23	1	3	-	2	6	-	-	-	-	2	1	3	6	5	3	3	2	5	53
146	67	58	12	12	5	8	29	3	-	1	2	1	12	28	15	21	27	6	12	58	54
37	37	16	3	7	1	4	9	1	-	-	1	1	4	12	3	7	3	2	6	13	55
109	30	42	9	5	4	4	20	2	-	1	1	-	8	16	12	14	24	4	6	45	56
16	14	7	-	5	4	3	3	-	2	-	-	-	3	9	4	4	12	-	-	10	57
29	4	7	3	4	-	1	4	2	3	-	-	-	-	5	4	3	7	1	1	4	58
29	24	14	1	2	3	1	14	1	1	1	1	-	6	13	15	9	20	-	1	26	59
49	18	8	4	11	2	3	20	-	-	5	-	1	2	11	19	11	14	-	2	10	60
21	22	6	1	1	-	3	5	1	2	-	-	1	-	2	7	4	11	-	1	7	61
282	90	34	6	17	7	25	60	5	7	16	2	4	31	81	255	48	75	15	17	103	62
137	58	21	4	9	3	17	26	3	5	9	-	-	7	41	113	17	26	9	7	50	63
145	32	13	2	8	4	8	34	2	2	7	2	4	24	40	142	31	49	6	10	53	64
68	21	21	3	9	2	2	18	2	1	2	-	-	2	11	1	8	8	2	2	19	65
59	23	23	6	9	2	2	21	3	-	-	2	-	3	14	1	12	13	2	-	15	66
61	27	16	4	14	5	4	12	1	2	1	-	3	4	21	2	12	12	1	2	24	67
43	14	19	8	3	2	7	18	1	4	-	1	6	2	20	24	14	11	1	2	17	68
62	16	22	-	2	4	3	8	1	3	2	1	1	2	9	10	4	6	1	2	11	69
127	28	15	7	4	6	10	39	1	9	2	1	1	4	51	4	18	24	3	6	36	70
43	28	10	3	5	1	4	21	3	6	2	1	1	2	14	4	12	5	1	3	13	71
40	17	13	2	1	1	5	12	2	1	-	2	1	2	5	4	11	5	2	1	15	72
31	17	16	-	-	-	5	6	-	4	2	2	2	1	7	5	7	5	1	-	5	73
55	12	15	2	12	1	4	12	2	2	-	1	-	2	13	2	4	12	1	1	9	74

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	SOUTH CAROLINA—Con.																
1	Florence	747	12	6	-	6	71	18	10	43	11	378	355	119	3	212	-
2	Florence	264	2	4	-	2	31	7	5	19	3	133	124	40	1	78	-
3	Balance of county	483	10	2	-	4	40	11	5	24	8	245	231	79	2	134	-
4	Georgetown	296	1	-	-	4	29	10	4	15	6	155	152	49	-	96	2
5	Greenville	1,486	13	9	-	7	195	47	27	121	25	752	740	220	-	467	16
6	Greenville	631	9	4	-	3	74	19	12	43	8	327	320	90	-	206	8
7	Balance of county	855	4	5	-	4	121	28	15	78	17	425	420	130	-	261	8
8	Greenwood	406	2	1	-	-	53	10	3	40	5	218	215	47	1	153	-
9	Greenwood	168	1	1	-	-	22	3	1	18	2	80	80	19	1	57	-
10	Balance of county	238	1	-	-	-	31	7	2	22	3	138	135	28	-	96	-
11	Hampton	182	2	1	-	1	21	8	5	8	2	93	91	36	-	53	1
12	Horry	523	12	-	-	6	46	14	3	29	5	246	233	77	-	138	1
13	Jasper	104	1	-	-	1	5	2	-	3	1	59	58	24	1	29	-
14	Kershaw	310	4	1	1	2	34	5	4	25	4	188	182	37	-	130	3
15	Lancaster	271	2	-	-	-	29	11	3	15	4	147	143	42	1	88	-
16	Laurens	380	1	1	-	2	52	14	6	32	4	218	213	68	-	128	3
17	Lee	186	2	-	-	1	16	4	2	10	6	97	96	21	-	68	2
18	Lexington	426	2	-	-	5	41	8	3	30	4	239	236	62	-	159	2
19	McCormick	111	3	-	-	1	7	5	1	1	2	58	57	12	-	40	1
20	Marion	305	6	2	-	2	18	4	4	10	2	169	167	61	1	90	13
21	Marlboro	331	5	-	-	1	24	5	2	17	5	179	178	40	-	124	3
22	Newberry	262	5	2	-	-	37	9	5	23	1	155	150	50	-	90	2
23	Oconee	302	3	-	-	2	46	18	9	19	2	158	151	43	-	95	1
24	Orangeburg	615	6	-	-	8	70	22	11	37	5	324	312	91	1	201	5
25	Orangeburg	146	2	-	-	1	16	4	4	8	1	83	79	19	1	52	-
26	Balance of county	469	4	-	-	7	54	18	7	29	4	241	233	72	-	149	5
27	Pickens	331	2	1	-	3	34	11	8	15	5	183	180	66	-	103	2
28	Richland	1,396	15	5	-	7	148	31	23	94	11	769	754	191	1	507	14
29	Columbia	952	10	4	-	5	104	24	17	63	7	535	524	132	-	354	6
30	Balance of county	444	5	1	-	2	44	7	6	31	4	234	230	59	1	153	8
31	Saluda	140	2	-	-	-	25	4	2	19	1	77	76	24	-	47	1
32	Spartanburg	1,256	12	3	-	12	156	50	15	91	19	676	667	194	-	420	3
33	Spartanburg	442	5	1	-	2	66	26	7	33	7	229	223	54	-	143	-
34	Balance of county	824	7	2	-	10	90	24	8	58	12	447	444	140	-	277	3
35	Sumter	558	4	1	-	4	63	14	12	37	8	267	255	73	-	161	5
36	Sumter	218	2	-	-	3	29	6	6	17	4	106	100	28	-	62	1
37	Balance of county	340	2	1	-	1	34	8	6	20	4	161	155	45	-	99	4
38	Union	261	2	1	-	-	33	8	7	18	1	146	145	48	-	87	3
39	Williamsburg	367	5	1	-	5	22	4	7	11	13	190	176	56	2	89	3
40	York	586	5	5	-	2	62	16	4	42	11	305	296	63	-	192	-
41	Rock Hill	230	2	4	-	-	29	8	4	17	3	116	115	23	-	69	-
42	Balance of county	356	3	1	-	2	33	8	-	25	8	189	181	40	-	123	-
43	SOUTH DAKOTA	6,269	31	12	4	37	955	328	98	529	91	3,321	3,268	741	4	2,280	62
44	Metropolitan counties	697	4	1	-	4	121	44	18	59	7	388	380	100	-	248	5
45	Nonmetropolitan counties	5,572	27	11	4	33	834	284	80	470	84	2,933	2,888	641	4	2,032	57
46	Armstrong	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	Aurora	58	-	-	-	-	12	3	2	7	-	27	27	7	-	19	-
48	Beadle	186	-	1	-	1	31	10	4	17	4	92	91	28	-	57	-
49	Huron	121	-	1	-	-	20	6	3	11	3	63	62	18	-	39	-
50	Balance of county	65	-	-	-	1	11	4	1	6	1	29	29	10	-	18	-
51	Bennett	26	-	-	-	-	4	3	-	1	-	7	7	-	-	7	-
52	Bon Homme	98	-	-	-	-	12	4	-	8	3	63	62	12	-	50	2
53	Brookings	161	-	1	-	-	26	12	1	13	1	94	93	19	1	70	3
54	Brown	330	-	2	-	1	47	13	4	30	9	176	175	34	-	130	6
55	Aberdeen	218	-	2	-	1	36	9	4	23	4	110	110	21	-	82	2
56	Balance of county	112	-	-	-	-	11	4	-	7	5	66	65	13	-	48	4
57	Brule	58	-	-	-	1	8	3	-	5	-	31	31	10	-	20	-
58	Buffalo	9	1	-	-	-	1	-	1	-	-	3	3	1	-	2	-
59	Butte	81	-	1	-	-	9	2	1	6	-	39	38	11	-	24	-
60	Campbell	23	-	-	-	-	2	1	-	1	-	16	15	3	-	8	-
61	Charles Mix	113	1	-	-	2	12	4	2	6	-	63	62	9	-	48	1
62	Clark	73	1	-	-	1	11	6	-	5	1	41	41	11	-	28	-
63	Clay	91	-	-	-	-	16	5	-	11	2	49	49	16	-	27	1
64	Codington	184	-	-	-	-	38	14	2	22	10	91	89	24	-	57	1
65	Watertown	139	-	-	-	-	22	7	1	14	9	73	72	16	-	49	1
66	Balance of county	45	-	-	-	-	16	7	1	8	1	18	17	8	-	8	-
67	Corson	49	-	-	-	-	7	3	-	4	-	25	25	4	-	21	1
68	Custer	50	2	-	-	-	11	4	1	6	1	24	24	7	-	17	-
69	Davison	194	-	1	1	-	28	9	5	14	1	120	120	18	1	92	3
70	Mitchell	152	-	1	1	-	23	8	5	10	1	99	99	13	1	76	2
71	Balance of county	42	-	-	-	-	5	1	-	4	-	21	21	5	-	16	1
72	Day	109	1	-	-	1	12	1	-	11	3	71	70	26	-	39	3
73	Deuel	80	-	1	-	2	12	6	2	4	-	43	43	10	-	32	1
74	Dewey	55	2	-	-	-	9	4	-	5	-	25	25	4	-	19	1
75	Douglas	48	-	-	-	-	8	2	-	6	-	29	29	8	-	19	-
76	Edmunds	52	-	-	-	1	15	6	1	8	1	27	27	11	-	14	-
77	Fall River	105	2	-	-	-	15	7	3	5	1	53	53	12	-	38	2
78	Faulk	48	-	-	-	-	8	2	-	6	2	24	24	10	-	12	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
131	36	45	7	10	4	23	43	6	9	1	4	7	11	45	8	20	39	6	12	52	1
45	16	17	2	2	1	9	9	3	3	-	1	-	7	17	4	4	13	4	3	21	2
86	20	28	5	8	3	14	34	3	6	1	3	7	4	28	4	16	26	2	9	31	3
45	25	24	1	3	3	3	20	1	8	1	1	1	4	15	7	9	19	-	1	14	4
297	87	67	11	28	14	12	58	12	11	12	1	1	35	72	19	47	70	14	29	104	5
113	46	39	7	11	6	7	31	5	2	5	-	1	15	28	8	20	32	3	15	41	6
184	41	28	4	17	8	5	27	7	9	7	1	-	20	44	11	27	38	11	14	63	7
101	33	19	4	3	7	3	20	4	4	1	-	-	6	26	4	7	13	6	7	29	8
42	12	3	1	1	1	-	12	2	2	-	-	-	4	12	-	1	4	2	5	18	9
59	21	16	3	2	6	3	8	2	2	1	-	-	2	14	4	6	9	4	2	11	10
29	18	5	1	1	-	2	10	-	3	1	-	-	-	9	5	8	9	1	2	14	11
73	33	31	7	3	8	13	21	2	3	4	1	2	1	34	22	37	41	6	5	29	12
19	4	6	-	3	1	1	7	-	-	1	1	-	-	3	9	5	5	-	2	4	13
59	37	31	6	6	3	6	15	1	1	2	1	-	2	12	4	6	8	3	2	19	14
68	15	5	2	7	3	4	9	1	6	4	-	-	3	16	5	16	7	6	2	14	15
85	12	28	4	11	2	5	17	5	2	1	-	1	6	10	11	9	14	2	3	21	16
24	31	11	2	3	2	1	11	-	1	-	-	1	2	7	17	4	7	1	3	10	17
82	37	38	6	8	1	3	16	1	6	5	-	1	5	17	8	21	20	6	3	26	18
21	8	10	1	2	2	1	4	-	-	-	-	1	2	5	8	3	3	1	4	9	19
43	15	19	4	5	6	2	22	-	4	1	2	2	2	14	10	13	18	1	3	14	20
66	41	14	3	8	3	1	12	-	14	3	1	3	2	20	1	11	20	2	3	25	21
60	13	15	2	6	2	5	12	-	2	2	-	1	2	13	1	7	12	1	1	8	22
66	15	13	3	8	2	7	16	2	2	2	1	-	5	7	3	13	10	5	4	21	23
104	56	36	2	15	2	12	33	4	2	5	2	2	5	21	24	26	33	1	6	38	24
23	15	14	1	5	1	4	8	1	-	1	-	-	-	6	4	5	12	1	1	4	25
81	41	22	1	10	1	8	25	3	2	4	2	2	5	15	20	21	21	-	5	34	26
62	17	22	1	4	6	3	11	1	2	1	-	1	6	17	2	18	10	3	2	29	27
329	106	58	14	30	11	15	61	7	13	8	4	1	28	84	13	51	58	14	18	81	28
237	68	43	12	17	9	11	34	5	8	7	3	-	14	55	10	35	37	9	12	58	29
92	38	15	2	13	2	4	27	2	5	1	1	1	14	29	3	16	21	5	6	23	30
35	5	6	-	4	1	1	2	-	2	-	1	1	3	5	1	8	7	-	2	3	31
290	71	56	10	26	17	9	54	9	8	6	-	3	16	76	10	26	47	8	14	111	32
100	28	15	3	14	9	6	13	3	5	5	-	2	4	24	3	5	18	2	7	41	33
190	43	41	7	12	8	3	41	6	3	1	-	1	12	52	7	21	29	6	7	70	34
71	46	39	7	10	4	12	20	1	12	1	1	1	7	39	24	27	34	2	6	36	35
30	12	19	4	6	-	6	5	-	3	1	1	-	5	21	4	3	11	-	3	17	36
41	34	20	3	4	4	6	15	1	9	-	-	1	2	18	20	24	23	2	3	19	37
53	19	12	2	6	2	1	13	3	2	2	-	-	4	10	3	8	14	1	2	16	38
48	27	11	15	9	5	14	26	-	5	1	1	2	2	24	24	11	10	2	1	22	39
124	45	23	7	31	3	9	28	-	-	4	2	1	14	30	7	21	34	5	8	42	40
44	20	5	3	19	1	1	13	-	-	1	2	-	6	11	3	5	17	2	2	14	41
80	25	18	4	12	2	8	15	-	-	3	-	1	8	19	4	16	17	3	6	28	42
1,721	186	311	47	135	61	53	243	32	45	25	4	6	104	247	82	188	263	67	10	502	43
201	17	25	7	18	7	8	23	5	4	-	-	-	15	25	9	14	21	8	-	48	44
1,520	169	286	40	117	54	45	220	27	41	25	4	6	89	222	73	174	242	59	10	454	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
18	-	1	-	1	-	-	1	-	1	1	-	-	-	3	1	3	3	-	-	6	47
47	5	5	1	3	2	1	12	4	-	1	-	-	1	6	-	8	4	1	-	20	48
31	5	3	1	2	2	1	7	4	-	1	-	-	1	2	-	3	3	1	-	12	49
16	-	2	-	1	-	-	5	-	-	-	-	-	-	4	-	5	1	-	-	8	50
6	1	-	-	-	-	-	4	-	1	1	-	-	2	1	-	2	3	-	-	1	51
41	1	6	-	-	-	1	-	-	-	-	-	1	3	2	-	2	2	3	-	7	52
54	6	7	2	-	1	1	5	-	1	1	-	-	5	3	-	3	8	1	-	12	53
107	9	8	-	9	2	1	13	3	2	2	-	1	10	10	-	8	16	4	1	25	54
69	7	4	-	5	2	-	6	2	2	1	-	1	8	7	-	7	8	2	1	20	55
38	2	4	-	4	-	1	7	1	-	1	-	-	2	3	-	1	8	2	-	5	56
16	-	4	-	1	-	-	2	-	-	-	-	1	-	4	1	-	3	1	-	6	57
2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	58
17	3	4	2	1	-	1	1	-	1	-	-	-	1	4	3	3	9	-	-	10	59
7	1	-	-	1	3	1	-	-	-	-	-	-	-	2	-	-	2	-	-	1	60
31	6	10	-	3	2	1	2	3	1	-	1	-	-	3	2	4	9	2	-	8	61
24	-	4	-	2	-	-	1	-	-	-	-	1	1	4	1	3	1	-	-	6	62
21	2	3	1	3	2	-	4	-	-	-	-	-	-	1	1	5	5	2	1	5	63
49	2	5	1	4	3	2	7	-	1	1	-	-	3	6	1	1	9	3	-	13	64
41	2	5	1	3	3	1	6	-	1	1	-	-	2	3	-	1	8	3	-	10	65
8	-	-	-	1	-	1	1	-	-	-	-	-	1	3	1	-	1	-	-	3	66
15	1	4	-	-	-	-	2	-	-	1	-	-	1	3	1	4	2	-	-	3	67
8	5	4	-	-	-	-	-	-	1	-	-	-	2	1	1	1	-	1	-	5	68
62	9	18	4	4	1	-	7	-	-	-	-	-	3	2	3	8	5	2	1	12	69
49	8	17	4	4	1	-	5	-	-	-	-	-	2	1	1	5	3	1	1	8	70
13	1	1	-	-	-	-	2	-	-	-	-	-	1	1	2	3	2	1	-	4	71
33	1	2	1	4	-	1	2	-	1	-	-	-	-	5	1	3	2	-	-	7	72
23	4	4	1	-	-	-	6	-	-	-	-	-	1	-	-	3	5	2	-	5	73
17	-	1	2	-	-	-	4	1	-	-	-	-	-	1	2	1	1	-	1	8	74
13	3	3	1	-	1	-	-	-	1	-	-	-	-	1	2	1	2	1	-	3	75
11	2	1	-	2	-	-	1	1	-	-	-	-	-	1	-	1	1	-	-	3	76
30	1	5	-	1	2	-	6	2	1	-	-	-	1	4	-	3	6	4	-	7	77
9	1	1	1	-	1	-	3	-	-	-	-	-	3	-	-	3	3	2	-	-	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	SOUTH DAKOTA—Continued																
1	Grant	92	-	-	-	1	16	4	1	11	2	42	41	7	-	28	1
2	Gregory	73	-	-	-	-	8	5	-	3	1	40	39	6	-	31	-
3	Haakon	34	-	-	-	-	6	3	-	3	1	18	18	2	-	16	-
4	Hamlin	72	-	-	-	-	5	1	-	4	2	49	49	5	-	42	-
5	Hand	65	-	-	-	2	3	1	-	2	-	33	33	7	-	20	-
6	Hanson	44	-	-	-	-	6	2	-	4	-	27	27	5	-	20	-
7	Harding	17	-	-	-	1	-	-	-	-	-	7	6	1	-	5	-
8	Hughes	110	-	-	-	1	19	8	-	11	-	50	49	9	-	35	1
9	Hutchinson	103	-	-	-	-	19	6	5	8	3	55	55	17	-	35	1
10	Hyde	33	-	-	-	1	4	1	-	3	-	15	14	3	-	10	1
11	Jackson	16	-	-	-	-	2	1	-	1	-	9	9	1	-	7	-
12	Jerauld	37	-	-	-	1	8	4	-	4	1	19	19	-	-	17	1
13	Jones	32	-	-	-	-	3	3	-	-	1	18	17	3	-	13	-
14	Kingsbury	94	-	-	-	-	15	5	-	10	1	58	57	11	-	41	1
15	Lake	111	-	-	-	-	22	14	4	4	-	55	54	13	-	34	2
16	Lawrence	156	1	1	-	-	26	13	3	10	4	84	83	18	1	59	2
17	Lincoln	139	-	-	-	1	27	7	4	16	5	69	66	14	-	43	1
18	Lyman	50	-	-	-	-	5	2	-	3	-	30	30	12	-	15	1
19	McCook	75	-	-	-	-	13	3	2	8	2	40	39	5	-	33	1
20	McPherson	53	-	-	-	-	6	1	2	3	1	34	33	9	-	24	1
21	Marshall	73	-	1	-	-	9	2	2	5	-	45	44	11	-	31	1
22	Meade	96	-	-	-	2	16	4	3	9	-	43	43	9	-	29	3
23	Mellette	39	1	-	-	1	3	2	-	1	3	8	8	1	-	6	-
24	Miner	51	-	-	-	-	5	1	-	4	1	34	34	7	-	25	-
25	Minnehaha	697	4	1	-	4	121	44	18	59	7	388	380	100	-	248	5
26	Sioux Falls	538	2	1	-	4	92	34	15	43	3	290	286	73	-	190	4
27	Balance of county	159	2	-	-	-	29	10	3	16	4	98	94	27	-	58	1
28	Moody	95	-	-	-	-	15	7	2	6	-	48	47	8	-	36	1
29	Pennington	363	-	2	-	3	53	16	6	31	3	164	161	41	-	104	4
30	Rapid City	286	-	2	-	2	42	15	4	23	3	126	124	34	-	77	4
31	Balance of county	77	-	-	-	1	11	1	2	8	-	38	37	7	-	27	-
32	Perkins	71	1	-	-	-	13	6	-	7	-	39	39	10	-	23	-
33	Potter	37	-	-	-	-	6	3	-	3	-	17	16	3	-	13	-
34	Roberts	140	1	-	-	-	17	1	2	14	1	79	76	19	1	47	1
35	Sanborn	60	-	-	-	1	9	2	-	7	-	38	38	8	-	27	-
36	Shannon	80	3	-	-	1	9	-	1	8	2	14	12	-	-	12	-
37	Spink	119	-	-	-	2	18	2	2	14	2	71	70	12	-	54	-
38	Stanley	20	-	-	-	-	3	1	-	2	-	11	11	3	-	8	-
39	Sully	17	-	-	-	-	1	-	-	1	-	12	12	5	-	7	-
40	Todd	58	3	-	-	1	7	2	1	4	-	14	13	2	-	11	1
41	Tripp	79	1	-	1	1	6	3	1	2	1	40	40	9	-	31	-
42	Turner	123	-	-	-	-	22	8	4	10	1	74	74	11	-	55	3
43	Union	105	1	-	-	2	16	4	2	10	1	62	61	12	-	43	-
44	Walworth	78	1	-	-	-	14	5	2	7	4	39	35	4	-	28	-
45	Washabaugh	14	1	-	-	-	2	-	1	1	-	2	2	1	-	1	1
46	Yankton	148	-	-	2	1	20	5	-	15	1	87	85	22	-	57	2
47	Ziebach	19	3	-	-	-	3	2	1	-	1	7	6	-	-	6	-
48	TENNESSEE	31,412	455	60	2	169	4,134	1,316	520	2,298	367	16,487	16,180	4,607	23	10,487	286
49	Metropolitan counties	13,619	197	39	1	66	1,868	566	259	1,043	162	6,767	6,647	1,872	9	4,325	137
50	Nonmetropolitan counties	17,793	258	21	1	103	2,266	750	261	1,255	205	9,720	9,533	2,735	14	6,162	149
51	Anderson	310	2	-	-	3	47	14	7	26	6	132	129	32	-	91	4
52	Bedford	242	3	-	-	-	34	12	5	17	4	155	154	36	-	109	3
53	Benton	134	1	-	-	-	26	12	1	13	2	82	79	19	-	57	2
54	Bledsoe	70	-	-	-	-	10	2	1	7	1	33	32	9	-	21	-
55	Blount	382	2	-	-	3	55	10	4	41	4	181	175	47	-	115	2
56	Bradley	319	4	-	-	2	47	17	8	22	1	158	156	41	1	102	1
57	Cleveland	172	3	-	-	1	27	13	3	11	1	85	85	25	-	54	1
58	Balance of county	147	1	-	-	1	20	4	5	11	-	73	71	16	1	48	-
59	Campbell	280	4	-	-	3	34	11	8	15	4	116	115	34	1	79	1
60	Cannon	88	3	-	-	-	7	3	-	4	-	61	61	13	-	48	-
61	Carroll	221	1	-	-	-	32	11	3	18	4	144	142	32	-	84	5
62	Carter	332	1	1	-	2	34	10	3	21	7	172	166	56	-	106	3
63	Elizabethton	103	-	-	-	-	10	2	2	6	1	52	49	15	-	33	-
64	Balance of county	229	1	1	-	2	24	8	1	15	6	120	117	41	-	73	3
65	Cheatham	84	2	-	-	-	7	2	1	4	3	48	47	15	-	28	-
66	Chester	93	1	-	-	1	18	6	5	7	1	47	47	20	-	18	2
67	Claiborne	171	6	-	-	-	32	13	2	17	1	83	77	19	-	50	1
68	Clay	58	2	-	-	-	7	2	3	2	1	32	31	9	1	20	-
69	Cocke	201	7	2	-	2	20	11	-	9	4	94	92	24	1	56	1
70	Coffee	227	2	-	-	1	41	13	6	22	2	114	112	43	1	60	2
71	Crockett	134	1	-	-	-	16	5	2	9	-	80	80	30	-	50	-
72	Cumberland	137	2	-	-	-	24	13	2	9	-	62	57	22	-	29	-
73	Davidson	3,450	48	7	-	9	479	138	75	266	45	1,725	1,701	495	5	1,094	37
74	Nashville	2,234	31	6	-	6	296	90	46	160	32	1,097	1,082	312	2	697	23
75	Balance of county	1,216	17	1	-	3	183	48	29	106	13	628	619	183	3	397	14
76	Decatur	98	-	-	-	4	9	4	-	5	-	43	43	19	-	23	1
77	De Kalb	115	4	-	-	-	16	6	2	8	-	66	65	7	-	57	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
20	2	5	1	4	1	1	5	-	-	1	-	-	4	4	-	-	6	-	-	11	1
29	2	-	-	1	1	1	3	-	-	-	-	-	1	2	3	-	5	2	-	8	2
9	5	2	-	-	-	-	1	-	-	-	-	-	1	3	-	-	2	-	-	2	3
31	4	7	-	2	-	-	5	-	-	-	-	-	-	1	-	3	1	1	-	5	4
18	1	1	3	2	1	-	2	-	1	-	-	-	1	4	-	-	10	1	-	8	5
15	1	4	1	1	-	-	4	-	1	-	-	-	-	2	-	-	3	-	-	1	6
5	-	-	-	-	-	1	1	-	-	-	-	-	-	-	3	-	1	1	-	3	7
24	2	8	-	3	2	1	4	-	1	-	-	-	4	8	-	10	6	-	-	7	8
27	2	5	1	2	-	-	3	2	1	-	-	-	4	5	-	1	4	-	-	6	9
7	-	2	-	1	-	1	1	1	-	-	-	-	1	1	-	1	3	1	-	4	10
7	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	2	11
12	1	3	-	1	1	-	4	-	-	-	-	-	-	1	-	1	-	-	-	2	12
5	3	5	-	1	-	1	1	-	-	-	-	-	1	1	1	2	1	1	-	2	13
30	6	4	-	5	-	1	4	-	-	2	-	-	-	2	-	1	3	-	-	8	14
20	5	7	1	5	1	1	5	2	-	2	-	-	-	5	1	3	5	-	-	11	15
41	4	12	1	3	1	1	3	-	-	-	-	-	3	10	2	1	4	1	-	16	16
35	1	6	1	6	2	3	5	3	-	-	-	-	2	3	2	2	2	1	-	17	17
11	1	2	-	3	-	-	2	-	-	1	-	-	-	2	1	3	-	1	-	5	18
22	6	4	-	1	-	1	-	-	2	-	-	-	1	2	-	1	4	2	-	8	19
19	1	3	-	-	-	1	2	-	-	-	-	-	-	2	-	3	-	-	-	5	20
24	-	6	-	2	-	1	2	-	-	1	-	-	2	-	-	3	2	1	-	7	21
18	2	6	-	3	2	-	7	1	-	-	-	-	-	3	2	2	7	1	-	12	22
3	1	2	1	-	-	-	5	-	3	-	-	1	1	3	5	1	-	-	-	4	23
20	4	1	1	-	1	-	1	-	1	-	-	-	-	-	1	2	2	-	-	4	24
201	17	25	7	18	7	8	23	5	4	-	-	-	15	25	9	14	21	8	-	48	25
157	12	17	5	13	5	4	20	4	4	-	-	-	9	23	8	12	19	6	-	41	26
44	5	8	2	5	2	4	3	1	-	-	-	-	6	2	1	2	2	2	-	7	27
20	11	4	-	-	3	1	2	-	1	1	-	-	3	1	-	6	8	-	-	10	28
77	11	12	1	7	8	3	11	1	4	1	1	1	6	38	4	20	14	5	1	31	29
58	8	7	-	6	7	2	9	1	4	1	-	1	6	33	3	16	12	4	1	20	30
19	3	5	1	1	1	1	2	-	-	-	1	-	-	5	1	4	2	1	-	11	31
12	1	10	-	4	2	-	2	-	-	2	-	-	1	1	-	3	4	1	-	4	32
8	1	4	-	-	-	1	1	-	-	-	-	-	2	2	1	1	3	-	-	4	33
27	9	10	5	3	1	3	5	1	-	2	1	-	3	6	5	6	4	-	-	9	34
19	3	5	-	3	-	-	2	-	-	-	-	-	-	3	-	1	1	-	1	4	35
6	2	4	-	-	-	2	10	1	3	1	-	-	-	6	13	4	3	-	1	9	36
40	3	11	-	4	-	1	6	1	2	1	-	-	-	3	-	1	1	1	-	10	37
7	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	38
6	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	39
8	-	2	-	-	-	1	8	-	4	-	-	-	1	4	5	3	2	1	1	4	40
27	3	1	-	-	-	-	3	-	3	-	-	-	1	6	1	2	7	-	-	6	41
40	2	10	-	4	4	-	2	-	1	-	-	-	-	2	-	7	5	1	1	7	42
30	3	10	4	1	1	1	3	-	1	1	1	-	-	4	-	3	1	1	-	8	43
24	-	4	2	1	-	4	1	-	-	-	-	-	5	2	-	1	3	-	-	8	44
-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	3	-	2	-	-	1	45
51	3	1	-	4	2	2	8	-	-	1	-	-	2	8	-	2	5	4	1	6	46
5	-	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	2	-	-	1	47
6,748	1,666	1,787	266	516	281	307	1,351	147	143	216	48	47	391	1,404	1,687	776	1,041	296	275	1,916	48
2,776	702	710	98	209	134	120	527	61	52	127	17	11	208	695	896	305	422	127	149	922	49
3,972	964	1,077	168	307	147	187	824	86	91	89	31	36	183	709	791	471	619	169	126	994	50
65	11	11	1	2	3	3	17	-	2	-	-	-	9	17	21	7	8	9	4	26	51
62	26	18	4	4	1	1	10	-	3	1	-	2	-	6	-	3	6	2	2	11	52
37	10	8	2	-	1	3	4	1	-	-	1	-	1	2	3	4	5	-	-	2	53
20	1	-	1	1	-	1	2	1	-	2	-	-	1	6	1	1	5	2	-	5	54
95	12	6	1	10	2	6	16	1	2	-	2	-	14	15	16	16	15	4	5	31	55
73	12	16	3	4	5	2	15	1	2	3	1	-	3	15	23	9	10	2	5	18	56
38	6	9	1	1	4	-	10	-	1	-	1	-	2	12	11	1	3	1	5	8	57
35	6	7	2	3	1	2	5	1	1	3	-	-	1	3	12	8	7	1	-	10	58
34	25	19	1	-	-	1	26	1	-	5	2	-	2	26	17	4	19	1	3	13	59
36	9	3	-	-	-	-	3	1	-	-	-	-	1	2	2	2	1	-	-	5	60
53	5	21	13	10	3	2	8	3	1	-	-	-	-	3	4	1	6	2	3	9	61
67	13	23	2	2	-	6	27	3	3	1	1	1	5	17	11	11	13	4	-	18	62
23	7	3	-	1	-	3	9	1	1	-	-	-	1	5	2	6	6	-	-	9	63
44	6	20	2	1	-	3	18	2	2	1	1	1	4	12	9	5	7	4	-	9	64
22	2	4	-	2	2	1	4	1	-	-	-	-	-	3	3	2	2	4	-	5	65
12	1	3	3	5	1	-	2	-	1	4	-	-	-	4	4	1	3	-	1	5	66
34	3	12	3	2	3	6	5	-	1	1	-	-	2	6	12	6	1	6	2	7	67
7	9	4	-	1	-	1	4	-	1	1	-	-	-	1	1	1	1	2	2	2	68
24	23	8	-	10	1	2	11	3	-	2	-	1	1	8	16	10	5	2	3	10	69
36	8	14	5	2	1	2	5	2	1	-	-	-	5	20	7	4	5	2	1	15	70
33	11	6	-	-	-	-	4	-	2	-	-	1	2	1	4	6	7	3	2	5	71
23	3	3	2	2	2	5	6	-	1	-	-	1	5	5	12	4	5	-	1	9	72
691	177	189	25	57	25	24	133	20	14	24	5	1	44	166	229	84	113	31	43	230	73
398	138	138	20	35	16	15	87	16	9	16	4	1	18	103	185	46	66	16	39	160	74
293	39	51	5	22	9	9	46	4	5	8	1	-	26	63	44	38	47	15	4	70	75
22	-	-	-	-	1	-	11	1	-	-	-	-	1	3	9	2	9	2	-	5	76
23	13	20	1	-	-	1	7	-	-	1	-	1	-	6	1	3	2	3	-	5	77

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TENNESSEE—Continued																
1	Dickson	231	5	-	-	-	22	9	3	10	-	149	148	49	-	93	3
2	Dyer	337	4	-	-	1	49	22	7	20	9	168	163	51	-	102	1
3	Dyersburg	142	2	-	-	-	20	10	2	8	3	69	67	18	-	44	-
4	Balance of county	195	2	-	-	1	29	12	5	12	6	99	96	33	-	58	1
5	Fayette	231	3	1	-	-	18	8	2	8	3	114	112	52	1	50	4
6	Fentress	122	1	-	-	-	13	6	1	6	2	62	58	18	-	36	-
7	Franklin	248	4	-	-	3	32	11	1	20	1	141	141	51	-	85	-
8	Gibson	513	6	1	-	2	74	26	5	43	4	302	299	90	1	196	3
9	Giles	240	6	-	-	-	21	6	2	13	4	144	137	39	-	86	2
10	Grainger	110	2	-	-	-	8	-	-	8	-	60	58	18	-	37	-
11	Greene	375	8	-	-	5	38	16	3	19	2	218	212	46	-	158	3
12	Grundy	93	1	-	-	2	13	4	2	7	2	56	55	14	-	38	-
13	Hamblen	211	7	-	-	3	27	7	4	16	2	105	102	30	-	65	-
14	Morristown	107	2	-	-	1	10	3	1	6	2	53	52	15	-	34	-
15	Balance of county	104	5	-	-	2	17	4	3	10	-	52	50	15	-	31	-
16	Hamilton	2,258	51	4	-	9	290	79	50	161	30	1,049	1,028	265	-	692	29
17	Chattanooga	1,588	38	4	-	6	201	49	35	117	20	722	705	201	-	449	13
18	Balance of county	670	13	-	-	3	89	30	15	44	10	327	323	64	-	243	16
19	Hancock	74	1	-	-	-	11	4	-	7	1	41	41	10	-	29	-
20	Hardeman	170	-	-	-	-	19	5	2	12	3	83	82	33	-	43	-
21	Hardin	144	1	-	-	1	18	2	3	13	2	78	78	31	-	41	1
22	Hawkins	238	5	-	-	3	26	6	3	17	1	134	133	40	-	84	4
23	Haywood	225	2	2	-	1	25	6	1	18	-	111	106	30	-	72	2
24	Henderson	134	2	-	-	1	12	4	1	7	2	88	87	33	1	46	-
25	Henry	276	2	-	-	2	51	16	5	30	2	147	146	53	-	81	1
26	Hickman	122	-	-	-	2	10	4	1	5	2	57	57	17	-	35	1
27	Houston	53	2	-	-	-	9	3	2	4	-	34	33	6	-	23	1
28	Humphreys	118	3	-	-	-	20	7	1	12	-	61	61	11	-	46	2
29	Jackson	92	1	-	-	2	12	3	3	6	-	53	53	18	-	24	1
30	Jefferson	178	3	-	-	-	24	8	1	15	2	81	79	19	-	57	3
31	Johnson	99	1	-	-	-	11	4	1	6	-	47	45	7	-	35	1
32	Knox	2,074	32	4	1	9	274	86	38	150	22	993	967	239	2	646	18
33	Knoxville	1,277	11	3	-	5	168	49	25	94	15	595	580	157	1	369	10
34	Balance of county	797	21	1	1	4	106	37	13	56	7	398	387	82	1	277	8
35	Lake	99	1	-	-	-	14	5	3	6	1	46	43	10	-	30	1
36	Lauderdale	262	5	1	-	1	22	6	3	13	1	148	143	39	-	98	1
37	Lawrence	222	2	1	-	-	31	7	5	19	5	124	122	33	-	84	-
38	Lewis	57	2	-	-	-	10	3	1	6	3	31	31	9	-	21	-
39	Lincoln	272	4	-	-	1	32	7	4	21	3	172	170	50	-	109	3
40	Loudon	183	2	1	-	-	25	6	4	15	2	90	87	17	-	65	3
41	McMinn	299	5	1	-	2	47	17	5	25	4	160	159	41	1	105	6
42	McNairy	158	-	1	-	2	24	11	3	10	-	83	81	23	-	51	-
43	Macon	135	4	-	-	-	19	7	2	10	-	81	81	13	-	62	3
44	Madison	659	9	1	1	5	94	29	6	59	6	359	356	118	1	218	5
45	Jackson	387	3	1	-	1	63	25	5	33	2	218	216	70	-	134	3
46	Balance of county	272	6	-	1	4	31	4	1	26	4	141	140	48	1	84	2
47	Marion	174	3	-	-	2	14	5	2	7	1	90	88	22	-	60	2
48	Marshall	212	3	1	-	1	25	8	3	14	1	125	120	38	-	71	2
49	Maury	410	4	-	-	1	67	24	9	34	4	228	224	59	-	148	5
50	Columbia	156	-	-	-	-	27	7	8	12	1	85	85	22	-	55	2
51	Balance of county	254	4	-	-	1	40	17	1	22	3	143	139	37	-	93	3
52	Meigs	60	-	-	-	-	4	1	1	2	1	30	29	15	-	13	-
53	Monroe	198	3	-	-	3	25	9	-	16	7	100	99	32	-	63	3
54	Montgomery	404	5	1	-	2	43	8	9	26	-	223	211	58	-	141	4
55	Clarksville	207	-	1	-	1	19	2	3	14	-	110	99	28	-	65	1
56	Balance of county	197	5	-	-	1	24	6	6	12	-	113	112	30	-	76	3
57	Moore	32	-	-	-	-	1	-	-	1	-	25	25	6	-	14	-
58	Morgan	99	2	-	-	-	18	7	5	6	1	44	43	13	-	27	1
59	Obion	308	5	-	-	4	32	12	4	16	5	181	180	49	-	121	3
60	Overton	188	4	-	-	-	20	7	1	12	6	91	90	19	-	69	1
61	Perry	64	2	-	-	-	7	1	1	5	-	34	32	4	-	24	1
62	Pickett	45	-	-	-	-	4	1	-	3	1	27	27	10	-	16	-
63	Polk	112	1	1	-	-	12	7	2	3	-	47	46	12	-	32	3
64	Putnam	226	1	-	-	1	35	13	1	21	2	124	123	27	-	93	4
65	Rhea	132	1	-	-	2	16	7	1	8	4	66	64	10	-	48	2
66	Roane	279	3	-	-	2	35	12	6	17	5	136	136	31	-	97	6
67	Robertson	278	7	-	-	2	46	10	8	28	6	155	147	50	-	90	2
68	Rutherford	396	3	-	-	2	51	16	4	31	7	213	210	73	-	129	3
69	Murfreesboro	155	2	-	-	2	24	10	1	13	1	75	74	25	-	45	-
70	Balance of county	241	1	-	-	-	27	6	3	18	6	138	136	48	-	84	3
71	Scott	140	4	-	-	-	15	5	4	6	1	71	70	19	-	47	1
72	Sequatchie	42	-	-	-	-	3	2	-	1	1	23	23	7	-	12	-
73	Sevier	183	1	-	-	2	18	2	2	14	3	94	91	21	-	64	1
74	Shelby	5,145	62	24	-	33	723	239	85	399	55	2,687	2,647	794	2	1,687	47
75	Memphis	4,359	48	22	-	27	633	211	76	346	47	2,324	2,288	692	1	1,455	41
76	Balance of county	786	14	2	-	6	90	28	9	53	8	363	359	102	1	232	6
77	Smith	138	1	-	-	2	12	3	1	8	3	93	88	35	-	51	-
78	Stewart	80	1	-	-	-	8	4	-	4	2	39	36	7	-	25	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
50	29	11	1	1	4	1	15	1	-	1	-	-	-	4	12	7	3	5	1	6	1
58	16	27	3	5	2	5	11	2	2	3	-	1	1	24	9	12	17	3	4	17	2
28	11	5	2	3	-	2	2	-	2	2	-	1	1	13	3	6	6	1	2	9	3
30	5	22	1	2	2	3	9	2	-	1	-	-	-	11	6	6	11	2	2	8	4
31	6	9	1	7	1	2	11	-	-	3	-	-	3	8	34	5	10	1	4	13	5
26	4	6	2	-	2	4	6	-	-	-	-	-	3	8	12	3	4	-	1	7	6
59	7	19	1	3	1	-	8	1	2	-	-	-	2	11	6	8	9	1	3	16	7
132	27	34	2	9	1	3	16	1	3	1	7	-	6	20	11	6	14	4	1	34	8
53	9	22	2	6	4	7	8	3	1	1	-	1	3	8	5	9	9	6	2	9	9
25	8	4	-	3	-	2	8	2	-	-	-	-	2	6	7	4	4	1	1	5	10
96	27	32	1	5	2	6	20	4	2	2	-	-	3	9	14	11	14	4	2	19	11
29	1	8	-	2	1	1	2	-	1	-	-	-	-	4	4	1	2	2	-	3	12
49	9	7	1	3	3	3	11	-	4	1	1	-	2	13	7	7	8	2	1	10	13
26	5	3	-	1	2	1	6	-	1	1	1	-	2	8	3	5	2	1	1	8	14
23	4	4	1	2	1	2	5	-	3	-	-	-	-	5	4	2	6	1	-	2	15
452	97	114	11	30	30	21	97	10	11	33	1	2	29	118	172	52	75	21	39	165	16
282	74	80	9	22	24	17	66	6	10	25	1	1	18	83	137	27	51	11	30	131	17
170	23	34	2	8	6	4	31	4	1	8	-	1	11	35	35	25	24	10	9	34	18
23	2	4	1	-	1	-	3	-	1	-	-	1	-	3	9	1	1	-	-	1	19
31	6	6	3	2	1	1	8	-	-	1	-	1	-	9	19	2	9	2	2	12	20
30	3	7	1	3	2	-	5	-	1	1	-	1	1	7	12	5	6	2	-	3	21
54	15	11	2	4	3	1	11	3	3	-	1	-	3	7	14	2	6	3	1	15	22
40	27	3	2	2	-	5	13	2	1	1	1	3	2	9	25	6	3	4	1	13	23
36	2	8	2	5	-	1	7	-	-	-	1	-	2	4	6	-	3	1	-	5	24
60	7	13	5	6	1	1	12	1	5	4	1	-	-	10	4	3	10	6	-	16	25
17	6	11	2	2	1	-	9	-	1	-	-	-	1	3	9	1	14	2	2	9	26
14	2	6	-	4	-	1	2	-	-	1	-	-	-	1	1	1	-	-	-	2	27
32	8	4	1	2	1	-	4	-	-	-	-	1	2	5	1	5	8	-	-	8	28
18	3	2	-	9	2	-	7	-	-	-	-	-	1	2	3	1	1	-	1	8	29
35	10	9	1	1	1	2	16	1	-	1	-	1	4	10	7	5	6	2	-	15	30
16	11	7	-	1	2	2	7	-	1	1	-	-	3	4	12	4	1	2	1	4	31
456	78	94	11	43	26	26	58	12	1	25	3	2	39	86	238	33	68	17	15	142	32
266	51	42	9	23	21	15	38	6	1	19	3	2	27	54	160	11	45	11	12	91	33
190	27	52	2	20	5	11	20	6	-	6	-	-	12	32	78	22	23	6	3	51	34
14	6	9	-	2	1	3	9	1	-	1	-	-	-	9	2	4	4	-	1	6	35
57	24	16	3	1	2	5	12	1	2	1	-	3	1	18	8	12	10	-	2	14	36
45	10	29	1	4	-	2	5	1	1	1	-	-	1	7	13	7	7	2	1	13	37
15	5	1	-	-	1	-	-	-	-	-	1	-	-	3	2	1	2	-	-	2	38
45	15	46	2	5	4	2	6	-	2	-	2	3	-	12	9	3	9	2	-	12	39
34	16	12	1	3	1	3	11	1	-	2	-	2	3	8	12	5	7	1	1	10	40
58	25	16	3	7	2	1	16	2	-	2	2	-	3	11	11	13	4	1	1	14	41
40	1	10	3	3	1	2	6	3	-	1	-	1	2	5	13	3	6	-	-	8	42
27	7	25	1	4	1	-	7	-	1	-	-	-	-	4	5	4	1	2	-	7	43
158	40	15	7	9	3	3	24	3	2	5	-	1	4	29	35	16	22	7	5	31	44
105	22	4	5	4	3	2	13	3	1	4	-	1	1	16	20	3	10	6	4	17	45
53	18	11	2	5	-	1	11	-	1	1	-	-	3	13	15	13	12	1	1	14	46
39	15	4	2	2	2	2	7	1	2	1	-	-	-	1	19	5	8	-	6	14	47
42	11	16	4	4	3	5	12	2	-	1	-	1	2	2	1	3	12	2	3	15	48
98	19	26	5	7	5	4	18	4	-	-	-	-	5	15	9	13	15	-	2	25	49
39	3	11	1	4	3	-	9	1	-	-	-	-	2	7	6	7	4	-	2	5	50
59	16	15	4	3	2	4	9	3	-	-	-	-	3	8	3	6	11	-	-	20	51
8	2	3	1	-	-	1	3	-	-	-	-	-	1	2	12	3	3	-	-	1	52
41	13	6	1	1	2	1	16	-	2	-	1	-	4	4	7	5	9	-	-	12	53
89	12	36	1	9	2	12	16	-	3	-	-	-	5	27	18	19	16	5	5	16	54
39	8	17	1	4	1	11	7	-	2	-	-	-	5	20	10	8	9	3	3	9	55
50	4	19	-	5	1	1	9	-	1	-	-	-	-	7	8	11	7	2	2	7	56
9	1	4	1	3	1	-	1	-	-	1	-	-	-	-	1	1	-	1	-	1	57
14	1	11	1	2	-	1	6	1	-	1	-	-	2	3	9	2	1	-	-	9	58
86	19	13	2	8	-	1	15	2	2	4	-	-	5	7	8	6	13	2	-	17	59
45	5	18	-	2	-	1	9	1	-	1	1	-	1	4	15	10	9	3	2	11	60
17	3	3	-	1	3	2	5	-	-	-	-	-	-	2	3	-	2	2	-	7	61
15	1	-	-	-	1	-	1	-	-	-	-	-	-	6	3	1	-	-	-	2	62
17	4	8	1	1	-	1	10	1	1	-	1	1	1	8	6	8	6	2	-	6	63
58	17	14	-	3	-	1	7	2	-	-	-	-	3	8	10	5	14	1	1	12	64
34	2	10	1	2	3	2	7	1	1	1	1	-	1	3	2	5	9	3	3	6	65
67	15	9	2	5	1	-	21	1	1	2	-	1	3	17	5	14	5	5	4	19	66
56	6	26	3	2	2	8	20	1	-	-	1	-	3	4	2	5	10	1	-	15	67
75	20	31	1	3	4	3	9	2	2	2	-	2	12	14	8	15	17	-	5	32	68
26	4	15	-	-	4	1	3	1	1	2	-	1	6	5	6	5	6	-	3	12	69
49	16	16	1	3	-	2	6	1	1	-	-	1	6	9	2	10	11	-	2	20	70
35	10	1	1	2	1	1	7	2	1	-	-	-	4	9	6	5	6	-	3	6	71
10	-	2	-	1	3	-	3	-	1	-	-	-	-	2	2	1	4	1	1	-	72
45	11	7	-	2	4	3	12	2	-	-	-	-	6	8	14	3	4	3	-	13	73
1,017	327	296	49	67	48	40	206	18	22	45	6	6	73	293	220	113	143	45	43	328	74
885	278	251	41	58	41	36	166	16	14	41	6	4	62	236	165	84	110	40	39	275	75
132	49	45	8	9	7	4	40	2	8	4	-	2	11	57	55	29	33	5	4	53	76
34	8	9	1	-	1	5	9	-	-	-	-	1	2	3	3	1	2	-	1	5	77
13	4	6	1	2	1	3	5	-	-	-	-	-	2	4	5	-	6	1	-	7	78

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TENNESSEE—Continued																
1	Sullivan	769	14	1	-	8	111	30	14	67	8	394	385	109	2	237	9
2	Bristol[6]	165	4	-	-	2	26	7	1	18	5	88	86	23	-	56	1
3	Kingsport	180	2	1	-	2	27	6	5	16	3	87	84	18	-	57	3
4	Balance of county	424	8	-	-	4	58	17	8	33	-	219	215	68	2	124	5
5	Sumner	363	5	-	-	1	52	20	3	29	4	212	211	52	-	140	1
6	Tipton	272	2	2	-	1	33	13	4	16	2	139	136	48	-	79	1
7	Trousdale	64	1	-	-	-	3	1	1	1	-	42	41	6	-	32	-
8	Unicoi	124	2	-	-	1	16	8	1	7	3	70	69	17	-	43	-
9	Union	74	1	-	-	1	10	4	1	5	1	38	38	7	-	28	1
10	Van Buren	30	1	-	-	-	5	2	1	2	-	17	16	4	-	12	-
11	Warren	225	3	-	-	1	22	4	5	13	2	136	136	37	-	94	3
12	Washington	582	8	1	-	4	77	23	10	44	6	333	325	87	-	219	8
13	Johnson City	272	3	-	-	2	39	15	7	17	2	148	142	32	-	98	6
14	Balance of county	310	5	1	-	2	38	8	3	27	4	185	183	55	-	121	2
15	Wayne	93	5	-	-	1	12	2	2	8	-	43	42	9	-	28	-
16	Weakley	321	3	-	-	1	32	16	3	13	4	217	216	51	-	139	-
17	White	152	-	-	-	2	21	7	1	13	3	91	90	14	-	67	1
18	Williamson	253	4	-	-	-	38	11	4	23	1	141	141	42	-	96	1
19	Wilson	286	7	1	-	2	28	7	5	16	6	170	170	68	2	91	-
20	TEXAS	72,744	793	270	38	569	10,442	3,253	1,472	5,717	1,021	35,475	34,651	8,301	34	23,988	473
21	Metropolitan counties	35,012	452	163	22	251	5,238	1,594	812	2,832	528	16,235	15,873	3,638	19	11,189	252
22	Nonmetropolitan counties	37,732	341	107	16	318	5,204	1,659	660	2,885	493	19,240	18,778	4,663	15	12,799	221
23	Anderson	338	2	2	-	-	50	15	9	26	6	181	177	39	-	131	3
24	Palestine	171	-	2	-	-	28	7	7	14	2	88	88	12	-	72	1
25	Balance of county	167	2	-	-	-	22	8	2	12	4	93	89	27	-	59	2
26	Andrews	58	-	-	-	1	8	1	2	5	-	19	19	6	-	13	2
27	Angelina	347	1	2	-	1	40	10	5	25	6	206	204	56	-	138	2
28	Lufkin	171	1	1	-	-	21	5	4	12	4	104	103	24	-	73	1
29	Balance of county	176	-	1	-	1	19	5	1	13	2	102	101	32	-	65	1
30	Aransas	56	2	-	-	-	3	1	1	1	-	30	30	7	-	19	-
31	Archer	47	-	-	-	2	6	2	1	3	-	25	25	4	-	18	-
32	Armstrong	17	-	-	-	-	4	1	1	2	1	7	5	-	-	5	-
33	Atascosa	155	3	1	-	2	27	11	3	13	1	61	61	18	-	37	1
34	Austin	161	-	-	1	-	16	8	1	7	1	103	101	44	-	57	1
35	Bailey	65	-	-	-	2	9	4	3	2	1	26	25	6	-	18	-
36	Bandera	33	-	-	-	-	2	-	-	2	3	20	20	6	-	11	-
37	Bastrop	203	3	2	-	1	24	7	2	15	2	110	107	18	-	83	1
38	Baylor	75	1	-	-	-	18	3	3	12	-	31	31	7	-	23	1
39	Bee	177	2	1	-	7	21	11	2	8	4	85	82	36	-	41	1
40	Bell	588	5	1	-	1	95	36	11	48	8	299	296	58	1	219	6
41	Temple	245	2	1	-	1	34	13	6	15	6	126	124	17	1	97	2
42	Balance of county	343	3	-	-	-	61	23	5	33	2	173	172	41	-	122	4
43	Bexar	5,012	100	36	3	45	727	232	107	388	85	2,225	2,164	506	2	1,506	51
44	San Antonio	4,618	95	35	2	44	674	217	95	362	80	2,049	1,992	468	2	1,384	48
45	Balance of county	394	5	1	1	1	53	15	12	26	5	176	172	38	-	122	3
46	Blanco	43	1	-	-	-	12	8	-	4	-	20	20	4	-	14	-
47	Borden	5	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-
48	Bosque	152	-	-	-	-	22	6	3	13	3	81	80	15	-	60	1
49	Bowie	520	5	1	-	4	80	19	13	48	8	287	279	66	-	191	5
50	Texarkana[7]	270	4	1	-	3	34	10	6	18	5	159	156	35	-	110	3
51	Balance of county	250	1	-	-	1	46	9	7	30	3	128	123	31	-	81	2
52	Brazoria	419	3	-	-	2	63	16	12	35	4	207	203	49	-	145	1
53	Brazos	297	2	1	-	-	38	11	3	24	4	143	141	30	-	105	-
54	Bryan	211	-	1	-	-	25	6	1	18	3	105	104	22	-	77	-
55	Balance of county	86	2	-	-	-	13	5	2	6	1	38	37	8	-	28	-
56	Brewster	52	1	-	-	1	11	5	2	4	1	15	15	4	-	10	-
57	Briscoe	39	-	-	-	1	4	1	2	1	-	7	7	2	-	3	1
58	Brooks	66	1	1	-	1	9	2	1	6	2	33	31	5	-	23	-
59	Brown	291	2	-	-	1	47	12	10	25	5	168	164	25	-	129	3
60	Brownwood	189	2	-	-	1	30	8	6	16	2	110	106	18	-	81	1
61	Balance of county	102	-	-	-	-	17	4	4	9	3	58	58	7	-	48	2
62	Burleson	147	1	-	-	1	14	1	2	11	3	80	80	25	-	51	-
63	Burnet	107	1	-	-	-	13	10	-	3	2	68	66	13	-	46	1
64	Caldwell	229	4	1	-	2	35	12	3	20	-	116	114	32	-	78	1
65	Calhoun	95	1	-	-	1	12	6	2	4	1	45	44	12	-	29	-
66	Callahan	93	-	-	-	1	24	5	-	19	-	50	49	16	-	28	1
67	Cameron	1,059	19	3	-	27	121	36	14	71	9	398	380	76	1	272	4
68	Brownsville	356	8	-	-	6	38	11	2	25	7	143	139	24	-	101	-
69	Harlingen	222	2	2	-	10	27	5	5	17	-	75	72	7	1	63	2
70	San Benito	112	1	1	-	1	14	3	3	8	-	52	47	13	-	28	1
71	Balance of county	369	8	-	-	10	42	17	4	21	2	128	122	32	-	80	1
72	Camp	101	1	2	-	-	12	4	-	8	4	53	51	13	-	32	-
73	Carson	35	-	-	-	2	8	3	1	4	1	12	12	-	-	12	-
74	Cass	272	4	1	-	-	39	11	7	21	1	156	152	45	-	102	2
75	Castro	67	-	-	-	2	4	-	1	3	-	22	22	6	-	15	-
76	Chambers	73	2	1	-	-	14	4	3	7	-	33	33	7	-	26	1
77	Cherokee	370	1	4	-	2	51	18	7	26	2	216	210	71	-	130	2
78	Childress	130	1	1	-	1	16	6	1	9	2	69	68	18	-	44	2
79	Clay	95	-	-	-	-	15	8	1	6	-	56	56	15	-	34	-
80	Cochran	48	-	-	-	1	5	-	-	5	1	13	13	1	-	11	-

[6]Includes data for Bristol, Tenn., only.
[7]Includes data for Texarkana, Tex., only.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
184	22	22	11	13	13	9	34	2	5	5	-	-	7	33	21	19	28	10	3	66	1
46	6	3	3	2	2	2	3	1	1	3	-	-	2	6	1	5	4	2	-	12	2
49	1	4	1	5	3	3	12	1	1	1	-	-	2	8	7	5	3	3	1	14	3
89	15	15	7	6	8	4	19	-	3	1	-	-	3	19	13	9	21	5	2	40	4
102	12	25	3	9	7	1	16	3	-	1	1	1	4	12	6	6	10	6	5	18	5
52	11	15	1	6	2	3	5	1	6	1	-	2	-	11	26	9	11	1	5	15	6
19	12	1	2	1	-	1	5	-	1	1	-	-	-	1	3	-	3	-	-	4	7
33	3	7	-	9	-	1	2	-	-	1	-	-	7	6	2	-	4	1	2	7	8
12	3	12	1	1	1	-	4	1	-	-	1	-	-	-	7	1	2	2	-	5	9
9	2	1	-	-	-	1	-	-	-	-	-	-	1	1	1	1	2	-	-	1	10
55	18	18	2	3	-	-	6	1	-	1	-	-	2	8	6	13	9	-	1	14	11
152	34	25	7	7	5	8	21	1	3	6	1	-	5	19	32	9	15	3	3	35	12
74	14	4	5	4	3	6	11	1	3	3	-	-	1	9	18	4	5	1	1	21	13
78	20	21	2	3	2	2	10	-	-	3	1	-	4	10	14	5	10	2	2	14	14
16	6	6	-	5	-	1	2	-	1	-	-	-	2	4	10	4	1	-	1	7	15
102	28	9	13	10	3	1	13	-	3	2	-	-	-	8	5	10	10	2	1	10	16
49	11	6	-	6	3	1	6	1	-	-	-	-	1	5	5	2	2	1	2	10	17
55	17	23	1	2	-	-	15	1	2	1	-	-	2	11	3	8	4	1	2	19	18
60	18	13	3	5	1	-	6	1	2	-	1	-	3	8	13	8	8	5	1	16	19
16,900	2,639	3,976	574	1,152	602	824	3,033	400	794	662	140	116	1,178	4,171	1,359	2,587	2,999	742	660	5,295	20
8,371	1,188	1,378	244	471	312	362	1,465	209	298	436	51	58	703	2,471	381	1,142	1,401	409	431	2,668	21
8,529	1,451	2,598	330	681	290	462	1,568	191	496	226	89	58	475	1,700	978	1,445	1,598	333	229	2,627	22
79	19	30	5	1	1	4	12	2	1	4	2	-	2	8	17	5	15	1	4	24	23
47	8	16	3	1	-	-	4	1	-	4	1	-	2	3	9	2	10	1	2	12	24
32	11	14	2	-	1	4	8	1	1	-	1	-	-	5	8	3	5	-	2	12	25
10	-	1	-	-	-	-	3	-	1	-	-	-	1	3	1	10	7	-	-	4	26
98	19	19	1	6	3	2	12	3	-	1	-	1	6	4	2	14	19	5	2	22	27
53	13	6	-	4	2	1	5	1	-	-	-	1	-	3	-	8	8	2	2	10	28
45	6	13	1	2	1	1	7	2	-	1	-	-	6	1	2	6	11	3	-	12	29
13	3	3	-	2	2	-	3	-	1	-	-	-	2	2	1	2	3	3	-	4	30
14	1	3	-	1	2	-	4	-	-	1	-	-	-	1	1	2	2	-	-	3	31
4	1	-	-	-	-	2	1	1	-	-	-	-	-	1	-	1	-	-	-	1	32
26	3	7	2	3	1	-	8	3	6	-	-	1	3	4	7	2	9	1	2	14	33
34	5	17	-	-	-	2	3	-	3	4	-	-	3	3	2	2	4	2	-	14	34
13	2	3	1	-	-	1	2	-	3	-	-	-	3	3	2	2	8	1	2	1	35
9	1	1	-	3	-	-	1	-	1	1	-	-	1	1	-	2	1	-	-	-	36
53	16	13	-	5	1	3	6	3	3	1	-	-	-	12	7	4	5	2	2	16	37
12	4	6	-	1	-	-	2	-	-	-	1	-	2	2	1	1	6	2	-	8	38
30	-	10	2	2	1	3	6	-	4	1	2	-	1	8	2	13	3	1	-	16	39
154	13	46	6	12	-	3	14	4	4	5	2	-	7	31	24	23	18	5	6	36	40
68	7	20	2	7	-	2	6	2	2	4	1	-	3	9	12	7	6	1	5	17	41
86	6	26	4	5	-	1	8	2	2	1	1	-	4	22	12	16	12	4	1	19	42
1,015	173	267	30	71	49	61	241	40	74	82	11	7	109	378	27	145	182	50	45	400	43
929	163	244	28	64	46	57	226	36	69	72	11	7	92	358	23	126	162	47	44	366	44
86	10	23	2	7	3	4	15	4	5	10	-	-	17	20	4	19	20	3	1	34	45
12	-	2	-	1	1	-	2	1	-	-	-	-	-	-	-	-	1	-	-	6	46
1	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	47
42	6	11	-	5	-	1	8	-	1	2	-	-	1	4	9	3	6	2	-	10	48
101	31	54	3	11	8	8	13	1	2	3	-	1	6	17	16	18	24	-	6	28	49
55	17	35	1	5	5	3	4	-	1	2	-	-	1	10	6	9	14	-	6	11	50
46	14	19	2	6	3	5	9	1	1	1	-	1	5	7	10	9	10	-	-	17	51
91	29	24	2	4	3	4	14	2	2	1	-	-	13	28	9	21	21	5	-	24	52
55	20	30	2	3	1	2	10	-	4	3	-	-	5	21	14	15	16	1	-	20	53
44	15	18	1	3	1	1	7	-	3	3	-	-	4	16	10	9	9	1	-	15	54
11	5	12	1	-	-	1	3	-	1	-	-	-	1	5	4	6	7	-	-	5	55
8	1	1	-	-	1	-	2	1	-	1	-	-	1	5	1	2	2	1	-	7	56
2	-	-	-	2	-	-	1	-	1	-	-	-	1	3	1	1	17	-	-	2	57
18	3	2	2	-	1	2	3	-	1	-	-	-	-	5	-	4	1	1	-	4	58
77	11	38	4	5	1	4	10	2	2	2	-	-	1	4	2	5	12	-	-	28	59
50	8	22	3	3	1	4	8	-	2	2	-	-	-	4	1	2	6	-	-	19	60
27	3	16	1	2	-	-	2	2	-	-	-	-	1	-	1	3	6	-	-	9	61
35	7	9	1	2	1	-	9	1	1	1	-	-	1	4	14	1	5	1	2	8	62
29	5	11	1	6	-	2	4	-	-	-	-	-	-	1	4	2	4	1	-	7	63
40	21	16	2	1	1	2	9	2	9	1	1	3	1	10	3	7	3	1	6	15	64
24	1	4	2	-	1	1	2	-	5	-	-	-	-	8	-	5	4	2	-	9	65
18	2	7	1	3	1	1	2	1	1	-	1	-	-	1	-	3	5	1	-	3	66
194	17	57	10	15	6	18	75	6	49	14	1	6	30	103	53	40	39	2	4	60	67
79	5	17	3	7	4	4	29	2	12	3	1	3	6	39	20	5	9	2	2	21	68
42	3	16	-	1	-	3	10	2	12	5	-	-	10	21	9	11	9	-	-	17	69
17	2	8	2	4	-	5	11	1	3	2	-	-	3	4	5	1	5	-	-	8	70
56	7	16	5	3	2	6	25	1	22	4	-	3	11	39	19	23	16	-	2	14	71
14	4	14	-	6	-	2	3	-	-	-	-	-	1	7	5	5	2	1	1	4	72
9	2	1	-	-	-	-	2	-	-	-	-	-	1	4	1	1	1	-	-	2	73
64	14	22	1	2	2	4	7	-	1	2	1	-	8	6	4	6	13	1	4	18	74
14	-	1	-	-	1	-	1	1	3	-	-	1	-	10	2	5	6	-	2	8	75
15	4	6	-	-	-	-	2	1	-	-	-	-	1	1	1	6	2	-	-	9	76
99	12	17	1	-	8	6	11	3	1	1	-	1	10	7	1	17	15	1	2	24	77
21	3	18	-	4	2	1	6	1	1	-	1	-	1	6	1	6	5	-	-	12	78
27	-	7	-	6	1	-	2	-	-	-	-	-	-	1	3	5	6	-	1	6	79
8	1	2	-	-	1	-	3	-	4	-	-	-	-	1	3	7	4	-	1	5	80

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Coke	25	-	-	-	-	5	3	-	2	-	13	13	4	-	9	-
2	Coleman	170	4	-	-	1	30	5	1	24	3	86	83	18	-	62	1
3	Collin	413	1	-	-	2	54	19	8	27	7	234	232	50	-	169	1
4	McKinney	148	-	-	-	1	13	5	2	6	2	91	90	19	-	67	-
5	Balance of county	265	1	-	-	1	41	14	6	21	5	143	142	31	-	102	1
6	Collingsworth	91	2	-	-	-	9	3	1	5	1	53	53	22	-	30	-
7	Colorado	198	3	1	-	1	25	7	-	18	1	99	98	30	-	59	2
8	Comal	176	2	-	-	1	23	8	3	12	3	101	100	24	-	65	1
9	New Braunfels	137	2	-	-	1	18	5	3	10	3	79	78	20	-	51	1
10	Balance of county	39	-	-	-	-	5	3	-	2	-	22	22	4	-	14	-
11	Comanche	152	-	-	-	2	20	5	4	11	4	89	89	20	-	61	1
12	Concho	39	-	-	-	-	8	4	1	3	-	22	22	3	-	19	-
13	Cooke	197	2	1	-	-	39	11	5	23	5	98	98	25	-	65	-
14	Gainesville	137	2	1	-	-	27	8	3	16	3	66	66	15	-	50	-
15	Balance of county	60	-	-	-	-	12	3	2	7	2	32	32	10	-	15	-
16	Coryell	158	-	-	-	1	24	5	1	18	2	89	88	32	-	52	1
17	Cottle	49	1	-	-	-	5	-	2	3	-	21	21	7	-	12	1
18	Crane	23	-	-	-	-	7	3	-	4	-	8	8	1	-	7	1
19	Crockett	30	-	-	-	1	3	1	1	1	1	11	9	-	-	9	-
20	Crosby	78	1	1	-	-	11	3	-	8	2	39	37	10	-	26	1
21	Culberson	21	1	-	-	1	2	-	-	2	1	6	6	-	-	5	-
22	Dallam	53	-	-	-	1	5	3	-	2	1	27	27	4	-	23	1
23	Dallas	6,141	48	24	7	28	963	272	149	542	86	3,065	3,013	670	4	2,154	35
24	Dallas	4,831	38	21	6	24	753	216	112	425	62	2,435	2,391	505	4	1,735	28
25	Garland	126	1	-	-	-	25	7	6	12	1	50	49	15	-	30	1
26	Grand Prairie (part)	142	-	-	-	2	23	8	4	11	2	58	56	18	-	35	-
27	Grand Prairie (total)	143	-	-	-	2	23	8	4	11	2	59	57	19	-	35	-
28	Highland Park	133	-	-	-	-	28	9	5	14	3	68	68	22	-	42	1
29	University Park	198	1	-	-	1	38	11	8	19	4	118	118	31	-	80	1
30	Balance of county	711	8	3	1	1	96	21	14	61	14	336	331	79	-	232	4
31	Dawson	163	2	-	1	-	21	3	2	16	2	70	69	15	3	42	4
32	Lamesa	116	-	-	-	-	12	2	2	8	1	51	51	13	3	29	2
33	Balance of county	47	2	-	1	-	9	1	-	8	1	19	18	2	-	13	2
34	Deaf Smith	102	-	-	-	-	13	4	1	8	1	48	47	12	-	34	3
35	Delta	91	-	-	-	-	15	7	1	7	1	49	49	11	-	34	-
36	Denton	389	2	-	-	2	49	18	5	26	9	222	218	56	-	146	3
37	Denton	183	1	-	-	-	21	5	1	15	4	105	104	25	-	71	-
38	Balance of county	206	1	-	-	2	28	13	4	11	5	117	114	31	-	75	3
39	De Witt	258	3	-	-	3	31	10	2	19	3	145	145	40	-	93	-
40	Dickens	50	-	-	-	-	8	3	1	4	-	29	29	4	-	25	-
41	Dimmit	72	1	-	-	2	11	7	-	4	1	27	26	11	-	15	1
42	Donley	73	-	-	-	1	15	3	3	9	1	31	31	7	-	22	1
43	Duval	106	2	3	-	2	10	3	-	7	5	50	49	6	1	39	-
44	Eastland	283	2	-	-	1	46	13	9	24	7	161	156	43	-	100	1
45	Ector	359	3		-	1	42	7	9	26	2	132	129	29	-	92	9
46	Odessa	338	3	-	-	1	42	7	9	26	2	124	121	28	-	86	8
47	Balance of county	21	-	-	-	-	-	-	-	-	-	8	8	1	-	6	1
48	Edwards	23	-	-	-	-	7	3	1	3	-	7	7	1	-	6	-
49	Ellis	492	2	5	-	4	75	34	4	37	11	281	278	80	-	189	2
50	Waxahachie	143	2	2	-	-	26	10	2	14	4	81	81	27	-	52	-
51	Balance of county	349	-	3	-	4	49	24	2	23	7	200	197	53	-	137	2
52	El Paso	1,721	31	9	1	17	213	68	28	117	27	638	619	145	2	405	22
53	El Paso	1,532	28	9	-	15	196	65	26	105	26	567	548	126	2	358	22
54	Balance of county	189	3	-	1	2	17	3	2	12	1	71	71	19	-	47	-
55	Erath	211	1	1	-	1	25	8	3	14	2	125	123	25	-	86	-
56	Falls	300	-	1	-	5	39	10	3	26	8	168	157	60	-	87	-
57	Fannin	293	2	1	-	1	44	21	7	16	5	179	172	51	-	113	2
58	Fayette	272	2	-	-	1	39	9	7	23	6	153	147	49	-	87	3
59	Fisher	68	2	-	-	-	7	1	-	6	2	32	32	6	-	25	-
60	Floyd	94	-	-	-	-	9	5	1	3	-	47	47	14	-	30	1
61	Foard	34	-	1	-	-	4	1	1	2	-	22	22	2	-	18	-
62	Fort Bend	331	5	2	-	1	53	19	6	28	3	136	134	45	-	88	1
63	Franklin	46	-	-	1	-	7	3	-	4	2	27	26	7	-	15	-
64	Freestone	179	1	-	-	-	25	8	3	14	-	106	102	22	-	78	1
65	Frio	87	1	-	-	1	16	4	1	11	1	45	45	4	-	38	-
66	Gaines	75	1	2	-	-	13	6	3	4	1	27	27	7	-	20	-
67	Galveston	1,141	12	4	-	9	157	47	28	82	15	617	608	153	1	419	11
68	Galveston	769	10	3	-	4	107	34	19	54	10	428	422	108	-	287	10
69	Texas City	147	1	-	-	1	19	4	5	10	3	77	76	21	-	53	-
70	Balance of county	225	1	1	-	4	31	9	4	18	2	112	110	24	1	79	1
71	Garza	51	-	-	-	1	8	5	-	3	1	26	26	7	-	13	-
72	Gillespie	127	1	-	-	2	14	3	2	9	2	81	80	18	-	58	-
73	Glasscock	6	-	-	-	-	2	1	1	-	-	1	1	-	-	1	-
74	Goliad	65	-	-	-	-	7	3	1	3	-	35	35	6	-	29	1
75	Gonzales	214	1	-	-	2	26	9	5	12	2	116	112	30	-	75	-
76	Gray	223	2	-	-	2	27	6	6	15	3	108	107	19	-	80	2
77	Pampa	163	2	-	-	2	15	4	5	6	3	75	74	16	-	53	1
78	Balance of county	60	-	-	-	-	12	2	1	9	-	33	33	3	-	27	1
79	Grayson	802	6	1	-	-	119	37	16	66	10	463	451	110	-	306	9
80	Denison	268	1	-	-	-	39	12	7	20	4	142	139	39	-	90	-
81	Sherman	242	2	-	-	-	34	11	2	21	2	146	145	32	-	103	1
82	Balance of county	292	3	1	-	-	46	14	7	25	4	175	167	39	-	113	8

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
9	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	2	-	-	-	2	1
33	6	22	-	3	-	3	7	-	1	-	-	1	-	3	1	10	10	1	-	12	2
126	12	30	6	4	3	2	14	3	5	3	3	-	4	13	11	5	19	3	3	29	3
44	8	15	2	1	1	1	7	1	3	1	1	-	1	6	5	1	8	-	1	6	4
82	4	15	4	3	2	1	7	2	2	2	2	-	3	7	6	4	11	3	2	23	5
25	1	4	1	-	-	-	3	-	-	1	-	-	1	3	1	6	4	-	1	6	6
42	4	11	3	4	2	1	7	1	5	1	-	-	2	3	10	6	14	4	1	14	7
44	5	15	5	6	-	1	7	1	-	1	1	-	3	10	3	4	6	3	1	6	8
32	5	13	2	5	-	1	6	1	-	1	1	-	2	7	3	4	4	1	1	3	9
12	-	2	3	1	-	-	1	-	-	-	-	-	1	3	-	-	2	2	-	3	10
41	8	11	1	6	1	-	2	-	-	1	2	-	3	4	5	3	2	2	-	13	11
15	2	2	-	-	-	-	1	1	-	-	1	-	-	-	2	1	1	1	1	-	12
48	8	9	3	5	-	-	3	-	1	1	-	-	3	6	3	12	7	-	-	16	13
39	6	5	-	1	-	-	3	-	-	1	-	-	2	5	3	10	2	-	-	12	14
9	2	4	3	4	-	-	-	-	1	-	-	-	1	1	-	2	5	-	-	4	15
40	4	7	-	3	1	1	5	1	-	-	2	-	3	4	7	4	2	-	-	14	16
10	-	1	1	1	-	-	5	-	2	-	-	-	-	5	3	1	-	-	-	6	17
5	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	3	-	1	-	1	18
7	1	1	-	-	-	2	2	-	-	-	-	-	-	3	2	2	1	-	-	4	19
21	2	2	-	1	-	2	4	1	1	1	-	-	-	5	2	1	2	3	-	4	20
5	-	-	-	-	1	-	-	-	-	-	-	-	1	-	3	4	1	-	-	1	21
18	1	3	-	-	-	-	1	2	-	1	1	-	-	1	-	5	4	-	-	4	22
1,715	204	200	54	68	63	52	183	33	29	78	6	9	117	372	61	191	234	71	72	464	23
1,379	168	160	44	50	53	44	155	22	23	68	6	8	82	293	49	129	167	47	61	382	24
22	4	3	1	1	2	1	3	2	-	1	-	1	3	9	-	8	5	2	-	15	25
30	4	1	2	-	1	2	-	1	1	-	-	-	2	19	1	9	8	1	1	14	26
30	4	1	2	-	1	2	-	1	1	-	-	-	2	19	1	9	8	1	1	14	27
35	5	1	2	2	-	-	2	-	2	4	-	-	4	2	1	4	7	1	4	3	28
68	4	7	2	4	1	-	3	4	-	-	-	-	1	3	5	-	3	6	-	11	29
181	19	28	3	11	6	5	20	4	3	5	-	-	25	46	5	41	44	14	6	39	30
27	3	8	-	7	2	1	8	-	5	-	-	3	1	5	3	14	8	3	3	14	31
22	1	4	-	4	2	-	5	-	4	-	-	2	-	5	1	11	6	2	3	13	32
5	2	4	-	3	-	1	3	-	1	-	-	1	1	-	2	3	2	1	-	1	33
23	2	6	-	1	-	1	6	1	8	-	-	-	4	8	1	3	3	-	-	6	34
26	4	4	1	3	-	-	3	1	-	1	-	1	1	1	5	1	4	1	-	7	35
105	10	28	3	12	1	4	10	-	3	-	-	-	7	13	3	16	20	4	1	28	36
55	6	10	1	6	1	1	2	-	3	-	-	-	4	5	1	5	11	2	-	19	37
50	4	18	2	6	-	3	8	-	-	-	-	-	3	8	2	11	9	2	1	9	38
57	11	25	2	8	2	-	13	2	4	2	-	-	1	16	7	4	11	1	1	11	39
24	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	5	2	-	-	4	40
11	1	2	-	-	-	1	6	-	2	-	-	1	1	9	2	3	1	-	1	4	41
19	-	2	-	2	-	-	1	-	-	-	1	-	1	2	1	4	6	1	2	6	42
21	5	13	1	2	-	1	2	-	-	1	-	-	1	6	2	6	3	-	-	13	43
73	11	15	2	6	5	5	7	3	-	1	2	-	1	6	5	6	10	4	-	21	44
69	5	9	2	4	2	3	12	3	2	2	2	1	9	39	3	21	38	11	5	31	45
64	5	9	2	3	2	3	10	3	2	2	2	1	7	36	3	20	36	9	5	30	46
5	-	-	-	1	-	-	2	-	-	-	-	-	2	3	-	1	2	2	-	1	47
4	1	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	3	-	-	3	48
118	15	54	2	5	2	3	18	1	4	2	-	-	6	12	19	10	15	7	-	20	49
34	6	12	1	1	-	-	4	-	1	-	-	-	-	2	6	3	3	2	-	7	50
84	9	42	1	4	2	3	14	1	3	2	-	-	6	10	13	7	12	5	-	13	51
279	41	63	18	29	20	19	100	11	22	26	5	5	50	207	28	56	73	32	10	160	52
243	39	54	17	27	18	19	83	10	19	24	5	5	42	193	23	48	65	29	10	135	53
36	2	9	1	2	2	-	17	1	3	2	-	-	8	14	5	8	8	3	-	25	54
54	4	28	2	8	2	2	6	-	3	1	-	-	3	1	3	6	8	-	-	25	55
60	9	16	2	3	5	11	11	-	2	4	2	1	-	10	5	2	15	2	1	24	56
74	14	23	5	-	3	7	12	-	1	-	-	-	1	8	7	4	8	2	1	17	57
56	9	19	-	8	3	6	10	2	-	1	-	-	2	4	14	8	5	9	-	16	58
21	-	4	-	1	-	-	1	-	1	-	-	-	1	4	4	5	4	-	-	5	59
28	-	1	1	1	1	-	2	-	3	1	-	-	1	7	3	8	7	-	1	5	60
17	-	1	-	1	1	-	1	-	-	-	-	-	-	1	-	2	-	1	-	2	61
39	18	30	1	-	-	2	24	2	5	4	1	-	1	22	9	9	13	9	7	25	62
11	2	2	2	1	1	1	-	-	1	-	-	-	-	-	-	3	4	-	-	3	63
32	21	24	1	1	-	4	5	2	-	2	2	-	2	1	11	5	7	-	1	9	64
34	1	3	-	2	1	-	4	2	2	-	1	-	-	8	2	2	-	-	-	2	65
13	4	3	-	-	-	-	1	-	2	1	-	-	3	4	-	5	10	-	-	5	66
299	50	59	8	18	9	9	50	5	2	15	-	-	20	64	11	31	50	6	8	65	67
194	32	51	6	13	8	6	41	4	2	12	-	-	7	35	5	11	33	3	5	49	68
40	9	4	1	1	-	1	-	-	-	3	-	-	6	11	2	8	6	2	2	6	69
65	9	4	1	4	1	2	9	1	-	-	-	-	7	18	4	12	11	1	1	10	70
11	-	2	2	4	-	-	2	-	-	-	-	-	-	3	-	3	1	-	-	6	71
38	4	16	2	1	1	1	9	1	1	1	-	-	-	5	-	2	1	1	1	5	72
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	73
21	3	4	-	-	-	-	3	-	-	-	-	-	-	6	3	3	3	3	-	2	74
48	10	17	1	5	1	4	9	2	2	2	-	1	2	11	-	5	15	3	2	13	75
62	8	8	1	5	2	1	13	2	1	1	-	-	3	10	3	19	11	4	-	14	76
38	8	6	-	4	1	1	9	2	1	1	-	-	2	10	3	16	10	2	-	10	77
24	-	2	1	1	1	-	4	-	-	-	-	-	1	-	-	3	1	2	-	4	78
186	43	68	6	20	9	12	27	2	4	1	3	-	7	24	17	21	38	4	1	54	79
52	13	25	3	5	2	3	12	1	2	-	2	-	2	12	8	3	17	1	1	21	80
62	16	24	2	4	4	1	9	-	2	1	-	-	3	9	4	8	9	-	-	13	81
72	14	19	1	11	3	8	6	1	-	-	1	-	2	3	5	10	12	3	-	20	82

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Gregg	564	8	3	-	4	100	33	21	46	7	282	275	59	-	191	2
2	Longview	233	3	1	-	2	45	14	8	23	3	113	110	21	-	81	-
3	Balance of county	351	5	2	-	2	55	19	13	23	4	169	165	38	-	110	2
4	Grimes	186	-	-	-	1	35	12	-	23	4	101	96	21	-	68	1
5	Guadalupe	301	5	-	-	2	35	16	2	17	4	155	145	36	-	99	5
6	Hale	242	1	1	-	3	26	8	3	15	2	112	109	25	-	77	2
7	Plainview	135	1	-	-	2	15	5	1	9	1	57	56	10	-	42	1
8	Balance of county	107	-	1	-	1	11	3	2	6	1	55	53	15	-	35	1
9	Hall	87	-	1	1	-	11	4	1	6	2	40	40	18	-	21	-
10	Hamilton	121	-	-	-	-	25	9	-	16	1	68	67	17	-	48	-
11	Hansford	30	-	-	-	-	5	3	-	2	-	14	14	3	-	10	-
12	Hardeman	78	-	-	-	-	17	7	2	8	-	40	40	13	-	24	-
13	Hardin	186	-	2	-	5	25	5	2	18	3	93	92	30	2	55	2
14	Harris	8,076	122	57	2	74	1,233	384	219	630	115	3,529	3,452	750	-	2,484	55
15	Houston	6,143	98	49	2	59	928	293	157	478	90	2,693	2,637	592	-	1,865	40
16	Baytown	195	3	1	-	-	35	15	8	12	3	81	77	15	-	60	1
17	Bellaire	99	1	1	-	-	22	8	2	12	1	44	44	10	-	30	-
18	Pasadena	172	-	-	-	4	32	7	6	19	1	62	61	14	-	45	-
19	West University Place	83	1	-	-	-	17	3	4	10	3	47	47	9	-	38	4
20	Balance of county	1,384	19	6	-	11	199	58	42	99	17	602	586	110	-	446	10
21	Harrison	427	1	3	-	4	55	22	5	28	4	252	245	67	-	167	1
22	Marshall	220	-	3	-	1	28	11	3	14	-	128	127	42	-	83	-
23	Balance of county	207	1	-	-	3	27	11	2	14	4	124	118	25	-	84	1
24	Hartley	18	-	-	-	-	1	-	-	1	-	8	8	1	-	6	-
25	Haskell	109	-	-	-	-	13	5	2	6	-	62	61	18	-	37	-
26	Hays	160	2	-	-	6	15	3	3	9	1	82	81	13	-	64	1
27	Hemphill	17	-	-	-	-	-	-	-	-	1	9	9	3	-	6	-
28	Henderson	235	1	-	-	2	24	5	3	16	-	138	125	33	-	83	-
29	Hidalgo	1,128	16	4	3	33	136	43	16	77	13	440	434	93	2	312	6
30	Edinburg	104	2	-	-	3	8	1	3	4	1	41	40	8	-	30	-
31	McAllen	206	2	1	-	3	34	14	1	19	3	81	80	20	-	56	2
32	Mercedes	64	-	-	1	-	12	4	2	6	-	24	23	6	1	14	1
33	Mission	71	1	-	1	1	10	3	-	7	1	30	30	5	-	25	-
34	Balance of county	683	11	3	1	26	72	21	10	41	8	264	261	54	1	187	3
35	Hill	327	1	1	-	2	34	7	4	23	5	210	204	64	-	118	-
36	Hockley	130	-	-	-	1	17	10	-	7	2	55	53	13	-	38	-
37	Hood	67	-	-	-	-	9	2	-	7	1	38	38	17	-	20	-
38	Hopkins	237	4	-	-	1	41	12	7	22	1	136	133	30	-	97	-
39	Houston	190	3	-	-	4	19	10	3	6	5	110	107	26	-	73	1
40	Howard	244	-	-	-	2	38	10	7	21	5	100	98	19	-	72	2
41	Big Spring	204	-	-	-	1	32	7	6	19	5	84	82	16	-	62	2
42	Balance of county	40	-	-	-	1	6	3	1	2	-	16	16	3	-	10	-
43	Hudspeth	15	-	-	-	-	1	-	-	1	-	8	8	4	-	4	-
44	Hunt	442	2	-	-	4	45	14	3	28	3	274	268	61	-	181	3
45	Greenville	228	2	-	-	3	19	5	1	13	3	144	139	29	-	98	-
46	Balance of county	214	-	-	-	1	26	9	2	15	-	130	129	32	-	83	3
47	Hutchinson	189	1	-	-	-	29	4	6	19	4	78	77	12	-	60	6
48	Borger	140	1	-	-	-	25	3	6	16	2	54	53	9	-	40	3
49	Balance of county	49	-	-	-	-	4	1	-	3	2	24	24	3	-	20	3
50	Irion	15	-	-	-	-	-	-	-	-	-	11	11	3	-	7	-
51	Jack	70	-	-	-	-	15	7	-	8	1	39	37	10	-	23	2
52	Jackson	120	2	-	-	1	15	7	2	6	3	74	69	12	-	50	1
53	Jasper	191	2	-	-	1	21	7	2	12	5	97	95	23	-	66	4
54	Jeff Davis	12	-	-	-	-	-	-	-	-	-	6	6	-	-	5	-
55	Jefferson	1,745	16	9	2	11	265	80	40	145	39	847	816	174	-	588	6
56	Beaumont	921	10	5	2	5	123	30	23	70	24	476	458	103	-	323	3
57	Port Arthur	525	4	2	-	5	95	36	14	45	10	235	225	50	-	160	3
58	Balance of county	299	2	2	-	1	47	14	3	30	5	136	133	21	-	105	-
59	Jim Hogg	45	1	-	-	-	7	2	2	3	-	16	16	4	-	9	-
60	Jim Wells	223	-	-	-	1	21	5	4	12	7	110	106	25	-	67	2
61	Alice	147	-	-	-	-	12	1	2	9	2	71	69	11	-	50	2
62	Balance of county	76	-	-	-	1	9	4	2	3	5	39	37	14	-	17	-
63	Johnson	354	2	1	-	-	49	11	12	26	7	202	198	59	-	130	2
64	Cleburne	187	1	1	-	-	26	5	8	13	3	118	115	43	-	66	1
65	Balance of county	167	1	-	-	-	23	6	4	13	4	84	83	16	-	64	1
66	Jones	179	2	-	-	-	30	12	4	14	2	78	77	20	-	56	1
67	Karnes	139	3	-	-	-	17	9	3	5	2	72	67	8	-	52	-
68	Kaufman	300	1	1	-	2	38	14	6	18	7	162	161	43	-	109	-
69	Terrell	109	-	1	-	1	11	3	1	7	1	63	63	18	-	43	-
70	Balance of county	191	1	-	-	1	27	11	5	11	6	99	98	25	-	66	-
71	Kendall	68	-	-	-	-	13	4	3	6	-	32	32	5	-	24	-
72	Kenedy	3	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
73	Kent	14	-	-	-	-	2	-	-	2	1	8	8	2	-	6	-
74	Kerr	180	9	1	2	2	23	9	1	13	2	100	100	28	-	70	1
75	Kimble	27	-	-	-	-	4	1	1	2	-	13	11	3	-	5	-
76	King	6	-	-	-	-	-	-	-	-	-	4	4	1	-	3	1
77	Kinney	24	-	-	-	2	1	-	-	1	-	8	7	1	-	5	-
78	Kleberg	180	6	1	-	1	30	9	4	17	1	74	73	17	-	52	1
79	Kingsville	166	6	1	-	1	26	7	3	16	1	71	70	17	-	50	1
80	Balance of county	14	-	-	-	-	4	2	1	1	-	3	3	-	-	2	-
81	Knox	63	-	-	1	1	8	4	1	3	2	38	37	14	-	22	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-scle-rotic heart disease, includ-ing coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of dis-eases of heart 421-434	Hyper-tension without mention of heart 444-447	Gen-eral ar-terio-scle-rosis 450	Other dis-eases of circu-latory system 451-468	Chronic and un-speci-fied nephri-tis and other renal scle-rosis 592-594	Influ-enza and pneu-monia, except pneu-monia of newborn 480-493	Ulcer of stom-ach and duo-denum 540, 541	Gastri-tis, duode-nitis, enter-itis, and colitis, except diarrhea of newborn 543,571, 572	Cir-rhosis of liver 581	Acute nephri-tis and nephri-tis with edema, includ-ing ne-phrosis 590,591	Deliver-ies and compli-cations of preg-nancy, child-birth, and the puer-perium 640-689	Con-geni-tal mal-for-ma-tions 750-759	Cer-tain dis-eases of early in-fancy 760-776	Symp-toms, senil-ity, and ill-de-fined condi-tions 780-795	Motor-vehi-cle acci-dents E810-E835	All other acci-dents E800-E802, E840-E962	Sui-cide E963, E970-E979	Homi-cide E964, E980-E985	All other causes Resid-ual	
135	20	34	6	14	5	7	26	4	5	4	-	2	7	19	12	26	28	2	6	39	1
58	8	15	3	4	1	3	9	1	3	1	-	2	1	11	3	7	7	1	2	18	2
77	12	19	3	10	4	4	17	3	2	3	-	-	6	8	9	19	21	1	4	21	3
21	14	32	3	4	-	5	9	-	3	-	-	1	-	4	3	3	7	1	1	13	4
68	5	21	2	6	2	10	8	1	8	2	1	1	7	14	9	12	9	5	3	20	5
63	6	6	2	3	2	3	14	-	4	2	1	1	6	19	2	5	16	3	-	24	6
36	3	2	1	3	-	1	7	-	3	1	-	-	4	11	2	2	12	1	-	16	7
27	3	4	1	-	2	2	7	-	1	1	1	1	2	8	-	3	4	2	-	8	8
14	4	3	-	-	1	-	5	-	3	-	-	-	3	1	3	4	5	-	-	8	9
27	9	12	1	1	-	1	3	-	-	-	-	1	1	-	3	7	3	-	-	9	10
7	3	-	-	-	1	-	3	-	-	-	-	-	-	-	-	5	2	-	-	1	11
16	4	4	-	1	2	-	2	1	1	-	-	-	1	4	4	-	3	1	1	3	12
36	7	10	-	4	1	1	6	1	1	-	-	-	5	8	6	10	11	3	2	5	13
1,846	297	286	58	86	74	77	351	39	48	112	10	18	174	616	50	300	323	102	175	626	14
1,375	230	220	49	73	58	56	284	33	37	93	9	13	118	456	39	205	238	74	147	478	15
45	6	8	1	-	1	4	6	-	1	2	-	-	9	10	-	12	12	2	3	15	16
27	3	-	1	2	1	-	3	1	1	-	-	-	5	6	-	3	4	-	-	7	17
32	5	8	-	2	-	1	9	-	-	2	-	1	5	24	-	15	5	1	1	10	18
31	2	1	-	-	-	-	1	-	-	3	-	-	1	1	-	-	2	1	1	5	19
336	51	49	7	9	14	16	48	5	9	12	1	4	36	119	11	65	62	24	23	111	20
98	27	41	2	7	2	7	22	-	1	2	3	1	3	12	3	12	15	2	7	25	21
54	14	15	-	2	-	1	12	-	1	1	2	-	3	9	-	4	10	1	3	14	22
44	13	26	2	5	2	6	10	-	-	1	1	1	-	3	3	8	5	1	4	11	23
2	-	4	-	1	-	-	3	-	-	-	-	-	-	-	-	-	2	1	-	3	24
25	1	11	-	3	3	1	10	-	1	-	1	-	3	3	1	3	4	-	-	8	25
40	4	19	1	3	-	1	12	-	7	3	1	-	3	3	2	3	11	1	-	8	26
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	4	27
56	8	19	4	3	2	13	6	2	1	-	1	-	5	8	6	14	5	1	1	20	28
188	34	84	3	20	4	6	96	6	52	6	1	5	21	103	34	36	41	4	6	72	29
18	6	6	2	-	-	1	8	-	3	-	-	-	4	12	6	5	1	-	1	9	30
38	3	13	-	3	1	1	13	3	5	2	-	1	1	19	2	4	11	-	-	21	31
8	-	5	-	2	-	1	5	1	3	-	-	-	3	4	5	-	1	-	-	5	32
15	4	6	-	-	-	-	8	-	3	-	-	-	-	3	-	6	1	1	-	5	33
109	21	54	1	15	3	3	62	2	38	4	1	4	13	65	21	21	27	3	5	32	34
77	8	33	5	10	7	6	9	1	2	1	-	-	3	3	6	3	11	4	1	30	35
28	4	6	-	2	-	2	4	2	11	-	1	-	1	10	5	9	3	-	1	8	36
15	3	2	1	-	-	-	8	1	-	1	-	-	-	2	-	-	5	-	-	2	37
68	16	13	1	4	1	3	6	1	2	1	-	-	1	5	8	4	7	1	3	15	38
44	14	14	4	3	1	3	5	-	-	-	-	2	2	4	9	5	7	2	1	12	39
54	3	13	-	2	5	2	8	-	6	1	1	1	3	19	3	9	21	3	4	20	40
46	3	11	-	2	2	2	7	-	5	1	1	1	3	19	2	6	16	2	3	16	41
8	-	2	-	-	3	-	1	-	1	-	-	-	-	-	1	3	5	1	1	4	42
3	1	-	-	-	-	-	3	-	1	-	-	-	1	1	-	-	-	-	-	-	43
140	18	20	7	17	2	6	11	4	-	2	-	-	7	21	7	19	17	3	2	21	44
76	12	10	5	6	1	5	6	-	-	1	-	-	7	13	1	7	9	2	2	9	45
64	6	10	2	11	1	1	5	4	-	1	-	-	-	8	6	12	8	1	-	12	46
40	4	10	2	1	2	1	9	1	1	1	-	-	4	12	1	11	10	4	2	21	47
26	3	8	2	1	1	1	6	1	1	1	-	-	2	8	1	8	8	2	2	18	48
14	1	2	-	-	1	-	3	-	-	-	-	-	2	4	-	3	2	2	-	3	49
3	-	4	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	50
12	4	5	3	1	-	2	4	-	-	-	-	-	-	-	2	2	4	-	-	3	51
40	1	8	-	6	1	5	5	1	1	-	-	1	-	2	3	2	3	2	-	5	52
43	6	13	1	5	-	2	7	2	2	2	2	1	5	6	2	3	12	3	2	16	53
3	-	2	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	3	54
448	70	64	9	26	19	31	76	12	7	18	3	3	28	105	9	59	81	19	15	121	55
248	41	31	6	16	10	18	43	6	4	12	3	1	15	50	4	31	34	10	3	60	56
120	16	21	1	8	6	10	23	2	2	5	-	2	6	31	3	16	32	4	7	41	57
80	13	12	2	2	3	3	10	4	1	1	-	-	7	24	2	12	15	5	5	20	58
7	1	1	3	-	-	-	3	1	1	-	1	-	-	2	4	-	3	-	-	6	59
46	11	8	5	9	-	4	9	1	10	1	-	1	4	22	4	8	5	1	1	17	60
35	7	6	1	7	-	2	8	1	9	-	-	-	4	17	1	5	5	-	1	11	61
11	4	2	4	2	-	2	1	-	1	1	-	1	-	5	3	3	-	1	-	6	62
80	10	38	2	4	3	4	9	1	-	2	1	-	4	9	18	6	12	1	3	27	63
41	6	18	1	3	2	3	2	-	-	2	-	-	1	3	9	2	5	-	1	13	64
39	4	20	1	1	1	1	7	1	-	-	1	-	3	6	9	4	7	1	2	14	65
40	5	10	1	-	-	1	7	3	3	-	1	-	-	9	8	8	7	3	1	17	66
34	4	14	1	4	2	5	6	-	4	1	-	-	-	6	5	4	2	2	-	15	67
64	25	20	5	4	-	1	14	2	4	2	-	-	1	9	3	14	14	2	2	22	68
23	10	10	-	2	-	-	2	-	2	1	-	-	1	3	-	5	5	-	1	12	69
41	15	10	5	2	-	1	12	2	2	1	-	-	-	6	3	9	9	2	1	10	70
21	-	3	2	-	1	-	5	1	-	1	-	-	-	2	3	-	3	2	-	6	71
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
3	2	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	73
58	2	9	-	1	1	-	5	1	1	2	-	-	1	5	3	3	9	3	1	7	74
4	-	1	1	2	-	2	1	-	-	-	-	-	-	3	1	1	1	-	-	3	75
2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	76
5	-	-	-	-	1	1	2	1	-	-	-	-	-	2	2	1	1	1	-	3	77
35	6	10	1	1	2	1	7	-	4	2	-	1	6	7	6	16	6	2	-	10	78
34	5	10	-	1	2	1	7	-	4	2	-	-	6	7	5	12	5	2	-	10	79
1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1	4	1	-	-	-	80
15	4	3	-	-	1	1	3	1	-	-	-	-	-	1	1	3	-	-	-	4	81

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Lamar	453	3	-	-	2	62	22	3	37	5	272	262	78	-	164	1
2	Paris	284	2	-	-	2	42	16	3	23	2	172	166	55	-	102	-
3	Balance of county	169	1	-	-	-	20	6	-	14	3	100	96	23	-	62	1
4	Lamb	179	1	-	-	3	27	6	5	16	1	88	84	18	-	63	3
5	Lampasas	104	2	-	-	-	14	2	3	9	1	60	60	12	-	30	1
6	La Salle	61	-	-	-	-	11	4	4	3	-	28	28	6	-	19	-
7	Lavaca	259	3	-	-	2	35	11	3	21	3	148	136	23	-	100	1
8	Lee	100	-	-	-	1	16	5	2	9	2	47	46	13	-	28	-
9	Leon	126	5	1	-	-	20	7	-	13	-	70	66	14	-	47	-
10	Liberty	262	-	-	-	2	30	7	7	16	5	115	112	22	-	77	1
11	Limestone	251	3	1	-	1	27	8	3	16	1	144	144	34	-	104	-
12	Lipscomb	20	-	-	-	-	4	1	-	3	-	12	12	4	-	7	-
13	Live Oak	67	-	-	-	-	5	3	-	2	-	34	32	8	-	23	-
14	Llano	51	2	-	-	-	6	1	-	5	2	27	25	2	-	22	-
15	Loving	2	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
16	Lubbock	789	5	-	1	6	110	39	13	58	4	363	354	77	2	256	6
17	Lubbock	623	3	-	1	4	88	31	10	47	3	297	290	64	2	206	6
18	Balance of county	166	2	-	-	2	22	8	3	11	1	66	64	13	-	50	-
19	Lynn	93	-	-	1	-	12	3	4	5	-	31	31	8	-	21	1
20	McCulloch	108	1	1	-	-	20	5	6	9	-	64	64	12	-	51	-
21	McLennan	1,197	11	3	-	10	184	60	22	102	19	617	600	170	1	395	8
22	Waco	810	7	3	-	5	128	44	14	70	15	412	399	113	-	262	6
23	Balance of county	387	4	-	-	5	56	16	8	32	4	205	201	57	1	133	2
24	McMullen	7	1	-	-	-	1	-	-	1	-	4	4	2	-	2	-
25	Madison	96	3	-	-	1	13	6	2	5	-	50	49	12	-	32	1
26	Marion	111	1	-	-	-	11	4	1	6	3	63	60	18	-	39	2
27	Martin	41	-	-	-	2	6	3	1	2	-	13	12	4	-	8	-
28	Mason	55	1	-	-	1	4	1	-	3	1	40	40	9	-	29	-
29	Matagorda	212	2	2	-	-	25	10	2	13	2	113	108	21	-	81	-
30	Maverick	116	1	-	-	4	16	9	2	5	1	42	41	9	-	28	-
31	Medina	168	5	-	-	3	32	8	3	21	-	73	71	16	-	45	1
32	Menard	34	1	-	-	-	7	2	1	4	1	15	15	4	-	11	-
33	Midland	274	4	1	-	2	32	9	3	20	3	96	93	17	-	63	1
34	Midland	247	4	1	-	2	28	8	2	18	3	88	85	17	-	56	1
35	Balance of county	27	-	-	-	-	4	1	1	2	-	8	8	-	-	7	-
36	Milam	268	5	2	-	6	44	12	4	28	-	142	136	33	-	95	1
37	Mills	71	-	-	-	-	13	3	2	8	1	45	45	15	-	26	-
38	Mitchell	113	1	-	-	-	15	6	4	5	-	60	57	15	1	34	-
39	Montague	182	1	1	-	1	27	12	1	14	3	116	116	42	-	68	4
40	Montgomery	273	6	1	-	1	27	5	9	13	7	146	142	34	-	93	-
41	Moore	54	-	-	-	-	10	-	2	8	1	22	20	2	-	18	-
42	Morris	81	1	1	-	1	6	2	-	4	-	46	46	12	-	32	-
43	Motley	25	-	-	-	-	1	-	1	-	1	13	13	2	-	11	-
44	Nacogdoches	253	-	-	-	2	39	14	8	17	1	146	140	40	-	95	-
45	Nacogdoches	137	-	-	-	1	22	7	5	10	1	83	78	26	-	51	-
46	Balance of county	116	-	-	-	1	17	7	3	7	-	63	62	14	-	44	-
47	Navarro	438	2	-	-	5	54	22	6	26	7	253	248	81	-	157	5
48	Corsicana	261	2	-	-	5	33	13	3	17	5	153	149	46	-	96	3
49	Balance of county	177	-	-	-	-	21	9	3	9	2	100	99	33	-	61	2
50	Newton	85	-	1	-	-	12	3	2	7	-	49	47	12	-	31	1
51	Nolan	155	1	1	-	1	21	9	1	11	5	77	77	15	-	56	1
52	Sweetwater	117	1	1	-	-	17	6	1	10	3	60	60	13	-	42	1
53	Balance of county	38	-	-	-	1	4	3	-	1	2	17	17	2	-	14	-
54	Nueces	1,239	27	5	1	5	179	56	34	89	27	484	469	82	1	356	5
55	Corpus Christi	985	21	4	1	3	154	51	28	75	24	399	386	62	1	298	5
56	Balance of county	254	6	1	-	2	25	5	6	14	3	85	83	20	-	58	-
57	Ochiltree	54	-	-	1	-	7	1	1	5	-	34	33	9	-	21	-
58	Oldham	11	-	-	-	-	2	1	-	1	-	1	1	1	-	-	-
59	Orange	341	3	1	-	3	59	15	9	35	1	152	146	34	-	107	1
60	Orange	170	2	-	-	2	29	9	3	17	1	76	73	12	-	58	1
61	Balance of county	171	1	1	-	1	30	6	6	18	-	76	73	22	-	49	-
62	Palo Pinto	236	4	1	1	3	41	12	6	23	3	106	106	32	-	64	1
63	Panola	149	-	-	-	-	21	11	-	10	1	84	83	34	-	45	-
64	Parker	239	3	3	-	1	28	7	6	15	3	138	138	29	-	95	-
65	Parmer	43	-	-	-	1	2	1	-	1	1	26	26	5	-	20	2
66	Pecos	70	-	-	-	-	5	1	-	4	-	28	27	8	-	17	1
67	Polk	156	1	-	-	-	19	4	3	12	3	75	73	20	-	44	-
68	Potter	783	5	1	2	4	104	28	16	60	15	377	367	77	-	266	8
69	Amarillo (part)	733	5	1	2	4	94	25	15	54	15	358	348	72	-	254	8
70	Amarillo (total)	787	5	1	2	4	102	26	17	59	16	382	372	73	-	275	8
71	Balance of county	50	-	-	-	-	10	3	1	6	-	19	19	5	-	12	-
72	Presidio	36	-	-	-	-	8	2	1	5	-	12	12	3	-	9	-
73	Rains	39	-	1	-	-	5	2	-	3	-	22	22	4	-	17	-
74	Randall	111	-	-	-	-	18	4	3	11	2	54	53	4	-	43	-
75	Amarillo (part)	54	-	-	-	-	8	1	2	5	1	24	24	1	-	21	-
76	Balance of county	57	-	-	-	-	10	3	1	6	1	30	29	3	-	22	-
77	Reagan	27	1	-	-	-	4	-	2	2	-	9	9	1	-	8	-
78	Real	13	-	-	-	1	2	-	-	2	-	8	8	3	-	5	-
79	Red River	204	1	-	-	-	28	8	2	18	2	126	125	34	-	89	2
80	Reeves	109	3	1	-	3	17	5	3	9	-	31	31	8	-	20	2
81	Refugio	85	1	-	-	2	10	2	1	7	-	40	38	10	-	24	-
82	Roberts	10	-	-	-	-	-	-	-	-	-	8	7	3	-	3	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
101	36	26	8	10	2	10	17	3	2	1	-	-	5	11	12	12	13	5	2	26	1
66	22	14	3	5	1	6	10	1	2	1	-	-	4	3	7	4	7	2	2	21	2
35	14	12	5	5	1	4	7	2	-	-	-	-	1	8	5	8	6	3	-	5	3
39	11	10	-	1	2	4	4	-	8	1	1	-	3	11	3	10	6	-	2	10	4
22	3	4	9	9	-	-	4	-	-	-	-	-	1	1	-	3	9	2	-	7	5
10	3	6	-	1	2	-	4	-	-	-	-	-	1	5	6	-	4	-	1	1	6
60	3	36	5	6	2	12	12	-	2	6	-	1	2	9	5	8	4	2	1	16	7
9	11	8	4	1	-	1	8	-	2	1	-	-	1	3	2	3	3	3	-	8	8
33	5	9	1	2	2	4	3	1	1	-	-	1	1	2	3	-	2	2	-	14	9
55	6	15	-	9	4	3	11	1	1	1	-	1	4	23	14	19	11	1	3	20	10
70	22	12	2	3	1	-	10	1	3	4	-	-	1	8	7	3	12	2	2	21	11
6	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	2	12
13	1	9	1	-	-	2	4	1	1	-	-	1	-	7	4	1	3	-	-	6	13
19	1	2	-	-	1	2	1	1	-	-	-	-	-	1	1	3	-	1	-	6	14
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	15
184	30	36	5	11	3	9	33	3	17	2	2	4	9	76	2	37	37	7	12	59	16
151	25	24	5	11	2	7	20	2	13	2	2	4	6	61	2	23	27	6	9	50	17
33	5	12	-	-	1	2	13	1	4	-	-	-	3	15	-	14	10	1	3	9	18
15	2	3	1	1	-	-	12	-	3	1	-	1	2	8	2	3	5	-	-	12	19
42	5	4	1	-	-	-	1	1	-	1	-	-	-	2	2	4	3	1	2	5	20
289	38	60	12	12	10	17	59	6	16	11	1	2	22	51	16	37	40	11	12	69	21
196	26	34	9	8	7	13	43	5	9	10	1	1	16	38	8	25	23	7	11	43	22
93	12	26	3	4	3	4	16	1	7	1	-	1	6	13	8	12	17	4	1	26	23
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	24
22	5	4	1	1	3	1	6	-	3	-	-	-	-	2	4	4	4	-	-	6	25
23	3	11	-	2	1	3	5	2	-	2	1	-	-	4	-	3	2	1	1	12	26
6	-	2	-	-	-	1	3	-	-	-	-	-	-	3	1	4	4	-	-	5	27
17	6	6	1	1	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	3	28
49	13	19	4	2	-	5	3	2	3	-	-	-	2	9	6	5	15	3	1	19	29
24	2	2	1	2	1	1	10	1	2	-	2	-	-	10	2	7	7	-	-	11	30
26	6	12	1	7	2	2	11	-	5	2	-	-	3	9	3	3	5	2	-	12	31
5	1	5	-	-	-	-	-	-	-	1	-	-	-	2	2	-	-	1	-	4	32
54	4	4	2	4	7	3	13	3	4	1	1	-	9	33	2	26	16	3	6	19	33
48	4	3	2	3	7	3	13	3	2	1	1	-	9	30	2	23	15	1	5	16	34
6	-	1	-	1	-	-	-	-	2	-	-	-	-	3	-	3	1	2	1	3	35
53	13	28	2	6	-	6	13	-	-	2	-	-	4	7	5	2	8	-	6	22	36
20	3	3	1	2	1	-	2	-	-	-	-	-	-	1	1	2	2	-	-	4	37
25	3	6	3	3	1	3	7	-	2	-	2	-	1	3	3	5	4	-	1	9	38
43	8	13	3	3	-	-	1	2	-	1	-	-	-	2	4	12	5	-	-	6	39
58	17	18	4	9	2	4	10	3	-	2	-	-	1	10	12	14	13	3	1	16	40
17	-	1	-	-	-	2	2	1	-	1	1	-	3	1	-	4	6	1	-	1	41
26	2	4	-	-	2	-	4	-	-	-	-	-	2	2	3	3	3	1	2	6	42
8	1	2	-	-	-	-	1	-	-	-	-	-	-	1	-	3	2	1	-	2	43
64	14	17	1	3	1	6	9	-	1	1	1	-	3	6	2	10	7	4	1	20	44
35	5	11	-	-	1	5	4	-	1	1	-	-	1	4	-	5	4	2	1	7	45
29	9	6	1	3	-	1	5	-	-	-	1	-	2	2	2	5	3	2	-	13	46
107	13	32	2	3	5	5	11	1	3	3	1	-	5	21	10	14	18	2	3	25	47
66	9	18	1	2	2	4	4	-	1	-	1	-	3	14	4	7	11	-	3	15	48
41	4	14	1	1	3	1	7	1	2	3	-	-	2	7	6	7	7	2	-	10	49
25	3	2	2	2	-	2	4	-	-	-	1	-	-	1	3	7	2	-	1	4	50
46	3	6	2	2	2	-	3	-	2	2	-	-	-	6	7	9	9	-	2	9	51
36	1	4	2	1	2	-	1	-	2	1	-	-	-	6	3	7	7	-	1	7	52
10	2	2	-	1	-	-	2	-	-	1	-	-	-	-	4	2	2	-	1	2	53
288	34	29	9	14	7	15	77	8	20	18	1	6	34	123	10	56	49	17	8	84	54
242	30	21	7	12	6	13	50	6	10	16	1	5	26	91	6	43	36	15	7	67	55
46	4	8	2	2	1	2	27	2	10	2	-	1	8	32	4	13	13	2	1	17	56
16	2	3	1	2	-	1	-	-	-	-	-	-	1	2	-	1	4	-	-	4	57
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	2	-	-	2	58
63	12	31	-	2	3	6	18	2	3	3	1	-	9	24	3	17	23	3	1	15	59
32	7	18	-	1	2	3	6	-	2	-	1	-	7	16	3	5	12	1	1	6	60
31	5	13	-	1	1	3	12	2	1	3	-	-	2	8	-	12	11	2	-	9	61
36	15	12	4	4	2	-	10	2	2	3	2	-	1	12	12	5	8	1	-	19	62
32	5	8	1	2	1	1	4	1	-	2	-	-	2	8	2	5	6	-	2	11	63
73	6	16	1	7	6	-	7	2	-	1	-	-	2	4	4	15	11	1	1	15	64
13	1	4	-	1	-	-	1	-	-	-	-	-	1	2	2	1	3	-	-	3	65
12	2	2	-	2	-	1	2	2	4	-	-	-	1	6	3	6	4	-	-	9	66
29	5	10	3	2	4	2	6	1	-	1	1	-	2	7	7	6	8	2	3	14	67
212	24	22	1	16	7	10	29	5	3	9	3	-	14	46	6	35	31	11	5	78	68
204	22	20	1	14	7	10	28	5	3	8	2	-	13	44	5	33	28	10	5	70	69
222	23	22	1	16	7	10	30	5	3	8	2	-	16	49	5	34	32	12	5	74	70
8	2	2	-	2	-	-	1	-	-	1	1	-	1	2	1	2	3	1	-	8	71
6	-	3	-	-	-	-	5	-	-	1	-	-	-	-	3	1	2	-	-	4	72
9	1	7	-	1	-	-	2	-	-	3	-	-	-	1	1	-	3	-	-	1	73
36	2	5	-	3	3	1	5	-	-	-	-	-	5	9	1	4	5	2	-	6	74
18	1	2	-	2	-	-	2	-	-	-	-	-	3	5	-	1	4	2	-	4	75
18	1	3	-	1	3	1	3	-	-	-	-	-	2	4	1	3	1	-	-	2	76
7	-	1	-	-	-	-	1	1	-	1	-	-	1	3	-	5	1	-	-	1	77
4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	78
52	29	6	2	-	-	1	9	-	3	1	1	-	-	4	2	3	11	-	1	12	79
14	-	4	-	3	-	-	9	1	8	-	-	-	6	4	-	6	6	3	3	8	80
18	3	3	-	3	1	2	6	-	-	-	-	-	1	3	2	3	6	2	-	9	81
3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	82

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468; 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	TEXAS—Continued																
1	Robertson	202	1	-	-	2	24	8	2	14	3	101	95	21	-	69	4
2	Rockwall	69	-	-	-	-	7	3	1	3	-	38	37	4	-	22	-
3	Runnels	145	-	-	-	1	32	11	5	16	2	80	79	27	-	49	-
4	Rusk	334	2	-	-	1	56	12	6	38	4	173	167	32	-	121	1
5	Sabine	65	-	-	-	-	8	2	1	5	-	32	32	3	-	28	1
6	San Augustine	87	1	1	-	-	8	6	-	2	-	35	34	15	-	16	-
7	San Jacinto	67	-	-	-	-	9	5	-	4	-	36	36	7	-	26	1
8	San Patricio	317	4	2	2	11	40	13	4	23	5	110	109	24	-	73	1
9	San Saba	94	-	-	-	1	12	3	3	6	-	50	50	10	-	34	-
10	Schleicher	18	-	-	-	-	2	1	-	1	-	11	11	2	-	9	-
11	Scurry	144	1	1	-	-	22	4	4	14	4	60	60	6	-	51	1
12	Snyder	91	-	1	-	-	16	3	2	11	3	36	36	4	-	31	1
13	Balance of county	53	1	-	-	-	6	1	2	3	1	24	24	2	-	20	-
14	Shackelford	44	-	-	-	1	8	3	1	4	-	27	27	8	-	17	-
15	Shelby	218	1	-	-	-	37	10	4	23	-	132	131	37	-	87	2
16	Sherman	11	-	-	-	-	2	2	-	-	-	6	5	1	-	3	-
17	Smith	728	7	1	-	4	106	24	16	66	11	397	389	69	2	283	6
18	Tyler	381	2	1	-	2	58	12	10	36	6	205	202	33	2	149	2
19	Balance of county	347	5	-	-	2	48	12	6	30	5	192	187	36	-	134	4
20	Somervell	30	-	-	-	1	4	2	1	1	-	19	18	5	-	13	-
21	Starr	105	2	-	-	1	16	7	2	7	6	39	39	11	-	22	-
22	Stephens	102	-	1	-	-	22	3	3	16	1	55	54	15	-	37	2
23	Sterling	11	-	-	-	-	2	1	-	1	-	3	3	1	-	2	-
24	Stonewall	28	-	-	-	-	7	4	1	2	-	10	10	2	-	7	-
25	Sutton	17	2	1	-	-	-	-	-	-	1	6	6	2	-	4	-
26	Swisher	60	-	-	-	-	8	2		6	1	23	23	7	-	13	-
27	Tarrant	3,844	31	9	2	19	623	180	83	360	46	1,869	1,838	453	3	1,275	28
28	Fort Worth	3,068	27	6	1	14	505	150	60	295	38	1,494	1,468	364	3	1,013	18
29	Grand Prairie (part)	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
30	White Settlement	38	1	-	-	-	9	5	1	3	-	17	17	4	-	13	-
31	Balance of county	737	3	3	1	5	109	25	22	62	8	357	352	84	-	249	11
32	Taylor	608	3	2	1	3	90	32	5	53	14	274	268	65	1	177	5
33	Abilene	487	2	-	-	2	66	20	4	42	10	221	216	50	1	142	5
34	Balance of county	119	1	2	1	1	24	12	1	11	4	53	52	15	-	35	-
35	Terrell	15	-	-	-	-	-	-	-	-	-	9	9	2	-	7	1
36	Terry	111	2	1	-	1	7	2	-	5	4	32	32	7	-	24	-
37	Throckmorton	21	-	-	-	-	3	1	-	2	-	13	13	2	-	10	1
38	Titus	178	-	1	-	2	23	5	3	15	1	103	98	23	-	65	-
39	Tom Green	534	2	1	-	2	82	27	15	40	3	267	262	51	1	182	7
40	San Angelo	492	2	1	-	2	76	22	15	39	3	241	237	47	1	164	7
41	Balance of county	42	-	-	-	-	6	5	-	1	-	26	25	4	-	18	-
42	Travis	1,359	20	1	-	7	198	60	35	103	23	672	661	178	-	442	3
43	Austin	1,249	20	1	-	7	185	54	33	98	21	618	608	162	-	406	3
44	Balance of county	110	-	-	-	-	13	6	2	5	2	54	53	16	-	36	-
45	Trinity	93	-	1	-	-	8	4	-	4	3	48	47	14	-	30	-
46	Tyler	112	-	-	-	1	16	2	3	11	-	57	55	13	-	39	-
47	Upshur	193	1	-	-	3	33	13	6	14	1	93	93	23	1	64	-
48	Upton	37	1	1	-	-	1	-	1	-	1	12	11	1	-	10	1
49	Uvalde	150	1	-	-	3	17	6	3	8	-	65	60	16	-	41	1
50	Val Verde	165	5	1	-	2	17	6	2	9	4	58	57	12	-	41	1
51	Del Rio	152	5	1	-	2	17	6	2	9	4	53	53	11	-	38	1
52	Balance of county	13	-	-	-	-	-	-	-	-	-	5	4	1	-	3	-
53	Van Zandt	228	5	2	-	1	40	14	4	22	2	128	124	32	-	84	1
54	Victoria	353	2	2	-	4	53	21	6	26	4	157	154	28	-	109	1
55	Victoria	262	2	2	-	4	41	15	2	24	3	115	114	19	-	81	-
56	Balance of county	91	-	-	-	-	12	6	4	2	1	42	40	9	-	28	1
57	Walker	174	1	-	-	1	18	5	2	11	1	80	78	16	-	55	-
58	Waller	111	-	1	-	1	14	5	-	9	4	62	60	25	-	31	-
59	Ward	78	-	-	-	1	13	3	2	8	1	26	24	4	-	18	-
60	Washington	220	2	-	-	4	24	11	2	11	6	134	129	25	-	98	-
61	Webb	497	18	2	1	9	59	18	5	36	11	178	175	41	-	119	5
62	Laredo	475	18	2	1	9	58	18	4	36	11	170	167	38	-	114	5
63	Balance of county	22	-	-	-	-	1	-	1	-	-	8	8	3	-	5	-
64	Wharton	329	5	1	-	3	45	14	7	24	6	163	159	47	-	109	-
65	Wheeler	86	-	-	-	1	10	3	3	4	1	49	48	8	-	34	4
66	Wichita	823	4	2	-	5	123	39	15	69	11	433	422	107	2	299	1
67	Wichita Falls	611	3	1	-	4	94	29	12	53	9	320	311	76	2	222	1
68	Balance of county	212	1	1	-	1	29	10	3	16	2	113	111	31	-	77	-
69	Wilbarger	186	2	-	-	1	30	10	1	19	3	100	97	27	-	62	1
70	Vernon	153	1	-	-	1	25	8	1	16	2	81	79	24	-	47	1
71	Balance of county	33	1	-	-	-	5	2	-	3	1	19	18	3	-	15	-
72	Willacy	119	1	-	-	3	17	5	4	8	-	42	40	11	-	24	-
73	Williamson	387	4	1	-	1	64	25	7	32	4	226	218	66	-	133	1
74	Wilson	131	5	-	-	1	29	10	5	14	2	57	56	7	-	44	1
75	Winkler	58	-	-	-	1	5	2	1	2	-	28	27	8	-	17	-
76	Wise	176	-	-	-	-	22	7	3	12	1	104	102	23	-	71	-
77	Wood	217	1	1	-	1	34	8	5	21	3	122	116	40	-	60	2
78	Yoakum	41	-	1	-	-	4	-	-	4	-	14	14	2	-	12	-
79	Young	153	1	-	-	-	19	5	2	12	1	83	83	13	-	64	2
80	Zapata	15	-	-	-	-	-	-	-	-	-	7	7	-	-	7	-
81	Zavala	121	3	-	-	5	13	4	1	8	1	38	37	11	-	21	-

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
28	5	32	1	3	1	6	4	-	3	1	8	1	-	7	17	4	11	-	4	11	1
17	2	3	8	2	1	1	4	-	1	1	-	-	1	5	2	2	3	1	-	4	2
41	4	4	1	2	-	1	6	1	4	-	-	-	1	3	3	3	7	-	-	2	3
79	22	19	2	9	3	6	12	1	1	3	-	-	3	11	10	9	15	3	3	27	4
21	4	2	-	1	-	-	5	-	-	1	-	-	-	1	1	6	4	1	1	5	5
10	3	3	-	2	1	1	5	1	2	-	-	-	1	6	13	3	1	3	-	7	6
12	2	11	-	2	1	-	1	-	-	-	-	1	-	-	4	6	4	-	-	6	7
52	8	12	2	8	2	1	16	1	13	4	-	-	8	34	9	21	8	2	1	26	8
18	7	9	2	3	1	-	4	-	7	-	-	-	1	2	3	6	3	2	-	3	9
7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	10
38	9	3	-	2	1	-	8	-	1	-	1	-	3	12	5	6	8	-	1	11	11
21	7	2	-	-	1	-	3	-	-	-	-	-	3	11	1	4	6	-	1	6	12
17	2	1	-	2	-	-	5	-	1	-	1	-	-	1	4	2	2	-	-	5	13
14	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	2	14
74	5	6	1	4	2	1	8	1	1	1	1	1	1	4	1	8	8	-	1	12	15
2	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	16
201	27	49	9	20	6	8	24	4	-	3	2	-	7	31	10	28	28	10	5	50	17
110	13	24	6	7	5	3	11	3	-	2	1	-	4	19	8	10	12	6	3	28	18
91	14	25	3	13	1	5	13	1	-	1	1	-	3	12	2	18	16	4	2	22	19
10	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	5	20
17	3	2	3	1	2	-	7	-	5	1	1	1	-	8	4	2	2	2	-	8	21
24	3	8	1	1	-	1	3	1	-	1	1	-	1	1	2	4	3	2	-	4	22
2	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	1	1	23
3	2	2	-	1	-	-	3	-	1	1	-	-	-	1	-	2	1	-	-	2	24
3	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	3	25
10	1	2	-	2	1	-	2	2	2	-	-	-	2	6	1	3	3	1	-	6	26
968	119	159	23	57	27	31	125	32	19	38	7	2	77	225	87	99	157	44	46	287	27
789	95	111	19	48	21	26	105	30	16	32	4	1	56	171	74	64	125	30	42	233	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
10	2	1	-	-	-	-	2	-	-	-	-	-	-	5	1	-	1	1	-	1	30
169	22	47	4	9	6	5	18	2	3	6	3	1	21	49	12	35	31	13	4	53	31
126	24	22	8	13	4	6	23	2	11	2	1	-	13	42	19	30	25	7	3	41	32
100	20	17	7	13	3	5	17	1	10	1	-	-	12	39	15	25	20	6	3	37	33
26	4	5	1	-	1	1	6	1	1	1	1	-	1	3	4	5	5	1	-	4	34
4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	1	35
15	6	3	-	-	1	-	10	-	3	1	-	1	1	22	1	12	4	1	1	7	36
7	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	37
35	11	19	1	7	2	5	6	-	3	-	-	-	-	5	6	4	10	4	4	6	38
148	21	6	3	20	5	5	17	2	7	5	-	-	7	15	20	24	21	7	3	49	39
134	19	4	3	17	5	4	17	2	7	5	-	-	7	14	19	22	20	7	3	44	40
14	2	2	-	3	-	1	-	-	-	-	-	-	-	1	1	2	1	-	-	5	41
346	34	59	11	20	10	11	45	9	16	5	1	1	17	92	22	37	62	17	10	104	42
320	31	52	10	20	10	10	40	8	13	4	1	1	14	88	19	34	54	13	10	98	43
26	3	7	1	-	-	1	5	1	3	1	-	-	3	4	3	3	8	4	-	6	44
17	8	5	-	2	1	1	8	-	-	-	-	-	1	2	2	3	3	2	2	10	45
27	3	9	-	2	1	2	6	1	1	2	-	1	-	6	-	6	1	3	-	11	46
40	7	17	-	3	2	-	8	-	-	3	-	-	3	11	4	7	6	3	1	16	47
8	-	1	-	-	-	1	-	-	2	-	-	-	1	3	-	4	1	1	-	9	48
23	5	12	1	2	-	5	12	3	1	-	-	-	-	7	7	11	6	-	-	17	49
34	-	6	-	2	2	1	17	2	5	-	-	-	3	21	1	3	12	2	1	11	50
32	-	5	-	2	2	-	14	2	5	-	-	-	3	19	1	1	11	2	1	11	51
2	-	1	-	-	-	1	3	-	-	-	-	-	-	2	-	2	1	-	-	-	52
63	4	16	-	5	3	4	7	-	-	2	-	-	-	5	3	5	8	2	1	17	53
72	20	16	3	9	5	3	6	1	7	5	-	-	5	31	4	20	18	3	2	29	54
57	12	12	3	6	5	1	3	1	5	4	-	-	4	26	4	10	12	2	2	22	55
15	8	4	-	3	-	2	3	-	2	1	-	-	1	5	-	10	6	1	-	7	56
39	10	6	1	4	2	2	7	3	-	1	-	-	1	7	14	9	6	1	3	21	57
14	2	15	2	-	2	2	5	-	-	-	1	1	-	4	2	6	4	-	-	6	58
15	1	2	1	1	-	2	4	-	1	1	-	-	2	3	2	8	6	3	1	6	59
42	13	43	3	1	2	5	10	-	-	-	1	-	1	6	8	2	9	2	-	11	60
80	17	17	1	11	3	3	52	1	14	7	1	-	8	47	20	6	17	3	1	42	61
78	16	15	1	11	3	3	52	1	14	7	1	-	8	43	16	5	15	3	1	40	62
2	1	2	-	-	-	-	-	-	-	-	-	-	-	4	4	1	2	-	-	2	63
71	8	30	1	2	-	4	11	-	1	5	-	1	9	17	13	14	8	3	2	22	64
21	1	8	2	3	1	1	5	1	-	-	1	-	2	4	-	-	5	1	-	6	65
218	34	46	2	9	3	11	22	3	4	10	-	1	12	45	11	25	39	10	9	54	66
168	22	31	1	8	2	9	11	1	4	6	-	1	9	39	9	17	31	5	7	40	67
50	12	15	1	1	1	2	11	2	-	4	-	-	3	6	2	8	8	5	2	14	68
48	6	7	3	3	2	3	7	3	-	2	-	-	5	6	5	8	4	1	-	9	69
36	5	5	3	3	2	2	7	2	-	2	-	-	4	5	5	6	4	1	-	7	70
12	1	2	-	-	-	1	-	1	-	-	-	-	1	1	-	2	-	-	-	2	71
15	3	6	1	1	3	2	13	2	6	1	-	-	1	7	3	9	2	1	-	11	72
93	15	24	5	10	4	8	11	3	4	1	1	2	2	6	7	12	8	3	2	25	73
23	6	14	3	1	1	1	8	1	1	-	-	-	2	7	-	3	4	3	1	7	74
13	1	3	-	-	2	1	-	-	-	-	-	-	3	2	5	10	1	-	-	3	75
42	11	18	2	5	1	2	6	3	1	1	-	-	1	3	6	8	3	2	2	13	76
37	9	12	3	9	4	6	9	-	3	-	2	-	1	2	2	6	10	3	2	15	77
11	-	1	-	-	-	-	2	-	1	2	-	-	1	3	-	4	2	1	1	5	78
42	2	18	3	2	1	-	3	-	-	1	-	-	2	5	3	9	11	1	1	13	79
4	-	3	-	-	-	-	2	-	-	-	-	-	-	2	1	2	-	-	-	1	80
18	-	3	4	1	-	1	12	-	7	1	-	-	2	8	3	5	11	1	-	11	81

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
1	UTAH	5,764	21	9	-	37	773	244	71	458	109	2,685	2,646	544	10	1,899	151
2	Metropolitan counties	3,198	10	5	-	15	432	136	40	256	58	1,520	1,500	321	6	1,066	90
3	Nonmetropolitan counties	2,566	11	4	-	22	341	108	31	202	51	1,165	1,146	223	4	833	61
4	Beaver	50	1	-	-	-	5	2	1	2	-	28	28	4	-	23	-
5	Box Elder	179	-	1	-	1	30	12	1	17	3	80	79	17	-	53	6
6	Cache	241	1	-	-	2	28	9	1	18	2	128	126	28	-	86	5
7	Logan	114	1	-	-	-	13	4	1	8	2	61	59	12	-	41	1
8	Balance of county	127	-	-	-	2	15	5	-	10	-	67	67	16	-	45	4
9	Carbon	149	1	1	-	1	18	6	-	12	4	52	52	9	1	39	2
10	Daggett	4	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-
11	Davis	218	-	-	-	1	38	11	6	21	4	89	88	19	-	65	5
12	Duchesne	55	-	-	-	1	9	3	2	4	3	23	23	2	1	17	1
13	Emery	43	-	-	-	-	4	-	-	4	-	21	21	2	-	16	-
14	Garfield	37	-	-	-	1	3	1	-	2	-	25	25	3	-	20	3
15	Grand	37	1	-	-	-	6	1	2	3	-	11	11	2	-	9	-
16	Iron	73	-	-	-	-	8	6	-	2	2	34	33	10	-	21	2
17	Juab	60	-	-	-	-	6	1	1	4	1	33	33	8	-	21	1
18	Kane	18	-	-	-	-	5	3	-	2	-	9	9	2	-	5	-
19	Millard	67	-	-	-	1	12	5	-	7	3	24	24	7	-	11	2
20	Morgan	35	-	-	-	-	4	-	1	3	-	18	18	2	-	15	1
21	Piute	13	-	-	-	1	1	1	-	-	-	7	7	-	-	7	-
22	Rich	14	-	-	-	-	3	1	1	1	-	8	7	-	-	7	-
23	Salt Lake	2,483	9	5	-	9	334	111	33	190	46	1,166	1,148	251	5	809	70
24	Salt Lake City	1,759	9	4	-	2	243	73	26	144	36	861	853	193	3	596	52
25	Balance of county	724	-	1	-	7	91	38	7	46	10	305	295	58	2	213	18
26	San Juan	45	1	-	-	-	2	1	-	1	-	11	11	4	-	6	-
27	Sanpete	137	1	-	-	-	22	10	-	12	4	64	63	7	-	53	3
28	Sevier	93	-	-	-	-	21	6	1	14	2	46	46	13	-	29	1
29	Summit	58	-	-	-	-	8	3	2	3	1	26	26	7	-	18	1
30	Tooele	118	-	-	-	2	14	5	3	6	5	50	48	7	1	38	1
31	Uintah	86	-	-	-	3	11	-	3	8	-	29	28	2	-	26	3
32	Utah	580	3	2	-	7	69	20	3	46	15	265	259	57	1	185	18
33	Provo	193	2	-	-	1	18	4	1	13	4	101	98	22	-	67	10
34	Balance of county	387	1	2	-	6	51	16	2	33	11	164	161	35	1	118	8
35	Wasatch	58	-	-	-	1	6	1	2	3	2	31	31	4	-	26	2
36	Washington	85	2	-	-	-	8	-	1	7	-	47	44	6	-	32	4
37	Wayne	13	-	-	-	-	-	-	-	-	-	4	4	1	-	3	-
38	Weber	715	1	-	-	6	98	25	7	66	12	354	352	70	1	257	20
39	Ogden	589	1	-	-	6	83	21	6	56	10	299	298	55	-	224	17
40	Balance of county	126	-	-	-	-	15	4	1	10	2	55	54	15	1	33	3
41	VERMONT	4,407	39	6	-	14	679	227	105	347	55	2,483	2,461	561	-	1,714	48
42	Nonmetropolitan counties	4,407	39	6	-	14	679	227	105	347	55	2,483	2,461	561	-	1,714	48
43	Addison	227	-	-	-	-	32	12	5	15	2	139	137	27	-	101	3
44	Bennington	314	-	-	-	-	47	19	8	20	4	183	182	41	-	135	2
45	Caledonia	294	1	-	-	2	34	7	3	24	3	177	175	37	-	117	4
46	Chittenden	571	2	1	-	1	86	23	19	44	7	314	313	59	-	223	9
47	Burlington	285	2	1	-	1	42	8	8	26	4	169	168	29	-	121	4
48	Balance of county	286	-	-	-	-	44	15	11	18	3	145	145	30	-	102	5
49	Essex	82	3	-	-	1	18	10	2	6	3	43	41	9	-	30	-
50	Franklin	348	2	-	-	3	51	20	8	23	3	187	184	50	-	110	6
51	Grand Isle	45	1	-	-	-	8	2	-	6	-	26	26	8	-	16	1
52	Lamoille	134	1	1	-	-	24	9	-	15	4	73	72	15	-	56	1
53	Orange	189	2	-	-	1	23	3	4	16	2	118	118	31	-	76	2
54	Orleans	265	1	1	-	-	43	21	6	16	5	145	144	44	-	89	4
55	Rutland	579	6	-	-	-	95	27	19	49	4	326	324	70	-	240	3
56	Rutland	235	3	-	-	-	35	11	7	17	1	135	134	34	-	94	1
57	Balance of county	344	3	-	-	-	60	16	12	32	3	191	190	36	-	146	2
58	Washington	518	15	1	-	1	74	25	11	38	8	289	286	67	-	198	5
59	Barre	176	10	-	-	1	30	10	8	12	3	86	86	20	-	62	-
60	Balance of county	342	5	1	-	-	44	15	3	26	5	203	200	47	-	136	5
61	Windham	368	-	-	-	2	65	26	4	35	6	195	192	49	-	131	2
62	Windsor	473	5	2	-	3	79	23	16	40	4	268	267	54	-	192	6
63	VIRGINIA[a]	33,019	331	108	6	162	4,419	1,355	618	2,446	427	17,419	17,071	3,983	22	11,875	321
64	Metropolitan counties	12,157	127	45	3	62	1,815	542	286	987	167	6,218	6,092	1,341	7	4,305	129
65	Nonmetropolitan counties	20,862	204	63	3	100	2,604	813	332	1,459	260	11,201	10,979	2,642	15	7,570	192
66	Accomack	446	6	3	-	3	41	16	4	21	10	228	225	41	-	178	4
67	Albemarle	321	1	1	-	1	39	9	5	25	5	178	177	30	-	135	2
68	Alleghany	116	-	-	-	1	14	7	1	6	1	64	63	16	-	45	-
69	Amelia	99	-	-	-	2	14	6	-	8	2	56	56	21	-	33	-
70	Amherst	186	2	-	-	5	31	10	3	18	2	94	92	30	-	61	-
71	Appomattox	106	3	-	-	1	10	4	-	6	-	64	63	6	-	56	5
72	Arlington[3]	937	9	-	-	2	189	58	22	109	6	471	463	96	1	334	10
73	Augusta	348	4	1	-	-	36	11	1	24	8	201	200	50	-	139	7
74	Bath	85	-	-	-	-	17	8	4	5	2	43	39	7	-	29	1
75	Bedford	281	2	-	-	1	41	10	10	21	4	158	150	44	-	102	11
76	Bland	55	1	-	-	1	8	3	-	5	1	34	34	10	-	21	-
77	Botetourt	159	-	-	-	-	25	7	6	12	4	77	75	10	-	61	1

[3]Classified as urban under a special rule.
[a]Independent cities have the same status as counties and are listed after counties.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
1,231	211	306	20	101	72	39	218	54	21	59	9	8	137	334	194	207	303	69	11	506	1
702	109	165	11	51	45	20	111	33	10	40	5	2	74	154	127	102	142	48	7	303	2
529	102	141	9	50	27	19	107	21	11	19	4	6	63	180	67	105	161	21	4	203	3
13	5	5	-	1	-	-	4	-	-	1	-	-	1	1	1	2	1	-	-	5	4
37	2	8	2	4	3	1	5	4	1	1	-	3	4	12	5	11	5	-	1	12	5
56	16	9	1	6	5	2	5	1	-	-	-	-	12	17	8	3	15	2	-	17	6
30	8	2	1	2	3	2	3	1	-	-	-	-	6	8	3	-	8	-	-	8	7
26	8	7	-	4	2	-	2	-	-	-	-	-	6	9	5	3	7	2	-	9	8
27	4	6	-	2	1	-	7	2	1	4	1	-	2	10	5	3	17	1	-	19	9
1	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	10
43	12	5	1	2	1	1	11	3	-	2	-	2	5	21	1	9	14	2	-	16	11
15	1	-	-	2	1	-	1	-	-	1	-	-	-	5	4	2	3	-	-	3	12
9	4	3	-	2	1	-	2	-	-	-	-	-	1	3	1	1	7	-	-	3	13
13	-	4	-	2	-	-	-	1	-	-	-	-	2	-	-	1	3	-	-	1	14
7	-	2	-	-	-	-	2	-	-	-	-	-	-	5	-	3	5	1	1	2	15
12	-	7	1	1	-	1	4	-	1	-	-	-	2	10	-	2	3	-	-	7	16
10	1	9	-	2	2	-	3	-	-	1	-	-	1	5	1	3	2	-	-	4	17
4	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	18
5	1	3	-	6	-	-	1	-	-	-	-	-	3	8	2	3	6	-	-	4	19
12	2	-	-	1	-	-	1	-	-	-	-	-	1	2	1	6	1	-	-	1	20
5	1	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	1	21
5	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	22
554	87	98	9	38	36	18	91	28	7	36	4	2	56	114	106	78	107	37	3	245	23
425	57	62	9	28	24	8	67	20	7	28	2	-	25	56	72	43	79	24	2	179	24
129	30	36	-	10	12	10	24	8	-	8	2	2	31	58	34	35	28	13	1	66	25
3	-	3	-	-	1	-	4	-	1	-	-	-	1	9	3	4	5	1	-	3	26
31	5	14	-	1	2	1	4	2	2	-	-	-	1	4	8	3	8	-	-	14	27
16	5	7	1	3	-	-	7	1	-	1	-	-	1	1	1	-	2	-	-	10	28
14	1	2	-	1	-	-	2	-	-	1	-	-	-	2	-	5	3	-	-	10	29
27	6	4	-	1	1	2	8	1	-	1	-	1	3	8	2	6	8	-	-	9	30
10	5	8	-	-	-	1	4	2	2	-	-	-	2	6	6	10	4	2	1	4	31
117	22	28	2	7	7	6	26	4	1	5	2	-	17	42	11	21	35	10	1	44	32
39	10	8	-	5	4	3	9	2	-	-	-	-	8	17	2	2	8	5	1	13	33
78	12	20	2	2	3	3	17	2	1	5	2	-	9	25	9	19	27	5	-	31	34
22	1	1	-	-	1	-	2	-	-	-	-	-	1	3	-	4	3	-	-	5	35
12	7	9	1	4	1	3	3	-	2	1	-	-	1	2	5	2	4	1	-	7	36
3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	4	-	-	2	37
148	22	67	2	13	9	2	20	5	3	4	1	-	18	40	21	24	35	11	4	58	38
123	20	64	2	11	6	1	15	4	2	4	1	-	8	34	17	17	28	8	4	48	39
25	2	3	-	2	3	1	5	1	1	-	-	-	10	6	4	7	7	3	-	10	40
1,348	124	194	23	130	33	22	134	38	25	30	8	4	54	152	73	98	140	51	4	320	41
1,348	124	194	23	130	33	22	134	38	25	30	8	4	54	152	73	98	140	51	4	320	42
75	2	21	1	7	1	2	7	3	2	2	-	-	5	6	2	3	7	5	-	12	43
119	6	8	2	1	3	1	11	4	2	1	1	-	4	9	4	7	12	3	1	21	44
94	12	7	-	16	5	2	12	-	1	2	-	-	1	14	15	6	1	5	-	20	45
184	15	15	1	22	8	1	20	6	2	6	-	-	10	30	1	10	22	6	1	46	46
99	11	7	1	13	4	1	8	2	-	4	-	-	4	11	1	3	9	3	1	20	47
85	4	8	-	9	4	-	12	4	2	2	-	-	6	19	-	7	13	3	-	26	48
23	4	3	-	2	-	2	2	-	-	-	-	-	-	2	3	1	-	3	-	3	49
76	12	16	2	21	1	3	14	1	4	5	-	-	5	21	2	4	11	5	-	30	50
13	2	-	-	-	2	-	1	1	-	-	-	-	-	-	-	2	1	-	-	5	51
44	4	7	-	1	-	1	2	-	-	2	-	1	1	4	1	8	3	1	-	8	52
56	8	10	2	6	3	-	4	3	-	-	-	-	2	3	1	2	6	3	1	18	53
73	7	5	2	8	1	1	10	3	4	-	-	1	3	12	2	4	15	2	-	14	54
202	12	23	2	9	3	2	11	8	3	4	4	-	7	16	22	19	13	3	1	37	55
80	6	7	2	3	1	1	5	2	1	2	2	-	1	7	13	6	4	2	1	15	56
122	6	16	-	6	2	1	6	6	2	2	2	-	6	9	9	13	9	1	-	22	57
162	15	16	4	14	3	3	18	3	1	2	2	1	7	17	5	13	22	2	-	37	58
50	4	8	-	4	-	-	4	1	-	2	1	1	6	8	2	5	6	1	-	9	59
112	11	8	4	10	3	3	14	2	1	-	1	-	1	9	3	8	16	1	-	28	60
93	13	23	2	9	1	3	9	2	3	2	-	-	6	8	8	10	17	6	-	29	61
134	12	40	5	14	2	1	13	4	3	4	1	1	3	10	7	9	10	7	-	40	62
7,657	2,036	1,861	264	614	313	348	1,504	176	189	284	66	48	497	1,806	364	842	1,308	439	287	2,337	63
2,894	730	552	91	226	122	126	502	80	73	148	21	17	212	733	101	241	430	146	100	916	64
4,763	1,306	1,309	173	388	191	222	1,002	96	116	136	45	31	285	1,073	263	601	878	293	187	1,421	65
97	33	44	1	5	-	3	15	2	8	4	1	-	5	21	8	20	32	4	5	30	66
85	14	34	-	7	5	1	16	-	1	3	-	-	5	16	3	7	11	10	4	20	67
22	9	14	-	1	1	1	4	2	-	-	-	1	1	5	1	4	5	4	-	9	68
26	3	4	1	-	1	-	3	-	-	-	2	2	2	5	1	1	4	3	-	2	69
44	12	5	1	-	-	2	11	2	1	2	-	-	1	6	2	6	4	1	1	15	70
24	21	6	-	1	-	1	1	1	-	1	-	1	1	4	-	4	5	1	-	9	71
259	45	20	7	9	14	8	14	10	6	23	-	1	16	66	8	21	18	14	1	62	72
88	16	28	4	5	2	1	18	-	2	3	-	-	5	11	2	10	7	9	1	30	73
15	4	9	1	1	1	4	5	-	-	1	-	-	-	3	-	2	5	1	-	6	74
58	20	13	-	2	2	8	22	1	4	1	1	-	1	11	1	6	5	2	5	15	75
14	2	5	-	3	-	-	2	-	-	-	-	-	-	-	2	-	1	-	-	5	76
35	11	14	3	1	-	2	5	-	1	-	-	-	1	12	1	9	4	4	2	14	77

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	VIRGINIA[8]—Continued																
1	Brunswick	201	3	-	-	-	22	8	4	10	4	121	121	34	-	80	3
2	Buchanan	251	3	1	-	-	21	8	2	11	-	89	88	17	-	69	4
3	Buckingham	130	-	-	-	1	14	6	-	8	1	73	73	26	-	45	2
4	Campbell	288	-	-	1	-	37	14	6	17	4	146	145	35	1	106	2
5	Caroline	146	2	2	1	1	16	7	1	8	1	85	84	20	1	60	1
6	Carroll	216	2	-	-	1	33	11	3	19	-	119	118	24	-	86	6
7	Charles City	53	1	-	-	-	8	2	2	4	1	27	24	9	-	10	-
8	Charlotte	119	1	1	-	-	19	9	2	8	1	62	62	14	-	42	1
9	Chesterfield	399	6	1	-	3	66	16	18	32	6	201	194	45	-	134	5
10	Clarke	83	2	-	-	-	10	2	2	6	1	43	43	6	-	36	-
11	Craig	31	-	-	-	-	2	1	1	-	-	23	23	5	-	16	1
12	Culpeper	174	-	1	-	4	21	8	2	11	2	101	99	15	-	79	3
13	Cumberland	92	-		-	-	16	4	3	9	1	54	52	9	-	37	1
14	Dickenson	158	2	-	-	1	19	5	1	13	3	57	55	10	-	41	2
15	Dinwiddie	150	1	3	-	1	19	5	1	13	1	89	85	23	-	53	2
16	Essex	78	-	-	-	-	10	4	2	4	-	47	47	16	-	25	-
17	Fairfax	772	2	2	1	2	130	46	20	64	9	345	339	67	1	248	10
18	Fauquier	282	5	2	-	-	41	11	5	25	7	160	159	40	-	107	3
19	Floyd	118	1	1	-	-	18	9	-	9	-	64	62	11	-	46	3
20	Fluvanna	97	-	-	-	2	7	2	1	4	3	58	58	16	-	40	-
21	Franklin	227	1	1	-	1	22	6	5	11	6	115	113	38	-	67	-
22	Frederick	164	3	-	-	1	19	5	2	12	3	96	94	22	-	64	1
23	Giles	156	1	-	-	-	14	3	2	9	4	80	76	22	-	51	1
24	Gloucester	125	-	-	-	-	19	6	5	8	-	69	66	15	1	43	-
25	Goochland	76	-	-	-	-	8	1	1	6	-	41	40	14	-	22	1
26	Grayson	167	1	1	-	-	22	10	1	11	2	95	92	21	1	65	5
27	Greene	50	-	-	-	-	7	3	-	4	-	26	25	6	-	18	-
28	Greensville	144	2	-	-	-	16	7	4	5	1	70	70	20	-	50	-
29	Halifax	406	6	3	-	2	42	17	2	23	6	216	212	47	-	150	4
30	Hanover	274	1	1	-	1	31	11	5	15	5	146	145	39	-	91	1
31	Henrico	570	6	-	-	2	95	34	14	47	5	298	297	61	1	220	7
32	Henry	233	3	-	-	1	32	11	2	19	3	109	105	26	-	74	2
33	Highland	44	-	-	-	-	5	3	-	2	-	25	25	8	-	16	1
34	Isle of Wight	172	5	-	-	2	20	7	2	11	2	94	92	29	1	55	-
35	James City	79	-	-	-	1	9	2	1	6	1	44	41	7	-	29	-
36	King and Queen	62	-	-	-	1	10	5	2	3	-	35	34	10	-	22	1
37	King George	58	-	-	-	1	6	1	2	3	-	31	31	4	-	22	-
38	King William	90	-	1	-	1	12	4	2	6	2	50	50	14	-	32	2
39	Lancaster	115	1	1	-	-	17	8	1	8	-	63	61	19	-	34	1
40	Lee	221	2	1	-	-	21	7	4	10	3	113	111	22	-	85	4
41	Loudoun	269	2	1	-	1	39	11	6	22	2	145	144	17	1	110	1
42	Louisa	182	1	-	-	1	17	6	3	8	-	103	102	20	-	75	-
43	Lunenburg	140	2	-	-	-	15	4	2	9	-	82	81	22	-	52	-
44	Madison	94	1	-	-	-	12	6	-	6	2	60	60	12	-	37	-
45	Mathews	98	-	1	-	-	19	7	4	8	-	54	52	10	-	38	2
46	Mecklenburg	316	1	-	-	1	33	13	6	14	5	178	176	49	1	111	3
47	Middlesex	67	1	1	-	-	10	3	-	7	-	42	38	10	-	26	1
48	Montgomery	235	-	-	-	1	33	20	3	10	1	128	124	30	-	78	3
49	Nansemond	318	3	-	-	4	21	5	1	15	3	171	166	50	-	105	2
50	Nelson	147	-	1	-	-	16	4	1	13	1	75	75	15	-	58	-
51	New Kent	49	1	-	-	-	5	1	2	2	1	24	22	6	-	15	1
52	Norfolk	462	3	1	-	4	57	12	8	37	2	239	232	39	1	181	5
53	Northampton	253	4	-	-	1	33	6	4	23	4	139	133	32	-	92	-
54	Northumberland	113	1	-	-	1	16	4	3	9	2	69	69	30	-	35	-
55	Nottoway	164	-	-	-	-	17	7	1	9	2	85	84	19	-	58	3
56	Orange	154	2	-	-	-	22	2	5	15	2	84	82	16	1	57	1
57	Page	142	1	1	-	1	14	1	1	12	3	79	78	18	-	54	2
58	Patrick	112	-	-	-	-	7	5	1	1	1	61	61	6	-	52	2
59	Pittsylvania	458	3	-	-	2	52	17	5	30	1	249	246	74	1	154	7
60	Powhatan	49	-	-	-	-	6	1	-	5	1	25	24	9	-	13	-
61	Prince Edward	170	-	-	-	1	22	2	5	15	2	89	86	22	-	53	-
62	Prince George	97	2	-	-	-	12	2	4	6	-	45	45	13	-	26	-
63	Prince William	229	3	-	-	4	21	9	4	8	1	104	101	29	-	60	-
64	Princess Anne	402	4	3	-	-	53	17	12	24	4	173	171	33	-	122	5
65	Pulaski	234	2	-	-	-	32	11	3	18	2	134	132	18	-	106	2
66	Rappahannock	62	-	-	-	-	10	4	2	4	1	33	30	9	-	18	-
67	Richmond	74	-	1	-	-	9	3	-	6	1	38	38	8	-	23	-
68	Roanoke	385	1	1	-	2	59	20	3	36	7	196	192	45	-	139	4
69	Rockbridge	266	3	2	-	2	37	12	2	23	8	149	147	35	-	107	6
70	Rockingham	336	5	2	-	1	39	13	3	23	3	204	202	36	-	147	5
71	Russell	195	1	-	-	-	15	6	-	9	2	103	102	30	-	67	-
72	Scott	198	1	-	-	3	20	7	4	9	3	113	111	40	-	67	-
73	Shenandoah	280	5	-	-	1	32	8	-	24	13	162	160	24	-	122	5
74	Smyth	242	3	-	-	1	25	10	3	12	5	140	135	37	1	85	3
75	Southampton	266	3	1	-	-	29	11	2	16	1	136	128	33	-	90	1
76	Spotsylvania	115	1	-	-	1	16	4	4	8	4	62	60	19	-	38	1
77	Stafford	129	2	1	-	1	11	4	2	5	-	70	68	16	-	50	-
78	Surry	55	1	-	-	2	8	1	2	5	1	32	31	10	-	17	-
79	Sussex	145	5	-	-	-	9	4	2	3	1	81	80	29	-	47	-
80	Tazewell	383	4	1	-	2	49	14	9	26	3	169	165	30	-	122	3

[8]Independent cities have the same status as counties and are listed after counties.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
45	16	16	-	7	-	-	4	1	-	-	-	-	2	9	1	2	17	2	4	9	1
33	16	16	2	-	-	1	22	2	1	-	1	-	8	24	5	16	35	4	3	16	2
27	11	5	1	-	1	-	7	1	-	-	1	-	3	4	-	4	9	1	-	11	3
63	17	24	1	1	1	1	19	2	2	-	1	1	2	17	4	9	13	4	7	19	4
37	12	10	-	2	1	1	5	-	3	-	-	-	3	4	-	4	10	1	1	7	5
49	12	19	-	7	1	1	14	1	-	1	-	-	2	4	4	2	10	4	-	19	6
7	1	2	1	3	1	3	4	-	-	-	3	1	-	-	-	1	-	-	1	6	7
23	7	11	3	1	2	-	4	2	1	1	-	-	2	3	3	6	6	-	-	7	8
90	20	19	-	10	5	7	12	4	1	3	-	-	6	26	2	15	12	4	-	31	9
17	6	13	-	1	-	-	5	1	1	-	-	-	-	3	1	2	5	2	1	6	10
6	1	8	-	1	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	2	11
42	10	24	-	2	3	2	11	-	1	2	-	-	2	10	2	2	2	3	-	10	12
23	4	9	1	5	-	2	8	-	-	-	-	-	2	3	-	2	2	1	-	3	13
23	3	13	1	3	-	2	8	2	3	1	-	1	3	17	2	10	14	1	1	13	
33	9	9	2	-	7	4	6	1	1	-	-	-	3	7	2	1	6	1	1	7	15
13	7	5	3	2	1	-	6	-	-	-	-	-	-	2	1	5	3	1	1	2	16
193	31	14	5	9	9	6	31	6	1	11	2	-	25	58	15	26	32	14	6	54	17
76	14	14	4	7	1	1	11	1	-	1	1	-	1	7	2	10	8	4	2	19	18
30	6	7	1	4	-	2	6	1	-	1	-	-	-	3	4	4	4	2	-	9	19
25	1	14	1	1	-	-	2	-	1	-	-	1	2	2	4	1	3	1	1	9	20
43	12	12	2	4	2	2	10	-	2	2	1	-	5	22	3	11	7	8	2	8	21
48	8	7	2	2	4	2	2	-	1	1	-	-	-	10	1	5	3	6	-	13	22
39	6	5	-	2	1	4	9	-	-	2	1	-	1	9	7	5	4	5	2	12	23
26	9	8	4	2	1	3	5	-	2	-	4	-	3	4	1	4	4	-	1	9	24
11	3	7	-	3	1	1	3	-	2	1	-	1	2	8	-	-	3	-	4	3	25
24	1	35	1	2	2	3	8	1	1	-	-	-	-	7	-	1	12	3	-	13	26
10	-	8	-	-	1	1	3	-	-	-	-	-	-	1	-	2	2	1	3	5	27
26	11	13	-	-	-	-	7	-	-	2	-	1	1	9	10	6	6	2	-	11	28
88	35	23	4	6	5	4	27	4	3	2	-	-	2	23	4	15	13	3	4	31	29
43	20	27	5	8	2	1	11	3	1	2	1	-	2	21	4	8	11	3	4	18	30
143	42	28	6	6	3	1	14	4	1	6	-	2	12	32	8	11	28	7	1	38	31
49	17	6	2	3	-	4	11	1	-	-	-	1	10	20	5	8	8	7	4	10	32
9	2	4	-	1	-	-	4	1	-	-	-	-	-	1	-	-	-	4	-	4	33
31	16	8	3	1	3	2	5	-	1	-	-	1	1	12	3	-	9	4	2	11	34
17	8	4	-	3	2	3	5	-	1	-	-	1	-	6	-	5	1	-	2	3	35
9	7	5	-	2	-	1	2	-	-	-	-	-	-	4	1	1	3	-	-	5	36
16	4	2	1	4	-	-	2	-	-	-	-	-	1	4	1	2	6	-	-	4	37
17	7	6	2	2	-	-	6	-	-	1	-	-	-	4	2	1	4	-	-	6	38
18	8	7	-	7	1	2	5	-	-	-	-	-	2	8	1	4	4	1	1	7	39
49	5	27	1	2	1	2	10	-	-	2	-	-	2	13	7	10	15	-	2	20	40
76	17	16	3	9	4	1	15	-	1	1	1	-	1	9	1	16	10	2	1	21	41
42	13	20	3	3	1	1	5	-	-	1	-	-	3	12	-	13	6	4	3	13	42
30	11	11	-	3	4	1	6	-	2	-	-	-	1	8	1	7	6	1	2	7	43
27	3	7	1	7	3	-	3	-	-	-	-	-	-	1	2	3	4	1	-	5	44
22	7	7	1	3	-	2	4	-	-	-	-	-	2	2	-	1	7	1	1	6	45
64	17	27	6	7	2	2	14	1	3	-	-	1	-	13	10	11	15	3	6	21	46
17	2	6	-	2	-	4	6	-	-	-	-	-	-	-	1	1	1	-	-	4	47
52	10	13	2	11	3	4	9	-	2	3	1	-	4	14	-	10	10	3	2	14	48
61	15	27	1	7	3	5	28	-	4	2	1	2	3	22	3	8	10	2	4	27	49
40	10	8	-	1	1	-	8	1	-	2	-	-	2	8	-	11	5	1	4	10	50
10	4	-	-	1	-	2	3	-	-	-	-	-	1	4	1	3	2	-	-	4	51
110	40	26	4	5	2	7	23	1	9	3	-	2	10	30	5	12	23	15	2	21	52
51	25	16	3	2	4	6	8	1	7	4	-	2	1	15	2	4	7	2	3	16	53
15	9	11	1	1	2	-	3	-	2	-	-	-	2	4	-	1	1	-	-	11	54
45	5	5	1	4	2	1	9	1	2	2	-	-	6	8	2	4	8	3	2	13	55
43	8	5	2	6	-	2	12	1	-	2	-	-	2	4	1	3	7	4	-	8	56
27	7	18	-	2	4	1	6	1	1	1	2	-	-	6	2	3	9	2	-	10	57
27	15	8	2	1	-	-	6	2	2	-	1	-	1	5	-	8	8	2	2	6	58
88	30	29	3	8	6	3	19	3	1	3	1	1	11	38	10	13	25	3	3	20	59
6	4	3	1	1	-	1	3	-	-	-	-	-	1	2	-	2	2	-	1	6	60
34	11	8	2	8	1	3	13	-	-	-	-	-	2	9	1	4	6	4	3	14	61
19	5	2	2	3	1	-	5	1	-	-	1	-	1	9	-	3	3	1	1	13	62
44	8	8	2	7	3	3	10	3	4	2	1	-	6	21	3	16	6	4	4	16	63
64	25	28	5	8	3	2	30	1	3	6	2	2	6	35	1	12	20	5	5	37	64
72	20	12	1	4	3	2	10	1	-	1	-	-	3	12	3	8	6	4	1	15	65
11	4	3	1	1	1	3	1	-	1	1	-	-	2	1	1	5	2	1	-	3	66
20	1	2	-	6	1	-	3	-	1	-	-	-	2	7	2	-	5	2	-	3	67
98	14	23	2	4	2	4	11	3	-	6	1	-	8	30	1	12	12	6	-	29	68
69	15	17	-	4	1	2	9	-	-	3	-	-	5	4	2	9	7	4	3	19	69
75	40	27	4	11	4	2	13	1	-	2	-	-	6	14	-	10	10	6	1	19	70
45	17	5	4	1	-	1	11	3	-	1	1	1	3	13	14	1	9	3	1	13	71
39	9	19	-	3	1	2	11	-	-	-	-	-	3	8	1	8	9	1	2	15	72
68	30	19	2	11	1	2	17	1	1	2	1	1	2	4	5	6	10	5	1	11	73
54	8	20	2	8	2	5	9	4	-	1	1	-	3	11	1	6	11	2	2	17	74
54	24	11	3	-	2	8	13	1	2	2	-	1	2	20	4	6	12	5	5	23	75
26	2	9	1	1	1	2	3	1	-	2	-	-	1	5	-	4	6	1	-	8	76
35	10	5	-	2	-	2	3	-	2	1	1	-	2	11	2	3	7	1	1	10	77
11	2	4	-	4	-	1	3	-	-	-	-	-	1	4	-	-	1	1	1	-	78
30	16	1	1	2	1	1	12	1	3	-	-	-	5	6	4	5	5	1	-	7	79
76	27	16	6	6	1	4	11	-	5	1	-	-	10	26	2	16	45	11	2	26	80

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-136	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	VIRGINIA[8]—Continued																
1	Warren	147	1	-	-	-	9	3	3	3	1	88	88	15	-	69	1
2	Washington	333	4	3	-	3	35	9	2	24	3	200	199	53	-	119	4
3	Westmoreland	122	2	-	-	2	17	5	2	10	2	60	57	14	-	40	1
4	Wise	406	8	1	1	1	46	15	8	23	7	196	194	42	1	143	4
5	Wythe	243	1	-	-	1	39	6	6	27	4	131	129	33	-	90	2
6	York	127	4	1	-	1	17	8	2	7	-	64	63	12	-	46	-
	Independent Cities[9]																
7	Alexandria	692	2	2	1	3	112	32	12	68	17	316	311	53	-	246	9
8	Bristol[10]	128	-	-	-	-	19	4	3	12	1	84	83	24	-	56	2
9	Buena Vista	32	1	-	-	-	3	1	-	2	1	17	17	1	-	16	-
10	Charlottesville	315	3	1	-	-	49	22	4	23	3	171	169	38	-	116	5
11	Clifton Forge	82	1	1	-	-	11	2	1	8	1	46	45	6	-	37	2
12	Colonial Heights	64	1	-	-	-	17	5	4	8	1	32	30	8	-	22	-
13	Covington[11]	84	1	-	-	-	18	5	2	11	-	41	40	10	-	27	1
14	Danville	478	3	1	-	2	56	17	7	32	8	255	248	62	-	169	6
15	Falls Church	101	2	-	-	-	25	6	1	18	1	41	41	9	-	29	5
16	Fredericksburg	125	1	1	-	-	14	5	3	6	3	67	66	21	-	40	-
17	Galax[12]	41	-	-	-	-	13	7	-	6	-	19	19	5	-	13	-
18	Hampton[13]	536	1	1	-	4	76	26	10	40	3	293	286	53	-	214	2
19	Harrisonburg	113	1	-	-	-	16	6	-	10	2	69	66	13	-	52	-
20	Hopewell	128	1	1	-	-	24	4	4	16	1	58	58	17	-	38	-
21	Lynchburg	500	6	2	-	3	65	12	9	44	5	294	288	63	-	206	5
22	Martinsville	126	3	-	-	1	13	4	1	8	3	53	53	9	1	41	1
23	Newport News	509	7	4	-	1	70	18	10	42	5	263	254	67	2	163	4
24	Norfolk	2,417	31	15	1	9	342	89	66	187	32	1,246	1,218	266	1	862	23
25	Norton[14]	52	1	-	-	-	6	1	-	5	-	22	21	3	-	18	-
26	Petersburg	477	7	4	-	1	72	18	4	50	2	270	263	70	-	172	3
27	Portsmouth	834	16	2	-	13	107	34	18	55	9	437	426	120	1	282	7
28	Radford	70	1	-	-	1	16	5	2	9	1	37	36	5	-	27	1
29	Richmond	2,960	36	13	-	16	407	116	68	223	51	1,600	1,575	351	1	1,084	29
30	Roanoke	1,038	8	4	-	4	155	58	21	76	13	564	546	140	-	360	9
31	South Norfolk	188	1	1	-	2	18	4	3	11	5	91	87	14	-	64	1
32	Staunton	208	3	2	-	2	27	10	4	13	4	117	113	24	-	85	2
33	Suffolk	162	4	1	-	3	21	3	3	15	1	91	89	33	-	49	-
34	Virginia Beach[15]	64	-	-	-	1	12	5	2	5	-	32	31	2	-	28	-
35	Warwick[16]	278	3	1	-	1	39	5	8	26	4	104	104	26	1	72	-
36	Waynesboro	116	2	-	-	1	23	5	5	13	3	59	59	21	-	31	2
37	Williamsburg	42	1	-	-	-	8	-	3	5	1	18	18	4	-	14	-
38	Winchester	186	-	-	-	1	27	5	6	16	1	100	100	27	-	64	1
39	WASHINGTON	25,263	113	65	2	92	3,922	1,315	503	2,104	405	13,886	13,727	3,154	13	9,635	337
40	Metropolitan counties	14,701	76	43	-	48	2,364	766	336	1,262	227	8,089	8,004	1,703	6	5,746	206
41	Nonmetropolitan counties	10,562	37	22	2	44	1,558	549	167	842	178	5,797	5,723	1,451	7	3,889	131
42	Adams	61	-	1	-	-	8	3	-	5	2	31	30	7	-	21	2
43	Asotin	129	1	1	-	-	14	5	2	7	1	84	83	20	-	59	1
44	Benton	305	-	-	-	-	48	14	8	26	2	145	143	41	-	97	4
45	Kennewick	117	-	-	-	-	16	6	2	8	-	50	49	16	-	30	1
46	Balance of county	188	-	-	-	-	32	8	6	18	2	95	94	25	-	67	3
47	Chelan	362	1	-	-	1	38	9	-	29	10	210	207	39	-	156	4
48	Wenatchee	177	1	-	-	1	18	5	-	13	5	107	106	20	-	82	2
49	Balance of county	185	-	-	-	-	20	4	-	16	5	103	101	19	-	74	2
50	Clallam	275	1	-	-	1	33	11	4	18	6	148	147	34	-	107	4
51	Port Angeles	126	-	-	-	-	12	5	-	7	5	80	80	17	-	61	4
52	Balance of county	149	1	-	-	1	21	6	4	11	1	68	67	17	-	46	-
53	Clark	739	5	3	-	1	109	33	14	62	16	426	422	62	3	321	12
54	Vancouver	407	4	2	-	-	65	21	7	37	7	235	233	37	2	172	7
55	Balance of county	332	1	1	-	1	44	12	7	25	9	191	189	25	1	149	5
56	Columbia	60	-	-	-	1	6	2	1	3	3	32	32	11	-	19	2
57	Cowlitz	432	2	-	1	8	66	17	6	43	7	240	236	59	-	161	7
58	Longview	182	1	-	-	4	25	8	2	15	1	105	104	29	-	67	1
59	Balance of county	250	1	-	1	4	41	9	4	28	6	135	132	30	-	94	6
60	Douglas	73	1	-	-	1	8	2	-	6	1	36	35	11	-	24	1
61	Ferry	48	-	-	-	-	2	-	-	2	1	27	27	10	-	12	-
62	Franklin	117	1	-	-	-	18	3	4	11	4	48	48	15	-	30	3
63	Pasco	80	-	-	-	-	12	3	1	8	4	37	37	9	-	25	3
64	Balance of county	37	1	-	-	-	6	-	3	3	-	11	11	6	-	5	-
65	Garfield	34	-	-	-	-	2	-	-	2	-	19	19	2	-	16	-
66	Grant	221	-	-	-	1	36	11	2	23	-	90	90	16	1	66	3
67	Grays Harbor	635	1	2	1	2	95	35	17	43	10	365	360	93	-	253	4
68	Aberdeen	231	-	1	-	-	37	14	5	18	4	130	128	37	-	87	1
69	Hoquiam	136	-	1	-	1	23	8	6	9	4	76	76	20	-	51	2
70	Balance of county	268	1	-	1	1	35	13	6	16	2	159	156	36	-	115	1
71	Island	125	-	-	-	1	18	8	1	9	6	71	68	19	-	46	-
72	Jefferson	103	1	1	-	-	13	3	3	7	3	58	58	13	-	43	-

[8]Independent cities have the same status as counties and are listed after counties.
[9]Those having populations of 10,000 or more include: Alexandria, Bristol, Charlottesville, Danville, Fredericksburg, Hampton, Harrisonburg, Hopewell, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, South Norfolk, Staunton, Suffolk, Warwick, Waynesboro, and Winchester.
[10]Includes data for Bristol, Va., only.
[11]Covington, formerly a town in Alleghany County, shown as an independent city beginning with 1953.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arteriosclerotic heart disease, including coronary disease 420	Hypertension with heart disease 440-443	Other forms of diseases of heart 421-434	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
37	17	14	-	3	1	-	5	-	-	2	2	-	2	7	2	5	5	3	1	14	1
80	17	18	5	18	4	1	12	1	1	2	-	-	3	11	5	8	11	-	1	30	2
26	5	8	1	-	2	3	4	1	1	1	1	-	1	10	1	4	8	3	1	3	3
100	22	17	2	2	4	2	23	3	2	2	-	-	8	24	6	10	27	3	1	37	4
60	13	15	2	4	-	2	8	1	2	1	1	1	2	10	7	11	3	4	1	15	5
36	7	3	1	2	2	1	7	1	1	-	1	1	2	6	2	2	9	-	1	7	6
176	32	29	2	4	6	5	34	-	5	11	1	-	15	43	2	16	24	19	9	60	7
41	10	3	-	2	1	1	5	-	-	1	-	-	1	4	-	2	3	1	-	7	8
12	1	3	-	-	-	-	2	2	-	-	-	-	1	2	-	-	-	-	1	2	9
86	13	12	2	4	9	2	20	2	-	2	1	-	3	18	4	3	6	5	5	19	10
18	14	3	1	-	1	1	7	1	-	2	-	-	2	1	-	1	2	1	-	5	11
19	1	2	-	-	-	2	-	-	-	-	-	-	1	2	-	-	1	1	-	8	12
17	4	5	2	1	-	1	5	1	-	-	1	2	1	2	-	1	2	-	-	9	13
95	40	28	6	8	3	7	28	1	4	4	2	-	5	22	9	13	18	5	1	41	14
18	4	2	1	1	1	-	2	1	1	5	-	-	6	2	-	-	6	-	-	9	15
28	9	3	2	1	2	1	6	-	1	3	-	-	1	4	5	5	1	1	-	12	16
10	1	2	-	-	1	-	-	1	-	-	1	-	-	-	-	-	2	2	-	3	17
160	33	19	7	5	7	7	23	4	3	6	3	1	13	32	3	7	29	6	3	25	18
36	10	6	-	1	-	3	3	2	1	1	-	-	-	5	-	-	3	3	-	7	19
29	6	3	-	3	-	-	5	2	-	-	-	-	4	3	2	6	7	1	1	12	20
136	34	31	1	10	8	6	24	3	1	6	-	1	4	20	7	7	6	12	6	28	21
35	3	2	-	2	-	-	9	-	1	2	-	-	4	10	2	4	6	2	1	12	22
116	26	17	7	13	2	9	21	2	3	8	-	1	7	32	10	8	21	7	9	30	23
574	156	109	12	50	27	28	115	14	21	27	4	6	52	158	16	25	83	20	23	177	24
13	3	2	-	-	-	1	5	-	1	-	1	-	1	2	1	-	2	1	1	8	25
117	39	13	4	9	8	7	24	-	-	3	-	2	7	22	2	6	13	4	8	30	26
177	64	34	7	8	8	11	43	5	11	14	1	-	7	52	2	11	31	5	10	58	27
20	2	4	-	2	2	1	1	-	-	1	-	-	1	-	-	-	4	2	1	4	28
700	195	160	28	83	28	25	122	21	7	26	5	4	31	128	32	59	108	23	37	234	29
246	52	53	11	26	9	18	40	10	4	5	5	-	15	53	8	19	24	11	5	91	30
46	10	7	1	3	5	4	11	-	3	2	-	-	3	20	1	2	9	3	1	15	31
68	8	7	2	2	-	4	13	2	1	2	-	-	3	7	-	1	1	5	2	16	32
34	3	12	1	3	3	2	4	-	-	1	-	-	3	5	1	2	9	2	-	14	33
17	5	6	-	-	1	1	-	-	1	1	-	-	1	5	1	1	3	2	-	4	34
58	8	6	2	3	-	-	15	2	-	4	-	-	9	30	3	13	20	3	6	21	35
25	2	2	2	-	5	-	5	-	-	2	-	-	4	4	-	4	1	3	-	5	36
9	3	2	-	-	-	-	2	1	-	-	-	-	1	4	1	-	1	-	-	4	37
47	9	7	3	2	4	-	12	2	-	1	-	-	1	9	2	7	6	2	2	13	38
7,359	850	1,089	100	551	274	159	996	176	96	242	27	18	335	946	139	590	1,023	334	65	1,791	39
4,396	537	607	51	328	170	85	581	105	46	168	13	8	182	553	79	277	533	206	39	1,064	40
2,963	313	482	49	223	104	74	415	71	50	74	14	10	153	393	60	313	490	128	26	727	41
14	3	2	-	2	-	1	5	-	-	-	-	-	-	3	-	2	4	1	-	4	42
48	9	1	3	1	-	1	6	2	1	-	-	-	4	1	-	1	6	1	-	6	43
80	9	4	2	1	2	2	15	3	-	5	-	-	7	20	1	18	14	8	-	19	44
26	3	-	2	-	1	1	7	2	-	3	-	-	4	8	-	9	8	3	-	7	45
54	6	4	-	1	1	1	8	1	-	2	-	-	3	12	1	9	6	5	-	12	46
123	15	14	-	6	6	3	11	5	2	4	-	1	8	8	2	10	13	6	-	32	47
65	6	9	-	-	4	1	6	2	-	1	-	-	1	5	2	3	5	3	-	17	48
58	9	5	-	6	2	2	5	3	2	3	-	1	7	3	-	7	8	3	-	15	49
89	8	6	4	2	-	1	15	1	2	-	-	-	6	21	1	9	13	1	-	17	50
53	3	1	-	2	-	-	5	1	1	-	-	-	4	8	1	5	1	1	-	2	51
36	5	5	4	-	-	1	10	-	1	-	-	-	2	13	-	4	12	-	-	15	52
229	51	29	1	27	8	4	27	4	2	4	2	1	10	20	2	21	26	8	1	51	53
124	21	20	-	16	6	2	12	3	1	3	2	1	2	12	2	14	9	3	-	30	54
105	30	9	1	11	2	2	15	1	1	1	-	-	8	8	-	7	17	5	1	21	55
13	3	1	-	2	-	-	4	-	-	-	-	-	-	3	-	2	2	1	-	6	56
132	9	13	1	9	6	4	10	2	-	2	-	-	9	14	3	13	19	10	2	24	57
60	3	3	-	6	2	1	4	-	-	2	-	-	3	9	-	6	5	5	-	12	58
72	6	10	1	3	4	3	6	2	-	-	-	-	6	5	3	7	14	5	2	12	59
18	2	3	-	-	-	1	4	-	-	1	-	-	-	2	1	7	5	2	-	4	60
10	1	1	1	1	3	-	3	-	-	-	-	1	2	2	-	6	3	-	-	1	61
25	2	-	1	2	-	-	7	-	1	2	-	-	2	7	-	9	7	3	1	7	62
21	1	-	1	2	-	-	4	-	-	2	-	-	1	3	-	5	4	1	1	6	63
4	1	-	-	-	-	-	3	-	1	-	-	-	1	4	-	4	3	2	-	1	64
10	3	3	-	-	1	-	1	-	-	1	-	-	-	5	-	-	2	1	-	3	65
50	7	6	1	5	1	-	8	2	1	1	-	-	8	21	1	13	16	3	-	20	66
196	26	27	3	8	3	5	12	-	3	4	2	-	11	27	3	15	32	10	1	39	67
65	13	8	2	2	-	2	4	-	2	3	1	-	7	11	2	2	11	5	-	11	68
42	3	4	-	3	2	-	2	-	1	-	1	-	2	6	1	1	4	4	-	9	69
89	10	15	1	3	1	3	6	-	-	1	-	-	2	10	-	12	17	1	1	19	70
35	4	7	-	1	2	3	5	1	-	-	-	-	1	4	-	4	5	1	1	7	71
36	3	4	1	1	-	-	5	-	2	-	-	-	-	5	-	2	5	1	-	7	72

[12]Galax, formerly a town in Carroll and Grayson Counties, shown as an independent city beginning with 1955.
[13]Elizabeth City County annexed to the independent city of Hampton in 1952.
[14]Norton, formerly a town in Wise County, shown as an independent city beginning with 1955.
[15]Virginia Beach, formerly a town in Princess Anne County, shown as an independent city beginning with 1955.
[16]Warwick, formerly Warwick County, shown as an independent city beginning with 1952.

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	WASHINGTON—Continued																
1	King	8,363	44	29	-	28	1,373	426	203	744	129	4,543	4,494	977	1	3,215	121
2	Seattle	6,482	35	24	-	16	1,083	340	162	581	102	3,519	3,480	752	-	2,479	92
3	Renton	183	-	1	-	-	32	9	7	16	2	97	95	24	-	66	3
4	Balance of county	1,698	9	4	-	12	258	77	34	147	25	927	919	201	1	670	26
5	Kitsap	734	-	2	-	1	127	53	12	62	11	412	408	87	-	279	9
6	Bremerton	291	-	1	-	1	52	24	5	23	2	157	155	37	-	102	6
7	Balance of county	443	-	1	-	-	75	29	7	39	9	255	253	50	-	177	3
8	Kittitas	211	1	-	-	-	29	10	4	15	9	109	108	29	2	68	1
9	Klickitat	115	-	1	-	1	19	8	2	9	4	52	50	13	-	35	1
10	Lewis	513	1	2	-	1	81	30	12	39	12	289	282	83	-	185	5
11	Lincoln	88	-	-	-	1	9	3	-	6	1	55	54	9	-	38	1
12	Mason	154	-	1	-	1	25	13	2	10	4	82	82	15	-	61	1
13	Okanogan	274	1	1	-	-	38	16	3	19	2	147	145	40	-	101	2
14	Pacific	195	3	2	-	2	32	12	4	16	2	85	84	17	-	62	2
15	Pend Oreille	74	1	-	-	2	19	7	5	7	-	34	34	11	-	21	1
16	Pierce	2,933	17	4	-	11	473	160	70	243	43	1,591	1,574	353	1	1,097	31
17	Tacoma	1,974	13	4	-	5	332	109	53	170	28	1,079	1,070	259	-	727	23
18	Puyallup	159	1	-	-	-	26	6	2	18	4	104	104	24	1	71	-
19	Balance of county	800	3	-	-	6	115	45	15	55	11	408	400	70	-	299	8
20	San Juan	42	-	-	-	-	8	3	1	4	1	27	27	7	-	19	1
21	Skagit	454	2	-	-	2	64	25	6	33	7	266	264	83	1	166	6
22	Skamania	45	-	-	-	-	5	-	1	4	-	26	26	4	-	21	-
23	Snohomish	1,361	3	3	-	3	206	71	24	111	17	791	781	247	2	474	17
24	Everett	466	1	1	-	1	59	20	7	32	5	298	294	114	2	159	5
25	Balance of county	895	2	2	-	2	147	51	17	79	12	493	487	133	-	315	12
26	Spokane	2,666	10	7	-	8	409	147	49	213	39	1,528	1,514	311	1	1,113	42
27	Spokane	2,104	8	6	-	5	315	110	38	167	32	1,225	1,213	241	-	898	32
28	Balance of county	562	2	1	-	3	94	37	11	46	7	304	301	70	1	215	10
29	Stevens	184	-	-	-	-	23	4	1	18	3	96	94	22	-	67	2
30	Thurston	483	1	1	-	3	86	31	7	48	7	242	239	44	-	183	6
31	Olympia	219	-	-	-	3	35	15	2	18	2	111	111	25	-	79	2
32	Balance of county	264	1	1	-	-	51	16	5	30	5	131	128	19	-	104	4
33	Wahkiakum	40	-	-	-	-	2	-	-	2	1	25	23	8	-	10	-
34	Walla Walla	406	7	-	-	5	63	15	5	43	4	221	221	58	-	143	6
35	Walla Walla	291	5	-	-	3	46	11	4	31	2	163	163	39	-	107	6
36	Balance of county	115	2	-	-	2	17	4	1	12	2	58	58	19	-	36	-
37	Whatcom	658	2	-	-	2	88	40	8	40	8	393	389	85	-	275	9
38	Bellingham	398	2	-	-	2	56	23	5	28	4	234	232	56	-	156	4
39	Balance of county	260	-	-	-	-	32	17	3	12	4	159	157	29	-	119	5
40	Whitman	265	1	-	-	1	46	20	5	21	11	139	137	30	-	101	3
41	Pullman	54	-	-	-	-	11	3	-	8	-	25	25	5	-	20	-
42	Balance of county	211	1	-		1	35	17	5	13	11	114	112	25	-	81	3
43	Yakima	1,286	5	4	-	3	183	65	17	101	18	702	692	169	1	470	23
44	Yakima	541	1	3	-	-	82	32	9	41	3	317	312	86	-	208	11
45	Balance of county	745	4	1	-	3	101	33	8	60	15	385	380	83	1	262	12
46	WEST VIRGINIA	17,856	166	34	2	70	2,427	859	342	1,226	257	9,522	9,325	2,068	19	6,630	177
47	Metropolitan counties	5,793	56	17	-	13	861	298	135	428	79	3,094	3,026	640	5	2,204	70
48	Nonmetropolitan counties	12,063	110	17	2	57	1,566	561	207	798	178	6,428	6,299	1,428	14	4,426	107
49	Barbour	179	1	-	-	-	14	4	1	9	-	112	109	34	-	62	2
50	Berkeley	373	2	-	-	4	47	15	7	25	7	199	194	47	-	135	-
51	Martinsburg	214	1	-	-	3	30	8	6	16	6	107	105	28	-	71	-
52	Balance of county	159	1	-	-	1	17	7	1	9	1	92	89	19	-	64	-
53	Boone	216	-	-	-	1	36	13	4	19	3	92	92	22	-	69	-
54	Braxton	186	4	-	-	-	22	7	3	12	3	108	107	23	2	71	1
55	Brooke	259	2	1	-	-	30	7	7	16	7	139	137	28	-	106	2
56	Weirton (part)	14	-	-	-	-	4	-	1	3	-	8	8	5	-	3	-
57	Balance of county	245	2	1	-	-	26	7	6	13	7	131	129	23	-	103	2
58	Cabell	1,096	11	7	-	4	168	52	23	93	11	588	580	120	-	427	15
59	Huntington (part)	878	11	6	-	2	139	46	15	78	10	468	465	93	-	342	13
60	Huntington (total)	910	12	6	-	2	147	48	17	82	10	482	479	95	-	354	13
61	Balance of county	218	-	1	-	2	29	6	8	15	1	120	115	27	-	85	2
62	Calhoun	88	2	-	-	2	10	4	-	6	2	36	36	12	-	23	-
63	Clay	82	1	1	-	1	14	6	1	7	-	31	30	8	-	22	3
64	Doddridge	88	-	-	-	1	8	4	2	2	3	55	55	13	-	40	-
65	Fayette	608	8	2	-	2	72	29	12	31	5	309	302	49	1	224	6
66	Gilmer	82	-	-	-	1	9	4	-	5	1	47	45	14	-	25	-
67	Grant	65	-	-	-	1	9	4	1	4	-	34	34	11	-	20	-
68	Greenbrier	357	1	-	-	2	54	18	8	28	7	198	193	34	-	140	-
69	Hampshire	130	1	-	-	-	15	5	1	9	2	82	82	25	-	51	1
70	Hancock	317	2	1	-	1	50	15	9	26	8	167	164	36	1	115	7
71	Weirton (part)	176	2	1	-	-	31	9	7	15	6	87	85	15	1	64	3
72	Weirton (total)	190	2	1	-	-	35	9	8	18	6	95	93	20	1	67	3
73	Balance of county	141	-	-	-	1	19	6	2	11	2	80	79	21	-	51	4
74	Hardy	91	-	-	-	-	10	2	-	8	2	49	49	6	-	42	3
75	Harrison	853	3	1	-	2	125	37	14	74	21	514	508	104	1	383	6
76	Clarksburg	408	2	-	-	2	45	17	5	23	10	255	252	48	1	192	3
77	Balance of county	445	1	1	-	-	80	20	9	51	11	259	256	56	-	191	3
78	Jackson	154	5	-	-	1	13	6	3	4	2	88	86	20	-	64	3
79	Jefferson	209	1	1	-	1	20	5	1	14	4	121	120	14	-	95	2

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2,448	303	343	28	167	106	49	338	68	28	96	4	5	107	285	40	147	317	119	30	633	1
1,875	243	269	24	138	87	39	271	54	23	85	2	1	85	217	27	94	236	83	24	501	2
46	10	7	-	3	2	2	7	-	-	3	-	-	3	9	2	4	4	1	-	18	3
527	50	67	4	26	17	8	60	14	5	8	2	4	19	59	11	49	77	35	6	114	4
238	12	20	8	27	7	4	22	5	3	6	3	-	9	28	2	14	31	5	1	52	5
81	7	8	3	11	2	2	8	3	2	4	1	-	3	13	1	6	12	2	-	23	6
157	5	12	5	16	5	2	14	2	1	2	2	-	6	15	1	8	19	3	1	29	7
45	7	15	2	4	3	1	15	3	4	1	-	1	3	2	1	5	13	2	-	13	8
27	2	5	-	1	1	2	7	2	-	-	-	-	3	2	3	7	8	-	-	6	9
131	10	39	-	13	1	7	20	3	1	2	1	-	4	10	3	16	20	4	3	40	10
30	3	4	-	6	1	1	2	-	-	1	-	-	2	4	-	5	2	2	-	4	11
48	8	4	-	3	3	-	7	2	-	-	-	-	2	5	-	4	5	2	1	13	12
75	10	14	-	3	1	2	12	-	4	3	1	2	4	8	2	9	16	5	2	17	13
44	8	8	-	2	3	1	9	1	1	2	-	-	4	4	-	7	21	2	2	16	14
19	-	1	-	1	1	-	3	1	1	-	-	-	1	-	-	3	2	1	1	5	15
893	76	97	12	81	30	17	121	10	12	35	5	2	33	144	28	62	91	39	3	209	16
589	45	70	7	56	21	9	89	6	10	25	2	2	20	85	19	37	48	23	3	144	17
58	7	6	1	5	2	-	3	1	-	2	-	-	-	4	2	1	3	1	-	7	18
246	24	21	4	20	7	8	29	3	2	8	3	-	13	55	7	24	40	15	-	58	19
13	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	20
120	13	27	1	11	2	2	14	3	2	4	2	2	4	7	7	10	19	5	1	33	21
18	1	2	-	1	-	-	2	1	-	-	-	-	-	1	-	-	6	-	-	4	22
352	39	66	10	35	13	10	52	8	7	9	1	-	7	51	5	26	60	14	3	95	23
124	9	21	2	16	1	4	17	3	3	2	-	-	2	15	3	7	12	4	1	32	24
228	30	45	8	19	12	6	35	5	4	7	1	-	5	36	2	19	48	10	2	63	25
826	107	138	10	53	26	15	95	23	4	33	2	-	32	104	9	47	99	40	5	171	26
668	87	111	7	47	20	12	69	20	1	30	1	-	23	84	7	36	70	23	5	144	27
158	20	27	3	6	6	3	26	3	3	3	1	-	9	20	2	11	29	17	-	27	28
47	4	14	-	3	2	2	6	-	-	1	-	-	5	6	1	11	8	6	-	18	29
142	16	19	2	4	6	3	14	7	3	3	1	-	5	22	12	11	27	6	1	31	30
60	8	9	1	2	4	-	6	4	1	3	1	-	3	12	9	2	9	2	-	16	31
82	8	10	1	2	2	3	8	3	2	-	-	-	2	10	3	9	18	4	1	15	32
10	-	-	-	2	3	2	1	2	1	-	-	-	-	1	-	-	3	-	-	4	33
118	8	11	1	16	3	-	16	2	2	6	-	1	5	20	-	4	17	5	-	28	34
87	5	9	1	13	3	-	12	1	2	4	-	-	3	11	-	4	11	2	-	22	35
31	3	2	-	3	-	-	4	1	-	2	-	1	2	9	-	-	6	3	-	6	36
214	15	37	2	20	7	4	25	11	-	5	3	-	7	30	3	11	23	7	1	39	37
114	9	29	1	15	4	2	18	9	-	5	2	-	4	14	3	5	14	3	-	23	38
100	6	8	1	5	3	2	7	2	-	-	1	-	3	16	-	6	9	4	1	16	39
68	19	11	2	2	2	2	12	1	-	-	-	1	8	6	4	12	9	1	1	12	40
16	3	1	-	-	-	-	3	-	-	-	-	-	4	-	1	2	4	-	-	4	41
52	16	10	2	2	2	2	9	1	-	-	-	1	4	6	3	10	5	1	1	8	42
325	34	88	4	27	21	10	65	3	9	11	-	1	22	43	5	47	51	11	4	99	43
144	12	41	-	9	9	5	20	3	1	4	-	-	8	19	2	14	18	3	2	41	44
181	22	47	4	18	12	5	45	-	8	7	-	1	14	24	3	33	33	8	2	58	45
4,490	865	1,098	123	327	158	197	800	93	86	153	26	15	272	719	379	495	883	176	79	1,202	46
1,563	265	306	22	97	58	88	269	26	34	57	13	4	102	234	83	145	234	64	26	382	47
2,927	600	792	101	230	100	129	531	67	52	96	13	11	170	485	296	350	649	112	53	820	48
45	9	6	3	6	4	3	10	2	-	1	-	-	1	5	7	1	5	4	-	16	49
86	14	35	5	6	1	5	14	1	1	5	-	-	3	13	19	16	15	3	2	22	50
51	6	14	3	2	1	2	10	-	1	3	-	-	3	10	13	9	7	1	1	9	51
35	8	21	2	4	-	3	4	1	-	2	-	-	-	3	6	7	8	2	1	13	52
56	5	8	1	-	-	-	10	-	-	1	-	-	3	15	8	7	13	1	1	25	53
39	7	24	1	9	1	1	3	-	-	4	-	-	2	2	14	4	11	2	-	7	54
81	7	16	-	2	1	2	8	-	4	1	1	-	5	13	-	9	12	4	-	23	55
2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	56
79	7	15	-	2	1	2	8	-	4	1	1	-	4	13	-	9	12	4	-	22	57
311	40	61	4	16	13	8	56	5	6	12	5	-	9	34	28	25	46	12	7	62	58
253	34	42	3	16	11	3	41	4	4	11	2	-	7	27	24	16	40	9	5	52	59
263	35	43	3	16	11	3	44	4	4	13	2	-	7	29	24	16	41	9	5	53	60
58	6	19	1	-	2	5	15	1	2	1	3	-	2	7	4	9	6	3	2	10	61
14	3	6	-	1	-	-	5	1	1	-	-	-	2	2	11	2	2	1	-	9	62
7	2	10	-	-	-	1	2	1	1	-	1	-	-	4	3	10	8	1	1	2	63
25	2	13	-	2	-	-	3	-	-	-	-	-	1	1	4	3	3	1	-	5	64
133	31	54	4	19	5	7	30	3	5	7	-	-	13	28	10	18	32	5	6	53	65
18	2	5	1	5	-	2	2	1	-	1	-	-	1	2	4	3	3	2	-	5	66
15	2	3	1	2	-	-	5	-	-	-	-	-	3	2	4	1	2	1	-	3	67
93	20	27	6	12	1	5	16	2	-	2	-	2	5	9	6	7	20	2	2	22	68
19	11	20	1	4	1	-	8	1	1	-	-	-	2	2	-	3	5	1	-	7	69
92	7	9	-	6	6	3	9	2	1	-	-	-	3	13	12	7	12	2	1	26	70
55	5	1	-	1	4	2	4	1	-	-	-	-	2	7	9	4	6	2	1	13	71
57	5	2	-	1	4	2	4	1	-	-	-	-	3	7	9	4	6	2	1	14	72
37	2	8	-	5	2	1	5	1	1	-	-	-	1	6	3	3	6	-	-	13	73
20	11	8	1	-	-	-	3	-	-	1	-	-	3	7	1	4	4	1	-	6	74
250	43	84	4	11	5	6	34	9	1	11	1	-	10	16	10	13	34	5	3	40	75
128	24	37	3	6	2	3	16	4	1	9	1	-	4	10	3	5	13	3	3	22	76
122	19	47	1	5	3	3	18	5	-	2	-	-	6	6	7	8	21	2	-	18	77
31	8	22	-	1	1	2	7	-	1	1	1	-	-	6	6	6	8	2	-	7	78
53	25	15	-	6	5	1	12	1	-	1	1	1	3	15	1	8	6	1	1	10	79

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	WEST VIRGINIA—Continued																
1	Kanawha	2,045	15	5	-	4	291	90	50	151	28	1,060	1,042	221	1	769	19
2	Charleston	829	7	4	-	3	116	38	19	59	10	456	445	87	1	334	7
3	South Charleston	114	-	1	-	-	19	6	2	11	1	61	61	14	-	42	1
4	Balance of county	1,102	8	-	-	1	156	46	29	81	17	543	536	120	-	393	11
5	Lewis	227	3	-	-	-	31	14	2	15	2	125	124	35	-	82	1
6	Lincoln	182	2	-	-	2	20	5	1	14	3	95	93	10	-	81	1
7	Logan	503	14	-	-	2	77	24	16	37	10	188	185	42	-	136	6
8	McDowell	694	9	1	-	9	72	26	10	36	10	303	292	67	1	213	7
9	Marion	698	1	3	-	1	116	46	15	55	11	383	379	83	-	261	6
10	Fairmont	308	1	2	-	-	60	18	8	34	4	168	166	35	-	116	3
11	Balance of county	390	-	1	-	1	56	28	7	21	7	215	213	48	-	145	3
12	Marshall	360	3	-	-	-	68	29	11	28	10	195	187	39	-	135	4
13	Moundsville	145	3	-	-	-	30	13	8	9	3	71	69	14	-	48	2
14	Balance of county	215	-	-	-	-	38	16	3	19	7	124	118	25	-	87	2
15	Mason	236	2	-	-	-	25	11	3	11	1	142	140	43	2	87	4
16	Mercer	708	8	3	-	5	91	33	18	40	14	365	360	81	1	255	6
17	Bluefield[17]	251	1	2	-	1	39	14	9	16	6	134	134	26	-	102	1
18	Balance of county	457	7	1	-	4	52	19	9	24	8	231	226	55	1	153	5
19	Mineral	246	1	-	-	2	34	13	4	17	1	151	145	21	-	111	3
20	Mingo	335	4	2	1	1	34	17	4	13	5	142	137	27	-	91	2
21	Monongalia	513	4	-	-	-	73	25	6	42	5	280	275	66	2	187	5
22	Morgantown	258	3	-	-	-	34	10	2	22	5	152	150	42	-	99	2
23	Balance of county	255	1	-	-	-	39	15	4	20	-	128	125	24	2	88	3
24	Monroe	124	-	-	-	-	23	4	2	17	-	68	68	20	-	39	1
25	Morgan	109	2	-	-	-	12	6	1	5	-	58	56	20	-	32	-
26	Nicholas	214	-	-	-	-	21	8	3	10	-	109	104	17	-	78	5
27	Ohio	836	6	-	-	2	139	60	17	62	6	506	488	113	2	340	17
28	Wheeling	725	5	-	-	2	122	54	16	52	6	436	424	98	2	293	14
29	Balance of county	111	1	-	-	-	17	6	1	10	-	70	64	15	-	47	3
30	Pendleton	82	1	-	-	1	8	1	2	5	1	42	41	12	-	27	1
31	Pleasants	67	-	-	-	2	6	3	2	1	2	46	45	11	-	33	-
32	Pocahontas	120	1	-	-	-	11	3	-	8	2	73	71	10	-	58	2
33	Preston	254	5	-	-	2	35	6	3	26	4	129	125	21	-	92	8
34	Putnam	156	2	-	-	1	11	2	3	6	2	88	83	18	-	60	1
35	Raleigh	676	11	2	-	6	98	38	16	44	6	342	329	73	1	236	9
36	Beckley	194	2	-	-	1	38	14	5	19	2	105	103	30	-	69	2
37	Balance of county	482	9	2	-	5	60	24	11	25	4	237	226	43	1	167	7
38	Randolph	304	-	1	-	-	34	12	4	18	2	167	166	41	-	109	2
39	Ritchie	145	-	-	-	-	14	4	-	10	3	84	83	17	1	57	1
40	Roane	153	2	-	-	-	30	13	4	13	6	74	73	24	-	44	1
41	Summers	179	-	-	-	3	21	6	4	11	2	108	108	30	-	75	1
42	Taylor	205	1	-	-	1	36	13	3	20	1	109	107	21	-	77	4
43	Tucker	115	-	-	-	-	11	6	4	1	7	60	60	10	-	44	-
44	Tyler	119	-	-	-	1	14	7	2	5	2	74	68	20	-	46	1
45	Upshur	210	3	-	-	-	18	6	2	10	4	125	123	21	-	93	-
46	Wayne	272	9	1	-	-	43	16	6	21	4	130	126	34	-	88	-
47	Huntington (part)	32	1	-	-	-	8	2	2	4	-	14	14	2	-	12	-
48	Balance of county	240	8	1	-	-	35	14	4	17	4	116	112	32	-	76	-
49	Webster	124	1	-	-	-	14	9	-	5	2	49	47	13	-	28	-
50	Wetzel	206	2	-	-	-	31	16	4	11	4	114	112	24	1	78	3
51	Wirt	66	-	1	-	-	8	1	2	5	1	37	36	11	-	24	-
52	Wood	729	5	1	-	1	110	43	14	53	4	444	438	113	2	292	4
53	Parkersburg	487	5	1	-	1	70	26	9	35	3	307	303	72	2	206	2
54	Balance of county	242	-	-	-	-	40	17	5	18	1	137	135	41	-	86	2
55	Wyoming	211	5	-	1	-	21	6	7	8	4	87	86	19	-	58	1
56	WISCONSIN	36,958	138	51	7	127	6,162	2,357	626	3,179	738	21,019	20,709	4,656	18	14,614	492
57	Metropolitan counties	14,657	66	27	2	42	2,620	956	318	1,346	257	8,134	8,019	1,653	3	5,865	212
58	Nonmetropolitan counties	22,301	72	24	5	85	3,542	1,401	308	1,833	481	12,885	12,690	3,003	15	8,749	280
59	Adams	94	1	-	-	-	9	2	3	4	2	63	63	12	-	46	2
60	Ashland	230	-	-	-	-	33	16	2	15	9	128	123	22	2	79	2
61	Ashland	122	-	-	-	-	18	9	1	8	7	63	63	9	-	45	1
62	Balance of county	108	-	-	-	-	15	7	1	7	2	65	60	13	2	34	1
63	Barron	351	1	-	-	1	58	19	5	34	4	209	207	58	-	133	8
64	Bayfield	171	2	-	-	-	37	20	1	16	3	96	96	22	-	64	-
65	Brown	988	2	-	-	3	160	61	9	90	20	558	549	151	2	366	5
66	Green Bay	542	1	-	-	1	86	28	5	53	14	317	314	96	-	203	-
67	Balance of county	446	1	-	-	2	74	33	4	37	6	241	235	55	2	163	5
68	Buffalo	134	-	-	-	1	17	12	4	1	-	65	64	21	-	33	1
69	Burnett	133	-	-	-	-	25	10	-	15	3	80	78	23	-	50	4
70	Calumet	166	-	-	-	-	20	9	-	11	3	101	101	33	1	65	1
71	Chippewa	373	-	-	1	1	57	23	6	28	4	223	222	61	-	150	3
72	Eau Claire (part)	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
73	Chippewa Falls	126	-	-	1	-	25	13	3	9	-	79	79	21	-	55	2
74	Balance of county	246	-	-	-	1	32	10	3	19	4	143	142	40	-	94	1
75	Clark	311	-	-	-	1	52	23	3	26	12	172	170	55	-	100	-
76	Columbia	410	1	-	-	1	80	34	4	42	12	241	238	47	-	173	3
77	Crawford	163	1	-	-	-	23	12	-	11	1	97	95	27	-	59	-

[17]Includes data for Bluefield, W. Va., only.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
548	118	84	6	33	12	18	108	10	10	22	4	3	49	96	19	57	93	24	10	137	1
243	46	38	2	13	8	11	37	4	2	14	1	1	20	39	11	11	25	7	2	59	2
36	2	3	1	2	2	-	4	-	-	1	-	-	1	5	-	3	6	3	-	9	3
269	70	43	3	18	2	7	67	6	8	7	3	2	28	52	8	43	62	14	8	69	4
53	8	20	2	5	-	2	7	4	-	1	1	-	3	4	3	8	11	3	1	19	5
54	14	12	-	-	2	2	17	-	1	1	-	-	1	8	6	3	9	1	2	11	6
84	16	30	1	4	2	3	20	2	8	7	1	-	13	21	36	17	42	6	3	36	7
146	36	24	2	3	6	11	20	4	8	4	1	-	12	49	15	30	78	5	12	52	8
185	34	36	6	21	8	4	31	4	2	5	1	-	5	21	10	12	35	7	-	50	9
85	16	12	3	9	3	2	14	-	2	4	1	-	1	7	4	4	13	3	-	20	10
100	18	24	3	12	5	2	17	4	-	1	-	-	4	14	6	8	22	4	-	30	11
93	15	23	1	8	4	8	15	-	2	3	-	-	7	9	4	2	13	8	-	21	12
33	7	6	1	3	3	2	7	-	-	1	-	-	1	4	1	1	8	5	-	10	13
60	8	17	-	5	1	6	8	-	2	2	-	-	6	5	3	1	5	3	-	11	14
57	7	19	3	4	1	2	14	2	4	2	-	-	1	5	3	8	10	5	-	12	15
151	58	40	5	13	5	5	32	2	1	11	1	-	8	37	16	24	31	6	6	47	16
65	24	12	-	4	2	-	8	1	1	8	-	-	3	11	9	8	7	1	1	10	17
86	34	28	5	9	3	5	24	1	-	3	1	-	5	26	7	16	24	5	5	37	18
67	14	27	2	10	1	6	8	-	-	1	-	1	9	5	2	5	15	1	1	9	19
68	7	14	5	10	4	5	19	3	5	2	-	1	9	25	11	15	21	2	4	29	20
152	16	14	7	7	6	5	18	5	-	8	1	1	7	21	3	16	26	5	1	39	21
83	6	8	4	4	1	2	5	1	-	5	-	-	4	11	2	6	5	2	-	23	22
69	10	6	3	3	5	3	13	4	-	3	1	1	3	10	1	10	21	3	1	16	23
21	5	12	-	8	1	-	9	-	1	-	-	-	-	5	1	2	4	1	-	10	24
20	3	9	1	-	3	2	5	-	-	-	-	-	3	5	-	5	9	-	-	10	25
49	16	8	1	5	3	5	15	-	1	1	-	-	8	9	7	9	19	2	-	13	26
242	35	46	7	12	14	18	26	4	6	8	3	-	14	29	4	13	16	8	2	44	27
213	30	36	6	12	13	12	19	3	5	8	3	-	11	29	4	11	15	7	-	39	28
29	5	10	1	-	1	6	7	1	1	-	-	-	3	-	-	2	1	1	2	5	29
14	4	8	1	1	-	1	2	1	-	-	-	-	-	7	5	1	4	2	-	7	30
27	3	3	-	1	-	1	3	-	3	-	-	-	-	-	2	-	1	-	-	2	31
49	3	4	1	1	1	2	6	2	-	2	-	-	2	1	-	3	5	-	1	11	32
55	13	16	1	7	4	4	13	1	1	3	2	1	7	4	12	5	16	1	-	13	33
33	12	14	2	2	1	5	8	-	-	-	-	-	3	4	4	7	13	-	-	13	34
154	46	27	6	6	7	13	26	4	4	4	-	-	10	33	10	21	36	9	5	49	35
45	13	9	1	1	2	2	6	-	-	1	-	-	3	6	1	5	7	-	-	17	36
109	33	18	5	5	5	11	20	4	4	3	-	-	7	27	9	16	29	9	5	32	37
77	17	13	7	7	2	1	9	2	1	4	-	1	1	21	8	12	15	3	1	22	38
34	6	16	-	6	2	1	12	1	1	-	-	-	-	2	7	1	9	1	2	8	39
29	3	11	1	4	-	1	8	2	-	2	-	1	-	4	1	4	8	1	-	10	40
57	5	12	1	2	-	-	6	2	-	3	-	-	1	6	4	6	3	3	-	11	41
46	11	16	2	5	2	2	16	1	1	-	-	-	3	10	2	4	4	2	-	14	42
39	1	4	3	2	1	-	3	-	-	1	-	-	3	4	1	2	6	3	-	14	43
33	2	10	-	-	2	6	8	-	-	1	-	-	-	1	1	-	8	1	-	8	44
61	18	14	-	8	1	2	14	-	1	-	-	-	1	5	10	4	7	2	-	16	45
63	12	13	-	1	3	4	17	2	-	4	-	1	2	12	6	14	10	1	-	16	46
10	1	1	-	-	-	-	3	-	-	2	-	-	-	2	-	-	1	-	-	1	47
53	11	12	-	1	3	4	14	2	-	2	-	1	2	10	6	14	9	1	-	15	48
18	3	7	-	2	4	2	5	2	1	-	-	2	6	14	4	5	10	1	-	8	49
48	13	14	5	3	1	2	9	-	-	1	-	-	2	7	6	7	8	4	-	11	50
16	3	5	-	1	-	1	4	-	-	-	-	-	-	4	-	3	2	-	-	6	51
214	34	40	8	14	9	6	20	4	2	3	1	-	9	31	3	12	17	4	-	58	52
159	21	24	5	11	7	4	10	3	-	3	-	-	6	20	2	8	10	1	-	37	53
55	13	16	3	3	2	2	10	1	2	-	1	-	3	11	1	4	7	3	-	21	54
45	5	7	4	3	2	1	10	-	-	1	-	-	4	11	5	11	28	3	4	16	55
11,092	1,199	1,831	221	913	287	310	1,141	245	153	366	38	37	486	1,289	207	882	1,105	412	51	2,304	56
4,714	448	491	74	284	140	115	490	113	53	190	9	14	228	601	34	281	362	162	33	939	57
6,378	751	1,340	147	629	147	195	651	132	100	176	29	23	258	688	173	601	743	250	18	1,365	58
31	3	10	2	3	-	-	2	1	-	-	-	-	1	2	-	3	1	3	-	6	59
54	16	7	-	20	-	5	6	-	1	1	-	1	1	7	1	7	8	5	-	22	60
32	9	3	-	9	-	-	2	-	-	-	-	1	1	4	-	5	7	4	-	10	61
22	7	4	-	11	-	5	4	-	1	1	-	-	-	3	1	2	1	1	-	12	62
98	13	14	1	9	6	2	11	-	-	2	2	-	8	7	6	3	6	2	-	31	63
48	10	6	1	6	3	-	1	2	-	1	1	-	1	2	-	3	9	1	-	12	64
273	29	59	5	18	7	9	26	3	7	8	-	1	28	39	2	32	30	6	-	63	65
156	18	29	2	8	5	3	14	2	2	3	-	1	13	18	-	15	18	2	-	35	66
117	11	30	3	10	2	6	12	1	5	5	-	-	15	21	2	17	12	4	-	28	67
22	2	8	4	4	2	1	9	2	-	1	-	-	4	3	3	7	8	2	-	12	68
38	3	5	-	4	1	2	4	-	2	-	-	-	-	2	2	1	7	2	-	5	69
51	10	3	-	2	-	-	6	1	2	2	-	-	3	5	-	7	7	2	-	7	70
118	11	18	-	8	3	1	10	1	1	3	-	-	4	19	6	10	6	6	-	21	71
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
44	3	6	-	3	-	-	2	1	1	-	-	-	2	4	3	2	-	1	-	5	73
73	8	12	-	5	3	1	8	-	-	3	-	-	2	15	3	8	6	5	-	16	74
80	2	18	2	11	2	2	20	3	-	3	-	-	6	5	-	11	6	2	-	18	75
142	10	18	1	12	5	3	7	1	1	2	-	-	6	10	2	5	20	3	-	18	76
33	17	9	4	4	1	2	3	1	2	2	-	-	2	5	-	8	6	3	-	9	77

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	WISCONSIN—Continued																
1	Dane	1,607	6	1	1	-	288	81	29	178	35	898	890	200	-	624	19
2	Madison	952	4	1	1	-	172	42	21	109	21	543	538	120	-	380	10
3	Balance of county	655	2	-	-	-	116	39	8	69	14	355	352	80	-	244	9
4	Dodge	598	5	1	1	1	81	32	6	43	9	372	367	78	-	267	9
5	Beaver Dam	154	1	1	-	-	24	9	4	11	1	92	91	15	-	74	1
6	Watertown (part)	30	-	-	-	-	4	2	-	2	-	19	19	6	-	11	-
7	Balance of county	414	4	-	1	1	53	21	2	30	8	261	257	57	-	182	8
8	Door	210	-	1	-	3	36	15	-	21	3	117	116	19	-	84	4
9	Douglas	562	5	1	-	2	82	28	7	47	10	319	316	64	-	235	8
10	Superior	431	4	1	-	2	66	21	7	38	8	244	241	47	-	178	6
11	Balance of county	131	1	-	-	-	16	7	-	9	2	75	75	17	-	57	2
12	Dunn	267	-	-	-	1	47	16	4	27	5	159	155	54	-	97	7
13	Eau Claire	526	-	-	-	3	88	34	9	45	12	309	306	77	1	202	11
14	Eau Claire (part)	389	-	-	-	1	72	29	8	35	11	224	222	59	1	142	8
15	Eau Claire (total)	390	-	-	-	1	72	29	8	35	11	225	223	59	1	143	8
16	Balance of county	137	-	-	-	2	16	5	1	10	1	85	84	18	-	60	3
17	Florence	27	1	-	-	-	5	2	-	3	-	17	17	3	-	13	-
18	Fond du Lac	743	4	1	-	3	125	46	6	73	20	438	431	98	-	292	6
19	Fond du Lac	391	4	-	-	1	62	22	4	36	12	242	241	51	-	164	3
20	Balance of county	352	-	1	-	2	63	24	2	37	8	196	190	47	-	128	3
21	Forest	113	1	-	-	-	9	4	3	2	2	76	68	13	-	50	2
22	Grant	492	-	-	-	2	77	30	9	38	10	288	281	69	-	178	5
23	Green	279	-	-	-	1	43	12	5	26	4	162	162	33	-	118	2
24	Green Lake	159	1	-	-	1	22	7	2	13	3	95	92	17	-	71	1
25	Iowa	220	1	-	-	2	34	13	3	18	4	121	120	37	-	75	4
26	Iron	103	-	-	-	-	17	6	2	9	3	50	48	6	-	39	-
27	Jackson	152	-	-	-	2	22	10	2	10	2	88	88	30	-	52	-
28	Jefferson	559	2	-	-	4	75	27	4	44	11	342	338	84	-	223	5
29	Watertown (part)	156	-	-	-	2	22	10	3	9	5	96	95	24	-	60	-
30	Watertown (total)	186	-	-	-	2	26	12	3	11	5	115	114	30	-	71	-
31	Balance of county	403	2	-	-	2	53	17	1	35	6	246	243	60	-	163	5
32	Juneau	236	-	-	-	-	43	18	1	24	5	140	139	26	-	106	6
33	Kenosha	871	1	2	-	2	150	49	22	79	29	470	461	84	-	352	6
34	Kenosha	630	-	2	-	2	104	37	14	53	22	346	341	62	-	257	3
35	Balance of county	241	1	-	-	-	46	12	8	26	7	124	120	22	-	95	3
36	Kewaunee	181	-	-	-	-	18	7	1	10	7	113	112	26	-	72	4
37	La Crosse	697	2	2	1	2	120	49	14	57	15	425	419	127	-	277	14
38	La Crosse	528	1	2	-	2	93	36	12	45	10	322	320	100	-	211	10
39	Balance of county	169	1	-	1	-	27	13	2	12	5	103	99	27	-	66	4
40	Lafayette	209	-	-	-	-	30	15	4	11	5	117	114	26	-	85	2
41	Langlade	222	-	-	-	1	39	20	5	14	6	112	108	25	-	80	1
42	Lincoln	245	1	-	-	-	39	15	2	22	4	141	140	31	1	100	3
43	Manitowoc	706	4	-	-	1	134	69	5	60	18	399	389	80	1	286	2
44	Manitowoc	324	4	-	-	-	70	40	2	28	4	180	176	39	1	122	-
45	Two Rivers	108	-	-	-	-	24	10	3	11	7	58	57	5	-	50	1
46	Balance of county	274	-	-	-	1	40	19	-	21	7	161	156	36	-	114	1
47	Marathon	718	2	1	1	3	111	44	11	56	15	402	392	82	1	278	11
48	Wausau	341	2	1	-	-	60	20	8	32	5	182	179	34	-	126	3
49	Balance of county	377	-	-	1	3	51	24	3	24	10	220	213	48	1	152	8
50	Marinette	424	1	1	-	3	72	31	8	33	18	233	231	57	-	149	4
51	Marinette	185	1	1	-	1	26	9	4	13	9	108	108	32	-	64	2
52	Balance of county	239	-	-	-	2	46	22	4	20	9	125	123	25	-	85	2
53	Marquette	114	-	-	-	1	16	7	1	8	3	78	77	14	-	53	1
54	Milwaukee	9,440	50	21	1	30	1,716	656	225	835	146	5,233	5,157	1,012	1	3,829	153
55	Milwaukee	7,435	41	18	1	25	1,325	506	182	637	107	4,112	4,048	802	1	2,997	124
56	Wauwatosa	553	7	-	-	2	111	37	9	65	7	334	333	55	-	260	3
57	West Allis	547	1	-	-	2	98	38	10	50	14	308	302	56	-	225	9
58	Cudahy	113	-	-	-	-	19	8	1	10	3	58	57	11	-	43	3
59	Shorewood	161	-	-	-	-	46	16	7	23	1	93	93	17	-	68	4
60	South Milwaukee	119	1	-	-	-	16	5	4	7	3	71	71	17	-	50	2
61	Whitefish Bay	107	-	-	-	-	28	8	4	16	2	53	51	10	-	36	1
62	Balance of county	405	-	3	-	1	73	38	8	27	9	204	202	44	-	150	7
63	Monroe	306	1	-	-	4	50	19	4	27	8	171	168	40	-	117	2
64	Oconto	282	-	-	-	1	36	14	5	17	12	161	156	39	1	103	2
65	Oneida	237	1	-	-	1	46	17	6	23	4	125	124	25	-	88	6
66	Outagamie	851	3	-	-	4	129	47	13	69	27	485	483	107	-	346	13
67	Appleton	396	1	-	-	3	60	23	7	30	13	235	234	54	-	165	6
68	Balance of county	455	2	-	-	1	69	24	6	39	14	250	249	53	-	181	7
69	Ozaukee	258	1	1	-	1	41	8	3	30	1	151	148	33	-	113	1
70	Pepin	67	-	-	-	-	6	3	1	2	1	40	40	7	-	30	-
71	Pierce	259	2	1	-	1	44	18	2	24	10	146	144	39	-	97	7
72	Polk	261	-	-	-	1	41	14	1	26	7	159	155	48	1	98	8
73	Portage	328	1	1	-	3	58	26	5	27	5	186	183	32	-	138	7
74	Stevens Point	164	-	-	-	2	31	13	3	15	4	97	96	17	-	70	3
75	Balance of county	164	1	1	-	1	27	13	2	12	1	89	87	15	-	68	4
76	Price	176	1	-	-	1	22	14	1	7	3	111	111	30	-	71	4
77	Racine	1,189	2	2	-	5	224	81	26	117	17	656	646	142	-	459	21
78	Racine	784	-	2	-	4	145	55	16	74	7	440	436	98	-	308	14
79	Balance of county	405	2	-	-	1	79	26	10	43	10	216	210	44	-	151	7
80	Richland	207	2	1	-	-	41	17	3	21	7	115	110	27	-	77	1

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
478	57	70	10	47	9	8	51	13	5	12	3	1	26	55	9	38	48	20	4	93	1
297	36	37	7	24	7	5	26	10	3	8	1	1	12	37	7	9	24	11	3	58	2
181	21	33	3	23	2	3	25	3	2	4	2	-	14	18	2	29	24	9	1	35	3
191	18	49	5	16	1	5	15	2	-	5	-	1	8	11	1	18	18	5	-	44	4
57	7	9	1	1	-	1	3	-	-	3	-	-	3	-	1	6	4	3	-	12	5
5	1	5	1	1	-	-	-	-	-	1	-	-	-	-	-	-	2	2	-	2	6
129	10	35	3	14	1	4	12	2	-	1	-	1	5	11	-	12	12	-	-	30	7
47	18	15	1	10	2	1	7	1	1	-	-	-	2	10	1	9	7	1	-	11	8
187	25	15	5	2	10	3	16	4	2	7	-	-	7	18	7	16	22	4	1	39	9
141	21	10	4	2	10	3	12	4	1	5	-	-	4	14	6	8	19	3	-	30	10
46	4	5	1	-	-	-	4	-	1	2	-	-	3	4	1	8	3	1	1	9	11
73	5	12	2	1	1	4	4	-	-	-	-	-	6	9	1	8	11	1	-	15	12
139	20	32	-	18	8	3	16	1	5	4	2	-	9	21	6	5	18	7	-	20	13
98	11	25	-	13	7	2	9	1	4	4	2	-	7	15	4	5	11	5	-	14	14
99	11	25	-	13	7	2	9	1	4	4	2	-	7	15	4	5	11	5	-	14	15
41	9	7	-	5	1	1	7	-	1	-	-	-	2	6	2	-	7	2	-	6	16
8	1	4	-	1	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	17
202	27	57	5	33	3	7	23	6	2	6	-	-	6	14	9	20	22	3	2	39	18
110	12	39	4	21	1	1	11	1	2	6	-	-	4	5	4	6	7	-	2	22	19
92	15	18	1	12	2	6	12	5	-	-	-	-	2	9	5	14	15	3	-	17	20
37	1	10	-	2	3	8	6	-	-	1	-	-	-	4	1	2	6	1	-	4	21
114	15	44	3	31	-	7	14	4	1	-	2	-	4	8	13	11	21	6	1	30	22
78	12	26	3	5	3	-	11	2	2	3	-	-	5	7	4	6	12	5	-	12	23
41	9	20	-	4	-	3	4	-	1	2	-	-	2	4	3	4	3	2	-	12	24
52	8	11	1	7	-	1	11	2	3	-	-	-	2	10	2	5	13	1	-	9	25
25	8	6	-	2	1	2	5	1	-	3	-	1	1	3	-	5	5	-	-	9	26
44	4	4	4	2	-	-	10	1	-	1	-	-	-	3	5	5	7	4	-	2	27
128	23	67	6	24	1	4	9	2	8	4	1	1	5	11	3	17	16	7	-	41	28
33	9	18	3	8	-	1	2	1	6	-	-	1	-	2	-	6	2	2	-	9	29
38	10	23	4	9	-	1	2	1	6	1	-	1	-	2	-	6	4	4	-	11	30
95	14	49	3	16	1	3	7	1	2	4	1	-	5	9	3	11	14	5	-	32	31
81	7	12	-	6	1	1	5	1	1	2	1	1	1	6	2	3	6	2	-	17	32
282	32	32	10	10	5	9	31	8	2	11	-	3	15	33	3	22	22	14	2	51	33
203	26	25	9	9	4	5	23	7	1	9	-	1	11	23	3	13	14	9	1	39	34
79	6	7	1	1	1	4	8	1	1	2	-	2	4	10	-	9	8	5	1	12	35
53	2	13	-	13	1	1	5	-	-	1	-	1	4	8	-	4	4	4	-	12	36
224	25	14	4	5	6	6	12	1	1	7	1	-	7	30	2	6	15	3	1	44	37
172	16	13	2	3	4	2	10	1	1	7	-	-	6	22	2	2	11	2	1	33	38
52	9	1	2	2	2	4	2	-	-	-	1	-	1	8	-	4	4	1	-	11	39
53	7	23	1	2	-	3	4	3	2	1	-	-	4	5	2	8	11	3	-	14	40
63	7	9	1	2	-	4	19	-	1	2	1	-	1	11	2	8	6	4	-	9	41
72	8	17	2	4	2	1	9	-	-	1	-	-	3	5	2	7	15	3	-	15	42
220	18	46	6	12	4	10	16	4	7	10	1	-	6	16	1	21	24	4	1	39	43
102	5	15	3	7	4	4	5	3	1	4	1	-	3	8	1	8	8	2	1	21	44
41	2	6	1	1	-	1	2	-	3	2	-	-	1	2	-	3	2	-	-	4	45
77	11	25	2	4	-	5	9	1	3	4	-	-	2	6	-	10	14	2	-	14	46
209	20	38	8	17	6	10	33	7	1	4	1	2	7	25	21	18	18	10	-	36	47
97	8	18	6	10	3	3	16	4	-	3	1	-	5	10	11	10	6	3	-	22	48
112	12	20	2	7	3	7	17	3	1	1	-	2	2	15	10	8	12	7	-	14	49
116	5	24	5	17	3	2	10	-	3	4	2	-	7	9	1	10	16	6	-	28	50
47	4	11	5	6	1	-	4	-	2	2	1	-	4	1	-	2	4	3	-	16	51
69	1	13	-	11	2	2	6	-	1	2	1	-	3	8	1	8	12	3	-	12	52
42	3	7	1	9	-	1	3	-	-	1	-	-	1	2	-	5	1	-	-	3	53
3,116	278	282	35	179	101	76	344	82	31	137	4	8	133	396	11	131	208	103	25	630	54
2,402	241	230	31	146	71	64	290	68	25	119	3	6	99	318	9	102	176	74	24	493	55
236	5	16	2	9	7	1	12	4	-	2	1	1	5	12	-	6	8	10	-	31	56
186	16	14	1	11	9	6	17	2	3	5	-	-	9	18	1	7	7	9	-	46	57
36	1	3	-	-	3	1	5	3	-	2	-	-	3	7	-	3	2	2	-	6	58
57	3	4	1	5	2	-	1	1	1	1	-	-	2	1	1	1	2	-	-	10	59
43	3	2	-	-	4	-	5	1	-	1	-	-	2	5	-	4	-	2	-	8	60
30	2	3	-	4	1	2	3	1	1	2	-	-	3	9	-	1	1	1	-	2	61
126	7	10	-	4	4	2	11	2	1	5	-	1	10	26	-	7	12	5	1	34	62
83	22	10	2	6	3	3	3	2	1	3	-	-	5	11	1	7	7	5	-	27	63
79	2	20	2	7	4	5	7	2	-	5	-	2	1	10	8	9	9	2	1	16	64
74	2	6	2	7	2	1	14	2	-	1	-	-	1	10	-	5	8	2	-	17	65
260	28	45	7	21	2	2	23	6	5	7	-	1	10	35	7	23	25	12	-	49	66
123	12	24	3	11	1	1	8	3	3	3	-	-	3	14	3	8	10	3	-	26	67
137	16	21	4	10	1	1	15	3	2	4	-	1	7	21	4	15	15	9	-	23	68
90	15	7	-	1	1	3	2	1	1	4	-	-	3	12	-	14	7	3	-	15	69
27	1	2	2	1	-	-	3	1	1	-	-	-	1	2	1	1	3	-	-	7	70
71	8	11	2	6	-	2	6	1	-	2	-	-	3	6	-	8	8	4	-	17	71
60	11	19	3	4	1	4	8	2	1	1	-	-	4	7	1	5	12	1	-	11	72
108	11	12	5	7	1	3	8	2	1	2	-	-	3	9	1	9	13	3	-	23	73
55	6	6	4	4	1	1	3	1	1	-	-	-	1	3	-	4	5	2	-	10	74
53	5	6	1	3	-	2	5	1	-	2	-	-	2	6	1	5	8	1	-	13	75
45	3	19	1	9	-	-	6	1	-	2	-	1	2	3	-	3	12	2	-	6	76
378	27	33	9	28	8	10	22	3	6	15	2	1	19	60	2	42	32	15	1	63	77
257	19	18	7	17	6	4	15	1	5	12	-	-	13	38	2	23	22	11	1	43	78
121	8	15	2	11	2	6	7	2	1	3	2	1	6	22	-	19	10	4	-	20	79
67	2	7	2	4	-	5	3	-	1	1	-	-	3	2	-	5	11	6	-	9	80

Table 68. Deaths From Selected Causes: United States, Each State and County, Met-

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Data are shown for urban places

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Acute poliomyelitis 080	All other infective and parasitic diseases 030-074, 081-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	All other malignant neoplasms 140-148,156B, 165-205	Diabetes mellitus 260	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334 400-468	Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416
	WISCONSIN—Continued																
1	Rock	1,074	4	2	-	4	165	68	15	82	15	606	600	130	1	429	20
2	Beloit	345	3	-	-	-	47	16	7	24	5	195	191	35	-	142	3
3	Janesville	336	-	-	-	2	52	22	4	26	4	192	191	48	1	134	6
4	Balance of county	393	1	2	-	2	66	30	4	32	6	219	218	47	-	153	11
5	Rusk	134	-	-	-	1	22	10	2	10	1	78	78	17	-	58	2
6	St. Croix	309	-	-	-	1	34	12	3	19	4	197	196	53	-	132	8
7	Sauk	428	1	-	-	3	63	20	6	37	3	260	257	62	-	169	4
8	Sawyer	123	-	-	-	1	21	6	4	11	1	71	71	18	-	49	2
9	Shawano	408	2	1	-	2	61	29	1	31	7	215	212	45	-	144	2
10	Sheboygan	897	3	-	-	3	144	65	14	65	16	528	513	129	-	346	11
11	Sheboygan	519	1	-	-	1	93	44	9	40	14	297	291	68	-	204	7
12	Balance of county	378	2	-	-	2	51	21	5	25	2	231	222	61	-	142	4
13	Taylor	176	-	1	-	-	23	12	-	11	3	92	89	17	-	67	-
14	Trempealeau	259	1	-	-	-	39	19	1	19	6	147	145	32	-	103	4
15	Vernon	309	-	-	-	2	46	15	2	29	6	182	179	42	-	128	4
16	Vilas	117	-	1	-	-	18	11	3	4	1	65	62	10	-	49	-
17	Walworth	558	2	1	-	1	99	29	19	51	12	312	307	61	2	206	4
18	Washburn	129	-	-	-	-	22	6	3	13	4	81	81	34	-	45	2
19	Washington	347	2	-	-		51	18	9	24	13	171	167	38	-	117	5
20	Waukesha	1,016	4	-	-	5	161	54	13	94	18	560	554	133	1	390	12
21	Waukesha	244	1	-	-	1	35	10	3	22	5	138	137	28	-	103	2
22	Balance of county	772	3	-	-	4	126	44	10	72	13	422	417	105	1	287	10
23	Waupaca	398	1	-	-	1	71	24	2	45	14	228	225	56	2	145	-
24	Waushara	193	-	-	-	1	21	10	2	9	4	128	126	32	-	90	2
25	Winnebago	995	7	7	1	2	170	63	24	83	18	585	581	113	-	432	11
26	Oshkosh	522	-	3	1	-	87	31	12	44	9	323	321	58	-	242	6
27	Menasha	103	1	1	-	-	20	9	2	9	3	57	57	10	-	43	3
28	Neenah	142	-	1	-	2	22	11	3	8	5	77	77	16	-	58	1
29	Balance of county	228	6	2	-	-	41	12	7	22	1	128	126	29	-	89	1
30	Wood	463	2	-	-	2	83	24	6	53	13	260	258	61	-	173	8
31	Marshfield	120	-	-	-	1	18	4	-	14	2	72	72	20	-	46	2
32	Wisconsin Rapids	139	1	-	-	-	26	6	2	18	4	74	73	15	-	54	1
33	Balance of county	204	1	-	-	1	39	14	4	21	7	114	113	26	-	73	5
34	WYOMING	2,609	12	8	2	13	331	109	36	186	32	1,308	1,284	282	1	902	24
35	Nonmetropolitan counties	2,609	12	8	2	13	331	109	36	186	32	1,308	1,284	282	1	902	24
36	Albany	140	-	-	-	1	16	5	2	9	1	69	67	15	-	44	2
37	Laramie	120	-	-	-	1	14	5	2	7	1	57	55	12	-	37	1
38	Balance of county	20	-	-	-	-	2	-	-	2	-	12	12	3	-	7	1
39	Big Horn	105	1	-	-	-	11	4	1	6	-	56	54	12	-	38	1
40	Campbell	52	-	-	-	-	6	3	-	3	-	27	26	1	-	24	1
41	Carbon	146	1	-	-	1	9	6	1	2	1	81	80	11	-	66	-
42	Converse	70	1	1	-	1	12	3	3	6	1	33	33	9	-	24	1
43	Crook	50	-	-	-	1	4	-	1	3	3	29	29	5	-	22	2
44	Fremont	197	4	-	-	2	19	3	3	13	2	92	90	20	-	62	3
45	Goshen	98	-	-	-	-	8	3	2	3	4	52	52	12	-	34	-
46	Hot Springs	68	-	-	-	-	7	3	-	4	-	36	36	8	-	25	-
47	Johnson	60	-	1	-	-	6	-	1	5	1	39	39	9	-	26	-
48	Laramie	392	-	2	-	2	57	18	5	34	2	175	172	43	1	111	6
49	Cheyenne	306	-	2	-	2	48	17	4	27	1	131	128	29	1	87	5
50	Balance of county	86	-	-	-	-	9	1	1	7	1	44	44	14	-	24	1
51	Lincoln	82	-	1	-	-	8	2	-	6	2	37	35	5	-	28	-
52	Natrona	327	1	-	-	4	53	20	6	27	2	158	152	27	-	111	1
53	Casper	277	1	-	-	3	46	19	5	22	2	135	130	26	-	91	-
54	Balance of county	50	-	-	-	1	7	1	1	5	-	23	22	1	-	20	1
55	Niobrara	32	-	-	2	-	3	1	1	1	2	18	17	5	-	11	1
56	Park	129	1	-	-	-	17	7	1	9	2	56	56	13	-	41	1
57	Platte	91	1	1	-	-	14	5	-	9	3	46	46	13	-	30	-
58	Sheridan	200	1	-	-	-	31	11	2	18	3	116	116	32	-	74	-
59	Sheridan	135	-	-	-	-	23	7	2	14	3	82	82	30	-	45	-
60	Balance of county	65	1	-	-	-	8	4	-	4	-	34	34	2	-	29	-
61	Sublette	9	1	1	-	-	2	-	-	2	-	3	3	-	-	3	-
62	Sweetwater	167	-	-	-	-	24	9	1	14	1	84	82	21	-	55	1
63	Rock Springs	111	-	-	-	-	17	4	-	13	1	54	52	16	-	30	1
64	Balance of county	56	-	-	-	-	7	5	1	1	-	30	30	5	-	25	-
65	Teton	17	-	-	-	-	2	-	1	1	-	10	10	1	-	9	2
66	Uinta	55	-	1	-	-	6	-	1	5	-	32	31	7	-	23	-
67	Washakie	63	-	-	-	1	11	5	2	4	-	30	29	4	-	23	2
68	Weston	59	-	-	-		5	1	2	2	2	29	29	9	-	18	-
69	Yellowstone Nat. Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70	Yellowstone Nat. Park (total)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTES:

The category "metropolitan counties" for a State includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State.

Urban places of 10,000 or more listed in this table include incorporated places of 10,000 or more in 1950 and certain unincorporated areas classified as "urban" under special rules relating to population size and density. Areas classified as urban under these special rules are indicated by a footnote.

ropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1957—Con.

with populations of 10,000 or more in 1950. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Arterio-sclerotic heart disease, including coronary disease 420	Hyper-tension with heart disease 440-443	Other forms of diseases of heart 421-434	Hyper-tension without mention of heart 444-447	General arterio-sclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
316	40	53	8	24	8	6	30	7	3	13	1	4	9	47	1	40	39	8	2	74	1
104	14	21	4	7	3	4	9	3	-	7	-	1	5	20	-	19	8	2	1	20	2
111	6	11	2	4	2	1	14	3	2	1	-	1	2	12	-	8	9	-	-	34	3
101	20	21	2	13	3	1	7	1	1	5	1	2	2	15	1	13	22	6	1	20	4
51	-	5	1	2	-	-	5	2	-	-	-	1	-	5	1	5	5	3	-	5	5
83	11	30	2	6	3	1	6	4	1	2	-	-	6	14	-	11	10	-	-	19	6
113	27	25	1	19	6	3	5	4	2	4	-	1	4	15	2	14	16	5	-	26	7
34	5	8	-	2	2	-	3	1	2	2	-	-	3	1	1	4	5	4	-	3	8
115	13	14	6	10	7	3	18	4	7	2	-	-	3	8	5	18	17	9	-	29	9
259	29	47	4	26	8	15	24	6	7	7	1	-	9	24	7	16	22	17	-	63	10
164	15	18	-	13	6	6	14	3	4	5	1	-	5	18	5	8	8	7	-	35	11
95	14	29	4	13	2	9	10	3	3	2	-	-	4	6	2	8	14	10	-	28	12
35	4	28	-	3	2	3	13	1	-	2	-	-	3	5	2	6	8	3	-	14	13
69	10	20	1	8	1	2	5	1	1	2	2	-	4	8	2	5	7	7	1	21	14
92	8	24	2	7	-	3	14	2	-	1	1	-	2	6	2	8	9	4	1	23	15
38	3	8	-	2	1	3	3	-	1	1	1	-	-	3	1	2	7	2	1	10	16
174	9	19	3	29	6	5	15	5	2	7	3	2	6	24	1	17	12	1	2	34	17
38	1	4	-	2	-	-	2	2	1	1	-	-	-	4	-	1	4	-	-	7	18
87	5	20	1	7	4	4	10	3	2	2	-	-	7	19	1	17	16	3	1	29	19
297	28	53	5	19	6	6	29	7	1	9	-	-	11	46	8	38	36	11	2	70	20
84	5	12	1	3	2	1	6	4	-	2	-	-	1	9	4	4	8	5	1	20	21
213	23	41	4	16	4	5	23	3	1	7	-	-	10	37	4	34	28	6	1	50	22
114	8	23	4	17	1	3	8	2	3	1	1	1	4	8	5	11	10	3	-	26	23
69	6	13	1	2	1	2	3	-	2	1	1	-	1	5	1	1	4	1	1	18	24
287	57	77	5	26	5	4	30	7	3	8	-	1	16	23	5	21	30	10	1	50	25
154	36	46	2	14	5	2	12	4	2	2	-	-	8	9	3	11	18	3	1	26	26
30	2	8	-	4	-	-	3	-	1	1	-	-	1	2	1	1	4	-	-	7	27
40	8	9	-	3	-	-	5	2	-	2	-	-	3	7	-	3	3	4	-	6	28
63	11	14	3	5	-	2	10	1	-	3	-	1	4	5	1	6	5	3	-	11	29
116	14	35	2	19	3	2	13	4	3	4	3	1	7	17	5	7	12	6	-	21	30
37	1	6	2	3	1	-	2	1	1	1	1	1	4	4	1	2	3	-	-	6	31
34	8	11	-	3	1	1	7	-	1	3	1	-	1	4	1	3	5	2	-	6	32
45	5	18	-	13	1	1	4	3	1	-	1	-	2	9	3	2	4	4	-	9	33
619	71	188	12	52	35	24	97	24	14	18	4	2	40	142	26	117	141	48	10	220	34
619	71	188	12	52	35	24	97	24	14	18	4	2	40	142	26	117	141	48	10	220	35
27	5	10	2	5	1	2	5	1	-	1	1	-	1	10	3	5	6	4	-	16	36
25	2	9	1	4	1	2	5	1	-	1	1	-	1	9	2	4	5	4	-	14	37
2	3	1	1	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	38
29	2	6	-	3	1	2	5	1	-	1	-	-	-	8	-	6	6	-	-	10	39
18	1	4	-	-	1	1	1	-	-	-	-	-	-	4	2	2	3	1	-	6	40
39	4	23	1	1	1	1	3	2	-	1	-	-	2	5	1	7	18	5	-	9	41
15	5	3	-	-	-	-	2	2	-	-	-	-	-	1	-	4	3	-	-	9	42
10	1	9	-	1	1	-	3	1	-	-	-	-	-	1	-	2	2	2	-	2	43
39	1	19	1	4	3	2	8	2	4	1	-	-	3	12	-	10	11	5	3	19	44
21	5	8	-	4	2	-	4	-	-	-	-	-	2	6	-	4	4	4	-	10	45
22	2	1	1	1	1	-	2	-	-	1	1	-	-	1	-	6	8	-	-	6	46
23	-	3	-	3	1	-	1	1	-	-	-	-	1	1	-	3	2	1	-	3	47
84	5	16	2	9	6	3	13	5	3	4	1	1	10	33	-	14	18	8	2	42	48
66	5	11	1	5	5	3	10	5	3	4	1	1	9	26	-	13	10	5	1	34	49
18	-	5	1	4	1	-	3	-	-	-	-	-	1	7	-	1	8	3	1	8	50
14	4	10	1	1	-	2	6	1	1	-	-	-	1	2	6	3	6	-	-	8	51
74	10	26	1	5	8	6	14	4	1	4	1	-	7	19	-	17	13	4	2	23	52
58	10	23	1	5	7	5	14	2	1	2	1	-	5	16	-	15	10	4	2	18	53
16	-	3	-	-	1	1	-	2	-	2	-	-	2	3	-	2	3	-	-	5	54
4	5	1	-	-	1	1	2	1	-	1	-	-	1	1	-	-	-	-	-	1	55
30	2	8	-	1	1	-	7	-	1	-	-	-	3	9	1	8	10	2	-	12	56
12	9	9	-	3	-	-	2	-	1	-	-	-	2	7	-	5	4	1	-	4	57
64	2	8	1	5	4	-	7	2	-	1	-	-	1	4	3	4	8	5	1	13	58
40	1	4	-	4	3	-	4	1	-	1	-	-	-	2	2	1	3	2	-	11	59
24	1	4	1	1	1	-	3	1	-	-	-	-	1	2	1	3	5	3	1	2	60
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	61
43	2	9	1	3	2	2	5	-	2	1	-	-	1	3	9	11	9	3	2	12	62
22	2	5	1	3	2	2	2	-	2	1	-	-	1	-	9	5	6	2	-	11	63
21	-	4	-	-	-	-	3	-	-	-	-	-	-	3	-	6	3	1	2	1	64
4	1	2	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	1	-	-	65
15	-	8	-	1	-	1	2	1	1	-	-	1	-	4	-	1	1	1	-	4	66
18	1	2	-	1	1	1	1	-	-	1	-	-	2	6	-	3	3	1	-	4	67
12	4	2	1	1	-	-	3	-	-	-	-	-	3	4	1	2	5	-	-	5	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70

Certain cities are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Aurora, Colo., under Adams County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; College Park, Ga., under Fulton County; Collinsville, Ill., under Madison County; Eau Claire, Wis., under Eau Claire County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Grand Prairie, Tex., under Dallas County; Hannibal, Mo., under Marion County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Kansas City, Mo., under Jackson County; Pocatello, Idaho, under Bannock County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Salem, Oreg., under Marion County; Sikeston, Mo., under Scott County; Streator, Ill., under La Salle County; Takoma Park, Md., under Montgomery County; Watertown, Wis., under Jefferson County; Weirton, W. Va., under Hancock County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

Table 69A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1957

(By place of residence. Includes only deaths occurring within the continental United States. States and counties are listed in which there was one death (or more) from the specified cause. Includes data for urban places shown in table 69B. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Deaths
TYPHOID FEVER (040)	
United States	34
Alabama	2
Greene	1
Perry	1
Arkansas	1
Cross	1
California	1
Merced	1
Florida	1
Dade	1
Illinois	1
Boone	1
Indiana	1
Hamilton	1
Iowa	1
Black Hawk	1
Kentucky	1
Johnson	1
Louisiana[1]	2
Rapides	2
Maryland	1
Garrett	1
Missouri	2
Jackson	1
St. Louis (independent city)	1
New Mexico	1
San Juan	1
New York	2
New York City[2]	2
Ohio	2
Franklin	1
Hamilton	1
Oklahoma	1
Custer	1
Pennsylvania	1
Erie	1
South Carolina	3
Berkeley	1
Orangeburg	2
Tennessee	2
Hawkins	1
Jackson	1
Texas	7
Bandera	1
Bexar	1
Cameron	1
Cochran	1
Dallas	1
Starr	1
Val Verde	1
Virginia	1
South Norfolk (independent city)	1
DYSENTERY, ALL FORMS (045-048)	
United States	440
Alabama	17
Baldwin	2
Calhoun	1
Coffee	1
Dallas	5
Jefferson	1
Lee	1
Madison	1
Mobile	1
Pickens	1
Randolph	1
Tallapoosa	1
Walker	1
Arizona	21
Apache	1
Cochise	1
Maricopa	6
Navajo	2
Pima	1
Pinal	7
Santa Cruz	1
Yuma	2
Arkansas	13
Ashley	1
Bradley	1
Chicot	1
Columbia	1
Crittenden	1
Cross	1
Desha	1
Jefferson	1
Logan	1
Mississippi	2
Phillips	1
Woodruff	1
California	23
Fresno	1
Kern	2
Los Angeles	6
Sacramento	1
San Bernardino	3
San Diego	2
San Francisco	1
San Joaquin	2
San Mateo	1
Santa Clara	3
Tulare	1
Colorado	3
Boulder	1
Conejos	1
La Plata	1
Delaware	1
Sussex	1
District of Columbia	1
Florida	10
Brevard	1
Dade	3
Gadsden	1
Indian River	1
Leon	1
Manatee	1
Palm Beach	1
Seminole	1
Georgia	22
Burke	1
Colquitt	1
Cook	1
Crisp	1
De Kalb	2
Dougherty	2
Early	1
Fulton	2
Glynn	1
Gordon	1
Gwinnett	1
Hancock	1
Jackson	1
Long	1
Macon	1
Richmond	1
Whitfield	2
Worth	1
Illinois	11
Cook	5
Du Page	1
Franklin	1
McHenry	1
Rock Island	1
Shelby	1
Will	1
Indiana	3
Dearborn	1
Lawrence	1
Scott	1
Iowa	4
Dubuque	1
Fayette	2
Scott	1
Kentucky	15
Barren	1
Fayette	1
Floyd	1
Green	1
Greenup	1
Hardin	1
Jessamine	1
Madison	1
Owen	1
Pike	3
Union	2
Warren	1
Louisiana[1]	10
East Baton Rouge	1
Iberia	2
Jefferson Davis	1
Ouachita	3
St. Landry	1
Tangipahoa	2
Maine	2
Aroostook	1
Washington	1
Maryland	1
Calvert	1
Massachusetts[3]	3
Michigan	6
Berrien	1
Muskegon	1
Oakland	2
Wayne	2
Minnesota	3
Beltrami	2
Hennepin	1
Mississippi	39
Adams	1
Bolivar	1
Choctaw	1
Claiborne	2
Clarke	1
Covington	1
Grenada	1
Hinds	2
Holmes	3
Humphreys	1
Leake	1
Leflore	3
Lincoln	1
Neshoba	1
Noxubee	1
Oktibbeha	1
Panola	1
Pontotoc	1
Quitman	2
Sharkey	1
Sunflower	1
Tallahatchie	2
Tate	1
Tunica	1
Warren	1
Washington	4
Wilkinson	1
Yazoo	1
Missouri	10
Clark	1
Gentry	1
Greene	1
Howell	1
Randolph	1
Reynolds	1
St. Louis	1
St. Louis (independent city)	2
Webster	1
Montana	2
Deer Lodge	2
Nebraska	1
Lancaster	1
Nevada	1
Clark	1
New Jersey	5
Burlington	1
Gloucester	1
Middlesex	1
Union	2
New Mexico	18
Curry	1
Dona Ana	1
Grant	1
Guadalupe	2
Sandoval	3
San Juan	1
San Miguel	1
Taos	8
New York	7
Greene	1
New York City[2]	5
Niagara	1
North Carolina	13
Bertie	1
Burke	1
Davidson	1
Greene	1
Halifax	1
Martin	1
Mecklenburg	1
Nash	1
Onslow	1
Sampson	1
Stanly	1
Surry	1
Wake	1
Ohio	6
Cuyahoga	1
Franklin	1
Hamilton	1
Hocking	1
Montgomery	1
Scioto	1
Oklahoma	10
Caddo	1
Hughes	1
Latimer	1
Mayes	1
Okmulgee	1
Pontotoc	1
Rogers	1
Seminole	1
Tulsa	2
Oregon	2
Multnomah	1
Yamhill	1
Pennsylvania	4
Allegheny	1
Chester	1
Lackawanna	1
Westmoreland	1
Rhode Island	5
Newport	1
Providence	4
South Carolina	7
Anderson	1
Barnwell	1
Chesterfield	1
Greenville	1
Horry	1
Marion	2
South Dakota	3
Deuel	1
Harding	1
Meade	1
Tennessee	9
Madison	1
Obion	1
Robertson	2
Shelby	2
Sullivan	1
Sumner	1
Wayne	1

[1]Divisions are designated as parishes.
[2]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[3]Data are shown only for the State as a whole; for explanation, see text in Volume I.

Table 69A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1957—Continued

(By place of residence. Includes only deaths occurring within the continental United States. States and counties are listed in which there was one death (or more) from the specified cause. Includes data for urban places shown in table 69B. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Deaths
DYSENTERY, ALL FORMS (045-048)—Continued	
Texas	112
Bailey	2
Bee	5
Bexar	4
Brewster	1
Briscoe	1
Caldwell	1
Cameron	12
Castro	2
Cherokee	1
Dallas	2
De Witt	2
Dimmit	1
Donley	1
Ellis	3
El Paso	1
Falls	1
Galveston	1
Gray	1
Gregg	1
Grimes	1
Hale	2
Harris	2
Harrison	1
Hays	1
Hidalgo	16
Hopkins	1
Houston	1
Hunt	1
Jasper	1
Jefferson	1
Kaufman	1
Kerr	1
Kinney	1
Knox	1
Lamb	1
Lubbock	2
McLennan	2
Martin	1
Maverick	2
Milam	3
Navarro	1
Nueces	1
Real	1
Reeves	1
Robertson	1
Runnels	1
San Patricio	3
San Saba	1
Tarrant	1
Travis	3
Uvalde	1
Victoria	2
Webb	4
Wharton	2
Wichita	1
Willacy	2
Utah	1
Utah	1
Virginia	12
Accomack	2
Amherst	1
King and Queen	1
Pittsylvania	1
Spotsylvania	1
Tazewell	1
Independent cities:	
Danville	1
Hampton	1
Roanoke	1
Staunton	1
Waynesboro	1
Wisconsin	4
Chippewa	1
Marinette	1
Milwaukee	1
Price	1
DIPHTHERIA (055)	
United States	81
Alabama	6
Coosa	1
Dallas	1
Jefferson	1
Alabama—Continued	
Lowndes	1
Mobile	1
Pike	1
Arkansas	4
Craighead	1
Miller	1
Mississippi	1
Pike	1
Connecticut	1
New Haven	1
Florida	5
Duval	1
Gadsden	1
Manatee	1
Palm Beach	1
Polk	1
Georgia	8
Baldwin	1
Burke	1
Crisp	1
Dougherty	1
Fayette	1
Laurens	1
Pickens	1
Tift	1
Indiana	2
Madison	1
Marion	1
Kentucky	2
Jefferson	2
Louisiana[1]	4
Orleans	2
St. Tammany	2
Massachusetts[3]	1
Michigan	1
Lenawee	1
Minnesota	1
Itasca	1
Montana	1
Glacier	1
Nebraska	2
Lincoln	2
New Mexico	1
Sandoval	1
New York	5
Cayuga	1
Erie	1
Monroe	1
New York City[2]	1
Oswego	1
North Carolina	2
Nash	1
Wilson	1
North Dakota	1
Cass	1
Ohio	1
Clermont	1
Oklahoma	1
Washington	1
Pennsylvania	3
Allegheny	1
Philadelphia	2
South Carolina	4
Charleston	2
Georgetown	1
Horry	1
Tennessee	3
Greene	1
McMinn	1
Rutherford	1
Texas	11
Bexar	2
Cameron	1
Texas—Continued	
Ellis	1
Hays	1
Hidalgo	4
Martin	1
Webb	1
Virginia	4
Nansemond	1
Independent cities:	
Portsmouth	2
Richmond	1
Washington	2
King	2
West Virginia	1
Berkeley	1
Wisconsin	1
Jefferson	1
Wyoming	3
Natrona	2
Washakie	1
WHOOPING COUGH (056)	
United States	183
Alabama	3
Barbour	1
Lamar	1
Pike	1
Arizona	3
Maricopa	1
Pima	1
Pinal	1
Arkansas	4
Desha	1
Mississippi	2
Monroe	1
California	8
Imperial	1
Los Angeles	5
San Diego	1
Santa Clara	1
Colorado	1
Eagle	1
Florida	4
Broward	1
Leon	1
Osceola	1
Palm Beach	1
Georgia	5
Chatham	1
Columbia	1
Early	1
Harris	1
Lowndes	1
Illinois	2
St. Clair	1
Saline	1
Indiana	3
Marion	1
Scott	1
Wayne	1
Iowa	3
Des Moines	1
Page	1
Scott	1
Kentucky	4
Boone	1
Laurel	1
Leslie	1
Shelby	1
Louisiana[1]	2
Beauregard	1
St. Landry	1
Maryland	4
Baltimore (independent city)	1
Cecil	1
St. Marys	1
Somerset	1
Massachusetts[3]	1
Michigan	6
Genesee	3
St. Joseph	2
Wayne	1
Minnesota	1
Wabasha	1
Mississippi	14
Amite	2
Benton	1
Kemper	1
Lauderdale	1
Madison	2
Pike	1
Pontotoc	1
Sunflower	1
Tunica	1
Warren	1
Washington	1
Winston	1
Montana	2
Roosevelt	1
Valley	1
Nebraska	1
Holt	1
New Hampshire	1
Hillsborough	1
New Jersey	3
Burlington	1
Hudson	1
Passaic	1
New Mexico	3
De Baca	1
Mora	2
New York	7
Albany	1
Chautauqua	1
Erie	1
Franklin	1
Genesee	1
Rockland	1
St. Lawrence	1
North Carolina	12
Duplin	1
Franklin	1
Greene	1
Lincoln	1
Mecklenburg	1
Nash	1
Northampton	1
Orange	1
Vance	2
Warren	1
Wilson	1
Ohio	6
Ashtabula	1
Cuyahoga	1
Muskingum	1
Preble	1
Richland	1
Scioto	1
Oklahoma	7
Carter	1
Jackson	1
Mayes	1
Nowata	1
Oklahoma	1
Okmulgee	1
Osage	1
Pennsylvania	13
Bradford	1
Cambria	1
Clarion	1
Forest	1
Huntingdon	1
Lackawanna	1
Mercer	1
Perry	1
Philadelphia	2
Sullivan	1
Warren	1
York	1

[1]Divisions are designated as parishes.
[2]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[3]Data are shown only for the State as a whole; for explanation, see text in Volume I.

Table 69A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1957 —Continued

(By place of residence. Includes only deaths occurring within the continental United States. States and counties are listed in which there was one death (or more) from the specified cause. Includes data for urban places shown in table 69B. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Deaths
WHOOPING COUGH (056)—Continued	
South Carolina	18
Beaufort	1
Cherokee	1
Chester	1
Darlington	2
Florence	4
Georgetown	2
Horry	1
Laurens	1
Spartanburg	3
Sumter	1
Williamsburg	1
South Dakota	2
Hughes	1
Shannon	1
Tennessee	4
Cocke	1
Greene	1
Shelby	2
Texas	25
Atascosa	1
Bexar	2
Collin	1
Colorado	1
Falls	2
Garza	1
Hardin	1
Harris	1
Hays	1
Henderson	1
Houston	1
Jim Wells	1
Kinney	1
Lavaca	1
Tarrant	1
Taylor	1
Ward	1
Washington	1
Wilbarger	1
Wilson	1
Winkler	1
Zavala	2
Virginia	9
Accomack	1
Appomattox	1
Henry	1
Northumberland	1
Pittsylvania	1
Scott	1
Independent cities:	
Martinsville	1
Norfolk	1
Richmond	1
Washington	1
Walla Walla	1
West Virginia	1
Wood	1
MENINGOCOCCAL INFECTIONS (057)	
United States	785
Alabama	20
Clay	1
Colbert	1
Elmore	1
Etowah	2
Hale	1
Jefferson	4
Macon	1
Marengo	1
Mobile	3
Montgomery	1
Morgan	1
Sumter	1
Tuscaloosa	1
Walker	1
Arizona	9
Apache	1
Coconino	1
Maricopa	7
Arkansas	5
Benton	1
Clark	1
Lonoke	1
Sebastian	1
Yell	1
California	44
Alameda	1
Contra Costa	1
Imperial	1
Kern	2
Los Angeles	9
Madera	1
Merced	1
Monterey	3
Orange	1
Riverside	1
Sacramento	2
San Diego	1
San Francisco	5
San Joaquin	1
San Luis Obispo	1
San Mateo	3
Santa Barbara	1
Santa Clara	1
Solano	1
Sonoma	4
Tulare	1
Ventura	1
Yuba	1
Colorado	11
Cheyenne	1
Denver	4
El Paso	1
Montezuma	1
Pueblo	2
Saguache	1
Weld	1
Connecticut	5
Fairfield	1
Hartford	2
Litchfield	1
New Haven	1
Delaware	3
New Castle	2
Sussex	1
District of Columbia	3
Florida	26
Brevard	1
Broward	1
Dade	1
Duval	3
Escambia	1
Gadsden	1
Hamilton	1
Hillsborough	3
Orange	5
Palm Beach	3
Pinellas	2
Polk	2
St. Johns	1
Seminole	1
Georgia	23
Chattooga	1
Clayton	1
Cobb	2
Coweta	1
Floyd	1
Fulton	8
Laurens	1
Lowndes	1
Lumpkin	1
Muscogee	2
Toombs	1
Troup	2
Upson	1
Idaho	4
Bannock	1
Bonneville	1
Nez Perce	1
Twin Falls	1
Illinois	34
Alexander	1
Christian	1
Cook	17
Illinois—Continued	
La Salle	2
Madison	1
Moultrie	1
Ogle	1
Rock Island	2
St. Clair	2
Sangamon	2
Will	1
Winnebago	2
Woodford	1
Indiana	31
Allen	1
Benton	1
Boone	1
Clark	1
Crawford	2
Delaware	1
Dubois	1
Elkhart	1
Harrison	1
Howard	1
Johnson	1
Knox	1
Lake	3
Marion	5
Newton	1
Ohio	1
Pike	1
Randolph	1
Rush	1
St. Joseph	1
Tipton	1
Vanderburgh	2
Wayne	1
Iowa	10
Carroll	1
Cerro Gordo	1
Clinton	1
Des Moines	1
Harrison	1
Linn	2
Polk	2
Scott	1
Kansas	9
Allen	1
Chautauqua	1
Dickinson	1
Johnson	1
Pottawatomie	1
Sedgwick	3
Wyandotte	1
Kentucky	31
Adair	1
Anderson	1
Bourbon	3
Boyd	1
Bracken	1
Breathitt	1
Breckinridge	1
Christian	1
Clay	3
Daviess	1
Fayette	1
Grayson	1
Hardin	1
Harlan	1
Jefferson	4
Kenton	1
Knox	1
Larue	1
Letcher	1
McCracken	1
McCreary	1
Pike	2
Pulaski	1
Louisiana[1]	14
Acadia	2
Calcasieu	2
East Baton Rouge	1
Jefferson	1
Orleans	2
Ouachita	2
Rapides	1
Sabine	1
St. Landry	2
Maine	7
Aroostook	2
Cumberland	3
Washington	2
Maryland	14
Allegany	1
Baltimore	2
Baltimore (independent city)	7
Cecil	2
Frederick	1
Prince Georges	1
Massachusetts[3]	19
Michigan	39
Allegan	1
Barry	1
Bay	1
Branch	2
Genesee	3
Hillsdale	1
Huron	1
Ionia	1
Jackson	1
Kent	3
Livingston	1
Macomb	2
Marquette	1
Mecosta	1
Monroe	1
Otsego	1
Saginaw	1
St. Joseph	1
Shiawassee	1
Washtenaw	1
Wayne	12
Wexford	1
Minnesota	11
Hennepin	1
Lake	1
Olmsted	1
Ramsey	1
Rice	1
St. Louis	5
Stearns	1
Mississippi	11
Alcorn	1
Bolivar	1
Covington	2
Holmes	1
Lafayette	1
Lincoln	1
Rankin	1
Wilkinson	1
Winston	1
Yalobusha	1
Missouri	13
Barton	1
Cape Girardeau	1
Greene	1
Jackson	3
St. Louis	2
St. Louis (independent city)	4
Ste. Genevieve	1
Montana	3
Cascade	2
Stillwater	1
Nebraska	5
Adams	1
Douglas	3
Lancaster	1
Nevada	1
Washoe	1
New Hampshire	4
Belknap	1
Grafton	1
Hillsborough	1
Rockingham	1
New Jersey	19
Bergen	2
Burlington	1
Camden	1
Cumberland	1
Essex	6
Hudson	1

[1]Divisions are designated as parishes
[3]Data are shown only for the State as a whole; for explanation, see text in Volume I.

Table 69A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1957—Continued

(By place of residence. Includes only deaths occurring within the continental United States. States and counties are listed in which there was one death (or more) from the specified cause. Includes data for urban places shown in table 69B. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Continued	
New Jersey—Continued	
Mercer	1
Middlesex	1
Monmouth	1
Ocean	1
Salem	1
Union	2
New Mexico	10
Bernalillo	1
Curry	1
Lea	1
Luna	1
Otero	2
Sandoval	1
San Juan	1
Union	1
Valencia	1
New York	69
Chautauqua	2
Cortland	1
Dutchess	1
Erie	3
Fulton	1
Genesee	1
Greene	1
Herkimer	2
Monroe	2
Nassau	1
New York City[2]	35
Niagara	1
Oneida	1
Onondaga	6
Orange	2
Oswego	1
Rockland	1
St. Lawrence	2
Saratoga	1
Schenectady	1
Seneca	1
Suffolk	2
North Carolina	27
Beaufort	1
Buncombe	1
Burke	1
Craven	1
Cumberland	2
Edgecombe	1
Granville	1
Greene	1
Guilford	1
Harnett	1
Johnston	2
Mecklenburg	4
Northampton	1
Onslow	1
Randolph	1
Rockingham	2
Rutherford	1
Vance	1
Wake	1
Washington	1
Wayne	1
North Dakota	4
Grand Forks	1
Kidder	1
Ransom	1
Towner	1
Ohio	49
Adams	1
Ashtabula	1
Athens	1
Belmont	2
Butler	2
Clark	1
Clermont	1
Crawford	1
Cuyahoga	6
Erie	1
Franklin	4
Gallia	1
Geauga	1
Hamilton	7
Lake	1
Lawrence	1
Licking	1
Lorain	2
Ohio—Continued	
Lucas	1
Mahoning	1
Medina	3
Mercer	1
Montgomery	5
Preble	1
Shelby	1
Washington	1
Oklahoma	12
Carter	1
Custer	1
Hughes	1
Muskogee	1
Okfuskee	1
Oklahoma	1
Ottawa	1
Pittsburg	1
Tulsa	4
Oregon	7
Benton	1
Josephine	1
Lane	2
Malheur	1
Marion	1
Umatilla	1
Pennsylvania	42
Allegheny	9
Beaver	1
Bradford	1
Bucks	1
Centre	2
Chester	1
Clearfield	1
Delaware	3
Greene	1
Indiana	1
Jefferson	1
Lancaster	1
Lehigh	1
Northampton	1
Philadelphia	13
Washington	1
Westmoreland	1
York	2
South Carolina	12
Chester	1
Florence	1
Greenville	1
Oconee	2
Orangeburg	1
Richland	2
Spartanburg	2
Sumter	1
York	1
South Dakota	5
Meade	1
Mellette	1
Minnehaha	1
Pennington	2
Tennessee	14
Campbell	1
Davidson	2
Hamilton	2
Hawkins	1
Knox	1
Marion	1
Putnam	1
Shelby	2
Smith	1
Sullivan	2
Texas	39
Archer	1
Atascosa	1
Bexar	5
Bowie	1
Cameron	2
Dallas	2
Hale	1
Hardin	2
Harris	11
Hill	1
Lamar	2
McLennan	1
Nueces	1
Parmer	1
Potter	1
Texas—Continued	
San Patricio	1
Smith	1
Tarrant	3
Wichita	1
Vermont	2
Caledonia	1
Windsor	1
Virginia	24
Amherst	3
Chesterfield	1
Halifax	1
Isle of Wight	1
Louisa	1
Mecklenburg	1
Nansemond	1
Norfolk	1
Prince William	2
Roanoke	1
Shenandoah	1
Surry	1
Tazewell	1
Independent cities:	
Alexandria	2
Hampton	1
Norfolk	1
Portsmouth	2
Richmond	1
Winchester	1
Washington	13
Chelan	1
Cowlitz	1
King	2
Pacific	1
Pend Oreille	1
Pierce	3
Skagit	1
Snohomish	1
Thurston	1
Yakima	1
West Virginia	11
Berkeley	1
Harrison	1
Kanawha	2
McDowell	1
Pleasants	2
Preston	1
Raleigh	2
Summers	1
Wisconsin	16
Eau Claire	1
Iowa	1
Kenosha	1
La Crosse	1
Milwaukee	5
Pierce	1
Racine	2
Sauk	1
Shawano	2
Sheboygan	1
Wyoming	1
Crook	1
MEASLES (085)	
United States	389
Alabama	15
Bibb	1
Butler	2
Chambers	1
Covington	1
De Kalb	3
Houston	1
Jefferson	1
Marengo	1
Monroe	1
Montgomery	1
Perry	1
Pike	1
Arizona	17
Apache	1
Coconino	1
Maricopa	6
Navajo	6
Pima	3
Arkansas	6
Craighead	1
Garland	1
Lee	1
Mississippi	1
Phillips	1
Union	1
California	27
Los Angeles	15
Modoc	1
Orange	1
Riverside	1
Sacramento	1
San Bernardino	1
San Diego	4
San Francisco	1
San Mateo	1
Solano	1
Colorado	3
Eagle	1
La Plata	1
Montrose	1
Connecticut	4
Hartford	2
New Haven	1
New London	1
Delaware	3
New Castle	1
Sussex	2
District of Columbia	1
Florida	11
Dade	2
Duval	1
Escambia	1
Hendry	1
Monroe	1
Palm Beach	3
St. Lucie	1
Volusia	1
Georgia	20
Ben Hill	1
Clayton	1
Decatur	1
Dooly	1
Douglas	1
Fulton	3
Gwinnett	1
Jasper	1
Jefferson	1
Newton	1
Pike	2
Randolph	2
Spalding	1
Turner	1
Upson	2
Idaho	9
Ada	2
Bonneville	1
Canyon	1
Jerome	1
Latah	1
Shoshone	1
Twin Falls	2
Illinois	8
Alexander	1
Henry	1
Kane	1
Kendall	1
Livingston	1
McDonough	1
Macoupin	1
Sangamon	1
Indiana	9
Allen	2
Clark	1
Clay	1
Fulton	1
Greene	1
Knox	1
Miami	1
Pulaski	1
Iowa	5
Clinton	1
Dallas	1
Emmet	1

[2]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

Table 69A. Deaths From Specified Infective Diseases: United States, Specified States and Counties, 1957 —Continued

(By place of residence. Includes only deaths occurring within the continental United States. States and counties are listed in which there was one death (or more) from the specified cause. Includes data for urban places shown in table 69B. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Continued	
Iowa—Continued	
Hancock	1
Polk	1
Kansas	2
Harvey	1
Sedgwick	1
Kentucky	12
Fayette	2
Fleming	1
Floyd	1
Fulton	1
Garrard	1
Johnson	1
Madison	1
Mason	1
Nicholas	1
Spencer	1
Warren	1
Louisiana[1]	12
Calcasieu	1
Jefferson	2
Lafayette	1
Orleans	2
Rapides	1
St. Bernard	1
St. Martin	1
St. Mary	2
Washington	1
Maine	2
Aroostook	2
Maryland	1
Baltimore (independent city)	1
Massachusetts[3]	4
Michigan	22
Calhoun	3
Clinton	1
Delta	2
Emmet	1
Grand Traverse	1
Gratiot	1
Houghton	1
Ingham	1
Isabella	1
Jackson	1
Kalamazoo	1
Kent	2
Macomb	1
Menominee	1
Muskegon	2
Oakland	1
Wayne	1
Minnesota	15
Becker	1
Beltrami	1
Carver	2
Cottonwood	1
Hennepin	2
Minnesota—Continued	
Hubbard	1
Kittson	1
Koochiching	1
Nobles	1
Ramsey	2
Scott	1
Watonwan	1
Mississippi	5
Harrison	1
Jasper	1
Marion	1
Panola	2
Missouri	8
Audrain	1
Buchanan	1
Clay	1
Mississippi	1
Pulaski	1
St. Francois	2
Wayne	1
Montana	3
Glacier	3
Nebraska	2
Cass	1
Webster	1
Nevada	1
Washoe	1
New Hampshire	1
Merrimack	1
New Jersey	9
Bergen	3
Essex	1
Hudson	2
Mercer	1
Middlesex	1
Passaic	1
New Mexico	15
Chaves	2
Eddy	1
Lea	1
McKinley	1
Otero	1
Rio Arriba	1
Sandoval	2
San Juan	3
San Miguel	1
Torrance	2
New York	12
Chautauqua	1
Chemung	1
Nassau	2
New York City[2]	3
Oneida	1
Onondaga	1
Schenectady	1
Tompkins	1
Westchester	1
North Carolina	3
Guilford	1
Hertford	1
Rutherford	1
North Dakota	2
Rolette	1
Traill	1
Ohio	8
Darke	1
Defiance	1
Henry	1
Holmes	1
Lorain	1
Miami	1
Seneca	1
Williams	1
Oklahoma	3
Cleveland	1
Garvin	1
Kiowa	1
Oregon	7
Douglas	1
Jackson	1
Malheur	1
Multnomah	3
Washington	1
Pennsylvania	11
Berks	1
Bucks	1
Clearfield	1
Indiana	1
Lackawanna	2
Lancaster	2
Northampton	1
Northumberland	1
Wayne	1
South Carolina	8
Edgefield	1
Georgetown	1
McCormick	1
Pickens	1
Richland	1
Spartanburg	2
Sumter	1
South Dakota	5
Brule	1
Day	1
Hand	1
Hyde	1
Minnehaha	1
Tennessee	14
Blount	1
Bradley	1
Campbell	1
Davidson	2
Decatur	2
Hamblen	1
Henderson	1
Hickman	1
Madison	1
Shelby	3
Texas	31
Bee	1
Bexar	5
Bowie	1
Caldwell	1
Cameron	3
Culberson	1
Dallas	2
El Paso	1
Galveston	1
Harris	2
Hidalgo	2
Lamb	1
Lubbock	1
Midland	1
Milam	1
San Patricio	2
Terry	1
Titus	1
Uvalde	1
Webb	1
Willacy	1
Utah	5
Salt Lake	2
Uintah	1
Utah	2
Vermont	2
Essex	1
Windham	1
Virginia	5
Halifax	1
Independent cities:	
Hampton	1
Norfolk	1
Portsmouth	1
Warwick[4]	1
Washington	7
Grays Harbor	1
King	2
Mason	1
Pend Oreille	1
Spokane	1
Yakima	1
West Virginia	4
Fayette	1
Greenbrier	1
Jackson	1
Kanawha	1
Wisconsin	10
Clark	1
Door	1
Jackson	1
Jefferson	1
Kenosha	1
Marathon	1
Milwaukee	2
Outagamie	1
Rock	1

[1]Divisions are designated as parishes.
[2]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[3]Data are shown only for the State as a whole; for explanation, see text in Volume I.
[4]Warwick, formerly Warwick County, shown as an independent city beginning with 1952.

Table 69B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1957

(By place of residence. Includes only deaths occurring within the continental United States. Urban places with populations of 10,000 or more in 1950 are listed in which there was one death (or more) from the specified cause. Counties in which urban places are located are shown in parentheses. Data for Massachusetts are excluded; for explanation, see text in Volume I. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Deaths
TYHOID FEVER (040)	
California:	
Merced (Merced)	1
Florida:	
Miami (Dade)	1
Iowa:	
Waterloo (Black Hawk)	1
Louisiana:	
Alexandria (Rapides)	1
Missouri:	
Kansas City (Jackson)	1
St. Louis (independent city)	1
New York:	
New York City[1]	2
Ohio:	
Cincinnati (Hamilton)	1
Texas:	
Dallas (Dallas)	1
Del Rio (Val Verde)	1
Harlingen (Cameron)	1
San Antonio (Bexar)	1
Virginia:	
South Norfolk (independent city)	1
DYSENTERY, ALL FORMS (045-048)	
Alabama:	
Anniston (Calhoun)	1
Arizona:	
Phoenix (Maricopa)	2
Tucson (Pima)	1
Arkansas:	
Blytheville (Mississippi)	1
California:	
Long Beach (Los Angeles)	1
Los Angeles (Los Angeles)	3
Lynwood (Los Angeles)	1
Oceanside (San Diego)	1
Ontario (San Bernardino)	1
Sacramento (Sacramento)	1
San Francisco (San Francisco)	1
San Jose (Santa Clara)	3
San Mateo (San Mateo)	1
Stockton (San Joaquin)	1
Colorado:	
Boulder (Boulder)	1
District of Columbia:	
Washington, D. C.	1
Florida:	
Miami (Dade)	1
Tallahassee (Leon)	1
Georgia:	
Albany (Dougherty)	2
Atlanta (Fulton)	2
Brunswick (Glynn)	1
Decatur (DeKalb)	1
Illinois:	
Chicago (Cook)	3
Elmhurst (Du Page)	1
Joliet (Will)	1
Iowa:	
Davenport (Scott)	1
Dubuque (Dubuque)	1
Louisiana:	
Baton Rouge (East Baton Rouge)	1
Monroe (Ouachita)	2
New Iberia (Iberia)	2
Opelousas (St. Landry)	1
West Monroe (Ouachita)	1
Michigan:	
Detroit (Wayne)	2
Muskegon (Muskegon)	1
Pontiac (Oakland)	1
Mississippi:	
Greenville (Washington)	2
Jackson (Hinds)	1
Natchez (Adams)	1
Missouri:	
Moberly (Randolph)	1
St. Louis (independent city)	2
Montana:	
Anaconda (Deer Lodge)	2
Nebraska:	
Lincoln (Lancaster)	1
Nevada:	
Las Vegas (Clark)	1
New Jersey:	
Carteret (Middlesex)	1
New Mexico:	
Clovis (Curry)	1
New York:	
New York City[1]	5
Niagara Falls (Niagara)	1
North Carolina:	
Rocky Mount (Nash)	1
Ohio:	
Cincinnati (Hamilton)	1
Cleveland (Cuyahoga)	1
Columbus (Franklin)	1
Dayton (Montgomery)	1
Portsmouth (Scioto)	1
Oklahoma:	
Tulsa (Tulsa)	1
Oregon:	
Portland (Multnomah)	1
Pennsylvania:	
Pittsburgh (Allegheny)	1
Rhode Island:	
Newport (Newport)	1
Providence (Providence)	2
Woonsocket (Providence)	1
South Carolina:	
Greenville (Greenville)	1
Tennessee:	
Kingsport (Sullivan)	1
Memphis (Shelby)	2
Texas:	
Austin (Travis)	3
Beaumont (Jefferson)	1
Brownsville (Cameron)	3
Corpus Christi (Nueces)	1
Corsicana (Navarro)	1
Dallas (Dallas)	2
Edinburg (Hidalgo)	2
El Paso (El Paso)	1
Fort Worth (Tarrant)	1
Greenville (Hunt)	1
Harlingen (Cameron)	3
Texas—Continued	
Houston (Harris)	2
Laredo (Webb)	4
Longview (Gregg)	1
McAllen (Hidalgo)	1
Mission (Hidalgo)	1
Pampa (Gray)	1
Plainview (Hale)	1
San Antonio (Bexar)	4
San Benito (Cameron)	1
Terrell (Kaufman)	1
Victoria (Victoria)	2
Waco (McLennan)	1
Wichita Falls (Wichita)	1
Virginia:	
Danville (independent city)	1
Hampton (independent city)	1
Roanoke (independent city)	1
Staunton (independent city)	1
Waynesboro (independent city)	1
Wisconsin:	
West Allis (Milwaukee)	1
DIPHTHERIA (055)	
Alabama:	
Birmingham (Jefferson)	1
Arkansas:	
Texarkana (Miller)[2]	1
Florida:	
Jacksonville (Duval)	1
Georgia:	
Albany (Dougherty)	1
Dublin (Laurens)	1
Indiana:	
Indianapolis (Marion)	1
Kentucky:	
Louisville (Jefferson)	2
Louisiana:	
New Orleans (Orleans)	2
Michigan:	
Adrian (Lenawee)	1
Nebraska:	
North Platte (Lincoln)	1
New York:	
Buffalo (Erie)	1
New York City[1]	1
North Carolina:	
Wilson (Wilson)	1
Pennsylvania:	
Carnegie (Allegheny)	1
Philadelphia (Philadelphia)	2
South Carolina:	
Charleston (Charleston)	2
Tennessee:	
Murfreesboro (Rutherford)	1
Texas:	
Harlingen (Cameron)	1
Laredo (Webb)	1
McAllen (Hidalgo)	1
San Antonio (Bexar)	2
Virginia:	
Portsmouth (independent city)	2
Richmond (independent city)	1
Washington:	
Seattle (King)	1
Wisconsin:	
Watertown (Jefferson)	1
Wyoming:	
Casper (Natrona)	2
WHOOPING COUGH (056)	
Arizona:	
Phoenix (Maricopa)	1
California:	
Los Angeles (Los Angeles)	3
National City (San Diego)	1
San Jose (Santa Clara)	1
Florida:	
West Palm Beach (Palm Beach)	1
Georgia:	
Savannah (Chatham)	1
Illinois:	
Belleville (St. Clair)	1
Indiana:	
Indianapolis (Marion)	1
Iowa:	
Davenport (Scott)	1
Maryland:	
Baltimore (independent city)	1
Michigan:	
Highland Park (Wayne)	1
Mississippi:	
Meridian (Lauderdale)	1
Vicksburg (Warren)	1
New Hampshire:	
Manchester (Hillsborough)	1
New Jersey:	
Clifton (Passaic)	1
Union City (Hudson)	1
New York:	
Albany (Albany)	1
Buffalo (Erie)	1
Ogdensburg (St. Lawrence)	1
North Carolina:	
Henderson (Vance)	2
Ohio:	
Ashtabula (Ashtabula)	1
Cleveland (Cuyahoga)	1
Mansfield (Richland)	1
Zanesville (Muskingum)	1
Oklahoma:	
Oklahoma City (Oklahoma)	1
Okmulgee (Okmulgee)	1
Pennsylvania:	
Johnstown (Cambria)	1
Philadelphia (Philadelphia)	2
South Carolina:	
Florence (Florence)	1
Sumter (Sumter)	1
Tennessee:	
Memphis (Shelby)	2
Texas:	
Abilene (Taylor)	1
Fort Worth (Tarrant)	1
Houston (Harris)	1
McKinney (Collin)	1
San Antonio (Bexar)	2
Vernon (Wilbarger)	1

[1]Comprising Bronx, Kings, New York, Queens, and Richmond Counties.

[2]Includes data for Texarkana, Ark., only.

Table 69B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1957—Continued

(See headnote at beginning of table)

AREA AND CAUSE OF DEATH	Deaths
WHOOPING COUGH (056)—Continued	
Virginia:	
Martinsville (independent city)	1
Norfolk (independent city)	1
Richmond (independent city)	1
West Virginia:	
Parkersburg (Wood)	1
MENINGOCOCCAL INFECTIONS (057)	
Alabama:	
Birmingham (Jefferson)	2
Gadsden (Etowah)	2
Mobile (Mobile)	2
Montgomery (Montgomery)	1
Tuscaloosa (Tuscaloosa)	1
Arizona:	
Phoenix (Maricopa)	1
Arkansas:	
Fort Smith (Sebastian)	1
California:	
Alhambra (Los Angeles)	1
Brawley (Imperial)	1
Burbank (Los Angeles)	1
El Cerrito (Contra Costa)	1
Inglewood (Los Angeles)	1
Los Angeles (Los Angeles)	2
Menlo Park (San Mateo)	1
Merced (Merced)	1
Monterey (Monterey)	1
National City (San Diego)	1
Oakland (Alameda)	1
Sacramento (Sacramento)	1
Salinas (Monterey)	1
San Francisco (San Francisco)	5
Santa Barbara (Santa Barbara)	1
South San Francisco (San Mateo)	2
Torrance (Los Angeles)	1
Vallejo (Solano)	1
Visalia (Tulare)	1
Colorado:	
Colorado Springs (El Paso)	1
Denver (Denver)	4
Pueblo (Pueblo)	1
Connecticut:	
Hartford (Hartford)	2
Stamford (Fairfield)	1
Waterbury (New Haven)	1
Delaware:	
Wilmington (New Castle)	1
District of Columbia:	
Washington, D. C.	3
Florida:	
Jacksonville (Duval)	2
St. Petersburg (Pinellas)	2
Tampa (Hillsborough)	1
West Palm Beach (Palm Beach)	2
Georgia:	
Atlanta (Fulton)	7
Columbus (Muscogee)	1
La Grange (Troup)	1
Valdosta (Lowndes)	1
Idaho:	
Idaho Falls (Bonneville)	1
Lewiston (Nez Perce)	1
Pocatello (Bannock)	1
Twin Falls (Twin Falls)	1
Illinois:	
Belleville (St. Clair)	1
Cairo (Alexander)	1
Chicago (Cook)	14
Illinois—Continued	
Harvey (Cook)	1
Joliet (Will)	1
La Salle (La Salle)	1
Rock Island (Rock Island)	1
Springfield (Sangamon)	1
Indiana:	
East Chicago (Lake)	1
Evansville (Vanderburgh)	1
Fort Wayne (Allen)	1
Gary (Lake)	1
Hammond (Lake)	1
Indianapolis (Marion)	5
Kokomo (Howard)	1
Muncie (Delaware)	1
South Bend (St. Joseph)	1
Vincennes (Knox)	1
Iowa:	
Burlington (Des Moines)	1
Cedar Rapids (Linn)	1
Clinton (Clinton)	1
Des Moines (Polk)	2
Mason City (Cerro Gordo)	1
Kansas:	
Kansas City (Wyandotte)	1
Wichita (Sedgwick)	3
Kentucky:	
Lexington (Fayette)	1
Louisville (Jefferson)	3
Louisiana:	
Alexandria (Rapides)	1
Baton Rouge (East Baton Rouge)	1
Gretna (Jefferson)	1
Lake Charles (Calcasieu)	1
Monroe (Ouachita)	1
New Orleans (Orleans)	2
West Monroe (Ouachita)	1
Maryland:	
Baltimore (independent city)	7
Michigan:	
Cadillac (Wexford)	1
Detroit (Wayne)	9
Flint (Genesee)	2
Grand Rapids (Kent)	2
Monroe (Monroe)	1
Mount Clemens (Macomb)	1
River Rouge (Wayne)	1
Roseville (Macomb)	1
Saginaw (Saginaw)	1
Wyandotte (Wayne)	1
Minnesota:	
Duluth (St. Louis)	1
Faribault (Rice)	1
Hibbing (St. Louis)	2
Rochester (Olmsted)	1
Missouri:	
Cape Girardeau (Cape Girardeau)	1
Kansas City (Jackson)	3
Springfield (Greene)	1
St. Louis (independent city)	4
Montana:	
Great Falls (Cascade)	1
Nebraska:	
Lincoln (Lancaster)	1
Omaha (Douglas)	3
Nevada:	
Reno (Washoe)	1
New Hampshire:	
Manchester (Hillsborough)	1
Portsmouth (Rockingham)	1
New Jersey:	
Elizabeth (Union)	1
Jersey City (Hudson)	1
Newark (Essex)	5
Nutley (Essex)	1
Plainfield (Union)	1
New Mexico:	
Albuquerque (Bernalillo)	1
Clovis (Curry)	1
New York:	
Buffalo (Erie)	2
Johnstown (Fulton)	1
Mineola (Nassau)	1
Newburgh (Orange)	2
New York City[1]	35
Niagara Falls (Niagara)	1
Oswego (Oswego)	1
Rochester (Monroe)	2
Rome (Oneida)	1
Syracuse (Onondaga)	2
North Carolina:	
Charlotte (Mecklenburg)	3
Fayetteville (Cumberland)	2
Goldsboro (Wayne)	1
Greensboro (Guilford)	1
Henderson (Vance)	1
Raleigh (Wake)	1
Reidsville (Rockingham)	1
North Dakota:	
Grand Forks (Grand Forks)	1
Ohio:	
Ashtabula (Ashtabula)	1
Athens (Athens)	1
Bellaire (Belmont)	1
Bucyrus (Crawford)	1
Cincinnati (Hamilton)	6
Cleveland (Cuyahoga)	6
Columbus (Franklin)	2
Dayton (Montgomery)	4
Sidney (Shelby)	1
Oklahoma:	
Ardmore (Carter)	1
McAlester (Pittsburg)	1
Oklahoma City (Oklahoma)	1
Tulsa (Tulsa)	2
Pennsylvania:	
Aliquippa (Beaver)	1
Chester (Delaware)	1
Philadelphia (Philadelphia)	13
Pittsburgh (Allegheny)	3
Upper Darby (twp.) (Delaware)[3 4]	1
Wilkinsburg (Allegheny)	1
York (York)	1
South Carolina:	
Columbia (Richland)	1
Florence (Florence)	1
Greenville (Greenville)	1
Orangeburg (Orangeburg)	1
South Dakota:	
Rapid City (Pennington)	1
Sioux Falls (Minnehaha)	1
Tennessee:	
Bristol (Sullivan)[5]	1
Chattanooga (Hamilton)	1
Memphis (Shelby)	2
Nashville (Davidson)	2
Texas:	
Amarillo (Potter)	1
Brownsville (Cameron)	2
Corpus Christi (Nueces)	1
Dallas (Dallas)	2
Houston (Harris)	9
Paris (Lamar)	2
Pasadena (Harris)	1
Plainview (Hale)	1
San Antonio (Bexar)	5
Texarkana (Bowie)[6]	1
Waco (McLennan)	1
Wichita Falls (Wichita)	1
Virginia:	
Alexandria (independent city)	2
Hampton (independent city)	1
Norfolk (independent city)	1
Portsmouth (independent city)	2
Richmond (independent city)	1
Winchester (independent city)	1
Washington:	
Olympia (Thurston)	1
Tacoma (Pierce)	2
Wenatchee (Chelan)	1
West Virginia:	
Charleston (Kanawha)	2
Clarksburg (Harrison)	1
Martinsburg (Berkeley)	1
Wisconsin:	
Eau Claire (Eau Claire)	1
Kenosha (Kenosha)	1
La Crosse (La Crosse)	1
Milwaukee (Milwaukee)	4
Racine (Racine)	2
Wauwatosa (Milwaukee)	1
MEASLES (085)	
Alabama:	
Montgomery (Montgomery)	1
Arizona:	
Phoenix (Maricopa)	2
Tucson (Pima)	1
Arkansas:	
Helena (Phillips)	1
Hot Springs (Garland)	1
California:	
Chula Vista (San Diego)	1
Compton (Los Angeles)	1
Fullerton (Orange)	1
Los Angeles (Los Angeles)	6
Ontario (San Bernardino)	1
Sacramento (Sacramento)	1
San Diego (San Diego)	1
San Francisco (San Francisco)	1
South San Francisco (San Mateo)	1
Connecticut:	
Hartford (Hartford)	1
Norwich (New London)	1
Delaware:	
Wilmington (New Castle)	1
District of Columbia:	
Washington, D. C.	1
Florida:	
Daytona Beach (Volusia)	1
Fort Pierce (St. Lucie)	1
Jacksonville (Duval)	1
Georgia:	
Atlanta (Fulton)	3
Griffin (Spalding)	1
Idaho:	
Boise City (Ada)	1
Caldwell (Canyon)	1
Twin Falls (Twin Falls)	1
Illinois:	
Cairo (Alexander)	1
Elgin (Kane)	1
Kewanee (Henry)	1
Macomb (McDonough)	1
Springfield (Sangamon)	1
Indiana:	
Fort Wayne (Allen)	1
Kansas:	
Newton (Harvey)	1
Wichita (Sedgwick)	1
Kentucky:	
Lexington (Fayette)	2
Louisiana:	
Lake Charles (Calcasieu)	1
New Orleans (Orleans)	2

[1]Comprising Bronx, Kings, New York, Queens, and Richmond Counties. [3]Classified as urban under a special rule.
[4]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.
[5]Includes data for Bristol, Tenn., only. [6]Includes data for Texarkana, Tex., only.

Table 69B. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1957—Continued

(See headnote at beginning of table)

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Continued	
Maryland:	
Baltimore (independent city)	1
Michigan:	
Detroit (Wayne)	1
Ferndale (Oakland)	1
Grand Rapids (Kent)	1
Lansing (Ingham)	1
Muskegon (Muskegon)	1
Minnesota:	
Minneapolis (Hennepin)	2
St. Paul (Ramsey)	1
Mississippi:	
Biloxi (Harrison)	1
Nevada:	
Reno (Washoe)	1
New Jersey:	
Clifton (Passaic)	1
New Jersey—Continued	
Jersey City (Hudson)	1
Newark (Essex)	1
North Arlington (Bergen)	1
Perth Amboy (Middlesex)	1
Trenton (Mercer)	1
New Mexico:	
Carlsbad (Eddy)	1
Roswell (Chaves)	1
New York:	
Elmira (Chemung)	1
Lynbrook (Nassau)	1
Mineola (Nassau)	1
New York City[1]	3
Schenectady (Schenectady)	1
Syracuse (Onondaga)	1
White Plains (Westchester)	1
North Carolina:	
High Point (Guilford)	1
Ohio:	
Defiance (Defiance)	1
Oklahoma:	
Norman (Cleveland)	1
Oregon:	
Medford (Jackson)	1
Portland (Multnomah)	2
South Carolina:	
Columbia (Richland)	1
Sumter (Sumter)	1
South Dakota:	
Sioux Falls (Minnehaha)	1
Tennessee:	
Memphis (Shelby)	2
Morristown (Hamblen)	1
Nashville (Davidson)	1
Texas:	
Dallas (Dallas)	2
Edinburg (Hidalgo)	1
Harlingen (Cameron)	1
Texas—Continued	
Houston (Harris)	2
Laredo (Webb)	1
Lubbock (Lubbock)	1
Midland (Midland)	1
San Antonio (Bexar)	4
Texarkana (Bowie)[6]	1
Texas City (Galveston)	1
Virginia:	
Hampton (independent city)	1
Norfolk (independent city)	1
Portsmouth (independent city)	1
Warwick (independent city)[7]	1
Washington:	
Hoquiam (Grays Harbor)	1
Seattle (King)	1
Spokane (Spokane)	1
Wisconsin:	
Kenosha (Kenosha)	1
Milwaukee (Milwaukee)	2
Watertown (Jefferson)	1

[1]Comprising Bronx, Kings, New York, Queens, and Richmond Counties.
[6]Includes data for Texarkana, Tex., only.
[7]Warwick, formerly Warwick County, shown as an independent city beginning with 1952.

NOTES:

Urban places listed in this table are incorporated places of 10,000 or more in 1950 and certain unincorporated areas classified as "urban" under special rules relating to population size and density. Areas classified as urban under these special rules are indicated by a footnote.

Certain cities are located in more than one county. In these cases, figures are shown for that part of the city to which the death was allocated. These cities are: Amarillo, Tex.; Atlanta, Ga.; Eau Claire, Wis.; Elgin, Ill.; Kansas City, Mo.; Pocatello, Idaho; Rocky Mount, N. C.; and Watertown, Wis.

☆ U. S. GOVERNMENT PRINTING OFFICE : 1959 O - 500040