DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
WM. J. HARRIS, DIRECTOR

MORTALITY STATISTICS

1913

FOURTEENTH ANNUAL REPORT

WASHINGTON
GOVERNMENT PRINTING OFFICE
1915

CONTENTS.

	Page.
DEATHS AND CRUDE DEATH RATES	9–21
Growth of the registration area: 1880 to 1913	9
Extent of the registration area in 1913	10
Color, nativity, parent nativity, age, and sex of decedent	10
Average and median ages at death from various causes	10
Death rates of the registration area	15
Death rates of the registration states	15
Death rates of large cities	16
Death rates of foreign countries	18
Death rates of foreign cities	18
Death rates of cities with considerable colored population	19
CAUSES OF DEATH	21–32
Detailed and abridged International Lists	22
Changes in the detailed International List	22
Death rates from certain important causes of death: 1900 to 1913	23
Typhoid fever	25
Measles	25
Scarlet fever	26
Whooping cough	26
Diphtheria and croup	26
Influenza	27
Other epidemic diseases	27
Pellagra	27
Tuberculosis (all forms)	28
Tuberculosis of the lungs	28
Cancer	28
Organic diseases of the heart	29
Pneumonia (all forms)	29
Diarrhea and enteritis (under 2 years)	29
Bright's disease and nephritis	30
Suicide	30
Violent deaths (excluding suicide)	31

SUMMARY AND RATE TABLES.

Table I.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population in the registration area and its subdivisions, by color of decedent: 1912 and 1913	34
Table II.—Deaths (exclusive of stillbirths), and death rates per 100,000 population, by causes, according to the detailed International List, for the registration area: 1910 to 1913	53
Table III.—Death rates per 100,000 population in the registration area and its subdivisions, by color of decedent and cause of death: 1912 and 1913	56
Table IV.—Death rates per 100,000 population in cities and rural districts of each registration state, from each cause and class of causes: 1912 and 1913	184

GENERAL TABLES.

Table 1.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color and age of decedent: 1913	222
Table 2.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color of decedent and cause of death: 1913	244
Table 3.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and in cities and rural districts of each registration state, from each cause and class of causes: 1913	318
Table 4.—Deaths (exclusive of stillbirths) in the registration area, from each cause and class of causes, by sex and age of decedent: 1913	338
Table 5.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state, from each cause and class of causes, by age of decedent: 1913	350
Table 6.—Deaths (exclusive of stillbirths) in each city of 100,000 population or over in 1910, by cause of death (abridged International List) and by age of decedent: 1913	486
Table 7.—Deaths (exclusive of stillbirths) from important causes, by months, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1913	540
Table 8.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1913	577

CONTENTS.

MAP.

Page.
Growth of the registration area for deaths: 1880 to 1913 8

DIAGRAMS.

Percentage which the population of the registration area formed of the total population of the United States: 1880 to 1913 9
General death rates of the United States (registration area) and certain foreign countries for each of the years from 1900 to 1912.... 17
Death rates from certain important causes of death in the registration area of the United States for each of the years from 1900 to 1913. 24

INDEX 627

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., October 31, 1914.

SIR:

I transmit herewith the annual report on mortality statistics, relating to deaths in the registration area of the United States, for the year 1913. This area represented an estimated population of 63,298,718, or 65.1 per cent of the total estimated population of the United States. The number of deaths registered was 890,848, corresponding to a death rate of 14.1 per 1,000 population, which was slightly higher than that for 1912 (13.9), but, with that exception, was the lowest death rate ever recorded for the registration area.

Virginia was admitted to the registration area for deaths for 1913, and during the present year excellent laws for the registration of births and deaths were enacted in the states of Georgia and South Carolina.

The summary and rate tables for 1912, which were omitted from the report for that year, are given, together with those for 1913, in the present report.

The report was outlined by Dr. Cressy L. Wilbur, former chief statistician for vital statistics of the Census Bureau, and was prepared under the direction of Mr. Richard C. Lappin, acting chief statistician for vital statistics, assisted by Mr. George H. Van Buren.

Respectfully,

Director of the Census.

To Hon. WILLIAM C. REDFIELD,
Secretary of Commerce.

MORTALITY STATISTICS
1913

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880–1913

NOTE.—In addition to the registration states (shaded in the cartograms) the registration area includes certain cities in nonregistration states.

1880



1890



1900



1913



MORTALITY STATISTICS: 1913.

DEATHS AND CRUDE DEATH RATES.

There were 890,848 deaths in the registration area during the calendar year 1913. Based on the estimated midyear population of 63,298,718, the death rate was 14.1 per 1,000 population. This rate, with the exception of that for the preceding year (13.9), is the lowest recorded since the registration area was established.

The following table shows the number of deaths and the death rate per 1,000 population for the census years ending May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1913:

YEAR.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA.		YEAR.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA.	
	Number.	Rate per 1,000 population.		Number.	Rate per 1,000 population.
1913	890,848	14.1	1904	551,354	16.5
1912	838,251	13.9	1903	524,415	16.0
1911	839,284	14.2	1902	508,640	15.9
1910	805,412	15.0	1901	518,207	16.5
1909	732,538	14.4	1900	539,939	17.6
1908	691,574	14.8	1900 [2]	512,669	17.8
1907	687,034	16.0	1890 [2]	386,212	19.6
1906	658,105	15.7	1880 [2]	178,645	19.8
1905	545,533	16.0			

[1] Exclusive of stillbirths. [2] Census year ending May 31.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1913.

In 1880 the registration area for deaths included but two states, Massachusetts and New Jersey, the District of Columbia, and a number of cities in nonregistration states; it had a population of 8,538,366, or 17 per cent of that of continental United States. In 1890 the following states were added: Connecticut, Delaware (dropped at the next census), New Hampshire, New York, Rhode Island, and Vermont; this raised the percentage of the population to 31.4. Maine and Michigan were added for the census year ending May 31, 1900, and this increased the percentage to 37.9. For the calendar year 1900, the year of the first annual report, Indiana was added, bringing the percentage up to 40.5. There were no further additions of states until 1906, in which year California, Colorado, Maryland, Pennsylvania, and South Dakota were admitted, and the area then embraced 48.9 per cent of the total estimated population of continental United States. There were no additions in 1907, but in 1908 Washington and Wisconsin became registration states and for the first time the registration area comprehended more than one-half (52.5 per cent) of the estimated population of the United States. With the addition of Ohio in 1909, the percentage was raised to 56.1. For 1910 Minnesota, Montana, and Utah, and the municipalities in the state of North Carolina which had a population of 1,000 or over in the year 1900, were included, increasing the percentage to 58.3, although South Dakota was dropped. Kentucky and Missouri were admitted for 1911, and the population of the registration area for that year included 63.1 per cent of the total estimated population of continental United States. No state was admitted in 1912; in 1913 Virginia was included, raising the percentage to 65.1, or approximately to two-thirds of the country's population.

The following table shows the growth of the registration area in population and land area from 1880 to 1913, inclusive:

YEAR.	UNITED STATES.		REGISTRATION AREA FOR DEATHS.			
			Population.		Land area.	
	Population.	Land area (square miles).	Number.	Per cent of total.	Square miles.	Per cent of total.
Calendar year 1913	97,163,330	[1] 2,973,890	63,298,718	65.1	1,147,039	38.6
Calendar year 1912	95,545,336	[1] 2,973,890	60,427,247	63.2	1,106,777	37.2
Calendar year 1911	93,927,342	[1] 2,973,890	59,275,977	63.1	1,106,734	37.2
Calendar year 1910	92,309,348	[1] 2,973,890	53,843,896	58.3	997,978	33.6
Calendar year 1909	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
Calendar year 1908	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
Calendar year 1907	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
Calendar year 1906	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
Calendar year 1905	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
Calendar year 1904	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
Calendar year 1903	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
Calendar year 1902	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
Calendar year 1901	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
Calendar year 1900	75,994,575	2,974,159	30,765,618	40.5	212,621	7.1
Census year 1900 [2]			28,807,269	37.9	176,878	5.9
Census year 1890 [2]	62,622,250	2,973,965	19,659,440	31.4	90,695	3.0
Census year 1880 [2]	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

[1] Net reduction of 269 square miles as compared with area stated by census of 1900, due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
[2] Ending May 31.

The following diagram shows the percentage which the population of the registration area formed of the total population of the United States from 1880 to 1913, inclusive:



EXTENT OF THE REGISTRATION AREA IN 1913.

The present volume is the fourteenth of the series of annual compilations of deaths in the registration area of the United States. The first of these annual reports related to the calendar year 1900. Prior to this, beginning with the Seventh Census, that of 1850, and closing with the Twelfth Census, for the year ending May 31, 1900, decennial reports only had been published.

The registration area of the United States, as constituted for the year 1913, consists of 24 states (in one of which, North Carolina, the registration is restricted to municipalities which had 1,000 population or over in 1900), the District of Columbia, and 41 cities in nonregistration states. The states and cities making up this area are those whose registration of deaths has been accepted by the Bureau of the Census as being fairly complete (at least 90 per cent of the total number of deaths), and from which transcripts of the death certificates recorded under the state laws or municipal ordinances were received by the Bureau of the Census.

The states included in the registration area for deaths for 1913 are as follows:

California.
Colorado.
Connecticut.
Indiana.
Kentucky.
Maine.
Maryland.
Massachusetts.
Michigan.
Minnesota.
Missouri.
Montana.
New Hampshire.
New Jersey.
New York.
North Carolina (municipalities of 1,000 population or over in 1900).
Ohio.
Pennsylvania.
Rhode Island.
Utah.
Vermont.
Virginia.
Washington.
Wisconsin.

The following registration cities in nonregistration states, with the registration states previously listed and the District of Columbia, constitute the registration area for deaths for 1913:

Alabama:
  Birmingham.
  Mobile.
  Montgomery.
Delaware:
  Wilmington.
Florida:
  Jacksonville.
  Key West.
  Pensacola.
Georgia:
  Atlanta.
  Augusta.
  Savannah.
Illinois:
  Aurora.
  Belleville.
  Chicago.
Illinois—continued.
  Decatur.
  Evanston.
  Jacksonville.
  Quincy.
  Springfield.
Kansas:
  Atchison.
  Coffeyville.
  Fort Scott.
  Hutchinson.
  Independence.
  Kansas City.
  Lawrence.
  Leavenworth.
  Parsons.
  Pittsburg.
  Topeka.
  Wichita.
Louisiana:
  New Orleans.
Nebraska:
  Lincoln.
  Omaha.
Oregon:
  Portland.
South Carolina:
  Charleston.
Tennessee:
  Memphis.
  Nashville.
Texas:
  El Paso.
  Galveston.
  San Antonio.
West Virginia:
  Wheeling.

COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

The following tables show the absolute number and the distribution per 1,000 of the decedents returned for the year 1913, according to color, nativity, parent nativity, age, and sex:

COLOR, NATIVITY, AND PARENT NATIVITY.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA: 1913.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
Aggregate	890,848	489,128	401,720	1,000.0	1,000.0	1,000.0
White	820,204	451,540	368,664	920.7	923.2	917.7
Native	603,215	325,067	278,148	677.1	664.6	692.4
Both parents native	324,341	170,511	153,830	364.1	348.6	382.9
One or both parents foreign born	206,031	113,235	92,796	231.3	231.5	231.0
Parentage unknown	72,843	41,321	31,522	81.8	84.5	78.5
Foreign born	205,104	117,061	88,043	230.2	239.3	219.2
Unknown	11,885	9,412	2,473	13.3	19.2	6.2
Colored	70,644	37,588	33,056	79.3	76.8	82.3
Negro	67,267	35,268	31,999	75.5	72.1	79.7
Chinese	1,053	949	104	1.2	1.9	0.3
Japanese	896	618	278	1.0	1.3	0.7
Indian	1,428	753	675	1.6	1.5	1.7

[1] Exclusive of stillbirths.

Of the 890,848 deaths in the registration area in 1913, 489,128, or 54.9 per cent, were of males, and 401,720, or 45.1 per cent, were of females. By color, the greater proportion of decedents were white, 820,204, or 92.1 per cent. The registration area contains as yet few Southern states in which the negro population is large. Of the total decedents classified as colored, 67,267 were negroes, 1,053 Chinese, 896 Japanese, and 1,428 Indians.

AGE OF DECEDENT.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA: 1913.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
All ages	890,848	489,128	401,720	1,000.0	1,000.0	1,000.0
Under 1 year	159,435	89,590	69,845	179.0	183.2	173.9
1 year	33,917	17,976	15,941	38.1	36.8	39.7
2 years	15,364	8,111	7,253	17.2	16.6	18.1
3 years	9,498	4,964	4,534	10.7	10.1	11.3
4 years	6,915	3,594	3,321	7.8	7.3	8.3
Under 5 years	225,129	124,235	100,894	252.7	254.0	251.2
5 to 9 years	20,214	10,768	9,446	22.7	22.0	23.5
10 to 14 years	12,823	6,669	6,154	14.4	13.6	15.3
15 to 19 years	21,742	11,529	10,213	24.4	23.6	25.4
20 to 24 years	32,711	17,691	15,020	36.7	36.2	37.4
25 to 29 years	35,492	19,628	15,864	39.8	40.1	39.5
30 to 34 years	35,387	20,028	15,359	39.7	40.9	38.2
35 to 39 years	39,711	23,071	16,640	44.6	47.2	41.4
40 to 44 years	40,139	23,703	16,436	45.1	48.5	40.9
45 to 49 years	42,028	25,052	16,976	47.2	51.2	42.3
50 to 54 years	47,804	28,138	19,666	53.7	57.5	49.0
55 to 59 years	47,961	27,937	20,024	53.8	57.1	49.8
60 to 64 years	52,990	29,851	23,139	59.5	61.0	57.6
65 to 69 years	57,413	31,299	26,114	64.4	64.0	65.0
70 to 74 years	58,413	30,787	27,626	65.6	62.9	68.8
75 to 79 years	51,998	26,266	25,732	58.4	53.7	64.1
80 to 84 years	38,011	18,410	19,601	42.7	37.6	48.8
85 to 89 years	20,281	9,328	10,953	22.8	19.1	27.3
90 to 94 years	7,096	2,990	4,106	8.0	6.1	10.2
95 to 99 years	1,568	604	964	1.8	1.2	2.4
100 years and over	462	173	289	0.5	0.4	0.7
Unknown	1,475	971	504	1.7	2.0	1.3

[1] Exclusive of stillbirths.

AVERAGE AND MEDIAN AGES AT DEATH FROM VARIOUS CAUSES.

The following table shows, for the years 1911, 1912, and 1913, the average and median ages at death, by sex, for each individual cause of death and each class of causes, according to the detailed International List:

Detailed Int. List No.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA. 1913 Average age at death, in years. Total.	1913 Average age at death, in years. Male.	1913 Average age at death, in years. Female.	1913 Median age at death, in years. Total.	1913 Median age at death, in years. Male.	1913 Median age at death, in years. Female.	1912 Average age at death, in years. Total.	1912 Average age at death, in years. Male.	1912 Average age at death, in years. Female.	1912 Median age at death, in years. Total.	1912 Median age at death, in years. Male.	1912 Median age at death, in years. Female.	1911 Average age at death, in years. Total.	1911 Average age at death, in years. Male.	1911 Average age at death, in years. Female.	1911 Median age at death, in years. Total.	1911 Median age at death, in years. Male.	1911 Median age at death, in years. Female.
	All causes	39.8	39.2	40.6	42.7	42.2	43.4	40.6	39.9	41.4	43.8	43.2	44.5	39.9	39.3	40.7	42.4	42.0	43.1
	I.—General diseases	37.5	37.0	37.9	37.5	37.4	37.7	38.0	37.5	38.4	37.9	37.8	38.1	37.2	36.8	37.7	36.7	36.7	36.8
1	Typhoid fever	28.6	29.6	27.1	25.3	26.7	23.2	28.9	29.9	27.4	25.9	27.3	23.6	28.9	29.9	27.4	26.0	27.5	23.5
2	Typhus fever	37.5	39.5	34.2	(1)	(1)	(1)	41.7	42.5	41.3	(1)	(1)	(1)	30.3	32.5	27.0	(1)	(1)	(1)
3	Relapsing fever	37.5	42.5	22.5	(1)	(1)	(1)	35.8	40.0	27.5	(1)	(1)	(1)	42.5	72.5	12.5	(1)	(1)	(1)
4	Malaria	31.3	31.7	30.8	26.5	27.4	25.5	31.0	31.7	30.2	26.9	28.5	25.0	31.7	31.9	31.5	28.1	29.4	26.8
5	Smallpox	29.0	30.2	27.0	27.2	30.8	21.7	19.4	18.7	20.4	14.6	13.8	15.6	25.1	30.4	18.6	20.6	26.5	11.5
6	Measles	5.1	4.1	6.1	1.8	1.7	(2)	4.1	3.7	4.5	(2)	1.7	1.7	6.4	5.3	7.5	1.9	1.8	2.0
7	Scarlet fever	7.1	6.7	7.6	4.7	4.5	4.9	6.8	6.4	7.2	4.5	4.4	4.8	7.1	6.7	7.6	4.7	4.4	4.9
8	Whooping cough	1.7	1.6	1.7	(2)	(2)	(2)	1.6	1.4	1.8	(2)	(2)	(2)	1.6	1.5	1.7	(2)	(2)	(2)
9	Diphtheria and croup	6.1	5.8	6.4	3.9	3.8	4.1	6.1	5.7	6.5	3.9	3.6	4.1	6.0	5.6	6.3	3.8	3.6	4.0
10	Influenza	56.7	54.2	58.9	67.1	64.4	69.3	56.4	54.7	58.0	66.3	64.3	67.7	58.3	55.5	60.5	68.2	65.8	70.1
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30.0	17.5	42.5	(1)	(1)	(1)
13	Cholera nostras	44.0	43.7	44.3	56.4	55.0	57.5	40.6	38.2	43.1	46.3	42.5	52.5	41.6	41.1	42.2	48.9	44.6	53.2
14	Dysentery	39.4	36.3	42.4	45.1	32.8	52.9	41.4	38.8	43.9	50.7	43.0	56.8	40.2	36.5	43.9	48.6	34.3	57.0
15	Plague	45.0	57.5	32.5	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....	7.5	7.5	.....	(1)	(1)	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	30.0	30.0	.....	(1)	(1)	.....	43.5	43.7	42.5	47.5	(1)	(1)	33.2	33.2	.....	(1)	(1)	.....
18	Erysipelas	36.6	37.7	35.3	41.5	42.6	38.8	34.7	37.9	30.7	37.4	42.8	23.4	37.2	39.9	33.8	41.4	44.1	33.3
19	Other epidemic diseases	13.3	12.4	14.4	2.4	2.3	2.6	9.3	9.4	9.0	2.4	2.4	2.4	8.5	8.0	9.1	2.2	2.0	2.4
20	Purulent infection and septicemia	38.2	39.2	36.6	39.6	42.3	34.7	36.8	38.0	35.1	36.2	39.1	32.5	36.4	37.5	34.6	36.8	39.9	30.2
21	Glanders	36.9	36.9	.....	(1)	(1)	.....	43.8	43.8	.....	42.5	42.5	.....	38.8	42.5	1.5	38.8	40.0	(1)
22	Anthrax	38.0	39.3	33.6	34.6	36.3	(1)	43.9	52.9	25.8	50.0	55.0	(1)	50.4	50.8	47.5	42.5	40.0	(1)
23	Rabies	20.2	21.7	15.8	10.9	12.5	9.2	28.9	31.0	23.3	24.2	30.0	15.0	20.5	20.4	20.9	11.9	14.4	7.5
24	Tetanus	20.5	22.2	16.3	13.5	15.6	6.2	19.4	20.7	16.1	11.2	13.2	4.8	19.4	20.6	16.5	11.8	13.6	5.2
25	Mycoses	37.5	38.7	35.0	38.1	39.2	30.0	44.5	47.1	42.5	43.8	50.0	38.1	47.6	47.5	48.0	48.1	48.1	45.0
26	Pellagra	43.2	48.6	40.9	41.8	51.5	39.1	43.0	45.8	41.7	41.5	45.3	39.7	42.6	46.6	41.0	41.9	48.3	39.6
27	Beriberi	20.3	27.9	0.3	21.3	(1)	(1)	31.3	31.3	.....	30.0	30.0	.....	29.6	29.2	32.5	(1)	(1)	(1)
	Tuberculosis (total)	34.7	36.4	32.5	33.2	35.7	29.9	34.6	36.2	32.5	33.0	35.4	29.9	34.5	36.2	32.3	32.9	35.3	29.8
28	Tuberculosis of the lungs	37.0	38.7	34.7	34.8	37.2	31.5	36.8	38.4	34.6	34.5	36.9	31.4	36.6	38.4	34.3	34.3	36.8	31.2
29	Acute miliary tuberculosis	29.0	31.5	26.0	27.4	30.1	24.3	28.8	30.9	26.3	27.4	29.9	24.4	28.2	30.0	26.2	26.5	29.0	24.0
30	Tuberculous meningitis	9.2	9.9	8.4	2.9	3.0	2.8	9.5	9.7	9.2	3.0	2.9	3.1	9.0	9.6	8.3	2.9	2.9	2.8
31	Abdominal tuberculosis	32.4	31.6	33.0	30.5	29.6	31.1	32.1	31.9	32.2	30.3	30.5	30.1	33.3	32.5	34.0	31.7	30.9	32.2
32	Pott's disease	29.2	29.6	28.6	26.2	27.4	23.8	29.2	29.8	28.4	26.9	28.1	24.3	29.3	28.8	30.0	26.2	26.0	26.7
33	White swellings	29.8	29.7	29.9	25.9	25.3	26.9	29.3	29.7	28.4	25.7	27.2	22.1	32.0	32.4	31.4	27.4	27.9	26.3
34	Tuberculosis of other organs	33.9	34.2	33.4	32.8	34.2	31.1	33.7	33.5	34.0	32.0	32.7	30.8	33.7	34.2	33.0	33.2	34.2	31.8
35	Disseminated tuberculosis	31.3	32.2	30.1	29.7	31.4	28.0	30.7	32.4	28.9	29.3	31.2	27.3	31.2	32.5	29.6	29.2	30.9	27.6
36	Rickets	2.8	1.4	4.9	(2)	(2)	(2)	3.3	1.7	5.3	(2)	(2)	(2)	4.2	2.3	6.5	(2)	(2)	(2)
37	Syphilis	22.8	25.6	18.3	21.9	28.4	1.8	21.9	24.6	17.6	19.1	26.0	1.0	20.7	23.8	15.6	2.6	24.1	(2)
38	Gonococcus infection	24.5	29.1	21.1	26.1	29.8	22.9	19.8	22.8	17.3	21.3	23.1	20.4	18.6	19.2	18.0	19.6	20.0	19.5
	Cancer and other malignant tumors (total)	59.5	60.8	58.6	60.4	62.3	59.0	59.4	60.6	58.6	60.4	62.1	59.0	59.3	60.7	58.4	60.3	62.2	58.8
39	Of the buccal cavity	62.8	62.8	62.5	63.9	63.6	65.7	63.1	63.1	63.3	64.7	64.2	66.6	63.2	63.1	63.9	64.0	63.4	66.9
40	Of the stomach, liver	61.4	61.2	61.6	62.2	61.9	62.6	61.3	61.1	61.6	62.2	61.9	62.6	61.2	61.0	61.4	62.1	61.9	62.3
41	Of the peritoneum, intestines, rectum	59.9	59.4	60.2	61.5	61.4	61.6	59.5	58.8	60.0	60.9	60.6	61.0	59.6	59.0	60.0	61.4	61.2	61.5
42	Of the female genital organs	53.8	.....	53.8	53.1	.....	53.1	53.8	.....	53.8	53.3	.....	53.3	54.0	.....	54.0	53.1	.....	53.1
43	Of the breast	58.2	62.4	58.1	57.4	65.0	57.2	58.4	62.4	58.3	57.4	61.5	57.3	57.7	58.9	57.7	56.8	62.8	56.7
44	Of the skin	69.2	68.5	70.6	71.5	70.1	73.8	68.8	67.2	71.4	71.3	69.3	74.7	68.7	67.5	70.6	71.1	70.1	73.4
45	Of other organs or of organs not specified	57.6	58.4	56.3	60.1	61.3	58.2	57.0	57.8	55.8	59.6	60.7	57.9	57.3	58.6	55.5	60.1	61.7	57.3
46	Other tumors (tumors of the female genital organs excepted)	53.8	53.5	54.0	59.1	60.0	58.9	54.7	51.8	55.6	56.8	54.5	57.3	52.2	45.4	54.5	54.1	51.9	54.7
47	Acute articular rheumatism	38.2	37.6	38.8	35.0	34.8	35.4	39.5	39.8	39.2	38.4	40.1	36.5	38.4	37.3	39.5	36.4	35.1	37.8
48	Chronic rheumatism and gout	63.2	60.7	64.7	66.4	65.5	67.0	64.2	61.2	66.0	67.5	65.4	68.9	62.9	59.7	64.8	66.4	64.7	67.3
49	Scurvy	10.9	12.6	8.5	1.0	(2)	1.3	5.7	5.9	5.3	(2)	(2)	(2)	7.4	7.7	7.1	(2)	(2)	(2)
50	Diabetes	54.4	52.7	55.9	58.9	57.4	60.1	54.6	53.2	55.9	59.1	57.1	60.5	54.7	53.2	56.1	59.5	58.0	60.6
51	Exophthalmic goiter	44.1	44.8	44.0	44.0	45.6	43.8	43.6	41.9	43.8	43.5	42.5	43.7	44.1	45.4	43.9	43.8	44.5	43.7
52	Addison's disease	47.8	47.3	48.4	47.6	46.2	50.2	48.6	47.0	50.0	49.4	49.4	49.4	46.7	48.1	45.5	46.8	48.0	46.1
53	Leukemia	37.2	36.0	38.8	38.1	36.4	40.6	36.1	35.2	37.3	37.2	35.7	39.3	38.3	38.1	38.6	39.6	39.6	39.7
54	Anemia, chlorosis	49.3	49.7	49.0	53.4	54.2	52.7	49.3	49.8	48.8	54.0	55.2	52.9	47.2	46.5	47.6	52.2	52.4	52.0
55	Other general diseases	19.8	18.0	22.0	2.9	1.7	5.2	21.9	20.6	23.5	3.4	2.4	4.6	21.0	20.9	21.2	3.8	3.7	3.9
56	Alcoholism (acute or chronic)	46.0	46.4	43.0	44.6	45.1	41.6	46.2	46.7	42.4	44.8	45.5	40.5	46.0	46.3	43.1	44.8	45.3	40.4
57	Chronic lead poisoning	48.5	48.5	49.2	48.6	48.9	(1)	46.4	46.2	50.0	46.4	46.4	(1)	47.1	47.2	43.2	46.8	47.1	(1)
58	Other chronic occupation poisonings	38.6	38.2	40.0	(1)	(1)	(1)	50.0	51.8	37.5	(1)	(1)	(1)	47.0	48.0	37.5	47.5	50.0	(1)
59	Other chronic poisonings	50.5	49.0	52.0	50.0	47.7	52.1	52.2	51.4	52.9	51.6	51.1	52.3	51.8	49.5	54.0	51.5	48.5	55.2
	II.—Diseases of the nervous system and of the organs of special sense	54.5	53.1	56.2	62.2	60.6	64.2	53.8	52.4	55.4	61.7	60.1	63.6	53.0	51.6	54.7	61.6	60.1	63.4
60	Encephalitis	26.4	27.3	25.2	22.1	24.2	19.2	26.7	26.9	26.4	23.2	25.1	20.8	28.2	27.8	28.8	24.2	25.1	23.1
61	Meningitis (total)	12.4	13 0	11.6	3.6	3.9	3.3	13.5	14.3	12.4	4.0	4.8	3.3	11.8	12.1	11.4	2.6	2.6	2.5
	Simple meningitis	12.9	13.3	12.4	2.7	2.6	2.8	13.8	14.3	13.0	2.7	2.8	2.7	13.0	13.1	12.8	2.4	2.4	2.4
	Cerebrospinal meningitis (undefined)	10.2	10.9	9.3	3.7	4.2	3.3	10.3	11.4	8.9	3.4	4.2	2.8	9.3	9.6	8.9	2.6	2.7	2.6
	Cerebrospinal fever	14.2	15.5	12.3	9.0	12.0	6.4	16.7	17.4	15.4	12.1	14.5	8.8	11.4	12.8	9.1	4.3	6.3	3.1
62	Locomotor ataxia	57.7	57.7	57.7	57.6	57.5	58.2	57.5	57.6	57.0	57.4	57.4	57.1	57.4	57.4	57.2	57.6	57.6	57.7
63	Other diseases of the spinal cord (total)	47.6	47.0	48.4	56.4	55.6	57.3	44.7	44.2	45.2	53.8	53.4	54.3	44.1	44.5	43.6	52.9	53.8	51.9
	Acute anterior poliomyelitis	9.9	9.8	10.0	3.7	3.5	3.9	8.2	9.0	7.2	3.2	3.2	3.1	7.9	8.0	7.7	2.8	2.8	2.8
	Other diseases of the spinal cord [3]	58.0	57.1	59.1	62.5	62.1	63.0	58.6	58.4	58.9	62.8	62.6	63.0	57.5	57.0	58.0	62.3	62.4	62.2

[1] Not shown for less than 10 deaths. [2] Under 1 year. [3] Exclusive of acute anterior poliomyelitis (infantile paralysis).

Detailed Int. List No.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA.															
		1913						1912						1911			
		Average age at death, in years.			Median age at death, in years.			Average age at death, in years.			Median age at death, in years.			Average age at death, in years.			Median age at death, in years.		
		Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
	II.—Diseases of the nervous system and of the organs of special sense—Contd.																		
64	Cerebral hemorrhage, apoplexy	66.4	65.7	67.1	68.5	67.8	69.3	66.0	65.3	66.7	68.3	67.6	69.0	65.8	65.0	66.7	68.4	67.6	69.1
65	Softening of the brain	69.8	69.6	70.0	72.6	72.2	73.1	69.5	69.5	69.5	72.0	72.1	72.0	69.3	68.3	70.4	72.4	71.2	73.9
66	Paralysis without specified cause	67.5	66.5	68.4	71.0	70.3	71.6	67.9	66.9	68.9	71.0	70.1	71.8	68.0	67.0	68.8	71.2	70.6	71.8
67	General paralysis of the insane	53.7	51.9	58.8	51.3	49.4	58.6	53.1	51.5	57.1	50.6	49.1	56.2	54.3	52.2	59.4	51.9	49.7	59.5
68	Other forms of mental alienation	51.2	50.6	51.6	50.9	50.7	51.0	51.4	50.4	52.3	51.3	50.4	52.4	52.3	51.8	52.8	52.4	52.2	52.5
69	Epilepsy	36.6	36.5	36.7	34.7	35.0	34.2	36.1	36.4	35.7	33.9	34.1	33.7	36.2	35.7	36.9	33.8	33.0	34.9
70	Convulsions (nonpuerperal)	28.0	25.3	29.3	24.3	13.0	25.3	28.2	25.4	29.9	22.6	13.6	25.2	29.9	33.8	28.5	26.0	35.9	24.6
71	Convulsions of infants	0.6	0.6	0.6	(1)	(1)	(1)	0.6	0.5	0.6	(1)	(1)	(1)	0.6	0.5	0.6	(1)	(1)	(1)
72	Chorea	25.7	28.9	24.5	16.1	14.6	16.3	30.1	33.4	27.7	18.7	21.7	17.5	30.2	27.2	31.7	18.5	18.2	18.6
73	Neuralgia and neuritis	53.6	53.4	53.7	54.6	55.3	54.2	53.5	53.7	53.3	55.8	57.8	54.5	55.3	54.7	55.7	57.1	57.3	56.8
74	Other diseases of the nervous system	39.6	38.6	40.7	41.8	40.6	43.2	41.3	40.5	42.1	43.8	43.2	44.4	41.0	39.4	42.8	42.7	40.8	45.1
75	Diseases of the eyes and their annexa	29.8	29.3	30.7	10.0	7.5	16.3	37.0	36.2	37.5	36.7	37.5	35.0	28.6	33.9	22.9	4.0	10.0	3.0
76	Diseases of the ears	20.0	21.4	18.0	10.8	15.2	8.0	20.0	20.5	19.1	9.6	11.6	7.8	20.3	21.4	19.0	10.6	12.4	9.0
	III.—Diseases of the circulatory system	61.6	61.5	61.6	66.1	65.7	66.7	61.6	61.5	61.7	66.0	65.6	66.6	61.1	61.1	61.1	65.8	65.4	66.2
77	Pericarditis	47.9	49.0	46.7	51.0	51.7	49.3	51.5	50.4	52.7	55.9	54.2	58.1	49.2	49.6	48.6	53.7	54.3	52.9
78	Acute endocarditis	38.0	38.7	37.2	41.7	42.6	40.4	38.5	39.5	37.3	41.6	43.1	39.7	38.0	38.7	37.2	41.4	42.6	39.8
79	Organic diseases of the heart	61.3	61.2	61.4	65.7	65.3	66.1	61.4	61.3	61.5	65.7	65.3	66.1	60.9	60.9	61.0	65.5	65.2	65.8
80	Angina pectoris	63.7	63.4	64.3	65.7	64.9	67.1	63.6	63.2	64.2	65.4	64.7	66.6	63.1	63.2	63.0	65.0	64.5	66.0
81	Diseases of the arteries, atheroma, aneurism, etc	73.3	71.9	75.4	75.3	74.1	76.9	72.9	71.7	74.7	75.1	73.9	76.5	72.6	71.4	74.5	74.9	73.8	76.3
82	Embolism and thrombosis	57.4	57.6	57.2	61.7	62.5	60.9	56.5	57.3	55.8	60.2	61.5	58.4	55.3	55.4	55.2	58.3	59.1	57.5
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	53.1	51.3	54.2	53.9	52.8	54.6	53.2	51.8	54.4	54.6	53.2	56.2	54.5	55.8	53.5	53.7	55.2	52.2
84	Diseases of the lymphatic system (lymphangitis, etc.)	10.7	8.9	13.2	(1)	(1)	1.2	12.9	13.9	11.5	1.3	1.4	1.2	13.9	14.0	13.7	1.3	1.1	1.6
85	Hemorrhage; other diseases of the circulatory system	43.1	43.6	42.4	48.7	51.8	42.1	36.0	35.0	37.3	35.4	33.1	37.1	32.5	32.2	32.9	26.0	25.5	27.0
	IV.—Diseases of the respiratory system	34.2	32.7	36.0	32.8	31.9	34.3	35.1	33.3	37.4	34.9	32.8	38.2	35.8	34.0	37.9	36.3	34.4	39.7
86	Diseases of the nasal fossae	19.1	14.3	28.6	3.7	2.5	7.5	21.7	20.0	24.9	4.3	3.0	4.7	21.7	18.8	25.1	2.8	2.0	8.1
87	Diseases of the larynx	14.0	14.2	13.8	3.4	3.4	3.3	14.3	15.2	12.9	3.2	3.3	3.2	13.8	14.5	12.9	2.9	2.9	2.9
88	Diseases of the thyroid body	43.8	33.6	45.7	46.5	32.0	47.6	43.1	30.7	45.7	44.8	27.5	46.5	46.9	34.9	50.4	48.3	30.0	50.3
89	Acute bronchitis	18.3	13.3	23.3	(1)	(1)	1.2	19.1	14.1	24.1	(1)	(1)	1.1	17.8	13.7	22.0	(2)	(1)	1.0
90	Chronic bronchitis	68.4	67.2	69.4	73.5	72.5	74.4	68.5	66.5	70.2	73.8	72.5	74.7	67.8	66.5	68.9	73.4	72.2	74.4
91	Bronchopneumonia	19.7	17.2	22.4	1.5	1.3	1.7	20.6	17.9	23.6	1.5	1.3	1.7	21.3	18.1	24.8	1.6	1.4	1.9
92	Pneumonia (total)	39.8	38.8	41.2	43.3	41.9	46.1	40.3	38.9	42.2	44.1	42.3	48.0	40.4	39.2	42.0	44.0	42.3	47.3
	Lobar pneumonia	42.0	41.2	43.3	45.3	44.0	48.5	42.6	41.5	44.2	46.2	44.5	49.9	42.8	41.7	44.3	46.2	44.6	49.6
	Pneumonia (undefined)	36.3	34.7	38.2	37.2	35.6	40.1	37.1	34.9	39.7	38.8	36.0	43.8	37.7	35.9	39.7	39.7	37.6	43.5
93	Pleurisy	39.4	38.8	40.2	41.2	40.7	42.1	41.2	40.0	42.9	43.1	42.5	44.2	41.6	41.5	41.9	44.3	44.1	44.6
94	Pulmonary congestion, pulmonary apoplexy	50.4	46.9	53.9	63.9	57.9	68.2	49.8	46.7	52.8	63.1	56.7	67.3	50.7	47.8	53.8	64.4	59.8	68.8
95	Gangrene of the lung	48.4	49.7	44.9	50.2	51.0	46.7	48.8	49.4	47.3	50.6	51.0	48.8	45.3	46.0	43.5	48.0	49.2	42.5
96	Asthma	62.0	61.7	62.4	65.8	64.7	66.9	61.6	60.0	63.5	65.5	63.4	68.3	62.0	61.7	62.3	66.3	65.5	67.1
97	Pulmonary emphysema	54.1	52.9	56.0	61.3	59.2	65.5	55.5	57.0	52.8	62.6	62.7	62.5	54.8	53.1	57.3	62.6	61.4	64.6
98	Other diseases of the respiratory system (tuberculosis excepted)	46.1	45.5	47.3	48.9	48.5	50.1	45.4	45.5	45.4	48.3	48.3	48.3	44.8	45.2	44.1	47.5	48.1	45.6
	V.—Diseases of the digestive system	22.8	22.1	23.7	1.8	1.8	1.9	24.0	23.1	25.0	2.0	1.8	3.4	23.1	22.1	24.2	1.7	1.6	1.9
99	Diseases of the mouth and annexa	16.2	17.0	15.5	(1)	(1)	(1)	18.3	18.6	17.9	1.8	2.3	1.4	11.6	11.5	11.8	(1)	(1)	(1)
100	Diseases of the pharynx	21.7	21.5	22.0	12.4	12.8	12.0	23.4	22.6	24.3	12.6	12.1	13.0	22.1	22.0	23.5	9.8	9.0	11.7
101	Diseases of the esophagus	52.3	55.2	47.1	58.7	60.8	54.2	50.1	48.8	52.3	57.5	55.5	60.0	45.6	47.1	43.7	53.5	56.9	51.3
102	Ulcer of the stomach	50.3	50.6	49.9	50.5	51.0	49.6	50.5	51.0	49.7	50.6	51.0	49.6	50.5	52.0	48.5	50.8	52.4	48.0
103	Other diseases of the stomach (cancer excepted)	36.1	33.2	39.2	37.4	31.7	42.9	37.0	34.5	39.8	40.3	35.0	45.7	37.2	34.4	40.0	39.9	33.6	45.1
104	Diarrhea and enteritis (under 2 years)	0.6	0.5	0.6	(1)	(1)	(1)	0.5	0.5	0.6	(1)	(1)	(1)	0.5	0.5	0.6	(1)	(1)	(1)
105	Diarrhea and enteritis (2 years and over)	38.4	35.5	41.3	38.9	30.8	45.9	41.3	38.3	44.1	46.4	39.3	52.6	43.2	40.3	45.7	49.4	43.8	54.5
106	Ankylostomiasis	20.7	18.7	23.1	15.8	14.4	18.8	22.5	25.4	18.7	17.5	21.3	12.5	26.2	33.9	17.5	14.2	(2)	(2)
107	Intestinal parasites	10.3	11.2	9.2	3.8	3.9	3.6	13.0	13.7	12.1	4.3	4.5	3.5	7.8	8.3	7.5	2.9	3.4	2.6
108	Appendicitis and typhlitis	30.2	30.7	29.6	27.1	27.7	26.1	30.4	30.6	30.0	27.3	27.7	26.6	30.3	30.7	29.8	27.3	28.0	26.2
109	Hernia, intestinal obstruction (total)	44.6	42.1	47.2	50.3	48.1	51.9	44.6	41.5	47.7	50.4	47.2	52.7	44.2	40.8	47.8	50.3	46.3	53.4
	Hernia	55.3	53.1	57.8	59.1	58.7	59.4	56.0	54.0	58.1	60.1	60.1	60.2	54.3	51.7	57.2	59.2	58.5	59.7
	Intestinal obstruction	39.3	36.6	42.1	41.5	38.7	43.7	39.0	35.2	42.9	41.4	35.5	46.0	39.2	35.1	43.3	41.6	35.9	46.3
110	Other diseases of the intestines	43.7	42.6	44.9	46.5	46.2	46.8	45.0	43.7	46.3	50.6	50.3	51.0	38.9	37.9	39.9	40.5	40.9	40.2
111	Acute yellow atrophy of the liver	42.4	44.9	40.0	41.5	45.8	36.3	43.1	41.6	44.2	41.1	43.9	38.2	42.7	45.4	40.6	44.7	51.1	38.8
112	Hydatid tumor of the liver	41.5	43.6	38.3	38.8	(2)	(2)	42.6	39.3	46.1	41.9	38.8	43.3	40.4	42.5	38.6	38.8	37.5	41.3
113	Cirrhosis of the liver	55.9	55.6	56.6	56.3	55.9	57.2	56.1	55.9	56.6	56.5	56.2	57.5	55.8	55.4	56.6	56.0	55.5	57.4
114	Biliary calculi	57.1	57.4	56.9	57.6	58.2	57.4	57.8	58.2	57.7	58.5	59.3	58.2	57.9	59.2	57.3	58.7	60.0	58.2
115	Other diseases of the liver	51.5	49.0	53.7	55.2	52.7	57.1	51.9	49.2	54.4	55.5	52.7	58.0	51.2	48.9	53.3	54.3	52.1	56.2
116	Diseases of the spleen	45.0	46.6	43.1	47.3	48.8	39.2	40.3	41.3	39.2	44.0	45.4	39.5	47.3	46.9	47.6	49.2	51.1	47.1
117	Simple peritonitis (nonpuerperal)	33.8	33.5	33.9	31.3	31.4	31.3	34.5	35.2	34.0	31.7	33.6	30.9	34.6	34.8	34.4	32.0	33.2	31.5
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	44.3	44.2	44.4	45.2	44.0	46.5	44.9	44.5	45.3	46.2	45.7	46.8	46.0	45.2	46.9	47.0	46.3	47.5

[1] Under 1 year.

[2] Not shown for less than 10 deaths.

Detailed Int. List No.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA.															
		1913						1912						1911			
		Average age at death, in years.			Median age at death, in years.			Average age at death, in years.			Median age at death, in years.			Average age at death, in years.			Median age at death, in years.		
		Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	57.6	59.5	55.3	61.0	62.9	58.0	57.7	59.7	55.6	61.1	63.1	57.9	57.2	59.2	54.7	60.7	62.8	57.3
119	Acute nephritis	40.0	40.6	39.3	40.8	42.1	39.3	41.3	41.9	40.5	42.8	44.0	41.3	39.8	40.4	39.1	41.1	42.3	39.7
120	Bright's disease	60.1	60.4	59.7	62.8	62.8	62.7	60.0	60.6	59.2	62.6	63.0	62.2	59.6	60.0	59.2	62.4	62.6	62.2
121	Chyluria	72.5	72.5	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	27.5	.....	27.5	(1)	.....	(1)
122	Other diseases of the kidneys and annexa	49.4	52.7	45.1	53.1	58.3	46.6	47.5	49.2	45.3	50.7	54.7	45.9	50.6	52.0	48.7	54.3	58.4	51.0
123	Calculi of the urinary passages	56.2	58.0	51.6	58.0	60.4	51.7	57.1	58.0	55.0	61.6	63.1	56.8	54.7	55.4	53.0	57.3	58.7	54.1
124	Diseases of the bladder	70.4	71.6	64.2	75.5	76.0	71.1	70.7	71.5	66.5	75.4	75.7	72.6	70.8	71.9	66.2	75.4	75.6	74.0
125	Diseases of the urethra, urinary abscess, etc	50.4	51.1	36.7	49.6	50.3	33.8	50.8	50.8	49.7	49.6	49.4	51.3	51.3	52.7	41.2	50.4	52.6	42.1
126	Diseases of the prostate	73.0	73.0	.....	73.9	73.9	.....	73.3	73.3	.....	74.3	74.3	.....	73.6	73.7	.....	74.5	74.5	.....
127	Nonvenereal diseases of the male genital organs	28.9	28.9	.....	24.0	24.0	.....	33.1	33.1	.....	30.0	30.0	.....	31.7	31.7	.....	28.8	28.8	.....
128	Uterine hemorrhage (nonpuerperal)	42.8	.....	42.8	42.3	.....	42.3	39.8	.....	39.8	39.7	.....	39.7	39.4	.....	39.4	38.4	.....	38.4
129	Uterine tumor (noncancerous)	47.5	.....	47.5	45.8	.....	45.8	48.0	.....	48.0	45.8	.....	45.8	47.2	.....	47.2	45.7	.....	45.7
130	Other diseases of the uterus	38.9	.....	38.9	36.9	.....	36.9	39.0	.....	39.0	37.3	.....	37.3	38.6	.....	38.6	37.6	.....	37.6
131	Cysts and other tumors of the ovary	48.9	.....	48.9	47.3	.....	47.3	49.4	.....	49.4	48.2	.....	48.2	47 9	.....	47.9	46.4	.....	46.4
132	Salpingitis and other diseases of the female genital organs	32.9	.....	32.9	32.1	.....	32.1	33.2	.....	33.2	32.2	.....	32.2	32.4	.....	32.4	31.3	.....	31.3
133	Nonpuerperal diseases of the breast (cancer excepted)	29.4	0.3	36.7	26.3	(1)	35.0	36.4	18.6	39.6	37.5	(1)	45.8	32.2	33.9	32.0	30.0	(1)	30.0
	VII.—The puerperal state	29.6	.....	29.6	29.2	.....	29.2	29.6	.....	29.6	29.3	.....	29.3	29.6	.....	29.6	29.2	.....	29.2
134	Accidents of pregnancy	30.9	.....	30.9	30.9	.....	30.9	30.6	.....	30.6	30.5	.....	30.5	31.0	.....	31.0	31.0	.....	31.0
135	Puerperal hemorrhage	32.5	.....	32.5	32.9	.....	32.9	32.1	.....	32.1	32.3	.....	32.3	32.0	.....	32.0	32.1	.....	32.1
136	Other accidents of labor	31.4	.....	31.4	31.6	.....	31.6	31.1	.....	31.1	31.2	.....	31.2	31.3	.....	31.3	31.1	.....	31.1
137	Puerperal septicemia	28.9	.....	28.9	28.3	.....	28.3	28.8	.....	28.8	28.3	.....	28.3	28.9	.....	28.9	28.4	.....	28.4
138	Puerperal albuminuria and convulsions	28.6	.....	28.6	27.9	.....	27.9	28.9	.....	28.9	28.4	.....	28.4	28.5	.....	28.5	27.9	.....	27.9
139	Puerperal phlegmasia alba dolens, embolus, sudden death	30.8	.....	30.8	30.4	.....	30.4	31.1	.....	31.1	31.4	.....	31.4	31.1	.....	31.1	30.7	.....	30.7
140	Following childbirth (not otherwise defined)	31.2	.....	31.2	30.4	.....	30.4	29.0	.....	29.0	28.3	.....	28.3	30.5	.....	30.5	30.0	.....	30.0
141	Puerperal diseases of the breast	25.0	.....	25.0	(1) [3]	.....	(1)	28.8	.....	28.8	(1)	.....	(1)	22.5	.....	22.5	(1)	.....	(1)
	VIII.—Diseases of the skin and of the cellular tissue	51.5	51.9	51.0	62.8	62.2	63.7	53.0	53.3	52.7	65.0	64.8	65.2	52.1	51.7	52.6	65.0	64.1	65.6
142	Gangrene	69.1	68.7	69.5	74.8	74.6	75.2	69.5	70.1	68.7	75.1	75.5	74.3	68.8	68.8	68.6	74.6	74.8	74.4
143	Furuncle	44.8	48.5	36.4	50.6	53.4	38.8	42.7	46.4	36.4	51.0	52.9	39.5	40.1	43.2	33.4	46.6	50.6	35.0
144	Acute abscess	31.5	34.8	26.5	30.2	36.8	10.8	32.1	33.5	29.9	30.8	34.2	18.5	27.5	27.9	26.9	18.1	20.9	14.0
145	Other diseases of the skin and annexa	33.5	29.1	37.4	28.3	1.8	43.3	31.8	26.4	37.1	9.0	(2)	39.4	31.1	27.3	35.0	8.3	(2)	34.4
	IX.—Diseases of the bones and of the organs of locomotion	31.1	31.2	30.9	25.5	26.6	23.6	29.9	29.7	30.2	24.0	24.0	24.0	30.6	30.7	30.4	25.5	26.5	23.7
146	Diseases of the bones (tuberculosis excepted)	28.6	29.5	27.2	22.1	24.1	18.5	27.4	27.9	26.7	21.4	22.3	19.0	27.8	28.7	26.3	21.1	23.6	15.3
147	Diseases of the joints (tuberculosis and rheumatism excepted)	43.6	40.6	47.4	47.9	45.0	53.8	44.3	41.7	47.3	49.0	42.5	55.0	42.9	38.3	47.5	44.2	40.8	50.8
148	Amputations	37.5	37.5	.....	(1)	(1)	(1)	25.8	25.8	.....	(1)	(1)	.....	58.5	57.5	62.5	(1)	(1)	(1)
149	Other diseases of the organs of locomotion	59.0	56.2	61.8	66.5	67.5	65.0	53.0	53.1	53.0	55.0	55.0	55.0	62.7	62.3	63.0	68.8	68.0	70.0
	X.—Malformations	0.7	0.7	0.7	(2)	(2)	(2)	0.7	0.7	0.8	(2)	(2)	(2)	0.8	0.7	0.9	(2)	(2)	(2)
150	Congenital malformations (stillbirths not included) (total)	0.7	0.7	0.7	(2)	(2)	(2)	0.7	0.7	0.8	(2)	(2)	(2)	0.8	0.7	0.9	(2)	(2)	(2)
	Hydrocephalus	1.6	1.6	1.6	(2)	(2)	(2)	1.7	1.9	1.4	(2)	(2)	(2)	1.5	1.8	1.3	(2)	(2)	(2)
	Congenital malformations of the heart	0.6	0.6	0.6	(2)	(2)	(2)	0.6	0.5	0.7	(2)	(2)	(2)	0.8	0.7	0.9	(2)	(2)	(2)
	Other congenital malformations	0.5	0.5	0.5	(2)	(2)	(2)	0.7	0.6	0.7	(2)	(2)	(2)	0.7	0.6	0.7	(2)	(2)	(2)
	XI.—Early infancy	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)
151	Congenital debility, icterus, and sclerema (total)	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)
	Premature birth	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)
	Congenital debility, "atrophy," "marasmus," etc	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)
152	Other causes peculiar to early infancy (total)	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)
	Injuries at birth	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)
	Other causes peculiar to early infancy [5]	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)
153	Lack of care	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)	(3)	(3)	(3)	(4)	(4)	(4)
	XII.—Old age	82.8	82.3	83.1	83.1	82.7	83.4	82.7	82.4	83.0	83.0	82.7	83.2	82.6	82.5	82.8	83.0	82.8	83.1
154	Senility	82.8	82.3	83.1	83.1	82.7	83.4	82.7	82.4	83.0	83.0	82.7	83.2	82.6	82.5	82.8	83.0	82.8	83.1
	XIII.—External causes	37.2	36.8	38.7	35.3	35.4	34.5	37.5	36.9	39.2	35.6	35.6	35.5	37.7	37.2	39.6	36.0	36.0	36.2
	Suicide (total)	43.5	45.1	38.2	42.4	44.4	35.4	43.7	45.4	38.3	42.7	44.7	35.7	43.4	45.0	38.2	42.2	44.1	35.3
155	By poison	39.6	42.6	34.2	37.0	40.7	30.0	40.3	44.0	33.6	38.4	43.3	30.1	39.9	43.1	34.4	37.7	42.0	30.6
156	By asphyxia	44.6	45.8	41.9	44.3	45.9	40.8	44.1	45.7	41.0	43.5	45.8	39.6	44.6	46.3	41.1	44.3	46.3	39.9
157	By hanging or strangulation	49.7	50.4	46.6	50.0	50.9	45.7	50.4	50.9	48.3	51.3	51.8	48.1	49.5	49.5	49.5	49.9	50.1	48.8
158	By drowning	47.1	49.3	42.7	47.3	49.6	41.8	46.5	48.4	43.5	46.1	48.2	43.0	46.0	48.0	42.1	45.6	47.7	40.6

[1] Not shown for less than 10 deaths. [2] Under 1 year. [3] Under 3 months. [4] Under 1 month. [5] Exclusive of injuries at birth.

Detailed Int. List No.	CAUSE OF DEATH.	DEATHS IN THE REGISTRATION AREA.																	
		1913						1912						1911					
		Average age at death, in years.			Median age at death, in years.			Average age at death, in years.			Median age at death, in years.			Average age at death, in years.			Median age at death, in years.		
		Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
	XIII.—External causes—Con.																		
	Suicide—Continued.																		
159	By firearms	42.1	43.0	33.4	40.6	41.8	29.9	42.6	43.2	35.2	41.0	41.7	33.4	42.2	43.0	33.5	40.8	41.8	31.4
160	By cutting or piercing instruments	48.3	48.3	48.7	47.1	47.1	47.3	47.4	48.0	43.4	45.8	46.5	40.0	47.0	47.2	45.6	45.8	45.8	45.6
161	By jumping from high places	42.3	43.2	40.9	40.1	40.3	39.7	41.7	41.2	42.3	37.9	37.5	38.6	44.7	44.7	44.8	42.2	42.8	39.6
162	By crushing	42.5	43.9	39.6	41.9	42.3	(1)	39.5	39.6	39.1	38.1	38.6	36.3	41.3	43.1	35.2	39.5	42.1	35.5
163	Other suicides	44.6	46.6	41.5	43.5	46.9	40.8	43.6	47.6	39.6	42.1	44.3	39.0	46.5	47.6	44.8	44.8	46.8	42.9
	Accidental or undefined (total)	36.5	35.6	39.6	34.1	33.9	36.2	36.7	35.6	40.2	34.4	33.9	37.8	37.1	36.0	40.6	35.1	34.6	39.1
164	Poisoning by food	26.4	25.6	27.3	15.1	11.6	19.0	28.2	27.7	28.7	25.6	24.8	26.7	24.1	25.8	22.1	16.3	20.2	10.8
165	Other acute poisonings	24.2	26.4	21.0	22.4	26.1	19.1	24.9	26.4	23.0	22.8	25.7	21.3	24.1	25.9	21.8	21.6	24.0	19.5
166	Conflagration	34.1	36.9	28.8	33.5	37.8	22.5	35.7	37.8	32.5	35.7	39.0	26.0	32.9	35.9	29.1	27.2	36.9	20.9
167	Burns (conflagration excepted)	20.5	17.4	22.9	6.1	4.2	8.2	22.0	18.2	24.9	7.4	4.4	9.6	21.4	18.0	23.8	6.7	4.2	9.0
168	Absorption of deleterious gases (conflagration excepted)	32.1	34.1	27.9	31.6	35.9	20.4	32.6	35.0	27.8	33.0	36.2	22.0	33.5	35.2	29.8	33.7	36.2	24.2
169	Accidental drowning	28.5	29.0	25.7	24.8	25.4	20.8	28.0	28.7	21.4	24.5	25.5	17.7	28.0	28.8	21.3	24.5	25.4	17.1
170	Traumatism by firearms	25.1	25.5	22.0	20.5	20.9	16.7	24.1	24.6	20.3	19.8	20.0	16.8	24.1	24.7	19.4	19.8	20.6	15.3
171	Traumatism by cutting or piercing instruments	36.3	36.4	35.6	35.6	35.6	35.0	35.3	38.2	18.6	33.3	35.7	10.0	30.5	31.5	26.4	30.5	31.7	10.0
172	Traumatism by fall	54.8	47.8	66.7	58.6	47.8	75.9	54.7	47.5	66.5	58.4	47.7	75.8	54.7	47.5	66.8	58.5	47.9	75.9
173	Traumatism in mines and quarries (total)	34.7	34.6	41.3	32.9	32.9	(1)	34.5	34.6	33.1	32.6	32.6	(1)	34.3	34.4	26.3	32.7	32.7	(1)
	Traumatism in mines	34.4	34.4	34.2	32.6	32.6	(1)	34.5	34.5	33.1	32.5	32.5	(1)	34.3	34.3	26.3	32.7	32.7	(1)
	Traumatism in quarries	40.8	40.6	62.5	41.4	41.3	(1)	36.0	36.0	.....	35.5	35.5	.....	34.6	34.6	.....	31.2	31.2	.....
174	Traumatism by machines	35.5	35.6	34.0	33.3	33.3	30.0	34.9	35.0	28.5	32.0	32.2	20.0	34.6	35.0	24.1	32.7	33.0	21.1
175	Traumatism by other crushing (total)	36.8	37.1	34.0	35.0	35.3	30.7	36.7	37.0	34.4	35.4	35.6	32.6	37.4	37.5	36.7	36.0	36.0	36.9
	Railroad accidents and injuries	37.5	37.5	38.3	35.0	35.0	36.8	37.4	37.4	37.7	35.3	35.3	35.5	37.5	37.4	39.8	35.3	35.2	39.1
	Street-car accidents and injuries	40.1	40.7	37.5	40.4	40.4	40.3	38.2	38.8	35.7	38.3	38.5	37.3	39.4	39.6	38.6	39.8	39.5	42.9
	Automobile accidents and injuries	32.6	32.7	32.0	29.4	30.0	27.3	32.6	33.3	30.1	30.2	31.9	23.2	34.3	34.1	35.1	32.9	32.6	35.2
	Injuries by other vehicles	36.7	37.6	30.8	36.5	37.5	23.3	36.8	37.2	33.7	37.2	37.4	35.3	37.2	38.1	32.2	37.9	38.6	30.3
	Landslide, other crushing	32.9	35.0	16.1	32.1	33.8	10.5	35.7	36.4	22.6	33.5	34.0	17.5	36.9	37.2	20.8	36.3	36.6	11.3
176	Injuries by animals	39.0	39.3	35.0	41.0	41.7	32.5	38.3	38.8	32.6	39.0	40.5	18.3	38.5	38.9	32.5	37.3	37.8	27.5
177	Starvation	29.9	31.4	27.7	36.5	37.5	35.8	28.4	34.9	14.2	(2)	47.5	(2)	29.8	33.6	22.9	17.5	37.5	(2)
178	Excessive cold	51.7	50.5	61.2	53.2	52.1	66.3	54.1	55.5	46.3	55.6	56.3	50.0	53.5	52.3	65.3	54.3	53.2	68.8
179	Effects of heat	41.4	41.7	40.8	43.4	43.3	43.8	39.1	39.9	37.2	41.0	41.9	36.9	46.2	44.3	50.0	49.2	46.3	60.3
180	Lightning	34.5	34.7	33.5	32.1	31.6	35.6	33.4	34.5	26.4	30.9	31.9	20.0	34.2	34.1	34.6	31.6	30.8	35.7
181	Electricity (lightning excepted)	30.2	30.4	17.9	28.1	28.2	(1)	30.1	30.3	22.9	28.2	28.3	23.3	29.9	30.0	29.3	28.4	28.5	22.5
185	Fractures (cause not specified)	55.9	48.1	71.9	58.0	47.7	77.6	58.4	48.5	74.0	61.4	47.7	78.3	56.6	47.5	73.2	58.3	44.9	77.8
186	Other external violence	33.8	35.1	24.9	32.9	34.3	12.6	32.4	33.5	26.2	31.1	32.3	9.6	32.7	34.6	22.3	32.1	34.0	7.3
	Homicide (total)	32.5	33.6	28.0	31.3	32.2	27.1	32.1	33.5	26.9	30.9	32.1	25.8	32.1	33.1	28.3	30.7	31.5	27.5
182	By firearms	33.2	33.7	30.5	31.5	32.0	28.6	33.5	34.3	29.5	31.6	32.5	27.5	33.0	33.4	30.9	30.8	31.2	29.1
183	By cutting or piercing instruments	32.5	33.1	29.8	30.6	30.9	29.4	31.2	32.2	26.9	29.2	29.7	25.7	32.2	32.2	32.1	30.1	30.3	29.3
184	By other means	30.8	33.8	23.8	30.8	34.9	23.7	29.1	32.0	22.8	29.5	32.7	22.0	30.0	32.9	22.4	30.9	34.0	22.4
	XIV.—Ill-defined diseases	28.1	28.3	27.8	3.6	4.8	2.8	31.0	31.6	30.2	19.5	25.8	9.2	30.9	31.0	30.8	21.6	24.8	18.7
187	Ill-defined organic disease	61.1	60.2	62.0	67.8	67.1	68.4	61.3	60.3	62.1	68.3	67.9	68.7	61.3	62.2	60.5	68.0	68.4	67.6
188	Sudden death	42.7	42.0	43.6	51.9	50.9	55.2	43.7	45.5	41.2	51.9	53.2	48.6	41.8	42.7	40.5	48.5	50.8	42.8
189	Not specified or ill-defined (total)	24.7	25.3	23.9	1.8	2.0	1.7	26.9	28.1	25.5	2.3	3.4	1.9	27.2	27.6	26.8	2.9	3.4	2.7
	Ill-defined	31.7	33.2	29.9	26.5	34.3	12.7	34.5	36.3	32.4	36.0	42.0	25.5	33.7	34.3	32.9	34.6	38.0	29.4
	Not specified or unknown	19.3	19.2	19.3	(2)	(2)	(2)	18.0	18.7	17.0	(2)	(2)	(2)	18.7	18.6	18.9	(2)	(2)	(2)

[1] Not shown for less than 10 deaths.

[2] Under 1 year.

The average age at death from any given disease or cause of death is computed by dividing the aggregate number of years lived by those who died from such disease or cause of death, by the number of such decedents. The average age at death should not be confused with the expectation of life as given in life tables.

The median age at death for any given disease or cause of death is the age which divides the total number of decedents from such disease or cause into two numerically equal groups, one of which includes all ages above the median and the other all ages below it.

With uniform, or nearly uniform, age distributions there is little difference between the average and median ages; but for certain diseases the mortality is much higher at certain ages than at others, and in such cases a marked difference will be observed. Examples of this for 1913 are: Tuberculous meningitis (average age in years, 9.2; median age in years, 2.9), scurvy (average, 10.9; median, 1), "other general diseases" (average, 19.8; median, 2.9), meningitis (average, 12.4; median, 3.6), acute bronchitis (average, 18.3; median, under 1 year), bronchopneumonia (average, 19.7; median, 1.5), and several others.

DEATH RATES OF THE REGISTRATION AREA.

The following table shows the death rate from all causes per 1,000 population in the cities and rural sections of the registration area for the years 1910 to 1913, together with the annual average for the periods 1901 to 1905 and 1906 to 1910.

As shown in every annual report since that for 1900, the year to which the first of these annual reports relates, there has been an excess of the urban over the rural death rate. The following table shows this excess for the years 1910 to 1913 and for the periods 1901 to 1905 and 1906 to 1910.

AREA.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.					
	1913	1912	1911	1910	Annual average. 1906 to 1910	Annual average. 1901 to 1905
The registration area	14.1	13.9	14.2	15.0	15.1	16.2
Registration states[2]	13.9	13.6	13.9	14.7	15.0	15.9
Cities in registration states[2]	15.0	14.7	15.1	15.9	16.3	17.4
Rural part of registration states	12.7	12.4	12.7	13.4	13.4	14.1
Registration cities in other states	16.3	16.6	16.9	16.9	15.9	16.6
All registration cities[2]	15.2	15.0	15.3	16.1	16.2	17.0

[1] Exclusive of stillbirths. [2] Includes District of Columbia.

It will be noted that the death rates for the registration area, the registration states (both cities and rural districts), and for all registration cities, were higher for 1913 than for 1912; for the registration cities in nonregistration states, however, the 1913 rate was exceeded by that for 1912. As compared with the five-year period 1901 to 1905 each of the 1913 rates was exceeded by the corresponding one for this period. This is also shown to be the fact when comparison is made with the period 1906 to 1910, except in the case of the registration cities in nonregistration states.

DEATH RATES OF REGISTRATION STATES.

The following table shows the death rates in the registration states as a whole, and in each state of the registration area, for the years 1910 to 1913 and for the five-year periods 1901 to 1905 and 1906 to 1910.

The highest rate shown for 1913 among the registration states was that for New Hampshire (17.1), followed by 16.8 for North Carolina (in which the figures relate only to municipalities having a population of 1,000 or over in 1900), and by 16.2 for Maryland. The lowest rate was that for Washington (8.5); the next lowest were those for Minnesota (10.4) and Utah (11). With regard to the year 1912, it will be noted that, with the exception of the rate for the North Carolina municipalities (17.3), the highest rate was again that for New Hampshire (16.4), followed by those for Maine and Maryland (each 15.5). The lowest rate shown was that for Washington (7.9), followed, as in 1913, by those for Minnesota (9.5) and for Utah (9.9).

STATE.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.					
	1913	1912	1911	1910	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Registration states[2]	13.9	13.6	13.9	14.7	15.0	15.9
California	14.5	14.2	13.7	13.5	13.9	([3])
Colorado	11.5	11.6	12.9	13.8	14.3	([3])
Connecticut	15.0	14.9	15.4	15.6	15.6	15.7
Indiana	13.3	13.0	12.9	13.5	13.0	13.2
Kentucky	[4]13.1	12.9	13.2	([3])	([3])	([3])
Maine	15.3	15.5	16.1	17.1	16.2	15.9
Maryland	16.2	15.5	15.8	16.0	16.0	([3])
Massachusetts	15.0	15.0	15.3	16.1	16.1	16.6
Michigan	13.9	13.4	13.2	14.1	13.6	13.3
Minnesota	10.4	9.5	10.5	10.9	([5])	([5])
Missouri	[6]12.4	12.6	13.1	([3])	([3])	([3])
Montana	12.0	10.1	10.2	10.6	([5])	([3])
New Hamsphire	17.1	16.4	17.1	17.3	17.2	16.6
New Jersey	14.3	14.1	14.7	15.5	15.4	16.1
New York	15.0	15.0	15.5	16.1	16.4	17.1
North Carolina[7]	16.8	17.3	18.3	18.7	([5])	([3])
Ohio	13.8	13.4	13.1	13.7	([5])	([3])
Pennsylvania	14.6	14.0	14.2	15.6	15.5	([3])
Rhode Island	15.0	15.2	15.5	17.1	16.7	17.8
Utah	11.0	9.9	10.3	10.8	([5])	([3])
Vermont	15.8	15.2	15.8	16.0	16.1	16.2
Virginia	13.9	([3])	([3])	([3])	([3])	([3])
Washington	8.5	7.9	8.9	10.0	([5])	([3])
Wisconsin	11.5	11.3	11.5	12.0	([5])	([3])

[1] Exclusive of stillbirths.
[2] Includes District of Columbia.
[3] Not admitted to registration area until a later date.
[4] Returns of 507 deaths in Kentucky were received too late for compilation; the addition of these would make the rate for this state 13.3.
[5] Figures for deaths not available for the entire period 1906 to 1910.
[6] Returns of 297 deaths in Missouri were received too late for compilation; the addition of these would make the rate for this state 12.5.
[7] Figures relate only to municipalities having a population of 1,000 or over in 1900.

It should be borne in mind that crude death rates are not reliable bases on which to make comparisons of the health conditions of the different states, because the important item of the age constitution of the several populations does not enter into their calculation. These crude rates are, however, of value in comparing the mortality of individual states from year to year. Even then some allowance must be made for the fact that when higher rates appear for the later than for the earlier years, the condition may be partly or wholly due to a more general understanding of registration laws or to a more thorough enforcement of them.

The following table shows the death rates in the cities and rural districts of the registration states of 1900, for the years 1910 to 1913, together with the annual averages for the five-year periods 1901 to 1905 and 1906 to 1910:

AREA.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.					
	1913	1912	1911	1910	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Registration states[2] (1900)	14.7	14.6	14.9	15.6	15.5	15.9
Cities[2]	15.1	14.9	15.4	16.2	16.4	17.4
Rural	14.1	13.9	14.3	14.7	14.2	14.1

[1] Exclusive of stillbirths. [2] Includes District of Columbia.

NOTE.—The registration states in 1900 were Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.

DEATH RATES OF LARGE CITIES.

The following table shows the death rates per 1,000 population in registration cities which had populations of 100,000 or over in 1910, for each of the four years 1910 to 1913, together with the annual averages for the periods 1901 to 1905 and 1906 to 1910. For the cities in which the colored population formed 10 per cent or more of the total the rates for the white and colored are shown in addition to those for the aggregate.

CITY.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
	1913	1912	1911	1910	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Birmingham, Ala. (total)	17.4	17.4	18.2	19.5	([2])	([3])
White	12.3	13.3	14.2	14.9	([2])	([3])
Colored	25.2	23.6	24.3	26.5	([2])	([3])
Los Angeles, Cal	15.0	14.7	14.5	14.0	14.8	16.4
Oakland, Cal	12.5	12.8	12.7	12.7	15.4	13.3
San Francisco, Cal	15.9	15.6	15.2	15.1	16.1	20.3
Denver, Colo	13.7	14.2	15.5	16.4	17.5	17.2
Bridgeport, Conn	14.9	13.9	13.9	15.2	15.5	16.0
New Haven, Conn	15.9	16.5	16.7	16.5	17.3	17.3
Washington, D. C. (total)	17.3	18.3	18.7	19.6	19.6	20.5
White	14.4	14.8	15.5	15.8	15.9	16.5
Colored	24.4	26.9	26.5	29.1	28.7	29.5
Atlanta, Ga. (total)	17.4	18.0	19.8	18.9	19.4	21.1
White	13.5	14.6	15.8	15.5	15.6	16.1
Colored	25.2	24.7	27.8	25.5	26.8	29.6
Chicago, Ill	15.1	14.8	14.5	15.1	14.9	14.5
Indianapolis, Ind	15.7	15.0	14.7	16.3	15.2	15.4
Louisville, Ky. (total)	16.2	16.4	16.1	16.7	17.4	19.0
White	14.3	14.3	13.9	14.5	15.1	16.9
Colored	24.8	26.1	25.8	26.8	27.7	28.1
New Orleans, La. (total)	19.9	20.1	20.4	21.3	21.7	22.4
White	15.6	16.1	16.6	17.2	18.0	19.2
Colored	31.9	31.4	31.2	32.7	32.1	31.0
Baltimore, Md. (total)	18.5	18.2	18.4	19.2	19.5	20.0
White	16.2	16.3	16.2	17.2	17.3	17.8
Colored	31.0	29.2	30.8	30.5	31.5	32.0
Boston, Mass	16.4	16.4	17.1	17.2	17.9	18.8
Cambridge, Mass	13.5	13.0	15.2	15.0	15.1	15.1
Fall River, Mass	17.2	16.2	17.4	18.4	19.7	20.3
Lowell, Mass	15.9	17.4	17.7	19.7	19.4	20.2
Worcester, Mass	15.8	16.2	15.7	16.9	17.1	16.8
Detroit, Mich	17.3	15.5	14.4	15.9	14.8	15.1
Grand Rapids, Mich	13.3	13.0	13.6	14.6	13.3	13.5
Minneapolis, Minn	11.6	10.4	11.5	12.3	11.0	10.2
St. Paul, Minn	11.0	10.2	10.9	11.9	11.0	10.0
Kansas City, Mo	14.8	15.2	15.4	15.9	14.6	15.9
St. Louis, Mo	14.9	14.9	15.4	15.8	15.6	17.9
Omaha, Nebr	13.9	13.2	14.3	15.1	13.8	11.5
Jersey City, N. J	14.6	14.0	15.8	16.3	17.7	19.3
Newark, N. J	14.4	14.3	14.8	16.5	17.2	18.7
Paterson, N. J	13.5	14.0	14.6	14.7	15.7	16.9
Albany, N. Y	19.8	20.1	20.4	19.4	18.6	18.4
Buffalo, N. Y	15.8	14.8	14.5	16.3	16.0	15.5
New York, N. Y	14.3	14.5	15.2	16.0	16.9	19.0
Bronx Borough [4]	13.9	13.2	13.3	15.9	17.4	20.9
Brooklyn Borough [4]	13.9	14.2	14.8	15.6	16.3	18.2
Manhattan Borough [4]	14.6	14.9	16.0	16.5	17.4	19.5
Queens Borough [4]	13.8	13.4	13.7	13.8	14.9	16.1
Richmond Borough [4]	16.9	16.8	16.7	17.0	18.6	19.0
Rochester, N. Y	14.6	14.6	14.4	14.6	14.7	14.6
Syracuse, N. Y	15.7	15.2	14.3	15.4	15.2	14.5
Cincinnati, Ohio	16.9	16.6	16.5	17.4	18.1	19.1
Cleveland, Ohio	14.2	13.7	13.8	14.3	14.1	14.9
Columbus, Ohio	15.3	14.4	14.3	15.4	15.1	15.4
Dayton, Ohio	16.0	15.1	13.7	14.8	15.5	15.1
Toledo, Ohio	16.2	15.8	14.9	14.6	14.9	14.3
Portland, Oreg	9.5	9.5	10.9	11.0	10.3	10.2
Philadelphia, Pa	15.7	15.3	16.6	17.4	17.7	18.1
Pittsburgh, Pa	17.1	15.9	14.9	17.9	18.0	19.9
Scranton, Pa	14.8	14.6	14.8	16.4	16.3	16.2
Providence, R. I	15.2	15.8	15.6	17.7	17.6	18.8
Memphis, Tenn. (total)	20.8	21.7	21.3	21.4	20.6	19.4
White	15.9	16.7	16.7	16.8	16.1	16.5
Colored	28.2	29.1	28.3	28.4	27.0	22.9
Nashville, Tenn. (total)	17.8	19.3	20.5	18.7	19.3	21.5
White	14.7	14.8	16.0	15.0	15.2	17.0
Colored	24.0	28.2	29.6	26.0	27.2	29.6
Richmond, Va. (total)	20.4	20.7	21.0	22.6	[5] 22.5	23.4
White	16.7	16.5	16.7	18.1	[6] 17.4	18.5
Colored	26.8	27.9	28.4	30.3	[6] 29.9	31.7
Seattle, Wash	8.4	8.1	8.8	10.0	9.8	9.3
Spokane, Wash	8.9	8.4	11.6	13.0	12.8	11.3
Milwaukee, Wis	12.7	13.0	11.9	13.8	13.7	13.2

[1] Exclusive of stillbirths.
[2] Average not shown for less than five years.
[3] Not admitted to registration area until 1908.
[4] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911, deaths which occurred in boroughs other than those of residence, were distributed to the boroughs of residence.
[5] Including Manchester for the years 1908 to 1910.
[6] Excluding Manchester for the years 1908 to 1910.

Analysis of the above table shows that there were no very pronounced increases or decreases in the death rates of these cities between 1912 and 1913. In Lowell the mortality fell from 17.4 for 1912 to 15.9 for 1913; the latter rate is the lowest of any of those shown for that city during the years and periods covered by this table. The rate for Nashville in 1913 was 17.8, as compared with 19.3 for 1912; the mortality of this city, like that of Lowell, was lower in 1913 than in any other year for which rates are shown in the above table.

The same caution should be exercised in comparing these crude rates for the larger cities as in comparing those for the states, since the age and color constitutions are important factors in both cases.

In the 9 large cities for which rates are shown for both the white and colored populations the incidence of color upon the aggregate rates for these cities is very evident. In every instance the rate for the colored population was largely in excess of that for the white, thus emphasizing the fact that the item of color must be given due consideration when comparing the death rates of these cities with those having a much lower percentage of colored. It will be noted that the mortality among the white race in several of these cities was lower than the mortality for the aggregate in other cities in which the percentage of colored population was practically negligible.

For 27 of these cities the rate for 1913 exceeded that for 1912, while in 5 there was neither increase nor decrease. As compared with the annual average for the period 1906 to 1910, 14 of these cities showed a higher mortality for the year 1913; in 33 the rate for the period was higher; in 2 the rates were identical; and in 1 (Birmingham, Ala.) no comparison can be made, as the rate for the period is not available.

GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH OF THE YEARS 1900 TO 1912.



* Registration area only. See table and explanatory text on the following page. All rates are, of course, based on figures for deaths exclusive of stillbirths.

DEATH RATES OF FOREIGN COUNTRIES.

The following table is taken from the latest report of the Registrar-General of England and Wales. It shows the death rates of the majority of the countries of Europe, and certain other countries, for each of the six 5-year intervals from 1881 to 1910, together with the rates for 1911 and 1912, when available; it also shows the per cent decrease between the rates for the two periods 1881 to 1885 and 1906 to 1910.

COUNTRY.	ANNUAL CRUDE DEATH RATE PER 1,000 PERSONS LIVING.								Decrease per cent between 1881 to 1885 and 1906 to 1910.
	1912	1911	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895	1886 to 1890	1881 to 1885	
United States (registration area)	13.9	14.2	15.1	16.2	[1]	[1]	[1]	[1]	[1]
Australian Commonwealth	11.2	10.7	10.7	11.7	12.7	13.3	14.8	15.7	31.8
Austria	20.5	21.9	22.3	24.2	25.6	27.9	28.9	30.1	25.9
Belgium	[1]	16.4	15.9	17.0	18.1	20.1	20.2	20.6	[1]
Bulgaria	[1]	[1]	[1]	22.5	23.9	27.8	18.9	17.7	[1]
Ceylon	32.4	34.8	30.8	26.7	27.0	28.3	25.1	[1]	[1]
Chile	29.7	31.1	31.3	30.2	28.8	32.6	35.2	26.9	[2] 16.4
Denmark	13.0	13.6	13.7	14.8	16.4	18.6	18.7	18.4	25.5
England and Wales	13.3	14.6	14.7	16.0	17.7	18.7	18.9	19.4	24.2
Finland	16.3	16.5	17.4	18.6	19.0	20.5	20.0	22.2	21.6
France	17.5	19.6	19.2	19.6	20.7	22.3	22.0	22.2	13.5
German Empire	[1]	17.3	17.5	19.9	21.2	23.3	24.4	25.3	[1]
Hungary	23.3	25.1	25.0	26.4	27.9	31.8	32.1	33.1	24.5
Ireland	16.5	16.5	17.3	17.6	18.1	18.5	17.9	18.0	3.9
Italy	18.2	21.4	21.0	21.9	22.9	25.5	27.2	27.3	23.1
Jamaica	25.1	22.1	24.4	22.6	22.1	22.0	23.5	[1]	[1]
Japan	[1]	[1]	21.0	20.9	20.7	21.1	20.6	[1]	[1]
Netherlands	12.3	14.5	14.3	16.0	17.2	19.6	20.5	21.4	33.2
New Zealand	8.9	9.4	9.7	9.9	9.6	10.1	9.9	10.9	11.0
Norway	13.4	13.2	13.8	14.5	15.6	16.8	17.0	17.2	19.8
Ontario, Province of	12.4	12.6	14.0	13.0	11.6	10.6	11.0	11.4	[2] 22.8
Prussia	15.5	17.2	17.3	19.6	21.0	22.8	24.0	25.4	31.9
Roumania	22.9	25.7	26.0	25.5	27.4	31.0	28.7	26.2	0.8
Russia (European)	[1]	[1]	[1]	30.9	31.9	35.8	33.2	35.4	[1]
Scotland	15.3	15.1	16.1	17.0	18.0	19.0	18.8	19.6	17.9
Servia	21.1	21.8	24.3	22.4	24.8	28.9	25.9	24.5	[1]
Spain	21.8	23.2	24.3	26.0	28.8	30.1	30.9	32.6	25.5
Sweden	14.2	13.8	14.3	15.5	16.1	16.6	16.4	17.5	18.3
Switzerland	[1]	15.8	16.0	17.5	18.1	19.8	20.4	21.3	[1]

[1] Figures not available.

[2] Increase.

The following table, taken from the latest report of the Registrar-General of England and Wales, presents the crude death rates for each 1,000 of the population of certain countries for each year of the period 1900 to 1912. These rates are graphically shown in the diagram on the preceding page.

COUNTRY.	DEATH RATE [1] PER 1,000 POPULATION.												
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912
United States (registration area)	17.6	16.5	15.9	16.0	16.5	16.0	15.7	16.0	14.8	14.4	15.0	14.2	13.9
Australia	11.8	12.2	12.5	12.2	11.1	10.9	10.9	11.0	11.1	10.3	10.4	10.7	11.2
Austria	25.4	24.0	24.7	23.8	23.8	25.1	22.6	22.7	22.5	22.9	21.2	21.9	20.5
Chile	35.6	36.4	28.5	26.2	27.8	34.9	32.7	29.6	31.6	31.2	31.0	31.1	29.7
England and Wales	18.2	16.9	16.3	15.5	16.3	15.3	15.5	15.1	14.8	14.6	13.5	14.6	13.3
France	21.9	20.1	19.5	19.2	19.4	19.6	19.9	20.2	18.9	19.1	17.8	19.6	17.5
German Empire	22.1	20.7	19.5	20.0	19.6	19.8	18.2	18.0	18.1	17.2	16.2	17.3	[2]
Hungary	26.9	25.4	27.1	26.2	25.0	28.2	25.1	25.7	25.2	25.6	23.6	25.1	23.3
Ireland	19.6	17.8	17.5	17.5	18.0	17.1	16.9	17.6	17.5	17.1	17.1	16.5	16.5
Italy	23.8	22.0	22.2	22.4	21.2	22.0	20.9	20.9	22.8	21.7	19.9	21.4	18.2
Japan	20.4	20.4	20.9	20.0	21.2	22.0	19.8	20.9	21.0	21.9	21.1	[2]	[2]
New Zealand	9.4	9.8	10.5	10.4	9.5	9.3	9.3	10.9	9.5	9.2	9.7	9.4	8.9
Spain	28.9	27.7	26.0	25.0	25.7	25.8	26.1	24.5	23.8	24.0	23.3	23.2	21.8
Sweden	16.8	16.1	15.4	15.1	15.3	15.6	14.4	14.6	14.9	13.7	14.0	13.8	14.2

[1] Exclusive of stillbirths.

[2] Data not available.

DEATH RATES OF FOREIGN CITIES.

The following table, taken from the Annual Summary of the Registrar-General of England and Wales, presents, for certain of the principal cities of the world, the death rates for each of the six 5-year intervals covering the period 1881 to 1910, together with the rates for 1911 and 1912; it also shows the per cent decrease between the rates for the two periods 1881 to 1885 and 1906 to 1910.

CITY.	ANNUAL CRUDE DEATH RATE PER 1,000 PERSONS LIVING.								Decrease per cent between 1881 to 1885 and 1906 to 1910.
	1912	1911	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895	1886 to 1890	1881 to 1885	
London	13.6	15.0	14.9	16.4	18.5	19.8	19.7	20.9	28.7
Edinburgh	15.7	16.0	16.8	17.8	19.0	19.7	19.7	19.6	14.3
Glasgow	17.6	17.7	19.0	20.1	21.2	22.8	23.1	26.0	26.9
Dublin (registration area)	20.5	21.4	21.6	23.3	25.6	25.7	26.6	27.5	21.5
Belfast	18.1	17.2	19.6	20.8	23.4	25.1	24.4	24.7	20.6
Melbourne	14.0	12.8	12.9	14.0	15.5	16.7	21.0	20.1	35.8
Sydney	11.4	10.9	10.5	11.4	12.1	14.3	17.9	20.8	49.5
Montreal	20.0	21.4	22.5	23.3	23.1	25.3	26.7	31.0	27.1
Toronto	(1)	12.6	18.2	16.3	14.6	15.2	20.1	20.7	12.1
Paris	16.3	17.2	17.5	17.9	19.1	21.1	22.9	24.4	28.3
Brussels	13.5	13.9	14.1	15.2	17.2	20.2	21.2	23.4	39.7
Amsterdam	11.2	12.4	13.1	14.7	16.7	19.2	22.4	25.1	47.8
Rotterdam	11.3	12.1	13.4	15.6	18.0	20.8	22.0	24.2	44.6
The Hague	10.9	12.7	13.2	14.4	16.2	18.7	20.8	23.3	43.3
Copenhagen	14.1	14.8	15.1	16.1	17.6	20.2	22.3	22.3	32.3
Stockholm	14.2	12.7	15.1	16.1	18.2	20.0	21.2	24.3	37.9
Christiania	13.4	13.5	12.9	15.3	17.5	19.0	22.3	19.9	35.2
St. Petersburg	21.9	20.8	25.6	23.7	25.8	25.6	27.0	32.9	22.2
Moscow	24.3	27.2	27.6	26.6	28.7	29.2	33.6	33.3	17.1
Berlin	14.4	15.6	15.5	17.0	18.1	20.5	22.5	26.6	41.7
Hamburg	13.6	14.7	14.8	16.3	17.3	24.2	25.3	25.2	41.3
Dresden	13.1	14.6	14.7	17.6	19.0	20.6	22.1	25.0	41.2
Breslau	18.4	19.5	20.8	23.7	26.3	27.8	28.8	31.3	33.5
Munich	14.7	15.8	17.5	21.0	23.9	25.8	28.3	30.4	42.4
Vienna	15.4	16.4	17.1	19.1	21.1	24.1	25.1	28.2	39.4
Prague	15.8	16.3	16.1	18.6	19.8	22.7	26.1	28.9	44.3
Budapest	18.5	19.4	19.5	19.8	21.6	25.5	30.8	31.5	38.1
Trieste	21.1	24.0	24.5	26.3	27.5	29.8	30.4	31.1	21.2
Milan	15.8	20.1	19.3	22.1	23.2	27.4	30.4	30.3	36.3
Turin	12.9	14.2	17.5	19.6	19.8	21.6	23.5	27.2	35.7
Venice	20.9	22.8	22.9	24.2	25.8	27.8	30.2	29.1	21.3
Bucharest	(1)	26.1	24.7	23.3	24.6	(1)	(1)	(1)	(1)
New York	14.1	15.1	17.0	18.9	20.3	24.6	25.8	27.5	38.2
Chicago	14.8	14.6	14.5	14.2	15.2	20.6	19.5	21.5	32.6
Philadelphia	15.1	16.5	[2]17.7	18.1	19.2	21.1	20.6	22.3	[2]20.6
Boston	16.2	17.1	17.9	18.8	21.1	23.5	23.4	24.7	27.5
Rio de Janeiro	21.3	20.4	22.5	26.3	29.2	38.2	33.1	30.5	26.2

[1] Figures not available.

[2] Furnished by the Bureau of the Census.

DEATH RATES OF CITIES WITH CONSIDERABLE COLORED POPULATION.

In the following table the comparative death rates of the white and colored population are presented for those cities of the registration area in which the colored population constituted 10 per cent or more of the total in 1910. Rates for two Kentucky cities and two Maryland cities, in which less than 10 per cent of the population was colored, are shown in order that rates for all the cities in these two states may be included:

CITY AND COLOR.	Per cent of total population Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES,[1] PER 1,000 POPULATION.					
		1913	1912	1911	1910	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Cities in this table (aggregate)	100.0	18.3	18.8	19.4	19.8	19.9	21.1
White	74.0	15.3	15.7	16.0	16.6	16.6	17.7
Colored	26.0	26.8	27.8	28.9	28.8	29.1	29.8
Birmingham, Ala. (total)	100.0	17.4	17.4	18.2	19.5	(2)	(2)
White	60.6	12.3	13.3	14.2	14.9	(2)	(2)
Colored	39.4	25.2	23.6	24.3	26.5	(2)	(2)
Mobile, Ala. (total)	100.0	20.8	20.9	24.0	23.0	23.6	24.8
White	55.8	16.9	16.7	18.8	17.8	18.7	19.7
Colored	44.2	25.7	26.0	30.7	29.5	29.7	31.2
Montgomery, Ala. (total)	100.0	21.7	22.9	25.1	26.4	(2)	(2)
White	49.3	15.6	16.1	16.9	17.4	(2)	(2)
Colored	50.7	27.6	29.6	33.0	35.2	(2)	(2)
Riverside, Cal. (total)	100.0	13.2	16.0	16.2	14.4	(2)	(2)
White	88.8	13.5	16.6	16.7	15.2	(2)	(2)
Colored	11.2	10.7	11.7	12.2	8.1	(2)	(2)
Wilmington, Del. (total)	100.0	15.5	16.5	16.3	17.7	17.0	17.0
White	89.6	14.2	15.2	15.3	16.8	15.9	15.7
Colored	10.4	26.7	27.4	24.8	24.8	26.5	27.2
Washington, D. C. (total)	100.0	17.3	18.3	18.7	19.6	19.6	20.5
White	71.3	14.4	14.8	15.5	15.8	15.9	16.5
Colored	28.7	24.4	26.9	26.5	29.1	28.7	29.5
Jacksonville, Fla. (total)	100.0	19.2	19.9	21.6	20.3	22.1	27.5
White	49.1	15.7	15.8	16.8	16.7	17.9	23.3
Colored	50.9	22.6	23.8	26.1	23.9	25.8	30.5
Key West, Fla. (total)	100.0	14.9	17.8	22.8	22.5	22.0	21.7
White	72.2	14.0	17.0	19.5	20.9	20.1	20.4
Colored	27.8	17.1	20.0	31.5	26.8	26.3	24.4
Pensacola, Fla. (total)	100.0	16.2	(3)	(3)	(3)	(3)	(3)
White	55.5	11.7	(3)	(3)	(3)	(3)	(3)
Colored	44.5	21.8	(3)	(3)	(3)	(3)	(3)
Atlanta, Ga. (total)	100.0	17.4	18.0	19.8	18.9	19.4	21.1
White	66.4	13.5	14.6	15.8	15.5	15.6	16.1
Colored	33.6	25.2	24.7	27.8	25.5	26.8	29.6
Augusta, Ga. (total)	100.0	19.7	(3)	(3)	(3)	(3)	(3)
White	55.2	16.7	(3)	(3)	(3)	(3)	(3)
Colored	44.8	23.4	(3)	(3)	(3)	(3)	(3)
Savannah, Ga. (total)	100.0	25.0	26.6	29.3	26.9	24.8	27.1
White	48.9	17.3	18.4	19.3	19.4	17.9	19.2
Colored	51.1	32.2	34.4	38.8	34.1	31.3	34.5
Jeffersonville, Ind. (total)	100.0	13.5	16.3	17.9	19.7	17.1	19.9
White	85.2	12.4	14.9	17.7	17.6	16.3	18.1
Colored	14.8	19.7	24.2	19.6	32.0	21.8	29.4
Atchison, Kans. (total)	100.0	12.0	11.7	(3)	(3)	(3)	(3)
White	84.1	11.2	11.7	(3)	(3)	(3)	(3)
Colored	15.9	16.3	11.8	(3)	(3)	(3)	(3)
Coffeyville, Kans. (total)	100.0	10.3	12.6	(3)	(3)	(3)	(3)
White	88.7	9.7	11.6	(3)	(3)	(3)	(3)
Colored	11.3	15.2	19.7	(3)	(3)	(3)	(3)
Fort Scott, Kans. (total)	100.0	12.9	15.9	(3)	(3)	(3)	(3)
White	90.0	12.7	13.4	(3)	(3)	(3)	(3)
Colored	10.0	15.2	38.1	(3)	(3)	(3)	(3)
Kansas City, Kans. (total)	100.0	15.3	15.8	16.4	16.8	(2)	(2)
White	88.7	13.9	14.2	15.1	15.7	(2)	(2)
Colored	11.3	25.9	28.5	26.8	25.7	(2)	(2)
Lawrence, Kans. (total)	100.0	14.5	12.4	(3)	(3)	(3)	(3)
White	80.3	13.1	13.0	(3)	(3)	(3)	(3)
Colored	19.7	20.2	10.0	(3)	(3)	(3)	(3)
Leavenworth, Kans. (total)	100.0	18.0	17.6	14.2	13.8	15.7	14.8
White	87.2	17.7	16.9	12.3	12.5	14.5	13.4
Colored	12.8	20.2	22.5	27.2	23.0	23.9	22.5
Topeka, Kans. (total)	100.0	19.4	18.6	(3)	(3)	(3)	(3)
White	89.6	18.4	17.6	(3)	(3)	(3)	(3)
Colored	10.4	27.6	26.8	(3)	(3)	(3)	(3)
Covington, Ky. (total)	100.0	16.1	16.7	15.1	16.1	15.5	18.1
White	94.5	15.3	15.7	14.1	15.9	14.9	17.4
Colored[4]	5.5	30.5	33.5	31.8	20.2	25.3	29.0

[1] Exclusive of stillbirths.

[2] Average not shown for less than five years.

[3] Not admitted to the registration area until a later date.

[4] Colored population less than 10 per cent of total.

CITY AND COLOR.	Per cent of total population Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES,[1] PER 1,000 POPULATION.					
		1913	1912	1911	1910	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Frankfort, Ky. (total)	100.0	18.1	19.9	19.5	(2)	(2)	(2)
White	72.8	14.4	16.3	17.9	(2)	(2)	(2)
Colored	27.2	27.9	29.5	23.6	(2)	(2)	(2)
Henderson, Ky. (total)	100.0	19.7	21.9	19.8	(2)	(2)	(2)
White	73.7	17.7	18.4	15.6	(2)	(2)	(2)
Colored	26.3	25.3	31.8	31.4	(2)	(2)	(2)
Lexington, Ky. (total)	100.0	23.5	24.3	22.9	(2)	(2)	(2)
White	68.6	20.4	21.5	18.5	(2)	(2)	(2)
Colored	31.4	30.2	30.3	32.4	(2)	(2)	(2)
Louisville, Ky. (total)	100.0	16.2	16.4	16.1	16.7	17.4	19.0
White	81.9	14.3	14.3	13.9	14.5	15.1	16.9
Colored	18.1	24.8	26.1	25.8	26.8	27.7	28.1
Newport, Ky. (total)	100.0	11.6	12.4	12.5	14.6	15.6	16.0
White	98.1	11.5	12.2	12.1	14.5	15.5	16.0
Colored [3]	1.9	17.0	22.3	33.1	19.2	21.0	20.1
Owensboro, Ky. (total)	100.0	18.6	19.2	21.5	(2)	(2)	(2)
White	80.5	17.5	17.8	19.7	(2)	(2)	(2)
Colored	19.5	22.8	25.0	28.9	(2)	(2)	(2)
Paducah, Ky (total)	100.0	20.0	19.9	20.2	19.2	17.5	22.2
White	73.4	15.5	15.4	15.9	16.3	13.5	19.3
Colored	26.6	32.4	32.5	32.0	27.1	28.4	29.2
New Orleans, La. (total)	100.0	19.9	20.1	20.4	21.3	21.7	22.4
White	73.6	15.6	16.1	16.6	17.2	18.0	19.2
Colored	26.4	31.9	31.4	31.2	32.7	32.1	31.0
Baltimore, Md. (total)	100.0	18.5	18.2	18.4	19.2	19.5	20.0
White	84.8	16.2	16.3	16.2	17.2	17.3	17.8
Colored	15.2	31.0	29.2	30.8	30.5	31.5	32.0
Cumberland, Md. (total)	100.0	19.3	18.0	18.6	20.1	18.7	(2)
White	95.1	18.7	17.3	17.6	19.1	17.9	(2)
Colored [3]	4.9	31.5	33.1	37.4	39.4	33.2	(2)
Frederick, Md. (total)	100.0	18.9	22.0	20.8	19.7	20.1	22.0
White	85.9	17.9	19.9	18.5	17.3	17.8	18.4
Colored	14.1	25.0	34.6	34.3	34.7	34.0	41.1
Hagerstown, Md. (total)	100.0	19.0	19.3	18.6	17.6	17.5	(2)
White	93.1	18.5	18.1	17.0	17.1	16.7	(2)
Colored [3]	6.9	25.9	35.7	39.8	23.9	28.6	(2)
Hannibal, Mo. (total)	100.0	13.4	13.7	13.8	(2)	(2)	(2)
White	89.9	12.1	12.7	12.6	(2)	(2)	(2)
Colored	10.1	24.6	22.3	25.0	(2)	(2)	(2)
Jefferson City, Mo. (total)	100.0	14.6	14.9	13.0	(2)	(2)	(2)
White	83.8	12.5	13.5	11.9	(2)	(2)	(2)
Colored	16.2	25.0	22.0	18.8	(2)	(2)	(2)
Sedalia, Mo. (total)	100.0	14.4	15.0	16.9	(2)	(2)	(2)
White	89.5	13.5	13.2	15.0	(2)	(2)	(2)
Colored	10.5	22.5	30.0	33.1	(2)	(2)	(2)
Asbury Park, N. J. (total)	100.0	13.8	13.9	13.1	16.5	(4)	(5)
White	80.9	12.7	12.2	12.4	14.5	(4)	(5)
Colored	19.1	18.1	20.9	15.9	24.8	(4)	(5)
Atlantic City, N. J. (total)	100.0	15.9	15.3	16.5	17.2	16.5	16.2
White	78.5	16.2	15.2	16.6	17.2	16.6	16.8
Colored	21.5	14.9	15.8	16.0	17.4	16.1	14.3
Montclair, N. J. (total)	100.0	14.1	13.6	13.8	14.9	14.1	17.6
White	88.4	13.7	12.7	13.4	14.2	13.7	17.1
Colored	11.6	17.6	21.1	16.6	20.1	17.4	21.7
Asheville, N. C. (total)	100.0	21.1	21.2	17.7	19.7	(4)	(2)
White	71.4	20.0	20.2	17.0	17.5	(4)	(2)
Colored	28.6	23.8	23.7	19.2	25.1	(4)	(2)
Charlotte, N. C. (total)	100.0	16.0	14.5	14.9	17.7	(4)	(2)
White	65.4	13.9	13.3	12.0	13.7	(4)	(2)
Colored	34.6	20.2	16.8	20.3	25.4	(4)	(2)
Durham, N. C. (total)	100.0	14.1	14.5	17.9	19.9	(4)	(2)
White	62.3	10.0	10.7	12.7	16.4	(4)	(2)
Colored	37.7	20.7	20.8	26.6	25.7	(4)	(2)
Greensboro, N. C. (total)	100.0	17.5	17.1	17.9	19.0	(4)	(2)
White	64.1	15.1	12.8	14.8	15.8	(4)	(2)
Colored	35.9	21.7	24.7	23.5	24.9	(4)	(2)
Raleigh, N. C. (total)	100.0	24.9	31.2	31.3	27.9	26.8	25.0
White	61.6	22.0	29.8	27.5	24.5	22.7	21.2
Colored	38.4	29.7	33.5	37.5	33.6	33.3	30.5

CITY AND COLOR.	Per cent of total population Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES,[1] PER 1,000 POPULATION.					
		1913	1912	1911	1910	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Wilmington, N. C. (total)	100.0	22.5	23.7	29.5	20.8	22.7	25.6
White	52.9	16.7	16.6	22.0	15.6	17.4	19.9
Colored	47.1	29.1	31.7	38.1	26.7	28.7	31.6
Winston-Salem,[6] N. C. (total)	100.0	20.8	17.2	17.9	20.3	(4)	(2)
White	60.0	13.4	11.1	12.2	17.6	(4)	(2)
Colored	40.0	32.0	24.5	24.7	23.6	(4)	(2)
Springfield, Ohio (total)	100.0	14.1	13.0	13.0	13.2	(4)	(2)
White	89.5	13.4	12.5	12.7	12.9	(4)	(2)
Colored	10.5	20.4	16.8	15.7	16.1	(4)	(2)
Carlisle, Pa. (total)	100.0	14.9	15.5	16.5	16.1	15.7	16.3
White	89.1	13.7	14.4	15.5	14.7	14.5	15.3
Colored	10.9	25.3	24.6	24.8	27.6	25.0	23.7
Chester, Pa. (total)	100.0	18.4	16.7	15.4	16.8	16.1	(2)
White	87.5	17.3	15.5	14.9	16.0	14.4	(2)
Colored	12.5	26.4	25.1	18.8	22.2	27.5	(2)
Coatesville, Pa. (total)	100.0	11.1	14.4	10.8	13.3	(4)	(2)
White	86.3	11.6	14.3	10.3	13.0	(4)	(2)
Colored	13.7	8.5	14.8	14.3	15.0	(4)	(2)
West Chester, Pa. (total)	100.0	17.1	19.8	19.7	19.6	19.9	(2)
White	84.0	16.9	20.4	19.0	18.9	17.9	(2)
Colored	16.0	18.5	16.8	23.4	22.9	30.3	(2)
Charleston, S. C. (total)	100.0	27.0	30.9	29.9	29.7	27.5	29.7
White	47.2	15.7	19.0	18.5	18.9	17.2	19.3
Colored	52.8	37.2	41.4	40.0	39.3	36.5	38.2
Knoxville, Tenn. (total)	100.0	(7)	17.1	18.1	17.4	(4)	(2)
White	79.0	(7)	14.9	15.1	15.0	(4)	(2)
Colored	21.0	(7)	25.7	29.2	26.6	(4)	(2)
Memphis, Tenn. (total)	100.0	20.8	21.7	21.3	21.4	20.6	19.4
White	59.9	15.9	16 7	16.7	16.8	16.1	16.5
Colored	40.1	28.2	29.1	28.3	28.4	27.0	22.9
Nashville, Tenn. (total)	100.0	17.8	19 3	20.5	18.7	19.3	21.5
White	66.9	14.7	14.8	16.0	15.0	15.2	17.0
Colored	33.1	24.0	28.2	29.6	26.0	27.2	29.6
Galveston, Tex. (total)	100.0	18.8	20.8	18.6	[8] 16.2	(9)	(2)
White	78.1	16.7	17.3	17.2	[8] 14.4	(9)	(2)
Colored	21.9	26.4	33.1	23.5	[8] 22.6	(9)	(2)
San Antonio, Tex. (total)	100.0	20.7	23.1	21.0	22.0	20.7	21.4
White	88.8	20.5	22.8	21.0	22.1	20.8	21.5
Colored	11.2	21.7	25.1	21.7	21.4	19.9	20.7
Alexandria, Va. (total)	100.0	17.4	18.2	20.0	21.3	21.4	21.9
White	72.6	13.6	13.5	15.9	16.9	17.4	18.4
Colored	27.4	27.6	30.9	31.0	32.9	31.6	30.0
Danville, Va. (total)	100.0	19.2	19.9	20.6	20.4	(4)	(2)
White	67.4	16.6	18.2	18.4	17.2	(4)	(2)
Colored	32.6	24.5	23.6	25.0	27.0	(4)	(2)
Lynchburg, Va. (total)	100.0	19.0	18.3	18.9	16.0	17.5	20.3
White	67.9	14.5	14.3	15.1	12.0	13.2	15.3
Colored	32.1	28.5	26.7	27.0	24.4	25.9	28.1
Newport News, Va. (total)	100.0	16.4	(2)	(2)	(2)	(2)	(2)
White	64.0	12.1	(2)	(2)	(2)	(2)	(2)
Colored	36.0	24.1	(2)	(2)	(2)	(2)	(2)
Norfolk, Va. (total)	100.0	19.6	20.1	21.5	21.8	23.2	19.2
White	62.8	13.4	13.9	14.1	16.4	16.9	14.4
Colored	37.2	29.9	30.7	34.0	30.9	33.4	26.3
Petersburg, Va. (total)	100.0	24.0	23.2	25.7	26.5	27.0	25.5
White	54.3	16.9	16.6	20.7	20.1	19.7	19.9
Colored	45.7	32.4	31.0	31.8	34.2	35.5	31.6
Portsmouth, Va. (total)	100.0	13.7	(2)	(2)	(2)	(2)	(2)
White	65.0	9.4	(2)	(2)	(2)	(2)	(2)
Colored	35.0	21.6	(2)	(2)	(2)	(2)	(2)
Richmond, Va. (total)	100.0	20.4	20.7	21.0	22.6	[10] 22.5	23.4
White	63.4	16.7	16.5	16.7	18.1	[11] 17.4	18.5
Colored	36.6	26.8	27.9	28.4	30.3	[11] 29.9	31.7
Roanoke, Va. (total)	100.0	15.4	13.9	15.4	(2)	(2)	(2)
White	77.3	13.3	11.6	12.0	(2)	(2)	(2)
Colored	22.7	22.5	21.6	26.7	(2)	(2)	(2)
Staunton, Va. (total)	100.0	22.6	(2)	(2)	(2)	(2)	(2)
White	76.6	25.4	(2)	(2)	(2)	(2)	(2)
Colored	23.4	13.4	(2)	(2)	(2)	(2)	(2)

[1] Exclusive of stillbirths.
[2] Not admitted to the registration area until a later date.
[3] Colored population less than 10 per cent of total.
[4] Average not shown for less than five years.
[5] Included in rural.
[6] Salem consolidated with Winston May 13, 1913.
[7] Unable to secure transcripts for deaths for 1913.
[8] Based on population enumerated Apr. 15, 1910.
[9] Population not estimated.
[10] Including Manchester for the years 1908 to 1910.
[11] Excluding Manchester for the years 1908 to 1910.

As in the other years shown in the preceding table, the death rates in 1913 for the colored population were in nearly every instance higher than those for the whites. There were four exceptions: Riverside, Cal. (in which many of the deaths of colored persons were those of Chinese and Japanese), Atlantic City, N. J., Coatesville, Pa., and Staunton, Va. The Western State Hospital for the Insane is located within the limits of Staunton, and the large number of deaths among the inmates of that institution accounts for the high death rate for the white population of that city as compared with the other Virginia cities. It does not, however, account for the very low reported rate for the colored population; this rate is greatly exceeded by those of the other Virginia cities shown in the table.

The following table shows the death rates of the white and colored population in cities having a colored population of 10,000 or over in 1910, but in which it constituted less than 10 per cent of the total, for each of the years 1910, 1911, 1912, and 1913, together with the annual averages for the 5-year periods 1901 to 1905 and 1906 to 1910:

CITY AND COLOR.	Per cent of total population Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.					
		1913	1912	1911	1910	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Cities in this table (aggregate)	100.0	15.1	15.0	15.3	16.1	16.5	17.8
White	96.5	14.8	14.7	15.1	15.8	16.2	17.4
Colored	3.5	24.0	23.5	23.4	24.9	25.5	28.7
Los Angeles, Cal. (total)	100.0	15.0	14.7	14.5	14.0	14.8	16.4
White	95.7	14.8	14.5	14.4	13.9	14.6	16.2
Colored[2]	4.3	20.3	19.5	17.2	17.0	19.8	19.6
San Francisco, Cal. (total)	100.0	15.9	15.6	15.2	15.1	16.1	20.3
White	96.0	15.8	15.4	15.0	14.9	16.1	19.8
Colored[3]	4.0	18.9	21.7	20.5	18.8	15.9	30.1
Chicago, Ill. (total)	100.0	15.1	14.8	14.5	15.1	14.9	14.5
White	97.9	14.9	14.6	14.3	15.0	14.7	14.3
Colored	2.1	24.6	26.0	22.1	23.9	23.1	24.5
Indianapolis, Ind. (total)	100.0	15.7	15.0	14.7	16.3	15.2	15.4
White	90.6	14.8	14.2	13.9	15.4	14.2	14.6
Colored	9.4	24.5	23.1	22.3	25.0	24.0	23.1
Boston, Mass. (total)	100.0	16.4	16.4	17.1	17.2	17.9	18.8
White	97.8	16.2	16.2	16.9	17.0	17.7	18.6
Colored	2.2	24.5	23.0	24.3	22.6	24.3	26.0
Kansas City, Mo. (total)	100.0	14.8	15.2	15.4	15.9	14.6	15.9
White	90.5	13.8	14.0	14.3	14.7	13.5	14.6
Colored	9.5	23.9	26.8	25.3	27.3	24.9	27.1
St. Louis, Mo. (total)	100.0	14.9	14.9	15.4	15.8	15.6	17.9
White	93.5	14.1	14.1	14.6	15.1	14.8	17.1
Colored	6.5	26.7	26.4	25.8	25.8	26.7	30.3
New York, N. Y. (total)	100.0	14.3	14.5	15.2	16.0	16.9	19.0
White	98.0	14.1	14.2	15.0	15.8	16.7	18.8
Colored	2.0	22.9	25.1	25.1	25.6	26.5	30.0
New York, N. Y.—Continued.							
Bronx Borough[4] (total)	100.0	13.9	13.2	13.3	15.9	17.4	20.9
White	99.0	13.8	13.1	13.2	15.6	17.0	20.5
Colored	1.0	19.3	18.1	20.8	49.9	42.0	46.5
Brooklyn Borough[4] (total)	100.0	13.9	14.2	14.8	15.6	16.3	18.2
White	98.5	13.8	14.1	14.6	15.5	16.2	18.1
Colored	1.5	21.9	24.9	26.0	26.0	23.0	24.5
Manhattan Borough[4] (total)	100.0	14.6	14.9	16.0	16.5	17.4	19.5
White	97.2	14.4	14.6	15.8	16.3	17.2	19.2
Colored	2.8	23.6	25.5	24.8	23.8	26.9	32.2
Queens Borough[4] (total)	100.0	13.8	13.4	13.7	13.8	14.9	16.1
White	98.8	13.7	13.2	13.5	13.6	14.8	15.9
Colored	1.2	21.2	30.0	29.4	25.0	25.1	23.5
Richmond Borough[4] (total)	100.0	16.9	16.8	16.7	17.0	18.6	19.0
White	98.6	16.8	16.7	16.5	16.9	18.5	18.9
Colored	1.4	22.8	22.6	25.4	25.8	24.3	25.9
Cincinnati, Ohio (total)	100.0	16.9	16.6	16.5	17.4	18.1	19.1
White	94.6	16.1	15.9	15.7	16.7	17.3	18.3
Colored	5.4	30.9	29.9	29.2	28.8	31.4	34.8
Columbus, Ohio (total)	100.0	15.3	14.4	14.3	15.4	15.1	15.4
White	92.9	14.8	13.8	13.9	15.0	14.5	14.8
Colored	7.1	21.3	21.6	19.4	20.3	23.1	24.0
Philadelphia, Pa. (total)	100.0	15.7	15.3	16.6	17.4	17.7	18.1
White	94.5	15.2	15.0	16.2	16.8	17.2	17.5
Colored	5.5	24.5	19.2	23.2	26.8	27.8	30.1
Pittsburgh, Pa. (total)	100.0	17.1	15.9	14.9	17.9	17.9	20.1
White	95.1	16.9	15.8	14.8	17.7	17.5	19.5
Colored	4.9	21.9	18.8	16.8	23.5	24.9	31.0

[1] Exclusive of stillbirths.
[2] About 40 per cent of colored deaths, Chinese and Japanese.
[3] Chiefly Chinese and Japanese.
[4] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911, deaths which occurred in boroughs other than those of residence were distributed to the boroughs of residence.

CAUSES OF DEATH.

The data on causes of death are shown in the summary and rate tables (Tables II to IV) and in the general tables (Tables 2 to 8), as follows:

Table II gives, for the registration area, the number of deaths and death rates for each of the years 1910 to 1913 and for the two five-year periods 1901 to 1905 and 1906 to 1910, from each cause and class of causes named in the detailed International List.

Table III gives the death rates by color, for 1912 and 1913, according to a list of important causes, for the main and minor subdivisions of the registration area.

Table IV gives the death rates of the urban and rural population of each registration state from each cause and class of causes named in the detailed International List, for 1912 and 1913.

Table 2 shows the number of deaths in 1913, classified by cause and by color of decedent, for the same areas as those shown in Table III.

Table 3 presents the number of deaths in 1913, according to the detailed International List of Causes, for the urban and rural population of each registration state.

Table 4 gives, for the registration area in 1913, the deaths from each cause and class of causes shown in the detailed International List, by age and sex of decedent.

Table 5 shows the deaths in 1913, by age of decedent, from each cause and class of causes given in the detailed International List, for each registration state.

Table 6 gives the deaths in 1913, by causes, according to the abridged list, for each city having a population of 100,000 or over in 1910.

Table 7 shows, for 1913, the deaths, by month of occurrence, from all causes and certain important causes, for the registration area, registration states, and cities of 100,000 population or over in 1910.

Table 8 is of special interest for the study of infant mortality in 1913. Deaths during the first year of life are shown with considerable detail of age, according to the most important causes of death at that age period, for the registration area, registration states, and cities of 100,000 population or over in 1910.

DETAILED AND ABRIDGED INTERNATIONAL LISTS.

There are two separate and distinct classifications of causes of death embodied in the International List of Causes of Death: these are the detailed and abridged International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter—that is, it shows separately certain diseases which in the abridged list are grouped together for presentation. The majority of the titles of the abridged list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in these volumes for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The distinction between these lists should always be considered when using the tables of these reports. There are several cases in which the title headings in the two lists are identical, but the causes included are widely at variance. As an example of this the title "Other epidemic diseases" of the detailed list (title No. 19) includes only such epidemic maladies as are not classified separately in titles 1 to 18 of that list; but "Other epidemic diseases" of the abridged list includes titles 3, 11, 14, 15, 16, 17, 18, and 19 of the detailed list. These identical expressions, it will be noted, have two different and distinct meanings. In the abridged list "Tuberculosis of the lungs" (title No. 13), includes not only tuberculosis of the lungs of the detailed list (title No. 28), but also acute miliary tuberculosis (title No. 29).

The following table shows, for the year 1913, the number of deaths reported in the registration area from the several causes grouped under each title of the abridged International List, the corresponding death rate per 100,000 population, and the per cent distribution. The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

Abridged Int. List No.	CAUSE OF DEATH.[1]	DEATHS IN REGISTRATION AREA: 1913.		
		Number.	Rate per 100,000 population.	Per cent.
	All causes [2]	890,848	1,407.4	100.0
1	Typhoid fever (1)	11,323	17.9	1.3
2	Typhus fever (2)	8	([3])	([4])
3	Malaria (4)	1,565	2.5	0.2
4	Smallpox (5)	125	0.2	([4])
5	Measles (6)	8,108	12.8	0.9
6	Scarlet fever (7)	5,498	8.7	0.6
7	Whooping cough (8)	6,332	10.0	0.7
8	Diphtheria and croup (9)	11,920	18.8	1.3
9	Influenza (10)	7,725	12.2	0.9
10	Asiatic cholera (12)			
11	Cholera nostras (13)	399	0.6	([4])
12	Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19)	5,975	9.4	0.7
13	Tuberculosis of the lungs (28, 29)	80,812	127.7	9.1
14	Tuberculous meningitis (30)	5,467	8.6	0.6
15	Other forms of tuberculosis (31, 32, 33, 34, 35)	7,142	11.3	0.8
16	Cancer and other malignant tumors (39, 40, 41, 42, 43, 44, 45)	49,928	78.9	5.6
17	Simple meningitis (61)	6,599	10.4	0.7
18	Cerebral hemorrhage and softening (64, 65)	48,378	76.4	5.4
19	Organic diseases of the heart (79)	87,755	138.6	9.9
20	Acute bronchitis (89)	6,602	10.4	0.7
21	Chronic bronchitis (90)	4,786	7.6	0.5
22	Pneumonia (92)	52,684	83.2	5.9
23	Other diseases of the respiratory system (tuberculosis excepted) (86, 87, 88, 91, 93, 94, 95, 96, 97, 98)	39,907	63.0	4.5
24	Diseases of the stomach (cancer excepted) (102, 103)	11,368	18.0	1.3
25	Diarrhea and enteritis (under 2 years) (104)	47,605	75.2	5.3
26	Appendicitis and typhlitis (108)	7,648	12.1	0.9
27	Hernia, intestinal obstruction (109)	7,342	11.6	0.8
28	Cirrhosis of the liver (113)	8,497	13.4	1.0
29	Acute nephritis and Bright's disease (119, 120)	65,106	102.9	7.3
30	Noncancerous tumors and other diseases of the female genital organs (128, 129, 130, 131, 132)	4,039	6.4	0.5
31	Puerperal septicemia (puerperal fever, peritonitis) (137)	4,542	7.2	0.5
32	Other puerperal accidents of pregnancy and labor (134, 135, 136, 138, 139, 140, 141)	5,468	8.6	0.6
33	Congenital debility and malformations (150, 151)	52,599	83.1	5.9
34	Senility (154)	13,914	22.0	1.6
35	Violent deaths (suicide excepted) (164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186)	58,578	92.5	6.6
36	Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163)	9,988	15.8	1.1
37	Other diseases (20, 21, 22, 23, 24, 25, 26, 27, 36, 37, 38, 46, 47, 48, 49, 50 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 62, 63, 66, 67, 68 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 85, 99, 100, 101, 105, 106, 107, 110, 111, 112, 114, 115, 116, 117, 118, 121,122, 123, 124, 125, 126, 127, 133, 142, 143, 144, 145, 146, 147, 148, 149, 152, 153)	136,223	215.2	15.3
38	Unknown or ill-defined diseases (187, 188, 189)	8,393	14.0	1.0

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000 population.
[4] Less than one-tenth of 1 per cent.

CHANGES IN THE DETAILED INTERNATIONAL LIST.

In the following table the first column shows the title number of the second revision of the International List, in force beginning with the year 1910; the second and third columns show the titles of the second and first revision, respectively, under which the term would have been compiled according to the rules followed during the period 1900 to 1909. In many instances the title numbers of the second revision differ from those of the same titles in the first revision. As an example of this, tetanus, the title number of which is now 24, was, under the first revision, compiled as No. 72, and was included under an entirely separate and distinct class—Diseases of the nervous system—instead of under General diseases, as at present.

CAUSE OF DEATH. [Titles in roman; terms in italics.]	TITLE OR CLASS (SECOND REVISION) UNDER WHICH INCLUDED— 1910 to 1919	1900 to 1909	Title of first revision under which formerly included.
Tetanus	24	[1] 24	72
Beriberi (new title)	27	19	19
Tuberculosis of the larynx (old title discontinued)	28	[2] I	26
Acute miliary tuberculosis (new title)	29	28	27
Scrofula (old title discontinued)	34	[3] I	35
Rickets (new title)	36	146	146
Rheumatism (unqualified)	47	48	48
Purpura haemorrhagica	55	85	85
Hemophilia	55	85	85
Neuralgia and neuritis (new title)	73	74	74
Endocarditis (unqualified, 60 years of age and over)	79	78	78
Myocarditis (unqualified, 60 years of age and over)	79	78	78
Ankylostomiasis (new title)	106	107	107
Chyluria (new title)	121	122	122
Placenta praevia	135	136	136
Childbirth, parturition, etc. (not otherwise defined)	136	140	140
Puerperal hemorrhage	[4] 135	.....	.....
Other accidents of labor	[4] 136	.....	.....
Puerperal phlegmasia alba dolens, embolus, sudden death	[4] 139	.....	.....
Following childbirth (not otherwise defined)	[4] 140	.....	.....
"Inanition" (from disease, under 1 year)	[5] 151	.....	.....
(under 3 months); 1900 to 1904	.....	153	153
(under 3 months); 1905 to 1909	.....	151	151
(3 months and over); 1900 to 1909	.....	189	179
(from disease, 1 to 69 years)	189	189	179
(from disease, 70 years and over)	[5] 154	189	179

CAUSE OF DEATH. [Titles in roman; terms in italics.]	TITLE OR CLASS (SECOND REVISION) UNDER WHICH INCLUDED— 1910 to 1919	1900 to 1909	Title of first revision under which formerly included.
"Asthenia" *"Atrophy"* *"Debility"* *"Exhaustion"* *"Inanition"* *"Malnutrition"* *"Marasmus"* *"Weakness"* (under 1 year)	[5] 151	.....	.....
"Asthenia" *"Atrophy"* *"Debility"* *"Exhaustion"* *"Inanition"* *"Malnutrition"* *"Marasmus"* *"Weakness"* (under 3 months)	.....	151	151
"Asthenia" *"Atrophy"* *"Debility"* *"Exhaustion"* *"Inanition"* *"Malnutrition"* *"Marasmus"* *"Weakness"* (3 months and over)	.....	189	179
"Asthenia" *"Atrophy"* *"Debility"* *"Exhaustion"* *"Inanition"* *"Malnutrition"* *"Marasmus"* *"Weakness"* (1 to 69 years)	189	189	179
"Asthenia" *"Atrophy"* *"Debility"* *"Exhaustion"* *"Inanition"* *"Malnutrition"* *"Marasmus"* *"Weakness"* (70 years and over)	[5] 154	189	179
Atelectasis (under 3 months)	152	151	151
Injury at birth (various forms)	152	[6]	176
"Asthenia" *"Atrophy"* *"Debility"* *"Exhaustion"* *"Inanition"* *"Malnutrition"* *"Marasmus"* *"Weakness"* (70 years and over)	[5] 154	189	179
Poisoning by food (new title)	164	165	175
Conflagration (new title; separately compiled by Bureau of the Census since 1903)	166	168	174
Traumatism by cutting or piercing instruments (new title)	171	[7]	166
Traumatism by fall (new title)	172	[7]	166
Traumatism by other crushing (new title)	175	[7]	166
Injuries by animals (new title)	176	[7]	166
Electricity (lightning excepted) (new title)	181	186	176
Homicide by firearms (new title)	182	[6]	176
Homicide by cutting or piercing instruments (new title)	183	[6]	176
Homicide by other means (new title)	184	[6]	176

[1] Transferred from Diseases of nervous system (Class II) to General diseases (Class I), beginning with 1910.
[2] Discontinued as a separate title and included with Tuberculosis of the lungs, beginning with 1910.
[3] Discontinued as a separate title and included with Tuberculosis of other organs, beginning with 1910.
[4] In addition to the changes specified in the table, it should be noted that in the case of the causes classified under titles 135, 136, 139, and 140, numerous changes were made from one title to another in 1910, as the result of which statistics entered under these titles for 1910 and succeeding years are not comparable with those for earlier years.
[5] Changes not effective until 1911.
[6] Formerly included under old title 176 (Other external violence). In effect, the title—not title-heading or name—has been discontinued, since the present title 186, although having the same title-heading, bears little resemblance to the former title; three out of the four subtitles of the old "Other external violence" are now classified under titles other than the present "Other external violence."
[7] Title under which formerly included (see next column) discontinued.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR EACH OF THE YEARS 1900 TO 1913.

The following table presents the comparative death rates from certain important causes of death in the registration area of the United States for each of the years 1900 to 1913:

CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION. 1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913
Typhoid fever	35.9	32.3	34.3	34.1	31.7	27.8	31.3	29.5	24.3	21.1	23.5	21.0	16.5	17.9
Measles	12.5	7.3	9.5	9.8	11.0	7.5	12.1	10.0	9.9	9.6	12.3	10.0	7.0	12.8
Scarlet fever	10.2	13.1	12.6	12.2	10.8	6.7	7.7	10.0	11.9	11.4	11.6	8.8	6.7	8.7
Whooping cough	12.1	9.7	12.0	15.8	6.5	10.6	15.1	11.3	10.6	9.6	11.4	11.3	9.3	10.0
Diphtheria and croup	43.3	34.0	30.8	31.7	28.3	23.6	25.7	23.6	21.5	20.4	21.4	18.9	18.2	18.8
Tuberculosis (all forms)	201.9	196.9	184.5	188.5	200.7	192.3	180.2	178.5	167.6	160.8	160.3	158.9	149.5	147.6
Cancer	63.0	64.3	65.1	68.3	70.2	71.4	69.1	70.9	71.5	73.8	76.2	74.3	77.0	78.9
Cerebral hemorrhage, apoplexy	67.5	68.2	68.3	68.2	71.5	71.6	70.1	73.2	69.4	71.7	73.7	74.7	75.7	74.6
Organic heart diseases, endocarditis	123.1	123.9	128.8	134.3	145.0	143.8	140.2	151.4	141.1	143.3	150.4	148.5	151.2	147.1
Pneumonia (all forms)	130.5	161.4	155.7	155.1	171.4	148.8	145.5	156.5	130.9	137.6	147.7	133.7	132.3	132.4
Diarrhea and enteritis (infants under 2 years)	108.8	90.9	84.0	81.6	90.9	97.0	101.4	96.6	95.2	87.3	100.8	77.4	70.3	75.2
Nephritis, Bright's disease	89.0	89.3	90.9	97.3	103.1	103.4	97.5	102.4	93.7	95.2	99.0	97.5	103.0	102.9

It will be observed, on examination of the above table, and in the diagram on the next page, that the rates for 9 of the 12 diseases included in the above table for the year 1913 were greater than those for 1912. There was, however, no particularly marked increase except that for measles. The rate for this disease, in 1913, was 12.8 per 100,000 population. This was almost double the rate shown for the preceding year (7) and marked the highest mortality for this disease in any of the years 1900 to 1913. Scarlet fever, with a rate of 8.7, showed an increase of nearly 30 per cent over the mortality for 1912 (6.7). It will be noted that for 7 of the 12 diseases the rates for 1913 were lower than those for 1900, the year to which the first of these annual reports related.

The most pronounced decreases shown among these 12 important causes, when the later years are compared with the earlier ones, are those for typhoid fever, scarlet fever, diphtheria and croup, tuberculosis (all forms), pneumonia (all forms), and diarrhea and enteritis (infants under 2 years). Comparatively high rates for the later years are shown in the above table for cancer, organic heart diseases, and nephritis and Bright's disease.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR EACH OF THE YEARS 1900 TO 1913.



As a general rule, however, the decreases are more pronounced than the increases, and it is an assured fact that the lowered general mortality for the registration area for the year 1913 and the years directly preceding, as compared with the first few years covered by these annual reports, was due largely to the lowered death rates for the majority of the diseases shown in this table.

The rates quoted in the following discussion of certain causes of death will be found in Summary Table III (p. 56).

TYPHOID FEVER.

Typhoid fever caused 11,323 deaths in 1913, as compared with 9,987 in 1912. The rate for 1913 was 17.9 per 100,000 population, a considerable increase over that for 1912 (16.5). This increase was due partly to the addition, in 1913, of the state of Virginia to the registration area. The rate for that state was 33.3 per 100,000 population and was exceeded only by that for the state of North Carolina (whose rate pertains only to municipalities having a population of 1,000 or over in 1900) and by that for Kentucky, 57.4 and 42.7, respectively. Vermont had the lowest mortality of any registration state from this disease in 1913 (7.8). Massachusetts (7.9), Rhode Island (8.3), Wisconsin (9), and New Jersey (9.6) also showed very low rates for typhoid fever. As compared with the rates for 1912 there were quite pronounced increases in Kentucky, Maryland, Montana, New Hampshire, North Carolina, Ohio, and Utah, while Vermont and Wisconsin showed marked decreases.

It is interesting to note, in comparing the death rates for the main subdivisions of the registration area, that the highest mortality from typhoid fever in 1913 was that for the rural part of the registration states, whereas in 1912 the rate for the registration cities in nonregistration states was the highest and was quite pronouncedly in excess of that shown for any other principal subdivision.

Among the registration cities of 100,000 population or over in 1910 the highest rate shown was that for Toledo (41.6). In Nashville (36.9), Birmingham (36), Memphis (34.2), and Detroit (29.4) the mortality was high as compared with other large cities. In Seattle (4.7), Worcester (5.6), Bridgeport (6.2), and Portland, Oreg. (6.5), there were correspondingly low rates.

Pronounced decreases for 1913 as compared with 1912 will be observed for New Haven, Washington, Atlanta, Fall River, Grand Rapids, Omaha, New York, Portland, Oreg., Memphis, Seattle, Spokane, and Milwaukee. There were considerable increases in Cambridge, Worcester, Detroit, Kansas City, Mo., St. Louis, Paterson, Albany, Cleveland, and Pittsburgh. In several of these last-named cities, however, it will be noted that the mortality for the years 1913 and 1912 was well below that for the registration area as a whole.

The marked decrease in the typhoid death rates for the later years covered by these annual mortality reports as compared with the rates for the earlier years shows that great progress has been made in the control of typhoid fever. Improvement in the water supply and in sewerage systems, the protection of milk, meats, and vegetables from contamination by flies, and other sanitary precautions, have undoubtedly been largely instrumental in lowering the death rate.

MEASLES.

Measles caused 8,108 deaths in the registration area in 1913, corresponding to a death rate of 12.8; in 1912 4,240 deaths were charged to this disease and the death rate was 7 per 100,000 population. It will be noted that the rate for 1913 was nearly double that for 1912. As a matter of fact the mortality from this disease was higher for 1913 than for any other year since 1900.

A comparison of the rates for 1913 and 1912 shows that the increase was general throughout the main subdivisions of the registration area. In 20 states of the 24 which were included in the registration area for 1913 there was an increase in the rate for measles over that shown for the preceding year. Comparison can not be made for the state of Virginia, which was not included until 1913.

Among the registration states the highest mortality for measles in 1913 prevailed in Utah; in this state the death rate was 31.6. In the North Carolina municipalities which had a population of 1,000 or over in 1900 the rate was 27. High mortality also prevailed in Vermont (20.3), Pennsylvania (19.5), and Virginia (17.1).

The lowest rate for this disease was that for Colorado (4), followed by California (5.8), Wisconsin (7.6), New Jersey (7.8), and Washington (8).

Some of the increases shown are indeed remarkable, and even in the state of Colorado, whose rate was, as noted above, the lowest for any of the registration states, there was an increase of over 100 per cent as compared with the mortality in 1912.

In Indiana there was an increase from 2.5 to 16.1; in Kentucky, from 2.3 to 17; in Maryland, from 2.7 to 15.1; in Minnesota, from 1 to 9.5; in Missouri, from 1.7 to 13.1; in Montana, from 1.5 to 12.9; in New Hampshire, from 4.4 to 12.4; in North Carolina, from 10.9 to 27; in Pennsylvania, from 10.6 to 19.5; in Utah, from 3.8 to 31.6; in Vermont, from 7.2 to 20.3; and in Washington, from 1.2 to 8.

Among the registration cities of 100,000 population or over in 1910, the highest mortality from measles in 1913 prevailed in Fall River (58.9); in 1912 the mortality in that city was but 1.6. Very high rates also prevailed for 1913 in Pittsburgh (27.4), Kansas City, Mo. (22.3), Nashville (22), and Detroit (20.4).

The lowest rates shown for any of the large cities in 1913 were those for Omaha, Paterson, and Spokane (0.8 each). The mortality was also very low in New Haven (1.4), San Francisco (1.8), Portland, Oreg. (2.4), and Scranton (2.9).

It is interesting to note that measles, which, as a disease, seems to be so little feared by the public, caused about 50 per cent more deaths in the year 1913 than were charged to the far more dreaded scarlet fever. The mortality from measles was over 25 per cent higher than that from whooping cough and caused approximately 70 per cent as many deaths as were charged to diphtheria and croup.

SCARLET FEVER.

There were 5,498 deaths from scarlet fever in the registration area during 1913, corresponding to a death rate of 8.7 per 100,000 population; in 1912 there were 4,038 deaths, equivalent to a rate of 6.7. It will be seen that the mortality from this disease increased about 30 per cent from one year to the other. The addition of Virginia to the registration area is in no way accountable for this increase, as the rate in that state (2.6) is far below the rate for the area as a whole.

The increase was quite general throughout the area and was in evidence for each of its principal subdivisions, although for the registration cities in nonregistration states it was far greater than for the other subdivisions.

Among the registration states the highest mortality in 1913 prevailed in Montana (28.4), followed by that for Colorado (17.2) and for Pennsylvania (11.3). These three states, with several others, show pronounced increases over the mortality for the preceding year. In Maine (2.2), Washington (2.3), and Kentucky (2.4), together with several other states, the rates were low for this disease, but comparison of the mortality for the two years shows that in but five of the states was there a decrease in 1913 as compared with 1912.

Among the registration cities of 100,000 population or over in 1910 there were many in which the mortality from this disease greatly exceeded the average for the registration area. In Chicago the death rate was 39.2 per 100,000 population; in Bridgeport, 26.8; in Pittsburgh, 26.4; in Denver, 22.3; and in Fall River, 21.8. Thirty-three of these large cities showed an increased mortality from scarlet fever in 1913 as compared with that of 1912. There were low death rates in Birmingham (0.6), New Orleans (0.6), Oakland (1.1), Albany and Seattle (2 each), Kansas City, Mo. (2.2), and Paterson (3). It will be noted, on examination of the rates for this disease, that the mortality is usually low in places where there is a large colored population. Although not immune from this disease, the colored population is far less susceptible to scarlet fever than the white population, while, on the other hand, in the case of whooping cough, the mortality among colored persons is greater, year after year, than that of the white population.

WHOOPING COUGH.

Whooping cough caused 6,332 deaths in the registration area in 1913. The death rate was 10 per 100,000 population, as compared with 9.3 for the same disease in 1912. This slight increase is partly attributable to the addition of the state of Virginia to the area in 1913, as the rate in that state (13.2) was considerably higher than that for the area as a whole.

The highest death rates per 100,000 population for whooping cough among the registration states were those for that part of North Carolina represented in the registration area by the municipalities which had a population of 1,000 or over in 1900 (28.7), for Kentucky (23.3), Maryland (15.4), Ohio (13.7), and Virginia (13.2). It will be noted that these high death rates, in four instances out of the five cited, were in states in which there is a considerable colored population. Unlike scarlet fever, whooping cough causes much higher mortality among the colored than among the white children.

The registration states in which the death rate for this disease was notably low in 1913 were California (4.4), Maine (5.1), Minnesota (6.6), Rhode Island (6.9), and Wisconsin (7.4).

Among the large registration cities there were several for which the death rates per 100,000 population in 1913 were considerably in excess of that for the area as a whole. In Detroit the rate was 19.2; in Atlanta, 17.8; in Louisville, 17.2; in Pittsburgh, 15.4; and in Birmingham, 15.2.

Notably low rates prevailed for Grand Rapids (0.8), Oakland (1.1), Omaha (2.3), Dayton (2.5), and New Orleans (3.1).

DIPHTHERIA AND CROUP.

The death rate for diphtheria and croup in the registration area for the year 1913 was 18.8 per 100,000 population, a slight increase over that for 1912 (18.2). The number of deaths was 11,920, as compared with 11,013 in the preceding year. "Diphtheria and croup" is the title for this disease in the International List. The term "croup," however, is one that is quite loosely used, but the fatal cases of "croup," according to the present general understanding, are in reality diphtheria in the majority of instances.

Among the registration states the highest rate for 1913 was that for Pennsylvania (25.9), closely followed by Kentucky with 24.6 and Rhode Island with 24.3.

Low mortality prevailed in Washington (3.1), Montana (5.5), California (6.8), Colorado (7.5), and Utah (8.2).

Among the registration cities of 100,000 population or over in 1910, this disease reached markedly high epidemic prevalence during 1913 in Detroit (57.6), Grand Rapids (43.9), Chicago (41.2), Pittsburgh (36.6), Cleveland (36.3), and a few others.

Notably low mortality prevailed in Spokane (0.8), Birmingham (1.9), Seattle (4.4), Portland, Oreg. (5.3), and Richmond (6). In general, the mortality of the white population from diphtheria is higher than that of the colored.

INFLUENZA.

Influenza caused 7,725 deaths in the registration area in 1913, corresponding to a death rate of 12.2 per 100,000 population; in 1912 there were 6,237 deaths and the rate was 10.3.

Among the registration states the highest mortality, both in 1913 and 1912, prevailed in Vermont (35.3 and 23.7, respectively). High rates in 1913 were also in evidence for Maine (22.8), North Carolina, in which the figures apply only to municipalities having a population of 1,000 or over in 1900 (18.4), Missouri (17), Kentucky (16.9), Connecticut (16.7), and New Hampshire (16.5).

The lowest death rate shown for 1913 was that for Colorado (5.4); other notably low rates were those for Washington (6.5), Montana (7.2), Minnesota (8.5), and New Jersey (8.9).

Among the large cities in the registration area the highest rates were those for Memphis (23.5), New Orleans (19.7), Atlanta (19.6), Albany (19.5), and Nashville (17.6).

Low rates prevailed for Denver (2.5), Grand Rapids (3.3), Rochester (3.4), Detroit (3.6), Lowell (3.6), Cleveland (4), and a number of other cities.

OTHER EPIDEMIC DISEASES.

In the detailed International List there are several titles representing epidemic diseases from which few deaths occur within the United States.

There were 8 deaths in the registration area during 1913 from typhus fever. Of these, 1 was in Atlanta, 2 in Indiana (1 in Posey County and 1 in Warrick County), 1 in Kentucky (McCreary County), 1 in Massachusetts (Taunton), 1 in Pennsylvania (Farrell), and 2 in Virginia (Fauquier County). Relapsing fever caused 4 deaths—1 in California (San Joaquin County), 1 in New Orleans, La., and 2 in Missouri (1 in St. Louis and 1 in St. Louis County). Bubonic plague caused 2 deaths—1 in California (Contra Costa County) and 1 in Washington (Seattle). There were 6 deaths reported as due to leprosy—1 in Connecticut (Hartford), 1 in New York (Manhattan Borough), 1 in Massachusetts (Dukes County), 1 in Minnesota (Mille Lacs County), and 2 in Texas (1 in Galveston and 1 in San Antonio). The decedents from leprosy were all white males. There were 11 deaths from beriberi—4 in California (1 in Los Angeles, 1 in San Francisco, 1 in Los Angeles County, and 1 in San Mateo County); 1 in Portland, Oreg.; 1 in Pennsylvania (Delaware County); 3 in Charleston, S. C.; and 2 in Washington (1 in Seattle and 1 in King County).

Title No. 19 of the detailed International List, the caption of which is "Other epidemic diseases," includes various epidemic maladies which are not listed under preceding titles. There were 222 deaths so classified in 1913. Of these, 86 were caused by chicken pox; 95 by mumps; 21 by German measles; 2 by filariasis; 2 by dengue fever (1 in Key West, Fla., and 1 in Savannah, Ga.); 5 by glandular fever, 1 in Indiana (Miami County), 1 in Minnesota (Houston County), 2 in New York (1 in Cortland County and 1 in Saratoga County), and 1 in Wisconsin (Wausau County). Rocky Mountain spotted fever caused 11 deaths, of which 8 were in Montana (1 in Carbon County, 1 in Granite County, 3 in Ravalli County, and 3 in Missoula), 2 in Utah (1 in Cache County and 1 in Ogden), and 1 in Washington (Spokane).

PELLAGRA.

Pellagra caused 1,015 deaths in the registration area of the United States in 1913, as compared with 674 in 1912, 659 in 1911, and 368 in 1910. The increase in the number of deaths between 1912 and 1913 was 341. Approximately one-third of this increase is accounted for by the addition of the state of Virginia in 1913, as in that year pellagra caused 108 deaths in the rural portion of Virginia and 18 deaths in cities of the state not included in the area in 1912. The increase in the number of deaths from pellagra in the area as constituted in 1912 was approximately 30 per cent. While the increase in the mortality from this disease in the registration area is significant, it should be remembered that the majority of the deaths from pellagra occur in nonregistration localities.

The distribution of the deaths from pellagra, in the registration area for 1913 as reported to the Bureau of the Census, was as follows:

In the registration states: California, 19; Colorado, 3; Connecticut, 4; District of Columbia, 10; Indiana, 4; Kentucky, 104; Maine, 10; Maryland, 14; Massachusetts, 13; Michigan, 8; Minnesota, 2; Missouri, 23; New Hampshire, 2; New Jersey, 2; New York, 7; North Carolina (municipalities of 1,000 population or over in 1900), 157; Pennsylvania, 7; Rhode Island, 9; Vermont, 3; Virginia, 165; Washington, 2; and Wisconsin, 5.

In the registration cities in nonregistration states: Birmingham, Ala., 38; Mobile, Ala., 22; Montgomery, Ala., 31; Jacksonville, Fla., 14; Key West, Fla., 1; Pensacola, Fla., 4; Atlanta, Ga., 82; Augusta, Ga., 23; Savannah, Ga., 33; Chicago, Ill., 4; Quincy, Ill., 1; Coffeyville, Kans., 1; Topeka, Kans., 2; Wichita, Kans., 3; New Orleans, La., 53; Charleston, S. C., 56; Memphis, Tenn., 37; Nashville, Tenn., 20; Galveston, Tex., 4; and San Antonio, Tex., 13.

TUBERCULOSIS (ALL FORMS).

Tuberculosis in its various forms caused 93,421 deaths in the registration area during 1913, equivalent to a death rate of 147.6 per 100,000 population, as compared with 149.5 for 1912. There has been an uninterrupted decrease in the death rate from tuberculosis in the registration area since the year 1904. Tuberculosis is first in importance among the causes of death. Its mortality is higher than that of any other disease. While it is true that the rate for pneumonia (all forms) for many years has closely approached that for tuberculosis, the fact must be considered in comparing the two that the rate for pneumonia is probably somewhat overstated.

Among the registration states the highest mortality for tuberculosis (all forms) for the year 1913 was in the municipalities of North Carolina having a population of 1,000 or over in 1900 (229.8 per 100,000 population). For California the rate was 203.2, for Kentucky 201.5, for Maryland 194.5, and for Colorado 185.9. The same five states form the group which showed the highest mortality for the year 1912. Low mortality prevailed in the following states: Utah (48.9), Michigan (91.7), Washington (92.4), Wisconsin (97.8), and Minnesota (107.4). Among the registration cities of 100,000 population or over in 1910 notably high mortality prevailed in Denver (269), Memphis (266.5), Los Angeles (258.7), Cincinnati (254), New Orleans (253.7), and several other cities, while correspondingly low rates were in evidence for Grand Rapids (72.9), Portland, Oreg. (84.8), Scranton (86.6), Spokane (88.8), and Seattle (96.5).

In comparing the rates for tuberculosis for the various states and cities consideration must be given to the facts that consumptives from all parts of the country are attracted to certain localities because of exceptionally favorable climatic conditions prevailing therein, and that for this reason these localities are charged with much greater numbers of deaths than would be their just due on the basis of the deaths among actual residents. In other words, a high mortality from tuberculosis may be due not to an unhealthful climate, but, indirectly, to an especially salubrious one.

Another very important factor is that of color, and it will be observed that those states and cities which have a considerable negro population show year after year death rates for tuberculosis in excess of the rate for the registration area as a whole and of that for all registration cities taken together.

TUBERCULOSIS OF THE LUNGS.

Tuberculosis of the lungs, including acute miliary tuberculosis, was reported as the cause of 80,812 deaths in the registration area during the year 1913, equivalent to a death rate of 127.7 per 100,000 population. For 1912, 78,465 deaths were charged to this disease and the rate was 129.9. There was, therefore, a slight decrease in 1913 as compared with 1912, and reference to Table II will show that the decrease in recent years, like that for tuberculosis (all forms), has been uninterrupted and that, as compared with the annual average mortality for the periods 1901 to 1905 and 1906 to 1910, it is very pronounced. The decrease from the mortality of the period 1901 to 1905 amounted to 25.1 per cent and the decrease from the average death rate for the years 1906 to 1910 was 13 per cent.

As a general rule, it will be noted that the states and cities in which there is each year high mortality from tuberculosis (all forms) show also correspondingly high mortality from tuberculosis of the lungs. This is easily understood when it is considered that over 80 per cent of the total number of deaths from tuberculosis are reported from pulmonary tuberculosis.

As noted in the text for tuberculosis (all forms), the mortality among the negro population is high as compared with that of the whites, and this applies equally to tuberculosis of the lungs. What is said in the text already referred to regarding deaths at health resorts of tuberculous invalids from other states and cities, also finds application in the discussion of pulmonary tuberculosis.

CANCER.

Cancer and other malignant tumors caused 49,928 deaths in the registration area in 1913, corresponding to a death rate of 78.9 per 100,000 population, as compared with 46,531 deaths during the preceding year, equivalent to a rate of 77. Reference to the table on page 23, giving the comparative death rates from certain important causes for each of the years 1900 to 1913, will show that since the year 1900 the increase in the mortality from cancer in the registration area of the United States has been, with one or two exceptions, uninterrupted from year to year. The rate for 1913 (78.9) was the highest for any year during the period 1900 to 1913, just as the rate for 1912 was the highest shown for any year up to that one. It is probable that many deaths returned as due to "tumor" and to "tumor" of the various organs of the body are in reality caused by malignant tumors or cancers. Unless this fact of malignancy appears in the statement of cause of death, these returns are classified as benign neoplasms, and under that heading are lost so far as the cancer total is concerned.

The International List of Causes of Death has seven titles covering deaths from cancers and other malignant growths. By referring to Table II it will be seen that cancer of the stomach and liver is preponderant, as approximately 40 per cent of all deaths from this disease were returned as caused by cancers of these organs. Reference to that table shows that there is a considerable proportion charged to "cancer of other organs or of organs not specified." This includes quite a number of cases in which the seat of the cancer was not stated on the death certificate and in regard to which the Bureau of the Census was unable to obtain information as to location. Under this title also are classified many deaths from cancer in which the loca-

tion is specified as affecting organs or parts of the body for which deaths from cancerous affections are not stated separately.

Among the registration states the highest mortality per 100,000 population from this disease in 1913 was that for Vermont (111.7). This state also showed the highest mortality in 1912 (110.4). The rate in Maine was 107.5; in New Hampshire, 104.4; and in Massachusetts, 101.4. The lowest rate for 1913 was that for the North Carolina municipalities having a population of 1,000 or over in 1900 (47.9). Other notably low rates were those for Kentucky (48), Virginia (48.4), Montana (49.4), and Colorado (50.7).

Among the larger cities high mortality prevailed in Albany (134.8), San Francisco (131.1), Boston (116.7), Oakland (115.3), Grand Rapids(114.3), and several other cities, while the notably low rates were those for Memphis (54.9), Birmingham (58.8), Seattle (68.4), Jersey City (68.8), Scranton (69.3), and other cities.

Analysis of the death rates of the various states and cities from cancer, so far as it involves comparison of these crude rates, should be made with caution, as the age distribution of the population is an important factor. Furthermore, in certain places there are institutions to which persons afflicted go for treatment, and the death rates in these places are necessarily affected very materially by this influx of nonresidents.

It is the intention of the Bureau of the Census to publish in monograph form statistics covering deaths from cancer and other malignant tumors during the year 1914. Several of the seven titles of the detailed International List will be subdivided, the object being to show, in greater detail than has been the past and present practice, the seat of the disease.

ORGANIC DISEASES OF THE HEART.

During the year 1913, 87,755 deaths were charged to the various diseases classified under title No. 79 of the detailed International List of Causes of Death, the title-heading for which is "Organic diseases of the heart;" 86,179 deaths were so classified in 1912. The rate for 1913 was 138.6 per 100,000 population, as compared with 142.6 in 1912. Although the death rate for 1913 is lower than that for 1912, the tendency has been toward increase in the death rates from this disease from year to year, and the rates for the later years of these annual mortality reports are well in excess of those for the earlier years.

Among the registration states the highest death rate in 1913, as in 1912, was that for the state of Vermont (213.4, as compared with 209.6); in New Hampshire the rate was 187.1; in Massachusetts, 183.1; in California, 178.4; and in Maine, 175.3. The order of these states as evidencing high mortality was precisely the same in 1913 as in 1912. Notably low death rates were those for Washington (86), Colorado (86.2), Kentucky (87.4), Montana (90.9), and Minnesota (92.8). Among the registration cities of 100,000 population or over in 1910, the highest rate was that for San Francisco (237.2), and in 1912 this city also showed the highest rate (240.6). The rate for New Orleans in 1913 was 222.2; for Washington, 219.5; for Albany, 217.9; and for Boston, 211.4. Some of the low rates which prevailed were those for St. Paul (82.9), Seattle (87.7), Spokane (93.5), Milwaukee (96.4), and Atlanta (104.8).

The great majority of the deaths charged to organic diseases of the heart each year are those of middle-aged and of elderly persons. It is important, therefore, that the age distribution of the population be given due consideration in making comparison of the crude death rates for organic heart disease.

PNEUMONIA (ALL FORMS).

The mortality from all forms of pneumonia, as represented by titles 91 (bronchopneumonia) and 92 (pneumonia) of the detailed International List of Causes of Death, showed a slight increase in 1913 as compared with 1912. In 1913 the number of deaths compiled under these titles was 83,778 and the death rate was 132.4 per 100,000 population. In 1912 there were 79,917 deaths, equivalent to a death rate of 132.3. The addition of the state of Virginia to the registration area for 1913 had little effect upon these rates, which otherwise would have been practically identical. The rate for the state as a whole was 90.4, which was considerably below the rate for the registration area. Of the deaths charged to pneumonia (all forms) in 1913, 31,094 were compiled under Bronchopneumonia, 32,615 under Lobar pneumonia, and 20,069 under Pneumonia, undefined.

Among the registration states the highest death rate per 100,000 population from pneumonia (all forms) in 1913 was that for New York (171.4), followed by Massachusetts with 154.8; Pennsylvania, 152.8; Connecticut, 151.4; and New Jersey, 150.8. Notably low rates were those for Washington (59), Minnesota (81.1), Wisconsin (88.9), Virginia (90.4), Indiana (97.4), Michigan (98.5), and Kentucky (99). In comparing the rates for the two years it will be noticed that there is very little difference in the relative positions of these states with reference to high and low mortality.

Among the registration cities of 100,000 population or over in 1910, the five showing the heaviest rates for 1913 were Pittsburgh (283.8), Fall River (260.5), Detroit (208.8), Scranton (208.5), and Chicago (206.1). The five showing the lowest rates were Seattle (64.4), Grand Rapids (66.3), Spokane (70.9), Portland, Oreg. (75.4), and St. Paul (81.2).

DIARRHEA AND ENTERITIS (UNDER 2 YEARS).

Forty-seven thousand six hundred and five (47,605) deaths were caused in the registration area during 1913 by the diseases included under detailed International Title 104, the caption of which is "Diarrhea and enter-

itis (under 2 years)." The number of deaths in 1912 was 42,482. The death rate per 100,000 population for 1913 (75.2) showed a rather pronounced increase over that for 1912 (70.3). It was lower, however, than the rates for 1911 (77.4) and 1910 (100.8), and also lower than the rates for the five-year periods 1901 to 1905 and 1906 to 1910, which were 89 and 96.2, respectively. The increase in the death rate for diarrhea and enteritis is in no way chargeable to the addition of the state of Virginia to the registration area in the year 1913.. The death rate for Virginia (69) was much lower than that for the area as a whole.

Among the registration states the highest mortality in 1913, as in 1912, was that for the municipalities of the state of North Carolina, having a population of 1,000 or over in 1900 (114.4, as compared with 136.9). Although this area, as in the preceding year, had a very high death rate from this cause, there was a considerable decrease as compared with 1912. Mortality considerably in excess of the rate for the registration area prevailed in 1913 for Pennsylvania (106.3), Maryland (101.1), New Hampshire (96.2), and New Jersey (89.9). Washington (21.6), Montana (38.6), Minnesota (41.3), Utah (43), and Colorado (43.2) were the five states in which there was notably low mortality.

Among the registration cities of 100,000 population or over in 1910, the five in which the highest mortality prevailed for 1913 were Fall River (224.2), Lowell (165.6), Buffalo (142.3), Chicago (142), and Scranton (138.5). Those with correspondingly low death rates were Portland, Oreg. (11.8), Seattle (15.2), Spokane (24.9), Denver (27.3), and San Francisco (31.7). It is, of course, evident that the age distribution of the populations of the various states and cities should be considered in comparing the death rates from diarrhea and enteritis (under 2 years), as the rates are based on the population at all ages. The color distribution is also important, as the death rate of the colored population from this cause is generally much higher than that of the white population. These diseases are now regarded as preventable, and precautions with reference to the improvement of the water and milk supply have been followed in many cities by lowered death rates.

The rates for diarrhea and enteritis were higher in the cities than in the rural districts. The rate in 1913 for all registration cities (88.4) was considerably higher than that for the registration area (75.2), and greatly exceeded that for the rural part of the registration states (59.7), while that for the registration cities in nonregistration states (110.6) was also very markedly above the general death rate for these diarrheal diseases. The effects of congested living quarters, lack of opportunity for outdoor life, poor or unclean milk, and other unfavorable conditions are most seriously felt in the case of infants under 2 years of age.

BRIGHT'S DISEASE AND NEPHRITIS.

The title "Bright's disease and nephritis," as used here, includes both the acute and chronic forms. It also includes deaths returned from "uremia," which is anything but satisfactory as a term to be used in describing a cause of death. The number of deaths reported as due to the various conditions included under titles 119 (Acute nephritis) and 120 (Bright's disease) of the detailed International List during the year 1913 was 65,106, corresponding to a death rate of 102.9 per 100,000, population, as compared with 62,267 in 1912, equivalent to a rate of 103. The rates for the two years were practically identical, but as compared with the mortality for the other later years of the period 1900 to 1913, these rates were higher. They were also higher than those for the first four years, 1900 to 1903, inclusive, but in 1904 and 1905 the mortality slightly exceeded that for the years 1912 and 1913.

Among the registration states the highest death rate in 1913 was that for Maryland (140.1 per 100,000 population), followed by New York (134.7), Rhode Island (123.9), New Jersey (121.8), and New Hampshire (118.8).

Some of the states for which notably low death rates appeared were Washington (55.6), Montana (58.9), Wisconsin (63.4), Utah (64.7), and Minnesota (72.5). It will be noted that the relative positions of the several states from the standpoint of high and low mortality were about the same in 1913 as in 1912.

Among the registration cities of 100,000 population or over in 1910, New Orleans in 1913, as in 1912, showed the heaviest mortality (270.3, as compared with 267.8). Other high rates in 1913 were those for Albany (209.1), Richmond (204.2), and Baltimore (180.1). The five cities in which the rates for Bright's disease and nephritis were notably low were Portland, Oreg. (56.8), Seattle (61.6), Cambridge (62.4), Spokane (74), and Milwaukee (75.1).

The majority of deaths from Bright's disease and nephritis are those of persons of middle and advanced age. It is important, therefore, that the age distributions of the populations involved be considered when comparing these crude rates.

SUICIDES.

There were 9,988 suicides in the registration area during the year 1913, the death rate being 15.8 per 100,000 population. In 1912 there were 9,656 deaths, equivalent to a rate of 16. The death rate in 1913, therefore, showed a slight decrease from that of the preceding year. There has been little fluctuation in the suicide rate in the registration area during recent years. There is undoubtedly increasing precision of statement on death certificates with reference to acci-

dents, suicides, and homicides, but even now it is very frequently impossible to determine, on the basis of the information appearing on the transcripts received at the Bureau of the Census, whether a death from violence was due to suicide, homicide, or accident. Each year the Bureau of the Census returns for correction many such transcripts. State and municipal registration authorities have taken up this matter, and as a result of their cooperation physicians and coroners are each year exercising greater care in defining these causes more fully, thus making possible their accurate classification.

In the detailed International List of Causes of Death nine titles are devoted to suicide. The most important of these, based upon the number of deaths in 1913, as well as in other years, were firearms (2,930), poison (2,824), hanging or strangulation (1,380), and asphyxia (1,262). In the earlier years of these reports the return "suicide" was frequently received, with no description of the means of death. This return is now comparatively rare, and even when received the Bureau of the Census has endeavored to secure additional data in order to be able to classify the death under one of the more definite titles. In 1913 only 78 out of the 9,988 deaths from suicide were compiled as "Other suicides."

Among the registration states the highest death rate per 100,000 population for suicide in 1913 was that for the state of California (31.5). In Montana it was 27.4; in Colorado, 21.2; in Utah, 18.8; and in Washington, 18.3.

When the rates for suicide for the years 1913 and 1912 are compared it appears that practically the same states showed high and low mortality respectively for both years.

The lowest five rates for 1913 were shown by Virginia (6.7), the municipalities of North Carolina having a population of 1,000 or over in 1900 (7.3), Kentucky (8.6), and Wisconsin and Pennsylvania (each 13.2).

The rate for San Francisco (49.9) was the highest of those for the registration cities of 100,000 population or over in 1910. In 1912 the rate for San Francisco was 46.6, which also was the highest suicide rate for that year. Kansas City, Mo., with a rate of 37.2 in 1913, also had the second highest rate in 1912 (40.6). St. Louis followed with 33.3 in 1913, and its position was likewise third in 1912 (34.4). In Oakland the death rate was 32, a slight decrease from its rate of the preceding year (33.5), in which it was fifth instead of fourth among the cities showing high mortality from suicide. In Denver the death rate was 31.9 in 1913, as compared with 23.9 in 1912.

The following cities had notably low mortality from suicide: Fall River (7.3), Scranton (9.4), Buffalo (10.3), Jersey City (10.8), and Birmingham (12).

VIOLENT DEATHS (EXCLUDING SUICIDE).

There were 58,578 deaths from violent causes, excluding suicide, corresponding to a death rate of 92.5 per 100,000 population, in the registration area of the United States in 1913. This total includes all deaths definitely reported from accident, homicide, and legal execution; it also includes deaths *reported* from violent causes, but for which no data were received by the Bureau of the Census identifying them as due to accidental, suicidal, or homicidal causes. Such returns as "fracture of the skull," "gunshot wound," "poisoning," and many others, are perforce included here when definite information concerning them neither is reported to nor can be procured by the Bureau of the Census. Comment in the preceding text as to the necessity for precision of statement is just as applicable to other violent deaths as to suicide. The detailed International List of Causes of Death devotes 23 titles to deaths from violence, exclusive of suicide, and precise information as to the means of injury is very essential if accurate figures are to be presented in regard to deaths due to the various causes for which it is aimed to publish information. A single example will suffice to show the necessity of accurate description in these cases. A return commonly encountered is "burns." Title No. 166 is *Conflagration* and if the "burns" were received in a burning building or a forest fire this is the heading under which the death *should* be classified, but can not be unless the fact of their incurrence in such a manner is stated. Title No. 167 is "Burns (conflagration excepted)," and this is the title under which the return must be classified unless described as resulting from some other cause, deaths from which are segregated by the International List. But if the "burns" were received in a mine explosion, or in a steam railway accident, or by lightning, or by electricity other than lightning, there are four other titles under one and only one of which the case could be *accurately* classified, but to none of which it can be assigned without precision of statement as to how the "burns" were received.

Among the titles included under Class XIII of the detailed International List (affections produced by external causes) in 1913, the following (included under the subdivision "accidental or undefined") are most important from the standpoint of the numbers of deaths charged thereto: traumatism by fall (9,747), railroad accidents and injuries (8,212), accidental drowning (6,468), and burns (conflagration excepted) (4,935).

For the first time since the publication of these reports was begun, the deaths charged to automobile accidents and injuries during the year 1913 exceeded those charged to injuries by other vehicles. The expression "other vehicles," as used here, covers prin-

cipally horse-drawn vehicles, although deaths from bicycle and motor cycle accidents are included under this heading. It does not include deaths due to accidents on steam railroads (8,212), nor those chargeable to street-car accidents (1,998).

There were 4,567 deaths assigned to homicide, in over half of which firearms figured as the means of death.

The death rate per 100,000 population from violence, excluding suicide, for Montana was 145 in 1913, the highest rate shown for any registration state, followed by that for California (118.2), Ohio (108.1), and Pennsylvania (105.2).

Notably low rates were in evidence for Maine (71.8), Wisconsin (71.9), Missouri (75.8), New Hampshire (78.1), Minnesota (80.4), and Massachusetts (80.9).

Birmingham, with a mortality of 211.1 in 1913, had the highest rate among the registration cities of 100,000 population or over in 1910. Excessively high rates also obtained in Memphis (193.8), Omaha (174.7), Dayton (163), Scranton (157.3), and a few other cities.

Notably low mortality prevailed in Fall River (46.8), Denver (60.1), Spokane (62.3), Cambridge (62.4), and Lowell (64.6).

Deaths in certain catastrophes.—The Bureau of the Census has attempted to gather data concerning the March floods of 1913 in Ohio and Indiana, covering the mortality resulting both directly and indirectly from the flood. In this work it was realized that it would be hardly possible to obtain data with reference to all deaths of which the hardships of the flood were at least a hastening cause. Only the matter on the certificates as they came to the Bureau of the Census was considered, and on this basis it has been found that 546 deaths were directly or indirectly chargeable to the March floods of that year. Of these, 70 occurred in Indiana and 476 in Ohio.

Other notable catastrophes in 1913 were the cyclone which occurred in Omaha, Nebr., in March, from the direct or indirect effects of which it is estimated that 99 persons lost their lives; the mine accident in Washington County, Pa., in April, resulting in 98 deaths; and the catastrophe at Red Jacket, Houghton County, Mich., in December, in which, as a result of a false alarm of fire, 72 persons, the majority of whom were children, lost their lives as a result of crushing injuries.

In examining the rates for the various cities and counties affected by these deaths in catastrophes, the fact of their occurrence should be considered. For example, the rate for violent deaths (excluding suicides) in Omaha, in 1913, was 174.7 as compared with 85.3 for the preceding year. In Columbus the 1913 rate was 148.4 as compared with 104.7 in the preceding year. In Dayton the rate for 1913 was 163, whereas in 1912 it was but 91.4. In several smaller cities and in rural districts the death rates were even more seriously affected.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
SUMMARY.						
The registration area (total)	63,298,718	60,427,247	890,848	838,251	14.1	13.9
White	60,076,006	57,848,385	820,214	779,135	13.7	13.5
Colored	3,222,712	2,578,862	70,634	59,116	21.9	22.9
Registration states[1] (total)	58,312,595	55,252,123	809,593	752,443	13.9	13.6
White	55,722,300	53,384,770	755,820	713,137	13.6	13.4
Colored	2,590,295	1,867,353	53,773	39,306	20.8	21.0
Cities in registration states[1] (total)	29,244,160	28,129,824	439,478	414,778	15.0	14.7
White	28,043,900	27,098,037	410,307	390,285	14.6	14.4
Colored	1,200,260	1,031,787	29,171	24,493	24.3	23.7
Rural part of registration states (total)	29,068,435	27,122,299	370,115	337,665	12.7	12.4
White	27,678,400	26,286,733	345,513	322,852	12.5	12.3
Colored	1,390,035	835,566	24,602	14,813	17.7	17.7
Registration cities in other states (total)	4,986,123	5,175,124	81,255	85,808	16.3	16.6
White	4,353,706	4,463 615	64,394	65,998	14.8	14.8
Colored	632,417	711,509	16,861	19,810	26.7	27.8
All registration cities[1] (total)	34,230,283	33,304,948	520,733	500,586	15.2	15.0
White	32,397,606	31,561,652	474,701	456,283	14.7	14.5
Colored	1,832,677	1,743,296	46,032	44,303	25.1	25.4
REGISTRATION STATES.						
California (total)	2,667,516	2,577,137	38,606	36,716	14.5	14.2
White	2,535,263	2,449,365	36,499	34,724	14.4	14.2
Colored	132,253	127,772	2,107	1,992	15.9	15.6
Colorado (total)	883,276	857,016	10,197	9,979	11.5	11.6
White	866,021	840,236	9,938	9,728	11.5	11.6
Colored	17,255	16,780	259	251	15.0	15.0
Connecticut (total)	1,181,793	1,160,898	17,719	17,314	15.0	14.9
White	1,164,980	1,144,360	17,353	16,974	14.9	14.8
Colored	16,813	16,538	366	340	21.8	20.6
Indiana (total)	2,760,792	2,742,117	36,699	35,763	13.3	13.0
White	2,698,526	2,680,272	35,216	34,382	13.1	12.8
Colored	62,266	61,845	1,483	1,381	23.8	22.3
Kentucky (total)	2,336,277	2,321,823	30,646	29,859	13.1	12.9
White	2,069,018	2,056,218	25,034	24,283	12.1	11.8
Colored	267,259	265,605	5,612	5,576	21.0	21.0
Maine (total)	757,936	753,085	11,565	11,672	15.3	15.5
White	755,510	750,678	11,535	11,659	15.3	15.5
Colored	2,426	2,407	30	13	12.4	5.4
Maryland (total)	1,330,209	1,319,343	21,493	20,477	16.2	15.5
White	1,091,239	1,082,325	15,758	15,156	14.4	14.0
Colored	238,970	237,018	5,735	5,321	24.0	22.4
Massachusetts (total)	3,548,705	3,491,888	53,286	52,250	15.0	15.0
White	3,504,968	3,448,883	52,406	51,368	15.0	14.9
Colored	43,737	43,005	880	882	20.1	20.5
Michigan (total)	2,936,618	2,897,207	40,816	38,756	13.9	13.4
White	2,910,570	2,871,405	40,220	38,200	13.8	13.3
Colored	26,048	25,802	596	556	22.9	21.5
Minnesota (total)	2,181,077	2,148,235	22,787	20,488	10.4	9.5
White	2,163,759	2,130,722	22,412	20,207	10.4	9.5
Colored	17,318	17,513	375	281	21.7	16.0
Missouri (total)	3,353,983	3,335,080	41,561	42,155	12.4	12.6
White	3,192,663	3,174,669	37,783	38,325	11.8	12.1
Colored	161,320	160,411	3,778	3,830	23.4	23.9
Montana (total)	419,174	405,734	5,033	4,083	12.0	10.1
White	401,927	388,680	4,625	3,729	11.5	9.6
Colored	17,247	17,054	408	354	23.7	20.8
New Hampshire (total)	436,740	434,818	7,459	7,134	17.1	16.4
White	436,064	434,148	7,454	7,121	17.1	16.4
Colored	676	670	5	13	7.4	19.4
New Jersey (total)	2,749,486	2,683,309	39,437	37,779	14.3	14.1
White	2,650,575	2,586,779	37,406	35,807	14.1	13.8
Colored	98,911	96,530	2,031	1,972	20.5	20.4
New York (total)	9,712,954	9,526,146	145,522	142,608	15.0	15.0
White	9,556,533	9,372,733	142,135	139,054	14.9	14.8
Colored	156,421	153,413	3,387	3,554	21.7	23.2
REGISTRATION STATES—Contd.						
North Carolina[2] (total)	396,927	385,790	6,684	6,672	16.8	17.3
White	257,154	249,980	3,545	3,606	13.8	14.4
Colored	139,773	135,810	3,139	3,066	22.5	22.6
Ohio (total)	4,965,169	4,903,439	68,493	65,466	13.8	13.4
White	4,848,283	4,788,006	65,662	62,898	13.5	13.1
Colored	116,886	115,433	2,831	2,568	24.2	22.2
Pennsylvania (total)	8,107,942	7,969,916	117,994	111,842	14.6	14.0
White	7,899,140	7,764,668	113,386	108,141	14.4	13.9
Colored	208,802	205,248	4,608	3,701	22.1	18.0
Rhode Island (total)	579,665	568,114	8,698	8,644	15.0	15.2
White	568,856	557,550	8,434	8,386	14.8	15.0
Colored	10,809	10,564	264	258	24.4	24.4
Utah (total)	404,735	394,953	4,444	3,913	11.0	9.9
White	397,398	387,685	4,329	3,843	10.9	9.9
Colored	7,337	7,268	115	70	15.7	9.6
Vermont (total)	359,957	358,710	5,688	5,440	15.8	15.2
White	358,280	357,032	5,677	5,421	15.8	15.2
Colored	1,677	1,678	11	19	6.6	11.3
Virginia (total)	2,129,003	(3)	29,647	(3)	13.9	(3)
White	1,435,240	(3)	16,997	(3)	11.8	(3)
Colored	693,763	(3)	12,650	(3)	18.2	(3)
Washington (total)	1,344,686	1,281,508	11,397	10,187	8.5	7.9
White	1,305,971	1,244,598	10,927	9,717	8.4	7.8
Colored	38,715	36,910	470	470	12.1	12.7
Wisconsin (total)	2,419,898	2,393,081	27,716	26,987	11.5	11.3
White	2,406,103	2,379,300	27,520	26,797	11.4	11.3
Colored	13,795	13,781	196	190	14.2	13.8
REGISTRATION CITIES.						
ALABAMA.[4]						
Registration cities (total)	253,834	243,669	4,773	4,643	18.8	19.1
White	146,510	140,540	2,007	2,030	13.7	14.4
Colored	107,324	103,129	2,766	2,613	25.8	25.3
Birmingham (total)	158,200	150,249	2,749	2,612	17.4	17.4
White	95,824	91,008	1,176	1,213	12.3	13.3
Colored	62,376	59,241	1,573	1,399	25.2	23.6
Mobile (total)	54,610	53,647	1,135	1,119	20.8	20.9
White	30,460	29,923	515	501	16.9	16.7
Colored	24,150	23,724	620	618	25.7	26.0
Montgomery (total)	41,024	39,773	889	912	21.7	22.9
White	20,226	19,609	316	316	15.6	16.1
Colored	20,798	20,164	573	596	27.6	29.6
CALIFORNIA.						
Registration cities (total)	1,485,455	1,424,187	22,616	21,670	15.2	15.2
White	1,420,169	1,361,590	21,339	20,399	15.0	15.0
Colored	65,286	62,597	1,277	1,271	19.6	20.3
Alameda	25,629	24,929	290	326	11.3	13.1
Bakersfield	14,870	14,202	321	327	21.6	23.0
Berkeley	49,331	46,558	456	439	9.2	9.4
Eureka	13,311	12,854	255	216	19.2	16.8
Fresno	28,640	27,473	420	383	14.7	13.9
Long Beach	22,862	21,287	482	324	21.1	15.2
Los Angeles (total)	412,466	386,014	6,199	5,665	15.0	14.7
White	394,516	369,215	5,834	5,338	14.8	14.5
Colored	17,950	16,799	365	327	20.3	19.5
Oakland	175,201	167,401	2,197	2,140	12.5	12.8
Pasadena	38,364	35,848	470	534	12.3	14.9
Pomona	11,728	11,254	155	152	13.2	13.5
Redlands	12,284	11,712	150	194	12.2	16.6
Riverside (total)	17,564	16,831	231	270	13.2	16.0
White	15,594	14,943	210	248	13.5	16.6
Colored	1,970	1,888	21	22	10.7	11.7
Sacramento	60,628	58,539	1,108	1,033	18.3	17.6
San Bernardino	14,932	14,261	323	299	21.6	21.0
San Diego	46,685	44,470	1,073	987	23.0	22.2
San Francisco (total)	440,995	433,488	7,002	6,770	15.9	15.6
White	423,121	415,918	6,665	6,388	15.8	15.4
Colored	17,874	17,570	337	382	18.9	21.7
San Jose	36,178	35,271	452	473	12.5	13.4

[1] Includes District of Columbia.
[2] Includes only municipalities having a population of 1,000 or over in 1900.
[3] Not admitted to registration area until 1913.
[4] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
REGISTRATION CITIES—Contd.						
CALIFORNIA—continued.						
Santa Barbara	13,305	12,792	228	235	17.1	18.4
Santa Cruz	12,927	12,372	174	182	13.5	14.7
Stockton*	25,120	24,538	460	585	18.3	23.8
Vallejo	12,435	12,093	170	136	13.7	11.2
COLORADO.						
Registration cities (total)	330,353	319,977	4,483	4,433	13.6	13.9
White	319,965	309,911	4,291	4,261	13.4	13.7
Colored	10,388	10,066	192	172	18.5	17.1
Colorado Springs	31,090	30,463	501	493	16.1	16.2
Denver	237,885	230,249	3,261	3,275	13.7	14.2
Pueblo	49,596	47,975	550	502	11.1	10.5
Trinidad	11,782	11,290	171	163	14.5	14.4
CONNECTICUT.						
Registration cities (total)	807,925	790,563	12,366	12,050	15.3	15.2
White	795,527	778,415	12,079	11,775	15.2	15.1
Colored	12,398	12,148	287	275	23.1	22.6
Ansonia	15,954	15,704	229	221	14.4	14.1
Bridgeport	112,144	108,999	1,668	1,517	14.9	13.9
Bristol	14,754	14,364	123	148	8.3	10.3
Danbury town	24,811	24,403	387	384	15.6	15.7
Greenwich town	17,856	17,422	266	254	14.9	14.6
Hartford	105,107	103,177	1,918	1,861	18.2	18.0
Manchester town	14,627	14,319	116	137	7.9	9.6
Meriden town	33,160	32,819	544	525	16.4	16.0
Middletown town*	21,808	21,478	505	482	23.2	22.4
Naugatuck	13,430	13,209	152	131	11.3	9.9
New Britain	49,021	47,430	585	593	11.9	12.5
New Haven	141,915	139,325	2,253	2,297	15.9	16.5
New London	20,343	20,130	368	341	18.1	16.9
Norwalk town	25,600	25,167	357	347	13.9	13.8
Norwich town	28,839	28,646	511	525	17.7	18.3
Orange town	12,661	12,228	173	122	13.7	10.0
Stamford town	32,083	31,071	442	503	13.8	16.2
Torrington town	18,265	17,821	196	184	10.7	10.3
Wallingford town	11,854	11,636	129	142	10.9	12.2
Waterbury	80,289	78,061	1,245	1,088	15.5	13.9
Windham town	13,404	13,154	199	248	14.8	18.9
DELAWARE.[1]						
Wilmington (total)	90,953	89,849	1,412	1,481	15.5	16.5
White	81,482	80,493	1,159	1,225	14.2	15.2
Colored	9,471	9,356	253	256	26.7	27.4
DISTRICT OF COLUMBIA.						
Washington (total)	348,077	342,776	6,006	6,259	17.3	18.3
White	248,259	244,478	3,569	3,611	14.4	14.8
Colored	99,818	98,298	2,437	2,648	24.4	26.9
FLORIDA.[1]						
Registration cities (total)	112,754	84,822	1,999	1,643	17.7	19.4
White	61,772	46,409	888	752	14.4	16.2
Colored	50,982	38,413	1,111	891	21.8	23.2
Jacksonville (total)	67,209	64,245	1,290	1,276	19.2	19.9
White	32,998	31,543	517	499	15.7	15.8
Colored	34,211	32,702	773	777	22.6	23.8
Key West (total)	20,863	20,577	310	367	14.9	17.8
White	15,072	14,866	211	253	14.0	17.0
Colored	5,791	5,711	99	114	17.1	20.0
Pensacola (total)	24,682	(2)	399	(2)	16.2	(2)
White	13,702	(2)	160	(2)	11.7	(2)
Colored	10,980	(2)	239	(2)	21.8	(2)
GEORGIA.[1]						
Registration cities (total)	290,243	233,070	5,679	4,753	19.6	20.4
White	175,432	143,222	2,581	2,208	14.7	15.4
Colored	114,811	89,848	3,098	2,545	27.0	28.3
Atlanta (total)	173,713	167,041	3,027	2,999	17.4	18.0
White	115,399	110,967	1,557	1,616	13.5	14.6
Colored	58,314	56,074	1,470	1,383	25.2	24.7
Augusta (total)	49,057	(2)	968	(2)	19.7	(2)
White	27,072	(2)	453	(2)	16.7	(2)
Colored	21,985	(2)	515	(2)	23.4	(2)
REGISTRATION CITIES—Contd.						
GEORGIA[1]—continued.						
Savannah (total)	67,473	66,029	1,684	1,754	25.0	26.6
White	32,961	32,255	571	592	17.3	18.4
Colored	34,512	33,774	1,113	1,162	32.2	34.4
ILLINOIS.[1]						
Registration cities (total)	2,569,822	2,516,486	38,799	37,275	15.1	14.8
White	2,511,345	2,459,218	37,387	35,814	14.9	14.6
Colored	58,477	57,268	1,412	1,461	24.1	25.5
Aurora	32,431	31,840	461	462	14.2	14.5
Belleville	21,134	21,130	326	276	15.4	13.1
Chicago (total)	2,344,018	2,294,711	35,298	34,034	15.1	14.8
White	2,294,434	2,246,170	34,077	32,771	14.9	14.6
Colored	49,584	48,541	1,221	1,263	24.6	26.0
Decatur	36,525	35,526	476	433	13.0	12.2
Evanston	27,136	26,257	276	302	10.2	11.5
Jacksonville*	15,406	15,381	393	367	25.5	23.9
Quincy	36,696	36,662	575	535	15.7	14.6
Springfield	56,476	54,979	994	866	17.6	15.8
INDIANA.						
Registration cities (total)	881,762	861,537	13,438	12,248	15.2	14.2
White	838,083	818,757	12,364	11,271	14.8	13.8
Colored	43,679	42,780	1,074	977	24.6	22.8
Anderson	23,220	22,988	333	296	14.3	12.9
East Chicago	24,193	22,605	496	329	20.5	14.6
Elkhart	20,613	20,198	256	221	12.4	10.9
Elwood	10,405	10,599	171	123	16.4	11.6
Evansville	70,443	69,602	1,006	953	14.3	13.7
Fort Wayne	70,500	67,890	911	824	12.9	12.1
Gary	(3)	(3)	548	396	(3)	(3)
Hammond	23,636	22,791	396	336	16.8	14.7
Huntington	10,429	10,380	145	143	13.9	13.8
Indianapolis (total)	253,668	246,928	3,989	3,702	15.7	15.0
White	229,924	223,815	3,407	3,167	14.8	14.2
Colored	23,744	23,113	582	535	24.5	23.1
Jeffersonville (total)	10,296	10,332	139	168	13.5	16.3
White	8,775	8,806	109	131	12.4	14.9
Colored	1,521	1,526	30	37	19.7	24.2
Kokomo	19,077	18,361	289	253	15.1	13.8
Lafayette	20,702	20,508	362	397	17.5	19.4
Laporte	12,164	11,547	188	226	15.5	19.6
Logansport	19,974	19,686	314	307	15.7	15.6
Marion	19,567	19,555	324	280	16.6	14.3
Michigan City	20,310	19,911	284	257	14.0	12.9
Mishawaka	13,939	13,299	148	126	10.6	9.5
Muncie	24,740	24,511	351	311	14.2	12.7
New Albany	20,629	20,629	321	305	15.6	14.8
Peru	11,139	11,101	152	145	13.6	13.1
Richmond	23,550	23,168	272	306	11.5	13.2
South Bend	63,198	61,296	792	717	12.5	11.7
Terre Haute	62,252	60,977	1,006	882	16.2	14.5
Vincennes	16,316	15,873	245	245	15.0	15.4
KANSAS.[1]						
Registration cities (total)	335,857	326,359	4,792	4,796	14.3	14.7
White	303,789	295,059	4,071	4,088	13.4	13.9
Colored	32,068	31,300	721	708	22.5	22.6
Atchison (total)	16,585	16,535	199	193	12.0	11.7
White	13,942	13,900	156	162	11.2	11.7
Colored	2,643	2,635	43	31	16.3	11.8
Coffeyville (total)	15,199	14,416	157	181	10.3	12.6
White	13,486	12,791	131	149	9.7	11.6
Colored	1,713	1,625	26	32	15.2	19.7
Fort Scott (total)	10,508	10,494	136	167	12.9	15.9
White	9,457	9,444	120	127	12.7	13.4
Colored	1,051	1,050	16	40	15.2	38.1
Hutchinson	18,632	17,925	217	267	11.6	14.9
Independence	12,691	12,086	137	120	10.8	9.9
Kansas City (total)	91,687	89,003	1,401	1,406	15.3	15.8
White	81,291	78,916	1,132	1,118	13.9	14.2
Colored	10,396	10,092	269	288	25.9	28.5
Lawrence (total)	12,865	12,712	186	158	14.5	12.4
White	10,334	10,212	135	133	13.1	13.0
Colored	2,531	2,500	51	25	20.2	10.0

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Not admitted to registration area until 1913.
[3] Incorporated in 1906; population not estimated.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
REGISTRATION CITIES—Contd.						
KANSAS [1]—continued.						
Leavenworth (total)	18,917	19,056	341	335	18.0	17.6
White	16,492	16,613	292	280	17.7	16.9
Colored	2,425	2,443	49	55	20.2	22.5
Parsons	14,016	13,532	197	178	14.1	13.2
Pittsburg	16,370	15,895	256	251	15.6	15.8
Topeka * (total)	46,290	45,478	898	845	19.4	18.6
White	41,471	40,743	765	718	18.4	17.6
Colored	4,819	4,735	133	127	27.6	26.8
Wichita	62,097	59,222	667	695	10.7	11.7
KENTUCKY.						
Registration cities (total)	421,113	414,619	7,146	7,213	17.0	17.4
White	347,686	342,416	5,196	5,196	14.9	15.2
Colored	73,427	72,203	1,950	2,017	26.6	27.9
Covington (total)	55,272	54,648	889	910	16.1	16.7
White	52,251	51,661	797	810	15.3	15.7
Colored [2]	3,021	2,987	92	100	30.5	33.5
Frankfort (total)	10,783	10,684	195	213	18.1	19.9
White	7,845	7,773	113	127	14.4	16.3
Colored	2,938	2,911	82	86	27.9	29.5
Henderson (total)	11,834	11,715	233	257	19.7	21.9
White	8,717	8,630	154	159	17.7	18.4
Colored	3,117	3,085	79	98	25.3	31.8
Lexington * (total)	37,935	37,051	892	900	23.5	24.3
White	26,021	25,415	532	547	20.4	21.5
Colored	11,914	11,636	360	353	30.2	30.3
Louisville (total)	233,216	229,323	3,784	3,761	16.2	16.4
White	190,997	187,808	2,737	2,678	14.3	14.3
Colored	42,219	41,515	1,047	1,083	24.8	26.1
Newport (total)	31,312	31,057	363	384	11.6	12.4
White	30,724	30,474	353	371	11.5	12.2
Colored [2]	588	583	10	13	17.0	22.3
Owensboro (total)	16,926	16,641	314	320	18.6	19.2
White	13,632	13,402	239	239	17.5	17.8
Colored	3,294	3,239	75	81	22.8	25.0
Paducah (total)	23,835	23,500	476	468	20.0	19.9
White	17,499	17,253	271	265	15.5	15.4
Colored	6,336	6,247	205	203	32.4	32.5
LOUISIANA.[1]						
New Orleans (total)	355,958	350,695	7,088	7,054	19.9	20.1
White	261,821	257,950	4,087	4,143	15.6	16.1
Colored	94,137	92,745	3,001	2,911	31.9	31.4
MAINE.						
Registration cities (total)	173,060	170,994	3,168	3,248	18.3	19.0
White	172,344	170,288	3,158	3,241	18.3	19.0
Colored	716	706	10	7	14.0	9.9
Auburn	15,751	15,537	228	207	14.5	13.3
Augusta *	13,705	13,551	327	351	23.9	25.9
Bangor *	25,762	25,463	518	550	22.8	21.6
Biddeford	17,381	17,287	305	310	17.5	17.9
Lewiston	27,053	26,801	518	544	19.1	20.3
Portland	61,308	60,455	1,108	1,085	18.1	17.9
Waterville	12,100	11,900	164	201	13.6	16.9
MARYLAND.						
Registration cities (total)	626,171	620,271	11,612	11,367	18.5	18.3
White	534,761	529,685	8,795	8,698	16.4	16.4
Colored	91,410	90,586	2,817	2,669	30.8	29.5
Baltimore (total)	574,575	569,560	10,624	10,389	18.5	18.2
White	487,025	482,774	7,912	7,851	16.2	16.3
Colored	87,550	86,786	2,712	2,538	31.0	29.2
Cumberland (total)	23,369	22,892	452	413	19.3	18.0
White	22,227	21,774	416	376	18.7	17.3
Colored [2]	1,142	1,118	36	37	31.5	33.1
Frederick (total)	10,773	10,660	204	234	18.9	22.0
White	9,252	9,155	166	182	17.9	19.9
Colored	1,521	1,505	38	52	25.0	34.6
Hagerstown (total)	17,454	17,159	332	331	19.0	19.3
White	16,257	15,982	301	289	18.5	18.1
Colored [2]	1,197	1,177	31	42	25.9	35.7
REGISTRATION CITIES—Contd.						
MASSACHUSETTS.						
Registration cities (total)	2,764,797	2,715,420	41,184	40,321	14.9	14.8
White	2,728,214	2,679,490	40,453	39,606	14.8	14.8
Colored	36,583	35,930	731	715	20.0	19.9
Adams town	13,639	13,448	177	154	13.0	11.5
Arlington town	12,025	11,764	159	154	13.2	13.1
Attleborough town	17,800	17,306	210	213	11.8	12.3
Beverly	20,197	19,715	261	219	12.9	11.1
Boston (total)	722,465	711,128	11,838	11,643	16.4	16.4
White	706,678	695,588	11,452	11,286	16.2	16.2
Colored	15,787	15,540	386	357	24.5	23.0
Brockton	62,340	60,637	675	700	10.8	11.5
Brookline town	30,343	29,548	350	317	11.5	10.7
Cambridge	109,045	107,734	1,472	1,405	13.5	13.0
Chelsea	31,928	32,092	679	590	21.3	18.4
Chicopee	27,426	26,795	378	421	13.8	15.7
Clinton town	12,882	12,942	158	193	12.3	14.9
Everett	36,455	35,529	428	391	11.7	11.0
Fall River	123,982	122,521	2,136	1,985	17.2	16.2
Fitchburg	39,870	39,233	548	485	13.7	12.4
Framingham town	13,481	13,315	211	189	15.7	14.2
Gardner town	15,960	15,567	198	219	12.4	14.1
Gloucester	23,840	24,014	337	362	14.1	15.1
Greenfield town	11,239	10,986	161	166	14.3	15.1
Haverhill	46,368	45,665	674	696	14.5	15.2
Holyoke	61,635	60,418	1,010	898	16.4	14.9
Lawrence	93,471	91,108	1,327	1,365	14.2	15.0
Leominster town	19,264	18,739	223	219	11.6	11.7
Lowell	109,885	108,768	1,750	1,891	15.9	17.4
Lynn	96,099	93,991	1,136	1,117	11.8	11.9
Malden	47,892	46,805	526	526	11.0	11.2
Marlborough	14,893	14,795	212	204	14.2	13.8
Medford	24,743	24,247	284	318	11.5	13.1
Melrose	16,608	16,329	196	175	11.8	10.7
Methuen town	12,725	12,327	185	150	14.5	12.2
Milford town	13,600	13,430	207	209	15.2	15.6
New Bedford	107,766	104,302	1,677	1,657	15.6	15.9
Newburyport	15,100	15,053	248	233	16.4	15.5
Newton	41,825	41,195	484	509	11.6	12.4
North Adams	21,311	21,532	342	345	16.0	16.0
Northampton *	19,686	19,606	372	390	18.9	19.9
Peabody town	17,085	16,660	234	211	13.7	12.7
Pittsfield	35,483	34,435	661	563	18.6	16.3
Plymouth town	12,969	12,711	165	159	12.7	12.5
Quincy	35,481	34,596	476	378	13.4	10.9
Revere town	20,760	19,968	214	189	10.3	9.5
Salem	46,210	45,427	703	670	15.2	14.7
Somerville	82,302	80,723	993	981	12.1	12.2
Southbridge town	13,425	13,166	151	151	11.2	11.5
Springfield	97,654	94,933	1,468	1,447	15.0	15.2
Taunton *	35,305	34,979	701	749	19.9	21.4
Wakefield town	12,091	11,877	156	132	12.9	11.1
Waltham	29,247	28,806	373	352	12.8	12.2
Watertown town	13,904	13,583	121	135	8.7	9.9
Webster town	12,388	12,113	175	158	14.1	13.0
Westfield town	17,257	16,879	321	328	18.6	19.4
Weymouth town	13,405	13,246	168	167	12.5	12.6
Winthrop town	11,454	11,042	128	156	11.2	14.1
Woburn	15,648	15,542	213	217	13.7	14.0
Worcester	154,941	152,150	2,534	2,470	15.8	16.2
MICHIGAN.						
Registration cities (total)	1,139,763	1,109,782	17,811	16,478	15.6	14.8
White	1,127,797	1,098,193	17,532	16,233	15.5	14.8
Colored	11,966	11,589	279	245	23.3	21.1
Adrian	11,122	11,010	160	176	14.4	16.0
Alpena	12,998	12,907	183	186	14.1	14.4
Ann Arbor	14,917	14,886	360	382	24.1	25.7
Battle Creek	27,443	26,764	463	412	16.9	15.4
Bay City	46,600	46,153	608	650	13.0	14.1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

[2] Colored population less than 10 per cent of total.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
REGISTRATION CITIES—Contd.						
MICHIGAN—continued.						
Detroit	520,586	503,445	8,995	7,782	17.3	15.5
Escanaba	14,378	14,009	234	175	16.3	12.5
Flint	46,933	44,322	437	442	9.3	10.0
Grand Rapids	120,695	118,163	1,600	1,541	13.3	13.0
Holland	11,366	11,093	119	109	10.5	9.8
Ironwood	13,832	13,517	115	122	8.3	9.0
Ishpeming	12,188	12,269	119	109	9.8	8.9
Jackson	33,464	32,831	506	537	15.1	16.4
Kalamazoo *	44,320	42,798	761	771	17.2	18.0
Lansing	36,019	34,526	435	394	12.1	11.4
Manistee	11,771	11,961	150	136	12.7	11.4
Marquette	11,971	11,825	190	184	15.9	15.6
Menominee	9,756	9,990	135	126	13.8	12.6
Muskegon	25,114	24,786	352	345	14.0	13.9
Pontiac *	16,078	15,596	390	384	24.3	24.6
Port Huron	18,768	18,798	281	355	15.0	18.9
Saginaw	53,161	52,334	745	712	14.0	13.6
Sault Ste. Marie	13,289	13,079	213	170	16.0	13.0
Traverse City *	12,994	12,720	260	278	20.0	21.9
MINNESOTA.						
Registration cities (total)	713,913	695,498	8,266	7,304	11.6	10.5
White	706,751	688,522	8,118	7,179	11.5	10.4
Colored	7,162	6,976	148	125	20.7	17.9
Duluth	86,749	84,168	985	884	11.4	10.5
Mankato	10,291	10,314	179	151	17.4	14.6
Minneapolis	333,472	323,476	3,861	3,378	11.6	10.4
St. Cloud	11,229	11,033	135	112	12.0	10.2
St. Paul	231,533	226,300	2,558	2,309	11.0	10.2
Stillwater	9,511	9,725	105	118	11.0	12.1
Virginia	12,911	12,151	158	112	12.2	9.2
Winona	18,217	18,331	285	240	15.6	13.1
MISSOURI.						
Registration cities (total)	1,213,179	1,193,870	18,147	17,922	15.0	15.0
White	1,126,191	1,108,432	15,924	15,686	14.1	14.2
Colored	86,988	85,438	2,223	2,236	25.6	26.2
Hannibal (total)	20,147	19,584	270	268	13.4	13.7
White	18,116	17,610	220	224	12.1	12.7
Colored	2,031	1,974	50	44	24.6	22.3
Jefferson City (total)	12,559	12,338	183	184	14.6	14.9
White	10,520	10,335	132	140	12.5	13.5
Colored	2,039	2,003	51	44	25.0	22.0
Joplin	32,664	32,480	508	478	15.6	14.7
Kansas City (total)	273,943	265,977	4,045	4,041	14.8	15.2
White	247,800	240,594	3,419	3,361	13.8	14.0
Colored	26,143	25,383	626	680	23.9	26.8
Moberly	11,867	11,572	154	164	13.0	14.2
St. Joseph *	[1] 81,450	[1] 80,188	1,157	1,054	14.2	13.1
St. Louis (total)	723,347	712,027	10,761	10,634	14.9	14.9
White	676,451	665,865	9,510	9,415	14.1	14.1
Colored	46,896	46,162	1,251	1,219	26.7	26.4
Sedalia (total)	18,663	18,401	269	276	14.4	15.0
White	16,704	16,469	225	218	13.5	13.2
Colored	1,959	1,932	44	58	22.5	30.0
Springfield	37,857	37,030	570	634	15.1	17.1
Webb City	13,039	12,777	230	189	17.6	14.8
MONTANA.						
Registration cities (total)	106,177	103,855	1,787	1,411	16.8	13.6
White	103,845	101,575	1,743	1,364	16.8	13.4
Colored	2,332	2,280	44	47	18.9	20.6
Anaconda	10,355	10,286	137	125	13.2	12.2
Billings	12,321	11,625	133	103	10.8	8.9
Butte	41,159	40,540	809	622	19.7	15.4
Great Falls	13,630	13,730	331	203	24.3	14.8
Helena	13,081	12,904	188	184	14.4	14.3
Missoula	15,631	14,770	189	174	12.1	11.8
NEBRASKA.[2]						
Registration cities (total)	176,351	173,785	2,446	2,266	13.9	13.0
White	170,807	168,328	2,298	2,142	13.5	12.7
Colored	5,544	5,457	148	124	26.7	22.7
Lincoln	45,258	44,873	624	560	13.8	12.5
Omaha	131,093	128,912	1,822	1,706	13.9	13.2
REGISTRATION CITIES—Contd.						
NEW HAMPSHIRE.						
Registration cities (total)	181,792	179,396	3,235	2,974	17.8	16.6
White	181,456	179,065	3,232	2,970	17.8	16.6
Colored	336	331	3	4	8.9	12.1
Berlin	12,720	12,427	182	185	14.3	14.9
Concord*	22,102	21,913	500	450	22.6	20.5
Dover	13,260	13,255	239	265	18.0	20.0
Keene	10,360	10,269	192	187	18.5	18.2
Laconia	10,877	10,660	179	187	16.5	17.5
Manchester	74,311	72,987	1,308	1,111	17.6	15.2
Nashua	26,688	26,475	429	388	16.1	14.7
Portsmouth	11,474	11,410	206	201	18.0	17.6
NEW JERSEY.						
Registration cities (total)	1,782,707	1,736,882	25,881	24,853	14.5	14.3
White	1,721,817	1,677,627	24,601	23,551	14.3	14.0
Colored	60,890	59,255	1,280	1,302	21.0	22.0
Asbury Park (total)	12,142	11,519	167	160	13.8	13.9
White	9,820	9,316	125	114	12.7	12.2
Colored	2,322	2,203	42	46	18.1	20.9
Atlantic City (total)	52,098	50,244	830	769	15.9	15.3
White	40,901	39,445	663	598	16.2	15.2
Colored	11,197	10,799	167	171	14.9	15.8
Bayonne	62,960	60,649	790	843	12.5	13.9
Bloomfield	16,825	16,278	165	130	9.8	8.0
Bridgeton	14,305	14,275	221	189	15.4	13.2
Camden	100,581	98,697	1,679	1,518	16.7	15.4
East Orange	38,549	37,246	342	310	8.9	8.3
Elizabeth	80,272	78,135	1,158	1,155	14.4	14.8
Garfield	12,392	11,713	153	138	12.3	11.8
Hackensack	15,545	15,079	236	220	15.2	14.6
Harrison	15,765	15,370	192	207	12.2	13.5
Hoboken	73,884	72,774	1,226	1,123	16.6	15.4
Irvington	14,027	13,357	185	149	13.2	11.2
Jersey City	287,709	281,497	4,194	3,942	14.6	14.0
Kearny	21,181	20,395	246	270	11.6	13.2
Long Branch	14,381	14,040	284	335	19.7	23.9
Millville	13,057	12,868	171	169	13.1	13.1
Montclair (total)	24,014	23,246	339	317	14.1	13.6
White	21,224	20,545	290	260	13.7	12.7
Colored	2,790	2,701	49	57	17.6	21.1
Morristown	12,908	12,783	287	248	22.2	19.4
New Brunswick	24,485	24,143	555	505	22.7	20.9
Newark	379,211	369,317	5,454	5,282	14.4	14.3
Orange	31,412	30,357	493	549	15.7	17.8
Passaic	63,542	60,809	870	908	13.7	14.9
Paterson	132,236	130,167	1,780	1,822	13.5	14.0
Perth Amboy	36,805	35,345	537	518	14.6	14.7
Phillipsburg	14,783	14,511	173	189	11.7	13.0
Plainfield	22,231	21,707	310	298	13.9	13.7
Trenton*	104,451	102,071	1,930	1,714	18.5	16.8
Union	22,994	22,328	226	205	9.8	9.2
West Hoboken	39,401	38,155	385	375	9.8	9.8
West New York	16,253	15,413	208	189	12.8	12.3
West Orange	12,308	11,894	95	107	7.7	9.0
NEW YORK.						
Registration cities (total)	7,339,736	7,162,846	108,818	106,429	14.8	14.9
White	7,210,707	7,037,072	105,907	103,341	14.7	14.7
Colored	1,129,029	125,774	2,911	3,088	22.6	24.6
Albany	102,344	101,726	2,025	2,046	19.8	20.1
Amsterdam	34,283	33,343	493	494	14.4	14.8
Auburn	36,071	35,633	569	571	15.8	16.0
Batavia	12,382	12,142	246	222	19.9	18.3
Binghamton*	51,300	50,409	1,127	908	22.0	18.0
Buffalo	446,889	439,666	7,043	6,527	15.8	14.8
Cohoes	24,968	24,887	386	440	15.5	17.7
Corning	14,596	14,326	178	235	12.2	16.4
Cortland	12,313	12,061	220	205	17.9	17.0
Dunkirk	19,040	18,473	270	228	14.2	12.3
Elmira	37,664	37,512	587	554	15.6	14.8
Fulton	11,218	10,988	181	201	16.1	18.3
Geneva	13,099	12,895	187	213	14.3	16.5
Glens Falls	16,096	15,830	283	235	17.6	14.8
Gloversville	21,386	21,154	337	307	15.8	14.5

[1] Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.
[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE I.—POPULATION; DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
REGISTRATION CITIES—Contd.						
NEW YORK—continued.						
Hornell	14,169	13,997	223	203	15.7	14.5
Hudson	12,080	11,839	211	210	17.5	17.7
Ithaca	15,341	15,173	250	231	16.3	15.2
Jamestown	34,027	33,176	460	398	13.5	12.0
Johnstown	10,550	10,518	166	123	15.7	11.7
Kingston	26,354	26,215	491	481	18.6	18.3
Lackawanna	17,951	16,891	421	410	23.5	24.3
Little Falls	12,886	12,695	245	191	19.0	15.0
Lockport	19,436	19,287	306	291	15.7	15.1
Middletown*	15,570	15,490	333	374	21.4	24.1
Mount Vernon	34,066	33,085	455	401	13.4	12.1
New Rochelle	33,461	32,029	311	379	9.3	11.8
New York (total)	5,198,888	5,064,237	74,286	73,266	14.3	14.5
Bronx Borough	505,859	482,520	7,020	6,369	13.9	13.2
Brooklyn Borough	1,786,327	1,738,958	24,830	24,735	13.9	14.2
Manhattan Borough	2,487,962	2,439,208	36,375	36,462	14.6	14.9
Queens Borough	326,616	313,346	4,506	4,186	13.8	13.4
Richmond Borough	92,124	90,205	1,555	1,514	16.9	16.8
White	5,092,311	4,960,420	71,849	70,659	14.1	14.2
Bronx Borough	500,685	477,610	6,920	6,280	13.8	13.1
Brooklyn Borough	1,759,920	1,713,344	24,252	24,096	13.8	14.1
Manhattan Borough	2,418,194	2,370,936	34,729	34,724	14.4	14.6
Queens Borough	322,705	309,610	4,423	4,074	13.7	13.2
Richmond Borough	90,807	88,920	1,525	1,485	16.8	16.7
Colored	106,577	103,817	2,437	2,607	22.9	25.1
Bronx Borough	5,174	4,910	100	89	19.3	18.1
Brooklyn Borough	26,407	25,614	578	639	21.9	24.9
Manhattan Borough	69,768	68,272	1,646	1,738	23.6	25.5
Queens Borough	3,911	3,736	83	112	21.2	30.0
Richmond Borough	1,317	1,285	30	29	22.8	22.6
Newburgh	28,733	28,443	505	519	17.6	18.2
Niagara Falls	34,013	32,901	593	544	17.4	16.5
North Tonawanda	12,892	12,600	174	136	13.5	10.8
Ogdensburg*	16,337	16,211	416	460	25.5	28.4
Olean	15,715	15,412	212	215	13.5	14.0
Ossining	12,629	12,271	180	200	14.3	16.3
Oswego	23,747	23,629	396	383	16.7	16.2
Peekskill	16,832	16,337	233	190	13.8	11.6
Plattsburg	12,015	11,741	213	180	17.7	15.3
Port Chester	14,551	14,008	196	195	13.5	13.9
Poughkeepsie	29,203	28,808	490	489	16.8	17.0
Rensselaer	10,952	10,877	133	152	12.1	14.0
Rochester	235,968	230,414	3,448	3,370	14.6	14.6
Rome	22,172	21,650	436	488	19.7	22.5
Saratoga Springs	12,784	12,755	332	273	26.0	21.4
Schenectady	86,305	82,103	1,054	1,017	12.2	12.4
Syracuse	146,480	143,602	2,294	2,179	15.7	15.2
Troy	77,382	77,204	1,400	1,520	18.1	19.7
Utica*	80,246	78,429	1,558	1,503	19.4	19.2
Watertown	28,364	27,854	470	460	16.6	16.5
Watervliet	15,318	15,242	224	269	14.6	17.6
White Plains	18,564	17,749	294	258	15.8	14.5
Yonkers	90,156	86,929	1,277	1,085	14.2	12.5
NORTH CAROLINA.						
Registration cities (total)	171,360	160,711	3,318	3,137	19.4	19.5
White	106,707	99,050	1,660	1,595	15.6	16.1
Colored	64,653	61,661	1,658	1,542	25.6	25.0
Asheville (total)	19,825	19,494	418	413	21 1	21.2
White	14,160	13,924	283	281	20.0	20.2
Colored	5,665	5,570	135	132	23.8	23.7
Charlotte (total)	37,015	36,079	594	524	16.0	14.5
White	24,223	23,610	336	314	13.9	13.3
Colored	12,792	12,469	258	210	20.2	16.8
Durham (total)	21,764	20,666	306	300	14.1	14.5
White	13,568	12,884	136	138	10.0	10.7
Colored	8,196	7,782	170	162	20.7	20.8
Greensboro (total)	17,798	17,205	311	294	17.5	17.1
White	11,403	11,023	172	141	15.1	12.8
Colored	6,395	6,182	139	153	21.7	24.7
Raleigh* (total)	19,686	19,541	491	610	24.9	31.2
White	12,134	12,045	267	359	22.0	29.8
Colored	7,552	7,496	224	251	29.7	33.5
Wilmington (total)	27,298	26,815	615	636	22.5	23.7
White	14,447	14,192	241	236	16.7	16.6
Colored	12,851	12,623	374	400	29.1	31.7
Winston-Salem [1] (total)	27,974	20,911	583	360	20.8	17.2
White	16,772	11,372	225	126	13.4	11.1
Colored	11,202	9,539	358	234	32.0	24.5
REGISTRATION CITIES—Contd.						
OHIO.						
Registration cities (total)	2,350,474	2,278,496	35,602	33,116	15.1	14.5
White	2,277,286	2,207,295	33,724	31,390	14.8	14.2
Colored	73,188	71,201	1,878	1,726	25.7	24.2
Akron	77,624	74,957	1,160	1,104	14.9	14.7
Alliance	17,098	16,476	217	212	12.7	12.9
Ashtabula	19,969	19,440	248	236	12.4	12.1
Bellaire	13,670	13,400	205	201	15.0	15.0
Cambridge	12,328	12,016	160	157	13.0	13.1
Canton	55,713	54,000	646	666	11.6	12.3
Chillicothe	15,005	14,850	285	211	19.0	14.2
Cincinnati (total)	398,452	387,543	6,735	6,449	16.9	16.6
White	376,894	366,575	6,069	5,823	16.1	15.9
Colored	21,558	20,968	666	626	30.9	29.9
Cleveland	622,699	596,970	8,817	8,156	14.2	13.7
Columbus (total)	199,417	193,822	3,047	2,783	15.3	14.4
White	185,352	180,152	2,748	2,488	14.8	13.8
Colored	14,065	13,670	299	295	21.3	21.6
Dayton	122,079	120,364	1,950	1,819	16.0	15.1
East Liverpool	21,523	21,169	387	333	18.0	15.7
Elyria	16,785	16,174	205	211	12.2	13.0
Findlay	13,963	14,242	218	219	15.6	15.4
Hamilton	37,980	37,138	632	492	16.6	13.2
Ironton	13,561	13,432	226	224	16.7	16.7
Lakewood	19,022	17,825	198	179	10.4	10.0
Lancaster	14,425	14,010	160	147	11.1	10.5
Lima	33,164	32,425	442	348	13.3	10.7
Lorain	33,058	31,756	399	374	12.1	11.8
Mansfield	21,783	21,466	283	298	13.0	13.9
Marietta	14,785	12,828	196	186	13.3	14.5
Marion	21,333	19,656	316	270	14.8	13.7
Massillon	14,713	14,514	175	168	11.9	11.6
Middletown	14,429	14,031	248	213	17.2	15.2
Newark	27,591	26,909	389	352	14.1	13.1
Norwood	19,337	18,354	198	177	10.2	9.6
Piqua	13,783	13,660	223	188	16.2	13.8
Portsmouth	26,897	26,282	486	413	18.1	15.7
Sandusky	20,094	20,060	281	310	14.0	15.5
Springfield (total)	49,314	48,568	697	629	14.1	13.0
White	44,117	43,449	591	543	13.4	12.5
Colored	5,197	5,119	106	86	20.4	16.8
Steubenville	25,003	24,189	521	416	20.8	17.2
Tiffin	12,186	12,095	202	181	16.6	15.0
Toledo	180,412	176,698	2,917	2,790	16.2	15.8
Warren	11,838	11,585	201	158	17.0	13.6
Youngstown	89,949	86,557	1,465	1,382	16.3	16.0
Zanesville	29,492	29,035	467	464	15.8	16.0
OREGON.[2]						
Portland (total)	246,569	234,546	2,347	2,223	9.5	9.5
White	236,738	225,194	2,238	2,127	9.5	9.4
Colored [3]	9,831	9,352	109	96	11.1	10.3
PENNSYLVANIA.						
Registration cities (total)	3,887,216	3,814,586	60,846	57,633	15.7	15.1
White	3,732,891	3,662,850	57,266	54,737	15.3	14.9
Colored	154,325	151,736	3,580	2,896	23.2	19.1
Allentown	58,693	57,090	943	838	16.1	14.7
Altoona	55,504	54,451	747	759	13.5	13.9
Beaver Falls	12,884	12,668	188	189	14.6	14.9
Bethlehem	13,511	13,300	165	141	12.2	10.6
Braddock	20,560	20,185	477	378	23.2	18.7
Bradford	14,887	14,436	204	211	13.7	14.6
Butler	24,499	23,448	262	245	10.7	10.4
Carbondale	18,177	17,822	297	270	16.3	15.1
Carlisle (total)	10,521	10,453	157	162	14.9	15.5
White	9,375	9,315	128	134	13.7	14.4
Colored	1,146	1,138	29	28	25.3	24.6
Carnegie	10,879	10,608	140	150	12.9	14.1
Chambersburg	12,099	12,006	178	206	14.7	17.2
Chester (total)	40,013	39,553	737	660	18.4	16.7
White	35,016	34,613	605	536	17.3	15.5
Colored	4,997	4,940	132	124	26.4	25.1
Coatesville (total)	12,826	12,283	143	177	11.1	14.4
White	11,065	10,596	128	152	11.6	14.3
Colored	1,761	1,687	15	25	8.5	14.8
Columbia	11,150	11,246	138	134	12.4	11.9
Connellsville	14,193	13,773	180	165	12.7	12.0

[1] Salem consolidated with Winston, May 13, 1913.
[2] Nonregistration state; cities shown below only those with effective local ordinances.
[3] Colored population less than 10 per cent of total.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
REGISTRATION CITIES—Contd.						
PENNSYLVANIA—contd.						
Dubois	13,678	13,349	176	133	12.9	10.0
Dunmore	19,248	18,739	324	343	16.8	18.3
Duquesne	17,899	17,222	243	194	13.6	11.3
Easton	29,559	29,234	505	505	17.1	17.3
Erie	71,004	69,608	1,137	1,046	16.0	15.0
Farrell	(1)	(1)	186	124	(1)	(1)
Greensburg	14,239	13,873	250	204	17.5	14.7
Harrisburg	68,232	66,971	962	958	14.1	14.3
Hazleton	27,022	26,533	418	401	15.5	15.1
Homestead	20,651	20,049	294	269	14.2	13.4
Johnstown	62,705	60,762	1,057	930	16.9	15.3
Lancaster	49,101	48,517	673	696	13.7	14.3
Lebanon	19,763	19,600	335	293	17.0	14.9
McKees Rocks	17,413	16,568	295	191	16.9	11.5
McKeesport	45,188	44,413	694	657	15.4	14.8
Mahanoy City	16,725	16,479	278	258	16.6	15.7
Meadville	13,307	13,142	205	218	15.4	16.6
Monessen	17,313	14,268	187	142	10.8	10.0
Mount Carmel	18,945	18,504	211	228	11.1	12.3
Nanticoke	21,072	20,388	306	305	14.5	15.0
New Castle	38,787	38,005	522	546	13.5	14.4
Norristown *	29,697	29,129	661	635	22.3	21.8
North Braddock	13,541	13,006	161	138	11.9	10.6
Oil City	18,319	17,992	253	219	13.8	12.2
Old Forge	13,172	12,596	179	202	13.6	16.0
Philadelphia (total)	1,631,956	1,606,102	25,612	24,513	15.7	15.3
White	1,541,733	1,517,309	23,405	22,805	15.2	15.0
Colored	90,223	88,793	2,207	1,708	24.5	19.2
Phoenixville	11,244	11,088	180	188	16.0	17.0
Pittsburgh (total)	557,773	550,667	9,550	8,762	17.1	15.9
White	530,718	523,957	8,958	8,261	16.9	15.8
Colored	27,055	26,710	592	501	21.9	18.8
Pittston	17,471	17,095	286	311	16.4	18.2
Plymouth	18,083	17,744	191	227	10.6	12.8
Pottstown	16,215	16,023	218	201	13.4	12.5
Pottsville	21,340	20,996	411	414	19.3	19.7
Reading	101,628	99,896	1,537	1,374	15.1	13.8
Scranton	138,621	135,894	2,057	1,987	14.8	14.6
Shamokin	20,697	20,503	259	273	12.5	13.3
Sharon	16,999	16,242	242	185	14.2	11.4
Shenandoah	27,545	26,993	521	546	18.9	20.2
South Bethlehem	22,158	21,477	327	326	14.8	15.2
Steelton	14,916	14,705	187	196	12.5	13.3
Sunbury	15,057	14,656	176	158	11.7	10.8
Uniontown	18,322	17,392	281	272	15.3	15.6
Warren	12,708	11,714	147	146	11.6	12.5
Washington	20,244	19,790	312	264	15.4	13.3
West Chester (total)	12,495	12,268	214	243	17.1	19.8
White	10,500	10,309	177	210	16.9	20.4
Colored	1,995	1,959	37	33	18.5	16.8
Wilkes-Barre	72,102	70,544	1,089	1,059	15.1	15.0
Wilkinsburg	21,041	20,379	344	280	16.3	13.7
Williamsport	32,867	32,553	532	575	16.2	17.7
York	48,318	47,206	705	613	14.6	13.0
RHODE ISLAND.						
Registration cities (total)	469,539	459,591	7,132	7,144	15.2	15.5
White	460,406	450,642	6,886	6,912	15.0	15.3
Colored	9,133	8,949	246	232	26.9	25.9
Central Falls	24,243	23,779	332	330	13.7	13.9
Cranston [2]	23,629	22,843	639	589	27.0	25.8
Cumberland town	10,489	10,370	123	130	11.7	12.5
East Providence town	16,998	16,627	248	194	14.6	11.7
Newport	28,677	28,200	367	405	12.8	14.4
Pawtucket	55,646	54,391	826	784	14.8	14.4
Providence	240,156	235,222	3,643	3,720	15.2	15.8
Warwick town	28,355	27,817	465	468	16.4	16.8
Woonsocket	41,346	40,342	489	524	11.8	13.0
SOUTH CAROLINA. [3]						
Charleston (total)	59,815	59,509	1,616	1,836	27.0	30.9
White	28,227	28,083	442	534	15.7	19.0
Colored	31,588	31,426	1,174	1,302	37.2	41.4
REGISTRATION CITIES—Contd.						
TENNESSEE. [3]						
Registration cities (total)	254,173	287,387	4,949	5,785	19.5	20.1
White	160,276	187,188	2,459	2,927	15.3	15.6
Colored	93,897	100,199	2,490	2,858	26.5	28.5
Knoxville (total)	(4)	37,174	(4)	637	(4)	17.1
White	(4)	29,360	(4)	436	(4)	14.9
Colored	(4)	7,814	(4)	201	(4)	25.7
Memphis (total)	140,351	137,469	2,923	2,977	20.8	21.7
White	84,132	82,405	1,336	1,373	15.9	16.7
Colored	56,219	55,064	1,587	1,604	28.2	29.1
Nashville (total)	113,822	112,744	2,026	2,171	17.8	19.3
White	76,144	75,423	1,123	1,118	14.7	14.8
Colored	37,678	37,321	903	1,053	24.0	28.2
TEXAS. [3]						
Registration cities (total)	197,257	189,656	4,639	4,601	23.5	24.3
White	174,204	167,371	4,091	3,968	23.5	23.7
Colored	23,053	22,285	548	633	23.8	28.4
El Paso	47,075	44,645	1,611	1,345	34.2	30.1
Galveston (total)	[5] 39,503	[5] 38,716	742	804	18.8	20.8
White	[5] 30,866	[5] 30,251	514	524	16.7	17.3
Colored	[5] 8,637	[5] 8,465	228	280	26.4	33.1
San Antonio (total)	110,679	106,295	2,286	2,452	20.7	23.1
White	98,292	94,399	2,017	2,153	20.5	22.8
Colored	12,387	11,896	269	299	21.7	25.1
UTAH.						
Registration cities (total)	134,303	128,859	1,608	1,458	12.0	11.3
White	132,087	126,730	1,569	1,417	11.9	11.2
Colored	2,216	2,129	39	41	17.6	19.3
Ogden	28,590	27,652	363	284	12.7	10.3
Salt Lake City	105,713	101,207	1,245	1,174	11.8	11.6
VERMONT.						
Registration cities (total)	46,747	46,124	806	725	17.2	15.7
White	46,600	45,978	805	725	17.3	15.8
Colored	147	146	1	.....	6.8	.....
Barre	11,475	11,244	144	129	12.5	11.5
Burlington	21,062	20,877	392	360	18.6	17.2
Rutland	14,210	14,003	270	236	19.0	16.9
VIRGINIA. [6]						
Registration cities (total)	416,718	343,034	7,906	6,721	19.0	19.6
White	272,607	223,529	4,037	3,348	14.8	15.0
Colored	144,111	119,505	3,869	3,373	26.8	28.2
Alexandria (total)	15,589	15,508	272	283	17.4	18.2
White	11,321	11,262	154	152	13.6	13.5
Colored	4,268	4,246	118	131	27.6	30.9
Danville (total)	19,536	19,375	375	386	19.2	19.9
White	13,159	13,050	219	237	16.6	18.2
Colored	6,377	6,325	156	149	24.5	23.6
Lynchburg (total)	31,275	30,720	593	561	19.0	18.3
White	21,232	20,855	307	298	14.5	14.3
Colored	10,043	9,865	286	263	28.5	26.7
Newport News (total)	20,388	(6)	335	(6)	16.4	(6)
White	13,052	(6)	158	(6)	12.1	(6)
Colored	7,336	(6)	177	(6)	24.1	(6)
Norfolk (total)	85,005	83,470	1,662	1,680	19.6	20.1
White	53,374	52,411	716	727	13.4	13.9
Colored	31,631	31,059	946	953	29.9	30.7
Petersburg (total)	24,878	24,644	596	571	24.0	23.2
White	13,520	13,393	228	222	16.9	16.6
Colored	11,358	11,251	368	349	32.4	31.0
Portsmouth (total)	36,496	(6)	499	(6)	13.7	(6)
White	23,708	(6)	223	(6)	9.4	(6)
Colored	12,788	(6)	276	(6)	21.6	(6)
Richmond (total)	133,185	131,453	2,718	2,715	20.4	20.7
White	84,401	83,303	1,412	1,373	16.7	16.5
Colored	48,784	48,150	1,306	1,342	26.8	27.9
Roanoke (total)	39,219	37,864	604	525	15.4	13.9
White	30,302	29,255	403	339	13.3	11.6
Colored	8,917	8,609	201	186	22.5	21.6
Staunton * (total)	11,147	(6)	252	(6)	22.6	(6)
White	8,538	(6)	217	(6)	25.4	(6)
Colored	2,609	(6)	35	(6)	13.4	(6)

[1] Population not estimated; name changed from South Sharon (incorporated in 1901) in 1912.
[2] Includes state institutions.
[3] Nonregistration state; cities shown below only those with effective local ordinances.
[4] Unable to secure transcripts for deaths for 1913.
[5] Estimate based upon increase from 1890 to 1900.
[6] Not admitted to registration area until 1913.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
REGISTRATION CITIES—Contd.						
WASHINGTON.						
Registration cities (total)	638,360	602,394	5,704	5,111	8.9	8.5
White	620,937	585,972	5,507	4,900	8.9	8.4
Colored	17,423	16,422	197	211	11.3	12.8
Aberdeen	17,164	16,106	140	116	8.2	7.2
Bellingham	28,597	27,257	283	224	9.9	8.2
Everett	30,329	28,610	285	225	9.4	7.9
North Yakima	17,631	16,525	205	149	11.6	9.0
Seattle	295,226	277,420	2,471	2,260	8.4	8.1
Spokane	128,327	120,994	1,139	1,022	8.9	8.4
Tacoma	98,742	94,067	990	902	10.0	9.6
Walla Walla	22,344	21,415	191	213	8.5	9.9
WEST VIRGINIA.[1]						
Wheeling (total)	42,537	42,257	716	731	16.8	17.3
White	41,303	41,031	686	692	16.6	16.9
Colored [2]	1,234	1,226	30	39	24.3	31.8
WISCONSIN.						
Registration cities (total)	813,463	796,590	10,592	10,274	13.0	12.9
White	810,807	794,004	10,552	10,227	13.0	12.9
Colored	2,656	2,586	40	47	15.1	18.2
Appleton	17,321	17,150	220	206	12.7	12.0
Ashland	11,114	11,264	215	193	19.3	17.1
Beloit	16,647	16,172	182	181	10.9	11.2
Eau Claire	18,567	18,487	305	249	16.4	13.5
Fond du Lac	19,994	19,621	296	298	14.8	15.2
Green Bay	27,363	26,700	477	441	17.4	16.5
Janesville	14,123	14,051	208	201	14.7	14.3
Kenosha	25,050	23,633	257	356	10.3	15.1
La Crosse	31,212	30,757	419	402	13.4	13.1
Madison	28,858	27,075	359	292	12.4	10.8
Manitowoc	13,428	13,303	202	157	15.0	11.8
Marinette	14,097	14,257	169	191	12.0	13.4
Milwaukee	408,683	400,279	5,183	5,210	12.7	13.0
Oshkosh	34,613	34,130	477	423	13.8	12.4
Racine	43,549	42,582	504	485	11.6	11.4
Sheboygan	27,515	27,167	378	338	13.7	12.4
Superior	43,403	42,462	508	398	11.7	9.4
Wausau	17,926	17,500	233	253	13.0	14.5
RURAL PART OF REGISTRATION STATES.[3]						
CALIFORNIA.						
Total	1,182,061	1,152,950	15,990	15,046	13.5	13.1
White	1,115,094	1,087,775	15,160	14,325	13.6	13.2
Colored	66,967	65,175	830	721	12.4	11.1
Alameda County	33,637	33,169	670	678	19.9	20.4
Alpine County	246	266	3	3	12.2	11.3
Amador County	8,429	8,635	152	114	18.0	13.2
Butte County	30,610	29,578	367	405	12.0	13.7
Calaveras County	8,514	8,720	111	98	13.0	11.2
Colusa County	7,852	7,814	87	97	11.1	12.4
Contra Costa County	36,103	34,722	397	333	11.0	9.6
Del Norte County	2,420	2,420	30	31	12.4	12.8
Eldorado County	7,008	7,160	119	129	17.0	18.0
Fresno County	59,296	56,636	686	661	11.6	11.7
Glenn County	7,828	7,623	63	68	8.0	8.9
Humboldt County	22,740	22,513	167	174	7.3	7.7
Imperial County	15,948	15,214	266	155	16.7	10.2
Inyo County †	7,819	7,555	44	41	5.6	5.4
Kern County †	29,744	28,262	203	200	6.8	7.1
Kings County	18,296	17,652	203	188	11.1	10.7
Lake County	5,370	5,419	97	100	18.1	18.5
Lassen County	4,896	4,867	74	37	15.1	7.6
Los Angeles County	127,172	124,382	2,402	2,215	18.9	17.8
Madera County	9,019	8,816	103	68	11.4	7.7
Marin County	28,173	27,219	279	253	9.9	9.3
Mariposa County †	3,710	3,787	28	23	7.5	6.1
Mendocino County *	25,054	24,703	325	332	13.0	13.4
Merced County	17,075	16,474	186	175	10.9	10.6
Modoc County †	6,554	6,440	46	32	7.0	5.0
RURAL PART OF REGISTRATION STATES [3]—Con.						
CALIFORNIA—contd.						
Mono County †	2,004	2,017	5	11	2.5	5.5
Monterey County	25,694	25,211	320	274	12.5	10.9
Napa County *	20,888	20,549	535	528	25.6	25.7
Nevada County	14,034	14,323	235	222	16.7	15.5
Orange County	39,223	37,731	557	515	14.2	13.6
Placer County	19,033	18,785	285	212	15.0	11.3
Plumas County	5,455	5,393	59	48	10.8	8.9
Riverside County	22,589	21,622	229	240	10.1	11.1
Sacramento County	14,288	14,161	193	180	13.5	12.7
San Benito County	8,497	8,355	93	87	10.9	10.4
San Bernardino County *	38,839	37,169	575	550	14.8	14.8
San Diego County	25,672	24,555	324	305	12.6	12.4
San Joaquin County	30,574	29,610	497	502	16.3	17.0
San Luis Obispo County	20,275	19,997	205	206	10.1	10.3
San Mateo County	31,292	29,825	315	305	10.1	10.2
Santa Barbara County	17,292	16,914	125	126	7.2	7.4
Santa Clara County *	54,937	53,483	992	918	18.1	17.2
Santa Cruz County	14,715	14,802	196	196	13.3	13.2
Shasta County	19,440	19,277	192	182	9.9	9.4
Sierra County	4,124	4,115	46	40	11.2	9.7
Siskiyou County	19,398	19,211	204	166	10.5	8.6
Solano County	16,234	16,230	200	179	12.3	11.0
Sonoma County	51,614	50,611	735	713	14.2	14.1
Stanislaus County	26,735	25,421	330	331	12.3	13.0
Sutter County	6,470	6,425	76	66	11.7	10.3
Tehama County	11,533	11,491	143	146	12.4	12.7
Trinity County	2,951	3,061	43	61	14.6	19.9
Tulare County	40,984	39,256	415	393	10.1	10.0
Tuolumne County	9,594	9,714	133	131	13.9	13.5
Ventura County	19,640	19,236	260	261	13.2	13.6
Yolo County	14,026	13,994	179	193	12.8	13.8
Yuba County	10,504	10,360	186	149	17.7	14.4
COLORADO.						
Total	552,923	537,039	5,714	5,546	10.3	10.3
White	546,056	530,325	5,647	5,467	10.3	10.3
Colored	6,867	6,714	67	79	9.8	11.8
Adams County	10,234	9,816	74	87	7.2	8.9
Arapahoe County	11,812	11,329	117	136	9.9	12.0
Archuleta County	3,688	3,568	30	46	8.1	12.9
Baca County †	3,088	2,910	15	26	4.9	8.9
Bent County	5,692	5,490	81	81	14.2	14.8
Boulder County	33,183	32,294	323	374	9.7	11.6
Chaffee County	7,796	7,742	141	138	18.1	17.8
Cheyenne County †	4,721	4,399	28	24	5.9	5.5
Clear Creek County	4,328	4,538	44	55	10.2	12.1
Conejos County †	[4] 17,873	11,843	[4] 62	49	[4] 3.5	4.1
Costilla County †	([5])	5,691	([5])	9	([5])	1.6
Custer County	1,627	1,727	18	26	11.1	15.1
Delta County †	16,352	15,522	134	102	8.2	6.6
Dolores County †	485	535	3	7	6.2	13.1
Douglas County †	3,216	3,209	43	19	13.4	5.9
Eagle County †	2,980	2,982	18	35	6.0	11.7
El Paso County	16,037	15,478	256	228	16.0	14.7
Elbert County †	6,055	5,829	24	22	4.0	3.8
Fremont County	19,008	18,750	200	238	10.5	12.7
Garfield County	11,544	11,108	126	120	10.9	10.8
Gilpin County	3,301	3,560	41	55	12.4	15.4
Grand County †	2,226	2,112	4	2	1.8	0.9
Gunnison County	6,081	6,023	69	59	11.3	9.8
Hinsdale County	([6])	([6])	10	17	([6])	([6])
Huerfano County	14,919	14,420	287	195	19.2	13.5
Jackson County	1,191	1,135	9	10	7.6	8.8
Jefferson County	15,830	15,331	124	248	14.2	16.2
Kiowa County †	3,612	3,389	3	.....	0.8	.....
Kit Carson County †	9,400	8,802	40	41	4.3	4.7
La Plata County	12,045	11,660	130	130	10.8	11.1
Lake County	([6])	([6])	217	224	([6])	([6])
Larimer County	29,678	28,303	251	224	8.5	7.9
Las Animas County	25,695	24,992	349	346	13.6	13.8
Lincoln County †	7,537	7,032	32	43	4.2	6.1
Logan County †	11,580	10,947	78	79	6.7	7.2

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Colored population less than 10 per cent of total.
[3] Exclusive of municipalities having a population of 10,000 or over in 1910.
[4] Includes Costilla and Alamosa Counties, the last named formed from part of the other two, July 15, 1913; separate estimated populations not available.
[5] Included in Conejos County for 1913.
[6] Decrease in population since 1900; no estimate made.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
RURAL PART OF REGISTRATION STATES[1]—Con.						
COLORADO—continued.						
Mesa County	26,397	25,088	204	183	7.7	7.3
Mineral County	1,021	1,089	15	16	14.7	14.7
Montezuma County †	5,668	5,469	40	7	7.1	1.3
Montrose County	12,159	11,576	129	97	10.6	8.4
Morgan County †	11,626	10,987	88	75	7.6	6.8
Otero County [2]	23,020	22,141	260	284	11.3	12.8
Ouray County	3,119	3,244	27	34	8.7	10.5
Park County †	2,328	2,379	26	11	11.2	4.6
Phillips County †	3,696	3,535	21	19	5.7	5.4
Pitkin County	3,770	4,018	41	41	10.9	10.2
Prowers County	11,387	10,805	92	77	8.1	7.1
Pueblo County *	8,402	8,223	339	315	40.3	38.3
Rio Blanco County †	2,541	2,476	26	14	10.2	5.7
Rio Grande County †	7,368	7,117	19	69	2.6	9.7
Routt County † [3]	8,827	8,432	88	55	10.0	6.5
Saguache County	4,259	4,228	41	50	9.6	11.8
San Juan County	3,297	3,224	44	31	13.3	9.6
San Miguel County	4,481	4,550	75	79	16.7	17.4
Sedgwick County †	3,738	3,527	25	23	6.7	6.5
Summit County	1,762	1,837	26	31	14.8	16.9
Teller County	9,593	11,076	169	174	17.6	15.7
Washington County †	6,907	6,625	45	33	6.5	5.0
Weld County †	46,444	44,179	335	280	7.2	6.3
Yuma County †	9,782	9,381	58	53	5.9	5.6
CONNECTICUT.						
Total	373,868	370,335	5,353	5,264	14.3	14.2
White	369,453	365,945	5,274	5,199	14.3	14.2
Colored	4,415	4,390	79	65	17.9	14.8
Fairfield County	52,686	51,929	836	797	15.9	15.3
Hartford County	84,445	83,125	1,195	1,199	14.2	14.4
Litchfield County	54,136	53,913	792	726	14.6	13.5
Middlesex County	25,088	25,025	314	338	12.5	13.5
New Haven County	50,151	49,533	708	700	14.1	14.1
New London County *	44,830	44,376	701	709	15.6	16.0
Tolland County	27,088	26,892	310	320	11.4	11.9
Windham County	35,444	35,542	497	475	14.0	13.4
INDIANA.						
Total	1,879,030	1,880,580	23,261	23,515	12.4	12.5
White	1,860,443	1,861,515	22,852	23,111	12.3	12.4
Colored	18,587	19,065	409	404	22.0	21.2
Adams County	21,715	21,752	222	203	10.2	9.3
Allen County	28,121	29,098	320	297	11.4	10.2
Bartholomew County	24,883	24,860	304	329	12.2	13.2
Benton County	12,547	12,589	111	100	8.8	7.9
Blackford County	15,368	15,508	177	145	11.5	9.4
Boone County	24,138	24,304	312	327	12.9	13.5
Brown County	7,407	7,583	80	97	10.8	12.8
Carroll County	17,327	17,527	178	179	10.3	10.2
Cass County *	16,983	17,087	277	289	16.3	16.9
Clark County	19,454	19,576	215	211	11.1	10.8
Clay County	31,967	32,143	361	428	11.3	13.3
Clinton County	26,180	26,333	339	302	12.9	11.5
Crawford County	11,598	11,740	143	130	12.3	11.1
Daviess County	27,044	27,262	337	322	12.5	11.8
Dearborn County	21,138	21,218	292	274	13.8	12.9
Decatur County	18,559	18,631	281	281	15.1	15.1
Dekalb County	24,842	24,907	304	314	12.2	12.6
Delaware County	27,254	27,302	296	321	10.9	11.8
Dubois County	19,676	19,727	219	198	11.1	10.0
Elkhart County	29,677	29,692	346	337	11.7	11.3
Fayette County	14,712	14,619	202	183	13.7	12.5
Floyd County	9,719	9,701	104	105	10.7	10.8
Fountain County	20,112	20,213	280	288	13.9	14.2
Franklin County	14,995	15,100	202	196	13.5	13.0
Fulton County	16,693	16,750	207	188	12.4	11.2
Gibson County	30,147	30,143	348	369	11.5	12.2
Grant County	30,799	31,141	541	538	17.6	17.3
Greene County	39,582	38,737	439	518	11.1	13.4
Hamilton County	26,089	26,380	308	320	11.8	12.1
Hancock County	18,979	18,994	222	255	11.7	13.4
Harrison County	19,755	19,903	200	227	10.1	11.4
Hendricks County	20,695	20,739	243	251	11.7	12.1
Henry County	31,274	30,801	383	362	12.2	11.8
Howard County	15,594	15,844	177	150	11.4	9.5
Huntington County	18,578	18,621	190	190	10.2	10.2
Jackson County	24,108	24,300	322	340	13.4	14.0
Jasper County	12,640	12,765	151	125	11.9	9.8
Jay County	24,358	24,545	288	289	11.8	11.8
Jefferson County *	19,694	19,939	414	393	21.0	19.7
Jennings County	13,699	13,855	207	182	15.1	13.1
Johnson County	20,448	20,431	234	236	11.4	11.6
Knox County	24,956	24,747	285	304	11.4	12.3
Kosciusko County	27,556	27,674	340	311	12.3	11.2
Lagrange County	15,105	15,198	203	178	13.4	11.7
Lake County	32,843	30,722	352	367	10.7	11.9
Laporte County	15,728	15,994	184	179	11.7	11.2
Lawrence County	32,213	31,717	386	393	12.0	12.4
Madison County	29,895	30,463	332	338	11.1	11.1
Marion County *	31,575	31,588	388	367	12.3	11.6
Marshall County	23,870	23,964	264	257	11.1	10.7
Martin County	12,379	12,556	141	158	11.4	12.6
Miami County	18,536	18,472	213	219	11.5	11.9
Monroe County	24,253	23,995	286	317	11.8	13.2
Montgomery County	29,267	29,275	361	390	12.3	13.3
Morgan County	21,415	21,342	257	294	12.0	13.8
Newton County	10,520	10,514	92	103	8.7	9.8
Noble County	24,163	24,114	243	300	10.1	12.4
Ohio County	4,201	4,240	61	59	14.5	13.9
Orange County	17,301	17,266	229	214	13.2	12.4
Owen County	13,697	13,807	144	170	10.5	12.3
Parke County	21,960	22,038	278	330	12.7	15.0
Perry County	17,851	17,921	207	224	11.6	12.5
Pike County	19,424	19,504	231	251	11.9	12.9
Porter County	20,983	20,844	227	234	10.8	11.2
Posey County	21,455	21,521	243	238	11.3	11.1
Pulaski County	13,078	13,150	159	168	12.2	12.8
Putnam County	20,209	20,305	222	233	11.0	11.5
Randolph County	29,129	29,092	351	336	12.0	11.5
Ripley County	19,314	19,356	247	221	12.8	11.4
Rush County	19,090	19,170	229	275	12.0	14.3
St. Joseph County	15,437	15,403	234	240	15.2	15.6
Scott County	8,326	8,324	108	98	13.0	11.8
Shelby County	26,902	26,870	323	379	12.0	14.1
Spencer County	20,114	20,288	226	261	11.2	12.9
Starke County	10,610	10,595	117	127	11.0	12.0
Steuben County	13,969	14,063	165	210	11.8	14.9
Sullivan County	34,528	33,876	452	398	13.1	11.7
Switzerland County	9,288	9,482	127	125	13.7	13.2
Tippecanoe County	19,817	19,868	254	272	12.8	13.7
Tipton County	16,922	17,089	210	184	12.4	10.8
Union County	6,103	6,151	80	80	13.1	13.0
Vanderburg County *	8,837	9,101	306	265	34.6	29.1
Vermilion County	20,038	19,671	357	318	17.8	16.2
Vigo County	34,090	32,742	390	412	11.4	12.6
Wabash County	26,502	26,633	346	303	13.1	11.4
Warren County	10,747	10,794	147	120	13.7	11.1
Warrick County	21,776	21,817	282	262	13.0	12.0
Washington County	16,809	17,007	184	226	10.9	13.3
Wayne County *	21,761	21,657	380	369	17.5	17.0
Wells County	22,084	22,187	244	228	11.0	10.3
White County	17,105	17,259	221	220	12.9	12.7
Whitley County	16,751	16,794	177	201	10.6	12.0
KENTUCKY.						
Total	1,915,164	1,907,204	23,500	22,646	12.3	11.9
White	1,721,332	1,713,802	19,838	19,087	11.5	11.1
Colored	193,832	193,402	3,662	3,559	18.9	18.4
Adair County (total)	17,027	16,864	194	210	11.4	12.5
White	15,497	15,350	169	177	10.9	11.5
Colored [4]	1,530	1,514	25	33	16.3	21.8
Allen County (total)	14,955	14,932	182	186	12.2	12.5
White	14,036	14,013	159	167	11.3	11.9
Colored [4]	919	919	23	19	25.0	20.7

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Includes Crowley County, organized May 29, 1911; separate estimated populations not available.
[3] Includes Moffat County, organized March 27, 1911; separate estimated populations not available.
[4] Colored population less than 10 per cent of total.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
RURAL PART OF REGISTRATION STATES[1]—Con.						
KENTUCKY—continued.						
Anderson County (total)	10,176	10,167	121	136	11.9	13.4
White	9,436	9,427	98	119	10.4	12.6
Colored [2]	740	740	23	17	31.1	23.0
Ballard County (total)	13,317	13,122	178	169	13.4	12.9
White	11,645	11,478	149	152	12.8	13.2
Colored	1,672	1,644	29	17	17.3	10.3
Barren County (total)	25,974	25,762	309	329	11.9	12.8
White	22,267	22,095	248	256	11.1	11.6
Colored	3,707	3,667	61	73	16.5	19.9
Bath County (total)	13,748	13,823	190	162	13.8	11.7
White	12,435	12,498	160	142	12.9	11.4
Colored [2]	1,313	1,325	30	20	22.8	15.1
Bell County (total)	32,587	31,297	334	244	10.2	7.8
White	29,224	28,072	290	209	9.9	7.4
Colored	3,363	3,225	44	35	13.1	10.9
Boone County (total)	8,853	9,030	104	157	11.7	17.4
White	8,404	8,568	94	146	11.2	17.0
Colored [2]	449	462	10	11	22.3	23.8
Bourbon County (total)	17,267	17,328	292	274	16.9	15.8
White	11,687	11,723	145	142	12.4	12.1
Colored	5,580	5,605	147	132	26.3	23.6
Boyd County (total)	24,941	24,474	377	355	15.1	14.5
White	24,048	23,592	357	334	14.8	14.2
Colored [2]	893	882	20	21	22.4	23.8
Boyle County (total)	14,945	14,859	238	188	15.9	12.7
White	10,691	10,647	145	110	13.6	10.3
Colored	4,254	4,212	93	78	21.9	18.5
Bracken County (total)	9,715	9,900	133	144	13.7	14.5
White	9,396	9,570	123	135	13.1	14.1
Colored [2]	319	330	10	9	31.3	27.3
Breathitt County † (total)	18,586	18,260	101	114	5.4	6.2
White	18,308	17,981	101	113	5.5	6.3
Colored [2]	278	279	.....	1	.....	3.6
Breckinridge County (total)	21,196	21,146	281	250	13.3	11.8
White	19,593	19,548	254	221	13.0	11.3
Colored [2]	1,603	1,598	27	29	16.8	18.1
Bullitt County (total)	9,453	9,464	127	123	13.4	13.0
White	8,776	8,783	116	111	13.2	12.6
Colored [2]	677	681	11	12	16.2	17.6
Butler County (total)	15,777	15,786	128	156	8.1	9.9
White	15,217	15,220	121	142	8.0	9.3
Colored [2]	560	566	7	14	12.5	24.7
Caldwell County (total)	13,920	13,965	140	149	10.1	10.7
White	11,426	11,458	100	120	8.8	10.5
Colored	2,494	2,507	40	29	16.0	11.6
Calloway County (total)	20,593	20,367	219	264	10.6	13.0
White	19,479	19,263	194	246	10.0	12.8
Colored [2]	1,114	1,104	25	18	22.4	16.3
Campbell County (total)	29,730	29,463	395	322	13.3	10.9
White	29,550	29,277	393	320	13.3	10.9
Colored [2]	180	186	2	2	11.1	10.8
Carlisle County (total)	8,677	8,792	115	119	13.3	13.5
White	8,300	8,407	108	111	13.0	13.2
Colored [2]	377	385	7	8	18.6	20.8
Carroll County (total)	7,556	7,728	127	91	16.8	11.8
White	7,062	7,220	118	84	16.7	11.6
Colored [2]	494	508	9	7	18.2	13.8
Carter County (total)	22,532	22,355	279	238	12.4	10.6
White	22,418	22,234	278	237	12.4	10.7
Colored [2]	114	121	1	1	8.8	8.3
Casey County (total)	15,589	15,554	191	151	12.3	9.7
White	15,307	15,269	186	147	12.2	9.6
Colored [2]	282	285	5	4	17.7	14.0
Christian County * (total)	39,132	39,042	601	615	15.4	15.8
White	22,969	22,994	308	301	13.4	13.1
Colored	16,163	16,048	293	314	18.1	19.6
Clark County (total)	18,407	18,275	301	249	16.4	13.6
White	13,810	13,729	182	160	13.2	11.7
Colored	4,597	4,546	119	89	25.9	19.6
Clay County † (total)	18,576	18,330	128	153	6.9	8.3
White	18,057	17,814	128	146	7.1	8.2
Colored [2]	519	516	.....	7	.....	13.6
Clinton County (total)	8,244	8,215	66	85	8.0	10.3
White	8,148	8,117	66	83	8.1	10.2
Colored [2]	96	98	.....	2	.....	[3]
Crittenden County (total)	12,682	12,873	119	117	9.4	9.1
White	12,121	12,299	109	105	9.0	8.5
Colored [2]	561	574	10	12	17.8	20.9
RURAL PART OF REGISTRATION STATES[1]—Con.						
KENTUCKY—continued.						
Cumberland County (total)	10,132	10,043	81	85	8.0	8.5
White	9,072	8,995	65	65	7.2	7.2
Colored	1,060	1,048	16	20	15.1	19.1
Daviess County (total)	24,858	24,905	311	280	12.5	11.2
White	22,830	22,871	271	248	11.9	10.8
Colored [2]	2,028	2,034	40	32	19.7	15.7
Edmonson County (total)	10,594	10,555	94	96	8.9	9.1
White	10,148	10,108	87	84	8.6	8.3
Colored [2]	446	447	7	12	15.7	26.8
Elliott County (total)	9,628	9,686	130	110	13.5	11.4
White	9,623	9,677	129	110	13.4	11.4
Colored [2]	5	9	1	.....	[3]	.....
Estill County (total)	12,469	12,408	101	93	8.1	7.5
White	12,360	12,296	96	91	7.8	7.4
Colored [2]	109	112	5	2	45.9	17.9
Fayette County (total)	11,612	11,925	148	155	12.7	13.0
White	7,975	8,270	89	84	11.2	10.2
Colored	3,637	3,655	59	71	16.2	19.4
Fleming County (total)	15,739	15,841	244	198	15.5	12.5
White	14,733	14,822	219	178	14.9	12.0
Colored [2]	1,006	1,019	25	20	24.9	19.6
Floyd County (total)	19,621	19,310	187	157	9.5	8.1
White	19,467	19,152	187	156	9.6	8.1
Colored [2]	154	158	.....	1	.....	6.3
Franklin County (total)	10,442	10,513	128	107	12.3	10.2
White	9,597	9,663	116	91	12.1	9.4
Colored [2]	845	850	12	16	14.2	18.8
Fulton County (total)	14,948	14,688	201	259	13.4	17.6
White	11,375	11,191	125	171	11.0	15.3
Colored	3,573	3,497	76	88	21.3	25.2
Gallatin County (total)	4,546	4,593	60	60	13.2	13.1
White	4,281	4,323	54	55	12.6	12.7
Colored [2]	265	270	6	5	22.6	18.5
Garrard County (total)	11,846	11,861	159	150	13.4	12.6
White	9,571	9,579	116	110	12.1	11.5
Colored	2,275	2,282	43	40	18.9	17.5
Grant County (total)	9,718	9,987	155	129	15.9	12.9
White	9,450	9,707	151	128	16.0	13.2
Colored [2]	268	280	4	1	14.9	3.6
Graves County (total)	33,648	33,614	409	443	12.2	13.2
White	30,722	30,694	356	375	11.6	12.2
Colored [2]	2,926	2,920	53	68	18.1	23.3
Grayson County (total)	19,984	19,976	206	226	10.3	11.3
White	19,649	19,635	199	220	10.1	11.2
Colored [2]	335	341	7	6	20.9	17.6
Green County (total)	11,747	11,786	130	105	11.1	8.9
White	10,418	10,449	119	95	11.4	9.1
Colored	1,329	1,337	11	10	8.3	7.5
Greenup County (total)	19,463	19,155	264	264	13.6	13.8
White	19,180	18,870	261	261	13.6	13.8
Colored [2]	283	285	3	3	10.6	10.5
Hancock County (total)	8,384	8,424	111	100	13.2	11.9
White	7,827	7,861	102	87	13.0	11.1
Colored [2]	557	563	9	13	16.2	23.1
Hardin County (total)	22,619	22,643	261	276	11.5	12.2
White	20,799	20,812	227	244	10.9	11.7
Colored [2]	1,820	1,831	34	32	18.7	17.5
Harlan County (total)	10,800	10,727	88	79	8.1	7.4
White	10,221	10,150	86	76	8.4	7.5
Colored [2]	579	577	2	3	3.5	5.2
Harrison County (total)	16,323	16,495	196	244	12.0	14.8
White	14,629	14,777	152	205	10.4	13.9
Colored	1,694	1,718	44	39	26.0	22.7
Hart County (total)	18,102	18,124	242	217	13.4	12.0
White	16,119	16,131	194	179	12.0	11.1
Colored	1,983	1,993	48	38	24.2	19.1
Henderson County (total)	16,363	16,842	235	223	14.4	13.2
White	12,930	13,288	157	165	12.1	12.4
Colored	3,433	3,554	78	58	22.7	16.3
Henry County (total)	13,424	13,515	180	191	13.4	14.1
White	11,670	11,744	148	147	12.7	12.5
Colored	1,754	1,771	32	44	18.2	24.8
Hickman County (total)	11,750	11,750	143	166	12.2	14.1
White	9,974	9,980	112	127	11.2	12.7
Colored	1,776	1,770	31	39	17.5	22.0
Hopkins County (total)	35,360	35,027	454	483	12.8	13.8
White	28,545	28,301	344	380	12.1	13.4
Colored	6,815	6,726	110	103	16.1	15.3

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Colored population less than 10 per cent of total.
[3] Rate not shown when population is less than 100.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
RURAL PART OF REGISTRATION STATES[1]—Con.						
KENTUCKY—continued.						
Jackson County † (total)	10,789	10,772	124	72	11.5	6.7
White	10,767	10,745	124	72	11.5	6.7
Colored [2]	22	27	-------	-------	-------	-------
Jefferson County * (total)	39,570	40,388	734	692	18.5	17.1
White	33,999	34,894	569	540	16.7	15.5
Colored	5,571	5,494	165	152	29.6	27.7
Jessamine County (total)	12,835	12,766	199	157	15.5	12.3
White	9,803	9,763	143	105	14.6	10.8
Colored	3,032	3,003	56	52	18.5	17.3
Johnson County (total)	18,700	18,320	215	226	11.5	12.3
White	18,650	18,263	214	224	11.5	12.3
Colored [2]	50	57	1	2	(3)	(3)
Kenton County (total)	17,281	17,220	206	190	11.9	11.0
White	16,941	16,888	195	183	11.5	10.8
Colored [2]	340	332	11	7	32.4	21.1
Knott County (total	11,468	11,257	83	95	7.2	8.4
White	11,298	11,086	82	94	7.3	8.5
Colored [2]	170	171	1	1	5.9	5.8
Knox County (total)	23,656	23,176	293	304	12.4	13.1
White	22,510	22,050	269	272	12.0	12.3
Colored [2]	1,146	1,126	24	32	20.9	28.4
Larue County (total)	10,682	10,688	136	146	12.7	13.7
White	9,898	9,900	124	132	12.5	13.3
Colored [2]	784	788	12	14	15.3	17.8
Laurel County (total)	20,612	20,381	177	171	8.6	8.4
White	19,921	19,694	169	162	8.5	8.2
Colored [2]	691	687	8	9	11.6	13.1
Lawrence County (total)	20,215	20,169	203	189	10.0	9.4
White	20,050	19,997	199	188	9.9	9.4
Colored [2]	165	172	4	1	24.2	5.8
Lee County (total)	10,032	9,876	93	83	9.3	8.4
White	9,785	9,630	91	79	9.3	8.2
Colored [2]	247	246	7	4	28.3	16.3
Leslie County (total)	9,698	9,473	71	72	7.3	7.6
White	9,554	9,330	70	72	7.3	7.7
Colored [2]	144	143	1	-------	6.9	-------
Letcher County (total)	11,094	10,947	99	96	8.9	8.8
White	11,076	10,924	93	92	8.4	8.4
Colored [2]	18	23	6	4	(3)	(3)
Lewis County (total)	16,569	16,668	275	230	16.6	13.8
White	16,431	16,522	274	225	16.7	13.6
Colored [2]	138	146	1	5	7.2	34.2
Lincoln County (total)	18,168	18,083	220	223	12.1	12.3
White	15,152	15,091	169	156	11.2	10.3
Colored	3,016	2,992	51	67	16.9	22.4
Livingston County (total)	10,393	10,466	123	152	11.8	14.5
White	9,738	9,802	107	141	11.0	14.4
Colored [2]	655	664	16	11	24.4	16.6
Logan County (total)	24,647	24,750	306	325	12.4	13.1
White	19,364	19,437	218	231	11.3	11.9
Colored	5,283	5,313	88	94	16.7	17.7
Lyon County (total)	9,455	9,445	128	116	13.5	12.3
White	7,639	7,638	86	75	11.3	9.8
Colored	1,816	1,807	42	41	23.1	22.7
McCracken County (total)	13,286	12,980	127	138	9.6	10.6
White	11,173	10,964	100	128	9.0	11.7
Colored	2,113	2,016	27	10	12.8	5.0
McLean County (total)	13,498	13,418	186	172	13.8	12.8
White	12,729	12,653	167	158	13.1	12.5
Colored [2]	769	765	19	14	24.7	18.3
Madison County (total)	27,387	27,251	356	293	13.0	10.8
White	21,560	21,476	275	220	12.8	10.2
Colored	5,827	5,775	81	73	13.9	12.6
Magoffin County (total)	14,189	14,022	163	147	11.5	10.5
White	14,036	13,866	150	147	10.7	10.6
Colored [2]	153	156	13	-------	85.0	-------
Marion County (total)	16,343	16,339	258	218	15.8	13.3
White	14,063	14,066	195	170	13.9	12.1
Colored	2,280	2,273	63	48	27.6	21.1
Marshall County (total)	16,445	16,235	130	191	7.9	11.8
White	16,303	16,089	128	188	7.9	11.7
Colored [2]	142	146	2	3	14.1	20.5
Martin County (total)	7,782	7,629	56	48	7.2	6.3
White	7,778	7,622	56	48	7.2	6.3
Colored [2]	4	7	-------	-------	-------	-------
Mason County (total)	18,015	18,201	292	311	16.2	17.1
White	15,237	15,387	243	252	15.9	16.4
Colored	2,778	2,814	49	59	17.6	21.0
RURAL PART OF REGISTRATION STATES[1]—Con.						
KENTUCKY—continued.						
Meade County (total)	9,539	9,615	118	145	12.4	15.1
White	8,900	8,967	111	126	12.5	14.1
Colored [2]	639	648	7	19	11.0	29.3
Menifee County (total)	5,938	6,005	63	42	10.6	7.0
White	5,899	5,963	62	42	10.5	7.0
Colored [2]	39	42	1	-------	(3)	-------
Mercer County (total)	13,947	13,983	188	204	13.5	14.6
White	11,794	11,819	141	157	12.0	13.3
Colored	2,153	2,164	47	47	21.8	21.7
Metcalfe County (total)	10,604	10,557	130	115	12.3	10.9
White	9,795	9,751	115	106	11.7	10.9
Colored [2]	809	806	15	9	18.5	11.2
Monroe County (total)	13,860	13,798	164	177	11.8	12.8
White	13,121	13,060	149	170	11.4	13.0
Colored [2]	739	738	15	7	20.3	9.5
Montgomery County (total)	12,878	12,875	194	195	15.1	15.1
White	9,665	9,675	132	134	13.7	13.9
Colored	3,213	3,200	62	61	19.3	19.1
Morgan County (total)	17,385	17,034	212	176	12.2	10.3
White	17,349	16,991	212	176	12.2	10.4
Colored [2]	36	43	-------	-------	-------	-------
Muhlenberg County (total)	31,149	30,354	439	398	14.1	13.1
White	27,961	27,252	371	334	13.3	12.3
Colored	3,188	3,102	68	64	21.3	20.6
Nelson County (total)	16,907	16,883	209	248	12.4	14.7
White	13,943	13,933	150	182	10.8	13.1
Colored	2,964	2,950	59	66	19.9	22.4
Nicholas County (total)	10,163	10,300	167	152	16.4	14.8
White	9,304	9,425	144	129	15.5	13.7
Colored [2]	859	875	23	23	26.8	26.3
Ohio County (total)	27,758	27,722	333	310	12.0	11.2
White	26,458	26,419	313	288	11.8	10.9
Colored [2]	1,300	1,303	20	22	15.4	16.9
Oldham County (total)	7,308	7,286	94	128	12.9	17.6
White	6,211	6,199	77	104	12.4	16.8
Colored	1,092	1,087	17	24	15.6	22.1
Owen County (total)	13,176	13,510	158	164	12.0	12.1
White	12,304	12,611	144	156	11.7	12.4
Colored [2]	872	899	14	8	16.1	8.9
Owsley County (total)	8,336	8,224	76	58	9.1	7.1
White	8,258	8,143	74	57	9.0	7.0
Colored [2]	78	81	2	1	(3)	(3)
Pendleton County (total)	11,022	11,322	153	136	13.9	12.0
White	10,782	11,070	140	127	13.0	11.5
Colored [2]	240	252	13	9	54.2	35.7
Perry County (total)	12,221	11,920	112	83	9.2	7.0
White	11,988	11,688	111	81	9.3	6.9
Colored [2]	233	232	1	2	4.3	8.6
Pike County (total)	34,599	33,689	355	356	10.3	10.6
White	34,234	33,322	342	342	10.0	10.3
Colored [2]	365	367	13	14	35.6	38.1
Powell County (total)	6,212	6,230	80	86	12.9	13.8
White	5,878	5,893	75	82	12.8	13.9
Colored [2]	334	337	5	4	15.0	11.9
Pulaski County (total)	[4] 90,124	37,035	[4] 1,024	431	[4] 11.4	11.6
White	86,892	35,798	966	407	11.1	11.4
Colored [2]	3,232	1,237	58	24	17.9	19.4
Robertson County (total)	3,870	3,949	65	46	16.8	11.6
White	3,804	3,880	64	45	16.8	11.6
Colored [2]	66	69	1	1	(3)	(3)
Rockcastle County (total)	15,140	14,932	148	157	9.8	10.5
White	15,008	14,797	145	157	9.7	10.6
Colored [2]	132	135	3	-------	22.7	-------
Rowan County (total)	9,814	9,697	143	110	14.6	11.3
White	9,753	9,632	143	110	14.7	11.4
Colored [2]	61	65	-------	-------	-------	-------
Russell County (total)	11,240	11,122	118	109	10.5	9.8
White	11,025	10,905	114	104	10.3	9.5
Colored [2]	215	217	4	5	18.6	23.0
Scott County (total)	16,593	16,706	208	237	12.5	14.2
White	12,636	12,717	154	176	12.2	13.8
Colored	3,957	3,989	54	61	13.6	15.3
Shelby County (total)	17,945	17,975	231	256	12.9	14.2
White	13,975	13,993	167	182	11.9	13.0
Colored	3,970	3,982	64	74	16.1	18.6
Simpson County (total)	11,409	11,425	144	117	12.6	10.2
White	9,254	9,263	111	85	12.0	9.2
Colored	2,155	2,162	33	32	15.3	14.8

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Colored population less than 10 per cent of total.
[3] Rate not shown when population is less than 100.
[4] Includes Wayne, Whitley, and McCreary Counties, the last named formed from part of the other three, June 12, 1912; separate estimated populations not available.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
RURAL PART OF REGISTRATION STATES[1]—Con.						
KENTUCKY—continued.						
Spencer County (total)	7,618	7,602	60	62	7.9	8.2
White	6,851	6,837	53	55	7.7	8.0
Colored	767	765	7	7	9.1	9.2
Taylor County (total)	12,248	12,158	147	117	12.0	9.6
White	10,777	10,700	115	99	10.7	9.3
Colored	1,471	1,458	32	18	21.8	12.3
Todd County (total)	16,202	16,291	231	214	14.3	13.1
White	10,952	11,007	142	108	13.0	9.8
Colored	5,250	5,284	89	106	17.0	20.1
Trigg County† (total)	14,690	14,643	134	92	9.1	6.3
White	11,315	11,292	81	51	7.2	4.5
Colored	3,375	3,351	53	41	15.7	12.2
Trimble County (total)	6,266	6,343	48	61	7.7	9.6
White	6,129	6,202	47	59	7.7	9.5
Colored [2]	137	141	1	2	7.3	14.2
Union County (total)	19,420	19,566	213	246	11.0	12.6
White	17,063	17,183	178	199	10.4	11.6
Colored	2,357	2,383	35	47	14.8	19.7
Warren County (total)	30,775	30,714	503	457	16.3	14.9
White	24,589	24,564	348	312	14.2	12.7
Colored	6,186	6,150	155	145	25.1	23.6
Washington County (total)	13,863	13,887	171	144	12.3	10.4
White	12,094	12,109	149	122	12.3	10.1
Colored	1,769	1,778	22	22	12.4	12.4
Wayne County (total)	[3]	18,104	[3]	158	[3]	8.7
White	[3]	17,332	[3]	150	[3]	8.7
Colored [2]	[3]	772	[3]	8	[3]	10.4
Webster County (total)	21,258	21,169	246	205	11.6	9.7
White	18,564	18,493	215	170	11.6	9.2
Colored [2]	2,694	2,676	31	35	11.5	13.1
Whitley County (total)	[3]	33,539	[3]	303	[3]	9.0
White	[3]	32,347	[3]	290	[3]	9.0
Colored [2]	[3]	1,192	[3]	13	[3]	10.9
Wolfe County (total)	10,220	10,109	105	76	10.3	7.5
White	10,162	10,047	103	73	10.1	7.3
Colored [2]	58	62	2	3	[4]	[4]
Woodford County (total)	12,388	12,445	170	172	13.7	13.8
White	8,718	8,754	109	118	12.5	13.5
Colored	3,670	3,691	61	54	16.6	14.6
MAINE.						
Total	584,876	582,091	8,397	8,424	14.4	14.5
White	583,166	580,390	8,377	8,418	14.4	14.5
Colored	1,710	1,701	20	6	11.7	3.
Androscoggin County	18,832	18,733	260	270	13.8	14.4
Aroostook County	79,186	77,777	965	836	12.2	10.7
Cumberland County	54,385	54,091	832	790	15.3	14.6
Franklin County	19,337	19,269	292	287	15.1	14.9
Hancock County	35,036	35,204	513	542	14.6	15.4
Kennebec County	38,274	38,249	620	653	16.2	17.1
Knox County	28,519	28,663	510	482	17.9	16.8
Lincoln County	17,744	17,891	218	255	12.3	14.3
Oxford County	37,561	37,154	543	525	14.5	14.1
Penobscot County	62,459	61,843	794	866	12.7	14.0
Piscataquis County	20,840	20,543	264	265	12.7	12.9
Sagadahoc County	18,005	18,183	318	310	17.7	17.0
Somerset County	37,097	36,849	500	552	13.5	15.0
Waldo County	23,123	23,204	381	387	16.5	16.7
Washington County	42,151	42,386	559	572	13.3	13.5
York County	52,327	52,052	828	832	15.8	16.0
MARYLAND.						
Total	704,038	699,072	9,881	9,110	14.0	13.0
White	556,478	552,640	6,963	6,458	12.5	11.7
Colored	147,560	146,432	2,918	2,652	19.8	18.1
Allegany County (total)	41,873	41,468	471	329	11.2	7.9
White	41,293	40,929	461	322	11.2	7.9
Colored [2]	580	539	10	7	17.2	13.0
Anne Arundel County (total)	39,534	39,541	703	741	17.8	18.7
White	25,302	25,331	332	353	13.1	13.9
Colored	14,232	14,210	371	388	26.1	27.3
Baltimore County* (total)	132,614	129,415	1,812	1,776	13.7	13.7
White	118,554	115,809	1,611	1,556	13.6	13.4
Colored	14,060	13,606	201	220	14.3	16.2
Calvert County (total)	10,358	10,348	171	106	16.5	10.2
White	5,279	5,279	77	38	14.6	7.2
Colored	5,079	5,069	94	68	18.5	13.4
RURAL PART OF REGISTRATION STATES[1]—Con.						
MARYLAND—continued.						
Caroline County (total)	20,180	19,880	298	249	14.8	12.5
White	15,102	14,892	195	159	12.9	10.7
Colored	5,078	4,988	103	90	20.3	18.0
Carroll County* (total)	33,957	33,950	498	454	14.7	13.4
White	31,839	31,864	461	421	14.5	13.2
Colored [2]	2,118	2,086	37	33	17.5	15.8
Cecil County (total)	23,467	23,558	357	352	15.2	14.9
White	20,108	20,206	286	281	14.2	13.9
Colored	3,359	3,352	71	71	21.1	21.2
Charles County (total)	15,972	16,101	295	227	18.5	14.1
White	7,591	7,660	102	80	13.4	10.4
Colored	8,381	8,441	193	147	23.0	17.4
Dorchester County (total)	28,897	28,826	491	489	17.0	17.0
White	19,337	19,309	261	255	13.5	13.2
Colored	9,560	9,517	230	234	24.1	24.6
Frederick County (total)	42,144	42,181	645	526	15.3	12.5
White	38,115	38,182	576	452	15.1	11.8
Colored	4,029	3,999	69	74	17.1	18.5
Garrett County (total)	20,885	20,642	192	186	9.2	9.0
White	20,707	20,486	191	181	9.2	8.8
Colored [2]	178	156	1	5	5.6	32.1
Harford County (total)	27,868	27,899	353	409	12.7	14.7
White	22,697	22,744	254	291	11.2	12.8
Colored	5,171	5,155	99	118	19.1	22.9
Howard County (total)	15,910	15,971	207	201	13.0	12.6
White	12,142	12,202	134	134	11.0	11.0
Colored	3,768	3,769	73	67	19.4	17.8
Kent County (total)	16,363	16,548	266	294	16.3	17.8
White	10,383	10,511	120	154	11.6	14.7
Colored	5,980	6,037	146	140	24.4	23.2
Montgomery County (total)	32,620	32,454	394	302	12.1	9.3
White	23,149	23,054	243	186	10.5	8.1
Colored	9,471	9,400	151	116	15.9	12.3
Prince Georges County (total)	38,176	37,543	514	450	13.5	12.0
White	25,941	25,537	289	261	11.1	10.2
Colored	12,235	12,006	225	189	18.4	15.7
Queen Annes County (total)	16,345	16,499	286	292	17.5	17.7
White	10,665	10,776	153	163	14.3	15.1
Colored	5,680	5,723	133	129	23.4	22.5
St. Marys County† (total)	16,982	16,997	230	108	13.5	6.4
White	9,667	9,685	107	58	11.1	6.0
Colored	7,315	7,312	123	50	16.8	6.8
Somerset County (total)	26,627	26,572	335	372	12.6	14.0
White	17,033	17,015	166	200	9.7	11.8
Colored	9,594	9,557	169	172	17.6	18.0
Talbot County (total)	19,386	19,459	320	286	16.5	14.7
White	12,647	12,707	162	151	12.8	11.9
Colored	6,739	6,752	158	135	23.4	20.0
Washington County (total)	33,620	33,461	372	378	11.1	11.3
White	32,529	32,402	354	366	10.9	11.3
Colored [2]	1,091	1,059	18	12	16.5	11.3
Wicomico County (total)	28,102	27,701	385	295	13.7	10.6
White	21,418	21,133	270	221	12.6	10.5
Colored	6,684	6,568	115	74	17.2	11.3
Worcester County (total)	22,158	22,058	286	288	12.9	13.1
White	14,980	14,927	158	175	10.5	11.7
Colored	7,178	7,131	128	113	17.8	15.8
MASSACHUSETTS.						
Total	783,908	776,468	12,102	11,929	15.4	15.4
White	776,754	769,393	11,953	11,762	15.4	15.3
Colored	7,154	7,075	149	167	20.8	23.6
Barnstable County	27,452	27,481	470	430	17.1	15.6
Berkshire County	37,942	37,989	569	518	15.0	13.6
Bristol County	55,339	54,346	743	728	13.4	13.4
Dukes County	4,488	4,494	92	94	20.5	20.9
Essex County*	91,194	90,283	1,402	1,375	15.4	15.2
Franklin County	33,138	33,148	531	524	16.0	15.8
Hampden County	45,516	44,815	725	686	15.9	15.3
Hampshire County	45,105	44,728	638	610	14.1	13.6
Middlesex County *	123,731	122,209	2,248	2,210	18.2	18.1
Nantucket County	2,949	2,953	79	62	26.8	21.0
Norfolk County *	103,720	102,146	1,366	1,353	13.2	13.2
Plymouth County *	78,887	77,775	1,209	1,211	15.3	15.6
Worcester County *	134,447	134,101	2,030	2,128	15.1	15.9

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Colored population less than 10 per cent of total.
[3] Included in Pulaski County for 1913.
[4] Rate not shown when population is less than 100.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
RURAL PART OF REGISTRATION STATES[1]—Con.						
MICHIGAN.						
Total	1,796,855	1,787,425	23,005	22,278	12.8	12.5
White	1,782,773	1,773,212	22,688	21,967	12.7	12.4
Colored	14,082	14,213	317	311	22.5	21.9
Alcona County	5,707	5,706	55	55	9.6	9.6
Alger County	8,263	8,080	94	82	11.4	10.1
Allegan County	40,147	40,045	485	550	12.1	13.7
Alpena County	7,523	7,441	64	67	8.5	9.0
Antrim County	15,411	15,499	209	183	13.6	11.8
Arenac County	9,583	9,601	105	107	11.0	11.1
Baraga County†	6,715	6,532	64	41	9.5	6.3
Barry County	22,673	22,661	280	292	12.3	12.9
Bay County	23,542	23,396	236	218	10.0	9.3
Benzie County	10,947	10,851	112	129	10.2	11.9
Berrien County	55,070	54,619	698	679	12.7	12.4
Branch County	24,890	25,113	339	342	13.6	13.6
Calhoun County	31,574	31,512	475	435	15.0	13.8
Cass County	20,545	20,570	330	313	16.1	15.2
Charlevoix County	20,846	20,320	224	226	10.7	11.1
Cheboygan County	18,637	18,399	247	228	13.3	12.4
Chippewa County	12,201	12,093	109	120	8.9	9.9
Clare County	9,527	9,437	73	105	7.7	11.1
Clinton County	22,479	22,681	292	298	13.0	13.1
Crawford County	4,256	4,155	64	65	15.0	15.6
Delta County	17,752	17,490	172	154	9.7	8.8
Dickinson County	21,380	21,112	206	207	9.6	9.8
Eaton County	30,121	30,238	432	428	14.3	14.2
Emmet County	19,415	19,148	272	256	14.0	13.4
Genesee County	25,014	25,320	345	359	13.8	14.2
Gladwin County	9,013	8,826	79	81	8.8	9.2
Gogebic County	11,642	11,289	146	120	12.5	10.6
Grand Traverse County	11,862	11,802	140	107	11.8	9.1
Gratiot County	28,473	28,581	328	395	11.5	13.8
Hillsdale County	29,612	29,631	390	398	13.2	13.4
Houghton County	95,256	93,025	1,011	831	10.6	8.9
Huron County	34,951	34,891	422	421	12.1	12.1
Ingham County	21,674	21,801	312	282	14.4	12.9
Ionia County *	33,299	33,378	439	435	13.2	13.0
Iosco County	9,594	9,644	85	91	8.9	9.4
Iron County	17,169	16,544	226	158	13.2	9.6
Isabella County	23,107	23,082	278	260	12.0	11.3
Jackson County	21,653	21,759	302	296	13.9	13.6
Kalamazoo County	21,343	21,233	245	266	11.5	12.5
Kalkaska County	8,408	8,311	99	92	11.8	11.1
Kent County	48,011	47,563	710	720	14.8	15.1
Keweenaw County	8,435	8,036	76	64	9.0	8.0
Lake County	4,935	4,937	58	62	11.8	12.6
Lapeer County	25,512	25,675	357	370	14.0	14.4
Leelanau County	10,624	10,619	132	104	12.4	9.8
Lenawee County	36,624	36,786	500	532	13.7	14.5
Livingston County	17,110	17,305	290	260	16.9	15.0
Luce County *	4,335	4,232	112	91	25.8	21.5
Mackinac County	9,750	9,594	104	77	10.7	8.0
Macomb	32,401	32,465	500	461	15.4	14.2
Manistee County	14,538	14,466	132	143	9.1	9.9
Marquette County	24,366	23,874	276	290	11.3	12.1
Mason County	22,788	22,490	224	247	9.8	11.0
Mecosta County	19,068	19,192	256	231	13.4	12.0
Menominee County	15,439	15,346	126	124	8.2	8.1
Midland County	13,865	13,909	146	168	10.5	12.1
Missaukee County	11,026	10,895	96	98	8.7	9.0
Monroe County	32,968	32,952	421	419	12.8	12.7
Montcalm County	31,848	31,917	407	395	12.8	12.4
Montmorency County	3,923	3,870	41	38	10.5	9.8
Muskegon County	16,612	16,582	200	189	12.0	11.4
Newaygo County	19,721	19,565	204	175	10.3	8.9
Oakland County	35,051	35,049	472	511	13.5	14.6
Oceana County	18,941	18,766	216	197	11.4	10.5
Ogemaw County	9,276	9,161	112	84	12.1	9.2
Ontonagon County	9,446	9,198	106	109	11.2	11.9
Osceola County	17,899	17,896	219	184	12.2	10.3
Oscoda County †	2,207	2,151	14	13	6.3	6.0
Otsego County	6,674	6,636	71	78	10.6	11.8
Ottawa County	35,764	35,467	386	408	10.8	11.5
Presque Isle County	12,037	11,791	134	89	11.1	7.5
Roscommon County	2,431	2,382	19	29	7.8	12.2
Saginaw County	38,750	38,760	429	444	11.1	11.5
St. Clair County	32,636	32,898	456	471	14.0	14.3
St. Joseph County	26,022	25,859	336	358	12.9	13.8
Sanilac County	33,565	33,679	352	375	10.5	11.1
Schoolcraft County	8,938	8,858	99	80	11.1	9.0
Shiawassee County	33,046	33,109	425	436	12.9	13.2
Tuscola County	34,596	34,695	421	419	12.2	12.1
Van Buren County	33,156	33,165	479	416	14.4	12.5
Washtenaw County	28,809	29,148	379	433	13.2	14.9
Wayne County	70,395	69,025	1,756	1,471	24.9	21.3
Wexford County	22,043	21,646	272	243	12.3	11.2
MINNESOTA.						
Total	1,467,164	1,452,737	14,521	13,184	9.9	9.1
White	1,457,008	1,442,200	14,294	13,028	9.8	9.0
Colored	10,156	10,537	227	156	22.4	14.8
Aitkin County †	11,550	11,183	76	82	6.6	7.3
Anoka County *	12,876	12,757	145	160	11.3	12.5
Becker County	19,798	19,499	235	187	11.9	9.6
Beltrami County	22,900	21,789	285	243	12.4	11.2
Benton County †	10,900	10,755	74	82	6.8	7.6
Big Stone County	9,573	9,509	76	87	7.9	9.1
Blue Earth County	18,097	18,370	177	145	9.8	7.9
Brown County	20,247	20,212	186	190	9.2	9.4
Carlton County	20,009	19,245	158	176	7.9	9.1
Carver County	17,427	17,436	175	163	10.0	9.3
Cass County	12,869	12,480	150	91	11.7	7.3
Chippewa County	13,770	13,672	135	107	9.8	7.8
Chisago County	13,631	13,601	157	129	11.5	9.5
Clay County	20,193	20,020	204	154	10.1	7.7
Clearwater County †	8,135	7,741	47	55	5.8	7.1
Cook County †	1,506	1,453	5	9	3.3	6.2
Cottonwood County	12,839	12,780	90	107	7.0	8.4
Crow Wing County	17,703	17,444	204	203	11.5	11.6
Dakota County *	26,288	25,940	303	222	11.5	8.6
Dodge County	11,690	11,816	95	110	8.1	9.3
Douglas County	17,574	17,604	157	173	8.9	9.8
Faribault County	19,266	19,479	165	162	8.6	8.3
Fillmore County	24,849	25,108	259	232	10.4	9.2
Freeborn County	22,426	22,381	200	183	8.9	8.2
Goodhue County	31,798	31,748	314	339	9.9	10.7
Grant County	9,172	9,154	65	75	7.1	8.2
Hennepin County	34,167	33,516	290	272	8.5	8.1
Houston County	13,941	14,052	146	135	10.5	9.6
Hubbard County †	10,887	10,558	106	72	9.7	6.8
Isanti County	12,920	12,825	140	116	10.8	9.0
Itasca County	21,715	20,311	180	144	8.3	7.1
Jackson County	14,395	14,425	137	135	9.5	9.4
Kanabec County †	7,061	6,874	49	55	6.9	8.0
Kandiyohi County	19,149	19,093	191	178	10.0	9.3
Kittson County †	10,247	10,067	72	57	7.0	5.7
Koochiching County	8,116	7,590	122	111	15.0	14.6
Lac qui Parle County	15,807	15,691	143	126	9.0	8.0
Lake County	9,102	8,762	98	108	10.8	12.3
Le Sueur County	18,083	18,247	176	154	9.7	8.4
Lincoln County †	10,168	10,076	73	69	7.2	6.8
Lyon County	16,088	15,974	163	149	10.1	9.3
McLeod County	18,399	18,490	157	174	8.5	9.4
Mahnomen County	3,249	3,249	39	25	12.0	7.7
Marshall County	16,545	16,480	176	141	10.6	8.6
Martin County	17,706	17,647	128	128	7.2	7.3
Meeker County	16,785	16,859	195	152	11.6	9.0
Mille Lacs County	11,562	11,295	99	85	8.6	7.5
Morrison County	24,429	24,312	194	182	7.9	7.5
Mower County	22,737	22,706	229	208	10.1	9.2
Murray County †	11,706	11,722	104	68	8.9	5.8
Nicollet County *	13,915	13,981	204	211	14.7	15.1
Nobles County †	15,300	15,272	126	92	8.2	6.0
Norman County †	13,446	13,446	99	91	7.4	6.8
Olmsted County *	22,295	22,358	610	607	27.4	27.1
Otter Tail County *	46,251	46,184	617	563	13.3	12.2
Pennington County †	10,091	9,868	93	66	9.2	6.7
Pine County	17,283	16,845	135	131	7.8	7.8
Pipestone County	9,646	9,617	74	71	7.7	7.4
Polk County	36,187	36,129	336	291	9.3	8.1
Pope County	12,801	12,784	128	110	10.0	8.6
Ramsey County	9,400	9,254	72	84	7.7	9.1
Red Lake County	7,065	6,909	58	53	8.2	7.7
Redwood County †	18,802	18,684	135	102	7.2	5.5
Renville County †	22,940	22,997	187	154	8.2	6.7
Rice County	25,856	25,873	349	309	13.5	11.9

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
RURAL PART OF REGISTRATION STATES [1]—Con.						
MINNESOTA—continued.						
Rock County	10,402	10,346	101	102	9.7	9.9
Roseau County	12,749	12,309	102	104	8.0	8.4
St. Louis County	89,716	84,921	926	771	10.3	9.1
Scott County	14,805	14,831	125	114	8.4	7.7
Sherburne County	7,475	7,429	80	88	10.7	11.8
Sibley County	15,111	15,245	133	113	8.8	7.4
Stearns County	39,771	39,569	337	302	8.5	7.6
Steele County	16,024	16,062	146	154	9.1	9.6
Stevens County	8,155	8,193	70	58	8.6	7.1
Swift County	12,769	12,825	124	120	9.7	9.4
Todd County	23,793	23,672	206	176	8.7	7.4
Traverse County †	8,203	8,155	55	55	6.7	6.7
Wabasha County	18,435	18,472	189	206	10.3	11.2
Wadena County	8,889	8,815	95	80	10.7	9.1
Waseca County	13,046	13,177	127	123	9.7	9.3
Washington County	15,920	15,888	176	144	11.1	9.1
Watonwan County	11,347	11,358	103	88	9.1	7.7
Wilkin County †	9,381	9,282	91	63	9.7	6.8
Winona County	14,440	14,557	138	131	9.6	9.0
Wright County	27,734	27,843	294	244	10.6	8.8
Yellow Medicine County †	15,666	15,585	136	103	8.7	6.6
MISSOURI.						
Total	2,140,804	2,141,210	23,414	24,233	10.9	11.3
White	2,066,472	2,066,237	21,859	22,639	10.6	11.0
Colored	74,332	74,973	1,555	1,594	20.9	21.3
Adair County	23,014	22,916	252	210	10.9	9.2
Andrew County	14,618	14,825	144	140	9.9	9.4
Atchison County	12,664	12,957	110	110	8.7	8.5
Audrain County	21,856	21,803	217	194	9.9	8.9
Barry County	23,329	23,498	192	244	8.2	10.4
Barton County	16,259	16,411	165	165	10.1	10.1
Bates County	24,483	24,915	251	276	10.3	11.1
Benton County	14,339	14,508	136	134	9.5	9.2
Bollinger County	14,553	14,560	121	123	8.3	8.4
Boone County	31,145	30,954	326	334	10.5	10.8
Buchanan County	[2] 15,269	[2] 15,278	202	193	13.2	12.6
Butler County	21,874	21,484	399	519	18.2	24.2
Caldwell County	13,941	14,148	137	146	9.8	10.3
Callaway County *	23,887	24,047	362	326	15.2	13.6
Camden County †	11,085	11,240	78	67	7.0	6.0
Cape Girardeau County	28,693	28,358	343	408	12.0	14.4
Carroll County	22,007	22,347	244	258	11.1	11.5
Carter County	5,116	5,237	58	51	11.3	9.7
Cass County	22,758	22,825	243	227	10.7	9.9
Cedar County	15,807	15,892	177	172	11.2	10.8
Chariton County	22,425	22,761	257	227	11.5	10.0
Christian County	15,473	15,585	144	152	9.3	9.8
Clark County	11,977	12,237	127	123	10.6	10.1
Clay County	20,754	20,615	298	321	14.4	15.6
Clinton County	14,626	14,835	176	167	12.0	11.3
Cole County †	9,843	9,925	68	83	6.9	8.4
Cooper County	19,590	19,816	220	225	11.2	11.4
Crawford County	13,774	13,712	126	148	9.1	10.8
Dade County	14,798	15,052	182	157	12.3	10.4
Dallas County †	12,947	13,020	111	86	8.6	6.6
Daviess County	16,399	16,775	189	163	11.5	9.7
Dekalb County	11,918	12,109	98	116	8.2	9.6
Dent County	13,327	13,301	106	108	8.0	8.1
Douglas County †	16,620	16,635	109	100	6.6	6.0
Dunklin County	33,128	32,255	603	661	18.2	20.5
Franklin County	29,586	29,662	303	330	10.2	11.1
Gasconade County	13,023	12,968	147	160	11.3	12.3
Gentry County	15,607	15,985	155	156	9.9	9.8
Greene County	29,584	29,285	265	241	9.0	8.2
Grundy County	16,391	16,501	183	199	11.2	12.1
Harrison County	19,189	19,587	220	191	11.5	9.8
Henry County	26,979	27,061	274	286	10.2	10.6
Hickory County	8,337	8,463	73	77	8.8	9.1
Holt County	13,714	13,971	112	130	8.2	9.3
Howard County	14,782	15,054	186	156	12.6	10.4
Howell County	20,816	20,895	219	277	10.5	13.3
Iron County	8,515	8,530	122	130	14.3	15.2
Jackson County	38,273	37,295	408	410	10.7	11.0
Jasper County	45,804	45,678	574	519	12.5	11.4
Jefferson County	28,580	28,361	294	344	10.3	12.1
RURAL PART OF REGISTRATION STATES [1]—Con.						
MISSOURI—continued.						
Johnson County	25,796	25,952	283	292	11.0	11.3
Knox County	12,053	12,162	96	103	8.0	8.5
Laclede County	17,636	17,551	133	135	7.5	7.7
Lafayette County	29,660	29,814	360	363	12.1	12.2
Lawrence County	24,934	25,448	300	326	12.0	12.8
Lewis County	15,122	15,244	164	145	10.8	9.5
Lincoln County	16,606	16,739	164	201	9.9	12.0
Linn County	25,173	25,198	283	309	11.2	12.3
Livingston County	18,529	18,817	219	255	11.8	13.6
McDonald County †	13,529	13,532	55	102	4.1	7.5
Macon County	30,172	30,389	315	281	10.4	9.2
Madison County	11,693	11,562	128	116	10.9	10.0
Maries County	10,240	10,192	76	72	7.4	7.1
Marion County	11,801	11,935	133	130	11.3	10.9
Mercer County	11,565	11,805	90	87	7.8	7.4
Miller County	17,213	17,058	137	148	8.0	8.7
Mississippi County	15,439	15,164	187	219	12.1	14.4
Moniteau County	13,871	14,028	153	137	11.0	9.8
Monroe County	17,845	17,988	190	193	10.6	10.7
Montgomery County	15,291	15,389	164	151	10.7	9.8
Morgan County	13,085	13,016	99	129	7.6	9.9
New Madrid County	22,154	21,323	246	355	11.1	16.6
Newton County	27,178	27,165	277	287	10.2	10.6
Nodaway County	27,501	27,916	314	272	11.4	9.7
Oregon County	14,931	14,853	112	142	7.5	9.6
Osage County	14,344	14,325	145	161	10.1	11.2
Ozark County	11,855	11,877	102	124	8.6	10.4
Pemiscot County	21,976	21,222	311	359	14.2	16.9
Perry County	14,822	14,847	177	153	11.9	10.3
Pettis County	15,728	15,841	132	133	8.4	8.4
Phelps County	16,316	16,154	168	197	10.3	12.2
Pike County	21,522	21,845	308	282	14.3	12.9
Platte County	13,858	14,036	179	170	12.9	12.1
Polk County	21,012	21,183	202	198	9.6	9.3
Pulaski County	11,775	11,670	132	120	11.2	10.3
Putnam County	13,535	13,776	153	130	11.3	9.4
Ralls County	13,115	13,052	115	118	8.8	9.0
Randolph County	14,380	14,999	208	194	14.0	12.9
Ray County	20,363	20,702	234	243	11.5	11.7
Reynolds County	10,057	9,912	71	76	7.1	7.7
Ripley County	13,072	13,081	104	112	8.0	8.6
St. Charles County	24,766	24,744	254	258	10.3	10.4
St. Clair County	15,927	16,078	159	173	10.0	10.8
St. Francois County *	39,534	38,351	508	448	12.8	11.7
St. Louis County	92,934	89,656	1,258	1,270	13.5	14.2
Ste. Genevieve County	10,687	10,662	89	112	8.3	10.5
Saline County	28,066	28,497	327	347	11.7	12.2
Schuyler County	8,484	8,664	78	108	9.2	12.5
Scotland County	11,426	11,564	112	103	9.8	8.9
Scott County	25,385	24,446	325	396	12.8	16.2
Shannon County	11,505	11,485	104	106	9.0	9.2
Shelby County	14,440	14,572	161	155	11.1	10.6
Stoddard County	28,825	28,507	395	480	13.7	16.8
Stone County †	12,099	11,930	94	75	7.8	6.3
Sullivan County	18,052	18,222	188	175	10.4	9.6
Taney County	8,813	8,913	90	91	10.2	10.2
Texas County	21,221	21,295	194	214	9.1	10.0
Vernon County *	27,922	28,204	393	412	14.1	14.6
Warren County	8,866	8,946	85	95	9.6	10.6
Washington County	13,092	13,181	137	149	10.5	11.3
Wayne County	15,139	15,152	148	173	9.8	11.4
Webster County	17,615	17,541	146	200	8.3	11.4
Worth County	7,415	7,600	65	54	8.8	7.1
Wright County	18,572	18,492	179	179	9.6	9.7
MONTANA.						
Total	312,997	301,879	3,246	2,672	10.4	8.9
White	298,082	287,105	2,882	2,365	9.7	8.2
Colored	14,915	14,774	364	307	24.4	20.8
Beaverhead County	6,717	6,633	65	52	9.7	7.8
Broadwater County	3,768	3,682	33	38	8.8	10.3
Carbon County †	[3]	15,401	[3]	107	[3]	6.9
Cascade County †	16,195	15,786	106	72	6.5	4.6
Chouteau County [4]	19,213	18,583	268	164	13.9	8.8

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.
[3] Included in Fergus County for 1913.
[4] Includes Hill and Blaine Counties, organized Feb. 28 and Feb. 29, 1912, respectively; separate estimated populations not available.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
RURAL PART OF REGISTRATION STATES[1]—Con.						
MONTANA—continued.						
Custer County †	16,659	15,869	120	98	7.2	6.2
Dawson County	16,066	15,025	157	112	9.8	7.5
Deer Lodge County *	2,968	2,933	122	106	41.1	36.1
Fergus County	[2] 71,158	[3] 39,195	[2] 722	[3] 315	[2] 10.1	[3] 8.0
Flathead County	22,336	21,230	209	169	9.4	8.0
Gallatin County	15,549	15,091	153	142	9.8	9.4
Granite County	2,494	2,634	31	31	12.4	11.8
Jefferson County	5,689	5,661	50	51	8.8	9.0
Lewis and Clark County †	9,643	9,548	68	57	7.1	6.0
Lincoln County	4,327	4,111	48	33	11.1	8.0
Madison County	7,079	7,125	73	64	10.3	9.0
Missoula County	11,711	11,404	105	103	9.0	9.0
Park County	11,832	11,489	115	119	9.7	10.4
Powell County	6,056	6,008	68	57	11.2	9.5
Ravalli County †	12,914	12,525	90	77	7.0	6.1
Rosebud County	[4]	8,972	[4]	116	[4]	12.9
Sanders County	4,302	4,119	55	36	12.8	8.7
Silver Bow County	18,682	18,368	275	236	14.7	12.8
Sweet Grass County	[4]	4,239	[4]	33	[4]	7.8
Teton County	10,996	10,544	136	133	12.4	12.6
Valley County	[5] 16,643	15,704	[5] 177	151	[5] 10.6	9.6
NEW HAMPSHIRE.						
Total	254,948	255,422	4,224	4,160	16.6	16.3
White	254,608	255,083	4,222	4,151	16.6	16.3
Colored	340	339	2	9	5.9	26.5
Belknap County	11,011	11,043	201	185	18.3	16.7
Carroll County	16,131	16,189	283	240	17.5	14.8
Cheshire County	20,085	20,243	312	312	15.5	15.4
Coos County	18,451	18,614	281	257	15.2	13.8
Grafton County	41,914	41,832	687	723	16.4	17.3
Hillsborough County	29,437	29,613	586	537	19.9	18.1
Merrimack County	31,525	31,623	554	467	17.6	14.8
Rockingham County	41,061	41,017	604	685	14.7	16.7
Strafford County	25,566	25,610	403	402	15.8	15.7
Sullivan County	19,767	19,633	313	352	15.8	17.9
NEW JERSEY.						
Total	966,779	946,427	13,556	12,926	14.0	13.7
White	928,758	909,152	12,805	12,256	13.8	13.5
Colored	38,021	37,275	751	670	19.8	18.0
Atlantic County	28,078	27,351	415	405	14.8	14.8
Bergen County	129,416	124,530	1,420	1,305	11.0	10.5
Burlington County	69,270	68,427	1,092	1,031	15.8	15.1
Camden County	52,620	51,022	696	723	13.2	14.2
Cape May County	21,870	21,208	268	225	12.3	10.6
Cumberland County	29,079	28,897	412	440	14.2	15.2
Essex County	46,520	45,093	811	821	17.4	18.2
Gloucester County	39,143	38,590	533	481	13.6	12.5
Hudson County	46,202	44,459	992	857	21.5	19.3
Hunterdon County	33,265	33,360	488	492	14.7	14.7
Mercer County	31,047	30,360	385	370	12.4	12.2
Middlesex County	64,398	62,690	837	829	13.0	13.2
Monmouth County	72,329	72,009	1,095	1,060	15.1	14.7
Morris County *	64,897	64,055	969	918	14.9	14.3
Ocean County	21,829	21,670	303	272	13.9	12.6
Passaic County	39,846	38,501	418	422	10.5	11.0
Salem County	27,476	27,327	375	344	13.6	12.6
Somerset County	40,727	40,132	565	543	13.9	13.5
Sussex County	27,642	27,373	382	335	13.8	12.2
Union County	50,965	49,489	647	645	12.7	13.0
Warren County	30,160	29,884	453	408	15.0	13.7
NEW YORK.						
Total	2,373,218	2,363,300	36,704	36,179	15.5	15.3
White	2,345,826	2,335,661	36,228	35,713	15.4	15.3
Colored	27,392	27,639	476	466	17.4	16.9
Albany County	33,665	33,621	454	505	13.5	15.0
Allegany County	41,384	41,393	628	594	15.2	14.4
Broome County	30,648	30,561	566	508	18.5	16.6
Cattaraugus County	50,295	50,570	758	684	15.1	13.5
Cayuga County	31,318	31,668	552	537	17.6	17.0
RURAL PART OF REGISTRATION STATES[1]—Con.						
NEW YORK—continued.						
Chautauqua County	57,521	57,237	864	808	15.0	14.1
Chemung County	17,192	17,284	304	288	17.7	16.7
Chenango County	35,255	35,355	607	637	17.2	18.0
Clinton County *	36,476	36,669	488	441	13.4	12.0
Columbia County	31,773	31,919	446	480	14.0	15.0
Cortland County	17,479	17,562	310	301	17.7	17.1
Delaware County	45,305	45,390	651	630	14.4	13.9
Dutchess County *	60,403	60,192	1,112	1,171	18.4	19.5
Erie County *	95,107	93,740	1,263	1,230	13.3	13.1
Essex County	34,351	34,073	550	468	16.0	13.7
Franklin County	46,648	46,358	831	781	17.8	16.8
Fulton County	13,148	13,241	215	218	16.4	16.5
Genesee County	26,225	26,156	360	314	13.7	12.0
Greene County	29,804	29,932	456	483	15.3	16.1
Hamilton County	4,188	4,246	63	49	15.0	11.5
Herkimer County	45,194	44,847	782	692	17.3	15.4
Jefferson County	53,200	53,341	773	751	14.5	14.1
Lewis County	24,013	24,273	372	334	15.5	13.8
Livingston County	38,356	38,256	671	674	17.5	17.6
Madison County	38,882	39,008	744	653	19.1	16.7
Monroe County	68,478	67,413	937	938	13.7	13.9
Montgomery County	26,558	26,477	358	395	13.5	14.9
Nassau County	93,184	90,299	1,245	1,193	13.4	13.2
Niagara County	31,242	31,066	394	419	12.6	13.5
Oneida County	58,677	58,853	938	935	16.0	15.9
Onondaga County	64,072	63,754	996	1,065	15.5	16.7
Ontario County	40,057	39,990	626	601	15.6	15.0
Orange County	75,641	74,782	1,045	1,073	13.8	14.3
Orleans County	32,596	32,410	455	487	14.0	15.0
Oswego County	36,953	37,222	629	665	17.0	17.9
Otsego County	46,658	46,832	807	828	17.3	17.7
Putnam County	14,950	14,861	179	178	12.0	12.0
Rensselaer County	34,128	34,323	509	497	14.9	14.5
Rockland County	49,658	48,790	643	619	12.9	12.7
St. Lawrence County	72,643	72,777	1,050	947	14.5	13.0
Saratoga County	49,401	49,346	706	671	14.2	13.6
Schenectady County	15,373	15,385	219	188	14.2	12.2
Schoharie County	22,883	23,186	360	365	15.7	15.7
Schuyler County	13,417	13,600	253	271	18.9	19.9
Seneca County*	26,603	26,718	569	534	21.4	20.0
Steuben County	54,770	55,158	988	1,083	18.0	19.6
Suffolk County *	102,166	100,287	1,962	2,011	19.2	20.1
Sullivan County	34,296	34,144	617	574	18.0	16.8
Tioga County	24,870	25,105	440	444	17.7	17.7
Tompkins County	18,248	18,434	311	326	17.0	17.7
Ulster County	66,502	66,302	888	899	13.4	13.6
Warren County	16,867	16,902	257	236	15.2	14.0
Washington County	48,477	48,259	728	699	15.0	14.5
Wayne County	50,671	50,517	693	763	13.7	15.1
Westchester County	94,894	92,740	1,352	1,354	14.2	14.6
Wyoming County	32,355	32,207	448	418	13.8	13.0
Yates County	18,100	18,269	285	272	15.7	14.9
NORTH CAROLINA.[6]						
Total	225,567	225,079	3,366	3,535	14.9	15.7
White	150,447	150,930	1,885	2,011	12.5	13.3
Colored	75,120	74,149	1,481	1,524	19.7	20.6
OHIO.						
Total	2,614,695	2,624,943	32,891	32,350	12.6	12.3
White	2,570,997	2,580,711	31,938	31,508	12.4	12.2
Colored	43,698	44,232	953	842	21.8	19.0
Adams County	24,246	24,405	299	284	12.3	11.6
Allen County	26,212	26,080	327	309	12.5	11.8
Ashland County	23,557	23,376	286	275	12.1	11.8
Ashtabula County	42,210	41,919	612	560	14.5	13.4
Athens County*	50,744	49,826	719	625	14.2	12.5
Auglaize County	31,263	31,258	315	302	10.1	9.7
Belmont County	68,378	67,030	983	901	14.4	13.4
Brown County	23,728	24,072	339	315	14.3	13.1
Butler County	22,217	22,099	324	317	14.6	14.3
Carroll County	15,422	15,527	161	177	10.4	11.4

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Includes Big Horn, Carbon, Meagher, Musselshell, Rosebud, Stillwater, Sweet Grass, and Yellowstone Counties; separate estimated populations not available. See General Table 2 for notes.
[3] Includes Meagher, Yellowstone, and Musselshell Counties, the last named formed from part of the other three, Mar. 1, 1911; separate estimated populations not available.
[4] Included in Fergus County for 1913.
[5] Includes Sheridan County, organized Mar. 24, 1913; separate estimated populations not available.
[6] Includes only municipalities having a population of 1,000 or over in 1900 and less than 10,000 in 1910.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
RURAL PART OF REGISTRATION STATES[1]—Con.						
OHIO—continued.						
Champaign County	26,259	26,287	352	347	13.4	13.2
Clark County	19,557	19,543	262	235	13.4	12.0
Clermont County	28,884	29,092	375	428	13.0	14.7
Clinton County	23,511	23,564	304	296	12.9	12.6
Columbiana County	57,704	57,245	755	683	13.1	11.9
Coshocton County	30,375	30,296	389	384	12.8	12.7
Crawford County	34,075	34,063	399	383	11.7	11.2
Cuyahoga County	60,131	66,976	755	797	12.6	11.9
Darke County	43,061	43,021	495	505	11.5	11.7
Defiance County	23,885	24,076	291	276	12.2	11.5
Delaware County	27,435	27,356	322	346	11.7	12.6
Erie County	18,451	18,417	363	349	19.7	18.9
Fairfield County	26,380	26,295	273	256	10.3	9.7
Fayette County	21,749	21,747	274	280	12.6	12.9
Franklin County	40,704	40,516	525	546	12.9	13.5
Fulton County	24,273	24,161	264	253	10.9	10.5
Gallia County	25,039	25,259	375	401	15.0	15.9
Geauga County	14,647	14,654	173	193	11.8	13.2
Greene County	29,123	29,313	452	407	15.5	13.9
Guernsey County	33,080	32,553	362	365	10.9	11.2
Hamilton County	59,594	66,296	698	753	11.7	11.4
Hancock County	22,556	22,695	208	190	9.2	8.4
Hardin County	30,154	30,233	376	397	12.5	13.1
Harrison County	18,619	18,762	236	235	12.7	12.5
Henry County	24,416	24,635	264	255	10.8	10.4
Highland County	27,974	28,204	349	341	12.5	12.1
Hocking County	23,409	23,484	235	229	10.0	9.8
Holmes County	17,389	17,551	215	197	12.4	11.2
Huron County	34,816	34,626	449	473	12.9	13.7
Jackson County	29,668	30,018	319	368	10.8	12.3
Jefferson County	47,263	45,944	624	558	13.2	12.1
Knox County	30,964	30,720	369	356	11.9	11.6
Lake County	23,331	23,205	346	334	14.8	14.4
Lawrence County	25,914	26,047	282	347	10.9	13.3
Licking County	30,766	30,585	355	368	11.5	12.0
Logan County	29,975	30,009	350	364	11.7	12.1
Lorain County	33,074	32,842	419	418	12.7	12.7
Lucas County	25,040	24,788	287	270	11.5	10.9
Madison County	19,680	19,749	262	246	13.3	12.5
Mahoning County	41,153	39,885	597	559	14.5	14.0
Marion County	14,358	15,499	213	161	14.8	10.4
Medina County	24,131	23,965	268	309	11.1	12.9
Meigs County	24,612	24,918	339	292	13.8	11.7
Mercer County	27,379	27,428	266	305	9.7	11.1
Miami County	31,893	31,820	417	431	13.1	13.5
Monroe County	23,339	23,621	259	259	11.1	11.0
Montgomery County	52,605	50,916	766	724	14.6	14.2
Morgan County	15,510	15,693	178	198	11.5	12.6
Morrow County	16,471	16,579	190	217	11.5	13.1
Muskingum County	29,392	29,414	356	376	12.1	12.8
Noble County	18,322	18,409	244	222	13.3	12 1
Ottawa County	22,407	22,392	254	272	11.3	12.1
Paulding County	21,172	21,658	202	249	9.5	11.5
Perry County	36,551	36,191	438	383	12.0	10.6
Pickaway County	25,880	25,967	344	352	13.3	13.6
Pike County	14,927	15,175	201	177	13.5	11.7
Portage County	30,650	30,543	453	422	14.8	13.8
Preble County	23,873	23,861	273	303	11.4	12.7
Putnam County	29,144	29,402	310	312	10.6	10.6
Richland County	26,981	26,956	353	344	13.1	12.8
Ross County	24,782	25,025	324	320	13.1	12.8
Sandusky County	35,450	35,363	366	379	10.3	10.7
Scioto County	23,995	23,853	323	328	13.5	13.8
Seneca County	30,643	30,607	386	359	12.6	11.7
Shelby County	24,674	24,670	264	314	10.7	12.7
Stark County *	44,636	44,311	682	669	15.3	15.1
Summit County	42,500	41,467	608	594	14.3	14.3
Trumbull County	42,933	42,561	594	549	13.8	12.9
Tuscarawas County	58,100	57,768	690	646	11.9	11.2
Union County	21,720	21,767	261	258	12.0	11.9
Van Wert County	28,705	28,834	301	278	10.5	9.6
Vinton County	12,371	12,597	144	143	11.6	11.4
Warren County	24,144	24,254	349	309	14.5	12.7
Washington County	29,721	31,964	299	350	10.1	10.9
Wayne County	38,119	38,100	518	490	13.6	12 9
Williams County	25,276	25,251	310	276	12.3	10.9
Wood County	44,633	45,162	548	493	12.3	10.9
Wyandot County	20,641	20,678	235	234	11.4	11.3
RURAL PART OF REGISTRATION STATES[1]—Con.						
PENNSYLVANIA.						
Total	4,220,726	4,155,330	57,148	54,209	13.5	13.0
White	4,166,249	4,101,818	56,120	53,404	13.5	13.0
Colored	54,477	53,512	1,028	805	18.9	15.0
Adams County	34,263	34,282	439	420	12.8	12.3
Allegheny County	372,598	359,798	5,114	4,766	13.7	13.2
Armstrong County	72,860	71,308	941	905	12.9	12.7
Beaver County	72,591	70,587	1,077	992	14.8	14.1
Bedford County	38,691	38,750	442	448	11.4	11.6
Berks County *	89,263	88,605	1,192	1,120	13.4	12.6
Blair County	61,074	59,721	793	769	13.0	12.9
Bradford County	52,943	53,438	879	866	16.6	16.2
Bucks County	78,264	77,723	1,041	1,030	13.3	13.3
Butler County	53,299	52,757	568	596	10.7	11.3
Cambria County	123,341	119,077	1,724	1,406	14.0	11.8
Cameron County	7,838	7,777	85	77	10.8	9.9
Carbon County	55,555	54,710	814	857	14.7	15.7
Center County	43,595	43,542	563	639	12.9	14.7
Chester County	77,041	76,597	1,118	1,084	14.5	14.2
Clarion County	37,403	37,164	475	458	12.7	12.3
Clearfield County	84.365	83,361	1,042	932	12.4	11.2
Clinton County	32,307	32,009	446	398	13.8	12.4
Columbia County	51,253	50,383	658	611	12.8	12.1
Crawford County	47,585	47,961	690	696	14.5	14.5
Cumberland County	45,300	44,950	551	563	12.2	12.5
Dauphin County *	60,057	59,331	825	802	13.7	13.5
Delaware County	85,411	83,528	1,026	1,030	12.0	12.3
Elk County	36,835	36,534	362	353	9.8	9.7
Erie County	50,052	49,721	748	655	14.9	13.2
Fayette County	153,464	149,038	2,199	1,872	14.3	12.6
Forest County	8,916	9,079	80	89	9.0	9.8
Franklin County	49,259	48,858	820	857	16.6	17.5
Fulton County	9,633	9,656	114	110	11.8	11.4
Greene County	29,077	29,015	327	301	11.2	10.4
Huntingdon County	39,492	39,122	545	476	13.8	12.2
Indiana County	73 894	71,500	1,009	874	13.7	12.2
Jefferson County	64,380	63,978	776	767	12.1	12.0
Juniata County	14,676	14,783	184	185	12.5	12.5
Lackawanna County	91,710	89,220	1,361	1,370	14.8	15.4
Lancaster County	109,306	109,006	1,493	1,391	13.7	12.8
Lawrence County	35,464	34,931	436	396	12.3	11.3
Lebanon County	41,666	41,248	581	504	13.9	12.2
Lehigh County	63,441	62,621	1,079	975	17.0	15.6
Luzerne County	215,397	210,127	2,925	2,888	13.6	13.7
Lycoming County	49,618	49,410	527	584	10.6	11.8
McKean County	31,854	32,657	434	424	13.6	13.0
Mercer County	56,909	55,608	679	659	11.9	11.9
Mifflin County	29,287	28,818	398	370	13.6	12.8
Monroe County	23,519	23,338	325	299	13.8	12.8
Montgomery County	133,617	131,279	1,582	1,683	11.8	12.8
Montour County*	14,656	14,723	272	343	18.6	23.3
Northampton County	76,327	74,609	1,018	870	13.3	11.7
Northumberland County	63,383	62,341	816	794	12.9	12.7
Perry County	23,446	23,662	335	299	14.3	12.6
Pike County	7,796	7,870	101	122	13.0	15.5
Potter County	29,440	29,531	318	313	10.3	10.6
Schuylkill County	153,645	151,244	2,503	2,355	16.3	15.6
Snyder County	16,636	16,688	166	205	10.0	12.3
Somerset County	73,646	71,798	968	843	13.1	11.7
Sullivan County	11,020	11,106	123	112	11.2	10.1
Susquehanna County	37,002	37,234	583	552	15.8	14.8
Tioga County	40,798	41,431	557	537	13.7	13.0
Union County	15,813	15,949	206	207	13.0	13.0
Venango County	40,219	39,866	493	509	12.3	12.8
Warren County *	27,067	27,998	531	474	19.6	16.9
Washington County	140,167	135,406	2,094	1,848	14.9	13.6
Wayne County	28,934	29,029	382	413	13.2	14.2
Westmoreland County	222,811	219,068	2,931	2,644	13.2	12.1
Wyoming County	14,976	15,143	224	198	15.0	13.1
York County	94,581	93,668	1,040	1,024	11.0	10.9
RHODE ISLAND.						
Total	110,126	108,523	1,566	1,500	14.2	13.8
White	108,450	106,908	1,548	1,474	14.3	13.8
Colored	1,676	1,615	18	26	10.7	16.1
Bristol County	19,050	18,599	274	293	14.4	15.8
Kent County	10,103	9,993	153	116	15.1	11.6
Newport County	12.847	12,641	196	194	15.3	15.3
Providence County	42,929	42,173	580	540	13.5	12.8
Washington County	25,197	25,117	363	357	14.4	14.2

Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
RURAL PART OF REGISTRATION STATES[1]—Con.						
UTAH.						
Total	270,432	266,094	2,836	2,455	10.5	9.2
White	265,311	260,955	2,760	2,426	10.4	9.3
Colored	5,121	5,139	76	29	14.8	5.6
Beaver County	5,075	4,963	55	56	10.8	11.3
Box Elder County	15,156	14,763	145	105	9.6	7.1
Cache County	24,661	24,163	220	219	8.9	9.1
Carbon County	9,799	9,433	142	115	14.5	12.2
Davis County	10,904	10,682	89	91	8.2	8.5
Emery County	7,430	7,219	64	57	8.6	7.9
Garfield County	3,744	3,718	35	40	9.3	10.8
Grand County †	1,740	1,695	11	14	6.3	8.3
Iron County	4,059	4,020	44	43	10.8	10.7
Juab County	10,903	10,840	114	82	10.5	7.6
Kane County †	1,602	1,618	12	[4] 10	7.5	6.2
Millard County	6,260	6,216	64	57	10.2	9.2
Morgan County †	2,603	2,561	18	16	6.9	6.2
Piute County	1,664	1,686	15	15	9.0	8.9
Rich County	1,865	1,871	14	21	7.5	11.2
Salt Lake County	43,161	42,228	495	362	11.5	8.6
San Juan County †	2,818	2,680	10	14	3.5	5.2
Sanpete County	16,830	16,790	195	179	11.6	10.7
Sevier County	10,206	10,071	94	94	9.2	9.3
Summit County	7,800	7,924	99	98	12.7	12.4
Tooele County	8,107	8,050	64	78	7.9	9.7
Uinta County	7,243	7,182	123	87	17.0	12.1
Utah County *	39,723	39,168	468	377	11.8	9.6
Wasatch County	10,277	9,854	91	80	8.9	8.1
Washington County	5,287	5,236	42	51	7.9	9.7
Wayne County	1,698	1,714	13	13	7.7	7.6
Weber County	9,817	9,749	100	81	10.2	8.3
VERMONT.						
Total	313,210	312,586	4,882	4,715	15.6	15.1
White	311,680	311,054	4,872	4,696	15.6	15.1
Colored	1,530	1,532	10	19	6.5	12.4
Addison County	19,393	19,586	282	345	14.5	17.6
Bennington County	21,271	21,305	318	317	14.9	14.9
Caledonia County	26,567	26,399	440	430	16.6	16.3
Chittenden County	22,309	22,205	341	330	15.3	14.9
Essex County	7,166	7,234	105	93	14.7	12.9
Franklin County	29,760	29,793	446	430	15.0	14.4
Grand Isle County	3,533	3,604	52	39	14.7	10.8
Lamoille County	12,681	12,651	184	165	14.5	13.0
Orange County	18,506	18,568	319	308	17.2	16.6
Orleans County	23,764	23,631	373	323	15.7	13.7
Rutland County	35,205	35,014	509	503	14.5	14.4
Washington County *	31,883	31,598	464	443	14.6	14.0
Windham County	27,019	26,992	502	456	18.6	16.9
Windsor County	34,153	34,006	547	533	16.0	15.7
VIRGINIA.						
Total	1,712,285	(2)	21,741	(2)	12.7	(2)
White	1,162,633	(2)	12,960	(2)	11.1	(2)
Colored	549,652	(2)	8,781	(2)	16.0	(2)
Accomac County (total)	37,976	(2)	408	(2)	10.7	(2)
White	24,183	(2)	211	(2)	8.7	(2)
Colored	13,793	(2)	197	(2)	14.3	(2)
Albemarle County (total)	30,325	(2)	453	(2)	14.9	(2)
White	20,477	(2)	247	(2)	12.1	(2)
Colored	9,848	(2)	206	(2)	20.9	(2)
Alexandria County (total)	11,467	(2)	121	(2)	10.6	(2)
White	8,494	(2)	72	(2)	8.5	(2)
Colored	2,973	(2)	49	(2)	16.5	(2)
Alleghany County (total)	14,636	(2)	132	(2)	9.0	(2)
White	11,584	(2)	88	(2)	7.6	(2)
Colored	3,052	(2)	44	(2)	14.4	(2)
Amelia County (total)	8,618	(2)	158	(2)	18.3	(2)
White	3,192	(2)	42	(2)	13.2	(2)
Colored	5,426	(2)	116	(2)	21.4	(2)
Amherst County (total)	19,280	(2)	231	(2)	12.0	(2)
White	11,649	(2)	131	(2)	11.2	(2)
Colored	7,631	(2)	100	(2)	13.1	(2)
RURAL PART OF REGISTRATION STATES[1]—Con.						
VIRGINIA—continued.						
Appomattox County (total)	8,660	(2)	71	(2)	8.2	(2)
White	5,556	(2)	44	(2)	7.8	(2)
Colored	3,004	(2)	27	(2)	9.0	(2)
Augusta County (total)	33,004	(2)	440	(2)	13.3	(2)
White	28,397	(2)	352	(2)	12.4	(2)
Colored	4,607	(2)	88	(2)	19.1	(2)
Bath County (total)	6,844	(2)	62	(2)	9.1	(2)
White	5,609	(2)	49	(2)	8.7	(2)
Colored	1,235	(2)	13	(2)	10.5	(2)
Bedford County (total)	29,290	(2)	345	(2)	11.8	(2)
White	20,909	(2)	226	(2)	10.8	(2)
Colored	8,381	(2)	119	(2)	14.2	(2)
Bland County (total)	5,046	(2)	58	(2)	11.5	(2)
White	4,916	(2)	57	(2)	11.6	(2)
Colored [3]	130	(2)	1	(2)	7.7	(2)
Botetourt County (total)	17,911	(2)	212	(2)	11.8	(2)
White	14,370	(2)	169	(2)	11.8	(2)
Colored	3,541	(2)	43	(2)	12.1	(2)
Bristol (city) (total)	6,789	(2)	64	(2)	9.4	(2)
White	5,546	(2)	45	(2)	8.1	(2)
Colored	1,243	(2)	19	(2)	15.3	(2)
Brunswick County (total)	19,579	(2)	266	(2)	13.6	(2)
White	7,982	(2)	92	(2)	11.5	(2)
Colored	11,597	(2)	174	(2)	15.0	(2)
Buchanan County (total)	13,192	(2)	204	(2)	15.5	(2)
White	13,188	(2)	203	(2)	15.4	(2)
Colored [3]	4	(2)	1	(2)	(4)	(2)
Buckingham County (total)	15,186	(2)	181	(2)	11.9	(2)
White	7,625	(2)	92	(2)	12.1	(2)
Colored	7,561	(2)	89	(2)	11.8	(2)
Buena Vista (city) (total)	3,522	(2)	37	(2)	10.5	(2)
White	3,070	(2)	33	(2)	10.7	(2)
Colored	452	(2)	4	(2)	8.8	(2)
Campbell County (total)	24,638	(2)	231	(2)	9.4	(2)
White	14,994	(2)	126	(2)	8.4	(2)
Colored	9,644	(2)	105	(2)	10.9	(2)
Caroline County (total)	16,562	(2)	201	(2)	12.1	(2)
White	7,830	(2)	82	(2)	10.5	(2)
Colored	8,732	(2)	119	(2)	13.6	(2)
Carroll County (total)	21,704	(2)	212	(2)	9.8	(2)
White	21,422	(2)	209	(2)	9.8	(2)
Colored [3]	282	(2)	3	(2)	10.6	(2)
Charles City County (total)	5,322	(2)	56	(2)	10.5	(2)
White	1,382	(2)	14	(2)	10.1	(2)
Colored	3,940	(2)	42	(2)	10.7	(2)
Charlotte County (total)	15,928	(2)	143	(2)	9.0	(2)
White	7,493	(2)	55	(2)	7.3	(2)
Colored	8,435	(2)	88	(2)	10.4	(2)
Charlottesville (city) (total)	6,868	(2)	97	(2)	14.1	(2)
White	4,300	(2)	64	(2)	14.9	(2)
Colored	2,568	(2)	33	(2)	12.9	(2)
Chesterfield County (total)	22,109	(2)	341	(2)	15.4	(2)
White	14,273	(2)	197	(2)	13.8	(2)
Colored	7,836	(2)	144	(2)	18.4	(2)
Clarke County (total)	7,321	(2)	90	(2)	12.3	(2)
White	5,458	(2)	61	(2)	11.2	(2)
Colored	1,863	(2)	29	(2)	15.6	(2)
Clifton Forge (city) (total)	6,451	(2)	49	(2)	7.6	(2)
White	5,223	(2)	35	(2)	6.7	(2)
Colored	1,228	(2)	14	(2)	11.4	(2)
Craig County (total)	4,847	(2)	56	(2)	11.6	(2)
White	4,633	(2)	52	(2)	11.2	(2)
Colored [3]	214	(2)	4	(2)	18.7	(2)
Culpeper County (total)	13,262	(2)	146	(2)	11.0	(2)
White	8,082	(2)	80	(2)	9.9	(2)
Colored	5,180	(2)	66	(2)	12.7	(2)
Cumberland County (total)	9,260	(2)	86	(2)	9.3	(2)
White	3,147	(2)	19	(2)	6.0	(2)
Colored	6,113	(2)	67	(2)	11.0	(2)
Dickenson County (total)	9,672	(2)	123	(2)	12.7	(2)
White	9,665	(2)	94	(2)	9.7	(2)
Colored [3]	7	(2)	[5] 29	(2)	(4)	(2)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Not admitted to registration area until 1913.
[3] Colored population less than 10 per cent of total.
[4] Rate not shown when population is less than 100.
[5] The excess of deaths over population is probably due to temporary residence of construction workers; 22 of these deaths were due to violence.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
RURAL PART OF REGISTRATION STATES[1]—Con.						
VIRGINIA—continued.						
Dinwiddie County* (total)	15,463	(2)	368	(2)	23.8	(2)
White	6,055	(2)	61	(2)	10.1	(2)
Colored	9,408	(2)	307	(2)	32.6	(2)
Elizabeth City County (total)	21,797	(2)	333	(2)	15.3	(2)
White	13,560	(2)	131	(2)	9.7	(2)
Colored	8,237	(2)	202	(2)	24.5	(2)
Essex County (total)	8,913	(2)	122	(2)	13.7	(2)
White	3,710	(2)	41	(2)	11.1	(2)
Colored	5,203	(2)	81	(2)	15.6	(2)
Fairfax County (total)	21,172	(2)	253	(2)	11.9	(2)
White	16,143	(2)	170	(2)	10.5	(2)
Colored	5,029	(2)	83	(2)	16.5	(2)
Fauquier County (total)	22,252	(2)	264	(2)	11.9	(2)
White	14,854	(2)	163	(2)	11.0	(2)
Colored	7,398	(2)	101	(2)	13.7	(2)
Floyd County (total)	13,673	(2)	151	(2)	11.0	(2)
White	12,861	(2)	138	(2)	10.7	(2)
Colored [3]	812	(2)	13	(2)	16.0	(2)
Fluvanna County (total)	8,090	(2)	119	(2)	14.7	(2)
White	4,810	(2)	57	(2)	11.9	(2)
Colored	3,280	(2)	62	(2)	18.9	(2)
Franklin County (total)	26,651	(2)	275	(2)	10.3	(2)
White	21,165	(2)	203	(2)	9.6	(2)
Colored	5,486	(2)	72	(2)	13.1	(2)
Frederick County (total)	12,643	(2)	158	(2)	12.5	(2)
White	11,957	(2)	148	(2)	12.4	(2)
Colored [3]	686	(2)	10	(2)	14.6	(2)
Fredericksburg (city) (total)	6,134	(2)	84	(2)	13.7	(2)
White	4,585	(2)	63	(2)	13.7	(2)
Colored	1,549	(2)	21	(2)	13.6	(2)
Giles County (total)	11,894	(2)	126	(2)	10.6	(2)
White	11,119	(2)	117	(2)	10.5	(2)
Colored [3]	775	(2)	9	(2)	11.6	(2)
Gloucester County (total)	12,362	(2)	137	(2)	11.1	(2)
White	6,509	(2)	57	(2)	8.8	(2)
Colored	5,853	(2)	80	(2)	13.7	(2)
Goochland County (total)	9,148	(2)	126	(2)	13.8	(2)
White	3,968	(2)	34	(2)	8.6	(2)
Colored	5,180	(2)	92	(2)	17.8	(2)
Grayson County (total)	20,832	(2)	235	(2)	11.3	(2)
White	19,844	(2)	221	(2)	11.1	(2)
Colored [3]	988	(2)	14	(2)	14.2	(2)
Greene County (total)	7,172	(2)	76	(2)	10.6	(2)
White	5,784	(2)	61	(2)	10.5	(2)
Colored	1,388	(2)	15	(2)	10.8	(2)
Greensville County (total)	12,583	(2)	187	(2)	14.9	(2)
White	4,737	(2)	55	(2)	11.6	(2)
Colored	7,846	(2)	132	(2)	16.8	(2)
Halifax County (total)	40,968	(2)	543	(2)	13.3	(2)
White	20,435	(2)	215	(2)	10 5	(2)
Colored	20,533	(2)	328	(2)	16.0	(2)
Hanover County (total)	17,065	(2)	281	(2)	16.5	(2)
White	10,080	(2)	138	(2)	13.7	(2)
Colored	6,985	(2)	143	(2)	20.5	(2)
Henrico County (total)	26,405	(2)	358	(2)	13.6	(2)
White	18,557	(2)	227	(2)	12.2	(2)
Colored	7,848	(2)	131	(2)	16.7	(2)
Henry County (total)	18,199	(2)	230	(2)	12.6	(2)
White	10,842	(2)	126	(2)	11.6	(2)
Colored	7,357	(2)	104	(2)	14.1	(2)
Highland County (total)	5,211	(2)	60	(2)	11.5	(2)
White	4,956	(2)	57	(2)	11.5	(2)
Colored [3]	255	(2)	3	(2)	11.8	(2)
Isle of Wight County (total)	15,523	(2)	200	(2)	12.9	(2)
White	7,689	(2)	76	(2)	9.9	(2)
Colored	7,834	(2)	124	(2)	15.8	(2)
James City County *(total)	6,534	(2)	187	(2)	28.6	(2)
White	3,394	(2)	122	(2)	35.9	(2)
Colored	3,140	(2)	65	(2)	20.7	(2)
King and Queen County (total)	9,676	(2)	114	(2)	11.8	(2)
White	4,232	(2)	45	(2)	10.6	(2)
Colored	5,444	(2)	69	(2)	12.7	(2)
RURAL PART OF REGISTRATION STATES[1]—Con.						
VIRGINIA—continued.						
King George County (total)	6,205	(2)	89	(2)	14.3	(2)
White	3,371	(2)	36	(2)	10.7	(2)
Colored	2,834	(2)	53	(2)	18.7	(2)
King William County (total)	8,601	(2)	172	(2)	20.0	(2)
White	3,520	(2)	47	(2)	13.4	(2)
Colored	5,081	(2)	125	(2)	24.6	(2)
Lancaster County (total)	10,012	(2)	167	(2)	16.7	(2)
White	4,721	(2)	51	(2)	10.8	(2)
Colored	5,291	(2)	116	(2)	21.9	(2)
Lee County (total)	25,133	(2)	348	(2)	13.8	(2)
White	24,059	(2)	333	(2)	13.8	(2)
Colored [3]	1,074	(2)	15	(2)	14.0	(2)
Loudoun County (total)	20,914	(2)	269	(2)	12.9	(2)
White	15,755	(2)	180	(2)	11.4	(2)
Colored	5,159	(2)	89	(2)	17.3	(2)
Louisa County (total)	16,597	(2)	237	(2)	14.3	(2)
White	8,683	(2)	95	(2)	10.9	(2)
Colored	7,914	(2)	142	(2)	17.9	(2)
Lunenburg County (total)	13,128	(2)	164	(2)	12.5	(2)
White	6,112	(2)	67	(2)	11.0	(2)
Colored	7,016	(2)	97	(2)	13.8	(2)
Madison County (total)	10,004	(2)	120	(2)	12.0	(2)
White	6,757	(2)	71	(2)	10.5	(2)
Colored	3,247	(2)	49	(2)	15.1	(2)
Mathews County (total)	9,143	(2)	132	(2)	14.4	(2)
White	6,561	(2)	77	(2)	11.7	(2)
Colored	2,582	(2)	55	(2)	21.3	(2)
Mecklenburg County (total)	29,736	(2)	385	(2)	12.9	(2)
White	12,852	(2)	131	(2)	10.2	(2)
Colored	16,884	(2)	254	(2)	15.0	(2)
Middlesex County (total)	9,057	(2)	111	(2)	12.3	(2)
White	4,301	(2)	40	(2)	9.3	(2)
Colored	4,756	(2)	71	(2)	14.9	(2)
Montgomery County (total)	17,727	(2)	242	(2)	13.7	(2)
White	15,335	(2)	179	(2)	11.7	(2)
Colored	2,392	(2)	63	(2)	26.3	(2)
Nansemond County (total)	28,121	(2)	416	(2)	14.8	(2)
White	11,824	(2)	152	(2)	12.9	(2)
Colored	16,297	(2)	264	(2)	16.2	(2)
Nelson County (total)	17,062	(2)	198	(2)	11.6	(2)
White	11,709	(2)	118	(2)	10.1	(2)
Colored	5,353	(2)	80	(2)	14.9	(2)
New Kent County (total)	4,624	(2)	61	(2)	13.2	(2)
White	1,757	(2)	8	(2)	4.6	(2)
Colored	2,867	(2)	53	(2)	18.5	(2)
Norfolk County (total)	44,410	(2)	570	(2)	12.8	(2)
White	14,585	(2)	214	(2)	14.7	(2)
Colored	29,825	(2)	356	(2)	11.9	(2)
Northampton County (total)	17,614	(2)	176	(2)	10.0	(2)
White	7,744	(2)	50	(2)	6.5	(2)
Colored	9,870	(2)	126	(2)	12.8	(2)
Northumberland County (total)	11,079	(2)	175	(2)	15.8	(2)
White	6,679	(2)	87	(2)	13.0	(2)
Colored	4,400	(2)	88	(2)	20.0	(2)
Nottoway County (total)	13,818	(2)	166	(2)	12.0	(2)
White	6,255	(2)	69	(2)	11.0	(2)
Colored	7,563	(2)	97	(2)	12.8	(2)
Orange County (total)	13,781	(2)	149	(2)	10.8	(2)
White	8,117	(2)	88	(2)	10.8	(2)
Colored	5,664	(2)	61	(2)	10.8	(2)
Page County (total)	14,260	(2)	184	(2)	12.9	(2)
White	13,082	(2)	171	(2)	13.1	(2)
Colored [3]	1,178	(2)	13	(2)	11.0	(2)
Patrick County (total)	17,776	(2)	147	(2)	8.3	(2)
White	16,098	(2)	137	(2)	8.5	(2)
Colored [3]	1,678	(2)	10	(2)	6.0	(2)
Pittsylvania County (total)	52,243	(2)	540	(2)	10.3	(2)
White	31,406	(2)	282	(2)	9.0	(2)
Colored	20,837	(2)	258	(2)	12.4	(2)
Powhatan County (total)	5,865	(2)	85	(2)	14.5	(2)
White	2,371	(2)	21	(2)	8.9	(2)
Colored	3,494	(2)	64	(2)	18.3	(2)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Not admitted to registration area until 1913.
[3] Colored population less than 10 per cent of total.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
RURAL PART OF REGISTRATION STATES[1]—Con.						
VIRGINIA—continued.						
Prince Edward County (total)	14,015	(2)	263	(2)	18.8	(2)
White	5,706	(2)	73	(2)	12.8	(2)
Colored	8,309	(2)	190	(2)	22.9	(2)
Prince George County (total)	7,877	(2)	134	(2)	17.0	(2)
White	3,296	(2)	32	(2)	9.7	(2)
Colored	4,581	(2)	102	(2)	22.3	(2)
Prince William County (total)	12,321	(2)	140	(2)	11.4	(2)
White	9,418	(2)	104	(2)	11.0	(2)
Colored	2,903	(2)	36	(2)	12.4	(2)
Princess Anne County (total)	11,633	(2)	244	(2)	21.0	(2)
White	5,744	(2)	94	(2)	16.4	(2)
Colored	5,889	(2)	150	(2)	25.5	(2)
Pulaski County (total)	18,103	(2)	188	(2)	10.4	(2)
White	15,018	(2)	139	(2)	9.3	(2)
Colored	3,085	(2)	49	(2)	15.9	(2)
Radford (city) (total)	4,480	(2)	51	(2)	11.4	(2)
White	3,770	(2)	48	(2)	12.7	(2)
Colored	710	(2)	3	(2)	4.2	(2)
Rappahannock County (total)	7,785	(2)	90	(2)	11.6	(2)
White	5,706	(2)	64	(2)	11.2	(2)
Colored	2,079	(2)	26	(2)	12.5	(2)
Richmond County (total)	7,521	(2)	87	(2)	11.6	(2)
White	4,397	(2)	38	(2)	8.6	(2)
Colored	3,124	(2)	49	(2)	15.7	(2)
Roanoke County (total)	20,852	(2)	317	(2)	15.2	(2)
White	17,094	(2)	228	(2)	13.3	(2)
Colored	3,758	(2)	89	(2)	23.7	(2)
Rockbridge County (total)	20,969	(2)	252	(2)	12.0	(2)
White	17,474	(2)	195	(2)	11.2	(2)
Colored	3,495	(2)	57	(2)	16.3	(2)
Rockingham County (total)	35,349	(2)	415	(2)	11.7	(2)
White	32,976	(2)	372	(2)	11.3	(2)
Colored [3]	2,373	(2)	43	(2)	18.1	(2)
Russell County (total)	25,242	(2)	268	(2)	10.6	(2)
White	24,136	(2)	242	(2)	10.0	(2)
Colored [3]	1,106	(2)	26	(2)	23.5	(2)
Scott County (total)	24,177	(2)	269	(2)	11.1	(2)
White	23,664	(2)	255	(2)	10.8	(2)
Colored [3]	513	(2)	14	(2)	27.3	(2)
Shenandoah County (total)	21,164	(2)	257	(2)	12.1	(2)
White	20,664	(2)	246	(2)	11.9	(2)
Colored [3]	500	(2)	11	(2)	22.0	(2)
Smyth County * (total)	21,366	(2)	305	(2)	14.3	(2)
White	20,332	(2)	290	(2)	14.3	(2)
Colored [3]	1,034	(2)	15	(2)	14.5	(2)
Southampton County (total)	27,423	(2)	351	(2)	12.8	(2)
White	10,597	(2)	99	(2)	9.3	(2)
Colored	16,826	(2)	252	(2)	15.0	(2)
Spotsylvania County (total)	10,160	(2)	126	(2)	12.4	(2)
White	6,475	(2)	64	(2)	9.9	(2)
Colored	3,685	(2)	62	(2)	16.8	(2)
Stafford County (total)	8,062	(2)	97	(2)	12.0	(2)
White	6,344	(2)	73	(2)	11.5	(2)
Colored	1,718	(2)	24	(2)	14.0	(2)
Surry County (total)	10,119	(2)	140	(2)	13.8	(2)
White	3,846	(2)	39	(2)	10.1	(2)
Colored	6,273	(2)	101	(2)	16.1	(2)
Sussex County (total)	14,177	(2)	206	(2)	14.5	(2)
White	4,853	(2)	51	(2)	10.5	(2)
Colored	9,324	(2)	155	(2)	16.6	(2)
Tazewell County (total)	25,453	(2)	207	(2)	8.1	(2)
White	22,568	(2)	168	(2)	7.4	(2)
Colored	2,885	(2)	39	(2)	13.5	(2)
Warren County (total)	8,509	(2)	114	(2)	13.4	(2)
White	7,388	(2)	92	(2)	12.5	(2)
Colored	1,121	(2)	22	(2)	19.6	(2)
RURAL PART OF REGISTRATION STATES[1]—Con.						
VIRGINIA—continued.						
Warwick County (total)	6,414	(2)	130	(2)	20.3	(2)
White	1,799	(2)	24	(2)	13.3	(2)
Colored	4,615	(2)	106	(2)	23.0	(2)
Washington County (total)	34,075	(2)	418	(2)	12.3	(2)
White	31,659	(2)	384	(2)	12.1	(2)
Colored [3]	2,416	(2)	34	(2)	14.1	(2)
Westmoreland County (total)	9,335	(2)	86	(2)	9.2	(2)
White	4,643	(2)	39	(2)	8.4	(2)
Colored	4,692	(2)	47	(2)	10.0	(2)
Winchester (city) (total)	6,092	(2)	149	(2)	24.5	(2)
White	5,014	(2)	120	(2)	23.9	(2)
Colored	1,078	(2)	29	(2)	26.9	(2)
Wise County (total)	38,875	(2)	561	(2)	14.4	(2)
White	35,610	(2)	497	(2)	14.0	(2)
Colored [3]	3,265	(2)	64	(2)	19.6	(2)
Wythe County (total)	20,353	(2)	199	(2)	9.8	(2)
White	18,166	(2)	174	(2)	9.6	(2)
Colored	2,187	(2)	25	(2)	11.4	(2)
York County (total)	7,845	(2)	113	(2)	14.4	(2)
White	4,027	(2)	45	(2)	11.2	(2)
Colored	3,818	(2)	68	(2)	17.8	(2)
WASHINGTON.						
Total	706,326	679,114	5,693	5,076	8.1	7.5
White	685,034	658,626	5,420	4,817	7.9	7.3
Colored	21,292	20,488	273	259	12.8	12.6
Adams County †	12,894	12,279	54	65	4.2	5.3
Asotin County †	6,631	6,382	41	32	6.2	5.0
Benton County †	9,660	9,124	44	56	4.6	6.1
Chehalis County	25,075	24,061	214	169	8.5	7.0
Chelan County	18,734	17,603	172	127	9.2	7.2
Clallam County	7,128	7,012	109	74	15.3	10.6
Clarke County	30,239	28,954	272	218	9.0	7.5
Columbia County	7,016	7,025	57	69	8.1	9.8
Cowlitz County †	14,083	13,609	89	74	6.3	5.4
Douglas County †	11,401	10,724	48	44	4.2	4.1
Ferry County	4,878	4,854	43	53	8.8	10.9
Franklin County †	6,668	6,196	29	39	4.3	6.3
Garfield County †	4,290	4,262	30	29	7.0	6.8
Grant County †	10,748	10,109	34	27	3.2	2.7
Island County †	5,626	5,339	41	33	7.3	6.2
Jefferson County	9,189	8,923	100	74	10.9	8.3
King County	46,133	46,260	464	394	10.1	8.5
Kitsap County	21,181	20,080	193	153	9.1	7.6
Kittitas County	21,439	20,542	176	167	8.2	8.1
Klickitat County †	12,390	11,701	62	56	5.0	4.8
Lewis County	37,640	35,922	318	259	8.4	7.2
Lincoln County †	19,350	18,786	132	135	6.8	7.2
Mason County †	5,593	5,457	47	34	8.4	6.2
Okanogan County †	15,551	14,721	104	97	6.7	6.6
Pacific County	14,660	13,997	109	110	7.4	7.9
Pierce County *	43,285	41,348	531	490	12.3	11.9
San Juan County †	3,822	3,754	43	23	11.3	6.1
Skagit County	34,104	32,587	280	298	8.2	9.1
Skamania County †	3,276	3,154	22	19	6.7	6.0
Snohomish County †	40,335	38,483	291	235	7.2	6.1
Spokane County *	37,673	36,715	380	306	10.1	8.3
Stevens County [4]	30,091	28,596	160	171	5.3	6.0
Thurston County	20,068	19,292	193	154	9.6	8.0
Wahkiakum County †	3,437	3,389	5	6	1.5	1.8
Walla Walla County †	13,892	13,478	67	91	4.8	6.8
Whatcom County †	29,164	27,932	222	192	7.6	6.9
Whitman County †	35,854	35,051	277	235	7.7	6.7
Yakima County	33,128	31,413	240	208	7.2	8.5
WISCONSIN.						
Total	1,606,435	1,596,491	17,124	16,713	10.7	10.5
White	1,595,296	1,585,296	16,968	16,570	10.6	10.5
Colored	11,139	11,195	156	143	14.0	12.8
Adams County	8,432	8,486	102	103	12.1	12.1
Ashland County †	11,433	11,102	72	74	6.3	6.7
Barron County	30,880	30,330	293	276	9.5	9.1
Bayfield County †	16,505	16,344	107	116	6.5	7.1
Brown County	29,248	29,128	266	265	9.1	9.1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Not admitted to registration area until 1913.
[3] Colored population less than 10 per cent of total.
[4] Includes Pend Oreille County, organized June 10, 1911.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1912 AND 1913—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION ESTIMATED AS OF JULY 1—		NUMBER OF DEATHS.		DEATH RATE PER 1,000 POPULATION.	
	1913	1912	1913	1912	1913	1912
RURAL PART OF REGISTRATION STATES[1]—Con.						
WISCONSIN—continued.						
Buffalo County	15,761	15,838	131	139	8.3	8.8
Burnett County	9,528	9,372	92	86	9.7	9.2
Calumet County	16,580	16,618	162	135	9.8	8.1
Chippewa County	34,568	33,800	378	357	10.9	10.6
Clark County	31,447	31,019	253	229	8.0	7.4
Columbia County	31,131	31,130	382	359	12.3	11.5
Crawford County	15,965	16,066	198	180	12.4	11.2
Dane County *	51,177	52,150	578	548	11.3	10.5
Dodge County	47,697	47,616	522	485	10.9	10.2
Door County	19,078	18,964	157	180	8.2	9.5
Douglas County †	7,620	7,439	67	51	8.8	6.9
Dunn County	25,332	25,310	237	222	9.4	8.8
Eau Claire County	14,489	14,465	115	109	7.9	7.5
Florence County	3,440	3,422	32	26	9.3	7.6
Fond du Lac County	32,923	32,889	335	381	10.2	11.6
Forest County	8,532	7,987	61	69	7.1	8.6
Grant County	39,047	39,035	403	416	10.3	10.7
Green County	21,292	21,400	233	189	10.9	8.8
Green Lake County	15,393	15,423	191	145	12.4	9.4
Iowa County	22,299	22,360	204	226	9.1	10.1
Iron County	8,856	8,684	96	91	10.8	10.5
Jackson County	16,951	16,989	167	176	9.9	10.4
Jefferson County	34,150	34,198	406	423	11.9	12.4
Juneau County	19,227	19,333	215	219	11.2	11.3
Kenosha County	11,525	11,805	126	129	10.9	10.9
Kewaunee County	16,647	16,689	174	186	10.5	11.1
La Crosse County	13,108	13,462	156	135	11.9	10.0
Lafayette County	19,789	19,878	172	205	8.7	10.3
Langlade County	18,525	18,069	165	148	8.9	8.2
Lincoln County	19,972	19,689	165	165	8.3	8.4
Manitowoc County	32,432	32,282	290	332	8.9	10.3
Marathon County	40,959	40,191	320	330	7.8	8.2
Marinette County	20,685	20,222	161	185	7.8	9.1
Marquette County	10,815	10,792	119	98	11.0	9.1
Milwaukee County	58,022	55,979	1,404	1,327	24.2	23.7
RURAL PART OF REGISTRATION STATES[1]—Con.						
WISCONSIN—continued.						
Monroe County	29,132	29,053	314	264	10.8	9.1
Oconto County	27,210	26,726	233	227	8.6	8.5
Oneida County †	12,264	12,005	59	115	4.8	9.6
Outagamie County	32,708	32,590	361	283	11.0	8.7
Ozaukee County	17,369	17,292	173	184	10.0	10.6
Pepin County	7,471	7,504	87	82	11.6	10.9
Pierce County	21,475	21,664	235	220	10.9	10.2
Polk County	22,525	22,164	204	201	9.1	9.1
Portage County	31,420	31,272	336	332	10.7	10.6
Price County	15,317	14,842	115	125	7.5	8.4
Racine County	17,702	17,476	207	222	11.7	12.7
Richland County	18,591	18,659	169	220	9.1	11.8
Rock County	26,176	26,284	268	317	10.2	12.1
Rusk County	12,017	11,750	127	116	10.6	9.9
St. Croix County	25,612	25,705	280	257	10.9	10.0
Sauk County	32,825	32,839	334	333	10.2	10.1
Sawyer County	7,082	6,815	73	64	10.3	9.4
Shawano County	33,315	32,869	346	315	10.4	9.6
Sheboygan County	28,849	28,737	297	264	10.3	9.2
Taylor County	14,414	14,173	145	139	10.1	9.8
Trempealeau County	22,869	22,888	232	212	10.1	9.3
Vernon County	28,041	28,065	245	284	8.7	10.1
Vilas County †	6,372	6,262	36	40	5.6	6.4
Walworth County	29,730	29,694	397	364	13.4	12.3
Washburn County	9,063	8,792	86	75	9.5	8.5
Washington County	23,846	23,826	248	257	10.4	10.8
Waukesha County	37,706	37,517	488	460	12.9	12.3
Waupaca County	33,161	33,043	390	381	11.8	11.5
Waushara County	19,832	19,537	191	180	9.6	9.2
Winnebago County *	28,767	28,856	376	338	13.1	11.7
Wood County	32,114	31,637	365	327	11.4	10.3

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1910 TO 1913.

[The causes of death originally classified according to the first revision of the International List, which was in effect for the years 1900 to 1909, are rearranged, as far as practicable, to correspond with the second revision, in effect January 1, 1910. Changes depending upon new titles or markedly affecting the comparability of the figures are indicated by asterisks (*) following the titles, and reference should be made to the statements in the text (p. 22) relative to changes in classification.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1913	1912	1911	1910	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1913	1912	1911	1910	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	All causes	890,848	838,251	839,284	805,412	714,933	529,630	1,407.4	1,387.2	1,415.9	1,495.8	1,511.5	1,619.7
	I.—General diseases*	237,400	217,317	228,602	215,692	191,161	146,137	375.0	359.6	385.7	400.6	404.1	446.9
1	Typhoid fever	11,323	9,987	12,451	12,673	12,120	10,458	17.9	16.5	21.0	23.5	25.6	32.0
2	Typhus fever	8	6	5	2	1	3	(1)	(1)	(1)	(1)	(1)	(1)
3	Relapsing fever	4	3	2	1	1	2	(1)	(1)	(1)	(1)	(1)	(1)
4	Malaria	1,565	1,848	1,802	1,167	1,206	1,568	2.5	3.1	3.0	2.2	2.6	4.8
5	Smallpox	125	165	130	202	108	1,119	0.2	0.3	0.2	0.4	0.2	3.4
6	Measles	8,108	4,240	5,922	6,598	5,092	2,951	12.8	7.0	10.0	12.3	10.8	9.0
7	Scarlet fever	5,498	4,038	5,243	6,255	5,030	3,608	8.7	6.7	8.8	11.6	10.6	11.0
8	Whooping cough	6,332	5,619	6,682	6,146	5,440	3,572	10.0	9.3	11.3	11.4	11.5	10.9
9	Diphtheria and croup	11,920	11,013	11,174	11,521	10,576	9,674	18.8	18.2	18.9	21.4	22.4	29.6
10	Influenza	7,725	6,237	9,294	7,774	7,760	6,506	12.2	10.3	15.7	14.4	16.4	19.9
11	Miliary fever					(2)	3					(1)	(1)
12	Asiatic cholera			2						(1)			
13	Cholera nostras	399	245	350	563	485	460	0.6	0.4	0.6	1.0	1.0	1.4
14	Dysentery	3,216	2,635	3,062	3,446	3,076	2,810	5.1	4.4	5.2	6.4	6.5	8.6
15	Plague	2		1	1	19	18	(1)		(1)	(1)	(1)	0.1
16	Yellow fever					1	92					(1)	0.3
17	Leprosy	6	11	7	10	8	5	(1)	(1)	(1)	(1)	(1)	(1)
18	Erysipelas	2,525	2,302	2,510	2,442	1,977	1,455	4.0	3.8	4.2	4.5	4.2	4.5
19	Other epidemic diseases*	222	224	193	198	156	76	0.4	0.4	0.3	0.4	0.3	0.2
20	Purulent infection and septicemia	1,766	1,648	1,913	1,877	1,798	1,998	2.8	2.7	3.2	3.5	3.8	6.1
21	Glanders	8	12	11	7	7	5	(1)	(1)	(1)	(1)	(1)	(1)
22	Anthrax	25	18	14	22	21	23	(1)	(1)	(1)	(1)	(1)	0.1
23	Rabies	95	74	83	64	72	42	0.2	0.1	0.1	0.1	0.2	0.1
24	Tetanus*	1,362	1,303	1,336	1,373	1,276	1,150	2.2	2.2	2.3	2.5	2.7	3.5
25	Mycoses	32	27	37	32	29	14	0.1	(1)	0.1	0.1	0.1	(1)
26	Pellagra	1,015	674	659	368	101	1	1.6	1.1	1.1	0.7	0.2	(1)
27	Beriberi*	11	12	7	10	(3)	(4)	(1)	(1)	(1)	(1)	(3)	(4)
	Tuberculosis (total)	93,421	90,360	94,205	86,309	79,792	62,978	147.6	149.5	158.9	160.3	168.7	192.6
28	Tuberculosis of the lungs*	77,735	75,429	78,514	73,214	69,436	55,809	122.8	124.8	132.5	136.0	146.8	170.7
29	Acute miliary tuberculosis*	3,077	3,036	3,282	1,997	(3)	(4)	4.9	5.0	5.5	3.7	(3)	(4)
30	Tuberculous meningitis	5,467	5,098	5,237	4,654	4,289	2,905	8.6	8.4	8.8	8.6	9.1	8.9
31	Abdominal tuberculosis	3,651	3,525	3,680	3,159	2,843	1,946	5.8	5.8	6.2	5.9	6.0	6.0
32	Pott's disease	859	767	853	764	692	492	1.4	1.3	1.4	1.4	1.5	1.5
33	White swellings	435	450	438	422	348	234	0.7	0.7	0.7	0.8	0.7	0.7
34	Tuberculosis of other organs*	1,355	1,267	1,308	1,118	988	666	2.1	2.1	2.2	2.1	2.1	2.0
35	Disseminated tuberculosis	842	788	893	981	1,195	926	1.3	1.3	1.5	1.8	2.5	2.8
36	Rickets*	497	455	508	455	(3)	(4)	0.8	0.8	0.9	0.8	(3)	(4)
37	Syphilis	4,589	3,941	3,821	3,221	2,550	1,335	7.2	6.5	6.4	6.0	5.4	4.1
38	Gonococcus infection	237	219	222	197	121	41	0.4	0.4	0.4	0.4	0.3	0.1
	Cancer and other malignant tumors (total)	49,928	46,531	44,024	41,039	34,320	22,214	78.9	77.0	74.3	76.2	72.6	67.9
39	Of the buccal cavity	1,966	1,838	1,727	1,576	1,212	677	3.1	3.0	2.9	2.9	2.6	2.1
40	Of the stomach, liver	19,767	18,517	17,365	16,475	13,395	8,091	31.2	30.6	29.3	30.6	28.3	24.7
41	Of the peritoneum, intestines, rectum	6,625	5,923	5,824	5,258	4,148	2,332	10.5	9.8	9.8	9.8	8.8	7.1
42	Of the female genital organs	7,706	7,089	6,707	6,147	5,118	3,263	12.2	11.7	11.3	11.4	10.8	10.0
43	Of the breast	4,592	4,431	4,264	3,730	3,070	1,845	7.3	7.3	7.2	6.9	6.5	5.6
44	Of the skin	1,725	1,743	1,619	1,459	1,268	740	2.7	2.9	2.7	2.7	2.7	2.3
45	Of other organs or of organs not specified	7,547	6,990	6,518	6,394	6,110	5,266	11.9	11.6	11.0	11.9	12.9	16.1
46	Other tumors (tumors of the female genital organs excepted)	297	377	455	553	489	488	0.5	0.6	0.8	1.0	1.0	1.5
47	Acute articular rheumatism*	3,656	3,227	3,545	3,328	2,551	1,698	5.8	5.3	6.0	6.2	5.4	5.2
48	Chronic rheumatism and gout*	834	813	781	676	1,039	1,191	1.3	1.3	1.3	1.3	2.2	3.6
49	Scurvy	76	85	56	68	67	48	0.1	0.1	0.1	0.1	0.1	0.1
50	Diabetes	9,660	9,045	8,805	8,040	6,494	3,772	15.3	15.0	14.9	14.9	13.7	11.5
51	Exophthalmic goiter	966	908	787	687	512	218	1.5	1.5	1.3	1.3	1.1	0.7
52	Addison's disease	261	237	235	220	200	149	0.4	0.4	0.4	0.4	0.4	0.5
53	Leukemia	1,112	1,054	933	864	728	394	1.8	1.7	1.6	1.6	1.5	1.2
54	Anemia, chlorosis	3,186	3,078	2,813	2,614	2,293	1,578	5.0	5.1	4.7	4.9	4.8	4.8
55	Other general diseases*	1,190	1,048	1,182	1,359	476	158	1.9	1.7	2.0	2.5	1.0	0.5
56	Alcoholism (acute or chronic)	3,744	3,183	2,875	2,909	2,734	2,002	5.9	5.3	4.9	5.4	5.8	6.1
57	Chronic lead poisoning	162	148	145	136	101	87	0.3	0.2	0.2	0.3	0.2	0.3
58	Other chronic occupation poisonings	9	8	11	6	5	5	(1)	(1)	(1)	(1)	(1)	(1)
59	Other chronic poisonings	283	259	309	259	233	166	0.4	0.4	0.5	0.5	0.5	0.5
	II.—Diseases of the nervous system and of the organs of special sense*	84,755	82,248	81,428	77,991	72,470	58,890	133.9	136.1	137.4	144.8	153.2	180.1
60	Encephalitis	780	756	792	761	517	630	1.2	1.3	1.3	1.4	1.1	1.9
61	Meningitis (total)	6,599	6,928	7,285	7,619	9,197	10,366	10.4	11.5	12.3	14.2	19.4	31.7
	Simple meningitis	3,648	3,782	4,690	5,347	6,384	7,601	5.8	6.3	7.9	9.9	13.5	23.2
	Cerebrospinal meningitis (undefined)	1,771	1,694	2,055	2,052	2,813	2,765	2.8	2.8	3.5	3.8	5.9	8.5
	Cerebrospinal fever	1,180	1,452	540	220			1.9	2.4	0.9	0.4		
62	Locomotor ataxia	1,674	1,588	1,624	1,435	1,249	786	2.6	2.6	2.7	2.7	2.6	2.4
63	Other diseases of the spinal cord (total)	3,996	4,108	3,932	4,101	2,736	1,589	6.3	6.8	6.6	7.6	5.8	4.9
	Acute anterior poliomyelitis	864	1,136	1,060	1,459	2,736	1,589	1.4	1.9	1.8	2.7	5.8	4.9
	Other diseases of the spinal cord [5]	3,132	2,972	2,872	2,642			4.9	4.9	4.8	4.9		
64	Cerebral hemorrhage, apoplexy	47,220	45,752	44,274	39,701	33,913	22,756	74.6	75.7	74.7	73.7	71.7	69.6
65	Softening of the brain	1,158	1,045	1,035	1,066	1,163	1,198	1.8	1.7	1.7	2.0	2.5	3.7
66	Paralysis without specified cause [6]	6,772	6,105	6,359	7,756	7,606	6,583	10.7	10.1	10.7	14.4	16.1	20.1
67	General paralysis of the insane [6]	4,371	4,053	3,988	2,944	2,588	2,234	6.9	6.7	6.7	5.5	5.5	6.8
68	Other forms of mental alienation	1,534	1,482	1,371	1,761	1,719	1,170	2.4	2.5	2.3	3.3	3.6	3.6
69	Epilepsy	2,632	2,476	2,329	2,287	1,981	1,452	4.2	4.1	3.9	4.2	4.2	4.4
70	Convulsions (nonpuerperal)	144	157	186	200	256	364	0.2	0.3	0.3	0.4	0.5	1.1
71	Convulsions of infants	3,697	3,808	4,231	4,802	6,038	7,000	5.8	6.3	7.1	8.9	12.8	21.4
72	Chorea	118	118	116	123	103	87	0.2	0.2	0.2	0.2	0.2	0.3
73	Neuralgia and neuritis*	409	411	440	362	2,599	2,240	0.6	0.7	0.7	0.7	5.5	6.9
74	Other diseases of the nervous system*	2,355	2,316	2,273	2,069			3.7	3.8	3.8	3.8		
75	Diseases of the eyes and their annexa	54	46	55	37	29	22	0.1	0.1	0.1	0.1	0.1	0.1
76	Diseases of the ears	1,242	1,099	1,138	967	776	413	2.0	1.8	1.9	1.8	1.6	1.3

[1] Less than one-tenth of 1 per 100,000 population.
[2] Less than 1.
[3] Figures for deaths not available for the entire period.
[4] Figures for deaths not tabulated separately prior to 1910.
[5] Exclusive of acute anterior poliomyelitis (infantile paralysis).
[6] Paresis (unqualified) transferred from List No. 66 to No. 67 beginning with 1911.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1910 TO 1913—Continued.

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1913	1912	1911	1910	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1913	1912	1911	1910	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	III.—Diseases of the circulatory system	117,645	115,007	109,830	100,106	84,040	52,696	185.9	190.3	185.3	185.9	177.7	161.2
77	Pericarditis	715	718	747	650	638	677	1.1	1.2	1.3	1.2	1.3	2.1
78	Acute endocarditis*	5,387	5,198	4,489	4,792	5,790	3,665	8.5	8.6	7.6	8.9	12.2	11.2
79	Organic diseases of the heart*	87,755	86,179	83,525	76,178	62,985	40,612	138.6	142.6	140.9	141.5	133.2	124.2
80	Angina pectoris	4,592	4,391	4,212	3,869	3,204	2,143	7.3	7.3	7.1	7.2	6.8	6.6
81	Diseases of the arteries, atheroma, aneurism, etc	15,924	15,481	13,789	11,657	8,394	3,066	25.2	25.6	23.8	21.6	17.7	9.4
82	Embolism and thrombosis	2,179	2,094	2,016	1,990	1,866	1,367	3.4	3.5	3.4	3.7	3.9	4.2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	435	333	352	349	284	187	0.7	0.6	0.6	0.6	0.6	0.6
84	Diseases of the lymphatic system (lymphangitis, etc.)	360	324	326	255	144	65	0.6	0.5	0.5	0.5	0.3	0.2
85	Hemorrhage; other diseases of the circulatory system*	298	289	374	366	736	915	0.5	0.5	0.6	0.7	1.6	2.8
	IV.—Diseases of the respiratory system	103,979	100,210	99,650	100,835	88,976	72,091	164.3	165.8	168.1	187.3	188.1	220.5
86	Diseases of the nasal fossae	104	120	133	135	99	71	0.2	0.2	0.2	0.3	0.2	0.2
87	Diseases of the larynx	835	790	824	746	781	756	1.3	1.3	1.4	1.4	1.7	2.3
88	Diseases of the thyroid body	358	297	266	224	183	97	0.6	0.5	0.4	0.4	0.4	0.3
89	Acute bronchitis	6,602	6,723	6,482	7,229	7,206	6,996	10.4	11.1	10.9	13.4	15.2	21.4
90	Chronic bronchitis	4,786	4,907	5,077	5,391	5,239	5,031	7.6	8.1	8.6	10.0	11.1	15.4
91	Bronchopneumonia	31,094	28,422	26,365	25,337	19,130	10,768	49.1	47.0	44.5	47.1	40.4	32.9
92	Pneumonia (total)	52,684	51,495	52,868	54,187	48,713	41,044	83.2	85.2	89.2	100.6	103.0	125.5
	Lobar pneumonia	32,615	30,003	28,553	24,972			51.5	49.7	48.2	46.4		
	Pneumonia (undefined)	20,069	21,492	24,315	29,215	48,713	41,044	31.7	35.6	41.0	54.3	103.0	125.5
93	Pleurisy	2,211	1,994	2,160	2,150	1,955	1,520	3.5	3.3	3.6	4.0	4.1	4.6
94	Pulmonary congestion, pulmonary apoplexy	2,228	2,376	2,341	2,499	2,636	2,802	3.5	3.9	3.9	4.6	5.6	8.6
95	Gangrene of the lung	203	195	187	138	177	166	0.3	0.3	0.3	0.3	0.4	0.5
96	Asthma	1,578	1,588	1,578	1,454	1,386	1,220	2.5	2.6	2.7	2.7	2.9	3.7
97	Pulmonary emphysema	170	173	163	166	169	227	0.3	0.3	0.3	0.3	0.4	0.7
98	Other diseases of the respiratory system (tuberculosis excepted)	1,126	1,130	1,206	1,179	1,302	1,393	1.8	1.9	2.0	2.2	2.8	4.3
	V.—Diseases of the digestive system	103,276	95,599	98,601	104,801	91,377	63,834	163.2	158.2	166.3	194.6	193.2	195.2
99	Diseases of the mouth and annexa	448	431	366	423	349	242	0.7	0.7	0.6	0.8	0.7	0.7
100	Diseases of the pharynx	1,315	1,086	952	840	735	473	2.1	1.8	1.6	1.6	1.6	1.4
101	Diseases of the esophagus	164	123	142	120	132	113	0.3	0.2	0.2	0.2	0.3	0.3
102	Ulcer of the stomach	2,536	2,316	2,143	2,203	1,680	964	4.0	3.8	3.6	4.1	3.6	2.9
103	Other diseases of the stomach (cancer excepted)	8,832	9,030	8,774	8,403	7,939	5,786	14.0	14.9	14.8	15.6	16.8	17.7
104	Diarrhea and enteritis (under 2 years)	47,605	42,482	45,868	54,266	45,516	29,094	75.2	70.3	77.4	100.8	96.2	89.0
105	Diarrhea and enteritis (2 years and over)	9,475	8,274	8,108	8,914	7,891	6,610	15.0	13.7	13.7	16.6	16.7	20.2
106	Ankylostomiasis*	39	30	15	9			0.1	(1)	(1)	(1)		
107	Intestinal parasites*	98	97	90	76	67	38	0.2	0.2	0.2	0.1	0.1	0.1
108	Appendicitis and typhlitis	7,648	7,022	6,896	6,128	5,306	3,589	12.1	11.6	11.6	11.4	11.2	11.0
109	Hernia, intestinal obstruction (total)	7,342	7,192	7,061	6,678	6,089	4,256	11.6	11.9	11.9	12.4	12.9	13.0
	Hernia	2,424	2,348	2,369	2,192	1,927	1,364	3.8	3.9	4.0	4.1	4.1	4.2
	Intestinal obstruction	4,918	4,844	4,692	4,486	4,162	2,892	7.8	8.0	7.9	8.3	8.8	8.8
110	Other diseases of the intestines	1,642	1,705	1,785	1,571	1,311	945	2.6	2.8	3.0	2.9	2.8	2.9
111	Acute yellow atrophy of the liver	315	273	302	224	189	131	0.5	0.5	0.5	0.4	0.4	0.4
112	Hydatid tumor of the liver	15	25	24	24	16	11	(1)	(1)	(1)	(1)	(1)	(1)
113	Cirrhosis of the liver	8,497	8,176	8,310	7,485	6,784	4,694	13.4	13.5	14.0	13.9	14.3	14.4
114	Biliary calculi	1,999	1,793	1,749	1,501	1,301	736	3.2	3.0	3.0	2.8	2.8	2.2
115	Other diseases of the liver	3,029	3,120	3,076	3,092	2,865	2,443	4.8	5.2	5.2	5.7	6.1	7.5
116	Diseases of the spleen	127	108	124	96	95	85	0.2	0.2	0.2	0.2	0.2	0.3
117	Simple peritonitis (nonpuerperal)	1,708	1,907	2,349	2,419	2,899	3,537	2.7	3.2	4.0	4.5	6.1	10.8
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	442	409	467	329	214	88	0.7	0.7	0.8	0.6	0.5	0.3
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	75,253	72,059	67,348	62,559	54,171	37,584	118.9	119.2	113.6	116.2	114.5	114.9
119	Acute nephritis	6,568	6,402	5,956	5,665	4,773	3,138	10.4	10.6	10.0	10.5	10.1	9.6
120	Bright's disease	58,538	55,865	51,847	47,665	41,339	28,565	92.5	92.5	87.5	88.5	87.4	87.4
121	Chyluria*	1		1	1			(1)		(1)	(1)		
122	Other diseases of the kidneys and annexa*	1,372	1,454	1,343	1,389	1,247	926	2.2	2.4	2.3	2.6	2.6	2.8
123	Calculi of the urinary passages	403	358	361	329	265	155	0.6	0.6	0.6	0.6	0.6	0.5
124	Diseases of the bladder	1,474	1,504	1,532	1,561	1,484	1,415	2.3	2.5	2.6	2.9	3.1	4.3
125	Diseases of the urethra, urinary abscess, etc	264	258	285	237	204	136	0.4	0.4	0.5	0.4	0.4	0.4
126	Diseases of the prostate	2,465	2,439	2,175	2,020	1,628	862	3.9	4.0	3.7	3.8	3.4	2.6
127	Nonvenereal diseases of the male genital organs	104	82	49	75	49	35	0.2	0.1	0.1	0.1	0.1	0.1
128	Uterine hemorrhage (nonpuerperal)	54	48	76	81	79	89	0.1	0.1	0.1	0.2	0.2	0.3
129	Uterine tumor (noncancerous)	1,173	1,053	892	933	837	581	1.9	1.7	1.5	1.7	1.8	1.8
130	Other diseases of the uterus	721	687	770	774	734	564	1.1	1.1	1.3	1.4	1.6	1.7
131	Cysts and other tumors of the ovary	640	546	628	500	472	430	1.0	0.9	1.1	0.9	1.0	1.3
132	Salpingitis and other diseases of the female genital organs	1,451	1,324	1,401	1,298	1,034	671	2.3	2.2	2.4	2.4	2.2	2.1
133	Nonpuerperal diseases of the breast (cancer excepted)	25	39	32	31	26	17	(1)	0.1	0.1	0.1	0.1	0.1
	VII.—The puerperal state	10,010	9,035	9,456	8,455	7,330	4,643	15.8	15.0	16.0	15.7	15.5	14.2
134	Accidents of pregnancy	861	863	908	877	800	549	1.4	1.4	1.5	1.6	1.7	1.7
135	Puerperal hemorrhage*	988	923	851	754	491	337	1.6	1.5	1.4	1.4	1.0	1.0
136	Other accidents of labor*	854	842	911	820	629	295	1.3	1.4	1.5	1.5	1.3	0.9
137	Puerperal septicemia*	4,542	3,905	4,376	3,892	3,224	2,057	7.2	6.5	7.4	7.2	6.8	6.3
138	Puerperal albuminuria and convulsions*	2,397	2,174	2,094	1,824	1,593	911	3.8	3.6	3.5	3.4	3.4	2.8
139	Puerperal phlegmasia alba dolens, embolus, sudden death*	310	276	266	230	61	4	0.5	0.5	0.4	0.4	0.1	(1)
140	Following childbirth (not otherwise defined)*	56	44	48	53	528	488	0.1	0.1	0.1	0.1	1.1	1.5
141	Puerperal diseases of the breast	2	8	2	5	3	1	(1)	(1)	(1)	(1)	(1)	(1)

[1] Less than one-tenth of 1 per 100,000 population.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1910 TO 1913—Continued.

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1913	1912	1911	1910	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1913	1912	1911	1910	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	VIII.—Diseases of the skin and of the cellular tissue	3,275	3,108	3,010	3,008	2,869	2,392	5.2	5.1	5.1	5.6	6.1	7.3
142	Gangrene	1,591	1,654	1,656	1,748	1,656	1,457	2.5	2.7	2.8	3.2	3.5	4.5
143	Furuncle	331	322	285	273	221	149	0.5	0.5	0.5	0.5	0.5	0.5
144	Acute abscess	667	524	456	506	512	473	1.1	0.9	0.8	0.9	1.1	1.4
145	Other diseases of the skin and annexa	686	608	613	481	480	312	1.1	1.0	1.0	0.9	1.0	1.0
	IX.—Diseases of the bones and of the organs of locomotion*	1,616	1,428	1,365	1,317	1,335	932	2.6	2.4	2.3	2.4	2.8	2.9
146	Diseases of the bones (tuberculosis excepted)*	1,399	1,242	1,187	1,145	1,190	795	2.2	2.1	2.0	2.1	2.5	2.4
147	Diseases of the joints (tuberculosis and rheumatism excepted)	166	133	121	119	97	75	0.3	0.2	0.2	0.2	0.2	0.2
148	Amputations	3	3	5	7	13	35	[1]	[1]	[1]	[1]	[1]	0.1
149	Other diseases of the organs of locomotion	48	50	52	46	36	27	0.1	0.1	0.1	0.1	0.1	0.1
	X.—Malformations	9,401	8,670	8,465	7,998	7,066	3,978	14.9	14.3	14.3	14.9	14.9	12.2
150	Congenital malformations (stillbirths not included) (total)	9,401	8,670	8,465	7,998	7,066	3,978	14.9	14.3	14.3	14.9	14.9	12.2
	Hydrocephalus	820	771	736	685	669	527	1.3	1.3	1.2	1.3	1.4	1.6
	Congenital malformations of the heart	5,745	5,211	5,069	4,821	4,272	2,190	9.1	8.6	8.6	9.0	9.0	6.7
	Other congenital malformations	2,836	2,688	2,660	2,492	2,125	1,261	4.5	4.4	4.5	4.6	4.5	3.9
	XI.—Early infancy*	52,865	48,877	46,692	39,388	35,456	24,167	83.5	80.9	78.8	73.2	75.0	73.9
151	Congenital debility, icterus, and sclerema* (total)	43,198	39,926	38,434	32,350	30,526	17,646	68.2	66.1	64.8	60.1	64.5	54.0
	Premature birth	27,359	25,139	23,539	20,275	16,899	10,062	43.2	41.6	39.7	37.7	35.7	30.8
	Congenital debility, "atrophy," "marasmus," etc	15,839	14,787	14,895	12,075	13,627	7,585	25.0	24.5	25.1	22.4	28.8	23.2
152	Other causes peculiar to early infancy* (total)	9,486	8,801	8,087	6,906	4,765	2,499	15.0	14.6	13.6	12.8	10.1	7.6
	Injuries at birth	5,131	4,712	4,573	3,725	3,138	1,634	8.1	7.8	7.7	6.9	6.6	5.0
	Other causes peculiar to early infancy[2]	4,355	4,089	3,514	3,181	1,627	864	6.9	6.8	5.9	5.9	3.4	2.6
153	Lack of care*	181	150	171	132	165	4,022	0.3	0.2	0.3	0.2	0.3	12.3
	XII.—Old age*	13,914	14,362	13,974	13,604	13,715	13,400	22.0	23.8	23.6	25.3	29.0	41.0
154	Senility*	13,914	14,362	13,974	13,604	13,715	13,400	22.0	23.8	23.6	25.3	29.0	41.0
	XIII.—External causes*	68,566	63,385	63,650	57,196	51,058	33,251	108.3	104.9	107.4	106.2	107.9	101.7
	Suicide (total)	9,988	9,656	9,622	8,590	7,584	4,548	15.8	16.0	16.2	16.0	16.0	13.9
155	By poison	2,824	2,788	2,927	2,456	2,281	1,549	4.5	4.6	4.9	4.6	4.8	4.7
156	By asphyxia	1,262	1,199	1,013	941	785	365	2.0	2.0	1.7	1.7	1.7	1.1
157	By hanging or strangulation	1,380	1,437	1,373	1,265	1,085	684	2.2	2.4	2.3	2.3	2.3	2.1
158	By drowning	568	476	536	517	415	231	0.9	0.8	0.9	1.0	0.9	0.7
159	By firearms	2,930	2,796	2,859	2,561	2,233	1,108	4.6	4.6	4.8	4.8	4.7	3.4
160	By cutting or piercing instruments	673	644	623	544	472	261	1.1	1.1	1.1	1.0	1.0	0.8
161	By jumping from high places	183	143	146	137	128	55	0.3	0.2	0.2	0.3	0.3	0.2
162	By crushing	90	101	70	88	67	20	0.1	0.2	0.1	0.2	0.1	0.1
163	Other suicides	78	72	75	81	118	275	0.1	0.1	0.1	0.2	0.3	0.8
	Accidental or undefined (total)	54,011	49,775	50,121	45,416	40,702	27,753	85.3	82.4	84.6	84.3	86.0	84.9
164	Poisoning by food*	657	573	481	157	1,655	1,412	1.0	0.9	0.8	0.3	3.5	4.3
165	Other acute poisonings*	1,453	1,348	1,399	1,227			2.3	2.2	2.4	2.3		
166	Conflagration*	949	901	869	745	545	[3]	1.5	1.5	1.5	1.4	1.2	[3]
167	Burns (conflagration excepted)	4,935	4,839	4,567	4,182	3,885	2,715	7.8	8.0	7.7	7.8	8.2	8.3
168	Absorption of deleterious gases (conflagration excepted)*	2,271	2,378	2,143	1,379	1,766	1,519	3.6	3.9	3.6	2.6	3.7	4.6
169	Accidental drowning	6,468	5,313	5,571	4,818	4,551	3,362	10.2	8.8	9.4	8.9	9.6	10.3
170	Traumatism by firearms	1,572	1,369	1,327	1,161	1,012	1,109	2.5	2.3	2.2	2.2	2.1	3.4
171	Traumatism by cutting or piercing instruments*	95	106	122	89	[3]	[4]	0.2	0.2	0.2	0.2	[3]	[4]
172	Traumatism by fall*	9,747	9,322	8,905	8,305	[3]	[4]	15.4	15.4	15.0	15.4	[3]	[4]
173	Traumatism in mines and quarries (total)	2,385	2,137	2,372	2,484	2,010	320	3.8	3.5	4.0	4.6	4.2	1.0
	Traumatism in mines	2,280	2,040	2,256	2,366			3.6	3.4	3.8	4.4		
	Traumatism in quarries	105	97	116	118			0.2	0.2	0.2	0.2		
174	Traumatism by machines	1,526	1,379	1,239	1,299	1,002	285	2.4	2.3	2.1	2.4	2.1	0.9
175	Traumatism by other crushing* (total)	15,680	14,496	13,572	13,302	[3]	[4]	24.8	24.0	22.9	24.7	[3]	[4]
	Railroad accidents and injuries	8,212	8,209	7,696	7,877	7,076	4,977	13.0	13.6	13.0	14.6	15.0	15.2
	Street-car accidents and injuries	1,998	1,832	1,883	1,949	1,747		3.2	3.0	3.2	3.6	3.7	
	Automobile accidents and injuries	2,488	1,758	1,291	980	496		3.9	2.9	2.2	1.8	1.0	
	Injuries by other vehicles	2,381	2,221	2,237	1,940	1,870	848	3.8	3.7	3.8	3.6	4.0	2.6
	Landslide, other crushing*	601	476	465	556	[3]	[4]	0.9	0.8	0.8	1.0	[3]	[4]
176	Injuries by animals*	540	543	520	502	[3]	[4]	0.9	0.9	0.9	0.9	[3]	[4]
177	Starvation	34	50	94	38	36	33	0.1	0.1	0.2	0.1	0.1	0.1
178	Excessive cold	230	316	188	254	243	191	0.4	0.5	0.3	0.5	0.5	0.6
179	Effects of heat	1,226	779	3,165	826	763	1,188	1.9	1.3	5.3	1.5	1.6	3.6
180	Lightning	317	243	240	156	154	98	0.5	0.4	0.4	0.3	0.3	0.3
181	Electricity (lightning excepted)*	670	567	513	478	[3]	[4]	1.1	0.9	0.9	0.9	[3]	[4]
185	Fractures (cause not specified)	446	465	363	623	1,351	2,785	0.7	0.8	0.6	1.2	2.9	8.5
186	Other external violence*	2,810	2,651	2,471	3,391	8,554	6,527	4.4	4.4	4.2	6.3	18.1	20.0
	Homicide (total)	4,567	3,954	3,907	3,190	2,771	950	7.2	6.5	6.6	5.9	5.9	2.9
182	By firearms*	2,821	2,449	2,347	1,852	2,771	950	4.5	4.1	4.0	3.4	5.9	2.9
183	By cutting or piercing instruments*	674	592	638	452			1.1	1.0	1.1	0.8		
184	By other means*	1,072	913	922	886			1.7	1.5	1.6	1.6		
	XIV.—Ill-defined diseases*	8,893	6,946	7,213	12,462	13,907	15,633	14.0	11.5	12.2	23.1	29.4	47.8
187	Ill-defined organic disease	583	564	611	622	842	1,311	0.9	0.9	1.0	1.2	1.8	4.0
188	Sudden death	501	505	377	271	233	123	0.8	0.8	0.6	0.5	0.5	0.4
189	Not specified or ill-defined* (total)	7,809	5,877	6,225	11,569	12,833	14,199	12.3	9.7	10.5	21.5	27.1	43.4
	Ill-defined	3,328	3,156	3,512	9,932	11,224	12,580	5.3	5.2	5.9	18.4	23.7	38.5
	Not specified or unknown	4,481	2,721	2,713	1,637	1,609	1,618	7.1	4.5	4.6	3.0	3.4	4.9

[1] Less than one-tenth of 1 per 100,000 population.
[2] Exclusive of injuries at birth.
[3] Figures for deaths not available for the entire period.
[4] Figures for deaths not tabulated separately prior to 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	SUMMARY.														
1	The registration area (total)....1913	1,407.4	17.9	2.5	0.2	12.8	8.7	10.0	18.8	12.2	4.0	127.7	8.6	11.3	7.1
2	1912	1,387.2	16.5	3.1	0.3	7.0	6.7	9.3	18.2	10.3	3.8	129.9	8.4	11.2	6.7
3	White....1913	1,365.3	16.8	1.8	0.2	12.9	9.0	9.4	19.3	11.9	4.1	115.7	8.4	10.4	7.0
4	1912	1,346.9	15.7	2.4	0.3	7.1	6.9	8.6	18.6	9.8	3.9	118.8	8.1	10.4	6.6
5	Colored....1913	2,191.8	38.6	15.9	0.5	11.6	2.9	21.9	11.0	18.7	2.3	350.4	13.7	28.3	9.7
6	1912	2,292.3	34.9	18.4	0.5	4.0	1.6	24.2	9.7	21.4	2.6	378.3	15.3	30.7	9.6
7	Registration states[2] (total)....1913	1,388.4	17.8	2.1	0.2	13.0	7.7	10.3	18.2	12.4	4.0	124.8	8.7	11.1	7.1
8	1912	1,361.8	16.2	2.6	0.2	7.3	6.0	9.3	17.6	10.1	3.8	126.4	8.4	11.1	6.7
9	White....1913	1,356.4	16.8	1.7	0.2	13.0	7.9	9.7	18.5	12.2	4.1	114.5	8.4	10.3	7.0
10	1912	1,335.8	15.6	2.3	0.2	7.4	6.2	8.7	17.8	9.8	3.9	117.4	8.1	10.4	6.6
11	Colored....1913	2,075.9	40.3	10.0	0.5	12.9	3.1	23.6	10.7	16.4	2.2	347.0	15.1	28.0	9.8
12	1912	2,104.9	33.0	10.2	0.4	4.5	1.9	24.4	9.9	16.7	2.8	383.1	17.2	31.4	9.6
13	Cities in registration states[2] (total)....1913	1,502.8	16.1	1.0	0.1	13.5	9.7	9.3	21.6	8.5	4.8	139.1	11.9	11.6	7.5
14	1912	1,474.5	15.5	1.1	0.3	9.5	7.5	8.1	19.6	7.1	4.4	141.4	11.4	11.6	6.6
15	White....1913	1,463.1	15.2	0.7	0.1	13.7	9.9	8.8	22.1	8.1	4.9	128.0	11.4	10.7	7.3
16	1912	1,440.3	15.0	0.8	0.2	9.6	7.7	7.7	19.9	6.7	4.5	130.9	11.0	10.7	6.5
17	Colored....1913	2,430.4	35.7	8.2	0.5	11.1	3.2	21.2	10.9	17.8	3.2	400.2	23.7	32.6	11.5
18	1912	2,373.8	29.1	6.9	0.6	5.9	2.1	19.7	11.1	18.5	3.6	417.1	22.6	36.1	9.8
19	Rural part of registration states (total)....1913	1,273.3	19.6	3.2	0.3	12.4	5.7	11.3	14.7	16.3	3.2	110.4	5.5	10.7	6.7
20	1912	1,245.0	17.0	4.1	0.2	5.0	4.5	10.4	15.5	13.1	3.2	110.9	5.3	10.6	6.7
21	White....1913	1,248.3	18.4	2.8	0.3	12.2	5.8	10.6	14.9	16.3	3.3	100.8	5.4	10.0	6.6
22	1912	1,228.2	16.3	3.8	0.2	5.1	4.6	9.8	15.7	13.1	3.3	103.6	5.2	10.1	6.6
23	Colored....1913	1,769.9	44.2	11.4	0.6	14.5	3.0	25.7	10.4	15.2	1.3	301.1	7.6	24.0	8.4
24	1912	1,772.8	37.9	14.2	0.2	2.8	1.6	30.2	8.4	14.4	1.9	341.0	10.5	25.7	9.5
25	Registration cities in other states (total)....1913	1,629.6	18.7	7.1	0.2	11.1	20.6	6.4	26.4	10.2	3.9	161.2	7.7	13.0	7.2
26	1912	1,658.1	19.6	8.5	0.7	4.3	13.8	9.7	25.2	12.9	3.5	166.5	8.4	12.7	6.8
27	White....1913	1,479.1	16.7	2.3	0.2	11.9	23.3	5.1	28.5	7.6	4.0	131.8	7.6	10.7	6.9
28	1912	1,478.6	16.4	3.5	0.7	4.6	15.9	7.4	27.8	9.5	3.8	134.7	8.1	10.1	6.4
29	Colored....1913	2,666.1	31.8	40.2	0.3	6.0	2.2	15.0	12.2	28.1	2.8	364.0	8.2	29.4	9.0
30	1912	1,772.8	37.9	14.2	0.2	2.8	1.6	30.2	8.4	14.4	1.9	341.0	10.5	25.7	9.5
31	All registration cities[2] (total)....1913	1,521.3	16.4	1.9	0.1	13.2	11.3	8.9	22.3	8.8	4.7	142.4	11.3	11.8	7.4
32	1912	1,503.0	16.1	2.2	0.3	8.7	8.4	8.4	20.4	8.0	4.3	145.3	11.0	11.8	6.7
33	White....1913	1,465.2	15.4	0.9	0.1	13.4	11.7	8.3	22.9	8.0	4.8	128.5	10.9	10.7	7.2
34	1912	1,445.7	15.2	1.2	0.3	8.9	8.8	7.7	21.0	7.1	4.4	131.4	10.6	10.6	6.5
35	Colored....1913	2,511.7	34.4	19.3	0.4	9.3	2.9	19.1	11.3	21.4	3.1	387.7	18.3	31.5	10.6
36	1912	2,541.3	33.4	20.4	0.6	4.6	1.6	21.4	10.3	24.8	2.9	396.2	17.6	33.0	9.6
	REGISTRATION STATES.														
37	California (total)....1913	1,447.3	15.9	2.1	0.6	5.8	3.3	4.4	6.8	10.3	3.4	175.8	11.8	15.6	5.4
38	1912	1,424.7	17.2	3.1	0.6	5.5	1.6	6.9	5.9	8.3	3.6	174.0	10.9	15.1	6.2
39	White....1913	1,439.7	15.3	1.9	0.6	5.8	3.1	4.3	6.9	10.6	3.5	167.5	11.2	15.3	5.5
40	1912	1,417.7	16.5	2.8	0.6	5.6	1.7	6.6	6.1	8.5	3.6	167.1	10.1	14.5	6.2
41	Colored....1913	1,593.2	28.0	6.8	.....	6.0	7.6	6.0	3.8	6.0	3.0	335.0	25.0	21.2	3.8
42	1912	1,559.0	29.0	9.4	0.8	3.1	.....	11.7	1.6	6.3	3.9	305.2	26.6	25.0	4.7
43	Colorado (total)....1913	1,154.5	17.0	.....	.....	4.0	17.2	7.5	7.5	5.4	4.4	170.6	7.8	7.5	5.0
44	1912	1,164.4	15.4	0.1	0.1	1.9	10.0	11.7	6.5	7.0	2.8	187.0	7.7	8.9	4.2
45	White....1913	1,147.5	17.1	.....	.....	4.0	17.2	7.6	7.5	5.5	4.3	167.2	7.9	7.4	5.0
46	1912	1,157.8	15.5	.....	0.1	1.9	10.2	11.8	6.7	7.0	2.9	182.2	7.9	8.7	4.2
47	Colored....1913	1,501.0	11.6	.....	.....	.....	17.4	.....	5.8	.....	11.6	341.9	5.8	11.6	5.8
48	1912	1,495.8	11.9	6.0	.....	.....	.....	6.0	.....	6.0	.....	429.1	.....	17.9	6.0
49	Connecticut (total)....1913	1,499.3	11.3	1.4	0.1	8.5	9.7	7.6	19.1	16.7	4.6	121.0	10.6	8.9	7.2
50	1912	1,491.4	10.9	2.1	.....	10.1	7.3	10.0	17.1	14.6	4.2	121.5	11.2	10.2	6.9
51	White....1913	1,489.6	11.0	1.4	0.1	8.6	9.9	7.6	19.2	16.7	4.6	118.2	10.2	8.9	7.2
52	1912	1,483.3	10.7	2.1	.....	10.1	7.4	9.7	17.3	14.6	4.2	119.2	11.0	9.7	6.9
53	Colored....1913	2,176.9	29.7	.....	.....	.....	.....	5.9	11.9	17.8	.....	315.2	35.7	5.9	5.9
54	1912	2,055.9	18.1	.....	.....	6.0	.....	30.2	6.0	18.1	6.0	278.1	24.2	42.3	6.0
55	Indiana (total)....1913	1,329.3	25.1	2.6	0.4	16.1	7.3	11.7	18.6	14.3	3.7	125.0	8.3	16.4	5.6
56	1912	1,304.2	23.5	2.8	0.4	2.5	4.1	8.5	19.1	14.6	3.9	124.4	7.3	16.2	6.0
57	White....1913	1,305.0	24.5	2.4	0.4	16.2	7.4	11.3	18.7	14.3	3.7	117.8	8.1	15.5	5.4
58	1912	1,282.8	23.1	2.7	0.4	2.6	4.1	8.5	19.4	14.6	3.9	117.9	6.8	15.4	5.9
59	Colored....1913	2,381.7	51.4	9.6	.....	9.6	3.2	25.7	12.8	12.8	4.8	436.8	19.3	56.2	12.8
60	1912	2,233.0	40.4	8.1	.....	.....	3.2	8.1	8.1	12.9	3.2	409.1	25.9	51.7	9.7
61	Kentucky (total)....1913	1,311.7	42.7	8.1	0.2	17.0	2.4	23.3	24.6	16.9	4.0	176.2	8.6	16.7	6.5
62	1912	1,286.0	34.1	9.6	0.1	2.3	2.8	15.0	31.9	16.7	3.4	183.4	8.2	17.1	7.2
63	White....1913	1,209.9	40.2	6.6	0.2	18.4	2.7	21.7	26.4	14.8	4.2	150.3	8.0	14.4	5.5
64	1912	1,181.0	31.5	8.1	0.1	2.4	3.1	13.5	34.9	15.8	3.7	155.8	7.3	15.8	6.4
65	Colored....1913	2,099.8	62.5	20.2	.....	6.0	.....	35.2	10.9	32.9	2.6	376.8	13.5	34.4	13.8
66	1912	2,099.4	54.2	21.1	.....	1.1	1.1	26.4	8.3	23.7	0.8	397.2	15.1	27.5	13.6
67	Maine (total)....1913	1,525.9	12.0	0.7	0.3	8.2	2.2	5.1	11.6	22.8	2.0	96.2	11.3	19.4	6.1
68	1912	1,549.9	13.7	0.4	0.5	7.7	2.1	7.2	13.1	11.4	3.3	106.4	10.1	17.0	7.3
69	White....1913	1,526.8	12.0	0.7	0.3	8.1	2.3	5.2	11.6	22.9	2.0	95.8	11.4	19.5	6.1
70	1912	1,553.1	13.7	0.4	0.5	7.7	2.1	7.2	13.2	11.5	3.3	106.2	10.1	17.1	7.3
71	Colored....1913	1,236.6	.....	.....	.....	41.2	.....	.....	.....	.....	.....	206.1	.....	.....	.....
72	1912	540.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	166.2	.....	.....	.....
73	Maryland (total)....1913	1,615.8	33.3	1.7	0.2	15.1	5.2	15.4	15.3	14.6	3.0	174.6	7.8	12.1	5.7
74	1912	1,552.1	27.8	1.8	0.1	2.7	2.7	11.0	15.3	12.2	3.1	169.9	8.3	14.4	6.0
75	White....1913	1,444.0	26.7	1.3	0.1	14.2	6.0	10.1	15.9	12.9	3.3	132.5	6.9	9.2	5.8
76	1912	1,400.3	24.5	1.4	0.1	3.0	3.0	7.3	17.0	10.3	3.5	131.2	7.9	11.7	6.1
77	Colored....1913	2,399.9	63.6	3.8	0.4	19.2	1.3	39.8	12.1	22.2	1.7	366.6	12.1	25.5	5.4
78	1912	2,245.0	43.0	3.8	.....	1.3	0.8	27.8	7.6	20.7	1.3	346.8	9.7	26.6	5.5

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(87)	38	
78.9	15.3	10.4	76.4	138.6	18.0	132.4	13.9	75.2	12.1	11.6	13.4	102.9	7.2	8.6	83.1	92.5	15.8	245.3	14.0	1
77.0	15.0	11.5	77.4	142.6	19.2	132.3	14.3	70.3	11.6	11.9	13.5	103.0	6.5	8.5	80.4	88.9	16.0	244.3	11.5	2
80.0	15.6	10.1	76.1	135.8	17.4	127.7	13.4	74.3	12.1	11.4	13.4	99.5	6.9	8.3	82.2	89.7	16.2	238.0	10.5	3
77.9	15.2	11.0	77.0	139.1	18.8	127.3	13.8	69.2	11.5	11.7	13.5	99.5	6.2	8.3	79.4	86.4	16.3	237.5	10.0	4
57.3	8.4	17.4	82.0	192.4	28.2	218.7	24.0	91.3	11.0	15.1	13.7	166.2	11.5	14.6	99.0	146.2	8.6	379.9	81.0	5
56.4	8.8	21.9	87.2	220.5	29.6	242.6	26.2	95.5	13.5	16.0	14.6	182.6	12.6	13.4	102.5	146.4	8.9	395.9	46.0	6
78.6	15.4	10.2	77.5	138.3	18.4	129.0	13.8	72.2	11.5	11.4	12.9	100.1	7.0	8.5	83.7	91.2	15.4	241.8	14.0	7
76.9	15.0	10.9	78.6	141.6	19.7	128.3	14.1	66.6	10.9	11.7	13.0	99.7	6.2	8.3	80.6	87.2	15.5	240.1	11.1	8
79.6	15.7	10.0	77.4	136.2	17.9	125.4	13.4	71.4	11.6	11.3	13.0	98.0	6.8	8.3	83.1	89.3	15.7	237.4	10.8	9
77.5	15.2	10.7	78.5	139.3	19.4	124.9	13.8	65.9	10.9	11.6	13.0	97.7	6.0	8.2	80.2	85.8	15.7	236.7	10.2	10
56.4	8.6	14.4	78.7	184.5	29.0	207.1	22.3	89.1	9.9	14.0	12.0	146.8	10.9	14.0	96.5	132.6	8.7	337.6	83.5	11
57.3	9.4	18.3	80.5	206.0	29.0	227.2	22.2	87.1	11.2	14.1	13.2	156.2	10.5	12.4	93.6	129.7	9.3	335.2	37.6	12
87.8	17.4	10.9	75.2	148.2	20.3	156.2	14.8	84.6	15.5	13.8	16.1	118.8	8.0	9.2	90.8	94.7	18.6	242.0	5.1	13
84.9	16.8	12.0	75.5	150.6	21.5	152.5	14.9	83.3	14.6	13.4	15.9	116.9	7.1	8.8	88.0	90.1	18.2	240.2	5.2	14
88.4	17.6	10.6	74.3	144.3	19.5	150.4	14.2	83.8	15.6	13.5	16.1	115.6	7.8	8.9	89.6	92.6	18.9	236.2	4.4	15
85.6	17.1	11.5	74.9	146.9	21.0	147.5	14.4	82.8	14.6	13.2	15.9	114.2	6.8	8.6	87.1	88.4	18.4	235.3	4.9	16
72.9	11.5	18.5	97.6	239.6	39.8	291.8	29.2	101.9	15.1	19.7	16.2	194.6	12.7	14.1	119.3	144.8	12.1	378.2	21.6	17
66.9	11.0	23.7	90.2	249.1	34.9	285.5	27.2	97.3	14.9	17.7	15.6	187.4	14.0	12.8	111.2	135.3	11.5	369.1	15.3	18
69.4	13.4	9.4	79.8	128.3	16.5	101.6	12.9	59.7	7.5	9.1	9.7	81.3	5.9	7.9	76.5	87.8	12.1	241.6	23.0	19
68.5	13.1	9.8	81.8	132.2	17.8	103.3	13.3	49.4	7.1	9.9	10.1	81.8	5.2	7.9	73.0	84.3	12.8	239.9	17.2	20
70.7	13.7	9.3	80.7	127.9	16.4	100.0	12.7	58.8	7.6	9.1	9.8	80.1	5.7	7.6	76.5	86.0	12.5	238.6	17.2	21
69.2	13.3	9.8	82.3	131.5	17.7	101.6	13.2	48.6	7.1	9.9	10.1	80.7	5.2	7.7	73.1	83.0	13.0	238.2	15.7	22
42.2	6.0	10.9	62.4	136.8	19.6	134.0	16.3	78.1	5.4	9.1	8.3	105.5	9.4	14.0	76.8	122.2	5.8	302.5	137.0	23
45.5	7.3	11.6	68.5	152.7	21.8	155.1	15.9	74.4	6.6	9.6	10.2	117.5	6.3	12.0	71.8	122.8	6.5	293.5	65.1	24
82.1	13.8	13.6	63.9	142.5	12.9	171.8	15.0	110.6	18.6	13.5	19.3	134.7	9.5	9.9	76.4	107.7	20.6	285.5	14.3	25
78.6	14.5	17.3	64.9	153.8	14.2	174.0	16.9	109.5	19.1	14.5	18.8	139.1	9.5	10.2	78.1	106.8	20.9	289.3	15.7	26
85.2	14.7	11.3	59.2	130.5	11.1	158.0	12.7	112.1	19.0	12.6	19.1	118.5	8.8	8.9	71.6	94.0	22.4	246.6	6.1	27
82.5	15.6	15.0	58.6	137.1	11.5	156.6	13.7	108.2	19.0	13.4	18.8	121.1	8.1	9.3	70.4	93.5	23.0	246.9	7.4	28
61.0	7.6	29.6	95.8	225.0	25.1	266.4	30.8	100.2	15.8	19.6	20.6	245.7	14.1	17.1	108.9	201.8	7.9	553.3	70.4	29
54.1	7.3	31.2	105.0	258.6	31.1	283.2	36.7	117.6	19.7	21.1	18.4	252.1	18.0	15.9	126.1	190.3	7.9	555.0	67.9	30
87.0	16.9	11.3	73.6	147.4	19.2	158.4	14.8	88.4	16.0	13.7	16.6	121.1	8.3	9.3	88.7	96.6	18.9	248.3	6.5	31
83.9	16.5	12.8	73.9	151.1	20.4	155.9	15.2	87.4	15.3	13.6	16.3	120.3	7.5	9.0	86.4	92.7	18.6	247.8	6.9	32
88.0	17.2	10.7	72.2	142.5	18.3	151.4	14.0	87.6	16.0	13.4	16.5	116.0	8.0	8.9	87.2	92.8	19.3	237.6	4.7	33
85.1	16.9	12.0	72.6	145.5	19.7	148.8	14.3	86.4	15.2	13.2	16.3	115.2	7.0	8.7	84.7	89.1	19.1	236.9	5.2	34
68.8	10.1	22.3	97.0	234.6	34.8	283.0	29.8	101.3	15.3	19.6	17.7	212.3	13.2	15.1	115.7	164.5	10.6	438.6	38.4	35
61.7	9.5	26.8	96.3	253.0	33.3	284.6	31.1	105.6	16.9	19.1	16.7	213.8	15.6	14.1	117.2	157.7	10.0	445.0	36.8	36
97.6	18.7	13.3	82.6	178.4	13.6	108.3	16.5	45.7	14.1	14.0	18.1	98.7	6.3	8.1	55.7	118.2	31.5	244.6	1.8	37
90.7	18.2	10.0	76.9	185.4	15.6	111.2	15.6	38.6	13.1	13.2	20.3	95.3	5.3	8.1	52.8	114.8	31.1	247.4	2.4	38
99.8	19.5	12.9	83.9	181.2	13.6	107.0	16.4	44.0	14.1	13.5	18.4	100.0	6.0	8.1	54.4	117.1	31.3	245.2	1.6	39
92.8	18.5	9.7	78.6	188.0	15.5	108.7	16.0	37.9	13.1	13.1	20.3	95.4	5.1	8.3	52.9	112.8	30.8	247.7	2.4	40
54.4	4.5	20.4	56.7	123.2	14.4	133.8	17.4	77.1	15.1	23.4	12.1	74.9	12.1	9.1	79.4	139.9	34.0	233.6	5.3	41
50.9	11.0	15.7	44.6	135.4	18.0	158.1	8.6	52.4	11.7	14.1	21.1	92.4	7.8	5.5	50.9	152.6	36.8	240.3	3.9	42
50.7	10.0	11.0	40.6	86.2	11.3	119.4	17.9	43.2	15.4	12.5	7.1	75.5	7.5	8.5	74.9	93.3	21.2	192.4	2.0	43
58.0	9.7	11.1	41.7	93.5	10.4	119.4	17.2	37.8	14.9	10.2	8.2	83.0	7.5	6.1	70.1	91.8	19.1	189.4	2.2	44
51.0	10.0	11.0	40.9	84.1	11.3	118.9	18.0	43.9	15.4	12.5	6.8	75.3	7.4	8.4	75.9	93.1	21.0	190.2	1.8	45
58.2	9.9	11.3	42.0	91.5	10.5	119.8	17.1	38.1	15.0	10.0	8.1	81.8	7.4	6.2	70.8	91.2	19.4	188.3	2.3	46
34.8	5.8	11.6	29.0	191.2	11.6	144.9	11.6	11.6	17.4	11.6	23.2	86.9	11.6	11.6	29.0	104.3	29.0	301.4	11.6	47
47.7	.....	.....	23.8	190.7	6.0	95.4	17.9	23.8	11.9	17.9	11.9	143.0	11.9	.....	35.8	125.1	6.0	244.3	.....	48
85.1	20.6	12.9	106.7	154.7	21.7	151.4	15.6	83.0	9.8	11.3	12.3	112.0	4.7	7.4	95.4	93.1	15.4	250.3	9.5	49
81.4	20.0	15.7	109.7	151.1	24.1	145.5	16.0	87.3	7.5	11.3	12.3	106.3	5.3	9.9	93.8	87.4	17.6	255.8	7.5	50
84.4	20.5	12.7	106.4	153.9	21.6	151.0	15.3	83.5	9.8	11.0	12.2	110.7	4.6	7.3	94.9	92.2	15.4	249.3	9.4	51
81.4	20.1	15.6	109.8	149.7	23.9	144.2	15.8	86.9	7.5	11.4	12.1	105.6	5.2	9.9	93.4	87.0	17.7	255.4	7.5	52
136.8	29.7	23.8	130.9	208.2	23.8	178.4	35.7	47.6	11.9	29.7	17.8	202.2	11.9	11.9	136.8	154.6	17.8	321.2	17.8	53
84.7	12.1	24.2	102.8	247.9	42.3	235.8	30.2	114.9	6.0	.....	24.2	151.2	6.0	12.1	120.9	114.9	6.0	278.1	6.0	54
81.1	16.7	6.0	83.4	138.5	14.7	97.4	9.1	67.4	10.4	11.3	12.2	92.7	8.0	7.2	70.6	91.8	15.9	238.3	1.4	55
74.0	16.0	7.4	79.8	151.4	16.6	104.7	10.2	58.6	11.5	12.2	13.2	92.9	8.7	7.8	65.6	81.9	16.6	240.5	1.1	56
81.2	16.6	6.1	83.0	135.3	14.2	94.9	8.6	67.5	10.3	10.9	11.8	91.3	7.8	7.0	70.0	89.5	15.8	235.6	1.4	57
74.1	16.2	7.3	80.1	147.8	16.4	101.6	10.0	58.3	11.6	12.2	13.1	90.7	8.4	7.7	65.3	80.2	16.7	238.5	1.0	58
77.1	20.9	3.2	101.2	274.6	36.9	204.0	28.9	65.8	16.1	27.3	27.3	152.6	14.5	14.5	94.8	189.5	20.9	356.5	.....	59
72.8	6.5	9.7	67.9	307.2	24.3	237.7	19.4	72.8	8.1	11.3	16.2	189.2	21.0	11.3	79.2	156.8	11.3	326.6	3.2	60
48.0	7.4	19.7	42.8	87.4	15.2	99.0	14.4	55.6	7.4	8.7	8.3	80.3	7.7	8.2	86.6	81.4	8.6	243.0	34.9	61
44.9	8.1	23.3	46.1	92.6	16.4	100.6	16.6	40.6	6.5	10.3	8.8	75.4	6.1	9.4	77.1	75.7	9.0	235.7	51.1	62
48.0	7.8	19.9	39.3	78.3	13.0	89.9	12.7	55.5	7.3	8.5	7.7	71.4	7.2	8.1	84.9	70.3	9.1	224.5	33.1	63
45.5	8.0	22.1	42.4	80.4	13.5	90.8	14.6	40.0	6.3	9.3	8.0	68.4	5.9	9.1	77.0	67.0	9.6	216.5	48.0	64
48.3	4.1	18.0	70.3	157.2	32.6	169.9	27.7	56.1	7.9	10.5	12.3	149.3	11.6	9.0	99.9	167.3	4.1	386.1	49.0	65
40.7	8.3	33.1	74.9	187.1	38.8	175.8	31.6	44.8	7.9	18.1	15.1	129.9	7.5	11.7	77.9	142.7	4.1	384.4	74.9	66
107.5	16.9	11.6	114.4	175.3	20.7	145.3	16.1	61.4	11.1	10.8	7.7	102.9	3.7	7.7	80.2	71.8	13.3	326.1	23.5	67
110.1	20.8	12.6	124.7	177.4	24.2	142.2	17.8	43.0	10.5	12.7	6.6	101.4	2.8	7.3	82.7	74.0	14.9	336.2	27.6	68
107.6	16.9	11.6	114.8	175.6	20.6	145.7	16.1	61.5	11.1	10.7	7.7	103.0	3.7	7.7	80.1	71.6	13.2	326.0	23.6	69
110.0	20.9	12.7	125.1	177.7	24.2	142.5	17.9	43.2	10.5	12.8	6.7	101.6	2.8	7.3	83.0	73.9	14.9	337.3	27.7	70
82.4	.....	.....	.....	82.4	41.2	.....	.....	.....	.....	41.2	.....	82.4	.....	.....	123.7	123.7	41.2	371.0	.....	71
124.6	.....	.....	.....	83.1	.....	41.5	.....	.....	.....	.....	.....	41.5	.....	.....	.....	83.1	.....	.....	.....	72
82.8	13.7	13.1	90.1	140.4	24.1	146.9	15.1	101.1	9.7	12.5	10.4	140.1	8.4	9.4	109.4	81.4	15.3	267.7	20.1	73
79.0	13.0	13.4	84.8	148.6	23.3	132.0	15.5	87.2	8.6	13.7	10.2	139.4	6.4	10.1	104.4	77.0	12.0	274.5	24.0	74
86.9	14.5	11.6	88.2	127.2	19.7	120.0	14.1	92.2	9.4	12.3	10.1	129.2	7.1	7.8	98.0	75.1	17.8	245.2	12.7	75
83.5	14.0	13.1	82.6	135.5	20.4	106.1	13.8	79.5	8.5	14.2	10.7	125.3	6.0	8.3	100.6	69.6	13.9	252.2	15.4	76
64.4	10.0	19.7	98.8	200.9	43.9	269.9	19.7	141.9	10.9	13.4	12.1	189.6	14.2	16.7	161.5	110.1	4.2	370.3	54.0	77
58.2	8.4	14.8	94.9	208.4	36.3	250.2	23.2	122.8	8.9	11.4	7.6	203.8	8.0	18.1	121.5	111.0	3.4	375.9	63.3	78

[2] Includes District of Columbia.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—												
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION STATES—Continued.															
1	Massachusetts (total)	1913	1,501.6	7.9	0.4	.....	14.1	8.8	8.6	17.6	9.2	3.9	120.8	12.7	10.7	6.2
2		1912	1,496.3	7.7	0.2	0.1	11.3	3.8	9.7	14.2	6.9	4.6	125.6	11.9	10.0	5.8
3	White	1913	1,495.2	7.8	0.4	.....	14.1	8.8	8.4	17.6	9.3	3.9	117.8	12.5	10.2	6.2
4		1912	1,489.4	7.7	0.2	0.1	11.3	3.9	9.5	14.2	7.0	4.6	122.4	11.8	9.7	5.8
5	Colored	1913	2,012.0	9.1	.....	.....	9.1	2.3	25.2	18.3	4.6	.....	359.0	29.7	45.7	4.6
6		1912	2,050.9	11.6	.....	.....	9.3	.....	23.3	16.3	2.3	4.7	386.0	20.9	34.9	2.3
7	Michigan (total)	1913	1,389.9	18.4	0.6	0.1	8.6	9.6	9.4	23.0	11.5	4.5	77.4	5.1	9.2	7.1
8		1912	1,337.7	18.6	0.8	0.1	3.9	6.3	8.5	16.1	10.5	4.0	80.2	4.7	9.3	7.3
9	White	1913	1,381.9	18.3	0.6	0.1	8.6	9.7	9.4	23.1	11.5	4.5	75.1	5.0	8.9	7.1
10		1912	1,330.4	18.7	0.8	0.1	3.9	6.3	8.4	16.3	10.5	4.0	78.3	4.7	9.2	7.3
11	Colored	1913	2,288.1	19.2	.....	.....	11.5	.....	3.8	11.5	15.4	3.8	334.0	15.4	38.4	7.7
12		1912	2,154.9	3.9	.....	.....	3.9	3.9	23.3	.....	11.6	3.9	294.6	7.8	23.3	11.6
13	Minnesota (total)	1913	1,044.8	10.8	(2)	0.6	9.5	8.5	6.6	10.0	8.5	3.5	88.0	8.2	11.2	5.6
14		1912	953.7	10.6	0.1	0.2	1.0	4.8	9.8	7.8	3.4	2.5	90.2	8.0	10.3	6.1
15	White	1913	1,035.8	10.8	(2)	0.6	9.5	8.5	6.5	9.9	8.5	3.5	84.6	8.0	11.0	5.6
16		1912	948.4	10.6	0.1	0.2	1.0	4.8	9.8	7.8	3.5	2.5	86.9	8.0	10.0	6.1
17	Colored	1913	2,165.4	5.8	.....	.....	11.5	5.8	17.3	23.1	5.8	.....	519.7	23.1	40.4	11.5
18		1912	1,604.5	17.1	.....	.....	.....	5.7	5.7	5.7	.....	.....	485.4	5.7	45.7	5.7
19	Missouri (total)	1913	1,239.2	24.4	12.7	0.3	13.1	4.3	9.2	17.5	17.0	3.2	126.7	6.1	10.7	6.8
20		1912	1,264.0	23.1	19.1	0.4	1.7	4.3	12.4	18.0	15.2	3.1	129.9	6.0	12.7	6.6
21	White	1913	1,183.4	23.9	12.6	0.3	13.2	4.4	8.4	17.9	16.9	3.2	107.7	5.8	9.5	6.5
22		1912	1,207.2	22.0	19.3	0.4	1.7	4.5	11.7	18.6	15.0	3.2	111.2	5.5	11.4	6.1
23	Colored	1913	2,341.9	36.0	16.1	0.6	10.5	1.2	26.0	8.7	19.2	4.3	504.0	12.4	34.1	12.4
24		1912	2,387.6	46.1	15.0	.....	1.9	1.2	27.4	6.2	19.3	2.5	501.2	14.3	38.7	15.0
25	Montana (total)	1913	1,200.7	22.7	0.2	0.7	12.9	28.4	11.0	5.5	7.2	3.8	93.3	6.0	9.5	7.2
26		1912	1,006.3	14.0	.....	0.5	1.5	6.4	13.8	3.2	4.2	1.7	102.8	3.7	8.9	5.9
27	White	1913	1,150.7	21.6	0.2	0.7	8.7	22.4	10.4	4.2	7.5	3.7	79.9	5.0	8.5	6.7
28		1912	959.4	14.7	.....	0.3	1.5	6.7	9.5	3.1	4.4	1.8	79.5	2.1	7.7	5.9
29	Colored	1913	2,365.6	46.4	.....	.....	110.2	168.1	23.2	34.8	.....	5.8	405.9	29.0	34.8	17.4
30		1912	2,075.8	.....	.....	5.9	.....	.....	111.4	5.9	.....	.....	633.3	41.0	35.2	5.9
31	New Hampshire (total)	1913	1,707.9	11.9	.....	0.5	12.4	3.0	9.4	12.8	16.5	2.1	98.9	10.8	10.5	7.6
32		1912	1,640.7	8.7	0.2	0.5	4.4	2.3	9.7	19.8	13.8	4.4	94.8	9.9	7.8	4.1
33	White	1913	1,709.4	11.9	.....	0.5	12.4	3.0	9.2	12.8	16.5	2.1	98.8	10.8	10.5	7.6
34		1912	1,640.2	8.8	0.2	0.5	4.4	2.3	9.4	19.8	13.8	4.4	94.9	9.9	7.8	4.1
35	Colored	1913	739.6	.....	.....	.....	.....	.....	147.9	.....	.....	.....	147.9	.....	.....	.....
36		1912	1,940.3	.....	.....	.....	.....	.....	149.3	.....	.....	.....	.....	.....	.....	.....
37	New Jersey (total)	1913	1,434.3	9.6	0.5	.....	7.8	8.4	12.9	21.3	8.9	4.7	134.2	9.5	9.6	7.4
38		1912	1,407.9	11.5	1.2	0.1	11.0	5.4	7.2	18.6	7.2	4.5	136.8	9.5	8.9	7.2
39	White	1913	1,411.2	9.4	0.4	.....	7.9	8.6	12.2	21.7	8.9	4.8	126.7	9.1	9.0	7.2
40		1912	1,384.2	11.3	1.2	0.1	11.0	5.5	6.7	18.7	7.2	4.5	129.7	9.0	8.3	7.0
41	Colored	1913	2,053.4	16.2	3.0	.....	5.1	3.0	32.4	10.1	10.1	1.0	335.7	22.2	27.3	12.1
42		1912	2,042.9	16.6	1.0	.....	11.4	2.1	20.7	15.5	8.3	4.1	327.4	23.8	24.9	12.4
43	New York (total)	1913	1,498.2	10.3	0.4	(2)	11.5	9.2	7.9	19.5	10.9	5.0	145.9	12.5	8.7	8.0
44		1912	1,497.0	11.6	0.5	0.1	10.8	8.5	6.6	17.3	8.0	5.2	146.9	11.8	9.0	7.3
45	White	1913	1,487.3	10.3	0.4	(2)	11.6	9.3	7.7	19.5	10.9	5.0	141.0	12.1	8.5	8.0
46		1912	1,483.6	11.5	0.5	(2)	10.7	8.5	6.4	17.3	8.0	5.2	141.5	11.5	8.5	7.2
47	Colored	1913	2,165.3	11.5	1.3	.....	7.0	4.5	19.2	19.2	9.0	3.8	450.7	36.4	23.7	7.0
48		1912	2,316.6	16.9	0.7	0.7	11.7	6.5	17.6	16.9	5.2	3.3	474.5	30.6	37.2	12.4
49	North Carolina [3] (total)	1913	1,683.9	57.4	18.9	2.5	27.0	2.8	28.7	12.8	18.4	3.8	203.8	8.6	17.4	6.0
50		1912	1,729.4	40.2	34.5	1.0	10.9	2.6	24.6	14.0	20.7	2.3	211.8	5.2	21.5	7.5
51	White	1913	1,378.6	50.6	11.3	3.1	32.3	3.5	23.3	12.1	15.9	5.4	149.7	8.6	12.8	3.9
52		1912	1,442.5	34.4	24.4	0.8	11.6	3.2	17.6	15.2	14.4	1.6	147.2	6.4	14.8	6.4
53	Colored	1913	2,245.8	70.1	32.9	1.4	17.2	1.4	38.6	14.3	22.9	0.7	303.3	8.6	25.8	10.0
54		1912	2,257.6	50.8	53.0	1.5	9.6	1.5	37.6	11.8	32.4	3.7	330.6	2.9	33.9	9.6
55	Ohio (total)	1913	1,379.5	24.0	0.9	0.1	13.7	6.5	13.7	21.3	14.2	3.8	113.1	6.8	12.3	7.0
56		1912	1,335.1	18.2	0.7	(2)	8.2	8.0	8.9	22.4	11.6	3.8	118.3	6.9	12.6	6.9
57	White	1913	1,354.3	23.5	0.8	0.1	13.8	6.6	13.2	21.5	14.1	3.9	104.8	6.6	11.9	6.9
58		1912	1,313.7	17.8	0.6	(2)	8.2	8.1	8.6	22.5	11.5	3.8	110.6	6.7	12.0	6.9
59	Colored	1913	2,422.0	45.3	5.1	1.7	6.8	2.6	32.5	13.7	19.7	2.6	455.1	14.5	29.9	11.1
60		1912	2,224.7	37.3	5.2	.....	7.8	3.5	18.2	20.8	14.7	5.2	437.5	14.7	39.0	5.2
61	Pennsylvania (total)	1913	1,455.3	18.1	0.4	0.1	19.5	11.3	11.1	25.9	12.3	5.0	104.5	6.6	9.8	9.5
62		1912	1,403.3	16.4	0.5	0.5	10.6	6.9	10.2	25.6	10.1	3.5	108.3	6.2	9.4	7.6
63	White	1913	1,435.4	17.7	0.4	0.1	19.5	11.5	10.6	26.3	12.4	5.1	97.3	6.2	9.2	9.3
64		1912	1,392.7	16.5	0.5	0.5	10.8	7.0	9.9	25.9	10.0	3.4	102.9	6.0	9.0	7.5
65	Colored	1913	2,206.9	32.6	1.4	0.5	17.2	4.3	27.8	11.5	7.7	3.4	379.3	22.0	34.0	17.7
66		1912	1,803.2	15.6	0.5	1.5	1.5	2.4	19.0	13.6	14.1	4.4	311.8	13.6	24.8	12.2
67	Rhode Island (total)	1913	1,500.5	8.3	0.7	.....	12.2	3.6	6.9	24.3	12.9	4.3	133.4	15.0	14.3	4.5
68		1912	1,521.5	7.7	0.4	.....	20.6	7.4	9.5	24.1	7.9	3.7	132.4	15.8	12.3	4.6
69	White	1913	1,482.6	8.3	0.7	.....	12.5	3.3	6.3	24.6	12.8	4.4	127.8	14.6	13.2	4.6
70		1912	1,504.1	7.9	0.4	.....	19.7	7.5	9.0	24.2	8.1	3.8	127.0	15.8	11.3	4.7
71	Colored	1913	2,442.4	9.3	.....	.....	.....	18.5	37.0	9.3	18.5	.....	425.6	37.0	74.0	.....
72		1912	2,442.3	.....	.....	.....	66.3	.....	37.9	18.9	.....	.....	416.5	18.9	66.3	.....
73	Utah (total)	1913	1,098.0	22.2	1.0	1.5	31.6	3.7	9.9	8.2	11.1	3.2	41.5	3.0	4.4	7.9
74		1912	990.8	14.4	.....	1.8	3.8	4.6	17.7	5.8	7.1	4.1	33.4	1.8	5.1	3.5
75	White	1913	1,089.3	22.6	1.0	1.5	31.0	3.8	10.1	8.3	11.3	3.3	37.0	2.8	4.0	8.1
76		1912	991.3	14.4	.....	1.8	3.9	4.6	17.0	5.9	7.2	4.1	31.0	1.5	4.6	3.6
77	Colored	1913	1,567.4	.....	.....	.....	68.1	.....	.....	.....	.....	.....	286.2	13.6	27.3	.....
78		1912	963.1	13.8	.....	.....	.....	.....	55.0	.....	.....	.....	165.1	13.8	27.5	.....

[1] Exclusive of stillbirths.

[2] Less than one-tenth of 1 per 100,000 population.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
101.4	20.5	11.9	98.9	183.1	22.4	154.8	12.1	86.7	11.6	12.3	10.3	90.9	5.3	9.1	88.3	80.9	13.4	261.4	5.7	1
97.6	19.4	12.8	97.2	186.9	24.0	152.0	12.3	94.5	9.9	10.9	9.6	90.3	5.3	7.8	89.3	80.4	13.3	264.3	6.8	2
101.7	20.5	12.0	99.0	182.1	22.1	153.9	12.0	86.9	11.6	12.3	10.4	90.5	5.2	9.1	88.2	80.3	13.4	260.8	5.7	3
97.9	19.5	12.8	97.2	185.9	24.0	150.7	12.2	94.7	9.8	11.0	9.6	89.5	5.1	7.7	89.3	80.2	13.3	263.8	6.8	4
73.2	18.3	6.9	86.9	256.1	43.4	228.6	16.0	70.9	11.4	11.4	4.6	125.8	11.4	9.1	93.7	132.6	11.4	306.4	9.1	5
69.8	7.0	16.3	93.0	260.4	18.6	260.4	18.6	79.1	16.3	4.7	11.6	153.5	16.3	14.0	88.4	93.0	11.6	300.0	7.0	6
81.5	16.3	12.2	79.8	152.2	22.9	98.5	16.4	59.3	12.7	15.1	11.1	74.9	9.3	10.4	101.6	91.2	13.9	313.5	12.6	7
78.6	14.9	10.9	83.4	151.3	24.5	93.6	18.1	48.3	12.6	14.8	12.4	75.4	6.2	8.5	92.6	81.8	14.3	309.6	15.4	8
81.7	16.4	12.1	79.7	151.7	22.9	97.8	16.4	58.4	12.7	15.0	11.1	74.0	9.2	10.3	101.8	90.8	13.9	311.7	12.3	9
78.5	15.0	10.8	83.0	150.8	24.4	92.7	18.0	48.3	12.5	14.7	12.4	74.5	6.2	8.5	92.5	81.1	14.2	308.2	15.3	10
49.9	11.5	23.0	88.3	211.1	23.0	184.3	23.0	157.4	11.5	23.0	11.5	176.6	19.2	15.4	84.5	138.2	15.4	514.4	46.1	11
89.1	11.6	23.3	131.8	213.2	27.1	193.8	27.1	46.5	15.5	23.3	15.5	174.4	3.9	3.9	108.5	155.0	19.4	457.3	27.1	12
75.1	13.6	4.9	52.2	92.8	12.3	81.1	10.8	41.3	16.2	10.3	7.5	72.5	5.5	9.1	73.5	80.4	13.9	189.9	10.9	13
69.7	12.4	5.9	48.1	89.0	11.3	71.9	9.4	29.2	14.1	9.6	7.6	70.6	5.5	7.0	65.7	69.8	12.6	177.7	11.8	14
75.4	13.6	4.9	52.3	92.2	12.3	80.2	10.6	40.5	16.3	10.3	7.5	72.1	5.5	9.1	73.8	80.1	13.9	188.7	9.3	15
70.0	12.4	5.8	48.2	88.7	11.4	71.8	9.3	29.1	14.2	9.6	7.6	70.4	5.4	6.9	65.8	69.5	12.6	177.7	10.5	16
34.6	17.3	------	34.6	167.5	11.5	184.8	28.9	132.8	5.8	11.5	5.8	115.5	5.8	11.5	46.2	121.3	17.3	340.7	207.9	17
34.3	11.4	11.4	28.6	125.6	5.7	85.7	22.8	40.0	5.7	5.7	5.7	91.4	17.1	11.4	51.4	108.5	11.4	177.0	177.0	18
67.1	13.0	10.4	53.3	95.9	17.7	114.0	10.7	57.7	12.9	10.4	13.4	95.2	9.3	8.0	67.7	75.8	17.5	218.1	19.1	19
64.2	12.1	19.7	54.6	104.0	19.1	115.6	10.8	52.0	11.6	10.8	15.7	98.4	8.4	7.9	66.7	80.8	19.5	218.9	20.6	20
66.9	13.0	10.1	52.6	89.7	17.0	106.8	10.3	57.3	12.7	9.7	13.0	90.9	9.2	8.0	67.6	71.3	17.8	211.0	18.4	21
64.1	11.9	18.4	53.6	97.3	18.6	108.7	10.5	51.2	11.5	10.4	15.2	94.0	8.1	7.7	67.2	77.0	20.0	211.8	19.6	22
70.0	13.6	16.7	67.6	217.6	32.2	256.6	18.6	65.7	14.9	22.9	20.5	181.0	11.2	8.7	70.0	164.3	11.8	358.9	33.5	23
66.7	16.2	46.1	73.6	235.6	30.5	251.2	17.5	66.7	13.7	18.1	26.2	185.1	14.3	13.1	58.0	157.1	10.0	359.7	39.3	24
49.4	10.5	14.3	37.0	90.9	11.5	121.2	13.4	38.6	21.2	8.3	12.9	58.9	8.8	10.3	67.8	145.0	27.4	215.2	29.8	25
40.4	7.4	9.1	39.2	75.2	9.6	95.4	11.8	21.7	14.5	8.9	8.9	60.6	6.7	11.8	69.7	131.6	20.5	177.2	19.5	26
51.0	10.7	13.9	37.3	91.6	11.2	108.7	12.4	38.6	21.4	8.7	11.9	58.7	8.7	10.2	69.2	146.3	27.9	210.2	22.4	27
41.4	7.2	8.5	40.1	74.1	9.3	83.6	11.8	21.9	14.2	8.7	9.0	61.0	6.7	11.8	71.0	132.5	21.1	172.9	15.5	28
11.6	5.8	23.2	29.0	75.4	17.4	411.7	34.8	40.6	17.4	------	34.8	63.8	11.6	11.6	34.8	116.0	17.4	330.5	202.9	29
17.6	11.7	23.5	17.6	99.7	17.6	363.6	11.7	17.6	23.5	11.7	5.9	52.8	5.9	11.7	41.0	111.4	5.9	275.6	111.4	30
104.4	23.6	18.5	125.2	187.1	27.5	146.8	19.5	96.2	12.6	14.2	11.2	118.8	4.1	9.4	119.3	78.1	17.2	365.9	12.1	31
107.4	20.5	13.6	134.1	192.7	31.7	131.5	22.3	53.8	9.9	11.3	10.3	121.7	5.1	10.1	105.1	77.5	15.2	378.1	8.5	32
104.6	23.6	18.6	125.4	187.4	27.5	147.0	19.5	96.3	12.6	14.2	11.2	118.8	4.1	9.4	119.2	78.2	17.0	366.5	12.2	33
107.6	20.5	13.6	133.8	193.0	31.8	131.1	22.3	53.9	9.9	11.3	10.4	121.4	5.1	10.1	105.3	77.2	15.2	378.0	8.5	34
------	------	------	------	------	------	------	------	------	------	------	------	147.9	------	------	147.9	------	147.9	------	------	35
------	------	------	298.5	------	------	447.8	------	------	------	------	------	298.5	------	------	------	298.5	------	447.8	------	36
78.4	16.7	9.7	89.8	144.9	19.2	150.8	15.0	89.9	10.2	9.8	15.6	121.8	7.8	8.4	87.5	88.6	16.4	215.0	3.8	37
76.5	15.7	10.2	88.1	143.9	18.0	145.0	15.7	95.0	9.4	10.2	15.8	117.1	6.1	9.2	84.3	87.7	15.4	211.2	4.5	38
78.8	16.7	9.8	89.8	142.9	18.3	147.1	14.7	89.4	10.2	9.6	15.9	119.9	7.7	8.2	85.6	88.5	16.8	212.0	3.5	39
77.2	16.0	10.1	88.1	141.5	17.7	142.1	15.1	94.1	9.3	10.0	15.7	115.1	5.9	8.9	82.8	87.1	15.8	207.2	4.5	40
68.7	15.2	8.1	92.0	199.2	41.5	250.7	22.2	104.1	9.1	15.2	8.1	171.9	11.1	14.2	138.5	92.0	8.1	294.2	11.1	41
59.0	7.3	11.4	88.1	207.2	28.0	222.7	31.1	117.1	12.4	14.5	17.6	170.9	11.4	17.6	124.3	103.6	4.1	320.1	6.2	42
87.8	18.9	7.1	81.4	160.9	19.5	171.4	11.3	74.6	12.2	12.3	16.6	134.7	6.2	7.8	88.0	86.3	15.9	233.9	1.5	43
86.2	18.0	9.9	81.3	154.2	21.8	173.5	12.1	76.5	11.7	12.6	16.4	138.5	6.0	7.6	84.5	84.4	15.2	241.3	2.1	44
88.2	19.0	7.0	81.6	160.1	19.4	169.1	11.4	74.5	12.2	12.2	16.6	133.6	6.1	7.8	87.7	85.9	16.0	233.2	1.3	45
86.5	18.0	9.9	81.5	153.5	21.8	170.8	12.2	76.0	11.6	12.6	16.4	137.4	5.9	7.5	83.8	84.0	15.3	240.1	2.0	46
62.7	10.9	11.5	69.7	212.9	28.8	310.7	5.8	86.3	12.1	15.3	11.5	200.7	11.5	9.6	107.4	108.7	12.1	275.5	8.3	47
66.5	15.0	9.8	70.4	198.2	22.2	340.3	11.7	105.6	17.6	13.7	12.4	203.4	11.1	13.7	129.7	111.5	11.7	311.6	6.5	48
47.9	6.3	23.4	74.6	126.5	14.4	119.7	16.4	114.4	16.9	10.1	8.8	105.1	6.3	18.1	93.2	95.0	7.3	303.8	67.8	49
56.8	9.1	18.4	81.4	133.0	16.1	131.2	15.6	136.9	16.3	10.6	8.0	106.0	8.3	17.1	90.7	102.4	6.7	318.0	50.0	50
46.7	8.2	15.6	75.8	97.2	8.6	73.1	15.2	97.6	19.8	8.9	8.6	87.5	3.1	15.9	99.6	66.9	9.3	254.3	34.2	51
62.8	12.4	17.6	72.0	100.8	12.8	83.6	14.0	121.6	20.0	8.8	9.6	94.8	4.8	16.4	98.0	74.0	9.6	282.8	28.0	52
50.1	2.9	37.9	72.3	180.3	25.0	205.3	18.6	145.2	11.4	12.2	9.3	137.4	12.2	22.2	81.6	146.7	3.6	394.9	129.5	53
45.7	2.9	19.9	98.7	192.2	22.0	218.7	18.4	164.9	9.6	14.0	5.2	126.6	14.7	18.4	77.3	154.6	1.5	382.9	90.6	54
81.8	16.1	10.2	94.0	150.8	16.7	111.5	10.1	72.4	11.0	11.2	15.0	87.6	7.2	6.7	73.1	108.1	14.9	236.1	7.5	55
80.3	15.6	9.7	91.1	154.1	17.6	111.8	10.2	61.7	10.0	11.6	14.3	90.1	7.0	7.6	68.8	92.5	14.6	232.9	7.3	56
81.9	16.1	9.9	93.5	146.8	16.8	108.1	9.8	72.4	10.9	11.1	15.0	86.2	7.2	6.6	73.2	105.0	15.1	233.9	7.3	57
80.3	15.7	9.6	90.5	151.3	17.8	109.2	9.9	61.3	10.0	11.6	14.3	88.2	6.8	7.7	68.5	90.8	14.8	231.1	7.1	58
77.9	17.1	22.2	116.4	314.8	13.7	251.5	22.2	74.4	14.5	15.4	15.4	145.4	9.4	12.0	70.2	233.6	7.7	329.4	18.0	59
78.0	10.4	13.9	114.4	270.3	12.1	219.2	19.1	78.0	8.7	13.0	14.7	171.5	13.9	5.2	79.7	162.9	7.8	308.4	14.7	60
72.2	11.7	8.4	75.5	125.5	20.3	152.8	19.5	106.3	9.4	11.3	14.1	103.0	7.9	9.6	101.4	105.2	13.2	241.1	12.4	61
68.1	12.3	8.2	82.0	133.2	21.4	145.5	20.1	93.7	9.3	11.7	12.9	94.4	6.8	9.0	98.0	102.2	12.9	232.3	13.7	62
72.2	11.8	8.5	76.1	123.8	20.1	148.9	19.3	106.1	9.4	11.2	14.2	101.1	7.8	9.6	101.0	104.6	13.4	238.5	12.3	63
68.6	12.4	8.3	82.5	131.9	21.0	143.2	19.9	93.8	9.3	11.6	13.0	93.5	6.7	9.0	97.9	102.2	13.2	231.4	13.9	64
73.3	8.6	4.8	55.1	191.1	30.2	299.3	29.2	112.5	10.1	15.3	11.0	174.8	11.0	11.0	115.9	130.7	8.1	339.1	16.3	65
49.7	8.8	6.3	63.3	182.7	38.5	234.8	27.3	90.1	9.3	16.1	10.2	128.6	9.7	8.8	100.9	104.3	4.9	268.5	5.4	66
93.3	24.3	9.0	93.8	159.1	21.9	146.8	9.8	83.7	11.9	12.2	14.5	123.9	4.0	8.6	93.3	84.4	14.8	242.7	7.9	67
89.8	20.1	9.7	97.0	168.8	23.2	157.7	11.4	81.3	8.1	10.6	15.1	123.6	5.1	9.0	89.6	74.8	14.3	257.7	8.3	68
94.2	24.1	8.8	94.4	155.0	22.0	145.0	9.8	83.5	11.4	12.1	14.2	123.4	4.0	8.6	92.6	83.7	15.1	240.5	6.9	69
89.3	19.5	9.5	96.3	165.9	23.1	155.5	11.1	81.4	7.9	10.4	15.2	123.0	5.0	9.0	89.5	74.6	14.5	255.6	8.3	70
46.3	37.0	18.5	64.8	370.1	18.5	240.5	9.3	92.5	37.0	18.5	27.8	148.0	------	9.3	129.5	120.3	------	360.8	64.8	71
113.6	47.3	18.9	132.5	321.8	28.4	274.5	28.4	75.7	18.9	18.9	9.5	151.5	9.5	9.5	94.7	85.2	------	369.2	9.5	72
52.1	12.4	16.8	36.1	99.6	17.3	103.8	14.1	43.0	24.5	17.8	6.7	64.7	5.9	9.6	90.2	96.4	18.8	197.4	21.7	73
47.6	8.6	9.4	34.4	100.0	18.7	101.8	13.4	27.9	16.7	11.1	6.1	69.6	3.5	12.2	91.9	93.7	15.2	184.8	21.0	74
52.1	12.3	17.1	36.5	100.9	17.6	100.7	14.1	42.8	24.4	17.9	6.8	64.7	5.8	9.8	91.1	95.9	16.9	197.0	20.4	75
47.7	8.8	9.0	34.8	101.1	19.1	102.9	13.4	27.9	16.8	11.1	5.9	69.6	3.6	12.4	93.4	92.9	15.0	186.0	20.1	76
54.5	13.6	------	13.6	27.3	------	272.6	13.6	54.5	27.3	13.6	------	63.1	13.6	------	40.9	122.7	122.7	218.1	95.4	77
41.3	------	27.5	13.8	41.3	------	41.3	13.8	27.5	13.8	13.8	13.8	68.8	------	------	13.8	137.6	27.5	123.8	68.8	78

[8] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100 000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION STATES—Continued.															
1	Vermont (total)	1913	1,580.2	7.8	0.6	.....	20.3	5.0	11.1	9.7	35.3	1.7	88.3	7.2	11.9	5.8
2		1912	1,516.5	11.2	0.3	0.3	7.2	2.5	6.7	5.9	23.7	2.2	80.6	8.1	11.7	5.0
3	White	1913	1,584.5	7.8	0.6	.....	20.4	5.0	11.2	9.8	35.2	1.7	88.5	7.3	12.0	5.9
4		1912	1,518.4	11.2	0.3	0.3	7.3	2.5	6.7	5.9	23.8	2.2	80.1	8.1	11.8	5.0
5	Colored	1913	655.9	.....	.....	.....	.....	.....	.....	.....	59.6	.....	59.6	.....	.....	.....
6		1912	1,132.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	178.8	.....	.....	.....
7	Virginia (total)	1913	1,392.5	33.3	7.1	0.4	17.1	2.6	13.2	14.2	13.4	2.5	149.6	5.7	13.4	7.0
8	White	1913	1,184.3	29.3	4.3	0.1	17.6	3.6	12.5	16.7	12.6	3.3	103.5	5.7	10.4	5.6
9	Colored	1913	1,823.4	41.5	13.0	1.0	15.9	0.4	14.7	8.9	15.1	1.0	244.9	5.8	19.6	9.8
10	Washington (total)	1913	847.6	10.3	0.1	0.1	8.0	2.3	7.7	3.1	6.5	2.1	74.9	8.3	9.2	3.2
11		1912	794.9	12.4	0.1	0.1	1.2	1.6	5.5	5.5	4.7	2.4	73.7	7.2	10.8	3.0
12	White	1913	836.7	10.1	0.1	0.2	7.9	2.4	7.7	3.2	6.4	2.0	70.6	8.0	8.5	3.3
13		1912	780.7	12.5	0.1	0.1	1.2	1.5	5.3	5.2	4.7	2.5	68.5	6.3	10.2	3.0
14	Colored	1913	1,214.0	18.1	.....	.....	12.9	.....	5.2	.....	10.3	5.2	219.6	18.1	33.6	.....
15		1912	1,273.4	10.8	.....	.....	2.7	2.7	10.8	16.3	2.7	.....	249.3	35.2	29.8	5.4
16	Wisconsin (total)	1913	1,145.3	9.0	0.3	0.1	7.6	8.1	7.4	12.4	11.2	2.7	84.3	5.1	8.5	7.4
17		1912	1,127.7	12.9	0.4	0.2	5.2	11.9	8.3	12.5	8.6	2.8	85.9	5.4	8.3	6.8
18	White	1913	1,143.8	9.0	0.2	0.1	7.6	8.1	7.4	12.5	11.2	2.7	83.4	5.1	8.5	7.4
19		1912	1,126.3	13.0	0.4	0.2	5.3	11.9	8.4	12.6	8.7	2.8	84.7	5.4	8.2	6.7
20	Colored	1913	1,420.8	7.2	7.2	.....	7.2	.....	14.5	.....	7.2	7.2	239.2	7.2	14.5	.....
21	REGISTRATION CITIES.	1912	1,378.7	.....	.....	.....	.....	.....	.....	7.3	7.3	.....	297.5	.....	36.3	14.5
	ALABAMA.[2]															
22	Registration cities (total)	1913	1,880.4	39.4	23.6	.....	4.7	0.4	15.0	2.4	16.5	1.6	207.6	5.9	21.7	5.5
23		1912	1,905.5	36.5	40.2	.....	7.4	1.6	17.6	9.4	19.3	3.7	204.4	3.3	21.3	2.9
24	White	1913	1,369.8	36.2	8.2	.....	4.8	0.7	13.7	2.0	9.6	2.0	96.9	6.8	11.6	2.7
25		1912	1,444.4	36.3	19.2	.....	9.3	2.8	7.1	11.4	13.5	4.3	107.4	1.4	14.2	1.4
26	Colored	1913	2,577.2	43.8	44.7	.....	4.7	.....	16.8	2.8	26.1	0.9	358.7	4.7	35.4	9.3
27		1912	2,533.7	36.8	68.8	.....	4.8	.....	32.0	6.8	27.2	2.9	336.5	5.8	31.0	4.8
28	Birmingham (total)	1913	1,737.7	36.0	17.7	.....	7.0	0.6	15.2	1.9	8.2	.....	195.3	7.0	29.1	7.0
29		1912	1,738.4	37.3	33.3	.....	11.3	1.3	26.0	10.0	20.6	4.0	184.4	2.0	22.0	4.0
30	White	1913	1,227.2	28.2	5.2	.....	7.3	1.0	16.7	2.1	2.1	.....	77.2	6.3	16.7	4.2
31		1912	1,332.8	36.3	18.7	.....	13.2	2.2	9.9	12.1	15.4	4.4	104.4	1.1	16.5	2.2
32	Colored	1913	2,521.8	48.1	36.9	.....	6.4	.....	12.8	1.6	17.6	.....	376.7	8.0	48.1	11.2
33		1912	2,361.5	38.8	55.7	.....	8.4	.....	50.6	6.8	28.7	3.4	307.2	3.4	30.4	6.8
34	Mobile (total)	1913	2,078.4	51.3	53.1	.....	.....	.....	12.8	1.8	31.1	7.3	293.0	3.7	7.3	1.8
35		1912	2,085.9	39.1	67.1	.....	1.9	1.9	3.7	11.2	18.6	.....	283.3	5.6	18.6	.....
36	White	1913	1,690.7	55.8	23.0	.....	.....	.....	13.1	3.3	29.5	9.8	187.1	6.6	.....	.....
37		1912	1,674.3	30.1	23.4	.....	3.3	3.3	.....	13.4	13.4	.....	153.7	.....	10.0	.....
38	Colored	1913	2,567.3	45.5	91.1	.....	.....	.....	12.4	.....	33.1	4.1	426.5	.....	16.6	4.1
39		1912	2,605.0	50.6	122.2	.....	.....	.....	8.4	8.4	25.3	.....	446.8	12.6	29.5	.....
40	Montgomery (total)	1913	2,167.0	36.6	7.3	.....	2.4	.....	17.1	4.9	29.3	.....	141.4	4.9	12.2	4.9
41		1912	2,293.0	30.2	30.2	.....	.....	2.5	5.0	5.0	15.1	7.5	173.5	5.0	22.6	2.5
42	White	1913	1,562.3	44.5	.....	.....	.....	.....	.....	.....	14.8	.....	54.4	9.9	4.9	.....
43		1912	1,611.5	45.9	15.3	.....	.....	5.1	5.1	5.1	5.1	10.2	51.0	5.1	10.2	.....
44	Colored	1913	2,755.1	28.8	14.4	.....	4.8	.....	33.7	9.6	43.3	.....	226.0	.....	19.2	9.6
45		1912	2,955.8	14.9	44.6	.....	.....	.....	5.0	5.0	24.8	5.0	292.6	5.0	34.7	5.0
	CALIFORNIA.															
46	Registration cities (total)	1913	1,522.5	16.6	1.2	0.3	5.3	3.4	4.2	8.1	8.5	3.8	184.9	14.5	16.0	6.2
47		1912	1,521.6	16.7	1.8	1.0	5.8	1.1	7.4	7.0	5.5	3.5	186.8	14.3	16.7	6.9
48	White	1913	1,502.6	15.6	0.9	0.4	5.4	3.0	4.2	8.4	8.6	3.8	172.3	13.3	15.4	6.2
49		1912	1,498.2	15.5	1.2	1.0	5.9	1.1	7.2	7.2	5.5	3.5	176.5	12.9	15.6	7.0
50	Colored	1913	1,956.0	38.3	7.7	.....	3.1	12.3	4.6	3.1	7.7	3.1	458.0	39.8	29.1	6.1
51		1912	2,030.4	43.1	12.8	1.6	3.2	.....	12.8	3.2	4.8	4.8	410.6	44.7	39.9	4.8
52	Alameda	1913	1,131.5	3.9	.....	.....	.....	3.9	.....	.....	3.9	7.8	97.5	11.7	15.6	3.9
53		1912	1,307.7	12.0	.....	.....	4.0	.....	.....	.....	4.0	.....	88.3	4.0	8.0	24.1
54	Bakersfield	1913	2,158.7	74.0	.....	.....	20.2	53.8	.....	20.2	13.4	13.4	316.1	20.2	20.2	13.4
55		1912	2,302.5	70.4	.....	.....	7.0	7.0	35.2	14.1	.....	.....	302.8	42.2	14.1	7.0
56	Berkeley	1913	924.4	8.1	.....	8.1	.....	.....	.....	2.0	2.0	.....	60.8	8.1	8.1	.....
57		1912	942.9	8.6	.....	2.1	2.1	2.1	2.1	8.6	2.1	.....	77.3	8.6	6.4	4.3
58	Eureka	1913	1,915.7	37.6	.....	.....	.....	.....	.....	.....	7.5	7.5	165.3	.....	22.5	7.5
59		1912	1,680.4	15.6	.....	.....	.....	7.8	.....	.....	.....	.....	210.1	23.3	7.8	.....
60	Fresno	1913	1,466.5	24.4	.....	.....	7.0	10.5	3.5	17.5	20.9	10.5	118.7	10.5	17.5	7.0
61		1912	1,394.1	43.7	.....	.....	7.3	.....	10.9	10.9	7.3	.....	109.2	14.6	7.3	3.6
62	Long Beach	1913	2,108.3	17.5	4.4	.....	.....	.....	4.4	8.7	13.1	4.4	105.0	13.1	13.1	13.1
63		1912	1,522.1	18.8	.....	.....	.....	.....	4.7	.....	4.7	9.4	122.1	9.4	9.4	4.7
64	Los Angeles (total)	1913	1,502.9	12.1	0.2	.....	13.3	3.2	6.8	9.9	9.5	3.9	233.5	13.1	12.1	7.3
65		1912	1,467.6	15.0	1.3	2.6	0.3	2.1	10.1	6.2	7.3	3.6	225.1	13.5	17.1	7.8
66	White	1913	1,478.8	11.4	0.3	.....	13.7	3.3	6.3	10.1	9.1	3.5	220.3	10.9	11.2	7.4
67		1912	1,445.8	14.1	1.4	2.7	0.3	2.2	9.8	6.5	7.0	3.8	216.4	11.9	16.8	7.3
68	Colored	1913	2,033.4	27.9	.....	.....	5.6	.....	16.7	5.6	16.7	11.1	523.7	61.3	33.4	5.6
69		1912	1,946.5	35.7	.....	.....	.....	.....	17.9	.....	11.9	.....	416.7	47.6	23.8	17.9
70	Oakland	1913	1,254.0	12.0	0.6	.....	.....	1.1	1.1	13.7	5.1	2.3	106.7	10.8	12.0	5.1
71		1912	1,278.4	13.7	.....	.....	3.0	.....	9.6	9.0	1.8	4.2	115.3	11.3	13.7	7.2
72	Pasadena	1913	1,225.1	5.2	.....	.....	2.6	.....	.....	2.6	15.6	.....	161.6	5.2	5.2	2.6
73		1912	1,489.6	5.6	.....	5.6	.....	.....	19.5	11.2	13.9	2.8	256.6	19.5	13.9	2.8
74	Pomona	1913	1,321.6	17.1	.....	.....	.....	.....	8.5	.....	.....	8.5	179.1	.....	.....	.....
75		1912	1,350.6	17.8	.....	.....	.....	.....	.....	8.9	44.4	.....	151.1	8.9	8.9	8.9

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
111.7	21.1	12.8	126.7	213.4	34.7	140.0	12.8	49.2	11.7	14.2	9.7	115.6	4.7	10.6	72.8	82.0	16.1	312.8	3.1	1
110.4	22.6	7.8	135.8	209.6	27.0	139.1	11.2	40.4	16.2	17.3	8.6	115.7	2.2	11.4	83.9	83.9	13.1	290.5	4.5	2
112.2	21.2	12.6	127.3	214.4	34.6	140.4	12.8	49.4	11.7	14.2	9.8	115.6	4.7	10.6	73.1	81.8	15.9	314.0	3.1	3
110.9	22.7	7.8	136.1	210.1	26.9	138.9	10.9	40.3	16.2	17.4	8.7	116.2	2.2	11.5	84.0	84.0	13.2	290.4	4.5	4
.....	.....	59.6	.....	.....	59.6	59.6	.....	.....	.....	.....	.....	119.3	.....	.....	.....	119.3	59.6	59.6	.....	5
.....	.....	.....	59.6	119.2	59.6	178.8	59.6	59.6	.....	.....	.....	.....	.....	.....	59.6	59.6	.....	298.0	.....	6
48.4	7.5	13.2	61.1	114.3	16.3	90.4	15.0	69.0	6.4	7.0	7.8	93.9	6.8	12.4	72.5	83.4	6.7	258.9	122.0	7
52.4	9.1	14.3	52.0	99.1	11.4	69.5	11.3	66.2	7.5	5.9	7.0	81.7	5.8	9.4	70.0	69.9	8.7	226.3	81.9	8
40.2	4.3	11.0	80.0	145.7	26.4	133.8	22.8	74.8	4.3	9.5	9.5	119.2	8.8	18.6	77.8	111.3	2.6	326.3	204.8	9
53.5	12.8	5.4	48.0	86.0	5.1	59.0	6.5	21.6	11.5	8.5	5.5	55.6	6.9	6.3	47.1	91.8	18.3	150.4	11.8	10
53.0	9.4	4.2	43.8	78.6	5.2	50.3	5.2	16.5	11.6	7.1	7.4	49.9	4.7	9.3	46.0	88.0	20.6	143.6	12.4	11
54.3	13.0	5.4	48.6	86.4	5.1	57.9	6.7	20.3	11.0	8.6	5.4	56.4	6.9	6.4	47.2	90.0	18.2	149.7	9.0	12
54.0	9.6	4.1	44.2	79.1	5.1	48.6	5.0	15.8	11.5	7.1	7.5	50.1	4.7	9.2	45.7	86.2	20.1	142.1	9.9	13
28.4	5.2	5.2	25.8	72.3	5.2	95.6	2.6	67.2	25.8	5.2	10.3	28.4	7.7	2.6	46.5	152.4	20.7	175.6	108.5	14
19.0	2.7	8.1	29.8	59.6	5.4	108.4	13.5	40.6	16.3	8.1	5.4	40.6	5.4	13.5	54.2	149.0	37.9	192.4	97.5	15
78.5	15.5	11.2	65.0	108.1	21.1	88.9	17.2	45.7	13.5	10.4	13.5	63.4	5.2	6.2	76.0	71.9	13.2	245.8	10.9	16
76.9	14.5	9.4	64.2	113.0	23.1	84.1	14.2	46.2	12.8	10.7	9.8	67.2	3.7	6.9	73.3	68.6	14.3	237.1	8.4	17
78.7	15.5	11.1	65.0	108.2	21.2	88.5	17.3	45.3	13.5	10.4	13.5	63.4	5.2	6.3	76.1	71.8	13.3	245.7	10.6	18
77.0	14.5	9.4	64.2	113.1	22.9	83.5	14.2	46.1	12.8	10.8	9.8	67.2	3.7	6.8	73.5	68.4	14.4	237.3	8.4	19
43.5	7.2	21.7	79.7	94.2	7.2	166.7	.....	101.5	7.2	7.2	14.5	65.2	14.5	.....	65.2	101.5	7.2	253.7	50.7	20
58.1	7.3	14.5	65.3	94.3	50.8	188.7	7.3	65.3	7.3	.....	.....	58.1	7.3	14.5	43.5	94.3	7.3	217.7	14.5	21
62.2	6.3	27.2	78.4	132.0	11.4	135.5	18.5	85.9	25.6	18.1	12.6	164.3	9.5	14.6	105.2	185.6	14.6	382.9	45.7	22
53.4	8.2	13.1	72.6	130.5	12.3	161.7	14.4	71.4	30.0	21.3	13.5	157.6	16.0	13.1	105.1	176.1	9.8	412.0	45.6	23
81.2	8.2	23.2	64.8	98.3	8.2	58.7	10.2	77.1	32.8	16.4	13.0	126.9	6.1	15.0	91.5	131.7	21.2	277.1	13.0	24
64.8	9.3	15.7	64.8	100.3	7.8	98.2	10.0	72.6	35.6	19.2	11.4	138.0	11.4	14.2	89.7	128.8	13.5	294.6	16.4	25
36.3	3.7	32.6	96.9	178.0	15.8	240.4	29.8	97.8	15.8	20.5	12.1	215.2	14.0	14.0	123.9	259.0	5.6	527.4	90.4	26
37.8	6.8	9.7	83.4	171.6	18.4	248.2	20.4	69.8	22.3	24.2	16.5	184.2	22.3	11.6	126.1	240.5	4.8	572.1	85.3	27
58.8	6.3	37.3	70.2	128.3	8.2	149.8	15.2	88.5	25.3	17.1	13.3	110.6	6.3	17.7	95.4	211.1	12.0	314.2	27.2	28
37.9	8.0	13.3	61.2	105.2	10.0	184.4	15.3	73.9	25.3	17.3	10.6	110.5	20.0	14.6	99.2	191.7	8.7	335.4	39.9	29
77.2	6.3	30.3	54.3	81.4	8.3	60.5	9.4	82.4	34.4	14.6	11.5	86.6	4.2	16.7	90.8	139.8	15.7	224.4	11.5	30
42.9	7.7	12.1	47.2	70.3	6.6	115.4	9.9	78.0	31.9	15.4	11.0	108.8	11.0	16.5	92.3	128.6	12.1	259.3	19.8	31
30.5	6.4	18.1	94.6	200.4	8.0	287.0	24.0	97.8	11.2	20.8	16.0	147.5	9.6	19.2	102.6	320.6	6.4	452.1	51.3	32
30.4	8.4	15.2	82.7	158.7	15.2	290.3	23.6	67.5	15.2	20.3	10.1	113.1	33.8	11.8	109.7	288.7	3.4	452.4	70.9	33
76.9	3.7	7.3	86.1	141.0	23.8	111.7	25.6	78.7	22.0	14.6	12.8	267.3	20.1	9.2	115.4	142.8	14.6	424.8	16.5	34
83.9	9.3	13.0	80.2	156.6	9.3	110.0	16.8	74.6	41.0	31.7	14.9	249.8	9.3	11.2	119.3	132.3	13.0	443.6	14.9	35
91.9	6.6	6.6	85.4	131.3	9.8	39.4	13.1	82.1	26.3	23.0	16.4	200.3	13.1	9.8	88.6	114.9	26.3	374.3	3.3	36
106.9	13.4	23.4	90.2	173.8	10.0	56.8	10.0	70.2	50.1	30.1	6.7	217.2	10.0	10.0	83.5	113.6	16.7	324.2	6.7	37
58.0	.....	8.3	87.0	153.2	41.4	202.9	41.4	74.5	16.6	4.1	8.3	352.0	29.0	8.3	149.1	178.1	.....	488.6	33.1	38
54.8	4.2	.....	67.4	134.9	8.4	177.0	25.3	80.1	29.5	33.7	25.3	290.8	8.4	12.6	164.4	156.0	8.4	594.3	25.3	39
56.1	9.8	14.6	99.9	134.1	7.3	112.1	21.9	85.3	31.7	26.8	9.8	234.0	7.3	9.8	129.2	143.8	24.4	592.3	156.0	40
70.4	7.5	12.6	105.6	191.1	25.1	145.8	7.5	57.8	32.7	22.6	22.6	211.2	10.1	10.1	108.1	176.0	10.1	658.7	108.1	41
84.1	19.8	14.8	84.1	128.5	4.9	79.1	9.9	44.5	34.6	14.8	14.8	207.7	4.9	14.8	98.9	118.7	39.6	380.7	34.6	42
102.0	10.2	20.4	107.1	127.5	10.2	81.6	10.2	51.0	30.6	20.4	20.4	153.0	15.3	10.2	86.7	153.0	15.3	413.1	15.3	43
28.8	.....	14.4	115.4	139.4	9.6	144.2	33.7	125.0	28.8	38.5	4.8	259.6	9.6	4.8	158.7	168.3	9.6	798.2	274.1	44
39.7	5.0	5.0	104.1	252.9	39.7	208.3	5.0	64.5	34.7	24.8	24.8	267.8	5.0	9.9	128.9	198.4	5.0	897.6	198.4	45
117.1	21.3	15.2	83.9	194.5	14.5	116.6	14.5	42.8	17.9	14.7	22.1	110.1	7.0	8.5	57.6	102.8	36.6	250.4	1.5	46
109.5	21.7	10.6	77.4	204.4	17.1	119.9	15.6	38.2	17.6	14.5	23.8	107.0	6.0	8.9	57.4	104.6	36.2	255.8	0.9	47
118.9	22.0	14.4	84.2	195.6	14.4	114.6	14.4	41.7	17.7	14.2	22.4	110.9	6.6	8.5	56.1	101.1	36.4	249.7	1.4	48
111.0	21.8	10.1	78.4	205.4	17.0	116.7	15.8	37.7	17.6	14.2	23.4	105.6	5.6	9.0	57.5	101.9	35.5	253.2	0.8	49
76.6	6.1	33.7	76.6	170.0	16.8	159.3	16.8	67.4	21.4	26.0	15.3	91.9	15.3	9.2	90.4	139.4	41.4	266.5	3.1	50
78.3	19.2	22.4	57.5	132.1	20.8	188.5	11.2	47.9	17.6	22.4	32.0	137.4	14.4	8.0	54.3	162.9	51.1	313.1	3.2	51
113.2	23.4	7.8	70.2	156.1	3.9	74.1	3.9	35.1	7.8	23.4	11.7	97.5	3.9	.....	23.4	89.7	35.1	202.9	.....	52
112.3	24.1	4.0	80.2	248.7	12.0	88.3	8.0	20.1	20.1	32.1	20.1	124.4	8.0	16.0	28.1	96.3	40.1	180.5	.....	53
80.7	40.3	.....	100.9	161.4	26.9	195.0	47.1	94.1	20.2	26.9	26.9	67.2	.....	20.2	53.8	215.2	87.4	316.1	13.4	54
133.8	14.1	35.2	56.3	147.9	21.1	204.2	7.0	91.5	70.4	21.1	14.1	147.9	21.1	14.1	77.5	260.5	49.3	415.4	.....	55
85.1	18.2	2.0	70.9	141.9	14.2	56.8	6.1	24.3	8.1	8.1	16.2	70.9	.....	6.1	46.6	56.8	22.3	172.3	.....	56
73.0	17.2	6.4	70.9	126.7	6.4	75.2	4.3	19.3	6.4	19.3	12.9	64.4	2.1	8.6	34.4	81.6	21.5	167.5	.....	57
187.8	22.5	30.1	172.8	202.8	22.5	105.2	.....	37.6	.....	22.5	22.5	135.2	.....	15.0	37.6	240.4	67.6	338.1	7.5	58
124.5	7.8	.....	85.6	225.6	15.6	140.0	7.8	31.1	38.9	15.6	.....	147.8	15.6	7.8	54.5	178.9	31.1	287.8	.....	59
97.8	31.4	14.0	66.3	174.6	3.5	115.2	10.5	139.7	52.4	24.4	10.5	45.4	14.0	14.0	97.8	90.8	17.5	199.0	.....	60
127.4	10.9	10.9	36.4	138.3	10.9	127.4	3.6	123.8	36.4	32.8	3.6	76.4	3.6	7.3	87.4	116.5	21.8	203.8	.....	61
183.7	39.4	8.7	183.7	279.9	13.1	96.2	21.9	43.7	21.9	17.5	30.6	205.6	17.5	8.7	105.0	275.6	26.2	332.4	.....	62
122.1	4.7	4.7	122.1	230.2	9.4	112.7	9.4	28.2	18.8	14.1	4.7	145.6	.....	9.4	37.6	126.8	9.4	324.1	4.7	63
103.0	17.7	26.4	72.2	164.4	13.1	108.6	13.3	42.7	16.0	15.5	18.7	108.4	6.8	8.7	63.5	95.0	29.6	253.4	1.0	64
107.0	19.9	8.8	66.6	173.6	17.6	109.8	16.3	29.3	15.5	11.7	22.0	103.1	7.0	11.1	57.5	96.1	33.9	248.4	0.3	65
105.4	18.0	24.3	73.5	163.7	13.4	106.7	13.4	41.1	15.5	15.5	18.8	107.7	6.1	8.6	62.1	93.3	30.2	253.0	1.0	66
107.0	19.8	8.9	66.1	173.9	17.6	107.8	16.3	28.2	15.7	11.4	21.9	101.8	6.2	10.8	58.5	93.2	32.2	248.1	0.3	67
50.1	11.1	72.4	44.6	178.3	5.6	150.4	11.1	78.0	27.9	16.7	16.7	122.6	22.3	11.1	94.7	133.7	16.7	261.8	.....	68
107.1	23.8	6.0	77.4	166.7	17.9	154.8	17.9	53.6	11.9	17.9	23.8	131.0	23.8	17.9	35.7	160.7	71.4	256.0	.....	69
115.3	21.7	6.8	83.3	188.9	10.3	119.3	11.4	34.8	18.8	13.7	17.1	95.9	8.6	6.8	59.9	72.5	32.0	165.5	0.6	70
100.4	17.9	11.3	76.5	195.9	17.3	116.5	13.7	32.3	14.3	17.3	18.5	75.3	7.2	7.8	69.3	77.7	33.5	185.2	1.8	71
132.9	20.9	7.8	125.1	156.4	13.0	80.8	13.0	10.4	5.2	10.4	7.8	106.9	7.8	2.6	39.1	52.1	23.5	208.5	.....	72
86.5	27.9	8.4	145.1	173.0	19.5	103.2	16.7	11.2	16.7	8.4	11.2	122.7	.....	16.7	39.1	61.4	25.1	242.7	2.8	73
85.3	17.1	8.5	85.3	179.1	25.6	102.3	17.1	17.1	17.1	17.1	17.1	110.8	17.1	.....	34.1	59.7	25.6	272.9	.....	74
115.5	17.8	8.9	62.2	142.2	.....	124.4	35.5	26.7	8.9	.....	8.9	62.2	.....	.....	106.6	53.3	.....	328.8	.....	75

[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per , correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	CALIFORNIA—continued.															
1	Redlands	1913	1,221.1	8.1	.....	.....	8.1	.....	.....	8.1	.....	.....	325.6	16.3	8.1	8.1
2		1912	1,656.4	8.5	.....	.....	.....	.....	.....	34.2	.....	.....	478.1	.....	25.6	17.1
3	Riverside (total)	1913	1,315.2	22.8	.....	.....	.....	.....	.....	11.4	28.5	.....	205.0	22.8	17.1	5.7
4		1912	1,604.2	29.7	.....	.....	.....	.....	.....	5.9	5.9	5.9	255.5	23.8	17.8	5.9
5	White	1913	1,346.7	25.7	.....	.....	.....	.....	.....	6.4	32.1	.....	198.8	25.7	12.8	6.4
6		1912	1,659.6	26.8	.....	.....	.....	.....	.....	6.7	6.7	6.7	254.3	13.4	13.4	6.7
7	Colored	1913	1,066.0	.....	.....	.....	.....	.....	.....	50.8	.....	.....	253.8	.....	50.8	.....
8		1912	1,165.3	53.0	.....	.....	.....	.....	.....	.....	.....	.....	264.8	105.9	53.0	.....
9	Sacramento	1913	1,827.5	52.8	14.8	.....	1.6	8.2	4.9	8.2	11.5	3.3	232.6	14.8	21.4	6.6
10		1912	1,764.6	44.4	13.7	.....	15.4	.....	3.4	8.5	13.7	8.5	194.7	12.0	17.1	6.8
11	San Bernardino	1913	2,163.1	33.5	.....	.....	.....	.....	6.7	6.7	13.4	13.4	529.1	33.5	40.2	13.4
12		1912	2,096.6	21.0	.....	.....	.....	.....	7.0	14.0	7.0	7.0	413.7	14.0	35.1	7.0
13	San Diego	1913	2,298.4	27.8	2.1	.....	6.4	.....	4.3	8.6	34.3	2.1	317.0	17.1	38.6	8.6
14		1912	2,219.5	29.2	2.2	.....	4.5	2.2	13.5	6.7	13.5	4.5	330.6	9.0	18.0	15.7
15	San Francisco (total)	1913	1,587.8	16.1	1.1	.....	1.8	4.1	3.6	6.6	4.8	3.9	162.8	20.0	17.7	6.1
16		1912	1,561.8	13.6	2.1	0.2	11.3	0.7	5.1	6.7	2.5	3.5	161.9	17.5	18.9	4.6
17	White	1913	1,575.2	15.6	0.9	.....	1.9	4.3	3.8	6.9	4.7	4.0	151.0	18.9	17.7	6.1
18		1912	1,535.9	13.0	0.7	0.2	11.3	0.7	5.3	6.7	2.4	3.6	148.6	16.6	17.8	4.8
19	Colored	1913	1,885.4	28.0	5.6	.....	.....	.....	.....	.....	5.6	.....	442.0	44.8	16.8	5.6
20		1912	2,174.2	28.5	34.1	.....	11.4	.....	.....	5.7	5.7	.....	478.1	39.8	45.5	.....
21	San Jose	1913	1,249.4	13.8	.....	.....	.....	.....	8.3	.....	2.8	2.8	121.6	11.1	30.4	5.5
22		1912	1,341.0	8.5	.....	.....	22.7	.....	5.7	.....	2.8	2.8	136.1	11.3	17.0	5.7
23	Santa Barbara	1913	1,713.6	7.5	.....	.....	7.5	.....	7.5	.....	30.1	.....	187.9	15.0	.....	.....
24		1912	1,837.1	23.5	.....	.....	.....	.....	.....	.....	7.8	.....	258.0	15.6	31.3	7.8
25	Santa Cruz	1913	1,346.0	.....	.....	.....	15.5	.....	.....	.....	15.5	.....	170.2	.....	23.2	.....
26		1912	1,471.1	8.1	8.1	.....	.....	.....	.....	.....	8.1	.....	64.7	8.1	16.2	.....
27	Stockton*	1913	1,831.2	19.9	.....	4.0	.....	.....	11.9	8.0	.....	11.9	254.8	8.0	35.8	8.0
28		1912	2,384.1	16.3	4.1	.....	12.2	.....	4.1	12.2	8.2	.....	338.3	20.4	28.5	16.3
29	Vallejo	1913	1,367.1	16.1	.....	.....	8.0	.....	.....	.....	8.0	.....	112.6	.....	.....	.....
30		1912	1,124.6	.....	.....	.....	.....	.....	.....	.....	.....	8.3	99.2	.....	8.3	8.3
	COLORADO.															
31	Registration cities (total)	1913	1,357.0	16.6	.....	.....	4.5	16.3	6.7	7.9	4.5	5.4	252.2	12.7	8.8	6.4
32		1912	1,385.4	16.9	0.3	.....	0.6	10.3	8.8	6.9	7.8	3.4	272.2	12.8	12.5	4.4
33	White	1913	1,341.1	16.9	.....	.....	4.7	15.9	6.9	7.8	4.7	5.0	244.1	13.1	8.4	6.3
34		1912	1,374.9	16.8	.....	.....	0.6	10.6	8.7	7.1	8.1	3.5	263.6	13.2	11.9	4.5
35	Colored	1913	1,848.3	9.6	.....	.....	.....	28.9	.....	9.6	.....	19.3	500.6	.....	19.3	9.6
36		1912	1,708.7	19.9	9.9	.....	.....	.....	9.9	.....	.....	.....	536.5	.....	29.8	.....
37	Colorado Springs	1913	1,611.5	16.1	.....	.....	.....	3.2	3.2	12.9	19.3	.....	501.8	9.6	12.9	6.4
38		1912	1,618.4	9.8	.....	.....	3.3	6.6	3.3	16.4	9.8	3.3	544.9	16.4	13.1	.....
39	Denver	1913	1,370.8	13.5	.....	.....	4.2	22.3	5.5	8.0	2.5	6.3	244.7	15.1	9.2	5.9
40		1912	1,422.4	15.2	0.4	.....	0.4	7.4	11.3	5.6	6.9	3.9	271.4	15.2	13.0	6.1
41	Pueblo	1913	1,109.0	30.2	.....	.....	10.1	.....	16.1	.....	6.0	6.0	145.2	2.0	4.0	10.1
42		1912	1,046.4	29.2	.....	.....	.....	4.2	2.1	4.2	10.4	.....	131.3	2.1	10.4	.....
43	Trinidad	1913	1,451.4	25.5	.....	.....	.....	.....	.....	25.5	.....	.....	195.2	17.0	8.5	.....
44		1912	1,443.8	17.7	.....	.....	.....	106.3	.....	17.7	8.9	8.9	150.6	.....	8.9	.....
	CONNECTICUT.															
45	Registration cities (total)	1913	1,530.6	12.9	1.2	.....	10.3	11.3	7.4	22.4	14.0	5.3	115.2	12.7	9.2	7.8
46		1912	1,524.2	13.4	1.9	.....	12.0	8.7	10.0	19.5	11.6	4.7	112.6	13.8	12.0	6.2
47	White	1913	1,518.4	12.6	1.3	.....	10.4	11.4	7.4	22.5	14.0	5.4	111.6	12.2	9.3	7.8
48		1912	1,512.7	13.2	1.9	.....	12.1	8.9	9.6	19.7	11.4	4.6	110.7	13.5	11.6	6.2
49	Colored	1913	2,314.9	32.3	.....	.....	.....	.....	8.1	16.1	16.1	.....	346.8	48.4	.....	8.1
50		1912	2,263.7	24.7	.....	.....	8.2	.....	32.9	8.2	24.7	8.2	230.5	32.9	41.2	8.2
51	Ansonia	1913	1,435.4	6.3	.....	.....	6.3	12.5	6.3	68.9	25.1	6.3	81.5	6.3	.....	12.5
52		1912	1,407.3	.....	.....	.....	63.7	.....	44.6	19.1	19.1	.....	57.3	6.4	6.4	6.4
53	Bridgeport	1913	1,487.4	6.2	0.9	.....	13.4	26.8	7.1	20.5	7.1	4.5	83.8	9.8	9.8	5.4
54		1912	1,391.8	8.3	0.9	.....	6.4	17.4	9.2	14.7	7.3	2.8	86.2	12.8	8.3	4.6
55	Bristol	1913	833.7	6.8	.....	.....	47.4	.....	6.8	6.8	20.3	.....	40.7	6.8	6.8	.....
56		1912	1,030.4	13.9	7.0	.....	13.9	.....	20.9	13.9	34.8	.....	34.8	.....	20.9	.....
57	Danbury town	1913	1,559.8	12.1	4.0	.....	.....	8.1	.....	12.1	12.1	8.1	149.1	.....	8.1	8.1
58		1912	1,573.6	12.3	4.1	.....	41.0	4.1	8.2	8.2	12.3	4.1	139.3	4.1	28.7	8.2
59	Greenwich town	1913	1,489.7	11.2	.....	.....	5.6	11.2	.....	56.0	11.2	11.2	112.0	5.6	11.2	.....
60		1912	1,457.9	17.2	11.5	.....	11.5	.....	5.7	5.7	11.5	.....	91.8	28.7	.....	.....
61	Hartford	1913	1,824.8	22.8	1.0	.....	20.9	13.3	7.6	28.5	12.4	6.7	102.8	11.4	10.5	8.6
62		1912	1,803.7	12.6	.....	.....	9.7	30.0	9.7	40.7	8.7	6.8	90.1	24.2	9.7	6.8
63	Manchester town	1913	793.1	.....	.....	.....	.....	.....	.....	27.3	20.5	.....	41.0	.....	.....	6.8
64		1912	956.8	.....	.....	.....	.....	7.0	34.9	14.0	14.0	.....	76.8	.....	.....	.....
65	Meriden town	1913	1,640.5	15.1	9.0	.....	3.0	.....	.....	12.1	21.1	3.0	380.0	3.0	9.0	27.1
66		1912	1,599.7	15.2	9.1	.....	.....	.....	6.1	12.2	42.7	3.0	380.9	12.2	3.0	6.1
67	Middletown town*	1913	2,315.7	13.8	.....	.....	4.6	.....	32.1	18.3	.....	9.2	206.3	4.6	27.5	4.6
68		1912	2,244.2	18.6	.....	.....	14.0	.....	18.6	18.6	.....	4.7	223.5	.....	23.3	.....
69	Naugatuck	1913	1,131.8	14.9	.....	.....	.....	22.3	.....	89.4	14.9	7.4	59.6	14.9	7.4	.....
70		1912	991.7	7.6	.....	.....	.....	7.6	.....	.....	15.1	.....	75.7	22.7	.....	7.6
71	New Britain	1913	1,193.4	4.1	2.0	.....	4.1	6.1	10.2	18.4	20.4	4.1	73.4	6.1	12.2	2.0
72		1912	1,250.3	4.2	.....	.....	12.7	4.2	4.2	29.5	4.2	.....	67.5	4.2	19.0	12.7
73	New Haven	1913	1,587.6	12.7	0.7	.....	1.4	8.5	7.8	16.2	11.3	4.9	112.7	17.6	9.2	8.5
74		1912	1,648.7	24.4	3.6	.....	18.7	5.7	12.9	12.2	7.2	4.3	101.9	14.4	19.4	3.6

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
73.3	16.3	.....	65.1	130.3	16.3	48.8	16.3	65.1	.....	16.3	24.4	65.1	.....	.....	24.4	65.1	24.4	187.2	.....	1
119.5	17.1	8.5	51.2	213.5	17.1	76.8	34.2	51.2	.....	25.6	.....	76.8	.....	8.5	35.4	76.8	17.1	213.5	.....	2
91.1	22.8	17.1	96.8	130.9	5.7	62.6	5.7	85.4	5.7	11.4	.....	85.4	.....	.....	34.2	91.1	17.1	239.1	.....	3
95.1	23.8	23.8	112.9	136.7	29.7	101.0	11.9	65.4	17.8	11.9	11.9	112.9	5.9	5.9	53.5	124.8	11.9	285.2	11.9	4
83.4	25.7	19.2	102.6	141.1	6.4	64.1	6.4	96.2	6.4	12.8	.....	77.0	.....	.....	32.1	96.2	19.2	250.1	.....	5
100.4	20.1	26.8	127.1	140.5	33.5	93.7	13.4	73.6	20.1	13.4	13.4	120.5	6.7	6.7	60.2	140.5	13.4	287.8	13.4	6
152.3	.....	.....	50.8	50.8	.....	50.8	.....	.....	.....	.....	.....	152.3	.....	.....	50.8	50.8	.....	152.3	.....	7
53.0	53.0	.....	.....	105.9	.....	158.9	.....	.....	.....	.....	.....	53.0	.....	.....	.....	.....	.....	264.8	.....	8
123.7	19.8	24.7	69.3	173.2	9.9	156.7	26.4	74.2	28.0	16.5	29.7	112.2	23.1	6.6	75.9	136.9	26.4	311.7	1.6	9
121.3	22.2	12.0	54.7	152.0	15.4	167.4	23.9	47.8	20.5	15.4	15.4	111.0	15.4	10.2	53.0	152.0	29.0	384.4	3.4	10
100.5	6.7	13.4	73.7	180.8	.....	120.5	20.1	154.0	.....	13.4	20.1	46.9	.....	6.7	93.8	194.2	26.8	395.1	6.7	11
98.2	21.0	35.1	105.2	189.3	14.0	133.2	7.0	70.1	7.0	14.0	14.0	140.2	7.0	.....	84.1	182.3	84.1	364.6	.....	12
152.1	27.8	10.7	162.8	239.9	36.4	132.8	21.4	77.1	21.4	21.4	15.0	175.6	8.6	10.7	113.5	164.9	49.3	389.8	.....	13
130.4	29.2	24.7	125.9	303.6	11.2	157.4	29.2	60.7	15.7	15.7	18.0	141.7	9.0	11.2	87.7	159.7	36.0	400.3	2.2	14
131.1	25.4	10.7	76.0	237.2	16.8	134.7	14.5	31.7	21.3	12.7	32.4	120.6	5.2	10.9	46.7	103.6	49.9	256.9	0.9	15
116.7	26.8	9.0	71.5	240.6	18.9	123.4	15.0	42.2	19.8	14.5	38.1	117.9	4.6	6.7	54.0	99.7	46.6	247.1	.....	16
132.3	26.2	10.9	74.9	238.7	16.1	134.5	14.9	31.9	21.5	12.3	32.6	120.8	5.4	10.4	46.3	102.3	50.1	256.2	0.9	17
118.5	26.7	9.1	72.6	242.1	18.8	121.9	15.1	42.1	19.7	13.7	36.5	113.2	4.6	7.0	54.6	100.0	46.9	240.9	.....	18
100.7	5.6	5.6	100.7	201.4	33.6	139.9	5.6	28.0	16.8	22.4	28.0	117.5	.....	22.4	55.9	134.3	44.8	274.1	.....	19
74.0	28.5	5.7	45.5	204.9	22.8	159.4	11.4	45.5	22.8	34.1	74.0	227.7	5.7	.....	39.8	91.1	39.8	392.7	.....	20
102.3	8.3	8.3	77.4	196.3	13.8	88.5	13.8	38.7	8.3	11.1	8.3	113.3	13.8	8.3	47.0	63.6	30.4	196.3	5.5	21
99.2	8.5	11.3	104.9	263.7	19.8	119.1	25.5	31.2	8.5	5.7	17.0	96.4	.....	5.7	42.5	76.6	19.8	170.1	2.8	22
150.3	15.0	7.5	233.0	172.9	45.1	97.7	30.1	52.6	7.5	7.5	30.1	90.2	7.5	7.5	75.2	105.2	30.1	270.6	22.5	23
101.6	46.9	7.8	195.4	187.6	31.3	101.6	15.6	70.4	31.3	15.6	31.3	109.4	.....	15.6	62.5	179.8	15.6	265.8	7.8	24
139.2	.....	15.5	85.1	232.1	.....	85.1	15.5	7.7	7.7	15.5	23.2	100.6	.....	.....	46.4	54.2	15.5	278.5	.....	25
121.2	16.2	8.1	97.0	282.9	16.2	72.7	24.2	8.1	16.2	16.2	32.3	113.2	.....	8.1	48.5	97.0	64.7	315.2	.....	26
75.6	11.9	27.9	91.6	183.1	15.9	135.4	11.9	19.9	15.9	27.9	11.9	135.4	.....	4.0	51.8	127.4	39.8	477.7	4.0	27
114.1	20.4	24.5	122.3	220.1	20.4	216.0	4.1	32.6	16.3	16.3	8.2	118.2	8.2	8.2	40.8	224.1	48.9	660.2	.....	28
120.6	16.1	24.1	80.4	201.0	8.0	88.5	32.2	72.4	24.1	8.0	8.0	48.3	.....	8.0	16.1	249.3	40.2	160.8	16.1	29
57.9	16.5	16.5	74.4	239.8	8.3	74.4	24.8	41.3	8.3	.....	8.3	148.8	.....	8.3	49.6	115.8	8.3	99.2	.....	30
79.9	13.9	9.7	52.7	104.7	8.5	119.6	16.3	32.7	17.3	17.3	10.6	108.4	7.3	10.0	79.9	61.8	31.8	229.8	3.0	31
82.8	12.8	15.0	46.3	114.4	10.6	125.3	20.3	32.5	21.6	10.3	11.9	109.4	7.2	6.3	80.0	64.1	22.5	233.5	1.9	32
80.9	14.1	9.4	53.1	100.9	8.4	118.1	16.6	33.8	17.5	17.5	10.0	108.1	6.9	10.0	81.3	61.9	31.6	224.7	2.5	33
83.9	13.2	15.5	46.8	109.7	10.6	126.2	20.3	33.2	21.9	10.0	11.9	106.8	7.1	6.5	81.3	64.5	22.9	231.7	1.9	34
48.1	9.6	19.3	38.5	221.4	9.6	163.7	9.6	.....	9.6	9.6	28.9	115.5	19.3	9.6	38.5	57.8	38.5	385.1	19.3	35
49.7	.....	.....	29.8	258.3	9.9	99.3	19.9	9.9	9.9	19.9	9.9	188.8	9.9	.....	39.7	49.7	9.9	288.1	.....	36
128.7	12.9	.....	48.2	90.1	6.4	135.1	9.6	12.9	16.1	35.4	3.2	99.7	3.2	9.6	90.1	51.5	28.9	241.2	3.2	37
85.3	16.4	6.6	46.0	111.6	9.8	108.3	13.1	19.7	32.8	9.8	13.1	128.0	6.6	3.3	95.2	46.0	16.4	219.9	3.3	38
82.8	16.0	11.4	56.3	111.8	9.7	109.3	17.7	27.3	18.9	17.2	11.8	117.3	7.1	10.1	72.7	60.1	31.9	240.9	3.4	39
87.7	12.6	17.4	49.9	123.3	11.7	123.8	24.3	23.0	21.3	10.9	11.3	110.7	6.5	7.4	80.3	63.0	23.9	254.1	2.2	40
48.4	6.0	10.1	40.3	68.6	2.0	123.0	10.1	62.5	14.1	10.1	10.1	62.5	6.0	8.1	102.8	70.6	38.3	183.5	2.0	41
64.6	14.6	8.3	33.4	85.5	6.3	104.2	6.3	54.2	20.8	10.4	14.6	77.1	10.4	2.1	77.1	87.5	25.0	150.1	.....	42
25.5	8.5	.....	42.4	152.8	17.0	271.6	34.0	67.9	.....	.....	8.5	144.3	25.5	17.0	101.9	84.9	8.5	169.8	.....	43
53.1	.....	17.7	26.6	62.0	8.9	292.3	17.7	168.3	.....	.....	8.9	168.3	8.9	8.9	44.3	35.4	.....	203.7	.....	44
87.3	21.4	12.7	98.5	146.2	19.9	169.2	17.3	91.0	11.8	12.5	12.4	117.6	5.9	8.0	105.2	91.1	14.5	248.9	9.4	45
82.6	19.5	16.6	103.0	144.7	21.8	158.7	16.8	99.4	9.6	12.5	13.2	112.2	6.5	10.5	102.6	88.8	19.2	252.0	7.7	46
86.1	21.1	12.4	98.2	145.4	19.7	168.3	17.1	91.8	11.8	12.1	12.3	116.0	5.8	8.0	104.2	90.6	14.5	247.8	9.2	47
82.1	19.5	16.4	102.6	142.6	21.6	156.3	16.4	98.7	9.6	12.7	12.8	111.3	6.4	10.5	102.0	88.1	19.5	252.2	7.7	48
161.3	40.3	32.3	121.0	193.6	32.3	225.8	32.3	40.3	8.1	40.3	16.1	217.8	16.1	8.1	169.4	121.0	16.1	322.6	24.2	49
115.2	16.5	24.7	123.5	279.9	32.9	312.8	41.2	148.2	8.2	.....	32.9	172.9	8.2	8.2	139.9	131.7	.....	238.7	8.2	50
25.1	18.8	50.1	87.8	119.1	18.8	119.1	18.8	231.9	6.3	.....	18.8	50.1	12.5	.....	131.6	62.7	12.5	194.3	25.1	51
19.1	12.7	89.1	57.3	89.1	76.4	108.3	12.7	127.4	.....	6.4	19.1	70.0	.....	25.5	108.3	31.8	12.7	267.4	50.9	52
74.9	14.3	13.4	59.7	125.7	10.7	134.6	11.6	131.1	12.5	12.5	15.2	159.6	5.4	7.1	122.2	93.6	14.3	222.0	1.8	53
91.7	21.1	15.6	63.3	145.0	11.0	163.3	18.3	108.3	9.2	13.8	5.5	122.9	8.3	7.3	86.2	84.4	21.1	213.8	2.8	54
33.9	6.8	.....	61.0	67.8	6.8	115.2	13.6	54.2	6.8	6.8	.....	27.1	.....	.....	67.8	40.7	.....	149.1	33.9	55
48.7	13.9	27.8	34.8	55.7	.....	139.2	13.9	97.5	13.9	7.0	.....	83.5	7.0	.....	76.6	55.7	20.9	167.1	7.0	56
56.4	28.2	16.1	120.9	197.5	16.1	129.0	16.1	16.1	4.0	12.1	8.1	108.8	8.1	16.1	116.9	124.9	16.1	326.5	.....	57
65.6	32.8	24.6	106.5	225.4	28.7	139.3	.....	69.7	16.4	24.6	16.4	73.8	4.1	8.2	98.3	82.0	16.4	262.3	4.1	58
95.2	16.8	16.8	134.4	134.4	22.4	162.4	22.4	67.2	16.8	28.0	11.2	72.8	11.2	28.0	95.2	95.2	11.2	212.8	.....	59
68.9	23.0	11.5	86.1	155.0	28.7	114.8	11.5	68.9	5.7	11.5	11.5	74.6	5.7	.....	126.3	149.2	28.7	292.7	.....	60
131.3	23.8	9.5	124.6	175.1	10.5	226.4	23.8	67.6	26.6	12.4	15.2	130.3	8.6	3.8	125.6	107.5	19.0	333.0	3.8	61
115.3	20.4	18.4	108.6	161.9	18.4	176.4	25.2	107.6	13.6	10.7	21.3	124.1	8.7	16.5	144.4	119.2	21.3	319.8	2.9	62
68.4	20.5	13.7	95.7	143.6	.....	34.2	13.7	27.3	.....	.....	.....	41.0	6.8	.....	34.2	47.9	6.8	143.6	.....	63
83.8	7.0	21.0	90.8	111.7	14.0	118.7	.....	48.9	14.0	.....	.....	48.9	.....	7.0	41.9	48.9	21.0	132.7	.....	64
111.6	30.2	9.0	102.5	165.9	15.1	144.8	9.0	39.2	.....	12.1	12.1	84.4	3.0	9.0	87.5	75.4	21.1	226.2	.....	65
64.0	12.2	.....	115.8	106.6	21.3	131.0	15.2	73.1	.....	12.2	18.3	128.0	6.1	12.2	88.4	73.1	18.3	213.3	.....	66
59.6	41.3	32.1	224.7	440.2	18.3	224.7	22.9	105.5	9.2	18.3	22.9	155.9	.....	.....	87.1	110.1	18.3	398.9	4.6	67
65.2	23.3	4.7	223.5	339.9	23.3	251.4	41.9	102.4	4.7	14.0	14.0	116.4	.....	9.3	121.1	125.7	23.3	405.1	14.0	68
81.9	14.9	.....	52.1	81.9	.....	141.5	14.9	148.9	.....	14.9	.....	111.7	.....	.....	89.4	52.1	7.4	89.4	.....	69
22.7	15.1	.....	75.7	83.3	15.1	90.8	.....	128.7	.....	.....	15.1	106.0	.....	.....	53.0	106.0	7.6	136.3	.....	70
49.0	12.2	14.3	69.4	79.6	32.6	116.3	12.2	136.7	4.1	10.2	16.3	65.3	4.1	4.1	128.5	65.3	4.1	175.4	30.6	71
42.2	6.3	8.4	92.8	75.9	27.4	128.6	16.9	147.6	8.4	8.4	16.9	59.0	8.4	6.3	130.7	80.1	21.1	177.1	25.3	72
95.8	26.8	16.9	96.5	175.5	28.2	188.1	24.7	57.1	9.9	11.3	9.2	129.0	5.6	16.2	89.5	100.8	20.4	254.4	20.4	73
101.9	16.5	16.5	106.5	160.8	22.3	225.4	17.9	78.2	11.5	17.2	11.5	125.6	7.9	10.0	99.8	76.1	18.7	281.4	15.1	74

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	CONNECTICUT—continued.															
1	New London	1913	1,809.0	24.6	.....	.....	29.5	.....	9.8	14.7	9.8	.....	88.5	24.6	9.8	.....
2		1912	1,694.0	19.9	.....	.....	.....	.....	5.0	.....	19.9	.....	154.0	19.9	24.8	5.0
3	Norwalk town	1913	1,394.5	31.3	3.9	.....	.....	.....	11.7	11.7	31.3	3.9	125.0	.....	3.9	3.9
4		1912	1,378.8	4.0	.....	.....	31.8	.....	4.0	7.9	23.8	.....	91.4	.....	7.9	4.0
5	Norwich town	1913	1,771.9	13.9	.....	.....	6.9	27.7	.....	10.4	34.7	3.5	215.0	20.8	10.4	13.9
6		1912	1,832.7	.....	3.5	.....	.....	.....	.....	10.5	14.0	14.0	143.1	17.5	14.0	10.5
7	Orange town	1913	1,366.4	15.8	.....	.....	.....	.....	.....	15.8	15.8	.....	86.9	7.9	.....	15.8
8		1912	997.7	8.2	.....	.....	.....	.....	16.4	.....	40.9	8.2	106.3	.....	.....	8.2
9	Stamford town	1913	1,377.7	9.4	.....	.....	15.6	.....	6.2	18.7	34.3	6.2	84.2	9.4	6.2	3.1
10		1912	1,618.9	22.5	.....	.....	6.4	.....	16.1	12.9	12.9	12.9	112.6	9.7	9.7	6.4
11	Torrington town	1913	1,073.1	.....	.....	.....	5.5	16.4	5.5	10.9	21.9	5.5	93.1	5.5	.....	10.9
12		1912	1,032.5	11.2	.....	.....	.....	.....	11.2	16.8	16.8	.....	129.1	16.8	.....	11.2
13	Wallingford town	1913	1,088.2	.....	.....	.....	8.4	.....	.....	16.9	.....	8.4	101.2	16.9	8.4	.....
14		1912	1,220.4	.....	.....	.....	17.2	.....	8.6	.....	.....	.....	85.9	8.6	.....	8.6
15	Waterbury	1913	1,550.6	13.7	1.2	.....	17.4	3.7	13.7	28.6	3.7	8.7	100.9	31.1	10.0	12.5
16		1912	1,393.8	15.4	1.3	.....	9.0	7.7	2.6	21.8	6.4	11.5	111.5	17.9	10.2	9.0
17	Windham town	1913	1,484.6	22.4	.....	.....	14.9	67.1	.....	22.4	14.9	.....	89.5	14.9	7.5	.....
18		1912	1,885.4	22.8	.....	.....	.....	.....	7.6	136.8	7.6	.....	60.8	30.4	7.6	15.2
	DELAWARE.[2]															
19	Wilmington (total)	1913	1,552.5	23.1	.....	.....	15.4	14.3	7.7	8.8	6.6	2.2	129.7	7.7	12.1	4.4
20		1912	1,648.3	30.1	.....	.....	2.2	.....	17.8	11.1	10.0	1.1	160.3	6.7	16.7	12.2
21	White	1913	1,422.4	22.1	.....	.....	16.0	16.0	4.9	8.6	4.9	2.5	115.4	3.7	11.0	3.7
22		1912	1,521.9	31.1	.....	.....	2.5	.....	16.2	12.4	11.2	1.2	139.1	6.2	16.2	9.9
23	Colored	1913	2,671.3	31.7	.....	.....	10.6	.....	31.7	10.6	21.1	.....	253.4	42.2	21.1	10.6
24		1912	2,736.2	21.4	.....	.....	.....	.....	32.1	.....	.....	.....	342.0	10.7	21.4	32.1
	DISTRICT OF COLUMBIA.															
25	Washington (total)	1913	1,725.5	16.4	2.3	.....	7.8	4.0	4.9	7.8	12.9	0.9	206.9	9.8	19.5	5.7
26		1912	1,826.0	23.0	1.8	.....	2.0	1.2	18.4	4.4	17.8	3.5	219.1	12.5	14.6	7.0
27	White	1913	1,437.6	14.1	2.0	.....	7.7	5.2	1.2	9.3	10.5	1.2	134.5	5.6	10.9	5.6
28		1912	1,477.0	20.0	1.6	.....	1.6	1.6	8.6	6.1	10.2	3.3	126.4	6.5	7.4	6.5
29	Colored	1913	2,441.4	22.0	3.0	.....	8.0	1.0	14.0	4.0	19.0	.....	386.7	20.0	41.1	6.0
30		1912	2,693.8	30.5	2.0	.....	3.1	.....	42.7	.....	36.6	4.1	449.7	27.5	32.6	8.1
	FLORIDA.[2]															
31	Registration cities (total)	1913	1,772.9	27.5	14.2	.....	3.5	.....	16.9	13.3	8.0	2.7	217.3	6.2	10.6	.....
32		1912	1,937.0	36.5	23.6	1.2	2.4	1.2	2.4	7.1	13.0	.....	231.1	4.7	10.6	.....
33	White	1913	1,437.5	25.9	3.2	.....	4.9	.....	6.5	19.4	6.5	4.9	136.0	8.1	8.1	.....
34		1912	1,620.4	30.2	17.2	.....	4.3	2.2	.....	6.5	4.3	.....	142.2	8.6	15.1	.....
35	Colored	1913	2,179.2	29.4	27.5	.....	2.0	.....	29.4	5.9	9.8	.....	315.8	3.9	13.7	.....
36		1912	2,319.5	44.3	31.2	2.6	.....	.....	5.2	7.8	23.4	.....	338.4	.....	5.2	.....
37	Jacksonville (total)	1913	1,919.4	35.7	8.9	.....	4.5	.....	16.4	14.9	3.0	3.0	245.5	1.5	7.4	.....
38		1912	1,986.1	31.1	31.1	1.6	3.1	.....	3.1	7.8	17.1	.....	219.5	6.2	4.7	.....
39	White	1913	1,566.8	39.4	6.1	.....	9.1	.....	9.1	27.3	.....	6.1	136.4	3.0	9.1	.....
40		1912	1,582.0	22.2	25.4	.....	6.3	.....	.....	6.3	6.3	.....	117.3	12.7	6.3	.....
41	Colored	1913	2,259.5	32.2	11.7	.....	.....	.....	23.4	2.9	5.8	.....	350.8	.....	5.8	.....
42		1912	2,376.0	39.8	36.7	3.1	.....	.....	6.1	9.2	27.5	.....	318.0	.....	3.1	.....
43	Key West (total)	1913	1,485.9	14.4	.....	.....	.....	.....	.....	.....	9.6	4.8	215.7	19.2	9.6	.....
44		1912	1,783.5	53.5	.....	.....	.....	4.9	.....	4.9	.....	.....	267.3	.....	29.2	.....
45	White	1913	1,399.9	6.6	.....	.....	.....	.....	.....	.....	6.6	6.6	185.8	13.3	6.6	.....
46		1912	1,701.9	47.1	.....	.....	.....	6.7	.....	6.7	.....	.....	195.1	.....	33.6	.....
47	Colored	1913	1,709.5	34.5	.....	.....	.....	.....	.....	.....	17.3	.....	293.6	34.5	17.3	.....
48		1912	1,996.1	70.0	.....	.....	.....	.....	.....	.....	.....	.....	455.3	.....	17.5	.....
49	Pensacola (total)	1913	1,616.6	16.2	40.5	.....	4.1	.....	32.4	20.3	20.3	.....	141.8	8.1	20.3	.....
50	White	1913	1,167.7	14.6	.....	.....	.....	.....	7.3	21.9	21.9	.....	80.3	14.6	7.3	.....
51	Colored	1913	2,176.7	18.2	91.1	.....	9.1	.....	63.8	18.2	18.2	.....	218.6	.....	36.4	.....
	GEORGIA.[2]															
52	Registration cities (total)	1913	1,956.6	27.2	28.6	0.3	4.1	1.0	12.1	11.7	22.7	3.4	165.4	4.8	15.2	6.9
53		1912	2,039.3	38.2	30.9	.....	7.3	1.3	14.6	14.6	22.7	0.4	166.0	6.4	14.2	6.4
54	White	1913	1,471.2	25.7	8.6	.....	5.1	1.7	7.4	15.4	11.4	2.9	99.8	2.9	7.4	5.1
55		1912	1,541.7	32.8	12.6	.....	10.5	2.1	4.9	19.6	9.1	0.7	97.8	5.6	4.9	5.6
56	Colored	1913	2,698.3	29.6	59.2	0.9	2.6	.....	19.2	6.1	40.1	4.4	265.7	7.8	27.0	9.6
57		1912	2,832.6	46.7	60.1	.....	2.2	.....	30.1	6.7	44.5	.....	274.9	7.8	28.9	7.8
58	Atlanta (total)	1913	1,742.5	21.9	6.9	0.6	5.2	.....	17.8	13.2	19.6	2.3	135.9	5.8	9.8	6.3
59		1912	1,795.4	41.9	6.6	.....	7.2	1.2	13.8	15.6	18.6	.....	130.5	4.8	10.2	4.8
60	White	1913	1,349.2	18.2	6.1	.....	6.1	.....	10.4	15.6	12.1	1.7	91.9	3.5	6.1	6.1
61		1912	1,456.3	34.2	3.6	.....	9.9	1.8	4.5	19.8	8.1	.....	89.2	3.6	3.6	4.5
62	Colored	1913	2,520.8	29.2	8.6	1.7	3.4	.....	32.6	8.6	34.3	3.4	222.9	10.3	17.1	6.9
63		1912	2,466.4	57.1	12.5	.....	1.8	.....	32.1	7.1	39.2	.....	212.2	7.1	23.2	5.4
64	Augusta (total)	1913	1,973.2	24.5	38.7	.....	.....	4.1	4.1	12.2	24.5	6.1	154.9	4.1	22.4	14.3
65	White	1913	1,673.3	29.6	14.8	.....	.....	7.4	.....	18.5	11.1	3.7	85.0	3.7	11.1	7.4
66	Colored	1913	2,342.5	18.2	68.2	.....	.....	.....	9.1	4.5	40.9	9.1	241.1	4.5	36.4	22.7
67	Savannah (total)	1913	2,495.8	43.0	77.1	.....	4.4	1.5	3.0	7.4	29.6	4.4	249.0	3.0	23.7	3.0
68		1912	2,656.4	28.8	92.4	.....	7.6	1.5	16.7	12.1	33.3	1.5	255.9	10.6	24.2	10.6
69	White	1913	1,732.4	48.5	12.1	.....	6.1	3.0	3.0	12.1	9.1	6.1	139.6	.....	9.1	.....
70		1912	1,835.4	27.9	43.4	.....	12.4	3.1	6.2	18.6	12.4	3.1	127.1	12.4	9.3	9.3
71	Colored	1913	3,225.0	37.7	139.1	.....	2.9	.....	2.9	2.9	49.3	2.9	353.5	5.8	37.7	5.8
72		1912	3,440.5	29.6	139.2	.....	3.0	.....	26.6	5.9	53.3	.....	379.0	8.9	38.5	11.8

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
46	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
88.5	39.3	14.7	118.0	191.7	24.6	132.7	9.8	118.0	24.6	19.7	24.6	196.6	.....	9.8	127.8	108.1	19.7	319.5	9.8	1
99.4	29.8	.....	124.2	193.7	14.9	114.3	19.9	69.5	5.0	5.0	9.9	154.0	5.0	19.9	79.5	168.9	14.9	308.0	9.9	2
113.3	23.4	11.7	175.8	105.5	23.4	156.3	19.5	27.3	3.9	11.7	7.8	85.9	11.7	.....	70.3	78.1	11.7	230.5	.....	3
107.3	15.9	31.8	174.8	162.9	19.9	99.3	23.8	23.8	11.9	7.9	27.8	87.4	.....	7.9	59.6	79.5	15.9	246.4	.....	4
121.4	20.8	10.4	111.0	159.5	20.8	159.5	13.9	86.7	3.5	17.3	3.5	156.0	3.5	13.9	93.6	104.0	6.9	308.6	.....	5
90.8	34.9	17.5	125.7	216.4	27.9	132.7	17.5	146.6	14.0	27.9	10.5	160.6	7.0	7.0	87.3	80.3	20.9	380.5	.....	6
118.5	31.6	7.9	134.3	189.6	23.7	110.6	7.9	31.6	.....	.....	31.6	79.0	15.8	.....	102.7	55.3	7.9	252.7	7.9	7
73.6	16.4	.....	73.6	106.3	8.2	90.0	.....	8.2	.....	8.2	16.4	114.5	.....	16.4	49.1	81.8	32.7	106.3	8.2	8
90.4	18.7	6.2	124.7	99.7	9.4	159.0	6.2	65.5	12.5	18.7	9.4	115.3	3.1	3.1	77.9	127.8	12.5	221.3	3.1	9
99.8	29.0	22.5	125.5	99.8	12.9	199.5	25.7	80.5	9.7	12.9	.....	122.3	3.2	6.4	125.5	125.5	16.1	280.0	.....	10
76.6	5.5	16.4	71.2	71.2	5.5	104.0	5.5	54.7	.....	16.4	5.5	71.2	.....	.....	125.9	65.7	10.9	175.2	16.4	11
28.1	22.4	28.1	101.0	89.8	11.2	56.1	5.6	134.7	.....	16.8	11.2	33.7	.....	5.6	84.2	56.1	16.8	112.2	5.6	12
92.8	42.2	.....	84.4	143.4	33.7	59.1	8.4	33.7	.....	.....	8.4	59.1	.....	.....	92.8	67.5	25.3	168.7	8.4	13
68.8	25.8	.....	163.3	163.3	.....	120.3	.....	146.1	.....	.....	8.6	111.7	.....	25.8	85.9	43.0	8.6	111.7	8.6	14
61.0	17.4	5.0	63.5	87.2	33.6	186.8	18.7	180.6	17.4	12.5	16.2	122.1	10.0	10.0	127.0	85.9	10.0	231.7	8.7	15
55.1	17.9	14.1	87.1	107.6	33.3	126.8	10.2	134.5	10.2	7.7	14.1	107.6	10.2	15.4	112.7	75.6	17.9	206.2	5.1	16
89.5	.....	7.5	104.4	111.9	44.8	194.0	37.3	59.7	29.8	22.4	.....	89.5	.....	7.5	29.8	52.2	14.9	328.3	7.5	17
114.0	30.4	15.2	144.4	114.0	60.8	159.6	15.2	83.6	22.8	22.8	30.4	197.7	7.6	.....	83.6	91.2	15.2	387.7	.....	18
74.8	5.5	17.6	84.7	146.2	19.8	167.1	20.9	88.0	9.9	12.1	18.7	127.5	12.1	13.2	122.0	103.3	15.4	241.9	19.8	19
82.4	10.0	26.7	112.4	148.0	8.9	169.2	15.6	92.4	11.1	11.1	16.7	143.6	10.0	11.1	103.5	93.5	10.0	294.9	8.9	20
77.3	4.9	16.0	77.3	138.7	18.4	137.5	20.9	84.7	11.0	11.0	20.9	116.6	12.3	11.0	117.8	87.1	17.2	214.8	18.4	21
84.5	11.2	28.6	106.8	141.6	8.7	142.9	12.4	85.7	12.4	7.5	14.9	132.9	7.5	11.2	94.4	84.5	11.2	270.8	6.2	22
52.8	10.6	31.7	147.8	211.2	31.7	422.3	21.1	116.1	.....	21.1	.....	221.7	10.6	31.7	158.4	242.8	.....	475.1	31.7	23
64.1	.....	10.7	160.3	203.1	10.7	395.5	42.8	149.6	.....	42.8	32.1	235.1	32.1	10.7	181.7	171.0	.....	502.4	32.1	24
104.0	19.0	6.9	111.2	219.5	24.4	129.9	22.4	62.1	12.1	15.2	11.2	141.6	6.9	11.2	91.1	75.0	20.7	338.7	3.7	25
95.7	15.8	6.7	119.6	234.0	23.3	141.2	26.3	55.1	11.1	12.8	12.8	155.8	4.4	9.6	108.8	84.0	26.0	352.4	5.3	26
115.2	21.3	7.7	102.7	198.6	18.5	74.9	11.7	37.5	13.3	14.1	12.1	118.0	5.2	7.7	73.7	66.9	25.8	302.5	2.4	27
102.7	19.6	7.4	113.7	202.5	15.5	90.8	23.3	32.7	9.4	13.1	15.1	131.3	2.5	7.4	80.6	75.7	32.7	298.2	2.9	28
76.1	13.0	5.0	132.2	271.5	39.1	266.5	49.1	123.2	9.0	18.0	9.0	200.4	11.0	20.0	134.2	95.2	8.0	428.8	7.0	29
78.3	6.1	5.1	134.3	312.3	42.7	266.5	33.6	110.9	15.3	12.2	7.1	216.7	9.2	15.3	179.0	104.8	9.2	487.3	11.2	30
57.6	7.1	7.1	81.6	92.2	10.6	78.9	15.1	99.3	12.4	13.3	20.4	154.3	10.6	17.7	73.6	140.1	22.2	442.6	95.8	31
61.3	9.4	18.9	74.3	123.8	5.9	77.8	15.3	113.2	13.0	18.9	5.9	201.6	7.1	16.5	125.0	143.8	21.2	451.5	99.0	32
77.7	8.1	11.3	79.3	93.9	8.1	42.1	9.7	108.5	16.2	14.6	9.7	131.1	6.5	21.0	68.0	102.0	40.5	349.7	16.2	33
79.7	15.1	23.7	58.2	129.3	6.5	38.8	8.6	118.5	21.5	21.5	6.5	185.3	6.5	17.2	116.4	129.3	36.6	357.7	12.9	34
33.3	5.9	2.0	84.3	90.2	13.7	123.6	21.6	88.3	7.8	11.8	33.3	182.4	15.7	13.7	80.4	186.3	.....	555.1	192.2	35
39.0	2.6	13.0	93.7	117.1	5.2	125.0	23.4	106.7	2.6	15.6	5.2	221.3	7.8	15.6	135.4	161.4	2.6	564.9	203.1	36
53.6	7.4	4.5	93.7	92.2	10.4	104.2	16.4	56.5	16.4	14.9	10.4	183.0	13.4	16.4	74.4	157.7	28.3	497.0	128.0	37
57.6	9.3	10.9	60.7	112.1	6.2	93.4	18.7	74.7	14.0	24.9	6.2	233.5	7.8	21.8	118.3	166.5	21.8	473.2	129.2	38
72.7	9.1	6.1	93.9	87.9	9.1	54.5	9.1	66.7	21.2	21.2	6.1	175.8	9.1	24.2	60.6	130.3	57.6	390.9	15.2	39
76.1	15.9	6.3	38.0	104.6	6.3	41.2	12.7	63.4	25.4	31.7	6.3	231.4	6.3	25.4	101.4	155.3	44.4	367.8	19.1	40
35.1	5.8	2.9	93.5	96.5	11.7	152.0	23.4	46.8	11.7	8.8	14.6	190.0	17.5	8.8	87.7	184.2	.....	599.2	236.8	41
39.8	3.1	15.3	82.6	119.3	6.1	143.7	24.5	85.6	3.1	18.3	6.1	235.5	9.2	18.3	134.5	177.4	.....	574.9	235.5	42
71.9	9.6	24.0	71.9	71.9	14.4	47.9	9.6	254.0	4.8	.....	14.4	134.2	9.6	.....	91.1	76.7	4.8	292.4	9.6	43
72.9	9.7	43.7	116.6	160.4	4.9	29.2	4.9	233.3	9.7	.....	4.9	102.1	4.9	.....	145.8	72.9	19.4	383.9	4.9	44
92.9	13.3	33.2	59.7	86.3	6.6	46.4	13.3	252.1	6.6	.....	13.3	79.6	6.6	.....	86.3	66.3	6.6	291.9	13.3	45
87.4	13.5	60.5	100.9	181.6	6.7	33.6	.....	235.4	13.5	.....	6.7	87.4	6.7	.....	148.0	74.0	20.2	336.3	.....	46
17.3	.....	.....	103.6	34.5	34.5	51.8	.....	259.0	.....	.....	17.3	276.3	17.3	.....	103.6	103.6	.....	293.6	.....	47
35.0	.....	.....	157.6	105.1	.....	17.5	17.5	227.6	.....	.....	.....	140.1	.....	.....	140.1	70.0	17.5	507.8	17.5	48
56.7	4.1	.....	56.7	109.4	8.1	36.5	16.2	85.1	8.1	20.3	52.7	93.2	4.1	36.5	56.7	145.9	20.3	421.4	81.0	49
73.0	.....	.....	65.7	116.8	7.3	7.3	7.3	51.1	14.6	14.6	14.6	80.3	.....	36.5	65.7	73.0	36.5	313.8	21.9	50
36.4	9.1	.....	45.5	100.2	9.1	72.9	27.3	127.5	.....	27.3	100.2	109.3	9.1	36.4	45.5	236.8	.....	555.6	154.8	51
71.7	13.8	29.3	83.4	122.3	11.7	172.6	25.8	89.9	17.6	14.8	9.6	194.0	14.1	17.9	112.3	126.8	14.1	474.8	36.5	52
63.9	14.2	13.7	85.0	123.6	14.6	203.4	34.3	91.8	22.3	19.7	11.2	220.1	12.9	13.3	108.6	135.2	12.9	471.1	44.6	53
84.9	17.1	19.4	70.7	102.6	4.0	88.9	19.4	73.0	20.0	14.3	9.7	163.0	10.3	14.8	100.9	93.5	19.4	334.6	17.7	54
73.3	19.6	14.0	71.2	99.8	9.1	102.6	26.5	68.4	23.7	14.7	9.1	192.0	9.1	10.5	99.1	107.5	20.2	347.0	18.2	55
51.4	8.7	44.4	102.8	152.4	23.5	300.5	35.7	115.8	13.9	15.7	9.6	241.3	20.0	22.6	129.8	177.7	6.1	689.0	65.3	56
49.0	5.6	13.4	106.8	161.4	23.4	363.9	46.7	129.1	20.0	27.8	14.5	264.9	18.9	17.8	123.5	179.2	1.1	668.9	86.8	57
67.4	13.8	39.1	79.4	104.8	9.8	160.0	23.0	73.7	23.6	16.1	10.4	175.6	16.7	19.0	101.9	113.4	13.8	409.3	26.5	58
59.3	14.4	13.8	73.6	107.2	12.6	203.5	26.9	80.8	22.2	18.6	10.2	210.7	12.0	13.8	104.2	132.9	16.8	381.3	25.7	59
77.1	14.7	20.8	63.3	82.3	3.5	76.3	18.2	61.5	26.9	15.6	8.7	149.0	13.0	18.2	95.3	80.6	14.7	317.2	14.7	60
68.5	17.1	11.7	64.0	85.6	8.1	111.7	21.6	61.3	26.1	12.6	5.4	189.2	10.8	12.6	98.2	103.6	25.2	328.0	11.7	61
48.0	12.0	75.5	111.5	149.2	22.3	325.8	32.6	97.7	17.1	17.1	13.7	228.1	24.0	20.6	114.9	178.3	12.0	591.6	49.7	62
41.0	8.9	17.8	92.7	149.8	21.4	385.2	37.5	119.5	14.3	30.3	19.6	253.2	14.3	16.1	115.9	190.8	.....	486.9	53.5	63
85.6	12.2	12.2	110.1	140.7	10.2	179.4	28.5	87.7	10.2	18.3	6.1	252.8	8.2	18.3	95.8	118.2	8.2	438.3	22.4	64
107.1	18.5	18.5	96.0	129.3	3.7	114.5	22.2	103.4	11.1	11.1	11.1	232.7	7.4	7.4	92.3	99.7	14.8	350.9	29.6	65
59.1	4.5	4.5	127.4	154.7	18.2	259.3	36.4	68.2	9.1	27.3	.....	277.5	9.1	31.8	100.1	141.0	.....	545.8	13.6	66
72.6	14.8	16.3	74.1	154.1	17.8	200.1	31.1	133.4	7.4	8.9	10.4	198.6	11.9	14.8	151.2	167.5	19.3	669.9	72.6	67
75.7	13.6	13.6	113.6	165.1	19.7	202.9	53.0	119.6	22.7	22.7	13.6	243.8	15.1	12.1	119.6	140.8	3.0	698.2	92.4	68
94 1	24 3	15.2	75.8	151.7	6.1	112.3	21.2	88.0	3.0	12.1	12.1	154.7	3.0	9.1	127.4	133.5	39.4	382.3	18.2	69
89.9	27.9	21.7	96.1	148.8	12.4	71.3	43.4	93.0	15.5	21.7	21.7	201.5	3.1	3.1	102.3	120.9	3.1	412.3	40.3	70
52.2	5.8	17.4	72.4	156.5	29.0	284.0	40.6	176.7	11.6	5.8	8.7	240.5	20.3	20.3	173.9	199.9	.....	944.6	124.6	71
62.2	.....	5.9	130.3	180.6	26.6	328.7	62.2	145.1	29.6	23.7	5.9	284.2	26.6	20.7	136.2	159.9	3.0	971.2	142.1	72

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	ILLINOIS.[2]															
1	Registration cities (total)	1913	1,509.8	12.2	0.4	.....	12.2	36.1	4.7	38.8	4.8	4.6	143.9	8.4	11.2	8.2
2		1912	1,481.2	9.4	0.2	0.3	5.1	25.1	6.6	39.7	6.4	4.6	142.4	9.1	8.9	7.7
3	White	1913	1,488.7	12.1	0.3	.....	12.3	36.6	4.7	39.1	4.8	4.5	136.0	8.3	10.6	8.1
4		1912	1,456.3	9.2	0.2	0.3	5.1	25.6	6.4	40.2	6.3	4.5	133.2	8.7	8.5	7.4
5	Colored	1913	2,414.6	15.4	5.1	.....	6.8	13.7	6.8	29.1	3.4	6.8	483.9	13.7	39.3	12.0
6		1912	2,551.2	19.2	.....	1.7	5.2	3.5	17.5	17.5	10.5	7.0	537.8	27.9	26.2	19.2
7	Aurora	1913	1,421.5	21.6	3.1	.....	12.3	6.2	21.6	9.3	12.3	6.2	89.4	12.3	21.6	9.3
8		1912	1,451.0	3.1	.....	.....	9.4	3.1	15.7	22.0	6.3	.....	97.4	.....	12.6	9.4
9	Belleville	1913	1,542.5	47.3	.....	.....	37.9	.....	9.5	14.2	4.7	9.5	146.7	4.7	.....	4.7
10		1912	1,306.2	56.8	.....	.....	.....	.....	4.7	14.2	4.7	.....	118.3	.....	4.7	9.5
11	Chicago (total)	1913	1,505.9	10.4	0.3	.....	11.9	39.2	4.0	41.2	4.3	4.7	146.3	8.7	11.1	7.8
12		1912	1,483.1	7.4	0.2	0.3	5.3	27.2	6.0	41.2	6.4	4.6	145.0	9.6	8.7	7.3
13	White	1913	1,485.2	10.3	0.3	.....	12.0	39.7	4.0	41.4	4.4	4.6	138.5	8.6	10.4	7.8
14		1912	1,459.0	7.2	0.2	0.3	5.3	27.7	5.8	41.8	6.3	4.6	136.2	9.1	8.4	7.2
15	Colored	1913	2,462.5	12.1	2.0	.....	6.1	16.1	6.1	32.3	2.0	8.1	510.2	16.1	44.4	8.1
16		1912	2,601.9	16.5	.....	2.1	6.2	4.1	12.4	16.5	12.4	6.2	552.1	30.9	22.7	14.4
17	Decatur	1913	1,303.2	21.9	.....	.....	2.7	2.7	11.0	2.7	8.2	2.7	104.0	.....	19.2	16.4
18		1912	1,218.8	28.1	2.8	.....	.....	2.8	5.6	14.1	14.1	2.8	101.3	2.8	5.6	22.5
19	Evanston	1913	1,017.1	14.7	.....	.....	7.4	18.4	3.7	14.7	.....	.....	33.2	.....	11.1	.....
20		1912	1,150.2	22.9	.....	.....	3.8	19.0	3.8	26.7	.....	11.4	38.1	3.8	11.4	7.6
21	Jacksonville*	1913	2,551.0	6.5	.....	.....	13.0	.....	.....	13.0	13.0	.....	194.7	6.5	19.5	26.0
22		1912	2,386.1	45 5	.....	.....	.....	.....	6.5	19.5	6.5	6.5	201.5	6.5	19.5	6.5
23	Quincy	1913	1,566.9	65.4	2.7	.....	.....	2.7	.....	16.4	24.5	2.7	144.4	.....	2.7	21.8
24		1912	1,459.3	21.8	.....	.....	.....	.....	32.7	13.6	8.2	.....	169.1	.....	5.5	10.9
25	Springfield	1913	1,760.0	30.1	3.5	.....	31.9	1.8	24.8	24.8	5.3	3.5	139.9	8.9	12.4	8.9
26		1912	1,575.1	41.8	.....	.....	5.5	.....	14.6	41.8	3.6	7.3	109.1	10.9	16.4	9.1
	INDIANA.															
27	Registration cities (total)	1913	1,524.0	28.2	2.4	0.6	17.9	11.7	16.0	20.9	9.9	4.8	140.3	9.0	19.7	6.4
28		1912	1,421.6	28.7	1.7	.....	2.8	3.8	6.3	21.4	8.5	3.6	133.7	8.4	17.8	5.5
29	White	1913	1,475.3	26.8	2.0	0.6	18.6	12.1	15.8	21.2	9.7	4.8	124.3	8.8	17.5	5.8
30		1912	1,376.6	28.7	1.3	.....	2.9	3.9	6.4	22.1	8.2	3.7	120.1	7.1	16.2	5.3
31	Colored	1913	2,458.8	54.9	9.2	.....	4.6	4.6	20.6	13.7	13.7	4.6	446.4	11.4	61.8	16.0
32		1912	2,283.8	28.1	9.4	.....	.....	2.3	4.7	7 0	14.0	2.3	395.0	32.7	46.8	9.4
33	Anderson	1913	1,434.1	34.5	.....	.....	.....	.....	4.3	38.8	12.9	.....	112.0	25.8	34.5	8.6
34		1912	1,287.6	26.1	.....	.....	.....	.....	.....	47.9	17.4	8.7	95.7	17.4	17.4	.....
35	East Chicago	1913	2,050.2	45.5	.....	.....	62.0	82.7	.....	33.1	20.7	.....	86.8	4.1	16.5	4.1
36		1912	1,455.4	39.8	.....	.....	4.4	17.7	31.0	8.8	8.8	4.4	66.4	8.8	4.4	.....
37	Elkhart	1913	1,241.9	34.0	.....	.....	4.9	19.4	.....	9.7	.....	4.9	63 1	.....	14.6	4.9
38		1912	1,094.2	14.9	.....	.....	.....	.....	.....	5.0	9.9	.....	84.2	.....	.....	5.0
39	Elwood	1913	1,643.4	38.4	.....	.....	38.4	.....	38.4	38.4	9.6	9.6	173.0	9.6	28.8	9.6
40		1912	1,160.5	18.9	.....	.....	.....	.....	.....	18.9	9.4	.....	141.5	.....	18.9	.....
41	Evansville	1913	1,428.1	44.0	9.9	.....	4.3	12.8	7.1	18.5	5.7	7.1	154.7	5.7	15.6	4.3
42		1912	1,369.2	34.5	4 3	.....	.....	.....	7.2	23.0	12.9	4.3	155.2	7.2	14.4	4.3
43	Fort Wayne	1913	1,292.2	14.2	.....	.....	14.2	8 5	12.8	29.8	5.7	5.7	87.9	8.5	18.4	4.3
44		1912	1,213.7	14.7	1.5	.....	1.5	2.9	2.9	8.8	8.8	2.9	97.2	7.4	14.7	11.8
45	Gary	1913	(3)	(3)	(3)	.....	(3)	(3)	(3)	(3)	(3)	.....	(3)	(3)	(3)	(3)
46		1912	(3)	(3)	.....	.....	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
47	Hammond	1913	1,675.4	63.5	4.2	.....	33.8	25.4	38.1	.....	.....	8.5	80.4	.....	12.7	25.4
48		1912	1,474.3	70.2	.....	.....	4.4	8.8	4.4	21.9	4.4	8.8	92.1	.....	13.2	13.2
49	Huntington	1913	1,390.4	38.4	.....	.....	47.9	.....	28.8	.....	.....	.....	95.9	19.2	19.2	.....
50		1912	1,377.6	9.6	.....	.....	.....	.....	28.9	.....	.....	.....	125.2	.....	9.6	9.6
51	Indianapolis (total)	1913	1,572.5	24.4	1.6	.....	6.3	5.1	14.2	18.9	9.5	5.1	182.1	9.5	30.7	6.3
52		1912	1,499.2	17.8	1.6	.....	6.5	4.0	1.2	14.6	6.9	4.5	153.5	8.9	23.1	4.0
53	White	1913	1,481.8	22.6	0.4	.....	6.5	5.2	13.9	20.0	10.4	5.2	151.4	10.0	25.7	5.2
54		1912	1,415.0	17.9	0.9	.....	7.1	4.0	0.9	15.2	6.7	4.9	126.9	6.3	20.1	4.0
55	Colored	1913	2,451.1	42.1	12.6	.....	4.2	4.2	16.8	8.4	.....	4.2	480.1	4.2	80.0	16.8
56		1912	2,314.7	17.3	8.7	.....	.....	4.3	4.3	8.7	8.7	.....	411.0	34.6	51.9	4.3
57	Jeffersonville (total)	1913	1,350.0	29.1	.....	.....	.....	.....	.....	29.1	.....	19.4	126.3	19.4	29.1	.....
58		1912	1,626.0	38.7	.....	.....	.....	.....	.....	29.0	9.7	.....	183.9	29.0	19.4	9.7
59	White	1913	1,242.2	22.8	.....	.....	.....	.....	.....	22.8	.....	22.8	91.2	.....	34.2	.....
60		1912	1,487.6	34.1	.....	.....	.....	.....	.....	34.1	11.4	.....	124.9	22.7	22.7	.....
61	Colored	1913	1,972.4	65.7	.....	.....	.....	.....	.....	65.7	.....	.....	328.7	131.5	.....	.....
62		1912	2,424.6	65.5	.....	.....	.....	.....	.....	.....	.....	.....	524.2	65.5	.....	65.5
63	Kokomo	1913	1,514.9	36.7	5.2	.....	41.9	5.2	26.2	36.7	21.0	.....	183.5	.....	10.5	.....
64		1912	1,377.9	54.5	5.4	.....	5.4	5.4	.....	27.2	10 9	.....	157.9	.....	32.7	10.9
65	Lafayette	1913	1,748.6	14.5	.....	4.8	.....	.....	4.8	14.5	9.7	.....	125.6	9.7	19.3	14.5
66		1912	1,935.8	29.3	.....	.....	4.9	.....	19.5	14.6	9.8	4.9	185.3	14.6	9.8	14.6
67	Laporte	1913	1,545.5	16.4	8.2	.....	16.4	.....	8.2	41.1	.....	8.2	90.4	.....	8.2	.....
68		1912	1,957.2	60.6	.....	.....	.....	34.6	8.7	17.3	.....	.....	86.6	17.3	17.3	8.7
69	Logansport	1913	1,572.0	65.1	.....	.....	15.0	.....	20.0	20.0	20.0	5.0	135.2	15.0	10.0	5.0
70		1912	1,559.5	81.3	.....	.....	.....	.....	5.1	15.2	15.2	5.1	127.0	15.2	5.1	5.1
71	Marion	1913	1,655.8	25.6	5.1	5.1	20.4	5.1	10.2	35.8	25.6	.....	189.1	15.3	5.1	.....
72		1912	1,431.9	30.7	5.1	.....	.....	.....	.....	56.3	10.2	10.2	112.5	.....	20.5	10.2
73	Michigan City	1913	1,398.3	14.8	.....	.....	73.9	4.9	4.9	24.6	.....	4.9	118.2	4.9	9.8	4.9
74		1912	1,290.7	70.3	.....	.....	.....	.....	10.0	5.0	5.0	.....	135.6	5.0	15.1	.....

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
86.9	16.3	8.2	52.8	142.7	9.4	198.3	10.2	134.9	17.1	1.04	22.3	115.1	8.6	7.1	60.3	90.8	22.1	209.8	1.0	1
80.6	16.3	8.1	50.0	150.8	9.1	200.8	11.7	130.7	16.1	11.4	20.4	113.0	7.9	8.3	57.9	91.5	23.5	206.2	1.4	2
86.2	16.2	8.1	51.9	139.1	9.4	196.7	10.0	136.4	17.1	10.2	22.1	112.8	8.6	7.1	60.4	89.3	22.2	206.7	0.9	3
81.0	16.3	8.0	49.5	146.3	9.1	197.2	11.5	132.0	16.1	11.5	20.5	110.8	7.6	8.3	57.8	90.4	23.5	202.2	1.3	4
112.9	20.5	10.3	94.1	295.8	12.0	270.2	18.8	71.8	18.8	18.8	32.5	213.8	6.8	8.6	56.4	153.9	17.1	342.0	3.4	5
64.6	12.2	12.2	73.3	342.2	12.2	356.2	19.2	76.8	17.5	10.5	15.7	204.3	22.7	7.0	61.1	141.4	26.2	375.4	7.0	6
70.9	21.6	18.5	74.0	123.3	18.5	120.3	6.2	64.8	18.5	30.8	18.5	123.3	3.1	9.3	98.7	86.3	15.4	271.3	3.1	7
109.9	12.6	12.6	72.2	122.5	31.4	135.1	18.8	40.8	25.1	6.3	15.7	141.3	.....	9.4	97.4	100.5	12.6	298.4	9.4	8
75.7	9.5	14.2	99.4	108.8	85.2	75.7	4.7	85.2	23.7	14.2	37.9	89.9	18.9	.....	99.4	94.6	47.3	269.7	9.5	9
99.4	14.2	28.4	80.5	99.4	18.9	37.9	28.4	56.8	4.7	23.7	14.2	71.0	14.2	9.5	99.4	99.4	18.9	269.8	4.7	10
86.0	16.0	7.5	49.8	142.4	7.8	206.1	9.5	142.0	16.6	9.3	22.5	115.1	8.4	7.0	58.1	90.6	22.1	198.7	0.6	11
78.4	15.9	7.6	47.7	152.1	7.9	210.9	10.8	139.1	16.0	10.6	20.7	111.6	8.1	8.5	56.4	91.5	23.6	195.9	0.4	12
85.2	15.9	7.4	48.7	138.7	7.8	204.7	9.5	143.6	16.5	9.1	22.2	112.8	8.5	7.0	58.4	88.9	22.1	196.0	0.6	13
78.5	16.0	7.5	47.1	147.8	7.9	207.2	10.6	140.4	16.0	10.7	20.7	109.3	7.8	8.5	56.6	90.3	23.6	192.1	0.4	14
127.1	22.2	12.1	98.8	310.6	8.1	274.3	10.1	70.6	20.2	18.2	34.3	221.8	6.1	8.1	48.4	167.4	18.2	320.7	2.0	15
72.1	10.3	12.4	74.2	352.3	10.3	385.2	20.6	76.2	18.5	6.2	18.5	222.5	22.7	8.2	49.4	148.3	24.7	370.8	2.1	16
82.1	11.0	2.7	63.0	95.8	21.9	90.3	19.2	57.5	30.1	16.4	16.4	120.5	16.4	8.2	90.3	98.6	13.7	243.7	13.7	17
112.6	14.1	14.1	45.0	87.3	5.6	70.4	8.4	33.8	22.5	8.4	14.1	146.4	8.4	2.8	59.1	90.1	22.5	233.6	16.9	18
129.0	22.1	3.7	55.3	84.8	14.7	88.4	18.4	25.8	14.7	11.1	3.7	84.8	11.1	3.7	40.5	59.0	25.8	217.4	.....	19
102.8	19.0	.....	83.8	140.9	22.9	76.2	19.0	30.5	15.2	41.9	11.4	72.4	3.8	.....	60.9	72.4	26.7	198.0	3.8	20
129.8	45.4	32.5	214.2	272.6	19.5	175.3	32.5	45.4	26.0	45.4	6.5	149.3	6.5	19.5	32.5	123.3	6.5	869.8	6.5	21
123.5	19.5	6.5	156.0	260.1	32.5	130.0	65.0	19.5	45.5	32.5	13.0	136.5	6.5	13.0	52.0	97.5	19.5	838.7	.....	22
111.7	16.4	8.2	103.6	239.8	38.2	100.8	32.7	35.4	13.6	10.9	24.5	98.1	2.7	8.2	57.2	46.3	13.6	318.8	2.7	23
106.4	24.5	5.5	84.6	185.5	32.7	84.6	13.6	27.3	10.9	19.1	43.6	117.3	5.5	8.2	35.5	68.2	16.4	300.0	8.2	24
88.5	21.2	26.6	65.5	138.1	12.4	157.6	12.4	90.3	28.3	28.3	26.6	132.8	12.4	8.9	113.3	131.0	31.9	336.4	1.8	25
90.9	27.3	20.0	56.4	125.5	16.4	121.9	20.0	72.8	10.9	20.0	7.3	156.4	5.5	5.5	92.8	107.3	34.6	303.8	20.0	26
81.8	17.7	5.9	84.8	144.3	17.0	119.8	12.5	96.6	17.4	15.5	16.1	100.6	11.0	8.6	80.6	120.3	25.6	258.2	2.0	27
81.0	18.0	9.4	76.3	151.4	18.1	123.8	11.5	74.4	19.5	15.4	16.4	100.4	10.9	8.6	69.9	100.4	20.3	252.9	1.0	28
82.2	17.5	6.1	83.2	136.9	15.6	113.9	11.3	98.2	17.3	14.8	15.6	98.0	10.7	8.2	79.3	116.1	25.9	254.0	2.1	29
81.0	18.6	9.2	76.5	143.9	17.6	116.0	10.6	74.0	20.0	15.6	16.2	96.2	10.0	8.3	68.8	97.5	20.6	249.2	1.0	30
73.3	20.6	2.3	116.8	286.2	43.5	231.2	34.3	66.4	18.3	29.8	25.2	151.1	16.0	16.0	105.3	201.5	20.6	338.8	.....	31
81.8	7.0	14.0	72.5	294.5	28.1	273.5	28.1	81.8	9.4	11.7	18.7	180.0	28.1	14.0	91.2	156.6	14.0	324.9	2.3	32
73.2	12.9	4.3	64.6	112.0	21.5	142.1	21.5	64.6	17.2	21.5	12.9	103.4	12.9	8.6	73.2	77.5	30.1	288.5	.....	33
91.4	13.1	4.4	82.7	104.4	4.4	95.7	8.7	21.8	8.7	8.7	4.4	95.7	8.7	21.8	82.7	60.9	30.5	308.9	.....	34
16.5	.....	.....	16.5	62.0	20.7	372.0	8.3	562.1	8.3	.....	12.4	41.3	8.3	8.3	161.2	144.7	24.8	214.9	12.4	35
35.4	.....	13.3	22.1	44.2	26.5	269.9	4.4	349.5	4.4	.....	13.3	53.1	.....	4.4	128.3	128.3	13.3	146.0	4.4	36
58.2	24.3	4.9	77.6	203.8	9.7	97.0	4.9	67.9	4.9	14.6	9.7	135.8	9.7	.....	48.5	116.4	14.6	184.3	.....	37
104.0	24.8	5.0	84.2	153.5	5.0	108.9	5.0	39.6	9.9	9.9	.....	108.9	.....	9.9	59.4	59.4	9.9	178.2	.....	38
105.7	9.6	.....	96.1	96.1	.....	105.7	.....	86.5	.....	9.6	19.2	105.7	9.6	.....	163.4	76.9	38.4	317.2	9.6	39
75.5	18.9	9.4	37.7	84.9	9.4	84.9	18.9	66.0	.....	.....	18.9	132.1	.....	.....	103.8	47.2	28.3	217.0	.....	40
59.6	11.4	5.7	80.9	161.8	29.8	106.5	18.5	66.7	12.8	12.8	34.1	100.8	8.5	8.5	58.2	110.7	22.7	228.6	.....	41
84.8	7.2	7.2	46.0	125.0	37.4	109.2	14.4	64.7	37.4	14.4	31.6	110.6	7.2	8.6	63.2	84.8	20.1	227.0	1.4	42
103.5	12.8	8.5	103.5	96.5	17.0	83.7	14.2	48.2	22.7	14.2	11.3	113.5	5.7	4.3	69.5	99.3	14.2	238.3	1.4	43
106.1	32.4	4.4	84.0	109.0	25.0	104.6	11.8	29.5	23.6	17.7	19.1	104.6	7.4	4.4	50.1	61.9	11.8	229.8	1.5	44
(3)	(3)	.....	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	.....	45
(3)	(3)	.....	(3)	(3)	(3)	(3)	.....	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	.....	46
55.0	25.4	8.5	63.5	80.4	16.9	126.9	21.2	203.1	29.6	4.2	12.7	84.6	25.4	16.9	88.8	241.2	12.7	266.5	.....	47
52.7	21.9	13.2	30.7	61.4	26.3	105.3	4.4	153.6	48.3	8.8	48.3	48.3	13.2	13.2	114.1	210.6	21.9	236.9	.....	48
115.1	9.6	.....	134.2	211.0	9.6	115.1	.....	19.2	9.6	9.6	19.2	47.9	9.6	9.6	47.9	143.8	.....	230.1	.....	49
106.0	38.5	.....	144.5	125.2	9.6	134.9	9.6	.....	28.9	19.3	.....	96.3	.....	9.6	144.5	115.6	9.6	202.3	.....	50
91.5	18.1	6.7	86.7	154.9	12.6	120.6	15.4	48.9	18.5	17.3	18.9	110.4	9.5	9.1	84.8	106.4	30.0	298.4	.....	51
88.7	19.8	13.0	83.4	184.3	14.2	132.0	14.6	49.8	13.0	14.6	15.4	106.5	12.1	8.1	67.2	90.3	25.5	299.7	0.4	52
92.6	17.4	7.0	84.4	141.4	11.3	108.7	13.0	48.7	18.3	15.7	18.7	105.7	8.3	8.7	80.9	100.0	31.3	293.1	.....	53
88.0	20.6	12.1	85.3	171.6	13.9	111.7	13.0	46.0	13.4	14.7	16.1	98.7	10.3	7.1	67.5	86.2	26.4	297.1	0.4	54
80.0	25.3	4.2	109.5	286.4	25.3	235.8	37.9	50.5	21.1	33.7	21.1	155.8	21.1	12.6	122.1	168.5	16.8	349.6	.....	55
95.2	13.0	21.6	64.9	307.2	17.3	328.8	30.3	86.5	8.7	13.0	8.7	181.7	30.3	17.3	64.9	129.8	17.3	324.5	.....	56
38.9	19.4	.....	116.6	77.7	29.1	48.6	.....	48.6	9.7	19.4	19.4	145.7	.....	9.7	48.6	165.1	.....	291.4	9.7	57
106.5	9.7	.....	145.2	193.6	38.7	77.4	.....	67.8	.....	9.7	9.7	309.7	.....	.....	48.4	58.1	9.7	222.6	.....	58
45.6	22.8	.....	102.6	91.2	34.2	34.2	.....	57.0	.....	22.8	22.8	136.8	.....	11.4	22.8	125.4	.....	307.7	11.4	59
113.6	11.4	.....	102.2	147.6	34.1	79.5	.....	79.5	.....	11.4	11.4	318.0	.....	.....	45.4	56.8	11.4	215.8	.....	60
.....	.....	.....	197.2	.....	.....	131.5	.....	.....	65.7	.....	.....	197.2	.....	.....	197.2	394.5	.....	197.2	.....	61
65.5	.....	.....	393.2	458.7	65.5	65.5	.....	.....	.....	.....	.....	262.1	.....	.....	65.5	65.5	.....	262.1	.....	62
68.1	26.2	5.2	110.1	162.5	5.2	136.3	15.7	83.9	.....	10.5	10.5	110.1	36.7	.....	62.9	89.1	15.7	199.2	.....	63
92.6	5.4	5.4	76.2	130.7	5.4	168.8	5.4	59.9	5.4	27.2	5.4	98.0	5.4	16.3	81.7	76.2	.....	201.5	.....	64
111.1	33.8	4.8	149.7	222.2	33.8	106.3	19.3	33.8	14.5	33.8	29.0	154.6	14.5	4.8	72.5	140.1	24.2	328.5	.....	65
117.0	58.5	24.4	170.7	232.8	19.5	112.2	14.6	63.4	43.9	29.3	14.6	102.4	4.9	4.9	39.0	156.0	39.0	331.6	.....	66
148.0	8.2	24.7	197.3	213.7	.....	115.1	.....	74.0	24.7	24.7	.....	74.0	8.2	.....	98.7	57.5	24.7	246.6	8.2	67
77.9	17.3	.....	95.3	235.8	43.3	207.8	17.3	173.2	60.6	17.3	17.3	103.9	26.0	17.3	103.9	95.3	26.0	320.4	.....	68
100.1	15.0	10.0	120.2	80.1	10.0	105.1	15.0	70.1	20.0	25.0	10.0	160.2	10.0	5.0	55.1	155.2	20.0	275.4	.....	69
91.4	10.2	15.2	127.0	132.1	25.4	106.7	5.1	71.1	45.7	15.2	25.4	147.3	15.2	5.1	30.5	121.9	15.2	279.4	.....	70
86.9	25.6	.....	143.1	219.8	20.4	102.2	5.1	56.2	.....	15.3	20.4	92.0	5.1	5.1	102.2	97.1	15.3	296.4	5.1	71
66.5	20.5	20.5	61.4	184.1	5.1	112.5	20.5	40.9	25.6	35.8	5.1	56.3	15.3	15.3	71.6	92.0	5.1	322.2	.....	72
78.8	19.7	9.8	44.3	192.0	14.8	132.9	4.9	128.0	14.8	4.9	9.8	54.2	14.8	9.8	93.5	78.8	19.7	206.8	.....	73
50.2	15.1	10.0	50.2	140.6	10.0	130.6	10.0	95.4	30.1	10.0	15.1	55.2	15.1	.....	70.3	105.5	25.1	205.9	.....	74

[3] Incorporated in 1906; population not estimated.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	INDIANA—continued.															
1	Mishawaka	1913	1,061.8	28.7	.....	.....	.....	7.2	14.3	.....	.....	.....	71.7	14.3	.....	7.2
2		1912	947.4	60.2	.....	.....	.....	7.5	30.1	15.0	7.5	.....	75.2	7.5	15.0	.....
3	Muncie	1913	1,418.8	32.3	.....	.....	8.1	4.0	32.3	4.0	20.2	.....	125.3	12.1	24.3	4.0
4		1912	1,268.8	20.4	.....	.....	.....	.....	8.2	28.6	12.2	.....	122.4	8.2	24.5	.....
5	New Albany	1913	1,556.1	24.2	.....	.....	19.4	4.8	33.9	4.8	43.6	9.7	227.8	.....	24.2	9.7
6		1912	1,478.5	24.2	4.8	.....	.....	4.8	19.4	9.7	43.6	4.8	227.8	4.8	19.4	.....
7	Peru	1913	1,364.6	26.9	.....	.....	18.0	.....	18.0	26.9	18.0	.....	89.8	9.0	.....	18.0
8		1912	1,306.2	27.0	.....	.....	.....	.....	18.0	9.0	9.0	.....	63.1	18.0	.....	.....
9	Richmond	1913	1,155.0	25.5	.....	.....	12.7	34.0	4.2	.....	21.2	.....	135.9	8.5	12.7	4.2
10		1912	1,320.8	8.6	.....	.....	.....	21.6	8.6	.....	12.9	.....	112.2	8.6	21.6	4.3
11	South Bend	1913	1,253.2	20.6	.....	3.2	11.1	25.3	31.6	25.3	.....	9.5	104.4	12.7	9.5	1.6
12		1912	1,169.7	22.8	.....	.....	1.6	1.6	9.8	19.6	.....	3.3	130.5	11.4	8.2	4.9
13	Terre Haute	1913	1,616.0	24.1	3.2	.....	40.2	9.6	4.8	14.5	9.6	3.2	125.3	8.0	17.7	11.2
14		1912	1,446.4	32.8	1.6	.....	.....	1.6	6.6	32.8	3.3	1.6	131.2	8.2	24.6	3.3
15	Vincennes	1913	1,501.6	18.4	18.4	6.1	18.4	.....	49.0	67.4	12.3	6.1	122.6	.....	6.1	6.1
16		1912	1,543.5	25.2	18.9	.....	6.3	.....	.....	107.1	.....	.....	138.6	.....	37.8	12.6
	KANSAS.[2]															
17	Registration cities (total)	1913	1,426.8	28.3	2.7	.....	9.2	7.4	5.4	11.0	13.1	2.7	104.5	5.4	12.8	7.1
18		1912	1,469.5	26.0	4.6	0.3	5.2	5.2	11.0	10.7	13.5	3.4	105.1	3.7	9.5	5.2
19	White	1913	1,340.1	28.0	1.6	.....	9.5	7.9	4.0	11.2	11.5	2.6	80.0	5.9	9.5	5.3
20		1912	1,385.5	23.4	3.4	0.3	4.7	5.1	9.8	10.8	11.2	3.7	88.8	3.4	7.1	5.4
21	Colored	1913	2,248.3	31.2	12.5	.....	6.2	3.1	18.7	9.4	28.1	3.1	336.8	.....	43.7	24.9
22		1912	2,262.0	51.1	16.0	.....	9.6	6.4	22.4	9.6	35.1	.....	258.8	6.4	31.9	3.2
23	Atchison (total)	1913	1,199.9	30.1	6.0	.....	.....	18.1	.....	6.0	18.1	.....	102.5	6.0	.....	6.0
24		1912	1,167.2	12.1	6.0	.....	12.1	.....	6.0	12.1	6.0	.....	60.5	.....	.....	12.1
25	White	1913	1,118.9	35.9	.....	.....	.....	14.3	.....	7.2	21.5	.....	71.7	7.2	.....	7.2
26		1912	1,165.5	14.4	7.2	.....	14.4	.....	7.2	14.4	7.2	.....	43.2	.....	.....	14.4
27	Colored	1913	1,626.9	.....	37.8	.....	.....	37.8	.....	.....	.....	.....	264.8	.....	.....	.....
28		1912	1,176.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	151.8	.....	.....	.....
29	Coffeyville (total)	1913	1,033.0	32.9	.....	.....	19.7	.....	.....	13.2	19.7	.....	59.2	.....	13.2	6.6
30		1912	1,255.5	13.9	13.9	.....	.....	6.9	6.9	.....	.....	.....	83.2	.....	.....	.....
31	White	1913	971.4	37.1	.....	.....	14.8	.....	.....	14.8	22.2	.....	37.1	.....	14.8	7.4
32		1912	1,164.9	7.8	.....	.....	.....	7.8	.....	.....	.....	.....	70.4	.....	.....	.....
33	Colored	1913	1,517.8	.....	.....	.....	58.4	.....	.....	.....	.....	.....	233.5	.....	.....	.....
34		1912	1,969.2	61.5	123.1	.....	.....	.....	61.5	.....	.....	.....	184.6	.....	.....	.....
35	Fort Scott (total)	1913	1,294.3	47.6	9.5	.....	.....	.....	.....	.....	.....	.....	38.1	.....	19.0	.....
36		1912	1,591.4	57.2	19.1	.....	38.1	9.5	9.5	.....	47.6	.....	66.7	.....	9.5	19.1
37	White	1913	1,268.9	42.3	10.6	.....	.....	.....	.....	.....	.....	.....	31.7	.....	10.6	.....
38		1912	1,344.8	63.5	21.2	.....	21.2	10.6	10.6	.....	52.9	.....	21.2	.....	10.6	21.2
39	Colored	1913	1,522.4	95.1	.....	.....	.....	.....	.....	.....	.....	.....	95.1	.....	95.1	.....
40		1912	3,809.5	.....	.....	.....	190.5	.....	.....	.....	.....	.....	476.2	.....	.....	.....
41	Hutchinson	1913	1,164.7	48.3	.....	.....	.....	10.7	.....	10.7	5.4	.....	85.9	.....	10.7	.....
42		1912	1,489.5	27.9	.....	.....	.....	.....	.....	.....	.....	5.6	83.7	.....	5.6	5.6
43	Independence	1913	1,079.5	31.5	.....	.....	.....	7.9	7.9	15.8	7.9	.....	63.0	.....	.....	.....
44		1912	992.9	24.8	8.3	.....	8.3	.....	33.1	.....	.....	.....	57.9	.....	.....	.....
45	Kansas City (total)	1913	1,528.0	29.4	1.1	.....	18.5	3.3	10.9	10.9	10.9	.....	159.2	9.8	13.1	10.9
46		1912	1,579.6	25.8	4.5	.....	1.1	.....	12.4	11.2	18.0	2.2	157.3	2.2	12.4	3.4
47	White	1913	1,392.5	30.8	.....	.....	19.7	3.7	4.9	8.6	8.6	.....	129.2	11.1	9.8	7.4
48		1912	1,416.7	21.5	1.3	.....	1.3	.....	11.4	10.1	11.4	2.5	129.3	2.5	7.6	2.5
49	Colored	1913	2,587.5	19.2	9.6	.....	9.6	.....	57.7	28.9	28.9	.....	394.4	.....	38.5	38.5
50		1912	2,853.7	59.5	29.7	.....	.....	.....	19.8	19.8	69.4	.....	376.5	.....	49.5	9.9
51	Lawrence (total)	1913	1,445.8	15.5	.....	.....	.....	.....	.....	7.8	38.9	.....	101.0	.....	15.5	7.8
52		1912	1,242.9	15.7	.....	.....	.....	.....	7.9	.....	15.7	15.7	70.8	.....	.....	7.9
53	White	1913	1,306.4	9.7	.....	.....	.....	.....	.....	9.7	48.4	.....	58.1	.....	19.4	.....
54		1912	1,302.4	9.8	.....	.....	.....	.....	.....	.....	19.6	19.6	58.8	.....	.....	9.8
55	Colored	1913	2,015.0	39.5	.....	.....	.....	.....	.....	.....	.....	.....	276.6	.....	.....	39.5
56		1912	1,000.0	40.0	.....	.....	.....	.....	40.0	.....	.....	.....	120.0	.....	.....	.....
57	Leavenworth (total)	1913	1,802.6	5.3	5.3	.....	.....	42.3	5.3	10.6	47.6	5.3	126.9	.....	15.9	5.3
58		1912	1,758.0	10.5	.....	.....	.....	57.7	26.2	.....	21.0	.....	115.4	5.2	.....	15.7
59	White	1913	1,770.6	.....	.....	.....	.....	48.5	6.1	12.1	30.3	6.1	109.1	.....	18.2	6.1
60		1912	1,685.4	12.0	.....	.....	.....	54.2	24.1	.....	12.0	.....	102.3	.....	.....	18.1
61	Colored	1913	2,020.6	41.2	41.2	.....	.....	.....	.....	.....	164.9	.....	247.4	.....	.....	.....
62		1912	2,251.3	.....	.....	.....	.....	81.9	40.9	.....	81.9	.....	204.7	40.9	.....	.....
63	Parsons	1913	1,405.5	35.7	.....	.....	.....	7.1	7.1	7.1	.....	7.1	99.9	.....	14.3	.....
64		1912	1,315.4	14.8	14.8	.....	36.9	.....	29.6	7.4	7.4	.....	147.8	.....	.....	7.4
65	Pittsburg	1913	1,563.8	24.4	.....	.....	.....	36.7	.....	48.9	24.4	.....	85.5	6.1	12.2	.....
66		1912	1,579.1	56.6	12.6	.....	25.2	12.6	31.5	6.3	31.5	12.6	81.8	.....	18.9	.....
67	Topeka* (total)	1913	1,939.9	30.2	10.8	.....	23.8	2.2	8.6	13.0	6.5	10.8	123.1	6.5	19.4	15.1
68		1912	1,858.0	24.2	.....	2.2	.....	2.2	4.4	35.2	15.4	6.6	118.7	11.0	11.0	8.8
69	White	1913	1,844.7	28.9	9.6	.....	26.5	2.4	9.6	14.5	4.8	9.6	86.8	7.2	14.5	12.1
70		1912	1,762.3	17.2	.....	2.5	.....	2.5	4.9	36.8	12.3	7.4	98.2	12.3	7.4	9.8
71	Colored	1913	2,759.9	41.5	20.8	.....	.....	.....	.....	.....	20.8	20.8	435.8	.....	62.3	41.5
72		1912	2,682.2	84.5	.....	.....	.....	.....	.....	21.1	42.2	.....	295.7	.....	42.2	.....
73	Wichita	1913	1,074.1	22.5	.....	.....	.....	.....	1.6	3.2	8.1	3.2	46.7	6.4	11.3	4.8
74		1912	1,173.6	30.4	1.7	.....	.....	1.7	1.7	8.4	5.1	1.7	57.4	6.8	16.9	.....

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
50.2	21.5	.....	64.6	107.6	28.7	86.1	.....	114.8	14.3	7.2	.....	93.3	14.3	.....	43.0	57.4	14.3	200.9	.....	1
30.1	22.6	.....	15.0	135.3	22.6	45.1	7.5	52.6	15.0	15.0	7.5	67.7	15.0	7.5	52.6	82.7	.....	135.3	.....	2
56.6	24.3	4.0	97.0	129.3	16.2	93.0	12.1	60.6	4.0	8.1	4.0	101.1	20.2	8.1	80.8	109.1	40.4	282.9	.....	3
53.0	8.2	4.1	89.8	134.6	12.2	81.6	12.2	57.1	12.2	4.1	.....	122.4	4.1	12.2	77.5	110.2	28.6	220.3	.....	4
121.2	33.9	.....	58.2	145.4	38.8	72.7	14.5	63.0	4.8	14.5	9.7	58.2	19.4	.....	58.2	106.6	24.2	310.2	.....	5
82.4	14.5	9.7	101.8	203.6	33.9	72.7	.....	58.2	9.7	.....	14.5	97.0	9.7	4.8	48.5	97.0	4.8	252.1	.....	6
134.7	35.9	.....	89.8	116.7	9.0	89.8	18.0	35.9	9.0	9.0	26.9	89.8	.....	18.0	35.9	179.5	18.0	224.4	.....	7
99.1	36.0	.....	117.1	234.2	18.0	81.1	.....	27.0	9.0	9.0	9.0	54.0	27.0	.....	63.1	135.1	27.0	207.2	9.0	8
72.2	12.7	17.0	38.2	135.9	4.2	72.2	4.2	84.9	4.2	.....	12.7	80.7	8.5	4.2	63.7	46.7	29.7	199.6	4.2	9
64.7	21.6	8.6	95.0	168.3	17.3	133.8	.....	30.2	4.3	4.3	25.9	146.8	4.3	8.6	77.7	43.2	43.2	224.4	.....	10
66.5	17.4	4.7	64.9	136.1	15.8	112.3	9.5	87.0	19.0	19.0	11.1	79.1	4.7	7.9	69.6	66.5	26.9	177.2	3.2	11
76.7	11.4	11.4	65.3	143.6	16.3	71.8	11.4	83.2	9.8	13.1	9.8	65.3	17.9	4.9	58.7	70.2	11.4	203.9	.....	12
86.7	22.5	3.2	83.5	157.4	19.3	90.0	4.8	102.8	35.3	20.9	12.9	106.0	14.5	16.1	77.1	187.9	38.6	255.4	9.6	13
73.8	11.5	4.9	68.9	136.1	8.2	136.1	16.4	86.9	26.2	27.9	16.4	108.2	18.0	16.4	68.9	109.9	19.7	237.8	6.6	14
61.3	.....	12.3	85.8	141.0	18.4	116.5	18.4	159.4	24.5	18.4	6.1	67.4	18.4	.....	79.7	104.2	30.6	202.3	6.1	15
50.4	18.9	12.6	63.0	132.3	18.9	170.1	18.9	81.9	6.3	31.5	31.5	113.4	18.9	.....	69.3	100.8	31.5	226.8	.....	16
77.1	16.1	15.5	77.1	120.3	9.8	121.2	17.6	48.5	24.1	13.4	10.4	99.7	10.4	9.8	83.7	98.3	19.7	329.0	15.5	17
86.7	19.3	48.4	72.3	133.0	15.3	117.0	14.1	41.7	15.9	18.7	16.2	96.2	7.7	8.3	87.9	99.9	22.7	318.4	26.4	18
77.7	16.5	15.1	79.3	110.3	9.5	110.3	12.8	46.4	24.7	13.8	11.2	89.2	9.2	8.9	83.3	92.5	20.4	319.6	12.2	19
90.5	21.0	38.6	70.2	123.7	12.5	104.7	14.2	40.3	17.3	19.3	15.3	92.5	7.1	8.8	89.8	92.5	22.7	303.7	23.4	20
71.7	12.5	18.7	56.1	215.2	12.5	224.5	62.4	68.6	18.7	9.4	3.1	199.6	21.8	18.7	87.3	152.8	12.5	417.9	46.8	21
51.1	3.2	140.6	92.7	220.4	41.5	233.2	12.8	54.3	3.2	12.8	25.6	131.0	12.8	3.2	70.3	169.3	22.4	456.9	54.3	22
48.2	24.1	18.1	126.6	78.4	.....	78.4	24.1	6.0	6.0	18.1	.....	90.4	.....	12.1	66.3	108.5	24.1	235.2	42.2	23
60.5	30.2	12.1	78.6	90.7	12.1	157.2	12.1	.....	.....	.....	.....	108.9	.....	.....	78.6	66.5	18.1	284.2	30.2	24
50.2	21.5	21.5	129.1	71.7	.....	78.9	21.5	7.2	7.2	21.5	.....	86.1	.....	7.2	64.6	93.2	28.7	200.8	43.0	25
71.9	36.0	7.2	64.7	71.9	14.4	158.3	14.4	.....	.....	.....	.....	107.9	.....	.....	86.3	64.7	21.6	295.0	28.8	26
37.8	37.8	.....	113.5	113.5	.....	75.7	37.8	.....	.....	.....	.....	113.5	.....	37.8	75.7	189.2	.....	416.2	37.8	27
.....	.....	38.0	151.8	189.8	.....	151.8	.....	.....	.....	.....	.....	113.9	.....	.....	38.0	75.9	.....	227.7	38.0	28
26.3	19.7	6.6	19.7	111.8	6.6	46.1	13.2	52.6	13.2	.....	.....	72.4	26.3	.....	59.2	72.4	6.6	289.5	26.3	29
69.4	6.9	13.9	13.9	111.0	20.8	48.6	6.9	55.5	.....	.....	.....	159.5	20.8	20.8	104.1	124.9	20.8	263.6	69.4	30
29.7	22.2	7.4	22.2	96.4	7.4	29.7	14.8	51.9	7.4	.....	.....	66.7	22.2	.....	51.9	66.7	7.4	296.6	22.2	31
70.4	7.8	15.6	15.6	125.1	23.5	15.6	7.8	54.7	.....	.....	.....	132.9	15.6	23.5	109.5	101.6	23.5	273.6	62.5	32
.....	.....	.....	.....	233.5	.....	175.1	.....	58.4	58.4	.....	.....	116.8	58.4	.....	116.8	116.8	.....	233.5	58.4	33
61.5	.....	.....	.....	.....	.....	307.7	.....	61.5	.....	.....	.....	369.2	61.5	.....	61.5	307.7	.....	184.6	123.1	34
66.6	28.5	.....	57.1	104.7	19.0	104.7	19.0	28.5	19.0	.....	9.5	85.6	19.0	9.5	104.7	104.7	9.5	390.2	.....	35
57.2	38.1	.....	66.7	200.1	76.2	66.7	9.5	47.6	9.5	9.5	.....	38.1	9.5	.....	104.8	142.9	19.1	333.5	85.8	36
63.4	31.7	.....	63.4	84.6	10.6	95.2	10.6	31.7	21.1	.....	10.6	84.6	21.1	10.6	116.3	116.3	10.6	391.2	.....	37
63.5	42.4	.....	63.5	201.2	42.4	52.9	.....	52.9	10.6	10.6	.....	31.8	10.6	.....	105.9	137.7	10.6	233.0	42.4	38
95.1	.....	.....	.....	285.4	95.1	190.3	95.1	.....	.....	.....	.....	95.1	.....	.....	.....	.....	.....	380.6	.....	39
.....	.....	.....	95.2	190.5	381.0	190.5	95.2	.....	.....	.....	.....	95.2	.....	.....	95.2	190.5	95.2	1,238.1	476.2	40
85.9	10.7	5.4	53.7	69.8	.....	91.2	5.4	48.3	64.4	5.4	5.4	102.0	10.7	5.4	59.0	64.4	5.4	279.1	21.5	41
66.9	27.9	5.6	83.7	83.7	11.2	83.7	5.6	83.7	27.9	22.3	50.2	89.3	16.7	5.6	128.3	94.8	39.1	396.1	39.1	42
55.2	15.8	.....	15.8	70.9	7.9	39.4	23.6	63.0	39.4	15.8	23.6	78.8	15.8	7.9	102.4	70.9	23.6	260.0	15.8	43
24.8	16.5	.....	33.1	82.7	16.5	82.7	24.8	41.4	8.3	.....	24.8	74.5	24.8	16.5	57.9	57.9	.....	223.4	49.6	44
67.6	13.1	27.3	87.3	102.5	17.5	166.9	22.9	66.5	14.2	15.3	6.5	105.8	8.7	14.2	102.5	115.6	20.7	263.9	10.9	45
83.1	18.0	144.9	69.7	139.3	9.0	140.4	10.1	57.3	11.2	27.0	13.5	87.6	4.5	4.5	101.1	109.0	25.8	262.9	10.1	46
66.4	13.5	25.8	91.0	89.8	17.2	153.8	17.2	60.3	12.3	16.0	7.4	81.2	7.4	12.3	103.3	104.6	20.9	249.7	8.6	47
81.1	20.3	110.2	64.6	116.6	8.9	122.9	11.4	53.2	12.7	27.9	15.2	86.2	5.1	3.8	103.9	91.2	26.6	245.8	7.6	48
77.0	9.6	38.5	57.7	202.0	19.2	269.3	67.3	115.4	28.9	9.6	.....	298.2	19.2	28.9	96.2	202.0	19.2	375.1	28.9	49
99.1	.....	416.2	109.0	317.1	9.9	277.4	.....	89.2	.....	19.8	.....	99.1	.....	9.9	79.3	247.7	19.8	396.4	29.7	50
93.3	7.8	15.5	70.0	163.2	7.8	101.0	23.3	31.1	7.8	31.1	15.5	93.3	15.5	23.3	7.8	194.3	31.1	326.5	.....	51
110.1	23.6	23.6	125.9	125.9	31.5	94.4	31.5	31.5	15.7	.....	15.7	55.1	7.9	.....	39.3	55.1	31.5	275.3	15.7	52
96.8	9.7	19.4	87.1	145.2	9.7	87.1	.....	19.4	9.7	29.0	9.7	77.4	9.7	19.4	.....	203.2	38.7	290.3	.....	53
137.1	29.4	29.4	146.9	137.1	39.2	68.5	39.2	29.4	19.6	.....	9.8	58.8	9.8	.....	49.0	68.5	39.2	264.4	9.8	54
79.0	.....	.....	.....	237.1	.....	158.0	118.5	79.0	.....	39.5	39.5	158.0	39.5	39.5	39.5	158.0	.....	474.1	.....	55
.....	.....	.....	40.0	80.0	.....	200.0	.....	40.0	.....	.....	40.0	40.0	.....	.....	.....	.....	.....	320.0	40.0	56
58.1	21.1	10.6	126.9	179.7	15.9	121.6	26.4	58.1	15.9	15.9	26.4	121.6	26.4	15.9	132.2	105.7	31.7	401.8	21.1	57
120.7	21.0	15.7	110.2	215.2	26.2	99.7	21.0	26.2	5.2	21.0	21.0	89.2	15.7	15.7	110.2	115.4	42.0	404.1	10.5	58
60.6	24.3	12.1	115.2	188.0	18.2	103.1	6.1	60.6	18.2	12.1	30.3	127.3	30.3	18.2	139.5	115.2	30.3	406.3	18.2	59
120.4	18.1	18.1	84.3	222.7	30.1	114.4	18.1	24.1	6.0	24.1	12.0	84.3	18.1	18.1	114.4	102.3	36.1	391.3	6.0	60
41.2	.....	.....	206.2	123.7	.....	247.4	164.9	41.2	.....	41.2	.....	82.5	.....	.....	82.5	41.2	41.2	371.1	41.2	61
122.8	40.9	.....	286.5	163.7	.....	.....	40.9	40.9	.....	.....	81.9	122.8	.....	.....	81.9	204.7	81.9	491.2	40.9	62
64.2	14.3	.....	99.9	157.0	14.3	114.2	7.1	57.1	14.3	14.3	14.3	92.8	7.1	.....	71.3	71.3	21.4	392.4	.....	63
66.5	.....	7.4	36.9	125.6	14.8	118.2	7.4	29.6	22.2	7.4	14.8	36.9	.....	36.9	66.5	81.3	.....	369.5	7.4	64
67.2	.....	18.3	85.5	85.5	6.1	134.4	42.8	73.3	24.4	18.3	18.3	122.2	6.1	6.1	128.3	122.2	12.2	317.7	36.7	65
107.0	12.6	25.2	94.4	88.1	18.9	125.8	.....	12.6	31.5	25.2	31.5	125.8	12.6	6.3	107.0	163.6	31.5	232.8	37.7	66
105.9	21.6	17.3	97.2	205.2	4.3	168.5	10.8	62.6	19.4	15.1	10.8	142.6	.....	15.1	71.3	86.4	28.1	557.4	30.2	67
120.9	19.8	13.2	94.6	156.1	13.2	147.3	19.8	44.0	33.0	28.6	6.6	153.9	8.8	8.8	83.6	92.4	24.2	499.1	50.6	68
110.9	21.7	16.9	106.1	195.3	2.4	156.7	9.6	65.1	21.7	16.9	12.1	130.2	.....	14.5	69.9	82.0	28.9	542.5	14.5	69
135.0	22.1	14.7	100.6	132.5	2.5	132.5	19.6	41.7	34.4	31.9	4.9	144.8	9.8	9.8	78.5	88.4	27.0	473.7	46.6	70
62.3	20.8	20.8	20.8	290.5	20.8	269.8	20.8	41.5	.....	.....	.....	249.0	.....	20.8	83.0	124.5	20.8	684.8	166.0	71
.....	.....	.....	42.2	359.0	105.6	274.6	21.1	63.4	21.1	.....	21.1	232.3	.....	.....	126.7	126.7	.....	718.1	84.5	72
101.5	17.7	11.3	49.9	98.2	6.4	78.9	8.1	14.5	43.5	9.7	11.3	64.4	12.9	1.6	67.6	77.3	14.5	275.4	1.6	73
84.4	20.3	11.8	55.7	125.0	8.4	97.9	18.6	28.7	15.2	16.9	22.0	79.4	1.7	6.8	64.2	89.5	13.5	271.9	10.1	74

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	KENTUCKY.															
1	Registration cities (total)	1913	1,696.9	27.1	7.4	0.2	7.6	3.1	17.3	16.6	17.3	7.1	193.8	10.0	15.4	8.3
2		1912	1,739.7	28.9	9.9	.....	1.7	4.6	12.3	18.1	20.3	2.2	213.0	10.6	14.0	8.9
3	White	1913	1,494.5	23.3	2.0	0.3	7.8	3.7	12.4	18.4	9.2	7.5	158.2	8.6	10.6	6.9
4		1912	1,517.5	20.7	5.3	.....	1.8	5.3	11.1	20.2	14.6	2.3	170.0	9.9	11.4	8.2
5	Colored	1913	2,655.7	44.9	32.7	.....	6.8	.....	40.9	8.2	55.8	5.4	362.3	16.3	38.1	15.0
6		1912	2,793.5	67.9	31.9	.....	1.4	1.4	18.0	8.3	47.1	1.4	416.9	13.8	26.3	12.5
7	Covington (total)	1913	1,608.4	9.0	.....	.....	18.1	3.6	5.4	41.6	14.5	7.2	204.4	10.9	5.4	10.9
8		1912	1,665.2	14.6	3.7	.....	3.7	7.3	11.0	40.3	18.3	1.8	243.4	18.3	9.1	16.5
9	White	1913	1,525.3	9.6	.....	.....	15.3	3.8	3.8	44.0	13.4	7.7	185.6	7.7	5.7	11.5
10		1912	1,567.9	13.5	3.9	.....	1.9	7.7	9.7	38.7	17.4	1.9	226.5	17.4	7.7	15.5
11	Colored [2]	1913	3,045.3	.....	.....	.....	66.2	.....	33.1	.....	33.1	.....	529.6	66.2	.....	.....
12		1912	3,347.8	33.5	.....	.....	33.5	.....	33.5	67.0	33.5	.....	535.7	33.5	33.5	33.5
13	Frankfort (total)	1913	1,808.4	37.1	27.8	.....	46.4	9.3	46.4	9.3	18.5	.....	371.0	18.5	18.5	9.3
14		1912	1,993.6	46.8	9.4	.....	.....	9.4	9.4	28.1	65.5	9.4	374.4	18.7	9.4	18.7
15	White	1913	1,440.4	38.2	.....	.....	63.7	12.7	38.2	12.7	.....	.....	242.2	.....	12.7	.....
16		1912	1,633.9	64.3	12.9	.....	.....	12.9	12.9	25.7	38.6	12.9	257.3	25.7	.....	12.9
17	Colored	1913	2,791.0	34.0	102.1	.....	.....	.....	68.1	.....	68.1	.....	714.8	68.1	34.0	34.0
18		1912	2,954.3	.....	.....	.....	.....	.....	.....	34.4	137.4	.....	687.0	.....	34.4	34.4
19	Henderson (total)	1913	1,968.9	42.3	.....	8.5	.....	.....	50.7	8.5	16.9	.....	262.0	8.5	25.4	25.4
20		1912	2,193.8	59.8	17.1	.....	8.5	.....	8.5	51.2	42.7	.....	358.5	25.6	25.6	8.5
21	White	1913	1,766.7	45.9	.....	11.5	.....	.....	45.9	11.5	11.5	.....	183.5	11.5	.....	11.5
22		1912	1,842.4	57.9	.....	.....	11.6	.....	11.6	69.5	23.2	.....	197.0	11.6	23.2	11.6
23	Colored	1913	2,534.5	32.1	.....	.....	.....	.....	64.2	.....	32.1	.....	481.2	.....	96.2	64.2
24		1912	3,176.7	64.8	64.8	.....	.....	.....	.....	.....	97.2	.....	810.4	64.8	32.4	.....
25	Lexington * (total)	1913	2,351.4	60.6	.....	.....	5.3	2.6	10.5	2.6	21.1	13.2	279.4	21.1	10.5	13.2
26		1912	2,429.1	40.5	2.7	.....	.....	.....	10.8	13.5	13.5	2.7	288.8	5.4	13.5	10.8
27	White	1913	2,044.5	50.0	.....	.....	7.7	3.8	15.4	.....	7.7	11.5	211.4	19.2	7.7	15.4
28		1912	2,152.3	23.6	3.9	.....	.....	.....	7.9	15.7	7.9	3.9	220.3	7.9	11.8	3.9
29	Colored	1913	3,021.7	83.9	.....	.....	.....	.....	.....	8.4	50.4	16.8	428.1	25.2	16.8	8.4
30		1912	3,033.7	77.3	.....	.....	.....	.....	17.2	8.6	25.8	.....	438.3	.....	17.2	25.8
31	Louisville (total)	1913	1,622.5	23.2	3.4	.....	6.0	3.4	17.2	15.0	14.6	7.3	160.8	8.6	15.9	4.7
32		1912	1,640.0	21.8	4.4	.....	0.4	3.9	12.2	11.3	15.3	1.7	183.6	10.9	14.4	6.1
33	White	1913	1,433.0	19.4	.....	.....	5.8	4.2	9.9	16.8	7.9	7.9	128.8	8.4	9.9	4.2
34		1912	1,425.9	16.5	1.6	.....	0.5	4.3	12.8	13.3	9.1	2.1	143.8	9.6	10.6	5.9
35	Colored	1913	2,479.9	40.3	18.9	.....	7.1	.....	49.7	7.1	45.0	4.7	305.5	9.5	42.6	7.1
36		1912	2,608.7	45.8	16.9	.....	.....	2.4	9.6	2.4	43.4	.....	363.7	16.9	31.3	7.2
37	Newport (total)	1913	1,159.3	19.2	.....	.....	3.2	3.2	19.2	9.6	12.8	6.4	140.5	9.6	16.0	16.0
38		1912	1,236.4	22.5	3.2	.....	9.7	9.7	3.2	16.1	9.7	.....	161.0	.....	12.9	3.2
39	White	1913	1,148.9	19.5	.....	.....	3.3	3.3	19.5	9.8	13.0	6.5	136.7	9.8	16.3	13.0
40		1912	1,217.4	23.0	.....	.....	9.8	9.8	3.3	16.4	9.8	.....	160.8	.....	13.1	3.3
41	Colored [2]	1913	1,700.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	340.1	.....	.....	170.1
42		1912	2,229.8	.....	171.5	.....	.....	.....	.....	.....	.....	.....	171.5	.....	.....	.....
43	Owensboro (total)	1913	1,855.1	41.4	5.9	.....	.....	.....	17.7	23.6	70.9	5.9	248.1	5.9	17.7	5.9
44		1912	1,923.0	84.1	.....	.....	.....	6.0	18.0	24.0	42.1	.....	252.4	6.0	6.0	12.0
45	White	1913	1,753.2	51.3	7.3	.....	.....	.....	7.3	29.3	22.0	7.3	256.7	.....	14.7	.....
46		1912	1,783.3	37.3	.....	.....	.....	7.5	14.9	29.8	44.8	.....	223.8	7.5	7.5	14.9
47	Colored	1913	2,276.9	.....	.....	.....	.....	.....	60.7	.....	273.2	.....	212.5	30.4	30.4	30.4
48		1912	2,500.8	277.9	.....	.....	.....	.....	30.9	.....	30.9	.....	370.5	.....	.....	.....
49	Paducah (total)	1913	1,997.1	42.0	79.7	.....	.....	.....	25.2	8.4	12.6	4.2	272.7	4.2	33.6	12.6
50		1912	1,991.5	59.6	102.1	.....	.....	4.3	29.8	17.0	51.1	8.5	204.3	4.3	25.5	17.0
51	White	1913	1,548.7	34.3	34.3	.....	.....	.....	22.9	.....	.....	5.7	228.6	5.7	28.6	5.7
52		1912	1,536.0	29.0	63.8	.....	.....	5.8	11.6	17.4	46.4	5.8	133.3	5.8	29.0	17.4
53	Colored	1913	3,235.5	63.1	205.2	.....	.....	.....	31.6	31.6	47.3	.....	394.6	.....	47.3	31.6
54		1912	3,249.6	144.1	208.1	.....	.....	.....	80.0	16.0	64.0	16.0	400.2	.....	16.0	16.0
	LOUISIANA.[3]															
55	New Orleans (total)	1913	1,991.2	16.9	6.7	0.6	9.8	0.6	3.1	31.7	19.7	3.7	234.3	4.5	14.9	5.9
56		1912	2,011.4	14.0	8.0	.....	0.6	2.6	2.0	16.5	26.8	2.9	244.4	5.1	16.3	6.3
57	White	1913	1,561.0	14.5	3.8	0.8	10.3	0.4	1.9	31.3	14.9	3.4	145.1	2.7	11.5	4.2
58		1912	1,606.1	11.6	4.7	.....	0.8	3.5	0.8	19.0	20.5	3.1	168.2	3.9	10.1	4.7
59	Colored	1913	3,187.9	23.4	14.9	.....	8.5	1.1	6.4	32.9	32.9	4.2	482.3	9.6	24.4	10.6
60		1912	3,138.7	20.5	17.3	.....	.....	.....	5.4	9.7	44.2	2.2	456.1	8.6	33.4	10.8
	MAINE.															
61	Registration cities (total)	1913	1,830.6	17.3	.....	.....	12.7	1.2	5.2	13.9	13.9	2.3	128.9	13.3	28.9	5.8
62		1912	1,899.5	22.8	.....	1.8	15.8	4.1	5.8	16.4	5.3	2.3	142.1	11.7	19.9	8.8
63	White	1913	1,832.4	117.4	.....	.....	12.8	1.2	5.2	13.9	13.9	2.3	128.8	13.3	29.0	5.8
64		1912	1,903.2	22.9	.....	1.8	15.9	4.1	5.9	16.4	5.3	2.3	140.4	11.7	20.0	8.8
65	Colored	1913	1,396.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	139.7	.....	.....	.....
66		1912	991.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	566.6	.....	.....	.....
67	Auburn	1913	1,447.5	6.3	.....	.....	.....	6.3	12.7	44.4	19.0	.....	101.6	19.0	12.7	.....
68		1912	1,332.3	12.9	.....	6.4	32.2	6.4	.....	25.7	6.4	.....	122.3	12.9	6.4	.....
69	Augusta *	1913	2,386.0	7.3	.....	.....	7.3	.....	7.3	7.3	7.3	14.6	175.1	7.3	36.5	.....
70		1912	2,590.2	22.1	.....	.....	.....	.....	.....	.....	22.1	.....	140.2	22.1	29.5	.....
71	Bangor *	1913	2,275.7	43.9	.....	.....	13.2	.....	4.4	.....	13.2	4.4	149.4	17.6	30.8	13.2
72		1912	2,160.0	27.5	.....	.....	.....	.....	15.7	.....	.....	.....	161.0	11.8	23.6	7.9
73	Biddeford	1913	1,754.8	5.8	.....	.....	.....	.....	.....	17.3	17.3	5.8	155.3	17.3	34.5	.....
74		1912	1,793.3	11.6	.....	.....	23.1	.....	17.4	46.3	5.8	5.8	173.5	5.8	11.6	11.6

[1] Exclusive of stillbirths.

[2] Colored population less than 10 per cent of total.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																		
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
79.6	13.3	16.1	78.1	143.7	29.7	143.9	30.2	45.1	14.2	14.7	18.5	158.2	6.9	6.9	92.4	113.5	18.3	329.4	13.1	1
69.7	14.5	39.8	90.4	159.9	30.9	137.7	28.0	36.7	13.7	19.3	18.3	140.6	5.5	9.4	95.0	100.3	18.6	348.0	18.8	2
84.0	15.2	15.8	69.0	124.0	21.6	113.6	26.5	41.1	14.4	15.5	19.0	140.6	6.6	6.3	89.4	95.2	21.3	295.1	11.2	3
74.2	14.9	31.5	82.4	139.0	21.0	111.9	22.2	31.2	15.2	16.6	17.2	128.3	4.4	8.8	92.9	82.9	21.6	306.6	13.4	4
58.6	4.1	17.7	121.2	237.0	68.1	287.4	47.7	64.0	13.6	10.9	16.3	241.1	8.2	9.5	106.2	200.2	4.1	491.6	21.8	5
48.5	12.5	78.9	128.8	259.0	77.6	260.4	55.4	62.3	6.9	31.9	23.5	196.7	11.1	12.5	105.3	182.8	4.2	544.3	44.3	6
83.2	10.9	21.7	66.9	171.9	16.3	153.8	18.1	54.3	1.8	16.3	14.5	222.5	9.0	5.4	68.8	92.3	9.0	229.8	10.9	7
82.3	11.0	22.0	80.5	186.6	16.5	148.2	25.6	25.6	9.1	20.1	11.0	157.4	3.7	5.5	91.5	106.1	12.8	252.5	9.1	8
82.3	9.6	23.0	63.2	170.3	17.2	147.4	17.2	51.7	1.9	17.2	13.4	202.9	7.7	5.7	67.0	82.3	9.6	220.1	7.7	9
79.4	11.6	23.2	77.4	172.3	17.4	135.5	25.2	21.3	9.7	17.4	9.7	151.0	3.9	3.9	91.0	87.1	13.5	249.7	5.8	10
99.3	33.1	.....	132.4	198.6	.....	264.8	33.1	99.3	.....	.....	33.1	562.7	33.1	.....	99.3	264.8	.....	397.2	66.2	11
133.9	.....	.....	133.9	435.2	.....	368.3	33.5	100.4	.....	67.0	33.5	267.8	.....	33.5	100.4	435.2	.....	301.3	67.0	12
37.1	18.5	.....	18.5	139.1	27.8	55.6	9.3	46.4	18.5	.....	9.3	157.7	9.3	9.3	120.6	111.3	.....	352.4	55.6	13
28.1	.....	28.1	46.8	159.1	28.1	140.4	65.5	46.8	9.4	9.4	.....	140.4	.....	9.4	168.5	65.5	9.4	337.0	103.0	14
38.2	25.5	.....	12.7	102.0	38.2	63.7	12.7	51.0	25.5	.....	.....	102.0	12.7	12.7	102.0	102.0	.....	280.4	38.2	15
25.7	.....	38.6	51.5	154.4	38.6	90.1	51.5	51.5	12.9	.....	.....	128.7	.....	12.9	167.2	64.3	.....	180.1	90.1	16
34.0	.....	.....	34.0	238.3	.....	34.0	.....	34.0	.....	.....	34.0	306.3	.....	.....	170.2	136.1	.....	544.6	102.1	17
34.4	.....	.....	34.4	171.8	.....	274.8	103.1	34.4	.....	34.4	.....	171.8	.....	.....	171.8	68.7	34.4	755.8	137.4	18
84.5	16.9	8.5	59.2	101.4	33.8	270.4	25.4	93.0	33.8	.....	8.5	143.7	8.5	.....	177.5	126.8	25.4	278.9	25.4	19
59.8	8.5	25.6	93.9	111.0	68.3	239.0	8.5	85.4	17.1	8.5	17.1	128.0	17.1	8.5	179.3	102.4	8.5	384.1	17.1	20
80.3	22.9	.....	57.4	80.3	34.4	195.0	34.4	114.7	45.9	.....	11.5	114.7	11.5	.....	218.0	80.3	34.4	263.9	34.4	21
81.1	11.6	34.8	104.3	81.1	46.3	150.6	11.6	69.5	11.6	.....	23.2	104.3	11.6	11.6	231.7	92.7	11.6	324.4	11.6	22
96.2	.....	32.1	64.2	160.4	32.1	481.2	.....	32.1	.....	.....	.....	224.6	.....	.....	64.2	256.7	.....	320.8	.....	23
.....	.....	.....	64.8	194.5	129.7	486.2	.....	129.7	32.4	32.4	.....	194.5	32.4	.....	32.4	129.7	.....	551.1	32.4	24
121.3	18.5	34.3	174.0	189.8	15.8	197.7	47.4	44.5	23.7	18.5	13.2	147.6	5.3	5.3	87.0	171.3	7.9	569.4	18.5	25
64.8	16.2	10.8	207.8	188.9	29.7	202.4	29.7	32.4	27.0	24.3	13.5	153.8	13.5	16.2	99.9	194.3	24.3	642.4	35.1	26
142.2	23.1	38.4	111.4	146.0	7.7	126.8	42.3	23.1	26.9	11.5	11.5	126.8	3.8	3.8	103.8	176.8	11.5	538.0	19.2	27
70.8	19.7	7.9	181.0	161.3	19.7	181.0	27.5	15.7	31.5	19.7	7.9	137.7	11.8	11.8	106.2	141.6	27.5	641.4	23.6	28
75.5	8.4	25.2	310.6	285.4	33.6	352.5	58.8	92.3	16.8	33.6	16.8	193.1	8.4	8.4	50.4	159.5	.....	637.9	16.8	29
51.6	8.6	17.2	266.4	249.2	51.6	249.2	34.4	68.8	17.2	34.4	25.8	189.1	17.2	25.8	85.9	309.4	17.2	644.6	60.2	30
78.5	13.3	12.9	74.6	143.2	33.0	146.6	32.6	36.0	16.7	18.4	22.7	151.4	6.0	7.7	93.5	104.2	22.3	322.9	6.0	31
71.5	18.3	55.4	84.6	159.6	30.1	128.2	23.8	27.5	13.5	18.8	21.8	140.8	3.9	7.4	85.5	85.9	20.5	345.8	6.1	32
82.7	15.7	12.6	71.7	121.5	24.6	112.0	28.8	31.4	16.2	20.4	24.6	134.0	5.8	6.3	86.9	89.0	26.2	292.7	6.8	33
76.7	18.1	40.5	78.8	133.1	21.8	96.4	22.4	25.0	15.4	17.0	20.2	129.4	3.2	6.9	80.9	76.1	25.0	303.5	5.3	34
59.2	2.4	14.2	87.6	241.6	71.1	303.2	49.7	56.8	18.9	9.5	14.2	229.8	7.1	14.2	123.2	172.9	4.7	459.5	2.4	35
48.2	19.3	122.8	110.8	279.4	67.4	272.2	57.8	38.5	4.8	26.5	28.9	192.7	7.2	9.6	106.0	130.1	.....	537.2	9.6	36
60.7	16.0	6.4	57.5	105.4	25.5	76.6	22.4	31.9	6.4	.....	12.8	105.4	6.4	6.4	67.1	67.1	16.0	214.0	.....	37
67.6	9.7	12.9	64.4	161.0	22.5	109.5	19.3	51.5	9.7	3.2	22.5	99.8	6.4	9.7	83.7	41.9	9.7	167.4	12.9	38
61.8	16.3	6.5	58.6	104.2	26.0	71.6	22.8	32.5	6.5	.....	13.0	104.2	6.5	6.5	68.4	68.4	16.3	208.3	.....	39
68.9	9.8	13.1	65.6	154.2	23.0	105.0	19.7	49.2	9.8	3.3	23.0	98.4	6.6	9.8	82.0	39.4	9.8	164.1	13.1	40
.....	.....	.....	.....	170.1	.....	340.1	.....	.....	.....	.....	.....	170.1	.....	.....	.....	.....	.....	510.2	.....	41
.....	.....	.....	.....	514.6	.....	343.1	.....	171.5	.....	.....	.....	171.5	.....	.....	171.5	171.5	.....	343.1	.....	42
94.5	5.9	23.6	53.2	130.0	23.6	112.3	41.4	38.6	5.9	5.9	11.8	118.2	5.9	5.9	124.1	118.2	23.6	384.0	35.4	43
120.2	6.0	24.0	54.1	138.2	12.0	96.1	48.1	72.1	24.0	24.0	6.0	150.2	6.0	24.0	120.2	132.2	12.0	372.6	30.0	44
110.0	7.3	22.0	51.3	110.0	14.7	102.7	22.0	73.4	7.3	7.3	14.7	117.4	7.3	7.3	139.4	110.0	22.0	381.5	29.3	45
119.4	7.5	22.4	29.8	134.3	7.5	97.0	14.9	52.2	29.8	22.4	7.5	134.3	7.5	29.8	141.8	119.4	14.9	373.1	29.8	46
30.4	.....	30.4	60.7	212.5	60.7	151.8	121.4	151.8	.....	.....	.....	121.4	.....	.....	60.7	151.8	30.4	394.7	60.7	47
123.5	.....	30.9	154.4	154.4	30.9	92.6	185.2	154.4	.....	30.9	.....	216.1	.....	.....	30.9	185.2	.....	370.5	30.9	48
46.2	8.4	25.2	67.1	92.3	58.7	96.5	21.0	75.5	8.4	8.4	16.8	197.2	12.6	8.4	100.7	214.0	21.0	369.2	54.5	49
21.3	4.3	34.0	63.8	93.6	80.9	119.1	12.8	85.1	4.3	42.6	21.3	131.9	8.5	17.0	110.6	148.9	29.8	336.2	102.1	50
57.1	11.4	22.9	57.1	57.1	5.7	74.3	17.1	91.4	11.4	11.4	11.4	160.0	11.4	11.4	91.4	120.0	28.6	291.4	40.0	51
29.0	5.8	29.0	63.8	69.6	11.6	121.7	5.8	75.3	5.8	40.6	23.2	104.3	.....	17.4	86.9	110.1	40.6	266.6	63.8	52
15.8	.....	31.6	94.7	189.4	205.2	157.8	31.6	31.6	.....	.....	31.6	299.9	15.8	.....	126.3	473.5	.....	584.0	94.7	53
.....	.....	48.0	64.0	160.1	272.1	112.1	32.0	112.1	.....	48.0	16.0	208.1	32.0	16.0	176.1	256.1	.....	528.3	208.1	54
92.1	8.4	16.6	85.7	222.2	20.5	164.9	9.8	103.1	14.0	13.5	30.3	270.3	8.1	12.6	66.9	109.6	14.9	375.0	0.3	55
92.7	14.5	18.8	95.0	231.3	16.8	142.9	18.0	89.0	15.4	14.0	34.2	267.8	11.7	12.8	58.7	127.2	19.4	385.5	0.6	56
92.4	8.8	9.2	83.3	169.6	12.2	100.8	8.4	91.3	15.7	13.0	26.0	221.5	4.6	9.9	59.2	79.1	18.3	292.6	0.4	57
93.8	15.5	13.6	87.6	179.5	13.6	91.9	14.3	79.9	15.5	13.6	30.6	208.6	7.8	10.9	54.7	96.1	22.9	304.7	0.4	58
91.4	7.4	37.2	92.4	368.6	43.6	343.1	13.8	136.0	9.6	14.9	42.5	405.8	18.1	20.2	88.2	194.4	5.3	604.4	.....	59
89.5	11.9	33.4	115.4	375.2	25.9	284.7	28.0	114.3	15.1	15.1	44.2	432.4	22.6	18.3	70.1	213.5	9.7	610.3	1.1	60
118.5	12.1	18.5	97.1	175.7	24.3	215.0	20.8	76.9	25.4	19.6	11.6	133.5	5.2	11.6	91.9	94.2	17.9	394.1	23.7	61
126.9	22.2	18.7	120.5	166.7	22.2	196.5	17.5	75.4	21.1	18.1	7.6	134.5	2.9	8.8	115.8	97.7	14.0	421.1	34.5	62
118.4	12.2	18.6	97.5	176.4	24.4	215.8	20.9	77.2	25.5	19.7	11.6	132.9	5.2	11.6	91.1	94.6	17.4	394.0	23.8	63
126.8	22.3	18.8	121.0	166.8	22.3	197.3	17.6	75.8	21.1	18.2	7.6	135.1	2.9	8.8	116.3	97.5	14.1	422.8	34.6	64
139.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	279.3	.....	.....	279.3	.....	139.7	419.0	.....	65
141.6	.....	.....	.....	141.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	141.6	.....	.....	.....	66
69.8	12.7	19.0	120.6	171.4	31.7	95.2	6.3	50.8	.....	19.0	.....	127.0	.....	12.7	95.2	44.4	31.7	317.4	.....	67
109.4	25.7	12.9	77.2	148.0	6.4	109.4	.....	64.4	12.9	.....	12.9	109.4	.....	.....	109.4	51.5	6.4	231.7	12.9	68
102.2	21.9	.....	109.4	408.6	43.8	306.5	7.3	131.3	21.9	7.3	7.3	102.2	.....	14.6	80.3	131.3	21.9	561.8	36.5	69
103.3	36.9	.....	177.1	280.4	59.0	250.9	44.3	88.6	36.9	7.4	7.4	147.6	14.8	7.4	125.5	88.6	29.5	789.6	59.0	70
180.1	8.8	13.2	123.0	210.9	13.2	298.7	39.5	35.1	35.1	17.6	17.6	153.8	8.8	8.8	61.5	65.9	30.8	601.9	61.5	71
141.4	19.6	15.7	121.7	161.0	7.9	278.8	23.6	27.5	19.6	15.7	7.9	141.4	.....	3.9	129.6	157.1	11.8	545.9	82.5	72
126.6	17.3	17.3	80.5	126.6	17.3	235.9	28.3	166.8	17.3	11.5	11.5	97.8	.....	5.8	120.8	103.6	5.8	293.4	17.3	73
81.0	28.9	46.3	109.9	144.6	5.8	202.5	28.9	121.5	23.1	23.1	5.8	81.0	.....	.....	98.3	81.0	5.8	387.6	5.8	74

[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	MAINE—continued.															
1	Lewiston	1913	1,914.8	18.5	.....	.....	7.4	3.7	14.8	18.5	7.4	.....	140.5	7.4	40.7	7.4
2		1912	2,029.8	7.5	.....	7.5	26.1	14.9	11.2	22.4	.....	3.7	167.9	7.5	14.9	18.7
3	Portland	1913	1,807.3	14.7	.....	.....	26.1	.....	1.6	9.8	14.7	.....	112.5	13.0	31.0	8.2
4		1912	1,794.7	38.0	.....	.....	8.3	3.3	.....	8.3	5.0	3.3	129.0	11.6	24.8	9.9
5	Waterville	1913	1,355.4	24.8	.....	.....	.....	.....	.....	16.5	24.8	.....	124.0	16.5	.....	.....
6		1912	1,689.1	.....	.....	.....	50.4	.....	.....	42.0	8.4	.....	92.4	16.8	16.8	.....
	MARYLAND.															
7	Registration cities (total)	1913	1,854.4	29.5	1.4	.....	20.3	7.5	8.8	16.6	9.9	4.0	201.9	12.1	14.5	7.3
8		1912	1,832.6	27.4	1.5	0.2	2.9	4.0	7.6	16.4	11.8	4.7	208.5	12.7	17.3	6.4
9	White	1913	1,644.7	25.6	0.9	.....	18.5	8.4	7.3	18.1	7.9	4.1	148.9	10.3	11.8	7.1
10		1912	1,642.1	26.4	1.3	0.2	3.0	4.5	5.3	17.9	8.5	5.3	159.9	12.1	13.2	6.4
11	Colored	1913	3,081.7	52.5	4.4	.....	30.6	2.2	17.5	7.7	21.9	3.3	512.0	23.0	30.6	8.8
12		1912	2,946.4	33.1	2.2	.....	2.2	1.1	21.0	7.7	30.9	1.1	492.3	16.6	40.8	6.6
13	Baltimore (total)	1913	1,849.0	23.8	1.6	.....	20.0	7.7	6.8	15.0	10.1	4.2	207.8	12.7	14.1	7.5
14		1912	1,824.0	24.6	1.6	0.2	1.2	3.9	7.5	15.8	11.8	4.7	214.6	13.2	17.0	6.5
15	White	1913	1,624.6	19.1	1.0	.....	18.5	8.6	4.9	16.6	7.8	4.3	152.4	10.7	11.3	7.4
16		1912	1,626.2	23.6	1.4	0.2	1.4	4.3	5.0	17.4	8.5	5.4	163.6	12.4	12.4	6.4
17	Colored	1913	3,097.7	50.3	4.6	.....	28.6	2.3	17.1	5.7	22.8	3.4	516.3	24.0	29.7	8.0
18		1912	2,924.4	30.0	2.3	.....	.....	1.2	21.9	6.9	30.0	1.2	497.8	17.3	42.6	6.9
19	Cumberland (total)	1913	1,934.2	158.3	.....	.....	21.4	4.3	25.7	34.2	.....	.....	128.4	8.6	30.0	4.3
20		1912	1,804.1	83.0	.....	.....	17.5	8.7	8.7	13.1	4.4	8.7	113.6	17.5	26.2	8.7
21	White	1913	1,871.6	153.0	.....	.....	22.5	4.5	22.5	36.0	.....	.....	112.5	9.0	22.5	4.5
22		1912	1,726.8	78.1	.....	.....	9.2	9.2	9.2	13.8	4.6	9.2	96.4	18.4	27.6	9.2
23	Colored [2]	1913	3,152.4	262.7	.....	.....	.....	.....	87.6	.....	.....	.....	437.8	.....	175.1	.....
24		1912	3,309.5	178.9	.....	.....	178.9	.....	.....	.....	.....	.....	447.2	.....	.....	.....
25	Frederick (total)	1913	1,893.6	65.0	.....	.....	65.0	9.3	.....	37.1	.....	.....	130.0	9.3	9.3	.....
26		1912	2,195.1	37.5	.....	.....	.....	.....	18.8	.....	37.5	.....	178.2	.....	9.4	9.4
27	White	1913	1,794.2	64.9	.....	.....	43.2	10.8	.....	21.6	.....	.....	75.7	10.8	10.8	.....
28		1912	1,988.0	32.8	.....	.....	.....	.....	21.8	.....	32.8	.....	152.9	.....	10.9	10.9
29	Colored	1913	2,498.4	65.7	.....	.....	197.2	.....	.....	131.5	.....	.....	460.2	.....	.....	.....
30		1912	3,455.1	66.4	.....	.....	.....	.....	.....	.....	66.4	.....	332.2	.....	.....	.....
31	Hagerstown (total)	1913	1,902.1	22.9	.....	.....	.....	5.7	57.3	34.4	22.9	5.7	149.0	.....	11.5	11.5
32		1912	1,929.0	40.8	.....	.....	40.8	5.8	.....	52.5	5.8	.....	151.5	.....	17.5	.....
33	White	1913	1,851.5	24.6	.....	.....	.....	6.2	61.5	36.9	24.6	6.2	135.3	.....	12.3	6.2
34		1912	1,808.3	37.5	.....	.....	43.8	6.3	.....	50.1	.....	.....	137.7	.....	18.8	.....
35	Colored [2]	1913	2,589.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	334.2	.....	.....	83.5
36		1912	3,568.4	85.0	.....	.....	.....	.....	.....	85.0	85.0	.....	339.8	.....	.....	.....
	MASSACHUSETTS.															
37	Registration cities (total)	1913	1,489.6	8.6	0.2	.....	14.8	9.1	9.3	19.8	6.8	4.0	115.3	14.4	10.1	6.6
38		1912	1,484.9	8.7	0.3	.....	12.7	4.1	10.0	15.3	5.7	4.6	118.9	12.9	9.4	5.6
39	White	1913	1,482.8	8.6	0.2	.....	14.9	9.2	9.1	19.8	6.9	4.1	112.7	14.1	9.7	6.6
40		1912	1,478.1	8.7	0.3	.....	12.7	4.1	9.9	15.3	5.7	4.7	116.0	12.9	9.1	5.7
41	Colored	1913	1,998.2	8.2	.....	.....	5.5	2.7	24.6	21.9	5.5	.....	308.9	35.5	35.5	5.5
42		1912	1,990.0	11.1	.....	.....	11.1	.....	19.5	16.7	2.8	2.8	336.8	13.9	30.6	.....
43	Adams town	1913	1,297.7	22.0	7.3	.....	7.3	110.0	14.7	.....	7.3	.....	102.6	14.7	.....	7.3
44		1912	1,145.2	14.9	.....	.....	.....	.....	7.4	29.7	.....	.....	104.1	7.4	14.9	14.9
45	Arlington town	1913	1,322.2	.....	.....	.....	16.6	.....	.....	.....	.....	8.3	141.4	16.6	24.9	8.3
46		1912	1,309.1	.....	.....	.....	.....	.....	17.0	17.0	17.0	.....	102.0	8.5	8.5	.....
47	Attleborough town	1913	1,179.8	.....	.....	.....	22.5	16.9	.....	5.6	.....	5.6	106.7	5.6	.....	11.2
48		1912	1,230.8	5.8	.....	.....	.....	.....	11.6	.....	11.6	.....	86.7	17.3	17.3	5.8
49	Beverly	1913	1,292.3	14.9	.....	.....	.....	.....	5.0	9.9	5.0	.....	59.4	19.8	14.9	.....
50		1912	1,110.8	15.2	.....	.....	.....	15.2	.....	5.1	.....	5.1	86.2	20.3	5.1	.....
51	Boston (total)	1913	1,638.6	8.2	.....	.....	10.7	10.5	13.4	22.1	5.3	5.7	145.5	17.0	11.1	5.8
52		1912	1,637.3	8.0	0.1	.....	15.9	4.5	10.7	15.3	3.9	7.0	152.4	16.6	10.0	4.9
53	White	1913	1,620.5	8.2	.....	.....	10.9	10.8	12.7	22.4	5.4	5.8	140.0	16.6	10.6	5.8
54		1912	1,622.5	7.9	0.1	.....	16.1	4.6	10.5	15.0	4.0	7.0	146.9	16.8	9.8	5.0
55	Colored	1913	2,445.0	6.3	.....	.....	.....	.....	44.3	12.7	.....	.....	392.7	38.0	31.7	6.3
56		1912	2,297.3	12.9	.....	.....	6.4	.....	19.3	32.2	.....	6.4	399.0	6.4	19.3	.....
57	Brockton	1913	1,082.8	1.6	.....	.....	3.2	1.6	4.8	25.7	11.2	1.6	73.8	8.0	9.6	3.2
58		1912	1,154.4	4.9	.....	.....	18.1	4.9	14.8	9.9	11.5	1.6	77.5	13.2	6.6	1.6
59	Brookline town	1913	1,153.5	.....	.....	.....	.....	.....	.....	3.3	9.9	.....	46.1	.....	9.9	3.3
60		1912	1,072.8	6.8	.....	.....	.....	.....	3.4	.....	6.8	3.4	44.0	6.8	6.8	3.4
61	Cambridge	1913	1,349.9	9.2	.....	.....	9.2	.....	9.2	12.8	10.1	1.8	184.3	9.2	6.4	6.4
62		1912	1,304.1	3.7	0.9	.....	8.4	1.9	6.5	24.1	4.6	2.8	176.4	4.6	5.6	6.5
63	Chelsea	1913	2,126.7	15.7	.....	.....	9.4	.....	15.7	9.4	12.5	3.1	109.6	.....	6.3	12.5
64		1912	1,838.5	12.5	.....	.....	9.3	3.1	9.3	9.3	3.1	3.1	137.1	.....	28.0	3.1
65	Chicopee	1913	1,378.3	10.9	.....	.....	18.2	21.9	.....	21.9	3.6	3.6	109.4	14.6	18.2	10.9
66		1912	1,571.2	7.5	3.7	.....	48.5	22.4	18.7	14.9	7.5	3.7	115.7	18.7	14.9	.....
67	Clinton town	1913	1,226.5	15.5	.....	.....	46.6	.....	.....	15.5	.....	7.8	108.7	23.3	15.5	23.3
68		1912	1,491.3	.....	.....	.....	.....	7.7	15.5	.....	.....	.....	92.7	15.5	15.5	.....
69	Everett	1913	1,174.1	2.7	.....	.....	8.2	13.7	30.2	2.7	5.5	.....	96.0	8.2	8.2	13.7
70		1912	1,100.5	2.8	.....	.....	8.4	5.6	22.5	.....	2.8	2.8	78.8	14.1	8.4	5.6
71	Fall River	1913	1,722.8	8.9	.....	.....	58.9	21.8	11.3	27.4	7.3	1.6	128.2	9.7	7.3	5.6
72		1912	1,620.1	18.0	.....	.....	1.6	7.3	4.9	26.1	2.4	4.9	125.7	11.4	3.3	10.6
73	Fitchburg	1913	1,374.5	5.0	.....	.....	47.7	5.0	2.5	17.6	10.0	7.5	82.8	12.5	5.0	5.0
74		1912	1,236.2	.....	.....	.....	2.5	2.5	10.2	12.7	7.6	.....	58.6	20.4	5.1	15.3
75	Framingham town	1913	1,565.2	.....	.....	.....	14.8	.....	.....	7.4	14.8	.....	118.7	22.3	22.3	.....
76		1912	1,419.5	7.5	.....	.....	.....	.....	15.0	7.5	22.5	.....	52.6	7.5	.....	.....

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
110.9	3.7	18.5	99.8	92.4	22.2	255.1	22.2	129.4	44.4	25.9	11.1	136.8	14.8	22.2	114.6	96.1	3.7	391.8	33.3	1
156.7	18.7	33.6	93.3	111.9	22.4	197.8	14.9	160.4	56.0	29.8	11.2	130.6	.....	14.9	115.7	111.9	14.9	395.5	37.3	2
127.2	16.3	21.2	89.7	181.1	24.5	195.7	19.6	50.6	26.1	22.8	9.8	168.0	4.9	8.2	86.4	109.3	19.6	381.7	13.0	3
130.7	21.5	9.9	140.6	198.5	28.1	153.8	13.2	38.0	8.3	19.8	6.6	158.8	1.7	8.3	110.8	82.7	18.2	382.1	21.5	4
74.4	.....	41.3	82.6	124.0	33.1	140.5	16.5	33.1	16.5	24.8	33.1	41.3	.....	16.5	115.7	99.2	16.5	223.1	16.5	5
126.1	8.4	25.2	84.0	67.2	25.2	277.3	8.4	109.2	.....	16.8	.....	100.8	16.8	33.6	134.5	109.2	.....	285.7	33.6	6
103.3	16.6	14.2	93.7	170.4	31.3	196.6	17.7	102.7	14.9	19.2	14.7	175.2	12.3	9.7	123.1	89.8	19.8	288.6	6.7	7
97.1	16.8	17.1	91.4	175.1	27.2	172.8	17.1	91.9	13.1	19.0	12.7	175.9	9.5	10.5	134.9	80.6	15.3	317.6	15.6	8
103.0	17.0	12.2	89.9	147.5	26.4	155.2	16.1	98.4	13.7	18.7	13.1	160.3	11.2	8.8	111.3	84.0	21.9	261.4	5.8	9
101.0	17.7	16.6	88.7	155.4	24.7	133.9	14.3	85.3	12.3	18.7	13.2	157.8	8.9	9.3	131.6	72.7	17.4	285.3	13.2	10
105.0	14.2	26.3	116.0	304.1	60.2	438.7	27.3	128.0	21.9	21.9	24.1	262.6	18.6	15.3	192.5	123.6	7.7	447.4	12.0	11
74.0	11.0	19.9	107.1	290.3	41.9	400.7	33.1	130.3	17.7	21.0	9.9	281.5	13.2	17.7	154.5	127.0	3.3	506.7	29.8	12
104.6	16.0	14.1	94.3	169.5	31.5	204.2	17.4	101.5	12.5	19.3	15.0	180.1	11.0	10.1	119.9	84.2	20.2	285.9	6.4	13
97.4	17.4	17.0	91.5	173.8	27.7	178.2	16.3	91.5	12.1	18.6	13.3	178.7	9.1	10.4	134.7	74.4	15.6	309.2	14.4	14
104.7	16.4	11.7	90.3	145.0	26.3	160.2	15.4	96.3	11.1	18.7	13.6	164.5	10.1	9.2	106.4	77.8	22.6	256.5	5.3	15
101.7	18.4	16.6	88.9	152.2	25.1	138.2	13.9	83.7	11.0	18.4	13.9	160.1	8.9	8.9	131.1	66.1	17.8	277.4	11.8	16
103.9	13.7	27.4	116.5	306.1	60.5	448.9	28.6	130.2	20.6	22.8	22.8	267.3	16.0	14.8	195.3	119.9	6.9	450.0	12.6	17
73.7	11.5	19.6	106.0	293.8	42.6	401.0	30.0	134.8	18.4	19.6	10.4	282.3	10.4	18.4	154.4	121.0	3.5	486.2	28.8	18
85.6	12.8	17.1	51.4	145.5	25.7	158.3	8.6	145.5	51.4	17.1	4.3	107.0	34.2	.....	141.2	205.4	12.8	291.0	4.3	19
100.5	4.4	26.2	61.2	157.3	4.4	126.7	13.1	126.7	30.6	30.6	.....	131.0	13.1	17.5	152.9	192.2	8.7	292.7	4.4	20
81.0	13.5	18.0	54.0	139.5	22.5	148.5	9.0	144.0	49.5	18.0	4.5	108.0	31.5	.....	144.0	189.0	9.0	296.9	4.5	21
105.6	4.6	27.6	64.3	156.1	4.6	114.8	13.8	128.6	32.1	23.0	.....	119.4	4.6	18.4	147.0	179.1	9.2	284.7	4.6	22
175.1	.....	.....	.....	262.7	87.6	350.3	.....	175.1	87.6	.....	.....	87.6	87.6	.....	87.6	525.4	87.6	175.1	.....	23
.....	.....	.....	.....	178.9	.....	357.8	.....	89.4	.....	178.9	.....	357.8	178.9	.....	268.3	447.2	.....	447.2	.....	24
102.1	9.3	9.3	157.8	185.6	37.1	46.4	9.3	46.4	27.8	27.8	9.3	120.7	37.1	9.3	148.5	102.1	27.8	454.8	.....	25
93.8	18.8	9.4	140.7	225.1	56.3	150.1	46.9	9.4	28.1	18.8	9.4	150.1	28.1	9.4	122.0	122.0	9.4	619.1	37.5	26
108.1	10.8	10.8	151.3	172.9	43.2	43.2	10.8	54.0	32.4	32.4	.....	97.3	21.6	10.8	172.9	97.3	32.4	454.0	.....	27
98.3	21.8	.....	152.9	218.5	54.6	87.4	32.8	10.9	32.8	21.8	10.9	163.8	21.8	10.9	131.1	120.2	10.9	480.6	43.7	28
65.7	.....	.....	197.2	263.0	.....	65.7	.....	.....	.....	.....	65.7	263.0	131.5	.....	.....	131.5	.....	460.2	.....	29
66.4	.....	66.4	66.4	265.8	66.4	531.6	132.9	.....	.....	.....	.....	66.4	66.4	.....	66.4	132.9	.....	1,461.8	.....	30
85.9	45.8	17.2	91.7	223.4	28.6	91.7	45.8	120.3	34.4	11.5	22.9	137.5	11.5	11.5	189.1	108.9	11.5	269.3	22.9	31
81.6	11.7	11.7	99.1	209.8	23.3	69.9	29.1	110.7	11.7	17.5	11.7	157.4	5.8	5.8	128.2	110.7	17.5	442.9	58.3	32
80.0	43.1	18.5	92.3	221.4	24.6	80.0	49.2	123.0	30.8	12.3	18.5	141.5	12.3	6.2	178.4	116.9	12.3	252.2	24.6	33
75.1	12.5	12.5	81.3	212.7	25.0	56.3	18.8	118.9	12.5	18.8	12.5	137.7	6.3	6.3	125.1	100.1	18.8	413.0	50.1	34
167.1	83.5	.....	83.5	250.6	83.5	250.6	.....	83.5	83.5	.....	83.5	83.5	.....	83.5	334.2	.....	.....	501.3	.....	35
169.9	.....	.....	339.8	169.9	.....	254.9	169.9	.....	.....	.....	.....	424.8	.....	.....	169.9	254.9	.....	849.6	169.9	36
98.7	19.6	12.4	90.8	174.1	21.7	164.3	12.7	94.2	12.9	13.2	10.0	89.8	6.0	10.1	91.1	80.4	12.6	250.4	5.5	37
96.7	19.4	13.3	88.1	175.1	23.6	159.5	12.0	103.9	11.6	11.5	9.9	88.8	6.2	8.7	92.9	81.6	13.4	253.9	6.6	38
99.0	19.6	12.5	90.9	172.9	21.4	163.1	12.6	94.6	13.0	13.2	10.1	89.2	6.0	10.2	91.3	79.7	12.6	249.7	5.5	39
97.2	19.6	13.2	88.3	173.8	23.7	158.0	11.9	104.3	11.5	11.6	9.9	87.9	6.0	8.6	93.0	81.4	13.5	253.3	6.6	40
76.5	19.1	8.2	87.5	265.2	38.3	251.5	13.7	68.3	10.9	13.7	5.5	136.7	10.9	8.2	98.4	128.5	13.7	308.9	8.2	41
61.2	8.3	19.5	75.1	272.8	19.5	272.8	22.3	72.4	19.5	5.6	11.1	161.4	19.5	13.9	86.3	91.8	5.6	297.8	8.3	42
44.0	14.7	22.0	73.3	132.0	14.7	80.7	14.7	95.3	.....	7.3	.....	66.0	.....	.....	124.6	14.7	14.7	271.3	14.7	43
59.5	14.9	14.9	104.1	111.5	22.3	96.7	.....	133.8	.....	7.4	7.4	29.7	.....	.....	59.5	66.9	22.3	200.8	.....	44
74.8	24.9	8.3	149.7	191.3	16.6	91.5	8.3	83.2	8.3	.....	.....	74.8	8.3	.....	116.4	66.5	24.9	158.0	.....	45
93.5	42.5	.....	110.5	229.5	8.5	59.5	.....	51.0	.....	17.0	8.5	34.0	.....	8.5	93.5	110.5	17.0	255.0	.....	46
50.6	39.3	16.9	89.9	95.5	22.5	95.5	11.2	95.5	16.9	11.2	.....	101.1	11.2	11.2	61.8	56.2	11.2	202.2	5.6	47
115.6	5.8	.....	109.8	173.4	28.9	109.8	.....	52.0	34.7	5.8	.....	69.3	.....	11.6	80.9	57.8	.....	213.8	5.8	48
168.3	5.0	.....	69.3	227.8	19.8	89.1	19.8	44.6	14.9	19.8	.....	113.9	.....	14.9	99.0	94.1	14.9	148.5	.....	49
96.4	15.2	15.2	91.3	279.0	10.1	55.8	.....	10.1	5.1	5.1	10.1	81.2	5.1	15.2	60.9	50.7	15.2	137.0	.....	50
116.7	23.4	10.9	89.7	211.4	17.3	196.1	13.1	72.9	15.1	15.9	12.6	91.9	7.5	13.1	89.0	110.9	14.5	258.3	2.9	51
111.2	20.8	10.1	83.2	205.0	16.2	203.1	11.4	84.8	15.9	13.2	13.8	93.0	8.3	9.6	85.2	105.6	15.7	277.7	3.9	52
116.5	23.5	10.9	89.4	208.4	17.3	194.6	13.2	72.9	15.3	15.8	12.7	90.3	7.1	13.3	88.4	109.1	14.4	255.4	3.0	53
112.4	21.1	10.1	84.1	202.4	16.2	199.4	11.2	85.3	15.8	13.2	13.8	90.3	7.9	9.5	85.3	105.7	15.8	275.6	3.6	54
126.7	19.0	12.7	101.3	342.1	19.0	266.0	12.7	76.0	6.3	19.0	6.3	164.7	25.3	6.3	114.0	190.0	19.0	386.4	.....	55
57.9	6.4	12.9	45.0	321.8	12.9	366.8	19.3	64.4	19.3	12.9	12.9	212.4	25.7	12.9	83.7	103.0	12.9	373.2	19.3	56
86.6	17.6	9.6	54.5	123.5	20.9	59.4	6.4	38.5	11.2	11.2	8.0	73.8	6.4	8.0	104.3	52.9	12.8	224.6	8.0	57
79.2	18.1	4.9	64.3	113.8	13.2	87.4	9.9	54.4	14.8	11.5	8.2	72.6	6.6	14.8	102.2	64.3	23.1	221.0	4.9	58
161.5	26.4	6.6	128.5	227.4	6.6	102.2	.....	23.1	3.3	9.9	6.6	59.3	3.3	9.9	26.4	29.7	6.6	237.3	6.6	59
172.6	16.9	.....	81.2	220.0	13.5	111.7	3.4	6.8	.....	6.8	10.2	88.0	.....	.....	33.8	30.5	6.8	189.5	.....	60
81.6	19.3	3.7	77.9	160.5	19.3	170.6	7.3	85.3	11.9	8.3	5.5	62.4	4.6	5.5	78.9	62.4	13.8	210.9	1.8	61
83.5	13.9	7.4	83.5	152.2	23.2	150.4	13.0	75.2	3.7	2.8	7.4	81.7	5.6	2.8	64.0	61.3	7.4	219.1	.....	62
150.3	21.9	25.1	112.8	432.2	21.9	187.9	12.5	109.6	18.8	12.5	9.4	194.2	25.1	9.4	112.8	144.1	9.4	310.1	12.5	63
149.6	28.0	15.6	121.5	305.4	24.9	215.0	3.1	93.5	12.5	6.2	6.2	137.1	9.3	12.5	102.8	115.3	9.3	236.8	15.6	64
47.4	10.9	43.8	94.8	94.8	40.1	138.6	7.3	222.4	10.9	7.3	3.6	83.9	3.6	10.9	91.2	47.4	10.9	175.0	.....	65
48.5	11.2	48.5	59.7	123.2	44.8	153.0	3.7	283.6	.....	.....	.....	104.5	.....	.....	123.2	59.7	.....	220.2	11.2	66
85.4	7.8	23.3	93.2	54.3	15.5	124.2	23.3	38.8	7.8	15.5	7.8	23.3	.....	.....	69.9	93.2	7.8	256.2	23.3	67
139.1	15.5	23.2	85.0	170.0	7.7	85.0	.....	30.9	7.7	7.7	.....	85.0	7.7	.....	108.2	154.5	7.7	394.1	15.5	68
96.0	13.7	11.0	71.3	137.2	27.4	87.8	8.2	30.2	2.7	16.5	5.5	85.0	.....	2.7	104.2	71.3	8.2	203.0	2.7	69
67.6	16.9	14.1	70.4	157.6	16.9	95.7	16.9	42.2	2.8	2.8	11.3	95.7	.....	8.4	101.3	59.1	8.4	160.4	.....	70
75.0	13.7	11.3	71.0	145.2	49.2	260.5	13.7	224.2	8.1	12.9	9.7	91.9	5.6	12.1	120.2	46.8	7.3	237.1	19.4	71
69.4	20.4	14.7	81.6	155.9	50.6	201.6	9.0	247.3	2.4	12.2	8.2	106.9	5.7	4.9	97.9	57.9	7.3	223.6	26.1	72
90.3	20.1	20.1	90.3	163.0	25.1	170.6	10.0	105.3	10.0	2.5	15.0	40.1	5.0	10.0	95.3	57.7	5.0	228.2	10.0	73
71.4	30.6	17.8	79.0	163.1	20.4	89.2	5.1	158.0	10.2	15.3	12.7	40.8	.....	10.2	89.2	79.0	10.2	186.1	12.7	74
66.8	29.7	14.8	118.7	192.9	.....	200.3	.....	66.8	29.7	29.7	.....	126.1	.....	29.7	51.9	89.0	7.4	304.1	7.4	75
127.7	15.0	15.0	97.6	180.2	22.5	97.6	22.5	75.1	7.5	7.5	.....	157.7	7.5	37.6	90.1	90.1	7.5	247.8	.....	76

[2] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	MASSACHUSETTS—continued.															
1	Gardner town	1913	1,240.6	.....	.....	.....	25.1	18.8	.....	18.8	12.5	6.3	62.7	6.3	12.5	12.5
2		1912	1,406.8	6.4	.....	.....	12.8	.....	.....	25.7	19.3	6.4	77.1	.....	6.4	.....
3	Gloucester	1913	1,413.6	8.4	.....	.....	.....	.....	12.6	8.4	4.2	.....	113.3	8.4	8.4	4.2
4		1912	1,507.5	16.7	.....	.....	20.8	.....	12.5	25.0	.....	8.3	116.6	4.2	.....	4.2
5	Greenfield town	1913	1,432.5	17.8	.....	.....	8.9	17.8	44.5	26.7	.....	.....	44.5	8.9	8.9	.....
6		1912	1,511.0	9.1	.....	.....	.....	.....	.....	.....	.....	.....	91.0	.....	9.1	9.1
7	Haverhill	1913	1,453.6	6.5	.....	.....	15.1	2.2	15.1	15.1	6.5	.....	120.8	15.1	8.6	2.2
8		1912	1,524.1	15.3	.....	.....	17.5	4.4	21.9	17.5	8.8	4.4	98.5	17.5	8.8	8.8
9	Holyoke	1913	1,638.7	6.5	.....	.....	11.4	42.2	11.4	42.2	4.9	1.6	124.9	24.3	9.7	11.4
10		1912	1,486.3	9.9	1.7	.....	24.8	3.3	.....	21.5	8.3	1.7	127.4	5.0	9.9	3.3
11	Lawrence	1913	1,419.7	12.8	.....	.....	37.4	4.3	20.3	10.7	7.5	3.2	127.3	17.1	10.7	4.3
12		1912	1,498.2	13.2	.....	.....	18.7	4.4	5.5	12.1	5.5	4.4	133.9	14.3	6.6	5.5
13	Leominster town	1913	1,157.7	.....	.....	.....	26.0	.....	5.2	83.1	5.2	.....	72.7	.....	5.2	10.4
14		1912	1,168.7	10.7	.....	.....	53.4	.....	10.7	5.3	.....	5.3	80 0	.....	21.3	.....
15	Lowell	1913	1,592.6	10.0	0.9	.....	19.1	3.6	4.6	31.9	3.6	1.8	90.1	20.0	9.1	17.3
16		1912	1,738.6	10.1	.....	.....	53.3	5.5	12.9	15.6	5.5	2.8	117.7	19.3	10.1	5.5
17	Lynn	1913	1,182.1	13.5	.....	.....	9.4	6.2	11.4	16.6	7.3	2.1	96.8	3.1	8.3	8.3
18		1912	1,188.4	6.4	.....	.....	1.1	8.5	14.9	16.0	6.4	2.1	71.3	9.6	7.4	9.6
19	Malden	1913	1,098.3	4.2	.....	.....	18.8	4.2	4.2	35.5	4.2	2.1	68.9	6.3	12.5	.....
20		1912	1,123.8	6.4	.....	.....	4.3	4.3	4.3	10.7	4.3	2.1	59.8	8.5	6.4	10.7
21	Marlborough	1913	1,423.5	20.1	.....	.....	6.7	.....	.....	6.7	6.7	.....	188.0	13.4	.....	.....
22		1912	1,378.8	.....	.....	.....	.....	.....	.....	27.0	6.8	6.8	74.3	27.0	20.3	40.6
23	Medford	1913	1,147.8	4.0	.....	.....	8.1	4.0	4.0	12.1	8.1	.....	68.7	8.1	8.1	8.1
24		1912	1,311.6	.....	.....	.....	.....	4.1	12.4	.....	8.2	8.2	70.1	28.9	.....	.....
25	Melrose	1913	1,180.2	12.0	.....	.....	.....	.....	6.0	.....	18.1	.....	42.1	12.0	.....	.....
26		1912	1,071.7	6.1	.....	.....	6.1	.....	6.1	6.1	6.1	.....	55.1	12.2	18.4	12.2
27	Methuen town	1913	1,453.8	.....	.....	.....	23.6	15.7	7.9	.....	.....	7.9	78.6	15.7	7.9	.....
28		1912	1,216.8	16.2	.....	.....	.....	16.2	16.2	.....	.....	8.1	32.4	24.3	.....	8.1
29	Milford town	1913	1,522.1	14.7	.....	.....	.....	.....	.....	7.4	7.4	14.7	44.1	14.7	7.4	22.1
30		1912	1,556.2	.....	7.4	.....	.....	7.4	37.2	.....	7.4	.....	119.1	7.4	.....	.....
31	New Bedford	1913	1,556.1	10.2	.....	.....	33.4	2.8	6.5	31.5	4.6	5.6	114.1	24.1	13.0	1.9
32		1912	1,588.7	18.2	.....	.....	5.8	.....	7.7	18.2	5.8	2.9	117.0	15.3	12.5	2.9
33	Newburyport	1913	1,642.4	26.5	.....	.....	13.2	.....	.....	19.9	19.9	13.2	119.2	6.6	6.6	.....
34		1912	1,547.9	26.6	.....	.....	.....	.....	.....	.....	6.6	.....	99.6	6.6	19.9	6.6
35	Newton	1913	1,157.2	2.4	.....	.....	.....	7.2	.....	2.4	12.0	2.4	43.0	14.3	14.3	4.8
36		1912	1,235.6	7.3	.....	.....	2.4	2.4	2.4	2.4	9.7	4.9	68.0	21.8	7.3	2.4
37	North Adams	1913	1,604.8	23 5	.....	.....	.....	.....	.....	42.2	18.8	14.1	84.5	18.8	9.4	18.8
38		1912	1,602.3	13.9	4.6	.....	4.6	.....	4.6	41.8	4.6	4.6	125.4	.....	18.6	.....
39	Northampton*	1913	1,889.7	.....	.....	.....	.....	.....	.....	5.1	5.1	15.2	162.6	10.2	10.2	5.1
40		1912	1,989.2	.....	.....	.....	15.3	.....	30.6	20.4	20.4	.....	209.1	5.1	35.7	.....
41	Peabody town	1913	1,369.6	11.7	5.9	.....	.....	11.7	23.4	35.1	11.7	11.7	81.9	17.6	29.3	5.9
42		1912	1,266.5	12.0	.....	.....	6.0	.....	.....	6.0	12.0	12.0	66.0	6.0	18.0	.....
43	Pittsfield	1913	1,862.9	14.1	.....	.....	11.3	42.3	2.8	14.1	2.8	5.6	124.0	22.5	11.3	5.6
44		1912	1,635.0	20.3	.....	.....	.....	5.8	8.7	34.8	2.9	2.9	110.4	11.6	20.3	8.7
45	Plymouth town	1913	1,272.3	15.4	.....	.....	.....	7.7	.....	7.7	.....	7.7	30.8	.....	7.7	.....
46		1912	1,250.9	.....	.....	.....	47.2	15.7	7.9	15.7	7.9	.....	62.9	.....	.....	7.9
47	Quincy	1913	1,341.6	5.6	.....	.....	16.9	.....	25.4	22.5	2.8	5.6	104.3	19.7	11.3	.....
48		1912	1,092.6	5.8	.....	.....	5.8	.....	5.8	8.7	2.9	2.9	89.6	8.7	17.3	2.9
49	Revere town	1913	1,030.8	4.8	.....	.....	9.6	.....	4.8	4.8	4.8	.....	110.8	24.1	9.6	4.8
50		1912	946.5	.....	.....	.....	15.0	.....	.....	10.0	5.0	5.0	100.2	10.0	.....	.....
51	Salem	1913	1,521.3	15.1	.....	.....	2.2	4.3	13.0	17.3	13.0	2.2	93.1	13.0	6.5	2.2
52		1912	1,474.9	13.2	.....	.....	.....	.....	6.6	2.2	19.8	4.4	92.5	19.8	4.4	8.8
53	Somerville	1913	1,206.5	7.3	.....	.....	6.1	7.3	3.6	14.6	6.1	2.4	83.8	15.8	8.5	4.9
54		1912	1,215.3	6.2	.....	.....	3.7	2.5	5.0	18.6	2.5	.....	102.8	11.1	6.2	6.2
55	Southbridge town	1913	1,124.8	.....	.....	.....	7.4	7.4	.....	7.4	.....	.....	52.1	.....	7.4	7.4
56		1912	1,146.9	.....	.....	.....	.....	.....	22.8	.....	7.6	7.6	60.8	.....	.....	.....
57	Springfield	1913	1,503.3	20.5	1.0	.....	11.3	3.1	3.1	16.4	16.4	3.1	74.8	15.4	11.3	8.2
58		1912	1,524.2	16.9	.....	.....	7.4	2.1	13.7	16.9	6.3	5.3	86.4	14.7	8.4	.....
59	Taunton*	1913	1,985.6	8.5	2.8	.....	8.5	31.2	2.8	8.5	17.0	11.3	150.1	19.8	5.7	17.0
60		1912	2,141.3	2.9	.....	.....	34.3	5.7	25.7	11.4	2.9	20.0	194.4	5.7	.....	20.0
61	Wakefield town	1913	1,290.2	.....	.....	.....	.....	.....	8.3	.....	8.3	8.3	99.2	16.5	16.5	.....
62		1912	1,111.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	42.1	16.8	25.3	16.8
63	Waltham	1913	1,275.6	.....	.....	.....	.....	3.4	3.4	23.9	3.4	3.4	95.8	10.3	17.1	.....
64		1912	1,222.0	3.5	.....	.....	24.3	.....	.....	17.4	3.5	3.5	79.8	10.4	10.4	6.9
65	Watertown town	1913	870.3	.....	.....	.....	7.2	.....	.....	7.2	7.2	.....	86.3	7.2	7.2	7.2
66		1912	993.9	.....	.....	.....	.....	.....	.....	.....	7.4	.....	51.5	.....	.....	.....
67	Webster town	1913	1,412.7	.....	.....	.....	.....	16.1	24.2	40.4	8.1	.....	80.7	8.1	8.1	16.1
68		1912	1,304.4	8.3	.....	.....	16.5	.....	33.0	33.0	16.5	8.3	41.3	16.5	.....	.....
69	Westfield town	1913	1,860.1	.....	.....	.....	29.0	5.8	.....	11.6	.....	5.8	365.1	.....	5.8	11.6
70		1912	1,943.2	.....	.....	.....	5.9	.....	41.5	17.8	.....	.....	527.3	.....	.....	.....
71	Weymouth town	1913	1,253.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	119.4	.....	14.9	.....
72		1912	1,260.8	7.5	.....	.....	.....	.....	.....	7.5	.....	7.5	45.3	15.1	7.5	7.5
73	Winthrop town	1913	1,117.5	17.5	.....	.....	8.7	8.7	.....	.....	.....	.....	17.5	.....	8.7	17.5
74		1912	1,412.8	9.1	.....	.....	.....	.....	9.1	9.1	27.2	.....	81.5	18.1	.....	9.1
75	Woburn	1913	1,370.0	6.4	.....	.....	19.3	6.4	.....	.....	12.9	.....	70.7	.....	12.9	12.9
76		1912	1,396.2	6.4	.....	.....	.....	.....	.....	6.4	12.9	12.9	102.9	12.9	32.2	6.4
77	Worcester	1913	1,584.3	5.6	0.6	.....	10.0	7.5	5.6	22.5	4.4	5.6	101.3	18.8	10.0	6.9
78		1912	1,623.4	3.3	0.7	.....	9.9	7.2	10.5	21.7	5.9	5.9	107.8	9.2	11.8	5.9

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
87.7	6.3	25.1	50.1	131.6	37.6	125.3	6.3	100.3	12.5	12.5	12.5	75.2	6.3	12.5	81.5	94.0	.....	188.0	.....	1
160.6	32.1	32.1	77.1	141.3	19.3	115.6	6.4	109.2	19.3	12.8	12.8	115.6	6.4	.....	147.7	32.1	12.8	199.1	.....	2
67.1	12.6	8.4	113.3	218.1	21.0	138.4	4.2	75.5	4.2	8.4	12.6	100.7	.....	8.4	62.9	96.5	4.2	289.4	.....	3
99.9	45.8	20.8	145.7	162.4	29.1	124.9	8.3	70.8	25.0	4.2	8.3	83.3	.....	8.3	66.6	129.1	12.5	249.9	4.2	4
97.9	26.7	17.8	89.0	169.1	35.6	97.9	35.6	44.5	17.8	.....	.....	71.2	.....	.....	124.6	97.9	17.8	258.0	53.4	5
145.6	27.3	63.7	91.0	109.2	27.3	118.3	9.1	36.4	9.1	.....	9.1	81.9	.....	18.2	145.6	163.8	18.2	264.0	54.6	6
88.4	19.4	17.3	114.3	189.8	8.6	157.4	8.6	73.3	12.9	8.6	8.6	79.8	4.3	15.1	86.3	99.2	10.8	230.8	12.9	7
98.5	19.7	50.4	105.1	179.6	10.9	155.5	8.8	50.4	10.9	10.9	8.8	83.2	6.6	6.6	94.2	89.8	24.1	275.9	10.9	8
60.0	13.0	13.0	74.6	107.1	16.2	212.5	11.4	209.3	11.4	11.4	17.8	124.9	6.5	6.5	131.4	87.6	9.7	223.9	.....	9
71.2	13.2	29.8	77.8	105.9	11.6	200.3	23.2	195.3	6.6	13.2	14.9	87.7	6.6	6.6	92.7	91.0	19.9	198.6	3.3	10
72.7	13.9	15.0	71.7	101.6	28.9	147.6	10.7	165.8	12.8	7.5	12.8	74.9	3.2	13.9	85.6	56.7	5.3	238.6	24.6	11
63.7	11.0	16.5	63.7	126.2	24.1	202.0	16.5	196.5	13.2	17.6	6.6	61.5	14.3	9.9	97.7	75.7	9.9	227.2	20.9	12
62.3	10.4	15.6	51.9	129.8	10.4	98.6	5.2	51.9	5.2	10.4	10.4	103.8	5.2	10.4	62.3	51.9	15.6	238.8	.....	13
53.4	10.7	5.3	85.4	128.1	10.7	117.4	10.7	42.7	5.3	5.3	5.3	117.4	10.7	16.0	80.0	37.4	32.0	202.8	5.3	14
74.6	13.7	16.4	95.6	132.0	34.6	142.9	11.8	165.6	10.0	19.1	6.4	112.8	3.6	6.4	131.0	64.6	12.7	325.8	0.9	15
88.3	16.5	21.1	88.3	157.2	70.8	150.8	16.5	176.5	9.2	12.9	14.7	91.9	5.5	7.4	134.2	83.7	9.2	320.9	4.6	16
78.0	22.9	11.4	92.6	140.5	18.7	128.0	15.6	31.2	12.5	10.4	6.2	67.6	7.3	9.4	54.1	62.4	9.4	216.4	4.2	17
87.2	8.5	8.5	91.5	144.7	22.3	114.9	2.1	46.8	10.6	10.6	9.6	76.6	5.3	9.6	95.8	75.5	13.8	189.4	11.7	18
106.5	16.7	10.4	102.3	179.6	2.1	81.4	10.4	31.3	4.2	13.8	4.2	68.9	12.5	6.3	64.7	35.5	14.6	162.9	4.2	19
83.3	15.0	8.5	68.4	151.7	17.1	109.0	21.4	36.3	8.5	10.7	6.4	70.5	.....	12.8	89.7	59.8	4.3	226.5	2.1	20
161.1	20.1	26.9	114.1	214.9	13.4	94.0	26.9	40.3	13.4	20.1	13.4	47.0	.....	13.4	53.7	40.3	13.4	255.2	.....	21
94.6	13.5	20.3	121.7	270.4	13.5	87.9	13.5	54.1	20.3	.....	.....	74.3	6.8	13.5	87.9	67.6	13.5	196.0	6.8	22
137.4	24.2	.....	101.0	157.6	8.1	80.8	4.0	20.2	.....	4.0	12.1	109.1	.....	.....	72.7	40.4	20.2	218.2	4.0	23
132.0	16.5	20.6	94.9	160.9	4.1	127.9	12.4	20.6	4.1	8.2	.....	90.7	8.2	4.1	111.4	53.6	8.2	297.0	4.1	24
126.4	18.1	.....	114.4	168.6	12.0	144.5	30.1	18.1	6.0	6.0	18.1	66.2	6.0	24.1	48.2	36.1	12.0	234.8	.....	25
147.0	18.4	.....	104.1	189.8	6.1	122.5	.....	12.2	12.2	.....	6.1	61.2	.....	.....	6.1	36.7	18.4	202.1	.....	26
86.4	15.7	15.7	102.2	157.2	31.4	180.7	31.4	110.0	15.7	31.4	7.9	78.6	.....	15.7	78.6	47.2	31.4	251.5	7.9	27
81.1	32.4	8.1	97.3	121.7	32.4	137.9	8.1	81.1	8.1	16.2	.....	64.9	8.1	.....	105.5	73.0	8.1	210.9	.....	28
117.6	14.7	22.1	176.5	88.2	22.1	161.8	22.1	51.5	36.8	22.1	14.7	161.8	.....	14.7	73.5	66.2	7.4	316.2	.....	29
89.4	.....	14.9	104.2	141.5	22.3	208.5	14.9	52.1	29.8	37.2	14.9	156.4	.....	14.9	89.4	89.4	7.4	275.5	7.4	30
81.7	13.9	18.6	61.2	121.6	32.5	206.0	16.7	212.5	12.1	14.8	14.8	81.7	7.4	5.6	90.9	48.3	13.9	234.8	19.5	31
85.3	12.5	15.3	70.0	129.4	33.6	164.9	20.1	243.5	7.7	9.6	11.5	65.2	8.6	12.5	133.3	58.5	21.1	253.1	26.8	32
185.4	19.9	19.9	139.1	258.3	19.9	132.5	.....	72.8	13.2	.....	13.2	152.3	6.6	13.2	33.1	106.0	6.6	225.2	.....	33
172.7	19.9	6.6	139.5	292.3	13.3	132.9	39.9	13.3	33.2	6.6	19.9	66.4	6.6	13.3	39.9	73.1	13.3	279.0	.....	34
110.0	7.2	2.4	93.2	157.8	21.5	112.4	28.7	26.3	21.5	9.6	7.2	62.2	9.6	12.0	69.3	47.8	14.3	241.5	.....	35
133.5	41.3	4.9	104.4	203.9	17.0	123.8	9.7	17.0	14.6	17.0	7.3	48.5	2.4	7.3	89.8	38.8	4.9	218.5	.....	36
112.6	9.4	4.7	112.6	145.5	51.6	136.1	28.2	61.0	32.8	9.4	9.4	112.6	9.4	23.5	70.4	140.8	9.4	290.9	4.7	37
106.8	4.6	.....	120.8	176.5	41.8	125.4	27.9	74.3	23.2	23.2	18.6	120.8	13.9	.....	97.5	125.4	18.6	260.1	.....	38
81.3	10.2	5.1	208.3	142.2	45.7	127.0	30.5	71.1	15.2	20.3	5.1	152.4	5.1	20.3	66.0	106.7	30.5	523.2	10.2	39
117.3	20.4	5.1	132.6	142.8	45.9	122.4	10.2	96.9	10.2	15.3	15.3	112.2	.....	5.1	66.3	76.5	20.4	632.5	5.1	40
99.5	17.6	29.3	105.4	169.7	23.4	111.2	5.9	58.5	17.6	.....	5.9	99.5	.....	.....	117.1	93.6	35.1	134.6	.....	41
90.0	.....	24.0	90.0	192.1	42.0	96.0	12.0	84.0	24.0	12.0	6.0	60.0	.....	24.0	96.0	66.0	6.0	204.1	.....	42
101.5	28.2	33.8	95.8	214.2	22.5	219.8	22.5	70.5	36.6	14.1	11.3	112.7	8.5	11.3	146.5	160.6	14.1	281.8	.....	43
95.8	34.8	26.1	58.1	232.3	20.3	139.4	14.5	95.8	29.0	23.2	14.5	119.1	5.8	11.6	84.2	124.9	5.8	270.1	2.9	44
92.5	15.4	.....	115.7	185.1	23.1	54.0	15.4	77.1	30.8	.....	.....	146.5	7.7	15.4	69.4	92.5	7.7	239.0	7.7	45
133.7	23.6	7.9	70.8	196.7	15.7	62.9	15.7	62.9	.....	.....	.....	78.7	.....	.....	102.3	94.4	7.9	188.8	23.6	46
101.5	19.7	14.1	112.7	174.7	19.7	140.9	8.5	64.8	11.3	14.1	.....	53.5	8.5	5.6	67.6	101.5	22.5	180.4	5.6	47
109.8	11.6	2.9	69.4	144.5	14.5	54.9	.....	60.7	5.8	8.7	2.9	52.0	2.9	5.8	69.4	89.6	20.2	216.8	.....	48
72.3	14.5	4.8	96.3	159.0	14.5	91.5	19.3	48.2	.....	4.8	24.1	53.0	.....	9.6	33.7	57.8	14.5	134.9	.....	49
60.1	5.0	.....	80.1	115.2	10.0	135.2	5.0	25.0	.....	.....	10.0	60.1	.....	5.0	100.2	35.1	10.0	140.2	5.0	50
82.2	21.6	13.0	90.9	214.2	28.1	153.6	10.8	127.7	13.0	13.0	8.7	67.1	6.5	13.0	164.5	75.7	6.5	222.9	6.5	51
79.2	33.0	15.4	107.9	198.1	33.0	134.3	15.4	90.3	11.0	6.6	4.4	99.1	13.2	13.2	127.7	83.7	13.2	224.5	.....	52
88.7	10.9	6.1	85.1	204.1	12.2	143.4	8.5	49.8	9.7	8.5	12.2	69.3	3.6	7.3	74.1	47.4	4.9	200.5	.....	53
75.6	24.8	9.9	89.2	190.8	18.6	132.6	7.4	53.3	5.0	2.5	6.2	66.9	3.7	6.2	63.2	61.9	8.7	224.2	.....	54
52.1	29.8	7.4	29.8	74.5	7.4	216.0	7.4	104.3	7.4	.....	14.9	119.2	7.4	7.4	104.3	44.7	.....	193.7	7.4	55
76.0	7.6	7.6	68.4	106.3	15.2	121.5	15.2	129.1	.....	.....	.....	60.8	.....	15.2	151.9	38.0	.....	220.3	15.2	56
113.7	24.6	12.3	80.9	128.0	19.5	152.6	16.4	85.0	14.3	19.5	7.2	159.7	7.2	6.1	104.5	84.0	16.4	264.2	3.1	57
103.2	28.4	13.7	108.5	140.1	8.4	125.4	11.6	95.9	16.9	11.6	7.4	173.8	11.6	12.6	98.0	86.4	22.1	270.7	.....	58
99.1	42.5	28.3	130.3	243.6	8.5	232.3	8.5	169.9	8.5	14.2	19.8	79.3	2.8	5.7	113.3	79.3	8.5	405.0	2.8	59
100.1	22.9	22.9	114.4	234.4	40.0	251.6	11.4	154.4	8.6	14.3	11.4	117.2	5.7	8.6	142.9	88.6	5.7	457.4	5.7	60
182.0	8.3	24.8	124.1	148.9	8.3	124.1	.....	41.4	.....	16.5	8.3	57.9	.....	16.5	74.4	74.4	16.5	206.8	.....	61
101.0	16.8	8.4	134.7	176.8	25.3	67.4	.....	16.8	.....	.....	8.4	75.8	.....	.....	92.6	50.5	.....	227.3	8.4	62
75.2	27.4	3.4	99.2	181.3	10.3	126.5	6.8	27.4	13.7	20.5	6.8	85.5	6.8	13.7	85.5	47.9	13.7	263.3	.....	63
86.8	13.9	6.9	97.2	131.9	17.4	166.6	20.8	17.4	10.4	10.4	10.4	62.5	.....	3.5	79.8	45.1	17.4	260.4	3.5	64
57.5	36.0	14.4	107.9	100.7	14.4	50.3	21.6	36.0	.....	7.2	.....	43.2	.....	14.4	64.7	43.2	7.2	122.3	.....	65
110.4	22.1	.....	132.5	184.1	29.4	88.3	.....	58.9	.....	7.4	.....	44.2	.....	7.4	81.0	51.5	.....	117.8	.....	66
96.9	40.4	16.1	64.6	96.9	32.3	153.4	.....	104.9	.....	.....	.....	56.5	16.1	24.2	113.0	56.5	16.1	306.7	16.1	67
57.8	24.8	8.3	90.8	99.1	49.5	156.9	24.8	148.6	.....	8.3	.....	66.0	.....	.....	115.6	66.0	.....	214.6	.....	68
104.3	23.2	17.4	139.1	121.7	23.2	202.8	11.6	139.1	11.6	5.8	23.2	144.9	11.6	5.8	86.9	115.9	17.4	214.4	5.8	69
88.9	35.5	11.8	59.2	118.5	23.7	171.8	11.8	154.0	5.9	23.7	5.9	171.8	11.8	5.9	88.9	71.1	11.8	278.5	.....	70
119.4	7.5	.....	171.6	194.0	22.4	97.0	.....	67.1	.....	7.5	.....	89.5	7.5	7.5	29.8	29.8	.....	261.1	7.5	71
75.5	15.1	15.1	173.6	234.0	30.2	98.1	.....	52.8	.....	.....	7.5	128.3	.....	7.5	37.7	45.3	15.1	218.9	7.5	72
113.5	34.9	.....	131.0	183.3	.....	139.7	17.5	8.7	.....	.....	8.7	69.8	.....	17.5	34.9	52.4	8.7	218.3	.....	73
144.9	27.2	9.1	135.8	190.2	9.1	144.9	27.2	9.1	18.1	27.2	9.1	99.6	.....	9.1	36.2	72.5	9.1	271.7	.....	74
70.7	12.9	6.4	109.3	128.6	25.7	115.8	6.4	32.2	6.4	12.9	.....	141.5	.....	6.4	102.9	109.3	6.4	334.4	.....	75
90.1	19.3	25.7	115.8	154.4	25.7	77.2	25.7	57.9	6.4	6.4	19.3	122.2	.....	12.9	115.8	83.6	6.4	238.1	.....	76
108.2	21.3	9.4	87.5	196.3	23.8	174.4	13.1	95.0	18.1	16.3	10.0	74.4	5.0	5.0	96.9	87.5	16.9	326.4	.....	77
92.7	19.1	10.5	91.4	197.8	28.3	189.3	17.7	141.3	15.1	20.4	8.5	73.6	5.3	7.2	101.9	79.5	17.1	303.6	3.3	78

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	MICHIGAN.															
1	Registration cities (total)	1913	1,562.7	25.4	0.5	0.1	13.7	14.0	11.8	36.0	7.4	5.6	90.3	7.4	10.3	7.9
2		1912	1,484.8	27.0	0.7	0.1	6.1	7.5	10.1	24.9	5.4	5.5	93.4	7.2	10.1	8.2
3	White	1913	1,554.5	25.3	0.5	0.1	13.7	14.2	11.9	36.2	7.4	5.7	88.1	7.2	10.2	7.8
4		1912	1,478.2	27.3	0.7	0.1	6.2	7.6	10.0	25.1	5.4	5.5	92.2	7.2	10.0	8.1
5	Colored	1913	2,331.6	41.8	.....	.....	8.4	.....	.....	16.7	8.4	.....	292.5	25.1	16.7	16.7
6		1912	2,114.1	.....	.....	.....	.....	.....	17.3	.....	8.6	8.6	215.7	8.6	17.3	17.3
7	Adrian	1913	1,438.6	18.0	.....	.....	.....	9.0	.....	18.0	53.9	.....	45.0	.....	.....	18.0
8		1912	1,598.5	.....	.....	.....	.....	.....	9.1	9.1	63.6	.....	72.7	.....	9.1	18.2
9	Alpena	1913	1,407.9	92.3	.....	.....	.....	.....	.....	7.7	7.7	.....	53.9	.....	15.4	.....
10		1912	1,441.1	54.2	.....	.....	.....	.....	.....	23.2	7.7	7.7	124.0	7.7	.....	.....
11	Ann Arbor	1913	2,413.4	.....	.....	.....	.....	13.4	6.7	6.7	.....	13.4	93.9	33.5	40.2	6.7
12		1912	2,566.2	13.4	.....	.....	.....	.....	.....	13.4	20.2	6.7	67.2	6.7	67.2	6.7
13	Battle Creek	1913	1,687.1	43.7	.....	.....	.....	3.6	.....	25.5	36.4	14.6	61.9	3.6	14.6	7.3
14		1912	1,539.4	22.4	3.7	.....	.....	.....	3.7	29.9	3.7	3.7	78.5	7.5	11.2	14.9
15	Bay City	1913	1,304.7	15.0	.....	.....	17.2	.....	15.0	4.3	19.3	.....	92.3	2.1	12.9	4.3
16		1912	1,408.4	69.3	.....	.....	2.2	4.3	4.3	8.7	2.2	4.3	88.8	2.2	21.7	6.5
17	Detroit	1913	1,727.9	29.4	0.4	0.2	20.4	21.3	19.2	57.6	3.6	7.5	98.5	8.5	9.0	9.8
18		1912	1,545.7	17.5	0.4	.....	10.1	11.7	15.9	37.1	3.0	5.4	99.3	9.9	6.8	8.5
19	Escanaba	1913	1,627.5	62.6	.....	.....	27.8	7.0	7.0	20.9	7.0	.....	111.3	7.0	7.0	.....
20		1912	1,249.2	35.7	.....	.....	.....	14.3	.....	14.3	7.1	7.1	64.2	.....	35.7	.....
21	Flint	1913	931.1	14.9	.....	.....	.....	8.5	8.5	17.0	.....	2.1	61.8	4.3	2.1	8.5
22		1912	997.2	24.8	.....	.....	4.5	9.0	15.8	2.3	2.3	4.5	65.4	4.5	4.5	18.0
23	Grand Rapids	1913	1,325.7	18.2	0.8	.....	9.1	18.2	0.8	43.9	3.3	3.3	54.7	6.6	11.6	5.8
24		1912	1,304.1	33.9	0.8	.....	.....	0.8	1.7	12.7	2.5	6.8	77.0	8.5	11.8	4.2
25	Holland	1913	1,047.0	26.4	.....	.....	.....	.....	8.8	.....	17.6	.....	70.4	17.6	8.8	.....
26		1912	982.6	9.0	.....	.....	.....	.....	.....	18.0	18.0	.....	63.1	.....	.....	.....
27	Ironwood	1913	831.4	7.2	.....	.....	14.5	7.2	7.2	.....	14.5	.....	57.8	14.5	.....	21.7
28		1912	902.6	.....	.....	.....	22.2	.....	.....	.....	.....	.....	51.8	7.4	7.4	7.4
29	Ishpeming	1913	976.4	24.6	.....	.....	24.6	.....	8.2	16.4	8.2	.....	49.2	8.2	.....	.....
30		1912	888.4	.....	.....	.....	.....	.....	.....	8.2	.....	8.2	81.5	16.3	8.2	.....
31	Jackson	1913	1,512.1	12.0	.....	.....	17.9	9.0	9.0	9.0	14.9	3.0	86.7	6.0	.....	6.0
32		1912	1,635.6	18.3	.....	3.0	.....	6.1	3.0	51.8	3.0	3.0	67.0	.....	18.3	12.2
33	Kalamazoo *	1913	1,717.1	9.0	.....	.....	.....	2.3	.....	6.8	11.3	6.8	151.2	4.5	11.3	2.3
34		1912	1,801.5	23.4	.....	.....	.....	11.7	2.3	16.4	18.7	7.0	114.5	2.3	11.7	14.0
35	Lansing	1913	1,207.7	2.8	.....	.....	5.6	.....	8.3	13.9	19.4	5.6	58.3	.....	16.7	5.6
36		1912	1,141.2	20.3	2.9	.....	2.9	2.9	2.9	8.7	14.5	.....	84.0	2.9	8.7	5.8
37	Manistee	1913	1,274.3	42.5	.....	.....	8.5	34.0	8.5	8.5	.....	.....	127.4	8.5	34.0	34.0
38		1912	1,137.0	.....	.....	.....	.....	16.7	8.4	.....	.....	8.4	92.0	8.4	16.7	.....
39	Marquette	1913	1,587.2	33.4	.....	.....	.....	16.7	.....	8.4	8.4	.....	58.5	25.1	16.7	.....
40		1912	1,556.0	109.9	.....	.....	25.4	.....	42.3	8.5	.....	16.9	84.6	.....	16.9	.....
41	Menominee	1913	1,383.8	10.3	.....	.....	.....	.....	10.3	.....	.....	.....	82.0	.....	10.3	.....
42		1912	1,261.3	20.0	.....	.....	20.0	.....	.....	.....	.....	.....	80.1	.....	20.0	.....
43	Muskegon	1913	1,401.6	35.8	.....	.....	.....	4.0	.....	8.0	.....	8.0	91.6	.....	11.9	11.9
44		1912	1,391.9	12.1	4.0	.....	.....	.....	.....	.....	4.0	4.0	104.9	4.0	8.1	4.0
45	Pontiac *	1913	2,425.7	12.4	.....	.....	31.1	6.2	12.4	12.4	18.7	6.2	155.5	6.2	6.2	6.2
46		1912	2,462.2	51.3	.....	.....	.....	12.8	12.8	12.8	19.2	6.4	160.3	6.4	12.8	6.4
47	Port Huron	1913	1,497.2	26.6	.....	.....	10.7	.....	5.3	26.6	.....	5.3	74.6	10.7	16.0	10.7
48		1912	1,888.5	196.8	.....	.....	16.0	.....	16.0	10.6	10.6	16.0	79.8	10.6	.....	.....
49	Saginaw	1913	1,401.4	33.9	5.6	.....	11.3	7.5	5.6	11.3	9.4	1.9	69.6	5.6	13.2	1.9
50		1912	1,360.5	30.6	3.8	.....	3.8	3.8	7.6	22.9	5.7	5.7	103.2	5.7	7.6	11.5
51	Sault Ste. Marie	1913	1,602.8	22.6	.....	.....	.....	7.5	22.6	22.6	15.1	.....	120.4	22.6	7.5	7.5
52		1912	1,299.8	22.9	.....	.....	.....	.....	.....	30.6	7.6	7.6	91.8	.....	22.9	7.6
53	Traverse City *	1913	2,000.9	23.1	.....	.....	.....	.....	.....	.....	7.7	23.1	269.4	.....	15.4	7.7
54		1912	2,185.5	23.6	.....	.....	.....	7.9	7.9	15.7	7.9	7.9	212.3	.....	.....	23.6
	MINNESOTA.															
55	Registration cities (total)	1913	1,157.8	14.1	.....	0.1	8.5	13.4	4.6	15.4	5.2	5.0	113.3	10.4	12.0	5.2
56		1912	1,050.2	12.9	0.3	0.1	1.7	3.6	5.8	10.5	2.9	4.2	112.6	11.4	11.4	6.0
57	White	1913	1,148.6	14.1	.....	0.1	8.5	13.4	4.7	15.1	5.2	5.1	109.5	10.5	11.7	5.2
58		1912	1,042.7	12.6	0.3	0.1	1.7	3.6	5.8	10.6	2.9	4.2	109.4	11.3	11.0	6.1
59	Colored	1913	2,066.5	14.0	.....	.....	14.0	14.0	.....	41.9	.....	.....	488.7	.....	41.9	.....
60		1912	1,791.9	43.0	.....	.....	.....	.....	.....	.....	.....	.....	430.0	14.3	43.0	.....
61	Duluth	1913	1,135.5	24.2	.....	.....	12.7	8.1	3.5	8.1	3.5	6.9	104 9	19.6	13.8	16.1
62		1912	1,050.3	22.6	.....	.....	.....	1.2	16.6	1.2	3.6	4.8	135.4	8.3	9.5	4.8
63	Mankato	1913	1,739.4	19.4	.....	.....	19.4	.....	.....	9.7	9.7	9.7	68.0	29.2	29.2	.....
64		1912	1,464.0	9.7	.....	.....	.....	.....	19.4	.....	.....	.....	174.5	19.4	9.7	19.4
65	Minneapolis	1913	1,157.8	12.0	.....	.....	6.0	18.9	4.5	16.8	5.1	5.1	116.1	8.7	10.8	3.3
66		1912	1,044.3	11.7	0.3	.....	3.4	4.6	2.8	13.9	2.2	4.9	117.2	9.9	12.4	5.9
67	St. Cloud	1913	1,202.2	.....	.....	.....	.....	.....	17.8	17.8	17.8	.....	80.1	8.9	8.9	.....
68		1912	1,015.1	.....	.....	.....	.....	.....	.....	.....	9.1	9.1	54.4	27.2	.....	.....
69	St. Paul	1913	1,104.8	9.1	.....	.....	7.8	7.8	5.6	18.6	4.8	5.2	116.2	9.5	12.5	3.5
70		1912	1,020.3	10.6	0.4	0.4	0.4	4.0	5.3	10.6	4.0	3.1	104.3	13.7	12.8	6.2
71	Stillwater	1913	1,104.0	42.1	.....	.....	10.5	.....	.....	.....	21.0	.....	126.2	10.5	10.5	.....
72		1912	1,213.4	20.6	.....	.....	.....	.....	10.3	20.6	.....	10.3	61.7	10.3	.....	10.3
73	Virginia	1913	1,223.8	62.0	.....	7.7	54.2	31.0	.....	.....	.....	.....	54.2	.....	15.5	.....
74		1912	921.7	8.2	.....	.....	.....	.....	16 5	.....	.....	.....	24.7	16.5	.....	.....
75	Winona	1913	1,564.5	27.4	.....	.....	11.0	22.0	.....	5.5	5.5	.....	148.2	5.5	11.0	22.0
76		1912	1,309.3	27.3	.....	.....	.....	.....	.....	5.5	.....	.....	114.6	5.5	5.5	10.9

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
87.0	15.8	19.0	74.5	140.5	23.2	143.1	19.0	76.6	16.1	17.8	12.6	78.4	11.4	10.8	128.3	97.8	17.7	332.2	10.6	1
82.6	16.1	15.8	71.3	138.0	28.0	127.7	21.7	69.8	17.8	18.8	14.2	77.4	8.4	10.1	119.7	90.0	18.1	323.2	9.7	2
87.3	15.9	18.6	74.2	139.0	23.4	142.3	19.0	76.3	16.0	17.6	12.6	77.2	11.4	10.7	128.7	97.4	17.8	330.3	10.5	3
82.8	16.1	15.8	70.6	137.3	28.0	126.2	21.8	70.2	17.8	18.8	14.2	75.9	8.4	10.1	119.4	89.3	17.9	322.3	9.8	4
58.5	8.4	50.1	100.3	275.8	.....	217.3	25.1	108.6	25.1	33.4	16.7	192.2	8.4	16.7	91.9	133.7	8.4	509.8	25.1	5
69.0	17.3	17.3	138.1	207.1	34.5	267.5	17.3	34.5	8.6	17.3	17.3	215.7	8.6	8.6	146.7	155.3	34.5	405.6	.....	6
125.9	.....	.....	89.9	215.8	9.0	89.9	27.0	18.0	36.0	27.0	18.0	80.9	18.0	.....	27.0	62.9	9.0	377.6	45.0	7
90.8	.....	18.2	99.9	245.2	.....	118.1	27.2	27.2	36.3	45.4	.....	127.2	9.1	9.1	81.7	72.7	18.2	372.4	18.2	8
46.2	23.1	7.7	23.1	100.0	38.5	115.4	23.1	92.3	15.4	.....	.....	84.6	.....	23.1	84.6	84.6	23.1	400.1	46.2	9
69.7	7.7	15.5	54.2	139.5	108.5	85.2	23.2	46.5	.....	.....	15.5	38.7	.....	15.5	108.5	93.0	7.7	333.2	54.2	10
355.3	46.9	6.7	201.1	194.4	.....	127.4	20.1	20.1	60.3	33.5	6.7	114.0	20.1	13.4	80.4	80.4	6.7	811.2	.....	11
288.9	53.7	13.4	161.2	248.6	20.2	161.2	47.0	33.6	33.6	20.2	20.2	174.7	6.7	6.7	87.3	161.2	33.6	779.3	13.4	12
174.9	14.6	10.9	116.6	276.9	21.9	54.7	21.9	40.1	7.3	32.8	18.2	61.9	7.3	7.3	102.0	149.4	25.5	324.3	7.3	13
134.5	7.5	7.5	130.8	216.7	29.9	74.7	18.7	29.9	22.4	18.7	22.4	85.9	3.7	18.7	127.0	74.7	26.2	298.9	11.2	14
75.1	10.7	4.3	70.8	113.7	19.3	130.9	34.3	30.0	27.9	21.5	8.6	49.4	10.7	10.7	81.5	70.8	15.0	319.7	17.2	15
73.7	36.8	10.8	54.2	119.2	21.7	93.2	28.2	47.7	28.2	23.8	4.3	71.5	8.7	15.2	112.7	106.2	8.7	320.7	8.7	16
71.8	16.7	29.0	62.0	133.7	23.6	208.8	20.7	106.0	13.3	19.4	16.7	80.9	14.4	12.1	159.2	110.1	21.7	311.0	11.1	17
74.7	14.1	23.2	52.2	118.4	28.0	181.5	21.5	99.1	16.5	17.5	19.3	69.7	8.9	8.7	141.4	93.8	21.3	301.1	9.1	18
111.3	7.0	20.9	97.4	125.2	27.8	243.4	27.8	83.5	27.8	.....	13.9	104.3	20.9	20.9	55.6	76.5	20.9	285.2	.....	19
42.8	21.4	21.4	50.0	121.4	42.8	157.0	21.4	35.7	21.4	21.4	14.3	42.8	7.1	.....	128.5	64.2	7.1	235.6	14.3	20
59.7	8.5	8.5	57.5	68.2	14.9	93.8	14.9	25.6	6.4	10.7	.....	46.9	10.7	8.5	98.0	55.4	14.9	193.9	6.4	21
40.6	6.8	6.8	47.4	81.2	9.0	92.5	6.8	40.6	18.0	11.3	4.5	47.4	6.8	4.5	128.6	67.7	9.0	205.3	6.8	22
114.3	17.4	8.3	73.7	125.1	26.5	66.3	16.6	67.1	18.2	17.4	5.0	82.9	6.6	5.8	131.7	71.3	18.2	270.9	5.8	23
93.9	16.1	8.5	82.1	139.6	46.5	49.9	24.5	49.1	18.6	22.8	12.7	88.9	7.6	11.0	100.7	68.5	18.6	275.0	8.5	24
88.0	17.6	.....	17.6	96.8	35.2	52.8	17.6	96.8	8.8	26.4	.....	52.8	26.4	.....	114.4	26.4	.....	211.2	8.8	25
54.1	18.0	.....	90.1	72.1	63.1	63.1	18.0	45.1	.....	9.0	.....	63.1	9.0	9.0	90.1	45.1	.....	225.4	.....	26
14.5	7.2	7.2	36.1	43.4	57.8	43.4	.....	94.0	7.2	.....	.....	28.9	.....	14.5	130.1	65.1	7.2	130.1	.....	27
51.8	.....	7.4	44.4	51.8	14.8	59.2	7.4	59.2	.....	.....	.....	37.0	7.4	.....	140.6	148.0	.....	170.2	7.4	28
57.4	8.2	.....	49.2	65.6	41.0	123.1	.....	41.0	24.6	8.2	.....	49.2	.....	8.2	114.9	32.8	16.4	172.3	24.6	29
122.3	16.3	.....	32.6	97.8	.....	65.2	24.5	48.9	16.3	.....	.....	32.6	.....	8.2	57.1	73.4	16.3	138.6	16.3	30
83.7	9.0	23.9	128.5	179.3	12.0	68.7	17.9	59.8	6.0	12.0	29.9	56.8	14.9	3.0	86.7	146.4	6.0	376.5	17.9	31
112.7	27.4	12.2	115.7	194.9	51.8	88.3	39.6	60.9	24.4	27.4	6.1	109.7	.....	15.2	70.1	85.3	24.4	377.7	6.1	32
79.0	18.1	4.5	119.6	189.5	9.0	88.0	15.8	56.4	29.3	22.6	11.3	126.4	11.3	13.5	103.8	83.5	6.8	519.0	4.5	33
77.1	11.7	7.0	193.9	210.3	11.7	119.2	30.4	35.0	21.0	18.7	9.3	86.5	11.7	11.7	86.5	93.5	18.7	523.4	2.3	34
72.2	2.8	11.1	72.2	122.2	27.8	58.3	.....	52.7	22.2	13.9	19.4	97.2	13.9	5.6	88.8	61.1	13.9	305.4	11.1	35
69.5	20.3	2.9	55.0	185.4	14.5	63.7	14.5	26.1	8.7	2.9	2.9	84.0	5.8	8.7	69.5	78.2	17.4	249.1	5.8	36
144.4	17.0	8.5	34.0	135.9	.....	34.0	25.5	51.0	34.0	.....	8.5	76.5	8.5	.....	59.5	76.5	8.5	237.9	8.5	37
108.7	25.1	.....	33.4	108.7	.....	33.4	.....	33.4	25.1	8.4	16.7	117.0	8.4	.....	100.3	75.2	.....	284.3	8.4	38
150.4	25.1	16.7	66.8	167.1	16.7	116.9	33.4	66.8	25.1	8.4	8.4	125.3	.....	16.7	108.6	91.9	.....	367.6	8.4	39
101.5	25.4	16.9	50.7	101.5	16.9	143.8	16.9	59.2	16.9	25.4	16.9	160.7	25.4	16.9	118.4	118.4	8.5	211.4	.....	40
102.5	.....	.....	102.5	256.3	10.3	102.5	10.3	30.8	.....	20.5	.....	20.5	.....	30.8	184.5	143.5	10.3	246.0	.....	41
90.1	10.0	10.0	20.0	100.1	20.0	100.1	40.0	80.1	10.0	10.0	10.0	20.0	10.0	20.0	140.1	120.1	10.0	280.3	20.0	42
123.4	19.9	4.0	91.6	147.3	39.8	83.6	4.0	59.7	11.9	8.0	4.0	75.7	19.9	4.0	91.6	111.5	8.0	306.6	15.9	43
88.8	24.2	8.1	88.8	141.2	12.1	92.8	32.3	64.6	28.2	8.1	4.0	121.0	12.1	8.1	108.9	108.9	8.1	270.3	16.1	44
112.0	24.9	31.1	74.6	273.7	31.1	118.2	18.7	43.5	12.4	18.7	.....	136.8	.....	6.2	118.2	161.7	12.4	945.4	12.4	45
57.7	19.2	12.8	198.8	243.7	57.7	115.4	12.8	76.9	12.8	25.6	6.4	70.5	12.8	6.4	96.2	96.2	32.1	1,000.3	6.4	46
63.9	26.6	16.0	111.9	138.5	5.3	79.9	21.3	53.3	.....	10.7	21.3	117.2	.....	21.3	122.5	90.6	10.7	394.3	5.3	47
127.7	16.0	16.0	95.8	180.9	31.9	63.8	16.0	69.2	26.6	26.6	10.6	122.4	5.3	31.9	133.0	95.8	10.6	441.5	10.6	48
97.8	15.0	18.8	82.8	146.7	22.6	92.2	18.8	30.1	22.6	16.9	11.3	47.0	3.8	11.3	122.3	95.9	20.7	334.8	13.2	49
82.2	9.6	9.6	55.4	168.2	17.2	82.2	15.3	40.1	11.5	30.6	17.2	76.4	5.7	9.6	101.3	78.3	15.3	303.8	19.1	50
37.6	15.1	15.1	67.7	127.9	45.2	127.9	15.1	120.4	7.5	30.1	.....	52.7	7.5	37.6	37.6	210.7	22.6	376.3	.....	51
30.6	7.6	22.9	45.9	152.9	15.3	68.8	7.6	53.5	.....	7.6	7.6	53.5	30.6	15.3	122.3	114.7	30.6	313.5	7.6	52
69.3	23.1	15.4	169.3	254.0	38.5	46.2	30.8	.....	15.4	23.1	15.4	92.4	.....	.....	23.1	53.9	23.1	761.9	.....	53
125.8	39.3	15.7	180.8	220.1	7.9	70.8	15.7	.....	39.3	78.6	23.6	86.5	7.9	15.7	31.4	110.1	7.9	801.9	.....	54
82.8	15.4	6.0	47.6	95.8	12.0	98.6	10.9	44.1	22.6	13.7	11.1	90.2	6.9	9.0	81.1	83.8	19.0	198.1	1.7	55
77.1	13.4	6.0	47.4	94.8	11.2	88.9	8.3	40.5	18.5	10.5	8.3	85.0	5.9	6.8	69.6	72.9	16.7	183.9	1.2	56
83.1	15.3	6.1	47.5	93.5	11.9	98.1	10.9	44.3	22.8	13.9	11.0	89.1	6.8	9.1	81.4	83.5	19.1	196.4	1.7	57
77.3	13.2	6.1	47.5	93.0	11.2	89.0	8.0	40.5	18.7	10.6	8.3	83.9	5.8	6.7	70.0	72.0	16.6	183.3	1.2	58
55.9	27.9	.....	55.9	321.1	27.9	153.6	14.0	27.9	.....	.....	14.0	195.5	14.0	.....	55.9	111.7	14.0	363.0	.....	59
57.3	28.7	.....	43.0	272.4	14.3	71.7	43.0	43.0	.....	.....	14.3	186.4	14.3	14.3	28.7	157.7	28.7	243.7	.....	60
74.9	10.4	8.1	24.2	73.8	9.2	109.5	12.7	51.9	16.1	11.5	8.1	74.9	8.1	10.4	87.6	95.7	23.1	201.7	2.3	61
59.4	5.9	7.1	19.0	84.4	14.3	93.9	13.1	49.9	13.1	8.3	7.1	84.4	7.1	5.9	87.9	86.7	14.3	180.6	.....	62
165.2	19.4	.....	106.9	136.0	9.7	116.6	.....	48.6	77.7	38.9	19.4	97.2	9.7	29.2	165.2	106.9	.....	398.4	.....	63
164.8	19.4	.....	87.3	106.7	19.4	145.4	9.7	29.1	77.6	19.4	9.7	106.7	.....	29.1	77.6	97.0	9.7	203.6	.....	64
84.6	16.2	5.1	49.5	106.8	10.5	102.6	11.7	34.8	22.5	13.2	11.1	97.8	6.6	8.4	78.3	84.0	17.1	189.2	0.9	65
81.3	13.0	5.3	47.9	99.9	7.7	91.5	7.7	34.3	16.7	14.2	7.1	89.0	6.8	5.9	60.3	73.3	17.9	175.0	0.3	66
98.0	.....	.....	26.7	98.0	8.9	151.4	8.9	53.4	35.6	.....	8.9	53.4	8.9	26.7	106.9	80.1	35.6	204.8	44.5	67
99.7	18.1	9.1	63.4	27.2	9.1	99.7	18.1	54.4	9.1	27.2	9.1	63.4	9.1	18.1	54.4	27.2	27.2	253.8	18.1	68
79.9	14.7	4.3	47.1	82.9	13.4	81.2	10.4	45.8	22.0	15.1	9.9	93.7	6.9	8.2	75.2	77.7	21.2	194.8	.....	69
73.8	16.3	5.3	44.2	92.4	14.1	77.3	6.2	46.4	19.0	5.7	10.6	84.0	4.4	5.3	75.1	61.4	17.2	183.4	2.2	70
105.1	42.1	.....	63.1	84.1	10.5	63.1	10.5	10.5	21.0	10.5	31.5	42.1	10.5	.....	105.1	52.6	21.0	189.3	10.5	71
61.7	10.3	20.6	133.7	164.5	10.3	92.5	20.6	.....	20.6	.....	20.6	102.8	10.3	10.3	51.4	72.0	10.3	257.1	.....	72
7.7	15.5	23.2	15.5	38.7	23.2	209.1	.....	232.4	7.7	.....	7.7	31.0	7.7	.....	123.9	139.4	.....	108.4	7.7	73
41.1	16.5	16.5	32.9	32.9	8.2	164.6	.....	82.3	16.5	16.5	8.2	16.5	.....	24.7	90.5	148.1	.....	139.9	.....	74
109.8	27.4	32.9	126.3	186.6	32.9	93.3	11.0	32.9	32.9	22.0	27.4	65.9	.....	11.0	71.4	65.9	22.0	334.9	.....	75
92.7	10.9	10.9	141.8	120.0	21.8	70.9	16.4	27.3	43.6	.....	.....	65.5	5.5	10.9	81.8	109.1	10.9	300.0	.....	76

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per death correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	MISSOURI.															
1	Registration cities (total)	1913	1,495.8	22.3	3.5	0.2	18.0	4.8	6.2	22.9	13.3	3.8	144.4	7.9	12.1	6.7
2		1912	1,501.2	14.7	4.6	0.2	1.7	6.0	7.8	18.0	12.8	2.8	142.4	7.2	15.7	7.4
3	White	1913	1,414.0	21.1	3.0	0.2	18.6	5.1	5.3	23.8	13.0	3.6	118.4	7.3	10.3	6.3
4		1912	1,415.2	14.0	4.5	0.2	1.8	6.4	7.1	18.8	12.5	2.8	115.6	6.3	13.2	6.6
5	Colored	1913	2,555.5	36.8	9.2	1.1	10.3	1.1	17.2	11.5	17.2	5.7	481.7	16.1	35.6	11.5
6		1912	2,617.1	24.6	5.9	.....	.....	1.2	16.4	8.2	17.6	3.5	490.4	18.7	48.0	17.6
7	Hannibal (total)	1913	1,340.1	34.7	5.0	.....	24.8	.....	5.0	14.9	44.7	5.0	158.8	9.9	9.9	19.9
8		1912	1,368.5	25.5	10.2	.....	5.1	15.3	5.1	20.4	30.6	.....	112.3	10.2	15.3	10.2
9	White	1913	1,214.4	38.6	5.5	.....	27.6	.....	5.5	16.6	44.2	.....	127.0	11.0	11.0	11.0
10		1912	1,272.0	22.7	5.7	.....	5.7	17.0	5.7	22.7	34.1	.....	107.9	11.4	17.0	.....
11	Colored	1913	2,461.8	.....	.....	.....	.....	.....	.....	.....	49.2	49.2	443.1	.....	.....	98.5
12		1912	2,229.0	50.7	50.7	.....	.....	.....	.....	.....	.....	.....	152.0	.....	.....	101.3
13	Jefferson City (total)	1913	1,457.1	8.0	.....	.....	8.0	8.0	55.7	.....	23.9	.....	286.6	8.0	23.9	8.0
14		1912	1,491.3	32.4	.....	8.1	.....	.....	.....	16.2	.....	8.1	186.4	8.1	40.5	.....
15	White	1913	1,254.8	9.5	.....	.....	9.5	9.5	19.0	.....	19.0	.....	152.1	9.5	19.0	.....
16		1912	1,354.6	29.0	.....	9.7	.....	.....	.....	19.4	.....	9.7	106.4	9.7	29.0	.....
17	Colored	1913	2,501.2	.....	.....	.....	.....	.....	245.2	.....	49.0	.....	980.9	.....	49.0	49.0
18		1912	2,196.7	49.9	.....	.....	.....	.....	.....	.....	.....	.....	599.1	.....	99.9	.....
19	Joplin	1913	1,555.2	36.7	9.2	6.1	9.2	3.1	9.2	21.4	6.1	9.2	232.7	6.1	15.3	6.1
20		1912	1,471.7	30.8	6.2	.....	.....	15.4	21.6	33.9	3.1	6.2	218.6	3.1	3.1	9.2
21	Kansas City (total)	1913	1,476.6	21.9	1.1	0.4	22.3	2.2	8.8	12.8	9.9	4.0	134.0	6.6	15.0	6.9
22		1912	1,519.3	12.0	1.1	0.4	0.4	5.3	4.5	10.2	7.5	3.8	146.6	6.0	16.9	5.3
23	White	1913	1,379.7	20.6	0.4	.....	23.8	2.0	7.7	13.7	8.9	3.6	97.3	6.5	12.5	6.5
24		1912	1,397.0	12.5	1.2	0.4	0.4	5.4	2.9	10.8	6.7	3.7	104.3	5.0	14.5	4.2
25	Colored	1913	2,394.5	34.4	7.7	3.8	7.7	3.8	19.1	3.8	19.1	7.7	482.0	7.7	38.3	11.5
26		1912	2,679.0	7.9	.....	.....	.....	3.9	19.7	3.9	15.8	3.9	547.6	15.8	39.4	15.8
27	Moberly	1913	1,297.7	8.4	.....	.....	8.4	.....	.....	16.9	.....	.....	193.8	.....	33.7	8.4
28		1912	1,417.2	51.8	.....	.....	.....	.....	.....	17.3	8.6	.....	172.8	.....	43.2	.....
29	St. Joseph *	1913	1,420.5	27.0	1.2	.....	22.1	2.5	3.7	7.4	17.2	4.9	108.0	2.5	11.0	3.7
30		1912	1,314.4	13.7	3.7	.....	.....	.....	5.0	.....	11.2	1.2	107.2	5.0	20.0	7.5
31	St. Louis (total)	1913	1,487.7	16.9	4.0	.....	15.8	6.1	3.7	29.2	12.4	3.0	138.5	9.3	10.1	6.5
32		1912	1,493.5	10.7	5.5	.....	2.5	6.5	9.0	21.2	14.6	2.7	136.7	8.3	13.6	7.7
33	White	1913	1,405.9	15.8	3.7	.....	15.8	6.5	3.3	29.9	12.7	3.0	115.3	8.1	8.4	6.4
34		1912	1,414.0	9.6	5.6	.....	2.7	6.9	8.3	21.8	14.1	2.6	113.4	7.1	10.8	6.9
35	Colored	1913	2,667.6	32.0	8.5	.....	14.9	.....	10.7	19.2	8.5	4.3	473.4	25.6	34.1	8.5
36		1912	2,640.7	26.0	4.3	.....	.....	.....	19.5	13.0	21.7	4.3	472.2	26.0	54.2	19.5
37	Sedalia (total)	1913	1,441.4	69.7	10.7	.....	32.1	.....	.....	21.4	10.7	5.4	150.0	.....	5.4	.....
38		1912	1,499.9	21.7	16.3	.....	.....	10.9	10.9	43.5	5.4	.....	163.0	.....	32.6	.....
39	White	1913	1,347.0	53.9	.....	.....	35.9	.....	.....	23.9	12.0	6.0	113.7	.....	6.0	.....
40		1912	1,323.7	18.2	6.1	.....	.....	12.1	12.1	48.6	6.1	.....	103.2	.....	30.4	.....
41	Colored	1913	2,246.0	204.2	102.1	.....	.....	.....	.....	.....	.....	.....	459.4	.....	.....	.....
42		1912	3,002.1	51.8	103.5	.....	.....	.....	.....	.....	.....	.....	672.9	.....	51.8	.....
43	Springfield	1913	1,505.7	66.0	5.3	.....	7.9	2.6	21.1	15.8	31.7	7.9	118.9	2.6	15.8	7.9
44		1912	1,712.1	64.8	2.7	.....	.....	.....	.....	16.2	16.2	2.7	153.9	8.1	18.9	16.2
45	Webb City	1913	1,763.9	53.7	7.7	.....	46.0	23.0	15.3	30.7	15.3	7.7	421.8	23.0	23.0	7.7
46		1912	1,479.2	31.3	15.7	.....	.....	15.7	23.5	31.3	39.1	.....	219.1	.....	15.7	15.7
	MONTANA.															
47	Registration cities (total)	1913	1,683.0	32.0	.....	.....	16.0	43.3	19.8	5.7	5.7	9.4	138.4	8.5	12.2	11.3
48		1912	1,358.6	14.4	.....	.....	.....	4.8	9.6	2.9	7.7	1.0	133.8	5.8	17.3	8.7
49	White	1913	1,678.5	32.7	.....	.....	16.4	44.3	20.2	5.8	5.8	9.6	138.7	8.7	12.5	9.6
50		1912	1,342.9	14.8	.....	.....	.....	4.9	8.9	2.0	7.9	1.0	133.9	5.9	15.8	7.9
51	Colored	1913	1,886.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	128.6	.....	.....	85.8
52		1912	2,061.4	.....	.....	.....	.....	.....	43.9	43.9	.....	.....	131.6	.....	87.7	43.9
53	Anaconda	1913	1,323.0	.....	.....	.....	.....	.....	29.0	.....	.....	.....	38.6	.....	.....	9.7
54		1912	1,215.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	68.1	.....	.....	.....
55	Billings	1913	1,079.5	56.8	.....	.....	16.2	.....	.....	.....	16.2	8.1	64.9	.....	16.2	8.1
56		1912	886.0	17.2	.....	.....	.....	.....	17.2	8.6	.....	.....	34.4	.....	8.6	17.2
57	Butte	1913	1,965.5	12.1	.....	.....	24.3	55.9	29.2	2.4	4.9	9.7	245.4	9.7	14.6	24.3
58		1912	1,537.7	2.5	.....	.....	.....	9.9	2.5	.....	9.9	2.5	205.2	9.9	12.4	9.9
59	Great Falls	1913	2,428.5	132.1	.....	.....	14.7	146.7	7.3	22.0	.....	22.0	117.4	14.7	22.0	.....
60		1912	1,478.5	21.8	.....	.....	.....	7.3	36.4	14.6	7.3	.....	116.5	7.3	21.8	7.3
61	Helena	1913	1,437.2	30.6	.....	.....	.....	22.9	30.6	.....	7.6	7.6	38.2	.....	7.6	.....
62		1912	1,425.9	23.2	.....	.....	.....	.....	.....	.....	15.5	.....	139.5	7.7	54.2	7.7
63	Missoula	1913	1,209.1	.....	.....	.....	19.2	.....	6.4	12.8	6.4	6.4	83.2	19.2	6.4	.....
64		1912	1,178.1	40.6	.....	.....	.....	.....	13.5	.....	6.8	.....	74.5	.....	13.5	6.8
	NEBRASKA.[2]															
65	Registration cities (total)	1913	1,387.0	7.9	.....	.....	5.7	10.8	4.0	18.7	6.8	5.1	79.4	3.4	13.0	6.8
66		1912	1,303.9	20.7	0.6	.....	4.0	4.0	11.5	10.4	6.9	2.3	80.0	3.5	9.2	5.8
67	White	1913	1,345.4	7.0	.....	.....	5.9	11.1	4.1	18.1	7.0	5.3	69.1	2.9	13.5	7.0
68		1912	1,272.5	20.2	0.6	.....	4.2	4.2	11.9	10.7	5.9	2.4	73.7	3.6	7.7	5.9
69	Colored	1913	2,669.6	36.1	.....	.....	.....	.....	.....	36.1	.....	.....	396.8	18.0	.....	.....
70		1912	2,272.3	36.7	.....	.....	.....	.....	.....	.....	36.7	.....	274.9	.....	55.0	.....
71	Lincoln	1913	1,378.8	8.8	.....	.....	19.9	11.0	8.8	26.5	11.0	.....	48.6	4.4	13.3	.....
72		1912	1,248.0	40.1	.....	.....	13.4	4.5	4.5	15.6	8.9	2.2	51.3	2.2	8.9	11.1
73	Omaha	1913	1,389.9	7.6	.....	.....	0.8	10.7	2.3	16.0	5.3	6.9	90.0	3.1	13.0	9.2
74		1912	1,323.4	14.0	0.8	.....	0.8	3.9	14.0	8.5	6.2	2.3	90.0	3.9	9.3	3.9

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
93.9	15.1	11.8	62.5	120.3	21.0	134.4	12.9	74.7	22.1	15.0	22.8	144.4	9.1	7.2	66.4	103.6	32.5	257.0	3.2	1
88.0	15.8	29.8	64.3	135.8	26.0	135.9	13.4	66.4	18.2	15.0	24.3	148.8	8.5	6.3	65.2	105.8	34.7	255.3	2.3	2
95.1	15.2	10.9	61.1	110.7	19.5	121.5	11.9	76.1	22.2	13.6	22.6	136.8	9.1	7.3	66.5	97.1	33.4	245.0	2.6	3
89.0	15.8	26.4	63.4	123.7	25.1	121.1	12.6	66.7	18.2	14.3	23.9	142.6	8.1	6.0	65.9	99.3	36.3	244.9	2.1	4
78.2	13.8	23.0	80.5	244.9	40.2	302.3	25.3	56.3	20.7	33.3	25.3	242.6	9.2	5.7	65.5	188.5	20.7	412.7	11.5	5
76.1	16.4	73.7	76.1	292.6	38.6	327.7	23.4	63.2	17.6	23.4	29.3	229.4	12.9	10.5	55.0	189.6	14.0	389.8	5.9	6
49.6	29.8	.....	74.5	54.6	14.9	109.2	9.9	69.5	29.8	19.9	5.0	39.7	5.0	14.9	74.5	119.1	9.9	248.2	29.8	7
76.6	25.5	5.1	56.2	81.7	25.5	137.9	10.2	25.5	10.2	5.1	15.3	81.7	10.2	5.1	102.1	122.5	15.3	280.8	15.3	8
55.2	27.6	.....	49.7	44.2	16.6	55.2	11.0	77.3	27.6	11.0	5.5	33.1	5.5	16.6	77.3	115.9	11.0	259.4	16.6	9
79.5	28.4	5.7	34.1	68.1	22.7	119.3	11.4	17.0	5.7	5.7	5.7	73.8	11.4	5.7	113.6	107.9	5.7	283.9	17.0	10
.....	49.2	.....	295.4	147.7	.....	590.8	.....	.....	49.2	98.5	.....	98.5	.....	.....	49.2	147.7	.....	147.7	147.7	11
50.7	.....	.....	253.3	202.6	50.7	304.0	.....	101.3	50.7	.....	101.3	152.0	.....	.....	.....	253.3	101.3	253.3	.....	12
103.5	15.9	.....	95.5	39.8	8.0	119.4	31.8	55.7	15.9	31.8	15.9	151.3	.....	8.0	47.8	119.4	23.9	119.4	23.9	13
105.4	24.3	16.2	32.4	129.7	32.4	113.5	32.4	24.3	8.1	.....	8.1	162.1	8.1	8.1	113.5	89.2	24.3	243.2	16.2	14
104.6	19.0	.....	104.6	38.0	9.5	123.6	28.5	66.5	19.0	28.5	9.5	152.1	.....	.....	47.5	104.6	19.0	123.6	9.5	15
106.4	29.0	19.4	29.0	96.8	38.7	116.1	19.4	29.0	9.7	.....	9.7	145.1	.....	9.7	116.1	87.1	29.0	232.2	19.4	16
98.1	.....	.....	49.0	49.0	.....	98.1	49.0	.....	.....	49.0	49.0	147.1	.....	49.0	49.0	196.2	49.0	98.1	98.1	17
99.9	.....	.....	49.9	299.6	.....	99.9	99.9	.....	.....	.....	.....	249.6	49.9	.....	99.9	99.9	.....	299.6	.....	18
88.8	6.1	27.6	85.7	110.2	6.1	128.6	12.2	94.9	6.1	12.2	12.2	101.0	21.4	9.2	107.2	116.3	33.7	202.1	3.1	19
70.8	9.2	9.2	77.0	120.1	21.6	110.8	12.3	77.0	18.5	.....	21.6	132.4	21.6	6.2	83.1	101.6	24.6	203.2	.....	20
86.5	12.0	21.5	54.0	136.2	13.5	115.4	10.6	82.1	24.5	13.9	12.0	110.6	9.1	6.9	69.7	128.5	37.2	283.6	2.9	21
83.8	16.2	98.9	65.0	136.5	15.0	110.5	10.9	67.7	23.3	14.3	12.4	102.6	10.2	7.5	68.8	133.5	40.6	278.6	3.0	22
90.4	12.5	19.8	52.9	121.1	10.9	106.5	10.1	85.6	24.2	12.9	12.5	98.9	8.9	7.3	69.8	119.5	38.3	272.0	2.4	23
84.4	15.4	86.0	65.7	118.9	12.9	93.5	10.4	68.2	23.7	14.1	10.8	93.1	9.1	6.7	71.1	125.9	43.6	269.3	2.1	24
49.7	7.7	38.3	65.0	279.2	38.3	198.9	15.3	49.7	26.8	23.0	7.7	221.9	11.5	3.8	68.9	214.2	26.8	394.0	7.7	25
78.8	23.6	220.6	59.1	303.4	35.5	271.8	15.8	63.0	19.7	15.8	27.6	193.0	19.7	15.8	47.3	204.9	11.8	366.4	11.8	26
84.3	.....	.....	118.0	84.3	25.3	126.4	.....	50.6	16.9	8.4	8.4	59.0	8.4	8.4	67.4	143.3	8.4	193.8	16.9	27
77.8	8.6	8.6	95.1	60.5	8.6	129.6	17.3	51.8	17.3	8.6	17.3	103.7	17.3	8.6	86.4	112.3	17.3	267.9	8.6	28
87.2	17.2	1.2	94.5	97.0	13.5	131.4	4.9	65.1	47.9	11.0	16.0	119.1	12.3	13.5	70.0	110.5	18.4	275.0	3.7	29
79.8	23.7	6.2	78.6	102.3	8.7	103.5	11.2	41.2	32.4	7.5	24.9	129.7	16.2	3.7	66.1	79.8	28.7	295.6	.....	30
93.2	15.8	8.4	59.3	123.0	25.9	138.4	14.4	72.6	18.4	16.0	29.6	167.6	8.3	5.5	60.7	90.7	33.3	245.2	1.0	31
91.3	14.9	8.1	62.6	141.6	32.7	151.1	12.9	69.1	13.6	17.7	30.8	171.6	5.9	5.2	56.9	96.6	34.4	237.2	0.3	32
98.0	15.8	7.7	58.2	114.6	25.3	124.2	12.9	73.3	18.2	14.8	29.0	159.2	8.4	5.8	60.6	84.7	34.4	231.1	0.9	33
92.2	15.2	7.8	61.6	131.3	32.0	136.2	12.0	69.4	13.7	16.7	30.5	166.1	5.9	5.0	57.2	90.3	36.0	225.1	0.3	34
100.2	14.9	19.2	74.6	245.2	34.1	343.3	36.3	61.8	21.3	34.1	38.4	237.9	6.4	2.1	61.8	177.0	17.1	449.9	2.1	35
78.0	10.8	13.0	78.0	290.3	43.3	366.1	26.0	65.0	13.0	32.5	34.7	251.3	6.5	8.7	52.0	188.5	10.8	411.6	.....	36
117.9	21.4	5.4	48.2	96.4	10.7	128.6	21.4	64.3	5.4	5.4	10.7	171.5	5.4	5.4	53.6	58.9	32.1	267.9	5.4	37
76.1	10.9	10.9	54.3	119.6	10.9	135.9	16.3	43.5	10.9	16.3	5.4	201.1	.....	5.4	92.4	87.0	32.6	250.0	16.3	38
125.7	18.0	6.0	53.9	77.3	6.0	95.3	23.9	65.9	6.0	6.0	12.0	167.6	6.0	6.0	53.9	59.9	35.9	269.4	.....	39
72.9	12.1	12.1	42.5	97.2	12.1	127.5	18.2	42.5	12.1	12.1	6.1	194.3	.....	6.1	72.9	72.9	30.4	230.7	12.1	40
51.0	51.0	.....	.....	255.2	51.0	408.4	.....	51.0	.....	.....	.....	204.2	.....	.....	51.0	51.0	.....	255.2	51.0	41
103.5	.....	.....	155.3	310.6	.....	207.0	.....	51.8	.....	51.8	.....	258.8	.....	.....	258.8	207.0	51.8	414.1	51.8	42
79.2	15.8	7.9	52.8	79.2	21.1	192.8	2.6	60.8	39.6	10.6	13.2	100.4	7.9	18.5	89.8	84.5	26.4	290.6	7.9	43
81.0	13.5	51.3	56.7	156.6	21.6	113.4	18.9	81.0	43.2	10.8	8.1	121.5	16.2	24.3	94.5	110.7	32.4	343.0	13.5	44
53.7	15.3	69.0	46.0	61.4	7.7	122.7	30.7	76.7	7.7	7.7	7.7	23.0	15.3	7.7	84.4	168.7	23.0	222.4	38.3	45
78.3	15.7	15.7	31.3	78.3	31.3	78.3	62.6	86.1	23.5	.....	7.8	39.1	7.8	.....	109.6	140.9	31.3	203.5	31.3	46
83.8	17.9	23.5	49.0	125.3	20.7	178.0	17.9	39.6	41.4	15.1	20.7	108.3	12.2	14.1	92.3	146.9	44.3	304.2	25.4	47
63.6	12.5	12.5	53.0	115.5	12.5	144.4	17.3	29.8	26.0	15.4	14.4	96.3	4.8	13.5	97.3	137.7	36.6	237.8	11.6	48
84.7	17.3	24.1	49.1	121.3	20.2	176.2	18.3	39.5	42.4	15.4	16.4	105.9	12.5	14.4	93.4	148.3	45.3	304.3	25.0	49
64.0	12.8	11.8	54.1	110.3	12.8	137.8	17.7	30.5	25.6	14.8	13.8	95.5	4.9	13.8	99.4	131.9	37.4	239.2	11.8	50
42.9	42.9	.....	42.9	300.2	42.9	257.3	.....	42.9	.....	.....	214.4	214.4	.....	.....	42.9	85.8	.....	300.2	42.9	51
43.9	.....	43.9	.....	350.9	.....	438.6	.....	.....	43.9	43.9	43.9	131.6	.....	.....	.....	394.7	.....	175.4	.....	52
9.7	29.0	19.3	77.3	144.9	67.6	133.5	19.3	19.3	19.3	29.0	67.6	86.9	9.7	19.4	86.9	67.6	48.3	231.8	9.7	53
38.9	9.7	9.7	29.2	145.8	9.7	106.9	9.7	38.9	19.4	9.7	19.4	145.8	9.7	9.7	116.7	116.7	29.2	223.6	48.6	54
32.5	24.3	24.3	8.1	73.0	.....	113.6	8.1	48.7	24.3	8.1	32.5	73.0	.....	.....	105.5	64.9	32.5	211.0	8.1	55
34.4	.....	.....	.....	94.6	.....	103.2	34.4	25.8	34.4	17.2	8.6	77.4	.....	17.2	68.8	103.2	25.8	129.0	8.6	56
77.7	12.1	38.9	46.2	140.9	24.3	243.0	19.4	60.7	55.9	7.3	9.7	123.9	21.9	14.6	85.0	184.6	41.3	301.3	24.3	57
64.3	12.4	24.7	49.4	106.3	27.2	178.0	19.8	39.6	29.7	29.7	12.4	106.3	4.9	17.3	93.9	180.5	34.6	229.9	12.4	58
124.7	14.7	22.0	29.3	132.1	14.7	198.1	14.7	51.4	51.4	44.0	22.0	95.4	22.0	36.7	168.7	249.4	73.4	462.2	102.7	59
65.5	14.6	.....	87.4	109.2	7.3	123.8	7.3	21.8	21.8	.....	.....	87.4	14.6	7.3	160.2	102.0	58.3	342.3	7.3	60
145.2	30.6	.....	76.4	122.3	7.6	130.0	22.9	15.3	22.9	15.3	15.3	122.3	.....	7.6	53.5	114.7	58.5	328.7	7.6	61
85.2	7.7	.....	69.7	139.5	.....	100.7	15.5	15.5	31.0	7.7	23.2	108.5	.....	15.5	108.5	124.0	46.5	279.0	.....	62
102.4	12.8	6.4	64.0	108.8	12.8	76.8	19.2	.....	38.4	6.4	12.8	108.8	.....	6.4	70.4	102.4	25.6	275.1	.....	63
81.2	27.1	13.5	74.5	121.9	.....	169.3	13.5	20.3	13.5	.....	27.1	47.4	.....	6.8	47.4	108.3	27.1	223.4	.....	64
99.2	14.2	11.3	60.7	106.0	11.3	121.9	15.3	43.1	31.2	25.5	14.7	86.2	10.8	13.6	85.1	156.5	22.1	291.5	5.1	65
96.1	12.7	12.7	50.1	116.8	8.1	143.3	16.1	39.1	33.9	17.9	17.9	84.6	14.4	5.8	73.1	81.1	28.2	289.4	4.0	66
99.5	14.6	11.1	59.7	100.7	10.5	115.9	14.6	43.9	31.6	25.2	12.3	82.5	10.5	13.5	84.9	147.5	21.7	288.6	5.3	67
99.2	12.5	13.1	45.7	108.7	8.3	136.6	16.6	36.2	35.1	18.4	18.4	82.6	14.9	5.9	71.9	75.4	28.5	289.3	4.2	68
90.2	.....	18.0	90.2	270.6	36.1	306.6	36.1	18.0	18.0	36.1	90.2	198.4	18.0	18.0	90.2	432.9	36.1	378.8	.....	69
.....	18.3	.....	183.3	366.5	.....	348.2	.....	128.3	.....	.....	.....	146.6	.....	.....	110.0	256.6	18.3	293.2	.....	70
101.6	19.9	13.3	75.1	88.4	11.0	128.2	15.5	42.0	17.7	17.7	4.4	84.0	11.0	17.7	112.7	103.8	11.0	340.3	11.0	71
118.1	13.4	6.7	29.0	100.3	6.7	133.7	22.3	42.3	35.7	17.8	6.7	62.4	8.9	8.9	86.9	69.1	20.1	283.0	13.4	72
98.4	12.2	10.7	55.7	112.1	11.4	119.8	15.3	43.5	35.9	28.2	18.3	87.0	10.7	12.2	75.5	174.7	25.9	274.6	3.1	73
88.4	12.4	14.7	57.4	122.6	8.5	146.6	14.0	38.0	33.4	17.8	21.7	92.3	16.3	4.7	68.3	85.3	31.0	291.7	0.8	74

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per death correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	NEW HAMPSHIRE.															
1	Registration cities (total)	1913	1,779.5	12.1	.....	0.6	8.8	3.3	12.1	17.1	11.0	2.8	97.9	13.8	11.0	8.8
2		1912	1,657.8	10.6	0.6	.....	6.7	1.7	8.4	29.0	7.2	3.3	75.3	15.1	12.3	3.3
3	White	1913	1,781.1	12.1	.....	0.6	8.8	3.3	11.6	17.1	11.0	2.8	97.5	13.8	11.0	8.8
4		1912	1,658.6	10.6	0.6	.....	6.7	1.7	8.4	29.0	7.3	3.4	75.4	15.1	12.3	3.4
5	Colored	1913	892.9	.....	.....	.....	.....	.....	297.6	.....	.....	.....	297.6	.....	.....	.....
6		1912	1,208.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Berlin	1913	1,430.8	15.7	.....	.....	39.3	.....	23.6	39.3	7.9	7.9	39.3	7.9	.....	7.9
8		1912	1,488.7	16.1	.....	.....	.....	.....	16.1	193.1	8.0	.....	56.3	24.1	24.1	.....
9	Concord *	1913	2,262.2	9.0	.....	.....	9.0	.....	18.1	13.6	27.1	13.6	90.5	4.5	9.0	4.5
10		1912	2,053.6	22.8	.....	.....	22.8	.....	9.1	4.6	18.3	13.7	77.6	.....	13.7	4.6
11	Dover	1913	1,802.4	22.6	.....	.....	15.1	.....	15.1	7.5	15.1	.....	143.3	7.5	.....	15.1
12		1912	1,999.2	.....	.....	.....	.....	.....	15.1	37.7	7.5	.....	90.5	15.1	7.5	7.5
13	Keene	1913	1,853.3	38.6	.....	.....	.....	.....	.....	.....	9.7	.....	57.9	9.7	9.7	.....
14		1912	1,821.0	19.5	.....	.....	29.2	9.7	.....	9.7	.....	.....	87.6	.....	9.7	.....
15	Laconia	1913	1,645.7	.....	.....	.....	9.2	.....	27.6	.....	18.4	.....	55.2	18.4	18.4	9.2
16		1912	1,754.2	.....	.....	.....	.....	.....	.....	28.1	.....	.....	65.7	9.4	18.8	.....
17	Manchester	1913	1,760.2	8.1	.....	1.3	6.7	8.1	8.1	18.8	5.4	1.3	119.8	14.8	12.1	12.1
18		1912	1,522.2	11.0	1.4	.....	4.1	1.4	2.7	20.6	1.4	1.4	79.5	24.7	8.2	2.7
19	Nashua	1913	1,607.5	11.2	.....	.....	3.7	.....	11.2	22.5	11.2	.....	74.9	22.5	15.0	7.5
20		1912	1,465.5	7.6	.....	.....	.....	3.8	22.7	7.6	18.9	7.6	56.7	7.6	15.1	3.8
21	Portsmouth	1913	1,795.4	17.4	.....	.....	.....	.....	8.7	17.4	8.7	.....	113.3	17.4	17.4	.....
22		1912	1,761.6	.....	.....	.....	8.8	.....	8.8	8.8	8.8	.....	87.6	8.8	17.5	8.8
	NEW JERSEY.															
23	Registration cities (total)	1913	1,451.8	10.2	0.6	.....	7.7	9.4	12.7	22.2	6.4	5.6	127.6	12.0	10.5	7.6
24		1912	1,430.9	11.6	0.5	0.1	12.0	5.5	7.8	18.7	6.0	5.4	137.1	11.5	9.3	7.7
25	White	1913	1,428.8	9.8	0.4	.....	7.8	9.6	12.0	22.7	6.2	5.7	121.4	11.3	9.9	7.5
26		1912	1,403.8	11.3	0.5	0.1	12.0	5.6	7.2	18.9	6.0	5.5	130.4	10.9	8.6	7.6
27	Colored	1913	2,102.2	21.3	4.9	.....	3.3	1.6	31.2	8.2	11.5	1.6	302.2	32.8	27.9	11.5
28		1912	2,197.3	21.9	.....	.....	13.5	3.4	25.3	13.5	6.8	3.4	325.7	28.7	30.4	11.8
29	Asbury Park (total)	1913	1,375.4	.....	.....	.....	8.2	8.2	.....	.....	8.2	.....	107.1	.....	32.9	8.2
30		1912	1,389.0	17.4	.....	.....	.....	.....	17.4	8.7	8.7	.....	104.2	.....	.....	.....
31	White	1913	1,272.9	.....	.....	.....	10.2	10.2	.....	.....	.....	.....	50.9	.....	30.5	10.2
32		1912	1,223.7	10.7	.....	.....	.....	.....	21.5	10.7	10.7	.....	53.7	.....	.....	.....
33	Colored	1913	1,808.8	.....	.....	.....	.....	.....	.....	.....	43.1	.....	344.5	.....	43.1	.....
34		1912	2,088.1	45.4	.....	.....	.....	.....	.....	.....	.....	.....	317.7	.....	.....	.....
35	Atlantic City (total)	1913	1,593.2	11.5	1.9	.....	5.8	7.7	17.3	15.4	5.8	1.9	96.0	9.6	15.4	5.8
36		1912	1,530.5	13.9	.....	.....	.....	2.0	4.0	25.9	.....	.....	113.4	4.0	11.9	4.0
37	White	1913	1,621.0	12.2	2.4	.....	7.3	9.8	19.6	19.6	7.3	2.4	85.6	9.8	17.1	7.3
38		1912	1,516.0	15.2	.....	.....	.....	2.5	5.1	25.4	.....	.....	83.7	2.5	12.7	5.1
39	Colored	1913	1,491.5	8.9	.....	.....	.....	.....	8.9	.....	.....	.....	134.0	8.9	8.9	.....
40		1912	1,583.5	9.3	.....	.....	.....	.....	.....	27.8	.....	.....	222.2	9.3	9.3	.....
41	Bayonne	1913	1,254.8	4.8	1.6	.....	6.4	22.2	1.6	30.2	3.2	4.8	101.7	6.4	1.6	6.4
42		1912	1,390.0	9.9	.....	.....	23.1	13.2	34.6	23.1	1.6	6.6	108.8	13.2	8.2	4.9
43	Bloomfield	1913	980.7	.....	.....	.....	5.9	.....	11.9	.....	11.9	5.9	101.0	11.9	.....	5.9
44		1912	798.6	.....	.....	.....	12.3	.....	12.3	12.3	18.4	6.1	92.1	12.3	.....	.....
45	Bridgeton	1913	1,544.9	14.0	.....	.....	41.9	7.0	21.0	.....	7.0	.....	97.9	7.0	41.9	7.0
46		1912	1,324.0	14.0	.....	.....	.....	.....	.....	14.0	7.0	.....	84.1	7.0	14.0	7.0
47	Camden	1913	1,669.3	18.9	.....	.....	18.9	10.9	25.8	39.8	6.0	1.0	149.1	12.9	6.0	8.9
48		1912	1,538.0	11.1	3.0	.....	.....	3.0	4.1	50.7	6.1	2.0	140.8	6.1	10.1	9.1
49	East Orange	1913	887.2	.....	.....	.....	.....	.....	.....	28.5	10.4	2.6	80.4	13.0	10.4	5.2
50		1912	832.3	5.4	.....	.....	2.7	8.1	2.7	5.4	8 1	2.7	67.1	13.4	5.4	10.7
51	Elizabeth	1913	1,442.6	13.7	1.2	.....	7.5	2.5	6.2	13.7	5.0	.....	108.4	26.2	10.0	3.7
52		1912	1,478.2	15.4	1.3	.....	9.0	17.9	9.0	14.1	.....	3.8	139.5	17.9	3.8	6.4
53	Garfield	1913	1,234.7	.....	.....	.....	8.1	.....	32.3	16.1	8.1	.....	80.7	.....	.....	8.1
54		1912	1,178.2	.....	.....	.....	51.2	.....	.....	17.1	.....	.....	136.6	17.1	17.1	8.5
55	Hackensack	1913	1,518.2	12.9	.....	.....	.....	.....	70.8	12.9	6.4	.....	102.9	57.9	12.9	19.3
56		1912	1,459.0	19.9	.....	.....	6.6	6.6	.....	.....	19.9	.....	86.2	26.5	19.9	6.6
57	Harrison	1913	1,217.9	.....	.....	.....	.....	6.3	12.7	6.3	12.7	.....	114.2	.....	6.3	6.3
58		1912	1,346.8	.....	.....	.....	6.5	6.5	13.0	39.0	6.5	.....	143.1	6.5	.....	26.0
59	Hoboken	1913	1,659.4	12.2	.....	.....	13.5	8.1	4.1	35.2	1.4	10.8	151.6	12.2	17.6	17.6
60		1912	1,543.1	8.2	.....	.....	4.1	2.7	4.1	24.7	1.4	13.7	206.1	12.4	5.5	8.2
61	Irvington	1913	1,318.9	.....	.....	.....	.....	.....	.....	7.1	14.3	7.1	164.0	21.4	7.1	.....
62		1912	1,115.5	.....	.....	.....	15.0	7.5	15.0	.....	.....	.....	157.2	.....	7.5	.....
63	Jersey City	1913	1,457.7	10.8	0.3	.....	10.4	14.3	12.9	25.7	4.2	4.5	133.5	12.2	9.4	5.6
64		1912	1,400.4	7.8	0.4	.....	5.3	9.2	12.8	15.3	2.5	6.7	142.5	11.0	7.1	7.5
65	Kearny	1913	1,161.4	4.7	4.7	.....	.....	.....	4.7	14.2	4.7	4.7	80.3	.....	.....	9.4
66		1912	1,323.9	4.9	.....	.....	9.8	4.9	.....	9.8	19.6	.....	98.1	14.7	14.7	19.6
67	Long Branch	1913	1,974.8	55.6	.....	.....	7.0	.....	13.9	34.8	.....	.....	83.4	7.0	13.9	.....
68		1912	2,386.0	99.7	.....	.....	7.1	.....	.....	14.2	49.9	.....	170.9	.....	14.2	7.1
69	Millville	1913	1,309.6	7.7	7.7	.....	.....	.....	30.6	.....	23.0	.....	122.5	7.7	15.3	.....
70		1912	1,313.3	15.5	.....	.....	.....	.....	69.9	15.5	15.5	.....	139.9	.....	.....	15.5
71	Montclair (total)	1913	1,411.7	8.3	.....	.....	.....	4.2	4.2	8.3	16.7	12.5	62.5	12.5	12.5	8.3
72		1912	1,363.7	12.9	.....	.....	.....	4.3	4.3	.....	4.3	.....	107.5	4.3	4.3	4.3
73	White	1913	1,366.4	9.4	.....	.....	.....	4.7	.....	9.4	18.8	14.1	47.1	4.7	9.4	9.4
74		1912	1,265.5	14.6	.....	.....	.....	4.9	4.9	.....	4.9	.....	82.7	4.9	4.9	4.9
75	Colored	1913	1,756.3	.....	.....	.....	.....	.....	35.8	.....	.....	.....	179.2	71.7	35.8	.....
76		1912	2,110.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	296.2	.....	.....	.....

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
89.7	21.5	24.8	114.4	180.4	27.0	158.4	22.6	151.3	18.7	14.9	12.1	112.8	6.6	12.1	151.3	84.7	18.2	349.9	9.4	1
94.8	24.5	15.1	109.3	191.2	34.0	138.8	26.8	94.8	15.1	13.4	9.5	110.4	5.0	12.8	137.7	78.0	14.5	351.7	7.2	2
89.8	21.5	24.8	114.6	180.8	27.0	158.7	22.6	151.6	18.7	14.9	12.1	113.0	6.6	12.1	151.6	84.9	17.6	350.5	9.4	3
94.9	24.6	15.1	108.3	191.6	34.1	139.1	26.8	94.9	15.1	13.4	9.5	110.6	5.0	12.8	137.9	78.2	14.5	351.3	7.3	4
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	297.6	.....	.....	5
.....	.....	.....	604.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	604.2	.....	6
31.4	.....	39.3	47.2	94.3	47.2	306.6	7.9	94.3	23.6	.....	.....	47.2	.....	23.6	220.1	102.2	.....	149.4	7.9	7
24.1	8.0	8.0	64.4	64.4	16.1	233.4	24.1	128.8	.....	32.2	.....	64.4	.....	32.2	193.1	112.7	8.0	120.7	16.1	8
131.2	40.7	9.0	203.6	280.5	13.6	113.1	31.7	67.9	4.5	22.6	9.0	181.0	.....	27.1	99.5	90.5	27.1	701.3	9.0	9
100.4	36.5	.....	168.8	314.9	18.3	114.1	27.4	41.1	9.1	18.3	4.6	182.5	.....	9.1	86.7	95.8	13.7	616.1	9.1	10
105.6	15.1	22.6	128.2	218.7	7.5	173.5	7.5	60.3	15.1	7.5	7.5	196.1	.....	7.5	83.0	113.1	15.1	369.5	7.5	11
158.4	37.7	15.1	98.1	294.2	15.1	135.8	30.2	67.9	7.5	15.1	15.1	150.9	15.1	15.1	143.3	150.9	7.5	437.6	7.5	12
135.1	57.9	.....	193.1	231.7	19.3	202.7	.....	67.6	19.3	9.7	38.6	135.1	9.7	19.3	86.9	115.8	19.3	366.8	.....	13
126.6	29.2	.....	204.5	224.0	68.2	77.9	48.7	39.0	29.2	19.5	9.7	253.2	.....	19.5	97.4	39.0	9.7	331.1	29.2	14
101.1	.....	9.2	73.5	137.9	18.4	174.7	27.6	73.5	.....	.....	9.2	174.7	.....	.....	110.3	101.1	9.2	422.9	46.0	15
84.4	28.1	28.1	131.3	234.5	9.4	103.2	9.4	37.5	.....	.....	.....	168.9	.....	9.4	93.8	65.7	37.5	581.6	9.4	16
68.6	14.8	36.3	94.2	153.4	37.7	153.4	26.9	231.5	18.8	20.2	9.4	76.7	13.5	10.8	180.3	61.9	20.2	310.9	4.0	17
69.9	27.4	21.9	78.1	135.6	52.1	149.3	24.7	141.1	16.4	11.0	13.7	61.7	6.9	9.6	168.5	67.1	12.3	290.5	5.5	18
89.9	15.0	15.0	97.4	179.9	22.5	108.7	22.5	183.6	33.7	11.2	22.5	97.4	3.7	7.5	168.6	89.9	15.0	228.6	15.0	19
128.4	7.6	18.9	113.3	158.6	18.9	120.9	34.0	75.5	18.9	15.1	11.3	86.9	7.6	15.1	113.3	71.8	11.3	287.1	.....	20
139.4	61.0	26.1	139.4	209.2	8.7	156.9	26.1	34.9	26.1	17.4	8.7	148.2	.....	.....	122.0	113.3	26.1	322.5	8.7	21
149.0	17.5	.....	140.2	333.0	17.5	149.0	17.5	43.8	35.1	.....	.....	157.8	.....	8.8	105.2	52.6	35.1	341.8	.....	22
77.5	16.8	10.0	78.6	139.1	20.8	167.7	15.5	100.5	13.4	11.6	18.4	126.3	9.6	9.6	92.8	88.9	17.3	201.1	3.9	23
77.6	16.0	11.1	80.9	136.5	18.2	159.2	16.9	105.6	13.0	11.3	19.1	118.8	7.7	11.1	89.5	86.9	15.3	198.2	4.8	24
77.5	17.0	10.0	78.5	137.2	19.7	163.5	15.2	100.5	13.4	11.2	18.7	124.2	9.4	9.2	91.7	88.5	17.6	197.6	3.7	25
78.3	16.4	11.0	80.8	138.2	17.7	155.7	16.3	104.6	12.9	11.2	19.0	116.8	7.3	10.7	87.7	85.8	15.6	193.5	4.8	26
75.5	11.5	9.9	83.8	192.1	50.9	284.1	24.6	100.2	13.1	23.0	9.9	187.2	14.8	19.7	124.8	98.5	9.9	300.5	9.9	27
57.4	5.1	13.5	84.4	227.8	32.1	258.2	35.4	135.0	15.2	13.5	21.9	175.5	16.9	23.6	138.4	118.1	5.1	329.1	6.8	28
49.4	24.7	.....	140.0	255.3	8.2	74.1	24.7	32.9	8.2	.....	24.7	181.2	8.2	8.2	90.6	32.9	41.2	197.7	.....	29
86.8	17.4	26.0	121.5	234.4	.....	60.8	.....	60.8	.....	8.7	26.0	156.3	8.7	.....	121.5	121.5	.....	182.3	.....	30
61.1	20.4	.....	162.9	244.4	10.2	71.3	20.4	10.2	10.2	.....	30.5	152.7	10.2	.....	91.6	30.5	50.9	183.3	.....	31
96.6	21.5	10.7	128.8	225.4	.....	64.4	.....	64.4	.....	10.7	32.2	107.3	10.7	.....	75.1	107.3	.....	161.0	.....	32
.....	43.1	.....	43.1	301.5	.....	86.1	43.1	129.2	.....	.....	.....	301.5	.....	43.1	86.1	43.1	.....	258.4	.....	33
45.4	.....	90.8	90.8	272.4	.....	45.4	.....	45.4	.....	.....	.....	363.1	.....	.....	317.7	181.6	.....	272.4	.....	34
94.1	26.9	1.9	71.0	155.5	17.3	117.1	11.5	71.0	17.3	26.9	15.4	259.1	19.2	5.8	94.1	99.8	28.8	264.9	1.9	35
91.6	23.9	13.9	87.6	173.2	23.9	133.3	15.9	59.7	6.0	13.9	17.9	189.1	2.0	13.9	83.6	111.5	23.9	260.7	6.0	36
100.2	29.3	2.4	80.7	156.5	19.6	85.6	14.7	68.5	17.1	26.9	12.2	288.5	19.6	2.4	95.4	105.1	31.8	264.1	.....	37
114.1	30.4	17.7	96.3	174.9	25.4	114.1	15.2	55.8	7.6	12.7	20.3	205.3	2.5	17.7	71.0	111.5	30.4	238.3	2.5	38
71.4	17.9	.....	35.7	151.8	8.9	232.2	.....	80.4	17.9	26.8	26.8	151.8	17.9	17.9	89.3	80.4	17.9	267.9	8.9	39
9.3	.....	.....	55.6	166.7	18.5	203.7	18.5	74.1	.....	18.5	9.3	129.6	.....	.....	129.6	111.1	.....	342.6	18.5	40
50.8	11.1	15.9	68.3	90.5	15.9	149.3	14.3	117.5	14.3	7.9	14.3	106.4	11.1	11.1	98.5	93.7	6.4	163.6	3.2	41
51.1	14.8	14.8	61.0	74.2	29.7	189.6	3.3	151.7	4.9	4.9	19.8	110.5	3.3	9.9	102.2	105.5	4.9	181.4	4.9	42
71.3	11.9	.....	53.5	124.8	17.8	130.8	5.9	65.4	.....	.....	5.9	47.5	.....	.....	95.1	29.7	5.9	160.5	.....	43
43.0	6.1	6.1	55.3	129.0	18.4	61.4	.....	49.1	.....	.....	.....	36.9	.....	.....	79.9	18.4	30.7	98.3	.....	44
104.9	.....	.....	83.9	160.8	7.0	83.9	41.9	35.0	14.0	41.9	21.0	125.8	14.0	21.0	125.8	83.9	7.0	328.6	.....	45
98.1	21.0	21.0	70.1	196.1	7.0	49.0	42.0	98.1	21.0	.....	35.0	126.1	.....	28.0	77.1	49.0	35.0	196.1	7.0	46
85.5	11.9	8.9	64.6	173.0	7.0	198.8	26.8	116.3	17.9	7.0	16.9	146.2	13.9	14.9	117.3	107.4	20.9	210.8	5.0	47
79.0	17.2	7.1	94.2	142.9	20.3	169.2	13.2	91.2	13.2	18.2	25.3	142.9	8.1	15.2	119.6	113.5	6.1	193.5	2.0	48
64.9	13.0	.....	75.2	106.4	15.6	80.4	7.8	18.2	2.6	5.2	13.0	106.4	.....	5.2	23.3	25.9	15.6	158.2	.....	49
64.4	18.8	5.4	80.5	120.8	10.7	85.9	10.7	18.8	8.1	.....	5.4	85.9	.....	2.7	45.6	18.8	5.4	110.1	2.7	50
73.5	24.9	8.7	83.5	134.5	19.9	153.2	23.7	173.2	12.5	10.0	23.7	97.2	10.0	7.5	68.5	119.6	13.7	181.9	5.0	51
78.1	12.8	2.6	84.5	134.4	15.4	174.1	25.6	181.7	9.0	5.1	19.2	85.7	10.2	12.8	94.7	110.1	11.5	170.2	2.6	52
64.6	.....	16.1	16.1	40.3	24.2	298.6	8.1	242.1	24.2	16.1	.....	40.3	8.1	8.1	121.0	72.6	8.1	64.6	8.1	53
42.7	.....	8.5	25.6	68.3	34.2	196.4	.....	204.9	.....	.....	.....	51.2	.....	.....	93.9	51.2	8.5	136.6	8.5	54
128.7	12.9	6.4	83.6	135.1	6.4	135.1	32.2	115.8	25.7	6.4	19.3	128.7	.....	.....	128.7	96.5	12.9	148.0	.....	55
106.1	6.6	19.9	99.5	139.3	13.3	112.7	33.2	112.7	26.5	6.6	13.3	59.7	6.6	13.3	99.5	126.0	33.2	232.1	6.6	56
88.8	6.3	6.3	50.7	69.8	31.7	145.9	19.0	158.6	.....	.....	6.3	101.5	12.7	.....	69.3	76.1	31.7	164.9	12.7	57
71.6	.....	6.5	65.1	58.6	19.5	156.1	.....	247.2	6.5	6.5	45.5	97.6	6.5	.....	52.0	52.0	6.5	188.7	13.0	58
67.7	18.9	29.8	65.0	190.8	31.1	228.7	9.5	90.7	13.5	14.9	39.3	139.4	14.9	2.7	39.3	125.9	35.2	213.8	4.1	59
81.1	27.5	23.4	93.4	162.1	9.6	162.1	19.2	74.2	15.1	9.6	13.7	159.4	11.0	8.2	60.5	96.2	28.9	191.0	5.5	60
114.1	42.8	7.1	78.4	178.2	7.1	78.4	14.3	57.0	.....	14.3	7.1	142.6	14.3	.....	92.7	21.4	49.9	178.2	.....	61
104.8	.....	.....	44.9	179.7	15.0	89.8	7.5	29.9	.....	.....	15.0	119.8	.....	.....	89.8	44.9	15.0	157.2	.....	62
68.8	14.3	11.1	80.6	131.7	22.9	191.2	11.1	87.6	13.6	12.2	20.5	126.5	10.4	7.6	87.9	90.4	10.8	209.9	4.9	63
68.6	13.5	12.8	81.7	125.4	13.9	173.4	21.3	89.9	9.9	13.9	21.0	134.6	6.0	12.1	87.0	86.3	12.4	183.7	5.0	64
75.5	9.4	14.2	85.0	127.5	47.2	108.6	18.9	61.4	.....	.....	23.6	75.5	4.7	.....	56.7	37.8	9.4	278.6	.....	65
49.0	14.7	19.6	93.2	137.3	14.7	117.7	34.3	63.7	9.8	14.7	14.7	78.5	.....	9.8	49 0	63.7	.....	338.3	4.9	66
97.4	13.9	.....	118.2	236.4	20.8	118.2	27.8	55.6	41.7	48.7	55.6	236.4	13.9	27.8	118.2	146.0	27.8	347.7	7.0	67
142.5	21.4	7.1	149.6	185.2	.....	135.3	7.1	99.7	106.8	42.7	35.6	242.2	28.5	21.4	71.2	163.8	21.4	484.3	57.0	68
107.2	23.0	.....	91.9	137.9	23.0	84.2	15.3	76.6	.....	7.7	.....	122.5	.....	7.7	145.5	38.3	15.3	191.5	7.7	69
31.1	7.8	7.8	93.3	132.1	7.8	108.8	46.6	124.3	7.8	.....	7.8	85.5	.....	7.8	116.6	62.2	.....	194.3	.....	70
124.9	16.7	4.2	79.1	149.9	12.5	183.2	16.7	20.8	12.5	12.5	4.2	91.6	4.2	12.5	104.1	91.6	25.0	295.7	.....	71
90.3	17.2	.....	68.8	137.7	8.6	111.8	17.2	111.8	12.9	17.2	8.6	142.0	.....	12.9	124.8	81.7	17.2	228.0	8.6	72
122.5	18.8	.....	84.8	146.1	14.1	146.1	9.4	23.6	14.1	14.1	4.7	94.2	4.7	14.1	108.4	89.5	28.3	301.5	.....	73
97.3	19.5	.....	68.1	136.3	9.7	97.3	14.6	82.7	14.6	19.5	9.7	136.3	.....	4.9	126.6	82.7	14.6	194.7	9.7	74
143.4	.....	35.8	35.8	179.2	.....	465.9	71.7	.....	.....	.....	.....	71.7	.....	.....	71.7	107.5	.....	250.9	.....	75
37.0	.....	.....	74.0	148.1	.....	222.1	37.0	333.2	.....	.....	.....	185.1	.....	74.0	111.1	74.0	37.0	481.3	.....	76

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per death correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	NEW JERSEY—continued.															
1	Morristown	1913	2,223.4	15.5	15.5	.....	7.7	.....	7.7	7.7	.....	.....	116.2	31.0	23.2	7.7
2		1912	1,940.1	31.3	.....	.....	31.3	.....	15.6	15.6	7.8	.....	133.0	39.1	39.1	.....
3	New Brunswick	1913	2,266.7	12.3	.....	.....	.....	.....	16.3	12.3	12.3	4.1	151.1	8.2	24.5	28.6
4		1912	2,091.7	33.1	.....	.....	37.3	.....	16.6	24.9	8.3	4.1	182.2	8.3	16.6	16.6
5	Newark	1913	1,438.2	8.7	0.3	.....	4.7	5.5	11.3	18.2	6.9	10.5	150.0	13.4	10.8	7.1
6		1912	1,430.2	8.1	0.3	.....	14.6	1.9	5.1	14.1	9.2	8.9	148.9	12.7	9.2	8.4
7	Orange	1913	1,569.5	3.2	.....	.....	.....	.....	19.1	3.2	6.4	9.6	127.3	25.5	6.4	15.9
8		1912	1,779.2	16.2	.....	.....	.....	.....	9.7	16.2	9.7	9.7	113.4	45.4	19.4	13.0
9	Passaic	1913	1,369.2	4.7	.....	.....	14.2	4.7	11.0	25.2	6.3	1.6	92.9	9.4	12.6	3.1
10		1912	1,493.2	9.9	3.3	.....	29.6	14.8	6.6	16.4	6.6	1.6	110.2	3.3	16.4	1.6
11	Paterson	1913	1,346.1	8.3	.....	.....	0.8	3.0	8.3	9.8	9.1	5.3	133.1	6.0	9.1	4.5
12		1912	1,399.7	5.4	.....	.....	20.7	6.9	2.3	20.7	4.6	4.6	116.0	5.4	8.5	3.8
13	Perth Amboy	1913	1,459.0	19.0	.....	.....	5.4	21.7	40.8	84.2	2.7	5.4	78.8	5.4	10.9	2.7
14		1912	1,465.6	8.5	.....	.....	59.4	2.8	2.8	45.3	5.7	2.8	104.7	2.8	2.8	2.8
15	Phillipsburg	1913	1,170.3	.....	.....	.....	6.8	6.8	20.3	27.1	20.3	.....	94.7	.....	.....	20.3
16		1912	1,302.5	13.8	.....	6.9	.....	6.9	.....	13.8	27.6	.....	144.7	.....	13.8	13.8
17	Plainfield	1913	1,394.4	18.0	.....	.....	.....	45.0	9.0	4.5	4.5	.....	76.5	.....	13.5	18.0
18		1912	1,372.8	9.2	4.6	.....	23.0	.....	9.2	9.2	13.8	4.6	73.7	18.4	9.2	18.4
19	Trenton *	1913	1,847.8	21.1	.....	.....	13.4	26.8	7.7	26.8	6.7	8.6	167.5	13.4	13.4	6.7
20		1912	1,679.2	39.2	.....	.....	9.8	2.0	2.9	11.8	3.9	5.9	194.0	13.7	16.7	7.8
21	Union	1913	982.9	.....	.....	.....	.....	4.3	21.7	21.7	4.3	4.3	95.7	4.3	4.3	21.7
22		1912	918.1	4.5	.....	.....	13.4	4.5	.....	13.4	.....	.....	125.4	22.4	.....	9.0
23	West Hoboken	1913	977.1	.....	2.5	.....	15.2	12.7	15.2	30.5	2.5	5.1	109.1	12.7	15.2	12.7
24		1912	982.8	2.6	.....	.....	2.6	5.2	.....	28.8	.....	2.6	102.2	10.5	13.1	7.9
25	West New York	1913	1,279.8	.....	.....	.....	18.5	24.6	12.3	30.8	6.2	6.2	116.9	6.2	.....	.....
26		1912	1,226.2	.....	.....	.....	6.5	13.0	6.5	32.4	.....	.....	116.8	26.0	6.5	19.5
27	West Orange	1913	771.9	.....	.....	.....	.....	.....	16.2	8.1	16.2	.....	89.4	.....	.....	8.1
28		1912	899.6	.....	.....	.....	8.4	.....	8.4	16.8	.....	8.4	126.1	16.8	.....	8.4
	NEW YORK.															
29	Registration cities (total)	1913	1,482.6	9.9	0.3	(2)	13.8	10.8	7.9	23.2	6.6	5.4	156.5	14.3	9.0	7.2
30		1912	1,485.8	11.3	0.4	0.1	12.7	10.3	6.3	20.5	4.8	5.8	157.4	13.9	9.1	6.4
31	White	1913	1,468.7	9.8	0.3	(2)	13.9	10.9	7.7	23.2	6.5	5.4	150.7	13.8	8.7	7.2
32		1912	1,468.5	11.2	0.4	(2)	12.7	10.3	6.1	20.4	4.8	5.9	151.0	13.5	8.5	6.3
33	Colored	1913	2,256.1	10.9	1.6	.....	7.8	4.7	18.6	20.9	7.8	3.9	480.5	42.6	23.3	7.0
34		1912	2,455.2	14.3	0.8	0.8	14.3	8.0	16.7	20.7	5.6	4.0	515.2	36.6	39.8	11.1
35	Albany	1913	1,978.6	27.4	.....	1.0	6.8	2.0	9.8	22.5	19.5	6.8	226.7	7.8	13.7	9.8
36		1912	2,011.3	17.7	.....	.....	5.9	.....	16.7	28.5	15.7	2.9	206.4	9.8	12.8	5.9
37	Amsterdam	1913	1,438.0	8.8	.....	.....	14.6	52.5	2.9	17.5	5.8	2.9	81.7	17.5	17.5	2.9
38		1912	1,481.6	12.0	.....	.....	.....	9.0	18.0	18.0	3.0	6.0	96.0	3.0	12.0	6.0
39	Auburn	1913	1,577.4	13.9	.....	.....	25.0	33.3	2.8	5.5	8.3	8.3	113.7	11.1	11.1	8.3
40		1912	1,602.4	11.2	.....	.....	2.8	.....	14.0	5.6	2.8	.....	98.2	5.6	5.6	.....
41	Batavia	1913	1,986.8	16.2	.....	.....	.....	.....	24.2	48.5	96.9	8.1	64.6	16.2	16.2	16.2
42		1912	1,828.4	24.7	.....	.....	16.5	16.5	.....	98.8	41.2	8.2	98.8	.....	8.2	24.7
43	Binghamton *	1913	2,196.9	15.6	1.9	.....	31.2	.....	1.9	23.4	15.6	5.8	165.7	11.7	11.7	7.8
44		1912	1,801.3	17.9	4.0	.....	6.0	6.0	17.9	2.0	13.9	4.0	125.0	6.0	6.0	7.9
45	Buffalo	1913	1,576.0	15.4	0.2	.....	15.9	3.4	6.0	9.6	4.7	5.1	134.3	12.5	9.2	6.3
46		1912	1,484.5	11.8	.....	.....	15.2	5.5	5.5	14.6	3.9	3.9	123.3	12.1	8.9	5.9
47	Cohoes	1913	1,546.0	36.0	.....	.....	8.0	8.0	.....	40.1	4.0	.....	132.2	8.0	16.0	12.0
48		1912	1,768.0	48.2	.....	.....	4.0	.....	4.0	12.1	4.0	.....	164.7	.....	16.1	4.0
49	Corning	1913	1,219.5	20.6	.....	6.9	.....	.....	.....	6.9	13.7	20.6	27.4	6.9	.....	13.7
50		1912	1,640.4	48.9	.....	.....	7.0	7.0	14.0	.....	7.0	.....	104.7	.....	7.0	14.0
51	Cortland	1913	1,786.7	16.2	.....	.....	.....	.....	.....	.....	48.7	.....	81.2	8.1	16.2	.....
52		1912	1,699.7	24.9	.....	.....	.....	.....	8.3	8.3	16.6	8.3	91.2	16.6	8.3	16.6
53	Dunkirk	1913	1,418.1	63.0	.....	.....	5.3	5.3	31.5	15.8	5.3	.....	94.5	.....	15.8	15.8
54		1912	1,234.2	16.2	.....	.....	.....	5.4	5.4	5.4	.....	.....	70.4	10.8	10.8	.....
55	Elmira	1913	1,558.5	10.6	.....	.....	5.3	5.3	5.3	8.0	26.6	5.3	85.0	.....	8.0	5.3
56		1912	1,476.9	13.3	.....	.....	8.0	2.7	8.0	18.7	10.7	.....	64.0	.....	8.0	5.3
57	Fulton	1913	1,613.5	44.6	.....	.....	.....	.....	17.8	8.9	26.7	.....	44.6	.....	8.9	26.7
58		1912	1,829.3	18.2	.....	.....	.....	.....	.....	9.1	.....	.....	127.4	9.1	18.2	27.3
59	Geneva	1913	1,427.6	38.2	.....	.....	.....	7.6	.....	7.6	22.9	.....	38.2	7.6	.....	.....
60		1912	1,651.8	23.3	.....	.....	38.8	7.8	.....	.....	23.3	.....	46.5	7.8	15.5	7.8
61	Glens Falls	1913	1,758.2	18.6	.....	.....	.....	49.7	.....	24.9	12.4	.....	105.6	6.2	24.9	12.4
62		1912	1,484.5	25.3	.....	.....	6.3	.....	.....	25.3	25.3	.....	101.1	6.3	12.6	6.3
63	Gloversville	1913	1,575.8	4.7	.....	.....	9.4	.....	9.4	9.4	14.0	.....	84.2	.....	9.4	.....
64		1912	1,451.3	14.2	.....	.....	.....	.....	18.9	4.7	4.7	.....	89.8	4.7	4.7	9.5
65	Hornell	1913	1,573.9	21.2	.....	.....	21.2	.....	.....	.....	21.2	.....	21.2	.....	7.1	14.1
66		1912	1,450.3	7.1	.....	.....	.....	7.1	.....	.....	7.1	.....	42.9	7.1	14.3	7.1
67	Hudson	1913	1,753.9	58.2	.....	.....	.....	8.3	33.3	33.3	8.3	8.3	116.4	.....	8.3	8.3
68		1912	1,773.8	25.3	.....	.....	42.2	8.4	8.4	.....	8.4	.....	118.3	8.4	8.4	16.9
69	Ithaca	1913	1,629.6	13.0	.....	.....	.....	.....	.....	6.5	45.6	.....	78.2	6.5	.....	.....
70		1912	1,522.4	19.8	.....	.....	.....	.....	6.6	6.6	.....	6.6	65.9	6.6	13.2	6.6
71	Jamestown	1913	1,351.9	5.9	.....	.....	35.3	.....	2.9	23.5	23.5	.....	85.2	5.9	11.8	8.8
72		1912	1,199.7	12.1	.....	.....	.....	.....	.....	3.0	15.1	.....	66.3	12.1	6.0	3.0
73	Johnstown	1913	1,573.5	28.4	.....	.....	28.4	.....	9.5	28.4	19.0	9.5	104.3	9.5	.....	9.5
74		1912	1,169.4	.....	.....	.....	.....	.....	9.5	.....	19.0	.....	114.1	.....	38.0	19.0
75	Kingston	1913	1,863.1	34.2	7.6	.....	.....	.....	7.6	26.6	11.4	7.6	193.5	7.6	3.8	.....
76		1912	1,834.8	19.1	.....	.....	.....	3.8	22.9	11.4	15.3	7.6	194.5	7.6	22.9	3.8

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
193.7	46.5	15.5	77.5	193.7	15.5	232.4	15.5	116.2	38.7	.....	46.5	131.7	23.2	23.2	209.2	201.4	7.7	395.1	7.7	1
117.3	39.1	15.6	133.0	148.6	15.6	148.6	39.1	148.6	39.1	7.8	7.8	93.9	7.8	15.6	148.6	93.9	15.6	383.3	7.8	2
110.3	16.3	12.3	163.4	216.5	12.3	261.4	24.5	236.9	20.4	16.3	20.4	147.0	4.1	20.4	200.1	187.9	20.4	285.9	20.4	3
124.3	20.7	12.4	120.1	190.5	4.1	211.2	12.4	194.7	8.3	29.0	12.4	91.1	12.4	12.4	165.7	165.7	4.1	343.8	8.3	4
82.0	21.1	7.6	81.0	137.4	25.6	140.6	15.0	91.5	14.2	10.8	18.2	142.1	12.4	10.8	86.0	82.5	19.8	189.6	2.4	5
82.0	16.5	7.9	82.9	138.6	23.3	153.5	19.2	102.6	16.0	10.3	20.3	119.4	8.7	11.9	81.2	78.3	17.6	195.8	2.7	6
86.0	35.0	12.7	114.6	101.9	31.8	178.3	28.7	50.9	41.4	28.7	19.1	140.1	6.4	12.7	117.8	98.7	12.7	232.4	3.2	7
103.7	19.4	22.7	100.5	162.0	19.4	210.6	22.7	94.0	42.1	9.7	38.9	158.8	6.5	22.7	136.1	106.9	6.5	243.1	.....	8
39.3	4.7	15.7	36.2	80.3	28.3	295.9	9.4	154.2	14.2	9.4	6.3	80.3	11.0	11.0	116.5	91.3	11.0	166.8	1.6	9
60.8	8.2	8.2	36.2	125.0	16.4	253.3	8.2	205.6	16.4	6.6	6.6	74.0	11.5	23.0	128.3	82.2	8.2	187.5	6.6	10
79.4	15.9	12.1	71.8	166.4	17.4	158.8	13.6	76.4	9.1	16.6	15.9	132.3	6.8	12.9	71.1	81.7	19.7	168.6	2.3	11
89.1	19.2	15.4	65.3	185.9	23.8	172.1	14.6	79.9	13.1	15.4	23.8	120.6	8.5	5.4	69.9	76.8	15.4	183.6	3.1	12
48.9	2.7	8.2	38.0	59.8	19.0	116.8	8.2	230.9	13.6	.....	13.6	73.4	5.4	13.6	157.6	114.1	5.4	241.8	10.9	13
67.9	11.3	19.8	31.1	50.9	36.8	147.1	17.0	240.5	2.8	14.1	17.0	79.2	11.3	8.5	130.1	133.0	2.8	178.2	25.5	14
27.1	20.3	13.5	121.8	94.7	.....	81.2	20.3	81.2	.....	13.5	6.8	87.9	.....	.....	94.7	67.6	6.8	230.0	6.8	15
41.3	20.7	13.8	151.6	103.4	48.2	89.6	.....	103.4	.....	.....	.....	96.5	13.8	20.7	89.6	75.8	20.7	158.5	13.8	16
112.5	22.5	13.5	121.5	85.5	27.0	121.5	22.5	81.0	18.0	18.0	.....	148.4	4.5	13.5	85.5	58.5	13.5	233.9	4.5	17
129.0	9.2	4.6	82.9	119.8	13.8	110.6	13.8	106.0	27.6	4.6	9.2	115.2	18.4	.....	78.3	78.3	18.4	234.9	4.6	18
93.8	10.5	9.6	112.0	188.6	19.1	219.2	22.0	151.3	11.5	13.4	19.1	109.1	5.7	11.5	134.0	107.2	17.2	273.8	6.7	19
79.4	19.6	9.8	113.6	141.1	12.7	182.2	21.6	121.5	12.7	13.7	14.7	109.7	10.8	12.7	99.9	114.6	16.7	262.6	2.0	20
43.5	34.8	4.3	56.5	95.7	8.7	169.6	.....	56.5	4.3	.....	26.1	100.0	4.3	.....	60.9	26.1	8.7	100.0	.....	21
67.2	9.0	4.5	85.1	76.1	4.5	76.1	.....	31.4	.....	13.4	13.4	98.5	9.0	.....	44.8	26.9	35.8	125.4	4.5	22
60.9	10.2	5.1	55.8	91.4	22.8	132.0	10.2	55.8	5.1	2.5	25.4	63.5	.....	.....	68.5	43.1	17.8	68.5	5.1	23
41.9	18.3	10.5	39.3	117.9	15.7	131.0	2.6	34.1	7.9	10.5	15.7	91.7	5.2	5.2	70.8	31.5	26.2	131.0	.....	24
67.7	18.5	18.5	80.0	129.2	12.3	196.9	18.5	80.0	.....	.....	18.5	110.7	.....	24.6	86.1	36.9	43.1	110.7	6.2	25
77.9	.....	19.5	45.4	97.3	6.5	188.2	.....	77.9	.....	.....	58.4	116.8	6.5	6.5	97.3	32.4	38.9	110.3	19.5	26
56.9	16.2	.....	65.0	105.6	8.1	130.0	.....	40.6	8.1	.....	.....	40.6	.....	.....	81.2	16.2	8.1	56.9	.....	27
67.3	16.8	8.4	33.6	84.1	25.2	67.3	8.4	33.6	.....	16.8	25.2	42.0	.....	.....	33.6	50.4	58.9	134.5	.....	28
85.9	19.1	7.7	64.2	152.0	18.8	184.6	11.4	81.8	13.8	12.8	17.2	135.8	6.7	7.8	90.0	83.4	16.0	207.6	1.0	29
83.8	18.3	9.6	66.1	148.0	20.5	187.1	12.0	87.4	13.3	12.6	17.2	139.5	6.6	7.9	88.4	80.3	15.4	211.2	1.5	30
86.2	19.2	7.6	64.2	150.7	18.7	181.7	11.5	81.6	13.8	12.7	17.3	134.6	6.6	7.8	89.6	83.0	16.1	206.6	0.9	31
84.0	18.4	9.5	66.3	146.8	20.4	183.7	12.0	87.0	13.2	12.6	17.3	138.2	6.5	7.8	87.3	79.8	15.5	209.4	1.5	32
69.0	11.6	12.4	67.4	224.8	27.9	346.4	5.4	91.5	14.0	16.3	11.6	206.9	12.4	10.1	113.2	102.3	10.9	266.6	6.2	33
73.9	15.1	11.1	58.0	217.9	23.9	376.1	12.7	110.5	19.1	12.7	12.7	210.7	13.5	13.5	145.5	107.3	12.7	314.9	5.6	34
134.8	30.3	17.6	106.5	217.9	20.5	135.3	31.3	59.6	23.5	16.6	30.3	209.1	4.9	5.9	107.5	100.6	14.7	356.6	1.0	35
138.6	24.6	22.6	113.0	226.1	20.6	189.7	29.5	54.1	22.6	22.6	29.5	216.3	5.9	8.8	91.4	103.2	11.8	351.9	5.9	36
70.0	8.8	17.5	52.5	105.0	58.3	166.3	8.8	137.1	17.5	14.6	2.9	93.3	8.8	14.6	102.1	90.4	5.8	239.2	.....	37
69.0	18.0	21.0	81.0	93.0	30.0	123.0	9.0	221.9	9.0	9.0	6.0	132.0	6.0	6.0	96.0	90.0	21.0	251.9	6.0	38
102.6	16.6	2.8	119.2	221.8	27.7	174.7	8.3	91.5	13.9	19.4	13.9	85.9	5.5	11.1	80.4	66.5	16.6	257.8	.....	39
109.4	14.0	14.0	188.0	165.6	36.5	112.3	25.3	103.8	14.0	19.6	8.4	131.9	2.8	5.6	87.0	112.3	16.8	289.1	.....	40
129.2	32.3	16.2	161.5	153.4	8.1	274.6	16.2	32.3	24.2	16.2	.....	129.2	16.2	8.1	137.3	145.4	32.3	347.3	.....	41
74.1	32.9	8.2	140.0	148.2	32.9	140.0	32.9	57.7	8.2	24.7	16.5	131.8	.....	8.2	123.5	107.1	8.2	395.3	.....	42
97.5	13.6	3.9	146.2	241.7	52.6	161.8	23.4	154.0	13.6	19.5	21.4	185.2	13.6	13.6	148.1	148.1	33.1	411.3	1.9	43
103.2	17.9	13.9	156.7	180.5	25.8	192.4	17.9	69.4	9.9	15.9	15.9	148.8	4.0	6.0	81.3	93.2	19.8	410.6	2.0	44
102.5	18.3	8.1	80.8	170.3	13.2	149.0	14.1	142.3	21.3	17.2	15.4	115.5	6.7	7.2	92.4	95.5	10.3	272.3	0.9	45
91.7	17.1	6.1	75.5	158.1	15.2	153.1	13.2	130.6	16.8	13.6	16.4	115.8	6.4	6.6	85.1	86.0	11.1	255.2	0.7	46
76.1	12.0	24.0	68.1	136.2	8.0	164.2	16.0	132.2	4.0	12.0	44.1	120.2	4.0	8.0	136.2	64.1	12.0	236.3	4.0	47
104.5	20.1	24.1	92.4	144.7	12.1	229.0	24.1	96.4	16.1	8.0	40.2	176.8	8.0	16.1	112.5	76.3	12.1	293.3	4.0	48
68.5	34.3	13.7	48.0	95.9	6.9	116.5	20.6	61.7	41.1	34.3	.....	123.3	6.9	.....	95.9	123.3	.....	212.4	.....	49
90.7	34.9	.....	69.8	111.7	.....	76.8	7.0	69.8	7.0	14.0	14.0	195.4	14.0	27.9	118.7	146.6	20.9	411.8	.....	50
138.1	8.1	16.2	129.9	178.7	8.1	138.1	8.1	8.1	40.6	24.4	24.4	129.9	8.1	8.1	97.5	154.3	40.6	454.8	.....	51
165.8	8.3	.....	149.2	107.8	24.9	223.9	.....	16.6	16.6	49.7	16.6	190.7	8.3	24.9	82.9	66.3	8.3	331.6	8.3	52
68.3	10.5	.....	52.5	126.1	36.8	126.1	10.5	68.3	10.5	10.5	10.5	78.8	10.5	15.8	131.3	78.8	5.3	309.9	5.3	53
54.1	.....	.....	43.3	151.6	10.8	119.1	.....	92.0	21.7	43.3	.....	81.2	10.8	.....	92.0	108.3	5.4	270.7	5.4	54
95.6	21.2	.....	87.6	199.1	10.6	108.9	8.0	34.5	13.3	13.3	18.6	199.1	13.3	15.9	111.5	114.2	21.2	308.0	.....	55
98.6	40.0	10.7	85.3	215.9	24.0	98.6	18.7	34.7	24.0	18.7	5.3	223.9	10.7	2.7	53.3	72.0	8.0	290.6	2.7	56
89.1	26.7	.....	71.3	133.7	26.7	169.4	.....	133.7	8.9	8.9	.....	151.5	17.8	.....	115.9	151.5	8.9	320.9	.....	57
63.7	18.2	9.1	54.6	209.3	18.2	163.8	18.2	100.1	.....	9.1	9.1	172.9	.....	27.3	163.8	127.4	9.1	436.8	9.1	58
76.3	7.6	7.6	129.8	129.8	15.3	221.4	.....	38.2	15.3	7.6	.....	99.2	.....	15.3	99.2	183.2	15.3	244.3	.....	59
69.8	23.3	.....	77.5	201.6	15.5	201.6	23.3	62.0	7.8	23.3	23.3	170.6	.....	7.8	85.3	139.6	7.8	341.2	.....	60
130.5	18.6	.....	217.4	167.7	31.1	124.3	12.4	18.6	31.1	6.2	.....	155.3	18.6	.....	80.8	136.7	18.6	335.5	.....	61
107.4	19.0	.....	139.0	132.7	31.6	126.3	6.3	50.5	12.6	31.6	6.3	139.0	.....	6.3	6.3	63.2	12.6	385.3	.....	62
93.5	4.7	.....	112.2	191.7	42.1	173.0	4.7	23.4	18.7	18.7	4.7	145.0	4.7	4.7	112.2	46.8	9.4	425.5	.....	63
80.4	14.2	14.2	94.5	108.7	18.9	160.7	18.9	33.1	14.2	4.7	18.9	160.7	.....	4.7	70.9	80.4	9.5	392.4	.....	64
127.0	14.1	7.1	176.4	141.2	14.1	134.1	14.1	42.3	28.2	28.2	.....	112.9	.....	7.1	98.8	134.1	14.1	374.1	.....	65
128.6	14.3	7.1	92.9	142.9	14.3	107.2	28.6	50.0	21.4	14.3	28.6	78.6	7.1	7.1	78.6	114.3	14.3	407.2	.....	66
91.4	.....	8.3	66.5	149.6	.....	166.3	24.9	99.8	8.3	8.3	.....	133.0	16.6	8.3	83.1	91.4	33.3	473.8	8.3	67
143.6	8.4	.....	84.5	143.6	59.1	168.9	16.9	84.5	.....	8.4	8.4	245.0	.....	.....	67.6	109.8	33.8	346.3	.....	68
117.3	26.1	6.5	169.5	189.0	19.6	143.4	.....	58.7	19.6	6.5	26.1	247.7	.....	6.5	39.1	110.8	13.0	280.3	.....	69
59.3	13.2	.....	177.9	177.9	6.6	171.4	6.6	19.8	19.8	13.2	13.2	204.3	6.6	13.2	39.5	72.5	6.6	369.1	.....	70
97.0	11.8	2.9	76.4	111.7	26.4	88.2	14.7	91.1	20.6	11.8	14.7	126.4	5.9	.....	94.0	73.5	2.9	273.3	5.9	71
87.4	27.1	6.0	75.4	117.6	21.1	72.3	18.1	42.2	9.0	15.1	18.1	129.6	12.1	9.0	90.4	39.2	12.1	274.3	6.0	72
94.8	9.5	9.5	104.3	180.1	9.5	151.7	37.9	66.4	.....	.....	9.5	142.2	.....	.....	132.7	37.9	19.0	322.3	.....	73
76.1	28.5	28.5	104.6	95.1	38.0	104.6	19.0	9.5	.....	.....	9.5	66.6	19.0	.....	47.5	19.0	9.5	294.7	.....	74
144.2	7.6	7.6	174.5	204.9	19.0	148.0	15.2	34.2	19.0	26.6	19.0	163.2	.....	11.4	87.3	159.4	15.2	299.8	7.6	75
137.3	7.6	30.5	156.4	206.0	26.7	160.2	19.1	34.3	26.7	26.7	15.3	148.8	7.6	3.8	72.5	68.7	3.8	366.2	7.6	76

[2] Less than one-tenth of 1 per 100,000 population.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per death correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	NEW YORK—continued.															
1	Lackawanna	1913	2,345.3	.....	.....	.....	172.7	.....	50.1	27.9	11.1	.....	94.7	27.9	33.4	.....
2		1912	2,427.3	5.9	.....	.....	82.9	5.9	47.4	5.9	.....	5.9	112.5	23.7	11.8	.....
3	Little Falls	1913	1,901.3	38.8	.....	.....	15.5	.....	46.6	15.5	.....	.....	100.9	7.8	7.8	.....
4		1912	1,504.5	7.9	.....	.....	.....	7.9	7.9	7.9	7.9	.....	78.8	7.9	.....	7.9
5	Lockport	1913	1,574.4	66.9	.....	.....	10.3	5.1	.....	15.4	20.6	.....	56.6	15.4	10.3	10.3
6		1912	1,508.8	15.6	.....	.....	10.4	.....	25.9	.....	5.2	.....	129.6	5.2	5.2	.....
7	Middletown *	1913	2,138.7	38.5	.....	.....	.....	12.8	.....	6.4	25.7	6.4	244.1	.....	6.4	12.8
8		1912	2,414.5	25.8	.....	.....	.....	6.5	12.9	.....	6.5	19.4	251.8	.....	25.8	12.9
9	Mount Vernon	1913	1,335.6	8.8	.....	.....	2.9	5.9	2.9	8.8	.....	2.9	93.9	20.5	8.8	11.7
10		1912	1,212.0	12.1	.....	.....	21.2	3.0	12.1	18.1	.....	.....	66.5	18.1	6.0	6.0
11	New Rochelle	1913	929.4	3.0	.....	.....	.....	9.0	3.0	12.0	3.0	6.0	65.7	6.0	6.0	3.0
12		1912	1,183.3	9.4	.....	.....	18.7	12.5	18.7	12.5	3.1	31.2	65.6	6.2	3.1	.....
13	New York (total)	1913	1,428.9	7.0	0.3	.....	13.9	11.0	7.7	26.1	5.4	5.7	170.1	15.7	8.3	7.2
14		1912	1,446.7	9.6	0.5	0.1	13.9	12.4	5.3	22.3	4.0	6.4	173.4	15.8	8.4	6.2
15	Bronx Borough	1913	1,387.7	6.1	0.6	.....	13.8	9.3	8.9	28.5	6.9	4.9	179.9	14.2	6.3	6.5
16		1912	1,319.9	5.4	.....	.....	8.9	12.6	3.1	19.5	4.4	5.0	165.8	15.1	8.7	5.4
17	Brooklyn Borough	1913	1,390.0	6.8	0.3	.....	7.9	11.1	7.2	25.8	6.9	5.7	149.8	14.6	8.1	9.0
18		1912	1,422.4	12.9	0.8	0.1	11.2	12.8	4.8	22.7	5.1	5.4	153.8	12.7	8.6	7.5
19	Manhattan Borough	1913	1,462.0	7.2	0.2	.....	18.6	10.8	7.3	26.3	4.0	6.4	188.3	17.1	8.5	5.8
20		1912	1,494.8	7.4	0.2	.....	16.9	12.9	6.0	23.1	3.3	8.0	193.8	19.1	8.7	5.0
21	Queens Borough	1913	1,379.6	7.3	0.9	.....	8.9	13.5	10.7	26.0	4.9	2.1	130.7	11.9	8.9	9.2
22		1912	1,335.9	16.3	1.6	.....	13.7	7.0	6.7	19.1	2.6	1.9	141.7	9.9	6.4	6.4
23	Richmond Borough	1913	1,687.9	7.6	.....	.....	18.5	14.1	10.9	14.1	6.5	2.2	157.4	20.6	13.0	5.4
24		1912	1,678.4	5.5	.....	2.2	14.4	11.1	3.3	20.0	3.3	4.4	148.5	13.3	3.3	14.4
25	White	1913	1,410.9	7.0	0.3	.....	14.0	11.1	7.5	26.1	5.4	5.7	163.1	15.1	7.9	7.2
26		1912	1,424.5	9.6	0.5	0.1	13.9	12.5	5.2	22.3	3.9	6.4	165.6	15.4	7.8	6.1
27	Bronx Borough	1913	1,382.1	6.2	0.6	.....	14.0	9.4	8.8	28.6	6.6	5.0	176.4	14.0	6.4	6.4
28		1912	1,314.9	5.4	.....	.....	9.0	12.6	2.9	19.3	4.4	5.0	163.1	14.4	8.4	5.4
29	Brooklyn Borough	1913	1,378.0	6.6	0.2	.....	8.0	11.2	7.0	25.7	6.9	5.8	146.8	14.0	7.7	8.9
30		1912	1,406.4	12.8	0.8	0.1	11.0	12.9	4.7	22.6	4.9	5.4	149.8	12.4	8.1	7.3
31	Manhattan Borough	1913	1,436.2	7.4	0.2	.....	18.9	11.0	7.2	26.3	4.0	6.4	177.4	16.4	8.2	5.9
32		1912	1,464.6	7.4	0.3	.....	16.9	13.0	5.9	23.1	3.3	8.1	182.0	18.5	8.0	5.0
33	Queens Borough	1913	1,370.6	7.1	0.9	.....	9.0	13.6	10.2	26.3	5.0	2.2	127.4	12.1	8.7	9.3
34		1912	1,315.8	16.1	1.6	.....	13.9	6.8	6.3	19.4	2.6	1.9	137.9	10.0	5.5	6.5
35	Richmond Borough	1913	1,679.4	7.7	.....	.....	18.7	14.3	8.8	14.3	6.6	2.2	155.3	20.9	12.1	5.5
36		1912	1,670.0	5.6	.....	2.2	14.6	11.2	2.2	20.2	3.4	4.5	145.1	13.5	2.2	14.6
37	Colored	1913	2,286.6	6.6	1.9	.....	7.5	4.7	16.9	25.3	7.5	4.7	502.0	43.2	23.5	6.6
38		1912	2,511.1	10.6	1.0	1.0	15.4	9.6	12.5	24.1	6.7	4.8	545.2	37.6	36.6	10.6
39	Bronx Borough	1913	1,932.7	.....	.....	.....	.....	.....	19.3	19.3	38.7	.....	521.8	38.7	.....	19.3
40		1912	1,812.6	.....	.....	.....	.....	20.4	20.4	40.7	.....	.....	427.7	81.5	40.7	.....
41	Brooklyn Borough	1913	2,188.8	15.1	7.6	.....	3.8	7.6	22.7	30.3	11.4	.....	352.2	53.0	34.1	11.4
42		1912	2,494.7	15.6	3.9	3.9	19.5	3.9	15.6	27.3	19.5	3.9	425.5	31.2	42.9	23.4
43	Manhattan Borough	1913	2,359.2	2.9	.....	.....	10.0	4.3	10.0	25.8	4.3	7.2	566.2	43.0	20.1	4.3
44		1912	2,545.7	8.8	.....	.....	16.1	10.3	10.3	23.4	2.9	5.9	606.4	39.5	30.8	7.3
45	Queens Borough	1913	2,122.2	25.6	.....	.....	.....	.....	51.1	.....	.....	.....	409.1	.....	25.6	.....
46		1912	2,997.9	26.8	.....	.....	.....	26.8	.....	.....	.....	.....	455.0	.....	80.3	.....
47	Richmond Borough	1913	2,277.9	.....	.....	.....	.....	.....	151.9	.....	.....	.....	303.7	.....	75.9	.....
48		1912	2,256.8	.....	.....	.....	.....	.....	77.8	.....	.....	.....	389.1	.....	77.8	.....
49	Newburgh	1913	1,757.6	24.4	.....	.....	3.5	.....	.....	20.9	17.4	.....	222.7	3.5	7.0	3.5
50		1912	1,824.7	42.2	.....	.....	10.5	.....	3.5	3.5	14.1	7.0	186.3	7.0	17.6	7.0
51	Niagara Falls	1913	1,743.5	29.4	.....	.....	52.9	44.1	35.3	32.3	2.9	2.9	79.4	11.8	14.7	11.8
52		1912	1,653.4	66.9	.....	.....	9.1	18.2	6.1	24.3	6.1	3.0	109.4	6.1	24.3	.....
53	North Tonawanda	1913	1,349.7	15.5	.....	.....	23.3	.....	31.0	15.5	.....	.....	93.1	23.3	23.3	7.8
54		1912	1,079.4	15.9	.....	.....	.....	.....	7.9	7.9	.....	7.9	39.7	.....	.....	.....
55	Ogdensburg *	1913	2,546.4	12.2	.....	.....	36.7	.....	.....	6.1	6.1	.....	177.5	.....	12.2	.....
56		1912	2,837.6	37.0	.....	.....	.....	.....	30.8	.....	.....	6.2	240.6	12.3	18.5	.....
57	Olean	1913	1,349.0	25.5	.....	.....	19.1	.....	.....	25.5	6.4	.....	89.1	12.7	.....	.....
58		1912	1,395.0	.....	.....	.....	.....	.....	6.5	.....	6.5	.....	103.8	6.5	6.5	13.0
59	Ossining	1913	1,425.3	39.6	.....	.....	7.9	.....	31.7	7.9	.....	15.8	126.7	15.8	7.9	7.9
60		1912	1,629.9	24.4	.....	.....	.....	8.1	.....	16.3	16.3	8.1	89.6	16.3	8.1	.....
61	Oswego	1913	1,667.6	16.8	.....	.....	8.4	.....	12.6	16.8	8.4	8.4	46.3	4.2	8.4	.....
62		1912	1,620.9	16.9	.....	.....	4.2	.....	12.7	4.2	4.2	8.5	122.7	4.2	4.2	4.2
63	Peekskill	1913	1,384.3	5.9	.....	.....	5.9	.....	5.9	.....	11.9	.....	71.3	11.9	11.9	5.9
64		1912	1,163.0	.....	.....	.....	18.4	.....	.....	12.2	.....	12.2	42.8	12.2	12.2	18.4
65	Plattsburg	1913	1,772.8	41.6	.....	.....	.....	.....	.....	.....	8.3	.....	149.8	8.3	8.3	.....
66		1912	1,533.1	25.6	.....	.....	.....	.....	34.1	25.6	8.5	.....	102.2	.....	8.5	.....
67	Port Chester	1913	1,347.0	6.9	.....	.....	27.5	.....	13.7	6.9	34.4	.....	116.8	27.5	.....	6.9
68		1912	1,392.1	7.1	7.1	.....	.....	21.4	.....	28.6	7.1	7.1	42.8	7.1	.....	.....
69	Poughkeepsie	1913	1,677.9	10.3	.....	.....	.....	6.8	10.3	10.3	13.7	10.3	75.3	10.3	13.7	3.4
70		1912	1,697.4	13.9	.....	.....	3.5	6.9	3.5	6.9	3.5	6.9	79.8	6.9	10.4	3.5
71	Rensselaer	1913	1,214.4	.....	.....	.....	.....	.....	36.5	54.8	18.3	.....	118.7	.....	9.1	.....
72		1912	1,397.4	9.2	.....	.....	18.4	.....	9.2	55.2	.....	.....	156.3	.....	18.4	.....
73	Rochester	1913	1,461.2	8.9	.....	.....	3.4	8.9	11.9	17.4	3.4	5.5	97.5	9.7	11.4	6.4
74		1912	1,462.6	11.7	.....	.....	11.3	12.2	4.8	27.3	4.8	5.6	95.5	9.1	7.8	7.4
75	Rome	1913	1,966.4	22.6	.....	.....	.....	31.6	.....	.....	22.6	.....	297.7	9.0	18.0	31.6
76		1912	2,254.0	23.1	.....	.....	.....	.....	18.5	4.6	18.5	4.6	295.6	23.1	23.1	4.6
77	Saratoga Springs	1913	2,597.0	39.1	.....	.....	.....	.....	.....	.....	7.8	.....	195.6	23.5	.....	39.1
78		1912	2,140.3	15.7	.....	.....	.....	.....	.....	.....	23.5	.....	149.0	39.2	7.8	7.8

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
16.7	5.6	.....	22.3	94.7	61.3	256.3	16.7	568.2	11.1	5.6	.....	16.7	.....	.....	295.2	222.8	.....	334.2	.....	1
17.8	.....	17.8	.....	41.4	71.0	449.9	11.8	651.2	.....	.....	.....	41.4	.....	5.9	313.8	124.3	5.9	367.1	5.9	2
108.6	23.3	.....	93.1	131.9	15.5	209.5	15.5	194.0	23.3	38.8	7.8	155.2	.....	15.5	163.0	217.3	7.8	217.3	31.0	3
86.6	15.8	7.9	78.8	118.2	23.6	165.4	15.8	118.2	31.5	7.9	7.9	110.3	7.9	.....	149.7	157.5	7.9	259.9	.....	4
77.2	10.3	5.1	82.3	231.5	30.9	144.1	.....	66.9	10.3	15.4	15.4	56.6	5.1	.....	138.9	108.0	20.6	344.7	.....	5
88.1	10.4	20.7	93.3	207.4	51.8	124.4	20.7	36.3	5.2	15.6	41.5	93.3	5.2	10.4	51.8	119.3	15.6	290.4	10.4	6
96.3	25.7	6.4	134.9	289.0	38.5	218.4	25.7	12.8	.....	51.4	19.3	199.1	.....	.....	96.3	122.0	12.8	436.7	.....	7
116.2	25.8	6.5	109.7	284.1	45.2	348.6	12.9	58.1	19.4	12.9	58.1	226.0	.....	.....	116.2	135.6	25.8	451.9	.....	8
76.3	14.7	8.8	91.0	129.2	14.7	155.6	23.5	52.8	11.7	17.6	8.8	138.0	8.8	20.5	93.9	76.3	44.0	182.0	.....	9
87.7	15.1	12.1	51.4	102.8	21.2	166.2	24.2	57.4	3.0	12.1	3.0	172.3	.....	3.0	72.5	39.3	24.2	181.4	.....	10
59.8	9.0	3.0	65.7	35.9	.....	122.5	.....	44.8	12.0	9.0	14.9	83.7	12.0	9.0	59.8	89.7	20.9	161.4	.....	11
56.2	12.5	15.6	34.3	81.2	9.4	184.2	21.9	53.1	15.6	15.6	6.2	81.2	.....	9.4	59.3	96.8	21.9	227.9	.....	12
81.7	19.4	7.6	51.8	144.5	18.3	194.3	10.7	73.5	12.0	10.9	17.0	138.1	6.5	7.6	84.2	77.9	16.5	177.0	1.0	13
80.4	18.3	8.4	55.4	143.2	19.2	194.7	10.7	82.4	12.4	11.2	17.3	140.3	6.9	7.9	87.0	76.4	16.3	179.0	1.2	14
89.4	19.8	7.7	50.2	143.7	12.3	169.6	11.9	56.9	10.1	15.6	16.0	140.6	7.9	10.1	77.5	76.7	19.2	166.4	0.2	15
78.3	19.7	10.6	54.3	142.0	9.5	162.1	10.2	63.8	11.2	12.2	14.1	123.9	9.3	9.5	89.5	69.6	18.2	156.9	1.0	16
77.1	18.2	6.4	55.6	159.5	22.3	195.9	11.0	74.2	12.8	10.9	18.4	138.9	6.5	7.8	70.5	67.5	12.7	170.0	0.6	17
77.1	17.4	5.5	57.6	162.0	25.8	196.2	11.5	90.5	11.8	9.9	17.9	137.9	6.5	9.0	64.7	67.5	13.7	181.3	0.3	18
84.0	19.9	8.5	45.2	132.7	16.8	201.6	10.7	74.2	11.5	10.0	15.3	135.8	5.7	6.7	94.5	84.8	18.7	183.7	1.1	19
82.7	18.7	9.9	50.4	129.5	16.7	203.9	10.4	77.4	12.5	11.6	16.5	144.1	6.8	6.5	104.5	85.2	18.1	183.1	1.8	20
73.5	21.1	6.4	71.3	150.0	18.1	169.0	9.5	85.1	14.4	9.5	23.0	124.3	10.7	9.8	89.7	74.4	15.0	167.2	2.4	21
74.0	17.9	7.3	76.6	136.3	19.1	162.4	8.6	97.3	16.3	13.1	23.6	121.3	7.0	8.3	69.3	66.1	15.6	160.8	1.6	22
98.8	20.6	7.6	96.6	159.6	13.0	193.2	3.3	89.0	9.8	13.0	22.8	220.4	6.5	6.5	93.4	114.0	20.6	225.8	3.3	23
116.4	17 7	14.4	79.8	180.7	8.9	202.9	12.2	107.5	14.4	12.2	21.1	237.2	4.4	11.1	90.9	85.4	6.7	205.1	5.5	24
82.0	19.6	7.5	51.7	142.9	18.0	190.7	10.8	73.0	11.9	10.8	17.2	136.7	6.3	7.5	83.6	77.5	16.6	175.2	0.9	25
80.5	18.3	8.4	55.4	141.6	19.0	190.5	10.6	81.8	12.3	11.2	17.4	138.5	6.7	7.8	85.5	75.8	16.4	176.4	1.1	26
89.9	20.0	7.8	50.1	142.8	12.4	169.6	12.0	57.1	10.2	15.6	16.2	140.2	8.0	10.0	77.5	75.9	19.4	165.2	0.2	27
78.9	19.9	10.7	54.6	142.0	9.6	160.6	10.3	63.7	11.1	12.4	14.0	124.0	9.2	9.6	89.0	69.5	18.4	156.4	1.0	28
77.3	18.5	6.3	55.6	158.1	22.0	193.1	11.0	73.5	12.6	10.8	18.4	138.8	6.4	7.7	70.2	67.3	12.8	168.4	0.5	29
77.2	17.5	5.5	57.8	160.2	25.6	193.8	11.4	89.3	11.5	10.0	17.8	136.7	6.4	9.0	63.5	67.2	13.8	179.4	0.3	30
84.2	20.1	8.4	44.9	130.3	16.6	196.2	10.8	73.8	11.5	9.8	15.5	133.4	5.4	6.7	93.7	84.3	18.9	181.7	1.0	31
82.8	18.7	9.9	50.3	127.4	16.5	197.9	10.3	77.1	12.5	11.6	16.7	141.6	6.5	6.3	103.0	84.3	18.3	179.7	1.6	32
72.8	21.1	6.5	71.9	150.6	18.0	168.9	9.6	84.6	14.6	9.6	23.2	121.5	10.2	9.3	89.6	74.7	15.2	164.5	2.5	33
73.0	17.8	7.4	75.9	136.3	19.1	157.9	8.4	96.2	16.1	13.2	23.6	118.9	7.1	8.4	67.5	65.2	15.8	157.6	1.3	34
100.2	20.9	7.7	96.9	158.6	11.0	191.6	3.3	89.2	9.9	13.2	23.1	221.3	6.6	6.6	88.1	115.6	20.9	224.7	3.3	35
118.1	18.0	14.6	81.0	178.8	9.0	204.7	11.2	108.0	13.5	12.4	21.4	237.3	4.5	11.2	86.6	84.3	6.7	204.7	4.5	36
71.3	11.3	13.1	56.3	222.4	30.0	366.9	5.6	95.7	15.0	16.9	10.3	204.5	14.1	10.3	115.4	95.7	9.4	266.5	5.6	37
78.0	15.4	7.7	53.0	218.7	27.0	394.9	13.5	111.7	19.3	7.7	12.5	224.4	15.4	11.6	158.0	107.9	8.7	304.4	5.8	38
38.7	.....	.....	53.0	231.9	.....	173.9	.....	38.7	.....	19.3	.....	173.9	.....	19.3	77.3	154.6	.....	289.9	.....	39
20.4	.....	.....	20.4	142.6	.....	305.5	.....	81.5	20.4	.....	20.4	122.2	20.4	.....	142.6	81.5	.....	203.7	.....	40
60.6	.....	18.9	56.8	253.7	41.7	378.7	11.4	125.0	26.5	15.1	15.1	147.7	11.4	15.1	90.9	79.5	3.8	280.2	7.6	41
74.2	11.7	3.9	42.9	285.0	42.9	355.3	15.6	171.8	35.1	7.8	23.4	218.6	15.6	7.8	144.5	85.9	3.9	312.3	.....	42
76.0	15.8	12.9	57.3	216.4	25.8	388.4	4.3	87.4	12.9	18.6	10.0	220.7	14.3	5.7	121.8	101.8	12.9	252.3	5.7	43
80.6	17.6	10.3	55.7	202.1	23.4	414.5	11.7	87.9	11.7	8.8	7.3	228.5	16.1	14.6	156.7	115.7	11.7	303.2	5.9	44
127.8	25.6	.....	25.6	102.3	25.6	179.0	.....	127.8	.....	.....	.....	358.0	51.1	51.1	102.3	51.1	.....	383.5	.....	45
160.6	26.8	.....	133.8	133.8	26.8	535.3	26.8	187.4	26.8	.....	26.8	321.2	.....	.....	214.1	133.8	.....	428.3	26.8	46
.....	.....	.....	75.9	227.8	151.9	303.7	.....	75.9	.....	.....	.....	151.9	.....	.....	455.6	.....	.....	303.7	.....	47
.....	.....	.....	.....	311.3	.....	77.8	77.8	77.8	77.8	.....	.....	233.5	.....	.....	389.1	155.6	.....	233.5	77.8	48
69.6	20.9	13.9	135.7	187.9	17.4	163.6	10.4	73.1	10.4	27.8	10.4	250.6	.....	10.4	121.8	80.0	10.4	236.7	3.5	49
98.4	7.0	28.1	130.1	221.5	14.1	154.7	10.5	94.9	28.1	28.1	7.0	260.2	.....	14.1	49.2	94.9	3.5	274.2	7.0	50
70.6	11.8	8.8	38.2	144.1	5.9	249.9	14.7	126.4	11.8	2.9	17.6	70.6	5.9	2.9	194.0	138.2	23.5	288.1	.....	51
45.6	6.1	9.1	54.7	133.7	12.2	200.6	9.1	167.2	9.1	9.1	21.3	94.2	15.2	3.0	112.5	164.1	36.5	267.5	9.1	52
77.6	15.5	15.5	15.5	85.3	.....	201.7	15.5	186.2	7.8	.....	23.3	38.8	15.5	.....	147.4	54.3	31.0	178.4	7.8	53
39.7	.....	15.9	47.6	103.2	23.8	111.1	15.9	111.1	.....	7.9	.....	71.4	.....	.....	142.9	87.3	15.9	206.3	.....	54
134.7	12.2	12.2	110.2	275.4	30.6	422.4	6.1	91.8	61.2	24.5	.....	202.0	12.2	18.4	146.9	153.0	12.2	569.3	.....	55
154.2	6.2	24.7	104.9	203.6	12.3	475.0	49.3	92.5	55.5	18.5	6.2	203.6	6.2	30.8	98.7	185.1	18.5	734.1	12.3	56
57.3	19.1	6.4	76.4	95.5	12.7	127.3	6.4	38.2	12.7	31.8	25.5	114.5	6.4	6.4	152.7	89.1	19.1	273.6	.....	57
71.4	.....	19.5	175.2	123.3	13.0	123.3	19.5	45.4	32.4	26.0	13.0	45.4	6.5	6.5	155.7	116.8	32.4	227.1	.....	58
87.1	31.7	15.8	102.9	95.0	7.9	134.6	.....	71.3	7.9	15.8	7.9	150.4	15.8	.....	63.3	174.2	23.8	158.4	.....	59
81.5	24.4	32.6	73.3	146.7	.....	203.7	8.1	65.2	8.1	8.1	.....	252.6	8.1	.....	89.6	252.6	8.1	171.1	8.1	60
75.8	16.8	12.6	151.6	256.9	21.1	147.4	8.4	71.6	8.4	29.5	12.6	181.1	8.4	12.6	139.0	105.3	8.4	269.5	.....	61
88.9	25.4	8.5	143.9	296.2	29.6	101.6	8.5	93.1	8.5	21.2	16.9	118.5	8.5	4.2	110.0	93.1	8.5	249.7	.....	62
83.2	11.9	11.9	118.8	148.5	29.7	112.9	.....	89.1	23.8	11.9	11.9	71.3	11.9	17.8	65.4	166.3	.....	267.3	.....	63
36.7	.....	6.1	49.0	104.1	24.5	177.5	6.1	91.8	6.1	18.4	6.1	140.8	18.4	.....	97.9	79.6	6.1	165.3	.....	64
124.8	16.6	16.6	74.9	133.1	58.3	199.8	8.3	66.6	8.3	41.6	25.0	91.6	8.3	16.6	149.8	91.6	.....	374.5	.....	65
85.2	17.0	8.5	136.3	161.8	42.6	127.8	17.0	68.1	.....	42.6	17.0	76.7	8.5	8.5	110.7	102.2	.....	289.6	8.5	66
55.0	6.9	20.6	61.9	61.9	48.1	158.1	20.6	116.8	13.7	13.7	13.7	96.2	6.9	13.7	82.5	103.1	.....	213.0	.....	67
50.0	35.7	7.1	42.8	42.8	57.1	185.6	7.1	228.4	7.1	42.8	14.3	107.1	.....	21.4	114.2	57.1	28.6	214.2	.....	68
147.2	24.0	6.8	123.3	195.2	37.7	143.8	13.7	109.6	17.1	30.8	10.3	119.9	17.1	10.3	85.6	82.2	13.7	325.3	.....	69
128.4	13.9	6.9	111.1	204.8	45.1	180.5	13.9	62.5	38.2	17.4	17.4	131.9	6.9	6.9	111.1	93.7	10.4	350.6	.....	70
91.3	9.1	.....	91.3	137.0	18.3	164.4	9.1	9.1	9.1	.....	18.3	54.8	.....	.....	27.4	82.2	.....	255.7	.....	71
82.7	27.6	.....	82.7	202.3	18.4	165.5	.....	46.0	.....	.....	9.2	101.1	.....	.....	55.2	91.9	.....	239.0	9.2	72
95.4	22.0	5.5	86.0	159.8	23.7	155.1	12.3	80.9	16.1	15.3	28.0	139.8	7.6	7.6	83.5	76.7	19.1	242.4	.....	73
95.0	22.6	11.7	91.6	145.4	24.3	148.9	7.4	89.8	13.0	14.3	27.3	134.1	5.2	7.4	75.1	81.2	13.9	256.5	0.4	74
90.2	18.0	.....	90.2	180.4	27.1	139.8	13.5	94.7	27.1	13.5	4.5	207.5	4.5	13.5	54.1	121.8	9.0	424.0	.....	75
69.3	32.3	13.9	92.4	240.2	50.8	124.7	9.2	152.4	23.1	4.6	18.5	217.1	4.6	4.6	97.0	110.9	13.9	558.9	.....	76
164.3	23.5	7.8	234.7	289.4	7.8	195.6	7.8	46.9	31.3	46.9	54.8	508.4	.....	15.6	70.4	148.6	.....	438.0	.....	77
133.3	23.5	7.8	188.2	172.5	15.7	235.2	23.5	39.2	47.0	31.4	7.8	337.1	.....	15.7	62.7	125.4	.....	431.2	.....	78

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per death correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	NEW YORK—continued.															
1	Schenectady	1913	1,221.3	5.8	1.2	.....	5.8	91.5	4.6	12.7	2.3	5.8	81.1	8.1	5.8	5.8
2		1912	1,238.7	3.7	.....	.....	12.2	.....	8.5	6.1	4.9	3.7	112.1	4.9	4.9	3.7
3	Syracuse	1913	1,566.1	13.0	.....	.....	15.7	13.0	4.8	14.3	4.8	6.1	100.4	11.6	8.9	7.5
4		1912	1,517.4	16.7	0.7	.....	4.2	7.0	11.1	17.4	4.9	2.8	89.8	9.1	9.1	6.3
5	Troy	1913	1,809.2	15.5	.....	.....	10.3	.....	.....	24.6	10.3	.....	214.5	16.8	11.6	5.2
6		1912	1,968.8	19.4	1.3	.....	18.1	2.6	3.9	23.3	11.7	9.1	208.5	1.3	11.7	22.0
7	Utica*	1913	1,941.5	11.2	1.2	.....	13.7	1.2	5.0	22.4	7.5	12.5	115.9	13.7	19.9	16.2
8		1912	1,916.4	6.4	.....	.....	12.8	2.6	11.5	14.0	2.6	7.7	125.0	20.4	24.2	10.2
9	Watertown	1913	1,657.0	10.6	.....	.....	21.2	.....	38.8	3.5	.....	7.1	112.8	10.6	10.6	7.1
10		1912	1,651.5	10.8	.....	.....	.....	3.6	7.2	.....	3.6	7.2	64.6	.....	21.[illegible]	18.0
11	Watervliet	1913	1,462.3	71.8	.....	.....	19.6	13.1	.....	13.1	13.1	13.1	156.7	.....	.....	6.5
12		1912	1,764.9	32.8	.....	.....	6.6	6.6	.....	13.1	6.6	6.6	137.8	13.1	13.1	.....
13	White Plains	1913	1,583.7	10.8	.....	.....	16.2	.....	.....	5.4	16.2	.....	107.7	21.5	16.2	5.4
14		1912	1,453.6	11.3	.....	.....	.....	.....	11.3	11.3	.....	5.6	90.1	5.6	11.3	11.3
15	Yonkers	1913	1,416.4	12.2	2.2	.....	16.6	4.4	13.3	37.7	2.2	2.2	145.3	17.7	13.3	5.5
16		1912	1,248.1	9.2	1.2	.....	2.3	5.8	2.3	33.4	5.8	.....	110.4	16.1	12.7	5.8
	NORTH CAROLINA.															
17	Registration cities (total)	1913	1,936.3	65.4	12.3	3.5	27.4	2.3	26.8	14.6	23.3	2.3	232.3	11.1	19.8	7.0
18		1912	1,952.0	39.8	22.4	0.6	10.0	0.6	13.1	13.7	28.0	3.1	239.6	4.4	29.9	9.3
19	White	1913	1,555.7	52.5	5.6	3.7	33.7	2.8	18.7	12.2	15.9	2.8	185.6	11.2	13.1	2.8
20		1912	1,610.3	31.3	14.1	.....	11.1	1.0	10.1	15.1	18.2	3.0	180.7	6.1	22.2	9.1
21	Colored	1913	2,564.5	86.6	23.2	3.1	17.0	1.5	40.2	18.6	35.6	1.5	309.3	10.8	30.9	13.9
22		1912	2,500.8	53.5	35.7	1.6	8.1	.....	17.8	11.4	43.8	3.2	334.1	1.6	42.2	9.7
23	Asheville (total)	1913	2,108.4	30.3	5.0	.....	.....	.....	30.3	30.3	65.6	5.0	554.9	25.2	25.2	5.0
24		1912	2,118.6	15.4	.....	.....	56.4	.....	30.8	20.5	35.9	.....	564.3	20.5	46.2	.....
25	White	1913	1,998.6	35.3	.....	.....	.....	.....	14.1	14.1	56.5	7.1	635.6	14.1	14.1	.....
26		1912	2,018.1	7.2	.....	.....	64.6	.....	21.5	21.5	21.5	.....	667.9	28.7	43.1	.....
27	Colored	1913	2,383.1	17.7	17.7	.....	.....	.....	70.6	70.6	88.3	.....	353.0	53.0	53.0	17.7
28		1912	2,369.8	35.9	.....	.....	35.9	.....	53.9	18.0	71.8	.....	305.2	.....	53.9	.....
29	Charlotte (total)	1913	1,604.8	62.1	21.6	.....	27.0	2.7	24.3	8.1	32.4	.....	148.6	21.6	13.5	2.7
30		1912	1,452.4	33.3	19.4	.....	2.8	.....	11.1	22.2	41.6	.....	83.2	2.8	13.9	5.5
31	White	1913	1,387.1	53.7	8.3	.....	41.3	4.1	28.9	4.1	16.5	.....	90.8	33.0	12.4	4.1
32		1912	1,329.9	38.1	8.5	.....	4.2	.....	12.7	29.6	21.2	.....	63.5	4.2	12.7	8.5
33	Colored	1913	2,016.9	78.2	46.9	.....	.....	.....	15.6	15.6	62.5	.....	258.0	.....	15.6	.....
34		1912	1,684.2	24.1	40.1	.....	.....	.....	8.0	8.0	80.2	.....	120.3	.....	16.0	.....
35	Durham (total)	1913	1,406.0	45.9	13.8	.....	73.5	.....	9.2	9.2	9.2	.....	170.0	.....	18.4	.....
36		1912	1,451.7	48.4	19.4	.....	.....	.....	9.7	19.4	24.2	.....	217.7	.....	29.0	14.5
37	White	1913	1,002.4	22.1	.....	.....	81.1	.....	.....	7.4	7.4	.....	117.9	.....	14.7	.....
38		1912	1,071.1	31.0	15.5	.....	.....	.....	15.5	23.3	23.3	.....	93.1	.....	38.8	15.5
39	Colored	1913	2,074.2	85.4	36.6	.....	61.0	.....	24.4	12.2	12.2	.....	255.2	.....	24.4	.....
40		1912	2,081.7	77.1	25.7	.....	.....	.....	.....	12.9	25.7	.....	424.1	.....	12.9	12.9
41	Greensboro (total)	1913	1,747.4	56.2	5.6	.....	33.7	5.6	33.7	11.2	22.5	.....	140.5	11.2	22.5	.....
42		1912	1,708.8	23.2	5.8	.....	.....	.....	11.6	.....	23.2	5.8	220.9	.....	29.1	23.2
43	White	1913	1,508.4	61.4	8.8	.....	26.3	.....	17.5	8.8	8.8	.....	78.9	17.5	17.5	.....
44		1912	1,279.1	9.1	.....	.....	.....	.....	.....	.....	27.2	9.1	117.9	.....	18.1	18.1
45	Colored	1913	2,173.6	46.9	.....	.....	46.9	15.6	62.5	15.6	46.9	.....	250.2	.....	31.3	.....
46		1912	2,474.9	48.5	16.2	.....	.....	.....	32.4	.....	16.2	.....	404.4	.....	48.5	32.4
47	Raleigh[2] (total)	1913	2,494.2	66.0	25.4	.....	35.6	5.1	20.3	20.3	10.2	.....	193.0	.....	10.2	15.2
48		1912	3,121.6	30.7	46.1	.....	10.2	.....	15.4	5.1	25.6	10.2	271.2	.....	30.7	15.4
49	White	1913	2,200.4	57.7	24.7	.....	33.0	8.2	33.0	24.7	8.2	.....	148.3	.....	.....	16.5
50		1912	2,980.5	16.6	33.2	.....	8.3	.....	.....	.....	16.6	16.6	191.0	.....	16.6	8.3
51	Colored	1913	2,966.1	79.4	26.5	.....	39.7	.....	.....	13.2	13.2	.....	264.8	.....	26.5	13.2
52		1912	3,348.5	53.4	66.7	.....	13.3	.....	40.0	13.3	40.0	.....	400.2	.....	53.4	26.7
53	Wilmington (total)	1913	2,252.9	80.6	11.0	.....	3.7	.....	22.0	7.3	22.0	.....	197.8	7.3	36.6	11.0
54		1912	2,371.8	63.4	55.9	3.7	.....	.....	3.7	3.7	22.4	7.5	238.7	.....	33.6	.....
55	White	1913	1,668.2	76.1	.....	.....	6.9	.....	20.8	13.8	13.8	.....	138.4	.....	27.7	.....
56		1912	1,662.9	49.3	42.3	.....	.....	.....	7.0	7.0	7.0	.....	84.6	.....	21.1	.....
57	Colored	1913	2,910.3	85.6	23.3	.....	.....	.....	23.3	.....	31.1	.....	264.6	15.6	46.7	23.3
58		1912	3,168.8	79.2	71.3	7.9	.....	.....	.....	.....	39.6	15.8	411.9	.....	47.5	.....
59	Winston-Salem[2] (total)	1913	2,084.1	100.1	.....	21.4	25.0	3.6	46.5	21.4	3.6	10.7	282.4	7.1	14.3	14.3
60		1912	1,721.6	57.4	.....	.....	9.6	4.8	14.3	19.1	14.3	.....	215.2	9.6	38.3	14.3
61	White	1913	1,341.5	59.6	.....	23.8	41.7	6.0	11.9	17.9	.....	11.9	137.1	.....	6.0	.....
62		1912	1,108.0	61.6	.....	.....	.....	8.8	8.8	8.8	8.8	.....	96.7	8.8	8.8	17.6
63	Colored	1913	3,195.9	160.7	.....	17.9	.....	.....	98.2	26.8	8.9	8.9	499.9	17.9	26.8	35.7
64		1912	2,453.1	52.4	.....	.....	21.0	.....	21.0	31.4	21.0	.....	356.4	10.5	73.4	10.5
	OHIO.															
65	Registration cities (total)	1913	1,514.7	22.9	0.6	0.1	17.0	9.3	12.6	26.0	9.3	4.5	134.0	9.3	12.6	7.4
66		1912	1,453.4	19.7	0.4	(3)	9.3	11.0	8.8	26.5	8.5	3.6	139.1	9.3	12.6	7.2
67	White	1913	1,480.9	22.1	0.4	(3)	17.3	9.6	12.4	26.4	9.1	4.5	122.4	9.1	12.2	7.4
68		1912	1,422.1	19.1	0.3	(3)	9.3	11.2	8.5	26.6	8.3	3.4	127.1	9.0	11.9	7.3
69	Colored	1913	2,566.0	47.8	5.5	2.7	8.2	1.4	19.1	12.3	15.0	4.1	494.6	15.0	24.6	9.6
70		1912	2,424.1	39.3	2.8	.....	9.8	4.2	16.9	21.1	12.6	7.0	511.2	18.3	35.1	4.2
71	Akron	1913	1,494.4	20.6	.....	.....	5.2	10.3	25.8	34.8	2.6	5.2	91.5	5.2	3.9	7.7
72		1912	1,472.8	26.7	1.3	.....	9.3	26.7	12.0	50.7	12.0	.....	98.7	6.7	8.0	5.3
73	Alliance	1913	1,269.2	.....	.....	.....	46.8	.....	29.2	5.8	17.5	5.8	93.6	11.7	11.7	.....
74		1912	1,286.7	18.2	.....	.....	.....	6.1	.....	.....	30.3	6.1	60.7	.....	.....	24.3
75	Ashtabula	1913	1,241.9	25.0	.....	.....	20.0	5.0	40.1	15.0	15.0	5.0	65.1	15.0	15.0	10.0
76		1912	1,214.0	20.6	.....	.....	5.1	.....	.....	15.4	5.1	.....	97.7	.....	.....	20.6

[1] Exclusive of stillbirths.

[2] Salem consolidated with Winston, May 13, 1913.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
62.6	11.6	4.6	79.9	83.4	12.7	110.1	5.8	90.4	25.5	15.1	9.3	78.8	5.8	4.6	105.4	71.8	13.9	199.3	.....	1
69.4	19.5	7.3	81.6	85.3	14.6	163.2	7.3	104.7	9.7	12.2	8.5	90.1	8.5	9.7	101.1	48.7	19.5	210.7	2.4	2
96.9	15.7	4.8	88.7	185.0	19.1	185.0	10.9	79.9	14.3	23.2	19.1	105.1	6.8	5.5	129.0	86.7	19.8	269.7	0.7	3
98.9	20.2	19.5	82.2	141.4	33.4	141.4	13.2	80.8	11.8	18.1	17.4	128.1	5.6	9.7	108.6	91.2	16.0	297.3	3.5	4
109.8	29.7	14.2	135.7	222.3	18.1	190.0	14.2	72.4	18.1	20.7	23.3	169.3	7.8	5.2	80.1	76.2	7.8	285.6	.....	5
104.9	27.2	13.0	114.0	229.3	23.3	264.2	29.8	60.9	22.0	16.8	28.5	189.1	7.8	5.2	98.4	76.4	15.5	305.7	3.9	6
88.5	24.9	7.5	94.7	244.2	29.9	198.1	15.0	152.0	26.2	16.2	22.4	137.1	10.0	16.2	135.8	88.5	13.7	380.1	.....	7
102.0	17.9	23.0	79.1	214.2	48.5	247.4	24.2	139.0	16.6	25.5	20.4	130.1	6.4	10.2	112.2	90.5	8.9	362.1	1.3	8
126.9	35.3	7.1	144.5	190.4	10.6	141.0	24.7	59.9	28.2	10.6	10.6	74.0	7.1	3.5	144.5	91.7	10.6	313.8	.....	9
111.3	21.5	18.0	118.5	222.6	32.3	193.9	28.7	32.3	28.7	14.4	.....	111.3	.....	10.8	114.9	104.1	10.8	341.1	.....	10
71.8	13.1	6.5	71.8	202.4	13.1	195.8	32.6	26.1	.....	6.5	26.1	58.8	6.5	13.1	97.9	78.3	13.1	222.0	.....	11
78.7	.....	19.7	157.5	183.7	52.5	275.6	19.7	91.9	.....	13.1	26.2	111.5	.....	.....	144.3	52.5	.....	301.8	.....	12
64.6	32.3	21.5	75.4	102.3	5.4	231.6	5.4	75.4	16.2	10.8	32.3	134.7	5.4	21.5	97.0	167.0	26.9	258.6	.....	13
22.5	33.8	11.3	112.7	73.2	11.3	163.4	16.9	112.7	16.9	33.8	11.3	157.8	11.3	5.6	112.7	107.0	33.8	242.3	5.6	14
85.4	10.0	8.9	67.7	142.0	13.3	168.6	5.5	156.4	11.1	14.4	16.6	93.2	5.5	10.0	78.8	66.6	15.5	171.9	2.2	15
59.8	11.5	12.7	67.9	131.1	10.4	155.3	8.1	130.0	10.4	6.9	5.8	92.0	8.1	12.7	82.8	72.5	9.2	155.3	1.2	16
52.5	5.8	36.2	84.0	154.1	14.0	145.3	18.1	112.0	21.0	12.3	10.5	130.7	4.1	28.0	102.7	108.5	8.8	378.7	60.7	17
54.1	8.1	24.3	101.4	166.1	20.5	158.7	16.2	130.7	22.4	15.6	9.3	107.0	13.7	17.4	107.6	125.1	10.6	382.7	46.0	18
52.5	9.4	17.8	83.4	110.6	10.3	81.5	18.7	88.1	26.2	8.4	12.2	123.7	2.8	19.7	109.6	74.0	12.2	313.0	20.6	19
60.6	10.1	23.2	87.8	113.1	14.1	93.9	12.1	104.0	24.2	12.1	11.1	96.9	7.1	15.1	113.1	98.9	16.2	350.3	24.2	20
52.6	.....	66.5	85.1	225.8	20.1	250.6	17.0	151.6	12.4	18.6	7.7	142.3	6.2	41.8	91.3	165.5	3.1	487.2	126.8	21
43.8	4.9	25.9	123.3	251.4	30.8	262.7	22.7	173.5	19.5	21.1	6.5	123.3	24.3	21.1	98.9	167.0	1.6	434.6	81.1	22
65.6	5.0	25.2	111.0	136.2	25.2	141.2	30.3	50.4	35.3	.....	10.1	116.0	10.1	10.1	70.6	136.2	20.2	307.7	25.2	23
41.0	10.3	20.5	97.5	112.9	41.0	148.8	20.5	87.2	35.9	10.3	5.1	92.3	15.4	10.3	76.9	133.4	20.5	292.4	56.4	24
91.8	7.1	21.2	98.9	134.2	.....	127.1	35.3	49.4	49.4	.....	14.1	98.9	7.1	7.1	63.6	127.1	28.2	233.1	14.1	25
35.9	14.4	28.7	93.4	107.7	.....	71.8	14.4	93.4	28.7	14.4	7.2	71.8	7.2	.....	79.0	136.5	28.7	280.1	28.7	26
.....	.....	35.3	141.2	141.2	88.3	176.5	17.7	53.0	.....	.....	.....	158.9	17.7	17.7	88.3	158.9	.....	494.3	53.0	27
53.9	.....	.....	107.7	125.7	143.6	341.1	35.9	71.8	53.9	.....	.....	143.6	35.9	35.9	71.8	125.7	.....	323.2	125.7	28
45.9	2.7	18.9	40.5	97.3	13.5	124.3	18.9	81.0	13.5	8.1	8.1	100.0	.....	21.6	105.4	116.2	2.7	348.5	72.9	29
55.4	.....	19.4	69.3	144.1	19.4	119.2	16.6	72.1	13.9	13.9	5.5	102.6	5.5	8.3	110.9	102.6	11.1	263.3	63.7	30
37.2	4.1	12.4	49.5	53.7	8.3	74.3	16.5	103.2	16.5	8.3	8.3	123.8	.....	28.9	140.4	82.6	4.1	297.2	20.6	31
72.0	.....	25.4	67.8	114.4	8.5	84.7	12.7	84.7	12.7	12.7	8.5	93.2	4.2	8.5	127.1	80.5	12.7	249.9	46.6	32
62.5	.....	31.3	23.5	179.8	23.5	218.9	23.5	39.1	7.8	7.8	7.8	54.7	.....	7.8	39.1	179.8	.....	445.6	172.0	33
24.1	.....	8.0	72.2	200.5	40.1	184.5	24.1	48.1	16.0	16.0	.....	120.3	8.0	8.0	80.2	144.4	8.0	288.7	96.2	34
18.4	9.2	64.3	64.3	82.7	13.8	101.1	23.0	36.8	9.2	18.4	13.8	82.7	4.6	36.8	45.9	78.1	4.6	230.3	68.9	35
33.9	9.7	9.7	67.7	58.1	19.4	174.2	.....	77.4	9.7	14.5	.....	82.3	9.7	33.9	58.1	82.3	.....	309.7	19.4	36
22.1	14.7	29.5	73.7	95.8	14.7	59.0	14.7	14.7	.....	7.4	14.7	95.8	.....	22.1	51.6	51.6	7.4	117.9	44.2	37
38.8	15.5	.....	62.1	23.3	23.3	124.2	.....	62.1	7.8	7.8	.....	54.3	7.8	31.0	54.3	54.3	.....	232.8	15.5	38
12.2	.....	122.0	48.8	61.0	12.2	170.8	36.6	73.2	24.4	36.6	12.2	61.0	12.2	61.0	36.6	122.0	.....	549.0	109.8	39
25.7	.....	25.7	77.1	115.7	12.9	257.0	.....	102.8	12.9	25.7	.....	128.5	12.9	38.6	64.3	128.5	.....	436.9	25.7	40
84.3	5.6	28.1	50.6	174.2	.....	89.9	22.5	112.4	16.9	28.1	16.9	123.6	.....	28.1	101.1	112.4	16.9	376.4	16.9	41
69.7	17.4	11.6	58.1	133.7	11.6	116.2	.....	139.5	29.1	23.2	5.8	104.6	5.8	5.8	174.4	93.0	5.8	325.5	34.9	42
78.9	8.8	.....	52.6	175.4	.....	96.5	26.3	70.2	26.3	17.5	17.5	105.2	.....	35.1	70.2	96.5	26.3	350.8	8.8	43
63.5	27.2	18.1	18.1	81.6	.....	36.3	.....	63.5	45.4	18.1	9.1	81.6	9.1	9.1	154.2	90.7	9.1	335.7	9.1	44
93.8	.....	78.2	46.9	172.0	.....	78.2	15.6	187.6	.....	46.9	15.6	156.4	.....	15.6	156.4	140.7	.....	422.2	31.3	45
80.9	.....	.....	129.4	226.5	32.4	258.8	.....	275.0	.....	32.4	.....	145.6	.....	.....	210.3	97.1	.....	307.3	80.9	46
76.2	10.2	20.3	167.6	243.8	30.5	157.5	10.2	111.8	25.4	10.2	25.4	177.8	.....	40.6	157.5	121.9	10.2	660.4	35.6	47
102.3	15.4	20.5	214.9	368.5	40.9	163.8	30.7	168.9	35.8	15.4	10.2	168.9	30.7	30.7	107.5	184.2	20.5	880.2	51.2	48
57.7	16.5	16.5	206.0	173.1	41.2	57.7	16.5	74.2	16.5	8.2	24.7	181.3	.....	8.2	140.1	65.9	16.5	717.0	8.2	49
116.2	8.3	24.9	257.4	307.2	49.8	107.9	24.9	141.1	49.8	8.3	8.3	207.6	8.3	41.5	116.2	157.7	33.2	971.4	33.2	50
105.9	.....	26.5	105.9	357.5	13.2	317.8	.....	172.1	39.7	13.2	26.5	172.1	.....	92.7	185.4	211.9	.....	569.4	79.4	51
80.0	26.7	13.3	146.7	466.9	26.7	253.5	40.0	213.4	13.3	26.7	13.3	106.7	66.7	13.3	93.4	226.8	.....	733.7	80.0	52
54.9	7.3	11.0	106.2	245.4	18.3	183.2	11.0	201.5	18.3	14.7	7.3	227.1	3.7	33.0	150.2	76.9	7.3	461.6	14.7	53
37.3	7.5	14.9	145.4	201.4	14.9	208.8	14.9	268.5	26.1	18.6	22.4	130.5	22.4	22.4	130.5	175.3	7.5	451.2	18.6	54
76.1	13.8	13.8	76.1	145.4	13.8	62.3	13.8	138.4	34.6	13.8	13.8	207.7	.....	20.8	180.0	41.5	6.9	290.7	6.9	55
56.4	7.0	14.1	84.6	84.6	21.1	148.0	14.1	176.2	14.1	14.1	35.2	112.7	14.1	21.1	133.9	126.8	14.1	338.2	14.1	56
31.1	.....	7.8	140.1	357.9	23.3	319.0	7.8	272.4	.....	15.6	.....	249.0	7.8	46.7	116.7	116.7	7.8	653.6	23.3	57
15.8	7.9	15.8	213.9	332.7	7.9	277.3	15.8	372.3	39.6	23.8	7.9	150.5	31.7	23.8	126.8	229.7	.....	578.3	23.8	58
39.3	3.6	85.8	78.6	132.3	.....	200.2	14.3	168.0	32.2	10.7	.....	96.5	10.7	28.6	82.2	121.5	7.1	268.1	153.7	59
47.8	4.8	76.5	67.0	153.0	.....	186.5	28.7	105.2	14.3	14.3	14.3	67.0	9.6	14.3	95.6	105.2	9.6	239.1	71.7	60
23.8	6.0	29.8	65.6	65.6	.....	95.4	11.9	137.1	41.7	6.0	.....	65.6	11.9	11.9	95.4	53.7	6.0	262.3	35.8	61
35.2	8.8	52.8	44.0	79.1	.....	79.1	17.6	114.3	26.4	8.8	8.8	61.6	.....	.....	123.1	52.8	17.6	149.5	.....	62
62.5	.....	169.6	98.2	232.1	.....	357.1	17.9	214.2	17.9	17.9	.....	142.8	8.9	53.6	62.5	223.2	8.9	276.7	330.3	63
62.9	.....	104.8	94.3	241.1	.....	314.5	41.9	94.3	.....	21.0	21.0	73.4	21.0	31.4	62.9	167.7	.....	345.9	157.2	64
85.4	17.8	13.7	86.9	147.6	22.0	130.1	10.6	95.5	16.0	13.7	17.5	99.3	9.4	7.1	84.0	129.9	17.3	241.6	3.6	65
83.5	15.3	10.6	83.5	151.3	21.9	126.5	11.1	89.0	13.4	13.0	18.7	103.2	8.0	8.3	77.6	106.1	17.5	235.6	3.1	66
86.0	17.7	13.2	85.8	141.7	22.2	124.2	10.3	96.5	15.9	13.5	17.6	97.5	9.4	7.0	84.4	126.0	17.5	238.1	3.4	67
83.7	15.5	10.4	82.7	147.4	22.2	121.7	10.8	89.0	13.6	12.9	18.7	100.5	7.7	8.4	77.4	103.5	17.7	233.1	3.0	68
67.0	20.5	30.1	120.2	329.3	15.0	312.9	20.5	65.6	20.5	19.1	16.4	155.8	9.6	10.9	72.4	250.0	10.9	349.8	9.6	69
77.2	8.4	16.9	109.5	272.5	15.4	276.7	21.1	91.3	7.0	16.9	16.9	186.8	18.3	4.2	85.7	188.2	11.2	310.4	7.0	70
77.3	15.5	14.2	94.0	118.5	23.2	149.4	12.9	146.9	11.6	11.6	9.0	65.7	14.2	7.7	110.8	140.4	25.8	231.9	1.3	71
78.7	9.3	12.0	56.0	118.7	16.0	140.1	9.3	125.4	13.3	17.3	14.7	88.0	13.3	10.7	108.1	133.4	18.7	226.8	5.3	72
58.5	17.5	5.8	93.6	134.5	5.8	87.7	11.7	58.5	11.7	11.7	11.7	87.7	17.5	11.7	105.3	134.5	5.8	169.6	5.8	73
103.2	.....	6.1	72.8	133.5	6.1	72.3	6.1	30.3	.....	18.2	6.1	91.0	6.1	.....	169.9	188.2	42.5	169.9	18.2	74
100.2	20.0	5.0	80.1	105.2	.....	70.1	.....	85.1	30.0	.....	10.0	35.1	.....	10.0	70.1	155.2	10.0	220.3	5.0	75
56.6	10.3	20.6	46.3	180.0	.....	87.4	10.3	66.9	5.1	15.4	15.4	66.9	.....	15.4	87.4	164.6	10.3	185.2	5.1	76

[3] Less than one-tenth of 1 per 100,000 population.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	OHIO—continued.															
1	Bellaire	1913	1,499.6	36.6	.....	.....	7.3	.....	29.3	29.3	29.3	14.6	80.5	14.6	36.6	21.9
2		1912	1,500.0	74.6	.....	.....	67.2	.....	7.5	37.3	14.9	.....	82.1	.....	7.5	.....
3	Cambridge	1913	1,297.9	48.7	.....	.....	8.1	16.2	32.4	16.2	16.2	.....	32.4	16.2	8.1	8.1
4		1912	1,306.6	16.6	.....	.....	.....	.....	8.3	.....	8.3	8.3	108.2	8.3	.....	16.6
5	Canton	1913	1,159.5	17.9	.....	.....	.....	9.0	17.9	10.8	9.0	5.4	46.7	7.2	10.8	3.6
6		1912	1,233.3	24.1	.....	.....	11.1	3.7	5.6	9.3	5.6	3.7	79.6	5.6	1.9	1.9
7	Chillicothe	1913	1,899.4	46.7	.....	.....	.....	6.7	33.3	6.7	6.7	6.7	166.6	.....	20.0	6.7
8		1912	1,420.9	33.7	.....	.....	33.7	.....	.....	13.5	20.2	.....	168.4	.....	20.2	.....
9	Cincinnati (total)	1913	1,690.3	6.8	0.8	.....	18.1	5.3	11.3	13.1	13.6	5.3	229.4	15.1	9.5	6.3
10		1912	1,664.1	7.7	0.3	.....	8.8	10.6	8.8	15.7	13.2	4.9	224.2	14.2	14.2	4.6
11	White	1913	1,610.3	6.4	0.3	.....	18.6	5.6	10.9	13.8	13.5	4.8	195.3	14.6	9.0	5.6
12		1912	1,588.5	7.4	0.3	.....	8.7	10.9	7.9	16.4	12.8	4.4	190.1	12.8	13.4	4.9
13	Colored	1913	3,089.3	13.9	9.3	.....	9.3	.....	18.6	.....	12.9	13.9	825.7	23.2	18.6	18.6
14		1912	2,985.5	14.3	.....	.....	9.5	4.8	23.8	4.8	19.1	14.3	820.3	38.2	28.6	.....
15	Cleveland	1913	1,415.9	14.1	0.2	.....	16.4	19.4	10.0	36.3	4.0	5.6	114.2	8.2	9.3	9.8
16		1912	1,366.2	6.9	0.2	0.2	5.7	17.4	5.4	27.3	4.9	3.4	115.4	9.7	9.0	9.7
17	Columbus (total)	1913	1,528.0	19.1	.....	.....	4.5	4.5	12.5	10.5	8.5	2.0	137.4	6.5	16.5	6.0
18		1912	1,435.9	19.6	0.5	.....	11.9	3.1	2.1	20.6	6.2	2.6	145.5	7.2	17.5	4.6
19	White	1913	1,482.6	18.9	.....	.....	4.9	4.3	11.3	10.3	7.6	2.2	124.1	7.0	15.6	6.5
20		1912	1,381.1	18.9	0.6	.....	11.7	2.8	2.2	21.6	6.1	2.2	122.7	7.8	16.1	5.0
21	Colored	1913	2,125.8	21.3	.....	.....	.....	7.1	28.4	14.2	21.3	.....	312.8	.....	28.4	.....
22		1912	2,158.0	29.3	.....	.....	14.6	7.3	.....	7.3	7.3	7.3	446.2	.....	36.6	.....
23	Dayton	1913	1,597.3	18.0	0.8	.....	4.1	4.1	2.5	35.2	9.0	4.9	147.4	5.7	13.9	8.2
24		1912	1,511.2	19.1	0.8	.....	12.5	1.7	13.3	41.5	3.3	5.0	132.9	6.6	15.0	3.3
25	East Liverpool	1913	1,798.1	106.9	.....	.....	55.8	9.3	55.8	41.8	13.9	4.6	171.9	13.9	18.6	.....
26		1912	1,573.1	66.1	.....	.....	.....	4.7	14.2	28.3	.....	9.4	160.6	.....	23.6	14.2
27	Elyria	1913	1,221.3	17.9	.....	.....	.....	11.9	23.8	.....	11.9	.....	71.5	6.0	6.0	11.9
28		1912	1,304.6	30.9	.....	.....	.....	.....	18.5	.....	.....	.....	80.4	6.2	24.7	.....
29	Findlay	1913	1,561.3	28.6	7.2	.....	21.5	.....	.....	28.6	14.3	.....	114.6	.....	43.0	.....
30		1912	1,537.7	21.1	.....	.....	.....	7.0	.....	21.1	.....	7.0	119.4	14.0	7.0	7.0
31	Hamilton	1913	1,664.0	18.4	2.6	.....	21.1	.....	18.4	108.0	15.8	2.6	102.7	7.9	18.4	7.9
32		1912	1,324.8	8.1	.....	.....	10.8	.....	2.7	35.0	5.4	5.4	105.0	24.2	10.8	13.5
33	Ironton	1913	1,666.5	66.4	.....	.....	22.1	7.4	14.7	14.7	14.7	7.4	191.7	14.7	22.1	7.4
34		1912	1,667.7	134.0	7.4	.....	.....	22.3	44.7	22.3	.....	.....	156.3	.....	29.8	7.4
35	Lakewood	1913	1,040.9	.....	.....	.....	36.8	10.5	.....	15.8	10.5	.....	63.1	.....	.....	21.0
36		1912	1,004.2	11.2	.....	.....	.....	5.6	5.6	5.6	11.2	.....	106.6	.....	16.8	5.6
37	Lancaster	1913	1,109.2	20.8	.....	.....	.....	13.9	20.8	13.9	6.9	.....	83.2	.....	6.9	.....
38		1912	1,049.3	7.1	.....	.....	.....	.....	28.6	14.3	28.6	.....	121.3	.....	28.6	.....
39	Lima	1913	1,332.8	18.1	3.0	.....	24.1	3.0	6.0	9.0	12.1	.....	105.5	3.0	15.1	6.0
40		1912	1,073.2	21.6	.....	.....	.....	3.1	3.1	21.6	6.2	.....	111.0	6.2	21.6	9.3
41	Lorain	1913	1,207.0	12.1	.....	.....	36.3	3.0	6.0	57.5	6.0	.....	60.5	15.1	3.0	6.0
42		1912	1,177.7	44.1	.....	.....	12.6	3.1	15.7	25.2	6.3	3.1	94.5	3.1	9.4	.....
43	Mansfield	1913	1,299.2	9.2	.....	.....	41.3	4.6	4.6	4.6	23.0	.....	59.7	.....	18.4	4.6
44		1912	1,388.2	18.6	.....	.....	.....	4.7	18.6	9.3	23.3	4.7	88.5	9.3	9.3	4.7
45	Marietta	1913	1,325.7	47.3	.....	.....	.....	.....	6.8	33.8	13.5	.....	74.4	13.5	33.8	6.8
46		1912	1,450.0	31.2	7.8	.....	31.2	7.8	.....	15.6	7.8	.....	85.7	15.6	31.2	7.8
47	Marion	1913	1,481.3	18.8	4.7	4.7	32.8	9.4	4.7	14.1	18.8	.....	117.2	23.4	9.4	4.7
48		1912	1,373.6	20.4	.....	.....	5.1	5.1	20.4	20.4	15.3	.....	111.9	15.3	.....	10.2
49	Massillon	1913	1,189.4	27.2	.....	.....	6.8	.....	6.8	.....	20.4	6.8	102.0	6.8	6.8	.....
50		1912	1,157.5	13.8	.....	.....	.....	13.8	6.9	.....	.....	.....	68.9	.....	13.8	.....
51	Middletown	1913	1,718.8	13.9	.....	.....	110.9	6.9	27.7	20.8	13.9	13.9	124.7	27.7	6.9	.....
52		1912	1,518.1	35.6	.....	.....	14.3	7.1	7.1	49.9	14.3	7.1	178.2	7.1	14.3	14.3
53	Newark	1913	1,409.9	21.7	.....	.....	7.2	.....	32.6	14.5	14.5	7.2	97.9	14.5	18.1	3.6
54		1912	1,308.1	33.4	3.7	.....	3.7	.....	11.1	3.7	22.3	.....	111.5	3.7	14.9	11.1
55	Norwood	1913	1,023.9	5.2	.....	.....	5.2	.....	.....	20.7	10.3	10.3	118.9	10.3	.....	5.2
56		1912	964.4	10.9	.....	.....	.....	.....	.....	16.3	16.3	.....	92.6	5.4	16.3	5.4
57	Piqua	1913	1,617.9	36.3	.....	.....	.....	.....	7.3	14.5	.....	.....	137.9	.....	21.8	7.3
58		1912	1,376.3	14.6	.....	.....	.....	.....	14.6	7.3	7.3	.....	131.8	7.3	22.0	.....
59	Portsmouth	1913	1,806.9	122.7	7.4	3.7	48.3	.....	26.0	37.2	22.3	3.7	133.8	26.0	18.6	.....
60		1912	1,571.4	68.5	.....	.....	3.8	7.6	15.2	72.3	.....	11.4	190.2	15.2	11.4	11.4
61	Sandusky	1913	1,398.4	14.9	.....	.....	.....	5.0	10.0	5.0	5.0	.....	114.5	5.0	5.0	10.0
62		1912	1,545.4	24.9	.....	.....	24.9	.....	5.0	.....	.....	.....	84.7	5.0	10.0	24.9
63	Springfield (total)	1913	1,413.4	28.4	.....	2.0	4.1	4.1	18.3	16.2	6.1	2.0	111.5	2.0	4.1	8.1
64		1912	1,295.1	26.8	2.1	.....	6.2	10.3	26.8	49.4	18.5	4.1	121.5	4.1	8.2	6.2
65	White	1913	1,339.6	24.9	.....	.....	4.5	4.5	18.1	11.3	2.3	2.3	102.0	2.3	2.3	4.5
66		1912	1,249.7	27.6	2.3	.....	6.9	11.5	23.0	52.9	20.7	4.6	119.7	2.3	6.9	6.9
67	Colored	1913	2,039.6	57.7	.....	19.2	.....	.....	19.2	57.7	38.5	.....	192.4	.....	19.2	38.5
68		1912	1,680.0	19.5	.....	.....	.....	.....	58.6	19.5	.....	.....	136.7	19.5	19.5	.....
69	Steubenville	1913	2,083.7	100.0	.....	.....	112.0	8.0	12.0	44.0	28.0	12.0	88.0	.....	16.0	8.0
70		1912	1,719.8	66.1	.....	.....	28.9	12.4	33.1	37.2	16.5	4.1	177.8	.....	24.8	8.3
71	Tiffin	1913	1,657.6	24.6	.....	.....	8.2	.....	.....	8.2	24.6	.....	82.1	8.2	24.6	16.4
72		1912	1,496.5	16.5	.....	.....	.....	.....	.....	16.5	49.6	8.3	107.5	.....	16.5	8.3
73	Toledo	1913	1,616.9	41.6	1.7	.....	7.8	6.7	4.4	23.3	10.5	3.9	160.7	7.8	20.0	8.9
74		1912	1,579.0	31.7	.....	.....	14.1	9.6	14.7	33.4	6.8	4.0	153.9	10.2	14.7	10.2
75	Warren	1913	1,697.9	50.7	.....	.....	.....	16.9	50.7	8.4	8.4	8.4	59.1	8.4	16.9	8.4
76		1912	1,363.8	.....	.....	.....	8.6	.....	.....	17.3	.....	8.6	112.2	8.6	.....	.....
77	Youngstown	1913	1,628.7	47.8	.....	.....	48.9	11.1	23.3	47.8	2.2	2.2	72.3	13.3	14.5	3.3
78		1912	1,596.6	31.2	.....	.....	24.3	39.3	4.6	58.9	4.6	2.3	104.0	15.0	6.9	3.5
79	Zanesville	1913	1,583.5	74.6	.....	.....	10.2	6.8	.....	10.2	10.2	6.8	125.5	.....	40.7	6.8
80		1912	1,598.1	82.7	.....	.....	.....	.....	17.2	24.1	17.2	6.9	137.8	10.3	41.3	3.4

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
43.9	.....	14.6	58.5	168.3	14.6	248.7	7.3	109.7	14.6	7.3	14.6	43.9	.....	.....	109.7	124.4	.....	204.8	14.6	1
29.9	7.5	37.3	52.2	156.7	.....	313.4	.....	104.5	.....	.....	29.9	22.4	7.5	.....	119.4	104.5	.....	209.0	14.9	2
105.5	8.1	.....	162.2	32.4	.....	48.7	.....	89.2	40.6	8.1	.....	73.0	8.1	.....	162.2	129.8	8.1	210.9	8.1	3
108.2	.....	8.3	116.5	133.2	.....	141.5	25.0	25.0	33.3	16.6	16.6	91.5	8.3	16.6	58.3	99.9	.....	233.0	.....	4
80.8	14.4	5.4	104.1	175.9	3.6	111.3	7.2	66.4	19.7	9.0	5.4	25.1	14.4	12.6	75.4	102.3	14.4	174.1	.....	5
74.1	5.6	9.3	103.7	190.7	1.9	118.5	9.3	64.8	9.3	7.4	16.7	63.0	5.6	9.3	96.3	105.6	13.0	177.8	.....	6
86.6	13.3	6.7	133.3	186.6	13.3	80.0	6.7	106.6	33.3	46.7	.....	166.6	.....	.....	80.0	286.6	33.3	313.2	6.7	7
67.3	13.5	6.7	127.9	154.9	40.4	74.1	13.5	47.1	20.2	13.5	6.7	107.7	20.2	6.7	80.8	114.5	13.5	202.0	.....	8
100.9	22.6	18.3	86.1	207.8	24.1	151.3	8.8	64.5	16.3	17.1	25.6	160.1	11.0	6.0	62.7	109.2	16.6	246.2	0.8	9
94.4	17.5	13.2	89.0	210.6	30.4	153.3	9.8	67.9	11.6	13.7	28.4	164.1	9.5	6.7	66.6	107.3	16.8	225.8	0.3	10
100.8	22.3	17.0	85.7	197.7	24.1	136.9	8.5	64.7	15.4	17.0	26.0	157.6	11.4	5.8	63.4	101.6	17.5	237.7	0.8	11
96.0	18.6	12.0	87.3	204.1	31.1	143.2	9.3	63.8	11.7	14.2	28.4	160.1	8.7	6.8	67.4	100.1	17.5	218.0	0.3	12
102.1	27.8	41.7	92.8	385.0	23.2	403.6	13.9	60.3	32.5	18.6	18.6	204.1	4.6	9.3	51.0	241.2	.....	394.3	.....	13
66.8	.....	33.4	119.2	324.3	19.1	329.1	19.1	138.3	9.5	4.8	28.6	233.7	23.8	4.8	52.5	233.7	4.8	362.5	.....	14
80.6	17.7	10.4	62.0	118.0	36.8	127.8	12.2	133.0	12.7	10.8	16.2	96.8	7.1	6.9	82.5	104.5	16.9	213.3	2.2	15
80.7	14.6	7.4	69.0	129.7	34.8	109.7	12.7	140.4	10.7	11.9	16.4	104.2	6.2	7.4	70.9	83.8	17.1	223.3	0.3	16
90.8	19.6	19.1	109.8	150.9	18.6	113.8	15.5	41.1	19.1	15.5	13.0	94.3	10.5	7.0	83.2	148.4	18.1	305.4	6.0	17
96.0	14.4	10.3	89.3	159.4	10.8	119.2	11.9	30.4	18.6	20.6	9.3	79.5	11.4	8.8	84.6	104.7	20.1	286.3	8.8	18
94.4	20.0	17.3	104.7	138.1	20.0	99.8	13.5	38.8	20.5	16.2	13.5	95.0	9.7	7.0	82.0	148.4	19.4	306.4	5.4	19
94.9	13.9	10.0	88.3	148.8	11.7	109.9	10.5	31.1	19.4	20.5	9.4	74.9	10.5	8.3	82.7	96.6	21.1	292.0	8.9	20
42.7	14.2	42.7	177.7	319.9	.....	298.6	42.7	71.1	.....	7.1	7.1	85.3	21.3	7.1	99.5	149.3	.....	291.5	14.2	21
109.7	21.9	14.6	102.4	299.9	.....	241.4	29.3	21.9	7.3	21.9	7.3	139.0	21.9	14.6	109.7	212.1	7.3	212.1	7.3	22
89.3	10.6	15.6	96.7	172.0	12.3	127.8	14.7	81.1	20.5	20.5	13.9	104.0	9.8	7.4	102.4	163.0	26.2	254.8	0.8	23
93.1	15.0	22.4	89.7	183.6	15.0	124.6	10.8	64.0	9.1	13.3	17.4	114.7	10.0	11.6	95.5	91.4	18.3	255.1	1.7	24
37.2	4.6	18.6	74.3	158.0	23.2	185.3	4.6	92.9	37.2	13.9	32.5	102.2	32.5	9.3	79.0	139.4	13.9	241.6	4.6	25
47.2	9.4	14.2	37.8	99.2	18.9	207.9	18.9	99.2	14.2	9.4	37.8	70.9	.....	18.9	99.2	122.8	9.4	307.1	9.4	26
89.4	6.0	6.0	53.6	202.6	6.0	101.3	11.9	95.3	29.8	.....	6.0	83.4	.....	6.0	35.7	154.9	29.8	143.0	.....	27
98.9	43.3	.....	61.8	136.0	12.4	117.5	6.2	55.6	24.7	6.2	12.4	37.1	.....	18.5	61.8	166.9	37.1	241.1	6.2	28
157.6	7.2	.....	179.0	186.2	28.6	71.6	7.2	71.6	7.2	21.5	28.6	100.3	.....	.....	64.5	50.1	.....	315.1	7.2	29
147.5	21.1	21.1	140.4	245.8	7.0	98.3	14.0	42.1	21.1	7.0	.....	70.2	.....	7.0	112.3	84.3	7.0	287.9	.....	30
105.3	23.7	13.2	55.3	123.7	13.2	108.0	21.1	97.4	7.9	18.4	21.1	86.9	2.6	7.9	100.1	334.4	21.1	179.0	.....	31
86.2	24.2	8.1	99.6	142.7	24.2	83.5	10.8	61.9	16.2	13.8	43.1	72.7	10.8	8.1	78.1	94.2	13.5	207.3	.....	32
147.5	.....	14.7	95.9	110.6	44.2	125.4	7.4	44.2	44.2	7.4	.....	110.6	.....	7.4	103.2	125.4	7.4	287.6	.....	33
52.1	.....	14.9	119.1	156.3	29.8	186.1	7.4	52.1	22.3	.....	14.9	89.3	14.9	.....	96.8	111.7	7.4	253.1	14.9	34
57.8	15.8	.....	89.4	99.9	10.5	84.1	5.3	36.8	10.5	5.3	15.8	52.6	.....	15.8	68.3	120.9	10.5	184.0	.....	35
39.3	5.6	5.6	72.9	101.0	16.8	39.3	22.4	84.2	11.2	11.2	5.6	67.3	5.6	5.6	78.5	123.4	11.2	129.0	.....	36
104.0	6.9	13.9	76.3	90.1	6.9	76.3	13.9	41.6	6.9	13.9	20.8	48.5	.....	.....	62.4	90.1	6.9	249.6	13.9	37
57.1	14.3	.....	71.4	142.8	.....	85.7	.....	14.3	21.4	14.3	.....	71.4	.....	7.1	57.1	85.7	21.4	149.9	7.1	38
60.3	9.0	15.1	72.4	114.6	15.1	96.5	15.1	33.2	15.1	18.1	18.1	75.4	9.0	6.0	120.6	150.8	6.0	268.4	9.0	39
74.0	12.3	3.1	43.2	129.5	.....	86.4	9.3	21.6	6.2	27.8	9.3	74.0	.....	9.3	58.6	95.6	6.2	197.4	6.2	40
60.5	9.1	3.0	51.4	45.4	6.0	133.1	3.0	163.3	9.1	12.1	3.0	60.5	12.1	9.1	111.9	114.9	36.3	154.3	3.0	41
50.4	6.3	6.3	59.8	44.1	3.1	141.7	3.1	198.4	6.3	12.6	9.4	78.7	3.1	.....	63.0	107.1	18.9	148.0	.....	42
82.6	9.2	23.0	142.3	119.4	4.6	82.6	13.8	68.9	4.6	9.2	18.4	114.8	23.0	4.6	55.1	101.0	13.8	234.1	4.6	43
125.8	28.0	9.3	135.1	149.1	9.3	93.2	9.3	60.6	4.7	23.3	23.3	79.2	4.7	4.7	41.9	144.4	23.3	228.3	.....	44
94.7	20.3	6.8	94.7	115.0	.....	169.1	6.8	54.1	13.5	13.5	20.3	81.2	6.8	.....	47.3	74.4	13.5	263.8	.....	45
132.5	23.4	23.4	155.9	140.3	7.8	70.2	23.4	23.4	23.4	.....	7.8	62.4	.....	7.8	85.7	140.3	15.6	241.7	23.4	46
60.9	32.8	18.8	70.3	89.1	18.8	117.2	23.4	75.0	9.4	23.4	14.1	65.6	9.4	4.7	89.1	178.1	23.4	290.6	4.7	47
45.8	.....	10.2	76.3	101.8	10.2	106.8	5.1	66.1	5.1	5.1	25.4	81.4	10.2	15.3	86.5	167.9	25.4	295.1	10.2	48
129.1	6.8	.....	149.5	95.2	27.2	95.2	6.8	40.8	13.6	6.8	34.0	54.4	.....	6.8	81.6	67.9	6.8	183.5	.....	49
96.5	27.6	20.7	103.3	158.5	6.9	151.6	.....	27.6	13.8	6.9	27.6	96.5	.....	.....	27.6	117.1	6.9	144.7	6.9	50
97.0	6.9	33.2	76.2	117.8	13.9	159.4	20.8	180.2	13.9	6.9	6.9	124.7	6.9	13.9	124.7	69.3	6.9	201.0	20.8	51
92.7	14.3	28.5	99.8	135.4	14.3	128.3	21.4	92.7	7.1	.....	7.1	99.8	14.3	7.1	106.9	85.5	7.1	206.7	.....	52
116.0	18.1	3.6	130.5	188.5	7.2	108.7	7.2	54.4	18.1	14.5	18.1	87.0	7.2	.....	97.9	101.5	7.2	177.6	14.5	53
81.8	11.1	7.4	122.6	159.8	18.6	81.8	11.1	40.9	7.4	11.1	22.3	78.0	7.4	3.7	55.7	122.6	29.7	204.4	11.1	54
82.7	25.9	10.3	93.1	118.9	15.5	62.1	.....	41.4	.....	.....	.....	134.5	.....	.....	46.5	46.5	5.2	155.1	.....	55
92.6	16.3	5.4	87.2	163.5	5.4	81.7	.....	43.6	16.3	.....	16.3	76.3	5.4	5.4	65.4	32.7	.....	81.7	5.4	56
58.0	14.5	7.3	116.1	188.6	21.8	72.6	14.5	65.3	29.0	14.5	14.5	101.6	.....	7.3	87.1	319.2	14.5	239.4	7.3	57
109.8	7.3	.....	73.2	146.4	14.6	117.1	.....	29.3	36.6	14.6	7.3	117.1	.....	7.3	131.8	95.2	7.3	256.2	.....	58
66.9	18.6	92.9	63.2	167.3	26.0	141.3	11.2	111.5	7.4	14.9	.....	81.8	7.4	14.9	115.3	171.0	7.4	234.2	3.7	59
64.7	15.2	7.6	76.1	106.5	15.2	98.9	3.8	57.1	19.0	11.4	.....	83.7	7.6	15.2	152.2	137.0	22.8	270.1	.....	60
129.4	34.8	5.0	114.5	219.0	24.9	54.7	10.0	39.8	10.0	24.9	10.0	79.6	5.0	5.0	64.7	144.3	10.0	238.9	.....	61
99.7	19.9	10.0	134.6	179.5	.....	79.8	39.9	24.9	19.9	15.0	39.9	109.7	15.0	15.0	79.8	154.5	49.9	279.2	.....	62
83.1	10.1	6.1	162.2	158.2	12.2	119.6	10.1	71.0	16.2	6.1	14.2	81.1	12.2	4.1	50.7	95.3	22.3	267.7	4.1	63
51.5	20.6	6.2	123.5	129.7	10.3	121.5	12.4	49.4	6.2	10.3	8.2	90.6	4.1	4.1	45.3	59.7	24.7	230.6	2.1	64
86.1	11.3	4.5	154.1	156.4	13.6	106.5	9.1	72.5	15.9	6.8	13.6	77.1	11.3	4.5	54.4	83.9	22.7	251.6	4.5	65
48.3	20.7	6.9	112.8	119.7	11.5	92.1	11.5	43.7	6.9	4.6	9.2	92.1	4.6	4.6	50.6	62.1	23.0	237.1	2.3	66
57.7	.....	19.2	230.9	173.2	.....	230.9	19.2	57.7	19.2	.....	19.2	115.5	19.2	.....	19.2	192.4	19.2	404.1	.....	67
78.1	19.5	.....	214.9	214.9	.....	371.2	19.5	97.7	.....	58.6	.....	78.1	.....	.....	.....	39.1	39.1	175.8	.....	68
104.0	8.0	16.0	68.0	152.0	24.0	184.0	12.0	156.0	24.0	16.0	16.0	72.0	16.0	12.0	188.0	232.0	16.0	328.0	12.0	69
49.6	12.4	4.1	49.6	107.5	24.8	210.8	.....	103.4	20.7	8.3	12.4	45.5	.....	4.1	111.6	198.4	8.3	330.7	8.3	70
65.6	32.8	16.4	114.9	270.8	8.2	155.9	16.4	16.4	8.2	.....	32.8	32.8	8.2	16.4	65.6	279.0	8.2	295.4	16.4	71
66.1	24.8	.....	157.1	322.4	24.8	140.6	8.3	16.5	8.3	16.5	16.5	49.6	.....	.....	41.3	90.9	.....	281.1	8.3	72
76.5	24.4	10.0	99.2	153.0	12.7	89.8	7.2	93.1	19.4	15.5	32.7	87.6	10.0	8.9	92.6	134.1	22.2	327.6	3.3	73
92.8	24.3	12.5	87.2	129.0	20.4	111.5	11.9	72.4	24.9	11.9	26.6	101.3	12.5	9.1	69.0	120.0	19.8	317.5	1.1	74
152.1	8.4	.....	135.2	126.7	16.9	211.2	.....	92.9	25.3	8.4	.....	135.2	16.9	16.9	50.7	152.1	33.8	270.3	8.4	75
103.6	8.6	8.6	164.0	138.1	43.2	120.8	.....	60.4	25.9	8.6	.....	69.1	17.3	25.9	95.0	43.2	25.9	241.7	8.6	76
51.1	13.3	6.7	65.6	101.2	8.9	273.5	4.4	196.8	11.1	14.5	15.6	67.8	14.5	6.7	97.8	181.2	11.1	193.4	6.7	77
54.3	11.6	8.1	67.0	95.9	12.7	229.9	9.2	206.8	12.7	9.2	20.8	70.5	9.2	15.0	95.9	162.9	12.7	186.0	11.6	78
71.2	30.5	10.2	149.2	172.9	20.3	88.2	3.4	64.4	33.9	10.2	13.6	54.3	10.2	13.6	94.9	122.1	10.2	281.4	37.3	79
79.2	10.3	10.3	130.9	165.3	17.2	130.9	24.1	48.2	17.2	13.8	13.8	99.9	3.4	6.9	65.4	124.0	27.6	254.9	13.8	80

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	OREGON.[2]															
1	Portland (total)	1913	951.9	6.5	0.4	0.8	2.4	4.1	4.1	5.3	6.1	3.7	64.5	10.5	9.7	5.3
2		1912	947.8	16.6	.....	0.4	0.4	3.0	8.1	6.0	3.0	1.7	71.2	16.2	13.2	5.1
3	White	1913	945.3	6.8	0.4	0.4	2.5	4.2	3.8	5.5	5.9	3.8	57.4	10.6	9.7	5.5
4		1912	944.5	16.9	.....	0.4	0.4	3.1	8.0	6.2	3.1	1.8	63.5	16.0	12.9	5.3
5	Colored [3]	1913	1,108.7	.....	.....	10.2	.....	.....	10.2	.....	10.2	.....	234.0	10.2	10.2	.....
6		1912	1,026.5	10.7	.....	.....	.....	.....	10.7	.....	.....	.....	256.6	21.4	21.4	.....
	PENNSYLVANIA.															
7	Registration cities (total)	1913	1,565.3	20.2	0.5	0.2	16.9	12.8	9.9	28.3	9.3	5.7	122.3	9.6	11.2	9.9
8		1912	1,510.9	16.5	0.6	1.0	10.8	8.7	8.3	28.0	7.8	3.7	126.9	9.0	11.4	7.6
9	White	1913	1,534.1	19.6	0.5	0.1	16.9	13.2	9.3	28.9	9.3	5.7	111.3	9.0	10.1	9.6
10		1912	1,494.4	16.5	0.6	1.0	11.2	8.9	7.9	28.6	7.6	3.7	118.3	8.8	10.8	7.4
11	Colored	1913	2,319.8	34.3	1.3	0.6	18.1	4.5	24.0	14.3	9.1	3.9	389.4	25.3	36.3	17.5
12		1912	1,908.6	15.8	0.7	2.0	2.0	2.0	17.8	15.2	11.2	4.6	334.8	15.8	25.7	13.2
13	Allentown	1913	1,606.7	22.1	.....	.....	1.7	3.4	8.5	32.4	1.7	5.1	112.4	10.2	10.2	18.7
14		1912	1,467.9	29.8	.....	.....	.....	.....	12.3	49.0	1.8	3.5	119.1	12.3	10.5	5.3
15	Altoona	1913	1,345.8	59.5	.....	.....	.....	16.2	32.4	18.0	1.8	7.2	59.5	7.2	18.0	9.0
16		1912	1,393.9	22.0	1.8	.....	20.2	7.3	1.8	33.1	11.0	3.7	66.1	11.0	5.5	12.9
17	Beaver Falls	1913	1,459.2	7.8	.....	.....	54.3	7.8	15.5	15.5	15.5	.....	147.5	.....	15.5	15.5
18		1912	1,491.9	47.4	.....	.....	15.8	7.9	31.4	23.7	7.9	7.9	189.5	7.9	15.8	7.9
19	Bethlehem	1913	1,221.2	7.4	.....	.....	7.4	14.8	.....	37.0	7.4	.....	66.6	7.4	.....	.....
20		1912	1,060.2	30.1	.....	.....	.....	.....	.....	30.1	.....	.....	135.3	.....	15.0	7.5
21	Braddock	1913	2,320.0	24.3	.....	.....	29.2	38.9	34.0	58.4	14.6	9.7	77.8	.....	9.7	19.5
22		1912	1,872.7	19.8	.....	.....	29.7	9.9	29.7	59.5	9.9	5.0	59.5	.....	.....	.....
23	Bradford	1913	1,370.3	13.4	6.7	.....	6.7	26.9	6.7	6.7	13.4	6.7	60.5	.....	20.2	13.4
24		1912	1,461.6	.....	.....	.....	20.8	.....	20.8	13.9	.....	.....	76.2	6.9	20.8	13.9
25	Butler	1913	1,069.4	24.5	4.1	.....	4.1	8.2	12.2	32.7	24.5	.....	85.7	.....	24.5	8.2
26		1912	1,044.9	8.5	4.3	.....	.....	.....	34.1	12.8	4.3	4.3	98.1	8.5	8.5	4.3
27	Carbondale	1913	1,633.9	33.0	5.5	.....	22.0	5.5	.....	38.5	33.0	16.5	27.5	11.0	5.5	27.5
28		1912	1,515.0	22.4	.....	.....	.....	11.2	.....	28.1	22.4	5.6	78.6	5.6	5.6	5.6
29	Carlisle (total)	1913	1,492.3	.....	.....	.....	.....	.....	19.0	.....	9.5	.....	152.1	9.5	.....	.....
30		1912	1,549.8	.....	9.6	.....	.....	.....	.....	.....	.....	.....	181.8	.....	9.6	19.1
31	White	1913	1,365.3	.....	.....	.....	.....	.....	10.7	.....	10.7	.....	128.0	.....	.....	.....
32		1912	1,438.5	.....	10.7	.....	.....	.....	.....	.....	.....	.....	118.1	.....	.....	21.5
33	Colored	1913	2,530.5	.....	.....	.....	.....	.....	87.3	.....	.....	.....	349.0	87.3	.....	.....
34		1912	2,460.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	703.0	.....	87.9	.....
35	Carnegie	1913	1,286.9	18.4	.....	.....	9.2	55.2	18.4	46.0	18.4	9.2	119.5	9.2	18.4	.....
36		1912	1,414.0	.....	.....	.....	66.0	.....	.....	18.9	.....	9.4	179.1	18.9	9.4	9.4
37	Chambersburg	1913	1,471.2	41.3	.....	.....	41.3	.....	16.5	24.8	16.5	8.3	124.0	16.5	.....	16.5
38		1912	1,715.8	41.6	.....	.....	.....	.....	.....	16.7	8.3	.....	149.9	16.7	41.6	8.3
39	Chester (total)	1913	1,841.9	42.5	2.5	15.0	40.0	5.0	.....	37.5	5.0	2.5	239.9	20.0	22.5	7.5
40		1912	1,668.6	10.1	2.5	2.5	7.6	.....	30.3	15.2	10.1	.....	177.0	2.5	15.2	2.5
41	White	1913	1,727.8	48.5	2.9	14.3	34.3	5.7	.....	40.0	2.9	2.9	208.5	17.1	11.4	5.7
42		1912	1,548.6	8.7	2.9	2.9	8.7	.....	28.9	17.3	5.8	.....	153.1	2.9	11.6	2.9
43	Colored	1913	2,641.6	.....	.....	20.0	80.0	.....	.....	20.0	20.0	.....	460.3	40.0	100.1	20.0
44		1912	2,510.1	20.2	.....	.....	.....	.....	40.5	.....	40.5	.....	344.1	.....	40.5	.....
45	Coatesville (total)	1913	1,114.9	15.6	.....	.....	54.6	.....	7.8	7.8	7.8	7.8	93.6	7.8	7.8	.....
46		1912	1,441.0	179.1	.....	.....	.....	.....	8.1	24.4	.....	.....	114.0	24.4	8.1	8.1
47	White	1913	1,156.8	18.1	.....	.....	63.3	.....	9.0	9.0	9.0	9.0	90.4	9.0	9.0	.....
48		1912	1,434.5	188.8	.....	.....	.....	.....	.....	18.9	.....	.....	94.4	28.3	.....	9.4
49	Colored	1913	851.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	113.6	.....	.....	.....
50		1912	1,481.9	118.6	.....	.....	.....	.....	59.3	59.3	.....	.....	237.1	.....	59.3	.....
51	Columbia	1913	1,237.7	26.9	.....	.....	.....	.....	.....	26.9	26.9	9.0	80.7	.....	35.9	9.0
52		1912	1,191.5	17.8	.....	.....	.....	.....	.....	17.8	.....	.....	124.5	.....	.....	.....
53	Connellsville	1913	1,268.2	14.1	.....	.....	21.1	.....	.....	14.1	7.0	7.0	112.7	.....	28.2	.....
54		1912	1,198.0	43.6	.....	.....	.....	.....	7.3	14.5	.....	.....	94.4	7.3	21.8	.....
55	Dubois	1913	1,286.7	21.9	.....	.....	14.6	.....	.....	29.2	.....	.....	36.6	.....	7.3	7.3
56		1912	996.3	22.5	.....	.....	.....	.....	30.0	7.5	.....	7.5	67.4	.....	7.5	.....
57	Dunmore	1913	1,683.3	.....	5.2	.....	.....	15.6	36.4	52.0	5.2	.....	67.5	5.2	5.2	15.6
58		1912	1,830.4	5.3	.....	.....	16.0	5.3	5.3	58.7	5.3	5.3	48.0	5.3	10.7	21.3
59	Duquesne	1913	1,357.6	11.2	.....	.....	167.6	11.2	22.3	33.5	.....	5.6	67.0	16.8	.....	16.8
60		1912	1,126.5	5.8	.....	.....	5.8	11.6	17.4	17.4	5.8	5.8	92.9	.....	5.8	.....
61	Easton	1913	1,708.4	33.8	.....	.....	13.5	3.4	30.4	10.1	.....	3.4	91.3	3.4	10.1	10.1
62		1912	1,727.4	27.4	.....	.....	.....	.....	3.4	13.7	13.7	.....	116.3	3.4	10.3	10.3
63	Erie	1913	1,601.3	16.9	.....	.....	9.9	33.8	7.0	19.7	5.6	9.0	84.5	8.5	8.5	18.3
64		1912	1,502.7	11.5	.....	.....	8.6	67.5	21.5	23.0	5.7	4.3	83.3	10.1	11.5	2.9
65	Farrell	1913	(4)	(4)	.....	.....	(4)	(4)	(4)	(4)	.....	(4)	(4)	.....	(4)	(4)
66		1912	(4)	(4)	.....	.....	(4)	(4)	(4)	(4)	.....	(4)	(4)	(4)	.....	.....
67	Greensburg	1913	1,749.6	35.0	.....	.....	77.0	7.0	14.0	28.0	7.0	7.0	63.0	7.0	14.0	.....
68		1912	1,470.5	57.7	7.2	.....	.....	.....	14.4	.....	.....	.....	28.8	21.6	28.8	.....
69	Harrisburg	1913	1,409.9	16.1	2.9	.....	1.5	5.9	4.4	19.1	13.2	2.9	87.9	11.7	8.8	8.8
70		1912	1,430.5	13.4	1.5	.....	14.9	.....	11.9	29.9	6.0	1.5	119.5	7.5	9.0	16.4
71	Hazleton	1913	1,546.9	7.4	.....	.....	29.6	.....	11.1	22.2	11.1	11.1	77.7	7.4	18.5	11.1
72		1912	1,511.3	7.5	.....	.....	15.1	7.5	18.8	15.1	3.8	3.8	75.4	3.8	3.8	3.8
73	Homestead	1913	1,423.7	14.5	.....	.....	67.8	4.8	33.9	58.1	4.8	9.7	106.5	14.5	14.5	9.7
74		1912	1,341.7	.....	.....	.....	15.0	.....	10.0	109.7	.....	.....	89.8	10.0	15.0	5.0

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
76.7	14.6	8.1	54.8	121.3	6.1	75.4	12.6	11.8	14.2	14.2	11.0	56.8	5.3	6.1	56.8	69.8	22.7	186.6	4.1	1
76.7	17.1	11.1	51.6	109.1	9.4	58.0	11.5	18.3	11.9	8.1	9.0	58.4	3.4	8.1	61.4	75.5	22.6	179.9	1.7	2
76.9	15.2	8.4	55.8	122.1	6.3	73.1	12.7	11.4	14.4	13.9	9.7	57.9	5.5	5.1	58.7	68.4	22.0	187.1	4.2	3
78.6	17.8	11.1	52.8	108.4	8.0	56.4	12.0	17.8	11.1	8.0	9.3	59.1	3.6	7.5	63.9	75.0	22.2	182.5	1.8	4
71.2	.....	.....	30.5	101.7	.....	132.2	10.2	20.3	10.2	20.3	40.7	30.5	.....	30.5	10.2	101.7	40.7	172.9	.....	5
32.1	.....	10.7	21.4	128.3	42.8	96.2	.....	32.1	32.1	10.7	.....	42.8	.....	21.4	.....	85.5	32.1	117.6	.....	6
82.2	13.4	8.5	69.7	140.2	22.1	174.0	20.2	111.5	14.1	13.8	17.9	130.1	10.0	11.3	99.4	104.0	16.0	243.7	6.4	7
76.6	13.4	7.5	75.8	150.4	24.1	161.9	21.7	103.1	14.0	13.9	15.6	120.1	8.1	9.5	94.4	104.2	15.0	234.0	7.1	* 8
82.4	13.6	8.6	70.7	137.5	21.6	167.5	19.8	110.7	14.2	13.6	18.1	127.3	9.9	11.3	98.6	103.4	16.3	239.3	6.1	9
77.7	13.6	7.6	76.1	148.4	23.3	157.9	21.4	103.2	14.1	13.7	15.8	119.1	8.0	9.6	94.2	104.6	15.4	232.4	7.3	10
79.1	8.4	5.2	45.4	204.8	34.3	330.5	30.5	130.9	11.0	18.1	13.0	197.0	11.7	12.3	119.9	118.6	8.4	349.9	12.3	11
50.7	9.9	6.6	69.2	197.7	42.8	260.3	29.0	100.2	11.9	20.4	9.2	143.7	11.2	8.6	100.8	92.9	5.9	274.2	2.6	12
85.2	22.1	18.7	134.6	126.1	15.3	139.7	18.7	131.2	17.0	11.9	13.6	114.2	13.6	8.5	168.7	98.8	23.9	195.9	22.1	13
57.8	21.0	8.8	131.4	110.4	14.0	96.3	15.8	119.1	14.0	19.3	14.0	98.1	10.5	3.5	119.1	91.1	22.3	233.0	24.5	14
54.0	16.2	12.6	54.0	122.5	10.8	124.3	25.2	59.5	7.2	10.8	21.6	99.1	16.2	9.0	122.5	75.7	12.6	257.6	5.4	15
73.5	12.9	18.4	113.9	145.1	12.9	172.6	23.9	47.7	7.3	14.7	25.7	88.2	7.3	12.9	97.3	80.8	7.3	229.6	5.5	16
54.3	7.8	23.3	62.1	131.9	15.5	124.2	31.0	131.9	15.5	.....	7.8	62.1	7.8	.....	85.4	77.6	46.6	263.9	15.5	17
55.3	.....	31.4	15.8	110.5	55.3	142.1	15.8	71.0	7.9	7.9	7.9	71.0	7.9	7.9	55.3	134.2	15.8	315.8	.....	18
96.2	7.4	.....	125.8	103.6	22.2	170.2	22.2	22.2	.....	7.4	.....	103.6	.....	7.4	59.2	51.8	29.6	244.2	.....	19
45.1	15.0	7.5	135.3	75.2	7.5	75.2	7.5	30.1	7.5	7.5	7.5	90.2	7.5	.....	90.2	30.1	22.6	180.5	.....	20
68.1	.....	14.6	29.2	77.8	58.4	549.6	38.9	257.8	24.3	4.9	34.0	72.9	19.5	29.2	121.6	228.6	38.9	325.9	9.7	21
64.4	9.9	24.8	29.7	104.0	24.8	391.4	24.8	247.7	14.9	14.9	14.9	79.3	9.9	29.7	79.3	173.4	19.8	287.3	5.0	22
60.5	20.2	.....	127.6	161.2	.....	80.6	13.4	* 60.5	20.2	13.4	33.6	100.8	6.7	40.3	47.0	80.6	6.7	315.7	.....	23
97.0	34.6	.....	83.1	228.6	13.9	110.8	13.9	41.6	41.6	.....	13.9	131.6	.....	34.6	62.3	97.0	13.9	270.2	.....	24
57.1	16.3	16.3	53.1	65.3	4.1	93.9	8.2	57.1	16.3	16.3	4.1	36.7	4.1	16.3	81.6	102.0	16.3	167.4	8.2	25
76.8	4.3	8.5	68.2	51.2	8.5	93.8	25.6	64.0	12.8	12.8	8.5	72.5	4.3	8.5	119.4	68.2	8.5	140.7	.....	26
49.5	16.5	5.5	60.5	148.5	27.5	291.6	27.5	60.5	11.0	33.0	33.0	99.0	5.5	5.5	88.0	165.0	22.0	258.6	.....	27
95.4	28.1	11.2	89.8	134.7	11.2	241.3	11.2	117.8	16.8	5.6	16.8	78.6	11.2	5.6	101.0	134.7	11.2	185.2	22.4	28
66.5	19.0	19.0	95.0	237.6	38.0	95.0	9.5	76.0	9.5	9.5	9.5	66.5	.....	9.5	123.6	47.5	38.0	323.2	9.5	29
67.0	28.7	9.6	143.5	239.2	.....	86.1	19.1	9.6	9.6	9.6	.....	105.2	.....	.....	76.5	86.1	38.3	382.7	19.1	30
64.0	21.3	21.3	85.3	213.3	32.0	85.3	10.7	64.0	10.7	10.7	10.7	64.0	.....	10.7	128.0	42.7	42.7	288.0	10.7	31
75.1	32.2	10.7	161.0	204.0	.....	64.4	21.5	.....	10.7	10.7	.....	96.6	.....	.....	85.9	75.1	42.9	375.7	21.5	32
87.3	.....	.....	174.5	436.3	87.3	174.5	.....	174.5	.....	.....	.....	87.3	.....	.....	87.3	87.3	.....	610.8	.....	33
.....	.....	.....	.....	527.2	.....	263.6	.....	87.9	.....	.....	.....	175.7	.....	.....	.....	175.7	.....	439.4	.....	34
46.0	.....	27.6	36.8	91.9	9.2	229.8	9.2	147.1	.....	.....	9.2	36.8	18.4	.....	46.0	73.5	.....	174.6	9.2	35
56.6	9.4	9.4	37.7	103.7	9.4	254.5	.....	141.4	9.4	.....	9.4	75.4	.....	9.4	122.5	94.3	.....	160.3	.....	36
90.9	24.8	8.3	165.3	115.7	24.8	74.4	8.3	49.6	8.3	8.3	41.3	190.1	41.3	.....	57.9	49.6	8.3	190.1	8.3	37
149.9	8.3	8.3	133.3	174.9	33.3	108.3	16.7	33.3	16.7	33.3	25.0	149.9	8.3	8.3	58.3	108.3	.....	358.2	.....	38
67.5	15.0	15.0	87.5	152.4	17.5	222.4	22.5	125.0	7.5	17.5	20.0	137.5	5.0	15.0	112.5	127.5	5.0	229.9	.....	39
75.8	7.6	7.6	113.8	159.3	22.8	209.8	12.6	131.5	10.1	20.2	5.1	101.1	.....	7.6	131.5	128.9	7.6	232.6	7.6	40
68.5	14.3	17.1	85.7	142.8	5.7	199.9	17.1	131.4	5.7	17.1	20.0	137.1	5.7	14.3	108.5	122.8	5.7	214.2	.....	41
86.7	8.7	5.8	106.9	153.1	14.4	182.0	11.6	124.2	11.6	20.2	5.8	104.0	.....	8.7	121.3	112.7	8.7	208.0	8.7	42
60.0	20.0	.....	100.1	220.1	100.1	380.2	60.0	80.0	20.0	20.0	20.0	140.1	.....	20.0	140.1	160.1	.....	340.2	.....	43
.....	.....	20.2	161.9	202.4	81.0	404.9	20.2	182.2	.....	20.2	.....	81.0	.....	.....	202.4	242.9	.....	404.9	.....	44
39.0	15.6	.....	15.6	116.9	15.6	132.5	.....	140.3	.....	.....	15.6	46.8	.....	7.8	140.3	54.6	23.4	140.3	.....	45
48.8	.....	8.1	65.1	130.3	8.1	130.3	8.1	138.4	.....	.....	8.1	73.3	.....	.....	81.4	122.1	8.1	236.1	8.1	46
45.2	18.1	.....	18.1	135.6	9.0	126.5	.....	108.5	.....	.....	18.1	45.2	.....	9.0	153.6	54.2	27.1	162.7	.....	47
56.6	.....	9.4	75.5	113.3	9.4	113.3	9.4	113.3	.....	.....	9.4	84.9	.....	.....	94.4	122.7	9.4	264.3	9.4	48
.....	.....	.....	.....	.....	56.8	170.4	.....	340.7	.....	.....	.....	56.7	.....	.....	56.7	56.7	.....	.....	.....	49
.....	.....	.....	.....	237.1	.....	237.1	.....	296.4	.....	.....	.....	.....	.....	.....	.....	118.6	.....	59.3	.....	50
71.7	.....	9.0	89.7	134.5	17.9	98.7	9.0	35.9	.....	9.0	17.9	62.8	.....	17.9	116.6	89.7	9.0	206.3	26.9	51
80.0	17.8	17.8	62.2	142.3	8.9	115.6	.....	26.7	17.8	.....	8.9	133.4	17.8	17.8	97.8	62.2	17.8	160.1	26.7	52
70.5	7.0	7.0	63.4	63.4	.....	162.1	7.0	14.1	7.0	.....	14.1	49.3	.....	14.1	133.9	274.8	21.1	155.0	.....	53
50.8	7.3	7.3	29.0	87.1	21.8	72.6	14.5	43.6	29.0	.....	.....	14.5	29.0	7.3	101.6	217.8	14.5	239.6	21.8	54
80.4	36.6	7.3	43.9	43.9	29.2	124.3	29.2	117.0	21.9	7.3	7.3	65.8	.....	29.2	138.9	73.1	7.3	292.4	14.6	55
74.9	.....	22.5	52.4	59.9	7.5	89.9	7.5	82.4	15.0	7.5	.....	44.9	.....	7.5	112.4	67.4	7.5	187.3	7.5	56
62.3	10.4	15.6	62.3	140.3	93.5	202.6	20.8	166.3	.....	5.2	5.2	83.1	.....	.....	249.4	98.7	5.2	249.4	5.2	57
16.0	.....	16.0	101.4	128.1	64.0	245.5	10.7	266.8	.....	5.3	21.3	85.4	5.3	5.3	202.8	181.4	10.7	272.2	5.3	58
11.2	.....	22.3	22.3	44.7	11.2	229.1	22.3	240.2	.....	.....	.....	67.0	5.6	.....	134.1	39.1	5.6	139.7	11.2	59
40.6	.....	5.8	34.8	23.2	34.8	185.8	5.8	156.8	.....	.....	23.2	40.6	.....	5.8	121.9	75.5	17.4	180.0	5.8	60
94.7	44.0	10.1	121.8	175.9	20.3	121.8	6.8	91.3	23.7	13.5	16.9	145.5	13.5	20.3	94.7	165.8	20.3	290.9	6.8	61
140.2	20.5	10.3	157.4	205.2	17.1	123.1	27.4	51.3	30.8	37.6	6.8	112.9	20.5	13.7	95.8	174.5	37.6	236.0	10.3	62
88.7	19.7	4.2	105.6	160.6	7.0	156.3	14.1	140.8	22.5	18.3	22.5	109.9	8.5	12.7	90.1	121.1	16.9	257.7	1.4	63
76.1	15.8	2.9	116.4	165.2	12.9	119.2	7.2	87.6	21.5	15.8	18.7	125.0	7.2	5.7	80.5	122.1	17.2	234.2	1.4	64
(4)	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	.....	.....	(4)	(4)	(4)	(4)	(4)	.....	(4)	(4)	65
(4)	.....	(4)	(4)	(4)	.....	(4)	(4)	(4)	.....	(4)	.....	(4)	.....	(4)	(4)	(4)	(4)	(4)	(4)	66
77.0	7.0	21.0	98.0	84.0	7.0	175.0	14.0	49.0	28.0	7.0	21.0	49.0	7.0	21.0	112.0	391.9	28.0	251.9	42.0	67
72.1	.....	21.6	57.7	93.7	7.2	151.4	.....	72.1	28.8	14.4	.....	50.5	.....	36.0	79.3	259.5	.....	302.7	64.9	68
74.7	7.3	7.3	89.4	133.4	16.1	109.9	19.1	27.8	17.6	19.1	7.3	174.4	10.3	13.2	96.7	129.0	23.4	241.8	8.8	69
92.6	17.9	6.0	113.5	135.9	11.9	107.5	29.9	46.3	10.5	4.5	11.9	107.5	10.5	9.0	101.5	119.5	11.9	234.4	16.4	70
81.4	7.4	3.7	92.5	77.7	22.2	151.7	44.4	140.6	18.5	37.0	7.4	88.8	7.4	18.5	88.8	196.1	11.1	240.5	3.7	71
64.1	18.8	11.3	98.0	75.4	60.3	207.3	30.2	139.4	41.5	22.6	7.5	79.1	7.5	3.8	101.8	180.9	11.3	184.7	7.5	72
33.9	4.9	29.1	14.5	53.3	9.7	237.3	14.5	198.5	.....	.....	14.5	96.8	9.7	.....	92.0	43.6	9.7	222.7	.....	73
64.8	.....	5.0	20.0	54.9	20.0	154.6	15.0	264.4	.....	10.0	24.9	64.8	10.0	.....	114.7	34.9	10.0	219.5	.....	74

[3] Colored population less than 10 per cent of total.

[4] Population not estimated; name changed from South Sharon (incorporated in 1901) in 1912.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per death correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	PENNSYLVANIA—continued.															
1	Johnstown	1913	1,685.7	30.3	.....	.....	31.9	9.6	9.6	97.3	3.2	3.2	71.8	15.9	9.6	14.4
2		1912	1,530.6	9.9	.....	.....	3.3	6.6	3.3	79.0	1.6	1.6	108.6	16.5	16.5	6.6
3	Lancaster	1913	1,370.6	16.3	.....	.....	4.1	.....	14.3	36.7	12.2	.....	103.9	6.1	16.3	6.1
4		1912	1,434.5	14.4	2.1	.....	22.7	2.1	6.2	24.7	6.2	2.1	98.9	4.1	18.6	12.4
5	Lebanon	1913	1,695.1	20.2	.....	.....	25.3	.....	10.1	35.4	15.2	.....	91.1	5.1	15.2	20.2
6		1912	1,494.9	10.2	5.1	.....	.....	.....	.....	56.1	5.1	5.1	71.4	5.1	5.1	10.2
7	McKees Rocks	1913	1,694.1	28.7	.....	.....	63.2	5.7	17.2	109.1	5.7	.....	68.9	11.5	.....	5.7
8		1912	1,152.8	18.1	.....	.....	36.2	.....	.....	30.2	.....	.....	60.4	12.1	.....	6.0
9	McKeesport	1913	1,535.8	19.9	.....	.....	31.0	4.4	11.1	57.5	6.6	.....	75.2	6.6	17.7	4.4
10		1912	1,479.3	31.5	.....	.....	13.5	4.5	6.8	31.5	.....	.....	81.1	4.5	20.3	2.3
11	Mahanoy City	1913	1,662.2	6.0	.....	.....	6.0	12.0	.....	35.9	35.9	.....	83.7	6.0	.....	17.9
12		1912	1,565.6	6.1	.....	.....	.....	12.1	.....	42.5	18.2	.....	72.8	.....	12.1	12.1
13	Meadville	1913	1,540.5	52.6	.....	.....	7.5	.....	22.5	.....	22.5	.....	75.1	7.5	22.5	.....
14		1912	1,658.8	7.6	.....	.....	.....	.....	.....	15.2	7.6	.....	76.1	.....	15.2	7.6
15	Monessen	1913	1,080.1	11.6	.....	.....	40.4	5.8	11.6	23.1	.....	5.8	34.7	.....	5.8	5.8
16		1912	995.2	21.0	.....	.....	7.0	14.0	14.0	56.1	.....	.....	84.1	.....	.....	7.0
17	Mount Carmel	1913	1,113.8	5.3	.....	.....	10.6	5.3	15.8	21.1	.....	10.6	68.6	.....	5.3	36.9
18		1912	1,232.2	.....	.....	.....	21.6	.....	27.0	59.4	.....	.....	32.4	.....	16.2	10.8
19	Nanticoke	1913	1,452.2	4.7	.....	.....	9.5	4.7	4.7	42.7	9.5	9.5	56.9	9.5	9.5	14.2
20		1912	1,496.0	.....	4.9	.....	19.6	.....	4.9	24.5	.....	4.9	54.0	9.8	.....	4.9
21	New Castle	1913	1,345.8	36.1	.....	.....	54.1	5.2	.....	33.5	12.9	7.7	74.8	2.6	10.3	10.3
22		1912	1,436.7	68.4	2.6	.....	.....	.....	21.0	55.3	21.0	2.6	78.9	2.6	7.9	13.2
23	Norristown*	1913	2,225.8	33.7	.....	.....	.....	3.4	.....	30.3	16.8	26.9	218.9	3.4	10.1	16.8
24		1912	2,180.0	51.5	3.4	.....	34.3	.....	6.9	27.5	13.7	6.9	199.1	3.4	30.9	6.9
25	North Braddock	1913	1,189.0	7.4	.....	.....	7.4	14.8	36.9	51.7	14.8	7.4	36.9	.....	.....	14.8
26		1912	1,061.0	30.8	.....	.....	7.7	.....	15.4	46.1	.....	.....	61.5	.....	.....	.....
27	Oil City	1913	1,381.1	32.8	.....	.....	27.3	5.5	5.5	.....	10.9	.....	43.7	.....	16.4	5.5
28		1912	1,217.2	11.1	.....	.....	.....	.....	5.6	5.6	5.6	5.6	72.3	11.1	.....	.....
29	Old Forge	1913	1,358.9	15.2	.....	.....	7.6	7.6	45.6	15.2	.....	.....	22.8	.....	7.6	15.2
30		1912	1,603.7	.....	.....	.....	7.9	.....	15.9	71.5	.....	.....	47.6	7.9	.....	.....
31	Philadelphia (total)	1913	1,569.4	15.7	0.4	.....	12.5	10.5	6.4	21.5	9.1	5.9	165.0	12.8	10.8	8.3
32		1912	1,526.2	12.8	0.4	0.1	3.3	7.7	5.9	23.7	7.9	4.0	170.2	10.1	10.5	8.2
33	White	1913	1,518.1	14.9	0.4	.....	12.2	10.9	5.5	21.8	9.1	6.0	147.8	12.3	9.3	7.7
34		1912	1,503.0	12.7	0.4	0.1	3.5	8.0	5.2	24.2	8.0	3.9	159.2	9.6	10.1	8.0
35	Colored	1913	2,446.2	31.0	1.1	.....	17.7	4.4	22.2	16.6	7.8	4.4	458.9	22.2	37.7	17.7
36		1912	1,923.6	14.6	1.1	.....	.....	2.3	18.0	14.6	6.8	5.6	358.1	19.1	18.0	12.4
37	Phoenixville	1913	1,600.9	26.7	8.9	.....	17.8	.....	.....	97.8	35.6	.....	62.3	17.8	8.9	17.8
38		1912	1,695.5	45.1	.....	.....	9.0	.....	27.1	18.0	9.0	.....	117.2	9.0	9.0	.....
39	Pittsburgh (total)	1913	1,712.2	19.5	0.4	.....	27.4	26.4	15.4	36.6	8.4	8.6	106.5	9.7	11.7	9.1
40		1912	1,591.2	13.1	0.4	6.2	26.9	10.7	10.4	31.2	10.0	4.7	100.4	9.3	14.9	6.9
41	White	1913	1,687.9	19.0	0.2	.....	27.9	27.1	14.5	38.1	8.7	9.0	97.4	8.1	10.4	9.0
42		1912	1,576.7	13.4	0.4	5.9	27.7	11.1	10.3	32.4	9.4	4.8	92.2	8.8	13.4	6.9
43	Colored	1913	2,188.1	29.6	3.7	.....	18.5	11.1	33.3	7.4	3.7	.....	284.6	40.7	37.0	11.1
44		1912	1,875.7	7.5	.....	11.2	11.2	3.7	11.2	7.5	22.5	3.7	262.1	18.7	44.9	7.5
45	Pittston	1913	1,637.0	17.2	.....	.....	11.4	28.6	.....	17.2	17.2	17.2	34.3	5.7	5.7	17.2
46		1912	1,819.2	5.8	.....	.....	5.8	11.7	23.4	23.4	5.8	29.2	58.5	11.7	.....	17.5
47	Plymouth	1913	1,056.2	.....	.....	.....	.....	5.5	5.5	27.7	16.6	5.5	38.7	5.5	5.5	22.1
48		1912	1,279.3	5.6	.....	.....	.....	.....	.....	28.2	11.3	.....	39.4	5.6	.....	.....
49	Pottstown	1913	1,344.4	12.3	.....	.....	12.3	.....	6.2	6.2	18.5	.....	98.7	.....	30.8	24.7
50		1912	1,254.4	12.5	6.2	.....	.....	.....	.....	6.2	6.2	.....	112.3	37.4	25.0	12.5
51	Pottsville	1913	1,926.0	14.1	.....	.....	9.4	.....	14.1	18.7	14.1	9.4	103.1	.....	9.4	14.1
52		1912	1,971.8	28.6	.....	.....	23.8	28.6	.....	14.3	9.5	.....	95.3	.....	19.1	9.5
53	Reading	1913	1,512.4	59.0	.....	.....	17.7	8.9	8.9	38.4	4.9	3.0	86.6	4.9	15.7	13.8
54		1912	1,375.4	28.0	.....	.....	6.0	.....	3.0	42.0	12.0	2.0	76.1	11.0	9.0	7.0
55	Scranton	1913	1,483.9	9.4	.....	.....	2.9	10.1	7.9	31.7	7.9	1.4	76.5	4.3	5.8	9.4
56		1912	1,462.2	10.3	0.7	.....	15.5	6.6	8.8	25.0	5.2	4.4	75.8	8.8	10.3	8.1
57	Shamokin	1913	1,251.4	4.8	.....	.....	14.5	48.3	.....	19.3	9.7	.....	62.8	.....	.....	.....
58		1912	1,331.5	9.8	.....	.....	4.9	14.6	14.6	29.3	4.9	4.9	87.8	.....	4.9	14.6
59	Sharon	1913	1,423.6	47.1	5.9	.....	52.9	.....	23.5	41.2	5.9	.....	100.0	5.9	17.6	.....
60		1912	1,139.0	36.9	.....	.....	.....	.....	.....	61.6	18.5	.....	98.5	6.2	6.2	.....
61	Shenandoah	1913	1,891.5	.....	.....	.....	18.2	101.7	7.3	54.5	10.9	3.6	65.3	.....	7.3	10.9
62		1912	2,022.7	3.7	.....	.....	22.2	177.8	14.8	88.9	11.1	3.7	74.1	3.7	.....	7.4
63	South Bethlehem	1913	1,475.8	.....	.....	.....	31.6	22.6	22.6	40.6	.....	9.0	67.7	.....	18.1	13.5
64		1912	1,517.9	9.3	.....	.....	37.2	.....	23.3	41.9	.....	9.3	158.3	.....	.....	.....
65	Steelton	1913	1,253.7	.....	.....	.....	6.7	.....	26.8	26.8	13.4	.....	154.2	6.7	.....	13.4
66		1912	1,332.9	6.8	.....	6.8	27.2	.....	.....	61.2	6.8	.....	136.0	20.4	27.2	.....
67	Sunbury	1913	1,168.9	6.6	.....	.....	.....	.....	.....	6.6	.....	.....	59.8	.....	6.6	6.6
68		1912	1,078.1	27.3	.....	.....	54.6	.....	6.8	6.8	.....	.....	68.2	.....	.....	6.8
69	Uniontown	1913	1,533.7	76.4	.....	.....	21.8	10.9	5.5	10.9	5.5	.....	65.5	5.5	10.9	21.8
70		1912	1,563.9	115.0	.....	.....	11.5	.....	11.5	11.5	11.5	17.2	92.0	5.7	23.0	5.7
71	Warren	1913	1,156.8	31.5	.....	.....	7.9	.....	23.6	15.7	7.9	.....	23.6	15.7	7.9	15.7
72		1912	1,246.4	17.1	.....	.....	.....	8.5	.....	25.6	.....	.....	68.3	8.5	34.1	.....
73	Washington	1913	1,541.2	64.2	.....	.....	19.8	.....	4.9	14.8	29.6	.....	108.7	4.9	9.9	9.9
74		1912	1,334.0	35.4	.....	.....	15.2	.....	5.1	10.1	.....	.....	156.6	15.2	5.1	5.1
75	West Chester (total)	1913	1,712.7	32.0	16.0	.....	.....	8.0	16.0	8.0	16.0	.....	176.1	32.0	8.0	32.0
76		1912	1,980.8	32.6	.....	.....	8.2	.....	8.2	16.3	8.2	.....	154.9	8.2	16.3	8.2
77	White	1913	1,685.7	19.0	19.0	.....	.....	9.5	.....	9.5	19.0	.....	152.4	28.6	9.5	19.0
78		1912	2,037.1	29.1	.....	.....	9.7	.....	9.7	19.4	9.7	.....	126.1	9.7	.....	9.7
79	Colored	1913	1,854.6	100.3	.....	.....	.....	.....	100.3	.....	.....	.....	300.8	50.1	.....	100.3
80		1912	1,684.5	51.0	.....	.....	.....	.....	.....	.....	.....	.....	306.3	.....	102.1	.....

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*) Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
52.6	8.0	9.6	51.0	68.6	12.8	185.0	20.7	116.4	23.9	28.7	20.7	82.9	20.7	9.6	200.9	164.3	9.6	290.2	12.8	1
44.4	11.5	19.7	29.6	74.1	16.5	215.6	32.9	108.6	9.9	11.5	9.9	85.6	11.5	6.6	143.2	212.3	6.6	213.9	13.2	2
91.6	12.2	10.2	140.5	205.7	8.1	77.4	14.3	44.8	14.3	10.2	14.3	138.5	2.0	4.1	87.6	55.0	20.4	201.6	2.0	3
86.6	20.6	6.2	117.5	189.6	10.3	109.2	14.4	43.3	16.5	35.0	6.2	129.9	.....	12.4	94.8	68.0	18.6	237.0	4.1	4
86.0	25.3	5.1	101.2	151.8	15.2	141.7	10.1	91.1	.....	5.1	15.2	121.4	20.2	10.1	146.7	91.1	5.1	379.5	35.4	5
45.9	10.2	15.3	122.4	163.3	.....	96.9	25.5	61.2	15.3	10.2	10.2	122.4	.....	10.2	61.2	96.9	25.5	392.9	35.7	6
40.2	.....	17.2	28.7	51.7	.....	356.1	23.0	402.0	.....	.....	5.7	40.2	.....	11.5	137.8	63.2	5.7	183.8	11.5	7
24.1	6.0	12.1	54.3	66.4	6.0	163.0	12.1	289.7	.....	.....	6.0	12.1	.....	6.0	150.9	54.3	.....	108.6	18.1	8
53.1	4.4	17.7	66.4	68.6	22.1	234.6	17.7	110.6	11.1	24.3	4.4	99.6	6.6	17.7	117.3	154.9	26.6	232.4	11.1	9
54.0	6.8	13.5	54.0	94.6	27.0	200.4	11.3	137.3	27.0	15.8	9.0	60.8	27.0	13.5	110.3	146.4	13.5	256.7	4.5	10
47.8	17.9	.....	41.9	83.7	23.9	173.4	71.7	197.3	.....	6.0	6.0	83.7	12.0	23.9	167.4	95.7	6.0	340.8	59.8	11
30.3	24.3	.....	30.3	127.4	18.2	151.7	72.8	242.7	.....	18.2	12.1	85.0	.....	12.1	133.5	121.4	12.1	267.0	30.3	12
90.2	15.0	7.5	135.3	105.2	15.0	142.8	.....	97.7	22.5	22.5	15.0	105.2	30.1	15.0	97.7	105.2	30.1	263.0	15.0	13
152.2	45.7	7.6	167.4	197.8	7.6	114.1	22.8	45.7	45.7	22.8	.....	144.6	7.6	.....	106.5	121.7	.....	319.6	.....	14
40.4	.....	28.8	23.1	46.2	11.6	184.8	17.3	132.8	.....	5.8	5.8	40.4	5.8	17.3	121.3	63.5	17.3	144.4	28.9	15
.....	.....	7.0	21.0	21.0	14.0	147.2	14.0	238.3	.....	.....	.....	21.0	7.0	.....	63.1	77.1	14.0	98.1	49.1	16
26.4	5.3	.....	47.5	63.3	31.7	147.8	26.4	132.0	5.3	15.8	10.6	52.8	.....	10.6	95.0	79.2	15.8	153.1	15.8	17
27.0	10.8	.....	48.6	59.4	16.2	178.3	10.8	189.1	.....	10.8	10.8	59.4	16.2	.....	124.3	91.9	10.8	189.1	10.8	18
23.7	14.2	23.7	42.7	71.2	14.2	223.0	42.7	156.9	9.5	9.5	23.7	85.4	4.7	28.5	123.4	161.4	9.5	194.6	14.2	19
39.2	.....	14.7	19.6	58.9	24.5	264.9	34.3	230.5	4.9	.....	14.7	73.6	34.3	.....	152.1	181.5	4.9	166.8	49.0	20
51.6	.....	7.7	79.9	59.3	5.2	157.3	12.9	74.8	28.4	18.0	12.9	43.8	5.2	10.3	136.6	131.5	5.2	234.6	23.2	21
100.0	2.6	18.4	73.7	89.5	21.0	142.1	23.7	68.4	18.4	21.0	5.3	44.7	7.9	13.2	118.4	113.1	7.9	228.9	44.7	22
131.3	33.7	3.4	104.4	242.4	23.6	225.6	23.6	67.3	6.7	30.3	6.7	144.8	13.5	10.1	70.7	117.9	26.9	579.2	3.4	23
99.6	6.9	20.6	137.3	315.8	17.2	171.7	30.9	68.7	3.4	30.9	13.7	154.5	6.9	13.7	82.4	140.8	6.9	470.3	3.4	24
51.7	.....	.....	66.5	96.0	7.4	132.9	36.9	192.0	.....	.....	7.4	29.5	.....	7.4	110.8	147.7	.....	110.8	.....	25
23.1	15.4	.....	69.2	69.2	30.8	184.5	15.4	100.0	.....	7.7	7.7	38.4	.....	7.7	69.2	107.6	15.4	138.4	.....	26
71.0	5.5	43.7	76.4	152.8	10.9	196.5	5.5	71.0	5.5	10.9	16.4	98.3	21.8	5.5	65.5	114.6	10.9	240.2	10.9	27
72.3	33.3	33.3	94.5	100.0	11.1	189.0	5.6	50.0	.....	11.1	16.7	139.0	.....	5.6	72.3	38.9	22.2	194.5	11.1	28
45.6	.....	7.6	38.0	38.0	38.0	205.0	7.6	387.2	.....	22.8	.....	38.0	15.2	15.2	68.3	136.7	.....	136.7	22.8	29
15.9	.....	15.9	23.8	63.5	39.7	317.6	15.9	309.6	7.9	7.9	7.9	79.4	15.9	15.9	150.8	103.2	15.9	246.1	.....	30
95.8	13.8	4.8	61.2	170.4	21.1	145.4	18.8	100.6	12.7	12.3	19.9	177.5	9.1	9.5	85.4	78.2	17.6	233.3	2.9	31
89.2	14.8	5.0	69.5	182.1	24.4	133.3	20.7	93.4	12.3	13.8	16.7	159.5	5.9	9.0	82.0	79.2	16.9	231.4	2.1	32
96.0	13.9	4.9	62.5	167.5	20.3	136.3	17.7	97.4	12.8	11.7	20.2	174.3	8.9	9.3	82.6	76.7	18.4	226.1	2.5	33
91.0	15.2	5.2	70.1	181.1	23.5	127.1	20.2	92.8	12.2	13.1	17.5	158.3	5.7	9.0	81.0	79.2	17.6	228.3	2.2	34
92.0	11.1	2.2	38.8	219.5	35.5	300.4	36.6	155.2	11.1	22.2	15.5	231.6	13.3	12.2	131.9	105.3	4.4	356.9	8.9	35
58.6	7.9	2.3	60.8	199.3	40.5	238.8	29.3	103.6	14.6	25.9	4.5	179.1	10.1	7.9	99.1	80.0	5.6	284.9	.....	36
106.7	8.9	8.9	80.0	115.6	.....	142.3	26.7	97.8	8.9	8.9	.....	133.4	8.9	17.8	169.0	151.2	.....	204.6	17.8	37
54.1	9.0	.....	81.2	198.4	9.0	180.4	27.1	117.2	27.1	27.1	9.0	117.2	9.0	9.0	117.2	144.3	18.0	279.6	18.0	38
77.5	9.9	10.8	61.0	126.2	32.8	283.8	21.3	134.8	15.8	15.4	24.4	82.3	11.5	11.8	97.7	136.3	16.0	260.1	3.2	39
66.8	9.6	9.1	70.3	126.8	33.1	261.1	26.7	113.5	14.7	11.4	22.2	79.7	12.7	8.2	106.6	112.8	19.1	237.9	4.0	40
78.0	10.4	11.1	62.4	123.2	32.8	272.6	20.7	135.9	15.8	15.6	25.2	80.1	11.7	11.9	97.6	136.4	16.8	257.2	3.0	41
68.1	9.2	9.2	70.8	122.0	31.9	253.8	26.1	114.7	14.9	11.5	22.1	80.2	12.8	8.2	107.6	114.5	19.7	239.3	3.6	42
66.5	.....	3.7	33.3	184.8	33.3	502.7	33.3	114.6	14.8	11.1	7.4	125.7	7.4	11.1	99.8	133.1	.....	317.9	7.4	43
41.2	18.7	7.5	59.9	220.9	56.2	404.3	37.4	89.9	11.2	11.2	22.5	71.1	11.2	7.5	86.1	78.6	7.5	209.7	11.2	44
40.1	11.4	11.4	80.1	85.9	45.8	240.4	34.3	114.5	11.4	11.4	.....	120.2	11.4	28.6	108.8	217.5	11.4	257.6	22.9	45
29.2	17.5	17.5	46.8	76.0	29.2	310.0	58.5	204.7	17.5	29.2	11.7	70.2	5.8	17.5	117.0	269.1	5.8	269.1	23.4	46
77.4	11.1	.....	16.6	55.3	16.6	71.9	44.2	127.2	.....	22.1	.....	55.3	5.5	5.5	127.2	121.7	11.1	132.7	22.1	47
62.0	.....	.....	45.1	50.7	22.5	78.9	28.2	202.9	.....	5.6	11.3	107.1	16.9	11.3	124.0	197.2	5.6	214.2	5.6	48
80.2	12.3	.....	104.8	123.3	.....	129.5	18.5	49.3	30.8	18.5	12.3	74.0	12.3	18.5	141.8	92.5	.....	197.3	18.5	49
74.9	6.2	6.2	124.8	199.7	6.2	99.9	25.0	49.9	.....	12.5	.....	74.9	.....	6.2	56.2	93.6	18.7	181.0	.....	50
107.8	28.1	4.7	107.8	173.4	14.1	164.0	9.4	84.3	23.4	4.7	51.5	229.6	37.5	32.8	140.6	196.8	9.4	295.2	4.7	51
104.8	4.8	9.5	81.0	223.9	19.1	152.4	28.6	95.3	38.1	38.1	28.6	161.9	19.1	14.3	109.5	276.2	14.3	319.1	4.8	52
66.9	14.8	10.8	91.5	140.7	18.7	105.3	21.6	94.5	15.7	16.7	13.8	113.2	5.9	14.8	99.4	70.8	29.5	289.3	16.7	53
69.1	14.0	6.0	98.1	150.2	18.0	92.1	21.0	68.1	13.0	15.0	14.0	121.1	4.0	10.0	98.1	83.1	15.0	245.3	24.0	54
69.3	16.6	11.5	74.3	112.5	31.7	208.5	29.6	138.5	19.5	16.6	10.1	94.5	10.8	15.9	83.0	157.3	9.4	204.2	2.9	55
57.4	16.2	5.2	67.7	117.0	33.8	200.2	18.4	153.8	21.3	15.5	14.0	108.2	7.4	16.2	87.6	147.2	6.6	188.4	0.7	56
62.8	14.5	.....	82.1	120.8	.....	149.8	19.3	62.8	.....	.....	.....	91.8	4.8	9.7	149.8	62.8	4.8	251.2	4.8	57
68.3	19.5	9.8	68.3	170.7	9.8	185.3	43.9	73.2	4.9	14.6	14.6	68.3	.....	19.5	107.3	63.4	4.9	180.5	14.6	58
58.8	17.6	11.8	94.1	135.3	17.6	152.9	11.8	82.4	11.8	.....	23.5	70.6	5.9	5.9	141.2	100.0	5.9	164.7	11.8	59
80.0	.....	.....	80.0	98.5	18.5	92.4	18.5	43.1	12.3	6.2	24.6	49.3	.....	6.2	104.7	67.7	12.3	184.7	12.3	60
21.8	25.4	21.8	50.8	39.9	43.6	268.7	32.7	403.0	3.6	3.6	18.2	65.3	21.8	3.6	159.7	108.9	3.6	279.5	36.3	61
48.2	.....	11.1	29.6	48.2	66.7	296.4	37.0	359.4	.....	3.7	11.1	59.3	3.7	18.5	163.0	144.5	.....	266.7	48.2	62
36.1	4.5	13.5	45.1	40.6	9.0	135.4	18.1	297.9	4.5	4.5	9.0	58.7	9.0	4.5	216.6	99.3	9.0	234.7	.....	63
41.9	14.0	.....	41.9	88.5	18.6	163.0	32.6	228.2	.....	9.3	9.3	74.5	4.7	27.9	121.1	74.5	4.7	274.7	9.3	64
46.9	6.7	.....	46.9	67.0	46.9	167.6	6.7	147.5	.....	13.4	6.7	73.7	6.7	33.5	127.4	93.9	.....	114.0	.....	65
40.8	.....	.....	108.8	129.2	6.8	81.6	13.6	81.6	.....	.....	6.8	95.2	.....	6.8	136.0	136.0	6.8	163.2	27.2	66
73.1	26.6	6.6	66.4	146.1	13.3	79.7	19.9	59.8	6.6	13.3	6.6	86.3	.....	19.9	59.8	73.1	.....	312.1	13.3	67
47.8	13.6	.....	54.6	102.3	20.5	68.2	13.6	54.6	.....	13.6	13.6	116.0	13.6	6.8	109.2	81.9	6.8	150.1	20.5	68
76.4	5.5	21.8	71.0	92.8	5.5	125.5	10.9	87.3	38.2	27.3	10.9	54.6	32.7	10.9	76.4	229.2	21.8	283.8	16.4	69
74.7	17.2	5.7	40.2	86.2	23.0	132.2	17.2	63.2	23.0	5.7	23.0	63.2	5.7	5.7	92.0	287.5	17.2	247.2	28.7	70
86.6	39.3	15.7	102.3	110.2	7.9	15.7	7.9	39.3	39.3	.....	7.9	70.8	15.7	.....	94.4	63.0	7.9	251.8	31.5	71
111.0	8.5	.....	85.4	162.2	17.1	59.8	8.5	17.1	34.1	17.1	8.5	68.3	.....	.....	34.1	111.0	25.6	315.9	.....	72
98.8	9.9	34.6	74.1	118.6	24.7	148.2	.....	74.1	29.6	14.8	14.8	98.8	9.9	14.8	69.2	108.7	19.8	296.4	14.8	73
60.6	5.1	5.1	85.9	111.2	.....	96.0	15.2	35.4	5.1	10.1	5.1	75.8	15.2	15.2	91.0	101.1	15.2	328.4	10.1	74
104.0	24.0	8.0	64.0	104.0	24.0	96.0	.....	56.0	56.0	16.0	8.0	240.1	8.0	16.0	104.0	88.0	16.0	328.1	8.0	75
130.4	24.5	.....	130.4	260.8	16.3	89.7	8.2	81.5	8.2	32.6	8.2	228.2	32.6	16.3	114.1	138.6	8.2	391.3	.....	76
104.8	28.6	9.5	76.2	104.8	28.6	114.3	.....	38.1	57.1	9.5	9.5	219.0	9.5	9.5	95.2	104.8	19.0	361.9	.....	77
135.8	29.1	.....	135.8	310.4	19.4	97.0	9.7	48.5	.....	29.1	.....	261.9	38.8	19.4	106.7	145.5	9.7	417.1	.....	78
100.3	.....	.....	.....	100.3	.....	.....	.....	150.4	50.1	50.1	.....	350.9	.....	50.1	150.4	.....	.....	150.4	50.1	79
102.1	.....	.....	102.1	.....	.....	51.0	.....	255.2	51.0	51.0	51.0	51.0	.....	.....	153.1	102.1	.....	255.2	.....	80

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR		DEATH RATE PER 100,000 POPULATION FROM—												
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	PENNSYLVANIA—continued.															
1	Wilkes-Barre	1913	1,510.4	12.5	.....	.....	2.8	1.4	4.2	27.7	12.5	2.8	51.3	4.2	12.5	8.3
2		1912	1,501.2	17.0	.....	.....	39.7	4.3	1.4	12.8	4.3	1.4	83.6	5.7	14.2	11.3
3	Wilkinsburg	1913	1,634.9	33.3	.....	.....	4.8	19.0	9.5	19.0	33.3	.....	123.6	14.3	19.0	14.3
4		1912	1,374.0	4.9	.....	.....	9.8	4.9	14.7	.....	24.5	9.8	63.8	14.7	14.7	4.9
5	Williamsport	1913	1,618.6	63.9	3.0	.....	.....	3.0	6.1	18.3	3.0	6.1	54.8	9.1	9.1	12.2
6		1912	1,766.4	39.9	3.1	.....	12.3	.....	12.3	9.2	18.4	6.1	89.1	9.2	12.3	12.3
7	York	1913	1,459.1	12.4	.....	.....	8.3	6.2	12.4	10.3	10.3	2.1	134.5	2.1	10.3	8.3
8		1912	1,298.6	12.7	.....	.....	4.2	.....	2.1	2.1	12.7	2.1	99.6	10.6	12.7	2.1
	RHODE ISLAND.															
9	Registration cities (total)	1913	1,518.9	8.5	0.9	.....	13.0	4.3	7.0	24.9	10.4	5.1	141.8	17.3	13.6	4.7
10		1912	1,554.4	8.5	0.2	.....	23.7	7.2	8.3	25.9	7.0	4.1	142.5	17.8	13.1	3.5
11	White	1913	1,495.6	8.5	0.9	.....	13.2	3.9	6.3	25.4	10.2	5.2	134.9	16.7	12.2	4.8
12		1912	1,533.8	8.7	0.2	.....	22.6	7.3	8.0	26.0	7.1	4.2	136.5	17.8	12.2	3.6
13	Colored	1913	2,693.5	10.9	.....	.....	.....	21.9	43.8	.....	21.9	.....	492.7	43.8	87.6	.....
14		1912	2,592.5	.....	.....	.....	78.2	.....	22.3	22.3	.....	.....	447.0	22.3	55.9	.....
15	Central Falls	1913	1,369.5	4.1	.....	.....	12.4	8.2	4.1	33.0	16.5	8.2	74.2	12.4	8.2	.....
16		1912	1,387.8	8.4	.....	.....	8.4	.....	12.6	33.6	4.2	.....	122.0	12.6	8.4	.....
17	Cranston[2]	1913	2,704.3	4.2	.....	.....	8.5	.....	4.2	33.9	8.5	12.7	325.9	12.7	50.8	12.7
18		1912	2,578.5	13.1	.....	.....	8.8	.....	.....	13.1	13.1	13.1	402.7	13.1	21.9	.....
19	Cumberland town	1913	1,172.7	.....	.....	.....	19.1	9.5	9.5	38.1	19.1	.....	133.5	19.1	9.5	.....
20		1912	1,253.6	.....	9.6	.....	.....	.....	9.6	28.9	19.3	.....	163.9	.....	.....	.....
21	East Providence town	1913	1,459.0	.....	5.9	.....	.....	.....	11.8	23.5	11.8	5.9	129.4	11.8	5.9	17.6
22		1912	1,166.8	6.0	.....	.....	30.1	6.0	6.0	18.0	.....	.....	108.3	.....	12.0	.....
23	Newport	1913	1,279.8	13.9	.....	.....	3.5	7.0	10.5	7.0	10.5	.....	76.7	7.0	10.5	7.0
24		1912	1,436.2	10.6	.....	.....	.....	3.5	3.5	10.6	3.5	3.5	81.6	14.2	17.7	.....
25	Pawtucket	1913	1,484.4	5.4	.....	.....	16.2	1.8	.....	21.6	19.8	5.4	107.8	19.8	3.6	3.6
26		1912	1,441.4	1.8	.....	.....	20.2	3.7	.....	29.4	11.0	.....	86.4	23.9	9.2	3.7
27	Providence	1913	1,516.9	11.2	1.2	.....	15.8	5.4	6.7	29.6	8.7	5.4	129.1	18.7	14.2	2.9
28		1912	1,581.5	10.2	.....	.....	33.6	11.9	9.8	32.7	5.5	6.4	115.2	19.1	16.2	4.7
29	Warwick town	1913	1,639.9	3.5	.....	.....	17.6	.....	7.1	17.6	3.5	.....	380.9	14.1	21.2	17.6
30		1912	1,682.4	14.4	.....	.....	.....	3.6	7.2	10.8	3.6	.....	384.7	10.8	7.2	3.6
31	Woonsocket	1913	1,182.7	7.3	.....	.....	2.4	2.4	16.9	7.3	7.3	4.8	84.7	21.8	7.3	.....
32		1912	1,298.9	2.5	.....	.....	24.8	.....	17.4	7.4	12.4	.....	126.4	27.3	2.5	5.0
	SOUTH CAROLINA.[3]															
33	Charleston (total)	1913	2,701.7	51.8	21.7	.....	13.4	5.0	15.0	5.0	11.7	.....	219.0	1.7	10.0	.....
34		1912	3,085.2	53.8	43.7	.....	.....	3.4	67.2	6.7	16.8	.....	245.3	5.0	8.4	1.7
35	White	1913	1,565.9	35.4	10.6	.....	17.7	3.5	3.5	3.5	10.6	.....	85.0	.....	3.5	.....
36		1912	1,901.5	39.2	35.6	.....	.....	7.1	32.0	7.1	17.8	.....	106.8	.....	3.6	3.6
37	Colored	1913	3,716.6	66.5	31.7	.....	9.5	6.3	25.3	6.3	12.7	.....	338.7	3.2	15.8	.....
38		1912	4,143.1	66.8	50.9	.....	.....	.....	98.6	6.4	15.9	.....	369.1	9.5	12.7	.....
	TENNESSEE.[3]															
39	Registration cities (total)	1913	1,947.1	35.4	48.4	.....	16.1	4.7	9.0	8.7	20.9	2.8	212.1	10.2	21.6	7.1
40		1912	1,863.0	43.8	44.2	.....	2.1	0.3	16.7	9.0	30.6	2.4	213.3	11.5	27.5	5.9
41	White	1913	1,534.2	36.2	19.3	.....	18.7	6.2	7.5	8.7	8.1	2.5	127.9	11.2	13.1	6.2
42		1912	1,563.7	29.9	21.4	.....	1.6	0.5	11.8	9.1	18.7	3.7	142.6	11.2	20.3	2.1
43	Colored	1913	2,651.8	34.1	98.0	.....	11.7	2.1	11.7	8.5	42.6	3.2	355.7	8.5	36.2	8.5
44		1912	2,852.3	69.9	86.8	.....	3.0	.....	25.9	9.0	52.9	.....	345.3	12.0	40.9	13.0
45	Knoxville (total)	1912	1,713.6	21.5	.....	.....	2.7	.....	13.5	10.8	10.8	.....	231.3	10.8	37.7	8.1
46	White	1912	1,485.0	17.0	.....	.....	.....	.....	10.2	13.6	10.2	.....	194.1	13.6	34.1	6.8
47	Colored	1912	2,572.3	38.4	.....	.....	12.8	.....	25.6	.....	12.8	.....	371.1	.....	51.2	12.8
48	Memphis (total)	1913	2,082.6	34.2	77.7	.....	11.4	8.5	9.3	10.0	23.5	4.3	243.0	9.3	14.2	8.5
49		1912	2,165.6	58.9	81.5	.....	2.9	0.7	3.6	10.2	29.1	3.6	224.8	8.0	21.1	2.9
50	White	1913	1,588.0	33.3	33.3	.....	10.7	11.9	7.1	8.3	7.1	3.6	136.7	9.5	11.9	7.1
51		1912	1,666.2	41.3	47.3	.....	3.6	1.2	3.6	7.3	12.1	6.1	139.6	4.9	17.0	.....
52	Colored	1913	2,822.9	35.6	144.1	.....	12.5	3.6	12.5	12.5	48.0	5.3	402.0	8.9	17.8	10.7
53		1912	2,913.0	85.4	132.6	.....	1.8	.....	3.6	14.5	54.5	.....	352.3	12.7	27.2	7.3
54	Nashville (total)	1913	1,780.0	36.9	12.3	.....	22.0	.....	8.8	7.0	17.6	0.9	174.0	11.4	30.7	5.3
55		1912	1,925.6	32.8	13.3	.....	0.9	.....	33.7	7.1	39.0	1.8	193.4	16.0	31.9	8.9
56	White	1913	1,474.8	39.4	3.9	.....	27.6	.....	7.9	9.2	9.2	1.3	118.2	13.1	14.4	5.3
57		1912	1,482.3	22.5	1.3	.....	.....	.....	21.2	9.3	29.2	2.7	126.0	17.2	18.6	2.7
58	Colored	1913	2,396.6	31.8	29.2	.....	10.6	.....	10.6	2.7	34.5	.....	286.6	8.0	63.7	5.3
59		1912	2,821.5	53.6	37.5	.....	2.7	.....	58.9	2.7	58.9	.....	329.6	13.4	58.9	21.4
	TEXAS.[3]															
60	Registration cities (total)	1913	2,351.8	26.4	7.1	2.5	34.0	4.6	4.6	12.7	29.4	2.5	388.3	15.7	16.2	8.6
61		1912	2,426.0	36.9	9.5	13.7	7.4	10.5	13.2	12.1	34.8	4.2	392.3	11.6	16.9	5.8
62	White	1913	2,348.4	27.0	7.5	2.9	38.5	5.2	4.6	14.4	27.6	2.9	385.2	15.5	13.8	8.6
63		1912	2,370.8	36.4	8.4	14.3	7.8	11.9	11.9	11.9	34.7	4.2	391.3	11.4	16.1	5.4
64	Colored	1913	2,377.1	21.7	4.3	.....	.....	.....	4.3	.....	43.4	.....	412.1	17.4	34.7	8.7
65		1912	2,840.5	40.4	17.9	9.0	4.5	.....	22.4	13.5	35.9	4.5	399.4	13.5	22.4	9.0
66	El Paso	1913	3,422.2	40.4	4.2	6.4	127.5	10.6	6.4	29.7	23.4	6.4	603.3	42.5	36.1	14.9
67		1912	3,012.7	49.3	13.4	49.3	.....	29.1	6.7	11.2	11.2	13.4	548.8	24.6	22.4	9.0
68	Galveston (total)	1913	1,878.3	25.3	2.5	5.1	10.1	5.1	7.6	15.2	10.1	5.1	194.9	7.6	7.6	10.1
69		1912	2,076.7	10.3	5.2	.....	.....	2.6	2.6	2.6	18.1	2.6	201.5	12.9	18.1	2.6
70	White	1913	1,665.3	25.9	3.2	6.5	13.0	6.5	6.5	19.4	3.2	6.5	152 3	3.2	9.7	6.5
71		1912	1,732.2	13.2	3.3	.....	.....	3.3	.....	3.3	9.9	3.3	152.1	13.2	9.9	3.3
72	Colored	1913	2,639.8	23.2	.....	.....	.....	.....	11.6	.....	34.7	.....	347.3	23.2	.....	23.2
73		1912	3,307.7	.....	11.8	.....	.....	.....	11.8	.....	47.3	.....	378.0	11.8	47.3	.....

[1] Exclusive of stillbirths.

[2] Includes state institutions.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
90.1	20.8	5.5	59.6	106.8	43.0	174.8	40.2	88.8	37.4	22.2	16.6	106.8	9.7	16.6	124.8	134.5	11.1	251.0	9.7	1
52.4	24.1	7.1	39.7	123.3	31.2	147.4	38.3	93.6	42.5	17.0	15.6	103.5	9.9	12.8	99.2	182.9	7.1	238.1	19.8	2
185.4	23.8	4.8	61.8	104.6	19.0	237.6	33.3	19.0	4.8	23.8	14.3	76.0	19.0	14.3	85.5	123.6	9.5	285.2	.....	3
88.3	4.9	4.9	103.0	142.3	14.7	225.7	9.8	34.3	24.5	9.8	19.6	44.2	24.5	9.8	83.4	157.0	4.9	201.2	.....	4
109.5	12.2	18.3	161.3	194.7	15.2	103.4	21.3	27.4	15.2	18.3	18.3	124.7	9.1	.....	121.7	109.5	9.1	334.7	6.1	5
101.4	18.4	21.5	169.0	224 2	24.6	199.7	30.7	43.0	33.8	36.9	9.2	144.4	18.4	12.3	46.1	95.2	.....	304.1	9.2	6
82.8	12.4	4.1	155.2	149.0	12.4	95.2	8.3	95.2	2.1	20.7	14.5	149.0	6.2	8.3	68.3	47.6	10.3	298.0	2.1	7
80.5	29.7	.....	127.1	131.3	25.4	89.0	10.6	36.0	6.4	14.8	10.6	125.0	14.8	4.2	95.3	82.6	19.1	235.1	.....	8
89.9	25.1	10.0	91.4	156.3	20.2	154.2	10.0	85.4	13.6	12.6	14.5	126.3	4.0	8.3	94.3	84.6	15.3	242.8	8.5	9
93.3	20.2	10.4	98.3	166.5	23.5	158.6	10.7	80.3	8.7	12.2	15.2	126.4	5.9	8.7	92.7	78.3	14.4	259.4	8.9	10
90.8	24.8	9.8	91.9	151.8	20.2	151.6	10.0	85.1	13.0	12.4	14.3	125.5	4.1	8.3	93.2	83.6	15.6	240.0	7.4	11
92.8	19.7	10.2	97.4	162.7	23.3	156.4	10.2	80.1	8.4	12.0	15.3	126.0	6.0	8.7	92.3	78.6	14.6	256.1	8.9	12
43.8	43.8	21.9	65.7	383.2	21.9	284.7	10.9	98.5	43.8	21.9	21.9	164.2	.....	10.9	153.3	131.4	.....	383.2	65.7	13
122.9	44.7	22.3	145.3	357.6	33.5	268.2	33.5	89.4	22.3	22.3	11.2	145.3	.....	11.2	111.7	67.0	.....	424.6	11.2	14
20.6	12.4	16.5	66.0	66.0	49.5	247.5	12.4	231.0	.....	8.2	.....	107.2	8.2	8.2	115.5	28.9	16.5	169.1	4.1	15
37.8	29.4	16.8	63.1	109.3	25.2	201.9	4.2	164.0	.....	12 6	8 4	92 5	.....	4.2	193.4	54.7	12.6	138.8	8.4	16
127.0	29.6	21.2	186.2	279.3	25.4	139.7	12.7	80.4	.....	21.2	12.7	165.1	.....	4.2	139.7	46.6	21.2	397.2	21.2	17
118.2	26.3	4.4	153.2	302.1	8.8	140.1	17.5	96.3	8.8	13.1	30.6	144.5	4.4	8.8	91.9	65.7	13.1	323.0	8.8	18
47.7	19.1	9.5	76.3	143.0	28.6	95.3	9.5	57.2	.....	9.5	9.5	133.5	.....	.....	28.6	85.8	28.6	123.9	9.5	19
96.4	19.3	.....	96.4	173.6	28.9	77.1	28.9	38.6	9.6	.....	9.6	86.8	.....	9.6	57.9	67.5	9.6	192.9	19.3	20
29.4	11.8	.....	141.2	200.0	11.8	170.6	5.9	64.7	.....	5.9	5.9	135.3	.....	.....	117.7	94.1	5.9	235.3	.....	21
84.2	6.0	6.0	84.2	102.2	30.1	150.4	.....	24.1	.....	.....	42.1	96.2	6.0	18.0	96.2	96.2	6.0	126.3	6.0	22
69.7	34.9	7.0	94.2	198.8	10.5	125.5	3.5	31.4	3.5	3.5	20.9	143.0	.....	7.0	62.8	73.2	24.4	205.7	7.0	23
99.3	28.4	28.4	124.1	180.9	31.9	141.8	24.8	42.6	3.5	14.2	3.5	141.8	3.5	17.7	63.8	92.2	10.6	234.0	.....	24
104.2	34.1	7.2	95.2	154.5	19.8	159.9	14.4	61.1	7.2	18.0	34.1	156.3	1.8	1.8	77.3	80.9	21.6	226.4	3.6	25
77.2	16.5	11.0	114.0	156.3	25.7	165.5	9.2	51.5	5.5	11.0	14.7	160.0	.....	7.4	101.1	73.5	11.0	239.0	1.8	26
106.2	25.8	10.0	89.5	157.8	17.1	159.5	11.7	75.4	20.0	15.0	13.3	124.5	4.6	9.6	92.9	97.0	14.6	211.5	12.1	27
105.9	19.1	8.1	101.2	174.7	24.2	167.9	9.4	71.0	13.2	14.0	14.0	127.5	8.9	8.9	84.2	86.7	16.6	247.4	13.2	28
52.9	14.1	17.6	81.1	141.1	31.7	127.0	3.5	130.5	3.5	.....	7.1	102.3	.....	28.2	98.7	74.1	10.6	232.8	.....	29
100.7	39.5	21.6	89.9	122.2	14.4	118.6	18.0	97.1	.....	10.8	21.6	111.4	3.6	3.6	86.3	68.3	14.4	287.6	7.2	30
70.1	21.8	4.8	46.0	99.2	19.3	116.1	2.4	116.1	24.2	7.3	9.7	84.7	12.1	4.8	113.7	82.2	4.8	181.4	.....	31
54.5	9.9	7.4	44.6	133.7	19.8	143.8	5.0	163.6	5.0	9.9	12.4	106.6	5.0	5.0	104.1	49.6	14.9	178.5	.....	32
70.2	6.7	15.0	170.5	209.0	15.0	247.4	30.1	165.5	21.7	36.8	10.0	322.7	10.0	21.7	230.7	110.3	11.7	590.2	51.8	33
60.5	11.8	20.2	146.2	327.7	18.5	255.4	30.2	191.6	16.8	21.8	20.2	373.1	10.1	30.2	278.9	115.9	10.1	641.9	52.1	34
88.6	14.2	10.6	116.9	92.1	7.1	116.9	17.7	67.3	31.9	14.2	17.7	272.8	7.1	21.3	99.2	56.7	24.8	304.7	10.6	35
89.0	17.8	17.8	92.6	153.1	17.8	138.9	14.2	110.4	21.4	24.9	10.7	256.4	3.6	10.7	110.4	74.8	21.4	441.5	21.4	36
53.8	.....	19.0	218.4	313.4	22.2	364.1	41.2	253.3	12.7	57.0	3.2	367.2	12.7	22.2	348.2	158.3	.....	845.3	88.6	37
35.0	6.4	22.3	194.1	483.7	19.1	359.6	44.5	264.1	12.7	19.1	28.6	477.3	15.9	47.7	429.6	152.7	.....	821.0	79.6	38
64.5	8.3	30.3	70.8	161.3	19.7	158.9	27.9	49.2	28.7	23.2	15.3	145.2	7.9	14.6	79.9	168.4	22.4	390.3	63.3	39
65.8	10.1	36.5	64.0	170.8	21.6	170.5	26.1	72.4	33.4	18.4	14.6	152.8	15.3	11.1	89.1	147.5	21.9	406.1	57.4	40
75.5	9.4	25.0	65.5	109.8	10.0	106.1	18.7	45.5	28.7	24.3	16.2	129.2	7.5	15.0	79.9	121.0	29.9	323.2	28.1	41
68.9	12.8	32.6	63.0	110.6	11.8	107.9	17.6	69.4	33.1	17.1	17.6	132.5	15.5	9.1	85.5	110.6	28.8	317.3	28.8	42
45.8	6.4	39.4	79.9	249.2	36.2	249.2	43.7	55.4	28.8	21.3	13.8	172.5	8.5	13.8	79.9	249.2	9.6	504.8	123.5	43
59.9	5.0	43.9	65.9	283.4	39.9	287.4	41.9	77.8	33.9	21.0	9.0	190.6	15.0	15.0	95.8	216.6	9.0	571.9	110.8	44
67.3	13.5	29.6	59.2	164.1	26.9	131.8	16.1	53.8	35.0	21.5	16.1	110.3	10.8	18.8	72.6	158.7	21.5	320.1	18.8	45
61.3	17.0	27.2	64.7	119.2	13.6	105.6	10.2	61.3	34.1	20.4	13.6	95.4	13.6	17.0	51.1	143.1	20.4	272.5	23.8	46
89.6	.....	38.4	38.4	332.7	76.8	230.4	38.4	25.6	38.4	25.6	25.6	166.4	.....	25.6	153.6	217.6	25.6	499.1	.....	47
54.9	9.3	44.2	58.4	123.3	23.5	165.3	31.3	50.6	26.4	16.4	12.8	179.5	7.1	18.5	71.2	193.8	22.8	414.7	104.7	48
64.7	9.5	30.6	60.4	144.0	23.3	178.9	28.4	66.2	34.9	18.2	15.3	195.0	17.5	10.2	79.3	168.0	23.3	447.4	103.3	49
55.9	10.7	33.3	54.7	80.8	10.7	105.8	22.6	44.0	26.1	19.0	16.6	164.0	8.3	19.0	73.7	137.9	30.9	347.1	46.4	50
68.0	10.9	24.3	63.1	91.0	12.1	122.6	23.1	65.5	30.3	15.8	20.6	177.2	18.2	9.7	91.0	118.9	35.2	337.4	47.3	51
53.4	7.1	60.5	64.0	186.8	42.7	254.4	44.5	60.5	26.7	12.5	7.1	202.8	5.3	17.8	67.6	277.5	10.7	515.8	192.1	52
59.9	7.3	40.0	56.3	223.4	40.0	263.3	36.3	67.2	41.8	21.8	7.3	221.6	16.3	10.9	61.7	241.5	5.4	612.0	187.1	53
76.4	7.0	13.2	86.1	208.2	14.9	151.1	23.7	47.4	31.6	31.6	18.4	102.8	8.8	9.7	90.5	137.1	22.0	360.2	12.3	54
66.5	9.8	46.1	70.1	205.8	17.7	173.0	26.6	86.0	31.0	17.7	13.3	115.3	14.2	9.8	106.4	118.9	20.4	384.1	14.2	55
97.2	7.9	15.8	77.5	141.8	9.2	106.4	14.4	47.3	31.5	30.2	15.8	90.6	6.6	10.5	86.7	102.4	28.9	296.8	7.9	56
72.9	13.3	43.8	62.3	128.6	10.6	92.8	14.6	76.9	35.8	17.2	15.9	98.1	13.3	5.3	92.8	88.8	25.2	312.9	10.6	57
34.5	5.3	8.0	103.5	342.4	26.5	241.5	42.5	47.8	31.8	34.5	23.9	127.4	13.3	8.0	98.2	207.0	8.0	488.3	21.2	58
53.6	2.7	50.9	85.7	361.7	32.2	334.9	50.9	104.5	21.4	18.8	8.0	150.0	16.1	18.8	134.0	179.5	10.7	527.9	21.4	59
85.7	13.7	24.3	54.8	111.5	48.7	183.5	35.5	244.9	14.7	15.7	20.8	146.5	18.3	9.6	140.9	112.5	28.9	453.2	35.5	60
76.5	7.4	66.4	53.8	120.2	42.2	174.0	32.7	282.6	18.5	17.9	26.4	166.1	7.9	11.1	122.3	120.7	19.5	454.5	36.4	61
87.8	14.9	24.1	54.0	103.9	49.9	184.3	35.6	269.8	14.4	14.9	20.1	128.0	20.1	9.2	151.0	107.9	31.0	440.3	33.9	62
83.0	7.8	59.2	49.6	109.9	44.2	169.1	23.9	295.2	18.5	16.7	28.1	150.0	7.2	11.4	124.3	110.5	20.3	439.7	36.4	63
69.4	4.3	26.0	60.7	169.2	39.0	177.9	34.7	56.4	17.4	21.7	26.0	286.3	4.3	13.0	65.1	147.5	13.0	550.9	47.7	64
26.9	4.5	121.2	85.3	197.4	26.9	210.9	98.7	188.5	17.9	26.9	13.5	287.2	13.5	9.0	107.7	197.4	13.5	565.4	35.9	65
87.1	14.9	40.4	80.7	108.3	116.8	403.6	44.6	492.8	14.9	10.6	23.4	87.1	31.9	8.5	157.2	136.0	40.4	558.7	12.7	66
87.4	6.7	60.5	44.8	89.6	76.2	306.9	22.4	398.7	20.2	15.7	17.9	143.4	13.4	6.7	161.3	91.8	33.6	577.9	49.3	67
98.7	22.8	15.2	50.6	124.0	10.1	124.0	27.8	60.8	10.1	12.7	15.2	273.4	10.1	7.6	70.9	177.2	32.9	392.4	35.4	68
74.9	10.3	113.6	72.3	173.1	7.7	149.8	64.6	77.5	18.1	23.2	25.8	271.2	7.7	15.5	69.7	144.6	20.7	428.8	28.4	69
103.7	25.9	16.2	48.6	84.2	9.7	84.2	22.7	68.0	9.7	6.5	16.2	239.7	13.0	9.7	71.3	174.9	38.9	333.7	25.9	70
85.9	13.2	85.9	59.5	132.2	9.9	112.4	43.0	46.3	13.2	19.8	26.4	247.9	6.6	16.5	52.9	145.4	23.1	350.4	26.4	71
81.0	11.6	11.6	57.9	266.3	11.6	266.3	46.3	34.7	11.6	34.7	11.6	393.7	.....	.....	69.5	185.2	11.6	602.1	69.5	72
35.4	.....	212.6	118.1	319.0	.....	283.5	141.8	189.0	35.4	35.4	23.6	354.4	11.8	11.8	129.9	141.8	11.8	708.8	35.4	73

[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per death correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	TEXAS[2]—continued.															
1	San Antonio (total)	1913	2,065.4	20.8	9.9	.....	2.7	1.8	2.7	4.5	38.9	.....	365.9	7.2	10.8	5.4
2		1912	2,306.8	41.4	9.4	3.8	13.2	5.6	19.8	16.0	50.8	0.9	396.1	5.6	14.1	5.6
3	White	1913	2,052.0	21.4	10.2	.....	3.1	2.0	3.1	5.1	37.6	.....	354.0	7.1	5.1	6.1
4		1912	2,280.7	39.2	7.4	4.2	13.8	6.4	19.1	14.8	53.0	1.1	398.3	5.3	14.8	5.3
5	Colored	1913	2,171.6	16.1	8.1	.....	.....	.....	.....	.....	48.4	.....	460.2	8.1	56.5	.....
6		1912	2,513.4	58.8	25.2	.....	8.4	.....	25.2	25.2	33.6	.....	378.3	8.4	8.4	8.4
	UTAH.															
7	Registration cities (total)	1913	1,197.3	20.8	1.5	.....	14.1	2.2	6.0	5.2	9.7	5.2	52.1	6.0	7.4	8.2
8		1912	1,131.5	17.1	.....	1.6	3.9	2.3	14.0	3.1	4.7	2.3	52.0	4.7	9.3	2.3
9	White	1913	1,187.9	21.2	1.5	.....	13.6	2.3	6.1	5.3	9.8	5.3	52.2	6.1	6.1	8.3
10		1912	1,118.1	17.4	.....	1.6	3.9	2.4	14.2	3.2	4.7	2.4	46.6	4.7	8.7	2.4
11	Colored	1913	1,759.9	.....	.....	.....	45.1	.....	.....	.....	.....	.....	45.1	.....	90.3	.....
12		1912	1,925.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	375.8	.....	47.0	.....
13	Ogden	1913	1,269.7	38.5	3.5	.....	21.0	10.5	10.5	3.5	14.0	7.0	49.0	14.0	3.5	3.5
14		1912	1,027.1	7.2	.....	3.6	3.6	3.6	7.2	.....	3.6	3.6	65.1	14.5	7.2	.....
15	Salt Lake City	1913	1,177.7	16.1	0.9	.....	12.3	.....	4.7	5.7	8.5	4.7	53.0	3.8	8.5	9.5
16		1912	1,160.0	19.8	.....	1.0	4.0	2.0	15.8	4.0	4.9	2.0	48.4	2.0	9.9	3.0
	VERMONT.															
17	Registration cities (total)	1913	1,724.2	4.3	.....	.....	23.5	21.4	21.4	17.1	19.3	6.4	117.7	6.4	10.7	4.3
18		1912	1,571.8	8.7	.....	.....	10.8	.....	6.5	2.2	8.7	6.5	101.9	13.0	19.5	6.5
19	White	1913	1,727.5	4.3	.....	.....	23.6	21.5	21.5	17.2	19.3	6.4	118.0	6.4	10.7	4.3
20		1912	1,576.8	8.7	.....	.....	10.9	.....	6.5	2.2	8.7	6.5	102.2	13.0	19.6	6.5
21	Colored	1913	680.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22		1912	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Barre	1913	1,254.9	.....	.....	.....	8.7	.....	17.4	17.4	26.1	.....	235.3	.....	8.7	.....
24		1912	1,147.3	.....	.....	.....	17.8	.....	8.9	.....	.....	.....	213.4	17.8	26.7	.....
25	Burlington	1913	1,861.2	4.7	.....	.....	19.0	4.7	19.0	4.7	19.0	4.7	71.2	14.2	.....	9.5
26		1912	1,724.4	14.4	.....	.....	14.4	.....	4.8	.....	14.4	14.4	71.8	19.2	9.6	9.6
27	Rutland	1913	1,900.1	7.0	.....	.....	42.2	63.3	28.1	35.2	14.1	14.1	91.5	.....	28.1	.....
28		1912	1,685.4	7.1	.....	.....	.....	.....	7.1	7.1	7.1	.....	57.1	.....	28.6	7.1
	VIRGINIA.[3]															
29	Registration cities (total)	1913	1,897.2	28.1	9.6	.....	14.6	2.4	13.4	7.7	15.6	3.6	177.1	14.9	19.2	9.8
30		1912	1,959.3	23.0	8.5	.....	2.6	2.6	10.5	9.9	17.8	3.2	219.8	12.2	20.1	9.0
31	White	1913	1,480.9	23.1	5.5	.....	16.9	2.9	9.2	9.9	11.4	4.0	107.8	15.0	15.8	5.9
32		1912	1,497.8	20.1	4.5	.....	2.7	3.1	7.6	9.4	9.8	3.6	140.5	13.0	17.4	7.6
33	Colored	1913	2,684.7	37.5	17.3	.....	10.4	1.4	21.5	3.5	23.6	2.8	308.1	14.6	25.7	17.3
34		1912	2,822.5	28.5	15 9	.....	2.5	1.7	15.9	10.9	32.6	2.5	368.2	10.9	25.1	11.7
35	Alexandria (total)	1913	1,744.8	44.9	6.4	.....	6.4	.....	19.2	19.2	19.2	6.4	128.3	.....	25.7	6.4
36		1912	1,824.9	19.3	19.3	.....	.....	.....	6.4	32.2	6.4	6.4	219.2	6.4	12.9	.....
37	White	1913	1,360.3	26.5	8.8	.....	8.8	.....	8.8	26.5	17.7	.....	88.3	.....	17.7	.....
38		1912	1,349.7	17.8	8.9	.....	.....	.....	8.9	17.8	.....	8.9	142.1	8.9	17.8	.....
39	Colored	1913	2,764.8	93.7	.....	.....	.....	.....	46.9	.....	23.4	23.4	234.3	.....	46.9	23.4
40		1912	3,085.3	23.6	47.1	.....	.....	.....	.....	70.7	23.6	.....	423.9	.....	.....	.....
41	Danville (total)	1913	1,919.5	66.5	5.1	.....	25.6	.....	10.2	.....	15.4	.....	194.5	20.5	10.2	5.1
42		1912	1,992.3	31.0	5.2	.....	5.2	10.3	20.6	31.0	5.2	.....	283.9	.....	25.8	5.2
43	White	1913	1,664.3	60.8	.....	.....	30.4	.....	15.2	.....	22.8	.....	197.6	7.6	15.2	7.6
44		1912	1,816.1	38.3	.....	.....	7.7	15.3	30.7	30.7	7.7	.....	260.5	.....	30.7	7.7
45	Colored	1913	2,446.3	78.4	15.7	.....	15.7	.....	.....	.....	.....	.....	188.2	47.0	.....	.....
46		1912	2,355.7	15.8	15.8	.....	.....	.....	.....	31.6	.....	.....	332.0	.....	15.8	.....
47	Lynchburg (total)	1913	1,896.1	19.2	6.4	.....	25.6	6.4	25.6	16.0	3.2	.....	182.3	22.4	25.6	9.6
48		1912	1,826.2	29.3	.....	.....	13.0	13.0	29.3	9.8	6.5	3.3	172.5	6.5	32.6	3.3
49	White	1913	1,445.9	23.5	4.7	.....	33.0	9.4	14.1	14.1	4.7	.....	108.3	28.3	14.1	9.4
50		1912	1,428.9	24.0	.....	.....	9.6	19.2	24.0	9.6	.....	4.8	105.5	9.6	24.0	4.8
51	Colored	1913	2,847.8	10.0	10.0	.....	10.0	.....	49.8	19.9	.....	.....	338.5	10.0	49.8	10.0
52		1912	2,666.0	40.5	.....	.....	20.3	.....	40.5	10.1	20.3	.....	314.2	.....	50.7	.....
53	Newport News (total)	1913	1,643.1	49.0	14.7	.....	24.5	4.9	.....	14.7	19.6	4.9	240.3	4.9	4.9	14.7
54	White	1913	1,210.5	15.3	15.3	.....	30.6	7.7	.....	23.0	15.3	7.7	122.6	.....	7.7	15.3
55	Colored	1913	2,412.8	109.1	13.6	.....	13.6	.....	.....	.....	27.3	.....	449.8	13.6	.....	13.6
56	Norfolk (total)	1913	1,955.2	30.6	23.5	.....	12.9	.....	10.6	4.7	8.2	3.5	204.7	17.6	22.4	9.4
57		1912	2,012.7	22.8	18.0	.....	1.2	.....	8.4	8.4	14.4	6.0	232.4	13.2	21.6	7.2
58	White	1913	1,341.5	26.2	18.7	.....	13.7	.....	1.9	5.6	3.7	5.6	110.5	16.9	15.0	3.7
59		1912	1,387.1	13.4	9.5	.....	.....	.....	3.8	9.5	7.6	5.7	104.9	17.2	13.4	3.8
60	Colored	1913	2,990.7	37.9	31.6	.....	3.2	.....	25.3	3.2	15.8	.....	363.6	19.0	34.8	19.0
61		1912	3,068.4	38.6	32.2	.....	3.2	.....	16.1	6.4	25.8	6.4	447.5	6.4	35.4	12.9
62	Petersburg (total)	1913	2,395.7	40.2	16.1	.....	4.0	.....	8.0	4.0	36.2	4.0	201.0	24.1	28.1	12.1
63		1912	2,317.0	32.5	24.3	.....	.....	4.1	32.5	12.2	56.8	.....	284.0	24.3	8.1	16.2
64	White	1913	1,686.4	37.0	7.4	.....	.....	.....	7.4	7.4	14.8	.....	125.7	29.6	14.8	14.8
65		1912	1,657.6	22.4	7.5	.....	.....	.....	7.5	7.5	7.5	.....	253.9	22.4	.....	14.9
66	Colored	1913	3,240.0	44.0	26.4	.....	8.8	.....	8.8	.....	61.6	8.8	290.5	17.6	44.0	8.8
67		1912	3,101.9	44.4	44.4	.....	.....	8.9	62.2	17.8	115.5	.....	320.0	26.7	17.8	17.8
68	Portsmouth (total)	1913	1,367.3	24.7	24.7	.....	5.5	.....	19.2	5.5	27.4	.....	104.1	5.5	16.4	11.0
69	White	1913	940.6	16.9	.....	.....	8.4	.....	8.4	8.4	4.2	.....	42.2	8.4	12.7	.....
70	Colored	1913	2,158.3	39.1	70.4	.....	.....	.....	39.1	.....	70.4	.....	219.0	.....	23.5	31.3
71	Richmond (total)	1913	2,040.8	20.3	.....	.....	19.5	3.8	11.3	6.0	16.5	4.5	169.7	16.5	18.8	9.8
72		1912	2,065.4	16.7	2.3	.....	0.8	0.8	3.8	6.1	19.0	2.3	212.2	12.2	21.3	9.9
73	White	1913	1,673.0	21.3	.....	.....	19.0	4.7	8.3	9.5	15.4	4.7	92.4	17.8	20.1	5.9
74		1912	1,648.2	19.2	3.6	.....	1.2	.....	2.4	7.2	15.6	2.4	145.3	13.2	20.4	9.6
75	Colored	1913	2,677.1	18.4	.....	.....	20.5	2.0	16.4	.....	18.4	4.1	303.4	14.3	16.4	16.4
76		1912	2,787.1	12.5	.....	.....	.....	2.1	6.2	4.2	24.9	2.1	328.1	10.4	22.8	10.4

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
80.4	9.9	20.8	45.2	108.4	33.4	111.1	34.3	205.1	16.3	19.0	21.7	126.5	15.4	10.8	159.0	79.5	22.6	430.1	45.2	1
72.4	6.6	51.7	50.8	113.8	40.5	127.0	25.4	308.6	17.9	16.9	30.1	137.4	5.6	11.3	125.1	124.2	13.2	412.1	33.9	2
83.4	11.2	20.3	42.7	106.8	31.5	111.9	36.6	221.8	15.3	19.3	20.3	111.9	16.3	9.2	169.9	73.3	25.4	423.2	46.8	3
78.4	6.4	48.7	48.7	110.2	41.3	125.0	19.1	321.0	20.1	15.9	32.8	123.9	4.2	11.7	128.2	109.1	13.8	405.7	33.9	4
56.5	.....	24.2	64.6	121.1	48.4	104.9	16.1	72.7	24.2	16.1	32.3	242.2	8.1	24.2	72.7	129.2	.....	484.4	32.3	5
25.2	8.4	75.7	67.2	142.9	33.6	142.9	75.7	210.2	.....	25.2	8.4	243.8	16.8	8.4	100.9	243.8	8.4	462.3	33.6	6
63.3	12.7	14.9	40.2	118.4	17.1	88.6	19.4	49.9	35.0	19.4	9.7	85.6	5.2	13.4	73.7	102.0	30.5	221.9	38.0	7
62.1	8.5	17.1	52.8	118.0	16.3	111.8	13.2	25.6	31.0	16.3	9.3	87.7	2.3	8.5	69.8	93.1	31.0	208.0	31.8	8
62.8	12.9	15.1	40.9	118.9	17.4	85.5	18.9	49.2	34.8	19.7	9.8	84.0	5.3	13.6	74.2	100.7	28.8	220.3	37.1	9
61.5	8.7	15.8	52.9	117.6	16.6	112.8	12.6	24.5	30.8	16.6	8.7	86.0	2.4	8.7	70.2	91.5	30.8	206.7	30.8	10
90.3	.....	.....	.....	90.3	.....	270.8	45.1	90.3	45.1	.....	.....	180.5	.....	.....	45.1	180.5	135.4	315.9	90.3	11
93.9	.....	93.9	47.0	140.9	.....	47.0	47.0	93.9	47.0	.....	47.0	187.9	.....	.....	47.0	187.9	47.0	281.8	93.9	12
49.0	14.0	7.0	63.0	129.4	10.5	97.9	10.5	59.5	49.0	7.0	10.5	90.9	3.5	24.5	94.4	104.9	17.5	241.3	7.0	13
65.1	10.8	14.5	50.6	137.4	3.6	83.2	7.2	21.7	32.5	18.1	3.6	75.9	.....	18.1	75.9	68.7	32.5	184.4	3.6	14
67.2	12.3	17.0	34.1	115.4	18.9	86.1	21.8	47.3	31.2	22.7	9.5	84.2	5.7	10.4	68.1	101.2	34.1	216.6	46.4	15
61.3	7.9	17.8	53.4	112.6	19.8	119.6	14.8	26.7	30.6	15.8	10.9	90.9	3.0	5.9	68.2	99.8	30.6	214.4	39.5	16
117.7	25.7	21.4	102.7	121.9	40.6	151.9	17.1	107.0	21.4	23.5	12.8	104.8	4.3	19.3	121.9	92.0	17.1	344.4	4.3	17
104.1	28.2	15.2	84.6	179.9	30.4	114.9	13.0	84.6	47.7	26.0	4.3	110.6	4.3	13.0	95.4	117.1	8.7	305.7	.....	18
118.0	25.8	21.5	103.0	122.3	40.8	152.4	17.2	107.3	21.5	23.6	12.9	103.0	4.3	19.3	122.3	92.3	17.2	345.5	4.3	19
104.4	28.3	15.2	84.8	180.5	30.4	115.3	13.0	84.8	47.8	26.1	4.3	110.9	4.3	13.0	95.7	117.4	8.7	306.7	.....	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	680.3	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
52.3	8.7	8.7	52.3	95.9	52.3	122.0	8.7	26.1	8.7	26.1	17.4	69.7	.....	8.7	61.0	95.9	17.4	209.2	.....	23
53.4	8.9	17.8	97.8	115.6	26.7	88.9	26.7	26.7	.....	8.9	8.9	80.0	.....	26.7	62.3	106.7	8.9	97.8	.....	24
137.7	33.2	38.0	99.7	118.7	47.5	156.7	23.7	156.7	33.2	23.7	9.5	128.2	4.7	23.7	156.7	61.7	19.0	413.1	4.7	25
115.0	28.7	19.2	71.8	182.0	43.1	100.6	9.6	138.9	91.0	28.7	.....	91.0	9.6	4.8	95.8	115.0	9.6	397.6	.....	26
140.7	28.1	7.0	147.8	147.8	21.1	168.9	14.1	98.5	14.1	21.1	14.1	98.5	7.0	21.1	119.6	133.7	14.1	351.9	7.0	27
128.5	42.8	7.1	92.8	228.5	14.3	157.1	7.1	50.0	21.4	35.7	7.1	164.3	.....	14.3	121.4	128.5	7.1	335.6	.....	28
73.7	10.1	15.4	111.3	169.9	34.8	148.3	33.6	107.5	18.2	13.4	16.8	176.4	11.0	14.6	121.7	116.9	16.3	348.4	22.8	29
73.8	11.4	18.4	114.6	188.3	35.0	157.4	31.2	106.7	25.7	18.1	12.5	175.8	11.1	16.9	123.0	115.1	13.7	341.1	30.3	30
79.6	11.4	14.3	82.2	137.2	16.1	79.6	21.3	83.6	22.0	11.7	15.0	150.0	6.6	13.9	91.3	91.3	22.7	292.7	10.6	31
85.0	12.5	13.9	96.2	143.2	18.8	95.3	18.3	63.9	27.7	14.3	11.6	144.5	7.6	16.6	97.5	86.8	20.1	264.4	15.2	32
62.5	7.6	17.3	166.5	231.8	70.1	278.3	56.9	152.7	11.1	16.7	20.1	226.2	19.4	16.0	179.0	165.2	4.2	453.8	45.8	33
52.7	9.2	26.8	148.9	272.8	65.3	273.6	55.2	177.4	21.8	25.1	14.2	234.3	17.6	17.6	170.7	168.2	1.7	484.5	58.6	34
121.9	6.4	6.4	83.4	141.1	38.5	102.6	44.9	134.7	6.4	.....	19.2	179.6	6.4	.....	102.6	83.4	6.4	340.0	38.5	35
51.6	12.9	25.8	70.9	135.4	32.2	161.2	12.9	103.2	12.9	12.9	19.3	141.9	6.4	12.9	90.3	90.3	12.9	406.2	83.8	36
123.7	.....	8.8	61.8	159.0	8.8	53.0	17.7	114.8	8.8	.....	8.8	141.3	.....	.....	132.5	61.8	8.8	238.5	8.8	37
71.0	17.8	26.6	62.1	97.7	26.6	106.6	.....	44.4	.....	8.9	26.6	97.7	.....	17.8	106.6	62.2	17.8	293.0	35.5	38
117.2	23.4	.....	140.6	93.7	117.2	234.3	117.2	187.4	.....	.....	46.9	281.2	23.4	.....	23.4	140.6	.....	609.2	117.2	39
.....	.....	23.6	94.2	235.5	47.1	306.2	47.1	259.1	47.1	23.6	.....	259.1	23.6	.....	47.1	164.9	.....	706.5	212.0	40
71.7	5.1	30.7	46.1	204.8	30.7	189.4	20.5	66.5	30.7	10.2	10.2	102.4	10.2	10.2	148.4	128.0	15.4	394.1	41.0	41
51.6	5.2	41.3	41.3	201.3	31.0	165.2	5.2	123.9	15.5	15.5	.....	118.7	15.5	31.0	82.6	134.2	10.3	407.7	72.3	42
76.0	7.6	22.8	60.8	114.0	22.8	98.8	22.8	45.6	22.8	7.6	7.6	68.4	15.2	15.2	182.4	98.8	22.8	364.8	30.4	43
69.0	7.7	46.0	38.3	137.9	46.0	84.3	7.7	122.6	23.0	7.7	.....	99.6	15.3	23.0	107.3	99.6	15.3	360.2	76.6	44
62.7	.....	47.0	15.7	392.0	47.0	376.4	15.7	109.8	47.0	15.7	15.7	172.5	.....	.....	78.4	188.2	.....	454.8	62.7	45
15.8	.....	31.6	47.4	332.0	.....	332.0	.....	126.5	.....	31.6	.....	158.1	15.8	47.4	31.6	205.5	.....	505.9	63.2	46
70.3	3.2	9.6	124.7	140.7	44.8	99.1	25.6	179.1	9.6	16.0	12.8	182.3	16.0	19.2	118.3	105.5	9.6	354.9	12.8	47
58.6	9.8	22.8	117.2	169.3	13.0	162.8	22.8	110.7	22.8	13.0	9.8	123.7	9.8	13.0	94.4	100.9	13.0	364.6	55.3	48
75.4	4.7	9.4	84.8	113.0	14.1	61.2	9.4	127.2	4.7	9.4	9.4	155.4	9.4	18.8	56.5	103.6	14.1	296.7	4.7	49
52.7	9.6	24.0	134.3	119.9	4.8	124.7	28.8	67.1	28.8	14.4	4.8	52.7	4.8	14.4	81.5	91.1	14.4	292.5	28.8	50
59.7	.....	10.0	209.1	199.1	109.5	179.2	59.7	288.8	19.9	29.9	19.9	239.0	29.9	19.9	248.9	109.5	.....	477.9	29.9	51
71.0	10.1	20.3	81.1	273.7	30.4	243.3	10.1	202.7	10.1	10.1	20.3	273.7	20.3	10.1	121.6	121.6	10.1	517.0	111.5	52
39.2	19.6	24.5	58.9	117.7	9.8	54.0	29.4	63.8	9.8	.....	14.7	127.5	9.8	19.6	103.0	186.4	24.5	323.7	9.8	53
46.0	23.0	23.0	30.6	46.0	7.7	38.3	15.3	53.6	15.3	.....	15.3	122.6	.....	15.3	107.3	137.9	30.6	222.2	.....	54
27.3	13.6	27.3	109.1	245.4	13.6	81.8	54.5	81.8	.....	.....	13.6	136.3	27.3	27.3	95.4	272.6	13.6	504.4	27.3	55
74.1	14.1	12.9	114.1	169.4	45.9	167.0	34.1	97.6	15.3	16.5	11.8	164.7	14.1	16.5	127.1	135.3	14.1	347.0	15.3	56
76.7	9.6	16.8	98.2	213.2	52.7	164.1	40.7	101.8	26.4	24.0	20.4	149.8	4.8	25.2	131.8	122.2	15.6	359.4	6.0	57
69.3	15.0	15.0	63.7	121.8	16.9	71.2	22.5	63.7	16.9	9.4	11.2	125.5	5.6	9.4	78.7	97.4	20.6	271.7	9.4	58
95.4	9.5	7.6	82.0	137.4	17.2	93.5	26.7	42.0	28.6	11.4	24.8	118.3	5.7	19.1	82.0	95.4	24.8	274.8	1.9	59
82.2	12.6	9.5	199.2	249.8	94.8	328.8	53.7	154.9	12.6	28.5	12.6	230.8	28.5	28.5	208.7	199.2	3.2	474.2	25.3	60
45.1	9.7	32.2	125.6	341.3	112.7	283.3	64.4	202.8	22.5	45.1	12.9	202.8	3.2	35.4	215.7	167.4	.....	502.3	12.9	61
56.3	8.0	4.0	132.6	192.9	4.0	176.9	48.2	213.0	8.0	.....	40.2	373.8	12.1	20.1	213.0	108.5	20.1	369.8	16.1	62
60.9	16.2	16.2	129.8	178.5	12.2	150.1	24.3	170.4	28.4	16.2	16.2	304.3	28.4	20.3	125.8	97.4	24.3	377.4	24.3	63
51.8	7.4	.....	103.6	155.3	7.4	66.6	29.6	155.3	7.4	.....	29.6	310.7	14.8	14.8	125.7	88.8	37.0	221.9	.....	64
52.3	.....	7.5	126.9	112.0	7.5	67.2	22.4	97.1	29.9	14.9	22.4	253.9	22.4	29.9	82.1	89.6	44.8	231.5	.....	65
61.6	8.8	8.8	167.3	237.7	.....	308.2	70.4	281.7	8.8	.....	52.8	449.0	8.8	26.4	317.0	132.1	.....	545.9	35.2	66
71.1	35.6	26.7	133.3	257.8	17.8	248.9	26.7	257.8	26.7	17.8	8.9	364.4	35.6	8.9	177.8	106.7	.....	551.1	53.3	67
49.3	.....	16.4	128.8	90.4	19.2	145.2	32.9	76.7	5.5	2.7	16.4	74.0	.....	8.2	71.2	82.2	5.5	254.8	43.8	68
50.6	.....	12.7	113.9	42.2	.....	80.1	21.1	67.5	8.4	.....	16.9	54.8	.....	4.2	46.4	67.5	8.4	223.6	12.7	69
46.9	.....	23.5	156.4	179.9	54.7	265.9	54.7	93.8	.....	7.8	15.6	109.5	.....	15.6	117.3	109.5	.....	312.8	101.7	70
86.3	13.5	13.5	140.4	206.5	46.6	162.2	41.3	86.3	24.0	18.0	22.5	204.2	12.0	15.0	132.9	119.4	20.3	353.6	25.5	71
92.0	12.2	13.7	151.4	212.2	38.8	170.4	40.3	103.5	25.1	17.5	12.2	213.0	11.4	12.2	125.5	127.0	13.7	334.7	31.2	72
97.2	16.6	9.5	105.4	190.8	27.3	91.2	24.9	72.3	32.0	19.0	23.7	188.4	4.7	19.0	104.3	86.5	27.3	303.3	10.7	73
106.8	15.6	10.8	115.2	189.7	22.8	102.0	19.2	75.6	26.4	15.6	7.2	200.5	7.2	13.2	103.2	85.2	20.4	261.7	9.6	74
67.6	8.2	20.5	200.9	233.7	79.9	284.9	69.7	110.7	10.2	16.4	20.5	231.6	24.6	8.2	182.4	176.3	8.2	440.7	51.2	75
66.5	6.2	18.7	213.9	251.3	66.5	288.7	76.8	151.6	22.8	20.8	20.8	234.7	18.7	10.4	164.1	199.4	2.1	461.1	68.5	76

[3] State as a whole not admitted to registration area until 1913.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	VIRGINIA[2]—continued.															
1	Roanoke (total)	1913	1,540.1	20.4	.....	.....	5.1	5.1	25.5	15.3	12.7	5.1	147.9	10.2	15.3	10.2
2		1912	1,386.5	31.7	2.6	.....	5.3	2.6	5.3	5.3	15.8	2.6	182.2	15.8	10.6	15.8
3	White	1913	1,329.9	9.9	.....	.....	6.6	3.3	26.4	13.2	16.5	6.6	102.3	9.9	9.9	6.6
4		1912	1,158.8	23.9	.....	.....	6.8	3.4	6.8	3.4	10.3	3.4	109.4	10.3	13.7	10.3
5	Colored	1913	2,254.1	56.1	.....	.....	.....	11.2	22.4	22.4	.....	.....	302.8	11.2	33.6	22.4
6		1912	2,160.5	58.1	11.6	.....	.....	.....	.....	11.6	34.8	.....	429.8	34.8	.....	34.8
7	Staunton* (total)	1913	2,260.7	9.0	.....	.....	.....	.....	.....	.....	9.0	9.0	251.2	9.0	17.9	9.0
8	White	1913	2,541.6	11.7	.....	.....	.....	.....	.....	.....	.....	11.7	281.1	11.7	23.4	.....
9	Colored	1913	1,341.5	.....	.....	.....	.....	.....	.....	.....	38.3	.....	153.3	.....	.....	38.3
	WASHINGTON.															
10	Registration cities (total)	1913	893.5	7.8	0.2	.....	9.7	3.0	6.7	3.6	5.3	2.0	74.4	11.9	11.6	3.4
11		1912	848.4	12.1	.....	0.2	1.7	1.3	3.8	5.1	4.6	2.7	77.5	9.3	12.6	3.0
12	White	1913	886.9	7.4	0.2	.....	9.7	3.1	6.9	3.7	5.3	1.9	72.0	11.3	10.5	3.5
13		1912	836.2	11.9	.....	0.2	1.7	1.4	3.6	5.1	4.8	2.7	74.2	8.0	11.9	2.9
14	Colored	1913	1,130.7	23.0	.....	.....	11.5	.....	.....	.....	5.7	5.7	160.7	34.4	51.7	.....
15		1912	1,284.9	18.3	.....	.....	.....	.....	12.2	6.1	.....	.....	194.9	54.8	36.5	6.1
16	Aberdeen	1913	815.7	5.8	.....	.....	5.8	.....	.....	.....	.....	.....	35.0	5.8	5.8	.....
17		1912	720.2	18.6	.....	.....	6.2	.....	.....	.....	.....	.....	80.7	.....	12.4	6.2
18	Bellingham	1913	989.6	.....	.....	.....	3.5	.....	7.0	3.5	14.0	3.5	52.5	10.5	7.0	7.0
19		1912	821.8	3.7	.....	.....	3.7	3.7	7.3	.....	7.3	.....	77.0	3.7	11.0	7.3
20	Everett	1913	939.7	19.8	.....	.....	3.3	6.6	6.6	.....	.....	.....	85.7	13.2	16.5	3.3
21		1912	786.4	7.0	.....	.....	.....	7.0	3.5	14.0	17.5	.....	55.9	14.0	21.0	.....
22	North Yakima	1913	1,162.7	17.0	.....	.....	.....	.....	.....	5.7	5.7	.....	113.4	22.7	11.3	11.3
23		1912	901.7	18.2	.....	.....	.....	.....	.....	6.1	6.1	.....	115.0	6.1	6.1	.....
24	Seattle	1913	837.0	4.7	0.3	.....	11.2	2.0	8.1	4.4	4.7	2.0	72.1	12.2	12.2	1.0
25		1912	814.6	7.6	.....	.....	0.4	0.7	2.2	4.3	2.9	3.2	77.9	9.0	14.8	3.2
26	Spokane	1913	887.6	7.0	.....	.....	0.8	6.2	7.0	0.8	5.5	3.1	67.8	8.6	12.5	5.5
27		1912	844.7	17.4	.....	.....	5.8	1.7	5.0	5.0	5.0	1.7	56.2	7.4	5.8	2.5
28	Tacoma	1913	1,002.6	12.2	.....	.....	18.2	3.0	6.1	7.1	4.1	2.0	105.3	16.2	12.2	6.1
29		1912	958.9	11.7	.....	1.1	.....	1.1	5.3	7.4	2.1	5.3	112.7	14.9	12.8	2.1
30	Walla Walla	1913	854.8	22.4	.....	.....	31.3	.....	.....	.....	17.9	.....	17.9	4.5	.....	4.5
31		1912	994.6	51.4	.....	.....	.....	.....	14.0	4.7	18.7	.....	37.4	9.3	18.7	4.7
	WEST VIRGINIA.[3]															
32	Wheeling (total)	1913	1,683.2	63.5	.....	.....	4.7	4.7	25.9	21.2	14.1	9.4	119.9	4.7	7.1	9.4
33		1912	1,729.9	63.9	.....	.....	.....	4.7	16.6	47.3	11.8	.....	101.8	2.4	7.1	14.2
34	White	1913	1,660.9	62.9	.....	.....	4.8	4.8	26.6	21.8	14.5	9.7	121.1	4.8	7.3	9.7
35		1912	1,686.5	63.4	.....	.....	.....	4.9	14.6	48.7	12.2	.....	92.6	.....	4.9	12.2
36	Colored[4]	1913	2,431.1	81.0	.....	.....	.....	.....	.....	.....	.....	.....	81.0	.....	.....	.....
37		1912	3,181.1	81.6	.....	.....	.....	.....	81.6	.....	.....	.....	407.8	81.6	81.6	81.6
	WISCONSIN.															
38	Registration cities (total)	1913	1,302.1	15.5	0.2	.....	9.5	11.6	8.2	22.4	7.7	3.2	91.7	8.7	10.8	10.0
39		1912	1,289.7	22.8	0.4	0.1	7.0	16.9	12.7	18.7	6.4	3.4	90.3	7.5	9.0	6.9
40	White	1913	1,301.4	15.4	0.3	.....	9.5	11.6	8.0	22.4	7.6	3.2	91.6	8.6	10.9	10.0
41		1912	1,288.0	22.9	0.4	0.1	7.1	17.0	12.7	18.8	6.4	3.4	89.8	7.6	8.8	6.8
42	Colored	1913	1,506.0	37.7	.....	.....	.....	.....	75.3	.....	37.7	.....	113.0	37.7	.....	.....
43		1912	1,817.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	232.0	.....	77.3	38.7
44	Appleton	1913	1,270.1	5.8	.....	.....	5.8	.....	5.8	11.5	5.8	.....	80.8	11.5	5.8	5.8
45		1912	1,201.2	17.5	.....	.....	.....	.....	.....	11.7	11.7	.....	116.6	11.7	17.5	5.8
46	Ashland	1913	1,934.5	81.0	.....	.....	27.0	.....	9.0	9.0	.....	9.0	108.0	18.0	18.0	18.0
47		1912	1,713.4	79.9	.....	.....	.....	.....	.....	8.9	.....	.....	168.7	.....	35.5	.....
48	Beloit	1913	1,093.3	.....	.....	.....	12.0	.....	6.0	6.0	42.0	.....	60.1	.....	6.0	18.0
49		1912	1,119.2	18.6	6.2	.....	.....	.....	6.2	6.2	12.4	6.2	37.1	.....	24.7	6.2
50	Eau Claire	1913	1,642.7	32.3	.....	.....	37.7	10.8	.....	.....	5.4	.....	70.0	10.8	16.2	5.4
51		1912	1,346.9	10.8	.....	.....	.....	16.2	5.4	5.4	10.8	.....	86.5	16.2	32.5	21.6
52	Fond du Lac	1913	1,480.4	35.0	.....	.....	5.0	.....	20.0	.....	15.0	5.0	95.0	10.0	25.0	.....
53		1912	1,518.8	5.1	.....	.....	.....	.....	10.2	10.2	5.1	.....	122.3	5.1	.....	5.1
54	Green Bay	1913	1,743.2	11.0	.....	.....	.....	18.3	18.3	.....	3.7	3.7	91.4	32.9	18.3	14.6
55		1912	1,651.7	22.5	.....	.....	3.7	18.7	7.5	22.5	11.2	3.7	89.9	18.7	15.0	11.2
56	Janesville	1913	1,472.8	21.2	.....	.....	.....	7.1	.....	.....	.....	7.1	113.3	7.1	7.1	14.2
57		1912	1,430.5	7.1	.....	.....	.....	7.1	.....	.....	7.1	7.1	85.4	.....	7.1	7.1
58	Kenosha	1913	1,025.9	35.9	.....	.....	27.9	16.0	4.0	8.0	8.0	4.0	79.8	.....	4.0	4.0
59		1912	1,506.4	33.9	.....	.....	16.9	203.1	8.5	12.7	12.7	4.2	71.9	21.2	8.5	4.2
60	La Crosse	1913	1,342.4	12.8	.....	.....	6.4	3.2	3.2	9.6	9.6	6.4	96.1	16.0	9.6	9.6
61		1912	1,307.0	3.3	3.3	.....	.....	.....	3.3	16.3	9.8	.....	107.3	9.8	13.0	9.8
62	Madison	1913	1,244.0	3.5	.....	.....	10.4	6.9	10.4	6.9	6.9	3.5	65.8	17.3	27.7	.....
63		1912	1,078.5	7.4	.....	3.7	.....	3.7	.....	.....	14.8	.....	55.4	.....	3.7	14.8
64	Manitowoc	1913	1,504.3	29.8	.....	.....	.....	52.1	.....	7.4	29.8	.....	89.4	14.9	7.4	.....
65		1912	1,180.2	15.0	.....	.....	7.5	15.0	.....	.....	15.0	.....	105.2	7.5	15.0	22.6
66	Marinette	1913	1,198.8	21.3	.....	.....	.....	.....	.....	7.1	.....	.....	70.9	7.1	21.3	14.2
67		1912	1,339.7	42.1	.....	.....	7.0	.....	.....	.....	.....	14.0	84.2	.....	14.0	7.0
68	Milwaukee	1913	1,268.2	11.3	0.5	.....	6.4	15.7	3.4	35.5	6.1	2.9	90.0	5.9	8.3	11.0
69		1912	1,301.6	25.7	0.2	.....	11.2	16.2	18.5	24.7	4.7	3.5	85.4	6.5	5.7	5.7
70	Oshkosh	1913	1,378.1	26.0	.....	.....	5.8	.....	23.1	14.4	8.7	.....	86.7	14.4	20.2	8.7
71		1912	1,239.4	14.6	.....	.....	.....	2.9	5.9	11.7	2.9	.....	67.4	5.9	8.8	11.7
72	Racine	1913	1,157.3	13.8	.....	.....	13.8	4.6	9.2	29.9	11.5	4.6	105.6	13.8	4.6	9.2
73		1912	1,139.0	37.6	.....	.....	.....	7.0	18.8	25.8	4.7	4.7	98.6	16.4	9.4	.....

[1] Exclusive of stillbirths.

[2] State as a whole not admitted to registration area until 1913.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
63.7	2.5	25.5	53.5	107.1	15.3	119.8	15.3	160.6	33.1	17.8	5.1	107.1	12.7	15.3	89.2	99.4	22.9	280.5	20.4	1
44.9	13.2	21.1	66.0	87.2	18.5	92.4	10.6	76.6	37.0	15.8	.....	105.6	13.2	10.6	150.5	81.9	5.3	219.2	21.1	2
79.2	3.3	29.7	59.4	72.6	6.6	69.3	19.8	132.0	39.6	19.8	3.3	95.7	16.5	16.5	72.6	99.0	29.7	234.3	19.8	3
54.7	17.1	10.3	64.9	71.8	10.3	71.8	3.4	71.8	41.0	20.5	.....	85.5	6.8	13.7	119.6	75.2	6.8	194.8	17.1	4
11.2	.....	11.2	33.6	224.3	44.9	291.6	.....	257.9	11.2	11.2	11.2	145.8	.....	11.2	145.8	100.9	.....	437.4	22.4	5
11.6	.....	58.1	69.7	139.4	46.5	162.6	34.8	92.9	23.2	.....	.....	174.2	34.8	.....	255.5	104.5	.....	302.0	34.8	6
80.7	17.9	26.9	53.8	323.0	17.9	188.4	9.0	26.9	17.9	26.9	.....	269.1	.....	9.0	44.9	71.8	9.0	753.6	.....	7
105.4	23.4	23.4	58.6	374.8	11.7	187.4	11.7	35.1	23.4	23.4	.....	292.8	.....	11.7	46.8	70.3	11.7	890.1	.....	8
.....	.....	38.3	38.3	153.3	38.3	191.6	.....	.....	.....	38.3	.....	191.6	.....	.....	38.3	76.7	.....	306.6	.....	9
68.9	14.6	6.7	49.0	93.7	5.0	65.3	7.5	19.7	16.6	9.6	7.2	68.3	8.5	6.9	49.5	72.7	21.1	156.2	6.7	10
65.2	10.6	4.3	45.2	84.5	5.6	53.8	6.1	16.6	16.3	8.3	9.0	59.8	5.3	9.3	48.8	76.9	26.1	155.0	7.8	11
69.6	14.7	6.9	49.1	94.2	5.2	64.7	7.6	18.8	16.3	9.7	6.9	68.8	8.4	7.1	49.3	71.3	20.8	156.1	6.1	12
66.0	10.8	3.9	44.9	84.6	5.5	52.9	5.5	15.7	15.9	8.4	9.0	59.6	5.5	9.0	48.3	74.2	25.6	155.0	7.5	13
45.9	11.5	.....	45.9	74.6	.....	86.1	5.7	51.7	28.7	5.7	17.2	51.7	11.5	.....	57.4	120.5	34.4	160.7	28.7	14
36.5	6.1	18.3	54.8	79.2	12.2	85.3	30.4	48.7	30.4	6.1	6.1	67.0	.....	18.3	67.0	170.5	42.6	158.3	18.3	15
52.4	5.8	5.8	23.3	75.7	.....	35.0	.....	35.0	5.8	17.5	17.5	52.4	11.7	17.5	75.7	134.0	29.1	151.5	11.7	16
49.7	6.2	6.2	24.8	86.9	.....	31.0	6.2	37.3	18.6	6.2	6.2	49.7	.....	6.2	24.8	124.2	.....	105.6	6.2	17
69.9	21.0	17.5	73.4	94.4	3.5	59.4	3.5	21.0	38.5	17.5	10.5	90.9	10.5	14.0	31.5	38.5	21.0	234.3	10.5	18
77.0	11.0	3.7	66.0	73.4	3.7	40.4	11.0	18.3	18.3	.....	7.3	80.7	3.7	7.3	47.7	69.7	.....	157.8	.....	19
62.6	29.7	9.9	69.2	95.6	9.9	39.6	.....	23.1	16.5	6.6	3.3	39.6	3.3	3.3	56.1	112.1	19.8	178.0	6.6	20
62.9	10.5	7.0	45.4	73.4	7.0	38.4	10.5	7.0	21.0	3.5	10.5	52.4	3.5	14.0	45.4	59.4	14.0	160.8	.....	21
113.4	22.7	11.3	51.0	141.8	5.7	102.1	5.7	22.7	34.0	11.3	.....	102.1	11.3	.....	73.7	79.4	11.3	175.8	.....	22
48.4	.....	6.1	30.3	60.5	6.1	96.8	12.1	12.1	24.2	12.1	12.1	72.6	6.1	6.1	60.5	66.6	30.3	175.5	6.1	23
68.4	14.6	4.4	46.1	87.7	4.7	64.4	9.5	15.2	12.9	6.8	7.8	61.6	7.5	4.7	43.7	71.1	23.4	146.0	1.4	24
57.3	10.1	2.9	46.1	85.8	7.2	51.5	7.2	17.7	12.6	7.2	10.1	54.4	3.6	10.5	45.4	79.7	30.6	146.0	2.5	25
69.4	11.7	8.6	51.4	93.5	8.6	70.9	5.5	24.9	21.8	11.7	6.2	74.0	8.6	4.7	53.8	62.3	16.4	155.9	3.1	26
73.6	12.4	4.1	43.8	76.9	5.8	59.5	0.8	18.2	22.3	9.9	10.7	64.5	10.7	7.4	54.5	60.3	16.5	171.9	7.4	27
58.7	14.2	7.1	41.5	107.4	2.0	71.9	8.1	20.3	16.2	10.1	8.1	78.0	9.1	12.2	55.7	86.1	24.3	151.9	27.3	28
79.7	10.6	3.2	36.1	93.6	3.2	57.4	6.4	10.6	13.8	12.8	5.3	67.0	5.3	8.5	52.1	95.7	41.5	151.0	28.7	29
102.9	4.5	4.5	67.1	85.0	.....	53.7	13.4	26.9	4.5	17.9	.....	76.1	17.9	17.9	49.2	31.3	9.0	170.1	4.5	30
70.0	18.7	23.3	79.4	116.7	.....	56.0	4.7	18.7	23.3	9.3	.....	51.4	4.7	9.3	60.7	56.0	18.7	205.5	9.3	31
89.3	9.4	16.5	49.4	176.3	23.5	169.3	42.3	77.6	25.9	18.8	11.8	112.8	11.8	9.4	98.7	143.4	16.5	286.8	9.4	32
130.2	9.5	18.9	47.3	134.9	26.0	198.8	26.0	61.5	35.5	33.1	18.9	101.8	11.8	11.8	85.2	158.6	26.0	319.5	4.7	33
84.7	9.7	16.9	48.4	169.5	21.8	159.8	43.6	79.9	26.6	16.9	12.1	109.0	12.1	9.7	99.3	142.8	16.9	283.3	9.7	34
129.2	9.7	17.1	48.7	131.6	26.8	197.4	26.8	58.5	31.7	29.2	19.5	97.5	12.2	9.7	87.7	156.0	26.8	312.0	4.9	35
243.1	.....	.....	81.0	405.2	81.0	486.2	.....	.....	.....	81.0	.....	243.1	.....	.....	81.0	162.1	.....	405.2	.....	36
163.1	.....	81.6	.....	244.7	.....	244.7	.....	163.1	163.1	163.1	.....	244.7	.....	81.6	.....	244.7	.....	571.0	.....	37
85.9	17.3	13.9	64.4	101.8	24.0	112.6	17.3	67.2	21.8	13.9	17.9	70.6	6.6	8.1	97.9	84.3	15.5	255.5	6.0	38
86.7	16.3	13.8	62.8	106.6	26.5	112.0	12.9	80.1	21.6	14.2	12.1	76.2	4.5	6.9	89.8	75.8	16.4	246.3	6.0	39
86.2	17.4	13.9	64.6	101.7	24.0	112.1	17.4	67.3	21.7	13.9	17.8	70.4	6.7	8.1	98.0	83.9	15.5	255.3	6.0	40
86.8	16.4	13.6	62.2	106.0	26.6	111.5	13.0	80.4	21.5	14.2	12.1	76.2	4.5	6.9	89.8	75.9	16.5	246.1	6.0	41
.....	.....	.....	.....	113.0	.....	263.6	.....	37.7	37.7	.....	75.3	113.0	.....	.....	37.7	225.9	.....	301.2	.....	42
77.3	.....	77.3	232.0	270.7	.....	270.7	.....	.....	38.7	.....	.....	77.3	.....	.....	77.3	38.7	.....	309.4	.....	43
138.6	28.9	11.5	63.5	86.6	23.1	115.5	5.8	11.5	57.7	23.1	23.1	80.8	17.3	5.8	86.6	86.6	11.5	242.5	11.5	44
116.6	29.2	17.5	46.6	105.0	40.8	81.6	23.3	29.2	23.3	17.5	5.8	58.3	.....	.....	52.5	75.8	11.7	268.2	5.8	45
144.0	9.0	45.0	126.0	126.0	9.0	224.9	27.0	63.0	81.0	27.0	18.0	63.0	.....	18.0	54.0	233.9	.....	350.9	9.0	46
71.0	8.9	44.4	97.7	195.3	26.6	97.7	8.9	44.4	26.6	8.9	17.8	97.7	8.9	.....	106.5	177.6	26.6	346.2	8.9	47
66.1	24.0	18.0	42.0	102.1	24.0	96.1	18.0	42.0	18.0	.....	12.0	60.1	6.0	6.0	90.1	90.1	12.0	210.2	6.0	48
86.6	.....	12.4	74.2	148.4	12.4	92.8	6.2	18.6	30.9	12.4	6.2	80.4	6.2	6.2	117.5	68.0	18.6	197.9	.....	49
107.7	32.3	21.5	118.5	193.9	10.8	91.6	32.3	37.7	59.2	21.5	5.4	134.6	16.2	16.2	70.0	70.0	16.2	398.6	.....	50
140.6	27.0	27.0	124.4	119.0	10.8	75.7	27.0	5.4	21.6	37.9	5.4	81.1	.....	10.8	43.3	59.5	5.4	302.9	16.2	51
140.0	15.0	.....	90.0	170.1	25.0	95.0	25.0	40.0	35.0	45.0	10.0	70.0	15.0	5.0	70.0	75.0	5.0	335.1	5.0	52
127.4	30.6	5.1	107.0	147.3	30.6	71.4	25.5	25.5	40.8	45.9	5.1	117.2	.....	30.6	86.6	117.2	20.4	300.7	20.4	53
76.7	25.6	21.9	69.4	69.4	25.6	127.9	25.6	113.3	65.8	25.6	36.5	102.3	11.0	18.3	197.3	87.7	11.0	405.7	14.6	54
101.1	22.5	11.2	89.9	56.2	7.5	179.8	18.7	67.4	44.9	22.5	7.5	119.8	15.0	3.7	213.5	108.6	7.5	314.6	15.0	55
169.9	14.2	14.2	85.0	162.9	7.1	120.4	28.3	14.2	28.3	35.4	.....	49.6	7.1	7.1	77.9	113.3	7.1	332.8	21.2	56
85.4	21.4	.....	71.2	192.2	21.4	135.2	21.4	14.2	14.2	7.1	.....	64.1	.....	.....	78.3	92.5	56.9	412.8	14.2	57
59.9	8.0	8.0	24.0	63.9	8.0	79.8	16.0	83.8	8.0	12.0	4.0	47.9	8.0	.....	91.8	67.9	24.0	207.6	12.0	58
63.5	21.2	12.7	76.2	93.1	16.9	80.4	25.4	156.6	16.9	.....	12.7	63.5	12.7	4.2	105.8	93.1	4.2	245.4	4.2	59
112.1	22.4	12.8	70.5	157.0	16.0	99.3	16.0	19.2	28.8	22.4	25.6	44.9	12.8	9.6	83.3	96.1	16.0	288.4	6.4	60
152.8	35.8	13.0	74.8	169.1	6.5	84.5	3.3	35.8	45.5	9.8	13.0	52.0	.....	6.5	55.3	78.0	19.5	269.9	6.5	61
145.5	10.4	13.9	65.8	83.2	13.9	79.7	20.8	10.4	24.3	6.9	13.9	65.8	.....	10.4	62.4	121.3	24.3	301.5	10.4	62
114.5	11.1	18.5	73.9	114.5	11.1	66.5	22.2	11.1	18.5	25.9	.....	81.3	.....	3.7	48.0	73.9	25.9	251.2	3.7	63
96.8	14.9	22.3	119.2	96.8	22.3	29.8	52.1	44.7	7.4	22.3	22.3	89.4	7.4	.....	81.9	74.5	14.9	431.9	22.3	64
67.7	37.6	30.1	52.6	90.2	45.1	45.1	.....	45.1	22.6	7.5	22.6	52.6	.....	.....	82.7	90.2	7.5	270.6	7.5	65
85.1	21.3	35.5	85.1	56.7	7.1	92.2	21.3	70.9	14.2	7.1	21.3	78.0	.....	14.2	78.0	78.0	7.1	276.7	7.1	66
77.2	14.0	.....	49.1	133.3	35.1	189.4	35.1	70.1	21.0	7.0	.....	70.1	7.0	7.0	112.2	126.3	7.0	196.4	14.0	67
75.9	15.9	12.7	57.0	96.4	30.3	122.6	13.2	86.6	15.9	11.3	22.3	74.1	5.9	7.1	106.4	73.9	18.4	221.9	3.4	68
77.2	13.5	11.5	53.5	98.7	35.0	128.2	9.7	114.7	18.5	14.0	14.5	78.7	5.5	7.7	91.9	64.7	17.0	235.1	3.7	69
104.0	17.3	14.4	104.0	115.6	28.9	72.2	37.6	28.9	14.4	20.2	17.3	69.3	11.6	8.7	104.0	63.6	8.7	320.7	8.7	70
114.3	17.6	17.6	108.4	111.3	20.5	82.0	14.6	8.8	11.7	11.7	26.4	64.5	2.9	.....	111.3	70.3	.....	307.6	5.9	71
75.8	11.5	4.6	41.3	68.9	13.8	107.9	13.8	62.0	13.8	6.9	16.1	50.5	2.3	11.5	73.5	110.2	9.2	241.1	2.3	72
75.1	11.7	18.8	47.0	112.7	14.1	103.3	23.5	63.4	14.1	4.7	2.3	49.3	.....	4.7	68.1	63.4	18.8	216.1	4.7	73

[3] Nonregistration state; cities shown below only those with effective local ordinances.

[4] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per death correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.															
	WISCONSIN—continued.															
1	Sheboygan	1913	1,373.8	18.2	.....	.....	14.5	10.9	50.9	18.2	7.3	3.6	98.1	7.3	29.1	7.3
2		1912	1,244.2	14.7	.....	.....	11.0	14.7	.....	11.0	11.0	3.7	92.0	3.7	7.4	3.7
3	Superior	1913	1,170.4	13.8	.....	.....	30.0	4.6	16.1	.....	.....	2.3	119.8	6.9	4.6	9.2
4		1912	937.3	18.8	.....	.....	2.4	.....	7.1	14.1	2.4	7.1	103.6	7.1	11.8	4.7
5	Wausau	1913	1,299.8	22.3	.....	.....	.....	5.6	16.7	5.6	22.3	11.2	128.3	.....	5.6	22.3
6		1912	1,445.7	11.4	.....	.....	.....	11.4	28.6	28.6	11.4	5.7	177.1	5.7	11.4	11.4
	RURAL PART OF REGISTRATION STATES.[2]															
	CALIFORNIA.															
7	Total	1913	1,352.7	15.1	3.3	0.8	6.5	3.3	4.7	5.1	12.6	3.0	164.5	8.5	15.1	4.6
8		1912	1,305.0	17.7	4.8	0.2	5.1	2.3	6.2	4.5	11.9	3.7	158.1	6.7	13.0	5.3
9	White	1913	1,359.5	14.9	3.1	0.9	6.4	3.3	4.6	5.1	13.1	3.0	161.4	8.4	15.2	4.7
10		1912	1,316.9	17.8	4.7	0.2	5.2	2.4	5.9	4.8	12.1	3.8	155.4	6.5	13.1	5.3
11	Colored	1913	1,239.4	17.9	6.0	.....	9.0	3.0	7.5	4.5	4.5	3.0	215.0	10.5	13.4	1.5
12		1912	1,106.3	15.3	6.1	.....	3.1	.....	10.7	.....	7.7	3.1	204.1	9.2	10.7	4.6
13	Alameda County	1913	1,991.9	20.8	.....	.....	8.9	.....	.....	8.9	.....	3.0	264.6	14.9	17.8	5.9
14		1912	2,044.1	9.0	.....	.....	3.0	3.0	.....	9.0	3.0	6.0	367.8	15.1	12.1	.....
15	Alpine County	1913	1,219.5	406.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16		1912	1,127.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	375.9	.....	.....	.....
17	Amador County	1913	1,803.3	35.6	11.9	.....	.....	.....	.....	23.7	11.9	11.9	249.1	23.7	23.7	.....
18		1912	1,320.2	23.2	34.7	.....	.....	.....	.....	11.6	23.2	.....	289.5	.....	23.2	.....
19	Butte County	1913	1,199.0	26.1	6.5	.....	.....	3.3	.....	9.8	19.6	3.3	104.5	9.8	16.3	6.5
20		1912	1,369.3	10.1	27.0	.....	16.9	3.4	13.5	6.8	13.5	6.8	142.0	3.4	23.7	6.8
21	Calaveras County	1913	1,303.7	11.7	35.2	.....	.....	.....	.....	.....	11.7	.....	82.2	.....	.....	23.5
22		1912	1,123.9	.....	.....	.....	.....	.....	11.5	.....	.....	.....	149.1	.....	.....	11.5
23	Colusa County	1913	1,108.0	38.2	.....	.....	.....	.....	.....	25.5	12.7	.....	63.7	.....	.....	12.7
24		1912	1,241.4	12.8	12.8	.....	.....	.....	.....	.....	64.0	.....	153.6	.....	.....	12.8
25	Contra Costa County	1913	1,099.6	36.0	2.8	.....	.....	.....	.....	5.5	.....	.....	74.8	2.8	5.5	.....
26		1912	959.0	17.3	.....	.....	14.4	.....	11.5	2.9	2.9	.....	80.6	8.6	8.6	2.9
27	Del Norte County	1913	1,239.7	.....	.....	.....	.....	.....	.....	.....	.....	41.3	165.3	.....	.....	.....
28		1912	1,281.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	82.6	41.3	.....	.....
29	Eldorado County	1913	1,698.1	.....	14.3	.....	.....	.....	.....	.....	71.3	.....	114.2	.....	.....	.....
30		1912	1,801.7	14.0	27.9	.....	14.0	14.0	14.0	.....	41.9	.....	181.6	.....	14.0	.....
31	Fresno County	1913	1,156.9	28.7	5.1	.....	13.5	37.1	1.7	5.1	6.7	6.7	168.6	15.2	11.8	.....
32		1912	1,167.1	40.6	1.8	.....	10.6	5.3	14.1	8.8	10.6	.....	125.4	7.1	3.5	12.4
33	Glenn County	1913	804.8	.....	12.8	.....	.....	.....	.....	.....	.....	.....	25.5	12.8	.....	.....
34		1912	892.0	26.2	.....	.....	.....	.....	.....	.....	13.1	39.4	91.8	.....	.....	13.1
35	Humboldt County	1913	734.4	.....	.....	.....	.....	4.4	.....	8.8	8.8	8.8	48.4	4.4	4.4	.....
36		1912	772.9	26.7	.....	.....	.....	.....	.....	.....	4.4	.....	40.0	.....	4.4	8.9
37	Imperial County	1913	1,667.9	62.7	.....	62.7	37.6	.....	6.3	6.3	6.3	.....	257.1	43.9	37.6	.....
38		1912	1,018.8	65.7	6.6	.....	.....	.....	13.1	13.1	6.6	.....	157.7	6.6	6.6	.....
39	Inyo County †	1913	562.7	12.8	.....	.....	.....	.....	.....	.....	12.8	.....	25.6	.....	.....	.....
40		1912	542.7	.....	.....	.....	.....	.....	.....	.....	52.9	.....	39.7	.....	13.2	13.2
41	Kern County †	1913	682.5	10.1	.....	.....	3.4	3.4	3.4	6.7	3.4	.....	74.0	6.7	3.4	3.4
42		1912	707.7	7.1	.....	.....	.....	3.5	3.5	7.1	3.5	3.5	56.6	3.5	10.6	.....
43	Kings County	1913	1,109.5	21.9	16.4	.....	10.9	.....	5.5	.....	27.3	.....	114.8	.....	21.9	.....
44		1912	1,065.0	34.0	22.7	.....	.....	.....	5.7	.....	11.3	5.7	124.6	.....	5.7	11.3
45	Lake County	1913	1,806.3	.....	.....	.....	.....	.....	.....	.....	74.5	.....	223.5	.....	18.6	.....
46		1912	1,845.4	55.4	.....	.....	.....	.....	.....	.....	18.5	.....	166.1	18.5	.....	.....
47	Lassen County	1913	1,511.4	61.3	.....	.....	20.4	.....	.....	.....	.....	.....	122.5	.....	20.4	.....
48		1912	760.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	20.5	.....	.....	.....
49	Los Angeles County	1913	1,888.8	5.5	.....	.....	13.4	4.7	9.4	8.6	21.2	1.6	333.4	9.4	19.7	6.3
50		1912	1,780.8	7.2	1.6	0.8	0.8	4.0	7.2	6.4	22.5	6.4	330.4	4.8	21.7	7.2
51	Madera County	1913	1,142.0	11.1	.....	.....	11.1	.....	.....	.....	11.1	.....	133.1	.....	.....	11.1
52		1912	771.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	79.4	.....	.....	22.7
53	Marin County	1913	990.3	.....	.....	.....	3.5	.....	3.5	3.5	.....	.....	142.0	3.5	7.1	7.1
54		1912	929.5	11.0	.....	.....	.....	.....	.....	.....	.....	.....	121.2	7.3	3.7	.....
55	Mariposa County †	1913	754.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	27.0	.....	.....	.....
56		1912	607.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	52.8	.....	.....	.....
57	Mendocino County *	1913	1,297.2	4.0	.....	.....	.....	.....	.....	4.0	8.0	4.0	155.7	.....	31.9	.....
58		1912	1,344.0	12.1	4.0	.....	.....	.....	.....	4.0	4.0	4.0	137.6	.....	16.2	8.1
59	Merced County	1913	1,089.3	11.7	11.7	.....	5.9	.....	.....	5.9	5.9	.....	117.1	17.6	17.6	.....
60		1912	1,062.3	42.5	.....	.....	.....	12.1	.....	12.1	12.1	6.1	66.8	6.1	6.1	.....
61	Modoc County †	1913	701.9	45.8	.....	.....	.....	.....	.....	.....	.....	.....	30.5	.....	.....	15.3
62		1912	496.9	46.6	.....	.....	.....	.....	.....	.....	15.5	.....	15.5	15.5	.....	.....
63	Mono County †	1913	249.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
64		1912	545.4	.....	.....	.....	.....	.....	.....	.....	49.6	.....	49.6	.....	.....	49.6
65	Monterey County	1913	1,245.4	15.6	.....	.....	3.9	.....	3.9	.....	27.2	3.9	101.2	15.6	19.5	3.9
66		1912	1,086.8	15.9	.....	.....	.....	.....	.....	.....	.....	.....	99.2	11.9	15.9	15.9
67	Napa County *	1913	2,561.3	28.7	.....	.....	.....	.....	4.8	4.8	.....	9.6	339.9	9.6	33.5	9.6
68		1912	2,569.5	19.5	.....	.....	.....	14.6	.....	.....	4.9	24.3	335.8	.....	19.5	14.6
69	Nevada County	1913	1,674.5	21.4	.....	.....	.....	.....	.....	7.1	14.3	7.1	142.5	.....	14.3	7.1
70		1912	1,550.0	7.0	.....	.....	7.0	.....	.....	.....	.....	.....	167.6	7.0	7.0	7.0
71	Orange County	1913	1,420.1	25.5	.....	.....	12.7	.....	28.0	.....	20.4	2.5	140.2	5.1	20.4	5.1
72		1912	1,364.9	21.2	5.3	.....	5.3	5.3	15.9	10.6	2.7	2.7	145.8	2.7	8.0	.....

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
87.2	18.2	10.9	80.0	116.3	40.0	119.9	14.5	61.8	25.4	7.3	.....	61.8	3.6	10.9	98.1	40.0	21.8	290.8	.....	1
114.1	18.4	18.4	77.3	110.4	36.8	69.9	3.7	62.6	29.4	11.0	11.0	84.7	.....	11.0	106.7	40.5	25.8	235.6	3.7	2
46.1	13.8	18.4	53.0	89.9	9.2	115.2	6.9	53.0	13.8	9.2	4.6	55.3	4.6	6.9	80.6	133.6	9.2	228.1	11.5	3
42.4	7.1	16.5	35.3	65.9	4.7	75.4	2.4	51.8	25.9	9.4	9.4	56.5	2.4	4.7	65.9	110.7	16.5	158.1	2.4	4
83.7	50.2	16.7	78.1	139.5	5.6	111.6	39.0	33.5	27.9	16.7	.....	61.4	5.6	5.6	78.1	100.4	5.6	189.7	11.2	5
97.1	28.6	17.1	51.4	97.1	5.7	142.9	28.6	22.9	11.4	17.1	17.1	108.6	11.4	11.4	45.7	114.3	11.4	274.3	28.6	6
73.1	15.5	10.8	81.0	158.1	12.6	98.0	19.0	49.2	9.4	13.1	13.0	84.4	5.4	7.6	53.2	137.6	25.0	237.3	2.2	7
67.5	13.8	9.2	76.2	162.0	13.7	100.4	15.7	39.2	7.5	11.4	16.0	80.7	4.4	7.2	47.2	127.5	24.7	237.0	4.3	8
75.5	16.2	11.0	83.6	162.9	12.6	97.3	19.1	47.0	9.4	12.6	13.3	86.0	5.2	7.5	52.3	137.5	24.8	239.4	1.9	9
70.1	14.4	9.2	78.8	166.3	13.6	98.7	16.3	38.2	7.5	11.8	16.3	82.6	4.6	7.4	47.2	126.6	24.8	241.0	4.3	10
32.9	3.0	7.5	37.3	77.7	11.9	109.0	17.9	86.6	9.0	20.9	9.0	58.2	9.0	9.0	68.7	140.4	26.9	201.6	7.5	11
24.5	3.1	9.2	32.2	90.5	15.3	128.9	6.1	56.8	6.1	6.1	10.7	49.1	1.5	3.1	47.6	142.7	23.0	170.3	4.6	12
130.8	20.8	17.8	104.1	261.6	14.9	214.0	124.9	68.4	.....	11.9	35.7	151.6	5.9	.....	68.4	118.9	35.7	258.6	3.0	13
129.6	33.2	9.0	120.6	247.2	3.0	223.1	57.3	51.3	6.0	24.1	18.1	141.7	9.0	6.0	39.2	108.5	45.2	343.7	.....	14
.....	.....	.....	.....	.....	.....	406.5	.....	.....	.....	406.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	375.9	.....	.....	.....	.....	.....	.....	.....	375.9	.....	.....	.....	.....	.....	.....	.....	16
106.8	.....	23.7	83.0	47.5	23.7	71.2	71.2	71.2	35.6	.....	11.9	154.2	11.9	.....	83.0	201.7	47.5	367.8	.....	17
57.9	11.6	.....	92.6	92.6	11.6	46.3	23.2	.....	.....	11.6	11.6	208.5	.....	11.6	.....	150.5	11.6	173.7	.....	18
45.7	22.9	6.5	65.3	143.7	6.5	88.2	13.1	35.9	6.5	9.8	16.3	98.0	.....	6.5	62.1	114.3	32.7	218.9	.....	19
67.6	33.8	3.4	64.2	169.0	10.1	94.7	23.7	30.4	16.9	6.8	27.0	71.0	3.4	10.1	71.0	101.4	40.6	236.7	13.5	20
94.0	11.7	.....	140.9	199.7	32.2	82.2	.....	.....	47.0	11.7	11.7	70.5	.....	.....	82.2	58.7	23.5	211.4	11.7	21
22.9	11.5	.....	80.3	172.0	34.4	137.6	11.5	11.5	22.9	11.5	30.3	.....	.....	.....	11.5	126.1	11.5	206.4	.....	22
101.9	12.7	.....	63.7	127.4	.....	50.9	12.7	50.9	.....	.....	25.5	127.4	12.7	.....	25.5	63.7	38.2	242.0	.....	23
76.8	12.8	12.8	64.0	102.4	12.8	76.8	25.6	64.0	.....	.....	12.8	51.2	.....	.....	51.2	166.4	38.4	204.8	12.8	24
36.0	8.3	5.5	66.5	155.1	5.5	85.9	8.3	44.3	8.3	13.8	5.5	63.7	5.5	8.3	63.7	216.0	38.8	130.2	2.8	25
51.8	.....	8.6	51.8	115.2	11.5	92.2	5.8	49.0	11.5	5.8	11.5	57.6	5.8	.....	37.4	172.8	8.6	106.6	5.8	26
82.6	41.3	82.6	124.0	82.6	.....	82.6	.....	41.3	.....	.....	.....	206.6	.....	.....	41.3	82.6	41.3	124.0	.....	27
.....	.....	.....	165.3	247.9	.....	41.3	.....	.....	.....	.....	.....	41.3	.....	.....	82.6	289.3	82.6	206.6	.....	28
57.1	.....	.....	71.3	285.4	.....	114.2	28.5	.....	.....	.....	57.1	214.0	14.3	14.3	99.9	142.7	71.3	313.9	14.3	29
69.8	.....	.....	111.7	363.1	27.9	83.8	.....	27.9	27.9	55.9	14.0	153.6	.....	.....	.....	181.6	27.9	321.2	14.0	30
64.1	11.8	20.2	32.0	87.7	1.7	59.0	15.2	84.3	13.5	13.5	16.9	70.8	15.2	11.8	69.1	102.9	8.4	158.5	.....	31
47.7	3.5	7.1	51.2	143.0	15.9	97.1	8.8	72.4	5.3	8.8	8.8	70.6	5.3	7.1	58.3	134.2	26.5	153.6	1.8	32
63.9	12.8	.....	51.1	102.2	12.8	63.9	38.3	.....	.....	.....	38.3	12.8	.....	25.5	12.8	76.6	25.5	217.2	.....	33
.....	13.1	13.1	65.6	104.9	.....	39.4	.....	26.2	.....	.....	13.1	13.1	13.1	13.1	78.7	52.5	52.5	209.9	.....	34
48.4	17.6	4.4	39.6	92.3	8.8	61.6	.....	13.2	8.8	4.4	8.8	44.0	4.4	.....	22.0	123.1	13.2	127.5	4.4	35
44.4	8.9	8.9	44.4	115.5	.....	57.7	4.4	22.2	4.4	4.4	8.9	22.2	.....	8.8	26.7	168.8	4.4	119.9	13.3	36
12.5	.....	6.3	69.0	100.3	12.5	69.0	12.5	137.9	12.5	25.1	12.5	50.2	6.3	6.3	62.7	344.9	25.1	181.8	.....	37
19.7	6.6	6.6	46.0	92.0	.....	85.4	13.1	59.2	6.6	.....	.....	59.2	6.6	.....	46.0	157.7	39.4	92.0	6.6	38
25.6	25.6	.....	63.9	25.6	.....	89.5	.....	12.8	.....	.....	.....	51.2	.....	.....	25.6	25.6	25.6	127.9	12.8	39
13.2	13.2	.....	26.5	26.5	.....	39.7	26.5	26.5	.....	26.5	.....	.....	.....	13.2	26.5	132.4	26.5	13.2	13.2	40
20.2	3.4	.....	47.1	50.4	.....	47.1	3.4	33.6	6.7	6.7	10.1	26.9	3.4	.....	50.4	161.4	10.1	80.7	3.4	41
7.1	7.1	3.5	35.4	56.6	.....	63.7	7.1	35.4	3.5	7.1	3.5	42.5	7.1	3.5	38.9	162.8	21.2	99.1	3.5	42
49.2	5.5	16.4	65.6	98.4	.....	109.3	5.5	43.7	.....	10.9	16.4	49.2	5.5	16.4	103.8	98.4	16.4	180.4	.....	43
51.0	5.7	11.3	68.0	79.3	11.3	79.3	5.7	45.3	.....	5.7	39.7	56.7	28.3	17.0	102.0	96.3	17.0	124.6	.....	44
93.1	37.2	.....	55.9	242.1	37.2	223.5	18.6	.....	18.6	.....	18.6	74.5	.....	18.6	74.5	74.5	37.2	446.9	18.6	45
110.7	55.4	.....	92.3	258.3	18.5	184.5	.....	55.4	.....	55.4	36.9	129.2	.....	.....	.....	147.6	55.4	387.5	.....	46
20.4	.....	.....	122.5	102.1	.....	306.4	.....	61.3	20.4	.....	.....	61.3	.....	.....	40.8	245.1	102.1	183.8	20.4	47
41.1	20.5	.....	82.2	143.8	.....	123.3	20.5	.....	20.5	20.5	.....	20.5	.....	.....	20.5	123.3	.....	102.7	.....	48
103.8	22.8	13.4	110.1	230.4	18.1	118.7	37.0	73.1	7.1	14.2	18.1	128.2	7.1	8.6	62.1	144.7	29.1	307.5	1.6	49
91.7	17.7	8.8	94.9	254.9	21.7	115.8	20.9	59.5	6.4	8.8	11.3	143.9	3.2	8.0	55.5	120.6	22.5	290.2	3.2	50
133.1	.....	.....	66.5	122.0	.....	66.5	.....	22.2	.....	11.1	44.4	33.3	.....	11.1	55.4	199.6	11.1	188.5	.....	51
56.7	11.3	11.3	34.0	102.1	11.3	68.1	.....	22.7	.....	.....	11.3	79.4	11.3	.....	11.3	90.7	22.7	124.8	.....	52
85.2	10.6	.....	85.2	138.4	10.6	49.7	3.5	42.5	10.6	7.1	28.4	63.9	.....	3.5	35.5	92.3	28.4	124.2	.....	53
99.2	18.4	14.7	36.7	106.5	7.3	69.8	7.3	11.0	3.7	7.3	25.7	51.4	3.7	.....	33.1	95.5	18.4	172.7	3.7	54
107.8	27.0	.....	27.0	107.8	27.0	53.9	.....	.....	.....	.....	27.0	27.0	.....	.....	.....	161.7	.....	161.7	.....	55
26.4	.....	.....	26.4	52.8	26.4	26.4	.....	26.4	.....	52.8	26.4	52.8	.....	.....	.....	79.2	.....	158.4	.....	56
51.9	8.0	12.0	71.8	139.7	16.0	67.9	20.0	43.9	16.0	27.9	12.0	95.8	12.0	12.0	31.9	171.6	8.0	271.4	.....	57
52.6	8.1	12.1	105.3	161.9	4.0	105.3	12.1	20.2	8.1	8.1	48.6	129.5	16.2	.....	36.4	166.0	40.5	218.6	.....	58
41.0	11.7	17.6	52.7	134.7	11.7	140.6	23.4	93.7	11.7	5.9	.....	17.6	5.9	5.9	64.4	123.0	46.9	87.8	.....	59
30.4	.....	24.3	48.6	145.7	6.1	97.1	12.1	78.9	12.1	12.1	12.1	24.3	6.1	6.1	54.6	115.3	18.2	194.2	.....	60
15.3	15.3	.....	61.0	61.0	.....	30.5	15.3	.....	.....	30.5	.....	45.8	30.5	.....	61.0	30.5	30.5	183.1	.....	61
31.1	.....	15.5	62.1	62.1	.....	62.1	.....	.....	.....	.....	.....	62.1	.....	.....	31.1	.....	.....	77.6	.....	62
.....	.....	.....	.....	99.8	.....	49.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	99.8	.....	63
49.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49.6	.....	.....	.....	198.3	49.6	49.6	.....	64
62.3	23.4	7.8	128.4	128.4	15.6	93.4	11.7	42.8	15.6	7.8	7.8	93.4	3.9	3.9	42.8	93.4	15.6	253.0	.....	65
71.4	27.8	4.0	91.2	99.2	19.8	99.2	.....	11.9	4.0	7.9	7.9	107.1	4.0	7.9	23.8	103.1	35.7	198.3	4.0	66
124.5	38.3	4.8	239.4	488.3	19.1	129.3	23.9	4.8	19.1	28.7	23.9	162.8	4.8	14.4	19.1	110.1	47.9	612.8	4.8	67
146.0	4.9	4.9	194.7	306.6	4.9	160.6	38.9	29.2	4.9	14.6	29.2	126.5	.....	.....	19.5	102.2	48.7	895.4	4.9	68
78.4	28.5	7.1	163.9	228.0	7.1	64.1	35.6	28.5	14.3	21.4	21.4	64.1	14.3	14.3	78.4	206.6	14.3	356.3	14.3	69
97.7	27.9	14.0	111.7	244.4	14.0	90.8	55.9	27.9	14.0	14.0	7.0	48.9	7.0	.....	34.9	139.6	69.8	328.1	.....	70
104.5	33.1	25.5	86.7	117.3	5.1	73.9	15.3	102.0	2.5	7.6	5.1	84.1	10.2	17.8	45.9	140.2	28.0	252.4	2.5	71
100.7	26.5	15.9	74.2	100.7	15.9	61.0	26.5	79.5	5.3	21.2	5.3	87.5	5.3	13.3	74.2	153.7	8.0	262.4	2.7	72

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	CALIFORNIA—continued.															
1	Placer County	1913	1,497.4	15.8	21.0	.....	5.3	.....	10.5	5.3	5.3	15.8	225.9	5.3	5.3	5.3
2		1912	1,128.6	16.0	5.3	.....	5.3	.....	.....	.....	5.3	10.6	122.4	5.3	.....	5.3
3	Plumas County	1913	1,081.6	18.3	.....	.....	.....	.....	.....	.....	.....	.....	36.7	.....	.....	18.3
4		1912	890.0	.....	.....	.....	18.5	.....	18.5	.....	18.5	.....	92.7	.....	.....	.....
5	Riverside County	1913	1,013.8	13.3	.....	.....	4.4	4.4	4.4	.....	4.4	.....	243.5	8.9	17.7	4.4
6		1912	1,110.0	13.9	.....	.....	4.6	.....	13.9	9.2	4.6	4.6	263.6	4.6	23.1	.....
7	Sacramento County	1913	1,350.8	7.0	7.0	.....	.....	.....	.....	.....	.....	14.0	154.0	7.0	.....	.....
8		1912	1,271.1	7.1	14.1	.....	14.1	.....	.....	.....	.....	.....	141.2	.....	7.1	14.1
9	San Benito County	1913	1,094.5	11.8	.....	.....	.....	.....	.....	23.5	23.5	.....	129.5	.....	11.8	.....
10		1912	1,041.3	23.9	.....	.....	.....	.....	.....	.....	35.9	.....	107.7	.....	23.9	.....
11	San Bernardino County *	1913	1,480.5	10.3	.....	.....	10.3	.....	15.4	12.9	.....	5.1	249.7	10.3	15.4	2.6
12		1912	1,479.7	18.8	.....	2.7	.....	5.4	5.4	2.7	2.7	5.4	182.9	10.8	35.0	2.7
13	San Diego County	1913	1,262.1	7.8	.....	.....	.....	.....	.....	.....	3.9	.....	183.1	3.9	23.4	3.9
14		1912	1,242.1	8.1	.....	.....	4.1	.....	12.2	4.1	8.1	.....	219.9	8.1	8.1	.....
15	San Joaquin County	1913	1,625.6	29.4	3.3	.....	3.3	3.3	3.3	.....	13.1	3.3	255.1	13.1	36.0	6.5
16		1912	1,695.4	33.8	13.5	.....	.....	.....	.....	.....	20.3	.....	175.6	6.8	6.8	10.1
17	San Luis Obispo County	1913	1,011.1	14.8	.....	.....	4.9	.....	4.9	.....	4.9	.....	143.0	.....	9.9	9.9
18		1912	1,080.2	5.0	5.0	.....	5.0	.....	10.0	5.0	20.0	.....	115.0	5.0	10.0	.....
19	San Mateo County	1913	1,006.6	6.4	.....	.....	.....	.....	.....	3.2	3.2	.....	118.2	12.8	6.4	.....
20		1912	1,022.6	6.7	6.7	.....	.....	.....	6.7	16.8	.....	3.4	114.0	10.1	20.1	6.7
21	Santa Barbara County	1913	722.9	.....	.....	.....	.....	.....	11.6	.....	5.8	.....	57.8	.....	5.8	.....
22		1912	744.9	.....	.....	.....	.....	.....	.....	.....	5.9	.....	82.8	.....	17.7	.....
23	Santa Clara County *	1913	1,805.7	12.7	1.8	.....	3.6	.....	1.8	5.5	23.7	5.5	182.0	10.9	36.4	9.1
24		1912	1,716.4	16.8	.....	.....	22.4	1.9	5.6	1.9	11.2	7.5	160.8	11.2	13.1	.....
25	Santa Cruz County	1913	1,332.0	6.8	.....	.....	.....	.....	6.8	.....	13.6	.....	156.3	13.6	13.6	.....
26		1912	1,324.1	27.0	.....	.....	6.8	6.8	.....	.....	.....	.....	141.9	6.8	27.0	6.8
27	Shasta County	1913	987.7	5.1	5.1	.....	5.1	.....	.....	.....	15.4	5.1	108.0	.....	5.1	5.1
28		1912	944.1	.....	25.9	.....	.....	.....	.....	.....	10.4	5.2	88.2	.....	20.8	.....
29	Sierra County	1913	1,115.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	48.5	.....	.....	.....
30		1912	972.1	.....	24.3	.....	.....	.....	.....	.....	48.6	.....	72.9	24.3	.....	.....
31	Siskiyou County	1913	1,051.7	5.2	.....	.....	41.2	10.3	.....	5.2	10.3	.....	103.1	10.3	5.2	10.3
32		1912	864.1	5.2	5.2	.....	.....	5.2	5.2	.....	31.2	.....	52.1	10.4	.....	15.6
33	Solano County	1913	1,232.0	6.2	.....	.....	12.3	.....	.....	12.3	12.3	.....	92.4	.....	12.3	.....
34		1912	1,102.9	24.6	6.2	.....	12.3	.....	18.5	.....	.....	12.3	98.6	6.2	6.2	.....
35	Sonoma County	1913	1,424.0	9.7	1.9	.....	.....	.....	7.7	5.8	15.5	7.7	120.1	5.8	11.6	1.9
36		1912	1,408.8	15.8	2.0	.....	13.8	.....	5.9	2.0	13.8	5.9	150.2	9.9	23.7	5.9
37	Stanislaus County	1913	1,234.3	37.4	.....	.....	7.5	.....	7.5	.....	7.5	.....	116.0	29.9	11.2	7.5
38		1912	1,302.1	35.4	.....	.....	15.7	3.9	7.9	3.9	11.8	3.9	94.4	11.8	11.8	3.9
39	Sutter County	1913	1,174.7	15.5	15.5	.....	.....	.....	.....	15.5	15.5	.....	108.2	.....	.....	.....
40		1912	1,027.2	31.1	31.1	.....	.....	.....	.....	.....	31.1	.....	31.1	.....	.....	.....
41	Tehama County	1913	1,239.9	17.3	34.7	.....	.....	.....	8.7	.....	8.7	.....	121.4	.....	8.7	17.3
42		1912	1,270.6	8.7	17.4	.....	.....	.....	.....	34.8	17.4	.....	139.2	26.1	26.1	8.7
43	Trinity County	1913	1,457.1	.....	.....	.....	.....	.....	.....	.....	33.9	.....	101.7	.....	.....	.....
44		1912	1,992.8	32.7	.....	.....	.....	.....	.....	32.7	32.7	.....	65.3	.....	.....	.....
45	Tulare County	1913	1,012.6	12.2	7.3	.....	12.2	7.3	2.4	7.3	4.9	2.4	112.2	9.8	12.2	7.3
46		1912	1,001.1	22.9	5.1	.....	2.5	.....	17.8	7.6	12.7	2.5	107.0	10.2	10.2	2.5
47	Tuolumne County	1913	1,386.3	10.4	.....	.....	.....	.....	10.4	10.4	62.5	.....	83.4	.....	31.3	10.4
48		1912	1,348.6	102.9	.....	.....	.....	.....	.....	.....	41.2	.....	154.4	.....	.....	.....
49	Ventura County	1913	1,323.8	.....	.....	.....	10.2	.....	10.2	5.1	20.4	.....	86.6	10.2	15.3	.....
50		1912	1,356.8	10.4	5.2	.....	.....	.....	5.2	.....	10.4	.....	109.2	20.8	5.2	.....
51	Yolo County	1913	1,276.2	14.3	28.5	.....	.....	.....	.....	.....	64.2	.....	92.7	14.3	7.1	7.1
52		1912	1,379.2	21.4	14.3	.....	7.1	.....	.....	.....	50.0	.....	64.3	.....	14.3	7.1
53	Yuba County	1913	1,770.8	9.5	9.5	.....	.....	9.5	.....	.....	9.5	9.5	104.7	.....	9.5	.....
54		1912	1,438.2	.....	19.3	.....	19.3	9.7	9.7	.....	.....	.....	106.2	9.7	19.3	9.7
	COLORADO.															
55	Total	1913	1,033.4	17.2	.....	.....	3.6	17.7	8.0	7.2	6.0	3.8	121.9	4.9	6.7	4.2
56		1912	1,032.7	14.5	.....	0.2	2.6	9.9	13.4	6.3	6.5	2.4	136.3	4.7	6.7	4.1
57	White	1913	1,034.1	17.2	.....	.....	3.7	17.9	8.1	7.3	6.0	3.8	122.1	4.8	6.8	4.2
58		1912	1,030.9	14.7	.....	0.2	2.6	10.0	13.6	6.4	6.4	2.5	134.6	4.7	6.8	4.0
59	Colored	1913	975.7	14.6	.....	.....	.....	.....	.....	.....	.....	.....	101.9	14.6	.....	.....
60		1912	1,176.6	.....	.....	.....	.....	.....	.....	.....	14.9	.....	268.1	.....	.....	14.9
61	Adams County	1913	723.1	9.8	.....	.....	.....	.....	9.8	9.8	.....	.....	78.2	.....	9.8	9.8
62		1912	886.3	10.2	.....	.....	.....	.....	.....	20.4	.....	.....	112.1	.....	10.2	.....
63	Arapahoe County	1913	990.5	.....	.....	.....	.....	.....	.....	.....	.....	8.5	313.2	16.9	8.5	8.5
64		1912	1,200.5	8.8	.....	.....	.....	8.8	8.8	.....	8.8	.....	485.5	.....	.....	.....
65	Archuleta County	1913	813.4	54.2	.....	.....	.....	.....	.....	.....	27.1	27.1	27.1	.....	27.1	.....
66		1912	1,289.2	56.1	.....	.....	.....	.....	56.1	84.1	.....	.....	28.0	.....	.....	.....
67	Baca County †	1913	485.8	.....	.....	.....	64.8	.....	.....	.....	.....	.....	64.8	.....	.....	.....
68		1912	893.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	68.7	.....	.....	34.4
69	Bent County	1913	1,423.0	35.1	.....	.....	17.6	17.6	.....	.....	.....	.....	404.1	.....	.....	.....
70		1912	1,475.4	18.2	.....	.....	.....	.....	.....	.....	36.4	.....	528.2	.....	18.2	.....
71	Boulder County	1913	973.4	12.1	.....	.....	.....	6.0	9.0	6.0	12.1	.....	153.7	9.0	9.0	3.0
72		1912	1,158.1	6.2	.....	.....	.....	.....	21.7	3.1	24.8	.....	176.5	3.1	12.4	3.1
73	Chaffee County	1913	1,808.6	77.0	.....	.....	25.7	.....	25.7	12.8	51.3	.....	12.8	38.5	.....	.....
74		1912	1,782.5	25.8	.....	.....	.....	25.8	.....	.....	.....	.....	90.4	12.9	12.9	12.9
75	Cheyenne County †	1913	593.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	21.2	.....	.....	.....
76		1912	545.6	22.7	.....	.....	.....	.....	.....	.....	.....	.....	22.7	.....	22.7	.....
77	Clear Creek County	1913	1,016.6	23.1	.....	.....	.....	.....	.....	.....	.....	.....	92.4	.....	.....	.....
78		1912	1,212.0	22.0	.....	.....	.....	44.1	.....	.....	.....	.....	242.4	.....	44.1	22.0

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—

Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
84.1	21.0	15.8	78.8	126.6	15.8	173.4	21.0	21.0	10.5	5.3	5.3	99.8	10.5	10.5	73.6	178.6	21.0	178.6	15.8	1
69.2	16.0	5.3	85.2	133.1	16.0	74.5	21.3	10.6	.....	.....	16.0	74.5	.....	10.6	21.3	149.1	42.6	191.6	16.0	2
73.3	18.3	.....	36.7	110.0	.....	91.7	18.3	.....	.....	18.3	.....	18.3	.....	.....	18.3	183.3	91.7	293.3	36.7	3
55.6	.....	18.5	.....	74.2	.....	92.7	18.5	18.5	.....	18.5	.....	74.2	.....	.....	18.5	204.0	18.5	111.3	18.5	4
53.1	4.4	8.9	39.8	62.0	8.9	53.1	4.4	57.6	.....	13.3	.....	62.0	.....	.....	53.1	163.8	26.6	93.0	4.4	5
37.0	4.6	9.2	69.4	78.6	13.9	74.0	9.2	69.4	.....	4.6	9.3	64.7	.....	4.6	78.6	74.0	.....	157.2	9.2	6
42.0	7.0	7.0	35.0	119.0	21.0	112.0	7.0	70.0	7.0	7.0	14.0	112.0	.....	14.0	49.0	294.0	35.0	203.0	7.0	7
28.2	7.1	.....	49.4	105.9	7.1	127.1	7.1	49.4	.....	7.1	14.1	63.6	7.1	14.1	21.2	282.5	70.6	211.8	.....	8
70.6	11.8	.....	82.4	247.1	.....	47.1	.....	23.5	.....	11.8	11.8	58.8	.....	.....	23.5	70.6	47.1	188.3	.....	9
59.8	.....	.....	59.8	155.6	23.9	83.8	12.0	23.9	12.0	12.0	12.0	71.8	.....	.....	59.8	107.7	12.0	143.6	.....	10
41.2	18.0	15.4	74.7	149.3	20.6	126.2	10.3	43.8	5.1	15.4	.....	79.8	5.1	7.7	41.2	128.7	28.3	337.3	.....	11
53.8	5.4	8.1	70.0	153.4	10.8	88.8	8.1	35.0	.....	18.8	10.8	123.8	.....	10.8	35.0	137.2	16.1	419.7	.....	12
66.2	15.6	7.8	74.0	159.7	7.8	81.8	7.8	54.5	15.6	19.5	.....	105.2	.....	7.8	27.3	124.6	23.4	237.6	.....	13
36.7	20.4	12.2	61.1	158.8	24.4	73.3	20.4	32.6	8.1	.....	12.2	105.9	.....	12.2	40.7	101.8	16.3	219.9	12.2	14
104.7	19.6	26.2	88.3	157.0	3.3	101.4	6.5	22.9	6.5	19.6	6.5	143.9	6.5	9.8	49.1	196.2	36.0	251.8	.....	15
94.6	27.0	10.1	77.7	239.8	30.4	185.7	3.4	37.1	10.1	10.1	16.9	148.6	3.4	13.5	47.3	199.3	13.5	260.0	.....	16
54.3	.....	4.9	69.1	172.6	19.7	64.1	4.9	24.7	4.9	19.7	14.8	29.6	.....	9.9	39.5	93.7	9.9	182.5	.....	17
60.0	10.0	10.0	30.0	95.0	.....	60.0	10.0	30.0	20.0	25.0	30.0	40.0	.....	5.0	30.0	90.0	35.0	260.0	10.0	18
57.5	9.6	19.2	63.9	105.5	3.2	95.9	16.0	38.3	3.2	16.0	16.0	47.9	12.8	3.2	63.9	92.7	32.0	159.8	.....	19
57.0	.....	10.1	63.7	124.1	16.8	90.5	6.7	20.1	6.7	6.7	16.8	63.7	6.7	6.7	40.2	107.3	23.5	164.3	.....	20
63.6	11.6	5.8	63.6	86.7	23.1	63.6	.....	17.3	.....	11.6	5.8	23.1	.....	.....	75.2	75.2	.....	115.7	.....	21
29.6	17.7	.....	59.1	41.4	11.8	47.3	11.8	41.4	.....	11.8	23.6	11.8	.....	.....	76.9	59.1	17.7	171.5	5.9	22
129.2	16.4	10.9	149.3	245.7	27.3	96.5	23.7	54.6	10.9	12.7	16.4	107.4	3.6	7.3	49.1	111.0	20.0	420.5	.....	23
97.2	26.2	5.6	157.1	258.0	28.0	130.9	15.0	48.6	13.1	22.4	18.7	102.8	7.5	11.2	33.7	106.6	20.6	357.1	3.7	24
34.0	.....	.....	68.0	156.3	13.6	108.7	27.2	95.1	13.6	.....	6.8	74.8	.....	13.6	68.0	129.1	34.0	278.6	.....	25
81.1	.....	13.5	33.8	135.1	33.8	128.4	6.8	74.3	13.5	20.3	6.8	74.3	6.8	6.8	87.8	108.1	13.5	256.7	.....	26
25.7	5.1	15.4	51.4	128.6	15.4	92.6	10.3	20.6	10.3	5.1	.....	56.6	10.3	5.1	46.3	185.2	10.3	138.9	.....	27
10.4	10.4	.....	62.3	145.3	.....	41.5	5.2	15.6	15.6	5.2	20.8	46.7	15.6	20.8	25.9	176.4	20.8	155.6	.....	28
.....	.....	.....	24.2	169.7	.....	72.7	24.2	.....	24.2	.....	24.2	72.7	.....	24.2	48.5	169.7	24.2	388.0	.....	29
97.2	.....	.....	24.3	218.7	.....	48.6	24.3	24.3	.....	24.3	24.3	.....	.....	.....	24.3	24.3	.....	243.0	24.3	30
67.0	10.3	.....	77.3	118.6	5.2	41.2	25.8	30.9	15.5	5.2	10.3	67.0	15.5	.....	25.8	113.4	20.6	190.7	10.3	31
52.1	26.0	10.4	52.1	119.7	10.4	57.3	5.2	20.8	.....	.....	15.6	20.8	.....	5.2	41.6	130.1	15.6	145.7	5.2	32
67.8	6.2	.....	49.3	110.9	6.2	80.1	6.2	80.1	.....	24.6	12.3	73.9	.....	6.2	37.0	166.3	12.3	338.8	6.2	33
49.3	.....	6.2	67.8	123.2	18.5	86.3	.....	43.1	.....	18.5	12.3	30.8	.....	.....	73.9	129.4	24.6	215.6	18.5	34
96.9	21.3	17.4	63.9	213.1	13.6	151.1	13.6	32.9	17.4	13.6	11.6	94.9	1.9	3.9	44.6	129.8	23.2	271.2	.....	35
88.9	15.8	5.9	98.8	205.5	4.0	132.4	17.8	5.9	11.9	5.9	29.6	59.3	4.0	4.0	61.3	98.8	23.7	282.5	4.0	36
63.6	15.0	18.7	63.6	130.9	11.2	86.0	26.2	48.6	11.2	7.5	15.0	48.6	3.7	7.5	74.8	89.8	15.0	273.0	.....	37
55.1	3.9	7.9	78.7	133.7	19.7	86.5	39.3	59.0	19.7	35.4	35.4	55.1	.....	15.7	51.1	86.5	39.3	275.4	.....	38
46.4	15.5	15.5	30.9	139.1	15.5	77.3	15.5	61.8	.....	15.5	15.5	92.7	.....	.....	30.9	154.6	30.9	247.3	.....	39
108.9	31.1	.....	93.4	108.9	.....	62.3	15.6	46.7	.....	15.6	31.1	46.7	.....	.....	15.6	171.2	31.1	124.5	.....	40
60.7	8.7	.....	130.1	225.4	.....	95.4	.....	8.7	.....	8.7	8.7	43.4	.....	8.7	43.4	86.7	17.3	277.5	.....	41
43.5	26.1	8.7	52.2	174.0	.....	200.2	8.7	.....	.....	.....	34.8	43.5	.....	.....	52.2	113.1	17.4	217.6	.....	42
67.8	33.9	.....	.....	203.3	101.7	101.7	.....	.....	33.9	.....	33.9	101.7	.....	33.9	.....	237.2	.....	372.8	.....	43
32.7	.....	.....	.....	555.4	32.7	.....	.....	.....	32.7	.....	32.7	130.7	.....	.....	98.0	457.4	98.0	326.7	32.7	44
41.5	9.8	2.4	70.8	95.2	12.2	78.1	14.6	56.1	14.6	24.4	4.9	56.1	.....	7.3	63.4	83.0	22.0	158.6	.....	45
58.6	10.2	22.9	63.7	91.7	7.6	91.7	12.7	30.6	12.7	10.2	5.1	40.8	7.6	10.2	73.9	73.9	17.8	152.8	5.1	46
83.4	52.1	.....	52.1	145.9	31.3	156.3	20.8	.....	10.4	10.4	10.4	135.5	10.4	.....	20.8	198.0	20.8	198.0	10.4	47
51.5	10.3	10.3	51.5	164.7	10.3	205.9	51.5	10.3	.....	30.9	10.3	20.6	.....	10.3	10.3	144.1	.....	257.4	.....	48
76.4	5.1	.....	96.7	117.1	10.2	147.7	.....	86.6	10.2	20.4	.....	81.5	.....	25.5	66.2	183.3	15.3	224.0	.....	49
83.2	15.6	36.4	98.8	176.8	41.6	109.2	10.4	41.6	5.2	.....	.....	67.6	5.2	.....	98.8	166.4	31.2	197.5	5.2	50
78.4	21.4	7.1	71.3	156.9	7.1	99.8	21.4	21.4	14.3	21.4	14.3	35.6	7.1	14.3	49.9	171.1	28.5	206.8	.....	51
135.8	7.1	21.4	71.5	228.7	14.3	71.5	21.4	28.6	21.4	7.1	21.4	42.9	.....	21.4	28.6	200.1	35.7	221.5	.....	52
114.2	19.0	38.1	66.6	238.0	38.1	142.8	.....	19.0	28.6	19.0	38.1	161.8	.....	.....	76.2	333.2	28.6	247.5	.....	53
38.6	.....	9.7	19.3	212.4	19.3	96.5	29.0	38.6	19.3	.....	29.0	106.2	.....	19.3	19.3	154.4	29.0	376.4	19.3	54
33.3	7.6	11.8	33.5	75.1	13.0	119.4	18.8	49.6	14.3	9.6	5.1	55.9	7.6	7.6	72.0	112.1	14.8	170.0	1.4	55
43.2	7.8	8.8	38.9	81.0	10.2	115.8	15.3	41.0	11.0	10.1	6.0	67.2	7.6	6.0	64.2	108.4	17.1	163.1	2.4	56
33.5	7.7	11.9	33.7	74.2	13.0	119.4	18.9	49.8	14.1	9.5	4.9	56.0	7.7	7.5	72.7	111.3	14.8	169.9	1.5	57
43.2	7.9	8.9	39.2	80.9	10.4	116.2	15.3	40.9	10.9	10.0	5.8	67.1	7.5	6.0	64.7	106.7	17.3	162.9	2.5	58
14.6	.....	.....	14.6	145.6	14.6	116.5	14.6	29.1	29.1	14.6	14.6	43.7	.....	14.6	14.6	174.7	14.6	174.7	.....	59
44.7	.....	.....	14.9	89.4	.....	89.4	14.9	44.7	14.9	14.9	14.9	74.5	14.9	.....	29.8	238.3	.....	178.7	.....	60
19.5	.....	.....	9.8	48.9	.....	136.8	19.5	19.5	.....	9.8	9.8	58.6	.....	.....	.....	87.9	39.1	136.8	.....	61
40.7	30.6	10.2	50.9	91.7	10.2	91.7	10.2	10.2	.....	10.2	10.2	50.9	.....	20.4	30.6	81.5	40.7	142.6	.....	62
84.7	.....	8.5	25.4	50.8	.....	143.9	8.5	25.4	.....	.....	8.5	59.3	.....	.....	25.4	59.3	16.9	118.5	.....	63
35.3	8.8	17.7	70.6	53.0	8.8	114.7	.....	26.5	.....	.....	.....	61.8	.....	.....	88.3	88.3	8.8	97.1	.....	64
27.1	.....	.....	.....	.....	.....	162.7	.....	27.1	.....	.....	.....	27.1	.....	.....	135.6	108.5	.....	162.7	.....	65
84.1	.....	.....	.....	28.0	.....	252.2	28.0	28.0	.....	28.0	.....	84.1	28.0	.....	168.2	56.1	.....	252.2	28.0	66
32.4	.....	.....	.....	32.4	.....	.....	.....	97.2	.....	.....	.....	.....	.....	64.8	.....	32.4	32.4	64.8	.....	67
103.1	34.4	.....	.....	103.1	.....	34.4	.....	34.4	68.7	.....	34.4	34.4	.....	.....	171.8	34.4	.....	137.5	.....	68
.....	17.6	35.1	17.6	105.4	35.1	70.3	.....	175.7	52.7	.....	.....	87.8	17.6	35.1	52.7	70.3	17.6	140.5	17.6	69
91.1	.....	.....	36.4	72.9	.....	91.1	.....	109.3	.....	.....	.....	72.9	54.6	.....	54.6	109.3	36.4	145.7	.....	70
36.2	18.1	12.1	39.2	105.5	12.1	75.3	27.1	12.1	15.1	6.0	9.0	39.2	3.0	6.0	63.3	87.4	18.1	168.8	.....	71
77.4	12.4	12.4	49.5	108.4	6.2	86.7	15.5	49.5	15.5	3.1	3.1	102.2	3.1	6.2	65.0	117.7	6.2	167.2	.....	72
153.9	.....	38.5	38.5	77.0	.....	128.3	25.7	89.8	89.8	25.7	12.8	128.3	12.8	38.5	153.9	205.2	51.3	295.0	.....	73
167.9	.....	25.8	77.5	232.5	.....	284.2	38.7	77.5	38.7	90.4	.....	64.6	12.9	.....	25.8	180.8	51.7	232.5	.....	74
.....	21.2	.....	84.7	148.3	.....	42.4	.....	63.5	.....	21.2	.....	21.2	.....	.....	42.4	42.4	.....	84.7	.....	75
22.7	.....	.....	22.7	45.5	.....	90.9	.....	45.5	.....	.....	.....	.....	.....	.....	159.1	68.2	.....	22.7	.....	76
23.1	.....	.....	69.3	92.4	.....	115.5	92.4	23.1	23.1	23.1	23.1	23.1	.....	.....	92.4	69.3	.....	231.1	.....	77
22.0	22.0	.....	22.0	110.2	22.0	154.3	88.1	22.0	.....	.....	.....	88.1	.....	.....	44.1	154.3	22.0	66.1	.....	78

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	12	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	COLORADO—continued.															
1	Conejos County†	[3] 1913	346.9	11.2	.....	.....	.....	5.6	.....	.....	.....	.....	50.4	.....	.....	.....
2		1912	413.7	.....	.....	.....	.....	.....	8.4	8.4	.....	.....	25.3	.....	.....	.....
3	Costilla County†	[4] 1912	158.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	17.6	.....	.....	.....
4	Custer County	1913	1,106.3	61.5	.....	.....	.....	.....	.....	.....	.....	.....	184.4	.....	.....	.....
5		1912	1,505.5	.....	.....	.....	.....	.....	57.9	.....	.....	.....	57.9	.....	.....	.....
6	Delta County†	1913	819.5	18.3	.....	.....	.....	.....	18.3	.....	30.6	6.1	48.9	.....	.....	6.1
7		1912	657.1	19.3	.....	.....	.....	.....	6.4	.....	.....	.....	96.6	.....	.....	.....
8	Dolores County†	1913	618.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9		1912	1,308.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Douglas County†	1913	1,337.1	.....	.....	.....	.....	.....	31.1	.....	.....	.....	186.6	.....	31.1	.....
11		1912	592.1	.....	.....	.....	.....	31.2	.....	.....	.....	.....	31.2	.....	.....	31.2
12	Eagle County†	1913	604.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	67.1	.....	.....	.....
13		1912	1,173.7	.....	.....	.....	.....	.....	.....	.....	33.5	33.5	67.1	.....	.....	.....
14	El Paso County	1913	1,596.3	18.7	.....	.....	6.2	6.2	24.9	.....	6.2	18.7	517.6	.....	12.5	.....
15		1912	1,473.1	25.8	.....	.....	.....	.....	6.5	6.5	.....	6.5	484.6	19.4	.....	.....
16	Elbert County†	1913	396.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	49.5	.....	.....	.....
17		1912	377.4	17.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Fremont County	1913	1,052.2	5.3	.....	.....	5.3	10.5	.....	15.8	5.3	5.3	131.5	.....	10.5	5.3
19		1912	1,269.3	26.7	.....	.....	5.3	.....	10.7	21.3	10.7	10.7	192.0	16.0	5.3	.....
20	Garfield County	1913	1,091.5	.....	.....	.....	.....	.....	.....	.....	8.7	.....	17.3	.....	17.3	17.3
21		1912	1,080.3	36.0	.....	.....	9.0	.....	9.0	.....	.....	.....	90.0	.....	.....	9.0
22	Gilpin County	1913	1,242.0	.....	.....	.....	.....	.....	30.3	.....	.....	.....	151.5	.....	.....	.....
23		1912	1,544.9	.....	.....	.....	.....	.....	28.1	.....	.....	.....	168.5	.....	28.1	.....
24	Grand County†	1913	179.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25		1912	94.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	47.3	.....	.....	.....
26	Gunnison County	1913	1,134.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	32.9	.....	32.9	.....
27		1912	979.6	.....	.....	.....	16.6	16.6	66.4	.....	.....	.....	16.6	.....	16.6	33.2
28	Hinsdale County	1913	(5)	.....	.....	.....	(5)	.....	(5)	.....	.....	.....	.....	.....	.....	.....
29		1912	(5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30	Huerfano County	1913	1,923.7	13.4	.....	.....	.....	308.3	6.7	26.8	.....	.....	113.9	6.7	6.7	.....
31		1912	1,352.3	20.8	.....	.....	6.9	90.2	41.6	.....	6.9	.....	55.5	.....	6.9	6.9
32	Jackson County	1913	755.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
33		1912	881.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Jefferson County	1913	1,415.0	.....	.....	.....	.....	6.3	6.3	6.3	6.3	.....	688.6	12.6	.....	6.3
35		1912	1,617.6	19.6	.....	.....	.....	.....	13.0	.....	.....	.....	867.5	6.5	.....	.....
36	Kiowa County†	1913	83.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37		1912	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
38	Kit Carson County†	1913	425.5	10.6	.....	.....	.....	.....	10.6	.....	.....	.....	63.8	.....	.....	.....
39		1912	465.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	68.2	.....	.....	.....
40	La Plata County	1913	1,079.3	33.2	.....	.....	.....	.....	.....	.....	.....	.....	91.3	.....	8.3	8.3
41		1912	1,114.9	34.3	.....	.....	8.6	.....	60.0	8.6	.....	.....	85.8	.....	17.2	8.6
42	Lake County	1913	(5)	.....	.....	.....	.....	(5)	.....	(5)	(5)	(5)	(5)	(5)	.....	(5)
43		1912	(5)	(5)	.....	.....	(5)	.....	(5)	(5)	(5)	(5)	(5)	.....	.....	(5)
44	Larimer County	1913	845.7	20.2	.....	.....	13.5	3.4	.....	10.1	3.4	3.4	84.2	10.1	6.7	10.1
45		1912	791.4	7.1	.....	.....	3.5	7.1	10.6	17.7	10.6	7.1	60.1	14.1	3.5	3.5
46	Las Animas County	1913	1,358.2	11.7	.....	.....	3.9	27.2	3.9	38.9	3.9	.....	89.5	.....	11.7	.....
47		1912	1,384.4	12.0	.....	.....	24.0	88.0	12.0	12.0	12.0	.....	80.0	8.0	12.0	4.0
48	Lincoln County†	1913	424.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	66.3	13.3	.....	.....
49		1912	611.5	14.2	.....	.....	.....	.....	14.2	14.2	.....	.....	42.7	.....	14.2	.....
50	Logan County†	1913	673.6	25.9	.....	.....	8.6	.....	17.3	.....	.....	17.3	51.8	8.6	.....	.....
51		1912	721.7	9.1	.....	.....	.....	.....	9.1	.....	.....	.....	91.3	.....	9.1	.....
52	Mesa County	1913	772.8	3.8	.....	.....	11.4	7.6	.....	.....	3.8	.....	83.3	3.8	3.8	.....
53		1912	729.4	19.9	.....	.....	.....	.....	.....	4.0	15.9	.....	63.8	4.0	4.0	.....
54	Mineral County	1913	1,469.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	195.9	.....	.....	.....
55		1912	1,469.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	91.8	.....	.....	.....
56	Montezuma County†	1913	705.7	.....	.....	.....	.....	.....	.....	.....	17.6	.....	35.3	.....	35.3	.....
57		1912	128.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
58	Montrose County	1913	1,060.9	24.7	.....	.....	.....	8.2	8.2	.....	16.4	.....	98.7	.....	16.4	.....
59		1912	837.9	8.6	8.6	.....	.....	8.6	34.6	.....	8.6	.....	77.7	.....	8.6	.....
60	Morgan County†	1913	756.9	8.6	.....	.....	.....	17.2	8.6	43.0	.....	.....	163.4	.....	.....	.....
61		1912	682.6	9.1	.....	.....	.....	.....	.....	.....	.....	.....	136.5	9.1	.....	.....
62	Otero County [6]	1913	1,129.5	47.8	.....	.....	4.3	47.8	21.7	8.7	4.3	8.7	169.4	4.3	13.0	.....
63		1912	1,282.7	36.1	.....	.....	.....	13.5	22.6	4.5	13.5	.....	212.3	13.5	18.1	9.0
64	Ouray County	1913	865.7	.....	.....	.....	.....	.....	.....	.....	32.1	.....	160.3	.....	.....	.....
65		1912	1,048.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	61.7	.....	.....	.....
66	Park County†	1913	1,116.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
67		1912	462.4	.....	.....	.....	.....	.....	42.0	.....	.....	.....	.....	.....	.....	.....
68	Phillips County†	1913	568.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	27.1	.....	.....	.....
69		1912	537.5	28.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28.3
70	Pitkin County	1913	1,087.5	26.5	.....	.....	.....	26.5	.....	.....	.....	.....	.....	.....	.....	.....
71		1912	1,020.4	.....	.....	.....	.....	.....	24.9	.....	.....	.....	99.6	.....	.....	.....
72	Prowers County	1913	807.9	35.1	.....	.....	.....	.....	.....	8.8	17.6	8.8	114.2	.....	.....	8.8
73		1912	712.6	27.8	.....	.....	.....	.....	9.3	9.3	9.3	.....	64.8	.....	9.3	.....
74	Pueblo County*	1913	4,034.8	83.3	.....	.....	.....	11.9	35.7	.....	11.9	23.8	261.8	11.9	35.7	11.9
75		1912	3,830.7	85.1	.....	.....	.....	12.2	.....	36.5	24.3	.....	425.6	12.2	36.5	.....
76	Rio Blanco County†	1913	1,023.2	.....	.....	.....	39.4	.....	39.4	.....	.....	.....	.....	.....	.....	.....
77		1912	565.4	40.4	.....	.....	.....	.....	40.4	.....	40.4	.....	.....	.....	.....	.....

[1] Exclusive of stillbirths.
[2] Exclusive of municipalities having a population of 10,000 or over in 1910.
[3] Includes Costilla and Alamosa Counties, the last named formed from part of the other two, July 15, 1913; separate estimated populations not available.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
16.8				33.6		61.5		16.8	5.6		5.6	28.0		5.6	39.2	22.4		44.8		1
42.2	8.4	8.4		33.8	8.4	67.6	8.4	8.4	8.4	8.4		42.2			42.2	16.9	16.9	50.7		2
						35.1					17.6					70.3		17.6		3
			61.5	245.9		122.9						122.9					61.5	245.9		4
115.8			173.7	231.6	115.8	173.7			57.9		57.9	115.8			57.9	57.9		231.6		5
36.7	12.2	24.5	30.6	30.6		110.1	6.1	30.6	6.1	12.2		48.9	18.3		67.3	97.8	6.1	152.9		6
38.7		6.4	25.8	38.7	6.4	38.7	6.4	25.8			12.9	32.2	6.4	6.4	58.0	83.8	19.3	128.8		7
															206.2	206.2		206.2		8
						186.9						186.9				186.9	186.9	560.7		9
31.1			93.3	31.1		155.5		31.1			31.1	62.2			124.4	155.5	62.2	310.9		10
62.3			31.2	31.2		62.3						31.2			31.2	124.6	31.2	93.5		11
33.6		33.6	33.6			67.1						100.7		33.6	67.1	100.7		67.1		12
134.1			33.5	33.5		33.5						33.5			134.1	268.3		368.9		13
87.3	6.2	12.5	74.8	99.8	18.7	112.2	12.5	31.2				68.6	6.2		112.2	106.0	12.5	224.5		14
51.7	12.9	12.9	77.5	168.0	19.4	71.1	6.5	58.1			6.5	109.8		6.5	38.8	142.1	12.9	129.2		15
16.5	16.5			16.5		66.1		16.5			33.0	16.5			33.0	66.1		66.1		16
68.6		17.2		17.2		34.3				17.2			34.3		17.2	51.5		102.9		17
52.6	5.3	10.5	42.1	94.7	10.5	84.2	5.3	47.3	10.5	21.0		73.7		5.3	115.7	52.6	26.3	199.9		18
64.0		16.0	58.7	112.0	5.3	144.0	21.3	48.0	10.7	16.0	10.7	42.7	5.3		112.0	90.7	21.3	181.3	10.7	19
52.0	8.7		43.3	95.3	26.0	60.6		17.3	17.3	26.0	8.7	86.6		8.7	52.0	433.1	8.7	86.6		20
27.0	36.0		45.0	63.0		108.0		63.0	36.0	54.0	18.0	126.0	27.0		45.0	117.0	18.0	126.0	18.0	21
30.3	30.3			90.9	60.6	121.2	181.8		30.3		30.3	121.2			90.9	181.8		90.9		22
84.3			56.2	168.5		168.5	280.9	28.1				140.4			112.4	84.3	28.1	168.5		23
			89.8			44.9							44.9							24
						47.3														25
16.4		16.4	65.8	131.6		98.7	16.4	16.4	32.9			98.7	16.4		115.1	263.1	16.4	164.4		26
33.2				99.6	33.2	99.6		16.6		16.6	16.6	149.4			83.0	132.8		132.8		27
				(5)		(5)	(5)			(5)						(5)		(5)		28
			(5)	(5)		(5)	(5)									(6)	(5)	(5)		29
20.1		13.4	13.4	93.8	13.4	362.0	13.4	181.0	6.7	26.8		80.4	26.8		134.1	221.2	13.4	221.2		30
41.6		13.9	13.9	62.4		221.9	6.9	173.4		6.9	6.9	41.6	20.8	13.9	90.2	173.4	55.5	173.4		31
167.9			84.0			167.9									167.9	84.0		84.0		32
			88.1			528.6						88.1						176.2		33
19.0	19.0	19.0	37.9	82.1	12.6	69.5	6.3	19.0	12.6		6.3	88.4			56.9	82.1	25.3	126.3		34
45.7	13.0	6.5	32.6	78.3	13.0	52.2	6.5	13.0	6.5	6.5	6.5	65.2			104.4	97.8	26.1	137.0		35
27.7								27.7										27.7		36
																				37
10.6			21.3	63.8		10.6		31.9				31.9		21.3	10.6	31.9		106.4		38
			22.7	11.4	34.1	11.4		22.7			11.4	34.1	11.4	11.4	34.1	45.4	22.7	125.0		39
83.0	8.3	24.9	41.5	49.8	8.3	166.0	24.9	8.3	16.6	24.9	8.3	58.1	8.3	8.3	91.3	91.3		215.9		40
68.6	8.6	17.2	51.5	77.2		154.4	51.5	17.2	17.2	17.2		42.9		8.6	34.3	102.9	34.3	188.7		41
(5)	(5)		(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	42
(5)		(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)		43
40.4	6.7	3.4	27.0	64.0	16.8	97.7	20.2	57.3	27.0	6.7	13.5	47.2	3.4	6.7	43.8	47.2	3.4	148.3		44
45.9	14.1	10.6	70.7	45.9	14.1	81.3	7.1	38.9	7.1	3.5		70.7	10.6	3.5	49.5	28.3	10.6	134.3		45
19.5		23.4	19.5	42.8	7.8	221.8	3.9	171.2		15.6		85.6	15.6	23.4	66.2	272.4	15.6	159.6	3.9	46
36.0	4.0	12.0	16.0	36.0	4.0	216.1	4.0	64.0	16.0	12.0	12.0	76.0	4.0	12.0	76.0	280.1		240.1		47
13.3		13.3	53.1	39.8		106.1			13.3							53.1		53.1		48
14.2			56.9	99.5	14.2	28.4		28.4				71.1			56.9	28.4		113.8		49
	8.6	8.6	8.6	43.2	8.6	77.7	8.6	51.8	8.6	17.3		8.6	8.6		86.4	43.2		155.4		50
36.5	9.1	9.1	27.4	45.7	9.1	91.3		63.9	9.1			54.8			9.1	63.9	18.3	155.3		51
34.1	7.6	11.4	30.3	56.8	3.8	79.6	7.6	30.3	18.9		3.8	60.6	7.6	7.6	64.4	94.7	26.5	109.9		52
19.9	8.0		23.9	71.7	8.0	39.9	15.9	12.0	27.9	4.0	4.0	111.6	8.0	8.0	63.8	59.8	12.0	111.6	8.0	53
			195.9	97.9		489.7							97.9		195.9	97.9		97.9		54
			183.7	275.5		183.7		91.8			91.8					551.0				55
17.6	17.6	17.6		70.6	35.3			17.6	17.6			52.9			141.1	105.9		123.5		56
				54.9		18.3							18.3	18.3			18.3			57
8.2		16.4	16.4	139.8	24.7	148.0	32.9	24.7	8.2	8.2		74.0		8.2	139.8	74.0	8.2	156.3		58
43.2	25.9		25.9	77.7		112.3	17.3	8.6	8.6	8.6	17.3	77.7	8.6	17.3	34.6	34.6	17.3	146.9		59
34.4	17.2	8.6	17.2	120.4	25.8	25.8		34.4		8.6		25.8		17.2	25.8	25.8	8.6	120.4		60
45.5			18.2	63.7		9.1		54.6	9.1			81.9			63.7	91.0		91.0		61
17.4	8.7	26.1	26.1	60.8	8.7	95.6	21.7	95.6	4.3	13.0		60.8	8.7	4.3	82.5	69.5	4.3	186.8	4.3	62
45.2	13.5	18.1	45.2	103.9	9.0	108.4	13.5	94.8	13.5	18.1		31.6	18.1	4.5	90.3	117.4	27.1	158.1	9.0	63
32.1			96.2	32.1		128.2	64.1				32.1	64.1				32.1		192.4		64
30.8			30.8	246.6	30.8	92.5	61.7			30.8		61.7			61.7	185.0		154.1		65
43.0	43.0		214.8	171.8		128.9						43.0			43.0	257.7	43.0	128.9		66
						126.1		42.0				84.1						168.1		67
				81.2		54.1		27.1				27.1			216.4	27.1		108.2		68
			28.3	56.6		56.6						56.6	56.6		84.9	28.3		84.9	28.3	69
53.1		26.5	26.5	212.2		212.2	26.5			26.5	26.5	53.1	26.5		79.6	79.6		185.7		70
24.9	24.9			174.2		174.2	74.7	24.9		49.8	24.9	24.9			49.8	99.6		124.4	24.9	71
		8.8	35.1	79.0		61.5	26.3	26.3	17.6	8.8		43.9		8.8	52.7	70.3		175.6		72
55.5			55.5	46.3		74.0	9.3	55.5	9.3	9.3				18.5	74.0	64.8		111.1		73
95.2	47.6	11.9	154.7	238.0	23.8	380.9	35.7	142.8	83.3	11.9	11.9	166.6	23.8	35.7	178.5	488.0	59.5	1,356.8		74
97.3	12.2	12.2	158.1	279.7		206.7	60.8	133.8	48.6	36.5	24.3	133.8	12.2	12.2	97.3	389.2	24.3	1,459.3		75
				39.4		157.4		78.7			39.4	118.1			196.8	118.1	39.4	157.4		76
40.4			40.4	80.8								80.8				40.4	40.4	121.2		77

[4] See Conejos County for 1913.
[5] Decrease in population since 1900; no estimate made.
[6] Includes Crowley County, organized May 29, 1911; separate estimated populations not available.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	COLORADO—continued.															
1	Rio Grande County†	1913	257.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2		1912	969.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	70.3	.....	.....	.....
3	Routt County†[3]	1913	996.9	11.3	.....	.....	.....	.....	.....	56.6	11.3	11.3	68.0	.....	11.3	11.3
4		1912	652.3	.....	.....	.....	.....	.....	11.9	.....	.....	.....	71.2	.....	.....	.....
5	Saguache County	1913	962.7	.....	.....	.....	.....	.....	.....	.....	23.5	.....	23.5	.....	.....	23.5
6		1912	1,182.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	47.3	.....	.....	23.7
7	San Juan County	1913	1,334.5	30.3	.....	.....	.....	.....	.....	.....	.....	30.3	121.3	.....	.....	30.3
8		1912	961.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	62.0	31.0	.....	.....
9	San Miguel County	1913	1,673.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	22.3	.....	22.3	44.6
10		1912	1,736.3	.....	.....	.....	.....	.....	.....	.....	.....	22.0	109.9	22.0	.....	.....
11	Sedgwick County†	1913	668.8	.....	.....	.....	.....	26.8	.....	.....	.....	.....	26.8	.....	.....	.....
12		1912	652.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Summit County	1913	1,475.6	.....	.....	.....	.....	56.8	.....	.....	.....	.....	56.8	.....	.....	.....
14		1912	1,687.5	.....	.....	.....	.....	.....	54.4	54.4	.....	.....	108.9	.....	.....	.....
15	Teller County	1913	1,761.7	10.4	.....	.....	.....	.....	10.4	.....	.....	10.4	62.5	.....	10.4	10.4
16		1912	1,571.0	9.0	.....	.....	.....	9.0	27.1	9.0	.....	36.1	27.1	.....	9.0	.....
17	Washington County†	1913	651.5	29.0	.....	.....	.....	14.5	14.5	.....	.....	.....	29.0	.....	.....	.....
18		1912	498.1	15.1	.....	.....	.....	.....	.....	.....	.....	.....	45.3	.....	.....	15.1
19	Weld County†	1913	721.3	28.0	.....	.....	2.2	21.5	15.1	2.2	2.2	4.3	58.1	15.1	.....	4.3
20		1912	633.8	6.8	.....	.....	2.3	6.8	9.1	2.3	2.3	2.3	61.1	4.5	2.3	9.1
21	Yuma County†	1913	592.9	40.9	.....	.....	.....	10.2	.....	.....	.....	.....	30.7	.....	10.2	.....
22		1912	565.0	.....	.....	.....	.....	.....	.....	21.3	.....	.....	21.3	.....	21.3	.....
	CONNECTICUT.															
23	Total	1913	1,431.8	7.8	1.6	0.3	4.5	6.4	8.0	12.0	22.5	2.9	133.5	5.9	8.3	5.9
24		1912	1,421.4	5.4	2.4	.....	5.9	4.3	10.0	12.2	21.1	3.2	140.4	5.7	6.2	8.4
25	White	1913	1,427.5	7.6	1.6	0.3	4.6	6.5	8.1	12.2	22.5	3.0	132.4	6.0	8.1	6.0
26		1912	1,420.7	5.5	2.5	.....	6.0	4.4	9.8	12.3	21.3	3.3	137.2	5.7	5.7	8.5
27	Colored	1913	1,789.4	22.7	.....	.....	.....	.....	.....	.....	22.7	.....	226.5	.....	22.7	.....
28		1912	1,480.6	.....	.....	.....	.....	.....	22.8	.....	.....	.....	410.0	.....	45.6	.....
29	Fairfield County	1913	1,586.8	3.8	3.8	.....	1.9	.....	1.9	7.6	19.0	.....	305.6	1.9	9.5	3.8
30		1912	1,534.8	5.8	.....	.....	3.9	.....	.....	5.8	11.6	1.9	254.2	5.8	3.9	13.5
31	Hartford County	1913	1,415.1	9.5	.....	.....	8.3	9.5	5.9	14.2	18.9	1.2	171.7	7.1	10.7	2.4
32		1912	1,442.4	6.0	1.2	.....	9.6	13.2	12.0	16.8	18.0	2.4	194.9	8.4	4.8	6.0
33	Litchfield County	1913	1,463.0	5.5	3.7	.....	3.7	7.4	5.5	11.1	22.2	1.8	86.8	11.1	9.2	12.9
34		1912	1,346.6	3.7	5.6	.....	3.7	1.9	5.6	11.1	31.5	1.9	109.4	5.6	7.4	3.7
35	Middlesex County	1913	1,251.6	4.0	.....	.....	.....	.....	8.0	.....	31.9	4.0	59.8	4.0	.....	8.0
36		1912	1,350.6	4.0	.....	.....	.....	.....	.....	32.0	8.0	4.0	131.9	4.0	.....	.....
37	New Haven County	1913	1,411.7	17.9	4.0	.....	.....	12.0	23.9	17.9	19.9	2.0	59.8	.....	4.0	8.0
38		1912	1,413.2	8.1	4.0	.....	14.1	2.0	16.2	2.0	16.2	6.1	80.8	4.0	8.1	14.1
39	New London County*	1913	1,563.7	6.7	.....	.....	8.9	2.2	6.7	4.5	33.5	8.9	124.9	2.2	13.4	2.2
40		1912	1,597.7	2.3	.....	.....	4.5	.....	15.8	6.8	29.3	4.5	110.4	6.8	9.0	9.0
41	Tolland County	1913	1,144.4	7.4	.....	.....	.....	3.7	11.1	22.2	11.1	7.4	70.1	7.4	.....	.....
42		1912	1,189.9	.....	.....	.....	3.7	3.7	11.2	29.7	37.2	.....	85.5	3.7	3.7	7.4
43	Windham County	1913	1,402.2	2.8	.....	2.8	8.5	11.3	2.8	16.9	28.2	2.8	73.4	14.1	11.3	11.3
44		1912	1,336.4	11.3	8.4	.....	.....	5.6	16.9	5.6	19.7	5.6	61.9	2.8	11.3	11.3
	INDIANA.															
45	Total	1913	1,237.9	23.6	2.7	0.4	15.2	5.2	9.6	17.5	16.4	3.2	117.9	8.0	14.9	5.2
46		1912	1,250.4	21.2	3.4	0.6	2.4	4.3	9.5	18.1	17.4	4.0	120.2	6.8	15.5	6.3
47	White	1913	1,228.3	23.4	2.6	0.4	15.2	5.3	9.4	17.6	16.4	3.2	114.9	7.7	14.6	5.2
48		1912	1,241.5	20.7	3.3	0.6	2.4	4.2	9.4	18.2	17.5	4.0	116.9	6.7	15.0	6.2
49	Colored	1913	2,200.5	43.0	10.8	.....	21.5	.....	37.7	10.8	10.8	5.4	414.3	37.7	43.0	5.4
50		1912	2,119.1	68.2	5.2	.....	.....	5.2	15.7	10.5	10.5	5.2	440.6	10.5	62.9	10.5
51	Adams County	1913	1,022.3	23.0	.....	.....	4.6	.....	18.4	9.2	9.2	4.6	78.3	9.2	18.4	.....
52		1912	933.2	32.2	.....	.....	.....	.....	13.8	13.8	18.4	9.2	59.8	4.6	32.2	13.8
53	Allen County	1913	1,137.9	7.1	.....	.....	3.6	14.2	17.8	7.1	7.1	3.6	99.6	10.7	3.6	.....
54		1912	1,020.7	13.7	3.4	.....	.....	10.3	.....	13.7	13.7	.....	113.4	.....	6.9	.....
55	Bartholomew County	1913	1,221.7	24.1	.....	.....	8.0	.....	4.0	24.1	12.1	8.0	180.8	4.0	12.1	.....
56		1912	1,323.4	12.1	.....	8.0	.....	.....	16.1	16.1	36.2	4.0	140.8	12.1	8.0	.....
57	Benton County	1913	884.7	31.9	8.0	.....	.....	8.0	15.9	15.9	8.0	.....	87.7	.....	15.9	.....
58		1912	794.3	7.9	.....	.....	.....	7.9	15.9	.....	.....	15.9	39.7	7.9	7.9	23.8
59	Blackford County	1913	1,151.7	13.0	.....	.....	6.5	.....	6.5	26.0	13.0	.....	97.6	13.0	6.5	.....
60		1912	935.0	6.4	.....	.....	.....	.....	19.3	6.4	6.4	.....	116.1	6.4	12.9	12.9
61	Boone County	1913	1,292.6	4.1	.....	.....	8.3	4.1	4.1	12.4	20.7	.....	140.9	20.7	20.7	8.3
62		1912	1,345.5	8.2	.....	.....	24.7	.....	.....	8.2	28.8	4.1	144.0	8.2	16.5	20.6
63	Brown County	1913	1,080.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	135.0	13.5	.....	.....
64		1912	1,279.2	52.7	26.4	.....	65.9	.....	.....	13.2	13.2	13.2	79.1	.....	26.4	.....
65	Carroll County	1913	1,027.3	34.6	.....	.....	.....	.....	11.5	17.3	23.1	.....	69.3	5.8	5.8	23.1
66		1912	1,021.3	11.4	.....	.....	.....	5.7	.....	.....	5.7	5.7	74.2	.....	17.1	.....
67	Cass County*	1913	1,631.0	17.7	.....	.....	23.6	.....	11.8	23.6	35.3	23.6	123.7	.....	17.7	5.9
68		1912	1,691.3	11.7	5.9	.....	5.9	23.4	5.9	.....	23.4	.....	158.0	.....	23.4	11.7
69	Clark County	1913	1,105.2	25.7	.....	.....	5.1	5.1	.....	10.3	10.3	.....	149.1	15.4	5.1	.....
70		1912	1,077.9	15.3	5.1	.....	.....	.....	5.1	10.2	20.4	5.1	107.3	5.1	30.6	.....
71	Clay County	1913	1,129.3	31.3	3.1	.....	6.3	21.9	.....	15.6	31.3	.....	84.5	9.4	9.4	3.1
72		1912	1,331.5	3.1	6.2	.....	3.1	.....	24.9	28.0	28.0	6.2	124.4	3.1	18.7	6.2
73	Clinton County	1913	1,294.9	15.3	3.8	.....	7.6	3.8	26.7	.....	15.3	.....	110.8	7.6	15.3	7.6
74		1912	1,146.8	11.4	.....	.....	11.4	3.8	3.8	22.8	26.6	.....	110.1	15.2	15.2	7.6

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
27.1	13.6	13.6	13.6	27.1	13.6	40.7	.....	13.6	.....	.....	.....	40.7	.....	.....	13.6	27.1	.....	13.6	.....	1
56.2	14.1	.....	42.2	84.3	.....	140.5	.....	28.1	42.2	42.2	.....	126.5	.....	.....	14.1	14.1	.....	295.1	.....	2
22.7	11.3	.....	22.7	45.3	.....	102.0	.....	56.6	34.0	22.7	11.3	56.6	11.3	11.3	102.0	170.0	11.3	124.6	.....	3
11.9	11.9	35.6	11.9	71.2	11.9	47.4	.....	23.7	.....	.....	.....	23.7	11.9	.....	118.6	94.9	35.6	59.3	.....	4
23.5	.....	.....	70.4	70.4	23.5	187.8	23.5	117.4	23.5	23.5	.....	.....	.....	.....	117.4	.....	.....	211.3	.....	5
71.0	.....	.....	23.7	118.3	23.7	378.4	.....	.....	.....	.....	.....	47.3	23.7	.....	118.3	118.3	.....	189.2	.....	6
.....	30.3	30.3	30.3	91.0	.....	121.3	182.0	30.3	30.3	.....	.....	30.3	.....	.....	91.0	151.7	60.7	212.3	30.3	7
31.0	.....	.....	.....	124.1	31.0	155.1	31.0	.....	.....	.....	.....	155.1	.....	.....	31.0	124.1	62.0	124.1	.....	8
44.6	.....	66.9	22.3	223.2	.....	267.8	66.9	.....	22.3	.....	44.6	66.9	22.3	.....	44.6	401.7	89.3	200.8	.....	9
22.0	.....	22.0	22.0	109.9	.....	263.7	22.0	.....	.....	.....	44.0	87.9	44.0	.....	109.9	527.5	87.9	219.8	.....	10
53.5	.....	.....	.....	26.8	.....	80.3	26.8	26.8	26.8	.....	.....	.....	.....	.....	53.5	107.0	26.8	187.3	.....	11
56.7	.....	.....	56.7	28.4	.....	56.7	28.4	.....	28.4	.....	.....	85.1	.....	.....	85.1	113.4	.....	113.4	.....	12
.....	.....	.....	56.8	340.5	.....	113.5	.....	.....	.....	56.8	.....	56.8	.....	.....	113.5	340.5	.....	227.0	56.8	13
54.4	.....	.....	.....	217.7	.....	653.2	.....	54.4	.....	.....	.....	163.3	.....	.....	54.4	108.9	.....	163.3	.....	14
93.8	31.3	20.8	73.0	73.0	.....	291.9	135.5	31.3	62.5	.....	.....	83.4	41.7	10.4	135.5	260.6	52.1	250.2	.....	15
27.1	9.0	36.1	90.3	162.5	9.0	261.8	54.2	27.1	36.1	9.0	.....	99.3	18.1	18.1	45.1	261.8	18.1	252.8	9.0	16
43.4	.....	.....	14.5	29.0	29.0	130.3	14.5	.....	.....	.....	.....	57.9	14.5	29.0	29.0	43.4	.....	115.8	14.5	17
30.2	.....	.....	.....	45.3	15.1	45.3	.....	15.1	.....	45.3	.....	30.2	.....	.....	45.3	45.3	15.1	90.6	.....	18
10.8	2.2	8.6	23.7	49.5	17.2	79.7	10.8	62.4	6.5	10.8	.....	32.3	8.6	4.3	32.3	66.7	15.1	124.9	2.2	19
24.9	6.8	4.5	27.2	49.8	2.3	74.7	6.8	29.4	9.1	6.8	2.3	36.2	2.3	6.8	54.3	67.9	13.6	97.3	2.3	20
20.4	.....	10.2	30.7	71.6	.....	30.7	.....	40.9	.....	10.2	.....	10.2	10.2	10.2	71.6	30.7	10.2	143.1	.....	21
21.3	.....	.....	32.0	21.3	21.3	42.6	.....	10.7	.....	.....	10.7	74.6	10.7	21.3	85.3	74.6	10.7	64.0	.....	22
80.5	19.0	13.1	124.4	173.1	25.4	112.9	11.8	65.8	5.6	8.6	12.0	100.0	2.1	5.9	74.4	97.4	17.4	253.3	9.6	23
78.8	21.1	13.8	124.2	164.7	29.2	117.2	14.3	61.3	3.0	8.6	10.5	93.7	2.7	8.6	75.1	84.5	14.0	263.8	7.0	24
80.7	19.2	13.3	124.0	172.1	25.7	113.7	11.4	65.8	5.4	8.7	11.9	99.3	2.2	5.7	74.7	95.5	17.3	252.5	9.7	25
79.8	21.3	13.7	125.2	164.8	28.7	118.3	14.5	61.8	3.0	8.7	10.7	93.7	2.7	8.5	75.1	84.7	13.9	262.3	7.1	26
68.0	.....	.....	158.6	249.2	.....	45.3	45.3	68.0	22.7	.....	22.7	158.6	.....	22.7	45.3	249.2	22.7	317.1	.....	27
.....	.....	22.8	45.6	159.5	68.3	22.8	.....	22.8	.....	.....	.....	91.1	.....	22.8	68.3	68.3	22.8	387.3	.....	28
75.9	19.0	9.5	142.4	206.9	15.2	102.5	11.4	64.5	5.7	7.6	7.6	108.2	1.9	3.8	58.8	89.2	20.9	273.3	3.8	29
77.0	32.7	3.9	134.8	213.8	15.4	92.4	23.1	38.5	.....	11.6	9.6	88.6	9.6	3.9	67.4	115.5	13.5	273.4	3.9	30
74.6	16.6	16.6	103.0	162.2	47.4	105.4	16.6	80.5	7.1	8.3	16.6	82.9	1.2	5.9	80.5	88.8	11.8	219.1	10.7	31
69.8	21.7	19.2	110.7	145.6	21.7	132.3	10.8	80.6	2.4	9.6	8.4	80.6	1.2	3.6	87.8	73.4	8.4	253.8	7.2	32
88.7	18.5	11.1	120.1	164.4	18.5	116.4	12.9	62.8	9.2	5.5	7.4	118.2	.....	7.4	72.0	103.4	29.6	295.6	20.3	33
87.2	31.5	14.8	120.6	128.0	20.4	118.7	14.8	57.5	3.7	9.3	13.0	98.3	3.7	11.1	74.2	72.3	16.7	256.0	3.7	34
59.8	31.9	.....	135.5	123.6	12.0	99.6	4.0	55.8	4.0	4.0	8.0	143.5	4.0	4.0	79.7	107.6	15.9	231.2	8.0	35
111.9	4.0	4.0	159.8	127.9	40.0	95.9	20.0	44.0	.....	8.0	8.0	107.9	.....	4.0	55.9	99.9	8.0	247.8	20.0	36
65.8	19.9	17.9	139.6	123.6	16.0	137.6	8.0	73.8	10.0	14.0	19.9	85.7	4.0	6.0	83.7	157.5	19.9	231.3	8.0	37
72.7	12.1	20.2	111.0	149.4	34.3	119.1	6.1	84.8	.....	6.1	10.1	113.1	.....	10.1	80.8	121.1	20.2	258.4	8.1	38
95.9	24.5	13.4	158.4	236.4	22.3	122.7	11.2	66.9	.....	15.6	11.2	127.1	6.7	8.9	42.4	71.4	13.4	296.7	4.5	39
63.1	22.5	15.8	153.2	216.3	40.6	133.0	15.8	78.9	4.5	18.0	9.0	112.7	4.5	6.8	63.1	90.1	9.0	333.5	9.0	40
73.8	3.7	11.1	99.7	169.8	22.2	84.9	7.4	51.7	.....	.....	3.7	59.1	.....	7.4	96.0	62.8	22.2	221.5	7.4	41
104.1	11.2	3.7	133.9	185.9	18.6	66.9	7.4	18.6	3.7	.....	7.4	81.8	.....	11.2	70.7	26.0	14.9	230.6	7.4	42
110.0	19.7	16.9	101.6	189.0	28.2	124.1	14.1	42.3	2.8	8.5	14.1	87.5	.....	2.8	93.1	87.5	5.6	256.7	11.3	43
76.0	16.9	16.9	95.7	160.4	59.1	146.3	19.7	45.0	11.3	.....	19.7	73.2	.....	25.3	81.6	59.1	25.3	242.0	2.8	44
80.8	16.3	6.1	82.8	135.8	13.7	86.9	7.5	53.8	7.2	9.3	10.3	88.9	6.5	6.5	65.9	78.4	11.4	228.9	1.1	45
70.8	15.0	6.5	81.5	151.4	15.8	95.9	9.6	51.4	7.8	10.7	11.8	89.4	7.7	7.4	63.7	73.5	14.8	234.8	1.1	46
80.7	16.2	6.1	82.9	134.6	13.6	86.4	7.4	53.6	7.1	9.1	10.1	88.3	6.5	6.5	65.8	77.6	11.3	227.3	1.1	47
71.0	15.1	6.6	81.7	149.6	15.8	95.3	9.7	51.4	7.8	10.7	11.8	88.2	7.7	7.4	63.8	72.6	14.9	233.8	1.1	48
86.1	21.5	5.4	64.6	247.5	21.5	139.9	16.1	64.6	10.8	21.5	32.3	156.0	10.8	10.8	69.9	161.4	21.5	398.1	.....	49
52.5	5.2	.....	57.7	335.7	15.7	157.4	.....	52.5	5.2	10.5	10.5	209.8	5.2	5.2	52.5	157.4	5.2	330.4	5.2	50
64.5	9.2	4.6	69.1	69.1	13.8	55.3	9.2	50.7	4.6	18.4	9.2	78.3	9.2	4.6	119.7	78.3	9.2	170.4	.....	51
46.0	4.6	.....	64.4	119.5	32.2	50.6	13.8	41.4	.....	23.0	27.6	41.4	9.2	.....	69.0	36.8	23.0	128.7	4.6	52
85.3	14.2	7.1	96.0	110.2	14.2	99.6	14.2	64.0	3.6	7.1	7.1	124.5	.....	7.1	46.2	85.3	3.6	174.2	.....	53
75.6	27.5	.....	92.8	96.2	10.3	96.2	17.2	24.1	10.3	20.6	6.9	113.4	3.4	6.9	48.1	51.5	10.3	134.0	.....	54
96.5	16.1	.....	88.4	104.5	4.0	76.4	12.1	56.3	4.0	4.0	16.1	64.3	.....	8.0	96.5	40.2	8.0	249.2	.....	55
100.6	12.1	4.0	68.4	173.0	12.1	116.7	8.0	60.3	16.1	16.1	8.0	40.2	12.1	12.1	52.3	80.5	24.1	253.4	.....	56
55.8	15.9	8.0	47.8	95.6	.....	39.9	8.0	23.9	8.0	15.9	8.0	71.7	15.9	.....	47.8	47.8	.....	183.3	.....	57
23.8	15.9	7.9	31.8	119.2	7.9	31.8	.....	23.8	7.9	7.9	7.9	39.7	.....	.....	31.8	47.7	7.9	246.2	7.9	58
97.6	6.5	.....	91.1	156.2	6.5	65.1	13.0	52.1	6.5	6.5	13.0	117.1	.....	6.5	110.6	26.0	.....	195.2	.....	59
58.0	6.4	.....	90.3	96.7	6.4	70.9	6.4	32.2	6.4	6.4	6.4	58.0	6.4	12.9	83.8	45.1	19.3	135.4	.....	60
66.3	24.9	4.1	107.7	136.7	8.3	70.4	16.6	37.3	8.3	20.7	16.6	78.7	8.3	4.1	91.1	82.9	20.7	244.4	.....	61
53.5	20.6	4.1	102.9	181.0	24.7	53.5	8.2	41.1	12.3	20.6	8.2	74.1	20.6	4.1	41.1	57.6	16.5	337.4	.....	62
67.5	13.5	13.5	121.5	135.0	27.0	54.0	27.0	54.0	.....	.....	.....	108.0	.....	.....	81.0	27.0	27.0	175.5	.....	63
92.3	39.6	.....	79.1	145.1	13.2	105.5	26.4	65.9	.....	.....	13.2	79.1	13.2	26.4	105.5	26.4	.....	145.1	13.2	64
69.3	28.9	17.3	75.0	69.3	.....	69.3	.....	40.4	11.5	.....	11.5	69.3	28.9	.....	57.7	75.0	23.1	190.5	.....	65
91.3	28.5	.....	62.8	142.6	11.4	85.6	.....	57.1	5.7	28.5	17.1	131.2	11.4	.....	28.5	57.1	5.7	136.9	.....	66
106.0	11.8	.....	123.7	164.9	23.6	100.1	.....	41.2	11.8	5.9	.....	129.5	11.8	17.7	88.3	106.0	11.8	394.5	.....	67
105.3	11.7	.....	175.6	158.0	11.7	140.5	.....	29.3	23.4	17.6	.....	99.5	5.9	.....	93.6	87.8	11.7	450.6	.....	68
51.4	10.3	5.1	41.1	128.5	15.4	51.4	15.4	66.8	5.1	15.4	10.3	107.9	5.1	5.1	51.4	92.5	5.1	195.3	.....	69
46.0	10.2	.....	76.6	148.1	15.3	61.3	10.2	51.1	5.1	.....	5.1	107.3	5.1	5.1	35.8	76.6	20.4	194.1	.....	70
65.7	12.5	12.5	68.8	118.9	15.6	59.4	12.5	34.4	6.3	15.6	6.3	106.4	3.1	.....	68.8	93.8	18.8	193.9	.....	71
40.4	18.7	.....	56.0	130.7	21.8	133.8	15.6	77.8	9.3	12.4	18.7	124.4	24.9	6.2	37.3	77.8	21.8	252.0	.....	72
76.4	26.7	3.8	76.4	118.4	3.8	114.6	7.6	45.8	19.1	7.6	.....	80.2	11.5	7.6	118.4	84.0	26.7	248.3	3.8	73
87.3	19.0	.....	57.0	98.7	7.6	94.9	7.6	41.8	.....	11.4	.....	83.5	7.6	.....	76.0	79.7	26.6	216.5	3.8	74

[3] Includes Moffat County, organized Mar. 27, 1911, separate estimated populations not available.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	INDIANA—continued.															
1	Crawford County	1913	1,233.0	25.9	.....	.....	17.2	.....	8.6	43.1	43.1	.....	301.8	17.2	17.2	.....
2		1912	1,107.3	51.1	8.5	.....	.....	.....	.....	17.0	25.6	.....	247.0	17.0	25.6	8.5
3	Daviess County	1913	1,246.1	22.2	.....	.....	51.8	3.7	7.4	48.1	25.9	.....	114.6	7.4	3.7	7.4
4		1912	1,181.1	29.3	7.3	.....	.....	11.0	7.3	40.3	3.7	11.0	157.7	3.7	7.3	7.3
5	Dearborn County	1913	1,381.4	23.7	.....	.....	9.5	.....	.....	37.8	23.7	4.7	137.2	9.5	.....	14.2
6		1912	1,291.4	28.3	.....	.....	.....	.....	4.7	37.7	23.6	.....	132.0	14.1	14.1	4.7
7	Decatur County	1913	1,514.1	21.6	5.4	.....	21.6	10.8	.....	5.4	32.3	10.8	172.4	26.9	10.8	5.4
8		1912	1,508.2	32.2	.....	.....	5.4	.....	21.5	26.8	16.1	10.7	150.3	.....	10.7	5.4
9	Dekalb County	1913	1,223.7	20.1	.....	.....	8.1	4.0	12.1	24.2	16.1	.....	68.4	.....	28.2	.....
10		1912	1,260.7	16.1	.....	.....	.....	.....	12.0	4.0	12.0	.....	132.5	8.0	28.1	.....
11	Delaware County	1913	1,086.1	33.0	3.7	.....	3.7	3.7	14.7	14.7	14.7	.....	88.1	3.7	.....	7.3
12		1912	1,175.7	36.6	3.7	.....	11.0	.....	18.3	11.0	11.0	3.7	124.5	7.3	29.3	3.7
13	Dubois County	1913	1,113.0	40.7	10.2	.....	10.2	5.1	10.2	15.2	45.7	.....	142.3	.....	10.2	.....
14		1912	1,003.7	30.4	.....	.....	.....	5.1	.....	20.3	40.6	.....	116.6	5.1	10.1	.....
15	Elkhart County	1913	1,165.9	13.5	.....	.....	20.2	.....	.....	16.8	10.1	6.7	53.9	3.4	10.1	6.7
16		1912	1,135.0	10.1	.....	.....	.....	.....	6.7	13.5	13.5	3.4	97.7	.....	13.5	6.7
17	Fayette County	1913	1,373.0	6.8	.....	.....	13.6	.....	6.8	20.4	20.4	6.8	88.4	6.8	20.4	13.6
18		1912	1,251.8	.....	.....	.....	.....	6.8	.....	.....	.....	.....	109.4	.....	6.8	.....
19	Floyd County	1913	1,070.1	.....	.....	.....	.....	.....	20.6	.....	41.2	.....	164.6	.....	.....	.....
20		1912	1,082.4	10.3	.....	.....	.....	20.6	10.3	.....	51.5	.....	185.5	.....	10.3	.....
21	Fountain County	1913	1,392.2	19.9	.....	.....	9.9	.....	5.0	19.9	39.8	.....	99.4	.....	5.0	5.0
22		1912	1,424.8	29.7	.....	.....	.....	.....	4.9	44.5	19.8	.....	103.9	.....	14.8	9.9
23	Franklin County	1913	1,347.1	20.0	.....	.....	6.7	.....	6.7	.....	26.7	.....	100.0	.....	26.7	6.7
24		1912	1,298.0	6.6	.....	.....	13.2	13.2	.....	13.2	13.2	.....	158.9	26.5	26.5	.....
25	Fulton County	1913	1,240.0	6.0	.....	6.0	.....	6.0	24.0	12.0	24.0	6.0	53.9	.....	12.0	.....
26		1912	1,122.4	6.0	6.0	.....	.....	.....	.....	6.0	11.9	.....	71.6	.....	.....	6.0
27	Gibson County	1913	1,154.3	23.2	13.3	.....	6.6	6.6	10.0	19.9	26.5	6.6	139.3	16.6	16.6	3.3
28		1912	1,224.2	36.5	16.6	.....	.....	3.3	10.0	23.2	33.2	.....	159.2	3.3	10.0	6.6
29	Grant County	1913	1,756.6	22.7	6.5	.....	6.5	.....	.....	26.0	13.0	6.5	100.7	.....	19.5	3.2
30		1912	1,727.6	22.5	3.2	3.2	.....	.....	6.4	25.7	12.8	.....	115.6	.....	25.7	3.2
31	Greene County	1913	1,109.1	35.4	2.5	5.1	5.1	7.6	15.2	50.5	12.6	.....	60.6	2.5	27.8	7.6
32		1912	1,337.2	36.1	23.2	2.6	.....	2.6	25.8	41.3	41.3	2.6	131.7	7.7	18.1	2.6
33	Hamilton County	1913	1,180.6	15.3	.....	.....	3.8	.....	3.8	7.7	23.0	.....	95.8	.....	11.5	3.8
34		1912	1,213.0	7.6	3.8	.....	3.8	.....	3.8	3.8	26.5	3.8	132.7	11.4	7.6	.....
35	Hancock County	1913	1,169.7	15.8	5.3	.....	15.8	.....	21.1	5.3	5.3	5.3	121.2	10.5	10.5	.....
36		1912	1,342.5	21.1	.....	.....	.....	10.5	5.3	15.8	10.5	5.3	121.1	21.1	31.6	.....
37	Harrison County	1913	1,012.4	20.2	.....	.....	5.1	.....	.....	5.1	30.4	5.1	146.8	10.1	5.1	5.1
38		1912	1,140.5	50.2	.....	.....	.....	20.1	.....	20.1	25.1	10.0	216.0	10.0	20.1	.....
39	Hendricks County	1913	1,174.2	14.5	.....	.....	.....	.....	14.5	9.7	14.5	19.3	120.8	.....	19.3	.....
40		1912	1,210.3	9.6	.....	.....	9.6	.....	.....	24.1	19.3	.....	168.8	.....	14.5	24.1
41	Henry County	1913	1,224.7	9.6	3.2	.....	12.8	.....	12.8	12.8	6.4	3.2	118.3	22.4	6.4	3.2
42		1912	1,175.3	19.5	.....	.....	.....	.....	6.5	16.2	22.7	3.2	84.4	9.7	3.2	6.5
43	Howard County	1913	1,135.1	32.1	.....	.....	32.1	6.4	12.8	32.1	19.2	.....	121 8	6.4	19.2	6.4
44		1912	946.7	31.6	.....	.....	.....	.....	.....	.....	12.6	12.6	88.4	.....	12.6	12.6
45	Huntington County	1913	1,022.7	10.8	.....	.....	32.3	10.8	.....	5.4	26.9	.....	59.2	5.4	5.4	5.4
46		1912	1,020.4	16.1	.....	.....	.....	.....	21.5	10.7	16.1	5.4	26.9	5.4	5.4	.....
47	Jackson County	1913	1,335.7	20.7	.....	.....	37.3	8.3	12.4	8.3	24.9	12.4	165.9	29.0	16.6	.....
48		1912	1,399.2	12.3	4.1	.....	.....	.....	28.8	8.2	24.7	8.2	156.4	8.2	32.9	12.3
49	Jasper County	1913	1,194.6	7.9	.....	.....	15.8	7.9	15.8	.....	7.9	.....	55.4	7.9	15.8	7.9
50		1912	979.2	7.8	7.8	.....	.....	.....	.....	.....	.....	.....	94.0	23.5	15.7	.....
51	Jay County	1913	1,182.4	20.5	.....	.....	32.8	4.1	8.2	8.2	12.3	4.1	139.6	8.2	36.9	12.3
52		1912	1,177.4	16.3	4.1	.....	.....	4.1	24.4	28.5	4.1	.....	114.1	8.1	16.3	8.1
53	Jefferson County *	1913	2,102.2	20.3	.....	.....	.....	.....	45.7	15.2	15.2	5.1	233.6	10.2	20.3	.....
54		1912	1,971.0	20.1	.....	.....	.....	.....	5.0	.....	25.1	5.0	200.6	15.0	20.1	15.0
55	Jennings County	1913	1,511.1	58.4	7.3	.....	.....	14.6	14.6	14.6	14.6	7.3	211.7	7.3	7.3	14.6
56		1912	1,313.6	50.5	.....	.....	.....	36.1	7.2	7.2	21.7	7.2	137.1	.....	28.9	7.2
57	Johnson County	1913	1,144.4	14.7	.....	.....	4.9	.....	.....	4.9	14.7	.....	156.5	9.8	29.3	.....
58		1912	1,155.1	14.7	.....	.....	4.9	.....	.....	4.9	24.5	4.9	97.9	19.6	14.7	9.8
59	Knox County	1913	1,142.0	44.1	.....	.....	56.1	.....	20.0	36.1	20.0	.....	108.2	4.0	12.0	4.0
60		1912	1,228.4	44.4	16.2	.....	4.0	4.0	20.2	52.5	20.2	4.0	97.0	4.0	4.0	8.1
61	Kosciusko County	1913	1,233.9	14.5	.....	.....	.....	.....	.....	7.3	7.3	7.3	69.0	.....	7.3	10.9
62		1912	1,123.8	3.6	.....	.....	.....	3.6	10.8	7.2	7.2	3.6	39.7	.....	25.3	.....
63	Lagrange County	1913	1,343.9	19.9	.....	.....	.....	6.6	6.6	.....	13.2	.....	53.0	6.6	33.1	6.6
64		1912	1,171.2	6.6	.....	.....	6.6	.....	13.2	6.6	26.3	.....	85.5	6.6	13.2	.....
65	Lake County	1913	1,071 8	9.1	.....	.....	15 2	21.3	9.1	15.2	.....	.....	103.5	3.0	15.2	6.1
66		1912	1,194.6	13.0	.....	.....	3.3	.....	6.5	9.8	6.5	3.3	91.1	3.3	9.8	.....
67	Laporte County	1913	1,169.9	6.4	.....	.....	12.7	6.4	.....	12.7	.....	6.4	69.9	6.4	.....	25.4
68		1912	1,119.2	6.3	.....	.....	.....	6.3	.....	6.3	.....	18.8	43.8	12.5	.....	12 5
69	Lawrence County	1913	1,198.3	46.6	.....	.....	27.9	.....	24.8	24.8	6.2	6.2	152.1	21.7	9.3	3.1
70		1912	1,239.1	28.4	3.2	.....	.....	6.3	15.8	15.8	12.6	3.2	151.3	12.6	18.9	3.2
71	Madison County	1913	1,110.6	23.4	.....	.....	6.7	16.7	16.7	30.1	3.3	.....	110.4	10.0	20.1	3.3
72		1912	1,109.5	23.0	.....	.....	.....	3.3	3.3	36.1	9.8	.....	108.3	3.3	16.4	3.3
73	Marion County *	1913	1,228.8	9.5	6.3	.....	6.3	.....	6.3	38.0	3.2	3.2	145.7	6.3	25.3	.....
74		1912	1,161.8	28.5	3.2	.....	3.2	.....	.....	12.7	12.7	3.2	101.3	6.3	19.0	6.3
75	Marshall County	1913	1,106.0	12.6	4.2	.....	.....	16.8	8.4	8.4	16.8	.....	79.6	4.2	20.9	.....
76		1912	1,072.4	8.3	.....	.....	.....	.....	12.5	.....	25.0	.....	100.2	8.3	12.5	8.3
77	Martin County	1913	1,139.0	64.6	8.1	8.1	8.1	8.1	.....	8.1	24.2	.....	161.6	16.2	.....	24.2
78		1912	1,258.4	39.8	8.0	.....	.....	8.0	.....	15.9	23.9	8.0	223.0	23.9	15.9	15.9

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
103.5	.....	.....	8.6	129.3	.....	60.4	25.9	69.0	8.6	17.2	.....	69.0	.....	17.2	43.1	60.4	17.2	129.3	.....	1
51.1	8.5	.....	34.1	144.8	.....	85.2	.....	51.1	.....	17.0	8.5	59.6	.....	25.6	59.6	42.6	.....	119.3	.....	2
62.9	11.1	25.9	55.5	155.3	14.8	81.3	7.4	81.3	7.4	.....	7.4	74.0	.....	3.7	51.8	85.0	14.8	214.5	.....	3
51.4	.....	22.0	84.4	106.4	11.0	110.0	7.3	44.0	14.7	7.3	11.0	66.0	.....	7.3	102.7	58.7	14.7	176.1	.....	4
71.0	14.2	.....	123.0	212.9	14.2	127.7	.....	47.3	23.7	9.5	23.7	61.5	9.5	.....	61.5	89.9	4.7	222.3	4.7	5
80.1	14.1	9.4	70.7	188.5	18.9	127.3	.....	23.6	9.4	18.9	18.9	80.1	4.7	4.7	51.8	84.8	9.4	216.8	.....	6
86.2	32.3	.....	102.4	188.6	26.9	91.6	.....	43.1	5.4	5.4	21.6	37.7	5.4	21.6	86.2	91.6	5.4	339.5	.....	7
85.9	5.4	5.4	96.6	204.0	37.6	85.9	21.5	53.7	.....	5.4	10.7	85.9	21.5	16.1	53.7	64.4	26.8	343.5	5.4	8
96.6	12.1	12.1	104.7	165.0	20.1	52.3	4.0	28.2	12.1	24.2	12.1	76.5	12.1	8.1	40.3	88.6	16.1	253.6	4.0	9
76.3	36.1	4.0	80.3	180.7	12.0	72.3	.....	32.1	.....	20.1	8.0	80.3	8.0	8.0	48.2	80.3	20.1	281.0	.....	10
55.0	18.3	3.7	113.7	84.4	3.7	62.4	11.0	29.4	3.7	3.7	11.0	121.1	7.3	11.0	73.4	36.7	7.3	242.2	.....	11
62.3	7.3	.....	47.6	106.2	18.3	65.9	11.0	73.3	3.7	18.3	11.0	106.2	11.0	7.3	73.3	40.3	11.0	241.7	.....	12
35.6	10.2	5.1	45.7	91.5	.....	106.7	10.2	71.2	.....	15.2	5.1	45.7	5.1	5.1	71.2	45.7	5.1	249.0	.....	13
30.4	25.3	.....	35.5	106.5	.....	91.2	.....	65.9	5.1	.....	.....	71.0	.....	20.3	45.6	60.8	10.1	197.7	10.1	14
87.6	33.7	.....	77.5	182.0	3.4	80.9	3.4	20.2	3.4	6.7	10.1	84.2	16.8	3.4	87.6	131.4	20.2	171.9	.....	15
64.0	16.8	6.7	104.4	171.8	6.7	80.8	.....	37.0	3.4	3.4	13.5	94.3	3.4	6.7	60.6	70.7	3.4	222.3	.....	16
102.0	27.2	.....	115.6	135.9	20.4	47.6	6.8	47.6	20.4	6.8	13.6	61.2	6.8	.....	54.4	95.2	40.8	367.0	.....	17
75.2	27.4	13.7	109.4	191.5	13.7	47.9	13.7	34.2	6.8	13.7	6.8	61.6	.....	20.5	92.1	47.9	6.8	355.7	.....	18
82.3	20.6	20.6	20.6	133.8	30.9	61.7	.....	20.6	.....	.....	.....	72.0	.....	10.3	30.9	123.5	.....	216.1	.....	19
20.6	.....	.....	61.8	185.5	10.3	72.2	.....	10.3	10.3	.....	10.3	72.2	.....	.....	30.9	92.8	20.6	185.5	10.3	20
109.4	19.9	14.9	119.3	149.2	19.9	134.2	9.9	84.5	14.9	14.9	29.8	119.3	5.0	5.0	69.6	54.7	9.9	203.9	.....	21
84.1	14.8	9.9	79.2	178.1	34.6	79.2	14.8	98.9	4.9	9.9	14.8	94.0	14.8	19.8	74.2	84.1	14.8	272.1	.....	22
86.7	6.7	.....	106.7	166.7	13.3	73.4	6.7	86.7	.....	6.7	13.3	100.0	6.7	.....	33.3	160.1	20.0	266.8	.....	23
72.8	.....	.....	125.8	172.2	6.6	119.2	.....	19.9	6.6	19.9	13.2	99.3	.....	19.9	53.0	92.7	19.9	185.4	.....	24
101.8	.....	12.0	89.9	113.8	24.0	71.9	6.0	30.0	30.0	18.0	18.0	83.9	.....	12.0	59.9	65.9	12.0	335.5	6.0	25
59.7	6.0	6.0	71.6	113.4	6.0	101.5	11.9	41.8	11.9	11.9	17.9	83.6	11.9	6.0	47.8	89.6	23.9	292.5	.....	26
46.4	10.0	19.9	69.7	89.6	19.9	89.6	13.3	96.2	3.3	6.6	13.3	76.3	6.6	6.6	49.8	69.7	16.6	162.5	.....	27
26.5	19.9	3.3	59.7	99.5	16.6	99.5	16.6	89.6	16.6	10.0	13.3	66.4	.....	6.6	86.3	69.7	13.3	209.0	.....	28
110.4	13.0	3.2	120.1	331.2	9.7	123.4	6.5	32.5	6.5	3.2	16.2	243.5	6.5	3.2	77.9	81.2	6.5	357.2	.....	29
80.3	12.8	12.8	115.6	356.4	16.1	122.0	12.8	28.9	.....	19.3	25.7	112.4	16.1	9.6	70.6	89.9	19.3	388.6	.....	30
53.1	12.6	5.1	60.6	106.1	5.1	78.3	5.1	85.9	7.6	5.1	.....	58.1	10.1	2.5	106.1	85.9	5.1	184.4	.....	31
54.2	5.2	20.7	51.6	113.6	5.2	160.1	20.7	123.9	7.7	12.9	10.3	51.6	7.7	12.9	74.9	69.7	10.3	188.5	.....	32
65.2	19.2	.....	88.2	138.0	11.5	95.8	3.8	19.2	19.2	7.7	7.7	69.0	7.7	.....	111.2	69.0	23.0	260.6	.....	33
79.6	34.1	7.6	91.0	125.1	19.0	60.7	7.6	53.1	15.2	7.6	11.4	94.8	11.4	3.8	56.9	53.1	22.7	254.0	.....	34
68.5	26.3	.....	115.9	121.2	21.1	47.4	5.3	47.4	5.3	5.3	15.8	100.1	10.5	10.5	73.8	58.0	15.8	205.5	.....	35
68.4	21.1	15.8	79.0	110.6	15.8	163.2	10.5	42.1	5.3	10.5	21.1	100.0	26.3	.....	52.6	100.0	26.3	231.7	.....	36
55.7	20.2	.....	20.2	101.2	.....	116.4	5.1	20.2	.....	15.2	30.4	75.9	5.1	.....	50.6	60.7	15.2	177.2	* 10.1	37
70.3	20.1	5.0	20.1	130.6	30.1	65.3	20.1	25.1	5.0	5.0	.....	40.2	15.1	5.0	55.3	35.2	.....	216.0	5.0	38
77.3	14.5	14.5	96.6	135.3	14.5	130.5	.....	43.5	.....	.....	24.2	111.1	9.7	.....	43.5	67.6	9.7	169.1	.....	39
77.1	4.8	4.8	86.8	139.8	24.1	86.8	9.6	28.9	9.6	24.1	.....	57.9	.....	.....	53.0	101.3	24.1	207.3	.....	40
67.1	38.4	6.4	86.3	137.5	12.8	73.5	16.0	48.0	.....	3.2	12.8	86.3	16.0	12.8	41.6	64.0	12.8	278.2	.....	41
77.9	.....	13.0	74.7	129.9	16.2	81.2	6.5	51.9	9.7	16.2	13.0	87.7	3.2	.....	74.7	45.5	16.2	282.5	3.2	42
89.8	19.2	.....	89.8	141.1	6.4	51.3	.....	51.3	6.4	19.2	.....	77.0	.....	12.8	51.3	64.1	6.4	160.3	.....	43
63.1	.....	.....	50.5	119.9	6.3	75.7	.....	18.9	.....	6.3	6.3	69.4	6.3	.....	69.4	94.7	12.6	176.7	.....	44
53.8	16.1	.....	86.1	145.3	16.1	48.4	16.1	43.1	10.8	21.5	10.8	75.4	.....	.....	48.4	48.4	16.1	204.5	.....	45
59.1	5.4	.....	64.4	177.2	21.5	69.8	5.4	21.5	21.5	5.4	16.1	128.9	10.7	.....	69.8	32.2	21.5	182.6	.....	46
74.7	20.7	4.1	62.2	120.3	4.1	124.4	.....	99.6	8.3	4.1	8.3	87.1	.....	12.4	66.4	70.5	8.3	224.0	.....	47
65.8	8.2	8.2	65.8	168.7	12.3	94.7	12.3	98.8	12.3	8.2	24.7	94.7	8.2	.....	82.3	57.6	8.2	271.6	.....	48
87.0	7.9	.....	94.9	102.8	7.9	126.6	.....	55.4	7.9	7.9	.....	189.9	.....	7.9	71.2	63.3	7.9	213.6	.....	49
101.8	7.8	.....	133.2	78.3	.....	117.5	7.8	39.2	23.5	7.8	.....	94.0	.....	.....	23.5	78.3	39.2	70.5	7.8	50
82.1	24.6	4.1	106.7	110.8	28.7	82.1	8.2	41.1	8.2	16.4	4.1	57.5	8.2	.....	69.8	41.1	8.2	188.8	4.1	51
57.0	32.6	16.3	110.0	122.2	32.6	65.2	20.4	40.7	12.2	24.4	12.2	85.6	4.1	8.1	40.7	57.0	8.1	199.6	.....	52
137.1	15.2	.....	121.9	243.7	5.1	152.3	15.2	40.6	15.2	20.3	30.5	152.3	10.2	.....	45.7	91.4	25.4	614.4	.....	53
140.4	30.1	.....	95.3	270.8	25.1	115.4	5.0	55.2	5.0	10.0	15.0	130.4	5.0	.....	50.2	105.3	30.1	576.8	.....	54
131.4	29.2	7.3	80.3	124.1	.....	109.5	7.3	43.8	.....	14.6	.....	153.3	.....	.....	58.4	87.6	.....	292.0	.....	55
86.6	7.2	14.4	101.0	129.9	21.7	65.0	14.4	21.7	7.2	7.2	14.4	144.4	7.2	14.4	50.5	72.2	7.2	223.7	.....	56
48.9	24.5	.....	53.8	127.2	.....	88.0	4.9	34.2	14.7	.....	9.8	97.8	4.9	.....	44.0	48.9	4.9	303.2	.....	57
39.2	34.3	4.9	34.3	122.4	.....	107.7	19.6	39.2	14.7	4.9	.....	122.4	.....	9.8	58.7	63.6	9.8	274.1	.....	58
52.1	.....	8.0	40.1	76.1	8.0	60.1	16.0	124.2	16.0	4.0	8.0	44.1	4.0	4.0	68.1	80.1	16.0	208.4	.....	59
48.5	12.1	.....	32.3	117.2	20.2	121.2	8.1	101.0	4.0	8.1	4.0	84.9	8.1	8.1	72.7	80.8	4.0	214.2	.....	60
112.5	7.3	7.3	36.3	166.9	7.3	94.4	14.5	36.3	3.6	10.9	.....	148.8	3.6	14.5	61.7	98.0	10.9	272.2	3.6	61
61.4	14.5	7.2	79.5	169.8	10.8	115.6	7.2	21.7	7.2	14.5	14.5	101.2	7.2	7.2	61.4	54.2	14.5	252.9	.....	62
105.9	26.5	.....	132.4	178.7	6.6	99.3	6.6	26.5	39.7	33.1	13.2	59.6	13.2	.....	53.0	79.4	6.6	311.2	6.6	63
52.6	39.5	.....	111.9	138.2	13.2	59.2	13.2	32.9	19.7	6.6	39.5	59.2	6.6	6.6	79.0	72.4	6.6	250.0	.....	64
33.5	9.1	.....	63.9	106.6	45.7	76.1	9.1	106.6	.....	3.0	9.1	63.9	3.0	9.1	57.9	146.1	9.1	121.8	.....	65
45.6	19.5	13.0	68.4	130.2	71.6	94.4	6.5	104.2	6.5	3.3	6.5	84.6	3.3	9.8	42.3	140.0	19.5	172.5	6.5	66
69.9	38.1	.....	120.8	108.1	12.7	101.7	.....	63.6	.....	.....	12.7	127.2	.....	.....	69.9	152.6	6.4	139.9	.....	67
50.0	18.8	6.3	87.5	150.1	25.0	68.8	6.3	62.5	6.3	6.3	12.5	125.0	.....	.....	81.3	93.8	12.5	200.1	.....	68
65.2	12.4	24.8	49.7	102.4	6.2	90.0	3.1	86.9	3.1	6.2	9.3	55.9	6.2	12.4	62.1	71.4	9.3	198.7	.....	69
32.0	3.2	6.3	41.0	135.6	22.1	82.0	9.5	94.6	18.9	9.5	3.2	82.0	.....	15.8	88.3	75.7	15.8	182.9	.....	70
76.9	10.0	6.7	63.6	113.7	10.0	100.4	3.3	53.5	13.4	3.3	10.0	66.9	10.0	6.7	73.6	50.2	6.7	190.7	.....	71
59.1	6.6	6.6	75.5	114.9	16.4	55.8	3.3	39.4	16.4	9.8	6.6	118.2	16.4	16.4	59.1	32.8	13.1	236.4	.....	72
60.2	22.2	12.7	104.5	136.2	6.3	69.7	6.3	28.5	12.7	3.2	22.2	60.2	6.3	9.5	44.3	85.5	19.0	269.2	.....	73
57.0	9.5	3.2	82.3	126.6	15.8	88.6	12.7	38.0	3.2	9.5	9.5	79.1	6.3	6.3	57.0	82.3	34.8	243.8	.....	74
100.5	12.6	4.2	134.1	134.1	8.4	37.7	4.2	12.6	4.2	12.6	29.3	83.8	4.2	8.4	67.0	54.5	16.8	205.3	.....	75
83.5	25.0	16.7	66.8	133.5	25.0	54.2	8.3	16.7	16.7	4.2	16.7	75.1	4.2	.....	66.8	66.8	16.7	200.3	.....	76
88.9	.....	16.2	165.0	129.3	32.3	80.8	16.2	32.3	8.1	8.1	.....	32.3	.....	.....	80.8	48.5	8.1	121.2	.....	77
63.7	.....	15.9	111.5	159.3	8.0	87.6	8.0	39.8	8.0	.....	8.0	39.8	.....	.....	47.8	15.9	8.0	254.9	.....	78

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	INDIANA—continued.															
1	Miami County	1913	1,149.1	27.0	.....	.....	32.4	.....	16.2	21.6	10.8	5.4	91.7	16.2	16.2	5.4
2		1912	1,185.6	32.5	.....	.....	.....	.....	.....	.....	5.4	.....	92.0	.....	21.7	.....
3	Monroe County	1913	1,179.2	33.0	4.1	.....	16.5	20.6	12.4	57.7	8.2	4.1	144.3	.....	12.4	.....
4		1912	1,321.1	20.8	.....	.....	.....	.....	8.3	41.7	25.0	4.2	154.2	8.3	20.8	4.2
5	Montgomery County	1913	1,233.5	17.1	6.8	.....	3.4	10.3	3.4	6.8	27.3	.....	99.1	10.3	34.2	13.7
6		1912	1,332.2	23.9	.....	.....	.....	3.4	3.4	17.1	17.1	10.2	99.1	3.4	17.1	17.1
7	Morgan County	1913	1,200.1	37.4	.....	.....	14.0	.....	9.3	37.4	14.0	.....	163.4	14.0	4.7	4.7
8		1912	1,377.6	37.5	4.7	.....	.....	.....	.....	23.4	18.7	9.4	112.5	9.4	18.7	4.7
9	Newton County	1913	874.5	28.5	9.5	.....	.....	9.5	9.5	19.0	.....	.....	57.0	.....	.....	.....
10		1912	979.6	.....	.....	.....	.....	9.5	9.5	.....	9.5	.....	66.6	.....	19.0	.....
11	Noble County	1913	1,005.7	24.8	.....	.....	4.1	.....	.....	.....	16.6	.....	41.4	4.1	4.1	8.3
12		1912	1,244.1	12.4	4.1	.....	.....	4.1	4.1	.....	12.4	.....	53.9	.....	4.1	4.1
13	Ohio County	1913	1,452.0	23.8	.....	.....	.....	.....	.....	.....	.....	.....	166.6	.....	23.8	.....
14		1912	1,391.5	.....	.....	.....	.....	23.6	.....	23.6	23.6	.....	117.9	.....	.....	23.6
15	Orange County	1913	1,323.6	52.0	5.8	.....	5.8	.....	17.3	28.9	11.6	.....	167.6	5.8	28.9	11.6
16		1912	1,239.4	46.3	5.8	.....	.....	5.8	.....	46.3	11.6	5.8	162.2	.....	23.2	11.6
17	Owen County	1913	1,051.3	7.3	.....	.....	14.6	14.6	14.6	7.3	14.6	.....	131.4	7.3	29.2	7.3
18		1912	1,231.3	14.5	.....	.....	.....	.....	7.2	36.2	21.7	7.2	115.9	.....	.....	.....
19	Parke County	1913	1,265.9	22.8	.....	.....	18.2	.....	.....	36.4	9.1	4.6	173.0	4.6	13.7	4.6
20		1912	1,497.4	9.1	.....	.....	.....	9.1	22.7	36.3	18.2	4.5	240.5	18.2	18.2	.....
21	Perry County	1913	1,159.6	22.4	16.8	.....	22.4	5.6	16.8	39.2	11.2	.....	156.9	11.2	22.4	11.2
22		1912	1,249.9	33.5	5.6	.....	.....	5.6	16.7	22.3	33.5	5.6	161.8	.....	11.2	5.6
23	Pike County	1913	1,189.3	30.9	5.1	.....	20.6	.....	.....	25.7	20.6	5.1	128.7	20.6	36.0	.....
24		1912	1,286.9	25.6	5.1	.....	.....	5.1	25.6	61.5	25.6	5.1	143.6	10.3	15.4	15.4
25	Porter County	1913	1,081.8	4.8	.....	.....	23.8	19.1	4.8	.....	14.3	4.8	62.0	.....	4.8	14.3
26		1912	1,122.6	4.8	.....	.....	9.6	33.6	4.8	4.8	.....	.....	62.4	9.6	4.8	14.4
27	Posey County	1913	1,132.6	18.6	18.6	.....	9.3	.....	4.7	23.3	18.6	.....	135.2	14.0	4.7	.....
28		1912	1,105.9	27.9	4.6	.....	.....	9.3	27.9	23.2	18.6	4.6	134.8	4.6	13.9	9.3
29	Pulaski County	1913	1,215.8	.....	15.3	.....	22.9	7.6	15.3	.....	15.3	.....	99.4	.....	30.6	.....
30		1912	1,277.6	15.2	.....	.....	.....	.....	7.6	30.4	30.4	.....	114.1	.....	22.8	.....
31	Putnam County	1913	1,098.5	4.9	.....	.....	.....	4.9	24.7	34.6	14.8	.....	118.8	4.9	9.9	4.9
32		1912	1,147.5	19.7	.....	.....	.....	.....	.....	24.6	19.7	4.9	123.1	4.9	9.8	.....
33	Randolph County	1913	1,205.0	24.0	.....	.....	24.0	3.4	.....	20.6	17.2	6.9	103.0	6.9	27.5	3.4
34		1912	1,155.0	13.7	.....	.....	3.4	3.4	13.7	13.7	10.3	.....	106.6	10.3	20.6	3.4
35	Ripley County	1913	1,278.9	25.9	.....	.....	25.9	.....	.....	20.7	25.9	.....	160.5	10.4	20.7	5.2
36		1912	1,141.8	5.2	5.2	.....	10.3	5.2	5.2	10.3	5.2	.....	149.8	10.3	20.7	5.2
37	Rush County	1913	1,199.6	15.7	.....	.....	5.2	.....	15.7	10.5	26.2	.....	78.6	15.7	5.2	.....
38		1912	1,434.5	5.2	10.4	.....	5.2	10.4	20.9	.....	10.4	.....	146.1	20.9	5.2	5.2
39	St. Joseph County	1913	1,515.8	13.0	.....	13.0	6.5	25.9	.....	6.5	.....	.....	149.0	6.5	19.4	.....
40		1912	1,558.1	26.0	.....	45.5	.....	6.5	.....	19.5	19.5	.....	97.4	6.5	6.5	6.5
41	Scott County	1913	1,297.1	60.1	.....	.....	12.0	.....	.....	.....	24.0	.....	288.3	24.0	12.0	.....
42		1912	1,177.3	24.0	.....	.....	.....	.....	.....	.....	12.0	.....	132.1	12.0	24.0	12.0
43	Shelby County	1913	1,200.7	29.7	.....	.....	.....	3.7	3.7	26.0	7.4	3.7	141.3	11.2	7.4	3.7
44		1912	1,410.5	11.2	.....	.....	.....	3.7	.....	33.5	29.8	7.4	152.6	18.6	18.6	7.4
45	Spencer County	1913	1,123.6	69.6	14.9	.....	5.0	9.9	14.9	14.9	9.9	.....	154.1	5.0	24.9	5.0
46		1912	1,286.5	44.4	4.9	.....	.....	4.9	4.9	39.4	14.8	4.9	152.8	.....	29.6	4.9
47	Starke County	1913	1,102.7	37.7	.....	.....	28.3	.....	.....	9.4	9.4	.....	103.7	.....	18.9	.....
48		1912	1,198.7	37.8	9.4	.....	.....	9.4	9.4	9.4	.....	9.4	84.9	9.4	.....	.....
49	Steuben County	1913	1,181.2	7.2	.....	.....	7.2	.....	7.2	.....	28.6	.....	71.6	.....	7.2	7.2
50		1912	1,493.3	28.4	.....	.....	.....	.....	.....	7.1	14.2	14.2	113.8	.....	21.3	.....
51	Sullivan County	1913	1,309.1	23.2	8.7	.....	86.9	5.8	14.5	14.5	5.8	2.9	107.2	5.8	23.2	5.8
52		1912	1,174.9	41.3	.....	.....	.....	3.0	8.9	38.4	11.8	5.9	94.5	8.9	11.8	3.0
53	Switzerland County	1913	1,367.4	75.4	.....	.....	.....	.....	.....	.....	21.5	10.8	150.7	10.8	32.3	.....
54		1912	1,318.3	.....	.....	.....	.....	.....	.....	.....	21.1	10.5	84.4	.....	42.2	.....
55	Tippecanoe County	1913	1,281.7	10.1	5.0	.....	.....	5.0	5.0	10.1	10.1	.....	80.7	.....	5.0	5.0
56		1912	1,369.0	10.1	.....	.....	5.0	.....	5.0	.....	15.1	10.1	120.8	.....	25.2	10.1
57	Tipton County	1913	1,241.0	53.2	5.9	.....	11.8	.....	29.5	5.9	11.8	.....	76.8	17.7	17.7	.....
58		1912	1,076.7	17.6	.....	.....	.....	5.9	5.9	.....	17.6	.....	105.3	5.9	.....	5.9
59	Union County	1913	1,310.8	.....	.....	.....	.....	.....	.....	.....	49.2	.....	147.5	32.8	16.4	.....
60		1912	1,300.6	16.3	.....	.....	.....	16.3	.....	16.3	32.5	.....	113.8	16.3	32.5	16.3
61	Vanderburg County*	1913	3,462.7	101.8	33.9	.....	.....	22.6	11.3	67.9	11.3	56.6	667.6	.....	22.6	22.6
62		1912	2,911.8	65.9	11.0	11.0	.....	22.0	11.0	11.0	54.9	.....	417.5	11.0	65.9	.....
63	Vermilion County	1913	1,781.6	15.0	5.0	.....	99.8	5.0	25.0	25.0	25.0	10.0	94.8	.....	20.0	5.0
64		1912	1,616.6	25.4	5.1	.....	5.1	20.3	15.3	50.8	10.2	.....	96.6	.....	5.1	5.1
65	Vigo County	1913	1,144.0	5.9	2.9	.....	32.3	17.6	2.9	14.7	20.5	2.9	126.1	2.9	17.6	2.9
66		1912	1,258.3	24.4	12.2	.....	6.1	9.2	27.5	24.4	12.2	6.1	119.1	3.1	3.1	18.3
67	Wabash County	1913	1,305.6	26.4	.....	3.8	37.7	3.8	11.3	3.8	15.1	7.5	98.1	.....	11.3	3.8
68		1912	1,137.7	15.0	.....	.....	3.8	.....	18.8	15.0	15.0	3.8	78.8	3.8	7.5	7.5
69	Warren County	1913	1,367.8	.....	.....	.....	.....	9.3	.....	.....	37.2	.....	111.7	18.6	.....	9.3
70		1912	1,111.7	.....	.....	.....	.....	.....	27.8	9.3	.....	.....	139.0	9.3	.....	.....
71	Warrick County	1913	1,295.0	50.5	9.2	.....	36.7	.....	13.8	32.1	13.8	4.6	96.4	.....	13.8	9.2
72		1912	1,200.9	50.4	22.9	.....	.....	.....	13.8	45.8	27.5	.....	123.8	13.8	13.8	9.2
73	Washington County	1913	1,094.7	17.8	.....	.....	.....	5.9	5.9	11.9	5.9	.....	107.1	5.9	11.9	11.9
74		1912	1,328.9	52.9	.....	.....	17.6	.....	17.6	17.6	29.4	.....	152.9	17.6	5.9	11.8
75	Wayne County*	1913	1,746.2	32.2	.....	.....	27.6	4.6	4.6	9.2	18.4	.....	101.1	23.0	23.0	.....
76		1912	1,703.8	.....	.....	.....	4.6	4.6	.....	9.2	.....	23.1	92.3	4.6	9.2	4.6
77	Wells County	1913	1,104.9	45.3	.....	.....	.....	.....	9.1	13.6	18.1	.....	95.1	22.6	13.6	13.6
78		1912	1,027.6	18.0	9.0	.....	.....	.....	22.5	4.5	4.5	.....	117.2	.....	13.5	13.5

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
80.9	32.4	10.8	107.9	113.3	10.8	91.7	.....	32.4	.....	10.8	.....	80.9	.....	.....	32.4	118.7	10.8	172.6	.....	1
86.6	21.7	.....	113.7	157.0	10.8	97.4	10.8	37.9	16.2	16.2	10.8	146.2	.....	5.4	43.3	54.1	10.8	194.9	.....	2
74.2	.....	.....	53.6	107.2	12.4	115.4	4.1	74.2	4.1	8.2	.....	78.3	4.1	8.2	53.6	78.3	16.5	173.2	.....	3
41.7	4.2	12.5	75.0	158.4	12.5	125.0	4.2	75.0	8.3	20.8	4.2	79.2	4.2	12.5	75.0	112.5	12.5	195.9	.....	4
116.2	3.4	10.3	95.7	160.6	23.9	68.3	10.3	41.0	6.8	3.4	6.8	61.5	.....	3.4	61.5	75.2	6.8	242.6	3.4	5
88.8	30.7	13.7	99.1	194.7	10.2	102.5	6.8	41.0	6.8	17.1	10.2	88.8	13.7	23.9	71.7	58.1	17.1	225.4	.....	6
84.1	14.0	14.0	112.1	130.7	9.3	74.7	9.3	37.4	14.0	4.7	14.0	51.4	.....	4.7	32.7	84.1	28.0	177.4	4.7	7
98.4	18.7	4.7	103.1	224.9	9.4	135.9	14.1	42.2	18.7	9.4	9.4	84.3	4.7	.....	56.2	70.3	9.4	224.9	.....	8
85.6	38.0	.....	19.0	95.1	28.5	57.0	.....	57.0	9.5	.....	19.0	47.5	.....	.....	38.0	57.0	19.0	171.1	.....	9
57.1	19.0	.....	47.6	104.6	28.5	85.6	.....	19.0	.....	.....	9.5	85.6	19.0	9.5	57.1	104.6	28.5	190.2	.....	10
78.6	4.1	8.3	132.4	161.4	12.4	82.8	8.3	37.2	.....	4.1	8.3	70.4	.....	4.1	33.1	66.2	.....	190.4	.....	11
124.4	12.4	4.1	157.6	199.1	12.4	95.4	20.7	24.9	.....	4.1	16.6	82.9	12.4	12.4	78.8	53.9	8.3	223.9	.....	12
190.4	.....	.....	71.4	238.0	23.8	119.0	.....	47.6	.....	23.8	.....	95.2	.....	.....	23.8	71.4	.....	333.3	.....	13
94.3	.....	23.6	70.8	377.4	47.2	117.9	.....	23.6	.....	.....	23.6	94.3	.....	.....	23.6	94.3	.....	188.7	.....	14
92.5	11.6	11.6	46.2	208.1	17.3	75.1	5.8	52.0	.....	17.3	.....	57.8	17.3	5.8	46.2	57.8	11.6	254.3	.....	15
52.1	23.2	5.8	40.5	127.4	11.6	92.7	23.2	81.1	.....	23.2	17.4	69.5	.....	.....	46.3	75.3	11.6	220.1	.....	16
65.7	21.9	.....	80.3	197.1	14.6	94.9	.....	51.1	.....	.....	14.6	43.8	7.3	.....	43.8	43.8	.....	124.1	.....	17
57.9	14.5	.....	65.2	166.6	7.2	166.6	7.2	57.9	.....	.....	7.2	43.5	7.2	.....	79.7	115.9	7.2	224.5	.....	18
59.2	4.6	4.6	91.1	154.8	9.1	45.5	4.6	54.6	9.1	13.7	.....	77.4	13.7	.....	100.2	68.3	13.7	255.0	.....	19
77.1	13.6	13.6	118.0	149.7	4.5	154.3	9.1	77.1	.....	13.6	4.5	49.9	9.1	4.5	68.1	86.2	31.8	236.0	.....	20
84.0	22.4	5.6	28.0	56.0	.....	123.2	11.2	44.8	.....	.....	5.6	89.6	11.2	16.8	44.8	39.2	22.4	218.5	.....	21
50.2	16.7	16.7	67.0	117.2	27.9	117.2	27.9	33.5	5.6	5.6	22.3	78.1	.....	.....	67.0	61.4	16.7	217.6	.....	22
51.5	10.3	5.1	61.8	82.4	15.4	66.9	.....	97.8	.....	.....	20.6	56.6	10.3	10.3	77.2	66.9	5.1	257.4	.....	23
51.3	20.5	15.4	71.8	158.9	20.5	82.0	5.1	71.8	15.4	.....	.....	41.0	5.1	.....	92.3	61.5	15.4	220.5	.....	24
109.6	4.8	.....	85.8	109.6	9.5	90.5	9.5	33.4	14.3	4.8	9.5	76.3	.....	4.8	57.2	119.1	9.5	181.1	.....	25
62.4	9.6	.....	105.5	148.7	19.2	72.0	4.8	24.0	14.4	9.6	4.8	76.8	.....	4.8	48.0	148.7	9.6	211.1	.....	26
51.3	9.3	4.7	55.9	88.6	9.3	83.9	9.3	74.6	18.6	18.6	4.7	79.2	9.3	9.3	60.6	46.6	9.3	237.7	4.7	27
97.6	9.3	9.3	51.1	125.5	23.2	65.1	4.6	60.4	13.9	9.3	4.6	92.9	.....	4.6	18.6	46.5	9.3	181.2	.....	28
84.1	7.6	.....	68.8	145.3	30.6	91.8	30.6	107.0	.....	.....	.....	91.8	.....	.....	68.8	84.1	.....	198.8	.....	29
60.8	15.2	.....	114.1	91.3	7.6	159.7	15.2	60.8	7.6	22.8	7.6	76.0	38.0	15.2	68.4	15.2	.....	281.4	.....	30
69.3	24.7	.....	103.9	108.9	4.9	79.2	9.9	19.8	.....	4.9	4.9	108.9	4.9	4.9	49.5	24.7	9.9	242.5	.....	31
113.3	24.6	4.9	88.6	133.0	14.8	54.2	.....	19.7	9.8	9.8	4.9	118.2	4.9	.....	73.9	68.9	9.8	187.1	.....	32
99.6	27.5	.....	75.5	188.8	3.4	72.1	3.4	30.9	3.4	13.7	10.3	92.7	10.3	10.3	85.8	65.2	6.9	168.2	.....	33
79.1	10.3	10.3	79.1	171.9	3.4	65.3	3.4	24.1	6.9	.....	17.2	99.7	13.7	.....	65.3	55.0	20.6	226.9	3.4	34
108.7	5.2	.....	67.3	108.7	10.4	103.6	5.2	62.1	5.2	31.1	15.5	113.9	10.4	.....	62.1	62.1	10.4	196.7	5.2	35
56.8	5.2	.....	62.0	108.5	15.5	87.8	5.2	41.3	5.2	15.5	20.7	93.0	5.2	10.3	41.3	51.7	20.7	258.3	5.2	36
146.7	36.7	10.5	83.8	151.9	21.0	89.1	.....	26.2	10.5	10.5	5.2	78.6	.....	.....	41.9	78.6	.....	235.7	.....	37
78.2	26.1	.....	146.1	140.8	10.4	78.2	.....	52.2	15.6	15.6	31.3	140.8	10.4	26.1	99.1	57.4	10.4	255.6	.....	38
58.3	38.9	6.5	110.1	194.3	32.4	129.6	6.5	71.3	.....	6.5	13.0	149.0	13.0	32.4	25.9	136.0	6.5	246.2	.....	39
77.9	39.0	.....	97.4	279.2	19.5	90.9	.....	39.0	.....	6.5	26.0	110.4	6.5	6.5	64.9	136.3	13.0	311.6	.....	40
60.1	12.0	.....	72.1	96.1	12.0	96.1	.....	84.1	.....	12.0	.....	108.1	.....	.....	60.1	72.1	12.0	180.2	.....	41
36.0	12.0	12.0	24.0	180.2	24.0	120.1	24.0	24.0	.....	.....	12.0	180.2	.....	12.0	36.0	48.1	12.0	204.2	.....	42
48.3	26.0	11.2	92.9	107.8	29.7	59.5	3.7	40.9	18.6	7.4	14.9	119.0	7.4	3.7	70.6	37.2	7.4	252.8	3.7	43
70.7	22.3	14.9	107.9	156.3	14.9	104.2	14.9	40.9	7.4	3.7	11.2	96.8	.....	14.9	81.9	67.0	18.6	279.1	.....	44
49.7	5.0	5.0	29.8	89.5	29.8	89.5	14.9	34.8	24.9	9.9	14.9	29.8	.....	14.9	64.6	59.7	9.9	218.8	.....	45
69.0	14.8	24.6	29.6	167.6	9.9	113.4	9.9	49.3	.....	9.9	14.8	78.9	4.9	4.9	39.4	73.9	9.9	256.3	.....	46
56.6	9.4	9.4	37.7	113.1	28.3	169.7	.....	18.9	.....	28.3	.....	47.1	.....	.....	9.4	75.4	37.7	245.1	9.4	47
28.3	9.4	9.4	113.3	188.8	9.4	94.4	9.4	84.9	9.4	9.4	28.3	75.5	9.4	.....	37.8	113.3	9.4	179.3	.....	48
128.9	14.3	7.2	100.2	221.9	21.5	28.6	7.2	28.6	7.2	7.2	14.3	71.6	.....	7.2	50.1	85.9	14.3	229.1	.....	49
99.6	21.3	21.3	92.4	305.8	14.2	56.9	.....	7.1	.....	21.3	14.2	92.4	7.1	14.2	64.0	85.3	14.2	362.7	.....	50
63.7	8.7	11.6	52.1	113.0	5.8	118.7	11.6	78.2	2.9	5.8	.....	55.0	8.7	8.7	101.4	127.4	8.7	223.0	.....	51
62.0	.....	5.9	35.4	100.4	20.7	88.6	8.9	126.9	8.9	17.7	5.9	94.5	11.8	5.9	79.7	91.5	5.9	74.2	3.0	52
75.4	32.3	10.8	96.9	215.3	.....	118.4	.....	21.5	32.3	10.8	21.5	96.9	.....	10.8	64.6	43.1	43.1	172.3	.....	53
105.5	10.5	.....	105.5	337.5	.....	105.5	.....	21.1	31.6	21.1	10.5	94.9	.....	.....	42.2	52.7	10.5	210.9	.....	54
106.0	5.0	.....	156.4	186.7	35.3	70.6	.....	40.4	.....	30.3	10.1	80.7	.....	5.0	10.1	85.8	5.0	317.9	.....	55
55.4	15.1	.....	161.1	191.3	25.2	85.6	10.1	20.1	.....	.....	35.2	125.8	10.1	5.0	50.3	70.5	10.1	291.9	5.0	56
88.6	35.5	.....	70.9	171.4	29.5	29.5	5.9	59.1	.....	11.8	29.5	76.8	11.8	5.9	94.6	53.2	.....	236.4	.....	57
70.2	23.4	.....	64.4	158.0	17.6	99.5	11.7	35.1	5.9	5.9	11.7	29.3	11.7	5.9	46.8	76.1	11.7	228.2	.....	58
81.9	32.8	.....	180.2	147.5	.....	49.2	16.4	.....	16.4	.....	16.4	81.9	16.4	.....	81.9	98.3	.....	245.8	.....	59
130.1	32.5	.....	162.6	178.8	.....	32.5	.....	32.5	.....	16.3	16.3	48.8	.....	.....	48.8	97.5	32.5	211.3	.....	60
147.1	33.9	.....	158.4	215.0	67.9	271.6	22.6	169.7	.....	33.9	11.3	215.0	45.3	34.0	90.5	169.7	34.0	724.2	.....	61
98.9	11.0	11.0	98.9	208.8	54.9	285.7	44.0	131.9	.....	.....	33.0	219.8	.....	11.0	186.8	120.9	33.0	670.3	11.0	62
74.9	20.0	5.0	59.9	109.8	44.9	189.6	10.0	189.6	.....	10.0	25.0	104.8	15.0	29.9	89.8	164.7	15.0	289.4	5.0	63
81.3	15.3	5.1	45.8	127.1	10.2	162.7	25.4	167.8	5.1	15.3	15.3	122.0	20.3	10.2	106.8	137.3	25.4	279.6	.....	64
73.3	2.9	.....	46.9	90.9	8.8	88.0	8.8	79.2	.....	.....	11.7	61.6	2.9	5.9	114.4	105.6	.....	184.8	8.8	65
51.9	6.1	9.2	58.0	122.2	3.1	103.8	6.1	100.8	3.1	9.2	12.2	85.5	12.2	6.1	82.5	131.3	6.1	180.2	3.1	66
117.0	15.1	7.5	105.7	143.4	15.1	71.7	.....	34.0	3.8	11.3	7.5	132.1	11.3	11.3	71.7	101.9	11.3	211.3	.....	67
67.6	11.3	.....	105.1	146.4	7.5	97.6	7.5	33.8	3.8	.....	18.8	90.1	7.5	.....	60.1	90.1	3.8	217.8	.....	68
93.0	9.3	18.6	195.4	121.0	27.9	102.4	9.3	111.7	.....	27.9	.....	83.7	.....	.....	37.2	93.0	.....	251.2	.....	69
148.2	9.3	18.5	55.6	111.2	.....	64.9	.....	37.1	.....	18.5	9.3	64.9	.....	18.5	55.6	64.9	9.3	231.6	9.3	70
91.8	9.2	13.8	59.7	110.2	23.0	96.4	.....	59.7	.....	4.6	4.6	119.4	13.8	9.2	78.1	73.5	13.8	229.6	4.6	71
64.2	.....	.....	100.8	105.4	13.8	96.3	27.5	55.0	.....	9.2	9.2	59.6	9.2	4.6	59.6	55.0	18.3	187.9	4.6	72
83.3	5.9	5.9	113.0	172.5	23.8	59.5	11.9	29.7	.....	5.9	.....	95.2	.....	17.8	35.7	59.5	11.9	178.5	.....	73
82.3	11.8	5.9	129.4	129.4	11.8	76.4	5.9	23.5	5.9	5.9	5.9	105.8	5.9	5.9	64.7	29.4	35.3	264.6	.....	74
147.1	32.2	9.2	142.5	220.6	.....	110.3	18.4	32.2	18.4	4.6	18.4	160.8	9.2	.....	64.3	110.3	23.0	381.4	.....	75
157.0	23.1	.....	170.8	217.0	9.2	143.1	4.6	23.1	13.9	4.6	18.5	170.8	13.9	9.2	60.0	147.8	13.9	350.9	.....	76
104.1	18.1	.....	40.8	95.1	.....	99.6	4.5	40.8	4.5	13.6	9.1	108.7	4.5	9.1	77.0	72.5	9.1	163.0	.....	77
90.1	31.5	.....	67.6	121.7	9.0	94.6	4.5	18.0	.....	4.5	9.0	90.1	.....	18.0	58.6	36.1	9.0	162.3	.....	78

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	INDIANA—continued.															
1	White County	1913	1,292.0	46.8	.....	.....	5.8	5.8	29.2	5.8	35.1	5.8	105.2	5.8	5.8	5.8
2		1912	1,274.7	17.4	5.8	.....	.....	5.8	5.8	.....	17.4	5.8	75.3	.....	29.0	11.6
3	Whitley County	1913	1,056.7	29.8	.....	.....	17.9	.....	.....	.....	6.0	6.0	89.5	6.0	11.9	11.9
4		1912	1,196.9	23.8	.....	.....	.....	.....	6.0	.....	.....	6.0	83.4	11.9	11.9	.....
	KENTUCKY.															
5	Total	1913	1,227.0	46.2	8.3	0.2	19.0	2.2	24.6	26.4	16.8	3.3	172.3	8.4	16.9	6.1
6		1912	1,187.4	35.2	9.5	0.1	2.4	2.5	15.6	34.9	15.9	3.7	177.0	7.7	17.8	6.8
7	White	1913	1,152.5	43.6	7.5	0.2	20.5	2.5	23.6	28.0	16.0	3.5	148.7	7.9	15.1	5.2
8		1912	1,113.7	33.7	8.6	0.1	2.6	2.6	14.0	37.9	16.0	4.0	153.0	6.8	16.6	6.0
9	Colored	1913	1,889.3	69.1	15.5	.....	5.7	.....	33.0	11.9	24.2	1.5	382.3	12.4	33.0	13.4
10		1912	1,840.2	49.1	17.1	.....	1.0	1.0	29.5	8.3	15.0	0.5	389.9	15.5	27.9	14.0
11	Adair County (total)	1913	1,139.4	47.0	17.6	.....	5.9	.....	23.5	17.6	11.7	5.9	164.4	.....	23.5	11.7
12		1912	1,245.3	35.6	23.7	.....	.....	5.9	.....	41.5	17.8	11.9	195.7	5.9	35.6	5.9
13	White	1913	1,090.5	38.7	19.4	.....	6.5	.....	25.8	12.9	12.9	6.5	148.4	.....	6.5	6.5
14		1912	1,153.1	39.1	26.1	.....	.....	6.5	.....	45.6	19.5	13.0	182.4	.....	26.1	6.5
15	Colored [3]	1913	1,634.0	130.7	.....	.....	.....	.....	.....	65.4	.....	.....	326.8	.....	196.1	65.4
16		1912	2,179.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	330.3	66.1	132.1	.....
17	Allen County (total)	1913	1,217.0	86.9	.....	.....	6.7	.....	33.4	6.7	46.8	.....	193.9	6.7	20.1	.....
18		1912	1 245.6	40.2	.....	.....	.....	.....	33.5	13.4	20.1	.....	147.3	13.4	20.1	13.4
19	White	1913	1,132.8	85.5	.....	.....	.....	.....	35.6	7.1	42.7	.....	185.2	7.1	21.4	.....
20		1912	1,191.8	42.8	.....	.....	.....	.....	7.1	14.3	21.4	.....	142.7	14.3	21.4	14.3
21	Colored [3]	1913	2,502.7	108.8	.....	.....	108.8	.....	.....	.....	108.8	.....	326.4	.....	.....	.....
22		1912	2,067.5	.....	.....	.....	.....	.....	435.3	.....	.....	.....	217.6	.....	.....	.....
23	Anderson County (total)	1913	1,189.1	39.3	.....	.....	9.8	.....	9.8	.....	9.8	.....	196.5	9.8	19.7	.....
24		1912	1,337.7	29.5	19.7	.....	9.8	9.8	.....	9.8	19.7	.....	157.4	.....	19.7	19.7
25	White	1913	1,038.6	42.4	.....	.....	10.6	.....	10.6	.....	.....	.....	190.8	10.6	10.6	.....
26		1912	1,262.3	21.2	21.2	.....	10.6	10.6	.....	10.6	21.2	.....	148.5	.....	21.2	21.2
27	Colored [3]	1913	3.108.1	.....	.....	.....	.....	.....	.....	.....	135.1	.....	270.3	.....	135.1	.....
28		1912	2,297.3	135.1	.....	.....	.....	.....	.....	.....	.....	.....	270.3	.....	.....	.....
29	Ballard County (total)	1913	1,336.6	52.6	75.1	.....	.....	15.0	15.0	60.1	22.5	.....	90.1	.....	7.5	22.5
30		1912	1,287.9	15.2	45.7	.....	.....	.....	7.6	53.3	7.6	.....	198.1	7.6	15.2	7.6
31	White	1913	1,279.5	60.1	60.1	.....	.....	17.2	8.6	68.7	25.8	.....	51.5	.....	8.6	25.8
32		1912	1,324.3	17.4	43.6	.....	.....	.....	8.7	61.0	8.7	.....	183.0	8.7	17.4	.....
33	Colored	1913	1,734.4	.....	179.4	.....	.....	.....	59.8	.....	.....	.....	358.9	.....	.....	.....
34		1912	1,034.1	.....	60.8	.....	.....	.....	.....	.....	.....	.....	304.1	.....	.....	60.8
35	Barren County (total)	1913	1,189.7	50.1	11.6	.....	7.7	.....	11.6	11.6	15.4	3.9	223.3	11.6	30.8	7.7
36		1912	1,277.1	34.9	3.9	.....	.....	15.5	31.1	11.6	34.9	.....	174.7	15.5	31.1	.....
37	White	1913	1,113.8	53.9	4.5	.....	9.0	.....	9.0	13.5	18.0	4.5	206.6	4.5	31.4	.....
38		1912	1,158.6	36.2	.....	.....	.....	18.1	27.2	4.5	40.7	.....	144.8	18.1	18.1	.....
39	Colored	1913	1,645.5	27.0	54.0	.....	.....	.....	27.0	.....	.....	.....	323.7	54.0	27.0	54.0
40		1912	1,990.7	27.3	27.3	.....	.....	.....	54.5	54.5	.....	.....	354.5	.....	109.1	.....
41	Bath County (total)	1913	1,382.0	50.9	.....	.....	7.3	7.3	7.3	58.2	36.4	7.3	152.7	.....	29.1	14.5
42		1912	1,172.0	14.5	.....	.....	.....	.....	14.5	.....	14.5	.....	217.0	.....	21.7	7.2
43	White	1913	1,286.7	40.2	.....	.....	8.0	8.0	8.0	64.3	32.2	8.0	144.8	.....	32.2	8.0
44		1912	1,136.2	16.0	.....	.....	.....	.....	8.0	.....	16.0	.....	232.0	.....	24.0	8.0
45	Colored [3]	1913	2,284.8	152.3	.....	.....	.....	.....	.....	.....	76.2	.....	228.5	.....	.....	76.2
46		1912	1,509.4	.....	.....	.....	.....	.....	75.5	.....	.....	.....	75.5	.....	.....	.....
47	Bell County (total)	1913	1,024.9	64.4	.....	.....	58.3	3.1	15.3	33.8	6.1	.....	98.2	3.1	6.1	6.1
48		1912	779.6	9.6	3.2	.....	.....	.....	22.4	16.0	3.2	3.2	76.7	6.4	.....	6.4
49	White	1913	992.3	58.2	.....	.....	65.0	3.4	13.7	37.6	6.8	.....	75.3	3.4	6.8	6.8
50		1912	744.5	10.7	3.6	.....	.....	.....	24.9	17.8	3.6	3.6	74.8	7.1	.....	3.6
51	Colored	1913	1,308.4	118.9	.....	.....	.....	.....	29.7	.....	.....	.....	297.4	.....	.....	.....
52		1912	1,085.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	93.0	.....	.....	31.0
53	Boone County (total)	1913	1,174.7	.....	.....	.....	33.9	.....	.....	11.3	22.6	11.3	113.0	.....	.....	11.3
54		1912	1,738.6	11.1	.....	.....	.....	.....	.....	22.1	11.1	.....	232.6	.....	22.1	.....
55	White	1913	1,118.5	.....	.....	.....	35.7	.....	.....	11.9	23.8	11.9	95.2	.....	.....	.....
56		1912	1,704.0	11.7	.....	.....	.....	.....	.....	23.3	11.7	.....	221.8	.....	23.3	.....
57	Colored [3]	1913	2,227.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	445.4	.....	.....	222.7
58		1912	2,381.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	432.9	.....	.....	.....
59	Bourbon County (total)	1913	1,691.1	40.5	.....	.....	17.4	.....	23.2	17.4	.....	.....	231.7	11.6	11.6	5.8
60		1912	1,581.3	17.3	.....	.....	.....	.....	11.5	11.5	11.5	.....	259.7	17.3	.....	23.1
61	White	1913	1,240.7	17.1	.....	.....	25.7	.....	25.7	17.1	.....	.....	136.9	8.6	.....	8.6
62		1912	1,211.3	17.1	.....	.....	.....	.....	17.1	17.1	8.5	.....	170.6	.....	.....	8.5
63	Colored	1913	2,634.4	89.6	.....	.....	.....	.....	17.9	17.9	.....	.....	430.1	17.9	35.8	.....
64		1912	2,355.0	17.8	.....	.....	.....	.....	.....	.....	17.8	.....	446.0	53.5	.....	53.5
65	Boyd County (total)	1913	1,511.6	60.1	.....	.....	52.1	12.0	32.1	52.1	4.0	8.0	180.4	8.0	32.1	12.0
66		1912	1,450.5	61.3	4.1	.....	16.3	.....	12.3	85.8	12.3	.....	171.6	4.1	16.3	12.3
67	White	1913	1,484.5	62.4	.....	.....	54.1	12.5	29.1	54.1	4.2	8.3	166.3	8.3	33.3	12.5
68		1912	1,415.7	59.3	4.2	.....	17.0	.....	12.7	89.0	12.7	.....	169.5	4.2	17.0	12.7
69	Colored [3]	1913	2,239.6	.....	.....	.....	.....	.....	112.0	.....	.....	.....	559.9	.....	.....	.....
70		1912	2,381.0	113.4	.....	.....	.....	.....	.....	.....	.....	.....	226.8	.....	.....	.....
71	Boyle County (total)	1913	1,592.5	33.5	.....	.....	40.1	.....	40.1	6.7	13.4	.....	207.4	13.4	26.8	6.7
72		1912	1,265.2	13.5	.....	.....	.....	.....	33.6	.....	13.5	.....	168.2	6.7	13.5	13.5
73	White	1913	1,356.3	18.7	.....	.....	56.1	.....	37.4	9.4	9.4	.....	140.3	18.7	.....	9.4
74		1912	1,033.2	.....	.....	.....	.....	.....	18.8	.....	18.8	.....	122.1	.....	.....	18.8
75	Colored	1913	2,186.2	70.5	.....	.....	.....	.....	47.0	.....	28.5	.....	376.1	.....	94.0	.....
76		1912	1,851.9	47.5	.....	.....	.....	.....	71.2	.....	.....	.....	284.9	23.7	47.5	.....

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
99.4	17.5	.....	87.7	204.6	5.8	105.2	.....	52.6	5.8	23.4	5.8	111.1	11.7	5.8	70.2	58.5	5.8	163.7	.....	1
63.7	11.6	.....	92.7	202.8	29.0	110.1	23.2	23.2	5.8	5.8	.....	92.7	17.4	5.8	121.7	75.3	11.6	208.6	.....	2
107.5	29.8	6.0	47.8	119.4	.....	71.6	6.0	41.8	.....	.....	.....	131.3	6.0	.....	65.7	41.8	.....	197.0	6.0	3
119.1	6.0	6.0	95.3	148.9	6.0	107.2	6.0	23.8	.....	11.9	.....	119.1	6.0	11.9	53.6	95.3	6.0	232.2	.....	4
41.1	6.1	20.5	35.1	75.0	12.0	89.2	11.0	57.9	5.9	7.4	6.0	63.2	7.9	8.5	85.3	74.4	6.4	224.0	39.7	5
39.5	6.7	19.8	36.5	78.0	13.3	92.5	14.1	41.4	4.9	8.4	6.7	61.2	6.2	9.4	73.2	70.3	6.9	211.3	58.1	6
40.7	6.3	20.7	33.3	69.1	11.2	85.1	9.9	58.4	5.9	7.1	5.5	57.4	7.4	8.5	83.9	65.3	6.7	210.2	37.5	7
39.7	6.7	20.2	34.4	68.7	12.0	86.6	13.1	41.8	4.6	7.9	6.1	56.3	6.2	9.2	73.8	63.8	7.2	198.5	54.9	8
44.4	4.1	18.1	51.1	126.9	19.1	125.4	20.1	53.1	5.7	10.3	10.8	114.5	12.9	8.8	97.5	154.8	4.1	346.2	59.3	9
37.7	6.7	16.0	54.8	160.3	24.3	144.3	22.8	38.3	8.3	12.9	11.9	105.0	6.2	11.4	67.7	127.7	4.1	324.7	86.3	10
58.7	.....	5.9	29.4	88.1	5.9	76.3	5.9	29.4	.....	17.6	5.9	41.1	17.6	35.2	99.8	41.1	.....	199.7	52.9	11
29.6	11.9	17.8	23.7	83.0	5.9	71.2	5.9	11.9	.....	.....	11.9	65.2	29.6	5.9	47.4	41.5	5.9	255.0	142.3	12
58.1	.....	6.5	32.3	77.4	6.5	83.9	.....	32.3	.....	19.4	6.5	45.2	12.9	38.7	96.8	45.2	.....	193.6	51.6	13
32.6	13.0	13.0	26.1	71.7	6.5	78.2	6.5	13.0	.....	.....	.....	71.7	26.1	.....	45.6	26.1	6.5	247.6	104.2	14
65.4	.....	.....	.....	196.1	.....	.....	65.4	.....	.....	.....	.....	.....	65.4	.....	130.7	.....	.....	261.4	65.4	15
.....	.....	66.1	.....	198.2	.....	.....	.....	.....	.....	.....	132.1	.....	66.1	66.1	66.1	198.2	.....	330.3	528.4	16
46.8	.....	.....	53.5	93.6	6.7	113.7	6.7	60.2	.....	6.7	.....	40.1	.....	13.4	73.6	46.8	.....	200.6	53.5	17
26.8	.....	13.4	20.1	60.3	6.7	133.9	13.4	46.9	.....	33.5	6.7	40.2	.....	13.4	100.5	53.6	13.4	267.9	93.8	18
42.7	.....	.....	49.9	99.7	7.1	99.7	7.1	57.0	.....	.....	.....	28.5	.....	7.1	71.2	35.6	.....	192.4	49.9	19
28.5	.....	14.3	21.4	64.2	7.1	121.3	14.3	50.0	.....	28.5	7.1	35.7	.....	14.3	92.8	57.1	14.3	249.8	92.8	20
108.8	.....	.....	108.8	.....	.....	326.4	.....	108.8	.....	108.8	.....	217.6	.....	108.8	108.8	217.6	.....	326.4	108.8	21
.....	.....	.....	.....	.....	.....	326.4	.....	.....	.....	108.8	.....	108.8	.....	.....	217.6	.....	.....	544.1	108.8	22
39.3	9.8	19.7	9.8	78.6	19.7	88.4	.....	68.8	.....	.....	.....	137.6	.....	.....	78.6	59.0	9.8	245.7	29.5	23
29.5	9.8	19.7	68.9	118.0	9.8	108.2	9.8	39.3	9.8	9.8	.....	59.0	9.8	19.7	68.9	118.0	9.8	265.6	59.0	24
31.8	10.6	10.6	10.6	84.8	21.2	63.6	.....	63.6	.....	.....	.....	84.8	.....	.....	84.8	42.4	10.6	212.0	31.8	25
31.8	10.6	21.2	63.6	106.1	10.6	95.5	10.6	31.8	10.6	10.6	.....	63.6	10.6	21.2	63.6	116.7	10.6	222.8	63.6	26
135.1	.....	135.1	.....	.....	.....	405.4	.....	135.1	.....	.....	.....	810.8	.....	.....	.....	270.3	.....	675.7	.....	27
.....	.....	.....	135.1	270.3	.....	270.3	.....	135.1	.....	.....	.....	.....	.....	.....	135.1	135.1	.....	810.8	.....	28
30.0	7.5	22.5	60.1	45.1	15.0	127.7	7.5	67.6	22.5	7.5	.....	45.1	30.0	7.5	120.1	60.1	7.5	247.8	45.1	29
15.2	7.6	45.7	53.3	30.5	30.5	83.8	15.2	68.6	7.6	.....	7.6	7.6	22.9	22.9	114.3	68.6	.....	236.2	91.4	30
25.8	.....	25.8	68.7	34.3	17.2	120.2	8.6	60.1	25.8	8.6	.....	51.5	34.3	8.6	120.2	51.5	8.6	249.0	34.3	31
17.4	.....	52.3	61.0	34.8	34.8	87.1	17.4	78.4	8.7	.....	.....	.....	26.1	26.1	113.3	69.7	.....	252.7	95.8	32
59.8	59.8	.....	.....	119.6	.....	179.4	.....	119.6	.....	.....	.....	.....	.....	.....	119.6	119.6	.....	239.2	119.6	33
.....	60.8	.....	.....	.....	.....	60.8	.....	.....	.....	.....	60.8	60.8	.....	.....	121.7	60.8	.....	121.7	60.8	34
38.5	3.9	23.1	7.7	80.9	15.4	80.9	7.7	57.8	11.6	3.9	7.7	69.3	3.9	7.7	53.9	53.9	3.9	223.3	50.1	35
34.9	.....	19.4	23.3	77.6	19.4	93.2	15.5	46.6	3.9	7.8	3.9	89.3	.....	11.6	77.6	58.2	.....	260.1	81.5	36
35.9	4.5	22.5	9.0	85.3	13.5	76.3	.....	49.4	13.5	4.5	4.5	67.4	.....	9.0	58.4	53.9	4.5	197.6	49.4	37
36.2	.....	18.1	18.1	81.5	18.1	76.9	18.1	45.3	4.5	9.1	4.5	76.9	.....	13.6	67.9	63.4	.....	235.3	63.4	38
54.0	.....	27.0	.....	54.0	27.0	107.9	54.0	107.9	.....	.....	27.0	80.9	27.0	.....	27.0	54.0	.....	377.7	54.0	39
27.3	.....	27.3	54.5	54.5	27.3	190.9	.....	54.5	.....	.....	.....	163.6	.....	.....	136.4	27.3	.....	409.1	190.9	40
50.9	.....	7.3	50.9	65.5	14.5	101.8	7.3	72.7	14.5	7.3	.....	72.7	29.1	21.8	94.6	50.9	14.5	276.4	58.2	41
43.4	.....	28.9	36.2	101.3	.....	101.3	7.2	36.2	7.2	7.2	.....	72.3	.....	7.2	86.8	72.3	.....	224.3	50.6	42
40.2	.....	8.0	48.3	48.3	16.1	104.5	8.0	56.3	16.1	8.0	.....	56.3	32.2	24.1	104.5	48.3	16.1	241.3	56.3	43
40.0	.....	32.0	32.0	96.0	.....	96.0	8.0	40.0	.....	8.0	.....	64.0	.....	8.0	88.0	72.0	.....	216.0	32.0	44
152.3	.....	.....	76.2	228.5	.....	76.2	.....	228.5	.....	.....	.....	228.5	.....	.....	.....	76.2	.....	609.3	76.2	45
75.5	.....	.....	75.5	150.9	.....	150.9	.....	.....	75.5	.....	.....	150.9	.....	.....	75.5	75.5	.....	301.9	226.4	46
36.8	.....	12.3	12.3	6.1	3.1	82.9	3.1	67.5	15.3	3.1	3.1	27.6	3.1	6.1	67.5	156.5	.....	181.1	43.0	47
12.8	.....	9.6	3.2	35.1	6.4	73.5	6.4	51.1	12.8	6.4	.....	12.8	6.4	3.2	83.1	105.4	6.4	143.8	54.3	48
30.8	.....	13.7	6.8	6.8	3.4	78.7	.....	75.3	13.7	3.4	.....	27.4	3.4	6.8	71.9	154.0	.....	174.5	44.5	49
14.2	.....	10.7	3.6	24.9	7.1	71.2	7.1	57.0	10.7	7.1	.....	14.2	3.6	3.6	89.1	96.2	7.1	124.7	42.7	50
89.2	.....	.....	59.5	.....	.....	118.9	29.7	.....	29.7	.....	29.7	29.7	.....	.....	29.7	178.4	.....	237.9	29.7	51
.....	.....	.....	.....	124.0	.....	93.0	.....	.....	31.0	.....	.....	.....	31.0	.....	31.0	186.0	.....	310.1	155.0	52
56.5	.....	22.6	67.8	124.3	11.3	79.1	33.9	11.3	.....	11.3	11.3	101.7	.....	11.3	90.4	79.1	33.9	225.9	.....	53
121.8	11.1	.....	88.6	188.3	55.4	77.5	33.2	11.1	11.1	11.1	33.2	121.8	33.2	.....	55.4	144.0	22.1	354.4	66.4	54
59.5	.....	23.8	71.4	107.1	11.9	71.4	35.7	11.9	.....	11.9	11.9	95.2	.....	11.9	83.3	59.5	35.7	238.0	.....	55
116.7	11.7	.....	93.4	198.4	58.4	70.0	35.0	11.7	11.7	11.7	35.0	105.0	35.0	.....	58.4	93.4	23.3	373.5	70.0	56
.....	.....	.....	.....	445.4	.....	222.7	.....	.....	.....	.....	.....	222.7	.....	.....	222.7	445.4	.....	.....	.....	57
216.5	.....	.....	.....	.....	.....	216.5	.....	.....	.....	.....	.....	432.9	.....	.....	.....	1,082.3	.....	.....	.....	58
81.1	11.6	29.0	75.3	173.7	11.6	144.8	5.8	63.7	5.8	5.8	11.6	150.6	5.8	23.2	63.7	115.8	.....	341.7	11.6	59
46.2	17.3	17.3	63.5	196.2	23.1	109.6	46.2	23.1	.....	5.8	23.1	184.7	.....	5.8	34.6	75.0	17.3	288.6	51.9	60
68.5	17.1	34.2	77.0	94.1	17.1	77.0	8.6	77.0	8.6	.....	8.6	154.0	.....	17.1	68.5	34.2	.....	239.6	.....	61
34.1	17.1	17.1	59.7	110.9	.....	102.4	25.6	34.1	.....	.....	8.5	136.5	.....	8.5	34.1	51.2	17.1	273.0	42.7	62
107.5	.....	17.9	71.7	340.5	.....	286.7	.....	35.8	.....	17.9	17.9	143.4	17.9	35.8	53.8	286.7	.....	555.6	35.8	63
71.4	17.8	17.8	71.4	374.7	71.4	124.9	89.2	.....	.....	17.8	53.5	285.5	.....	.....	35.7	124.9	17.8	321.1	71.4	64
60.1	4.0	16.0	56.1	84.2	16.0	76.2	12.0	76.2	8.0	8.0	8.0	104.2	12.0	.....	136.3	144.3	4.0	204.5	28.1	65
53.1	20.4	36.8	49.0	118.5	16.3	118.5	8.2	65.4	4.1	16.3	8.2	40.9	4.1	8.2	61.3	155.3	8.2	241.1	20.4	66
58.2	4.2	16.6	58.2	83.2	12.5	79.0	8.3	79.0	8.3	8.3	8.3	99.8	12.5	.....	137.2	133.1	4.2	199.6	29.1	67
50.9	21.2	38.1	50.9	101.7	17.0	110.2	8.5	67.8	.....	12.7	8.5	42.4	4.2	8.5	59.3	152.6	8.5	233.1	21.2	68
112.0	.....	.....	.....	112.0	112.0	.....	112.0	.....	.....	.....	.....	224.0	.....	.....	112.0	447.9	.....	335.9	.....	69
113.4	.....	.....	.....	566.9	.....	340.1	.....	.....	113.4	113.4	.....	.....	.....	.....	113.4	226.8	.....	453.5	.....	70
53.5	13.4	6.7	73.6	73.6	26.8	107.1	20.1	60.2	6.7	13.4	6.7	174.0	20.1	6.7	60.2	113.8	6.7	327.9	33.5	71
40.4	6.7	6.7	67.3	60.6	40.4	114.4	33.6	26.9	6.7	.....	6.7	141.3	.....	6.7	53.8	74.0	.....	302.8	13.5	72
65.5	18.7	9.4	84.2	56.1	9.4	46.8	28.1	37.4	.....	18.7	9.4	140.3	.....	.....	56.1	131.0	9.4	299.3	37.4	73
18.8	9.4	.....	56.4	28.2	9.4	122.1	18.8	18.8	.....	.....	.....	122.1	.....	9.4	65.7	75.1	.....	291.2	9.4	74
23.5	.....	.....	47.0	117.5	70.5	258.6	.....	117.5	23.5	.....	.....	258.6	70.5	23.5	70.5	70.5	.....	399.6	23.5	75
95.0	.....	23.7	95.0	142.4	118.7	95.0	71.2	47.5	23.7	.....	23.7	189.9	.....	.....	23.7	71.2	.....	332.4	23.7	76

[3] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	KENTUCKY—continued.															
1	Bracken County (total)	1913	1,369.0	30.9	.....	.....	10.3	.....	41.2	30.9	51.5	10.3	175.0	20.6	20.6	.....
2		1912	1,454.5	50.5	.....	.....	.....	.....	.....	40.4	80.8	.....	212.1	.....	20.2	10.1
3	White	1913	1,309.1	31.9	.....	.....	10.6	.....	42.6	31.9	53.2	10.6	180.9	21.3	10.6	.....
4		1912	1,410.7	41.8	.....	.....	.....	.....	.....	41.8	83.6	.....	219.4	.....	20.9	.....
5	Colored [3]	1913	3,134.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	313.5	.....
6		1912	2,727.3	303.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	303.0
7	Breathitt County † (total)	1913	543.4	26.9	.....	.....	37.7	.....	10.8	37.7	5.4	.....	75.3	.....	5.4	.....
8		1912	624.3	27.4	.....	.....	.....	5.5	11.0	38.3	5.5	16.4	65.7	.....	11.0	.....
9	White	1913	551.7	27.3	.....	.....	38.2	.....	10.9	38.2	5.5	.....	76.5	.....	5.5	.....
10		1912	628.4	27.8	.....	.....	.....	5.6	11.1	38.9	5.6	16.7	66.7	.....	11.1	.....
11	Colored [3]	1913	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12		1912	358.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Breckinridge County (total)	1913	1,325.7	37.7	9.4	.....	.....	.....	9.4	18.9	9.4	.....	174.6	9.4	33.0	.....
14		1912	1,182.3	33.1	.....	.....	.....	.....	4.7	14.2	9.5	.....	189.2	9.5	33.1	9.5
15	White	1913	1,296.4	25.5	10.2	.....	.....	.....	10.2	20.4	10.2	.....	153.1	10.2	30.6	.....
16		1912	1,130.6	25.6	.....	.....	.....	.....	5.1	10.2	10.2	.....	168.8	5.1	30.7	10.2
17	Colored [3]	1913	1,684.3	187.1	.....	.....	.....	.....	.....	.....	.....	.....	436.7	.....	62.4	.....
18		1912	1,814.8	125.2	.....	.....	.....	.....	.....	62.6	.....	.....	438.0	62.6	62.6	.....
19	Bullitt County (total)	1913	1,343.5	42.3	21.2	.....	10.6	10.6	.....	31.7	10.6	.....	137.5	.....	31.7	10.6
20		1912	1,299.7	21.1	.....	.....	.....	.....	21.1	10.6	42.3	.....	147.9	.....	10.6	.....
21	White	1913	1,321.8	45.6	22.8	.....	.....	11.4	.....	34.2	11.4	.....	125.3	.....	22.8	11.4
22		1912	1,263.8	22.8	.....	.....	.....	.....	22.8	11.4	45.5	.....	148.0	.....	11.4	.....
23	Colored [3]	1913	1,624.8	.....	.....	.....	147.7	.....	.....	.....	.....	.....	295.4	.....	147.7	.....
24		1912	1,762.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	146.8	.....	.....	.....
25	Butler County (total)	1913	811.3	25.4	12.7	.....	12.7	.....	19.0	19.0	.....	.....	158.5	12.7	25.4	6.3
26		1912	988.2	31.7	6.3	.....	.....	.....	.....	31.7	12.7	19.0	190.0	19.0	.....	.....
27	White	1913	795.2	26.3	13.1	.....	13.1	.....	19.7	19.7	.....	.....	157.7	13.1	26.3	6.6
28		1912	933.0	32.9	6.6	.....	.....	.....	.....	32.9	13.1	19.7	177.4	19.7	.....	.....
29	Colored [3]	1913	1,250.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	178.6	.....	.....	.....
30		1912	2,473.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	530.0	.....	.....	.....
31	Caldwell County (total)	1913	1,005.7	21.6	28.7	7.2	.....	.....	35.9	7.2	28.7	.....	172.4	.....	7.2	.....
32		1912	1,067.0	14.3	28.6	.....	.....	.....	14.3	.....	28.6	.....	236.3	.....	14.3	7.2
33	White	1913	875.2	26.3	17.5	8.8	.....	.....	17.5	8.8	35.0	.....	113.8	.....	.....	.....
34		1912	1,047.3	17.5	8.7	.....	.....	.....	17.5	.....	26.2	.....	226.9	.....	17.5	8.7
35	Colored	1913	1,603.8	.....	80.2	.....	.....	.....	120.3	.....	.....	.....	441.1	.....	40.1	.....
36		1912	1,156.8	.....	119.7	.....	.....	.....	.....	.....	39.9	.....	279.2	.....	.....	.....
37	Calloway County (total)	1913	1,063.5	24.3	19.4	.....	4.9	.....	.....	24.3	14.6	.....	184.5	9.7	.....	.....
38		1912	1,296.2	19.6	29.5	.....	.....	.....	4.9	39.3	19.6	9.8	152.2	14.7	19.6	.....
39	White	1913	995.9	20.5	20.5	.....	5.1	.....	.....	25.7	15.4	.....	169.4	10.3	.....	.....
40		1912	1,277.1	20.8	26.0	.....	.....	.....	5.2	41.5	20.8	10.4	140.2	10.4	20.8	.....
41	Colored [3]	1913	2,244.2	89.8	.....	.....	.....	.....	.....	.....	.....	.....	448.8	.....	.....	.....
42		1912	1,630.4	.....	90.6	.....	.....	.....	.....	.....	.....	.....	362.3	90.6	.....	.....
43	Campbell County (total)	1913	1,328.6	20.2	.....	.....	20.2	.....	10.1	23.5	10.1	.....	131.2	3.4	10.1	3.4
44		1912	1,092.9	17.0	.....	.....	.....	3.4	.....	3.4	.....	3.4	135.8	.....	6.8	6.8
45	White	1913	1,329.9	20.3	.....	.....	20.3	.....	10.2	23.7	10.2	.....	132.0	3.4	10.2	3.4
46		1912	1,093.0	17.1	.....	.....	.....	3.4	.....	3.4	.....	3.4	136.6	.....	6.8	6.8
47	Colored [3]	1913	1,111.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48		1912	1,075.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Carlisle County (total)	1913	1,325.3	.....	23.0	.....	.....	11.5	69.1	11.5	.....	11.5	219.0	.....	11.5	11.5
50		1912	1,353.5	45.5	11.4	.....	.....	.....	45.5	11.4	22.7	.....	261.6	22.7	.....	.....
51	White	1913	1,301.2	.....	24.1	.....	.....	12.0	72.3	12.0	.....	12.0	204.8	.....	12.0	12.0
52		1912	1,320.3	47.6	11.9	.....	.....	.....	47.6	11.9	23.8	.....	214.1	23.8	.....	.....
53	Colored [3]	1913	1,856.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	530.5	.....	.....	.....
54		1912	2,077.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1,298.7	.....	.....	.....
55	Carroll County (total)	1913	1,680.8	13.2	.....	.....	.....	.....	.....	.....	.....	.....	225.0	.....	52.9	.....
56		1912	1,177.5	25.9	.....	.....	.....	.....	.....	12.9	.....	.....	232.9	12.9	.....	12.9
57	White	1913	1,670.9	14.2	.....	.....	.....	.....	.....	.....	.....	.....	240.7	.....	56.6	.....
58		1912	1,163.4	27.7	.....	.....	.....	.....	.....	13.9	.....	.....	235.5	13.9	.....	13.9
59	Colored [3]	1913	1,821.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60		1912	1,378.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	196.9	.....	.....	.....
61	Carter County (total)	1913	1,238.2	66.6	.....	.....	57.7	4.4	13.3	71.0	17.8	4.4	111.0	4.4	17.8	.....
62		1912	1,064.6	44.7	.....	.....	.....	13.4	13.4	161.0	4.5	.....	156.6	13.4	22.4	17.9
63	White	1913	1,240.1	66.9	.....	.....	58.0	4.5	13.4	71.4	17.8	4.5	111.5	4.5	17.8	.....
64		1912	1,065.9	45.0	.....	.....	.....	9.0	13.5	161.9	4.5	.....	157.4	13.5	22.5	18.0
65	Colored [3]	1913	877.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
66		1912	826.4	.....	.....	.....	.....	826.4	.....	.....	.....	.....	.....	.....	.....	.....
67	Casey County (total)	1913	1,225.2	57.7	.....	.....	64.1	.....	6.4	38.5	.....	6.4	186.0	6.4	12.8	.....
68		1912	970.8	12.9	.....	.....	6.4	.....	.....	25.7	12.9	6.4	199.3	.....	12.9	.....
69	White	1913	1,215.1	58.8	.....	.....	65.3	.....	6.5	32.7	.....	6.5	182.9	6.5	13.1	.....
70		1912	962.7	13.1	.....	.....	6.5	.....	.....	26.2	13.1	6.5	196.5	.....	13.1	.....
71	Colored [3]	1913	1,773.0	.....	.....	.....	.....	.....	.....	354.6	.....	.....	354.6	.....	.....	.....
72		1912	1,403.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	350.9	.....	.....	.....
73	Christian County * (total)	1913	1,535.8	43.4	2.6	.....	.....	.....	25.6	10.2	17.9	7.7	339.9	10.2	43.4	2.6
74		1912	1,575.2	61.5	7.7	.....	.....	2.6	35.9	7.7	10.2	7.7	304.8	10.2	28.2	12.8
75	White	1913	1,340.9	4.4	4.4	.....	.....	.....	26.1	13.1	21.8	13.1	278.6	4.4	21.8	4.4
76		1912	1,309.0	60.9	4.3	.....	.....	4.3	26.1	8.7	8.7	13.0	200.1	4.3	17.4	17.4
77	Colored	1913	1,812.8	99.0	.....	.....	.....	.....	24.7	6.2	12.4	.....	426.9	18.6	74.2	.....
78		1912	1,956.6	62.3	12.5	.....	.....	.....	49.9	6.2	12.5	.....	454.9	18.7	43.6	6.2

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
61.8	.....	20.6	30.9	154.4	10.3	72.1	10.3	10.3	.....	.....	.....	51.5	.....	.....	51.5	113.2	20.6	360.3	10.3	1
80.8	10.1	10.1	50.5	101.0	20.2	90.9	10.1	40.4	.....	20.2	.....	70.7	.....	10.1	80.8	60.6	.....	363.6	20.2	2
63.9	.....	21.3	31.9	149.0	10.6	74.5	10.6	10.6	.....	.....	.....	42.6	.....	.....	31.9	85.1	21.3	351.2	10.6	3
83.6	10.4	10.4	41.8	104.5	10.4	83.6	10.4	41.8	.....	20.9	.....	73.1	.....	10.4	83.6	52.2	.....	344.8	20.9	4
.....	.....	.....	.....	313.5	.....	.....	.....	.....	.....	.....	.....	313.5	.....	.....	627.0	940.4	.....	627.0	.....	5
.....	.....	.....	303.0	.....	303.0	303.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	303.0	.....	909.1	.....	6
16.1	.....	10.8	.....	21.5	.....	16.1	.....	21.5	.....	.....	.....	.....	16.1	.....	48.4	59.2	5.4	91.5	37.7	7
11.0	.....	.....	5.5	16.4	5.5	27.4	5.5	38.3	5.5	5.5	.....	5.5	.....	5.5	43.8	49.3	.....	104.1	115.0	8
16.4	.....	10.9	.....	21.8	.....	16.4	.....	21.8	.....	.....	.....	.....	16.4	.....	49.2	60.1	5.5	92.9	38.2	9
11.1	.....	.....	5.6	16.7	5.6	27.8	5.6	38.9	5.6	5.6	.....	5.6	.....	5.6	44.5	50.1	.....	105.7	111.2	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	358.4	12
61.3	9.4	37.7	47.2	80.2	14.2	117.9	14.2	56.6	.....	.....	9.4	80.2	23.6	33.0	94.4	80.2	.....	245.3	18.9	13
37.8	14.2	.....	47.3	37.8	9.5	123.0	42.6	66.2	18.9	23.6	.....	80.4	9.5	14.2	56.7	47.3	4.7	231.7	14.2	14
66.4	10.2	40.8	40.8	81.7	15.3	122.5	10.2	56.1	.....	.....	10.2	81.7	25.5	35.7	102.1	81.7	.....	224.6	20.4	15
40.9	15.3	.....	46.0	40.9	5.1	112.5	46.0	71.6	15.3	25.6	.....	76.7	10.2	15.3	51.2	40.9	5.1	235.3	10.2	16
.....	.....	.....	124.8	62.4	.....	62.4	62.4	62.4	.....	.....	.....	62.4	.....	.....	.....	62.4	.....	499.1	.....	17
.....	.....	.....	62.6	.....	62.6	250.3	.....	.....	62.6	.....	.....	125.2	.....	.....	125.2	125.2	.....	187.7	62.6	18
52.9	.....	10.6	21.2	158.7	21.2	105.8	31.7	52.9	.....	.....	10.6	95.2	10.6	.....	95.2	105.8	10.6	211.6	42.3	19
52.8	.....	21.1	52.8	147.9	.....	74.0	21.1	42.3	.....	21.1	21.1	84.5	.....	.....	63.4	42.3	31.7	338.1	31.7	20
57.0	.....	11.4	22.8	159.5	22.8	113.9	34.2	57.0	.....	.....	.....	91.2	11.4	.....	102.6	113.9	11.4	193.7	34.2	21
45.5	.....	22.8	56.9	125.2	.....	79.7	11.4	45.5	.....	22.8	22.8	68.3	.....	.....	56.9	45.5	34.2	330.2	34.2	22
.....	.....	.....	.....	147.7	.....	.....	.....	.....	.....	.....	147.7	147.7	.....	.....	.....	.....	.....	443.1	147.7	23
146.8	.....	.....	.....	440.5	.....	.....	146.8	.....	.....	.....	.....	293.7	.....	.....	146.8	.....	.....	440.5	.....	24
19.0	.....	6.3	25.4	25.4	6.3	38.0	.....	31.7	.....	12.7	.....	63.4	12.7	6.3	50.7	50.7	12.7	139.4	19.0	25
44.3	.....	25.3	25.3	44.3	31.7	76.0	.....	44.3	.....	6.3	.....	44.3	6.3	.....	69.7	38.0	.....	202.7	19.0	26
19.7	.....	6.6	26.3	26.3	6.6	39.4	.....	32.9	.....	13.1	.....	59.1	13.1	6.6	52.6	46.0	13.1	124.9	13.1	27
46.0	.....	26.3	26.3	39.4	32.9	72.3	.....	46.0	.....	6.6	.....	46.0	6.6	.....	59.1	32.9	.....	170.8	19.7	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	178.6	.....	.....	.....	178.6	.....	535.7	178.6	29
.....	.....	.....	.....	176.7	.....	176.7	.....	.....	.....	.....	.....	.....	.....	.....	353.4	176.7	.....	1,060.1	.....	30
14.4	.....	7.2	43.1	71.8	7.2	64.7	7.2	28.7	7.2	7.2	7.2	57.5	.....	.....	35.9	71.8	7.2	201.1	57.5	31
28.6	7.2	28.6	28.6	71.6	7.2	57.3	21.5	35.8	7.2	.....	.....	43.0	.....	21.5	57.3	64.4	.....	171.9	71.6	32
17.5	.....	8.8	26.3	78.8	.....	61.3	.....	26.3	8.8	8.8	8.8	35.0	.....	.....	35.0	70.0	8.8	201.3	52.5	33
34.9	8.7	26.2	34.9	69.8	8.7	61.1	17.5	26.2	8.7	.....	.....	26.2	.....	17.5	61.1	61.1	.....	200.7	61.1	34
.....	.....	.....	120.3	40.1	40.1	80.2	40.1	40.1	.....	.....	.....	160.4	.....	.....	40.1	80.2	.....	200.5	80.2	35
.....	.....	39.9	.....	79.8	.....	39.9	39.9	79.8	.....	.....	.....	119.7	.....	39.9	39.9	79.8	.....	39.9	119.7	36
53.4	4.9	.....	34.0	48.6	9.7	92.3	4.9	53.4	9.7	9.7	.....	19.4	9.7	4.9	140.8	48.6	4.9	184.5	48.6	37
29.5	.....	39.3	73.6	58.9	9.8	191.5	19.6	58.9	9.8	4.9	9.8	34.4	24.5	9.8	112.9	68.7	.....	196.4	34.4	38
56.5	5.1	.....	35.9	46.2	10.3	77.0	5.1	51.3	10.3	5.1	.....	20.5	5.1	5.1	138.6	35.9	5.1	174.5	41.1	39
31.1	.....	41.5	72.7	57.1	10.4	192.1	20.8	62.3	10.4	5.2	10.4	36.3	20.8	10.4	114.2	72.7	.....	181.7	31.1	40
.....	.....	.....	.....	89.8	.....	359.1	.....	89.8	.....	89.8	.....	.....	89.8	.....	179.5	269.3	.....	359.1	179.5	41
.....	.....	.....	90.6	90.6	.....	181.2	.....	.....	.....	.....	.....	.....	90.6	.....	90.6	.....	.....	452.9	90.6	42
114.4	6.7	20.2	74.0	161.5	20.2	94.2	13.5	43.7	6.7	3.4	13.5	114.4	6.7	13.5	63.9	100.9	10.1	198.5	16.8	43
118.8	10.2	13.6	57.7	145.9	13.6	78.1	10.2	23.8	10.2	13.6	33.9	91.6	.....	6.8	27.2	84.9	13.6	156.1	6.8	44
115.1	6.8	20.3	74.4	162.4	20.3	94.8	13.5	44.0	6.8	3.4	13.5	115.1	6.8	13.5	64.3	98.1	10.2	196.3	16.9	45
119.5	10.2	13.7	58.1	146.9	13.7	78.6	10.2	23.9	10.2	13.7	34.2	88.8	.....	6.8	27.3	82.0	13.7	157.1	6.8	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	555.6	.....	555.6	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	537.6	.....	.....	.....	537.6	.....	.....	.....	48
46.1	11.5	11.5	34.6	69.1	23.0	126.8	23.0	57.6	.....	11.5	11.5	92.2	.....	.....	80.7	69.1	.....	265.1	23.0	49
22.7	.....	11.4	56.9	56.9	11.4	193.4	.....	68.2	11.4	.....	22.7	56.9	.....	11.4	79.6	113.7	.....	182.0	34.1	50
48.2	12.0	12.0	36.1	60.2	24.1	132.5	24.1	60.2	.....	12.0	12.0	84.3	.....	.....	84.3	60.2	.....	253.0	24.1	51
23.8	.....	11.9	59.5	59.5	11.9	190.3	.....	71.4	11.9	.....	23.8	47.6	.....	11.9	83.3	118.9	.....	178.4	35.7	52
.....	.....	.....	.....	265.3	.....	.....	.....	.....	.....	.....	.....	265.3	.....	.....	.....	265.3	.....	530.5	.....	53
.....	.....	.....	.....	.....	.....	259.7	.....	.....	.....	.....	.....	259.7	.....	.....	.....	.....	.....	259.7	.....	54
105.9	13.2	13.2	92.6	185.3	39.7	105.9	39.7	79.4	.....	.....	.....	66.2	26.5	26.5	132.3	92.6	.....	370.6	.....	55
51.8	.....	38.8	64.7	129.4	25.9	64.7	25.9	25.9	.....	38.8	.....	25.9	.....	12.9	51.8	25.9	12.9	271.7	12.9	56
113.3	14.2	14.2	99.1	169.9	28.3	85.0	28.3	85.0	.....	.....	.....	56.6	28.3	28.3	141.6	99.1	.....	368.2	.....	57
41.6	.....	27.7	69.3	110.8	27.7	69.3	13.9	27.7	.....	41.6	.....	27.7	.....	13.9	55.4	27.7	13.9	277.0	13.9	58
.....	.....	.....	.....	404.9	202.4	404.9	202.4	.....	.....	.....	.....	202.4	.....	.....	.....	.....	.....	404.9	.....	59
196.9	.....	196.9	.....	393.7	.....	.....	196.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	196.9	.....	60
26.6	4.4	31.1	17.8	66.6	13.3	111.0	8.9	111.0	.....	8.9	.....	35.5	13.3	4.4	93.2	66.6	.....	221.9	35.5	61
26.8	4.5	31.3	31.3	22.4	13.4	93.9	8.9	26.8	.....	.....	.....	22.4	8.9	17.9	49.2	67.1	.....	156.6	35.8	62
26.8	4.5	31.2	17.8	66.9	13.4	111.5	8.9	111.5	.....	8.9	.....	35.7	13.4	4.5	93.7	66.9	.....	218.6	35.7	63
27.0	4.5	31.5	31.5	22.5	13.5	94.4	9.0	27.0	.....	.....	.....	22.5	9.0	18.0	49.5	67.5	.....	157.4	36.0	64
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	877.2	.....	65
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	66
64.1	6.4	44.9	12.8	51.3	12.8	77.0	6.4	38.5	6.4	12.8	6.4	89.8	.....	19.2	44.9	32.1	6.4	256.6	57.7	67
32.1	.....	51.4	32.1	57.9	6.4	45.0	12.9	25.7	.....	6.4	.....	70.7	.....	6.4	64.3	38.6	6.4	147.9	90.0	68
58.8	6.5	45.7	13.1	52.3	13.1	71.9	6.5	39.2	6.5	13.1	6.5	91.5	.....	19.6	45.7	32.7	6.5	254.8	58.8	69
32.7	.....	52.4	32.7	58.9	6.5	45.8	13.1	26.2	.....	6.5	.....	65.5	.....	6.5	65.5	39.3	6.5	137.5	91.7	70
354.6	.....	.....	.....	.....	.....	354.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	354.6	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	350.9	.....	.....	.....	.....	.....	701.8	.....	72
48.6	.....	10.2	25.6	94.6	2.6	71.6	7.7	23.0	7.7	10.2	7.7	112.4	5.1	10.2	66.4	94.6	7.7	401.2	25.6	73
46.1	5.1	17.9	41.0	92.2	7.7	89.6	15.4	43.5	7.7	12.8	12.8	92.2	.....	7.7	84.5	99.9	10.2	366.3	33.3	74
56.6	.....	8.7	21.8	91.4	.....	69.7	.....	26.1	4.4	8.7	4.4	113.2	.....	8.7	17.4	47.9	13.1	431.0	26.1	75
47.8	8.7	21.7	39.1	69.6	4.3	69.6	13.0	52.2	8.7	13.0	8.7	82.6	.....	.....	78.3	69.6	17.4	326.2	13.0	76
37.1	.....	12.4	30.9	99.0	6.2	74.2	18.6	18.6	12.4	12.4	12.4	111.4	12.4	12.4	136.1	160.9	.....	358.8	24.7	77
43.6	.....	12.5	43.6	124.6	12.5	118.4	18.7	31.2	6.2	12.5	18.7	105.9	.....	18.7	93.5	143.3	.....	423.7	62.3	78

[8] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	KENTUCKY—continued.															
1	Clark County (total)	1913	1,635.2	38.0	.....	.....	16.3	5.4	16.3	48.9	5.4	.....	114.1	27.2	10.9	5.4
2		1912	1,362.5	10.9	.....	.....	.....	.....	5.5	21.9	5.5	.....	213.4	38.3	10.9	10.9
3	White	1913	1,317.9	21.7	.....	.....	21.7	7.2	21.7	50.7	7.2	.....	79.7	21.7	7.2	.....
4		1912	1,165.4	14.6	.....	.....	.....	.....	7.3	29.1	7.3	.....	153.0	43.7	14.6	14.6
5	Colored	1913	2,588.6	87.0	.....	.....	.....	.....	.....	43.5	.....	.....	217.5	43.5	21.8	21.8
6		1912	1,957.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	396.0	22.0	.....	.....
7	Clay County † (total)	1913	689.1	16.1	.....	.....	5.4	.....	26.9	26.9	10.8	5.4	80.7	10.8	5.4	.....
8		1912	834.7	43.6	.....	.....	5.5	.....	60.0	32.7	10.9	5.5	54.6	5.5	10.9	5.5
9	White	1913	708.9	16.6	.....	.....	5.5	.....	27.7	27.7	11.1	5.5	83.1	11.1	5.5	.....
10		1912	819.6	39.3	.....	.....	5.6	.....	61.7	33.7	11.2	5.6	56.1	5.6	5.6	5.6
11	Colored [3]	1913	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12		1912	1,356.6	193.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	193.8	.....
13	Clinton County (total)	1913	800.6	60.7	12.1	.....	.....	.....	.....	48.5	60.7	.....	97.0	.....	.....	.....
14		1912	1,034.7	60.9	.....	.....	.....	.....	12.2	85.2	85.2	24.3	121.7	.....	48.7	.....
15	White	1913	810.0	61.4	12.3	.....	.....	.....	.....	49.1	61.4	.....	98.2	.....	.....	.....
16		1912	1,022.5	49.3	.....	.....	.....	.....	12.3	86.2	86.2	24.6	123.2	.....	49.3	.....
17	Colored [3]	1913	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18		1912	(4)	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Crittenden County (total)	1913	938.3	15.8	15.8	.....	.....	7.9	23.7	15.8	39.4	7.9	126.2	31.5	15.8	.....
20		1912	908.9	15.5	31.1	.....	.....	.....	7.8	54.4	7.8	.....	85.5	7.8	7.8	.....
21	White	1913	899.3	16.5	16.5	.....	.....	8.3	24.8	16.5	41.3	8.3	107.3	33.0	16.5	.....
22		1912	853.7	16.3	32.5	.....	.....	.....	8.1	56.9	8.1	.....	81.3	8.1	8.1	.....
23	Colored [3]	1913	1,782.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	534.8	.....	.....	.....
24		1912	2,090.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	174.2	.....	.....	.....
25	Cumberland County (total)	1913	799.4	29.6	.....	.....	19.7	9.9	9.9	19.7	.....	.....	118.4	19.7	29.6	.....
26		1912	846.4	19.9	19.9	.....	.....	.....	.....	10.0	19.9	10.0	129.4	.....	19.9	.....
27	White	1913	716.5	22.0	.....	.....	11.0	11.0	11.0	22.0	.....	.....	88.2	22.0	33.1	.....
28		1912	722.6	11.1	11.1	.....	.....	.....	.....	11.1	11.1	11.1	66.7	.....	22.2	.....
29	Colored	1913	1,509.4	94.3	.....	.....	94.3	.....	.....	.....	.....	.....	377.4	.....	.....	.....
30		1912	1,908.4	95.4	95.4	.....	.....	.....	.....	.....	95.4	.....	667.9	.....	.....	.....
31	Daviess County (total)	1913	1,251.1	24.1	8.0	.....	.....	8.0	32.2	16.1	28.2	4.0	185.1	8.0	4.0	4.0
32		1912	1,124.3	44.2	16.1	.....	.....	.....	4.0	48.2	28.1	4.0	120.5	4.0	8.0	4.0
33	White	1913	1,187.0	21.9	8.8	.....	.....	8.8	35.0	17.5	13.1	4.4	162.1	8.8	4.4	4.4
34		1912	1,084.3	43.7	17.5	.....	.....	.....	.....	52.5	26.2	4.4	118.1	.....	8.7	4.4
35	Colored [3]	1913	1,972.4	49.3	.....	.....	.....	.....	.....	.....	197.2	.....	443.8	.....	.....	.....
36		1912	1,573.3	49.2	.....	.....	.....	.....	49.2	.....	49.2	.....	147.5	49.2	.....	.....
37	Edmonson County (total)	1913	887.3	56.6	9.4	.....	9.4	.....	9.4	18.9	.....	9.4	151.0	.....	.....	9.4
38		1912	909.5	18.9	.....	.....	.....	.....	.....	28.4	9.5	.....	151.6	.....	37.9	28.4
39	White	1913	857.3	59.1	9.9	.....	9.9	.....	9.9	19.7	.....	9.9	138.0	.....	.....	.....
40		1912	831.0	19.8	.....	.....	.....	.....	.....	29.7	.....	.....	118.7	.....	29.7	29.7
41	Colored [3]	1913	1,569.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	448.4	.....	.....	224.2
42		1912	2,684.6	.....	.....	.....	.....	.....	.....	.....	223.7	.....	894.9	.....	223.7	.....
43	Elliott County (total)	1913	1,350.2	51.9	.....	.....	62.3	.....	.....	124.6	20.8	10.4	135.0	10.4	.....	.....
44		1912	1,135.7	51.6	.....	.....	.....	10.3	10.3	154.9	.....	10.3	154.9	10.3	20.6	.....
45	White	1913	1,340.5	52.0	.....	.....	62.4	.....	.....	124.7	20.8	10.4	135.1	10.4	.....	.....
46		1912	1,136.7	51.7	.....	.....	.....	10.3	10.3	155.0	.....	10.3	155.0	10.3	20.7	.....
47	Colored [3]	1913	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48		1912	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Estill County (total)	1913	810.0	32.1	8.0	.....	24.1	.....	16.0	8.0	8.0	.....	120.3	8.0	.....	.....
50		1912	749.5	32.2	8.1	.....	.....	.....	.....	32.2	24.2	.....	104.8	8.1	16.1	.....
51	White	1913	776.7	32.4	8.1	.....	24.3	.....	16.2	8.1	8.1	.....	113.3	8.1	.....	.....
52		1912	740.1	32.5	8.1	.....	.....	.....	.....	32.5	24.4	.....	105.7	8.1	16.3	.....
53	Colored [3]	1913	4,587.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	917.4	.....	.....	.....
54		1912	1,785.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
55	Fayette County (total)	1913	1,274.5	8.6	.....	.....	.....	.....	17.2	8.6	51.7	8.6	189.5	.....	25.8	.....
56		1912	1,299.8	33.5	.....	.....	8.4	.....	8.4	8.4	.....	.....	192.9	8.4	8.4	16.8
57	White	1913	1,116.0	12.5	.....	.....	.....	.....	25.1	12.5	50.2	12.5	137.9	.....	.....	.....
58		1912	1,015.7	24.2	.....	.....	12.1	.....	12.1	12.1	.....	.....	96.7	12.1	12.1	.....
59	Colored	1913	1,622.2	.....	.....	.....	.....	.....	.....	.....	55.0	.....	302.4	.....	82.5	.....
60		1912	1,942.5	54.7	.....	.....	.....	.....	.....	.....	.....	.....	410.4	.....	.....	54.7
61	Fleming County (total)	1913	1,550.3	89.0	.....	.....	63.5	6.4	25.4	38.1	31.8	6.4	152.5	19.1	19.1	12.7
62		1912	1,249.9	31.6	12.6	.....	.....	.....	31.6	31.6	12.6	.....	176.8	6.3	25.3	12.6
63	White	1913	1,486.5	74.7	.....	.....	67.9	6.8	27.1	40.7	33.9	6.8	142.5	20.4	20.4	6.8
64		1912	1,200.9	27.0	13.5	.....	.....	.....	33.7	33.7	13.5	.....	161.9	.....	27.0	13.5
65	Colored [3]	1913	2,485.1	298.2	.....	.....	.....	.....	.....	.....	.....	.....	298.2	.....	.....	99.4
66		1912	1,962.7	98.1	.....	.....	.....	.....	.....	.....	.....	.....	392.5	98.1	.....	.....
67	Floyd County (total)	1913	953.1	56.1	.....	.....	15.3	.....	71.4	61.2	5.1	10.2	107.0	.....	30.6	10.2
68		1912	813.1	36.3	5.2	.....	.....	.....	10.4	88.0	10.4	15.5	134.6	.....	20.7	.....
69	White	1913	960.6	56.5	.....	.....	15.4	.....	71.9	61.6	5.1	10.3	107.9	.....	30.8	10.3
70		1912	814.5	36.5	5.2	.....	.....	.....	5.2	88.8	10.4	15.7	135.8	.....	20.9	.....
71	Colored [3]	1913	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72		1912	632.9	.....	.....	.....	.....	.....	632.9	.....	.....	.....	.....	.....	.....	.....
73	Franklin County (total)	1913	1,225.8	38.3	9.6	.....	.....	9.6	.....	9.6	28.7	.....	143.7	19.2	.....	.....
74		1912	1,017.8	57.1	.....	.....	.....	.....	19.0	19.0	19.0	9.5	114.1	9.5	19.0	.....
75	White	1913	1,208.7	41.7	10.4	.....	.....	10.4	.....	10.4	20.8	.....	145.9	20.8	.....	.....
76		1912	941.7	62.1	.....	.....	.....	.....	10.3	20.7	20.7	10.3	82.8	10.3	10.3	.....
77	Colored	1913	1,420.1	.....	.....	.....	.....	.....	.....	.....	118.3	.....	118.3	.....	.....	.....
78		1912	1,882.4	.....	.....	.....	.....	.....	117.6	.....	.....	.....	470.6	.....	117.6	.....

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—

Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
65.2	10.9	32.6	43.5	103.2	54.3	135.8	27.2	43.5	5.4	5.4	5.4	135.8	.....	10.9	103.2	163.0	21.7	353.1	27.2	1
54.7	16.4	16.4	27.4	120.4	10.9	164.2	10.9	60.2	.....	.....	.....	98.5	.....	5.5	98.5	87.6	32.8	213.4	27.4	2
72.4	14.5	36.2	50.7	72.4	14.5	65.2	21.7	43.4	7.2	.....	7.2	144.8	.....	14.5	123.1	72.4	29.0	253.4	36.2	3
43.7	14.6	14.6	29.1	51.0	7.3	123.8	7.3	51.0	.....	.....	.....	72.8	.....	7.3	109.3	87.4	43.7	182.1	36.4	4
43.5	.....	21.8	21.8	195.8	174.0	348.1	43.5	43.5	.....	21.8	.....	108.8	.....	.....	43.5	435.1	.....	652.6	.....	5
88.0	22.0	22.0	22.0	330.0	22.0	286.0	22.0	88.0	.....	.....	.....	176.0	.....	.....	66.0	88.0	.....	308.0	.....	6
5.4	5.4	5.4	5.4	26.9	.....	53.8	5.4	26.9	5.4	.....	10.8	26.9	10.8	16.1	53.8	21.5	10.8	118.4	91.5	7
5.5	5.5	.....	5.5	32.7	10.9	76.4	.....	21.8	5.5	5.5	5.5	32.7	.....	5.5	49.1	38.2	.....	120.0	180.0	8
5.5	5.5	5.5	5.5	27.7	.....	55.4	5.5	27.7	5.5	.....	11.1	27.7	11.1	16.6	55.4	22.2	11.1	121.8	94.1	9
5.6	.....	.....	5.6	33.7	11.2	78.6	.....	22.5	.....	5.6	5.6	33.7	.....	5.6	50.5	33.7	.....	117.9	179.6	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	193.8	.....	.....	.....	.....	.....	.....	.....	193.8	.....	.....	.....	.....	.....	.....	193.8	.....	193.8	193.8	12
24.3	.....	24.3	.....	36.4	.....	24.3	.....	84.9	12.1	.....	.....	24.3	24.3	.....	60.7	48.5	.....	145.6	12.1	13
36.5	.....	12.2	.....	73.0	.....	24.3	12.2	.....	.....	12.2	.....	24.3	.....	.....	36.5	24.3	.....	292.1	48.7	14
24.5	.....	24.5	.....	36.8	.....	24.5	.....	85.9	12.3	.....	.....	24.5	24.5	.....	61.4	49.1	.....	147.3	12.3	15
37.0	.....	12.3	.....	73.9	.....	24.6	12.3	.....	.....	12.3	.....	24.6	.....	.....	37.0	24.6	.....	283.4	49.3	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	.....	18
15.8	15.8	.....	71.0	55.2	.....	55.2	7.9	23.7	7.9	.....	.....	39.4	.....	.....	71.0	47.3	7.9	181.4	39.4	19
46.6	7.8	7.8	31.1	101.0	.....	132.1	7.8	15.5	.....	7.8	7.8	31.1	7.8	7.8	31.1	38.8	.....	155.4	54.4	20
16.5	16.5	.....	57.8	49.5	.....	49.5	8.3	24.8	8.3	.....	.....	33.0	.....	.....	74.3	41.3	8.3	189.8	33.0	21
48.8	8.1	8.1	24.4	89.4	.....	138.2	8.1	16.3	.....	.....	8.1	24.4	8.1	8.1	24.4	32.5	.....	130.1	56.9	22
.....	.....	.....	356.5	178.3	.....	178.3	.....	.....	.....	.....	.....	178.3	.....	.....	.....	178.3	.....	.....	178.3	23
.....	.....	.....	174.2	348.4	.....	.....	.....	.....	.....	174.2	.....	174.2	.....	.....	174.2	174.2	.....	696.9	.....	24
9.9	9.9	19.7	.....	29.6	9.9	29.6	9.9	29.6	.....	.....	.....	29.6	.....	9.9	108.6	9.9	.....	187.5	49.3	25
69.7	.....	10.0	10.0	39.8	10.0	29.9	10.0	29.9	.....	.....	.....	49.8	.....	.....	.....	79.7	10.0	179.2	89.6	26
11.0	11.0	11.0	.....	22.0	11.0	11.0	11.0	22.0	.....	.....	.....	22.0	.....	11.0	121.3	11.0	.....	187.4	33.1	27
77.8	.....	11.1	11.1	44.5	11.1	.....	11.1	33.4	.....	.....	.....	44.5	.....	.....	.....	77.8	11.1	166.8	77.8	28
.....	.....	94.3	.....	94.3	.....	188.7	.....	94.3	.....	.....	.....	94.3	.....	.....	.....	.....	.....	188.7	188.7	29
.....	.....	.....	.....	.....	.....	286.3	.....	.....	.....	.....	.....	95.4	.....	.....	.....	95.4	.....	286.3	190.8	30
48.3	.....	8.0	28.2	48.3	12.1	128.7	4.0	84.5	.....	16.1	4.0	76.4	12.1	4.0	124.7	60.3	4.0	257.5	8.0	31
40.2	12.0	.....	56.2	68.3	16.1	108.4	8.0	60.2	16.1	8.0	8.0	48.2	.....	12.0	124.5	36.1	12.0	160.6	48.2	32
52.6	.....	4.4	26.3	52.6	13.1	127.0	4.4	92.0	.....	13.1	4.4	78.8	8.8	4.4	118.3	39.4	4.4	249.7	4.4	33
43.7	13.1	.....	56.8	70.0	17.5	100.6	8.7	52.5	17.5	8.7	8.7	48.1	.....	13.1	122.4	26.2	13.1	153.0	35.0	34
.....	.....	49.3	49.3	.....	.....	147.9	.....	.....	.....	49.3	.....	49.3	49.3	.....	197.2	295.9	.....	345.2	49.3	35
.....	.....	.....	49.2	49.2	.....	196.7	.....	147.5	.....	.....	.....	49.2	.....	.....	147.5	147.5	.....	245.8	196.7	36
37.8	.....	9.4	9.4	66.1	.....	56.6	9.4	18.9	.....	.....	9.4	18.9	9.4	18.9	56.6	37.8	.....	179.3	75.5	37
66.3	.....	.....	18.9	56.8	18.9	75.8	.....	18.9	.....	9.5	.....	9.5	.....	9.5	18.9	37.9	.....	189.5	104.2	38
39.4	.....	.....	9.9	69.0	.....	59.1	9.9	9.9	.....	.....	9.9	19.7	9.9	19.7	59.1	39.4	.....	167.5	78.8	39
39.6	.....	.....	19.8	59.4	19.8	69.3	.....	19.8	.....	9.9	.....	9.9	.....	9.9	19.8	39.6	.....	188.0	98.9	40
.....	.....	224.2	.....	.....	.....	.....	.....	224.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	448.4	.....	41
671.1	.....	.....	.....	.....	.....	223.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	223.7	223.7	42
20.8	.....	31.2	10.4	103.9	.....	124.6	.....	114.2	31.2	10.4	10.4	62.3	.....	.....	155.8	62.3	.....	145.4	51.9	43
31.0	.....	41.3	41.3	51.6	.....	61.9	10.3	20.6	10.3	.....	.....	82.6	10.3	10.3	72.3	51.6	.....	113.6	103.2	44
20.8	.....	31.2	10.4	93.5	.....	124.7	.....	114.3	31.2	10.4	10.4	62.4	.....	.....	155.9	62.4	.....	145.5	52.0	45
31.0	.....	41.3	41.3	51.7	.....	62.0	10.3	20.7	10.3	.....	.....	82.7	10.3	10.3	72.3	51.7	.....	113.7	103.4	46
.....	.....	.....	.....	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
16.0	8.0	56.1	8.0	16.0	16.0	80.2	8.0	48.1	.....	.....	8.0	88.2	8.0	.....	40.1	80.2	.....	80.2	24.1	49
48.4	.....	64.5	8.1	16.1	24.2	16.1	8.1	24.2	.....	8.1	.....	24.2	8.1	8.1	24.2	40.3	.....	169.2	32.2	50
16.2	8.1	48.5	8.1	16.2	16.2	80.9	8.1	48.5	.....	.....	8.1	89.0	8.1	.....	40.5	64.7	.....	72.8	24.3	51
48.8	.....	56.9	8.1	16.3	24.4	16.3	8.1	24.4	.....	8.1	.....	24.4	8.1	8.1	24.4	32.5	.....	170.8	32.5	52
.....	.....	917.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1,834.9	.....	917.4	.....	53
.....	.....	892.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	892.9	.....	.....	.....	54
34.4	25.8	25.8	43.1	103.3	17.2	146.4	17.2	8.6	8.6	.....	.....	77.5	.....	.....	43.1	86.1	17.2	275.6	34.4	55
58.7	25.2	25.2	100.6	109.0	.....	125.8	16.8	16.8	.....	8.4	8.4	67.1	16.8	8.4	41.9	75.5	8.4	276.7	25.2	56
25.1	25.1	25.1	12.5	112.9	25.1	163.0	12.5	12.5	.....	.....	.....	62.7	.....	.....	25.1	87.8	25.1	225.7	25.1	57
60.5	.....	24.2	24.2	84.6	.....	133.0	.....	24.2	.....	12.1	12.1	60.5	12.1	.....	60.5	60.5	12.1	241.8	12.1	58
55.0	27.5	27.5	110.0	82.5	.....	110.0	27.5	.....	27.5	.....	.....	110.0	.....	.....	82.5	82.5	.....	334.9	55.0	59
54.7	82.1	27.4	273.6	164.2	.....	109.4	54.7	.....	.....	.....	.....	82.1	27.4	27.4	.....	109.4	.....	355.7	54.7	60
69.9	.....	63.5	50.8	114.4	12.7	108.0	12.7	69.9	19.1	6.4	.....	63.5	12.7	12.7	76.2	31.8	.....	317.7	44.5	61
18.9	31.6	25.3	25.3	119.9	6.3	75.8	6.3	37.9	12.6	12.6	12.6	75.8	6.3	6.3	44.2	50.5	6.3	303.0	31.6	62
74.7	.....	61.1	47.5	108.6	6.8	88.2	13.6	61.1	20.4	6.8	.....	67.9	13.6	6.8	74.7	27.1	.....	312.2	47.5	63
20.2	33.7	27.0	27.0	101.2	6.7	60.7	6.7	40.5	6.7	13.5	13.5	74.2	6.7	6.7	47.2	47.2	6.7	296.9	33.7	64
.....	.....	99.4	99.4	198.8	99.4	397.6	.....	198.8	.....	.....	.....	.....	.....	99.4	99.4	99.4	.....	397.6	.....	65
.....	.....	.....	.....	392.5	.....	294.4	.....	.....	98.1	.....	.....	98.1	.....	.....	.....	98.1	.....	392.5	.....	66
20.4	.....	20.4	10.2	15.3	5.1	66.3	10.2	76.4	.....	5.1	5.1	15.3	5.1	.....	66.3	61.2	10.2	81.5	112.1	67
31.1	.....	20.7	5.2	10.4	.....	82.9	5.2	20.7	.....	5.2	5.2	15.5	10.4	.....	41.4	57.0	.....	124.3	57.0	68
20.5	.....	20.5	10.3	15.4	5.1	66.8	10.3	77.1	.....	5.1	5.1	15.4	5.1	.....	66.8	61.6	10.3	82.2	113.0	69
31.3	.....	20.9	5.2	10.4	.....	83.5	5.2	20.9	.....	5.2	5.2	15.7	10.4	.....	41.8	57.4	.....	125.3	57.4	70
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
38.3	9.6	.....	38.3	124.5	19.2	134.1	19.2	38.3	.....	9.6	9.6	95.8	9.6	.....	67.0	47.9	9.6	239.4	57.5	73
66.6	.....	.....	38.0	47.6	.....	85.6	19.0	.....	.....	.....	.....	66.6	.....	.....	57.1	95.1	.....	247.3	28.5	74
41.7	10.4	.....	41.7	135.5	20.8	125.0	20.8	41.7	.....	10.4	.....	72.9	10.4	.....	62.5	31.3	10.4	250.1	62.5	75
62.1	.....	.....	41.4	41.4	.....	82.8	10.3	.....	.....	.....	.....	62.1	.....	.....	62.1	82.8	.....	238.0	31.0	76
.....	.....	.....	.....	.....	.....	236.7	.....	.....	.....	.....	118.3	355.0	.....	.....	118.3	236.7	.....	118.3	.....	77
117.6	.....	.....	.....	117.6	.....	117.6	117.6	.....	.....	.....	.....	117.6	.....	.....	.....	235.3	.....	352.9	.....	78

[3] Colored population less than 10 per cent of total.

[4] Rate not shown when population is less than 100.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	KENTUCKY—continued.															
1	Fulton County (total)	1913	1,344.7	20.1	120.4	6.7	.....	6.7	46.8	13.4	20.1	6.7	120.4	6.7	.....	.....
2		1912	1,763.3	13.6	177.0	.....	6.8	.....	129.4	13.6	6.8	.....	313.2	6.8	34.0	.....
3	White	1913	1,098.9	26.4	96.7	8.8	.....	8.8	26.4	8.8	17.6	8.8	105.5	8.8	.....	.....
4		1912	1,528.0	8.9	116.2	.....	8.9	.....	89.4	17.9	8.9	.....	205.5	.....	17.9	.....
5	Colored	1913	2,127.1	.....	195.9	.....	.....	.....	112.0	28.0	28.0	.....	167.9	.....	.....	.....
6		1912	2,516.4	28.6	371.7	.....	.....	.....	257.4	.....	.....	.....	657.7	28.6	85.8	.....
7	Gallatin County (total)	1913	1,319.8	44.0	.....	.....	22.0	66.0	.....	.....	88.0	.....	220.0	22.0	.....	.....
8		1912	1,306.3	21.8	.....	.....	.....	.....	21.8	.....	21.8	.....	152.4	.....	65.3	.....
9	White	1913	1,261.4	46.7	.....	.....	23.4	70.1	.....	.....	93.4	.....	140.2	23.4	.....	.....
10		1912	1,272.3	23.1	.....	.....	.....	.....	23.1	.....	23.1	.....	161.9	.....	69.4	.....
11	Colored[3]	1913	2,264.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1,509.4	.....	.....	.....
12		1912	1,851.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Garrard County (total)	1913	1,342.2	42.2	.....	.....	33.8	.....	33.8	42.2	33.8	.....	202.6	25.3	16.9	8.4
14		1912	1,264.6	84.3	.....	.....	.....	.....	16.9	67.4	8.4	8.4	160.2	16.9	25.3	8.4
15	White	1913	1,212.0	31.3	.....	.....	41.8	.....	20.9	52.2	41.8	.....	114.9	31.3	10.4	10.4
16		1912	1,148.3	62.6	.....	.....	.....	.....	20.9	73.1	.....	10.4	104.4	20.9	10.4	10.4
17	Colored	1913	1,890.1	87.9	.....	.....	.....	.....	87.9	.....	.....	.....	571.4	.....	44.0	.....
18		1912	1,752.8	175.3	.....	.....	.....	.....	.....	43.8	43.8	.....	394.4	.....	87.6	.....
19	Grant County (total)	1913	1,595.0	82.3	.....	.....	20.6	.....	.....	61.7	30.9	.....	267.5	30.9	.....	20.6
20		1912	1,291.7	60.1	.....	.....	.....	10.0	10.0	10.0	10.0	10.0	280.4	.....	30.0	.....
21	White	1913	1,597.9	84.7	.....	.....	21.2	.....	.....	63.5	31.7	.....	275.1	31.7	.....	21.2
22		1912	1,318.6	61.8	.....	.....	.....	10.3	10.3	10.3	10.3	10.3	288.5	.....	30.9	.....
23	Colored[3]	1913	1,492.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24		1912	357.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Graves County (total)	1913	1,215.5	35.7	23.8	.....	3.0	.....	41.6	8.9	17.8	.....	199.1	5.9	23.8	8.9
26		1912	1,317.9	41.6	38.7	.....	.....	.....	14.9	5.9	23.8	3.0	229.1	8.9	20.8	3.0
27	White	1913	1,158.8	39.1	13.0	.....	3.3	.....	42.3	9.8	13.0	.....	175.8	6.5	19.5	9.8
28		1912	1,221.7	39.1	42.4	.....	.....	.....	16.3	6.5	22.8	3.3	189.0	9.8	19.5	3.3
29	Colored[3]	1913	1,811.3	.....	136.7	.....	.....	.....	34.2	.....	68.4	.....	444.3	.....	68.4	.....
30		1912	2,328.8	68.5	.....	.....	.....	.....	.....	.....	34.2	.....	650.7	.....	34.2	.....
31	Grayson County (total)	1913	1,030.8	30.0	15.0	.....	.....	5.0	15.0	20.0	20.0	5.0	195.2	5.0	15.0	10.0
32		1912	1,131.4	75.1	5.0	.....	.....	.....	10.0	35.0	5.0	5.0	220.3	5.0	5.0	.....
33	White	1913	1,012.8	30.5	15.3	.....	.....	5.1	10.2	20.4	20.4	5.1	188.3	5.1	15.3	10.2
34		1912	1,120.4	71.3	5.1	.....	.....	.....	10.2	35.7	5.1	5.1	213.9	5.1	5.1	.....
35	Colored[3]	1913	2,089.6	.....	.....	.....	.....	.....	298.5	.....	.....	.....	597.0	.....	.....	.....
36		1912	1,759.5	293.3	.....	.....	.....	.....	.....	.....	.....	.....	586.5	.....	.....	.....
37	Green County (total)	1913	1,106.7	34.1	8.5	.....	.....	.....	8.5	25.5	8.5	.....	187.3	17.0	17.0	.....
38		1912	890.9	8.5	8.5	.....	.....	.....	.....	8.5	25.5	8.5	152.7	25.5	25.5	17.0
39	White	1913	1,142.3	38.4	9.6	.....	.....	.....	9.6	28.8	9.6	.....	182.4	19.2	19.2	.....
40		1912	909.2	9.6	9.6	.....	.....	.....	.....	9.6	28.7	9.6	153.1	19.1	19.1	19.1
41	Colored	1913	827.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	225.7	.....	.....	.....
42		1912	747.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	149.6	74.8	74.8	.....
43	Greenup County (total)	1913	1,356.4	87.3	10.3	.....	15.4	.....	10.3	41.1	10.3	.....	169.6	5.1	10.3	.....
44		1912	1,378.2	31.3	10.4	.....	10.4	.....	36.5	182.7	10.4	5.2	146.2	.....	5.2	.....
45	White	1913	1,360.8	83.4	10.4	.....	15.6	.....	10.4	41.7	5.2	.....	172.1	5.2	10.4	.....
46		1912	1,383.1	31.8	10.6	.....	10.6	.....	37.1	185.5	10.6	5.3	148.4	.....	5.3	.....
47	Colored[3]	1913	1,060.1	353.4	.....	.....	.....	.....	.....	.....	353.4	.....	.....	.....	.....	.....
48		1912	1,052.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Hancock County (total)	1913	1,324.0	23.9	11.9	.....	.....	11.9	59.6	23.9	11.9	.....	250.5	11.9	47.7	.....
50		1912	1,187.1	23.7	.....	.....	.....	.....	.....	35.6	23.7	.....	201.8	.....	11.9	.....
51	White	1913	1,303.2	25.6	12.8	.....	.....	12.8	63.9	25.6	12.8	.....	230.0	12.8	51.1	.....
52		1912	1,106.7	25.4	.....	.....	.....	.....	.....	25.4	25.4	.....	178.1	.....	12.7	.....
53	Colored[3]	1913	1,615.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	538.6	.....	.....	.....
54		1912	2,309.1	.....	.....	.....	.....	.....	.....	177.6	.....	.....	532.9	.....	.....	.....
55	Hardin County (total)	1913	1,153.9	26.5	.....	.....	4.4	.....	26.5	17.7	39.8	.....	137.1	8.8	13.3	8.8
56		1912	1,218.9	30.9	13.2	.....	.....	4.4	17.7	.....	26.5	.....	141.3	.....	17.7	4.4
57	White	1913	1,091.4	28.8	.....	.....	4.8	.....	28.8	9.6	43.3	.....	139.4	9.6	14.4	9.6
58		1912	1,172.4	33.6	9.6	.....	.....	4.8	19.2	.....	28.8	.....	124.9	.....	14.4	.....
59	Colored[3]	1913	1,868.1	.....	.....	.....	.....	.....	.....	109.9	.....	.....	109.9	.....	.....	.....
60		1912	1,747.7	.....	54.6	.....	.....	.....	.....	.....	.....	.....	327.7	.....	54.6	54.6
61	Harlan County (total)	1913	814.8	55.6	.....	.....	37.0	.....	27.8	46.3	27.8	.....	46.3	.....	.....	.....
62		1912	736.5	28.0	.....	.....	83.9	.....	37.3	37.3	9.3	.....	65.3	.....	9.3	.....
63	White	1913	841.4	48.9	.....	.....	39.1	.....	29.4	48.9	29.4	.....	39.1	.....	.....	.....
64		1912	748.8	29.6	.....	.....	88.7	.....	39.4	39.4	9.9	.....	59.1	.....	9.9	.....
65	Colored[3]	1913	345.4	172.7	.....	.....	.....	.....	.....	.....	.....	.....	172.7	.....	.....	.....
66		1912	519.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	173.3	.....	.....	.....
67	Harrison County (total)	1913	1,200.8	36.8	6.1	.....	12.3	.....	30.6	24.5	18.4	6.1	133.8	12.3	.....	6.1
68		1912	1,479.2	24.2	6.1	.....	.....	.....	12.1	30.3	18.2	.....	163.7	36.4	18.2	6.1
69	White	1913	1,039.0	20.5	6.8	.....	13.7	.....	34.2	27.3	20.5	6.8	157.2	6.8	.....	6.8
70		1912	1,387.3	20.3	6.8	.....	.....	.....	13.5	33.8	20.3	.....	115.0	40.6	20.3	6.8
71	Colored	1913	2,597.4	177.1	.....	.....	.....	.....	.....	.....	.....	.....	413.2	59.0	.....	.....
72		1912	2,270.1	58.2	.....	.....	.....	.....	.....	.....	.....	.....	582.1	.....	.....	.....
73	Hart County (total)	1913	1,336.9	16.6	16.6	.....	33.1	.....	27.6	27.6	33.1	.....	248.6	27.6	11.0	.....
74		1912	1,197.3	60.7	11.0	.....	.....	5.5	27.6	33.1	22.1	.....	220.7	11.0	16.6	.....
75	White	1913	1,203.5	18.6	18.6	.....	24.8	.....	24.8	24.8	18.6	.....	217.1	31.0	12.4	.....
76		1912	1,109.7	62.0	.....	.....	.....	6.2	12.4	31.0	18.6	.....	192.2	12.4	18.6	.....
77	Colored	1913	2,420.6	.....	.....	.....	100.9	.....	50.4	50.4	151.3	.....	504.3	.....	.....	.....
78		1912	1,906.7	50.2	100.4	.....	.....	.....	150.5	50.2	50.2	.....	451.6	.....	.....	.....

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
6.7	.....	13.4	40.1	66.9	6.7	93.7	20.1	133.8	6.7	6.7	13.4	60.2	13.4	13.4	100.3	93.7	20.1	160.6	107.0	1
6.8	.....	13.6	34.0	74.9	20.4	204.2	6.8	115.7	6.8	20.4	.....	47.7	6.8	20.4	47.7	47.7	20.4	245.1	122.5	2
.....	.....	17.6	44.0	61.5	.....	96.7	8.8	114.3	8.8	8.8	.....	70.3	8.8	17.6	70.3	61.5	26.4	123.1	44.0	3
8.9	.....	8.9	26.8	71.5	26.8	232.3	8.9	107.2	8.9	17.9	.....	53.6	.....	17.9	62.6	17.9	26.8	241.3	116.2	4
28.0	.....	.....	28.0	84.0	28.0	84.0	56.0	195.9	.....	.....	56.0	28.0	28.0	.....	195.9	195.9	.....	279.9	307.9	5
.....	.....	28.6	57.2	85.8	.....	114.4	.....	143.0	.....	28.6	.....	28.6	28.6	28.6	.....	143.0	.....	257.4	143.0	6
110.0	.....	22.0	66.0	154.0	.....	88.0	.....	22.0	22.0	22.0	.....	.....	.....	.....	110.0	88.0	.....	110.0	44.0	7
87.1	.....	.....	43.5	130.6	21.8	152.4	21.8	130.6	.....	.....	.....	108.9	.....	.....	43.5	65.3	.....	174.2	43.5	8
116.8	.....	23.4	70.1	140.2	.....	93.4	.....	23.4	23.4	23.4	.....	.....	.....	.....	116.8	93.4	.....	93.4	46.7	9
92.5	.....	.....	46.3	138.8	23.1	138.8	23.1	138.8	.....	.....	.....	69.4	.....	.....	46.3	46.3	.....	161.9	46.3	10
.....	.....	.....	.....	377.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	377.4	.....	11
.....	.....	.....	.....	.....	.....	370.4	.....	.....	.....	.....	.....	740.7	.....	.....	.....	370.4	.....	370.4	.....	12
33.8	16.9	16.9	50.6	109.7	25.3	92.9	8.4	.....	33.8	.....	25.3	126.6	.....	8.4	59.1	50.6	16.9	202.6	25.3	13
33.7	.....	.....	75.9	109.6	16.9	84.3	16.9	8.4	8.4	8.4	8.4	75.9	25.3	16.9	67.4	67.4	.....	202.3	42.2	14
20.9	10.4	10.4	31.3	104.5	.....	104.5	10.4	.....	41.8	.....	31.3	135.8	.....	10.4	62.7	41.8	10.4	209.0	20.9	15
41.8	.....	.....	73.1	114.8	10.4	31.3	.....	10.4	10.4	10.4	10.4	73.1	10.4	20.9	83.5	62.6	.....	219.2	52.2	16
87.9	44.0	44.0	131.9	131.9	131.9	44.0	.....	.....	.....	.....	.....	87.9	.....	.....	44.0	87.9	44.0	175.8	44.0	17
.....	.....	.....	87.6	87.6	43.8	306.7	87.6	.....	.....	.....	.....	87.6	87.6	.....	.....	87.6	.....	131.5	.....	18
72.0	.....	10.3	154.4	102.9	.....	133.8	10.3	20.6	10.3	10.3	20.6	92.6	10.3	10.3	102.9	41.2	.....	257.3	20.6	19
40.1	20.0	10.0	70.1	100.1	10.0	80.1	20.0	50.1	.....	20.0	10.0	40.1	.....	10.0	50.1	40.1	20.0	270.4	10.0	20
74.1	.....	10.6	158.7	84.7	.....	137.6	10.6	21.2	10.6	10.6	21.2	95.2	10.6	10.6	95.2	31.7	.....	264.6	21.2	21
41.2	20.6	10.3	72.1	103.0	10.3	72.1	20.6	51.5	.....	20.6	10.3	41.2	.....	10.3	51.5	41.2	20.6	278.1	10.3	22
.....	.....	.....	.....	746.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	373.1	373.1	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	357.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
47.6	.....	23.8	41.6	44.6	23.8	130.8	11.9	38.6	11.9	5.9	3.0	38.6	17.8	8.9	86.2	68.4	8.9	225.9	8.9	25
53.5	11.9	14.9	32.7	47.6	20.8	136.8	14.9	56.5	3.0	3.0	11.9	68.4	3.0	5.9	119.0	59.5	.....	226.1	38.7	26
42.3	.....	26.0	42.3	42.3	19.5	133.5	13.0	39.1	9.8	6.5	3.3	39.1	13.0	9.8	81.4	71.6	6.5	218.1	9.8	27
48.9	9.8	16.3	32.6	42.4	16.3	123.8	13.0	52.1	3.3	3.3	13.0	65.2	3.3	6.5	110.8	48.9	.....	218.3	42.4	28
102.5	.....	.....	34.2	68.4	68.4	102.5	.....	34.2	34.2	.....	.....	34.2	68.4	.....	136.7	34.2	34.2	307.6	.....	29
102.7	34.2	.....	34.2	102.7	68.5	274.0	34.2	102.7	.....	.....	.....	102.7	.....	.....	205.5	171.2	.....	308.2	.....	30
20.0	5.0	.....	55.0	55.0	10.0	115.1	20.0	55.0	10.0	.....	.....	30.0	.....	5.0	40.0	60.0	15.0	185.1	15.0	31
35.0	.....	30.0	40.0	75.1	10.0	85.1	25.0	35.0	5.0	.....	5.0	70.1	15.0	10.0	70.1	30.0	5.0	185.2	35.0	32
20.4	5.1	.....	56.0	56.0	10.2	117.1	20.4	56.0	10.2	.....	.....	30.5	.....	5.1	40.7	56.0	15.3	173.0	15.3	33
35.7	.....	30.6	40.7	66.2	10.2	86.6	25.5	35.7	5.1	.....	5.1	71.3	15.3	10.2	71.3	30.6	5.1	183.3	35.7	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	298.5	.....	895.5	.....	35
.....	.....	.....	.....	586.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	293.3	.....	36
51.1	17.0	.....	8.5	68.1	8.5	110.7	.....	59.6	.....	.....	.....	76.6	8.5	.....	51.1	34.1	8.5	263.9	34.1	37
17.0	.....	17.0	25.5	50.9	25.5	76.4	.....	25.5	.....	.....	8.5	67.9	.....	17.0	59.4	17.0	8.5	144.2	50.9	38
57.6	19.2	.....	9.6	57.6	9.6	124.8	.....	67.2	.....	.....	.....	86.4	9.6	.....	38.4	28.8	9.6	268.8	38.4	39
19.1	.....	9.6	28.7	57.4	28.7	67.0	.....	28.7	.....	.....	9.6	76.6	.....	19.1	57.4	19.1	9.6	153.1	47.9	40
.....	.....	.....	.....	150.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150.5	75.3	.....	225.7	.....	41
.....	.....	74.8	.....	.....	.....	149.6	.....	.....	.....	.....	.....	.....	.....	.....	74.8	.....	.....	74.8	74.8	42
41.1	.....	41.1	25.7	51.4	20.6	138.7	10.3	143.9	.....	5.1	.....	41.1	10.3	15.4	118.2	102.8	5.1	164.4	61.7	43
67.9	5.2	20.9	20.9	83.5	26.1	156.6	15.7	41.8	5.2	.....	15.7	47.0	10.4	5.2	83.5	114.9	5.2	156.6	57.4	44
41.7	.....	41.7	26.1	52.1	20.9	135.6	10.4	146.0	.....	5.2	.....	41.7	10.4	15.6	119.9	104.3	5.2	166.8	62.6	45
68.9	5.3	21.2	21.2	79.5	26.5	159.0	15.9	42.4	5.3	.....	15.9	47.7	10.6	5.3	84.8	111.3	5.3	153.7	58.3	46
.....	.....	.....	.....	.....	.....	353.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	350.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	350.9	.....	350.9	.....	48
11.9	23.9	.....	47.7	71.6	.....	47.7	.....	71.6	.....	11.9	23.9	95.4	35.8	11.9	35.8	47.7	47.7	262.4	23.9	49
71.2	35.6	11.9	23.7	106.8	23.7	154.3	.....	47.5	.....	11.9	35.6	59.4	11.9	.....	83.1	23.7	11.9	154.3	23.7	50
12.8	25.6	.....	38.3	63.9	.....	51.1	.....	76.7	.....	12.8	12.8	89.4	38.3	12.8	25.6	51.1	51.1	268.3	25.6	51
63.6	38.2	12.7	25.4	76.3	25.4	152.7	.....	50.9	.....	12.7	25.4	50.9	12.7	.....	89.0	25.4	12.7	152.7	12.7	52
.....	.....	.....	179.5	179.5	.....	.....	.....	.....	.....	.....	179.5	179.5	.....	.....	179.5	.....	.....	179.5	.....	53
177.6	.....	.....	.....	532.9	.....	177.6	.....	.....	.....	.....	177.6	177.6	.....	.....	.....	.....	.....	177.6	177.6	54
17.7	13.3	17.7	39.8	66.3	26.5	114.9	.....	48.6	13.3	4.4	4.4	57.5	4.4	8.8	61.9	66.3	.....	265.3	39.8	55
66.2	17.7	4.4	66.2	57.4	13.2	57.4	13.2	44.2	8.8	22.1	.....	110.4	4.4	8.8	92.7	70.7	4.4	282.6	17.7	56
14.4	9.6	19.2	43.3	62.5	28.8	110.6	.....	48.1	14.4	4.8	.....	52.9	4.8	9.6	62.5	62.5	.....	211.5	43.3	57
62.5	19.2	.....	52.9	52.9	14.4	57.7	14.4	48.0	9.6	14.4	.....	115.3	4.8	9.6	91.3	67.3	4.8	288.3	9.6	58
54.9	54.9	.....	.....	109.9	.....	164.8	.....	54.9	.....	.....	54.9	109.9	.....	.....	54.9	109.9	.....	879.1	.....	59
109.2	.....	54.6	218.5	109.2	.....	54.6	.....	.....	.....	109.2	.....	54.6	.....	.....	109.2	109.2	.....	218.5	109.2	60
18.5	.....	18.5	18.5	27.8	.....	64.8	27.8	74.1	.....	9.3	.....	.....	.....	9.3	37.0	55.6	.....	138.9	74.1	61
9.3	.....	.....	.....	18.6	9.3	83.9	18.6	9.3	.....	.....	.....	.....	.....	.....	65.3	65.3	.....	102.5	83.9	62
19.6	.....	19.6	19.6	29.4	.....	68.5	29.4	78.3	.....	9.8	.....	.....	.....	9.8	39.1	58.7	.....	146.8	78.3	63
9.9	.....	.....	.....	19.7	9.9	88.7	19.7	9.9	.....	.....	.....	.....	.....	.....	69.0	69.0	.....	108.4	69.0	64
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	65
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	346.6	66
98.0	6.1	30.6	49.0	98.0	.....	73.5	18.4	49.0	12.3	6.1	.....	91.9	.....	.....	49.0	85.8	18.4	177.7	.....	67
60.6	18.2	12.1	90.9	145.5	24.2	175.8	18.2	30.3	6.1	.....	18.2	90.9	6.1	12.1	60.6	90.9	12.1	278.9	12.1	68
75.2	6.8	20.5	54.7	75.2	.....	68.4	20.5	54.7	13.7	6.8	.....	68.4	.....	.....	41.0	68.4	20.5	143.6	.....	69
67.7	20.3	13.5	94.7	148.9	20.3	148.9	20.3	33.8	6.8	.....	13.5	94.7	6.8	13.5	67.7	60.9	6.8	263.9	6.8	70
295.2	.....	118.1	.....	295.2	.....	118.1	.....	.....	.....	.....	.....	295.2	.....	.....	118.1	236.1	.....	472.3	.....	71
.....	.....	.....	58.2	116.4	58.2	407.5	.....	.....	.....	.....	58.2	58.2	.....	.....	.....	349.2	58.2	407.5	58.2	72
27.6	.....	22.1	38.7	105.0	.....	82.9	11.0	38.7	.....	.....	11.0	88.4	.....	16.6	82.9	66.3	5.5	243.1	55.2	73
33.1	16.6	33.1	44.1	66.2	11.0	71.7	16.6	16.6	.....	5.5	.....	93.8	11.0	11.0	77.2	49.7	.....	171.0	60.7	74
31.0	.....	12.4	43.4	74.4	.....	86.9	12.4	43.4	.....	.....	12.4	74.4	.....	18.6	68.2	68.2	6.2	223.3	37.2	75
31.0	18.6	31.0	49.6	74.4	12.4	74.4	18.6	18.6	.....	6.2	.....	93.0	6.2	12.4	74.4	49.6	.....	161.2	24.8	76
.....	.....	100.9	.....	353.0	.....	50.4	.....	.....	.....	.....	.....	201.7	.....	.....	201.7	50.4	.....	403.4	201.7	77
50.2	.....	50.2	.....	.....	.....	50.2	.....	.....	.....	.....	.....	100.4	50.2	.....	100.4	50.2	.....	250.9	351.2	78

[3] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	KENTUCKY—continued.															
1	Henderson County (total)	1913	1,436.2	48.9	18.3	.....	6.1	.....	12.2	42.8	36.7	12.2	171.1	.....	24.4	6.1
2		1912	1,324.1	47.5	23.8	.....	.....	.....	11.9	23.8	23.8	5.9	195.9	5.9	29.7	11.9
3	White	1913	1,214.2	38.7	23.2	.....	7.7	.....	15.5	54.1	38.7	15.5	92.8	.....	23.2	.....
4		1912	1,241.7	30.1	30.1	.....	.....	.....	15.1	30.1	22.6	7.5	135.5	7.5	22.6	15.1
5	Colored	1913	2,272.1	87.4	.....	.....	.....	.....	.....	.....	29.1	.....	466.1	.....	29.1	29.1
6		1912	1,632.0	112.5	.....	.....	.....	.....	.....	.....	28.1	.....	422.1	.....	56.3	.....
7	Henry County (total)	1913	1,340.9	96.8	.....	.....	7.4	.....	7.4	14.9	37.2	.....	216.0	.....	14.9	29.8
8		1912	1,413.2	59.2	.....	.....	.....	7.4	37.0	14.8	22.2	7.4	266.4	14.8	7.4	7.4
9	White	1913	1,268.2	60.0	.....	.....	8.6	.....	8.6	17.1	34.3	.....	214.2	.....	.....	34.3
10		1912	1,251.7	59.6	.....	.....	.....	8.5	25.4	17.0	25.5	8.5	246.9	8.5	8.5	.....
11	Colored	1913	1,824.4	342.1	.....	.....	.....	.....	.....	.....	57.0	.....	228.1	.....	114.0	.....
12		1912	2,484.5	56.5	.....	.....	.....	.....	112.9	.....	.....	.....	395.3	56.5	.....	56.5
13	Hickman County (total)	1913	1,217.0	85.1	34.0	.....	.....	.....	34.0	8.5	8.5	.....	221.3	.....	25.5	.....
14		1912	1,412.8	42.6	17.0	.....	.....	.....	.....	25.5	17.0	.....	221.3	.....	.....	8.5
15	White	1913	1,122.9	70.2	40.1	.....	.....	.....	40.1	10.0	.....	.....	200.5	.....	30.1	.....
16		1912	1,272.5	50.1	20.0	.....	.....	.....	.....	20.0	10.0	.....	180.4	.....	.....	10.0
17	Colored	1913	1,745.5	168.9	.....	.....	.....	.....	.....	.....	56.3	.....	337.8	.....	.....	.....
18		1912	2,203.4	.....	.....	.....	.....	.....	.....	56.5	56.5	.....	452.0	.....	.....	.....
19	Hopkins County (total)	1913	1,283.9	62.2	11.3	.....	11.3	.....	28.3	11.3	14.1	5.7	203.6	2.8	8.5	5.7
20		1912	1,378.9	48.5	8.6	.....	.....	.....	20.0	17.1	34.3	.....	234.1	5.7	22.8	17.1
21	White	1913	1,205.1	49.0	10.5	.....	7.0	.....	28.0	10.5	10.5	7.0	189.2	3.5	3.5	7.0
22		1912	1,342.7	49.5	7.1	.....	.....	.....	24.7	21.2	38.9	.....	222.6	7.1	24.7	14.1
23	Colored	1913	1,614.1	117.4	14.7	.....	29.3	.....	29.3	14.7	29.3	.....	264.1	.....	29.3	.....
24		1912	1,531.4	44.6	14.9	.....	.....	.....	.....	.....	14.9	.....	282.5	.....	14.9	29.7
25	Jackson County† (total)	1913	1,149.3	55.6	.....	.....	27.8	.....	64.9	37.1	18.5	.....	139.0	.....	9.3	.....
26		1912	668.4	27.8	.....	.....	18.6	9.3	.....	18.6	18.6	.....	74.3	9.3	9.3	9.3
27	White	1913	1,151.7	55.7	.....	.....	27.9	.....	65.0	37.2	18.6	.....	139.3	.....	9.3	.....
28		1912	670.1	27.9	.....	.....	18.6	9.3	.....	18.6	18.6	.....	74.5	9.3	9.3	9.3
29	Colored [3]	1913	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30		1912	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Jefferson County* (total)	1913	1,854.9	37.9	7.6	.....	7.6	2.5	25.3	15.2	5.1	5.1	495.3	5.1	10.1	12.6
32		1912	1,713.4	19.8	2.5	.....	.....	9.9	5.0	27.2	5.0	7.4	463.0	5.0	9.9	7.4
33	White	1913	1,673.6	32.4	5.9	.....	8.8	2.9	26.5	17.6	5.9	5.9	379.4	5.9	11.8	5.9
34		1912	1,547.5	17.2	2.9	.....	.....	11.5	5.7	31.5	5.7	8.6	352.5	2.9	8.6	5.7
35	Colored	1913	2,961.8	71.8	18.0	.....	.....	.....	18.0	.....	.....	.....	1,202.7	.....	.....	53.9
36		1912	2,766.7	36.4	.....	.....	.....	.....	.....	.....	.....	.....	1,164.9	18.2	18.2	18.2
37	Jessamine County (total)	1913	1,550.4	31.2	.....	.....	.....	.....	15.6	15.6	7.8	.....	171.4	15.6	15.6	7.8
38		1912	1,229.8	62.7	.....	.....	.....	.....	.....	15.7	15.7	7.8	188.0	23.5	15.7	7.8
39	White	1913	1,458.7	10.2	.....	.....	.....	.....	20.4	20.4	.....	.....	163.2	20.4	20.4	10.2
40		1912	1,075.5	61.5	.....	.....	.....	.....	.....	.....	20.5	10.2	174.1	30.7	10.2	10.2
41	Colored	1913	1,847.0	98.9	.....	.....	.....	.....	.....	.....	33.0	.....	197.9	.....	.....	.....
42		1912	1,731.6	66.6	.....	.....	.....	.....	.....	66.6	.....	.....	233.1	.....	33.3	.....
43	Johnson County (total)	1913	1,149.7	74.9	.....	.....	26.7	.....	5.3	32.1	.....	.....	107.0	.....	10.7	.....
44		1912	1,233.6	43.7	.....	.....	.....	.....	5.5	87.3	5.5	5.5	152.8	.....	38.2	.....
45	White	1913	1,147.5	75.1	.....	.....	26.8	.....	5.4	32.2	.....	.....	107.2	.....	10.7	.....
46		1912	1,226.5	43.8	.....	.....	.....	.....	5.5	87.6	5.5	5.5	153.3	.....	38.3	.....
47	Colored [3]	1913	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
48		1912	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Kenton County (total)	1913	1,192.1	11.6	.....	.....	11.6	11.6	17.4	.....	17.4	.....	144.7	.....	11.6	11.6
50		1912	1,103.4	23.2	.....	.....	.....	.....	.....	34.8	23.2	.....	104.5	.....	11.6	5.8
51	White	1913	1,151.1	11.8	.....	.....	11.8	11.8	17.7	.....	17.7	.....	124.0	.....	11.8	11.8
52		1912	1,083.6	17.8	.....	.....	.....	.....	.....	35.5	23.7	.....	88.8	.....	11.8	5.9
53	Colored [3]	1913	3,235.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1,176.5	.....	.....	.....
54		1912	2,108.4	301.2	.....	.....	.....	.....	.....	.....	.....	.....	903.6	.....	.....	.....
55	Knott County (total)	1913	723.8	69.8	.....	.....	43.6	.....	.....	61.0	.....	8.7	87.2	.....	8.7	.....
56		1912	843.9	71.1	.....	.....	.....	.....	.....	151.0	.....	8.9	133.3	.....	17.8	.....
57	White	1913	725.8	70.8	.....	.....	44.3	.....	.....	62.0	.....	8.9	88.5	.....	8.9	.....
58		1912	847.9	72.2	.....	.....	.....	.....	.....	153.3	.....	9.0	135.3	.....	18.0	.....
59	Colored [3]	1913	588.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60		1912	584.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Knox County (total)	1913	1,238.6	29.6	.....	.....	16.9	4.2	55.0	38.0	4.2	.....	148.0	4.2	16.9	.....
62		1912	1,311.7	21.6	.....	.....	12.9	4.3	21.6	34.5	34.5	.....	142.4	8.6	21.6	8.6
63	White	1913	1,195.0	31.1	.....	.....	17.8	4.4	53.3	40.0	4.4	.....	137.7	.....	13.3	.....
64		1912	1,233.6	22.7	.....	.....	13.6	.....	18.1	36.3	31.7	.....	122.4	9.1	18.1	9.1
65	Colored [3]	1913	2,094.2	.....	.....	.....	.....	.....	87.3	.....	.....	.....	349.0	87.3	87.3	.....
66		1912	2,841.9	.....	.....	.....	.....	88.8	88.8	.....	88.8	.....	532.9	.....	88.8	.....
67	Larue County (total)	1913	1,273.2	28.1	.....	.....	37.4	.....	.....	9.4	28.1	.....	243.4	9.4	65.5	18.7
68		1912	1,366.0	37.4	.....	.....	.....	.....	46.8	18.7	46.8	.....	262.0	9.4	9.4	.....
69	White	1913	1,252.8	30.3	.....	.....	40.4	.....	.....	10.1	30.3	.....	222.3	10.1	70.7	10.1
70		1912	1,333.3	40.4	.....	.....	.....	.....	50.5	20.2	50.5	.....	252.5	10.1	10.1	.....
71	Colored [3]	1913	1,530.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	510.2	.....	.....	127.6
72		1912	1,776.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	380.7	.....	.....	.....
73	Laurel County (total)	1913	858.7	34.0	.....	.....	63.1	.....	9.7	4.9	9.7	9.7	87.3	4.9	14.6	.....
74		1912	839.0	39.3	.....	.....	.....	.....	44.2	34.3	4.9	4.9	93.2	.....	4.9	.....
75	White	1913	848.4	25.1	.....	.....	65.3	.....	10.0	5.0	10.0	10.0	85.3	5.0	15.[illegible]	.....
76		1912	822.6	40.6	.....	.....	.....	.....	45.7	35.5	5.1	5.1	81.2	.....	5.1	.....
77	Colored [3]	1913	1,157.7	289.4	.....	.....	.....	.....	.....	.....	.....	.....	144.7	.....	.....	.....
78		1912	1,310.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	436.7	.....	.....	.....

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
36.7	6.1	12.2	24.4	61.1	30.6	103.9	12.2	48.9	12.2	6.1	.....	67.2	12.2	6.1	183.3	55.0	12.2	342.2	24.4	1
41.6	5.9	23.8	35.6	65.3	23.8	100.9	17.8	41.6	.....	17.8	.....	83.1	.....	17.8	154.4	89.1	5.9	195.9	23.8	2
38.7	7.7	15.5	30.9	54.1	7.7	116.0	15.5	46.4	15.5	7.7	.....	54.1	15.5	7.7	131.5	30.9	15.5	278.4	15.5	3
45.2	7.5	22.6	45.2	67.7	22.6	97.8	15.1	37.6	.....	22.6	.....	45.2	.....	22.6	150.5	82.8	7.5	210.7	22.6	4
29.1	.....	.....	.....	87.4	116.5	58.3	.....	58.3	.....	.....	.....	116.5	.....	.....	378.7	145.6	.....	582.6	58.3	5
28.1	.....	28.1	.....	56.3	28.1	112.5	28.1	56.3	.....	.....	.....	225.1	.....	.....	168.8	112.5	.....	140.7	28.1	6
59.6	14.9	29.8	37.2	74.5	14.9	74.5	7.4	96.8	14.9	7.4	14.9	111.7	.....	.....	59.6	59.6	14.9	208.6	14.9	7
74.0	.....	.....	59.2	118.4	29.6	81.4	7.4	44.4	14.8	.....	.....	66.6	7.4	7.4	44.4	59.2	14.8	325.6	14.8	8
60.0	17.1	25.7	42.8	68.6	17.1	77.1	8.6	102.8	8.6	8.6	17.1	102.8	.....	.....	60.0	60.0	17.1	197.1	.....	9
76.6	.....	.....	51.1	127.7	17.0	51.1	8.5	42.6	17.0	.....	.....	42.6	8.5	8.5	42.6	51.1	17.0	264.0	17.0	10
57.0	.....	57.0	.....	114.0	.....	57.0	.....	57.0	57.0	.....	.....	171.0	.....	.....	57.0	57.0	.....	285.1	114.0	11
56.5	.....	.....	112.9	56.5	112.9	282.3	.....	56.5	.....	.....	.....	225.9	.....	.....	56.5	112.9	.....	734.0	.....	12
17.0	8.5	17.0	25.5	42.6	8.5	127.7	8.5	42.6	8.5	8.5	.....	51.1	8.5	8.5	51.1	93.6	8.5	187.2	76.6	13
25.5	.....	25.5	42.6	68.1	.....	212.8	.....	68.1	.....	8.5	.....	93.6	8.5	25.5	110.6	68.1	17.0	263.8	42.6	14
20.1	10.0	10.0	30.1	30.1	10.0	120.3	10.0	50.1	10.0	.....	.....	40.1	10.0	.....	60.2	90.2	10.0	160.4	60.2	15
30.1	.....	20.0	50.1	30.1	.....	200.4	.....	80.2	.....	.....	.....	70.1	10.0	20.0	130.3	70.1	20.0	230.5	20.0	16
.....	.....	56.3	.....	112.6	.....	168.9	.....	.....	.....	56.3	.....	112.6	.....	56.3	.....	112.6	.....	337.8	168.9	17
.....	.....	56.5	.....	282.5	.....	282.5	.....	.....	.....	56.5	.....	226.0	.....	56.5	.....	56.5	.....	452.0	169.5	18
36.8	8.5	25.5	25.5	90.5	8.5	87.7	11.3	73.5	19.8	17.0	2.8	39.6	8.5	2.8	107.5	70.7	11.3	254.5	17.0	19
40.0	14.3	17.1	51.4	68.5	8.6	85.6	5.7	74.2	8.6	17.1	2.9	71.4	8.6	5.7	82.8	97.1	8.6	239.8	62.8	20
35.0	10.5	24.5	17.5	77.1	7.0	87.6	10.5	73.6	24.5	14.0	3.5	42.0	3.5	.....	101.6	63.1	14.0	252.2	17.5	21
42.4	14.1	21.2	42.4	56.5	.....	84.8	7.1	70.7	7.1	17.7	3.5	74.2	10.6	7.1	74.2	77.7	10.6	247.3	63.6	22
44.0	.....	29.3	58.7	146.7	14.7	88.0	14.7	73.4	.....	29.3	.....	29.3	29.3	14.7	132.1	102.7	.....	264.1	14.7	23
29.7	14.9	.....	89.2	118.9	44.6	89.2	.....	89.2	14.9	14.9	.....	59.5	.....	.....	118.9	178.4	.....	208.1	59.5	24
18.5	.....	27.8	9.3	64.9	9.3	74.1	.....	83.4	18.5	18.5	9.3	27.8	.....	18.5	129.8	55.6	.....	257.6	74.1	25
9.3	.....	18.6	.....	55.7	18.6	55.7	9.3	37.1	9.3	9.3	9.3	27.8	.....	.....	.....	18.6	.....	120.7	74.3	26
18.6	.....	27.9	9.3	65.0	9.3	74.3	.....	83.6	18.6	18.6	9.3	27.9	.....	18.6	130.0	55.7	.....	157.9	74.3	27
9.3	.....	18.6	.....	55.8	18.6	55.8	9.3	37.2	9.3	9.3	9.3	27.9	.....	.....	.....	18.6	.....	121.0	74.5	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
68.2	22.7	5.1	60.7	164.3	30.3	103.6	20.2	45.5	7.6	10.1	20.2	116.2	5.1	5.1	85.9	80.9	7.6	351.3	15.2	31
39.6	5.0	24.8	54.5	195.6	12.4	81.7	34.7	34.7	.....	2.5	9.9	111.4	2.5	.....	86.7	79.2	14.9	346.6	14.9	32
64.7	20.6	5.9	58.8	147.1	35.3	102.9	17.6	47.1	5.9	8.8	20.6	105.9	.....	5.9	91.2	70.6	5.9	335.3	14.7	33
43.0	2.9	25.8	51.6	180.5	14.3	65.9	31.5	34.4	.....	2.9	11.5	106.0	2.9	.....	94.6	65.9	17.2	329.6	14.3	34
89.8	35.9	.....	71.8	269.3	.....	107.7	35.9	35.9	18.0	18.0	18.0	179.5	35.9	.....	53.9	143.6	18.0	448.8	18.0	35
18.2	18.2	18.2	72.8	291.2	.....	182.0	54.6	36.4	.....	.....	.....	145.6	.....	.....	36.4	163.8	.....	455.0	18.2	36
109.1	15.6	15.6	54.5	171.4	.....	109.1	31.2	31.2	7.8	15.6	23.4	148.0	7.8	7.8	70.1	179.2	.....	225.9	46.7	37
47.0	.....	15.7	31.3	78.3	23.5	101.8	31.3	23.5	.....	7.8	7.8	78.3	.....	.....	101.8	62.7	7.8	227.2	47.0	38
122.4	20.4	10.2	40.8	163.2	.....	91.8	20.4	40.8	.....	20.4	20.4	122.4	10.2	10.2	61.2	163.2	.....	214.2	61.2	39
41.0	.....	10.2	10.2	81.9	30.7	81.9	10.2	30.7	.....	10.2	10.2	81.9	.....	.....	122.9	41.0	10.2	163.9	20.5	40
66.0	.....	33.0	98.9	197.9	.....	164.9	66.0	.....	33.0	.....	33.0	230.9	.....	.....	98.9	230.9	.....	263.9	.....	41
66.6	.....	33.3	99.9	66.6	.....	166.5	99.9	.....	.....	.....	.....	66.6	.....	.....	33.3	133.2	.....	432.9	133.2	42
.....	5.3	37.4	32.1	64.2	.....	80.2	10.7	85.6	10.7	32.1	10.7	32.1	.....	.....	160.4	64.2	.....	251.3	16.0	43
27.3	5.5	43.7	21.8	76.4	16.4	92.8	10.9	81.9	.....	5.5	10.9	16.4	10.9	.....	141.9	109.2	.....	158.3	65.5	44
.....	5.4	37.5	32.2	64.3	.....	80.4	10.7	85.8	10.7	32.2	10.7	32.2	.....	.....	160.9	59.0	.....	252.0	16.1	45
27.4	5.5	43.8	21.9	71.2	16.4	93.1	11.0	82.1	.....	5.5	11.0	16.4	11.0	.....	142.4	104.0	.....	158.8	65.7	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	.....	.....	.....	47
.....	.....	.....	.....	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	.....	.....	.....	48
63.7	11.6	11.6	57.9	109.9	5.8	138.9	23.1	40.5	.....	.....	17.4	81.0	.....	.....	98.4	75.2	5.8	202.5	11.6	49
40.7	5.8	17.4	58.1	104.5	11.6	81.3	23.2	34.8	.....	.....	23.2	92.9	11.6	5.8	92.9	69.7	11.6	203.3	11.6	50
64.9	11.8	11.8	59.0	106.3	5.9	129.9	23.6	41.3	.....	.....	17.7	76.7	.....	.....	94.4	70.8	5.9	206.6	5.9	51
41.4	5.9	17.8	59.2	106.6	11.8	82.9	23.7	35.5	.....	.....	23.7	88.8	11.8	5.9	82.9	71.1	11.8	207.2	11.8	52
.....	.....	.....	.....	294.1	.....	588.2	.....	.....	.....	.....	.....	294.1	.....	.....	294.1	294.1	.....	.....	294.1	53
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	301.2	.....	.....	602.4	.....	.....	.....	.....	54
17.4	.....	26.2	8.7	8.7	.....	61.0	8.7	43.6	.....	.....	.....	8.7	8.7	.....	52.3	8.7	.....	148.2	43.6	55
8.9	.....	17.8	.....	26.7	.....	35.5	26.7	26.7	.....	.....	.....	.....	8.9	8.9	8.9	35.5	8.9	71.1	177.7	56
17.7	.....	26.6	8.9	8.9	.....	62.0	8.9	44.3	.....	.....	.....	8.9	8.9	.....	53.1	8.9	.....	141.6	44.3	57
9.0	.....	18.0	.....	27.1	.....	36.1	27.1	27.1	.....	.....	.....	.....	9.0	9.0	9.0	36.1	9.0	72.2	171.4	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	588.2	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	583.8	60
16.9	12.7	25.4	38.0	80.3	4.2	93.0	8.5	84.5	.....	12.7	4.2	33.8	.....	16.9	80.3	139.5	4.2	198.7	67.6	61
38.8	8.6	21.6	30.2	51.8	21.6	94.9	8.6	64.7	.....	4.3	8.6	43.1	.....	12.9	107.9	103.6	4.3	280.5	94.9	62
17.8	13.3	22.2	26.7	80.0	4.4	88.8	8.9	80.0	.....	13.3	4.4	35.5	.....	17.8	84.4	119.9	4.4	199.9	71.1	63
40.8	9.1	22.7	27.2	54.4	18.1	95.2	9.1	68.0	.....	4.5	9.1	40.8	.....	13.6	104.3	77.1	4.5	254.0	99.8	64
.....	.....	87.3	261.8	87.3	.....	174.5	.....	174.5	.....	.....	.....	.....	.....	.....	.....	523.6	.....	174.5	.....	65
.....	.....	.....	88.8	.....	88.8	88.8	.....	.....	.....	.....	.....	88.8	.....	.....	177.6	621.7	.....	799.3	.....	66
56.2	.....	.....	.....	56.2	.....	131.1	9.4	18.7	.....	18.7	9.4	187.2	9.4	9.4	93.6	56.2	.....	168.5	9.4	67
65.5	.....	37.4	46.8	112.3	37.4	56.1	.....	37.4	.....	9.4	.....	149.7	.....	9.4	56.1	46.8	.....	233.9	37.4	68
60.6	.....	.....	.....	60.6	.....	121.2	10.1	20.2	.....	20.2	10.1	192.0	10.1	10.1	101.0	50.5	.....	151.5	10.1	69
70.7	.....	30.3	50.5	80.8	40.4	50.5	.....	40.4	.....	10.1	.....	161.6	.....	10.1	50.5	40.4	.....	232.3	30.3	70
.....	.....	.....	.....	.....	.....	255.1	.....	.....	.....	.....	.....	127.6	.....	.....	.....	127.6	.....	382.7	.....	71
.....	.....	126.9	.....	507.6	.....	126.9	.....	.....	.....	.....	.....	.....	.....	.....	126.9	126.9	.....	253.8	126.9	72
14.6	.....	29.1	34.0	24.3	4.9	101.9	4.9	48.5	9.7	4.9	9.7	24.3	.....	9.7	43.7	43.7	4.9	179.5	29.1	73
14.7	4.9	19.6	19.6	29.4	4.9	93.2	19.6	24.5	9.8	9.8	.....	29.4	9.8	14.7	39.3	54.0	4.9	147.2	63.8	74
10.0	.....	25.1	35.1	25.1	5.0	105.4	5.0	50.2	10.0	.....	10.0	25.1	.....	10.0	40.2	40.2	5.0	185.7	30.1	75
15.2	5.1	20.3	15.2	30.5	5.1	91.4	20.3	25.4	10.2	10.2	.....	30.5	10.2	15.2	40.6	50.8	.....	142.2	66.0	76
144.7	.....	144.7	.....	.....	.....	.....	.....	.....	.....	144.7	.....	.....	.....	.....	144.7	144.7	.....	.....	.....	77
.....	.....	.....	145.6	.....	.....	145.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	145.6	145.6	291.1	.....	78

[3] Colored population less than 10 per cent of total.

[4] Rate not shown when population is less than 100.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(87)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	KENTUCKY—continued.															
1	Lawrence County (total)	1913	1,004.2	54.4	.....	.....	9.9	.....	9.9	39.6	14.8	4.9	113.8	9.9	9.9	.....
2		1912	937.1	44.6	.....	.....	.....	.....	19.8	34.7	.....	5.0	128.9	.....	24.8	9.9
3	White	1913	992.5	54.9	.....	.....	10.0	.....	10.0	39.9	15.0	5.0	114.7	10.0	10.0	.....
4		1912	940.1	45.0	.....	.....	.....	.....	20.0	35.0	.....	5.0	130.0	.....	25.0	10.0
5	Colored [3]	1913	2,424.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6		1912	581.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Lee County (total)	1913	976.9	59.8	.....	.....	10.0	.....	10.0	49.8	10.0	10.0	119.6	.....	29.9	10.0
8		1912	840.4	40.5	.....	.....	.....	.....	.....	20.3	.....	10.1	121.5	.....	10.1	.....
9	White	1913	930.0	61.3	.....	.....	10.2	.....	10.2	51.1	10.2	10.2	112.4	.....	30.7	10.2
10		1912	820.4	41.5	.....	.....	.....	.....	.....	20.8	.....	10.4	114.2	.....	10.4	.....
11	Colored [3]	1913	2,834.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	404.9	.....	.....	.....
12		1912	1,626.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	406.5	.....	.....	.....
13	Leslie County (total)	1913	732.1	61.9	10.3	.....	30.9	.....	41.2	72.2	.....	.....	82.5	.....	.....	.....
14		1912	760.1	10 6	.....	.....	10.6	.....	42.2	105.6	.....	10.6	73.9	.....	.....	.....
15	White	1913	732.7	62.8	10.5	.....	31.4	.....	41.9	73.3	.....	.....	83.7	.....	.....	.....
16		1912	771.7	10.7	.....	.....	10.7	.....	42.9	107.2	.....	10.7	75.0	.....	.....	.....
17	Colored [3]	1913	694.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18		1912	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Letcher County (total)	1913	892.4	54.1	.....	.....	63.1	.....	45.1	45.1	.....	.....	54.1	.....	.....	.....
20		1912	877.0	9.1	.....	.....	9.1	.....	.....	100.5	27.4	.....	109.6	.....	18.3	.....
21	White	1913	839.7	54.2	.....	.....	63.2	.....	45.1	36.1	.....	.....	54.2	.....	.....	.....
22		1912	842.2	9.2	.....	.....	9.2	.....	.....	100.7	27.5	.....	91.5	.....	18.3	.....
23	Colored [3]	1913	(4)	.....	.....	.....	.....	.....	.....	(4)	.....	.....	.....	.....	.....	.....
24		1912	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	.....	.....	.....
25	Lewis County (total)	1913	1,659.7	90.5	12.1	.....	30.2	.....	42.2	84.5	18.1	6.0	169.0	12.1	18.1	6.0
26		1912	1,379.9	72.0	6.0	.....	.....	6.0	.....	156.0	6.0	.....	186.0	6.0	36.0	12.0
27	White	1913	1,667.6	91.3	12.2	.....	30.4	.....	42.6	85.2	18.3	6.1	170.4	12.2	18.3	6.1
28		1912	1,361.8	72.6	6.1	.....	.....	6.1	.....	157.4	6.1	.....	181.6	6.1	36.3	12.1
29	Colored [3]	1913	724.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30		1912	3,424.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	684.9	.....	.....	.....
31	Lincoln County (total)	1913	1,210.9	71.6	.....	.....	27.5	.....	22.0	16.5	11.0	.....	198.2	11.0	16.5	22.0
32		1912	1,233.2	33.2	.....	.....	11.1	.....	.....	33.2	11.1	11.1	182.5	5.5	11.1	11.1
33	White	1913	1,115.4	79.2	.....	.....	33.0	.....	19.8	19.8	13.2	.....	138.6	6.6	19.8	19.8
34		1912	1,033.7	26.5	.....	.....	.....	.....	.....	33.1	13.3	6.6	125.9	.....	13.3	6.6
35	Colored	1913	1,691.0	33.2	.....	.....	.....	.....	33.2	.....	.....	.....	497.3	33.2	.....	33.2
36		1912	2,239.3	66.8	.....	.....	66.8	.....	.....	33.4	.....	33.4	467.9	33.4	.....	33.4
37	Livingston County (total)	1913	1,183.5	67.4	57.7	.....	.....	.....	.....	.....	.....	.....	230.9	9.6	9.6	9.6
38		1912	1,452.3	19.1	47.8	.....	.....	.....	.....	.....	.....	.....	86.0	.....	19.1	9.6
39	White	1913	1,098.8	61.6	51.3	.....	.....	.....	.....	.....	.....	.....	164.3	.....	10.3	10.3
40		1912	1,438.5	10.2	51.0	.....	.....	.....	.....	.....	.....	.....	81.6	.....	20.4	10.2
41	Colored [3]	1913	2,442.7	152.7	152.7	.....	.....	.....	.....	.....	.....	.....	1,221.4	152.7	.....	.....
42		1912	1,656.6	150.6	.....	.....	.....	.....	.....	.....	.....	.....	150.6	.....	.....	.....
43	Logan County (total)	1913	1,241.5	44.6	12.2	.....	.....	.....	24.3	12.2	16.2	.....	223.2	20.3	16.2	4.1
44		1912	1,313.1	44.4	20.2	.....	.....	4.0	44.4	20.2	40.4	8.1	206.1	16.2	.....	4.0
45	White	1913	1,125.8	36.1	10.3	.....	.....	.....	20.7	10.3	20.7	.....	191.1	25.8	15.5	.....
46		1912	1,188.5	41.2	5.1	.....	.....	5.1	30.9	25.7	46.3	10.3	169.8	15.4	.....	5.1
47	Colored	1913	1,665.7	75.7	18.9	.....	.....	.....	37.9	18.9	.....	.....	340.7	.....	18.9	18.9
48		1912	1,769.2	56.5	75.3	.....	.....	.....	94.1	.....	18.8	.....	338.8	18.8	.....	.....
49	Lyon County (total)	1913	1,353.8	52.9	31.7	.....	.....	.....	21.2	10.6	31.7	.....	201.0	10.6	31.7	10.6
50		1912	1,228.2	42.4	.....	.....	.....	.....	.....	.....	.....	.....	211.8	10.6	21.2	.....
51	White	1913	1,125.8	39.3	26.2	.....	.....	.....	13.1	13.1	26.2	.....	117.8	13.1	26.2	.....
52		1912	981.9	39.3	.....	.....	.....	.....	.....	.....	.....	.....	104.7	13.1	.....	.....
53	Colored	1913	2,312.8	110.1	55.1	.....	.....	.....	55.1	.....	55.1	.....	550.7	.....	55.1	55.1
54		1912	2,269.0	55.3	.....	.....	.....	.....	.....	.....	.....	.....	664.1	.....	110.7	.....
55	McCracken County (total)	1913	955.9	45.2	37.6	.....	.....	.....	.....	15.1	37.6	7.5	135.5	7.5	7.5	.....
56		1912	1,063.2	30.8	61.6	.....	.....	.....	23.1	30.8	7.7	.....	138.7	7.7	15.4	7.7
57	White	1913	895.0	44.8	35.8	.....	.....	.....	.....	17.9	44.8	9.0	143.2	9.0	9.0	.....
58		1912	1,167.5	36.5	73.0	.....	.....	.....	27.4	36.5	9.1	.....	145.9	9.1	9.1	9.1
59	Colored	1913	1,277.8	47.3	47.3	.....	.....	.....	.....	.....	.....	.....	94.7	.....	.....	.....
60		1912	496.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	99.2	.....	49.6	.....
61	McLean County (total)	1913	1,378.0	22.2	37.0	.....	37.0	7.4	44.5	14.8	14.8	14.8	163.0	.....	37.0	14.8
62		1912	1,281.9	29.8	7.5	.....	.....	.....	.....	14.9	14.9	7.5	253.4	7.5	59.6	7.5
63	White	1913	1,312.0	23.6	31.4	.....	39.3	7.9	47.1	15.7	15.7	7.9	165.0	.....	39.3	15.7
64		1912	1,248.7	23.7	7.9	.....	.....	.....	.....	15.8	15.8	7.9	245.0	7.9	55.3	7.9
65	Colored [3]	1913	2,470.7	.....	130.0	.....	.....	.....	.....	.....	.....	130.0	130.0	.....	.....	.....
66		1912	1,830.1	130.7	.....	.....	.....	.....	.....	.....	.....	.....	392.2	.....	130.7	.....
67	Madison County (total)	1913	1,299.9	21.9	.....	.....	3.7	.....	32.9	32.9	29.2	3.7	204.5	7.3	21.9	3.7
68		1912	1,075.2	18.3	3.7	.....	3.7	.....	3.7	40.4	11.0	.....	201.8	7.3	18.3	3.7
69	White	1913	1,275.5	23.2	.....	.....	4 6	.....	18.6	23.2	27.8	4.6	171.6	9.3	18.6	.....
70		1912	1,024.4	18.6	4.7	.....	4.7	.....	4 7	46.6	9.3	.....	163.0	9.3	18.6	.....
71	Colored	1913	1,390.1	17.2	.....	.....	.....	.....	85.8	68.6	34.3	.....	326.1	.....	34.3	17.2
72		1912	1,264.1	17.3	.....	.....	.....	.....	.....	17.3	17.3	.....	346.3	.....	17.3	17.3
73	Magoffin County (total)	1913	1,148.8	70.5	.....	.....	91.6	7.0	28.2	63.4	7.0	7.0	105.7	.....	21.1	.....
74		1912	1,048.4	57.1	7.1	.....	.....	.....	35 7	71.3	7.1	.....	149.8	.....	21.4	7.1
75	White	1913	1,068.7	64.1	.....	.....	85.5	7.1	28 5	57.0	7.1	7.1	85.5	.....	21.4	.....
76		1912	1,060.1	57.7	7.2	.....	.....	.....	36.1	72.1	7.2	.....	151.4	.....	21.6	7.2
77	Colored [3]	1913	8,496.7	653.6	.....	.....	653.6	.....	.....	653.6	.....	.....	1,960.8	.....	.....	.....
78		1912	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
34.6	.....	29.7	9.9	34.6	.....	74.2	.....	69.3	4.9	9.9	4.9	49.5	9.9	.....	94.0	39.6	4.9	207.8	59.4	1
14.9	9.9	19.8	19.8	49.6	5.0	74.4	14.9	74.4	.....	5.0	9.9	29.7	9.9	.....	54.5	34.7	.....	203.3	39.7	2
34.9	.....	29.9	10.0	34.9	.....	64.8	.....	69.8	5.0	10.0	5.0	49.9	10.0	.....	94.8	34.9	5.0	204.5	59.9	3
15.0	10.0	20.0	20.0	50.0	5.0	75.0	15.0	75.0	.....	5.0	10.0	30.0	10.0	.....	55.0	35.0	.....	205.0	35.0	4
.....	.....	.....	.....	.....	.....	1,212.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	606.1	.....	606.1	.....	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	581.4	6
29.9	.....	59.8	19.9	39.9	29.9	59.8	.....	39.9	10.0	10.0	.....	.....	.....	.....	39.9	159.5	.....	119.6	49.8	7
30.4	.....	30.4	20.3	20.3	.....	91.1	10.1	50.6	.....	.....	.....	50.6	.....	.....	20.3	101.3	10.1	111.4	91.1	8
20.4	.....	61.3	20.4	40.9	30.7	61.3	.....	40.9	10.2	.....	.....	.....	.....	.....	40.9	122.6	.....	122.6	51.1	9
31.2	.....	31.2	10.4	20.8	.....	83.1	10.4	51.9	.....	.....	.....	51.9	.....	.....	20.8	93.5	10.4	114.2	93.5	10
404.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	404.9	.....	.....	.....	.....	.....	1,619.4	.....	.....	.....	11
.....	.....	.....	406.5	.....	.....	406.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	406.5	.....	.....	.....	12
10.3	.....	.....	.....	20.6	10.3	41.2	.....	10.3	.....	.....	.....	.....	.....	10.3	10.3	103.1	.....	113.4	103.1	13
10.6	.....	21.1	31.7	31.7	.....	31.7	.....	.....	.....	.....	.....	.....	10.6	21.1	21.1	84.5	.....	52.8	190.0	14
10.5	.....	.....	.....	20.9	10.5	41.9	.....	10.5	.....	.....	.....	.....	.....	10.5	10.5	94.2	.....	115.1	104.7	15
10.7	.....	21.4	32.2	32.2	.....	32.2	.....	.....	.....	.....	.....	.....	10.7	21.4	21.4	85.7	.....	53.6	192.9	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	694.4	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	9.0	18.0	27.0	.....	63.1	18.0	117.2	9.0	.....	.....	27.0	27.0	9.0	81.1	99.2	.....	81.1	45.1	19
9.1	.....	18.3	9.1	36.5	.....	73.1	9.1	54.8	9.1	18.3	.....	9.1	9.1	27.4	73.1	118.8	.....	45.7	82.2	20
.....	.....	9.0	18.1	18.1	.....	54.2	18.1	108.3	9.0	.....	.....	27.1	27.1	9.0	81.3	90.3	.....	72.2	45.1	21
9.2	.....	18.3	9.2	36.6	.....	64.1	9.2	54.9	9.2	18.3	.....	9.2	9.2	27.5	73.2	109.8	.....	45.8	82.4	22
.....	.....	.....	.....	(4)	.....	(4)	.....	(4)	.....	.....	.....	.....	.....	.....	.....	(4)	.....	(4)	.....	23
.....	.....	.....	.....	.....	.....	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	.....	.....	.....	24
24.1	.....	102.6	60.4	156.9	12.1	78.5	24.1	169.0	6.0	12.1	6.0	84.5	6.0	6.0	84.5	72.4	.....	217.3	48.3	25
24.0	6.0	18.0	54.0	78.0	12.0	42.0	18.0	42.0	.....	12.0	.....	48.0	.....	18.0	84.0	66.0	.....	306.0	66.0	26
24.3	.....	103.5	60.9	158.2	12.2	79.1	24.3	170.4	6.1	12.2	6.1	79.1	6.1	6.1	85.2	73.0	.....	219.1	48.7	27
24.2	6.1	18.2	54.5	60.5	12.1	42.4	18.2	42.4	.....	12.1	.....	48.4	.....	18.2	84.7	60.5	.....	308.7	66.6	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	724.6	.....	.....	.....	.....	.....	.....	.....	29
.....	.....	.....	.....	2,054.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	684.9	.....	.....	.....	30
22.0	11.0	16.5	44.0	121.1	49.5	88.1	11.0	27.5	5.5	.....	.....	49.5	5.5	.....	82.6	38.5	.....	187.1	55.0	31
22.1	.....	16.6	38.7	99.5	27.7	99.5	5.5	33.2	16.6	5.5	11.1	83.0	5.5	5.5	71.9	77.4	16.6	237.8	49.8	32
26.4	6.6	13.2	39.6	132.0	52.8	85.8	13.2	26.4	.....	.....	.....	39.6	6.6	.....	79.2	33.0	.....	165.0	46.2	33
13.3	.....	13.3	39.8	79.5	19.9	72.9	6.6	33.1	6.6	.....	13.3	99.4	6.6	6.6	66.3	59.6	13.3	212.0	46.4	34
.....	33.2	33.2	66.3	66.3	33.2	99.5	.....	33.2	33.2	.....	.....	99.5	.....	.....	99.5	66.3	.....	238.4	99.5	35
66.8	.....	33.4	33.4	200.5	66.8	234.0	.....	33.4	66.8	33.4	.....	.....	.....	.....	100.3	167.1	33.4	367.6	66.8	36
57.7	.....	.....	9.6	38.5	19.2	115.5	19.2	38.5	9.6	9.6	.....	57.7	.....	38.5	125.1	38.5	9.6	182.8	28.9	37
57.3	9.6	38.2	86.0	57.3	28.7	305.8	.....	28.7	9.6	38.2	.....	114.7	9.6	9.6	114.7	57.3	.....	229.3	76.4	38
61.6	.....	.....	10.3	41.1	20.5	113.0	10.3	41.1	10.3	10.3	.....	61.6	.....	41.1	133.5	41.1	10.3	174.6	20.5	39
61.2	10.2	40.8	81.6	61.2	20.4	285.7	.....	30.6	10.2	30.6	.....	122.4	10.2	10.2	122.4	40.8	.....	244.8	81.6	40
.....	.....	.....	.....	.....	.....	152.7	152.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	305.3	152.7	41
.....	.....	.....	150.6	.....	150.6	602.4	.....	.....	.....	150.6	.....	.....	.....	.....	.....	301.2	.....	.....	.....	42
28.4	12.2	16.2	69.0	97.4	4.1	56.8	12.2	52.7	12.2	8.1	12.2	40.6	4.1	8.1	77.1	32.5	4.1	284.0	36.5	43
32.3	4.0	16.2	48.5	97.0	24.2	72.7	16.2	40.4	4.0	12.1	12.1	32.3	4.0	8.1	64.6	64.6	.....	299.0	52.5	44
36.1	15.5	20.7	67.1	93.0	5.2	51.6	10.3	51.6	10.3	10.3	15.5	36.1	5.2	5.2	51.6	31.0	5.2	253.0	20.7	45
41.2	5.1	20.6	51.4	56.6	20.6	66.9	15.4	36.0	5.1	5.1	10.3	25.7	5.1	.....	82.3	66.9	.....	272.7	46.3	46
.....	.....	.....	75.7	113.6	.....	75.7	18.9	56.8	18.9	.....	.....	56.8	.....	18.9	170.4	37.9	.....	397.5	94.6	47
.....	.....	.....	37.6	244.7	37.6	94.1	18.8	56.5	.....	37.6	18.8	56.5	.....	37.6	.....	56.5	.....	395.3	75.3	48
.....	.....	31.7	31.7	42.3	10.6	137.5	10.6	42.3	.....	10.6	.....	31.7	31.7	.....	84.6	148.1	21.2	243.3	74.0	49
21.2	.....	21.2	21.2	127.1	31.8	137.6	21.2	10.6	.....	10.6	31.8	31.8	21.2	10.6	52.9	158.8	.....	190.6	42.4	50
.....	.....	39.3	13.1	39.3	13.1	157.1	13.1	39.3	.....	13.1	.....	26.2	26.2	.....	91.6	52.4	26.2	235.6	65.5	51
26.2	.....	26.2	13.1	91.6	26.2	157.1	26.2	.....	.....	13.1	26.2	26.2	26.2	13.1	52.4	117.8	.....	144.0	39.3	52
.....	.....	.....	110.1	55.1	.....	55.1	.....	55.1	.....	.....	.....	55.1	55.1	.....	55.1	550.7	.....	275.3	110.1	53
.....	.....	.....	55.3	276.7	55.3	55.3	.....	55.3	.....	.....	55.3	55.3	.....	.....	55.3	332.0	.....	387.4	55.3	54
22.6	7.5	7.5	15.1	37.6	22.6	90.3	.....	45.2	.....	.....	7.5	45.2	7.5	.....	67.7	90.3	7.5	150.5	37.6	55
7.7	7.7	.....	23.1	77.0	.....	84.7	7.7	38.5	15.4	.....	7.7	69.3	.....	15.4	53.9	61.6	15.4	184.9	69.3	56
26.9	9.0	9.0	17.9	35.8	9.0	89.5	.....	44.8	.....	.....	9.0	35.8	.....	.....	62.7	62.7	9.0	134.3	26.9	57
9.1	9.1	.....	27.4	73.0	.....	91.2	9.1	36.5	18.2	.....	9.1	82.1	.....	18.2	63.8	73.0	18.2	200.7	73.0	58
.....	.....	.....	.....	47.3	94.7	94.7	.....	47.3	.....	.....	.....	94.7	47.3	.....	94.7	236.6	.....	236.6	94.7	59
.....	.....	.....	.....	99.2	.....	49.6	.....	49.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	99.2	49.6	60
51.9	7.4	29.6	66.7	81.5	22.2	103.7	14.8	111.1	.....	7.4	.....	51.9	.....	7.4	88.9	74.1	.....	244.5	7.4	61
37.3	14.9	14.9	7.5	59.6	7.5	156.5	14.9	52.2	.....	.....	.....	67.1	.....	7.5	149.1	59.6	.....	186.3	44.7	62
55.0	7.9	31.4	55.0	62.8	23.6	110.0	15.7	110.0	.....	7.9	.....	31.4	.....	7.9	62.8	70.7	.....	243.5	7.9	63
39.5	15.8	15.8	7.9	55.3	.....	158.1	7.9	55.3	.....	.....	.....	63.2	.....	7.9	158.1	55.3	.....	173.9	47.4	64
.....	.....	.....	260.1	390.1	.....	.....	.....	130.0	.....	.....	.....	390.1	.....	.....	520.2	130.0	.....	260.1	.....	65
.....	.....	.....	.....	130.7	130.7	130.7	130.7	.....	.....	.....	.....	130.7	.....	.....	.....	130.7	.....	392.2	.....	66
54.8	3.7	7.3	40.2	58.4	7.3	58.4	18.3	54.8	7.3	7.3	3.7	80.3	7.3	.....	109.5	94.9	29.2	270.2	25.6	67
47.7	7.3	7.3	22.0	55.0	3.7	69.7	22.0	40.4	7.3	.....	7.3	80.7	3.7	25.7	29.4	88.1	7.3	209.2	29.4	68
55.7	4.6	9.3	46.4	64.9	9.3	46.4	9.3	51.0	9.3	4.6	4.6	88.1	9.3	.....	129.9	92.8	32.5	278.3	27.8	69
55.9	9.3	4.7	23.3	55.9	4.7	69.8	14.0	41.9	4.7	.....	9.3	65.2	.....	32.6	32.6	93.1	9.3	195.6	23.3	70
51.5	.....	.....	17.2	34.3	.....	103.0	51.5	68.6	.....	17.2	.....	51.5	.....	.....	34.3	103.0	17.2	240.3	17.2	71
17.3	.....	17.3	17.3	51.9	.....	69.3	51.9	34.6	17.3	.....	.....	138.5	17.3	.....	17.3	69.3	.....	259.7	51.9	72
14.1	.....	21.1	7.0	14.1	.....	63.4	.....	63.4	7.0	7.0	7.0	7.0	21.1	7.0	63.4	35.2	.....	239.6	169.1	73
.....	.....	21.4	7.1	28.5	.....	42.8	.....	14.3	.....	7.1	.....	7.1	7.1	7.1	49.9	49.9	7.1	206.8	235.3	74
14.2	.....	21.4	7.1	14.2	.....	64.1	.....	64.1	7.1	7.1	7.1	7.1	21.4	7.1	64.1	35.6	.....	228.0	135.4	75
.....	.....	21.6	7.2	28.8	.....	43.3	.....	14.4	.....	7.2	.....	7.2	7.2	7.2	50.5	50.5	7.2	209.1	238.0	76
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1,307.2	3,268.0	77
																				78

[3] Colored population less than 10 per cent of total.

[4] Rate not shown when population is less than 100.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	KENTUCKY—continued.															
1	Marion County (total)	1913	1,578.7	55.1	6.1	.....	6.1	6.1	67.3	12.2	36.7	.....	195.8	6.1	24.5	.....
2		1912	1,334.2	12.2	.....	.....	.....	6.1	18.4	.....	6.1	18.4	165.2	24.5	12.2	6.1
3	White	1913	1,386.6	64.0	7.1	.....	7.1	7.1	28.4	14.2	28.4	.....	156.4	7.1	21.3	.....
4		1912	1,208.6	14.2	.....	.....	.....	7.1	14.2	.....	7.1	21.3	135.1	14.2	14.2	7.1
5	Colored	1913	2,763.2	.....	.....	.....	.....	.....	307.0	.....	87.7	.....	438.6	.....	43.9	.....
6		1912	2,111.7	.....	.....	.....	.....	.....	44.0	.....	.....	.....	352.0	88.0	.....	.....
7	Marshall County (total)	1913	790.5	24.3	36.5	.....	.....	.....	18.2	12.2	36.5	6.1	121.6	.....	24.3	12.2
8		1912	1,176.5	43.1	86.2	.....	.....	.....	24.6	.....	30.8	.....	135.5	12.3	12.3	.....
9	White	1913	785.1	24.5	36.8	.....	.....	.....	18.4	12.3	36.8	6.1	122.7	.....	18.4	12.3
10		1912	1,168.5	43.5	87.0	.....	.....	.....	24.9	.....	31.1	.....	130.5	12.4	12.4	.....
11	Colored [3]	1913	1,408.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	704.2	.....
12		1912	2,054.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	684.9	.....	.....	.....
13	Martin County† (total)	1913	719.6	12.9	.....	.....	12.9	.....	51.4	.....	.....	.....	90.0	.....	25.7	.....
14		1912	629.2	39.3	.....	.....	.....	.....	13.1	26.2	13.1	13.1	78.6	13.1	26.2	.....
15	White	1913	720.0	12.9	.....	.....	12.9	.....	51.4	.....	.....	.....	90.0	.....	25.7	.....
16		1912	629.8	39.4	.....	.....	.....	.....	13.1	26.2	13.1	13.1	78.7	13.1	26.2	.....
17	Colored [3]	1913	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18		1912	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Mason County (total)	1913	1,620.9	66.6	.....	.....	55.5	.....	38.9	16.7	27.8	5.6	161.0	22.2	16.7	5.6
20		1912	1,708.7	60.4	.....	.....	.....	.....	5.5	11.0	33.0	5.5	225.3	16.5	33.0	.....
21	White	1913	1,594.8	59.1	.....	.....	65.6	.....	26.3	19.7	26.3	.....	157.5	26.3	19.7	6.6
22		1912	1,637.7	65.0	.....	.....	.....	.....	6.5	13.0	32.5	6.5	208.0	19.5	32.5	.....
23	Colored	1913	1,763.9	108.0	.....	.....	.....	.....	108.0	.....	36.0	36.0	180.0	.....	.....	.....
24		1912	2,096.7	35.5	.....	.....	.....	.....	.....	.....	35.5	.....	319.8	.....	35.5	.....
25	Meade County (total)	1913	1,237.0	115.3	10.5	.....	.....	.....	10.5	10.5	21.0	.....	178.2	10.5	10.5	21.0
26		1912	1,508.1	20.8	.....	.....	.....	10.4	10.4	20.8	31.2	.....	239.2	52.0	.....	20.8
27	White	1913	1,247.2	101.1	11.2	.....	.....	.....	11.2	11.2	22.5	.....	157.3	11.2	11.2	22.5
28		1912	1,405.2	22.3	.....	.....	.....	11.2	11.2	22.3	22.3	.....	189.6	22.3	.....	22.3
29	Colored [3]	1913	1,095.5	313.0	.....	.....	.....	.....	.....	.....	.....	.....	469.5	.....	.....	.....
30		1912	2,932.1	.....	.....	.....	.....	.....	.....	.....	154.3	.....	925.9	463.0	.....	.....
31	Menifee County (total)	1913	1,061.0	84.2	16.8	.....	50.5	.....	.....	101.0	.....	16.8	117.9	.....	50.5	.....
32		1912	699.4	.....	.....	.....	.....	.....	16.7	.....	16.7	.....	133.2	.....	.....	.....
33	White	1913	1,051.0	84.8	17.0	.....	50.9	.....	.....	101.7	.....	17.0	118.7	.....	50.9	.....
34		1912	704.3	.....	.....	.....	.....	.....	16.8	.....	16.8	.....	134.2	.....	.....	.....
35	Colored [3]	1913	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36		1912	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Mercer County (total)	1913	1,348.0	57.4	.....	.....	7.2	.....	35.9	14.3	14.3	7.2	143.4	28.7	7.2	7.2
38		1912	1,458.9	50.1	.....	.....	.....	.....	.....	50.1	21.5	.....	214.5	.....	14.3	.....
39	White	1913	1,195.5	33.9	.....	.....	8.5	.....	42.4	17.0	8.5	8.5	110.2	33.9	.....	.....
40		1912	1,328.4	50.8	.....	.....	.....	.....	.....	59.2	16.9	.....	186.1	.....	16.9	.....
41	Colored	1913	2,183.0	185.8	.....	.....	.....	.....	.....	.....	46.4	.....	325.1	.....	46.4	46.4
42		1912	2,171.9	46.2	.....	.....	.....	.....	.....	.....	46.2	.....	369.7	.....	.....	.....
43	Metcalfe County (total)	1913	1,226.0	94.3	18.9	.....	.....	.....	47.2	9.4	28.3	9.4	264.1	9.4	37.7	9.4
44		1912	1,089.3	28.4	9.5	.....	.....	.....	.....	18.9	9.5	9.5	217.9	9.5	37.9	9.5
45	White	1913	1,174.1	102.1	10.2	.....	.....	.....	51.0	10.2	20.4	10.2	234.8	10.2	30.6	10.2
46		1912	1,087.1	30.8	10.3	.....	.....	.....	.....	20.5	10.3	10.3	205.1	10.3	30.8	10.3
47	Colored [3]	1913	1,854.1	.....	123.6	.....	.....	.....	.....	.....	123.6	.....	618.0	.....	123.6	.....
48		1912	1,116.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	372.2	.....	124.1	.....
49	Monroe County (total)	1913	1,183.3	36.1	.....	.....	.....	.....	36.1	21.6	21.6	7.2	194.8	.....	14.4	7.2
50		1912	1,282.8	36.2	14.5	7.2	.....	.....	14.5	72.5	29.0	.....	152.2	7.2	43.5	14.5
51	White	1913	1,135.6	38.1	.....	.....	.....	.....	38.1	22.9	22.9	7.6	190.5	.....	15.2	.....
52		1912	1,301.7	38.3	15.3	7.7	.....	.....	7.7	76.6	30.6	.....	137.8	7.7	45.9	15.3
53	Colored [3]	1913	2,029.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	270.6	.....	.....	135.3
54		1912	948.5	.....	.....	.....	.....	.....	135.5	.....	.....	.....	406.5	.....	.....	.....
55	Montgomery County (total)	1913	1,506.4	38.8	7.8	.....	31.1	.....	69.9	23.3	.....	.....	264.0	.....	15.5	23.3
56		1912	1,514.6	38.8	.....	.....	.....	.....	7.8	46.6	7.8	.....	225.2	15.5	31.1	23.3
57	White	1913	1,365.8	31.0	10.3	.....	31.0	.....	93.1	31.0	.....	.....	155.2	.....	10.3	20.7
58		1912	1,385.0	51.7	.....	.....	.....	.....	10.3	62.0	10.3	.....	144.7	20.7	41.3	31.0
59	Colored	1913	1,929.7	62.2	.....	.....	31.1	.....	.....	.....	.....	.....	591.3	.....	31.1	31.1
60		1912	1,906.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	468.8	.....	.....	.....
61	Morgan County (total)	1913	1,219.4	80.5	.....	.....	63.3	5.8	28.8	80.5	40.3	.....	149.6	5.8	28.8	.....
62		1912	1,033.2	23.5	5.9	.....	5.9	17.6	35.2	41.1	5.9	5.9	176.1	5.9	11.7	11.7
63	White	1913	1,222.0	80.7	.....	.....	63.4	5.8	28.8	80.7	40.3	.....	149.9	5.8	28.8	.....
64		1912	1,035.8	23.5	5.9	.....	5.9	17.7	35.3	41.2	5.9	5.9	176.6	5.9	11.8	11.8
65	Colored [3]	1913	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
66		1912	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
67	Muhlenberg County (total)	1913	1,409.4	35.3	22.5	.....	6.4	.....	41.7	25.7	16.1	6.4	202.3	3.2	19.3	.....
68		1912	1,311.2	26.4	16.5	.....	6.6	.....	23.1	42.8	6.6	6.6	174.6	3.3	29.7	29.7
69	White	1913	1,326.8	28.6	21.5	.....	7.2	.....	28.6	21.5	17.9	7.2	189.5	3.6	17.9	.....
70		1912	1,225.6	22.0	18.3	.....	7.3	.....	25.7	40.4	7.3	7.3	168.8	3.7	29.4	22.0
71	Colored	1913	2,133.0	94.1	31.4	.....	.....	.....	156.8	62.7	.....	.....	313.7	.....	31.4	.....
72		1912	2,063.2	64.5	.....	.....	.....	.....	.....	64.5	.....	.....	225.7	.....	32.2	96.7
73	Nelson County (total)	1913	1,236.2	59.1	5.9	.....	.....	.....	11.8	17.7	11.8	5.9	236.6	11.8	5.9	.....
74		1912	1,468.9	29.6	5.9	.....	5.9	17.8	17.8	11.8	41.5	.....	272.5	.....	17.8	5.9
75	White	1913	1,075.8	50.2	7.2	.....	.....	.....	14.3	21.5	.....	7.2	165.0	7.2	7.2	.....
76		1912	1,306.3	28.7	7.2	.....	7.2	21.5	21.5	14.4	28.7	.....	229.7	.....	14.4	7.2
77	Colored	1913	1,990.6	101.2	.....	.....	.....	.....	.....	.....	67.5	.....	573.5	33.7	.....	.....
78		1912	2,237.3	33.9	.....	.....	.....	.....	.....	.....	101.7	.....	474.6	.....	33.9	.....

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

are designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
61.2	12.2	36.7	42.8	73.4	85.7	122.4	24.5	73.4	6.1	24.5	.....	104.0	.....	24.5	73.4	97.9	.....	275.3	24.5	1
61.2	12.2	6.1	73.4	79.6	30.6	153.0	18.4	36.7	6.1	18.4	12.2	67.3	.....	6.1	73.4	79.6	12.2	257.1	61.2	2
64.0	14.2	42.7	42.7	56.9	78.2	85.3	28.4	78.2	7.1	21.3	.....	85.3	.....	21.3	71.1	92.4	.....	234.7	21.3	3
64.0	14.2	7.1	78.2	71.1	21.3	135.1	21.3	35.5	7.1	21.3	7.1	71.1	.....	7.1	78.2	71.1	7.1	220.4	35.5	4
43.9	.....	.....	43.9	175.4	131.6	350.9	.....	43.9	.....	43.9	.....	219.3	.....	43.9	87.7	131.6	.....	526.3	43.9	5
44.0	.....	.....	44.0	132.0	88.0	264.0	.....	44.0	.....	.....	44.0	44.0	.....	.....	44.0	132.0	44.0	483.9	220.0	6
6.1	12.2	12.2	30.4	6.1	6.1	54.7	12.2	36.5	.....	.....	6.1	18.2	6.1	6.1	66.9	12.2	.....	194.6	12.2	7
43.1	12.3	49.3	24.6	37.0	18.5	110.9	12.3	86.2	12.3	6.2	.....	37.0	.....	12.3	86.2	37.0	.....	203.3	43.1	8
6.1	12.3	12.3	30.7	6.1	6.1	55.2	12.3	36.8	.....	.....	6.1	18.4	6.1	6.1	67.5	12.3	.....	190.1	12.3	9
43.5	12.4	49.7	24.9	31.1	18.6	111.9	12.4	87.0	12.4	6.2	.....	31.1	.....	12.4	87.0	37.3	.....	205.1	43.5	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	704.2	.....	11
.....	.....	.....	.....	684.9	.....	.....	.....	.....	.....	.....	.....	684.9	.....	.....	.....	.....	.....	.....	.....	12
.....	.....	25.7	.....	.....	25.7	12.9	.....	115.7	.....	.....	12.9	.....	.....	12.9	141.4	51.4	.....	102.8	25.7	13
.....	.....	26.2	.....	52.4	.....	13.1	13.1	26.2	.....	13.1	13.1	13.1	.....	13.1	39.3	.....	.....	144.2	39.3	14
.....	.....	25.7	.....	.....	25.7	12.9	.....	115.7	.....	.....	12.9	.....	.....	12.9	141.4	51.4	.....	102.9	25.7	15
.....	.....	26.2	.....	52.5	.....	13.1	13.1	26.2	.....	13.1	13.1	13.1	.....	13.1	39.4	.....	.....	144.3	39.4	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
66.6	.....	94.4	72.2	138.8	22.2	133.2	16.7	66.6	5.6	27.8	5.6	50.0	5.6	5.6	105.5	77.7	16.7	255.3	38.9	19
65.9	11.0	16.5	115.4	159.3	11.0	148.3	16.5	60.4	11.0	16.5	11.0	131.9	.....	5.5	76.9	109.9	33.0	269.2	49.4	20
72.2	.....	98.4	72.2	150.9	26.3	118.1	19.7	59.1	6.6	32.8	6.6	39.4	.....	6.6	111.6	59.1	13.1	269.1	26.3	21
71.5	13.0	19.5	117.0	162.5	13.0	136.5	19.5	65.0	13.0	19.5	13.0	97.5	.....	6.5	78.0	110.5	39.0	227.5	32.5	22
36.0	.....	72.0	72.0	72.0	.....	216.0	.....	108.0	.....	.....	.....	108.0	36.0	.....	72.0	180.0	36.0	180.0	108.0	23
35.5	.....	.....	106.6	142.1	.....	213.2	.....	35.5	.....	.....	.....	319.8	.....	.....	71.1	106.6	.....	497.5	142.1	24
21.0	41.9	10.5	41.9	62.9	.....	83.9	21.0	73.4	.....	31.4	10.5	31.4	.....	21.0	62.9	62.9	.....	251.6	21.0	25
62.4	10.4	10.4	41.6	104.0	20.8	93.6	20.8	52.0	20.8	.....	31.2	93.6	.....	31.2	166.4	83.2	20.8	197.6	41.6	26
22.5	44.9	11.2	44.9	67.4	.....	89.9	22.5	78.7	.....	33.7	11.2	33.7	.....	22.5	67.4	67.4	.....	258.4	11.2	27
66.9	11.2	11.2	44.6	89.2	22.3	100.4	11.2	55.8	22.3	.....	33.5	89.2	.....	33.5	156.1	89.2	11.2	189.6	44.6	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	156.5	156.5	29
.....	.....	.....	.....	308.6	.....	.....	154.3	.....	.....	.....	.....	154.3	.....	.....	308.6	.....	154.3	308.6	.....	30
.....	.....	16.8	.....	16.8	33.7	84.2	.....	67.4	16.8	.....	.....	16.8	16.8	.....	101.0	16.8	16.8	117.9	101.0	31
16.7	.....	16.7	16.7	16.7	16.7	50.0	.....	.....	.....	.....	.....	66.6	33.3	33.3	66.6	66.6	.....	99.9	33.3	32
.....	.....	17.0	.....	17.0	33.9	84.8	.....	50.9	17.0	.....	.....	17.0	17.0	.....	101.7	17.0	17.0	118.7	101.7	33
16.8	.....	16.8	16.8	16.8	16.8	50.3	.....	.....	.....	.....	.....	67.1	33.5	33.5	67.1	67.1	.....	100.6	33.5	34
.....	.....	.....	.....	.....	.....	.....	.....	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
78.9	7.2	7.2	35.9	71.7	28.7	57.4	21.5	35.9	.....	7.2	14.3	114.7	.....	14.3	93.2	114.7	.....	294.0	28.7	37
78.7	.....	50.1	64.4	164.5	14.3	64.4	21.5	21.5	7.2	.....	.....	114.4	7.2	21.5	128.7	50.1	7.2	257.5	35.8	38
93.3	8.5	8.5	33.9	67.8	33.9	42.4	8.5	25.4	.....	8.5	8.5	118.7	.....	17.0	101.7	84.8	.....	254.4	17.0	39
76.1	.....	50.8	59.2	110.0	8.5	67.7	8.5	16.9	.....	.....	.....	84.6	8.5	16.9	135.4	50.8	8.5	253.8	42.3	40
.....	.....	.....	46.4	92.9	.....	139.3	92.9	92.9	.....	.....	46.4	92.9	.....	.....	46.4	278.7	.....	510.9	92.9	41
92.4	.....	46.2	92.4	462.1	46.2	46.2	92.4	46.2	46.2	.....	.....	277.3	.....	46.2	92.4	46.2	.....	277.3	.....	42
18.9	9.4	18.9	18.9	66.0	9.4	37.7	.....	47.2	.....	28.3	.....	28.3	28.3	18.9	28.3	56.6	9.4	216.9	56.6	43
18.9	.....	47.4	28.4	66.3	.....	66.3	.....	18.9	.....	18.9	.....	85.3	18.9	28.4	94.7	37.9	9.5	170.5	28.4	44
20.4	10.2	20.4	20.4	51.0	10.2	40.8	.....	51.0	.....	30.6	.....	30.6	30.6	10.2	20.4	61.3	10.2	204.2	61.3	45
10.3	.....	51.3	30.8	71.8	.....	71.8	.....	20.5	.....	20.5	.....	92.3	10.3	30.8	102.6	41.0	10.3	164.1	20.5	46
.....	.....	.....	.....	247.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	123.6	123.6	.....	.....	370.8	.....	47
124.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	124.1	.....	.....	.....	.....	248.1	124.1	48
36.1	.....	14.4	21.6	151.5	14.4	50.5	7.2	36.1	.....	14.4	.....	36.1	7.2	7.2	57.7	36.1	.....	231.4	72.2	49
43.5	14.5	14.5	50.7	94.2	14.5	65.2	7.2	29.0	7.2	.....	7.2	29.0	14.5	.....	65.2	72.5	7.2	268.2	87.0	50
38.1	.....	15.2	22.9	144.8	15.2	53.3	7.6	38.1	.....	15.2	.....	30.5	7.6	7.6	61.0	38.1	.....	243.9	61.0	51
45.9	15.3	15.3	53.6	91.9	15.3	61.3	7.7	30.6	7.7	.....	7.7	30.6	15.3	.....	68.9	76.6	7.7	283.3	84.2	52
.....	.....	.....	.....	270.6	.....	.....	.....	.....	.....	.....	.....	135.3	.....	.....	.....	.....	.....	247.2	270.6	53
.....	.....	.....	.....	135.5	.....	135.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	135.5	54
100.9	7.8	23.3	38.8	85.4	15.5	85.4	23.3	38.8	.....	7.8	7.8	139.8	7.8	7.8	116.5	54.4	7.8	240.7	23.3	55
85.4	23.3	46.6	46.6	101.0	23.3	108.7	15.5	15.5	.....	.....	.....	147.6	.....	15.5	31.1	101.0	23.3	302.9	31.1	56
93.1	10.3	31.0	41.4	72.4	20.7	93.1	31.0	41.4	.....	10.3	10.3	93.1	10.3	10.3	103.5	41.4	10.3	227.6	31.0	57
72.4	20.7	62.0	41.3	72.4	20.7	103.4	20.7	.....	.....	.....	.....	113.7	.....	.....	41.3	103.4	31.0	279.1	31.0	58
124.5	.....	.....	31.1	124.5	.....	62.2	.....	31.1	.....	.....	.....	280.1	.....	.....	155.6	93.4	.....	280.1	.....	59
125.0	31.3	.....	62.5	187.5	31.3	125.0	.....	62.5	.....	.....	.....	250.0	.....	62.5	.....	93.8	.....	375.0	31.3	60
11.5	.....	74.8	17.3	11.5	5.8	103.5	.....	51.8	5.8	.....	5.8	11.5	17.3	.....	109.3	40.3	5.8	189.8	74.8	61
17.6	5.9	23.5	23.5	29.4	5.9	58.7	5.9	23.5	.....	11.7	5.9	35.2	.....	.....	105.7	35.2	.....	176.1	123.3	62
11.5	.....	74.9	17.3	11.5	5.8	103.8	.....	51.9	5.8	.....	5.8	11.5	17.3	.....	109.5	40.3	5.8	190.2	74.9	63
17.7	5.9	23.5	23.5	29.4	5.9	58.9	5.9	23.5	.....	11.8	5.9	35.3	.....	.....	105.9	35.3	.....	176.6	123.6	64
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	65
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	66
19.3	6.4	6.4	38.5	64.2	19.3	122.0	12.8	115.6	.....	12.8	3.2	35.3	6.4	3.2	138.0	102.7	6.4	282.5	35.3	67
19.8	6.6	6.6	13.2	89.0	16.5	82.4	13.2	62.6	3.3	13.2	6.6	62.6	16.5	6.6	108.7	118.6	13.2	233.9	52.7	68
17.9	7.2	7.2	32.2	64.4	17.9	125.2	14.3	110.9	.....	14.3	3.6	32.2	7.2	3.6	146.6	75.1	7.2	268.2	28.6	69
22.0	7.3	7.3	14.7	84.4	14.7	73.4	14.7	51.4	.....	14.7	7.3	66.1	18.3	3.7	110.1	91.7	14.7	216.5	40.4	70
31.4	.....	.....	94.1	62.7	31.4	94.1	.....	156.8	.....	.....	.....	62.7	.....	.....	62.7	345.0	.....	407.8	94.1	71
.....	.....	.....	.....	128.9	32.2	161.2	.....	161.2	32.2	.....	.....	32.2	.....	32.2	96.7	354.6	.....	386.8	161.2	72
35.5	35.5	.....	41.4	71.0	11.8	100.5	11.8	59.1	.....	17.7	23.7	76.9	5.9	11.8	88.7	88.7	.....	159.7	29.6	73
77.0	.....	11.8	35.5	124.4	35.5	130.3	23.7	53.3	.....	5.9	17.8	59.2	5.9	5.9	59.2	77.0	23.7	260.6	35.5	74
43.0	43.0	.....	28.7	64.5	7.2	86.1	14.3	64.5	.....	21.5	14.3	64.5	.....	7.2	71.7	100.4	.....	157.8	7.2	75
86.1	.....	14.4	28.7	100.5	21.5	100.5	21.5	64.6	.....	7.2	7.2	57.4	7.2	7.2	50.2	64.6	28.7	229.7	28.7	76
.....	.....	.....	101.2	101.2	33.7	168.7	.....	33.7	.....	.....	67.5	135.0	33.7	33.7	168.7	33.7	.....	168.7	135.0	77
33.9	.....	.....	67.8	237.3	101.7	271.2	33.9	.....	.....	.....	67.8	67.8	.....	.....	101.7	135.6	.....	406.8	67.8	78

[3] Colored population less than 10 per cent of total.

[4] Rate not shown when population is less than 100.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued. KENTUCKY—continued.															
1	Nicholas County (total)	1913	1,643.2	49.2	9.8	.....	127.9	.....	9.8	39.4	.....	.....	216.5	29.5	19.7	.....
2		1912	1,475.7	48.5	.....	.....	.....	.....	.....	38.8	9.7	.....	165.0	9.7	38.8	9.7
3	White	1913	1,547.7	32.2	10.7	.....	139.7	.....	10.7	43.0	.....	.....	215.0	10.7	21.5	.....
4		1912	1,368.7	53.1	.....	.....	.....	.....	.....	42.4	10.6	.....	137.9	10.6	31.8	.....
5	Colored [3]	1913	2,677.5	232.8	.....	.....	.....	.....	.....	.....	.....	.....	232.8	232.8	.....	.....
6		1912	2,628.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	457.1	.....	114.3	114.3
7	Ohio County (total)	1913	1,199.7	82.9	10.8	3.6	21.6	.....	14.4	18.0	10.8	10.8	151.3	7.2	25.2	3.6
8		1912	1,118.2	32.5	21.6	.....	.....	3.6	.....	32.5	28.9	10.8	97.4	10.8	28.9	3.6
9	White	1913	1,183.0	83.2	11.3	3.8	22.7	.....	15.1	18.9	11.3	11.3	155.0	7.6	18.9	.....
10		1912	1,090.1	30.3	22.7	.....	.....	3.8	.....	34.1	26.5	11.4	94.6	11.4	26.5	.....
11	Colored [3]	1913	1,538.5	76.9	.....	.....	.....	.....	.....	.....	.....	.....	76.9	.....	153.8	76.9
12		1912	1,688.4	76.7	.....	.....	.....	.....	.....	.....	76.7	.....	153.5	.....	76.7	76.7
13	Oldham County (total)	1913	1,287.1	13.7	.....	.....	.....	27.4	.....	.....	.....	.....	164.3	13.7	.....	.....
14		1912	1,756.8	13.7	.....	.....	.....	.....	13.7	.....	54.9	.....	219.6	13.7	13.7	13.7
15	White	1913	1,239.7	16.1	.....	.....	.....	32.2	.....	.....	.....	.....	161.0	16.1	.....	.....
16		1912	1,677.7	.....	.....	.....	.....	.....	.....	.....	64.5	.....	161.3	16.1	16.1	16.1
17	Colored	1913	1,556.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	183.2	.....	.....	.....
18		1912	2,207.9	92.0	.....	.....	.....	.....	92.0	.....	.....	.....	552.0	.....	.....	.....
19	Owen County (total)	1913	1,199.1	60.7	.....	.....	22.8	7.6	7.6	.....	7.6	.....	159.4	22.8	15.2	7.6
20		1912	1,213.9	14.8	.....	.....	.....	7.4	37.0	22.2	7.4	.....	236.9	.....	7.4	14.8
21	White	1913	1,170.4	48.8	.....	.....	24.4	8.1	8.1	.....	8.1	.....	154.4	24.4	16.3	8.1
22		1912	1,237.0	15.9	.....	.....	.....	7.9	39.6	23.8	7.9	.....	245.8	.....	7.9	7.9
23	Colored [3]	1913	1,605.5	229.4	.....	.....	.....	.....	.....	.....	.....	.....	229.4	.....	.....	.....
24		1912	889.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	111.2	.....	.....	111.2
25	Owsley County (total)	1913	911.7	36.0	.....	.....	24.0	.....	24.0	48.0	12.0	.....	96.0	.....	.....	12.0
26		1912	705.3	24.3	.....	.....	24.3	.....	.....	.....	12.2	12.2	36.5	.....	12.2	12.2
27	White	1913	896.1	36.3	.....	.....	24.2	.....	24.2	48.4	12.1	.....	96.9	.....	.....	12.1
28		1912	700.0	24.6	.....	.....	24.6	.....	.....	.....	12.3	12.3	36.8	.....	12.3	12.3
29	Colored [3]	1913	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30		1912	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Pendleton County (total)	1913	1,388.1	54.4	.....	.....	54.4	.....	36.3	36.3	.....	.....	226.8	9.1	18.1	9.1
32		1912	1,201.2	8.8	.....	.....	.....	.....	8.8	17.7	.....	8.8	203.1	.....	8.8	8.8
33	White	1913	1,298.5	55.6	.....	.....	55.6	.....	37.1	37.1	.....	.....	222.6	9.3	18.5	9.3
34		1912	1,147.2	9.0	.....	.....	.....	.....	9.0	18.1	.....	9.0	180.7	.....	9.0	9.0
35	Colored [3]	1913	5,416.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	416.7	.....	.....	.....
36		1912	3,571.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1,190.5	.....	.....	.....
37	Perry County (total)	1913	916.5	57.3	.....	.....	106.4	.....	32.7	57.3	16.4	.....	57.3	.....	.....	.....
38		1912	696.3	.....	.....	.....	25.2	.....	8.4	67.1	16.8	.....	75.5	8.4	41.9	.....
39	White	1913	925.9	58.4	.....	.....	108.4	.....	33.4	58.4	16.7	.....	50.1	.....	.....	.....
40		1912	693.0	.....	.....	.....	25.7	.....	8.6	68.4	17.1	.....	68.4	8.6	42.8	.....
41	Colored [3]	1913	429.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	429.2	.....	.....	.....
42		1912	862.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	431.0	.....	.....	.....
43	Pike County (total)	1913	1,026.0	40.5	2.9	.....	34.7	.....	43.4	49.1	14.5	.....	83.8	.....	11.6	5.8
44		1912	1,056.7	65.3	.....	.....	8.9	.....	23.7	74.2	11.9	.....	118.7	8.9	17.8	5.9
45	White	1913	999.0	40.9	2.9	.....	35.1	.....	43.8	49.7	11.7	.....	84.7	.....	11.7	5.8
46		1912	1,026.3	63.0	.....	.....	9.0	.....	24.0	75.0	12.0	.....	114.0	9.0	18.0	6.0
47	Colored [3]	1913	3,561.6	.....	.....	.....	.....	.....	.....	.....	274.0	.....	.....	.....	.....	.....
48		1912	3,814.7	272.5	.....	.....	.....	.....	.....	.....	.....	.....	545.0	.....	.....	.....
49	Powell County (total)	1913	1,287.8	32.2	16.1	.....	64.4	.....	32.2	.....	16.1	.....	144.9	16.1	.....	.....
50		1912	1,380.4	64.2	.....	.....	.....	.....	16.1	16.1	.....	.....	240.8	.....	16.1	.....
51	White	1913	1,275.9	34.0	17.0	.....	68.1	.....	34.0	.....	17.0	.....	136.1	17.0	.....	.....
52		1912	1,391.5	67.9	.....	.....	.....	.....	17.0	17.0	.....	.....	220.6	.....	17.0	.....
53	Colored [3]	1913	1,497.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	299.4	.....	.....	.....
54		1912	1,186.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	593.5	.....	.....	.....
55	Pulaski County (total)	[5] 1913	1,136.2	45.5	2.2	.....	25.5	3.3	31.1	28.8	17.8	1.1	133.1	5.5	16.6	5.5
56		1912	1,163.8	18.9	5.4	.....	.....	2.7	13.5	35.1	10.8	5.4	162.0	13.5	35.1	2.7
57	White	[5] 1913	1,111.7	47.2	2.3	.....	25.3	3.5	28.8	29.9	17.3	1.2	120.8	5.8	16.1	5.8
58		1912	1,136.9	14.0	5.6	.....	.....	2.8	14.0	33.5	11.2	5.6	156.4	14.0	36.3	2.8
59	Colored [3]	[5] 1913	1,794.6	.....	.....	.....	30.9	.....	92.8	.....	30.9	.....	464.1	.....	30.9	.....
60		1912	1,940.2	161.7	.....	.....	.....	.....	.....	80.8	.....	.....	323.4	.....	.....	.....
61	Robertson County (total)	1913	1,679.6	129.2	.....	.....	25.8	.....	77.5	.....	25.8	.....	232.6	.....	77.5	.....
62		1912	1,164.9	25.3	.....	.....	.....	.....	.....	.....	.....	.....	379.8	.....	25.3	25.3
63	White	1913	1,682.4	131.4	.....	.....	26.3	.....	78.9	.....	26.3	.....	236.6	.....	78.9	.....
64		1912	1,159.8	25.8	.....	.....	.....	.....	.....	.....	.....	.....	360.8	.....	25.8	25.8
65	Colored [3]	1913	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
66		1912	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	.....	.....	.....
67	Rockcastle County (total)	1913	977.5	46.2	.....	.....	26.4	.....	39.6	13.2	13.2	6.6	184.9	.....	19.8	6.6
68		1912	1,051.4	40.2	6.7	.....	.....	6.7	13.4	20.1	33.5	.....	133.9	.....	20.1	.....
69	White	1913	966.2	46.6	.....	.....	26.7	.....	40.0	13.3	13.3	6.7	173.2	.....	20.0	6.7
70		1912	1,061.0	40.5	6.8	.....	.....	6.8	13.5	20.3	33.8	.....	135.2	.....	20.3	.....
71	Colored [3]	1913	2,272.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1,515.2	.....	.....	.....
72		1912	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Rowan County (total)	1913	1,457.1	71.3	.....	.....	20.4	.....	.....	71.3	10.2	.....	152.8	10.2	20.4	10.2
74		1912	1,134.4	10.3	10.3	.....	.....	10.3	30.9	61.9	.....	.....	185.6	10.3	41.2	.....
75	White	1913	1,466.2	71.8	.....	.....	20.5	.....	.....	71.8	10.3	.....	153.8	10.3	20.5	10.3
76		1912	1,142.0	10.4	10.4	.....	.....	10.4	31.1	62.3	.....	.....	186.9	10.4	41.5	.....
77	Colored [3]	1913	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
78		1912	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of stillbirths.
[2] Exclusive of municipalities having a population of 10,000 or over in 1910.
[3] Colored population less than 10 per cent of total.
[4] Rate not shown when population is less than 100.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
108.2	9.8	9.8	49.2	108.2	9.8	78.7	19.7	49.2	9.8	.....	19.7	137.8	.....	.....	29.5	108.2	.....	334.5	59.0	1
87.4	.....	29.1	126.2	58.3	29.1	174.8	.....	9.7	9.7	19.4	.....	106.8	.....	9.7	97.1	48.5	19.4	271.8	58.3	2
118.2	10.7	10.7	53.7	107.5	10.7	75.2	21.5	21.5	10.7	.....	10.7	118.2	.....	.....	32.2	53.7	.....	343.9	64.5	3
95.5	.....	31.8	95.5	63.7	31.8	148.5	.....	10.6	10.6	10.6	.....	116.7	.....	10.6	106.1	21.2	21.2	254.6	53.1	4
.....	.....	.....	.....	116.4	.....	116.4	.....	349.2	.....	.....	116.4	349.2	.....	.....	.....	698.5	.....	232.8	.....	5
.....	.....	.....	457.1	.....	.....	457.1	.....	.....	.....	114.3	.....	.....	.....	.....	.....	342.9	.....	457.1	114.3	6
43.2	10.8	18.0	36.0	82.9	14.4	115.3	3.6	46.8	3.6	3.6	7.2	50.4	.....	3.6	115.3	64.8	7.2	190.9	21.6	7
43.3	3.6	14.4	36.1	75.8	10.8	93.8	21.6	46.9	7.2	10.8	3.6	33.0	14.4	7.2	93.8	57.7	.....	194.8	28.9	8
37.8	11.3	18.9	37.8	83.2	15.1	117.2	3.8	49.1	3.8	3.8	7.6	45.4	.....	3.8	113.4	64.3	7.6	181.4	18.9	9
45.4	3.8	11.4	34.1	79.5	11.4	90.8	22.7	45.4	7.6	11.4	3.8	33.3	15.1	7.6	94.6	49.2	.....	181.7	30.3	10
153.8	.....	.....	.....	76.9	.....	76.9	.....	.....	.....	.....	.....	153.8	.....	.....	153.8	76.9	.....	384.6	76.9	11
.....	.....	76.7	76.7	.....	.....	153.5	.....	76.7	.....	.....	.....	76.7	.....	.....	76.7	230.2	.....	460.5	.....	12
54.8	13.7	13.7	54.8	123.2	13.7	54.8	.....	109.5	.....	13.7	13.7	109.5	.....	.....	13.7	41.1	.....	424.5	13.7	13
109.8	13.7	27.4	54.9	151.0	54.9	96.1	13.7	27.4	13.7	.....	41.2	137.2	27.4	.....	96.1	137.2	13.7	329.4	68.6	14
64.4	16.1	16.1	64.4	112.7	16.1	64.4	.....	96.6	.....	16.1	16.1	96.6	.....	.....	16.1	16.1	.....	402.5	.....	15
112.9	16.1	16.1	64.5	145.2	64.5	64.5	16.1	32.3	16.1	.....	48.4	145.2	32.3	.....	64.5	96.8	16.1	371.0	80.7	16
.....	.....	.....	.....	183.2	.....	.....	.....	183.2	.....	.....	.....	183.2	.....	.....	.....	183.2	.....	549.5	91.6	17
92.0	.....	92.0	.....	184.0	.....	276.0	.....	.....	.....	.....	.....	92.0	.....	.....	276.0	368.0	.....	92.0	.....	18
83.5	30.4	15.2	22.8	68.3	15.2	83.5	15.2	37.9	.....	7.6	7.6	45.5	15.2	7.6	68.3	60.7	.....	265.6	37.9	19
29.6	14.8	51.8	51.8	103.6	7.4	74.0	22.2	22.2	.....	14.8	14.8	88.8	7.4	.....	29.6	51.8	.....	192.4	88.8	20
81.3	32.5	16.3	24.4	73.1	16.3	89.4	16.3	32.5	.....	8.1	8.1	32.5	16.3	8.1	65.0	48.8	.....	260.1	40.6	21
31.7	15.9	55.5	55.5	111.0	7.9	79.3	15.9	23.8	.....	.....	15.9	95.2	7.9	.....	31.7	55.5	.....	198.2	79.3	22
114.7	.....	.....	.....	.....	.....	.....	.....	114.7	.....	.....	.....	229.4	.....	.....	114.7	229.4	.....	344.0	.....	23
.....	.....	.....	.....	.....	.....	.....	111.2	.....	.....	222.5	.....	.....	.....	.....	.....	.....	.....	111.2	222.5	24
36.0	.....	12.0	48.0	24.0	36.0	48.0	24.0	48.0	.....	.....	.....	12.0	.....	.....	60.0	72.0	12.0	191.9	36.0	25
12.2	.....	.....	48.6	24.3	36.5	48.6	24.3	24.3	12.2	.....	.....	12.2	36.5	24.3	48.6	73.0	.....	97.3	48.6	26
36.3	.....	12.1	48.4	24.2	36.3	48.4	24.2	48.4	.....	.....	.....	12.1	.....	.....	60.5	72.7	12.1	169.5	36.3	27
12.3	.....	.....	49.1	24.6	36.8	49.1	24.6	24.6	12.3	.....	.....	12.3	36.8	24.6	49.1	73.7	.....	86.0	49.1	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	.....	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	.....	30
99.8	27.2	18.1	54.4	127.0	.....	72.6	.....	45.4	.....	36.3	.....	54.4	.....	.....	63.5	90.7	.....	245.0	9.1	31
79.5	26.5	35.3	61.8	212.0	17.7	97.2	.....	17.7	8.8	.....	.....	17.7	.....	8.8	53.0	61.8	8.8	203.1	26.5	32
102.0	27.8	9.3	46.4	111.3	.....	74.2	.....	37.1	.....	18.5	.....	46.4	.....	.....	64.9	83.5	.....	231.9	.....	33
81.3	27.1	36.1	63.2	180.7	18.1	99.4	.....	18.1	9.0	.....	.....	18.1	.....	9.0	45.2	63.2	9.0	198.7	27.1	34
.....	.....	416.7	416.7	833.3	.....	.....	.....	416.7	.....	833.3	.....	416.7	.....	.....	.....	416.7	.....	833.3	416.8	35
.....	.....	.....	.....	1,587.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	396.8	.....	.....	396.8	.....	36
8.2	.....	49.1	8.2	24.5	.....	73.6	8.2	8.2	8.2	.....	8.2	8.2	.....	8.2	73.6	90.0	.....	139.1	73.6	37
8.4	.....	.....	16.8	16.8	.....	75.5	16.8	25.2	.....	.....	.....	16.8	.....	8.4	33.6	100.7	.....	67.1	67.1	38
8.3	.....	50.1	8.3	25.0	.....	75.1	8.3	8.3	8.3	.....	8.3	8.3	.....	8.3	75.1	91.8	.....	141.8	75.1	39
8.6	.....	.....	17.1	17.1	.....	77.0	17.1	25.7	.....	.....	.....	17.1	.....	8.6	34.2	102.7	.....	59.9	68.4	40
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	41
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	431.0	.....	42
11.6	.....	26.0	14.5	34.7	.....	66.5	17.3	52.0	2.9	.....	2.9	17.3	14.5	23.1	95.4	101.2	8.7	153.2	98.3	43
11.9	.....	20.8	3.0	29.7	3.0	74.2	23.7	53.4	.....	.....	.....	8.9	8.9	11.9	74.2	83.1	17.8	133.6	163.3	44
11.7	.....	26.3	14.6	29.2	.....	64.3	17.5	49.7	2.9	.....	2.9	17.5	14.6	23.4	87.6	93.5	8.8	151.9	96.4	45
12.0	.....	21.0	3.0	27.0	.....	72.0	24.0	54.0	.....	.....	.....	9.0	9.0	9.0	75.0	75.0	18.0	129.0	159.1	46
.....	.....	.....	.....	547.9	.....	274.0	.....	274.0	.....	.....	.....	.....	.....	.....	821.9	821.9	.....	274.0	274.0	47
.....	.....	.....	.....	272.5	272.5	272.5	.....	.....	.....	.....	.....	.....	.....	272.5	.....	817.4	.....	545.0	545.0	48
48.3	16.1	48.3	16.1	48.3	.....	32.2	16.1	112.7	.....	.....	.....	64.4	.....	.....	128.8	80.5	.....	241.5	112.7	49
16.1	.....	96.3	16.1	96.3	.....	32.1	.....	80.3	16.1	.....	16.1	80.3	.....	32.1	16.1	96.3	16.1	305.0	112.4	50
51.0	17.0	34.0	17.0	17.0	.....	34.0	17.0	119.1	.....	.....	.....	68.1	.....	.....	136.1	85.1	.....	238.2	119.1	51
17.0	.....	101.8	17.0	101.8	.....	33.9	.....	84.8	17.0	.....	17.0	84.8	.....	33.9	17.0	84.8	17.0	322.4	101.8	52
.....	.....	299.4	.....	598.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	299.4	.....	53
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	296.7	.....	.....	296.7	54
33.3	2.2	15.5	21.1	64.4	6.7	81.0	8.9	75.5	5.5	4.4	8.9	45.5	7.8	11.1	116.5	75.5	1.1	186.4	48.8	55
21.6	5.4	21.6	13.5	70.2	13.5	78.3	5.4	54.0	8.1	8.1	8.1	56.7	8.1	18.9	113.4	86.4	2.7	175.5	89.1	56
32.2	2.3	13.8	21.9	63.3	5.8	78.3	8.1	78.3	5.8	4.6	8.1	44.9	8.1	11.5	117.4	70.2	1.2	185.3	47.2	57
22.3	5.6	22.3	14.0	64.2	14.0	75.4	2.8	55.9	8.4	8.4	8.4	55.9	8.4	19.6	114.5	78.2	2.8	167.6	92.2	58
61.9	.....	61.9	.....	92.8	30.9	154.7	30.9	.....	.....	.....	30.9	61.9	.....	.....	92.8	216.6	.....	216.6	92.8	59
.....	.....	.....	.....	242.5	.....	161.7	80.8	.....	.....	.....	.....	80.8	.....	.....	80.8	323.4	.....	404.2	.....	60
.....	25.8	.....	.....	129.2	.....	206.7	.....	51.7	.....	.....	.....	180.9	25.8	.....	25.8	129.2	.....	258.4	77.5	61
25.3	.....	.....	.....	50.6	.....	126.6	.....	50.6	25.3	.....	.....	101.3	50.6	.....	126.6	.....	.....	151.9	.....	62
.....	26.3	.....	.....	131.4	.....	210.3	.....	52.6	.....	.....	.....	157.7	26.3	.....	26.3	131.4	.....	262.9	78.9	63
25.8	.....	.....	.....	51.5	.....	128.9	.....	51.5	25.8	.....	.....	103.1	51.5	.....	128.9	.....	.....	154.6	.....	64
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	.....	.....	.....	.....	.....	.....	.....	65
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	66
33.0	6.6	19.8	.....	26.4	6.6	72.7	.....	59.4	6.6	.....	.....	33.0	13.2	19.8	92.5	66.1	.....	165.1	.....	67
13.4	6.7	26.8	26.8	73.7	6.7	107.2	.....	26.8	6.7	20.1	13.4	53.6	6.7	20.1	80.4	40.2	.....	194.2	53.6	68
33.3	6.7	20.0	.....	26.7	6.7	66.6	.....	60.0	6.7	.....	.....	33.3	13.3	20.0	93.3	66.6	.....	166.6	.....	69
13.5	6.8	27.0	27.0	74.3	6.8	108.1	.....	27.0	6.8	20.3	13.5	54.1	6.8	20.3	81.1	40.5	.....	196.0	54.1	70
.....	.....	.....	.....	.....	.....	757.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
30.6	.....	40.8	.....	61.1	.....	183.4	.....	142.7	.....	20.4	.....	50.9	10.2	30.6	71.3	91.7	.....	254.7	101.9	73
20.6	.....	61.9	10.3	30.9	10.3	72.2	30.9	72.2	.....	10.3	.....	61.9	10.3	20.6	20.6	30.9	.....	185.6	123.7	74
30.8	.....	41.0	.....	61.5	.....	184.6	.....	143.5	.....	20.5	.....	51.3	10.3	30.8	71.8	92.3	.....	256.3	102.5	75
20.8	.....	62.3	10.4	31.1	10.4	72.7	31.1	72.7	.....	10.4	.....	62.3	10.4	20.8	20.8	31.1	.....	186.9	124.6	76
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	77
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	78

[5] Includes Wayne, Whitley, and McCreary Counties, the last named formed from part of the other three, June 12, 1912; separate estimated populations not available.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	KENTUCKY—continued.														
1	Russell County (total)....1913	1,049.8	8.9	.....	.....	8.9	17.8	.....	17.8	8.9	.....	177.9	8.9	26.7	8.9
2	1912	980.0	18.0	9.0	.....	.....	.....	9.0	27.0	18.0	.....	224.8	.....	71.9	9.0
3	White....1913	1,034.0	9.1	.....	.....	9.1	18.1	.....	18.1	9.1	.....	172.3	9.1	27.2	.....
4	1912	953.7	18.3	9.2	.....	.....	.....	9.2	27.5	18.3	.....	220.1	.....	64.2	9.2
5	Colored [3]....1913	1,860.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	465.1	.....	.....	465.1
6	1912	2,304.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	460.8	.....	460.8	.....
7	Scott County (total)....1913	1,253.5	24.1	.....	.....	.....	.....	12.1	12.1	18.1	.....	132.6	24.1	24.1	30.1
8	1912	1,418.7	41.9	12.0	.....	.....	18.0	6.0	65.8	12.0	.....	257.4	.....	18.0	12.0
9	White....1913	1,218.7	23.7	.....	.....	.....	.....	15.8	15.8	23.7	.....	102.9	23.7	15.8	39.6
10	1912	1,384.0	31.5	15.7	.....	.....	23.6	7.9	86.5	15.7	.....	220.2	.....	23.6	7.9
11	Colored....1913	1,364.7	25.3	.....	.....	.....	.....	.....	.....	.....	.....	227.4	25.3	50.5	.....
12	1912	1,529.2	75.2	.....	.....	.....	.....	.....	.....	.....	.....	376.0	.....	.....	25.1
13	Shelby County (total)....1913	1,287.3	44.6	5.6	.....	.....	.....	27.9	44.6	16.7	5.6	150.5	5.6	16.7	.....
14	1912	1,424.2	27.8	.....	.....	.....	.....	5.6	27.8	27.8	.....	217.0	5.6	.....	11.1
15	White....1913	1,195.0	50.1	7.2	.....	.....	.....	28.6	50.1	21.5	7.2	114.5	7.2	14.3	.....
16	1912	1,300.7	21.4	.....	.....	.....	.....	.....	35.7	28.6	.....	185.8	.....	.....	7.1
17	Colored....1913	1,612.1	25.2	.....	.....	.....	.....	25.2	25.2	.....	.....	277.1	.....	25.2	.....
18	1912	1,858.4	50.2	.....	.....	.....	.....	25.1	.....	25.1	.....	326.5	25.1	.....	25.1
19	Simpson County (total)....1913	1,262.2	52.6	.....	.....	8.8	.....	8.8	17.5	17.5	.....	227.9	.....	.....	8.8
20	1912	1,024.1	17.5	.....	.....	.....	.....	17.5	26.3	52.5	.....	122.5	.....	.....	.....
21	White....1913	1,199.5	43.2	.....	.....	10.8	.....	10.8	21.6	10.8	.....	205.3	.....	.....	10.8
22	1912	917.6	10.8	.....	.....	.....	.....	.....	32.4	54.0	.....	97.2	.....	.....	.....
23	Colored....1913	1,531.3	92.8	.....	.....	.....	.....	.....	.....	46.4	.....	324.8	.....	.....	.....
24	1912	1,480.1	46.3	.....	.....	.....	.....	92.5	.....	46.3	.....	231.3	.....	.....	.....
25	Spencer County (total)....1913	787.6	65.6	13.1	.....	.....	.....	13.1	13.1	13.1	.....	131.3	26.3	13.1	13.1
26	1912	815.6	26.3	13.2	.....	.....	13.2	.....	.....	13.2	.....	52.6	.....	13.2	.....
27	White....1913	773.6	58.4	14.6	.....	.....	.....	14.6	14.6	14.6	.....	146.0	29.2	14.6	14.6
28	1912	804.4	29.3	14.6	.....	.....	14.6	.....	.....	14.6	.....	43.9	.....	14.6	.....
29	Colored....1913	912.6	130.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30	1912	915.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	130.7	.....	.....	.....
31	Taylor County (total)....1913	1,200.2	65.3	.....	.....	8.2	.....	8.2	.....	16.3	8.2	204.1	24.5	16.3	8.2
32	1912	962.3	32.9	8.2	.....	.....	16.5	.....	16.5	.....	.....	205.6	8.2	16.5	8.2
33	White....1913	1,067.1	46.4	.....	.....	9.3	.....	9.3	.....	.....	9.3	157.7	18.6	18.6	.....
34	1912	925.2	28.0	9.3	.....	.....	18.7	.....	18.7	.....	.....	196.3	9.3	18.7	9.3
35	Colored....1913	2,175.4	203.9	.....	.....	.....	.....	.....	.....	136.0	.....	543.8	68.0	.....	68.0
36	1912	1,234.6	68.6	.....	.....	.....	.....	.....	.....	.....	.....	274.3	.....	.....	.....
37	Todd County (total)....1913	1,425.7	18.5	12.3	.....	6.2	.....	43.2	30.9	12.3	12.3	265.4	24.7	12.3	6.2
38	1912	1,313.6	43.0	18.4	.....	.....	.....	36.8	6.1	24.6	.....	227.1	6.1	.....	.....
39	White....1913	1,296.6	18.3	.....	.....	9.1	.....	54.8	36.5	18.3	18.3	155.2	18.3	9.1	9.1
40	1912	981.2	18.2	18.2	.....	.....	.....	18.2	9.1	27.3	.....	172.6	.....	.....	.....
41	Colored....1913	1,695.2	19.0	38.1	.....	.....	.....	19.0	19.0	.....	.....	495.2	38.1	19.0	.....
42	1912	2,006.1	94.6	18.9	.....	.....	.....	75.7	.....	18.9	.....	340.7	18.9	.....	.....
43	Trigg County † (total)....1913	912.2	40.8	.....	.....	13.6	.....	20.4	6.8	6.8	6.8	163.4	6.8	6.8	.....
44	1912	628.3	27.3	20.5	.....	.....	.....	6.8	.....	6.8	.....	157.1	13.7	.....	.....
45	White....1913	715.9	44.2	.....	.....	17.7	.....	26.5	8.8	8.8	8.8	106.1	.....	.....	.....
46	1912	451.6	17.7	17.7	.....	.....	.....	8.9	.....	.....	.....	106.3	8.9	.....	.....
47	Colored....1913	1,570.4	29.6	.....	.....	.....	.....	.....	.....	.....	.....	355.6	29.6	29.6	.....
48	1912	1,223.5	59.7	29.8	.....	.....	.....	.....	.....	29.8	.....	328.3	29.8	.....	.....
49	Trimble County (total)....1913	766.0	47.9	.....	.....	.....	.....	16.0	16.0	16.0	.....	47.9	.....	16.0	16.0
50	1912	961.7	.....	15.8	.....	.....	.....	.....	15.8	47.3	15.8	141.9	15.8	.....	.....
51	White....1913	766.8	48.9	.....	.....	.....	.....	16.3	16.3	16.3	.....	32.6	.....	16.3	16.3
52	1912	951.3	.....	16.1	.....	.....	.....	.....	16.1	48.4	16.1	129.0	16.1	.....	.....
53	Colored [3]....1913	729.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	729.9	.....	.....	.....
54	1912	1,418.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	709.2	.....	.....	.....
55	Union County (total)....1913	1,096.8	56.6	10.3	.....	5.1	5.1	56.6	15.4	5.1	.....	180.2	5.1	10.3	20.6
56	1912	1,257.3	40.9	10.2	.....	.....	.....	5.1	46.0	10.2	.....	168.7	.....	15.3	5.1
57	White....1913	1,043.2	64.5	11.7	.....	5.9	5.9	41.0	17.6	.....	.....	164.1	5.9	5.9	11.7
58	1912	1,158.1	34.9	11.6	.....	.....	.....	5.8	52.4	11.6	.....	122.2	.....	5.8	5.8
59	Colored....1913	1,484.9	.....	.....	.....	.....	.....	169.7	.....	42.4	.....	297.0	.....	42.4	84.9
60	1912	1,972.3	83.9	.....	.....	.....	.....	.....	.....	.....	.....	503.6	.....	83.9	.....
61	Warren County (total)....1913	1,634.4	48.7	16.2	.....	.....	3.2	32.5	13.0	13.0	3.2	198.2	16.2	29.2	9.7
62	1912	1,487.9	61.9	3.3	.....	.....	3.3	3.3	29.3	6.5	3.3	218.1	16.3	22.8	9.8
63	White....1913	1,415.3	48.8	16.3	.....	.....	4.1	28.5	16.3	4.1	.....	126.1	8.1	28.5	8.1
64	1912	1,270.2	48.9	.....	.....	.....	4.1	.....	32.6	4.1	4.1	175.1	12.2	12.2	4.1
65	Colored....1913	2,505.7	48.5	16.2	.....	.....	.....	48.5	.....	48.5	16.2	485.0	48.5	32.3	16.2
66	1912	2,357.7	113.8	16.3	.....	.....	.....	16.3	16.3	16.3	.....	390.2	32.5	65.0	32.5
67	Washington County (total)....1913	1,233.5	36.1	.....	.....	7.2	7.2	14.4	14.4	64.9	.....	137.1	43.3	28.9	14.4
68	1912	1,036.9	21.6	.....	.....	7.2	7.2	14.4	.....	21.6	.....	158.4	7.2	14.4	.....
69	White....1913	1,232.0	41.3	.....	.....	8.3	8.3	16.5	8.3	66.1	.....	132.3	41.3	16.5	16.5
70	1912	1,007.5	16.5	.....	.....	8.3	8.3	16.5	.....	24.8	.....	140.4	8.3	8.3	.....
71	Colored....1913	1,243.6	.....	.....	.....	.....	.....	.....	56.5	56.5	.....	169.6	56.5	113.1	.....
72	1912	1,237.3	56.2	.....	.....	.....	.....	.....	.....	.....	.....	281.2	.....	56.2	.....
73	Wayne County [4] (total)....1912	872.7	27.6	.....	.....	.....	.....	5.5	82.9	16.6	.....	110.5	.....	.....	.....
74	White....1912	865.5	28.8	.....	.....	.....	.....	5.8	86.5	17.3	.....	103.9	.....	.....	.....
75	Colored [3]....1912	1,036.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	259.1	.....	.....	.....

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
35.6	.....	17.8	44.5	26.7	8.9	80.1	8.9	44.5	.....	17.8	.....	17.8	.....	8.9	106.8	44.5	17.8	249.1	35.6	1
36.0	27.0	27.0	27.0	9.0	9.0	45.0	9.0	36.0	.....	.....	.....	27.0	.....	.....	107.9	45.0	.....	152.9	36.0	2
36.3	.....	18.1	45.4	27.2	9.1	81.6	9.1	45.4	.....	18.1	.....	18.1	.....	9.1	99.8	36.3	18.1	254.0	36.3	3
36.7	27.5	27.5	27.5	9.2	9.2	45.9	9.2	36.7	.....	.....	.....	18.3	.....	.....	110.0	36.7	.....	155.9	27.5	4
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	465.1	465.1	.....	.....	.....	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	460.8	.....	.....	.....	460.8	.....	.....	460.8	6
42.2	6.0	18.1	36.2	168.7	18.1	72.3	.....	24.1	12.1	6.0	.....	66.3	12.1	6.0	78.3	54.2	30.1	277.2	48.2	7
47.9	.....	18.0	71.8	143.7	23.9	77.8	6.0	35.9	23.9	12.0	12.0	29.9	6.0	6.0	83.8	65.8	18.0	281.3	12.0	8
47.5	7.9	23.7	39.6	150.4	23.7	55.4	.....	31.7	15.8	7.9	.....	79.1	.....	7.9	95.0	55.4	31.7	237.4	47.5	9
55.0	.....	23.6	70.8	133.7	31.5	78.6	7.9	39.3	31.5	15.7	.....	31.5	.....	7.9	86.5	47.2	23.6	259.5	7.9	10
25.3	.....	.....	25.3	227.4	.....	126.4	.....	.....	.....	.....	.....	25.3	50.5	.....	25.3	50.5	25.3	404.3	50.5	11
25.1	.....	.....	75.2	175.5	.....	75.2	.....	25.1	.....	.....	50.1	25.1	25.1	.....	75.2	125.3	.....	351.0	25.1	12
61.3	11.1	27.9	66.9	100.3	11.1	105.9	16.7	27.9	11.1	22.3	5.6	100.3	5.6	.....	39.0	61.3	5.6	267.5	22.3	13
77.9	5.6	11.1	72.3	116.8	5.6	139.1	11.1	22.3	.....	5.6	11.1	50.1	11.1	11.2	139.1	77.9	16.7	283.7	33.4	14
71.6	14.3	28.6	42.9	93.0	14.3	100.2	7.2	21.5	14.3	21.5	7.2	100.2	.....	.....	35.8	35.8	7.2	271.9	7.2	15
78.6	7.1	14.3	57.2	85.8	7.1	92.9	7.1	21.4	.....	.....	7.1	50.0	7.1	14.3	150.1	85.8	21.4	278.7	35.7	16
25.2	.....	25.2	151.1	125.9	.....	125.9	50.4	50.4	.....	25.2	.....	100.8	25.2	.....	50.4	151.1	.....	251.9	75.6	17
75.3	.....	.....	125.6	226.0	.....	301.4	25.1	25.1	.....	25.1	25.1	50.2	25.1	.....	100.5	50.2	.....	301.4	25.1	18
52.6	8.8	17.5	78.9	113.9	8.8	52.6	26.3	35.1	8.8	.....	8.8	87.7	8.8	17.5	78.9	105.2	8.8	201.6	.....	19
43.8	17.5	8.8	35.0	122.5	8.8	78.8	17.5	61.3	8.8	35.0	26.3	26.3	8.8	8.8	26.3	17.5	.....	183.8	52.5	20
64.8	10.8	21.6	64.8	108.1	10.8	64.8	10.8	32.4	10.8	.....	.....	97.3	10.8	10.8	75.6	86.4	10.8	194.5	.....	21
43.2	21.6	10.8	32.4	86.4	10.8	75.6	21.6	54.0	10.8	32.4	32.4	21.6	10.8	.....	32.4	21.6	.....	151.1	54.0	22
.....	.....	.....	139.2	139.2	.....	.....	92.8	46.4	.....	.....	46.4	46.4	.....	46.4	92.8	185.6	.....	232.0	.....	23
46.3	.....	.....	46.3	277.5	.....	92.5	.....	92.5	.....	46.3	.....	46.3	.....	46.3	.....	.....	.....	323.8	46.3	24
13.1	.....	.....	13.1	65.6	13.1	65.6	.....	26.3	.....	.....	.....	39.4	13.1	13.1	52.5	52.5	.....	105.0	13.1	25
13.2	.....	39.5	26.3	65.8	.....	26.3	26.3	52.6	.....	.....	.....	92.1	.....	.....	52.6	105.2	.....	157.9	26.3	26
14.6	.....	.....	.....	73.0	14.6	58.4	.....	29.2	.....	.....	.....	43.8	14.6	14.6	58.4	43.8	.....	87.6	.....	27
14.6	.....	43.9	14.6	58.5	.....	29.3	29.3	43.9	.....	.....	.....	102.4	.....	.....	58.5	117.0	.....	131.6	29.3	28
.....	.....	.....	130.4	.....	.....	130.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	130.4	.....	260.8	130.4	29
.....	.....	.....	130.7	130.7	.....	.....	.....	130.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	392.2	.....	30
73.5	.....	.....	32.7	73.5	16.3	32.7	.....	65.3	8.2	.....	8.2	32.7	8.2	8.2	163.3	32.7	.....	244.9	40.8	31
65.8	8.2	8.2	49.4	65.8	8.2	49.4	8.2	24.7	8.2	.....	.....	24.7	24.7	.....	82.3	41.1	8.2	131.6	41.1	32
65.0	.....	.....	27.8	65.0	18.6	18.6	.....	65.0	9.3	.....	9.3	37.1	9.3	9.3	148.5	37.1	.....	241.3	37.1	33
74.8	9.3	9.3	37.4	65.4	.....	56.1	9.3	18.7	9.3	.....	.....	18.7	28.0	.....	93.5	46.7	.....	112.1	28.0	34
136.0	.....	.....	68.0	136.0	.....	136.0	.....	68.0	.....	.....	.....	.....	.....	.....	271.9	.....	.....	271.9	68.0	35
.....	.....	.....	137.2	68.6	68.6	.....	.....	68.6	.....	.....	.....	68.6	.....	.....	.....	.....	68.6	274.3	137.2	36
18.5	12.3	6.2	49.4	123.4	.....	117.3	18.5	61.7	12.3	.....	6.2	61.7	12.3	18.5	92.6	67.9	.....	253.1	49.4	37
36.8	.....	30.7	36.8	73.7	12.3	79.8	24.6	55.2	.....	6.1	6.1	92.1	.....	18.4	73.7	98.2	12.3	245.5	49.1	38
18.3	9.1	9.1	63.9	109.6	.....	146.1	18.3	54.8	18.3	.....	.....	73.0	18.3	27.4	82.2	45.7	.....	219.1	36.5	39
45.4	.....	27.3	27.3	63.6	9.1	72.7	27.3	36.3	.....	9.1	.....	36.3	.....	9.1	81.8	63.6	18.2	163.5	27.3	40
19.0	19.0	.....	19.0	152.4	.....	57.1	19.0	76.2	.....	.....	19.0	38.1	.....	.....	114.3	114.3	.....	323.8	76.2	41
18.9	.....	37.9	56.8	94.6	18.9	94.6	18.9	94.6	.....	.....	18.9	208.2	.....	37.9	56.8	170.3	.....	416.4	94.6	42
13.6	.....	13.6	61.3	40.8	.....	34.0	13.6	13.6	.....	6.8	6.8	40.8	6.8	.....	68.1	68.1	.....	204.2	47.7	43
6.8	.....	13.7	13.7	47.8	6.8	34.1	.....	20.5	.....	6.8	6.8	6.8	.....	6.8	13.7	27.3	.....	116.1	68.3	44
8.8	.....	17.7	44.2	26.5	.....	17.7	8.8	.....	.....	.....	8.8	17.7	8.8	.....	53.0	35.4	.....	194.4	53.0	45
8.9	.....	8.9	17.7	26.6	.....	26.6	.....	17.7	.....	.....	.....	.....	.....	8.9	17.7	8.9	.....	79.7	70.8	46
29.6	.....	.....	118.5	88.9	.....	88.9	29.6	59.3	.....	29.6	.....	118.5	.....	.....	118.5	177.8	.....	237.0	29.6	47
.....	.....	29.8	.....	119.4	29.8	59.7	.....	29.8	.....	29.8	29.8	29.8	.....	.....	.....	89.5	.....	238.7	59.7	48
63.8	.....	.....	16.0	95.8	.....	31.9	16.0	16.0	.....	.....	.....	47.9	16.0	.....	63.8	31.9	16.0	143.6	31.9	49
31.5	.....	.....	15.8	78.8	.....	94.6	.....	47.3	.....	.....	15.8	47.3	15.8	.....	126.1	15.8	.....	189.2	31.5	50
65.3	.....	.....	16.3	97.9	.....	32.6	16.3	16.3	.....	.....	.....	48.9	16.3	.....	65.3	32.6	16.3	146.8	32.6	51
32.2	.....	.....	16.1	80.6	.....	80.6	.....	48.4	.....	.....	16.1	48.4	16.1	.....	129.0	16.1	.....	193.5	32.2	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	53
.....	.....	.....	.....	.....	.....	709.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	54
25.7	.....	.....	20.6	61.8	.....	72.1	10.3	87.5	.....	.....	5.1	51.5	.....	15.4	92.7	46.3	5.1	206.0	25.7	55
46.0	10.2	20.4	35.8	92.0	20.4	61.3	20.4	40.9	10.2	.....	5.1	66.4	10.2	.....	97.1	71.6	10.2	265.8	71.6	56
23.4	.....	.....	17.6	64.5	.....	64.5	11.7	87.9	.....	.....	5.9	58.6	.....	17.6	105.5	35.2	5.9	193.4	17.6	57
40.7	11.6	11.6	29.1	75.7	23.3	64.0	17.5	40.7	11.6	.....	5.8	64.0	11.6	.....	98.9	75.7	11.6	261.9	52.4	58
42.4	.....	.....	42.4	42.4	.....	127.3	.....	84.9	.....	.....	.....	.....	.....	.....	.....	127.3	.....	297.0	84.9	59
83.9	.....	83.9	83.9	209.8	.....	42.0	42.0	42.0	.....	.....	.....	83.9	.....	.....	83.9	42.0	.....	293.7	209.8	60
84.5	6.5	32.5	65.0	149.5	6.5	97.5	22.7	35.7	6.5	13.0	3.2	178.7	16.2	3.2	104.0	94.2	9.7	295.7	26.0	61
74.9	9.8	19.5	35.8	87.9	16.3	130.2	26.0	42.3	.....	26.0	3.3	117.2	.....	13.0	71.6	94.4	.....	263.7	78.1	62
93.5	8.1	32.5	56.9	134.2	8.1	77.3	20.3	32.5	8.1	12.2	.....	158.6	16.3	.....	93.5	85.4	8.1	264.3	16.3	63
69.2	4.1	20.4	36.6	48.9	20.4	126.2	28.5	36.6	.....	20.4	.....	118.1	.....	12.2	57.0	93.6	.....	236.1	44.8	64
48.5	.....	32.3	97.0	210.2	.....	177.8	32.3	48.5	.....	16.2	16.2	258.6	16.2	16.2	145.5	129.3	16.2	420.3	64.7	65
97.6	32.5	16.3	32.5	243.9	.....	146.3	16.3	65.0	.....	48.8	16.3	113.8	.....	16.3	130.1	97.6	.....	374.0	211.4	66
64.9	.....	21.6	43.3	57.7	14.4	93.8	14.4	36.1	.....	7.2	7.2	115.4	.....	28.9	79.3	101.0	21.6	144.3	14.4	67
72.0	.....	28.8	28.8	86.4	.....	108.0	21.6	28.8	.....	14.4	.....	86.4	.....	7.2	86.4	50.4	7.2	108.0	50.4	68
57.9	.....	24.8	41.3	66.1	16.5	74.4	16.5	41.3	.....	8.3	8.3	132.3	.....	16.5	74.4	107.5	24.8	148.8	16.5	69
82.6	.....	33.0	16.5	99.1	.....	90.8	24.8	33.0	.....	16.5	.....	82.6	.....	8.3	90.8	57.8	8.3	107.4	24.8	70
113.1	.....	.....	56.5	.....	.....	226.1	.....	.....	.....	.....	.....	.....	.....	113.1	113.1	56.5	.....	113.1	.....	71
.....	.....	.....	112.5	.....	.....	225.0	.....	.....	.....	.....	.....	112.5	.....	.....	56.2	.....	.....	112.5	225.0	[4] 72
27.6	11.0	5.5	22.1	44.2	11.0	44.2	.....	5.5	.....	16.6	.....	49.7	5.5	.....	27.6	88.4	5.5	143.6	121.5	73
28.8	11.5	5.8	17.3	28.8	11.5	46.2	.....	5.8	.....	17.3	.....	46.2	5.8	.....	23.1	92.3	5.8	150.0	126.9	74
.....	.....	.....	129.5	388.6	.....	.....	.....	.....	.....	.....	.....	129.5	.....	.....	129.5	.....	.....	.....	.....	75

[3] Colored population less than 10 per cent of total.

[4] See Pulaski County for 1913.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	KENTUCKY—continued.															
1	Webster County (total)	1913	1,157.2	61.2	14.1	.....	.....	.....	18.8	14.1	28.2	4.7	164.6	.....	18.8	4.7
2		1912	968.4	52.0	23.6	4.7	.....	.....	23.6	14.2	14.2	.....	151.2	9.4	4.7	9.4
3	White	1913	1,158.2	53.9	16.2	.....	.....	.....	16.2	16.2	32.3	5.4	161.6	.....	21.5	5.4
4		1912	919.3	54.1	27.0	5.4	.....	.....	21.6	16.2	16.2	.....	135.2	10.8	.....	10.8
5	Colored	1913	1,150.7	111.4	.....	.....	.....	.....	37.1	.....	.....	.....	185.6	.....	.....	.....
6		1912	1,307.9	37.4	.....	.....	.....	.....	37.4	.....	.....	.....	261.6	.....	37.4	.....
7	Whitley County[3] (total)	1912	903.4	68.6	6.0	.....	6.0	3.0	32.8	20.9	3.0	8.9	50.7	3.0	3.0	8.9
8	White	1912	896.5	71.1	6.2	.....	6.2	3.1	30.9	21.6	3.1	9.3	49.5	3.1	3.1	9.3
9	Colored[4]	1912	1,090.6	.....	.....	.....	.....	.....	83.9	.....	.....	.....	83.9	.....	.....	.....
10	Wolfe County (total)	1913	1,027.4	48.9	.....	.....	19.6	9.8	9.8	48.9	.....	.....	68.5	.....	29.4	19.6
11		1912	751.8	.....	.....	.....	.....	.....	.....	39.6	19.8	.....	79.1	9.9	.....	9.9
12	White	1913	1,013.6	39.4	.....	.....	19.7	9.8	9.8	49.2	.....	.....	68.9	.....	29.5	19.7
13		1912	726.6	.....	.....	.....	.....	.....	.....	39.8	19.9	.....	79.6	10.0	.....	10.0
14	Colored[4]	1913	(5)	(5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15		1912	(5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Woodford County (total)	1913	1,372.3	16.1	.....	.....	8.1	.....	8.1	.....	24.2	.....	250.2	24.2	8.1	.....
17		1912	1,382.1	64.3	.....	.....	8.0	.....	24.1	24.1	8.0	.....	208.9	24.1	24.1	8.0
18	White	1913	1,250.3	11.5	.....	.....	.....	.....	11.5	.....	22.9	.....	183.5	34.4	.....	.....
19		1912	1,348.0	68.5	.....	.....	11.4	.....	.....	34.3	.....	.....	171.3	22.8	22.8	.....
20	Colored	1913	1,662.1	27.2	.....	.....	27.2	.....	.....	.....	27.2	.....	408.7	.....	27.2	.....
21		1912	1,463.0	54.2	.....	.....	.....	.....	81.3	.....	27.1	.....	298.0	27.1	27.1	27.1
	MAINE.															
22	Total	1913	1,435.7	10.4	0.9	0.3	6.8	2.6	5.1	10.9	25.5	1.9	86.5	10.8	16.6	6.2
23		1912	1,447.2	11.0	0.5	0.2	5.3	1.5	7.6	12.2	13.2	3.6	95.9	9.6	16.1	6.9
24	White	1913	1,436.5	10.5	0.9	0.3	6.7	2.6	5.1	11.0	25.6	1.9	86.1	10.8	16.6	6.2
25		1912	1,450.4	11.0	0.5	0.2	5.3	1.6	7.6	12.2	13.3	3.6	96.1	9.6	16.2	6.9
26	Colored	1913	1,169.6	.....	.....	.....	58.5	.....	.....	.....	.....	.....	233.9	.....	.....	.....
27		1912	352.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	Androscoggin County	1913	1,380.6	5.3	.....	.....	.....	.....	10.6	10.6	37.2	5.3	79.7	10.6	15.9	5.3
29		1912	1,441.3	10.7	.....	.....	10.7	.....	.....	10.7	5.3	.....	48.0	.....	10.7	.....
30	Aroostook County	1913	1,218.6	6.3	1.3	1.3	26.5	5.1	11.4	34.1	27.8	.....	83.3	5.1	18.9	7.6
31		1912	1,074.9	9.0	.....	.....	2.6	1.3	12.9	21.9	19.3	5.1	70.7	9.0	14.1	10.3
32	Cumberland County	1913	1,529.8	11.0	.....	.....	9.2	.....	.....	14.7	22.1	1.8	64.4	14.7	12.9	1.8
33		1912	1,460.5	7.4	.....	.....	3.7	.....	9.2	9.2	7.4	3.7	90.6	18.5	11.1	1.8
34	Franklin County	1913	1,510.1	5.2	.....	.....	.....	.....	.....	.....	46.5	.....	56.9	5.2	25.9	.....
35		1912	1,489.4	10.4	.....	.....	.....	.....	.....	15.6	5.2	5.2	77.8	.....	10.4	10.4
36	Hancock County	1913	1,464.2	11.4	.....	.....	2.9	5.7	2.9	.....	25.7	.....	77.1	22.8	28.5	.....
37		1912	1,539.6	8.5	2.8	.....	2.8	5.7	17.0	19.9	8.5	5.7	102.3	8.5	19.9	8.5
38	Kennebec County	1913	1,619.9	10.5	.....	.....	.....	.....	10.5	18.3	28.7	2.6	91.4	10.5	23.5	5.2
39		1912	1,707.2	5.2	2.6	.....	7.8	.....	10.5	10.5	15.7	5.2	104.6	10.5	5.2	10.5
40	Knox County	1913	1,788.3	21.0	.....	3.5	.....	.....	.....	3.5	24.5	.....	133.2	10.5	17.5	10.5
41		1912	1,681.6	10.5	.....	.....	7.0	.....	.....	.....	27.9	.....	104.7	17.4	20.9	3.5
42	Lincoln County	1913	1,228.6	.....	5.6	.....	5.6	.....	.....	.....	11.3	5.6	78.9	16.9	16.9	5.6
43		1912	1,425.3	22.4	.....	.....	.....	.....	.....	22.4	16.8	.....	106.2	.....	16.8	11.2
44	Oxford County	1913	1,445.6	5.3	.....	.....	5.3	.....	.....	8.0	13.3	2.7	93.2	10.6	10.6	8.0
45		1912	1,413.0	16.1	.....	.....	2.7	2.7	.....	16.1	18.8	.....	102.3	8.1	10.8	8.1
46	Penobscot County	1913	1,271.2	14.4	.....	.....	1.6	4.8	9.6	3.2	20.8	1.6	73.6	14.4	16.0	3.2
47		1912	1,400.3	14.6	.....	.....	3.2	6.5	11.3	6.5	11.3	6.5	124.5	16.2	22.6	3.2
48	Piscataquis County	1913	1,266.8	14.4	4.8	.....	.....	.....	4.8	4.8	19.2	9.6	62.4	14.4	24.0	4.8
49		1912	1,290.0	19.5	.....	.....	4.9	.....	.....	4.9	19.5	.....	77.9	4.9	14.6	9.7
50	Sagadahoc County	1913	1,766.2	11.1	.....	.....	.....	.....	5.6	11.1	27.8	.....	100.0	5.6	5.6	11.1
51		1912	1,704.9	11.0	.....	.....	.....	.....	.....	16.5	.....	.....	132.0	5.5	27.5	.....
52	Somerset County	1913	1,347.8	21.6	.....	.....	5.4	5.4	5.4	2.7	37.7	2.7	72.8	13.5	2.7	5.4
53		1912	1,498.0	8.1	.....	.....	27.1	.....	2.7	8.1	16.3	8.1	100.4	8.1	13.6	10.9
54	Waldo County	1913	1,647.7	21.6	4.3	.....	.....	.....	4.3	.....	43.2	.....	138.4	4.3	21.6	13.0
55		1912	1,667.8	8.6	.....	.....	17.2	.....	8.6	8.6	12.9	4.3	107.7	8.6	25.9	21.5
56	Washington County	1913	1,326.2	2.4	2.4	.....	9.5	.....	4.7	4.7	16.6	.....	130.5	9.5	16.6	7.1
57		1912	1,349.5	4.7	2.4	.....	.....	.....	7.1	11.8	4.7	.....	99.1	11.8	11.8	2.4
58	York County	1913	1,582.4	7.6	.....	.....	5.7	7.6	1.9	15.3	22.9	3.8	74.5	5.7	13.4	11.5
59		1912	1,598.4	17.3	.....	1.9	1.9	1.9	11.5	9.6	13.4	3.8	88.4	3.8	25.0	3.8
	MARYLAND.															
60	Total	1913	1,403.5	36.6	2.0	0.3	10.5	3.1	21.3	14.1	18.7	2.1	150.3	4.0	9.9	4.3
61		1912	1,303.2	28.2	2.1	.....	2.4	1.4	14.0	14.3	12.6	1.7	135.8	4.3	11.9	5.6
62	White	1913	1,251.3	27.7	1.6	0.2	10.1	3.8	12.8	13.8	17.8	2.5	116.8	3.6	6.6	4.5
63		1912	1,168.6	22.6	1.4	.....	2.9	1.6	9.2	16.1	12.1	1.8	103.7	4.0	10.3	5.8
64	Colored	1913	1,977.5	70.5	3.4	0.7	12.2	0.7	53.5	14.9	22.4	0.7	276.5	5.4	22.4	3.4
65		1912	1,811.1	49.2	4.8	.....	0.7	0.7	32.1	7.5	14.3	1.4	256.8	5.5	17.8	4.8
66	Allegany County (total)	1913	1,124.8	26.3	.....	.....	21.5	9.6	26.3	35.8	9.6	4.8	50.2	7.2	2.4	2.4
67		1912	793.4	19.3	.....	.....	12.1	.....	.....	12.1	19.3	4.8	36.2	2.4	.....	4.8
68	White	1913	1,116.4	26.6	.....	.....	21.8	9.7	26.6	36.3	9.7	4.8	48.4	7.3	2.4	.....
69		1912	786.7	19.5	.....	.....	12.2	.....	.....	12.2	19.5	4.9	36.6	2.4	.....	4.9
70	Colored[4]	1913	1,724.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	172.4	.....	.....	172.4
71		1912	1,298.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Anne Arundel County (total)	1913	1,778.2	22.8	5.1	.....	17.7	.....	7.6	10.1	25.3	2.5	174.5	2.5	22.8	2.5
73		1912	1,874.0	35.4	15 2	.....	.....	2.5	40.5	12.6	27.8	2.5	144.2	2.5	10.1	.....
74	White	1913	1,312.1	19.8	7.9	.....	11.9	.....	4.0	15.8	19.8	4.0	98.8	4.0	7.9	4.0
75		1912	1,393.5	15.8	3.9	.....	.....	3.9	23.7	19.7	27.6	3.9	71.1	.....	3.9	.....
76	Colored	1913	2,606.8	28.1	.....	.....	28.1	.....	14.1	.....	35 1	.....	309.2	.....	49.2	.....
77		1912	2,730.5	70.4	35.2	.....	.....	.....	70.4	.....	28.1	.....	274.5	7.0	21.1	.....

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

[3] See Pulaski County for 1913.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
18.8	.....	42.3	32.9	37.6	4.7	117.6	14.1	80.0	.....	.....	4.7	61.2	9.4	.....	61.2	70.6	4.7	244.6	23.5	1
28.3	9.4	14.2	18.9	23.6	4.7	94.5	18.9	37.8	4.7	14.2	.....	66.1	.....	.....	52.0	56.7	4.7	165.3	47.2	2
21.5	.....	48.5	32.3	43.1	5.4	123.9	5.4	86.2	.....	.....	5.4	53.9	10.8	.....	59.3	64.6	5.4	247.8	16.2	3
32.4	10.8	16.2	21.6	16.2	.....	86.5	21.6	43.3	.....	16.2	.....	64.9	.....	.....	48.7	37.9	.....	162.2	43.3	4
.....	.....	.....	37.1	.....	.....	74.2	74.2	37.1	.....	.....	.....	111.4	.....	.....	74.2	111.4	.....	222.7	74.2	5
.....	.....	.....	.....	74.7	37.4	149.5	.....	.....	37.4	.....	.....	74.7	.....	.....	74.7	186.8	37.4	186.8	74.7	6
20.9	6.0	14.9	3.0	65.6	8.9	47.7	17.9	89.4	6.0	6.0	.....	26.8	6.0	17.9	113.3	80.5	3.0	107.3	47.7	7
21.6	6.2	15.5	3.1	61.8	9.3	49.5	15.5	92.7	3.1	6.2	.....	27.8	6.2	12.4	114.4	80.4	3.1	105.1	46.4	8
.....	.....	.....	.....	167.8	.....	.....	83.9	.....	83.9	.....	.....	.....	.....	167.8	83.9	83.9	.....	167.8	83.9	9
9.8	.....	39.1	9.8	39.1	.....	48.9	.....	68.5	.....	.....	.....	29.4	19.6	.....	127.2	78.3	.....	244.6	58.7	10
29.7	.....	29.7	19.8	29.7	9.9	59.4	.....	29.7	9.9	9.9	.....	9.9	.....	19.8	29.7	59.4	9.9	118.7	118.7	11
9.8	.....	39.4	9.8	39.4	.....	49.2	.....	68.9	.....	.....	.....	29.5	19.7	.....	127.9	78.7	.....	236.2	59.0	12
29.9	.....	29.9	19.9	29.9	10.0	59.7	.....	29.9	10.0	10.0	.....	10.0	.....	19.9	29.9	59.7	10.0	109.5	99.5	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(5)	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(5)	(5)	15
80.7	8.1	16.1	32.3	96.9	24.2	96.9	8.1	88.8	.....	.....	.....	113.0	16.1	8.1	104.9	104.9	8.1	218.0	8.1	16
32.1	.....	24.1	48.2	152.7	8.0	176.8	24.1	40.2	.....	8.0	.....	64.3	8.0	8.0	56.2	96.4	.....	217.0	24.1	17
80.3	11.5	11.5	34.4	68.8	34.4	80.3	11.5	103.2	.....	.....	.....	45.9	22.9	11.5	137.6	126.2	.....	195.0	11.5	18
45.7	.....	34.3	68.5	114.2	.....	182.8	34.3	57.1	.....	.....	.....	68.5	11.4	.....	57.1	91.4	.....	217.0	34.3	19
81.7	.....	27.2	27.2	163.5	.....	136.2	.....	54.5	.....	.....	.....	272.5	.....	.....	27.2	54.5	27.2	272.5	.....	20
.....	.....	.....	.....	243.8	27.1	162.6	.....	.....	.....	27.1	.....	54.2	.....	27.1	54.2	108.4	.....	216.7	.....	21
104.3	18.3	9.6	119.5	175.3	19.7	124.6	14.7	56.8	6.8	8.2	6.5	93.9	3.2	6.5	76.8	65.1	12.0	306.0	23.4	22
105.1	20.4	10.8	125.9	180.6	24.7	126.3	17.9	33.5	7.4	11.2	6.4	91.7	2.7	6.9	73.0	67.0	15.1	311.3	25.6	23
104.4	18.3	9.6	119.9	175.4	19.5	125.0	14.7	56.9	6.9	8.1	6.5	94.1	3.3	6.5	76.8	64.8	12.0	305.9	23.5	24
105.1	20.5	10.9	126.3	180.9	24.8	126.5	17.9	33.6	7.4	11.2	6.4	91.8	2.8	6.9	73.2	67.0	15.2	312.2	25.7	25
58.5	.....	.....	.....	117.0	58.5	.....	.....	.....	.....	58.5	.....	.....	.....	.....	58.5	175.4	.....	350.9	.....	26
117.6	.....	.....	.....	58.8	.....	58.8	.....	.....	.....	.....	.....	58.8	.....	.....	.....	58.8	.....	.....	.....	27
106.2	15.9	.....	106.2	143.4	10.6	154.0	5.3	31.9	5.3	.....	.....	79.7	10.6	.....	58.4	69.0	15.9	371.7	15.9	28
96.1	16.0	10.7	170.8	202.9	21.4	224.2	5.3	16.0	10.7	10.7	5.3	85.4	5.3	.....	69.4	53.4	26.7	298.9	16.0	29
51.8	11.4	8.8	42.9	64.4	6.3	90.9	11.4	199.5	12.6	8.8	.....	46.7	3.8	6.3	102.3	51.8	3.8	212.2	54.3	30
59.1	9.0	9.0	47.6	68.1	16.7	101.6	16.7	84.9	10.3	7.7	1.3	39.9	1.3	10.3	99.0	69.4	10.3	191.6	45.0	31
123.2	18.4	9.2	121.4	213.3	14.7	156.3	20.2	31.3	5.5	9.2	3.7	104.8	7.4	11.0	86.4	62.5	9.2	354.9	14.7	32
125.7	33.3	24.0	125.7	231.1	20.3	110.9	12.9	29.6	3.7	7.4	3.7	103.5	1.8	.....	79.5	72.1	3.7	286.6	22.2	33
118.9	15.5	31.0	186.2	129.3	5.2	160.3	25.9	41.4	.....	15.5	.....	139.6	.....	5.2	82.7	41.4	5.2	331.0	36.2	34
124.6	15.6	5.2	150.5	155.7	51.9	192.0	10.4	36.3	.....	20.8	5.2	98.6	.....	20.8	93.4	20.8	20.8	306.2	25.9	35
108.5	17.1	5.7	145.6	219.8	25.7	111.3	5.7	5.7	8.6	5.7	8.6	117.0	2.9	2.9	68.5	62.8	14.3	322.5	28.5	36
122.1	25.6	17.0	144.9	176.1	28.4	125.0	22.7	11.4	.....	11.4	17.0	99.4	5.7	2.8	62.5	51.1	11.4	377.8	17.0	37
148.9	15.7	10.5	148.9	256.0	18.3	148.9	15.7	31.4	15.7	7.8	.....	96.7	2.6	5.2	73.2	70.5	5.2	331.8	15.7	38
115.0	15.7	13.1	143.8	258.8	28.8	143.8	39.2	26.1	10.5	18.3	7.8	104.6	2.6	2.6	68.0	81.0	26.1	397.4	15.7	39
136.8	28.1	.....	192.9	252.5	17.5	112.2	28.1	24.5	14.0	3.5	.....	161.3	3.5	14.0	77.1	80.6	35.1	361.2	21.0	40
122.1	45.4	10.5	184.9	240.7	10.5	101.2	10.5	10.5	17.4	10.5	.....	139.6	.....	20.9	45.4	69.8	41.9	387.3	20.9	41
118.3	39.4	5.6	135.3	225.4	11.3	45.1	11.3	.....	.....	5.6	.....	95.8	.....	.....	22.5	33.8	11.3	287.4	33.8	42
156.5	22.4	16.8	89.4	173.3	16.8	123.0	11.2	11.2	5.6	.....	11.2	61.5	.....	5.6	39.1	33.5	22.4	413.6	16.8	43
87.9	24.0	10.6	135.8	189.0	16.0	109.2	8.0	90.5	8.0	10.6	10.6	98.5	5.3	8.0	79.9	85.2	18.6	268.9	24.0	44
96.9	21.5	8.1	129.2	193.8	21.5	123.8	16.1	29.6	5.4	5.4	.....	99.6	.....	8.1	88.8	61.9	24.2	274.5	18.8	45
91.3	11.2	6.4	100.9	123.3	36.8	139.3	24.0	25.6	3.2	8.0	9.6	67.2	3.2	6.4	56.0	76.9	9.6	289.8	19.2	46
92.2	19.4	12.9	113.2	127.7	29.1	160.1	25.9	24.3	12.9	11.3	9.7	72.8	1.6	4.9	69.5	72.8	9.7	274.9	29.1	47
76.8	19.2	4.8	129.6	129.6	4.8	100.8	9.6	9.6	4.8	14.4	4.8	105.6	4.8	14.4	100.8	120.0	14.4	230.3	4.8	48
53.5	19.5	4.9	92.5	107.1	34.1	92.5	29.2	19.5	4.9	24.3	.....	77.9	19.5	.....	87.6	126.6	9.7	301.8	29.2	49
144.4	22.2	16.7	166.6	261.0	11.1	205.5	5.6	33.3	11.1	11.1	5.6	105.5	.....	.....	55.5	61.1	27.8	427.7	16.7	50
154.0	33.0	5.5	143.0	264.0	22.0	143.0	11.0	49.5	5.5	11.0	11.0	77.0	5.5	11.0	44.0	77.0	11.0	418.0	16.5	51
99.7	18.9	10.8	113.2	161.7	24.3	113.2	5.4	37.7	2.7	8.1	16.2	56.6	2.7	13.5	78.2	80.9	2.7	318.1	8.1	52
78.7	19.0	8.1	162.8	171.0	32.6	138.4	16.3	19.0	13.6	16.3	8.1	81.4	8.1	8.1	54.3	86.8	21.7	312.1	38.0	53
116.8	30.3	4.3	160.0	186.0	47.6	108.1	17.3	4.3	8.6	13.0	13.0	151.4	.....	.....	77.8	47.6	25.9	367.6	17.3	54
133.6	12.9	17.2	112.0	211.2	12.9	99.1	8.6	34.5	4.3	21.5	17.2	107.7	.....	4.3	56.0	64.6	17.2	478.4	30.2	55
87.8	11.9	9.5	73.5	189.3	9.5	135.2	9.5	42.7	2.4	2.4	14.2	64.1	2.4	7.1	66.4	59.3	.....	313.2	21.4	56
118.0	9.4	4.7	132.1	212.3	11.8	84.9	9.4	23.6	2.4	9.4	7.1	87.3	2.4	11.8	77.3	49.5	4.7	311.4	23.6	57
135.7	22.9	19.1	143.3	217.9	38.2	126.1	21.0	59.2	1.9	9.6	11.5	131.9	.....	1.9	86.0	47.8	21.0	303.9	13.4	58
123.0	23.1	1.9	167.1	232.5	42.3	128.7	21.1	38.4	3.8	7.7	5.8	157.5	.....	3.8	73.0	61.5	11.5	297.8	15.4	59
64.6	11.1	12.1	86.9	113.8	17.6	102.7	12.8	99.7	5.1	6.5	6.7	108.8	5.0	9.1	97.2	74.0	11.4	249.1	32.1	60
62.9	9.6	10.2	79.0	125.2	19.7	95.7	14.0	83.1	4.6	9.0	7.9	107.0	3.6	9.7	77.2	73.8	9.0	236.2	31.5	61
71.3	12.0	11.1	86.6	107.6	13.3	86.1	12.2	86.3	5.4	6.1	7.2	99.4	3.2	6.8	85.2	66.7	13.8	229.7	19.4	62
66.8	10.3	9.8	76.7	116.5	16.3	79.4	13.2	73.8	4.9	10.0	8.3	94.1	3.3	7.4	70.9	66.6	10.5	220.6	17.6	63
39.3	7.5	15.6	88.1	136.9	33.9	165.4	14.9	150.4	4.1	8.1	4.7	144.3	11.5	17.6	142.3	101.7	2.0	322.6	80.0	64
48.5	6.8	11.6	87.4	157.8	32.8	157.1	17.1	118.1	3.4	5.5	6.1	155.7	4.8	18.4	101.1	101.1	3.4	295.0	84.0	65
81.2	16.7	14.3	43.0	66.9	16.7	100.3	11.9	86.0	.....	.....	7.2	64.5	.....	7.2	100.3	88.4	11.9	200.6	11.9	66
31.3	16.9	12.1	38.6	67.5	24.1	41.0	9.6	43.4	2.4	4.8	14.5	48.2	2.4	2.4	60.3	106.1	7.2	144.7	4.8	67
77.5	17.0	14.5	43.6	67.8	17.0	101.7	12.1	84.8	.....	.....	7.3	65.4	.....	7.3	99.3	84.8	9.7	201.0	12.1	68
31.8	17.1	12.2	36.6	68.4	24.4	41.5	7.3	44.0	2.4	4.9	14.7	48.9	2.4	2.4	61.1	105.1	4.9	139.3	4.9	69
344.8	.....	.....	.....	.....	.....	.....	.....	172.4	.....	.....	.....	.....	.....	.....	172.4	344.8	172.4	172.4	.....	70
.....	.....	.....	185.5	.....	.....	.....	185.5	.....	.....	.....	.....	.....	.....	.....	.....	185.5	185.5	556.6	.....	71
60.7	15.2	37.9	121.4	136.6	17.7	156.8	20.2	184.7	10.1	5.1	5.1	129.0	5.1	12.6	121.4	136.6	15.2	245.4	48.1	72
91.0	10.1	15.2	129.0	123.9	30.3	197.3	25.3	159.3	2.5	10.1	5.1	174.5	.....	10.1	134.0	121.4	17.7	280.7	43.0	73
55.3	11.9	15.8	114.6	98.8	.....	122.5	15.8	154.1	15.8	.....	4.0	90.9	7.9	11.9	55.3	114.6	22.7	185.8	15.8	74
86.9	15.8	11.8	114.5	63.2	23.7	130.3	19.7	130.3	3.9	3.9	7.9	134.2	.....	3.9	71.1	114.5	23.7	240.8	19.7	75
70.3	21.1	77.3	133.5	203.8	49.2	217.8	28.1	238.9	.....	14.1	7.0	196.7	.....	14.1	238.9	175.7	.....	351.3	105.4	76
98.5	.....	21.1	154.8	232.2	42.2	316.7	35.2	211.1	.....	21.1	.....	246.3	.....	21.1	246.3	133.7	7.0	351 9	84.4	77

[4] Colored population less than 10 per cent of total.

[5] Rate not shown when population is less than 100.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MARYLAND—continued.															
1	Baltimore County* (total)	1913	1,366.4	13.6	0.8	.....	12.1	4.5	5.3	15.8	12.8	1.5	141.0	6.0	7.5	1.5
2		1912	1,372.3	20.1	.....	.....	0.8	0.8	9.3	15.5	13.1	2.3	163.0	6.2	9.3	10.0
3	White	1913	1,358.9	14.3	0.8	.....	12.7	5.1	4.2	17.7	14.3	1.7	135.0	5.9	6.7	1.7
4		1912	1,343.6	18.1	.....	.....	0.9	.....	6.9	15.5	13.0	1.7	154.6	6.9	10.4	8.6
5	Colored	1913	1,429.6	7.1	.....	.....	7.1	.....	14.2	.....	.....	.....	192.0	7.1	14.2	.....
6		1912	1,616.9	36.7	.....	.....	.....	7.3	29.4	14.7	14.7	7.3	235.2	.....	.....	22.0
7	Calvert County (total)	1913	1,650.9	57.9	29.0	.....	.....	.....	38.6	.....	.....	.....	202.7	.....	29.0	.....
8		1912	1,024.4	38.7	.....	.....	.....	.....	9.7	.....	9.7	.....	164.3	9.7	9.7	.....
9	White	1913	1,458.6	56.8	56.8	.....	.....	.....	18.9	.....	.....	.....	189.4	.....	18.9	.....
10		1912	719.8	.....	.....	.....	.....	.....	18.9	.....	18.9	.....	189.4	18.9	18.9	.....
11	Colored	1913	1,850.8	59.1	.....	.....	.....	.....	59.1	.....	.....	.....	216.6	.....	39.4	.....
12		1912	1,341.5	78.9	.....	.....	.....	.....	.....	.....	.....	.....	138.1	.....	.....	.....
13	Caroline County (total)	1913	1,476.7	54.5	.....	.....	5.0	.....	29.7	9.9	14.9	.....	237.9	.....	5.0	5.0
14		1912	1,252.5	30.2	.....	.....	.....	.....	5.0	15.1	10.1	.....	120.7	.....	15.1	.....
15	White	1913	1,291.2	46.4	.....	.....	6.6	.....	19.9	6.6	6.6	.....	178.8	.....	.....	6.6
16		1912	1,067.7	6.7	.....	.....	.....	.....	6.7	13.4	13.4	.....	107.4	.....	.....	.....
17	Colored	1913	2,028.4	78.8	.....	.....	.....	.....	59.1	19.7	39.4	.....	413.5	.....	19.7	.....
18		1912	1,804.3	100.2	.....	.....	.....	.....	.....	20.0	.....	.....	160.4	.....	60.1	.....
19	Carroll County* (total)	1913	1,466.6	20.6	.....	.....	5.9	.....	14.7	8.8	23.6	2.9	109.0	5.9	2.9	2.9
20		1912	1,337.3	8.8	.....	.....	.....	.....	2.9	14.7	5.9	.....	73.6	5.9	8.8	5.9
21	White	1913	1,447.9	18.8	.....	.....	6.3	.....	12.6	6.3	25.1	3.1	109.9	6.3	3.1	3.1
22		1912	1,321.2	9.4	.....	.....	.....	.....	3.1	15.7	6.3	.....	75.3	6.3	9.4	6.3
23	Colored [3]	1913	1,746.9	47.2	.....	.....	.....	.....	47.2	47.2	.....	.....	94.4	.....	.....	.....
24		1912	1,582.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	47.9	.....	.....	.....
25	Cecil County (total)	1913	1,521.3	17.0	4.3	.....	4.3	21.3	8.5	4.3	25.6	.....	153.4	.....	12.8	4.3
26		1912	1,494.2	38.2	.....	.....	8.5	.....	17.0	8.5	21.2	.....	101.9	8.5	25.5	4.2
27	White	1913	1,422.3	9.9	5.0	.....	5.0	24.9	9.9	5.0	24.9	.....	109.4	.....	5.0	5.0
28		1912	1,390.7	39.6	.....	.....	9.9	.....	19.8	9.9	24.7	.....	74.2	4.9	29.7	4.9
29	Colored	1913	2,113.7	59.5	.....	.....	.....	.....	.....	.....	29.8	.....	416.8	.....	59.5	.....
30		1912	2,118.1	29.8	.....	.....	.....	.....	.....	.....	.....	.....	268.5	29.8	.....	.....
31	Charles County (total)	1913	1,847.0	56.3	.....	.....	31.3	.....	50.1	6.3	68.9	.....	219.1	6.3	12.5	.....
32		1912	1,409.9	31.1	6.2	.....	.....	.....	55.9	18.6	37.3	6.2	217.4	.....	6.2	.....
33	White	1913	1,343.7	26.3	.....	.....	39.5	.....	26.3	.....	92.2	.....	118.6	.....	13.2	.....
34		1912	1,044.4	26.1	13.1	.....	.....	.....	13.1	13.1	26.1	.....	104.4	.....	.....	.....
35	Colored	1913	2,302.8	83.5	.....	.....	23.9	.....	71.6	11.9	47.7	.....	310.2	11.9	11.9	.....
36		1912	1,741.5	35.5	.....	.....	.....	.....	94.8	23.7	47.4	11.8	319.9	.....	11.8	.....
37	Dorchester County (total)	1913	1,699.1	100.4	.....	.....	3.5	.....	48.4	13.8	13.8	3.5	218.0	.....	20.8	.....
38		1912	1,696.4	59.0	3.5	.....	.....	13.9	3.5	24.3	3.5	.....	194.3	10.4	52.0	.....
39	White	1913	1,349.7	77.6	.....	.....	5.2	.....	56.9	15.5	15.5	5.2	134.5	.....	10.3	.....
40		1912	1,320.6	46.6	.....	.....	.....	20.7	5.2	36.3	5.2	.....	108.8	5.2	51.8	.....
41	Colored	1913	2,405.9	146.4	.....	.....	.....	.....	31.4	10.5	10.5	.....	387.0	.....	41.8	.....
42		1912	2,458.8	84.1	10.5	.....	.....	.....	.....	.....	.....	.....	367.8	21.0	52.5	.....
43	Frederick County (total)	1913	1,530.5	19.0	.....	.....	4.7	4.7	4.7	14.2	16.6	2.4	325.1	2.4	2.4	9.5
44		1912	1,247.0	19.0	.....	.....	.....	.....	11.9	26.1	7.1	2.4	137.5	.....	11.9	.....
45	White	1913	1,511.2	21.0	.....	.....	5.2	5.2	2.6	13.1	15.7	2.6	333.2	2.6	2.6	10.5
46		1912	1,183.8	18.3	.....	.....	.....	.....	13.1	28.8	5.2	2.6	131.0	.....	7.9	.....
47	Colored	1913	1,712.6	.....	.....	.....	.....	.....	24.8	24.8	24.8	.....	248.2	.....	.....	.....
48		1912	1,850.5	25.0	.....	.....	.....	.....	.....	.....	25.0	.....	200.0	.....	50.0	.....
49	Garrett County (total)	1913	919.3	52.7	.....	4.8	9.6	.....	14.4	4.8	9.6	4.8	14.4	.....	9.6	.....
50		1912	901.1	53.3	.....	.....	.....	.....	4.8	24.2	14.5	.....	29.1	4.8	.....	19.4
51	White	1913	922.4	53.1	.....	4.8	9.7	.....	14.5	4.8	9.7	4.8	14.5	.....	9.7	.....
52		1912	883.5	53.7	.....	.....	.....	.....	4.9	24.4	14.6	.....	29.3	4.9	.....	19.5
53	Colored [3]	1913	561.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
54		1912	3,205.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
55	Harford County (total)	1913	1,266.7	21.5	.....	.....	3.6	7.2	7.2	3.6	17.9	.....	64.6	.....	7.2	10.8
56		1912	1,466.0	17.9	.....	.....	.....	.....	3.6	10.8	17.9	3.6	114.7	.....	10.8	14.3
57	White	1913	1,119.1	17.6	.....	.....	4.4	8.8	.....	4.4	13.2	.....	39.7	.....	4.4	13.2
58		1912	1,279.5	4.4	.....	.....	.....	.....	4.4	13.2	17.6	4.4	66.0	.....	8.8	17.6
59	Colored	1913	1,914.5	38.7	.....	.....	.....	.....	38.7	.....	38.7	.....	174.0	.....	19.3	.....
60		1912	2,289.0	77.6	.....	.....	.....	.....	.....	.....	19.4	.....	329.8	.....	19.4	.....
61	Howard County (total)	1913	1,301.1	12.6	6.3	.....	18.9	.....	25.1	.....	25.1	.....	100.6	6.3	6.3	.....
62		1912	1,258.5	37.6	6.3	.....	.....	.....	25.0	12.5	12.5	6.3	106.4	.....	12.5	.....
63	White	1913	1,103.6	8.2	8.2	.....	24.7	.....	.....	.....	24.7	.....	65.9	8.2	8.2	.....
64		1912	1,098.2	41.0	8.2	.....	.....	.....	8.2	16.4	8.2	8.2	41.0	.....	8.2	.....
65	Colored	1913	1,937.4	26.5	.....	.....	.....	.....	106.2	.....	26.5	.....	212.3	.....	.....	.....
66		1912	1,777.7	26.5	.....	.....	.....	.....	79.6	.....	26.5	.....	318.4	.....	26.5	.....
67	Kent County (total)	1913	1,625.6	48.9	6.1	.....	.....	.....	48.9	30.6	18.3	.....	171.1	6.1	6.1	6.1
68		1912	1,776.6	36.3	.....	.....	.....	.....	6.0	30.2	6.0	.....	229.6	12.1	18.1	6.0
69	White	1913	1,155.7	28.9	.....	.....	.....	.....	19.3	19.3	9.6	.....	96.3	.....	9.6	9.6
70		1912	1,465.1	28.5	.....	.....	.....	.....	9.5	47.6	.....	.....	152.2	9.5	9.5	9.5
71	Colored	1913	2,441.5	83.6	16.7	.....	.....	.....	100.3	50.2	33.4	.....	301.0	16.7	.....	.....
72		1912	2,319.0	49.7	.....	.....	.....	.....	.....	.....	16.6	.....	364.4	16.6	33.1	.....
73	Montgomery County (total)	1913	1,207.8	18.4	.....	3.1	12.3	6.1	52.1	6.1	21.5	6.1	153.3	3.1	12.3	9.2
74		1912	930.5	6.2	.....	.....	.....	.....	6.2	6.2	9.2	.....	132.5	3.1	3.1	9.2
75	White	1913	1,049.7	13.0	.....	.....	13.0	4.3	17.3	8.6	17.3	8.6	103.7	.....	4.3	8.6
76		1912	806.8	.....	.....	.....	.....	.....	4.3	.....	13.0	.....	82.4	4.3	4.3	4.3
77	Colored	1913	1,594.3	31.7	.....	10.6	10.6	10.6	137.3	.....	31.7	.....	274.5	10.6	31.7	10.6
78		1912	1,234.0	21.3	.....	.....	.....	.....	10.6	21.3	.....	.....	255.3	.....	.....	21.3

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

are designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
83.7	12.8	15.1	104.8	116.9	17.3	118.4	13.6	85.2	3.0	12.1	9.8	109.3	2.3	3.8	89.0	76.9	15.1	235.3	19.6	1
83.5	16.2	13.1	81.1	127.5	23.2	105.1	27.0	77.3	3.1	14.7	10.8	99.7	3.1	3.1	85.8	81.9	11.6	234.1	20.1	2
88.6	14.3	13.5	104.6	118.1	17.7	113.0	15.2	79.3	3.4	13.5	11.0	113.0	2.5	3.4	83.5	70.0	16.9	242.9	14.3	3
88.1	16.4	13.8	83.8	120.9	20.7	103.6	28.5	75.1	2.6	13.8	10.4	101.9	3.5	3.5	81.2	69.9	13.0	238.3	18.1	4
42.7	.....	28.4	106.7	106.7	14.2	163.6	.....	135.1	.....	.....	.....	78.2	.....	7.1	135.1	135.1	.....	170.7	64.0	5
44.1	14.7	7.3	58.8	183.7	44.1	117.6	14.7	95.5	7.3	22.0	14.7	80.8	.....	.....	124.9	183.7	.....	198.4	36.7	6
67.6	.....	29.0	86.9	202.7	19.3	48.3	9.7	144.8	.....	9.7	9.7	135.2	9.7	38.6	57.9	67.6	.....	241.4	115.9	7
9.7	.....	.....	48.3	96.6	19.3	87.0	9.7	58.0	.....	.....	.....	77.3	9.7	9.7	38.7	67.6	.....	135.3	116.0	8
56.8	.....	56.8	94.7	189.4	18.9	56.8	18.9	132.6	.....	18.9	.....	75.8	18.9	18.9	37.9	75.8	.....	170.5	75.8	9
18.9	.....	.....	37.9	56.8	18.9	56.8	18.9	18.9	.....	.....	.....	37.9	.....	18.9	18.9	75.8	.....	75.8	.....	10
78.8	.....	.....	78.8	216.6	19.7	39.4	.....	157.5	.....	.....	19.7	196.9	.....	59.1	78.8	59.1	.....	315.0	157.5	11
.....	.....	.....	59.2	138.1	19.7	118.4	.....	98.6	.....	.....	.....	118.4	19.7	.....	59.2	59.2	.....	197.3	236.7	12
59.5	14.9	5.0	69.4	114.0	24.8	118.9	14.9	133.8	.....	.....	.....	84.2	.....	9.9	158.6	64.4	5.0	203.2	34.7	13
30.2	5.0	10.1	70.4	171.0	10.1	65.4	15.1	120.7	.....	.....	.....	130.8	5.0	25.2	75.5	70.4	5.0	196.2	50.3	14
66.2	19.9	6.6	72.8	99.3	26.5	79.5	13.2	132.4	.....	.....	.....	86.1	.....	6.6	139.1	66.2	6.6	178.8	19.9	15
40.3	6.7	6.7	60.4	147.7	6.7	60.4	6.7	114.2	.....	.....	.....	120.9	6.7	20.1	80.6	47.0	6.7	188.0	.....	16
39.4	.....	.....	59.1	157.5	19.7	236.3	19.7	137.8	.....	.....	.....	78.8	.....	19.7	216.6	59.1	.....	275.7	78.8	17
.....	.....	20.0	100.2	240.6	20.0	80.2	40.1	140.3	.....	.....	.....	160.4	.....	40.1	60.1	140.3	.....	220.5	200.5	18
100.1	17.7	8.8	129.6	167.9	5.9	111.9	5.9	70.7	.....	8.8	.....	129.6	2.9	.....	56.0	41.2	23.6	362.2	26.5	19
70.7	8.8	8.8	114.9	176.7	32.4	85.4	2.9	38.3	2.9	14.7	11.8	117.8	2.9	11.8	64.8	58.9	11.8	365.2	8.8	20
106.8	18.8	9.4	135.1	157.0	3.1	106.8	6.3	66.0	.....	9.4	.....	128.8	.....	.....	59.7	34.5	22.0	370.6	18.8	21
72.2	9.4	9.4	119.3	166.3	28.2	81.6	3.1	40.8	3.1	15.7	12.6	122.4	3.1	9.4	65.9	56.5	12.6	354.6	3.1	22
.....	.....	.....	47.2	330.5	47.2	188.9	.....	141.6	.....	.....	.....	141.6	47.2	.....	.....	141.6	47.2	236.1	141.6	23
47.9	.....	.....	47.9	335.6	95.9	143.8	.....	.....	.....	.....	.....	47.9	.....	47.9	47.9	95.9	.....	527.3	95.9	24
98.0	17.0	21.3	115.1	153.4	12.8	102.3	17.0	93.7	12.8	12.8	8.5	144.9	8.5	17.0	98.0	72.4	17.0	225.8	17.0	25
101.9	8.5	17.0	106.1	157.1	8.5	131.6	12.7	84.9	8.5	8.5	17.0	106.1	4.2	12.7	89.1	80.7	8.5	288.6	8.5	26
104.4	14.9	24.9	114.4	144.2	14.9	84.5	19.9	84.5	14.9	9.9	9.9	139.2	9.9	14.9	104.4	74.6	19.9	198.9	14.9	27
108.9	9.9	14.8	108.9	138.6	9.9	103.9	14.8	59.4	9.9	4.9	19.8	99.0	4.9	9.9	89.1	74.2	9.9	277.1	4.9	28
59.5	29.8	.....	119.1	208.4	.....	208.4	.....	148.9	.....	29.8	.....	178.6	.....	29.8	59.5	59.5	.....	387.0	29.8	29
59.7	.....	29.8	89.5	268.5	.....	298.3	.....	238.7	.....	29.8	.....	149.2	.....	29.8	89.5	119.3	.....	358.0	29.8	30
62.6	.....	6.3	87.7	150.3	18.8	137.7	6.3	131.5	6.3	.....	.....	100.2	12.5	31.3	181.6	100.2	.....	331.8	31.3	31
55.9	6.2	18.6	43.5	87.0	37.3	105.6	6.2	111.8	6.2	.....	6.2	87.0	.....	24.8	31.1	68.3	.....	304.3	31.1	32
79.0	.....	.....	92.2	118.6	26.3	131.7	.....	65.9	13.2	.....	.....	92.2	.....	39.5	118.6	52.7	.....	184.4	13.2	33
39.2	.....	26.1	26.1	52.2	65.3	104.4	.....	143.6	.....	.....	.....	52.2	.....	26.1	26.1	39.2	.....	235.0	13.1	34
47.7	.....	11.9	83.5	179.0	11.9	143.2	11.9	190.9	.....	.....	.....	107.4	23.9	23.9	238.6	143.2	.....	465.3	47.7	35
71.1	11.8	11.8	59.2	118.5	11.8	106.6	11.8	82.9	11.8	.....	11.8	118.5	.....	23.7	35.5	94.8	.....	367.3	47.4	36
45.0	13.8	3.5	45.0	103.8	31.1	110.7	24.2	200.7	.....	6.9	13.8	138.4	3.5	13.8	141.9	69.2	6.9	242.2	62.3	37
62.4	10.4	6.9	79.8	156.1	24.3	97.1	6.9	208.1	6.9	13.9	3.5	121.4	.....	10.4	111.0	76.3	3.5	263.7	69.4	38
62.1	20.7	5.2	36.2	82.7	20.7	77.6	20.7	134.5	.....	10.3	10.3	118.9	.....	10.3	118.9	77.6	10.3	160.3	51.7	39
62.1	15.5	5.2	67.3	93.2	10.4	57.0	10.4	191.6	10.4	20.7	5.2	67.3	.....	5.2	77.7	57.0	5.2	233.1	46.6	40
10.5	.....	.....	62.8	146.4	52.3	177.8	31.4	334.7	.....	.....	20.9	177.8	10.5	20.9	188.3	52.3	.....	407.9	83.7	41
63.0	.....	10.5	105.1	283.7	52.5	178.6	.....	241.7	.....	.....	.....	231.2	.....	21.0	178.6	115.6	.....	325.7	115.6	42
75.9	14.2	4.7	85.4	111.5	9.5	111.5	7.1	66.4	4.7	4.7	4.7	125.8	9.5	7.1	85.4	75.9	11.9	280.0	28.5	43
75.9	7.1	9.5	73.5	142.2	11.9	123.3	11.9	61.6	4.7	9.5	2.4	75.9	4.7	9.5	83.0	68.8	11.9	225.2	19.0	44
78.7	15.7	5.2	91.8	104.9	7.9	112.8	7.9	65.6	5.2	2.6	5.2	115.4	7.9	5.2	86.6	73.5	13.1	267.6	23.6	45
78.6	5.2	10.5	73.3	146.7	13.1	99.5	10.5	49.8	2.6	10.5	2.6	70.7	5.2	7.9	83.8	60.2	10.5	217.4	18.3	46
49.6	.....	.....	24.8	173.7	24.8	99.3	.....	74.5	.....	24.8	.....	223.4	24.8	24.8	74.5	99.3	.....	397.1	74.5	47
50.0	25.0	.....	75.0	100.0	.....	350.1	25.0	175.0	25.0	.....	.....	125.0	.....	25.0	75.0	150.0	25.0	300.1	25.0	48
67.0	14.4	14.4	19.2	91.0	9.6	43.1	9.6	86.2	.....	4.8	4.8	38.3	.....	.....	119.7	47.9	4.8	172.4	47.9	49
53.3	9.7	9.7	48.4	92.0	4.8	82.4	4.8	29.1	.....	19.4	4.8	63.0	.....	4.8	53.3	58.1	4.8	159.9	48.4	50
67.6	14.5	14.5	19.3	91.8	9.7	43.5	9.7	86.9	.....	4.8	4.8	38.6	.....	.....	120.7	43.5	4.8	173.9	48.3	51
53.7	9.8	9.8	39.1	92.7	4.9	73.2	4.9	29.3	.....	19.5	4.9	58.6	.....	4.9	53.7	58.6	4.9	161.1	48.8	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	561.8	.....	.....	.....	53
.....	.....	.....	1,282.1	.....	.....	1,282.1	.....	.....	.....	.....	.....	641.0	.....	.....	.....	.....	.....	.....	.....	54
43.1	7.2	3.6	68.2	132.8	43.1	71.8	10.8	61.0	.....	7.2	7.2	122.0	7.2	7.2	68.2	93.3	17.9	308.6	43.1	55
78.9	10.8	3.6	111.1	164.9	14.3	82.4	10.8	86.0	7.2	7.2	7.2	150.5	3.6	10.8	64.5	111.1	3.6	322.6	21.5	56
44.1	4.4	4.4	66.1	123.4	30.8	57.3	8.8	44.1	.....	8.8	4.4	92.5	4.4	4.4	74.9	79.3	17.6	321.6	22.0	57
83.5	4.4	.....	96.7	153.9	13.2	52.8	13.2	79.1	8.8	8.8	4.4	127.5	4.4	13.2	66.0	105.5	4.4	285.8	17.6	58
38.7	19.3	.....	77.4	174.0	96.7	135.4	19.3	135.4	.....	.....	19.3	251.4	19.3	19.3	38.7	154.7	19.3	251.4	135.4	59
58.2	38.8	19.4	174.6	213.4	19.4	213.4	.....	116.4	.....	.....	19.4	252.2	.....	.....	58.2	135.8	.....	485.0	38.8	60
25.1	6.3	6.3	100.6	201.1	25.1	75.4	6.3	138.3	.....	.....	.....	88.0	.....	6.3	69.1	81.7	12.6	238.8	18.9	61
50.1	.....	18.8	62.6	169.1	31.3	106.4	31.3	25.0	.....	.....	12.5	93.9	.....	12.5	100.2	56.4	18.8	231.7	18.8	62
32.9	.....	8.2	90.6	164.7	8.2	49.4	8.2	107.1	.....	.....	.....	98.8	.....	8.2	65.9	65.9	16.5	222.4	8.2	63
41.0	.....	16.4	65.6	163.6	8.2	90.1	24.6	16.4	.....	.....	16.4	82.0	.....	16.4	73.8	57.4	24.6	254.1	8.2	64
.....	26.5	.....	132.7	318.5	79.6	159.2	.....	238.9	.....	.....	.....	53.1	.....	.....	79.6	132.7	.....	291.9	53.1	65
79.6	.....	26.5	53.1	185.7	106.1	159.2	53.1	53.1	.....	.....	.....	132.7	.....	.....	185.7	53.1	.....	159.2	53.1	66
61.1	12.2	18.3	110.0	140.6	30.6	122.2	6.1	97.8	.....	.....	12.2	165.0	12.2	6.1	73.3	48.9	6.1	323.9	36.7	67
54.4	18.1	24.2	84.6	187.3	6.0	193.4	6.0	84.6	.....	.....	24.2	181.3	12.1	18.1	102.7	48.3	6.0	344.5	36.3	68
67.4	19.3	.....	77.0	134.8	28.9	48.2	.....	77.0	.....	.....	9.6	125.2	.....	9.6	57.8	48.2	9.6	250.4	.....	69
85.6	19.0	19.0	76.1	209.3	9.5	95.1	.....	76.1	.....	.....	19.0	171.2	9.5	19.0	114.2	47.6	9.5	190.3	28.5	70
50.2	.....	50.2	167.2	150.5	33.4	250.8	16.7	133.8	.....	.....	16.7	234.1	33.4	.....	100.3	50.2	.....	451.5	100.3	71
.....	16.6	33.1	99.4	149.1	.....	364.4	16.6	99.4	.....	.....	33.1	198.8	16.6	16.6	82.8	49.7	.....	612.9	49.7	72
52.1	6.1	6.1	95.0	141.0	12.3	92.0	15.3	70.5	.....	3.1	9.2	85.8	3.1	6.1	46.0	52.1	6.1	193.1	9.2	73
18.5	9.2	3.1	107.8	114.0	15.4	70.9	3.1	37.0	.....	3.1	6.2	83.2	.....	.....	43.1	49.3	15.4	160.2	15.4	74
64.8	4.3	8.6	99.4	151.2	8.6	56.2	13.0	56.2	.....	4.3	13.0	82.1	4.3	8.6	25.9	47.5	8.6	185.8	8.6	75
17.4	8.7	4.3	104.1	104.1	13.0	65.1	.....	39.0	.....	4.3	4.3	73.7	.....	.....	39.0	34.7	21.7	143.1	17.4	76
21.1	10.6	.....	84.5	116.1	21.1	179.5	21.1	105.6	.....	.....	.....	95.0	.....	.....	95.0	63.4	.....	211.2	10.6	77
21.3	10.6	.....	117.0	138.3	21.3	85.1	10.6	31.9	.....	.....	10.6	106.4	.....	.....	53.2	85.1	.....	202.1	10.6	78

[3] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MARYLAND—continued.															
1	Prince Georges County (total)	1913	1,346.3	18.3	7.9	.....	23.6	.....	21.0	7.9	23.6	5.2	120.5	5.2	10.5	7.9
2		1912	1,198.6	10.7	2.7	.....	5.3	.....	45.3	8.0	16.0	.....	149.2	2.7	18.6	2.7
3	White	1913	1,114.1	15.4	3.9	.....	23.1	.....	15.4	11.6	23.1	3.9	57.8	.....	3.9	11.6
4		1912	1,022.0	3.9	3.9	.....	3.9	.....	19.6	11.7	11.7	.....	101.8	.....	11.7	3.9
5	Colored	1913	1,839.0	24.5	16.3	.....	24.5	.....	32.7	.....	24.5	8.2	253.4	16.3	24.5	.....
6		1912	1,574.2	25.0	.....	.....	8.3	.....	99.9	.....	25.0	.....	249.9	8.3	33.3	.....
7	Queen Annes County (total)	1913	1,749.8	177.4	6.1	.....	6.1	.....	42.8	6.1	12.2	.....	250.8	.....	6.1	.....
8		1912	1,769.8	42.4	12.1	.....	.....	.....	12.1	18.2	18.2	.....	206.1	6.1	12.1	18.2
9	White	1913	1,434.6	84.4	.....	.....	9.4	.....	18.8	.....	18.8	.....	150.0	.....	.....	.....
10		1912	1,512.6	46.4	18.6	.....	.....	.....	9.3	18.6	9.3	.....	102.1	9.3	9.3	18.6
11	Colored	1913	2,341.5	352.1	17.6	.....	.....	.....	88.0	17.6	.....	.....	440.1	.....	17.6	.....
12		1912	2,254.1	34.9	.....	.....	.....	.....	17.5	17.5	34.9	.....	401.9	.....	17.5	17.5
13	St. Marys County † (total)	1913	1,354.4	29.4	.....	.....	5.9	.....	41.2	64.8	53.0	.....	170.8	.....	11.8	5.9
14		1912	635.4	17.7	.....	.....	.....	.....	5.9	5.9	.....	.....	105.9	.....	11.8	.....
15	White	1913	1,106.9	31.0	.....	.....	10.3	.....	20.7	41.4	72.4	.....	124.1	.....	20.7	.....
16		1912	598.9	20.7	.....	.....	.....	.....	10.3	10 3	.....	.....	103.3	.....	20.7	.....
17	Colored	1913	1,681.5	27.3	.....	.....	.....	.....	68.4	95.7	27.3	.....	232 4	.....	.....	13.7
18		1912	683.8	13.7	.....	.....	.....	.....	.....	.....	.....	.....	109.4	.....	.....	.....
19	Somerset County (total)	1913	1,258.1	78.9	.....	.....	7.5	.....	3.8	11.3	30.0	.....	135.2	.....	15.0	3.8
20		1912	1,400.0	52.7	.....	.....	.....	.....	15.1	3.8	7.5	3.8	191.9	3.8	15.1	3.8
21	White	1913	974.6	47.0	.....	.....	5.9	.....	5.9	.....	41.1	.....	52.8	.....	11.7	5.9
22		1912	1,175.4	47.0	.....	.....	.....	.....	.....	.....	11.8	5.9	146.9	5.9	11.8	5.9
23	Colored	1913	1,761.5	135.5	.....	.....	10.4	.....	.....	31.3	10.4	.....	281.4	.....	20.8	.....
24		1912	1,799.7	62.8	.....	.....	.....	.....	41.9	10.5	.....	.....	272.1	.....	20.9	.....
25	Talbot County (total)	1913	1,650.7	36.1	.....	.....	15.5	5.2	77.4	10.3	20.6	.....	175.4	10.3	15.5	5.2
26		1912	1,469.8	30.8	5.1	.....	.....	.....	5.1	20.6	10.3	.....	164.4	5.1	5.1	15.4
27	White	1913	1,280.9	31.6	.....	.....	.....	7.9	31.6	15.8	7.9	.....	102.8	15.8	15.8	.....
28		1912	1,188.3	7.9	.....	.....	.....	.....	7.9	23.6	7.9	.....	78.7	7.9	7.9	15.7
29	Colored	1913	2,344.6	44.5	.....	.....	44.5	.....	163.2	.....	44.5	.....	311.6	.....	14.8	14.8
30		1912	1,999.4	74.1	14.8	.....	.....	.....	.....	14.8	14.8	.....	325.8	.....	.....	14.8
31	Washington County (total)	1913	1,106.5	17.8	.....	.....	.....	.....	17.8	26.8	5.9	3.0	95.2	3.0	8.9	3.0
32		1912	1,129.7	26.9	.....	.....	17.9	12.0	14.9	12.0	6.0	3.0	80.7	9.0	6.0	3.0
33	White	1913	1,088.3	18.4	.....	.....	.....	.....	9.2	24.6	6.1	3.1	95.3	.....	9.2	3.1
34		1912	1,129.6	27.8	.....	.....	13.5	12.3	15.4	12.3	6.2	3.1	77.2	6.2	6.2	3.1
35	Colored[3]	1913	1,649.9	.....	.....	.....	.....	.....	275.0	91.7	.....	.....	91.7	91.7	.....	.....
36		1912	1,133.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	188.9	94.4	.....	.....
37	Wicomico County (total)	1913	1,370.0	92.5	.....	.....	10.7	.....	7.1	3.6	10.7	3.6	142.3	3.6	10.7	14.2
38		1912	1,064.9	54.1	3.6	.....	.....	.....	18.0	10.8	7.2	.....	140.8	.....	14.4	.....
39	White	1913	1,260.6	74.7	.....	.....	4.7	.....	9.3	.....	14.0	4.7	116.7	4.7	4.7	14.0
40		1912	1,045.8	52.1	4.7	.....	.....	.....	14.2	14.2	9.5	.....	142.0	.....	14.2	.....
41	Colored	1913	1,720.5	149.6	.....	.....	29.9	.....	.....	15.0	.....	.....	224.4	.....	29.9	15.0
42		1912	1,126.7	60.9	.....	.....	.....	.....	30.5	.....	.....	.....	137.0	.....	15.2	.....
43	Worcester County (total)	1913	1,290.7	54.2	4.5	.....	4.5	.....	36.1	13.5	18.1	.....	139.9	13.5	13.5	4.5
44		1912	1,305.6	40.8	4.5	.....	4.5	.....	18.1	13.6	4.5	.....	154.1	4.5	9.1	.....
45	White	1913	1,054.7	40.1	.....	.....	.....	.....	20.0	13.4	13.4	.....	93.5	13.4	13.4	6.7
46		1912	1,172.4	33.5	6.7	.....	6.7	.....	13.4	13.4	.....	.....	127.3	.....	13.4	.....
47	Colored	1913	1,783.2	83.6	13.9	.....	13.9	.....	69.7	13.9	27.9	.....	236.8	13.9	13.9	.....
48		1912	1,584.6	56.1	.....	.....	.....	.....	28.0	14.0	14.0	.....	210.3	14.0	.....	.....
	MASSACHUSETTS.															
49	Total	1913	1,543.8	5.2	0.9	.....	11.6	7.7	6.3	9.7	17.7	3.3	139.9	7.0	12.9	5.0
50		1912	1,536.3	4.3	0.1	0.3	6.4	3.0	8.8	10.4	11.3	4.4	149.1	8.5	12.1	6.3
51	White	1913	1,538.8	5.1	0.9	.....	11.5	7.7	6.1	9.8	17.9	3.3	135.6	7.1	12.1	5.0
52		1912	1,528.7	4.2	0.1	0.3	6.5	3.0	8.4	10.4	11.4	4.3	144.7	8.1	11.7	6.2
53	Colored	1913	2,082.8	14.0	.....	.....	28.0	.....	28.0	.....	.....	.....	615.0	.....	97.8	.....
54		1912	2,360.4	14.1	.....	.....	.....	.....	42.4	14.1	.....	14.1	636.0	56.5	56.5	14.1
55	Barnstable County	1913	1,712.1	14.6	.....	.....	25.5	.....	.....	25.5	29.1	.....	72.9	3.6	7.3	.....
56		1912	1,564.7	3.6	.....	.....	3.6	.....	7.3	14.6	18.2	7.3	58.2	7.3	7.3	7.3
57	Berkshire County	1913	1,493.7	5.3	.....	.....	2.6	7.9	2.6	2.6	29.0	.....	81.7	5.3	7.9	10.5
58		1912	1,363.6	7.9	2.6	.....	.....	2.6	13.2	21.1	26.3	.....	89.5	5.3	13.2	10.5
59	Bristol County	1913	1,342.6	9.0	3.6	.....	10.8	1.8	12.6	10.8	10.8	1.8	65.1	10.8	10.8	7.2
60		1912	1,339.6	5.5	.....	.....	1.8	5.5	7.4	22.1	5.5	1.8	62.6	12.9	9.2	.....
61	Dukes County	1913	2,049.9	.....	22.3	.....	.....	.....	.....	44.6	44.6	.....	111.4	.....	.....	.....
62		1912	2,091.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	44.5	22.3	44.5	.....
63	Essex County *	1913	1,537.4	6.6	.....	.....	12.1	1.1	13.2	4.4	16.4	8.8	102.0	8.8	3.3	8.8
64		1912	1,523.0	2.2	.....	.....	1.1	.....	7.8	10.0	8.9	5.5	116.3	6.6	3.3	2.2
65	Franklin County	1913	1,602.4	6.0	.....	.....	3.0	36.2	3.0	21.1	24.1	3.0	69.4	3.0	6.0	3.0
66		1912	1,580.8	6.0	.....	.....	3.0	6.0	3.0	12.1	6.0	3.0	72.4	6.0	9.1	12.1
67	Hampden County	1913	1,592.8	11.0	.....	.....	19.8	6.6	4.4	11.0	24.2	4.4	101.1	15.4	6.6	4.4
68		1912	1,530.7	11.2	.....	.....	26.8	4.5	13.4	11.2	11.2	4.5	120.5	11.2	15.6	13.4
69	Hampshire County	1913	1,414.5	.....	.....	.....	6.7	26.6	6.7	15.5	24.4	2.2	84.2	13.3	13.3	2.2
70		1912	1,363.8	.....	.....	2.2	26.8	.....	8.9	15.7	11.2	2.2	73.8	11.2	2.2	.....
71	Middlesex County *	1913	1,816.8	4.0	.....	.....	4.0	3.2	6.5	9.7	17.8	3.2	315.2	3.2	27.5	7.3
72		1912	1,808.4	3.3	.....	0.8	9.0	1.6	4.9	4.9	8.2	6.5	303.6	9.8	22.9	4.9
73	Nantucket County	1913	2,678.9	.....	.....	.....	.....	.....	.....	33.9	.....	33.9	101.7	.....	67.8	.....
74		1912	2,099.6	33.9	.....	.....	.....	.....	67.7	.....	101.6	.....	33.9	33.9	.....	.....
75	Norfolk County *	1913	1,317.0	.....	.....	.....	9.6	4.8	7.7	4.8	15.4	1.9	87.7	5.8	16.4	1.9
76		1912	1,324.6	2.0	.....	.....	2.0	5.9	9.8	7.8	12.7	2.9	100.8	9.8	13.7	8.8
77	Plymouth County *	1913	1,532.6	3.8	.....	.....	13.9	16.5	2.5	5.1	11.4	1.3	182.5	8.9	10.1	5.1
78		1912	1,557.1	5.1	.....	.....	2.6	3.9	7.7	1.3	18.0	2.6	207.0	7.7	10.3	7.7
79	Worcester County *	1913	1,509.9	6.7	3.0	.....	20.1	4.5	3.7	11.2	14.9	3.7	131.7	5.2	11.2	3.0
80		1912	1,586.9	4.5	.....	.....	5.2	3.0	11.2	12.7	7.5	6.7	164.1	5.2	11.9	7.5

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
47.1	7.9	7.9	52.4	96.9	21.0	133.6	15.7	112.6	.....	13.1	10.5	94.3	13.1	5.2	110.0	52.4	13.1	246.2	41.9	1
53.3	8.0	10.7	61.3	106.5	21.3	79.9	13.3	93.2	.....	5.3	8.0	77.2	2.7	8.0	77.2	53.3	5.3	210.4	42.6	2
57.8	11.6	7.7	54.0	107.9	15.4	73.2	15.4	96.4	.....	7.7	15.4	88.7	3.9	7.7	84.8	34.7	19.3	208.2	34.7	3
50.9	11.7	3.9	70.5	121.4	11.7	54.8	11.7	90.1	.....	3.9	11.7	74.4	.....	3.9	70.5	50.9	7.8	184.0	15.7	4
24.5	.....	8.2	49.0	73.6	32.7	261.5	16.3	147.1	.....	24.5	.....	106.3	32.7	.....	163.5	89.9	.....	326.9	57.2	5
58.3	.....	25.0	41.6	75.0	41.6	133.3	16.7	99.9	.....	8.3	.....	83.3	8.3	16.7	91.6	58.3	.....	266.5	99.9	6
73.4	6.1	12.2	110.1	91.8	6.1	116.2	6.1	104.0	6.1	.....	6.1	140.7	.....	.....	116.2	104.0	12.2	312.0	18.4	7
84.9	6.1	6.1	121.2	181.8	18.2	42.4	6.1	175.8	12.1	6.1	6.1	163.6	.....	12.1	103.0	97.0	.....	303.0	78.8	8
103.1	9.4	18.8	103.1	93.8	.....	103.1	.....	93.8	.....	.....	9.4	112.5	.....	.....	112.5	131.3	18.8	243.8	.....	9
111.4	.....	9.3	129.9	176.3	.....	27.8	9.3	157.8	9.3	9.3	.....	92.8	.....	9.3	120.6	65.0	.....	297.0	46.4	10
17.6	.....	.....	123.2	88.0	17.6	140.8	17.6	123.2	17.6	.....	.....	193.7	.....	.....	123.2	52.8	.....	440.1	52.8	11
34.9	17.5	.....	104.8	192.2	52.4	69.9	.....	209.7	17.5	.....	17.5	297.0	.....	17.5	69.9	157.3	.....	314.5	139.8	12
29.4	.....	11.8	70.7	76.6	23.6	82.4	11.8	70.7	5.9	11.8	5.9	88.3	5.9	11.8	76.6	100.1	11.8	235.5	41.2	13
23.5	.....	5.9	58.8	23.5	.....	23.5	11.8	29.4	.....	.....	5.9	88.3	.....	5.9	23.5	41.2	.....	129.4	17.7	14
20.7	.....	10.3	51.7	93.1	.....	72.4	10.3	62.1	.....	10.3	10.3	72.4	10.3	10.3	51.7	72.4	20.7	186.2	20.7	15
20.7	.....	10.3	62.0	20.7	.....	20.7	.....	31.0	.....	.....	10.3	51.6	.....	10.3	20.7	31.0	.....	144.6	.....	16
41.0	.....	13.7	95.7	54.7	54.7	95.7	13.7	82.0	13.7	13.7	.....	109.4	.....	13.7	109.4	136.7	.....	300.8	68.4	17
27.4	.....	.....	54.7	27.4	.....	27.4	27.4	27.4	.....	.....	.....	136.8	.....	.....	27.4	54.7	.....	109.4	41.0	18
26.3	18.8	15.0	78.9	52.6	7.5	93.9	11.3	112.7	7.5	11.3	.....	112.7	7.5	22.5	78.9	48.8	3.8	244.1	18.8	19
41.4	7.5	11.3	52.7	79.0	18.8	79.0	7.5	120.4	11.3	7.5	3.8	120.4	15.1	26.3	71.5	64.0	15.1	304.8	45.2	20
23.5	17.6	11.7	76.3	35.2	.....	70.5	5.9	123.3	11.7	.....	.....	88.1	5.9	11.7	58.7	41.1	5.9	205.5	11.7	21
58.8	11.8	11.8	52.9	76.4	11.8	58.8	.....	123.4	17.6	11.8	5.9	111.7	11.8	17.6	41.1	47.0	23.5	229.2	17.6	22
31.3	20.8	20.8	83.4	83.4	20.8	135.5	20.8	93.8	.....	31.3	.....	156.3	10.4	41.7	114.7	62.5	.....	312.7	31.3	23
10.5	.....	10.5	52.3	83.7	31.4	115.1	20.9	115.1	.....	.....	.....	136.0	20.9	41.9	125.6	94.2	.....	439.5	94.2	24
82.5	5.2	15.5	118.6	72.2	20.6	67.1	20.6	108.3	41.3	.....	15.5	175.4	.....	25.8	103.2	67.1	.....	309.5	31.0	25
92.5	20.6	10.3	92.5	87.4	25.7	87.4	20.6	92.5	15.4	20.6	5.1	174.7	10.3	20.6	71.9	66.8	.....	257.0	36.0	26
79.1	.....	23.7	134.4	71.2	7.9	39.5	15.8	87.0	47.4	.....	15.8	158.1	.....	23.7	55.3	31.6	.....	260.9	.....	27
102.3	23.6	15.7	78.7	55.1	7.9	39.3	23.6	78.7	23.6	31.5	.....	141.7	.....	15.7	63.0	86.6	.....	236.1	7.9	28
89.0	14.8	.....	89.0	74.2	44.5	118.7	29.7	148.4	29.7	.....	14.8	207.7	.....	29.7	192.9	133.6	.....	400.7	89.0	29
74.1	14.8	.....	118.5	148.1	59.2	177.7	14.8	118.5	.....	.....	14.8	237.0	29.6	29.6	88.9	29.6	.....	296.2	88.9	30
47.6	3.0	5.9	116.0	95.2	17.8	50.6	14.9	65.4	3.0	.....	5.9	62.5	8.9	.....	133.8	77.3	11.9	187.4	17.8	31
53.8	3.0	3.0	71.7	143.5	17.9	86.7	14.9	53.8	6.0	6.0	12.0	93.6	6.0	6.0	86.7	41.8	9.0	200.2	17.9	32
49.2	3.1	6.1	119.9	89.2	18.4	49.2	15.4	67.6	3.1	.....	6.1	61.5	6.1	.....	135.3	73.8	12.3	187.5	15.4	33
52.5	3.1	3.1	67.9	138.9	18.5	89.5	15.4	55.6	6.2	6.2	12.3	101.8	6.2	6.2	89.5	43.2	9.3	200.6	15.4	34
.....	.....	.....	.....	275.0	.....	91.7	.....	.....	.....	.....	.....	91.7	91.7	.....	91.7	183.3	.....	183.3	91.7	35
94.4	.....	.....	188.9	283.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	188.9	94.4	36
49.8	7.1	3.6	42.7	81.8	14.2	89.0	7.1	92.5	32.0	3.6	3.6	99.6	7.1	17.8	89.0	74.7	10.7	323.8	21.4	37
46.9	.....	.....	36.1	72.2	14.4	68.6	.....	83.0	21.7	14.4	.....	104.7	3.6	7.2	61.4	61.4	10.8	191.3	18.0	38
60.7	4.7	4.7	37.4	84.0	4.7	65.4	9.3	93.4	32.7	4.7	4.7	102.7	.....	9.3	88.7	65.4	14.0	312.8	14.0	39
42.6	.....	.....	37.9	80.4	9.5	66.2	.....	85.2	23.7	18.9	.....	104.1	4.7	.....	47.3	52.1	9.5	198.7	14.2	40
15.0	15.0	.....	59.8	74.8	44.9	164.6	.....	89.8	29.9	.....	.....	89.8	29.9	44.9	89.8	104.7	.....	359.1	44.9	41
60.9	.....	.....	30.5	45.7	30.5	76.1	.....	76.1	15.2	.....	.....	106.6	.....	30.5	106.6	91.4	15.2	167.5	30.5	42
45.1	9.0	4.5	76.7	94.8	13.5	67.7	13.5	81.2	.....	9.0	.....	121.9	4.5	13.5	103.8	36.1	4.5	171.5	117.3	43
68.0	.....	9.1	77.1	149.6	18.1	90.7	13.6	58.9	.....	4.5	.....	108.8	4.5	22.7	54.4	72.5	9.1	185.9	104.3	44
60.1	13.4	6.7	80.1	80.1	6.7	53.4	13.4	93.5	.....	6.7	.....	113.5	.....	6.7	73.4	46.7	6.7	133.5	46.7	45
73.7	.....	6.7	80.4	147.4	13.4	87.1	6.7	46.9	.....	6.7	.....	87.1	6.7	13.4	73.7	73.7	6.7	180.9	46.9	46
13.9	.....	.....	69.7	125.4	27.9	97.5	13.9	55.7	.....	13.9	.....	139.3	13.9	27.9	167.2	13.9	.....	250.8	264.7	47
56.1	.....	14.0	70.1	154.3	28.0	98.2	28.0	84.1	.....	.....	.....	154.3	.....	42.1	14.0	70.1	14.0	196.3	224.4	48
110.9	23.5	10.3	127.2	214.7	24.9	121.3	10.1	60.2	6.6	8.9	11.2	94.7	2.6	5.5	78.6	82.8	16.3	299.9	6.5	49
100.5	19.3	10.9	129.0	227.8	25.1	126.0	13.3	61.7	4.1	8.8	8.5	95.6	1.9	4.8	76.8	76.1	13.0	300.6	7.6	50
111.4	23.6	10.4	127.6	214.7	24.5	121.4	9.9	60.0	6.6	9.0	11.3	94.9	2.4	5.4	78.7	82.1	16.5	300.0	6.4	51
100.3	19.5	11.0	128.5	228.1	25.2	125.3	13.4	61.2	4.2	8.8	8.4	95.4	1.9	4.7	76.6	75.9	12.7	300.5	7.7	52
55.9	14.0	.....	83.9	209.7	69.9	111.8	28.0	83.9	14.0	.....	.....	69.9	14.0	14.0	69.9	153.8	.....	293.5	14.0	53
113.1	.....	.....	183.7	197.9	14.1	197.9	.....	113.1	.....	.....	14.1	113.1	.....	14.1	98.9	98.9	42.4	311.0	.....	54
116.6	14.6	7.3	204.0	338.8	29.1	102.0	21.9	29.1	10.9	21.9	3.6	109.3	3.6	7.3	76.5	80.1	10.9	338.8	7.3	55
149.2	36.4	3.6	141.9	280.2	29.1	91.0	14.6	47.3	10.9	21.8	21.8	138.3	3.6	14.6	40.0	76.4	10.9	287.5	10.9	56
108.1	29.0	7.9	155.5	237.2	31.6	110.7	2.6	63.3	5.3	7.9	18.4	100.2	.....	2.6	79.1	110.7	31.6	239.8	2.6	57
84.2	21.1	.....	92.1	215.9	10.5	94.8	15.8	52.6	2.6	13.2	7.9	115.8	2.6	5.3	84.2	94.8	13.2	236.9	7.9	58
112.0	12.6	19.9	86.7	175.3	23.5	112.0	9.0	81.3	1.8	14.5	19.9	90.4	1.8	.....	57.8	81.3	14.5	258.4	14.5	59
92.0	11.0	11.0	117.8	204.2	16.6	121.4	11.0	77.3	3.7	3.7	9.2	92.0	1.8	5.5	79.1	66.2	7.4	263.1	11.0	60
66.8	22.3	22.3	289.7	267.4	44.6	156.0	.....	.....	.....	66.8	.....	111.4	.....	.....	66.8	89.1	22.3	601.6	.....	61
155.8	89.0	22.3	155.8	511.8	66.8	155.8	66.8	.....	.....	.....	.....	89.0	.....	.....	44.5	66.8	.....	556.3	.....	62
116.2	25.2	5.5	129.4	245.6	17.5	116.2	9.9	42.8	5.5	6.6	9.9	91.0	2.2	3.3	72.4	70.2	17.5	361.9	3.3	63
103.0	23.3	12.2	150.6	249.2	22.2	140.7	7.8	56.5	6.6	13.3	6.6	90.8	.....	5.5	75.3	67.6	14.4	310.1	3.3	64
123.7	36.2	15.1	141.8	178.0	33.2	117.7	9.1	72.4	12.1	12.1	12.1	111.7	3.0	.....	120.7	126.7	33.2	241.4	24.1	65
126.7	24.1	42.2	178.0	265.5	36.2	111.6	27.2	63.4	9.1	6.0	6.0	87.5	.....	3.0	81.5	99.6	12.1	232.3	30.2	66
83.5	13.2	15.4	103.3	178.0	24.2	160.4	4.4	138.4	4.4	4.4	17.6	103.3	2.2	8.8	96.7	136.2	8.8	279.0	2.2	67
64.7	6.7	15.6	98.2	147.3	26.8	122.7	8.9	138.3	.....	4.5	2.2	95.9	4.5	2.2	95.9	118.3	11.2	321.3	2.2	68
77.6	15.5	11.1	104.2	184.0	31.0	113.1	11.1	93.1	2.2	4.4	11.1	124.2	.....	13.3	75.4	95.3	2.2	250.5	.....	69
93.9	15.7	15.7	93.9	163.2	26.8	134.1	17.9	85.0	2.2	11.2	8.9	60.4	4.5	.....	98.4	93.9	13.4	257.1	13.4	70
126.1	31.5	9.7	137.4	226.3	17.0	130.1	10.5	47.7	17.8	10.5	7.3	91.3	2.4	8.9	76.0	78.4	16.2	364.5	5.7	71
123.6	22.1	4.9	134.2	220.1	19.6	143.2	13.1	56.5	4.9	9.0	7.4	108.0	1.6	5.7	85.9	77.7	16.4	373.1	0.8	72
67.8	.....	.....	373.0	406.9	33.9	135.6	33.9	135.6	.....	33.9	67.8	305.2	.....	.....	135.6	33.9	33.9	644.3	.....	73
135.5	33.9	.....	237.0	203.2	33.9	203.2	.....	33.9	33.9	33.9	.....	270.9	.....	.....	33.9	67.7	.....	508.0	.....	74
107.0	18.3	5.8	112.8	210.2	28.0	105.1	10.6	36.6	3.9	5.8	7.7	75.2	2.9	2.9	78.1	63.6	20.2	264.2	1.9	75
73.4	13.7	11.7	101.8	230.1	24.5	101.8	12.7	46.0	2.9	4.9	7.8	81.3	2.0	3.9	69.5	48.9	11.7	291.7	7.8	76
125.5	33.0	8.9	163.5	225.6	26.6	81.1	11.4	48.2	5.1	7.6	2.5	97.6	2.5	8.9	68.5	68.5	12.7	264.9	8.9	77
100.3	25.7	2.6	147.9	261.0	34.7	105.4	15.4	24.4	1.3	9.0	10.3	100.3	2.6	1.3	54.0	65.6	15.4	289.3	16.7	78
106.4	21.6	12.6	100.4	190.4	26.8	152.5	10.4	65.5	3.0	7.4	16.4	88.5	4.5	4.5	84.0	79.6	14.9	293.1	8.9	79
101.4	15.7	13.4	138.7	231.9	28.3	147.6	11.2	71.8	3.7	7.5	10.4	92.5	1.5	6.7	79.8	80.5	12.7	288.6	3.7	80

[3] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MICHIGAN.															
1	Total	1913	1,280.3	13.9	0.6	0.2	5.4	6.7	7.9	14.8	14.2	3.8	69.2	3.7	8.5	6.6
2		1912	1,246.4	13.4	0.8	0.1	2.5	5.6	7.6	10.7	13.7	3.1	72.0	3.2	8.8	6.8
3	White	1913	1,272.6	14.0	0.6	0.2	5.3	6.8	7.9	14.9	14.1	3.8	66.9	3.6	8.1	6.6
4		1912	1,238.8	13.4	0.8	0.1	2.5	5.6	7.4	10.8	13.6	3.2	69.7	3.2	8.7	6.8
5	Colored	1913	2,251.1	.....	.....	.....	14.2	.....	7.1	7.1	21.3	7.1	369.3	7.1	56.8	.....
6		1912	2,188.1	7.0	.....	.....	7.0	7.0	28.1	.....	14.1	.....	358.8	7.0	28.1	7.0
7	Alcona County	1913	963.7	17.5	.....	.....	.....	.....	.....	.....	.....	.....	70.1	.....	.....	.....
8		1912	963.9	.....	.....	.....	17.5	.....	.....	.....	17.5	.....	35.1	.....	17.5	17.5
9	Alger County	1913	1,137.6	157.3	.....	.....	.....	.....	.....	.....	.....	.....	48.4	12.1	.....	.....
10		1912	1,014.9	99.0	.....	.....	12.4	.....	37.1	.....	12.4	.....	74.3	12.4	12.4	.....
11	Allegan County	1913	1,208.1	7.5	.....	.....	5.0	5.0	5.0	24.9	14.9	2.5	69.7	2.5	2.5	2.5
12		1912	1,373.5	5.0	.....	.....	.....	2.5	.....	2.5	15.0	.....	49.9	5.0	12.5	12.5
13	Alpena County	1913	850.7	53.2	.....	.....	.....	13.3	.....	26.6	.....	.....	53.2	.....	.....	.....
14		1912	900.4	40.3	.....	.....	.....	.....	.....	13.4	.....	.....	67.2	.....	.....	.....
15	Antrim County	1913	1,356.2	32.4	.....	.....	.....	.....	.....	13.0	38.9	.....	32.4	.....	.....	6.5
16		1912	1,180.7	19.4	.....	.....	.....	.....	.....	.....	32.3	.....	38.7	6.5	19.4	6.5
17	Arenac County	1913	1,095.7	10.4	.....	.....	20.9	20.9	20.9	10.4	10.4	10.4	73.0	.....	10.4	.....
18		1912	1,114.5	10.4	.....	.....	.....	10.4	20.8	.....	.....	.....	10.4	.....	20.8	.....
19	Baraga County†	1913	953.1	14.9	.....	.....	.....	29.8	44.7	.....	14.9	.....	104.2	.....	14.9	29.8
20		1912	627.7	.....	.....	.....	.....	.....	.....	15.3	15.3	.....	61.2	.....	.....	.....
21	Barry County	1913	1,234.9	13.2	.....	.....	.....	.....	.....	.....	22.1	4.4	44.1	.....	8.8	.....
22		1912	1,288.6	.....	.....	.....	.....	4.4	17.7	.....	30.9	8.8	53.0	4.4	4.4	13.2
23	Bay County	1913	1,002.5	8.5	.....	.....	8.5	8.5	8.5	38.2	12.7	.....	72.2	.....	17.0	8.5
24		1912	931.8	17.1	.....	.....	.....	.....	4.3	.....	8.5	.....	42.7	.....	.....	8.5
25	Benzie County	1913	1,023.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	54.8	9.1	.....	.....
26		1912	1,188.8	9.2	.....	.....	.....	.....	36.9	9.2	18.4	.....	36.9	.....	9.2	.....
27	Berrien County	1913	1,267.5	20.0	3.6	.....	1.8	3.6	3.6	25.4	10.9	5.4	61.7	.....	10.9	1.8
28		1912	1,243.2	9.2	1.8	.....	.....	1.8	11.0	5.5	14.6	.....	86.1	3.7	16.5	1.8
29	Branch County	1913	1,362.0	8.0	.....	.....	.....	.....	.....	24.1	40.2	16.1	44.2	.....	12.1	4.0
30		1912	1,361.8	19.9	4.0	.....	.....	8.0	8.0	4.0	15.9	4.0	63.7	.....	11.9	4.0
31	Calhoun County	1913	1,504.4	6.3	.....	.....	6.3	3.2	3.2	6.3	28.5	6.3	66.5	.....	12.7	12.7
32		1912	1,380.4	6.3	.....	.....	.....	.....	.....	6.3	34.9	6.3	69.8	9.5	6.3	9.5
33	Cass County	1913	1,606.2	14.6	.....	.....	4.9	4.9	.....	4.9	14.6	4.9	53.5	4.9	9.7	14.6
34		1912	1,521.6	.....	.....	.....	.....	.....	.....	19.4	4.9	.....	68.1	9.7	14.6	4.9
35	Charlevoix County	1913	1,074.5	19.2	.....	.....	.....	4.8	.....	4.8	4.8	.....	76.8	.....	14.4	4.8
36		1912	1,112.2	9.8	.....	.....	.....	9.8	9.8	9.8	9.8	.....	49.2	9.8	.....	24.6
37	Cheboygan County	1913	1,325.3	5.4	.....	.....	.....	21.5	32.2	21.5	5.4	.....	75.1	.....	.....	5.4
38		1912	1,239.2	.....	.....	.....	.....	5.4	.....	59.8	5.4	10.9	59.8	.....	.....	.....
39	Chippewa County	1913	893.4	.....	.....	.....	8.2	.....	.....	.....	8.2	.....	57.4	8.2	16.4	.....
40		1912	992.3	.....	.....	.....	.....	8.3	8.3	8.3	33.1	.....	82.7	.....	8.3	.....
41	Clare County	1913	766.2	.....	.....	.....	10.5	.....	.....	21.0	.....	.....	31.5	.....	.....	10.5
42		1912	1,112.6	.....	10.6	.....	.....	63.6	10.6	.....	31.8	.....	74.2	.....	21.2	21.2
43	Clinton County	1913	1,299.0	8.9	.....	.....	.....	8.9	4.4	8.9	26.7	.....	44.5	.....	8.9	.....
44		1912	1,313.9	17.6	.....	.....	.....	4.4	8.8	.....	26.5	.....	44.1	.....	4.4	13.2
45	Crawford County	1913	1,503.8	.....	.....	.....	.....	23.5	.....	.....	23.5	.....	70.5	.....	.....	.....
46		1912	1,564.4	24.1	24.1	.....	.....	.....	.....	24.1	24.1	.....	72.2	.....	.....	.....
47	Delta County	1913	968.9	22.5	.....	.....	11.3	5.6	16.9	16.9	5.6	5.6	62.0	5.6	.....	.....
48		1912	880.5	11.4	.....	.....	.....	.....	.....	22.9	17.2	5.7	22.9	.....	.....	.....
49	Dickinson County	1913	963.5	4.7	.....	.....	9.4	14.0	9.4	42.1	.....	.....	84.2	9.4	4.7	4.7
50		1912	980.5	9.5	.....	.....	14.2	4.7	33.2	28.4	.....	.....	85.3	18.9	4.7	9.5
51	Eaton County	1913	1,434.2	16.6	.....	.....	23.2	.....	.....	10.0	6.6	.....	39.8	.....	16.6	6.6
52		1912	1,415.4	29.8	.....	.....	.....	3.3	6.6	3.3	9.9	9.9	43.0	.....	9.9	.....
53	Emmet County	1913	1,401.0	15.5	.....	.....	5.2	.....	.....	5.2	5.2	.....	92.7	.....	10.3	.....
54		1912	1,337.0	10.4	.....	.....	5.2	.....	5.2	10.4	10.4	10.4	109.7	5.2	15.7	5.2
55	Genesee County	1913	1,379.2	16.0	.....	.....	.....	8.0	4.0	8.0	16.0	.....	68.0	4.0	24.0	12.0
56		1912	1,417.9	7.9	.....	.....	.....	11.8	15.8	7.9	11.8	3.9	59.2	3.9	3.9	7.9
57	Gladwin County	1913	876.5	22.2	.....	.....	.....	.....	22.2	11.1	.....	11.1	33.3	.....	.....	11.1
58		1912	917.7	22.7	.....	.....	.....	22.7	.....	.....	11.3	.....	79.3	.....	22.7	.....
59	Gogebic County	1913	1,254.1	8.6	.....	.....	.....	8.6	.....	.....	8.6	8.6	103.1	.....	17.2	8.6
60		1912	1,063.0	8.9	.....	.....	.....	.....	26.6	.....	.....	.....	88.6	.....	17.7	.....
61	Grand Traverse County	1913	1,180.2	25.3	.....	.....	.....	8.4	.....	16.9	8.4	8.4	50.6	.....	8.4	8.4
62		1912	906.6	8.5	8.5	.....	.....	25.4	8.5	.....	33.9	.....	50.8	.....	16.9	.....
63	Gratiot County	1913	1,152.0	3.5	.....	.....	3.5	3.5	14.0	7.0	17.6	7.0	45.7	.....	.....	10.5
64		1912	1,382.0	10.5	.....	.....	3.5	.....	7.0	10.5	17.5	.....	87.5	7.0	10.5	3.5
65	Hillsdale County	1913	1,317.0	13.5	.....	.....	.....	.....	3.4	10.1	30.4	3.4	43.9	.....	10.1	6.8
66		1912	1,343.2	10.1	3.4	.....	.....	3.4	3.4	.....	10.1	6.7	37.1	.....	6.7	6.7
67	Houghton County	1913	1,061.4	3.1	.....	.....	.....	4.2	22.0	13.6	1.0	3.1	76.6	15.7	8.4	7.3
68		1912	893.3	4.3	.....	.....	1.1	5.4	2.1	6.4	1.1	2.1	84.9	8.6	11.8	4.3
69	Huron County	1913	1,207.4	5.7	.....	.....	8.6	5.7	5.7	37.2	17.2	8.6	54.4	11.4	2.9	2.9
70		1912	1,206.6	22.9	.....	.....	2.9	.....	11.5	25.8	8.6	.....	80.2	2.9	11.5	8.6
71	Ingham County	1913	1,439.5	41.5	.....	.....	9.2	.....	4.6	13.8	23.1	.....	46.1	.....	4.6	32.3
72		1912	1,293.5	9.2	.....	.....	.....	.....	4.6	.....	13.8	.....	18.3	.....	9.2	13.8
73	Ionia County*	1913	1,318.4	12.0	.....	.....	9.0	.....	.....	.....	12.0	6.0	51.1	.....	9.0	6.0
74		1912	1,303.3	6.0	.....	.....	.....	.....	.....	12.0	12.0	3.0	80.9	6.0	6.0	15.0
75	Iosco County	1913	886.0	10.4	10.4	.....	.....	.....	.....	20.8	.....	.....	41.7	.....	.....	.....
76		1912	943.6	10.4	.....	.....	.....	.....	10.4	.....	10.4	.....	72.6	.....	.....	10.4
77	Iron County	1913	1,316.3	11.6	.....	.....	11.6	23.3	23.3	17.5	11.6	.....	46.6	17.5	23.3	5.8
78		1912	955.0	24.2	.....	.....	6.0	6.0	.60	6.0	.....	.....	36.3	6.0	24.2	.....

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
77.9	16.7	7.9	83.1	159.6	22.7	70.3	14.7	48.4	10.5	13.4	16.2	72.7	8.0	10.1	84.7	87.0	11.5	301.6	13.9	1
76.0	14.2	7.9	90.9	159.6	22.3	72.4	15.9	35.0	9.3	12.3	11.3	74.2	4.8	7.5	75.9	76.7	11.9	301.1	18.9	2
78.2	16.7	8.0	83.1	159.6	22.5	69.6	14.7	47.2	10.6	13.3	10.2	72.0	7.8	10.1	84.8	86.6	11.4	299.9	13.5	3
75.8	14.3	7.8	90.6	159.1	22.3	71.9	15.7	34.8	9.2	12.2	11.3	73.7	4.8	7.6	75.9	76.1	12.0	299.5	18.7	4
42.6	14.2	.....	78.1	156.2	42.6	156.2	21.3	198.8	.....	14.2	7.1	163.3	28.4	14.2	78.1	142.0	21.3	518.4	63.9	5
105.5	7.0	28.1	126.6	218.1	21.1	133.7	35.2	56.3	21.1	28.1	14.1	140.7	.....	.....	77.4	154.8	7.0	499.5	49.3	6
87.6	.....	.....	35.0	192.7	35.0	17.5	35.0	17.5	.....	17.5	.....	35.0	17.5	.....	35.0	.....	.....	332.9	17.5	7
.....	17.5	.....	70.1	70.1	.....	35.1	.....	.....	.....	52.6	.....	35.1	.....	.....	140.2	70.1	.....	333.0	35.1	8
12.1	12.1	48.4	.....	96.8	24.2	72.6	36.3	96.8	.....	.....	.....	36.3	.....	.....	157.3	72.6	.....	205.7	48.4	9
12.4	.....	12.4	24.8	86.6	136.1	37.1	37.1	.....	12.4	.....	24.8	24.8	.....	.....	86.6	86.6	.....	136.1	37.1	10
67.3	7.5	14.9	107.1	144.5	19.9	49.8	5.0	22.4	7.5	12.5	5.0	84.7	10.0	12.5	69.7	72.2	5.0	333.8	14.9	11
99.9	12.5	15.0	117.4	184.8	44.9	92.4	15.0	32.5	12.5	12.5	7.5	114.9	12.5	12.5	64.9	69.9	10.0	322.1	15.0	12
39.9	13.3	.....	26.6	53.2	26.6	93.0	.....	79.8	26.6	.....	13.3	26.6	.....	.....	66.5	26.6	.....	186.1	26.6	13
40.3	.....	.....	26.9	80.6	13.4	40.3	.....	80.6	.....	.....	.....	13.4	.....	.....	67.2	67.2	.....	309.1	40.3	14
84.4	38.9	6.5	71.4	149.2	45.4	90.8	6.5	71.4	6.5	19.5	6.5	97.3	6.5	6.5	97.3	116.8	19.5	259.6	32.4	15
32.3	12.9	6.5	90.3	200.0	38.7	90.3	6.5	38.7	6.5	12.9	6.5	45.2	32.3	19.4	77.4	96.8	.....	238.7	6.5	16
73.0	.....	10.4	83.5	135.7	10.4	41.7	10.4	31.3	10.4	41.7	.....	31.3	.....	.....	104.4	41.7	.....	260.9	20.9	17
41.7	10.4	20.8	10.4	156.2	52.1	72.9	.....	72.9	10.4	.....	20.8	31.2	10.4	41.7	93.7	72.9	52.1	260.4	10.4	18
.....	.....	.....	.....	29.8	.....	59.6	.....	44.7	.....	59.6	14.9	29.8	29.8	.....	44.7	74.5	.....	282.9	29.8	19
30.6	.....	15.3	15.3	30.6	15.3	107.2	.....	15.3	.....	.....	.....	30.6	15.3	.....	.....	30.6	.....	183.7	45.9	20
132.3	22.1	.....	145.5	207.3	35.3	26.5	8.8	39.7	4.4	13.2	.....	97.0	4.4	8.8	52.9	79.4	8.8	251.4	4.4	21
88.3	26.5	.....	132.4	233.9	17.7	61.8	13.2	8.8	13.2	22.1	22.1	48.5	4.4	4.4	88.3	66.2	13.2	278.0	8.8	22
63.7	.....	.....	34.0	76.5	12.7	76.5	8.5	34.0	4.2	8.5	12.7	12.7	8.5	.....	101.9	59.5	8.5	284.6	12.7	23
29.9	8.5	.....	34.2	153.9	21.4	42.7	12.8	47.0	.....	.....	21.4	34.2	4.3	4.3	81.2	85.5	8.5	235.1	25.6	24
45.7	27.4	.....	63.9	100.5	27.4	45.7	27.4	54.8	9.1	18.3	9.1	109.6	.....	9.1	54.8	82.2	9.1	255.8	9.1	25
129.0	27.6	18.4	46.1	156.7	18.4	46.1	27.6	18.4	18.4	9.2	9.2	82.9	.....	9.2	82.9	27.6	.....	331.8	9.2	26
83.5	16.3	5.4	85.3	187.0	20.0	72.6	10.9	32.7	7.3	9.1	18.2	87.2	3.6	7.3	72.6	83.5	32.7	272.4	10.9	27
91.5	23.8	5.5	84.2	168.4	22.0	73.2	20.1	33.0	3.7	22.0	14.6	60.4	1.8	1.8	64.1	109.9	20.1	260.0	11.0	28
128.6	28.1	4.0	100.4	229.0	24.1	56.2	12.1	24.1	4.0	20.1	.....	68.3	12.1	16.1	68.3	68.3	8.0	329.4	12.1	29
95.6	11.9	.....	163.3	199.1	47.8	43.8	19.9	11.9	15.9	8.0	4.0	95.6	.....	4.0	63.7	79.6	15.9	334.5	4.0	30
101.3	19.0	9.5	148.9	237.5	28.5	53.8	9.5	31.7	15.8	3.2	15.8	72.8	6.3	9.5	91.8	98.2	3.2	383.2	12.7	31
76.2	15.9	3.2	133.3	238.0	25.4	60.3	12.7	19.0	6.3	15.9	6.3	73.0	6.3	9.5	73.0	85.7	19.0	352.2	.....	32
82.7	34.1	.....	146.0	223.9	14.6	63.3	9.7	34.1	29.2	48.7	14.6	111.9	14.6	24.3	68.1	77.9	4.9	452.7	19.5	33
102.1	9.7	14.6	165.3	155.6	9.7	72.9	4.9	24.3	4.9	24.3	14.6	155.6	.....	9.7	97.2	68.1	4.9	457.0	4.9	34
28.8	4.8	.....	81.6	148.7	9.6	48.0	19.2	91.1	.....	.....	.....	48.0	.....	4.8	100.7	67.2	14.4	278.2	.....	35
59.1	29.5	.....	78.7	172.2	24.6	54.1	14.8	68.9	.....	24.6	.....	49.2	9.8	4.9	64.0	59.1	4.9	251.0	9.8	36
80.5	16.1	10.7	42.9	166.3	26.8	69.8	32.2	48.3	10.7	10.7	10.7	32.2	16.1	10.7	118.0	112.7	16.1	311.2	16.1	37
38.0	10.9	5.4	81.5	173.9	32.6	97.8	32.6	32.6	.....	16.3	10.9	81.5	10.9	.....	103.3	87.0	.....	266.3	16.3	38
32.8	.....	.....	24.6	90.2	.....	49.2	16.4	49.2	.....	.....	.....	16.4	8.2	32.8	98.4	114.7	8.2	221.3	32.8	39
57.9	.....	.....	16.5	148.8	8.3	57.9	8.3	91.0	41.3	8.3	.....	16.5	.....	16.5	41.3	66.2	16.5	215.0	33.1	40
42.0	10.5	.....	21.0	105.0	21.0	42.0	.....	31.5	21.0	21.0	10.5	42.0	.....	.....	84.0	73.5	31.5	126.0	10.5	41
21.2	10.6	.....	106.0	106.0	10.6	21.2	.....	10.6	21.2	21.2	10.6	31.8	.....	10.6	74.2	84.8	21.2	264.9	53.0	42
93.4	17.8	.....	120.1	284.7	31.1	62.3	8.9	17.8	8.9	22.2	.....	66.7	8.9	13.3	57.8	40.0	8.9	315.8	8.9	43
79.4	26.5	22.0	83.8	233.7	17.6	105.8	8.8	30.9	13.2	17.6	4.4	44.1	.....	8.8	44.1	66.1	8.8	352.7	26.5	44
94.0	47.0	23.5	70.5	70.5	47.0	94.0	47.0	47.0	47.0	.....	23.5	47.0	23.5	47.0	164.5	141.0	47.0	305.5	.....	45
48.1	48.1	.....	168.5	72.2	.....	216.6	96.3	72.2	.....	24.1	.....	120.3	.....	.....	144.4	72.2	.....	264.7	48.1	46
62.0	11.3	22.5	39.4	50.7	16.9	78.9	5.6	56.3	5.6	5.6	5.6	22.5	.....	16.9	73.2	84.5	5.6	236.6	16.9	47
45.7	5.7	.....	28.6	62.9	34.3	102.9	.....	40.0	.....	.....	5.7	28.6	.....	5.7	68.6	74.3	5.7	234.4	57.2	48
70.2	4.7	.....	23.4	116.9	46.8	46.8	18.7	65.5	9.4	4.7	9.4	28.1	4.7	9.4	98.2	70.2	4.7	126.3	23.4	49
47.4	.....	9.5	23.7	85.3	23.7	99.5	4.7	33.2	4.7	4.7	.....	28.4	4.7	18.9	104.2	85.3	.....	175.3	18.9	50
152.7	23.2	.....	139.4	209.2	26.6	86.3	3.3	16.6	3.3	10.0	3.3	99.6	6.6	16.6	63.1	79.7	29.9	342.0	3.3	51
132.3	23.1	6.6	148.8	231.5	6.6	79.4	26.5	3.3	13.2	6.6	23.1	86.0	3.3	6.6	62.8	46.3	29.8	343.9	19.8	52
87.6	41.2	.....	87.6	144.2	30.9	67.0	15.5	92.7	46.4	10.3	10.3	67.0	20.6	5.2	82.4	123.6	5.2	314.2	15.5	53
78.3	47.0	.....	73.1	188.0	5.2	78.3	5.2	26.1	15.7	5.2	20.9	83.6	.....	5.2	62.7	73.1	10.4	355.1	15.7	54
88.0	36.0	8.0	111.9	223.9	24.0	64.0	12.0	24.0	16.0	8.0	.....	80.0	4.0	12.0	76.0	64.0	12.0	343.8	12.0	55
114.5	31.6	7.9	118.5	169.8	19.7	71.1	19.7	31.6	19.7	11.8	3.9	82.9	3.9	.....	75.0	90.8	7.9	379.1	23.7	56
.....	11.1	.....	88.8	133.1	22.2	33.3	22.2	44.4	11.1	.....	44.4	66.6	.....	11.1	44.4	44.4	.....	188.6	.....	57
56.7	.....	11.3	56.7	79.3	45.3	22.7	.....	22.7	.....	11 3	.....	34.0	.....	.....	79.3	45.3	.....	283.3	11.3	58
34.4	.....	34.4	25.8	77.3	25.8	128.8	42.9	154.6	.....	17.2	17.2	42.9	34.4	.....	103.1	128.8	17.2	189.0	17.2	59
.....	.....	17.7	8.9	62.0	62.0	88.6	26.6	106.3	8.9	.....	17.7	17.7	8.9	8.9	168.3	159.4	8.9	106.3	44.3	60
101.2	25.3	.....	50.6	168.6	25.3	59.0	.....	25.3	33.7	25.3	8.4	92.7	8.4	8.4	75.9	126.5	8.4	193.9	8.4	61
84.7	16.9	.....	76.3	118.6	.....	42.4	8.5	16.9	.....	.....	.....	59.3	8.5	.....	50.8	50.8	16.9	186.4	16.9	62
70.2	24.6	3.5	101.9	137.0	14.0	49.2	28.1	28.1	7.0	10.5	7.0	94.8	14.0	10.5	66.7	49.2	7.0	312.6	3.5	63
126.0	21.0	10.5	112.0	164.4	14.0	108.5	14.0	24.5	21.0	14.0	.....	140.0	14.0	3.5	73.5	21.0	7.0	321.9	14.0	64
135.1	27.0	13.5	97.9	192.5	23.6	77.7	13.5	20.3	13.5	6.8	20.3	97.9	6.8	6.8	64.2	70.9	.....	303.9	3.4	65
131.6	33.7	.....	128.2	212.6	6.7	27.0	16.9	30.4	6.7	6.7	16.9	77.6	3.4	6.7	30.4	70.9	10.1	435.4	3.4	66
51.4	7.3	9.4	22.0	90.3	29.4	74.5	5.2	74.5	10.5	11.5	9.4	33.6	7.3	7.3	92.4	169.0	7.3	185.8	7.3	67
43.0	11.8	9.7	41.9	84.9	14.0	70.9	11.8	53.7	15.0	9.7	3.2	35.5	3.2	3.2	76.3	97.8	12.9	150.5	11.8	68
54.4	5.7	20.0	62.9	105.9	8.6	80.1	5.7	51.5	11.4	8.6	11.4	80.1	2.9	8.6	111.6	57.2	2.9	329.0	28.6	69
83.1	11.5	20.1	60.2	111.3	20.1	77.4	14.3	43.0	8.6	22.9	5.7	60.2	8.6	5.7	131.8	43.0	8.6	278.0	17.2	70
101.5	18.5	4.6	83.0	253.8	4.6	36.9	36.9	23.1	18.5	18.5	18.5	64.6	9.2	4.6	69.2	46.1	18.5	424.5	9.2	71
105.5	9.2	4.6	165.1	215.6	18.3	68.8	18.3	.....	4.6	18.3	9.2	73.4	4.6	4.6	32.1	82.6	22.9	357 8	9.2	72
114.1	27.0	15.0	126.1	222.2	24.0	72.1	12.0	24.0	12.0	6.0	9.0	81.1	12.0	9.0	78.1	54.1	6.0	306.3	3.0	73
65.9	9.0	3.0	134.8	221.7	18.0	71.9	27.0	15.0	6.0	6.0	6.0	47.9	.....	9.0	44.9	65.9	15.0	368.5	27.0	74
52.1	.....	10.4	41.7	125.1	.....	10.4	10.4	52.1	.....	.....	.....	114.7	.....	10.4	83.4	31.3	.....	260.6	.....	75
41.5	10.4	10.4	114.1	72.6	10.4	41.5	41.5	10.4	20.7	.....	31.1	51.8	10.4	.....	72.6	114.1	.....	165.9	10.4	76
52.4	5.8	23.3	29.1	46.6	34.9	104.8	11.6	110.7	.....	5.8	23.3	40.8	5.8	17.5	174.7	215.5	5.8	168.9	46.6	77
24.2	12.1	24.2	6.0	54.4	42.3	66.5	6.0	78.6	6.0	18.1	.....	18.1	.....	.....	114.8	157.2	12.1	145.1	54.4	78

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MICHIGAN—continued.															
1	Isabella County	1913	1,203.1	8.7	.....	.....	26.0	4.3	.....	.....	13.0	8.7	47.6	8.7	17.3	8.7
2		1912	1,126.4	17.3	.....	.....	.....	4.3	17.3	.....	13.0	.....	82.3	.....	13.0	8.7
3	Jackson County	1913	1,394.7	4.6	.....	.....	.....	4.6	.....	.....	18.5	23.1	46.2	.....	.....	13.9
4		1912	1,360.4	13.8	.....	.....	.....	.....	.....	9.2	18.4	4.6	36.8	9.2	4.6	13.8
5	Kalamazoo County	1913	1,147.9	.....	.....	.....	.....	.....	4.7	.....	14.1	.....	46.9	.....	14.1	.....
6		1912	1,252.8	.....	.....	.....	9.4	.....	14.1	9.4	28.3	.....	42.4	.....	14.1	4.7
7	Kalkaska County	1913	1,177.5	59.5	.....	.....	.....	.....	.....	11.9	11.9	.....	23.8	.....	11.9	.....
8		1912	1,107.0	48.1	.....	.....	.....	.....	.....	12.0	12.0	12.0	60.2	.....	12.0	24.1
9	Kent County	1913	1,478.8	10.4	2.1	.....	6.2	35.4	2.1	6.2	14.6	6.2	129.1	4.2	4.2	6.2
10		1912	1,513.8	23.1	.....	.....	.....	10.5	10.5	10.5	29.4	4.2	105.1	2.1	8.4	6.3
11	Keweenaw County	1913	901.0	.....	.....	.....	.....	35.6	.....	35.6	.....	.....	83.0	.....	.....	.....
12		1912	796.4	.....	.....	.....	.....	.....	.....	12.4	.....	.....	62.2	.....	12.4	.....
13	Lake County	1913	1,175.3	.....	.....	.....	.....	.....	.....	20.3	40.5	.....	60.8	.....	20.3	.....
14		1912	1,255.8	40.5	.....	.....	.....	.....	20.3	20.3	.....	.....	101.3	.....	40.5	20.3
15	Lapeer County	1913	1,399.3	.....	.....	.....	.....	3.9	7.8	11.8	23.5	.....	82.3	.....	11.8	7.8
16		1912	1,441.1	11.7	.....	.....	.....	3.9	.....	15.6	11.7	.....	74.0	3.9	11.7	3.9
17	Leelanau County	1913	1,242.5	.....	.....	.....	.....	.....	.....	.....	18.8	9.4	75.3	9.4	.....	.....
18		1912	979.4	9.4	.....	.....	.....	.....	.....	9.4	28.3	.....	47.1	.....	.....	.....
19	Lenawee County	1913	1,365.2	16.4	.....	.....	.....	5.5	5.5	8.2	30.0	2.7	35.5	.....	5.5	2.7
20		1912	1,446.2	21.7	2.7	.....	.....	8.2	5.4	2.7	27.2	5.4	59.8	5.4	2.7	10.9
21	Livingston County	1913	1,694.9	11.7	5.8	.....	5.8	.....	11.7	5.8	29.2	.....	128.6	.....	17.5	5.8
22		1912	1,502.5	5.8	.....	.....	5.8	5.8	.....	5.8	5.8	5.8	184.9	.....	.....	5.8
23	Luce County *	1913	2,583.6	23.1	.....	.....	.....	23.1	.....	.....	46.1	.....	253.7	.....	.....	.....
24		1912	2,150.3	23.6	.....	.....	.....	.....	.....	.....	.....	.....	236.3	.....	70.9	.....
25	Mackinac County	1913	1,066.7	10.3	.....	.....	.....	.....	.....	.....	.....	.....	92.3	.....	.....	.....
26		1912	802.6	.....	.....	.....	.....	10.4	10.4	.....	.....	.....	125.1	.....	20.8	.....
27	Macomb County	1913	1,543.2	6.2	3.1	.....	27.8	9.3	6.2	21.6	.....	.....	55.6	6.2	15.4	12.3
28		1912	1,420.0	9.2	3.1	.....	.....	9.2	6.2	27.7	9.2	.....	52.4	.....	15.4	12.3
29	Manistee County	1913	908.0	.....	.....	.....	.....	6.9	6.9	13.8	20.6	.....	61.9	.....	.....	6.9
30		1912	988.5	27.7	.....	.....	6.9	13.8	6.9	.....	13.8	.....	103.7	.....	20.7	6.9
31	Marquette County	1913	1,132.7	16.4	.....	.....	4.1	4.1	4.1	8.2	.....	4.1	131.3	16.4	.....	4.1
32		1912	1,214.7	4.2	.....	.....	8.4	12.6	.....	12.6	.....	.....	159.2	8.4	.....	.....
33	Mason County	1913	983.0	4.4	.....	.....	.....	13.2	4.4	26.3	4.4	4.4	61.4	.....	4.4	.....
34		1912	1,098.3	22.2	.....	.....	.....	4.4	8.9	4.4	4.4	4.4	97.8	.....	.....	.....
35	Mecosta County	1913	1,342.6	21.0	.....	.....	.....	10.5	.....	.....	21.0	10.5	57.7	5.2	5.2	.....
36		1912	1,203.6	15.6	5.2	.....	.....	5.2	26.1	5.2	26.1	10.4	83.4	.....	20.8	10.4
37	Menominee County	1913	816.1	6.5	.....	.....	6.5	.....	6.5	6.5	19.4	.....	64.8	.....	6.5	.....
38		1912	808.0	.....	.....	.....	6.5	.....	.....	13.0	32.6	.....	110.8	.....	.....	.....
39	Midland County	1913	1,053.0	21.6	.....	.....	7.2	.....	28.8	.....	14.4	.....	57.7	7.2	7.2	.....
40		1912	1,207.9	7.2	.....	.....	7.2	.....	7.2	35.9	7.2	.....	71.9	14.4	21.6	14.4
41	Missaukee County	1913	870.7	.....	.....	.....	9.1	.....	.....	.....	81.6	.....	27.2	.....	9.1	.....
42		1912	899.5	.....	.....	.....	9.2	.....	.....	.....	18.4	.....	27.5	.....	.....	.....
43	Monroe County	1913	1,277.0	21.2	.....	3.0	.....	.....	21.2	27.3	6.1	9.1	63.7	9.1	6.1	6.1
44		1912	1,271.5	15.2	3.0	.....	6.1	15.2	3.0	30.3	3.0	3.0	60.7	.....	12.1	6.1
45	Montcalm County	1913	1,277.9	9.4	.....	.....	3.1	31.4	9.4	.....	28.3	6.3	65.9	.....	9.4	9.4
46		1912	1,237.6	.....	.....	.....	3.1	3.1	15.7	12.5	15.7	6.3	65.8	.....	3.1	.....
47	Montmorency County	1913	1,045.1	.....	.....	.....	.....	25.5	51.0	25.5	.....	.....	102.0	.....	.....	.....
48		1912	981.9	51.7	.....	.....	.....	.....	.....	.....	25.8	.....	51.7	.....	.....	.....
49	Muskegon County	1913	1,203.9	18.1	.....	.....	.....	6.0	.....	24.1	12.0	.....	54.2	12.0	6.0	12.0
50		1912	1,139.8	6.0	.....	.....	.....	6.0	.....	12.1	.....	.....	30.2	6.0	6.0	12.1
51	Newaygo County	1913	1,034.4	15.2	.....	.....	.....	15.2	10.1	5.1	10.1	.....	50.7	.....	.....	15.2
52		1912	894.5	15.3	.....	.....	.....	.....	.....	15.3	10.2	.....	35.8	.....	5.1	5.1
53	Oakland County	1913	1,346.6	14.3	.....	.....	5.7	.....	11.4	22.8	8.6	8.6	51.4	5.7	2.9	17.1
54		1912	1,458.0	11.4	.....	.....	2.9	11.4	5.7	5.7	2.9	8.6	42.8	.....	2.9	2.9
55	Oceana County	1913	1,140.4	26.4	.....	.....	.....	10.6	.....	10.6	10.6	.....	47.5	5.3	5.3	5.3
56		1912	1,049.8	.....	.....	.....	.....	.....	5.3	.....	26.6	10.7	69.3	.....	10.7	16.0
57	Ogemaw County	1913	1,207.4	10.8	.....	.....	10.8	.....	10.8	.....	10.8	.....	43.1	.....	21.6	.....
58		1912	916.9	10.9	.....	.....	.....	10.9	21.8	32.7	.....	10.9	32.7	.....	10.9	10.9
59	Ontonagon County	1913	1,122.2	21.2	.....	.....	.....	10.6	10.6	21.2	.....	.....	10.6	21.2	.....	10.6
60		1912	1,185.0	43.5	.....	.....	.....	10.9	.....	32.6	.....	.....	43.5	.....	.....	.....
61	Osceola County	1913	1,223.5	5.6	.....	.....	.....	11.2	5.6	16.8	5.6	5.6	78.2	5.6	5.6	.....
62		1912	1,028.2	.....	.....	.....	.....	.....	39.1	.....	16.8	.....	67.1	.....	5.6	.....
63	Oscoda County †	1913	634.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
64		1912	604.4	.....	.....	.....	46.5	.....	.....	.....	.....	.....	.....	.....	.....	.....
65	Otsego County	1913	1,063.8	30.0	.....	.....	.....	.....	15.0	15.0	30.0	.....	15.0	.....	15.0	.....
66		1912	1,175.4	30.1	.....	.....	.....	.....	.....	.....	.....	.....	45.2	.....	.....	.....
67	Ottawa County	1913	1,079.3	11.2	2.8	.....	.....	2.8	8.4	2.8	19.6	5.6	64.3	.....	14.0	5.6
68		1912	1,150.4	8.5	2.8	.....	2.8	.....	.....	14.1	19.7	8.5	78.9	2.8	5.6	14.1
69	Presque Isle County	1913	1,113.2	8.3	.....	.....	.....	24.9	.....	.....	24.9	.....	58.2	.....	8.3	.....
70		1912	754.8	.....	.....	.....	.....	.....	.....	25.4	17.0	.....	25.4	.....	.....	.....
71	Roscommon County	1913	781.6	41.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72		1912	1,217.5	.....	.....	.....	.....	.....	.....	.....	42.0	.....	.....	.....	.....	.....
73	Saginaw County	1913	1,107.1	15.5	5.2	.....	15.5	2.6	10.3	12.9	7.7	2.6	54.2	2.6	7.7	5.2
74		1912	1,145.5	20.6	.....	.....	12.9	12.9	15.5	28.4	5.2	7.7	59.3	5.2	5.2	5.2
75	St. Clair County	1913	1,397.2	30.6	.....	.....	12.3	6.1	3.1	21.4	9.2	3.1	67.4	.....	3.1	15.3
76		1912	1,431.7	63.8	.....	3.0	12.2	3.0	9.1	3.0	15.2	3.0	82.1	.....	15.2	3.0
77	St. Joseph County	1913	1,291.2	.....	.....	.....	.....	3.8	.....	11.5	7.7	.....	50.0	.....	19.2	7.7
78		1912	1,384.4	.....	.....	.....	.....	.....	11.6	11.6	30.9	7.7	46.4	.....	3.9	3.9

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
64.9	21.6	.....	86.6	103.9	26.0	82.2	8.7	43.3	8.7	17.3	17.3	86.6	8.7	17.3	116.8	82.2	8.7	251.0	8.7	1
60.7	8.7	4.3	78.0	151.6	8.7	86.6	8.7	26.0	8.7	17.3	13.0	86.6	.....	4.3	60.7	39.0	8.7	277.3	21.7	2
110.8	36.9	13.9	152.4	235.5	13.9	64.7	27.7	23.1	.....	18.5	4.6	92.4	9.2	.....	55.4	92.4	.....	323.3	9.2	3
78.1	23.0	.....	133.3	257.4	23.0	46.0	36.8	23.0	4.6	18.4	4.6	101.1	9.2	.....	36.8	101.1	9.2	340.1	4.6	4
79.7	14.1	.....	107.8	187.4	14.1	65.6	23.4	37.5	4.7	23.4	9.4	112.4	14.1	.....	70.3	75.0	14.1	215.5	.....	5
80.1	4.7	.....	98.9	244.9	18.8	61.2	18.8	18.8	4.7	9.4	9.4	75.4	4.7	9.4	56.5	70.6	4.7	334.4	4.7	6
11.9	.....	.....	118.9	71.4	33.3	59.5	11.9	59.5	.....	.....	11.9	59.5	11.9	23.8	118.9	47.6	11.9	344.9	11.9	7
84.2	.....	.....	72.2	72.2	72.2	48.1	24.1	48.1	.....	.....	.....	132.4	.....	.....	60.2	96.3	.....	168.5	48.1	8
87.5	8.3	4.2	122.9	279.1	20.8	77.1	14.6	31.2	20.8	20.8	16.7	87.5	10.4	4.2	52.1	93.7	16.7	281.2	2.1	9
126.1	12.6	12.6	130.4	315.4	18.9	63.1	23.1	18.9	4.2	6.3	12.6	82.0	2.1	2.1	69.4	65.2	8.4	321.7	8.4	10
23.7	11.9	23.7	59.3	71.1	94.8	47.4	11.9	35.6	35.6	.....	35.6	11.9	.....	.....	59.3	59.3	.....	166.0	.....	11
49.8	.....	.....	.....	12.4	74.7	62.2	.....	12.4	.....	.....	12.4	37.3	12.4	.....	112.0	74.7	12.4	236.4	.....	12
81.1	20.3	.....	60.8	202.6	.....	60.8	20.3	20.3	.....	.....	20.3	81.1	40.5	.....	60.8	60.8	60.8	222.9	20.3	13
60.8	20.3	.....	101.3	162.0	20.3	.....	20.3	40.5	.....	20.3	.....	20.3	.....	.....	40.5	60.8	.....	384.8	60.8	14
105.8	11.8	7.8	94.1	168.5	27.4	90.2	11.8	23.5	3.9	11.8	11.8	70.6	.....	3.9	47.0	62.7	7.8	462.5	27.4	15
62.3	7.8	11.7	74.0	179.2	15.6	105.2	19.5	11.7	19.5	7.8	23.4	101.3	11.7	23.4	89.6	66.2	23.4	409.0	42.8	16
84.7	18.8	9.4	75.3	56.5	9.4	47.1	28.2	84.7	.....	9.4	.....	47.1	.....	.....	65.9	113.0	9.4	414.2	56.5	17
65.9	18.8	18.8	28.3	122.4	.....	28.3	47.1	37.7	9.4	9.4	.....	37.7	9.4	28.3	84.8	65.9	.....	254.3	18.8	18
101.0	24.6	2.7	131.1	172.0	24.6	95.6	5.5	21.8	13.7	19.1	10.9	98.3	8.2	8.2	95.6	54.6	19.1	335.8	10.9	19
92.4	21.7	16.3	138.6	217.5	24.5	81.6	21.7	13.6	13.6	19.0	8.2	84.3	8.2	8.2	70.7	48.9	27.2	367.0	10.9	20
116.9	11.7	17.5	93.5	210.4	11.7	76.0	35.1	5.8	23.4	29.2	5.8	64.3	5.8	.....	93.5	122.7	29.2	508.5	11.7	21
156.0	.....	23.1	127.1	225.4	17.3	80.9	23.1	5.8	11.6	5.8	23.1	63.6	11.6	.....	34.7	52.0	17.3	387.2	11.6	22
115.3	23.1	23.1	92.3	346.0	69.2	161.5	46.1	92.3	.....	23.1	46.1	46.1	.....	.....	138.4	184.5	.....	830.4	.....	23
47.3	.....	.....	118.1	165.4	47.3	70.9	23.6	.....	47.3	47.3	23.6	.....	.....	23.6	165.4	70.9	.....	968.8	.....	24
41.0	10.3	10.3	61.5	153.8	10.3	30.8	10.3	71.8	10.3	10.3	.....	41.0	20.5	.....	51.3	184.6	10.3	205.1	30.8	25
20.8	.....	10.4	52.1	52.1	31.3	52.1	10.4	41.7	.....	.....	10.4	31.3	10.4	.....	31.3	73.0	.....	187.6	20.8	26
71.0	9.3	15.4	77.2	154.3	27.8	98.8	21.6	52.5	27.8	24.7	18.5	138.9	12.3	3.1	103.0	98.8	24.7	385.8	9.3	27
83.2	6.2	9.2	132.5	191.0	21.6	70.8	27.7	37.0	6.2	9.2	24.6	138.6	9.2	6.2	110.9	55.4	12.3	301.9	21.6	28
89.4	20.6	13.8	27.5	89.4	27.5	103.2	13.8	27.5	34.4	13.8	.....	48.1	6.9	.....	89.4	20.6	6.9	144.4	13.8	29
89.9	.....	6.9	48.4	89.9	6.9	55.3	6.9	13.8	.....	6.9	13.8	48.4	13.8	6.9	96.8	55.3	20.7	193.6	13.8	30
41.0	8.2	12.3	49.2	94.4	12.3	69.8	12.3	86.2	4.1	4.1	.....	53.4	8.2	28.7	106.7	135.4	12.3	164.2	36.9	31
25.1	4.2	8.4	29.3	117.3	29.3	54.5	8.4	58.6	16.8	8.4	12.6	96.3	4.2	12.6	117.3	134.0	20.9	234.6	16.8	32
74.6	26.3	4.4	48.3	149.2	8.8	52.7	21.9	8.8	13.2	4.4	4.4	83.4	4.4	4.4	87.8	79.0	.....	179.9	4.4	33
66.7	22.2	13.3	80.0	128.9	13.3	48.9	13.3	40.0	8.9	4.4	13.3	84.5	4.4	4.4	66.7	53.4	22.2	257.9	4.4	34
73.4	21.0	.....	104.9	125.9	31.5	73.4	5.2	42.0	15.7	26.2	10.5	120.6	21.0	26.2	73.4	68.2	15.7	340.9	15.7	35
88.6	5.2	5.2	135.5	104.2	31.3	52.1	10.4	15.6	20.8	20.8	10.4	57.3	.....	10.4	41.7	52.1	20.8	286.6	26.1	36
38.9	6.5	19.4	25.9	51.8	13.0	58.3	13.0	32.4	.....	.....	.....	32.4	.....	6.5	116.6	84.2	6.5	174.9	19.4	37
39.1	.....	.....	26.1	32.6	39.1	32.6	13.0	26.1	6.5	6.5	13.0	32.6	.....	6.5	84.7	71.7	6.5	162.9	45.6	38
72.1	.....	21.6	79.3	137.0	.....	79.3	.....	21.6	.....	7.2	7.2	28.8	14.4	7.2	57.7	86.5	14.4	266.9	7.2	39
50.3	.....	21.6	151.0	107.8	21.6	107.8	14.4	57.5	14.4	35.9	7.2	35.9	7.2	.....	71.9	43.1	.....	244.4	28.8	40
81.6	9.1	.....	36.3	81.6	.....	63.5	18.1	27.2	.....	9.1	9.1	36.3	9.1	.....	54.4	27.2	9.1	226.7	45.3	41
55.1	36.7	27.5	36.7	55.1	.....	82.6	.....	27.5	.....	9.2	.....	64.2	9.2	.....	82.6	82.6	36.7	220.3	18.4	42
60.7	9.1	9.1	103.1	136.5	18.2	81.9	30.3	69.8	12.1	6.1	15.2	36.4	9.1	15.2	45.5	94.0	27.3	315.5	9.1	43
81.9	9.1	6.1	72.8	194.2	15.2	72.8	9.1	33.4	6.1	27.3	6.1	97.1	.....	3.0	88.0	75.9	9.1	288.3	18.2	44
78.5	18.8	6.3	69.1	194.7	22.0	65.9	12.6	15.7	12.6	12.6	12.6	72.2	.....	22.0	69.1	72.2	12.6	323.4	12.6	45
84.6	9.4	.....	94.0	216.2	31.3	78.3	12.5	15.7	12.5	6.3	18.8	56.4	3.1	12.5	59.5	56.4	6.3	313.3	25.1	46
76.5	.....	.....	25.5	51.0	.....	76.5	.....	51.0	.....	.....	.....	25.5	.....	51.0	102.0	152.9	.....	229.4	.....	47
25.8	.....	.....	25.8	51.7	.....	103.4	51.7	25.8	.....	.....	25.8	129.2	.....	25.8	77.5	77.5	.....	232.6	.....	48
72.2	6.0	.....	78.3	198.7	6.0	78.3	42.1	48.2	.....	6.0	.....	90.3	.....	12.0	36.1	78.3	12.0	288.9	6.0	49
66.3	12.1	12.1	84.4	144.7	24.1	72.4	12.1	30.2	12.1	36.2	6.0	78.4	12.1	12.1	54.3	120.6	.....	247.3	24.1	50
30.4	15.2	20.3	91.3	126.8	10.1	30.4	5.1	50.7	5.1	5.1	20.3	45.6	.....	10.1	71.0	81.1	5.1	258.6	30.4	51
46.0	20.4	5.1	56.2	117.6	10.2	30.7	10.2	30.7	5.1	.....	10.2	61.3	.....	.....	46.0	30.7	5.1	291.3	30.7	52
65.6	25.7	.....	136.9	199.7	8.6	42.8	20.0	34.2	2.9	34.2	2.9	79.9	2.9	17.1	48.5	74.2	11.4	356.6	34.2	53
85.6	17.1	5.7	139.8	182.6	20.0	77.0	25.7	34.2	8.6	8.6	14.3	91.3	.....	11.4	57.1	137.0	17.1	396.6	31.4	54
89.8	21.1	5.3	73.9	168.9	15.8	52.8	5.3	37.0	5.3	5.3	26.4	52.8	15.8	10.6	116.2	15.8	10.6	285.1	5.3	55
58.6	10.7	10.7	85.3	143.9	5.3	32.0	5.3	5.3	5.3	10.7	21.3	58.6	21.3	21.3	79.9	48.0	.....	271.8	16.0	56
53.9	10.8	.....	86.2	129.4	32.3	107.8	10.8	64.7	10.8	10.8	.....	64.7	21.6	53.9	53.9	86.2	10.8	258.7	32.3	57
98.2	.....	.....	32.7	98.2	10.9	43.7	.....	54.6	10.9	.....	10.9	21.8	.....	.....	76.4	54.6	.....	251.1	10.9	58
42.3	10.6	.....	21.2	42.3	63.5	31.8	.....	95.3	31.8	10.6	21.2	10.6	10.6	42.3	148.2	232.9	10.6	158.8	31.8	59
54.4	65.2	.....	.....	108.7	43.5	43.5	.....	21.7	21.7	21.7	21.7	87.0	21.7	43.5	97.8	152.2	.....	206.6	43.5	60
72.6	27.9	11.2	89.4	145.3	27.9	50.3	5.6	50.3	5.6	.....	16.8	78.2	.....	22.3	78.2	61.5	.....	324.0	16.8	61
61.5	11.2	5.6	61.5	122.9	16.8	72.6	16.8	22.4	16.8	5.6	11.2	83.3	.....	.....	61.5	33.5	5.6	285.0	5.6	62
90.6	.....	.....	45.3	181.2	.....	45.3	.....	.....	.....	.....	.....	45.3	.....	.....	90.6	45.3	.....	90.6	.....	63
93.0	46.5	.....	.....	.....	.....	.....	.....	.....	46.5	46.5	46.5	.....	.....	.....	46.5	93.0	.....	139.5	.....	64
89.9	.....	.....	74.9	15.0	30.0	.....	59.9	.....	15.0	.....	119.9	30.0	30.0	134.9	134.9	15.0	179.8	15.0	65	
30.1	.....	.....	90.4	120.6	30.1	75.3	.....	30.1	.....	15.1	.....	150.7	15.1	15.5	105.5	120.6	15.1	256.2	30.1	66
83.9	16.8	.....	61.5	156.6	36.3	41.9	8.4	16.8	5.6	25.2	14.0	72.7	5.6	2.8	81.1	58.7	8.4	246.1	.....	67
81.8	19.7	5.6	59.2	132.5	36.7	56.4	16.9	36.7	2.8	28.2	16.9	62.0	5.6	5.6	73.3	50.8	11.3	273.5	16.9	68
49.8	8.3	8.3	41.5	74.8	.....	58.2	33.2	108.0	8.3	.....	.....	49.8	16.6	16.6	157.8	58.2	.....	257.5	41.5	69
33.9	.....	.....	50.9	59.4	.....	42.4	.....	33.9	.....	42.4	17.0	50.9	.....	.....	50.9	33.9	17.0	203.5	50.9	70
.....	.....	.....	82.3	82.3	.....	164.5	41.1	.....	41.1	.....	.....	.....	.....	.....	123.4	41.1	.....	123.4	41.1	71
42.0	42.0	.....	42.0	251.9	.....	.....	.....	.....	.....	.....	.....	84.0	.....	.....	167.9	167.9	.....	293.9	84.0	72
54.2	25.8	7.7	41.3	131.6	41.3	54.2	20.6	31.0	.....	18.1	5.2	56.8	10.3	2.6	105.8	59.4	5.2	273.5	20.6	73
59.3	10.3	10.3	56.8	123.8	10.3	35.1	18.1	28.4	10.3	5.2	5.2	98.0	5.2	12.9	100.6	69.7	15.5	232.2	10.3	74
88.9	27.6	6.1	101.1	168.5	12.3	39.8	9.2	39.8	15.3	9.2	.....	113.4	3.1	6.1	73.5	125.6	18.4	364.6	3.1	75
82.1	9.1	9.1	121.6	167.2	21.3	63.8	9.1	51.7	9.1	9.1	6.1	85.1	3.0	12.2	63.8	91.2	6.1	389.1	9.1	76
103.8	11.5	7.7	92.2	249.8	11.5	84.5	30.7	30.7	3.8	7.7	7.7	88.4	7.7	15.4	53.8	76.9	7.7	288.2	11.5	77
88.9	19.3	7.7	116.0	162.4	30.9	108.3	7.7	19.3	.....	7.7	19.3	123.7	3.9	15.5	65.7	77.3	7.7	367.4	19.3	78

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MICHIGAN—continued.															
1	Sanilac County	1913	1,048.7	11.9	.....	.....	.....	3.0	8.9	20.9	14.9	6.0	29.8	.....	8.9	6.0
2		1912	1,113.5	17.8	3.0	.....	3.0	3.0	3.0	5.9	14.8	.....	44.5	.....	11.9	5.9
3	Schoolcraft County	1913	1,107.6	.....	.....	.....	.....	.....	11.2	.....	11.2	.....	100.7	11.2	.....	.....
4		1912	903.1	.....	.....	.....	.....	33.9	33.9	22.6	.....	.....	45.2	11.3	.....	11.3
5	Shiawassee County	1913	1,286.1	6.1	.....	.....	9.1	3.0	12.1	21.2	33.3	.....	51.4	9.1	9.1	9.1
6		1912	1,316.9	6.0	.....	.....	12.1	12.1	9.1	.....	21.1	.....	36.2	3.0	6.0	9.1
7	Tuscola County	1913	1,216.9	11.6	2.9	.....	2.9	.....	2.9	11.6	14.5	5.8	57.8	2.9	11.6	5.8
8		1912	1,207.7	.....	.....	.....	.....	5.8	8.6	2.9	5.8	.....	57.6	.....	5.8	2.9
9	Van Buren County	1913	1,444.7	6.0	3.0	.....	.....	.....	.....	3.0	15.1	.....	36.2	3.0	3.0	6.0
10		1912	1,254.3	12.1	.....	.....	.....	6.0	9.0	3.0	18.1	.....	48.2	3.0	6.0	6.0
11	Washtenaw County	1913	1,315.6	6.9	.....	.....	.....	.....	6.9	17.4	17.4	6.9	72.9	.....	17.4	3.5
12		1912	1,485.5	6.9	3.4	.....	.....	20.6	.....	.....	13.7	10.3	41.2	3.4	13.7	6.9
13	Wayne County	1913	2,494.5	44.0	.....	2.8	19.9	21.3	31.3	56.8	5.7	4.3	258.5	4.3	17.0	12.8
14		1912	2,131.1	36.2	2.9	1.4	8.7	8.7	7.2	39.1	11.6	5.8	220.2	7.2	7.2	14.5
15	Wexford County	1913	1,234.0	22.7	.....	.....	31.8	.....	4.5	18.1	40.8	9.1	22.7	4.5	4.5	9.1
16		1912	1,122.6	9.2	.....	.....	.....	4.6	9.2	4.6	13.9	9.2	83.2	.....	4.6	9.2
	MINNESOTA.															
17	Total	1913	989.7	9.1	0.1	0.7	10.0	6.1	7.5	7.4	10.2	2.7	75.7	7.1	10.8	5.9
18		1912	907.5	9.5	.....	0.2	0.7	5.4	11.7	6.5	3.7	1.7	79.4	6.3	9.8	6.1
19	White	1913	981.1	9.2	0.1	0.8	10.0	6.1	7.3	7.4	10.2	2.7	72.5	6.9	10.6	5.8
20		1912	903.3	9.6	.....	0.2	0.7	5.4	11.7	6.5	3.7	1.7	76.2	6.4	9.6	6.1
21	Colored	1913	2,235.1	.....	.....	.....	9.8	.....	29.5	9.8	9.8	.....	541.6	39.4	39.4	19.7
22		1912	1,480.5	.....	.....	.....	.....	9.5	9.5	9.5	.....	.....	522.0	.....	47.5	9.5
23	Aitkin County †	1913	658.0	17.3	.....	.....	.....	.....	8.7	26.0	8.7	.....	51.9	8.7	8.7	.....
24		1912	733.3	35.8	.....	.....	.....	.....	.....	.....	.....	.....	134.1	.....	8.9	.....
25	Anoka County *	1913	1,126.1	15.5	.....	.....	7.8	7.8	7.8	15.5	7.8	.....	132.0	.....	15.5	.....
26		1912	1,254.2	54.9	.....	.....	.....	15.7	15.7	23.5	15.7	.....	94.1	7.8	7.8	7.8
27	Becker County	1913	1,187.0	.....	.....	.....	.....	.....	10.1	25.3	.....	10.1	116.2	10.1	5.1	10.1
28		1912	959.0	10.3	.....	.....	.....	10.3	5.1	5.1	5.1	.....	102.6	5.1	10.3	10.3
29	Beltrami County	1913	1,244.5	21.8	.....	.....	13.1	13.1	26.2	13.1	4.4	4.4	87.3	17.5	13.1	8.7
30		1912	1,115.2	50.5	.....	.....	.....	.....	4.6	18.4	.....	.....	165.2	4.6	.....	9.2
31	Benton County †	1913	678.9	.....	.....	9.2	.....	.....	.....	.....	18.3	.....	18.3	9.2	9.2	9.2
32		1912	762.4	9.3	.....	.....	.....	.....	27.9	.....	.....	.....	37.2	.....	.....	.....
33	Big Stone County	1913	793.9	10.4	.....	.....	20.9	.....	.....	.....	10.4	.....	41.8	10.4	.....	20.9
34		1912	914.9	31.5	.....	.....	.....	.....	21.0	.....	.....	.....	52.6	.....	42.1	10.5
35	Blue Earth County	1913	978.1	11.1	.....	.....	.....	5.5	.....	.....	27.6	.....	27.6	5.5	11.1	.....
36		1912	789.3	5.4	.....	.....	.....	10.9	5.4	10.9	.....	5.4	59.9	.....	5.4	10.9
37	Brown County	1913	918.7	.....	.....	.....	.....	9.9	.....	4.9	19.8	.....	49.4	.....	9.9	.....
38		1912	940.0	.....	.....	.....	.....	14.8	19.8	4.9	4.9	.....	49.5	14.8	9.9	.....
39	Carlton County	1913	789.6	5.0	.....	.....	10.0	.....	5.0	5.0	5.0	.....	124.9	5.0	5.0	.....
40		1912	914.5	15.6	.....	.....	.....	5.2	15.6	15.6	5.2	.....	135.1	.....	5.2	.....
41	Carver County	1913	1,004.2	5.7	.....	.....	5.7	.....	11.5	11.5	17.2	.....	57.4	5.7	5.7	.....
42		1912	934.8	11.5	.....	.....	5.7	5.7	17.2	5.7	11.5	.....	40.1	5.7	34.4	11.5
43	Cass County	1913	1,165.6	7.8	.....	.....	7.8	.....	31.1	7.8	.....	7.8	194.3	7.8	7.8	.....
44		1912	729.2	.....	.....	.....	.....	.....	.....	8.0	.....	.....	112.2	.....	.....	.....
45	Chippewa County	1913	980.4	14.5	.....	.....	7.3	7.3	36.3	.....	14.5	7.3	29.0	.....	.....	.....
46		1912	782.6	14.6	.....	.....	.....	7.3	.....	7.3	.....	.....	73.1	14.6	14.6	.....
47	Chisago County	1913	1,151.8	7.3	.....	.....	7.3	7.3	14.7	.....	14.7	.....	66.0	.....	7.3	7.3
48		1912	948.5	7.4	.....	.....	7.4	.....	14.7	29.4	7.4	.....	22.1	7.4	14.7	.....
49	Clay County	1913	1,010.3	24.8	.....	.....	29.7	5.0	.....	14.9	5.0	5.0	59.4	9.9	9.9	14.9
50		1912	769.2	15.0	.....	.....	.....	5.0	.....	.....	.....	5.0	79.9	.....	5.0	15.0
51	Clearwater County †	1913	577.8	.....	.....	.....	24.6	.....	.....	24.6	.....	.....	49.2	24.6	.....	.....
52		1912	710.5	25.8	.....	.....	12.9	.....	12.9	.....	.....	.....	51.7	.....	.....	12.9
53	Cook County †	1913	332.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	66.4	.....	66.4	.....
54		1912	619.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	137.6	.....	.....	.....
55	Cottonwood County	1913	701.0	7.8	.....	7.8	7.8	38.9	.....	46.7	.....	.....	15.6	15.6	.....	.....
56		1912	837.2	7.8	.....	.....	7.8	23.5	7.8	31.3	.....	.....	31.3	7.8	7.8	15.6
57	Crow Wing County	1913	1,152.0	22.6	.....	.....	5.6	.....	22.6	11.3	11.3	5.6	56.5	5.6	11.3	11.3
58		1912	1,163.7	22.9	.....	.....	.....	.....	51.6	.....	.....	.....	114.7	.....	5.7	5.7
59	Dakota County *	1913	1,152.6	3.8	.....	.....	22.8	11.4	15.2	.....	7.6	3.8	114.1	3.8	15.2	3.8
60		1912	855.8	3.9	.....	.....	3.9	15.4	11.6	3.9	7.7	.....	65.5	3.9	11.6	7.7
61	Dodge County	1913	812.7	.....	.....	.....	.....	8.6	.....	8.6	25.7	17.1	51.3	8.6	.....	.....
62		1912	930.9	.....	.....	.....	.....	8.5	.....	8.5	8.5	.....	42.3	8.5	.....	.....
63	Douglas County	1913	893.4	5.7	.....	.....	17.1	.....	.....	.....	5.7	.....	91.0	.....	11.4	17.1
64		1912	982.7	5.7	.....	.....	.....	.....	.....	34.1	5.7	.....	102.2	.....	22.7	11.4
65	Faribault County	1913	856.4	.....	.....	.....	.....	.....	.....	5.2	5.2	.....	36.3	.....	5.2	10.4
66		1912	831.7	5.1	.....	.....	.....	.....	.....	5.1	.....	.....	77.0	15.4	5.1	15.4
67	Fillmore County	1913	1,042.3	8.0	.....	.....	4.0	4.0	24.1	.....	16.1	.....	60.4	4.0	8.0	8.0
68		1912	924.0	.....	.....	.....	.....	4.0	8.0	4.0	8.0	.....	59.7	8.0	4.0	15.9
69	Freeborn County	1913	891.8	4.5	.....	.....	13.4	4.5	8.9	4.5	8.9	.....	53.5	8.9	13.4	.....
70		1912	817.7	.....	.....	.....	.....	.....	8.9	.....	8.9	4.5	71.5	8.9	.....	4.5
71	Goodhue County	1913	987.5	3.1	.....	.....	.....	.....	6.3	3.1	18.9	6.3	72.3	6.3	12.6	6.3
72		1912	1,067.8	9.4	.....	.....	.....	3.1	6.3	12.6	3.1	3.1	72.4	6.3	15.7	6.3
73	Grant County	1913	708.7	.....	.....	.....	32.7	10.9	10.9	10.9	10.9	.....	43.6	.....	10.9	.....
74		1912	819.3	10.9	.....	.....	.....	.....	21.8	.....	10.9	.....	43.7	.....	21.8	10.9
75	Hennepin County	1913	848.8	5.9	.....	.....	.....	11.7	.....	2.9	2.9	.....	70.2	5.9	8.8	2.9
76		1912	811.6	14.9	.....	.....	.....	.....	6.0	11.9	3.0	.....	50.7	.....	6.0	3.0

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
56.6	11.9	.....	83.4	128.1	26.8	68.5	8.9	20.9	14.9	17.9	.....	56.6	14.9	8.9	53.6	44.7	6.0	309.8	6.0	1
35.6	11.9	5.9	95.0	112.8	32.7	86.1	11.9	41.6	14.8	17.8	5.9	68.3	.....	8.9	77.2	50.5	3.0	288.0	32.7	2
11.2	.....	11.2	22.4	44.8	11.2	111.9	11.2	22.4	11.2	11.2	11.2	67.1	.....	11.2	134.3	179.0	22.4	279.7	.....	3
22.6	11.3	.....	22.6	79.0	.....	33.9	22.6	33.9	22.6	.....	11.3	11.3	.....	11.3	90.3	112.9	11.3	214.5	33.9	4
102.9	18.2	9.1	87.8	151.3	21.2	72.6	6.1	24.2	12.1	21.2	.....	87.8	6.1	6.1	130.1	57.5	9.1	290.5	9.1	5
108.7	24.2	9.1	93.6	166.1	27.2	57.4	18.1	45.3	9.1	6.0	12.1	81.5	3.0	9.1	81.5	102.7	12.1	311.1	24.2	6
72.3	40.5	5.8	83.8	176.3	23.1	66.5	14.5	52.0	8.7	11.6	2.9	52.0	5.8	8.7	66.5	57.8	11.6	318.0	8.7	7
69.2	28.8	8.6	89.3	164.3	20.2	69.2	20.2	49.0	11.5	11.5	11.5	92.2	2.9	17.3	86.5	51.9	17.3	282.5	14.4	8
96.5	21.1	6.0	96.5	253.3	18.1	78.4	18.1	36.2	15.1	9.0	30.2	102.5	9.0	9.0	72.4	90.5	9.0	380.0	18.1	9
114.6	18.1	6.0	96.5	217.1	15.1	57.3	18.1	12.1	6.0	12.1	15.1	108.5	.....	3.0	60.3	57.3	9.0	304.5	12.1	10
79.8	17.4	6.9	163.1	184.0	6.9	62.5	13.9	.....	13.9	17.4	10.4	107.6	3.5	6.9	41.7	104.1	6.9	305.5	13.9	11
109.8	13.7	3.4	202.4	195.6	10.3	113.2	17.2	17.2	6.9	10.3	27.4	106.4	6.9	3.4	58.3	65.2	20.6	363.7	13.7	12
103.7	9.9	18.5	95.2	201.7	44.0	161.9	28.4	215.9	9.9	11.4	22.7	115.1	4.3	14.2	171.9	144.9	27.0	589.5	25.6	13
85.5	2.9	14.5	102.9	186.9	33.3	136.2	23.2	126.0	7.2	13.0	21.7	108.7	1.4	10.1	128.9	142.0	21.7	565.0	29.0	14
86.2	31.8	9.1	95.3	127.0	18.1	59.0	18.1	54.4	9.1	31.8	9.1	72.6	27.2	13.6	86.2	77.1	4.5	231.4	4.5	15
92.4	18.5	.....	106.3	83.2	18.5	97.0	13.9	32.3	13.9	9.2	4.6	69.3	9.2	.....	78.5	87.8	.....	231.0	9.2	16
71.4	12.7	4.4	54.4	91.4	12.5	72.5	10.7	39.9	13.1	8.6	5.7	63.9	4.8	9.2	69.9	78.8	11.5	185.9	15.3	17
66.2	12.0	5.8	48.4	86.3	11.4	63.7	9.9	23.7	12.0	9.2	7.2	63.7	5.4	7.1	63.8	68.4	10.7	174.7	16.9	18
71.7	12.8	4.4	54.6	91.6	12.6	71.6	10.5	38.7	13.1	8.5	5.8	63.9	4.9	9.1	70.1	78.4	11.4	185.0	13.0	19
66.6	12.1	5.7	48.6	86.7	11.4	63.5	9.9	23.6	12.0	9.2	7.3	63.9	5.3	7.1	63.8	68.3	10.7	175.0	14.9	20
19.7	9.8	.....	19.7	59.1	.....	206.8	39.4	206.8	9.8	19.7	.....	59.1	.....	19.7	39.4	128.0	19.7	324.9	354.5	21
19.0	.....	19.0	19.0	28.5	.....	94.9	9.5	38.0	9.5	9.5	.....	28.5	19.0	9.5	66.4	75.9	.....	132.9	294.2	22
34.6	17.3	.....	51.9	8.7	.....	69.3	8.7	34.6	.....	8.7	.....	26.0	.....	17.3	26.0	69.3	8.7	138.5	8.7	23
44.7	.....	.....	53.7	17.9	8.9	35.8	8.9	17.9	.....	8.9	.....	44.7	.....	.....	62.6	53.7	17.9	134.1	44.7	24
62.1	.....	15.5	93.2	116.5	46.6	38.8	23.3	31.1	.....	15.5	7.8	93.2	7.8	7.8	46.6	62.1	15.5	225.2	7.8	25
156.8	15.7	7.8	78.4	148.9	7.8	70.5	.....	7.8	.....	7.8	7.8	172.5	.....	.....	62.7	70.5	23.5	172.5	.....	26
50.5	10.1	.....	30.3	55.6	5.1	90.9	20.2	55.6	10.1	15.2	5.1	96.0	.....	.....	90.9	101.0	20.2	262.7	80.8	27
56.4	10.3	5.1	61.5	25.6	10.3	56.4	10.3	30.8	25.6	5.1	5.1	51.3	10.3	5.1	97.4	92.3	10.3	159.0	66.7	28
39.3	8.7	8.7	56.8	78.6	13.1	122.3	4.4	83.0	30.6	21.8	8.7	34.9	4.4	17.5	104.8	96.1	17.5	205.2	65.5	29
68.8	.....	32.1	36.7	32.1	9.2	68.8	.....	13.8	13.8	9.2	.....	32.1	18.4	9.2	82.6	183.6	18.4	146.9	87.2	30
27.5	.....	.....	45.9	64.2	.....	18.3	18.3	55.0	.....	9.2	18.3	18.3	9.2	.....	82.6	64.2	.....	137.6	36.7	31
18.6	9.3	.....	37.2	120.9	.....	130.2	9.3	46.5	9.3	.....	.....	9.3	.....	18.6	111.6	.....	18.6	130.2	18.6	32
94.0	10.4	.....	20.9	114.9	.....	52.2	10.4	31.3	10.4	10.4	.....	10.4	.....	20.9	31.3	52.2	20.9	188.0	.....	33
52.6	31.5	.....	21.0	105.2	.....	52.6	21.0	31.5	10.5	31.5	21.0	31.5	21.0	.....	73.6	42.1	21.0	189.3	.....	34
93.9	16.6	.....	82.9	105.0	22.1	77.4	.....	16.6	.....	5.5	5.5	110.5	.....	16.6	121.6	55.3	11.1	149.2	.....	35
59.9	10.9	5.4	76.2	54.4	10.9	54.4	5.4	27.2	5.4	.....	.....	98.0	.....	5.4	49.0	32.7	10.9	147.0	21.8	36
88.9	14.8	9.9	39.5	69.1	.....	69.1	14.8	29.6	14.8	14.8	14.8	64.2	4.9	9.9	79.0	79.0	9.9	192.6	4.9	37
69.3	14.8	4.9	94.0	84.1	14.8	24.7	14.8	34.6	9.9	4.9	4.9	79.2	.....	.....	69.3	24.7	9.9	247.4	14.8	38
30.0	10.0	.....	5.0	75.0	15.0	40.0	10.0	50.0	10.0	5.0	10.0	20.0	5.0	5.0	75.0	65.0	25.0	144.9	25.0	39
46.8	.....	.....	26.0	62.4	.....	135.1	5.2	31.2	.....	5.2	.....	52.0	5.2	10.4	52.0	124.7	10.4	109.1	41.6	40
132.0	11.5	5.7	86.1	68.9	45.9	34.4	17.2	23.0	11.5	.....	11.5	51.6	11.5	.....	63.1	103.3	5.7	195.1	5.7	41
68.8	5.7	5.7	57.4	97.5	22.9	51.6	11.5	11.5	5.7	11.5	5.7	68.8	11.5	.....	74.6	68.8	5.7	172.1	28.7	42
46.6	7.8	.....	62.2	85.5	.....	85.5	15.5	54.4	7.8	.....	.....	38.9	15.5	7.8	69.9	194.3	15.5	155.4	31.1	43
48.1	.....	.....	16.0	24.0	16.0	64.1	8.0	40.1	.....	.....	.....	40.1	.....	8.0	120.2	72.1	16.0	88.1	48.1	44
50.8	14.5	.....	50.8	108.9	.....	108.9	7.3	43.6	29.0	.....	.....	58.1	7.3	14.5	72.6	72.6	7.3	210.6	7.3	45
51.2	14.6	7.3	36.6	95.1	7.3	58.5	7.3	21.9	21.9	14.6	29.3	21.9	7.3	14.6	87.8	65.8	.....	87.8	.....	46
117.4	7.3	.....	132.1	132.1	22.0	110.0	22.0	51.4	.....	7.3	29.3	73.4	14.7	7.3	36.7	36.7	7.3	205.4	7.3	47
80.9	7.4	7.4	88.2	110.3	14.7	95.6	22.1	.....	.....	7.4	.....	95.6	.....	.....	36.8	29.4	14.7	213.2	14.7	48
59.4	.....	9.9	59.4	99.0	5.0	69.3	19.8	49.5	14.9	5.0	.....	29.7	14.9	19.8	99.0	44.6	9.9	217.9	5.0	49
59.9	15.0	10.0	25.0	45.0	15.0	74.9	15.0	35.0	15.0	5.0	10.0	54.9	.....	5.0	64.9	54.9	5.0	129.9	5.0	50
24.6	36.9	12.3	61.5	.....	12.3	36.9	12.3	61.5	.....	.....	.....	24.6	12.3	12.3	36.9	.....	.....	110.6	.....	51
25.8	12.9	.....	116.3	51.7	51.7	64.6	25.8	12.9	.....	.....	.....	38.8	.....	25.8	12.9	64.6	.....	51.7	38.8	52
66.4	.....	.....	.....	66.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	66.4	53
68.8	.....	.....	.....	68.8	.....	68.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	68.8	68.8	137.6	54
38.9	15.6	7.8	7.8	31.2	.....	70.1	.....	46.7	38.9	7.8	.....	54.5	.....	7.8	54.5	31.2	7.8	124.6	15.6	55
62.6	7.8	.....	31.3	117.4	.....	70.4	.....	15.6	23.5	.....	7.8	93.9	7.8	.....	62.6	62.6	.....	125.2	7.8	56
107.3	5.6	5.6	50.8	96.0	.....	73.4	5.6	45.2	33.9	16.9	.....	67.8	5.6	28.2	107.3	141.2	11.3	169.4	16.9	57
63.1	34.4	.....	45.9	91.7	11.5	51.6	11.5	34.4	34.4	5.7	5.7	68.8	5.7	28.7	74.5	103.2	5.7	258.0	28.7	58
87.5	22.8	.....	49.5	144.6	15.2	68.5	11.4	38.0	3.8	11.4	3.8	64.7	.....	7.6	79.9	95.1	11.4	232.0	3.8	59
46.3	19.3	3.9	46.3	131.1	11.6	38.6	11.6	27.0	.....	7.7	7.7	46.3	11.6	7.7	54.0	77.1	19.3	142.6	11.6	60
85.5	25.7	8.6	42.8	85.5	17.1	17.1	8.6	42.8	.....	8.6	8.6	51.3	.....	.....	42.8	34.2	8.6	179.6	25.7	61
84.6	16.9	16.9	101.6	143.9	.....	84.6	8.5	8.5	8.5	8.5	8.5	50.8	8.5	8.5	67.7	25.4	8.5	177.7	16.9	62
39.8	22.8	5.7	74.0	159.3	11.4	39.8	11.4	17.1	11.4	5.7	11.4	96.7	11.4	17.1	39.8	56.9	11.4	85.4	17.1	63
73.8	28.4	17.0	68.2	107.9	28.4	56.8	11.4	17.0	5.7	11.4	11.4	90.9	.....	5.7	45.4	51.1	11.4	147.7	11.4	64
57.1	.....	10.4	98.6	88.2	10.4	62.3	20.8	20.8	36.3	10.4	.....	57.1	10.4	5.2	51.9	41.5	.....	202.4	10.4	65
61.6	15.4	5.1	56.5	97.5	.....	56.5	10.3	15.4	25.7	15.4	5.1	41.1	10.3	5.1	46.2	46.2	5.1	169.4	20.5	66
128.8	16.1	.....	80.5	116.7	40.2	100.6	8.0	32.2	.....	4.0	.....	92.6	4.0	16.1	40.2	48.3	4.0	152.9	20.1	67
67.7	4.0	8.0	63.7	159.3	43.8	55.8	4.0	19.9	8.0	4.0	4.0	51.8	.....	8.0	47.8	27.9	11.9	223.0	.....	68
71.3	17.8	4.5	84.7	75.8	4.5	53.5	4.5	22.3	13.4	4.5	8.9	40.1	4.5	.....	58.0	71.3	22.3	187.3	22.3	69
71.5	13.4	8.9	58.1	71.5	17.9	71.5	13.4	13.4	13.4	4.5	4.5	49.1	.....	4.5	53.6	67.0	4.5	156.4	13.4	70
91.2	22.0	.....	94.3	110.1	25.2	75.5	22.0	18.9	25.2	18.9	.....	69.2	3.1	3.1	22.0	62.9	6.3	176.1	6.3	71
78.7	25.2	9.4	69.3	132.3	3.1	63.0	15.7	25.2	28.3	9.4	6.3	100.8	6.3	6.3	34.6	91.3	18.9	201.6	3.1	72
43.6	10.9	.....	32.7	98.1	.....	43.6	.....	32.7	.....	.....	.....	54.5	.....	.....	65.4	54.5	32.7	87.2	21.8	73
98.3	10.9	.....	43.7	43.7	21.8	21.8	32.8	.....	21.8	.....	.....	87.4	.....	10.9	43.7	76.5	10.9	152.9	21.8	74
58.5	8.8	.....	73.2	79.0	11.7	58.5	11.7	11.7	5.9	8.8	2.9	49.8	2.9	2.9	64.4	99.5	11.7	172.7	2.9	75
56.7	6.0	6.0	65.6	80.6	.....	86.5	9.0	14.9	3.0	11.9	3.0	65.6	.....	6.0	59.7	95.5	11.9	125.3	9.0	76

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MINNESOTA—continued.															
1	Houston County	1913	1,047.3	.....	.....	.....	.....	14.3	7.2	7.2	28.7	14.3	129.1	7.2	14.3	21.5
2		1912	960.7	.....	.....	.....	.....	14.2	21.3	14.2	.....	.....	64.0	14.2	.....	7.1
3	Hubbard County †	1913	973.6	18.4	.....	.....	36.7	.....	9.2	9.2	.....	9.2	119.4	9.2	27.6	.....
4		1912	681.9	9.5	.....	.....	.....	.....	9.5	.....	.....	.....	94.7	.....	18.9	.....
5	Isanti County	1913	1,083.6	.....	.....	.....	31.0	15.5	.....	.....	.....	.....	108.4	15.5	.....	15.5
6		1912	904.5	.....	.....	.....	.....	.....	7.8	7.8	.....	.....	117.0	.....	15.6	.....
7	Itaska County	1913	828.9	9.2	.....	.....	4.6	4.6	.....	4.6	9.2	4.6	64.5	4.6	4.6	.....
8		1912	709.0	14.8	.....	.....	.....	.....	19.7	.....	4.9	.....	59.1	9.8	.....	4.9
9	Jackson County	1913	951.7	.....	.....	.....	.....	20.8	6.9	6.9	6.9	.....	62.5	.....	6.9	6.9
10		1912	935.9	13.9	.....	.....	.....	.....	6.9	6.9	13.9	.....	62.4	6.9	20.8	.....
11	Kanabec County †	1913	693.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	85.0	.....	.....	.....
12		1912	800.1	.....	.....	.....	.....	.....	.....	14.5	14.5	.....	.....	.....	.....	.....
13	Kandiyohi County	1913	997.4	5.2	.....	.....	.....	.....	.....	41.8	41.8	.....	67.9	15.7	15.7	10.4
14		1912	932.3	.....	.....	.....	.....	5.2	47.1	.....	15.7	5.2	68.1	10.5	.....	15.7
15	Kittson County †	1913	702.6	39.0	.....	.....	.....	9.8	.....	.....	.....	.....	68.3	9.8	.....	.....
16		1912	566.2	9.9	.....	.....	.....	.....	.....	.....	9.9	.....	59.6	.....	9.9	9.9
17	Koochiching County	1913	1,503.2	61.6	.....	12.3	.....	.....	.....	24.6	.....	12.3	98.6	12.3	37.0	.....
18		1912	1,462.5	13.2	.....	.....	.....	26.4	.....	13.2	.....	13.2	118.6	26.4	.....	.....
19	Lac qui Parle County	1913	904.7	12.7	.....	.....	.....	6.3	19.0	6.3	.....	12.7	38.0	6.3	19.0	.....
20		1912	803.0	.....	.....	.....	.....	19.1	12.7	6.4	6.4	.....	76.5	6.4	6.4	.....
21	Lake County	1913	1,076.7	33.0	.....	.....	11.0	.....	22.0	22.0	22.0	.....	87.9	11.0	.....	11.0
22		1912	1,232.6	68.5	.....	.....	.....	22.8	11.4	.....	.....	11.4	91.3	.....	.....	11.4
23	Le Sueur County	1913	973.3	11.1	.....	.....	.....	5.5	5.5	.....	16.6	.....	66.4	.....	5.5	.....
24		1912	844.0	.....	.....	.....	.....	16.4	.....	.....	5.5	.....	43.8	5.5	5.5	5.5
25	Lincoln County †	1913	717.9	9.8	.....	9.8	29.5	.....	9.8	9.8	.....	9.8	19.7	9.8	9.8	19.7
26		1912	684.8	29.8	.....	.....	.....	.....	.....	.....	.....	19.8	29.8	.....	9.9	9.9
27	Lyon County	1913	1,013.2	6.2	.....	6.2	12.4	.....	6.2	12.4	12.4	.....	37.3	6.2	12.4	24.9
28		1912	932.8	18.8	.....	.....	.....	.....	.....	6.3	.....	6.3	56.3	.....	6.3	12.5
29	McLeod County	1913	853.3	.....	.....	.....	.....	.....	.....	5.4	.....	.....	70.7	.....	10.9	.....
30		1912	941.0	.....	.....	.....	.....	.....	27.0	16.2	.....	.....	43.3	10.8	10.8	5.4
31	Mahnomen County	1913	1,200.4	.....	.....	.....	92.3	.....	.....	.....	.....	.....	153.9	.....	.....	.....
32		1912	769.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	246.2	.....	92.3	.....
33	Marshall County	1913	1,063.8	30.2	.....	.....	6.0	6.0	.....	.....	42.3	.....	72.5	12.1	18.1	6.0
34		1912	855.6	12.1	.....	.....	6.1	.....	18.2	6.1	.....	.....	97.1	18.2	24.3	12.1
35	Martin County	1913	722.9	.....	.....	.....	5.6	11.3	.....	22.6	5.6	.....	28.2	.....	5.6	5.6
36		1912	725.3	17.0	.....	.....	5.7	.....	.....	17.0	.....	.....	51.0	.....	5.7	5.7
37	Meeker County	1913	1,161.8	.....	.....	.....	11.9	11.9	.....	6.0	6.0	.....	59.6	11.9	11.9	11.9
38		1912	901.6	.....	.....	.....	.....	11.9	41.5	.....	5.9	.....	100.8	17.8	.....	.....
39	Mille Lacs County	1913	856.3	.....	.....	8.6	17.3	.....	.....	.....	.....	.....	69.2	8.6	8.6	8.6
40		1912	752.5	8.9	.....	.....	.....	.....	17.7	.....	.....	.....	44.3	8.9	.....	.....
41	Morrison County	1913	794.1	24.6	.....	.....	8.2	.....	16.4	4.1	8.2	8.2	45.0	4.1	16.4	16.4
42		1912	748.6	16.5	.....	.....	.....	.....	4.1	.....	.....	.....	49.4	4.1	4.1	8.2
43	Mower County	1913	1,007.2	4.4	.....	.....	4.4	.....	.....	8.8	4.4	4.4	83.6	4.4	13.2	13.2
44		1912	916.1	13.2	.....	.....	.....	8.8	4.4	.....	.....	4.4	96.9	8.8	4.4	4.4
45	Murray County †	1913	888.4	25.6	.....	.....	51.3	.....	.....	17.1	.....	.....	51.3	8.5	25.6	8.5
46		1912	580.1	8.5	.....	.....	.....	8.5	.....	.....	8.5	.....	34.1	.....	.....	.....
47	Nicollet County *	1913	1,466.0	.....	.....	7.2	.....	7.2	.....	.....	7.2	7.2	150.9	.....	35.9	7.2
48		1912	1,509.2	14.3	.....	.....	.....	.....	14.3	.....	.....	.....	207.4	14.3	35.8	.....
49	Nobles County †	1913	823.5	6.5	.....	.....	26.1	6.5	.....	6.5	6.5	6.5	39.2	.....	6.5	.....
50		1912	602.4	6.5	.....	.....	.....	13.1	.....	6.5	.....	.....	26.2	6.5	.....	.....
51	Norman County †	1913	736.3	14.9	.....	.....	.....	.....	7.4	7.4	14.9	.....	126.4	.....	.....	7.4
52		1912	676.8	.....	.....	.....	.....	7.4	.....	7.4	14.9	.....	81.8	14.9	14.9	7.4
53	Olmsted County *	1913	2,736.0	9.0	.....	4.5	9.0	4.5	4.5	13.5	9.0	13.5	148.0	.....	31.4	.....
54		1912	2,714.9	8.9	.....	.....	.....	22.4	44.7	.....	4.5	13.4	165.5	13.4	31.3	8.9
55	Otter Tail County *	1913	1,334.0	17.3	.....	.....	10.8	8.6	10.8	17.3	6.5	4.3	162.2	13.0	41.1	6.5
56		1912	1,219.0	19.5	.....	.....	2.2	6.5	10.8	.....	.....	2.2	201.4	2.2	13.0	2.2
57	Pennington County †	1913	921.6	9.9	.....	.....	19.8	.....	19.8	.....	19.8	.....	79.3	.....	9.9	.....
58		1912	668.8	.....	.....	.....	.....	.....	20.3	.....	.....	.....	152.0	.....	30.4	.....
59	Pine County	1913	781.1	5.8	.....	5.8	11.6	5.8	11.6	5.8	.....	.....	92.6	5.8	.....	17.4
60		1912	777.7	.....	.....	.....	.....	.....	11.9	5.9	.....	.....	136.5	5.9	11.9	5.9
61	Pipestone County	1913	767.2	10.4	.....	.....	20.7	.....	.....	.....	10.4	.....	41.5	10.4	.....	.....
62		1912	738.3	.....	.....	.....	.....	10.4	20.8	.....	.....	.....	10.4	10.4	10.4	.....
63	Polk County	1913	928.5	22.1	.....	.....	19.3	2.8	2.8	2.8	11.1	2.8	71.8	16.6	13.8	2.8
64		1912	805.4	8.3	.....	.....	2.8	2.8	11.1	5.5	2.8	.....	80.3	13.8	13.8	2.8
65	Pope County	1913	999.9	7.8	.....	.....	31.2	.....	7.8	.....	.....	.....	101.6	7.8	.....	.....
66		1912	860.5	15.6	.....	.....	.....	15.6	7.8	7.8	.....	.....	109.5	7.8	39.1	31.3
67	Ramsey County	1913	766.0	.....	.....	.....	21.3	10.6	.....	.....	10.6	.....	31.9	.....	.....	.....
68		1912	907.7	.....	.....	.....	.....	10.8	.....	21.6	.....	.....	75.6	.....	.....	.....
69	Red Lake County	1913	820.9	14.2	.....	.....	.....	.....	.....	.....	.....	.....	42.5	14.2	.....	.....
70		1912	767.1	14.5	.....	.....	.....	.....	.....	14.5	.....	.....	57.9	.....	.....	.....
71	Redwood County †	1913	718.0	.....	.....	.....	5.3	.....	.....	.....	10.6	.....	21.3	5.3	5.3	5.3
72		1912	545.9	5.4	.....	.....	.....	5.4	.....	.....	10.7	5.4	37.5	5.4	16.1	.....
73	Renville County †	1913	815.2	.....	.....	4.4	.....	.....	.....	.....	13.1	.....	61.0	13.1	13.1	4.4
74		1912	669.7	8.7	.....	.....	4.3	4.3	.....	4.3	13.0	.....	52.2	8.7	13.0	8.7
75	Rice County	1913	1,349.8	11.6	.....	.....	19.3	.....	7.7	.....	11.6	3.9	201.1	.....	15.5	19.3
76		1912	1,194.3	3.9	.....	3.9	.....	.....	7.7	15.5	11.6	7.7	193.3	.....	11.6	11.6
77	Rock County	1913	971.0	.....	.....	.....	19.2	.....	.....	.....	.....	.....	67.3	9.6	9.6	.....
78		1912	985.9	.....	.....	.....	.....	9.7	.....	.....	.....	.....	29.0	.....	9.7	9.7

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
71.7	28.7	7.2	71.7	71.7	14.3	93.3	7.2	21.5	.....	21.5	.....	50.2	.....	14.3	35.9	43.0	7.2	236.7	7.2	1
35.6	14.2	.....	56.9	170.8	7.1	56.9	35.6	7.1	.....	7.1	.....	42.7	7.1	.....	35.6	71.2	.....	249.1	28.5	2
36.7	9.2	.....	73.5	73.5	.....	91.9	18.4	64.3	.....	18.4	.....	45.9	.....	9.2	55.1	110.2	.....	128.6	.....	3
37.9	18.9	.....	28.4	66.3	9.5	28.4	.....	18.9	.....	18.9	9.5	18.9	9.5	9.5	37.9	18.9	.....	189.4	28.4	4
85.1	15.5	7.7	61.9	139.3	7.7	108.4	7.7	23.2	23.2	23.2	7.7	85.1	.....	38.7	54.2	85.1	7.7	116.1	.....	5
54.6	7.8	.....	62.4	124.8	7.8	78.0	.....	7.8	15.6	23.4	.....	46.8	.....	23.4	70.2	46.8	15.6	148.1	23.4	6
18.4	4.6	9.2	13.8	36.8	4.6	55.3	4.6	46.1	9.2	9.2	.....	27.6	4.6	18.4	87.5	179.6	18.4	147.4	23.0	7
39.4	14.8	.....	14.8	29.5	14.8	64.0	.....	64.0	9.8	9.8	4.9	14.8	4.9	9.8	98.5	68.9	19.7	83.7	29.5	8
69.5	.....	.....	34.7	69.5	6.9	41.7	6.9	48.6	34.7	20.8	.....	55.6	6.9	6.9	76.4	83.4	6.9	257.0	6.9	9
83.2	27.7	.....	27.7	97.1	13.9	41.6	13.9	27.7	27.7	20.8	13.9	48.5	13.9	13.9	76.3	83.2	13.9	152.5	6.9	10
99.1	.....	14.2	.....	85.0	.....	42.5	.....	28.3	28.3	28.3	.....	.....	.....	14.2	99.1	56.6	14.2	99.1	.....	11
58.2	29.1	.....	72.7	101.8	.....	43.6	14.5	.....	14.5	.....	14.5	29.1	.....	14.5	116.4	101.8	.....	160.0	.....	12
62.7	15.7	.....	78.3	161.9	5.2	94.0	5.2	20.9	15.7	5.2	.....	31.3	5.2	20.9	62.7	47.0	10.4	151.4	5.2	13
73.3	5.2	.....	57.6	130.9	31.4	41.9	10.5	15.7	.....	10.5	5.2	31.4	.....	15.7	52.4	57.6	.....	214.7	10.5	14
78.1	9.8	.....	.....	68.3	.....	87.8	9.8	9.8	.....	.....	19.5	39.0	.....	9.8	48.8	78.1	9.8	97.6	9.8	15
29.8	19.9	.....	19.9	49.7	.....	29.8	9.9	9.9	9.9	.....	.....	39.7	.....	9.9	19.9	59.6	9.9	129.1	19.9	16
24.6	12.3	.....	37.0	172.5	12.3	86.2	.....	24.6	.....	.....	.....	37.0	12.3	24.6	160.2	345.0	37.0	234.1	24.6	17
52.7	.....	13.2	39.5	131.8	26.4	105.4	13.2	39.5	13.2	.....	13.2	52.7	52.7	26.4	65.9	263.5	52.7	237.2	52.7	18
69.6	12.7	12.7	38.0	50.6	.....	82.2	12.7	44.3	31.6	12.7	.....	101.2	19.0	.....	63.3	44.3	.....	158.2	31.6	19
38.2	19.1	6.4	31.9	108.3	12.7	57.4	12.7	38.2	12.7	12.7	.....	51.0	.....	.....	38.2	51.0	6.4	133.8	38.2	20
33.0	22.0	.....	.....	11.0	22.0	65.9	.....	65.9	11.0	11.0	33.0	22.0	22.0	.....	98.9	274.7	33.0	109.9	22.0	21
57.1	.....	11.4	45.7	102.7	11.4	57.1	.....	11.4	11.4	11.4	.....	34.2	22.8	.....	159.8	216.8	34.2	205.4	22.8	22
99.5	5.5	11.1	66.4	99.5	11.1	88.5	16.6	16.6	11.1	16.6	22.1	60.8	.....	.....	71.9	66.4	16.6	177.0	5.5	23
60.3	11.0	5.5	76.7	115.1	16.4	65.8	.....	16.4	11.0	11.0	.....	82.2	5.5	5.5	76.7	16.4	11.0	164.4	11.0	24
9.8	19.7	.....	29.5	108.2	.....	59.0	.....	9.8	.....	19.7	.....	59.0	.....	9.8	88.5	49.2	.....	118.0	.....	25
39.7	.....	.....	59.5	89.3	49.6	29.8	.....	9.9	.....	.....	.....	39.7	.....	9.9	49.6	39.7	29.8	119.1	19.8	26
124.3	.....	.....	62.2	105.7	12.4	93.2	6.2	43.5	24.9	.....	6.2	43.5	.....	6.2	49.7	49.7	24.9	211.3	12.4	27
81.4	.....	.....	56.3	87.6	25.0	93.9	12.5	43.8	6.3	12.5	12.5	12.5	12.5	6.3	93.9	37.6	18.8	181.5	31.3	28
48.9	16.3	.....	54.4	97.8	5.4	32.6	5.4	21.7	10.9	5.4	10.9	103.3	5.4	.....	76.1	59.8	10.9	195.7	5.4	29
64.9	37.9	.....	48.7	113.6	27.0	16.2	10.8	32.4	16.2	16.2	5.4	81.1	5.4	5.4	59.5	59.5	21.6	194.7	10.8	30
30.8	.....	.....	92.3	61.6	.....	153.9	.....	30.8	.....	30.8	.....	.....	.....	61.6	123.1	.....	61.6	184.7	123.1	31
30.8	.....	30.8	.....	61.6	.....	.....	.....	.....	.....	30.8	.....	30.8	.....	30.8	.....	92.3	.....	92.3	30.8	32
54.4	6.0	.....	36.3	60.4	12.1	78.6	18.1	84.6	30.2	.....	.....	78.6	12.1	24.2	145.1	36.3	18.1	157.1	18.1	33
48.5	12.1	.....	18.2	78.9	6.1	85.0	6.1	12.1	18.2	6.1	.....	42.5	12.1	12.1	24.3	85.0	.....	157.8	36.4	34
56.5	16.9	.....	45.2	67.8	5.6	73.4	.....	16.9	11.3	16.9	.....	56.5	.....	16.9	67.8	39.5	5.6	135.5	5.6	35
62.3	17.0	11.3	34.0	90.7	5.7	51.0	.....	17.0	22.7	5.7	11.3	28.3	.....	5.7	45.3	39.7	17.0	136.0	22.7	36
95.3	29.8	.....	101.3	101.3	11.9	71.5	17.9	65.5	23.8	5.9	.....	101.3	.....	11.9	101.3	59.6	6.0	226.4	.....	37
118.6	5.9	5.9	59.3	47.5	.....	41.5	11.9	11.9	11.9	.....	17.8	77.1	.....	11.9	94.9	59.3	5.9	124.6	17.8	38
103.8	8.6	.....	34.6	60.5	.....	43.2	.....	25.9	17.3	17.3	.....	43.2	.....	.....	51.9	77.8	.....	216.2	34.6	39
106.2	.....	8.9	53.1	62.0	8.9	62.0	8.9	26.6	8.9	26.6	8.9	17.7	.....	.....	44.3	53.1	8.9	168.2	.....	40
40.9	8.2	4.1	28.7	69.6	20.5	69.6	4.1	36.8	12.3	12.3	.....	53.2	8.2	20.5	40.9	57.3	.....	126.9	28.7	41
53.5	16.5	.....	16.5	90.5	8.2	49.4	8.2	20.6	12.3	12.3	4.1	28.8	.....	.....	61.7	74.0	.....	176.9	28.8	42
74.8	22.0	4.4	83.6	110.0	8.8	70.4	22.0	26.4	4.4	8.8	8.8	52.8	.....	.....	52.8	105.6	13.2	184.7	13.2	43
66.1	13.2	.....	66.1	127.7	17.6	74.9	.....	13.2	13.2	13.2	13.2	52.8	8.8	8.8	44.0	66.1	.....	163.0	8.8	44
68.3	17.1	8.5	17.1	85.4	8.5	102.5	8.5	34.2	8.5	17.1	8.5	85.4	.....	.....	42.7	42.7	17.1	128.1	.....	45
68.2	34.1	.....	51.2	25.6	.....	34.1	.....	.....	.....	17.1	8.5	25.6	.....	8.5	102.4	68.2	8.5	68.2	.....	46
100.6	28.7	7.2	21.6	71.9	.....	71.9	7.2	28.7	.....	7.2	14.4	301.8	.....	7.2	57.5	71.9	14.4	416.8	14.4	47
93.0	.....	7.2	50.1	100.1	28.6	85.8	14.3	7.2	.....	7.2	7.2	507.8	.....	7.2	64.4	28.6	21.5	186.0	7.2	48
78.4	19.6	.....	6.5	52.3	32.7	58.8	19.6	6.5	19.6	6.5	6.5	71.9	.....	13.1	85.0	65.4	13.1	156.9	6.5	49
78.6	13.1	.....	32.7	52.4	.....	26.2	.....	32.7	6.5	13.1	13.1	45.8	.....	6.5	58.9	58.9	.....	104.8	.....	50
74.4	7.4	14.9	66.9	44.6	7.4	22.3	7.4	37.2	.....	14.9	7.4	52.1	.....	7.4	14.9	59.5	.....	111.6	7.4	51
89.2	14.9	22.3	29.7	29.7	22.3	22.3	22.3	14.9	14.9	7.4	.....	37.2	.....	7.4	22.3	14.9	.....	126.4	29.7	52
457.5	17.9	4.5	107.6	170.4	17.9	116.6	40.4	17.9	76.3	17.9	26.9	309.5	.....	22.4	85.2	85.2	44.9	865.7	4.5	53
353.3	4.5	13.4	98.4	201.3	13.4	143.1	62.6	17.9	67.1	22.4	13.4	263.9	13.4	4.5	71.6	85.0	4.5	939.3	8.9	54
77.8	17.3	4.3	76.0	166.5	13.0	88.6	8.6	38.9	17.3	8.6	4.3	129.7	6.5	15.1	69.2	43.2	17.3	227.0	15.1	55
60.6	10.8	2.2	75.8	134.2	4.3	77.9	10.8	28.1	8.7	21.7	10.8	134.2	8.7	8.7	47.6	71.5	8.7	216.5	17.3	56
59.5	9.9	29.7	19.8	59.5	19.8	89.2	9.9	59.5	19.8	9.9	.....	19.8	9.9	9.9	69.4	79.3	19.8	158.6	9.9	57
70.9	.....	10.1	.....	.....	20.3	50.7	.....	20.3	20.3	.....	10.1	40.5	.....	10.1	40.5	20.3	10.1	131.7	10.1	58
52.1	5.8	.....	69.4	40.5	5.8	69.4	11.6	34.7	.....	.....	5.8	69.4	5.8	.....	40.5	63.6	.....	133.1	11.6	59
17.8	5.9	5.9	41.6	41.6	5.9	59.4	17.8	23.7	.....	.....	.....	65.3	.....	5.9	29.7	89.0	5.9	172.2	11.9	60
72.6	10.4	.....	41.5	62.2	10.4	41.5	.....	20.7	10.4	.....	20.7	31.1	.....	.....	51.8	41.5	10.4	248.8	.....	61
52.0	31.2	.....	62.4	52.0	.....	83.2	.....	10.4	.....	.....	.....	52.0	.....	10.4	72.8	52.0	10.4	187.2	.....	62
52.5	13.8	2.8	77.4	88.4	30.4	24.9	11.1	35.9	8.3	11.1	8.3	60.8	5.5	5.5	35.9	66.3	11.1	196.2	13.8	63
66.4	8.3	8.3	55.4	44.3	5.5	33.2	8.3	19.4	13.8	13.8	16.6	66.4	8.3	11.1	55.4	55.4	11.1	152.2	8.3	64
109.4	46.9	15.6	39.1	171.9	.....	70.3	7.8	15.6	7.8	.....	.....	39.1	.....	.....	62.5	31.2	.....	187.5	39.1	65
101.7	15.6	7.8	31.3	78.2	7.8	54.8	.....	7.8	7.8	7.8	15.6	31.3	7.8	15.6	54.8	39.1	.....	117.3	23.5	66
31.9	42.6	.....	31.9	74.5	.....	95.7	10.6	10.6	10.6	10.6	.....	106.4	.....	.....	63.8	74.5	10.6	117.0	.....	67
97.3	10.8	.....	32.4	118.9	.....	86.4	.....	.....	10.8	10.8	.....	75.6	.....	.....	97.3	108.1	32.4	118.9	.....	68
42.5	14.2	.....	14.2	56.6	14.2	84.9	14.2	70.8	14.2	.....	.....	42.5	.....	.....	113.2	42.5	14.2	184.0	28.3	69
14.5	.....	28.9	14.5	72.4	14.5	28.9	14.5	14.5	.....	.....	.....	43.4	.....	.....	159.2	43.4	14.5	188.2	28.9	70
63.8	10.6	10.6	26.6	74.5	10.6	53.2	16.0	42.5	21.3	10.6	.....	53.2	5.3	16.0	63.8	74.5	10.6	90.4	10.6	71
32.1	5.4	.....	26.8	69.6	.....	32.1	.....	10.7	10.7	10.7	.....	48.2	10.7	.....	42.8	48.2	5.4	91.0	16.1	72
87.2	.....	4.4	39.2	52.3	17.4	61.0	4.4	69.7	.....	4.4	.....	30.5	4.4	4.4	39.2	61.0	4.4	213.6	8.7	73
52.2	4.3	.....	26.1	52.2	13.0	34.8	4.3	43.5	26.1	8.7	13.0	34.8	8.7	.....	39.1	34.8	4.3	152.2	.....	74
81.2	7.7	11.6	77.4	147.0	19.3	116.0	15.5	46.4	7.7	3.9	7.7	81.2	15.5	11.6	61.9	58.0	3.9	282.3	3.9	75
73.4	15.5	3.9	38.7	119.8	3.9	131.4	7.7	42.5	.....	7.7	7.7	92.8	15.5	7.7	50.2	65.7	7.7	231.9	3.9	76
67.3	19.2	.....	57.7	76.9	9.6	76.9	9.6	48.1	9.6	19.2	.....	125.0	.....	.....	134.6	38.5	.....	163.4	9.6	77
96.7	.....	9.7	58.0	96.7	9.7	135.3	19.3	19.3	29.0	9.7	19.3	29.0	9.7	.....	154.6	58.0	.....	145.0	29.0	78

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MINNESOTA—continued.															
1	Roseau County	1913	800.1	39.2	.....	.....	.....	7.8	7.8	7.8	15.7	.....	102.0	15.7	7.8	23.5
2		1912	844.9	.....	.....	.....	.....	.....	16.2	32.5	8.1	.....	65.0	.....	.....	.....
3	St. Louis County	1913	1,032.1	14.5	.....	.....	24.5	29.0	12.3	8.9	4.5	1.1	94.7	11.1	4.5	.....
4		1912	907.9	5.9	.....	.....	.....	2.4	21.2	10.6	.....	2.4	81.3	14.1	14.1	7.1
5	Scott County	1913	844.3	.....	.....	.....	6.8	.....	6.8	.....	13.5	.....	33.8	13.5	.....	6.8
6		1912	768.7	6.7	.....	.....	.....	6.7	.....	.....	.....	.....	47.2	.....	13.5	13.5
7	Sherburne County	1913	1,070.2	.....	.....	.....	13.4	.....	13.4	.....	13.4	13.4	13.4	13.4	.....	26.8
8		1912	1,184.5	40.4	.....	.....	.....	.....	26.9	.....	.....	.....	94.2	.....	.....	.....
9	Sibley County	1913	880.2	.....	.....	.....	.....	6.6	6.6	.....	.....	6.6	66.2	.....	19.9	13.2
10		1912	741.2	.....	.....	.....	.....	6.6	6.6	.....	.....	.....	52.5	6.6	19.7	.....
11	Stearns County	1913	847.4	.....	.....	.....	5.0	5.0	25.1	7.5	15.1	.....	60.3	5.0	10.1	.....
12		1912	763.2	5.1	.....	.....	.....	7.6	5.1	7.6	5.1	.....	53.1	7.6	10.1	10.1
13	Steele County	1913	911.1	6.2	.....	.....	.....	6.2	.....	6.2	.....	.....	62.4	.....	.....	6.2
14		1912	958.8	6.2	.....	.....	.....	6.2	24.9	6.2	.....	.....	43.6	6.2	.....	.....
15	Stevens County	1913	858.4	12.3	.....	.....	.....	.....	.....	.....	.....	.....	110.4	12.3	24.5	.....
16		1912	707.5	.....	.....	.....	.....	.....	.....	.....	12.2	.....	61.0	12.2	12.2	.....
17	Swift County	1913	971.1	7.8	.....	.....	23.5	.....	.....	7.8	31.3	.....	78.3	.....	15.7	.....
18		1912	935.7	15.6	.....	.....	.....	.....	23.4	.....	15.6	15.6	46.8	7.8	7.8	23.4
19	Todd County	1913	865.8	8.4	.....	.....	.....	.....	12.6	8.4	16.8	.....	37.8	12.6	4.2	4.2
20		1912	743.5	.....	.....	.....	.....	.....	16.9	8.4	4.2	.....	76.0	4.2	4.2	.....
21	Traverse County †	1913	670.5	.....	.....	.....	.....	.....	24.4	.....	24.4	12.2	36.6	.....	.....	.....
22		1912	674.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	24.5	.....	.....	12.3
23	Wabasha County	1913	1,025.2	5.4	.....	.....	.....	.....	.....	10.8	27.1	5.4	27.1	5.4	5.4	5.4
24		1912	1,115.2	5.4	.....	.....	.....	5.4	43.3	.....	5.4	.....	59.5	16.2	5.4	10.8
25	Wadena County	1913	1,068.7	11.2	.....	.....	.....	.....	.....	.....	.....	.....	101.2	11.2	11.2	.....
26		1912	907.5	.....	.....	.....	.....	11.3	22.7	.....	.....	.....	124.8	11.3	11.3	.....
27	Waseca County	1913	973.5	.....	.....	.....	.....	.....	23.0	7.7	7.7	.....	69.0	.....	7.7	7.7
28		1912	933.4	7.6	.....	.....	.....	.....	15.2	.....	.....	.....	45.5	15.2	7.6	.....
29	Washington County	1913	1,105.5	.....	.....	.....	6.3	.....	.....	.....	12.6	.....	100.5	12.6	12.6	12.6
30		1912	906.3	6.3	.....	.....	.....	6.3	6.3	.....	.....	.....	50.4	.....	.....	6.3
31	Watonwan County	1913	907.7	35.3	.....	.....	8.8	8.8	.....	8.8	8.8	.....	26.4	26.4	.....	8.8
32		1912	774.8	.....	.....	.....	.....	44.0	8.8	8.8	17.6	.....	61.6	.....	8.8	.....
33	Wilkin County †	1913	970.0	21.3	10.7	.....	21.3	21.3	.....	.....	.....	.....	32.0	.....	21.3	.....
34		1912	678.7	.....	.....	21.5	.....	.....	.....	.....	.....	10.8	64.6	.....	.....	.....
35	Winona County	1913	955.7	.....	.....	.....	6.9	6.9	27.7	.....	20.8	.....	34.6	6.9	13.9	.....
36		1912	899.9	.....	.....	.....	.....	13.7	.....	13.7	.....	.....	55.0	.....	.....	.....
37	Wright County	1913	1,060.1	.....	.....	3.6	3.6	3.6	.....	7.2	10.8	10.8	61.3	7.2	10.8	3.6
38		1912	876.3	10.8	.....	.....	.....	3.6	7.2	.....	3.6	3.6	57.5	3.6	7.2	10.8
39	Yellow Medicine County †	1913	868.1	.....	.....	.....	12.8	6.4	.....	25.5	19.1	.....	76.6	6.4	12.8	12.8
40		1912	660.9	6.4	.....	.....	.....	.....	6.4	6.4	.....	.....	70.6	.....	.....	.....
	MISSOURI.															
41	Total	1913	1,093.7	25.7	18.0	0.3	10.4	4.0	10.9	14.4	19.1	2.9	116.7	5.0	9.9	6.8
42		1912	1,131.7	27.8	27.2	0.6	1.7	3.4	15.0	18.0	16.5	3.3	123.0	5.3	11.1	6.1
43	White	1913	1,057.8	25.4	17.8	0.3	10.4	4.1	10.0	14.8	19.0	2.9	101.9	4.9	9.1	6.6
44		1912	1,095.7	26.2	27.3	0.6	1.6	3.5	14.1	18.5	16.3	3.4	108.8	5.1	10.5	5.9
45	Colored	1913	2,092.0	35.0	24.2	.....	10.8	1.3	36.3	5.4	21.5	2.7	530.1	8.1	32.3	13.5
46		1912	2,126.1	70.7	25.3	.....	4.0	1.3	40.0	4.0	24.3	1.3	513.5	9.3	28.0	12.0
47	Adair County	1913	1,095.0	30.4	.....	.....	21.7	.....	26.1	26.1	30.4	4.3	65.2	.....	4.3	8.7
48		1912	916.4	39.3	8.7	.....	.....	.....	.....	30.5	13.1	.....	48.0	8.7	13.1	8.7
49	Andrew County	1913	985.1	6.8	6.8	.....	.....	.....	.....	.....	13.7	6.8	61.6	.....	.....	.....
50		1912	944.4	13.5	.....	.....	.....	.....	6.7	6.7	.....	.....	74.2	6.7	13.5	6.7
51	Atchison County	1913	868.6	7.9	.....	.....	.....	7.9	.....	.....	23.7	.....	31.6	.....	.....	.....
52		1912	849.0	23.2	7.7	.....	.....	7.7	.....	7.7	38.6	.....	23.2	.....	7.7	7.7
53	Audrain County	1913	992.9	32.0	4.6	.....	.....	.....	18.3	9.2	27.5	.....	114.4	13.7	9.2	9.2
54		1912	889.8	22.9	.....	.....	4.6	.....	4.6	.....	32.1	4.6	96.3	.....	9.2	4.6
55	Barry County	1913	823.0	42.9	4.3	.....	.....	4.3	21.4	8.6	25.7	8.6	55.7	.....	4.3	17.1
56		1912	1,038.4	25.5	17.0	.....	4.3	12.8	4.3	25.5	38.3	.....	110.6	4.3	8.5	.....
57	Barton County	1913	1,014.8	30.8	6.2	.....	6.2	.....	.....	24.6	36.9	6.2	80.0	.....	12.3	18.5
58		1912	1,005.4	6.1	.....	6.1	18.3	.....	12.2	24.4	24.4	.....	36.6	.....	6.1	6.1
59	Bates County	1913	1,025.2	4.1	.....	.....	12.3	20.4	16.3	4.1	28.6	.....	61.3	4.1	8.2	12.3
60		1912	1,107.8	24.1	.....	.....	4.0	16.1	4.0	12.0	12.0	16.1	72.2	16.1	12.0	4.0
61	Benton County	1913	948.5	34.9	7.0	.....	13.9	7.0	.....	.....	41.8	.....	69.7	13.9	.....	.....
62		1912	923.6	13.8	20.7	6.9	.....	.....	6.9	6.9	27.6	.....	137.9	.....	6.9	.....
63	Bollinger County	1913	831.4	55.0	20.6	.....	.....	.....	.....	13.7	6.9	6.9	96.2	.....	13.7	.....
64		1912	844.8	20.6	34.3	.....	.....	.....	13.7	6.9	.....	.....	82.4	.....	6.9	.....
65	Boone County	1913	1,046.7	22.5	6.4	.....	9.6	.....	16.1	.....	25.7	3.2	147.7	9.6	12.8	3.2
66		1912	1,079.0	19.4	.....	.....	16.2	.....	.....	.....	38.8	.....	171.2	3.2	19.4	3.2
67	Buchanan County	1913	1,322.9	6.5	6.5	.....	26.2	.....	6.5	6.5	19.6	.....	150.6	6.5	19.6	.....
68		1912	1,263.3	19.6	13.1	.....	.....	.....	26.2	6.5	.....	6.5	124.4	.....	6.5	.....
69	Butler County	1913	1,824.1	68.6	132.6	.....	13.7	.....	9.1	18.3	4.6	4.6	160.0	9.1	50.3	.....
70		1912	2,415.8	93.1	316.5	.....	4.7	.....	74.5	23.3	4.7	4.7	209.5	23.3	41.9	4.7
71	Caldwell County	1913	982.7	21.5	.....	.....	.....	7.2	14.3	.....	14.3	.....	78.9	7.2	7.2	.....
72		1912	1,031.9	7.1	.....	.....	.....	7.1	14.1	7.1	14.1	.....	162.6	.....	21.2	14.1
73	Callaway County*	1913	1,515.5	20.9	12.6	.....	8.4	.....	41.9	4.2	12.6	.....	226.1	.....	16.7	12.6
74		1912	1,355.7	20.8	16.6	.....	.....	.....	.....	29.1	8.3	8.3	199.6	4.2	16.6	12.5
75	Camden County†	1913	703.7	45.1	9.0	.....	.....	.....	.....	.....	18.0	.....	45.1	.....	9.0	9.0
76		1912	596.1	26.7	26.7	.....	.....	.....	8.9	8.9	44.5	.....	35.6	.....	.....	8.9

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
7.8	.....	.....	15.7	31.4	7.8	39.2	.....	70.6	7.8	15.7	.....	15.7	7.8	23.5	39.2	86.3	7.8	164.7	31.4	1
97.5	.....	8.1	16.2	113.7	.....	81.2	.....	8.1	16.2	8.1	.....	40.6	.....	24.4	48.7	40.6	8.1	203.1	8.1	2
18.9	4.5	7.8	8.9	35.7	4.5	98.1	4.5	112.6	16.7	4.5	7.8	23.4	6.7	7.8	115.9	175.0	18.9	129.3	25.6	3
28.3	4.7	8.2	7.1	31.8	5.9	98.9	7.1	81.3	7.1	3.5	4.7	30.6	4.7	7.1	106.0	149.6	22.4	118.9	21.2	4
94.6	6.8	6.8	101.3	87.8	20.3	33.8	13.5	13.5	.....	.....	.....	47.3	6.8	.....	47.3	54.0	13.5	189.1	27.0	5
67.4	6.7	.....	47.2	94.4	13.5	33.7	6.7	27.0	6.7	13.5	20.2	47.2	.....	6.7	33.7	80.9	6.7	155.1	13.5	6
66.9	26.8	13.4	53.5	173.9	13.4	80.3	13.4	26.8	.....	.....	.....	26.8	.....	.....	26.8	160.5	13.4	254.2	13.4	7
80.8	53.8	.....	40.4	161.5	26.9	53.8	.....	.....	.....	13.5	.....	121.1	.....	.....	175.0	67.3	.....	215.4	13.5	8
72.8	19.9	13.2	52.9	125.7	39.7	19.9	19.9	26.5	19.9	6.6	6.6	79.4	6.6	6.6	59.6	39.7	.....	145.6	.....	9
59.0	6.6	.....	45.9	91.8	.....	45.9	13.1	26.2	6.6	6.6	13.1	39.4	.....	6.6	52.5	45.9	6.6	183.7	.....	10
70.4	10.1	.....	32.7	85.5	12.6	88.0	15.1	27.7	.....	10.1	5.0	47.8	2.5	5.0	70.4	47.8	.....	160.9	22.6	11
73.3	7.6	7.6	45.5	48.0	2.5	60.7	7.6	7.6	17.7	7.6	5.1	25.3	5.1	10.1	65.7	25.3	5.1	212.3	12.6	12
74.9	12.5	.....	93.6	106.1	12.5	112.3	6.2	18.7	.....	12.5	6.2	49.9	6.2	6.2	43.7	68.6	6.2	168.5	18.7	13
74.7	6.2	.....	68.5	87.2	37.4	74.7	31.1	24.9	12.5	6.2	.....	56.0	.....	6.2	49.8	87.2	12.5	224.1	6.2	14
.....	12.3	12.3	24.5	159.4	12.3	110.4	12.3	98.1	.....	12.3	.....	36.8	.....	12.3	24.5	24.5	.....	134.9	12.3	15
36.6	48.8	12.2	85.4	48.8	12.2	73.2	12.2	12.2	12.2	36.6	.....	24.4	12.2	.....	24.4	61.0	24.4	73.2	.....	16
70.5	15.7	7.8	70.5	94.0	15.7	62.7	7.8	23.5	15.7	7.8	7.8	39.2	.....	15.7	47.0	78.3	.....	195.8	31.3	17
46.8	23.4	7.8	39.0	62.4	7.8	85.8	15.6	7.8	7.8	23.4	23.4	70.2	.....	7.8	78.0	62.4	.....	194.9	15.6	18
33.6	21.0	4.2	42.0	105.1	8.4	54.6	8.4	37.8	16.8	21.0	4.2	42.0	8.4	12.6	92.5	58.8	12.6	147.1	29.4	19
84.5	4.2	4.2	29.6	105.6	4.2	25.3	12.7	12.7	21.1	.....	.....	71.8	8.4	4.2	67.6	29.6	21.1	109.8	12.7	20
61.0	.....	.....	.....	73.1	.....	97.5	12.2	12.2	12.2	.....	.....	24.4	.....	.....	48.8	85.3	12.2	121.9	12.2	21
73.6	.....	12.3	12.3	61.3	.....	61.3	12.3	.....	49.0	36.8	.....	49.0	.....	.....	73.6	110.4	12.3	73.6	.....	22
54.2	5.4	5.4	124.8	146.5	16.3	70.5	16.3	10.8	10.8	5.4	21.7	70.5	10.8	16.3	59.7	113.9	16.3	157.3	.....	23
70.4	32.5	5.4	75.8	92.0	10.8	70.4	10.8	32.5	10.8	5.4	21.7	124.5	5.4	10.8	65.0	86.6	21.7	200.3	10.8	24
101.2	33.7	.....	90.0	101.2	.....	67.5	11.2	78.7	45.0	.....	.....	101.2	.....	11.2	101.2	11.2	.....	157.5	22.5	25
68.1	11.3	.....	11.3	158.8	.....	68.1	22.7	.....	.....	11.3	11.3	79.4	11.3	.....	79.4	34.0	22.7	113.4	22.7	26
145.6	15.3	.....	84.3	99.6	23.0	30.7	.....	38.3	.....	.....	15.3	30.7	.....	7.7	69.0	69.0	23.0	191.6	7.7	27
45.5	7.6	7.6	121.4	106.2	68.3	15.2	7.6	.....	7.6	15.2	7.6	60.7	.....	.....	68.3	60.7	.....	212.5	30.4	28
69.1	25.1	.....	56.5	157.0	12.6	56.5	6.3	12.6	6.3	.....	.....	69.1	.....	.....	81.7	119.3	12.6	257.5	6.3	29
69.2	18.9	.....	50.4	132.2	18.9	75.5	12.6	6.3	6.3	12.6	6.3	18.9	.....	6.3	44.1	88.1	.....	251.8	12.6	30
61.7	8.8	.....	17.6	70.5	8.8	79.3	8.8	35.3	8.8	.....	.....	88.1	.....	8.8	105.8	61.7	8.8	193.9	8.8	31
26.4	17.6	8.8	70.4	35.2	26.4	70.4	.....	26.4	.....	.....	8.8	79.2	8.8	.....	70.4	8.8	.....	167.3	.....	32
21.3	10.7	.....	21.3	32.0	.....	95.9	21.3	53.3	10.7	.....	10.7	53.3	32.0	.....	117.3	170.6	10.7	159.9	21.3	33
21.5	21.5	.....	21.5	43.1	.....	32.3	.....	10.8	21.5	.....	.....	75.4	32.3	.....	64.6	64.6	10.8	150.8	10.8	34
34.6	.....	6.9	110.8	124.7	13.9	97.0	13.9	20.8	13.9	.....	.....	69.3	.....	6.9	55.4	83.1	.....	180.1	6.9	35
68.7	13.7	13.7	68.7	130.5	.....	61.8	13.7	20.6	.....	.....	27.5	82.4	.....	6.9	27.5	89.3	.....	192.3	.....	36
108.2	10.8	3.6	82.9	115.4	14.4	79.3	3.6	25.2	18.0	.....	7.2	86.5	.....	3.6	97.4	57.7	21.6	194.7	7.2	37
61.1	18.0	10.8	75.4	89.8	10.8	53.9	10.8	14.4	18.0	3.6	18.0	53.9	3.6	7.2	53.9	43.1	10.8	204.7	7.2	38
57.4	12.8	.....	38.3	121.3	44.7	76.6	19.1	25.5	.....	.....	6.4	25.5	6.4	.....	70.2	76.6	.....	114.9	.....	39
57.7	.....	12.8	32.1	96.2	12.8	38.5	.....	12.8	12.8	6.4	6.4	19.2	6.4	.....	64.2	32.1	.....	154.0	6.4	40
51.9	11.8	9.6	48.1	82.0	15.8	102.5	9.5	48.0	7.6	7.8	8.1	67.4	9.5	8.5	68.5	60.0	9.0	196.0	28.1	41
51.0	10.0	14.1	49.1	86.3	15.3	104.2	9.3	43.9	7.9	8.5	10.9	70.2	8.4	8.8	67.6	66.9	11.1	198.7	30.7	42
51.6	11.8	9.6	47.9	78.3	15.6	98.9	9.5	47.0	7.6	7.6	7.8	65.9	9.3	8.3	68.2	57.2	9.2	192.5	27.0	43
50.8	9.8	14.0	48.3	83.2	15.1	102.1	9.3	42.9	7.9	8.3	10.5	67.9	8.1	8.6	67.8	64.9	11.3	194.1	29.0	44
60.5	13.5	9.4	52.5	185.7	22.9	203.1	10.8	76.7	8.1	10.8	14.8	109.0	13.5	12.1	75.3	135.9	1.3	296.0	59.2	45
56.0	16.0	14.7	70.7	170.7	21.3	164.1	10.7	70.7	9.3	12.0	22.7	134.7	16.0	16.0	61.4	120.0	5.3	325.4	77.4	46
91.2	4.3	4.3	56.5	91.2	21.7	65.2	8.7	43.5	8.7	13.0	.....	108.6	.....	8.7	56.5	65.2	13.0	199.9	17.4	47
43.6	17.5	13.1	43.6	61.1	.....	74.2	13.1	34.9	13.1	.....	21.8	82.9	.....	13.1	30.5	69.8	4.4	196.4	13.1	48
95.8	27.4	.....	34.2	102.6	13.7	116.3	6.8	34.2	.....	6.8	6.8	88.9	13.7	6.8	13.7	68.4	13.7	218.9	20.5	49
128.2	13.5	13.5	67.5	74.2	.....	87.7	27.0	47.2	6.7	6.7	13.5	54.0	6.7	20.2	47.2	40.5	.....	155.1	6.7	50
47.4	7.9	7.9	63.2	55.3	15.8	47.4	7.9	71.1	.....	.....	7.9	94.8	.....	15.8	71.1	31.6	7.9	236.9	7.9	51
30.9	.....	7.7	30.9	54.0	7.7	154.4	7.7	30.9	7.7	.....	7.7	69.5	7.7	23.2	54.0	77.2	7.7	138.9	7.7	52
64.1	9.2	4.6	59.5	82.4	13.7	68.6	9.2	22.9	.....	4.6	4.6	41.2	9.2	4.6	77.8	77.8	9.2	178.4	13.7	53
55.0	4.6	.....	41.3	100.9	9.2	87.1	4.6	32.1	4.6	.....	4.6	64.2	.....	18.3	45.9	36.7	4.6	188.0	9.2	54
42.9	8.6	8.6	34.3	60.0	17.1	68.6	.....	38.6	4.3	8.6	.....	38.6	8.6	8.6	60.0	17.1	4.3	188.6	12.9	55
38.3	8.5	21.3	25.5	51.1	.....	119.2	4.3	12.8	17.0	4.3	.....	42.6	8.5	8.5	106.4	85.1	25.5	161.7	46.8	56
98.4	12.3	.....	49.2	49.2	12.3	141.5	12.3	49.2	.....	12.3	.....	61.5	6.2	6.2	67.7	43.1	.....	166.1	6.2	57
91.4	30.5	12.2	24.4	121.9	6.1	97.5	12.2	18.3	6.1	12.2	13.3	60.9	.....	12.2	73.1	67.0	13.3	176.7	6.1	58
65.4	16.3	4.1	85.8	81.7	8.2	57.2	4.1	20.4	8.2	12.3	20.4	106.2	.....	4.1	53.1	89.9	.....	200.1	16.3	59
68.2	12.0	8.0	44.2	124.4	20.1	52.2	.....	36.1	8.0	.....	16.1	56.2	16.1	.....	56.2	140.5	8.0	232.8	16.1	60
20.9	7.0	.....	34.9	62.8	41.8	83.7	.....	20.9	.....	7.0	20.9	139.5	.....	20.9	20.9	69.7	7.0	188.3	13.9	61
27.6	.....	13.8	41.4	41.4	6.9	117.2	20.7	13.8	6.9	13.8	41.4	82.7	.....	.....	62.0	13.8	.....	193.0	.....	62
20.6	.....	20.6	27.5	75.6	13.7	89.3	.....	20.6	.....	6.9	6.9	48.1	20.6	.....	48.1	27.5	.....	151.2	41.2	63
13.7	13.7	6.9	34.3	68.7	27.5	82.4	6.9	54.9	6.9	.....	13.7	27.5	.....	6.9	68.7	48.1	6.9	158.0	34.3	64
57.8	6.4	9.6	41.7	99.5	12.8	77.1	12.8	22.5	9.6	3.2	6.4	45.0	6.4	9.6	83.5	38.5	.....	224.8	22.5	65
58.2	6.5	9.7	32.3	93.7	25.8	109.8	9.7	38.8	22.6	.....	6.5	32.3	6.5	6.5	25.8	45.2	12.9	235.8	29.1	66
39.3	19.6	.....	91.7	137.5	26.2	98.2	26.2	72.0	13.1	6.5	13.1	117.9	6.5	13.1	72.0	85.1	13.1	216.1	6.5	67
58.9	6.5	6.5	98.2	85.1	6.5	137.5	6.5	45.8	13.1	.....	19.6	157.1	.....	.....	98.2	111.3	26.2	170.2	13.1	68
9.1	.....	18.3	54.9	73.1	4.6	278.9	.....	137.1	13.7	13.7	9.1	41.1	13.7	4.6	141.7	146.3	.....	256.0	137.1	69
18.6	9.3	41.9	37.2	74.5	9.3	414.3	.....	125.7	4.7	4.7	4.7	83.8	37.2	32.6	172.2	135.0	23.3	228.1	158.3	70
143.5	14.3	.....	86.1	86.1	7.2	64.6	14.3	57.4	.....	7.2	7.2	78.9	7.2	7.2	57.4	43.0	.....	136.3	14.3	71
35.3	7.1	7.1	63.6	84.8	.....	56.5	7.1	14.1	7.1	.....	.....	99.0	7.1	14.1	99.0	56.5	14.1	205.0	7.1	72
71.2	33.5	4.2	96.3	121.4	20.9	79.5	12.6	33.5	4.2	4.2	8.4	146.5	.....	16.7	83.7	29.3	4.2	376.8	12.6	73
70.7	16.6	8.3	116.4	70.7	37.4	74.9	16.6	29.1	4.2	12.5	12.5	112.3	4.2	4.2	62.4	70.7	12.5	291.1	12.5	74
18.0	9.0	.....	36.1	9.0	18.0	36.1	.....	9.0	.....	.....	9.0	81.2	36.1	.....	90.2	36.1	.....	126.3	54.1	75
26.7	8.9	8.9	26.7	35.6	8.9	26.7	8.9	44.5	8.9	.....	.....	53.4	26.7	.....	17.8	35.6	8.9	62.3	26.7	76

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—												
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MISSOURI—continued.															
1	Cape Girardeau County	1913	1,195.4	59.2	31.4	.....	.....	.....	20.9	13.9	38.3	3.5	66.2	3.5	10.5	13.9
2		1912	1,438.7	56.4	52.9	.....	.....	3.5	45.8	31.7	49.4	14.1	151.6	7.1	10.6	7.1
3	Carroll County	1913	1,108.7	9.1	.....	.....	9.1	.....	9.1	.....	22.7	4.5	122.7	4.5	4.5	4.5
4		1912	1,154.5	8.9	13.4	.....	.....	.....	4.5	4.5	76.1	.....	120.8	4.5	22.4	4.5
5	Carter County	1913	1,133.7	19.5	136.8	.....	.....	.....	.....	.....	78.2	.....	156.4	.....	.....	.....
6		1912	973.8	57.3	76.4	.....	.....	.....	.....	19.1	57.3	.....	114.6	57.3	19.1	19.1
7	Cass County	1913	1,067.8	4.4	13.2	.....	13.2	13.2	8.8	.....	22.0	.....	92.3	.....	.....	.....
8		1912	994.5	26.3	8.8	.....	.....	.....	3.1	3.1	4.4	.....	61.3	4.4	8.8	8.8
9	Cedar County	1913	1,119.8	12.7	.....	.....	6.3	38.0	6.3	.....	69.6	.....	94.9	.....	12.7	12.7
10		1912	1,082.3	6.3	6.3	.....	.....	.....	25.2	25.2	18.9	6.3	69.2	6.3	.....	6.3
11	Chariton County	1913	1,146.0	53.5	.....	.....	22.3	4.5	8.9	4.5	26.8	13.4	102.6	.....	13.4	.....
12		1912	997.3	30.8	.....	.....	.....	.....	26.4	13.2	35.1	.....	101.1	.....	13.2	4.4
13	Christian County	1913	930.7	12.9	6.5	.....	12.9	.....	.....	38.8	6.5	.....	116.3	.....	12.9	12.9
14		1912	975.3	32.1	12.8	.....	.....	.....	6.4	44.9	.....	12.8	102.7	19.2	.....	6.4
15	Clark County	1913	1,060.4	8.3	8.3	.....	8.3	8.3	.....	8.3	16.7	.....	75.1	.....	.....	8.4
16		1912	1,005.1	.....	8.2	.....	.....	.....	24.5	16.3	16.3	.....	57.2	.....	16.3	8.2
17	Clay County	1913	1,435.9	43.4	9.6	.....	4.8	28.9	19.3	9.6	14.5	4.8	139.7	.....	19.3	4.8
18		1912	1,557.1	34.0	4.9	.....	.....	4.9	.....	4.9	4.9	.....	131.0	4.9	19.4	9.7
19	Clinton County	1913	1,203.3	27.3	.....	.....	13.7	6.8	.....	.....	34.2	13.7	143.6	.....	20.5	6.8
20		1912	1,125.7	6.7	.....	.....	.....	.....	6.7	6.7	20.2	.....	87.6	6.7	27.0	.....
21	Cole County †	1913	690.8	10.2	10.2	.....	.....	.....	20.3	20.3	10.2	10.2	50.8	.....	10.2	.....
22		1912	836.3	40.3	.....	.....	.....	.....	.....	.....	10.1	10.1	110.8	.....	10.1	.....
23	Cooper County	1913	1,123.0	25.5	.....	.....	5.1	.....	5.1	.....	10.2	.....	148.0	25.5	10.2	5.1
24		1912	1,135.4	15.1	.....	.....	.....	.....	.....	20.2	5.0	5.0	111.0	45.4	.....	.....
25	Crawford County	1913	914.8	43.6	.....	.....	21.8	14.5	.....	14.5	21.8	7.3	116.2	.....	14.5	.....
26		1912	1,079.3	14.6	.....	.....	.....	.....	58.3	7.3	14.6	.....	131.3	7.3	14.6	21.9
27	Dade County	1913	1,229.9	40.5	13.5	.....	60.8	.....	33.8	20.3	47.3	.....	81.1	.....	.....	13.5
28		1912	1,043.1	26.6	.....	.....	.....	.....	19.9	26.6	66.4	.....	86.4	6.6	13.3	13.3
29	Dallas County †	1913	857.3	30.9	15.4	.....	7.7	.....	7.7	30.9	15.4	7.7	108.1	23.2	15.4	15.4
30		1912	660.5	61.4	.....	.....	.....	.....	.....	46.1	15.4	.....	30.7	.....	7.7	7.7
31	Daviess County	1913	1,152.5	42.7	.....	.....	18.3	.....	.....	18.3	12.2	.....	67.1	.....	12.2	6.1
32		1912	971.7	23.8	.....	.....	.....	.....	6.0	6.0	23.8	6.0	77.5	.....	17.9	6.0
33	Dekalb County	1913	822.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	58.7	.....	25.2	16.8
34		1912	958.0	16.5	.....	.....	.....	.....	.....	8.3	8.3	.....	74.3	.....	.....	16.5
35	Dent County	1913	795.4	45.0	15.0	.....	22.5	.....	.....	7.5	30.0	.....	82.5	7.5	15.0	.....
36		1912	812.0	37.6	.....	.....	.....	15.0	15.0	15.0	45.1	.....	82.7	.....	.....	7.5
37	Douglas County †	1913	655.8	24.1	6.0	.....	.....	.....	18.1	12.0	6.0	6.0	54.2	6.0	12.0	.....
38		1912	601.1	18.0	.....	.....	.....	.....	.....	12.0	18.0	6.0	78.1	.....	6.0	12.0
39	Dunklin County	1913	1,820.2	57.4	256.6	.....	57.4	3.0	9.1	36.2	.....	3.0	114.7	9.1	6.0	18.1
40		1912	2,049.3	40.3	353.4	.....	6.2	.....	62.0	46.5	12.4	3.1	117.8	3.1	12.4	12.4
41	Franklin County	1913	1,024.1	10.1	3.4	3.4	6.8	6.8	10.1	23.7	30.4	3.4	67.6	3.4	.....	.....
42		1912	1,112.5	13.5	10.1	6.7	.....	3.4	23.6	10.1	30.3	.....	80.9	3.4	3.4	6.7
43	Gasconade County	1913	1,128.8	23.0	7.7	.....	38.4	.....	15.4	23.0	53.8	.....	107.5	.....	7.7	7.7
44		1912	1,233.8	30.8	15.4	.....	7.7	.....	.....	46.3	30.8	.....	100.2	.....	23.1	.....
45	Gentry County	1913	993.1	19.2	.....	.....	6.4	.....	.....	25.6	32.0	.....	51.3	.....	12.8	6.4
46		1912	975.9	12.5	.....	.....	.....	.....	.....	12.5	12.5	.....	75.1	.....	12.5	.....
47	Greene County	1913	895.8	40.6	3.4	.....	13.5	10.1	23.7	10.1	20.3	3.4	60.8	6.8	6.8	3.4
48		1912	822.9	30.7	6.8	.....	.....	.....	17.1	20.5	13.7	.....	64.9	6.8	17.1	6.8
49	Grundy County	1913	1,116.5	24.4	.....	.....	6.1	.....	.....	.....	18.3	12.2	103.7	.....	18.3	6.1
50		1912	1,206.0	30.3	.....	6.1	.....	.....	.....	6.1	12.1	.....	127.3	12.1	18.2	12.1
51	Harrison County	1913	1,146.5	52.1	.....	.....	.....	.....	.....	5.2	20.8	.....	104.2	.....	10.4	10.4
52		1912	975.1	30.6	.....	.....	.....	5.1	.....	10.2	5.1	.....	91.9	5.1	5.1	.....
53	Henry County	1913	1,015.6	7.4	3.7	.....	18.5	7.4	3.7	11.1	29.7	.....	74.1	11.1	11.1	3.7
54		1912	1,056.9	37.0	3.7	3.7	.....	14.8	.....	11.1	7.4	7.4	51.7	3.7	3.7	11.1
55	Hickory County	1913	875.6	12.0	.....	.....	.....	.....	.....	.....	36.0	.....	36.0	.....	12.0	.....
56		1912	909.8	23.6	11.8	.....	11.8	.....	23.6	23.6	35.4	.....	59.1	.....	11.8	.....
57	Holt County	1913	816.7	29.2	.....	.....	.....	.....	.....	7.3	29.2	7.3	58.3	.....	.....	7.3
58		1912	930.5	28.6	.....	.....	7.2	.....	21.5	.....	7.2	.....	57.3	.....	7.2	.....
59	Howard County	1913	1,258.3	27.1	6.8	.....	20.3	.....	.....	13.5	13.5	6.8	142.1	6.8	6.8	13.5
60		1912	1,036.3	26.6	19.9	.....	.....	6.6	.....	.....	13.3	.....	186.0	.....	6.6	.....
61	Howell County	1913	1,052.1	76.9	4.8	.....	.....	.....	14.4	.....	9.6	.....	144.1	4.8	9.6	14.4
62		1912	1,325.7	95.7	19.1	.....	.....	.....	23.9	33.5	14.4	4.8	100.5	14.4	9.6	4.8
63	Iron County	1913	1,432.8	11.7	23.5	.....	.....	.....	35.2	58.7	23.5	.....	176.2	.....	23.5	11.7
64		1912	1,524.0	58.6	58.6	.....	.....	.....	23.4	.....	46.9	11.7	175.8	.....	.....	23.4
65	Jackson County	1913	1,066.0	13.1	7.8	.....	10.5	5.2	7.8	13.1	28.7	.....	88.8	2.6	13.1	10.5
66		1912	1,099.3	24.1	5.4	2.7	2.7	2.7	5.4	16.1	10.7	.....	91.2	2.7	13.4	10.7
67	Jasper County	1913	1,253.2	34.9	8.7	2.2	21.8	24.0	24.0	19.6	15.3	.....	165.9	21.8	10.9	8.7
68		1912	1,136.2	17.5	19.7	.....	2.2	6.6	28.5	24.1	13.1	2.2	168.6	2.2	6.6	8.8
69	Jefferson County	1913	1,028.7	21.0	7.0	.....	35.0	3.5	7.0	28.0	17.5	3.5	73.5	3.5	14.0	7.0
70		1912	1,212.9	67.0	3.5	3.5	3.5	3.5	7.1	3.5	14.1	3.5	141.0	7.1	.....	14.1
71	Johnson County	1913	1,097.1	23.3	3.9	.....	15.5	7.8	19.4	15.5	7.8	3.9	135.7	3.9	3.9	.....
72		1912	1,125.2	15.4	3.9	.....	11.6	.....	.....	3.9	7.7	3.9	92.5	.....	23.1	.....
73	Knox County	1913	796.5	8.3	.....	.....	.....	.....	.....	8.3	33.2	.....	83.0	.....	8.3	.....
74		1912	846.9	24.7	16.4	.....	.....	.....	.....	.....	8.2	8.2	82.2	.....	8.2	.....
75	Laclede County	1913	754.1	17.0	22.7	.....	.....	.....	.....	11.3	.....	.....	56.7	5.7	.....	11.3
76		1912	769.2	17.1	.....	.....	.....	.....	17.1	62.7	.....	.....	85.5	5.7	17.1	5.7
77	Lafayette County	1913	1,213.8	20.2	3.4	.....	3.4	6.7	37.1	.....	13.5	6.7	121.4	10.1	3.4	10.1
78		1912	1,217.5	16.8	6.7	.....	.....	26.8	13.4	10.1	33.5	3.4	107.3	10.1	10.1	10.1

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
45.3	17.4	24.4	62.7	76.7	17.4	153.3	20.9	73.2	7.0	10.5	7.0	45.3	13.9	7.0	55.8	83.6	.....	184.7	27.9	1
28.2	10.6	31.7	45.8	88.2	7.1	126.9	7.1	67.0	24.7	17.6	7.1	45.8	10.6	21.2	88.2	84.6	3.5	246.8	45.8	2
54.5	36.4	4.5	50.0	90.9	9.1	104.5	4.5	45.4	22.7	18.2	18.2	50.0	13.6	.....	54.5	118.1	13.6	204.5	4.5	3
85.0	13.4	8.9	40.3	102.9	40.3	94.0	8.9	26.8	4.5	8.9	4.5	71.6	13.4	.....	76.1	67.1	8.9	214.8	4.5	4
.....	19.5	.....	19.5	39.1	39.1	78.2	.....	39.1	.....	.....	.....	156.4	.....	.....	97.7	78.2	.....	117.3	58.6	5
.....	19.1	19.1	38.2	.....	.....	19.1	.....	19.1	.....	.....	.....	38.2	19.1	.....	76.4	76.4	.....	133.7	95.5	6
52.7	4.4	.....	61.5	109.9	8.8	74.7	22.0	22.0	8.8	4.4	8.8	74.7	8.8	26.4	92.3	87.9	8.8	197.7	26.4	7
61.3	17.5	17.5	65.7	57.0	8.8	65.7	3.1	21.9	26.3	3.1	.....	65.7	4.4	8.8	30.7	70.1	26.3	245.3	26.3	8
44.3	44.3	12.7	38.0	63.3	6.3	101.2	.....	19.0	6.3	12.7	12.7	75.9	12.7	6.3	75.9	75.9	6.3	240.4	12.7	9
31.5	6.3	.....	50.3	125.8	37.8	138.4	6.3	12.6	.....	12.6	6.3	138.4	6.3	.....	69.2	37.8	6.3	169.9	56.6	10
62.4	22.3	.....	80.3	80.3	17.8	93.6	4.5	53.5	8.9	8.9	.....	75.8	8.9	13.4	84.7	66.9	4.5	191.7	17.8	11
61.5	17.6	13.2	26.4	96.7	13.2	101.1	4.4	48.3	8.8	4.4	17.6	105.4	4.4	4.4	35.1	43.9	13.2	136.2	17.6	12
32.3	19.4	19.4	19.4	71.1	12.9	129.3	.....	19.4	12.9	.....	6.5	12.9	6.5	.....	58.2	64.6	6.5	187.4	32.3	13
19.2	.....	.....	38.5	77.0	12.8	147.6	6.4	25.7	6.4	19.2	.....	38.5	6.4	12.8	83.4	64.2	6.4	121.9	51.3	14
50.1	16.7	25.0	66.8	175.3	8.4	108.5	.....	16.7	8.4	8.4	8.4	41.7	.....	.....	41.7	50.1	16.7	233.8	41.7	15
81.7	32.7	.....	57.2	130.8	24.5	106.2	8.2	8.2	.....	8.2	8.2	65.4	.....	16.3	49.0	32.7	.....	212.5	16.3	16
53.0	48.2	14.5	57.8	106.0	4.8	130.1	24.1	67.5	24.1	4.8	.....	188.6	9.6	4.8	57.8	86.7	19.3	231.3	24.1	17
87.3	43.7	43.7	82.5	116.4	4.9	111.6	9.7	24.3	.....	14.6	14.6	261.9	.....	14.6	29.1	116.4	4.9	339.6	19.4	18
82.0	.....	.....	68.4	47.9	41.0	95.7	6.8	13.7	13.7	.....	6.8	143.6	6.8	13.7	82.0	54.7	13.7	225.6	20.5	19
94.4	.....	60.7	40.4	74.1	6.7	80.9	20.2	40.4	6.7	13.5	.....	161.8	6.7	6.7	53.9	53.9	.....	229.2	13.5	20
40.6	.....	.....	10.2	61.0	10.2	30.5	.....	30.5	10.2	.....	20.3	30.5	.....	.....	40.6	61.0	10.2	182.9	10.2	21
50.4	.....	10.1	40.3	60.5	30.2	60.5	.....	30.2	10.1	.....	20.2	30.2	.....	.....	30.2	20.2	20.2	231.7	10.1	22
71.5	20.4	.....	76.6	107.2	10.2	102.1	20.4	20.4	25.5	15.3	10.2	61.3	20.4	15.3	45.9	71.5	5.1	188.9	.....	23
55.5	15.1	35.3	85.8	106.0	10.1	80.7	.....	10.1	15.1	25.2	5.0	111.0	5.0	10.1	60.6	75.7	10.1	211.9	5.0	24
50.8	.....	7.3	79.9	21.8	.....	94.4	14.5	43.6	7.3	.....	14.5	65.3	14.5	7.3	29.0	36.3	7.3	159.7	7.3	25
29.2	7.3	.....	51.1	116.7	7.3	65.6	.....	21.9	14.6	21.9	14.6	80.2	7.3	7.3	94.8	51.1	.....	189.6	29.2	26
60.8	13.5	.....	27.0	81.1	40.5	114.9	27.0	33.8	.....	27.0	.....	54.1	20.3	13.5	74.3	27.0	13.5	243.3	47.3	27
33.2	19.9	19.9	79.7	66.4	33.2	126.2	6.6	33.2	.....	13.3	13.3	46.5	6.6	.....	13.3	73.1	6.6	126.2	66.4	28
.....	.....	.....	46.3	23.2	15.4	77.2	7.7	.....	7.7	.....	.....	38.6	7.7	15.4	46.3	30.9	15.4	216.3	30.9	29
30.7	7.7	15.4	.....	30.7	.....	30.7	7.7	7.7	7.7	7.7	.....	76.8	15.4	7.7	23.0	38.4	.....	153.6	30.7	30
79.3	12.2	6.1	73.2	48.8	12.2	140.3	18.3	12.2	12.2	6.1	.....	67.1	24.4	6.1	103.7	48.8	12.2	286.6	6.1	31
65.6	17.9	6.0	47.7	83.5	6.0	35.8	11.9	6.0	.....	11.9	6.0	113.3	.....	17.9	107.3	35.8	23.8	178.8	29.8	32
58.7	8.4	16.8	42.0	142.6	16.8	50.3	8.4	25.2	.....	.....	.....	50.3	8.4	25.2	58.7	42.0	.....	142.6	25.2	33
49.5	33.0	16.5	107.4	57.8	8.3	49.5	16.5	33.0	.....	8.3	.....	66.1	16.5	8.3	41.3	24.8	8.3	264.3	24.8	34
37.5	.....	15.0	22.5	75.0	.....	37.5	.....	37.5	15.0	.....	.....	52.5	7.5	7.5	82.5	45.0	.....	105.0	30.0	35
45.1	7.5	.....	22.6	52.6	.....	45.1	7.5	22.6	.....	.....	22.6	15.0	7.5	.....	52.6	37.6	7.5	233.1	15.0	36
12.0	6.0	12.0	18.1	36.1	6.0	84.2	12.0	48.1	.....	.....	.....	18.1	6.0	6.0	54.2	18.1	.....	120.3	54.2	37
24.0	.....	12.0	6.0	24.0	24.0	60.1	6.0	18.0	.....	6.0	6.0	30.1	6.0	6.0	24.0	66.1	.....	90.2	42.1	38
27.2	3.0	24.1	15.1	15.1	30.2	310.9	21.1	181.1	3.0	9.1	.....	18.1	9.1	18.1	153.9	45.3	.....	268.7	96.6	39
49.6	3.1	40.3	34.1	34.1	31.0	322.4	12.4	186.0	6.2	6.2	3.1	40.3	18.6	27.9	155.0	89.9	6.2	223.2	89.9	40
64.2	10.1	3.4	54.1	98.0	27.0	71.0	10.1	47.3	.....	20.3	6.8	81.1	10.1	6.8	64.2	47.3	23.7	199.4	10.1	41
47.2	16.9	13.5	84.3	128.1	23.6	70.8	6.7	53.9	6.7	10.1	16.9	50.6	.....	10.1	60.7	64.1	16.9	222.5	16.9	42
53.8	15.4	7.7	61.4	69.1	.....	99.8	.....	53.8	15.4	.....	7.7	99.8	15.4	.....	76.8	15.4	15.4	215.0	23.0	43
108.0	.....	.....	100.2	84.8	23.1	61.7	.....	54.0	23.1	.....	15.4	84.8	15.4	15.4	77.1	100.2	.....	200.5	15.4	44
70.5	19.2	19.2	102.5	76.9	6.4	76.9	6.4	25.6	12.8	6.4	6.4	70.5	.....	6.4	89.7	19.2	19.2	192.2	12.8	45
37.5	6.3	6.3	56.3	100.1	18.8	106.3	12.5	43.8	18.8	.....	6.3	112.6	12.5	12.5	68.8	56.3	12.5	156.4	6.3	46
30.4	10.1	13.5	50.7	84.5	16.9	101.4	3.4	27.1	.....	.....	3.4	30.4	6.8	3.4	71.0	57.5	6.8	155.5	20.3	47
23.9	3.4	13.7	41.0	61.5	3.4	82.0	6.8	20.5	.....	3.4	3.4	47.8	3.4	10.2	61.5	64.9	17.1	157.1	13.7	48
73.2	.....	12.2	48.8	73.2	6.1	109.8	6.1	48.8	24.4	.....	12.2	61.0	18.3	12.2	48.8	61.0	6.1	268.4	36.6	49
84.8	6.1	12.1	48.5	103.0	6.1	103.0	.....	30.3	36.4	6.1	12.1	90.9	.....	6.1	60.6	90.9	12.1	230.3	42.4	50
67.7	26.1	5.2	83.4	57.3	5.2	99.0	.....	46.9	10.4	10.4	.....	104.2	.....	5.2	104.2	52.1	.....	208.5	57.3	51
66.4	5.1	20.4	56.2	86.8	10.2	102.1	10.2	5.1	5.1	15.3	.....	86.8	5.1	5.1	76.6	56.2	5.1	188.9	15.3	52
51.9	7.4	7.4	66.7	81.5	18.5	103.8	14.8	22.2	14.8	14.8	7.4	59.3	3.7	3.7	63.0	59.3	18.5	189.0	25.9	53
73.9	7.4	22.2	55.4	107.2	11.1	85.0	7.4	25.9	.....	11.1	25.9	44.3	11.1	7.4	59.1	59.1	11.1	240.2	37.0	54
36.0	12.0	12.0	24.0	108.0	.....	119.9	24.0	12.0	.....	.....	.....	84.0	12.0	.....	72.0	48.0	.....	155.9	60.0	55
47.3	11.8	23.6	.....	70.9	.....	118.2	11.8	35.4	11.8	23.6	.....	35.4	.....	.....	59.1	35.4	11.8	130.0	32.7	56
51.0	7.3	14.6	51.0	102.1	21.9	43.8	.....	14.6	7.3	.....	.....	65.6	.....	.....	21.9	36.5	.....	211.5	29.2	57
35.8	7.2	7.2	50.1	85.9	28.6	85.9	.....	35.8	14.3	.....	28.6	93.0	7.2	.....	42.9	57.3	.....	193.3	28.6	58
67.6	6.8	.....	67.6	121.8	33.8	101.5	.....	74.4	27.1	6.8	6.8	121.8	.....	13.5	40.6	74.4	.....	223.2	13.5	59
46.5	13.3	.....	39.9	126.2	.....	86.4	6.6	13.3	.....	6.6	.....	93.0	6.6	.....	33.2	46.5	6.6	199.3	53.1	60
48.0	9.6	19.2	33.6	105.7	4.8	57.6	9.6	19.2	14.4	.....	19.2	67.3	4.8	24.0	81.7	62.5	14.4	144.1	33.6	61
52.6	23.9	9.6	67.0	90.9	23.9	105.3	9.6	57.4	9.6	9.6	4.8	52.6	4.8	14.4	138.8	57.4	9.6	220.1	43.1	62
47.0	11.7	.....	70.5	58.7	11.7	117.4	11.7	82.2	11.7	35.2	11.7	23.5	23.5	11.7	70.5	94.0	11.7	281.9	82.2	63
35.2	.....	11.7	23.4	82.1	11.7	222.7	58.6	82.1	.....	.....	11.7	35.2	23.4	23.4	152.4	105.5	.....	199.3	46.9	64
67.9	13.1	2.6	47.0	125.4	13.1	94.1	10.5	34.0	13.1	.....	2.6	78.4	2.6	5.2	44.4	57.5	10.5	232.5	10.5	65
40.2	16.1	18.8	85.8	160.9	2.7	64.4	16.1	26.8	2.7	2.7	10.7	64.4	5.4	5.4	64.4	61.7	10.7	246.7	5.4	66
34.9	10.9	28.4	32.7	83.0	10.9	131.0	21.8	67.7	4.4	8.7	4.4	54.6	13.1	8.7	58.9	74.2	17.5	209.6	19.6	67
43.8	17.5	15.3	46.0	107.3	10.9	100.7	30.6	37.2	2.2	10.9	13.1	74.4	4.4	2.2	50.4	91.9	6.6	146.7	24.1	68
24.5	7.0	7.0	49.0	84.0	21.0	80.5	3.5	56.0	.....	.....	17.5	66.5	10.5	7.0	119.0	91.0	.....	164.5	.....	69
59.9	3.5	7.1	21.2	91.7	31.7	74.0	3.5	81.1	.....	10.6	17.6	70.5	7.1	3.5	70.5	123.4	28.2	222.1	14.1	70
89.2	.....	7.8	50.4	89.2	27.1	100.8	11.6	34.9	15.5	3.9	15.5	69.8	7.8	.....	77.5	42.6	3.9	190.0	19.4	71
80.9	11.6	15.4	69.4	104.0	15.4	123.3	23.1	19.3	3.9	3.9	7.7	61.7	11.6	11.6	50.1	57.8	19.3	235.0	38.5	72
33.2	.....	.....	41.5	91.3	16.6	83.0	8.3	8.3	24.9	.....	33.2	41.5	.....	.....	33.2	41.5	8.3	190.8	.....	73
41.1	8.2	.....	65.8	82.2	.....	82.2	16.4	8.2	16.4	8.2	.....	65.8	.....	8.2	41.1	41.1	.....	205.6	8.2	74
56.7	5.7	.....	39.7	79.4	17.0	51.0	.....	11.3	11.3	5.7	.....	17.0	17.0	.....	96.4	22.7	5.7	153.1	39.7	75
17.1	5.7	5.7	39.9	62.7	28.5	57.0	.....	34.2	5.7	5.7	22.8	11.4	5.7	.....	57.0	34.2	11.4	136.7	17.1	76
80.9	13.5	10.1	67.4	118.0	16.9	131.5	3.4	50.6	6.7	3.4	10.1	57.3	6.7	3.4	57.3	74.2	6.7	236.0	23.6	77
87.2	13.4	10.1	60.4	150.9	20.1	60.4	3.4	20.1	6.7	6.7	10.1	73.8	13.4	6.7	43.6	60.4	26.8	271.7	23.5	78

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MISSOURI—continued.															
1	Lawrence County	1913	1,203.2	8.0	4.0	.....	16.0	4.0	8.0	16.0	12.0	4.0	124.3	8.0	8.0	4.0
2		1912	1,281.0	39.3	3.9	11.8	.....	.....	3.9	47.2	15.7	7.9	141.5	3.9	19.6	.....
3	Lewis County	1913	1,084.5	6.6	.....	.....	.....	6.6	.....	6.6	19.8	.....	59.5	.....	19.8	19.8
4		1912	951.2	13.1	.....	.....	.....	.....	13.1	.....	19.7	6.6	118.1	.....	6.6	.....
5	Lincoln County	1913	987.6	12.0	.....	.....	30.1	.....	.....	6.0	.....	.....	114.4	.....	6.0	.....
6		1912	1,200.8	41.8	6.0	.....	.....	.....	11.9	6.0	23.9	6.0	149.4	11.9	11.9	.....
7	Linn County	1913	1,124.2	19.9	.....	.....	15.9	4.0	11.9	7.9	39.7	4.0	71.5	4.0	4.0	.....
8		1912	1,226.3	23.8	.....	.....	.....	7.9	15.9	7.9	27.8	7.9	123.0	.....	15.9	7.9
9	Livingston County	1913	1,181.9	10.8	.....	.....	10.8	.....	27.0	5.4	16.2	.....	91.7	.....	10.8	5.4
10		1912	1,355.2	5.3	.....	.....	.....	.....	15.9	21.3	26.6	5.3	79.7	10.6	10.6	10.6
11	McDonald County †	1913	406.5	.....	.....	.....	.....	.....	.....	7.4	.....	.....	66.5	.....	.....	.....
12		1912	753.8	7.4	7.4	.....	7.4	.....	29.6	22.2	22.2	.....	118.2	.....	.....	7.4
13	Macon County	1913	1,044.0	16.6	.....	.....	3.3	3.3	.....	9.9	13.3	3.3	72.9	.....	6.6	13.3
14		1912	924.7	9.9	3.3	.....	6.6	.....	9.9	6.6	23.0	3.3	115.2	3.3	.....	.....
15	Madison County	1913	1,094.7	68.4	17.1	.....	17.1	.....	.....	59.9	34.2	.....	179.6	.....	.....	.....
16		1912	1,003.3	34.6	69.2	.....	8.6	.....	17.3	34.6	25.9	8.6	147.0	8.6	.....	.....
17	Maries County	1913	742.2	29.3	.....	.....	.....	.....	9.8	9.8	29.3	.....	87.9	.....	9.8	.....
18		1912	706.4	9.8	9.8	.....	.....	.....	9.8	39.2	29.4	.....	29.4	9.8	9.8	19.6
19	Marion County	1913	1,127.0	33.9	.....	.....	16.9	.....	33.9	8.5	16.9	.....	84.7	.....	8.5	8.5
20		1912	1,089.2	25.1	.....	.....	.....	8.4	8.4	8.4	33.5	.....	67.0	.....	25.1	.....
21	Mercer County	1913	778.2	8.6	.....	.....	.....	.....	.....	8.6	.....	.....	60.5	.....	17.3	.....
22		1912	737.0	.....	.....	.....	.....	.....	.....	.....	8.5	.....	59.3	.....	.....	8.5
23	Miller County	1913	795.9	23.2	.....	.....	5.8	.....	11.6	11.6	40.7	.....	93.0	17.4	5.8	5.8
24		1912	867.6	23.4	11.7	.....	.....	.....	5.9	23.4	5.9	5.9	105.5	.....	11.7	5.9
25	Mississippi County	1913	1,211.2	45.3	38.9	.....	.....	.....	13.0	.....	.....	6.5	155.5	.....	13.0	6.5
26		1912	1,444.2	65.9	131.9	.....	.....	6.6	33.0	59.4	.....	6.6	158.3	.....	13.2	6.6
27	Moniteau County	1913	1,103.0	50.5	.....	.....	.....	.....	.....	7.2	43.3	.....	57.7	7.2	7.2	14.4
28		1912	976.6	14.3	7.1	.....	.....	.....	.....	.....	.....	7.1	92.7	.....	14.3	7.1
29	Monroe County	1913	1,064.7	39.2	.....	.....	22.4	11.2	.....	11.2	39.2	.....	89.7	.....	5.6	11.2
30		1912	1,072.9	33.4	.....	.....	.....	11.1	.....	16.7	5.6	.....	122.3	5.6	5.6	.....
31	Montgomery County	1913	1,072.5	13.1	13.1	.....	.....	.....	13.1	6.5	6.5	.....	117.7	.....	13.1	.....
32		1912	981.2	26.0	6.5	.....	.....	6.5	.....	19.5	6.5	.....	104.0	.....	26.0	6.5
33	Morgan County	1913	756.6	15.3	.....	.....	.....	.....	.....	7.6	22.9	.....	68.8	7.6	7.6	.....
34		1912	991.1	30.7	.....	.....	.....	.....	7.7	23.0	30.7	.....	69.1	7.7	.....	.....
35	New Madrid County	1913	1,110.4	22.6	117.4	4.5	.....	.....	9.0	31.6	.....	.....	72.2	13.5	9.0	.....
36		1912	1,664.9	28.1	182.9	.....	9.4	.....	51.6	28.1	4.7	4.7	173.5	9.4	28.1	4.7
37	Newton County	1913	1,019.2	11.0	7.4	3.7	7.4	3.7	22.1	3.7	14.7	.....	117.7	14.7	14.7	11.0
38		1912	1,056.5	29.4	7.4	.....	.....	.....	7.4	40.5	7.4	3.7	121.5	11.0	7.4	3.7
39	Nodaway County	1913	1,141.8	10.9	.....	3.6	3.6	.....	3.6	7.3	18.2	3.6	43.6	3.6	14.5	14.5
40		1912	974.4	10.7	.....	.....	.....	.....	3.6	.....	3.6	3.6	75.2	3.6	3.6	.....
41	Oregon County	1913	750.1	46.9	33.5	.....	.....	6.7	.....	13.4	13.4	.....	80.4	.....	.....	13.4
42		1912	956.0	40.4	33.7	.....	.....	6.7	20.2	6.7	20.2	.....	60.6	6.7	13.5	.....
43	Osage County	1913	1,010.9	27.9	.....	.....	13.9	7.0	41.8	69.7	7.0	.....	76.7	.....	.....	7.0
44		1912	1,123.9	48.9	7.0	.....	.....	14.0	27.9	83.8	20.9	.....	76.8	7.0	7.0	7.0
45	Ozark County	1913	860.4	59.0	25.3	.....	8.4	.....	16.9	.....	67.5	.....	75.9	8.4	16.9	.....
46		1912	1,044.0	75.8	16.8	.....	.....	.....	.....	25.3	33.7	.....	92.6	.....	16.8	.....
47	Pemiscot County	1913	1,415.2	4.6	168.4	.....	.....	.....	9.1	18.2	9.1	4.6	150.2	4.6	9.1	.....
48		1912	1,691.6	28.3	240.3	.....	.....	.....	51.8	28.3	9.4	.....	131.9	14.1	4.7	.....
49	Perry County	1913	1,194.2	74.2	33.7	.....	.....	.....	.....	47.2	27.0	.....	74.2	27.0	6.7	6.7
50		1912	1,030.5	60.6	33.7	.....	.....	6.7	20.2	6.7	6.7	20.2	80.8	13.5	13.5	6.7
51	Pettis County	1913	839.3	6.4	.....	.....	.....	19.1	6.4	6.4	19.1	.....	38.1	.....	19.1	6.4
52		1912	839.6	31.6	.....	.....	.....	25.3	25.3	6.3	12.6	.....	31.6	6.3	.....	.....
53	Phelps County	1913	1,029.7	24.5	6.1	.....	6.1	6.1	6.1	18.4	18.4	.....	147.1	6.1	12.3	12.3
54		1912	1,219.5	6.2	18.6	.....	.....	6.2	6.2	31.0	24.8	.....	136.2	12.4	31.0	12.4
55	Pike County	1913	1,431.1	46.5	9.3	.....	18.6	4.6	9.3	9.3	37.2	9.3	130.1	4.6	23.2	.....
56		1912	1,290.9	9.2	13.7	.....	.....	9.2	.....	.....	27.5	.....	123.6	.....	13.7	13.7
57	Platte County	1913	1,291.7	28.9	.....	.....	43.3	14.4	.....	.....	14.4	7.2	93.8	14.4	14.4	14.4
58		1912	1,211.2	42.7	.....	7.1	.....	.....	42.7	7.1	.....	7.1	85.5	14.2	.....	21.4
59	Polk County	1913	961.4	9.5	.....	.....	38.1	9.5	.....	9.5	19.0	4.8	114.2	.....	9.5	14.3
60		1912	934.7	4.7	4.7	.....	.....	.....	18.9	28.3	14.2	.....	127.5	.....	18.9	.....
61	Pulaski County	1913	1,121.0	17.0	.....	.....	25.5	8.5	8.5	34.0	8.5	.....	76.4	8.5	34.0	17.0
62		1912	1,028.3	8.6	.....	.....	8.6	8.6	17.1	8.6	8.6	.....	154.2	17.1	17.1	8.6
63	Putnam County	1913	1,130.4	36.9	.....	.....	7.4	.....	.....	36.9	.....	.....	103.4	.....	7.4	.....
64		1912	943.7	29.0	7.3	.....	.....	.....	7.3	.....	21.8	.....	43.6	7.3	.....	7.3
65	Ralls County	1913	876.9	7.6	.....	.....	15.2	.....	.....	15.2	15.2	.....	106.7	.....	.....	.....
66		1912	904.1	38.3	.....	.....	.....	.....	15.3	7.7	7.7	.....	76.6	7.7	23.0	.....
67	Randolph County	1913	1,397.8	13.4	6.7	.....	13.4	.....	20.2	.....	6.7	.....	147.8	.....	20.2	.....
68		1912	1,293.4	20.0	6.7	.....	.....	6.7	.....	6.7	20.0	6.7	133.3	.....	.....	26.7
69	Ray County	1913	1,149.1	14.7	4.9	.....	4.9	4.9	14.7	29.5	24.6	.....	98.2	.....	4.9	4.9
70		1912	1,173.8	19.3	4.8	.....	4.8	4.8	33.8	19.3	14.5	.....	77.3	4.8	19.3	4.8
71	Reynolds County	1913	706.0	19.9	29.8	.....	19.9	.....	89.5	.....	9.9	.....	19.9	.....	.....	19.9
72		1912	766.7	30.3	20.2	.....	.....	.....	30.3	10.1	10.1	10.1	80.7	.....	10.1	10.1
73	Ripley County	1913	795.6	30.6	61.2	.....	.....	.....	7.6	22.9	7.6	7.6	99.4	.....	7.6	.....
74		1912	856.2	22.9	38.2	.....	.....	.....	7.6	15.3	7.6	.....	53.5	.....	7.6	.....
75	St. Charles County	1913	1,025.6	16.2	8.1	.....	.....	.....	4.0	.....	12.1	.....	105.0	.....	16.2	8.1
76		1912	1,042.7	8.1	8.1	.....	4.0	8.1	28.3	4.0	12.1	.....	72.7	4.0	.....	8.1
77	St. Clair County	1913	998.3	18.8	.....	.....	.....	6.3	.....	18.8	31.4	.....	87.9	.....	.....	12.6
78		1912	1,076.0	37.3	.....	.....	.....	.....	.....	6.2	12.4	.....	87.1	.....	6.2	.....

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—

Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
72.2	24.1	36.1	64.2	80.2	20.1	80.2	16.0	40.1	20.1	12.0	.....	56.1	16.0	20.1	76.2	64.2	.....	252.7	36.1	1
51.1	7.9	23.6	31.4	90.4	31.4	141.5	19.6	11.8	31.4	11.8	19.6	66.8	.....	7.9	102.2	62.9	.....	227.9	47.2	2
99.2	26.5	13.2	33.1	145.5	6.6	72.7	13.2	46.3	6.6	13.2	6.6	66.1	6.6	6.6	39.7	72.7	.....	251.3	19.8	3
45.9	6.6	13.1	52.5	124.6	.....	78.7	6.6	32.8	.....	.....	6.6	105.0	.....	.....	26.2	45.9	19.7	203.4	6.6	4
102.4	24.1	.....	18.1	114.4	24.1	84.3	6.0	18.1	12.0	12.0	.....	96.4	12.0	.....	54.2	30.1	12.0	186.7	12.0	5
59.7	23.9	17.9	29.9	113.5	6.0	95.6	6.0	65.7	11.9	23.9	11.9	107.5	.....	11.9	71.7	71.7	6.0	179.2	17.9	6
71.5	11.9	27.8	67.5	115.2	7.9	135.1	7.9	47.7	7.9	11.9	15.9	47.7	7.9	.....	91.4	51.6	7.9	190.7	15.9	7
35.7	7.9	11.9	87.3	158.7	4.0	87.3	.....	39.7	4.0	15.9	19.8	79.4	19.8	7.9	67.5	91.3	15.9	218.3	15.9	8
64.8	16.2	.....	37.8	145.7	16.2	107.9	.....	43.2	21.6	5.4	5.4	102.5	10.8	10.8	75.6	59.4	16.2	264.5	.....	9
90.3	15.9	10.6	79.7	127.5	5.3	148.8	10.6	31.9	21.3	15.9	.....	79.7	5.3	15.9	53.1	127.5	5.3	313.5	10.6	10
7.4	.....	.....	22.2	7.4	14.8	59.1	14.8	7.4	.....	.....	.....	22.2	.....	29.6	22.2	.....	.....	118.3	7.4	11
22.2	.....	.....	22.2	51.7	.....	66.5	7.4	22.2	7.4	22.2	7.4	7.4	7.4	7.4	29.6	44.3	7.4	192.1	7.4	12
46.4	33.1	6.6	49.7	59.7	6.6	92.8	13.3	39.8	3.3	16.6	13.3	66.3	16.6	6.6	79.5	69.6	19.9	241.9	19.9	13
65.8	9.9	.....	49.4	92.1	3.3	65.8	3.3	29.6	9.9	9.9	6.6	88.8	6.6	3.3	42.8	69.1	3.3	167.8	16.5	14
25.7	8.6	.....	34.2	111.2	25.7	94.1	.....	51.3	.....	17.1	.....	42.8	25.7	.....	94.1	17.1	.....	119.7	51.3	15
25.9	.....	8.6	51.9	95.1	43.2	34.6	8.6	25.9	.....	8.6	.....	17.3	.....	17.3	60.5	25.9	.....	190.3	34.6	16
39.1	9.8	9.8	9.8	58.6	9.8	48.8	19.5	39.1	9.8	.....	.....	39.1	9.8	.....	58.6	19.5	.....	156.2	29.3	17
29.4	.....	.....	9.8	29.4	29.4	68.7	.....	19.6	.....	29.4	.....	58.9	9.8	19.6	49.1	49.1	9.8	117.7	9.8	18
67.8	16.9	8.5	59.3	93.2	50.8	76.3	8.5	25.4	8.5	8.5	8.5	25.4	.....	8.5	67.8	59.3	.....	288.1	33.9	19
75.4	16.8	.....	67.0	67.0	16.8	167.6	.....	33.5	16.8	.....	8.4	83.8	8.4	.....	50.3	8.4	16.8	234.6	41.9	20
34.6	17.3	17.3	69.2	43.2	.....	95.1	.....	25.9	8.6	.....	.....	112.4	8.6	17.3	17.3	51.9	.....	112.4	51.9	21
42.4	8.5	.....	59.3	42.4	.....	101.7	16.9	.....	33.9	8.5	16.9	76.2	8.5	16.9	50.8	33.9	16.9	118.6	8.5	22
52.3	11.6	34.9	23.2	34.9	11.6	29.0	5.8	17.4	5.8	.....	.....	29.0	11.6	5.8	69.7	17.4	.....	135.9	34.9	23
23.4	17.6	29.3	17.6	23.4	5.9	99.7	5.9	46.9	.....	.....	11.7	76.2	5.9	5.9	64.5	70.3	.....	146.6	17.6	24
64.8	.....	.....	13.0	25.9	13.0	142.5	.....	161.9	.....	6.5	6.5	25.9	13.0	13.0	71.2	90.7	.....	200.8	84.2	25
33.0	.....	.....	33.0	79.1	6.6	171.5	.....	125.3	.....	13.2	6.6	26.4	.....	26.4	92.3	72.5	6.6	191.2	79 1	26
72.1	.....	7.2	50.5	108.1	23.8	57.7	21.6	21.6	.....	21.6	.....	86.5	7.2	.....	100.9	43.3	14.4	245.1	28.8	27
85.5	14.3	7.1	42.8	49.9	.....	64.2	21.4	21.4	21.4	7.1	42.8	121.2	28.5	.....	35.6	57.0	.....	185.3	28.5	28
61.6	33.6	16.8	16.8	140.1	11.2	78.5	5.6	5.6	.....	5.6	11.2	72.8	5.6	5.6	33.6	50.4	11.2	235.4	33.6	29
66.7	5.6	.....	66.7	111.2	11.1	77.8	.....	16.7	11.1	11.1	22.2	77.8	11.1	11.1	44.5	55.6	5.6	244.6	22.2	30
45.8	13.1	.....	58.9	104.6	6.5	65.4	19.6	26.2	6.5	26.2	13.1	143.9	6.5	6.5	39.2	45.8	6.5	248.5	6.5	31
78.0	6.5	6.5	26.0	162.5	19.5	71.5	.....	32.5	6.5	6.5	.....	71.5	.....	.....	45.5	52.0	6.5	175.4	13.0	32
45.9	7.6	15.3	53.5	53.5	.....	76.4	30.6	15.3	.....	7.6	7.6	45.9	7.6	.....	45.9	15.3	7.6	183.4	7.6	33
53.8	23.0	15.4	.....	61.5	15.4	161.3	.....	53.8	7.7	.....	30.7	138.3	7.7	.....	53.8	84.5	7.7	99.9	7.7	34
22.6	.....	9.0	22.6	18.1	13.5	162.5	4.5	171.5	.....	.....	4.5	27.1	9.0	13.5	108.3	67.7	4.5	153.5	18.1	35
32.8	4.7	9.4	42.2	61.0	4.7	173.5	14.1	136.0	.....	18.8	9.4	46.9	28.1	18.8	159.5	112.6	4.7	182.9	79.7	36
33.1	14.7	7.4	40.5	99.3	14.7	110.4	11.0	29.4	3.7	3.7	3.7	58.9	11.0	14.7	62.6	66.2	11.0	165.6	25.8	37
51.5	11.0	14.7	62.6	69.9	22.1	66.3	7.4	51.5	3.7	3.7	3.7	77.3	7.4	7.4	73.6	84.7	11.0	162.0	25.8	38
90.9	25.5	.....	50.9	123.6	21.8	145.4	10.9	43.6	29.1	21.8	3.6	90.9	7.3	18.2	61.8	65.5	7.3	185.4	10.9	39
64.5	10.7	7.2	68.1	96.7	14.3	111.0	.....	50.2	21.5	10.7	.....	114.6	14.3	7.2	57.3	50.2	10.7	157.6	3.6	40
6.7	6.7	6.7	26.8	53.6	6.7	73.7	6.7	26.8	.....	6.7	.....	53.6	13.4	.....	73.7	33.5	.....	80.4	67.0	41
40.4	.....	.....	26.9	60.6	13.5	101.0	6.7	53.9	6.7	6.7	.....	33.7	6.7	6.7	74.1	47.1	6.7	148.1	107.7	42
13.9	.....	7.0	41.8	97.6	.....	118.5	13.9	76.7	27.9	13.9	27.9	27.9	.....	7.0	76.7	69.7	.....	118.5	20.9	43
55.8	7.0	14.0	27.9	76.8	.....	111.7	.....	20.9	14.0	14.0	7.0	55.8	7.0	14.0	27.9	69.8	7.0	258.3	34.9	44
25.3	.....	8.4	8.4	42.2	.....	25.3	8.4	50.6	.....	8.4	.....	25.3	16.9	25.3	67.5	16.9	.....	160.3	92.8	45
33.7	8.4	42.1	42.1	42.1	.....	33.7	8.4	33.7	8.4	.....	8.4	50.5	33.7	16.8	58.9	50.5	16.8	202.1	92.6	46
9.1	.....	41.0	4.6	22.8	18.2	200.0	.....	145.6	9.1	.....	9.1	22.8	13.7	31.9	122.9	122.9	4.6	127.4	132.0	47
14.1	.....	28.3	9.4	51.8	4.7	216.8	4.7	188.5	.....	4.7	4.7	33.0	28.3	23.6	61.3	113.1	4.7	254.5	136.7	48
67.5	27.0	6.7	47.2	40.5	27.0	128.2	6.7	87.7	.....	33.7	20.2	67.5	13.5	.....	54.0	40.5	13.5	188.9	27.0	49
13.5	.....	20.2	53.9	74.1	13.5	107.8	.....	26.9	.....	13.5	.....	60.6	.....	13.5	80.8	33.7	6.7	208.8	33.7	50
50.9	.....	6.4	38.1	69.9	.....	133.5	12.7	12.7	.....	6.4	19.1	57.2	6.4	.....	57.2	38.1	6.4	178.0	25.4	51
94.7	31.6	6.3	50.5	69.4	.....	37.9	18.9	25.3	.....	6.3	6.3	94.7	.....	12.6	69.4	31.6	18.9	126.3	.....	52
30.6	.....	6.1	67.4	73.5	30.6	73.5	6.1	42.9	.....	.....	6.1	134.8	6.1	6.1	55.2	30.6	.....	165.5	30.6	53
31.0	.....	.....	55.7	111.4	18.6	136.2	24.8	55.7	12.4	.....	.....	117.6	6.2	6.2	68.1	68.1	6.2	198.1	18.6	54
106.9	23.2	9.3	46.5	181.2	18.6	102.2	9.3	23.2	18.6	13.9	13.9	111.5	13.9	.....	46.5	69.7	23.2	264.8	32.5	55
36.6	18.3	4.6	59.5	146.5	18.3	114.4	13.7	36.6	13.7	9.2	18.3	119.0	18.3	9.2	54.9	87.0	9.2	251.8	41.2	56
72.2	14.4	7.2	79.4	101.0	28.9	108.2	.....	28.9	.....	7.2	7.2	86.6	28.9	7.2	79.4	115.5	28.9	223.7	21.6	57
42.7	.....	21.4	106.9	128.2	21.4	78.4	7.1	49.9	14.2	7.1	14.2	57.0	14.2	.....	57.0	92.6	21.4	213.7	35.6	58
71.4	14.3	4.8	52.4	66.6	4.8	76.1	.....	38.1	4.8	9.5	9.5	85.7	9.5	28.6	47.6	33.3	4.8	152.3	19.0	59
47.2	9.4	9.4	47.2	61.4	33.0	136.9	9.4	18.9	14.2	9.4	.....	47.2	9.4	.....	42.5	28.3	.....	188.8	4.7	60
59.4	34.0	8.5	25.5	51.0	17.0	110.4	25.5	8.5	8.5	.....	8.5	84.9	34.0	8.5	93.4	51.0	8.5	212.3	34.0	61
51.4	8.6	.....	17.1	34.3	8.6	128.5	.....	51.4	8.6	8.6	8.6	85.7	.....	8.6	102.8	85.7	.....	145.7	17.1	62
110.8	44.3	14.8	81.3	133.0	.....	118.2	.....	22.2	7.4	.....	.....	51.7	14.8	22.2	44.3	44.3	7.4	192.1	29.6	63
58.1	.....	7.3	50.8	123.4	7.3	94.4	21.8	29.0	14.5	.....	14.5	50.8	7.3	.....	79.8	14.5	14.5	181.5	50.8	64
45.7	7.6	7.6	22.9	45.7	.....	53.4	22.9	22.9	15.2	7.6	.....	53.4	.....	7.6	30.5	53.4	22.9	259.2	38.1	65
53.6	15.3	.....	38.3	46.0	7.7	114.9	.....	7.7	15.3	15.3	7.7	61.3	15.3	.....	84.3	91.9	7.7	122.6	23.0	66
60.5	6.7	.....	67.2	141.1	13.4	134.4	.....	80.6	.....	20.2	.....	121.0	13.4	6.7	80.6	121.0	13.4	282.3	6.7	67
100.0	.....	6.7	86.7	126.7	6.7	106.7	.....	53.3	.....	13.3	6.7	100.0	13.3	13.3	46.7	93.3	20.0	246.7	26.7	68
39.3	9.8	9.8	88.4	108.0	4.9	88.4	.....	58.9	14.7	14.7	9.8	58.9	4.9	.....	39.3	98.2	24.6	235.7	34.4	69
62.8	14.5	58.0	38.6	101.4	9.7	72.5	14.5	24.2	.....	.....	14.5	67.6	14.5	.....	82.1	101.4	14.5	227.0	48.3	70
29.8	.....	19.9	.....	29.8	39.8	79.5	19.9	19.9	.....	.....	.....	29.8	9.9	9.9	39.8	59.7	.....	89.5	19.9	71
10.1	.....	20.2	20.2	40.4	10.1	70.6	.....	60.5	.....	10.1	20.2	50.4	.....	10.1	60.5	10.1	.....	131.2	30.3	72
7.6	.....	15.3	22.9	30.6	7.6	53.5	15.3	15.3	.....	.....	.....	53.5	22.9	7.6	84.1	22.9	.....	160.6	30.6	73
7.6	.....	15.3	15.3	38.2	.....	130.0	.....	76.4	7.6	.....	.....	22.9	15.3	7.6	84.1	53.5	7.6	175.8	45.9	74
76.7	4.0	.....	56.5	96.9	24.2	88.8	20.2	20.2	8.1	8.1	24.2	80.8	12.1	4.0	32.3	105.0	20.2	173.6	.....	75
44.5	.....	16.2	80.8	76.8	4.0	72.7	.....	48.5	8.1	16.2	28.3	80.8	4.0	4.0	80.8	76.8	12.1	226.3	4.0	76
31.6	12.6	25.1	44.0	100.5	6.3	62.8	6.3	31.4	.....	6.3	6.3	113.0	6.3	.....	75.3	44.0	.....	144.4	56.5	77
87.1	12.4	12.4	112.0	149.3	49.8	99.5	12.4	18.7	6.2	12.4	12.4	31.1	12.4	12.4	68.4	62.2	6.2	105.7	43.5	78

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MISSOURI—continued.															
1	St. Francois County *	1913	1,285.0	20.2	12.6	.....	10.1	5.1	17.7	63.2	5.1	7.6	166.9	12.6	7.6	10.1
2		1912	1,168.2	15.6	15.6	.....	.....	2.6	20.9	26.1	10.4	2.6	148.6	.....	23.5	13.0
3	St. Louis County	1913	1,353.6	7.5	8.6	1.1	4.3	6.5	1.1	9.7	8.6	2.2	503.6	10.8	5.4	4.3
4		1912	1,416.5	21.2	10.0	.....	1.1	5.6	13.4	20.1	10.0	2.2	504.1	5.6	7.8	5.6
5	Ste. Genevieve County	1913	832.8	56.1	9.4	.....	9.4	.....	18.7	.....	.....	.....	102.9	.....	.....	.....
6		1912	1,050.5	56.3	9.4	.....	.....	.....	.....	.....	28.1	.....	65.7	.....	.....	.....
7	Saline County	1913	1,165.1	21.4	7.1	.....	.....	.....	28.5	7.1	7.1	3.6	89.1	7.1	28.5	7.1
8		1912	1,217.7	7.0	3.5	.....	3.5	7.0	7.0	7.0	10.5	7.0	175.5	.....	10.5	3.5
9	Schuyler County	1913	919.4	35.4	.....	.....	11.8	.....	11.8	.....	35.4	.....	82.5	.....	11.8	.....
10		1912	1,246.5	46.2	.....	.....	.....	.....	.....	.....	.....	.....	127.0	.....	.....	.....
11	Scotland County	1913	978.5	8.7	.....	.....	113.6	.....	17.5	.....	8.7	.....	26.2	8.7	.....	26.2
12		1912	890.7	17.3	.....	.....	8.6	8.6	.....	.....	.....	.....	51.9	8.6	17.3	8.6
13	Scott County	1913	1,280.3	39.4	102.4	.....	.....	.....	19.7	27.6	7.9	3.9	102.4	11.8	7.9	3.9
14		1912	1,619.9	53.2	139.1	.....	.....	12.3	49.1	32.7	12.3	4.1	130.9	4.1	12.3	.....
15	Shannon County	1913	904.0	26.1	17.4	.....	8.7	.....	8.7	.....	26.1	.....	147.8	.....	8.7	8.7
16		1912	922.9	43.5	52.2	.....	8.7	.....	43.5	17.4	8.7	.....	60.9	8.7	17.4	8.7
17	Shelby County	1913	1,115.0	27.7	.....	.....	.....	.....	.....	.....	34.6	13.9	90.0	.....	20.8	6.9
18		1912	1,063.7	41.2	.....	.....	.....	6.9	13.7	13.7	6.9	6.9	102.9	6.9	20.6	13.7
19	Stoddard County	1913	1,370.3	38.2	107.5	.....	3.5	.....	10.4	69.4	20.8	6.9	104.1	3.5	13.9	6.9
20		1912	1,683.8	59.6	238.5	.....	3.5	3.5	52.6	49.1	21.0	10.5	126.3	3.5	7.0	.....
21	Stone County †	1913	776.9	24.8	.....	.....	.....	.....	33.1	8.3	.....	.....	57.9	.....	.....	.....
22		1912	628.7	33.5	16.8	.....	.....	.....	8.4	33.5	8.4	.....	41.9	16.8	8.4	8.4
23	Sullivan County	1913	1,041.4	33.2	11.1	.....	5.5	.....	16.6	11.1	11.1	5.5	99.7	.....	11.1	5.5
24		1912	960.4	16.5	.....	.....	.....	5.5	16.5	.....	5.5	.....	49.4	.....	16.5	.....
25	Taney County	1913	1,021.2	22.7	102.1	.....	11.3	.....	11.3	45.4	22.7	.....	68.1	22.7	11.3	11.3
26		1912	1,021.0	22.4	67.3	.....	.....	.....	.....	44.9	.....	11.2	33.7	.....	.....	.....
27	Texas County	1913	914.2	18.8	4.7	.....	.....	.....	9.4	14.1	14.1	4.7	84.8	4.7	9.4	4.7
28		1912	1,004.9	14.1	9.4	.....	.....	.....	4.7	9.4	9.4	14.1	126.8	23.5	18.8	.....
29	Vernon County *	1913	1,407.5	14.3	7.2	.....	3.6	3.6	3.6	3.6	17.9	10.7	93.1	3.6	7.2	7.2
30		1912	1,460.8	56.7	7.1	.....	.....	3.5	14.2	3.5	10.6	10.6	117.0	3.5	7.1	17.7
31	Warren County	1913	958.7	11.3	.....	.....	.....	.....	.....	22.6	22.6	11.3	67.7	.....	22.6	11.3
32		1912	1,061.9	11.2	.....	.....	.....	11.2	11.2	.....	.....	.....	123.0	.....	11.2	.....
33	Washington County	1913	1,046.4	30.6	7.6	.....	7.6	.....	15.3	30.6	15.3	7.6	114.6	.....	7.6	7.6
34		1912	1,130.4	45.5	.....	.....	.....	.....	7.6	22.8	7.6	.....	212.4	.....	7.6	15.2
35	Wayne County	1913	977.6	33.0	19.8	.....	13.2	.....	33.0	33.0	26.4	.....	72.7	.....	.....	.....
36		1912	1,141.8	19.8	52.8	.....	.....	.....	13.2	33.0	.....	6.6	99.0	.....	19.8	6.6
37	Webster County	1913	828.8	73.8	.....	.....	5.7	.....	5.7	5.7	22.7	5.7	130.6	5.7	.....	11.4
38		1912	1,140.2	45.6	17.1	.....	.....	.....	22.8	28.5	17.1	11.4	148.2	5.7	.....	5.7
39	Worth County	1913	876.6	.....	13.5	.....	.....	.....	.....	.....	.....	13.5	27.0	13.5	13.5	13.5
40		1912	710.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	39.5	13.2	.....	.....
41	Wright County	1913	963.8	16.2	5.4	.....	.....	.....	5.4	26.9	26.9	.....	123.8	.....	10.8	.....
42		1912	968.0	21.6	5.4	.....	.....	.....	.....	70.3	21.6	.....	140.6	5.4	10.8	5.4
	MONTANA.															
43	Total	1913	1,037.1	19.5	0.3	1.0	11.8	23.3	8.0	5.4	7.7	1.9	78.0	5.1	8.6	5.8
44		1912	885.1	13.9	.....	0.7	2.0	7.0	15.2	3.3	3.0	2.0	92.1	3.0	6.0	5.0
45	White	1913	966.8	17.8	0.3	1.0	6.0	14.8	7.0	3.7	8.1	1.7	59.4	3.7	7.0	5.7
46		1912	823.7	14.6	.....	0.3	2.1	7.3	9.8	3.5	3.1	2.1	60.3	0.7	4.9	5.2
47	Colored	1913	2,440 5	53.6	.....	.....	127.4	194.4	26.8	40.2	.....	6.7	449.2	33.5	40.2	6.7
48		1912	2,078.0	.....	.....	6.8	.....	.....	121.8	.....	.....	.....	710.7	47.4	27.1	.....
49	Beaverhead County	1913	967.7	14.9	.....	.....	14.9	29.8	.....	.....	.....	14.9	44.7	.....	14.9	14.9
50		1912	784.0	15.1	.....	.....	.....	.....	.....	.....	15.1	.....	15.1	.....	.....	.....
51	Broadwater County	1913	875.8	.....	.....	26.5	.....	.....	.....	.....	26.5	.....	79.6	.....	.....	.....
52		1912	1,032.0	.....	.....	.....	.....	.....	54.3	.....	.....	.....	27.2	.....	.....	.....
53	Carbon County † [3]	1912	694.8	6.5	.....	.....	.....	6.5	26.0	.....	.....	13.0	39.0	.....	6.5	6.5
54	Cascade County †	1913	654.5	.....	.....	.....	6.2	49.4	6.2	.....	.....	.....	37.0	.....	12.3	12.3
55		1912	456.1	6.3	.....	.....	.....	.....	19.0	.....	.....	.....	19.0	.....	.....	.....
56	Chouteau County [4]	1913	1,394.9	57.3	.....	.....	5.2	20.8	5.2	.....	5.2	15.6	78.1	5.2	15.6	.....
57		1912	882.5	10.8	.....	.....	16.1	10.8	.....	10.8	.....	10.8	134.5	.....	5.4	.....
58	Custer County †	1913	720.3	30.0	.....	.....	.....	6.0	12.0	12.0	.....	.....	42.0	6.0	6.0	6.0
59		1912	617.6	18.9	.....	.....	.....	.....	6.3	6.3	6.3	.....	63.0	.....	.....	.....
60	Dawson County	1913	977.2	43.6	.....	.....	6.2	12.4	6.2	6.2	18.7	.....	49.8	.....	.....	.....
61		1912	745.4	33.3	.....	.....	.....	.....	6.7	.....	.....	.....	46.6	.....	6.7	.....
62	Deer Lodge County *	1913	4,110.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	606.5	.....	.....	.....
63		1912	3,614.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	136.4	.....	.....	.....
64	Fergus County	[5] 1913	1,014.6	21.1	.....	1.4	32.3	57.6	5.6	8.4	14.1	.....	57.6	1.4	7.0	5.6
65		[6] 1912	803.7	15.3	.....	.....	2.6	7.7	20.4	5.1	.....	.....	56.1	2.6	2.6	7.7
66	Flathead County	1913	935.7	22.4	.....	.....	.....	4.5	9.0	.....	4.5	4.5	44.8	.....	13.4	4.5
67		1912	796.0	23.6	.....	.....	.....	4.7	4.7	.....	.....	.....	51.8	.....	.....	.....
68	Gallatin County	1913	984.0	12.9	.....	.....	.....	6.4	19.3	6.4	12.9	.....	38.6	6.4	.....	6.4
69		1912	941.0	19.9	.....	.....	.....	6.6	.....	.....	13.3	6.6	39.8	.....	6.6	13.3
70	Granite County	1913	1,243.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	80.2	.....	40.1	.....
71		1912	1,176.9	38.0	.....	.....	.....	.....	.....	38.0	.....	.....	38.0	.....	.....	.....
72	Jefferson County	1913	878.9	.....	.....	.....	35.2	17.6	.....	.....	17.6	.....	35.2	.....	.....	17.6
73		1912	900.9	17.7	.....	.....	17.7	.....	.....	.....	.....	.....	70.7	.....	.....	.....
74	Lewis and Clark County †	1913	705.2	.....	.....	.....	.....	31.1	10.4	10.4	10.4	.....	.....	.....	.....	.....
75		1912	597.0	10.5	.....	.....	.....	.....	.....	.....	.....	.....	41.9	.....	.....	10.5
76	Lincoln County	1913	1,109.3	23.1	.....	23.1	.....	23.1	.....	.....	.....	.....	23.1	.....	.....	23.1
77		1912	802.7	.....	.....	.....	24.3	.....	.....	.....	.....	.....	.....	.....	.....	24.3

[1] Exclusive of stillbirths.
[2] Exclusive of municipalities having a population of 10,000 or over in 1910.
[3] See Fergus County for 1913.
[4] Includes Hill and Blaine Counties, organized Feb. 28 and Feb. 29, 1912, respectively; separate estimated populations not available.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
58.2	2.5	5.1	43.0	48.1	27.8	136.6	12.6	111.3	2.5	10.1	7.6	78.4	7.6	2.5	93.6	70.8	10.1	194.8	22.8	1
15.6	15.6	10.4	39.1	33.9	23.5	127.8	2.6	73.0	7.8	13.0	13.0	75.6	5.2	7.8	93.9	78.2	7.8	213.8	31.3	2
34.4	6.5	7.5	53.8	82.9	26.9	86.1	9.7	39.8	4.3	5.4	15.1	78.6	4.3	7.5	46.3	93.6	24.7	149.6	3.2	3
48.0	6.7	8.9	55.8	81.4	36.8	82.5	6.7	53.5	1.1	10.0	15.6	66.9	6.7	4.5	53.5	82.5	30.1	156.2	2.2	4
9.4	9.4	.....	9.4	37.4	28.1	74.9	.....	74.9	.....	.....	9.4	28.1	9.4	9.4	74.9	84.2	18.7	149.7	9.4	5
18.8	18.8	.....	37.5	93.8	18.8	103.2	18.8	65.7	.....	9.4	56.3	28.1	9.4	.....	65.7	103.2	.....	206.3	37.5	6
46.3	14.3	.....	71.3	149.6	17.8	49.9	14.3	67.7	7.1	3.6	17.8	71.3	3.6	.....	49.9	46.3	3.6	306.4	17.8	7
73.7	10.5	17.5	56.1	157.9	17.5	70.2	7.0	38.6	.....	.....	14.0	38.6	7.0	10.5	56.1	70.2	10.5	287.7	31.6	8
47.1	35.4	47.1	58.9	70.7	23.6	94.3	11.8	11.8	.....	.....	.....	58.9	.....	.....	35.4	35.4	11.8	165.0	23.6	9
103.9	.....	11.5	57.7	92.3	11.5	115.4	11.5	23.1	.....	11.5	34.6	80.8	.....	23.1	57.7	57.7	.....	357.8	23.1	10
26.2	.....	8.7	17.5	96.1	17.5	96.1	17.5	26.2	.....	17.5	8.7	96.1	.....	17.5	69.9	61.2	8.7	166.0	17.5	11
112.4	25.9	.....	43.2	60.5	34.6	51.9	8.6	8.6	8.6	8.6	8.6	60.5	8.6	17.3	43.2	8.6	8.6	224.8	25.9	12
23.6	3.9	3.9	19.7	43.3	31.5	157.6	3.9	122.1	15.8	7.9	15.8	47.3	11.8	11.8	122.1	90.6	23.6	145.8	51.2	13
12.3	4.1	61.4	20.5	49.1	32.7	171.8	16.4	167.7	8.2	4.1	12.3	49.1	16.4	4.1	122.7	135.0	16.4	220.9	45.0	14
34.8	.....	.....	17.4	69.5	17.4	95.6	.....	52.2	.....	.....	8.7	52.2	34.8	26.1	86.9	8.7	.....	95.6	52.2	15
17.4	8.7	17.4	17.4	8.7	.....	43.5	8.7	52.2	8.7	43.5	.....	34.8	8.7	26.1	87.1	26.1	8.7	174.1	60.9	16
69.3	13.9	13.9	90.0	76.2	6.9	90.0	6.9	27.7	20.8	.....	6.9	173.1	27.7	.....	55.4	55.4	6.9	173.1	6.9	17
48.0	6.9	6.9	61.8	75.5	.....	123.5	6.9	6.9	.....	.....	13.7	82.3	20.6	6.9	61.8	48.0	34.3	205.9	20.6	18
24.3	.....	17.3	20.8	48.6	10.4	242.8	3.5	118.0	3.5	10.4	13.9	34.7	10.4	13.9	121.4	65.9	.....	135.3	90.2	19
42.1	10.5	31.6	14.0	35.1	14.0	210.5	28.1	94.7	.....	14.0	10.5	42.1	21.0	7.0	157.9	49.1	10.5	259.6	56.1	20
8.3	8.3	8.3	16.5	24.8	8.3	90.9	.....	41.3	.....	.....	.....	24.8	24.8	.....	66.1	41.3	8.3	173.6	107.4	21
33.5	.....	8.4	8.4	33.5	16.8	16.8	.....	16.8	8.4	.....	.....	16.8	8.4	.....	41.9	50.3	8.4	134.1	50.3	22
49.9	11.1	5.5	38.8	105.3	.....	99.7	11.1	49.9	5.5	22.2	.....	66.5	5.5	.....	66.5	55.4	16.6	193.9	27.7	23
32.9	5.5	11.0	54.9	137.2	16.5	120.7	16.5	22.0	5.5	11.0	.....	54.9	.....	.....	93.3	32.9	16.5	181.1	38.4	24
.....	.....	.....	11.3	.....	22.7	45.4	22.7	124.8	22.7	22.7	.....	34.0	.....	34.0	102.1	56.7	11.3	136.2	45.4	25
22.4	.....	11.2	22.4	44.9	.....	44.9	22.4	44.9	11.2	11.2	11.2	56.1	11.2	22.4	101.0	78.5	22.4	179.5	123.4	26
56.5	9.4	33.0	23.6	56.5	14.1	117.8	9.4	23.6	.....	14.1	14.1	42.4	18.8	4.7	61.3	33.0	9.4	179.1	23.6	27
32.9	9.4	4.7	23.5	131.5	14.1	112.7	.....	28.2	14.1	4.7	23.5	51.7	.....	14.1	98.6	18.8	14.1	136.2	42.3	28
39.5	10.7	3.6	78.8	175.5	21.5	75.2	25.1	57.3	7.2	10.7	21.5	103.9	3.6	10.7	86.0	82.4	28.7	336.7	3.6	29
78.0	3.5	17.7	113.5	106.4	17.7	138.3	17.7	31.9	17.7	10.6	14.2	109.9	3.5	21.3	95.7	74.5	21.3	304.9	10.6	30
79.0	22.6	.....	112.8	146.6	45.1	112.8	.....	.....	.....	.....	22.6	33.8	.....	.....	45.1	56.4	.....	101.5	11.3	31
33.5	33.5	22.4	33.5	156.5	44.7	134.1	11.2	55.9	.....	.....	.....	100.6	.....	11.2	44.7	33.5	.....	167.7	11.2	32
53.5	.....	.....	53.5	53.5	7.6	145.1	7.6	45.8	15.3	7.6	7.6	76.4	.....	.....	53.5	76.4	7.6	168.0	22.9	33
75.9	15.2	7.6	37.9	75.9	7.6	68.3	30.3	53.1	7.6	.....	30.3	83.5	7.6	.....	45.5	53.1	7.6	159.3	45.5	34
33.0	.....	13.2	19.8	39.6	19.8	85.9	.....	112.3	6.6	13.2	6.6	19.8	13.2	19.8	92.5	26.4	.....	191.6	33.0	35
59.4	6.6	19.8	6.6	39.6	26.4	138.6	19.8	79.2	13.2	19.8	.....	46.2	26.4	.....	72.6	66.0	19.8	171.6	59.4	36
28.4	11.4	22.7	17.0	39.7	5.7	102.2	.....	11.4	.....	.....	5.7	45.4	17.0	.....	34.1	28.4	.....	159.0	34.1	37
74.1	.....	11.4	39.9	79.8	22.8	131.1	5.7	17.1	11.4	5.7	11.4	62.7	.....	11.4	57.0	34.2	5.7	193.8	62.7	38
94.4	27.0	.....	94.4	40.5	13.5	94.4	13.5	27.0	.....	13.5	.....	67.4	.....	40.5	40.5	13.5	13.5	188.8	.....	39
65.8	.....	.....	39.5	78.9	.....	52.6	13.2	39.5	.....	13.2	.....	65.8	.....	26.3	39.5	13.2	.....	197.4	13.2	40
26.9	21.5	.....	32.3	75.4	5.4	102.3	10.8	32.3	5.4	5.4	5.4	43.1	16.2	5.4	59.2	53.8	5.4	183.1	59.2	41
48.7	10.8	16.2	27.0	48.7	21.6	81.1	16.2	37.9	5.4	.....	10.8	48.7	5.4	5.4	48.7	75.7	.....	146.0	32.4	42
37.7	8.0	11.2	32.9	79.2	8.3	101.9	11.8	38.3	14.4	6.1	10.2	42.2	7.7	8.9	59.4	144.4	21.7	185.0	31.3	43
32.5	5.6	8.0	34.5	61.3	8.6	78.5	9.9	18.9	10.6	6.6	7.0	48.4	7.3	11.3	60.3	129.5	14.9	156.4	22.2	44
30.3	8.4	10.4	33.2	81.2	8.1	85.2	10.4	38.2	14.1	6.4	10.4	42.3	7.4	8.7	60.7	145.6	21.8	177.5	21.5	45
33.4	5.2	7.3	35.2	61.3	8.0	64.4	9.8	18.8	10.1	6.6	7.3	48.8	7.3	11.1	61.0	132.7	15.3	149.4	16.7	46
6.7	.....	26.8	26.8	40.2	13.4	435.8	40.2	40.2	20.1	.....	6.7	40.2	13.4	13.4	33.5	120.7	20.1	335.2	228.0	47
13.5	13.5	20.3	20.3	60.9	20.3	352.0	13.5	20.3	20.3	6.8	.....	40.6	6.8	13.5	47.4	67.7	6.8	291.1	128.6	48
74.4	.....	.....	44.7	44.7	14.9	134.0	14.9	.....	14.9	.....	.....	44.7	14.9	.....	29.8	119.1	14.9	238.2	14.9	49
30.2	.....	15.1	45.2	90.5	.....	60.3	30.2	.....	15.1	.....	.....	45.2	15.1	15.1	45.2	165.8	30.2	120.6	15.1	50
106.2	.....	26.5	53.1	132.7	.....	.....	26.5	26.5	26.5	.....	.....	53.1	.....	26.5	53.1	53.1	26.5	106.2	26.5	51
54.3	.....	.....	81.5	54.3	.....	54.3	.....	108.6	27.2	.....	.....	81.5	.....	27.2	81.5	190.1	54.3	135.8	.....	52
19.5	6.5	6.5	32.5	45.5	19.5	64.9	.....	19.5	.....	6.5	.....	32.5	.....	19.5	64.9	90.9	13.0	142.8	6.5	53
18.5	.....	6.2	6.2	49.4	.....	67.9	.....	18.5	6.2	6.2	.....	6.2	.....	6.2	49.4	135.8	30.9	105.0	18.5	54
19.0	.....	.....	19.0	31.7	6.3	50.7	6.3	38.0	.....	12.7	.....	12.7	.....	.....	31.7	126.7	12.7	31.7	12.7	55
46.8	15.6	.....	31.2	119.7	10.4	156.1	20.8	57.3	10.4	10.4	20.8	46.8	5.2	10.4	88.5	150.9	41.6	255.0	88.5	56
48.4	10.8	10.8	26.9	59.2	5.4	64.6	5.4	21.5	5.4	5.4	16.1	43.1	10.8	5.4	48.4	123.8	16.1	123.8	32.3	57
6.0	6.0	6.0	18.0	42.0	12.0	30.0	6.0	36.0	30.0	12.0	6.0	24.0	6.0	12.0	30.0	114.1	30.0	150.1	24.0	58
12.6	.....	6.3	18.9	44.1	.....	31.5	12.6	12.6	31.5	.....	.....	69.3	6.3	12.6	63.0	81.9	.....	94.5	18.9	59
37.3	12.4	.....	31.1	56.0	12.4	112.0	6.2	56.0	12.4	.....	6.2	31.1	12.4	31.1	80.9	155.6	18.7	112.0	49.8	60
13.3	6.7	13.3	33.3	46.6	6.7	20.0	20.0	13.3	13.3	6.7	6.7	6.7	6.7	52.2	113.1	173.0	6.7	53.2	39.9	61
33.7	.....	.....	336.9	336.9	.....	101.1	33.7	.....	.....	.....	.....	67.4	.....	.....	.....	33.7	67.4	2,493.3	.....	62
.....	.....	.....	340.9	340.9	.....	34.1	.....	.....	.....	.....	.....	34.1	.....	34.1	.....	170.5	34.1	2,420.7	68.2	63
21.1	5.6	18.3	22.5	56.2	2.8	127.9	8.4	37.9	16.9	2.8	5.6	35.1	8.4	4.2	73.1	140.5	26.7	141.9	46.4	64
23.0	5.1	7.7	20.4	58.7	5.1	89.3	7.7	10.2	15.3	2.6	10.2	35.7	7.7	10.2	56.1	127.6	23.0	145.4	23.0	65
62.7	.....	13.4	40.3	89.5	.....	94.0	13.4	35.8	13.4	13.4	9.0	31.3	13.4	4.5	53.7	156.7	17.9	165.7	.....	66
33.0	4.7	14.1	23.6	89.5	.....	51.8	9.4	23.6	18.8	14.1	4.7	61.2	9.4	.....	65.9	117.8	23.6	136.6	9.4	67
70.7	12.9	19.3	32.2	115.8	6.4	83.6	19.3	32.2	12.9	6.4	.....	96.5	6.4	6.4	70.7	83.6	12.9	180.1	6.4	68
125.9	.....	6.6	46.4	53.0	.....	33.1	6.6	6.6	33.1	33.1	6.6	59.6	13.3	6.6	112.6	92.8	6.6	178.9	13.3	69
40.1	.....	.....	80.2	.....	40.1	200.5	.....	.....	.....	.....	.....	.....	.....	.....	80.2	240.6	40.1	360.9	40.1	70
.....	.....	38.0	75.9	38.0	38.0	189.8	151.9	.....	.....	.....	.....	38.0	38.0	75.9	.....	151.9	.....	227.8	.....	71
17.6	17.6	.....	52.7	105.5	.....	52.7	17.6	17.6	.....	.....	35.2	52.7	.....	.....	17.6	105.5	35.2	210.9	17.6	72
53.0	35.3	.....	70.7	35.3	17.7	88.3	.....	.....	.....	.....	.....	70.7	53.0	17.7	17.7	141.3	17.7	141.3	35.3	73
41.5	10.4	.....	20.7	124.4	.....	20.7	20.7	20.7	.....	20.7	41.5	134.8	.....	10.4	10.4	41.5	.....	124.4	.....	74
41.9	.....	10.5	10.5	31.4	.....	73.3	.....	10.5	.....	.....	20.9	157.1	.....	10.5	.....	62.8	20.9	83.8	.....	75
69.3	23.1	23.1	23.1	69.3	.....	115.6	23.1	69.3	23.1	.....	.....	23.1	.....	.....	23.1	300.4	46.2	161.8	.....	76
24.3	.....	.....	24.3	97.3	.....	24.3	.....	48.6	.....	.....	.....	24.3	.....	.....	145.9	218.9	48.6	73.0	24.3	77

[5] Includes Big Horn, Carbon, Meagher, Musselshell, Rosebud, Stillwater, Sweet Grass, and Yellowstone Counties; separate estimated populations not available. See General Table 2 for notes.

[6] Includes Meagher, Yellowstone, and Musselshell Counties, the last named formed from part of the other three, Mar. 1, 1911; separate estimated populations not available.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MONTANA—continued.															
1	Madison County	1913	1,031.2				56.5						84.8			
2		1912	898.2	14.0						14.0			28.1			
3	Missoula County	1913	896.6		8.5				17.1				93.9			
4		1912	903.2	8.8					61.4		35.1	8.8	105.2	26.3	8.8	
5	Park County	1913	971.9	25.4			8.5		16.9		16.9		59.2	8.5	8.5	
6		1912	1,035.8	17.4					52.2	8.7			52.2		17.4	8.7
7	Powell County	1913	1,122.9					33.0					33.0			
8		1912	948.7	16.6									33.2		33.3	
9	Ravalli County †	1913	696.9	7.7				7.7	7.7		7.7		54.2		7.7	7.7
10		1912	614.8	8.0									71.9			16.0
11	Rosebud County[3]	1912	1,292.9	33.4									412.4	22.3	11.1	
12	Sanders County	1913	1,278.5						23.2	23.2			23.2		46.5	23.2
13		1912	874.0										72.8			
14	Silver Bow County	1913	1,472.0	5.4			5.4	21.4	5.4			5.4	315.8	21.4	16.1	5.4
15		1912	1,284.8	5.4				65.3		10.9			261.3	10.9	27.2	16.3
16	Sweet Grass County[3]	1912	778.5												23.6	
17	Teton County	1913	1,236.8				9.1	9.1	18.2	27.3	9.1		45.5		18.2	18.2
18		1912	1,261.4	9.5		19.0		9.5	104.3		9.5		218.1			9.5
19	Valley County	[4] 1913	1,063.5	54.1			6.0		6.0	12.0			144.2	42.1	12.0	6.0
20		1912	961.5	6.4					12.7				178.3	6.4	6.4	
	NEW HAMPSHIRE.															
21	Total	1913	1,656.8	11.8		0.4	14.9	2.7	7.5	9.8	20.4	1.6	99.6	8.6	10.2	6.7
22		1912	1,628.7	7.4		0.8	2.7	2.7	10.6	13.3	18.4	5.1	108.4	6.3	4.7	4.7
23	White	1913	1,658.2	11.8		0.4	14.9	2.7	7.5	9.8	20.4	1.6	99.8	8.6	10.2	6.7
24		1912	1,627.3	7.4		0.8	2.7	2.7	10.2	13.3	18.4	5.1	108.6	6.3	4.7	4.7
25	Colored	1913	588.2													
26		1912	2,654.9						295.0							
27	Belknap County	1913	1,825.4				36.3		18.2		45.4		81.7			9.1
28		1912	1,674.5				9.1			9.1	27.2		63.4		9.1	9.1
29	Carroll County	1913	1,754.4	18.6							49.6		80.6		12.4	
30		1912	1,482.5	6.2				6.2		6.2	37.1	6.2	37.1	6.2	6.2	
31	Cheshire County	1913	1,553.4	14.9			10.0	14.9	5.0	5.0	10.0	5.0	84.6	10.0	5.0	5.0
32		1912	1,541.3	4.9			4.9		9.9	4.9	4.9	9.9	138.3			14.8
33	Coos County	1913	1,523.0	10.8			10.8		5.4	5.4			97.6	5.4	10.8	5.4
34		1912	1,380.7	5.4					10.7	21.5	5.4	5.4	96.7	5.4	5.4	
35	Grafton County	1913	1,639.1	9.5			19.1	2.4	4.8	9.5	21.5		74.0	14.3	7.2	7.2
36		1912	1,728.3	12.0			2.4	7.2	9.6		16.7	14.3	110.0	7.2	7.2	4.8
37	Hillsborough County	1913	1,990.7	3.4				6.8	3.4	10.2	17.0		166.5	6.8	27.2	10.2
38		1912	1,813.4	3.4			3.4	6.8	10.1	16.9	10 1		155.3	3.4	3.4	
39	Merrimack County	1913	1,757.3	9.5			28.5		22.2	6.3	31.7		130.1	6.3	12.7	6.3
40		1912	1,476.8			6.3	3.2			3.2	9.5	6.3	110.7	3.2	3.2	6.3
41	Rockingham County	1913	1,471.0	12.2			14.6	2.4	7.3	12.2	19.5	2.4	92.5	7.3	9.7	9.7
42		1912	1,670.0	4.9					21.9	9.8	36.6		121.9	4.9	4.9	
43	Strafford County	1913	1,576.3	27.4		3.9	11.7		7.8	31.3	15.6		86.1	15.6	3.9	3.9
44		1912	1,569.7	27.3			7.8		19.5	43.0	11.7	3.9	109.3	3.9	3.9	7.8
45	Sullivan County	1913	1,583.4	10.1			20.2			5.1	5.1	10.1	80.9	10.1	5.1	5.1
46		1912	1,792.9	5.1				5.1	10.2	30.6	25.5		66.2	30.6	5.1	10.2
	NEW JERSEY.															
47	Total	1913	1,402.2	8.7	0.4		8.0	6.5	13.3	19.7	13.6	3.0	146.4	5.0	8.0	7.0
48		1912	1,365.8	11.3	2.3	0.1	9.2	5.2	6.2	18.4	9.5	2.9	136.2	5.8	8.1	6.1
49	White	1913	1,378.7	8.7	0.4		8.0	6.6	12.5	19.9	13.8	3.1	136.4	5.0	7.2	6.8
50		1912	1,348.1	11.4	2.3	0.1	9.2	5.4	5.9	18.4	9.5	2.7	128.3	5.4	7.8	5.8
51	Colored	1913	1,975.2	7.9			7.9	5.3	34.2	13.2	7.9		389.3	5.3	26.3	13.2
52		1912	1,797.5	8.0	2.7		8.0		13.4	18.8	10.7	5.4	330.0	16.1	16.1	13.4
53	Atlantic County	1913	1,478.0	10.7			17.8	3.6	28.5	7.1	14.2		117.5	10.7	14.2	3.6
54		1912	1,480.8	21.9						7.3	3.7	7.3	120.7	3.7	11.0	3.7
55	Bergen County	1913	1,097.2	10.8			3.9	3.1	8.5	16.2	7.0	1.5	90.4	9.3	9.3	3.9
56		1912	1,047.9	6.4	0.8		9.6	5.6	4.0	12.8	8.8	0.8	72.3	8.8	6.4	7.2
57	Burlington County	1913	1,576.4	13.0	1.4		7.2	7.2	13.0	17.3	15.9	1.4	106.8	5.8	13.0	5.8
58		1912	1,506.7	27.8				7.3	5.8	20.5	13.2	2.9	121.3	2.9	8.8	4.4
59	Camden County	1913	1,322.7	19.0			7.6	3.8	17.1	22.8	11.4	5.7	153.9	7.6	7.6	9.5
60		1912	1,417.0	15.7	2.0		7.8	2.0	3.9	11.8	3.9	11.8	139.2	7.8	17.6	11.8
61	Cape May County	1913	1,225.4	13.7			13.7		9.1	18.3	4.6		96.0	4.6	4.6	4.6
62		1912	1,060.9	4.7					4.7	4.7			47.2	9.4	4.7	4.7
63	Cumberland County	1913	1,416.8	6.9				3.4	17.2	10.3	20.6	6.9	116.9		3.4	10.3
64		1912	1,522.6	6.9			3.5			10.4	6.9		128.0	6.9	3.5	6.9
65	Essex County	1913	1,743.3	4.3			12.9	27.9	10.7	113.9	10.7	4.3	417.0	8.6	4.3	2.1
66		1912	1,820.7	4.4	2.2	2.2	13.3	22.2		95.4	4.4		432.4	2.2	8.9	4.4
67	Gloucester County	1913	1,361.7	7.7			2.6	7.7	5.1	5.1	15.3		102.2	2.6	7.7	10.2
68		1912	1,246.4	25.9	7.8			5.2		7.8	7.8	2.6	95.9	5.2		
69	Hudson County	1913	2,147.1	4.3			13.0	8.7	4.3	41.1	4.3	8.7	538.9	6.5	2.2	8.7
70		1912	1,927.6	11.2	2.2		9.0	13.5	2.2	51.7	4.5	4.5	449.9	11.2	6.7	22.5
71	Hunterdon County	1913	1,467.0	21.0			6.0	15.0	3.0	12.0	15.0	3.0	111.2	6.0	12.0	6.0
72		1912	1,474.8	18.0	3.0		3.0		6.0	15.0	9.0		77.9	3.0	18.0	3.0
73	Mercer County	1913	1,240.1	9.7			6.4	22.5	6.4	3.2	16.1	3.2	222.2	3.2	12.9	3.2
74		1912	1,218.7							13.2	13.2		168.0	3.3	3.3	3.3
75	Middlesex County	1913	1,299.7	3.1			6.2	4.7	34.2	12.4	9.3	1.6	87.0	3.1	3.1	7.8
76		1912	1,322.4	14.4	1.6		23.9		16.0	4.8	11.2	3.2	97.3	4.8	8.0	3.2

[1] Exclusive of stillbirths.
[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
70.6	14.1	14.1	28.3	141.3	14.1	42.4	42.4	28.3	.....	.....	14.1	42.4	14.1	.....	56.5	84.8	28.3	211.9	42.4	1
28.1	14.0	14.0	28.1	84.2	.....	56.1	28.1	56.1	.....	14.0	.....	140.4	.....	.....	70.2	98.2	14.0	182.5	14.0	2
42.7	8.5	8.5	42.7	85.4	17.1	76.9	17.1	17.1	8.5	.....	.....	.....	17.1	8.5	42.7	196.4	17.1	128.1	42.7	3
17.5	.....	8.8	8.8	43.8	8.8	87.7	.....	8.8	.....	.....	.....	43.8	.....	.....	43.8	228.0	17.5	78.9	52.6	4
50.7	8.5	8.5	59.2	93.0	.....	76.1	.....	59.2	8.5	8.5	16.9	16.9	25.4	.....	67.6	135.2	8.5	177.5	8.5	5
43.5	8.7	8.7	26.1	17.4	26.1	121.9	17.4	26.1	8.7	17.4	8.7	78.3	17.4	26.1	34.8	95.7	8.7	278.5	8.7	6
16.5	33.0	.....	99.1	99.1	16.5	99.1	.....	16.5	.....	16.5	16.5	115.6	16.5	16.5	33.0	165.1	16.5	280.7	.....	7
16.6	.....	.....	116.5	149.8	.....	149.8	.....	16.6	.....	16.6	.....	.....	.....	.....	83.2	99.9	.....	149.8	16.6	8
31.0	15.5	7.7	54.2	116.2	.....	77.4	.....	.....	.....	.....	.....	46.5	.....	.....	38.7	54.2	7.7	131.6	15.5	9
39.9	8.0	.....	55.9	71.9	16.0	31.9	.....	16.0	8.0	8.0	16.0	47.9	.....	8.0	47.9	24.0	16.0	103.8	.....	10
22.3	11.1	.....	33.4	33.4	.....	312.1	.....	.....	.....	.....	.....	11.1	.....	.....	22.3	211.8	.....	133.7	22.3	11
69.7	.....	23.2	23.2	116.2	.....	69.7	23.2	23.2	.....	.....	23.2	46.5	.....	.....	46.5	348.7	23.2	255.7	46.5	12
24.3	.....	.....	48.6	97.1	.....	121.4	.....	.....	.....	.....	.....	48.6	.....	.....	145.7	121.4	.....	194.2	.....	13
48.2	5.4	16.1	10.7	96.3	48.2	128.5	10.7	74.9	10.7	5.4	37.5	85.6	10.7	5.4	58.9	235.5	16.1	144.5	21.4	14
27.2	10.9	10.9	32.7	54.4	32.7	125.2	21.8	38.1	.....	.....	16.3	81.7	5.4	.....	38.1	223.2	10.9	147.0	10.9	15
23.6	.....	.....	.....	23.6	.....	47.2	23.6	.....	23.6	.....	.....	23.6	23.6	.....	141.5	235.9	.....	141.5	47.2	16
18.2	9.1	18.2	9.1	27.3	9.1	163.7	27.3	100.0	63.7	9.1	9.1	36.4	.....	27.3	100.0	209.2	9.1	227.4	9.1	17
19.0	.....	19.0	9.5	47.4	28.5	113.3	9.5	28.5	28.5	9.5	.....	37.9	9.5	28.5	66.4	113.8	9.5	265.6	37.9	18
30.0	6.0	12.0	24.0	36.1	6.0	126.2	6.0	36.1	24.0	12.0	6.0	12.0	.....	30.0	66.1	150.2	6.0	132.2	60.1	19
38.2	12.7	6.4	44.6	101.9	6.4	76.4	6.4	12.7	6.4	.....	19.1	12.7	6.4	6.4	76.4	101.9	19.1	127.4	70.0	20
114.9	25.1	14.1	133.0	191.8	27.8	138.5	17.3	56.9	8.2	13.7	10.6	123.2	2.4	7.5	96.5	73.3	16.5	377.3	14.1	21
116.3	17.6	12.5	151.5	193.8	30.1	126.5	19.2	25.1	6.3	9.8	11.0	129.6	5.1	8.2	82.2	77.1	15.7	396.6	9.4	22
115.1	25.1	14.1	133.1	192.1	27.9	138.6	17.3	57.0	8.2	13.7	10.6	122.9	2.4	7.5	96.2	73.4	16.5	377.8	14.1	23
116.4	17.6	12.5	151.7	194.1	30.2	125.4	19.2	25.1	6.3	9.8	11.0	129.0	5.1	8.2	82.3	76.4	15.7	396.7	9.4	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	294.1	.....	.....	294.1	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	885.0	.....	.....	.....	.....	.....	590.0	.....	.....	.....	590.0	.....	295.0	.....	26
90.8	45.4	9.1	136.2	208.9	36.3	163.5	27.2	54.5	18.2	18.2	18.2	136.2	9.1	18.2	45.4	99.9	9.1	463.2	27.2	27
135.8	27.2	.....	135.8	226.3	45.3	144.8	18.1	18.1	9.1	.....	9.1	126.7	9.1	.....	63.4	108.6	27.2	434.5	9.1	28
155.0	18.6	.....	186.0	217.0	43.4	142.6	6.2	62.0	6.2	12.4	12.4	105.4	.....	6.2	74.4	86.8	6.2	427.7	21.8	29
135.9	24.7	6.2	80.3	228.6	12.4	142.1	30.9	12.4	.....	.....	.....	111.2	6.2	6.2	61.8	86.5	18.5	376.8	30.9	30
89.6	24.9	19.9	184.2	164.3	44.8	164.3	5.0	79.7	10.0	5.0	10.0	69.7	.....	.....	104.6	74.7	14.9	313.7	5.0	31
69.2	4.9	4.9	118.6	182.8	39.5	118.6	14.8	24.7	4.9	14.8	9.9	123.5	.....	9.9	84.0	113.6	9.9	395.2	4.9	32
97.6	16.3	10.8	103.0	173.4	27.1	178.9	32.5	16.3	10.8	10.8	16.3	92.1	.....	21.7	119.2	59.6	21.7	336.0	27.1	33
134.3	21.5	32.2	80.6	150.4	21.5	118.2	16.1	5.4	10.7	.....	10.7	107.4	5.4	10.7	102.1	69.8	10.7	300.8	16.1	34
100.2	26.2	7.2	114.5	143.1	14.3	167.0	26.2	31.0	14.3	9.5	14.3	131.2	7.2	9.5	100.2	81.1	9.5	450.9	11.9	35
100.4	23.9	7.2	143.4	153.0	21.5	167.3	23.9	28.7	14.3	19.1	4.8	126.7	9.6	16.7	114.7	98.0	9.6	449.4	4.8	36
156.3	40.8	13.6	180.0	265.0	30.6	81.5	13.6	54.4	3.4	10.2	13.6	152.9	3.4	13.6	122.3	54.4	30.6	475.6	23.8	37
145.2	13.5	16.9	199.2	226.3	64.2	111.4	23.6	40.5	3.4	3.4	20.3	97.9	.....	.....	77.7	60.8	10.1	472.8	13.5	38
123.7	25.4	22.2	152.3	237.9	41.2	164.9	9.5	79.3	3.2	9.5	3.2	101.5	.....	6.3	92.0	57.1	19.0	342.6	12.7	39
107.5	19.0	15.8	196.1	237.2	15.8	91.7	9.5	12.6	6.3	12.6	22.1	60.1	3.2	3.2	94.9	44.3	12.6	341.5	19.0	40
104.7	24.4	19.5	102.3	160.7	12.2	90.1	12.2	43.8	2.4	12.2	9.7	124.2	.....	.....	90.1	90.1	19.5	350.7	12.2	41
124.3	14.6	7.3	165.8	207.2	26.8	131.7	19.5	36.6	4.9	14.6	7.3	136.5	7.3	12.2	65.8	65.8	19.5	392.5	4.9	42
109.5	23.5	23.5	113.4	187.7	31.3	133.0	15.6	101.7	3.9	19.6	7.8	129.1	.....	7.8	93.9	58.7	11.7	293.4	3.9	43
117.1	15.6	15.6	136.7	148.4	23.4	89.8	19.5	35.1	.....	7.8	15.6	199.1	3.9	7.8	74.2	58.6	23.4	339.7	.....	44
121.4	5.1	5.1	91.1	197.3	25.3	146.7	30.4	60.7	20.2	40.5	5.1	177.1	5.1	.....	91.1	80.9	15.2	308.6	5.1	45
107.0	15.3	20.4	183.4	198.6	40.7	147.7	15.3	10.2	5.1	5.1	5.1	234.3	5.1	5.1	50.9	101.9	25.5	427.9	.....	46
80.2	16.3	9.2	110.5	155.8	16.1	119.8	14.0	70.4	4.3	6.4	10.4	113.5	4.6	6.2	77.8	88.2	14.8	240.6	3.6	47
74.7	15.0	8.5	101.2	157.4	17.8	118.9	13.3	75.3	2.9	8.1	9.7	113.9	3.2	5.6	74.9	89.1	15.7	235.2	4.0	48
81.1	16.2	9.4	110.7	153.5	15.7	116.6	13.8	68.8	4.4	6.6	10.7	112.1	4.5	6.2	74.4	88.5	15.2	238.8	3.2	49
75.2	15.2	8.5	101.5	156.7	17.6	116.9	12.9	74.8	2.6	7.8	9.7	111.9	3.2	5.5	73.8	89.4	16.3	232.3	4.0	50
57.9	21.0	5.3	105.2	210.4	26.3	197.3	18.4	110.5	2.6	2.6	5.3	147.3	5.3	5.3	160.4	81.5	5.3	284.1	13.2	51
61.7	10.7	8.0	93.9	174.4	21.5	166.3	24.1	88.5	8.0	16.1	10.7	163.6	2.7	8.0	101.9	80.5	2.7	305.8	5.4	52
64.1	14.2	3.6	124.7	178.1	10.7	103.3	24.9	46.3	.....	10.7	7.1	99.7	3.6	10.7	78.4	103.3	35.6	331.2	.....	53
65.8	14.6	11.0	131.6	160.9	21.9	109.7	21.9	87.7	.....	14.6	14.6	175.5	3.7	3.7	84.1	69.5	7.3	296.1	7.3	54
68.8	13.9	11.6	91.2	137.5	10.0	119.0	7.7	56.4	10.0	8.5	8.5	75.7	6.2	7.7	61.0	61.0	18.5	155.3	4.6	55
65.8	10.4	9.6	70.7	131.7	12.0	102.8	8.0	61.8	1.6	10.4	10.4	79.5	3.2	2.4	65.0	86.7	16.1	155.8	.....	56
76.5	26.0	14.4	138.6	174.7	15.9	125.6	10.1	111.2	1.4	10.1	14.4	142.9	11.5	13.0	99.6	111.2	10.1	258.4	2.9	57
77.5	16.1	7.3	143.2	153.4	21.9	135.9	8.8	102.3	1.5	8.8	20.5	131.5	4.4	11.7	87.7	68.7	20.5	268.9	1.5	58
76.0	9.5	7.6	70.3	146.3	19.0	110.2	11.4	47.5	.....	1.9	7.6	146.3	.....	.....	81.7	70.3	5.7	243.3	1.9	59
76.4	13.7	3.9	88.2	162.7	17.6	98.0	11.8	49.0	3.9	7.8	7.8	150.9	3.9	3.9	96.0	86.2	15.7	280.3	3.9	60
137.2	13.7	9.1	187.5	155.5	9.1	68.6	13.7	32.0	4.6	.....	22.9	100.6	.....	9.1	45.7	50.3	4.6	187.5	4.6	61
80.2	4.7	.....	113.2	160.3	18.9	99.0	23.6	75.4	4.7	.....	9.4	103.7	.....	4.7	51.9	37.7	9.4	169.7	14.1	62
106.6	27.5	3.4	99.7	175.4	13.8	134.1	20.6	34.4	13.8	6.9	6.9	116.9	.....	3.4	75.7	58.5	20.6	299.2	3.4	63
86.5	13.8	13.8	138.4	252.6	24.2	110.7	10.4	41.5	.....	20.8	6.9	138.4	.....	3.5	76.1	79.6	13.8	311.5	6.9	64
60.2	17.2	10.7	109.6	152.6	23.6	167.7	8.6	27.9	.....	2.1	23.6	139.7	2.1	2.1	68.8	43.0	10.7	251.5	4.3	65
75.4	20.0	8.9	84.3	210.7	15.5	168.5	15.5	55.4	4.4	15.5	8.9	119.8	.....	8.9	64.3	48.8	15.5	288.3	.....	66
89.4	10.2	2.6	148.2	125.2	19.2	104.7	12.8	63.9	5.1	.....	15.3	155.8	.....	7.7	76.6	117.5	17.9	219.7	12.8	67
82.9	10.4	5.2	103.7	132.2	20.7	116.6	23.3	59.6	.....	2.6	2.6	139.9	2.6	5.2	38.9	111.4	7.8	220.3	2.6	68
90.9	26.0	21.6	119.0	188.3	41.1	179.6	21.6	77.9	15.2	26.0	17.3	140.7	6.5	6.5	58.4	134.2	28.1	307.3	.....	69
90.0	15.7	4.5	78.7	152.9	27.0	161.9	11.2	76.5	6.7	4.5	18.0	137.2	2.2	6.7	51.7	110.2	42.7	337.4	2.2	70
99.2	15.0	15.0	135.3	219.4	9.0	117.2	15.0	45.1	.....	.....	12.0	129.3	.....	6.0	69.1	72.1	15.0	279.6	3.0	71
89.9	9.0	12.0	152.9	194.8	21.0	101.9	21.0	30.0	6.0	12.0	12.0	146.9	3.0	6.0	71.9	98.9	21.0	305.8	3.0	72
67.6	12.9	6.4	90.8	109.5	22.5	87.0	16.1	25.8	.....	6.4	.....	74.1	6.4	.....	51.5	116.0	9.7	212.6	6.4	73
62.6	16.5	3.3	82.3	151.5	16.5	75.8	19.8	42.8	3.3	3.3	6.6	79.1	6.6	.....	65.9	85.6	16.5	276.7	.....	74
66.8	9.3	7.8	73.0	91.6	12.4	113.4	12.4	197.2	3.1	6.2	6.2	77.6	1.6	9.3	105.6	130.4	12.4	189.4	1.6	75
52.6	6.4	8.0	71.8	108.5	31.9	121.2	8.0	210.6	4.8	9.6	1.6	60.6	4.8	8.0	100.5	157.9	12.8	148.3	6.4	76

[8] See Fergus County for 1913.

[9] Includes Sheridan County organized Mar. 24, 1913; separate estimated populations not available.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	NEW JERSEY—continued.															
1	Monmouth County	1913	1,513.9	11.1	1.4	.....	13.8	6.9	19.4	12.4	18.0	4.1	96.8	2.8	11.1	18.0
2		1912	1,472.0	16.7	4.2	.....	6.9	12.5	8.3	18.1	12.5	2.8	111.1	4.2	12.5	9.7
3	Morris County*	1913	1,493.1	.....	1.5	.....	7.7	4.6	9.2	7.7	20.0	4.6	107.9	3.1	4.6	4.6
4		1912	1,433.1	3.1	1.6	.....	17.2	.....	10.9	12.5	17.2	3.1	110.8	3.1	4.7	3.1
5	Ocean County	1913	1,388.1	18.3	.....	.....	.....	9.2	.....	.....	41.2	.....	87.0	4.6	13.7	9.2
6		1912	1,255.2	13.8	.....	.....	.....	.....	.....	23.1	4.6	4.6	124.6	4.6	.....	9.2
7	Passaic County	1913	1,049.0	2.5	2.5	.....	7.5	.....	15.1	15.1	2.5	2.5	87.8	2.5	2.5	2.5
8		1912	1,096.1	5.2	.....	.....	20.8	7.8	5.2	15.6	7.8	2.6	90.9	10.4	5.2	.....
9	Salem County	1913	1,364.8	10.9	.....	.....	7.3	.....	14.6	14.6	7.3	3.6	138.3	3.6	18.2	14.6
10		1912	1,258.8	11.0	3.7	.....	.....	.....	3.7	.....	25.6	.....	131.7	.....	7.3	3.7
11	Somerset County	1913	1,387.3	.....	.....	.....	4.9	2.5	7.4	36.8	9.8	.....	68.8	4.9	7.4	4.9
12		1912	1,353.0	2.5	7.5	.....	29.9	5.0	27.4	19.9	2.5	7.5	87.2	5.0	5.0	5.0
13	Sussex County	1913	1,382.0	.....	.....	.....	25.3	.....	25.3	3.6	25.3	3.6	86.8	3.6	3.6	7.2
14		1912	1,223.8	3.7	7.3	.....	.....	11.0	7.3	.....	14.6	7.3	69.4	7.3	.....	3.7
15	Union County	1913	1,269.5	9.8	.....	.....	3.9	7.8	11.8	11.8	15.7	3.9	194.3	.....	9.8	3.9
16		1912	1,303.3	12.1	2.0	.....	14.1	2.0	2.0	16.2	8.1	.....	137.4	10.1	14.1	8.1
17	Warren County	1913	1,502.0	9.9	.....	.....	9.9	.....	16.6	9.9	26.5	3.3	89.5	3.3	3.3	9.9
18		1912	1,365.3	3.3	6.7	.....	3.3	.....	13.4	10.0	13.4	.....	80.3	3.3	16.7	3.3
	NEW YORK.															
19	Total	1913	1,546.6	11.6	0.8	.....	4.6	4.2	7.8	8.1	24.3	3.6	113.2	6.9	8.0	10.2
20		1912	1,530.9	12.7	0.7	(3)	4.8	2.8	7.3	7.6	17.6	3.3	115.1	5.5	8.8	9.9
21	White	1913	1,544.4	11.6	0.8	.....	4.6	4.2	7.6	8.1	24.4	3.6	110.9	6.9	7.8	10.3
22		1912	1,529.0	12.5	0.7	(3)	4.9	2.9	7.2	7.7	17.8	3.3	113.0	5.5	8.6	9.8
23	Colored	1913	1,737.7	14.6	.....	.....	3.7	3.7	21.9	11.0	14.6	3.7	310.3	7.3	25.6	7.3
24		1912	1,686.0	28.9	.....	.....	.....	.....	21.7	.....	3.6	.....	289.4	3.6	25.3	18.1
25	Albany County	1913	1,348.6	23.8	.....	.....	3.0	.....	3.0	8.9	23.8	.....	77.2	8.9	5.9	5.9
26		1912	1,502.0	14.9	3.0	.....	5.9	.....	14.9	8.9	17.8	.....	119.0	3.0	8.9	11.9
27	Allegany County	1913	1,517.5	14.5	.....	.....	16.9	12.1	.....	.....	36.2	.....	53.2	.....	12.1	12.1
28		1912	1,435.0	2.4	.....	.....	4.8	7.2	4.8	.....	33.8	4.8	50.7	2.4	2.4	12.1
29	Broome County	1913	1,846.8	9.8	.....	.....	.....	.....	.....	13.1	29.4	3.3	58.7	.....	9.8	6.5
30		1912	1,662.2	16.4	.....	.....	6.5	.....	3.3	16.4	19.6	.....	62.2	6.5	6.5	.....
31	Cattaraugus County	1913	1,507.1	11.9	.....	.....	4.0	.....	8.0	4.0	27.8	4.0	65.6	6.0	6.0	8.0
32		1912	1,352.6	21.8	.....	.....	.....	.....	7.9	11.9	9.9	4.0	49.4	.....	5.9	13.8
33	Cayuga County	1913	1,762.6	9.6	.....	.....	3.2	6.4	3.2	6.4	28.7	3.2	83.0	6.4	16.0	6.4
34		1912	1,695.7	15.8	.....	.....	3.2	9.5	6.3	12.6	22.1	6.3	75.8	3.2	15.8	28.4
35	Chautauqua County	1913	1,502.1	10.4	.....	.....	10.4	1.7	12.2	3.5	26.1	3.5	57.4	1.7	8.7	8.7
36		1912	1,411.7	7.0	.....	.....	3.5	1.7	3.5	12.2	22.7	1.7	54.2	.....	7.0	10.5
37	Chemung County	1913	1,768.3	5.8	5.8	.....	.....	.....	.....	5.8	58.2	.....	226.8	5.8	23.3	5.8
38		1912	1,666.3	5.8	.....	.....	5.8	.....	5.8	.....	23.1	.....	138.9	11.6	5.8	5.8
39	Chenango County	1913	1,721.7	22.7	.....	.....	2.8	2.8	.....	2.8	36.9	.....	51.1	8.5	11.3	2.8
40		1912	1,801.7	19.8	.....	.....	.....	2.8	5.7	.....	31.1	2.8	87.7	.....	17.0	2.8
41	Clinton County*	1913	1,337.9	11.0	2.7	.....	.....	2.7	13.7	5.5	32.9	8.2	142.6	8.2	11.0	5.5
42		1912	1,202.7	2.7	.....	.....	.....	8.2	10.9	2.7	49.1	2.7	103.6	5.5	10.9	10.9
43	Columbia County	1913	1,403.7	6.3	3.1	.....	3.1	.....	12.6	6.3	18.9	.....	91.3	6.3	3.1	3.1
44		1912	1,503.8	25.1	.....	.....	18.8	.....	6.3	12.5	28.2	3.1	109.7	3.1	6.3	6.3
45	Cortland County	1913	1,773.6	5.7	.....	.....	5.7	.....	.....	.....	28.6	17.2	28.6	.....	5.7	22.9
46		1912	1,713.9	17.1	.....	.....	5.7	5.7	.....	22.8	17.1	.....	74.0	17.1	22.8	22.8
47	Delaware County	1913	1,436.9	33.1	.....	.....	6.6	6.6	6.6	6.6	28.7	.....	59.6	11.0	6.6	19.9
48		1912	1,388.0	11.0	.....	2.2	2.2	.....	4.4	2.2	24.2	11.0	63.9	6.6	2.2	6.6
49	Dutchess County*	1913	1,841.0	6.6	1.7	.....	3.3	3.3	8.3	11.6	13.2	3.3	216.9	9.9	8.3	5.0
50		1912	1,945.4	16.6	.....	.....	5.0	5.0	5.0	3.3	13.3	5.0	219.3	6.6	11.6	11.6
51	Erie County*	1913	1,328.0	13.7	.....	.....	13.7	2.1	5.3	4.2	32.6	4.2	87.3	4.2	8.4	8.4
52		1912	1,312.1	9.6	1.1	.....	3.2	3.2	8.5	6.4	11.7	1.1	90.7	5.3	7.5	5.3
53	Essex County	1913	1,601.1	5.8	.....	.....	14.6	17.5	17.5	23.3	29.1	8.7	125.2	2.9	.....	2.9
54		1912	1,373.5	14.7	.....	.....	.....	.....	11.7	11.7	11.7	.....	143.8	5.9	.....	2.9
55	Franklin County	1913	1,781.4	17.1	.....	.....	4.3	.....	17.1	4.3	30.0	2.1	424.5	10.7	12.9	4.3
56		1912	1,684.7	10.8	.....	.....	2.2	.....	.....	.....	36.7	6.5	401.2	8.6	8.6	6.5
57	Fulton County	1913	1,635.2	15.2	.....	.....	7.6	7.6	15.2	7.6	7.6	.....	60.8	38.0	7.6	7.6
58		1912	1,646.4	7.6	.....	.....	7.6	.....	.....	15.1	52.9	.....	105.7	7.6	22.7	22.7
59	Genesee County	1913	1,372.7	26.7	.....	.....	.....	3.8	.....	3.8	19.1	3.8	57.2	7.6	7.6	3.8
60		1912	1,200.5	7.6	.....	.....	.....	.....	11.5	3.8	7.6	.....	45.9	3.8	7.6	11.5
61	Greene County	1913	1,530.0	23.5	.....	.....	.....	3.4	3.4	10.1	30.2	3.4	120.8	3.4	13.4	3.4
62		1912	1,613.7	20.0	.....	.....	20.0	.....	3.3	6.7	20.0	.....	157.0	3.3	3.3	10.0
63	Hamilton County	1913	1,504.3	23.9	.....	.....	.....	.....	.....	23.9	.....	.....	71.6	.....	.....	23.9
64		1912	1,154.0	.....	.....	.....	23.6	.....	.....	.....	70.7	.....	94.2	.....	.....	.....
65	Herkimer County	1913	1,730.3	8.9	.....	.....	6.6	31.0	4.4	22.1	17.7	8.9	95.1	19.9	11.1	6.6
66		1912	1,543.0	4.5	.....	.....	2.2	.....	2.2	6.7	6.7	4.5	102.6	2.2	8.9	6.7
67	Jefferson County	1913	1,453.0	7.5	.....	.....	.....	.....	11.3	1.9	26.3	.....	67.7	1.9	1.9	9.4
68		1912	1,407.9	5.6	.....	.....	1.9	.....	1.9	1.9	16.9	5.6	67.5	5.6	5.6	20.6
69	Lewis County	1913	1,549.2	25.0	.....	.....	.....	8.3	8.3	8.3	33.3	4.2	70.8	4.2	12.5	16.7
70		1912	1,376.0	4.1	.....	.....	.....	.....	8.2	.....	8.2	4.1	74.2	8.2	12.4	4.1
71	Livingston County	1913	1,749.4	.....	.....	.....	5.2	7.8	.....	20.9	10.4	2.6	117.3	5.2	15.6	13.0
72		1912	1,761.8	39.2	2.6	.....	5.2	2.6	10.5	5.2	7.8	10.5	151.6	5.2	18.3	13.1

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
92.6	16.6	11.1	160.4	190.8	15.2	87.1	16.6	67.7	5.5	2.8	15.2	141.0	4.1	6.9	83.0	84.3	11.1	283.4	2.8	1
77.8	20.8	12.5	144.4	165.3	20.8	91.7	16.7	86.1	4.2	6.9	13.9	144.4	5.6	4.2	72.2	72.2	13.9	272.2	6.9	2
90.9	13.9	4.6	103.2	163.3	20.0	144.8	30.8	66.3	.....	4.6	7.7	120.2	6.2	3.1	84.7	84.7	4.6	362.1	1.5	3
84.3	26.5	10.9	87.4	165.6	9.4	112.4	25.0	57.8	3.1	6.2	4.7	142.1	3.1	3.1	95.2	85.9	6.2	310.7	6.2	4
77.9	32.1	4.6	123.7	155.8	4.6	73.3	9.2	50.4	.....	13.7	.....	151.2	4.6	22.9	45.8	87.0	18.3	325.3	4.6	5
64.6	13.8	4.6	133.8	147.7	13.8	120.0	9.2	13.8	.....	.....	4.6	170.7	.....	13.8	64.6	83.1	4.6	207.7	.....	6
42.7	10.0	10.0	60.2	158.1	12.5	138.0	5.0	77.8	2.5	2.5	10.0	65.3	5.0	2.5	75.3	77.8	20.1	128.0	2.5	7
51.9	10.4	7.8	57.1	145.5	23.4	155.8	.....	98.7	.....	7.8	5.2	75.3	.....	2.6	83.1	64.9	18.2	116.9	.....	8
65.5	18.2	7.3	101.9	163.8	18.2	112.8	14.6	76.4	3.6	3.6	7.3	112.8	.....	3.6	109.2	76.4	7.3	225.7	3.6	9
91.5	11.0	3.7	91.5	157.4	18.3	80.5	14.6	54.9	.....	.....	22.0	95.1	.....	.....	91.5	84.2	14.6	237.9	3.7	10
66.3	14.7	2.5	117.9	186.6	19.6	130.1	14.7	78.6	7.4	9.8	12.3	112.9	.....	.....	76.1	95.8	22.1	272.5	.....	11
64.8	22.4	7.5	117.1	157.0	7.5	124.6	24.9	54.8	2.5	7.5	7.5	99.7	2.5	5.0	67.3	79.7	12.5	269.1	15.0	12
108.5	7.2	14.5	97.7	162.8	18.1	151.9	18.1	65.1	.....	3.6	7.2	108.5	14.5	3.6	68.7	94.1	10.9	235.1	7.2	13
69.4	11.0	18.3	120.6	127.9	14.6	222.8	3.7	47.5	7.3	11.0	11.0	43.8	.....	11.0	47.5	102.3	18.3	204.6	.....	14
92.2	17.7	3.9	94.2	133.4	15.7	90.3	9.8	39.2	3.9	3.9	7.8	98.1	3.9	7.8	111,8	94.2	13.7	151.1	3.9	15
101.0	16.2	4.0	80.8	161.7	8.1	115.2	8.1	80.8	4.0	6.1	.....	111.1	10.1	10.1	82.8	111.1	12.1	149.5	4.0	16
99.5	29.8	9.9	132.6	155.8	16.6	116.0	9.9	89.5	3.3	6.6	3.3	119.4	13.3	3.3	63.0	102.8	23.2	311.7	9.9	17
70.3	26.8	16.7	123.8	200.8	13.4	103.7	6.7	73.6	.....	6.7	16.7	93.7	.....	6.7	80.3	113.8	26.8	220.9	10.0	18
93.7	18.3	5.3	134.8	188.4	21.6	130.6	11.0	52.6	7.2	10.8	14.5	131.3	4.6	7.8	81.8	95.1	15.8	315.2	2.9	19
93.3	16.8	10.9	127.3	172.9	25.8	132.3	12.5	43.2	6.9	12.6	13.9	135.3	3.9	6.8	72.9	96.9	14.6	332.3	3.8	20
94.4	18.4	5.2	135.4	188.8	21.4	130.5	11.0	52.5	7.2	10.8	14.6	130.8	4.5	7.8	81.8	94.6	15.8	315.2	2.7	21
94.1	16.8	11.0	127.3	173.7	25.9	131.7	12.5	42.8	6.8	12.5	13.9	134.9	3.9	6.7	73.1	96.5	14.6	332.8	3.7	22
32.9	7.3	7.3	80.3	157.0	32.9	142.4	7.3	62.1	3.7	11.0	11.0	171.6	7.3	7.3	80.3	138.7	18.3	317.6	18.3	23
32.6	14.5	3.6	126.6	108.5	14.5	177.3	7.2	83.2	10.9	18.1	10.9	170.0	.....	14.5	57.9	130.3	7.2	296.7	10.9	24
80.2	11.9	14.9	104.0	166.3	17.8	148.5	8.9	41.6	.....	3.0	17.8	181.2	5.9	3.0	53.5	112.9	14.9	202.0	.....	25
65.4	20.8	11.9	113.0	175.5	32.7	133.8	5.9	26.8	.....	5.9	11.9	145.7	3.0	5.9	77.3	130.9	14.9	309.3	3.0	26
130.5	16.9	.....	137.7	222.3	21.7	101.5	9.7	55.6	4.8	19.3	16.9	128.1	4.8	7.2	48.3	60.4	4.8	367.3	2.4	27
113.5	21.7	14.5	118.4	161.9	12.1	130.5	16.9	12.1	14.5	4.8	7.2	132.9	9.7	2.4	82.1	67.6	14.5	372.0	.....	28
84.8	19.6	.....	208.8	205.6	32.6	124.0	9.8	110.9	26.1	6.5	26.1	107.7	16.3	26.1	153.4	97.9	13.1	443.7	3.3	29
130.9	26.2	3.3	153.8	202.9	26.2	88.3	6.5	39.3	9.8	6.5	9.8	130.9	13.1	16.4	58.9	104.7	22.9	474.5	.....	30
113.3	23.9	11.9	127.2	224.7	23.9	105.4	4.0	43.7	4.0	9.9	9.9	121.3	6.0	9.9	97.4	105.4	15.9	304.2	.....	31
96.9	19.8	11.9	132.5	209.6	25.7	96.9	11.9	21.8	7.9	19.8	2.0	108.8	7.9	7.9	51.4	69.2	17.8	308.5	.....	32
108.6	25.5	3.2	220.3	261.8	47.9	130.9	6.4	31.9	9.6	3.2	9.6	134.1	3.2	9.6	86.2	79.8	31.9	386.4	.....	33
107.4	9.5	12.6	198.9	198.9	37.9	85.3	3.2	37.9	9.5	22.1	9.5	151.6	3.2	9.5	63.2	129.5	15.8	388.4	3.2	34
88.7	29.6	5.2	123.4	257.3	22.6	125.2	19.1	34.8	7.0	7.0	5.2	97.4	3.5	5.2	93.9	93.9	13.9	325.1	.....	35
101.3	21.0	12.2	85.6	199.2	29.7	85.6	15.7	43.7	12.2	19.2	10.5	90.9	7.0	8.7	76.9	78.6	22.7	356.4	10.5	36
116.3	17.4	.....	133.8	267.6	11.6	162.9	.....	46.5	5.8	5.8	17.4	139.6	11.6	.....	110.5	75.6	5.8	302.5	.....	37
138.9	5.8	11.6	179.4	260.4	5.8	144.6	5.8	23.1	.....	5.8	5.8	133.1	11.6	11.6	69.4	86.8	34.7	329.8	.....	38
136.2	25.5	.....	224.1	238.3	36.9	104.9	14.2	25.5	11.3	14.2	22.7	170.2	2.8	8.5	90.8	65.2	17.0	371.6	.....	39
149.9	28.3	8.5	175.4	209.3	39.6	161.2	22.6	42.4	11.3	8.5	39.6	203.6	2.8	5.7	70.7	73.5	22.6	353.6	2.8	40
68.5	16.4	.....	93.2	123.4	11.0	134.3	5.5	82.2	11.0	8.2	13.7	79.5	5.5	11.0	93.2	60.3	2.7	271.4	2.7	41
68.2	.....	21.8	106.4	139.1	13.6	117.3	5.5	30.0	8.2	2.7	2.7	81.8	8.2	5.5	76.4	62.7	2.7	240.0	2.7	42
97.6	12.6	.....	78.7	179.4	15.7	113.3	15.7	28.3	6.3	6.3	28.3	192.0	3.1	6.3	72.4	94.4	12.6	283.3	3.1	43
87.7	15.7	9.4	97.1	175.4	12.5	159.8	25.1	34.5	.....	15.7	6.3	216.2	.....	9.4	47.0	87.7	9.4	272.6	3.1	44
137.3	28.6	.....	177.4	206.0	22.9	160.2	17.2	28.6	5.7	5.7	28.6	171.6	.....	.....	160.2	85.8	45.8	377.6	.....	45
62.6	56.9	5.7	176.5	216.4	17.1	227.8	5.7	.....	.....	11.4	.....	199.3	.....	.....	68.3	39.9	28.5	392.9	.....	46
97.1	8.8	8.8	139.1	187.6	17.7	139.1	8.8	39.7	15.5	11.0	17.7	108.2	4.4	2.2	97.1	59.6	6.6	280.3	2.2	47
96.9	17.6	8.8	156.4	169.6	19.8	125.6	17.6	26.4	8.8	24.2	11.0	116.8	11.0	11.0	83.7	77.1	11.0	257.8	.....	48
97.7	9.9	1.7	157.3	228.5	13.2	213.6	11.6	49.7	9.9	8.3	18.2	140.7	3.3	11.6	82.8	96.0	16.6	377.5	1.7	49
68.1	24.9	6.6	162.8	186.1	41.5	247.5	18.3	39.9	8.3	16.6	6.6	149.5	5.0	3.3	66.5	141.2	8.3	440.3	1.7	50
79.9	14.7	6.3	95.7	150.4	20.0	110.4	10.5	75.7	3.2	8.4	23.1	85.2	3.2	5.3	81.0	88.3	12.6	266.0	4.2	51
78.9	10.7	7.5	86.4	133.3	30.9	109.9	9.6	52.3	5.3	10.7	24.5	92.8	2.1	4.3	78.9	141.9	16.0	261.4	1.1	52
81.5	14.6	2.9	142.6	186.3	29.1	116.4	14.6	69.9	14.6	23.3	5.8	101.9	.....	8.7	128.1	128.1	11.6	273.6	.....	53
88.0	11.7	17.6	96.9	179.0	20.5	93.9	5.9	47.0	.....	17.6	17.6	73.4	5.9	5.9	55.8	91.0	8.8	334.6	.....	54
87.9	15.0	17.1	126.5	115.8	21.4	173.6	2.1	94.3	8.6	4.3	10.7	75.0	6.4	8.6	126.5	77.2	17.1	263.7	2.1	55
77.7	19.4	17.3	90.6	142.4	17.3	153.2	15.1	64.7	4.3	.....	10.8	107.9	4.3	6.5	94.9	71.2	8.6	297.7	.....	56
76.1	7.6	30.4	106.5	220.6	30.4	205.4	15.2	45.6	7.6	7.6	.....	182.5	7.6	15.2	45.6	76.1	7.6	372.7	.....	57
83.1	7.6	7.6	166.2	181.3	22.7	98.2	7.6	30.2	15.1	22.7	7.6	234.1	7.6	.....	60.4	90.6	15.1	347.4	.....	58
64.8	11.4	3.8	118.2	228.8	19.1	103.0	22.9	26.7	.....	11.4	3.8	64.8	3.8	3.8	87.7	122.0	19.1	320.3	3.8	59
65.0	7.6	7.6	122.3	137.6	19.1	122.3	3.8	30.6	3.8	15.3	7.6	87.9	3.8	3.8	68.8	103.2	3.8	286.7	.....	60
107.4	20.1	10.1	174.5	164.4	36.9	140.9	6.7	50.3	10.1	16.8	26.8	124.1	.....	3.4	43.6	97.3	20.1	255.0	6.7	61
140.3	20.0	10.0	160.4	183.7	20.0	123.6	6.7	26.7	10.0	6.7	16.7	157.0	3.3	10.0	100.2	66.8	26.7	277.3	3.3	62
119.4	.....	.....	143.3	95.5	.....	167.1	23.9	47.8	.....	.....	.....	167.1	23.9	23.9	95.5	119.4	23.9	310.4	.....	63
47.1	23.6	23.6	47.1	117.8	.....	117.8	23.6	47.1	.....	.....	.....	70.7	.....	.....	70.7	117.8	.....	259.1	.....	64
99.6	17.7	8.9	135.0	174.8	22.1	168.2	13.3	62.0	8.9	4.4	11.1	179.2	8.9	15.5	99.6	137.2	15.5	314.2	2.2	65
84.7	17.8	20.1	140.5	153.9	29.0	129.3	.....	64.7	4.5	11.1	15.6	167.2	.....	6.7	87.0	131.6	6.7	323.3	2.2	66
114.7	13.2	9.4	129.7	212.4	30.1	86.5	5.6	35.7	.....	9.4	13.2	122.2	.....	9.4	99.6	92.1	5.6	332.7	3.8	67
88.1	13.1	13.1	178.1	181.8	26.2	114.4	5.6	18.7	5.6	9.4	5.6	101.2	1.9	13.1	90.0	78.7	11.2	316.8	1.9	68
124.9	16.7	8.3	124.9	216.5	20.8	108.3	12.5	37.5	4.2	20.8	8.3	137.4	4.2	4.2	70.8	70.8	8.3	358.1	.....	69
65.9	4.1	16.5	107.1	238.9	20.6	119.5	8.2	8.2	4.1	20.6	16.5	94.8	.....	16.5	61.8	70.0	12.4	362.5	4.1	70
109.5	28.7	2.6	153.8	239.9	18.3	151.2	15.6	52.1	7.8	23.5	13.0	93.9	2.6	7.8	70.4	70.4	20.9	469.3	.....	71
104.6	.....	10.5	104.6	235.3	18.3	209.1	10.5	34.0	15.7	15.7	10.5	125.5	2.6	2.6	65.3	81.0	15.7	428.7	.....	72

[3] Less than one-tenth of 1 per 100,000 population.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	NEW YORK—continued.															
1	Madison County	1913	1,913.5	12.9	.....	.....	5.1	2.6	2.6	.....	43.7	2.6	108.0	12.9	10.3	15.4
2		1912	1,674.0	7.7	.....	.....	.....	7.7	5.1	23.1	15.4	2.6	69.2	2.6	2.6	7.7
3	Monroe County	1913	1,368.3	10.2	.....	.....	.....	1.5	16.1	8.8	13.1	2.9	184.0	7.3	5.8	7.3
4		1912	1,391.4	4.5	.....	.....	7.4	8.9	5.9	8.9	11.9	4.5	179.5	3.0	3.0	10.4
5	Montgomery County	1913	1,348.0	15.1	.....	.....	3.8	.....	18.8	3.8	15.1	18.8	97.9	3.8	3.8	7.5
6		1912	1,491.9	3.8	.....	.....	.....	.....	.....	3.8	30.2	11.3	105.8	7.6	7.6	3.8
7	Nassau County	1913	1,336.1	11.8	1.1	.....	6.4	3.2	21.5	16.1	3.2	3.2	86.9	17.2	10.7	6.4
8		1912	1,321.2	17.7	1.1	.....	6.6	2.2	10.0	22.1	10.0	3.3	95.2	7.8	6.6	12.2
9	Niagara County	1913	1,261.1	22.4	.....	.....	3.2	3.2	9.6	3.2	12.8	6.4	76.8	.....	.....	6.4
10		1912	1,348.7	16.1	.....	.....	.....	3.2	9.7	3.2	16.1	3.2	41.8	.....	16.1	6.4
11	Oneida County	1913	1,598.6	13.6	.....	.....	3.4	5.1	10.2	5.1	29.0	8.5	81.8	3.4	8.5	5.1
12		1912	1,588.7	5.1	.....	.....	5.1	3.4	8.5	8.5	11.9	.....	76.5	3.4	8.5	5.1
13	Onondaga County	1913	1,554.5	10.9	.....	.....	6.2	.....	3.1	6.2	31.2	4.7	121.7	3.1	3.1	14.0
14		1912	1,670.5	4.7	.....	.....	1.6	4.7	15.7	15.7	12.5	4.7	116.1	9.4	11.0	12.5
15	Ontario County	1913	1,562.8	10.0	.....	.....	2.5	.....	7.5	15.0	17.5	10.0	69.9	10.0	7.5	12.5
16		1912	1,502.9	17.5	.....	.....	10.0	.....	7.5	5.0	12.5	2.5	85.0	2.5	2.5	12.5
17	Orange County	1913	1,381.5	15.9	4.0	.....	4.0	2.6	2.6	11.9	29.1	1.3	108.4	6.6	5.3	11.9
18		1912	1,434.8	20.1	1.3	.....	5.3	2.7	14.7	6.7	18.7	2.7	131.0	8.0	5.3	14.7
19	Orleans County	1913	1,395.9	3.1	.....	.....	.....	.....	21.5	6.1	21.5	.....	82.8	9.2	9.2	9.2
20		1912	1,502.6	3.1	.....	.....	15.4	9.3	15.4	9.3	12.3	.....	101.8	24.7	6.2	.....
21	Oswego County	1913	1,702.2	18.9	.....	.....	.....	.....	8.1	10.8	29.8	2.7	83.9	.....	5.4	13.5
22		1912	1,786.6	5.4	.....	.....	5.4	.....	5.4	8.1	21.5	2.7	64.5	2.7	18.8	5.4
23	Otsego County	1913	1,729.6	4.3	.....	.....	4.3	8.6	8.6	2.1	30.0	4.3	68.6	.....	6.4	15.0
24		1912	1,768.0	19.2	2.1	.....	.....	.....	2.1	8.5	23.5	2.1	85.4	.....	8.5	12.8
25	Putnam County	1913	1,197.3	6.7	.....	.....	20.1	.....	6.7	.....	6.7	.....	113.7	6.7	.....	20.1
26		1912	1,197.8	6.7	20.2	.....	.....	13.5	.....	6.7	6.7	.....	80.7	13.5	.....	.....
27	Rensselaer County	1913	1,491.4	8.8	.....	.....	2.9	5.9	8.8	8.8	23.4	2.9	93.8	8.8	2.9	14.7
28		1912	1,448.0	20.4	.....	.....	14.6	5.8	2.9	2.9	20.4	5.8	122.4	5.8	8.7	14.6
29	Rockland County	1913	1,294.9	2.0	6.0	.....	6.0	4.0	6.0	22.2	4.0	2.0	108.7	4.0	10.1	14.1
30		1912	1,268.7	6.1	.....	.....	6.1	4.1	2.0	8.2	10.2	.....	102.5	6.1	8.2	6.1
31	St. Lawrence County	1913	1,445.4	6.9	.....	.....	5.5	4.1	8.3	8.3	30.3	1.4	67.5	6.9	5.5	2.8
32		1912	1,301.2	5.5	.....	.....	.....	.....	5.5	6.9	24.7	.....	94.8	4.1	12.4	8.2
33	Saratoga County	1913	1,423.0	12.1	.....	.....	2.0	12.1	.....	4.0	18.2	6.1	89.1	2.0	14.2	10.1
34		1912	1,359.8	16.2	.....	.....	4.1	.....	12.2	6.1	14.2	.....	79.0	.....	6.1	8.1
35	Schenectady County	1913	1,424.6	19.5	.....	.....	.....	13.0	6.5	.....	6.5	.....	188.6	6.5	6.5	6.5
36		1912	1,222.0	.....	.....	.....	.....	.....	.....	.....	6.5	.....	110.5	6.5	.....	.....
37	Schoharie County	1913	1,573.2	8.7	4.4	.....	4.4	.....	.....	.....	39.3	.....	87.4	4.4	8.7	13.1
38		1912	1,574.2	17.3	.....	.....	.....	.....	4.3	8.6	38.8	4.3	69.0	4.3	17.3	12.9
39	Schuyler County	1913	1,885.7	37.3	.....	.....	.....	.....	.....	.....	14.9	.....	104.3	.....	7.5	37.3
40		1912	1,992.6	36.8	.....	.....	7.4	.....	.....	7.4	22.1	.....	102.9	7.4	7.4	14.7
41	Seneca County *	1913	2,138.9	7.5	7.5	.....	.....	3.8	3.8	7.5	26.3	3.8	214.3	3.8	15.0	18.8
42		1912	1,998.7	11.2	.....	.....	7.5	3.7	3.7	7.5	29.9	.....	179.7	.....	22.5	22.5
43	Steuben County	1913	1,803.9	9.1	.....	.....	5.5	1.8	1.8	7.3	23.7	3.7	65.7	9.1	5.5	16.4
44		1912	1,963.5	23.6	.....	.....	.....	7.3	.....	.....	19.9	5.4	74.3	3.6	9.1	7.3
45	Suffolk County *	1913	1,920.4	7.8	.....	.....	1.0	2.0	11.7	8.8	17.6	7.8	184.0	6.9	6.9	13.7
46		1912	2,005.2	16.0	1.0	.....	2.0	4.0	17.0	12.0	7.0	8.0	178.5	7.0	10.0	6.0
47	Sullivan County	1913	1,799.0	8.7	.....	.....	2.9	2.9	8.7	14.6	23.3	.....	463.6	5.8	8.7	8.7
48		1912	1,681.1	20.5	.....	.....	.....	.....	2.9	2.9	11.7	.....	468.6	2.9	14.6	11.7
49	Tioga County	1913	1,769.2	8.0	4.0	.....	.....	4.0	4.0	8.0	36.2	.....	56.3	4.0	12.1	12.1
50		1912	1,768.6	15.9	.....	.....	.....	.....	8.0	.....	11.9	8.0	75.7	4.0	15.9	27.9
51	Tompkins County	1913	1,704.3	11.0	.....	.....	.....	.....	.....	5.5	49.3	.....	82.2	11.0	32.9	11.0
52		1912	1,768.5	5.4	.....	.....	.....	.....	5.4	.....	38.0	10.8	65.1	5.4	16.3	21.7
53	Ulster County	1913	1,335.3	15.0	.....	.....	3.0	.....	9.0	9.0	25.6	1.5	115.8	3.0	6.0	19.5
54		1912	1,355.9	18.1	3.0	.....	9.0	1.5	16.6	7.5	18.1	3.0	111.6	6.0	6.0	7.5
55	Warren County	1913	1,523.7	35.6	.....	.....	23.7	11.9	.....	11.9	5.9	.....	124.5	.....	5.9	5.9
56		1912	1,396.3	23.7	.....	.....	.....	.....	.....	.....	23.7	.....	118.3	17.7	11.8	5.9
57	Washington County	1913	1,501.7	18.6	.....	.....	4.1	8.3	.....	.....	37.1	2.1	66.0	6.2	.....	10.3
58		1912	1,448.4	12.4	.....	.....	.....	.....	4.1	2.1	24.9	4.1	87.0	6.2	8.3	10.4
59	Wayne County	1913	1,367.6	3.9	.....	.....	.....	5.9	5.9	3.9	19.7	7.9	37.5	9.9	9.9	7.9
60		1912	1,510.4	15.8	.....	.....	7.9	4.0	4.0	11.9	11.9	4.0	67.3	9.9	4.0	7.9
61	Westchester County	1913	1,424.7	4.2	3.2	.....	8.4	6.3	11.6	14.8	11.6	3.2	169.7	16.9	8.4	13.7
62		1912	1,460.0	6.5	4.3	.....	20.5	8.6	11.9	8.6	4.3	3.2	179.0	11.9	12.9	7.5
63	Wyoming County	1913	1,384.6	.....	.....	.....	6.2	6.2	3.1	6.2	43.3	.....	52.5	6.2	6.2	6.2
64		1912	1,297.9	12.4	.....	.....	.....	.....	6.2	3.1	18.6	.....	59.0	.....	6.2	15.5
65	Yates County	1913	1,574.6	5.5	.....	.....	.....	5.5	11.0	.....	60.8	5.5	110.5	.....	5.5	16.6
66		1912	1,488.9	.....	.....	.....	16.4	.....	5.5	.....	32.8	.....	38.3	.....	10.9	10.9
	NORTH CAROLINA.[3]															
67	Total	1913	1,492.2	51.4	23.9	1.8	26.6	3.1	30.1	11.5	14.6	4.9	182.2	6.6	15.5	5.3
68		1912	1,570.6	40.4	43.1	1.3	11.6	4.0	32.9	14.2	15.6	1.8	191.9	5.8	15.6	6.2
69	White	1913	1,252.9	49.2	15.3	2.7	31.2	4.0	26.6	12.0	16.0	7.3	124.3	6.6	12.6	4.7
70		1912	1,332.4	36.4	31.1	1.3	11.9	4.6	22.5	15.2	11.9	0.7	125.2	6.6	9.9	4.6
71	Colored	1913	1,971.5	55.9	41.3	.....	17.3	1.3	37.3	10.6	12.0	.....	298.2	6.7	21.3	6.7
72		1912	2,055.3	48.6	67.4	1.3	10.8	2.7	53.9	12.1	22.9	4.0	327.7	4.0	27.0	9.4

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
128.6	33.4	.....	167.2	236.6	38.6	113.2	15.4	38.6	10.3	12.9	20.6	118.3	2.6	30.9	102.9	102.9	23.1	501.5	.....	1
100.0	23.1	15.4	171.8	243.5	10.3	117.9	28.2	38.5	2.6	5.1	12.8	110.2	7.7	.....	79.5	94.9	15.4	448.6	5.1	2
74.5	11.7	1.5	99.3	163.6	19.0	71.6	10.2	86.2	2.9	7.3	8.8	93.5	2.9	.....	67.2	119.7	20.4	251.2	.....	3
68.2	17.8	5.9	103.8	143.9	34.1	71.2	7.4	94.9	4.5	10.4	11.9	77.1	8.9	8.9	72.7	129.1	14.8	258.1	.....	4
90.4	18.8	3.8	109.2	150.6	11.3	79.1	22.6	41.4	3.8	22.6	7.5	143.1	.....	.....	67.8	86.6	7.5	293.7	.....	5
98.2	30.2	11.3	154.9	170.0	15.1	102.0	3.8	26.4	3.8	3.8	26.4	132.2	7.6	3.8	68.0	136.0	18.9	305.9	.....	6
78.3	18.2	4.3	95.5	129.8	23.6	147.0	14.0	78.3	11.8	17.2	16.1	117.0	2.1	7.5	83.7	86.9	19.3	195.3	2.1	7
89.7	15.5	10.0	74.2	113.0	27.7	107.4	7.8	74.2	8.9	16.6	11.1	118.5	1.1	5.5	100.8	94.1	12.2	235.9	2.2	8
76.8	9.6	.....	124.8	179.2	19.2	115.2	32.0	19.2	3.2	6.4	9.6	70.4	.....	12.8	67.2	96.0	9.6	259.3	6.4	9
93.3	19.3	6.4	93.3	173.8	29.0	109.4	12.9	51.5	9.7	12.9	12.9	125.5	3.2	6.4	67.6	67.6	6.4	328.3	3.2	10
121.0	23.9	5.1	127.8	202.8	32.4	161.9	11.9	76.7	3.4	6.8	5.1	122.7	5.1	10.2	102.3	75.0	10.2	318.7	1.7	11
115.5	25.5	10.2	115.5	197.1	27.2	144.4	20.4	91.8	1.7	18.7	13.6	132.5	1.7	5.1	85.0	91.8	22.1	329.6	3.4	12
93.6	18.7	1.6	120.2	213.8	28.1	157.6	4.7	48.4	9.4	14.0	9.4	117.1	3.1	4.7	85.8	109.3	14.0	293.4	3.1	13
108.2	12.5	15.7	120.8	214.9	28.2	152.1	11.0	37.6	4.7	11.0	3.1	128.6	1.6	3.1	89.4	120.8	18.8	379.6	.....	14
132.3	22.5	10.0	174.8	174.8	15.0	122.3	22.5	27.5	20.0	10.0	20.0	127.3	5.0	2.5	69.9	114.8	17.5	312.1	.....	15
100.0	12.5	10.0	142.5	135.0	32.5	107.5	12.5	37.5	15.0	27.5	12.5	162.5	7.5	7.5	67.5	100.0	17.5	332.6	5.0	16
75.4	21.2	7.9	142.8	138.8	26.4	91.2	7.9	55.5	6.6	11.9	23.8	116.3	6.6	13.2	78.0	117.7	15.9	219.5	1.3	17
72.2	8.0	14.7	115.0	124.4	45.5	116.3	12.0	58.8	5.3	9.4	16.0	123.0	.....	6.7	54.8	139.1	14.7	264.8	2.7	18
70.6	9.2	6.1	135.0	144.2	6.1	95.1	3.1	73.6	6.1	12.3	12.3	141.1	9.2	24.5	98.2	89.0	21.5	276.1	.....	19
86.4	15.4	3.1	114.2	197.5	30.9	77.1	12.3	74.1	9.3	18.5	3.1	148.1	6.2	12.3	71.0	64.8	15.4	345.6	.....	20
81.2	21.6	8.1	175.9	254.4	43.3	111.0	10.8	54.1	5.4	10.8	16.2	200.3	8.1	10.8	89.3	102.8	18.9	305.8	.....	21
123.6	16.1	.....	196.1	228.4	77.9	123.6	18.8	34.9	13.4	18.8	13.4	177.3	5.4	10.7	91.3	83.3	8.1	405.7	.....	22
126.5	19.3	4.3	180.0	265.8	19.3	150.0	10.7	42.9	10.7	25.7	19.3	162.9	6.4	4.3	64.3	75.0	12.9	375.1	2.1	23
130.3	23.5	6.4	145.2	262.6	32.0	138.8	10.7	19.2	25.6	21.4	29.9	164.4	2.1	8.5	100.4	102.5	12.8	363.0	4.3	24
113.7	20.1	.....	66.9	100.3	20.1	46.8	.....	46.8	6.7	13.4	26.8	113.7	.....	.....	66.9	113.7	6.7	247.5	6.7	25
60.6	6.7	13.5	87.5	121.1	20.2	100.9	6.7	60.6	13.5	6.7	6.7	114.4	.....	.....	60.6	100.9	20.2	249.0	.....	26
90.8	32.2	8.8	137.7	196.3	14.7	123.1	11.7	61.5	.....	2.9	2.9	149.4	2.9	5.9	87.9	96.7	11.7	272.5	.....	27
102.0	20.4	11.7	153.4	169.0	23.3	139.8	8.7	37.9	.....	8.7	17.5	169.0	.....	2.9	52.4	64.1	11.7	227.3	2.9	28
74.5	8.1	4.0	86.6	116.8	16.1	134.9	6.0	44.3	16.1	10.1	20.1	134.9	4.0	6.0	90.6	106.7	12.1	211.4	2.0	29
75.8	12.3	16.4	98.4	88.1	10.2	143.5	16.4	61.5	12.3	14.3	26.6	153.7	2.0	4.1	61.5	100.4	16.4	194.7	.....	30
78.5	19.3	5.5	118.4	185.8	19.3	132.2	6.9	53.7	5.5	5.5	5.5	99.1	4.1	5.5	103.2	86.7	11.0	348.3	4.1	31
81.1	13.7	9.6	100.3	151.1	17.9	97.6	12.4	24.7	5.5	8.2	13.7	108.6	1.4	5.5	90.7	64.6	15.1	311.9	5.5	32
60.7	12.1	10.1	121.5	164.0	16.2	119.4	10.1	60.7	6.1	14.2	10.1	115.4	4.0	18.2	76.9	119.4	12.1	291.5	10.1	33
62.8	18.2	4.1	99.3	135.8	40.5	160.1	10.1	42.6	6.1	6.1	12.2	147.9	6.1	.....	70.9	97.3	18.2	275.6	.....	34
104.1	.....	6.5	117.1	156.1	6.5	84.6	13.0	52.0	.....	.....	13.0	104.1	6.5	.....	91.1	182.1	6.5	227.7	.....	35
71.5	13.0	.....	84.5	110.5	19.5	97.5	13.0	52.0	.....	6.5	.....	78.0	6.5	.....	97.5	188.5	45.5	201.5	13.0	36
113.6	17.5	.....	196.7	253.5	13.1	157.3	8.7	13.1	.....	8.7	21.9	131.1	8.7	8.7	21.9	52.4	17.5	345.2	13.1	37
112.1	21.6	12.9	185.5	198.4	17.3	159.6	17.3	25.9	4.3	4.3	21.6	159.6	4.3	8.6	64.7	60.4	8.6	310.5	.....	38
104.3	22.4	7.5	201.2	193.8	22.4	178.9	22.4	29.8	.....	44.7	37.3	126.7	14.9	.....	59.6	134.2	7.5	469.6	7.5	39
139.7	22.1	.....	198.5	257.4	14.7	205.9	29.4	7.4	14.7	22.1	36.8	147.1	.....	7.4	88.2	73.5	29.4	485.3	7.4	40
90.2	33.8	7.5	214.3	218.0	7.5	214.3	7.5	78.9	11.3	22.6	7.5	187.9	3.8	3.8	63.9	109.0	15.0	530.0	.....	41
134.7	26.2	26.2	168.4	299.4	11.2	262.0	11.2	29.9	15.0	18.7	22.5	142.2	.....	7.5	52.4	63.6	37.4	381.8	.....	42
84.0	21.9	7.3	193.5	343.3	12.8	160.7	11.0	23.7	5.5	9.1	29.2	182.6	5.5	9.1	63.9	96.8	14.6	377.9	1.8	43
99.7	25.4	7.3	168.6	271.9	27.2	154.1	25.4	23.6	9.1	16.3	30.8	210.3	5.4	3.6	70.7	154.1	12.7	494.9	1.8	44
80.3	14.7	4.9	123.3	187.9	16.6	177.2	14.7	47.0	9.8	14.8	14.7	267.2	1.0	4.9	51.9	74.4	20.6	519.7	6.9	45
84.8	19.9	8.0	135.6	172.5	20.9	186.5	17.0	48.9	10.0	12.0	15.0	211.4	5.0	11.0	44.9	86.8	17.9	612.2	17.0	46
81.6	17.5	.....	154.5	192.4	29.2	110.8	14.6	32.1	2.9	8.7	29.2	84.6	11.7	.....	75.8	93.3	20.4	288.7	2.9	47
105.4	23.4	8.8	140.6	187.4	14.6	140.6	11.7	29.3	2.9	2.9	26.4	84.9	2.9	5.9	38.1	64.4	8.8	246.0	.....	48
72.4	16.1	4.0	229.2	205.1	44.2	112.6	20.1	40.2	.....	12.1	24.1	163.9	4.0	12.1	60.3	76.4	32.2	482.5	4.0	49
95.6	19.9	8.0	247.0	183.2	39.8	115.5	4.0	43.8	4.0	15.9	11.9	207.1	4.0	8.0	55.8	103.6	27.9	406.3	.....	50
131.5	16.4	.....	219.2	224.7	16.4	82.2	5.5	32.9	21.9	.....	11.0	126.0	5.5	.....	71.2	109.6	27.4	400.0	.....	51
119.3	.....	27.1	189.9	233.3	10.8	141.0	10.8	32.5	.....	10.8	5.4	233.3	5.4	.....	70.5	54.2	10.8	439.4	5.4	52
55.6	16.5	12.0	127.8	126.3	19.5	144.4	6.0	43.6	4.5	10.5	7.5	114.3	3.0	15.0	67.7	100.7	18.0	230.1	4.5	53
64.9	9.0	19.6	120.7	135.7	19.6	146.3	13.6	31.7	4.5	16.6	15.1	119.2	4.5	10.6	76.9	76.9	9.0	244.3	9.0	54
112.6	5.9	.....	142.3	154.1	17.8	195.6	11.9	17.8	.....	5.9	17.8	100.8	17.8	5.9	65.2	65.2	11.9	349.8	.....	55
53.2	11.8	11.8	94.7	183.4	5.9	183.4	17.7	11.8	.....	11.8	5.9	147.9	.....	11.8	53.2	59.2	5.9	319.5	5.9	56
111.4	30.9	.....	148.5	204.2	20.6	125.8	6.2	51.6	2.1	2.1	12.4	140.3	4.1	4.1	92.8	115.5	30.9	245.5	.....	57
78.7	12.4	6.2	149.2	145.1	35.2	118.1	10.4	53.9	6.2	6.2	16.6	169.9	.....	14.5	72.5	72.5	10.4	308.8	2.1	58
102.6	31.6	.....	118.4	188.5	21.7	78.9	5.9	45.4	11.8	9.9	19.7	96.7	3.9	3.9	77.0	100.6	19.7	317.7	5.9	59
95.0	15.8	17.8	104.9	160.3	23.8	138.6	4.0	43.5	4.0	19.8	15.8	130.6	2.0	7.9	75.2	124.7	13.9	362.3	2.0	60
103.3	11.6	7.4	70.6	117.0	15.8	125.4	14.8	79.0	2.1	6.3	6.3	161.2	5.3	5.3	76.9	110.6	17.9	204.4	11.6	61
134.8	15.1	10.8	72.2	96.0	22.6	135.9	19.4	71.2	.....	5.4	10.8	131.6	1.1	6.5	72.2	124.0	5.4	222.1	23.7	62
105.1	18.5	.....	117.4	191.6	18.5	108.2	6.2	40.2	3.1	9.3	3.1	111.3	6.2	6.2	83.4	71.1	12.4	333.8	3.1	63
90.0	21.7	3.1	121.1	192.5	9.3	83.8	6.2	18.6	.....	15.5	12.4	77.6	6.2	.....	65.2	74.5	6.2	369.5	3.1	64
93.9	33.1	.....	182.3	198.9	22.1	116.0	11.0	16.6	22.1	22.1	5.5	88.4	11.0	.....	27.6	99.4	27.6	370.2	5.5	65
71.2	21.9	.....	240.8	208.0	27.4	87.6	21.9	10.9	5.5	16.4	10.9	93.1	.....	10.9	76.6	93.1	16.4	361.3	.....	66
44.3	6.6	13.7	67.4	105.5	14.6	100.2	15.1	116.2	13.7	8.4	7.5	85.6	8.0	10.6	86.0	84.7	6.2	246.9	73.1	67
58.6	9.8	14.2	67.1	109.3	12.9	111.5	15.1	141.3	12.0	7.1	7.1	105.3	4.4	16.9	78.6	86.2	4.0	271.9	52.9	68
42.5	7.3	14.0	70.5	87.7	7.3	67.1	12.6	104.4	15.3	9.3	6.0	61.8	3.3	13.3	92.4	61.8	7.3	212.7	43.9	69
64.3	13.9	13.9	61.6	92.8	11.9	76.9	15.2	133.2	17.2	6.6	8.6	93.4	3.3	17.2	88.1	57.6	5.3	238.5	30.5	70
47.9	5.3	13.3	61.2	141.1	29.3	166.4	20.0	139.8	10.6	6.7	10.6	133.1	17.3	5.3	73.2	130.5	4.0	315.5	131.8	71
47.2	1.3	14.8	78.2	143.0	14.8	182.1	14.8	157.8	1.3	8.1	4.0	129.5	6.7	16.2	59.3	144.3	1.3	339.9	98.5	72

[3].Includes only municipalities having a population of 1,000 or over in 1900 and less than 10,000 in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	OHIO.															
1	Total	1913	1,257.9	25.0	1.2	0.1	10.7	4.0	14.6	17.0	18.7	3.3	94.2	4.5	12.1	6.7
2		1912	1,232.4	16.9	1.0	(3)	7.2	5.4	9.0	18.9	14.2	4.0	100.2	4.8	12.6	6.6
3	White	1913	1,242.2	24.7	1.2	0.1	10.8	4.0	13.9	17.0	18.6	3.3	89.2	4.4	11.7	6.5
4		1912	1,220.9	16.6	0.9	(3)	7.2	5.4	8.8	18.9	14.2	4.1	96.4	4.7	12.1	6.5
5	Colored	1913	2,180.9	41.2	4.6	.....	4.6	4.6	54.9	16.0	27.5	.....	389.0	13.7	38.9	13.7
6		1912	1,903.6	33.9	9.0	.....	4.5	2.3	20.3	20.3	18.1	2.3	318.8	9.0	45.2	6.8
7	Adams County	1913	1,233.2	28.9	.....	.....	.....	.....	33.0	49.5	20.6	4.1	144.4	4.1	8.2	4.1
8		1912	1,163.7	.....	4.1	.....	4.1	.....	.....	77.9	16.4	.....	155.7	4.1	49.2	4.1
9	Allen County	1913	1,247.5	19.1	3.8	.....	3.8	.....	19.1	19.1	7.6	3.8	133.5	3.8	30.5	.....
10		1912	1,184.8	26.8	3.8	.....	34.5	.....	3.8	.....	30.7	3.8	191.7	.....	11.4	15.3
11	Ashland County	1913	1,214.1	12.7	.....	.....	8.5	.....	.....	8.5	29.7	4.2	59.4	8.5	17.0	8.5
12		1912	1,176.4	21.4	4.3	.....	8.6	8.6	4.3	.....	21.4	4.3	34.2	.....	12.8	4.3
13	Ashtabula County	1913	1,449.9	21.3	4.7	.....	11.8	14.2	9.5	23.7	37.9	7.1	90.0	2.4	21.3	9.5
14		1912	1,335.9	9.5	.....	.....	2.4	19.1	7.2	16.7	28.6	7.2	76.3	7.2	14.3	11.9
15	Athens County*	1913	1,416.9	41.4	.....	.....	2.0	.....	17.7	21.7	11.8	3.9	141.9	3.9	5.9	2.0
16		1912	1,254.4	16.1	.....	.....	.....	4.0	2.0	16.1	12.0	8.0	144.5	.....	14.0	4.0
17	Auglaize County	1913	1,007.6	25.6	.....	.....	.....	.....	28.8	9.6	6.4	3.2	73.6	6.4	22.4	3.2
18		1912	966.2	12.8	.....	.....	.....	.....	9.6	9.6	16.0	.....	64.0	3.2	6.4	9.6
19	Belmont County	1913	1,437.6	38.0	.....	.....	8.8	1.5	27.8	40.9	17.5	2.9	57.0	2.9	10.2	7.3
20		1912	1,344.2	17.9	.....	.....	53.7	14.9	32.8	38.8	11.9	4.5	70.1	3.0	16.4	7.5
21	Brown County	1913	1,428.7	8.4	.....	.....	16.9	.....	54.8	8.4	33.7	.....	155.9	12.6	12.6	.....
22		1912	1,308.6	41.5	.....	.....	.....	12.5	.....	.....	4.2	4.2	199.4	4.2	29.1	8.3
23	Butler County	1913	1,458.3	27.0	.....	.....	13.5	.....	9.0	22.5	27.0	.....	108.0	9.0	22.5	18.0
24		1912	1,434.5	13.6	.....	.....	.....	.....	.....	4.5	36.2	.....	108.6	4.5	13.6	9.1
25	Carroll County	1913	1,044.0	13.0	.....	.....	19.5	6.5	13.0	19.5	13.0	.....	51.9	.....	.....	.....
26		1912	1,139.9	.....	.....	.....	6.4	6.4	12.9	32.2	.....	6.4	51.5	.....	6.4	12.9
27	Champaign County	1913	1,340.5	3.8	.....	3.8	.....	7.6	30.5	7.6	22.8	.....	102.8	.....	22.8	.....
28		1912	1,320.0	19.0	3.8	.....	3.8	.....	7.6	11.4	19.0	3.8	114.1	7.6	15.2	3.8
29	Clark County	1913	1,339.7	15.3	.....	.....	.....	10.2	15.3	15.3	5.1	.....	184.1	.....	15.3	5.1
30		1912	1,202.5	.....	.....	.....	15.4	.....	5.1	10.2	10.2	5.1	179.1	5.1	5.1	5.1
31	Clermont County	1913	1,298.3	20.8	3.5	.....	17.3	3.5	.....	17.3	17.3	.....	131.6	.....	10.4	10.4
32		1912	1,471.2	27.5	3.4	.....	17.2	3.4	.....	3.4	48.1	3.4	175.3	10.3	6.9	3.4
33	Clinton County	1913	1,293.0	25.5	.....	.....	.....	.....	8.5	42.5	38.3	4.3	93.6	4.3	21.3	29.8
34		1912	1,256.2	4.2	.....	.....	4.2	4.2	8.5	21.2	42.4	4.2	106.1	8.5	4.2	4.2
35	Columbiana County	1913	1,308.4	24.3	1.7	.....	22.5	5.2	19.1	13.9	17.3	5.2	67.6	.....	19.1	5.2
36		1912	1,193.1	14.0	.....	.....	24.5	5.2	7.0	15.7	17.5	7.0	75.1	5.2	17.5	8.7
37	Coshocton County	1913	1,280.7	19.8	3.3	.....	.....	.....	9.9	16.5	19.8	.....	72.4	19.8	6.6	6.6
38		1912	1,267.5	26.4	.....	.....	.....	3.3	3.3	16.5	6.6	6.6	69.3	3.3	16.5	3.3
39	Crawford County	1913	1,170.9	20.5	.....	.....	2.9	.....	11.7	8.8	5.9	.....	67.5	5.9	11.7	8.8
40		1912	1,124.4	5.9	.....	.....	.....	11.7	8.8	5.9	8.8	.....	82.2	2.9	14.7	2.9
41	Cuyahoga County	1913	1,255.6	1.7	1.7	.....	3.3	8.3	1.7	23.3	10.0	1.7	91.5	10.0	5.0	8.3
42		1912	1,190.0	4.5	.....	.....	3.0	11.9	1.5	25.4	14.9	1.5	77.6	7.5	1.5	3.0
43	Darke County	1913	1,149.5	11.6	2.3	.....	2.3	.....	4.6	13.9	18.6	2.3	99.9	9.3	7.0	7.0
44		1912	1,173.8	18.6	2.3	.....	2.3	2.3	4.6	9.3	9.3	9.3	106.9	7.0	9.3	11.6
45	Defiance County	1913	1,218.3	46.1	.....	.....	12.6	.....	29.3	4.2	8.4	.....	75.4	4.2	12.6	8.4
46		1912	1,146.4	16.6	.....	.....	4.2	4.2	4.2	29.1	8.3	.....	66.5	.....	16.6	4.2
47	Delaware County	1913	1,173.7	18.2	.....	.....	.....	.....	14.6	14.6	7.3	10.9	69.3	10.9	18.2	7.3
48		1912	1,264.8	7.3	.....	.....	11.0	.....	11.0	11.0	11.0	3.7	102.4	3.7	18.3	11.0
49	Erie County	1913	1,967.4	10.8	.....	.....	5.4	5.4	.....	32.5	5.4	.....	146.3	.....	5.4	21.7
50		1912	1,895.0	.....	.....	.....	5.4	.....	.....	.....	.....	10.9	76.0	10.9	5.4	10.9
51	Fairfield County	1913	1,034.9	11.4	.....	.....	7.6	.....	15.2	3.8	19.0	3.8	98.6	.....	.....	7.6
52		1912	973.6	11.4	.....	.....	.....	3.8	7.6	7.6	7.6	3.8	64.7	11.4	7.6	3.8
53	Fayette County	1913	1,259.8	9.2	.....	.....	18.4	4.6	82.8	4.6	32.2	9.2	87.4	.....	9.2	13.8
54		1912	1,287.5	23.0	9.2	.....	4.6	4.6	27.6	32.2	18.4	.....	160.9	4.6	13.8	9.2
55	Franklin County	1913	1,289.8	7.4	.....	.....	.....	2.5	4.9	17.2	14.8	9.8	191.6	.....	24.6	4.9
56		1912	1,347.6	7.4	.....	.....	4.9	2.5	12.3	14.8	17.3	7.4	145.6	.....	14.8	9.9
57	Fulton County	1913	1,087.6	12.4	.....	.....	8.2	20.6	8.2	8.2	16.5	4.1	74.2	8.2	4.1	.....
58		1912	1,047.1	20.7	4.1	.....	.....	12.4	4.1	4.1	8.3	.....	74.5	.....	16.6	12.4
59	Gallia County	1913	1,497.7	39.9	8.0	.....	.....	4.0	20.0	20.0	16.0	4.0	131.8	8.0	8.0	.....
60		1912	1,587.6	35.6	.....	.....	.....	7.9	4.0	4.0	4.0	7.9	162.3	4.0	15.8	.....
61	Geauga County	1913	1,181.1	13.7	.....	.....	.....	6.8	6.8	6.8	34.1	.....	88.8	.....	6.8	.....
62		1912	1,317.0	20.5	.....	.....	.....	.....	6.8	20.5	20.5	.....	54.6	.....	6.8	6.8
63	Greene County	1913	1,552.0	20.6	.....	.....	.....	3.4	3.4	10.3	58.4	.....	151.1	17.2	30.9	10.3
64		1912	1,388.5	17.1	3.4	.....	.....	.....	13.6	13.6	23.9	6.8	105.8	20.5	23.9	3.4
65	Guernsey County	1913	1,094.3	24.2	3.0	.....	36.3	3.0	21.2	18.1	6.0	.....	57.4	3.0	18.1	6.0
66		1912	1,121.2	18.4	.....	.....	9.2	.....	.....	18.4	15.4	.....	52.2	3.1	6.1	6.1
67	Hamilton County	1913	1,171.3	16.8	8.4	.....	23.5	6.7	16.8	8.4	15.1	.....	129.2	3.4	18.5	6.7
68		1912	1,135.8	9.1	4.5	.....	1.5	19.6	4.5	9.1	12.1	1.5	116.1	7.5	7.5	6.0
69	Hancock County	1913	922.1	22.2	4.4	.....	8.9	.....	4.4	4.4	17.7	.....	88.7	.....	13.3	4.4
70		1912	837.2	8.8	4.4	.....	17.6	.....	26.4	.....	8.8	.....	61.7	.....	17.6	8.8
71	Hardin County	1913	1,246.9	49.7	3.3	.....	19.9	.....	3.3	59.7	23.2	3.3	73.0	6.6	6.6	6.6
72		1912	1,313.1	36.4	.....	.....	.....	.....	3.3	16.5	19.8	3.3	138.9	16.5	19.8	3.3
73	Harrison County	1913	1,267.5	53.7	.....	.....	32.2	.....	5.4	16.1	21.5	10.7	59.1	5.4	16.1	21.5
74		1912	1,252.5	5.3	.....	.....	.....	5.3	16.0	16.0	5.3	5.3	58.6	5.3	21.3	5.3
75	Henry County	1913	1,081.3	8.2	.....	.....	4.1	.....	28.7	8.2	8.2	.....	94.2	4.1	20.5	4.1
76		1912	1,035.1	20.3	.....	.....	4.1	8.1	20.3	8.1	20.3	4.1	77.1	8.1	20.3	4.1
77	Highland County	1913	1,247.6	21.4	3.6	.....	.....	7.1	10.7	7.1	35.7	.....	110.8	7.1	14.3	10.7
78		1912	1,209.0	21.3	.....	.....	35.5	7.1	10.6	21.3	17.7	7.1	138.3	10.6	3.5	7.1

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
78.5	14.6	7.1	100.4	153.6	12.0	94.7	9.6	51.6	6.4	9.0	12.8	77.0	5.3	6.4	63.4	38.4	12.7	231.2	11.1	1
77.4	15.8	9.0	97.6	156.6	13.9	98.9	9.3	37.9	6.9	10.4	10.5	78.8	6.1	7.1	61.1	30.6	12.2	230.6	10.9	2
78.2	14.6	7.1	100.3	151.3	12.1	93.8	9.3	51.0	6.5	9.0	12.8	76.1	5.2	6.3	63.3	36.4	12.9	230.1	10.7	3
77.4	15.8	9.0	97.2	154.7	14.0	98.5	9.2	37.6	6.9	10.5	10.5	77.6	6.0	7.1	60.9	79.9	12.3	229.3	10.6	4
96.1	11.4	9.2	109.8	290.6	11.4	148.7	25.2	89.2	4.6	9.2	13.7	128.2	9.2	13.7	66.4	206.0	2.3	295.2	32.0	5
79.1	13.6	9.0	122.1	266.8	6.8	126.6	15.8	56.5	11.3	6.8	11.3	147.0	6.8	6.8	70.1	122.1	2.3	305.2	27.1	6
86.6	20.6	28.9	82.5	99.0	4.1	107.2	8.2	24.7	8.2	20.6	.....	45.4	4.1	8.2	74.2	45.4	8.2	243.3	16.5	7
41.0	4.1	8.2	69.7	77.9	12.3	122.9	8.2	53.3	12.3	12.3	.....	49.2	.....	8.2	61.5	45.1	4.1	241.8	16.4	8
64.9	19.1	22.9	80.1	160.2	11.4	80.1	19.1	34.3	3.8	11.4	15.3	103.0	.....	3.8	64.9	95.4	15.3	194.6	3.8	9
53.7	7.7	7.7	80.5	107.4	7.7	95.9	.....	34.5	7.7	7.7	11.5	107.4	3.8	7.7	61.3	53.7	3.8	203.2	.....	10
101.9	17.0	.....	161.3	144.3	8.5	80.7	4.2	25.5	17.0	12.7	12.7	59.4	.....	4.2	76.4	89.1	21.2	220.7	.....	11
89.8	8.6	4.3	149.7	136.9	8.6	68.4	4.3	25.7	17.1	12.8	4.3	89.8	4.3	.....	55.6	89.8	12.8	261.0	8.6	12
109.0	14.2	11.8	137.4	161.1	2.4	104.2	7.1	56.9	16.6	9.5	7.1	80.5	9.5	2.4	87.7	90.0	9.5	277.2	2.4	13
114.5	16.7	2.4	121.7	188.5	9.5	105.0	4.8	21.5	7.2	11.9	11.9	93.0	4.8	14.3	50.1	76.3	19.1	260.0	2.4	14
53.2	9.9	3.9	74.9	173.4	.....	143.9	7.9	84.7	2.0	7.9	9.9	63.1	3.9	11.8	112.3	82.8	11.8	297.6	9.9	15
52.2	16.1	12.0	64.2	126.4	4.0	128.4	8.0	46.2	4.0	14.0	6.0	68.2	6.0	2.0	60.2	114.4	2.0	285.0	14.0	16
73.6	22.4	.....	73.6	64.0	28.8	64.0	12.8	25.6	.....	12.8	19.2	86.4	6.4	9.6	25.6	54.4	19.2	204.7	25.6	17
38.4	9.6	9.6	83.2	118.4	22.4	67.2	3.2	25.6	9.6	12.8	22.4	92.8	.....	6.4	32.0	51.2	9.6	214.3	6.4	18
48.3	13.2	10.2	60.0	124.3	10.2	152.1	5.8	143.3	8.8	10.2	10.2	77.5	14.6	7.3	92.1	188.7	26.3	204.8	14.6	19
61.2	6.0	17.9	68.6	146.2	13.4	147.7	11.9	89.5	4.5	7.5	7.5	58.2	10.4	7.5	85.0	152.2	11.9	156.6	9.0	20
75.9	8.4	12.6	75.9	214.9	12.6	147.5	16.9	46.4	4.2	12.6	.....	50.6	4.2	.....	63.2	71.6	33.7	265.5	8.4	21
99.7	16.6	8.3	116.3	224.3	4.2	99.7	.....	24.9	8.3	33.2	8.3	54.0	.....	12.5	41.5	54.0	4.2	195.2	.....	22
90.0	4.5	9.0	94.5	193.5	4.5	130.5	4.5	49.5	9.0	13.5	40.5	117.0	4.5	.....	36.0	171.0	9.0	207.0	13.5	23
108.6	18.1	22.6	104.1	185.5	9.1	81.5	13.6	54.3	.....	27.2	13.6	108.6	9.1	.....	72.4	122.2	18.1	271.5	4.5	24
77.8	13.0	19.5	116.7	149.1	6.5	77.8	6.5	32.4	.....	.....	25.9	51.9	.....	6.5	38.9	71.3	13.0	194.5	6.5	25
115.9	12.9	6.4	115.9	135.2	12.9	115.9	12.9	6.4	.....	.....	.....	115.9	.....	19.3	38.6	64.4	12.9	199.7	19.3	26
99.0	34.3	3.8	121.9	163.8	7.6	106.6	3.8	34.3	7.6	30.5	11.4	148.5	3.8	3.8	41.9	80.0	3.8	224.7	7.6	27
117.9	22.8	15.2	98.9	197.8	22.8	60.9	11.4	26.6	34.2	7.6	7.6	98.9	7.6	3.8	45.6	57.1	15.2	258.7	.....	28
117.6	25.6	5.1	122.7	158.5	5.1	97.2	5.1	30.7	.....	15.3	5.1	71.6	.....	.....	76.7	81.8	15.3	240.3	.....	29
56.3	20.5	10.2	122.8	163.7	20.5	87.0	20.5	46.1	.....	5.1	10.2	76.8	5.1	5.1	56.3	35.8	20.5	199.6	.....	30
45.0	3.5	10.4	121.2	218.1	6.9	121.2	10.4	17.3	10.4	3.5	13.8	103.9	13.8	3.5	41.5	62.3	6.9	242.3	10.4	31
106.6	17.2	6.9	89.4	206.2	13.7	72.2	13.7	30.9	6.9	17.2	10.3	92.8	6.9	6.9	68.7	68.7	10.3	305.9	17.2	32
102.1	17.0	4.3	119.1	170.1	4.3	89.3	25.5	46.8	.....	4.3	8.5	55.3	4.3	4.3	59.5	51.0	17.0	233.9	8.5	33
101.9	8.5	4.2	140.0	174.0	.....	25.5	.....	55.2	17.0	.....	4.2	67.9	4.2	8.5	67.9	59.4	8.5	292.8	4.2	34
88.4	13.9	10.4	72.8	161.2	20.8	114.4	8.7	53.7	5.2	6.9	10.4	135.2	6.9	1.7	65.9	78.0	15.6	221.8	15.6	35
78.6	14.0	7.0	73.4	117.0	17.5	99.6	8.7	47.2	8.7	1.7	7.0	94.3	14.0	8.7	68.1	66.4	8.7	241.1	14.0	36
69.1	19.8	13.2	79.0	151.4	19.8	108.6	6.6	46.1	6.6	6.6	3.3	105.3	13.2	.....	59.3	118.5	13.2	253.5	13.2	37
99.0	39.6	6.6	89.1	188.1	3.3	145.2	9.9	29.7	23.1	6.6	9.9	66.0	6.6	9.9	46.2	62.7	19.8	224.5	26.4	38
79.2	26.4	2.9	111.5	102.7	11.7	88.0	8.8	20.5	2.9	14.7	14.7	96.8	8.8	8.8	38.2	88.0	29.3	255.3	17.6	39
55.8	5.9	8.8	114.5	99.8	11.7	88.1	14.7	26.4	20.6	14.7	14.7	99.8	11.7	.....	61.7	102.8	20.6	196.7	11.7	40
94.8	8.3	1.7	93.1	199.6	23.3	79.8	16.6	54.9	5.0	.....	18.3	119.7	3.3	11.6	51.6	103.1	8.3	187.9	8.3	41
55.2	11.9	1.5	88.1	201.6	26.9	88.1	9.0	46.3	1.5	3.0	20.9	116.5	1.5	3.0	43.3	85.1	14.9	215.0	4.5	42
60.4	9.3	4.6	109.1	176.5	20.9	60.4	7.0	25.5	9.3	13.9	9.3	69.7	7.0	9.3	46.4	62.7	13.9	239.2	16.3	43
65.1	11.6	9.3	81.4	151.1	11.6	74.4	9.3	30.2	11.6	11.6	11.6	67.4	7.0	.....	74.4	81.4	9.3	258.0	4.6	44
100.5	4.2	12.6	104.7	113.0	16.7	71.2	12.6	54.4	4.2	12.6	8.4	71.2	4.2	8.4	58.6	71.2	25.1	255.4	8.4	45
95.5	8.3	12.5	108.0	87.2	8.3	74.8	8.3	16.6	12.5	12.5	12.5	45.7	4.2	12.5	95.5	74.8	4.2	299.1	.....	46
87.5	14.6	18.2	167.7	109.3	7.3	76.5	.....	36.4	7.3	18.2	29.2	62.0	7.3	7.3	58.3	134.9	10.9	145.8	3.6	47
87.7	32.9	18.3	164.5	171.8	14.6	95.0	11.0	18.3	11.0	11.0	3.7	102.4	7.3	11.0	40.2	62.1	3.7	201.1	7.3	48
86.7	48.8	5.4	206.0	411.9	21.7	81.3	16.3	21.7	5.4	21.7	16.3	108.4	.....	.....	75.9	130.1	27.1	439.0	10.8	49
124.9	21.7	.....	233.5	450.7	48.9	92.3	21.7	10.9	.....	10.9	10.9	135.7	.....	16.3	59.7	168.3	16.3	347.5	5.4	50
49.3	7.6	.....	102.4	163.0	.....	64.4	7.6	56.9	.....	3.8	7.6	60.7	3.8	.....	37.9	49.3	11.4	238.8	3.8	51
72.3	22.8	7.6	91.3	159.7	3.8	79.9	3.8	34.2	.....	22.8	.....	57.0	.....	3.8	60.8	64.7	7.6	148.3	3.8	52
82.8	13.8	9.2	82.8	114.9	4.6	69.0	13.8	32.2	41.4	.....	.....	87.4	4.6	18.4	59.8	64.4	4.6	257.5	27.6	53
64.4	13.8	9.2	50.6	142.5	4.6	87.4	9.2	41.4	13.8	4.6	.....	101.2	9.2	27.6	78.2	55.2	13.8	239.1	13.8	54
113.0	2.5	.....	105.6	154.8	19.7	71.2	.....	73.7	2.5	7.4	4.9	78.6	.....	9.8	54.0	90.9	12.3	211.3	.....	55
81.4	24.7	7.4	93.8	170.3	9.9	76.5	2.5	34.6	4.9	2.5	17.3	86.4	4.9	7.4	96.3	113.5	7.4	256.7	12.3	56
94.8	37.1	16.5	115.4	152.4	16.5	65.9	4.1	20.6	4.1	.....	16.5	41.2	12.4	4.1	61.8	70.0	4.1	185.4	.....	57
45.5	20.7	4.1	74.5	132.4	33.1	107.6	12.4	16.6	4.1	20.7	12.4	57.9	4.1	12.4	24.8	49.7	12.4	240.1	4.1	58
83.9	8.0	20.0	79.9	215.7	8.0	131.8	12.0	43.9	12.0	8.0	16.0	67.9	8.0	.....	43.9	67.9	.....	395.4	16.0	59
67.3	7.9	4.0	102.9	174.2	7.9	194.0	15.8	31.7	7.9	11.9	7.9	67.3	4.0	7.9	71.3	51.5	23.8	459.2	23.8	60
102.4	13.7	20.5	102.4	136.5	.....	68.3	34.1	34.1	13.7	13.7	27.3	54.6	6.8	13.7	75.1	47.8	6.8	245.8	.....	61
122.8	20.5	6.8	129.7	334.4	.....	102.4	.....	13.6	6.8	6.8	6.8	75.1	13.6	6.8	47.8	61.4	6.8	204.7	13.6	62
85.8	27.5	.....	92.7	264.4	30.9	154.5	10.3	54.9	6.9	3.4	20.6	65.2	6.9	3.4	54.9	79.0	17.2	261.0	6.9	63
98.9	13.6	6.8	112.6	235.4	13.6	95.5	6.8	23.9	3.4	10.2	10.2	54.6	3.4	6.8	95.5	78.5	17.1	255.9	13.6	64
60.5	6.0	9.1	60.5	102.8	18.1	99.8	9.1	78.6	9.1	6.0	6.0	39.3	6.0	.....	102.8	87.7	6.0	178.4	12.1	65
76.8	9.2	15.4	61.4	122.9	12.3	113.7	9.2	61.4	.....	6.1	15.4	30.7	9.2	15.4	70.7	107.5	9.2	236.5	9.2	66
60.4	15.1	5.0	92.3	125.9	11.7	90.6	10.1	55.4	1.7	10.1	21.8	70.5	5.0	11.7	52.0	104.0	15.1	147.7	11.7	67
64.9	16.6	9.1	69.4	181.0	12.1	98.0	12.1	43.7	6.0	6.0	19.6	92.0	1.5	4.5	52.8	87.5	21.1	134.2	4.5	68
93.1	8.9	8.9	70.9	119.7	.....	57.6	.....	35.5	4.4	8.9	8.9	31.0	8.9	.....	53.2	66.5	8.9	168.5	.....	69
57.3	4.4	13.2	66.1	79.3	13.2	57.3	4.4	8.8	8.8	4.4	4.4	39.7	4.4	4.4	44.1	57.3	26.4	185.1	.....	70
92.9	6.6	3.3	89.5	129.3	9.9	86.2	6.6	33.2	9.9	3.3	6.6	96.2	3.3	3.3	79.6	96.2	13.3	205.6	16.6	71
105.8	6.6	9.9	119.1	148.8	9.9	102.5	13.2	66.2	6.6	3.3	16.5	99.2	6.6	9.9	49.6	52.9	6.6	218.3	3.3	72
112.8	10.7	.....	107.4	107.4	16.1	91.3	16.1	43.0	5.4	.....	5.4	80.6	.....	5.4	37.6	48.3	10.7	311.5	16.1	73
95.9	10.7	5.3	90.6	165.2	10.7	138.6	10.7	42.6	5.3	5.3	5.3	127.9	5.3	10.7	42.6	117.3	5.3	197.2	16.0	74
90.1	16.4	12.3	122.9	98.3	4.1	94.2	.....	41.0	12.3	16.4	12.3	32.8	8.2	.....	49.1	61.4	24.6	204.8	.....	75
77.1	8.1	8.1	85.2	85.2	16.2	77.1	16.2	20.3	12.2	24.4	20.3	40.6	20.3	.....	64.9	44.7	4.1	211.1	4.1	76
50.0	17.9	32.2	100.1	214.5	25.0	53.6	21.4	39.3	.....	10.7	7.1	82.2	3.6	3.6	57.2	35.7	10.7	243.1	10.7	77
53.2	35.5	17.7	113.5	163.1	14.2	74.5	3.5	21.3	10.6	7.1	14.2	99.3	.....	3.5	46.1	31.9	10.6	191.5	17.7	78

[3] Less than one-tenth of 1 per 100,000 population.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	OHIO—continued.															
1	Hocking County	1913	1,003.9	12.8	.....	.....	.....	.....	17.1	17.1	25.6	21.4	55.5	.....	8.5	.....
2		1912	975.1	8.5	.....	.....	.....	4.3	21.3	38.3	17.0	.....	68.1	4.3	4.3	12.8
3	Holmes County	1913	1,236.4	23.0	.....	.....	11.5	.....	5.8	17.3	23.0	.....	97.8	28.8	5.8	17.3
4		1912	1,122.4	11.4	.....	.....	11.4	.....	5.7	28.5	11.4	.....	85.5	.....	11.4	11.4
5	Huron County	1913	1,289.6	31.6	.....	.....	5.7	.....	8.6	11.5	17.2	2.9	63.2	.....	5.7	5.7
6		1912	1,366.0	8.7	.....	.....	2.9	5.8	5.8	11.6	8.7	5.8	83.8	8.7	11.6	5.8
7	Jackson County	1913	1,075.2	43.8	.....	.....	6.7	6.7	37.1	30.3	20.2	.....	80.9	6.7	20.2	6.7
8		1912	1,225.9	20.0	3.3	.....	.....	10.0	3.3	43.3	6.7	3.3	126.6	3.3	10.0	.....
9	Jefferson County	1913	1,320.3	25.4	.....	.....	57.1	2.1	23.3	29.6	12.7	8.5	80.4	2.1	6.3	2.1
10		1912	1,214.5	26.1	.....	.....	8.7	15.2	28.3	37.0	13.1	.....	58.8	2.2	19.6	4.4
11	Knox County	1913	1,191.7	16.1	.....	.....	22.6	.....	6.5	.....	12.9	3.2	100.1	3.2	6.5	12.9
12		1912	1,158.9	13.0	.....	.....	.....	3.3	.....	9.8	13.0	3.3	100.9	3.3	16.3	22.8
13	Lake County	1913	1,483.0	25.7	.....	.....	51.4	8.6	4.3	8.6	30.0	4.3	68.6	4.3	8.6	12.9
14		1912	1,439.3	17.2	.....	.....	.....	.....	.....	12.9	30.2	4.3	94.8	4.3	21.5	17.2
15	Lawrence County	1913	1,088.2	57.9	3.9	.....	30.9	.....	7.7	38.6	7.7	15.4	162.1	.....	27.0	11.6
16		1912	1,332.2	34.6	.....	.....	3.8	3.8	26.9	61.4	7.7	7.7	145.9	3.8	11.5	15.4
17	Licking County	1913	1,153.9	26.0	.....	.....	6.5	.....	9.8	6.5	3.3	3.3	78.0	6.5	3.3	3.3
18		1912	1,203.2	26.2	.....	.....	9.8	.....	.....	3.3	13.1	9.8	71.9	3.3	3.3	6.5
19	Logan County	1913	1,167.6	20.0	.....	3.3	6.7	6.7	3.3	16.7	23.4	.....	106.8	6.7	16.7	6.7
20		1912	1,213.0	13.3	.....	.....	.....	3.3	6.7	.....	6.7	10.0	90.0	.....	6.7	6.7
21	Lorain County	1913	1,266.9	30.2	.....	.....	18.1	.....	6.0	18.1	12.1	.....	111.9	.....	6.0	6.0
22		1912	1,272.8	21.3	.....	.....	9.1	.....	15.2	6.1	6.1	.....	103.5	3.0	9.1	3.0
23	Lucas County	1913	1,146.2	35.9	.....	.....	8.0	8.0	4.0	16.0	4.0	.....	79.9	4.0	12.0	4.0
24		1912	1,089.2	.....	.....	.....	4.0	.....	20.2	28.2	4.0	.....	88.8	.....	16.1	8.1
25	Madison County	1913	1,331.3	25.4	.....	.....	.....	.....	25.4	30.5	15.2	.....	91.5	.....	20.3	.....
26		1912	1,245.6	10.1	5.1	.....	5.1	10.1	10.1	25.3	5.1	5.1	182.3	.....	10.1	.....
27	Mahoning County	1913	1,450.7	19.4	.....	.....	29.2	4.9	19.4	24.3	17.0	4.9	123.9	.....	4.9	2.4
28		1912	1,401.5	12.5	.....	.....	10.0	62.7	7.5	77.7	2.5	5.0	107.8	2.5	10.0	12.5
29	Marion County	1913	1,483.5	20.9	.....	.....	7.0	27.9	.....	62.7	34.8	7.0	118.4	.....	7.0	7.0
30		1912	1,038.8	25.8	.....	.....	.....	.....	19.4	6.5	6.5	.....	109.7	12.9	19.4	12.9
31	Medina County	1913	1,110.6	16.6	.....	.....	.....	.....	16.6	12.4	.....	8.3	58.0	.....	4.1	20.7
32		1912	1,289.4	16.7	.....	.....	.....	4.2	16.7	12.5	12.5	8.3	96.0	.....	4.2	12.5
33	Meigs County	1913	1,377.4	65.0	4.1	.....	.....	4.1	28.4	.....	8.1	12.2	73.1	.....	24.4	.....
34		1912	1,171.8	24.1	.....	.....	4.0	.....	.....	8.0	8.0	12.0	80.3	.....	12.0	24.1
35	Mercer County	1913	971.5	18.3	.....	.....	7.3	.....	.....	14.6	18.3	3.7	73.0	3.7	14.6	.....
36		1912	1,112.0	14.6	.....	.....	.....	3.6	.....	14.6	10.9	3.6	98.4	14.6	10.9	.....
37	Miami County	1913	1,307.5	65.8	.....	.....	3.1	.....	6.3	15.7	18.8	.....	100.3	9.4	9.4	9.4
38		1912	1,354.5	12.6	.....	.....	3.1	.....	3.1	22.0	6.3	.....	125.7	6.3	25.1	9.4
39	Monroe County	1913	1,109.7	30.0	4.3	.....	12.9	.....	8.6	12.9	34.3	.....	120.0	.....	17.1	.....
40		1912	1,096.5	16.9	.....	.....	4.2	.....	4.2	8.5	16.9	.....	93.1	.....	8.5	4.2
41	Montgomery County	1913	1,456.1	20.9	.....	.....	.....	7.6	1.9	30.4	13.3	9.5	93.1	3.8	7.6	1.9
42		1912	1,421.9	15.7	2.0	.....	3.9	.....	2.0	7.9	11.8	5.9	111.9	3.9	11.8	3.9
43	Morgan County	1913	1,147.6	32.2	.....	.....	.....	.....	.....	19.3	12.9	.....	109.6	6.4	12.9	.....
44		1912	1,261.7	12.7	6.4	.....	44.6	.....	.....	12.7	19.1	.....	108.3	.....	12.7	.....
45	Morrow County	1913	1,153.5	6.1	.....	.....	.....	.....	6.1	12.1	24.3	.....	54.6	6.1	12.1	12.1
46		1912	1,308.9	6.0	.....	.....	6.0	.....	24.1	12.1	6.0	.....	96.5	.....	12.1	6.0
47	Muskingum County	1913	1,211.2	44.2	.....	3.4	10.2	6.8	10.2	10.2	20.4	.....	88.5	3.4	3.4	10.2
48		1912	1,278.3	17.0	.....	.....	3.4	.....	3.4	13.6	27.2	10.2	112.2	3.4	10.2	3.4
49	Noble County	1913	1,331.7	32.7	.....	.....	38.2	.....	.....	10.9	16.4	.....	114.6	.....	.....	5.5
50		1912	1,205.9	5.4	.....	.....	.....	.....	.....	10.9	5.4	10.9	97.8	10.9	5.4	.....
51	Ottawa County	1913	1,133.6	13.4	.....	.....	.....	8.9	.....	4.5	17.9	.....	75.9	4.5	4.5	17.9
52		1912	1,214.7	22.3	4.5	.....	26.8	.....	8.9	8.9	4.5	.....	98.2	4.5	17.9	13.4
53	Paulding County	1913	954.1	28.3	.....	.....	.....	.....	28.3	9.4	28.3	.....	85.0	.....	14.2	4.7
54		1912	1,149.7	13.9	.....	.....	4.6	.....	4.6	9.2	9.2	4.6	115.4	4.6	13.9	9.2
55	Perry County	1913	1,198.3	32.8	.....	.....	10.9	5.5	27.4	10.9	21.9	.....	62.9	8.2	13.7	13.7
56		1912	1,058.3	11.1	.....	.....	.....	5.5	8.3	11.1	16.6	5.5	77.4	8.3	19.3	.....
57	Pickaway County	1913	1,329.2	30.9	.....	.....	3.9	3.9	30.9	7.7	54.1	.....	108.2	.....	11.6	7.7
58		1912	1,355.6	11.6	.....	.....	11.6	3.9	3.9	19.3	30.8	.....	115.5	3.9	15.4	3.9
59	Pike County	1913	1,346.6	13.4	.....	.....	.....	13.4	40.2	13.4	26.8	6.7	180.9	.....	20.1	6.7
60		1912	1,166.4	26.4	.....	.....	6.6	.....	6.6	39.5	13.2	.....	217.5	.....	6.6	.....
61	Portage County	1913	1,478.0	62.0	3.3	.....	3.3	19.6	13.1	26.1	29.4	3.3	75.0	9.8	16.3	.....
62		1912	1,381.7	32.7	3.3	.....	6.5	.....	6.5	6.5	19.6	9.8	65.5	9.8	3.3	19.6
63	Preble County	1913	1,143.6	12.6	.....	.....	8.4	8.4	.....	12.6	12.6	.....	62.8	.....	12.6	8.4
64		1912	1,269.9	16.8	.....	.....	.....	.....	12.6	.....	29.3	.....	75.4	4.2	33.5	4.2
65	Putnam County	1913	1,063.7	20.6	.....	.....	6.9	3.4	30.9	13.7	10.3	6.9	65.2	3.4	10.3	3.4
66		1912	1,061.2	13.6	3.4	.....	13.6	3.4	6.8	20.4	6.8	3.4	91.8	.....	3.4	13.6
67	Richland County	1913	1,308.3	14.8	3.7	.....	3.7	7.4	25.9	11.1	14.8	14.8	63.0	11.1	11.1	11.1
68		1912	1,276.2	7.4	.....	.....	.....	7.4	14.8	29.7	11.1	11.1	85.3	11.1	7.4	14.8
69	Ross County	1913	1,307.4	48.4	4.0	.....	4.0	4.0	48.4	4.0	28.2	.....	133.2	8.1	8.1	8.1
70		1912	1,278.7	16.0	.....	.....	12.0	.....	16.0	32.0	8.0	12.0	123.9	8.0	16.0	.....
71	Sandusky County	1913	1,032.4	28.2	2.8	.....	2.8	.....	.....	8.5	22.6	.....	56.4	2.8	5.6	11.3
72		1912	1,071.7	28.3	2.8	.....	5.7	.....	17.0	8.5	8.5	2.8	96.1	2.8	11.3	5.7
73	Scioto County	1913	1,346.1	54.2	.....	.....	20.8	4.2	16.7	45.8	16.7	.....	162.5	4.2	16.7	4.2
74		1912	1,375.1	33.5	.....	.....	.....	.....	4.2	117.4	46.1	4.2	167.7	.....	12.6	.....
75	Seneca County	1913	1,259.7	19.6	.....	.....	3.3	3.3	9.8	3.3	9.8	.....	94.6	13.1	.....	3.3
76		1912	1,172.9	9.8	.....	.....	6.5	3.3	3.3	3.3	9.8	6.5	84.9	3.3	6.5	3.3
77	Shelby County	1913	1,070.0	40.5	.....	.....	12.2	.....	20.3	.....	16.2	8.1	85.1	4.1	8.1	4.1
78		1912	1,272.8	32.4	.....	.....	8.1	.....	24.3	8.1	16.2	4.1	137.8	8.1	8.1	12.2

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—

Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
38.4	8.5	12.8	55.5	81.2	8.5	76.9	8.5	64.1	12.8	8.5	4.3	81.2	8.5	4.3	72.6	106.8	4.3	179.4	8.5	1
55.4	8.5	.....	51.1	115.0	8.5	76.6	8.5	46.8	8.5	4.3	12.8	80.9	8.5	8.5	63.9	38.3	8.5	174.6	17.0	2
86.3	28.8	5.8	97.8	184.0	11.5	80.5	17.3	40.3	17.3	5.8	23.0	46.0	5.8	.....	74.8	57.5	5.8	195.5	23.0	3
79.8	34.2	17.1	102.6	119.7	5.7	114.0	5.7	11.4	22.8	5.7	17.1	57.0	17.1	5.7	34.2	39.9	22.8	216.5	17.1	4
123.5	20.1	2.9	120.6	181.0	17.2	66.1	11.5	31.6	11.5	2.9	23.0	60.3	2.9	5.7	48.8	97.7	11.5	287.2	11.5	5
83.8	11.6	5.8	135.7	161.7	11.6	109.7	11.6	37.5	5.8	20.2	14.4	89.5	2.9	11.6	34.7	132.8	20.2	297.5	8.7	6
53.9	.....	3.4	64.0	134.8	13.5	91.0	13.5	37.1	10.1	6.7	16.9	57.3	3.4	16.9	53.9	60.7	6.7	141.6	30.3	7
113.3	16.7	10.0	89.9	163.2	3.3	119.9	6.7	36.6	.....	6.7	3.3	33.3	10.0	10.0	83.3	89.9	3.3	189.9	6.7	8
61.4	10.6	12.7	67.7	95.2	4.2	169.3	12.7	112.1	6.3	4.2	12.7	73.3	8.5	4.2	67.7	110.0	8.5	215.8	8.5	9
43.5	8.7	2.2	56.6	80.5	10.9	139.3	23.9	106.7	.....	10.9	6.5	67.5	10.9	8.7	76.2	137.1	8.7	187.2	15.2	10
74.3	9.7	3.2	122.7	167.9	9.7	87.2	6.5	32.3	9.7	12.9	6.5	74.3	6.5	.....	42.0	67.8	25.8	232.5	16.1	11
84.6	19.5	.....	172.5	149.7	22.8	97.7	6.5	22.8	6.5	16.3	.....	61.8	6.5	3.3	39.1	58.6	6.5	195.3	3.3	12
137.2	21.4	12.9	85.7	218.6	21.4	102.9	4.3	42.9	8.6	17.1	.....	85.7	.....	8.6	38.6	107.2	17.1	295.7	30.0	13
125.0	8.6	12.9	103.4	224.1	21.5	137.9	.....	17.2	4.3	8.6	4.3	69.0	.....	4.3	51.7	133.6	8.6	284.4	17.2	14
46.3	3.9	7.7	73.3	81.0	11.6	73.3	7.7	50.2	.....	3.9	15.4	46.3	3.9	.....	61.7	50.2	3.9	165.9	19.3	15
57.6	3.8	11.5	34.6	92.1	42.2	176.6	7.7	49.9	7.7	11.5	3.8	84.5	19.2	30.7	88.3	61.4	3.8	195.8	26.9	16
55.3	16.3	6.5	136.5	178.8	9.8	78.0	6.5	39.0	3.3	6.5	3.3	68.3	6.5	3.3	55.3	91.0	16.3	221.0	6.5	17
94.8	26.2	9.8	117.7	183.1	16.3	68.7	.....	49.0	.....	6.5	16.3	88.3	.....	9.8	42.5	75.2	6.5	232.1	13.1	18
76.7	16.7	.....	80.1	180.1	10.0	36.7	13.3	50.0	10.0	13.3	13.3	66.7	3.3	6.7	43.4	46.7	10.0	266.9	6.7	19
96.6	13.3	.....	103.3	203.3	23.3	60.0	10.0	20.0	10.0	20.0	10.0	83.3	3.3	.....	63.3	60.0	13.3	269.9	6.7	20
75.6	9.1	6.0	105.8	181.4	24.2	84.7	15.1	36.3	.....	9.1	24.2	84.7	3.0	9.1	69.5	81.6	18.1	217.7	3.0	21
88.3	18.3	3.0	97.4	182.7	12.2	143.1	12.2	27.4	9.1	3.0	12.2	76.1	9.1	3.0	48.7	109.6	6.1	231.4	3.0	22
75.9	16.0	.....	63.9	131.8	16.0	59.9	4.0	47.9	8.0	.....	20.0	95.8	8.0	.....	87.9	119.8	8.0	207.7	.....	23
44.4	16.1	28.2	84.7	169.4	8.1	64.5	12.1	20.2	4.0	12.1	8.1	76.6	.....	.....	56.5	92.8	12.1	205.7	4.0	24
96.5	35.6	5.1	61.0	147.4	20.3	81.3	5.1	86.4	5.1	5.1	10.2	76.2	5.1	5.1	71.1	106.7	15.2	259.1	25.4	25
86.1	25.3	10.1	126.6	91.1	.....	121.5	5.1	55.7	5.1	10.1	10.1	91.1	.....	15.2	15.2	70.9	20.3	212.7	5.1	26
63.2	14.6	2.4	80.2	131.2	17.0	238.1	4.9	172.5	4.9	9.7	.....	51.0	2.4	4.9	77.8	133.6	17.0	172.5	2.4	27
67.7	25.1	2.5	117.8	150.4	2.5	140.4	5.0	92.8	.....	2.5	10.0	77.7	5.0	12.5	97.8	87.8	5.0	188.0	.....	28
90.5	7.0	7.0	132.3	202.0	.....	83.6	20.9	55.7	13.9	34.8	27.9	83.6	.....	13.9	83.6	118.4	7.0	208.9	.....	29
45.2	25.8	6.5	45.2	129.0	19.4	58.1	6.5	12.9	6.5	6.5	12.9	77.4	6.5	.....	45.2	141.9	.....	180.7	.....	30
111.9	16.6	.....	145.0	103.6	12.4	99.5	8.3	37.3	.....	.....	4.1	87.0	.....	4.1	53.0	95.3	.....	174.0	16.6	31
54.2	16.7	12.5	116.8	237.8	8.3	141.9	8.3	25.0	12.5	8.3	4.2	91.8	4.2	4.2	50.1	79.3	12.5	208.6	8.3	32
44.7	4.1	12.2	162.5	134.1	4.1	97.5	20.3	36.6	12.2	12.2	4.1	89.4	12.2	.....	44.7	89.4	.....	365.7	12.2	33
92.3	.....	12.0	96.3	128.4	4.0	112.4	8.0	32.1	4.0	4.0	4.0	72.2	12.0	16.1	60.2	64.2	16.1	232.8	28.1	34
69.4	11.0	3.7	69.4	109.6	14.6	65.7	7.3	36.5	.....	11.0	18.3	54.8	3.7	11.0	91.3	25.6	11.0	186.3	18.3	35
65.6	10.9	14.6	72.9	120.3	14.6	98.4	7.3	29.2	7.3	10.9	10.9	76.6	14.6	.....	69.3	94.8	10.9	175.0	36.5	36
119.1	21.9	6.3	100.3	94.1	3.1	112.9	.....	40.8	9.4	3.1	3.1	75.3	3.1	9.4	87.8	109.7	6.3	260.2	3.1	37
110.0	15.7	25.1	116.3	160.3	15.7	116.3	15.7	28.3	9.4	9.4	3.1	81.7	3.1	9.4	50.3	66.0	15.7	282.8	6.3	38
55.7	12.9	12.9	55.7	111.4	8.6	94.3	4.3	42.8	4.3	21.4	12.9	42.8	4.3	8.6	38.6	64.3	12.9	244.2	17.1	39
63.5	8.5	8.5	80.4	160.9	25.4	101.6	12.7	.....	.....	12.7	4.2	80.4	4.2	4.2	67.7	46.6	8.5	224.4	25.4	40
87.4	11.4	5.7	117.9	214.8	1.9	98.8	5.7	36.1	.....	1.9	13.3	171.1	3.8	7.6	38.0	112.2	19.0	317.5	1.9	41
82.5	15.7	17.7	115.9	218.1	7.9	104.1	3.9	37.3	5.9	2.0	17.7	147.3	5.9	2.0	41.2	62.8	15.7	330.0	7.9	42
70.9	19.3	6.4	109.6	251.5	12.9	64.5	25.8	25.8	.....	12.9	12.9	19.3	.....	6.4	58.0	64.5	6.4	174.1	12.9	43
108.3	19.1	.....	108.3	242.1	6.4	108.3	.....	12.7	6.4	19.1	12.7	57.4	6.4	6.4	51.0	12.7	6.4	254.9	6.4	44
133.6	18.2	6.1	133.6	170.0	18.2	72.9	18.2	18.2	6.1	18.2	12.1	85.0	6.1	12.1	42.5	36.4	12.1	182.1	18.2	45
144.8	6.0	24.1	187.0	187.0	18.1	78.4	6.0	18.1	12.1	.....	18.1	42.2	6.0	12.1	96.5	54.3	6.0	205.1	13.1	46
54.4	13.6	.....	142.9	176.9	6.8	81.7	10.2	17.0	6.8	3.4	27.2	68.0	10.2	13.6	47.6	85.1	6.8	210.9	17.0	47
57.8	20.4	6.8	132.6	193.8	13.6	85.0	3.4	34.0	.....	3.4	13.6	64.6	.....	3.4	34.0	122.4	30.6	238.0	17.0	48
60.0	5.5	.....	103.7	169.2	.....	98.2	21.8	60.0	5.5	5.5	10.9	71.0	.....	5.5	76.4	158.3	16.4	218.3	27.3	49
65.2	.....	10.9	86.9	173.8	16.3	97.8	10.9	48.9	.....	21.7	16.3	54.3	.....	10.9	54.3	92.3	5.4	266.2	27.2	50
75.9	26.8	.....	66.9	129.4	13.4	71.4	4.5	35.7	4.5	4.5	13.4	66.9	.....	4.5	53.6	174.1	17.9	214.2	8.9	51
102.7	13.4	8.9	67.0	138.4	13.4	84.9	8.9	26.8	13.4	8.9	17.9	67.0	4.5	13.4	98.2	125.0	17.9	165.2	8.9	52
56.7	14.2	4.7	47.2	89.7	4.7	66.1	.....	33.1	4.7	4.7	9.4	122.8	9.4	9.4	61.4	37.8	4.7	165.3	9.4	53
64.6	13.9	9.2	46.2	97.0	13.9	87.7	9.2	50.8	13.9	4.6	.....	115.4	4.6	9.2	69.3	106.2	.....	221.6	23.1	54
68.4	8.2	5.5	104.0	123.1	5.5	104.0	8.2	52.0	5.5	5.5	10.9	57.5	5.5	13.7	95.8	93.0	2.7	194.2	27.4	55
60.8	13.8	11.1	102.2	118.8	13.8	80.1	5.5	13.8	.....	8.3	5.5	52.5	5.5	.....	74.6	80.1	8.3	212.8	27.6	56
65.7	34.8	3.9	81.1	92.7	15.5	119.8	15.5	81.1	7.7	3.9	7.7	77.3	.....	3.9	119.8	65.7	15.5	247.3	11.6	57
115.5	27.0	11.6	115.5	119.4	7.7	92.4	3.9	57.8	7.7	3.9	3.9	88.6	3.9	3.9	107.8	80.9	15.4	250.3	19.3	58
13.4	26.8	20.1	87.1	147.4	13.4	127.3	20.1	73.7	13.4	6.7	13.4	46.9	6.7	6.7	87.1	53.6	.....	227.8	33.5	59
65.9	19.8	19.8	32.9	125.2	6.6	79.1	6.6	52.7	.....	.....	13.2	19.8	.....	6.6	46.1	85.7	.....	217.5	52.7	60
117.5	26.1	3.3	114.2	179.4	16.3	110.9	6.5	35.9	.....	3.3	9.8	78.3	9.8	3.3	48.9	91.4	9.8	339.3	13.1	61
104.8	3.3	3.3	111.3	216.1	9.8	114.6	9.8	26.2	6.5	22.9	3.3	75.3	6.5	.....	75.3	68.8	9.8	317.6	13.1	62
121.5	20.9	4.2	121.5	150.8	8.4	54.5	4.2	33.5	4.2	.....	16.8	125.7	4.2	.....	58.6	67.0	16.8	188.5	4.2	63
92.2	16.8	16.8	117.3	138.3	16.8	79.6	16.8	8.4	.....	25.1	16.8	129.9	12.6	4.2	33.5	62.9	29.3	272.4	4.2	64
37.7	17.2	13.7	65.2	85.8	3.4	113.2	6.9	37.7	17.2	13.7	13.7	34.3	3.4	13.7	51.5	78.9	10.3	264.2	6.9	65
68.0	30.6	17.0	68.0	98.6	13.6	85.0	10.2	51.0	20.4	13.6	13.6	68.0	3.4	.....	64.6	47.6	6.8	190.5	10.2	66
81.5	22.2	.....	144.5	222.4	11.1	74.1	11.1	14.8	7.4	11.1	11.1	96.4	.....	11.1	44.5	74.1	7.4	263.1	7.4	67
85.3	18.5	14.8	126.1	204.0	3.7	92.7	11.1	11.1	3.7	7.4	11.1	96.5	3.7	3.7	63.1	70.5	18.5	218.9	11.1	68
88.8	16.1	12.1	80.7	169.5	16.1	76.7	4.0	96.8	.....	4.0	12.1	96.8	8.1	8.1	36.3	44.4	12.1	217.9	8.1	69
51.9	16.0	16.0	83.9	183.8	20.0	107.9	8.0	51.9	.....	.....	16.0	99.9	8.0	4.0	87.9	59.9	12.0	191.8	16.0	70
45.1	2.8	5.6	110.0	155.1	14.1	67.7	11.3	28.2	5.6	19.7	22.6	62.1	2.8	5.6	56.4	76.2	11.3	172.1	16.9	71
82.0	11.3	5.7	87.7	138.6	11.3	73.5	8.5	19.8	5.7	14.1	11.3	48.1	2.8	2.8	42.4	73.5	22.6	214.9	5.7	72
75.0	12.5	37.5	50.0	120.9	8.3	112.5	16.7	91.7	8.3	8.3	12.5	58.3	8.3	4.2	66.7	112.5	16.7	162.5	16.7	73
58.7	8.4	8.4	62.9	100.6	8.4	109.0	12.6	92.2	4.2	29.3	12.6	58.7	.....	16.8	100.6	113.2	4.2	176.1	12.6	74
94.6	29.4	3.3	107.7	218.6	9.8	84.8	13.1	45.7	9.8	19.6	13.1	91.4	3.3	.....	58.7	65.3	6.5	212.1	13.1	75
81.7	3.3	16.3	107.8	183.0	13.1	84.9	13.1	29.4	.....	22.9	6.5	98.0	6.5	6.5	78.4	81.7	19.6	169.9	9.8	76
81.1	24.3	.....	101.3	125.6	12.2	60.8	8.1	52.7	.....	.....	20.3	56.7	4.1	8.1	56.7	64.8	16.2	174.3	4.1	77
60.8	40.5	4.1	73.0	105.4	36.5	89.2	20.3	36.5	8.1	24.3	16.2	93.2	20.3	4.1	64.9	81.1	12.2	214.8	8.1	78

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(87)
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	OHIO—continued.															
1	Stark County *	1913	1,527.9	6.7	2.2	.....	6.7	2.2	15.7	4.5	15.7	4.5	96.3	4.5	15.7	4.5
2		1912	1,509.8	15.8	.....	.....	.....	6.8	11.3	13.5	9.0	13.5	124.1	4.5	13.5	4.5
3	Summit County	1913	1,430.6	16.5	.....	.....	2.4	11.8	21.2	35.3	18.8	9.4	87.1	7.1	9.4	11.8
4		1912	1,432.5	9.6	2.4	.....	.....	2.4	9.6	43.4	2.4	9.6	96.5	7.2	19.3	7.2
5	Trumbull County	1913	1,383.6	25.6	.....	.....	28.0	16.3	11.6	18.6	32.6	.....	60.6	4.7	4.7	9.3
6		1912	1,289.9	25.8	4.7	.....	4.7	14.1	11.7	54.0	23.5	.....	56.4	2.3	11.7	.....
7	Tuscarawas County	1913	1,187.6	10.3	1.7	.....	29.3	1.7	10.3	17.2	29.3	1.7	80.9	3.4	10.3	8.6
8		1912	1,118.3	15.6	.....	1.7	8.7	.....	5.2	31.2	15.6	1.7	57.1	3.5	6.9	8.7
9	Union County	1913	1,201.7	46.0	.....	.....	.....	.....	4.6	13.8	9.2	.....	133.5	13.8	27.6	4.6
10		1912	1,185.3	23.0	.....	.....	13.8	.....	32.2	.....	4.6	.....	156.2	4.6	13.8	.....
11	Van Wert County	1913	1,048.6	20.9	.....	.....	.....	3.5	24.4	10.5	3.5	3.5	80.1	7.0	17.4	.....
12		1912	964.1	10.4	.....	.....	34.7	3.5	6.9	10.4	10.4	.....	86.7	6.9	13.9	.....
13	Vinton County	1913	1,164.0	40.4	8.1	.....	.....	16.2	16.2	24.3	16.2	.....	56.6	.....	8.1	.....
14		1912	1,135.2	39.7	.....	.....	.....	.....	.....	39.7	39.7	.....	87.3	.....	15.9	.....
15	Warren County	1913	1,445.5	24.9	8.3	.....	24.9	.....	.....	8.3	24.9	.....	107.7	8.3	8.3	8.3
16		1912	1,274.0	12.4	.....	.....	.....	8.2	8.2	8.2	16.5	.....	127.8	8.2	20.6	4.1
17	Washington County	1913	1,006.0	23.6	.....	.....	13.5	3.4	20.2	30.3	6.7	6.7	87.5	.....	10.1	3.4
18		1912	1,095.0	28.2	.....	.....	3.1	3.1	15.6	15.6	15.6	.....	84.5	.....	3.1	3.1
19	Wayne County	1913	1,358.9	10.5	.....	.....	15.7	.....	7.9	18.4	36.7	2.6	83.9	.....	15.7	5.2
20		1912	1,286.1	15.7	.....	.....	2.6	2.6	5.2	5.2	21.0	.....	97.1	2.6	.....	2.6
21	Williams County	1913	1,226.5	11.9	.....	.....	11.9	4.0	11.9	.....	7.9	.....	83.1	.....	15.8	.....
22		1912	1,093.0	23.8	4.0	.....	.....	.....	11.9	19.8	19.8	4.0	59.4	11.9	4.0	.....
23	Wood County	1913	1,227.8	35.8	2.2	.....	6.7	2.2	4.5	4.5	15.7	4.5	89.6	2.2	4.5	6.7
24		1912	1,091.6	31.0	2.2	.....	6.6	2.2	.....	8.9	2.2	.....	81.9	6.6	24.2	2.2
25	Wyandot County	1913	1,138.5	33.9	.....	.....	4.8	9.7	9.7	9.7	19.4	.....	67.8	.....	19.4	.....
26		1912	1,131.6	33.9	.....	.....	.....	4.8	24.2	.....	14.5	.....	77.4	4.8	9.7	.....
	PENNSYLVANIA.															
27	Total	1913	1,354.0	16.2	0.3	0.1	21.8	9.9	12.2	23.6	15.0	4.4	88.1	3.8	8.5	9.1
28		1912	1,304.6	16.4	0.4	[3]	10.4	5.3	11.8	23.4	12.2	3.2	91.1	3.7	7.5	7.7
29	White	1913	1,347.0	16.1	0.3	0.1	21.9	10.0	11.9	23.9	15.2	4.5	84.7	3.6	8.3	9.0
30		1912	1,302.0	16.4	0.4	[3]	10.6	5.4	11.7	23.6	12.0	3.2	89.1	3.6	7.3	7.7
31	Colored	1913	1,887.0	27.5	1.8	.....	14.7	3.7	38.5	3.7	3.7	1.8	350.6	12.8	27.5	18.4
32		1912	1,504.3	14.9	.....	.....	.....	3.7	22.4	9.3	22.4	3.7	246.7	7.5	22.4	9.3
33	Adams County	1913	1,281.3	14.6	.....	.....	11.7	.....	2.9	11.7	17.5	.....	125.5	5.8	5.8	8.7
34		1912	1,225.1	14.6	.....	.....	.....	.....	.....	14.6	8.8	.....	102.1	2.9	2.9	.....
35	Allegheny County	1913	1,372.5	15.3	.....	1.1	35.4	15.6	14.8	22.3	8.9	5.4	116.7	4.3	10.2	10.5
36		1912	1,324.6	13.9	0.3	.....	17.5	3.9	10.8	27.2	13.1	3.9	129.8	6.1	8.9	8.9
37	Armstrong County	1913	1,291.5	24.7	.....	.....	41.2	6.9	13.7	22.0	11.0	1.4	68.6	2.7	6.9	6.9
38		1912	1,269.1	18.2	.....	.....	23.8	8.4	16.8	32.3	8.4	1.4	65.9	5.6	4.2	5.6
39	Beaver County	1913	1,483.7	38.6	.....	.....	64.7	15.2	28.9	34.4	20.7	11.0	70.3	8.3	8.3	6.9
40		1912	1,405.4	36.8	.....	.....	4.3	2.8	11.3	31.2	14.2	9.9	110.5	5.7	9.9	8.5
41	Bedford County	1913	1,142.4	25.8	.....	.....	20.7	7.8	33.6	10.3	20.7	.....	62.0	2.6	2.6	15.5
42		1912	1,156.1	41.3	.....	.....	10.3	2.6	2.6	15.5	23.2	7.7	59.4	.....	12.9	12.9
43	Berks County *	1913	1,335.4	16.8	.....	.....	14.6	.....	2.2	10.1	17.9	2.2	95.2	3.4	10.1	10.1
44		1912	1,264.0	16.9	1.1	.....	1.1	2.3	6.8	31.6	6.8	2.3	94.8	3.4	10.2	11.3
45	Blair County	1913	1,298.4	32.7	.....	.....	8.2	11.5	21.3	37.7	8.2	3.3	57.3	4.9	4.9	6.5
46		1912	1,287.7	10.0	.....	.....	23.4	6.7	10.0	38.5	8.4	5.0	70.3	3.3	11.7	5.0
47	Bradford County	1913	1,660.3	22.7	1.9	.....	3.8	.....	18.9	5.7	64.2	3.8	54.8	1.9	3.8	15.1
48		1912	1,620.6	48.7	.....	.....	3.7	.....	9.4	5.6	35.6	3.7	58.0	.....	7.5	13.1
49	Bucks County	1913	1,330.1	16.6	.....	.....	12.8	.....	8.9	14.1	20.4	8.9	111.2	6.4	12.8	10.2
50		1912	1,325.2	18.0	.....	.....	.....	.....	2.6	11.6	11.6	1.3	105.5	3.9	7.7	3.9
51	Butler County	1913	1,065.7	7.5	.....	.....	11.3	5.6	18.8	7.5	11.3	5.6	50.7	.....	13.1	7.5
52		1912	1,129.7	13.3	.....	.....	1.9	3.8	11.4	20.9	11.4	3.8	77.7	1.9	9.5	9.5
53	Cambria County	1913	1,397.8	10.5	.....	.....	46.2	37.3	30.8	63.2	8.1	8.1	127.3	5.7	10.5	4.9
54		1912	1,180.7	17.6	0.8	.....	9.2	2.5	21.0	32.8	4.2	2.5	65.5	3.4	4.2	5.0
55	Cameron County	1913	1,084.5	.....	.....	.....	12.8	25.5	.....	12.8	12.8	.....	51.0	12.8	.....	.....
56		1912	990.1	25.7	.....	.....	.....	.....	.....	12.9	.....	12.9	51.4	.....	.....	12.9
57	Carbon County	1913	1,465.2	7.2	1.8	.....	14.4	9.0	9.0	16.2	23.4	3.6	88.2	1.8	9.0	12.6
58		1912	1,506.4	14.6	.....	.....	20.1	43.9	7.3	32.9	12.8	9.1	100.5	7.3	9.1	5.5
59	Center County	1913	1,291.4	16.1	.....	.....	2.3	4.6	2.3	6.9	29.8	4.6	71.1	6.9	16.1	16.1
60		1912	1,467.5	20.7	.....	.....	13.8	.....	11.5	11.5	13.8	2.3	64.3	2.3	6.9	2.3
61	Chester County	1913	1,451.2	19.5	.....	1.3	11.7	3.9	14.3	7.8	16.9	1.3	111.6	5.2	10.4	11.7
62		1912	1,415.2	24.8	.....	.....	6.5	2.6	13.1	10.4	26.1	2.6	99.2	11.7	7.8	3.9
63	Clarion County	1913	1,270.0	26.7	.....	.....	18.7	8.0	29.4	13.4	26.7	.....	53.5	2.7	13.4	.....
64		1912	1,232.4	5.4	.....	.....	8.1	.....	8.1	16.1	21.5	.....	37.7	2.7	10.8	.....
65	Clearfield County	1913	1,235.1	8.3	.....	.....	33.2	1.2	10.7	27.3	17.8	3.6	52.2	1.2	8.3	8.3
66		1912	1,118.0	13.2	.....	.....	3.6	.....	13.2	30.0	8.4	7.2	50.4	2.4	6.0	13.2
67	Clinton County	1913	1,380.5	43.3	.....	.....	21.7	31.0	6.2	6.2	12.4	3.1	92.9	15.5	9.3	3.1
68		1912	1,241.1	12.5	.....	.....	21.8	.....	21.8	9.4	9.4	.....	68.6	12.5	15.6	3.1
69	Columbia County	1913	1,283.8	11.7	2.0	.....	11.7	3.9	2.0	31.2	21.5	3.9	48.8	.....	11.7	13.7
70		1912	1,212.7	15.9	.....	.....	9.9	4.0	2.0	7.9	13.9	2.0	51.6	.....	4.0	7.9
71	Crawford County	1913	1,450.0	12.6	.....	.....	12.6	14.7	4.2	14.7	23.1	8.4	88.3	4.2	2.1	23.1
72		1912	1,451.2	14.6	.....	.....	2.1	2.1	2.1	8.3	16.7	2.1	79.2	4.2	6.3	2.1
73	Cumberland County	1913	1,216.3	15.5	2.2	.....	6.6	.....	8.8	17.7	30.9	.....	83.9	.....	11.0	11.0
74		1912	1,252.5	8.9	4.4	.....	.....	2.2	8.9	17.8	24.5	2.2	73.4	.....	11.1	8.9
75	Dauphin County *	1913	1,373.7	5.0	.....	.....	11.7	3.3	5.0	26.6	21.6	10.0	126.5	3.3	8.3	10.0
76		1912	1,351.7	21.9	.....	.....	11.8	.....	1.7	28.7	15.2	1.7	170.2	1.7	8.4	10.1
77	Delaware County	1913	1,201.3	10.5	.....	.....	12.9	9.4	8.2	14.0	5.9	.....	112.4	10.5	8.2	8.2
78		1912	1,233.1	9.6	1.2	.....	2.4	7.2	12.0	12.0	7.2	4.8	122.1	7.2	4.8	10.8
79	Elk County	1913	982.8	16.3	.....	.....	.....	2.7	8.1	21.7	2.7	8.1	43.4	2.7	.....	8.1
80		1912	966.2	13.7	.....	.....	.....	2.7	2.7	24.6	19.2	5.5	54.7	8.2	5.5	10.9

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
82.9	9.0	.....	141.1	228.5	20.2	73.9	6.7	47.0	.....	†6.7	22.4	80.7	.....	2.2	80.7	94.1	9.0	434.6	9.0	1
67.7	22.6	.....	137.7	270.8	15.8	99.3	6.8	20.3	20.3	2.3	4.5	72.2	.6.8	11.3	33.9	58.7	24.8	404.0	13.5	2
63.5	16.5	4.7	122.4	143.5	14.1	143.5	11.8	115.3	4.7	9.4	16.5	56.5	4.7	7.1	94.1	136.5	9.4	221.2	4.7	3
48.2	14.5	2.4	103.7	156.8	7.2	137.5	14.5	98.9	7.2	7.2	12.1	74.8	16.9	9.6	113.3	118.2	9.6	260.4	9.6	4
74.5	11.6	7.0	125.8	158.4	7.0	132.8	18.6	88.5	2.3	9.3	7.0	69.9	2.3	14.0	76.9	95.5	16.3	235.3	18.6	5
84.6	35.2	2.3	122.2	122.2	16.4	96.3	9.4	61.1	7.0	9.4	7.0	77.5	4.7	7.0	63.4	98.7	11.7	213.8	30.5	6
67.1	13.8	3.4	87.8	127.4	17.2	72.3	13.8	43.0	12.0	5.2	20.7	92.9	5.2	5.2	89.5	79.2	20.7	201.4	5.2	7
60.6	19.0	8.7	84.8	119.4	20.8	86.6	13.8	19.0	1.7	13.8	20.8	79.6	3.5	12.1	74.4	69.2	17.3	232.0	5.2	8
87.5	13.8	4.6	151.9	124.3	4.6	78.3	9.2	32.2	9.2	4.6	23.0	55.2	.....	13.8	41.4	78.3	23.0	188.8	4.6	9
73.5	13.8	9.2	114.9	114.9	9.2	114.9	13.8	27.6	4.6	9.2	4.6	96.5	9.2	13.8	50.5	55.1	13.8	179.2	9.2	10
62.7	10.5	7.0	87.1	104.5	.....	76.6	10.5	62.7	7.0	17.4	3.5	73.2	3.5	3.5	69.7	69.7	7.0	202.1	.....	11
55.5	17.3	6.9	72.8	93.6	10.4	79.8	17.3	24.3	10.4	17.3	17.3	59.0	6.9	3.5	59.0	45.1	10.4	169.9	3.5	12
64.7	16.2	.....	64.7	137.4	8.1	80.8	8.1	†56.6	.....	.....	.....	97.0	.....	8.1	56.6	64.7	16.2	250.6	48.5	13
47.6	7.9	15.9	79.4	150.8	7.9	79.4	15.9	31.8	7.9	.....	15.9	79.4	.....	7.9	63.5	71.4	.....	206.4	23.8	14
116.0	8.3	8.3	124.3	231.9	16.6	111.8	.....	33.1	12.4	.....	8.3	74.6	4.1	4.1	95.3	111.8	12.4	248.5	.....	15
86.6	20.6	.....	144.3	193.8	33.0	61.8	4.1	49.5	4.1	12.4	.....	74.2	4.1	4.1	61.8	78.3	8.2	206.2	12.4	16
90.8	6.7	.....	100.9	127.9	16.8	47.1	6.7	26.9	3.4	6.7	10.1	50.5	6.7	6.7	26.9	74.0	6.7	164.9	20.2	17
78.2	25.0	6.3	75.1	137.7	12.5	75.1	6.3	46.9	.....	9.4	3.1	65.7	6.3	6.3	56.3	81.3	15.6	206.5	9.4	18
81.3	18.4	13.1	118.1	160.0	13.1	125.9	5.2	36.7	10.5	10.5	5.2	68.2	7.9	5.2	97.1	102.3	7.9	257.1	18.4	19
120.7	13.1	5.2	105.6	165.4	23.6	118.1	7.9	28.9	5.2	21.0	15.7	89.2	2.6	2.6	28.9	97.1	15.7	249.3	15.7	20
95.0	7.9	4.0	98.9	146.4	15.8	79.1	15.8	15.8	4.0	11.9	19.8	71.2	15.8	7.9	35.6	146.4	7.9	269.0	11.9	21
106.9	15.8	11.9	95.0	122.8	35.6	79.2	7.9	23.8	7.9	4.0	7.9	23.8	4.0	7.9	59.4	47.5	7.9	261.4	4.0	22
96.3	11.2	2.2	109.8	156.8	20.2	40.3	6.7	53.8	4.5	22.4	17.9	56.0	9.0	17.9	49.3	89.6	15.7	266.6	2.2	23
57.6	13.3	8.9	108.5	124.0	13.3	90.8	8.9	31.0	6.6	19.9	6.6	62.0	8.9	4.4	50.9	84.1	11.1	212.6	.....	24
63.0	4.8	4.8	126.0	174.4	14.5	67.8	4.8	19.4	4.8	24.2	9.7	67.8	4.8	4.8	48.4	43.6	19.4	242.2	14.5	25
106.4	14.5	4.8	72.5	149.9	19.3	67.7	14.5	19.3	4.8	9.7	19.3	67.7	9.7	9.7	38.7	72.5	9.7	241.8	9.7	26
63.0	10.2	8.2	80.9	112.0	18.7	133.3	18.9	101.5	5.2	9.1	10.7	78.1	6.0	8.1	103.2	106.3	10.7	238.8	18.0	27
60.3	11.3	8.8	87.6	117.4	19.0	130.5	18.5	85.1	5.0	9.6	10.4	70.8	5.5	8.4	101.2	100.4	11.0	230.8	19.7	28
63.0	10.2	8.3	80.9	111.4	18.7	132.3	18.8	102.0	5.1	9.1	10.7	77.7	6.0	8.1	103.2	105.6	10.7	237.9	17.9	29
60.4	11.4	8.9	88.2	117.1	18.9	130.0	18.5	85.4	5.0	9.7	10.4	70.6	5.5	8.4	101.2	100.0	11.2	230.5	19.8	30
56.9	9.2	3.7	82.6	152.4	18.4	211.1	25.7	60.6	7.3	7.3	5.5	112.0	9.2	7.3	104.6	165.2	7.3	308.4	27.5	31
46.7	5.6	5.6	46.7	140.2	26.2	162.6	22.4	61.7	1.9	3.7	13.1	86.0	5.6	9.3	100.9	136.4	1.9	252.3	13.1	32
75.9	5.8	2.9	140.1	134.3	17.5	102.2	20.4	17.5	2.9	14.6	5.8	119.7	.....	11.7	78.8	46.7	8.8	251.0	20.4	33
84.6	5.8	5.8	180.9	177.9	17.5	78.8	5.8	17.5	2.9	17.5	11.7	78.8	8.8	11.7	49.6	75.8	8.8	227.5	11.7	34
50.5	7.2	10.7	47.8	93.9	28.2	179.3	18.8	121.0	4.0	7.2	15.3	49.9	5.9	5.6	102.0	111.9	9.4	237.8	5.6	35
42.8	6.1	11.7	52.5	89.5	24.7	179.5	15.6	97.8	4.7	7.8	13.1	52.8	5.0	5.0	113.1	94.2	11.4	247.9	5.0	36
43.9	8.2	6.9	57.6	102.9	9.6	112.5	23.3	81.0	6.9	13.7	11.0	76.9	12.4	9.6	130.4	113.9	9.6	241.6	13.7	37
50.5	14.0	5.6	67.3	103.8	28.0	110.8	19.6	79.9	1.4	11.2	12.6	74.3	5.6	7.0	130.4	91.2	12.6	230.0	22.4	38
48.2	4.1	4.1	46.8	82.7	15.2	159.8	23.4	114.3	6.9	5.5	12.4	63.4	11.0	12.4	107.5	168.1	15.2	264.5	11.0	39
76.5	8.5	8.5	76.5	87.8	18.4	167.2	15.6	77.9	4.3	11.3	11.3	58.1	4.3	9.9	99.2	153.0	18.4	249.3	4.3	40
38.8	7.8	.....	75.0	106.0	2.6	90.5	20.7	69.8	.....	10.3	7.8	90.5	.....	10.3	90.5	59.4	2.6	235.2	23.3	41
49.0	2.6	10.3	37.7	149.7	18.1	92.9	15.5	38.7	2.6	10.3	5.2	82.6	5.2	7.7	77.4	59.4	5.2	232.3	15.5	42
70.6	17.9	7.8	145.6	127.7	25.8	96.3	9.0	45.9	1.1	11.2	11.2	96.3	9.0	7.8	90.7	79.5	17.9	247.6	33.6	43
58.7	18.1	7.9	133.2	136.6	26.0	79.0	19.2	51.9	3.4	11.3	9.0	59.8	6.8	4.5	81.3	53.0	20.3	255.1	40.6	44
57.3	4.9	13.1	90.1	81.9	21.3	101.5	18.0	96.6	3.3	16.4	18.0	103.2	8.2	4.9	131.0	67.1	6.5	247.2	11.5	45
58.6	10.0	13.4	105.5	122.2	10.0	122.2	11.7	72.0	3.3	6.7	6.7	92.1	8.4	6.7	120.6	85.4	6.7	221.0	11.7	46
126.6	17.0	3.8	96.3	215.3	20.8	120.9	5.7	54.8	26.4	11.3	11.3	149.2	5.7	11.3	96.3	119.0	17.0	343.8	11.3	47
117.9	20.6	3.7	164.7	224.6	33.7	104.8	15.0	35.6	24.3	22.5	11.2	93.6	7.5	7.5	73.0	114.2	13.1	329.4	18.7	48
92.0	8.9	3.8	118.8	143.1	12.8	90.7	20.4	35.8	1.3	8.9	12.8	141.8	7.7	3.8	83.1	83.1	15.3	210.8	12.8	49
99.1	20.6	11.6	119.7	159.5	28.3	81.1	19.3	65.6	.....	10.3	5.1	113.2	2.6	10.3	87.5	88.8	16.7	207.1	12.9	50
71.3	7.5	5.6	80.7	88.2	13.1	99.4	20.6	82.6	1.9	7.5	13.1	52.5	1.9	3.8	71.3	82.6	9.4	193.2	20.6	51
85.3	5.7	5.7	100.5	117.5	19.0	87.2	15.2	47.4	.....	13.3	13.3	72.0	3.8	7.6	60.7	81.5	5.7	216.1	7.6	52
33.2	2.4	17.8	36.5	60.0	15.4	154.9	18.6	165.4	4.1	9.7	6.5	45.4	3.2	7.3	167.0	92.4	7.3	185.7	12.2	53
30.2	7.6	5.0	36.1	54.6	16.8	163.8	19.3	148.6	5.0	7.6	7.6	32.8	6.7	8.4	144.4	117.6	6.7	171.3	21.8	54
38.3	12.8	.....	12.8	114.8	.....	114.8	38.3	89.3	12.8	12.8	12.8	63.8	.....	.....	25.5	114.8	38.3	242.4	12.8	55
64.3	.....	.....	.....	90.0	.....	180.0	25.7	25.7	.....	25.7	12.9	90.0	.....	.....	38.6	141.4	.....	180.0	.....	56
59.4	7.2	5.4	66.6	97.2	27.0	156.6	30.6	140.4	3.6	3.6	21.6	81.0	9.0	18.0	133.2	117.0	10.8	268.2	12.6	57
67.6	18.3	11.0	98.7	89.6	23.8	148.1	36.6	117.0	7.3	11.0	14.6	85.9	9.1	16.5	144.4	131.6	14.6	248.6	9.1	58
80.3	11.5	11.5	114.7	144.5	9.2	114.7	22.9	66.5	11.5	4.6	11.5	52.8	4.6	13.8	73.4	82.6	4.6	268.4	11.5	59
71.2	23.0	6.9	170.0	151.6	23.0	135.5	16.1	89.6	11.5	18.4	9.2	82.7	11.5	11.5	105.6	82.7	13.8	266.4	18.4	60
74.0	6.5	3.9	129.8	154.5	20.8	112.9	16.9	84.4	1.3	6.5	2.6	125.9	6.5	3.9	96.1	96.1	10.4	267.4	15.6	61
60.1	18.3	9.1	108.4	193 2	19.6	116.2	7.8	83.6	5.2	15.7	11.7	103.1	1.3	6.5	75.7	87.5	11.7	261.1	10.4	62
77.5	21.4	5.3	90.9	133.7	26.7	69.5	5.3	82.9	2.7	10.7	18.7	48.1	2.7	2.7	96.2	101.6	8.0	264.7	8.0	63
61.9	13.5	8.1	94.2	139.9	10.8	121.1	10.8	29.6	.....	18.8	5.4	78.0	8.1	10.8	123.8	75.3	8.1	277.1	26.9	64
58.1	11.9	2.4	53.3	87.7	10.7	173.1	22.5	85.3	5.9	8.3	11.9	61.6	10.7	11.9	118.5	115.0	8.3	195.6	10.7	65
69.6	10.8	8.4	68.4	91.2	13.2	102.0	19.2	87.6	6.0	9.6	7.2	62.4	2.4	13.2	117.6	74.4	6.0	177.5	24.0	66
74.3	21.7	18.6	74.3	133.1	24.8	105.2	18.6	74.3	12.4	15.5	12.4	102.1	15.5	15.5	58.8	71.2	12.4	266.2	9.3	67
112.3	18.7	3.1	84.2	124.7	9.4	118.5	15.6	31.2	12.5	15.6	3.1	59.2	6.2	6.2	74.8	74.8	18.7	268.2	9.4	68
48.8	31.2	11.7	148.3	156.1	7.8	109.3	11.7	50.7	11.7	5.9	13.7	76.1	.....	5.9	85.8	81.9	7.8	243.9	13.7	69
109.2	11.9	6.0	117.1	148.9	13.9	127.0	6.0	51.6	15.9	4.0	7.9	85.3	4.0	4.0	87.3	77.4	11.9	200.5	4.0	70
77.8	10.5	6.3	145.0	191.2	23.1	105.1	12.6	29.4	4.2	8.4	12.6	103.0	.....	8.4	56.7	90.4	18.9	327.8	10.5	71
110.5	29.2	12.5	118.8	204.3	31.3	108.4	8.3	20.9	14.6	12.5	12.5	108.4	4.2	4.2	43.8	75.1	12.5	358.6	20.9	72
77.3	13.2	6.6	114.8	143.5	19.9	112.6	13.2	37.5	2.2	6.6	8.8	86.1	4.4	6.6	57.4	57.4	6.6	242.8	11.0	73
93.4	22.2	15.6	122.4	131.3	.....	120.1	26.7	33.4	.....	4.4	8.9	89.0	6.7	8.9	71.2	48.9	6.7	264.7	15.6	74
61.6	16.7	8.3	109.9	144.9	6.7	113.2	18.3	69.9	3.3	3.3	8.3	66.6	6.7	8.3	88.2	68.3	11.7	309.7	18.3	75
47.2	13.5	10.1	107.9	129.8	3.4	97.8	21.9	42.1	3.4	8.4	11.8	67.4	6.7	6.7	86.0	69.1	3.4	323.6	20.2	76
71.4	9.4	9.4	70.2	113.6	15.2	132.3	14.0	83.1	4.7	5.9	7.0	121.8	5.9	8.2	67.9	64.4	8.2	188.5	.....	77
73.0	19.2	6.0	106.6	117.3	25.1	111.3	13.2	43.1	2.4	9.6	8.4	86.2	2.4	2.4	76.6	89.8	13.2	220.3	6.0	78
62.4	13.6	16.3	48.9	62.4	21.7	119.5	2.7	78.7	.....	16.3	10.9	48.9	.....	10.9	100.4	67.9	5.4	168.3	13.6	79
41.1	2.7	13.7	54.7	68.4	2.7	117.7	19.2	60.2	2.7	5.5	10.9	38.3	5.5	10.9	90.3	84.9	5.5	169.7	13.7	80

[3] Less than one-tenth of 1 per 100,000 population.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	PENNSYLVANIA—continued.															
1	Erie County	1913	1,494.4	6.0	.....	.....	10.0	18.0	14.0	12.0	38.0	4.0	57.9	6.0	8.0	10.0
2		1912	1,317.4	10.1	.....	.....	6.0	16.1	8.0	12.1	30.2	.....	80.4	4.0	8.0	16.1
3	Fayette County	1913	1,432.9	22.8	.....	.....	41.1	13.0	16.9	38.4	7.8	4.6	64.5	2.6	9.8	13.0
4		1912	1,256.1	23.5	.....	.....	12.1	0.7	39.6	39.6	6.0	1.3	52.3	4.0	8.7	3.4
5	Forest County	1913	897.3	11.2	.....	.....	.....	.....	.....	.....	22.4	.....	44.9	.....	11.2	.....
6		1912	980.3	.....	11.0	.....	.....	11.0	77.1	11.0	22.0	.....	22.0	.....	.....	.....
7	Franklin County	1913	1,664.7	14.2	.....	.....	10.2	6.1	24.4	14.2	20.3	.....	582.6	4.1	16.2	2.0
8		1912	1,754.1	16.4	.....	.....	2.0	4.1	16.4	16.4	14.3	2.0	655.0	6.1	16.4	12.3
9	Fulton County	1913	1,183.4	20.8	.....	.....	.....	.....	10.4	.....	31.1	.....	41.5	.....	20.8	10.4
10		1912	1,139.2	62.1	.....	.....	.....	.....	.....	10.4	31.1	10.4	103.6	.....	10.4	20.7
11	Greene County	1913	1,124.6	13.8	.....	.....	17.2	.....	.....	6.9	20.6	.....	113.5	3.4	10.3	13.8
12		1912	1,037.4	17.2	.....	.....	.....	.....	3.4	13.8	6.9	3.4	131.0	.....	6.9	.....
13	Huntingdon County	1913	1,380.0	30.4	.....	.....	12.7	2.5	10.1	22.8	22.8	2.5	91.2	.....	12.7	5.1
14		1912	1,216.7	33.2	.....	.....	7.7	2.6	10.2	28.1	25.6	2.6	86.9	.....	.....	12.8
15	Indiana County	1913	1,365.5	28.4	.....	.....	46.0	33.8	9.5	25.7	9.5	4.1	44.7	4.1	12.2	8.1
16		1912	1,222.4	28.0	.....	.....	2.8	5.6	14.0	21.0	14.0	4.2	35.0	4.2	11.2	2.8
17	Jefferson County	1913	1,205.3	20.2	.....	.....	21.7	20.2	23.3	26.4	10.9	6.2	35.7	1.6	9.3	4.7
18		1912	1,198.8	20.3	.....	.....	3.1	7.8	20.3	14.1	26.6	.....	50.0	3.1	14.1	7.8
19	Juniata County	1913	1,253.7	27.3	6.8	.....	13.6	.....	13.6	40.9	34.1	.....	54.5	6.8	13.6	27.3
20		1912	1,251.4	6.8	.....	.....	6.8	.....	6.8	13.5	27.1	.....	121.8	.....	.....	.....
21	Lackawanna County	1913	1,484.0	10.9	.....	.....	29.4	5.5	14.2	49.1	3.3	7.6	68.7	3.3	6.5	8.7
22		1912	1,535.5	10.1	1.1	.....	13.4	6.7	25.8	39.2	4.5	3.4	66.1	2.2	3.4	6.7
23	Lancaster County	1913	1,365.9	13.7	.....	.....	17.4	2.7	1.8	22.0	17.4	8.2	98.8	9.1	12.8	4.6
24		1912	1,276.1	13.8	0.9	.....	2.8	.....	3.7	15.6	6.4	4.6	84.4	3.7	8.3	8.3
25	Lawrence County	1913	1,229.4	14.1	.....	.....	25.4	2.8	14.1	42.3	11.3	.....	53.6	.....	14.1	5.6
26		1912	1,133.7	28.6	.....	.....	.....	8.6	34.4	42.9	5.7	.....	68.7	2.9	8.6	2.9
27	Lebanon County	1913	1,394.4	28.8	.....	2.4	38.4	.....	.....	40.8	12.0	4.8	86.4	.....	9.6	7.2
28		1912	1,221.9	21.8	.....	.....	4.8	.....	.....	31.5	12.1	4.8	60.6	2.4	7.3	4.8
29	Lehigh County	1913	1,700.8	31.5	.....	.....	1.6	3.2	11.0	31.5	12.6	7.9	124.5	3.2	9.5	4.7
30		1912	1,557.0	17.6	.....	.....	1.6	3.2	6.4	39.9	9.6	6.4	110.2	3.2	6.4	6.4
31	Luzerne County	1913	1,358.0	5.6	0.5	.....	6.5	16.7	8.4	29.2	6.5	8.4	78.9	2.8	4.2	7.4
32		1912	1,374.4	4.3	0.5	.....	32.4	8.6	5.7	21.9	4.3	3.3	75.2	2.4	2.9	8.1
33	Lycoming County	1913	1,062.1	14.1	.....	.....	4.0	.....	6.0	10.1	14.1	4.0	32.2	2.0	6.0	12.1
34		1912	1,181.9	8.1	.....	.....	18.2	.....	22.3	10.1	14.2	.....	46.5	2.0	.....	14.2
35	McKean County	1913	1,362.5	9.4	.....	.....	15.7	12.6	9.4	9.4	9.4	6.3	59.6	3.1	3.1	9.4
36		1912	1,298.3	18.4	.....	.....	15.3	24.5	21.4	3.1	21.4	.....	76.6	3.1	.....	.....
37	Mercer County	1913	1,193.1	21.1	.....	.....	14.1	3.5	3.5	10.5	19.3	1.8	52.7	1.8	12.3	7.0
38		1912	1,185.1	9.0	.....	.....	3.6	1.8	5.4	16.2	19.8	.....	52.2	.....	10.8	16.2
39	Mifflin County	1913	1,359.0	10.2	.....	.....	20.5	13.7	13.7	47.8	20.5	3.4	99.0	.....	20.5	.....
40		1912	1,283.9	31.2	.....	.....	3.5	.....	3.5	27.8	13.9	3.5	93.7	3.5	3.5	3.5
41	Monroe County	1913	1,381.9	4.3	.....	.....	.....	.....	.....	.....	29.8	4.3	131.8	4.3	.....	17.0
42		1912	1,281.2	12.9	.....	.....	.....	.....	8.6	17.1	8.6	4.3	107.1	4.3	4.3	4.3
43	Montgomery County	1913	1,184.0	16.5	0.7	.....	8.2	.....	3.7	13.5	12.0	2.2	130.2	6.0	5.2	10.5
44		1912	1,282.0	22.1	0.8	.....	19.8	3.8	3.0	24.4	21.3	1.5	134.1	5.3	6.1	4.6
45	Montour County*	1913	1,855.9	20.5	.....	.....	.....	6.8	.....	20.5	20.5	20.5	163.8	6.8	6.8	13.6
46		1912	2,329.7	34.0	.....	.....	47.5	.....	.....	13.6	20.4	20.4	203.8	6.8	13.6	13.6
47	Northampton County	1913	1,333.7	3.9	1.3	.....	17.0	1.3	19.7	23.6	11.8	3.9	72.1	5.2	9.2	14.4
48		1912	1,166.1	10.7	1.3	.....	.....	2.7	5.4	17.4	6.7	4.0	93.8	4.0	10.7	12.1
49	Northumberland County	1913	1,287.4	14.2	1.6	.....	7.9	14.2	3.2	30.0	18.9	1.6	50.5	3.2	4.7	3.2
50		1912	1,273.6	9.6	.....	.....	17.6	4.8	9.6	14.4	14.4	11.2	61.0	3.2	6.4	9.6
51	Perry County	1913	1,428.8	29.9	.....	.....	25.6	.....	4.3	4.3	17.1	4.3	85.3	4.3	4.3	8.5
52		1912	1,263.6	33.8	.....	.....	8.5	.....	.....	4.2	4.2	4.2	84.5	4.2	4.2	16.9
53	Pike County	1913	1,295.5	25.7	.....	.....	.....	12.8	25.7	.....	38.5	.....	115.4	.....	.....	25.7
54		1912	1,550.2	12.7	.....	.....	.....	.....	.....	.....	12.7	.....	127.1	.....	25.4	.....
55	Potter County	1913	1,080.2	20.4	.....	.....	10.2	.....	.....	23.8	27.2	.....	34.0	.....	6.8	10.2
56		1912	1,059.9	.....	.....	.....	.....	3.4	6.8	10.2	13.5	.....	40.6	3.4	10.2	3.4
57	Schuylkill County	1913	1,629.1	12.4	.....	.....	13.0	20.2	5.2	38.4	9.8	5.2	104.8	1.3	4.6	9.8
58		1912	1,557.1	9.9	0.7	.....	11.9	33.7	11.2	16.5	8.6	4.0	76.0	2.6	5.3	11.9
59	Snyder County	1913	997 8	24.0	.....	.....	6.0	6.0	.....	6.0	12.0	.....	66.1	12.0	.....	18.0
60		1912	1,228.4	6.0	.....	.....	.....	.....	6.0	6.0	18.0	.....	149.8	6.0	.....	18.0
61	Somerset County	1913	1,314.4	31.2	.....	.....	12.2	12.2	25.8	50.2	10.9	6.8	42.1	2.7	5.4	9.5
62		1912	1,174.1	15.3	1.4	.....	11.1	2.8	23.7	52.9	5.6	1.4	33.4	1.4	5.6	7.0
63	Sullivan County	1913	1,116.2	9.1	.....	.....	.....	72.6	18.1	9.1	36.3	.....	63.5	.....	.....	9.1
64		1912	1,008.5	18.0	.....	.....	27.0	.....	27.0	9.0	18.0	.....	45.0	.....	.....	.....
65	Susquehanna County	1913	1,575.6	2.7	2.7	.....	16.2	8.1	8.1	32.4	27.0	5.4	62.2	.....	8.1	16.2
66		1912	1,482.5	8.1	.....	.....	10.7	.....	5.4	16.1	13.4	5.4	77.9	2.7	16.1	13.4
67	Tioga County	1913	1,365.3	17.2	2.5	.....	12.3	.....	.....	4.9	36.8	7.4	58.8	4.9	4.9	14.7
68		1912	1,296.1	9.7	.....	.....	7.2	.....	9.7	2.4	26.6	4.8	79.7	.....	4.8	7.2
69	Union County	1913	1,302.7	12.6	.....	.....	.....	.....	.....	.....	6.3	.....	56.9	.....	.....	6.3
70		1912	1,297.9	6.3	.....	.....	6.3	.....	6.3	12.5	6.3	.....	87.8	6.3	.....	18.8
71	Venango County	1913	1,225.8	22.4	.....	.....	5.0	7.5	17.4	.....	12.4	2.5	111.9	7.5	9.9	5.0
72		1912	1,276.8	12.5	.....	.....	5.0	.....	7.5	15.1	22.6	.....	168.1	2.5	10.0	7.5
73	Warren County*	1913	1,961.8	22.2	.....	.....	25.9	3.7	.....	3.7	36.9	.....	125.6	7.4	25.9	7.4
74		1912	1,693.0	.....	.....	.....	7.1	10.7	42.9	3.6	14.3	3.6	96.4	.....	14.3	10.7
75	Washington County	1913	1,493.9	15.0	0.7	.....	52.8	13.6	20.7	22.1	15.7	2.9	59.9	2.9	7.1	5.7
76		1912	1,364.8	23.6	.....	.....	17.7	8.9	11.8	39.1	6.6	2.2	90.8	3.0	5.9	5.9
77	Wayne County	1913	1,320.2	6.9	.....	.....	3.5	.....	.....	17.3	17.3	3.5	86.4	3.5	6.9	3.5
78		1912	1,422.7	6.9	.....	.....	3.4	.....	3.4	10.3	10.3	3.4	106.8	6.9	10.3	6.9

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
89.9	24.0	8.0	103.9	227.8	22.0	61.9	16.0	46.0	8.0	12.0	18.0	123.9	2.0	4.0	67.9	117.9	18.0	315.7	24.0	1
80.4	12.1	2.0	104.6	215.2	10.1	68.4	12.1	34.2	8.0	10.1	20.1	86.5	8.0	6.0	54.3	100.6	12.1	259.4	22.1	2
39.1	4.6	3.9	35.2	41.1	14.3	194.2	15.6	230.0	.....	5.9	5.9	44.3	3.3	7.8	145.3	151.8	8.5	211.8	35.8	3
36.2	1.3	15.4	39.6	57.7	13.4	167.1	14.8	149.6	1.3	6.7	7.4	43.6	3.4	6.7	140.2	133.5	7.4	197.3	22.1	4
100.9	22.4	11.2	56.1	78.5	22.4	56.1	22.4	22.4	.....	11.2	22.4	11.2	22.4	.....	22.4	123.4	.....	179.5	22.4	5
77.1	22.0	11.0	88.1	22.0	44.1	110.1	33.0	33.0	.....	22.0	11.0	22.0	11.0	.....	88.1	22.0	11.0	176.2	22.1	6
58.9	10.2	12.2	95.4	87.3	18.3	95.4	18.3	44.7	.....	16.2	8.1	115.7	2.0	10.2	103.5	30.5	4.1	235.5	4.1	7
67.5	4.1	8.2	133.0	114.6	16.4	83.9	28.7	40.9	6.1	4.1	10.2	106.4	6.1	4.1	69.6	47.1	6.1	214.9	20.5	8
51.9	.....	10.4	72.7	166.1	20.8	93.4	10.4	51.9	.....	.....	.....	72.7	10.4	10.4	145.3	72.7	.....	228.4	31.1	9
41.4	10.4	20.7	113.9	103.6	51.8	82.8	20.7	62.1	.....	.....	20.7	51.8	.....	.....	93.2	.....	.....	155.3	62.1	10
89.4	20.6	.....	41.3	96.3	10.3	79.1	13.8	44.7	6.9	.....	3.4	48.1	3.4	6.9	75.7	55.0	10.3	299.2	20.6	11
68.9	10.3	3.4	55.1	131.0	27.6	65.5	10.3	13.8	6.9	10.3	24.1	27.6	13.8	13.8	55.1	65.5	3.4	248.1	.....	12
83.6	12.7	7.6	86.1	96.2	17.7	116.5	20.3	86.1	2.5	12.7	2.5	108.9	.....	17.7	91.2	111.4	20.3	250.7	22.8	13
56.2	12.8	7.7	104.8	94.6	7.7	94.6	7.7	46.0	10.2	7.7	5.1	102.2	2.6	10.2	74.1	112.5	.....	207.0	43.5	14
65.0	16.2	6.8	82.6	82.6	16.2	120.4	17.6	146.2	8.1	6.8	12.2	54.1	14.9	9.5	101.5	139.4	8.1	216.5	14.9	15
47.6	11.2	8.4	53.1	99.3	18.2	139.9	26.6	172.0	9.8	7.0	8.4	67.1	2.8	8.4	99.3	99.3	4.2	183.2	14.0	16
57.5	6.2	7.8	45.0	97.9	15.5	76.1	10.9	111.8	7.8	14.0	4.7	88.5	14.0	9.3	91.6	108.7	9.3	240.8	7.8	17
48.5	12.5	4.7	64.1	107.8	14.1	109.4	14.1	57.8	15.6	14.1	12.5	65.6	6.3	14.1	118.8	101.6	9.4	232.9	7.8	18
122.6	13.6	13.6	136.3	109.0	6.8	122.6	6.8	34.1	.....	.....	.....	88.6	6.8	.....	40.9	68.1	.....	231.7	13.6	19
74.4	6.8	13.5	142.1	148.8	.....	87.9	20.3	13.5	.....	.....	13.5	60.9	13.5	27.1	101.5	74.4	20.3	223.2	27.1	20
36.0	7.6	5.5	50.2	97.0	44.7	196.3	19.6	172.3	4.4	8.7	18.5	78.5	5.5	9.8	109.0	154.8	15.3	236.6	6.5	21
40.3	9.0	22.4	68.4	86.3	44.8	197.3	19.1	205.1	4.5	12.3	17.9	91.9	2.2	7.8	123.3	146.8	10.1	230.9	12.3	22
84.2	7.3	2.7	129.0	143.6	18.3	125.3	18.3	62.2	3.7	9.1	11.9	94.2	3.7	3.7	105.2	62.2	12.8	251.6	8.2	23
60.5	13.8	6.4	124.8	178.9	15.6	111.9	14.7	52.3	1.8	9.2	9.2	101.8	4.6	4.6	81.6	53.2	15.6	251.4	11.9	24
47.9	8.5	5.6	62.0	98.7	16.9	135.3	31.0	110.0	5.6	11.3	14.1	42.3	2.8	14.1	76.1	101.5	11.3	228.4	22.6	25
68.7	17.2	8.6	54.4	97.3	8.6	117.4	17.2	65.8	5.7	5.7	2.9	37.2	5.7	2.9	68.7	117.4	11.5	183.2	34.4	26
50.4	14.4	7.2	127.2	112.8	14.4	136.8	38.4	69.6	.....	9.6	4.8	67.2	7.2	9.6	100.8	36.0	14.4	307.2	36.0	27
67.9	14.5	.....	172.1	89.7	7.3	72.7	26.7	26.7	4.8	.....	4.8	84.9	2.4	2.4	84.9	65.5	4.8	300.6	38.8	28
111.9	11.0	9.5	159.2	152.9	25.2	159.2	22.1	99.3	12.6	17.3	9.5	119.8	3.2	4.7	118.2	122.9	12.6	272.7	15.8	29
70.3	19.2	6.4	151.7	134.1	20.8	135.7	22.4	75.1	8.0	16.0	11.2	87.8	11.2	6.4	146.9	135.7	27.1	239.5	20.8	30
41.8	9.3	7.0	58.5	84.5	26.5	163.4	28.3	159.7	3.7	10.2	15.8	61.7	10.2	8.8	123.5	132.8	5.1	212.2	20.0	31
44.3	4.3	4.8	52.8	74.2	31.4	206.1	28.6	149.4	2.9	7.6	9.5	53.8	10.0	10.5	142.8	128.0	5.2	207.5	31.4	32
80.6	10.1	6.0	98.8	118.9	12.1	82.6	12.1	42.3	2.0	4.0	6.0	104.8	6.0	14.1	82.6	42.3	14.1	209.6	8.1	33
70.8	8.1	18.2	107.3	170.0	12.1	155.8	10.1	24.3	2.0	12.1	2.0	81.0	2.0	4.0	89.1	68.8	8.1	186.2	14.2	34
47.1	18.8	9.4	94.2	91.0	18.8	153.8	6.3	91.0	9.4	12.6	9.4	65.9	6.3	3.1	113.0	94.2	31.4	317.1	22.0	35
91.9	15.3	6.1	67.4	137.8	24.5	122.5	18.4	45.9	6.1	15.3	15.3	64.3	6.1	12.2	61.2	88.8	18.4	257.2	39.8	36
77.3	12.3	3.5	103.7	112.5	15.8	73.8	5.3	36.9	10.5	17.6	10.5	91.4	5.3	10.5	63.3	79.1	14.1	282.9	19.3	37
75.5	18.0	3.6	82.7	151.1	12.6	82.7	12.6	30.6	3.6	7.2	9.0	104.3	5.4	7.2	62.9	106.1	3.6	250.0	21.6	38
54.6	20.5	6.8	140.0	136.6	3.4	119.5	13.7	51.2	6.8	6.8	.....	71.7	10.2	3.4	129.8	112.7	13.7	194.6	13.7	39
65.9	10.4	3.5	152.7	170.0	.....	100.6	10.4	48.6	3.5	6.9	10.4	65.9	3.5	3.5	69.4	104.1	13.9	249.8	3.5	40
68.0	17.0	4.3	148.8	148.8	21.3	93.5	8.5	51.0	17.0	4.3	4.3	106.3	4.3	8.5	93.5	89.3	25.5	272.1	4.3	41
60.0	21.4	8.6	124.3	162.8	4.3	81.4	8.6	47.1	8.6	4.3	30.0	68.6	.....	8.6	68.6	128.5	12.9	240.0	21.4	42
67.4	14.2	6.0	95.8	124.2	16.5	104.0	17.2	57.6	3.7	8.2	10.5	89.1	4.5	6.0	78.6	70.4	11.2	185.6	4.5	43
59.4	13.7	12.2	115.0	138.6	18.3	98.3	19.0	56.4	3.0	6.9	6.9	102.8	3.0	9.9	77.7	76.9	13.7	193.5	9.9	44
156.9	6.8	13.6	143.3	211.5	13.6	136.5	20.5	54.6	6.8	61.4	6.8	75.1	6.8	.....	109.2	20.5	13.6	518.6	.....	45
169.8	27.2	6.8	183.4	278.5	20.4	230.9	27.2	54.3	6.8	6.8	13.6	88.3	6.8	20.4	88.3	74.7	6.8	631.7	13.6	46
74.7	13.1	13.1	114.0	120.5	22.3	123.2	14.4	107.4	1.3	10.5	3.9	99.6	2.6	5.2	111.4	90.4	13.1	195.2	14.4	47
59.0	12.1	6.7	123.3	83.1	20.1	80.4	26.8	67.0	1.3	8.0	10.7	67.0	8.0	8.0	105.9	84.4	14.7	195.7	14.7	48
55.2	7.9	9.5	77.3	110.4	22.1	142.0	26.8	91.5	6.3	7.9	7.9	80.5	6.3	12.6	101.0	137.3	3.2	214.6	14.2	49
41.7	6.4	9.6	72.2	136.3	14.4	163.6	35.3	96.2	8.0	11.2	8.0	57.7	4.8	11.2	107.5	94.6	12.8	205.3	14.4	50
59.7	12.8	8.5	128.0	196.2	4.3	115.2	12.8	29.9	.....	17.1	4.3	153.5	.....	4.3	93.8	72.5	8.5	307.1	12.8	51
80.3	16.9	.....	118.3	122.6	.....	126.8	16.9	42.3	4.2	8.5	4.2	93.0	.....	4.2	71.8	71.8	21.1	257.8	38.0	52
51.3	25.7	.....	89.8	205.2	38.5	128.3	12.8	25.7	.....	.....	38.5	115.4	.....	.....	25.7	77.0	12.8	192.4	12.8	53
101.7	.....	.....	152.5	203.3	25.4	114.4	25.4	50.8	25.4	.....	50.8	139.8	12.7	.....	88.9	101.7	38.1	228.7	12.7	54
78.1	13.6	.....	57.7	95.1	6.8	91.7	10.2	30.6	.....	6.8	6.8	101.9	.....	.....	84.9	67.9	23.8	258.2	13.6	55
57.6	6.8	16.9	84.7	98.2	10.2	115.1	20.3	13.5	3.4	6.8	10.2	57.6	10.2	10.2	67.7	64.3	6.8	270.9	37.2	56
52.1	10.4	11.7	78.1	110.0	18.9	172.5	41.0	175.7	16.9	11.1	15.6	84.6	9.8	9.8	131.5	167.9	7.8	259.7	19.5	57
48.9	15.2	7.9	69.4	115.0	19.8	160.7	52.9	162.7	11.9	9.9	14.5	80.0	7.3	16.5	152.1	155.4	9.3	242.7	12.6	58
84.2	6.0	6.0	102.2	120.2	12.0	72.1	6.0	24.0	6.0	6.0	12.0	90.2	6.0	.....	66.1	36.1	6.0	168.3	18.0	59
59.9	12.0	.....	203.7	191.8	24.0	89.9	12.0	30.0	6.0	12.0	6.0	95.9	.....	.....	41.9	12.0	6.0	203.7	12.0	60
55.7	2.7	14.9	40.7	108.6	5.4	119.5	17.7	120.8	6.8	8.1	8.1	53.0	5.4	6.8	141.2	118.1	12.2	229.5	29.9	61
50.1	8.4	13.9	46.0	68.2	7.0	129.5	16.7	98.9	1.4	5.6	12.5	43.2	8.4	9.7	107.2	142.1	15.3	199.2	29.2	62
54.4	.....	9.1	54.4	136.1	.....	118.0	9.1	63.5	.....	9.1	.....	81.7	.....	.....	90.7	118.0	.....	154.3	.....	63
99.0	9.0	.....	36.0	99.0	.....	81.0	9.0	63.0	.....	.....	9.0	54.0	.....	.....	63.0	54.0	.....	252.1	36.0	64
83.8	5.4	8.1	102.7	167.6	21.6	183.8	16.2	67.6	21.6	10.8	16.2	89.2	.....	21.6	94.6	113.5	13.5	343.2	5.4	65
69.8	16.1	5.4	118.2	126.2	34.9	123.5	5.4	104.7	8.1	8.1	16.1	85.9	2.7	10.7	72.5	179.9	8.1	306.2	10.7	66
117.7	7.4	14.7	90.7	181.4	7.4	102.9	27.0	44.1	7.4	7.4	7.4	127.5	.....	7.4	68.6	39.2	17.2	301.5	24.5	67
94.1	16.9	2.4	99.0	195.5	21.7	106.2	2.4	16.9	7.2	26.6	7.2	103.8	2.4	14.5	55.5	57.9	21.7	272.7	19.3	68
82.2	6.3	6.3	189.7	271.9	19.0	56.9	12.6	37.9	.....	6.3	6.3	139.1	.....	12.6	94.9	37.9	25.3	208.7	6.3	69
75.2	6.3	.....	137.9	257.1	6.3	106.6	6.3	25.1	6.3	12.5	.....	62.7	12.5	12.5	100.3	50.2	12.5	238.3	18.8	70
69.6	7.5	7.5	119.3	104.4	7.5	84.5	12.4	34.8	5.0	14.9	7.5	89.5	.....	12.4	52.2	82.1	12.4	283.4	17.4	71
77.8	5.0	10.0	107.9	168.1	10.0	92.8	10.0	52.7	.....	5.0	15.1	70.2	2.5	5.0	57.7	60.2	7.5	258.4	10.0	72
114.5	33.3	25.9	162.6	221.7	14.8	144.1	33.3	36.9	7.4	7.4	22.2	129.3	7.4	11.1	55.4	121.9	14.8	513.5	25.9	73
114.3	25.0	.....	125.0	221.4	21.4	67.9	32.1	17.9	3.6	10.7	17.9	142.9	3.6	10.7	60.7	60.7	14.3	517.9	21.4	74
54.9	5.7	9.3	47.8	85.6	22.8	177.6	22.1	143.4	3.6	2.1	9.3	49.9	6.4	14.3	140.5	227.6	10.0	226.2	15.7	75
42.8	4.4	10.3	56.1	102.7	21.4	157.3	15.5	121.9	4.4	8.1	5.9	45.8	0.7	13.3	140.3	158.8	10.4	213.4	15.5	76
82.9	24.2	17.3	89.9	221.2	13.8	141.7	6.9	34.6	.....	20.7	3.5	89.9	10.4	3.5	58.8	89.9	10.4	241.9	10.4	77
75.8	24.1	6.9	151.6	186.0	27.6	137.8	3.4	10.3	.....	24.1	3.4	158.5	6.9	10.3	65.5	86.1	37.9	223.9	13.8	78

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	PENNSYLVANIA—continued.															
1	Westmoreland County	1913	1,315.5	15.3	0.4	.....	44.9	10.3	21.5	25.6	11.2	2.7	53.9	2.2	9.0	9.0
2		1912	1,206.9	18.3	.....	0.5	8.7	4.6	18.7	32.4	7.3	1.8	58.9	2.7	10.5	5.9
3	Wyoming County	1913	1,495.7	6.7	.....	.....	.....	.....	6.7	6.7	6.7	.....	46.7	6.7	13.4	13.4
4		1912	1,307.5	.....	.....	.....	.....	.....	.....	26.4	.....	.....	52.8	6.6	6.6	6.6
5	York County	1913	1,099.6	12.7	.....	.....	9.5	.....	3.2	12.7	8.5	2.1	82.5	3.2	7.4	7.4
6		1912	1,093.2	13.9	1.1	.....	3.2	2.1	3.2	23.5	8.5	2.1	83.3	3.2	6.4	5.3
	RHODE ISLAND.															
7	Total	1913	1,422.0	7.3	.....	.....	9.1	0.9	6.4	21.8	23.6	0.9	97.2	5.4	17.3	3.6
8		1912	1,382.2	4.6	0.9	.....	7.4	8.3	14.7	16.6	12.0	1.8	89.4	7.4	9.2	9.2
9	White	1913	1,427.4	7.4	.....	.....	9.2	0.9	6.5	21.2	24.0	0.9	97.7	5.5	17.5	3.7
10		1912	1,378.8	4.7	0.9	.....	7.5	8.4	13.1	16.8	12.2	1.9	87.0	7.5	7.5	9.4
11	Colored	1913	1,074.0	.....	.....	.....	.....	.....	.....	59.7	.....	.....	59.7	.....	.....	.....
12		1912	1,609.9	.....	.....	.....	.....	.....	123.8	.....	.....	.....	247.7	.....	123.8	.....
13	Bristol County	1913	1,438.3	5.2	.....	.....	.....	5.2	.....	15.7	31.5	.....	120.7	5.2	10.5	10.5
14		1912	1,575.4	10.8	.....	.....	5.4	43.0	16.1	32.3	10.8	.....	80.6	5.4	5.4	16.1
15	Kent County	1913	1,514.4	.....	.....	.....	19.8	.....	.....	19.8	9.9	.....	79.2	.....	19.8	9.9
16		1912	1,160.8	.....	.....	.....	.....	.....	10.0	.....	10.0	.....	70.0	.....	10.0	10.0
17	Newport County	1913	1,525.6	.....	.....	.....	15.6	.....	7.8	31.1	15.6	.....	116.8	7.8	23.4	.....
18		1912	1,534.7	7.9	.....	.....	.....	.....	7.9	31.6	15.8	.....	87.0	.....	.....	7.9
19	Providence County	1913	1,351.1	7.0	.....	.....	14.0	.....	7.0	30.3	28.0	2.3	97.8	7.0	18.6	.....
20		1912	1,280.4	2.4	.....	.....	16.6	2.4	11.9	14.2	14.2	2.4	106.7	11.9	4.7	11.9
21	Washington County	1913	1,440.6	15.9	.....	.....	.....	.....	11.9	7.9	19.8	.....	75.4	4.0	15.9	4.0
22		1912	1,421.3	4.0	.....	.....	.....	.....	23.9	8.0	8.0	4.0	75.6	8.0	23.9	.....
	UTAH.															
23	Total	1913	1,048.7	22.9	0.7	2.2	40.3	4.4	11.8	9.6	11.8	2.2	36.2	1.5	3.0	7.8
24		1912	922.6	13.2	.....	1.9	3.8	5.6	19.5	7.1	8.3	4.9	24.4	0.4	3.0	4.1
25	White	1913	1,040.3	23.4	0.8	2.3	39.6	4.5	12.1	9.8	12.1	2.3	29.4	1.1	3.0	7.9
26		1912	929.7	13.0	.....	1.9	3.8	5.7	18.4	7.3	8.4	5.0	23.4	.....	2.7	4.2
27	Colored	1913	1,484.1	.....	.....	.....	78.1	.....	.....	.....	.....	.....	390.5	19.5	.....	.....
28		1912	564.3	19.5	.....	.....	.....	.....	77.8	.....	.....	.....	77.8	19.5	19.5	.....
29	Beaver County	1913	1,083.7	.....	.....	.....	98.5	19.7	19.7	.....	39.4	.....	19.7	.....	.....	.....
30		1912	1,128.3	60.4	.....	.....	.....	40.3	.....	.....	.....	20.1	40.3	.....	.....	.....
31	Box Elder County	1913	956.7	59.4	.....	.....	66.0	19.8	.....	6.6	19.8	.....	19.8	13.2	.....	13.2
32		1912	711.2	6.8	.....	.....	.....	6.8	27.1	.....	13.5	.....	20.3	.....	.....	13.5
33	Cache County	1913	892.1	16.2	.....	.....	28.4	4.1	4.1	8.1	24.3	.....	20.3	.....	.....	4.1
34		1912	906.3	16.6	.....	.....	.....	4.1	37.2	4.1	12.4	4.1	4.1	.....	.....	8.3
35	Carbon County	1913	1,449.1	71.4	.....	10.2	61.2	.....	20.4	20.4	.....	.....	20.4	.....	20.4	10.2
36		1912	1,219.1	10.6	.....	10.6	10.6	21.2	.....	53.0	.....	10.6	21.2	.....	.....	.....
37	Davis County	1913	816.2	.....	.....	.....	27.5	.....	.....	.....	.....	.....	27.5	.....	9.2	9.2
38		1912	851.9	.....	.....	.....	9.4	9.4	.....	9.4	9.4	9.4	28.1	.....	.....	.....
39	Emery County	1913	861.4	26.9	.....	.....	13.5	.....	26.9	13.5	13.5	.....	.....	.....	.....	.....
40		1912	789.6	27.7	.....	.....	.....	.....	27.7	.....	13.9	.....	13.9	.....	.....	.....
41	Garfield County	1913	934.8	26.7	.....	.....	133.5	.....	.....	.....	.....	.....	.....	.....	.....	.....
42		1912	1,075.8	.....	.....	.....	107.6	.....	.....	.....	.....	.....	.....	.....	26.9	.....
43	Grand County †	1913	632.2	57.5	.....	.....	.....	.....	.....	.....	114.9	.....	57.5	.....	.....	.....
44		1912	826.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	59.0	.....	.....	.....
45	Iron County	1913	1,084.0	24.6	.....	.....	.....	.....	49.3	49.3	.....	.....	49.3	.....	.....	24.6
46		1912	1,069.7	49.8	.....	.....	.....	.....	24.9	.....	24.9	.....	49.8	.....	.....	.....
47	Juab County	1913	1,045.6	27.5	.....	.....	82.5	.....	9.2	.....	.....	9.2	45.9	.....	9.2	9.2
48		1912	756.5	27.7	.....	.....	.....	.....	.....	27.7	18.5	.....	36.9	.....	9.2	.....
49	Kane County †	1913	749.1	62.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50		1912	618.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Millard County	1913	1,022.4	31.9	.....	.....	79.9	.....	.....	.....	.....	.....	.....	.....	16.0	16.0
52		1912	917.0	.....	.....	.....	16.1	.....	.....	16.1	.....	.....	.....	.....	16.1	.....
53	Morgan County †	1913	691.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
54		1912	624.8	.....	.....	.....	.....	.....	.....	.....	39.0	.....	39.0	.....	.....	.....
55	Piute County	1913	901.4	.....	.....	.....	.....	.....	.....	.....	60.1	.....	60.1	.....	.....	.....
56		1912	889.7	59.3	.....	.....	.....	.....	.....	.....	59.3	.....	.....	.....	.....	.....
57	Rich County	1913	750.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
58		1912	1,122.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Salt Lake County	1913	1,146.9	11.6	.....	2.3	27.8	4.6	16.2	23.2	7.0	2.3	76.5	.....	.....	.....
60		1912	857.3	7.1	.....	.....	2.4	2.4	26.0	7.1	.....	2.4	42.6	.....	.....	.....
61	San Juan County †	1913	354.9	35.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62		1912	522.4	111.9	.....	.....	.....	.....	.....	.....	.....	.....	37.3	.....	.....	.....
63	Sanpete County	1913	1,158.6	23.8	.....	5.9	53.5	5.9	23.8	5.9	.....	5.9	11.9	5.9	11.9	17.8
64		1912	1,066.1	11.9	.....	.....	6.0	.....	23.8	.....	11.9	6.0	11.9	.....	6.0	6.0
65	Sevier County	1913	921.0	9.8	.....	.....	29.4	19.6	9.8	9.8	9.8	9.8	19.6	.....	.....	9.8
66		1912	933.4	9.9	.....	.....	.....	.....	9.9	.....	9.9	.....	29.8	.....	.....	19.9
67	Summit County	1913	1,269.2	.....	.....	.....	38.5	.....	38.5	25.6	.....	12.8	38.5	.....	.....	25.6
68		1912	1,236.7	12.6	.....	12.6	.....	.....	25.2	.....	.....	12.6	50.5	.....	.....	.....
69	Tooele County	1913	789.4	.....	.....	24.7	.....	.....	.....	12.3	24.7	.....	61.7	.....	.....	12.3
70		1912	968.9	.....	.....	.....	.....	.....	37.3	.....	24.8	12.4	12.4	.....	12.4	.....
71	Uinta County	1913	1,698.2	55.2	.....	.....	55.2	13.8	.....	.....	.....	.....	193.3	13.8	.....	13.8
72		1912	1,211.4	.....	.....	.....	13.9	.....	139.2	13.9	13.9	.....	55.7	13.9	13.9	13.9
73	Utah County *	1913	1,178.2	22.7	2.5	2.5	50.3	.....	17.6	5.0	17.6	.....	17.6	.....	2.5	12.6
74		1912	962.5	15.3	.....	2.6	.....	10.2	7.7	2.6	5.1	10.2	10.2	.....	5.1	2.6
75	Wasatch County	1913	885.5	29.2	9.7	.....	58.4	.....	.....	9.7	.....	9.7	29.2	.....	.....	.....
76		1912	811.9	20.3	.....	10.1	.....	20.3	10.1	.....	.....	.....	10.1	.....	.....	10.1

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
47.1	9.0	8.1	53.9	69.6	22.0	124.8	19.3	165.2	3.6	5.4	8.5	46.2	7.6	3.6	115.3	138.7	5.8	176.8	79.0	1
39.3	6.8	10.0	49.8	62.5	17.3	128.7	13.7	139.7	1.8	6.8	13.7	38.3	7.8	9.1	106.4	142.0	11.0	161.1	70.8	2
106.8	33.4	13.4	106.8	187.0	6.7	166.9	33.4	6.7	.....	33.4	20.0	100.2	.....	13.4	60.1	166.9	33.4	287.1	13.4	3
72.6	26.4	.....	85.8	178.3	19.8	112.3	26.4	33.0	.....	13.2	13.2	72.6	6.6	13.2	66.0	138.7	6.6	303.8	19.8	4
76.1	4.2	7.4	77.2	131.1	11.6	100.4	8.5	47.6	3.2	7.4	2.1	76.1	4.2	8.5	82.5	45.5	13.7	233.7	9.5	5
66.2	11.7	9.6	106.8	130.2	8.5	90.7	11.7	47.0	4.3	11.7	5.3	57.7	5.3	6.4	77.9	49.1	13.9	216.7	6.4	6
108.1	20.9	4.5	104.4	170.7	29.1	115.3	9.1	76.3	4.5	10.9	14.5	113.5	3.6	10.0	89.0	83.5	12.7	242.4	5.4	7
74.6	19.4	6.5	91.2	178.8	22.1	153.9	14.7	85.7	5.5	3.7	14.7	111.5	1.8	10.1	76.5	59.9	13.8	250.6	5.5	8
108.8	21.2	4.6	105.1	168.7	29.5	117.1	9.2	76.5	4.6	11.1	13.8	114.3	3.7	10.1	90.4	83.9	12.9	242.5	4.6	9
74.8	18.7	6.5	91.7	179.6	22.4	151.5	15.0	87.0	5.6	3.7	15.0	110.4	0.9	10.3	77.6	58.0	14.0	253.5	5.6	10
59.7	.....	.....	59.7	298.3	.....	.....	.....	59.7	.....	.....	59.7	59.7	.....	.....	.....	59.7	.....	238.7	59.7	11
61.9	61.9	.....	61.9	123.8	.....	309.6	.....	.....	.....	.....	.....	185.8	61.9	.....	.....	185.8	.....	61.9	.....	12
152.2	26.2	5.2	115.5	99.7	52.5	141.7	5.2	147.0	.....	5.2	5.2	94.5	.....	15.7	68.2	73.5	5.2	220.5	.....	13
102.2	21.5	16.1	86.0	182.8	32.3	166.7	26.9	139.8	5.4	.....	26.9	134.4	.....	16.1	112.9	48.4	5.4	215.1	10.8	14
79.2	29.7	9.9	118.8	207.9	29.7	99.0	29.7	29.7	.....	.....	19.8	128.7	9.9	.....	99.0	99.0	39.6	326.6	.....	15
70.0	20.0	10.0	100.1	180.1	20.0	90.1	.....	90.1	.....	.....	.....	70.0	.....	.....	90.1	20.0	10.0	280.2	.....	16
85.6	26.4	.....	109.0	186.8	31.1	116.8	7.8	93.4	7.8	23.4	15.6	54.5	.....	23.4	124.5	62.3	15.6	319.1	7.8	17
63.3	.....	.....	87.0	221.5	23.7	134.5	15.8	126.6	15.8	.....	15.8	79.1	7.9	7.9	110.8	102.8	15.8	340.2	7.9	18
88.5	16.3	7.0	90.8	137.4	18.6	121.1	4.7	72.2	4.7	7.0	18.6	116.5	4.7	7.0	104.8	79.2	14.0	219.0	7.0	19
54.5	11.9	4.7	75.9	137.5	14.2	158.9	14.2	78.2	4.7	4.7	16.6	104.3	.....	11.9	75.9	59.3	16.6	232.4	2.4	20
131.0	19.8	.....	111.1	258.0	27.8	91.3	11.9	39.7	7.9	19.8	11.9	146.8	4.0	7.9	55.6	103.2	4.0	226.2	7.9	21
95.6	39.8	4.0	119.4	223.0	27.9	171.2	11.9	35.8	4.0	8.0	8.0	139.3	4.0	8.0	27.9	63.7	15.9	250.8	8.0	22
46.6	12.2	17.7	34.0	90.2	17.4	111.3	11.5	39.6	19.2	17.0	5.2	54.4	6.3	7.8	98.4	93.6	12.9	185.3	13.7	23
40.6	8.6	5.6	25.6	91.3	19.9	97.0	13.5	28.9	9.8	8.6	4.5	60.9	4.1	13.9	102.6	94.0	7.5	173.6	15.8	24
46.7	12.1	18.1	34.3	92.0	17.7	108.2	11.7	39.6	19.2	17.0	5.3	55.0	6.0	7.9	99.5	93.5	10.9	185.4	12.1	25
41.0	8.8	5.7	26.1	93.1	20.3	98.1	13.8	29.5	10.0	8.4	4.6	61.7	4.2	14.2	104.6	93.5	7.3	175.9	14.9	26
39.1	19.5	.....	19.5	.....	.....	273.4	.....	39.1	19.5	19.5	.....	19.5	19.5	.....	39.1	97.6	117.2	175.7	97.6	27
19.5	.....	.....	.....	.....	.....	38.9	.....	.....	.....	19.5	.....	19.5	.....	.....	.....	116.8	19.5	58.4	58.4	28
39.4	.....	.....	39.4	118.2	.....	118.2	.....	.....	.....	.....	.....	19.7	.....	.....	177.3	157.6	39.4	157.6	19.7	29
60.4	20.1	20.1	.....	161.2	40.3	100.7	.....	.....	.....	20.1	.....	60.4	.....	20.1	181.3	181.3	20.1	40.3	40.3	30
46.2	6.6	6.6	33.0	105.6	.....	105.6	13.2	46.2	13.2	19.8	.....	26.4	6.6	6.6	99.0	66.0	19.8	112.2	6.6	31
20.3	6.8	.....	33.9	61.0	6.8	101.6	6.8	6.8	.....	.....	.....	33.9	.....	6.8	115.2	54.2	.....	142.2	27.1	32
48.7	4.1	.....	52.7	81.1	12.2	89.2	8.1	24.3	16.2	16.2	4.1	36.5	.....	12.2	85.2	56.8	12.2	219.0	4.1	33
66.2	8.3	.....	16.6	95.2	16.6	103.5	16.6	8.3	4.1	4.1	4.1	37.2	8.3	24.8	103.5	57.9	12.4	202.8	24.8	34
40.8	30.6	.....	10.2	40.8	20.4	183.7	.....	30.6	.....	30.6	10.2	30.6	20.4	20.4	153.1	326.6	10.2	214.3	40.8	35
21.2	.....	21.2	42.4	31.8	21.2	137.8	.....	95.4	21.2	21.2	10.6	63.6	.....	10.6	137.8	339.2	21.2	63.6	21.2	36
64.2	9.2	36.7	18.3	119.2	36.7	73.4	.....	36.7	18.3	.....	.....	18.3	.....	.....	82.5	36.7	.....	192.6	.....	37
37.4	9.4	.....	18.7	149.8	18.7	46.8	9.4	9.4	.....	9.4	.....	46.8	9.4	9.4	159.1	65.5	.....	177.9	.....	38
.....	26.9	.....	13.5	107.7	.....	67.3	13.5	53.8	26.9	40.4	.....	40.4	.....	13.5	175.0	53.8	.....	134.6	.....	39
55.4	.....	.....	41.6	55.4	27.7	41.6	.....	27.7	13.9	27.7	.....	27.7	.....	13.9	138.5	27.7	.....	166.2	41.6	40
.....	.....	26.7	26.7	133.5	.....	80.1	26.7	26.7	53.4	53.4	.....	26.7	.....	26.7	26.7	106.8	26.7	133.5	.....	41
53.8	.....	.....	.....	80.7	53.8	188.3	26.9	26.9	26.9	.....	.....	80.7	53.8	53.8	107.6	53.8	.....	134.5	.....	42
.....	.....	.....	.....	.....	.....	57.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	172.4	.....	172.4	.....	43
.....	.....	.....	.....	118.0	.....	59.0	.....	59.0	.....	.....	.....	59.0	.....	.....	59.0	177.0	.....	236.0	.....	44
24.6	.....	24.6	73.9	147.8	24.6	98.5	.....	24.6	.....	73.9	.....	24.6	.....	.....	73.9	73.9	24.6	147.8	49.3	45
24.9	24.9	.....	24.9	99.5	49.8	124.4	24.9	.....	.....	24.9	.....	124.4	.....	24.9	124.4	74.6	.....	174.1	.....	46
36.7	18.3	9.2	36.7	64.2	.....	146.7	27.5	27.5	18.3	18.3	.....	73.4	.....	9.2	174.3	82.5	.....	91.7	18.3	47
36.9	9.2	.....	55.4	46.1	9.2	27.7	36.9	36.9	9.2	9.2	9.2	36.9	9.2	9.2	119.9	73.8	9.2	92.3	.....	48
.....	62.4	.....	.....	124.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	187.3	.....	.....	312.1	.....	49
.....	.....	.....	61.8	.....	61.8	123.6	.....	.....	.....	.....	.....	61.8	.....	.....	61.8	185.4	.....	61.8	.....	50
63.9	.....	.....	16.0	255.6	.....	47.9	16.0	63.9	16.0	.....	.....	31.9	31.9	31.9	63.9	127.8	.....	111.8	.....	51
96.5	32.2	.....	48.3	128.7	32.2	64.4	.....	112.6	16.1	16.1	.....	48.3	.....	.....	32.2	64.4	16.1	144.8	16.1	52
38.4	.....	.....	38.4	115.3	.....	76.8	.....	76.8	.....	.....	.....	.....	.....	.....	115.3	38.4	.....	153.7	38.4	53
.....	39.0	.....	.....	78.1	.....	39.0	.....	.....	78.1	.....	.....	.....	.....	39.0	39.0	39.0	.....	195.2	.....	54
.....	.....	.....	120.2	.....	.....	.....	.....	60.1	60.1	.....	.....	120.2	.....	.....	120.2	240.4	60.1	.....	.....	55
.....	.....	.....	118.6	.....	.....	.....	.....	.....	59.3	.....	.....	.....	.....	59.3	415.2	.....	59.3	59.3	.....	56
53.6	53.6	53.6	.....	.....	53.6	.....	.....	.....	107.2	.....	.....	160.9	.....	.....	107.2	.....	.....	160.9	.....	57
.....	53.4	.....	.....	213.8	.....	160.3	.....	.....	.....	.....	.....	106.9	.....	106.9	160.3	106.9	.....	160.3	53.4	58
53.3	9.3	16.2	18.5	76.5	23.2	95.0	13.9	53.3	4.6	18.5	9.3	104.3	7.0	2.3	90.4	180.7	11.6	176.1	11.6	59
42.6	4.7	7.1	14.2	80.5	11.8	82.9	11.8	47.4	.....	7.1	2.4	71.0	2.4	7.1	75.8	146.8	7.1	135.0	9.5	60
.....	.....	.....	.....	.....	.....	35.5	.....	35.5	.....	.....	.....	.....	.....	35.5	106.5	.....	.....	71.0	35.5	61
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	74.6	.....	.....	37.3	74.6	.....	111.9	74.6	62
59.4	11.9	11.9	47.5	95.1	53.5	160.4	.....	23.8	35.7	5.9	5.9	107.0	5.9	.....	89.1	41.6	11.9	213.9	5.9	63
29.8	11.9	.....	47.6	160.8	59.6	184.6	17.9	6.0	.....	6.0	6.0	65.5	.....	6.0	125.1	41.7	.....	202.5	11.9	64
78.4	.....	9.8	19.6	88.2	9.8	117.6	9.8	49.0	9.8	.....	19.6	39.2	.....	.....	107.8	39.2	29.4	166.6	.....	65
9.9	9.9	9.9	19.9	69.5	9.9	148.9	.....	99.3	19.9	9.9	19.9	49.6	.....	19.9	79.4	59.6	.....	218.4	.....	66
12.8	12.8	.....	64.1	64.1	12.8	359.0	51.3	.....	25.6	38.5	12.8	38.5	12.8	12.8	51.3	76.9	12.8	217.9	12.8	67
37.9	.....	12.6	12.6	37.9	.....	151.4	50.5	50.5	25.2	37.9	.....	75.7	12.6	.....	101.0	214.5	.....	290.3	12.6	68
12.3	.....	12.3	49.3	37.0	24.7	111.0	.....	37.0	12.3	.....	.....	37.0	12.3	12.3	86.3	86.3	12.3	111.0	.....	69
24.8	37.3	.....	12.4	37.3	12.4	87.0	62.1	37.3	.....	.....	24.8	37.3	.....	12.4	124.2	136.6	12.4	186.3	24.8	70
55.2	27.6	138.1	41.4	41.4	.....	248.5	13.8	82.8	41.4	13.8	.....	69.0	13.8	13.8	110.5	55.2	41.4	262.3	82.8	71
69.6	27.8	.....	13.9	97.5	27.8	153.2	13.9	27.8	27.8	13.9	.....	97.5	.....	13.9	83.5	27.8	27.8	153.2	55.7	72
62.9	22.7	32.7	40.3	95.7	22.7	95.7	15.1	52.9	45.3	22.7	7.6	50.3	7.6	12.6	70.5	70.5	17.6	279.4	2.5	73
43.4	5.1	10.2	30.6	112.3	12.8	89.4	7.7	5.1	20.4	5.1	7.7	89.4	2.6	10.2	102.1	66.4	7.7	260.4	2.6	74
19.5	9.7	19.5	19.5	116.8	19.5	68.1	.....	38.9	9.7	.....	.....	29.2	9.7	.....	126.5	68.1	9.7	136.2	38.9	75
30.4	.....	10.1	.....	131.9	20.3	91.3	10.1	.....	10.1	10.1	.....	50.7	20.3	.....	101.5	71.0	.....	131.9	40.6	76

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	UTAH—continued.															
1	Washington County	1913	794.4	.....	.....	.....	.....	18.9	18.9	.....	.....	.....	18.9	.....	.....	.....
2		1912	974.0	.....	.....	.....	.....	.....	.....	19.1	.....	.....	76.4	.....	.....	.....
3	Wayne County	1913	765.6	58.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4		1912	758.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Weber County	1913	1,018.6	30.6	.....	.....	10.2	.....	.....	.....	40.7	.....	50.9	.....	.....	.....
6		1912	830.9	.....	.....	10.3	.....	10.3	10.3	20.5	20.5	10.3	30.8	.....	.....	10.3
	VERMONT.															
7	Total	1913	1,558 7	8.3	0.6	.....	19.8	2.6	9.6	8.6	37.7	1.0	84.0	7.3	12.1	6.1
8		1912	1,508.4	11.5	0.3	0.3	6.7	2.9	6.7	6.4	25.9	1.6	77.4	7.4	10.6	4.8
9	White	1913	1,563.1	8.3	0.6	.....	19.9	2.6	9.6	8.7	37.5	1.0	84.1	7.4	12.2	6.1
10		1912	1,509.7	11.6	0.3	0.3	6.8	2.9	6.8	6.4	26.0	1.6	76.8	7.4	10.6	4.8
11	Colored	1913	653.6	.....	.....	.....	.....	.....	.....	.....	65.4	.....	65.4	.....	.....	.....
12		1912	1,240.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	195.8	.....	.....	.....
13	Addison County	1913	1,454.1	10.3	.....	.....	41.3	.....	5.2	10.3	56.7	.....	87.7	.....	5.2	5.2
14		1912	1,761.5	35.7	.....	.....	5.1	5.1	.....	5.1	25.5	.....	97.0	.....	.....	5.1
15	Bennington County	1913	1,495.0	4.7	.....	.....	.....	.....	.....	.....	23.5	.....	75.2	9.4	9.4	4.7
16		1912	1,487.9	18.8	.....	.....	23.5	.....	9.4	9.4	14.1	.....	70.4	9.4	18.8	.....
17	Caledonia County	1913	1,656.2	11.3	.....	.....	41.4	.....	7.5	3.8	37.6	.....	120.4	7.5	7.5	7.5
18		1912	1,628.8	7.6	.....	.....	11.4	7.6	3.8	3.8	45.5	.....	90.9	7.6	3.8	11.4
19	Chittenden County	1913	1,528.5	9.0	.....	.....	9.0	.....	4.5	17.9	9.0	.....	94.1	17.9	9.0	.....
20		1912	1,486.2	13.5	.....	.....	4.5	.....	18.0	9.0	22.5	4.5	94.6	18.0	.....	4.5
21	Essex County	1913	1,465.3	14.0	.....	.....	27.9	.....	41.9	.....	41.9	.....	83.7	.....	27.9	.....
22		1912	1,285.6	27.6	.....	.....	27.6	.....	13.8	.....	.....	.....	69.1	13.8	13.8	.....
23	Franklin County	1913	1,498.7	6.7	.....	.....	10.1	.....	16.8	3.4	43.7	.....	70.6	3.4	20.2	6.7
24		1912	1,443.3	6.7	.....	.....	.....	3.4	13.4	13.4	33.6	.....	83.9	10.1	10.1	3.4
25	Grand Isle County	1913	1,471.8	.....	.....	.....	.....	.....	.....	.....	56.6	.....	113.2	.....	56.6	.....
26		1912	1,082.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	111.0	27.7	.....	.....
27	Lamoille County	1913	1,451.0	.....	7.9	.....	39.4	.....	15.8	7.9	39.4	7.9	63.1	15.8	7.9	23.7
28		1912	1,304.2	7.9	.....	.....	7.9	.....	15.8	.....	31.6	7.9	71.1	.....	.....	7.9
29	Orange County	1913	1,723.8	16.2	.....	.....	16.2	5.4	10.8	5.4	48.6	.....	54.0	.....	10.8	.....
30		1912	1,658.8	16.2	.....	.....	10.8	.....	5.4	16.2	26.9	5.4	96.9	.....	21.5	5.4
31	Orleans County	1913	1,569.6	12.6	.....	.....	8.4	16.8	12.6	12.6	16.8	.....	58.9	4.2	8.4	.....
32		1912	1,366.8	12.7	4.2	.....	4.2	8.5	.....	.....	12.7	.....	46.5	8.5	12.7	8.5
33	Rutland County	1913	1,445.8	2.8	2.8	.....	11.4	5.7	8.5	2.8	19.9	.....	93.7	11.4	11.4	5.7
34		1912	1,436.6	5.7	.....	2.9	5.7	.....	.....	2.9	17.1	2.9	71.4	5.7	8.6	8.6
35	Washington County*	1913	1,455.3	6.3	.....	.....	9.4	3.1	3.1	6.3	50.2	3.1	106.6	3.1	18.8	3.1
36		1912	1,402.0	12.7	.....	.....	6.3	3.2	3.2	6.3	15.8	.....	82.3	9.5	15.8	3.2
37	Windham County	1913	1,858.0	18.5	.....	.....	11.1	.....	22.2	29.6	44.4	.....	81.4	14.8	11.1	7.4
38		1912	1,689.4	7.4	.....	.....	3.7	.....	7.4	11.1	40.8	3.7	66.7	3.7	14.8	.....
39	Windsor County	1913	1,601.6	2.9	.....	.....	46.8	.....	2.9	8.8	55.6	2.9	73.2	5.9	8.8	14.6
40		1912	1,567.4	2.9	.....	.....	.....	5.9	8.8	2.9	35.3	.....	64.7	5.9	14.7	2.9
	VIRGINIA.[3]															
41	Total	1913	1,269.7	34.6	6.5	0.5	17.6	2.6	13.2	15.8	12.9	2.3	142.8	3.5	12.0	6.2
42	White	1913	1,114.7	30.8	4.0	0.1	17.8	3.8	13.3	18.3	12.9	3.1	102.4	3.5	9.1	5.5
43	Colored	1913	1,597.6	42.6	11.8	1.3	17.3	0.2	12.9	10.4	12.9	0.5	228.3	3.5	18.0	7.8
44	Accomac County (total)	1913	1,074.4	39.5	2.6	.....	2.6	.....	7.9	5.3	5.3	.....	131.7	.....	5.3	7.9
45	White	1913	872.5	28.9	4.1	.....	4.1	.....	.....	8.3	8.3	.....	103.4	.....	4.1	12.4
46	Colored	1913	1,428.3	58.0	.....	.....	.....	.....	21.8	.....	.....	.....	181.3	.....	7.3	.....
47	Albemarle County (total)	1913	1,493.8	39.6	.....	.....	9.9	3.3	13.2	13.2	.....	9.9	125.3	9.9	16.5	6.6
48	White	1913	1,206.2	19.5	.....	.....	9.8	4.9	14.7	14.7	.....	9.8	87.9	14.7	4.9	4.9
49	Colored	1913	2,091.8	81.2	.....	.....	10.2	.....	10.2	10.2	.....	10.2	203.1	.....	40.6	10.2
50	Alexandria County (total)	1913	1,055.2	.....	.....	.....	8.7	.....	.....	.....	17.4	.....	95.9	.....	17.4	.....
51	White	1913	847.7	.....	.....	.....	11.8	.....	.....	.....	23.5	.....	58.9	.....	11.8	.....
52	Colored	1913	1,648.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	201.8	.....	33.6	.....
53	Alleghany County (total)	1913	901.9	20.5	.....	.....	6.8	.....	.....	6.8	6.8	6.8	116.2	6.8	20.5	20.5
54	White	1913	759.7	25.9	.....	.....	8.6	.....	.....	8.6	8.6	8.6	60.4	.....	8.6	17.3
55	Colored	1913	1,441.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	327.7	32.8	65.5	32.8
56	Amelia County (total)	1913	1,833.4	11.6	.....	11.6	23.2	.....	.....	23.2	11.6	.....	220.5	.....	23.2	.....
57	White	1913	1,315.8	.....	.....	.....	.....	.....	.....	62.7	.....	.....	94.0	.....	.....	.....
58	Colored	1913	2,137.9	18.4	.....	18.4	36.9	.....	.....	.....	18.4	.....	294.9	.....	36.9	.....
59	Amherst County (total)	1913	1,198.1	25.9	.....	.....	10.4	.....	10.4	20.7	5.2	5.2	129.7	5.2	5.2	10.4
60	White	1913	1,124.6	25.8	.....	.....	8.6	.....	17.2	17.2	8.6	8.6	94.4	8.6	.....	.....
61	Colored	1913	1,310.4	26.2	.....	.....	13.1	.....	.....	26.2	.....	.....	183.5	.....	13.1	26.2
62	Appomattox County (total)	1913	819.9	57.7	.....	.....	23.1	.....	.....	.....	11.5	.....	69.3	.....	.....	11.5
63	White	1913	777.9	88.4	.....	.....	17.7	.....	.....	.....	.....	.....	17.7	.....	.....	.....
64	Colored	1913	898.8	.....	.....	.....	33.3	.....	.....	.....	33.3	.....	166.4	.....	.....	33.3
65	Augusta County (total)	1913	1,333.2	21.2	.....	.....	36.4	.....	.....	12.1	15.1	.....	151.5	3.0	3.0	6.1
66	White	1913	1,239.6	21.1	.....	.....	38.7	.....	.....	10.6	7.0	.....	105.6	3.5	3.5	7.0
67	Colored	1913	1,910.1	21.7	.....	.....	21.7	.....	.....	21.7	65.1	.....	434.1	.....	.....	.....
68	Bath County (total)	1913	905.9	14.6	.....	.....	.....	.....	.....	29.2	14.6	.....	131.5	14.6	.....	.....
69	White	1913	873.6	.....	.....	.....	.....	.....	.....	35.7	17.8	.....	89.1	17.8	.....	.....
70	Colored	1913	1,052.6	81.0	.....	.....	.....	.....	.....	.....	.....	.....	323.9	.....	.....	.....
71	Bedford County (total)	1913	1,177.9	37.6	6.8	.....	34.1	3.4	10.2	27.3	13.7	.....	136.6	3.4	13.7	3.4
72	White	1913	1,080.9	19.1	9.6	.....	43.0	4.8	4.8	19.1	19.1	.....	119.6	4.8	9.6	4.8
73	Colored	1913	1,419.9	83.5	.....	.....	11.9	.....	23.9	47.7	.....	.....	179.0	.....	23.9	.....

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FRO M—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
18.9	18.9	.....	.....	75.7	18.9	56.7	18.9	37.8	.....	18.9	.....	56.7	18.9	.....	113.5	18.9	.....	208.1	56.7	1
95.5	.....	.....	38.2	57.3	95.9	19.1	38.2	57.3	19.1	.....	.....	57.3	.....	57.3	76.4	95.5	19.1	114.6	38.2	2
.....	.....	117.8	.....	58.9	.....	117.8	.....	.....	.....	.....	58.9	.....	.....	.....	117.8	.....	.....	176.7	58.9	3
.....	.....	58.3	58.3	58.3	.....	58.3	.....	.....	.....	.....	.....	.....	.....	.....	116.7	175.0	.....	175.0	58.3	4
81.5	10.2	10.2	81.5	142.6	10.2	112.1	20.4	20.4	.....	30.6	.....	40.7	.....	.....	112.1	71.3	.....	122.2	20.4	5
41.0	.....	10.3	30.8	102.6	10.3	92.3	.....	41.0	.....	10.3	.....	61.5	.....	30.8	30.8	41.0	10.3	194.9	.....	6
110.8	20.4	11.5	130.3	227.0	33.8	138.2	12.1	40.5	10.2	12.8	9.3	117.2	4.8	9.3	65.5	80.5	16.0	308.1	2.9	7
111.3	21.8	6.7	143.3	214.0	26.6	142.7	10.9	33.9	11.5	16.0	9.3	116.4	1.9	11.2	82.2	79.0	13.8	288.2	5.1	8
111.3	20.5	11.2	130.9	228.1	33.7	138.6	12.2	40.7	10.3	12.8	9.3	117.4	4.8	9.3	65.8	80.2	15.7	309.3	2.9	9
111.9	21.9	6.8	143.7	214.4	26.4	142.4	10.6	33.8	11.6	16.1	9.3	117.0	1.9	11.3	82.3	79.1	13.8	288.1	5.1	10
.....	.....	65.4	.....	.....	65.4	65.4	.....	.....	.....	.....	.....	65.4	.....	.....	.....	130.7	65.4	65.4	.....	11
.....	.....	.....	65.3	130.5	65.3	195.8	65.3	65.3	.....	.....	.....	.....	.....	.....	65.3	65.3	.....	326.4	.....	12
92.8	20.6	10.3	118.6	247.5	36.1	92.8	5.2	41.3	10.3	15.5	10.3	118.6	.....	10.3	61.9	61.9	20.6	257.8	.....	13
127.6	25.5	20.4	168.5	372.7	30.6	178.7	10.2	35.7	.....	10.2	5.1	137.9	5.1	10.2	86.8	51.1	5.1	301.2	.....	14
94.0	18.8	.....	136.3	206.9	65.8	126.9	9.4	75.2	.....	18.8	14.1	150.4	4.7	.....	75.2	37.6	14.1	319.7	.....	15
93.9	4.7	4.7	126.7	253.5	28.2	136.1	14.1	14.1	18.8	18.8	14.1	164.3	.....	.....	98.6	56.3	9.4	248.8	9.4	16
101.6	33.9	11.3	135.5	199.5	37.6	184.4	7.5	30.1	18.8	11.3	11.3	109.2	.....	18.8	71.5	97.9	11.3	319.9	.....	17
128.8	18.9	.....	155.3	197.0	30.3	174.2	7.6	30.3	30.3	7.6	.....	121.2	3.8	15.2	79.5	109.9	11.4	310.6	3.8	18
80.7	13.4	22.4	107.6	179.3	22.4	139.0	4.5	58.3	26.9	17.9	26.9	174.8	13.4	.....	58.3	112.1	26.9	273.4	.....	19
112.6	45.0	4.5	130.6	135.1	31.5	171.1	4.5	81.1	40.5	9.0	13.5	135.1	.....	.....	58.5	63.0	4.5	252.2	4.5	20
111.6	.....	.....	69.8	153.5	27.9	41.9	14.0	27.9	.....	14.0	.....	97.7	14.0	14.0	111.6	97.7	.....	432.6	.....	21
55.3	.....	13.8	110.6	152.1	27.6	124.4	.....	.....	27.6	27.6	.....	41.5	.....	41.5	152.1	96.8	.....	235.0	13.8	22
84.0	20.2	20.2	121.0	201.6	33.6	147.8	3.4	63.8	6.7	13.4	10.1	110.9	10.1	16.8	97.4	60.5	13.4	282.3	.....	23
114.1	13.4	6.7	134.3	218.2	13.4	134.3	16.8	47.0	13.4	13.4	6.7	94.0	3.4	6.7	47.0	117.5	20.1	238.3	6.7	24
28.3	28.3	28.3	28.3	254.7	28.3	198.1	.....	56.6	.....	28.3	.....	84.9	.....	.....	84.9	28.3	.....	368.0	.....	25
55.5	27.7	.....	83.2	194.2	.....	83.2	27.7	.....	.....	27.7	27.7	55.5	.....	27.7	55.5	138.7	27.7	111.0	.....	26
126.2	23.7	7.9	78.9	220.8	55.2	63.1	7.9	55.2	.....	7.9	.....	110.4	.....	.....	71.0	55.2	23.7	299.7	15.8	27
86.9	55.3	7.9	150.2	173.9	31.6	134.4	.....	7.9	7.9	15.8	7.9	181.8	.....	7.9	55.3	15.8	15.8	197.6	.....	28
167.5	21.6	21.6	172.9	259.4	43.2	167.5	21.6	10.8	5.4	10.8	16.2	97.3	.....	16.2	64.8	48.6	5.4	405.3	.....	29
134.6	21.5	5.4	161.6	215.4	21.5	167.0	10.8	37.7	5.4	21.5	10.8	129.3	5.4	16.2	80.8	70.0	21.5	317.8	.....	30
117.8	16.8	8.4	138.9	269.3	21.0	159.9	4.2	46.3	12.6	8.4	.....	126.2	.....	12.6	54.7	113.6	16.8	281.9	8.4	31
97.3	29.6	4.2	190.4	110.0	12.7	101.6	21.2	25.4	8.5	12.7	12.7	76.2	4.2	21.2	105.8	63.5	16.9	330.1	4.2	32
116.5	14.2	2.8	85.2	244.3	19.9	110.8	19.9	48.3	8.5	17.0	2.8	90.9	2.8	8.5	68.2	110.8	17.0	278.4	2.8	33
97.1	5.7	.....	100.0	194.2	22.8	154.2	14.3	42.8	.....	14.3	8.6	100.0	.....	11.4	102.8	125.7	11.4	285.6	14.3	34
128.6	18.8	12.5	150.6	200.7	18.8	147.4	22.0	18.8	6.3	.....	6.3	97.2	6.3	6.3	53.3	65.9	18.8	260.3	3.1	35
98.1	12.7	.....	117.1	196.2	22.2	101.3	6.3	25.3	3.2	41.1	9.5	88.6	3.2	9.5	85.4	69.6	19.0	329.1	6.3	36
125.8	18.5	11.1	207.3	240.6	44.4	151.7	11.1	33.3	22.2	14.8	7.4	174.0	11.1	14.8	37.0	92.5	25.9	373.8	.....	37
122.3	22.2	18.5	185.2	200.1	40.8	126.0	7.4	37.0	3.7	11.1	14.8	177.8	.....	14.8	63.0	81.5	11.1	389.0	3.7	38
114.2	29.3	11.7	131.8	266.4	35.1	146.4	20.5	20.5	5.9	14.6	11.7	84.9	2.9	2.9	58.6	79.1	8.8	325.0	8.8	39
138.2	35.3	11.8	150.0	308.8	38.2	158.8	11.8	26.5	8.8	8.8	8.8	91.2	.....	8.8	91.2	50.0	17.6	258.8	.....	40
42.3	6.9	12.7	48.9	100.7	11.7	76.3	10.5	59.6	3.6	5.5	5.6	73.8	5.7	11.9	60.6	75.2	4.4	237.1	146.1	41
46.0	8.5	14.3	44.9	90.1	10.2	67.1	8.9	62.1	4.0	4.5	5.1	65.6	5.6	8.3	64.9	64.9	5.4	210.7	98.7	42
34.4	3.5	9.3	57.3	123.2	14.9	95.9	13.8	54.4	2.5	7.6	6.7	91.1	6.0	19.3	51.3	97.2	2.2	292.9	246.5	43
36.9	13.2	.....	55.3	121.1	7.9	86.9	5.3	76.4	5.3	.....	5.3	73.7	10.5	15.8	52.7	55.3	13.2	152.7	79.0	44
37.2	20.7	.....	49.6	86.8	8.3	66.2	4.1	57.9	8.3	.....	4.1	70.3	8.3	4.1	37.2	49.6	20.7	136.5	28.9	45
36.3	.....	.....	65.3	181.3	7.3	123.3	7.3	108.8	.....	.....	7.3	79.8	14.5	36.3	79.8	65.3	.....	181.3	166.8	46
75.8	13.2	16.5	66.0	155.0	13.2	72.5	9.9	66.0	16.5	23.1	6.6	82.4	6.6	23.1	75.8	89.0	3.3	313.3	118.7	47
83.0	14.7	19.5	63.5	131.9	14.7	73.3	4.9	73.3	14.7	14.7	4.9	68.4	9.8	9.8	63.5	58.6	.....	224.6	73.3	48
60.9	10.2	10.2	71.1	203.1	10.2	71.1	20.3	50.8	20.3	40.6	10.2	111.7	.....	50.8	101.5	152.3	10.2	497.6	213.2	49
34.9	8.7	.....	95.9	139.5	8.7	87.2	17.4	69.8	.....	8.7	.....	95.9	.....	.....	69.8	78.5	.....	165.7	34.9	50
11.8	11.8	.....	106.0	94.2	11.8	94.2	.....	82.4	.....	.....	.....	70.6	.....	.....	94.2	58.9	.....	94.2	11.8	51
100.9	.....	.....	67.3	269.1	.....	67.3	67.3	33.6	.....	33.6	.....	168.2	.....	.....	.....	134.5	.....	370.0	100.9	52
41.0	.....	6.8	20.5	47.8	27.3	27.3	6.9	54.7	.....	.....	.....	34.2	6.9	13.7	95.7	95.7	.....	164.0	47.8	53
51.8	.....	8.6	17.3	34.5	17.3	25.9	8.6	43.2	.....	.....	.....	25.9	8.6	17.3	86.3	77.7	.....	138.1	51.8	54
.....	.....	.....	32.8	98.3	65.5	32.8	.....	98.3	.....	.....	.....	65.5	.....	.....	131.1	163.8	.....	262.1	32.8	55
34.8	.....	.....	46.4	220.5	.....	104.4	23.2	34.8	11.6	.....	.....	69.6	.....	34.8	.....	92.8	11.6	371.3	452.5	56
62.7	.....	.....	62.7	125.3	.....	62.7	.....	62.7	.....	.....	.....	94.0	.....	62.7	.....	31.3	31.3	375.9	188.0	57
18.4	.....	.....	36.9	276.4	.....	129.0	36.9	18.4	18.4	.....	.....	55.3	.....	18.4	.....	129.0	.....	368.6	608.2	58
31.1	5.2	10.4	25.9	124.5	5.2	36.3	.....	46.7	.....	10.4	15.6	41.5	.....	31.1	41.5	88.2	15.6	264.5	176.3	59
34.3	8.6	17.2	34.3	103.0	8.6	51.5	.....	51.5	.....	.....	25.8	42.9	.....	25.8	51.5	85.8	17.2	257.5	120.2	60
26.2	.....	.....	13.1	157.3	.....	13.1	.....	39.3	.....	26.2	.....	39.3	.....	39.3	26.2	91.7	13.1	275.2	262.1	61
23.1	.....	11.5	23.1	115.5	.....	34.6	11.5	46.2	.....	.....	11.5	46.2	.....	11.5	46.2	.....	.....	161.7	103.9	62
35.4	.....	17.7	35.4	123.8	.....	35.4	17.7	53.0	.....	.....	.....	35.4	.....	17.7	70.7	.....	.....	123.8	88.4	63
.....	.....	.....	.....	99.9	.....	33.3	.....	33.3	.....	.....	33.3	66.6	.....	.....	.....	.....	.....	233.0	133.2	64
48.5	9.1	18.2	63.6	172.7	18.2	97.0	24.2	87.9	.....	.....	12.1	84.8	3.0	12.1	75.7	69.7	6.1	236.3	45.4	65
52.8	10.6	21.1	59.9	158.5	17.6	91.6	21.1	91.6	.....	.....	14.1	59.9	3.5	14.1	84.5	66.9	3.5	228.9	42.3	66
21.7	.....	.....	86.8	260.5	21.7	130.2	43.4	65.1	.....	.....	.....	238.8	.....	.....	21.7	86.8	21.7	282.2	65.1	67
58.4	.....	43.8	14.6	29.2	14.6	29.2	29.2	58.4	.....	14.6	.....	131.5	.....	29.2	43.8	43.8	.....	131.5	29.2	68
53.5	.....	53.5	17.8	35.7	17.8	17.8	17.8	71.3	.....	17.8	.....	124.8	.....	.....	53.5	53.5	.....	142.6	35.7	69
81.0	.....	.....	.....	.....	.....	81.0	81.0	.....	.....	.....	.....	161.9	.....	161.9	.....	.....	.....	81.0	.....	70
44.4	3.4	20.5	58.0	122.9	23.9	71.7	3.4	47.8	.....	.....	3.4	75.1	6.8	20.5	64.9	75.1	6.8	180.9	58.0	71
52.6	4.8	23.9	33.5	110.0	19.1	57.4	4.8	57.4	.....	.....	4.8	57.4	9.6	9.6	62.2	86.1	9.6	177.0	43.0	72
23.9	.....	11.9	119.3	155.1	35.8	107.4	.....	23.9	.....	.....	.....	119.3	.....	47.7	71.6	47.7	.....	190.9	95.5	73

[3] Not admitted to registration area until 1913.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	VIRGINIA[3]—continued.														
1	Bland County (total)....1913	1,149.4	99.1	.....	.....	.....	.....	39.6	.....	19.8	.....	99.1	.....	19.8	.....
2	White....1913	1,159.5	101.7	.....	.....	.....	.....	40.7	.....	20.3	.....	101.7	.....	20.3	.....
3	Colored[4]....1913	769.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Botetourt County (total)....1913	1,183.6	.....	.....	.....	11.2	.....	22.3	27.9	27.9	16.7	167.5	5.6	16.7	5.6
5	White....1913	1,176.1	.....	.....	.....	13.9	.....	20.9	34.8	20.9	20.9	132.2	.....	.....	7.0
6	Colored....1913	1,214.3	.....	.....	.....	.....	.....	28.2	.....	56.5	.....	310.6	28.2	84.7	.....
7	Bristol city (total)....1913	942.7	14.7	.....	.....	.....	.....	14.7	14.7	.....	.....	162.0	.....	29.5	.....
8	White....1913	811.4	18.0	.....	.....	.....	.....	18.0	18.0	.....	.....	126.2	.....	18.0	.....
9	Colored....1913	1,528.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	321.8	.....	80.5	.....
10	Brunswick County (total)....1913	1,358.6	20.4	10.2	5.1	5.1	.....	5.1	10.2	10.2	5.1	117.5	.....	10.2	10.2
11	White....1913	1,152.6	37.6	12.5	.....	12.5	.....	.....	12.5	.....	12.5	62.6	.....	.....	12.5
12	Colored....1913	1,500.4	8.6	8.6	8.6	.....	.....	8.6	8.6	17.2	.....	155.2	.....	17.2	8.6
13	Buchanan County (total)....1913	1,546.4	60.6	7.6	.....	53.1	.....	.....	91.0	15.2	7.6	83.4	.....	15.2	.....
14	White....1913	1,539.3	60.7	7.6	.....	53.1	.....	.....	91.0	15.2	7.6	83.4	.....	15.2	.....
15	Colored[4]....1913	(5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Buckingham County (total)....1913	1,191.9	.....	6.6	.....	19.8	.....	13.2	6.6	6.6	6.6	79.0	.....	6.6	13.2
17	White....1913	1,206.6	.....	.....	.....	13.1	.....	.....	13.1	13.1	.....	65.6	.....	.....	13.1
18	Colored....1913	1,177.1	.....	13.2	.....	26.5	.....	26.5	.....	.....	13.2	92.6	.....	13.2	13.2
19	Buena Vista city (total)....1913	1,050.5	.....	.....	.....	28.4	56.8	.....	.....	56.8	28.4	85.2	.....	.....	56.8
20	White....1913	1,074.9	.....	.....	.....	32.6	65.1	.....	.....	65.1	32.6	65.1	.....	.....	65.1
21	Colored....1913	885.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	221.2	.....	.....	.....
22	Campbell County (total)....1913	937.6	36.5	4.1	.....	8.1	.....	16.2	20.3	20.3	8.1	85.2	8.1	20.3	4.1
23	White....1913	840.3	33.3	.....	.....	13.3	.....	6.7	26.7	20.0	13.3	66.7	6.7	20.0	6.7
24	Colored....1913	1,088.8	41.5	10.4	.....	.....	.....	31.1	10.4	20.7	.....	114.1	10.4	20.7	.....
25	Caroline County (total)....1913	1,213.6	48.3	.....	.....	60.4	.....	6.0	.....	.....	.....	199.3	.....	12.1	.....
26	White....1913	1,047.3	38.3	.....	.....	76.6	.....	.....	.....	.....	.....	127.7	.....	.....	.....
27	Colored....1913	1,362.8	57.3	.....	.....	45.8	.....	11.5	.....	.....	.....	263.4	.....	22.9	.....
28	Carroll County (total)....1913	976.8	32.3	.....	4.6	18.4	4.6	.....	13.8	18.4	4.6	82.9	9.2	4.6	9.2
29	White....1913	975.6	32.7	.....	4.7	18.7	4.7	.....	14.0	18.7	4.7	84.0	9.3	4.7	9.3
30	Colored[4]....1913	1,063.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Charles City County (total)....1913	1,052.2	56.4	.....	.....	.....	.....	.....	18.8	.....	.....	187.9	.....	.....	18.8
32	White....1913	1,013.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	Colored....1913	1,066.0	76.1	.....	.....	.....	.....	.....	25.4	.....	.....	253.8	.....	.....	25.4
34	Charlotte County (total)....1913	897.8	12.6	.....	.....	18.8	.....	6.3	12.6	6.3	.....	157.0	.....	12.6	.....
35	White....1913	734.0	.....	.....	.....	13.3	.....	.....	13.3	.....	.....	26.7	.....	13.3	.....
36	Colored....1913	1,043.3	23.7	.....	.....	23.7	.....	11.9	11.9	11.9	.....	272.7	.....	11.9	.....
37	Charlottesville city (total)....1913	1,412.3	29.1	.....	.....	14.6	.....	14.6	29.1	.....	.....	145.6	.....	29.1	14.6
38	White....1913	1,488.4	46.5	.....	.....	23.3	.....	23.3	.....	.....	.....	139.5	.....	.....	23.3
39	Colored....1913	1,285.0	.....	.....	.....	.....	.....	.....	77.9	.....	.....	155.8	.....	77.9	.....
40	Chesterfield County (total)....1913	1,542.4	49.8	9.0	.....	13.6	.....	31.7	13.6	4.5	.....	194.5	18.1	18.1	18.1
41	White....1913	1,380.2	49.0	7.0	.....	14.0	.....	28.0	21.0	7.0	.....	161.1	14.0	14.0	14.0
42	Colored....1913	1,837.7	51.0	12.8	.....	12.8	.....	38.3	.....	.....	.....	255.2	25.5	25.5	25.5
43	Clarke County (total)....1913	1,229.3	41.0	.....	.....	27.3	.....	13.7	.....	.....	.....	136.6	.....	.....	.....
44	White....1913	1,117.6	18.3	.....	.....	36.6	.....	18.3	.....	.....	.....	73.3	.....	.....	.....
45	Colored....1913	1,556.6	107.4	.....	.....	.....	.....	.....	.....	.....	.....	322.1	.....	.....	.....
46	Clifton Forge city (total)....1913	759.6	46.5	.....	.....	.....	.....	.....	15.5	.....	.....	77.5	.....	15.5	.....
47	White....1913	670.1	19.1	.....	.....	.....	.....	.....	19.1	.....	.....	38.3	.....	19.1	.....
48	Colored....1913	1,140.1	162.9	.....	.....	.....	.....	.....	.....	.....	.....	244.3	.....	.....	.....
49	Craig County (total)....1913	1,155.4	.....	.....	.....	.....	.....	.....	20.6	.....	.....	123.8	.....	.....	.....
50	White....1913	1,122.4	.....	.....	.....	.....	.....	.....	21.6	.....	.....	129.5	.....	.....	.....
51	Colored[4]....1913	1,369.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Culpeper County (total)....1913	1,100.9	.....	.....	.....	15.1	.....	.....	.....	7.5	7.5	60.3	7.5	7.5	.....
53	White....1913	989.9	.....	.....	.....	12.4	.....	.....	.....	12.4	12.4	49.5	.....	.....	.....
54	Colored....1913	1,274.1	.....	.....	.....	19.3	.....	.....	.....	.....	.....	77.2	19.3	19.3	.....
55	Cumberland County (total)....1913	928.7	21.6	10.8	.....	10.8	.....	.....	10.8	.....	10.8	97.2	.....	.....	.....
56	White....1913	603.7	31.8	31.8	.....	.....	.....	.....	.....	.....	31.8	95.3	.....	.....	.....
57	Colored....1913	1,096.0	16.4	.....	.....	16.4	.....	.....	16.4	.....	.....	98.2	.....	.....	.....
58	Dickenson County (total)....1913	1,271.7	31.0	.....	.....	20.7	.....	.....	31.0	.....	.....	31.0	.....	31.0	.....
59	White....1913	972.6	20.7	.....	.....	20.7	.....	.....	31.0	.....	.....	31.0	.....	31.0	.....
60	Colored[4]....1913	(5)	(5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Dinwiddie County* (total)....1913	2,379.9	25.9	19.4	.....	12.9	.....	.....	.....	12.9	.....	239.3	.....	25.9	.....
62	White....1913	1,007.4	33.0	16.5	.....	33.0	.....	.....	.....	16.5	.....	82.6	.....	16.5	.....
63	Colored....1913	3,263.2	21.3	21.3	.....	.....	.....	.....	.....	10.6	.....	340.1	.....	31.9	.....
64	Elizabeth City County (total)....1913	1,527.7	9.2	4.6	.....	22.9	4.6	.....	13.8	.....	9.2	123.9	4.6	27.5	9.2
65	White....1913	966.1	14.7	.....	.....	7.4	7.4	.....	.....	.....	14.7	73.7	.....	14.7	7.4
66	Colored....1913	2,452.3	.....	12.1	.....	48.6	.....	.....	36.4	.....	.....	206.4	12.1	48.6	12.1
67	Essex County (total)....1913	1,368.8	56.1	11.2	.....	.....	.....	.....	.....	11.2	.....	145.9	.....	44.9	.....
68	White....1913	1,105.1	27.0	.....	.....	.....	.....	.....	.....	.....	.....	80.9	.....	27.0	.....
69	Colored....1913	1,556.8	76.9	19.2	.....	.....	.....	.....	.....	19.2	.....	192.2	.....	57.7	.....
70	Fairfax County (total)....1913	1,195.0	9.4	.....	.....	9.4	4.7	18.9	4.7	47.2	.....	174.8	14.2	9.4	4.7
71	White....1913	1,053.1	12.4	.....	.....	12.4	6.2	12.4	6.2	49.6	.....	105.3	6.2	12.4	6.2
72	Colored....1913	1,650.4	.....	.....	.....	.....	.....	39.8	.....	39.8	.....	397.7	39.8	.....	.....
73	Fauquier County (total)....1913	1,186.4	13.5	.....	.....	4.5	.....	22.5	4.5	18.0	.....	152.8	9.0	4.5	13.5
74	White....1913	1,097.3	.....	.....	.....	6.7	.....	13.5	6.7	13.5	.....	114.4	6.7	.....	6.7
75	Colored....1913	1,365.2	40 6	.....	.....	.....	.....	40.6	.....	27.0	.....	229.8	13.5	13.5	27.0
76	Floyd County (total)....1913	1,104.4	29.3	.....	.....	.....	.....	.....	14.6	73.1	.....	109.7	.....	36.6	21.9
77	White....1913	1,073.0	31.1	.....	.....	.....	.....	.....	15.6	77.8	.....	101.1	.....	31.1	23.3
78	Colored[4]....1913	1,601.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	246.3	.....	123.2	.....

[1] Exclusive of stillbirths. [2] Exclusive of municipalities having a population of 10,000 or over in 1910. [3] Not admitted to registration area until 1913.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
.....	.....	59.5	39.6	79.3	19.8	79.3	.....	138.7	.....	.....	.....	39.6	.....	19.3	59.5	79.3	.....	178.4	79.3	1
.....	.....	61.0	40.7	81.4	20.3	81.4	.....	142.4	.....	.....	.....	20.3	.....	20.3	61.0	81.4	.....	183.1	81.4	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	769.2	.....	.....	.....	.....	.....	.....	.....	3
44.7	5.6	16.7	27.9	100.5	22.3	94.9	11.2	61.4	.....	.....	.....	50.2	16.7	11.2	134.0	67.0	11.2	139.8	16.7	4
55.7	7.0	20.9	34.8	111.3	27.8	118.3	7.0	76.5	.....	.....	.....	48.7	20.9	13.9	111.3	76.5	13.9	167.0	13.9	5
.....	.....	.....	.....	56.5	.....	.....	28.2	.....	.....	.....	.....	56.5	.....	.....	225.9	28.2	.....	282.4	28.2	6
29.5	.....	.....	14.7	73.6	.....	117.8	14.7	29.5	.....	.....	.....	73.6	.....	.....	58.9	88.4	.....	147.3	58.9	7
18.0	.....	.....	18.0	36.1	.....	108.2	.....	36.1	.....	.....	.....	90.2	.....	.....	72.1	72.1	.....	108.2	54.1	8
80.5	.....	.....	.....	241.4	.....	160.9	80.5	.....	.....	.....	.....	.....	.....	.....	.....	160.9	.....	321.8	80.5	9
25.5	5.1	5.1	51.1	132.8	10.2	71.5	20.4	40.9	.....	5.1	15.3	46.0	5.1	20.4	66.4	76.6	10.2	265.6	275.8	10
25.1	12.5	12.5	62.6	162.9	25.1	37.6	25.1	37.6	.....	.....	12.5	62.6	.....	25.1	100.2	50.1	25.1	213.0	100.2	11
25.9	.....	.....	43.1	112.1	.....	94.9	17.2	43.1	.....	8.6	17.2	34.5	8.6	17.2	43.1	94.9	.....	301.8	396.7	12
22.7	.....	7.6	.....	30.3	7.6	22.7	15.2	37.9	15.2	.....	.....	15.2	.....	.....	45.5	151.6	15.2	204.7	621.6	13
22.7	.....	7.6	.....	30.3	7.6	22.7	15.2	37.9	15.2	.....	.....	15.2	.....	.....	45.5	151.7	15.2	204.7	614.2	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	15
19.8	6.6	6.6	72.4	125.1	13.2	59.3	.....	39.5	6.6	13.2	6.6	72.4	19.8	.....	19.8	72.4	.....	151.5	329.3	16
39.3	13.1	13.1	104.9	104.9	.....	52.5	.....	65.6	13.1	26.2	13.1	39.3	13.1	.....	39.3	52.5	.....	196.7	301.6	17
.....	.....	.....	39.7	145.5	26.5	66.1	.....	13.2	.....	.....	.....	105 8	26.5	.....	.....	92.6	.....	105.8	357.1	18
.....	.....	56.8	56.8	28.4	.....	85.2	.....	170.4	.....	.....	.....	28.4	.....	.....	85.2	113.6	.....	85.2	28.4	19
.....	.....	65.1	32.6	.....	.....	97.7	.....	195.4	.....	.....	.....	32.6	.....	.....	97.7	97.7	.....	97.7	32.6	20
.....	.....	.....	221.2	221.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	221.2	.....	.....	.....	21
16.2	4.1	.....	36.5	44.6	16.2	60.9	4.1	77.1	.....	.....	.....	73.1	4.1	8.1	48.7	60.9	4.1	170.5	77.1	22
13.3	.....	.....	20.0	33.3	6.7	60.0	.....	93.4	.....	.....	.....	66.7	6.7	13.3	73.4	33.3	6.7	153.4	46.7	23
20.7	10.4	.....	62.2	62.2	31.1	62.2	10.4	51.8	.....	.....	.....	83.0	.....	.....	10.4	103.7	.....	197.0	124.4	24
48.3	.....	6.0	66.4	84.5	6.0	96.6	.....	48.3	6.0	.....	.....	60.4	.....	18.1	102.6	72.5	6.0	175.1	90.6	25
76.6	.....	.....	102.2	76.6	12.8	89.4	.....	51.1	12.8	.....	.....	25.5	.....	.....	102.2	51.1	.....	127.7	76.6	26
22.9	.....	11.5	34.4	91.6	.....	103.1	.....	45.8	.....	.....	.....	91.6	.....	34.4	103.1	91.6	11.5	217.6	103.1	27
46.1	9.2	9.2	.....	55.3	4.6	69.1	9.2	36.9	13.8	.....	.....	41.5	4.6	13.8	64.5	23.0	.....	147.4	225.8	28
46.7	4.7	9.3	.....	56.0	4.7	70.0	9.3	37.3	14.0	.....	.....	37.3	4.7	9.3	65.4	23.3	.....	149.4	228.7	29
.....	354.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	354.6	.....	354.6	.....	.....	.....	.....	.....	30
37.6	.....	.....	37.6	37.6	.....	75.2	18.8	56.4	.....	.....	.....	150.3	.....	.....	.....	37.6	.....	56.4	263.1	31
.....	.....	.....	.....	.....	.....	144.7	72.4	144.7	.....	.....	.....	361.8	.....	.....	.....	72.4	.....	144.7	72.4	32
50.8	.....	.....	50.8	50.8	.....	50.8	.....	25.4	.....	.....	.....	76.1	.....	.....	.....	25.4	.....	25.4	329.9	33
25.1	.....	6.3	6.3	50.2	6.3	25.1	12.6	18.8	.....	6.3	.....	56.5	.....	25.1	.....	43.9	.....	213.5	175.8	34
26.7	.....	13.3	.....	26.7	.....	40.0	26.7	26.7	.....	.....	.....	93.4	.....	26.7	.....	26.7	.....	213.5	146.8	35
23.7	.....	.....	11.9	71.1	11.9	11.9	.....	11.9	.....	11.9	.....	23.7	.....	23.7	.....	59.3	.....	213.4	201.5	36
101.9	14.6	29.1	.....	305.8	.....	174.7	.....	58.2	.....	29.1	.....	43.7	.....	.....	14.6	58.2	.....	262.1	43.7	37
162.8	23.3	46.5	.....	302.3	.....	255.8	.....	46.5	.....	23.3	.....	46.5	.....	.....	23.3	23.3	.....	255.8	23.3	38
.....	.....	.....	.....	311.5	.....	38.9	.....	77.9	.....	38.9	.....	38.9	.....	.....	.....	116.8	.....	272.6	77.9	39
54.3	.....	18.1	90.5	99.5	13.6	95.0	9.0	76.9	.....	9.0	9.0	190.0	13.6	13.6	104.0	67.8	9.0	217.1	81.4	40
42.0	.....	28.0	98.1	98.1	14.0	84.1	7.0	77.1	.....	.....	7.0	175.2	14.0	7.0	126.1	35.0	7.0	182.2	49.0	41
76.6	.....	.....	76.6	102.1	12.8	114.9	12.8	76.6	.....	25.5	12.8	216.9	12.8	25.5	63.8	127.6	12.8	280.8	140.4	42
13.7	.....	13.7	41.0	204.9	41.0	54.6	13.7	82.0	13.7	.....	.....	82.0	13.7	.....	82.0	54.6	.....	191.2	109.3	43
18.3	.....	18.3	55.0	219.9	18.3	55.0	18.3	91.6	18.3	.....	.....	73.3	.....	.....	91.6	73.3	.....	128.3	91.6	44
.....	.....	.....	.....	161.0	107.4	53.7	.....	53.7	.....	.....	.....	107.4	53.7	.....	53.7	.....	.....	375.7	161.0	45
15.5	15.5	31.0	62.0	31.0	.....	77.5	.....	31.0	15.5	.....	.....	62.0	.....	.....	31.0	46.5	.....	170.5	15.5	46
19.1	19.1	38.3	57.4	38.3	.....	95.7	.....	19.1	19.1	.....	.....	38.3	.....	.....	38.3	38.3	.....	153.2	.....	47
.....	.....	.....	81.4	.....	.....	.....	.....	81.4	.....	.....	.....	162.9	.....	.....	.....	81.4	.....	244.3	81.4	48
20.6	20.6	20.6	.....	103.2	20.6	144.4	20.6	41.3	.....	.....	.....	61.9	.....	.....	123.8	82.5	.....	206.3	144.4	49
21.6	21.6	21.6	.....	107.9	21.6	129.5	21.6	43.2	.....	.....	.....	64.8	.....	.....	129.5	43.2	.....	194.3	151.1	50
.....	.....	.....	.....	.....	.....	467.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	934.6	.....	467.3	.....	51
67.9	.....	7.5	75.4	120.6	7.5	37.7	22.6	37.7	.....	7.5	22.6	52.8	7.5	.....	82.9	45.2	7.5	248.8	143.3	52
74.2	.....	12.4	99.0	136.1	12.4	24.7	24.7	37.1	.....	12.4	24.7	37.1	12.4	.....	74.2	24.7	12.4	235.1	49.5	53
57.9	.....	.....	38.6	96.5	.....	57.9	19.3	38.6	.....	.....	19.3	77.2	.....	.....	96.5	77.2	.....	270.3	289.6	54
.....	.....	.....	21.6	108.0	10.8	32.4	21.6	.....	10.8	.....	10.8	43.2	10.8	.....	.....	75.6	.....	129.6	291.6	55
.....	.....	.....	.....	63.6	.....	31.8	.....	.....	31.8	.....	.....	.....	.....	.....	.....	31.8	.....	127.1	127.1	56
.....	.....	.....	32.7	130.9	16.4	32.7	32.7	.....	.....	.....	16.4	65.4	16.4	.....	.....	98.2	.....	130.9	376.2	57
31.0	10.3	20.7	20.7	10.3	20.7	93.1	.....	41.4	.....	.....	10.3	51.7	.....	.....	41.4	382.5	.....	134.4	258.5	58
31.0	10.3	20.7	20.7	.....	20.7	72.4	.....	31.0	.....	.....	10.3	51.7	.....	.....	31.0	155.2	.....	124.2	258.7	59
.....	.....	.....	.....	(4)	.....	(4)	.....	(4)	.....	.....	.....	.....	.....	.....	(4)	(4)	.....	(4)	.....	60
32.3	.....	6.5	194.0	142.3	12.9	45.3	12.9	45.3	6.5	.....	.....	265.1	6.5	12.9	71.1	71.1	.....	937.7	181.1	61
16.5	.....	.....	49.5	33.0	16.5	33.0	16.5	16.5	16.5	.....	.....	165.2	16.5	.....	82.6	33.0	.....	247.7	66.1	62
42.5	.....	10.6	287.0	212.6	10.6	53.1	10.6	63.8	.....	.....	.....	329.5	.....	21.3	63.8	95.7	.....	1,381.8	255.1	63
50.5	9.2	13.8	91.8	188.1	13.8	123.9	13.8	45.9	9.2	22.9	.....	133.0	13.8	13.8	128.5	68.8	13.8	339.5	4.6	64
66.4	14.7	7.4	59.0	110.6	.....	51.6	7.4	14.7	7.4	.....	.....	95.9	.....	.....	51.6	73.7	22.1	243.4	.....	65
24.3	.....	24.3	145.7	315.6	36.4	242.8	24.3	97.1	12.1	60.7	.....	194.2	36.4	36.4	254.9	60.7	.....	497.8	12.1	66
22.4	.....	.....	44.9	56.1	.....	56.1	11.2	78.5	11.2	11.2	.....	56.1	.....	11.2	22.4	44.9	.....	381.5	291.7	67
27.0	.....	.....	27.0	27.0	.....	80.9	.....	107.8	.....	.....	.....	53.9	.....	27.0	.....	53.9	.....	431.3	134.8	68
19.2	.....	.....	57.7	76.9	.....	38.4	19.2	57.7	19.2	19.2	.....	57.7	.....	.....	38.4	38.4	.....	346.0	403.6	69
61.4	18.9	9.4	47.2	146.4	4.7	56.7	9.4	80.3	.....	4.7	4.7	66.1	.....	14.2	61.4	18.9	4.7	245.6	42.5	70
61.9	24.8	12.4	43.4	142.5	.....	37.2	.....	80.5	.....	6.2	6.2	74.3	.....	18.6	43.4	12.4	6.2	223.0	31.0	71
59.7	.....	.....	59.7	159.1	19.9	119.3	39.8	79.5	.....	.....	.....	39.8	.....	.....	119.3	39.8	.....	318.2	79.5	72
27.0	.....	18.0	103.4	116.8	9.0	76.4	4.5	53.9	.....	.....	4.5	103.4	.....	13.5	40.4	53.9	13.5	256.2	49.4	73
33.7	.....	20.2	114.4	141.4	6.7	74.1	6.7	53.9	.....	.....	6.7	67.3	.....	20.2	40.4	53.9	20.2	242.4	26.9	74
13.5	.....	13.5	81.1	67.6	13.5	81.1	.....	54.1	.....	.....	.....	175.7	.....	.....	40.6	54.1	.....	283.9	94.6	75
65.8	.....	21.9	65.8	80.5	21.9	51.2	21.9	51.2	14.6	.....	.....	80.5	7.3	7.3	87.8	51.2	.....	153.6	36.6	76
54.4	.....	23.3	54.4	85.5	23.3	46.7	23.3	46.7	15.6	.....	.....	70.0	7.8	7.8	93.3	54.4	.....	163.3	23.3	77
246.3	.....	.....	246.3	.....	.....	123.2	.....	123.2	.....	.....	.....	246.3	.....	.....	.....	.....	.....	.....	246.3	78

4 Colored population less than 10 per cent of total.

5 Rate not shown when population is less than 100.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	VIRGINIA [2]—continued.															
1	Fluvanna County (total)	1913	1,471.0	24.7	.....	.....	37.1	.....	.....	24.7	.....	.....	173.1	12.4	.....	.....
2	White	1913	1,185.0	20.8	.....	.....	20.8	.....	.....	41.6	.....	.....	104.0	20.8	.....	.....
3	Colored	1913	1,890.2	30.5	.....	.....	61.0	.....	.....	.....	.....	.....	274.4	.....	.....	.....
4	Franklin County (total)	1913	1,031.9	26.3	.....	.....	7.5	.....	15.0	7.5	11.3	7.5	131.3	3.8	11.3	3.8
5	White	1913	959.1	14.2	.....	.....	4.7	.....	14.2	9.4	9.4	9.4	137.0	4.7	9.4	4.7
6	Colored	1913	1,312.4	72.9	.....	.....	18.2	.....	18.2	.....	18.2	.....	109.4	.....	18.2	.....
7	Frederick County (total)	1913	1,249.7	15.8	.....	.....	23.7	.....	.....	7.9	31.6	7.9	126.6	.....	15.8	7.9
8	White	1913	1,237.8	16.7	.....	.....	16.7	.....	.....	8.4	33.5	8.4	117.1	.....	8.4	8.4
9	Colored [4]	1913	1,457.7	.....	.....	.....	145.8	.....	.....	.....	.....	.....	291.5	.....	145.8	.....
10	Fredericksburg city (total)	1913	1,369.4	48.9	.....	.....	.....	.....	.....	32.6	.....	.....	179.3	.....	.....	.....
11	White	1913	1,374.0	65.4	.....	.....	.....	.....	.....	43.6	.....	.....	174.5	.....	.....	.....
12	Colored	1913	1,355.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	193.7	.....	.....	.....
13	Giles County (total)	1913	1,059.4	25.2	.....	.....	58.9	.....	.....	8.4	16.8	.....	58.9	.....	8.4	8.4
14	White	1913	1,052.3	27.0	.....	.....	63.0	.....	.....	9.0	18.0	.....	63.0	.....	.....	9.0
15	Colored [4]	1913	1,161.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	129.0	.....
16	Gloucester County (total)	1913	1,108.2	32.4	8.1	.....	16.2	.....	.....	.....	.....	.....	161.8	.....	8.1	.....
17	White	1913	875.7	61.5	15.4	.....	30.7	.....	.....	.....	.....	.....	76.8	.....	15.4	.....
18	Colored	1913	1,366.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	256.3	.....	.....	.....
19	Goochland County (total)	1913	1,377.4	10.9	10.9	.....	32.8	.....	.....	.....	10.9	.....	251.4	.....	.....	21.9
20	White	1913	856.9	.....	25.2	.....	25.2	.....	.....	.....	.....	.....	25.2	.....	.....	25.2
21	Colored	1913	1,776.1	19.3	.....	.....	38.6	.....	.....	.....	19.3	.....	424.7	.....	.....	19.3
22	Grayson County (total)	1913	1,128.1	43.2	.....	.....	19.2	9.6	14.4	57.6	4.8	9.6	91.2	.....	9.6	.....
23	White	1913	1,113.7	45.4	.....	.....	20.2	10.1	15.1	60.5	5.0	10.1	75.6	.....	5.0	.....
24	Colored [4]	1913	1,417.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	404.9	.....	101.2	.....
25	Greene County (total)	1913	1,059.7	13.9	.....	.....	27.9	.....	.....	27.9	13.9	.....	55.8	.....	.....	.....
26	White	1913	1,054.6	.....	.....	.....	34.6	.....	.....	34.6	17.3	.....	51.9	.....	.....	.....
27	Colored	1913	1,080.7	72.0	.....	.....	.....	.....	.....	.....	.....	.....	72.0	.....	.....	.....
28	Greensville County (total)	1913	1,486.1	55.6	111.3	.....	7.9	.....	.....	7.9	.....	.....	135.1	.....	.....	7.9
29	White	1913	1,161.1	21.1	147.8	.....	21.1	.....	.....	21.1	.....	.....	84.4	.....	.....	.....
30	Colored	1913	1,682.4	76.5	89.2	.....	.....	.....	.....	.....	.....	.....	165.7	.....	.....	12.7
31	Halifax County (total)	1913	1,325.4	12.2	7.3	2.4	65.9	4.9	22.0	4.9	34.2	.....	151.3	.....	24.4	7.3
32	White	1913	1,052.1	19.6	.....	.....	44.0	9.8	24.5	4.9	29.4	.....	88.1	.....	19.6	4.9
33	Colored	1913	1,597.4	4.9	14.6	4.9	87.7	.....	19.5	4.9	39.0	.....	214.3	.....	29.2	9.7
34	Hanover County (total)	1913	1,646.6	29.3	.....	.....	35.2	11.7	.....	11.7	35.2	.....	164.1	.....	5.9	17.6
35	White	1913	1,369.0	.....	.....	.....	39.7	19.8	.....	19.8	39.7	.....	89.3	.....	.....	19.8
36	Colored	1913	2,047.2	71.6	.....	.....	28.6	.....	.....	.....	28.6	.....	272.0	.....	14.3	14.3
37	Henrico County (total)	1913	1,355.8	18.9	.....	.....	15.1	3.8	3.8	7.6	3.8	.....	253.7	7.6	11.4	7.6
38	White	1913	1,223.3	16.2	.....	.....	21.6	.....	5.4	10.8	5.4	.....	307.2	10.8	5.4	5.4
39	Colored	1913	1,669.2	25.5	.....	.....	.....	12.7	.....	.....	.....	.....	127.4	.....	25.5	12.7
40	Henry County (total)	1913	1,263.8	71.4	.....	.....	.....	5.5	44.0	33.0	5.5	.....	142.9	5.5	11.0	11.0
41	White	1913	1,162.1	64.6	.....	.....	.....	9.2	46.1	46.1	.....	.....	119.9	9.2	.....	9.2
42	Colored	1913	1,413.6	81.6	.....	.....	.....	.....	40.8	13.6	13.6	.....	176.7	.....	27.2	13.6
43	Highland County (total)	1913	1,151.4	19.2	.....	.....	38.4	.....	.....	19.2	.....	.....	96.0	.....	19.2	.....
44	White	1913	1,150.1	20.2	.....	.....	40.4	.....	.....	20.2	.....	.....	100.9	.....	.....	.....
45	Colored [4]	1913	1,176.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	392.2	.....
46	Isle of Wight County (total)	1913	1,288.4	19.3	25.8	.....	.....	.....	.....	19.3	6.4	.....	199.7	.....	12.9	12.9
47	White	1913	988.4	13.0	39.0	.....	.....	.....	.....	26.0	13.0	.....	104.0	.....	.....	.....
48	Colored	1913	1,582.8	25.5	12.8	.....	.....	.....	.....	12.8	.....	.....	293.6	.....	25.5	25.5
49	James City County * (total)	1913	2,862.0	30.6	45.9	.....	.....	.....	.....	45.9	.....	.....	505.0	.....	30.6	.....
50	White	1913	3,594.6	.....	88.4	.....	.....	.....	.....	.....	.....	.....	559.8	.....	.....	.....
51	Colored	1913	2,070.1	63.7	.....	.....	.....	.....	.....	95.5	.....	.....	445.9	.....	63.7	.....
52	King and Queen County (total)	1913	1,178.2	20.7	10.3	.....	41.3	.....	.....	10.3	10.3	20.7	134.4	.....	31.0	10.3
53	White	1913	1,063.3	.....	.....	.....	70.9	.....	.....	.....	.....	47.3	70.9	.....	.....	.....
54	Colored	1913	1,267.5	36.7	18.4	.....	18.4	.....	.....	18.4	18.4	.....	183.7	.....	55.1	18.4
55	King George County (total)	1913	1,434.3	16.1	16.1	.....	.....	.....	.....	.....	.....	16.1	306.2	.....	.....	16.1
56	White	1913	1,067.9	29.7	29.7	.....	.....	.....	.....	.....	.....	29.7	148.3	.....	.....	29.7
57	Colored	1913	1,870.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	494.0	.....	.....	.....
58	King William County (total)	1913	1,999.8	46.5	11.6	.....	23.3	.....	.....	23.3	.....	.....	313.9	.....	.....	11.6
59	White	1913	1,335.2	.....	.....	.....	28.4	.....	.....	56.8	.....	.....	142.0	.....	.....	28.4
60	Colored	1913	2,460.1	78.7	19.7	.....	19.7	.....	.....	.....	.....	.....	433.0	.....	.....	.....
61	Lancaster County (total)	1913	1,668.0	79.9	20.0	.....	20.0	.....	.....	30.0	20.0	.....	119.9	.....	10.0	.....
62	White	1913	1,080.3	42.4	.....	.....	.....	.....	.....	21.2	.....	.....	21.2	.....	21.2	.....
63	Colored	1913	2,192.4	113.4	37.8	.....	37.8	.....	.....	37.8	37.8	.....	207.9	.....	.....	.....
64	Lee County (total)	1913	1,384.6	79.6	8.0	.....	.....	4.0	47.7	55.7	15.9	4.0	163.1	.....	23.9	4.0
65	White	1913	1,384.1	74.8	4.2	.....	.....	4.2	45.7	54.0	16.6	4.2	157.9	.....	24.9	4.2
66	Colored [4]	1913	1,396.6	186.2	93.1	.....	.....	.....	93.1	93.1	.....	.....	279.3	.....	.....	.....
67	Loudoun County (total)	1913	1,286.2	43.0	.....	.....	38.3	.....	19.1	23.9	19.1	9.6	100.4	.....	9.6	.....
68	White	1913	1,142.5	38.1	.....	.....	44.4	.....	12.7	31.7	25.4	12.7	76.2	.....	6.3	.....
69	Colored	1913	1,725.1	58.2	.....	.....	19.4	.....	38.8	.....	.....	.....	174.5	.....	19.4	.....
70	Louisa County (total)	1913	1,428.0	18.1	.....	.....	36.2	.....	6.0	18.1	.....	.....	192.8	.....	6.0	.....
71	White	1913	1,094.1	11.5	.....	.....	57.6	.....	11.5	34.6	.....	.....	69.1	.....	.....	.....
72	Colored	1913	1,794.3	25.3	.....	.....	12.6	.....	.....	.....	.....	.....	328.5	.....	12.6	.....
73	Lunenburg County (total)	1913	1,249.2	38.1	7.6	.....	15.2	.....	7.6	22.9	7.6	.....	129.5	7.6	.....	.....
74	White	1913	1,096.2	32.7	16.4	.....	16.4	.....	.....	16.4	16.4	.....	16.4	16.4	.....	.....
75	Colored	1913	1,382.6	42.8	.....	.....	14.3	.....	14.3	28.5	.....	.....	228.0	.....	.....	.....
76	Madison County (total)	1913	1,199.5	10.0	.....	.....	10.0	10.0	10.0	40.0	20.0	.....	169.9	.....	.....	.....
77	White	1913	1,050.8	14.8	.....	.....	14.8	14.8	.....	59.2	.....	.....	103.6	.....	.....	.....
78	Colored	1913	1,509.1	.....	.....	.....	.....	.....	30.8	.....	61.6	.....	308.0	.....	.....	.....

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
74.2	12.4	.....	74.2	222.5	.....	24.7	.....	24.7	.....	12.4	.....	136.0	.....	.....	49.4	37.1	.....	420.3	111.2	1
104.0	20.8	.....	83.2	124.7	.....	20.8	.....	41.6	.....	.....	.....	166.3	.....	.....	41.6	41.6	.....	332.6	.....	2
30.5	.....	.....	61.0	365.9	.....	30.5	.....	.....	.....	30.5	.....	91.5	.....	.....	61.0	30.5	.....	548.8	274.4	3
33.8	11.3	7.5	26.3	33.8	7.5	86.3	11.3	7.5	3.8	3.8	7.5	67.5	.....	7.5	26.3	63.8	.....	236.4	165.1	4
42.5	14.2	4.7	23.6	14.2	4.7	85.0	9.4	9.4	4.7	.....	9.4	56.7	.....	4.7	23.6	47.2	.....	226.8	160.6	5
.....	.....	18.2	36.5	109.4	18.2	91.1	18.2	.....	.....	18.2	.....	109.4	.....	18.2	36.5	127.6	.....	273.4	182.3	6
71.2	23.7	7.9	71.2	158.2	15.8	79.1	23.7	15.8	.....	15.8	.....	71.2	7.9	.....	15.8	39.5	15.8	276.8	102.8	7
75.3	25.1	8.4	75.3	158.9	16.7	83.6	25.1	8.4	.....	16.7	.....	75.3	8.4	.....	16.7	33.5	16.7	276.0	100.4	8
.....	.....	.....	.....	145.8	.....	.....	.....	145.8	.....	.....	.....	.....	.....	.....	.....	145.8	.....	291.5	145.8	9
48.9	16.3	.....	97.8	195.6	48.9	48.9	16.3	48.9	.....	.....	.....	97.8	.....	.....	48.9	32.6	.....	342.4	65.2	10
65.4	21.8	.....	87.2	174.5	65.4	43.6	.....	43.6	.....	.....	.....	130.9	.....	.....	65.4	43.6	.....	327.2	21.8	11
.....	.....	.....	129.1	258.2	.....	64.6	64.6	64.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	387.3	193.7	12
50.4	.....	.....	75.7	42.0	42.0	67.3	8.4	92.5	8.4	.....	.....	42.0	.....	8.4	100.9	67.3	8.4	193.4	67.3	13
54.0	.....	.....	80.9	36.0	45.0	71.9	9.0	89.9	9.0	.....	.....	27.0	.....	9.0	98.9	71.9	9.0	188.9	63.0	14
.....	.....	.....	.....	129.0	.....	.....	.....	129.0	.....	.....	.....	258.1	.....	.....	129.0	.....	.....	258.1	129.0	15
48.5	.....	8.1	105.2	80.9	16.2	40.4	.....	16.2	.....	16.2	.....	121.3	.....	16.2	24.3	56.6	.....	178.0	153.7	16
46.1	.....	15.4	107.5	30.7	.....	61.5	.....	.....	.....	15.4	.....	.....	.....	.....	46.1	76.8	.....	184.4	92.2	17
51.3	.....	.....	102.5	136.7	34.2	17.1	.....	34.2	.....	17.1	.....	256.3	.....	34.2	.....	34.2	.....	170.9	222.1	18
21.9	10.9	.....	32.8	54.7	10.9	65.6	10.9	32.8	.....	.....	.....	120.2	.....	21.9	32.8	76.5	.....	262.4	284.2	19
50.4	.....	.....	75.6	25.2	.....	126.0	.....	.....	.....	.....	.....	100.8	.....	.....	75.6	25.2	.....	176.4	100.8	20
.....	19.3	.....	.....	77.2	19.3	19.3	19.3	57.9	.....	.....	.....	135.1	.....	38.6	.....	115.8	.....	328.2	424.7	21
9.6	.....	14.4	14.4	72.0	14.4	105.6	9.6	19.2	4.8	14.4	.....	43.2	9.6	4.8	91.2	52.8	.....	216.0	172.8	22
10.1	.....	15.1	15.1	70.6	15.1	105.8	10.1	20.2	5.0	15.1	.....	45.4	10.1	.....	90.7	55.4	.....	216.7	166.3	23
.....	.....	.....	.....	101.2	.....	101.2	.....	.....	.....	.....	.....	.....	.....	101.2	101.2	.....	.....	202.4	303.6	24
.....	.....	.....	13.9	97.6	.....	55.8	.....	13.9	.....	13.9	.....	27.9	13.9	.....	27.9	69.7	.....	209.1	376.5	25
.....	.....	.....	17.3	86.4	.....	34.6	.....	17.3	.....	17.3	.....	34.6	17.3	.....	17.3	86.4	.....	224.8	363.1	26
.....	.....	.....	.....	144.1	.....	144.1	.....	.....	.....	.....	.....	.....	.....	.....	72.0	.....	.....	144.1	432.3	27
39.7	.....	7.9	15.9	39.7	31.8	55.6	.....	31.8	.....	7.9	23.8	71.5	.....	.....	39.7	87.4	7.9	214.6	424.8	28
21.1	.....	.....	42.2	21.1	21.1	84.4	.....	42.2	.....	.....	.....	42.2	.....	.....	63.3	84.4	21.1	168.9	253.3	29
51.0	.....	12.7	.....	51.0	38.2	38.2	.....	25.5	.....	12.7	38.2	89.2	.....	.....	25.5	89.2	.....	242.2	624.5	30
46.4	12.2	17.1	29.3	102.5	12.2	87.9	7.3	48.8	7.3	9.8	12.2	34.2	4.9	14.6	41.5	63.5	4.9	256.3	175.7	31
68.5	14.7	14.7	9.8	78.3	14.7	63.6	4.9	24.5	9.8	14.7	4.9	24.5	9.8	19.6	39.1	44.0	4.9	215.3	127.2	32
24.4	9.7	19.5	48.7	126.6	9.7	112.0	9.7	73.1	4.9	4.9	19.5	43.8	.....	9.7	43.8	82.8	4.9	297.1	224.0	33
46.9	17.6	29.3	93.8	187.5	5.9	123.1	11.7	99.6	.....	.....	.....	123.1	17.6	5.9	46.9	82.0	5.9	263.7	175.8	34
39.7	19.8	29.8	119.0	158.7	9.9	138.9	9.9	79.4	.....	.....	.....	109.1	9.9	.....	39.7	69.4	.....	228.2	79.4	35
57.3	14.3	28.6	57.3	229.1	.....	100.2	14.3	128.8	.....	.....	.....	143.2	28.6	14.3	57.3	100.2	14.3	315.0	315.0	36
56.8	3.8	18.9	49.2	102.3	18.9	75.7	22.7	102.3	7.6	3.8	11.4	109.8	.....	.....	72.0	98.5	11.4	196.9	60.6	37
59.3	5.4	16.2	26.9	91.6	16.2	64.7	10.8	97.0	10.8	.....	5.4	107.8	.....	.....	37.7	64.7	16.2	183.2	21.6	38
51.0	.....	25.5	101.9	127.4	25.5	101.9	51.0	114.7	.....	12.7	25.5	114.7	.....	.....	152.9	178.4	.....	229.4	152.9	39
38.5	5.5	22.0	65.9	82.4	11.0	115.4	5.5	16.5	5.5	5.5	.....	65.9	.....	5.5	60.4	82.4	.....	236.3	109.9	40
36.9	9.2	27.7	36.9	83.0	9.2	64.6	9.2	18.4	9.2	.....	.....	73.8	.....	.....	55.3	83.0	.....	249.0	92.2	41
40.8	.....	13.6	108.7	81.6	13.6	190.3	.....	13.6	.....	13.6	.....	54.4	.....	13.6	68.0	81.6	.....	217.5	135.9	42
57.6	19.2	19.2	57.6	96.0	.....	38.4	.....	57.6	.....	19.2	.....	115.1	.....	19.2	134.3	76.8	.....	153.5	96.0	43
60.5	20.2	20.2	60.5	100.9	.....	40.4	.....	60.5	.....	20.2	.....	100.9	.....	20.2	141.2	80.7	.....	141.2	100.9	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	392.2	.....	.....	.....	.....	.....	392.2	.....	45
51.5	6.4	6.4	70.9	90.2	12.9	51.5	38.7	58.0	.....	6.4	25.8	45.1	6.4	12.9	51.5	58.0	.....	257.7	141.7	46
65.0	13.0	13.0	39.0	104.0	13.0	13.0	39.0	39.0	.....	13.0	39.0	26.0	13.0	26.0	26.0	26.0	.....	221.1	65.0	47
38.3	.....	.....	102.1	76.6	12.8	89.4	38.3	76.6	.....	.....	12.8	63.8	.....	.....	76.6	89.4	.....	293.6	217.0	48
107.1	.....	.....	260.2	352.0	.....	61.2	30.6	30.6	15.3	.....	.....	244.9	30.6	15.3	45.9	107.1	15.3	841.7	45.9	49
147.3	.....	.....	471.4	294.6	.....	58.9	58.9	29.5	.....	.....	.....	353.6	.....	.....	.....	147.3	29.5	1,355.3	.....	50
63.7	.....	.....	31.8	414.0	.....	63.7	.....	31.8	31.8	.....	.....	127.4	63.7	31.8	95.5	63.7	.....	286.6	95.5	51
51.7	10.3	.....	20.7	82.7	.....	31.0	10.3	72.3	.....	10.3	.....	51.7	10.3	20.7	41.3	31.0	.....	237.7	206.7	52
94.5	23.6	.....	23.6	94.5	.....	47.3	.....	94.5	.....	.....	.....	94.5	.....	23.6	23.6	47.3	.....	189.0	118.1	53
18.4	.....	.....	18.4	73.5	.....	18.4	18.4	55.1	.....	18.4	.....	18.4	18.4	18.4	55.1	18.4	.....	275.5	275.5	54
32.2	.....	.....	80.6	80.6	16.1	80.6	.....	112.8	.....	16.1	.....	32.2	.....	.....	16.1	64.5	16.1	225.6	290.1	55
59.3	.....	.....	29.7	148.3	.....	59.3	.....	89.0	.....	29.7	.....	.....	.....	.....	29.7	.....	.....	237.3	118.7	56
.....	.....	.....	141.1	.....	35.3	105.9	.....	141.1	.....	.....	.....	70.6	.....	.....	.....	141.1	35.3	211.7	494.0	57
58.1	11.6	23.3	104.6	174.4	46.5	116.3	.....	93.0	11.6	23.3	11.6	104.6	.....	23.3	104.6	127.9	.....	337.2	197.7	58
28.4	.....	.....	85.2	142.0	56.8	28.4	.....	28.4	28.4	.....	.....	170.5	.....	.....	28.4	113.6	.....	312.5	56.8	59
78.7	19.7	39.4	118.1	196.8	39.4	177.1	.....	137.8	.....	39.4	19.7	59.0	.....	39.4	157.4	137.8	.....	354.3	295.2	60
30.0	40.0	.....	79.9	49.9	.....	59.9	20.0	59.9	10.0	30.0	.....	209.7	20.0	40.0	59.9	99.9	.....	259.7	299.6	61
21.2	63.5	.....	105.9	63.5	.....	21.2	21.2	42.4	21.2	42.4	.....	148.3	.....	.....	63.5	.....	.....	233.0	127.1	62
37.8	18.9	.....	56.7	37.8	.....	94.5	18.9	75.6	.....	18.9	.....	264.6	37.8	75.6	56.7	189.0	.....	283.5	453.6	63
19.9	8.0	31.8	19.9	47.7	.....	55.7	11.9	95.5	4.0	.....	4.0	35.8	8.0	11.9	91.5	111.4	11.9	191.0	218.8	64
20.8	8.3	33.3	20.8	49.9	.....	54.0	12.5	95.6	4.2	.....	4.2	37.4	8.3	12.5	91.4	112.2	12.5	191.2	224.4	65
.....	.....	.....	.....	.....	.....	93.1	.....	93.1	.....	.....	.....	.....	.....	.....	93.1	93.1	.....	186.2	93.1	66
62.2	4.8	19.1	81.3	138.7	9.6	119.5	33.5	33.5	4.8	4.8	.....	100.4	4.8	4.8	28.7	52.6	4.8	234.3	81.3	67
69.8	6.3	12.7	69.8	107.9	12.7	95.2	31.7	44.4	6.3	6.3	.....	69.8	6.3	6.3	25.4	50.8	6.3	228.5	38.1	68
38.8	.....	38.8	116.3	232.6	.....	193.8	38.8	.....	.....	.....	.....	193.8	.....	.....	38.8	58.2	.....	252.0	213.2	69
54.2	12.1	6.0	60.3	204.9	.....	30.1	18.1	18.1	6.0	.....	24.1	60.3	.....	6.0	12.1	48.2	6.0	337.4	247.0	70
34.6	.....	11.5	46.1	138.2	.....	34.6	23.0	11.5	11.5	.....	23.0	69.1	.....	.....	23.0	46.1	11.5	253.4	172.8	71
75.8	25.3	.....	75.8	278.0	.....	25.3	12.6	25.3	.....	.....	25.3	50.5	.....	12.6	.....	50.5	.....	429.6	328.5	72
30.5	.....	7.6	15.2	60.9	7.6	53.3	15.2	7.6	.....	7.6	.....	114.3	.....	7.6	60.9	99.0	.....	236.1	289.5	73
32.7	.....	.....	32.7	98.2	.....	98.2	32.7	16.4	.....	.....	.....	114.5	.....	.....	81.8	65.4	.....	212.7	180.0	74
28.5	.....	14.3	.....	28.5	14.3	14.3	.....	.....	.....	14.3	.....	114.0	.....	14.3	42.8	128.3	.....	256.6	384.8	75
60.0	10.0	.....	60.0	100.0	20.0	110.0	.....	40.0	.....	.....	.....	30.0	.....	30.0	50.0	50.0	10.0	309.9	50.0	76
74.0	.....	.....	29.6	103.6	14.8	118.4	.....	14.8	.....	.....	.....	14.8	.....	29.6	74.0	29.6	14.8	296.0	29.6	77
30.8	30.8	.....	123.2	92.4	30.8	92.4	.....	92.4	.....	.....	.....	61.6	.....	30.8	.....	92.4	.....	338.8	92.4	78

[3] Not admitted to registration area until 1913.

[4] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	VIRGINIA[2]—continued.														
1	Mathews County (total)....1913	1,443.7	43.7	21.9	.....	.....	.....	.....	43.7	.....	.....	131.2	.....	10.9	.....
2	White....1913	1,173.6	15.2	15.2	.....	.....	.....	.....	61.0	.....	.....	61.0	.....	15.2	.....
3	Colored....1913	2,130.1	116.2	38.7	.....	.....	.....	.....	.....	.....	.....	309.8	.....	.....	.....
4	Mecklenburg County (total)....1913	1,294.7	30.3	3.4	.....	50.4	3.4	13.5	3.4	10.1	.....	158.1	.....	.....	13.5
5	White....1913	1,019.3	38.9	.....	.....	31.1	7.8	15.6	7.8	7.8	.....	77.8	.....	.....	7.8
6	Colored....1913	1,504.4	23.7	5.9	.....	65.2	.....	11.8	.....	11.8	.....	219.1	.....	.....	17.8
7	Middlesex County (total)....1913	1,225.6	55.2	.....	.....	11.0	.....	.....	.....	22.1	.....	121.5	.....	22.1	.....
8	White....1913	930.0	69.8	.....	.....	23.3	.....	.....	.....	.....	.....	93.0	.....	23.3	.....
9	Colored....1913	1,492.9	42.1	.....	.....	.....	.....	.....	.....	42.1	.....	147.2	.....	21.0	.....
10	Montgomery County (total)....1913	1,365.1	62.1	.....	.....	28.2	5.6	16.9	5.6	11.3	.....	141.0	.....	11.3	5.6
11	White....1913	1,167.3	52.2	.....	.....	26.1	6.5	19.6	6.5	13.0	.....	123.9	.....	6.5	.....
12	Colored....1913	2,633.8	125.4	.....	.....	41.8	.....	.....	.....	.....	.....	250.8	.....	41.8	41.8
13	Nansemond County (total)....1913	1,479.3	49.8	32.0	3.6	3.6	.....	.....	14.2	7.1	.....	170.7	3.6	17.8	.....
14	White....1913	1,285.5	42.3	16.9	.....	.....	.....	.....	16.9	8.5	.....	76.1	.....	.....	.....
15	Colored....1913	1,619.9	55.2	43.0	6.1	6.1	.....	.....	12.3	6.1	.....	239.3	6.1	30.7	.....
16	Nelson County (total)....1913	1,160.5	41.0	.....	.....	5.9	.....	35.2	17.6	5.9	.....	105.5	.....	5.9	.....
17	White....1913	1,007.8	17.1	.....	.....	.....	.....	34.2	.....	8.5	.....	51.2	.....	8.5	.....
18	Colored....1913	1,494.5	93.4	.....	.....	18.7	.....	37.4	56.0	.....	.....	224.2	.....	.....	.....
19	New Kent County (total)....1913	1,319.2	.....	21.6	.....	43.3	.....	.....	.....	.....	.....	64.9	.....	.....	21.6
20	White....1913	455.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	56.9	.....	.....	.....
21	Colored....1913	1,848.6	.....	34.9	.....	69.8	.....	.....	.....	.....	.....	69.8	.....	.....	34.9
22	Norfolk County (total)....1913	1,283.5	27.0	45.0	2.3	2.3	.....	31.5	13.5	11.3	.....	117.1	.....	11.3	4.5
23	White....1913	1,467.3	34.3	48.0	.....	.....	.....	13.7	27.4	6.9	.....	89.1	.....	6.9	.....
24	Colored....1913	1,193.6	23.5	43.6	3.4	3.4	.....	40.2	6.7	13.4	.....	130.8	.....	13.4	6.7
25	Northampton County (total)....1913	999.2	28.4	.....	.....	5.7	.....	5.7	5.7	28.4	.....	62.5	.....	5.7	11.4
26	White....1913	645.7	.....	.....	.....	.....	.....	.....	12.9	38.7	.....	25.8	.....	.....	12.9
27	Colored....1913	1,276.6	50.7	.....	.....	10.1	.....	10.1	.....	20.3	.....	91.2	.....	10.1	10.1
28	Northumberland County (total)....1913	1,579.6	72.2	9.0	.....	.....	.....	36.1	.....	27.1	.....	117.3	.....	9.0	.....
29	White....1913	1,302.6	29.9	.....	.....	.....	.....	15.0	.....	29.9	.....	59.9	.....	15.0	.....
30	Colored....1913	2,000.0	136.4	22.7	.....	.....	.....	68.2	.....	22.7	.....	204.5	.....	.....	.....
31	Nottoway County (total)....1913	1,201.3	50.7	.....	.....	7.2	.....	21.7	.....	7.2	.....	115.8	.....	.....	.....
32	White....1913	1,103.1	.....	.....	.....	16.0	.....	16.0	.....	.....	.....	48.0	.....	.....	.....
33	Colored....1913	1,282.6	92.6	.....	.....	.....	.....	26.4	.....	13.2	.....	171.9	.....	.....	.....
34	Orange County (total)....1913	1,081.2	29.0	.....	.....	29.0	.....	.....	14.5	7.3	.....	79.8	.....	7.3	7.3
35	White....1913	1,084.1	12.3	.....	.....	37.0	.....	.....	12.3	.....	.....	49.3	.....	12.3	12.3
36	Colored....1913	1,077.0	53.0	.....	.....	17.7	.....	.....	17.7	17.7	.....	123.6	.....	.....	.....
37	Page County (total)....1913	1,290.3	49.1	.....	.....	7.0	7.0	.....	49.1	14.0	.....	119.2	.....	.....	7.0
38	White....1913	1,307.1	45.9	.....	.....	7.6	7.6	.....	53.5	15.3	.....	99.4	.....	.....	7.6
39	Colored[4]....1913	1,103.6	84.9	.....	.....	.....	.....	.....	.....	.....	.....	339.6	.....	.....	.....
40	Patrick County (total)....1913	827.0	.....	.....	.....	16.9	28.1	.....	16.9	5.6	5.6	61.9	16.9	11.3	.....
41	White....1913	851.0	.....	.....	.....	18.6	31.1	.....	18.6	.....	6.2	62.1	12.4	12.4	.....
42	Colored[4]....1913	595.9	.....	.....	.....	.....	.....	.....	.....	59.6	.....	59.6	59.6	.....	.....
43	Pittsylvania County (total)....1913	1,033.6	30.6	3.8	1.9	26.8	1.9	.....	19.1	7.7	.....	118.7	1.9	13.4	1.9
44	White....1913	897.9	31.8	.....	.....	35.0	3.2	.....	25.5	9.6	.....	86.0	.....	22.3	3.2
45	Colored....1913	1,238.2	28.8	9.6	4.8	14.4	.....	.....	9.6	4.8	.....	168.0	4.8	.....	.....
46	Powhatan County (total)....1913	1,449.3	34.1	.....	.....	51.2	.....	34.1	.....	.....	.....	136.4	.....	17.1	17.1
47	White....1913	885.7	.....	.....	.....	.....	.....	42.2	.....	.....	.....	.....	.....	.....	.....
48	Colored....1913	1,831.7	57.2	.....	.....	85.9	.....	28.6	.....	.....	.....	229.0	.....	28.6	28.6
49	Prince Edward County (total)....1913	1,876.6	35.7	.....	.....	42.8	7.1	21.4	35.7	14.3	.....	249.7	.....	21.4	7.1
50	White....1913	1,279.4	.....	.....	.....	35.1	17.5	17.5	35.1	.....	.....	122.7	.....	17.5	.....
51	Colored....1913	2,286.7	60.2	.....	.....	48.1	.....	24.1	36.1	24.1	.....	337.0	.....	24.1	12.0
52	Prince George County (total)....1913	1,701.2	12.7	12.7	.....	.....	.....	12.7	25.4	25.4	.....	279.3	.....	.....	.....
53	White....1913	970.9	.....	30.3	.....	.....	.....	.....	60.7	30.3	.....	121.4	.....	.....	.....
54	Colored....1913	2,226.6	21.8	.....	.....	.....	.....	21.8	.....	21.8	.....	392.9	.....	.....	.....
55	Prince William County (total)....1913	1,136.3	8.1	8.1	.....	16.2	.....	24.3	8.1	.....	.....	121.7	.....	24.3	.....
56	White....1913	1,104.3	10.6	10.6	.....	21.2	.....	10.6	10.6	.....	.....	116.8	.....	21.2	.....
57	Colored....1913	1,240.1	.....	.....	.....	.....	.....	68.9	.....	.....	.....	137.8	.....	34.4	.....
58	Princess Anne County (total)....1913	2,097.5	60.2	34.4	.....	.....	.....	8.6	.....	.....	8.6	369.6	8.6	8.6	.....
59	White....1913	1,636.5	34.8	17.4	.....	.....	.....	17.4	.....	.....	17.4	243.7	.....	.....	.....
60	Colored....1913	2,547.1	84.9	50.9	.....	.....	.....	.....	.....	.....	.....	492.4	17.0	17.0	.....
61	Pulaski County (total)....1913	1,038.5	11.0	.....	.....	55.2	.....	16.6	22.1	5.5	.....	88.4	.....	16.6	5.5
62	White....1913	925.6	6.7	.....	.....	59.9	.....	13.3	26.6	6.7	.....	59.9	.....	13.3	6.7
63	Colored....1913	1,588.3	32.4	.....	.....	32.4	.....	32.4	.....	.....	.....	226.9	.....	32.4	.....
64	Radford city (total)....1913	1,138.4	22.3	.....	.....	.....	.....	.....	22.3	.....	.....	111.6	.....	.....	22.3
65	White....1913	1,273.2	26.5	.....	.....	.....	.....	.....	26.5	.....	.....	132.6	.....	.....	.....
66	Colored....1913	422.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	140.8
67	Rappahannock County (total)....1913	1,156.1	12.8	.....	.....	51.4	.....	.....	12.8	12.8	.....	102.8	.....	.....	.....
68	White....1913	1,121.6	.....	.....	.....	52.6	.....	.....	17.5	.....	.....	52.6	.....	.....	.....
69	Colored....1913	1,250.6	48.1	.....	.....	48.1	.....	.....	.....	48.1	.....	240.5	.....	.....	.....
70	Richmond County (total)....1913	1,156.8	26.6	.....	.....	.....	.....	.....	13.3	.....	.....	119.7	.....	13.3	.....
71	White....1913	864.2	22.7	.....	.....	.....	.....	.....	.....	.....	.....	45.5	.....	.....	.....
72	Colored....1913	1,568.5	32.0	.....	.....	.....	.....	.....	32.0	.....	.....	224.1	.....	32.0	.....
73	Roanoke County (total)....1913	1,520.2	43.2	.....	.....	14.4	14.4	19.2	9.6	24.0	4.8	268.6	4.8	.....	4.8
74	White....1913	1,333.8	52.7	.....	.....	17.6	17.6	23.4	11.7	23.4	.....	187.2	5.9	.....	5.9
75	Colored....1913	2,368.3	.....	.....	.....	.....	.....	.....	.....	26.6	26.6	638.6	.....	.....	.....
76	Rockbridge County (total)....1913	1,201.8	19.1	.....	.....	9.5	.....	9.5	28.6	9.5	.....	133.5	9.5	4.8	.....
77	White....1913	1,115.9	17.2	.....	.....	11.4	.....	11.4	22.9	5.7	.....	85.8	5.7	5.7	.....
78	Colored....1913	1,630.9	28.6	.....	.....	.....	.....	.....	57.2	28.6	.....	372.0	28.6	.....	.....

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
65.6	10.9	.....	43.7	142.2	.....	43.7	32.8	43.7	.....	.....	.....	98.4	.....	10.9	76.6	54.7	.....	426.6	142.2	1
61.0	.....	.....	61.0	137.2	.....	45.7	15.2	15.2	.....	.....	.....	106.7	.....	15.2	45.7	45.7	.....	350.6	106.7	2
77.5	38.7	.....	.....	154.9	.....	38.7	77.5	116.2	.....	.....	.....	77.5	.....	.....	154.9	77.5	.....	619.7	232.4	3
40.4	6.7	16.8	47.1	80.7	6.7	60.5	6.7	16.8	.....	6.7	3.4	30.3	3.4	26.9	47.1	50.4	.....	252.2	306.0	4
62.2	15.6	15.6	77.8	85.6	.....	62.2	.....	15.6	.....	7.8	7.8	23.3	.....	23.3	46.7	15.6	.....	249.0	116.7	5
23.7	.....	17.8	23.7	77.0	11.8	59.2	11.8	17.8	.....	5.9	.....	35.5	5.9	29.6	47.4	77.0	.....	254.7	450.1	6
55.2	.....	.....	22.1	77.3	.....	88.3	11.0	44.2	.....	.....	.....	77.3	11.0	22.1	66.2	44.2	.....	242.9	231.9	7
93.0	.....	.....	23.3	93.0	.....	69.8	.....	.....	.....	.....	.....	23.3	23.3	.....	46.5	.....	.....	186.0	162.8	8
21.0	.....	.....	21.0	63.1	.....	105.1	21.0	84.1	.....	.....	.....	126.2	.....	42.1	84.1	84.1	.....	294.4	294.4	9
45.1	11.3	.....	16.9	118.5	5.6	95.9	11.3	79.0	11.3	5.6	.....	95.9	11.3	16.9	112.8	84.6	.....	248.2	107.2	10
13.0	6.5	.....	13.0	117.4	.....	84.8	13.0	78.3	6.5	6.5	.....	84.8	13.0	.....	110.9	71.7	.....	215.2	78.3	11
250.8	41.8	.....	41.8	125.4	41.8	167.2	.....	83.6	41.8	.....	.....	167.2	.....	125.4	125.4	167.2	.....	459.9	292.6	12
42.7	10.7	10.7	24.9	96.0	17.8	103.1	21.3	117.3	7.1	3.6	3.6	88.9	10.7	21.3	32.0	88.9	.....	309.4	167.1	13
59.2	16.9	.....	33.8	135.3	16.9	42.3	8.5	84.6	.....	8.5	8.5	126.9	8.5	8.5	50.7	84.6	.....	355.2	76.1	14
30.7	6.1	18.4	18.4	67.5	18.4	147.3	30.7	141.1	12.3	.....	.....	61.4	12.3	30.7	18.4	92.0	.....	276.1	233.2	15
41.0	11.7	.....	58.6	152.4	11.7	70.3	11.7	52.7	5.9	5.9	11.7	46.9	.....	35.2	46.9	64.5	.....	152.4	164.1	16
51.2	.....	.....	68.3	136.6	8.5	85.4	17.1	42.7	.....	8.5	17.1	59.8	.....	25.6	68.3	59.8	.....	136.6	102.5	17
18.7	37.4	.....	37.4	186.8	18.7	37.4	.....	74.7	18.7	.....	.....	18.7	.....	56.0	.....	74.7	.....	186.8	298.9	18
.....	.....	.....	.....	108.1	21.6	194.6	.....	43.3	.....	.....	21.6	108.1	.....	43.3	21.6	43.3	.....	259.5	302.8	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	170.7	.....	.....	.....	113.8	.....	56.9	56.9	20
.....	.....	.....	.....	174.4	34.9	313.9	.....	69.8	.....	.....	34.9	69.8	.....	69.8	34.9	.....	.....	383.7	453.4	21
38.3	2.3	6.8	58.5	81.1	31.5	121.6	11.3	76.6	.....	2.3	13.5	69.8	2.3	18.0	58.5	117.1	6.8	213.9	87.8	22
54.9	6.9	13.7	89.1	75.4	6.9	89.1	13.7	116.6	.....	6.9	27.4	102.8	.....	6.9	144.0	178.3	13.7	240.0	54.9	23
30.2	.....	3.4	43.6	83.8	43.6	137.5	10.1	57.0	.....	.....	6.7	53.6	3.4	23.5	16.8	87.2	3.4	201.2	103.9	24
22.7	.....	.....	28.4	96.5	17.0	39.7	11.4	39.7	5.7	.....	.....	73.8	.....	17.0	17.6	79.5	.....	159.0	238.4	25
12.9	.....	.....	25.8	116.2	.....	25.8	.....	12.9	.....	.....	.....	38.7	.....	.....	25.8	77.5	.....	116.2	103.3	26
30.4	.....	.....	30.4	81.1	30.4	50.7	20.3	60.8	10.1	.....	.....	101.3	.....	30.4	10.1	81.1	.....	192.5	344.5	27
54.2	.....	9.0	72.2	126.4	9.0	27.1	.....	108.3	.....	.....	.....	81.2	.....	9.0	45.1	261.8	9.0	162.5	334.0	28
74.9	.....	.....	59.9	134.8	.....	44.9	.....	104.8	.....	.....	.....	59.9	.....	.....	29.9	284.5	15.0	134.8	209.6	29
22.7	.....	22.7	90.9	113.6	22.7	.....	.....	113.6	.....	.....	.....	113.6	.....	22.7	68.2	227.3	.....	204.5	522.7	30
50.7	.....	7.2	65.1	65.1	.....	36.2	.....	72.4	7.2	.....	14.5	101.3	.....	14.5	36.2	123.0	.....	289.5	115.8	31
95.9	.....	.....	127.9	63.9	.....	32.0	.....	95.9	.....	.....	32.0	127.9	.....	16.0	48.0	63.9	.....	255.8	63.9	32
13.2	.....	13.2	13.2	66.1	.....	39.7	.....	52.9	13.2	.....	.....	79.3	.....	13.2	26.4	171.9	.....	317.3	158.7	33
50.8	7.3	.....	65.3	137.9	.....	72.6	.....	14.5	.....	.....	21.8	50.8	.....	14.5	50.8	65.3	.....	232.2	123.4	34
61.6	12.3	.....	86.2	197.1	.....	49.3	.....	.....	.....	.....	12.3	61.6	.....	.....	37.0	86.2	.....	258.7	86.2	35
35.3	.....	.....	35.3	53.0	.....	105.9	.....	35.3	.....	.....	35.3	35.3	.....	35.3	70.6	35.3	.....	194.2	176.6	36
49.1	14.0	21.0	56.1	84.2	21.0	91.2	28.1	56.1	.....	7.0	.....	70.1	14.0	14.0	49.1	63.1	.....	273.5	126.2	37
53.5	15.3	22.9	61.2	91.7	22.9	76.4	30.6	61.2	.....	7.6	.....	68.8	15.3	15.3	45.9	68.8	.....	290.5	122.3	38
.....	.....	.....	.....	.....	.....	254.7	.....	.....	.....	.....	.....	84.9	.....	.....	84.9	.....	.....	84.9	169.8	39
11.3	5.6	22.5	33.8	39.4	5.6	33.8	.....	39.4	.....	.....	.....	16.9	16.9	5.6	16.9	50.6	.....	191.3	174.4	40
12.4	6.2	24.8	37.3	37.3	6.2	37.3	.....	43.5	.....	.....	.....	12.4	18.6	6.2	18.6	49.7	.....	198.8	180.1	41
.....	.....	.....	.....	59.6	.....	.....	.....	.....	.....	.....	.....	59.6	.....	.....	.....	59.6	.....	119.2	119.2	42
30.6	1.9	19.1	36.4	61.3	9.6	99.5	3.8	55.5	1.9	5.7	1.9	61.3	5.7	9.6	44.0	55.5	3.8	218.2	80.4	43
25.5	3.2	15.9	25.5	60.5	6.4	73.2	3.2	79.6	3.2	6.4	.....	54.1	6.4	9.6	47.8	50.9	3.2	156.0	50.9	44
38.4	.....	24.0	52.8	62.4	14.4	139.2	4.8	19.2	.....	4.8	4.8	72.0	4.8	9.6	38.4	62.4	4.8	311.9	124.8	45
51.2	34.1	.....	51.2	187.6	.....	85.3	17.1	34.1	.....	.....	.....	102.3	.....	17.1	68.2	119.4	.....	170.5	221.7	46
42.2	42.2	.....	126.5	126.5	.....	.....	.....	42.2	.....	.....	.....	126.5	.....	42.2	42.2	.....	.....	168.7	84.4	47
57.2	28.6	.....	.....	229.0	.....	143.1	28.6	28.6	.....	.....	.....	85.9	.....	.....	85.9	200.3	.....	171.7	314.8	48
85.6	21.4	14.3	57.1	149.8	14.3	171.2	7.1	42.8	7.1	7.1	.....	92.8	7.1	.....	35.7	71.4	7.1	306.8	342.5	49
52.6	52.6	17.5	35.1	122.7	17.5	52.6	17.5	52.6	17.5	.....	.....	105.2	17.5	.....	17.5	17.5	17.5	262.9	157.7	50
108.3	.....	12.0	72.2	168.5	12.0	252.7	.....	36.1	.....	12.0	.....	84.2	.....	.....	48.1	108.3	.....	337.0	469.4	51
25.4	.....	25.4	114.3	139.6	12.7	88.9	25.4	63.5	.....	.....	.....	114.3	.....	12.7	38.1	114.3	12.7	228.5	317.4	52
30.3	.....	30.3	30.3	121.4	.....	30.3	.....	91.0	.....	.....	.....	30.3	.....	.....	.....	91.0	30.3	121.4	121.4	53
21.8	.....	21.8	174.6	152.8	21.8	131.0	43.7	43.7	.....	.....	.....	174.6	.....	21.8	65.5	131.0	.....	305.6	458.4	54
40.6	8.1	.....	56.8	89.3	8.1	73.0	8.1	73.0	.....	.....	.....	97.4	.....	16.2	39.3	64.9	8.1	211.0	81.2	55
53.1	10.6	.....	42.5	84.9	10.6	63.7	10.6	74.3	.....	.....	.....	106.2	.....	21.2	106.2	53.1	10.6	201.7	53.1	56
.....	.....	.....	103.3	103.3	.....	103.3	.....	68.9	.....	.....	.....	68.9	.....	.....	34.4	103.3	.....	241.1	172.2	57
51.6	17.2	17.2	60.2	223.5	8.6	137.5	8.6	68.8	.....	.....	51.6	171.9	8.6	8.6	86.0	60.2	.....	558.8	60.2	58
52.2	34.8	17.4	34.8	174.1	.....	87.0	.....	87.0	.....	.....	17.4	174.1	.....	.....	121.9	52.2	.....	417.8	34.8	59
50.9	.....	17.0	84.9	271.7	17.0	186.8	17.0	50.9	.....	.....	84.9	169.8	17.0	17.0	50.9	67.9	.....	696.2	84.9	60
44.2	16.6	11.0	16.6	105.0	22.1	55.2	5.5	82.9	.....	.....	11.0	27.6	11.0	.....	88.4	55.2	5.5	160.2	99.4	61
46.6	20.0	6.7	20.0	73.2	26.6	46.6	6.7	86.6	.....	.....	6.7	20.0	13.3	.....	79.9	59.9	6.7	139.8	73.2	62
32.4	.....	32.4	.....	259.3	.....	97.2	.....	64.8	.....	.....	32.4	64.8	.....	.....	129.7	32.4	.....	259.3	226.9	63
.....	22.3	22.3	44.6	67.0	44.6	111.6	.....	44.6	.....	.....	.....	22.3	.....	.....	111.6	67.0	.....	334.8	67.0	64
.....	26.5	26.5	26.5	79.6	53.1	132.6	.....	53.1	.....	.....	.....	26.5	.....	.....	132.6	79.6	.....	371.4	79.6	65
.....	.....	.....	140.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	140.8	.....	66
77.1	.....	25.7	25.7	89.9	.....	77.1	.....	25.7	12.8	12.8	.....	38.5	.....	.....	25.7	51.4	.....	244.1	256.9	67
105.2	.....	17.5	17.5	87.6	.....	87.6	.....	35.1	.....	.....	.....	35.1	.....	.....	35.1	52.6	.....	245.4	280.4	68
.....	.....	48.1	48.1	96.2	.....	48.1	.....	.....	48.1	48.1	.....	48.1	.....	.....	.....	48.1	.....	240.5	192.4	69
26.6	13.3	.....	53.2	79.8	.....	53.2	13.3	66.5	.....	.....	.....	66.5	.....	13.3	79.8	66.5	.....	252.6	199.4	70
22.7	22.7	.....	22.7	68.2	.....	45.5	22.7	45.5	.....	.....	.....	68.2	.....	22.7	91.0	45.5	.....	181.9	136.5	71
32.0	.....	.....	96.0	96.0	.....	64.0	.....	96.0	.....	.....	.....	64.0	.....	.....	64.0	96.0	.....	352.1	288.1	72
67.1	9.6	28.8	24.0	172.6	4.8	110.3	9.6	110.3	9.6	4.8	4.8	43.2	14.4	14.4	62.3	110.3	.....	268.6	43.2	73
70.2	11.7	29.3	23.4	152.1	5.9	99.5	5.9	128.7	11.7	.....	.....	35.1	11.7	11.7	46.8	70.2	.....	245.7	29.3	74
53.2	.....	26.6	26.6	266.1	.....	159.7	26.6	26.6	.....	26.6	26.6	79.8	26.6	26.6	133.0	292.7	.....	372.5	106.4	75
66.8	4.8	9.5	33.4	85.8	23.8	71.5	14.3	62.0	.....	4.8	4.8	104.9	4.8	.....	57.2	81.1	14.3	205.1	128.8	76
74.4	5.7	11.4	40.1	85.8	22.9	63.0	5.7	68.7	.....	.....	5.7	91.6	5.7	.....	68.7	85.8	17.2	194.6	103.0	77
28.6	.....	.....	.....	85.8	28.6	114.4	57.2	28.6	.....	28.6	.....	171.7	.....	.....	.....	57.2	.....	257.5	257.5	78

[3] Not admitted to registration area until 1913.

[4] Colored population less than 10 per cent of total.

TABLE III—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	VIRGINIA[3]—continued.															
1	Rockingham County (total)	1913	1,174.0	14.1	.....	.....	8.5	2.8	2.8	17.0	14.1	.....	152.8	.....	14.1	5.7
2	White	1913	1,128.1	9.1	.....	.....	9.1	3.0	3.0	18.2	15.2	.....	136.5	.....	12.1	6.1
3	Colored[4]	1913	1,812.1	84.3	.....	.....	.....	.....	.....	.....	.....	.....	379.3	.....	42.1	.....
4	Russell County (total)	1913	1,061.7	47.5	.....	.....	.....	.....	31.7	7.9	11.9	.....	67.3	7.9	11.9	11.9
5	White	1913	1,002.7	41.4	.....	.....	.....	.....	33.1	8.3	8.3	.....	49.7	4.1	12.4	8.3
6	Colored[4]	1913	2,350.8	180.8	.....	.....	.....	.....	.....	.....	90.4	.....	452.1	90.4	.....	90.4
7	Scott County (total)	1913	1,112.6	57.9	.....	.....	4.1	4.1	24.8	24.8	8.3	8.3	169.6	4.1	16.5	4.1
8	White	1913	1,077.6	54.9	.....	.....	4.2	4.2	25.4	25.4	8.5	8.5	156.4	4.2	16.9	4.2
9	Colored[4]	1913	2,729.0	194.9	.....	.....	.....	.....	.....	.....	.....	.....	779.7	.....	.....	.....
10	Shenandoah County (total)	1913	1,214.3	52.0	.....	.....	9.5	4.7	.....	9.5	33.1	.....	122.9	.....	14.2	9.5
11	White	1913	1,190.5	48.4	.....	.....	9.7	4.8	.....	9.7	33.9	.....	121.0	.....	14.5	9.7
12	Colored[4]	1913	2,200.0	200.0	.....	.....	.....	.....	.....	.....	.....	.....	200.0	.....	.....	.....
13	Smyth County* (total)	1913	1,427.5	79.6	.....	.....	23.4	.....	42.1	4.7	18.7	4.7	149.8	.....	.....	9.4
14	White	1913	1,426.3	73.8	.....	.....	19.7	.....	44.3	4.9	19.7	4.9	137.7	.....	.....	4.9
15	Colored[4]	1913	1,450.7	193.4	.....	.....	96.7	.....	.....	.....	.....	.....	386.8	.....	.....	96.7
16	Southampton County (total)	1913	1,279.9	18.2	47.4	.....	14.6	.....	.....	21.9	14.6	.....	178.7	.....	.....	7.3
17	White	1913	934.2	28.3	47.2	.....	.....	.....	.....	9.4	18.9	.....	94.4	.....	.....	9.4
18	Colored	1913	1,497.7	11.9	47.5	.....	23.8	.....	.....	29.7	11.9	.....	231.8	.....	.....	5.9
19	Spotsylvania County (total)	1913	1,240.2	49.2	9.8	.....	.....	.....	.....	.....	9.8	.....	108.3	.....	.....	9.8
20	White	1913	988.4	46.3	.....	.....	.....	.....	.....	.....	15.4	.....	77.2	.....	.....	15.4
21	Colored	1913	1,682.5	54.3	27.1	.....	.....	.....	.....	.....	.....	.....	162.8	.....	.....	.....
22	Stafford County (total)	1913	1,203.2	49.6	.....	.....	24.8	.....	12.4	24.8	.....	.....	124.0	.....	24.8	.....
23	White	1913	1,150.7	47.3	.....	.....	31.5	.....	.....	31.5	.....	.....	63.1	.....	31.5	.....
24	Colored	1913	1,397.0	58.2	.....	.....	.....	.....	58.2	.....	.....	.....	349.2	.....	.....	.....
25	Surry County (total)	1913	1,383.5	49.4	.....	.....	.....	.....	.....	19.8	29.6	.....	207.5	.....	9.9	19.8
26	White	1913	1,014.0	52.0	.....	.....	.....	.....	.....	.....	26.0	.....	104.0	.....	.....	.....
27	Colored	1913	1,610.1	47.8	.....	.....	.....	.....	.....	31.9	31.9	.....	271.0	.....	15.9	31.9
28	Sussex County (total)	1913	1,453.1	49.4	21.2	.....	7.1	.....	.....	.....	28.2	.....	246.9	14.1	28.2	14.1
29	White	1913	1,050.9	82.4	41.2	.....	.....	.....	.....	.....	20.6	.....	103.0	.....	.....	.....
30	Colored	1913	1,662.4	32.2	10.7	.....	10.7	.....	.....	.....	32.2	.....	321.8	21.5	42.9	21.5
31	Tazewell County (total)	1913	813.3	27.5	.....	.....	.....	.....	.....	19.6	19.6	.....	66.8	7.9	11.8	3.9
32	White	1913	744.4	31.0	.....	.....	.....	.....	.....	22.2	17.7	.....	62.0	4.4	4.4	4.4
33	Colored	1913	1,351.8	.....	.....	.....	.....	.....	.....	.....	34.7	.....	104.0	34.7	69.3	.....
34	Warren County (total)	1913	1,339.8	199.8	.....	.....	.....	11.8	.....	23.5	11.8	.....	129.3	23.5	.....	.....
35	White	1913	1,245.3	176.0	.....	.....	.....	13.5	.....	.....	.....	.....	148.9	27.1	.....	.....
36	Colored	1913	1,962.5	356.8	.....	.....	.....	.....	.....	178.4	89.2	.....	.....	.....	.....	.....
37	Warwick County (total)	1913	2,026.8	93.5	31.2	15.6	15.6	.....	31.2	.....	15.6	.....	311.8	.....	.....	15.6
38	White	1913	1,334.1	55.6	.....	.....	.....	.....	.....	.....	55.6	.....	111.2	.....	.....	.....
39	Colored	1913	2,296.9	108.3	43.3	21.7	21.7	.....	43.3	.....	.....	.....	390.0	.....	.....	21.7
40	Washington County (total)	1913	1,226.7	49.9	.....	.....	26.4	5.9	76.3	8.8	32.3	2.9	146.7	20.5	17.6	8.8
41	White	1913	1,212.9	47.4	.....	.....	28.4	6.3	79.0	9.5	34.7	3.2	148.5	22.1	19.0	9.5
42	Colored[4]	1913	1,407.3	82.8	.....	.....	.....	.....	41.4	.....	.....	.....	124.2	.....	.....	.....
43	Westmoreland County (total)	1913	921.3	53.6	.....	.....	21.4	.....	.....	.....	10.7	10.7	117.8	.....	42.8	10.7
44	White	1913	840.0	43.1	.....	.....	21.5	.....	.....	.....	.....	21.5	43.1	.....	43.1	21.5
45	Colored	1913	1,001.7	63.9	.....	.....	21.3	.....	.....	.....	21.3	.....	191.8	.....	42.6	.....
46	Winchester city (total)	1913	2,445.8	98.5	.....	.....	16.4	.....	32.8	.....	32.8	.....	279.1	.....	16.4	16.4
47	White	1913	2,393.3	79.8	.....	.....	19.9	.....	39.9	.....	19.9	.....	219.4	.....	19.9	19.9
48	Colored	1913	2,690.2	185.5	.....	.....	.....	.....	.....	.....	92.8	.....	556.6	.....	.....	.....
49	Wise County (total)	1913	1,443.1	46.3	.....	.....	7.7	20.6	69.5	28.3	2.6	.....	120.9	12.9	25.7	5.1
50	White	1913	1,395.7	44.9	.....	.....	5.6	22.5	70.2	28.1	2.8	.....	109.5	14.0	22.5	2.8
51	Colored	1913	1,960.2	61.3	.....	.....	30.6	.....	61.3	30.6	.....	.....	245.0	.....	61.3	30.6
52	Wythe County (total)	1913	977.7	29.5	.....	.....	39.3	4.9	.....	4.9	9.8	4.9	103.2	.....	.....	4.9
53	White	1913	957.8	33.0	.....	.....	44.0	5.5	.....	5.5	5.5	5.5	99.1	.....	.....	5.5
54	Colored	1913	1,143.1	.....	.....	.....	.....	.....	.....	.....	45.7	.....	137.2	.....	.....	.....
55	York County (total)	1913	1,440.4	51.0	12.7	.....	12.7	.....	.....	25.5	.....	.....	165.7	.....	12.7	12.7
56	White	1913	1,117.5	.....	24.8	.....	24.8	.....	.....	24.8	.....	.....	74.5	.....	.....	24.8
57	Colored	1913	1,781.0	104.8	.....	.....	.....	.....	.....	26.2	.....	.....	261.9	.....	26.2	.....
	WASHINGTON.															
58	Total	1913	806.0	12.6	.....	0.3	6.5	1.7	8.5	2.7	7.6	2.1	75.3	5.0	7.1	3.0
59		1912	747.4	12.7	0.1	.....	0.9	1.8	6.9	5.9	4.7	2.2	70.2	5.3	9.1	3.1
60	White	1913	791.2	12.6	.....	0.3	6.3	1.8	8.5	2.8	7.4	2.0	69.3	5.0	6.7	3.1
61		1912	731.4	12.9	0.2	.....	0.8	1.7	6.8	5.3	4.7	2.3	63.3	4.9	8.7	3.0
62	Colored	1913	1,282.2	14.1	.....	.....	14.1	.....	9.4	.....	14.1	4.7	267.7	4.7	18.8	.....
63		1912	1,264.2	4.9	.....	.....	4.9	4.9	9.8	24.4	4.9	.....	292.9	19.5	24.4	4.9
64	Adams County†	1913	418.8	7.8	.....	.....	7.8	.....	7.8	.....	7.8	.....	31.0	7.8	.....	.....
65		1912	529.4	8.1	.....	.....	.....	.....	8.1	.....	8.1	.....	48.9	16.3	.....	.....
66	Asotin County†	1913	618.3	.....	.....	15.1	.....	.....	.....	.....	.....	.....	30.2	.....	.....	.....
67		1912	501.4	.....	.....	.....	.....	.....	.....	.....	15.7	.....	47.0	.....	.....	.....
68	Benton County †	1913	455.5	.....	.....	.....	.....	.....	10.4	.....	10.4	.....	20.7	.....	.....	.....
69		1912	613.8	21.9	.....	.....	.....	.....	.....	.....	.....	11.0	43.8	.....	.....	11.0
70	Chehalis County	1913	853.4	16.0	.....	.....	12.0	.....	8.0	.....	4.0	4.0	43.9	12.0	8.0	4.0
71		1912	702.4	8.3	.....	.....	.....	.....	4.2	.....	.....	.....	74.8	4.2	12.5	4.2
72	Chelan County	1913	918.1	26.7	.....	.....	10.7	16.0	.....	5.3	16.0	.....	80.1	.....	21.4	.....
73		1912	721.5	22.7	.....	.....	.....	.....	5.7	5.7	11.4	5.7	73.9	5.7	17.0	5.7
74	Clallam County	1913	1,529.2	28.1	.....	.....	28.1	.....	.....	.....	.....	.....	140.3	.....	14.0	.....
75		1912	1,055.3	14.3	.....	.....	.....	.....	.....	.....	28.5	.....	99.8	.....	.....	.....

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
84.9	2.8	5.7	62.2	116.0	22.6	67.9	17.0	42.4	2.8	8.5	8.5	79.2	8.5	5.7	76.4	28.3	5.7	240.5	56.6	1
84.9	3.0	6.1	57.6	118.3	21.2	63.7	12.1	45.5	3.0	9.1	9.1	72.8	9.1	6.1	72.8	27.3	6.1	236.5	51.6	2
84.3	.....	.....	126.4	84.3	42.1	126.4	84.3	.....	.....	.....	.....	168.6	.....	.....	126.4	42.1	.....	295.0	126.4	3
19.8	7.9	11.9	23.8	23.8	.....	67.3	.....	63.4	.....	11.9	7.9	43.6	11.9	19.8	79.2	178.3	.....	150.5	142.6	4
20.7	8.3	8.3	24.9	24.9	.....	70.4	.....	62.1	.....	12.4	4.1	45.6	12.4	20.7	82.9	136.7	.....	157.4	145.0	5
.....	.....	90.4	.....	.....	.....	.....	.....	90.4	.....	.....	90.4	.....	.....	.....	.....	1,085.0	.....	.....	90.4	6
49.6	8.3	37.2	.....	41.4	8.3	99.3	4.1	70.3	4.1	.....	.....	57.9	8.3	4.1	53.8	24.8	.....	182.0	132.4	7
46.5	8.5	38.0	.....	38.0	8.5	97.2	4.2	71.8	4.2	.....	.....	59.2	8.5	4.2	54.9	25.4	.....	173.3	122.5	8
194.9	.....	.....	.....	194.9	.....	194.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	584.8	584.8	9
33.1	9.5	14.2	80.3	137.0	14.2	70.9	23.6	61.4	4.7	.....	9.5	61.4	4.7	9.5	52.0	37.8	9.5	259.9	66.2	10
33.9	9.7	14.5	77.4	135.5	14.5	67.8	24.2	62.9	4.8	.....	9.7	62.9	4.8	9.7	53.2	29.0	9.7	256.5	58.1	11
.....	.....	.....	200.0	200.0	.....	200.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	400.0	.....	400.0	400.0	12
42.1	4.7	23.4	60.8	107.6	23.4	42.1	4.7	42.1	4.7	14.0	.....	28.1	.....	14.0	140.4	65.5	4.7	374.4	98.3	13
39.3	4.9	24.6	63.9	108.2	24.6	39.3	4.9	44.3	4.9	14.8	.....	29.5	.....	9.8	147.6	68.9	4.9	378.7	103.3	14
96.7	.....	.....	.....	96.7	.....	96.7	.....	.....	.....	.....	.....	.....	.....	96.7	.....	.....	.....	290.1	.....	15
18.2	.....	3.6	51.1	47.4	3.6	65.6	3.6	54.7	.....	7.3	3.6	65.6	.....	10.9	18.2	32.8	.....	178.7	412.1	16
28.3	.....	.....	84.9	47.2	.....	47.2	.....	75.5	.....	.....	9.4	94.4	.....	.....	28.3	18.9	.....	141.5	151.0	17
11.9	.....	5.9	29.7	47.5	5.9	77.3	5.9	41.6	.....	11.9	.....	47.5	.....	17.8	11.9	41.6	.....	202.1	576.5	18
68.9	39.4	19.7	9.8	137.8	9.8	9.8	9.8	29.5	.....	.....	9.8	39.4	9.8	.....	118.1	68.9	.....	315.0	157.5	19
77.2	46.3	.....	.....	108.1	.....	15.4	.....	46.3	.....	.....	.....	15.4	.....	.....	108.1	61.8	.....	247.1	108.1	20
54.3	27.1	54.3	27.1	190.0	27.1	.....	27.1	.....	.....	.....	27.1	81.4	27.1	.....	135.7	81.4	.....	434.2	244.2	21
24.8	.....	.....	49.6	99.2	.....	86.8	24.8	86.8	.....	.....	24.8	74.7	12.4	.....	49.6	37.2	.....	272.9	99.2	22
15.8	.....	.....	47.3	110.3	.....	94.6	15.8	110.3	.....	.....	31.5	94.6	.....	.....	63.1	31.5	.....	268.0	63.1	23
58.2	.....	.....	58.2	58.2	.....	58.2	58.2	.....	.....	.....	.....	.....	58.2	.....	.....	58.2	.....	291.0	232.8	24
59.3	.....	9.9	88.9	69.2	9.9	39.5	.....	88.9	.....	.....	.....	88.9	9.9	.....	39.5	98.8	.....	187.8	256.9	25
78.0	.....	.....	52.0	52.0	26.0	26.0	.....	104.0	.....	.....	.....	130.0	.....	.....	52.0	52.0	.....	234.0	26.0	26
47.8	.....	15.9	111.6	79.7	.....	47.8	.....	79.7	.....	.....	.....	63.8	15.9	.....	31.9	127.5	.....	159.4	398.5	27
35.3	7.1	.....	56.4	49.4	21.2	49.4	.....	98.8	.....	.....	7.1	119.9	14.1	42.3	35.3	98.8	.....	176.3	232.8	28
20.6	20.6	.....	41.2	20.6	20.6	20.6	.....	103.0	.....	.....	20.6	226.7	20.6	41.2	20.6	61.8	.....	103.0	61.8	29
42.9	.....	.....	64.4	64.4	21.5	64.4	.....	96.5	.....	.....	.....	64.4	10.7	42.9	42.9	118.0	.....	214.5	321.8	30
35.4	19.6	15.7	15.7	51.1	.....	66.8	7.9	23.6	11.8	.....	11.8	31.4	7.9	.....	78.6	86.4	3.9	133.6	55.0	31
39.9	22.2	17.7	13.3	48.7	.....	57.6	8.9	26.6	13.3	.....	13.3	31.0	4.4	.....	88.6	66.5	4.4	93.1	48.7	32
.....	.....	.....	34.7	69.3	.....	138.6	.....	.....	.....	.....	.....	34.7	34.7	.....	.....	242.6	.....	450.6	104.0	33
23.5	.....	.....	47.0	164.5	11.8	82.3	.....	23.5	.....	11.8	11.8	105.8	.....	11.8	58.8	23.5	.....	258.5	105.8	34
27.1	.....	.....	54.1	176.0	.....	67.7	.....	13.5	.....	13.5	13.5	81.2	.....	13.5	67.7	27.1	.....	230.1	94.7	35
.....	.....	.....	.....	89.2	89.2	178.4	.....	89.2	.....	.....	.....	267.6	.....	.....	.....	.....	.....	446.0	178.4	36
46.8	.....	31.2	109.1	62.4	15.6	62.4	31.2	140.3	.....	15.6	15.6	93.5	.....	15.6	155.9	218.3	.....	296.2	187.1	37
.....	.....	55.6	55.6	.....	.....	55.6	.....	166.8	.....	.....	.....	166.8	.....	.....	222.3	222.3	.....	166.8	.....	38
65.0	.....	21.7	130.0	86.7	21.7	65.0	43.3	130.0	.....	21.7	21.7	65.0	.....	21.7	130.0	216.7	.....	346.7	260.0	39
47.0	5.9	23.5	29.3	52.8	2.9	79.2	8.8	79.2	2.9	14.7	.....	58.7	11.7	8.8	55.8	61.6	2.9	182.0	102.7	40
44.2	6.3	22.1	25.3	56.9	3.2	72.6	6.3	85.3	3.2	15.8	.....	47.4	6.3	9.5	50.5	60.0	3.2	183.2	104.2	41
82.8	.....	41.4	82.8	.....	.....	165.6	41.4	.....	.....	.....	.....	207.0	82.8	.....	124.2	82.8	.....	165.6	82.8	42
10.7	.....	.....	64.2	64.2	.....	75.0	.....	32.1	.....	.....	10.7	64.2	10.7	21.4	53.6	42.8	.....	160.7	42.8	43
.....	.....	.....	64.6	43.1	.....	107.7	.....	64.6	.....	.....	21.5	86.2	.....	.....	21.5	64.6	.....	172.3	.....	44
21.3	.....	.....	63.9	85.3	.....	42.6	.....	.....	.....	.....	.....	42.6	21.3	42.6	85.3	21.3	.....	149.2	85.3	45
98.5	16.4	49.2	32.8	197.0	49.2	65.7	16.4	98.5	32.8	32.8	.....	361.1	16.4	.....	131.3	147.7	.....	558.1	49.2	46
119.7	19.9	59.8	39.9	179.5	39.9	39.9	19.9	79.8	39.9	19.9	.....	359.0	19.9	.....	119.7	179.5	.....	598.3	39.9	47
.....	.....	.....	.....	278.3	92.8	185.5	.....	185.5	.....	92.8	.....	371.1	.....	.....	185.5	.....	.....	371.1	92.8	48
25.7	.....	23.2	15.4	51.4	5.1	95.2	10.3	167.2	.....	10.3	.....	33.4	5.1	2.6	115.8	172.3	.....	223.8	146.6	49
28.1	.....	25.3	11.2	42.1	5.6	84.2	8.4	171.3	.....	5.6	.....	36.5	5.6	2.8	117.9	157.3	.....	213.4	157.3	50
.....	.....	.....	61.3	153.1	.....	214.4	30.6	122.5	.....	61.3	.....	.....	.....	.....	91.9	336.9	.....	336.9	30.6	51
44.2	4.9	4.9	39.3	108.1	4.9	59.0	9.8	83.5	.....	4.9	9.8	63.9	9.8	9.8	54.0	34.4	24.6	162.1	44.2	52
44.0	5.5	5.5	44.0	110.1	5.5	44.0	5.5	88.1	.....	5.5	11.0	49.5	11.0	11.0	55.0	38.5	16.5	165.1	38.5	53
45.7	.....	.....	.....	91.4	.....	182.9	45.7	45.7	.....	.....	.....	182.9	.....	.....	45.7	.....	91.4	137.2	91.4	54
63.7	.....	38.2	76.5	178.5	.....	140.2	.....	25.5	.....	.....	.....	76.5	.....	12.7	51.0	102.0	.....	254.9	127.5	55
99.3	.....	49.7	99.3	173.8	.....	74.5	.....	24.8	.....	.....	.....	74.5	.....	24.8	99.3	49.7	.....	173.8	.....	56
26.2	.....	26.2	52.4	183.3	.....	209.5	.....	26.2	.....	.....	.....	78.6	.....	.....	.....	157.2	.....	340.5	261.9	57
39.6	11.2	4.1	47.0	79.0	5.1	53.2	5.7	23.4	6.8	7.5	4.0	44.2	5.5	5.8	45.0	109.2	15.7	145.3	16.4	58
42.1	8.4	4.1	42.6	73.3	4.7	47.3	4.4	16.5	7.5	6.0	6.0	41.1	4.1	9.3	43.4	97.9	15.8	133.4	16.5	59
40.4	11.5	3.9	48.2	79.3	5.0	51.7	5.8	21.6	6.3	7.6	3.9	45.3	5.5	5.8	45.3	107.0	15.9	143.9	11.5	60
43.3	8.7	4.3	43.6	74.2	4.9	44.8	4.6	15.9	7.6	5.9	6.1	41.8	3.9	9.3	43.4	96.9	15.2	130.7	12.0	61
14.1	.....	9.4	9.4	70.4	9.4	103.3	.....	79.8	23.5	4.7	4.7	9.4	4.7	4.7	37.6	178.5	9.4	187.9	173.8	62
4.9	.....	.....	9.8	43.9	.....	126.9	.....	34.2	4.9	9.8	4.9	19.5	9.8	9.8	43.9	131.8	34.2	219.6	161.1	63
15.5	.....	.....	15.5	23.3	7.8	7.8	.....	15.5	.....	.....	.....	23.3	7.8	.....	54.3	46.5	15.5	108.6	7.8	64
40.7	.....	.....	32.6	40.7	.....	16.3	.....	40.7	8.1	8.1	.....	8.1	16.3	8.1	40.7	57.0	16.3	73.3	32.6	65
75.4	.....	.....	30.2	120.6	.....	30.2	15.1	.....	.....	.....	15.1	45.2	30.2	.....	45.2	45.2	30.2	75.4	15.1	66
47.0	.....	.....	47.0	109.7	15.7	.....	.....	.....	.....	.....	.....	31.3	15.7	15.7	15.7	31.3	31.3	62.7	15.7	67
20.7	.....	.....	20.7	41.4	.....	31.1	.....	10.4	.....	.....	.....	62.1	10.4	.....	51.8	20.7	10.4	134.6	.....	68
.....	.....	.....	.....	98.6	21.9	.....	11.0	11.0	.....	11.0	.....	76.7	.....	11.0	54.8	54.8	21.9	142.5	11.0	69
55.8	19.9	4.0	75.8	63.8	.....	55.8	.....	43.9	16.0	23.9	4.0	31.9	4.0	4.0	67.8	167.5	8.0	91.7	4.0	70
41.6	12.5	.....	41.6	79.0	4.2	37.4	.....	29.1	8.3	8.3	4.2	20.8	4.2	4.2	54.0	120.5	.....	112.2	12.5	71
21.4	10.7	.....	32.0	74.7	5.3	48.0	10.7	26.7	5.3	16.0	5.3	42.7	21.4	.....	74.7	122.8	10.7	181.5	32.0	72
73.9	.....	5.7	39.8	79.5	.....	28.4	5.7	11.4	22.7	.....	5.7	39.8	5.7	22.7	51.1	79.5	.....	85.2	11.4	73
42.1	14.0	.....	70.1	42.1	14.0	84.2	28.1	28.1	.....	.....	.....	56.1	.....	.....	84.2	196.4	42.1	322.7	294.6	74
28.5	14.3	.....	85.6	71.3	.....	57.0	.....	.....	.....	.....	.....	14.3	.....	28.5	57.0	171.1	57.0	213.9	114.1	75

[3] Not admitted to registration area until 1913.

[4] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	WASHINGTON—continued.															
1	Clarke County	1913	899.5	6.6	.....	3.3	3.3	3.3	19.8	3.3	13.2	.....	86.0	13.2	6.6	6.6
2		1912	752.9	27.6	.....	.....	.....	13.8	3.5	.....	.....	6.9	62.2	.....	6.9	6.9
3	Columbia County	1913	812.4	57.0	.....	.....	.....	.....	14.3	.....	28.5	.....	28.5	.....	14.3	.....
4		1912	982.2	28.5	.....	.....	.....	.....	.....	.....	.....	.....	28.5	.....	.....	.....
5	Cowlitz County†	1913	632.0	7.1	.....	.....	.....	.....	.....	7.1	.....	.....	28.4	7.1	7.1	.....
6		1912	543.8	.....	.....	.....	.....	.....	.....	14.7	.....	7.3	36.7	.....	.....	.....
7	Douglas County†	1913	421.0	17.5	.....	.....	17.5	8.8	8.8	.....	8.8	.....	35.1	.....	8.8	.....
8		1912	410.3	.....	.....	.....	.....	.....	.....	.....	9.3	.....	28.0	.....	9.3	.....
9	Ferry County	1913	881.5	.....	.....	.....	.....	.....	.....	.....	.....	20.5	82.0	.....	.....	41.0
10		1912	1,091.9	82.4	.....	.....	.....	.....	.....	82.4	.....	.....	206.0	.....	.....	.....
11	Franklin County†	1913	434.9	15.0	.....	.....	.....	.....	15.0	.....	.....	.....	60.0	.....	15.0	.....
12		1912	629.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	32.3	.....	.....	.....
13	Garfield County†	1913	699.3	23.3	.....	.....	.....	.....	.....	46.6	.....	.....	23.3	.....	.....	.....
14		1912	680.4	46.9	.....	.....	.....	.....	23.5	.....	.....	.....	70.4	.....	.....	.....
15	Grant County†	1913	316.3	18.6	.....	.....	.....	.....	.....	.....	18.6	.....	27.9	.....	.....	.....
16		1912	267.1	9.9	.....	.....	9.9	.....	.....	.....	.....	.....	9.9	.....	19.8	.....
17	Island County†	1913	728.8	.....	.....	.....	.....	.....	17.8	.....	17.8	.....	17.8	.....	17.8	.....
18		1912	618.1	18.7	.....	.....	.....	.....	18.7	.....	.....	.....	56.2	18.7	18.7	.....
19	Jefferson County	1913	1,088.3	.....	.....	.....	10.9	.....	10.9	.....	.....	.....	65.3	.....	10.9	10.9
20		1912	829.3	11.2	.....	.....	.....	.....	.....	11.2	.....	.....	89.7	.....	11.2	.....
21	King County	1913	1,005.8	4.3	.....	.....	13.0	2.2	15.2	6.5	4.3	2.2	136.6	6.5	6.5	2.2
22		1912	851.7	10.8	.....	.....	.....	2.2	4.3	2.2	6.5	.....	110.2	10.8	8.6	2.2
23	Kitsap County	1913	911.2	4.7	.....	.....	9.4	4.7	.....	4.7	.....	4.7	80.3	4.7	4.7	4.7
24		1912	762.0	.....	.....	.....	.....	.....	10.0	.....	.....	.....	94.6	5.0	5.0	5.0
25	Kittitas County	1913	820.9	9.3	.....	.....	14.0	14.0	9.3	.....	.....	9.3	65.3	.....	4.7	4.7
26		1912	813.0	9.7	.....	.....	.....	4.9	9.7	.....	4.9	.....	43.8	9.7	9.7	.....
27	Klickitat County†	1913	500.4	16.1	.....	.....	.....	.....	.....	.....	8.1	.....	32.3	.....	.....	8.1
28		1912	478.6	.....	.....	.....	.....	.....	17.1	8.5	.....	.....	42.7	.....	.....	.....
29	Lewis County	1913	844.8	50.5	.....	.....	5.3	.....	5.3	2.7	.....	8.0	71.7	15.9	.....	2.7
30		1912	721.0	19.5	.....	.....	.....	.....	11.1	22.3	5.6	.....	50.1	5.6	36.2	5.6
31	Lincoln County†	1913	682.2	5.2	.....	.....	10.3	.....	20.7	.....	15.5	.....	15.5	10.3	5.2	.....
32		1912	718.6	16.0	.....	.....	.....	10.6	.....	5.3	.....	.....	31.9	10.6	5.3	.....
33	Mason County†	1913	840.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	71.5	17.9	17.9	17.9
34		1912	623.1	.....	.....	.....	.....	.....	18.3	.....	.....	18.3	36.7	.....	.....	18.3
35	Okanogan County†	1913	668.8	32.2	.....	.....	.....	.....	6.4	.....	12.9	.....	90.0	.....	6.4	.....
36		1912	658.9	.....	6.8	.....	6.8	6.8	.....	13.6	13.6	6.8	135.9	.....	.....	6.8
37	Pacific County	1913	743.5	13.6	.....	.....	.....	.....	6.8	.....	6.8	.....	75.0	.....	.....	13.6
38		1912	785.9	14.3	.....	.....	.....	.....	50.0	7.1	7.1	.....	35.7	14.3	.....	.....
39	Pierce County*	1913	1,226.8	6.9	.....	.....	11.6	.....	13.9	2.3	6.9	2.3	152.5	.....	2.3	.....
40		1912	1,185.1	14.5	.....	.....	.....	.....	7.3	4.8	9.7	7.3	108.8	14.5	4.8	2.4
41	San Juan County†	1913	1,125.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	52.3	.....	26.2	26.2
42		1912	612.7	26.6	.....	.....	.....	.....	.....	.....	.....	.....	26.6	.....	.....	.....
43	Skagit County	1913	821.0	8.8	.....	.....	8.8	.....	11.7	5.9	14.7	2.9	55.7	5.9	8.8	2.9
44		1912	914.5	9.2	.....	.....	3.1	.....	15.3	9.2	.....	.....	95.1	9.2	15.3	.....
45	Skamania County†	1913	671.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	30.5	.....	.....	.....
46		1912	602.4	.....	.....	.....	.....	.....	31.7	.....	.....	.....	.....	.....	.....	.....
47	Snohomish County†	1913	721.5	9.9	.....	.....	2.5	.....	5.0	2.5	9.9	.....	74.4	5.0	7.4	.....
48		1912	610.7	5.2	.....	.....	2.6	.....	7.8	7.8	7.8	.....	52.0	5.2	10.4	7.8
49	Spokane County*	1913	1,008.7	8.0	.....	.....	5.3	.....	10.6	8.0	5.3	5.3	122.1	2.7	21.2	2.7
50		1912	833.4	13.6	.....	.....	.....	.....	.....	5.4	.....	2.7	79.0	2.7	19.1	5.4
51	Stevens County†[3]	1913	531.7	3.3	.....	.....	3.3	.....	16.6	.....	10.0	.....	33.2	6.6	3.3	3.3
52		1912	598.0	7.0	.....	.....	3.5	.....	3.5	.....	3.5	.....	45.5	.....	3.5	3.5
53	Thurston County	1913	961.7	24.9	.....	.....	5.0	.....	10.0	.....	10.0	.....	134.5	.....	10.0	5.0
54		1912	798.3	15.6	.....	.....	.....	.....	5.2	5.2	.....	.....	124.4	5.2	5.2	5.2
55	Wahkiakum County†	1913	145.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
56		1912	177.0	59.0	.....	.....	.....	.....	.....	29.5	.....	.....	.....	.....	.....	.....
57	Walla Walla County†	1913	482.3	14.4	.....	.....	.....	7.2	.....	.....	.....	.....	50.4	.....	7.2	.....
58		1912	675.2	14.8	.....	.....	.....	.....	.....	.....	.....	7.4	37.1	.....	14.8	.....
59	Whatcom County†	1913	761.2	.....	.....	.....	10.3	.....	17.1	.....	.....	3.4	68.6	10.3	10.3	3.4
60		1912	687.4	14.3	.....	.....	3.6	10.7	10.7	3.6	3.6	3.6	64.4	.....	3.6	.....
61	Whitman County†	1913	772.6	22.3	.....	.....	.....	2.8	.....	2.8	11.2	2.8	66.9	2.8	8.4	.....
62		1912	670.5	14.3	.....	.....	.....	.....	5.7	8.6	8.6	2.9	51.4	2.9	11.4	.....
63	Yakima County	1913	724.5	3.0	.....	.....	9.1	.....	.....	3.0	18.1	.....	72.4	6.0	3.0	3.0
64		1912	853.1	9.6	.....	.....	.....	.....	6.4	6.4	12.7	3.2	101.9	9.6	3.2	6.4
	WISCONSIN.															
65	Total	1913	1,066.0	5.7	0.3	0.2	6.7	6.3	7.0	7.3	12.9	2.4	80.5	3.2	7.3	6.1
66		1912	1,046.9	8.0	0.4	0.2	4.3	9.3	6.1	9.5	9.8	2.5	83.7	4.3	8.0	6.7
67	White	1913	1,063.6	5.7	0.3	0.2	6.7	6.4	7.0	7.4	13.0	2.4	79.2	3.3	7.3	6.1
68		1912	1,045.2	8.0	0.4	0.2	4.4	9.4	6.2	9.5	9.8	2.5	82.1	4.4	7.8	6.7
69	Colored	1913	1,400.5	.....	9.0	.....	9.0	.....	.....	.....	.....	9.0	269.3	.....	18.0	.....
70		1912	1,277.4	.....	.....	.....	.....	.....	.....	8.9	8.9	.....	312.6	.....	26.8	8.9
71	Adams County	1913	1,209.7	11.9	.....	.....	11.9	.....	11.9	23.7	59.3	.....	71.2	.....	.....	.....
72		1912	1,213.8	.....	.....	.....	.....	11.8	.....	.....	58.9	.....	82.5	.....	.....	11.8
73	Ashland County†	1913	629.8	.....	.....	.....	.....	.....	26.2	8.7	.....	.....	43.8	17.5	.....	.....
74		1912	666.5	.....	.....	.....	9.0	.....	.....	18.0	9.0	.....	45.0	.....	9.0	.....
75	Barron County	1913	948.8	3.2	.....	3.2	22.7	6.5	9.7	6.5	13.0	.....	58.3	3.2	3.2	9.7
76		1912	910.0	13.2	3.3	.....	.....	6.6	6.6	.....	6.6	3.3	89.0	3.3	13.2	3.3

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
33.1	16.5	3.3	69.4	122.4	6.6	52.9	9.9	26.5	9.9	13.2	3.3	46.3	3.3	6.6	29.8	92.6	13.2	175.3	.....	1
69.1	10.4	3.5	48.4	82.9	.....	48.4	3.5	6.9	6.9	.....	3.5	55.3	.....	.....	34.5	82.9	13.8	138.2	17.3	2
28.5	42.8	.....	85.5	99.8	.....	42.8	.....	.....	.....	.....	.....	42.8	.....	.....	14.3	71.3	14.3	213.8	14.3	3
71.2	28.5	28.5	28.5	156.6	14.2	42.7	.....	42.7	14.2	14.2	14.2	28.5	.....	14.2	56.9	128.1	28.5	213.5	.....	4
28.4	7.1	7.1	35.5	92.3	.....	35.5	7.1	14.2	.....	7.1	.....	14.2	.....	.....	42.6	149.1	7.1	127.8	.....	5
36.7	.....	.....	22.0	66.1	14.7	29.4	7.3	7.3	.....	.....	.....	14.7	14.7	14.7	22.0	110.2	14.7	80.8	29.4	6
8.8	.....	.....	8.8	70.2	.....	26.3	.....	.....	.....	.....	.....	35.1	.....	.....	52.6	26.3	8.8	78.9	.....	7
.....	.....	.....	28.0	37.3	.....	46.6	.....	9.3	9.3	9.3	.....	.....	9.3	.....	65.3	37.3	.....	93.2	18.6	8
20.5	.....	.....	41.0	123.0	.....	41.0	.....	20.5	.....	.....	.....	20.5	.....	.....	41.0	123.0	41.0	164.0	102.5	9
61.8	20.6	.....	41.2	61.8	.....	103.0	.....	.....	20.6	.....	.....	20.6	20.6	20.6	41.2	123.6	20.6	164.8	.....	10
.....	.....	.....	.....	45.0	.....	60.0	.....	30.0	.....	.....	.....	15.0	.....	.....	.....	105.0	15.0	45.0	15.0	11
.....	.....	.....	16.1	48.4	.....	48.4	.....	32.3	.....	16.1	.....	16.1	16.1	.....	80.7	258.2	16.1	48.4	.....	12
46.6	23.3	.....	46.6	46.6	.....	.....	.....	.....	23.3	.....	23.3	23.3	.....	.....	46.6	139.9	23.3	163.2	.....	13
.....	.....	.....	140.8	46.9	.....	46.9	.....	23.5	.....	23.5	.....	23.5	.....	.....	46.9	23.5	23.5	140.8	.....	14
.....	.....	.....	.....	.....	37.2	9.3	.....	18.6	.....	9.3	.....	9.3	18.6	27.9	37.2	37.2	.....	37.2	9.3	15
19.8	.....	.....	19.8	29.7	.....	19.8	.....	9.9	.....	.....	9.9	9.9	9.9	.....	29.7	19.8	9.9	19.8	9.9	16
71.1	17.8	.....	71.1	124.4	17.8	17.8	.....	.....	.....	17.8	.....	88.9	.....	.....	17.8	35.5	.....	177.7	.....	17
18.7	.....	.....	18.7	37.5	18.7	93.7	.....	.....	.....	18.7	37.5	18.7	.....	18.7	37.5	37.5	.....	131.1	.....	18
65.3	10.9	.....	119.7	174.1	10.9	54.4	21.8	21.8	21.8	.....	.....	65.3	.....	10.9	43.5	130.6	21.8	195.9	10.9	19
100.9	11.2	.....	44.8	89.7	11.2	22.4	.....	.....	11.2	44.8	22.4	33.6	11.2	11.2	44.8	67.2	22.4	134.5	22.4	20
34.7	10.8	8.7	43.4	114.9	2.2	49.9	6.5	21.7	10.8	17.3	8.7	58.5	6.5	8.7	54.2	197.3	13.0	130.1	8.7	21
51.9	6.5	.....	54.0	93.0	6.5	45.4	4.3	19.5	2.2	6.5	10.8	38.9	.....	6.5	51.9	194.6	21.6	77.8	2.2	22
47.2	14.2	.....	23.6	122.8	.....	80.3	14.2	28.3	4.7	4.7	.....	51.9	14.2	.....	28.3	113.3	4.7	221.9	14.2	23
34.9	10.0	5.0	59.8	84.7	5.0	29.9	10.0	10.0	5.0	5.0	10.0	59.8	5.0	5.0	24.9	59.8	29.9	184.3	5.0	24
14.0	4.7	23.3	28.0	74.6	4.7	93.3	9.3	23.3	9.3	4.7	.....	56.0	14.0	.....	65.3	125.9	9.3	116.6	14.0	25
43.8	14.6	9.7	38.9	68.2	4.9	38.9	.....	24.3	4.9	9.7	.....	24.3	.....	24.3	63.3	155.8	19.5	170.4	4.9	26
16.1	16.1	.....	24.2	64.6	.....	56.5	.....	8.1	.....	.....	.....	16.1	.....	8.1	24.2	48.4	32.3	104.9	16.1	27
34.2	.....	8.5	34.2	34.2	.....	17.1	.....	.....	8.5	8.5	8.5	25.6	8.5	.....	25.6	94.0	.....	59.8	42.7	28
37.2	18.6	.....	34.5	66.4	.....	37.2	5.3	37.2	13.3	10.6	2.7	47.8	2.7	10.6	58.4	162.1	18.6	101.0	18.6	29
44.5	.....	2.8	55.7	75.2	2.8	25.1	.....	13.9	22.3	11.1	8.4	36.2	2.8	11.1	44.5	55.7	8.4	133.6	11.1	30
51.7	10.3	5.2	56.8	56.8	5.2	93.0	.....	5.2	10.3	.....	5.2	72.4	.....	20.7	41.3	51.7	.....	93.0	20.7	31
16.0	21.3	5.3	21.3	85.2	5.3	63.9	.....	16.0	31.9	.....	5.3	58.6	.....	26.6	74.5	85.2	5.3	85.2	31.9	32
35.8	17.9	.....	17.9	53.6	17.9	89.4	.....	.....	.....	.....	.....	17.9	.....	.....	.....	232.4	.....	178.8	53.6	33
.....	18.3	18.3	.....	55.0	.....	55.0	.....	36.7	.....	18.3	.....	36.7	.....	.....	36.7	128.3	55.0	73.3	.....	34
45.0	.....	.....	38.6	19.3	6.4	25.7	6.4	64.3	.....	6.4	.....	25.7	.....	25.7	25.7	90.0	32.2	102.9	6.4	35
27.2	.....	.....	13.6	47.6	.....	67.9	.....	6.8	.....	.....	.....	40.8	.....	6.8	34.0	54.3	.....	149.4	13.6	36
20.5	6.8	6.8	34.1	40.9	.....	54.6	.....	34.1	13.6	.....	.....	20.5	.....	.....	68.2	150.1	27.3	129.6	20.5	37
42.9	28.6	7.1	28.6	35.7	.....	35.7	.....	21.4	14.3	14.3	14.3	21.4	.....	14.3	21.4	178.6	21.4	150.0	7.1	38
71.6	6.9	4.6	97.0	101.7	2.3	53.1	6.9	34.7	2.3	16.2	6.9	78.5	2.3	4.6	25.4	166.3	25.4	300.3	20.8	39
70.1	7.3	4.8	108.8	58.0	4.8	82.2	9.7	16.9	.....	7.3	4.8	82.2	4.8	14.5	48.4	84.6	24.2	341.0	36.3	40
26.2	78.5	26.2	130.8	130.8	26.2	104.7	.....	26.2	26.2	.....	.....	26.2	.....	.....	52.3	78.5	.....	261.6	26.2	41
.....	.....	.....	26.6	53.3	26.6	53.3	.....	.....	.....	.....	.....	106.6	.....	26.6	26.6	106.6	.....	133.2	.....	42
41.1	17.6	11.7	44.0	82.1	.....	61.6	2.9	8.8	11.7	5.9	11.7	41.1	11.7	8.8	35.2	111.4	8.8	164.2	14.7	43
55.2	9.2	3.1	36.8	46.0	12.3	70.6	9.2	15.3	9.2	12.3	12.3	58.3	6.1	6.1	67.5	153.4	15.3	153.4	6.1	44
30.5	.....	.....	.....	91.6	.....	.....	.....	30.5	.....	.....	.....	30.5	.....	.....	.....	305.3	.....	122.1	30.5	45
.....	.....	.....	95.1	126.8	.....	31.7	.....	.....	.....	.....	.....	31.7	.....	.....	.....	126.8	.....	126.8	31.7	46
32.2	9.9	14.9	44.6	71.9	5.0	29.8	7.4	19.8	5.0	7.4	7.4	47.1	2.5	5.0	49.6	111.6	19.8	109.1	5.0	47
33.8	5.2	5.2	33.8	62.4	5.2	28.6	2.6	10.4	10.4	5.2	5.2	41.6	5.2	5.2	41.6	119.5	7.8	70.2	5.2	48
42.5	13.3	.....	55.7	92.9	13.3	98.2	8.0	15.9	2.7	8.0	.....	77.0	2.7	5.3	45.1	58.4	18.6	254.8	5.3	49
35.4	8.2	5.4	30.0	106.2	8.2	79.0	10.9	10.9	.....	.....	16.3	51.7	2.7	5.4	24.5	73.5	30.0	204.3	2.7	50
26.6	6.6	3.3	46.5	36.6	13.3	26.6	6.6	6.6	10.0	3.3	6.6	13.3	10.0	3.3	49.8	66.5	19.9	79.8	16.6	51
42.0	10.5	.....	24.5	69.9	.....	38.5	14.0	21.0	3.5	3.5	.....	42.0	7.0	10.5	56.0	52.5	24.5	97.9	10.5	52
64.8	14.9	.....	79.7	114.6	5.0	34.9	10.0	5.0	5.0	5.0	.....	39.9	14.9	.....	34.9	134.5	24.9	159.5	14.9	53
67.4	5.2	10.4	25.9	103.7	5.2	31.1	.....	.....	5.2	5.2	.....	41.5	5.2	25.9	31.1	77.8	31.1	150.3	10.4	54
.....	29.1	.....	29.1	.....	.....	29.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	29.1	.....	.....	29.1	55
.....	.....	.....	.....	.....	.....	.....	29.5	.....	.....	.....	.....	.....	.....	.....	.....	59.0	.....	.....	.....	56
14.4	.....	.....	21.6	50.4	.....	50.4	7.2	.....	.....	.....	.....	36.0	7.2	14.4	28.8	21.6	21.6	122.4	7.2	57
44.5	7.4	7.4	59.4	81.6	.....	29.7	.....	37.1	22.3	.....	14.8	22.3	7.4	.....	7.4	81.6	22.3	133.6	22.3	58
65.1	.....	.....	48.0	78.9	6.9	44.6	10.3	24.0	13.7	3.4	.....	27.4	6.9	10.3	41.1	99.4	13.7	130.3	13.7	59
32.2	7.2	7.2	28.6	60.9	3.6	64.4	3.6	17.9	14.3	.....	3.6	39.4	3.6	7.2	21.5	107.4	3.6	136.0	7.2	60
53.0	19.5	.....	33.5	86.5	2.8	72.5	.....	39.0	8.4	8.4	11.2	50.2	.....	5.6	47.4	75.3	22.3	111.6	5.6	61
45.6	20.0	8.6	34.2	94.1	.....	54.2	.....	25.7	.....	2.9	2.9	39.9	.....	8.6	34.2	68.5	14.3	99.9	11.4	62
48.3	9.1	3.0	39.2	63.4	9.1	78.5	.....	51.3	.....	3.0	3.0	27.2	3.0	.....	66.4	66.4	6.0	96.6	33.2	63
19.1	12.7	3.2	54.1	79.6	6.4	70.0	12.7	35.0	6.4	6.4	.....	44.6	3.2	.....	70.0	86.0	6.4	105.1	73.2	64
74.7	14.5	9.8	65.4	111.3	19.7	76.9	17.2	34.7	9.3	8.7	11.2	59.8	4.5	5.3	65.0	65.7	12.1	240.9	13.3	65
72.0	13.6	7.3	65.0	116.2	21.4	70.2	14.8	29.3	8.4	9.0	8.6	62.6	3.3	6.8	65.1	65.0	13.3	232.6	9.6	66
74.8	14.5	9.7	65.1	111.5	19.7	76.5	17.3	34.2	9.4	8.7	11.3	59.8	4.5	5.3	64.9	65.6	12.1	240.9	13.0	67
72.2	13.6	7.3	65.2	116.6	21.1	69.5	14.9	29.0	8.5	9.0	8.7	62.7	3.2	6.7	65.4	64.7	13.3	232.8	9.6	68
53.9	9.0	26.9	98.8	39.8	9.0	143.6	.....	116.7	.....	9.0	.....	53.9	18.0	.....	71.8	71.8	9.0	242.4	62.8	69
53.6	8.9	.....	26.8	53.6	62.5	169.7	8.9	80.4	.....	.....	.....	53.6	8.9	17.9	35.7	107.2	8.9	196.5	17.9	70
47.4	23.7	23.7	83.0	106.9	11.9	83.0	.....	94.9	11.9	11.9	11.9	23.7	.....	11.9	118.6	71.2	23.7	260.9	.....	71
58.9	35.4	.....	23.6	165.0	47.1	58.9	23.6	35.4	.....	11.8	11.8	94.3	11.8	58.9	58.9	35.4	.....	282.8	35.4	72
35.0	.....	.....	26.2	52.5	.....	26.2	17.5	17.5	.....	.....	8.7	17.5	26.2	8.7	43.7	113.7	35.0	96.2	8.7	73
45.0	.....	9.0	36.0	45.0	.....	54.0	.....	36.0	.....	.....	.....	9.0	.....	9.0	108.1	31.1	18.0	108.1	18.0	74
61.5	19.4	3.2	38.9	116.6	13.0	123.1	9.7	38.9	13.0	9.7	.....	55.1	9.7	9.7	74.5	45.3	9.7	155.4	3.2	75
79.1	16.5	9.9	39.6	59.3	36.3	72.5	26.4	26.4	16.5	3.3	3.3	42.9	6.6	6.6	75.8	42.9	6.6	178.0	13.2	76

[3] Includes Pend Oreille County, organized June 10, 1911; separate estimated populations not available.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	WISCONSIN—continued.															
1	Bayfield County †	1913	648.3	18.2	.....	.....	6.1	.....	6.1	.....	.....	.....	36.4	6.1	.....	30.3
2		1912	709.7	18.4	6.1	.....	6.1	.....	6.1	.....	.....	.....	73.4	.....	6.1	.....
3	Brown County	1913	909.5	6.8	.....	3.4	.....	13.7	13.7	10.3	.....	.....	65.0	6.8	3.4	6.8
4		1912	909.8	3.4	.....	.....	3.4	3.4	10.3	13.7	3.4	3.4	75.5	.....	3.4	10.3
5	Buffalo County	1913	831.2	.....	.....	.....	12.7	6.3	.....	.....	6.3	.....	57.1	.....	12.7	.....
6		1912	877.6	.....	.....	6.3	.....	.....	.....	12.6	6.3	6.3	82.1	.....	.....	.....
7	Burnett County	1913	965.6	.....	.....	.....	10.5	.....	10.5	.....	.....	.....	63.0	.....	21.0	.....
8		1912	917.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	138.7	21.3	10.7	10.7
9	Calumet County	1913	977.1	6.0	.....	.....	6.0	.....	6.0	.....	.....	.....	78.4	6.0	.....	6.0
10		1912	812.4	.....	.....	.....	.....	.....	18.1	.....	.....	.....	90.3	6.0	12.0	6.0
11	Chippewa County	1913	1,093.5	8.7	.....	.....	8.7	14.5	11.6	5.8	23.1	5.8	107.0	2.9	5.8	11.6
12		1912	1,056.2	8.9	.....	.....	3.0	3.0	5.9	8.9	23.7	5.9	118.3	8.9	3.0	8.9
13	Clark County	1913	804.5	12.7	.....	3.2	3.2	.....	12.7	3.2	9.5	.....	38.2	.....	6.4	9.5
14		1912	738.3	3.2	.....	.....	.....	.....	.....	22.6	3.2	3.2	51.6	3.2	6.4	3.2
15	Columbia County	1913	1,227.1	6.4	.....	.....	.....	6.4	12.8	3.2	28.9	6.4	86.7	.....	3.2	3.2
16		1912	1,153.2	3.2	.....	.....	.....	3.2	3.2	3.2	51.4	6.4	102.8	6.4	.....	9.6
17	Crawford County	1913	1,240.2	.....	6.3	.....	6.3	.....	.....	6.3	18.8	6.3	75.2	12.5	12.5	6.3
18		1912	1,120.4	.....	.....	.....	.....	.....	12.4	6.2	12.4	.....	74.7	.....	6.2	12.4
19	Dane County *	1913	1,129.4	9.8	2.0	.....	2.0	3.9	3.9	7.8	15.6	9.8	99.7	2.0	11.7	5.9
20		1912	1,050.8	3.8	.....	.....	.....	3.8	5.8	3.8	15.3	7.7	82.5	3.8	7.7	11.5
21	Dodge County	1913	1,094.4	2.1	.....	.....	6.3	4.2	4.2	4.2	18.9	.....	69.2	.....	10.5	12.6
22		1912	1,018.6	4.2	.....	.....	8.4	31.5	6.3	8.4	8.4	2.1	69.3	.....	6.3	2.1
23	Door County	1913	822.9	5.2	.....	.....	10.5	.....	26.2	.....	5.2	.....	36.7	.....	10.5	.....
24		1912	949.2	5.3	.....	.....	.....	31.6	5.3	10.5	10.5	.....	58.0	.....	5.3	5.3
25	Douglas County †	1913	879.3	.....	.....	.....	.....	.....	.....	.....	26.2	13.1	26.2	.....	13.1	.....
26		1912	685.6	.....	.....	.....	.....	94.1	.....	.....	13.4	.....	40.3	.....	.....	13.4
27	Dunn County	1913	935.6	3.9	.....	.....	7.9	3.9	11.8	.....	3.9	.....	86.8	.....	3.9	3.9
28		1912	877.1	.....	.....	.....	.....	11.9	11.9	.....	7.9	4.0	83.0	.....	15.8	11.9
29	Eau Claire County	1913	793.7	.....	.....	.....	6.9	.....	13.8	.....	.....	.....	69.0	.....	6.9	.....
30		1912	753.5	.....	.....	.....	6.9	.....	.....	6.9	.....	6.9	62.2	6.9	6.9	.....
31	Florence County	1913	930.2	29.1	.....	.....	.....	.....	29.1	.....	.....	.....	145.3	.....	.....	.....
32		1912	759.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	116.9	.....	.....	.....
33	Fond du Lac County	1913	1,017.5	6.1	.....	.....	.....	3.0	3.0	15.2	24.3	.....	63.8	.....	6.1	.....
34		1912	1,158.4	6.1	.....	.....	.....	3.0	3.0	9.1	24.3	.....	91.2	6.1	6.1	9.1
35	Forest County	1913	715.0	.....	.....	.....	.....	.....	.....	23.4	.....	.....	70.3	.....	11.7	35.2
36		1912	863.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	25.0	12.5	12.5	.....
37	Grant County	1913	1,032.1	2.6	.....	.....	.....	2.6	2.6	5.1	30.7	.....	53.8	2.6	7.7	.....
38		1912	1,065.7	7.7	2.6	.....	.....	20.5	7.7	7.7	5.1	2.6	46.1	2.6	.....	5.1
39	Green County	1913	1,094.3	.....	.....	.....	.....	9.4	.....	.....	9.4	.....	65.8	4.7	9.4	.....
40		1912	883.2	4.7	.....	.....	.....	4.7	9.3	9.3	4.7	4.7	56.1	.....	4.7	4.7
41	Green Lake County	1913	1,240.8	6.5	.....	.....	19.5	.....	6.5	19.5	13.0	.....	58.5	.....	13.0	6.5
42		1912	940.2	.....	.....	.....	.....	.....	6.5	.....	6.5	6.5	84.3	6.5	13.0	6.5
43	Iowa County	1913	914.8	.....	.....	.....	4.5	.....	.....	13.5	.....	.....	53.8	.....	9.0	.....
44		1912	1,010.7	.....	.....	.....	.....	.....	4.5	4.5	13.4	4.5	62.6	.....	4.5	4.5
45	Iron County	1913	1,084.0	.....	.....	.....	45.2	.....	.....	.....	.....	.....	67.8	.....	11.3	.....
46		1912	1,047.9	.....	.....	.....	46.1	.....	11.5	.....	.....	.....	92.1	11.5	11.5	.....
47	Jackson County	1913	985.1	5.9	.....	.....	.....	.....	.....	5.9	29.5	.....	53.1	.....	5.9	17.7
48		1912	1,036.0	.....	.....	.....	.....	11.8	11.8	.....	11.8	17.7	94.2	11.8	11.8	23.5
49	Jefferson County	1913	1,188.9	2.9	.....	.....	2.9	17.6	5.9	5.9	17.6	8.8	99.6	2.9	5.9	5.9
50		1912	1,236.9	.....	2.9	.....	.....	32.2	8.8	5.8	8.8	5.8	81.9	.....	11.7	2.9
51	Juneau County	1913	1,118.2	5.2	.....	.....	.....	10.4	5.2	20.8	10.4	5.2	114.4	.....	10.4	.....
52		1912	1,132.8	5.2	5.2	.....	.....	10.3	15.5	25.9	15.5	.....	72.4	.....	10.3	10.3
53	Kenosha County	1913	1,093.3	.....	.....	.....	34.7	17.4	.....	34.7	26.0	.....	78.1	8.7	8.7	8.7
54		1912	1,092.8	.....	.....	.....	.....	50.8	.....	16.9	8.5	.....	42.4	8.5	8.5	16.9
55	Kewaunee County	1913	1,045.2	.....	.....	.....	12.0	12.0	6.0	30.0	24.0	.....	90.1	12.0	12.0	.....
56		1912	1,114.5	6.0	.....	.....	.....	18.0	.....	6.0	.....	.....	71.9	6.0	24.0	6.0
57	La Crosse County	1913	1,190.1	.....	.....	.....	.....	.....	.....	7.6	.....	.....	68.7	.....	.....	22.9
58		1912	1,002.8	22.3	.....	7.4	.....	.....	.....	14.9	7.4	.....	126.3	14.9	.....	.....
59	Lafayette County	1913	869.2	.....	.....	.....	10.1	.....	10.1	5.1	10.1	5.1	40.4	.....	.....	10.1
60		1912	1,031.3	15.1	5.0	.....	.....	5.0	.....	15.1	15.1	5.0	40.2	.....	5.0	10.1
61	Langlade County	1913	890.7	10.8	.....	.....	.....	.....	5.4	16.2	.....	.....	54.0	.....	.....	.....
62		1912	819.1	5.5	.....	.....	.....	5.5	11.1	11.1	.....	.....	16.6	.....	5.5	11.1
63	Lincoln County	1913	826.2	5.0	.....	.....	.....	.....	.....	5.0	15.0	.....	45.1	.....	10.0	5.0
64		1912	838.0	15.2	.....	.....	5.1	.....	5.1	10.2	.....	.....	60.9	.....	5.1	.....
65	Manitowoc County	1913	894.2	6.2	.....	.....	3.1	3.1	.....	3.1	6.2	3.1	74.0	3.1	3.1	.....
66		1912	1,028.4	12.4	.....	.....	.....	3.1	6.2	6.2	3.1	.....	86.7	9.3	9.3	3.1
67	Marathon County	1913	781.3	7.3	.....	.....	.....	12.2	26.9	7.3	4.9	2.4	39.1	.....	9.8	4.9
68		1912	821.1	10.0	.....	2.5	22.4	19.9	5.0	14.9	2.5	2.5	29.9	2.5	10.0	10.0
69	Marinette County	1913	778.3	.....	.....	.....	4.8	4.8	4.8	4.8	.....	.....	48.3	.....	14.5	.....
70		1912	914.8	.....	.....	.....	9.9	14.8	14.8	.....	4.9	.....	113.7	4.9	.....	19.8
71	Marquette County	1913	1,100.3	9.2	.....	.....	27.7	.....	18.5	18.5	18.5	9.2	101.7	9.2	.....	9.2
72		1912	908.1	9.3	.....	.....	.....	.....	18.5	18.5	18.5	.....	64.9	9.3	.....	.....
73	Milwaukee County	1913	2,419.8	8.6	.....	.....	5.2	29.3	3.4	36.2	10.3	6.9	405.0	13.8	15.5	6.9
74		1912	2,370.5	50.0	.....	.....	41.1	8.9	16.1	51.8	7.1	1.8	385.9	19.7	8.9	16.1
75	Monroe County	1913	1,077.9	3.4	.....	.....	6.9	3.4	.....	3.4	34.3	3.4	58.4	10.3	3.4	.....
76		1912	908.7	6.9	.....	.....	.....	3.4	6.9	10.3	3.4	.....	55.1	17.2	6.9	3.4
77	Oconto County	1913	856.3	3.7	.....	.....	.....	3.7	.....	3.7	14.7	.....	73.5	7.4	7.4	7.4
78		1912	849.4	3.7	.....	.....	.....	3.7	.....	.....	3.7	3.7	59.9	.....	7.5	3.7

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
42.4	.....	.....	18.2	42.4	6.1	48.5	12.1	24.2	.....	.....	.....	18.2	12.1	6.1	48.5	48.5	12.1	151.5	54.5	1
12.2	.....	18.4	24.5	42.8	30.6	48.9	12.2	18.4	6.1	6.1	.....	12.2	12.2	.....	48.9	116.3	6.1	171.3	6.1	2
71.8	17.1	13.7	65.0	71.8	10.3	71.8	13.7	44.4	13.7	3.4	3.4	27.4	3.4	.....	61.5	41.0	3.4	212.0	30.8	3
89.3	3.4	6.9	44.6	120.2	17.2	75.5	17.2	44.6	.....	6.9	3.4	41.2	.....	3.4	82.4	24.0	.....	182.0	17.2	4
31.7	25.4	6.3	76.1	57.1	25.4	69.8	.....	19.0	12.7	12.7	6.3	44.4	6.3	.....	76.1	25.4	12.7	203.0	25.4	5
75.8	12.6	.....	69.5	101.0	12.6	75.8	12.6	.....	.....	.....	.....	25.3	.....	.....	56.8	69.5	18.9	227.3	6.3	6
84.0	10.5	10.5	21.0	94.5	42.0	52.5	31.5	.....	.....	52.5	10.5	63.0	.....	10.5	73.5	63.0	.....	241.4	.....	7
106.7	21.3	.....	10.7	96.0	32.0	21.3	21.3	21.3	10.7	.....	.....	10.7	10.7	21.3	96.0	64.0	.....	170.7	21.3	8
66.3	24.1	18.1	114.6	66.3	18.1	54.3	6.0	18.1	12.1	12.1	6.0	78.4	24.1	12.1	84.4	24.1	6.0	217.1	6.0	9
36.1	18.1	12.0	54.2	78.2	6.0	18.1	12.0	36.1	18.1	18.1	12.0	78.2	.....	.....	54.2	36.1	12.0	174.5	6.0	10
63.6	11.6	11.6	60.7	107.0	2.9	92.6	20.2	34.7	31.8	2.9	2.9	34.7	11.6	2.9	49.2	86.8	17.4	231.4	11.6	11
38.5	14.8	3.0	44.4	139.1	20.7	91.7	20.7	23.7	32.5	11.8	14.8	41.4	.....	8.9	41.4	62.1	5.9	239.6	3.0	12
50.9	3.2	3.2	31.8	108.1	15.9	54.1	6.4	28.6	6.4	3.2	6.4	60.4	3.2	12.7	63.6	60.4	6.4	165.4	15.9	13
29.0	9.7	3.2	58.0	96.7	6.4	51.6	3.2	41.9	6.4	3.2	12.9	51.6	6.4	6.4	38.7	45.1	3.2	151.5	16.1	14
89.9	25.7	25.7	93.2	125.3	32.1	86.7	12.8	19.3	16.1	16.1	6.4	54.6	9.6	.....	57.8	77.1	9.6	285.9	25.7	15
80.3	28.9	19.3	73.9	106.0	12.8	106.0	19.3	9.6	12.8	6.4	6.4	73.9	6.4	.....	38.5	70.7	22.5	266.6	3.2	16
106.5	6.3	6.3	68.9	131.5	25.1	81.4	6.3	25.1	43.8	6.3	12.5	56.4	.....	.....	68.9	81.4	6.3	332.0	25.1	17
112.0	18.7	12.4	80.9	93.4	18.7	80.9	31.1	56.0	12.4	.....	12.4	62.2	6.2	6.2	56.0	74.7	6.2	255.2	.....	18
78.2	21.5	11.7	87.9	84.0	15.6	54.7	31.3	9.8	7.8	13.7	21.5	95.7	3.9	5.9	39.1	44.9	5.9	312.6	9.8	19
105.5	19.2	13.4	55.6	107.4	26.8	86.3	15.3	19.2	9.6	7.7	7.7	76.7	3.8	5.8	46.0	51.8	7.7	230.1	9.6	20
92.2	14.7	10.5	81.8	115.3	27.3	75.5	31.4	41.9	14.7	10.5	16.8	81.8	.....	2.1	79.7	54.5	4.2	197.1	10.5	21
71.4	10.5	4.2	65.1	130.2	27.3	39.9	12.6	46.2	2.1	14.7	12.6	71.4	.....	4.2	69.3	75.6	14.7	197.5	2.1	22
89.1	21.0	5.2	41.9	73.4	31.4	26.2	5.2	26.2	15.7	.....	5.2	78.6	.....	5.2	41.9	36.7	10.5	204.4	10.5	23
89.6	10.5	.....	47.5	84.4	5.3	47.5	21.1	26.4	15.8	5.3	10.5	84.4	.....	15.8	68.6	47.5	21.1	205.7	10.5	24
39.4	.....	.....	52.5	26.2	39.4	39.4	.....	39.4	.....	.....	.....	65.6	13.1	.....	78.7	183.7	.....	183.7	39.4	25
26.9	13.4	.....	13.4	53.8	.....	13.4	13.4	13.4	.....	.....	.....	40.3	.....	13.4	67.2	67.2	26.9	147.9	13.4	26
59.2	19.7	3.9	35.5	114.5	23.7	94.7	15.8	23.7	7.9	3.9	11.8	35.5	3.9	7.9	43.4	82.9	11.8	197.4	11.8	27
67.2	11.9	.....	47.4	134.3	4.0	51.4	11.9	11.9	11.9	11.9	4.0	59.3	7.9	7.9	39.5	35.6	4.0	197.6	11.9	28
75.9	13.8	6.9	34.5	110.4	13.8	34.5	27.6	27.6	.....	.....	.....	62.1	6.9	6.9	48.3	89.7	6.9	117.3	13.8	29
76.0	20.7	.....	76.0	69.1	13.8	27.7	41.5	20.7	.....	.....	6.9	41.5	.....	13.8	34.6	62.2	13.8	124.4	13.8	30
29.1	29.1	29.1	58.1	174.4	29.1	.....	29.1	.....	.....	.....	.....	29.1	.....	.....	58.1	87.2	29.1	116.3	29.1	31
29.2	.....	.....	58.4	87.7	29.2	58.4	29.2	.....	.....	.....	.....	58.4	.....	.....	87.7	87.7	29.2	87.7	.....	32
103.3	27.3	.....	54.7	130.6	21.3	91.1	12.1	18.2	9.1	6.1	9.1	33.4	6.1	.....	63.8	54.7	27.3	224.8	3.0	33
94.3	30.4	.....	66.9	124.7	21.3	97.3	6.1	36.5	6.1	6.1	15.2	66.9	.....	.....	69.9	57.8	12.2	276.7	12.2	34
11.7	.....	.....	35.2	11.7	11.7	140.6	11.7	35.2	.....	.....	11.7	.....	.....	23.4	82.0	105.5	.....	93.8	.....	35
12.5	.....	.....	12.5	62.6	25.0	112.7	12.5	62.6	.....	.....	.....	62.6	.....	.....	87.6	225.4	12.5	125.2	.....	36
66.6	23.0	2.6	74.3	110.1	41.0	66.6	17.9	41.0	10.2	5.1	25.6	69.1	.....	5.1	46.1	61.5	7.7	245.9	5.1	37
107.6	7.7	2.6	64.0	161.4	33.3	64.0	12.8	25.7	7.7	10.2	10.2	69.2	2.6	12.8	71.7	64.0	12.8	210.1	7.7	38
93.9	4.7	4.7	126.8	98.6	18.8	65.8	23.5	32.9	4.7	14.1	18.8	23.5	.....	4.7	51.7	61.1	9.4	328.8	9.4	39
51.4	14.0	4.7	88.8	84.1	14.0	51.4	23.4	18.7	4.7	18.7	9.3	28.0	.....	9.3	51.4	51.4	37.4	219.6	.....	40
65.0	45.5	.....	116.9	129.9	39.0	71.5	26.0	13.0	6.5	.....	6.5	58.5	.....	.....	65.0	78.0	19.5	344.3	13.0	41
129.7	13.0	.....	77.8	136.2	13.0	13.0	13.0	6.5	13.0	13.0	6.5	32.4	.....	13.0	51.9	13.0	13.0	246.4	6.5	42
85.2	13.5	.....	44.8	89.7	17.9	40.4	17.9	26.9	9.0	4.5	4.5	53.8	.....	4.5	53.8	49.3	13.5	291.5	13.5	43
67.1	4.5	8.9	67.1	120.8	17.9	98.4	13.4	40.3	13.4	4.5	4.5	76.0	4.5	.....	44.7	44.7	13.4	263.9	4.5	44
45.2	11.3	22.6	.....	45.2	11.3	112.9	11.3	112.9	.....	.....	.....	33.9	.....	11.3	90.3	146.8	11.3	271.0	22.6	45
46.1	11.5	23.0	23.0	103.6	46.1	92.1	11.5	46.1	.....	11.5	.....	11.5	.....	11.5	115.2	149.7	11.5	149.7	11.5	46
88.5	17.7	17.7	70.8	118.0	23.6	70.8	17.7	47.2	.....	5.9	5.9	53.1	5.9	.....	41.3	53.1	11.8	206.5	11.8	47
53.0	5.9	11.8	70.6	117.7	11.8	70.6	11.8	23.5	17.7	29.4	5.9	35.3	.....	23.5	64.7	70.6	11.8	200.1	5.9	48
96.6	26.4	.....	90.8	169.8	29.3	70.3	14.6	20.5	5.9	20.5	5.9	55.6	2.9	5.9	38.1	55.6	23.4	269.4	11.7	49
108.2	23.4	8.8	114.0	143.3	55.6	61.4	11.7	32.2	14.6	20.5	17.5	46.8	2.9	.....	49.7	55.6	17.5	283.6	8.8	50
67.6	10.4	10.4	62.4	98.8	.....	83.2	10.4	36.4	10.4	10.4	5.2	78.0	5.2	.....	57.2	62.4	10.4	306.9	10.4	51
67.2	5.2	10.3	124.1	124.1	5.2	82.8	10.3	36.2	20.7	5.2	.....	62.1	.....	10.3	41.4	56.9	.....	284.5	15.5	52
86.8	17.4	26.0	43.4	78.1	.....	43.4	17.4	26.0	.....	.....	8.7	86.8	.....	.....	60.7	78.1	8.7	269.0	26.0	53
33.9	.....	.....	67.8	127.1	42.4	127.1	.....	50.8	25.4	.....	8.5	101.7	.....	8.5	50.8	76.2	16.9	203.3	.....	54
48.1	18.0	6.0	42.0	54.1	42.0	48.1	24.0	30.0	6.0	.....	12.0	96.1	.....	12.0	84.1	42.0	12.0	252.3	18.0	55
65.9	24.0	.....	137.8	119.8	36.0	47.9	.....	59.9	.....	6.0	.....	95.9	.....	12.0	77.9	24.0	.....	245.7	24.0	56
91.5	22.9	.....	91.5	175.5	7.6	91.5	.....	22.9	7.6	.....	30.5	53.4	7.6	.....	83.9	91.5	.....	289.9	22.9	57
44.6	22.3	.....	29.7	178.3	14.9	74.3	14.9	22.3	7.4	7.4	.....	74.3	.....	22.3	52.0	59.4	.....	163.4	22.3	58
70.7	5.1	10.1	75.8	111.2	10.1	40.4	30.3	10.1	.....	10.1	10.1	25.3	.....	15.2	70.7	40.4	.....	242.6	.....	59
75.5	10.1	.....	80.5	115.7	5.0	70.4	25.2	10.1	.....	30.2	.....	35.2	.....	.....	60.4	120.7	5.0	271.7	.....	60
75.6	21.6	10.8	64.8	54.0	.....	102.6	10.8	32.4	10.8	10.8	5.4	43.2	5.4	.....	135.0	54.0	5.4	151.1	10.8	61
60.9	11.1	11.1	66.4	60.9	.....	77.5	.....	27.7	16.6	5.5	.....	49.8	5.5	11.1	66.4	60.9	5.5	204.8	11.1	62
95.1	5.0	15.0	65.1	80.1	20.0	85.1	10.0	40.1	5.0	5.0	5.0	30.0	5.0	.....	95.1	60.1	15.0	105.1	.....	63
66.0	15.2	10.2	40.6	60.9	.....	60.9	20.3	45.7	10.2	15.2	15.2	50.8	.....	15.2	76.2	55.9	15.2	157.4	5.1	64
58.6	12.3	3.1	58.6	117.2	33.9	95.6	3.1	40.1	3.1	9.3	9.3	55.5	6.2	.....	46.3	46.3	21.6	163.4	6.2	65
58.9	6.2	12.4	68.1	142.5	24.8	52.7	9.3	34.1	6.2	3.1	12.4	62.0	6.2	3.1	74.3	49.6	12.4	247.8	3.1	66
43.9	.....	4.9	29.3	41.5	14.6	65.9	19.5	51.3	2.4	4.9	2.4	39.1	.....	2.4	80.6	65.9	4.9	178.2	14.6	67
54.7	2.5	7.5	44.8	69.7	10.0	59.7	19.9	32.3	5.0	17.4	12.4	44.8	5.0	7.5	69.7	42.3	12.4	164.2	7.5	68
53.2	9.7	.....	9.7	91.9	4.8	67.7	9.7	48.3	.....	.....	9.7	24.2	.....	.....	58.0	72.5	9.7	212.7	14.5	69
19.8	19.8	9.9	49.5	108.8	.....	39.6	14.8	59.3	4.9	9.9	.....	29.7	19.8	9.9	94.0	49.5	4.9	163.2	24.7	70
83.2	18.5	.....	46.2	101.7	27.7	64.7	18.5	18.5	18.5	.....	18.5	74.0	.....	.....	64.7	27.7	9.2	268.1	18.5	71
64.9	9.3	.....	46.3	139.0	37.1	55.6	27.8	18.5	27.8	27.8	9.3	18.5	.....	.....	55.6	74.1	.....	157.5	.....	72
118.9	8.6	25.9	96.5	270.6	22.4	136.2	60.3	94.8	8.6	12.1	37.9	149.9	5.2	3.4	101.7	136.2	43.1	534.3	12.1	73
114.3	21.4	12.5	98.3	234.0	35.7	175.1	26.8	67.9	1.8	5.4	32.2	155.4	8.9	14.3	105.4	110.8	30.4	510.9	1.8	74
85.8	27.5	3.4	61.8	154.5	20.6	130.4	6.9	10.3	17.2	13.7	10.3	54.9	3.4	3.4	79.0	61.8	17.2	181.9	6.9	75
89.5	17.2	.....	65.4	103.3	13.8	79.2	3.4	17.2	17.2	3.4	10.3	51.6	.....	6.9	37.9	55.1	10.3	199.6	13.8	76
44.1	7.4	3.7	36.8	77.2	11.0	55.1	18.4	47.8	11.0	.....	3.7	55.1	3.7	7.4	84.5	36.8	11.0	198.5	22.1	77
48.6	3.7	3.7	33.7	82.3	26.2	33.7	26.2	48.6	7.5	.....	3.7	41.2	3.7	11.2	78.6	56.1	7.5	220.8	26.2	78

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per correspond to those of the abridged International List (see p. 22).]

	AREA AND COLOR.		DEATH RATE PER 100,000 POPULATION FROM—													
			All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
				1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	WISCONSIN—continued.															
1	Oneida County †	1913	481.1	8.2	.....	.....	.....	.....	.....	.....	8.2	.....	32.6	.....	8.2	.....
2		1912	957.9	8.3	.....	.....	33.3	.....	.....	8.3	.....	.....	66.6	16.7	33.3	.....
3	Outagamie County	1913	1,103.7	6.1	3.1	.....	6.1	21.4	9.2	.....	6.1	3.1	76.4	6.1	6.1	6.1
4		1912	868.4	3.1	.....	.....	3.1	6.1	3.1	3.1	6.1	.....	52.2	6.1	9.2	3.1
5	Ozaukee County	1913	996.0	.....	.....	.....	28.8	11.5	5.8	.....	5.8	.....	80.6	.....	5.8	23.0
6		1912	1,064.1	5.8	.....	.....	28.9	11.6	17.3	5.8	5.8	5.8	34.7	11.6	.....	11.6
7	Pepin County	1913	1,164.5	40.2	.....	.....	40.2	.....	.....	26.8	26.8	26.8	80.3	.....	.....	.....
8		1912	1,092.8	13.3	.....	.....	.....	.....	13.3	.....	26.7	.....	53.3	26.7	.....	.....
9	Pierce County	1913	1,094.3	.....	.....	.....	4.7	.....	.....	.....	.....	4.7	79.2	.....	27.9	4.7
10		1912	1,015.5	.....	.....	.....	4.6	.....	.....	13.8	.....	.....	64.6	.....	4.6	23.1
11	Polk County	1913	905.7	4.4	4.4	.....	22.2	8.9	.....	4.4	13.3	4.4	75.5	4.4	22.2	8.9
12		1912	906.9	4.5	.....	.....	.....	9.0	.....	13.5	13.5	.....	103.8	.....	.....	.....
13	Portage County	1913	1,069.4	9.5	.....	.....	9.5	.....	3.2	22.3	15.9	3.2	73.2	3.2	3.2	9.5
14		1912	1,061.7	9.6	.....	.....	.....	6.4	6.4	6.4	9.6	3.2	76.7	.....	3.2	12.8
15	Price County	1913	750.8	6.5	.....	.....	6.5	6.5	6.5	.....	.....	.....	45.7	.....	.....	.....
16		1912	842.2	20.2	.....	.....	27.0	13.5	6.7	.....	13.5	.....	47.2	13.5	.....	.....
17	Racine County	1913	1,169.4	5.6	.....	.....	.....	.....	.....	5.6	5.6	11.3	62.1	5.6	5.6	5.6
18		1912	1,270.3	5.7	.....	.....	.....	.....	.....	11.4	22.9	5.7	103.0	.....	11.4	11.4
19	Richland County	1913	909.0	5.4	.....	.....	.....	10.8	5.4	.....	5.4	.....	48.4	10.8	10.8	10.8
20		1912	1,179.1	5.4	.....	.....	.....	10.7	.....	.....	21.4	5.4	69.7	10.7	10.7	.....
21	Rock County	1913	1,023.8	3.8	.....	.....	.....	3.8	7.6	3.8	19.1	3.8	57.3	.....	7.6	3.8
22		1912	1,206.1	3.8	3.8	.....	.....	3.8	7.6	7.6	11.4	.....	57.1	.....	19.0	.....
23	Rusk County	1913	1,056.8	8.3	.....	.....	25.0	33.3	16.6	41.6	41.6	8.3	41.6	8.3	8.3	.....
24		1912	987.2	.....	.....	.....	.....	17.0	17.0	8.5	17.0	.....	59.6	8.5	.....	17.0
25	St. Croix County	1913	1,093.2	7.8	.....	.....	27.3	.....	.....	.....	3.9	3.9	70.3	.....	.....	3.9
26		1912	999.8	7.8	.....	.....	.....	.....	3.9	3.9	.....	.....	70.0	.....	15.6	3.9
27	Sauk County	1913	1,017.5	.....	.....	.....	.....	.....	.....	.....	18.3	.....	45.7	3.0	6.1	9.1
28		1912	1,014.0	9.1	.....	.....	.....	6.1	.....	6.1	33.5	.....	45.7	.....	9.1	9.1
29	Sawyer County	1913	1,030.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	141.2	.....	28.2	.....
30		1912	939.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	205.4	.....	.....	.....
31	Shawano County	1913	1,038.6	.....	.....	.....	3.0	3.0	12.0	.....	9.0	3.0	87.0	6.0	3.0	3.0
32		1912	958.3	9.1	.....	.....	.....	6.1	.....	6.1	3.0	.....	76.1	.....	6.1	6.1
33	Sheboygan County	1913	1,029.5	6.9	.....	.....	6.9	17.3	10.4	10.4	10.4	.....	45.1	.....	3.5	6.9
34		1912	918.7	10.4	.....	.....	.....	.....	.....	7.0	3.5	3.5	48.7	.....	20.9	.....
35	Taylor County	1913	1,006.0	20.8	.....	.....	13.9	.....	20.8	13.9	6.9	.....	6.9	.....	6.9	6.9
36		1912	980.7	7.1	.....	.....	7.1	.....	35.3	7.1	.....	.....	42.3	.....	7.1	7.1
37	Trempealeau County	1913	1,014.5	.....	.....	.....	4.4	.....	.....	4.4	.....	.....	43.7	4.4	.....	4.4
38		1912	926.2	4.4	.....	.....	.....	.....	4.4	21.8	.....	.....	118.0	8.7	13.1	.....
39	Vernon County	1913	873.7	3.6	.....	.....	.....	3.6	3.6	.....	10.7	.....	57.1	3.6	14.3	10.7
40		1912	1,011.9	3.6	.....	.....	.....	.....	10.7	21.4	17.8	.....	89.1	10.7	21.4	3.6
41	Vilas County †	1913	565.0	.....	.....	.....	.....	.....	15.7	15.7	.....	.....	15.7	.....	.....	.....
42		1912	638.8	.....	.....	.....	.....	47.9	.....	16.0	.....	.....	79.8	.....	.....	.....
43	Walworth County	1913	1,335.4	10.1	.....	.....	3.4	.....	13.5	3.4	30.3	.....	74.0	3.4	10.1	3.4
44		1912	1,225.8	3.4	.....	.....	6.7	3.4	3.4	3.4	16.8	3.4	84.2	.....	10.1	3.4
45	Washburn County	1913	948.9	22.1	.....	.....	11.0	.....	44.1	22.1	22.1	.....	33.1	.....	11.0	.....
46		1912	853.0	22.7	.....	.....	.....	.....	.....	.....	.....	.....	45.5	11.4	.....	.....
47	Washington County	1913	1,040.0	12.6	.....	.....	8.4	4.2	12.6	.....	4.2	.....	88.1	8.4	8.4	4.2
48		1912	1,078.7	16.8	.....	.....	.....	4.2	16.8	4.2	4.2	.....	67.2	.....	4.2	12.6
49	Waukesha County	1913	1,294.2	.....	.....	.....	13.3	8.0	2.7	2.7	15.9	.....	164.4	2.7	10.6	15.9
50		1912	1,226.1	2.7	.....	.....	5.3	5.3	5.3	2.7	13.3	5.3	130.6	.....	8.0	8.0
51	Waupaca County	1913	1,176.1	.....	3.0	.....	.....	3.0	3.0	3.0	21.1	3.0	57.3	6.0	3.0	6.0
52		1912	1,153.0	21.2	.....	.....	3.0	15.1	.....	6.1	6.1	6.1	30.3	6.1	6.1	6.1
53	Waushara County	1913	963.1	10.1	.....	.....	30.3	40.3	.....	10.1	30.3	.....	50.4	.....	.....	15.1
54		1912	921.3	5.1	.....	.....	.....	61.4	15.4	30.7	20.5	5.1	35.8	.....	10.2	15.4
55	Winnebago County *	1913	1,307.1	.....	.....	.....	3.5	.....	24.3	.....	10.4	7.0	83.4	.....	7.0	7.0
56		1912	1,171.3	6.9	.....	.....	.....	13.9	3.5	10.4	6.9	3.5	86.6	3.5	6.9	.....
57	Wood County	1913	1,136.6	23.0	.....	.....	6.2	6.2	6.2	3.1	3.1	.....	59.2	3.1	.....	.....
58		1912	1,033.6	15.8	.....	.....	.....	25.3	3.2	6.3	.....	.....	88.5	.....	12.6	3.2

[1] Exclusive of stillbirths.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1912 AND 1913—Continued.

designated by asterisks (*). Areas with very low rates for either year, due possibly to incomplete registration, are designated by daggers (†). Figures for white and cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes of death

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
24.5	8.2	.....	8.2	81.5	.....	40.8	8.2	24.5	.....	.....	8.2	.....	8.2	8.2	73.4	48.9	8.2	57.1	16.3	1
58.3	25.0	8.3	50.0	133.3	33.3	75.0	8.3	8.3	8.3	8.3	8.3	25.0	16.6	.....	50.0	100.0	8.3	141.6	25.0	2
79.5	21.4	27.5	45.9	113.1	24.5	107.0	9.2	42.8	6.1	9.2	12.2	48.9	9.2	12.2	73.4	45.9	.....	247.6	18.3	3
64.4	15.3	6.1	58.3	113.5	21.5	36.8	6.1	24.5	3.1	3.1	9.2	39.9	3.1	.....	67.5	67.5	12.3	211.7	9.2	4
46.1	.....	5.8	97.9	103.6	23.0	80.6	17.3	28.8	5.8	17.3	5.8	63.3	.....	5.8	69.1	40.3	17.3	195.8	11.5	5
69.4	11.6	.....	75.2	104.1	40.5	63.6	.....	34.7	.....	40.5	.....	86.7	.....	.....	81.0	28.9	5.8	271.8	11.6	6
53.5	13.4	13.4	80.3	133.9	40.2	147.2	13.4	26.8	.....	26.8	13.4	26.8	.....	.....	53.5	107.1	.....	160.6	13.4	7
66.6	.....	13.3	66.6	173.2	26.7	26.7	13.3	26.7	13.3	13.3	.....	106.6	26.7	.....	26.7	80.0	.....	266.5	13.3	8
116.4	4.7	9.3	79.2	186.3	27.9	88.5	23.3	14.0	.....	4.7	14.0	60.5	.....	9.3	41.9	51.2	9.3	223.5	9.3	9
87.7	13.8	13.8	83.1	120.0	27.7	64.6	4.6	13.8	.....	4.6	.....	83.1	9.2	.....	69.2	50.8	18.5	230.8	9.2	10
66.6	13.3	4.4	57.7	102.1	22.2	40.0	13.3	48.8	8.9	13.3	8.9	79.9	4.4	.....	66.6	26.6	13.3	119.9	22.2	11
76.7	22.6	.....	45.1	117.3	9.0	45.1	.....	9.0	.....	4.5	4.5	76.7	.....	13.5	76.7	45.1	13.5	194.0	9.0	12
57.3	12.7	19.1	44.6	105.0	19.1	57.3	22.3	76.4	25.5	9.5	25.5	44.6	3.2	12.7	79.6	50.9	3.2	232.3	15.9	13
41.6	9.6	19.2	67.2	147.1	12.8	57.6	6.4	64.0	9.6	12.8	16.0	41.6	3.2	.....	111.9	64.0	6.4	223.8	12.8	14
71.8	19.6	.....	39.2	65.3	6.5	65.3	.....	13.1	.....	.....	.....	39.2	6.5	13.1	52.2	78.3	13.1	195.9	.....	15
67.4	6.7	6.7	33.7	67.4	13.5	53.9	6.7	27.0	.....	6.7	.....	20.2	.....	6.7	60.6	128.0	27.0	155.0	13.5	16
141.2	11.3	5.6	79.1	135.6	11.3	73.4	16.9	11.3	11.3	5.6	33.9	56.5	.....	.....	39.5	90.4	16.9	305.0	16.9	17
103.0	28.6	5.7	97.3	125.9	34.3	68.7	5.7	51.5	17.2	11.4	28.6	114.4	5.7	11.4	62.9	91.6	5.7	223.2	5.7	18
43.0	16.1	10.8	59.2	129.1	16.1	86.1	10.8	16.1	.....	10.8	5.4	69.9	5.4	5.4	80.7	32.3	10.8	188.3	5.4	19
59.0	16.1	10.7	96.5	134.0	26.8	101.8	32.2	37.5	.....	16.1	10.7	69.7	10.7	5.4	107.2	80.4	10.7	219.7	.....	20
99.3	3.8	22.9	76.4	107.0	22.9	57.3	11.5	7.6	7.6	15.3	3.8	49.7	3.8	.....	45.8	49.7	3.8	294.2	30.6	21
87.5	7.6	11.4	72.3	106.5	15.2	91.3	7.6	26.6	3.8	7.6	11.4	60.9	.....	3.8	76.1	87.5	22.8	388.1	3.8	22
49.9	.....	8.3	58.3	66.6	8.3	58.3	41.6	58.3	.....	.....	.....	33.3	16.6	.....	116.5	91.5	8.3	199.7	8.3	23
34.0	.....	8.5	34.0	119.1	17.0	42.6	8.5	17.0	8.5	.....	.....	76.6	.....	8.5	85.1	161.7	25.5	178.7	17.0	24
70.3	15.6	7.8	89.8	82.0	27.3	97.6	1.2	15.6	11.7	7.8	15.6	42.9	7.8	23.4	85.9	70.3	3.9	253.8	15.6	25
77.8	11.7	.....	81.7	132.3	19.5	19.5	23.3	15.6	3.9	.....	3.9	85.6	3.9	7.8	66.1	93.4	19.5	225.6	3.9	26
76.2	3.0	3.0	91.4	88.3	12.2	57.9	21.3	21.3	6.1	12.2	15.2	94.4	6.1	.....	64.0	85.3	3.0	265.0	9.1	27
76.1	15.2	3.0	79.2	112.7	27.4	60.9	15.2	9.1	6.1	6.1	12.2	88.3	.....	3.0	36.5	82.2	15.2	234.5	12.2	28
42.4	.....	.....	.....	70.6	14.1	197.7	.....	84.7	14.1	.....	.....	.....	14.1	28.2	42.4	113.0	.....	183.6	56.5	29
29.3	.....	.....	44.0	102.7	29.3	88.0	.....	29.3	.....	14.7	.....	.....	.....	29.3	58.7	117.4	44.0	132.1	14.7	30
57.0	3.0	18.0	45.0	93.1	21.0	72.0	27.0	48.0	.....	12.0	12.0	45.0	9.0	3.0	63.0	60.0	15.0	270.1	36.0	31
57.8	18.3	3.0	39.6	70.0	30.4	63.9	21.3	33.5	9.1	6.1	3.0	66.9	3.0	18.3	79.1	70.0	12.2	225.1	15.2	32
62.4	13.9	.....	83.2	124.8	34.7	72.8	17.3	27.7	17.3	6.9	10.4	34.7	3.5	6.9	48.5	62.4	13.9	263.4	6.9	33
73.1	24.4	10.4	100.9	87.0	38.3	24.4	17.4	17.4	10.4	3.5	10.4	41.8	3.5	.....	62.6	48.7	28.8	212.3	10.4	34
62.4	.....	.....	34.7	90.2	13.9	90.2	6.9	76.3	13.9	13.9	.....	48.6	13.9	20.8	83.3	104.1	.....	208.1	27.8	35
35.3	7.1	.....	56.4	127.0	14.1	162.3	7.1	56.4	.....	28.2	.....	56.4	7.1	14.1	56.4	63.5	7.1	169.3	.....	36
83.1	30.6	56.8	74.3	192.4	.....	65.6	13.1	35.0	8.7	.....	4.4	26.2	4.4	.....	78.7	43.7	21.9	201.1	13.1	37
52.4	13.1	26.2	48.1	113.6	13.1	122.3	8.7	4.4	4.4	13.1	.....	48.1	.....	.....	30.6	21.8	8.7	205.3	21.8	38
60.6	7.1	3.6	67.8	92.7	32.1	60.6	7.1	39.2	3.6	7.1	10.7	67.8	3.6	10.7	57.1	39.2	.....	196.1	.....	39
49.9	3.6	3.6	46.3	121.1	24.9	106.9	17.8	3.6	3.6	7.1	3.6	42.8	3.6	.....	53.4	49.9	17.8	263.7	10.7	40
15.7	.....	.....	.....	47.1	.....	109.9	.....	31.4	.....	.....	.....	31.4	15.7	15.7	78.5	94.2	15.7	62.8	.....	41
31.9	16.0	.....	16.0	47.9	.....	16.0	.....	16.0	.....	.....	.....	31.9	.....	.....	111.8	127.8	.....	79.8	.....	42
117.7	10.1	3.4	97.5	174.9	26.9	111.0	20.2	20.2	13.5	16.8	13.5	97.5	6.7	3.4	43.7	87.5	23.5	289.3	6.7	43
97.7	3.4	3.4	74.1	181.9	33.7	70.7	20.2	13.5	13.5	.....	10.1	64.0	3.4	3.4	43.8	128.0	16.8	306.5	.....	44
66.2	.....	.....	33.1	55.2	.....	77.2	.....	44.1	.....	11.0	.....	77.2	.....	.....	132.4	132.4	11.0	121.4	22.1	45
56.9	.....	.....	56.9	91.0	11.4	79.6	22.7	11.4	11.4	11.4	.....	125.1	.....	11.4	56.9	56.9	.....	170.6	.....	46
79.7	29.4	12.6	117.4	109.0	4.2	54.5	4.2	8.4	4.2	21.0	12.6	67.1	.....	12.6	67.1	54.5	4.2	218.1	8.4	47
67.2	12.6	12.6	109.1	138.5	21.0	75.5	25.2	29.4	.....	16.8	16.8	88.1	4.2	.....	71.4	46.2	25.2	188.9	.....	48
84.9	29.2	21.2	92.8	151.2	10.6	63.7	15.9	26.5	8.0	8.0	5.3	76.9	.....	5.3	34.5	108.7	42.4	265.2	8.0	49
88.0	21.3	5.3	69.3	154.6	13.3	77.3	24.0	29.3	8.0	8.0	5.3	69.3	.....	5.3	74.6	72.0	16.0	287.9	10.7	50
84.4	27.1	12.1	57.3	120.6	36.2	90.5	24.1	27.1	6.0	15.1	24.1	111.6	3.0	3.0	54.3	69.4	3.0	292.5	6.0	51
78.7	12.1	12.1	78.7	96.8	30.3	90.8	15.1	12.1	9.1	6.1	12.1	115.0	.....	15.1	57.5	51.4	21.2	311.7	21.2	52
65.6	20.2	5.0	60.5	55.5	15.1	60.5	10.1	15.1	.....	.....	25.2	35.3	.....	.....	90.8	40.3	5.0	267.2	5.0	53
51.2	20.5	.....	25.6	71.7	20.5	40.9	15.4	35.8	10.2	5.1	15.4	102.4	.....	5.1	107.5	20.5	5.1	158.7	10.2	54
97.3	17.4	3.5	86.9	163.4	20.9	83.4	3.5	34.8	17.4	17.4	7.0	86.9	.....	3.5	45.2	66.0	13.9	389.3	7.0	55
110.9	13.9	13.9	100.5	110.9	10.4	93.6	17.3	17.3	6.9	3.5	6.9	38.1	.....	3.5	41.6	34.7	17.3	381.2	6.9	56
84.1	6.2	15.6	59.2	84.1	24.9	93.4	12.5	87.2	34.3	9.3	9.3	62.3	9.3	6.2	62.3	84.1	9.3	249.1	18.7	57
91.7	12.6	15.8	56.9	104.3	19.0	41.1	9.5	31.6	25.3	19.0	6.3	47.4	3.2	.....	79.0	72.7	15.8	208.6	19.0	58

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		CALIFORNIA.				COLORADO.				CONNECTICUT.			
		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.	
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	All causes[1]	1,522.5	1,521.6	1,352.7	1,305.0	1,357.0	1,385.4	1,033.4	1,032.7	1,530.6	1,524.2	1,431.8	1,421.4
	I.—General diseases	454.5	445.5	373.0	359.4	475.6	489.4	266.8	282.1	376.9	369.6	351.7	363.5
1	Typhoid fever	16.6	16.7	15.1	17.7	16.6	16.9	17.2	14.5	12.9	13.4	7.8	5.4
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	1.2	1.8	3.3	4.8	.....	0.3	.....	.....	1.2	1.9	1.6	2.4
5	Smallpox	0.3	1.0	0.8	0.2	.....	.....	.....	0.2	.....	.....	0.3	.....
6	Measles	5.3	5.8	6.5	5.1	4.5	0.6	3.6	2.6	10.3	12.0	4.5	5.9
7	Scarlet fever	3.4	1.1	3.3	2.3	16.3	10.3	17.7	9.9	11.3	8.7	6.4	4.3
8	Whooping cough	4.2	7.4	4.7	6.2	6.7	8.8	8.0	13.4	7.4	10.0	8.0	10.0
9	Diphtheria and croup	8.1	7.0	5.1	4.5	7.9	6.9	7.2	6.3	22.4	19.5	12.0	12.2
10	Influenza	8.5	5.5	12.6	11.9	4.5	7.8	6.0	6.5	14.0	11.6	22.5	21.1
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	0.1	.....	0 2	0.2	0.6	0.6	0.7	0.4	0.2	0.4	0.8	.....
14	Dysentery	3.4	2.6	3.6	6.2	0.3	0.3	4.0	3.4	2.7	3.8	5.3	5.7
15	Plague	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	0.1	.....	0.1	.....	.....	.....	.....	0.1	.....	.....	.....
18	Erysipelas	3.8	3.5	3.0	3.7	5.4	3.4	3.8	2.4	5.3	4.7	2.9	3.2
19	Other epidemic diseases	0.1	0.1	0.5	0.7	.....	.....	0.2	0.2	.....	.....	.....	0.5
20	Purulent infection and septicemia	2.1	3.2	2.2	2.9	1.5	1.6	2.5	1.7	4.0	4.0	1.6	3.8
21	Glanders	0.1	.....	.....	.....	.....	.....	.....	0.2	.....	0.1	.....	.....
22	Anthrax	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	0.3	.....
23	Rabies	0.3	0.5	0.3	0.1	.....	.....	.....	.....	.....	.....	0.3	.....
24	Tetanus	1.9	1.9	3.0	2.2	.....	0.6	0.2	0.2	3.6	1.4	0.5	2.4
25	Mycoses	0.1	0.2	.....	0.2	.....	0.3	.....	.....	.....	0.1	.....	0.3
26	Pellagra	0.9	0.3	0 5	0.5	0.3	.....	0.4	0.9	0.4	.....	0.3	.....
27	Beriberi	0.1	0.1	0.2	0.1	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	215.3	217.8	188.1	177.8	273.6	297.5	133.5	147.7	137.1	138.4	147.6	152.3
28	Tuberculosis of the lungs	178.9	181.9	160.1	153.3	246.7	268.8	120.1	133.7	109.3	106.6	128.7	137.4
29	Acute miliary tuberculosis	6.0	4.8	4.3	4.8	5.4	3.4	1.8	2.6	5.9	5.9	4.8	3.0
30	Tuberculous meningitis	14.5	14.3	8.5	6.7	12.7	12.8	4.9	4.7	12.7	13.8	5.9	5.7
31	Abdominal tuberculosis	8.8	8.4	8.4	7.8	3.6	7.5	3.3	4.5	4.3	6.2	3.7	2.7
32	Pott's disease	2.0	2.1	1.4	1 1	1.5	0.3	0.5	0.2	1.5	1.5	0.5	1.4
33	White swellings	0.9	1.0	0.8	0.3	0.3	1.3	0.9	.....	0.9	1.0	0.8	0.5
34	Tuberculosis of other organs	2.9	3.1	2.5	2.1	0.3	0.9	0.7	0.6	1.9	2.3	1.9	1.4
35	Disseminated tuberculosis	1.4	2.1	2.1	1.6	3.0	2.5	1.3	1.5	0.6	1.0	1.3	0.3
36	Rickets	0.5	0.6	0.4	0.2	0.6	0.6	0.2	0.4	1.0	0.9	1.3	1.9
37	Syphilis	9.4	9.3	7.0	6.2	10.9	10.9	4.9	3.9	3.7	5.6	1.6	0.8
38	Gonococcus infection	0.4	0.3	0.3	0.7	.....	.....	.....	.....	0.1	0.4	.....	0.3
	Cancer and other malignant tumors (total)	117.1	109.5	73.1	67.5	79.9	82.8	33.3	43.2	87.3	82.6	80.5	78.8
39	Of the buccal cavity	4.8	3.8	3.7	3.0	2.4	3.1	0.5	2.2	2.6	3.5	3.5	3.0
40	Of the stomach, liver	45.4	41.7	30.7	30.3	30.6	30.3	16.1	20.3	31.3	29.5	30.0	31.1
41	Of the peritoneum, intestines, rectum	15.1	15.7	10.2	7.5	9.1	10.3	3.3	3.9	12.6	12.0	11.5	11.9
42	Of the female genital organs	17.6	16.6	9.9	8.1	11.2	15.0	5.4	4.8	12.3	11.9	11.2	13.2
43	Of the breast	10.4	9.8	5.4	5.0	8.8	8.1	3.4	3.4	9.9	8.9	9.9	7.3
44	Of the skin	3.0	3.0	3.4	2.6	1.8	2.2	0.7	2.6	2.6	1.8	2.7	4.1
45	Of other organs or of organs not specified	20.7	19.0	9.7	10.9	16.0	13.8	3.8	6.0	16.0	15.1	11.8	8.4
46	Other tumors (tumors of the female genital organs excepted)	0.6	0.6	0.3	0.1	0.3	0.3	.....	.....	1.0	1.3	0.5	0.8
47	Acute articular rheumatism	4.7	5.2	3.1	4.0	5.8	3.8	3.1	3.0	6.3	4.0	4.5	7.0
48	Chronic rheumatism and gout	1.5	1.7	1.4	1.3	0.6	0.6	1.1	1.1	1.5	2.2	1.3	1.4
49	Scurvy	0.1	0.1	0.1	0.1	.....	.....	.....	0.4	0.4	0.5	0.3	.....
50	Diabetes	21.3	21.7	15.5	13.8	13.9	12.8	7.6	7.8	21.4	19.5	19.0	21.1
51	Exophthalmic goiter	1.6	1.5	1.2	0.9	2.7	0.3	0.9	0.4	1.2	1.4	0.8	0.8
52	Addison's disease	0.9	0.6	0.3	0.3	0.9	0.6	0.9	0.2	1.0	0.4	.....	0.5
53	Leukemia	2.0	2.7	1.0	1.7	1.5	2.5	0.7	0.6	2.0	2.4	1.1	3.2
54	Anemia, chlorosis	7.4	5.7	4.9	3.6	7.0	5.9	2.5	2.4	6.2	7.6	5.3	7.0
55	Other general diseases	2.2	1.5	2.5	1.4	.....	1.9	1.1	0.7	1.9	2.7	1.3	1.6
56	Alcoholism (acute or chronic)	7.4	7.0	8.0	9.6	11.2	9.7	4.9	6.7	8.2	7.7	10.2	8.1
57	Chronic lead poisoning	0.8	0.6	0.1	0.3	0.6	0.3	0 2	0.4	0.4	0.4	1.1	0.3
58	Other chronic occupation poisonings	.....	.....	0.1	0.1	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	0.7	0.4	0.6	0.4	1.2	0.3	0.5	0.6	0.5	0.1	.....	0.3
	II.—Diseases of the nervous system and of the organs of special sense.	141.6	131.9	144.2	142.0	89.9	102.5	75.2	84.0	149.4	160.9	187.5	183.6
60	Encephalitis	1.3	1.3	1.4	1.7	1.2	1.3	1.3	0.9	0.5	1.1	0.3	0.5
61	Meningitis (total)	15.2	10.6	10.8	9.2	9.7	15.0	11.8	8.8	12.7	16.6	13.1	13.8
	Simple meningitis	6.7	6.7	5.6	4.6	6.7	11.3	7.8	5.8	8.3	11.0	8.8	10.3
	Cerebrospinal meningitis (undefined)	5.2	2.7	4.9	3.1	2.7	3.8	3.8	2.6	3.3	4.3	2.9	2.2
	Cerebrospinal fever	3.4	1 2	0.3	1.5	0.3	.....	0.2	0.4	1.1	1.3	1.3	1.4
62	Locomotor ataxia	4.7	3.5	3.0	2.8	1.8	0.9	1.1	0.7	3.1	2.9	6.2	2.7
63	Other diseases of the spinal cord (total)	10.1	13.2	6.3	9.2	3.0	5.0	1.8	2.6	4.5	5.9	4.3	8.1
	Acute anterior poliomyelitis	1.3	5.4	0.8	3.6	.....	0.3	0.2	0.6	1.0	0.8	0.3	0.8
	Other diseases of the spinal cord [2]	8.8	7.8	5.5	5.6	3.0	4.7	1.6	2.0	3.5	5.2	4.0	7.3
64	Cerebral hemorrhage, apoplexy	82.1	75.9	77.2	72.1	52.1	43.8	33.3	38.4	97.0	101.4	121.2	122.6

[1] Exclusive of stillbirths.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed International List No.
INDIANA.				KENTUCKY.												
				Total.				White.				Colored.				
Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
1,524.0	1,421.6	1,237.9	1,250.4	1,696.9	1,739.7	1,227.0	1,187.4	1,494.5	1,517.5	1,152.5	1,113.7	2,655.7	2,793.5	1,889.3	1,840.2	
435.9	384.5	369.8	351.0	481.1	489.4	442.0	411.2	416.8	425.2	411.4	380.3	785.8	793.6	714.0	685.6	
28.2	28.7	23.6	21.2	27.1	28.9	46.2	35.2	23.3	20.7	43.6	33.7	44.9	67.9	69.1	49.1	1
.....	.....	0.1	0.1	.....	.....	0.1	.....	.....	.....	0.1	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
2.4	1.7	2.7	3.4	7.4	9.9	8.3	9.5	2.0	5.3	7.5	8.6	32.7	31.9	15.5	17.1	4
0.6	.....	0.4	0.6	0.2	.....	0.2	0.1	0.3	.....	0.2	0.1	.....	.....	.....	.....	5
17.9	2.8	15.2	2.4	7.6	1.7	19.0	2.4	7.8	1.8	20.5	2.6	6.8	1.4	5.7	1.0	6
11.7	3.8	5.2	4.3	3.1	4.6	2.2	2.5	3.7	5.3	2.5	2.6	.....	1.4	.....	1.0	7
16.0	6.3	9.6	9.5	17.3	12.3	24.6	15.6	12.4	11.1	23.6	14.0	40.9	18.0	33.0	29.5	8
20.9	21.4	17.5	18.1	16.6	18.1	26.4	34.9	18.4	20.2	28.0	37.9	8.2	8.3	11.9	8.3	9
9.9	8.5	16.4	17.4	17.3	20.3	16.8	15.9	9.2	14.6	16.0	16.0	55.8	47.1	24.2	15.0	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
0.6	1.2	0.2	0.3	0.5	0.5	1.8	0.9	0.6	0.3	1.7	1.1	.....	1.4	2.6	.....	13
7.6	6.4	8.4	9.7	12.6	8.9	16.3	10.5	10.4	8.2	17.1	10.2	23.2	12.5	9.3	14.0	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
4.8	3.6	3.2	4.0	7.1	2.2	3.3	3.7	7.5	2.3	3.5	4.0	5.4	1.4	1.5	0.5	18
0.3	0.2	0.3	0.6	0.2	.....	0.3	0.2	0.3	.....	0.3	0.1	.....	.....	.....	1.0	19
2.8	3.0	2.1	2.4	5.7	7.5	4.4	4.0	4.9	7.6	4.1	3.7	9.5	6.9	7.2	7.2	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	0.2	.....	.....	.....	.....	0.2	.....	.....	.....	.....	22
0.5	0.1	0.1	0.1	.....	0.2	0.1	0.1	.....	0.3	0.1	0.1	.....	.....	.....	.....	23
4.0	3.7	2.4	2.0	3.6	4.3	1.7	1.9	2.9	4.1	1.4	1.8	6.8	5.5	4.1	3.6	24
.....	0.1	.....	0.1	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	0.5	.....	25
0.1	.....	0.2	0.2	3.8	7.7	4.6	4.4	3.7	7.9	4.8	4.1	4.1	6.9	3.1	6.7	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
169.0	159.8	140.8	142.5	219.2	237.6	197.6	202.4	177.5	191.3	171.7	176.4	416.7	457.0	427.7	433.3	
134.2	125.9	114.9	116.3	186.2	204.3	167.4	173.2	154.2	164.1	144.8	149.7	337.8	394.7	367.8	381.6	28
6.1	7.8	3.0	3.9	7.6	8.7	4.9	3.8	4.0	5.8	3.8	3.3	24.5	22.2	14.4	8.3	29
9.0	8.4	8.0	6.8	10.0	10.6	8.4	7.7	8.6	9.9	7.9	6.8	16.3	13.8	12.4	15.5	30
11.3	11.5	8.6	8.5	10.0	7.0	9.7	9.7	6.6	5.3	8.6	9.2	25.9	15.2	19.6	14.0	31
1.5	0.7	1.3	1.2	1.4	1.2	1.7	2.0	1.2	0.9	1.6	1.8	2.7	2.8	2.1	4.1	32
1.4	0.8	0.8	0.9	0.7	0.2	0.5	0.5	0.6	0.3	0.6	0.5	1.4	.....	.....	1.0	33
2.5	2.4	2.7	3.2	2.4	3.4	3.2	3.9	1.7	2.9	2.8	3.6	5.4	5.5	6.7	6.7	34
3.1	2.3	1.5	1.7	0.9	2.2	1.8	1.6	0.6	2.0	1.5	1.5	2.7	2.8	4.6	2.1	35
0.9	0.8	0.3	0.4	1.2	1.0	0.6	0.5	0.9	0.9	0.6	0.5	2.7	1.4	1.0	0.5	36
11.1	7.8	5.3	4.6	9.3	8.7	4.8	4.9	6.0	4.7	2.8	2.3	24.5	27.7	21.7	27.9	37
0.7	0.3	0.3	0.1	0.2	.....	0.2	0.4	0.3	.....	0.1	0.3	.....	.....	0.5	1.6	38
81.8	81.0	80.8	70.8	79.6	69.7	41.1	39.5	84.0	74.2	40.7	39.7	58.6	48.5	44.4	37.7	
2.4	2.7	3.9	2.7	2.1	2.7	1.5	1.7	2.3	3.2	1.6	1.9	1.4	.....	0.5	.....	39
29.5	31.5	36.5	31.5	27.8	24.1	14.4	11.4	30.8	28.0	14.2	11.5	13.6	5.5	16.0	10.9	40
10.9	8.7	7.8	7.6	7.4	7.7	3.6	3.8	7.8	9.1	3.7	3.8	5.4	1.4	3.1	4.1	41
17.2	16.8	10.5	9.3	16.9	14.2	7.5	7.9	16.1	12.3	6.9	7.2	20.4	23.5	12.9	13.4	42
6.8	8.0	7.6	6.6	8.1	6.8	4.2	4.7	8.3	6.1	4.2	4.7	6.8	9.7	4.6	4.7	43
2.7	3.3	5.6	5.4	3.6	2.2	3.5	3.8	3.7	2.3	3.7	4.2	2.7	1.4	2.1	0.5	44
12.2	10.1	8.9	7.8	13.8	12.1	6.4	6.2	15.0	13.1	6.6	6.4	8.2	6.9	5.2	4.1	45
0.1	.....	0.2	0.8	1.4	2.7	0.9	0.5	1.4	2.3	0.8	0.4	1.4	4.2	2.1	2.1	46
5.2	3.9	4.0	4.9	7.6	8.0	4.7	5.2	6.3	7.0	4.0	4.7	13.6	12.5	10.8	9.3	47
1.1	1.5	1.2	1.3	0.7	1.0	1.4	1.6	0.6	1.2	1.2	1.3	1.4	.....	2.6	4.7	48
.....	0.1	0.1	0.1	.....	.....	0.2	0.2	.....	.....	0.2	0.2	.....	.....	.....	.....	49
17.7	18.0	16.3	15.0	13.3	14.5	6.1	6.7	15.2	14.9	6.3	6.7	4.1	12.5	4.1	6.7	50
1.7	4.1	1.9	2.1	1.4	0.7	0.6	0.2	1.4	0.9	0.7	0.1	1.4	.....	.....	0.5	51
0.5	0.5	0.3	0.5	0.2	0.5	0.3	0.2	0.3	0.6	0.2	0.2	.....	.....	0.5	.....	52
2.2	2.0	1.4	1.5	2.1	1.7	1.4	0.7	1.7	1.8	1.5	0.7	4.1	1.4	0.5	0.5	53
4.9	4.2	4.0	5.0	4.3	6.5	2.0	2.7	4.0	6.7	1.7	2.8	5.4	5.5	4.6	1.6	54
1.1	1.3	2.1	1.6	1.7	2.2	2.0	1.3	1.7	2.0	1.9	1.3	1.4	2.8	3.1	0.5	55
7.9	6.6	2.1	2.8	7.8	5.5	1.6	1.6	7.2	5.3	1.5	1.3	10.9	6.9	2.1	4.7	56
0.3	0.6	0.1	0.1	0.2	1.0	0.1	0.1	0.3	0.9	0.1	0.1	.....	1.4	.....	.....	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
1.6	0.5	1.0	0.8	0.7	1.2	0.5	0.6	0.6	1.2	0.5	0.6	1.4	1.4	0.5	.....	59
134.8	122.6	134.6	135.5	164.6	199.9	103.9	104.9	143.5	176.1	96.9	100.0	264.2	313.0	165.6	147.9	
1.7	1.4	0.7	1.0	4.3	2.9	2.3	2.0	2.6	2.6	2.1	1.8	12.3	4.2	4.6	4.1	60
5.9	9.4	6.1	6.5	16.1	39.8	20.5	19.8	15.8	31.5	20.7	20.2	17.7	78.9	18.1	16.0	61
4.1	5.6	3.6	3.2	11.9	11.6	10.9	11.4	11.5	11.1	10.6	11.5	13.6	13.8	13.4	10.3	
1.0	2.4	1.3	1.9	3.8	3.1	5.8	6.8	3.7	2.6	6.1	7.1	4.1	5.5	3.6	3.6	
0.8	1.4	1.1	1.4	0.5	25.1	3.7	1.6	0.6	17.8	4.0	1.6	.....	59.6	1.0	2.1	
3.3	2.9	2.7	2.9	3.6	3.9	1.3	1.0	4.0	4.4	1.4	1.1	1.4	1.4	0.5	1.0	62
7.4	6.0	7.7	9.0	5.9	8.0	5.1	5.0	6.3	8.5	4.8	5.1	4.1	5.5	7.2	4.1	63
1.5	1.0	1.7	2.0	1.2	1.9	2.5	1.5	1.2	2.0	2.3	1.5	1.4	1.4	3.6	1.6	
5.9	5.0	6.0	7.0	4.7	6.0	2.6	3.5	5.2	6.4	2.5	3.6	2.7	4.2	3.6	2.6	
82.9	75.0	79.7	78.9	75.0	83.5	32.4	34.8	65.6	75.6	30.7	32.7	119.8	120.5	46.9	53.8	64

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		CALIFORNIA.				COLORADO.				CONNECTICUT.			
		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.	
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	II.—Diseases of the nervous system and of the organs of special sense—Contd.												
65	Softening of the brain	1.8	1.5	3.7	4.1	0.6	2.5	0.2	0.6	1.5	1.5	3.2	1.6
66	Paralysis without specified cause	6.9	5.1	10.9	8.7	5.8	8.4	7.8	10.6	2.4	3.3	7.0	7.6
67	General paralysis of the insane	6.1	5.2	14.6	15.8	5.8	8.8	5.6	6.7	6.4	5.1	9.1	5.1
68	Other forms of mental alienation	1.8	2.0	2.7	4.9	2.4	1.9	2.7	2.8	1.5	2.3	2.7	1.9
69	Epilepsy	2.6	2.2	4.9	6.2	4.2	4.4	4.3	6.9	4.1	3.3	5.3	5.4
70	Convulsions (nonpuerperal)	0.1	0.1	0.3	0.2	.....	.....	.....	0.2	.....	.....	0.3	0.3
71	Convulsions of infants	1.3	1.7	1.6	2.1	1.5	1.3	1.4	1.5	8.0	8.6	7.0	8.4
72	Chorea	0.1	0.1	0.3	0.1	0.3	.....	0.4	0.4	0.4	0.1	.....	.....
73	Neuralgia and neuritis	0.5	0.5	0.6	0.3	.....	.....	0.5	0.4	0.9	1.8	0.3	1.1
74	Other diseases of the nervous system	4.4	5.5	4.1	3.2	1.5	6.9	2.4	1.3	4.5	5.6	7.2	3.8
75	Diseases of the eyes and their annexa	0.1	0.3	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....
76	Diseases of the ears	2.5	3.3	1.6	1.4	.....	2.5	0.7	1.3	1.9	1.4	0.5	0.8
	III. Diseases of the circulatory system	257.6	263.3	201.2	204.7	160.4	165.3	102.7	102.6	207.7	202.6	231.6	218.2
77	Pericarditis	1.7	1.3	0.9	1.2	0.9	0.9	0.5	.07	0.7	1.0	1.9	1.4
78	Acute endocarditis	10.6	10.9	5.0	5.6	9.1	8.8	6.3	5.2	12.6	13.7	3.5	5.7
79	Organic diseases of the heart	194.5	204.4	158.1	162.0	104.7	114.4	75.1	81.0	146.2	144.7	173.1	164.7
80	Angina pectoris	10.2	9.6	8.7	8.8	10.0	6.6	4.5	3.7	9.3	9.4	10.7	12.7
81	Diseases of the arteries, atheroma, aneurism, etc.	34.5	31.4	23.9	22.8	23.9	24.7	11.9	9.3	30.0	24.9	33.7	27.8
82	Embolism and thrombosis	4.1	4.4	3.0	3.8	10.9	9.7	3.8	2.2	6.9	6.6	6.4	4.9
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	0.7	0.5	0.7	.....	0.9	.....	0.4	.....	0.9	1.0	1.9	0.5
84	Diseases of the lymphatic system (lymphangitis, etc.).	0.6	0.3	0.1	0.1	.....	.....	0.2	0.4	0.6	0.8	.....	.....
85	Hemorrhage; other diseases of the circulatory system.	0.7	0.6	0.7	0.3	.....	0.3	.....	.....	0.5	0.6	0.5	0.5
	IV.—Diseases of the respiratory system	145.5	152.6	129.6	129.8	144.4	156.3	151.2	141.3	206.5	197.3	150.1	160.7
86	Diseases of the nasal fossae	.....	0.1	.....	0.1	.....	.....	.....	.....	0.1	0.3	.....	0.3
87	Diseases of the larynx	0.3	0.5	1.2	1.0	0.3	1.9	1.6	0.4	2.0	1.1	2.1	1.1
88	Diseases of the thyroid body	1.0	0.9	0.4	0.3	0.3	0.6	0.2	0.2	0.9	0.6	.....	.....
89	Acute bronchitis	6.1	8.2	5.2	7.0	4.8	7.5	9.8	6.7	11.9	12.4	14.2	16.7
90	Chronic bronchitis	8.4	8.9	7.4	6.7	3.6	3.1	3.3	3.5	8.0	9.4	11.2	12.4
91	Bronchopneumonia	38.6	38.9	24.2	27.2	42.4	42.8	46.1	38.2	51.0	48.8	34.5	33.5
92	Pneumonia (total)	78.0	81.0	73.8	73.2	77.2	82.5	73.2	77.6	118.2	109.9	78.4	83.7
	Lobar pneumonia	56.1	59.3	42.4	47.3	73.3	78.1	70.7	75.6	63.4	61.9	31.3	38.3
	Pneumonia (undefined)	21.8	21.6	31.4	25.9	3.9	4.4	2.5	2.0	54.8	48.1	47.1	45.4
93	Pleurisy	4.9	4.4	2.3	2.3	2.7	2.5	2.9	1.1	4.1	5.4	2.4	4.6
94	Pulmonary congestion, pulmonary apoplexy	4.3	4.6	9.3	5.7	4.2	5.6	3.1	3.5	5.9	6.1	5.1	4.1
95	Gangrene of the lung	0.6	0.4	0.4	0.3	.....	.....	0.4	0.6	0.2	0.4	.....	.....
96	Asthma	1.9	2.6	3.5	3.1	6.1	7.5	3.1	2.8	2.7	2.2	0.8	2.7
97	Pulmonary emphysema	0.1	0.4	.....	0.3	0.3	0.3	.....	0.6	0.2	0.1	0.5	0.8
98	Other diseases of the respiratory system (tuberculosis excepted).	1.3	1.6	1.9	2.4	2.4	1.9	7.6	6.1	1.1	0.6	0.8	0.8
	V.—Diseases of the digestive system	140.5	143.8	129.1	117.4	117.8	108.8	111.0	95.7	170.3	178.9	141.5	138.3
99	Diseases of the mouth and annexa	0.5	1.1	0.8	0.6	0.3	.....	0.4	0.6	1.0	1.0	0.3	.....
100	Diseases of the pharynx	1.8	1.6	0.7	1.2	2.7	2.8	2.5	0.7	0.7	1.8	1.9	2.2
101	Diseases of the esophagus	0.3	0.1	.....	.....	.....	.....	.....	0.2	0.2	0.1	0.3	0.5
102	Ulcer of the stomach	7.1	5.8	3.5	3.9	7.3	4.4	3.3	3.9	4.3	3.8	2.7	4.1
103	Other diseases of the stomach (cancer excepted)	7.8	10.8	13.5	10.5	6.1	8.1	7.1	7.6	10.3	12.5	15.8	16.7
104	Diarrhea and enteritis (under 2 years)	42.8	38.2	49.2	39.2	32.7	32.5	49.6	41.0	91.0	99.4	65.8	61.3
105	Diarrhea and enteritis (2 years and over)	10.2	12.4	13.6	12.7	7.0	6.3	10.5	6.7	12.4	13.0	14.7	15.1
106	Ankylostomiasis	.....	.....	.....	0.2	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	0.1	0.3	0.3	0.3	.....	0.3	.....	.....	.....	0.1	.....	0.3
108	Appendicitis and typhlitis	17.9	17.6	9.4	7.5	17.3	21.6	14.3	11.0	11.8	9.6	5.6	3.0
109	Hernia, intestinal obstruction (total)	14.7	14.5	13.1	11.4	17.3	10.3	9.6	10.1	12.5	12.5	8.6	8.6
	Hernia	4.4	5.8	3.1	3.2	3.6	1.3	2.2	1.3	4.0	3.7	4.0	1.9
	Intestinal obstruction	10.3	8.7	10.0	8.2	13.6	9.1	7.4	8.8	8.5	8.9	4.5	6.8
110	Other diseases of the intestines	3.2	3.4	2.6	3.0	0.9	1.9	1.1	1.3	1.7	2.8	1.3	3.5
111	Acute yellow atrophy of the liver	0.8	0.8	0.3	0.3	0.6	0.3	0.5	0.4	.....	.....	0.3	.....
112	Hydatid tumor of the liver	.....	0.1	.....	0.1	.....	.....	.....	.....	.....	.....	.....	0.3
113	Cirrhosis of the liver	22.1	23.8	13.0	16.0	10.6	11.9	5.1	6.0	12.4	13.2	12.0	10.5
114	Biliary calculi	2.5	3.4	2.0	1.5	7.0	2.2	3.1	1.9	2.0	2.2	2.7	2.4
115	Other diseases of the liver	5.5	6.1	3.9	5.8	4.5	4.7	3.3	2.4	5.2	3.2	5.3	6.5
116	Diseases of the spleen	0.2	0.1	0.1	0.2	.....	.....	0.2	0.2	0.1	0.1	0.3	0.3
117	Simple peritonitis (nonpuerperal)	1.5	2.6	2.5	2.3	1.5	1.3	0.4	1.1	3.7	2.7	2.9	2.2
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	1.5	1.1	0.7	0.6	2.1	0.3	0.4	0.7	1.0	0.9	1.1	0.8
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	132.2	130.8	100.5	97.6	123.2	129.4	64.4	75.2	134.7	126.4	111.8	107.7
119	Acute nephritis	6.6	7.9	5.0	5.6	10.9	12.5	7.6	8.6	14.1	11.4	7.8	9.2
120	Bright's disease	103.5	99.1	79.4	75.1	97.5	96.9	48.3	58.7	103.5	100.8	92.3	84.5
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	2.2	3.4	2.4	2.4	1.2	3.4	0.9	0.7	2.5	2.3	1.3	1.9
123	Calculi of the urinary passages	1.0	0.7	0.3	0.3	0.3	0.6	0.2	0.6	0.4	0.8	1.1	0.8

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed International List No.
INDIANA.				KENTUCKY.												
				Total.				White.				Colored.				
Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
1.9	1.3	3.0	2.6	3.1	7.0	2.7	1.7	3.5	6.7	2.6	1.8	1.4	8.3	4.1	1.0	65
9.3	6.8	14.2	12.7	25.6	28.2	20.1	20.6	17.0	20.4	17.8	18.7	66.7	65.1	39.7	37.7	66
5.8	6.6	7.1	7.6	10.7	5.5	3.1	2.5	10.6	4.7	2.7	2.3	10.9	9.7	6.2	3.6	67
2.2	0.9	2.8	2.8	1.9	2.7	2.8	2.0	2.0	2.6	2.4	1.9	1.4	2.8	6.2	3.1	68
5.7	4.6	4.8	5.3	4.7	3.4	4.1	5.2	4.9	3.5	3.3	4.6	4.1	2.8	11.4	10.9	69
				0.2	0.7	0.3	0.7		0.6	0.2	0.8	1.4	1.4	1.0		70
2.5	1.9	0.9	1.1	7.1	7.2	4.1	3.3	5.2	7.9	3.1	2.7	16.3	4.2	13.4	8.3	71
0.2	0.2	0.1	0.1	0.2	0.2	0.1	0.1	0.3		0.1	0.1		1.4			72
0.5	0.3	0.6	0.7	0.2		0.4	0.7	0.3		0.4	0.6				1.0	73
2.5	2.2	2.4	3.0	3.6	5.5	3.3	3.5	3.5	5.3	3.1	3.6	4.1	6.9	5.2	2.6	74
0.1		0.2	0.2			0.1				0.1						75
3.1	2.9	1.6	1.3	2.1	1.4	1.4	1.9	2.0	1.8	1.4	2.0	2.7		1.0	0.5	76
188.1	201.7	181.8	196.4	202.3	217.8	93.6	96.3	177.7	190.7	86.0	86.2	318.7	346.2	160.4	185.6	
0.7	1.0	1.4	1.2	3.3	2.2	0.9	1.4	1.4	1.2	1.0	1.2	12.3	6.9	0.5	2.6	77
6.9	6.0	2.9	2.3	13.3	13.5	1.9	2.0	10.4	8.8	1.8	1.8	27.2	36.0	2.6	4.1	78
144.3	151.4	135.8	151.4	143.7	159.9	75.0	78.0	124.0	139.0	69.1	68.7	237.0	259.0	126.9	160.3	79
7.4	9.4	11.8	12.1	5.5	6.0	4.8	4.0	5.5	5.5	4.5	4.1	5.4	8.3	7.2	3.1	80
24.4	28.6	25.5	26.5	31.3	32.3	8.7	9.1	31.9	32.4	7.6	8.7	28.6	31.9	19.1	12.4	81
2.7	3.8	3.5	1.5	3.8	2.7	0.6	0.7	3.7	2.9	0.5	0.7	4.1	1.4	1.0	1.0	82
1.1	0.7	0.4	0.4	0.5	0.2	0.3	0.3	0.6	0.3	0.3	0.2				0.5	83
0.3	0.5	0.3	0.4	0.2	0.5	0.4	0.3		0.3	0.3	0.3	1.4	1.4	1.0		84
0.3	0.3	0.3	0.5	0.7	0.5	1.0	0.7	0.3	0.3	0.9	0.6	2.7	1.4	2.1	1.6	85
149.2	153.4	108.1	121.4	203.7	196.6	112.2	119.9	161.6	155.1	106.3	111.8	403.1	393.3	164.6	191.3	
0.1		0.3	0.4			0.1	0.5			0.1	0.6			0.5		86
1.0	1.2	1.2	1.8	2.1	1.0	2.0	2.8	2.3	1.2	2.0	2.9	1.4		1.5	1.6	87
0.6	0.9	0.5	0.4	0.5	1.0	0.2	0.4	0.6	0.9	0.1	0.3		1.4	1.0	1.6	88
8.7	8.6	6.3	8.3	9.3	12.5	5.2	6.5	6.9	9.1	4.7	5.5	20.4	29.1	9.8	15.5	89
8.3	9.5	7.3	7.5	20.4	18.3	6.8	6.8	14.7	12.0	6.5	6.5	47.7	48.5	9.3	8.8	90
46.5	50.4	28.0	32.3	33.7	25.6	21.3	22.1	29.0	21.9	20.6	20.5	55.8	42.9	27.3	35.7	91
73.3	73.5	58.9	63.6	110.2	112.2	67.9	70.4	84.6	89.9	64.5	66.1	231.5	217.4	98.0	108.6	92
50.6	49.6	34.2	34.8	29.0	30.4	21.4	23.2	22.1	25.7	21.0	22.8	61.3	52.6	25.3	27.4	
22.7	23.9	24.7	28.8	81.2	81.8	46.5	47.2	62.4	64.2	43.5	43.4	170.2	164.8	72.7	81.2	
3.1	1.9	1.5	2.4	5.7	4.8	1.9	1.8	4.3	3.8	1.9	1.5	12.3	9.7	2.1	4.7	93
2.2	1.7	1.1	1.1	8.1	8.4	1.9	2.8	7.2	7.3	1.7	2.7	12.3	13.8	3.6	3.6	94
0.2	0.2	0.2	0.5	0.7		0.2	0.2	0.9		0.2	0.2			0.5	0.5	95
3.6	3.6	1.7	1.9	8.1	9.2	2.6	3.3	7.8	6.1	2.1	2.9	9.5	23.5	6.2	6.7	96
0.5	0.5	0.2	0.2	0.2	0.2	0.2	0.3		0.3	0.2	0.3	1.4		0.5	0.5	97
1.2	1.5	0.9	1.0	4.7	3.4	1.8	2.0	3.5	2.6	1.6	1.8	10.9	6.9	4.1	3.6	98
206.0	186.1	137.6	142.1	167.9	172.2	137.5	117.8	155.9	148.6	135.8	115.5	224.7	283.9	152.2	137.5	
0.6	0.7	0.6	0.9	0.2	0.7	1.1	0.8	0.3	0.6	1.1	0.9		1.4	1.0		99
2.0	1.6	2.0	1.4	1.7	3.4	2.2	3.3	1.7	2.9	2.1	3.5	1.4	5.5	3.1	1.6	100
0.2	0.1	0.1	0.2	0.5	0.7	0.2	0.1	0.6	0.9	0.2	0.1					101
5.0	4.1	3.4	4.2	4.5	2.9	2.0	2.6	3.2	1.2	1.9	2.6	10.9	11.1	3.1	2.1	102
16.7	17.3	17.2	17.5	21.1	25.8	17.5	17.6	15.2	18.1	16.6	16.8	49.0	62.3	25.8	24.3	103
96.6	74.4	53.8	51.4	45.1	36.7	57.9	41.4	41.1	31.2	58.4	41.8	64.0	62.3	53.1	38.3	104
16.0	16.4	18.1	19.1	17.8	18.8	20.7	15.1	17.0	16.6	20.6	14.9	21.8	29.1	21.2	16.5	105
				0.2	0.2	1.2	1.0	0.3	0.3	1.3	1.1			0.5		106
0.3		0.1	0.1		0.5	1.1	0.7		0.3	1.2	0.7		1.4	0.5	1.0	107
17.4	19.5	7.2	7.8	14.2	13.7	5.9	4.9	14.4	15.2	5.9	4.6	13.6	6.9	5.7	8.3	108
15.5	15.4	9.3	10.7	14.7	19.3	7.4	8.4	15.5	16.6	7.1	7.9	10.9	31.9	10.3	12.9	109
5.1	4.4	2.6	2.4	2.1	5.3	1.9	1.8	2.0	4.4	1.8	1.6	2.7	9.7	2.6	3.6	
10.4	11.0	6.7	8.3	12.6	14.0	5.5	6.6	13.5	12.3	5.3	6.3	8.2	22.2	7.7	9.3	
2.5	3.6	2.6	3.0	5.9	4.6	2.2	2.9	5.8	3.8	2.0	2.6	6.8	8.3	4.1	5.7	110
0.8	0.6	0.2	0.5	0.2	0.5	0.5	0.2	0.3	0.3	0.5	0.2		1.4			111
	0.1		0.1													112
16.1	16.4	10.3	11.8	18.5	18.3	6.0	6.7	19.0	17.2	5.5	6.1	16.3	23.5	10.8	11.9	113
4.3	5.8	3.4	4.1	2.6	4.1	2.3	2.1	2.9	4.4	2.4	2.4	1.4	2.8	1.5		114
7.6	5.0	5.9	6.3	10.7	12.3	4.3	5.0	10.1	12.0	4.0	4.8	13.6	13.8	6.7	6.7	115
0.2	0.3	0.4	0.2		0.5	0.2	0.1		0.3	0.2	0.1		1.4			116
3.3	3.3	2.5	2.3	9.3	8.4	4.5	4.6	8.1	5.8	4.5	4.1	15.0	20.8	4.6	8.3	117
0.8	1.5	0.5	0.4	0.5	0.7	0.3	0.2	0.6	0.9	0.3	0.2					118
127.7	125.2	101.8	103.4	174.5	163.5	75.8	72.5	155.3	146.9	68.8	66.5	265.6	242.4	138.3	126.2	
10.3	11.7	7.7	9.1	17.6	16.6	5.3	5.2	15.0	15.8	5.0	4.4	30.0	20.8	8.3	12.4	119
90.3	88.7	81.3	80.3	140.6	124.0	57.9	56.0	125.7	113.0	52.4	51.9	211.1	175.9	106.3	92.6	120
																121
2.8	3.6	1.4	2.0	2.1	4.8	2.5	2.6	2.0	4.4	2.5	2.6	2.7	6.9	2.6	2.6	122
0.7	2.0	0.5	0.6	0.2	0.5	0.1	0.4	0.3	0.6	0.1	0.3				1.0	123

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		CALIFORNIA.				COLORADO.				CONNECTICUT.			
		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.	
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Con.												
124	Diseases of the bladder	1.8	1.6	4.9	4.4	0.9	3.1	2.0	1.5	2.5	2.3	4.3	3.8
125	Diseases of the urethra, urinary abscess, etc.	0.5	0.4	0.5	0.3	0.3	.....	.....	.....	0.4	0.6	.....	.....
126	Diseases of the prostate	7.2	6.2	3.5	4.9	4.2	3.1	1.8	1.5	4.8	3.7	2.7	5.9
127	Nonvenereal diseases of the male genital organs	0.2	0.1	.....	0.3	.....	.....	.....	0.2	0.1	.....	0.3	.....
128	Uterine hemorrhage (nonpuerperal)	0.1	.....	0.1	.....	.....	0.6	.....	.....	.....	0.3	.....	.....
129	Uterine tumor (noncancerous)	2.4	2.8	1.4	1.4	2.4	1.6	0.5	0.7	1.6	1.4	1.1	0.3
130	Other diseases of the uterus	1.1	1.9	0.5	1.0	1.5	1.6	0.7	0.7	1.2	0.6	0.5	0.3
131	Cysts and other tumors of the ovary	1.6	1.8	0.5	0.4	1.2	1.9	0.5	0.7	1.2	0.5	0.3	0.8
132	Salpingitis and other diseases of the female genital organs.	4.0	4.6	2.0	1.4	2.7	4.1	1.8	1.3	2.2	1.4	0.3	0.3
133	Nonpuerperal diseases of the breast (cancer excepted).	.....	0.1	.....	.....	.....	.....	.....	.....	0.1	0.4	.....	.....
	VII.—The puerperal state	15.6	14.9	13.0	11.6	17.3	13.4	15.2	13.6	14.0	16.9	8.0	11.3
134	Accidents of pregnancy	1.4	1.3	1.5	0.8	2.7	0.9	0.7	0.6	1.4	1.8	0.3	2.7
135	Puerperal hemorrhage	1.1	1.7	1.0	1.9	1.2	0.9	2.2	2.2	1.2	1.1	0.5	2.2
136	Other accidents of labor	1.2	0.9	1.3	0.6	0.9	0.3	1.8	0.2	1.2	1.6	1.1	0.8
137	Puerperal septicemia	7.0	6.0	5.4	4.4	7.3	7.2	7.6	7.6	5.9	6.5	2.1	2.7
138	Puerperal albuminuria and convulsions	4.5	4.4	2.7	3.6	4.2	3.4	2.2	2.2	3.8	5.2	3.7	2.7
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	0.3	0.5	1.0	0.2	0.6	0.6	0.5	0.7	0.2	0.5	0.3	0.3
140	Following childbirth (not otherwise defined)	0.1	0.1	0.1	0.2	0.3	.....	0.2	.....	0.1	0.3	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue.	4.0	4.5	5.1	3.4	2.1	5.6	3.1	1.7	6.3	5.7	5.6	7.0
142	Gangrene	2.0	1.9	3.0	2.1	0.9	3.1	1.4	0.9	2.7	2.2	2.7	4.1
143	Furuncle	0.4	0.8	0.4	0.3	.....	.....	.....	0.2	0.5	0.6	1.3	.....
144	Acute abscess	0.9	0.9	0.7	0.4	0.6	2.5	0.9	0.4	1.5	1.3	0.3	1.6
145	Other diseases of the skin and annexa	0.7	0.9	1.0	0.6	0.6	.....	0.7	0.2	1.6	1.6	1.3	1.4
	IX.—Diseases of the bones and of the organs of locomotion.	2.8	3.4	2.0	2.1	1.8	2.2	0.9	0.6	3.2	2.5	1.1	0.8
146	Diseases of the bones (tuberculosis excepted)	2.5	2.6	1.9	1.6	1.5	1.9	0.9	0.6	2.8	2.2	0.8	0.8
147	Diseases of the joints (tuberculosis and rheumatism excepted).	0.3	0.6	0.2	0.2	0.3	0.3	.....	.....	0.4	0.1	0.3	.....
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	.....	0.1	.....	0.3	.....	.....	.....	.....	.....	0.3	.....	.....
	X.—Malformations	14.3	11.9	10.7	11.4	12.1	11.9	12.1	12.3	15.2	14.8	12.3	10.8
150	Congenital malformations (stillbirths not included) (total).	14.3	11.9	10.7	11.4	12.1	11.9	12.1	12.3	15.2	14.8	12.3	10.8
	Hydrocephalus	0.9	1.3	0.8	0.9	0.9	0.9	0.2	0.2	1.9	2.4	1.1	1.1
	Congenital malformations of the heart	9.6	7.7	7.5	7.0	9.1	8.4	8.9	9.5	8.0	7.2	5.9	6.2
	Other congenital malformations	3.8	3.0	2.3	3.6	2.1	2.5	3.1	2.6	5.3	5.2	5.3	3.5
	XI.—Early infancy	55.1	56.9	53.3	45.0	77.5	76.9	71.6	61.1	116.2	116.0	80.8	83.2
151	Congenital debility, icterus, and sclerema (total)	43.3	45.4	42.6	35.7	67.8	68.1	59.9	52.0	90.0	87.8	62.1	64.3
	Premature birth	32.8	33.9	29.9	26.5	39.0	40.9	35.1	30.9	53.1	50.5	34.0	40.5
	Congenital debilty, "atrophy," "marasmus," etc.	10.5	11.5	12.7	9.3	28.8	27.2	24.8	21.0	36.9	37.3	28.1	23.8
152	Other causes peculiar to early infancy (total)	11.6	11.0	10.6	9.2	9.7	8.8	11.8	9.1	25.5	27.7	18.2	18.6
	Injuries at birth	6.7	6.3	4.9	4.1	3.0	3.1	3.1	3.5	14.1	15.8	8.8	12.4
	Other causes peculiar to early infancy [1]	4.8	4.7	5.7	5.1	6.7	5.6	8.7	5.6	11.4	11.9	9.4	6.2
153	Lack of care	0.2	0.5	0.2	0.1	.....	.....	.....	.....	0.7	0.5	0.5	0.3
	XII.—Old age	17.8	20.4	26.3	24.0	38.4	35.3	30.7	34.6	15.2	16.8	25.4	30.8
154	Senility	17.8	20.4	26.3	24.0	38.4	35.3	30.7	34.6	15.2	16.8	25.4	30.8
	XIII.—External causes	139.4	140.8	162.6	152.2	93.5	86.6	127.0	125.5	105.6	108.0	114.7	98.6
	Suicide (total)	36.6	36.2	25.0	24.7	31.8	22.5	14.8	17.1	14.5	19.2	17.4	14.0
155	By poison	6.9	7.3	3.0	3.3	12.7	10.9	3.8	5.4	4.8	6.5	5.6	3.2
156	By asphyxia	7.9	6.1	0.6	0.4	1.5	1.6	.....	0.2	2.5	3.8	0.8	0.3
157	By hanging or strangulation	2.2	2.0	4.1	4.6	2.4	0.6	1.1	1.3	2.1	3.2	1.9	3.2
158	By drowning	1.3	1.3	1.1	1.9	0.3	0.6	0.5	0.7	1.0	1.5	1.9	1.9
159	By firearms	14.3	15.4	12.7	10.8	11.8	7.2	7.2	8.2	2.2	2.9	5.3	3.0
160	By cutting or piercing instruments	2.8	3.1	2.3	2.6	1.5	0.9	2.0	1.1	1.6	0.8	1.3	1.9
161	By jumping from high places	0.7	0.6	.....	0.2	0.6	0.3	.....	.....	0.1	0.4	0.3	0.3
162	By crushing	0.3	0.4	0.8	0.5	0.9	0.3	0.2	.....	.....	0.1	0.3	0.3
163	Other suicides	0.3	.....	0.3	0.3	.....	.....	.....	0.2	0.1	0.1	.....	.....
	Accidental or undefined (total)	91.2	91.3	125.4	113.5	52.1	55.9	99.7	97.9	87.6	84.9	92.3	81.8
164	Poisoning by food	2.2	2.6	2.4	2.5	0.9	0.6	1.6	2.6	1.1	0.6	1.1	.....
165	Other acute poisonings	2.8	2.9	2.2	2.6	2.4	4.7	3.6	2.4	2.4	1.4	2.9	3.2
166	Conflagration	1.8	2.8	3.2	3.5	0.9	.....	1.3	0.7	1.0	1.9	1.3	0.5
167	Burns (conflagration excepted)	5.5	6.0	6.0	5.1	4.5	6.3	3.8	1.7	9.3	10.6	5.3	6.5

[1] Exclusive of injuries at birth.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed International List No.
INDIANA.				KENTUCKY.												
				Total.				White.				Colored.				
Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
1.9	1.9	2.5	3.2	1.4	3.1	2.7	1.7	1.4	2.0	2.4	1.6	1.4	8.3	4.6	2.6	124
0.6	1.2	0.2	0.1	0.9	0.2	0.3	0.2	0.9	----	0.2	0.1	1.4	1.4	1.5	0.5	125
5.3	5.8	4.5	4.0	3.3	3.6	3.3	2.8	4.0	3.8	3.3	2.6	----	2.8	3.6	4.1	126
0.3	0.3	0.1	0.1	----	----	0.2	0.1	----	----	0.1	0.1	----	----	1.0	0.5	127
----	0.1	----	0.1	----	0.2	0.2	0.1	----	----	0.1	0.1	----	1.4	0.5	----	128
3.1	2.7	0.7	0.9	3.1	1.7	0.8	1.2	1.4	0.9	0.5	0.9	10.9	5.5	3.1	4.1	129
2.0	1.3	0.6	0.6	0.7	1.7	1.1	1.1	0.9	1.5	0.9	1.1	----	2.8	3.6	1.6	130
3.1	1.6	1.1	1.1	1.7	2.2	0.6	0.6	2.0	2.0	0.6	0.5	----	2.8	0.5	1.6	131
7.3	4.4	1.3	1.2	2.8	4.8	0.6	0.5	1.7	2.9	0.4	0.4	8.2	13.8	2.1	2.1	132
----	----	----	----	----	----	0.2	0.1	----	----	0.2	0.1	----	----	0.5	0.5	133
19.6	19.5	13.0	15.1	13.8	15.0	16.4	15.6	12.9	13.1	15.9	15.4	17.7	23.5	21.7	17.6	
2.0	1.4	1.1	1.2	2.1	1.4	1.3	1.7	2.0	1.5	1.3	1.6	2.7	1.4	1.0	3.1	134
1.5	1.0	1.2	1.2	0.2	1.0	1.5	1.3	----	1.2	1.4	1.2	1.4	----	2.1	2.1	135
1.2	1.4	0.7	0.9	0.9	1.9	1.8	2.0	0.6	1.5	1.8	2.0	2.7	4.2	2.1	2.1	136
11.0	10.9	6.5	7.7	6.9	5.5	7.9	6.2	6.6	4.4	7.4	6.2	8.2	11.1	12.9	6.2	137
3.4	3.9	3.0	3.6	3.3	3.9	3.4	4.2	3.7	3.5	3.5	4.3	1.4	5.5	2.6	3.6	138
0.3	0.6	0.4	0.3	0.2	1.0	0.3	0.1	----	0.9	0.2	0.1	1.4	1.4	1.0	----	139
0.1	0.1	----	0.2	----	0.2	0.2	0.1	----	0.3	0.2	----	----	----	----	0.5	140
----	0.1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	141
4.4	4.1	4.9	4.3	6.6	5.1	4.2	4.7	5.5	3.8	3.9	4.0	12.3	11.1	7.2	11.4	
1.8	2.6	2.7	3.2	3.6	2.7	2.0	2.1	2.6	1.5	1.9	1.8	8.2	8.3	2.6	5.7	142
0.9	0.2	0.5	0.3	----	0.5	0.3	0.5	----	0.6	0.3	0.5	----	----	----	0.5	143
0.7	0.6	0.5	0.3	0.9	0.7	0.6	0.7	1.2	0.9	0.5	0.6	----	----	2.1	1.0	144
1.0	0.7	1.2	0.5	2.1	1.2	1.3	1.4	1.7	0.9	1.2	1.1	4.1	2.8	2.6	4.1	145
2.9	3.4	2.2	1.8	2.8	0.7	1.3	1.9	2.9	0.9	1.2	1.9	2.7	----	2.6	2.1	
2.4	3.3	2.0	1.6	2.4	0.7	1.0	1.7	2.3	0.9	0.8	1.7	2.7	----	2.6	2.1	146
0.5	0.1	0.2	0.2	0.5	----	0.3	0.1	0.6	----	0.3	0.1	----	----	----	----	147
----	----	----	----	----	----	0.1	----	----	----	0.1	----	----	----	----	----	148
0.1	----	0.1	----	----	----	----	0.1	----	----	----	0.1	----	----	----	----	149
19.1	18.5	17.3	16.9	8.1	8.7	9.5	9.8	8.1	9.1	9.9	10.2	8.2	6.9	5.2	5.7	
19.1	18.5	17.3	16.9	8.1	8.7	9.5	9.8	8.1	9.1	9.9	10.2	8.2	6.9	5.2	5.7	150
1.0	1.5	1.6	1.1	1.4	1.0	1.0	0.9	1.4	0.9	1.1	1.0	1.4	1.4	----	----	
13.3	12.0	11.1	10.6	4.7	5.1	4.4	3.9	5.5	5.8	4.7	4.1	1.4	1.4	2.1	2.1	
4.8	5.0	4.5	5.2	1.9	2.7	4.0	5.0	1.2	2.3	4.1	5.1	5.4	4.2	3.1	3.6	
77.3	66.2	62.5	60.1	93.3	93.8	87.4	74.3	90.9	91.4	85.1	74.0	104.9	105.3	108.3	76.5	
61.6	51.4	48.6	46.8	84.3	86.3	75.9	63.4	81.4	83.8	74.0	63.6	98.1	98.3	92.3	62.0	151
51.1	44.0	40.4	38.7	42.3	42.4	54.3	43.4	46.0	45.3	53.4	44.0	24.5	29.1	61.9	38.3	
10.4	7.4	8.2	8.1	42.0	43.9	21.6	20.0	35.4	38.5	20.6	19.6	73.5	69.2	30.4	23.8	
15.7	14.5	13.6	13.1	7.6	7.2	11.2	10.4	8.6	7.3	10.7	10.1	2.7	6.9	15.0	12.9	152
7.3	8.6	7.5	7.2	3.6	4.1	5.1	5.0	4.3	3.8	5.1	5.0	----	5.5	5.2	4.7	
8.4	5.9	6.1	5.9	4.0	3.1	6.1	5.4	4.3	3.5	5.7	5.1	2.7	1.4	9.8	8.3	
0.1	0.2	0.3	0.1	1.4	0.2	0.4	0.5	0.9	0.3	0.3	0.4	4.1	----	1.0	1.6	153
10.8	14.7	13.5	13.1	33.2	39.3	22.9	23.2	35.7	38.5	22.0	21.9	21.8	42.9	31.0	34.6	
10.8	14.7	13.5	13.1	33.2	39.3	22.9	23.2	35.7	38.5	22.0	21.9	21.8	42.9	31.0	34.6	154
146.0	120.7	89.8	88.3	131.8	118.9	80.8	77.2	116.5	104.6	72.0	71.1	204.3	187.0	158.9	131.8	
25.6	20.3	11.4	14.8	18.3	18.6	6.4	6.9	21.3	21.6	6.7	7.2	4.1	4.2	4.1	4.1	
14.4	11.1	3.9	6.6	8.1	6.5	2.1	2.8	9.2	7.6	2.1	3.0	2.7	1.4	1.5	1.6	155
1.7	1.7	0.1	0.1	0.9	0.7	----	----	1.2	0.9	----	----	----	----	----	----	156
1.1	1.3	2.0	2.7	0.9	2.7	0.9	0.4	1.2	3.2	0.9	0.4	----	----	1.0	0.5	157
1.8	0.8	0.8	0.6	1.2	1.0	0.3	0.2	1.4	1.2	0.2	0.2	----	----	0.5	----	158
5.1	4.3	3.8	3.4	5.9	5.5	2.7	2.8	7.2	6.4	2.9	2.9	----	1.4	0.5	2.1	159
1.2	0.7	0.5	1.1	0.9	1.4	0.4	0.4	0.9	1.5	0.4	0.5	1.4	1.4	----	----	160
0.1	0.1	----	----	----	0.5	----	0.1	----	0.6	----	0.1	----	----	----	----	161
----	0.1	0.2	0.3	0.2	----	0.1	----	0.3	----	0.1	----	----	----	0.5	----	162
0.1	0.1	0.1	0.1	----	0.2	0.1	0.3	----	0.3	0.1	0.4	----	----	----	----	163
108.2	92.2	75.8	70.2	93.8	82.7	61.9	61.1	86.9	73.6	56.9	56.9	126.7	126.0	106.3	98.8	
1.8	2.1	1.5	1.5	0.7	0.2	1.0	1.2	0.9	0.3	1.0	1.1	----	----	0.5	1.6	164
3.9	3.0	2.3	2.4	3.1	1.9	1.7	2.3	2.9	2.3	1.5	2.2	4.1	----	3.6	2.6	165
1.0	0.2	0.6	0.8	0.9	1.4	1.6	0.5	0.6	1.2	1.6	0.4	2.7	2.8	1.5	1.0	166
8.7	8.4	4.8	5.6	9.3	10.6	10.3	10.7	6.0	6.7	8.7	10.1	24.5	29.1	25.3	16.5	167

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		CALIFORNIA.				COLORADO.				CONNECTICUT.			
		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.	
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	XIII.—External causes—Continued.												
	Accidental or undefined—Continued.												
168	Absorption of deleterious gases (conflagration excepted).	7.7	7.7	2.3	2.0	3.9	0.9	2.0	2.6	6.9	4.8	2.9	3.8
169	Accidental drowning	7.9	8.8	18.3	16.2	3.6	2.5	9.9	8.8	8.7	8.5	22.7	14.9
170	Traumatism by firearms	1.6	2.1	5.2	5.5	1.8	1.6	4.7	5.4	0.5	1.0	2.1	2.7
171	Traumatism by cutting or piercing instruments.	0.1	0.1	.....	0.3	.....	0.3	0.2	.....	0.2	0.3	.....	0.3
172	Traumatism by fall	15.8	16.5	14.1	14.6	6.4	10.6	4.5	6.3	21.9	21.1	11.8	13.5
173	Traumatism in mines and quarries (total)	0.3	0.6	4.3	4.7	1.8	1.3	28.8	29.4	0.1	0.1	0.5	0.3
	Traumatism in mines	0.1	0.6	3.6	.5	1.8	0.9	28.6	29.2	.....	.....	.....	.....
	Traumatism in quarries	0.2	0.1	0.7	0.2	.....	0.3	0.2	0.2	0.1	0.1	0.5	0.3
174	Traumatism by machines	2.3	2.0	3.5	3.6	0.9	1.3	1.4	0.9	1.9	1.8	1.9	2.2
175	Traumatism by other crushing (total)	33.7	30.5	44.2	37.2	20.6	22.8	25.0	26.1	27.8	26.9	33.7	27.3
	Railroad accidents and injuries	9.4	11.7	20.3	18.0	12.1	10.9	13.7	15.5	13.6	14.5	21.1	18.1
	Street-car accidents and injuries	7.1	5.8	2.9	2.7	2.7	2.2	0.4	0.9	4.5	3.0	3.5	2.2
	Automobile accidents and injuries	10.8	6.8	8.9	6.6	1.8	5.0	2.9	2.4	5.3	6.1	5.3	2.2
	Injuries by other vehicles	5.1	5.4	9.3	8.2	3.3	4.1	6.0	5.0	3.6	2.8	3.2	4.9
	Landslide, other crushing	1.3	0.8	2.8	1.7	0.6	0.6	2.0	2.2	0.9	0.5	0.5	.....
176	Injuries by animals	0.3	0.8	1.8	2.7	0.6	0.3	1.8	1.5	0.6	0.3	0.3	.....
177	Starvation	.....	0.1	0.3	0.8	.....	0.3	.....	.....	0.2	.....	0.3	0.8
178	Excessive cold	.....	.....	0.6	0.3	0.3	.....	3.3	2.8	0.4	0.6	0.5	0.8
179	Effects of heat	0.2	0.2	2.9	1.3	.....	.....	0.2	.....	0.4	0.5	0.3	0.8
180	Lightning	.....	.....	0.1	0.3	0.3	.....	3.8	1.7	.....	.....	0.5	0.3
181	Electricity (lightning excepted)	1.5	1.5	3.5	2.3	0.9	0.9	1.1	2.0	1.2	0.9	1.6	0.8
185	Fractures (cause not specified)	1.0	1.2	0.7	0.3	0.3	0.3	0.2	.....	0.2	0.4	.....	.....
186	Other external violence	6.7	4.6	9.9	7.8	1.8	1.3	2.5	3.0	2.7	3.2	2.4	3.2
	Homicide (total)	11.6	13.3	12.3	14.0	9.7	8.1	12.5	10.4	3.5	3.9	5.1	2.7
182	By firearms	7.1	8.6	9.0	10.1	6.7	5.0	10.7	8 4	1.2	1.5	3.5	1.1
183	By cutting or piercing instruments	1.9	1.8	1.6	1.8	1.5	1.6	0.9	0.7	0 7	0.6	0.5	0.5
184	By other means	2.6	2.8	1.7	2.0	1.5	1.6	0.9	1.3	1.5	1.8	1.1	1.1
	XIV.—Ill-defined diseases	1.5	0.9	2.2	4.3	3.0	1.9	1.4	2.4	9.4	7.7	9.6	7.0
187	Ill-defined organic disease	0.2	0.2	0.3	0.9	0.6	0.3	.....	0.2	0.5	.....	0.8	1.1
188	Sudden death	.....	.....	0.1	0.1	.....	.....	.....	.....	1.2	0.5	0.3	0.8
189	Not specified or ill-defined (total)	1.3	0.7	1.8	3.4	2.4	1.6	1.4	2.2	7.7	7.2	8.6	5.1
	Ill-defined	1.2	0.5	1.2	2 5	1.8	1.6	0.9	1.9	5 0	4.2	4.8	3.0
	Not specified or unknown	0.1	0:2	0.6	0.9	0.6	.....	0.5	0.4	2.7	3.0	3.7	2.2

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed International List No.
INDIANA.				KENTUCKY.												
				Total.				White.				Colored.				
Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
4.2	4.5	2.1	3.1	1.9	1.4	1.8	2.4	0.3	1.5	1.5	2.1	9.5	1.4	4.6	5.2	168
10.3	7.2	9.7	6.4	10.7	7.5	4.2	4.9	10.1	7.6	4.1	4.3	13.6	6.9	5.7	10.9	169
3.3	2.0	2.7	2.2	2.1	4.8	5.4	4.7	2.0	3.8	4.5	3.9	2.7	9.7	13.4	11.9	170
0.1	.....	0.3	0.2	0.2	0.5	0.3	0.2	0.3	0.6	0.3	0.1	.....	.....	.....	1.0	171
19.6	16.6	15.7	17.0	15.7	11.6	9.1	8.2	16.1	10.2	9.1	8.4	13.6	18.0	8.8	6.7	172
1.4	0.3	3.0	2.1	0.2	0.5	3.1	3.2	0.3	0.6	2.9	2.7	.....	.....	4.6	7.2	173
1.4	0.3	2.8	2.1	0.2	0.5	3.0	3.1	0.3	0.6	2.8	2.7	.....	.....	4.6	7.2	
.....	.....	0.2	.....	.....	.....	0.1	0.1	.....	.....	0.1	0.1	.....	.....	.....	.....	
3.7	4.8	1.4	1.0	4.0	1.2	1.0	0.5	3.7	0.9	1.2	0.6	5.4	2.8	.....	.....	174
38.8	35.3	22.1	20.3	27.5	26.3	11.9	12.3	26.7	24.8	11.1	10.9	31.3	33.2	19.1	24.8	175
23.6	23.3	14.3	13.1	13.1	14.5	8.8	8.5	11.8	12.8	8.0	7.5	19.1	22.2	15.5	18.1	
6.1	4.5	2.6	2.4	4.3	4.1	0.5	0.6	4.0	4.7	0.5	0.6	5.4	1.4	0.5	1.0	
5.1	3.0	1.8	1.0	3.3	2.7	0.3	0.3	3.7	2.6	0.3	0.2	1.4	2.8	.....	0.5	
3.1	2.7	2.9	3.0	5.9	4.6	2.0	2.6	6.0	4.4	1.9	2.3	5.4	5.5	2.6	5.2	
0.9	1.7	0.5	0.9	0.9	0.5	0.4	0.3	1.2	0.3	0.3	0.3	.....	1.4	0.5	.....	
0.3	0.6	1.8	1.4	0.7	0.5	1.4	1.5	0.9	0.6	1.3	1.6	.....	.....	2.1	0.5	176
.....	0.1	.....	.....	.....	.....	.....	0.1	.....	.....	.....	0.1	.....	.....	.....	.....	177
0.1	0.6	0.2	0.4	0.2	1.2	0.2	0.6	0.3	0.3	0.1	0.5	.....	5.5	0.5	2.1	178
3.4	0.9	2.2	0.3	8.5	2.2	1.5	0.7	8.6	2.0	1.5	0.5	8.2	2.8	2.1	2.1	179
0.1	0.1	1.6	0.8	.....	.....	0.9	0.6	.....	.....	0.9	0.7	.....	.....	0.5	.....	180
2.5	2.3	0.9	0.8	0.7	1.0	0.3	0.4	0.9	0.9	0.3	0.3	.....	1.4	.....	1.0	181
0.3	0.2	0.1	0.1	1.7	4.3	1.0	1.3	1.4	4.4	1.1	1.5	2.7	4.2	.....	.....	185
4.5	2.9	2.8	3.9	5.5	5.5	5.2	4.9	4.9	5.0	4.2	5.1	8.2	8.3	13.9	3.6	186
12.1	8.2	2.6	3.3	19.7	17.6	12.5	9.2	8.3	9.3	8.4	6.9	73.5	56.8	48.5	29.0	
9.0	5.1	1.6	2.2	14.0	12.1	10.5	7.1	4.6	6.1	6.9	5.5	58.6	40.2	42.8	21.7	182
0.9	0.8	0.3	0.4	2.6	2.2	0.6	1.1	1.7	1.2	0.5	0.8	6.8	6.9	2.1	3.6	183
2.3	2.3	0.6	0.7	3.1	3.4	1.4	0.9	2.0	2.0	1.1	0.6	8.2	9.7	3.6	3.6	184
2.0	1.0	1.1	1.1	13.1	18.8	39.7	58.1	11.2	13.4	37.5	54.9	21.8	44.3	59.3	86.3	
0.2	.....	0.2	0.1	1.9	2.7	5.0	5.3	0.6	1.5	4.4	4.6	8.2	8.3	10.3	12.4	187
.....	0.1	.....	.....	.....	0.2	1.9	3.3	.....	.....	1.9	2.9	.....	1.4	2.1	6.7	188
1.8	0.9	1.0	1.1	11.2	15.9	32.8	49.4	10.6	12.0	31.2	47.4	13.6	34.6	46.9	67.2	189
0.8	0.6	0.3	0.5	9.3	11.6	14.7	15.2	8.9	8.8	14.1	14.5	10.9	24.9	19.6	21.2	
1.0	0.3	0.6	0.6	1.9	4.3	18.1	34.2	1.7	3.2	17.1	32.9	2.7	9.7	27.3	46.0	

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MAINE.				MARYLAND.							
		Cities.		Rural districts.		Total.				White.			
						Cities.		Rural districts.		Cities.		Rural districts.	
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	All causes [1]	1,830.6	1,899.5	1,435.7	1,447.2	1,854.4	1,832.6	1,403.5	1,303.2	1,644.7	1,642.1	1,251.3	1,168.6
	I.—General diseases	434.0	464.3	335.6	336.5	504.2	491.1	383.9	333.7	430.3	430.1	332.6	291.5
1	Typhoid fever	17.3	22.8	10.4	11.0	29.5	27.4	36.6	28.2	25.6	26.4	27.7	22.6
2	Typhus fever	.....	.....	.....	.....	.....	0.2	.....	.....	.....	0.2	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	.....	.....	0.9	0.5	1.4	1.5	2.0	2.1	0.9	1.3	1.6	1.4
5	Smallpox	.....	1.8	0.3	0.2	.....	0.2	0.3	.....	.....	0.2	0.2	.....
6	Measles	12.7	15.8	6.8	5.3	20.3	2.9	10.5	2.4	18.5	3.0	10.1	2.9
7	Scarlet fever	1.2	4.1	2.6	1.5	7.5	4.0	3.1	1.4	8.4	4.5	3.8	1.6
8	Whooping cough	5.2	5.8	5.1	7.6	8.8	7.6	21.3	14.0	7.3	5.3	12.8	9.2
9	Diphtheria and croup	13.9	16.4	10.9	12.2	16.6	16.4	14.1	14.3	18.1	17.9	13.8	16.1
10	Influenza	13.9	5.3	25.5	13.2	9.9	11.8	18.7	12.6	7.9	8.5	17.8	12.1
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	0.6	0.6	1.5	0.7	0.5	0.6	0.7	0.4	0.6	0.6	0.9	0.4
14	Dysentery	3.5	4.7	2.7	2.4	3.8	2.7	6.4	5.7	3.2	2.8	5.6	6.2
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	2.3	2.3	1.9	3.6	4.0	4.7	2.1	1.7	4.1	5.3	2.5	1.8
19	Other epidemic diseases	0.6	0.6	0.2	.....	0.3	0.3	0.4	0.1	0.4	0.2	0.4	0.2
20	Purulent infection and septicemia	6.4	12.9	2.9	2.4	4.2	4.5	2.7	1.1	3.7	4.5	2.3	1.3
21	Glanders	.....	.....	.....	0.2	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	0.2	.....
24	Tetanus	0.6	0.6	0.9	0.7	3.2	6.0	3.4	3.0	1.7	4.0	3.1	2.7
25	Mycoses	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	1.7	2.3	1.2	0.2	1.8	1.0	0.4	0.3	1.7	0.9	0.4	.....
27	Beriberi	.....	.....	.....	.....	.....	0.2	.....	.....	.....	0.2	.....	.....
	Tuberculosis (total)	171.0	173.7	113.9	121.6	228.5	238.4	164.2	151.9	170.9	185.2	127.0	118.0
28	Tuberculosis of the lungs	124.8	137.4	84.5	93.3	190.5	197.0	144.5	131.7	143.2	152.5	113.0	100.8
29	Acute miliary tuberculosis	4.0	4.7	2.1	2.6	11.3	11.4	5.8	4.0	5.6	7.4	3.8	2.9
30	Tuberculous meningitis	13.3	11.7	10.8	9.6	12.1	12.7	4.0	4.3	10.3	12.1	3.6	4.0
31	Abdominal tuberculosis	12.1	11.7	6.2	7.6	7.3	6.8	5.8	6.3	5.8	4.0	3.1	4.7
32	Pott's disease	1.7	2.3	2.4	1.7	2.9	1.8	0.9	2.1	2.8	1.3	0.9	2.2
33	White swellings	.....	.....	0.9	0.3	1.3	2.1	0.6	0.6	0.9	2.1	0.4	0.5
34	Tuberculosis of other organs	6.4	3.5	2.7	4.0	1.4	3.2	1.7	1.9	0.7	3.0	1.4	1.8
35	Disseminated tuberculosis	8.7	2.3	4.4	2.6	1.6	3.4	1.0	1.0	1.5	2.8	0.9	1.1
36	Rickets	4.6	2.3	1.0	0.3	1.0	1.1	0.1	0.7	0.4	.....	.....	.....
37	Syphilis	9.2	6.4	1.7	0.7	17.4	19.8	5.3	5.6	10.7	15.1	2.9	1.8
38	Gonococcus infection	1.2	.....	0.2	.....	.....	0.8	0.1	0.1	.....	0.4	0.2	.....
	Cancer and other malignant tumors (total)	118.5	126.9	104.3	105.1	103.3	97.1	64.6	62.9	103.0	101.0	71.3	66.8
39	Of the buccal cavity	2.9	1.8	2.7	4.5	4.8	2.3	3.1	2.0	4.3	2.3	3.2	2.4
40	Of the stomach, liver	33.5	49.7	36.4	41.2	43.4	39.8	27.3	25.3	44.5	42.9	30.2	27.7
41	Of the peritoneum, intestines, rectum	30.0	27.5	20.7	16.5	11.2	10.2	7.5	5.4	12.2	10.8	8.6	6.0
42	Of the female genital organs	19.1	19.3	15.4	14.9	17.9	17.1	7.7	10.6	16.1	16.2	7.5	9.4
43	Of the breast	11.0	7.0	10.3	8.8	8.9	11.0	6.7	6.7	8.2	10.9	7.5	7.8
44	Of the skin	2.9	5.8	4.3	3.6	1.3	1.6	2.3	3.7	1.3	1.7	2.7	4.2
45	Of other organs or of organs not specified	19.1	15.8	14.5	15.6	15.8	15.2	10.1	9.2	16.5	16.2	11.5	9.4
46	Other tumors (tumors of the female genital organs excepted)	2.3	1.8	0.7	0.9	0.3	1.1	0.1	0.4	0.2	0.8	0.2	0.5
47	Acute articular rheumatism	4.0	8.8	3.9	4.8	5.6	4.7	3.0	4.0	5.4	4.3	3.1	4.0
48	Chronic rheumatism and gout	1.7	.....	2.2	2.1	1.8	1.8	1.3	1.6	1.7	2.1	1.4	1.8
49	Scurvy	.....	.....	0.3	0.2	.....	.....	0.3	0.3	.....	.....	0.2	0.4
50	Diabetes	12.1	22.2	18.3	20.4	16.6	16.8	11.1	9.6	17.0	17.7	12.0	10.3
51	Exophthalmic goiter	0.6	1.2	0.7	1.0	2.1	0.8	0.9	0.4	2.4	0.8	0.9	0.5
52	Addison's disease	0.6	0.6	0.5	0.5	0.3	0.5	0.3	0.4	0.4	0.6	0.4	0.5
53	Leukemia	2.3	2.3	0.7	1.5	2.2	2.7	0.9	1.4	2.4	2.8	1.1	1.3
54	Anemia, chlorosis	15.0	11.7	8.2	9.1	4.6	4.4	2.6	2.6	5.4	4.5	2.9	2.2
55	Other general diseases	0.6	1.2	2.2	2.6	1.1	1.5	1.3	0.9	1.3	1.7	1.1	1.1
56	Alcoholism (acute or chronic)	9.2	8.8	2.2	3.8	7.2	7.6	4.7	3.0	6.5	7.0	4.7	2.9
57	Chronic lead poisoning	1.2	.....	0.3	.....	0.3	.....	.....	.....	0.4	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	.....	0.6	0.3	0.2	.....	0.2	0.3	0.3	.....	0.2	0.4	0.4
	II.—Diseases of the nervous system and of the organs of special sense.	189.0	221.6	180.0	194.6	165.3	172.5	171.7	153.2	152.0	159.2	168.0	150.2
60	Encephalitis	0.6	1.8	2.4	2.4	0.3	0.6	1.3	1.7	0.4	0.8	1.3	1.8
61	Meningitis (total)	18.5	18.7	9.6	10.8	14.2	17.1	12.1	10.2	12.2	16.6	11.1	9.8
	Simple meningitis	16.2	15.2	7.7	8.4	7.3	10.2	9.7	8.3	6.9	10.8	8.8	7.8
	Cerebrospinal meningitis (undefined)	2.3	1.8	1.9	2.2	4.2	4.8	2.0	1.0	3.4	3.6	2.0	1.1
	Cerebrospinal fever	.....	1.8	.....	0.2	2.7	2.1	0.4	0.9	1.9	2.3	0.4	0.9
62	Locomotor ataxia	5.2	3.5	2.6	4.5	2.1	3.5	1.8	2.0	2.4	3.8	2.2	2.0
63	Other diseases of the spinal cord (total)	11.6	10.5	7.7	8.2	4.3	6.4	6.1	7.7	4.7	6.8	6.5	8.1
	Acute anterior poliomyelitis	1.2	1.2	2.1	1.2	1.0	2.6	1.8	2.1	0.9	2.8	2.0	2.2
	Other diseases of the spinal cord [3]	10.4	9.4	5.6	7.0	3.4	3.9	4.3	5.6	3.7	4.0	4.5	6.0
64	Cerebral hemorrhage, apoplexy	92.5	119.3	115.8	122.0	92.0	90.0	83.7	75.5	87.9	87.0	83.4	72.7

[1] Exclusive of stillbirths.

[2] Less than one-tenth of 1 per 100,000 population.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed International List No.
MARYLAND—continued.				MASSACHUSETTS.				MICHIGAN.				MINNESOTA.				
Colored.				Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		
Cities.		Rural districts.														
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
3,081.7	2,946.4	1,977.5	1,811.1	1,489.6	1,484.9	1,543.8	1,536.3	1,562.7	1,484.8	1,280.3	1,246.4	1,157.8	1,050.2	989.7	907.5	
936.4	847.8	577.4	493.1	376.7	362.4	402.6	379.4	382.2	349.4	287.4	277.8	345.8	308.3	265.1	242.4	
52.5	33.1	70.5	49.2	8.6	8.7	5.2	4.3	25.4	27.0	13.9	13.4	14.1	12.9	9.1	9.5	1
.....	.....	.....	.....	(2)	(2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
4.4	2.2	3.4	4.8	0.2	0.3	0.9	0.1	0.5	0.7	0.6	0.8	.....	0.3	0.1	.....	4
.....	.....	0.7	.....	.....	.....	.....	0.3	0.1	0.1	0.2	0.1	0.1	0.1	0.7	0.2	5
30.6	2.2	12.2	0.7	14.8	12.7	11.6	6.4	13.7	6.1	5.4	2.5	8.5	1.7	10.0	0.7	6
2.2	1.1	0.7	0.7	9.1	4.1	7.7	3.0	14.0	7.5	6.7	5.6	13.4	3.6	6.1	5.4	7
17.5	21.0	53.5	32.1	9.3	10.0	6.3	8.8	11.8	10.1	7.9	7.6	4.6	5.8	7.5	11.7	8
7.7	7.7	14.9	7.5	19.8	15.3	9.7	10.4	36.0	24.9	14.8	10.7	15.4	10.5	7.4	6.5	9
21.9	30.9	22.4	14.3	6.8	5.7	17.7	11.3	7.4	5.4	14.2	13.7	5.2	2.9	10.2	3.7	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	1.1	.....	0.7	0.3	0.2	0.6	0.4	1.1	0.9	0.4	0.6	0.1	0.7	1.0	0.8	13
7.7	2.2	9.5	4.1	3.1	3.1	6.3	4.4	4.7	2.8	4.6	4.0	1.1	2.2	2.5	1.3	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	0.1	0.1	.....	.....	.....	0.1	.....	.....	0.1	.....	17
3.3	1.1	0.7	1.4	4.0	4.6	3.3	4.4	5.6	5.5	3.8	3.1	5.0	4.2	2.7	1.7	18
.....	1.1	0.7	.....	0.3	0.4	0.4	.....	0.4	0.5	0.3	0.3	0.1	0.1	0.7	0.3	19
6.6	4.4	4.1	0.7	4.4	3.4	3.4	3.7	4.5	3.3	3.2	4.1	2.1	1.7	1.6	1.7	20
.....	.....	.....	.....	(2)	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	0.1	0.1	0.1	.....	.....	.....	.....	.....	.....	0.1	0.1	.....	22
.....	.....	.....	.....	.....	.....	0.3	.....	0.1	0.3	0.1	0.1	0.1	0.3	0.1	0.1	23
12.0	17.7	4.7	4.1	1.2	1.1	1.0	0.6	1.9	0.8	0.9	0.7	2.1	1.2	1.2	1.7	24
.....	.....	.....	.....	0.1	0.1	.....	0.1	0.1	0.1	0.1	0.1	0.3	0.3	.....	.....	25
2.2	1.1	0.7	1.4	0.3	0.1	0.6	0.1	0.6	0.2	0.1	.....	0.1	.....	0.1	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
565.6	549.8	304.3	280.0	139.8	141.2	159.8	169.7	107.9	110.7	81.4	84.0	135.7	135.3	93.6	95.6	
467.1	457.0	262.9	248.6	111.2	112.9	136.2	144.5	86.6	89.8	67.1	69.7	109.0	107.7	72.1	76.3	28
44.9	35.3	13.6	8.2	4.2	5.9	3.7	4.6	3.7	3.6	2.1	2.3	4.3	4.9	3.6	3.2	29
23.0	16.6	5.4	5.5	14.4	12.9	7.0	8.5	7.4	7.2	3.7	3.2	10.4	11.4	7.1	6.3	30
16.4	23.2	16.3	12.3	4.6	4.8	3.6	3.9	4.7	4.2	4.3	3.8	7.1	6.2	4.9	4.9	31
3.3	4.4	0.7	2.0	1.4	1.2	2.2	1.9	1.2	1.6	0.9	1.5	1.4	1.6	1.6	1.2	32
3.3	2.2	1.4	0.7	0.7	0.8	1.0	1.3	0.7	0.9	0.6	0.4	0.4	1.0	0.9	0.6	33
5.5	4.4	2.7	2.0	2.6	1.5	2.6	2.2	2.1	2.5	1.6	2.2	2.4	1.7	1.9	1.9	34
2.2	6.6	1.4	0.7	0.8	1.1	3.6	2.8	1.5	0.8	1.1	0.9	0.7	0.9	1.5	1.2	35
4.4	7.7	0.7	3.4	1.0	1.0	0.8	1.0	0.4	0.5	0.6	0.6	1.8	1.2	0.5	1.0	36
56.9	47.5	14.2	19.8	5.6	5.2	5.5	3.6	8.4	7.1	2.9	2.7	7.6	8.1	3.1	1.7	37
.....	3.3	.....	0.7	0.3	0.3	.....	0.1	1.1	0.4	.....	.....	0.6	0.9	.....	0.1	38
105.0	74.0	39.3	48.5	98.7	96.7	110.9	100.5	87.0	82.6	77.9	76.0	82.8	77.1	71.4	66.2	
7.7	2.2	2.7	0.7	3.9	3.6	3.4	3.9	3.8	2.1	2.8	3.6	3.5	3.0	4.2	3.9	39
37.2	22.1	16.3	16.4	33.7	33.7	40.4	37.1	35.7	33.9	34.0	33.5	36.3	35.1	36.5	34.0	40
5.5	6.6	3.4	3.4	16.7	14.6	19.6	14.7	9.4	8.9	8.5	6.4	9.9	9.6	8.3	6.7	41
28.4	22.1	8.1	15.0	14.7	15.2	14.3	13.1	15.6	13.2	10.1	9.7	10.1	10.6	7.0	4.7	42
13.1	11.0	3.4	2.7	10.9	11.9	12.9	12.4	7.8	7.5	6.6	7.5	8.3	5.8	4.4	4.5	43
1.1	1.1	0.7	2.0	2.3	2.5	2.6	4.4	2.2	1.8	4.2	4.5	1.5	1.2	1.8	2.5	44
12.0	8.8	4.7	8.2	16.5	15.2	17.6	14.9	12.5	15.2	11.7	10.9	13.2	11.8	9.2	9.8	45
1.1	3.3	.....	.....	0.5	0.7	1.4	1.0	0.6	1.4	1.1	1.5	0.3	0.4	0.5	0.5	46
6.6	6.6	2.7	4.1	5.6	4.4	3.3	4.5	6.8	6.7	5.5	5.4	4.8	4.3	4.4	5.2	47
2.2	.....	0.7	0.7	1.0	1.3	1.7	1.8	1.1	1.5	1.1	1.4	0.4	1.7	1.4	0.9	48
.....	.....	0.7	.....	0.2	0.2	.....	.....	0.1	.....	0.1	0.1	0.1	0.1	.....	0.1	49
14.2	11.0	7.5	6.8	19.6	19.4	23.5	19.3	15.8	16.1	16.7	14.2	15.4	13.4	12.7	12.0	50
.....	1.1	0.7	.....	1.2	1.1	0.8	1.2	3.8	2.6	2.6	2.5	2.8	2.0	2.5	1.9	51
.....	.....	.....	.....	0.5	0.4	1.1	0.4	0.5	0.8	0.6	0.4	1.0	0.7	0.2	0.3	52
1.1	2.2	.....	.....	1.9	1.8	1.9	1.4	1.9	1.6	2.2	1.7	2.2	1.2	2.2	1.9	53
.....	3.3	1.4	4.1	6.8	7.0	9.3	8.8	9.2	12.3	10.8	13.2	7.7	6.0	4.8	4.1	54
.....	.....	2.0	.....	2.2	2.0	2.4	2.2	2.1	3.3	2.4	2.9	1.4	2.6	1.6	1.3	55
10.9	11.0	4.7	3.4	9.1	9.5	4.7	4.9	6.2	5.2	3.9	3.1	8.3	4.6	5.0	4.0	56
.....	.....	.....	.....	0.3	0.4	0.1	0.4	0.5	0.3	.....	0.2	0.1	.....	.....	0.1	57
.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	0.1	0.1	.....	.....	.....	.....	58
.....	.....	.....	.....	0.1	0.1	.....	0.1	0.7	0.1	0.6	0.3	0.1	0.1	0.1	0.2	59
242.9	250.6	185.7	164.6	144.9	141.2	197.2	204.0	166.4	155.6	157.3	166.8	80.0	78.2	95.6	86.5	
.....	.....	1.4	1.4	1.2	1.3	0.8	0.9	1.8	2.7	1.4	1.8	0.3	0.6	1.0	0.6	60
26.3	19.9	15.6	11.6	12.4	13.3	10.3	10.9	19.0	15.8	7.9	7.9	6.0	6.0	4.4	5.8	61
9.8	6.6	12.9	10.2	8.2	9.0	7.1	9.3	11.5	9.5	5.1	6.0	2.9	3.0	2.5	2.2	
8.8	12.1	2.0	0.7	3.4	3.2	3.2	1.7	6.8	5.7	2.6	1.7	1.4	1.3	0.7	1.1	
7.7	1.1	0.7	0.7	0.8	1.1	.....	.....	0.6	0.6	0.3	0.2	1.7	1.7	1.2	2.5	
.....	2.2	0.7	2.0	3.3	2.7	3.2	4.4	3.1	2.5	2.7	3.1	2.4	2.2	1.2	1.4	62
2.2	4.4	4.7	6.1	7.7	6.7	9.7	8.5	7.1	4.6	6.7	6.6	5.2	5.0	6.3	4.4	63
1.1	1.1	1.4	2.0	2.1	1.5	1.3	1.3	1.5	0.9	1.3	1.8	0.8	1.6	2.0	1.2	
1.1	3.3	3.4	4.1	5.7	5.2	8.4	7.2	5.6	3.7	5.3	4.8	4.3	3.5	4.3	3.2	
116.0	107.1	84.7	86.0	89.8	87.2	124.9	127.1	74.1	70.5	81.6	89.6	45.8	46.3	53.6	47.8	64

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MAINE.				MARYLAND.							
						Total.				White.			
		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.	
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	II.—Diseases of the nervous system and of the organs of special sense—Contd.												
65	Softening of the brain	4.6	1.2	3.8	4.0	1.8	1.5	3.3	3.4	2.1	1.7	3.2	4.0
66	Paralysis without specified cause	17.9	19.3	13.0	16.8	20.0	22.1	30.4	22.0	15.0	17.4	29.5	20.8
67	General paralysis of the insane	11.6	17.5	7.4	4.0	4.0	5.2	9.1	7.2	3.7	3.8	9.9	8.1
68	Other forms of mental alienation	5.2	5.8	3.1	4.6	1.8	2.1	3.1	4.6	1.7	1.3	3.1	5.4
69	Epilepsy	4.0	5.8	3.2	4.3	3.7	2.6	6.2	5.9	2.4	1.7	6.8	6.2
70	Convulsions (nonpuerperal)	1.2	1.2	0.2	0.2	.....	0.6	1.0	0.3	.....	0.4	0.5	0.2
71	Convulsions of infants	7.5	3.5	3.4	4.1	10.1	12.3	9.5	8.4	9.2	9.4	7.2	6.9
72	Chorea	.....	.....	0.7	0.2	.....	.....	0.1	.....	.....	.....	0.2	.....
73	Neuralgia and neuritis	2.3	1.2	0.7	1.2	1.0	1.3	0.3	1.1	1.1	1.5	0.2	1.1
74	Other diseases of the nervous system	5.2	10.5	6.3	6.5	5.3	5.6	2.6	2 4	4.3	5.5	2.0	2.7
75	Diseases of the eyes and their annexa	.....	.....	.....	.....	.....	0 2	.....	0.3	.....	0.2	.....	.....
76	Diseases of the ears	1.2	1.8	0.3	0.9	5.0	1 5	1.1	0.4	5.0	1.3	1.1	0.4
	III.—Diseases of the circulatory system	259.4	251.5	236.6	237.9	231.7	238.8	149.1	155.9	205.9	217.3	144.5	148.9
77	Pericarditis	1.2	1.8	1.2	0.3	1.4	1.5	0.6	0.4	1.5	0.8	0.5	0.4
78	Acute endocarditis	9 2	7.0	4.3	3.1	14.7	10.5	4.1	2.7	12.0	8.9	4.1	2.9
79	Organic diseases of the heart	175.7	166.7	175.3	180.6	170.4	175.1	113.8	125.2	147.5	155.4	107.6	116.5
80	Angina pectoris	16.2	10.5	12.1	11.2	9.4	10.6	6.0	5.6	9 9	11.5	5.8	6.0
81	Diseases of the arteries, atheroma, aneurism, etc.	44.5	48.5	35.9	35.2	31.3	33.7	20.7	18.5	30.5	34.0	22.6	19.0
82	Embolism and thrombosis	11.6	14.6	6.3	5.2	2.9	4.0	2.6	1.9	2.8	3.6	2.7	2.4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	.....	0.6	0.3	0.2	0.3	0.2	.....	0.7	0.4	0.2	.....	0.9
84	Diseases of the lymphatic system (lymphangitis, etc.).	.....	.....	0.5	0.3	1.0	1.0	0.3	0.4	1.1	1.1	0.2	0.5
85	Hemorrhage: other diseases of the circulatory system.	1.2	1.8	0.7	1.9	0.3	2.3	1.1	0.6	0.2	1.9	0.9	0.4
	IV.—Diseases of the respiratory system	260.0	236.3	159.0	168.9	245.6	217.2	133.1	129.5	197.7	172.9	111.6	108.9
86	Diseases of the nasal fossae	.....	0.6	.....	0.3	.....	.....	0.6	0.1	.....	.....	0.4	.....
87	Diseases of the larynx	4.0	.....	1.0	1.5	2.1	0.8	0.6	1.4	2.1	0.8	0.7	1.3
88	Diseases of the thyroid body	0.6	.....	0.3	0.5	0.3	0.2	0.4	0.1	0.4	0.2	0.5	0.2
89	Acute bronchitis	15.6	15.8	14.4	16.5	18.4	15.5	10.4	11.0	13.5	12.5	6.3	8.3
90	Chronic bronchitis	8.7	6.4	5.3	8.2	12 9	11.8	7.2	8.7	12.9	12.3	7.0	8.0
91	Bronchopneumonia	71.7	56.1	26.0	23.9	89.8	69.8	42.5	32.5	70.3	55.3	33.4	26.1
92	Pneumonia (total)	143.3	140.4	98.7	102.4	106.8	103.0	60.2	63.2	84.9	78.5	52.7	53.4
	Lobar pneumonia	40.4	38.0	16.2	15.8	87.2	55.8	37.9	31.9	67.9	43.2	35.4	27.5
	Pneumonia (undefined)	102.9	102.3	82.4	86.6	19.6	47 2	22.3	31.3	17.0	35.3	17.3	25.9
93	Pleurisy	3.5	4.1	2.6	2.9	2.9	4.7	2.1	1.7	2.1	3.8	2.3	1.6
94	Pulmonary congestion, pulmonary apoplexy	6.4	9.4	6.8	7.7	6.9	4.4	4.1	5.6	6.5	4.3	4.5	6.3
95	Gangrene of the lung	.....	.....	0.2	0.3	0.3	0.3	0.4	0.1	0.4	0.4	0.4	0.2
96	Asthma	4.0	1.2	1.7	0.9	2.2	3.1	2.4	3.3	2.1	2.3	1.8	2.4
97	Pulmonary emphysema	.....	0.6	.....	0.3	0.6	0.3	.....	0.1	0.4	0.4	.....	0.2
98	Other diseases of the respiratory system (tuberculosis excepted).	2.3	1.8	2.1	3.3	2.4	3.4	2.1	1.4	2.2	2.3	1.6	1.1
	V.—Diseases of the digestive system	210.3	204.7	137.1	116.3	200.9	193.3	167.0	158.1	187.2	179.0	147.0	145.1
99	Diseases of the mouth and annexa	1.2	.....	0.2	0.2	0.6	2.1	1.4	1.1	0.7	1.9	0.7	0.5
100	Diseases of the pharynx	2.3	1.2	1.7	1.7	2.4	3.1	2.6	2.3	2.2	3.0	2.9	2.0
101	Diseases of the esophagus	1.2	.....	.....	0.3	0.8	0.2	.....	0.3	0.6	0.2	.....	0.4
102	Ulcer of the stomach	2.3	6.4	3.9	4.0	4.0	4.2	2.0	2.1	4.3	3.8	1.8	2.2
103	Other diseases of the stomach (cancer excepted)	24.3	26.3	18.6	27.0	13.1	16.4	20.5	23.3	9.2	12.5	16.0	19.4
104	Diarrhea and enteritis (under 2 years)	76.9	75.4	56.8	33.5	102.7	91.9	99.7	83.1	98.4	85.3	86.3	73.8
105	Diarrhea and enteritis (2 years and over)	14.4	13.5	16.9	10.0	15.2	16.0	12.1	15.4	12.9	13.8	11.7	15.4
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	.....	.....	0.3	.....	.....	.....	0.9	0.1	.....	.....	.....	0.2
108	Appendicitis and typhlitis	25.4	21.1	6.8	7.4	14.9	13.1	5.1	4.6	13.7	12.3	5.4	4.9
109	Hernia, intestinal obstruction (total)	19.6	18.1	8.2	11.2	19.2	19.0	6.5	9.0	18.7	18.7	6.1	10.0
	Hernia	4.6	4.7	1.4	1.7	7.2	7.3	1.8	1.9	7.7	7.6	1.4	2.0
	Intestinal obstruction	15.0	13.5	6.8	9.4	12.0	11.8	4.7	7.2	11.0	11.1	4.7	8.0
110	Other diseases of the intestines	6.9	4.1	2.9	3.1	3.5	2.7	1.3	1.7	3.0	3.0	1.1	1.1
111	Acute yellow atrophy of the liver	.....	.....	0.7	0.9	0.6	0.8	0.4	0.4	0.6	0.4	0.2	0.4
112	Hydatid tumor of the liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	11.6	7.6	6.5	6.4	14.7	12.7	6.7	7.9	13.1	13.2	7.2	8.3
114	Biliary calculi	5.2	4.1	3.2	2.7	3.0	2.1	1.7	1.4	3.6	2.3	2.2	1.8
115	Other diseases of the liver	10.4	16.4	6.7	3.8	3.4	3.9	3.6	2.6	3.7	4.0	3.4	2.7
116	Diseases of the spleen	1.7	0.6	0.7	0.3	0.2	0.2	0.3	.....	0.2	0.2	0.4	.....
117	Simple peritonitis (nonpuerperal)	6.9	8.2	2.4	3.1	1.6	4.5	2.0	2.6	1.7	4.0	1.4	2.2
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	.....	1.8	0.5	0.9	1.1	0.5	0.4	.....	0.7	0.6	0.4	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	158.3	159.7	109.4	106.7	193.6	191.9	118.0	117.7	176.7	171.6	107.1	103.7
119	Acute nephritis	17.3	13.5	9.4	7.6	20.0	23.4	11.5	10.9	15.5	18.9	9.5	8.7
120	Bright's disease	116.1	121.1	84.5	84.2	155.2	152.5	97.3	96.1	144.7	139.0	89.9	85.4
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	1.2	5.3	2.6	3.4	3.4	2.9	1.3	1.9	3.4	3.2	0.7	1.6
123	Calculi of the urinary passages	.....	0.6	0.2	0.3	1.3	0.8	0.4	0.1	1.3	0.8	0.4	0.2

[1] Less than one-tenth of 1 per 100,000 population.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed International List No.
MARYLAND—continued.				MASSACHUSETTS.				MICHIGAN.				MINNESOTA.				
Colored.				Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		
Cities.		Rural districts.														
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
.....	.....	3.4	1.4	1.0	0.8	2.3	1.9	0.4	0.8	1.4	1.3	1.8	1.2	0.7	0.6	65
49.2	49.7	33.9	26.6	5.0	6.5	9.7	10.0	16.1	16.7	25.8	24.8	2.7	2.9	6.1	4.7	66
5.5	13.2	6.1	3.4	6.8	6.1	13.1	14.7	11.1	11.4	7.5	5.0	1.8	1.4	3.4	3.4	67
2.2	6.6	3.4	1.4	1.1	1.0	3.3	3.0	3.2	2.7	1.4	2.1	0.7	0.6	2.2	1.3	68
10.9	7.7	4.1	4.8	2.7	3.2	10.1	9.1	3.7	4.2	4.6	5.3	1.7	2.0	3.7	4.3	69
.....	2.2	2.7	0.7	0.1	0.2	0.3	0.1	0.4	0.6	0.4	0.7	0.3	0.3	0.1	0.1	70
15.3	28.7	18.3	14.3	4.3	4.8	3.1	5.0	16.3	14.7	9.2	11.4	4.3	4.0	6.6	8.3	71
.....	.....	.....	.....	0.2	0.1	0.1	0.4	0.4	0.8	0.2	0.1	.....	.....	0.3	0.1	72
.....	.....	0.7	1.4	0.9	0.8	1.0	0.6	0.7	1.0	0.9	1.1	0.4	0.1	0.5	0.5	73
10.9	6.6	4.7	1.4	4.5	3.8	4.3	6.4	6.5	5.1	4.3	4.5	3.6	4.0	3.5	2.4	74
.....	.....	.....	1.4	0.2	0.1	.....	.....	0.2	0.1	.....	0.3	0.3	.....	.....	.....	75
4.4	2.2	1.4	0.7	3.7	2.6	1.0	0.8	2.5	1.4	1.2	1.1	2.7	1.6	1.9	0.9	76
382.9	364.3	166.7	182.3	245.0	246.2	305.3	321.1	189.2	187.3	205.3	203.0	135.5	131.0	119.6	110.4	
1.1	5.5	0.7	0.7	1.2	1.3	0.8	0.9	1.6	1.8	1.7	1.0	.....	1.0	0.7	1.4	77
30.6	19.9	4.1	2.0	12.5	11.1	8.0	9.1	9.5	7.6	4.3	4.0	8.4	9.1	4.1	4.1	78
304.1	290.3	136.9	157.8	174.1	175.1	214.7	227.8	140.5	138.0	159.6	159.6	95.8	94.8	91.4	86.3	79
6.6	5.5	6.8	4.1	8.8	7.7	13.4	13.0	6.2	6.6	10.5	11.1	3.6	4.2	5.6	4.1	80
36.1	32.0	13.6	16.4	41.8	43.5	62.1	63.5	25.3	25.4	24.4	20.9	21.3	17.7	13.8	11.7	81
3.3	6.6	2.0	.....	4.2	4.9	4.3	4.9	3.9	5.8	2.7	3.7	3.9	2.9	2.6	1.9	82
.....	.....	.....	.....	1.0	0.7	0.8	0.3	0.7	0.7	0.5	0.5	0.1	0.9	0.6	0.4	83
.....	.....	0.7	.....	1.2	1.5	1.1	0.9	1.1	0.7	0.6	0.7	2.0	0.4	0.3	0.2	84
1.1	4.4	2.0	1.4	0.2	0.3	.....	0.6	0.4	0.7	1.1	1.5	0.3	0.1	0.5	0.3	85
526.2	475.8	214.2	206.9	198.6	195.2	156.3	164.3	185.3	177.4	107.7	110.6	121.6	108.4	95.7	85.0	
.....	.....	1.4	0.7	0.1	0.1	0.4	0.3	0.4	0.4	0.3	0.4	.....	0.3	0.5	0.1	86
2.2	1.1	.....	2.0	1.4	1.2	0.5	1.2	2.5	1.6	1.6	1.6	0.6	0.6	1.0	0.8	87
.....	.....	.....	.....	0.7	0.4	0.5	0.5	1.1	0.6	0.8	0.6	0.8	1.0	0.7	1.2	88
47.0	33.1	25.8	21.2	13.9	14.5	12.4	10.8	15.1	16.4	14.3	13.3	3.8	5.6	5.6	5.4	89
13.1	8.8	8.1	11.6	7.8	9.1	12.5	14.3	8.1	11.6	8.4	9.0	8.3	5.6	6.9	6.0	90
203.5	154.5	76.6	56.7	68.5	51.4	49.4	35.8	55.1	54.2	17.8	17.8	40.3	37.2	29.3	24.8	91
235.2	246.2	88.8	100.4	95.8	108.1	71.9	90.2	88.0	73.5	52.5	54.6	58.3	51.6	43.2	38.9	92
200.2	129.2	47.4	48.5	76.0	55.4	62.6	38.9	51.5	46.2	15.1	12.5	51.1	46.7	33.1	31.9	
35.0	117.0	41.3	51.9	19.7	52.8	9.3	51.3	36.5	27.3	37.5	42.1	7.1	4.9	10.1	7.0	
7.7	9.9	1.4	2.0	4.3	4.0	2.6	3.1	4.4	4.1	3.4	3.7	3.8	2.3	2.2	2.0	93
8.8	4.4	2.7	2.7	2.9	3.2	3.1	5.0	4.0	6.0	3.6	4.2	1.7	1.3	2.5	2.2	94
.....	.....	0.7	.....	0.4	0.3	0.6	.....	0.4	0.6	0.4	0.2	0.3	0.3	0.1	0.2	95
3.3	7.7	4.7	6.8	1.5	1.3	1.3	1.7	3.5	4.2	2.5	2.2	2.4	1.4	3.0	2.2	96
2.2	.....	.....	.....	0.3	0.1	.....	0.1	0.1	0.5	0.2	0.4	0.1	0.1	0.2	0.3	97
3.3	9.9	4.1	2.7	1.0	1.4	1.1	1.4	2.6	3.6	2.1	2.6	1.3	1.0	0.6	0.9	98
281.2	277.1	242.6	206.9	172.4	179.6	134.7	126.0	193.5	188.1	145.9	125.4	130.3	111.1	103.7	86.4	
.....	3.3	4.1	3.4	0.5	0.8	0.3	0.6	0.9	1.3	0.9	0.4	0.4	1.0	0.2	0.9	99
3.3	3.3	1.4	3.4	2.2	2.4	2.7	1.7	3.9	2.3	2.9	1.2	3.2	1.6	1.0	1.2	100
2.2	.....	.....	.....	0.4	0.3	0.5	0.1	0.5	0.4	0.3	0.2	0.1	.....	0.1	0.5	101
2.2	6.6	2.7	2.0	4.0	3.4	2.7	2.1	4.6	4.7	4.4	4.1	4.8	6.2	3.3	3.4	102
36.1	39.7	37.3	38.2	9.0	11.2	12.0	13.0	24.7	22.8	19.9	18.5	4.1	6.8	7.6	8.6	103
128.0	130.3	150.4	118.1	94.2	103.9	60.2	61.7	76.6	69.8	48.4	35.0	44.1	40.5	39.9	23.7	104
28.4	28.7	13.6	15.7	12.9	9.9	19.5	14.3	16.0	13.2	15.9	11.0	11.6	6.6	11.1	6.3	105
.....	.....	.....	.....	(1)	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....	106
.....	.....	4.1	.....	0.1	0.1	0.1	.....	.....	0.2	0.1	0.1	.....	0.3	0.3	0.1	107
21.9	17.7	4.1	3.4	12.9	11.6	6.6	4.1	16.1	17.8	10.5	9.3	22.6	18.5	13.1	12.0	108
21.9	21.0	8.1	5.5	13.2	11.5	8.9	8.3	17.8	18.8	13.4	12.3	13.7	10.5	8.6	9.2	109
4.4	5.5	3.4	1.4	5.5	4.6	2.9	3.5	5.5	5.6	3.3	3.4	4.9	3.7	2.2	2.5	
17.5	15.5	4.7	4.1	7.7	6.9	6.0	5.3	12.3	13.2	10.1	8.9	8.8	6.8	6.4	6.6	
6.6	1.1	2.0	4.1	1.7	2.4	1.5	2.2	3.2	4.3	3.5	3.9	2.5	2.0	2.5	3.0	110
1.1	3.3	1.4	0.7	0.3	0.4	0.4	0.3	0.7	0.6	0.6	0.9	0.4	0.1	0.6	0.1	111
.....	.....	.....	.....	0.1	(1)	.....	0.1	.....	.....	.....	.....	.....	.....	.....	0.1	112
24.1	9.9	4.7	6.1	10.0	9.9	11.2	8.5	12.6	14.2	10.2	11.3	11.1	8.3	5.7	7.2	113
.....	1.1	.....	.....	4.1	3.4	2.4	1.5	3.1	3.0	3.5	2.9	5.0	2.9	3.1	4.2	114
1.1	3.3	4.1	2.0	3.1	3.7	3.1	3.0	7.9	7.0	6.5	7.0	4.1	4.0	4.7	4.4	115
.....	.....	.....	.....	0.1	0.1	0.5	0.3	0.4	0.2	0.3	0.3	.....	.....	0.1	0.2	116
1.1	7.7	4.1	4.1	2.4	3.5	1.7	3.0	3.5	6.6	4.2	6.2	1.7	1.0	1.5	1.0	117
3.3	.....	0.7	.....	1.0	1.0	0.4	0.8	1.1	0.9	0.4	0.7	0.8	0.7	0.4	0.4	118
292.1	310.2	159.3	170.7	105.4	107.1	106.5	108.1	99.4	101.4	88.0	88.7	110.1	103.8	75.8	76.8	
45.9	49.7	19.0	19.1	8.4	7.6	7.3	8.4	9.4	9.7	6.4	6.9	9.0	6.9	5.2	5.2	119
216.6	231.8	125.4	136.6	81.4	81.2	87.4	87.2	69.0	67.7	66.3	67.3	81.2	78.1	58.7	58.4	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
3.3	1.1	3.4	2.7	2.1	2.6	2.3	1.5	2.5	3.4	2.4	2.2	1.4	1.6	1.9	2.1	122
1.1	1.1	0.7	.....	0.7	1.0	0.6	0.6	0.8	1.0	0.7	0.4	0.7	0.6	0.5	0.7	123

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MAINE.				MARYLAND.							
		Cities.		Rural districts.		Total.				White.			
						Cities.		Rural districts.		Cities.		Rural districts.	
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.												
124	Diseases of the bladder	4.6	1.8	5.3	5.2	1.1	1.6	1.6	2.4	0.9	1.7	1.6	1.8
125	Diseases of the urethra, urinary abscess, etc	.....	0.6	0.2	0.2	0.6	0.6	.....	0.4	0.6	.....	.....	0.4
126	Diseases of the prostate	4.6	4.7	4.3	2.9	3.2	3.7	2.4	2.6	3.4	3.4	2.7	2.7
127	Nonvenereal diseases of the male genital organs	.....	.....	.....	.....	0.6	0.2	0.1	.....	0.7	0.2	.....	.....
128	Uterine hemorrhage (nonpuerperal)	.....	.....	.....	.....	0.2	.....	.....	.....	0.2	.....	.....	.....
129	Uterine tumor (noncancerous)	3.5	3.5	1.9	0.5	2.2	1.6	1.1	0.9	2.1	1.3	0.5	0.7
130	Other diseases of the uterus	4.0	5.3	0.5	0.9	1.3	2.1	0.7	0.9	0.7	1.3	0.7	0.9
131	Cysts and other tumors of the ovary	1.2	0.6	0.5	0.7	1.3	0.5	0.6	0.4	1.3	0.6	0.7	0.5
132	Salpingitis and other diseases of the female genital organs.	5.8	2.9	0.2	0.9	3.2	1.9	1.0	0.9	1.9	1.3	0.4	0.4
133	Nonpuerperal diseases of the breast (cancer excepted).	.....	.....	.....	.....	.....	.....	.....	0.3	.....	.....	.....	0.4
	VII.—The puerperal state	16.8	11.7	9.7	9.6	22.0	20.0	14.1	13.3	20.0	18.1	10.1	10.7
134	Accidents of pregnancy	1.7	2.9	1.5	0.5	1.1	2.9	0.7	1.7	1.3	2.3	0.4	1.3
135	Puerperal hemorrhage	1.7	1.8	1.2	1.4	1.3	1.6	2.4	1.9	1.3	1.7	2.5	1.1
136	Other accidents of labor	1.7	1.2	1.4	1.5	1.0	1.5	0.7	0.9	0.7	1.3	0.9	0.5
137	Puerperal septicemia	5.2	2.9	3.2	2.7	12.3	9.5	5.0	3.6	11.2	8.9	3.2	3.3
138	Puerperal albuminuria and convulsions	5.2	1.8	2.1	2.4	5.6	3.9	4.8	4.7	4.9	3.6	2.9	3.8
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	0.6	1.2	0.2	0.9	0.8	0.5	0.4	0.6	0.6	0.2	0.2	0.7
140	Following childbirth (not otherwise defined)	0.6	.....	0.2	0.2	.....	0.2	.....	.....	.....	0.2	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue.	9.8	7.0	6.0	10.1	5.9	5.6	4.7	4.1	5.6	5.1	4.7	3.3
142	Gangrene	3.5	4.7	3.9	7.6	3.5	2.7	2.1	2.3	2.8	2.1	2.0	1.6
143	Furuncle	2.3	1.2	0.5	0.7	0.3	1.5	0.3	0.4	0.4	1.7	0.4	0.4
144	Acute abscess	2.9	0.6	0.7	0.5	1.4	0.6	1.1	0.4	1.7	0.6	1.3	0.5
145	Other diseases of the skin and annexa	1.2	0.6	0.9	1.4	0.6	0.8	1.1	1.0	0.7	0.8	1.1	0.7
	IX.—Diseases of the bones and of the organs of locomotion.	4.0	3.5	1.2	2.1	4.3	3.5	1.4	1.3	4.1	3.6	1.1	1.3
146	Diseases of the bones (tuberculosis excepted)	4.0	2.9	1.0	1.9	3.8	3.4	1.3	1.0	3.6	3.4	0.9	0.9
147	Diseases of the joints (tuberculosis and rheumatism excepted).	.....	0.6	0.2	0.2	0.3	0.2	0.1	.....	0.4	0.2	0.2	.....
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	.....	.....	.....	.....	0.2	.....	.....	0.3	0.2	.....	.....	0.4
	X.—Malformations	9.8	17.0	10.8	7.9	14.4	16.3	11.4	10.6	15.0	17.7	12.8	10.5
150	Congenital malformations (stillbirths not included) (total).	9.8	17.0	10.8	7.9	14.4	16.3	11.4	10.6	15.0	17.7	12.8	10.5
	Hydrocephalus	2.3	2.3	0.7	0.5	1.3	1.1	1.4	1.1	1.3	1.1	1.8	0.5
	Congenital malformations of the heart	5.2	8.8	6.7	4.0	9.6	10.6	7.5	7.4	10.5	11.9	8.6	8.0
	Other congenital malformations	2.3	5.8	3.4	3.4	3.5	4.5	2.4	2.0	3.2	4.7	2.3	2.0
	XI.—Early infancy	98.8	122.2	76.8	76.8	127.1	138.3	99.9	77.1	114.8	130.8	84.8	69.7
151	Congenital debility, icterus, and sclerema (total)	82.1	98.8	66.0	65.1	108.8	118.7	85.8	66.7	96.3	113.8	72.4	60.4
	Premature birth	35.8	43.3	33.3	34.4	56.7	48.0	41.6	32.6	49.9	45.5	38.6	32.6
	Congenital debility, "atrophy," "marasmus," etc.	46.2	55.6	32.7	30.8	52.1	70.6	44.2	34.0	46.4	68.3	33.8	27.9
152	Other causes peculiar to early infancy (total)	16.8	23.4	10.8	11.7	17.9	19.0	12.9	9.7	18.0	16.4	12.0	9.0
	Injuries at birth	9.8	12.3	4.4	5.3	10.5	9.8	5.1	3.7	11.0	10.0	5.2	4.2
	Other causes peculiar to early infancy [2]	6.9	11.1	6.3	6.4	7.3	9.2	7.8	6.0	6.9	6.4	6.8	4.9
153	Lack of care	.....	.....	.....	.....	0.5	0.6	1.1	0.7	0.6	0.6	0.4	0.2
	XII.—Old age	44.5	53.8	72.8	72.0	23.2	32.6	31.7	34.3	23.7	33.4	27.1	30.2
154	Senility	44.5	53.8	72.8	72.0	23.2	32.6	31.7	34.3	23.7	33.4	27.1	30.2
	XIII.—External causes	112.1	111.7	77.1	82.1	109.6	95.9	85.4	82.8	105.8	90.1	80.5	77.1
	Suicide (total)	17.9	14.0	12.0	15.1	19.8	15.3	11.4	9.0	21.9	17.4	13.8	10.5
155	By poison	3.5	1.8	1.4	2.4	5.6	5.5	2.1	1.1	6.2	6.0	2.7	1.3
156	By asphyxia	0.6	.....	.....	0.3	5.3	3.5	0.3	0.4	6.0	4.0	0.4	0.5
157	By hanging or strangulation	4.0	4.1	3.9	4.8	2.1	1.0	2.0	2.0	2.2	1.1	2.5	2.4
158	By drowning	1.7	2.9	2.4	1.4	1.0	0.5	0.7	1.3	0.9	0.6	0.9	1.4
159	By firearms	4.6	4.1	3.4	4.1	3.8	3.9	5.3	2.9	4.5	4.5	6.3	3.3
160	By cutting or piercing instruments	2.9	0.6	0.5	1.7	1.4	0.5	0.6	0.9	1.3	0.6	0.7	1.1
161	By jumping from high places	0.6	.....	.....	.....	0.6	0.2	0.1	.....	0.7	0.2	0.2	.....
162	By crushing	.....	.....	0.2	.....	.....	.....	0.1	0.4	.....	.....	0.2	0.5
163	Other suicides	.....	0.6	0.2	0.3	.....	0.3	0.1	.....	.....	0.4	.....	.....
	Accidental or undefined (total)	89.6	94.7	62.7	65.1	82.6	76.3	68.5	70.4	79.3	69.9	63.1	65.0
164	Poisoning by food	1.7	1.2	1.0	1.0	1.8	0.3	0.7	0.6	2.1	0.4	0.5	0.4
165	Other acute poisonings	4.6	5.3	3.2	2.2	1.8	1.6	2.4	0.9	1.7	1.3	1.8	0.5
166	Conflagration	.....	2.3	0.9	1.7	1.0	0.2	1.0	0.9	0.9	0.2	1.1	0.4
167	Burns (conflagration excepted)	10.4	1.8	4.1	4.3	10.9	11.3	5.7	6.9	9.0	9.8	4.0	6.2

[1] Less than one-tenth of 1 per 100,000 population.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed International List No.
MARYLAND—continued.				MASSACHUSETTS.				MICHIGAN.				MINNESOTA.				
Colored.				Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		
Cities.		Rural districts.														
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
2.2	1.1	1.4	4.8	1.7	2.0	2.9	3.5	1.8	2.9	4.1	4.0	1.0	2.2	2.0	2.1	124
1.1	4.4	.....	0.7	0.9	0.6	0.3	0.1	0.2	0.7	.....	0.2	0.6	0.4	0.1	.....	125
2.2	5.5	1.4	2.0	3.8	4.1	3.6	3.6	4.8	5.5	5.1	4.6	7.7	7.3	4.9	5.6	126
.....	.....	0.7	.....	0.1	0.1	.....	.....	0.3	.....	.....	0.1	0.1	.....	0.1	0.1	127
.....	.....	.....	.....	(1)	0.2	.....	0.1	0.2	0.3	0.1	0.2	0.3	.....	0.1	.....	128
3.3	3.3	3.4	1.4	1.9	2.4	0.4	0.9	3.5	2.0	0.9	0.8	2.9	1.3	0.7	0.7	129
4.4	6.6	0.7	0.7	1.1	1.7	0.4	0.3	1.8	2.8	0.9	1.3	1.0	1.6	0.7	0.6	130
1.1	.....	.....	.....	1.1	1.2	0.9	1.0	1.7	1.9	0.6	0.3	0.7	1.0	0.5	0.6	131
10.9	5.5	3.4	2.7	2.1	2.3	0.4	0.8	3.6	3.5	0.4	0.3	3.5	2.9	0.4	0.7	132
.....	.....	.....	.....	(1)	(1)	0.1	.....	.....	.....	0.1	.....	.....	.....	.....	.....	133
33.9	30.9	29.1	23.2	16.2	14.9	8.0	6.7	22.2	18.5	18.1	12.3	15.8	12.7	14.0	12.5	
.....	6.6	2.0	3.4	1.3	1.1	0.4	0.8	2.2	2.0	1.7	1.3	1.8	1.6	1.4	1.0	134
1.1	1.1	2.0	4.8	2.0	1.6	0.6	0.9	1.8	1.7	2.4	1.6	1.1	1.2	2.0	1.2	135
2.2	2.2	.....	2.0	1.4	1.4	1.1	0.6	2.2	2.0	1.6	1.3	1.1	0.6	1.5	1.4	136
18.6	13.2	11.5	4.8	6.0	6.2	2.6	1.9	11.4	8.4	8.0	4.8	6.9	5.9	4.8	5.4	137
9.8	5.5	12.2	8.2	4.3	3.7	1.7	2.1	4.0	4.2	4.0	3.0	3.5	2.7	3.4	3.1	138
2.2	2.2	1.4	.....	1.0	0.7	1.5	0.4	0.6	0.2	0.4	0.3	1.1	0.7	0.6	0.3	139
.....	.....	.....	.....	(1)	(1)	0.1	.....	.....	.....	0.1	0.1	0.3	.....	0.2	.....	140
.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	141
7.7	8.8	4.7	7.5	5.3	5.4	6.3	7.7	6.7	6.3	6.2	7.6	3.5	3.6	4.6	4.5	
7.7	6.6	2.7	4.8	1.4	2.2	3.6	4.3	3.2	3.2	4.6	4.6	1.5	1.6	1.9	2.2	142
.....	.....	.....	0.7	0.7	0.6	0.5	1.2	0.7	0.5	0.2	0.4	0.3	0.3	0.5	0.4	143
.....	1.1	0.7	.....	1.7	1.1	1.0	0.9	1.1	1.2	0.7	1.0	0.7	0.1	0.3	0.6	144
.....	1.1	1.4	2.0	1.6	1.4	1.1	1.4	1.7	1.4	0.7	1.5	1.0	1.6	1.8	1.3	145
5.5	3.3	2.7	1.4	3.1	3.5	1.8	1.8	4.7	2.8	1.7	1.5	2.2	3.5	1.7	1.6	
5.5	3.3	2.7	1.4	2.8	3.3	0.8	1.4	3.5	2.4	1.5	1.3	1.7	2.9	1.4	1.4	146
.....	.....	.....	.....	0.3	0.2	0.8	0.4	0.8	0.4	0.1	0.1	0.6	0.4	0.3	0.1	147
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
.....	.....	.....	.....	(1)	(1)	0.3	.....	0.4	.....	0.1	0.1	.....	0.1	0.1	0.1	149
10.9	7.7	6.1	10.9	18.7	20.1	17.7	15.8	19.8	16.8	18.5	14.0	15.8	15.5	12.9	12.9	
10.9	7.7	6.1	10.9	18.7	20.1	17.7	15.8	19.8	16.8	18.5	14.0	15.8	15.5	12.9	12.9	150
1.1	1.1	.....	3.4	1.5	1.9	1.3	1.4	2.0	2.1	1.8	1.6	1.8	1.4	1.6	1.4	
4.4	3.3	3.4	5.5	12.2	12.5	11.4	9.3	12.7	10.0	9.8	8.4	9.1	9.2	6.3	6.1	
5.5	3.3	2.7	2.0	5.0	5.7	5.1	5.2	5.1	4.7	7.0	4.0	4.9	4.9	5.0	5.3	
199.1	182.1	156.5	105.2	93.8	95.2	75.1	75.1	125.5	117.0	82.1	74.8	78.7	68.9	69.8	63.1	
181.6	146.8	136.2	90.1	72.4	72.8	60.8	60.9	108.4	102.9	66.2	61.9	65.3	54.1	57.0	50.9	151
96.3	62.9	52.9	32.8	48.6	48.3	39.0	35.9	55.5	47.7	40.8	36.3	49.6	40.4	41.6	35.5	
85.3	83.9	83.4	57.4	23.8	24.5	21.8	25.0	52.9	55.2	25.4	25.6	15.7	13.7	15.4	15.4	
17.5	34.2	16.3	12.3	21.2	22.2	13.8	14.0	16.4	14.0	15.9	12.8	13.3	14.7	12.3	12.0	152
7.7	8.8	4.7	2.0	12.8	13.1	7.3	7.5	8.7	7.7	7.9	5.5	8.1	7.8	6.0	7.0	
9.8	25.4	11.5	10.2	8.3	9.1	6.5	6.6	7.7	6.2	8.0	7.3	5.2	6.9	6.3	5.1	
.....	1.1	4.1	2.7	0.2	0.2	0.5	0.1	0.6	0.1	0.1	0.1	0.1	0.1	0.5	0.1	153
19.7	27.6	48.8	49.9	11.0	12.5	26.7	29.6	41.7	46.3	49.5	56.3	14.0	14.5	25.7	29.5	
19.7	27.6	48.8	49.9	11.0	12.5	26.7	29.6	41.7	46.3	49.5	56.3	14.0	14.5	25.7	29.5	154
131.3	130.3	103.7	104.5	93.0	95.0	99.1	89.1	115.6	108.1	98.5	88.6	102.8	89.6	90.2	79.0	
7.7	3.3	2.0	3.4	12.6	13.4	16.3	13.0	17.7	18.1	11.5	11.9	19.0	16.7	11.5	10.7	
2.2	2.2	.....	0.7	2.2	2.2	2.8	2.8	8.6	8.2	3.5	3.9	5.7	4.7	2.1	2.3	155
1.1	1.1	.....	.....	3.0	3.7	0.6	0.6	0.7	1.4	.....	0.2	1.1	2.6	0.1	.....	156
1.1	.....	.....	0.7	1.5	1.3	3.7	3.0	2.4	2.3	2.3	2.6	3.6	2.4	2.7	2.7	157
1.1	.....	.....	0.7	1.0	1.2	2.9	1.4	1.1	0.9	0.8	0.3	1.3	1.0	1.1	0.6	158
.....	.....	1.4	1.4	3.3	3.4	4.5	3.9	3.9	4.4	3.8	4.0	5.0	4.5	4.2	3.5	159
2.2	.....	.....	.....	0.9	1.1	1.3	0.5	0.9	0.8	0.9	0.9	0.8	1.2	0.9	1.2	160
.....	.....	.....	.....	0.4	0.2	0.1	0.1	0.1	.....	.....	.....	1.0	0.1	0.1	0.1	161
.....	.....	.....	.....	0.1	0.2	0.1	0.1	.....	0.1	0.2	.....	0.3	0.1	0.1	0.2	162
.....	.....	0.7	.....	.....	0.1	0.3	0.5	0.2	.....	0.1	.....	0.1	.....	0.2	0.1	163
101.7	113.7	88.8	90.8	77.0	78.2	81.0	74.3	91.9	85.5	84.0	74.9	79.3	68.9	76.5	66.2	
.....	.....	1.4	1.4	0.6	0.8	0.8	0.8	1.8	1.8	1.7	1.8	1.0	0.9	1.1	0.6	164
2.2	3.3	4.7	2.0	1.6	1.7	1.7	1.5	2.9	3.3	2.3	2.5	2.5	2.4	3.1	1.9	165
1.1	.....	0.7	2.7	2.2	2.1	2.3	1.4	0.9	1.1	2.3	2.2	0.8	1.4	1.8	2.3	166
21.9	19.9	12.2	9.6	9.0	9.7	6.0	6.3	7.1	6.9	4.1	5.3	5.2	3.9	4.8	4.5	167

[2] Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MAINE.				MARYLAND.							
		Cities.		Rural districts.		Total.				White.			
						Cities.		Rural districts.		Cities.		Rural districts.	
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	XIII.—External causes—Continued.												
	Accidental or undefined—Continued.												
168	Absorption of deleterious gases (conflagration excepted).	2.9	1.8	1.2	1.7	4.8	3.2	2.6	2.0	5.2	2.8	2.2	1.6
169	Accidental drowning	15.6	17.5	13.3	15.1	9.6	8.9	14.6	15.2	7.3	6.8	12.0	13.2
170	Traumatism by firearms	2.3	1.8	4.8	3.1	0.8	0.5	3.6	3.0	0.9	0.2	2.7	1.6
171	Traumatism by cutting or piercing instruments.	1.2	0.6	0.3	0.2	.....	0.2	0.4	0.1	.....	.....	0.4	0.2
172	Traumatism by fall	17.9	18.7	13.0	12.7	19.2	17.4	8.7	8.4	19.3	17.4	9.3	8.9
173	Traumatism in mines and quarries (total)	.....	.....	0.3	0.2	0.2	0.2	2.0	1.9	0.2	0.2	2.5	2.4
	Traumatism in mines	.....	.....	.....	.....	0.2	0.2	2.0	1.9	0.2	0.2	2.5	2.4
	Traumatism in quarries	.....	.....	0.3	0.2	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	3.5	5.3	3.4	1.9	2.9	3.1	1.1	1.0	2.8	2.1	1.1	1.3
175	Traumatism by other crushing (total)	20.2	25.7	11.3	12.0	19.2	18.5	15.8	16.6	20.0	18.9	16.0	16.8
	Railroad accidents and injuries	11.6	14.6	6.0	6.2	9.4	11.4	10.7	12.2	10.3	12.1	10.4	12.3
	Street-car accidents and injuries	1.2	2.9	0.5	0.3	4.0	3.2	1.0	0.9	3.9	3.4	0.9	0.7
	Automobile accidents and injuries	2.3	2.9	1.2	1.0	3.2	1.5	1.4	1.1	3.6	1.3	1.8	1.3
	Injuries by other vehicles	4.6	2.9	3.2	4.1	2.1	2.1	1.7	1.9	2.1	1.9	1.8	2.0
	Landslide, other crushing	0.6	2.3	0.3	0.3	0.5	0.3	1.0	0.6	0.2	0.2	1.1	0.5
176	Injuries by animals	0.6	0.6	0.5	0.7	0.2	1.5	0.9	1.0	.....	1.5	0.9	1.1
177	Starvation	.....	0.6	.....	0.2	.....	0.2	0.1	.....	.....	0.2	0.2	.....
178	Excessive cold	.....	.....	0.2	0.5	0.2	1.0	.....	1.1	.....	0.2	.....	0.9
179	Effects of heat	3.5	1.2	0.3	0.9	2.7	2.3	0.9	1.6	2.8	2.1	0.4	1.6
180	Lightning	.....	.....	0.2	0.2	.....	.....	1.3	1.0	.....	.....	1.3	0.7
181	Electricity (lightning excepted)	0.6	1.2	1.0	0.7	0.6	1.3	1.3	0.6	0.7	1.3	1.6	0.7
185	Fractures (cause not specified)	2.3	2.9	0.3	0.7	0.2	1.6	0.7	2.9	.....	1.5	0.9	3.3
186	Other external violence	2.3	6.4	3.2	5.2	6.9	3.2	4.3	4.9	6.4	3.0	4.3	3.3
	Homicide (total)	4.6	2.9	2.4	1.9	7.2	4.4	5.5	3.4	4.7	2.8	3.6	1.6
182	By firearms	1.7	1.2	1.4	0.9	2.9	2.6	3.3	2.9	1.7	1.7	1.8	1.3
183	By cutting or piercing instruments	.....	0.6	0.5	0.3	2.1	0.8	0.9	.....	1.5	0.6	0.5	.....
184	By other means	2.9	1.2	0.5	0.7	2.2	1.0	1.4	0.6	1.5	0.6	1.3	0.4
	XIV.—Ill-defined diseases	23.7	34.5	23.4	25.6	6.7	15.6	32.1	31.5	5.8	13.2	19.4	17.6
187	Ill-defined organic disease	1.2	0.6	1.0	1.2	0.3	0.3	1.0	1.4	0.4	0.4	0.5	1.3
188	Sudden death	4.6	9.4	2.7	3.4	.....	0.8	3.1	4.3	.....	0.8	2.2	3.6
189	Not specified or ill-defined (total)	17.9	24.6	19.7	21.0	6.4	14.5	28.0	25.7	5.4	12.1	16.7	12.7
	Ill-defined	12.1	17.0	10.1	11.2	6.2	13.7	13.4	10.4	5.2	11.3	9.7	6.3
	Not specified or unknown	5.8	7.6	9.6	9.8	0.2	0.8	14.6	15.3	0.2	0.8	7.0	6.3

[1] Less than one-tenth of 1 per 100,000 population.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed International List No.
MARYLAND—continued.				MASSACHUSETTS.				MICHIGAN.				MINNESOTA.				
Colored.				Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		
Cities.		Rural districts.														
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
2.2	5.5	4.1	3.4	5.1	5.7	2.6	1.2	3.4	4.3	1.7	2.2	7.3	5.5	2.0	1.6	168
23.0	21.0	24.4	22.5	8.2	7.1	18.2	13.9	9.9	7.7	14.1	10.9	7.3	6.6	11.3	9.7	169
----	2.2	6.8	8.2	0.7	0.5	1.5	0.9	1.8	2.3	3.5	3.5	2.4	1.0	4.0	5.0	170
----	1.1	0.7	----	0.1	0.2	----	0.1	0.1	----	0.1	0.2	----	----	0.3	0.3	171
18.6	17.7	6.1	6.8	19.2	18.9	15.9	17.0	16.5	12.7	12.6	12.8	16.7	14.1	9.3	9.0	172
----	----	----	----	0.1	(1)	----	----	0.9	1.9	4.0	4.3	0.4	1.0	3.3	2.1	173
----	----	----	----	----	(1)	----	----	0.9	1.9	3.9	4.3	0.4	0.9	3.3	2.1	
----	----	----	----	0.1	----	----	----	----	----	0.1	----	----	0.1	----	----	
3.3	3.8	1.4	----	2.6	2.4	1.3	1.0	2.8	3.0	2.1	1.8	2.8	2.2	1.4	1.7	174
14.2	16.6	14.9	15.7	20.9	21.6	23.6	21.4	33.5	28.7	22.6	16.5	25.8	24.2	22.2	19.0	175
4.4	7.7	11.5	11.6	8.5	9.0	12.2	13.3	13.8	12.9	8.8	10.4	16.7	13.1	12.1	11.9	
4.4	2.2	1.4	1.4	3.7	4.2	3.1	1.8	6.7	7.4	1.8	1.7	2.5	2.3	0.9	0.1	
1.1	2.2	----	0.7	4.6	4.1	5.0	2.8	8.8	4.9	2.3	1.0	2.5	2.6	1.9	1.4	
2.2	3.3	1.4	1.4	3.6	3.7	2.9	3.2	3.8	2.4	4.6	2.7	3.1	4.3	6.3	4.9	
2.2	1.1	0.7	0.7	0.5	0.7	0.4	0.3	0.5	1.2	5.0	0.6	1.0	1.9	1.0	0.7	
1.1	1.1	0.7	0.7	0.4	0.4	0.5	0.1	0.7	0.9	1.6	1.5	0.7	0.4	2.6	1.9	176
----	----	----	----	0.1	0.1	0.1	0.1	0.1	----	0.1	0.1	----	----	----	0.1	177
1.1	5.5	----	2.0	0.2	0.3	0.3	1.0	0.1	0.5	0.9	1.0	0.7	0.4	1.6	0.9	178
2.2	3.3	2.7	1.4	0.8	1.6	0.8	2.7	3.9	1.2	1.3	0.5	1.3	0.4	1.0	0.2	179
----	----	1.4	2.0	(1)	0.1	0.3	0.3	0.3	0.1	1.7	1.2	0.1	----	1.3	1.2	180
----	1.1	----	----	0.7	0.7	1.5	0.9	1.2	1.6	1.2	0.6	1.0	1.0	0.3	0.1	181
1.1	2.2	----	1.4	0.8	0.7	0.1	----	0.5	1.9	0.3	0.8	0.1	0.1	1.0	0.1	185
9.8	4.4	6.8	10.9	3.7	3.6	3.6	3.6	3.4	5.6	6.0	5.4	3.2	3.3	4.0	4.0	186
21.9	13.2	12.9	10.2	3.4	3.4	1.8	1.8	5.9	4.5	2.9	1.8	4.5	4.0	2.3	2.2	
9.8	7.7	8.8	8.9	1.4	1.3	1.1	1.2	4.0	2.7	1.5	1.1	2.9	2.0	1.6	1.3	182
5.5	2.2	2.0	----	0.5	0.5	0.1	----	0.6	0.7	0.4	0.3	0.3	0.6	0.2	0.3	183
6.6	3.3	2.0	1.4	1.6	1.6	0.5	0.6	1.2	1.1	1.0	0.4	1.3	1.4	0.5	0.6	184
12.0	29.8	80.0	84.0	5.5	6.6	6.5	7.6	10.6	9.7	13.9	18.9	1.7	1.2	15.3	16.9	
----	----	2.7	2.0	0.1	0.1	0.1	----	1.2	1.8	2.5	3.1	0.1	----	0.3	0.8	187
----	1.1	6.8	6.8	0.4	0.3	0.1	0.3	0.2	0.2	0.6	0.7	0.4	0.1	0.9	1.0	188
12.0	28.7	70.5	75.1	5.0	6.2	6.3	7.3	9.2	7.7	10.9	15.1	1.1	1.0	14.2	15.1	189
12.0	27.6	27.1	26.0	3.7	4.9	5.5	6.7	7.3	6.7	5.3	8.7	0.7	.9	4.7	4.3	
----	1.1	43.4	49.2	1.4	1.3	0.8	0.6	1.9	1.1	5.5	6.4	0.4	0.1	9.5	10.8	

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MISSOURI.				MONTANA.				NEW HAMPSHIRE.			
		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.	
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	All causes [3]	1,495.8	1,501.2	1,093.7	1,131.7	1,683.0	1,358.6	1,037.1	885.1	1,779.5	1,657.8	1,656.8	1,628.7
	I.—General diseases	431.7	394.5	340.5	351.8	468.1	340.9	262.9	216.6	358.7	338.4	373.0	359.0
1	Typhoid fever	22.3	14.7	25.7	27.8	32.0	14.4	19.5	13.9	12.1	10.6	11.8	7.4
2	Typhus fever	.....	.....	.....	(1)	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	0.1	.....	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	3.5	4.6	18.0	27.2	.....	.....	0.3	.....	.....	0.6	.....	.....
5	Smallpox	0.2	0.2	0.3	0.6	.....	.....	1.0	0.7	0.6	.....	0.4	0.8
6	Measles	18.0	1.7	10.4	1.7	16.0	.....	11.8	2.0	8.8	6.7	14.9	2.7
7	Scarlet fever	4.8	6.0	4.0	3.4	43.3	4.8	23.3	7.0	3.3	1.7	2.7	2.7
8	Whooping cough	6.2	7.8	10.9	15.0	19.8	9.6	8.0	15.2	12.1	8.4	7.5	10.6
9	Diphtheria and croup	22.9	18.0	14.4	18.0	5.7	2.9	5.4	3.3	17.1	29.0	9.8	13.3
10	Influenza	13.3	12.8	19.1	16.5	5.7	7.7	7.7	3.0	11.0	7.2	20.4	18.4
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	0.3	0.1	0.3	0.7	.....	.....	0.3	0.3	0.6	.....	1.6	.....
14	Dysentery	4.3	3.4	11.6	11.2	.....	1.0	2.9	0.3	2.8	7.2	2.0	2.0
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	3.8	2.8	2.9	3.3	9.4	1.0	1.9	2.0	2.8	3.3	1.6	5.1
19	Other epidemic diseases	0.3	0.4	0.3	0.4	2.8	1.0	1.6	4.3	.....	.....	.....	0.8
20	Purulent infection and septicemia	2.7	3.2	2.5	2.7	5.7	4.8	6.4	1.7	3.3	3.9	3.9	4.7
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	0.6	.....	.....	.....
22	Anthrax	.....	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	0.4	0.3	0.2	0.1	.....	.....	.....	.....	.....	.....	0.4	.....
24	Tetanus	3.4	3.4	2.4	1.9	0.9	.....	0.6	0.3	.....	1.7	0.4	2.0
25	Mycoses	0.1	.....	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	0.7	0.3	0.7	0.6	.....	.....	.....	.....	0.6	.....	0.4	0.4
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	164.4	165.3	131.7	139.3	159.2	156.9	91.7	101.0	122.7	102.6	118.5	119.4
28	Tuberculosis of the lungs	139.2	137.6	114.5	119.7	129.0	131.9	75.1	88.8	94.6	73.0	96.1	106.9
29	Acute miliary tuberculosis	5.2	4.8	2.2	3.3	9.4	1.9	2.9	3.3	3.3	2.2	3.5	1.6
30	Tuberculous meningitis	7.9	7.2	5.0	5.3	8.5	5.8	5.1	3.0	13.8	15.1	8.6	6.3
31	Abdominal tuberculosis	6.3	8.3	5.7	5.8	6.6	7.7	3.2	1.3	5.0	5.6	6.3	3.1
32	Pott's disease	1.6	1.8	1.2	1.1	2.8	1.9	1.0	1.3	2.2	1.7	2.4	0.8
33	White swellings	0.6	1.8	0.2	0.6	0.9	1.9	0.6	0.3	0.6	1.1	.....	0.4
34	Tuberculosis of other organs	3.1	2.8	1.6	2.5	.....	1.9	2.2	1.3	2.8	2.2	0.4	.....
35	Disseminated tuberculosis	0.4	1.0	1.1	1.0	1.9	3.9	1.6	1.7	0.6	1.7	1.2	0.4
36	Rickets	1.2	0.6	0.2	0.5	0.9	.....	1.3	.....	1.7	1.7	0.8	1.6
37	Syphilis	19.0	17.2	3.9	3.4	12.2	5.8	3.2	3.6	2.2	3.3	0.8	1.2
38	Gonococcus infection	0.7	1.0	0.2	0.2	.....	1.0	.....	0.3	0.6	0.6	.....	.....
	Cancer and other malignant tumors (total)	93.9	88.0	51.9	51.0	83.8	63.6	37.7	32.5	89.7	94.8	114.9	116.3
39	Of the buccal cavity	4.0	4.4	3.2	2.8	3.8	2.9	1.6	2.7	3.3	8.4	4.3	5.5
40	Of the stomach, liver	34.4	31.7	20.6	19.5	31.1	28.9	17.9	14.9	32.5	30.1	45.9	43.5
41	Of the peritoneum, intestines, rectum	11.0	10.8	5.6	5.4	14.1	5.8	5.4	3.3	13.8	11.1	20.0	20.0
42	Of the female genital organs	16.1	14.2	5.6	6.4	9.4	9.6	5.8	3.6	17.1	15.6	14.9	15.3
43	Of the breast	7.1	8.0	5.5	4.8	5.7	4.8	1.3	2.0	6.1	10.0	11.8	11.7
44	Of the skin	3.6	3.2	4.1	4.1	.....	1.9	0.6	1.7	3.3	2.8	5.5	4.3
45	Of other organs or of organs not specified	17.7	15.7	7.4	7.9	19.8	9.6	5.1	4.3	13.8	16.7	12.6	16.1
46	Other tumors (tumors of the female genital organs excepted).	0.5	1.0	0.3	0.6	1.9	1.0	1.0	.....	0.6	0.6	0.8	0.8
47	Acute articular rheumatism	5.5	6.1	5.6	4.7	9.4	7.7	5.8	3.6	7.2	3.3	5.1	2.7
48	Chronic rheumatism and gout	1.2	1.3	1.2	1.4	1.9	1.0	.....	1.3	1.7	.....	1.6	2.0
49	Scurvy	0.1	.....	(1)	(1)	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	15.1	15.8	11.8	10.0	17.9	12.5	8.0	5.6	21.5	24.5	25.1	17.6
51	Exophthalmic goiter	2.2	2.1	1.4	1.0	1.9	1.0	0.3	0.7	1.1	0.6	0.8	0.4
52	Addison's disease	0.2	0.3	0.3	0.2	.....	.....	0.6	0.7	1.7	.....	0.4	0.8
53	Leukemia	2.5	2.1	1.2	1.2	.....	1.9	1.9	1.0	2.8	1.1	1.6	3.5
54	Anemia, chlorosis	3.8	4.7	2.2	2.5	8.5	4.8	1.9	.....	15.4	10.0	15.7	11.7
55	Other general diseases	2.1	1.6	2.0	1.2	2.8	2.9	2.2	1.3	7.7	2.2	1.6	2.3
56	Alcoholism, acute or chronic	10.2	6.5	2.2	2.3	25.4	31.8	15.0	9.9	7.2	11.7	5.9	5.9
57	Chronic lead poisoning	0.6	0.3	0.2	0.2	0.9	.....	.....	.....	.....	.....	1.6	0.8
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	1.2	1.0	0.3	0.8	.....	1.9	1.6	1.0	.....	1.1	0.4	1.2
	II.—Diseases of the nervous system and of the organs of special sense.	115.8	136.4	97.0	105.1	115.8	95.3	85.0	85.1	218.4	211.8	212.2	232.9
60	Encephalitis	0.3	0.9	1.3	0.7	1.9	2.9	0.3	1.7	1.1	1.7	1.6	3.1
61	Meningitis (total)	11.8	29.8	9.6	14.1	23.5	12.5	11.2	8.0	24.8	15.1	14.1	12.5
	Simple meningitis	3.0	2.6	4.0	4.5	11.3	3.9	5.8	4.3	16.5	11.7	7.8	9.8
	Cerebrospinal meningitis (undefined)	1.3	1.0	2.1	3.2	9.4	8.7	1.6	3.6	7.7	2.2	5.9	2.7
	Cerebrospinal fever	7.4	26.2	3.5	6.4	2.8	.....	3.8	.....	0.6	1.1	0.4	.....
62	Locomotor ataxia	3.9	3.6	2.4	1.7	0.9	1.0	0.3	1.0	3.9	1.7	2.4	3.9
63	Other diseases of the spinal cord (total)	8.0	7.2	8.5	11.0	6.6	2.9	3.2	7.0	14.3	8.4	11.4	11.4
	Acute anterior poliomyelitis	0.4	1.2	2.0	2.9	4.7	.....	1.0	3.6	7.2	2.2	3.1	1.6
	Other diseases of the spinal cord [5]	7.6	6.0	6.5	8.1	1.9	2.9	2.2	3.3	7.2	6.1	8.2	9.8
64	Cerebral hemorrhage, apoplexy	60.7	62.6	46.1	47.9	48.0	52.0	32.3	33.5	113.9	107.0	130.2	146.4

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed International List No.
NEW JERSEY.				NEW YORK.				NORTH CAROLINA.[1]								
								Total.				White.				
Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.[2]		Cities.		Rural districts.[2]		
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
1,451.8	1,430.9	1,402.2	1,365.8	1,482.6	1,485.8	1,546.6	1,530.9	1,936.3	1,952.0	1,492.2	1,570.6	1,555.7	1,610.3	1,252.9	1,332.4	
355.8	355.4	363.6	339.1	403.9	392.8	350.6	338.9	645.4	612.3	512.9	527.4	526.7	503.8	431.4	429.3	
10.2	11.6	8.7	11.3	9.9	11.3	11.6	12.7	65.4	39.8	51.4	40.4	52.5	31.3	49.2	36.4	1
.....	.....	.....	.....	.....	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	(4)	.....	.....	.....	.....	.....	.....	.....	.....	3
0.6	0.5	0.4	2.3	0.3	0.4	0.8	0.7	12.3	22.4	23.9	43.1	5.6	14.1	15.3	31.1	4
.....	0.1	.....	0.1	(4)	0.1	.....	(4)	3.5	0.6	1.8	1.3	3.7	.....	2.7	1.3	5
7.7	12.0	8.0	9.2	13.8	12.7	4.6	4.8	27.4	10.0	26.6	11.6	33.7	11.1	31.2	11.9	6
9.4	5.5	6.5	5.2	10.8	10.3	4.2	2.8	2.3	0.6	3.1	4.0	2.8	1.0	4.0	4.6	7
12.7	7.8	13.3	6.2	7.9	6.3	7.8	7.3	26.8	13.1	30.1	32.9	18.7	10.1	26.6	22.5	8
22.2	18.7	19.7	18.4	23.2	20.5	8.1	7.6	14.6	13.7	11.5	14.2	12.2	15.1	12.0	15.2	9
6.4	6.0	13.6	9.5	6.6	4.8	24.3	17.6	23.3	28.0	14.6	15.6	15.9	18.2	16.0	11.9	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
0.2	0.1	0.8	0.6	0.3	0.2	1.2	0.6	0.6	0.6	0.4	0.9	0.9	.....	0.7	0.7	13
1.0	2.9	3.4	5.2	1.5	1.7	4.2	4.0	18.7	21.8	21.7	24.0	13.1	17.2	20.6	22.5	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	(4)	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
5.6	5.4	3.0	2.9	5.4	5.8	3.6	3.3	2.3	3.1	4.9	1.8	2.8	3.0	7.3	0.7	18
0.3	0.4	0.5	0.5	0.5	0.3	0.4	0.2	0.6	.....	.....	0.9	.....	.....	.....	0.7	19
1.8	1.7	1.7	1.4	1.9	1.8	1.6	1.7	4.1	3.1	3.5	1.8	4.7	2.0	3.3	2.7	20
.....	.....	.....	.....	(4)	0.1	.....	(5)	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	0.1	.....	.....	(4)	(4)	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
0.3	0.2	0.2	0.1	0.1	0.1	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
1.7	1.8	2.7	2.6	1.0	1.2	1.4	1.5	21.6	15.6	9.8	7.1	4.7	6.1	2.7	1.3	24
0.1	.....	.....	.....	0.1	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
0.1	0.1	.....	0.1	0.1	(4)	0.1	.....	56.0	57.9	27.0	16.0	49.7	57.5	26.6	19.2	26
.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
150.2	157.9	159.3	150.1	179.8	180.4	128.1	129.4	263.2	273.8	204.4	213.3	209.9	209.0	143.6	141.8	
120.4	127.9	141.8	130.5	149.6	150.9	109.6	110.9	221.2	230.8	176.0	180.4	179.9	174.7	121.6	118.6	28
7.2	9.2	4.6	5.7	6.9	6.5	3.6	4.1	11.1	8.7	6.2	11.6	5.6	6.1	2.7	6.6	29
12.0	11.5	5.0	5.8	14.3	13.9	6.9	5.5	11.1	4.4	6.6	5.8	11.2	6.1	6.6	6.6	30
4.3	4.5	3.6	3.8	4.3	4.5	4.3	4.7	11.1	18.7	9.3	12.0	5.6	13.1	7.3	8.6	31
1.9	1.6	1.0	0.6	1.5	1.4	0.8	1.1	2.3	3.1	.....	.....	0.9	3.0	.....	.....	32
1.2	0.9	0.3	0.8	0.7	0.7	0.7	0.7	1.2	0.6	0.4	0.4	1.9	.....	0.7	.....	33
2.2	1.4	1.8	1.3	1.8	1.7	1.6	1.6	2.9	2.5	4.0	2.2	1.9	2.0	2.7	1.3	34
0.9	1.0	1.2	1.6	0.8	0.8	0.6	0.7	2.3	5.0	1.8	0.9	2.8	4.0	2.0	.....	35
1.2	0.8	1.0	0.3	0.6	0.8	0.2	0.4	3.5	3.1	1.8	.....	0.9	.....	.....	.....	36
5.3	4.4	4.1	3.7	10.2	8.8	2.7	2.2	18.1	14.9	9.8	7.6	12.2	9.1	2.7	2.7	37
0.3	0.2	0.1	0.1	0.8	0.8	0.1	0.1	.....	1.2	.....	0.9	.....	.....	.....	1.3	38
77.5	77.6	80.2	74.7	85.9	83.8	93.7	93.3	52.5	54.1	44.3	58.6	52.5	60.6	42.5	64.3	
2.4	2.5	3.2	2.3	3.1	3.0	3.4	4.0	1.2	0.6	0.9	2.2	0.9	.....	1.3	2.7	39
30.3	32.4	30.9	29.0	33.7	32.4	35.0	35.5	15.2	13.1	12.4	13.3	17.8	16.2	12.0	15.2	40
13.0	10.4	12.1	11.6	12.8	12.5	13.9	13.5	4.7	5.6	5.8	4.4	5.6	6.1	6.6	5.3	41
12.4	11.9	11.3	9.7	13.0	12.8	13.9	12.9	17.5	19.3	12.9	20.0	15.0	19.2	12.6	21.2	42
6.6	7.4	7.9	9.9	8.0	7.6	10.5	10.4	4.7	5.6	2.2	6.2	2.8	6.1	0.7	4.6	43
1.9	1.6	3.1	2.1	1.5	1.9	4.4	4.8	1.8	2.5	1.8	2.2	1.9	3.0	2.7	2.0	44
10.9	11.4	11.7	10.0	13.8	13.6	12.6	12.2	7.6	7.5	8.4	10.2	8.4	10.1	6.6	13.3	45
0.4	0.8	0.4	0.5	0.3	0.4	0.3	0.3	.....	0.6	.....	2.2	.....	.....	.....	1.3	46
6.9	6.3	5.7	5.5	6.3	5.6	6.8	6.4	7.0	6.8	4.0	5.8	2.8	6.1	2.7	4.0	47
0.7	1.4	1.3	0.6	1.0	0.8	3.4	3.4	.....	2.5	1.3	0.4	.....	3.0	2.0	0.7	48
0.1	0.3	0.2	0.3	0.1	0.2	(4)	0.1	.....	.....	.....	.....	.....	.....	.....	.....	49
16.8	16.0	16.3	15.0	19.1	18.3	18.3	16.8	5.8	8.1	6.6	9.8	9.4	10.1	7.3	13.9	50
1.0	0.9	0.6	0.8	1.3	1.3	1.6	1.2	0.6	1.9	0.9	.....	0.9	3.0	0.7	.....	51
0.2	0.3	0.4	0.1	0.3	0.3	0.5	0.8	.....	0.6	0.9	.....	.....	1.0	1.3	.....	52
1.5	2.0	1.7	1.3	2.2	2.0	1.8	1.2	2.3	3.1	0.9	1.8	1.9	3.0	1.3	2.7	53
3.3	3.3	2.9	3.1	4.2	3.6	9.1	10.3	1.8	3.1	3.1	4.0	0.9	3.0	4.0	4.6	54
1.5	1.8	1.4	1.5	1.2	1.6	1.3	1.1	5.8	1.9	0.9	2.7	8.4	1.0	1.3	3.3	55
8.3	6.0	4.7	5.1	7.0	5.8	7.9	6.6	3.5	6.2	2.2	2.7	4.7	8.1	2.7	2.7	56
0.5	0.3	0.4	0.1	0.2	0.3	(4)	0.1	.....	.....	0.4	.....	.....	.....	.....	.....	57
.....	.....	0.1	.....	(4)	(4)	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
0.1	0.2	0.2	0.5	0.2	0.3	0.5	0.3	1.8	.....	0.9	2.2	0.9	.....	1.3	3.3	59
126.1	126.9	187.9	176.5	104.9	110.7	205.8	205.5	182.7	191.6	123.2	124.0	155.6	186.8	123.0	111.3	
1.0	0.7	0.9	1.1	0.7	0.7	0.9	0.8	0.6	0.6	1.3	.....	.....	.....	2.0	.....	60
10.0	11.1	9.2	8.5	7.7	9.6	5.3	10.9	36.2	24.3	13.7	14.2	17.8	23.2	14.0	13.9	61
6.5	7.8	5.6	6.2	3.7	5.2	3.5	8.2	6.4	10.6	4.9	5.8	5.6	14.1	6.6	4.0	
2.6	2.6	3.1	1.8	2.8	3.6	1.6	2.5	8.2	6.2	7.5	4.9	3.7	5.0	7.3	6.0	
0.8	0.6	0.5	0.4	1.3	0.8	0.1	0.3	21.6	7.5	1.3	3.6	8.4	4.0	.....	4.0	
3.6	2.3	2.9	3.5	2.6	2.5	3.3	2.8	1.8	3.1	0.9	.....	1.9	4.0	1.3	.....	62
5.2	5.1	7.0	7.2	5.6	6.3	7.2	8.3	8.8	6.2	4.4	7.1	6.6	5.0	5.3	6.6	63
1.0	1.2	1.2	0.7	1.2	2.2	1.9	2.8	1.8	0.6	1.8	0.9	0.9	1.0	2.0	1.3	
4.2	3.9	5.8	6.4	4.3	4.1	5.4	5.5	7.0	5.6	2.7	6.2	5.6	4.0	3.3	5.3	
77.1	79.5	107.8	98.7	63.4	65.3	131.4	123.4	79.9	101.4	65.2	64.9	76.8	87.8	67.1	59.0	64

[3] Exclusive of stillbirths. [4] Less than one-tenth of 1 per 100,000 population. [5] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MISSOURI.				MONTANA.				NEW HAMPSHIRE.			
		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.	
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	II.—Diseases of the nervous system and of the organs of special sense—Contd.												
65	Softening of the brain	1.8	1.8	2.0	1.2	0.9	1.0	0.6	1.0	0.6	2.2	2.7	5.1
66	Paralysis without specified cause	4.2	3.5	9.6	10.8	3.8	4.8	7.0	5.3	13.8	19.5	21.2	19.6
67	General paralysis of the insane	10.9	11.4	3.9	3.4	1.9	1.0	11.2	8.3	6.6	15.1	6.7	3.5
68	Other forms of mental alienation	2.7	2.2	1.7	1.7	2.8	4.8	3.5	7.3	12.7	12.8	3.1	3.5
69	Epilepsy	4.0	4.5	4.8	4.8	3.8	2.9	6.1	4.0	6.6	5.6	6.3	5.9
70	Convulsions (nonpuerperal)	0.1	0.1	0.2	0.1	.....	1.0	.....	0.7	0.6	1.1	.....	1.2
71	Convulsions of infants	1.2	1.7	1.9	2.5	8.5	3.9	2.6	4.3	8.8	11.1	5.5	6.3
72	Chorea	0.2	0.5	0.2	0.2	.....	.....	0.6	.....	0.6	.....	.....	.....
73	Neuralgia and neuritis	0.4	0.8	0.7	0.7	.....	.....	0.6	0.7	0.6	0.6	1.2	1.2
74	Other diseases of the nervous system	2.8	3.4	2.1	2.5	5.7	2.9	2.6	1.3	8.8	6.1	5.9	7.0
75	Diseases of the eyes and their annexa	0.2	0.2	0.2	.....	.....	.....	.....	0.3	.....	.....	.....	.....
76	Diseases of the ears	2.6	2.3	1.9	1.8	7.5	1.9	2.9	1.0	1.1	3.9	.....	2.3
	III.—Diseases of the circulatory system	180.3	199.0	110.0	112 5	167.6	165.6	103.5	79.2	247.5	263.1	280.8	288.9
77	Pericarditis	2.6	3.9	2.1	1.4	.....	2.9	0.6	1.0	1.1	.....	2.7	2.0
78	Acute endocarditis	8.9	12.0	2.2	2.1	16.0	14.4	4.8	5.0	8.8	6.7	4.7	5.9
79	Organic diseases of the heart	120.3	135.8	82.0	86 3	125.3	115.5	79.2	61.3	180.4	191.2	191.8	193.8
80	Angina pectoris	4.9	6.6	5.3	5.0	5.7	7.7	2.2	2.3	12.1	8.9	15.3	21.1
81	Diseases of the arteries, atheroma, aneurism, etc.	39.8	35.8	15.7	14.6	12.2	17.3	10.9	6.6	34.7	43.5	53.7	54.0
82	Embolism and thrombosis	2.2	3.7	1.7	2.1	2.8	4.8	4.2	2.0	9.4	11.7	9.8	10.6
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	0.7	0.6	0.3	0.5	0.9	.....	0.6	0.3	.....	.....	0.4	0.4
84	Diseases of the lymphatic system (lymphangitis, etc.).	0.7	0.4	0.2	0.2	0.9	.....	.....	0.3	0.6	1.1	0.4	.....
85	Hemorrhage; other diseases of the circulatory system.	0.1	0.2	0.4	0.5	3.8	2.9	1.0	0.3	0.6	.....	2.0	1.2
	IV.—Diseases of the respiratory system	168.3	175.3	127.8	128.9	216.6	174.3	122.0	97.1	207.9	199.6	183.6	175.8
86	Diseases of the nasal fossae	0.1	0.4	0.2	0.1	.....	.....	0.6	.....	.....	.....	0.4	.....
87	Diseases of the larynx	1.4	1.5	1.6	1.5	.....	1.0	2.2	1.0	2.2	3.3	1.6	1.6
88	Diseases of the thyroid body	0.8	0.4	0.2	0.3	1.9	2.9	.....	0.3	.....	0.6	.....	0.8
89	Acute bronchitis	10.5	13.4	7.8	6.9	14.1	8.7	5.8	5.6	17.6	21.7	12.9	10.6
90	Chronic bronchitis	10.6	12.6	8.0	8.4	6.6	3.9	2.6	3.0	9.4	12.3	14.9	19.6
91	Bronchopneumonia	51.2	49.1	38.6	36.1	47.1	35.6	27.2	14.6	49.0	46.8	27.5	17.6
92	Pneumonia (total)	83.3	86.8	63.9	68.2	130.9	108.8	74.8	63.9	109.5	92.0	111.0	108.8
	Lobar pneumonia	78.4	82.9	52.6	57.7	81.0	80.9	37.1	25.5	29.2	16.7	9.4	16.8
	Pneumonia (undefined)	4.9	3.9	11.2	10.5	49.9	27.9	37.7	38.4	80.3	75.3	101.6	92.0
93	Pleurisy	4.0	3.7	1.5	1.1	0.9	2.9	2.2	1.3	6.6	4.5	2.7	3.1
94	Pulmonary congestion, pulmonary apoplexy	1.6	2.2	1.6	1.9	1.9	1.0	1.3	2.3	6.6	11.7	7.8	9.0
95	Gangrene of the lung	0.2	0.3	0.2	0.2	.....	1.0	0.3	0.3	0.6	1.1	.....	.....
96	Asthma	3.4	2.6	2.4	2.6	5.7	6.7	1.3	1.0	1.7	2.8	3.9	2.7
97	Pulmonary emphysema	0.4	0.4	0.2	0.3	.....	.....	0.3	0.7	1.1	.....	0.4	.....
98	Other diseases of the respiratory system (tuberculosis excepted).	0.9	1.8	1.6	1.4	7.5	1.9	3.5	3.0	3.9	2.8	0.4	2.0
	V.—Diseases of the digestive system	183.6	173.3	122.4	121.9	187.4	131.0	105.4	74.2	256.9	193.4	164.7	122.5
99	Diseases of the mouth and annexa	0.9	0.9	0.7	0.6	1.9	1.0	0.3	0.3	.....	.....	0.8	.....
100	Diseases of the pharynx	1.6	1.8	2.2	2.3	4.7	1.0	1.9	0.7	1.7	3.3	2.0	1.2
101	Diseases of the esophagus	0.3	0.3	0.1	0.2	0.9	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	4.8	5.6	2.5	3.1	14.1	10.6	2.6	3.3	3.3	2.8	3.1	2.7
103	Other diseases of the stomach (cancer excepted)	9.5	8.9	14.2	16.4	10.4	4 8	5.4	5.0	14.3	16.2	29.8	31.7
104	Diarrhea and enteritis (under 2 years)	74.7	66.4	48.0	43 9	39.6	29.8	38.3	18.9	151.3	94.8	56.9	25.1
105	Diarrhea and enteritis (2 years and over)	14.0	12.6	16.3	13.6	7.5	7.7	12.8	6.6	16.5	16.2	17.3	11.4
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	.....	0.3	0.1	0.3	.....	.....	.....	.....	.....	.....	.....	0.8
108	Appendicitis and typhlitis	22.1	18.2	7.6	7.9	41.4	26.0	14.4	10.6	18.7	15.1	8.2	6.3
109	Hernia, intestinal obstruction (total)	15.0	15.0	7.8	8 5	15.1	15.4	6.1	6.6	14.9	13.4	13.7	9.8
	Hernia	6.5	6.1	2.0	2.2	3.8	5.8	1.9	2.0	6.1	2.8	3.5	2.0
	Intestinal obstruction	8.5	8.9	5.7	6.2	11.3	9.6	4.2	4.6	8.8	10.6	10.2	7.8
110	Other diseases of the intestines	3.8	4.9	3.6	2.7	1.9	3.9	4.2	3.6	1.7	5.0	2.0	3.1
111	Acute yellow atrophy of the liver	0.4	1.3	0.4	0.4	.....	.....	0.3	0.3	.....	.....	0.4	0.4
112	Hydatid tumor of the liver	0.1	0.1	(3)	0.1	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	22.8	24.3	8.1	10.9	20.7	14.4	10.2	7.0	12.1	9.5	10.6	11.0
114	Biliary calculi	5.2	4.4	3.8	3.3	3.8	4.8	2.6	0.3	3.3	2.2	4.3	4.7
115	Other diseases of the liver	5.8	5.4	3.6	4 0	12.2	4.8	2.2	3.6	7.7	7.2	5.9	8.2
116	Diseases of the spleen	0.1	0.5	0.3	0.2	0.9	.....	.....	.....	.....	.....	0.8	.....
117	Simple peritonitis (nonpuerperal)	2.1	1.6	2.7	3.3	9.4	5.8	3.8	6.6	11.0	7.8	8.6	6.3
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	0.5	0.8	0.3	0.2	2.8	1.0	0.3	0.7	0.6	.....	0.4	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	170.2	174.3	78.1	82.6	138.4	121.3	53.4	56.6	133.1	125.4	137.7	149.6
119	Acute nephritis	12.0	16.8	6.3	7.3	12.2	8.7	3.8	3.6	11.6	6.1	9.0	9.8
120	Bright's disease	132.5	132.0	61.1	62.9	96.1	87.6	38.3	44.7	101.2	104.2	114.1	119.8
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	2.1	2.6	1.7	2.0	0.9	2.9	1.9	2.0	4.4	1.1	2.7	2.7
123	Calculi of the urinary passages	0.7	1.2	0.5	0.4	.....	1.0	0.3	0.7	2.2	1.1	0.8	0.4

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

Inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed International List No.
NEW JERSEY.				NEW YORK.				NORTH CAROLINA.[1]								
								Total.				White.				
Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.[2]		Cities.		Rural districts.[2]		
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
1.6	1.4	2.7	2.5	0.8	0.9	3.3	3.9	4.1	.....	2.2	2.2	6.6	.....	3.3	2.7	65
6.5	6.4	13.7	14.5	3.5	3.7	18.2	17.6	22.8	13.1	18.6	14.7	11.2	12.1	13.3	11.3	66
4.0	3.1	16.3	15.4	5.7	5.6	16.0	16.1	8.2	11.2	2.2	3.6	11.2	14.1	2.7	4.0	67
1.1	0.9	7.2	6.8	1.3	1.3	3.3	2.8	6.4	10.6	2.2	3.1	10.3	17.2	2.0	3.3	68
3.0	1.8	8.3	6.8	2.6	2.8	7.5	7.0	0.6	5.0	3.5	4.0	.....	5.0	2.0	1.3	69
0.1	0.2	.....	0.2	0.1	(3)	0.1	0.1	.....	1.2	.....	1.3	.....	1.0	.....	1.3	70
6.6	8.7	6.5	6.0	4.0	5.5	3.8	5.5	7.0	4.4	4.4	5.3	5.6	5.0	4.7	4.6	71
0.2	0.5	0.1	0.2	0.1	0.1	0.1	0.5	.....	0.6	0.4	.....	.....	1.0	0.7	.....	72
0.6	0.3	0.4	0.4	0.7	0.6	0.6	0.8	2.3	1.2	.....	0.4	3.7	1.0	.....	0.7	73
3.4	3.2	3.4	3.2	3.3	3.3	3.5	3.9	3.5	5.6	2.7	2.2	3.7	7.1	3.3	1.3	74
0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	.....	.....	.....	.....	.....	.....	.....	.....	75
2.0	1.6	1.3	1.5	2.7	2.5	1.0	0.8	0.6	3.1	1.3	0.9	.....	3.0	1.3	1.3	76
184.9	182.7	204.5	204.0	204.4	202.9	264.6	249.6	187.9	206.6	120.6	128.8	149.0	154.5	103.7	113.3	
0.4	1.2	1.2	1.3	0.7	0.8	1.6	1.4	.....	1.2	1.3	2.2	.....	1.0	1.3	1.3	77
15.9	16.2	9.4	8.5	14.7	15.2	7.2	6.4	4.1	4.4	2.2	3.1	2.8	1.0	2.0	3.3	78
139.1	136.5	155.8	157.4	152.0	148.0	188.4	172.9	154.1	166.1	105.5	109.3	110.6	113.1	87.7	92.8	79
6.2	5.5	10.6	9.1	5.7	5.1	12.7	13.2	7.6	11.8	4.9	3.1	9.4	13.1	5.3	3.3	80
17.7	18.4	22.2	22.8	27.1	29.3	48.7	48.9	15.2	18.0	5.3	8.9	16.9	20.2	6.6	9.9	81
3.7	3.6	3.6	3.3	2.8	2.8	4.3	5.5	5.3	2.5	0.4	0.9	8.4	3.0	.....	0.7	82
0.9	0.5	0.6	0.3	0.8	0.7	0.8	0.4	1.2	1.2	.....	0.4	0.9	1.0	.....	0.7	83
0.6	0.6	0.8	0.6	0.5	0.7	0.6	0.6	0.6	0.6	0.4	0.9	.....	1.0	.....	1.3	84
0.4	0.4	0.2	0.7	0.2	0.2	0.2	0.3	.....	0.6	0.4	.....	.....	1.0	0.7	.....	85
204.0	194.3	149.9	149.9	214.9	219.6	163.2	170.6	177.4	195.4	129.9	139.5	110.6	120.1	87.1	104.0	
0.2	.....	.....	0.1	0.1	0.1	0.1	0.1	.....	.....	.....	0.9	.....	.....	.....	0.7	86
1.1	1.0	1.3	1.1	0.8	0.8	1.3	1.6	1.8	2.5	2.7	1.3	0.9	2.0	2.7	1.3	87
0.2	0.3	0.5	.....	0.4	0.3	0.4	0.4	0.6	1.2	0.4	1.3	0.9	1.0	0.7	1.3	88
12.5	11.3	8.0	9.9	13.2	14.5	11.6	13.9	7.0	10.6	12.0	6.7	2.8	4.0	5.3	6.6	89
8.3	6.9	8.2	7.8	5.6	6.0	10.0	11.9	7.0	10.0	2.7	6.2	7.5	10.1	2.0	5.3	90
58.6	53.8	36.0	35.2	80.8	80.6	44.1	40.0	50.8	56.0	45.2	43.1	34.7	43.4	29.2	29.2	91
109.1	105.4	83.8	83.7	103.8	106.5	86.5	92.2	94.5	102.7	55.0	68.4	46.9	50.5	37.9	47.7	92
62.7	54.2	39.5	39.7	83.4	83.2	38.9	37.2	79.4	95.8	39.5	45.8	31.9	45.4	27.3	28.5	
46.4	51.2	44.3	44.0	20.4	23.3	47.7	55.0	15.2	6.8	15.5	22.7	15.0	5.0	10.6	19.2	
4.5	4.5	2.5	1.4	5.2	5.0	3.4	2.8	4.1	1.9	2.7	4.0	5.6	2.0	0.7	5.3	93
4.5	5.5	5.8	6.0	2.0	2.6	2.6	4.7	5.3	3.7	4.9	4.0	6.6	4.0	4.0	5.3	94
0.3	0.6	0.2	0.2	0.4	0.3	0.3	0.3	.....	0.6	.....	.....	.....	.....	.....	.....	95
2.4	2.6	1.1	1.4	1.4	1.8	1.6	1.2	3.5	3.1	4.0	1.3	1.9	2.0	4.0	0.7	96
0.4	0.2	0.4	0.3	0.2	0.3	0.3	0.3	.....	0.6	.....	.....	.....	1.0	.....	.....	97
1.9	2.2	2.1	2.9	0.9	0.9	1.0	1.0	2.9	2.5	0.4	2.2	2.8	.....	0.7	0.7	98
185.6	189.5	138.3	137.1	161.1	167.7	141.9	140.9	236.3	257.0	211.9	241.7	196.8	222.1	195.4	234.5	
0.6	0.7	0.3	0.1	0.6	0.7	0.6	0.6	.....	1.9	1.3	1.8	.....	.....	0.7	0.7	99
1.3	1.4	1.6	0.5	2.2	1.6	2.2	1.6	1.8	3.1	3.1	1.3	0.9	2.0	2.7	1.3	100
0.4	0.2	0.3	0.1	0.2	0.2	0.5	0.3	.....	0.6	0.4	0.4	.....	.....	0.7	0.7	101
4.5	4.1	2.0	2.1	4.6	4.4	4.5	4.1	5.8	2.5	3.5	4.0	5.6	1.0	4.7	4.6	102
9.3	9.8	17.1	14.9	5.8	6.6	16.1	21.2	35.0	25.5	22.6	26.2	17.8	19.2	17.3	24.5	103
100.5	105.6	70.4	75.3	81.8	87.4	52.6	43.2	112.0	130.7	116.2	141.3	88.1	104.0	104.4	133.2	104
14.4	13.1	16.3	13.0	10.7	11.9	20.0	18.7	22.2	29.9	21.3	24.0	23.4	31.3	19.3	22.5	105
.....	.....	.....	.....	.....	(3)	.....	.....	1.2	0.6	0.4	0.4	0.9	.....	.....	0.7	106
0.1	0.1	0.1	0.2	0.1	0.1	.....	0.1	.....	.....	0.4	.....	.....	.....	0.7	.....	107
13.4	13.0	4.3	2.9	13.8	13 3	7.2	6.9	21.0	22.4	13.7	12.0	26.2	24.2	15.3	17.2	108
11.6	11.3	6.4	8.1	12.8	12.6	10.8	12.6	12.3	15.6	8.4	7.1	8.4	12.1	9.3	6.6	109
5.2	5.4	3.1	3.6	5.2	5.3	2.6	2.8	4.7	2.5	4.0	3.6	3.7	2.0	2.7	2.7	
6.4	5.9	3.3	4.5	7.5	7.3	8.2	9.9	7.6	13.1	4.4	3.6	4.7	10.1	6.6	4.0	
3.4	3.1	3.1	2.7	2.2	2.1	1.3	2.0	1.2	2.5	1.8	4.9	.....	3.0	2.0	3.3	110
0.6	0.5	.....	0.4	0.4	0.3	0.8	0.6	1.8	0.6	0.9	0.4	0.9	1.0	1.3	0.7	111
0.1	.....	.....	.....	(3)	(3)	.....	(3)	.....	.....	.....	.....	.....	.....	.....	.....	112
18.4	19.1	10.4	9.7	17.2	17.2	14.5	13.9	10.5	9.3	7.5	7.1	12.2	11.1	6.0	8.6	113
2.2	1.8	2.2	1.3	3.0	2.7	1.9	2.2	4.1	2.5	2.2	1.8	5.6	4.0	3.3	2.0	114
3.2	3.5	2.7	3.2	3.6	4.0	5.8	7.1	3.5	5.0	3.1	5.3	5.6	5.0	2.7	5.3	115
0.1	0.1	.....	0.1	0.2	0.2	0.2	0.1	.....	.....	.....	.....	.....	.....	.....	.....	116
1.2	1.1	0.9	1.9	1.3	1.7	2.4	5.4	4.1	3.7	4.9	3.6	0.9	4.0	5.3	2.7	117
0.5	0.9	0.1	0.5	0.9	0.7	0.4	0.2	.....	0.6	.....	.....	.....	.....	.....	.....	118
140.5	130.9	125.0	125.8	151.0	154.4	146.5	152.5	154.1	143.1	102.0	120.0	136.8	123.2	73.1	104.7	
13.7	12.8	11.9	8.8	12.3	12.5	13.6	14.0	20.4	12.4	9.3	12.0	16.9	11.1	4.0	9.3	119
112.6	106.1	101.6	105.1	123.5	127.0	117.6	121.4	110.3	94.6	76.3	93.3	106.8	85.8	57.8	84.1	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
2.7	2.0	1.7	1.3	2.2	2.6	1.7	2.4	0.6	3.1	4.4	2.2	.....	2.0	4.0	2.0	122
0.3	0.3	0.5	0.5	0.8	0.8	0.3	0.3	1.2	1.9	1.3	0.4	0.9	3.0	0.7	.....	123

[3] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MISSOURI.				MONTANA.				NEW HAMPSHIRE.			
		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.	
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Contd.												
124	Diseases of the bladder	2.1	2.2	2.0	2.6	2.8	2.9	0.6	0.3	2.2	3.3	4.3	6.3
125	Diseases of the urethra, urinary abscess, etc	0.8	1.1	0.1	[3]	0.9	2.9	0.3	.....	0.6	.....	.....	.....
126	Diseases of the prostate	6.0	5.0	3.6	4.0	6.6	1.0	2.6	2.7	2.2	3.9	3.1	4.7
127	Nonvenereal diseases of the male genital organs	0.1	0.3	[3]	[3]	.....	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	0.1	.....	[3]	.....	0.9	.....	.....	.....	1.1	.....	0.4	.....
129	Uterine tumor (noncancerous)	3.5	3.1	0.9	0.9	3.8	1.9	0.6	0.3	2.8	1.7	2.0	2.3
130	Other diseases of the uterus	2.1	2.0	0.7	0.7	1.9	1.9	1.6	0.7	3.3	1.1	.....	2.0
131	Cysts and other tumors of the ovary	1.6	0.8	0.5	0.4	.....	1.9	0.6	0.7	0.6	0.6	0.8	0.8
132	Salpingitis and other diseases of the female genital organs.	6.5	7.1	0.7	1.1	12.2	8.7	2.6	0.7	1.1	2.2	0.4	0.8
133	Nonpuerperal diseases of the breast (cancer excepted).	0.1	0.1	.....	0.1	.....	.....	.....	0.3	.....	.....	.....	.....
	VII.—The puerperal state	16.2	14.7	17.9	17.2	26.4	18.3	16.6	18.6	18.7	17.8	9.8	13.3
134	Accidents of pregnancy	1.8	1.6	1.3	1.4	0.9	4.8	2.6	1.7	3.3	1.7	0.8	1.6
135	Puerperal hemorrhage	1.2	1.4	1.5	1.5	1.9	3.9	2.6	1.7	0.6	1.7	1.2	1.6
136	Other accidents of labor	1.2	0.9	1.5	1.4	1.9	.....	1.3	2.7	1.1	1.1	2.7	1.6
137	Puerperal septicemia	9.1	8.5	9.5	8.4	12.2	4.8	7.7	7.3	6.6	5.0	2.4	5.1
138	Puerperal albuminuria and convulsions	2.6	1.9	3.6	4.2	8.5	2.9	2.2	5.0	6.1	5.0	2.7	3.5
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	0.2	0.3	0.3	0.2	0.9	1.9	0.3	0.3	0.6	3.3	.....	.....
140	Following childbirth (not otherwise defined)	0.2	0.1	0.1	0.1	.....	.....	.....	.....	0.6	.....	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue.	3.1	4.2	3.6	3.7	2.8	5.8	3.2	2.7	7.2	4.5	9.8	8.6
142	Gangrene	1.2	1.7	1.4	1.9	0.9	1.9	1.3	1.0	3.9	3.3	7.1	5.9
143	Furuncle	0.5	0.6	0.6	0.6	1.9	.....	0.6	.....	.....	.....	0.8	0.4
144	Acute abscess	0.9	0.8	0.6	0.4	.....	3.9	0.6	1.3	3.3	.....	.....	1.6
145	Other diseases of the skin and annexa	0.6	1.1	1.1	0.8	.....	.....	0.6	0.3	.....	1.1	2.0	0.8
	IX.—Diseases of the bones and of the organs of locomotion.	2.4	3.3	1.3	1.0	7.5	1.9	2.2	.....	1.1	2.2	0.8	0.8
146	Diseases of the bones (tuberculosis excepted)	2.2	2.8	1.1	0.7	7.5	1.9	1.9	.....	0.6	2.2	0.4	0.4
147	Diseases of the joints (tuberculosis and rheumatism excepted).	0.2	0.4	0.1	[3]	.....	.....	0.3	.....	0.6	.....	.....	0.4
148	Amputations	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	.....	.....	[3]	0.2	.....	.....	.....	.....	.....	.....	0.4	.....
	X.—Malformations	14.5	13.8	12.6	11.7	22.6	14.4	13.4	10.9	17.1	13.9	16.9	13.7
150	Congenital malformations (stillbirths not included) (total).	14.5	13.8	12.6	11.7	22.6	14.4	13.4	10.9	17.1	13.9	16.9	13.7
	Hydrocephalus	1.5	1.3	1.0	0.9	1.9	1.0	0.6	0.7	3.3	2.2	0.8	2.0
	Congenital malformations of the heart	8.9	9.1	7.7	6.5	19.8	11.6	7.7	7.0	5.0	5.6	9.8	6.3
	Other congenital malformations	4.1	3.4	3.9	4.3	0.9	1.9	5.1	3.3	8.8	6.1	6.3	5.5
	XI.—Early infancy	65.2	63.0	68.2	68.3	95.1	97.3	56.2	59.6	149.1	138.8	89.0	80.7
151	Congenital debility, icterus, and sclerema (total)	51.9	51.3	55.9	55.9	69.7	82.8	46.0	49.4	134.2	123.7	79.6	68.5
	Premature birth	44.1	43.7	44.1	43.5	49.9	57.8	33.5	33.5	66.0	68.6	42.4	34.5
	Congenital debility, "atrophy," "marasmus," etc.	7.8	7.6	11.7	12.4	19.8	25.0	12.5	15.9	68.2	55.2	37.3	34.1
152	Other causes peculiar to early infancy (total)	12.9	11.5	12.1	12.0	24.5	14.4	10.2	9.9	14.3	15.1	9.4	11.7
	Injuries at birth	6.9	6.6	6.4	6.5	13.2	8.7	5.1	4.3	5.5	7.2	3.9	5.5
	Other causes peculiar to early infancy [4]	5.9	4.9	5.7	5.6	11.3	5.8	5.1	5.6	8.8	7.8	5.5	6.3
153	Lack of care	0.4	0.2	0.2	0.3	0.9	.....	.....	0.3	0.6	.....	.....	0.4
	XII.—Old age	5.1	6.5	17.2	18.4	17.9	6.7	15.7	17.9	51.7	49.1	74.5	80.7
154	Senility	5.1	6.5	17.2	18.4	17.9	6.7	15.7	17.9	51.7	49.1	74.5	80.7
	XIII.—External causes	136.1	140.5	68.9	77.9	191.2	174.3	166.1	144.4	102.9	92.5	89.8	92.8
	Suicide (total)	32.5	34.7	9.0	11.1	44.3	36.6	21.7	14.9	18.2	14.5	16.5	15.7
155	By poison	17.5	19.5	3.3	4.1	22.6	15.4	4.5	2.3	2.8	1.1	2.0	2.3
156	By asphyxia	2.6	1.8	0.1	0.1	.....	1.0	.....	.....	3.3	3.3	.....	.....
157	By hanging or strangulation	2.4	2.0	1.2	1.5	0.9	1.9	1.9	3.0	2.8	5.0	4.7	5.9
158	By drowning	1.0	0.9	0.4	0.7	.....	1.9	0.3	.....	1.7	1.1	0.8	1.2
159	By firearms	6.8	8.2	3.3	3.8	14.1	12.5	13.1	7.6	3.9	3.3	5.9	5.1
160	By cutting or piercing instruments	1.4	1.5	0.5	0.4	4.7	3.9	1.3	1.3	2.8	0.6	2.4	1.2
161	By jumping from high places	0.4	0.4	0.1	[3]	.....	.....	0.3	.....	.....	.....	.....	.....
162	By crushing	0.1	0.1	[3]	0.1	0.9	.....	.....	0.3	0.6	.....	.....	.....
163	Other suicides	0.3	0.2	[3]	0.3	0.9	.....	0.3	0.3	0.6	.....	0.8	.....
	Accidental or undefined (total)	86.9	91.1	54.0	63.0	135.6	111.7	134.2	118.9	81.4	78.0	70.2	74.8
164	Poisoning by food	1.5	1.2	1.2	1.2	2.8	1.9	1.6	1.3	2.8	1.1	2.0	0.8
165	Other acute poisonings	2.9	2.6	2.4	2.1	7.5	6.7	2.6	4.6	3.3	1.7	3.1	1.2
166	Conflagration	2.9	2.4	2.2	1.7	1.9	2.9	0.6	3.6	1.7	0.6	0.4	1.2
167	Burns (conflagration excepted)	7.0	7.9	4.2	6.6	10.4	7.7	3.5	2.7	8.8	5.6	7.5	5.9

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed International List No.
NEW JERSEY.				NEW YORK.				NORTH CAROLINA.[1]								
								Total.				White.				
Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.[2]		Cities.		Rural districts.[2]		
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
1.9	1.5	2.8	2.6	1.1	1.6	5.9	6.5	2.9	4.4	1.3	1.8	1.9	5.0	1.3	2.0	124
0.4	0.5	0.5	0.4	0.5	0.4	0.3	0.2	2.3	1.9	0.9	0.4	0.9	.....	0.7	.....	125
2.4	2.7	3.2	2.7	3.0	2.9	3.2	4.0	2.9	7.5	3.5	4.0	0.9	9.1	3.3	5.3	126
0.2	0.2	0.1	0.3	0.2	0.2	.....	0.2	.....	0.6	0.9	0.4	.....	.....	0.7	.....	127
0.1	0.1	0.1	0.1	0.1	0.1	0.2	.....	.....	0.6	.....	.....	.....	1.0	.....	.....	128
1.8	1.2	0.5	1.5	2.5	2.1	1.6	1.5	2.9	4.4	2.2	1.3	1.9	.....	0.7	1.3	129
1.3	0.9	0.5	0.5	1.1	0.7	0.5	0.3	4.1	3.1	0.9	2.2	2.8	2.0	.....	.....	130
1.0	0.5	0.4	1.0	0.9	0.9	1.0	0.9	2.3	3.7	0.4	1.3	0.9	1.0	.....	0.7	131
1.9	2.1	1.0	1.0	2.7	2.5	0.4	0.7	4.1	5.0	0.4	0.4	2.8	3.0	.....	.....	132
0.1	0.1	0.1	.....	(3)	0.1	(3)	0.1	.....	.....	.....	.....	.....	.....	.....	.....	133
19.2	18.8	10.8	8.8	14.5	14.5	12.4	10.6	32.1	31.1	18.6	21.3	22.5	22.2	16.6	20.5	
1.3	1.3	0.4	0.8	1.2	1.4	1.1	1.2	2.9	0.6	2.7	3.1	2.8	1.0	4.0	4.0	134
2.2	1.8	1.6	1.1	1.4	1.4	1.8	1.3	4.1	3.1	.....	3.1	0.9	3.0	.....	3.3	135
1.2	2.2	0.6	1.2	1.4	1.5	0.8	1.2	4.1	2.5	2.2	4.0	2.8	1.0	1.3	4.0	136
9.6	7.7	4.6	3.2	6.7	6.6	4.6	3.9	4.1	13.7	8.0	4.4	2.8	7.1	3.3	3.3	137
4.3	5.1	2.9	2.2	3.4	3.0	3.8	2.5	16.3	9.3	4.4	6.2	12.2	9.1	6.6	6.0	138
0.4	0.6	0.5	0.3	0.4	0.5	0.4	0.5	0.6	1.2	0.9	.....	0.9	1.0	0.7	.....	139
.....	0.1	0.2	.....	.....	(3)	.....	(3)	.....	0.6	0.4	0.4	.....	.....	0.7	.....	140
.....	.....	.....	.....	.....	(3)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	141
4.4	5.6	3.6	4.9	4.9	4.1	6.7	8.1	3.5	7.5	2.7	5.3	2.8	6.1	1.3	5.3	
1.9	2.0	1.9	2.5	1.5	1.5	4.3	5.3	2.9	4.4	1.3	3.6	2.8	3.0	0.7	4.0	142
0.3	0.9	0.2	0.7	0.7	0.6	0.3	0.6	.....	.....	.....	.....	.....	.....	.....	.....	143
1.5	1.6	0.6	0.7	1.7	1.1	0.9	0.9	.....	1.2	0.9	1.3	.....	2.0	0.7	1.3	144
0.8	1.2	0.9	0.8	0.9	0.9	1.2	1.4	0.6	1.9	0.4	0.4	.....	1.0	.....	.....	145
2.8	2.5	2.0	1.2	3.9	3.6	1.3	1.2	4.1	1.2	1.8	2.2	5.6	2.0	2.0	2.7	
2.7	2.2	1.6	1.0	3.7	3.3	1.1	0.9	3.5	1.2	1.8	1.8	4.7	2.0	2.0	2.0	146
0.1	0.2	0.3	0.1	0.2	0.3	0.1	0.3	0.6	.....	.....	.....	0.9	.....	.....	.....	147
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
.....	.....	0.1	0.1	(3)	0.1	0.1	0.1	.....	.....	.....	0.4	.....	.....	.....	0.7	149
19.0	14.9	17.4	17.2	14.7	14.7	10.4	12.1	14.6	15.6	7.5	10.2	21.6	20.2	8.0	10.6	
19.0	14.9	17.4	17.2	14.7	14.7	10.4	12.1	14.6	15.6	7.5	10.2	21.6	20.2	8.0	10.6	150
1.6	1.6	1.3	0.5	1.6	1.1	1.1	1.1	0.6	1.9	0.4	0.9	.....	2.0	0.7	1.3	
11.7	9.0	12.5	13.2	8.9	9.0	6.3	7.0	10.5	8.7	4.9	6.2	15.9	12.1	5.3	6.6	
5.7	4.3	3.5	3.5	4.2	4.6	3.1	4.0	3.5	5.0	2.2	3.1	5.6	6.1	2.0	2.7	
92.4	93.0	72.1	69.7	94.3	92.0	82.9	71.8	100.4	100.2	87.3	83.1	99.3	98.9	89.7	84.1	
73.8	74.6	60.4	57.7	75.4	73.7	71.4	60.8	88.1	92.1	78.5	68.4	88.1	92.9	84.4	77.5	151
44.3	44.6	34.1	33.0	44.4	43.7	38.5	35.5	57.8	66.6	54.5	47.1	57.2	69.7	61.2	54.3	
29.5	30.0	26.3	24.7	31.0	30.0	32.9	25.3	30.3	25.5	23.9	21.3	30.9	23.2	23.3	23.2	
18.5	18.1	11.3	11.6	18.8	18.2	11.3	10.8	12.3	8.1	8.9	13.8	11.2	6.1	5.3	6.6	152
10.0	10.4	6.3	6.7	10.5	9.3	7.1	6.6	5.8	3.1	3.1	2.7	6.6	4.0	2.7	2.7	
8.5	7.8	5.0	5.0	8.4	8.9	4.2	4.3	6.4	5.0	5.8	11.1	4.7	2.0	2.7	4.0	
0.1	0.2	0.4	0.4	0.1	0.2	0.2	0.2	.....	.....	.....	0.9	.....	.....	.....	.....	153
7.0	9.4	20.6	22.7	9.8	11.6	46.4	53.8	19.8	8.7	9.8	24.0	21.6	11.1	8.6	18.6	
7.0	9.4	20.6	22.7	9.8	11.6	46.4	53.8	19.8	8.7	9.8	24.0	21.6	11.1	8.6	18.6	154
106.2	102.1	103.0	104.8	99.4	95.7	111.0	111.5	117.3	135.6	90.9	90.2	86.2	115.1	69.1	62.9	
17.3	15.3	14.8	15.7	16.0	15.4	15.8	14.6	8.8	10.6	6.2	4.0	12.2	16.2	7.3	5.3	
3.7	3.2	2.0	2.7	2.8	2.8	3.8	3.6	2.3	5.0	0.9	0.4	2.8	8.1	1.3	0.7	155
5.1	4.2	2.0	1.3	5.3	5.1	0.8	0.3	.....	.....	.....	.....	.....	.....	.....	.....	156
2.1	2.2	3.3	4.3	2.2	2.1	4.2	4.7	1.8	0.6	.....	.....	2.8	.....	.....	.....	157
1.1	0.5	1.2	1.0	0.7	0.5	1.2	0.8	0.6	0.6	.....	0.9	.....	1.0	.....	0.7	158
3.8	4.0	5.4	4.4	2.9	2.8	3.8	3.6	2.3	2.5	4.4	2.7	3.7	4.0	5.3	4.0	159
1.2	0.7	0.6	1.8	1.0	1.1	1.5	1.1	1.8	1.9	.....	.....	2.8	3.0	.....	.....	160
0.3	0.3	0.2	0.2	1.0	0.7	0.2	0.1	.....	.....	.....	.....	.....	.....	.....	.....	161
0.1	0.1	0.1	.....	0.1	0.3	(3)	0.1	.....	.....	.....	.....	.....	.....	.....	.....	162
.....	.....	.....	.....	(3)	0.1	0.2	0.2	.....	.....	0.9	.....	.....	.....	0.7	.....	163
84.0	81.8	85.0	86.4	77.6	74.7	92.2	93.4	81.1	97.7	67.4	73.3	65.6	85.8	55.8	53.0	
0.6	0.6	1.6	0.8	0.4	0.6	1.0	1.0	0.6	2.5	1.3	1.8	0.9	4.0	2.0	1.3	164
1.9	1.4	1.8	2.4	1.7	1.6	1.9	2.0	5.3	3.7	3.1	3.1	4.7	3.0	2.0	2.0	165
0.7	1.2	1.0	2.7	2.2	1.6	1.7	1.8	0.6	1.9	1.3	2.2	0.9	1.0	.....	1.3	166
11.8	10.1	4.9	4.5	8.1	8.7	4.7	5.5	18.1	10.0	8.4	13.8	10.3	8.1	6.6	9.3	167

[3] Less than one-tenth of 1 per 100,000 population.
[4] Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MISSOURI.				MONTANA.				NEW HAMPSHIRE.			
		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.	
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	XIII.—External causes—Continued.												
	Accidental or undefined—Continued.												
168	Absorption of deleterious gases (conflagration excepted).	3.1	3.4	1.8	1.6	0.9	1.0	2.6	2.3	3.3	1.1	1.2	1.2
169	Accidental drowning	3.8	4.6	5.1	5.7	3.8	6.7	19.2	17.6	13.8	13.9	15.7	16.1
170	Traumatism by firearms	2.5	2.2	4.1	3.3	6.6	6.7	5.8	9.9	0.6	1.1	2.0	3.5
171	Traumatism by cutting or piercing instruments.	0.2	0.2	0.2	.....	.....	.....	.....	0.3	0.6	.....	0.4	.....
172	Traumatism by fall	19.2	18.3	8.7	8.9	11.3	10.6	12.8	9.3	17.6	20.6	16.1	16.1
173	Traumatism in mines and quarries (total)	1.7	1.8	1.7	2.2	30.1	25.0	16.3	11.9	.....	.....	.....	0.4
	Traumatism in mines	1.6	1.5	1.6	2.1	30.1	24.1	16.0	11.9	.....	.....	.....	0.4
	Traumatism in quarries	0.1	0.3	0.1	0.1	.....	1.0	0.3	.....	.....	.....	.....	.....
174	Traumatism by machines	2.6	3.5	0.7	1.1	1.9	2.9	1.3	3.3	2.2	1.7	1.2	1.6
175	Traumatism by other crushing (total)	26.8	30.8	12.4	13.9	40.5	29.8	50.5	38.1	18.7	21.7	16.5	16.1
	Railroad accidents and injuries	11.3	16.0	7.5	8.7	24.5	20.2	30.4	22.5	9.4	13.9	8.6	12.1
	Street-car accidents and injuries	5.7	6.0	0.4	0.2	4.7	1.0	.....	0.3	0.6	3.3	.....	.....
	Automobile accidents and injuries	5.5	4.2	1.0	0.7	5.7	1.9	2.9	0.3	5.5	1.7	2.7	2.0
	Injuries by other vehicles	3.8	3.8	3.0	3.8	5.7	6.7	13.1	11.9	2.8	2.8	4.3	2.0
	Landslide, other crushing	0.5	0.8	0.4	0.5	.....	.....	4.2	3.0	0.6	.....	0.8	.....
176	Injuries by animals	0.3	0.7	1.4	1.9	4.7	1.9	1.3	2.3	1.1	.....	0.4	0.8
177	Starvation	0.1	.....	(3)	(3)	.....	.....	.....	0.3	.....	.....	.....	.....
178	Excessive cold	0.2	0.5	0.5	0.8	1.9	2.9	2.6	2.7	0.6	1.1	.....	0.8
179	Effects of heat	5.9	3.6	2.0	1.3	.....	.....	.....	.....	0.6	2.2	0.4	1.6
180	Lightning	.....	0.2	0.9	1.3	.....	.....	2.6	2.0	.....	.....	.....	0.4
181	Electricity (lightning excepted)	1.0	1.4	0.4	0.5	1.9	2.9	0.6	0.3	1.7	0.6	.....	0.8
185	Fractures (cause not specified)	1.1	1.4	0.7	2.2	1.9	.....	0.3	0.3	1.1	0.6	0.8	.....
186	Other external violence	4.0	4.4	3.5	6.5	7.5	1.9	10.2	6.0	3.3	4.5	2.7	6.7
	Homicide (total)	16.7	14.7	6.0	3.9	11.3	26.0	10.2	10.6	3.3	.....	3.1	2.3
182	By firearms	9.9	9.5	3.7	2.7	9.4	14.4	6.7	7.6	1.7	.....	2.0	2.0
183	By cutting or piercing instruments	2.7	1.9	0.7	0.4	0.9	6.7	1.0	0.7	.....	.....	.....	0.4
184	By other means	4.1	3.3	1.5	0.8	0.9	4.8	2.6	2.3	1.7	.....	1.2	.....
	XIV.—Ill-defined diseases	3.2	2.3	28.1	30.7	25.4	11.6	31.3	22.2	9.4	7.2	14.1	9.4
187	Ill-defined organic disease	0.2	0.2	0.8	0.8	1.9	.....	1.0	0.7	2.2	0.6	2.7	2.0
188	Sudden death	0.2	0.2	1.6	2.3	3.8	2.9	0.3	1.0	0.6	1.7	1.6	0.8
189	Not specified or ill-defined (total)	2.9	2.0	25.7	27.6	19.8	8.7	30.0	20.5	6.6	5.0	9.8	6.7
	Ill-defined	1.7	0.6	6.0	5.5	6.6	4.8	8.6	8.3	6.1	3.9	7.5	5.1
	Not specified or unknown	1.2	1.4	19.8	22.1	13.2	3.9	21.4	12.3	0.6	1.1	2.4	1.6

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed International List No.
NEW JERSEY.				NEW YORK.				NORTH CAROLINA.[1]								
								Total.				White.				
Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.[2]		Cities.		Rural districts.[2]		
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
6.3	6.3	2.5	4.4	5.3	6.3	2.2	2.8	1.8	6.2	3.5	6.7	2.8	6.1	2.7	4.0	168
9.6	8.5	19.4	16.1	9.7	8.8	18.0	16.5	1.8	3.7	4.9	5.3	0.9	4.0	2.7	2.7	169
0.7	0.5	1.2	1.1	0.6	0.5	2.7	1.7	9.3	11.2	6.2	4.4	3.7	7.1	6.0	2.0	170
0.1	0.1	----	----	0.1	0.2	0.2	0.1	----	----	0.4	----	----	----	0.7	----	171
17.3	17.6	11.8	14.9	19.8	18.3	18.8	18.5	5.3	14.9	8.4	5.3	5.6	16.2	8.0	4.6	172
0.1	0.2	0.7	1.2	0.1	0.1	0.4	0.6	----	----	----	----	----	----	----	----	173
0.1	0.1	0.7	1.0	(3)	(3)	0.3	0.5	----	----	----	----	----	----	----	----	
----	0.1	----	0.2	(3)	(3)	0.1	0.1	----	----	----	----	----	----	----	----	
2.7	2.5	1.9	1.0	2.4	2.1	2.4	2.0	1.8	1.9	1.3	2.2	1.9	2.0	1.3	2.0	174
24.1	24.4	30.0	28.6	21.4	19.3	29.6	31.9	21.0	24.9	12.4	15.1	23.4	21.2	11.3	11.3	175
12.2	12.4	19.2	19.9	6.1	6.9	19.8	23.3	15.2	19.9	7.5	11.6	16.9	17.2	6.6	7.3	
2.5	4.4	1.9	1.5	4.1	3.4	1.5	1.5	1.2	2.5	----	----	0.9	3.0	----	----	
5.7	3.3	4.9	4.9	6.0	4.1	3.9	2.8	2.3	----	1.3	0.4	2.8	----	2.0	----	
3.3	3.6	3.4	2.1	4.6	4.3	4.0	3.7	1.8	1.9	2.7	2.7	1.9	----	2.7	3.3	
0.4	0.6	0.6	0.3	0.6	0.5	0.3	0.6	0.6	0.6	0.9	0.4	0.9	1.0	----	0.7	
0.6	0.3	0.5	0.8	0.4	0.3	1.3	1.4	----	----	0.4	0.9	----	----	0.7	0.7	176
0.1	0.1	----	----	(3)	(3)	(3)	(3)	0.6	----	----	----	0.9	----	----	----	177
----	0.5	0.4	0.5	0.1	0.2	0.3	0.4	----	----	----	0.9	----	----	----	0.7	178
1.6	2.8	1.7	2.0	0.9	1.2	0.6	0.6	0.6	----	0.4	0.4	----	----	----	0.7	179
----	----	0.2	0.5	0.1	(3)	0.4	0.8	----	----	1.3	----	----	----	0.7	----	180
0.8	0.9	1.3	1.2	0.7	0.5	1.2	1.5	2.3	2.5	1.8	1.3	0.9	4.0	2.0	2.0	181
0.6	0.6	0.5	0.1	0.7	1.1	0.3	0.1	5.3	1.2	5.3	2.2	4.7	2.0	4.7	3.3	185
4.3	3.2	3.6	3.5	2.9	3.4	4.4	4.1	7.0	13.1	6.6	7.6	3.7	7.1	4.7	5.3	186
4.9	5.1	3.2	2.6	5.8	5.5	2.9	3.5	27.4	27.4	17.3	12.9	8.4	13.1	6.0	4.6	
2.2	2.7	2.3	1.2	3.0	2.9	1.6	1.4	19.3	20.5	15.5	10.2	7.5	9.1	5.3	3.3	182
0.4	0.5	0.4	0.3	0.8	1.0	0.7	0.5	2.9	3.1	0.9	0.9	----	2.0	----	0.7	183
2.2	1.9	0.5	1.2	2.0	1.6	0.6	1.6	5.3	3.7	0.9	1.8	0.9	2.0	0.7	0.7	184
3.9	4.8	3.6	4.0	1.0	1.5	2.9	3.8	60.7	46.0	73.1	52.9	20.6	24.2	43.9	30.5	
----	0.2	0.1	0.1	(3)	(3)	0.2	0.4	----	0.6	0.9	2.7	----	----	----	0.7	187
0.2	0.6	----	0.1	(3)	0.1	0.3	1.6	4.7	1.9	4.9	3.6	3.7	2.0	2.7	2.7	188
3.8	4.0	3.5	3.8	0.9	1.5	2.5	1.8	56.0	43.6	67.4	46.7	16.9	22.2	41.2	27.2	189
3.6	3.8	3.1	3.2	0.9	1.4	2.2	1.7	7.6	16.2	18.2	12.4	2.8	13.1	12.6	10.6	
0.2	0.2	0.4	0.6	0.1	0.1	0.3	(3)	48.4	27.4	49.2	34.2	14.1	9.1	28.6	16.6	

[3] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		NORTH CAROLINA[1]—continued.				OHIO.				PENNSYLVANIA.	
		Colored.				Cities.		Rural districts.		Cities.	
		Cities.		Rural districts.[2]							
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	All causes[3]	2,564.5	2,500.8	1,971.5	2,055.3	1,514.7	1,453.4	1,257.9	1,232.4	1,565.3	1,510.9
	I.—General diseases	841.4	786.6	676.3	726.9	414.6	392.8	340.3	324.4	386.4	360.5
1	Typhoid fever	86.6	53.5	55.9	48.6	22.9	19.7	25.0	16.9	20.2	16.5
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	(4)	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	23.2	35.7	41.3	67.4	0.6	0.4	1.2	1.0	0.5	0.6
5	Smallpox	3.1	1.6	.....	1.3	0.1	(4)	0.1	(4)	0.2	1.0
6	Measles	17.0	8.1	17.3	10.8	17.0	9.3	10.7	7.2	16.9	10.8
7	Scarlet fever	1.5	.....	1.3	2.7	9.3	11.0	4.0	5.4	12.8	8.7
8	Whooping cough	40.2	17.8	37.3	53.9	12.6	8.8	14.6	9.0	9.9	8.3
9	Diphtheria and croup	18.6	11.4	10.6	12.1	26.0	26.5	17.0	18.9	28.3	28.0
10	Influenza	35.6	43.8	12.0	22.9	9.3	8.5	18.7	14.2	9.3	7.8
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	.....	1.6	.....	1.3	0.7	0.3	1.0	0.5	0.6	0.6
14	Dysentery	27.8	29.2	24.0	27.0	3.8	2.9	8.1	5.4	2.1	2.0
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	1.5	3.2	.....	4.0	4.5	3.6	3.3	4.0	5.7	3.7
19	Other epidemic diseases	1.5	.....	.....	1 3	0.1	0.6	0.3	0.3	0.6	0.4
20	Purulent infection and septicemia	3.1	4.9	4.0	.....	3.3	3.2	1.9	2.3	2.4	2.1
21	Glanders	.....	.....	.....	.....	.....	(4)	.....	.....	0.1	(4)
22	Anthrax	.....	.....	.....	.....	(4)	0.1	.....	(4)	0.1	0.1
23	Rabies	.....	.....	.....	.....	0.2	0.1	0.1	0.1	0.1	0.1
24	Tetanus	49.5	30.8	24.0	18.9	1.9	1.8	1.8	1.7	2.2	2.2
25	Mycoses	.....	.....	.....	.....	(1)	0.1	.....	(4)	(4)	(4)
26	Pellagra	66.5	58.4	28.0	9.4	.....	.....	.....	0.1	0.1	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)
	Tuberculosis (total)	351.1	377.9	326.1	358.7	155.9	161.1	110.9	117.6	143.1	147.4
28	Tuberculosis of the lungs	289.2	321.1	284.9	306.1	129.0	133.6	90.8	97.0	116.4	120.6
29	Acute miliary tuberculosis	20.1	13.0	13.3	21.6	5.0	5.5	3.4	3.2	6.0	6.3
30	Tuberculous meningitis	10.8	1.6	6.7	4.0	9.3	9.3	4.5	4.8	9.6	9.0
31	Abdominal tuberculosis	20.1	27.6	13.3	18.9	6.6	7.2	6.3	6.6	5.8	5.7
32	Pott's disease	4.6	3.2	.....	.....	1.7	1.1	1.2	1.3	1.2	1.2
33	White swellings	.....	1.6	.....	1.3	0.9	0.6	0.8	0.9	0.8	0.8
34	Tuberculosis of other organs	4.6	3.2	6.7	4.0	2.2	2.5	1.8	2.5	2.2	2.2
35	Disseminated tuberculosis	1.5	6.5	1.3	2.7	1.1	1.2	2.0	1.4	1.2	1.5
36	Rickets	7.7	8.1	5.3	.....	0.5	0.5	0.5	0.2	1.3	1.5
37	Syphilis	27.8	24.3	24.0	17.5	11.6	8.6	4.0	4.6	8.1	6.7
38	Gonococcus infection	.....	3.2	.....	.....	0.8	0.5	0.3	0.2	0.6	0.4
	Cancer and other malignant tumors (total)	52.6	43.8	47.9	47.2	85 4	83.5	78.5	77.4	82.2	76.6
39	Of the buccal cavity	1.5	1.6	.....	1.3	3.7	3.5	3.4	3.1	2.9	3.0
40	Of the stomach, liver	10.8	8.1	13.3	9.4	32.2	32.6	33.2	32.3	31.4	29.8
41	Of the peritoneum, intestines, rectum	3.1	4.9	4.0	2.7	10.7	10.8	9.0	8.9	11.5	10.6
42	Of the female genital organs	21.7	19.5	13.3	17.5	16.3	14.6	9.9	10.0	14.8	12.5
43	Of the breast	7.7	4.9	5.3	9.4	7.0	6.8	7.6	7.7	7.8	7.5
44	Of the skin	1.5	1.6	.....	2.7	2.5	2.4	4.4	5.2	2.0	2.1
45	Of other organs or of organs not specified	6.2	3.2	12.0	4.0	13.1	12.9	11.0	10.2	11.8	11.1
46	Other tumors (tumors of the female genital organs excepted).	.....	1.6	.....	4.0	0.3	0.4	0.3	0.2	0.4	0.3
47	Acute articular rheumatism	13.9	8.1	6.7	9.4	6.1	6.3	4.8	4.9	8.6	6.3
48	Chronic rheumatism and gout	.....	1.6	.....	.....	1.4	0.9	1.8	1.7	1.3	1.3
49	Scurvy	.....	.....	.....	.....	0.1	0.1	.....	0.1	0.4	0.3
50	Diabetes	.....	4.9	5.3	1.3	17.8	15.3	14.6	15.8	13.4	13.4
51	Exophthalmic goiter	.....	.....	1.3	.....	2.5	2.5	2.4	2.4	1.7	1.6
52	Addison's disease	.....	.....	.....	.....	0.5	0.2	0.3	0.7	0.3	0.3
53	Leukemia	3.1	3.2	.....	.....	1.7	1.8	1.8	1.8	1.5	1.3
54	Anemia, chlorosis	3.1	3.2	1.3	2.7	4.9	3.7	5.7	4.5	3.6	3.6
55	Other general diseases	1.5	3.2	.....	1.3	2.2	1.5	1.6	1.4	2.4	1.5
56	Alcoholism (acute or chronic)	1.5	3.2	1.3	2.7	9.5	7.8	4.1	3.0	4.7	4.3
57	Chronic lead poisoning	.....	.....	1.3	.....	0.6	0.5	0.1	0.1	0.3	0.4
58	Other chronic occupation poisonings	.....	.....	.....	.....	(1)	0.1	(4)	(4)	.....	.....
59	Other chronic poisonings	3.1	.....	.....	.....	0.6	0.5	0.7	0.8	0.4	0.2
	II.—Diseases of the nervous system and of the organs of special sense.	227.4	199.5	123.8	149.7	142.3	135.4	154.1	154.7	123.1	127.5
60	Encephalitis	1.5	1.6	.....	.....	1.5	1.4	1.1	1.1	1.6	1.2
61	Meningitis (total)	66.5	25.9	13.3	14.8	13.7	10.6	7.1	9.0	8.5	7.5
	Simple meningitis	7.7	4.9	1.3	9.4	4.9	4.4	3.3	5.1	6.5	5.7
	Cerebrospinal meningitis (undefined)	15.5	8.1	8.0	2.7	2.9	2.9	2.2	2.6	1.5	1.4
	Cerebrospinal fever	43.3	13.0	4.0	2.7	5.9	3.3	1.6	1.3	0.5	0.4
62	Locomotor ataxia	1.5	1.6	.....	.....	3.2	3.2	2.9	2.8	2.6	2.3
63	Other diseases of the spinal cord (total)	12.4	8.1	2.7	8.1	6.3	8.6	9.9	10.8	5.0	5.0
	Acute anterior poliomyelitis	3.1	.....	1.3	.....	1.2	3.3	1.3	3.8	0.9	0.9
	Other diseases of the spinal cord[5]	9.3	8.1	1.3	8.1	5.0	5.2	8.7	7.0	4.2	4.0
64	Cerebral hemorrhage, apoplexy	85.1	123.3	61.2	76.9	85.3	82.2	96.8	93.6	68.1	74.2

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														Detailed International List No.
PENNSYLVANIA—contd.		RHODE ISLAND.				UTAH.				VERMONT.				
Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
1,354.0	1,304.6	1,518.9	1,554.4	1,422.0	1,382.2	1,197.3	1,131.5	1,048.7	922.6	1,724.2	1,571.8	1,558.7	1,508.4	
315.8	290.5	403.4	413.0	350.5	311.5	250.2	222.7	239.6	165.7	440.7	357.7	366.2	329.2	
16.2	16.4	8.5	8.5	7.3	4.6	20.8	17.1	22.9	13.2	4.3	8.7	8.3	11.5	1
----	----	----	----	----	----	----	----	----	----	----	----	----	----	2
----	----	----	----	----	----	----	----	----	----	----	----	----	----	3
0.3	0.4	0.9	0.2	----	0.9	1.5	----	0.7	----	----	----	0.6	0.3	4
0.1	(4)	----	----	----	----	----	1.6	2.2	1.9	----	----	----	0.3	5
21.8	10.4	13.0	23.7	9.1	7.4	14.1	3.9	40.3	3.8	23.5	10.8	19.8	6.7	6
9.9	5.3	4.3	7.2	0.9	8.3	2.2	2.3	4.4	5.6	21.4	----	2.6	2.9	7
12.2	11.8	7.0	8.3	6.4	14.7	6.0	14.0	11.8	19.5	21.4	6.5	9.6	6.7	8
23.6	23.4	24.9	25.9	21.8	16.6	5.2	3.1	9.6	7.1	17.1	2.2	8.6	6.4	9
15.0	12.2	10.4	7.0	23.6	12.0	9.7	4.7	11.8	8.3	19.3	8.7	37.7	25.9	10
----	----	----	----	----	----	----	----	----	----	----	----	----	----	11
----	----	----	----	----	----	----	----	----	----	----	----	----	----	12
1.6	0.6	----	----	----	0.9	----	----	0.4	----	----	----	1.6	----	13
5.3	3.5	5.5	4.8	----	4.6	0.7	2.3	2.2	1.1	----	----	3.5	2.9	14
----	----	----	----	----	----	----	----	----	----	----	----	----	----	15
----	----	----	----	----	----	----	----	----	----	----	----	----	----	16
----	----	----	----	----	----	----	----	----	----	----	----	----	----	17
4.4	3.2	5.1	4.1	0.9	1.8	5.2	2.3	2.2	4.9	6.4	6.5	1.0	1.6	18
0.3	0.4	0.4	0.4	0.9	----	0.7	0.8	0.4	1.1	----	----	0.6	1.0	19
2.7	2.7	4.5	2.6	1.8	2.8	1.5	3.1	0.4	1.5	4.3	6.5	2.6	1.0	20
----	----	----	----	----	----	----	----	----	----	----	----	----	----	21
0.1	(4)	----	----	----	----	----	----	----	----	----	----	----	----	22
(4)	0.1	0.2	0.7	----	----	----	----	----	----	----	----	----	----	23
1.5	1.4	1.3	1.1	1.8	0.9	2.2	0.8	----	0.4	8.6	----	0.3	0.6	24
(4)	(4)	1.9	2.0	----	----	----	----	----	----	----	----	----	----	25
(4)	(4)	----	----	----	----	----	----	----	----	----	----	1.0	1.0	26
----	----	----	----	----	----	----	----	----	----	----	----	----	----	27
100.4	102.3	172.7	173.4	119.9	106.0	65.5	66.0	40.7	27.8	134.8	134.4	103.4	95.3	
84.9	87.8	138.0	136.9	96.3	86.6	44.7	48.1	35.1	23.7	115.5	101.9	82.1	71.7	28
3.2	3.3	3.8	5.7	0.9	2.8	7.4	3.9	1.1	0.8	2.1	----	1.9	5.8	29
3.8	3.7	17.3	17.8	5.4	7.4	6.0	4.7	1.5	0.4	6.4	13.0	7.3	7.4	30
4.4	3.7	5.5	7.2	6.4	5.5	2.2	6.2	1.1	1.1	2.1	13.0	4.5	5.1	31
0.7	0.7	1.9	2.8	0.9	----	3.7	0.8	0.7	0.8	2.1	2.2	1.9	1.3	32
0.5	0.3	1.3	0.9	1.8	----	----	0.8	0.4	0.4	----	----	----	1.0	33
1.7	1.6	2.6	1.3	2.7	0.9	1.5	1.6	0.4	0.4	6.4	2.2	2.6	1.6	34
1.3	1.2	2.3	0.9	5.4	2.8	----	----	0.4	0.4	----	2.2	3.2	1.6	35
0.8	0.8	0.2	2.0	----	3.7	0.7	----	1.1	----	----	2.2	----	0.3	36
3.6	3.9	6.8	8.1	3.6	2.8	6.7	6.2	3.3	2.3	2.1	10.8	4.2	4.5	37
0.1	0.1	0.2	0.4	----	----	----	----	0.7	----	4.3	2.2	----	0.6	38
63.0	60.3	89.9	93.3	108.1	74.6	63.3	62.1	46.6	40.6	117.7	104.1	110.8	111.3	
2.8	2.8	4.7	3.9	4.5	3.7	3.7	2.3	2.2	1.5	2.1	----	5.1	3.8	39
26.4	25.8	30.9	33.7	45.4	29.5	28.3	24.8	24.4	18.8	40.6	41.2	38.6	44.1	40
7.2	6.5	14.7	15.0	14.5	11.1	4.5	10.9	4.8	6.0	23.5	13.0	18.5	15.4	41
9.5	9.2	15.5	14.1	16.3	11.1	8.2	9.3	6.3	3.4	21.4	15.2	19.5	15.0	42
6.1	6.4	10.0	10.9	8.2	8.3	6.7	5.4	1.8	3.4	8.6	10.8	9.9	7.0	43
3.2	2.4	2.3	2.4	8.2	1.8	----	2.3	2.2	2.6	2.1	----	5.7	5.1	44
7.8	7.1	11.7	13.3	10.9	9.2	11.9	7.0	4.8	4.9	19.3	23.8	13.4	20.8	45
0.1	0.3	0.2	0.2	----	----	----	1.6	0.4	----	2.1	2.2	0.3	0.3	46
7.5	6.2	4.0	2.0	2.7	9.2	6.7	2.3	6.7	3.0	2.1	2.2	2.6	3.2	47
1.6	1.4	0.6	1.5	0.9	----	1.5	----	1.1	1.1	2.1	4.3	3.5	1.6	48
0.2	0.1	----	0.2	----	----	----	----	----	----	----	----	----	----	49
10.2	11.3	25.1	20.2	20.9	19.4	12.7	8.5	12.2	8.6	25.7	28.2	20.4	21.8	50
1.0	0.9	0.4	0.9	0.9	1.8	3.0	2.3	1.1	0.4	----	4.3	1.6	1.9	51
0.3	0.3	0.4	1.1	----	----	----	0.8	0.4	----	----	2.2	0.3	0.3	52
1.4	1.5	2.6	0.9	2.7	1.8	3.7	----	1.5	1.9	----	2.2	1.3	1.6	53
4.1	3.7	3.8	5.4	4.5	5.5	3.7	6.2	3.0	4.1	10.7	4.3	12.5	8.6	54
1.8	1.5	1.9	1.5	0.9	3.7	3.0	1.6	3.7	2.3	----	----	2.2	2.2	55
4.1	3.5	6.4	5.0	10.0	5.5	8.9	7.8	6.7	3.4	12.8	4.3	3.8	5.1	56
0.1	(4)	----	0.2	0.9	----	----	1.6	1.1	1.1	----	----	----	0.3	57
----	(4)	----	----	----	----	0.7	----	----	0.4	----	----	----	----	58
0.2	0.3	----	0.2	----	1.8	----	----	----	0.4	----	----	1.6	1.3	59
147.6	154.2	150.4	153.0	151.6	148.4	102.8	101.7	87.3	61.6	164.7	143.1	136.1	138.4	
1.4	1.5	0.6	0.7	----	0.9	6.0	0.8	1.1	0.8	----	4.3	1.3	0.3	60
8.2	8.8	10.0	10.4	4.5	6.5	14.9	17.1	17.7	5.6	21.4	15.2	11.5	6.7	61
6.7	7.0	5.8	4.8	1.8	1.8	3.7	5.4	2.6	2.3	17.1	8.7	8.3	4.5	
1.4	1.6	1.9	4.8	1.8	4.6	5.2	10.1	4.1	2.3	4.3	4.3	3.2	1.6	
0.1	0.2	2.3	0.9	0.9	----	6.0	1.6	11.1	1.1	----	2.2	----	0.6	
2.0	2.2	4.3	2.6	3.6	5.5	0.7	0.8	1.1	0.4	6.4	4.3	2.9	3.5	62
5.6	5.8	5.3	4.1	7.3	8.3	10.4	10.1	4.8	0.4	2.1	19.5	10.5	7.4	63
1.5	1.9	2.1	1.1	2.7	1.8	3.0	4.7	1.1	----	----	6.5	1.9	1.9	
4.1	3.9	3.2	3.0	4.5	6.5	7.4	5.4	3.7	0.4	2.1	13.0	8.6	5.4	
78.6	85.8	90.7	97.9	104.4	90.3	38.0	52.0	34.0	25.6	102.7	82.4	127.1	140.4	64

[3] Exclusive of stillbirths.

[4] Less than one-tenth of 1 per 100,000 population.

[5] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		NORTH CAROLINA[1]—continued.				OHIO.				PENNSYLVANIA.	
		Colored.				Cities.		Rural districts.		Cities.	
		Cities.		Rural districts.[2]							
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	II.—Diseases of the nervous system and of the organs of special sense—Continued.										
65	Softening of the brain	.....	.....	.....	1.3	1.5	1.3	3.6	4.0	1.6	1.5
66	Paralysis without specified cause	41.8	14.6	29.3	21.6	3.4	3.2	8.4	8.8	8.5	8.6
67	General paralysis of the insane	3.1	6.5	1.3	2.7	10.6	9.2	5.6	5.8	6.0	5.7
68	Other forms of mental alienation	.....	.....	2.7	2.7	4.0	3.5	2.7	3.0	1.1	1.6
69	Epilepsy	1.5	4.9	6.7	9.4	2.4	2.2	6.0	5.6	2.3	2.3
70	Convulsions (nonpuerperal)	.....	1.6	.....	1.3	0.2	0.1	0.2	0.3	0.2	0.4
71	Convulsions of infants	9.3	3.2	4.0	6.7	3.5	3.5	3.1	3.0	10.7	10.4
72	Chorea	.....	.....	.....	.....	0.1	0.2	0.2	0.2	0.1	0.3
73	Neuralgia and neuritis	.....	1.6	.....	.....	0.7	0.8	0.5	0.5	0.7	0.5
74	Other diseases of the nervous system	3.1	3.2	1.3	4.0	2.9	3.4	3.9	4.3	3.7	3.8
75	Diseases of the eyes and their annexa	.....	.....	.....	.....	0.1	.....	.....	0.1	0.1	0.1
76	Diseases of the ears	1.5	3.2	1.3	.....	2.8	2.1	1.9	1.7	2.1	2.1
	III.—Diseases of the circulatory system	252.1	290.3	154.4	160.5	198.0	204.0	197.6	200.8	187.5	196.0
77	Pericarditis	.....	1.6	1.3	4.0	1.0	1.1	1.2	1.7	1.0	0.8
78	Acute endocarditis	6.2	9.7	2.7	2.7	9.5	10.8	2.7	2.6	12.8	12.0
79	Organic diseases of the heart	225.8	251.4	141.1	143.0	147.6	151.3	153.6	156.6	140.2	150.4
80	Angina pectoris	4.6	9.7	4.0	2.7	7.7	7.4	10.6	10.3	6.7	6.2
81	Diseases of the arteries, atheroma, aneurism, etc.	12.4	14.6	2.7	6.7	27.6	29.0	25.5	25.7	20.3	20.4
82	Embolism and thrombosis	.....	1.6	1.3	1.3	2.9	3.2	2.9	2.7	4.2	4.4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1.5	1.6	.....	.....	1.1	0.5	0.5	0.6	0.8	0.9
84	Diseases of the lymphatic system (lymphangitis, etc.)	1.5	.....	1.3	.....	0.4	0.4	0.2	0.1	1.0	0.6
85	Hemorrhage; other diseases of the circulatory system	.....	.....	.....	.....	0.1	0.4	0.5	0.5	0.4	0.3
	IV.—Diseases of the respiratory system	287.7	316.2	215.7	211.7	162.7	159.6	116.3	122.1	216.3	207.7
86	Diseases of the nasal fossae	.....	.....	.....	1.3	0.2	0.3	[3]	0.3	0.1	0.3
87	Diseases of the larynx	3.1	3.2	2.7	1.3	0.9	0.9	0.9	1.4	1.3	1.5
88	Diseases of the thyroid body	.....	1.6	.....	1.3	1.0	0.8	0.6	0.4	0.8	0.5
89	Acute bronchitis	13.9	21.1	25.3	6.7	14.1	13.4	5.4	6.7	14.9	16.0
90	Chronic bronchitis	6.2	9.7	4.0	8.1	7.9	8.6	6.7	7.2	7.2	8.1
91	Bronchopneumonia	77.3	76.2	77.2	71.5	55.3	55.1	40.0	41.6	72.0	63.9
92	Pneumonia (total)	173.2	186.5	89.2	110.6	74.8	71.4	54.7	57.3	101.9	98.1
	Lobar pneumonia	157.8	176.8	63.9	80.9	70.8	66.9	47.5	49.6	63.9	58.2
	Pneumonia (undefined)	15.5	9.7	25.3	29.7	4.1	4.5	7.3	7.7	38.0	39.8
93	Pleurisy	1.5	1.6	6.7	1.3	3.6	2.8	1.8	1.5	5.4	4.8
94	Pulmonary congestion, pulmonary apoplexy	3.1	3.2	6.7	1.3	0.9	1.4	2.0	1.9	6.7	7.3
95	Gangrene of the lung	.....	1.6	.....	.....	0.3	0.4	0.1	0.1	0.3	0.4
96	Asthma	6.2	4.9	4.0	2.7	2.5	2.8	2.8	2.7	3.1	4.0
97	Pulmonary emphysema	.....	.....	.....	.....	0.3	0.3	0.2	0.1	0.3	0.4
98	Other diseases of the respiratory system (tuberculosis excepted).	3.1	6.5	.....	5.4	1.0	1.4	1.2	1.0	2.3	2.5
	V.—Diseases of the digestive system	301.6	313.0	244.9	256.2	191.2	181.6	130.0	117.8	214.0	204.4
99	Diseases of the mouth and annexa	.....	4.9	2.7	4.0	0.6	0.7	0.9	0.5	0.8	0.8
100	Diseases of the pharynx	3.1	4.9	4.0	1.3	2.5	1.3	2.5	2.8	2.1	1.8
101	Diseases of the esophagus	.....	1.6	.....	.....	0.2	0.4	0.2	0.2	0.3	0.2
102	Ulcer of the stomach	6.2	4.9	1.3	2.7	4.9	5.0	3.1	3.3	4.1	3.4
103	Other diseases of the stomach (cancer excepted)	63.4	35.7	33.3	29.7	10.0	10.8	14.4	15.6	19.9	19.8
104	Diarrhea and enteritis (under 2 years)	151.6	173.5	139.8	157.8	95.5	89.0	51.6	37.9	111.5	103.1
105	Diarrhea and enteritis (2 years and over)	20.1	27.6	25.3	27.0	14.5	13.5	14.8	13.7	14.5	15.2
106	Ankylostomiasis	1.5	1.6	1.3	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	.....	.....	.....	.....	[3]	0.1	0.1	0.1	0.1	0.2
108	Appendicitis and typhlitis	12.4	19.5	10.6	1.3	16.0	13.4	6.4	6.9	14.1	14.0
109	Hernia, intestinal obstruction (total)	18.6	21.1	6.7	8.1	13.7	13.0	9.0	10.4	13.8	13.9
	Hernia	6.2	3.2	6.7	5.4	5.1	4.4	2.5	3.2	4.9	4.4
	Intestinal obstruction	12.4	17.8	.....	2.7	8.5	8.6	6.5	7.3	8.9	9.5
110	Other diseases of the intestines	3.1	1.6	1.3	8.1	2.5	2.9	2.4	2.8	2.0	2.2
111	Acute yellow atrophy of the liver	3.1	.....	.....	.....	0.6	0.4	0.8	0.8	0.5	0.3
112	Hydatid tumor of the liver	.....	.....	.....	.....	.....	.....	[3]	[3]	[3]	[3]
113	Cirrhosis of the liver	7.7	6.5	10.6	4.0	17.5	18.7	12.8	10.5	17.9	15.6
114	Biliary calculi	1.5	.....	.....	1.3	3.9	3.7	3.4	3.2	3.9	3.7
115	Other diseases of the liver	.....	4.9	4.0	5.4	4.9	4.8	4.4	5.3	5.0	5.9
116	Diseases of the spleen	.....	.....	.....	.....	0.2	0.2	0.2	0.3	0.2	0.2
117	Simple peritonitis (nonpuerperal)	9.3	3.2	4.0	5.4	2.9	2.9	2.5	3.2	2.3	3.1
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	.....	1.6	.....	.....	0.9	0.9	0.5	0.2	1.1	1.1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	182.5	175.2	159.7	151.0	118.4	122.2	91.7	93.5	149.3	138.5
119	Acute nephritis	26.3	14.6	20.0	17.5	12.7	14.9	8.5	7.8	16.2	15.2
120	Bright's disease	116.0	108.7	113.2	111.9	86.7	88.3	68.5	70.9	113.9	105.0
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	1.5	4.9	5.3	2.7	1.8	1.8	2.0	1.8	2.6	3.0
123	Calculi of the urinary passages	1.5	.....	2.7	1.3	0.9	0.5	0.7	0.4	0.8	0.6

[1] Includes only municipalities having a population of 1,000 or over in 1900.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														Detailed International List No.
PENNSYLVANIA—contd.		RHODE ISLAND.				UTAH.				VERMONT.				
Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
2.3	1.8	0.6	0.4	----	0.9	2.2	0.8	----	----	----	2.2	3.2	2.9	65
13.8	13.6	6.6	6.5	9.1	12.9	6.7	6.2	4.8	7.1	4.3	2.2	5.7	3.2	66
7.2	6.2	11.3	11.5	4.5	5.5	1.5	3.1	3.7	1.9	6.4	6.5	6.7	4.2	67
3.8	4.1	2.1	0.9	2.7	----	1.5	----	3.0	2.3	2.1	----	3.8	6.1	68
4.9	4.8	6.2	4.1	3.6	3.7	8.2	1.6	5.9	9.8	----	----	4.2	5.1	69
0.7	0.3	----	----	----	----	----	0.8	0.4	----	----	----	0.6	0.3	70
13.9	13.5	4.7	5.4	1.8	6.5	3.7	----	4.1	3.8	4.3	----	2.2	3.5	71
0.5	0.2	0.4	0.2	0.9	----	----	1.6	0.4	----	----	----	0.6	----	72
0.6	0.7	1.3	1.5	0.9	0.9	0.7	0.8	0.4	0.4	4.3	----	1.6	1.3	73
2.8	3.3	4.3	5.0	3.6	4.6	3.7	2.3	3.0	2.3	8.6	4.3	3.8	1.6	74
(3)	----	0.2	----	0.9	----	----	----	----	0.4	----	----	----	----	75
1.3	1.4	1.7	1.5	3.6	1.8	4.5	3.9	3.0	1.1	2.1	2.2	0.3	1.9	76
145.9	151.1	209.4	229.1	229.7	218.4	157.9	156.8	111.7	109.7	213.9	251.5	310.7	295.9	
0.9	1.0	1.1	1.7	1.8	1.8	----	0.8	----	0.4	4.3	4.3	1.6	0.6	77
4.9	4.2	8.3	12.6	5.4	1.8	9.7	14.7	5.9	4.9	4.3	4.3	6.1	2.9	78
112.0	117.4	156.3	166.5	170.7	178.8	118.4	118.0	90.2	91.3	121.9	179.9	227.0	214.0	79
7.0	7.9	5.5	4.8	17.3	12.0	5.2	6.2	4.4	3.4	12.8	13.0	16.6	15.4	80
16.8	16.4	33.0	37.4	30.9	22.1	16.4	14.7	6.3	7.9	55.6	43.4	48.8	54.7	81
3.1	2.7	3.0	3.3	3.6	1.8	6.0	1.6	3.0	0.8	8.6	4.3	8.6	6.1	82
0.4	0.4	0.6	1.5	----	----	0.7	----	0.7	0.4	2.1	----	0.6	1.3	83
0.3	0.6	0.9	0.9	----	----	0.7	0.8	0.7	----	4.3	----	0.3	0.6	84
0.4	0.4	0.6	0.4	----	----	0.7	----	0.4	0.8	----	2.2	1.0	0.3	85
171.0	168.0	184.4	192.8	153.5	190.7	125.1	141.2	140.1	130.4	209.6	158.3	184.2	180.1	
0.1	0.1	----	----	----	----	----	----	----	1.1	----	----	0.3	----	86
2.9	2.6	0.6	1.5	2.7	2.8	1.5	----	1.1	1.9	6.4	2.2	0.6	1.3	87
0.3	0.2	0.4	0.2	----	0.9	3.0	0.8	0.7	0.4	----	----	0.6	0.3	88
11.8	11.7	15.3	14.8	15.4	12.9	6.7	6.2	11.1	15.8	29.9	19.5	14.4	12.2	89
6.9	7.2	4.9	3.7	13.6	9.2	10.4	10.1	6.3	4.1	10.7	10.8	19.5	14.4	90
50.4	46.7	50.3	49.0	43.6	47.0	30.5	31.8	45.9	28.9	47.1	39.0	33.8	35.5	91
83.0	83.7	103.9	109.7	71.7	106.9	58.1	79.9	65.5	68.0	104.8	75.9	104.4	107.2	92
31.9	30.8	49.6	48.1	20.0	34.1	53.6	69.1	45.5	27.1	49.2	26.0	35.4	32.6	
51.0	52.9	54.3	61.6	51.8	72.8	4.5	10.9	20.0	41.0	55.6	49.9	69.0	74.5	
3.2	2.4	3.0	3.0	3.6	0.9	3.7	4.7	0.7	0.4	2.1	4.3	2.6	3.2	93
4.8	5.7	2.1	2.4	1.8	3.7	1.5	1.6	2.6	2.3	4.3	2.2	3.8	3.8	94
0.3	0.2	----	0.4	----	0.9	1.5	0.8	0.4	----	----	----	0.6	----	95
3.7	3.5	1.9	1.5	0.9	3.7	3.7	1.6	1.8	4.1	2.1	2.2	1.6	0.6	96
0.4	0.4	0.2	0.4	----	----	0.7	----	----	----	----	----	0.3	0.3	97
3.3	3.5	1.7	1.1	----	1.8	3.7	3.9	4.1	3.4	2.1	2.2	1.6	1.3	98
187.7	169.0	164.0	161.2	145.3	159.4	157.1	134.3	115.4	82.3	224.6	210.3	131.2	123.2	
0.7	1.0	1.3	----	----	0.9	1.5	----	0.7	0.8	----	----	----	0.3	99
2.0	1.9	1.1	1.5	----	4.6	1.5	0.8	2.2	3.8	----	----	3.2	2.6	100
0.2	0.2	----	0.4	----	----	0.7	----	----	0.4	----	----	----	----	101
2.4	2.0	3.4	4.1	1.8	4.6	6.0	11.6	4.4	3.0	4.3	2.2	3.5	3.2	102
24.6	24.6	9.2	13.1	23.6	17.5	6.7	7.0	6.3	7.9	21.4	19.5	16.6	21.8	103
101.5	85.1	85.4	80.3	76.3	85.7	49.9	25.6	39.6	28.9	107.0	84.6	40.5	33.9	104
17.8	15.3	10.4	12.4	5.4	9.2	6.7	11.6	9.2	3.8	10.7	13.0	16.3	12.2	105
----	----	----	----	----	----	0.7	----	----	----	----	----	----	----	106
0.3	0.2	----	----	----	----	----	----	----	----	----	----	----	0.3	107
5.2	5.0	13.6	8.7	4.5	5.5	35.0	31.0	19.2	9.8	21.4	47.7	10.2	11.5	108
9.1	9.6	12.6	12.2	10.9	3.7	19.4	16.3	17.0	8.6	23.5	26.0	12.8	16.0	109
2.3	2.6	7.0	5.7	4.5	----	8.2	7.8	4.1	0.4	8.6	17.3	4.2	6.4	
6.8	7.0	5.5	6.5	6.4	3.7	11.2	8.5	12.9	8.3	15.0	8.7	8.6	9.6	
2.5	2.2	2.3	3.5	1.8	3.7	3.7	1.6	1.1	2.3	2.1	6.5	2.6	2.2	110
0.7	0.5	0.2	0.4	0.9	0.9	1.5	0.8	0.7	0.4	----	----	1.0	0.6	111
----	(3)	----	----	----	----	----	----	----	----	----	----	----	----	112
10.7	10.4	14.5	15.2	14.5	14.7	9.7	9.3	5.2	4.5	12.8	4.3	9.3	9.3	113
2.2	2.1	4.0	3.9	0.9	----	5.2	5.4	3.3	1.5	4.3	4.3	3.8	1.9	114
4.3	4.8	4.0	3.3	0.9	6.5	6.0	7.0	2.2	4.5	10.7	----	5.7	3.2	115
0.3	0.1	0.4	0.2	0.9	----	0.7	0.8	----	----	----	----	1.0	----	116
2.9	3.4	1.3	1.3	1.8	1.8	1.5	3.9	4.1	1.9	6.4	2.2	4.2	3.8	117
0.5	0.5	0.2	0.7	0.9	----	0.7	1.6	----	0.4	----	----	0.6	0.3	118
89.8	82.0	138.4	140.6	132.6	120.7	107.2	105.5	64.3	71.8	143.3	147.4	135.4	134.0	
8.8	8.4	12.4	12.2	10.9	14.7	8.2	10.1	5.5	4.5	12.8	4.3	9.6	9.6	119
69.4	62.4	113.9	114.2	102.6	96.8	77.4	77.6	48.8	56.4	92.0	106.2	107.6	106.9	120
----	----	----	----	----	----	----	----	----	----	----	----	----	----	121
1.9	1.9	0.9	2.8	2.7	----	0.7	3.1	2.6	1.5	4.3	8.7	2.2	1.3	122
0.5	0.2	0.9	----	0.9	----	1.5	0.8	0.4	1.1	2.1	6.5	0.3	1.3	123

[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

[3] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		NORTH CAROLINA[1]—continued.				OHIO.				PENNSYLVANIA.	
		Colored.				Cities.		Rural districts.		Cities.	
		Cities.		Rural districts.[2]							
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.										
124	Diseases of the bladder	4.6	3.2	1.3	1.3	1.5	1.8	2.9	3.5	2.1	1.9
125	Diseases of the urethra, urinary abscess, etc	4.6	4.9	1.3	1.3	0.3	0.6	0.3	0.1	0.4	0.6
126	Diseases of the prostate	6.2	4.9	4.0	1.3	3.7	4.5	5.2	5.9	4.2	4.1
127	Nonvenereal diseases of the male genital organs	.....	1.6	1.3	1.3	0.1	0.2	0.2	0.1	0.4	0.2
128	Uterine hemorrhage (nonpuerperal)	.....	.....	.....	.....	0.1	0.1	0.1	0.1	0.1	0.1
129	Uterine tumor (noncancerous)	4.6	11.4	5.3	1.3	3.1	2.9	0.9	1.0	2.3	2.4
130	Other diseases of the uterus	6.2	4.9	2.7	6.7	1.4	1.1	0.5	0.5	1.4	1.7
131	Cysts and other tumors of the ovary	4.6	8.1	1.3	2.7	1.4	1.1	0.9	0.8	1.4	1.1
132	Salpingitis and other diseases of the female genital organs	6.2	8.1	1.3	1.3	4.7	4.3	1.1	0.6	3.4	2.7
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	.....	.....	.....	.....	[3]	.....	0.1	0.1	0.1
	VII.—The puerperal state	47.9	45.4	22.6	22.9	16.5	16.3	11.7	13.1	21.3	17.6
134	Accidents of pregnancy	3.1	.....	.....	1.3	1.2	1.6	0.9	1.4	1.6	1.4
135	Puerperal hemorrhage	9.3	3.2	.....	2.7	1.4	1.3	1.6	1.5	1.8	1.8
136	Other accidents of labor	6.2	4.9	4.0	4.0	1.1	1.3	0.8	1.0	1.5	1.2
137	Puerperal septicemia	6.2	24.3	17.3	6.7	9.4	8.0	5.3	6.1	10.0	8.1
138	Puerperal albuminuria and convulsions	23.2	9.7	.....	6.7	3.1	3.0	2.6	2.9	5.7	4.5
139	Puerperal phlegmasia alba dolens, embolus, sudden death	.....	1.6	1.3	.....	0.3	1.0	0.5	0.3	0.6	0.4
140	Following childbirth (not otherwise defined)	.....	1.6	.....	1.3	0.1	0.2	0.1	0.1	0.2	0.1
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	[3]	.....
	VIII.—Diseases of the skin and of the cellular tissue	4.6	9.7	5.3	5.4	3.9	3.6	5.9	5.0	7.4	7.2
142	Gangrene	3.1	6.5	2.7	2.7	1.3	1.6	3.9	2.9	3.4	4.0
143	Furuncle	.....	.....	.....	.....	0.8	0.6	0.4	0.4	1.0	0.9
144	Acute abscess	.....	.....	1.3	1.3	0.7	0.5	0.6	0.4	1.6	1.2
145	Other diseases of the skin and annexa	1.5	3.2	1.3	1.3	1.1	0.9	1.1	1.3	1.3	1.2
	IX.—Diseases of the bones and of the organs of locomotion.	1.5	.....	1.3	1.3	3.1	2.1	1.9	1.3	4.3	3.3
146	Diseases of the bones (tuberculosis excepted)	1.5	.....	1.3	1.3	2.6	2.0	1.6	1.0	3.8	2.8
147	Diseases of the joints (tuberculosis and rheumatism excepted)	.....	.....	.....	.....	0.4	0.1	0.2	0.1	0.4	0.4
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	[3]
149	Other diseases of the organs of locomotion	.....	.....	.....	.....	0.2	.....	0.1	0.2	0.1	0.1
	X.—Malformations	3.1	8.1	6.7	9.4	17.2	15.6	15.9	17.1	17.9	16.1
150	Congenital malformations (stillbirths not included) (total)	3.1	8.1	6.7	9.4	17.2	15.6	15.9	17.1	17.9	16.1
	Hydrocephalus	1.5	1.6	.....	.....	1.6	0.9	0.8	1.2	1.0	1.5
	Congenital malformations of the heart	1.5	3.2	4.0	5.4	10.3	9.8	10.1	10.3	11.6	10.2
	Other congenital malformations	.....	3.2	2.7	4.0	5.2	4.9	4.9	5.5	5.3	4.3
	XI.—Early infancy	102.1	102.2	82.5	80.9	84.2	81.5	58.8	55.1	98.2	93.1
151	Congenital debility, icterus, and sclerema (total)	88.2	90.8	66.6	49.9	66.8	62.1	47.5	44.0	81.6	78.4
	Premature birth	58.8	61.6	41.3	32.4	52.6	48.4	33.3	31.7	49.2	49.7
	Congenital debility, "atrophy," "marasmus," etc	29.4	29.2	25.3	17.5	14.2	13.6	14.2	12.3	32.4	28.7
152	Other causes peculiar to early infancy (total)	13.9	11.4	16.0	28.3	17.0	18.8	11.2	10.9	16.5	14.7
	Injuries at birth	4.6	1.6	4.0	2.7	10.7	10.0	6.2	5.8	8.4	7.5
	Other causes peculiar to early infancy[4]	9.3	9.7	12.0	25.6	6.3	8.8	4.9	5.1	8.1	7.2
153	Lack of care	.....	.....	.....	2.7	0.4	0.6	0.2	0.3	0.1	0.1
	XII.—Old age	17.0	4.9	12.0	35.1	11.8	12.1	21.5	23.9	13.3	12.7
154	Senility	17.0	4.9	12.0	35.1	11.8	12.1	21.5	23.9	13.3	12.7
	XIII.—External causes	168.6	168.7	134.5	145.7	147.2	123.6	101.2	92.8	120.1	119.2
	Suicide (total)	3.1	1.6	4.0	1.3	17.3	17.5	12.7	12.2	16.0	15.0
155	By poison	1.5	.....	.....	.....	7.5	6.8	3.7	3.4	5.1	4.3
156	By asphyxia	.....	.....	.....	.....	0.3	0.4	0.1	[3]	3.1	2.6
157	By hanging or strangulation	.....	1.6	.....	.....	2.2	2.2	2.8	3.1	1.7	1.9
158	By drowning	1.5	.....	.....	1.3	1.0	1.0	1.3	1.0	0.5	0.6
159	By firearms	.....	.....	2.7	.....	4.5	5.2	3.6	3.4	4.3	4.0
160	By cutting or piercing instruments	.....	.....	.....	.....	1.3	1.0	0.8	0.7	1.0	1.1
161	By jumping from high places	.....	.....	.....	.....	0.1	0.4	[3]	0.1	0.2	0.3
162	By crushing	.....	.....	.....	.....	0.2	0.4	0.3	0.3	0.1	0.1
163	Other suicides	.....	.....	1.3	.....	0.2	0.1	0.1	0.2	0.1	0.2
	Accidental or undefined (total)	106.7	116.8	90.5	114.6	120.7	97.5	85.4	77.4	97.7	99.1
164	Poisoning by food	.....	.....	.....	2.7	1.2	0.8	1.0	0.8	0.5	0.6
165	Other acute poisonings	6.2	4.9	5.3	5.4	2.5	1.8	2.1	2.4	2.2	2.3
166	Conflagration	.....	3.2	4.0	4.0	1.4	1.2	1.5	1.1	0.6	1.0
167	Burns (conflagration excepted)	30.9	13.0	12.0	22.9	8.6	9.6	5.8	6.1	12.4	13.3

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														Detailed International List No.
PENNSYLVANIA—contd.		RHODE ISLAND.				UTAH.				VERMONT.				
Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
2.7	2.4	1.7	1.3	3.6	1.8	2.2	1.6	3.7	1.1	2.1	.....	3.5	3.8	124
0.1	0.2	0.9	0.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.3	125
3.3	3.4	2.6	3.0	4.5	4.6	7.4	5.4	3.0	2.6	10.7	8.7	5.1	5.4	126
0.2	0.1	0.2	.....	1.8	.....	.....	.....	.....	0.4	.....	2.2	0.3	.....	127
(3)	0.1	.....	.....	.....	.....	.....	.....	0.4	.....	.....	.....	.....	.....	128
1.2	1.1	1.5	0.9	0.9	0.9	5.2	.....	.....	0.8	4.3	4.3	1.9	1.3	129
0.5	0.4	1.3	0.9	2.7	0.9	1.5	0.8	.....	1.5	4.3	.....	1.3	1.9	130
0.5	0.7	0.6	2.2	0.9	0.9	1.5	2.3	.....	0.8	4.3	4.3	1.6	.....	131
0.7	0.8	1.7	2.8	.....	.....	1.5	3.9	.....	1.1	6.4	2.2	1.9	2.2	132
(3)	(3)	.....	.....	0.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	133
14.0	13.9	12.4	14.6	13.6	12.0	18.6	10.9	14.1	18.0	23.5	17.3	14.0	13.1	
1.1	1.1	1.3	1.1	.....	0.9	3.0	2.3	1.1	2.3	8.6	.....	0.3	1.9	134
1.5	1.7	1.5	1.5	3.6	2.8	3.7	1.6	1.8	3.0	.....	2.2	1.0	1.6	135
1.3	1.6	0.9	1.3	3.6	1.8	.....	1.6	1.5	0.8	.....	.....	0.3	1.3	136
6.0	5.5	4.0	5.9	3.6	1.8	5.2	2.3	6.3	4.1	4.3	4.3	4.8	1.9	137
3.6	3.6	3.4	3.7	0.9	2.8	5.2	1.6	3.0	7.1	8.6	10.8	6.1	5.1	138
0.4	0.3	1.3	0.9	0.9	1.8	1.5	0.8	0.4	0.4	2.1	.....	1.6	1.3	139
0.1	.....	.....	0.2	0.9	.....	.....	.....	.....	0.4	.....	.....	.....	.....	140
.....	(3)	.....	.....	.....	.....	.....	0.8	.....	.....	.....	.....	.....	.....	141
7.3	6.6	5.1	5.0	.....	7.4	1.5	3.1	1.5	3.4	4.3	6.5	10.9	7.4	
4.0	4.2	1.7	1.3	.....	6.5	0.7	.....	0.7	1.5	2.1	6.5	8.0	6.7	142
0.5	0.4	0.4	0.7	.....	.....	.....	.....	.....	.....	.....	.....	0.6	.....	143
1.6	1.1	1.9	1.5	.....	.....	.....	1.6	0.4	1.5	.....	.....	1.0	.....	144
1.2	0.9	1.1	1.5	.....	0.9	0.7	1.6	0.4	0.4	2.1	.....	1.3	0.6	145
1.7	1.7	1.7	2.0	2.7	0.9	6.0	1.6	1.1	1.5	12.8	8.7	1.9	1.9	
1.3	1.3	1.5	1.1	1.8	.....	4.5	1.6	0.4	1.5	10.7	6.5	1.6	1.6	146
0.2	0.3	0.2	0.7	0.9	0.9	1.5	.....	.....	.....	2.1	2.2	0.3	.....	147
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
0.2	0.1	.....	0.2	.....	.....	.....	.....	0.7	.....	.....	.....	.....	0.3	149
19.1	18.7	14.7	15.9	21.8	16.6	14.9	17.8	15.9	16.9	34.2	34.7	14.0	17.0	
19.1	18.7	14.7	15.9	21.8	16.6	14.9	17.8	15.9	16.9	34.2	34.7	14.0	17.0	150
1.1	1.4	1.7	0.9	2.7	0.9	3.7	1.6	1.1	0.4	4.3	.....	0.6	1.6	
12.4	11.7	6.8	10.0	13.6	9.2	8.9	11.6	11.8	10.9	19.3	15.2	8.9	10.9	
5.6	5.5	6.2	5.0	5.4	6.5	2.2	4.7	3.0	5.6	10.7	19.5	4.5	4.5	
99.2	96.5	104.1	103.1	89.0	84.8	74.5	59.0	99.1	101.1	102.7	69.4	61.3	81.6	
84.1	82.6	79.7	76.8	67.2	59.9	58.8	52.0	82.5	85.7	87.7	60.7	51.4	65.3	151
47.7	45.8	38.5	39.6	35.4	33.2	48.4	46.6	71.7	75.9	59.9	47.7	37.4	52.5	
36.4	36.7	41.1	37.2	31.8	26.7	10.4	5.4	10.7	9.8	27.8	13.0	14.0	12.8	
14.8	13.5	23.9	26.1	21.8	23.0	14.9	7.0	16.6	15.4	15.0	8.7	9.6	16.3	152
7.6	7.4	17.0	19.1	16.3	13.8	10.4	3.1	10.0	6.4	12.8	6.5	4.5	9.9	
7.2	6.1	6.8	7.0	5.4	9.2	4.5	3.9	6.7	9.0	2.1	2.2	5.1	6.4	
0.3	0.4	0.6	0.2	.....	1.8	0.7	.....	.....	.....	.....	.....	0.3	.....	153
19.8	21.2	22.6	22.6	30.0	32.3	11.2	21.0	38.5	42.8	36.4	41.2	43.4	38.7	
19.8	21.2	22.6	22.6	30.0	32.3	11.2	21.0	38.5	42.8	36.4	41.2	43.4	38.7	154
117.0	111.5	99.9	92.7	96.3	73.7	132.5	124.2	106.5	101.5	109.1	125.7	96.4	92.8	
10.7	11.0	15.3	14.4	12.7	13.8	30.5	31.0	12.9	7.5	17.1	8.7	16.0	13.8	
2.7	2.5	2.3	3.0	1.8	0.9	12.7	15.5	1.5	2.3	10.7	2.2	3.5	4.2	155
0.2	0.2	5.1	3.3	.....	.....	2.2	0.8	.....	0.4	.....	.....	.....	.....	156
2.5	2.9	1.9	2.2	0.9	4.6	0.7	1.6	0.4	0.4	2.1	2.2	4.2	3.2	157
0.6	0.6	1.5	1.1	4.5	2.8	.....	0.8	0.4	0.8	.....	2.2	1.0	1.0	158
3.6	3.7	3.6	3.3	3.6	4.6	12.7	8.5	7.8	3.8	2.1	2.2	7.9	4.2	159
0.8	0.8	0.6	1.3	0.9	0.9	1.5	3.9	1.8	.....	2.1	.....	0.3	1.3	160
0.1	0.1	.....	.....	0.9	.....	0.7	.....	.....	.....	.....	.....	.....	.....	161
(3)	0.1	.....	0.2	.....	.....	.....	.....	0.4	.....	.....	.....	.....	.....	162
(3)	0.1	0.2	.....	.....	.....	.....	.....	0.7	.....	.....	.....	.....	.....	163
101.9	96.6	80.7	75.9	82.6	56.2	91.6	79.9	86.2	89.4	89.8	114.9	77.9	78.1	
0.9	0.7	0.9	0.4	.....	0.9	2.2	0.8	0.7	1.1	.....	.....	1.3	1.0	164
2.6	2.3	2.6	2.4	.....	0.9	3.7	3.9	3.3	4.9	2.1	2.2	2.6	2.6	165
1.6	1.9	0.9	1.5	.....	.....	0.7	.....	0.4	0.8	4.3	.....	1.9	1.6	166
8.8	9.2	9.4	11.3	7.3	3.7	7.4	0.8	4.8	4.5	4.3	15.2	5.1	5.4	167

[3] Less than one-tenth of 1 per 100,000 population.

[4] Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		NORTH CAROLINA[1]—continued.				OHIO.				PENNSYLVANIA.	
		Colored.				Cities.		Rural districts.		Cities.	
		Cities.		Rural districts.[2]							
		1913	1912	1913	1912	1913	1912	1913	1912	1913	1912
	XIII.—External causes—Continued.										
	Accidental or undefined—Continued.										
168	Absorption of deleterious gases (conflagration excepted)	.....	6.5	5.3	12.1	4.6	3.5	2.4	2.2	3.0	4.7
169	Accidental drowning	3.1	3.2	9.3	10.8	22.0	7.8	10.6	6.1	5.3	5.1
170	Traumatism by firearms	18.6	17.8	6.7	9.4	2.1	1.9	1.9	2.7	1.3	1.2
171	Traumatism by cutting or piercing instruments	.....	.....	.....	.....	0.4	0.3	0.2	0.1	0.1	0.2
172	Traumatism by fall	4.6	13.0	9.3	6.7	20.5	20.6	15.3	17.7	21.1	18.8
173	Traumatism in mines and quarries (total)	.....	.....	.....	.....	0.9	0.7	5.1	4.6	9.7	10.3
	Traumatism in mines	.....	.....	.....	.....	0.8	0.6	5.0	4.5	9.3	9.9
	Traumatism in quarries	.....	.....	.....	.....	0.1	0.1	0.1	0.1	0.4	0.4
174	Traumatism by machines	1.5	1.6	1.3	2.7	4.1	4.9	2.1	1.8	3.7	3.6
175	Traumatism by other crushing (total)	17.0	30.8	14.6	22.9	38.8	35.2	26.8	23.1	27.8	28.2
	Railroad accidents and injuries	12.4	24.3	9.3	20.2	21.0	21.5	18.7	16.2	15.5	15.7
	Street-car accidents and injuries	1.5	1.6	.....	.....	6.8	5.6	2.2	2.1	4.4	4.1
	Automobile accidents and injuries	1.5	.....	.....	1.3	5.7	4.7	2.1	1.4	3.5	3.5
	Injuries by other vehicles	1.5	4.9	2.7	1.3	4.4	2.9	3.2	2.9	3.9	4.1
	Landslide, other crushing	.....	.....	2.7	.....	0.9	0.6	0.7	0.5	0.4	0.9
176	Injuries by animals	.....	.....	.....	1.3	0.8	0.4	1.1	1.3	0.6	0.4
177	Starvation	.....	.....	.....	.....	.....	[3]	[3]	.....	0.1	[3]
178	Excessive cold	.....	.....	.....	1.3	0.6	0.3	0.5	0.3	0.1	0.3
179	Effects of heat	1.5	.....	1.3	.....	5.3	2.1	2.0	0.9	3.5	2.9
180	Lightning	.....	.....	2.7	.....	0.1	0.1	1.2	1.2	0.1	.....
181	Electricity (lightning excepted)	4.6	.....	1.3	.....	2.1	1.0	0.9	0.6	1.2	1.0
185	Fractures (cause not specified)	6.2	.....	6.7	.....	1.0	0.8	1.1	1.0	0.3	0.4
186	Other external violence	12.4	22.7	10.6	12.1	3.7	4.5	3.8	3.5	4.3	4.7
	Homicide (total)	58.8	50.3	39.9	29.7	9.2	8.6	3.1	3.2	6.3	5.0
182	By firearms	38.7	38.9	35.9	24.3	4.9	4.9	1.6	2.2	2.9	2.5
183	By cutting or piercing instruments	7.7	4.9	2.7	1.3	1.4	1.7	0.6	0.3	1.4	0.7
184	By other means	12.4	6.5	1.3	4.0	2.9	2.0	0.8	0.6	2.1	1.8
	XIV.—Ill-defined diseases	126.8	81.1	131.8	98.5	3.6	3.1	11.1	10.9	6.4	7.1
187	Ill-defined organic disease	.....	1.6	2.7	6.7	0.2	0.2	0.8	0.7	0.4	0.7
188	Sudden death	6.2	1.6	9.3	5.4	0.2	0.4	0.8	0.6	0.2	0.3
189	Not specified or ill-defined (total)	120.6	77.8	119.8	86.3	3.3	2.5	9.4	9.5	5.7	6.0
	Ill-defined	15.5	21.1	29.3	16.2	2.0	1.5	3.6	3.5	5.0	5.2
	Not specified or unknown	105.2	56.8	90.5	70.1	1.3	1.0	5.8	6.0	0.7	0.8

[1] Includes only municipalities having a population of 1,000 or over in 1900.

REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														Detailed International List No.
PENNSYLVANIA—contd.		RHODE ISLAND.				UTAH.				VERMONT.				
Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		Cities.		Rural districts.		
1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	1913	1912	
1.6	2.0	4.3	5.2	4.5	0.9	----	3.9	1.1	3.0	2.1	6.5	0.3	1.0	168
8.5	7.4	10.4	8.3	24.5	25.8	1.5	4.7	6.3	7.5	2.1	6.5	12.1	10.9	169
2.1	2.2	0.9	0.7	2.7	3.7	3.7	5.4	5.5	1.5	2.1	2.2	2.6	2.2	170
0.1	0.1	----	----	----	----	----	----	----	0.4	----	----	----	0.3	171
13.4	14.0	17.5	16.5	19.1	4.6	16.4	11.6	7.0	9.0	21.4	10.8	21.4	16.0	172
22.9	19.1	----	----	0.9	----	3.7	7.8	19.2	16.9	6.4	4.3	2.9	3.5	173
22.3	18.3	----	----	----	----	3.7	7.8	18.5	16.9	----	----	----	0.6	
0.5	0.9	----	----	0.9	----	----	----	0.7	----	6.4	4.3	2.9	2.9	
2.6	2.4	1.9	3.0	0.9	----	3.0	3.9	2.6	3.0	8.6	6.5	1.6	1.3	174
27.1	26.5	24.3	17.0	10.9	8.3	35.0	30.3	22.2	25.2	27.8	39.0	18.2	17.6	175
20.2	20.7	7.5	6.5	7.3	2.8	16.4	13.2	10.7	14.3	17.1	26.0	9.9	11.5	
2.0	1.1	6.2	2.8	0.9	0.9	6.0	3.1	1.1	0.8	----	4.3	0.6	----	
1.9	1.2	7.2	3.3	2.7	1.8	4.5	3.9	3.0	0.8	4.3	6.5	2.2	0.6	
2.6	2.8	3.0	3.9	----	2.8	6.0	8.5	6.7	6.8	4.3	2.2	5.1	4.2	
0.5	0.6	0.4	0.4	----	----	2.2	1.6	0.7	2.6	2.1	----	0.3	1.3	
0.7	1.1	0.6	0.7	----	----	2.2	1.6	1.1	1.5	----	4.3	1.9	1.9	176
(3)	0.1	----	0.2	0.9	0.9	----	----	----	----	----	----	----	----	177
0.5	0.5	0.2	0.4	2.7	0.9	----	0.8	0.7	0.4	2.1	2.2	0.6	0.6	178
2.4	1.2	0.9	0.9	1.8	1.8	----	----	0.4	----	2.1	2.2	0.6	1.3	179
0.8	0.7	----	----	----	----	----	----	2.2	1.9	----	----	----	1.0	180
1.3	1.0	0.4	0.9	----	----	6.0	0.8	0.7	1.5	2.1	8.7	1.6	1.0	181
0.2	0.1	0.6	0.9	0.9	1.8	2.2	----	----	0.8	----	----	----	3.5	185
3.9	4.1	5.1	5.7	5.4	1.8	3.7	3.9	7.8	5.6	2.1	4.3	3.2	5.4	186
4.4	3.9	3.8	2.4	0.9	3.7	10.4	13.2	7.4	4.5	2.1	2.2	2.6	1.0	
2.6	2.4	1.9	0.9	----	0.9	7.4	10.1	5.5	3.0	----	2.2	1.9	0.6	182
0.8	0.5	0.4	0.9	----	1.8	1.5	1.6	0.7	0.8	2.1	----	0.3	0.3	183
1.0	1.0	1.5	0.7	0.9	0.9	1.5	1.6	1.1	0.8	----	----	0.3	----	184
18.0	19.7	8.5	8.9	5.4	5.5	38.0	31.8	13.7	15.8	4.3	----	2.9	5.1	
1.5	1.9	----	----	----	----	----	----	----	2.3	----	----	0.6	0.3	187
2.4	2.2	1.9	2.4	0.9	----	----	----	0.4	2.3	----	----	0.3	0.3	188
14.1	15.5	6.6	6.5	4.5	5.5	38.0	31.8	13.3	11.3	4.3	----	1.9	4.5	189
10.7	11.8	2.1	2.8	3.6	0.9	37.2	29.5	6.7	6.0	2.1	----	0.6	1.6	
3.3	3.7	4.5	3.7	0.9	4.6	0.7	2.3	6.7	5.3	2.1	----	1.3	2.9	

[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

[3] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		VIRGINIA.[1]						WASHINGTON.				WISCONSIN.			
		Total.		White.		Colored.		Cities.		Rural districts.		Cities.		Rural districts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.								
		1913	1913	1913	1913	1913	1913	1913	1912	1913	1912	1913	1912	1913	1912
	All causes [2]	1,897.2	1,269.7	1,480.9	1,114.7	2,684.7	1,597.6	893.5	848.4	806.0	747.4	1,302.1	1,289.7	1,066.0	1,046.9
	I.—General diseases	484.7	364.6	387.0	317.6	669.6	464.1	254.7	239.2	203.0	192.5	337.6	338.9	261.3	264.9
1	Typhoid fever	28.1	34.6	23.1	30.8	37.5	42.6	7.8	12.1	12.6	12.7	15.5	22.8	5.7	8.0
2	Typhus fever	.....	0.1	.....	0.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	9.6	6.5	5.5	4.0	17.3	11.8	0.2	.....	.....	0.1	0.2	0.4	0.3	0.4
5	Smallpox	.....	0.5	.....	0.1	.....	1.3	.....	0.2	0.3	.....	.....	0.1	0.2	0.2
6	Measles	14.6	17.6	16.9	17.8	10.4	17.3	9.7	1.7	6.5	0.9	9.5	7.0	6.7	4.3
7	Scarlet fever	2.4	2.6	2.9	3.8	1.4	0.2	3.0	1.3	1.7	1.8	11.6	16.9	6.3	9.3
8	Whooping cough	13.4	13.2	9.2	13.3	21.5	12.9	6.7	3.8	8.5	6.9	8.2	12.7	7.0	6.1
9	Diphtheria and croup	7.7	15.8	9.9	18.3	3.5	10.4	3.6	5.1	2.7	5.9	22.4	18.7	7.3	9.5
10	Influenza	15.6	12.9	11.4	12.9	23.6	12.9	5.3	4.6	7.6	4.7	7.7	6.4	12.9	9.8
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	Dysentery	1.2	0.9	0.7	1.1	2.1	0.5	.....	.....	.....	.....	1.0	.....	0.4	0.6
15	Plague	17.3	16.1	15.8	14.5	20.1	19.3	0.8	1.2	1.7	1.0	3.2	3.4	2.4	2.0
		.....	.....	.....	.....	.....	.....	0.2	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	3.6	2.3	4.0	3.1	2.8	0.5	2.0	2.7	2.1	2.2	3.2	3.4	2.4	2.5
19	Other epidemic diseases	0.2	0.2	0.4	0.3	.....	.....	0.3	.....	.....	0.1	0.5	0.3	0.1	0.4
20	Purulent infection and septicemia	4.6	2.9	3.3	2.7	6.9	3.3	2.2	1.8	1.3	1.0	5.9	3.4	1.7	3.0
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	0.1	.....	0.1	.....	.....	.....	.....	0.1	.....	0.1	.....	.....	.....
23	Rabies	0.5	0.2	0.7	0.2	.....	0.4	.....	0.2	.....	.....	0.1	.....	.....	0.1
24	Tetanus	5.8	1.8	5.1	1.4	6.9	2.5	0.2	0.5	0.1	0.6	1.5	2.3	1.1	0.9
25	Mycoses	.....	0.1	.....	0.2	.....	.....	0.2	.....	.....	.....	.....	.....	0.1	0.1
26	Pellagra	13.7	6.3	13.9	4.8	13.2	9.5	.....	.....	0.3	.....	0.2	.....	0.2	0.1
27	Beriberi	.....	.....	.....	.....	.....	.....	0.2	.....	0.1	.....	.....	.....	.....	.....
	Tuberculosis (total)	211.2	158.3	138.7	115.1	348.3	249.8	97.9	99.4	87.4	84.7	111.3	106.8	91.1	96.0
28	Tuberculosis of the lungs	168.7	137.9	106.0	99.4	287.3	219.4	71.6	75.0	72.6	68.6	89.4	87.4	78.4	80.6
29	Acute miliary tuberculosis	8.4	4.9	1.8	3.0	20.8	8.9	2.8	2.5	2.7	1.6	2.3	2.9	2.1	3.2
30	Tuberculous meningitis	14.9	3.5	15.0	3.5	14.6	3.5	11.9	9.3	5.0	5.3	8.7	7.5	3.2	4.3
31	Abdominal tuberculosis	9.1	6.2	8.4	4.7	10.4	9.5	6.7	6.6	4.1	4.0	6.1	3.8	3.9	3.4
32	Pott's disease	2.4	1.2	0.4	1.4	6.2	0.9	0.3	1.0	0.7	0.6	1.7	1.4	1.1	0.7
33	White swellings	1.0	0.5	0.7	0.2	1.4	1.3	0.5	1.0	0.3	0.6	0.5	0.3	0.5	0.3
34	Tuberculosis of other organs	4.8	2.6	4.0	2.1	6.2	3.6	3.1	3.3	1.4	1.8	1.8	1.9	1.2	1.7
35	Disseminated tuberculosis	1.9	1.4	2.2	0.8	1.4	2.7	0.9	0.7	0.6	2.2	0.6	1.8	0.7	1.9
36	Rickets	3.1	0.5	1.1	0.1	6.9	1.3	0.3	0.3	0.4	0.3	1.0	0.9	0.8	0.4
37	Syphilis	19.2	7.4	8.1	3.1	40.2	16.4	6.4	5.0	2.4	1.3	3.4	5.5	1.4	1.7
38	Gonococcus infection	0.5	0.2	.....	0.2	1.4	0.4	0.2	0.2	0.3	.....	0.1	.....	0.2	0.1
	Cancer and other malignant tumors (total)	73.7	42.3	79.6	46.0	62.5	34.4	68.9	65.2	39.6	42.1	85.9	86.7	74.7	72.0
39	Of the buccal cavity	2.6	0.9	3.3	1.1	1.4	0.5	2.8	1.8	1.1	1.9	2.5	2.4	3.3	3.0
40	Of the stomach, liver	19.4	15.2	19.1	17.8	20.1	9.6	27.4	27.4	18.5	20.5	42.9	39.7	37.5	38.6
41	Of the peritoneum, intestines, rectum	11.3	3.6	13.9	4.2	6.2	2.4	10.2	9.5	6.1	4.9	10.6	9.9	9.4	6.5
42	Of the female genital organs	17.8	8.5	16.9	7.2	19.4	11.1	10.0	10.1	4.0	4.1	9.3	12.2	5.7	6.3
43	Of the breast	7.9	3.2	9.2	3.5	5.6	2.4	4.7	3.0	3.4	2.2	6.6	7.4	5.8	5.5
44	Of the skin	4.1	1.9	5.1	2.6	2.1	0.5	1.3	1.5	1.6	1 8	1.8	1.8	2.8	3.3
45	Of other organs or of organs not specified	10.6	9.0	12.1	9.5	7.6	7.8	12.5	12.0	5.0	6.8	12.2	13.4	10.3	8.8
46	Other tumors (tumors of the female genital organs excepted)	0.7	0.5	0.4	0.5	1.4	0.5	0.5	0.8	0.3	0.3	0.7	0.6	0.6	0.8
47	Acute articular rheumatism	7.9	4.8	4.4	3.9	14.6	6.9	3.0	2.2	1.7	2.7	8.2	5.4	4.4	5.2
48	Chronic rheumatism and gout	1.9	1.4	1.5	1.6	2.8	0.9	0.5	0.8	1.3	0.4	1.7	1.5	1.7	1.5
49	Scurvy	1.0	.....	0.4	.....	2.1	.....	0.2	.....	.....	.....	.....	0.1	0.1	0.1
50	Diabetes	10.1	6.9	11.4	8.5	7.6	3.5	14.6	10.6	11.2	8.4	17.3	16.3	14.5	13.6
51	Exophthalmic goiter	0.7	0.3	0.7	0.3	0.7	0.2	1.7	2.8	0.3	1.0	2.3	2.1	1.7	2.1
52	Addison's disease	0.5	0.1	0.4	0.2	0.7	.....	1 1	.....	0.4	0.4	0.5	0.4	0.3	0.5
53	Leukemia	1.4	0.9	1.8	1.1	0.7	0.4	2.2	2.2	0.8	0.9	2.2	3.0	1.3	1.9
54	Anæmia, chlorosis	3.1	1.8	2.6	1.9	4.2	1.5	4.4	5 6	3.5	4.1	5.4	5.0	6.4	6.3
55	Other general diseases	2.6	2.3	2.2	2.9	3.5	1.1	1.3	1.3	1.3	1.8	2.2	2.9	2.0	1.4
56	Alcoholism (acute or chronic)	8.2	1.8	9.9	1.9	4.9	1.6	8.9	7.1	6.1	5.3	4.1	3.3	5.2	3.8
57	Chronic lead poisoning	.....	0.1	.....	0.1	.....	.....	0.2	.....	.....	0.1	0.1	0.4	0.1	0.1
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	0.7	0.4	1.1	0.6	.....	.....	0.3	0.3	0.3	0.6	0.1	0.1	.....	0.2
	II.—Diseases of the nervous system and of the organs of special sense	198.5	120.5	157.4	109.4	276.2	144.1	78.6	73.0	86.8	80.7	121.8	119.5	124.2	117.2
60	Encephalitis	1.2	1.6	0.7	1.4	2.1	2.2	1.3	0.7	0.7	0.6	1.7	1.1	0.7	0.7
61	Meningitis (total)	15.4	12.7	14.3	14.3	17.3	9.3	6.7	4.3	4.1	4.1	13.9	13.8	9.8	7.3
	Simple meningitis	9.8	8.2	9.9	9.3	9.7	5.8	3.9	2.5	2.5	2.1	8.1	6.2	4.9	3.7
	Cerebrospinal meningitis (undefined)	5.3	3.9	4.4	4.2	6.9	3.1	2.7	1.7	1.6	1.9	3.1	4.3	2.9	1.5
	Cerebrospinal fever	0.2	0.6	.....	0.8	0.7	0.4	0.2	0.2	.....	0.1	2.7	3.4	2.0	2.1
62	Locomotor ataxia	4.1	1.2	5.9	1.1	0.7	1.3	1.1	2.2	1.1	1.5	2.1	2.5	1.5	2.1
63	Other diseases of the spinal cord (total)	6.2	5.0	5.9	5.0	6.9	4.9	3.6	3.7	2.0	3.7	4.8	5.1	6.3	6.5
	Acute anterior poliomyelitis	1.0	2.3	1.5	2.1	.....	2.9	0.6	0.3	1.0	0.7	0.7	1.6	1.5	1.2
	Other diseases of the spinal cord [3]	5.3	2.6	4.4	2.9	6.9	2.0	3.0	3.3	1.0	2.9	4.1	3.5	4.9	5.3
64	Cerebral hemorrhage, apoplexy	107.7	46.5	78.9	42.2	162.4	55.5	48.9	45.2	46.9	42.6	63.4	62.0	63.8	63.5

[1] Not admitted to registration area until 1913. [2] Exclusive of stillbirths. [3] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		VIRGINIA.[1]						WASHINGTON.				WISCONSIN.			
		Total.		White.		Colored.		Cities.		Rural districts.		Cities.		Rural districts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.								
		1913	1913	1913	1913	1913	1913	1913	1912	1913	1912	1913	1912	1913	1912
	II.—Diseases of the nervous system and of the organs of special sense—Contd.														
65	Softening of the brain	3.6	2.4	3.3	2.7	4.2	1.8	0.2	.....	0.1	.....	1.0	0.8	1.6	1.5
66	Paralysis without specified cause	23.5	29.0	18.0	24.4	34.0	38.6	4.4	4.0	9.2	5.9	6.6	5.0	10.4	7.5
67	General paralysis of the insane	5.8	2.8	3.1	2.6	1.4	3.3	1.9	2.3	5.7	7.7	2.5	2.3	5.1	4.8
68	Other forms of mental alienation	2.2	3.2	1.8	2.2	2.8	5.1	1.6	1.0	5.1	4.9	1.8	0.8	3.1	2.9
69	Epilepsy	4.6	5.1	4.8	4.5	4.2	6.5	2.3	1.8	6.4	4.3	3.0	2.1	4.7	4.9
70	Convulsions (nonpuerperal)	0.2	0.9	.....	0.5	0.7	1.8	.....	0.2	0.3	0.7	0.1	0.1	0.4	0.2
71	Convulsions of infants	12.5	6.0	4.4	3.8	27.8	10.7	2.0	2.7	2.3	1.5	14.1	16.7	11.8	9.6
72	Chorea	0.5	0.1	0.4	0.1	0.7	.....	.....	0.2	0.1	.....	0.1	.....	0.1	0.1
73	Neuralgia and neuritis	1.0	0.5	1.1	0.6	0.7	0.2	0.5	0.5	0.3	0.3	0.2	0.4	0.9	0.9
74	Other diseases of the nervous system	7.9	2.7	8.1	2.9	7.6	2.2	2.3	2.2	1.7	1.3	5.0	4.1	3.2	3.8
75	Diseases of the eyes and their annexa	0.2	.....	.....	.....	0.7	.....	.....	0.2	0.1	.....	0.1	0.1	.....	.....
76	Diseases of the ears	1.9	1.0	1.8	1.1	2.1	0.7	1.9	2.2	0.7	1.8	1.2	2.5	0.9	0.9
	III.—Diseases of the circulatory system	208.1	120.5	168.7	110.3	282.4	142.3	120.9	108.6	98.3	90.3	146.7	149.8	151.1	154.0
77	Pericarditis	3.1	0.9	2.9	0.9	3.5	0.9	0.9	0.2	0.6	.....	1.2	1.3	0.7	0.9
78	Acute endocarditis	10.6	2.3	3.3	2.0	24.3	2.9	5.2	5.8	2.3	2.2	11.3	12.7	5.5	5.6
79	Organic diseases of the heart	169.9	100.7	137.2	90.1	231.8	123.2	93.7	84.5	79.0	73.3	101.8	106.6	111.3	116.2
80	Angina pectoris	4.3	3.2	4.8	3.9	3.5	1.8	3.6	3.8	4.7	4.4	3.4	4.0	4.9	5.1
81	Diseases of the arteries, atheroma, aneurism, etc.	13.7	9.8	13.9	9.5	13.2	10.4	13.6	10.6	8.4	7.5	21.1	19.3	23.7	22.4
82	Embolism and thrombosis	4.6	1.9	4.4	2.3	4.9	0.9	2.5	2.7	2.1	1.9	4.5	4.1	3.4	2.2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	0.5	0.5	0.4	0.6	0.7	0.2	0.6	0.5	0.6	0.6	1.5	0.4	0.6	0.5
84	Diseases of the lymphatic system (lymphangitis, etc.)	1.0	.....	1.1	.....	0.7	.....	0.5	0.5	0.3	0.1	0.9	0.8	0.3	0.4
85	Hemorrhage; other diseases of the circulatory system	0.5	1.3	0.7	1.0	.....	2.0	0.3	.....	0.4	0.1	0.9	0.6	0.7	0.7
	IV.—Diseases of the respiratory system	216.7	98.6	117.0	86.3	405.2	124.6	77.9	65.6	64.0	56.4	153.9	151.4	113.8	106.4
86	Diseases of the nasal fossae	0.2	0.4	.....	0.2	0.7	0.9	0.2	0.5	.....	0.1	0.1	0.1	0.3	0.4
87	Diseases of the larynx	0.7	1.5	0.4	1.4	1.4	1.6	0.6	0.7	0.6	0.7	0.7	1.4	0.9	1.2
88	Diseases of the thyroid body	1.9	0.4	1.8	0.3	2.1	0.4	0.9	0.8	0.3	0.1	0.7	0.3	0.7	0.8
89	Acute bronchitis	22.8	6.8	7.7	5.1	51.3	10.4	2.0	3.3	3.1	2.4	13.6	13.3	8.7	9.6
90	Chronic bronchitis	12.0	5.0	8.4	5.2	18.7	4.5	3.0	2.3	2.0	2.4	10.3	13.2	11.0	11.8
91	Bronchopneumonia	51.8	17.3	22.7	16.9	106.9	18.2	25.7	20.4	25.2	19.4	40.2	44.1	25.4	20.9
92	Pneumonia (total)	96.5	59.0	56.9	50.1	171.4	77.7	39.6	33.4	28.0	27.8	72.4	67.9	51.5	49.2
	Lobar pneumonia	49.0	12.7	29.0	11.4	86.7	15.6	37.9	32.4	25.3	24.7	36.1	34.6	21.5	22.4
	Pneumonia (undefined)	47.5	46.3	27.9	38.8	84.7	62.0	1.7	1.0	2.7	3.1	36.3	33.3	30.1	26.9
93	Pleurisy	4.8	1.9	1.8	1.5	10.4	2.7	2.7	1.7	1.6	1.2	4.2	3.8	2.5	2.6
94	Pulmonary congestion, pulmonary apoplexy	13.9	2.3	12.1	2.5	17.3	2.0	0.3	0.2	0.4	0.4	5.0	3.3	6.1	4.9
95	Gangrene of the lung	0.2	0.2	.....	.....	0.7	0.7	.....	0.2	0.3	.....	0.6	0.4	0.5	0.5
96	Asthma	5.0	2.2	0.7	2.0	13.2	2.7	2.0	1.7	1.6	1.6	2.8	1.8	3.9	2.6
97	Pulmonary emphysema	1.0	0.1	0.4	0.1	2.1	.....	.....	.....	0.4	0.1	0.2	0.4	0.2	0.1
98	Other diseases of the respiratory system (tuberculosis excepted)	5.8	1.6	4.0	1.0	9.0	2.7	0.8	0.5	0.6	.....	2.8	1.6	2.0	1.7
	V.—Diseases of the digestive system	240.5	124.3	203.2	123.5	310.9	125.9	83.2	79.7	67.2	59.9	176.0	177.3	108.7	96.2
99	Diseases of the mouth and annexa	1.7	2.0	0.7	1.1	3.5	3.8	0.3	0.7	0.1	0.1	0.2	0.5	0.5	0.4
100	Diseases of the pharynx	2.4	2.2	2.2	2.2	2.8	2.2	1.3	1.8	1.0	0.7	2.1	1.3	1.5	1.3
101	Diseases of the esophagus	1.0	0.4	1.1	0.3	0.7	0.4	.....	.....	.....	.....	0.2	0.3	0.4	0.1
102	Ulcer of the stomach	6.0	1.8	4.8	1.5	8.3	2.4	3.6	4.2	3.0	1.3	5.7	4.4	3.1	3.8
103	Other diseases of the stomach (cancer excepted)	22.6	15.5	16.1	14.9	34.7	16.7	4.4	4.3	5.5	7.2	14.5	16.8	11.7	12.0
104	Diarrhea and enteritis (under 2 years)	107.5	59.6	83.6	62.1	152.7	54.4	19.7	16.6	23.4	16.5	67.2	80.1	34.7	29.3
105	Diarrhea and enteritis (2 years and over)	28.8	15.6	25.3	16.3	35.4	14.0	8.5	7.5	8.4	7.7	14.6	10.5	13.6	9.6
106	Ankylostomiasis	.....	0.3	.....	0.3	.....	0.2	.....	0.2	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	0.2	0.5	.....	0.4	0.7	0.7	.....	0.2	.....	0.3	0.1	0.1	.....	0.1
108	Appendicitis and typhlitis	18.2	3.6	22.0	4.0	11.1	2.5	16.6	16.3	6.8	7.5	21.8	21.6	9.3	8.4
109	Hernia, intestinal obstruction (total)	13.4	5.5	11.7	4.5	16.7	7.6	9.6	8.3	7.5	6.0	13.9	14.2	8.7	9.0
	Hernia	3.8	2.0	2.6	1.7	6.2	2.5	2.0	2.5	1.3	1.5	4.7	5.1	2.4	2.9
	Intestinal obstruction	9.6	3.5	9.2	2.8	10.4	5.1	7.5	5.8	6.2	4.6	9.2	9.0	6.3	6.1
110	Other diseases of the intestines	4.6	2.6	2.9	2.2	7.6	3.5	2.3	2.0	1.3	1.3	2.8	2.3	3.5	3.5
111	Acute yellow atrophy of the liver	0.7	0.5	1.1	0.4	.....	0.7	0.3	0.2	0.1	0.1	0.6	0.5	0.2	0.4
112	Hydatid tumor of the liver	.....	.....	.....	.....	.....	.....	0.2	.....	.....	.....	.....	.....	.....	0.1
113	Cirrhosis of the liver	16.8	5.6	15.0	5.1	20.1	6.7	7.2	9.0	4.0	6.0	17.9	12.1	11.2	8.6
114	Biliary calculi	3.4	1.5	5.1	1.9	.....	0.5	3.8	2.5	2.0	1.5	2.7	3.1	2.2	2.6
115	Other diseases of the liver	7.4	3.2	7.7	2.8	6.9	4.0	3.4	3.5	2.8	2.9	6.3	7.2	4.9	5.0
116	Diseases of the spleen	0.2	.....	0.4	.....	.....	.....	0.3	0.2	.....	0.1	0.1	0.1	.....	0.2
117	Simple peritonitis (nonpuerperal)	3.8	3.9	1.8	3.4	7.6	5.1	0.5	1.7	1.0	0.1	3.9	1.5	2.7	1.6
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1.7	0.2	1.5	0.1	2.1	0.4	1.3	0.8	0.4	0.3	1.2	0.8	0.4	0.3
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	205.7	84.3	172.8	74.2	267.8	105.5	83.8	76.9	53.2	48.6	85.6	91.3	71.0	73.6
119	Acute nephritis	26.9	7.1	15.8	5.6	47.9	10.4	1.4	0.8	0.1	0.3	6.6	8.7	3.6	4.7
120	Bright's disease	149.5	66.7	134.3	60.0	178.3	80.8	66.9	58.9	44.0	40.8	63.9	67.5	56.1	57.9
121	Chyluria	.....	0.1	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	3.6	2.7	4.0	2.1	2.8	4.2	1.4	1.5	0.8	1.6	2.2	1.5	2.2	2.3
123	Calculi of the urinary passages	1.0	0.4	1.1	0.3	0.7	0.4	0.3	0.3	.....	0.1	0.6	0.5	0.2	0.3

[1] Not admitted to registration area until 1913.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		VIRGINIA.[1]						WASHINGTON.				WISCONSIN.			
		Total.		White.		Colored.		Cities.		Rural districts.		Cities.		Rural districts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.								
		1913	1913	1913	1913	1913	1913	1913	1912	1913	1912	1913	1912	1913	1912
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Contd.														
124	Diseases of the bladder	1.9	1.8	2.2	1.5	1.4	2.5	1.6	1.8	2.1	0.7	2.0	2.1	3.5	3.7
125	Diseases of the urethra, urinary abscess, etc	1.0	0.2	0.4	0.1	2.1	0.5	0.3	1.2	0.3	0.1	.....	0.3	0.1	0.1
126	Diseases of the prostate	6.2	2.2	5.5	2.2	7.6	2.2	4.7	3.7	2.5	2.2	3.7	4.1	3.1	3.8
127	Nonvenereal diseases of the male genital organs	0.7	0.1	0.7	0.1	0.7	0.2	.....	0.3	0.1	.....	0.1	.....	0.1	0.1
128	Uterine hemorrhage (nonpuerperal)	0.2	0.4	0.4	0.2	.....	0.7	.....	.....	.....	.....	0.1	.....	.....	.....
129	Uterine tumor (noncancerous)	3.8	0.7	1.1	0.5	9.0	1.1	1.6	2.5	0.6	1.3	2.2	1.5	0.4	0.3
130	Other diseases of the uterus	3.6	0.7	2.6	0.7	5.6	0.7	1.3	1.3	0.6	0.6	1.4	1.5	0.8	0.2
131	Cysts and other tumors of the ovary	1.2	0.5	0.7	0.2	2.1	1.1	0.9	0.7	1.0	0.3	1.1	0.9	0.7	0.2
132	Salpingitis and other diseases of the female genital organs	6.0	0.6	4.0	0.6	9.7	0.7	3.4	3.8	1.0	0.4	1.6	2.6	0.2	0.3
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	0.1	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	25.7	17.6	20.5	13.9	35.4	25.3	15.4	14.6	11.3	13.4	14.8	11.4	9.8	10.1
134	Accidents of pregnancy	2.6	2.0	2.9	1.8	2.1	2.5	2.2	3.2	1.4	3.4	0.7	1.8	0.4	0.7
135	Puerperal hemorrhage	0.7	1.5	0.4	1.0	1.4	2.4	0.6	1.0	1.6	1.9	1.5	1.0	1.3	1.7
136	Other accidents of labor	1.2	2.7	1.5	1.6	0.7	5.1	1.6	1.8	0.8	1.8	1.5	1.1	1.2	2.0
137	Puerperal septicemia	11.0	5.7	6.6	5.6	19.4	6.0	8.5	5.3	5.5	4.1	6.6	4.5	4.5	3.3
138	Puerperal albuminuria and convulsions	8.6	5.3	8.1	3.4	9.7	9.1	2.2	2.7	1.6	2.1	3.3	2.8	2.1	2.1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1.0	0.2	0.7	0.3	1.4	0.2	0.2	0.7	0.3	.....	1.0	0.3	0.2	0.3
140	Following childbirth (not otherwise defined)	0.5	0.1	0.4	0.2	0.7	.....	.....	.....	0.1	0.1	0.1	.....	0.1	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	0.2	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	6.5	4.0	4.0	3.5	11.1	4.9	2.2	2.5	2.0	2.8	5.4	4.3	5.1	4.6
142	Gangrene	4.3	2.3	2.9	2.1	6.9	2.9	0.8	2.0	1.1	1.5	1.8	1.5	3.2	3.1
143	Furuncle	0.2	0.2	0.4	0.2	.....	0.2	.....	0.2	.....	0.4	0.5	0.5	0.3	0.4
144	Acute abscess	1.0	0.8	0.4	0.9	2.1	0.5	0.6	0.2	0.1	0.3	1.4	1.3	0.6	0.4
145	Other diseases of the skin and annexa	1.0	0.7	0.4	0.4	2.1	1.3	0.8	0.2	0.7	0.6	1.7	1.0	1.0	0.6
	IX.—Diseases of the bones and of the organs of locomotion	3.4	1.8	3.7	1.7	2.8	1.8	2.7	2.0	0.7	1.0	3.0	2.1	1.3	1.6
146	Diseases of the bones (tuberculosis excepted)	2.6	1.5	2.9	1.5	2.1	1.5	2.2	2.0	0.7	0.9	2.8	2.0	1.0	1.4
147	Diseases of the joints (tuberculosis and rheumatism excepted)	0.7	0.1	0.7	0.1	0.7	.....	0.3	.....	.....	0.1	0.1	0.1	0.2	0.2
148	Amputations	.....	0.1	.....	0.1	.....	0.2	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	.....	0.1	.....	0.1	.....	0.2	0.2	.....	.....	.....	.....	.....	0.1	0.1
	X.—Malformations	14.4	8.1	16.1	10.2	11.1	3.5	9.1	9.8	9.5	8.8	14.1	11.9	9.5	10.1
150	Congenital malformations (stillbirths not included) (total)	14.4	8.1	16.1	10.2	11.1	3.5	9.1	9.8	9.5	8.8	14.1	11.9	9.5	10.1
	Hydrocephalus	2.4	1.0	2.6	1.2	2.1	0.5	0.8	0.7	0.7	0.6	1.2	2.1	1.2	1.5
	Congenital malformations of the heart	6.7	3.0	8.8	4.0	2.8	0.7	5.8	5.8	6.4	4.6	6.0	5.4	5.4	4.8
	Other congenital malformations	5.3	4.1	4.8	5.0	6.2	2.2	2.5	3.3	2.4	3.7	6.9	4.4	2.8	3.8
	XI.—Early infancy	121.7	63.1	90.2	65.2	181.1	58.6	49.2	51.5	42.9	42.0	103.1	94.8	69.3	69.3
151	Congenital debility, icterus, and sclerema (total)	107.3	52.5	75.2	54.7	167.9	47.8	40.4	39.0	35.5	34.6	83.7	77.8	55.5	55.1
	Premature birth	59.0	29.9	47.0	33.0	81.9	23.3	27.6	25.4	24.6	25.8	49.4	39.4	36.2	34.5
	Congenital debility, "atrophy," "marasmus," etc	48.2	22.6	28.2	21.7	86.0	24.6	12.8	13.6	10.9	8.8	34.3	38.4	19.3	20.6
152	Other causes peculiar to early infancy (total)	13.4	10.1	15.0	10.1	10.4	10.0	8.6	12.1	7.1	7.4	19.3	16.7	13.7	14.1
	Injuries at birth	7.7	5.1	8.4	5.3	6.2	4.5	4.2	5.5	3.4	2.8	10.0	10.4	7.2	8.5
	Other causes peculiar to early infancy [2]	5.8	5.0	6.6	4.8	4.2	5.5	4.4	6.6	3.7	4.6	9.3	6.3	6.5	5.6
153	Lack of care	1.0	0.5	.....	0.3	2.8	0.7	0.2	0.3	0.3	.....	0.1	0.3	0.1	0.1
	XII.—Old age	15.6	36.7	15.4	29.9	16.0	51.1	15.4	14.4	25.8	20.9	34.3	38.8	49.9	51.1
154	Senility	15.6	36.7	15.4	29.9	16.0	51.1	15.4	14.4	25.8	20.9	34.3	38.8	49.9	51.1
	XIII.—External causes	133.2	79.6	114.1	70.3	169.8	99.3	93.8	102.9	124.9	113.7	99.8	92.3	77.7	78.2
	Suicide (total)	16.3	4.4	22.7	5.4	4.2	2.2	21.1	26.1	15.7	15.8	15.5	16.4	12.1	13.3
155	By poison	5.3	0.9	8.1	1.3	.....	.....	5.8	8.6	2.4	4.1	5.9	5.1	2.2	3.6
156	By asphyxia	1.2	.....	1.8	.....	.....	.....	2.8	3.5	0.1	.....	1.0	0.5	0.1	0.1
157	By hanging or strangulation	0.5	0.5	0.7	0.7	.....	.....	1.6	1.5	2.1	1.8	1.7	3.5	4.1	3.3
158	By drowning	0.7	0.2	0.4	0.1	1.4	0.4	0.8	0.7	1.4	0.9	1.4	1.3	0.9	0.6
159	By firearms	7.2	2.3	10.3	2.6	1.4	1.6	7.8	9.3	7.2	7.4	3.7	4.6	3.3	4.8
160	By cutting or piercing instruments	0.7	0.1	0.7	0.1	0.7	0.2	1.6	1.7	1.4	1.2	1.5	0.9	1.1	0.6
161	By jumping from high places	0.5	.....	0.7	.....	.....	.....	0.6	0.5	0.1	0.1	.....	0.1	0.1	0.1
162	By crushing	.....	.....	.....	.....	.....	.....	.....	0.2	0.8	0.1	0.2	0.4	0.1	0.1
163	Other suicides	0.2	0.5	.....	0.7	0.7	.....	0.2	0.2	.....	0.1	0.1	.....	0.1	0.1
	Accidental or undefined (total)	97.2	66.5	84.4	59.6	121.4	81.1	65.8	68.7	104.2	92.5	80.8	71.7	64.1	63.0
164	Poisoning by food	1.2	0.1	1.1	.....	1.4	0.2	1.7	0.8	1.8	0.4	0.9	1.4	0.9	0.5
165	Other acute poisonings	3.4	2.9	3.7	2.6	2.8	3.5	1.7	3.3	2.3	2.1	1.5	2.1	1.4	1.6
166	Conflagration	0.7	1.2	.....	0.8	2.1	2.2	0.5	1.2	2.5	2.1	1.4	0.3	0.7	1.9
167	Burns (conflagration excepted)	11.0	11.7	8.4	9.3	16.0	16.7	5.0	2.8	4.4	3.2	6.5	4.5	4.1	5.4

[1] Not admitted to registration area until 1913.

[2] Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1912 AND 1913—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed International List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		VIRGINIA.[1]						WASHINGTON.				WISCONSIN.			
		Total.		White.		Colored.		Cities.		Rural districts.		Cities.		Rural districts.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.								
		1913	1913	1913	1913	1913	1913	1913	1912	1913	1912	1913	1912	1913	1912
	XIII.—External causes—Continued.														
	Accidental or undefined—Continued.														
168	Absorption of deleterious gases (conflagration excepted)	6.7	1.5	5.9	1.6	8.3	1.1	3.4	3.2	4.0	1.3	2.2	3.9	2.0	1.1
169	Accidental drowning	10.3	7.8	7.7	6.8	15.3	10.0	7.5	11.6	20.2	18.3	11.3	13.1	11.9	10.5
170	Traumatism by firearms	5.3	7.9	4.4	5.3	6.9	13.5	1.3	1.8	3.5	3.4	2.2	2.0	3.1	2.9
171	Traumatism by cutting or piercing instruments	0.5	.....	0.4	.....	0.7	.....	0.2	1.0	0.6	0.9	.....	0.1	0.2	0.1
172	Traumatism by fall	18.5	4.5	20.5	5.2	14.6	2.9	12.5	11.6	7.4	8.5	16.1	13.6	9.5	11.7
173	Traumatism in mines and quarries (total)	0.7	3.0	0.7	3.4	0.7	2.4	1.1	0.3	3.3	2.2	.....	.....	0.4	1.1
	Traumatism in mines	0.5	2.9	0.4	3.4	0.7	2.0	1.1	0.3	2.8	2.1	.....	.....	0.2	1.1
	Traumatism in quarries	0.2	0.1	0.4	.....	.....	0.4	.....	.....	0.4	0.1	.....	.....	0.2	.....
174	Traumatism by machines	2.2	1.0	1.5	1.1	3.5	0.7	3.0	1.8	4.8	2.8	3.3	2.8	1.9	1.9
175	Traumatism by other crushing (total)	23.5	12.1	20.9	11.2	28.5	14.2	21.6	20.4	33.4	31.8	25.1	21.0	16.3	15.3
	Railroad accidents and injuries	13.9	9.3	12.8	8.6	16.0	10.9	9.6	10.0	18.4	20.2	13.9	13.1	9.9	10.6
	Street-car accidents and injuries	3.8	0.5	2.6	0.3	6.2	0.7	1.4	3.5	0.4	1.0	3.9	2.5	0.8	0.4
	Automobile accidents and injuries	2.9	0.5	3.3	0.5	2.1	0.5	3.9	4.0	2.1	1.6	3.1	1.9	1.6	0.5
	Injuries by other vehicles	1.9	1.5	1.8	1.6	2.1	1.1	3.3	1.7	3.4	4.6	3.3	2.5	3.5	3.0
	Landslide, other crushing	1.0	0.4	0.4	0.1	2.1	0.9	3.4	1.3	9.1	4.4	0.9	1.0	0.5	0.8
176	Injuries by animals	0.7	0.8	0.4	0.6	1.4	1.3	0.3	0.8	1.3	1.0	1.0	0.5	1.6	1.6
177	Starvation	.....	0.1	.....	.....	.....	0.4	0.5	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	.....	0.1	.....	.....	.....	0.4	0.2	0.3	0.1	0.1	0.4	0.3	0.7	1.4
179	Effects of heat	2.2	0.6	1.1	0.4	4.2	1.1	.....	.....	0.1	0.3	3.9	0.6	1.9	0.3
180	Lightning	0.2	1.4	0.4	0.9	.....	2.4	.....	.....	0.3	0.1	0.1	0.1	1.3	0.7
181	Electricity (lightning excepted)	0.7	0.6	1.1	0.7	.....	0.5	0.3	1.5	1.1	1.9	1.1	0.8	0.8	0.4
185	Fractures (cause not specified)	0.5	3.6	0.7	4.6	.....	1.6	0.3	0.3	0.1	0.1	0.4	0.4	0.2	.....
186	Other external violence	8.9	5.4	5.5	5.1	15.3	6.2	4.7	5.8	12.9	11.8	3.4	4.4	5.1	4.5
	Homicide (total)	19.7	8.7	7.0	5.2	43.7	16.0	6.9	8.1	5.0	5.4	3.6	4.1	1.6	1.9
182	By firearms	11.8	6.6	4.4	4.1	25.7	11.8	4.4	7.0	3.1	4.4	1.7	1.9	0.6	0.9
183	By cutting or piercing instruments	2.4	0.7	0.4	0.3	6.2	1.5	1.1	0.3	0.3	0.1	0.7	0.6	0.4	0.5
184	By other means	5.5	1.4	2.2	0.8	11.8	2.7	1.4	0.8	1.6	0.9	1.1	1.6	0.5	0.6
	XIV.—Ill-defined diseases	22.8	146.1	10.6	98.7	45.8	246.5	6.7	7.8	16.4	16.5	6.0	6.0	13.3	9.6
187	Ill-defined organic disease	0.2	5.9	0.4	4.3	.....	9.3	0.2	0.7	0.3	0.6	1.2	1.8	1.9	1.4
188	Sudden death	0.2	5.3	0.4	4.1	.....	7.6	0.5	0.3	1.0	0.9	0.5	0.1	0.9	0.3
189	Not specified or ill-defined (total)	22.3	135.0	9.9	90.2	45.8	229.6	6.1	6.8	15.1	15.0	4.3	4.1	10.6	8.0
	Ill-defined	17.0	21.1	7.3	16.7	35.4	30.6	4.9	4.8	4.4	6.9	3.4	3.3	6.3	5.7
	Not specified or unknown	5.3	113.8	2.6	73.5	10.4	199.0	1.3	2.0	10.8	8.1	0.9	0.9	4.3	2.3

[1] Not admitted to registration area until 1913.

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed (counties, exclusive of municipalities of 10,000

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SUMMARY.												
1	The registration area	890,848	159,435	33,917	15,364	9,498	6,915	225,129	20,214	12,823	21,742	32,711	35,492
2	Registration states [1]	809,593	145,605	30,552	13,763	8,447	6,172	204,539	18,065	11,583	19,428	28,715	31,076
3	Cities in registration states [1]	439,478	80,624	17,542	7,708	4,817	3,578	114,269	10,179	5,782	10,000	16,331	18,624
4	Rural part of registration states	370,115	64,981	13,010	6,055	3,630	2,594	90,270	7,886	5,801	9,428	12,384	12,452
5	Registration cities in other states	81,255	13,830	3,365	1,601	1,051	743	20,590	2,149	1,240	2,314	3,996	4,416
6	All registration cities [1]	520,733	94,454	20,907	9,309	5,868	4,321	134,859	12,328	7,022	12,314	20,327	23,040
	REGISTRATION STATES.												
7	California	38,606	4,354	761	378	270	219	5,982	591	452	813	1,455	1,803
8	Colorado	10,197	1,643	301	145	97	69	2,255	226	165	276	523	644
9	Connecticut	17,719	3,342	615	266	174	116	4,513	408	223	325	517	607
10	Indiana	36,699	5,689	1,270	545	346	255	8,105	874	608	991	1,343	1,351
11	Kentucky (total)	30,646	5,582	1,592	748	428	311	8,661	829	582	1,153	1,521	1,280
12	White	25,034	4,772	1,394	638	367	276	7,447	697	465	854	1,123	934
13	Colored	5,612	810	198	110	61	35	1,214	132	117	299	398	346
14	Maine	11,565	1,734	272	123	75	64	2,268	198	148	236	288	317
15	Maryland (total)	21,493	4,373	843	372	176	152	5,916	446	296	597	812	864
16	White	15,758	3,024	550	255	124	101	4,054	304	184	335	526	566
17	Colored	5,735	1,349	293	117	52	51	1,862	142	112	262	286	298
18	Massachusetts	53,286	9,971	2,011	834	474	371	13,661	1,051	633	1,002	1,514	1,701
19	Michigan	40,816	7,620	1,365	676	461	321	10,443	1,018	656	942	1,409	1,484
20	Minnesota	22,787	4,092	623	324	231	155	5,425	530	426	642	958	964
21	Missouri	41,561	7,077	1,599	762	431	332	10,201	1,004	666	1,162	1,648	1,841
22	Montana	5,033	812	169	117	57	38	1,193	134	104	134	247	289
23	New Hampshire	7,459	1,322	218	83	53	37	1,713	122	82	114	163	180
24	New Jersey	39,437	7,571	1,681	703	443	318	10,716	907	505	871	1,216	1,482
25	New York	145,522	25,059	5,550	2,466	1,537	1,149	35,761	3,049	1,802	2,922	4,656	5,488
26	North Carolina [2] (total)	6,684	1,394	379	160	102	69	2,104	160	135	293	441	350
27	White	3,545	706	217	93	58	34	1,108	73	54	102	191	165
28	Colored	3,139	688	162	67	44	35	996	87	81	191	250	185
29	Ohio	68,493	11,064	2,387	1,088	637	493	15,669	1,495	929	1,578	2,360	2,547
30	Pennsylvania	117,994	26,304	5,779	2,444	1,461	1,062	37,050	3,003	1,623	2,734	3,876	4,156
31	Rhode Island	8,698	1,635	317	112	94	57	2,215	205	112	183	248	272
32	Utah	4,444	916	217	99	72	42	1,346	140	106	160	204	198
33	Vermont	3,688	729	129	62	39	21	980	78	59	102	126	133
34	Virginia (total)	29,647	5,931	1,261	618	352	232	8,394	673	578	1,025	1,429	1,320
35	White	16,997	3,408	763	379	197	151	4,898	393	297	428	623	632
36	Colored	12,650	2,523	498	239	155	81	3,496	280	281	597	806	688
37	Washington	11,397	1,566	294	153	115	79	2,207	205	179	339	580	549
38	Wisconsin	27,716	4,997	775	410	264	185	6,631	627	451	687	948	985
	REGISTRATION CITIES.												
	ALABAMA. [3]												
39	Registration cities	4,773	717	176	87	42	34	1,056	101	83	193	373	348
40	Birmingham (total)	2,749	425	108	63	30	26	652	68	51	112	237	235
41	White	1,176	206	54	31	13	15	319	36	18	35	68	82
42	Colored	1,573	219	54	32	17	11	333	32	33	77	169	153
43	Mobile (total)	1,135	164	29	11	4	5	213	13	24	60	79	66
44	White	515	70	15	5	2	3	95	8	7	20	30	20
45	Colored	620	94	14	6	2	2	118	5	17	40	49	46
46	Montgomery (total)	889	128	39	13	3	3	191	20	8	21	57	47
47	White	316	35	9	7	1	2	54	5	3	11	12	12
48	Colored	573	93	30	6	7	1	137	15	5	10	45	35
	CALIFORNIA.												
49	Registration cities	22,616	2,418	442	229	160	123	3,372	357	223	421	846	1,087
50	Alameda	290	22	6	2	3	.....	33	5	4	8	11	10
51	Bakersfield	321	38	10	5	2	3	58	9	5	11	18	23
52	Berkeley	456	52	6	5	4	3	70	10	1	6	13	16
53	Eureka	255	16	4	1	1	2	24	1	2	7	10	15
54	Fresno	420	101	13	6	5	5	130	13	5	5	20	19
55	Long Beach	482	54	9	1	1	2	67	4	10	5	9	15
56	Los Angeles (total)	6,199	715	146	80	50	33	1,024	113	73	143	274	330
57	White	5,834	651	137	75	48	30	941	106	66	132	249	298
58	Colored	365	64	9	5	2	3	83	7	7	11	25	32
59	Oakland	2,197	264	34	15	14	14	341	41	14	48	69	79
60	Pasadena	470	35	2	7	.....	.....	44	3	4	5	14	18
61	Pomona	155	14	2	1	1	.....	18	1	2	2	5	9
62	Redlands	150	14	3	1	1	1	20	3	2	2	2	8
63	Riverside (total)	231	29	6	2	1	3	41	8	3	5	4	12
64	White	210	28	6	2	1	1	38	7	2	3	4	11
65	Colored	21	1	.....	.....	.....	2	3	1	1	2	.....	1
66	Sacramento	1,108	130	23	8	9	5	175	21	11	21	38	51
67	San Bernardino	323	45	8	1	2	2	58	3	5	7	20	25
68	San Diego	1,073	127	24	12	3	7	173	14	13	23	41	55
69	San Francisco (total)	7,002	632	120	67	53	39	911	91	59	106	245	340
70	White	6,665	603	113	64	50	37	867	82	59	105	229	321
71	Colored	337	29	7	3	3	2	44	9	.....	1	16	19

[1] Includes District of Columbia.

[2] Includes only municipalities having a population of 1,000 or over in 1900.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1913.

at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—														Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
35,387	39,711	40,139	42,028	47,804	47,961	52,990	57,413	58,413	51,998	38,011	20,281	7,096	1,568	462	1,475	1
31,035	35,012	35,418	37,227	42,724	43,518	48,524	53,322	54,752	49,185	36,100	19,294	6,737	1,488	401	1,450	2
19,147	22,206	22,857	23,775	26,396	25,293	26,877	26,950	25,570	20,533	14,188	7,178	2,442	529	145	207	3
11,888	12,806	12,561	13,452	16,328	18,225	21,647	26,372	29,182	28,652	21,912	12,116	4,295	959	256	1,243	4
4,352	4,699	4,721	4,801	5,080	4,443	4,466	4,091	3,661	2,813	1,911	987	359	80	61	25	5
23,499	26,905	27,578	28,576	31,476	29,736	31,343	31,041	29,231	23,346	16,099	8,165	2,801	609	206	232	6
1,952	2,049	2,180	2,241	2,448	2,379	2,668	2,822	2,876	2,545	1,988	962	299	67	23	11	7
626	608	534	571	608	582	579	588	529	412	257	147	47	9	4	7	8
613	719	795	808	943	928	1,096	1,234	1,341	1,118	842	467	162	30	5	25	9
1,288	1,403	1,306	1,454	1,826	2,007	2,232	2,668	2,911	2,802	2,043	1,047	326	69	23	22	10
1,225	1,234	1,200	1,208	1,358	1,430	1,451	1,819	1,781	1,571	1,156	605	230	46	34	272	11
902	902	873	929	1,027	1,144	1,195	1,586	1,558	1,412	1,036	543	192	32	9	174	12
323	332	327	279	331	286	256	233	223	159	120	62	38	14	25	98	13
318	351	344	424	494	667	735	966	1,093	1,089	878	485	202	36	2	26	14
834	868	933	1,002	1,140	1,131	1,226	1,311	1,446	1,153	826	423	145	37	19	68	15
573	586	618	710	808	905	1,000	1,093	1,225	1,006	719	375	112	27	3	29	16
261	282	315	292	332	226	226	218	221	147	107	48	33	10	16	39	17
1,749	2,227	2,368	2,573	2,802	3,086	3,553	3,785	3,730	3,385	2,433	1,330	532	117	18	36	18
1,340	1,396	1,350	1,537	1,907	2,131	2,359	2,845	3,109	2,954	2,174	1,171	396	84	17	94	19
898	890	939	1,021	1,229	1,211	1,220	1,354	1,452	1,398	1,233	690	242	43	11	11	20
1,637	1,866	1,880	1,873	2,171	2,144	2,423	2,628	2,639	2,510	1,791	934	329	64	25	125	21
297	332	335	325	327	285	261	214	210	157	104	52	18	2	1	12	22
204	234	285	273	341	389	477	540	618	675	511	344	115	20	5	54	23
1,554	1,821	1,927	2,067	2,110	2,220	2,402	2,528	2,556	2,028	1,478	715	255	57	19	3	24
5,742	6,971	7,251	7,715	8,691	8,401	9,256	9,723	9,547	8,217	5,821	3,118	1,062	274	42	13	25
325	360	255	236	328	291	334	339	275	202	130	57	22	9	8	30	26
165	173	133	108	165	177	201	223	185	154	98	39	15	3	2	11	27
160	187	122	128	163	114	133	116	90	48	32	18	7	6	6	19	28
2,580	2,862	2,831	2,948	3,470	3,708	4,262	4,809	5,236	4,885	3,546	1,950	642	119	28	39	29
4,227	4,886	4,838	4,985	5,750	5,737	6,589	7,271	7,211	6,400	4,487	2,252	720	158	27	14	30
312	372	415	442	498	532	607	594	606	488	313	188	76	14	2	4	31
187	191	173	177	194	193	202	189	240	218	201	87	29	7	2	.....	32
166	188	204	212	259	275	400	510	557	553	453	269	117	30	2	15	33
1,176	1,242	1,236	1,120	1,333	1,351	1,549	1,686	1,647	1,460	1,063	583	242	86	57	397	34
551	555	604	548	702	806	950	1,180	1,163	1,132	776	423	140	33	4	159	35
625	687	632	572	631	545	599	506	484	328	287	160	102	53	53	238	36
585	645	575	601	769	721	682	684	706	584	435	221	54	11	3	62	37
904	945	924	1,051	1,341	1,408	1,560	1,791	1,987	2,035	1,717	1,083	436	85	10	110	38
321	351	301	288	286	215	211	190	162	132	80	47	20	5	9	1	39
200	203	166	162	149	116	98	92	80	59	37	18	9	2	3	.....	40
66	61	60	63	57	61	59	58	53	40	27	11	2	.....	.....	.....	41
134	142	106	99	92	55	39	34	27	19	10	7	7	2	3	.....	42
68	77	78	64	66	51	72	53	40	46	34	20	7	2	2	.....	43
24	28	28	27	30	26	41	37	24	29	21	16	4	.....	.....	.....	44
44	49	50	37	36	25	31	16	16	17	13	4	3	2	2	.....	45
53	71	57	62	71	48	41	45	42	27	9	9	4	1	4	1	46
16	20	23	20	23	18	22	25	24	16	3	7	2	.....	.....	.....	47
37	51	34	42	48	30	19	20	18	11	6	2	2	1	4	1	48
1,192	1,288	1,407	1,397	1,587	1,470	1,635	1,673	1,580	1,371	1,030	493	147	28	9	3	49
10	7	10	14	19	18	26	24	25	26	28	7	4	1	.....	.....	50
25	23	22	16	21	19	11	19	19	9	8	5	.....	.....	.....	.....	51
21	14	22	27	22	27	28	39	44	32	34	26	4	.....	.....	.....	52
10	12	22	15	15	27	14	18	13	17	18	11	3	1	.....	.....	53
18	17	20	19	21	29	21	37	23	10	9	4	.....	.....	.....	.....	54
13	16	17	18	35	37	41	49	53	46	31	11	2	1	.....	2	55
342	374	379	335	417	409	413	416	401	352	254	101	38	7	3	1	56
316	345	345	310	391	395	393	400	396	349	254	100	38	7	2	1	57
26	29	34	25	26	14	20	16	5	3	.....	1	.....	.....	1	.....	58
94	110	93	136	158	144	186	174	165	144	113	68	15	4	1	.....	59
12	14	24	26	25	28	32	46	51	57	38	18	9	2	.....	.....	60
7	6	7	4	9	15	17	10	12	13	10	7	.....	.....	1	.....	61
12	7	7	14	8	9	5	10	12	8	15	6	.....	.....	.....	.....	62
13	12	12	7	15	10	20	15	20	18	13	2	.....	1	.....	.....	63
11	9	11	6	13	10	19	15	19	17	12	2	.....	1	.....	.....	64
2	3	1	1	2	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	65
68	80	90	80	84	60	67	70	65	55	39	23	10	.....	.....	.....	66
19	23	17	15	17	21	24	19	19	15	7	5	2	.....	2	.....	67
45	58	47	58	69	54	93	87	77	78	43	30	14	1	.....	.....	68
404	442	521	522	564	471	540	540	454	362	269	122	30	7	2	.....	69
379	415	497	483	525	442	511	516	446	360	267	122	30	7	2	.....	70
25	27	24	39	39	29	29	24	8	2	2	.....	.....	.....	.....	.....	71

[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed (counties, exclusive of municipalities of 10,000

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	CALIFORNIA—continued.												
1	San Jose	452	46	9	3	5	.....	63	4	4	9	17	17
2	Santa Barbara	228	24	4	2	3	3	36	.....	1	1	5	11
3	Santa Cruz	174	11	1	2	1	1	16	5	.....	1	4	3
4	Stockton	460	33	8	6	.....	.....	47	6	4	2	13	26
5	Vallejo	170	16	4	2	1	.....	23	2	1	4	14	5
	COLORADO.												
6	Registration cities	4,483	570	98	40	33	23	764	73	65	104	247	308
7	Colorado Springs	501	45	3	2	2	1	53	8	3	18	41	54
8	Denver	3,261	365	71	27	24	19	506	54	51	74	168	208
9	Pueblo	550	124	17	9	5	3	158	7	6	10	26	32
10	Trinidad	171	36	7	2	2	.....	47	4	5	2	12	14
	CONNECTICUT.												
11	Registration cities	12,366	2,508	487	206	132	88	3,421	299	160	241	360	434
12	Ansonia	229	70	15	3	5	2	95	10	4	6	7	4
13	Bridgeport	1,668	400	84	40	19	11	554	47	21	32	51	64
14	Bristol	123	36	4	1	2	.....	43	4	3	.....	4	2
15	Danbury town	387	56	3	4	1	.....	64	4	3	5	14	17
16	Greenwich town	266	47	7	2	3	1	60	8	5	4	10	13
17	Hartford	1,918	330	63	32	18	9	452	47	19	33	55	78
18	Manchester town	116	21	2	3	2	3	31	2	1	5	3	1
19	Meriden town	544	75	4	7	2	6	94	6	8	14	26	33
20	Middletown town	505	69	16	4	3	3	95	5	5	8	9	13
21	Naugatuck	152	44	10	3	1	2	60	12	2	3	5	.....
22	New Britain	585	192	36	11	8	6	253	14	5	8	16	19
23	New Haven	2,253	381	93	29	23	17	543	52	32	50	52	75
24	New London	368	71	12	6	3	3	95	9	5	9	12	4
25	Norwalk town	357	44	13	2	1	1	61	13	3	9	14	12
26	Norwich town	511	82	14	7	4	2	109	5	7	8	14	22
27	Orange town	173	32	2	1	1	1	37	3	2	4	10	2
28	Stamford town	442	71	17	7	7	4	106	11	3	10	9	21
29	Torrington town	196	52	10	4	4	2	72	7	5	2	7	3
30	Wallingford town	129	26	1	3	1	.....	31	1	1	2	4	2
31	Waterbury	1,245	377	67	31	22	12	509	35	23	27	35	42
32	Windham town	199	32	14	6	2	3	57	4	3	2	3	7
	DELAWARE.[1]												
33	Wilmington (total)	1,412	288	65	29	15	14	411	32	20	32	49	54
34	White	1,159	237	52	25	11	12	337	25	13	28	35	47
35	Colored	253	51	13	4	4	2	74	7	7	4	14	7
	DISTRICT OF COLUMBIA.												
36	Washington (total)	6,006	828	144	75	58	25	1,130	92	63	147	233	271
37	White	3,569	399	72	38	26	14	549	49	32	72	99	118
38	Colored	2,437	429	72	37	32	11	581	43	31	75	134	153
	FLORIDA.[1]												
39	Registration cities	1,999	332	68	24	20	12	456	36	26	55	123	137
40	Jacksonville (total)	1,290	181	38	16	16	9	260	24	16	33	85	98
41	White	517	62	14	7	9	3	95	7	7	13	28	25
42	Colored	773	119	24	9	7	6	165	17	9	20	57	73
43	Key West (total)	310	86	14	2	2	1	105	9	3	7	10	16
44	White	211	61	10	1	1	.....	73	5	.....	4	6	8
45	Colored	99	25	4	1	1	1	32	4	3	3	4	8
46	Pensacola (total)	399	65	16	6	2	2	91	3	7	15	28	23
47	White	160	18	5	4	.....	1	28	1	4	5	7	4
48	Colored	239	47	11	2	2	1	63	2	3	10	21	19
	GEORGIA.[1]												
49	Registration cities	5,679	927	206	106	56	39	1,334	112	98	211	365	382
50	Atlanta (total)	3,027	485	120	65	31	26	727	62	60	117	193	210
51	White	1,557	262	64	33	13	13	385	32	29	38	78	75
52	Colored	1,470	223	56	32	18	13	342	30	31	79	115	135
53	Augusta (total)	968	138	25	18	11	4	196	18	18	36	58	54
54	White	453	75	12	10	6	3	106	6	7	10	16	16
55	Colored	515	63	13	8	5	1	90	12	11	26	42	38
56	Savannah (total)	1,684	304	61	23	14	9	411	32	20	58	114	118
57	White	571	88	25	9	5	2	129	8	6	11	22	32
58	Colored	1,113	216	36	14	9	7	282	24	14	47	92	86
	ILLINOIS.[1]												
59	Registration cities	38,799	7,406	1,839	906	621	461	11,233	1,267	577	904	1,476	1,733
60	Aurora	461	84	13	6	3	1	107	8	6	9	21	14
61	Belleville	326	56	14	4	1	1	76	3	1	13	14	19
62	Chicago (total)	35,298	6,939	1,723	864	593	442	10,561	1,187	536	808	1,348	1,584
63	White	34,077	6,833	1,693	848	582	435	10,391	1,165	520	773	1,291	1,477
64	Colored	1,221	106	30	16	11	7	170	22	16	35	57	107

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1913—Continued.

at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
22	12	29	19	21	26	29	36	50	41	33	15	4	1	.....	.....	1
9	16	8	13	10	16	16	16	23	18	15	8	5	1	.....	.....	2
10	5	6	12	15	13	15	8	15	21	18	6	.....	1	.....	.....	3
30	32	41	37	30	29	32	27	29	34	27	12	2	.....	.....	.....	4
8	8	13	10	12	8	5	13	10	15	8	6	5	.....	.....	.....	5
291	300	272	280	291	280	288	283	249	183	112	66	20	2	3	2	6
44	37	30	22	39	28	29	27	32	17	11	6	2	.....	.....	.....	7
200	212	200	223	223	214	221	214	186	147	87	53	15	1	3	1	8
39	42	33	28	26	30	28	34	20	15	9	3	2	1	.....	1	9
8	9	9	7	3	8	10	8	11	4	5	4	1	.....	.....	.....	10
464	544	613	604	695	671	768	821	831	658	447	231	76	13	3	12	11
4	5	7	8	17	18	8	13	8	7	6	1	.....	1	.....	.....	12
59	71	73	93	90	92	97	105	88	63	43	15	8	.....	.....	2	13
4	5	5	2	3	7	4	10	12	4	5	4	1	.....	.....	1	14
17	12	26	22	17	23	26	29	45	29	17	7	9	.....	1	.....	15
11	13	17	16	13	10	13	19	13	13	19	7	1	1	.....	.....	16
71	107	109	98	110	127	135	132	146	92	50	39	11	3	1	3	17
4	2	1	3	5	5	9	11	9	13	5	5	1	.....	.....	.....	18
28	27	24	26	28	25	38	47	37	42	26	13	1	1	.....	.....	19
26	14	16	17	44	37	36	48	49	34	29	15	4	1	.....	.....	20
4	5	7	7	10	3	8	3	9	7	5	1	1	.....	.....	.....	21
15	23	15	20	32	25	26	23	33	25	21	8	4	.....	.....	.....	22
93	90	140	120	144	114	157	139	174	127	95	38	15	2	1	.....	23
7	17	21	13	17	22	28	29	17	28	15	11	3	1	.....	5	24
6	18	11	26	22	23	28	28	29	27	14	9	2	1	.....	1	25
31	27	25	25	19	27	29	38	35	42	23	19	6	.....	.....	.....	26
5	5	3	4	11	10	10	20	13	13	12	8	1	.....	.....	.....	27
12	26	33	25	33	23	32	27	22	19	23	4	3	.....	.....	.....	28
8	5	7	7	6	11	11	9	14	7	8	5	1	1	.....	.....	29
3	3	6	9	7	7	6	7	18	8	8	3	2	1	.....	.....	30
52	57	58	53	60	55	54	66	43	43	15	16	2	.....	.....	.....	31
4	12	9	10	7	7	13	18	17	15	8	3	.....	.....	.....	.....	32
64	65	79	57	84	75	66	88	76	62	49	34	9	2	1	3	33
47	51	57	47	67	58	55	77	66	60	45	33	9	1	.....	1	34
17	14	22	10	17	17	11	11	10	2	4	1	.....	1	1	2	35
296	352	340	363	387	311	401	424	449	346	220	114	39	14	14	.....	36
147	180	165	209	223	191	253	323	354	287	182	97	30	8	1	.....	37
149	172	175	154	164	120	148	101	95	59	38	17	9	6	13	.....	38
149	181	119	132	98	108	87	87	81	59	35	14	4	4	6	2	39
112	121	88	86	64	68	58	63	50	32	23	7	2	.....	.....	.....	40
33	35	22	27	26	34	42	44	38	25	12	3	1	.....	.....	.....	41
79	86	66	59	38	34	16	19	12	7	11	4	1	.....	.....	.....	42
10	27	14	15	12	20	12	10	15	12	7	3	1	1	1	.....	43
9	18	8	12	8	14	9	6	13	11	4	1	.....	1	1	.....	44
1	9	6	3	4	6	3	4	2	1	3	2	1	.....	.....	.....	45
27	33	17	31	22	20	17	14	16	15	5	4	1	3	5	2	46
8	9	9	14	12	11	11	10	9	12	3	2	.....	.....	.....	1	47
19	24	8	17	10	9	6	4	7	3	2	2	1	3	5	1	48
353	409	362	337	400	284	275	236	197	153	88	54	18	3	8	.....	49
184	215	162	177	206	161	144	129	95	89	48	33	8	3	4	.....	50
74	116	60	82	87	96	89	99	80	72	36	26	3	.....	.....	.....	51
110	99	102	95	119	65	55	30	15	17	12	7	5	3	4	.....	52
54	65	67	50	83	52	62	47	49	27	19	9	3	.....	1	.....	53
19	23	28	12	39	24	35	33	37	22	15	8	2	.....	.....	.....	54
35	42	44	38	44	28	27	14	12	5	4	1	1	.....	1	.....	55
115	129	133	110	111	71	69	60	53	37	21	12	7	.....	3	.....	56
35	39	33	29	41	26	32	36	37	25	15	10	4	.....	1	.....	57
80	90	100	81	70	45	37	24	16	12	6	2	3	.....	2	.....	58
1,813	1,960	2,150	2,286	2,450	2,167	2,191	1,909	1,776	1,340	926	416	174	34	10	7	59
20	16	16	20	29	20	33	41	33	27	21	13	4	2	1	.....	60
14	18	16	19	11	11	18	21	22	23	15	7	5	.....	.....	.....	61
1,647	1,793	1,990	2,116	2,254	1,979	1,973	1,675	1,515	1,098	739	321	138	29	6	1	62
1,526	1,664	1,868	2,015	2,153	1,911	1,922	1,637	1,476	1,077	729	318	132	25	6	1	63
121	129	122	101	101	68	51	38	39	21	10	3	6	4	.....	.....	64

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed (counties, exclusive of municipalities of 10,000

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	ILLINOIS[1]—continued.												
1	Decatur	476	61	19	5	4	5	94	15	2	16	15	16
2	Evanston	276	27	9	4	4	2	46	7	2	8	9	11
3	Jacksonville	393	20	6	1	3	.....	30	4	3	7	11	13
4	Quincy	575	48	9	4	4	2	67	14	9	15	14	28
5	Springfield	994	171	46	18	9	8	252	29	18	28	44	48
	INDIANA.												
6	Registration cities	13,438	2,307	530	206	138	102	3,283	347	183	391	570	624
7	Anderson	333	55	10	9	.....	1	75	11	3	8	12	12
8	East Chicago	496	226	65	24	16	5	336	20	7	6	15	17
9	Elkhart	256	35	8	1	3	2	49	4	1	6	7	7
10	Elwood	171	34	8	6	1	.....	49	4	2	6	5	6
11	Evansville	1,006	147	27	15	9	9	207	21	15	35	50	43
12	Fort Wayne	911	128	29	13	12	5	187	23	22	35	40	43
13	Gary	548	194	55	13	12	9	283	15	5	9	29	26
14	Hammond	396	95	19	15	4	8	141	10	6	13	21	29
15	Huntington	145	12	6	2	.....	1	21	4	2	5	5	8
16	Indianapolis (total)	3,989	518	102	46	33	20	719	98	54	107	176	200
17	White	3,407	430	92	40	26	20	608	83	43	77	141	161
18	Colored	582	88	10	6	7	.....	111	15	11	30	35	39
19	Jeffersonville (total)	139	14	3	1	1	1	20	3	1	7	10	7
20	White	109	10	2	1	.....	1	14	1	1	4	7	5
21	Colored	30	4	1	.....	1	.....	6	2	.....	3	3	2
22	Kokomo	289	45	16	5	4	3	73	9	7	9	11	15
23	Lafayette	362	34	3	3	3	1	44	2	6	11	14	14
24	Laporte	188	29	6	1	2	1	39	7	3	3	2	8
25	Logansport	314	39	8	1	3	3	54	9	5	15	11	17
26	Marion	324	49	8	5	3	5	70	6	4	10	9	17
27	Michigan City	284	68	19	2	5	3	97	8	2	8	15	7
28	Mishawaka	148	39	4	1	.....	2	46	2	3	3	4	5
29	Muncie	351	60	10	3	6	2	81	9	3	15	13	17
30	New Albany	321	37	8	4	3	1	53	10	3	11	14	22
31	Peru	152	9	9	4	1	1	24	5	1	4	7	5
32	Richmond	272	47	19	.....	2	1	69	6	7	8	11	10
33	South Bend	792	199	23	15	6	7	250	23	7	17	28	37
34	Terre Haute	1,006	141	47	12	5	6	211	32	12	35	49	45
35	Vincennes	245	53	18	5	4	5	85	6	2	5	12	7
	KANSAS.[1]												
36	Registration cities	4,792	713	152	54	54	22	995	92	76	141	228	222
37	Atchison (total)	199	25	5	2	1	1	34	2	3	6	14	6
38	White	156	20	3	2	1	1	27	2	2	3	9	5
39	Colored	43	5	2	.....	.....	.....	7	.....	1	3	5	1
40	Coffeyville (total)	157	28	6	5	3	1	43	1	1	4	8	8
41	White	131	21	5	5	3	1	35	1	1	4	7	5
42	Colored	26	7	1	.....	.....	.....	8	.....	.....	.....	1	3
43	Fort Scott (total)	136	24	1	1	1	1	28	2	1	4	6	2
44	White	120	22	1	1	1	.....	25	1	.....	4	6	1
45	Colored	16	2	.....	.....	.....	1	3	1	1	.....	.....	1
46	Hutchinson	217	34	7	1	3	.....	45	8	4	5	10	13
47	Independence	137	33	4	1	2	.....	40	4	1	4	6	6
48	Kansas City (total)	1,401	250	58	20	17	5	350	28	31	45	79	71
49	White	1,132	212	48	15	13	5	293	20	22	27	63	52
50	Colored	269	38	10	5	4	.....	57	8	9	18	16	19
51	Lawrence (total)	186	6	7	.....	1	.....	14	4	1	10	16	5
52	White	135	2	5	.....	.....	.....	7	4	1	4	10	4
53	Colored	51	4	2	.....	1	.....	7	.....	.....	6	6	1
54	Leavenworth (total)	341	46	8	4	5	5	68	3	4	7	17	13
55	White	292	42	6	4	5	3	60	2	3	6	14	11
56	Colored	49	4	2	.....	.....	2	8	1	1	1	3	2
57	Parsons	197	28	4	4	2	1	39	3	3	4	4	11
58	Pittsburg	256	50	14	2	8	3	77	9	7	9	7	19
59	Topeka (total)	898	109	30	9	11	3	162	14	11	20	35	31
60	White	765	93	27	9	10	3	142	13	11	16	25	22
61	Colored	133	16	3	.....	1	.....	20	1	.....	4	10	9
62	Wichita	667	80	8	5	.....	2	95	14	9	23	26	37
	KENTUCKY.												
63	Registration cities (total)	7,146	931	203	131	68	66	1,399	138	112	229	378	365
64	White	5,196	710	156	96	44	54	1,060	101	84	158	241	221
65	Colored	1,950	221	47	35	24	12	339	37	28	71	137	144
66	Covington (total)	889	131	25	13	11	12	192	20	14	27	26	43
67	White	797	118	23	12	10	12	175	19	13	26	16	35
68	Colored[2]	92	13	2	1	1	.....	17	1	1	1	10	8
69	Frankfort (total)	195	20	8	2	2	3	35	6	3	14	16	19
70	White	113	13	6	1	.....	3	23	5	2	10	10	8
71	Colored	82	7	2	1	2	.....	12	1	1	4	6	11

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1913—Continued.

at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
23	31	37	24	32	24	24	20	30	29	25	18	1	.....	.....	.....	1
8	13	6	12	17	22	16	20	22	28	20	8	1	.....	.....	.....	2
18	19	11	27	21	31	32	41	36	37	26	14	8	1	1	2	3
31	29	23	23	36	34	33	33	64	51	37	17	7	.....	1	4	4
52	41	46	45	50	46	62	58	54	47	43	18	10	2	1	.....	5
598	660	642	626	783	761	773	868	810	680	497	243	71	14	5	9	6
20	15	13	9	24	14	23	16	31	20	22	3	2	.....	.....	.....	7
11	15	11	15	11	5	4	7	5	4	4	1	.....	.....	.....	2	8
8	8	10	10	12	9	20	29	22	26	15	9	4	.....	.....	.....	9
5	3	6	4	8	6	13	9	15	14	8	6	2	.....	.....	.....	10
49	45	67	47	62	63	58	66	67	41	46	19	3	.....	1	1	11
41	43	27	39	59	47	55	72	45	57	47	21	5	2	.....	1	12
24	30	28	30	20	16	6	9	9	3	4	1	.....	.....	.....	1	13
25	18	19	21	17	20	17	9	4	17	2	5	2	.....	.....	.....	14
3	7	5	3	7	9	9	11	14	9	13	9	.....	.....	1	.....	15
210	231	227	221	287	261	264	293	241	181	126	61	24	6	2	.....	16
178	174	188	180	250	218	237	273	218	174	120	56	24	4	.....	.....	17
32	57	39	41	37	43	27	20	23	7	6	5	.....	2	2	.....	18
4	8	6	4	5	11	9	16	12	10	3	3	.....	.....	.....	.....	19
1	5	5	4	3	10	9	14	12	8	3	3	.....	.....	.....	.....	20
3	3	1	.....	2	1	.....	2	.....	2	.....	.....	.....	.....	.....	.....	21
13	7	10	13	10	13	18	22	23	13	17	4	2	.....	.....	.....	22
13	20	17	21	21	26	22	35	35	31	16	13	1	.....	.....	.....	23
9	5	8	6	13	11	9	11	13	24	11	4	1	1	.....	.....	24
9	15	17	18	21	20	27	16	25	14	10	6	2	1	.....	2	25
14	18	15	15	17	22	23	27	15	24	11	5	1	.....	.....	1	26
5	10	12	9	15	20	16	15	11	15	10	7	1	.....	.....	1	27
7	8	2	6	5	8	5	13	13	10	7	1	.....	.....	.....	.....	28
13	10	15	15	22	27	14	23	22	21	16	9	5	1	.....	.....	29
14	15	15	5	15	18	20	31	30	18	19	5	3	.....	.....	.....	30
6	10	9	6	7	8	13	13	13	10	10	1	.....	.....	.....	.....	31
6	9	13	13	16	15	15	14	19	19	11	8	3	.....	.....	.....	32
32	36	29	38	35	33	44	44	49	34	28	20	6	2	.....	.....	33
52	61	56	44	60	60	57	59	61	55	36	16	3	1	1	.....	34
5	13	5	14	14	19	12	8	16	10	5	6	1	.....	.....	.....	35
218	245	219	247	275	246	278	334	328	272	196	119	43	8	8	2	36
5	7	6	13	18	12	6	18	13	19	8	6	2	.....	1	.....	37
4	5	3	11	15	9	6	15	11	17	7	4	1	.....	.....	.....	38
1	2	3	2	3	3	.....	3	2	2	1	2	1	.....	1	.....	39
5	9	3	9	9	11	6	17	8	3	5	4	2	1	.....	.....	40
3	4	1	8	8	10	6	16	7	3	5	4	2	1	.....	.....	41
2	5	2	1	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	42
1	6	3	9	7	8	8	12	14	12	7	4	1	.....	1	.....	43
1	6	2	9	6	8	8	12	9	11	6	3	1	.....	1	.....	44
.....	.....	1	.....	1	.....	.....	.....	5	1	1	1	.....	.....	.....	.....	45
10	15	8	11	12	10	9	13	18	10	11	4	1	.....	.....	.....	46
9	7	7	4	5	5	6	8	6	10	6	3	.....	.....	.....	.....	47
79	72	73	80	90	64	72	71	78	52	38	17	6	3	1	1	48
65	53	53	65	74	52	59	62	71	47	32	14	6	1	.....	1	49
14	19	20	15	16	12	13	9	7	5	6	3	.....	2	1	.....	50
8	7	10	5	7	7	12	14	23	15	8	13	6	1	.....	.....	51
5	1	6	3	5	7	11	9	20	13	8	11	5	1	.....	.....	52
3	6	4	2	2	.....	1	5	3	2	.....	2	1	.....	.....	.....	53
13	15	10	14	12	15	22	22	30	32	21	18	1	1	3	.....	54
9	13	9	13	9	13	18	17	28	30	18	17	1	1	.....	.....	55
4	2	1	1	3	2	4	5	2	2	3	1	.....	.....	3	.....	56
8	13	9	17	16	13	9	14	11	13	6	1	3	.....	.....	.....	57
13	14	14	7	13	10	14	13	6	10	8	3	3	.....	.....	.....	58
36	51	36	45	45	57	70	84	63	63	44	21	7	1	1	1	59
25	42	30	37	41	46	58	73	59	55	42	19	6	1	1	1	60
11	9	6	8	4	11	12	11	4	8	2	2	1	.....	.....	.....	61
31	29	40	33	41	34	44	48	58	33	34	25	11	1	1	.....	62
373	394	429	440	442	447	425	453	382	332	225	116	32	4	2	29	63
229	249	263	301	296	318	327	382	322	294	204	104	30	2	.....	10	64
144	145	166	139	146	129	98	71	60	38	21	12	2	2	2	19	65
40	45	52	50	55	54	49	52	52	52	32	24	8	.....	.....	2	66
34	37	43	43	52	47	44	52	50	48	32	22	8	.....	.....	1	67
6	8	9	7	3	7	5	.....	2	4	.....	2	.....	.....	.....	1	68
6	10	12	7	13	11	12	11	4	6	6	2	1	.....	.....	1	69
2	3	4	6	4	3	5	10	3	6	5	2	1	.....	.....	1	70
4	7	8	1	9	8	7	1	1	.....	1	.....	.....	.....	.....	.....	71

[2] Colored population less than 10 per cent of the total.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed (counties, exclusive of municipalities of 10,000

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	KENTUCKY—continued.												
1	Henderson (total)	233	34	16	7	1	2	60	6	2	13	13	10
2	White	154	28	12	3	1	2	46	3	----	9	6	7
3	Colored	79	6	4	4	----	----	14	3	2	4	7	3
4	Lexington (total)	892	83	17	12	6	5	123	8	15	24	62	49
5	White	532	48	11	10	2	1	72	5	8	14	41	24
6	Colored	360	35	6	2	4	4	51	3	7	10	21	25
7	Louisville (total)	3,784	486	110	67	40	30	733	73	54	122	191	189
8	White	2,737	366	82	46	28	24	546	53	42	79	123	106
9	Colored	1,047	120	28	21	12	6	187	20	12	43	68	83
10	Newport (total)	363	57	3	11	----	2	73	6	8	10	15	12
11	White	353	55	3	10	----	2	70	5	8	10	14	11
12	Colored [1]	10	2	----	1	----	----	3	1	----	----	1	1
13	Owensboro (total)	314	50	12	4	2	6	74	10	5	6	16	15
14	White	239	39	8	4	1	6	58	8	4	5	10	14
15	Colored	75	11	4	----	1	----	16	2	1	1	6	1
16	Paducah (total)	476	70	12	15	6	6	109	9	11	13	39	28
17	White	271	43	11	10	2	4	70	3	7	5	21	16
18	Colored	205	27	1	5	4	2	39	6	4	8	18	12
	LOUISIANA.[2]												
19	New Orleans (total)	7,088	934	201	105	70	50	1,360	155	91	219	384	422
20	White	4,087	538	121	56	39	27	781	84	54	80	148	184
21	Colored	3,001	396	80	49	31	23	579	71	37	139	236	238
	MAINE.												
22	Registration cities	3,168	494	85	43	18	20	660	57	43	76	88	115
23	Auburn	228	37	7	3	----	2	49	6	----	2	5	4
24	Augusta	327	44	4	----	2	2	52	4	4	1	7	14
25	Bangor	518	42	7	6	1	1	57	7	2	22	12	16
26	Biddeford	305	64	14	4	3	4	89	4	6	7	9	11
27	Lewiston	518	102	15	13	7	5	142	14	11	15	20	23
28	Portland	1,108	170	32	15	4	2	223	17	13	26	29	44
29	Waterville	164	35	6	2	1	4	48	5	7	3	6	3
	MARYLAND.												
30	Registration cities (total)	11,612	2,199	450	201	95	84	3,029	247	119	264	469	502
31	White	8,795	1,658	325	148	77	58	2,266	183	85	165	324	325
32	Colored	2,817	541	125	53	18	26	763	64	34	99	145	177
33	Baltimore (total)	10,624	2,011	414	180	78	76	2,759	219	110	228	413	466
34	White	7,912	1,488	293	129	63	50	2,023	156	77	134	272	296
35	Colored	2,712	523	121	51	15	26	736	63	33	94	141	170
36	Cumberland (total)	452	86	27	7	7	4	131	14	4	26	35	17
37	White	416	80	24	6	7	4	121	14	3	23	34	14
38	Colored [1]	36	6	3	1	----	----	10	----	1	3	1	3
39	Frederick (total)	204	30	2	3	4	2	41	6	4	3	4	10
40	White	166	27	1	2	2	2	34	5	4	3	3	7
41	Colored	38	3	1	1	2	----	7	1	----	----	1	3
42	Hagerstown (total)	332	72	7	11	6	2	98	8	1	7	17	9
43	White	301	63	7	11	5	2	88	8	1	5	15	8
44	Colored [1]	31	9	----	----	1	----	10	----	----	2	2	1
	MASSACHUSETTS.												
45	Registration cities	41,184	8,279	1,722	723	404	303	11,431	867	506	768	1,206	1,362
46	Adams town	177	57	10	5	3	----	75	5	----	4	4	8
47	Arlington town	159	28	9	1	1	1	40	2	3	5	4	3
48	Attleborough town	210	41	6	5	2	1	55	3	1	1	8	6
49	Beverly	261	40	8	5	----	2	55	3	4	5	8	6
50	Boston (total)	11,838	2,107	423	195	113	86	2,924	233	158	200	368	485
51	White	11,452	2,046	404	191	112	82	2,835	227	148	190	349	471
52	Colored	386	61	19	4	1	4	89	6	10	10	19	14
53	Brockton	675	150	17	5	5	8	185	21	15	10	30	20
54	Brookline town	350	31	1	1	----	2	35	2	1	3	7	6
55	Cambridge	1,472	265	68	18	13	7	371	30	16	42	41	59
56	Chelsea	679	120	19	7	6	5	157	13	6	8	18	20
57	Chicopee	378	129	31	10	3	3	176	10	5	7	11	12
58	Clinton town	158	31	7	4	1	1	44	4	1	6	3	6
59	Everett	428	86	13	11	1	1	112	9	5	13	7	8
60	Fall River	2,136	696	213	64	33	21	1,027	52	17	29	43	54
61	Fitchburg	548	127	30	13	2	3	175	15	10	9	26	12
62	Framingham town	211	25	10	2	1	1	39	3	3	9	5	10
63	Gardner town	198	45	11	2	4	----	62	8	2	2	5	4
64	Gloucester	337	47	9	2	5	----	63	4	4	3	9	4
65	Greenfield town	161	30	3	4	3	1	41	2	2	3	5	6
66	Haverhill	674	118	32	10	4	6	170	12	12	12	20	22
67	Holyoke	1,010	324	45	28	17	9	423	31	17	20	32	35
68	Lawrence	1,327	377	88	43	16	11	535	24	17	35	39	37
69	Leominster town	223	36	10	4	5	5	60	7	6	6	5	4

[1] Colored population less than 10 per cent of the total.

ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1913—Continued.

at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
12	8	12	7	10	8	16	13	19	10	9	4	1	----	----	----	1
5	7	7	3	5	4	10	11	15	6	7	2	1	----	----	----	2
7	1	5	4	5	4	6	2	4	4	2	2	----	----	----	----	3
56	44	66	61	58	63	58	54	45	51	24	15	2	3	----	11	4
23	21	34	33	30	38	33	44	33	41	19	12	2	1	----	4	5
33	23	32	28	28	25	25	10	12	10	5	3	----	2	----	7	6
194	235	215	254	242	247	219	243	206	176	111	50	15	1	2	12	7
127	146	132	168	160	175	178	200	178	160	100	46	14	1	----	3	8
67	89	83	86	82	72	41	43	28	16	11	4	1	----	2	9	9
21	19	22	16	20	20	26	27	21	13	22	11	1	----	----	----	10
19	19	21	16	19	20	26	27	21	13	22	11	1	----	----	----	11
2	----	1	----	1	----	----	----	----	----	----	----	----	----	----	----	12
19	10	13	17	15	14	21	32	14	12	12	6	2	----	----	1	13
11	5	8	15	11	11	17	25	10	9	10	5	2	----	----	1	14
8	5	5	2	4	3	4	7	4	3	2	1	----	----	----	----	15
25	23	37	28	29	30	24	21	21	12	9	4	2	----	----	2	16
8	11	14	17	15	20	14	13	12	11	9	4	1	----	----	----	17
17	12	23	11	14	10	10	8	9	1	----	----	1	----	----	2	18
423	416	501	473	487	447	423	388	318	266	178	98	25	9	5	----	19
196	206	259	257	287	289	291	272	238	220	142	78	16	5	----	----	20
227	210	242	216	200	158	132	116	80	46	36	20	9	4	5	----	21
120	138	135	166	176	209	210	230	248	219	158	74	41	3	1	1	22
7	5	8	9	11	14	14	19	22	24	15	8	5	----	1	----	23
13	16	18	14	21	22	29	29	33	22	12	8	7	1	----	----	24
21	38	27	31	37	49	38	30	40	33	40	6	12	----	----	----	25
14	13	7	13	17	19	15	20	20	21	10	7	3	----	----	----	26
17	22	27	30	16	32	35	30	29	23	23	8	1	----	----	----	27
36	39	43	60	67	64	75	94	97	82	53	31	12	2	----	1	28
12	5	5	9	7	9	4	8	7	14	5	6	1	----	----	----	29
526	551	616	658	691	676	696	708	701	514	381	179	68	14	3	----	30
363	358	386	461	485	542	574	608	619	461	354	161	60	13	2	----	31
163	193	230	197	206	134	122	100	82	53	27	18	8	1	1	----	32
483	520	585	611	646	625	634	644	637	457	348	162	60	14	3	----	33
328	334	361	420	444	495	519	550	562	406	322	145	53	13	2	----	34
155	186	224	191	202	130	115	94	75	51	26	17	7	1	1	----	35
21	18	15	23	16	27	26	26	26	11	9	7	----	----	----	----	36
19	15	13	22	15	26	23	23	25	10	9	7	----	----	----	----	37
2	3	2	1	1	1	3	3	1	1	----	----	----	----	----	----	38
8	4	6	8	14	12	16	14	17	19	10	5	3	----	----	----	39
7	2	3	4	12	9	14	12	12	19	9	4	3	----	----	----	40
1	2	3	4	2	3	2	2	5	----	1	1	----	----	----	----	41
14	9	10	16	15	12	20	24	21	27	14	5	5	----	----	----	42
9	7	9	15	14	12	18	23	20	26	14	5	4	----	----	----	43
5	2	1	1	1	----	2	1	1	1	----	----	1	----	----	----	44
1,415	1,829	1,932	2,098	2,215	2,384	2,655	2,786	2,668	2,292	1,547	795	329	75	12	12	45
9	2	3	5	3	9	9	7	13	12	7	2	----	----	----	----	46
10	5	7	4	10	12	4	17	7	12	8	2	2	1	----	1	47
8	9	9	9	14	12	16	16	11	15	8	7	1	1	----	----	48
7	7	10	20	15	22	24	13	22	19	12	7	2	----	----	----	49
462	646	681	756	729	802	808	790	662	514	352	183	67	17	1	----	50
434	614	646	729	698	779	785	774	649	507	350	183	66	17	1	----	51
28	32	35	27	31	23	23	16	13	7	2	----	1	----	----	----	52
26	22	17	33	37	39	44	45	41	41	22	19	8	----	----	----	53
5	13	11	15	29	20	36	41	49	42	19	12	4	----	----	----	54
60	66	76	98	76	86	78	100	94	80	57	25	14	3	----	----	55
19	32	28	29	29	41	30	66	71	59	33	14	6	----	----	----	56
10	10	17	12	10	15	17	18	19	17	6	3	3	----	----	----	57
2	7	7	8	11	6	11	14	12	10	1	4	1	----	----	----	58
6	12	20	28	18	20	41	39	28	32	19	7	3	1	----	----	59
57	71	75	79	95	106	95	104	98	72	33	21	7	1	----	----	60
23	15	16	19	21	28	37	32	34	35	19	9	9	2	1	1	61
9	3	6	10	12	14	9	17	24	17	14	6	1	----	----	----	62
8	8	5	14	11	12	14	9	13	7	4	8	----	2	----	----	63
9	18	16	22	17	12	36	23	31	20	33	9	2	2	----	----	64
----	8	3	6	8	5	7	19	16	10	14	2	2	2	----	----	65
22	19	32	25	38	37	50	41	53	54	31	16	3	3	----	2	66
32	44	40	41	37	40	53	52	53	27	22	9	2	----	----	----	67
46	57	52	60	73	60	72	69	63	44	26	13	5	----	----	----	68
4	8	10	8	7	3	15	24	18	16	10	8	2	1	----	1	69

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed (counties, exclusive of municipalities of 10,000

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	MASSACHUSETTS—continued.												
1	Lowell	1,750	421	103	42	18	9	593	42	19	34	35	50
2	Lynn	1,136	156	37	15	13	10	231	23	11	24	43	33
3	Malden	526	73	15	2	8	8	106	17	7	13	20	15
4	Marlborough	212	22	4	.....	.....	.....	26	6	4	6	5	12
5	Medford	284	34	3	2	2	3	44	6	4	6	7	9
6	Melrose	196	19	3	1	.....	2	25	3	3	2	2	6
7	Methuen town	185	36	9	5	1	2	53	4	2	4	3	4
8	Milford town	207	34	5	1	.....	.....	40	4	4	1	5	10
9	New Bedford	1,677	518	123	50	26	16	733	38	15	35	43	50
10	Newburyport	248	21	6	1	2	1	31	6	1	4	9	4
11	Newton	484	73	6	9	2	2	92	9	7	10	16	13
12	North Adams	342	42	13	7	3	1	66	7	9	12	13	10
13	Northampton	372	45	6	2	2	3	58	4	3	4	14	12
14	Peabody town	234	41	7	5	4	3	60	6	2	5	8	7
15	Pittsfield	661	116	17	13	5	4	155	19	6	14	23	28
16	Plymouth town	165	31	4	.....	2	.....	37	3	.....	3	3	8
17	Quincy	476	98	19	8	4	5	134	10	3	12	11	7
18	Revere town	214	40	5	4	1	1	51	1	5	3	9	8
19	Salem	703	175	35	12	13	3	238	17	7	12	26	13
20	Somerville	993	167	26	13	8	5	219	10	9	15	26	22
21	Southbridge town	151	41	7	1	2	1	52	2	1	1	2	3
22	Springfield	1,468	294	39	21	11	14	379	29	17	33	48	46
23	Taunton	701	138	29	5	4	2	178	12	7	7	16	21
24	Wakefield town	156	20	6	.....	1	.....	27	2	2	2	7	2
25	Waltham	373	40	11	4	2	4	61	14	9	11	13	13
26	Watertown town	121	20	3	5	.....	1	29	2	.....	1	1	7
27	Webster town	175	49	2	5	3	1	60	6	3	3	8	4
28	Westfield town	321	64	9	7	3	1	84	5	6	8	12	17
29	Weymouth town	168	21	2	1	.....	.....	24	.....	2	3	4	4
30	Winthrop town	128	10	.....	1	1	1	13	1	1	2	1	4
31	Woburn	213	40	4	2	.....	.....	46	4	3	5	8	4
32	Worcester	2,534	470	101	40	25	26	662	62	29	41	67	89
	MICHIGAN.												
33	Registration cities	17,811	3,754	743	381	247	154	5,279	518	251	423	731	779
34	Adrian	160	13	1	1	1	2	18	3	2	1	6	2
35	Alpena	183	37	8	6	1	.....	52	4	5	8	5	3
36	Ann Arbor	360	30	7	2	6	.....	45	9	4	9	16	15
37	Battle Creek	463	53	10	3	4	2	72	8	8	10	13	19
38	Bay City	608	101	25	13	8	6	153	17	5	19	23	21
39	Detroit	8,995	2,332	492	250	156	96	3,326	307	120	221	404	449
40	Escanaba	234	43	9	6	4	1	63	5	6	3	14	13
41	Flint	437	89	11	7	5	5	117	10	10	11	17	17
42	Grand Rapids	1,600	308	46	33	22	18	427	57	15	27	61	68
43	Holland	119	22	6	4	2	.....	34	2	1	.....	6	5
44	Ironwood	115	47	5	3	.....	2	57	2	2	3	3	6
45	Ishpeming	119	34	7	2	2	2	47	5	1	1	6	3
46	Jackson	506	70	18	13	4	3	108	12	7	10	16	21
47	Kalamazoo	761	89	17	5	4	1	116	7	11	13	25	23
48	Lansing	435	79	19	6	6	3	113	7	5	11	10	15
49	Manistee	150	20	2	3	.....	2	27	4	2	8	6	13
50	Marquette	190	27	8	4	1	1	41	7	7	9	7	6
51	Menominee	135	27	2	.....	1	.....	30	4	2	3	6	2
52	Muskegon	352	62	7	4	3	1	77	7	11	9	20	7
53	Pontiac	390	44	9	5	3	.....	61	11	8	6	11	9
54	Port Huron	281	48	7	1	4	2	62	5	6	7	16	9
55	Saginaw	745	119	20	8	8	4	159	20	12	20	27	29
56	Sault Ste. Marie	213	46	7	2	1	3	59	4	1	11	8	10
57	Traverse City	260	14	.....	.....	1	.....	15	1	.....	3	5	14
	MINNESOTA.												
58	Registration cities	8,266	1,369	218	115	90	62	1,854	180	124	213	435	428
59	Duluth	985	185	41	13	9	9	257	24	13	22	48	52
60	Mankato	179	26	6	3	.....	.....	35	5	.....	2	3	5
61	Minneapolis	3,861	606	91	56	38	32	823	79	67	94	220	201
62	St. Cloud	135	25	5	3	3	1	37	5	3	2	6	7
63	St. Paul	2,558	425	53	27	26	17	548	57	36	75	126	140
64	Stillwater	105	16	2	1	.....	.....	19	.....	.....	2	6	5
65	Virginia	158	59	14	6	6	2	87	1	1	10	9	11
66	Winona	285	27	6	6	8	1	48	9	4	6	17	7
	MISSOURI.												
67	Registration cities	18,147	2,646	561	240	168	139	3,754	431	234	485	789	971
68	Hannibal (total)	270	42	10	6	.....	1	59	8	3	7	16	17
69	White	220	40	7	4	.....	1	52	8	2	7	11	14
70	Colored	50	2	3	2	.....	.....	7	.....	1	.....	5	3
71	Jefferson City (total)	183	20	11	2	1	1	35	6	1	10	13	10
72	White	132	14	8	2	.....	1	25	5	.....	7	6	4
73	Colored	51	6	3	.....	1	.....	10	1	1	3	7	6

ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1913—Continued.

at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—														Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
53	78	83	84	83	101	106	106	112	75	42	34	13	6	1	1
47	65	40	55	49	76	96	92	91	68	50	27	13	1	1	2
14	14	22	20	30	48	30	39	41	43	27	13	7	----	----	3
7	10	9	9	11	12	11	22	25	17	6	8	5	1	----	4
8	6	16	11	19	16	25	28	26	21	20	9	2	----	1	5
9	6	10	6	15	13	17	16	19	14	16	8	5	----	1	6
3	9	4	6	8	10	10	13	15	17	11	6	3	----	----	7
3	12	9	16	11	14	14	15	19	12	10	6	1	1	----	8
51	56	62	56	70	65	77	85	83	71	45	23	16	3	----	9
7	11	12	12	14	14	15	21	27	28	21	3	5	2	1	10
13	19	19	14	23	31	23	51	46	32	32	22	10	2	----	11
15	9	22	22	22	17	18	36	30	21	5	4	1	3	----	12
14	14	19	23	18	21	25	22	37	41	25	12	5	1	----	13
7	16	11	9	17	12	21	12	14	11	13	1	2	----	----	14
31	33	30	38	31	30	50	50	34	31	35	18	5	----	----	15
2	12	7	7	3	5	9	13	15	15	14	3	5	----	1	16
24	24	16	18	38	38	31	21	30	29	20	6	1	1	----	2 17
10	4	14	10	13	12	20	18	11	17	4	3	1	----	----	18
21	30	28	23	35	24	45	50	48	37	27	13	7	1	----	1 19
31	42	38	33	49	65	75	85	79	95	58	25	13	4	----	---- 20
4	2	12	7	3	10	11	10	10	9	5	2	5	----	----	---- 21
54	70	71	69	78	74	99	89	104	91	58	42	11	5	1	---- 22
23	24	30	36	41	37	34	58	58	61	36	15	4	3	----	---- 23
7	5	10	8	5	10	9	10	12	13	13	8	3	1	----	---- 24
11	13	16	12	17	28	22	20	34	29	33	10	6	----	----	1 25
1	2	5	5	14	8	7	9	7	10	7	6	----	----	----	---- 26
6	4	4	5	9	8	11	11	12	11	3	6	1	----	----	---- 27
13	15	21	18	9	7	15	22	13	22	19	8	7	----	----	---- 28
3	4	7	2	4	11	15	19	19	19	15	7	3	1	1	1 29
2	4	5	8	6	12	14	18	10	10	13	1	3	----	----	---- 30
3	12	7	11	17	6	16	18	9	18	8	14	4	----	----	---- 31
84	122	132	144	153	148	178	151	146	149	106	46	18	3	2	2 32
729	721	708	755	958	949	967	1,005	1,067	851	626	322	117	25	3	27 33
4	5	7	1	9	5	21	14	17	21	16	6	2	----	----	---- 34
8	2	5	11	9	8	15	11	10	13	8	4	2	----	----	---- 35
17	15	20	34	35	20	30	30	22	22	8	4	5	----	----	---- 36
14	19	27	30	29	33	37	30	39	37	25	9	2	----	----	2 37
23	27	14	20	28	34	36	48	46	37	32	13	9	1	----	2 38
388	371	358	354	450	428	382	368	401	297	199	117	41	9	1	4 39
6	8	7	15	16	21	17	15	10	6	3	4	1	----	----	1 40
19	16	13	26	18	22	28	25	28	25	17	12	6	----	----	---- 41
48	63	70	64	75	89	97	96	118	83	90	37	12	2	1	---- 42
2	7	3	2	5	9	8	5	13	8	5	4	----	----	----	---- 43
4	5	3	7	5	6	3	2	2	----	4	1	----	----	----	---- 44
5	5	6	3	3	7	4	5	4	6	4	3	----	----	----	1 45
16	18	20	15	34	33	31	43	37	37	27	9	6	3	----	3 46
32	37	37	38	50	41	57	68	74	62	40	19	4	4	1	2 47
19	17	13	25	20	25	32	37	36	19	22	4	3	1	----	1 48
9	3	2	4	11	6	12	18	7	11	1	3	2	----	----	1 49
7	5	7	10	9	14	10	13	10	10	11	4	1	2	----	---- 50
2	3	10	7	10	4	6	11	2	16	8	5	1	----	----	3 51
16	10	14	16	33	17	28	20	16	20	18	7	3	----	----	3 52
19	16	19	17	20	32	26	26	46	25	18	12	5	1	----	2 53
11	13	9	6	14	18	15	19	22	17	16	10	6	----	----	---- 54
31	30	20	21	40	55	46	55	70	53	30	22	2	2	----	1 55
14	10	9	16	12	6	6	16	11	7	5	5	2	----	----	1 56
15	16	15	13	23	16	20	30	26	19	19	8	2	----	----	---- 57
401	426	407	461	538	490	470	452	447	367	324	169	64	12	4	---- 58
61	71	57	78	61	55	49	37	32	28	29	7	2	2	----	---- 59
10	8	11	6	8	5	17	9	13	12	17	11	2	----	----	---- 60
189	182	187	214	254	229	221	215	224	172	172	82	31	5	----	---- 61
9	3	6	5	11	6	5	5	2	6	6	7	3	1	----	---- 62
109	140	123	144	179	163	148	156	142	120	77	48	20	3	4	---- 63
7	3	3	6	3	8	11	7	9	5	8	2	1	----	----	---- 64
7	9	9	2	3	2	2	2	2	1	----	----	----	----	----	---- 65
9	10	11	6	19	22	17	21	23	23	15	12	5	1	----	---- 66
896	1,045	1,094	1,116	1,193	1,103	1,119	1,109	993	832	576	276	91	17	6	17 67
15	12	9	17	14	11	11	16	12	15	13	9	4	1	----	1 68
12	8	6	11	11	9	8	12	11	14	12	9	2	1	----	---- 69
3	4	3	6	3	2	3	4	1	1	1	----	2	----	----	1 70
14	11	14	6	11	9	6	9	9	6	5	4	2	----	----	2 71
6	7	13	5	10	6	6	6	9	5	4	4	2	----	----	2 72
8	4	1	1	1	3	----	3	----	1	1	----	----	----	----	---- 73

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed (counties, exclusive of municipalities of 10,000

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	MISSOURI—continued.												
1	Joplin	508	97	22	5	7	5	136	18	5	20	16	30
2	Kansas City (total)	4,045	655	109	44	39	25	872	100	53	118	194	249
3	White	3,419	605	93	38	34	19	789	87	42	90	152	181
4	Colored	626	50	16	6	5	6	83	13	11	28	42	68
5	Moberly	154	24	4	1	3	.....	32	2	2	5	6	13
6	St. Joseph	1,157	160	32	13	5	3	213	19	15	35	50	57
7	St. Louis (total)	10,761	1,478	326	152	102	91	2,149	247	130	258	437	541
8	White	9,510	1,344	279	133	91	79	1,926	227	112	222	366	438
9	Colored	1,251	134	47	19	11	12	223	20	18	36	71	103
10	Sedalia (total)	269	31	11	4	3	2	51	5	2	12	15	12
11	White	225	26	9	4	3	1	43	5	1	7	11	6
12	Colored	44	5	2	.....	.....	1	8	.....	1	5	4	6
13	Springfield	570	92	23	8	5	6	134	13	17	15	31	28
14	Webb City	230	47	13	5	3	5	73	13	6	5	11	14
	MONTANA.												
15	Registration cities	1,787	278	46	32	19	10	385	50	27	46	86	106
16	Anaconda	137	32	4	4	2	.....	42	3	2	2	3	6
17	Billings	133	25	2	2	3	1	33	2	1	4	7	9
18	Butte	809	121	27	17	9	6	180	21	14	17	40	38
19	Great Falls	331	57	7	7	3	2	76	15	2	9	25	32
20	Helena	188	23	3	.....	1	1	28	3	6	11	8	11
21	Missoula	189	20	3	2	1	.....	26	6	2	3	3	10
	NEBRASKA.[1]												
22	Registration cities	2,446	329	54	36	24	20	463	58	26	76	107	140
23	Lincoln	624	114	20	13	8	9	164	13	7	19	26	28
24	Omaha	1,822	215	34	23	16	11	299	45	19	57	81	112
	NEW HAMPSHIRE.												
25	Registration cities	3,235	750	124	41	30	18	963	66	38	61	80	84
26	Berlin	182	68	14	5	3	1	91	7	6	2	3	6
27	Concord	500	52	11	4	3	2	72	8	2	7	15	15
28	Dover	239	30	8	2	1	1	42	4	3	4	5	5
29	Keene	192	23	4	.....	.....	.....	27	.....	.....	9	7	7
30	Laconia	179	30	6	1	1	4	42	2	2	7	4	1
31	Manchester	1,308	407	57	20	13	8	505	34	20	22	32	37
32	Nashua	429	112	19	7	6	2	146	6	4	7	13	8
33	Portsmouth	206	28	5	2	3	.....	38	5	1	3	1	5
	NEW JERSEY.												
34	Registration cities	25,881	5,338	1,249	512	330	237	7,666	637	338	586	851	1,025
35	Asbury Park (total)	167	22	1	3	1	1	28	.....	3	1	6	2
36	White	125	15	.....	3	.....	1	19	.....	2	1	2	.....
37	Colored	42	7	1	.....	1	.....	9	.....	1	.....	4	2
38	Atlantic City (total)	830	130	19	11	4	7	171	26	14	23	31	30
39	White	663	94	15	8	4	5	126	20	8	20	22	22
40	Colored	167	36	4	3	.....	2	45	6	6	3	9	8
41	Bayonne	790	206	44	20	14	12	296	28	13	22	34	27
42	Bloomfield	165	39	8	2	1	.....	50	6	2	2	1	3
43	Bridgeton	221	35	7	3	1	.....	46	10	3	4	12	7
44	Camden	1,679	368	87	42	22	10	529	50	23	43	68	60
45	East Orange	342	36	11	6	1	3	57	10	5	5	2	12
46	Elizabeth	1,158	270	55	23	19	13	380	22	11	22	33	70
47	Garfield	153	76	14	2	6	3	101	3	3	1	4	6
48	Hackensack	236	56	12	3	2	1	74	8	1	3	11	6
49	Harrison	192	55	8	2	1	2	68	5	3	5	9	9
50	Hoboken	1,226	209	62	30	22	12	335	31	11	34	55	45
51	Irvington	185	25	7	1	1	2	36	2	3	6	3	11
52	Jersey City	4,194	810	240	99	69	54	1,272	114	58	103	138	165
53	Kearny	246	49	8	1	2	1	61	6	3	.....	3	8
54	Long Branch	284	41	9	3	2	3	58	7	5	7	11	17
55	Millville	171	35	7	3	.....	4	49	3	.....	2	2	6
56	Montclair (total)	339	65	12	4	3	2	86	9	1	7	10	12
57	White	290	54	10	2	3	1	70	7	.....	6	9	9
58	Colored	49	11	2	2	.....	1	16	2	1	1	1	3
59	Morristown	287	55	7	3	4	1	70	4	3	5	8	21
60	New Brunswick	555	131	29	12	5	7	184	10	5	12	23	23
61	Newark	5,454	1,009	243	106	56	42	1,456	123	68	101	154	228
62	Orange	493	84	14	15	6	3	122	13	9	16	23	16
63	Passaic	870	329	69	25	9	6	438	24	18	23	28	35
64	Paterson	1,780	307	66	16	19	12	420	26	31	49	63	71
65	Perth Amboy	537	198	46	15	12	7	278	16	10	13	21	13
66	Phillipsburg	173	38	7	2	2	3	52	2	5	1	6	5
67	Plainfield	310	59	7	8	5	2	81	11	3	11	8	10
68	Trenton	1,930	418	95	35	28	16	592	48	15	42	56	71
69	Union	226	41	14	3	1	2	61	3	3	3	8	10
70	West Hoboken	385	67	27	10	8	3	115	10	4	15	14	12
71	West New York	208	48	12	4	3	3	70	6	2	2	2	10
72	West Orange	95	27	2	.....	1	.....	30	1	.....	3	4	4

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1913—Continued.

at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions. inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
27	35	31	23	33	14	15	26	25	25	18	9	.....	1	.....	1	1
212	255	246	242	250	213	223	240	194	183	126	45	22	6	2	.....	2
164	182	196	188	214	183	198	218	177	171	123	43	17	4	.....	.....	3
48	73	50	54	36	30	25	22	17	12	3	2	5	2	2	.....	4
4	2	5	7	15	8	10	11	8	14	7	2	1	.....	.....	.....	5
56	68	58	64	68	84	71	76	80	61	40	27	9	.....	.....	6	6
514	608	687	696	746	712	725	673	609	473	332	161	50	7	4	2	7
404	500	584	606	652	643	671	614	572	446	313	154	50	7	1	2	8
110	108	103	90	94	69	54	59	37	27	19	7	.....	.....	3	.....	9
6	12	12	20	16	12	23	14	15	20	13	4	1	1	.....	3	10
3	11	7	18	15	11	21	12	13	20	13	3	1	1	.....	3	11
3	1	5	2	1	1	2	2	2	.....	.....	1	.....	.....	.....	.....	12
30	31	20	32	31	27	26	35	35	34	16	12	1	1	.....	1	13
18	11	12	9	9	13	9	9	6	1	6	3	1	.....	.....	1	14
131	135	141	145	145	99	87	50	65	36	33	15	4	.....	.....	1	15
6	7	12	6	17	5	4	7	3	5	1	6	.....	.....	.....	.....	16
14	9	10	6	8	3	13	2	6	3	1	1	1	.....	.....	.....	17
65	78	76	83	64	46	29	18	21	10	5	4	.....	.....	.....	.....	18
31	15	19	25	21	15	13	8	8	4	11	1	.....	.....	.....	1	19
5	6	7	11	16	16	12	8	18	6	11	3	2	.....	.....	.....	20
10	20	17	14	19	14	16	7	9	8	4	.....	1	.....	.....	.....	21
120	156	152	138	177	144	157	161	136	112	67	40	12	3	.....	1	22
17	35	27	26	33	38	34	38	43	39	21	13	2	1	.....	.....	23
103	121	125	112	144	106	123	123	93	73	46	27	10	2	.....	1	24
99	131	139	131	156	173	196	206	229	198	136	101	28	5	2	13	25
4	6	4	13	6	8	5	6	5	3	1	5	.....	.....	.....	1	26
18	26	20	23	22	38	36	52	44	38	30	22	7	4	.....	1	27
10	7	13	10	19	14	25	23	13	22	9	5	2	.....	.....	4	28
2	7	4	12	11	12	19	10	23	17	11	12	1	.....	.....	1	29
3	3	9	7	10	8	12	16	11	15	10	14	3	.....	.....	.....	30
40	61	65	44	56	55	64	67	79	52	41	27	6	.....	.....	1	31
14	15	11	13	15	26	21	24	35	28	21	11	5	1	2	3	32
8	6	13	9	17	12	14	8	19	23	13	5	4	.....	.....	2	33
1,081	1,230	1,384	1,435	1,440	1,509	1,568	1,488	1,416	1,045	734	316	93	29	8	2	34
10	6	8	10	13	9	12	14	15	15	7	6	1	1	.....	.....	35
5	5	6	6	9	6	11	13	13	13	6	6	1	1	.....	.....	36
5	1	2	4	4	3	1	1	2	2	1	.....	.....	.....	.....	.....	37
30	42	46	55	59	53	59	52	68	27	27	12	3	1	1	.....	38
22	33	32	41	43	47	49	47	64	26	26	11	3	1	.....	.....	39
8	9	14	14	16	6	10	5	4	1	1	1	.....	.....	1	.....	40
36	36	42	46	37	39	26	42	29	19	12	5	1	.....	.....	.....	41
8	5	10	3	7	9	9	13	15	11	9	1	1	.....	.....	.....	42
8	2	7	10	3	20	20	18	16	16	9	8	2	.....	.....	.....	43
72	77	95	67	76	77	105	92	105	71	40	18	9	2	.....	.....	44
10	12	16	15	15	22	28	29	23	32	32	14	3	.....	.....	.....	45
47	47	66	63	58	66	68	51	59	42	34	11	6	2	.....	.....	46
2	4	4	5	4	4	1	2	3	2	2	2	.....	.....	.....	.....	47
10	8	9	10	15	17	13	13	12	12	10	2	2	.....	.....	.....	48
9	6	11	8	10	7	13	14	6	6	2	1	.....	.....	.....	.....	49
73	84	73	91	70	76	74	59	64	31	8	10	1	.....	1	.....	50
9	5	8	13	11	14	15	8	9	14	10	7	1	.....	.....	.....	51
193	227	243	251	230	248	252	211	204	131	95	34	15	4	4	2	52
8	7	9	8	6	9	10	27	36	21	14	7	3	.....	.....	.....	53
13	25	14	17	16	21	15	12	14	14	11	6	1	.....	.....	.....	54
5	10	4	8	11	10	9	20	8	12	7	5	.....	.....	.....	.....	55
10	18	11	16	15	24	19	31	21	18	19	7	4	1	.....	.....	56
7	15	8	12	12	20	18	30	19	17	19	7	4	1	.....	.....	57
3	3	3	4	3	4	1	1	2	1	.....	.....	.....	.....	.....	.....	58
10	16	11	12	11	14	22	25	22	12	15	3	2	1	.....	.....	59
23	28	27	27	24	25	25	25	38	29	17	7	2	1	.....	.....	60
228	271	323	331	352	352	351	323	286	245	162	81	12	6	1	.....	61
22	20	32	30	31	23	35	30	23	20	16	7	5	.....	.....	.....	62
27	31	44	40	40	31	28	17	17	9	15	3	2	.....	.....	.....	63
80	87	89	98	111	118	119	126	116	88	55	25	4	4	.....	.....	64
20	27	21	21	19	19	14	16	9	14	6	.....	.....	.....	.....	.....	65
4	4	6	4	8	12	15	16	16	7	8	2	.....	.....	.....	.....	66
10	9	14	11	19	11	32	20	21	14	14	7	1	3	.....	.....	67
78	81	86	124	115	116	114	118	111	81	54	15	10	2	1	.....	68
6	10	20	6	11	16	18	17	14	10	7	1	2	.....	.....	.....	69
9	12	22	17	24	31	27	30	16	11	10	6	.....	.....	.....	.....	70
9	9	9	16	14	11	11	8	16	6	5	2	.....	.....	.....	.....	71
2	4	4	2	5	5	9	9	4	5	2	1	.....	1	.....	.....	72

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed (counties, exclusive of municipalities of 10,000

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	NEW YORK.												
1	Registration cities	108,818	20,412	4,836	2,101	1,302	974	29,625	2,543	1,420	2,292	3,726	4,395
2	Albany	2,025	268	36	13	16	17	350	24	22	40	54	84
3	Amsterdam	493	123	28	16	10	4	181	14	6	12	15	15
4	Auburn	569	92	15	10	8	5	130	14	4	12	23	21
5	Batavia	246	38	3	6	.....	2	49	7	4	4	12	6
6	Binghamton	1,127	204	25	15	8	4	256	16	11	21	30	40
7	Buffalo	7,043	1,621	253	104	55	39	2,072	118	77	149	263	266
8	Cohoes	386	85	18	10	5	4	122	6	3	9	11	16
9	Corning	178	33	5	.....	1	3	42	4	4	5	4	8
10	Cortland	220	20	.....	1	1	3	25	2	2	2	5	6
11	Dunkirk	270	68	9	5	4	3	89	12	1	7	13	8
12	Elmira	587	73	10	7	2	2	94	12	6	13	24	18
13	Fulton	181	36	8	2	3	.....	49	4	2	4	3	8
14	Geneva	187	33	5	3	2	.....	43	3	1	2	6	4
15	Glens Falls	283	23	3	3	2	4	35	9	5	6	12	10
16	Gloversville	337	48	4	1	2	1	56	6	3	5	11	7
17	Hornell	223	29	3	1	.....	1	34	4	3	3	3	7
18	Hudson	211	29	6	3	3	1	42	4	3	4	7	2
19	Ithaca	250	26	2	1	.....	.....	29	2	1	2	2	5
20	Jamestown	460	89	15	8	6	4	122	16	7	10	18	11
21	Johnstown	166	28	5	4	3	2	42	6	2	1	4	5
22	Kingston	491	49	9	4	2	1	65	11	8	14	26	19
23	Lackawanna	421	263	46	16	4	3	332	6	1	5	13	11
24	Little Falls	245	60	13	2	.....	1	76	4	1	7	13	9
25	Lockport	306	57	4	1	2	2	66	9	4	4	8	10
26	Middletown	333	24	6	3	3	1	37	.....	5	6	5	13
27	Mount Vernon	455	84	12	10	4	4	114	10	3	10	16	15
28	New Rochelle	311	53	7	2	3	6	71	6	5	12	16	11
29	New York (total)	74,286	13,850	3,739	1,624	977	736	20,926	1,855	1,028	1,588	2,550	3,162
30	Bronx Borough	7,020	1,152	283	161	95	70	1,761	202	134	167	294	317
31	Brooklyn Borough	24,830	4,415	1,194	494	319	239	6,661	697	339	547	800	1,054
32	Manhattan Borough	36,375	7,176	1,989	850	494	352	10,861	799	463	734	1,245	1,550
33	Queens Borough	4,506	858	210	100	53	58	1,279	119	75	103	160	190
34	Richmond Borough	1,555	249	63	19	16	17	364	38	17	37	51	51
35	White	71,849	13,412	3,590	1,572	943	718	20,235	1,790	988	1,496	2,399	2,987
36	Bronx Borough	6,920	1,140	281	158	95	69	1,743	198	127	163	288	309
37	Brooklyn Borough	24,252	4,313	1,154	479	311	234	6,491	679	332	532	771	1,013
38	Manhattan Borough	34,729	6,873	1,890	817	469	340	10,389	758	438	666	1,136	1,428
39	Queens Borough	4,423	846	205	99	52	58	1,260	117	75	98	155	186
40	Richmond Borough	1,525	240	60	19	16	17	352	38	16	37	49	51
41	Colored	2,437	438	149	52	34	18	691	65	40	92	151	175
42	Bronx Borough	100	12	2	3	.....	1	18	4	7	4	6	8
43	Brooklyn Borough	578	102	40	15	8	5	170	18	7	15	29	41
44	Manhattan Borough	1,646	303	99	33	25	12	472	41	25	68	109	122
45	Queens Borough	83	12	5	1	1	.....	19	2	.....	5	5	4
46	Richmond Borough	30	9	3	.....	.....	.....	12	.....	1	.....	2	.....
47	Newburgh	505	69	12	2	5	2	90	3	4	6	18	20
48	Niagara Falls	593	171	35	14	12	10	242	13	11	15	14	18
49	North Tonawanda	174	59	13	3	2	.....	77	3	4	3	5	1
50	Ogdensburg	416	51	9	3	4	2	69	5	2	11	11	13
51	Olean	212	46	8	5	3	2	64	2	5	8	9	8
52	Ossining	180	24	7	1	1	2	35	3	1	4	12	9
53	Oswego	396	73	8	3	4	1	89	9	3	7	9	11
54	Peekskill	233	38	6	5	3	2	54	8	5	5	10	14
55	Plattsburg	213	35	2	2	.....	1	40	5	2	4	6	5
56	Port Chester	196	37	19	5	1	.....	62	9	5	3	11	9
57	Poughkeepsie	490	72	19	4	1	2	98	15	8	8	11	17
58	Rensselaer	133	11	6	.....	1	.....	18	5	2	5	3	.....
59	Rochester	3,448	578	98	40	41	22	779	63	39	71	104	125
60	Rome	436	52	6	4	4	4	70	18	6	17	26	22
61	Saratoga Springs	332	16	2	2	1	1	22	2	3	7	14	14
62	Schenectady	1,054	228	36	33	23	15	335	48	20	17	44	42
63	Syracuse	2,294	446	68	28	17	12	571	41	17	46	66	76
64	Troy	1,400	163	30	11	8	10	222	29	17	31	52	54
65	Utica	1,558	341	63	14	17	11	446	28	18	26	42	52
66	Watertown	470	80	15	6	4	2	107	9	4	9	16	19
67	Watervliet	224	39	4	4	2	2	51	5	4	6	7	9
68	White Plains	294	68	10	3	4	4	89	8	5	4	10	14
69	Yonkers	1,277	309	71	34	18	14	446	28	13	22	59	46
	NORTH CAROLINA.												
70	Registration cities (total)	3,318	625	178	77	54	34	968	72	75	166	235	177
71	White	1,660	290	83	37	26	14	450	30	28	51	86	75
72	Colored	1,658	335	95	40	28	20	518	42	47	115	149	102
73	Asheville (total)	418	54	19	6	4	5	88	9	11	21	25	30
74	White	283	29	11	6	1	4	51	2	6	9	21	22
75	Colored	135	25	8	.....	3	1	37	7	5	12	4	8

ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1913—Continued.

at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—														Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
4,681	5,751	5,952	6,362	6,932	6,370	6,735	6,510	5,898	4,488	2,983	1,498	495	123	28	11	1
109	120	108	99	164	141	161	148	154	123	80	29	12	2	1	.....	2
15	17	17	18	25	15	23	37	24	29	18	7	4	1	.....	.....	3
24	31	27	23	28	31	39	41	38	34	27	17	4	1	.....	.....	4
12	9	6	13	13	16	13	20	20	16	14	7	5	.....	.....	.....	5
37	42	63	54	65	70	79	90	86	79	45	23	12	2	1	5	6
296	320	334	416	446	423	410	404	376	297	221	105	40	5	3	2	7
14	10	12	25	24	20	19	23	25	27	12	6	2	.....	.....	.....	8
7	9	9	8	8	11	14	15	12	9	7	2	.....	.....	.....	.....	9
8	11	8	12	12	12	18	27	20	20	12	10	6	1	1	.....	10
9	6	11	3	22	13	13	15	12	12	11	11	1	1	.....	.....	11
19	22	34	37	42	38	37	44	55	39	36	9	5	3	.....	.....	12
3	10	6	9	7	6	12	12	13	11	12	8	2	.....	.....	.....	13
11	12	6	6	15	11	9	9	17	12	12	5	3	.....	.....	.....	14
10	6	13	12	22	13	26	24	33	26	12	6	3	.....	.....	.....	15
4	12	18	15	28	22	19	30	34	33	16	12	5	1	.....	.....	16
9	7	7	11	16	23	14	14	19	22	14	8	4	1	.....	.....	17
14	12	12	7	10	8	16	18	12	19	12	5	3	1	.....	.....	18
7	6	9	19	16	16	23	23	23	27	18	18	3	1	.....	.....	19
15	14	12	25	22	27	27	23	39	26	26	16	2	2	.....	.....	20
3	2	5	11	6	10	9	15	15	14	9	5	2	.....	.....	.....	21
15	24	21	31	37	32	39	34	47	22	22	22	2	.....	.....	.....	22
13	4	6	5	8	6	3	3	2	.....	2	1	.....	.....	.....	.....	23
9	8	10	15	11	10	14	19	12	14	10	.....	2	1	.....	.....	24
10	10	13	13	16	20	20	19	26	29	10	11	4	3	1	.....	25
16	21	31	14	16	26	25	24	37	27	16	10	4	.....	.....	.....	26
14	15	33	21	18	28	31	22	24	32	31	10	7	1	.....	.....	27
11	16	23	15	22	15	13	19	18	20	10	6	1	1	.....	.....	28
3,298	4,217	4,322	4,606	4,897	4,339	4,478	4,196	3,588	2,543	1,604	768	237	67	14	3	29
337	399	405	431	461	438	409	431	330	236	165	79	21	3	.....	.....	30
1,060	1,313	1,359	1,530	1,673	1,461	1,528	1,476	1,343	956	607	310	87	22	6	1	31
1,683	2,190	2,232	2,300	2,387	2,114	2,166	1,903	1,575	1,078	634	308	108	36	7	2	32
173	233	238	258	284	256	266	285	239	169	118	44	13	4	.....	.....	33
45	82	88	87	92	70	109	101	101	104	80	27	8	2	1	.....	34
3,109	4,013	4,152	4,462	4,769	4,234	4,393	4,122	3,540	2,504	1,583	760	233	63	14	3	35
327	392	400	428	455	432	406	426	328	235	161	79	21	2	.....	.....	36
1,018	1,263	1,311	1,501	1,644	1,431	1,510	1,456	1,327	946	603	309	87	21	6	1	37
1,557	2,052	2,120	2,195	2,299	2,048	2,105	1,859	1,551	1,053	623	302	107	34	7	2	38
164	228	233	252	279	254	263	281	233	168	118	43	12	4	.....	.....	39
43	78	88	86	92	69	109	100	101	102	78	27	6	2	1	.....	40
189	204	170	144	128	105	85	74	48	39	21	8	4	4	.....	.....	41
10	7	5	3	6	6	3	5	2	1	4	.....	.....	1	.....	.....	42
42	50	48	29	29	30	18	20	16	10	4	1	.....	1	.....	.....	43
126	138	112	105	88	66	61	44	24	25	11	6	1	2	.....	.....	44
9	5	5	6	5	2	3	4	6	1	.....	1	1	.....	.....	.....	45
2	4	.....	1	.....	1	.....	1	.....	2	2	.....	2	.....	.....	.....	46
14	24	21	30	23	32	41	50	43	41	21	14	9	1	.....	.....	47
33	26	29	35	31	24	23	19	19	18	14	8	1	.....	.....	.....	48
8	4	7	9	7	4	12	7	4	7	10	2	.....	.....	.....	.....	49
11	13	30	20	20	27	26	34	46	26	27	16	6	2	1	.....	50
5	9	9	13	13	10	4	16	13	12	6	4	2	.....	.....	.....	51
8	10	6	7	5	12	14	12	12	10	7	8	2	2	1	.....	52
9	24	17	11	15	23	26	24	42	33	29	9	5	1	.....	.....	53
5	7	10	10	7	17	16	19	14	16	5	8	3	.....	.....	.....	54
11	6	10	10	12	14	14	12	14	19	11	8	6	3	1	.....	55
6	14	8	9	6	6	13	7	7	7	9	3	2	.....	.....	.....	56
16	14	14	21	31	34	30	49	38	40	20	20	6	.....	.....	.....	57
5	8	7	6	11	10	6	14	12	11	8	2	.....	.....	.....	.....	58
146	162	169	197	200	205	247	259	248	182	149	74	25	3	1	.....	59
24	20	18	20	23	27	25	26	28	35	17	10	3	.....	.....	1	60
13	16	18	23	21	26	34	29	30	22	24	6	5	1	2	.....	61
46	49	59	30	49	56	60	60	39	48	31	14	7	.....	.....	.....	62
82	107	118	114	172	153	149	175	152	99	86	49	14	7	.....	.....	63
69	73	73	76	90	95	126	101	126	79	52	27	5	3	.....	.....	64
66	70	58	69	72	85	110	103	96	104	65	37	10	1	.....	.....	65
17	14	10	23	22	27	34	29	37	41	29	17	3	3	.....	.....	66
9	14	12	14	15	10	19	17	13	11	4	4	.....	.....	.....	.....	67
13	12	11	13	12	10	20	12	24	12	12	11	2	.....	.....	.....	68
53	62	62	59	59	61	82	68	60	53	28	10	4	2	.....	.....	69
167	205	146	118	174	153	161	164	137	89	58	27	10	2	6	8	70
76	97	75	58	89	90	97	110	99	74	46	18	6	1	2	2	71
91	108	71	60	85	63	64	54	38	15	12	9	4	1	4	6	72
34	43	27	16	19	19	20	20	17	8	8	3	.....	.....	.....	.....	73
25	28	21	11	12	15	15	15	14	8	6	2	.....	.....	.....	.....	74
9	15	6	5	7	4	5	5	3	.....	2	1	.....	.....	.....	.....	75

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed (counties, exclusive of municipalities of 10,000

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	NORTH CAROLINA—continued.												
1	Charlotte (total)	594	114	33	5	13	7	172	19	21	29	38	32
2	White	336	75	23	2	9	1	110	12	11	9	15	13
3	Colored	258	39	10	3	4	6	62	7	10	20	23	19
4	Durham (total)	306	55	14	13	8	4	94	6	7	30	25	14
5	White	136	21	6	8	4	1	40	2	1	6	11	4
6	Colored	170	34	8	5	4	3	54	4	6	24	14	10
7	Greensboro (total)	311	61	18	15	5	3	102	5	6	12	24	19
8	White	172	28	5	5	2	2	42	2	2	9	12	10
9	Colored	139	33	13	10	3	1	60	3	4	3	12	9
10	Raleigh (total)	491	77	18	12	8	5	120	7	9	15	25	23
11	White	267	36	7	4	4	4	55	4	5	6	7	8
12	Colored	224	41	11	8	4	1	65	3	4	9	18	15
13	Wilmington (total)	615	151	35	12	2	2	202	7	5	19	32	27
14	White	241	51	15	4	1	.....	71	3	.....	5	8	8
15	Colored	374	100	20	8	1	2	131	4	5	14	24	19
16	Winston-Salem [1] (total)	583	113	41	14	14	8	190	19	16	40	66	32
17	White	225	50	16	8	5	2	81	5	3	7	12	10
18	Colored	358	63	25	6	9	6	109	14	13	33	54	22
	OHIO.												
19	Registration cities	35,602	6,233	1,391	621	371	318	8,934	878	502	857	1,370	1,623
20	Akron	1,160	294	58	14	18	13	397	20	15	29	51	52
21	Alliance	217	44	9	3	2	3	61	8	3	2	7	9
22	Ashtabula	248	47	16	3	2	2	70	7	6	8	15	10
23	Bellaire	205	59	11	5	4	2	81	3	2	10	3	10
24	Cambridge	160	45	10	1	2	1	59	2	.....	6	7	5
25	Canton	646	110	21	8	5	2	146	13	3	14	21	27
26	Chillicothe	285	37	10	4	.....	3	54	5	4	14	7	13
27	Cincinnati (total)	6,735	801	177	80	62	45	1,165	113	96	158	273	351
28	White	6,069	749	164	68	54	43	1,078	105	88	137	229	292
29	Colored	666	52	13	12	8	2	87	8	8	21	44	59
30	Cleveland	8,817	1,944	449	203	119	123	2,838	260	113	195	304	378
31	Columbus (total)	3,047	370	76	30	20	18	514	71	52	85	127	134
32	White	2,748	335	65	28	15	17	460	64	46	70	113	118
33	Colored	299	35	11	2	5	1	54	7	6	15	14	16
34	Dayton	1,950	321	53	27	13	10	424	59	35	36	64	90
35	East Liverpool	387	66	24	7	7	6	110	17	3	25	14	18
36	Elyria	205	30	5	1	5	2	43	11	3	3	11	4
37	Findlay	218	20	5	5	.....	2	32	2	6	8	2	9
38	Hamilton	632	90	30	9	16	7	152	21	21	22	29	28
39	Ironton	226	34	12	5	4	3	58	7	4	6	8	10
40	Lakewood	198	37	7	7	2	2	55	5	3	3	9	7
41	Lancaster	160	22	7	3	.....	.....	32	4	2	3	2	7
42	Lima	442	77	11	9	3	.....	100	10	3	13	16	28
43	Lorain	399	148	21	13	8	3	193	11	3	4	13	17
44	Mansfield	283	41	8	3	3	2	57	5	2	4	5	7
45	Marietta	196	20	3	3	4	4	34	5	2	3	6	10
46	Marion	316	45	22	13	.....	2	82	12	6	13	12	10
47	Massillon	175	31	3	2	1	.....	37	1	3	4	3	8
48	Middletown	248	61	18	10	5	.....	94	12	5	7	10	7
49	Newark	389	62	8	3	2	5	80	9	5	5	18	8
50	Norwood	198	25	2	4	3	.....	34	7	6	4	9	6
51	Piqua	223	23	8	1	.....	2	34	11	3	5	10	6
52	Portsmouth	486	89	30	17	8	10	154	17	9	15	20	25
53	Sandusky	281	30	4	.....	.....	2	36	4	2	4	11	7
54	Springfield (total)	697	98	16	8	3	6	131	8	12	13	35	25
55	White	591	85	13	8	3	5	114	6	12	12	25	18
56	Colored	106	13	3	.....	.....	1	17	2	.....	1	10	7
57	Steubenville	521	123	43	14	3	5	188	14	5	15	30	23
58	Tiffin	202	18	4	5	2	.....	29	6	5	6	10	6
59	Toledo	2,917	477	74	38	23	17	629	65	39	66	115	159
60	Warren	201	28	7	3	1	2	41	3	1	5	10	7
61	Youngstown	1,465	396	120	57	20	11	604	41	16	33	67	73
62	Zanesville	467	70	9	3	1	3	86	9	4	11	16	29
	OREGON.[2]												
63	Portland	2,347	295	51	23	14	5	388	42	26	45	92	124
	PENNSYLVANIA.												
64	Registration cities	60,846	12,508	2,878	1,237	739	559	17,921	1,571	807	1,373	2,226	2,430
65	Allentown	943	247	38	13	17	7	322	21	15	29	27	34
66	Altoona	747	168	29	11	4	4	216	27	12	23	30	32
67	Beaver Falls	188	41	7	.....	6	1	55	2	2	5	14	16
68	Bethlehem	165	26	3	5	.....	.....	34	5	2	3	1	3
69	Braddock	477	133	52	17	13	4	219	17	8	17	32	15
70	Bradford	204	20	3	.....	3	1	27	8	3	4	2	14
71	Butler	262	52	15	4	4	4	79	14	4	9	3	13
72	Carbondale	297	51	8	9	3	1	72	12	3	8	8	15

[1] Salem incorporated with Winston, May 13, 1913.

ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1913—Continued.

at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
30	35	23	18	42	31	19	29	25	16	5	5	1	1	1	2	1
8	14	16	11	23	21	14	13	21	15	5	4	.....	.....	.....	1	2
22	21	7	7	19	10	5	16	4	1	.....	1	1	1	1	1	3
14	16	10	11	16	12	15	11	10	6	4	2	.....	1	1	1	4
5	7	5	3	10	7	9	9	6	4	3	2	.....	1	1	.....	5
9	9	5	8	6	5	6	2	4	2	1	.....	.....	.....	.....	1	6
9	15	7	10	12	15	22	15	14	6	12	4	.....	.....	1	1	7
5	8	5	6	4	10	14	15	9	6	10	3	.....	.....	.....	.....	8
4	7	2	4	8	5	8	.....	5	.....	2	1	.....	.....	1	1	9
22	24	24	19	22	29	34	36	29	23	14	7	6	.....	2	1	10
10	14	15	7	14	17	19	24	22	21	11	4	3	.....	1	.....	11
12	10	9	12	8	12	15	12	7	2	3	3	3	.....	1	1	12
29	44	32	27	33	29	32	34	25	21	8	4	2	.....	1	2	13
11	16	8	11	12	12	17	22	15	14	5	1	2	.....	.....	.....	14
18	28	24	16	21	17	15	12	10	7	3	3	.....	.....	1	2	15
29	28	23	17	30	18	19	19	17	9	7	2	1	.....	.....	1	16
12	10	5	9	14	8	9	12	12	6	6	2	1	.....	.....	1	17
17	18	18	8	16	10	10	7	5	3	1	.....	.....	.....	.....	.....	18
1,656	1,851	1,825	1,842	2,085	1,972	2,156	2,182	2,070	1,706	1,212	630	196	37	11	7	19
43	52	44	48	55	69	64	67	71	30	26	19	6	1	.....	1	20
11	7	11	7	10	8	10	13	12	16	15	6	1	.....	.....	.....	21
10	11	16	9	10	11	13	12	11	19	7	2	1	.....	.....	.....	22
5	8	3	8	5	7	12	10	8	18	9	2	.....	1	.....	.....	23
7	6	5	7	6	5	10	13	6	8	4	1	2	1	.....	.....	24
31	30	34	41	30	43	44	43	43	37	27	14	5	.....	.....	.....	25
11	16	5	9	18	17	18	15	19	19	27	11	3	.....	.....	.....	26
340	386	400	428	484	434	463	459	416	355	236	134	39	3	2	.....	27
285	304	350	373	428	400	430	432	395	344	230	128	37	3	1	.....	28
55	82	50	55	56	34	33	27	21	11	6	6	2	.....	1	.....	29
412	436	449	486	482	423	484	456	431	299	229	94	35	9	3	1	30
162	193	158	179	201	189	219	206	211	150	114	68	13	1	.....	.....	31
138	165	137	152	177	174	206	192	197	145	113	67	13	1	.....	.....	32
24	28	21	27	24	15	13	14	14	5	1	1	.....	.....	.....	.....	33
92	109	97	91	117	130	128	137	131	96	63	34	12	4	.....	1	34
22	16	25	18	19	19	23	21	15	10	7	4	.....	1	.....	.....	35
9	11	9	10	9	13	17	14	15	8	8	5	2	.....	.....	.....	36
7	6	4	6	5	13	21	18	22	26	15	11	3	2	.....	.....	37
24	31	23	34	43	22	35	36	46	26	24	12	3	.....	.....	.....	38
10	7	13	6	15	10	11	18	18	12	5	5	2	.....	.....	1	39
5	7	6	9	10	10	10	16	20	10	5	6	2	.....	.....	.....	40
2	10	5	10	4	10	8	9	12	16	11	8	5	.....	.....	.....	41
22	22	23	28	18	30	23	24	38	17	17	8	1	.....	1	.....	42
16	19	17	14	16	12	16	15	15	10	4	4	.....	.....	.....	.....	43
16	16	11	8	15	22	17	22	19	25	20	8	4	.....	.....	.....	44
5	9	5	6	8	9	17	17	22	17	12	8	1	.....	.....	.....	45
13	9	12	12	15	15	17	19	18	20	22	6	1	1	.....	1	46
5	7	4	7	13	11	19	12	21	9	7	4	.....	.....	.....	.....	47
6	8	13	6	8	14	20	10	6	11	10	1	.....	.....	.....	.....	48
18	21	16	16	22	20	38	33	16	29	23	8	1	1	1	1	49
4	8	5	8	12	11	15	14	16	17	16	5	1	.....	.....	.....	50
11	8	12	9	15	20	8	19	12	18	10	7	3	1	1	.....	51
18	26	22	15	18	29	23	23	19	26	21	3	2	1	.....	.....	52
14	12	7	13	26	22	18	24	23	32	14	9	3	.....	.....	.....	53
33	30	44	30	47	41	35	63	46	41	30	22	9	1	1	.....	54
23	27	36	23	40	33	32	50	42	38	28	22	9	1	.....	.....	55
10	3	8	7	7	8	3	13	4	3	2	.....	.....	.....	1	.....	56
23	20	22	22	23	25	20	23	21	17	20	8	1	.....	.....	1	57
5	5	8	7	11	15	18	17	15	11	14	10	4	.....	.....	.....	58
132	167	181	142	206	168	160	185	164	165	93	54	18	7	2	.....	59
9	10	8	12	10	7	13	15	19	17	3	9	2	.....	.....	.....	60
75	93	87	63	56	42	54	48	44	30	20	12	5	2	.....	.....	61
28	19	21	18	23	26	35	36	29	39	24	8	6	.....	.....	.....	62
130	120	140	151	143	185	183	178	151	115	79	43	12	.....	.....	.....	63
2,492	2,921	2,969	3,049	3,450	3,271	3,556	3,635	3,370	2,748	1,801	888	287	64	13	4	64
27	41	33	38	41	43	51	50	61	51	32	19	7	1	.....	.....	65
33	31	30	27	32	35	35	61	40	37	33	10	3	.....	.....	.....	66
9	13	8	10	6	6	10	9	7	8	4	3	1	.....	.....	.....	67
3	6	7	6	8	8	16	16	16	11	8	5	5	2	.....	.....	68
22	28	21	25	20	14	15	10	6	3	4	.....	.....	.....	1	.....	69
6	9	16	9	15	12	15	21	13	15	8	3	2	2	.....	.....	70
12	18	11	9	10	15	10	18	12	16	4	4	1	.....	.....	.....	71
13	19	14	14	18	20	18	14	18	13	12	5	1	.....	.....	.....	72

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed (counties, exclusive of municipalities of 10,000

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	PENNSYLVANIA—continued.												
1	Carlisle (total)	157	37	3	----	1	----	41	1	----	3	5	6
2	White	128	33	2	----	1	----	36	----	----	2	4	5
3	Colored	29	4	1	----	----	----	5	1	----	1	1	1
4	Carnegie	140	35	15	2	5	2	59	10	1	4	4	6
5	Chambersburg	178	21	2	1	1	4	29	2	2	9	7	3
6	Chester (total)	737	157	44	17	6	4	228	23	13	18	35	28
7	White	605	133	34	12	5	1	185	18	9	16	26	21
8	Colored	132	24	10	5	1	3	43	5	4	2	9	7
9	Coatesville (total)	143	50	11	3	2	1	67	4	2	1	4	5
10	White	128	42	9	2	2	1	56	4	2	1	4	5
11	Colored	15	8	2	1	----	----	11	----	----	----	----	----
12	Columbia	138	27	4	----	2	----	33	2	5	3	4	2
13	Connellsville	180	28	8	5	1	----	42	2	1	8	8	13
14	Dubois	176	44	10	4	1	2	61	3	6	3	2	12
15	Dunmore	324	128	25	9	6	4	172	6	4	1	3	5
16	Duquesne	243	96	37	17	5	4	159	12	2	5	5	7
17	Easton	505	68	20	5	8	6	107	7	9	14	18	12
18	Erie	1,137	262	43	13	15	14	347	26	22	31	41	43
19	Farrell	186	73	25	12	2	3	115	4	2	9	19	10
20	Greensburg	250	42	13	5	4	1	65	6	6	12	15	15
21	Harrisburg	962	154	19	8	6	11	198	31	13	25	35	40
22	Hazleton	418	88	27	10	7	7	139	22	10	14	18	18
23	Homestead	294	100	33	14	3	5	155	19	9	4	6	13
24	Johnstown	1,057	271	72	35	21	12	411	47	21	30	58	42
25	Lancaster	673	98	20	8	10	7	143	15	13	13	23	16
26	Lebanon	335	83	12	7	2	2	106	5	2	5	11	8
27	McKees Rocks	295	121	46	18	6	7	198	10	2	8	6	8
28	McKeesport	694	179	53	16	15	6	269	20	10	13	39	35
29	Mahanoy City	278	98	18	11	6	3	136	6	3	6	6	11
30	Meadville	205	29	5	3	2	3	42	3	----	6	11	14
31	Monessen	187	87	14	11	6	2	120	5	3	4	7	3
32	Mount Carmel	211	70	21	8	1	2	102	3	2	7	4	7
33	Nanticoke	306	92	19	13	5	4	133	7	5	8	14	11
34	New Castle	522	133	34	13	3	7	190	10	13	19	17	23
35	Norristown	661	70	12	7	5	6	100	9	4	16	20	35
36	North Braddock	161	56	6	4	1	1	68	8	5	4	4	5
37	Oil City	253	48	5	9	1	1	64	5	3	4	10	10
38	Old Forge	179	68	24	7	5	----	104	5	4	5	2	3
39	Philadelphia (total)	25,612	4,618	996	439	274	202	6,529	549	294	493	874	993
40	White	23,405	4,150	923	407	253	176	5,909	501	258	409	740	846
41	Colored	2,207	468	73	32	21	26	620	48	36	84	134	147
42	Phoenixville	180	45	4	10	3	3	65	7	2	3	4	9
43	Pittsburgh (total)	9,550	1,957	580	245	147	108	3,037	304	128	230	399	437
44	White	8,958	1,847	535	230	143	104	2,859	280	115	206	371	405
45	Colored	592	110	45	15	4	4	178	24	13	24	28	32
46	Pittston	286	76	17	4	2	3	102	9	4	7	10	14
47	Plymouth	191	59	11	6	2	----	78	2	2	5	5	8
48	Pottstown	218	46	4	2	2	2	56	2	----	5	8	8
49	Pottsville	411	71	7	5	3	1	87	7	3	12	17	21
50	Reading	1,537	325	67	34	12	13	451	52	27	32	58	49
51	Scranton	2,057	447	96	47	27	29	646	55	30	53	78	95
52	Shamokin	259	63	18	6	3	1	91	8	4	4	6	7
53	Sharon	242	58	16	5	3	3	85	5	2	3	9	7
54	Shenandoah	521	237	42	18	13	10	320	17	4	10	15	15
55	South Bethlehem	327	151	37	9	2	3	202	10	3	3	8	5
56	Steelton	187	67	7	4	2	4	84	1	1	5	9	10
57	Sunbury	176	29	4	2	1	1	37	2	----	5	8	4
58	Uniontown	281	44	13	10	----	----	67	11	2	13	17	15
59	Warren	147	22	5	1	2	2	32	7	4	1	6	3
60	Washington	312	51	9	1	2	3	66	12	6	8	17	12
61	West Chester (total)	214	31	6	----	----	1	38	4	1	4	6	12
62	White	177	24	3	----	----	1	28	3	----	3	6	10
63	Colored	37	7	3	----	----	----	10	1	1	1	----	2
64	Wilkes-Barre	1,089	229	49	16	10	6	310	30	24	28	46	32
65	Wilkinsburg	344	39	7	4	6	3	59	11	3	11	12	16
66	Williamsport	532	73	8	6	2	4	93	11	11	14	18	19
67	York	705	119	20	9	7	4	159	11	6	14	18	28
	RHODE ISLAND.												
68	Registration cities	7,132	1,359	265	96	83	46	1,849	175	86	158	206	232
69	Central Falls	332	130	14	8	6	3	161	12	4	7	9	6
70	Cranston	260	79	15	3	1	3	101	8	4	4	2	2
71	State institutions	379	7	1	1	----	----	9	1	1	3	10	9
72	Cumberland town	123	15	4	6	2	1	28	1	4	3	4	6
73	East Providence town	248	47	7	----	4	1	59	8	2	7	4	8
74	Newport	367	38	5	1	4	1	49	3	6	9	15	17
75	Pawtucket	826	134	34	9	10	9	196	29	14	12	18	20
76	Providence	3,643	660	151	56	49	21	937	85	44	77	110	132
77	Warwick town	465	102	14	5	4	2	127	12	2	18	20	14
78	Woonsocket	489	147	20	7	3	5	182	16	5	18	14	18

ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1913—Continued.

at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
3	4	8	4	10	8	12	18	14	10	7	2	.....	1	.....	.....	1
2	3	7	2	6	8	8	17	11	9	7	1	.....	.....	.....	.....	2
1	1	1	2	4	.....	4	1	3	1	.....	1	.....	1	.....	.....	3
4	5	4	2	4	11	3	5	5	7	4	1	1	.....	.....	.....	4
1	8	11	7	6	10	11	15	20	13	14	7	3	.....	.....	.....	5
31	46	33	28	35	39	41	40	39	30	22	6	1	1	.....	.....	6
23	34	30	23	26	33	33	36	34	28	22	6	1	1	.....	.....	7
8	12	3	5	9	6	8	4	5	2	.....	.....	.....	.....	.....	.....	8
4	4	3	7	3	7	6	2	7	10	5	.....	1	1	.....	.....	9
3	4	2	7	2	7	6	2	7	9	5	.....	1	1	.....	.....	10
1	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	11
8	2	4	1	4	5	14	11	10	12	10	2	6	.....	.....	.....	12
14	8	14	8	12	9	8	7	9	10	3	3	1	.....	.....	.....	13
7	5	8	9	7	8	11	9	12	7	2	3	1	.....	.....	.....	14
12	11	10	8	16	12	13	13	11	10	7	7	3	.....	.....	.....	15
8	6	4	7	5	5	5	3	6	2	1	1	.....	.....	.....	.....	16
28	19	22	32	35	24	44	34	31	35	22	9	3	.....	.....	.....	17
37	37	42	47	68	56	54	95	63	59	45	19	4	1	.....	.....	18
3	6	3	4	4	1	1	2	2	.....	1	.....	.....	.....	.....	.....	19
17	21	17	15	8	6	7	11	5	9	6	5	3	.....	.....	1	20
45	45	39	46	63	60	61	73	71	59	37	16	4	1	.....	.....	21
13	23	18	21	26	22	15	18	17	15	8	.....	.....	1	.....	.....	22
10	13	8	11	9	8	10	5	5	4	3	1	.....	1	.....	.....	23
41	46	49	35	48	36	32	42	44	32	27	14	1	1	.....	.....	24
23	21	26	32	34	50	50	44	50	54	43	14	7	2	.....	.....	25
12	9	10	11	16	18	13	32	24	25	18	6	3	.....	1	.....	26
7	5	5	9	6	5	9	9	3	3	1	1	.....	.....	.....	.....	27
39	28	31	32	38	23	29	23	26	23	10	4	2	.....	.....	.....	28
4	8	8	9	16	12	8	19	11	10	3	2	.....	.....	.....	.....	29
10	6	8	12	11	5	12	11	21	15	7	6	2	3	.....	.....	30
7	4	7	3	6	10	1	4	3	.....	.....	.....	.....	.....	.....	.....	31
2	8	8	11	10	9	9	11	9	3	4	2	.....	.....	.....	.....	32
10	11	14	12	20	13	14	14	13	4	2	.....	.....	.....	1	.....	33
17	21	28	20	21	17	17	25	30	23	16	9	4	2	.....	.....	34
26	31	44	34	43	38	52	58	55	35	34	21	6	.....	.....	.....	35
5	10	5	9	7	4	5	7	6	2	6	.....	1	.....	.....	.....	36
9	19	7	11	10	16	15	15	20	19	10	6	.....	.....	.....	.....	37
4	6	11	8	9	3	2	6	5	1	.....	1	.....	.....	.....	.....	38
1,084	1,294	1,346	1,397	1,607	1,558	1,711	1,664	1,551	1,255	803	428	140	32	8	2	39
945	1,107	1,181	1,271	1,463	1,452	1,628	1,602	1,498	1,220	782	420	135	31	5	2	40
139	187	165	126	144	106	83	62	53	35	21	8	5	1	3	.....	41
5	5	8	5	9	7	10	10	8	11	8	3	1	.....	.....	.....	42
450	522	512	528	522	474	501	464	407	311	195	97	27	3	1	1	43
404	482	471	481	486	451	476	452	400	305	193	92	24	3	1	1	44
46	40	41	47	36	23	25	12	7	6	2	5	3	.....	.....	.....	45
15	14	13	20	15	6	12	16	16	7	5	1	.....	.....	.....	.....	46
7	7	10	8	13	10	4	10	12	5	4	1	.....	.....	.....	.....	47
6	9	5	7	9	15	16	17	18	15	14	4	4	.....	.....	.....	48
27	22	21	16	17	24	27	36	26	23	10	12	1	1	1	.....	49
55	59	53	63	38	32	35	106	95	89	55	31	6	1	.....	.....	50
89	98	112	106	139	99	102	105	110	83	36	16	4	1	.....	.....	51
5	5	9	13	11	15	15	17	18	11	14	4	2	.....	.....	.....	52
4	15	13	15	9	16	13	14	12	13	3	4	.....	.....	.....	.....	53
8	15	15	20	20	14	14	13	12	5	3	.....	1	.....	.....	.....	54
8	4	6	15	12	7	16	9	9	4	1	4	1	.....	.....	.....	55
5	10	3	6	8	11	9	15	4	3	3	.....	.....	.....	.....	.....	56
3	8	12	6	13	16	21	11	12	9	4	5	.....	.....	.....	.....	57
18	18	25	9	11	17	12	14	8	12	5	4	2	1	.....	.....	58
6	5	2	5	8	9	16	13	15	7	7	1	.....	.....	.....	.....	59
14	12	17	13	25	13	16	20	23	16	15	5	2	.....	.....	.....	60
4	4	6	13	10	17	20	15	16	20	14	7	3	.....	.....	.....	61
4	2	2	11	7	14	15	14	16	18	14	7	3	.....	.....	.....	62
.....	2	4	2	3	3	5	1	.....	2	.....	.....	.....	.....	.....	.....	63
37	66	59	60	61	53	70	81	53	39	22	10	6	2	.....	.....	64
16	20	17	19	18	25	23	17	26	21	21	7	2	.....	.....	.....	65
20	24	22	30	28	39	42	36	37	40	27	17	3	1	.....	.....	66
20	24	34	32	37	41	47	52	62	54	49	10	5	2	.....	.....	67
287	326	360	371	426	428	503	457	481	366	230	127	50	10	1	3	68
11	14	10	8	15	13	16	13	14	7	8	3	.....	1	.....	.....	69
9	4	10	7	8	15	15	15	20	18	9	7	2	.....	.....	.....	70
18	24	26	28	29	35	46	43	38	38	13	6	1	.....	.....	1	71
7	3	9	6	4	10	7	7	11	3	4	4	1	.....	.....	1	72
8	5	5	13	15	15	23	15	21	19	11	8	2	.....	.....	.....	73
14	15	18	21	28	19	34	25	27	31	10	15	11	.....	.....	.....	74
30	44	32	42	51	59	56	62	63	43	30	20	5	.....	.....	.....	75
150	173	211	204	226	228	251	222	237	164	112	50	21	9	.....	.....	76
27	28	23	22	17	18	32	29	23	26	16	7	3	.....	.....	1	77
13	16	16	20	33	16	23	26	27	17	17	7	4	.....	1	.....	78

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed (counties, exclusive of municipalities of 10,000

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	SOUTH CAROLINA.[1]												
1	Charleston (total)	1,616	323	87	41	11	11	473	28	29	55	88	111
2	White	442	68	16	10	1	1	96	5	9	13	14	13
3	Colored	1,174	255	71	31	10	10	377	23	20	42	74	98
	TENNESSEE.[1]												
4	Registration cities	4,949	574	140	70	51	33	868	121	97	218	405	374
5	Memphis (total)	2,923	319	76	34	35	13	477	74	45	128	262	255
6	White	1,336	152	34	12	18	7	223	34	22	38	82	76
7	Colored	1,587	167	42	22	17	6	254	40	23	90	180	179
8	Nashville (total)	2,026	255	64	36	16	20	391	47	52	90	143	119
9	White	1,123	152	35	21	6	13	227	29	26	44	77	50
10	Colored	903	103	29	15	10	7	164	18	26	46	66	69
	TEXAS.[1]												
11	Registration cities	4,639	889	293	111	63	38	1,394	89	79	135	272	334
12	El Paso	1,611	378	160	61	45	23	667	40	28	40	71	116
13	Galveston (total)	742	72	18	12	3	4	109	19	9	15	46	66
14	White	514	58	14	9	2	3	86	17	7	7	32	39
15	Colored	228	14	4	3	1	1	23	2	2	8	14	27
16	San Antonio (total)	2,286	439	115	38	15	11	618	30	42	80	155	152
17	White	2,017	416	110	33	13	10	582	26	38	66	120	125
18	Colored	269	23	5	5	2	1	36	4	4	14	35	27
	UTAH.												
19	Registration cities	1,608	254	52	29	16	11	362	39	34	59	80	92
20	Ogden	363	65	12	9	7	4	97	9	7	18	19	18
21	Salt Lake City	1,245	189	40	20	9	7	265	30	27	41	61	74
	VERMONT.												
22	Registration cities	806	160	30	8	14	3	215	14	12	13	22	27
23	Barre	144	19	3	4	2	1	29	2	1	2	4	5
24	Burlington	392	94	15	3	6	1	119	7	6	3	10	11
25	Rutland	270	47	12	1	6	1	67	5	5	8	8	11
	VIRGINIA.												
26	Registration cities (total)	7,906	1,476	308	112	70	43	2,009	140	121	246	412	442
27	White	4,037	679	159	53	29	28	948	79	60	97	162	181
28	Colored	3,869	797	149	59	41	15	1,061	61	61	149	250	261
29	Alexandria (total)	272	55	5	2	4	4	70	2	4	5	7	8
30	White	154	30	3	.....	1	3	37	1	4	2	3	5
31	Colored	118	25	2	2	3	1	33	1	.....	3	4	3
32	Danville (total)	375	74	27	7	3	2	113	10	6	17	19	24
33	White	219	47	24	3	.....	1	75	6	2	9	10	15
34	Colored	156	27	3	4	3	1	38	4	4	8	9	9
35	Lynchburg (total)	593	126	36	9	3	3	177	12	11	16	34	27
36	White	307	48	23	6	2	2	81	9	6	12	14	16
37	Colored	286	78	13	3	1	1	96	3	5	4	20	11
38	Newport News (total)	335	51	16	4	2	3	76	10	8	11	30	28
39	White	158	30	10	2	2	2	46	5	2	3	10	5
40	Colored	177	21	6	2	.....	1	30	5	6	8	20	23
41	Norfolk (total)	1,662	291	51	19	18	9	388	35	22	54	81	122
42	White	716	111	15	9	6	5	146	17	11	12	26	42
43	Colored	946	180	36	10	12	4	242	18	11	42	55	80
44	Petersburg (total)	596	128	30	6	5	2	171	12	10	16	28	26
45	White	228	43	11	.....	2	.....	56	5	3	2	10	11
46	Colored	368	85	19	6	3	2	115	7	7	14	18	15
47	Portsmouth (total)	499	83	19	11	3	2	118	2	10	19	39	27
48	White	223	39	6	6	1	2	54	1	6	8	9	7
49	Colored	276	44	13	5	2	.....	64	1	4	11	30	20
50	Richmond (total)	2,718	507	85	34	26	15	667	45	37	78	137	132
51	White	1,412	233	39	17	10	10	309	27	19	30	55	48
52	Colored	1,306	274	46	17	16	5	358	18	18	48	82	84
53	Roanoke (total)	604	133	38	16	6	3	196	11	13	25	27	40
54	White	403	80	27	8	5	3	123	8	7	14	16	26
55	Colored	201	53	11	8	1	.....	73	3	6	11	11	14
56	Staunton (total)	252	28	1	4	.....	.....	33	1	.....	5	10	8
57	White	217	18	1	2	.....	.....	21	.....	.....	5	9	6
58	Colored	35	10	.....	2	.....	.....	12	1	.....	.....	1	2
	WASHINGTON.												
59	Registration cities	5,704	737	141	82	52	39	1,051	103	79	133	281	309
60	Aberdeen	140	26	3	2	3	.....	34	2	1	1	9	14
61	Bellingham	283	32	6	2	5	2	47	10	3	7	13	12
62	Everett	285	36	9	4	2	3	54	6	2	14	15	16
63	North Yakima	205	24	4	.....	2	3	33	4	3	5	7	8
64	Seattle	2,471	303	56	40	20	15	434	40	30	56	118	138
65	Spokane	1,139	154	31	14	11	8	218	23	17	24	48	58
66	Tacoma	990	136	27	17	5	4	189	14	20	21	61	60
67	Walla Walla	191	26	5	3	4	4	42	4	3	5	10	3

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1913—Continued.

at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
97	101	97	102	95	76	82	60	58	25	20	14	4	.....	1	.....	1
12	22	21	26	27	33	37	33	40	18	13	9	1	.....	.....	.....	2
85	79	76	76	68	43	45	27	18	7	7	5	3	.....	1	.....	3
362	344	310	297	308	266	265	235	188	125	91	38	22	6	6	3	4
222	230	197	185	190	136	147	130	94	62	48	20	12	5	1	3	5
79	92	86	94	102	76	78	81	65	50	32	11	9	4	.....	2	6
143	138	111	91	88	60	69	49	29	12	16	9	3	1	1	1	7
140	114	113	112	118	130	118	105	94	63	43	18	10	1	5	.....	8
63	45	55	59	62	75	67	71	64	54	37	13	4	.....	1	.....	9
77	69	58	53	56	55	51	34	30	9	6	5	6	1	4	.....	10
271	299	258	244	232	194	204	182	153	122	87	58	14	6	7	5	11
94	94	80	70	75	40	53	42	34	24	14	17	6	1	3	2	12
51	66	49	50	56	45	40	41	30	24	9	7	2	4	2	2	13
29	35	32	32	35	34	27	35	28	20	8	6	1	1	2	1	14
22	31	17	18	21	11	13	6	2	4	1	1	1	3	.....	1	15
126	139	129	124	101	109	111	99	89	74	64	34	6	1	2	1	16
106	116	103	110	84	98	100	93	83	65	59	33	6	1	2	1	17
20	23	26	14	17	11	11	6	6	9	5	1	.....	.....	.....	.....	18
90	89	72	86	102	86	76	79	96	70	59	26	7	3	1	.....	19
18	19	13	16	17	21	15	14	20	18	12	10	1	1	.....	.....	20
72	70	59	70	85	65	61	65	76	52	47	16	6	2	1	.....	21
30	39	35	38	48	33	45	52	58	53	33	29	7	3	.....	.....	22
9	11	10	8	16	11	4	13	6	7	1	4	1	.....	.....	.....	23
15	13	15	19	19	11	25	29	29	23	19	13	4	2	.....	.....	24
6	15	10	11	13	11	16	10	23	23	13	12	2	1	.....	.....	25
408	480	496	431	470	456	432	385	379	288	160	93	29	7	7	15	26
161	180	214	177	223	249	256	282	292	239	135	79	18	2	.....	3	27
247	300	282	254	247	207	176	103	87	49	25	14	11	5	7	12	28
12	17	13	12	14	19	14	23	23	12	6	6	3	1	.....	1	29
4	4	5	9	9	10	6	20	19	8	4	3	1	.....	.....	.....	30
8	13	8	3	5	9	8	3	4	4	2	3	2	1	.....	1	31
18	18	19	20	19	18	17	14	15	14	4	7	1	.....	.....	2	32
12	9	11	5	8	7	9	11	9	11	2	6	1	.....	.....	1	33
6	9	8	15	11	11	8	3	6	3	2	1	.....	.....	.....	1	34
20	20	33	32	33	29	31	38	25	25	16	5	6	1	2	.....	35
11	6	15	11	15	16	16	25	18	13	14	5	4	.....	.....	.....	36
9	14	18	21	18	13	15	13	7	12	2	.....	2	1	2	.....	37
15	28	22	19	18	21	17	11	7	6	3	1	.....	1	.....	3	38
6	10	15	7	10	13	6	9	3	4	2	1	.....	.....	.....	1	39
9	18	7	12	8	8	11	2	4	2	1	.....	.....	1	.....	2	40
103	133	138	88	109	75	78	69	69	40	32	17	4	1	2	2	41
35	45	51	32	50	36	45	50	44	32	26	14	2	.....	.....	.....	42
68	88	87	56	59	39	33	19	25	8	6	3	2	1	2	2	43
25	36	27	42	43	29	32	35	23	23	10	6	2	.....	.....	.....	44
8	9	8	14	15	14	13	21	11	18	6	4	.....	.....	.....	.....	45
17	27	19	28	28	15	19	14	12	5	4	2	2	.....	.....	.....	46
30	24	40	26	22	32	24	21	25	15	8	8	3	.....	.....	6	47
9	6	12	7	8	16	19	11	23	12	6	7	2	.....	.....	.....	48
21	18	28	19	14	16	5	10	2	3	2	1	1	.....	.....	6	49
141	159	163	150	170	188	158	132	138	117	63	29	9	3	2	.....	50
48	61	65	61	77	102	92	99	117	106	60	26	8	2	.....	.....	51
93	98	98	89	93	86	66	33	21	11	3	3	1	1	2	.....	52
35	36	26	24	29	24	38	19	26	17	8	9	.....	.....	1	.....	53
19	21	18	16	19	18	28	16	22	17	7	8	.....	.....	.....	.....	54
16	15	8	8	10	6	10	3	4	.....	1	1	.....	.....	1	.....	55
9	9	15	18	13	21	23	23	28	19	10	5	1	.....	.....	1	56
9	9	14	15	12	17	22	20	26	18	8	5	.....	.....	.....	1	57
.....	.....	1	3	1	4	1	3	2	1	2	.....	1	.....	.....	.....	58
293	357	337	348	443	389	362	322	325	261	184	83	26	5	2	11	59
8	13	10	5	9	10	3	3	3	6	1	2	1	1	.....	4	60
11	13	13	11	15	24	23	17	26	18	14	3	2	1	.....	.....	61
13	12	20	18	16	23	18	17	10	14	9	7	.....	1	.....	.....	62
9	10	18	17	17	16	15	12	9	7	10	5	.....	.....	.....	.....	63
130	172	153	152	215	153	155	136	148	115	81	30	9	.....	1	5	64
60	71	62	84	101	74	72	63	62	52	27	14	8	.....	.....	1	65
54	58	58	47	64	80	54	63	52	40	30	17	5	2	.....	1	66
8	8	3	14	6	9	22	11	15	9	12	5	1	.....	1	.....	67

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed (counties, exclusive of municipalities of 10,000

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	WEST VIRGINIA.[1]												
1	Wheeling	716	103	33	9	10	4	159	16	12	30	34	35
	WISCONSIN.												
2	Registration cities	10,592	2,191	361	170	126	97	2,945	285	160	248	404	436
3	Appleton	220	29	3	2	3	1	38	4	8	4	8	8
4	Ashland	215	19	6	5	2	.....	32	8	3	8	14	7
5	Beloit	182	25	5	1	1	2	34	10	2	5	6	7
6	Eau Claire	305	30	9	4	9	.....	52	7	6	8	10	15
7	Fond du Lac	296	36	2	2	.....	2	42	6	4	4	14	13
8	Green Bay	477	142	15	7	2	2	168	3	7	14	17	20
9	Janesville	208	18	4	2	1	2	27	7	5	3	10	7
10	Kenosha	257	74	9	3	4	3	93	6	.....	10	13	12
11	La Crosse	419	51	4	9	4	3	71	7	8	11	19	15
12	Madison	359	43	8	4	2	2	59	14	1	6	21	15
13	Manitowoc	202	32	6	2	2	3	45	2	2	6	12	8
14	Marinette	169	26	7	.....	2	1	36	9	4	7	4	5
15	Milwaukee	5,183	1,262	218	90	71	59	1,700	154	75	126	170	210
16	Oshkosh	477	80	9	7	5	4	105	13	6	6	16	15
17	Racine	504	102	15	7	6	4	134	14	5	11	16	28
18	Sheboygan	378	87	16	7	4	2	116	9	8	6	13	15
19	Superior	508	97	18	14	7	7	143	4	9	5	33	24
20	Wausau	233	38	7	4	1	.....	50	8	7	8	8	12

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1913—Continued.

at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—														Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
31	52	33	49	45	36	44	43	37	30	15	12	2	.....	.....	1	1
431	443	406	455	569	603	593	608	621	540	422	267	115	20	1	20	2
8	8	11	7	12	15	25	10	21	12	11	5	5	.....	.....	.....	3
11	15	17	10	24	10	16	10	11	7	4	3	1	.....	.....	4	4
4	9	3	7	6	14	12	17	6	18	13	7	.....	1	.....	1	5
7	10	12	18	15	24	14	32	31	16	17	7	3	1	.....	.....	6
8	14	9	11	16	25	20	18	19	25	17	20	6	3	.....	2	7
13	26	19	13	28	18	20	25	23	23	15	17	3	1	1	3	8
3	7	8	13	13	12	10	11	24	16	18	8	5	.....	.....	1	9
9	15	13	7	12	13	10	13	16	4	4	2	5	.....	.....	.....	10
21	14	24	18	18	20	28	35	33	31	23	14	6	1	.....	2	11
17	15	16	18	18	20	29	18	22	22	23	16	5	1	.....	3	12
5	6	3	6	14	13	11	16	14	13	9	10	7	.....	.....	.....	13
4	7	6	4	10	14	10	10	12	11	9	6	1	.....	.....	.....	14
207	203	192	223	265	296	265	283	265	224	181	95	43	6	.....	.....	15
14	18	19	18	38	22	31	26	39	39	23	19	7	2	.....	1	16
25	25	21	18	27	30	28	32	28	21	19	11	7	1	.....	3	17
15	16	7	14	11	15	25	15	22	27	20	17	7	.....	.....	.....	18
42	30	18	40	31	30	27	24	12	18	7	6	4	1	.....	.....	19
18	5	8	10	11	12	12	13	23	13	9	4	.....	2	.....	.....	20

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	SUMMARY.														
1	The registration area (total)	890,848	11,323	1,565	125	8,108	5,498	6,332	11,920	7,725	2,525	80,812	5,467	7,142	4,490
2	White	820,204	10,079	1,053	109	7,735	5,403	5,625	11,567	7,122	2,450	69,521	5,025	6,231	4,178
3	Colored	70,644	1,244	512	16	373	95	707	353	603	75	11,291	442	911	312
4	Registration states [1] (total)	809,593	10,393	1,211	115	7,553	4,471	6,013	10,604	7,214	2,333	72,772	5,082	6,492	4,133
5	White	755,810	9,350	953	101	7,218	4,390	5,401	10,328	6,789	2,276	63,783	4,692	5,767	3,878
6	Colored	53,783	1,043	258	14	335	81	612	276	425	57	8,989	390	725	255
7	Cities in registration states [1] (total)	439,478	4,697	290	34	3,962	2,827	2,728	6,324	2,489	1,407	40,693	3,476	3,380	2,180
8	White	410,297	4,268	191	28	3,829	2,788	2,473	6,193	2,275	1,368	35,889	3,192	2,989	2,042
9	Colored	29,181	429	99	6	133	39	255	131	214	39	4,804	284	391	138
10	Rural part of registration states (total)	370,115	5,696	921	81	3,591	1,644	3,285	4,280	4,725	926	32,079	1,606	3,112	1,953
11	White	345,513	5,082	762	73	3,389	1,602	2,928	4,135	4,514	908	27,894	1,500	2,778	1,836
12	Colored	24,602	614	159	8	202	42	357	145	211	18	4,185	106	334	117
13	Registration cities in other states (total)	81,255	930	354	10	555	1,027	319	1,316	511	192	8,040	385	650	357
14	White	64,394	729	100	8	517	1,013	224	1,239	333	174	5,738	333	464	300
15	Colored	16,861	201	254	2	38	14	95	77	178	18	2,302	52	186	57
16	All registration cities [1] (total)	520,733	5,627	644	44	4,517	3,854	3,047	7,640	3,000	1,599	48,733	3,861	4,030	2,537
17	White	474,691	4,997	291	36	4,346	3,801	2,697	7,432	2,608	1,542	41,627	3,525	3,453	2,342
18	Colored	46,042	630	353	8	171	53	350	208	392	57	7,106	336	577	195
	REGISTRATION STATES.														
19	California (total)	38,606	424	57	15	155	89	118	181	276	92	4,690	316	416	145
20	White	36,499	387	48	15	147	79	110	176	268	88	4,247	283	388	140
21	Colored	2,107	37	9	.....	8	10	8	5	8	4	443	33	28	5
22	Colorado (total)	10,197	150	.....	.....	35	152	66	66	48	39	1,507	69	66	44
23	White	9,938	148	.....	.....	35	149	66	65	48	37	1,448	68	64	43
24	Colored	259	2	.....	.....	.....	3	.....	1	.....	2	59	1	2	1
25	Connecticut (total)	17,719	133	16	1	100	115	90	226	197	54	1,430	125	105	85
26	White	17,353	128	16	1	100	115	89	224	194	54	1,377	119	104	84
27	Colored	366	5	.....	.....	.....	.....	1	2	3	.....	53	6	1	1
28	Indiana (total)	36,699	693	72	12	444	201	322	513	395	103	3,452	230	454	154
29	White	35,216	661	66	12	438	199	306	505	387	100	3,180	218	419	146
30	Colored	1,483	32	6	.....	6	2	16	8	8	3	272	12	35	8
31	Kentucky (total)	30,646	998	190	4	396	56	544	575	395	93	4,116	202	389	151
32	White	25,034	831	136	4	380	56	450	546	307	86	3,109	166	297	114
33	Colored	5,612	167	54	.....	16	.....	94	29	88	7	1,007	36	92	37
34	Maine (total)	11,565	91	5	2	62	17	39	88	173	15	729	86	147	46
35	White	11,535	91	5	2	61	17	39	88	173	15	724	86	147	46
36	Colored	30	.....	.....	.....	1	.....	.....	.....	.....	.....	5	.....	.....	.....
37	Maryland (total)	21,493	443	23	2	201	69	205	203	194	40	2,322	104	161	76
38	White	15,758	291	14	1	155	66	110	174	141	36	1,446	75	100	63
39	Colored	5,735	152	9	1	46	3	95	29	53	4	876	29	61	13
40	Massachusetts (total)	53,286	279	13	.....	499	311	305	624	328	137	4,286	452	379	221
41	White	52,396	275	13	.....	495	310	294	616	326	137	4,129	439	359	219
42	Colored	890	4	.....	.....	4	1	11	8	2	.....	157	13	20	2
43	Michigan (total)	40,816	539	17	4	253	281	276	676	339	132	2,273	150	270	298
44	White	40,220	534	17	4	250	281	275	673	335	131	2,186	146	260	206
45	Colored	596	5	.....	.....	3	.....	1	3	4	1	87	4	10	2
46	Minnesota (total)	22,787	235	1	12	207	185	143	219	186	76	1,920	178	244	123
47	White	22,412	234	1	12	205	184	140	215	185	76	1,830	174	237	121
48	Colored	375	1	.....	.....	2	1	3	4	1	.....	90	4	7	2
49	Missouri (total)	41,561	820	427	9	429	143	309	587	569	108	4,251	204	359	227
50	White	37,783	762	401	8	423	141	267	573	538	101	3,438	184	304	207
51	Colored	3,778	58	26	1	17	2	42	14	31	7	813	20	55	20
52	Montana (total)	5,033	95	1	3	54	119	46	23	30	16	391	25	40	30
53	White	4,625	87	1	3	35	90	42	17	30	15	321	20	34	27
54	Colored	408	8	.....	.....	19	29	4	6	.....	1	70	5	6	3
55	New Hampshire (total)	7,459	52	.....	2	54	13	41	56	72	9	432	47	46	33
56	White	7,454	52	.....	2	54	13	40	56	72	9	431	47	46	33
57	Colored	5	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
58	New Jersey (total)	39,437	265	14	.....	214	230	355	585	245	129	3,690	282	265	204
59	White	37,406	249	11	.....	209	227	323	575	235	128	3,358	240	238	192
60	Colored	2,031	16	3	.....	5	3	32	10	10	1	332	22	27	12
61	New York (total	145,522	999	42	2	1,120	891	763	1,896	1,057	483	14,176	1,214	848	774
62	White	142,135	981	40	2	1,109	884	733	1,866	1,043	477	13,471	1,157	811	763
63	Colored	3,387	18	2	.....	11	7	30	30	14	6	705	57	37	11
64	North Carolina [2] (total)	6,684	228	75	10	107	11	114	51	73	15	809	34	69	24
65	White	3,545	130	29	8	83	9	60	31	41	14	385	22	33	10
66	Colored	3,139	98	46	2	24	2	54	20	32	1	424	12	36	14

[1] Includes District of Columbia.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes the abridged International List. (See p. 22.)]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
49,928	9,660	6,599	48,378	87,755	11,388	83,778	8,813	47,605	7,648	7,342	8,497	65,106	4,542	5,468	52,599	58,573	9,988	155,251	8,393	1
48,081	9,390	6,038	45,734	81,554	10,478	76,729	8,040	44,662	7,292	6,856	8,056	59,749	4,170	4,997	49,410	53,866	9,712	143,008	6,284	2
1,847	270	561	2,644	6,201	910	7,049	773	2,943	356	486	441	5,357	372	471	3,189	4,712	276	12,243	2,609	3
45,833	8,971	5,919	45,193	80,651	10,747	75,214	8,065	42,092	6,722	6,668	7,537	58,391	4,070	4,974	48,792	53,209	8,961	141,016	8,182	4
44,372	8,749	5,545	43,155	75,873	9,996	69,850	7,487	39,783	6,466	6,306	7,226	54,588	3,787	4,611	46,292	49,773	8,735	132,272	6,018	5
1,461	222	374	2,038	4,778	751	5,364	578	2,309	256	362	311	3,803	283	363	2,500	3,436	226	8,744	2,164	6
25,672	5,085	3,196	21,996	43,350	5,939	45,669	4,325	24,731	4,547	4,023	4,719	34,750	2,353	2,678	26,552	27,695	5,432	70,775	1,504	7
24,797	4,947	2,974	20,825	40,474	5,461	42,167	3,974	23,508	4,366	3,787	4,524	32,414	2,200	2,509	25,120	25,957	5,287	66,236	1,245	8
875	138	222	1,171	2,876	478	3,502	351	1,223	181	236	195	2,336	153	169	1,432	1,738	145	4,539	259	9
20,161	3,886	2,723	23,197	37,301	4,808	29,545	3,740	17,361	2,175	2,645	2,818	23,641	1,717	2,296	22,240	25,514	3,529	70,241	6,678	10
19,575	3,802	2,571	22,330	35,399	4,535	27,683	3,513	16,275	2,100	2,519	2,702	22,174	1,587	2,102	21,172	23,816	3,448	66,036	4,773	11
586	84	152	867	1,902	273	1,862	227	1,086	75	126	116	1,467	130	194	1,068	1,698	81	4,205	1,905	12
4,095	689	680	3,185	7,104	641	8,564	748	5,513	926	674	960	6,715	472	494	3,807	5,369	1,027	14,235	711	13
3,709	641	493	2,579	5,681	482	6,879	553	4,879	826	550	830	5,161	383	386	3,118	4,093	977	10,736	266	14
386	48	187	606	1,423	159	1,685	195	634	100	124	130	1,554	89	108	689	1,276	50	3,499	445	15
29,767	5,774	3,876	25,181	50,454	6,580	54,233	5,073	30,244	5,473	4,697	5,679	41,465	2,825	3,172	30,359	33,064	6,459	85,010	2,215	16
28,506	5,588	3,467	23,404	46,155	5,943	49,046	4,527	28,387	5,192	4,337	5,354	37,575	2,583	2,895	28,238	30,050	6,264	76,972	1,511	17
1,261	186	409	1,777	4,299	637	5,187	546	1,857	281	360	325	3,890	242	277	2,121	3,014	195	8,038	704	18
2,603	500	354	2,203	4,758	364	2,890	440	1,218	377	374	482	2,633	168	217	1,485	3,154	839	6,525	48	19
2,531	494	327	2,128	4,595	345	2,713	417	1,116	357	343	466	2,534	152	205	1,380	2,969	794	6,216	41	20
72	6	27	75	163	19	177	23	102	20	31	16	99	16	12	105	185	45	309	7	21
448	88	97	359	761	100	1,055	158	382	136	110	63	667	66	75	662	824	187	1,699	18	22
442	87	95	354	728	98	1,030	156	380	133	108	59	652	64	73	657	806	182	1,647	16	23
6	1	2	5	33	2	25	2	2	3	2	4	15	2	2	5	18	5	52	2	24
1,006	244	152	1,261	1,828	256	1,789	184	981	116	133	145	1,324	56	87	1,128	1,100	182	2,958	112	25
983	239	148	1,239	1,793	252	1,759	178	973	114	128	142	1,290	54	85	1,105	1,074	179	2,904	109	26
23	5	4	22	35	4	30	6	8	2	5	3	34	2	2	23	26	3	54	3	27
2,239	462	166	2,303	3,823	407	2,689	251	1,862	288	311	336	2,558	220	198	1,949	2,534	440	6,579	39	28
2,191	449	164	2,240	3,652	384	2,562	233	1,821	278	294	319	2,463	211	189	1,890	2,416	427	6,357	39	29
48	13	2	63	171	23	127	18	41	10	17	17	95	9	9	59	118	13	222	.....	30
1,122	172	460	1,001	2,041	355	2,314	337	1,299	173	204	193	1,876	181	192	2,023	1,902	200	5,677	815	31
993	161	412	813	1,621	268	1,860	263	1,149	152	176	160	1,477	150	168	1,756	1,455	189	4,645	684	32
129	11	48	188	420	87	454	74	150	21	28	33	399	31	24	267	447	11	1,032	131	33
815	128	88	867	1,329	157	1,101	122	465	84	82	58	780	28	58	608	544	101	2,472	178	34
813	128	88	867	1,327	156	1,101	122	465	84	81	58	778	28	58	605	541	100	2,463	178	35
2	.....	.....	.....	2	1	.....	.....	.....	.....	1	.....	2	.....	.....	3	3	1	9	.....	36
1,102	182	174	1,199	1,868	320	1,954	201	1,345	129	166	139	1,863	112	125	1,455	1,083	204	3,561	268	37
948	158	127	963	1,388	215	1,309	154	1,006	103	134	110	1,410	78	85	1,069	820	194	2,676	139	38
154	24	47	236	480	105	645	47	339	26	32	29	453	34	40	386	263	10	885	129	39
3,597	727	424	3,508	6,496	794	5,494	429	3,077	410	435	365	3,226	187	323	3,134	2,871	476	9,275	204	40
3,565	719	421	3,470	6,384	775	5,394	422	3,046	405	430	363	3,171	182	319	3,093	2,813	471	9,141	200	41
32	8	3	38	112	19	100	7	31	5	5	2	55	5	4	41	58	5	134	4	42
2,392	480	358	2,342	4,469	672	2,894	482	1,742	372	443	327	2,200	273	305	2,984	2,678	409	9,205	371	43
2,379	477	352	2,319	4,414	666	2,846	476	1,701	369	437	324	2,154	268	301	2,962	2,642	405	9,071	359	44
13	3	6	23	55	6	48	6	41	3	6	3	46	5	4	22	36	4	134	12	45
1,638	297	107	1,138	2,025	269	1,768	235	900	353	224	163	1,581	120	199	1,604	1,754	304	4,142	237	46
1,632	294	107	1,132	1,996	267	1,736	230	877	352	222	162	1,561	119	197	1,596	1,733	301	4,083	201	47
6	3	.....	6	29	2	32	5	23	1	2	1	20	1	2	8	21	3	59	36	48
2,250	436	348	1,787	3,216	594	3,825	360	1,934	431	348	449	3,194	313	268	2,272	2,541	586	7,315	641	49
2,137	414	321	1,678	2,865	542	3,411	330	1,828	407	311	416	2,902	295	254	2,159	2,276	567	6,736	587	50
113	22	27	109	351	52	414	30	106	24	37	33	292	18	14	113	265	19	579	54	51
207	44	60	155	381	48	508	56	162	89	35	54	247	37	43	284	608	115	902	125	52
205	43	56	150	368	45	437	50	155	86	35	48	236	35	41	278	588	112	845	90	53
2	1	4	5	13	3	71	6	7	3	.....	6	11	2	2	6	20	3	57	35	54
456	103	81	547	817	120	641	85	420	55	62	49	519	18	41	521	341	75	1,598	53	55
456	103	81	547	817	120	641	85	420	55	62	49	518	18	41	520	341	74	1,598	53	56
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	57
2,156	458	267	2,470	3,985	527	4,147	412	2,472	280	269	429	3,349	215	231	2,407	2,437	452	5,911	105	58
2,088	443	259	2,379	3,788	486	3,899	390	2,369	271	254	421	3,179	204	217	2,270	2,346	444	5,620	94	59
68	15	8	91	197	41	248	22	103	9	15	8	170	11	14	137	91	8	291	11	60
8,531	1,834	691	7,911	15,629	1,895	16,649	1,100	7,250	1,182	1,194	1,608	13,085	600	758	8,551	8,378	1,549	22,721	141	61
8,433	1,817	673	7,802	15,296	1,850	16,163	1,091	7,115	1,163	1,170	1,590	12,771	582	743	8,383	8,208	1,530	22,290	128	62
98	17	18	109	333	45	486	9	135	19	24	18	314	18	15	168	170	19	431	13	63
190	25	93	296	502	57	475	65	454	67	40	35	417	25	72	370	377	29	1,206	269	64
120	21	40	195	250	22	188	39	251	51	23	22	225	8	41	256	172	24	654	88	65
70	4	53	101	252	35	287	26	203	16	17	13	192	17	31	114	205	5	552	181	66

[2] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION STATES—Continued.														
1	Ohio (total)	68,493	1,191	46	6	679	323	678	1,056	707	191	5,614	336	613	349
2	White	65,662	1,138	40	4	671	320	640	1,040	684	188	5,082	319	578	336
3	Colored	2,831	53	6	2	8	3	38	16	23	3	532	17	35	13
4	Pennsylvania (total)	117,994	1,470	34	12	1,578	915	898	2,099	994	407	8,475	533	794	770
5	White	113,386	1,402	31	11	1,542	906	840	2,075	978	400	7,683	487	723	733
6	Colored	4,608	68	3	1	36	9	58	24	16	7	792	46	71	37
7	Rhode Island (total)	8,698	48	4	.....	71	21	40	141	75	25	773	87	83	26
8	White	8,434	47	4	.....	71	19	36	140	73	25	727	83	75	26
9	Colored	264	1	.....	.....	.....	2	4	1	2	.....	46	4	8	.....
10	Utah (total)	4,444	90	4	6	128	15	40	33	45	13	168	12	18	32
11	White	4,329	90	4	6	123	15	40	33	45	13	147	11	16	32
12	Colored	115	.....	.....	.....	5	.....	.....	.....	.....	.....	21	1	2	.....
13	Vermont (total)	5,688	28	2	.....	73	18	40	35	127	6	318	26	43	21
14	White	5,677	28	2	.....	73	18	40	35	126	6	317	26	43	21
15	Colored	11	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
16	Virginia (total)	29,647	709	152	8	363	55	282	302	286	54	3,184	122	285	148
17	White	16,997	421	62	1	253	52	180	240	181	47	1,485	82	149	80
18	Colored	12,650	288	90	7	110	3	102	62	105	7	1,699	40	136	68
19	Washington (total)	11,397	139	1	2	108	31	103	42	88	28	1,007	111	124	43
20	White	10,927	132	1	2	103	31	101	42	84	26	922	104	111	43
21	Colored	470	7	.....	.....	5	.....	2	.....	4	2	85	7	13	.....
22	Wisconsin (total)	27,716	217	7	3	185	196	179	300	270	65	2,039	123	206	179
23	White	27,520	216	6	3	184	196	177	300	269	64	2,006	122	204	179
24	Colored	196	1	1	.....	1	.....	2	.....	1	1	33	1	2	.....
	REGISTRATION CITIES.														
	ALABAMA.[1]														
25	Registration cities (total)	4,773	100	60	.....	12	1	38	6	42	4	527	15	55	14
26	White	2,007	53	12	.....	7	1	20	3	14	3	142	10	17	4
27	Colored	2,766	47	48	.....	5	.....	18	3	28	1	385	5	38	10
28	Birmingham (total)	2,749	57	28	.....	11	1	24	3	13	.....	309	11	46	11
29	White	1,176	27	5	.....	7	1	16	2	2	.....	74	6	16	4
30	Colored	1,573	30	23	.....	4	.....	8	1	11	.....	235	5	30	7
31	Mobile (total)	1,135	28	29	.....	.....	.....	7	1	17	4	160	2	4	1
32	White	515	17	7	.....	.....	.....	4	1	9	3	57	2	.....	.....
33	Colored	620	11	22	.....	.....	.....	3	.....	8	1	103	.....	4	1
34	Montgomery (total)	889	15	3	.....	1	.....	7	2	12	.....	58	2	5	2
35	White	316	9	.....	.....	.....	.....	.....	.....	3	.....	11	2	1	.....
36	Colored	573	6	3	.....	1	.....	7	2	9	.....	47	.....	4	2
	CALIFORNIA.														
37	Registration cities (total)	22,616	246	18	5	78	50	62	121	127	56	2,746	215	237	92
38	White	21,339	221	13	5	76	42	59	119	122	54	2,447	189	218	88
39	Colored	1,277	25	5	.....	2	8	3	2	5	2	299	26	19	4
40	Alameda	290	1	.....	.....	.....	1	.....	.....	1	2	25	3	4	1
41	Bakersfield	321	11	.....	.....	3	8	.....	3	2	2	47	3	3	2
42	Berkeley	456	4	.....	4	.....	.....	.....	1	1	.....	30	4	4	.....
43	Eureka	255	5	.....	.....	.....	.....	.....	.....	1	1	22	.....	3	1
44	Fresno	420	7	.....	.....	2	3	1	5	6	3	34	3	5	2
45	Long Beach	482	4	1	.....	.....	.....	1	2	3	1	24	3	3	3
46	Los Angeles (total)	6,199	50	1	.....	55	13	28	41	39	16	963	54	50	30
47	White	5,834	45	1	.....	54	13	25	40	36	14	869	43	44	29
48	Colored	365	5	.....	.....	1	.....	3	1	3	2	94	11	6	1
49	Oakland	2,197	21	1	.....	.....	2	2	24	9	4	187	19	21	9
50	Pasadena	470	2	.....	.....	1	.....	.....	1	6	.....	62	2	2	1
51	Pomona	155	2	.....	.....	.....	.....	1	.....	.....	1	21	.....	.....	.....
52	Redlands	150	1	.....	.....	1	.....	.....	1	.....	.....	40	2	1	1
53	Riverside (total)	231	4	.....	.....	.....	.....	.....	2	5	.....	36	4	3	1
54	White	210	4	.....	.....	.....	.....	.....	1	5	.....	31	4	2	1
55	Colored	21	.....	.....	.....	.....	.....	.....	1	.....	.....	5	.....	1	.....
56	Sacramento	1,108	32	9	.....	1	5	3	5	7	2	141	9	13	4
57	San Bernardino	323	5	.....	.....	.....	.....	1	1	2	2	79	5	6	2
58	San Diego	1,073	13	1	.....	3	.....	2	4	16	1	148	8	18	4
59	San Francisco (total)	7,002	71	5	.....	8	18	16	29	21	17	718	88	78	27
60	White	6,665	66	4	.....	8	18	16	29	20	17	639	80	75	26
61	Colored	337	5	1	.....	.....	.....	.....	.....	1	.....	79	8	3	1
62	San Jose	452	5	.....	.....	.....	.....	3	.....	1	1	44	4	11	2
63	Santa Barbara	228	1	.....	.....	1	.....	1	.....	4	.....	25	2	.....	.....
64	Santa Cruz	174	.....	.....	.....	2	.....	.....	.....	2	.....	22	.....	3	.....
65	Stockton	460	5	.....	1	.....	.....	3	2	.....	3	64	2	9	2
66	Vallejo	170	2	.....	.....	1	.....	.....	.....	1	.....	14	.....	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
4,061	800	508	4,668	7,485	831	5,534	501	3,595	544	556	746	4,348	358	335	3,631	5,365	739	11,725	374	1
3,970	780	482	4,532	7,117	815	5,240	475	3,508	527	538	728	4,178	347	321	3,549	5,092	730	11,340	353	2
91	20	26	136	368	16	294	26	87	17	18	18	170	11	14	82	273	9	385	21	3
5,854	952	678	6,125	10,176	1,649	12,390	1,584	8,617	766	919	1,145	8,354	641	781	8,221	8,532	1,073	19,551	1,007	4
5,701	934	668	6,010	9,777	1,586	11,765	1,523	8,382	745	887	1,122	7,989	618	758	7,979	8,259	1,056	18,843	973	5
153	18	10	115	399	63	625	61	235	21	32	23	365	23	23	242	273	17	708	34	6
541	141	52	544	922	127	851	57	485	69	71	84	718	23	50	541	489	86	1,407	46	7
536	137	50	537	882	125	825	56	475	65	69	81	702	23	49	527	476	86	1,368	39	8
5	4	2	7	40	2	26	1	10	4	2	3	16	-------	1	14	13	-------	39	7	9
211	50	68	146	403	70	420	57	174	99	72	27	262	24	39	365	390	76	799	88	10
207	49	68	145	401	70	400	56	170	97	71	27	257	23	39	362	381	67	783	81	11
4	1	-------	1	2	-------	20	1	4	2	1	-------	5	1	-------	3	9	9	16	7	12
402	76	46	456	768	125	504	46	177	42	51	35	416	17	38	262	295	58	1,126	11	13
402	76	45	456	768	124	503	46	177	42	51	35	414	17	38	262	293	57	1,125	11	14
-------	-------	1	-------	-------	1	1	-------	-------	-------	-------	-------	2	-------	-------	-------	2	1	1	-------	15
1,031	160	281	1,301	2,433	346	1,925	320	1,469	137	150	166	1,999	144	264	1,544	1,775	143	5,512	2,597	16
752	130	205	746	1,422	163	997	162	950	107	84	100	1,172	83	135	1,004	1,003	125	3,248	1,176	17
279	30	76	555	1,011	183	928	158	519	30	66	66	827	61	129	540	772	18	2,264	1,421	18
720	172	72	645	1,156	68	793	88	291	154	114	74	748	93	85	634	1,235	246	2,023	159	19
709	170	70	635	1,128	66	756	87	265	144	112	70	737	90	84	616	1,176	238	1,955	117	20
11	2	2	10	28	2	37	1	26	10	2	4	11	3	1	18	59	8	68	42	21
1,899	374	270	1,574	2,616	511	2,152	417	1,105	327	252	326	1,534	127	151	1,840	1,741	320	5,948	263	22
1,893	373	267	1,563	2,603	510	2,129	417	1,091	326	251	324	1,525	125	151	1,831	1,727	319	5,913	256	23
6	1	3	11	13	1	23	-------	14	1	1	2	9	2	-------	9	14	1	35	7	24
158	16	69	199	335	29	344	47	218	65	46	32	417	24	37	267	471	37	972	116	25
119	12	34	95	144	12	86	15	113	48	24	19	186	9	22	134	193	31	406	19	26
39	4	35	104	191	17	258	32	105	17	22	13	231	15	15	133	278	6	566	97	27
93	10	59	111	203	13	237	24	140	40	27	21	175	10	28	151	334	19	497	43	28
74	6	29	52	78	8	58	9	79	33	14	11	83	4	16	87	134	15	215	11	29
19	4	30	59	125	5	179	15	61	7	13	10	92	6	12	64	200	4	282	32	30
42	2	4	47	77	13	61	14	43	12	8	7	146	11	5	63	78	8	232	9	31
28	2	2	26	40	3	12	4	25	8	7	5	61	4	3	27	35	8	114	1	32
14	-------	2	21	37	10	49	10	18	4	1	2	85	7	2	36	43	-------	118	8	33
23	4	6	41	55	3	46	9	35	13	11	4	96	3	4	53	59	10	243	64	34
17	4	3	17	26	1	16	2	9	7	3	3	42	1	3	20	24	8	77	7	35
6	-------	3	24	29	2	30	7	26	6	8	1	54	2	1	33	35	2	166	57	36
1,739	317	226	1,246	2,389	215	1,732	215	636	266	219	328	1,635	104	127	856	1,527	544	3,720	22	37
1,689	313	204	1,196	2,778	204	1,628	204	592	252	202	318	1,575	94	121	797	1,436	517	3,546	20	38
50	4	22	50	111	11	104	11	44	14	17	10	60	10	6	59	91	27	174	2	39
29	6	2	18	40	1	19	1	9	2	6	3	25	1	-------	6	23	9	52	-------	40
12	6	-------	15	24	4	29	7	14	3	4	4	10	-------	3	8	32	13	47	2	41
42	9	1	35	70	7	28	3	12	4	4	8	35	-------	3	23	28	11	85	-------	42
25	3	4	23	27	3	14	-------	5	-------	3	3	18	-------	2	5	32	9	45	1	43
28	9	4	19	50	1	33	3	40	15	7	3	13	4	4	28	26	5	57	-------	44
42	9	2	42	64	3	22	5	10	5	4	7	47	4	2	24	63	6	76	-------	45
425	73	109	298	678	54	448	55	176	66	64	77	447	28	36	282	392	122	1,045	4	46
416	71	96	290	646	53	421	53	162	61	61	74	425	24	34	245	368	119	998	4	47
9	2	13	8	32	1	27	2	14	5	3	3	22	4	2	17	24	3	47	-------	48
202	38	12	146	331	18	209	20	61	33	24	30	168	15	12	105	127	56	290	1	49
51	8	3	48	60	5	31	5	4	2	4	3	41	3	1	15	20	9	80	-------	50
10	2	1	10	21	3	12	2	2	2	2	2	13	2	-------	4	7	3	32	-------	51
9	2	-------	8	16	2	6	2	8	-------	2	3	8	-------	-------	3	8	3	23	-------	52
16	4	3	17	23	1	11	1	15	1	2	-------	15	-------	-------	6	16	3	42	-------	53
13	4	3	16	22	1	10	1	15	1	2	-------	12	-------	-------	5	15	3	39	-------	54
3	-------	-------	1	1	-------	1	-------	-------	-------	-------	-------	3	-------	-------	1	1	-------	3	-------	55
75	12	15	42	105	6	95	16	45	17	10	18	68	14	4	46	83	16	189	1	56
15	1	2	11	27	-------	18	3	23	-------	2	3	7	-------	1	14	29	4	59	1	57
71	13	5	76	112	17	62	10	36	10	10	7	82	4	5	53	77	23	182	-------	58
578	112	47	335	1,046	74	594	64	140	94	56	143	532	23	48	206	457	220	1,133	4	59
560	111	46	317	1,010	68	569	63	135	91	52	138	511	23	44	196	433	212	1,084	4	60
18	1	1	18	36	6	25	1	5	3	4	5	21	-------	4	10	24	8	49	-------	61
37	3	3	28	71	5	32	5	14	3	4	3	41	5	3	17	23	11	71	2	62
20	2	1	31	23	6	13	4	7	1	1	4	12	1	1	10	14	4	36	3	63
18	-------	2	11	30	-------	11	2	1	1	2	3	13	-------	-------	6	7	2	36	-------	64
19	3	7	23	46	4	34	3	5	4	7	3	34	-------	1	13	32	10	120	1	65
15	2	3	10	25	1	11	4	9	3	1	1	6	-------	1	2	31	5	20	2	66

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	COLORADO.														
1	Registration cities (total)	4,483	55	.....	.....	15	54	22	26	15	18	833	42	29	21
2	White	4,291	54	.....	.....	15	51	22	25	15	16	781	42	27	20
3	Colored	192	1	.....	.....	.....	3	.....	1	.....	2	52	.....	2	1
4	Colorado Springs	501	5	.....	.....	.....	1	1	4	6	.....	156	3	4	2
5	Denver	3,261	32	.....	.....	10	53	13	19	6	15	582	36	22	14
6	Pueblo	550	15	.....	.....	5	.....	8	.....	3	3	72	1	2	5
7	Trinidad	171	3	.....	.....	.....	.....	.....	3	.....	.....	23	2	1	.....
	CONNECTICUT.														
8	Registration cities (total)	12,366	104	10	.....	83	91	60	181	113	43	931	103	74	63
9	White	12,079	100	10	.....	83	91	59	179	111	43	888	97	74	62
10	Colored	287	4	.....	.....	.....	.....	1	2	2	.....	43	6	.....	1
11	Ansonia	229	1	.....	.....	1	2	1	11	4	1	13	1	.....	2
12	Bridgeport	1,668	7	1	.....	15	30	8	23	8	5	94	11	11	6
13	Bristol	123	1	.....	.....	7	.....	1	1	3	.....	6	1	1	.....
14	Danbury town	387	3	1	.....	.....	2	.....	3	3	2	37	.....	2	2
15	Greenwich town	266	2	.....	.....	1	2	.....	10	2	2	20	1	2	.....
16	Hartford	1,918	24	1	.....	22	14	8	30	13	7	108	12	11	9
17	Manchester town	116	.....	.....	.....	.....	.....	.....	4	3	.....	6	.....	.....	1
18	Meriden town	544	5	3	.....	1	.....	.....	4	7	1	126	1	3	9
19	Middletown town	505	3	.....	.....	1	.....	7	4	.....	2	45	1	6	1
20	Naugatuck	152	2	.....	.....	.....	3	.....	12	2	1	8	2	1	.....
21	New Britain	585	2	1	.....	2	3	5	9	10	2	36	3	6	1
22	New Haven	2,253	18	1	.....	2	12	11	23	16	7	160	25	13	12
23	New London	368	5	.....	.....	6	.....	2	3	2	.....	18	5	2	.....
24	Norwalk town	357	8	1	.....	.....	.....	3	3	8	1	32	.....	1	1
25	Norwich town	511	4	.....	.....	2	8	.....	3	10	1	62	6	3	4
26	Orange town	173	2	.....	.....	.....	.....	.....	2	2	.....	11	1	.....	2
27	Stamford town	442	3	.....	.....	5	.....	2	6	11	2	27	3	2	1
28	Torrington town	196	.....	.....	.....	1	3	1	2	4	1	17	1	.....	2
29	Wallingford town	129	.....	.....	.....	1	.....	.....	2	.....	1	12	2	1	.....
30	Waterbury	1,245	11	1	.....	14	3	11	23	3	7	81	25	8	10
31	Windham town	199	3	.....	.....	2	9	.....	3	2	.....	12	2	1	.....
	DELAWARE.[1]														
32	Wilmington (total)	1,412	21	.....	.....	14	13	7	8	6	2	118	7	11	4
33	White	1,159	18	.....	.....	13	13	4	7	4	2	94	3	9	3
34	Colored	253	3	.....	.....	1	.....	3	1	2	.....	24	4	2	1
	DISTRICT OF COLUMBIA.														
35	Washington (total)	6,006	57	8	.....	27	14	17	27	45	3	720	34	68	20
36	White	3,569	35	5	.....	19	13	3	23	26	3	334	14	27	14
37	Colored	2,437	22	3	.....	8	1	14	4	19	.....	386	20	41	6
	FLORIDA.[1]														
38	Registration cities (total)	1,999	31	16	.....	4	.....	19	15	9	3	245	7	12	.....
39	White	888	16	2	.....	3	.....	4	12	4	3	84	5	5	.....
40	Colored	1,111	15	14	.....	1	.....	15	3	5	.....	161	2	7	.....
41	Jacksonville (total)	1,290	24	6	.....	3	.....	11	10	2	2	165	1	5	.....
42	White	517	13	2	.....	3	.....	3	9	.....	2	45	1	3	.....
43	Colored	773	11	4	.....	.....	.....	8	1	2	.....	120	.....	2	.....
44	Key West (total)	310	3	.....	.....	.....	.....	.....	.....	2	1	45	4	2	.....
45	White	211	1	.....	.....	.....	.....	.....	.....	1	1	28	2	1	.....
46	Colored	99	2	.....	.....	.....	.....	.....	.....	1	.....	17	2	1	.....
47	Pensacola (total)	399	4	10	.....	1	.....	8	5	5	.....	35	2	5	.....
48	White	160	2	.....	.....	.....	.....	1	3	3	.....	11	2	1	.....
49	Colored	239	2	10	.....	1	.....	7	2	2	.....	24	.....	4	.....
	GEORGIA.[1]														
50	Registration cities (total)	5,679	79	83	1	12	3	35	34	66	10	480	14	44	20
51	White	2,581	45	15	.....	9	3	13	27	20	5	175	5	13	9
52	Colored	3,098	34	68	1	3	.....	22	7	46	5	305	9	31	11
53	Atlanta (total)	3,027	38	12	1	9	.....	31	23	34	4	236	10	17	11
54	White	1,557	21	7	.....	7	.....	12	18	14	2	106	4	7	7
55	Colored	1,470	17	5	1	2	.....	19	5	20	2	130	6	10	4
56	Augusta (total)	968	12	19	.....	.....	2	2	6	12	3	76	2	11	7
57	White	453	8	4	.....	.....	2	.....	5	3	1	23	1	3	2
58	Colored	515	4	15	.....	.....	.....	2	1	9	2	53	1	8	5
59	Savannah (total)	1,684	29	52	.....	3	1	2	5	20	3	168	2	16	2
60	White	571	16	4	.....	2	1	1	4	3	2	46	.....	3	.....
61	Colored	1,113	13	48	.....	1	.....	1	1	17	1	122	2	13	2
	ILLINOIS.[1]														
62	Registration cities (total)	38,799	314	11	.....	313	928	122	998	123	117	3,699	216	289	210
63	White	37,387	305	8	.....	309	920	118	981	121	113	3,416	208	266	203
64	Colored	1,412	9	3	.....	4	8	4	17	2	4	283	8	23	7

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
264	46	32	174	346	28	395	54	108	57	57	35	358	24	33	264	204	105	759	10	1
259	45	30	170	323	27	378	53	108	56	56	32	346	22	32	260	198	101	719	8	2
5	1	2	4	23	1	17	1	.....	1	1	3	12	2	1	4	6	4	40	2	3
40	4	.....	15	28	2	42	3	4	5	11	1	31	1	3	28	16	9	75	1	4
197	38	27	134	266	23	260	42	65	45	41	28	279	17	24	173	143	76	573	8	5
24	3	5	20	34	1	61	5	31	7	5	5	31	3	4	51	35	19	91	1	6
3	1	.....	5	18	2	32	4	8	.....	.....	1	17	3	2	12	10	1	20	.....	7
705	173	103	796	1,181	161	1,367	140	735	95	101	100	950	48	65	850	736	117	2,011	76	8
685	168	99	781	1,157	157	1,339	136	730	94	96	98	923	46	64	829	721	115	1,971	73	9
20	5	4	15	24	4	28	4	5	1	5	2	27	2	1	21	15	2	40	3	10
4	3	8	14	19	3	19	3	37	1	.....	3	8	2	.....	21	10	2	31	4	11
84	16	15	67	141	12	207	13	147	14	14	17	179	6	8	137	105	16	249	2	12
5	1	.....	9	10	1	17	2	8	1	1	.....	4	.....	.....	10	6	.....	22	5	13
14	7	4	30	49	4	32	4	4	1	3	2	27	2	4	29	31	4	81	.....	14
17	3	3	24	24	4	29	4	12	3	5	2	13	2	5	17	17	2	38	.....	15
138	25	10	131	184	11	238	25	71	28	13	16	137	9	4	132	113	20	350	4	16
10	3	2	14	21	.....	5	2	4	.....	.....	.....	6	1	.....	5	7	1	21	.....	17
37	10	3	34	55	5	48	3	13	.....	4	4	28	1	3	29	25	7	75	.....	18
13	9	7	49	96	4	49	5	23	2	4	5	34	.....	.....	19	24	4	87	1	19
11	2	.....	7	11	.....	19	2	20	.....	2	.....	15	.....	.....	12	7	1	12	.....	20
24	6	7	34	39	16	57	6	67	2	5	8	32	2	2	63	32	2	86	15	21
136	38	24	137	249	40	267	35	81	14	16	13	183	8	23	127	143	29	361	29	22
18	8	3	24	39	5	27	2	24	5	4	5	40	.....	2	26	22	4	65	2	23
29	6	3	45	27	6	40	5	7	1	3	2	22	3	.....	18	20	3	59	.....	24
35	6	3	32	46	6	46	4	25	1	5	1	45	1	4	27	30	2	89	.....	25
15	4	1	17	24	3	14	1	4	.....	.....	4	10	2	.....	13	7	1	32	1	26
23	6	2	40	32	3	51	2	21	4	6	3	37	1	1	25	41	4	71	1	27
14	1	3	13	13	1	19	1	10	.....	3	1	13	.....	.....	23	12	2	32	3	28
11	5	.....	10	17	4	7	1	4	.....	.....	1	7	.....	.....	11	8	3	20	1	29
49	14	4	51	70	27	150	15	145	14	10	13	98	8	8	102	69	8	186	7	30
12	.....	1	14	15	6	26	5	8	4	3	.....	12	.....	1	4	7	2	44	1	31
68	5	16	77	133	18	152	19	80	9	11	17	116	11	12	111	94	14	220	18	32
63	4	13	63	113	15	112	17	69	9	9	17	95	10	9	96	71	14	175	15	33
5	1	3	14	20	3	40	2	11	.....	2	.....	21	1	3	15	23	.....	45	3	34
362	66	24	387	764	85	452	78	216	42	53	39	493	24	39	317	261	72	1,179	13	35
286	53	19	255	493	46	186	29	93	33	35	30	293	13	19	183	166	64	751	6	36
76	13	5	132	271	39	266	49	123	9	18	9	200	11	20	134	95	8	428	7	37
65	8	8	92	104	12	89	17	112	14	15	23	174	12	20	83	158	25	499	108	38
48	5	7	49	58	5	26	6	67	10	9	6	81	4	13	42	63	25	216	10	39
17	3	1	43	46	7	63	11	45	4	6	17	93	8	7	41	95	.....	283	98	40
36	5	3	63	62	7	70	11	38	11	10	7	123	9	11	50	106	19	334	86	41
24	3	2	31	29	3	18	3	22	7	7	2	58	3	8	20	43	19	129	5	42
12	2	1	32	33	4	52	8	16	4	3	5	65	6	3	30	63	.....	205	81	43
15	2	5	15	15	3	10	2	53	1	.....	3	28	2	.....	19	16	1	61	2	44
14	2	5	9	13	1	7	2	38	1	.....	2	12	1	.....	13	10	1	44	2	45
1	.....	.....	6	2	2	3	.....	15	.....	.....	1	16	1	.....	6	6	.....	17	.....	46
14	1	.....	14	27	2	9	4	21	2	5	13	23	1	9	14	36	5	104	20	47
10	.....	.....	9	16	1	1	1	7	2	2	2	11	.....	5	9	10	5	43	3	48
4	1	.....	5	11	1	8	3	14	.....	3	11	12	1	4	5	26	.....	61	17	49
208	40	35	242	355	34	501	75	261	51	43	28	563	41	52	326	368	41	1,378	106	50
149	30	34	124	180	7	156	34	128	35	25	17	286	18	26	177	164	34	587	31	51
59	10	51	118	175	27	345	41	133	16	18	11	277	23	26	149	204	7	791	75	52
117	24	68	138	182	17	278	40	128	41	28	18	305	29	33	177	197	24	711	46	53
89	17	24	73	95	4	88	21	71	31	18	10	172	15	21	110	93	17	366	17	54
28	7	44	65	87	13	190	19	57	10	10	8	133	14	12	67	104	7	345	29	55
42	6	6	54	69	5	88	14	43	5	9	3	124	4	9	47	58	4	215	11	56
29	5	5	26	35	1	31	6	28	3	3	3	63	2	2	25	27	4	95	8	57
13	1	1	28	34	4	57	8	15	2	6	.....	61	2	7	22	31	.....	120	3	58
49	10	11	50	104	12	135	21	90	5	6	7	134	8	10	102	113	13	452	49	59
31	8	5	25	50	2	37	7	29	1	4	4	51	1	3	42	44	13	126	6	60
18	2	6	25	54	10	98	14	61	4	2	3	83	7	7	60	69	.....	326	43	61
2,232	419	210	1,358	3,666	242	5,097	261	3,467	440	266	573	2,957	221	183	1,550	2,333	568	5,391	25	62
2,166	407	204	1,303	3,493	235	4,939	250	3,425	429	255	554	2,832	217	178	1,517	2,243	558	5,191	23	63
66	12	6	55	173	7	158	11	42	11	11	19	125	4	5	33	90	10	200	2	64

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA,

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	ILLINOIS—continued.														
1	Aurora	461	7	1	.....	4	2	7	3	4	2	29	4	7	3
2	Belleville	326	10	.....	.....	8	.....	2	3	1	2	31	1	.....	1
3	Chicago (total)	35,298	243	7	.....	278	918	94	965	101	109	3,430	205	261	183
4	White	34,077	237	6	.....	275	910	91	949	100	105	3,177	197	239	179
5	Colored	1,221	6	1	.....	3	8	3	16	1	4	253	8	22	4
6	Decatur	476	8	.....	.....	1	1	4	1	3	1	38	.....	7	6
7	Evanston	276	4	.....	.....	2	5	1	4	.....	.....	9	.....	3	.....
8	Jacksonville	393	1	.....	.....	2	.....	.....	2	2	.....	30	1	3	4
9	Quincy	575	24	1	.....	.....	1	.....	6	9	1	53	.....	1	8
10	Springfield	994	17	2	.....	18	1	14	14	3	2	79	5	7	5
	INDIANA.														
11	Registration cities (total)	13,438	249	21	5	158	103	141	184	87	42	1,237	79	174	56
12	White	12,364	225	17	5	156	101	132	178	81	40	1,042	74	147	49
13	Colored	1,074	24	4	.....	2	2	9	6	6	2	195	5	27	7
14	Anderson	333	8	.....	.....	.....	.....	1	9	3	.....	26	6	8	2
15	East Chicago	496	11	.....	.....	15	20	.....	8	5	.....	21	1	4	1
16	Elkhart	256	7	.....	.....	1	4	.....	2	.....	1	13	.....	3	1
17	Elwood	171	4	.....	.....	4	.....	4	4	1	1	18	1	3	1
18	Evansville	1,006	31	7	.....	3	9	5	13	4	5	109	4	11	3
19	Fort Wayne	911	10	.....	.....	10	6	9	21	4	4	62	6	13	3
20	Gary	548	4	1	.....	18	9	9	4	2	.....	30	3	2	2
21	Hammond	396	15	1	.....	8	6	9	.....	.....	2	19	.....	3	6
22	Huntington	145	4	.....	.....	5	.....	3	.....	.....	.....	10	2	2	.....
23	Indianapolis (total)	3,989	62	4	.....	16	13	36	48	24	13	462	24	78	16
24	White	3,407	52	1	.....	15	12	32	46	24	12	348	23	59	12
25	Colored	582	10	3	.....	1	1	4	2	.....	1	114	1	19	4
26	Jeffersonville (total)	139	3	.....	.....	.....	.....	.....	3	.....	2	13	2	3	.....
27	White	109	2	.....	.....	.....	.....	.....	2	.....	2	8	.....	3	.....
28	Colored	30	1	.....	.....	.....	.....	.....	1	.....	.....	5	2	.....	.....
29	Kokomo	289	7	1	.....	8	1	5	7	4	.....	35	.....	2	.....
30	Lafayette	362	3	.....	1	.....	.....	1	3	2	.....	26	2	4	3
31	Laporte	188	2	1	.....	2	.....	1	5	.....	1	11	.....	1	.....
32	Logansport	314	13	.....	.....	3	.....	4	4	4	1	27	3	2	1
33	Marion	324	5	1	1	4	1	2	7	5	.....	37	3	1	.....
34	Michigan City	284	3	.....	.....	15	1	1	5	.....	1	24	1	2	1
35	Mishawaka	148	4	.....	.....	.....	1	2	.....	.....	.....	10	2	.....	1
36	Muncie	351	8	.....	.....	2	1	8	1	5	.....	31	3	6	1
37	New Albany	321	5	.....	.....	4	1	7	1	9	2	47	.....	5	2
38	Peru	152	3	.....	.....	2	.....	2	3	2	.....	10	1	.....	2
39	Richmond	272	6	.....	.....	3	8	1	.....	5	.....	32	2	3	1
40	South Bend	792	13	.....	2	7	16	20	16	.....	6	66	8	6	1
41	Terre Haute	1,006	15	2	.....	25	6	3	9	6	2	78	5	11	7
42	Vincennes[1]	245	3	3	1	3	.....	8	11	2	1	20	.....	1	1
	KANSAS.[1]														
43	Registration cities (total)	4,792	95	9	.....	31	25	18	37	44	9	351	18	43	24
44	White	4,071	85	5	.....	29	24	12	34	35	8	243	18	29	16
45	Colored	721	10	4	.....	2	1	6	3	9	1	108	.....	14	8
46	Atchison (total)	199	5	1	.....	.....	3	.....	1	3	.....	17	1	.....	1
47	White	156	5	.....	.....	.....	2	.....	1	3	.....	10	1	.....	1
48	Colored	43	.....	1	.....	.....	1	.....	.....	.....	.....	7	.....	.....	.....
49	Coffeyville (total)	157	5	.....	.....	3	.....	.....	2	3	.....	9	.....	2	1
50	White	131	5	.....	.....	2	.....	.....	2	3	.....	5	.....	2	1
51	Colored	26	.....	.....	.....	1	.....	.....	.....	.....	.....	4	.....	.....	.....
52	Fort Scott (total)	136	5	1	.....	.....	.....	.....	.....	.....	.....	4	.....	2	.....
53	White	120	4	1	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....
54	Colored	16	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
55	Hutchinson	217	9	.....	.....	.....	2	.....	2	1	.....	16	.....	2	.....
56	Independence	137	4	.....	.....	.....	1	1	2	1	.....	8	.....	.....	.....
57	Kansas City (total)	1,401	27	1	.....	17	3	10	10	10	.....	146	9	12	10
58	White	1,132	25	.....	.....	16	3	4	7	7	.....	105	9	8	6
59	Colored	269	2	1	.....	1	.....	6	3	3	.....	41	.....	4	4
60	Lawrence (total)	186	2	.....	.....	.....	.....	.....	1	5	.....	13	.....	2	1
61	White	135	1	.....	.....	.....	.....	.....	1	5	.....	6	.....	2	.....
62	Colored	51	1	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	.....	1
63	Leavenworth (total)	341	1	1	.....	.....	8	1	2	9	1	24	.....	3	1
64	White	292	.....	.....	.....	.....	8	1	2	5	1	18	.....	3	1
65	Colored	49	1	1	.....	.....	.....	.....	.....	4	.....	6	.....	.....	.....
66	Parsons	197	5	.....	.....	.....	1	1	1	.....	1	14	.....	2	.....
67	Pittsburg	256	4	.....	.....	.....	6	.....	8	4	.....	14	1	2	.....
68	Topeka (total)	898	14	5	.....	11	1	4	6	3	5	57	3	9	7
69	White	765	12	4	.....	11	1	4	6	2	4	36	3	6	5
70	Colored	133	2	1	.....	.....	.....	.....	.....	1	1	21	.....	3	2
71	Wichita	667	14	.....	.....	.....	.....	1	2	5	2	29	4	7	3

[1] Nonregistration state: cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
23	7	6	24	40	6	39	2	21	6	10	6	40	1	3	32	28	5	88	1	1
16	2	3	21	23	18	16	1	18	5	3	3	19	4	.....	21	20	10	57	2	2
2,017	375	176	1,167	3,337	182	4,332	222	3,329	389	217	527	2,697	198	165	1,363	2,123	517	4,657	14	3
1,954	364	170	1,118	3,183	178	4,696	217	3,294	379	208	510	2,587	195	161	1,339	2,040	508	4,498	13	4
63	11	6	49	154	4	136	5	35	10	9	17	110	3	4	24	83	9	159	1	5
30	4	1	23	35	8	33	7	21	11	6	6	44	6	3	33	36	5	89	5	6
35	6	1	15	23	4	24	5	7	4	3	1	23	3	1	11	16	7	59	.....	7
20	7	5	33	42	3	27	5	7	4	7	1	23	1	3	5	19	1	134	1	8
41	6	3	38	83	14	37	12	13	5	4	9	36	1	3	21	17	5	117	1	9
50	12	15	37	78	7	89	7	51	16	16	15	75	7	5	64	74	18	190	1	10
721	156	52	748	1,272	150	1,056	110	852	153	137	142	887	97	76	711	1,061	226	2,277	18	11
689	147	51	697	1,147	131	955	95	823	145	124	131	821	90	69	665	973	217	2,129	18	12
32	9	1	51	125	19	101	15	29	8	13	11	66	7	7	46	88	9	148	.....	13
17	3	1	15	26	5	33	5	15	4	5	3	24	3	2	17	18	7	67	.....	14
4	.....	.....	4	15	5	90	2	136	2	.....	3	10	2	2	39	35	6	52	3	15
12	5	1	16	42	2	20	1	14	1	3	2	28	2	.....	10	24	3	38	.....	16
11	1	.....	10	10	.....	11	.....	9	.....	1	2	11	1	.....	17	8	4	33	1	17
42	8	4	57	114	21	75	13	47	9	9	24	71	6	6	41	78	16	161	.....	18
73	9	6	73	68	12	59	10	34	16	10	8	80	4	3	49	70	10	168	1	19
10	2	.....	4	25	5	62	2	122	8	5	4	14	3	9	41	86	7	55	.....	20
13	6	2	15	19	4	30	5	48	7	1	3	20	6	4	21	57	3	63	.....	21
12	1	.....	14	22	1	12	.....	2	1	1	2	5	1	1	5	15	.....	24	.....	22
232	46	17	220	393	32	306	39	124	47	44	48	280	24	23	215	270	76	757	.....	23
213	40	16	194	325	26	250	30	112	42	36	43	243	19	20	186	230	72	674	.....	24
19	6	1	26	68	6	56	9	12	5	8	5	37	5	3	29	40	4	83	.....	25
4	2	.....	12	8	3	5	.....	5	1	2	2	15	.....	1	5	17	.....	30	1	26
4	2	.....	9	8	3	3	.....	5	.....	2	2	12	.....	1	2	11	.....	27	1	27
.....	.....	.....	3	.....	.....	2	.....	.....	1	.....	.....	3	.....	.....	3	6	.....	3	.....	28
13	5	1	21	31	1	26	3	16	.....	2	2	21	7	.....	12	17	3	38	.....	29
23	7	1	31	46	7	22	4	7	3	7	6	32	3	1	15	29	5	68	.....	30
18	1	3	24	26	.....	14	.....	9	3	3	.....	9	1	.....	12	7	3	30	1	31
20	3	2	24	16	2	21	3	14	4	5	2	32	2	1	11	31	4	55	.....	32
17	5	.....	28	43	4	20	1	11	.....	3	4	18	1	1	20	19	3	58	1	33
16	4	2	9	39	3	27	1	26	3	1	2	11	3	2	19	16	4	42	.....	34
7	3	.....	9	15	4	12	.....	16	2	1	.....	13	2	.....	6	8	2	28	.....	35
14	6	1	24	32	4	23	3	15	1	2	1	25	5	2	20	27	10	70	.....	36
25	7	.....	12	30	8	15	3	13	1	3	2	12	4	.....	12	22	5	64	.....	37
15	4	.....	10	13	1	10	2	4	1	1	3	10	.....	2	4	20	2	25	.....	38
17	3	4	9	32	1	17	1	20	1	.....	3	19	2	1	15	11	7	47	1	39
42	11	3	41	86	10	71	6	55	12	12	7	50	3	5	44	42	17	112	2	40
54	14	2	52	98	12	56	3	64	22	13	8	66	9	10	48	117	24	159	6	41
10	.....	2	14	23	3	19	3	26	4	3	1	11	3	.....	13	17	5	33	1	42
259	54	52	259	404	33	407	59	163	81	45	35	335	35	33	281	330	66	1,105	52	43
236	50	46	241	335	29	335	39	141	75	42	34	271	28	27	253	281	62	971	37	44
23	4	6	18	69	4	72	20	22	6	3	1	64	7	6	28	49	4	134	15	45
8	4	3	21	13	.....	13	4	1	1	3	.....	15	.....	2	11	18	4	39	7	46
7	3	3	18	10	.....	11	3	1	1	3	.....	12	.....	1	9	13	4	28	6	47
1	1	.....	3	3	.....	2	1	.....	.....	.....	.....	3	.....	1	2	5	.....	11	1	48
4	3	1	3	17	1	7	2	8	2	.....	.....	11	4	.....	9	11	1	44	4	49
4	3	1	3	13	1	4	2	7	1	.....	.....	9	3	.....	7	9	1	40	3	50
.....	.....	.....	.....	4	.....	3	.....	1	1	.....	.....	2	1	.....	2	2	.....	4	1	51
7	3	.....	6	11	2	11	2	3	2	.....	1	9	2	1	11	11	1	41	.....	52
6	3	.....	6	8	1	9	1	3	2	.....	1	8	2	1	11	11	1	37	.....	53
1	.....	.....	.....	3	1	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	4	.....	54
16	2	1	10	13	.....	17	1	9	12	1	1	19	2	1	11	12	1	52	4	55
7	2	.....	2	9	1	5	3	8	5	2	3	10	2	1	13	9	3	33	2	56
62	12	25	80	94	16	153	21	61	13	14	6	97	8	13	94	106	19	242	10	57
54	11	21	74	73	14	125	14	49	10	13	6	66	6	10	84	85	17	203	7	58
8	1	4	6	21	2	28	7	12	3	1	.....	31	2	3	10	21	2	39	3	59
12	1	2	9	21	1	13	3	4	1	4	2	12	2	3	1	25	4	42	.....	60
10	1	2	9	15	1	9	.....	2	1	3	1	8	1	2	.....	21	4	30	.....	61
2	.....	.....	.....	6	.....	4	3	2	.....	1	1	4	1	1	1	4	.....	12	.....	62
11	4	2	24	34	3	23	5	11	3	3	5	23	5	3	25	20	6	76	4	63
10	4	2	19	31	3	17	1	10	3	2	5	21	5	3	23	19	5	67	3	64
1	.....	.....	5	3	.....	6	4	1	.....	1	.....	2	.....	.....	2	1	1	9	1	65
9	2	.....	14	22	2	16	1	8	2	2	2	13	1	.....	10	10	3	55	.....	66
11	.....	3	14	14	1	22	7	12	4	3	3	20	1	1	21	20	2	52	6	67
49	10	8	45	95	2	78	5	29	9	7	5	66	.....	7	33	40	13	258	14	68
46	9	7	44	81	1	65	4	27	9	7	5	54	.....	6	29	34	12	225	6	69
3	1	1	1	14	1	13	1	2	.....	.....	.....	12	.....	1	4	6	1	33	8	70
63	11	7	31	61	4	49	5	9	27	6	7	40	8	1	42	48	9	171	1	71

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Continued.														
	KENTUCKY.														
1	Registration cities (total)	7,146	114	31	1	32	13	73	70	73	30	816	42	65	35
2	White	5,196	81	7	1	27	13	43	64	32	26	550	30	37	24
3	Colored	1,950	33	24	.....	5	.....	30	6	41	4	266	12	28	11
4	Covington (total)	889	5	.....	.....	10	2	3	23	8	4	113	6	3	6
5	White	797	5	.....	.....	8	2	2	23	7	4	97	4	3	6
6	Colored[1]	92	.....	.....	.....	2	.....	1	.....	1	.....	16	2	.....	.....
7	Frankfort (total)	195	4	3	.....	5	1	5	1	2	.....	40	2	2	1
8	White	113	3	.....	.....	5	1	3	1	.....	.....	19	.....	1	.....
9	Colored	82	1	3	.....	.....	.....	2	.....	2	.....	21	2	1	1
10	Henderson (total)	233	5	.....	1	.....	.....	6	1	2	.....	31	1	3	3
11	White	154	4	.....	1	.....	.....	4	1	1	.....	16	1	.....	1
12	Colored	79	1	.....	.....	.....	.....	2	.....	1	.....	15	.....	3	2
13	Lexington (total)	892	23	.....	.....	2	1	4	1	8	5	106	8	4	5
14	White	532	13	.....	.....	2	1	4	.....	2	3	55	5	2	4
15	Colored	360	10	.....	.....	.....	.....	.....	1	6	2	51	3	2	1
16	Louisville (total)	3,784	54	8	.....	14	8	40	35	34	17	375	20	37	11
17	White	2,737	37	.....	.....	11	8	19	32	15	15	246	16	19	8
18	Colored	1,047	17	8	.....	3	.....	21	3	19	2	129	4	18	3
19	Newport (total)	363	6	.....	.....	1	1	6	3	4	2	44	3	5	5
20	White	353	6	.....	.....	1	1	6	3	4	2	42	3	5	4
21	Colored[1]	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1
22	Owensboro (total)	314	7	1	.....	.....	.....	3	4	12	1	42	1	3	1
23	White	239	7	1	.....	.....	.....	1	4	3	1	35	.....	2	.....
24	Colored	75	.....	.....	.....	.....	.....	2	.....	9	.....	7	1	1	1
25	Paducah (total)	476	10	19	.....	.....	.....	6	2	3	1	65	1	8	3
26	White	271	6	6	.....	.....	.....	4	.....	.....	1	40	1	5	1
27	Colored	205	4	13	.....	.....	.....	2	2	3	.....	25	.....	3	2
	LOUISIANA.[2]														
28	New Orleans (total)	7,088	60	24	2	35	2	11	113	70	13	834	16	53	21
29	White	4,087	38	10	2	27	1	5	82	39	9	380	7	30	11
30	Colored	3,001	22	14	.....	8	1	6	31	31	4	454	9	23	10
	MAINE.														
31	Registration cities (total)	3,168	30	.....	.....	22	2	9	24	24	4	223	23	50	10
32	White	3,158	30	.....	.....	22	2	9	24	24	4	222	23	50	10
33	Colored	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
34	Auburn	228	1	.....	.....	.....	1	2	7	3	.....	16	3	2	.....
35	Augusta	327	1	.....	.....	1	.....	1	1	1	2	24	1	5	.....
36	Bangor	518	10	.....	.....	3	.....	1	.....	3	1	34	4	7	3
37	Biddeford	305	1	.....	.....	.....	.....	.....	3	3	1	27	3	6	.....
38	Lewiston	518	5	.....	.....	2	1	4	5	2	.....	38	2	11	2
39	Portland	1,108	9	.....	.....	16	.....	1	6	9	.....	69	8	19	5
40	Waterville	164	3	.....	.....	.....	.....	.....	2	3	.....	15	2	.....	.....
	MARYLAND.														
41	Registration cities (total)	11,612	185	9	.....	127	47	55	104	62	25	1,264	76	91	46
42	White	8,795	137	5	.....	99	45	39	97	42	22	796	55	63	38
43	Colored	2,817	48	4	.....	28	2	16	7	20	3	468	21	28	8
44	Baltimore (total)	10,624	137	9	.....	115	44	39	86	58	24	1,194	73	81	43
45	White	7,912	93	5	.....	90	42	24	81	38	21	742	52	55	36
46	Colored	2,712	44	4	.....	25	2	15	5	20	3	452	21	26	7
47	Cumberland (total)	452	37	.....	.....	5	1	6	8	.....	.....	30	2	7	1
48	White	416	34	.....	.....	5	1	5	8	.....	.....	25	2	5	1
49	Colored[1]	36	3	.....	.....	.....	.....	1	.....	.....	.....	5	.....	2	.....
50	Frederick (total)	204	7	.....	.....	7	1	.....	4	.....	.....	14	1	1	.....
51	White	166	6	.....	.....	4	1	.....	2	.....	.....	7	1	1	.....
52	Colored	38	1	.....	.....	3	.....	.....	2	.....	.....	7	.....	.....	.....
53	Hagerstown (total)	332	4	.....	.....	.....	1	10	6	4	1	26	.....	2	2
54	White	301	4	.....	.....	.....	1	10	6	4	1	22	.....	2	1
55	Colored[1]	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	1
	MASSACHUSETTS.														
56	Registration cities (total)	41,184	238	6	.....	408	251	256	548	189	111	3,189	397	278	182
57	White	40,443	235	6	.....	406	250	247	540	187	111	3,076	384	265	180
58	Colored	741	3	.....	.....	2	1	9	8	2	.....	113	13	13	2
59	Adams town	177	3	1	.....	1	15	2	.....	1	.....	14	2	.....	1
60	Arlington town	159	.....	.....	.....	2	.....	.....	.....	.....	1	17	2	3	1
61	Attleborough town	210	.....	.....	.....	4	3	.....	1	.....	1	19	1	.....	2
62	Beverly	261	3	.....	.....	.....	.....	1	2	1	.....	12	4	3	.....
63	Boston (total)	11,838	59	.....	.....	77	76	97	160	38	41	1,051	123	80	42
64	White	11,452	58	.....	.....	77	76	90	158	38	41	989	117	75	41
65	Colored	386	1	.....	.....	.....	.....	7	2	.....	.....	62	6	5	1
66	Brockton	675	1	.....	.....	2	1	3	16	7	1	46	5	6	2
67	Brookline town	350	.....	.....	.....	.....	.....	.....	1	3	.....	14	.....	3	1

[1] Colored population less than 10 per cent of the total.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
335	56	68	329	605	125	606	127	190	60	62	78	666	29	29	389	478	77	1,387	55	1
292	53	55	240	431	75	395	92	143	50	54	66	489	23	22	311	331	74	1,026	39	2
43	3	13	89	174	50	211	35	47	10	8	12	177	6	7	78	147	3	361	16	3
46	6	12	37	95	9	85	10	30	1	9	8	123	5	3	38	51	5	127	6	4
43	5	12	33	89	9	77	9	27	1	9	7	106	4	3	35	43	5	115	4	5
3	1	.....	4	6	.....	8	1	3	.....	.....	1	17	1	.....	3	8	.....	12	2	6
4	2	.....	2	15	3	6	1	5	2	.....	1	17	1	1	13	12	.....	38	6	7
3	2	.....	1	8	3	5	1	4	2	.....	.....	8	1	1	8	8	.....	22	3	8
1	.....	.....	1	7	.....	1	.....	1	.....	.....	1	9	.....	.....	5	4	.....	16	3	9
10	2	1	7	12	4	32	3	11	4	.....	1	17	1	.....	21	15	3	33	3	10
7	2	.....	5	7	3	17	3	10	4	.....	1	10	1	.....	19	7	3	23	3	11
3	.....	1	2	5	1	15	.....	1	.....	.....	.....	7	.....	.....	2	8	.....	10	.....	12
46	7	13	66	72	6	75	18	17	9	7	5	56	2	2	33	65	3	216	7	13
37	6	10	29	33	2	33	11	6	7	3	3	33	1	1	27	46	3	140	5	14
9	1	3	37	34	4	42	7	11	2	4	2	23	1	1	6	19	.....	76	2	15
183	31	30	174	234	77	342	76	84	39	43	53	353	14	18	218	243	52	753	14	16
158	30	24	137	232	47	214	55	60	31	39	47	256	11	12	166	170	50	559	13	17
25	1	6	37	102	30	128	21	24	8	4	6	97	3	6	52	73	2	194	1	18
19	5	2	18	33	8	24	7	10	2	.....	4	33	2	2	21	21	5	67	.....	19
19	5	2	18	32	8	22	7	10	2	.....	4	32	2	2	21	21	5	64	.....	20
.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	3	.....	21
16	1	4	9	22	4	19	7	15	1	1	2	20	1	1	21	20	4	65	6	22
15	1	3	7	15	2	14	3	10	1	1	2	16	1	1	19	15	3	52	4	23
1	.....	1	2	7	2	5	4	5	.....	.....	.....	4	.....	.....	2	5	1	13	2	24
11	2	6	16	22	14	23	5	18	2	2	4	47	3	2	24	51	5	88	13	25
10	2	4	10	10	1	13	3	16	2	2	2	28	2	2	16	21	5	51	7	26
1	.....	2	6	12	13	10	2	2	.....	.....	2	19	1	.....	8	30	.....	37	6	27
328	30	59	305	791	73	587	35	367	50	48	108	962	29	45	238	390	53	1,335	1	28
242	23	24	218	444	32	264	22	239	41	34	68	580	12	26	155	207	48	766	1	29
86	7	35	87	347	41	323	13	128	9	14	40	382	17	19	83	183	5	569	.....	30
205	21	32	168	304	42	372	36	133	44	34	20	231	9	20	159	163	31	682	41	31
204	21	32	168	304	42	372	36	133	44	34	20	229	9	20	157	163	30	679	41	32
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	1	3	.....	33
11	2	3	19	27	5	15	1	8	.....	3	.....	20	.....	2	15	7	5	50	.....	34
14	3	.....	15	56	6	42	1	18	3	1	1	14	.....	2	11	18	3	77	5	35
41	2	3	28	48	3	68	9	8	8	4	4	35	2	2	14	15	7	137	14	36
22	3	3	14	22	3	41	5	29	3	2	2	17	.....	1	21	18	1	51	3	37
30	1	5	27	25	6	69	6	35	12	7	3	37	4	6	31	26	1	106	9	38
78	10	13	55	111	15	120	12	31	16	14	6	103	3	5	53	67	12	234	8	39
9	.....	5	10	15	4	17	2	4	2	3	4	5	.....	2	14	12	2	27	2	40
647	104	89	587	1,067	196	1,231	111	643	93	120	92	1,097	77	61	771	562	124	1,807	42	41
551	91	65	481	789	141	830	86	526	73	100	70	857	60	47	595	449	117	1,398	31	42
96	13	24	106	278	55	401	25	117	20	20	22	240	17	14	176	113	7	409	11	43
601	92	81	542	974	181	1,173	100	583	72	111	86	1,035	63	58	689	484	116	1,643	37	44
510	80	57	440	706	128	780	75	469	54	91	66	801	49	45	518	379	110	1,249	26	45
91	12	24	102	268	53	393	25	114	18	20	20	234	14	13	171	105	6	394	11	46
20	3	4	12	34	6	37	2	34	12	4	1	25	8	.....	33	48	3	68	1	47
18	3	4	12	31	5	33	2	32	11	4	1	24	7	.....	32	42	2	66	1	48
2	.....	.....	.....	3	1	4	.....	2	1	.....	.....	1	1	.....	1	6	1	2	.....	49
11	1	1	17	20	4	5	1	5	3	3	1	13	4	1	16	11	3	49	.....	50
10	1	1	14	16	4	4	1	5	3	3	.....	9	2	1	16	9	3	42	.....	51
1	.....	.....	3	4	.....	1	.....	.....	.....	.....	1	4	2	.....	.....	2	.....	7	.....	52
15	8	3	16	39	5	16	8	21	6	2	4	24	2	2	33	19	2	47	4	53
13	7	3	15	36	4	13	8	20	5	2	3	23	2	1	29	19	2	41	4	54
2	1	.....	1	3	1	3	.....	1	1	.....	1	1	.....	1	4	.....	.....	6	.....	55
2,728	543	343	2,511	4,813	599	4,543	350	2,605	358	365	277	2,434	167	280	2,518	2,222	348	6,924	153	56
2,700	536	340	2,479	4,716	585	4,451	345	2,580	354	360	275	2,434	163	277	2,482	2,175	343	6,811	150	57
28	7	3	32	97	14	92	5	25	4	5	2	50	4	3	36	47	5	113	3	58
6	2	3	10	18	2	11	2	13	.....	1	.....	9	.....	.....	17	2	2	37	2	59
9	3	1	18	23	2	11	1	10	1	.....	.....	9	1	.....	14	8	3	19	.....	60
9	7	3	16	17	4	17	2	17	3	2	.....	18	2	2	11	10	2	36	1	61
34	1	.....	14	46	4	18	4	9	3	4	.....	23	.....	3	20	19	3	30	.....	62
843	169	79	648	1,527	125	1,417	95	527	109	115	91	664	54	95	643	801	105	1,866	21	63
823	166	77	632	1,473	122	1,375	93	515	108	112	90	638	50	94	625	771	102	1,805	21	64
20	3	2	16	54	3	42	2	12	1	3	1	26	4	1	18	30	3	61	.....	65
54	11	6	34	77	13	37	4	24	7	7	5	46	4	5	65	33	8	140	5	66
49	8	2	39	69	2	31	.....	7	1	3	2	18	1	3	8	9	2	72	2	67

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(87)
	REGISTRATION CITIES—Continued.														
	MASSACHUSETTS—continued.														
1	Cambridge	1,472	10	.....	.....	10	.....	10	14	11	2	201	10	7	7
2	Chelsea	679	5	.....	.....	3	.....	5	3	4	1	35	.....	2	4
3	Chicopee	378	3	.....	.....	5	6	.....	6	1	1	30	4	5	3
4	Clinton town	158	2	.....	.....	6	.....	.....	2	.....	1	14	3	2	3
5	Everett	428	1	.....	.....	3	5	11	1	2	.....	35	3	3	5
6	Fall River	2,136	11	.....	.....	73	27	14	34	9	2	159	12	9	7
7	Fitchburg	548	2	.....	.....	19	2	1	7	4	3	33	5	2	2
8	Framingham town	211	.....	.....	.....	2	.....	.....	1	2	.....	16	3	3	.....
9	Gardner town	198	.....	.....	.....	4	3	.....	3	2	1	10	1	2	2
10	Gloucester	337	2	.....	.....	.....	.....	3	2	1	.....	27	2	2	1
11	Greenfield town	161	2	.....	.....	1	2	5	3	.....	.....	5	1	1	.....
12	Haverhill	674	3	.....	.....	7	1	7	7	3	.....	56	7	4	1
13	Holyoke	1,010	4	.....	.....	7	26	7	26	3	1	77	15	6	7
14	Lawrence	1,327	12	.....	.....	35	4	19	10	7	3	119	16	10	4
15	Leominster town	223	.....	.....	.....	5	.....	1	16	1	.....	14	.....	1	2
16	Lowell	1,750	11	1	.....	21	4	5	35	4	2	99	22	10	19
17	Lynn	1,136	13	.....	.....	9	6	11	16	7	2	93	3	8	8
18	Malden	526	2	.....	.....	9	2	2	17	2	1	33	3	6	.....
19	Marlborough	212	3	.....	.....	1	.....	.....	1	1	.....	28	2	.....	.....
20	Medford	284	1	.....	.....	2	1	1	3	2	.....	17	2	2	2
21	Melrose	196	2	.....	.....	.....	.....	1	.....	3	.....	7	2	.....	.....
22	Methuen town	185	.....	.....	.....	3	2	1	.....	.....	1	10	2	1	.....
23	Milford town	207	2	.....	.....	.....	.....	.....	1	1	2	6	2	1	3
24	New Bedford	1,677	11	.....	.....	36	3	7	34	5	6	123	26	14	2
25	Newburyport	248	4	.....	.....	2	.....	.....	3	3	2	18	1	1	.....
26	Newton	484	1	.....	.....	.....	3	.....	1	5	1	18	6	6	2
27	North Adams	342	5	.....	.....	.....	.....	.....	9	4	3	18	4	2	4
28	Northampton	372	.....	.....	.....	.....	.....	.....	1	1	3	32	2	2	1
29	Peabody town	234	2	1	.....	.....	2	4	6	2	2	14	3	5	1
30	Pittsfield	661	5	.....	.....	4	15	1	5	1	2	44	8	4	2
31	Plymouth town	165	2	.....	.....	.....	1	.....	1	.....	1	4	.....	1	.....
32	Quincy	476	2	.....	.....	6	.....	9	8	1	2	37	7	4	.....
33	Revere town	214	1	.....	.....	2	.....	1	1	1	.....	23	5	2	1
34	Salem	703	7	.....	.....	1	2	6	8	6	1	43	6	3	1
35	Somerville	993	6	.....	.....	5	6	3	12	5	2	69	13	7	4
36	Southbridge town	151	.....	.....	.....	1	1	.....	1	.....	.....	7	.....	1	1
37	Springfield	1,468	20	1	.....	11	3	3	16	16	3	73	15	11	8
38	Taunton	701	3	1	.....	3	11	1	3	6	4	53	7	2	6
39	Wakefield town	156	.....	.....	.....	.....	.....	1	.....	1	1	12	2	2	.....
40	Waltham	373	.....	.....	.....	.....	1	1	7	1	1	28	3	5	.....
41	Watertown town	121	.....	.....	.....	1	.....	.....	1	1	.....	12	1	1	1
42	Webster town	175	.....	.....	.....	.....	2	3	5	1	.....	10	1	1	2
43	Westfield town	321	.....	.....	.....	5	1	.....	2	.....	1	63	.....	1	2
44	Weymouth town	168	.....	.....	.....	.....	.....	.....	.....	.....	.....	16	.....	2	.....
45	Winthrop town	128	2	.....	.....	1	1	.....	.....	.....	.....	2	.....	1	2
46	Woburn	213	1	.....	.....	3	1	.....	.....	2	.....	11	.....	2	2
47	Worcester	2,534	9	1	.....	16	12	9	36	7	9	162	30	16	11
	MICHIGAN.														
48	Registration cities (total)	17,811	290	6	1	156	160	134	410	84	64	1,029	84	117	90
49	White	17,532	285	6	1	155	160	134	408	83	64	994	81	115	88
50	Colored	279	5	.....	.....	1	.....	.....	2	1	.....	35	3	2	2
51	Adrian	160	2	.....	.....	.....	1	.....	2	6	.....	5	.....	.....	2
52	Alpena	183	12	.....	.....	.....	.....	.....	1	1	.....	7	.....	2	.....
53	Ann Arbor	360	.....	.....	.....	.....	2	1	1	.....	2	14	5	6	1
54	Battle Creek	463	12	.....	.....	.....	1	.....	7	10	4	17	1	4	2
55	Bay City	608	7	.....	.....	8	.....	7	2	9	.....	43	1	6	2
56	Detroit	8,995	153	2	1	106	111	100	300	19	39	513	44	47	51
57	Escanaba	234	9	.....	.....	4	1	1	3	1	.....	16	1	1	.....
58	Flint	437	7	.....	.....	.....	4	4	8	.....	1	29	2	1	4
59	Grand Rapids	1,600	22	1	.....	11	22	1	53	4	4	66	8	14	7
60	Holland	119	3	.....	.....	.....	.....	1	.....	2	.....	8	2	1	.....
61	Ironwood	115	1	.....	.....	2	1	1	.....	2	.....	8	2	.....	3
62	Ishpeming	119	3	.....	.....	3	.....	1	2	1	.....	6	1	.....	.....
63	Jackson	506	4	.....	.....	6	3	3	3	5	1	29	2	.....	2
64	Kalamazoo	761	4	.....	.....	.....	1	.....	3	5	3	67	2	5	1
65	Lansing	435	1	.....	.....	2	.....	3	5	7	2	21	.....	6	2
66	Manistee	150	5	.....	.....	1	4	1	1	.....	.....	15	1	4	4
67	Marquette	190	4	.....	.....	.....	2	.....	1	1	.....	7	3	2	.....
68	Menominee	135	1	.....	.....	.....	.....	1	.....	.....	.....	8	.....	1	.....
69	Muskegon	352	9	.....	.....	.....	1	.....	2	.....	2	23	.....	3	3
70	Pontiac	390	2	.....	.....	5	1	2	2	3	1	25	1	1	1
71	Port Huron	281	5	.....	.....	2	.....	1	5	.....	1	14	2	3	2
72	Saginaw	745	18	3	.....	6	4	3	6	5	1	37	3	7	1
73	Sault Ste. Marie	213	3	.....	.....	.....	1	3	3	2	.....	16	3	1	1
74	Traverse City	260	3	.....	.....	.....	.....	.....	.....	1	3	35	.....	2	1

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
89	21	4	85	175	21	186	8	93	13	9	6	68	5	6	86	68	15	230	2	1
48	7	8	36	138	7	60	4	35	6	4	3	62	3	3	36	46	3	99	4	2
13	3	12	26	26	11	38	2	61	3	2	1	23	1	3	25	13	3	48	.....	3
11	1	3	12	7	2	16	3	5	1	2	1	3	.....	.....	9	12	1	33	3	4
35	5	4	26	50	10	32	3	11	1	6	2	31	.....	1	38	26	3	74	1	5
93	17	14	88	180	61	323	17	278	10	16	12	114	7	15	149	58	9	294	24	6
36	8	8	36	65	10	68	4	42	4	1	6	16	2	4	38	23	2	91	4	7
9	4	2	16	26	.....	27	.....	9	4	4	.....	17	.....	4	7	12	1	41	1	8
14	1	4	8	21	6	20	1	16	2	2	2	12	1	2	13	15	.....	30	.....	9
16	3	2	27	52	5	33	1	18	1	2	3	24	.....	2	15	23	1	69	.....	10
11	3	2	10	19	4	11	4	5	2	.....	.....	8	.....	.....	14	11	2	29	6	11
41	9	8	53	88	4	73	4	34	6	4	4	37	2	7	40	46	5	107	6	12
37	8	8	46	66	10	131	7	129	7	7	11	77	4	4	81	54	6	138	.....	13
68	13	14	67	95	27	138	10	155	12	7	12	70	3	13	80	53	5	223	23	14
12	2	3	10	25	2	19	1	10	1	2	2	20	1	2	12	10	3	46	.....	15
82	15	18	105	145	38	157	13	182	11	21	7	124	4	7	144	71	14	358	1	16
75	22	11	89	135	18	123	15	30	12	10	6	65	7	9	52	60	9	208	4	17
51	8	5	49	86	1	39	5	15	2	9	2	33	6	3	31	17	7	78	2	18
24	3	4	17	32	2	14	4	6	2	3	2	7	.....	2	8	6	2	38	.....	19
34	6	.....	25	39	2	20	1	5	.....	1	3	27	.....	.....	18	10	5	54	1	20
21	3	.....	19	28	2	24	5	3	1	1	3	11	1	4	8	6	2	39	.....	21
11	2	2	13	20	4	23	4	14	2	4	1	10	.....	2	10	6	4	32	1	22
16	2	3	24	12	3	22	3	7	5	3	2	22	.....	2	10	9	1	43	.....	23
88	15	20	66	131	35	222	18	229	13	16	16	38	8	6	98	52	15	253	21	24
28	3	3	21	39	3	20	.....	11	2	.....	2	23	1	2	5	16	1	34	.....	25
46	3	1	39	66	9	47	12	11	9	4	3	26	4	5	29	20	6	101	.....	26
24	2	1	24	31	11	29	6	13	7	2	2	24	2	5	15	30	2	62	1	27
16	2	1	41	28	9	25	6	14	3	4	1	30	1	4	13	21	6	103	2	28
17	3	5	18	29	4	19	1	10	3	.....	1	17	.....	.....	20	16	6	23	.....	29
36	10	12	34	76	8	78	8	25	13	5	4	40	3	4	52	57	5	100	.....	30
12	2	.....	15	24	3	7	2	10	4	.....	.....	19	1	2	9	12	1	31	1	31
36	7	5	40	62	7	50	3	23	4	5	.....	19	3	2	24	36	8	64	2	32
15	3	1	20	33	3	19	4	10	.....	1	5	11	.....	2	7	12	3	28	.....	33
38	10	6	42	99	13	71	5	59	6	6	4	31	3	6	76	35	3	103	3	34
73	9	5	70	168	10	118	7	41	8	7	10	57	3	6	61	39	4	165	.....	35
7	4	1	4	10	1	29	1	14	1	.....	2	16	1	1	14	6	.....	26	1	36
111	24	12	79	125	19	149	16	83	14	19	7	156	7	6	102	82	16	258	3	37
35	15	10	46	86	3	82	3	60	3	5	7	28	1	2	40	28	3	143	1	38
22	1	3	15	18	1	15	.....	5	.....	2	1	7	.....	2	9	9	2	25	.....	39
22	8	1	29	53	3	37	2	8	4	6	2	25	2	4	25	14	4	77	.....	40
8	5	2	15	14	2	7	3	5	.....	1	.....	6	.....	2	9	6	1	17	.....	41
12	5	2	8	12	4	19	.....	13	.....	.....	.....	7	2	3	14	7	2	38	2	42
18	4	3	24	21	4	35	2	24	2	1	4	25	2	1	15	20	3	37	1	43
16	1	.....	23	26	3	13	.....	9	.....	1	.....	12	1	1	4	4	.....	35	1	44
13	4	.....	15	21	.....	16	2	1	.....	.....	1	8	.....	2	4	6	1	25	.....	45
11	2	1	17	20	4	18	1	5	1	2	.....	22	.....	1	16	17	1	52	.....	46
173	34	15	140	314	38	279	21	152	29	26	16	119	8	8	155	140	27	522	.....	47
992	180	216	849	1,601	264	1,631	217	873	183	203	144	894	130	123	1,462	1,115	202	3,786	121	48
985	179	210	837	1,568	264	1,605	214	860	180	199	142	871	129	121	1,451	1,099	201	3,725	118	49
7	1	6	12	33	.....	26	3	13	3	4	2	23	1	2	11	16	1	61	3	50
14	.....	.....	10	24	1	10	3	2	4	3	2	9	2	.....	3	7	1	42	5	51
6	3	1	3	13	5	15	3	12	2	.....	.....	11	.....	3	11	11	3	52	6	52
53	7	1	30	29	.....	19	3	3	9	5	1	17	3	2	12	12	1	121	.....	53
48	4	3	32	76	6	15	6	11	2	9	5	17	2	2	28	41	7	89	2	54
35	5	2	33	53	9	61	16	14	13	10	4	23	5	5	38	33	7	149	8	55
374	87	151	323	696	123	1,087	108	552	69	101	87	421	75	63	829	573	113	1,619	58	56
16	1	3	14	18	4	35	4	12	4	.....	2	15	3	3	8	11	3	41	.....	57
28	4	4	27	32	7	44	7	12	3	5	.....	22	5	4	46	26	7	91	3	58
138	21	10	89	151	32	80	20	81	22	21	6	100	8	7	159	86	22	327	7	59
10	2	.....	2	11	4	6	2	11	1	3	.....	6	3	.....	13	3	.....	24	1	60
2	1	1	5	6	3	6	.....	13	1	.....	.....	4	.....	2	18	9	1	18	.....	61
7	1	.....	6	8	5	15	.....	5	3	1	.....	6	.....	1	14	4	2	21	3	62
28	3	8	43	60	4	23	6	20	2	4	10	19	5	1	29	49	2	126	6	63
35	8	2	53	84	4	39	7	25	13	10	5	56	5	6	46	37	3	230	2	64
26	1	4	26	44	10	21	.....	19	8	5	7	35	5	2	32	22	5	110	4	65
17	2	1	4	16	.....	4	3	6	4	.....	1	9	1	.....	7	9	1	28	1	66
18	3	2	8	20	2	14	4	8	3	1	1	15	.....	2	13	11	.....	44	1	67
10	.....	.....	10	25	1	10	1	3	.....	2	.....	2	.....	3	18	14	1	24	.....	68
31	5	1	23	37	10	21	1	15	3	2	1	19	5	1	23	28	2	77	4	69
18	4	5	12	44	5	19	3	7	2	3	.....	22	.....	1	19	26	2	152	2	70
12	5	3	21	26	1	15	4	10	.....	2	4	22	.....	4	23	17	2	74	1	71
52	8	10	44	78	12	49	10	16	12	9	6	25	2	6	65	51	11	178	7	72
5	2	2	9	17	6	17	2	16	1	4	.....	7	1	5	5	28	3	50	.....	73
9	3	2	22	33	5	6	4	.....	2	3	2	12	.....	.....	3	7	3	99	.....	74

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	MINNESOTA.														
1	Registration cities (total)	8,266	101	.....	1	61	96	33	110	37	36	809	74	36	37
2	White	8,118	100	.....	1	60	95	33	107	37	36	774	74	33	37
3	Colored	148	1	.....	.....	1	1	.....	3	.....	.....	35	.....	3	.....
4	Duluth	985	21	.....	.....	11	7	3	7	3	6	91	17	12	14
5	Mankato	179	2	.....	.....	2	.....	.....	1	1	1	7	3	3	.....
6	Minneapolis	3,861	40	.....	.....	20	63	15	56	17	17	387	29	36	11
7	St. Cloud	135	.....	.....	.....	.....	.....	2	2	2	.....	9	1	1	.....
8	St. Paul	2,558	21	.....	.....	18	18	13	43	11	12	269	22	29	8
9	Stillwater	105	4	.....	.....	1	.....	.....	.....	2	.....	12	1	1	.....
10	Virginia	158	8	.....	1	7	4	.....	.....	.....	.....	7	.....	2	.....
11	Winona	285	5	.....	.....	2	4	.....	1	1	.....	27	1	2	4
	MISSOURI.														
12	Registration cities (total)	18,147	270	42	3	218	58	75	278	161	46	1,752	96	147	81
13	White	15,924	238	34	2	209	57	60	268	146	41	1,333	82	116	71
14	Colored	2,223	32	8	1	9	1	15	10	15	5	419	14	31	10
15	Hannibal (total)	270	7	1	.....	5	.....	1	3	9	1	32	2	2	4
16	White	220	7	1	.....	5	.....	1	3	8	.....	23	2	2	2
17	Colored	50	.....	.....	.....	.....	.....	.....	.....	1	1	9	.....	.....	2
18	Jefferson City (total)	183	1	.....	.....	1	1	7	.....	3	.....	36	1	3	1
19	White	132	1	.....	.....	1	1	2	.....	2	.....	16	1	2	.....
20	Colored	51	.....	.....	.....	.....	.....	5	.....	1	.....	20	.....	1	1
21	Joplin	508	12	3	2	3	1	3	7	2	3	76	2	5	2
22	Kansas City (total)	4,045	60	3	1	61	6	24	35	27	11	367	18	41	19
23	White	3,419	51	1	.....	59	5	19	34	22	9	241	16	31	16
24	Colored	626	9	2	1	2	1	5	1	5	2	126	2	10	3
25	Moberly	154	1	.....	.....	1	.....	.....	2	.....	.....	23	.....	4	1
26	St. Joseph	1,157	22	1	.....	18	2	3	6	14	4	88	2	9	3
27	St. Louis (total)	10,761	122	29	.....	114	44	27	211	90	22	1,002	67	73	47
28	White	9,510	107	25	.....	107	44	22	202	86	20	780	55	57	43
29	Colored	1,251	15	4	.....	7	.....	5	9	4	2	222	12	16	4
30	Sedalia (total)	269	13	2	.....	6	.....	.....	4	2	1	28	.....	1	.....
31	White	225	9	.....	.....	6	.....	.....	4	2	1	19	.....	1	.....
32	Colored	44	4	2	.....	.....	.....	.....	.....	.....	.....	9	.....	.....	.....
33	Springfield	570	25	2	.....	3	1	8	6	12	3	45	1	6	3
34	Webb City	230	7	1	.....	6	3	2	4	2	1	55	3	3	1
	MONTANA.														
35	Registration cities (total)	1,787	34	.....	.....	17	46	21	6	6	10	147	9	13	12
36	White	1,743	34	.....	.....	17	46	21	6	6	10	144	9	13	10
37	Colored	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	2
38	Anaconda	137	.....	.....	.....	.....	.....	3	.....	.....	.....	4	.....	.....	1
39	Billings	133	7	.....	.....	2	.....	.....	.....	2	1	8	.....	2	1
40	Butte	809	5	.....	.....	10	23	12	1	2	4	101	4	6	10
41	Great Falls	331	18	.....	.....	2	20	1	3	.....	3	16	2	3	.....
42	Helena	188	4	.....	.....	.....	3	4	.....	1	1	5	.....	1	.....
43	Missoula	189	.....	.....	.....	3	.....	1	2	1	1	13	3	1	.....
	NEBRASKA.[1]														
44	Registration cities (total)	2,446	14	.....	.....	10	19	7	33	12	9	140	6	23	12
45	White	2,298	12	.....	.....	10	19	7	31	12	9	118	5	23	12
46	Colored	148	2	.....	.....	.....	.....	.....	2	.....	.....	22	1	.....	.....
47	Lincoln	624	4	.....	.....	9	5	4	12	5	.....	22	2	6	.....
48	Omaha	1,822	10	.....	.....	1	14	3	21	7	9	118	4	17	12
	NEW HAMPSHIRE.														
49	Registration cities (total)	3,235	22	.....	1	16	6	22	31	20	5	178	25	20	16
50	White	3,232	22	.....	1	16	6	21	31	20	5	177	25	20	16
51	Colored	3	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
52	Berlin	182	2	.....	.....	5	.....	3	5	1	1	5	1	.....	1
53	Concord	500	2	.....	.....	2	.....	4	3	6	3	20	1	2	1
54	Dover	239	3	.....	.....	2	.....	2	1	2	.....	19	1	.....	2
55	Keene	192	4	.....	.....	.....	.....	.....	.....	1	.....	6	1	1	.....
56	Laconia	179	.....	.....	.....	1	.....	3	.....	2	.....	6	2	2	1
57	Manchester	1,308	6	.....	1	5	6	6	14	4	1	89	11	9	9
58	Nashua	429	3	.....	.....	1	.....	3	6	3	.....	20	6	4	2
59	Portsmouth	206	2	.....	.....	.....	.....	1	2	1	.....	13	2	2	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
591	110	43	340	684	86	704	78	315	161	98	79	644	49	64	579	598	136	1,414	12	1
587	108	43	336	661	84	693	77	313	161	98	78	630	48	64	575	590	135	1,388	12	2
4	2	------	4	23	2	11	1	2	------	------	1	14	1	------	4	8	1	26	------	3
65	9	7	21	64	8	95	11	45	14	10	7	65	7	9	76	83	20	175	2	4
17	2	------	11	14	1	12	------	5	8	4	2	10	1	3	17	11	------	41	------	5
282	54	17	165	356	35	342	39	116	75	44	37	326	22	28	261	280	57	631	3	6
11	------	------	3	11	1	17	1	6	4	------	1	6	1	3	12	9	4	23	5	7
185	34	10	109	192	31	188	24	106	51	35	23	217	16	19	174	180	49	451	------	8
10	4	------	6	8	1	6	1	1	2	1	3	4	1	------	10	5	2	18	1	9
1	2	3	2	5	3	27	------	30	1	------	1	4	1	------	16	18	------	14	1	10
20	5	6	23	34	6	17	2	6	6	4	5	12	------	2	13	12	4	61	------	11
1,139	183	143	758	1,460	255	1,631	156	906	268	182	276	1,752	110	87	806	1,257	394	3,118	39	12
1,071	171	123	688	1,247	220	1,368	134	857	250	153	254	1,541	102	82	749	1,093	376	2,759	29	13
68	12	20	70	213	35	263	22	49	18	29	22	211	8	5	57	164	18	359	10	14
10	6	------	15	11	3	22	2	14	6	4	1	8	1	3	15	24	2	50	6	15
10	5	------	9	8	3	10	2	14	5	2	1	6	1	3	14	21	2	47	3	16
------	1	------	6	3	------	12	------	------	1	2	------	2	------	------	1	3	------	3	3	17
13	2	------	12	5	1	15	4	7	2	4	2	19	------	1	6	15	3	15	3	18
11	2	------	11	4	1	13	3	7	2	3	1	16	------	------	5	11	2	13	1	19
2	------	------	1	1	------	2	1	------	------	1	1	3	------	1	1	4	1	2	2	20
29	2	9	28	36	2	42	4	31	2	4	4	33	7	3	35	38	11	66	1	21
237	33	59	148	373	37	316	29	225	67	38	33	303	25	19	191	352	102	777	8	22
224	31	49	131	300	27	264	25	212	60	32	31	245	22	18	173	296	95	674	6	23
13	2	10	17	73	10	52	4	13	7	6	2	58	3	1	18	56	7	103	2	24
10	------	------	14	10	3	15	------	6	2	1	1	7	1	1	8	17	1	23	2	25
71	14	1	77	79	11	107	4	53	39	9	13	97	10	11	57	90	15	224	3	26
710	114	61	429	890	187	1,001	104	525	133	116	214	1,212	60	40	439	656	241	1,774	7	27
663	107	52	394	775	171	840	87	496	123	100	196	1,077	57	39	410	573	233	1,563	6	28
47	7	9	35	115	16	161	17	29	10	16	18	135	3	1	29	83	8	211	1	29
22	4	1	9	18	2	24	4	12	1	1	2	32	1	1	10	11	6	50	1	30
21	3	1	9	13	1	16	4	11	1	1	2	28	1	1	9	10	6	45	------	31
1	1	------	------	5	1	8	------	1	------	------	------	4	------	------	1	1	------	5	1	32
30	6	3	20	30	8	73	1	23	15	4	5	38	3	7	34	32	10	110	3	33
7	2	9	6	8	1	16	4	10	1	1	1	3	2	1	11	22	3	29	5	34
89	19	25	52	133	22	189	19	42	44	16	22	115	13	15	98	156	47	323	27	35
88	18	25	51	126	21	183	19	41	44	16	17	110	13	15	97	154	47	316	26	36
1	1	------	1	7	1	6	------	1	------	------	5	5	------	------	1	2	------	7	1	37
1	3	2	8	15	7	19	2	2	2	3	7	9	1	2	9	7	5	24	1	38
4	3	3	1	9	------	14	1	6	3	1	4	9	------	------	13	8	4	26	1	39
32	5	16	19	58	10	100	8	25	23	3	4	51	9	6	35	76	17	124	10	40
17	2	3	4	18	2	27	2	7	7	6	3	13	3	5	23	34	10	63	14	41
19	4	------	10	16	1	17	3	2	3	2	2	16	------	1	7	15	7	43	1	42
16	2	1	10	17	2	12	3	------	6	1	2	17	------	1	11	16	4	43	------	43
175	25	20	107	187	20	215	27	76	55	45	26	152	19	24	150	276	39	514	9	44
170	25	19	102	172	18	198	25	75	54	43	21	141	18	23	145	252	37	493	9	45
5	------	1	5	15	2	17	2	1	1	2	5	11	1	1	5	24	2	21	------	46
46	9	6	34	40	5	58	7	19	8	8	2	38	5	8	51	47	5	154	5	47
129	16	14	73	147	15	157	20	57	47	37	24	114	14	16	99	229	34	360	4	48
163	39	45	208	328	49	288	41	275	34	27	22	205	12	22	275	154	33	636	17	49
163	39	45	208	328	49	288	41	275	34	27	22	205	12	22	275	154	32	636	17	50
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	51
4	------	5	6	12	6	39	1	12	3	------	------	6	------	3	28	13	------	19	1	52
29	9	2	45	62	3	25	7	15	1	5	2	40	------	6	22	20	6	155	2	53
14	2	3	17	29	1	23	1	8	2	1	1	26	------	1	11	15	2	49	1	54
14	6	------	20	24	2	21	------	7	2	1	4	14	1	2	9	12	2	38	------	55
11	------	1	8	15	2	19	3	8	------	------	1	19	------	------	12	11	1	46	5	56
51	11	27	70	114	28	114	20	172	14	15	7	57	10	8	134	46	15	231	3	57
24	4	4	26	48	6	29	6	49	9	3	6	26	1	2	45	24	4	61	4	58
16	7	3	16	24	1	18	3	4	3	2	1	17	------	------	14	13	3	37	1	59

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	NEW JERSEY.														
1	Registration cities (total)	25,881	181	10	.....	137	167	226	395	114	100	2,275	214	188	136
2	White	24,601	168	7	.....	135	166	207	390	107	99	2,091	194	171	129
3	Colored	1,280	13	3	.....	2	1	19	5	7	1	184	20	17	7
4	Asbury Park (total)	167	.....	.....	.....	1	1	.....	.....	1	.....	13	.....	4	1
5	White	125	.....	.....	.....	1	1	.....	.....	.....	.....	5	.....	3	1
6	Colored	42	.....	.....	.....	.....	.....	.....	.....	1	.....	8	.....	1	.....
7	Atlantic City (total)	330	6	1	.....	3	4	9	8	3	1	50	5	8	3
8	White	663	5	1	.....	3	4	8	8	3	1	35	4	7	3
9	Colored	167	1	.....	.....	.....	.....	1	.....	.....	.....	15	1	1	.....
10	Bayonne	790	3	1	.....	4	14	1	19	2	3	64	4	1	4
11	Bloomfield	165	.....	.....	.....	1	.....	2	.....	2	1	17	2	.....	1
12	Bridgeton	221	2	.....	.....	6	1	3	.....	1	.....	14	1	6	1
13	Camden	1,679	19	.....	.....	19	11	26	40	6	1	150	13	6	9
14	East Orange	342	.....	.....	.....	.....	.....	.....	11	4	1	31	5	4	2
15	Elizabeth	1,158	11	1	.....	6	2	5	11	4	.....	87	21	8	3
16	Garfield	153	.....	.....	.....	1	.....	4	2	1	.....	10	.....	.....	1
17	Hackensack	236	2	.....	.....	.....	.....	11	2	1	.....	16	9	2	3
18	Harrison	192	.....	.....	.....	.....	1	2	1	2	.....	18	.....	1	1
19	Hoboken	1,226	9	.....	.....	10	6	3	26	1	8	112	9	13	13
20	Irvington	185	.....	.....	.....	.....	.....	.....	1	2	1	23	3	1	.....
21	Jersey City	4,194	31	1	.....	30	41	37	74	12	13	384	35	27	16
22	Kearny	246	1	1	.....	.....	.....	1	3	1	1	17	.....	.....	2
23	Long Branch	284	8	.....	.....	1	.....	2	5	.....	.....	12	1	2	.....
24	Millville	171	1	1	.....	.....	.....	4	.....	3	.....	16	1	2	.....
25	Montclair (total)	339	2	.....	.....	.....	1	1	2	4	3	15	3	3	2
26	White	290	2	.....	.....	.....	1	.....	2	4	3	10	1	2	2
27	Colored	49	.....	.....	.....	.....	.....	1	.....	.....	.....	5	2	1	.....
28	Morristown	287	2	2	.....	1	.....	1	1	.....	.....	15	4	3	1
29	New Brunswick	555	3	.....	.....	.....	.....	4	3	3	1	37	2	6	7
30	Newark	5,454	33	1	.....	18	21	43	69	26	40	569	51	41	27
31	Orange	493	1	.....	.....	.....	.....	6	1	2	3	40	8	2	5
32	Passaic	870	3	.....	.....	9	3	7	16	4	1	59	6	8	2
33	Paterson	1,780	11	.....	.....	1	4	11	13	12	7	176	8	12	6
34	Perth Amboy	537	7	.....	.....	2	8	15	31	1	2	29	2	4	1
35	Phillipsburg	173	.....	.....	.....	1	1	3	4	3	.....	14	.....	.....	3
36	Plainfield	310	4	.....	.....	.....	10	2	1	1	.....	17	.....	3	4
37	Trenton	1,930	22	.....	.....	14	28	8	28	7	9	175	14	14	7
38	Union	226	.....	.....	.....	.....	1	5	5	1	1	22	1	1	5
39	West Hoboken	385	.....	1	.....	6	5	6	12	1	2	43	5	6	5
40	West New York	208	.....	.....	.....	3	4	2	5	1	1	19	1	.....	.....
41	West Orange	95	.....	.....	.....	.....	.....	2	1	2	.....	11	.....	.....	1
	NEW YORK.														
42	Registration cities (total)	108,818	723	24	2	1,011	792	579	1,703	481	397	11,490	1,051	658	531
43	White	105,907	709	22	2	1,001	786	555	1,676	471	392	10,870	996	628	522
44	Colored	2,911	14	2	.....	10	6	24	27	10	5	620	55	30	9
45	Albany	2,025	28	.....	1	7	2	10	23	20	7	232	8	14	10
46	Amsterdam	493	3	.....	.....	5	18	1	6	2	1	28	6	6	1
47	Auburn	569	5	.....	.....	9	12	1	2	3	3	41	4	4	3
48	Batavia	246	2	.....	.....	.....	.....	3	6	12	1	8	2	2	2
49	Binghamton	1,127	8	1	.....	16	.....	1	12	8	3	85	6	6	4
50	Buffalo	7,043	69	1	.....	71	15	27	43	21	23	600	56	41	28
51	Cohoes	386	9	.....	.....	2	2	.....	10	1	.....	33	2	4	3
52	Corning	178	3	.....	1	.....	.....	.....	1	2	3	4	1	.....	2
53	Cortland	220	2	.....	.....	.....	.....	.....	.....	6	.....	10	1	2	.....
54	Dunkirk	270	12	.....	.....	1	1	6	3	1	.....	18	.....	3	3
55	Elmira	587	4	.....	.....	2	2	2	3	10	2	32	.....	3	2
56	Fulton	181	5	.....	.....	.....	.....	2	1	3	.....	5	.....	1	3
57	Geneva	187	5	.....	.....	.....	1	.....	1	3	.....	5	1	.....	.....
58	Glens Falls	283	3	.....	.....	.....	8	.....	4	2	.....	17	1	4	2
59	Gloversville	337	1	.....	.....	2	.....	2	2	3	.....	18	.....	2	.....
60	Hornell	223	3	.....	.....	3	.....	.....	.....	3	.....	3	.....	1	2
61	Hudson	211	7	.....	.....	.....	1	4	4	1	1	14	.....	1	1
62	Ithaca	250	2	.....	.....	.....	.....	.....	1	7	.....	12	1	.....	.....
63	Jamestown	460	2	.....	.....	12	.....	1	8	8	.....	29	2	4	3
64	Johnstown	166	3	.....	.....	3	.....	1	3	2	1	11	1	.....	1
65	Kingston	491	9	2	.....	.....	.....	2	7	3	2	51	2	1	.....
66	Lackawanna	421	.....	.....	.....	31	.....	9	5	2	.....	17	5	6	.....
67	Little Falls	245	5	.....	.....	2	.....	6	2	.....	.....	13	1	1	.....
68	Lockport	306	13	.....	.....	2	1	.....	3	4	.....	11	3	2	2
69	Middletown	333	6	.....	.....	.....	2	.....	1	4	1	38	.....	1	2
70	Mount Vernon	455	3	.....	.....	1	2	1	3	.....	1	32	7	3	4
71	New Rochelle	311	1	.....	.....	.....	3	1	4	1	2	22	2	2	1

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
1,381	300	178	1,402	2,479	371	2,989	277	1,791	238	207	328	2,252	171	171	1,655	1,584	309	3,585	70	1
1,335	293	172	1,351	2,362	340	2,816	262	1,730	230	193	322	2,138	162	159	1,579	1,524	303	3,402	64	2
46	7	6	51	117	31	173	15	61	8	14	6	114	9	12	76	60	6	183	6	3
6	3	-------	17	31	1	9	3	4	1	-------	3	22	1	1	11	4	5	24	-------	4
6	2	-------	16	24	1	7	2	1	1	-------	3	15	1	-------	9	3	5	18	-------	5
-------	1	-------	1	7	-------	2	1	3	-------	-------	-------	7	-------	1	2	1	-------	6	-------	6
49	14	1	37	81	9	61	6	37	9	14	8	135	10	3	49	52	15	138	1	7
41	12	1	33	64	8	35	6	28	7	11	5	118	8	1	39	43	13	108	-------	8
8	2	-------	4	17	1	26	-------	9	2	3	3	17	2	2	10	9	2	30	1	9
32	7	10	43	57	10	94	9	74	9	5	9	67	7	7	62	59	4	103	2	10
12	2	-------	9	21	3	22	1	11	-------	-------	1	8	-------	-------	16	5	1	27	-------	11
15	-------	-------	12	23	1	12	6	5	2	6	3	18	2	3	18	12	1	47	-------	12
86	12	9	65	174	7	200	27	117	18	7	17	147	14	15	118	108	21	212	5	13
25	5	-------	29	41	6	31	3	7	1	2	5	41	-------	2	9	10	6	61	-------	14
59	20	7	67	108	16	123	19	139	10	8	19	78	8	6	55	96	11	146	4	15
8	-------	2	2	5	3	37	1	30	3	2	-------	5	1	1	15	9	1	8	1	16
20	2	1	13	21	1	21	5	18	4	1	3	20	-------	-------	20	15	2	23	-------	17
14	1	1	8	11	5	23	3	25	-------	-------	1	16	2	-------	11	12	5	26	2	18
50	14	22	48	141	23	169	7	67	10	11	29	103	11	2	29	93	26	158	3	19
16	6	1	11	25	1	11	2	8	-------	2	1	20	2	-------	13	3	7	25	-------	20
198	41	32	232	379	66	550	32	252	39	35	59	364	30	22	253	260	31	604	14	21
16	2	3	18	27	10	23	4	13	-------	-------	5	16	1	-------	12	8	2	59	-------	22
14	2	-------	17	34	3	17	4	8	6	7	8	34	2	4	17	21	4	50	1	23
14	3	-------	12	18	3	11	2	10	-------	1	-------	16	-------	1	19	5	2	25	1	24
30	4	1	19	36	3	44	4	5	3	3	1	22	1	3	25	22	6	71	-------	25
26	4	-------	18	31	3	31	2	5	3	3	1	20	1	3	23	19	6	64	-------	26
4	-------	1	1	5	-------	13	2	-------	-------	-------	-------	2	-------	-------	2	3	-------	7	-------	27
25	6	2	10	25	2	30	2	15	5	-------	6	17	3	3	27	26	1	51	1	28
27	4	3	40	53	3	64	6	58	5	4	5	36	1	5	49	46	5	70	5	29
311	80	29	307	521	97	533	57	347	54	41	69	539	47	41	326	313	75	719	9	30
27	11	4	36	32	10	56	9	16	13	9	6	44	2	4	37	31	4	73	1	31
25	3	10	23	51	18	188	6	98	9	6	4	51	7	7	74	58	7	106	1	32
105	21	16	95	220	23	210	18	101	12	22	21	175	9	17	94	108	26	223	3	33
18	1	3	14	22	7	43	3	85	5	-------	5	27	2	5	58	42	2	89	4	34
4	3	2	18	14	-------	12	3	12	-------	2	1	13	-------	-------	14	10	1	34	1	35
25	5	3	27	19	6	27	5	18	4	4	-------	33	1	3	19	13	3	52	1	36
98	11	10	117	197	20	229	23	158	12	14	20	114	6	12	140	112	18	286	7	37
10	8	1	13	22	2	39	-------	13	1	-------	6	23	1	-------	14	6	2	23	-------	38
24	4	2	22	36	9	52	4	22	2	1	10	25	-------	-------	27	17	7	27	2	39
11	3	3	13	21	2	32	3	13	-------	-------	3	18	-------	4	14	6	7	18	1	40
7	2	-------	8	13	1	16	-------	5	1	-------	-------	5	-------	-------	10	2	1	7	-------	41
6,308	1,400	566	4,713	11,157	1,383	13,549	839	6,001	1,011	937	1,263	9,970	492	572	6,609	6,120	1,173	15,241	72	42
6,219	1,385	550	4,626	10,867	1,347	13,102	832	5,883	993	916	1,248	9,703	476	559	6,463	5,988	1,159	14,897	64	43
89	15	16	87	290	36	447	7	118	18	21	15	267	16	13	146	132	14	344	8	44
138	31	18	109	223	21	139	32	61	24	17	31	214	5	6	110	103	15	365	1	45
24	3	6	18	36	20	57	3	47	6	5	1	32	3	5	35	31	2	82	-------	46
37	6	1	43	80	10	63	3	33	5	7	5	31	2	4	29	24	6	93	-------	47
16	4	2	20	19	1	34	2	4	3	2	-------	16	2	1	17	18	4	43	-------	48
50	7	2	75	124	27	83	12	79	7	10	11	95	7	7	76	76	17	211	1	49
458	82	36	361	761	59	666	63	636	95	77	69	516	30	32	413	427	46	1,217	4	50
19	3	6	17	34	2	41	4	33	1	3	11	30	1	2	34	16	3	59	1	51
10	5	2	7	14	1	17	3	9	6	5	-------	18	1	-------	14	18	-------	31	-------	52
17	1	2	16	22	1	17	1	1	5	3	3	16	1	1	12	19	5	56	-------	53
13	2	-------	10	24	7	24	2	13	2	2	2	15	2	3	25	15	1	59	1	54
36	8	-------	33	75	4	41	3	13	5	5	7	75	5	6	42	43	8	116	-------	55
10	3	-------	8	15	3	19	-------	15	1	1	-------	17	2	-------	13	17	1	36	-------	56
10	1	1	17	17	2	29	-------	5	2	1	-------	13	-------	2	13	24	2	32	-------	57
21	3	-------	35	27	5	20	2	3	5	1	-------	25	3	-------	13	22	3	54	-------	58
20	1	-------	24	41	9	37	1	5	4	4	1	31	1	1	24	10	2	91	-------	59
18	2	1	25	20	2	19	2	6	4	4	-------	16	-------	1	14	19	2	53	-------	60
11	-------	1	8	18	-------	20	3	12	1	1	-------	16	2	1	10	11	4	57	1	61
18	4	1	26	29	3	22	-------	9	3	1	4	38	-------	1	6	17	2	43	-------	62
33	4	1	26	38	9	30	5	31	7	4	5	43	2	-------	32	25	1	93	2	63
10	1	1	11	19	1	16	4	7	-------	-------	1	15	-------	-------	14	4	2	34	-------	64
38	2	2	46	54	5	39	4	9	5	7	5	43	-------	3	23	42	4	79	2	65
3	1	-------	4	17	11	46	3	102	2	1	-------	3	-------	-------	53	40	-------	60	-------	66
14	3	-------	12	17	2	27	2	25	3	5	1	20	-------	2	21	28	1	28	4	67
15	2	1	16	45	6	28	-------	13	2	3	3	11	1	-------	27	21	4	67	-------	68
15	4	1	21	45	6	34	4	2	-------	8	3	31	-------	-------	15	19	2	68	-------	69
26	5	3	31	44	5	53	3	18	4	6	3	47	3	7	32	26	15	62	-------	70
20	3	1	22	12	-------	41	-------	15	4	3	5	28	4	3	20	30	7	54	-------	71

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	All causes.	DEATHS FROM— Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	NEW YORK—continued.														
1	New York (total)	74,286	363	16	.....	721	572	400	1,358	281	295	8,842	817	429	373
2	Bronx Borough	7,020	31	3	.....	70	47	45	144	35	25	910	72	32	33
3	Brooklyn Borough	24,830	121	6	.....	141	199	129	461	124	102	2,676	261	144	160
4	Manhattan Borough	36,375	180	4	.....	464	269	181	655	100	159	4,684	426	212	145
5	Queens Borough	4,506	24	3	.....	29	44	35	85	16	7	427	39	29	30
6	Richmond Borough	1,555	7	.....	.....	17	13	10	13	6	2	145	19	12	5
7	White	71,849	356	14	.....	713	567	382	1,331	273	290	8,307	771	404	366
8	Bronx Borough	6,920	31	3	.....	70	47	44	143	33	25	883	70	32	32
9	Brooklyn Borough	24,252	117	4	.....	140	197	123	453	121	102	2,583	247	135	157
10	Manhattan Borough	34,729	178	4	.....	457	266	174	637	97	154	4,289	396	198	142
11	Queens Borough	4,423	23	3	.....	29	44	33	85	16	7	411	39	28	30
12	Richmond Borough	1,525	7	.....	.....	17	13	8	13	6	2	141	19	11	5
13	Colored	2,437	7	2	.....	8	5	18	27	8	5	535	46	25	7
14	Bronx Borough	100	.....	.....	.....	.....	.....	1	1	2	.....	27	2	.....	1
15	Brooklyn Borough	578	4	2	.....	1	2	6	8	3	.....	93	14	9	3
16	Manhattan Borough	1,646	2	.....	.....	7	3	7	18	3	5	395	30	14	3
17	Queens Borough	83	1	.....	.....	.....	.....	2	.....	.....	.....	16	.....	1	.....
18	Richmond Borough	30	.....	.....	.....	.....	.....	2	.....	.....	.....	4	.....	1	.....
19	Newburgh	505	7	.....	.....	1	.....	.....	6	5	.....	64	1	2	1
20	Niagara Falls	593	10	.....	.....	18	15	12	11	1	1	27	4	5	4
21	North Tonawanda	174	2	.....	.....	3	.....	4	2	.....	.....	12	3	3	1
22	Ogdensburg	416	2	.....	.....	6	.....	.....	1	1	.....	29	.....	2	.....
23	Olean	212	4	.....	.....	3	.....	.....	4	1	.....	14	2	.....	.....
24	Ossining	180	5	.....	.....	1	.....	4	1	.....	2	16	2	1	1
25	Oswego	396	4	.....	.....	2	.....	3	4	2	2	11	1	2	.....
26	Peekskill	233	1	.....	.....	1	.....	1	.....	2	.....	12	2	2	1
27	Plattsburg	213	5	.....	.....	.....	.....	.....	.....	1	.....	18	1	1	.....
28	Port Chester	196	1	.....	.....	4	.....	2	1	5	.....	17	4	.....	1
29	Poughkeepsie	490	3	.....	.....	.....	2	3	3	4	3	22	3	4	1
30	Rensselaer	133	.....	.....	.....	.....	.....	4	6	2	.....	13	.....	1	.....
31	Rochester	3,448	21	.....	.....	8	21	28	41	8	13	230	23	27	15
32	Rome	436	5	.....	.....	.....	7	.....	.....	5	.....	66	2	4	7
33	Saratoga Springs	332	5	.....	.....	.....	.....	.....	.....	1	.....	25	3	.....	5
34	Schenectady	1,054	5	1	.....	5	79	4	11	2	5	70	7	5	5
35	Syracuse	2,294	19	.....	.....	23	19	7	21	7	9	147	17	13	11
36	Troy	1,400	12	.....	.....	8	.....	.....	19	8	.....	166	13	9	4
37	Utica	1,558	9	1	.....	11	1	4	18	6	10	93	11	16	13
38	Watertown	470	3	.....	.....	6	.....	11	1	.....	2	32	3	3	2
39	Watervliet	224	11	.....	.....	3	2	.....	2	2	2	24	.....	.....	1
40	White Plains	294	2	.....	.....	3	.....	.....	1	3	.....	20	4	3	1
41	Yonkers	1,277	11	2	.....	15	4	12	34	2	2	131	16	12	5
	NORTH CAROLINA.														
42	Registration cities (total)	3,318	112	21	6	47	4	46	25	40	4	398	19	34	12
43	White	1,660	56	6	4	36	3	20	13	17	3	198	12	14	3
44	Colored	1,658	56	15	2	11	1	26	12	23	1	200	7	20	9
45	Asheville (total)	418	6	1	.....	.....	.....	6	6	13	1	110	5	5	1
46	White	283	5	.....	.....	.....	.....	2	2	8	1	90	2	2	.....
47	Colored	135	1	1	.....	.....	.....	4	4	5	.....	20	3	3	1
48	Charlotte (total)	594	23	8	.....	10	1	9	3	12	.....	55	8	5	1
49	White	336	13	2	.....	10	1	7	1	4	.....	22	8	3	1
50	Colored	258	10	6	.....	.....	.....	2	2	8	.....	33	.....	2	.....
51	Durham (total)	306	10	3	.....	16	.....	2	2	2	.....	37	.....	4	.....
52	White	136	3	.....	.....	11	.....	.....	1	1	.....	16	.....	2	.....
53	Colored	170	7	3	.....	5	.....	2	1	1	.....	21	.....	2	.....
54	Greensboro (total)	311	10	1	.....	6	1	6	2	4	.....	25	2	4	.....
55	White	172	7	1	.....	3	.....	2	1	1	.....	9	2	2	.....
56	Colored	139	3	.....	.....	3	1	4	1	3	.....	16	.....	2	.....
57	Raleigh (total)	491	13	5	.....	7	1	4	4	2	.....	38	.....	2	3
58	White	267	7	3	.....	4	1	4	3	1	.....	18	.....	.....	2
59	Colored	224	6	2	.....	3	.....	.....	1	1	.....	20	.....	2	1
60	Wilmington (total)	615	22	3	.....	1	.....	6	2	6	.....	54	2	10	3
61	White	241	11	.....	.....	1	.....	3	2	2	.....	20	.....	4	.....
62	Colored	374	11	3	.....	.....	.....	3	.....	4	.....	34	2	6	3
63	Winston-Salem[1] (total)	583	28	.....	6	7	1	13	6	1	3	79	2	4	4
64	White	225	10	.....	4	7	1	2	3	.....	2	23	.....	1	.....
65	Colored	358	18	.....	2	.....	.....	11	3	1	1	56	2	3	4
	OHIO.														
66	Registration cities (total)	35,602	538	14	3	400	219	297	611	218	105	3,150	218	296	175
67	White	33,724	503	10	1	394	218	283	602	207	102	2,788	207	278	168
68	Colored	1,878	35	4	2	6	1	14	9	11	3	362	11	18	7
69	Akron	1,160	16	.....	.....	4	8	20	27	2	4	71	4	3	6
70	Alliance	217	.....	.....	.....	8	.....	5	1	3	1	16	2	2	.....
71	Ashtabula	248	5	.....	.....	4	1	8	3	3	1	13	3	3	2
72	Bellaire	205	5	.....	.....	1	.....	4	4	4	2	11	2	5	3
73	Cambridge	160	6	.....	.....	1	2	4	2	2	.....	4	2	1	1

[1] Salem incorporated with Winston, May 13, 1913.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
4,250	1,009	394	2,695	7,515	951	10,103	555	3,820	622	566	886	7,180	338	395	4,380	4,050	856	9,204	50	1
452	100	39	254	727	62	858	60	288	51	79	81	711	40	51	392	388	97	842	1	2
1,377	325	115	994	2,850	399	3,499	196	1,326	229	194	328	2,481	116	140	1,259	1,205	226	3,037	10	3
2,090	496	212	1,125	3,301	419	5,016	265	1,846	286	250	381	3,379	141	166	2,350	2,109	465	4,571	28	4
240	69	21	233	490	59	552	31	278	47	31	75	406	35	32	293	243	49	546	8	5
91	19	7	89	147	12	178	3	82	9	12	21	203	6	6	86	105	19	208	3	6
4,174	997	380	2,635	7,278	919	9,712	549	3,718	606	548	875	6,962	323	384	4,257	3,948	846	8,920	44	7
450	100	39	251	715	62	849	60	286	51	78	81	702	40	50	388	380	97	827	1	8
1,361	325	110	979	2,783	388	3,399	193	1,293	222	190	324	2,442	113	136	1,235	1,184	225	2,963	8	9
2,037	485	203	1,085	3,150	401	4,745	262	1,785	277	237	374	3,225	131	162	2,265	2,038	456	4,395	24	10
235	68	21	232	486	58	545	31	273	47	31	75	392	33	30	289	241	49	531	8	11
91	19	7	88	144	10	174	3	81	9	12	21	201	6	6	80	105	19	204	3	12
76	12	14	60	237	32	391	6	102	16	18	11	218	15	11	123	102	10	284	6	13
2	-	-	3	12	-	9	-	2	-	1	-	9	-	1	4	8	-	15	-	14
16	-	5	15	67	11	100	3	33	7	4	4	39	3	4	24	21	1	74	2	15
53	11	9	40	151	18	271	3	61	9	13	7	154	10	4	85	71	9	176	4	16
5	1	-	1	4	1	7	-	5	-	-	-	14	2	2	4	2	-	15	-	17
-	-	-	1	3	2	4	-	1	-	-	-	2	-	-	6	-	-	4	-	18
20	6	4	39	54	5	47	3	21	3	8	3	72	-	3	35	23	3	68	1	19
24	4	3	13	49	2	85	5	43	4	1	6	24	2	1	66	47	8	98	-	20
10	2	2	2	11	-	26	2	24	1	-	3	5	2	-	19	7	4	23	1	21
22	2	2	18	45	5	69	1	15	10	4	-	33	2	3	24	25	2	93	-	22
9	3	1	12	15	2	20	1	6	2	5	4	18	1	1	24	14	3	43	-	23
11	4	2	13	12	1	17	-	9	1	2	1	19	2	-	8	22	3	20	-	24
18	4	3	36	61	5	35	2	17	2	7	3	43	2	3	33	25	2	64	-	25
14	2	2	20	25	5	19	-	15	4	2	2	12	2	3	11	28	-	45	-	26
15	2	2	9	22	7	24	1	8	1	5	3	11	1	2	18	11	-	45	-	27
8	1	3	9	9	7	23	3	17	2	2	2	14	1	2	12	15	-	31	-	28
43	7	2	36	57	11	42	4	32	5	9	3	35	5	3	25	24	4	95	-	29
10	1	-	10	15	2	18	1	1	1	-	2	6	-	-	3	9	-	28	-	30
225	52	13	203	377	56	366	29	191	38	36	66	330	18	18	197	181	45	572	-	31
20	4	-	20	40	6	31	3	21	6	3	1	46	1	3	12	27	2	94	-	32
21	3	1	30	37	1	25	1	6	4	6	7	65	-	2	9	19	-	56	-	33
54	10	4	69	72	11	95	5	78	22	13	8	68	5	4	91	62	12	172	-	34
142	23	7	130	271	28	271	16	117	21	34	28	154	10	8	189	127	29	395	1	35
85	23	11	105	172	14	147	11	56	14	16	18	131	6	4	62	59	6	221	-	36
71	20	6	76	196	24	159	12	122	21	13	18	110	8	13	109	71	11	305	-	37
36	10	2	41	54	3	40	7	17	8	3	3	21	2	1	41	26	3	89	-	38
11	2	1	11	31	2	30	5	4	-	1	4	9	1	2	15	12	2	34	-	39
12	6	4	14	19	1	43	1	14	3	2	6	25	1	4	18	31	5	48	-	40
77	9	8	61	128	12	152	5	141	10	13	15	84	5	9	71	60	14	155	2	41
90	10	62	144	264	24	249	31	192	36	21	18	224	7	48	176	186	15	649	104	42
56	10	19	89	118	11	87	20	94	28	9	13	132	3	21	117	79	13	334	22	43
34	-	43	55	146	13	162	11	98	8	12	5	92	4	27	59	107	2	315	82	44
13	1	5	22	27	5	28	6	10	7	-	2	23	2	2	14	27	4	61	5	45
13	1	3	14	19	-	18	5	7	7	-	2	14	1	1	9	18	4	33	2	46
-	-	2	8	8	5	10	1	3	-	-	-	9	1	1	5	9	-	28	3	47
17	1	7	15	36	5	46	7	30	5	3	3	37	-	8	39	43	1	129	27	48
9	1	3	12	13	2	18	4	25	4	2	2	30	-	7	34	20	1	72	5	49
8	-	4	3	23	3	28	3	5	1	1	1	7	-	1	5	23	-	57	22	50
4	2	14	14	18	3	22	5	8	2	4	3	18	1	8	10	17	1	61	15	51
3	2	4	10	13	2	8	2	2	-	1	2	13	-	3	7	7	1	16	6	52
1	-	10	4	5	1	14	3	6	2	3	1	5	1	5	3	10	-	45	9	53
15	1	5	9	31	-	16	4	20	3	5	3	22	-	5	18	20	3	67	3	54
9	1	-	6	20	-	11	3	8	3	2	2	12	-	4	8	11	3	40	1	55
6	-	5	3	11	-	5	1	12	-	3	1	10	-	1	10	9	-	27	2	56
15	2	4	33	48	6	31	2	22	5	2	5	35	-	8	31	24	2	130	7	57
7	2	2	25	21	5	7	2	9	2	1	3	22	-	1	17	8	2	87	1	58
8	-	2	8	27	1	24	-	13	3	1	2	13	-	7	14	16	-	43	6	59
15	2	3	29	67	5	50	3	55	5	4	2	62	1	9	41	21	2	126	4	60
11	2	2	11	21	2	9	2	20	5	2	2	30	-	3	26	6	1	42	1	61
4	-	1	18	46	3	41	1	35	-	2	-	32	1	6	15	15	1	84	3	62
11	1	24	22	37	-	56	4	47	9	3	-	27	3	8	23	34	2	75	43	63
4	1	5	11	11	-	16	2	23	7	1	-	11	2	2	16	9	1	44	6	64
7	-	19	11	26	-	40	2	24	2	2	-	16	1	6	7	25	1	31	37	65
2,008	419	322	2,042	3,469	516	3,058	250	2,245	376	321	412	2,335	220	168	1,974	3,053	406	5,679	85	66
1,959	404	300	1,954	3,228	505	2,829	235	2,197	361	307	400	2,221	213	160	1,921	2,870	398	5,423	78	67
49	15	22	88	241	11	229	15	48	15	14	12	114	7	8	53	183	8	256	7	68
60	12	11	73	92	18	116	10	114	9	9	7	51	11	6	86	109	20	180	1	69
10	3	1	16	23	1	15	2	10	2	2	2	15	3	2	18	23	1	29	1	70
20	4	1	16	21	-	14	-	17	6	-	2	7	-	2	14	31	2	44	1	71
6	-	2	8	23	2	34	1	15	2	1	2	6	-	-	15	17	-	28	2	72
13	1	-	20	4	-	6	-	11	5	1	-	9	1	-	20	16	1	26	1	73

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	OHIO—continued.														
1	Canton	646	10				5	10	6	5	3	26	4	6	2
2	Chillicothe	285	7				1	5	1	1	1	25		3	1
3	Cincinnati (total)	6,735	27	3		72	21	45	52	54	21	914	60	38	25
4	White	6,069	24	1		70	21	41	52	51	18	736	55	34	21
5	Colored	666	3	2		2		4		3	3	178	5	4	4
6	Cleveland	8,817	88	1		102	121	62	226	25	35	711	51	58	61
7	Columbus (total)	3,047	38			9	9	25	21	17	4	274	13	33	12
8	White	2,748	35			9	8	21	19	14	4	230	13	29	12
9	Colored	299	3				1	4	2	3		44		4	
10	Dayton	1,950	22	1		5	5	3	43	11	6	180	7	17	10
11	East Liverpool	387	23			12	2	12	9	3	1	37	3	4	
12	Elyria	205	3				2	4		2		12	1	1	2
13	Findlay	218	4	1		3			4	2		16		6	
14	Hamilton	632	7	1		8		7	41	6	1	39	3	7	3
15	Ironton	226	9			3	1	2	2	2	1	26	2	3	1
16	Lakewood	198				7	2		3	2		12			4
17	Lancaster	160	3				2	3	2	1		12		1	
18	Lima	442	6	1		8	1	2	3	4		35	1	5	2
19	Lorain	399	4			12	1	2	19	2		20	5	1	2
20	Mansfield	283	2			9	1	1	1	5		13		4	1
21	Marietta	196	7					1	5	2		11	2	5	1
22	Marion	316	4	1	1	7	2	1	3	4		25	5	2	1
23	Massillon	175	4			1		1		3	1	15	1	1	
24	Middletown	248	2			16	1	4	3	2	2	18	4	1	
25	Newark	389	6			2		9	4	4	2	27	4	5	1
26	Norwood	198	1			1			4	2	2	23	2		1
27	Piqua	223	5					1	2			19		3	1
28	Portsmouth	486	33	2	1	13		7	10	6	1	36	7	5	
29	Sandusky	281	3				1	2	1	1		23	1	1	2
30	Springfield (total)	697	14		1	2	2	9	8	3	1	55	1	2	4
31	White	591	11			2	2	8	5	1	1	45	1	1	2
32	Colored	106	3		1			1	3	2		10		1	2
33	Steubenville	521	25			28	2	3	11	7	3	22		4	2
34	Tiffin	202	3			1			1	3		10	1	3	2
35	Toledo	2,917	75	3		14	12	8	42	19	7	290	14	36	16
36	Warren	201	6				2	6	1	1	1	7	1	2	1
37	Youngstown	1,465	43			44	10	21	43	2	2	65	12	13	3
38	Zanesville	467	22			3	2		3	3	2	37		12	2
	OREGON.[1]														
39	Portland (total)	2,347	16	1	2	6	10	10	13	15	9	159	26	24	13
40	White	2,238	16	1	1	6	10	9	13	14	9	136	25	23	13
41	Colored [2]	109			1			1		1		23	1	1	
	PENNSYLVANIA.														
42	Registration cities (total)	60,846	785	21	6	658	498	383	1,101	360	220	4,756	374	434	386
43	White	57,266	732	19	5	630	491	346	1,079	346	214	4,155	335	378	359
44	Colored	3,580	53	2	1	28	7	37	22	14	6	601	39	56	27
45	Allentown	943	13			1	2	5	19	1	3	66	6	6	11
46	Altoona	747	33				9	18	10	1	4	33	4	10	5
47	Beaver Falls	188	1			7	1	2	2	2		19		2	2
48	Bethlehem	165	1			1	2		5	1		9	1		
49	Braddock	477	5			6	8	7	12	3	2	16		2	4
50	Bradford	204	2	1		1	4	1	1	2	1	9		3	2
51	Butler	262	6	1		1	2	3	8	6		21		6	2
52	Carbondale	297	6	1		4	1		7	6	3	5	2	1	5
53	Carlisle (total)	157						2		1		16	1		
54	White	128						1		1		12			
55	Colored	29						1				4	1		
56	Carnegie	140	2			1	6	2	5	2	1	13	1	2	
57	Chambersburg	178	5			5		2	3	2	1	15	2		2
58	Chester (total)	737	17	1	6	16	2		15	2	1	96	8	9	3
59	White	605	17	1	5	12	2		14	1	1	73	6	4	2
60	Colored	132			1	4			1	1		23	2	5	1
61	Coatesville (total)	143	2			7		1	1	1	1	12	1	1	
62	White	128	2			7		1	1	1	1	10	1	1	
63	Colored	15										2			
64	Columbia	138	3						3	3	1	9		4	1
65	Connellsville	180	2			3			2	1	1	16		4	
66	Dubois	176	3			2			4			5		1	1
67	Dunmore	324		1			3	7	10	1		13	1	1	3
68	Duquesne	243	2			30	2	4	6		1	12	3		3
69	Easton	505	10			4	1	9	3		1	27	1	3	3
70	Erie	1,137	12			7	24	5	14	4	7	60	6	6	13

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
45	8	3	58	98	2	62	4	37	11	5	3	14	8	7	42	57	8	97	.....	1
13	2	1	20	28	2	12	1	16	5	7	.....	25	.....	.....	12	43	5	47	1	2
402	90	73	343	828	96	603	35	257	65	68	102	638	44	24	250	435	66	981	3	3
380	84	64	323	745	91	516	32	244	58	64	98	594	43	22	239	383	66	896	3	4
22	6	9	20	83	5	87	3	13	7	4	4	44	1	2	11	52	.....	85	.....	5
502	110	65	386	735	229	796	76	828	79	67	101	603	44	43	514	651	105	1,328	14	6
181	39	38	219	301	37	227	31	82	38	31	26	188	21	14	166	296	36	609	12	7
175	37	32	194	256	37	185	25	72	38	30	25	176	18	13	152	275	36	568	10	8
6	2	6	25	45	.....	42	6	10	.....	1	1	12	3	1	14	21	.....	41	2	9
109	13	19	118	210	15	156	18	99	25	25	17	127	12	9	125	199	32	311	1	10
8	1	4	16	34	5	40	1	20	8	3	7	22	7	2	17	30	3	52	1	11
15	1	1	9	34	1	17	2	16	5	.....	1	14	.....	1	6	26	5	24	.....	12
22	1	.....	25	26	4	10	1	10	1	3	4	14	.....	.....	9	7	.....	44	1	13
40	9	5	21	47	5	41	8	37	3	7	8	33	1	3	38	127	8	68	.....	14
20	.....	2	13	15	6	17	1	6	6	1	.....	15	.....	1	14	17	1	39	.....	15
11	3	.....	17	19	2	16	1	7	2	1	3	10	.....	3	13	23	2	35	.....	16
15	1	2	11	13	1	11	2	6	1	2	3	7	.....	.....	9	13	1	36	2	17
20	3	5	24	38	5	32	5	11	5	6	6	25	3	2	40	50	2	89	3	18
20	3	1	17	15	2	44	1	54	3	4	1	20	4	3	37	38	12	51	1	19
18	2	5	31	26	1	18	3	15	1	2	4	25	5	1	12	22	3	51	1	20
14	3	1	14	17	.....	25	1	8	2	2	3	12	1	.....	7	11	2	39	.....	21
13	7	4	15	19	4	25	5	16	2	5	3	14	2	1	19	38	5	62	1	22
19	1	.....	22	14	4	14	1	6	2	1	5	8	.....	1	12	10	1	27	.....	23
14	1	12	11	17	2	23	3	26	2	1	1	18	1	2	18	10	1	29	3	24
32	5	1	36	52	2	30	2	15	5	4	5	24	2	.....	27	28	4	49	2	25
16	5	2	18	23	3	12	.....	8	.....	.....	.....	26	.....	.....	9	9	1	30	.....	26
8	2	1	16	26	3	10	2	9	4	2	2	14	.....	1	12	44	2	33	1	27
18	5	25	17	45	7	38	3	30	2	4	.....	22	2	4	31	46	2	63	1	28
26	7	1	23	44	5	11	2	8	2	5	2	16	1	1	13	29	2	48	.....	29
41	5	3	80	78	6	59	5	35	8	3	7	40	6	2	25	47	11	132	2	30
38	5	2	68	69	6	47	4	32	7	3	6	34	5	2	24	37	10	111	2	31
3	.....	1	12	9	.....	12	1	3	1	.....	1	6	1	.....	1	10	1	21	.....	32
26	2	4	17	38	6	46	3	39	6	4	4	18	4	3	47	58	4	82	3	33
8	4	2	14	33	1	19	2	2	1	.....	4	4	1	2	8	34	1	36	2	34
138	44	18	179	276	23	162	13	168	35	28	59	158	18	16	167	242	40	591	6	35
18	1	.....	16	15	2	25	.....	11	3	1	.....	16	2	2	6	18	4	32	1	36
46	12	6	59	91	8	246	4	177	10	13	14	61	13	6	88	163	10	174	6	37
21	9	3	44	51	6	26	1	19	10	3	4	16	3	4	28	36	3	83	11	38
189	36	20	135	299	15	186	31	29	35	35	27	140	13	15	140	172	56	460	10	39
182	36	20	132	289	15	173	30	27	34	33	23	137	13	12	139	162	52	443	10	40
7	.....	.....	3	10	.....	13	1	2	1	2	4	3	.....	3	1	10	4	17	.....	41
3,197	520	330	2,710	5,450	859	6,762	786	4,334	548	537	695	5,056	388	441	3,365	4,044	623	9,472	247	42
3,075	507	322	2,640	5,134	806	6,252	739	4,132	531	509	675	4,752	370	422	3,680	3,861	610	8,932	228	43
122	13	8	70	316	53	510	47	202	17	28	20	304	18	19	185	183	13	540	19	44
50	13	11	79	74	9	82	11	77	10	7	8	67	8	5	99	58	14	115	13	45
30	9	7	30	68	6	69	14	33	4	6	12	55	9	5	68	42	7	143	3	46
7	1	3	8	17	2	16	4	17	2	.....	1	8	1	.....	11	10	6	34	2	47
13	1	.....	17	14	3	23	3	3	.....	1	.....	14	.....	1	8	7	4	33	.....	48
14	.....	3	6	16	12	113	8	53	5	1	7	15	4	6	25	47	8	67	2	49
9	3	.....	19	24	.....	12	2	9	3	2	5	15	1	6	7	12	1	47	.....	50
14	4	4	13	16	1	23	2	14	4	4	1	9	1	4	20	25	4	41	2	51
9	3	1	11	27	5	53	5	11	2	6	6	18	1	1	16	30	4	47	.....	52
7	2	2	10	25	4	10	1	8	1	1	1	7	.....	1	13	5	4	34	1	53
6	2	2	8	20	3	8	1	6	1	1	1	6	.....	1	12	4	4	27	1	54
1	.....	.....	2	5	1	2	.....	2	.....	.....	.....	1	.....	.....	1	1	.....	7	.....	55
5	.....	3	4	10	1	25	1	16	.....	.....	1	4	2	.....	5	8	.....	19	1	56
11	3	1	20	14	3	9	1	6	1	1	5	23	5	.....	7	6	1	23	1	57
27	6	6	35	61	7	89	9	50	3	7	8	55	2	6	45	51	2	92	.....	58
24	5	6	30	50	2	70	6	46	2	6	7	48	2	5	38	43	2	75	.....	59
3	1	.....	5	11	5	19	3	4	1	1	1	7	.....	1	7	8	.....	17	.....	60
5	2	.....	2	15	2	17	.....	18	.....	.....	2	6	.....	1	18	7	3	18	.....	61
5	2	.....	2	15	1	14	.....	12	.....	.....	2	5	.....	1	17	6	3	18	.....	62
.....	.....	.....	.....	.....	1	3	.....	6	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	63
8	.....	1	10	15	2	11	1	4	.....	1	2	7	.....	2	13	10	1	23	3	64
10	1	1	9	9	.....	23	1	2	1	.....	2	7	.....	2	19	39	3	22	.....	65
11	5	1	6	6	4	17	4	16	3	1	1	9	.....	4	19	10	1	40	2	66
12	2	3	12	27	18	39	4	32	.....	1	1	16	.....	.....	48	19	1	48	1	67
2	.....	4	4	8	2	41	4	43	.....	.....	.....	12	1	.....	24	7	1	25	2	68
28	13	3	36	52	6	36	2	27	7	4	5	43	4	6	28	49	6	86	2	69
63	14	3	75	114	5	111	10	100	16	13	16	78	6	9	64	86	12	183	1	70

[3] Colored population less than 10 per cent of the total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	PENNSYLVANIA—continued.														
1	Farrell	186	11			7	1	5	6		1	9		1	1
2	Greensburg	250	5			11	1	2	4	1	1	9	1	2	
3	Harrisburg	962	11	2		1	4	3	13	9	2	60	8	6	6
4	Hazleton	418	2			8		3	6	3	3	21	2	5	3
5	Homestead	294	3			14	1	7	12	1	2	22	3	3	2
6	Johnstown	1,057	19			20	6	6	61	2	2	45	10	6	9
7	Lancaster	673	8			2		7	18	6		51	3	8	3
8	Lebanon	335	4			5		2	7	3		18	1	3	4
9	McKees Rocks	295	5			11	1	3	19	1		12	2		1
10	McKeesport	694	9			14	2	5	26	3		34	3	8	2
11	Mahanoy City	278	1			1	2		6	6		14	1		3
12	Meadville	205	7			1		3		3		10	1	3	
13	Monessen	187	2			7	1	2	4		1	6		1	1
14	Mount Carmel	211	1			2	1	3	4		2	13		1	7
15	Nanticoke	306	1			2	1	1	9	2	2	12	2	2	3
16	New Castle	522	14			21	2		13	5	3	29	1	4	4
17	Norristown	661	10				1		9	5	8	65	1	3	5
18	North Braddock	161	1			1	2	5	7	2	1	5			2
19	Oil City	253	6			5	1	1		2		8		3	1
20	Old Forge	179	2			1	1	6	2			3		1	2
21	Philadelphia (total)	25,612	257	7		204	172	105	351	148	97	2,692	209	177	135
22	White	23,405	229	6		188	168	85	336	141	93	2,278	189	143	119
23	Colored	2,207	28	1		16	4	20	15	7	4	414	20	34	16
24	Phoenixville	180	3	1		2			11	4		7	2	1	2
25	Pittsburgh (total)	9,550	109	2		153	147	86	204	47	48	594	54	65	51
26	White	8,958	101	1		148	144	77	202	46	48	517	43	55	48
27	Colored	592	8	1		5	3	9	2	1		77	11	10	3
28	Pittston	286	3			2	5		3	3	3	6	1	1	3
29	Plymouth	191					1	1	5	3	1	7	1	1	4
30	Pottstown	218	2			2		1	1	3		16		5	4
31	Pottsville	411	3			2		3	4	3	2	22		2	3
32	Reading	1,537	60			18	9	9	39	5	3	88	5	16	14
33	Scranton	2,057	13			4	14	11	44	11	2	106	6	8	13
34	Shamokin	259	1			3	10		4	2		13			
35	Sharon	242	8	1		9		4	7	1		17	1	3	
36	Shenandoah	521				5	28	2	15	3	1	18		2	3
37	South Bethlehem	327				7	5	5	9		2	15		4	3
38	Steelton	187				1		4	4	2		23	1		2
39	Sunbury	176	1						1			9		1	1
40	Uniontown	281	14			4	2	1	2	1		12	1	2	4
41	Warren	147	4			1		3	2	1		3	2	1	2
42	Washington	312	13			4		1	3	6		22	1	2	2
43	West Chester (total)	214	4	2			1	2	1	2		22	4	1	4
44	White	177	2	2			1		1	2		16	3	1	2
45	Colored	37	2					2				6	1		2
46	Wilkes-Barre	1,089	9			2	1	3	20	9	2	37	3	9	6
47	Wilkinsburg	344	7			1	4	2	4	7		26	3	4	3
48	Williamsport	532	21	1			1	2	6	1	2	18	3	3	4
49	York	705	6			4	3	6	5	5	1	65	1	5	4
	RHODE ISLAND.														
50	Registration cities (total)	7,132	40	4		61	20	33	117	49	24	666	81	64	22
51	White	6,886	39	4		61	18	29	117	47	24	621	77	56	22
52	Colored	246	1				2	4		2		45	4	8	
53	Central Falls	332	1			3	2	1	8	4	2	18	3	2	
54	Cranston	260				2		1	8		1	13	3	5	
55	State institutions	379	1							2	2	64		7	3
56	Cumberland town	123				2	1	1	4	2		14	2	1	
57	East Providence town	248		1				2	4	2	1	22	2	1	3
58	Newport	367	4			1	2	3	2	3		22	2	3	2
59	Pawtucket	826	3			9	1		12	11	3	60	11	2	2
60	Providence	3,643	27	3		38	13	16	71	21	13	310	45	34	7
61	Warwick town	465	1			5		2	5	1		108	4	6	5
62	Woonsocket	489	3			1	1	7	3	3	2	35	9	3	
	SOUTH CAROLINA.[1]														
63	Charleston (total)	1,616	31	13		8	3	9	3	7		131	1	6	
64	White	442	10	3		5	1	1	1	3		24		1	
65	Colored	1,174	21	10		3	2	8	2	4		107	1	5	

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
2	------	3	1	3	1	39	4	29	2	------	------	2	3	2	15	13	------	24	1	1
11	1	3	14	12	1	25	2	7	4	1	3	7	1	3	16	56	4	36	6	2
51	5	5	61	91	11	75	13	19	12	13	5	119	7	9	66	88	16	165	6	3
22	2	1	25	21	6	41	12	38	5	10	2	24	2	5	24	53	3	65	1	4
7	1	6	3	11	2	49	3	41	------	------	3	20	2	------	19	9	2	46	------	5
33	5	6	32	43	8	116	13	73	15	18	13	52	13	6	126	103	6	182	8	6
45	6	5	69	101	4	38	7	22	7	5	7	68	1	2	43	27	10	99	1	7
17	5	1	20	30	3	28	2	18	------	1	3	24	4	2	29	18	1	75	7	8
7	------	3	5	9	------	62	4	70	------	------	1	7	------	2	24	11	1	32	2	9
24	2	8	30	31	10	106	8	50	5	11	2	45	3	8	53	70	12	105	5	10
8	3	------	7	14	4	29	12	33	------	1	1	14	2	4	28	16	1	57	10	11
12	2	1	18	14	2	19	------	13	3	3	2	14	4	2	13	14	4	35	2	12
7	------	5	4	8	2	32	3	23	------	1	1	7	1	3	21	11	3	25	5	13
5	1	------	9	12	6	28	5	25	1	3	2	10	------	2	18	15	3	29	3	14
5	3	5	9	15	3	47	9	33	2	2	5	18	1	6	26	34	2	41	3	15
20	------	3	31	23	2	61	5	29	11	7	5	17	2	4	53	51	2	91	9	16
39	10	1	31	72	7	67	7	20	2	9	2	43	4	3	21	35	8	172	1	17
7	------	------	9	13	1	18	5	26	------	------	1	4	------	1	15	20	------	15	------	18
13	1	8	14	28	2	36	1	13	1	2	3	18	4	1	12	21	2	44	2	19
6	------	1	5	5	5	27	1	51	------	3	------	5	2	2	9	18	------	18	3	20
1,563	225	78	998	2,781	345	2,373	306	1,641	208	201	325	2,897	149	155	1,393	1,277	288	3,808	47	21
1,480	215	76	963	2,683	313	2,102	273	1,501	198	181	311	2,688	137	144	1,274	1,182	284	3,486	39	22
83	10	2	35	198	32	271	33	140	10	20	14	209	12	11	119	95	4	322	8	23
12	1	1	9	13	------	16	3	11	1	1	------	15	1	2	19	17	------	23	2	24
432	55	60	340	704	183	1,583	119	752	88	86	136	459	64	66	545	760	89	1,451	18	25
414	55	59	331	654	174	1,447	110	721	84	83	134	425	62	63	518	724	89	1,365	16	26
18	------	1	9	50	9	136	9	31	4	3	2	34	2	3	27	36	------	86	2	27
7	2	2	14	15	8	42	6	20	2	2	------	21	2	5	19	38	2	45	4	28
14	2	------	3	10	3	13	8	23	------	4	------	10	1	1	23	22	2	24	4	29
13	2	------	17	20	------	21	3	8	5	3	2	12	2	3	23	15	------	32	3	30
23	6	1	23	37	3	35	2	18	5	1	11	49	8	7	30	42	2	63	1	31
68	15	11	93	143	19	107	22	96	16	17	14	115	6	15	101	72	30	294	17	32
96	23	16	103	156	44	289	41	192	27	23	14	131	15	22	115	218	13	283	4	33
13	3	------	17	25	------	31	4	13	------	------	------	19	1	2	31	13	1	52	1	34
10	3	2	16	23	3	26	2	14	2	------	4	12	1	1	24	17	1	28	2	35
6	7	6	14	11	12	74	9	111	1	1	5	18	6	1	44	30	1	77	10	36
8	1	3	10	9	2	30	4	66	1	1	2	13	2	1	48	22	2	52	------	37
7	1	------	7	10	7	25	1	22	------	2	1	11	1	5	19	14	------	17	------	38
11	4	1	10	22	2	12	3	9	1	2	1	13	------	3	9	11	------	47	2	39
14	1	4	13	17	1	23	2	16	7	5	2	10	6	2	14	42	4	52	3	40
11	5	2	13	14	1	2	1	5	5	------	1	9	2	------	12	8	1	32	4	41
20	2	7	15	24	5	30	------	15	6	3	3	20	2	3	14	22	4	60	3	42
13	3	1	8	13	3	12	------	7	7	2	1	30	1	2	13	11	2	41	1	43
11	3	1	8	11	3	12	------	4	6	1	1	23	1	1	10	11	2	38	------	44
2	------	------	------	2	------	------	------	3	1	1	------	7	------	1	3	------	------	3	1	45
65	15	4	43	77	31	126	29	64	27	16	12	77	7	12	90	97	8	181	7	46
39	5	1	13	22	4	50	7	4	1	5	3	16	4	3	18	26	2	60	------	47
36	4	6	53	64	5	34	7	9	5	6	6	41	3	------	40	36	3	110	2	48
40	6	2	75	72	6	46	4	46	1	10	7	72	3	4	33	23	5	144	1	49
422	118	47	429	734	95	724	47	401	64	59	68	593	19	39	443	397	72	1,140	40	50
418	114	45	423	699	93	698	46	392	60	57	66	578	19	38	429	385	72	1,105	34	51
4	4	2	6	35	2	26	1	9	4	2	2	15	------	1	14	12	------	35	6	52
5	3	4	16	16	12	60	3	56	------	2	------	26	2	2	28	7	4	41	1	53
15	4	4	24	23	5	26	1	18	------	2	2	19	------	1	30	6	1	41	5	54
15	3	1	20	43	1	7	2	1	------	3	1	20	------	------	3	5	4	171	------	55
5	2	1	8	15	3	10	1	6	------	1	1	14	------	------	3	9	3	13	1	56
5	2	------	24	34	2	29	1	11	------	1	1	23	------	------	20	16	1	40	------	57
20	10	2	27	57	3	36	1	9	1	1	6	41	------	2	18	21	7	59	2	58
58	19	4	53	86	11	89	8	34	4	10	19	87	1	1	43	45	12	126	2	59
255	62	24	215	379	41	383	28	181	48	36	32	299	11	23	223	233	35	508	29	60
15	4	5	23	40	9	36	1	37	1	------	2	29	------	8	28	21	3	66	------	61
29	9	2	19	41	8	48	1	48	10	3	4	35	5	2	47	34	2	75	------	62
42	4	9	102	125	9	148	18	99	13	22	6	193	6	13	138	66	7	353	31	63
25	4	3	33	26	2	33	5	19	9	4	5	77	2	6	28	16	7	86	3	64
17	------	6	69	99	7	115	13	80	4	18	1	116	4	7	110	50	------	267	28	65

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	TENNESSEE.[1]														
1	Registration cities (total)	4,949	90	123	.....	41	12	23	22	53	7	539	26	55	18
2	White	2,459	58	31	.....	30	10	12	14	13	4	205	18	21	10
3	Colored	2,490	32	92	.....	11	2	11	8	40	3	334	8	34	8
4	Memphis (total)	2,923	48	109	.....	16	12	13	14	33	6	341	13	20	12
5	White	1,336	28	28	.....	9	10	6	7	6	3	115	8	10	6
6	Colored	1,587	20	81	.....	7	2	7	7	27	3	226	5	10	6
7	Nashville (total)	2,026	42	14	.....	25	.....	10	8	20	1	198	13	35	6
8	White	1,123	30	3	.....	21	.....	6	7	7	1	90	10	11	4
9	Colored	903	12	11	.....	4	.....	4	1	13	.....	108	3	24	2
	TEXAS.[1]														
10	Registration cities (total)	4,639	52	14	5	67	9	9	25	58	5	766	31	32	17
11	White	4,091	47	13	5	67	9	8	25	48	5	671	27	24	15
12	Colored	548	5	1	.....	.....	.....	1	.....	10	.....	95	4	8	2
13	El Paso	1,611	19	2	3	60	5	3	14	11	3	284	20	17	7
14	Galveston (total)	742	10	1	2	4	2	3	6	4	2	77	3	3	4
15	White	514	8	1	2	4	2	2	6	1	2	47	1	3	2
16	Colored	228	2	.....	.....	.....	.....	1	.....	3	.....	30	2	.....	2
17	San Antonio (total)	2,286	23	11	.....	3	2	3	5	43	.....	405	8	12	6
18	White	2,017	21	10	.....	3	2	3	5	37	.....	348	7	5	6
19	Colored	269	2	1	.....	.....	.....	.....	.....	6	.....	57	1	7	.....
	UTAH.														
20	Registration cities (total)	1,608	28	2	.....	19	3	8	7	13	7	70	8	10	11
21	White	1,569	28	2	.....	18	3	8	7	13	7	69	8	8	11
22	Colored	39	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	2	.....
23	Ogden	363	11	1	.....	6	3	3	1	4	2	14	4	1	1
24	Salt Lake City	1,245	17	1	.....	13	.....	5	6	9	5	56	4	9	10
	VERMONT.														
25	Registration cities (total)	806	2	.....	.....	11	10	10	8	9	3	55	3	5	2
26	White	805	2	.....	.....	11	10	10	8	9	3	55	3	5	2
27	Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	Barre	144	.....	.....	.....	1	.....	2	2	3	.....	27	.....	1	.....
29	Burlington	392	1	.....	.....	4	1	4	1	4	1	15	3	.....	2
30	Rutland	270	1	.....	.....	6	9	4	5	2	2	13	.....	4	.....
	VIRGINIA.														
31	Registration cities (total)	7,906	117	40	.....	61	10	56	32	65	15	738	62	80	41
32	White	4,037	63	15	.....	46	8	25	27	31	11	294	41	43	16
33	Colored	3,869	54	25	.....	15	2	31	5	34	4	444	21	37	25
34	Alexandria (total)	272	7	1	.....	1	.....	3	3	3	1	20	.....	4	1
35	White	154	3	1	.....	1	.....	1	3	2	.....	10	.....	2	.....
36	Colored	118	4	.....	.....	.....	.....	2	.....	1	1	10	.....	2	1
37	Danville (total)	375	13	1	.....	5	.....	2	.....	3	.....	38	4	2	1
38	White	219	8	.....	.....	4	.....	2	.....	3	.....	26	1	2	1
39	Colored	156	5	1	.....	1	.....	.....	.....	.....	.....	12	3	.....	.....
40	Lynchburg (total)	593	6	2	.....	8	2	8	5	1	.....	57	7	8	3
41	White	307	5	1	.....	7	2	3	3	1	.....	23	6	3	2
42	Colored	286	1	1	.....	1	.....	5	2	.....	.....	34	1	5	1
43	Newport News (total)	335	10	3	.....	5	1	.....	3	4	1	49	1	1	3
44	White	158	2	2	.....	4	1	.....	3	2	1	16	.....	1	2
45	Colored	177	8	1	.....	1	.....	.....	.....	2	.....	33	1	.....	1
46	Norfolk (total)	1,662	26	20	.....	11	.....	9	4	7	3	174	15	19	8
47	White	716	14	10	.....	10	.....	1	3	2	3	59	9	8	2
48	Colored	946	12	10	.....	1	.....	8	1	5	.....	115	6	11	6
49	Petersburg (total)	596	10	4	.....	1	.....	2	1	9	1	50	6	7	3
50	White	228	5	1	.....	.....	.....	1	1	2	.....	17	4	2	2
51	Colored	368	5	3	.....	1	.....	1	.....	7	1	33	2	5	1
52	Portsmouth (total)	499	9	9	.....	2	.....	7	2	10	.....	38	2	6	4
53	White	223	4	.....	.....	2	.....	2	2	1	.....	10	2	3	.....
54	Colored	276	5	9	.....	.....	.....	5	.....	9	.....	28	.....	3	4
55	Richmond (total)	2,718	27	.....	.....	26	5	15	8	22	6	226	22	25	13
56	White	1,412	18	.....	.....	16	4	7	8	13	4	78	15	17	5
57	Colored	1,306	9	.....	.....	10	1	8	.....	9	2	148	7	8	8
58	Roanoke (total)	604	8	.....	.....	2	2	10	6	5	2	58	4	6	4
59	White	403	3	.....	.....	2	1	8	4	5	2	31	3	3	2
60	Colored	201	5	.....	.....	.....	1	2	2	.....	.....	27	1	3	2
61	Staunton (total)	252	1	.....	.....	.....	.....	.....	.....	1	1	28	1	2	1
62	White	217	1	.....	.....	.....	.....	.....	.....	.....	1	24	1	2	.....
63	Colored	35	.....	.....	.....	.....	.....	.....	.....	1	.....	4	.....	.....	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
164	21	77	180	410	50	404	71	125	73	59	39	369	20	37	203	428	57	992	161	1
121	15	40	105	176	16	170	30	73	46	39	26	207	12	24	128	194	48	518	45	2
43	6	37	75	234	34	234	41	52	27	20	13	162	8	13	75	234	9	474	116	3
77	13	62	82	173	33	232	44	71	37	23	18	252	10	26	100	272	32	582	147	4
47	9	28	46	68	9	89	19	37	22	16	14	138	7	16	62	116	26	222	39	5
30	4	34	36	105	24	143	25	34	15	7	4	114	3	10	38	156	6	290	108	6
87	8	15	98	237	17	172	27	54	36	36	21	117	10	11	103	156	25	410	14	7
74	6	12	59	108	7	81	11	36	24	23	12	69	5	8	66	78	22	223	6	8
13	2	3	39	129	10	91	16	18	12	13	9	48	5	3	37	78	3	184	8	9
169	27	48	108	220	96	362	70	483	29	31	41	289	36	19	278	222	57	894	70	10
153	26	42	94	181	87	321	62	470	25	26	35	223	35	16	263	188	54	767	59	11
16	1	6	14	39	9	41	8	13	4	5	6	66	1	3	15	34	3	127	11	12
41	7	19	38	51	55	190	21	232	7	5	11	41	15	4	74	64	19	263	6	13
39	9	6	20	49	4	49	11	24	4	5	6	108	4	3	28	70	13	155	14	14
32	8	5	15	26	3	26	7	21	3	2	5	74	4	3	22	54	12	103	8	15
7	1	1	5	23	1	23	4	3	1	3	1	34	-------	-------	6	16	1	52	6	16
89	11	23	50	120	37	123	38	227	18	21	24	140	17	12	176	88	25	476	50	17
82	11	20	42	105	31	110	36	218	15	19	20	110	16	9	167	72	25	416	46	18
7	-------	3	8	15	6	13	2	9	3	2	4	30	1	3	9	16	-------	60	4	19
85	17	20	54	159	23	119	26	67	47	26	13	115	7	18	99	137	41	298	51	20
83	17	20	54	157	23	113	25	65	46	26	13	111	7	18	98	133	38	291	49	21
2	-------	-------	-------	2	-------	6	1	2	1	-------	-------	4	-------	-------	1	4	3	7	2	22
14	4	2	18	37	3	28	3	17	14	2	3	26	1	7	27	30	5	69	2	23
71	13	18	36	122	20	91	23	50	33	24	10	89	6	11	72	107	36	229	49	24
55	12	10	48	57	19	71	8	50	10	11	6	49	2	9	57	43	8	161	2	25
55	12	10	48	57	19	71	8	50	10	11	6	48	2	9	57	43	8	161	2	26
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	27
6	1	1	6	11	6	14	1	3	1	3	2	8	-------	1	7	11	2	24	-------	28
29	7	8	21	25	10	33	5	33	7	5	2	27	1	5	33	13	4	87	1	29
20	4	1	21	21	3	24	2	14	2	3	2	14	1	3	17	19	2	50	1	30
307	42	64	464	708	145	618	140	448	76	56	70	735	46	61	507	487	68	1,452	95	31
217	31	39	224	374	44	217	58	228	60	32	41	409	18	38	249	249	62	798	29	32
90	11	25	240	334	101	401	82	220	16	24	29	326	28	23	258	238	6	654	66	33
19	1	1	13	22	6	16	7	21	1	-------	3	28	1	-------	16	13	1	53	6	34
14	-------	1	7	18	1	6	2	13	1	-------	1	16	-------	-------	15	7	1	27	1	35
5	1	-------	6	4	5	10	5	8	-------	-------	2	12	1	-------	1	6	-------	26	5	36
14	1	6	9	40	6	37	4	13	6	2	2	20	2	2	29	25	3	77	8	37
10	1	3	8	15	3	13	3	6	3	1	1	9	2	2	24	13	3	48	4	38
4	-------	3	1	25	3	24	1	7	3	1	1	11	-------	-------	5	12	-------	29	4	39
22	1	3	39	44	14	31	8	56	3	5	4	57	5	6	37	33	3	111	4	40
16	1	2	18	24	3	13	2	27	1	2	2	33	2	4	12	22	3	63	1	41
6	-------	1	21	20	11	18	6	29	2	3	2	24	3	2	25	11	-------	48	3	42
8	4	5	12	24	2	11	6	13	2	-------	3	26	2	4	21	38	5	66	2	43
6	3	3	4	6	1	5	2	7	2	-------	2	16	-------	2	14	18	4	29	-------	44
2	1	2	8	18	1	6	4	6	-------	-------	1	10	2	2	7	20	1	37	2	45
63	12	11	97	144	39	142	29	83	13	14	10	140	12	14	108	115	12	295	13	46
37	8	8	34	65	9	38	12	34	9	5	6	67	3	5	42	52	11	145	5	47
26	4	3	63	79	30	104	17	49	4	9	4	73	9	9	66	63	1	150	8	48
14	2	1	33	48	1	44	12	53	2	-------	10	93	3	5	53	27	5	92	4	49
7	1	-------	14	21	1	9	4	21	1	-------	4	42	2	2	17	12	5	30	-------	50
7	1	1	19	27	-------	35	8	32	1	-------	6	51	1	3	36	15	-------	62	4	51
18	-------	6	47	33	7	53	12	28	2	1	6	27	-------	3	26	30	2	93	16	52
12	-------	3	27	10	-------	19	5	16	2	-------	4	13	-------	1	11	16	2	53	3	53
6	-------	3	20	23	7	34	7	12	-------	1	2	14	-------	2	15	14	-------	40	13	54
115	18	18	137	275	62	216	55	115	32	24	30	272	16	20	177	159	27	471	34	55
82	14	8	89	161	23	77	21	61	27	16	20	159	4	16	88	73	23	256	9	56
33	4	10	98	114	39	139	34	54	5	8	10	113	12	4	89	86	4	215	25	57
25	1	10	21	42	6	47	6	63	13	7	2	42	5	6	35	39	9	110	8	58
24	1	9	18	22	2	21	6	40	12	6	1	29	5	5	22	30	9	71	6	59
1	-------	1	3	20	4	26	-------	23	1	1	1	13	-------	1	13	9	-------	39	2	60
9	2	3	6	36	2	21	1	3	2	3	-------	30	-------	1	5	8	1	84	-------	61
9	2	2	5	32	1	16	1	3	2	2	-------	25	-------	1	4	6	1	76	-------	62
-------	-------	1	1	4	1	5	-------	-------	-------	1	-------	5	-------	-------	1	2	-------	8	-------	63

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	WASHINGTON.														
1	Registration cities (total)	5,704	50	1	.....	62	19	43	23	34	13	475	76	74	22
2	White	5,507	46	1	.....	60	19	43	23	33	12	447	70	65	22
3	Colored	197	4	.....	.....	2	.....	.....	.....	1	1	28	6	9	.....
4	Aberdeen	140	1	.....	.....	1	.....	.....	.....	.....	.....	6	1	1	.....
5	Bellingham	283	.....	.....	.....	1	.....	2	1	4	1	15	3	2	2
6	Everett	285	6	.....	.....	1	2	2	.....	.....	.....	26	4	5	1
7	North Yakima	205	3	.....	.....	.....	.....	.....	1	1	.....	20	4	2	2
8	Seattle	2,471	14	1	.....	33	6	24	13	14	6	213	36	36	3
9	Spokane	1,139	9	.....	.....	1	8	9	1	7	4	87	11	16	7
10	Tacoma	990	12	.....	.....	18	3	6	7	4	2	104	16	12	6
11	Walla Walla	191	5	.....	.....	7	.....	.....	.....	4	.....	4	1	.....	1
	WEST VIRGINIA.[1]														
12	Wheeling (total)	716	27	.....	.....	2	2	11	9	6	4	51	2	3	4
13	White	686	26	.....	.....	2	2	11	9	6	4	50	2	3	4
14	Colored [2]	30	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	WISCONSIN.														
15	Registration cities (total)	10,592	126	2	.....	77	94	67	182	63	26	746	71	88	81
16	White	10,552	125	2	.....	77	94	65	182	62	26	743	70	88	81
17	Colored	40	1	.....	.....	.....	.....	2	.....	1	.....	3	1	.....	.....
18	Appleton	220	1	.....	.....	1	.....	1	2	1	.....	14	2	1	1
19	Ashland	215	9	.....	.....	3	.....	1	1	.....	1	12	2	2	2
20	Beloit	182	.....	.....	.....	2	.....	1	1	7	.....	10	.....	1	3
21	Eau Claire	305	6	.....	.....	7	2	.....	.....	1	.....	13	2	3	1
22	Fond du Lac	296	7	.....	.....	1	.....	4	.....	3	1	19	2	5	.....
23	Green Bay	477	3	.....	.....	.....	5	5	.....	1	1	25	9	5	4
24	Janesville	208	3	.....	.....	.....	1	.....	.....	.....	1	16	1	1	2
25	Kenosha	257	9	.....	.....	7	4	1	2	2	1	20	.....	1	1
26	La Crosse	419	4	.....	.....	2	1	1	3	3	2	30	5	3	3
27	Madison	359	1	.....	.....	3	2	3	2	2	1	19	5	8	.....
28	Manitowoc	202	4	.....	.....	.....	7	.....	1	4	.....	12	2	1	.....
29	Marinette	169	3	.....	.....	.....	.....	.....	1	.....	.....	10	1	3	2
30	Milwaukee	5,183	46	2	.....	26	64	14	145	25	12	368	24	34	45
31	Oshkosh	477	9	.....	.....	2	.....	8	5	3	.....	30	5	7	3
32	Racine	504	6	.....	.....	6	2	4	13	5	2	46	6	2	4
33	Sheboygan	378	5	.....	.....	4	3	14	5	2	1	27	2	8	2
34	Superior	508	6	.....	.....	13	2	7	.....	.....	1	52	3	2	4
35	Wausau	233	4	.....	.....	.....	1	3	1	4	2	23	.....	1	4
	RURAL PART OF REGISTRATION STATES.[3]														
	CALIFORNIA.														
36	Total	15,990	178	39	10	77	39	56	60	149	36	1,944	101	179	53
37	White	15,160	166	35	10	71	37	51	57	146	34	1,800	94	170	52
38	Colored	830	12	4	.....	6	2	5	3	3	2	144	7	9	1
39	Alameda County	670	7	.....	.....	3	.....	.....	3	.....	1	89	5	6	2
40	Alpine County	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Amador County	152	3	1	.....	.....	.....	.....	2	1	1	21	2	2	.....
42	Butte County	367	8	2	.....	.....	1	.....	3	6	1	32	3	5	2
43	Calaveras County	111	1	3	.....	.....	.....	.....	.....	1	.....	7	.....	.....	2
44	Colusa County	87	3	.....	.....	.....	.....	.....	2	1	.....	5	.....	.....	1
45	Contra Costa County	397	13	1	.....	.....	.....	.....	2	.....	.....	27	1	2	.....
46	Del Norte County	30	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....
47	Eldorado County	119	.....	1	.....	.....	.....	.....	.....	5	.....	8	.....	.....	.....
48	Fresno County	686	17	3	.....	8	22	1	3	4	4	100	9	7	.....
49	Glenn County	63	.....	1	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....
50	Humboldt County	167	.....	.....	.....	.....	1	.....	2	2	2	11	1	1	.....
51	Imperial County	266	10	.....	10	6	.....	1	1	1	.....	41	7	6	.....
52	Inyo County	44	1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....
53	Kern County	203	3	.....	.....	1	1	1	2	1	.....	22	2	1	1
54	Kings County	203	4	3	.....	2	.....	1	.....	5	.....	21	.....	4	.....
55	Lake County	97	.....	.....	.....	.....	.....	.....	.....	4	.....	12	.....	1	.....
56	Lassen County	74	3	.....	.....	1	.....	.....	.....	.....	.....	6	.....	1	.....
57	Los Angeles County	2,402	7	.....	.....	17	6	12	11	27	2	424	12	25	8
58	Madera County	103	1	.....	.....	1	.....	.....	.....	1	.....	12	.....	.....	1
59	Marin County	279	.....	.....	.....	1	.....	1	1	.....	.....	40	1	2	2
60	Mariposa County	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
61	Mendocino County	325	1	.....	.....	.....	.....	.....	1	2	1	39	.....	8	.....
62	Merced County	186	2	2	.....	1	.....	.....	1	1	.....	20	3	3	.....
63	Modoc County	46	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

[2] Colored population less than 10 per cent of the total.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
440	93	43	313	598	32	417	48	126	106	61	46	436	54	44	316	464	135	997	43	1
432	91	43	305	585	32	402	47	117	101	60	43	427	52	44	306	443	129	969	38	2
8	2	.....	8	13	.....	15	1	9	5	1	3	9	2	.....	10	21	6	28	5	3
9	1	1	4	13	.....	6	.....	6	1	3	3	9	2	3	13	23	5	26	2	4
20	6	5	21	27	1	17	1	6	11	5	3	26	3	4	9	11	6	67	3	5
19	9	3	21	29	3	12	.....	7	5	2	1	12	1	1	17	34	6	54	2	6
20	4	2	9	25	1	18	1	4	6	2	.....	18	2	.....	13	14	2	31	.....	7
202	43	13	136	259	14	190	28	45	38	20	23	182	22	14	129	210	69	431	4	8
89	15	11	66	120	11	91	7	32	28	15	8	95	11	6	69	80	21	200	4	9
58	14	7	41	106	2	71	8	20	16	10	8	77	9	12	55	85	24	150	27	10
23	1	1	15	19	.....	12	3	6	1	4	.....	17	4	4	11	7	2	38	1	11
38	4	7	21	75	10	72	18	33	11	8	5	48	5	4	42	61	7	122	4	12
35	4	7	20	70	9	66	18	33	11	7	5	45	5	4	41	59	7	117	4	13
3	.....	.....	1	5	1	6	.....	.....	.....	1	.....	3	.....	.....	1	2	.....	5	.....	14
699	141	113	524	828	195	916	141	547	177	113	146	574	54	66	796	686	126	2,078	49	15
699	141	113	524	825	195	909	141	546	176	113	144	571	54	66	795	680	126	2,070	49	16
.....	.....	.....	.....	3	.....	7	.....	1	1	.....	2	3	.....	.....	1	6	.....	8	.....	17
24	5	2	11	15	4	20	1	2	10	4	4	14	3	1	15	15	2	42	2	18
16	1	5	14	14	1	25	3	7	9	3	2	7	.....	2	6	26	.....	40	1	19
11	4	3	7	17	4	16	3	7	3	.....	2	10	1	1	15	15	2	35	1	20
20	6	4	22	36	2	17	6	7	11	4	1	25	3	3	13	13	3	74	.....	21
28	3	.....	18	34	5	19	5	8	7	9	2	14	3	1	14	15	1	67	1	22
21	7	6	19	19	7	35	7	31	18	7	10	28	3	5	54	24	3	111	4	23
24	2	2	12	23	1	17	4	2	4	5	.....	7	1	1	11	16	1	47	3	24
15	2	2	6	16	2	20	4	21	2	3	1	12	2	.....	23	17	6	52	3	25
35	7	4	22	49	5	31	5	6	9	7	8	14	4	3	26	30	5	90	2	26
42	3	4	19	24	4	23	6	3	7	2	4	19	.....	3	18	35	7	87	3	27
13	2	3	16	13	3	4	7	6	1	3	3	12	1	.....	11	10	2	58	3	28
12	3	5	12	8	1	13	3	10	2	1	3	11	.....	2	11	11	1	39	1	29
310	65	52	233	394	124	501	54	354	65	46	91	303	24	29	435	302	75	907	14	30
36	6	5	36	40	10	25	13	10	5	7	6	24	4	3	36	22	3	111	3	31
33	5	2	18	30	6	47	6	27	6	3	7	22	1	5	32	48	4	105	1	32
24	5	3	22	32	11	33	4	17	7	2	.....	17	1	3	27	11	6	80	.....	33
20	6	8	23	39	4	50	3	23	6	4	2	24	2	3	35	58	4	99	5	34
15	9	3	14	25	1	20	7	6	5	3	.....	11	1	1	14	18	1	34	2	35
864	183	128	957	1,869	149	1,158	225	582	111	155	154	998	64	90	629	1,627	295	2,805	26	36
842	181	123	932	1,817	141	1,085	213	524	105	141	148	959	58	84	583	1,533	277	2,670	21	37
22	2	5	25	52	8	73	12	58	6	14	6	39	6	6	46	94	18	135	5	38
44	7	6	35	88	5	72	42	23	.....	4	12	51	2	.....	23	40	12	87	1	39
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	40
9	.....	2	7	4	2	6	6	6	3	.....	1	13	1	.....	7	17	4	31	.....	41
14	7	2	20	44	2	27	4	11	2	3	5	30	.....	2	19	35	10	67	.....	42
8	1	.....	12	17	7	7	.....	.....	4	1	1	6	.....	.....	7	5	2	18	1	43
8	1	.....	5	10	.....	4	1	4	.....	.....	2	10	1	.....	2	5	3	19	.....	44
13	3	2	24	56	2	31	3	16	3	5	2	23	2	3	23	78	14	47	1	45
2	1	2	3	2	.....	2	.....	1	.....	.....	.....	5	.....	.....	1	2	1	3	.....	46
4	.....	.....	5	20	.....	8	2	.....	.....	.....	4	15	1	1	7	10	5	22	1	47
38	7	12	19	52	1	35	9	50	8	8	10	42	9	7	41	61	5	94	.....	48
5	1	.....	4	8	1	5	3	.....	.....	.....	3	1	.....	2	1	6	2	17	.....	49
11	4	1	9	21	2	14	.....	3	2	1	2	10	1	.....	5	28	3	29	1	50
2	.....	1	11	16	2	11	2	22	2	4	2	8	1	1	10	55	4	29	.....	51
2	2	.....	5	2	.....	7	.....	1	.....	.....	.....	4	.....	.....	2	2	2	10	1	52
6	1	.....	14	15	.....	14	1	10	2	2	3	8	1	.....	15	48	3	24	1	53
9	1	3	12	18	.....	20	1	8	.....	2	3	9	1	3	19	18	3	33	.....	54
5	2	.....	3	13	2	12	1	.....	1	.....	1	4	.....	1	4	4	2	24	1	55
1	.....	.....	6	5	.....	15	.....	3	1	.....	.....	3	.....	.....	2	12	5	9	1	56
132	29	17	140	293	23	151	47	93	9	18	23	163	9	11	79	184	37	391	2	57
12	.....	.....	6	11	.....	6	.....	2	.....	1	4	3	.....	1	5	18	1	17	.....	58
24	3	.....	24	39	3	14	1	12	3	2	8	18	.....	1	10	26	8	35	.....	59
4	1	.....	1	4	1	2	.....	.....	.....	.....	1	1	.....	.....	.....	6	.....	6	.....	60
13	2	3	18	35	4	17	5	11	4	7	3	24	3	3	8	43	2	68	.....	61
7	2	3	9	23	2	24	4	16	2	1	.....	3	1	1	11	21	8	15	.....	62
1	1	.....	4	4	.....	2	1	.....	.....	2	.....	3	2	.....	4	2	2	12	.....	63

[3] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	CALIFORNIA—continued.														
1	Mono County	5													
2	Monterey County	320	4			1		1		7	1	26	4	5	1
3	Napa County	535	6					1	1		2	71	2	7	2
4	Nevada County	235	3						1	2	1	20		2	1
5	Orange County	557	10			5		11		8	1	55	2	8	2
6	Placer County	285	3	4		1		2	1	1	3	43	1	1	1
7	Plumas County	59	1									2			1
8	Riverside County	229	3			1	1	1		1		55	2	4	1
9	Sacramento County	193	1	1							2	22	1		
10	San Benito County	93	1						2	2		11		1	
11	San Bernardino County	575	4			4		6	5		2	97	4	6	1
12	San Diego County	324	2							1		47	1	6	1
13	San Joaquin County	497	9	1		1	1	1		4	1	78	4	11	2
14	San Luis Obispo County	205	3			1		1		1		29		2	2
15	San Mateo County	315	2						1	1		37	4	2	
16	Santa Barbara County	125						2		1		10		1	
17	Santa Clara County	992	7	1		2		1	3	13	3	100	6	20	5
18	Santa Cruz County	196	1					1		2		23	2	2	
19	Shasta County	192	1	1		1				3	1	21		1	1
20	Sierra County	46										2			
21	Siskiyou County	204	1			8	2		1	2		20	2	1	2
22	Solano County	200	1			2			2	2		15		2	
23	Sonoma County	735	5	1				4	3	8	4	62	3	6	1
24	Stanislaus County	330	10			2		2		2		31	8	3	2
25	Sutter County	76	1	1					1	1		7			
26	Tehama County	143	2	4				1		1		14		1	2
27	Trinity County	43								1		3			
28	Tulare County	415	5	3		5	3	1	3	2	1	46	4	5	3
29	Tuolumne County	133	1					1	1	6		8		3	1
30	Ventura County	260				2		2	1	4		17	2	3	
31	Yolo County	179	2	4						9		13	2	1	1
32	Yuba County	186	1	1			1			1	1	11		1	
	COLORADO.														
33	Total	5,714	95			20	98	44	40	33	21	674	27	37	23
34	White	5,647	94			20	98	44	40	33	21	667	26	37	23
35	Colored	67	1									7	1		
36	Adams County	74	1					1	1			8		1	1
37	Alamosa County [2]	12										2			
38	Arapahoe County	117									1	37	2	1	1
39	Archuleta County	30	2							1	1	1		1	
40	Baca County	15				2						2			
41	Bent County	81	2			1	1					23			
42	Boulder County	323	4				2	3	2	4		51	3	3	1
43	Chaffee County	141	6			2		2	1	4		1	3		
44	Cheyenne County	28										1			
45	Clear Creek County	44	1									4			
46	Conejos County	32	1									5			
47	Costilla County	18	1				1					2			
48	Crowley County	56	4				2	2			1	9		1	
49	Custer County	18	1									3			
50	Delta County	134	3					3		5	1	8			1
51	Dolores County	3													
52	Douglas County	43						1				6		1	
53	Eagle County	18										2			
54	El Paso County	256	3			1	1	4		1	3	83		2	
55	Elbert County	24										3			
56	Fremont County	200	1			1	2		3	1	1	25		2	1
57	Garfield County	126								1		2		2	2
58	Gilpin County	41						1				5			
59	Grand County	4													
60	Gunnison County	69										2		2	
61	Hinsdale County	10				1		2							
62	Huerfano County	287	2				46	1	4			17	1	1	
63	Jackson County	9													
64	Jefferson County	224					1	1	1	1		109	2		1
65	Kiowa County	3													
66	Kit Carson County	40	1					1				6			
67	La Plata County	130	4									11		1	1
68	Lake County	217					5		1	1	1	7	1		1
69	Larimer County	251	6			4		1	3	1	1	25	3	2	3
70	Las Animas County	349	3			1	7	1	10	1		23		3	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
				2		1												2		1
16	6	2	33	33	4	24	3	11	4	2	2	24	1	1	11	24	4	65		2
26	8	1	50	102	4	27	5	1	4	6	5	34	1	3	4	23	10	128	1	3
11	4	1	23	32	1	9	5	4	2	3	3	9	2	2	11	29	2	50	2	4
41	13	10	34	46	2	29	6	40	1	3	2	33	4	7	18	55	11	99	1	5
16	4	3	15	26	3	33	4	4	2	1	1	19	2	2	14	34	4	34	3	6
4	1		2	6		5	1			1		1			1	10	5	16	2	7
12	1	2	9	14	2	12	1	13		3		14			12	37	6	21	1	8
6	1	1	5	17	3	16	1	10	1	1	2	16		2	7	42	5	29	1	9
6	1		7	21		4		2		1	1	5			2	6	4	16		10
16	7	6	29	58	8	49	4	17	2	6		31	2	3	16	50	11	131		11
17	4	2	19	41	2	21	2	14	4	5		27		2	7	32	6	61		12
32	6	8	27	48	1	31	2	7	2	6	2	44	2	3	15	60	11	77		13
11		1	14	35	4	13	1	5	1	4	3	6		2	8	19	2	37		14
18	3	6	20	33	1	30	5	12	1	5	5	15	4	1	20	29	10	50		15
11	2	1	11	15	4	11		3		2	1	4			13	13		20		16
71	9	6	82	135	15	53	13	30	6	7	9	59	2	4	27	61	11	231		17
5			10	23	2	16	4	14	2		1	11		2	10	19	5	41		18
5	1	3	10	25	3	18	2	4	2	1		11	2	1	9	36	2	27		19
			1	7		3	1		1		1	3		1	2	7	1	16		20
13	2		15	23	1	8	5	6	3	1	2	13	3		5	22	4	37	2	21
11	1		8	18	1	13	1	13		4	2	12		1	6	27	2	55	1	22
50	11	9	33	110	7	78	7	17	9	7	6	49	1	2	23	67	12	140		23
17	4	5	17	35	3	23	7	13	3	2	4	13	1	2	20	24	4	73		24
3	1	1	2	9	1	5	1	4		1	1	6			2	10	2	16		25
7	1		15	26		11		1		1	1	5		1	5	10	2	32		26
2	1			6	3	3			1		1	3		1		7		11		27
17	4	1	29	39	5	32	6	23	6	10	2	23		3	26	34	9	65		28
8	5		5	14	3	15	2		1	1	1	13	1		2	19	2	19	1	29
15	1		19	23	2	29		17	2	4		16		5	13	36	3	44		30
11	3	1	10	22	1	14	3	3	2	3	2	5	1	2	7	24	4	29		31
12	2	4	7	25	4	15		2	3	2	4	17			8	35	3	26		32
184	42	65	185	415	72	660	104	274	79	53	28	309	42	42	398	620	82	940	8	33
183	42	65	184	405	71	652	103	272	77	52	27	306	42	41	397	608	81	928	8	34
1			1	10	1	8	1	2	2	1	1	3		1	1	12	1	12		35
2			1	5		14	2	2		1	1	6				9	4	14		36
1				2		1			1						1	1		3		37
10		1	3	6		17	1	3			1	7			3	7	2	14		38
1						6		1				1			5	4		6		39
1				1				3						2		1	1	2		40
	1	2	1	6	2	4		10	3			5	1	2	3	4	1	8	1	41
12	6	4	13	35	4	25	9	4	5	2	3	13	1	2	21	29	6	56		42
12		3	3	6		10	2	7	7	2	1	10	1	3	12	16	4	23		43
	1		4	7		2		3		1		1			2	2		4		44
1			3	4		5	4	1	1	1	1	1			4	3		10		45
2				2		5		3			1	4		1	4	3		1		46
				2		5						1			2			4		47
		1	1	1		5		4		1		3	1	1	6	1		12		48
			1	4		2						2					1	4		49
6	2	4	5	5		18	1	5	1	2		8	3		11	16	1	25		50
															1	1		1		51
1			3	1		5		1			1	2			4	5	2	10		52
1		1	1			2						3		1	2	3		2		53
14	1	2	12	16	3	18	2	5				11	1		18	17	2	36		54
1	1			1		4		1			2	1			2	4		4		55
10	1	2	8	18	2	16	1	9	2	4		14		1	22	10	5	38		56
6	1		5	11	3	7		2	2	3	1	10		1	6	50	1	10		57
1	1			3	2	4	6		1		1	4			3	6		3		58
			2			1							1							59
1		1	4	8		6	1	1	2			6	1		7	16	1	10		60
				1		1	1									2		1		61
3		2	2	14	2	54	2	27	1	4		12	4		20	33	2	33		62
2			1			2									2	1		1		63
3	3	3	6	13	2	11	1	3	2		1	14			9	13	4	20		64
1								1										1		65
1			2	6		1		3				3		2	1	3		10		66
10	1	3	5	6	1	20	3	1	2	3	1	7	1	1	11	11		26		67
4	1		5	15	18	44	10	6	6	3	1	12	2	1	17	22	2	30	1	68
12	2	1	8	19	5	29	6	17	8	2	4	14	1	2	13	14	1	44		69
5		6	5	11	2	57	1	44		4		22	4	6	17	70	4	41	1	70

[2] Formed from parts of Conejos and Costilla Counties, July 15, 1913.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	COLORADO—continued.														
1	Lincoln County	32										5	1		
2	Logan County	78	3			1		2			2	6	1		
3	Mesa County	204	1			3	2			1		22	1	1	
4	Mineral County	15										2			
5	Moffat County	16								1		2			
6	Montezuma County	40								1		2		2	
7	Montrose County	129	3				1	1		2		12		2	
8	Morgan County	88	1				2	1	5			19			
9	Otero County	204	7			1	9	3	2	1	1	30	1	2	
10	Ouray County	27								1		5			
11	Park County	26													
12	Phillips County	21										1			
13	Pitkin County	41	1				1								
14	Prowers County	92	4						1	2	1	13			1
15	Pueblo County	339	7				1	3		1	2	22	1	3	1
16	Rio Blanco County	26				1		1							
17	Rio Grande County	19													
18	Routt County	72	1						5		1	4		1	1
19	Saguache County	41								1		1			1
20	San Juan County	44	1								1	4			1
21	San Miguel County	75										1		1	2
22	Sedgwick County	25					1					1			
23	Summit County	26					1					1			
24	Teller County	169	1					1			1	6		1	1
25	Washington County	45	2				1	1				2			
26	Weld County	335	13			1	10	7	1	1	2	27	7		2
27	Yuma County	58	4				1					3		1	
	CONNECTICUT.														
28	Total	5,353	29	6	1	17	24	30	45	84	11	499	22	31	22
29	White	5,274	28	6	1	17	24	30	45	83	11	489	22	30	22
30	Colored	79	1							1		10		1	
31	Fairfield County	836	2	2		1		1	4	10		161	1	5	2
32	Hartford County	1,195	8			7	8	5	12	16	1	145	6	9	2
33	Litchfield County	792	3	2		2	4	3	6	12	1	47	6	5	7
34	Middlesex County	314	1					2		8	1	15	1		2
35	New Haven County	708	9	2			6	12	9	10	1	30		2	4
36	New London County	701	3			4	1	3	2	15	4	56	1	6	1
37	Tolland County	310	2				1	3	6	3	2	19	2		
38	Windham County	497	1		1	3	4	1	6	10	1	26	5	4	4
	INDIANA.														
39	Total	23,261	444	51	7	286	98	181	329	308	61	2,215	151	280	98
40	White	22,852	436	49	7	282	98	174	327	306	60	2,138	144	272	97
41	Colored	409	8	2		4		7	2	2	1	77	7	8	1
42	Adams County	222	5			1		4	2	2	1	17	2	4	
43	Allen County	320	2			1	4	5	2	2	1	28	3	1	
44	Bartholomew County	304	6			2		1	6	3	2	45	1	3	
45	Benton County	111	4	1			1	2	2	1		11		2	
46	Blackford County	177	2			1		1	4	2		15	2	1	
47	Boone County	312	1			2	1	1	3	5		34	5	5	2
48	Brown County	80										10	1		
49	Carroll County	178	6					2	3	4		12	1	1	4
50	Cass County	277	3			4		2	4	6	4	21		3	1
51	Clark County	215	5			1	1		2	2		29	3	1	
52	Clay County	361	10	1		2	7		5	10		27	3	3	1
53	Clinton County	339	4	1		2	1	7		4		29	2	4	2
54	Crawford County	143	3			2		1	5	5		35	2	2	
55	Daviess County	337	6			14	1	2	13	7		31	2	1	2
56	Dearborn County	292	5			2			8	5	1	29	2		3
57	Decatur County	281	4	1		4	2		1	6	2	32	5	2	1
58	Dekalb County	304	5			2	1	3	6	4		17		7	
59	Delaware County	296	9	1		1	1	4	4	4		24	1		2
60	Dubois County	219	8	2		2	1	2	3	9		28		2	
61	Elkhart County	346	4			6			5	3	2	16	1	3	2
62	Fayette County	202	1			2		1	3	3	1	13	1	3	2
63	Floyd County	104						2		4		16			
64	Fountain County	280	4			2		1	4	8		20		1	1
65	Franklin County	202	3			1		1		4		15		4	1
66	Fulton County	207	1		1		1	4	2	4	1	9		2	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
1		1	4	3		8			1							4		4		1
	1	1	1	5	1	9	1	6	1	2		1	1		10	5		18		2
9	2	3	8	15	1	21	2	8	5		1	16	2	2	17	25	7	29		3
			2	1		5							1		2	1		1		4
1				1		1		1				1				4		4		5
1	1	1		4	2			1	1			3			8	6		7		6
1		2	2	17	3	18	4	3	1	1		9		1	17	9	1	19		7
4	2	1	2	14	3	3		4		1		3		2	3	3	1	14		8
4	2	5	5	13	2	17	5	18	1	2		11	1		13	15	1	31	1	9
1			3	1		4	2				1	2				1		6		10
1	1		5	4		3						1			1	6	1	3		11
				3		2		1				1			8	1		4		12
2		1	1	8		8	1			1	1	2	1		3	3		7		13
		1	4	9		7	3	3	2	1		5		1	6	8		20		14
8	4	1	13	20	2	32	3	12	7	1	1	14	2	3	15	41	5	114		15
				1		4		2			1	3			5	3	1	4		16
2	1	1	1	2	1	3		1				3			1	2		1		17
1	1		2	3		8		4	3	2	1	4	1	1	9	11	1	7		18
1			3	3	1	8	1	5	1	1					5			9		19
	1	1	1	3		4	6	1	1			1			3	5	2	7	1	20
2		3	1	10		12	3		1		2	3	1		2	18	4	9		21
2				1		3	1	1	1						2	4	1	7		22
			1	6		2				1		1			2	6		4	1	23
9	3	2	7	7		28	13	3	6			8	4	1	13	25	5	24		24
3			1	2	2	9	1					4	1	2	2	3		8	1	25
5	1	4	11	23	8	37	5	29	3	5		15	4	2	15	31	7	58	1	26
2		1	3	7		3		4		1		1	1	1	7	3	1	14		27
301	71	49	465	647	95	422	44	246	21	32	45	374	8	22	278	364	65	947	36	28
298	71	49	458	636	95	420	42	243	20	32	44	367	8	21	276	353	64	933	36	29
3			7	11		2	2	3	1		1	7		1	2	11	1	14		30
40	10	5	75	109	8	54	6	34	3	4	4	57	1	2	31	47	11	144	2	31
63	14	14	87	137	40	89	14	68	6	7	14	70	1	5	68	75	10	185	9	32
48	10	6	65	89	10	63	7	34	5	3	4	64		4	39	56	16	160	11	33
15	8		34	31	3	25	1	14	1	1	2	36	1	1	20	27	4	58	2	34
33	10	9	70	62	8	69	4	37	5	7	10	43	2	3	42	79	10	116	4	35
43	11	6	71	106	10	55	5	30		7	5	57	3	4	19	32	6	133	2	36
20	1	3	27	46	6	23	2	14			1	16		2	26	17	6	60	2	37
39	7	6	36	67	10	44	5	15	1	3	5	31		1	33	31	2	91	4	38
1,518	306	114	1,555	2,551	257	1,633	141	1,010	135	174	194	1,671	123	122	1,238	1,473	214	4,302	21	39
1,502	302	113	1,543	2,505	253	1,607	138	998	133	170	188	1,642	121	120	1,225	1,443	210	4,228	21	40
16	4	1	12	46	4	26	3	12	2	4	6	29	2	2	13	30	4	74		41
14	2	1	15	15	3	12	2	11	1	4	2	17	2	1	26	17	2	37		42
24	4	2	27	31	4	28	4	18	1	2	2	35		2	13	24	1	49		43
24	4		22	26	1	19	3	14	1	1	4	16		2	24	10	2	62		44
7	2	1	6	12		5	1	3	1	2	1	9	2		6	6		23		45
15	1		14	24	1	10	2	8	1	1	2	18		1	17	4		30		46
16	6	1	26	33	2	17	4	9	2	5	4	19	2	1	22	20	5	59		47
5	1	1	9	10	2	4	2	4				8			6	2	2	13		48
12	5	3	13	12		12		7	2		2	12	5		10	13	4	33		49
18	2		21	28	4	17		7	2	1		22	2	3	15	18	2	67		50
10	2	1	8	25	3	10	3	13	1	3	2	21	1	1	10	18	1	38		51
21	4	4	22	38	5	19	4	11	2	5	2	34	1		22	30	6	62		52
20	7	1	20	31	1	30	2	12	5	2		21	3	2	31	22	7	65	1	53
12			1	15		7	3	8	1	2		8		2	5	7	2	15		54
17	3	7	15	42	4	22	2	22	2		2	20		1	14	23	4	58		55
15	3		26	45	3	27		10	5	2	5	13	2		13	19	1	47	1	56
16	6		19	35	5	17		8	1	1	4	7	1	4	16	17	1	63		57
24	3	3	26	41	5	13	1	7	3	6	3	19	3	2	10	22	4	63	1	58
15	5	1	31	23	1	17	3	8	1	1	3	33	2	3	20	10	2	66		59
7	2	1	9	18		21	2	14		3	1	9	1	1	14	9	1	49		60
26	10		23	54	1	24	1	6	1	2	3	25	5	1	26	39	6	51		61
15	4		17	20	3	7	1	7	3	1	2	9	1		8	14	6	54		62
8	2	2	2	13	3	6		2				7		1	3	12		21		63
22	4	3	24	30	4	27	2	17	3	3	6	24	1	1	14	11	2	41		64
13	1		16	25	2	11	1	13		1	2	15	1		5	24	3	40		65
17		2	15	19	4	12	1	5	5	3	3	14		2	10	11	2	56	1	66

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	INDIANA—continued.														
1	Gibson County	348	7	4	.....	2	2	3	6	8	2	42	5	5	1
2	Grant County	541	7	2	.....	2	.....	.....	8	4	2	31	.....	6	1
3	Greene County	439	14	1	2	2	3	6	20	5	.....	24	1	11	3
4	Hamilton County	308	4	.....	.....	1	.....	1	2	6	.....	25	.....	3	1
5	Hancock County	222	3	1	.....	3	.....	4	1	1	1	23	2	2	.....
6	Harrison County	200	4	.....	.....	1	.....	.....	1	6	1	29	2	1	1
7	Hendricks County	243	3	.....	.....	.....	.....	3	2	3	4	25	.....	4	.....
8	Henry County	383	3	1	.....	4	.....	4	4	2	1	37	7	2	1
9	Howard County	177	5	.....	.....	5	1	2	5	3	.....	19	1	3	1
10	Huntington County	190	2	.....	.....	6	2	.....	1	5	.....	11	1	1	1
11	Jackson County	322	5	.....	.....	9	2	3	2	6	3	40	7	4	.....
12	Jasper County	151	1	.....	.....	2	1	2	.....	1	.....	7	1	2	1
13	Jay County	288	5	.....	.....	8	1	2	2	3	1	34	2	9	3
14	Jefferson County	414	4	.....	.....	.....	.....	9	3	3	1	46	2	4	.....
15	Jennings County	207	8	1	.....	.....	2	2	2	2	1	29	1	1	2
16	Johnson County	234	3	.....	.....	1	.....	.....	1	3	.....	32	2	6	.....
17	Knox County	285	11	.....	.....	14	.....	5	9	5	.....	27	1	3	1
18	Kosciusko County	340	4	.....	.....	.....	.....	.....	2	2	2	19	.....	2	3
19	Lagrange County	203	3	.....	.....	.....	1	1	.....	2	.....	8	1	5	1
20	Lake County	352	3	.....	.....	5	7	3	5	.....	.....	34	1	5	2
21	Laporte County	184	1	.....	.....	2	1	.....	2	.....	1	11	1	.....	4
22	Lawrence County	386	15	.....	.....	9	.....	8	8	2	2	49	7	3	1
23	Madison County	332	7	.....	.....	2	5	5	9	1	.....	33	3	6	1
24	Marion County	388	3	2	.....	2	.....	2	12	1	1	46	2	8	.....
25	Marshall County	264	3	1	.....	.....	4	2	2	4	.....	19	1	5	.....
26	Martin County	141	8	1	1	1	1	.....	1	3	.....	20	2	.....	3
27	Miami County	213	5	.....	.....	6	.....	3	4	2	1	17	3	3	1
28	Monroe County	286	8	1	.....	4	5	3	14	2	1	35	.....	3	.....
29	Montgomery County	361	5	2	.....	1	3	1	2	8	.....	29	3	10	4
30	Morgan County	257	8	.....	.....	3	.....	2	8	3	.....	35	3	1	1
31	Newton County	92	3	1	.....	.....	1	1	2	.....	.....	6	.....	.....	.....
32	Noble County	243	6	.....	.....	1	.....	.....	.....	4	.....	10	1	1	2
33	Ohio County	61	1	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	1	.....
34	Orange County	229	9	1	.....	1	.....	3	5	2	.....	29	1	5	2
35	Owen County	144	1	.....	.....	2	2	2	1	2	.....	18	1	4	1
36	Parke County	278	5	.....	.....	4	.....	.....	8	2	1	38	1	3	1
37	Perry County	207	4	3	.....	4	1	3	7	2	.....	28	2	4	2
38	Pike County	231	6	1	.....	4	.....	.....	5	4	1	25	4	7	.....
39	Porter County	227	1	.....	.....	5	4	1	.....	3	1	13	.....	1	3
40	Posey County	243	4	4	.....	2	.....	1	5	4	.....	29	3	1	.....
41	Pulaski County	159	.....	2	.....	3	1	2	.....	2	.....	13	.....	4	.....
42	Putnam County	222	1	.....	.....	.....	1	5	7	3	.....	24	1	2	1
43	Randolph County	351	7	.....	.....	7	1	.....	6	5	2	30	2	8	1
44	Ripley County	247	5	.....	.....	5	.....	.....	4	5	.....	31	2	4	1
45	Rush County	229	3	.....	.....	1	.....	3	2	5	.....	15	3	1	.....
46	St. Joseph County	234	2	.....	2	1	4	.....	1	.....	.....	23	1	3	.....
47	Scott County	108	5	.....	.....	1	.....	.....	.....	2	.....	24	2	1	.....
48	Shelby County	323	8	.....	.....	.....	1	1	7	2	1	38	3	2	1
49	Spencer County	226	14	3	.....	1	2	3	3	2	.....	31	1	5	1
50	Starke County	117	4	.....	.....	3	.....	.....	1	1	.....	11	.....	2	.....
51	Steuben County	165	1	.....	.....	1	.....	1	.....	4	.....	10	.....	1	1
52	Sullivan County	452	8	3	.....	30	2	5	5	2	1	37	2	8	2
53	Switzerland County	127	7	.....	.....	.....	.....	.....	.....	2	1	14	1	3	.....
54	Tippecanoe County	254	2	1	.....	.....	1	1	2	2	.....	16	.....	1	1
55	Tipton County	210	9	1	.....	2	.....	5	1	2	.....	13	3	3	.....
56	Union County	80	.....	.....	.....	.....	.....	.....	.....	3	.....	9	2	1	.....
57	Vanderburg County	306	9	3	.....	.....	2	1	6	1	5	59	.....	2	2
58	Vermilion County	357	3	1	.....	20	1	5	5	5	2	19	.....	4	1
59	Vigo County	390	2	1	.....	11	6	1	5	7	1	43	1	6	1
60	Wabash County	346	7	.....	1	10	1	3	1	4	2	26	.....	3	1
61	Warren County	147	.....	.....	.....	.....	1	.....	.....	4	.....	12	2	.....	1
62	Warrick County	282	11	2	.....	8	.....	3	7	3	1	21	.....	3	2
63	Washington County	184	3	.....	.....	.....	1	1	2	1	.....	18	1	2	2
64	Wayne County	380	7	.....	.....	6	1	1	2	4	.....	22	5	5	.....
65	Wells County	244	10	.....	.....	.....	.....	2	3	4	.....	21	5	3	3
66	White County	221	8	.....	.....	1	1	5	1	6	1	18	1	1	1
67	Whitley County	177	5	.....	.....	3	.....	.....	.....	1	1	15	1	2	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
14	3	6	21	27	6	27	4	29	1	2	4	23	2	2	15	21	5	49	.....	1
34	4	1	37	102	3	38	2	10	2	1	5	75	2	1	24	25	2	110	.....	2
21	5	2	24	42	2	31	2	34	3	2	.....	23	4	1	42	34	2	73	.....	3
17	5	.....	23	36	3	25	1	5	5	2	2	18	2	.....	29	18	6	68	.....	4
13	5	.....	22	23	4	9	1	9	1	1	3	19	2	2	14	11	3	39	.....	5
11	4	.....	4	20	.....	23	1	4	.....	3	6	15	1	.....	10	12	3	35	2	6
16	3	3	20	28	3	27	.....	9	.....	.....	5	23	2	.....	9	14	2	35	.....	7
21	12	2	27	43	4	23	5	15	.....	1	4	27	5	4	13	20	4	87	.....	8
14	3	.....	14	22	1	8	.....	8	1	3	.....	12	.....	2	8	10	1	25	.....	9
10	3	.....	16	27	3	9	3	8	2	4	2	14	.....	.....	9	9	3	38	.....	10
18	5	1	15	29	1	30	.....	24	2	1	2	21	.....	3	16	17	2	54	.....	11
11	1	.....	12	13	1	16	.....	7	1	1	.....	24	.....	1	9	8	1	27	.....	12
20	6	1	26	27	7	20	2	10	2	4	1	14	2	.....	17	10	2	46	1	13
27	3	.....	24	48	1	30	3	8	3	4	6	30	2	.....	9	18	5	121	.....	14
18	4	1	11	17	.....	15	1	6	.....	2	.....	21	.....	.....	8	12	.....	40	.....	15
10	5	.....	11	26	.....	18	1	7	3	.....	2	20	1	.....	9	10	1	62	.....	16
13	.....	2	10	19	2	15	4	31	4	1	2	11	1	1	17	20	4	52	.....	17
31	2	2	10	46	2	26	4	10	1	3	.....	41	1	4	17	27	3	75	1	18
16	4	.....	20	27	1	15	1	4	6	5	2	9	2	.....	8	12	1	47	1	19
11	3	.....	21	35	15	25	3	35	.....	1	3	21	1	3	19	48	3	40	.....	20
11	6	.....	19	17	2	16	.....	10	.....	.....	2	20	.....	.....	11	24	1	22	.....	21
21	4	8	16	33	2	29	1	28	1	2	3	18	2	4	20	23	3	64	.....	22
23	3	2	19	34	3	30	1	16	4	1	3	20	3	2	22	15	2	57	.....	23
19	7	4	33	43	2	22	2	9	4	1	7	19	2	3	14	27	6	85	.....	24
24	3	1	32	32	2	9	1	3	1	3	7	20	1	2	16	13	4	49	.....	25
11	.....	2	13	16	4	10	2	4	1	1	.....	4	.....	.....	10	6	1	15	.....	26
15	6	2	20	21	2	17	.....	6	.....	2	.....	15	.....	.....	6	22	2	32	.....	27
18	.....	.....	13	26	3	28	1	18	1	2	.....	19	1	2	13	19	4	42	.....	28
34	1	3	28	47	7	20	3	12	2	1	2	18	.....	1	18	22	2	71	1	29
18	3	3	24	28	2	16	2	8	3	1	3	11	.....	1	7	18	6	38	1	30
9	4	.....	2	10	3	6	.....	6	1	.....	2	5	.....	.....	4	6	2	18	.....	31
19	1	2	32	39	3	20	2	9	.....	1	2	17	.....	1	8	16	.....	46	.....	32
8	.....	.....	3	10	1	5	.....	2	.....	1	.....	4	.....	.....	1	3	.....	14	.....	33
16	2	2	8	36	3	13	1	9	.....	3	.....	10	3	1	8	10	2	44	.....	34
9	3	.....	11	27	2	13	.....	7	.....	.....	2	6	1	.....	6	6	.....	17	.....	35
13	1	1	20	34	2	10	1	12	2	3	.....	17	3	.....	22	15	3	56	.....	36
15	4	1	5	10	.....	22	2	8	.....	.....	1	16	2	3	8	7	4	39	.....	37
10	2	1	12	16	3	13	.....	19	.....	.....	4	11	2	2	15	13	1	50	.....	38
23	1	.....	18	23	2	19	2	7	3	1	2	16	.....	1	12	25	2	38	.....	39
11	2	1	12	19	2	18	2	16	4	4	1	17	2	2	13	10	2	51	1	40
11	1	.....	9	19	4	12	4	14	.....	.....	.....	12	.....	.....	9	11	.....	26	.....	41
14	5	.....	21	22	1	16	2	4	.....	1	1	22	1	1	10	5	2	49	.....	42
29	8	.....	22	55	1	21	1	9	1	4	3	27	3	3	25	19	2	49	.....	43
21	1	.....	13	21	2	20	1	12	1	6	3	22	2	.....	12	12	2	38	1	44
28	7	2	16	29	4	17	.....	5	2	2	1	15	.....	.....	8	15	.....	45	.....	45
9	6	1	17	30	5	20	1	11	.....	1	2	23	2	5	4	21	1	38	.....	46
5	1	.....	6	8	1	8	.....	7	.....	1	.....	9	.....	.....	5	6	1	15	.....	47
13	7	3	25	29	8	16	1	11	5	2	4	32	2	1	19	10	2	68	1	48
10	1	1	6	18	6	18	3	7	5	2	3	6	.....	3	13	12	2	44	.....	49
6	1	1	4	12	3	18	.....	2	.....	3	.....	5	.....	.....	1	8	4	26	1	50
18	2	1	14	31	3	4	1	4	1	1	2	10	.....	1	7	12	2	32	.....	51
22	3	4	18	39	2	41	4	27	1	2	.....	19	3	3	35	44	3	77	.....	52
7	3	1	9	20	.....	11	.....	2	3	1	2	9	.....	1	6	4	4	16	.....	53
21	1	.....	31	37	7	14	.....	8	.....	6	2	16	.....	1	2	17	1	63	.....	54
15	6	.....	12	29	5	5	1	10	.....	2	5	13	2	1	16	9	.....	40	.....	55
5	2	.....	11	9	.....	3	1	.....	1	.....	1	5	1	.....	5	6	.....	15	.....	56
13	3	.....	14	19	6	24	2	15	.....	3	1	19	4	3	8	15	3	64	.....	57
15	4	1	12	22	9	38	2	38	.....	2	5	21	3	6	18	33	3	58	1	58
25	1	.....	16	31	3	30	3	27	.....	.....	4	21	1	2	39	36	.....	63	3	59
31	4	2	28	38	4	19	.....	9	1	3	2	35	3	3	19	27	3	56	.....	60
10	1	2	21	13	3	11	1	12	.....	3	.....	9	.....	.....	4	10	.....	27	.....	61
20	2	3	13	24	5	21	.....	13	.....	1	1	26	3	2	17	16	3	50	1	62
14	1	1	19	29	4	10	2	5	.....	1	.....	16	.....	3	6	10	2	30	.....	63
32	7	2	31	48	.....	24	4	7	4	1	4	35	2	.....	14	24	5	83	.....	64
23	4	.....	9	21	.....	22	1	9	1	3	2	24	1	2	17	16	2	36	.....	65
17	3	.....	15	35	1	18	.....	9	1	4	1	19	2	1	12	10	1	28	.....	66
18	5	1	8	20	.....	12	1	7	.....	.....	.....	22	1	.....	11	7	.....	33	1	67

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	KENTUCKY.														
1	Total	23,500	884	159	3	364	43	471	505	322	63	3,300	160	324	116
2	White	19,838	750	129	3	353	43	407	482	275	60	2,559	136	260	90
3	Colored	3,662	134	30	.....	11	.....	64	23	47	3	741	24	64	26
4	Adair County (total)	194	8	3	.....	1	.....	4	3	2	1	28	.....	4	2
5	White	169	6	3	.....	1	.....	4	2	2	1	23	.....	1	1
6	Colored[2]	25	2	.....	.....	.....	.....	.....	1	.....	.....	5	.....	3	1
7	Allen County (total)	182	13	.....	.....	1	.....	5	1	7	.....	29	1	3	.....
8	White	159	12	.....	.....	.....	.....	5	1	6	.....	26	1	3	.....
9	Colored[2]	23	1	.....	.....	1	.....	.....	.....	1	.....	3	.....	.....	.....
10	Anderson County (total)	121	4	.....	.....	1	.....	1	.....	1	.....	20	1	2	.....
11	White	98	4	.....	.....	1	.....	1	.....	.....	.....	18	1	1	.....
12	Colored[2]	23	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....
13	Ballard County (total)	178	7	10	.....	.....	2	2	8	3	.....	12	.....	1	3
14	White	149	7	7	.....	.....	2	1	8	3	.....	6	.....	1	3
15	Colored	29	.....	3	.....	.....	.....	1	.....	.....	.....	6	.....	.....	.....
16	Barren County (total)	309	13	3	.....	2	.....	3	3	4	1	58	3	8	2
17	White	248	12	1	.....	2	.....	2	3	4	1	46	1	7	.....
18	Colored	61	1	2	.....	.....	.....	1	.....	.....	.....	12	2	1	2
19	Bath County (total)	190	7	.....	.....	1	1	1	8	5	1	21	.....	4	2
20	White	160	5	.....	.....	1	1	1	8	4	1	18	.....	4	1
21	Colored[2]	30	2	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	1
22	Bell County (total)	334	21	.....	.....	19	1	5	11	2	.....	32	1	2	2
23	White	290	17	.....	.....	19	1	4	11	2	.....	22	1	2	2
24	Colored	44	4	.....	.....	.....	.....	1	.....	.....	.....	10	.....	.....	.....
25	Boone County (total)	104	.....	.....	.....	3	.....	.....	1	2	1	10	.....	.....	1
26	White	94	.....	.....	.....	3	.....	.....	1	2	1	8	.....	.....	.....
27	Colored[2]	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1
28	Bourbon County (total)	292	7	.....	.....	3	.....	4	3	.....	.....	40	2	2	1
29	White	145	2	.....	.....	3	.....	3	2	.....	.....	16	1	.....	1
30	Colored	147	5	.....	.....	.....	.....	1	1	.....	.....	24	1	2	.....
31	Boyd County (total)	377	15	.....	.....	13	3	8	13	1	2	45	2	8	3
32	White	357	15	.....	.....	13	3	7	13	1	2	40	2	8	3
33	Colored[2]	20	.....	.....	.....	.....	.....	1	.....	.....	.....	5	.....	.....	.....
34	Boyle County (total)	238	5	.....	.....	6	.....	6	1	2	.....	31	2	4	1
35	White	145	2	.....	.....	6	.....	4	1	1	.....	15	2	.....	1
36	Colored	93	3	.....	.....	.....	.....	2	.....	1	.....	16	.....	4	.....
37	Bracken County (total)	133	3	.....	.....	1	.....	4	3	5	1	17	2	2	.....
38	White	123	3	.....	.....	1	.....	4	3	5	1	17	2	1	.....
39	Colored[2]	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
40	Breathitt County (total)	101	5	.....	.....	7	.....	2	7	1	.....	14	.....	1	.....
41	White	101	5	.....	.....	7	.....	2	7	1	.....	14	.....	1	.....
42	Colored[2]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
43	Breckinridge County (total)	281	8	2	.....	.....	.....	2	4	2	.....	37	2	7	.....
44	White	254	5	2	.....	.....	.....	2	4	2	.....	30	2	6	.....
45	Colored[2]	27	3	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	1	.....
46	Bullitt County (total)	127	4	2	.....	1	1	.....	3	1	.....	13	.....	3	1
47	White	116	4	2	.....	.....	1	.....	3	1	.....	11	.....	2	1
48	Colored[2]	11	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	1	.....
49	Butler County (total)	128	4	2	.....	2	.....	3	3	.....	.....	25	2	4	1
50	White	121	4	2	.....	2	.....	3	3	.....	.....	24	2	4	1
51	Colored[2]	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
52	Caldwell County (total)	140	3	4	1	.....	.....	5	1	4	.....	24	.....	1	.....
53	White	100	3	2	1	.....	.....	2	1	4	.....	13	.....	.....	.....
54	Colored	40	.....	2	.....	.....	.....	3	.....	.....	.....	11	.....	1	.....
55	Calloway County (total)	219	5	4	.....	1	.....	.....	5	3	.....	38	2	.....	.....
56	White	194	4	4	.....	1	.....	.....	5	3	.....	33	2	.....	.....
57	Colored[2]	25	1	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....
58	Campbell County (total)	395	6	.....	.....	6	.....	3	7	3	.....	39	1	3	1
59	White	393	6	.....	.....	6	.....	3	7	3	.....	39	1	3	1
60	Colored[2]	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Carlisle County (total)	115	.....	2	.....	.....	1	6	1	.....	1	19	.....	1	1
62	White	108	.....	2	.....	.....	1	6	1	.....	1	17	.....	1	1
63	Colored[2]	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
64	Carroll County (total)	127	1	.....	.....	.....	.....	.....	.....	.....	.....	17	.....	4	.....
65	White	118	1	.....	.....	.....	.....	.....	.....	.....	.....	17	.....	4	.....
66	Colored[2]	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
67	Carter County (total)	279	15	.....	.....	13	1	3	16	4	1	25	1	4	.....
68	White	278	15	.....	.....	13	1	3	16	4	1	25	1	4	.....
69	Colored[2]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
70	Casey County (total)	191	9	.....	.....	10	.....	1	6	.....	1	29	1	2	.....
71	White	186	9	.....	.....	10	.....	1	5	.....	1	28	1	2	.....
72	Colored[2]	5	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
73	Christian County (total)	601	17	1	.....	.....	.....	10	4	7	3	133	4	17	1
74	White	308	1	1	.....	.....	.....	6	3	5	3	64	1	5	1
75	Colored	293	16	.....	.....	.....	.....	4	1	2	.....	69	3	12	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
787	116	392	672	1,436	230	1,708	210	1,109	113	142	115	1,210	152	163	1,634	1,424	123	4,290	760	1
701	108	357	573	1,190	193	1,465	171	1,006	102	122	94	988	127	146	1,445	1,124	115	3,619	645	2
86	8	35	99	246	37	243	39	103	11	20	21	222	25	17	189	300	8	671	115	3
10	.....	1	5	15	1	13	1	5	.....	3	1	7	3	6	17	7	.....	34	9	4
9	.....	1	5	12	1	13	.....	5	.....	3	1	7	2	6	15	7	.....	30	8	5
1	.....	.....	.....	3	.....	.....	1	.....	.....	.....	.....	.....	1	.....	2	.....	.....	4	1	6
7	.....	.....	3	14	1	17	1	9	.....	1	.....	6	.....	2	11	7	.....	30	8	7
6	.....	.....	7	14	1	14	1	8	.....	.....	.....	4	.....	1	10	5	.....	27	7	8
1	.....	.....	1	.....	.....	3	.....	1	.....	1	.....	2	.....	1	1	2	.....	3	1	9
4	1	2	1	8	2	9	.....	7	.....	.....	.....	14	.....	.....	8	6	1	25	3	10
3	1	1	1	8	2	6	.....	6	.....	.....	.....	8	.....	.....	8	4	1	20	3	11
1	.....	1	.....	.....	.....	3	.....	1	.....	.....	.....	6	.....	.....	.....	2	.....	5	.....	12
4	1	3	8	6	2	17	1	9	3	1	.....	6	4	1	16	8	1	33	6	13
3	.....	3	8	4	2	14	1	7	3	1	.....	6	4	1	14	6	1	29	4	14
1	1	.....	.....	2	.....	3	.....	2	.....	.....	.....	.....	.....	.....	2	2	.....	4	2	15
10	1	6	2	21	4	21	2	15	3	1	2	18	1	2	14	14	1	58	13	16
8	1	5	2	19	3	17	.....	11	3	1	1	15	.....	2	13	12	1	44	11	17
2	.....	1	.....	2	1	4	2	4	.....	.....	1	3	1	.....	1	2	.....	14	2	18
7	.....	1	7	9	2	14	1	10	2	1	.....	10	4	3	13	7	2	38	8	19
5	.....	1	6	6	2	13	1	7	2	1	.....	7	4	3	13	6	2	30	7	20
2	.....	.....	1	3	.....	1	.....	3	.....	.....	.....	3	.....	.....	.....	1	.....	8	1	21
12	.....	4	4	2	1	27	1	22	5	1	1	9	1	2	22	51	.....	59	14	22
9	.....	4	2	2	1	23	.....	22	4	1	.....	8	1	2	21	45	.....	51	13	23
3	.....	.....	2	.....	.....	4	1	.....	1	.....	1	1	.....	.....	1	6	.....	8	1	24
5	.....	2	6	11	1	7	3	1	.....	1	1	9	.....	1	8	7	3	20	.....	25
5	.....	2	6	9	1	6	3	1	.....	1	1	8	.....	1	7	5	3	20	.....	26
.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	2	.....	.....	.....	27
14	2	5	13	30	2	25	1	11	1	1	2	26	1	4	11	20	.....	59	2	28
8	2	4	9	11	2	9	1	9	1	.....	1	18	.....	2	8	4	.....	28	.....	29
6	.....	1	4	19	.....	16	.....	2	.....	1	1	8	1	2	3	16	.....	31	2	30
15	1	4	14	21	4	19	3	19	2	2	2	26	3	.....	34	36	1	51	7	31
14	1	4	14	20	3	19	2	19	2	2	2	24	3	.....	33	32	1	48	7	32
1	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	2	.....	.....	1	4	.....	3	.....	33
8	2	1	11	11	4	16	3	9	1	2	1	26	3	1	9	17	1	49	5	34
7	2	1	9	6	1	5	3	4	.....	2	1	15	.....	.....	6	14	1	32	4	35
1	.....	.....	2	5	3	11	.....	5	1	.....	.....	11	3	1	3	3	.....	17	1	36
6	.....	2	3	15	1	7	1	1	.....	.....	.....	5	.....	.....	5	11	2	35	1	37
6	.....	2	3	14	1	7	1	1	.....	.....	.....	4	.....	.....	3	8	2	33	1	38
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	3	.....	2	.....	39
3	.....	2	.....	4	.....	3	.....	4	.....	.....	.....	.....	3	.....	9	11	1	17	7	40
3	.....	2	.....	4	.....	3	.....	4	.....	.....	.....	.....	3	.....	9	11	1	17	7	41
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
13	2	8	10	17	3	25	3	12	.....	.....	2	17	5	7	20	17	.....	52	4	43
13	2	8	8	16	3	24	2	11	.....	.....	2	16	5	7	20	16	.....	44	4	44
.....	.....	.....	2	1	.....	1	1	1	.....	.....	.....	1	.....	.....	.....	1	.....	8	.....	45
5	.....	1	2	15	2	10	3	5	.....	.....	1	9	1	.....	9	10	1	20	4	46
5	.....	1	2	14	2	10	3	5	.....	.....	.....	8	1	.....	9	10	1	17	3	47
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	3	1	48
3	.....	1	4	4	1	6	.....	5	.....	2	.....	10	2	1	8	8	2	22	3	49
3	.....	1	4	4	1	6	.....	5	.....	2	.....	9	2	1	8	7	2	19	2	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	3	1	51
2	.....	1	6	10	1	9	1	4	1	1	1	8	.....	.....	5	10	1	28	8	52
2	.....	1	3	9	.....	7	.....	3	1	1	1	4	.....	.....	4	8	1	23	6	53
.....	.....	.....	3	1	1	2	1	1	.....	.....	.....	4	.....	.....	1	2	.....	5	2	54
11	1	.....	7	10	2	19	1	11	2	2	.....	4	2	1	29	10	1	38	10	55
11	1	.....	7	9	2	15	1	10	2	1	.....	4	1	1	27	7	1	34	8	56
.....	.....	.....	.....	1	.....	4	.....	1	.....	1	.....	.....	1	.....	2	3	.....	4	2	57
34	2	6	22	48	6	28	4	13	2	1	4	34	2	4	19	30	3	59	5	58
34	2	6	22	48	6	28	4	13	2	1	4	34	2	4	19	29	3	58	5	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	60
4	1	1	3	6	2	11	2	5	.....	1	1	8	.....	.....	7	6	.....	23	2	61
4	1	1	3	5	2	11	2	5	.....	1	1	7	.....	.....	7	5	.....	21	2	62
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	2	.....	63
8	1	1	7	14	3	8	3	6	.....	.....	.....	5	2	2	10	7	.....	28	.....	64
8	1	1	7	12	2	6	2	6	.....	.....	.....	4	2	2	10	7	.....	26	.....	65
.....	.....	.....	.....	2	1	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	66
6	1	7	4	15	3	25	2	25	.....	2	.....	8	3	1	21	15	.....	50	8	67
6	1	7	4	15	3	25	2	25	.....	2	.....	8	3	1	21	15	.....	49	8	68
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	69
10	1	7	2	8	2	12	1	6	1	2	1	14	.....	3	7	5	1	40	9	70
9	1	7	2	8	2	11	1	6	1	2	1	14	.....	3	7	5	1	39	9	71
1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	72
19	.....	4	10	37	1	28	3	9	3	4	3	44	2	4	26	37	3	157	10	73
13	.....	2	5	21	.....	16	.....	6	1	2	1	26	.....	2	4	11	3	99	6	74
6	.....	2	5	16	1	12	3	3	2	2	2	18	2	2	22	26	.....	58	4	75

[2] Colored population less than 10 per cent of the total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	KENTUCKY—continued.														
1	Clark County (total)	301	7			3	1	3	9	1		21	5	2	1
2	White	182	3			3	1	3	7	1		11	3	1	
3	Colored	119	4						2			10	2	1	1
4	Clay County (total)	128	3			1		5	5	2	1	15	2	1	
5	White	128	3			1		5	5	2	1	15	2	1	
6	Colored [2]														
7	Clinton County (total)	66	5	1					4	5		8			
8	White	66	5	1					4	5		8			
9	Colored [2]														
10	Crittenden County (total)	119	2	2			1	3	2	5	1	16	4	2	
11	White	109	2	2			1	3	2	5	1	13	4	2	
12	Colored [2]	10										3			
13	Cumberland County (total)	81	3			2	1	1	2			12	2	3	
14	White	65	2			1	1	1	2			8	2	3	
15	Colored	16	1			1						4			
16	Daviess County (total)	311	6	2			2	8	4	7	1	46	2	1	1
17	White	271	5	2			2	8	4	3	1	37	2	1	1
18	Colored [2]	40	1							4		9			
19	Edmonson County (total)	94	6	1		1		1	2		1	16			1
20	White	87	6	1		1		1	2		1	14			
21	Colored [2]	7										2			1
22	Elliott County (total)	130	5			6			12	2	1	13	1		
23	White	129	5			6			12	2	1	13	1		
24	Colored [2]	1													
25	Estill County (total)	101	4	1		3		2	1	1		15	1		
26	White	96	4	1		3		2	1	1		14	1		
27	Colored [2]	5										1			
28	Fayette County (total)	148	1					2	1	6	1	22		3	
29	White	89	1					2	1	4	1	11			
30	Colored	59								2		11		3	
31	Fleming County (total)	244	14			10	1	4	6	5	1	24	3	3	2
32	White	219	11			10	1	4	6	5	1	21	3	3	1
33	Colored [2]	25	3									3			1
34	Floyd County (total)	187	11			3		14	12	1	2	21		6	2
35	White	187	11			3		14	12	1	2	21		6	2
36	Colored [2]														
37	Franklin County (total)	128	4	1			1		1	3		15	2		
38	White	116	4	1			1		1	2		14	2		
39	Colored [2]	12								1		1			
40	Fulton County (total)	201	3	18	1		1	7	2	3	1	18	1		
41	White	125	3	11	1		1	3	1	2	1	12	1		
42	Colored	76		7				4	1	1		6			
43	Gallatin County (total)	60	2			1	3			4		10	1		
44	White	54	2			1	3			4		6	1		
45	Colored [2]	6										4			
46	Garrard County (total)	159	5			4		4	5	4		24	3	2	1
47	White	116	3			4		2	5	4		11	3	1	1
48	Colored	43	2					2				13		1	
49	Grant County (total)	155	8			2			6	3		26	3		2
50	White	151	8			2			6	3		26	3		2
51	Colored [2]	4													
52	Graves County (total)	409	12	8		1		14	3	6		67	2	8	3
53	White	356	12	4		1		13	3	4		54	2	6	3
54	Colored [2]	53		4				1		2		13		2	
55	Grayson County (total)	206	6	3			1	3	4	4	1	39	1	3	2
56	White	199	6	3			1	2	4	4	1	37	1	3	2
57	Colored [2]	7						1				2			
58	Green County (total)	130	4	1				1	3	1		22	2	2	
59	White	119	4	1				1	3	1		19	2	2	
60	Colored	11										3			
61	Greenup County (total)	264	17	2		3		2	8	2		33	1	2	
62	White	261	16	2		3		2	8	1		33	1	2	
63	Colored [2]	3	1							1					
64	Hancock County (total)	111	2	1			1	5	2	1		21	1	4	
65	White	102	2	1			1	5	2	1		18	1	4	
66	Colored [2]	9										3			
67	Hardin County (total)	261	6			1		6	4	9		31	2	3	2
68	White	227	6			1		6	2	9		29	2	3	2
69	Colored [2]	34							2			2			
70	Harlan County (total)	88	6			4		3	5	3		5			
71	White	86	5			4		3	5	3		4			
72	Colored [2]	2	1									1			
73	Harrison County (total)	196	6	1		2		5	4	3	1	30	2		1
74	White	152	3	1		2		5	4	3	1	23	1		1
75	Colored	44	3									7	1		
76	Hart County (total)	242	3	3		6		5	5	6		45	5	2	
77	White	194	3	3		4		4	4	3		35	5	2	
78	Colored	48						1	1	3		10			

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

DEATHS FROM PRINCIPAL CAUSES.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
12	2	6	8	19	10	25	5	8	1	1	1	25	.....	2	19	30	4	65	5	1
10	2	5	7	10	2	9	3	6	1	.....	1	20	.....	2	17	10	4	35	5	2
2	.....	1	1	9	8	16	2	2	.....	1	.....	5	.....	.....	2	20	.....	30	.....	3
1	1	1	1	5	.....	10	1	5	1	.....	2	5	2	3	10	4	2	22	17	4
1	1	1	1	5	.....	10	1	5	1	.....	2	5	2	3	10	4	2	22	17	5
																				6
2	.....	2	.....	3	.....	2	.....	7	1	.....	.....	2	2	.....	5	4	.....	12	1	7
2	.....	2	.....	3	.....	2	.....	7	1	.....	.....	2	2	.....	5	4	.....	12	1	8
																				9
2	2	.....	9	7	.....	7	1	3	1	.....	.....	5	.....	.....	9	6	1	23	5	10
2	2	.....	7	6	.....	6	1	3	1	.....	.....	4	.....	.....	9	5	1	23	4	11
		.....	2	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	12
1	1	2	.....	3	1	3	1	3	.....	.....	.....	3	.....	1	11	1	.....	19	5	13
1	1	1	.....	2	1	1	1	2	.....	.....	.....	2	.....	1	11	1	.....	17	3	14
		1	.....	1	.....	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	2	2	15
12	.....	2	7	12	3	32	1	21	.....	4	1	19	3	1	31	15	1	64	2	16
12	.....	1	6	12	3	29	1	21	.....	3	1	18	2	1	27	9	1	57	1	17
	.....	1	1	.....	.....	3	.....	.....	.....	1	.....	1	1	.....	4	6	.....	7	1	18
4	.....	1	1	7	.....	6	1	2	.....	.....	1	2	1	2	6	4	.....	19	8	19
4	.....	.....	1	7	.....	6	1	1	.....	.....	1	2	1	2	6	4	.....	17	8	20
	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	21
2	.....	3	1	10	.....	12	.....	11	3	1	1	6	.....	.....	15	6	.....	14	5	22
2	.....	3	1	9	.....	12	.....	11	3	1	1	6	.....	.....	15	6	.....	14	5	23
				1																24
2	1	7	1	2	2	10	1	6	.....	.....	1	11	1	.....	5	10	.....	10	3	25
2	1	6	1	2	2	10	1	6	.....	.....	1	11	1	.....	5	8	.....	9	3	26
		1														2	.....	1	.....	27
4	3	3	5	12	2	17	2	1	1	.....	.....	9	.....	.....	5	10	2	32	4	28
2	2	2	1	9	2	13	1	1	.....	.....	.....	5	.....	.....	2	7	2	18	2	29
2	1	1	4	3	.....	4	1	.....	1	.....	.....	4	.....	.....	3	3	.....	14	2	30
11	.....	10	8	18	2	17	2	11	3	1	.....	10	2	2	12	5	.....	50	7	31
11	.....	9	7	16	1	13	2	9	3	1	.....	10	2	1	11	4	.....	46	7	32
	.....	1	1	2	1	4	.....	2	.....	.....	.....	.....	.....	1	1	1	.....	4	.....	33
4	.....	4	2	3	1	13	2	15	.....	1	1	3	1	.....	13	12	2	16	22	34
4	.....	4	2	3	1	13	2	15	.....	1	1	3	1	.....	13	12	2	16	22	35
																				36
4	1	.....	4	13	2	14	2	4	.....	1	1	10	1	.....	7	5	1	25	6	37
4	1	.....	4	13	2	12	2	4	.....	1	.....	7	1	.....	6	3	1	24	6	38
						2					1	3			1	2	.....	1	.....	39
1	.....	2	6	10	1	14	3	20	1	1	2	9	2	2	15	14	3	24	16	40
	.....	2	5	7	.....	11	1	13	1	1	.....	8	1	2	8	7	3	14	5	41
1	.....	.....	1	3	1	3	2	7	.....	.....	2	1	1	.....	7	7	.....	10	11	42
5	.....	1	3	7	.....	4	.....	1	1	1	.....	.....	.....	.....	5	4	.....	5	2	43
5	.....	1	3	6	.....	4	.....	1	1	1	.....	.....	.....	.....	5	4	.....	4	2	44
				1														1	.....	45
4	2	2	6	13	3	11	1	.....	4	.....	3	15	.....	1	7	6	2	24	3	46
2	1	1	3	10	.....	10	1	.....	4	.....	3	13	.....	1	6	4	1	20	2	47
2	1	1	3	3	3	1	.....	.....	.....	.....	.....	2	.....	.....	1	2	1	4	1	48
7	.....	1	15	10	.....	13	1	2	1	1	2	9	1	1	10	4	.....	25	2	49
7	.....	1	15	8	.....	13	1	2	1	1	2	9	1	1	9	3	.....	25	2	50
				2											1	1				51
16	.....	8	14	15	8	44	4	13	4	2	1	13	6	3	29	23	3	76	3	52
13	.....	8	13	13	6	41	4	12	3	2	1	12	4	3	25	22	2	67	3	53
3	.....	.....	1	2	2	3	.....	1	1	.....	.....	1	2	.....	4	1	1	9	.....	54
4	1	.....	11	11	2	23	4	11	2	.....	.....	6	.....	1	8	12	3	37	3	55
4	1	.....	11	11	2	23	4	11	2	.....	.....	6	.....	1	8	11	3	34	3	56
																1		3	.....	57
6	2	.....	1	8	1	13	.....	7	.....	.....	.....	9	1	.....	6	4	1	31	4	58
6	2	.....	1	6	1	13	.....	7	.....	.....	.....	9	1	.....	4	3	1	28	4	59
				2											2	1	.....	3	.....	60
8	.....	8	5	10	4	27	2	28	.....	1	.....	8	2	3	23	20	1	32	12	61
8	.....	8	5	10	4	26	2	28	.....	1	.....	8	2	3	23	20	1	32	12	62
						1														63
1	2	.....	4	6	.....	4	.....	6	.....	1	2	8	3	1	3	4	4	22	2	64
1	2	.....	3	5	.....	4	.....	6	.....	1	1	7	3	1	2	4	4	21	2	65
			1	1							1	1			1			1	.....	66
4	3	4	9	15	6	26	.....	11	3	1	1	13	1	2	14	15	.....	60	9	67
3	2	4	9	13	6	23	.....	10	3	1	.....	11	1	2	13	13	.....	44	9	68
1	1	.....	.....	2	.....	3	.....	1	.....	.....	1	2	.....	.....	1	2	.....	16	.....	69
2	.....	2	2	3	.....	7	3	8	.....	1	.....	.....	.....	1	4	6	.....	15	8	70
2	.....	2	2	3	.....	7	3	8	.....	1	.....	.....	.....	1	4	6	.....	15	8	71
																				72
16	1	5	8	16	.....	12	3	8	2	1	.....	15	.....	.....	8	14	3	29	.....	73
11	1	3	8	11	.....	10	3	8	2	1	.....	10	.....	.....	6	10	3	21	.....	74
5	.....	2	.....	5	.....	2	.....	.....	.....	.....	.....	5	.....	.....	2	4	.....	8	.....	75
5	.....	4	7	19	.....	15	2	7	.....	.....	2	16	.....	3	15	12	1	44	10	76
5	.....	2	7	12	.....	14	2	7	.....	.....	2	12	.....	3	11	11	1	36	6	77
.....	.....	2	.....	7	.....	1	.....	.....	.....	.....	.....	4	.....	.....	4	1	.....	8	4	78

[2] Colored population less than 10 per cent of the total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(87)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	KENTUCKY—continued.														
1	Henderson County (total)	235	8	3	.....	1	.....	2	7	6	2	28	.....	4	1
2	White	157	5	3	.....	1	.....	2	7	5	2	12	.....	3	.....
3	Colored	78	3	.....	.....	.....	.....	.....	.....	1	.....	16	.....	1	1
4	Henry County (total)	180	13	.....	.....	1	.....	1	2	5	.....	29	.....	2	4
5	White	148	7	.....	.....	1	.....	1	2	4	.....	25	.....	.....	4
6	Colored	32	6	.....	.....	.....	.....	.....	.....	1	.....	4	.....	2	.....
7	Hickman County (total)	143	10	4	.....	.....	.....	4	1	1	.....	26	.....	3	.....
8	White	112	7	4	.....	.....	.....	4	1	.....	.....	20	.....	3	.....
9	Colored	31	3	.....	.....	.....	.....	.....	.....	1	.....	6	.....	.....	.....
10	Hopkins County (total)	454	22	4	.....	4	.....	10	4	5	2	72	1	3	2
11	White	344	14	3	.....	2	.....	8	3	3	2	54	1	1	2
12	Colored	110	8	1	.....	2	.....	2	1	2	.....	18	.....	2	.....
13	Jackson County (total)	124	6	.....	.....	3	.....	7	4	2	.....	15	.....	1	.....
14	White	124	6	.....	.....	3	.....	7	4	2	.....	15	.....	1	.....
15	Colored[2]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Jefferson County (total)	734	15	3	.....	3	1	10	6	2	2	196	2	4	5
17	White	569	11	2	.....	3	1	9	6	2	2	129	2	4	2
18	Colored	165	4	1	.....	.....	.....	1	.....	.....	.....	67	.....	.....	3
19	Jessamine County (total)	199	4	.....	.....	.....	.....	2	2	1	.....	22	2	2	1
20	White	143	1	.....	.....	.....	.....	2	2	.....	.....	16	2	2	1
21	Colored	56	3	.....	.....	.....	.....	.....	.....	1	.....	6	.....	.....	.....
22	Johnson County (total)	215	14	.....	.....	5	.....	1	6	.....	.....	20	.....	2	.....
23	White	214	14	.....	.....	5	.....	1	6	.....	.....	20	.....	2	.....
24	Colored[2]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Kenton County (total)	206	2	.....	.....	2	2	3	.....	3	.....	25	.....	2	2
26	White	195	2	.....	.....	2	2	3	.....	3	.....	21	.....	2	2
27	Colored[2]	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....
28	Knott County (total)	83	8	.....	.....	5	.....	.....	7	.....	1	10	.....	1	.....
29	White	82	8	.....	.....	5	.....	.....	7	.....	1	10	.....	1	.....
30	Colored[2]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Knox County (total)	293	7	.....	.....	4	1	13	9	1	.....	35	1	4	.....
32	White	269	7	.....	.....	4	1	12	9	1	.....	31	.....	3	.....
33	Colored[2]	24	.....	.....	.....	.....	.....	1	.....	.....	.....	4	1	1	.....
34	Larue County (total)	136	3	.....	.....	4	.....	.....	1	3	.....	26	1	7	2
35	White	124	3	.....	.....	4	.....	.....	1	3	.....	22	1	7	1
36	Colored[2]	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	1
37	Laurel County (total)	177	7	.....	.....	13	.....	2	1	2	2	18	1	3	.....
38	White	169	5	.....	.....	13	.....	2	1	2	2	17	1	3	.....
39	Colored[2]	8	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
40	Lawrence County (total)	203	11	.....	.....	2	.....	2	8	3	1	23	2	2	.....
41	White	199	11	.....	.....	2	.....	2	8	3	1	23	2	2	.....
42	Colored[2]	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
43	Lee County (total)	98	6	.....	.....	1	.....	1	5	1	1	12	.....	3	1
44	White	91	6	.....	.....	1	.....	1	5	1	1	11	.....	3	1
45	Colored[2]	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
46	Leslie County (total)	71	6	1	.....	3	.....	4	7	.....	.....	8	.....	.....	.....
47	White	70	6	1	.....	3	.....	4	7	.....	.....	8	.....	.....	.....
48	Colored[2]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Letcher County (total)	99	6	.....	.....	7	.....	5	5	.....	.....	6	.....	.....	.....
50	White	93	6	.....	.....	7	.....	5	4	.....	.....	6	.....	.....	.....
51	Colored[2]	6	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
52	Lewis County (total)	275	15	2	.....	5	.....	7	14	3	1	28	2	3	1
53	White	274	15	2	.....	5	.....	7	14	3	1	28	2	3	1
54	Colored[2]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
55	Lincoln County (total)	220	13	.....	.....	5	.....	4	3	2	.....	36	2	3	4
56	White	169	12	.....	.....	5	.....	3	3	2	.....	21	1	3	3
57	Colored	51	1	.....	.....	.....	.....	1	.....	.....	.....	15	1	.....	1
58	Livingston County (total)	123	7	6	.....	.....	.....	.....	.....	.....	.....	24	1	1	1
59	White	107	6	5	.....	.....	.....	.....	.....	.....	.....	16	.....	1	1
60	Colored[2]	16	1	1	.....	.....	.....	.....	.....	.....	.....	8	1	.....	.....
61	Logan County (total)	306	11	3	.....	.....	.....	6	3	4	.....	55	5	4	1
62	White	218	7	2	.....	.....	.....	4	2	4	.....	37	5	3	.....
63	Colored	88	4	1	.....	.....	.....	2	1	.....	.....	18	.....	1	1
64	Lyon County (total)	128	5	3	.....	.....	.....	2	1	3	.....	19	1	3	1
65	White	86	3	2	.....	.....	.....	1	1	2	.....	9	1	2	.....
66	Colored	42	2	1	.....	.....	.....	1	.....	1	.....	10	.....	1	1
67	McCracken County (total)	127	6	5	.....	.....	.....	.....	2	5	1	18	1	1	.....
68	White	100	5	4	.....	.....	.....	.....	2	5	1	16	1	1	.....
69	Colored	27	1	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
70	McCreary County (total)	123	2	.....	.....	6	1	4	5	1	.....	4	1	2	.....
71	White	121	2	.....	.....	6	1	4	5	1	.....	3	1	1	.....
72	Colored	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
73	McLean County (total)	186	3	5	.....	5	1	6	2	2	2	22	.....	5	2
74	White	167	3	4	.....	5	1	6	2	2	1	21	.....	5	2
75	Colored[2]	19	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
76	Madison County (total)	356	6	.....	.....	1	.....	9	9	8	1	56	2	6	1
77	White	275	5	.....	.....	1	.....	4	5	6	1	37	2	4	.....
78	Colored	81	1	.....	.....	.....	.....	5	4	2	.....	19	.....	2	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
6	1	2	4	10	5	17	2	8	2	1	.....	11	2	1	30	9	2	56	4	1
5	1	2	4	7	1	15	2	6	2	1	.....	7	2	1	17	4	2	36	2	2
1	.....	.....	.....	3	4	2	.....	2	.....	.....	.....	4	.....	.....	13	5	.....	20	2	3
8	2	4	5	10	2	10	1	13	2	1	2	15	.....	.....	8	8	2	28	2	4
7	2	3	5	8	2	9	1	12	1	1	2	12	.....	.....	7	7	2	23	.....	5
1	.....	1	.....	2	.....	1	.....	1	1	.....	.....	3	.....	.....	1	1	.....	5	2	6
2	1	2	3	5	1	15	1	5	1	1	.....	6	1	1	6	11	1	22	9	7
2	1	1	3	3	1	12	1	5	1	.....	.....	4	1	.....	6	9	1	16	6	8
.....	.....	1	.....	2	.....	3	.....	.....	.....	1	.....	2	.....	1	.....	2	.....	6	3	9
13	3	9	9	32	3	31	4	26	7	6	1	14	3	1	38	25	4	90	6	10
10	3	7	5	22	2	25	3	21	7	4	1	12	1	.....	29	18	4	72	5	11
3	.....	2	4	10	1	6	1	5	.....	2	.....	2	2	1	9	7	.....	18	1	12
2	.....	3	1	7	1	8	.....	9	2	2	1	3	.....	2	14	6	.....	17	8	13
2	.....	3	1	7	1	8	.....	9	2	2	1	3	.....	2	14	6	.....	17	8	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
27	9	2	24	65	12	41	8	18	3	4	8	46	2	2	34	32	3	139	6	16
22	7	2	20	50	12	35	6	16	2	3	7	36	.....	2	31	24	2	114	5	17
5	2	.....	4	15	.....	6	2	2	1	1	1	10	2	.....	3	8	1	25	1	18
14	2	2	7	22	.....	14	4	4	1	2	3	19	1	1	9	23	.....	29	6	19
12	2	1	4	16	.....	9	2	4	.....	2	2	12	1	1	6	16	.....	21	6	20
2	.....	1	3	6	.....	5	2	.....	1	.....	1	7	.....	.....	3	7	.....	8	.....	21
.....	1	7	6	12	.....	15	2	16	2	6	2	6	.....	.....	30	12	.....	47	3	22
.....	1	7	6	12	.....	15	2	16	2	6	2	6	.....	.....	30	11	.....	47	3	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	24
11	2	2	10	19	1	24	4	7	.....	.....	3	14	.....	.....	17	13	1	35	2	25
11	2	2	10	18	1	22	4	7	.....	.....	3	13	.....	.....	16	12	1	35	1	26
.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	1	27
2	.....	3	1	1	.....	7	1	5	.....	.....	.....	1	1	.....	6	1	.....	17	5	28
2	.....	3	1	1	.....	7	1	5	.....	.....	.....	1	1	.....	6	1	.....	16	5	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	30
4	3	6	9	19	1	22	2	20	.....	3	1	8	.....	4	19	33	1	47	16	31
4	3	5	6	18	1	20	2	18	.....	3	1	8	.....	4	19	27	1	45	16	32
.....	.....	1	3	1	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	6	.....	2	.....	33
6	.....	.....	.....	6	.....	14	1	2	.....	2	1	20	1	1	10	6	.....	18	1	34
6	.....	.....	.....	6	.....	12	1	2	.....	2	1	19	1	1	10	5	.....	15	1	35
.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	3	.....	36
3	.....	6	7	5	1	21	1	10	2	1	2	5	.....	2	9	9	1	37	6	37
2	.....	5	7	5	1	21	1	10	2	.....	2	5	.....	2	8	8	1	37	6	38
1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	39
7	.....	6	2	7	.....	15	.....	14	1	2	1	10	2	.....	19	8	1	42	12	40
7	.....	6	2	7	.....	13	.....	14	1	2	1	10	2	.....	19	7	1	41	12	41
.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	42
3	.....	6	2	4	3	6	.....	4	1	1	.....	.....	.....	.....	4	16	.....	12	5	43
2	.....	6	2	4	3	6	.....	4	1	.....	.....	.....	.....	.....	4	12	.....	12	5	44
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	4	.....	.....	.....	45
1	.....	.....	.....	2	1	4	.....	1	.....	.....	.....	.....	.....	1	1	10	.....	11	10	46
1	.....	.....	.....	2	1	4	.....	1	.....	.....	.....	.....	.....	1	1	9	.....	11	10	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	48
.....	.....	1	2	3	.....	7	2	13	1	.....	..	3	3	1	9	11	.....	9	5	49
.....	.....	1	2	2	.....	6	2	12	1	.....	.....	3	3	1	9	10	.....	8	5	50
.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	51
4	.....	17	10	26	2	13	4	28	1	2	1	14	1	1	14	12	.....	36	8	52
4	.....	17	10	26	2	13	4	28	1	2	1	13	1	1	14	12	.....	36	8	53
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	54
4	2	3	8	22	9	16	2	5	1	.....	.....	9	1	.....	15	7	.....	34	10	55
4	1	2	6	20	8	13	2	4	.....	.....	.....	6	1	.....	12	5	.....	25	7	56
.....	1	1	2	2	1	3	.....	1	1	.....	.....	3	.....	.....	3	2	.....	9	3	57
6	.....	.....	1	4	2	12	2	4	1	1	.....	6	.....	4	13	4	1	19	3	58
6	.....	.....	1	4	2	11	1	4	1	1	.....	6	.....	4	13	4	1	17	2	59
.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	60
7	3	4	17	24	1	14	3	13	3	2	3	10	1	2	19	8	1	70	9	61
7	3	4	13	18	1	10	2	10	2	2	3	7	1	1	10	6	1	49	4	62
.....	.....	.....	4	6	.....	4	1	3	1	.....	.....	3	.....	1	9	2	.....	21	5	63
.....	.....	3	3	4	1	13	1	4	.....	1	.....	3	3	.....	8	14	2	23	7	64
.....	.....	3	1	3	1	12	1	3	.....	1	.....	2	2	.....	7	4	2	18	5	65
.....	.....	.....	2	1	.....	1	.....	1	.....	.....	.....	1	1	.....	1	10	.....	5	2	66
3	1	1	2	5	3	12	.....	6	.....	.....	1	6	1	.....	9	12	1	20	5	67
3	1	1	2	4	1	10	.....	5	.....	.....	1	4	.....	.....	7	7	1	15	3	68
.....	.....	.....	.....	1	2	2	.....	1	.....	.....	.....	2	1	.....	2	5	.....	5	2	69
.....	.....	1	.....	1	.....	17	2	12	1	.....	.....	5	.....	1	16	14	.....	24	3	70
.....	.....	1	.....	1	.....	17	2	12	1	.....	.....	5	.....	1	16	14	.....	24	3	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
7	1	4	9	11	3	14	2	15	.....	1	.....	7	.....	1	12	10	.....	33	1	73
7	1	4	7	8	3	14	2	14	.....	1	.....	4	.....	1	8	9	.....	31	1	74
.....	.....	.....	2	3	.....	.....	.....	1	.....	.....	.....	3	.....	.....	4	1	.....	2	.....	75
15	1	2	11	16	2	16	5	15	2	2	1	22	2	.....	30	26	8	74	7	76
12	1	2	10	14	2	10	2	11	2	1	1	19	2	.....	28	20	7	60	6	77
3	.....	.....	1	2	.....	6	3	4	.....	1	.....	3	.....	.....	2	6	1	14	1	78

[2] Colored population less than 10 per cent of the total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	KENTUCKY—continued.														
1	Magoffin County (total)	163	10	.....	.....	13	1	4	9	1	1	15	.....	3	.....
2	White	150	9	.....	.....	12	1	4	8	1	1	12	.....	3	.....
3	Colored [2]	13	1	.....	.....	1	.....	.....	1	.....	.....	3	.....	.....	.....
4	Marion County (total)	258	9	1	.....	1	1	11	2	6	.....	32	1	4	.....
5	White	195	9	1	.....	1	1	4	2	4	.....	22	1	3	.....
6	Colored	63	.....	.....	.....	.....	.....	7	.....	2	.....	10	.....	1	.....
7	Marshall County (total)	130	4	6	.....	.....	.....	3	2	6	1	20	.....	4	2
8	White	128	4	6	.....	.....	.....	3	2	6	1	20	.....	3	2
9	Colored [2]	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
10	Martin County (total)	56	1	.....	.....	1	.....	4	.....	.....	.....	7	.....	2	.....
11	White	56	1	.....	.....	1	.....	4	.....	.....	.....	7	.....	2	.....
12	Colored [2]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Mason County (total)	292	12	.....	.....	10	.....	7	3	5	1	29	4	3	1
14	White	243	9	.....	.....	10	.....	4	3	4	.....	24	4	3	1
15	Colored	49	3	.....	.....	.....	.....	3	.....	1	1	5	.....	.....	.....
16	Meade County (total)	118	11	1	.....	.....	.....	1	1	2	.....	17	1	1	2
17	White	111	9	1	.....	.....	.....	1	1	2	.....	14	1	1	2
18	Colored [2]	7	2	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....
19	Menifee County (total)	63	5	1	.....	3	.....	.....	6	.....	1	7	.....	3	.....
20	White	62	5	1	.....	3	.....	.....	6	.....	1	7	.....	3	.....
21	Colored [2]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Mercer County (total)	188	8	.....	.....	1	.....	5	2	2	1	20	4	1	1
23	White	141	4	.....	.....	1	.....	5	2	1	1	13	4	.....	.....
24	Colored	47	4	.....	.....	.....	.....	.....	.....	1	.....	7	.....	1	1
25	Metcalfe County (total)	130	10	2	.....	.....	.....	5	1	3	1	28	1	4	1
26	White	115	10	1	.....	.....	.....	5	1	2	1	23	1	3	1
27	Colored [2]	15	.....	1	.....	.....	.....	.....	.....	1	.....	5	.....	1	.....
28	Monroe County (total)	164	5	.....	.....	.....	.....	5	3	3	1	27	.....	2	1
29	White	149	5	.....	.....	.....	.....	5	3	3	1	25	.....	2	.....
30	Colored [2]	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1
31	Montgomery County (total)	194	5	1	.....	4	.....	9	3	.....	.....	34	.....	2	3
32	White	132	3	1	.....	3	.....	9	3	.....	.....	15	.....	1	2
33	Colored	62	2	.....	.....	1	.....	.....	.....	.....	.....	19	.....	1	1
34	Morgan County (total)	212	14	.....	.....	11	1	5	14	7	.....	26	1	5	.....
35	White	212	14	.....	.....	11	1	5	14	7	.....	26	1	5	.....
36	Colored [2]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Muhlenberg County (total)	439	11	7	.....	2	.....	13	8	5	2	63	1	6	.....
38	White	371	8	6	.....	2	.....	8	6	5	2	53	1	5	.....
39	Colored	68	3	1	.....	.....	.....	5	2	.....	.....	10	.....	1	.....
40	Nelson County (total)	209	10	1	.....	.....	.....	2	3	2	1	40	2	1	.....
41	White	150	7	1	.....	.....	.....	2	3	.....	1	23	1	1	.....
42	Colored	59	3	.....	.....	.....	.....	.....	.....	2	.....	17	1	.....	.....
43	Nicholas County (total)	167	5	1	.....	13	.....	1	4	.....	.....	22	3	2	.....
44	White	144	3	1	.....	13	.....	1	4	.....	.....	20	1	2	.....
45	Colored [2]	23	2	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....
46	Ohio County (total)	333	23	3	1	6	.....	4	5	3	3	42	2	7	1
47	White	313	22	3	1	6	.....	4	5	3	3	41	2	5	.....
48	Colored [2]	20	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1
49	Oldham County (total)	94	1	.....	.....	.....	2	.....	.....	.....	.....	12	1	.....	.....
50	White	77	1	.....	.....	.....	2	.....	.....	.....	.....	10	1	.....	.....
51	Colored	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
52	Owen County (total)	158	8	.....	.....	3	1	1	.....	1	.....	21	3	2	1
53	White	144	6	.....	.....	3	1	1	.....	1	.....	19	3	2	1
54	Colored [2]	14	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
55	Owsley County (total)	76	3	.....	.....	2	.....	2	4	1	.....	8	.....	.....	1
56	White	74	3	.....	.....	2	.....	2	4	1	.....	8	.....	.....	1
57	Colored [2]	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
58	Pendleton County (total)	153	6	.....	.....	6	.....	4	4	.....	.....	25	1	2	1
59	White	140	6	.....	.....	6	.....	4	4	.....	.....	24	1	2	1
60	Colored [2]	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
61	Perry County (total)	112	7	.....	.....	13	.....	4	7	2	.....	7	.....	.....	.....
62	White	111	7	.....	.....	13	.....	4	7	2	.....	6	.....	.....	.....
63	Colored [2]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
64	Pike County (total)	355	14	1	.....	12	.....	15	17	5	.....	29	.....	4	2
65	White	342	14	1	.....	12	.....	15	17	4	.....	29	.....	4	2
66	Colored [2]	13	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
67	Powell County (total)	80	2	1	.....	4	.....	2	.....	1	.....	9	1	.....	.....
68	White	75	2	1	.....	4	.....	2	.....	1	.....	8	1	.....	.....
69	Colored [2]	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
70	Pulaski County (total)	417	18	2	.....	9	1	8	10	8	1	58	4	6	3
71	White	394	18	2	.....	8	1	8	10	7	1	51	4	6	3
72	Colored [2]	23	.....	.....	.....	1	.....	.....	.....	1	.....	7	.....	.....	.....
73	Robertson County (total)	65	5	.....	.....	1	.....	3	.....	1	.....	9	.....	3	.....
74	White	64	5	.....	.....	1	.....	3	.....	1	.....	9	.....	3	.....
75	Colored [2]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Rockcastle County (total)	148	7	.....	.....	4	.....	6	2	2	1	28	.....	3	1
77	White	145	7	.....	.....	4	.....	6	2	2	1	26	.....	3	1
78	Colored [2]	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
2	.....	3	1	2	.....	9	.....	9	1	1	1	1	3	1	9	5	.....	34	24	1
2	.....	3	1	2	.....	9	.....	9	1	1	1	1	3	1	9	5	.....	32	19	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	3
10	2	6	7	12	14	20	4	12	1	4	.....	17	.....	4	12	16	.....	45	4	4
9	2	6	6	8	11	12	4	11	1	3	.....	12	.....	3	10	13	.....	33	3	5
1	.....	.....	1	4	3	8	.....	1	.....	1	.....	5	.....	1	2	3	.....	12	1	6
1	2	2	5	1	1	9	2	6	.....	.....	1	3	1	1	11	2	.....	32	2	7
1	2	2	5	1	1	9	2	6	.....	.....	1	3	1	1	11	2	.....	31	2	8
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	9
.....	.....	2	.....	.....	2	1	.....	9	.....	.....	1	.....	.....	1	11	4	.....	8	2	10
.....	.....	2	.....	.....	2	1	.....	9	.....	.....	1	.....	.....	1	11	4	.....	8	2	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
12	.....	17	13	25	4	24	3	12	1	5	1	9	1	1	19	14	3	46	7	13
11	.....	15	11	23	4	18	3	9	1	5	1	6	.....	1	17	9	2	41	4	14
1	.....	2	2	2	.....	6	.....	3	.....	.....	.....	3	1	.....	2	5	1	5	3	15
2	4	1	4	6	.....	8	2	7	.....	3	1	3	.....	2	6	6	.....	24	2	16
2	4	1	4	6	.....	8	2	7	.....	3	1	3	.....	2	6	6	.....	23	1	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	18
.....	.....	1	.....	1	2	5	.....	4	1	.....	.....	1	1	.....	6	1	1	7	6	19
.....	.....	1	.....	1	2	5	.....	3	1	.....	.....	1	1	.....	6	1	1	7	6	20
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
11	1	1	5	10	4	8	3	5	.....	1	2	16	.....	2	13	16	.....	41	4	22
11	1	1	4	8	4	5	1	3	.....	1	1	14	.....	2	12	10	.....	30	2	23
.....	.....	.....	1	2	.....	3	2	2	.....	.....	1	2	.....	.....	1	6	.....	11	2	24
2	1	2	2	7	1	4	.....	5	.....	3	.....	3	3	2	3	6	1	23	6	25
2	1	2	2	5	1	4	.....	5	.....	3	.....	3	3	1	2	6	1	20	6	26
.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	3	.....	27
5	.....	2	3	21	2	7	1	5	.....	2	.....	5	1	1	8	5	.....	39	10	28
5	.....	2	3	19	2	7	1	5	.....	2	.....	4	1	1	8	5	.....	32	8	29
.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	7	2	30
13	1	3	5	11	2	11	3	5	.....	1	1	13	1	1	15	7	1	31	3	31
9	1	3	4	7	2	9	3	4	.....	1	1	9	1	1	10	4	1	22	3	32
4	.....	.....	1	4	.....	2	.....	1	.....	.....	.....	9	.....	.....	5	3	.....	9	.....	33
2	.....	13	3	2	1	18	.....	9	1	.....	1	2	3	.....	19	7	1	33	13	34
2	.....	13	3	2	1	18	.....	9	1	.....	1	2	3	.....	19	7	1	33	13	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
6	2	2	12	20	6	38	4	36	.....	4	1	11	2	1	43	32	2	88	11	37
5	2	2	9	18	5	35	4	31	.....	4	1	9	2	1	41	21	2	75	8	38
1	.....	.....	3	2	1	3	.....	5	.....	.....	.....	2	.....	.....	2	11	.....	13	3	39
6	6	.....	7	12	2	17	2	10	.....	3	4	13	1	2	15	15	.....	27	5	40
6	6	.....	4	9	1	12	2	9	.....	3	2	9	.....	1	10	14	.....	22	1	41
.....	.....	.....	3	3	1	5	.....	1	.....	.....	2	4	1	1	5	1	.....	5	4	42
11	1	1	5	11	1	8	2	5	1	.....	2	14	.....	.....	3	11	.....	34	6	43
11	1	1	5	10	1	7	2	2	1	.....	1	11	.....	.....	3	5	.....	32	6	44
.....	.....	.....	.....	1	.....	1	.....	3	.....	.....	1	3	.....	.....	.....	6	.....	2	.....	45
12	3	5	10	23	4	32	1	13	1	1	2	14	.....	1	32	18	2	53	6	46
10	3	5	10	22	4	31	1	13	1	1	2	12	.....	1	30	17	2	48	5	47
2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	2	.....	.....	2	1	.....	5	1	48
4	1	1	4	9	1	4	.....	8	.....	1	1	8	.....	.....	1	3	.....	31	1	49
4	1	1	4	7	1	4	.....	6	.....	1	1	6	.....	.....	1	1	.....	25	.....	50
.....	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....	2	.....	6	1	51
11	4	2	3	9	2	11	2	5	.....	1	1	6	2	1	9	8	.....	35	5	52
10	4	2	3	9	2	11	2	4	.....	1	1	4	2	1	8	6	.....	32	5	53
1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	1	2	.....	3	.....	54
3	.....	1	4	2	3	4	2	4	.....	.....	.....	1	.....	.....	5	6	1	16	3	55
3	.....	1	4	2	3	4	2	4	.....	.....	.....	1	.....	.....	5	6	1	14	3	56
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	57
11	3	2	6	14	.....	8	.....	5	.....	4	.....	6	.....	.....	7	10	.....	27	1	58
11	3	1	5	12	.....	8	.....	4	.....	2	.....	5	.....	.....	7	9	.....	25	.....	59
.....	.....	1	1	2	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	1	.....	2	1	60
1	.....	6	1	3	.....	9	1	1	1	.....	1	1	.....	1	9	11	.....	17	9	61
1	.....	6	1	3	.....	9	1	1	1	.....	1	1	.....	1	9	11	.....	17	9	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	63
4	.....	9	5	12	.....	23	6	18	1	.....	1	6	5	8	33	35	3	53	34	64
4	.....	9	5	10	.....	22	6	17	1	.....	1	6	5	8	30	32	3	52	33	65
.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	3	3	.....	1	1	66
3	1	3	1	3	.....	2	1	7	.....	.....	.....	4	.....	.....	8	5	.....	15	7	67
3	1	2	1	1	.....	2	1	7	.....	.....	.....	4	.....	.....	8	5	.....	14	7	68
.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	69
15	1	6	10	23	.....	23	2	24	2	2	3	24	3	4	35	23	1	78	10	70
13	1	4	10	21	.....	21	2	24	2	2	3	22	3	4	35	20	1	77	10	71
2	.....	2	.....	2	.....	2	.....	.....	.....	.....	.....	2	.....	.....	.....	3	.....	1	.....	72
.....	1	.....	.....	5	.....	8	.....	2	.....	.....	.....	7	1	.....	1	5	.....	10	3	73
.....	1	.....	.....	5	.....	8	.....	2	.....	.....	.....	6	1	.....	1	5	.....	10	3	74
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	75
5	1	3	.....	4	1	11	.....	9	1	.....	.....	5	2	3	14	10	.....	25	.....	76
5	1	3	.....	4	1	10	.....	9	1	.....	.....	5	2	3	14	10	.....	25	.....	77
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	78

[2] Colored population less than 10 per cent of the total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	KENTUCKY—continued.														
1	Rowan County (total)	143	7			2			7	1		15	1	2	1
2	White	143	7			2			7	1		15	1	2	1
3	Colored [2]														
4	Russell County (total)	118	1			1	2		2	1		20	1	3	1
5	White	114	1			1	2		2	1		19	1	3	
6	Colored [2]	4										1			1
7	Scott County (total)	208	4					2	2	3		22	4	4	5
8	White	154	3					2	2	3		13	3	2	5
9	Colored	54	1									9	1	2	
10	Shelby County (total)	231	8	1				5	8	3	1	27	1	3	
11	White	167	7	1				4	7	3	1	16	1	2	
12	Colored	64	1					1	1			11		1	
13	Simpson County (total)	144	6			1		1	2	2		26			1
14	White	111	4			1		1	2	1		19			1
15	Colored	33	2							1		7			
16	Spencer County (total)	60	5	1				1	1	1		10	2	1	1
17	White	53	4	1				1	1	1		10	2	1	1
18	Colored	7	1												
19	Taylor County (total)	147	8			1		1		2	1	25	3	2	1
20	White	115	5			1		1			1	17	2	2	
21	Colored	32	3							2		8	1		1
22	Todd County (total)	231	3	2		1		7	5	2	2	43	4	2	1
23	White	142	2			1		6	4	2	2	17	2	1	1
24	Colored	89	1	2				1	1			26	2	1	
25	Trigg County (total)	134	6			2		3	1	1	1	24	1	1	
26	White	81	5			2		3	1	1	1	12			
27	Colored	53	1									12	1	1	
28	Trimble County (total)	48	3					1	1	1		3		1	1
29	White	47	3					1	1	1		2		1	1
30	Colored [2]	1										1			
31	Union County (total)	213	11	2		1	1	11	3	1		35	1	2	4
32	White	178	11	2		1	1	7	3			23	1	1	2
33	Colored	35						4		1		7		1	2
34	Warren County (total)	503	15	5			1	10	4	4	1	61	5	9	3
35	White	348	12	4			1	7	4	1		31	2	7	2
36	Colored	155	3	1				3		3	1	30	3	2	1
37	Washington County (total)	171	5			1	1	2	2	9		19	6	4	2
38	White	149	5			1	1	2	1	8		16	5	2	2
39	Colored	22							1	1		3	1	2	
40	Wayne County (total)	146	4			1			5	4		26		4	1
41	White	133	4			1			5	4		22		4	1
42	Colored [2]	13										4			
43	Webster County (total)	246	13	3				4	3	6	1	35		4	1
44	White	215	10	3				3	3	6	1	30		4	1
45	Colored	31	3					1				5			
46	Whitley County (total)	338	17			7	1	16	6	3		32		3	1
47	White	318	17			7	1	13	6	3		29		3	1
48	Colored [2]	20						3				3			
49	Wolfe County (total)	105	5			2	1	1	5			7		3	2
50	White	103	4			2	1	1	5			7		3	2
51	Colored [2]	2	1												
52	Woodford County (total)	170	2			1		1		3		31	3	1	
53	White	109	1					1		2		16	3		
54	Colored	61	1			1				1		15		1	
	MAINE.														
55	Total	8,397	61	5	2	40	15	30	64	149	11	506	63	97	36
56	White	8,377	61	5	2	39	15	30	64	149	11	502	63	97	36
57	Colored	20				1						4			
58	Androscoggin County	260	1					2	2	7	1	15	2	3	1
59	Aroostook County	965	5	1	1	21	4	9	27	22		66	4	15	6
60	Cumberland County	832	6			5			8	12	1	35	8	7	1
61	Franklin County	292	1							9		11	1	5	
62	Hancock County	513	4			1	2	1		9		27	8	10	
63	Kennebec County	620	4					4	7	11	1	35	4	9	2
64	Knox County	510	6		1				1	7		38	3	5	3
65	Lincoln County	218		1		1				2	1	14	3	3	1
66	Oxford County	543	2			2			3	5	1	35	4	4	3
67	Penobscot County	794	9			1	3	6	2	13	1	46	9	10	2
68	Piscataquis County	264	3	1				1	1	4	2	13	3	5	1
69	Sagadahoc County	318	2					1	2	5		18	1	1	2
70	Somerset County	500	8			2	2	2	1	14	1	27	5	1	2
71	Waldo County	381	5	1				1		10		32	1	5	3
72	Washington County	559	1	1		4		2	2	7		55	4	7	3
73	York County	828	4			3	4	1	8	12	2	39	3	7	6

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	(22, 23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
3		4		6		18		14		2		5	1	3	7	9		25	10	1
3		4		6		18		14		2		5	1	3	7	9		25	10	2
4		2	5	3	1	9	1	5		2		2		1	12	5	2	28	4	3
4		2	5	3	1	9	1	5		2		2		1	11	4	2	28	4	4
															1	1				5
7	1	3	6	28	3	12		4	2	1		11	2	1	13	9	5	46	8	6
6	1	3	5	19	3	7		4	2	1		10		1	12	7	4	30	6	7
1			1	9		5						1	2		1	2	1	16	2	8
11	2	5	12	18	2	19	3	5	2	4	1	18	1		7	11	1	48	4	9
10	2	4	6	13	2	14	1	3	2	3	1	14			5	5	1	38	1	10
1		1	6	5		5	2	2		1		4	1		2	6		10	3	11
6	1	2	9	13	1	6	3	4	1		1	10	1	2	9	12	1	23		12
6	1	2	6	10	1	6	1	3	1			9	1	1	7	8	1	18		13
			3	3			2	1			1	1		1	2	4		5		14
1			1	5	1	5		2				3	1	1	4	4		8	1	15
1				5	1	4		2				3	1	1	4	3		6		16
			1			1										1		2	1	17
9			4	9	2	4		8	1		1	4	1	1	20	4		30	5	18
7			3	7	2	2		7	1		1	4	1	1	16	4		26	4	19
2			1	2		2		1							4			4	1	20
3	2	1	8	20		19	3	10	2		1	10	2	3	15	11		41	8	21
2	1	1	7	12		16	2	6	2			8	2	3	9	5		24	4	22
1	1		1	8		3	1	4			1	2			6	6		17	4	23
2		2	9	6		5	2	2		1	1	6	1		10	10		30	7	24
1		2	5	3		2	1				1	2	1		6	4		22	6	25
1			4	3		3	1	2		1		4			4	6		8	1	26
4			1	6		2	1	1				3	1		4	2	1	9	2	27
4			1	6		2	1	1				3	1		4	2	1	9	2	28
																				29
5			4	12		14	2	17			1	10		3	18	9	1	40	5	30
4			3	11		11	2	15			1	10		3	18	6	1	33	3	31
1			1	1		3		2								3		7	2	32
26	2	10	20	46	2	30	7	11	2	4	1	55	5	1	32	29	3	91	8	33
23	2	8	14	33	2	19	5	8	2	3		39	4		23	21	2	65	4	34
3		2	6	13		11	2	3		1	1	16	1	1	9	8	1	26	4	35
9		3	6	8	2	13	2	5		1	1	16		4	11	14	3	20	2	36
7		3	5	8	2	9	2	5		1	1	16		2	9	13	3	18	2	37
2			1			4								2	2	1		2		38
6			3	12	4	7	2	2			1	2	2	3	15	5		21	16	39
6			3	12	4	5	2	2			1	2	2	3	14	5		17	14	40
						2									1			4	2	41
4		9	7	8	1	25	3	17			1	13	2		13	15	1	52	5	42
4		9	6	8	1	23	1	16			1	10	2		11	12	1	46	3	43
			1			2	2	1				3			2	3		6	2	44
9	1	7	6	22	2	26	2	30	2	2	4	10	2	2	39	26		45	15	45
9	1	7	6	21	1	25	1	30	2	2	3	10	2	2	37	22		43	14	46
				1	1	1	1				1				2	4		2	1	47
1		4	1	4		5		7				3	2		13	8		25	6	48
1		4	1	4		5		7				3	2		13	8		24	6	49
																		1		50
10	1	2	4	12	3	12	1	11				14	2	1	13	13	1	27	1	51
7	1	1	3	6	3	7	1	9				4	2	1	12	11		17	1	52
3		1	1	6		5		2				10			1	2	1	10		53
																				54
610	107	56	699	1,025	115	729	86	332	40	48	38	549	19	38	449	381	70	1,790	137	55
609	107	56	699	1,023	114	729	86	332	40	47	38	549	19	38	448	378	70	1,784	137	56
1				2	1					1					1	3		6		57
20	3		20	27	2	29	1	6	1			15	2		11	13	3	70	3	58
41	9	7	34	51	5	72	9	158	10	7		37	3	5	81	41	3	168	43	59
67	10	5	66	116	8	85	11	17	3	5	2	57	4	6	47	34	5	193	8	60
23	3	6	36	25	1	31	5	8		3		27		1	16	8	1	64	7	61
38	6	2	51	77	9	39	2	2	3	2	3	41	1	1	24	22	5	113	10	62
57	6	4	57	98	7	57	6	12	6	3		37	1	2	28	27	2	127	6	63
39	8		55	72	5	32	8	7	4	1		46	1	4	22	23	10	103	6	64
21	7	1	24	40	2	8	2			1		17			4	6	2	51	6	65
33	9	4	51	71	6	41	3	34	3	4	4	37	2	3	30	32	7	101	9	66
57	7	4	63	77	23	87	15	16	2	5	6	42	2	4	35	48	6	181	12	67
16	4	1	27	27	1	21	2	2	1	3	1	22	1	3	21	25	3	48	1	68
26	4	3	30	47	2	37	1	6	2	2	1	19			10	11	5	77	3	69
37	7	4	42	60	9	42	2	14	1	3	6	21	1	5	29	30	1	118	3	70
27	7	1	37	43	11	25	4	1	2	3	3	35			18	11	6	85	4	71
37	5	4	31	80	4	57	4	18	1	1	6	27	1	3	28	25		132	9	72
71	12	10	75	114	20	66	11	31	1	5	6	69		1	45	25	11	159	7	73

[2] Colored population less than 10 per cent of the total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MARYLAND.														
1	Total	9,881	258	14	2	74	22	150	99	132	15	1,058	28	70	30
2	White	6,963	154	9	1	56	21	71	77	99	14	650	20	37	25
3	Colored	2,918	104	5	1	18	1	79	22	33	1	408	8	33	5
4	Allegany County (total)	471	11	.....	.....	9	4	11	15	4	2	21	3	1	1
5	White	461	11	.....	.....	9	4	11	15	4	2	20	3	1	.....
6	Colored [2]	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1
7	Anne Arundel County (total)	703	9	2	.....	7	.....	3	4	10	1	69	1	9	1
8	White	332	5	2	.....	3	.....	1	4	5	1	25	1	2	1
9	Colored	371	4	.....	.....	4	.....	2	.....	5	.....	44	.....	7	.....
10	Baltimore County (total)	1,812	18	1	.....	16	6	7	21	17	2	187	8	10	2
11	White	1,611	17	1	.....	15	6	5	21	17	2	160	7	8	2
12	Colored	201	1	.....	.....	1	.....	2	.....	.....	.....	27	1	2	.....
13	Calvert County (total)	171	6	3	.....	.....	.....	4	.....	.....	.....	21	.....	3	.....
14	White	77	3	3	.....	.....	.....	1	.....	.....	.....	10	.....	1	.....
15	Colored	94	3	.....	.....	.....	.....	3	.....	.....	.....	11	.....	2	.....
16	Caroline County (total)	298	11	.....	.....	1	.....	6	2	3	.....	48	.....	1	1
17	White	195	7	.....	.....	1	.....	3	1	1	.....	27	.....	.....	1
18	Colored	103	4	.....	.....	.....	.....	3	1	2	.....	21	.....	1	.....
19	Carroll County (total)	498	7	.....	.....	2	.....	5	3	8	1	37	2	1	1
20	White	461	6	.....	.....	2	.....	4	2	8	1	35	2	1	1
21	Colored [2]	37	1	.....	.....	.....	.....	1	1	.....	.....	2	.....	.....	.....
22	Cecil County (total)	357	4	1	.....	1	5	2	1	6	.....	36	.....	3	1
23	White	286	2	1	.....	1	5	2	1	5	.....	22	.....	1	1
24	Colored	71	2	.....	.....	.....	.....	.....	.....	1	.....	14	.....	2	.....
25	Charles County (total)	295	9	.....	.....	5	.....	8	1	11	.....	35	1	2	.....
26	White	102	2	.....	.....	3	.....	2	.....	7	.....	9	.....	1	.....
27	Colored	193	7	.....	.....	2	.....	6	1	4	.....	26	1	1	.....
28	Dorchester County (total)	491	29	.....	.....	1	.....	14	4	4	1	63	.....	6	.....
29	White	261	15	.....	.....	1	.....	11	3	3	1	26	.....	2	.....
30	Colored	230	14	.....	.....	.....	.....	3	1	1	.....	37	.....	4	.....
31	Frederick County (total)	645	8	.....	.....	2	2	2	6	7	1	137	1	1	4
32	White	576	8	.....	.....	2	2	1	5	6	1	127	1	1	4
33	Colored	69	.....	.....	.....	.....	.....	1	1	1	.....	10	.....	.....	.....
34	Garrett County (total)	192	11	.....	1	2	.....	3	1	2	1	3	.....	2	.....
35	White	191	11	.....	1	2	.....	3	1	2	1	3	.....	2	.....
36	Colored [2]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Harford County (total)	353	6	.....	.....	1	2	2	1	5	.....	18	.....	2	3
38	White	254	4	.....	.....	1	2	.....	1	3	.....	9	.....	1	3
39	Colored	99	2	.....	.....	.....	.....	2	.....	2	.....	9	.....	1	.....
40	Howard County (total)	207	2	1	.....	3	.....	4	.....	4	.....	16	1	1	.....
41	White	134	1	1	.....	3	.....	.....	.....	3	.....	8	1	1	.....
42	Colored	73	1	.....	.....	.....	.....	4	.....	1	.....	8	.....	.....	.....
43	Kent County (total)	266	8	1	.....	.....	.....	8	5	3	.....	28	1	1	1
44	White	120	3	.....	.....	.....	.....	2	2	1	.....	10	.....	1	1
45	Colored	146	5	1	.....	.....	.....	6	3	2	.....	18	1	.....	.....
46	Montgomery County (total)	394	6	.....	1	4	2	17	2	7	2	50	1	4	3
47	White	243	3	.....	.....	3	1	4	2	4	2	24	.....	1	2
48	Colored	151	3	.....	1	1	1	13	.....	3	.....	26	1	3	1
49	Prince Georges County (total)	514	7	3	.....	9	.....	8	3	9	2	46	2	4	3
50	White	289	4	1	.....	6	.....	4	3	6	1	15	.....	1	3
51	Colored	225	3	2	.....	3	.....	4	.....	3	1	31	2	3	.....
52	Queen Annes County (total)	286	29	1	.....	1	.....	7	1	2	.....	41	.....	1	.....
53	White	153	9	.....	.....	1	.....	2	.....	2	.....	16	.....	.....	.....
54	Colored	133	20	1	.....	.....	.....	5	1	.....	.....	25	.....	1	.....
55	St. Marys County (total)	230	5	.....	.....	1	.....	7	11	9	.....	29	.....	2	1
56	White	107	3	.....	.....	1	.....	2	4	7	.....	12	.....	2	.....
57	Colored	123	2	.....	.....	.....	.....	5	7	2	.....	17	.....	.....	1
58	Somerset County (total)	335	21	.....	.....	2	.....	1	3	8	.....	36	.....	4	1
59	White	166	8	.....	.....	1	.....	1	.....	7	.....	9	.....	2	1
60	Colored	169	13	.....	.....	1	.....	.....	3	1	.....	27	.....	2	.....
61	Talbot County (total)	320	7	.....	.....	3	1	15	2	4	.....	34	2	3	1
62	White	162	4	.....	.....	.....	1	4	2	1	.....	13	2	2	.....
63	Colored	158	3	.....	.....	3	.....	11	.....	3	.....	21	.....	1	1
64	Washington County (total)	372	6	.....	.....	.....	.....	6	9	2	1	32	1	3	1
65	White	354	6	.....	.....	.....	.....	3	8	2	1	31	.....	3	1
66	Colored [2]	18	.....	.....	.....	.....	.....	3	1	.....	.....	1	1	.....	.....
67	Wicomico County (total)	385	26	.....	.....	3	.....	2	1	3	1	40	1	3	4
68	White	270	16	.....	.....	1	.....	2	.....	3	1	25	1	1	3
69	Colored	115	10	.....	.....	2	.....	.....	1	.....	.....	15	.....	2	1
70	Worcester County (total)	286	12	1	.....	1	.....	8	3	4	.....	31	3	3	1
71	White	158	6	.....	.....	.....	.....	3	2	2	.....	14	2	2	1
72	Colored	128	6	1	.....	1	.....	5	1	2	.....	17	1	1	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
455	78	85	612	801	124	723	90	702	36	46	47	766	35	64	684	521	80	1,754	226	1
397	67	62	482	599	74	479	68	480	30	34	40	553	18	38	474	371	77	1,278	108	2
58	11	23	130	202	50	244	22	222	6	12	7	213	17	26	210	150	3	476	118	3
34	7	6	18	28	7	42	5	36	------	------	3	27	------	3	42	37	5	84	5	4
32	7	6	18	28	7	42	5	35	------	------	3	27	------	3	41	35	4	83	5	5
2	------	------	------	------	------	------	------	1	------	------	------	------	------	------	1	2	1	1	------	6
24	6	15	48	54	7	62	8	73	4	2	2	51	2	5	48	54	6	97	19	7
14	3	4	29	25	------	31	4	39	4	------	1	23	2	3	14	29	6	47	4	8
10	3	11	19	29	7	31	4	34	------	2	1	28	------	2	34	25	------	50	15	9
111	17	20	139	155	23	157	18	113	4	16	13	145	3		118	102	20	312	26	10
105	17	16	124	140	21	134	18	94	4	16	13	134	3	4	99	83	20	288	17	11
6	------	4	15	15	2	23	------	19	------	------	------	11	------	1	19	19	------	24	9	12
7	------	3	9	21	2	5	1	15	------	1	1	14	1	4	6	7	------	25	12	13
3	------	3	5	10	1	3	1	7	------	1	------	4	1	1	2	4	------	9	4	14
4	------	------	4	11	1	2	------	8	------	------	1	10	------	3	4	3	------	16	8	15
12	3	1	14	23	5	24	3	27	------	------	------	17	------	2	32	13	1	41	7	16
10	3	1	11	15	4	12	2	20	------	------	------	13	------	1	21	10	1	27	3	17
2	------	------	3	8	1	12	1	7	------	------	------	4	------	1	11	3	------	14	4	18
34	6	3	44	57	2	38	2	24	------	3	------	44	1	------	19	14	8	123	9	19
34	6	3	43	50	1	34	2	21	------	3	------	41	------	------	19	11	7	118	6	20
------	------	------	1	7	1	4	------	3	------	------	------	3	1	------	------	3	1	5	3	21
23	4	5	27	36	3	24	4	22	3	3	2	34	2	4	23	17	4	53	4	22
21	3	5	23	29	3	17	4	17	3	2	2	28	2	3	21	15	4	40	3	23
2	1	------	4	7	------	7	------	5	------	1	------	6	------	1	2	2	------	13	1	24
10	------	1	14	24	3	22	1	21	1	------	------	16	2	5	29	16	------	53	5	25
6	------	------	7	9	2	10	------	5	1	------	------	7	------	3	9	4	------	14	1	26
4	------	1	7	15	1	12	1	16	------	------	------	9	2	2	20	12	------	39	4	27
13	4	1	13	30	9	32	7	58	------	2	4	40	1	4	41	20	2	70	18	28
12	4	1	7	16	4	15	4	26	------	2	2	23	------	2	23	15	2	31	10	29
1	------	------	6	14	5	17	3	32	------	------	2	17	1	2	18	5	------	39	8	30
32	6	2	36	47	4	47	3	28	2	2	2	53	4	3	36	32	5	118	12	31
30	6	2	35	40	3	43	3	25	2	1	2	44	3	2	33	28	5	102	9	32
2	------	------	1	7	1	4	------	3	------	1	------	9	1	1	3	4	------	16	3	33
14	3	3	4	19	2	9	2	18	------	1	1	8	------	------	25	10	1	36	10	34
14	3	3	4	19	2	9	2	18	------	1	1	8	------	------	25	9	1	36	10	35
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	36
12	2	1	19	37	12	20	3	17	------	2	2	34	2	2	19	26	5	86	12	37
10	1	1	15	28	7	13	2	10	------	2	1	21	1	1	17	18	4	73	5	38
2	1	------	4	9	5	7	1	7	------	------	1	13	1	1	2	8	1	13	7	39
4	1	1	16	32	4	12	1	22	------	------	------	14	------	1	11	13	2	38	3	40
4	------	1	11	20	1	6	1	13	------	------	------	12	------	1	8	8	2	27	1	41
------	1	------	5	12	3	6	------	9	------	------	------	2	------	------	3	5	------	11	2	42
10	2	3	18	23	5	20	1	16	------	------	2	27	2	1	12	8	1	53	6	43
7	2	------	8	14	3	5	------	8	------	------	1	13	------	1	6	5	1	26	------	44
3	------	3	10	9	2	15	1	8	------	------	1	14	2	------	6	2	------	27	6	45
17	2	2	31	46	4	30	5	23	------	1	3	28	1	2	15	17	2	63	3	46
15	1	2	23	35	2	13	3	13	------	1	3	19	1	2	6	11	2	43	2	47
2	1	------	8	11	2	17	2	10	------	------	------	9	------	------	9	6	------	20	1	48
18	3	3	20	37	8	51	6	43	------	5	4	36	5	2	42	20	5	94	16	49
15	3	2	14	28	4	19	4	25	------	2	4	23	1	2	22	9	5	54	9	50
3	------	1	6	9	4	32	2	18	------	3	------	13	4	------	20	11	------	40	7	51
12	1	2	18	15	1	19	1	17	1	------	1	23	------	------	19	17	2	51	3	52
11	1	2	11	10	------	11	------	10	------	------	1	12	------	------	12	14	2	26	------	53
1	------	------	7	5	1	8	1	7	1	------	------	11	------	------	7	3	------	25	3	54
5	------	2	12	13	4	14	2	12	1	2	1	15	1	2	13	17	2	40	7	55
2	------	1	5	9	------	7	1	6	------	1	1	7	1	1	5	7	2	18	2	56
3	------	1	7	4	4	7	1	6	1	1	------	8	------	1	8	10	------	22	5	57
7	5	4	21	14	2	25	3	30	2	3	------	30	2	6	21	13	1	65	5	58
4	3	2	13	6	------	12	1	21	2	------	------	15	1	2	10	7	1	35	2	59
3	2	2	8	8	2	13	2	9	------	3	------	15	1	4	11	6	------	30	3	60
16	1	3	23	14	4	13	4	21	8	------	3	34	------	5	20	13	------	60	6	61
10	------	3	17	9	1	5	2	11	6	------	2	20	------	3	7	4	------	33	------	62
6	1	------	6	5	3	8	2	10	2	------	1	14	------	2	13	9	------	27	6	63
16	1	2	39	32	6	17	5	22	1	------	2	21	3	------	45	26	4	63	6	64
16	1	2	39	29	6	16	5	22	1	------	2	20	2	------	44	24	4	61	5	65
------	------	------	------	3	------	1	------	------	------	------	------	1	1	------	1	2	------	2	1	66
14	2	1	12	23	4	25	2	26	9	1	1	28	2	5	25	21	3	91	6	67
13	1	1	8	18	1	14	2	20	7	1	1	22	------	2	19	14	3	67	3	68
1	1	------	4	5	3	11	------	6	2	------	------	6	2	3	6	7	------	24	3	69
10	2	1	17	21	3	15	3	18	------	2	------	27	1	3	23	8	1	38	26	70
9	2	1	12	12	1	8	2	14	------	1	------	17	------	1	11	7	1	20	7	71
1	------	------	5	9	2	7	1	4	------	1	------	10	1	2	12	1	------	18	19	72

[2] Colored population less than 10 per cent of the total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	MASSACHUSETTS.														
1	Total	12,102	41	7	.....	91	60	49	76	139	26	1,097	55	101	39
2	White	11,953	40	7	.....	89	60	47	76	139	26	1,053	55	94	39
3	Colored	149	1	.....	.....	2	.....	2	.....	.....	.....	44	.....	7	.....
4	Barnstable County	470	4	.....	.....	7	.....	.....	7	8	.....	20	1	2	.....
5	Berkshire County	569	2	.....	.....	1	3	1	1	11	.....	31	2	3	4
6	Bristol County	743	5	2	.....	6	1	7	6	6	1	36	6	6	4
7	Dukes County	92	.....	1	.....	.....	.....	.....	2	2	.....	5	.....	.....	.....
8	Essex County	1,402	6	.....	.....	11	1	12	4	15	8	93	8	3	8
9	Franklin County	531	2	.....	.....	1	12	1	7	8	1	23	1	2	1
10	Hampden County	725	5	.....	.....	9	3	2	5	11	2	46	7	3	2
11	Hampshire County	638	.....	.....	.....	3	12	3	7	11	1	38	6	6	1
12	Middlesex County	2,248	5	.....	.....	5	4	8	12	22	4	390	4	34	9
13	Nantucket County	79	.....	.....	.....	.....	.....	.....	1	.....	1	3	.....	2	.....
14	Norfolk County	1,366	.....	.....	.....	10	5	8	5	16	2	91	6	17	2
15	Plymouth County	1,209	3	.....	.....	11	13	2	4	9	1	144	7	8	4
16	Worcester County	2,030	9	4	.....	27	6	5	15	20	5	177	7	15	4
	MICHIGAN.														
17	Total	23,005	249	11	3	97	121	142	266	255	68	1,244	66	153	118
18	White	22,688	249	11	3	95	121	141	265	252	67	1,192	65	145	118
19	Colored	317	.....	.....	.....	2	.....	1	1	3	1	52	1	8	.....
20	Alcona County	55	1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....
21	Alger County	94	13	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....
22	Allegan County	485	3	.....	.....	2	2	2	10	6	1	28	1	1	1
23	Alpena County	64	4	.....	.....	.....	1	.....	2	.....	.....	4	.....	.....	.....
24	Antrim County	209	5	.....	.....	.....	.....	.....	2	6	.....	5	.....	.....	1
25	Arenac County	105	1	.....	.....	2	2	2	1	1	1	7	.....	1	.....
26	Baraga County	64	1	.....	.....	.....	2	3	.....	1	.....	7	.....	1	2
27	Barry County	280	3	.....	.....	.....	.....	.....	.....	5	1	10	.....	2	.....
28	Bay County	236	2	.....	.....	2	2	2	9	3	.....	17	.....	4	2
29	Benzie County	112	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	1	.....	.....
30	Berrien County	698	11	2	.....	1	2	2	14	6	3	34	.....	6	1
31	Branch County	339	2	.....	.....	.....	.....	.....	6	10	4	11	.....	3	1
32	Calhoun County	475	2	.....	.....	2	1	1	2	9	2	21	.....	4	4
33	Cass County	330	3	.....	.....	1	1	.....	1	3	1	11	1	2	3
34	Charlevoix County	224	4	.....	.....	.....	1	.....	1	1	.....	16	.....	3	1
35	Cheboygan County	247	1	.....	.....	.....	4	6	4	1	.....	14	.....	.....	1
36	Chippewa County	109	.....	.....	.....	1	.....	.....	.....	1	.....	7	1	2	.....
37	Clare County	73	.....	.....	.....	1	.....	.....	2	.....	.....	3	.....	.....	1
38	Clinton County	292	2	.....	.....	.....	2	1	2	6	.....	10	.....	2	.....
39	Crawford County	64	.....	.....	.....	.....	1	.....	.....	1	.....	3	.....	.....	.....
40	Delta County	172	4	.....	.....	2	1	3	3	1	1	11	1	.....	.....
41	Dickinson County	206	1	.....	.....	2	3	2	9	.....	.....	18	2	1	1
42	Eaton County	432	5	.....	.....	7	.....	.....	3	2	.....	12	.....	5	2
43	Emmet County	272	3	.....	.....	1	.....	.....	1	1	.....	18	.....	2	.....
44	Genesee County	345	4	.....	.....	.....	2	1	2	4	.....	17	1	6	3
45	Gladwin County	79	2	.....	.....	.....	.....	2	1	.....	1	3	.....	.....	1
46	Gogebic County	146	1	.....	.....	.....	1	.....	.....	1	1	12	.....	2	1
47	Grand Traverse County	140	3	.....	.....	.....	1	.....	2	1	1	6	.....	1	1
48	Gratiot County	328	1	.....	.....	1	1	4	2	5	2	13	.....	.....	3
49	Hillsdale County	390	4	.....	.....	.....	.....	1	3	9	1	13	.....	3	2
50	Houghton County	1,011	3	.....	.....	.....	4	21	13	1	3	73	15	8	7
51	Huron County	422	2	.....	.....	3	2	2	13	6	3	19	4	1	1
52	Ingham County	312	9	.....	.....	2	.....	1	3	5	.....	10	.....	1	7
53	Ionia County	439	4	.....	.....	3	.....	.....	.....	4	2	17	.....	3	2
54	Iosco County	85	1	1	.....	.....	.....	.....	2	.....	.....	4	.....	.....	.....
55	Iron County	226	2	.....	.....	2	4	4	3	2	.....	8	3	4	1
56	Isabella County	278	2	.....	.....	6	1	.....	.....	3	2	11	2	4	2
57	Jackson County	302	1	.....	.....	.....	1	.....	.....	4	5	10	.....	.....	3
58	Kalamazoo County	245	.....	.....	.....	.....	.....	1	.....	3	.....	10	.....	3	.....
59	Kalkaska County	99	5	.....	.....	.....	.....	.....	1	1	.....	2	.....	1	.....
60	Kent County	710	5	1	.....	3	17	1	3	7	3	62	2	2	3
61	Keweenaw County	76	.....	.....	.....	.....	3	.....	3	.....	.....	7	.....	.....	.....
62	Lake County	58	.....	.....	.....	.....	.....	.....	1	2	.....	3	.....	1	.....
63	Lapeer County	357	.....	.....	.....	.....	1	2	3	6	.....	21	.....	3	2
64	Leelanau County	132	.....	.....	.....	.....	.....	.....	.....	2	1	8	1	.....	.....
65	Lenawee County	500	6	.....	.....	.....	2	2	3	11	1	13	.....	2	1
66	Livingston County	290	2	1	.....	1	.....	2	1	5	.....	22	.....	3	1
67	Luce County	112	1	.....	.....	.....	1	.....	2	.....	.....	11	.....	.....	.....
68	Mackinac County	104	1	.....	.....	.....	.....	.....	.....	.....	.....	9	.....	.....	.....
69	Macomb County	500	2	1	.....	9	3	2	7	.....	.....	18	2	5	4
70	Manistee County	132	.....	.....	.....	.....	1	1	2	3	.....	9	.....	.....	1
71	Marquette County	276	4	.....	.....	1	1	1	2	.....	1	32	4	.....	1
72	Mason County	224	1	.....	.....	.....	3	1	6	1	1	14	.....	1	.....
73	Mecosta County	256	4	.....	.....	.....	2	.....	.....	4	2	11	1	1	.....
74	Menominee County	126	1	.....	.....	1	.....	1	1	3	.....	10	.....	1	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
869	184	81	997	1,683	195	951	79	472	52	70	88	742	20	43	616	649	128	2,351	51	1
865	183	81	991	1,668	190	943	77	466	51	70	88	737	19	42	611	638	128	2,330	50	2
4	1	------	6	15	5	8	2	6	1	------	------	5	1	1	5	11	------	21	1	3
32	4	2	56	93	8	28	6	8	3	6	1	30	1	2	21	22	3	93	2	4
41	11	3	59	90	12	42	1	24	2	3	7	38	------	1	30	42	12	91	1	5
62	7	11	48	97	13	62	5	45	1	8	11	50	1	------	32	45	8	143	8	6
3	1	1	13	12	2	7	------	------	------	3	------	5	------	------	3	4	1	27	------	7
106	23	5	118	224	16	106	9	39	5	6	9	83	2	3	66	64	16	330	3	8
41	12	5	47	59	11	39	3	24	4	4	4	37	1	------	40	42	11	80	8	9
38	6	7	47	81	11	73	2	63	2	2	8	47	1	4	44	62	4	127	1	10
35	7	5	47	83	14	51	5	42	1	2	5	56	------	6	34	43	1	113	------	11
156	39	12	170	280	21	161	13	59	22	13	9	113	3	11	94	97	20	451	7	12
2	------	------	11	12	1	4	1	4	------	1	2	9	------	------	4	1	1	19	------	13
111	19	6	117	218	29	109	11	38	4	6	8	78	3	3	81	66	21	274	2	14
99	26	7	129	178	21	64	9	38	4	6	2	77	2	7	54	54	10	209	7	15
143	29	17	135	256	36	205	14	88	4	10	22	119	6	6	113	107	20	394	12	16
1,400	300	142	1,493	2,868	408	1,263	265	869	189	240	183	1,306	143	182	1,522	1,563	207	5,419	250	17
1,394	298	142	1,482	2,846	402	1,241	262	841	189	238	182	1,283	139	180	1,511	1,543	204	5,346	241	18
6	2	------	11	22	6	22	3	28	------	2	1	23	4	2	11	20	3	73	9	19
5	------	------	2	11	2	1	2	1	------	1	------	2	1	------	2	------	------	19	1	20
1	1	4	------	8	2	6	3	8	------	------	------	3	------	------	13	6	------	17	4	21
27	3	6	43	58	8	20	2	9	3	5	2	34	4	5	28	29	2	134	6	22
3	1	------	2	4	2	7	------	6	2	------	1	2	------	------	5	2	------	14	2	23
13	6	1	11	23	7	14	1	11	1	3	1	15	1	1	15	18	3	40	5	24
7	------	1	8	13	1	4	1	3	1	4	------	3	------	------	10	4	------	25	2	25
------	------	------	------	2	------	4	------	3	------	4	1	2	------	------	3	5	------	19	2	26
30	5	------	33	47	8	6	2	9	1	3	------	22	1	2	12	18	2	57	1	27
15	------	------	8	18	3	18	2	8	1	2	3	3	2	------	24	14	2	67	3	28
5	3	------	7	11	3	5	3	6	1	2	1	12	------	1	6	9	1	28	1	29
46	9	3	47	103	11	40	6	18	4	5	10	48	2	4	40	46	18	150	6	30
32	7	1	25	57	6	14	3	6	1	5	------	17	3	4	17	17	2	82	3	31
32	6	3	47	75	9	17	3	10	5	1	5	23	2	3	29	31	1	121	4	32
17	7	------	30	46	3	13	2	7	6	10	3	23	3	5	14	16	1	93	4	33
6	1	------	17	31	2	10	4	19	------	------	------	10	------	1	21	14	3	58	------	34
15	3	2	8	31	5	13	6	9	2	2	2	6	3	2	22	21	3	58	3	35
4	------	------	3	11	------	6	2	6	------	------	------	2	1	4	12	14	1	27	4	36
4	1	------	2	10	2	4	------	3	2	2	1	4	------	------	8	7	3	12	1	37
21	4	------	27	64	7	14	2	4	2	5	------	15	2	3	13	9	2	71	2	38
4	2	1	3	3	2	4	2	2	2	------	1	2	1	2	7	6	2	13	------	39
11	2	4	7	9	3	14	1	10	1	1	1	4	------	3	13	15	1	42	3	40
15	1	------	5	25	10	10	4	14	2	1	2	6	1	2	21	15	1	27	5	41
46	7	------	42	63	8	26	1	5	1	3	1	30	2	5	19	24	9	103	1	42
17	8	------	17	28	6	13	3	18	9	2	2	13	4	1	16	24	1	61	3	43
22	9	2	28	56	6	16	3	6	4	2	------	20	1	3	19	16	3	86	3	44
------	1	------	8	12	2	3	2	4	1	------	4	6	------	1	4	4	------	17	------	45
4	------	4	3	9	3	15	5	18	------	2	2	5	4	------	12	15	2	22	2	46
12	3	------	6	20	3	7	------	3	4	3	1	11	1	1	9	15	1	23	1	47
20	7	1	29	39	4	14	8	8	2	3	2	27	4	3	19	14	2	89	1	48
40	8	4	29	57	7	23	4	6	4	2	6	29	2	2	19	21	------	90	1	49
49	7	9	21	86	28	71	5	71	10	11	9	32	7	7	88	161	7	177	7	50
19	2	7	22	37	3	28	2	18	4	3	4	28	1	3	39	20	1	115	10	51
22	4	1	18	55	1	8	8	5	4	4	4	14	2	1	15	10	4	92	2	52
38	9	5	42	74	8	24	4	8	4	2	3	27	4	3	26	18	2	102	1	53
5	------	1	4	12	------	1	1	5	------	------	------	11	------	1	8	3	------	25	------	54
9	1	4	5	8	6	18	2	19	------	1	4	7	1	3	30	37	1	29	8	55
15	5	------	20	24	6	19	2	10	2	4	4	20	2	4	27	19	2	58	2	56
24	8	3	33	51	3	14	6	5	------	4	1	20	2	------	12	20	------	70	2	57
17	3	------	23	40	3	14	5	8	1	5	2	24	3	------	15	16	3	46	------	58
1	------	------	10	6	7	5	1	5	------	------	1	5	1	2	10	4	1	29	1	59
42	4	2	59	134	10	37	7	15	10	10	8	42	5	2	25	45	8	135	1	60
2	1	2	5	6	8	4	1	3	3	------	3	1	------	------	5	5	------	14	------	61
4	1	------	3	10	------	3	1	1	------	------	1	4	2	------	3	3	3	11	1	62
27	3	2	24	43	7	23	3	6	1	3	3	18	------	1	12	16	2	118	7	63
9	2	1	8	6	1	5	3	9	------	1	------	5	------	------	7	12	1	44	6	64
37	9	1	48	63	9	35	2	8	5	7	4	36	3	3	35	20	7	123	4	65
20	2	3	16	36	2	13	6	1	4	5	1	11	1	------	16	21	5	87	2	66
5	1	1	4	15	3	7	2	4	------	1	2	2	------	------	6	8	------	36	------	67
4	1	1	6	15	1	3	1	7	1	1	------	4	2	------	5	18	1	20	3	68
23	3	5	25	50	9	32	7	17	9	8	6	45	4	1	35	32	8	125	3	69
13	3	2	4	13	4	15	2	4	5	2	------	7	1	------	13	3	1	21	2	70
10	2	3	12	23	3	17	3	21	1	1	------	13	2	7	26	33	3	40	9	71
17	6	1	11	34	2	12	5	2	3	1	1	19	1	1	20	18	------	41	1	72
14	4	------	20	24	6	14	1	8	3	5	2	23	4	5	14	13	3	65	3	73
6	1	3	4	8	2	9	2	5	------	------	------	5	------	1	18	13	1	27	3	74

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MICHIGAN—continued.														
1	Midland County	146	3			1		4		2		8	1	1	
2	Missaukee County	96				1				9		3		1	
3	Monroe County	421	7		1			7	9	2	3	21	3	2	2
4	Montcalm County	407	3			1	10	3		9	2	21		3	3
5	Montmorency County	41					1	2	1			4			
6	Muskegon County	200	3				1		4	2		9	2	1	2
7	Newaygo County	204	3				3	2	1	2		10			3
8	Oakland County	472	5			2		4	8	3	3	18	2	1	6
9	Oceana County	216	5				2		2	2		9	1	1	1
10	Ogemaw County	112	1			1		1		1		4		2	
11	Ontonagon County	106	2				1	1	2			1	2		1
12	Osceola County	219	1				2	1	3	1	1	14	1	1	
13	Oscoda County	14													
14	Otsego County	71	2					1	1	2		1		1	
15	Ottawa County	386	4	1			1	3	1	7	2	23		5	2
16	Presque Isle County	134	1				3			3		7		1	
17	Roscommon County	19	1												
18	Saginaw County	429	6	2		6	1	4	5	3	1	21	1	3	2
19	St. Clair County	456	10			4	2	1	7	3	1	22		1	5
20	St. Joseph County	336					1		3	2		13		5	2
21	Sanilac County	352	4				1	3	7	5	2	10		3	2
22	Schoolcraft County	99						1		1		9	1		
23	Shiawassee County	425	2			3	1	4	7	11		17	3	3	3
24	Tuscola County	421	4	1		1		1	4	5	2	20	1	4	2
25	Van Buren County	479	2	1					1	5		12	1	1	2
26	Washtenaw County	379	2					2	5	5	2	21		5	1
27	Wayne County	1,756	31		2	14	15	22	40	4	3	182	3	12	9
28	Wexford County	272	5			7		1	4	9	2	5	1	1	2
	MINNESOTA.														
29	Total	14,521	134	1	11	146	89	110	109	149	40	1,111	104	158	86
30	White	14,294	134	1	11	145	89	107	108	148	40	1,056	100	154	84
31	Colored	227				1		3	1	1		55	4	4	2
32	Aitkin County	76	2					1	3	1		6	1	1	
33	Anoka County	145	2			1	1	1	2	1		17		2	
34	Becker County	235						2	5		2	23	2	1	2
35	Beltrami County	235	5			3	3	6	3	1	1	20	4	3	2
36	Benton County	74			1					2		2	1	1	1
37	Big Stone County	76	1			2				1		4	1		2
38	Blue Earth County	177	2				1			5		5	1	2	
39	Brown County	186					2		1	4		10		2	
40	Carlton County	158	1			2		1	1	1		25	1	1	
41	Carver County	175	1			1		2	2	3		10	1	1	
42	Cass County	150	1			1		4	1		1	25	1	1	
43	Chippewa County	135	2			1	1	5		2	1	4			
44	Chisago County	157	1			1	1	2		2		9		1	1
45	Clay County	204	5			6	1		3	1	1	12	2	2	3
46	Clearwater County	47				2			2			4	2		
47	Cook County	5										1		1	
48	Cottonwood County	90	1		1	1	5		6			2	2		
49	Crow Wing County	204	4			1		4	2	2	1	10	1	2	2
50	Dakota County	303	1			6	3	4		2	1	30	1	4	1
51	Dodge County	95					1		1	3	2	6	1		
52	Douglas County	157	1			3				1		16		2	3
53	Faribault County	165							1	1		7		1	2
54	Fillmore County	259	2			1	1	6		4		15	1	2	2
55	Freeborn County	200	1			3	1	2	1	2		12	2	3	
56	Goodhue County	314	1					2	1	6	2	23	2	4	2
57	Grant County	65				3	1	1	1	1		4		1	
58	Hennepin County	290	2				4		1	1		24	2	3	1
59	Houston County	146					2	1	1	4	2	18	1	2	3
60	Hubbard County	106	2			4		1	1		1	13	1	3	
61	Isanti County	140				4	2					14	2		2
62	Itasca County	180	2			1	1		1	2	1	14	1	1	
63	Jackson County	137					3	1	1	1		9		1	1
64	Kanabec County	49										6			
65	Kandiyohi County	191	1						8	8		13	3	3	2
66	Kittson County	72	4				1					7	1		
67	Koochiching County	122	5		1				2		1	8	1	3	
68	Lac qui Parle County	143	2				1	3	1		2	6	1	3	
69	Lake County	98	3			1		2	2	2		8	1		1
70	Le Sueur County	176	2				1	1		3		12		1	
71	Lincoln County	73	1		1	3		1	1		1	2	1	1	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
10		3	11	19		11		3		1	1	4	2	1	8	12	2	37	1	1
9	1		4	9		7	2	3		1	1	4	1		6	3	1	25	5	2
20	3	3	34	45	6	27	10	23	4	2	5	12	3	5	15	31	9	104	3	3
25	6	2	22	62	7	21	4	5	4	4	4	23		7	22	23	4	103	4	4
3			1	2		3		2				1		2	4	6		9		5
12	1		13	33	1	13	7	8		1		15		2	6	13	2	48	1	6
6	3	4	18	25	2	6	1	10	1	1	4	9		2	14	16	1	51	6	7
23	9		48	70	3	15	7	12	1	12	1	28	1	6	17	26	4	125	12	8
17	4	1	14	32	3	10	1	7	1	1	5	10	3	2	22	3	2	54	1	9
5	1		8	12	3	10	1	6	1	1		6	2	5	5	8	1	24	3	10
4	1		2	4	6	3		9	3	1	2	1	1	4	14	22	1	15	3	11
13	5	2	16	26	5	9	1	9	1		3	14		4	14	11		58	3	12
2			1	4		1						1			2	1		2		13
6				5	1	2		4		1		8	2	2	9	9	1	12	1	14
30	6		22	56	13	15	3	6	2	9	5	26	2	1	29	21	3	88		15
6	1	1	5	9		7	4	13	1			6	2	2	19	7		31	5	16
			2	2		4	1		1						3	1		3	1	17
21	10	3	16	51	16	21	8	12		7	2	22	4	1	41	23	2	106	8	18
29	9	2	33	55	4	13	3	13	5	3		37	1	2	24	41	6	119	1	19
27	3	2	24	65	3	22	8	8	1	2	2	23	2	4	14	20	2	75	3	20
19	4		28	43	9	23	3	7	5	6		19	5	3	18	15	2	104	2	21
1		1	2	4	1	10	1	2	1	1	1	6		1	12	16	2	25		22
34	6	3	29	50	7	24	2	8	4	7		29	2	2	43	19	3	96	3	23
25	14	2	29	61	8	23	5	18	3	4	1	18	2	3	23	20	4	110	3	24
32	7	2	32	84	6	26	6	12	5	3	10	34	3	3	24	30	3	126	6	25
23	5	2	47	53	2	18	4		4	5	3	31	1	2	12	30	2	88	4	26
73	7	13	67	142	31	114	20	152	7	8	16	81	3	10	121	102	19	415	18	27
19	7	2	21	28	4	13	4	12	2	7	2	16	6	3	19	17	1	51	1	28
1,047	187	64	798	1,341	183	1,064	157	585	192	126	84	937	71	135	1,025	1,156	168	2,728	225	29
1,045	186	64	796	1,335	183	1,043	153	564	191	124	84	931	71	133	1,021	1,143	166	2,695	189	30
2	1		2	6		21	4	21	1	2		6		2	4	13	2	33	36	31
4	2		6	1		8	1	4		1		3		2	3	8	1	16	1	32
8		2	12	15	6	5	3	4		2	1	12	1	1	6	8	2	29	1	33
10	2		6	11	1	18	4	11	2	3	1	19			18	20	4	52	16	34
9	2	2	13	18	3	28	1	19	7	5	2	8	1	4	24	22	4	47	15	35
3			5	7		2	2	6		1	2	2	1		9	7		15	4	36
9	1		2	11		5	1	3	1	1		1		2	3	5	2	18		37
17	3		15	19	4	14		3		1	1	20		3	22	10	2	27		38
18	3	2	8	14		14	3	6	3	3	3	13	1	2	16	16	2	39	1	39
6	2		1	15	3	8	2	10	2	1	2	4	1	1	15	13	5	29	5	40
23	2	1	15	12	8	6	3	4	2		2	9	2		11	18	1	34	1	41
6	1		8	11		11	2	7	1			5	2	1	9	25	2	20	4	42
7	2		7	15		15	1	6	4			8	1	2	10	10	1	29	1	43
16	1		18	18	3	15	3	7		1	4	10	2	1	5	5	1	28	1	44
12		2	12	20	1	14	4	10	3	1		6	3	4	20	9	2	44	1	45
2	3	1	5		1	3	1	5				2	1	1	3			9		46
1				1															1	47
5	2	1	1	4		9		6	5	1		7		1	7	4	1	16	2	48
19	1	1	9	17		13	1	8	6	3		12	1	5	19	25	2	30	3	49
23	6		13	38	4	18	3	10	1	3	1	17		2	21	25	3	61	1	50
10	3	1	5	10	2	2	1	5		1	1	6			5	4	1	21	3	51
7	4	1	13	28	2	7	2	3	2	1	2	17	2	3	7	10	2	15	3	52
11		2	19	17	2	12	4	4	7	2		11	2	1	10	8		39	2	53
32	4		20	29	10	25	2	8		1		23	1	4	10	12	1	38	5	54
16	4	1	19	17	1	12	1	5	3	1	2	9	1		13	16	5	42	5	55
29	7		30	35	8	24	7	6	8	6		22	1	1	7	20	2	56	2	56
4	1		3	9		4		3				5			6	5	3	8	2	57
20	3		25	27	4	20	4	4	2	3	1	17	1	1	22	34	4	59	1	58
10	4	1	10	10	2	13	1	3		3		7		2	5	6	1	33	1	59
4	1		8	8		10	2	7		2		5		1	6	12		14		60
11	2	1	8	18	1	14	1	3	3	3	1	11		5	7	11	1	15		61
4	1	2	3	8	1	12	1	10	2	2		6	1	4	19	39	4	32	5	62
10			5	10	1	6	1	7	5	3		8	1	1	11	12	1	37	1	63
7		1		6		3		2	2	2				1	7	4	1	7		64
12	3		15	31	1	18	1	4	3	1		6	1	4	12	9	2	29	1	65
8	1			7		9	1	1			2	4		1	5	8	1	10	1	66
2	1		3	14	1	7		2				3	1	2	13	28	3	19	2	67
11	2	2	6	8		13	2	7	5	2		16	3		10	7		25	5	68
3	2			1	2	6		6	1	1	3	2	2		9	25	3	10	2	69
18	1	2	12	18	2	16	3	3	2	3	4	11			13	12	3	32	1	70
1	2		3	11		6		1		2		6		1	9	5		12		71

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	MINNESOTA—continued.														
1	Lyon County	163	1		1	2		1	2	2		6	1	2	4
2	McLeod County	157							1			13		2	
3	Mahnomen County	39				3						5			
4	Marshall County	176	5			1	1			7		12	2	3	1
5	Martin County	128				1	2		4	1		5		1	1
6	Meeker County	195				2	2		1	1		10	2	2	2
7	Mille Lacs County	99			1	2						8	1	1	1
8	Morrison County	194	6			2		4	1	2	2	11	1	4	4
9	Mower County	229	1			1			2	1	1	19	1	3	3
10	Murray County	104	3			6			2			6	1	3	1
11	Nicollet County	204			1		1			1	1	21		5	1
12	Nobles County	126	1			4	1		1	1	1	6		1	
13	Norman County	99	2					1	1	2		17			1
14	Olmsted County	610	2		1	2	1	1	3	2	3	33		7	
15	Otter Tail County	617	8			5	4	5	8	3	2	75	6	19	3
16	Pennington County	93	1			2		2		2		8		1	
17	Pine County	135	1		1	2	1	2	1			16	1		3
18	Pipestone County	74	1			2				1		4	1		
19	Polk County	336	8			7	1	1	1	4	1	26	6	5	1
20	Pope County	128	1			4		1				13	1		
21	Ramsey County	72				2	1			1		3			
22	Red Lake County	58	1									3	1		
23	Redwood County	135				1				2		4	1	1	1
24	Renville County	187			1					3		14	3	3	1
25	Rice County	349	3			5		2		3	1	52		4	5
26	Rock County	101				2						7	1	1	
27	Roseau County	102	5				1	1	1	2		13	2	1	3
28	St. Louis County	926	13			22	26	11	8	4	1	85	10	4	
29	Scott County	125				1		1		2		5	2		1
30	Sherburne County	80				1		1		1	1	1	1		2
31	Sibley County	133					1	1			1	10		3	2
32	Stearns County	337				2	2	10	3	6		24	2	4	
33	Steele County	146	1				1		1			10			1
34	Stevens County	70	1									9	1	2	
35	Swift County	124	1			3			1	4		10		2	
36	Todd County	206	2					3	2	4		9	3	1	1
37	Traverse County	55						2		2	1	3			
38	Wabasha County	189	1						2	5	1	5	1	1	1
39	Wadena County	95	1									9	1	1	
40	Waseca County	127						3	1	1		9		1	1
41	Washington County	176				1				2		16	2	2	2
42	Watonwan County	103	4			1	1		1	1		3	3		1
43	Wilkin County	91	2	1		2	2					3		2	
44	Winona County	138				1	1	4		3		5	1	2	
45	Wright County	294			1	1	1		2	3	3	17	2	3	1
46	Yellow Medicine County	136				2	1		4	3		12	1	2	2
	MISSOURI.														
47	Total	23,414	550	385	6	222	85	234	309	408	62	2,499	108	212	146
48	White	21,859	524	367	6	214	84	207	305	392	60	2,105	102	188	136
49	Colored	1,555	26	18		8	1	27	4	16	2	394	6	24	10
50	Adair County	252	7			5		6	6	7	1	15		1	2
51	Andrew County	144	1	1						2	1	9			
52	Atchison County	110	1				1			3		4			
53	Audrain County	217	7	1				4	2	6		25	3	2	2
54	Barry County	192	10	1			1	5	2	6	2	13		1	4
55	Barton County	165	5	1		1			4	6	1	13		2	3
56	Bates County	251	1			3	5	4	1	7		15	1	2	3
57	Benton County	136	5	1		2	1			6		10	2		
58	Bollinger County	121	8	3					2	1	1	14		2	
59	Boone County	326	7	2		3		5		8	1	46	3	4	1
60	Buchanan County	202	1	1		4		1	1	3		23	1	3	
61	Butler County	399	15	29		3		2	4	1	1	35	2	11	
62	Caldwell County	137	3				1	2		2		11	1	1	
63	Callaway County	362	5	3		2		10	1	3		54		4	3
64	Camden County	78	5	1						2		5		1	1
65	Cape Girardeau County	343	17	9				6	4	11	1	19	1	3	4
66	Carroll County	244	2			2		2		5	1	27	1	1	1
67	Carter County	58	1	7						4		8			
68	Cass County	243	1	3		3	3	2		5		21			
69	Cedar County	177	2			1	6	1		11		15		2	2
70	Chariton County	257	12			5	1	2	1	6	3	23		3	
71	Christian County	144	2	1		2			6	1		18		2	2
72	Clark County	127	1	1		1	1		1	2		9			1
73	Clay County	298	9	2		1	6	4	2	3	1	29		4	1
74	Clinton County	176	4			2	1			5	2	21		3	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
20	.....	.....	10	17	2	15	1	7	4	.....	1	7	.....	1	8	8	4	34	2	1
9	3	.....	10	18	1	6	1	4	2	1	2	19	1	.....	14	11	2	36	1	2
1	.....	.....	3	2	.....	5	.....	1	.....	1	.....	.....	.....	2	4	.....	2	6	4	3
9	1	.....	6	10	2	13	3	14	5	.....	.....	13	2	4	24	6	3	26	3	4
10	3	.....	8	12	1	13	.....	3	2	3	.....	10	.....	3	12	7	1	24	1	5
16	5	.....	17	17	2	12	3	11	4	1	.....	17	.....	2	17	10	1	38	.....	6
12	1	.....	4	7	.....	5	.....	3	2	2	.....	5	.....	.....	6	9	.....	25	4	7
10	2	1	7	17	5	17	1	9	3	3	.....	13	2	5	10	14	.....	31	7	8
17	5	1	19	25	2	16	5	6	1	2	2	12	.....	.....	12	24	3	42	3	9
8	2	1	2	10	1	12	1	4	1	2	1	10	.....	.....	5	5	2	15	.....	10
14	4	1	3	10	.....	10	1	4	.....	1	2	42	.....	1	8	10	2	58	2	11
12	3	.....	1	8	5	9	3	1	3	1	1	11	.....	2	13	10	2	24	1	12
10	1	2	9	6	1	3	1	5	.....	2	1	7	.....	1	2	8	.....	15	1	13
102	4	1	24	38	4	26	9	4	17	4	6	69	.....	5	19	19	10	193	1	14
36	8	2	31	77	6	41	4	18	8	4	2	60	3	7	32	20	8	105	7	15
6	1	3	2	6	2	9	1	6	2	1	.....	2	1	1	7	8	2	16	1	16
9	1	.....	12	7	1	12	2	6	.....	.....	1	12	1	.....	7	11	.....	23	2	17
7	1	.....	4	6	1	4	.....	2	1	.....	2	3	.....	.....	5	4	1	24	.....	18
19	5	1	28	32	11	9	4	13	3	4	3	22	2	2	13	24	4	71	5	19
14	6	2	5	22	.....	9	1	2	1	.....	.....	5	.....	.....	8	4	.....	24	5	20
3	4	.....	3	7	.....	9	1	1	1	1	.....	10	.....	.....	6	7	1	11	.....	21
3	1	.....	1	4	1	6	1	5	1	.....	.....	3	.....	.....	8	3	1	13	2	22
12	2	2	5	14	2	10	3	8	4	2	.....	10	1	3	12	14	2	17	2	23
20	.....	1	9	12	4	14	1	16	.....	1	.....	7	1	1	9	14	1	49	2	24
21	2	3	20	38	5	30	4	12	2	1	2	21	4	3	16	15	1	73	1	25
7	2	.....	6	8	1	8	1	5	1	2	.....	13	.....	.....	14	4	.....	17	1	26
1	.....	.....	2	4	1	5	.....	9	1	2	.....	2	1	3	5	11	1	21	4	27
17	4	7	8	32	4	88	4	101	15	4	7	21	6	7	104	157	17	116	23	28
14	1	1	15	13	3	5	2	2	.....	.....	.....	7	1	.....	7	8	2	28	4	29
5	2	1	4	13	1	6	1	2	.....	.....	.....	2	.....	.....	2	12	1	19	1	30
11	3	2	8	19	6	3	3	4	3	1	1	12	1	1	9	6	.....	22	.....	31
28	4	.....	13	34	5	35	6	11	.....	4	2	19	1	2	28	19	.....	64	9	32
12	2	.....	15	17	2	18	1	3	.....	2	1	8	1	1	7	11	1	27	3	33
.....	1	1	2	13	1	9	1	8	.....	1	.....	3	.....	1	2	2	.....	11	1	34
9	2	1	9	12	2	8	1	3	2	1	1	5	.....	2	6	10	.....	25	4	35
8	5	1	10	25	2	13	2	9	4	5	1	10	2	3	22	14	3	35	7	36
5	.....	.....	.....	6	.....	8	1	1	1	.....	.....	2	.....	.....	4	7	1	10	1	37
10	1	1	23	27	3	13	3	2	2	1	4	13	2	3	11	21	3	29	.....	38
9	3	.....	8	9	.....	6	1	7	4	.....	.....	9	.....	1	9	1	.....	14	2	39
19	2	.....	11	13	3	4	.....	5	.....	.....	2	4	.....	1	9	9	3	25	1	40
11	4	.....	9	25	2	9	1	2	1	.....	.....	11	.....	.....	13	19	2	41	1	41
7	1	.....	2	8	1	9	1	4	1	.....	.....	10	.....	1	12	7	1	22	1	42
2	1	.....	2	3	.....	9	2	5	1	.....	1	5	3	.....	11	16	1	15	2	43
5	.....	1	16	18	2	14	2	3	2	.....	.....	10	.....	1	8	12	.....	26	1	44
30	3	1	23	32	4	22	1	7	5	.....	2	24	.....	1	27	16	6	54	2	45
9	2	.....	6	19	7	12	3	4	.....	.....	1	4	1	.....	11	12	.....	18	.....	46
1,111	253	205	1,029	1,756	339	2,194	204	1,028	163	166	173	1,442	203	181	1,466	1,284	192	4,197	602	47
1,066	243	198	990	1,618	322	2,043	196	971	157	158	162	1,361	193	172	1,410	1,183	191	3,977	558	48
45	10	7	39	138	17	151	8	57	6	8	11	81	10	9	56	101	1	220	44	49
21	1	1	13	21	5	15	2	10	2	3	.....	25	.....	2	13	15	3	46	4	50
14	4	.....	5	15	2	17	1	5	.....	1	1	13	2	1	2	10	2	32	3	51
6	1	1	8	7	2	6	1	9	.....	.....	1	12	.....	2	9	4	1	30	1	52
14	2	1	13	18	3	15	2	5	.....	1	1	9	2	1	17	17	2	39	3	53
10	2	2	8	14	4	16	.....	9	1	2	.....	9	2	2	14	4	1	44	3	54
16	2	.....	8	8	2	23	2	8	.....	2	.....	10	1	1	11	7	.....	27	1	55
16	4	1	21	20	2	14	1	5	2	3	5	26	.....	1	13	22	.....	49	4	56
3	1	.....	5	9	6	12	.....	3	.....	1	3	20	.....	3	3	10	1	27	2	57
3	.....	3	4	11	2	13	.....	3	.....	1	1	7	3	.....	7	4	.....	22	6	58
18	2	3	13	31	4	24	4	7	3	1	2	14	2	3	26	12	.....	70	7	59
6	3	.....	14	21	4	15	4	11	2	1	2	18	1	2	11	13	2	33	1	60
2	.....	4	12	16	1	61	.....	30	3	3	2	9	3	1	31	32	.....	56	30	61
20	2	.....	12	12	1	9	2	8	.....	1	1	11	1	1	8	6	.....	19	2	62
17	8	1	23	29	5	19	3	8	1	1	2	35	.....	4	20	7	1	90	3	63
2	1	.....	4	1	2	4	.....	1	.....	.....	1	9	4	.....	10	4	.....	14	6	64
13	5	7	18	22	5	44	6	21	2	3	2	13	4	2	16	24	.....	53	8	65
12	8	1	11	20	2	23	1	10	5	4	4	11	3	.....	12	26	3	45	1	66
.....	1	.....	1	2	2	4	.....	2	.....	.....	.....	8	.....	.....	5	4	.....	6	3	67
12	1	.....	14	25	2	17	5	5	2	1	2	17	2	6	21	20	2	45	6	68
7	7	2	6	10	1	16	.....	3	1	2	2	12	2	1	12	12	1	38	2	69
14	5	.....	18	18	4	21	1	12	2	2	.....	17	2	3	19	15	1	43	4	70
5	3	3	3	11	2	20	.....	3	2	.....	1	2	1	.....	9	10	1	29	5	71
6	2	3	8	21	1	13	.....	2	1	1	1	5	.....	.....	5	6	2	28	5	72
11	10	3	12	22	1	27	5	14	5	1	.....	35	2	1	12	18	4	48	5	73
12	.....	.....	10	7	6	14	1	2	2	.....	1	21	1	2	12	8	2	33	3	74

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MISSOURI—continued.														
1	Cole County	68	1	1				2	2	1	1	5		1	
2	Cooper County	220	5			1		1		2		29	5	2	1
3	Crawford County	126	6			3	2		2	3	1	16		2	
4	Dade County	182	6	2		9		5	3	7		12			2
5	Dallas County	111	4	2		1		1	4	2	1	14	3	2	2
6	Daviess County	189	7			3			3	2		11		2	1
7	Dekalb County	98										7		3	2
8	Dent County	106	6	2		3			1	4		11	1	2	
9	Douglas County	109	4	1				3	2	1	1	9	1	2	
10	Dunklin County	603	19	85		19	1	3	12		1	38	3	2	6
11	Franklin County	303	3	1	1	2	2	3	7	9	1	20	1		
12	Gasconade County	147	3	1		5		2	3	7		14		1	1
13	Gentry County	155	3			1			4	5		8		2	1
14	Greene County	265	12	1		4	3	7	3	6	1	18	2	2	1
15	Grundy County	183	4			1				3	2	17		3	1
16	Harrison County	220	10						1	4		20		2	2
17	Henry County	274	2	1		5	2	1	3	8		20	3	3	1
18	Hickory County	73	1							3		3		1	
19	Holt County	112	4						1	4	1	8			1
20	Howard County	186	4	1		3			2	2	1	21	1	1	2
21	Howell County	219	16	1				3		2		30	1	2	3
22	Iron County	122	1	2				3	5	2		15		2	1
23	Jackson County	408	5	3		4	2	3	5	11		34	1	5	4
24	Jasper County	574	16	4	1	10	11	11	9	7		76	10	5	4
25	Jefferson County	294	6	2		10	1	2	8	5	1	21	1	4	2
26	Johnson County	283	6	1		4	2	5	4	2	1	35	1	1	
27	Knox County	96	1						1	4		10		1	
28	Laclede County	133	3	4					2			10	1		2
29	Lafayette County	360	6	1		1	2	11		4	2	36	3	1	3
30	Lawrence County	300	2	1		4	1	2	4	3	1	31	2	2	1
31	Lewis County	164	1				1		1	3		9		3	3
32	Lincoln County	164	2			5			1			19		1	
33	Linn County	283	5			4	1	3	2	10	1	18	1	1	
34	Livingston County	219	2			2		5	1	3		17		2	1
35	McDonald County	55							1			9			
36	Macon County	315	5			1	1		3	4	1	22		2	4
37	Madison County	128	8	2		2			7	4		21			
38	Maries County	76	3					1	1	3		9		1	
39	Marion County	133	4			2		4	1	2		10		1	1
40	Mercer County	90	1						1			7		2	
41	Miller County	137	4			1		2	2	7		16	3	1	1
42	Mississippi County	187	7	6				2			1	24		2	1
43	Moniteau County	153	7						1	6		8	1	1	2
44	Monroe County	190	7			4	2		2	7		16		1	2
45	Montgomery County	164	2	2				2	1	1		18		2	
46	Morgan County	99	2						1	3		9	1	1	
47	New Madrid County	246	5	26	1			2	7			16	3	2	
48	Newton County	277	3	2	1	2	1	6	1	4		32	4	4	3
49	Nodaway County	314	3		1	1		1	2	5	1	12	1	4	4
50	Oregon County	112	7	5			1		2	2		12			2
51	Osage County	145	4			2	1	6	10	1		11			1
52	Ozark County	102	7	3		1		2		8		9	1	2	
53	Pemiscot County	311	1	37				2	4	2	1	33	1	2	
54	Perry County	177	11	5					7	4		11	4	1	1
55	Pettis County	132	1				3	1	1	3		6		3	1
56	Phelps County	168	4	1		1	1	1	3	3		24	1	2	2
57	Pike County	308	10	2		4	1	2	2	8	2	28	1	5	
58	Platte County	179	4			6	2			2	1	13	2	2	2
59	Polk County	202	2			8	2		2	4	1	24		2	3
60	Pulaski County	132	2			3	1	1	4	1		9	1	4	2
61	Putnam County	153	5			1			5			14		1	
62	Ralls County	115	1			2			2	2		14			
63	Randolph County	208	2	1		2		3		1		22		3	
64	Ray County	234	3	1		1	1	3	6	5		20		1	1
65	Reynolds County	71	2	3		2		9		1		2			2
66	Ripley County	104	4	8				1	3	1	1	13		1	
67	St. Charles County	254	4	2				1		3		26		4	2
68	St. Clair County	159	3				1		3	5		14			2
69	St. Francois County	508	8	5		4	2	7	25	2	3	66	5	3	4
70	St. Louis County	1,258	7	8	1	4	6	1	9	8	2	468	10	5	4
71	Ste. Genevieve County	89	6	1		1		2				11			
72	Saline County	327	6	2				8	2	2	1	25	2	8	2
73	Schuyler County	78	3			1		1		3		7		1	
74	Scotland County	112	1			13		2		1		3	1		3
75	Scott County	325	10	26				5	7	2	1	26	3	2	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
4	.....	.....	1	6	1	3	.....	3	1	.....	2	3	.....	.....	4	6	1	18	1	1
14	4	.....	15	21	2	20	4	4	5	3	2	12	4	3	9	14	1	37	.....	2
7	.....	1	11	3	.....	13	2	6	1	.....	2	9	2	1	4	5	1	22	1	3
9	2	.....	4	12	6	17	4	5	.....	4	.....	8	3	2	11	4	2	36	7	4
.....	.....	.....	6	3	2	10	1	.....	1	.....	.....	5	1	2	6	4	2	28	4	5
13	2	1	12	8	2	23	3	2	2	1	.....	11	4	1	17	8	2	47	1	6
7	1	2	5	17	2	6	1	3	.....	.....	.....	6	1	3	7	5	.....	17	3	7
5	.....	2	3	10	.....	5	.....	5	2	.....	.....	7	1	1	11	6	.....	14	4	8
2	1	2	3	6	1	14	2	8	.....	.....	.....	3	1	1	9	3	.....	20	9	9
9	1	8	5	5	10	103	7	60	1	3	.....	6	3	6	51	15	.....	89	32	10
19	3	1	16	29	8	21	3	14	.....	6	2	24	3	2	19	14	7	59	3	11
7	2	1	8	9	.....	13	.....	7	2	.....	1	13	2	.....	10	2	2	28	3	12
11	3	3	16	12	1	12	1	4	2	1	1	11	.....	1	14	3	3	30	2	13
9	3	4	15	25	5	30	1	8	.....	.....	1	9	2	1	21	17	2	46	6	14
12	.....	2	8	12	1	18	1	8	4	.....	2	10	3	2	8	10	1	44	6	15
13	5	1	16	11	1	19	.....	9	2	2	.....	20	.....	1	20	10	.....	40	11	16
14	2	2	18	22	5	28	4	6	4	4	2	16	1	1	17	16	5	51	7	17
3	1	1	2	9	.....	10	2	1	.....	.....	.....	7	1	.....	6	4	.....	13	5	18
7	1	2	7	14	3	6	.....	2	1	.....	.....	9	.....	.....	3	5	.....	29	4	19
10	1	.....	10	18	5	15	.....	11	4	1	1	18	.....	2	6	11	.....	33	2	20
10	2	4	7	22	1	12	2	4	3	.....	4	14	1	5	17	13	3	30	7	21
4	1	.....	6	5	1	10	1	7	1	3	1	2	2	1	6	8	1	24	7	22
26	5	1	18	48	5	36	4	13	5	.....	1	30	1	2	17	22	4	89	4	23
16	5	13	15	38	5	60	10	31	2	4	2	25	6	4	27	34	8	96	9	24
7	2	2	14	24	6	23	1	16	.....	.....	5	19	3	2	34	26	.....	47	.....	25
23	.....	2	13	23	7	26	3	9	4	1	4	18	2	.....	20	11	1	49	5	26
4	.....	.....	5	11	2	10	1	1	3	.....	4	5	.....	.....	4	5	1	23	.....	27
10	1	.....	7	14	3	9	.....	2	2	1	.....	3	3	.....	17	4	1	27	7	28
24	4	3	20	35	5	39	1	15	2	1	3	17	2	1	17	22	2	70	7	29
18	6	9	16	20	5	20	4	10	5	3	.....	14	4	5	19	16	.....	63	9	30
15	4	2	5	22	1	11	2	7	1	2	1	10	1	1	6	11	.....	38	3	31
17	4	.....	3	19	4	14	1	3	2	2	.....	16	2	.....	9	5	2	31	2	32
18	3	7	17	29	2	34	2	12	2	3	4	12	2	.....	23	13	2	48	4	33
12	3	.....	7	27	3	20	.....	8	4	1	1	19	2	2	14	11	3	49	.....	34
1	.....	.....	3	1	2	8	2	1	.....	.....	.....	3	.....	4	3	.....	.....	16	1	35
14	10	2	15	18	2	28	4	12	1	5	4	20	5	2	24	21	6	73	6	36
3	1	.....	4	13	3	11	.....	6	.....	2	.....	5	3	.....	11	2	.....	14	6	37
4	1	1	1	6	1	5	2	4	1	.....	.....	4	1	.....	6	2	.....	16	3	38
8	2	1	7	11	6	9	1	3	1	1	1	3	.....	1	8	7	.....	34	4	39
4	2	2	8	5	.....	11	.....	3	1	.....	.....	13	1	2	2	6	.....	13	6	40
9	2	6	4	6	2	5	1	3	1	.....	.....	5	2	1	12	3	.....	32	6	41
10	.....	.....	2	4	2	22	.....	25	.....	1	1	4	2	2	11	14	.....	31	13	42
10	.....	1	7	15	4	8	3	3	.....	3	.....	12	1	.....	14	6	2	34	4	43
11	6	3	3	25	2	14	1	1	.....	1	2	13	1	1	6	9	2	42	6	44
7	2	.....	9	16	1	10	3	4	1	4	2	22	1	1	6	7	1	38	1	45
6	1	2	7	7	.....	10	4	2	.....	1	1	6	1	.....	6	2	1	24	1	46
5	.....	2	5	4	3	36	1	38	.....	.....	1	6	2	3	24	15	1	34	4	47
9	4	2	11	27	4	30	3	8	1	1	1	16	3	4	17	18	3	45	7	48
25	7	.....	14	34	6	40	3	12	8	6	1	25	2	5	17	18	2	51	3	49
1	1	1	4	8	1	11	1	4	.....	1	.....	8	2	.....	11	5	.....	12	10	50
2	.....	1	6	14	.....	17	2	11	4	2	4	4	.....	1	11	10	.....	17	3	51
3	.....	1	1	5	.....	3	1	6	.....	1	.....	3	2	3	8	2	.....	19	11	52
2	.....	9	1	5	4	44	.....	32	2	.....	2	5	3	7	27	27	1	28	29	53
10	4	1	7	6	4	19	1	13	.....	5	3	10	2	.....	8	6	2	28	4	54
8	.....	1	6	11	.....	21	2	2	.....	1	3	9	1	.....	9	6	1	28	4	55
5	.....	1	11	12	5	12	1	7	.....	.....	1	22	1	1	9	5	.....	27	5	56
23	5	2	10	39	4	22	2	5	4	3	3	24	3	.....	10	15	5	57	7	57
10	2	1	11	14	4	15	.....	4	.....	1	1	12	4	1	11	16	4	31	3	58
15	3	1	11	14	1	16	.....	8	1	2	2	18	2	6	10	7	1	32	4	59
7	4	1	3	6	2	13	3	1	1	.....	1	10	4	1	11	6	1	25	4	60
15	6	2	11	18	.....	16	.....	3	1	.....	.....	7	2	3	6	6	1	26	4	61
6	1	1	3	6	.....	7	3	3	2	1	.....	7	.....	1	4	7	3	34	5	62
9	1	.....	10	21	2	20	.....	12	.....	3	.....	18	2	1	12	18	2	42	1	63
8	2	2	18	22	1	18	.....	12	3	3	2	12	1	.....	8	20	5	48	7	64
3	.....	2	.....	3	4	8	2	2	.....	.....	.....	3	1	1	4	6	.....	9	2	65
1	.....	2	3	4	1	7	2	2	.....	.....	.....	7	3	1	11	3	.....	21	4	66
19	1	.....	14	24	6	22	5	5	2	2	6	20	3	1	8	26	5	43	.....	67
13	2	4	7	16	1	10	1	5	.....	1	1	18	1	.....	12	7	.....	23	9	68
23	1	2	17	19	11	54	5	44	1	4	3	31	3	1	37	28	4	77	9	69
32	6	7	50	77	25	80	9	37	4	5	14	73	4	7	43	87	23	139	3	70
1	1	.....	1	4	3	8	.....	8	.....	.....	1	3	1	1	8	9	2	16	1	71
13	4	.....	20	42	5	14	4	19	2	1	5	20	1	.....	14	13	1	36	5	72
4	3	4	5	6	2	8	1	1	.....	.....	.....	5	.....	.....	3	3	1	14	2	73
3	.....	1	2	11	2	11	2	3	.....	2	1	11	.....	2	8	7	1	19	2	74
6	1	1	5	11	8	40	1	31	4	2	4	12	3	3	31	23	6	37	13	75

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	MISSOURI—continued.														
1	Shannon County	104	3	2	.....	1	.....	1	.....	3	.....	17	.....	1	1
2	Shelby County	161	4	.....	.....	.....	.....	.....	.....	5	2	13	.....	3	1
3	Stoddard County	395	11	31	.....	1	.....	3	20	6	2	30	1	4	2
4	Stone County	94	3	.....	.....	.....	.....	4	1	.....	.....	7	.....	.....	.....
5	Sullivan County	188	6	2	.....	1	.....	3	2	2	1	18	.....	2	1
6	Taney County	90	2	9	.....	1	.....	1	4	2	.....	6	2	1	1
7	Texas County	194	4	1	.....	.....	.....	2	3	3	1	18	1	2	1
8	Vernon County	393	4	2	.....	1	1	1	1	5	3	26	1	2	2
9	Warren County	85	1	.....	.....	.....	.....	.....	2	2	1	6	.....	2	1
10	Washington County	137	4	1	.....	1	.....	2	4	2	1	15	.....	1	1
11	Wayne County	148	5	3	.....	2	.....	5	5	4	.....	11	.....	.....	.....
12	Webster County	146	13	.....	.....	1	.....	1	1	4	1	23	1	.....	2
13	Worth County	65	.....	1	.....	.....	.....	.....	.....	.....	1	2	1	1	1
14	Wright County	179	3	1	.....	.....	.....	1	5	5	.....	23	.....	2	.....
	MONTANA.														
15	Total	3,246	61	1	3	37	73	25	17	24	6	244	16	27	18
16	White	2,882	53	1	3	18	44	21	11	24	5	177	11	21	17
17	Colored	364	8	.....	.....	19	29	4	6	.....	1	67	5	6	1
18	Beaverhead County	65	1	.....	.....	1	2	.....	.....	.....	1	3	.....	1	1
19	Big Horn County [2]	101	.....	.....	.....	16	22	.....	1	.....	.....	14	.....	2	.....
20	Blaine County	63	1	.....	.....	.....	1	.....	.....	.....	.....	6	.....	2	.....
21	Broadwater County	33	.....	.....	1	.....	.....	.....	.....	1	.....	3	.....	.....	.....
22	Carbon County	106	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	1	2
23	Cascade County	106	.....	.....	.....	1	8	1	.....	.....	.....	6	.....	2	2
24	Chouteau County	85	6	.....	.....	1	2	1	.....	.....	.....	2	.....	1	.....
25	Custer County	120	5	.....	.....	.....	1	2	2	.....	.....	7	1	1	1
26	Dawson County	157	7	.....	.....	1	2	1	1	3	.....	8	.....	.....	.....
27	Deer Lodge County	122	.....	.....	.....	.....	.....	.....	.....	.....	.....	18	.....	.....	.....
28	Fergus County	188	11	.....	.....	1	13	.....	.....	4	.....	2	1	.....	1
29	Flathead County	209	5	.....	.....	.....	1	2	.....	1	1	10	.....	3	1
30	Gallatin County	153	2	.....	.....	.....	1	3	1	2	.....	6	1	.....	1
31	Granite County	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....
32	Hill County	120	4	.....	.....	.....	1	.....	.....	1	3	7	1	.....	.....
33	Jefferson County	50	.....	.....	.....	2	1	.....	.....	1	.....	2	.....	.....	1
34	Lewis and Clark County	68	.....	.....	.....	.....	3	1	1	1	.....	.....	.....	.....	.....
35	Lincoln County	48	1	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	1
36	Madison County	73	.....	.....	.....	4	.....	.....	.....	.....	.....	6	.....	.....	.....
37	Meagher County	51	1	.....	1	1	.....	.....	.....	.....	.....	3	.....	.....	.....
38	Missoula County	105	.....	1	.....	.....	.....	2	.....	.....	.....	11	.....	.....	.....
39	Musselshell County	61	.....	.....	.....	.....	.....	1	.....	2	.....	3	.....	1	1
40	Park County	115	3	.....	.....	1	.....	2	.....	2	.....	7	1	1	.....
41	Powell County	68	.....	.....	.....	.....	2	.....	.....	.....	.....	2	.....	.....	.....
42	Ravalli County	90	1	.....	.....	.....	1	1	.....	1	.....	7	.....	1	1
43	Rosebud County	89	1	.....	.....	3	6	2	.....	.....	.....	14	.....	.....	.....
44	Sanders County	55	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	2	1
45	Sheridan County [3]	50	1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....
46	Silver Bow County	275	1	.....	.....	1	4	1	.....	.....	1	59	4	3	1
47	Stillwater County [4]	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
48	Sweet Grass County	26	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....
49	Teton County	136	.....	.....	.....	1	1	2	3	1	.....	5	.....	2	2
50	Valley County	127	8	.....	.....	1	.....	1	2	.....	.....	21	7	1	1
51	Yellowstone County	80	2	.....	.....	2	.....	.....	5	.....	.....	3	.....	.....	.....
	NEW HAMPSHIRE.														
52	Total	4,224	30	.....	1	38	7	19	25	52	4	254	22	26	17
53	White	4,222	30	.....	1	38	7	19	25	52	4	254	22	26	17
54	Colored	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
55	Belknap County	201	.....	.....	.....	4	.....	2	.....	5	.....	9	.....	.....	1
56	Carroll County	283	3	.....	.....	.....	.....	.....	.....	8	.....	13	.....	2	.....
57	Cheshire County	312	3	.....	.....	2	3	1	1	2	1	17	2	1	1
58	Coos County	281	2	.....	.....	2	.....	1	1	.....	.....	18	1	2	1
59	Grafton County	687	4	.....	.....	8	1	2	4	9	.....	31	6	3	3
60	Hillsborough County	586	1	.....	.....	.....	2	1	3	5	.....	49	2	8	3
61	Merrimack County	554	3	.....	.....	9	.....	7	2	10	.....	41	2	4	2
62	Rockingham County	604	5	.....	.....	6	1	3	5	8	1	38	3	4	4
63	Strafford County	403	7	.....	1	3	.....	2	8	4	.....	22	4	1	1
64	Sullivan County	313	2	.....	.....	4	.....	.....	1	1	2	16	2	1	1
	NEW JERSEY.														
65	Total	13,556	84	4	.....	77	63	129	190	131	29	1,415	48	77	68
66	White	12,805	81	4	.....	74	61	116	185	128	29	1,267	46	67	63
67	Colored	751	3	.....	.....	3	2	13	5	3	.....	148	2	10	5

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Formed from parts of Rosebud and Yellowstone Counties, January 13, 1913.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
4			2	8	2	11		6			1	6	4	3	10	1		11	6	1
10	2	2	13	11	1	13	1	4	3		1	25	4		8	8	1	25	1	2
7		5	6	14	3	70	1	34	1	3	4	10	3	4	35	19		39	26	3
1	1	1	2	3	1	11		5				3	3		8	5	1	21	13	4
9	2	1	7	19		18	2	9	1	4		12	1		12	10	3	35	5	5
			1		2	4	2	11	2	2		3		3	9	5	1	12	4	6
12	2	7	5	12	3	25	2	5		3	3	9	4	1	13	7	2	38	5	7
25	3	1	22	49	6	21	7	16	2	3	6	29	1	3	24	23	8	94	1	8
7	2		10	13	4	10					2	3			4	5		9	1	9
7			7	7	1	19	1	6	2	1	1	10			7	10	1	22	3	10
5		2	3	6	3	13		17	1	2	1	3	2	3	14	4		29	5	11
5	2	4	3	7	1	18		2			1	8	3		6	5		28	6	12
7	2		7	3	1	7	1	2		1		5		3	3	1	1	14		13
5	4		6	14	1	19	2	6	1	1	1	8	3	1	11	10	1	34	11	14
118	25	35	103	248	26	319	37	120	45	19	32	132	24	28	186	452	68	579	98	15
117	25	31	99	242	24	254	31	114	42	19	31	126	22	26	181	434	65	529	64	16
1		4	4	6	2	65	6	6	3		1	6	2	2	5	18	3	50	34	17
5			3	3	1	9	1		1			3	1		2	8	1	16	1	18
2			1	1		28						2			1	2		5	4	19
	1		3	5		8	2	1				2		1	3	6	1	12	8	20
4		1	2	5			1	1	1			2		1	2	2	1	4	1	21
2	1	1	2	7		11		6	2		1	6			19	18	2	17	4	22
3		1	1	8		11		3	1	1		1		1	8	22	5	17	3	23
6			1	5	2	15		5	2	2		2		1	7	8	2	12	2	24
1	1	1	3	7	2	5	1	6	5	2	1	4	1	2	5	19	5	25	4	25
6	2		5	9	2	18	1	9	2		1	5	2	5	13	25	3	18	8	26
1			10	10		3	1					2				1	2	74		27
3	1	11	5	8	1	16	1	5	8	1	1	6	4	1	11	22	3	31	16	28
14		3	9	20		21	3	8	3	3	2	7	3	1	12	35	4	37		29
11	2	3	5	18	1	13	3	5	2	1		15	1	1	11	13	2	28	1	30
1			2		1	5									2	6	1	9	1	31
3	2		2	13		7	2	5			4	5	1		7	15	5	25	7	32
1	1		3	6		3	1	1			2	3			1	6	2	12	1	33
4	1		2	12		2	2	2		2	4	13		1	1	4		12		34
3	1	1	1	3		5	1	3	1			1			1	13	2	7		35
5	1	1	2	10	1	3	3	2			1	3	1		4	6	2	15	3	36
2		1	1	7		2	2	1		1		2	1		2	14		9		37
5	1	1	5	10	2	9	2	2	1				2	1	5	23	2	15	5	38
1			2	4	1	5		7			1	2		1	7	9	8	5		39
6	1	1	7	11		9		7	1	1	2	2	3		8	16	1	21	1	40
1	2		6	6	1	6		1		1	1	7	1	1	2	10	1	17		41
4	2	1	7	15		10						6			5	7	1	17	2	42
1			1	4		17	3	1				1		1	1	13	2	11	7	43
3		1	1	5		3	1	1			1	2			2	15	1	11	2	44
4	1		1	3	1	6		2	2			1		4	3	10	1	6		45
9	1	3	2	18	9	24	2	14	2	1	7	16	2	1	11	44	3	27	4	46
1				5							1	3			1	2	2	4		47
1	1		2	1		1			2				1		3	4		6	1	48
2	1	2	1	3	1	18	3	11	7	1	1	4		3	11	23	1	25	1	49
1		2	3	3		15	1	4	2	2	1	1		1	8	15		16	10	50
2	1		2	3		11		7				3			7	16	2	13	1	51
293	64	36	339	489	71	353	44	145	21	35	27	314	6	19	246	187	42	962	36	52
293	64	36	339	489	71	353	44	145	21	35	27	313	6	19	245	187	42	962	36	53
												1			1					54
10	5	1	15	23	4	18	3	6	2	2	2	15	1	2	5	11	1	51	3	55
25	3		30	35	7	23	1	10	1	2	2	17		1	12	14	1	69	4	56
18	5	4	37	33	9	33	1	16	2	1	2	14			21	15	3	63	1	57
18	3	2	19	32	5	33	6	3	2	2	3	17		4	22	11	4	62	5	58
42	11	3	48	60	6	70	11	13	6	4	6	55	3	4	42	34	4	189	5	59
46	12	4	53	78	9	24	4	16	1	3	4	45	1	4	36	16	9	140	7	60
39	8	7	48	75	13	52	3	25	1	3	1	32		2	29	18	6	108	4	61
43	10	8	42	66	5	37	5	18	1	5	4	51			37	37	8	144	5	62
28	6	6	29	48	8	34	4	26	1	5	2	33		2	24	15	3	75	1	63
24	1	1	18	39	5	29	6	12	4	8	1	35	1		18	16	3	61	1	64
775	153	89	1,068	1,506	156	1,158	135	681	42	62	101	1,097	44	60	752	853	143	2,326	35	65
753	150	87	1,028	1,426	146	1,083	128	639	41	61	99	1,041	42	58	691	822	141	2,218	30	66
22	8	2	40	80	10	75	7	42	1	1	2	56	2	2	61	31	2	108	5	67

[3] Formed from part of Valley County, March 24, 1913.

[4] Formed from parts of Carbon, Sweet Grass and Yellowstone Counties, March 24, 1913.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	NEW JERSEY—continued.														
1	Atlantic County	415	3			5	1	8	2	4		33	3	4	1
2	Bergen County	1,420	14			5	4	11	21	9	2	117	12	12	5
3	Burlington County	1,092	9	1		5	5	9	12	11	1	74	4	9	4
4	Camden County	696	10			4	2	9	12	6	3	81	4	4	5
5	Cape May County	268	3			3		2	4	1		21	1	1	1
6	Cumberland County	412	2				1	5	3	6	2	34		1	3
7	Essex County	811	2			6	13	5	53	5	2	194	4	2	1
8	Gloucester County	533	3			1	3	2	2	6		40	1	3	4
9	Hudson County	992	2			6	4	2	19	2	4	249	3	1	4
10	Hunterdon County	488	7			2	5	1	4	5	1	37	2	4	2
11	Mercer County	385	3			2	7	2	1	5	1	69	1	4	1
12	Middlesex County	837	2			4	3	22	8	6	1	56	2	2	5
13	Monmouth County	1,095	8	1		10	5	14	9	13	3	70	2	8	13
14	Morris County	969		1		5	3	6	5	13	3	70	2	3	3
15	Ocean County	303	4				2			9		19	1	3	2
16	Passaic County	418	1	1		3		6	6	1	1	35	1	1	1
17	Salem County	375	3			2		4	4	2	1	38	1	5	4
18	Somerset County	565				2	1	3	15	4		28	2	3	2
19	Sussex County	382				7		7	1	7	1	24	1	1	2
20	Union County	647	5			2	4	6	6	8	2	99		5	2
21	Warren County	453	3			3		5	3	8	1	27	1	1	3
	NEW YORK.														
22	Total	36,704	276	18		109	99	184	193	576	86	2,686	163	190	243
23	White	36,228	272	18		108	98	178	190	572	85	2,601	161	183	241
24	Colored	476	4			1	1	6	3	4	1	85	2	7	2
25	Albany County	454	8			1		1	3	8		26	3	2	2
26	Allegany County	628	6			7	5			15		22		5	5
27	Broome County	566	3						4	9	1	18		3	2
28	Cattaraugus County	758	6			2		4	2	14	2	33	3	3	4
29	Cayuga County	552	3			1	2	1	2	9	1	26	2	5	2
30	Chautauqua County	864	6			6	1	7	2	15	2	33	1	5	5
31	Chemung County	304	1	1					1	10		39	1	4	1
32	Chenango County	607	8			1	1		1	13		18	3	4	1
33	Clinton County	488	4	1			1	5	2	12	3	52	3	4	2
34	Columbia County	446	2	1		1		4	2	6		29	2	1	1
35	Cortland County	310	1			1				5	3	5		1	4
36	Delaware County	651	15			3	3	3	3	13		27	5	3	9
37	Dutchess County	1,112	4	1		2	2	5	7	8	2	131	6	5	3
38	Erie County	1,263	13			13	2	5	4	31	4	83	4	8	8
39	Essex County	550	2			5	6	6	8	10	3	43	1		1
40	Franklin County	831	8			2		8	2	14	1	198	5	6	2
41	Fulton County	215	2			1	1	2	1	1		8	5	1	1
42	Genesee County	360	7				1		1	5	1	15	2	2	1
43	Greene County	456	7				1	1	3	9	1	36	1	4	1
44	Hamilton County	63	1						1			3			1
45	Herkimer County	782	4			3	14	2	10	8	4	43	9	5	3
46	Jefferson County	773	4					6	1	14		36	1	1	5
47	Lewis County	372	6				2	2	2	8	1	17	1	3	4
48	Livingston County	671				2	3		8	4	1	45	2	6	5
49	Madison County	744	5			2	1	1		17	1	42	5	4	6
50	Monroe County	937	7				1	11	6	9	2	126	5	4	5
51	Montgomery County	358	4			1		5	1	4	5	26	1	1	2
52	Nassau County	1,245	11	1		6	3	20	15	3	3	81	16	10	6
53	Niagara County	394	7			1	1	3	1	4	2	24			2
54	Oneida County	938	8			2	3	6	3	17	5	48	2	5	3
55	Onondaga County	996	7			4		2	4	20	3	78	2	2	9
56	Ontario County	626	4			1		3	6	7	4	28	4	3	5
57	Orange County	1,045	12	3		3	2	2	9	22	1	82	5	4	9
58	Orleans County	455	1					7	2	7		27	3	3	3
59	Oswego County	629	7					3	4	11	1	31		2	5
60	Otsego County	807	2			2	4	4	1	14	2	32		3	7
61	Putnam County	179	1			3		1		1		17	1		3
62	Rensselaer County	509	3			1	2	3	3	8	1	32	3	1	5
63	Rockland County	643	1	3		3	2	3	11	2	1	54	2	5	7
64	St. Lawrence County	1,050	5			4	3	6	6	22	1	49	5	4	2
65	Saratoga County	703	6			1	6		2	9	3	44	1	7	5
66	Schenectady County	219	3				2	1		1		29	1	1	1
67	Schoharie County	360	2	1		1				9		20	1	2	3
68	Schuyler County	253	5							2		14		1	5
69	Seneca County	569	2	2			1	1	2	7	1	57	1	4	5
70	Steuben County	988	5			3	1	1	4	13	2	36	5	3	9
71	Suffolk County	1,962	8			1	2	12	9	18	8	188	7	7	14
72	Sullivan County	617	3			1	1	3	5	8		159	2	3	3
73	Tioga County	440	2	1			1	1	2	9		14	1	3	3

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
18	4	1	35	50	3	29	7	13	-------	3	2	28	1	3	22	29	10	93	-------	1
89	18	15	118	178	13	154	10	73	13	11	11	98	8	10	79	79	24	201	6	2
53	18	10	96	121	11	87	7	77	1	7	10	99	8	9	69	77	7	179	2	3
40	5	4	37	77	10	58	6	25	-------	1	4	77	-------	-------	43	37	3	128	1	4
30	3	2	41	34	2	15	3	7	1	-------	5	22	-------	2	10	11	1	41	1	5
31	8	1	29	51	4	39	6	10	4	2	2	34	-------	1	22	17	6	87	1	6
28	8	5	51	71	11	78	4	13	-------	1	11	65	1	1	32	20	5	117	2	7
35	4	1	58	49	4	41	5	25	2	-------	6	61	-------	3	30	46	7	86	5	8
42	12	10	55	87	19	83	10	36	7	12	8	65	3	3	27	62	13	142	-------	9
33	5	5	45	73	3	39	5	15	-------	-------	4	43	-------	2	23	24	5	93	1	10
21	4	2	31	34	7	27	5	8	-------	2	-------	23	2	-------	16	36	3	66	2	11
43	6	5	47	59	8	73	8	127	2	4	4	50	1	6	68	84	8	122	1	12
67	12	8	116	138	11	63	12	49	4	2	11	102	3	5	60	61	8	205	2	13
59	9	3	67	106	13	94	20	43	-------	3	5	78	4	2	55	55	3	235	1	14
17	7	1	27	34	1	16	2	11	-------	3	-------	33	1	5	10	19	4	71	1	15
17	4	4	24	63	5	55	2	31	1	1	4	26	2	1	30	31	8	51	1	16
18	5	2	28	45	5	31	4	21	1	1	2	31	-------	1	30	21	2	62	1	17
27	6	1	48	76	8	53	6	32	3	4	5	46	-------	-------	31	39	9	111	-------	18
30	2	4	27	45	5	42	5	18	-------	1	2	30	4	1	19	26	3	65	2	19
47	9	2	48	68	8	46	5	20	2	2	4	50	2	4	57	48	7	77	2	20
30	9	3	40	47	5	35	3	27	1	2	1	36	4	1	19	31	7	94	3	21
2,223	434	125	3,198	4,472	512	3,100	261	1,249	171	257	345	3,115	108	186	1,942	2,258	376	7,480	69	22
2,214	432	123	3,176	4,429	503	3,061	259	1,232	170	254	342	3,068	106	184	1,920	2,220	371	7,393	64	23
9	2	2	22	43	9	39	2	17	1	3	3	47	2	2	22	38	5	87	5	24
27	4	5	35	56	6	50	3	14	-------	1	6	61	2	1	18	38	5	68	-------	25
54	7	-------	57	92	9	42	4	23	2	8	7	53	2	3	20	25	2	152	1	26
26	6	-------	64	63	10	38	3	34	8	2	8	33	5	8	47	30	4	136	1	27
57	12	6	64	113	12	53	2	22	2	5	5	61	3	5	49	53	8	153	-------	28
34	8	1	69	82	15	41	2	10	3	1	3	42	1	3	27	25	10	121	-------	29
51	17	3	71	148	13	72	11	20	4	4	3	56	2	3	54	54	8	187	-------	30
20	3	-------	23	46	2	28	-------	8	1	1	3	24	2	-------	19	13	1	52	-------	31
48	9	-------	79	84	13	37	5	9	4	5	8	60	1	3	32	23	6	131	-------	32
25	6	-------	34	45	4	49	2	30	4	3	5	29	2	4	34	22	1	99	1	33
31	4	-------	25	57	5	36	5	9	2	2	9	61	1	2	23	30	4	90	1	34
24	5	-------	31	36	4	28	3	5	1	1	5	30	-------	-------	28	15	8	66	-------	35
44	4	4	63	85	8	63	4	18	7	5	8	49	2	1	44	27	3	127	1	36
59	6	1	95	138	8	129	7	30	6	5	11	85	2	7	50	58	10	228	1	37
76	14	6	91	143	19	105	10	72	3	8	22	81	3	5	77	84	12	253	4	38
28	5	1	49	64	10	40	5	24	5	8	2	35	-------	3	44	44	4	94	-------	39
41	7	8	59	54	10	81	1	44	4	2	5	35	3	4	59	36	8	123	1	40
10	1	4	14	29	4	27	2	6	1	1	-------	24	1	2	6	10	1	49	-------	41
17	3	1	31	60	5	27	6	7	-------	3	1	17	1	1	23	32	5	84	1	42
32	6	3	52	49	11	42	2	15	3	5	8	37	-------	1	13	29	6	76	2	43
5	-------	-------	6	4	-------	7	1	2	-------	-------	-------	7	1	1	4	5	1	13	-------	44
45	8	4	61	79	10	76	6	28	4	2	5	81	4	7	45	62	7	142	1	45
61	7	5	69	113	16	46	3	19	-------	5	7	65	-------	5	53	49	3	177	2	46
30	4	2	30	52	5	26	3	9	1	5	2	33	1	1	17	17	2	86	-------	47
42	11	1	59	92	7	58	6	20	3	9	5	36	1	3	27	27	8	180	-------	48
50	13	-------	65	92	15	44	6	15	4	5	8	46	1	12	40	40	9	195	-------	49
51	8	1	68	112	13	49	7	59	2	5	6	64	2	-------	46	82	14	172	-------	50
24	5	1	29	40	3	21	6	11	1	6	2	38	-------	-------	18	23	2	78	-------	51
73	17	4	89	121	22	137	13	73	11	16	15	109	2	7	78	81	18	182	2	52
24	3	-------	39	56	6	36	10	6	1	2	3	22	-------	4	21	30	3	81	2	53
71	14	3	75	119	19	95	7	45	2	4	3	72	3	6	60	44	3	187	1	54
60	12	1	77	137	18	101	3	31	6	9	6	75	2	3	55	70	9	188	2	55
53	9	4	70	70	6	49	9	11	8	4	8	51	2	1	28	46	7	125	-------	56
57	16	6	108	105	20	69	6	42	5	9	18	88	5	10	59	89	12	166	1	57
23	3	2	44	47	2	31	1	24	2	4	4	46	3	8	32	29	7	90	-------	58
30	8	3	65	94	16	41	4	20	2	4	6	74	3	4	33	38	7	113	-------	59
59	9	2	84	124	9	70	5	20	5	12	9	76	3	2	30	35	6	175	1	60
17	3	-------	10	15	3	7	-------	7	1	2	4	17	-------	-------	10	17	1	37	1	61
31	11	3	47	67	5	42	4	21	-------	1	1	51	1	2	30	33	4	93	-------	62
37	4	2	43	58	8	67	3	22	8	5	10	67	2	3	45	53	6	105	1	63
57	14	4	86	135	14	96	5	39	4	4	4	72	3	4	75	63	8	253	3	64
30	6	5	60	81	8	59	5	30	3	7	5	57	2	9	38	59	6	144	5	65
16	-------	1	18	24	1	13	2	8	-------	-------	2	16	1	-------	14	28	1	35	-------	66
26	4	-------	45	58	3	36	2	3	-------	2	5	30	2	2	5	12	4	79	3	67
14	3	1	27	26	3	24	3	4	-------	6	5	17	2	-------	8	18	1	63	1	68
24	9	2	57	58	2	57	2	21	3	6	2	50	1	1	17	29	4	141	-------	69
46	12	4	106	188	7	88	6	13	3	5	16	100	3	5	35	53	8	207	1	70
82	15	5	126	192	17	181	15	48	10	15	15	273	1	5	53	76	21	531	7	71
28	6	-------	53	66	10	38	5	11	1	3	10	29	4	-------	26	32	7	99	1	72
18	4	1	57	51	11	28	5	10	-------	3	6	42	1	3	15	19	8	120	1	73

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	NEW YORK—continued.														
1	Tompkins County	311	2						1	9		15	2	6	2
2	Ulster County	888	10			2		6	6	17	1	77	2	4	13
3	Warren County	257	6			4	2		2	1		21		1	1
4	Washington County	728	9			2	4			18	1	32	3		5
5	Wayne County	693	2				3	3	2	10	4	19	5	5	4
6	Westchester County	1,352	4	3		8	6	11	14	11	3	161	16	8	13
7	Wyoming County	448				2	2	1	2	14		17	2	2	2
8	Yates County	285	1				1	2		11	1	20		1	3
	NORTH CAROLINA.[2]														
9	Total	3,366	116	54	4	60	7	68	26	33	11	411	15	35	12
10	White	1,885	74	23	4	47	6	40	18	24	11	187	10	19	7
11	Colored	1,481	42	31		13	1	28	8	9		224	5	16	5
	OHIO.														
12	Total	32,891	653	32	3	279	104	381	445	489	86	2,464	118	317	174
13	White	31,938	635	30	3	277	102	357	438	477	86	2,294	112	300	168
14	Colored	953	18	2		2	2	24	7	12		170	6	17	6
15	Adams County	299	7					8	12	5	1	35	1	2	1
16	Allen County	327	5	1		1		5	5	2	1	35	1	8	
17	Ashland County	286	3			2			2	7	1	14	2	4	2
18	Ashtabula County	612	9	2		5	6	4	10	16	3	38	1	9	4
19	Athens County	719	21			1		9	11	6	2	72	2	3	1
20	Auglaize County	315	8					9	3	2	1	23	2	7	1
21	Belmont County	983	26			6	1	19	28	12	2	39	2	7	5
22	Brown County	339	2			4		13	2	8		37	3	3	
23	Butler County	324	6			3		2	5	6		24	2	5	4
24	Carroll County	161	2			3	1	2	3	2		8			
25	Champaign County	352	1		1		2	8	2	6		27		6	
26	Clark County	262	3				2	3	3	1		36		3	1
27	Clermont County	375	6	1		5	1		5	5		38		3	3
28	Clinton County	304	6					2	10	9	1	22	1	5	7
29	Columbiana County	755	14	1		13	3	11	8	10	3	39		11	3
30	Coshocton County	389	6	1				3	5	6		22	6	2	2
31	Crawford County	399	7			1		4	3	2		23	2	4	3
32	Cuyahoga County	755	1	1		2	5	1	14	6	1	55	6	3	5
33	Darke County	495	5	1		1		2	6	8	1	43	4	3	3
34	Defiance County	291	11			3		7	1	2		18	1	3	2
35	Delaware County	322	5					4	4	2	3	19	3	5	2
36	Erie County	363	2			1	1		6	1		27		1	4
37	Fairfield County	273	3			2		4	1	5	1	26			2
38	Fayette County	274	2			4	1	18	1	7	2	19		2	3
39	Franklin County	525	3				1	2	7	6	4	78		10	2
40	Fulton County	264	3			2	5	2	2	4	1	18	2	1	
41	Gallia County	375	10	2			1	5	5	4	1	33	2	2	
42	Geauga County	173	2				1	1	1	5		13		1	
43	Greene County	452	6				1	1	3	17		44	5	9	3
44	Guernsey County	362	8	1		12	1	7	6	2		19	1	6	2
45	Hamilton County	698	10	5		14	4	10	5	9		77	2	11	4
46	Hancock County	208	5	1		2		1	1	4		20		3	1
47	Hardin County	376	15	1		6		1	18	7	1	22	2	2	2
48	Harrison County	236	10			6		1	3	4	2	11	1	3	4
49	Henry County	264	2			1		7	2	2		23	1	5	1
50	Highland County	349	6	1			2	3	2	10		31	2	4	3
51	Hocking County	235	3					4	4	6	5	13		2	
52	Holmes County	215	4			2		1	3	4		17	5	1	3
53	Huron County	449	11			2		3	4	6	1	22		2	2
54	Jackson County	319	13			2	2	11	9	6		24	2	6	2
55	Jefferson County	624	12			27	1	11	14	6	4	38	1	3	1
56	Knox County	369	5			7		2		4	1	31	1	2	4
57	Lake County	346	6			12	2	1	2	7	1	16	1	2	3
58	Lawrence County	282	15	1		8		2	10	2	4	42		7	3
59	Licking County	355	8			2		3	2	1	1	24	2	1	1
60	Logan County	350	6		1	2	2	1	5	7		32	2	5	2
61	Lorain County	419	10			6		2	6	4		37		2	2
62	Lucas County	287	9			2	2	1	4	1		20	1	3	1
63	Madison County	262	5					5	6	3		18		4	
64	Mahoning County	597	8			12	2	8	10	7	2	51		2	1
65	Marion County	213	3			1	4		9	5	1	17		1	1
66	Medina County	268	4					4	3		2	14		1	5
67	Meigs County	339	16	1			1	7		2	3	18		6	
68	Mercer County	266	5			2			4	5	1	20	1	4	
69	Miami County	417	21			1		2	5	6		32	3	3	3

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
24	3	------	40	41	3	15	1	6	4	------	2	23	1	------	13	20	5	73	------	1
37	11	8	35	84	13	96	4	29	3	7	5	76	2	10	45	67	12	153	3	2
19	1	------	24	26	3	33	2	3	------	1	3	17	3	1	11	11	2	59	------	3
54	15	------	72	99	10	61	3	25	1	1	6	68	2	2	45	56	15	119	------	4
52	16	------	60	93	11	40	3	23	6	5	10	49	2	2	39	51	10	161	3	5
98	11	7	67	111	15	119	14	75	2	6	6	153	5	5	73	105	17	194	11	6
34	6	------	38	62	6	35	2	13	1	3	1	36	2	2	27	23	4	108	1	7
17	6	------	33	36	4	21	2	3	4	4	1	16	2	------	5	18	5	67	1	8
100	15	31	152	238	33	226	34	262	31	19	17	193	18	24	194	191	14	557	165	9
64	11	21	106	132	11	101	19	157	23	14	9	93	5	20	139	93	11	320	66	10
36	4	10	46	106	22	125	15	105	8	5	8	100	13	4	55	98	3	237	99	11
2,053	381	186	2,626	4,016	315	2,476	251	1,350	168	235	334	2,013	138	167	1,657	2,312	333	6,046	289	12
2,011	376	182	2,578	3,889	310	2,411	240	1,311	166	231	328	1,957	134	161	1,628	2,222	332	5,917	275	13
42	5	4	48	127	5	65	11	39	2	4	6	56	4	6	29	90	1	129	14	14
21	5	7	20	24	1	26	2	6	2	5	------	11	1	2	18	11	2	59	4	15
17	5	6	21	42	3	21	5	9	1	3	4	27	------	1	17	25	4	51	1	16
24	4	------	38	34	2	19	1	6	4	3	3	14	------	1	18	21	5	52	------	17
46	6	5	58	68	1	44	3	24	7	4	3	34	4	1	37	38	4	117	1	18
27	5	2	38	88	------	73	4	43	1	4	5	32	2	6	57	42	6	151	5	19
23	7	------	23	20	9	20	4	8	------	4	6	27	2	3	8	17	6	64	8	20
33	9	7	41	85	7	104	4	98	6	7	7	53	10	5	63	129	18	140	10	21
18	2	3	18	51	3	35	4	11	1	3	------	12	1	------	15	17	8	63	2	22
20	1	2	21	43	1	29	1	11	2	3	9	26	1	------	8	38	2	46	3	23
12	2	3	18	23	1	12	1	5	------	------	4	8	------	1	6	11	2	30	1	24
26	9	1	32	43	2	28	1	9	2	8	3	39	1	1	11	21	1	59	2	25
23	5	1	24	31	1	19	1	6	------	3	1	14	------	------	15	16	3	47	------	26
13	1	3	35	63	2	35	3	5	3	1	4	30	4	1	12	18	2	70	3	27
24	4	1	28	40	1	21	6	11	------	1	2	13	1	1	14	12	4	55	2	28
51	8	6	42	93	12	66	5	31	3	4	6	78	4	1	38	45	9	128	9	29
21	6	4	24	46	6	33	2	14	2	2	1	32	4	------	18	36	4	77	4	30
27	9	1	38	35	4	30	3	7	1	5	5	33	3	3	13	30	10	87	6	31
57	5	1	56	120	14	48	10	33	3	------	11	72	2	7	31	62	5	113	5	32
26	4	2	47	76	9	26	3	11	4	6	4	30	3	4	20	27	6	103	7	33
24	1	3	25	27	4	17	3	13	1	3	2	17	1	2	14	17	6	61	2	34
24	4	5	46	30	2	21	------	10	2	5	8	17	2	2	16	37	3	40	1	35
16	9	1	38	76	4	15	3	4	1	4	3	20	------	------	14	24	5	81	2	36
13	2	------	27	43	------	17	2	15	------	1	2	16	1	------	10	13	3	63	1	37
18	3	2	18	25	1	15	3	7	9	------	------	19	1	4	13	14	1	56	6	38
46	1	------	43	63	8	29	------	30	1	3	2	32	------	4	22	37	5	86	------	39
23	9	4	28	37	4	16	1	5	1	------	4	10	3	1	15	17	1	45	------	40
21	2	5	20	54	2	33	3	11	3	2	4	17	2	------	11	17	------	99	4	41
15	2	3	15	20	------	10	5	5	2	2	4	8	1	2	11	7	1	36	------	42
25	8	------	27	77	9	45	3	16	2	1	6	19	2	1	16	23	5	76	2	43
20	2	3	20	34	6	33	3	26	3	2	2	13	2	------	34	29	2	59	4	44
36	9	3	55	75	7	54	6	33	1	6	13	42	3	7	31	62	9	88	7	45
21	2	2	16	27	------	13	------	8	1	2	2	7	2	------	12	15	2	38	------	46
23	2	1	27	39	3	26	2	10	3	1	2	29	1	1	24	29	4	62	5	47
21	2	------	20	20	3	17	3	8	1	------	1	15	------	1	7	9	2	58	3	48
22	4	3	30	24	1	23	------	10	3	4	3	8	2	------	12	15	6	50	------	49
14	5	9	28	60	7	15	6	11	------	3	2	23	1	1	16	10	3	68	3	50
9	2	3	13	19	2	18	2	15	3	2	1	19	2	1	17	25	1	42	2	51
15	5	1	17	32	2	14	3	7	3	1	4	8	1	------	13	10	1	34	4	52
43	7	1	42	63	6	23	4	11	4	1	8	21	1	2	17	34	4	100	4	53
16	------	1	19	40	4	27	4	11	3	2	5	17	1	5	16	18	2	42	9	54
29	5	6	32	45	2	30	6	53	3	2	6	37	4	2	32	52	4	102	4	55
23	3	1	38	52	3	27	2	10	3	4	2	23	2	------	13	21	8	72	5	56
32	5	3	20	51	5	24	1	10	2	4	------	20	------	2	9	25	4	69	7	57
12	1	2	19	21	3	19	2	13	------	1	4	12	1	------	16	13	1	43	5	58
17	5	2	42	55	3	24	2	12	1	2	1	21	2	1	17	28	5	68	2	59
23	5	------	24	54	3	11	4	15	3	4	4	20	1	2	13	14	3	80	2	60
25	3	2	35	60	8	28	5	12	------	3	8	28	1	3	23	27	6	72	1	61
19	4	------	16	33	4	15	1	12	2	------	5	24	2	------	22	30	2	52	------	62
19	7	1	12	29	4	16	1	17	1	1	2	15	1	1	14	21	3	51	5	63
26	6	1	33	54	7	98	2	71	2	4	------	21	1	2	32	55	7	71	1	64
13	1	1	19	29	------	12	3	8	2	5	4	12	------	2	12	17	1	30	------	65
27	4	------	35	25	3	24	2	9	------	------	1	21	------	1	14	23	------	42	4	66
11	1	3	40	33	1	24	5	9	3	3	1	22	3	------	11	22	------	90	3	67
19	3	1	19	30	4	18	2	10	------	3	5	15	1	3	25	7	3	51	5	68
38	7	2	32	30	1	36	------	13	3	1	1	24	1	3	28	35	2	83	1	69

[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA.

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	OHIO—continued.														
1	Monroe County	259	7	1	.....	3	.....	2	3	8	.....	28	.....	4	.....
2	Montgomery County	766	11	.....	.....	.....	4	1	16	7	5	49	2	4	1
3	Morgan County	178	5	.....	.....	.....	.....	.....	3	2	.....	17	1	2	.....
4	Morrow County	190	1	.....	.....	.....	.....	1	2	4	.....	9	1	2	2
5	Muskingum County	356	13	.....	1	3	2	3	3	6	.....	26	1	1	3
6	Noble County	244	6	.....	.....	7	.....	.....	2	3	.....	21	.....	.....	1
7	Ottawa County	254	3	.....	.....	.....	2	.....	1	4	.....	17	1	1	4
8	Paulding County	202	6	.....	.....	.....	.....	6	2	6	.....	18	.....	3	1
9	Perry County	438	12	.....	.....	4	2	10	4	8	.....	23	3	5	5
10	Pickaway County	344	8	.....	.....	1	1	8	2	14	.....	28	.....	3	2
11	Pike County	201	2	.....	.....	.....	2	6	2	4	1	27	.....	3	1
12	Portage County	453	19	1	.....	1	6	4	8	9	1	23	3	5	.....
13	Preble County	273	3	.....	.....	2	2	.....	3	3	.....	15	.....	3	2
14	Putnam County	310	6	.....	.....	2	1	9	4	3	2	19	1	3	1
15	Richland County	353	4	1	.....	1	2	7	3	4	4	17	3	3	3
16	Ross County	324	12	1	.....	1	1	12	1	7	.....	33	2	2	2
17	Sandusky County	366	10	1	.....	1	.....	.....	3	8	.....	20	1	2	4
18	Scioto County	323	13	.....	.....	5	1	4	11	4	.....	39	1	4	1
19	Seneca County	386	6	.....	.....	1	1	3	1	3	.....	29	4	.....	1
20	Shelby County	264	10	.....	.....	3	.....	5	.....	4	2	21	1	2	1
21	Stark County	682	3	1	.....	3	1	7	2	7	2	43	2	7	2
22	Summit County	608	7	.....	.....	1	5	9	15	8	4	37	3	4	5
23	Trumbull County	594	11	.....	.....	12	7	5	8	14	.....	26	2	2	4
24	Tuscarawas County	690	6	1	.....	17	1	6	10	17	1	47	2	6	5
25	Union County	261	10	.....	.....	.....	.....	1	3	2	.....	29	3	6	1
26	Van Wert County	301	6	.....	.....	.....	1	7	3	1	1	23	2	5	.....
27	Vinton County	144	5	1	.....	.....	2	2	3	2	.....	7	.....	1	.....
28	Warren County	349	6	2	.....	6	.....	.....	2	6	.....	26	2	2	2
29	Washington County	299	7	.....	.....	4	1	6	9	2	2	26	.....	3	1
30	Wayne County	518	4	.....	.....	6	.....	3	7	14	1	32	.....	6	2
31	Williams County	310	3	.....	.....	3	1	3	.....	2	.....	21	.....	4	.....
32	Wood County	548	16	1	.....	3	1	2	2	7	2	40	1	2	3
33	Wyandot County	235	7	.....	.....	1	2	2	2	4	.....	14	.....	4	.....
	PENNSYLVANIA.														
34	Total	57,148	685	13	6	920	417	515	998	634	187	3,719	159	360	384
35	White	56,120	670	12	6	912	415	494	996	632	186	3,528	152	345	374
36	Colored	1,028	15	1	.....	8	2	21	2	2	1	191	7	15	10
37	Adams County	439	5	.....	.....	4	.....	1	4	6	.....	43	2	2	3
38	Allegheny County	5,114	57	.....	4	132	58	55	83	33	20	435	16	38	39
39	Armstrong County	941	18	.....	.....	30	5	10	16	8	1	50	2	5	5
40	Beaver County	1,077	28	.....	.....	47	11	21	25	15	8	51	6	6	5
41	Bedford County	442	10	.....	.....	8	3	13	4	8	.....	24	1	1	6
42	Berks County	1,192	15	.....	.....	13	.....	2	9	16	2	85	3	9	9
43	Blair County	793	20	.....	.....	5	7	13	23	5	2	35	3	3	4
44	Bradford County	879	12	1	.....	2	.....	10	3	34	2	29	1	2	8
45	Bucks County	1,041	13	.....	.....	10	.....	7	11	16	7	87	5	10	8
46	Butler County	568	4	.....	.....	6	3	10	4	6	3	27	.....	7	4
47	Cambria County	1,724	13	.....	.....	57	46	38	78	10	10	157	7	13	6
48	Cameron County	85	.....	.....	.....	1	2	.....	1	1	.....	4	1	.....	.....
49	Carbon County	814	4	1	.....	8	5	5	9	13	2	49	1	5	7
50	Center County	563	7	.....	.....	1	2	1	3	13	2	31	3	7	7
51	Chester County	1,118	15	.....	1	9	3	11	6	13	1	86	4	8	9
52	Clarion County	475	10	.....	.....	7	3	11	5	10	.....	20	1	5	.....
53	Clearfield County	1,042	7	.....	.....	28	1	9	23	15	3	44	1	7	7
54	Clinton County	446	14	.....	.....	7	10	2	2	4	1	30	5	3	1
55	Columbia County	658	6	1	.....	6	2	1	16	11	2	25	.....	6	7
56	Crawford County	690	6	.....	.....	6	7	2	7	11	4	42	2	1	11
57	Cumberland County	551	7	1	.....	3	.....	4	8	14	.....	38	.....	5	5
58	Dauphin County	825	3	.....	.....	7	2	3	16	13	6	76	2	5	6
59	Delaware County	1,026	9	.....	.....	11	8	7	12	5	.....	96	9	7	7
60	Elk County	362	6	.....	.....	.....	1	3	8	1	3	16	1	.....	3
61	Erie County	748	3	.....	.....	5	9	7	6	19	2	29	3	4	5
62	Fayette County	2,199	35	.....	.....	63	20	26	59	12	7	99	4	15	20
63	Forest County	80	1	.....	.....	.....	.....	.....	.....	2	.....	4	.....	1	.....
64	Franklin County	820	7	.....	.....	5	3	12	7	10	.....	287	2	8	1
65	Fulton County	114	2	.....	.....	.....	.....	1	.....	3	.....	4	.....	2	1
66	Greene County	327	4	.....	.....	5	.....	.....	2	6	.....	33	1	3	4
67	Huntingdon County	545	12	.....	.....	5	1	4	9	9	1	36	.....	5	2
68	Indiana County	1,009	21	.....	.....	34	25	7	19	7	3	33	3	9	6
69	Jefferson County	776	13	.....	.....	14	13	15	17	7	4	23	1	6	3
70	Juniata County	184	4	1	.....	2	.....	2	6	5	.....	8	1	2	4
71	Lackawanna County	1,361	10	.....	.....	27	5	13	45	3	7	63	3	6	8

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
13	3	3	13	26	2	22	1	10	1	5	3	10	1	2	9	15	3	57	4	1
46	6	3	62	113	1	52	3	19	------	1	7	90	2	4	20	59	10	167	1	2
11	3	1	17	39	2	10	4	4	------	2	2	3	------	1	9	10	1	27	2	3
22	3	1	22	28	3	12	3	3	1	3	2	14	1	2	7	6	2	30	3	4
16	4	------	42	52	2	24	3	5	2	1	8	20	3	4	14	25	2	62	5	5
11	1	------	19	31	------	18	4	11	1	1	2	13	------	1	14	29	3	40	5	6
17	6	------	15	29	3	16	1	8	1	1	3	15	------	1	12	39	4	48	2	7
12	3	1	10	19	1	14	------	7	1	1	2	26	2	2	13	8	1	35	2	8
25	3	2	38	45	2	38	3	19	2	2	4	21	2	5	35	34	1	71	10	9
17	9	1	21	24	4	31	4	21	2	1	2	20	------	1	31	17	4	64	3	10
2	4	3	13	22	2	19	3	11	2	1	2	7	1	1	13	8	------	34	5	11
36	8	1	35	55	5	34	2	11	------	1	3	24	3	1	15	28	3	104	4	12
29	5	1	29	36	2	13	1	8	1	------	4	30	1	------	14	16	4	45	1	13
11	5	4	19	25	1	33	2	11	5	4	4	10	1	4	15	23	3	77	2	14
22	6	------	39	60	3	20	3	4	2	3	3	26	------	3	12	20	2	71	2	15
22	4	3	20	42	4	19	1	24	------	1	3	24	2	2	9	11	3	54	2	16
16	1	2	39	55	5	24	4	10	2	7	8	22	1	2	20	27	4	61	6	17
18	3	9	12	29	2	27	4	22	2	2	3	14	2	1	16	27	4	39	4	18
29	9	1	33	67	3	26	4	14	3	6	4	28	1	------	18	20	2	65	4	19
20	6	------	25	31	3	15	2	13	------	------	5	14	1	2	14	16	4	43	1	20
37	4	------	63	102	9	33	3	21	------	3	10	36	------	1	36	42	4	194	4	21
27	7	2	52	61	6	61	5	49	2	4	7	24	2	3	40	58	4	94	2	22
32	5	3	54	68	3	57	8	38	1	4	3	30	1	6	33	41	7	101	8	23
39	8	2	51	74	10	42	8	25	7	3	12	54	3	3	52	46	12	117	3	24
19	3	1	33	27	1	17	2	7	2	1	5	12	------	3	9	17	5	41	1	25
18	3	2	25	30	------	22	3	18	2	5	1	21	1	1	20	20	2	58	------	26
8	2	------	8	17	1	10	1	7	------	------	------	12	------	1	7	8	2	31	6	27
28	2	2	30	56	4	27	------	8	3	------	2	18	1	1	23	27	3	60	------	28
27	2	------	30	38	5	14	2	8	1	2	3	15	2	2	8	22	2	49	6	29
31	7	5	45	61	5	48	2	14	4	4	2	26	3	2	37	39	3	98	7	30
24	2	1	25	37	4	20	4	4	1	3	5	18	4	2	9	37	2	68	3	31
43	5	1	49	70	9	18	3	24	2	10	8	25	4	8	22	40	7	119	1	32
13	1	1	26	36	3	14	1	4	1	5	2	14	1	1	10	9	4	50	3	33
2,657	432	348	3,415	4,726	790	5,628	798	4,283	218	382	450	3,298	253	340	4,356	4,488	450	10,079	760	34
2,626	427	346	3,370	4,643	780	5,513	784	4,250	214	378	447	3,237	248	336	4,299	4,398	446	9,911	745	35
31	5	2	45	83	10	115	14	33	4	4	3	61	5	4	57	90	4	168	15	36
26	2	1	48	46	6	35	7	6	1	5	2	41	------	4	27	16	3	86	7	37
188	27	40	178	350	105	668	70	451	15	27	57	186	22	21	380	417	35	886	21	38
32	6	5	42	75	7	82	17	59	5	10	8	56	9	7	95	83	7	176	10	39
35	3	3	34	60	11	116	17	83	5	4	9	46	8	9	78	122	11	192	8	40
15	3	------	29	41	1	35	8	27	------	4	3	35	------	4	35	23	1	91	9	41
63	16	7	130	114	23	86	8	41	1	10	10	86	8	7	81	71	16	221	30	42
35	3	8	55	50	13	62	11	59	2	10	11	63	5	3	80	41	4	151	7	43
67	9	2	51	114	11	64	3	29	14	6	6	79	3	6	51	63	9	182	6	44
72	7	3	93	112	10	71	16	28	1	7	10	111	6	3	65	65	12	165	10	45
38	4	3	43	47	7	53	11	44	1	4	7	28	1	2	38	44	5	103	11	46
41	3	22	45	74	19	191	23	204	5	12	8	56	4	9	206	114	9	229	15	47
3	1	------	1	9	------	9	3	7	1	1	1	5	------	------	2	9	3	19	1	48
33	4	3	37	54	15	87	17	78	2	2	12	45	5	10	74	65	6	149	7	49
35	5	5	50	63	4	50	10	29	5	2	5	23	2	6	32	36	2	117	5	50
57	5	3	100	119	16	87	13	65	1	5	2	97	5	3	74	74	8	206	12	51
29	8	2	34	50	10	26	2	31	1	4	7	18	1	1	36	38	3	99	3	52
49	10	2	45	74	9	146	19	72	5	7	10	52	9	10	100	97	7	165	9	53
24	7	6	24	43	8	34	6	24	4	5	4	33	5	5	19	23	4	86	3	54
25	16	6	76	80	4	56	6	26	6	3	7	39	------	3	44	42	4	125	7	55
37	5	3	69	91	11	50	6	14	2	4	6	49	------	4	27	43	9	156	5	56
35	6	3	52	65	9	51	6	17	1	3	4	39	2	3	26	26	3	110	5	57
37	10	5	66	87	4	68	11	42	2	2	5	40	4	5	53	41	7	186	11	58
61	8	8	60	97	13	113	12	71	4	5	6	104	5	7	58	55	7	161	------	59
23	5	6	18	23	8	44	1	29	------	6	4	18	------	4	37	25	2	62	5	60
45	12	4	52	114	11	31	8	23	4	6	9	62	1	2	34	59	9	158	12	61
60	7	6	54	63	22	298	24	353	------	9	9	68	5	12	223	233	13	325	55	62
9	2	1	5	7	2	5	2	2	------	1	2	1	2	------	2	11	------	16	2	63
29	5	6	47	43	9	47	9	22	------	8	4	57	1	5	51	15	2	116	2	64
5	------	1	7	16	2	9	1	5	------	------	------	7	1	1	14	7	------	22	3	65
26	6	------	12	28	3	23	4	13	2	------	1	14	1	2	22	16	3	87	6	66
33	5	3	34	38	7	46	8	34	1	5	1	43	------	7	36	44	8	99	9	67
48	12	5	61	61	12	89	13	108	6	5	9	40	11	7	75	103	6	160	11	68
37	4	5	29	63	10	49	7	72	5	9	3	57	9	6	59	70	6	155	5	69
18	2	2	20	16	1	18	1	5	------	------	------	13	1	------	6	10	------	34	2	70
33	7	5	46	89	41	180	18	158	4	8	17	72	5	9	100	142	14	217	6	71

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	PENNSYLVANIA—continued.														
1	Lancaster County	1,493	15			19	3	2	24	19	9	108	10	14	5
2	Lawrence County	436	5			9	1	5	15	4		19		5	2
3	Lebanon County	581	12		1	16			17	5	2	36		4	3
4	Lehigh County	1,079	20			1	2	7	20	8	5	79	2	6	3
5	Luzerne County	2,925	12	1		14	36	18	63	14	18	170	6	9	16
6	Lycoming County	527	7			2		3	5	7	2	16	1	3	6
7	McKean County	434	3			5	4	3	3	3	2	19	1	1	3
8	Mercer County	679	12			8	2	2	6	11	1	30	1	7	4
9	Mifflin County	398	3			6	4	4	14	6	1	29		6	
10	Monroe County	325	1							7	1	31	1		4
11	Montgomery County	1,582	22	1		11		5	18	16	3	174	8	7	14
12	Montour County	272	3				1		3	3	3	24	1	1	2
13	Northampton County	1,018	3	1		13	1	15	18	9	3	55	4	7	11
14	Northumberland County	816	9	1		5	9	2	19	12	1	32	2	3	2
15	Perry County	335	7			6		1	1	4	1	20	1	1	2
16	Pike County	101	2				1	2		3		9			2
17	Potter County	318	6			3			7	8		10		2	3
18	Schuylkill County	2,503	19			20	31	8	59	15	8	161	2	7	15
19	Snyder County	166	4			1	1		1	2		11	2		3
20	Somerset County	968	23			9	9	19	37	8	5	31	2	4	7
21	Sullivan County	123	1				8	2	1	4		7			1
22	Susquehanna County	583	1	1		6	3	3	12	10	2	23		3	6
23	Tioga County	557	7	1		5			2	15	3	24	2	2	6
24	Union County	206	2							1		9			1
25	Venango County	493	9			2	3	7		5	1	45	3	4	2
26	Warren County	531	6			7	1		1	10		34	2	7	2
27	Washington County	2,094	21	1		74	19	29	31	22	4	84	4	10	8
28	Wayne County	382	2			1			5	5	1	25	1	2	1
29	Westmoreland County	2,931	34	1		100	23	48	57	25	6	120	5	20	20
30	Wyoming County	224	1					1	1	1		7	1	2	2
31	York County	1,040	12			9		3	12	8	2	78	3	7	7
	RHODE ISLAND.														
32	Total	1,566	8			10	1	7	24	26	1	107	6	19	4
33	White	1,548	8			10	1	7	23	26	1	106	6	19	4
34	Colored	18							1			1			
35	Bristol County	274	1				1		3	6		23	1	2	2
36	Kent County	153				2			2	1		8		2	1
37	Newport County	196				2		1	4	2		15	1	3	
38	Providence County	580	3			6		3	13	12	1	42	3	8	
39	Washington County	363	4					3	2	5		19	1	4	1
	UTAH.														
40	Total	2,836	62	2	6	109	12	32	26	32	6	98	4	8	21
41	White	2,760	62	2	6	105	12	32	26	32	6	78	3	8	21
42	Colored	76				4						20	1		
43	Beaver County	55				5	1	1		2		1			
44	Box Elder County	145	9			10	3		1	3		3	2		2
45	Cache County	220	4			7	1	1	2	6		5			1
46	Carbon County	142	7		1	6		2	2			2		2	1
47	Davis County	89				3						3		1	1
48	Emery County	64	2			1		2	1	1					
49	Garfield County	35	1			5									
50	Grand County	11	1							2		1			
51	Iron County	44	1					2	2			2			1
52	Juab County	114	3			9		1			1	5		1	1
53	Kane County	12	1												
54	Millard County	64	2			5								1	1
55	Morgan County	18													
56	Piute County	15								1		1			
57	Rich County	14													
58	Salt Lake County	495	5		1	12	2	7	10	3	1	33			
59	San Juan County	10	1												
60	Sanpete County	195	4		1	9	1	4	1		1	2	1	2	3
61	Sevier County	94	1			3	2	1	1	1	1	2			1
62	Summit County	99				3		3	2		1	3			2
63	Tooele County	64			2				1	2		5			1
64	Uinta County	123	4			4	1					14	1		1
65	Utah County	468	9	1	1	20		7	2	7		7		1	5
66	Wasatch County	91	3	1		6			1		1	3			
67	Washington County	42					1	1				1			
68	Wayne County	13	1												
69	Weber County	100	3			1				4		5			

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
92	8	3	141	157	20	137	20	68	4	10	13	103	4	4	115	68	14	275	9	1
17	3	2	22	35	6	48	11	39	2	4	5	15	1	5	27	36	4	81	8	2
21	6	3	53	47	6	57	16	29	.....	4	2	28	3	4	42	15	6	128	15	3
71	7	6	101	97	16	101	14	63	8	11	6	76	2	3	75	78	8	173	10	4
90	20	15	126	182	57	352	61	344	8	22	34	133	22	19	266	286	11	457	43	5
40	5	3	49	59	6	41	6	21	1	2	3	52	3	7	41	21	7	104	4	6
15	6	3	30	29	6	49	2	29	3	4	3	21	2	1	36	30	10	101	7	7
44	7	2	59	64	9	42	3	21	6	10	6	52	3	6	36	45	8	161	11	8
16	6	2	41	40	1	35	4	15	2	2	.....	21	3	1	38	33	4	57	4	9
16	4	1	35	35	5	22	2	12	4	1	1	25	1	2	22	21	6	64	1	10
90	19	8	128	166	22	139	23	77	5	11	14	119	6	8	105	94	15	248	6	11
23	1	2	21	31	2	20	3	8	1	9	1	11	1	.....	16	3	2	76	.....	12
57	10	10	87	92	17	94	11	82	1	8	3	76	2	4	85	69	10	149	11	13
35	5	6	49	70	14	90	17	58	4	5	5	51	4	8	64	87	2	136	9	14
14	3	2	30	46	1	27	3	7	.....	4	1	36	.....	1	22	17	2	72	3	15
4	2	.....	7	16	3	10	1	2	.....	.....	3	9	.....	.....	2	6	1	15	1	16
23	4	.....	17	28	2	27	3	9	.....	2	2	30	.....	.....	25	20	7	76	4	17
80	16	18	120	169	29	265	63	270	26	17	24	130	15	15	202	258	12	399	30	18
14	1	1	17	20	2	12	1	4	1	1	2	15	1	.....	11	6	1	28	3	19
41	2	11	30	80	4	88	13	89	5	6	6	39	4	5	104	87	9	169	22	20
6	.....	1	6	15	.....	13	1	7	.....	1	.....	9	.....	.....	10	13	.....	17	.....	21
31	2	3	38	62	8	68	6	25	8	4	6	33	.....	8	35	42	5	127	2	22
48	3	6	37	74	3	42	11	18	3	3	3	52	.....	3	28	16	7	123	10	23
13	1	1	30	43	3	9	2	6	.....	1	1	22	.....	2	15	6	4	33	1	24
28	3	3	48	42	3	34	5	14	2	6	3	36	.....	5	21	33	5	114	7	25
31	9	7	44	60	4	39	9	10	2	2	6	35	2	3	15	33	4	139	7	26
77	8	13	67	120	32	249	31	201	5	3	13	70	9	20	197	319	14	317	22	27
24	7	5	26	64	4	41	2	10	.....	6	1	26	3	1	17	26	3	70	3	28
105	20	18	120	155	49	278	43	368	8	12	19	103	17	8	257	309	13	394	176	29
16	5	2	16	28	1	25	5	1	.....	5	3	15	.....	2	9	25	5	43	2	30
72	4	7	73	124	11	95	8	45	3	7	2	72	4	8	78	43	13	221	9	31
119	23	5	115	188	32	127	10	84	5	12	16	125	4	11	98	92	14	267	6	32
118	23	5	114	183	32	127	10	83	5	12	15	124	4	11	98	91	14	263	5	33
1	.....	.....	1	5	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	1	.....	4	1	34
29	5	1	22	19	10	27	1	28	.....	1	1	18	.....	3	13	14	1	42	.....	35
8	3	1	12	21	3	10	3	3	.....	.....	2	13	1	.....	10	10	4	33	.....	36
11	3	.....	14	24	4	15	1	12	1	3	2	7	.....	3	16	8	2	41	1	37
38	7	3	39	59	8	52	2	31	2	3	8	50	2	3	45	34	6	94	3	38
33	5	.....	28	65	7	23	3	10	2	5	3	37	1	2	14	26	1	57	2	39
126	33	48	92	244	47	301	31	107	52	46	14	147	17	21	266	253	35	501	37	40
124	32	48	91	244	47	287	31	105	51	45	14	146	16	21	264	248	29	492	32	41
2	1	.....	1	.....	.....	14	.....	2	1	1	.....	1	1	.....	2	5	6	9	5	42
2	.....	.....	2	6	.....	6	.....	.....	.....	.....	.....	1	.....	.....	9	8	2	8	1	43
7	1	1	5	16	.....	16	2	7	2	3	.....	4	1	1	15	10	3	17	1	44
12	1	.....	13	20	3	22	2	6	4	4	1	9	.....	3	21	14	3	54	1	45
4	3	.....	1	4	2	18	.....	3	.....	3	1	3	2	2	15	32	1	21	4	46
7	1	4	2	13	4	8	.....	4	2	.....	.....	2	.....	.....	9	4	.....	21	.....	47
.....	2	.....	1	8	.....	5	1	4	2	3	.....	3	.....	1	13	4	.....	10	.....	48
.....	.....	1	1	5	.....	3	1	1	2	2	.....	1	.....	1	1	4	1	5	.....	49
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	3	.....	50
1	.....	1	3	6	1	4	.....	1	.....	3	.....	1	.....	.....	3	3	1	6	2	51
4	2	1	4	7	.....	16	3	3	2	2	.....	8	.....	1	19	9	.....	10	2	52
.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	5	.....	53
4	.....	.....	1	16	.....	3	1	4	1	.....	.....	2	2	2	4	8	.....	7	.....	54
1	.....	.....	1	3	.....	2	.....	2	.....	.....	.....	.....	.....	.....	3	1	.....	4	1	55
.....	.....	.....	2	.....	.....	.....	.....	1	1	.....	.....	2	.....	.....	2	4	1	.....	.....	56
1	1	1	.....	.....	1	.....	.....	.....	2	.....	.....	3	.....	.....	2	.....	.....	3	.....	57
23	4	7	8	33	10	41	6	23	2	8	4	45	3	1	39	78	5	76	5	58
.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	3	.....	.....	2	1	59
10	2	2	8	16	9	27	.....	4	6	1	1	18	1	.....	15	7	2	36	1	60
8	.....	1	2	9	1	12	1	5	1	.....	2	4	.....	.....	11	4	3	17	.....	61
1	1	.....	5	5	1	28	4	.....	2	3	1	3	1	1	4	6	1	17	1	62
1	.....	1	4	3	2	9	.....	3	1	.....	.....	3	1	1	7	7	1	9	.....	63
4	2	10	3	3	.....	18	1	6	3	1	.....	5	1	1	8	4	3	19	6	64
25	9	13	16	38	9	38	6	21	18	9	3	20	3	5	28	28	7	111	1	65
2	1	2	2	12	2	7	.....	4	1	.....	.....	3	1	.....	13	7	1	14	4	66
1	1	.....	.....	4	1	3	1	2	.....	1	.....	3	1	.....	6	1	.....	11	3	67
.....	.....	2	.....	1	.....	2	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	3	1	68
8	1	1	8	14	1	11	2	2	.....	3	.....	4	.....	.....	11	7	.....	12	2	69

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	VERMONT.														
1	Total	4,882	26	2	.....	62	8	30	27	118	3	263	23	38	19
2	White	4,872	26	2	.....	62	8	30	27	117	3	262	23	38	19
3	Colored	10	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
4	Addison County	282	2	.....	.....	8	.....	1	2	11	.....	17	.....	1	1
5	Bennington County	318	1	.....	.....	.....	.....	.....	.....	5	.....	16	2	2	1
6	Caledonia County	440	3	.....	.....	11	.....	2	1	10	.....	32	2	2	2
7	Chittenden County	341	2	.....	.....	2	.....	1	4	2	.....	21	4	2	.....
8	Essex County	105	1	.....	.....	2	.....	3	.....	3	.....	6	.....	2	.....
9	Franklin County	446	2	.....	.....	3	.....	5	1	13	.....	21	1	6	2
10	Grand Isle County	52	.....	.....	.....	.....	.....	.....	.....	2	.....	4	.....	2	.....
11	Lamoille County	184	.....	1	.....	5	.....	2	1	5	1	8	2	1	3
12	Orange County	319	3	.....	.....	3	1	2	1	9	.....	10	.....	2	.....
13	Orleans County	373	3	.....	.....	2	4	3	3	4	.....	14	1	2	.....
14	Rutland County	509	1	1	.....	4	2	3	1	7	.....	33	4	4	2
15	Washington County	464	2	.....	.....	3	1	1	2	16	1	34	1	6	1
16	Windham County	502	5	.....	.....	3	.....	6	8	12	.....	22	4	3	2
17	Windsor County	547	1	.....	.....	16	.....	1	3	19	1	25	2	3	5
	VIRGINIA.														
18	Total	21,741	592	112	8	302	45	226	270	221	39	2,446	60	205	107
19	White	12,960	358	47	1	207	44	155	213	150	36	1,191	41	106	64
20	Colored	8,781	234	65	7	95	1	71	57	71	3	1,255	19	99	43
21	Accomac County (total)	408	15	1	.....	1	.....	3	2	2	.....	50	.....	2	3
22	White	211	7	1	.....	1	.....	.....	2	2	.....	25	.....	1	3
23	Colored	197	8	.....	.....	.....	.....	3	.....	.....	.....	25	.....	1	.....
24	Albemarle County (total)	453	12	.....	.....	3	1	4	4	.....	3	38	3	5	2
25	White	247	4	.....	.....	2	1	3	3	.....	2	18	3	1	1
26	Colored	206	8	.....	.....	1	.....	1	1	.....	1	20	.....	4	1
27	Alexandria County (total)	121	.....	.....	.....	1	.....	.....	.....	2	.....	11	.....	2	.....
28	White	72	.....	.....	.....	1	.....	.....	.....	2	.....	5	.....	1	.....
29	Colored	49	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	1	.....
30	Alleghany County (total)	132	3	.....	.....	1	.....	.....	1	1	1	17	1	3	3
31	White	88	3	.....	.....	1	.....	.....	1	1	1	7	.....	1	2
32	Colored	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	1	2	1
33	Amelia County (total)	158	1	.....	1	2	.....	.....	2	1	.....	19	.....	2	.....
34	White	42	.....	.....	.....	.....	.....	.....	2	.....	.....	3	.....	.....	.....
35	Colored	116	1	.....	1	2	.....	.....	.....	1	.....	16	.....	2	.....
36	Amherst County (total)	231	5	.....	.....	2	.....	2	4	1	1	25	1	1	2
37	White	131	3	.....	.....	1	.....	2	2	1	1	11	1	.....	.....
38	Colored	100	2	.....	.....	1	.....	.....	2	.....	.....	14	.....	1	2
39	Appomattox County (total)	71	5	.....	.....	2	.....	.....	.....	1	.....	6	.....	.....	1
40	White	44	5	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
41	Colored	27	.....	.....	.....	1	.....	.....	.....	1	.....	5	.....	.....	1
42	Augusta County (total)	440	7	.....	.....	12	.....	.....	4	5	.....	50	1	1	2
43	White	352	6	.....	.....	11	.....	.....	3	2	.....	30	1	1	2
44	Colored	88	1	.....	.....	1	.....	.....	1	3	.....	20	.....	.....	.....
45	Bath County (total)	62	1	.....	.....	.....	.....	.....	2	1	.....	9	1	.....	.....
46	White	49	.....	.....	.....	.....	.....	.....	2	1	.....	5	1	.....	.....
47	Colored	13	1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....
48	Bedford County (total)	345	11	2	.....	10	1	3	8	4	.....	40	1	4	1
49	White	226	4	2	.....	9	1	1	4	4	.....	25	1	2	1
50	Colored	119	7	.....	.....	1	.....	2	4	.....	.....	15	.....	2	.....
51	Bland County (total)	58	5	.....	.....	.....	.....	2	.....	1	.....	5	.....	1	.....
52	White	57	5	.....	.....	.....	.....	2	.....	1	.....	5	.....	1	.....
53	Colored[2]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
54	Botetourt County (total)	212	.....	.....	.....	2	.....	4	5	5	3	30	1	3	1
55	White	169	.....	.....	.....	2	.....	3	5	3	3	19	.....	.....	1
56	Colored	43	.....	.....	.....	.....	.....	1	.....	2	.....	11	1	3	.....
57	Bristol city (total)	64	1	.....	.....	.....	.....	1	1	.....	.....	11	.....	2	.....
58	White	45	1	.....	.....	.....	.....	1	1	.....	.....	7	.....	1	.....
59	Colored	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	1	.....
60	Brunswick County (total)	266	4	2	1	1	.....	1	3	2	1	23	.....	2	2
61	White	92	3	1	.....	1	.....	.....	1	.....	1	5	.....	.....	1
62	Colored	174	1	1	1	.....	.....	1	1	2	.....	18	.....	2	1
63	Buchanan County (total)	204	8	1	.....	7	.....	.....	12	2	1	11	.....	2	.....
64	White	203	8	1	.....	7	.....	.....	12	2	1	11	.....	2	.....
65	Colored[2]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
66	Buckingham County (total)	181	.....	1	.....	3	.....	2	1	1	1	12	.....	1	2
67	White	92	.....	.....	.....	1	.....	.....	1	1	.....	5	.....	.....	1
68	Colored	89	.....	1	.....	2	.....	2	.....	.....	1	7	.....	1	1
69	Buena Vista city (total)	37	.....	.....	.....	1	2	.....	.....	2	1	3	.....	.....	2
70	White	33	.....	.....	.....	1	2	.....	.....	2	1	2	.....	.....	2
71	Colored	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
72	Campbell County (total)	231	9	1	.....	2	.....	4	5	5	2	21	2	5	1
73	White	126	5	.....	.....	2	.....	1	4	3	2	10	1	3	1
74	Colored	105	4	1	.....	.....	.....	3	1	2	.....	11	1	2	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
347	64	36	408	711	106	433	38	127	32	40	29	367	15	29	205	252	50	965	9	1
347	64	35	408	711	105	432	38	127	32	40	29	366	15	29	205	250	49	964	9	2
.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	2	1	1	.....	3
18	4	2	23	48	7	18	1	8	2	3	2	23	.....	2	12	12	4	50	.....	4
20	4	.....	29	44	14	27	2	16	.....	4	3	32	1	.....	16	8	3	68	.....	5
27	9	3	36	53	10	49	2	8	5	3	3	29	.....	5	19	26	3	85	.....	6
18	3	5	24	40	5	31	1	13	6	4	6	39	3	.....	13	25	6	61	.....	7
8	.....	.....	5	11	2	3	1	2	.....	1	.....	7	1	1	8	7	.....	31	.....	8
25	6	6	36	60	10	44	1	19	2	4	3	33	3	5	29	18	4	84	.....	9
1	1	1	1	9	1	7	.....	2	.....	1	.....	3	.....	.....	3	1	.....	13	.....	10
16	3	1	10	28	7	8	1	7	.....	1	.....	14	.....	.....	9	7	3	38	2	11
31	4	4	32	48	8	31	4	2	1	2	3	18	.....	3	12	9	1	75	.....	12
28	4	2	33	64	5	38	1	11	3	2	.....	30	.....	3	13	27	4	67	2	13
41	5	1	30	86	7	39	7	17	3	6	1	32	1	3	24	39	6	98	1	14
41	6	4	48	64	6	47	7	6	2	.....	2	31	2	2	17	21	6	83	1	15
34	5	3	56	65	12	41	3	9	6	4	2	47	3	4	10	25	7	101	.....	16
39	10	4	45	91	12	50	7	7	2	5	4	29	1	1	20	27	3	111	3	17
724	118	217	837	1,725	201	1,307	180	1,021	61	94	96	1,264	98	203	1,037	1,288	75	4,060	2,502	18
535	99	166	522	1,048	119	780	104	722	47	52	59	763	65	97	755	754	63	2,450	1,147	19
189	19	51	315	677	82	527	76	299	14	42	37	501	33	106	282	534	12	1,610	1,355	20
14	5	.....	21	46	3	33	2	29	2	.....	2	28	4	6	20	21	5	58	30	21
9	5	.....	12	21	2	16	1	14	2	.....	1	17	2	1	9	12	5	33	7	22
5	.....	.....	9	25	1	17	1	15	.....	.....	1	11	2	5	11	9	.....	25	23	23
23	4	5	20	47	4	22	3	20	5	7	2	25	2	7	23	27	1	95	36	24
17	3	4	13	27	3	15	1	15	3	3	1	14	2	2	13	12	.....	46	15	25
6	1	1	7	20	1	7	2	5	2	4	1	11	.....	5	10	15	1	49	21	26
4	1	.....	11	16	1	10	2	8	.....	1	.....	11	.....	.....	8	9	.....	19	4	27
1	1	.....	9	8	1	8	.....	7	.....	.....	.....	6	.....	.....	8	5	.....	8	1	28
3	.....	.....	2	8	.....	2	2	1	.....	1	.....	5	.....	.....	.....	4	.....	11	3	29
6	.....	1	3	7	4	4	1	8	.....	.....	.....	5	1	2	14	14	.....	24	7	30
6	.....	1	2	4	2	3	1	5	.....	.....	.....	3	1	2	10	9	.....	16	6	31
.....	.....	.....	1	3	2	1	.....	3	.....	.....	.....	2	.....	.....	4	5	.....	8	1	32
3	.....	.....	4	19	.....	9	2	3	1	.....	.....	6	.....	3	.....	8	1	32	39	33
2	.....	.....	2	4	.....	2	.....	2	.....	.....	.....	3	.....	2	.....	1	1	12	6	34
1	.....	.....	2	15	.....	7	2	1	1	.....	.....	3	.....	1	.....	7	.....	20	33	35
6	1	2	5	24	1	7	.....	9	.....	2	3	8	.....	6	8	17	3	51	34	36
4	1	2	4	12	1	6	.....	6	.....	.....	3	5	.....	3	6	10	2	30	14	37
2	.....	.....	1	12	.....	1	.....	3	.....	2	.....	3	.....	3	2	7	1	21	20	38
2	.....	1	2	10	.....	3	1	4	.....	.....	1	4	.....	1	4	.....	.....	14	9	39
2	.....	1	2	7	.....	2	1	3	.....	.....	.....	2	.....	1	4	.....	.....	7	5	40
.....	.....	.....	.....	3	.....	1	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....	7	4	41
16	3	6	21	57	6	32	8	29	.....	.....	4	28	1	4	25	23	2	78	15	42
15	3	6	17	45	5	26	6	26	.....	.....	4	17	1	4	24	19	1	65	12	43
1	.....	.....	4	12	1	6	2	3	.....	.....	.....	11	.....	.....	1	4	1	13	3	44
4	.....	3	1	2	1	2	2	4	.....	1	.....	9	.....	2	3	3	.....	9	2	45
3	.....	3	1	2	1	1	1	4	.....	1	.....	7	.....	.....	3	3	.....	8	2	46
1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	2	.....	2	.....	.....	.....	1	.....	47
13	1	6	17	36	7	21	1	14	.....	.....	1	22	2	6	19	22	2	53	17	48
11	1	5	7	23	4	12	1	12	.....	.....	1	12	2	2	13	18	2	37	9	49
2	.....	1	10	13	3	9	.....	2	.....	.....	.....	10	.....	4	6	4	.....	16	8	50
.....	.....	3	2	4	1	4	.....	7	.....	.....	.....	2	.....	1	3	4	.....	9	4	51
.....	.....	3	2	4	1	4	.....	7	.....	.....	.....	1	.....	1	3	4	.....	9	4	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	53
8	1	3	5	18	4	17	2	11	.....	.....	.....	9	3	2	24	12	2	34	3	54
8	1	3	5	16	4	17	1	11	.....	.....	.....	7	3	2	16	11	2	24	2	55
.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	2	.....	.....	8	1	.....	10	1	56
2	.....	.....	1	5	.....	8	1	2	.....	.....	.....	5	.....	.....	4	6	.....	10	4	57
1	.....	.....	1	2	.....	6	.....	2	.....	.....	.....	5	.....	.....	4	4	.....	6	3	58
1	.....	.....	.....	3	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	4	1	59
5	1	1	10	26	2	14	4	8	.....	1	3	9	1	4	13	15	2	52	54	60
2	1	1	5	13	2	3	2	3	.....	.....	[2] 1	5	.....	2	8	4	2	17	8	61
3	.....	.....	5	13	.....	11	2	5	.....	1	2	4	1	2	5	11	.....	35	46	62
3	.....	1	.....	4	1	3	2	5	2	.....	.....	2	.....	.....	6	20	2	27	82	63
3	.....	1	.....	4	1	3	2	5	2	.....	.....	2	.....	.....	6	20	2	27	81	64
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	65
3	1	1	11	19	2	9	.....	6	1	2	1	11	3	.....	3	11	.....	23	50	66
3	1	1	8	8	.....	4	.....	5	1	2	1	3	1	.....	3	4	.....	15	23	67
.....	.....	.....	3	11	2	5	.....	1	.....	.....	.....	8	2	.....	.....	7	.....	8	27	68
.....	.....	2	2	1	.....	3	.....	6	.....	.....	.....	1	.....	.....	3	4	.....	3	1	69
.....	.....	2	1	.....	.....	3	.....	6	.....	.....	.....	1	.....	.....	3	3	.....	3	1	70
.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	71
4	1	.....	9	11	4	15	1	19	.....	.....	.....	18	1	2	12	15	1	42	19	72
2	.....	.....	3	5	1	9	.....	14	.....	.....	.....	10	1	2	11	5	1	23	7	73
2	1	.....	6	6	3	6	1	5	.....	.....	.....	8	.....	.....	1	10	.....	19	12	74

[2] Colored population less than 10 per cent of the total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	VIRGINIA—continued.														
1	Caroline County (total)	201	8			10		1				33		2	
2	White	82	3			6						10			
3	Colored	119	5			4		1				23		2	
4	Carroll County (total)	212	7		1	4	1		3	4	1	18	2	1	2
5	White	209	7		1	4	1		3	4	1	18	2	1	2
6	Colored [2]	3													
7	Charles City County (total)	56	3						1			10			1
8	White	14													
9	Colored	42	3						1			10			1
10	Charlotte County (total)	143	2			3		1	2	1		25		2	
11	White	55				1			1			2		1	
12	Colored	88	2			2		1	1	1		23		1	
13	Charlottesville city (total)	97	2			1		1	2			10		2	1
14	White	64	2			1		1				6			1
15	Colored	33							2			4		2	
16	Chesterfield County (total)	341	11	2		3		7	3	1		43	4	4	4
17	White	197	7	1		2		4	3	1		23	2	2	2
18	Colored	144	4	1		1		3				20	2	2	2
19	Clarke County (total)	90	3			2		1				10			
20	White	61	1			2		1				4			
21	Colored	29	2									6			
22	Clifton Forge city (total)	49	3						1			5		1	
23	White	35	1						1			2		1	
24	Colored	14	2									3			
25	Craig County (total)	56							1			6			
26	White	52							1			6			
27	Colored [2]	4													
28	Culpeper County (total)	146				2				1	1	8	1	1	
29	White	80				1				1	1	4			
30	Colored	66				1						4	1	1	
31	Cumberland County (total)	86	2	1		1			1		1	9			
32	White	19	1	1							1	3			
33	Colored	67	1			1			1			6			
34	Dickenson County (total)	123	3			2			3			3		3	
35	White	94	2			2			3			3		3	
36	Colored [2]	29	1												
37	Dinwiddie County (total)	368	4	3		2				2		37		4	
38	White	61	2	1		2				1		5		1	
39	Colored	307	2	2						1		32		3	
40	Elizabeth City County (total)	333	2	1		5	1		3		2	27	1	6	2
41	White	131	2			1	1				2	10		2	1
42	Colored	202		1		4			3			17	1	4	1
43	Essex County (total)	122	5	1						1		13		4	
44	White	41	1									3		1	
45	Colored	81	4	1						1		10		3	
46	Fairfax County (total)	253	2			2	1	4	1	10		37	3	2	1
47	White	170	2			2	1	2	1	8		17	1	2	1
48	Colored	83						2		2		20	2		
49	Fauquier County (total)	264	3			1		5	1	4		34	2	1	3
50	White	163				1		2	1	2		17	1		1
51	Colored	101	3					3		2		17	1	1	2
52	Floyd County (total)	151	4						2	10		15		5	3
53	White	138	4						2	10		13		4	3
54	Colored [2]	13										2		1	
55	Fluvanna County (total)	119	2			3			2			14	1		
56	White	57	1			1			2			5	1		
57	Colored	62	1			2						9			
58	Franklin County (total)	275	7			2		4	2	3	2	35	1	3	1
59	White	203	3			1		3	2	2	2	29	1	2	1
60	Colored	72	4			1		1		1		6		1	
61	Frederick County (total)	158	2			3			1	4	1	16		2	1
62	White	148	2			2			1	4	1	14		1	1
63	Colored [2]	10				1						2		1	
64	Fredericksburg city (total)	84	3						2			11			
65	White	63	3						2			8			
66	Colored	21										3			
67	Giles County (total)	126	3			7			1	2		7		1	1
68	White	117	3			7			1	2		7			1
69	Colored [2]	9												1	
70	Gloucester County (total)	137	4	1		2						20		1	
71	White	57	4	1		2						5		1	
72	Colored	80										15			
73	Goochland County (total)	126	1	1		3				1		23			2
74	White	34		1		1						1			1
75	Colored	92	1			2				1		22			1
76	Grayson County (total)	235	9			4	2	3	12	1	2	19		2	
77	White	221	9			4	2	3	12	1	2	15		1	
78	Colored [2]	14										4		1	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
8	.....	1	11	14	1	16	.....	8	1	.....	.....	10	.....	3	17	12	1	29	15	1
6	.....	.....	8	6	1	7	.....	4	1	.....	.....	2	.....	.....	8	4	.....	10	6	2
2	.....	1	3	8	.....	9	.....	4	.....	.....	.....	8	.....	3	9	8	1	19	9	3
10	2	2	.....	12	1	15	2	8	3	.....	.....	9	1	3	14	5	.....	32	49	4
10	1	2	.....	12	1	15	2	8	3	.....	.....	8	1	2	14	5	.....	32	49	5
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	6
2	.....	.....	2	2	.....	4	1	3	.....	.....	.....	8	.....	.....	.....	2	.....	3	14	7
.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....	5	.....	.....	.....	1	.....	2	1	8
2	.....	.....	2	2	.....	2	.....	1	.....	.....	.....	3	.....	.....	.....	1	.....	1	13	9
4	.....	1	1	8	1	4	2	3	.....	1	.....	9	.....	4	.....	7	.....	34	28	10
2	.....	1	.....	2	.....	3	2	2	.....	.....	.....	7	.....	2	.....	2	.....	16	11	11
2	.....	.....	1	6	1	1	.....	1	.....	1	.....	2	.....	2	.....	5	.....	18	17	12
7	1	2	.....	21	.....	12	.....	4	.....	2	.....	3	.....	.....	1	4	.....	18	3	13
7	1	2	.....	13	.....	11	.....	2	.....	1	.....	2	.....	.....	1	1	.....	11	1	14
.....	.....	.....	.....	8	.....	1	.....	2	.....	1	.....	1	.....	.....	.....	3	.....	7	2	15
12	.....	4	20	22	3	21	2	17	.....	2	2	42	3	3	23	15	2	48	18	16
6	.....	4	14	14	2	12	1	11	.....	.....	1	25	2	1	18	5	1	26	7	17
6	.....	.....	6	8	1	9	1	6	.....	2	1	17	1	2	5	10	1	22	11	18
1	.....	1	3	15	3	4	1	6	1	.....	.....	6	1	.....	6	4	.....	14	8	19
1	.....	1	3	12	1	3	1	5	1	.....	.....	4	.....	.....	5	4	.....	7	5	20
.....	.....	.....	.....	3	2	1	.....	1	.....	.....	.....	2	1	.....	1	.....	.....	7	3	21
1	1	2	4	2	.....	5	.....	2	1	.....	.....	4	.....	.....	2	3	.....	11	1	22
1	1	2	3	2	.....	5	.....	1	1	.....	.....	2	.....	.....	2	2	.....	8	.....	23
.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	1	.....	3	1	24
1	1	1	.....	5	1	7	1	2	.....	.....	.....	3	.....	.....	6	4	.....	10	7	25
1	1	1	.....	5	1	6	1	2	.....	.....	.....	3	.....	.....	6	2	.....	9	7	26
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	27
9	.....	1	10	16	1	5	3	5	.....	1	3	7	1	.....	11	6	1	33	19	28
6	.....	1	8	11	1	2	2	3	.....	1	2	3	1	.....	6	2	1	19	4	29
3	.....	.....	2	5	.....	3	1	2	.....	.....	1	4	.....	.....	5	4	.....	14	15	30
.....	.....	.....	2	10	1	3	2	.....	1	.....	1	4	1	.....	.....	7	.....	12	27	31
.....	.....	.....	.....	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	4	4	32
.....	.....	.....	2	8	1	2	2	.....	.....	.....	1	4	1	.....	.....	6	.....	8	23	33
3	1	2	2	1	2	9	.....	4	.....	.....	1	5	.....	.....	4	37	.....	13	25	34
3	1	2	2	.....	2	7	.....	3	.....	.....	1	5	.....	.....	3	15	.....	12	25	35
.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	1	22	.....	1	.....	36
5	.....	1	30	22	2	7	2	7	1	.....	.....	41	1	2	11	11	.....	145	28	37
1	.....	.....	3	2	1	2	1	1	1	.....	.....	10	1	.....	5	2	.....	15	4	38
4	.....	1	27	20	1	5	1	6	.....	.....	.....	31	.....	2	6	9	.....	130	24	39
11	2	3	20	41	3	27	3	10	2	5	.....	29	3	3	28	15	3	74	1	40
9	2	1	8	15	.....	7	1	2	1	.....	.....	13	.....	.....	7	10	3	33	.....	41
2	.....	2	12	26	3	20	2	8	1	5	.....	16	3	3	21	5	.....	41	1	42
2	.....	.....	4	5	.....	5	1	7	1	1	.....	5	.....	1	2	4	.....	34	26	43
1	.....	.....	1	1	.....	3	.....	4	.....	.....	.....	2	.....	1	.....	2	.....	16	5	44
1	.....	.....	3	4	.....	2	1	3	1	1	.....	3	.....	.....	2	2	.....	18	21	45
13	4	2	10	31	1	12	2	17	.....	1	1	14	.....	3	13	4	1	52	9	46
10	4	2	7	23	.....	6	.....	13	.....	1	1	12	.....	3	7	2	1	36	5	47
3	.....	.....	3	8	1	6	2	4	.....	.....	.....	2	.....	.....	6	2	.....	16	4	48
6	.....	4	23	26	2	17	1	12	.....	.....	1	23	.....	3	9	12	3	57	11	49
5	.....	3	17	21	1	11	1	8	.....	.....	1	10	.....	3	6	8	3	36	4	50
1	.....	1	6	5	1	6	.....	4	.....	.....	.....	13	.....	.....	3	4	.....	21	7	51
9	.....	3	9	11	3	7	3	7	2	.....	.....	11	1	1	12	7	.....	21	5	52
7	.....	3	7	11	3	6	3	6	2	.....	.....	9	1	1	12	7	.....	21	3	53
2	.....	.....	2	.....	.....	1	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	2	54
6	1	.....	6	18	.....	2	.....	2	.....	1	.....	11	.....	.....	4	3	.....	34	9	55
5	1	.....	4	6	.....	1	.....	2	.....	.....	.....	8	.....	.....	2	2	.....	16	.....	56
1	.....	.....	2	12	.....	1	.....	.....	.....	1	.....	3	.....	.....	2	1	.....	18	9	57
9	3	2	7	9	2	23	3	2	1	1	2	18	.....	2	7	17	.....	63	44	58
9	3	1	5	3	1	18	2	2	1	.....	2	12	.....	1	5	10	.....	48	34	59
.....	.....	1	2	6	1	5	1	.....	.....	1	.....	6	.....	1	2	7	.....	15	10	60
9	3	1	9	20	2	10	3	2	.....	2	.....	9	1	.....	2	5	2	35	13	61
9	3	1	9	19	2	10	3	1	.....	2	.....	9	1	.....	2	4	2	33	12	62
.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	63
3	1	.....	6	12	3	3	1	3	.....	.....	.....	6	.....	.....	3	2	.....	21	4	64
3	1	.....	4	8	3	2	.....	2	.....	.....	.....	6	.....	.....	3	2	.....	15	1	65
.....	.....	.....	2	4	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	3	66
6	.....	.....	9	5	5	8	1	11	1	.....	.....	5	.....	1	12	8	1	23	8	67
6	.....	.....	9	4	5	8	1	10	1	.....	.....	3	.....	1	11	8	1	21	7	68
.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	2	.....	.....	1	.....	.....	2	1	69
6	.....	1	13	10	2	5	.....	2	.....	2	.....	15	.....	2	3	7	.....	22	19	70
3	.....	1	7	2	.....	4	.....	.....	.....	1	.....	.....	.....	.....	3	5	.....	12	6	71
3	.....	.....	6	8	2	1	.....	2	.....	1	.....	15	.....	2	.....	2	.....	10	13	72
2	1	.....	3	5	1	6	1	3	.....	.....	.....	11	.....	2	3	7	.....	24	26	73
2	.....	.....	3	1	.....	5	.....	.....	.....	.....	.....	4	.....	.....	3	1	.....	7	4	74
.....	1	.....	.....	4	1	1	1	3	.....	.....	.....	7	.....	2	.....	6	.....	17	22	75
2	.....	3	3	15	3	22	2	4	1	3	.....	9	2	1	19	11	.....	45	36	76
2	.....	3	3	14	3	21	2	4	1	3	.....	9	2	.....	18	11	.....	43	33	77
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	3	78

[2] Colored population less than 10 per cent of the total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	VIRGINIA—continued.														
1	Greene County (total)	76	1			2			2	1		4			
2	White	61				2			2	1		3			
3	Colored	15	1									1			
4	Greensville County (total)	187	7	14		1			1			17			1
5	White	55	1	7		1			1			4			
6	Colored	132	6	7								13			1
7	Halifax County (total)	543	5	3	1	27	2	9	2	14		62		10	3
8	White	215	4			9	2	5	1	6		18		4	1
9	Colored	328	1	3	1	18		4	1	8		44		6	2
10	Hanover County (total)	281	5			6	2		2	6		28		1	3
11	White	138				4	2		2	4		9			2
12	Colored	143	5			2				2		19		1	1
13	Henrico County (total)	358	5			4	1	1	2	1		67	2	3	2
14	White	227	3			4		1	2	1		57	2	1	1
15	Colored	131	2				1					10		2	1
16	Henry County (total)	230	13				1	8	6	1		26	1	2	2
17	White	126	7				1	5	5			13	1		1
18	Colored	104	6					3	1	1		13		2	1
19	Highland County (total)	60	1			2			1			5		1	
20	White	57	1			2			1			5			
21	Colored[2]	3												1	
22	Isle of Wight County (total)	200	3	4					3	1		31		2	2
23	White	76	1	3					2	1		8			
24	Colored	124	2	1					1			23		2	2
25	James City County (total)	187	2	3					3			33		2	
26	White	122		3								19			
27	Colored	65	2						3			14		2	
28	King and Queen County (total)	114	2	1		4			1	1	2	13		3	1
29	White	45				3					2	3			
30	Colored	69	2	1		1			1	1		10		3	1
31	King George County (total)	89	1	1							1	19			1
32	White	36	1	1							1	5			1
33	Colored	53										14			
34	King William County (total)	172	4	1		2			2			27			1
35	White	47				1			2			5			1
36	Colored	125	4	1		1						22			
37	Lancaster County (total)	167	8	2		2			3	2		12		1	
38	White	51	2						1			1		1	
39	Colored	116	6	2		2			2	2		11			
40	Lee County (total)	348	20	2			1	12	14	4	1	41		6	1
41	White	333	18	1			1	11	13	4	1	38		6	1
42	Colored[2]	15	2	1				1	1			3			
43	Loudoun County (total)	269	9			8		4	5	4	2	21		2	
44	White	180	6			7		2	5	4	2	12		1	
45	Colored	89	3			1		2				9		1	
46	Louisa County (total)	237	3			6		1	3			32		1	
47	White	95	1			5		1	3			6			
48	Colored	142	2			1						26		1	
49	Lunenburg County (total)	164	5	1		2		1	3	1		17	1		
50	White	67	2	1		1			1	1		1	1		
51	Colored	97	3			1		1	2			16			
52	Madison County (total)	120	1			1	1	1	4	2		17			
53	White	71	1			1	1		4			7			
54	Colored	49						1		2		10			
55	Mathews County (total)	132	4	2					4			12		1	
56	White	77	1	1					4			4		1	
57	Colored	55	3	1								8			
58	Mecklenburg County (total)	385	9	1		15	1	4	1	3		47			4
59	White	131	5			4	1	2	1	1		10			1
60	Colored	254	4	1		11		2		2		37			3
61	Middlesex County (total)	111	5			1				2		11		2	
62	White	40	3			1						4		1	
63	Colored	71	2							2		7		1	
64	Montgomery County (total)	242	11			5	1	3	1	2		25		2	1
65	White	179	8			4	1	3	1	2		19		1	
66	Colored	63	3			1						6		1	1
67	Nansemond County (total)	416	14	9	1	1			4	2		48	1	5	
68	White	152	5	2					2	1		9			
69	Colored	264	9	7	1	1			2	1		39	1	5	
70	Nelson County (total)	198	7			1		6	3	1		18		1	
71	White	118	2					4		1		6		1	
72	Colored	80	5			1		2	3			12			
73	New Kent County (total)	61		1		2						3			1
74	White	8										1			
75	Colored	53		1		2						2			1
76	Norfolk County (total)	570	12	20	1	1		14	6	5		52		5	2
77	White	214	5	7				2	4	1		13		1	
78	Colored	356	7	13	1	1		12	2	4		39		4	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
			1	7		4		1		1		2	1		2	5		15	27	1
			1	5		2		1		1		2	1		1	5		13	21	2
				2		2									1			2	6	3
5		1	2	5	4	7		4		1	3	9			5	11	1	27	61	4
1			2	1	1	4		2				2			3	4	1	8	12	5
4		1		4	3	3		2		1	3	7			2	7		19	49	6
19	5	7	12	42	5	36	3	20	3	4	5	14	2	6	17	26	2	105	72	7
14	3	3	2	16	3	13	1	5	2	3	1	5	2	4	8	9	1	44	26	8
5	2	4	10	26	2	23	2	15	1	1	4	9		2	9	17	1	61	46	9
8	3	5	16	32	1	21	2	17				21	3	1	8	14	1	45	30	10
4	2	3	12	16	1	14	1	8				11	1		4	7		23	8	11
4	1	2	4	16		7	1	9				10	2	1	4	7	1	22	22	12
15	1	5	13	27	5	20	6	27	2	1	3	29			19	26	3	52	16	13
11	1	3	5	17	3	12	2	18	2		1	20			7	12	3	34	4	14
4		2	8	10	2	8	4	9		1	2	9			12	14		18	12	15
7	1	4	12	15	2	21	1	3	1	1		12		1	11	15		43	20	16
4	1	3	4	9	1	7	1	2	1			8			6	9		27	10	17
3		1	8	6	1	14		1		1		4		1	5	6		16	10	18
3	1	1	3	5		2		3		1		6		1	7	4		8	5	19
3	1	1	3	5		2		3		1		5		1	7	4		7	5	20
												1						1		21
8	1	1	11	14	2	8	6	9		1	4	7	1	2	8	9		40	22	22
5	1	1	3	8	1	1	3	3		1	3	2	1	2	2	2		17	5	23
3			8	6	1	7	3	6			1	5			6	7		23	17	24
7			17	23		4	2	2	1			16	2	1	3	7	1	55	3	25
5			16	10		2	2	1				12				5	1	46		26
2			1	13		2		1	1			4	2	1	3	2		9	3	27
5	1		2	8		3	1	7		1		5	1	2	4	3		23	20	28
4	1		1	4		2		4				4		1	1	2		8	5	29
1			1	4		1	1	3		1		1	1	1	3	1		15	15	30
2			5	5	1	5		7		1		2			1	4	1	14	18	31
2			1	5		2		3		1					1			8	4	32
			4		1	3		4				2				4	1	6	14	33
5	1	2	9	15	4	10		3	1	2	1	9		2	9	11		29	17	34
1			3	5	2	1		1	1			6			1	4		11	2	35
4	1	2	6	10	2	9		7		2	1	3		2	8	7		18	15	36
3	4		8	5		6	2	6	1	3		21	2	4	6	10		26	30	37
1	3		5	3		1	1	2	1	2		7			3			11	6	38
2	1		3	2		5	1	4		1		14	2	4	3	10		15	24	39
5	2	8	5	12		14	3	24	1		1	9	2	3	23	28	3	48	55	40
5	2	8	5	12		13	3	23	1		1	9	2	3	22	27	3	46	54	41
						1		1							1	1		2	1	42
13	1	4	17	29	2	25	7	7	1	1		21	1	1	6	11	1	49	17	43
11	1	2	11	17	2	15	5	7	1	1		11	1	1	4	8	1	36	6	44
2		2	6	12		10	2					10			2	3		13	11	45
9	2	1	10	34		5	3	3	1		4	10		1	2	8	1	56	41	46
3		1	4	12		3	2	1	1		2	6			2	4	1	22	15	47
6	2		6	22		2	1	2			2	4		1		4		34	26	48
4		1	2	8	1	7	2	1		1		15		1	8	13		31	38	49
2			2	6		6	2	1				7			5	4		13	11	50
2		1		2	1	1				1		8		1	3	9		18	27	51
6	1		6	10	2	11		4				3		3	5	5	1	31	5	52
5			2	7	1	8		1				1		2	5	2	1	20	2	53
1	1		4	3	[2] 1	3		3				2		1		3		11	3	54
6	1		4	13		4	3	4				9		1	7	5		39	13	55
4			4	9		3	1	1				7		1	3	3		23	7	56
2	1			4		1	2	3				2			4	2		16	6	57
12	2	5	14	24	2	18	2	5		2	1	9	1	8	14	15		75	91	58
8	2	2	10	11		8		2		1	1	3		3	6	2		32	15	59
4		3	4	13	2	10	2	3		1		6	1	5	8	13		43	76	60
5			2	7		8	1	4				7	1	2	6	4		22	21	61
4			1	4		3						1	1		2			8	7	62
1			1	3		5	1	4				6		2	4	4		14	14	63
8	2		3	21	1	17	2	14	2	1		17	2	3	20	15		44	19	64
2	1		2	18		13	2	12	1	1		13	2		17	11		33	12	65
6	1		1	3	1	4		2	1			4		3	3	4		11	7	66
12	3	3	7	27	5	29	6	33	2	1	1	25	3	6	9	25		87	47	67
7	2		4	16	2	5	1	10		1	1	15	1	1	6	10		42	9	68
5	1	3	3	11	3	24	5	23	2			10	2	5	3	15		45	38	69
7	2		10	26	2	12	2	9	1	1	2	8		6	8	11		26	28	70
6			8	16	1	10	2	5		1	2	7		3	8	7		16	12	71
1	2		2	10	1	2		4	1			1		3		4		10	16	72
				5	1	9		2			1	5		2	1	2		12	14	73
												3				2		1	1	74
				5	1	9		2			1	2		2	1			11	13	75
17	1	3	26	36	14	54	5	34		1	6	31	1	8	26	52	3	95	39	76
8	1	2	13	11	1	13	2	17		1	4	15		1	21	26	2	35	8	77
9		1	13	25	13	41	3	17			2	16	1	7	5	26	1	60	31	78

[2] Colored population less than 10 per cent of the total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	VIRGINIA—continued.														
1	Northampton County (total)	176	5			1		1	1	5		11		1	2
2	White	50							1	3		2			1
3	Colored	126	5			1		1		2		9		1	1
4	Northumberland County (total)	175	8	1				4		3		13		1	
5	White	87	2					1		2		4		1	
6	Colored	88	6	1				3		1		9			
7	Nottoway County (total)	166	7			1		3		1		16			
8	White	69				1		1				3			
9	Colored	97	7					2		1		13			
10	Orange County (total)	149	4			4			2	1		11		1	1
11	White	88	1			3			1			4		1	1
12	Colored	61	3			1			1	1		7			
13	Page County (total)	184	7			1	1		7	2		17			1
14	White	171	6			1	1		7	2		13			1
15	Colored [2]	13	1									4			
16	Patrick County (total)	147				3	5		3	1	1	11	3	2	
17	White	137				3	5		3		1	10	2	2	
18	Colored [2]	10								1		1	1		
19	Pittsylvania County (total)	540	16	2	1	14	1		10	4		62	1	7	1
20	White	282	10			11	1		8	3		27		7	1
21	Colored	258	6	2	1	3			2	1		35	1		
22	Powhatan County (total)	85	2			3		2				8		1	1
23	White	21						1							
24	Colored	64	2			3		1				8		1	1
25	Prince Edward County (total)	263	5			6	1	3	5	2		35		3	1
26	White	73				2	1	1	2			7		1	
27	Colored	190	5			4		2	3	2		28		2	1
28	Prince George County (total)	134	1	1				1	2	2		22			
29	White	32		1					2	1		4			
30	Colored	102	1					1		1		18			
31	Prince William County (total)	140	1	1		2		3	1			15		3	
32	White	104	1	1		2		1	1			11		2	
33	Colored	36						2				4		1	
34	Princess Anne County (total)	244	7	4				1			1	43	1	1	
35	White	94	2	1				1			1	14			
36	Colored	150	5	3								29	1	1	
37	Pulaski County (total)	188	2			10		3	4	1		16		3	1
38	White	139	1			9		2	4	1		9		2	1
39	Colored	49	1			1		1				7		1	
40	Radford city (total)	51	1						1			5			1
41	White	48	1						1			5			
42	Colored	3													1
43	Rappahannock County (total)	90	1			4			1	1		8			
44	White	64				3			1			3			
45	Colored	26	1			1				1		5			
46	Richmond County (total)	87	2						1			9		1	
47	White	38	1									2			
48	Colored	49	1						1			7		1	
49	Roanoke County (total)	317	9			3	3	4	2	5	1	56	1		1
50	White	228	9			3	3	4	2	4		32	1		1
51	Colored	89								1	1	24			
52	Rockbridge County (total)	252	4			2		2	6	2		28	2	1	
53	White	195	3			2		2	4	1		15	1	1	
54	Colored	57	1						2	1		13	1		
55	Rockingham County (total)	415	5			3	1	1	6	5		54		5	2
56	White	372	3			3	1	1	6	5		45		4	2
57	Colored [2]	43	2									9		1	
58	Russell County (total)	268	12					8	2	3		17	2	3	3
59	White	242	10					8	2	2		12	1	3	2
60	Colored [2]	26	2							1		5	1		1
61	Scott County (total)	269	14			1	1	6	6	2	2	41	1	4	1
62	White	255	13			1	1	6	6	2	2	37	1	4	1
63	Colored [2]	14	1									4			
64	Shenandoah County (total)	257	11			2	1		2	7		26		3	2
65	White	246	10			2	1		2	7		25		3	2
66	Colored [2]	11	1									1			
67	Smyth County (total)	305	17			5		9	1	4	1	32			2
68	White	290	15			4		9	1	4	1	28			1
69	Colored [2]	15	2			1						4			1
70	Southampton County (total)	351	5	13		4			6	4		49			2
71	White	99	3	5					1	2		10			1
72	Colored	252	2	8		4			5	2		39			1
73	Spotsylvania County (total)	126	5	1						1		11			1
74	White	64	3							1		5			1
75	Colored	62	2	1								6			
76	Stafford County (total)	97	4			2		1	2			10		2	
77	White	73	3			2			2			4		2	
78	Colored	24	1					1				6			

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
4			5	17	3	7	2	7	1			13		3	3	14		28	42	1
1			2	9		2		1				3			2	6		9	8	2
3			3	8	3	5	2	6	1			10		3	1	8		19	34	3
6		1	8	14	1	3		12				9		1	5	29	1	18	37	4
5			4	9		3		7				4			2	19	1	9	14	5
1		1	4	5	1			5				5		1	3	10		9	23	6
7		1	9	9		5		10	1		2	14		2	5	17		40	16	7
6			8	4		2		6			2	8		1	3	4		16	4	8
1		1	1	5		3		4	1			6		1	2	13		24	12	9
7	1		9	19		10		2			3	7		2	7	9		32	17	10
5	1		7	16		4					1	5			3	7		21	7	11
2			2	3		6		2			2	2		2	4	2		11	19	12
7	2	3	8	12	3	13	4	8		1		10	2	2	7	9		39	18	13
7	2	3	8	12	3	10	4	8		1		9	2	2	6	9		38	16	14
						3						1			1			1	2	15
2	1	4	6	7	1	6		7				3	3	1	3	9		34	31	16
2	1	4	6	6	1	6		7				2	3	1	3	8		32	29	17
				1								1				1		2	2	18
16	1	10	19	32	5	52	2	29	1	3	1	32	3	5	23	23	2	114	42	19
8	1	5	8	19	2	23	1	25	1	2		17	2	3	15	16	1	49	16	20
8		5	11	13	3	29	1	4		1	1	15	1	2	8	13	1	65	26	21
3	2		3	11		5	1	2				6		1	4	7		10	13	22
1	1		3	3				1				3		1	1			4	2	23
2	1			8		5	1	1				3			3	7		6	11	24
12	3	2	8	21	2	24	1	6	1	1		13	1		5	10	1	43	48	25
3	3	1	2	7	1	3	1	3	1			6	1		1	1	1	15	9	26
9		1	6	14	1	21		3		1		7			4	9		28	39	27
2		2	9	11	1	7	2	5				9		1	3	9	1	18	25	28
1		1	1	4		1		3				1				3	1	4	4	29
1		1	8	7	1	6	2	2				8		1	3	6		14	21	30
5	1		7	11	1	9	1	9				12		2	11	8	1	26	10	31
5	1		4	8	1	6	1	7				10		2	10	5	1	19	5	32
			3	3		3		2				2			1	3		7	5	33
6	2	2	7	26	1	16	1	8			6	20	1	1	10	7		65	7	34
3	2	1	2	10		5		5			1	10			7	3		24	2	35
3		1	5	16	1	11	1	3			5	10	1	1	3	4		41	5	36
8	3	2	3	19	4	10	1	15			2	5	2		16	10	1	29	18	37
7	3	1	3	11	4	7	1	13			1	3	2		12	9	1	21	11	38
1		1		8		3		2			1	2			4	1		8	7	39
	1	1	2	3	2	5		2				1			5	3		15	3	40
	1	1	1	3	2	5		2				1			5	3		14	3	41
			1															1		42
6		2	2	7		6		2	1	1		3			2	4		19	20	43
6		1	1	5		5		2				2			2	3		14	16	44
		1	1	2		1			1	1		1				1		5	4	45
2	1		4	6		4	1	5				5		1	6	5		19	15	46
1	1		1	3		2	1	2				3		1	4	2		8	6	47
1			3	3		2		3				2			2	3		11	9	48
14	2	6	5	36	1	23	2	23	2	1	1	9	3	3	13	23		56	9	49
12	2	5	4	26	1	17	1	22	2			6	2	2	8	12		42	5	50
2		1	1	10		6	1	1		1	1	3	1	1	5	11		14	4	51
14	1	2	7	18	5	15	3	13		1	1	22	1		12	17	3	43	27	52
13	1	2	7	15	4	11	1	12			1	16	1		12	15	3	34	18	53
1				3	1	4	2	1		1		6				2		9	9	54
30	1	2	22	41	8	24	6	15	1	3	3	28	3	2	27	10	2	85	20	55
28	1	2	19	39	7	21	4	15	1	3	3	24	3	2	24	9	2	78	17	56
2			3	2	1	3	2					4			3	1		7	3	57
5	2	3	6	6		17		16		3	2	11	3	5	20	45		38	36	58
5	2	2	6	6		17		15		3	1	11	3	5	20	33		38	35	59
		1						1			1					12			1	60
12	2	9		10	2	24	1	17	1			14	2	1	13	6		44	32	61
11	2	9		9	2	23	1	17	1			14	2	1	13	6		41	29	62
1				1		1												3	3	63
7	2	3	17	29	3	15	5	13	1		2	13	1	2	11	8	2	55	14	64
7	2	3	16	28	3	14	5	13	1		2	13	1	2	11	6	2	53	12	65
			1	1		1										2		2	2	66
9	1	5	13	23	5	9	1	9	1	3		6		3	30	14	1	80	21	67
8	1	5	13	22	5	8	1	9	1	3		6		2	30	14	1	77	21	68
1				1		1								1				3		69
5		1	14	13	1	18	1	15		2	1	18		3	5	9		49	113	70
3			9	5		5		8			1	10			3	2		15	16	71
2		1	5	8	1	13	1	7		2		8		3	2	7		34	97	72
7	4	2	1	14	1	1	1	3			1	4	1		12	7		32	16	73
5	3			7		1		3				1			7	4		16	7	74
2	1	2	1	7	1		1				1	3	1		5	3		16	9	75
2			4	8		7	2	7			2	6	1		4	3		22	8	76
1			3	7		6	1	7			2	6			4	2		17	4	77
1		1	1	1		1	1						1			1		5	4	78

[2] Colored population less than 10 per cent of the total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	VIRGINIA—continued.														
1	Surry County (total)	140	5						2	3		21		1	2
2	White	39	2							1		4			
3	Colored	101	3						2	2		17		1	2
4	Sussex County (total)	206	7	3		1				4		35	2	4	2
5	White	51	4	2						1		5			
6	Colored	155	3	1		1				3		30	2	4	2
7	Tazewell County (total)	207	7						5	5		17	2	3	1
8	White	168	7						5	4		14	1	1	1
9	Colored	39								1		3	1	2	
10	Warren County (total)	114	17				1		2	1		11	2		
11	White	92	13				1					11	2		
12	Colored	22	4						2	1					
13	Warwick County (total)	130	6	2	1	1		2		1		20			1
14	White	24	1							1		2			
15	Colored	106	5	2	1	1		2				18			1
16	Washington County (total)	418	17			9	2	26	3	11	1	50	7	6	3
17	White	384	15			9	2	25	3	11	1	47	7	6	3
18	Colored[2]	34	2					1				3			
19	Westmoreland County (total)	86	5			2				1	1	11		4	1
20	White	39	2			1					1	2		2	1
21	Colored	47	3			1				1		9		2	
22	Winchester city (total)	149	6			1		2		2		17		1	1
23	White	120	4			1		2		1		11		1	1
24	Colored	29	2							1		6			
25	Wise County (total)	561	18			3	8	27	11	1		47	5	10	2
26	White	497	16			2	8	25	10	1		39	5	8	1
27	Colored[2]	64	2			1		2	1			8		2	1
28	Wythe County (total)	199	6			8	1		1	2	1	21			1
29	White	174	6			8	1		1	1	1	18			1
30	Colored	25								1		3			
31	York County (total)	113	4	1		1			2			13		1	1
32	White	45		1		1			1			3			1
33	Colored	68	4						1			10		1	
	WASHINGTON.														
34	Total	5,693	89		2	46	12	60	19	54	15	532	35	50	21
35	White	5,420	86		2	43	12	58	19	51	14	475	34	46	21
36	Colored	273	3			3		2		3	1	57	1	4	
37	Adams County	54	1			1		1		1		4	1		
38	Asotin County	41			1							2			
39	Benton County	44						1		1		2			
40	Chehalis County	214	4			3		2		1	1	11	3	2	1
41	Chelan County	172	5			2	3		1	3		15		4	
42	Clallam County	109	2			2						10		1	
43	Clarke County	272	2		1	1	1	6	1	4		26	4	2	2
44	Columbia County	57	4					1		2		2		1	
45	Cowlitz County	89	1						1			4	1	1	
46	Douglas County	48	2			2	1	1		1		4		1	
47	Ferry County	43									1	4			2
48	Franklin County	29	1					1				4		1	
49	Garfield County	30	1						2			1			
50	Grant County	34	2							2		3			
51	Island County	41						1		1		1		1	
52	Jefferson County	100				1		1				6		1	1
53	King County	464	2			6	1	7	3	2	1	63	3	3	1
54	Kitsap County	193	1			2	1		1		1	17	1	1	1
55	Kittitas County	176	2			3	3	2			2	14		1	1
56	Klickitat County	62	2							1		4			1
57	Lewis County	318	19			2		2	1		3	27	6		1
58	Lincoln County	132	1			2		4		3		3	2	1	
59	Mason County	47										4	1	1	1
60	Okanogan County	104	5					1		2		14		1	
61	Pacific County	109	2					1		1		11			2
62	Pend Oreille County	29						1				3			
63	Pierce County	531	3			5		6	1	3	1	66		1	
64	San Juan County	43										2		1	1
65	Skagit County	280	3			3		4	2	5	1	19	2	3	1
66	Skamania County	22										1			
67	Snohomish County	291	4			1		2	1	4		30	2	3	
68	Spokane County	380	3			2		4	3	2	2	46	1	8	1
69	Stevens County	131	1			1		4		3		7	2	1	1
70	Thurston County	193	5			1		2		2		27		2	1
71	Wahkiakum County	5													
72	Walla Walla County	67	2				1					7		1	
73	Whatcom County	222				3		5			1	20	3	3	1
74	Whitman County	277	8				1		1	4	1	24	1	3	
75	Yakima County	240	1			3			1	6		24	2	1	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
6	-------	1	9	7	1	4	-------	9	-------	-------	-------	9	1	-------	4	10	-------	19	26	1
3	-------	-------	2	2	1	1	-------	4	-------	-------	-------	5	-------	-------	2	2	-------	9	1	2
3	-------	1	7	5	-------	3	-------	5	-------	-------	-------	4	1	-------	2	8	-------	10	25	3
5	1	-------	8	7	3	7	-------	14	-------	-------	1	17	2	6	5	14	-------	25	33	4
1	1	-------	2	1	1	1	-------	5	-------	-------	1	11	1	2	1	3	-------	5	3	5
4	-------	-------	6	6	2	6	-------	9	-------	-------	-------	6	1	4	4	11	-------	20	30	6
9	5	4	4	13	-------	17	2	6	3	-------	3	8	2	-------	20	22	1	34	14	7
9	5	4	3	11	-------	13	2	6	3	-------	3	7	1	-------	20	15	1	21	11	8
-------	-------	-------	1	2	-------	4	-------	-------	-------	-------	-------	1	1	-------	-------	7	-------	13	3	9
2	-------	-------	4	14	1	7	-------	2	-------	1	1	9	-------	1	5	2	-------	22	9	10
2	-------	-------	4	13	-------	5	-------	1	-------	1	1	6	-------	1	5	2	-------	17	7	11
-------	-------	-------	-------	1	1	2	-------	1	-------	-------	-------	3	-------	-------	-------	-------	-------	5	2	12
3	-------	2	7	4	1	4	2	9	-------	1	1	6	-------	1	10	14	-------	19	12	13
-------	-------	1	1	-------	-------	1	-------	3	-------	-------	-------	3	-------	-------	4	4	-------	3	-------	14
3	-------	1	6	4	1	3	2	6	-------	1	1	3	-------	1	6	10	-------	16	12	15
16	2	8	10	18	1	27	3	27	1	5	-------	20	4	3	19	21	1	62	35	16
14	2	7	8	18	1	23	2	27	1	5	-------	15	2	3	16	19	1	58	33	17
2	-------	1	2	-------	-------	4	1	-------	-------	-------	-------	5	2	-------	3	2	-------	4	2	18
1	-------	-------	6	6	-------	7	-------	3	-------	-------	1	6	1	2	5	4	-------	15	4	19
-------	-------	-------	3	2	-------	5	-------	3	-------	-------	1	4	-------	-------	1	3	-------	8	-------	20
1	-------	-------	3	4	-------	2	-------	-------	-------	-------	-------	2	1	2	4	1	-------	7	4	21
6	1	3	2	12	3	4	1	6	2	2	-------	22	1	-------	8	9	-------	34	3	22
6	1	3	2	9	2	2	1	4	2	1	-------	18	1	-------	6	9	-------	30	2	23
-------	-------	-------	-------	3	1	2	-------	2	-------	1	-------	4	-------	-------	2	-------	-------	4	1	24
10	-------	9	6	20	2	37	4	65	-------	4	-------	13	2	1	45	67	-------	87	57	25
10	-------	9	4	15	2	30	3	61	-------	2	-------	13	2	1	42	56	-------	76	56	26
-------	-------	-------	2	5	-------	7	1	4	-------	2	-------	-------	-------	-------	3	11	-------	11	1	27
9	1	1	8	22	1	12	2	17	-------	1	2	13	2	2	11	7	5	33	9	28
8	1	1	8	20	1	8	1	16	-------	1	2	9	2	2	10	7	3	30	7	29
1	-------	-------	-------	2	-------	4	1	1	-------	-------	-------	4	-------	-------	1	-------	2	3	2	30
5	-------	3	6	14	-------	11	-------	2	-------	-------	-------	6	-------	1	4	8	-------	20	10	31
4	-------	2	4	7	-------	3	-------	1	-------	-------	-------	3	-------	1	4	2	-------	7	-------	32
1	-------	1	2	7	-------	8	-------	1	-------	-------	-------	3	-------	-------	-------	6	-------	13	10	33
280	79	29	332	558	36	376	40	165	48	53	28	312	39	41	318	771	111	1,026	116	34
277	79	27	330	543	34	354	40	148	43	52	27	310	38	40	310	733	109	986	79	35
3	-------	2	2	15	2	22	-------	17	5	1	1	2	1	1	8	38	2	40	37	36
2	-------	-------	2	3	1	1	-------	2	-------	-------	-------	3	1	-------	7	6	2	14	1	37
5	-------	-------	2	8	-------	2	1	-------	-------	-------	1	3	2	-------	3	3	2	5	1	38
2	-------	-------	2	4	-------	3	-------	1	-------	-------	-------	6	1	-------	5	2	1	13	-------	39
14	5	1	19	16	-------	14	-------	11	4	6	1	8	1	1	17	42	2	23	1	40
4	2	-------	6	14	1	9	2	5	1	3	1	8	4	-------	14	23	2	34	6	41
3	1	-------	5	3	1	6	2	2	-------	-------	-------	4	-------	-------	6	14	3	23	21	42
10	5	1	21	37	2	16	3	8	3	4	1	14	1	2	9	28	4	53	-------	43
2	3	-------	6	7	-------	3	-------	-------	-------	-------	-------	3	-------	-------	1	5	1	15	1	44
4	1	1	5	13	-------	5	1	2	-------	1	-------	2	-------	-------	6	21	1	18	-------	45
1	-------	-------	1	8	-------	3	-------	-------	-------	-------	-------	4	-------	-------	6	3	1	9	-------	46
1	-------	-------	2	6	-------	2	-------	1	-------	-------	-------	1	-------	-------	2	6	2	8	5	47
-------	-------	-------	-------	3	-------	4	-------	2	-------	-------	-------	1	-------	-------	-------	7	1	3	1	48
2	1	-------	2	2	-------	-------	-------	-------	1	-------	1	1	-------	-------	2	6	1	7	-------	49
-------	-------	-------	-------	-------	4	1	-------	2	-------	1	-------	1	2	3	4	4	-------	4	1	50
4	1	-------	4	7	1	1	-------	-------	-------	1	-------	5	-------	-------	1	2	-------	10	-------	51
6	1	-------	11	16	1	5	2	2	2	-------	-------	6	-------	1	4	12	2	18	1	52
16	5	4	20	53	1	23	3	10	5	8	4	27	3	4	25	91	6	60	4	53
10	3	-------	5	26	-------	17	3	6	1	1	-------	11	3	-------	6	24	1	47	3	54
3	1	5	6	16	1	20	2	5	2	1	-------	12	3	-------	14	27	2	25	3	55
2	2	-------	3	8	-------	7	-------	1	-------	-------	-------	2	-------	1	3	6	4	13	2	56
14	7	-------	13	25	-------	14	2	14	5	4	1	18	1	4	22	61	7	38	7	57
10	2	1	11	11	1	18	-------	1	2	-------	1	14	-------	4	8	10	-------	18	4	58
2	1	-------	1	3	1	5	-------	-------	-------	-------	-------	1	-------	-------	-------	13	-------	10	3	59
7	-------	-------	6	3	1	4	1	10	-------	1	-------	4	-------	4	4	14	5	16	1	60
3	1	1	5	6	-------	8	-------	5	2	-------	-------	3	-------	-------	10	22	4	19	3	61
1	1	1	7	2	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	5	4	2	1	-------	62
31	3	2	42	44	1	23	3	15	1	7	3	34	1	2	11	72	11	130	9	63
1	3	1	5	5	1	4	-------	1	1	-------	-------	1	-------	-------	2	3	-------	10	1	64
14	6	4	15	28	-------	21	1	3	4	2	4	14	4	3	12	33	3	56	5	65
1	-------	-------	-------	3	-------	-------	-------	1	-------	-------	-------	1	-------	-------	-------	10	-------	4	1	66
13	4	6	18	29	2	12	3	8	2	3	3	19	1	2	20	45	8	44	2	67
16	5	-------	21	35	5	37	3	6	1	3	-------	29	1	2	17	22	7	96	2	68
7	1	-------	7	9	4	7	2	2	3	1	2	4	3	1	10	16	4	23	5	69
13	3	-------	16	23	1	7	2	1	1	1	-------	8	3	-------	7	27	5	32	3	70
-------	1	-------	1	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	1	71
2	-------	-------	3	7	-------	7	1	-------	-------	-------	-------	5	1	2	4	3	3	17	1	72
19	-------	-------	14	23	2	13	3	7	4	1	-------	8	2	3	12	29	4	38	4	73
19	7	-------	12	31	1	26	-------	14	3	3	4	18	-------	2	17	27	8	40	2	74
16	3	1	13	21	3	26	-------	17	-------	1	1	9	1	-------	22	22	2	32	11	75

[2] Colored population less than 10 per cent of the total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA.

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	WISCONSIN.														
1	Total	17,124	91	5	3	108	102	112	118	207	39	1,293	52	118	98
2	White	16,968	91	4	3	107	102	112	118	207	38	1,263	52	116	98
3	Colored	156	.....	1	.....	1	.....	.....	.....	.....	1	30	.....	2	.....
4	Adams County	102	1	.....	.....	1	.....	1	2	5	.....	6	.....	.....	.....
5	Ashland County	72	.....	.....	.....	.....	.....	3	1	.....	.....	5	2	.....	.....
6	Barron County	293	1	.....	1	7	2	3	2	4	.....	18	1	1	3
7	Bayfield County	107	3	.....	.....	1	.....	1	.....	.....	.....	6	1	.....	5
8	Brown County	266	2	.....	1	.....	4	4	3	.....	.....	19	2	1	2
9	Buffalo County	131	.....	.....	.....	2	1	.....	.....	1	.....	9	.....	2	.....
10	Burnett County	92	.....	.....	.....	1	.....	1	.....	.....	.....	6	.....	2	.....
11	Calumet County	162	1	.....	.....	1	.....	1	.....	.....	.....	13	1	.....	1
12	Chippewa County	378	3	.....	.....	3	5	4	2	8	2	37	1	2	4
13	Clark County	253	4	.....	1	1	.....	4	1	3	.....	12	.....	2	3
14	Columbia County	382	2	.....	.....	.....	2	4	1	9	2	27	.....	1	1
15	Crawford County	198	.....	1	.....	1	.....	.....	1	3	1	12	2	2	1
16	Dane County	578	5	1	.....	1	2	2	4	8	5	51	1	6	3
17	Dodge County	522	1	.....	.....	3	2	2	2	9	.....	33	.....	5	6
18	Door County	157	1	.....	.....	2	.....	5	.....	1	.....	7	.....	2	.....
19	Douglas County	67	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	1	.....
20	Dunn County	237	1	.....	.....	2	1	3	.....	1	.....	22	.....	1	1
21	Eau Claire County	115	.....	.....	.....	1	.....	2	.....	.....	.....	10	.....	1	.....
22	Florence County	32	1	.....	.....	.....	.....	1	.....	.....	.....	5	.....	.....	.....
23	Fond du Lac County	335	2	.....	.....	.....	1	1	5	8	.....	21	.....	2	.....
24	Forest County	61	.....	.....	.....	.....	.....	.....	2	.....	.....	6	.....	1	3
25	Grant County	403	1	.....	.....	.....	1	1	2	12	.....	21	1	3	.....
26	Green County	233	.....	.....	.....	.....	2	.....	.....	2	.....	14	1	2	.....
27	Green Lake County	191	1	.....	.....	3	.....	1	3	2	.....	9	.....	2	1
28	Iowa County	204	.....	.....	.....	1	.....	.....	3	.....	.....	12	.....	2	.....
29	Iron County	96	.....	.....	.....	4	.....	.....	.....	.....	.....	6	.....	1	.....
30	Jackson County	167	1	.....	.....	.....	.....	.....	1	5	.....	9	.....	1	3
31	Jefferson County	406	1	.....	.....	1	6	2	2	6	3	34	1	2	2
32	Juneau County	215	1	.....	.....	.....	2	1	4	2	1	22	.....	2	.....
33	Kenosha County	126	.....	.....	.....	4	2	.....	4	3	.....	9	1	1	1
34	Kewaunee County	174	.....	.....	.....	2	2	1	5	4	.....	15	2	2	.....
35	La Crosse County	156	.....	.....	.....	.....	.....	.....	1	.....	.....	9	.....	.....	3
36	Lafayette County	172	.....	.....	.....	2	.....	2	1	2	1	8	.....	.....	2
37	Langlade County	165	2	.....	.....	.....	.....	1	3	.....	.....	10	.....	.....	.....
38	Lincoln County	165	1	.....	.....	.....	.....	.....	1	3	.....	9	.....	2	1
39	Manitowoc County	290	2	.....	.....	1	1	.....	1	2	1	24	1	1	.....
40	Marathon County	320	3	.....	.....	.....	5	11	3	2	1	16	.....	4	2
41	Marinette County	161	.....	.....	.....	1	1	1	1	.....	.....	10	.....	3	.....
42	Marquette County	119	1	.....	.....	3	.....	2	2	2	1	11	1	.....	1
43	Milwaukee County	1,404	5	.....	.....	3	17	2	21	6	4	235	8	9	4
44	Monroe County	314	1	.....	.....	2	1	.....	1	10	1	17	3	1	.....
45	Oconto County	233	1	.....	.....	.....	1	.....	1	4	.....	20	2	2	2
46	Oneida County	59	1	.....	.....	.....	.....	.....	.....	1	.....	4	.....	1	.....
47	Outagamie County	361	2	1	.....	2	7	3	.....	2	1	25	2	2	2
48	Ozaukee County	173	.....	.....	.....	5	2	1	.....	1	.....	14	.....	1	4
49	Pepin County	87	3	.....	.....	3	.....	.....	2	2	2	6	.....	.....	.....
50	Pierce County	235	.....	.....	.....	1	.....	.....	.....	.....	1	17	.....	6	1
51	Polk County	204	1	1	.....	5	2	.....	1	3	1	17	1	5	2
52	Portage County	336	3	.....	.....	3	.....	1	7	5	1	23	1	1	3
53	Price County	115	1	.....	.....	1	1	1	.....	.....	.....	7	.....	.....	.....
54	Racine County	207	1	.....	.....	.....	.....	.....	1	1	2	11	1	1	1
55	Richland County	169	1	.....	.....	.....	2	1	.....	1	.....	9	2	2	2
56	Rock County	268	1	.....	.....	.....	1	2	1	5	1	15	.....	2	1
57	Rusk County	127	1	.....	.....	3	4	2	5	5	1	5	1	1	.....
58	St. Croix County	280	2	.....	.....	7	.....	.....	.....	1	1	18	.....	.....	1
59	Sauk County	334	.....	.....	.....	.....	.....	.....	.....	6	.....	15	1	2	3
60	Sawyer County	73	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	.....	2	.....
61	Shawano County	346	.....	.....	.....	1	1	4	.....	3	1	29	2	1	1
62	Sheboygan County	297	2	.....	.....	2	5	3	3	3	.....	13	.....	1	2
63	Taylor County	145	3	.....	.....	2	.....	3	2	1	.....	1	.....	1	1
64	Trempealeau County	232	.....	.....	.....	1	.....	.....	1	.....	.....	10	1	.....	1
65	Vernon County	245	1	.....	.....	.....	1	1	.....	3	.....	16	1	4	3
66	Vilas County	36	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....
67	Walworth County	397	3	.....	.....	1	.....	4	1	9	.....	22	1	3	1
68	Washburn County	86	2	.....	.....	1	.....	4	2	2	.....	3	.....	1	.....
69	Washington County	248	3	.....	.....	2	1	3	.....	1	.....	21	2	2	1
70	Waukesha County	488	.....	.....	.....	5	3	1	1	6	.....	62	1	4	6
71	Waupaca County	390	.....	1	.....	.....	1	1	1	7	1	19	2	1	2
72	Waushara County	191	2	.....	.....	6	8	.....	2	6	.....	10	.....	.....	3
73	Winnebago County	376	.....	.....	.....	1	.....	7	.....	3	2	24	.....	2	2
74	Wood County	365	9	.....	.....	2	2	2	1	1	.....	19	1	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1913—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
1,200	233	157	1,050	1,788	316	1,236	276	558	150	139	180	960	73	85	1,044	1,055	194	3,870	214	1
1,194	232	154	1,039	1,778	315	1,220	276	545	150	138	180	954	71	85	1,036	1,047	193	3,843	207	2
6	1	3	11	10	1	16	------	13	------	1	------	6	2	------	8	8	1	27	7	3
4	2	2	7	9	1	7	------	8	1	1	1	2	------	1	10	6	2	22	------	4
4	------	------	3	6	------	3	2	2	------	------	1	2	3	1	5	13	4	11	1	5
19	6	1	12	36	4	38	3	12	4	3	------	17	3	3	23	14	3	48	1	6
7	------	------	3	7	1	8	2	4	------	------	------	3	2	1	8	8	2	25	9	7
21	5	4	19	21	3	21	4	13	4	1	1	8	1	------	18	12	1	62	9	8
5	4	1	12	9	4	11	------	3	2	2	1	7	1	------	12	4	2	32	4	9
8	1	1	2	9	4	5	3	------	------	5	1	6	------	1	7	6	------	23	------	10
11	4	3	19	11	3	9	1	3	2	2	1	13	4	2	14	4	1	36	1	11
22	4	4	21	37	1	32	7	12	11	1	1	12	4	1	17	30	6	80	4	12
16	1	1	10	34	5	17	2	9	2	1	2	19	1	4	20	19	2	52	5	13
28	8	8	29	39	10	27	4	6	5	5	2	17	3	------	18	24	3	89	8	14
17	1	1	11	21	4	13	1	4	7	1	2	9	------	------	11	13	1	53	4	15
40	11	6	45	43	8	28	16	5	4	7	11	49	2	3	20	23	3	160	5	16
44	7	5	39	55	13	36	15	20	7	5	8	39	------	1	38	26	2	94	5	17
17	4	1	8	14	6	5	1	5	3	------	1	15	------	1	8	7	2	39	2	18
3	------	------	4	2	3	3	------	3	------	------	------	5	1	------	6	14	------	14	3	19
15	5	1	9	29	6	24	4	6	2	1	3	9	1	2	11	21	3	50	3	20
11	2	1	5	16	2	5	4	4	------	------	------	9	1	1	7	13	1	17	2	21
1	1	1	2	6	1	------	1	------	------	------	------	1	------	------	2	3	1	4	1	22
34	9	------	18	43	7	30	4	6	3	2	3	11	2	------	21	18	9	74	1	23
1	------	------	3	1	1	12	1	3	------	------	1	------	------	2	7	9	------	8	------	24
26	9	1	29	43	16	26	7	16	4	2	10	27	------	2	18	24	3	96	2	25
20	1	1	27	21	4	14	5	7	1	3	4	5	------	1	11	13	2	70	2	26
10	7	------	18	20	6	11	4	2	1	------	1	9	------	------	10	12	3	53	2	27
19	3	------	10	20	4	9	4	6	2	1	1	12	------	1	12	11	3	65	3	28
4	1	2	------	4	1	10	1	10	------	------	------	3	------	1	8	13	1	24	2	29
15	3	3	12	20	4	12	3	8	------	1	1	9	1	------	7	9	2	35	2	30
33	9	------	31	58	10	24	5	7	2	7	2	19	1	2	13	19	8	92	4	31
13	2	2	12	19	------	16	2	7	2	2	1	15	1	------	11	12	2	59	2	32
10	2	3	5	9	------	5	2	3	------	------	1	10	------	------	7	9	1	31	3	33
8	3	1	7	9	7	8	4	5	1	------	2	16	------	2	14	7	2	42	3	34
12	3	------	12	23	1	12	------	3	1	------	4	7	1	------	11	12	------	38	3	35
14	1	2	15	22	2	8	6	2	------	2	2	5	------	3	14	8	------	48	------	36
14	4	2	12	10	------	19	2	6	2	2	1	8	1	------	25	10	1	28	2	37
19	1	3	13	16	4	17	2	8	1	1	1	6	1	------	19	12	3	21	------	38
19	4	1	19	38	11	31	1	13	1	3	3	18	2	------	15	15	7	53	2	39
18	------	2	12	17	6	27	8	21	1	2	1	16	------	1	33	27	2	73	6	40
11	2	------	2	19	1	14	2	10	------	------	2	5	------	------	12	15	2	44	3	41
9	2	------	5	11	3	7	2	2	2	------	2	8	------	------	7	3	1	29	2	42
69	5	15	56	157	13	79	35	55	5	7	22	87	3	2	59	79	25	310	7	43
25	8	1	18	45	6	38	2	3	5	4	3	16	1	1	23	18	5	53	2	44
12	2	1	10	21	3	15	5	13	3	------	1	15	1	2	23	10	3	54	6	45
3	1	------	1	10	------	5	1	3	------	------	1	------	1	1	9	6	1	7	2	46
26	7	9	15	37	8	35	3	14	2	3	4	16	3	4	24	15	------	81	6	47
8	------	1	17	18	4	14	3	5	1	3	1	11	------	1	12	7	3	34	2	48
4	1	1	6	10	3	11	1	2	------	2	1	2	------	------	4	8	------	12	1	49
25	1	2	17	40	6	19	5	3	------	1	3	13	------	2	9	11	2	48	2	50
15	3	1	13	23	5	9	3	11	2	3	2	18	1	------	15	6	3	27	5	51
18	4	6	14	33	6	18	7	24	8	3	8	14	1	4	25	16	1	73	5	52
11	3	------	6	10	1	10	------	2	------	------	------	6	1	2	8	12	2	30	------	53
25	2	1	14	24	2	13	3	2	2	1	6	10	------	------	7	16	3	54	3	54
8	3	2	11	24	3	16	2	3	------	2	1	13	1	1	15	6	2	35	1	55
26	1	6	20	28	6	15	3	2	2	4	1	13	1	------	12	13	1	77	8	56
6	------	1	7	8	1	7	5	7	------	------	------	4	2	------	14	11	1	24	1	57
18	4	2	23	21	7	25	8	4	3	2	4	11	2	6	22	18	1	65	4	58
25	1	1	30	29	4	19	7	7	2	4	5	31	2	------	21	28	1	87	3	59
3	------	------	------	5	1	14	------	6	1	------	------	------	1	2	3	8	------	13	4	60
19	1	6	15	31	7	24	9	16	------	4	4	15	3	1	21	20	5	90	12	61
18	4	------	24	36	10	21	5	8	5	2	3	10	1	2	14	18	4	76	2	62
9	------	------	5	13	2	13	1	11	2	2	------	7	2	3	12	15	------	30	4	63
19	7	13	17	44	------	15	3	8	2	------	1	6	1	------	18	10	5	46	3	64
17	2	1	19	26	9	17	2	11	1	2	3	19	1	3	16	11	------	55	------	65
1	------	------	------	3	------	7	------	2	------	------	------	2	1	1	5	6	1	4	------	66
35	3	1	29	52	8	33	6	6	4	5	4	29	2	1	13	26	7	86	2	67
6	------	------	3	5	------	7	------	4	------	1	------	7	------	------	12	12	1	11	2	68
19	7	3	28	26	1	13	1	2	1	5	3	16	------	3	16	13	1	52	2	69
32	11	8	35	57	4	24	6	10	3	3	2	29	------	2	13	41	16	100	3	70
28	9	4	19	40	12	30	8	9	2	5	8	37	1	1	18	23	1	97	2	71
13	4	1	12	11	3	12	2	3	------	------	5	7	------	------	18	8	1	53	1	72
28	5	1	25	47	6	24	1	10	5	5	2	25	------	1	13	19	4	112	2	73
27	2	5	19	27	8	30	4	28	11	3	3	20	3	2	20	27	3	80	6	74

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES.			Registration cities in other states.	All registration cities.	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes	890,848	809,593	439,478	370,115	81,255	520,733	22,616	15,990	4,483	5,714	12,366	5,353
	I.—General diseases	237,400	214,941	117,113	97,828	22,459	139,572	6,751	4,409	1,571	1,475	3,045	1,315
1	Typhoid fever	11,323	10,393	4,697	5,696	930	5,627	246	178	55	95	104	29
2	Typhus fever	8	7	2	5	1	3						
3	Relapsing fever	4	3	1	2	1	2		1				
4	Malaria	1,565	1,211	290	921	354	644	18	39			10	6
5	Smallpox	125	115	34	81	10	44	5	10				1
6	Measles	8,108	7,553	3,962	3,591	555	4,517	78	77	15	20	83	17
7	Scarlet fever	5,498	4,471	2,827	1,644	1,027	3,854	50	39	54	98	91	24
8	Whooping cough	6,332	6,013	2,728	3,285	319	3,047	62	56	22	44	60	30
9	Diphtheria and croup	11,920	10,604	6,324	4,280	1,316	7,640	121	60	26	40	181	45
10	Influenza	7,725	7,214	2,489	4,725	511	3,000	127	149	15	33	113	84
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras	399	383	124	259	16	140	1	2	2	4	2	3
14	Dysentery	3,216	2,898	894	2,004	318	1,212	51	42	1	22	22	20
15	Plague	2	2	1	1		1		1				
16	Yellow fever												
17	Leprosy	6	4	2	2	2	4					1	
18	Erysipelas	2,525	2,333	1,407	926	192	1,599	56	36	18	21	43	11
19	Other epidemic diseases	222	205	107	98	17	124	2	6		1		
20	Purulent infection and septicemia	1,766	1,576	855	721	190	1,045	31	26	5	14	32	6
21	Glanders	8	7	6	1	1	7	1					
22	Anthrax	25	23	10	13	2	12		1				1
23	Rabies	95	75	47	28	20	67	5	3				1
24	Tetanus	1,362	1,053	567	486	309	876	28	35		1	29	2
25	Mycoses	32	25	17	8	7	24	1					
26	Pellagra	1,015	573	260	313	442	702	13	6	1	2	3	1
27	Beriberi	11	7	3	4	4	7	2	2				
	Tuberculosis (total)	93,421	84,346	47,549	36,797	9,075	56,624	3,198	2,224	904	738	1,108	552
28	Tuberculosis of the lungs	77,735	70,039	38,941	31,098	7,696	46,637	2,657	1,893	815	664	883	481
29	Acute miliary tuberculosis	3,077	2,733	1,752	981	344	2,096	89	51	18	10	48	18
30	Tuberculous meningitis	5,467	5,082	3,476	1,606	385	3,861	215	101	42	27	103	22
31	Abdominal tuberculosis	3,651	3,300	1,686	1,614	351	2,037	130	99	12	18	35	14
32	Pott's disease	859	791	460	331	68	528	29	17	5	3	12	2
33	White swellings	435	404	233	171	31	264	14	9	1	5	7	3
34	Tuberculosis of other organs	1,355	1,240	671	569	115	786	43	29	1	4	15	7
35	Disseminated tuberculosis	842	757	330	427	85	415	21	25	10	7	5	5
36	Rickets	497	437	275	162	60	335	8	5	2	1	8	5
37	Syphilis	4,589	3,894	2,727	1,167	695	3,422	139	83	36	27	30	6
38	Gonococcus infection	237	209	163	46	28	191	6	3			1	
	Cancer and other malignant tumors (total)	49,928	45,833	25,672	20,161	4,095	29,767	1,739	864	264	184	705	301
39	Of the buccal cavity	1,966	1,811	964	847	155	1,119	72	44	8	3	21	13
40	Of the stomach, liver	19,767	18,161	9,781	8,380	1,606	11,387	674	363	101	89	253	112
41	Of the peritoneum, intestines, rectum	6,625	6,155	3,624	2,531	470	4,094	224	121	30	18	102	43
42	Of the female genital organs	7,706	6,926	4,195	2,731	780	4,975	262	117	37	30	99	42
43	Of the breast	4,592	4,268	2,381	1,887	324	2,705	155	64	29	19	80	37
44	Of the skin	1,725	1,625	621	1,004	100	721	44	40	6	4	21	10
45	Of other organs or of organs not specified	7,547	6,887	4,106	2,781	660	4,766	308	115	53	21	129	44
46	Other tumors (tumors of the female genital organs excepted)	297	260	131	129	37	168	9	4	1		8	2
47	Acute articular rheumatism	3,656	3,336	1,851	1,485	320	2,171	70	37	19	17	51	17
48	Chronic rheumatism and gout	834	797	329	468	37	366	22	16	2	6	12	5
49	Scurvy	76	67	44	23	9	53	2	1			3	1
50	Diabetes	9,660	8,971	5,085	3,886	689	5,774	317	183	46	42	173	71
51	Exophthalmic goiter	966	882	484	398	84	568	24	14	9	5	10	3
52	Addison's disease	261	240	133	107	21	154	14	4	3	5	8	
53	Leukemia	1,112	1,002	580	422	110	690	30	12	5	4	16	4
54	Anemia, chlorosis	3,186	2,966	1,479	1,487	220	1,699	110	58	23	14	50	20
55	Other general diseases	1,190	1,079	535	544	111	646	32	29		6	15	5
56	Alcoholism (acute or chronic)	3,744	3,476	2,196	1,280	268	2,464	110	94	37	27	66	38
57	Chronic lead poisoning	162	143	101	42	19	120	12	1	2	1	3	4
58	Other chronic occupation poisonings	9	9	4	5		4		1				
59	Other chronic poisonings	283	246	121	125	37	158	11	7	4	3	4	
	II.—Diseases of the nervous system and of the organs of special sense.	84,755	78,662	37,506	41,156	6,093	43,599	2,104	1,704	297	416	1,207	701
60	Encephalitis	780	695	335	360	85	420	20	16	4	7	4	1
61	Meningitis (total)	6,599	5,919	3,196	2,723	680	3,876	226	128	32	65	103	49
	Simple meningitis	3,648	3,388	1,759	1,629	260	2,019	99	66	22	43	67	33
	Cerebrospinal meningitis (undefined)	1,771	1,615	867	748	156	1,023	77	58	9	21	27	11
	Cerebrospinal fever	1,180	916	570	346	264	834	50	4	1	1	9	5
62	Locomotor ataxia	1,674	1,527	873	654	147	1,020	70	36	6	6	25	23
63	Other diseases of the spinal cord (total)	3,996	3,749	1,806	1,943	247	2,053	150	75	10	10	36	16
	Acute anterior poliomyelitis	864	834	362	472	30	392	19	10		1	8	1
	Other diseases of the spinal cord[2]	3,132	2,915	1,444	1,471	217	1,661	131	65	10	9	28	15
64	Cerebral hemorrhage, apoplexy	47,220	44,115	21,616	22,499	3,105	24,721	1,220	913	172	184	784	453

[1] Includes District of Columbia.

CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1913.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		KENTUCKY.						MAINE.		MARYLAND.						Detailed List No.
					Cities.			Rural districts.					Cities.			Rural districts.			
Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	
6,006	3,569	2,437	13,438	23,261	7,146	5,196	1,950	23,500	19,838	3,662	3,168	8,397	11,612	8,795	2,817	9,881	6,963	2,918	
1,656	956	700	3,844	6,948	2,026	1,449	577	8,465	7,081	1,384	751	1,963	3,157	2,301	856	2,703	1,851	852	
57	35	22	249	444	114	81	33	884	750	134	30	61	185	137	48	258	154	104	1
				2				1	1										2
																			3
8	5	3	21	51	31	7	24	159	129	30		5	9	5	4	14	9	5	4
			5	7	1	1		3	3			2				2	1	1	5
27	19	8	158	286	32	27	5	364	353	11	22	40	127	99	28	74	56	18	6
14	13	1	103	98	13	13		43	43		2	15	47	45	2	22	21	1	7
17	3	14	141	181	73	43	30	471	407	64	9	30	55	39	16	150	71	79	8
27	23	4	184	329	70	64	6	505	482	23	24	64	104	97	7	99	77	22	9
45	26	19	87	308	73	32	41	322	275	47	24	149	62	42	20	132	99	33	10
																			11
																			12
1		1	5	3	2	2		35	30	5	1	9	3	3		5	5		13
7	4	3	67	158	53	36	17	313	295	18	6	16	24	17	7	45	31	14	14
																			15
																			16
																			17
3	3		42	61	30	26	4	63	60	3	4	11	25	22	3	15	14	1	18
			3	5	1	1		6	6		1	1	2	2		3	2	1	19
13	10	3	25	40	24	17	7	84	70	14	11	17	26	20	6	19	13	6	20
																			21
																			22
2	2		4	1				2	2							1	1		23
10	5	5	35	46	15	10	5	32	24	8	1	5	20	9	11	24	17	7	24
								1		1									25
10	1	9	1	3	16	13	3	88	82	6	3	7	11	9	2	3	2	1	26
																			27
822	375	447	1,490	2,646	923	617	306	3,784	2,955	829	296	666	1,431	914	517	1,156	707	449	
661	317	344	1,183	2,159	784	536	248	3,206	2,493	713	216	494	1,193	766	427	1,017	629	388	28
59	17	42	54	56	32	14	18	94	66	28	7	12	71	30	41	41	21	20	29
34	14	20	79	151	42	30	12	160	136	24	23	63	76	55	21	28	20	8	30
25	8	17	100	162	42	23	19	186	148	38	21	36	46	31	15	41	17	24	31
10	7	3	13	24	6	4	2	32	28	4	3	14	18	15	3	6	5	1	32
6		6	12	15	3	2	1	10	10			5	8	5	3	4	2	2	33
20	11	9	22	50	10	6	4	62	49	13	11	16	9	4	5	12	8	4	34
7	1	6	27	29	4	2	2	34	25	9	15	26	10	8	2	7	5	2	35
11	1	10	8	5	5	3	2	12	10	2	8	6	6	2	4	1		1	36
61	20	41	98	100	39	21	18	91	49	42	16	10	109	57	52	37	16	21	37
1		1	6	5	1	1		3	2	1	2	1				1	1		38
362	286	76	721	1,518	335	292	43	787	701	86	205	610	647	551	96	455	397	58	
17	11	6	21	74	9	8	1	28	27	1	5	16	30	23	7	22	18	4	39
117	88	29	260	685	117	107	10	276	245	31	58	213	272	238	34	192	168	24	40
44	38	6	96	146	31	27	4	69	63	6	52	121	70	65	5	53	48	5	41
64	48	16	152	198	71	56	15	143	118	25	33	90	112	86	26	54	42	12	42
37	31	6	60	142	34	29	5	81	72	9	19	60	56	44	12	47	42	5	43
10	9	1	24	106	15	13	2	67	63	4	5	25	8	7	1	16	15	1	44
73	61	12	108	167	58	52	6	123	113	10	33	85	99	88	11	71	64	7	45
			1	3	6	5	1	17	13	4	4	4	2	1	1	1	1		46
14	10	4	46	76	32	22	10	90	69	21	7	23	35	29	6	21	17	4	47
6	4	2	10	22	3	2	1	26	21	5	3	13	11	9	2	9	8	1	48
1		1		1				3	3			2				2	1	1	49
66	53	13	156	306	56	53	3	116	108	8	21	107	104	91	13	78	67	11	50
2	2		15	36	6	5	1	12	12		1	4	13	13		6	5	1	51
1	1		4	5	1	1		5	4	1	1	3	2	2		2	2		52
13	13		19	26	9	6	3	26	25	1	4	4	14	13	1	6	6		53
14	10	4	43	76	18	14	4	38	29	9	26	48	29	29		18	16	2	54
8	5	3	10	40	7	6	1	38	32	6	1	13	7	7		9	6	3	55
33	27	6	70	40	33	25	8	30	26	4	16	13	45	35	10	33	26	7	56
			3	1	1	1		2	2		2	2	2	2					57
																			58
			14	19	3	2	1	9	8	1		2				2	2		59
622	409	213	1,189	2,529	693	499	194	1,989	1,668	321	327	1,053	1,035	813	222	1,209	935	274	
6	4	2	15	13	18	9	9	45	36	9	1	14	2	2		9	7	2	60
24	19	5	52	114	68	55	13	392	357	35	32	56	89	65	24	85	62	23	61
18	14	4	36	68	50	40	10	209	183	26	28	45	46	37	9	68	49	19	
3	3		9	25	16	13	3	112	105	7	4	11	26	18	8	14	11	3	
3	2	1	7	21	2	2		71	69	2			17	10	7	3	2	1	
8	6	2	29	50	15	14	1	25	24	1	9	15	13	13		13	12	1	62
24	20	4	65	145	25	22	3	97	83	14	20	45	27	25	2	43	36	7	63
2	2		13	32	5	4	1	47	40	7	2	12	6	5	1	13	11	2	
22	18	4	52	113	20	18	2	50	43	7	18	33	21	20	1	30	25	5	
385	253	132	731	1,498	316	228	88	620	529	91	160	677	576	470	106	589	464	125	64

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES.			Registration cities in other states.	All registration cities.	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Contd.												
65	Softening of the brain	1,158	1,078	380	698	80	460	26	44	2	1	12	12
66	Paralysis without specified cause	6,772	6,207	1,983	4,224	565	2,548	102	129	19	43	19	26
67	General paralysis of the insane	4,371	4,090	1,931	2,159	281	2,212	91	173	19	31	52	34
68	Other forms of mental alienation	1,534	1,440	549	891	94	643	26	32	8	15	12	10
69	Epilepsy	2,632	2,457	899	1,558	175	1,074	38	58	14	24	33	20
70	Convulsions (nonpuerperal)	144	133	37	96	11	48	1	3	.....	.....	.....	1
71	Convulsions of infants	3,697	3,488	1,743	1,745	209	1,952	20	19	5	8	65	26
72	Chorea	118	113	46	67	5	51	1	3	1	2	3	.....
73	Neuralgia and neuritis	409	378	203	175	31	234	8	7	.....	3	7	1
74	Other diseases of the nervous system	2,355	2,088	1,132	956	267	1,399	66	49	5	13	36	27
75	Diseases of the eyes and their annexa	54	50	35	15	4	39	2	.....	.....	.....	1	.....
76	Diseases of the ears	1,242	1,135	742	393	107	849	37	19	.....	4	15	2
	III.—Diseases of the circulatory system	117,645	108,102	58,851	49,251	9,543	68,394	3,827	2,378	530	568	1,678	866
77	Pericarditis	715	643	309	334	72	381	25	11	3	3	6	7
78	Acute endocarditis	5,387	4,797	3,539	1,258	590	4,129	157	59	30	35	102	13
79	Organic diseases of the heart	87,755	80,651	43,350	37,301	7,104	50,454	2,889	1,869	346	415	1,181	647
80	Angina pectoris	4,592	4,339	1,975	2,364	253	2,228	151	103	33	25	75	40
81	Diseases of the arteries, atheroma, aneurism, etc.	15,924	14,714	8,032	6,682	1,210	9,242	513	283	79	66	242	126
82	Embolism and thrombosis	2,179	1,982	1,088	894	197	1,285	61	36	36	21	56	24
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	435	387	241	146	46	289	11	8	3	2	7	7
84	Diseases of the lymphatic system (lymphangitis, etc.)	360	317	217	100	43	260	9	1	.....	1	5	.....
85	Hemorrhage; other diseases of the circulatory system.	298	272	100	172	26	126	11	8	.....	.....	4	2
	IV.—Diseases of the respiratory system	103,979	94,026	55,933	38,093	9,953	65,886	2,162	1,532	477	836	1,668	561
86	Diseases of nasal fossae	104	92	37	55	12	49	.....	.....	.....	.....	1	.....
87	Diseases of the larynx	835	768	326	442	67	393	4	14	1	9	16	8
88	Diseases of the thyroid body	358	325	201	124	33	234	15	5	1	1	7	.....
89	Acute bronchitis	6,602	6,274	3,689	2,585	328	4,017	90	62	16	54	96	53
90	Chronic bronchitis	4,786	4,473	2,250	2,223	313	2,563	125	87	12	18	65	42
91	Bronchopneumonia	31,094	28,259	18,256	10,003	2,835	21,091	574	286	140	255	412	129
92	Pneumonia (total)	52,684	46,955	27,413	19,542	5,729	33,142	1,158	872	255	405	955	293
	Lobar pneumonia	32,615	29,608	19,690	9,918	3,007	22,697	834	501	242	391	512	117
	Pneumonia (undefined)	20,069	17,347	7,723	9,624	2,722	10,445	324	371	13	14	443	176
93	Pleurisy	2,211	2,006	1,311	695	205	1,516	73	27	9	16	33	9
94	Pulmonary congestion, pulmonary apoplexy	2,228	2,062	1,063	999	166	1,229	64	110	14	17	48	19
95	Gangrene of the lung	203	178	102	76	25	127	9	5	.....	2	2	.....
96	Asthma	1,578	1,461	718	743	117	835	28	41	20	17	22	3
97	Pulmonary emphysema	170	153	89	64	17	106	2	.....	1	.....	2	2
98	Other diseases of the respiratory system (tuberculosis excepted).	1,126	1,020	478	542	106	584	20	23	8	42	9	3
	V.—Diseases of the digestive system	103,276	91,958	51,790	40,168	11,318	63,108	2,087	1,526	389	614	1,376	529
99	Diseases of the mouth and annexa	448	406	193	213	42	235	7	9	1	2	8	1
100	Diseases of the pharynx	1,315	1,206	612	594	109	721	27	8	9	14	6	7
101	Diseases of the esophagus	164	145	87	58	19	106	5	.....	.....	.....	2	1
102	Ulcer of the stomach	2,536	2,248	1,379	869	288	1,667	105	41	24	18	35	10
103	Other diseases of the stomach (cancer excepted)	8,832	8,075	3,344	4,731	757	4,101	116	159	20	39	83	59
104	Diarrhea and enteritis (under 2 years)	47,605	42,092	24,731	17,361	5,513	30,244	636	582	108	274	735	246
105	Diarrhea and enteritis (2 years and over)	9,475	8,507	3,834	4,673	968	4,802	151	161	23	58	100	55
106	Ankylostomiasis	39	34	5	29	5	10	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	98	89	21	68	9	30	1	3	.....	.....	.....	.....
108	Appendicitis and typhlitis	7,648	6,722	4,547	2,175	926	5,473	266	111	57	79	95	21
109	Hernia, intestinal obstruction (total)	7,342	6,668	4,023	2,645	674	4,697	219	155	57	53	101	32
	Hernia	2,424	2,205	1,492	713	219	1,711	66	37	12	12	32	15
	Intestinal obstruction	4,918	4,463	2,531	1,932	455	2,986	153	118	45	41	69	17
110	Other diseases of the intestines	1,642	1,462	743	719	180	923	48	31	3	6	14	5
111	Acute yellow atrophy of the liver	315	288	137	151	27	164	12	4	2	3	.....	1
112	Hydatid tumor of the liver	15	13	11	2	2	13	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	8,497	7,537	4,719	2,818	960	5,679	328	154	35	28	100	45
114	Biliary calculi	1,999	1,784	1,018	766	215	1,233	37	24	23	17	16	10
115	Other diseases of the liver	3,029	2,679	1,383	1,296	350	1,733	82	46	15	18	42	20
116	Diseases of the spleen	127	116	54	62	11	65	3	1	.....	1	1	1
117	Simple peritonitis (nonpuerperal)	1,708	1,489	672	817	219	891	22	29	5	2	30	11
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	442	398	277	121	44	321	22	8	7	2	8	4

[1] Includes District of Columbia.

CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1913—Con.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		KENTUCKY.						MAINE.		MARYLAND.						Detailed List No.
					Cities.			Rural districts.					Cities.			Rural districts.			
Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	
2	2		17	57	13	12	1	52	44	8	8	22	11	11		23	18	5	65
29	16	13	82	266	108	59	49	384	307	77	31	76	125	80	45	214	164	50	66
53	42	11	51	133	45	37	8	59	47	12	20	43	25	20	5	64	55	9	67
12	3	9	19	53	8	7	1	53	41	12	9	18	11	9	2	22	17	5	68
32	17	15	50	91	20	17	3	78	56	22	7	19	23	13	10	44	38	6	69
					1		1	6	4	2	2	1				7	3	4	70
14	4	10	22	17	30	18	12	79	53	26	13	20	63	49	14	67	40	27	71
4	4		2	2	1	1		2	2			4				1	1		72
1	1		4	12	1	1		7	7		4	4	6	6		2	1	1	73
25	16	9	22	45	15	12	3	63	53	10	9	37	33	23	10	18	11	7	74
			1	3				1	1										75
3	2	1	27	30	9	7	2	26	24	2	2	2	31	27	4	8	6	2	76
1,000	661	339	1,659	3,417	852	618	234	1,792	1,481	311	449	1,384	1,451	1,101	350	1,050	804	246	
7	4	3	6	27	14	5	9	18	17	1	2	7	9	8	1	4	3	1	77
56	27	29	61	55	56	36	20	36	31	5	16	25	92	64	28	29	23	6	78
764	493	271	1,272	2,551	605	431	174	1,436	1,190	246	304	1,025	1,067	789	278	801	599	202	79
21	16	5	65	221	23	19	4	92	78	14	28	71	59	53	6	42	32	10	80
136	110	26	215	480	132	111	21	167	130	37	77	210	196	163	33	146	126	20	81
9	7	2	24	65	16	13	3	11	9	2	20	37	18	15	3	18	15	3	82
4	1	3	10	7	2	2		5	5			2	2	2					83
1	1		3	6	1		1	7	5	2		3	6	6		2	1	1	84
2	2		3	5	3	1	2	20	16	4	2	4	2	1	1	8	5	3	85
615	261	354	1,316	2,031	858	562	296	2,148	1,829	319	450	930	1,538	1,057	481	937	621	316	
			1	6				2	1	1						4	2	2	86
4	1	3	9	22	9	8	1	38	35	3	7	6	13	11	2	4	4		87
4	3	1	5	9	2	2		4	2	2	1	2	2	2		3	3		88
44	13	31	77	119	39	24	15	100	81	19	27	84	115	72	43	73	35	38	89
41	33	8	73	138	86	51	35	130	112	18	15	31	81	69	12	51	39	12	90
155	63	92	410	527	142	101	41	408	355	53	124	152	562	376	186	299	186	113	91
297	123	174	646	1,106	464	294	170	1,300	1,110	190	248	577	669	454	215	424	293	131	92
186	83	103	446	642	122	77	45	410	361	49	70	95	546	363	183	267	197	70	
111	40	71	200	464	342	217	125	890	749	141	178	482	123	91	32	157	96	61	
7	1	6	27	28	24	15	9	37	33	4	6	15	18	11	7	15	13	2	93
27	13	14	19	21	34	25	9	37	30	7	11	40	43	35	8	29	25	4	94
5	2	3	2	4	3	3		4	3	1		1	2	2		3	2	1	95
11	4	7	32	32	34	27	7	49	37	12	7	10	14	11	3	17	10	7	96
4	3	1	4	3	1		1	4	3	1			4	2	2				97
16	2	14	11	16	20	12	8	35	27	8	4	12	15	12	3	15	9	6	98
594	340	254	1,816	2,585	707	542	165	2,633	2,338	295	364	802	1,258	1,001	257	1,176	818	358	
5	3	2	5	12	1	1		21	19	2	2	1	4	4		10	4	6	99
3	2	1	18	37	7	6	1	43	37	6	4	10	15	12	3	18	16	2	100
4	3	1	2	2	2	2		3	3		2		5	3	2				101
20	13	7	44	63	19	11	8	38	32	6	4	23	25	23	2	14	10	4	102
94	47	47	147	324	89	53	36	335	285	50	42	109	82	49	33	144	89	55	103
216	93	123	852	1,010	190	143	47	1,109	1,006	103	133	332	643	526	117	702	480	222	104
51	29	22	141	340	75	59	16	396	355	41	25	99	95	69	26	85	65	20	105
					1	1		23	22	1									106
2	1	1	3	2				21	20	1		2				6		6	107
42	33	9	153	135	60	50	10	113	102	11	44	40	93	73	20	36	30	6	108
53	35	18	137	174	62	54	8	142	122	20	34	48	120	100	20	46	34	12	109
19	10	9	45	49	9	7	2	36	31	5	8	8	45	41	4	13	8	5	
34	25	9	92	125	53	47	6	106	91	15	26	40	75	59	16	33	26	7	
11	8	3	22	49	25	20	5	43	35	8	12	17	22	16	6	9	6	3	110
2	2		7	4	1	1		9	9			4	4	3	1	3	1	2	111
																			112
39	30	9	142	194	78	66	12	115	94	21	20	38	92	70	22	47	40	7	113
11	9	2	38	64	11	10	1	44	41	3	9	19	19	19		12	12		114
20	16	4	67	111	45	35	10	82	69	13	18	39	21	20	1	25	19	6	115
3	3		2	7				3	3		3	4	1	1		2	2		116
11	6	5	29	47	39	28	11	87	78	9	12	14	10	9	1	14	8	6	117
7	7		7	10	2	2		6	6			3	7	4	3	3	2	1	118

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES.			Registration cities in other states.	All registration cities.	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	75,253	67,376	40,054	27,322	7,877	47,931	1,964	1,188	407	356	1,088	418
119	Acute nephritis	6,568	5,797	[2]3,580	2,217	771	4,351	98	59	36	42	114	29
120	Bright's disease	58,538	52,594	31,170	21,424	5,944	37,114	1,537	939	322	267	836	345
121	Chyluria	1	1		1								
122	Other diseases of the kidneys and annexa	1,372	1,241	659	582	131	790	32	28	4	5	20	5
123	Calculi of the urinary passages	403	358	226	132	45	271	15	4	1	1	3	4
124	Diseases of the bladder	1,474	1,375	485	890	99	584	27	58	3	11	20	16
125	Diseases of the urethra, urinary abscess, etc.	264	210	154	56	54	208	7	6	1		3	
126	Diseases of the prostate	2,465	2,258	1,197	1,061	207	1,404	107	41	14	10	39	10
127	Nonvenereal diseases of the male genital organs	104	92	59	33	12	71	3				1	1
128	Uterine hemorrhage (nonpuerperal)	54	50	25	25	4	29	1	1				
129	Uterine tumor (noncancerous)	1,173	1,012	733	279	161	894	36	16	8	3	13	4
130	Other diseases of the uterus	721	601	411	190	120	531	17	6	5	4	10	2
131	Cysts and other tumors of the ovary	640	559	364	195	81	445	24	6	4	3	10	1
132	Salpingitis and other diseases of the female genital organs.	1,451	1,206	981	225	245	1,226	60	24	9	10	18	1
133	Nonpuerperal diseases of the breast (cancer excepted).	25	22	10	12	3	13					1	
	VII.—The puerperal state	10,010	9,044	5,031	4,013	966	5,997	231	154	57	84	113	30
134	Accidents of pregnancy	861	775	435	340	86	521	21	18	9	4	11	1
135	Puerperal hemorrhage	988	900	444	456	88	532	16	12	4	12	10	2
136	Other accidents of labor	854	777	401	376	77	478	18	15	3	10	10	4
137	Puerperal septicemia	4,542	4,070	2,353	1,717	472	2,825	104	64	24	42	48	8
138	Puerperal albuminuria and convulsions	2,397	2,178	1,216	962	219	1,435	67	32	14	12	31	14
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	310	290	157	133	20	177	4	12	2	3	2	1
140	Following childbirth (not otherwise defined)	56	52	23	29	4	27	1	1	1	1	1	
141	Puerperal diseases of the breast	2	2	2			2						
	VIII.—Diseases of the skin and of the cellular tissue.	3,275	3,048	1,500	1,548	227	1,727	60	60	7	17	51	21
142	Gangrene	1,591	1,485	596	889	106	702	30	35	3	8	22	10
143	Furuncle	331	304	189	115	27	216	6	5			4	5
144	Acute abscess	667	624	396	228	43	439	13	8	2	5	12	1
145	Other diseases of the skin and annexa	686	635	319	316	51	370	11	12	2	4	13	5
	IX.—Diseases of the bones and of the organs of locomotion.	1,616	1,470	1,006	464	146	1,152	41	24	6	5	26	4
146	Diseases of the bones (tuberculosis excepted)	1,399	1,277	896	381	122	1,018	37	22	5	5	23	3
147	Diseases of the joints (tuberculosis and rheumatism excepted).	166	146	92	54	20	112	4	2	1		3	1
148	Amputations	3	3		3								
149	Other diseases of the organs of locomotion	48	44	18	26	4	22						
	X.—Malformations	9,401	8,716	4,690	4,026	685	5,375	213	126	40	67	123	46
150	Congenital malformations (stillbirths not included) (total).	9,401	8,716	4,690	4,026	685	5,375	213	126	40	67	123	46
	Hydrocephalus	820	750	424	326	70	494	13	10	3	1	15	4
	Congenital malformations of the heart	5,745	5,340	2,893	2,447	405	3,298	143	89	30	49	65	22
	Other congenital malformations	2,836	2,626	1,373	1,253	210	1,583	57	27	7	17	43	20
	XI.—Early infancy	52,865	48,888	26,965	21,923	3,977	30,942	818	630	256	396	939	302
151	Congenital debility, icterus, and sclerema (total)	43,198	40,076	21,862	18,214	3,122	24,984	643	503	224	331	727	232
	Premature birth	27,359	25,343	13,704	11,639	2,016	15,720	487	353	129	194	429	127
	Congenital debility, "atrophy," "marasmus," etc.	15,839	14,733	8,158	6,575	1,106	9,264	156	150	95	137	298	105
152	Other causes peculiar to early infancy (total)	9,486	8,659	5,032	3,627	827	5,859	172	125	32	65	206	68
	Injuries at birth	5,131	4,683	2,818	1,865	448	3,266	100	58	10	17	114	33
	Other causes peculiar to early infancy [2]	4,355	3,976	2,214	1,762	379	2,593	72	67	22	48	92	35
153	Lack of care	181	153	71	82	28	99	3	2			6	2
	XII.—Old age	13,914	13,010	4,408	8,602	904	5,312	265	311	127	170	123	95
154	Senility	13,914	13,010	4,408	8,602	904	5,312	265	311	127	170	123	95
	XIII.—External causes	68,566	62,170	33,127	29,043	6,396	39,523	2,071	1,922	309	702	853	429
	Suicide (total)	9,988	8,961	5,432	3,529	1,027	6,459	544	295	105	82	117	65
155	By poison	2,824	2,475	1,648	827	349	1,997	103	35	42	21	39	21
156	By asphyxia	1,262	1,089	1,017	72	173	1,190	117	7	5		20	3
157	By hanging or strangulation	1,380	1,303	582	721	77	659	33	49	8	6	17	7
158	By drowning	568	532	269	263	36	305	19	13	1	3	8	7
159	By firearms	2,930	2,623	1,354	1,269	307	1,661	212	150	39	40	18	20
160	By cutting or piercing instruments	673	617	357	260	56	413	41	27	5	11	13	5
161	By jumping from high places	183	166	140	26	17	157	10		2		1	1
162	By crushing	90	85	36	49	5	41	5	10	3	1		1
163	Other suicides	78	71	29	42	7	36	4	4			1	

[1] Includes District of Columbia.

CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1913—Con.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		KENTUCKY.						MAINE.		MARYLAND.						Detailed List No.
					Cities.			Rural districts.					Cities.			Rural districts.			
Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	
572	342	230	1,126	1,913	735	540	195	1,452	1,184	268	274	640	1,212	945	267	831	596	235	
70	27	43	91	144	74	52	22	102	86	16	30	55	125	83	42	81	53	28	119
423	266	157	796	1,527	592	437	155	1,108	902	206	201	494	972	774	198	685	500	185	120
																			121
12	10	2	25	27	9	7	2	48	43	5	2	15	21	18	3	9	4	5	122
7	5	2	6	9	1	1		2	2			1	8	7	1	3	2	1	123
6	5	1	17	47	6	5	1	51	42	9	8	31	7	5	2	11	9	2	124
5	2	3	5	4	4	3	1	6	3	3		1	4	3	1				125
14	12	2	47	84	14	14		64	57	7	8	25	20	18	2	17	15	2	126
			3	1				4	2	2			4	4		1		1	127
								3	2	1			1	1					128
9	4	5	27	13	13	5	8	15	9	6	6	11	14	11	3	8	3	5	129
7	4	3	18	12	3	3		22	15	7	7	3	8	4	4	5	4	1	130
3	2	1	27	21	7	7		12	11	1	2	3	8	7	1	4	4		131
16	5	11	64	24	12	6	6	11	7	4	10	1	20	10	10	7	2	5	132
								4	3	1									133
63	32	31	173	245	58	45	13	315	273	42	29	57	138	107	31	99	56	43	
4	3	1	18	21	9	7	2	25	23	2	3	9	7	7		5	2	3	134
7	3	4	13	23	1		1	28	24	4	3	7	8	7	1	17	14	3	135
5	3	2	11	14	4	2	2	35	31	4	3	8	6	4	2	5	5		136
24	13	11	97	123	29	23	6	152	127	25	9	19	77	60	17	35	18	17	137
21	9	12	30	57	14	13	1	66	61	5	9	12	35	26	9	34	16	18	138
2	1	1	3	7	1		1	6	4	2	1	1	5	3	2	3	1	2	139
			1					3	3		1	1							140
																			141
29	16	13	39	92	28	19	9	81	67	14	17	35	37	30	7	33	26	7	
17	10	7	16	50	15	9	6	38	33	5	6	23	22	15	7	15	11	4	142
5	5		8	10				6	6		4	3	2	2		2	2		143
3		3	6	10	4	4		12	8	4	5	4	9	9		8	7	1	144
4	1	3	9	22	9	6	3	25	20	5	2	5	4	4		8	6	2	145
4	3	1	26	41	12	10	2	25	20	5	7	7	27	22	5	10	6	4	
3	2	1	21	37	10	8	2	19	14	5	7	6	24	19	5	9	5	4	146
1	1		4	3	2	2		5	5			1	2	2		1	1		147
								1	1										148
			1	1									1	1					149
42	36	6	168	325	34	28	6	181	171	10	17	63	90	80	10	80	71	9	
42	36	6	168	325	34	28	6	181	171	10	17	63	90	80	10	80	71	9	150
2	2		9	31	6	5	1	19	19		4	4	8	7	1	10	10		
25	22	3	117	209	20	19	1	85	81	4	9	39	60	56	4	53	48	5	
15	12	3	42	85	8	4	4	77	71	6	4	20	22	17	5	17	13	4	
330	185	145	682	1,174	393	316	77	1,674	1,464	210	171	449	796	614	182	703	472	231	
275	147	128	543	913	355	283	72	1,453	1,274	179	142	386	681	515	166	604	403	201	151
178	89	89	451	759	178	160	18	1,040	920	120	62	195	355	267	88	293	215	78	
97	58	39	92	154	177	123	54	413	354	59	80	191	326	248	78	311	188	123	
55	38	17	138	255	32	30	2	214	185	29	29	63	112	96	16	91	67	24	152
36	29	7	64	140	15	15		97	87	10	17	26	66	59	7	36	29	7	
19	9	10	74	115	17	15	2	117	98	19	12	37	46	37	9	55	38	17	
			1	6	6	3	3	7	5	2			3	3		8	2	6	153
133	92	41	95	253	140	124	16	438	378	60	77	426	145	127	18	223	151	72	
133	92	41	95	253	140	124	16	438	378	60	77	426	145	127	18	223	151	72	154
333	230	103	1,287	1,687	555	405	150	1,547	1,239	308	194	451	686	566	120	601	448	153	
72	64	8	226	214	77	74	3	123	115	8	31	70	124	117	7	80	77	3	
29	28	1	127	74	34	32	2	40	37	3	6	8	35	33	2	15	15		155
17	15	2	15	2	4	4					1		33	32	1	2	2		156
2	2		10	37	4	4		17	15	2	7	23	13	12	1	14	14		157
5	3	2	16	15	5	5		5	4	1	3	14	6	5	1	5	5		158
11	9	2	45	71	25	25		51	50	1	8	20	24	24		37	35	2	159
5	4	1	11	9	4	3	1	7	7		5	3	9	7	2	4	4		160
2	2		1								1		4	4		1	1		161
1	1			4	1	1		2	1	1		1				1	1		162
			1	2				1	1			1				1		1	163

[2] Exclusive of injuries at birth.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES.			Registration cities in other states.	All registration cities.	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	54,011	49,602	25,574	24,028	4,409	29,983	1,355	1,482	172	551	708	345
164	Poisoning by food	657	597	269	328	60	329	32	28	3	9	9	4
165	Other acute poisonings	1,453	1,323	647	676	130	777	41	26	8	20	19	11
166	Conflagration	949	892	436	456	57	493	26	38	3	7	8	5
167	Burns (conflagration excepted)	4,935	4,414	2,604	1,810	521	3,125	82	71	15	21	75	20
168	Absorption of deleterious gases (conflagration excepted).	2,271	1,970	1,383	587	301	1,684	115	27	13	11	56	11
169	Accidental drowning	6,468	6,141	2,757	3,384	327	3,084	117	216	12	55	70	85
170	Traumatism by firearms	1,572	1,429	416	1,013	143	559	24	62	6	26	4	8
171	Traumatism by cutting or piercing instruments.	95	86	38	48	9	47	1	-------	-------	1	2	-------
172	Traumatism by fall	9,747	9,005	5,474	3,531	742	6,216	234	167	21	25	177	44
173	Traumatism in mines and quarries (total)	2,385	2,324	515	1,809	61	576	4	51	6	159	1	2
	Traumatism in mines	2,280	2,221	482	1,739	59	541	1	43	6	158	-------	-------
	Traumatism in quarries	105	103	33	70	2	35	3	8	-------	1	1	2
174	Traumatism by machines	1,526	1,391	834	557	135	969	34	41	3	8	15	7
175	Traumatism by other crushing (total)	15,680	14,335	7,645	6,690	1,345	8,990	501	522	68	138	225	126
	Railroad accidents and injuries	8,212	7,598	3,414	4,184	614	4,028	139	240	40	76	110	79
	Street-car accidents and injuries	1,998	1,725	1,306	419	273	1,579	105	34	9	2	36	13
	Automobile accidents and injuries	2,488	2,241	1,554	687	247	1,801	161	105	6	16	43	20
	Injuries by other vehicles	2,381	2,219	1,157	1,062	162	1,319	76	110	11	33	29	12
	Landslide, other crushing	601	552	214	338	49	263	20	33	2	11	7	2
176	Injuries by animals	540	516	155	361	24	179	5	21	2	10	5	1
177	Starvation	34	32	16	16	2	18	-------	4	-------	-------	2	1
178	Excessive cold	230	220	58	162	10	68	-------	7	1	18	3	2
179	Effects of heat	1,226	1,083	646	437	143	789	3	34	-------	1	3	1
180	Lightning	317	309	17	292	8	25	-------	1	1	21	-------	2
181	Electricity (lightning excepted)	670	613	314	299	57	371	22	41	3	6	10	6
185	Fractures (cause not specified)	446	398	196	202	48	244	15	8	1	1	2	-------
186	Other external violence	2,810	2,524	1,154	1,370	286	1,440	99	117	6	14	22	9
	Homicide (total)	4,567	3,607	2,121	1,486	960	3,081	172	145	32	69	28	19
182	By firearms	2,821	2,191	1,173	1,018	630	1,803	105	106	22	59	10	13
183	By cutting or piercing instruments	674	499	319	180	175	494	28	19	5	5	6	2
184	By other means	1,072	917	629	288	155	784	39	20	5	5	12	4
	XIV.—Ill-defined diseases	8,893	8,182	1,504	6,678	711	2,215	22	26	10	8	76	36
187	Ill-defined organic disease	583	508	85	423	75	160	3	4	2	-------	4	3
188	Sudden death	501	479	84	395	22	106	-------	1	-------	-------	10	1
189	Not specified or ill-defined (total)	7,809	7,195	1,335	5,860	614	1,949	19	21	8	8	62	32
	Ill-defined	3,328	3,029	982	2,047	299	1,281	18	14	6	5	40	18
	Not specified or unknown	4,481	4,166	353	3,813	315	668	1	7	2	3	22	14

[1] Includes District of Columbia.

CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1913—Con.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		KENTUCKY.						MAINE.		MARYLAND.						Detailed List No.
					Cities.			Rural districts.					Cities.			Rural districts.			
Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	
237	157	80	954	1,425	395	302	93	1,185	979	206	155	367	517	424	93	482	351	131	
2	1	1	16	28	3	3		19	18	1	3	6	11	11		5	3	2	164
6	3	3	34	44	13	10	3	33	26	7	8	19	11	9	2	17	10	7	165
3	2	1	9	11	4	2	2	30	27	3		5	6	5	1	7	6	1	166
38	26	12	77	90	39	21	18	198	149	49	18	24	68	48	20	40	22	18	167
27	17	10	37	40	8	1	7	34	25	9	5	7	30	28	2	18	12	6	168
22	11	11	91	182	45	35	10	81	70	11	27	78	60	39	21	103	67	36	169
9	6	3	29	50	9	7	2	103	77	26	4	28	5	5		25	15	10	170
1		1	1	6	1	1		6	6		2	2				3	2	1	171
58	41	17	173	295	66	56	10	174	157	17	31	76	120	103	17	61	52	9	172
			12	56	1	1		59	50	9		2	1	1		14	14		173
			12	53	1	1		57	48	9			1	1		14	14		
				3				2	2			2							
4	1	3	33	27	17	13	4	20	20		6	20	18	15	3	8	6	2	174
50	38	12	342	416	116	93	23	228	191	37	35	66	120	107	13	111	89	22	175
9	7	2	208	269	55	41	14	168	138	30	20	35	59	55	4	75	58	17	
11	9	2	54	48	18	14	4	9	8	1	2	3	25	21	4	7	5	2	
16	11	5	45	34	14	13	1	6	6		4	7	20	19	1	10	10		
12	9	3	27	55	25	21	4	38	33	5	8	19	13	11	2	12	10	2	
2	2		8	10	4	4		7	6	1	1	2	3	1	2	7	6	1	
1		1	3	34	3	3		27	23	4	1	3	1		1	6	5	1	176
																1	1		177
1		1	1	4	1	1		3	2	1		1	1		1				178
2	1	1	30	42	36	30	6	29	25	4	6	2	17	15	2	6	2	4	179
			1	30				17	16	1		1				9	7	2	180
1	1		22	17	3	3		6	6		1	6	4	4		9	9		181
			3	1	7	5	2	19	19		4	2	1		1	5	5		185
12	9	3	40	52	23	17	6	99	72	27	4	19	43	34	9	34	24	10	186
24	9	15	107	48	83	29	54	239	145	94	8	14	45	25	20	39	20	19	
11	4	7	79	31	59	16	43	201	118	83	3	8	18	9	9	23	10	13	182
4	2	2	8	5	11	6	5	12	8	4		3	13	8	5	6	3	3	183
9	3	6	20	12	13	7	6	26	19	7	5	3	14	8	6	10	7	3	184
13	6	7	18	21	55	39	16	760	645	115	41	137	42	31	11	226	108	118	
1		1	2	3	8	2	6	95	75	20	2	6	2	2		7	3	4	187
								37	33	4	8	16				22	12	10	188
12	6	6	16	18	47	37	10	628	537	91	31	115	40	29	11	197	93	104	189
11	5	6	7	6	39	31	8	281	243	38	21	59	39	28	11	94	54	40	
1	1		9	12	8	6	2	347	294	53	10	56	1	1		103	39	64	

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN

[The term "cities" as here used is restricted to municipalities having 10,000 or

List No.	CAUSE OF DEATH.	MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.	
Detailed Int.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes	41,184	12,102	17,811	23,005	8,266	14,521	18,147	23,414	1,787	3,246	3,235	4,224
	I.—General diseases	10,414	3,156	4,356	5,165	2,469	3,890	5,237	7,289	497	823	652	951
1	Typhoid fever	238	41	290	249	101	134	270	550	34	61	22	30
2	Typhus fever	1											
3	Relapsing fever							1	1				
4	Malaria	6	7	6	11		1	42	385		1		
5	Smallpox			1	3	1	11	3	6		3	1	1
6	Measles	408	91	156	97	61	146	218	222	17	37	16	38
7	Scarlet fever	251	60	160	121	96	89	58	85	46	73	6	7
8	Whooping cough	256	49	134	142	33	110	75	234	21	25	22	19
9	Diphtheria and croup	548	76	410	266	110	109	278	309	6	17	31	25
10	Influenza	189	139	84	255	37	149	161	408	6	24	20	52
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras	7	5	13	8	1	14	4	7		1	1	4
14	Dysentery	87	49	53	82	8	36	52	248		9	5	5
15	Plague												
16	Yellow fever												
17	Leprosy		1				1						
18	Erysipelas	111	26	64	68	36	40	46	62	10	6	5	4
19	Other epidemic diseases	8	3	5	6	1	10	4	7	3	5		
20	Purulent infection and septicemia	123	27	51	57	15	24	33	53	6	20	6	10
21	Glanders	1	1									1	
22	Anthrax	2	1				1		1				
23	Rabies		2	1	1	1	2	5	4				1
24	Tetanus	32	8	22	17	15	18	41	52	1	2		1
25	Mycoses	2		1	1	2		1	1				
26	Pellagra	8	5	7	1	1	1	9	14			1	1
27	Beriberi												
	Tuberculosis (total)	3,864	1,253	1,230	1,463	969	1,373	1,995	2,819	169	287	223	302
28	Tuberculosis of the lungs	3,074	1,068	987	1,206	778	1,058	1,689	2,451	137	235	172	245
29	Acute miliary tuberculosis	115	29	42	38	31	53	63	48	10	9	6	9
30	Tuberculous meningitis	397	55	84	66	74	104	96	108	9	16	25	22
31	Abdominal tuberculosis	127	28	54	77	51	72	77	122	7	10	9	16
32	Pott's disease	38	17	14	17	10	23	20	26	3	3	4	6
33	White swellings	19	8	8	10	3	13	7	5	1	2	1	
34	Tuberculosis of other organs	71	20	24	29	17	28	38	35		7	5	1
35	Disseminated tuberculosis	23	28	17	20	5	22	5	24	2	5	1	3
36	Rickets	27	6	4	10	13	7	14	5	1	4	3	2
37	Syphilis	154	43	96	53	54	45	231	84	13	10	4	2
38	Gonococcus infection	9		12		4		9	4			1	
	Cancer and other malignant tumors (total)	2,728	869	992	1,400	591	1,047	1,139	1,111	89	118	163	293
39	Of the buccal cavity	107	27	43	51	25	62	48	68	4	5	6	11
40	Of the stomach, liver	933	317	407	611	259	535	417	441	33	56	59	117
41	Of the peritoneum, intestines, rectum	461	154	107	153	71	122	134	120	15	17	25	51
42	Of the female genital organs	407	112	178	182	72	103	195	119	10	18	31	38
43	Of the breast	301	101	89	118	59	64	86	117	6	4	11	30
44	Of the skin	64	20	25	75	11	26	44	88		2	6	14
45	Of other organs or of organs not specified	455	138	143	210	94	135	215	158	21	16	25	32
46	Other tumors (tumors of the female genital organs excepted)	14	11	7	19	2	7	6	7	2	3	1	2
47	Acute articular rheumatism	154	26	78	98	34	65	67	120	10	18	13	13
48	Chronic rheumatism and gout	28	13	12	20	3	21	14	26	2		3	4
49	Scurvy	5		1	1	1		1	1				
50	Diabetes	543	184	180	300	110	187	183	253	19	25	39	64
51	Exophthalmic goiter	32	6	43	47	20	37	27	29	2	1	2	2
52	Addison's disease	15	9	6	11	7	3	3	6		2	3	1
53	Leukemia	53	15	22	40	16	32	30	25		6	5	4
54	Anemia, chlorosis	187	73	105	194	55	70	46	48	9	6	28	40
55	Other general diseases	60	19	24	43	10	24	25	42	3	7	14	4
56	Alcoholism (acute or chronic)	251	37	71	70	59	74	124	48	27	47	13	15
57	Chronic lead poisoning	9	1	6		1		7	5	1			4
58	Other chronic occupation poisonings			1	1								
59	Other chronic poisonings	3		8	10	1	2	15	7		5		1
	II.—Diseases of the nervous system and of the organs of special sense.	4,007	1,546	1,897	2,827	571	1,402	1,405	2,077	123	266	397	541
60	Encephalitis	33	6	20	25	2	15	4	28	2	1	2	4
61	Meningitis (total)	343	81	216	142	43	64	143	205	25	35	45	36
	Simple meningitis	227	56	131	91	21	36	37	86	12	18	30	20
	Cerebrospinal meningitis (undefined)	95	25	78	46	10	11	16	45	10	5	14	15
	Cerebrospinal fever	21		7	5	12	17	90	74	3	12	1	1
62	Locomotor ataxia	90	25	35	48	17	18	47	51	1	1	7	6
63	Other diseases of the spinal cord (total)	214	76	81	120	37	93	97	182	7	10	26	29
	Acute anterior poliomyelitis	57	10	17	24	6	30	5	43	5	3	13	8
	Other diseases of the spinal cord [3]	157	66	64	96	31	63	92	139	2	7	13	21
64	Cerebral hemorrhage, apoplexy	2,482	979	845	1,467	327	787	736	986	51	101	207	332

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1913—Con.

more inhabitants in 1910, smaller places being included with the "rural districts."]

NEW JERSEY.		NEW YORK.		NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		List No.
				Cities.			Rural districts.[2]											
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Detailed Inf.
25,881	13,556	108,818	36,704	3,318	1,660	1,658	3,366	1,885	1,481	35,602	32,891	60,846	57,148	7,132	1,566	1,608	2,836	
6,343	3,515	29,645	8,321	1,106	562	544	1,157	649	508	9,744	8,898	15,021	13,330	1,894	386	336	648	
181	84	723	276	112	56	56	116	74	42	538	653	785	685	40	8	28	62	1
												1						2
																		3
10	4	24	18	21	6	15	54	23	31	14	32	21	13	4		2	2	4
		2		6	4	2	4	4		3	3	6	6				6	5
137	77	1,011	109	47	36	11	60	47	13	400	279	658	920	61	10	19	109	6
167	63	792	99	4	3	1	7	6	1	219	104	498	417	20	1	3	12	7
226	129	579	184	46	20	26	68	40	28	297	381	383	515	33	7	8	32	8
395	190	1,703	193	25	13	12	26	18	8	611	445	1,101	998	117	24	7	26	9
114	131	481	576	40	17	23	33	24	9	218	489	360	634	49	26	13	32	10
																		11
																		12
3	8	23	28	1	1		1	1		17	27	24	66				1	13
17	33	108	100	32	14	18	49	31	18	90	211	81	224	26		1	6	14
																		15
																		16
		1																17
100	29	397	86	4	3	1	11	11		105	86	220	187	24	1	7	6	18
6	5	35	9	1		1				2	8	23	14	2	1	1	1	19
32	16	139	39	7	5	2	8	5	3	77	50	93	115	21	2	2	1	20
		1										2						21
		2	2							1		4	4					22
6	2	11	1							4	2	4	1	1				23
31	26	71	34	37	5	32	22	4	18	44	47	85	63	6	2	3		24
1		6	2							1		1						25
2		5	2	96	53	43	61	40	21			5	2	9				26
													1					27
2,677	1,540	13,199	3,039	451	224	227	461	216	245	3,664	2,899	5,564	4,238	811	132	88	110	
2,146	1,371	10,983	2,601	379	192	187	397	183	214	3,032	2,375	4,523	3,584	648	106	60	95	28
129	44	507	85	19	6	13	14	4	10	118	89	233	135	18	1	10	3	29
214	48	1,051	163	19	12	7	15	10	5	218	118	374	159	81	6	8	4	30
77	35	312	103	19	6	13	21	11	10	156	164	225	187	26	7	3	3	31
34	10	110	18	4	1	3				40	32	46	29	9	1	5	2	32
22	3	48	17	2	2		1	1		22	20	32	19	6	2		1	33
39	17	132	38	5	2	3	9	4	5	51	48	86	72	12	3	2	1	34
16	12	56	14	4	3	1	4	3	1	27	53	45	53	11	6		1	35
22	10	42	5	6	1	5	4		4	11	13	51	34	1		1	3	36
94	40	745	63	31	13	18	22	4	18	273	105	313	154	32	4	9	9	37
5	1	58	3							18	7	23	6	1			2	38
1,381	775	6,308	2,223	90	56	34	100	64	36	2,008	2,053	3,197	2,657	422	119	85	126	
43	31	226	80	2	1	1	2	2		87	88	113	118	22	5	5	6	39
540	299	2,472	831	26	19	7	28	18	10	756	869	1,220	1,116	145	50	38	66	40
232	117	938	330	8	6	2	13	10	3	252	236	448	304	69	16	6	13	41
221	109	956	330	30	16	14	29	19	10	382	258	575	399	73	18	11	17	42
118	76	589	249	8	3	5	5	1	4	165	199	302	258	47	9	9	5	43
33	30	113	105	3	2	1	4	4		58	116	79	134	11	9		6	44
194	113	1,014	298	13	9	4	19	10	9	308	287	460	328	55	12	16	13	45
7	4	23	8							8	9	16	6	1			1	46
123	55	460	162	12	3	9	9	4	5	143	126	335	317	19	3	9	18	47
13	13	71	81				3	3		32	48	51	67	3	1	2	3	48
1	2	6	1							2		16	7					49
300	158	1,400	434	10	10		15	11	4	419	381	520	432	118	23	17	33	50
17	6	95	38	1	1		2	1	1	59	63	67	44	2	1	4	3	51
4	4	22	13				2	2		11	9	13	11	2			1	52
26	16	161	43	4	2	2	2	2		39	47	59	57	12	3	5	4	53
59	28	306	217	3	1	2	7	6	1	114	150	141	172	18	5	5	8	54
27	14	89	31	10	9	1	2	2		51	42	92	77	9	1	4	10	55
148	45	511	187	6	5	1	5	4	1	223	107	181	172	30	11	12	18	56
9	4	17	1				1		1	13	2	11	6		1		3	57
	1	1	1							1	1					1		58
2	2	17	13	3	1	2	2	2		14	19	16	8					59
2,248	1,817	7,700	4,884	313	166	147	278	185	93	3,344	4,029	4,786	6,230	706	167	138	236	
18	9	48	22	1		1	3	3		36	30	61	61	3		8	3	60
178	89	566	125	62	19	43	31	21	10	322	186	330	348	47	5	20	48	61
116	54	269	84	11	6	5	11	10	1	116	86	251	283	27	2	5	7	
47	30	204	38	14	4	10	17	11	6	68	58	58	60	9	2	7	11	
15	5	93	3	37	9	28	3		3	138	42	21	5	11	1	8	30	
65	28	189	78	3	2	1	2	2		76	75	103	86	20	4	1	3	62
92	68	409	172	15	7	8	10	8	2	147	260	196	237	25	8	14	13	63
18	12	92	44	3	1	2	4	3	1	29	35	34	62	10	3	4	3	
74	56	317	128	12	6	6	6	5	1	118	227	162	175	15	5	10	10	
1,374	1,042	4,656	3,119	137	82	55	147	101	46	2,006	2,531	2,649	3,317	426	115	51	92	64

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed List Int. No.	CAUSE OF DEATH.	MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Con.												
65	Softening of the brain	29	18	4	26	13	11	22	43	1	2	1	7
66	Paralysis without specified cause	138	76	184	464	19	89	51	206	4	22	25	54
67	General paralysis of the insane	187	103	126	135	13	50	132	83	2	35	12	17
68	Other forms of mental alienation	31	26	37	26	5	32	33	36	3	11	23	8
69	Epilepsy	75	79	42	82	12	54	49	102	4	19	12	16
70	Convulsions (nonpuerperal)	3	2	4	7	2	2	1	4			1	
71	Convulsions of infants	120	24	186	166	31	97	15	40	9	8	16	14
72	Chorea	5	1	4	4		4	3	5		2	1	
73	Neuralgia and neuritis	25	8	8	16	3	7	5	16		2	1	3
74	Other diseases of the nervous system	125	34	74	77	26	51	34	45	6	8	16	15
75	Diseases of the eyes and their annexa	5		2		2		2	5				
76	Diseases of the ears	102	8	29	22	19	28	31	40	8	9	2	
	III.—Diseases of the circulatory system	6,775	2,393	2,156	3,689	967	1,755	2,187	2,354	178	324	450	716
77	Pericarditis	32	6	18	30		11	31	44		2	2	7
78	Acute endocarditis	346	63	108	78	60	60	108	47	17	15	16	12
79	Organic diseases of the heart	4,813	1,683	1,601	2,868	684	1,341	1,460	1,756	133	248	328	489
80	Angina pectoris	244	105	71	188	26	82	59	113	6	7	22	39
81	Diseases of the arteries, atheroma, aneurism, etc.	1,156	487	288	438	152	202	483	337	13	34	63	137
82	Embolism and thrombosis	117	34	44	49	28	38	27	37	3	13	17	25
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	27	6	8	9	1	9	9	7	1	2		1
84	Diseases of the lymphatic system (lymphangitis, etc.).	34	9	13	10	14	4	9	4	1		1	1
85	Hemorrhage; other diseases of the circulatory system.	6		5	19	2	8	1	9	4	3	1	5
	IV.—Diseases of the respiratory system	5,492	1,225	2,112	1,936	868	1,404	2,042	2,737	230	382	378	468
86	Diseases of the nasal fossae	3	3	4	5		8	1	4		2		1
87	Diseases of the larynx	40	4	29	28	4	14	17	35		7	4	4
88	Diseases of the thyroid body	18	4	12	14	6	10	10	4	2			
89	Acute bronchitis	383	97	172	257	27	82	127	167	15	18	32	33
90	Chronic bronchitis	216	98	92	151	59	101	128	172	7	8	17	38
91	Bronchopneumonia	1,895	387	628	319	288	430	621	827	50	85	89	70
92	Pneumonia (total)	2,648	564	1,003	944	416	634	1,010	1,367	139	234	199	283
	Lobar pneumonia	2,102	491	587	271	365	486	951	1,127	86	116	53	24
	Pneumonia (undefined)	546	73	416	673	51	148	59	240	53	118	146	259
93	Pleurisy	119	20	50	61	27	32	49	32	1	7	12	7
94	Pulmonary congestion, pulmonary apoplexy	80	24	46	64	12	36	19	34	2	4	12	20
95	Gangrene of the lung	11	5	5	7	2	1	3	4		1	1	
96	Asthma	42	10	40	45	17	44	41	51	6	4	3	10
97	Pulmonary emphysema	9		1	3	1	3	5	5		1	2	1
98	Other diseases of the respiratory system (tuberculosis excepted).	28	9	30	38	9	9	11	35	8	11	7	1
	V.—Diseases of the digestive system	4,766	1,056	2,205	2,621	930	1,521	2,228	2,620	199	330	467	420
99	Diseases of the mouth and annexa	15	2	10	17	3	3	11	14	2	1		2
100	Diseases of the pharynx	60	21	44	53	23	14	20	48	5	6	3	5
101	Diseases of the esophagus	10	4	6	5	1	1	4	2	1			
102	Ulcer of the stomach	110	21	52	79	34	49	58	54	15	8	6	8
103	Other diseases of the stomach (cancer excepted)	249	94	281	357	29	111	115	305	11	17	26	76
104	Diarrhea and enteritis (under 2 years)	2,605	472	873	869	315	585	906	1,028	42	120	275	145
105	Diarrhea and enteritis (2 years and over)	358	153	182	285	83	163	170	349	8	40	30	44
106	Ankylostomiasis	1											
107	Intestinal parasites	3	1		2		4		3				
108	Appendicitis and typhlitis	358	52	183	189	161	192	268	163	44	45	34	21
109	Hernia, intestinal obstruction (total)	365	70	203	240	98	126	182	166	16	19	27	35
	Hernia	153	23	63	59	35	32	79	43	4	6	11	9
	Intestinal obstruction	212	47	140	181	63	94	103	123	12	13	16	26
110	Other diseases of the intestines	47	12	37	63	18	36	46	77	2	13	3	5
111	Acute yellow atrophy of the liver	7	3	8	10	3	9	5	9		1		1
112	Hydatid tumor of the liver	4						1	1				
113	Cirrhosis of the liver	277	88	144	183	79	84	276	173	22	32	22	27
114	Biliary calculi	114	19	35	63	36	46	63	81	4	8	6	11
115	Other diseases of the liver	87	24	90	117	29	69	70	77	13	7	14	15
116	Diseases of the spleen	2	4	5	5		1	1	6	1			2
117	Simple peritonitis (nonpuerperal)	66	13	40	76	12	22	26	58	10	12	20	22
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	28	3	12	8	6	6	6	6	3	1	1	1

[1] Includes only municipalities having a population of 1,000 or over in 1900.

CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1913—Con.

more inhabitants in 1910, smaller places being included with the "rural districts."]

NEW JERSEY.		NEW YORK.		NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		List
				Cities.			Rural districts.[2]											Detailed Int. No.
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
28	26	57	79	7	7	.....	5	5	.....	36	95	61	98	3	.....	3	.....	65
116	132	260	432	39	12	27	42	20	22	79	219	331	581	31	10	9	13	66
71	158	420	380	14	12	2	5	4	1	249	147	235	303	53	5	2	10	67
20	70	96	79	11	11	.....	5	3	2	94	71	44	161	10	3	2	8	68
54	80	188	179	1	.....	1	8	3	5	56	158	91	206	29	4	11	16	69
2	.....	4	3	.....	.....	.....	.....	.....	.....	5	5	9	28	.....	.....	.....	1	70
118	63	297	90	12	6	6	10	7	3	82	82	416	587	22	2	5	11	71
3	1	6	2	.....	.....	.....	1	1	.....	3	6	4	20	2	1	.....	1	72
10	4	53	15	4	4	.....	.....	.....	.....	17	13	28	24	6	1	1	1	73
61	33	243	33	6	4	2	6	5	1	69	101	143	117	20	4	5	8	74
3	1	7	2	.....	.....	.....	.....	.....	.....	2	.....	5	1	1	1	.....	.....	75
35	13	201	24	1	.....	1	3	2	1	65	50	80	55	8	4	6	8	76
3,296	1,977	15,005	6,279	322	159	163	272	156	116	4,654	5,167	7,288	6,157	983	253	212	302	
8	12	49	37	.....	.....	.....	3	2	1	23	31	38	36	5	2	.....	.....	77
283	91	1,079	172	7	3	4	5	3	2	223	71	499	208	39	6	13	16	78
2,479	1,506	11,157	4,472	264	118	146	238	132	106	3,469	4,016	5,450	4,726	734	188	159	244	79
111	102	417	301	13	10	3	11	8	3	182	276	261	297	26	19	7	12	80
315	215	1,988	1,156	26	18	8	12	10	2	649	666	790	710	155	34	22	17	81
66	35	206	103	9	9	.....	1	.....	1	69	75	164	132	14	4	8	8	82
16	6	57	20	2	1	1	.....	.....	.....	26	12	32	17	3	.....	1	2	83
11	8	39	14	1	.....	1	1	.....	1	10	6	38	13	4	.....	1	2	84
7	2	13	4	.....	.....	.....	1	1	.....	3	14	16	18	3	.....	1	1	85
3,637	1,449	15,771	3,873	304	118	186	293	131	162	3,824	3,042	8,407	7,216	866	169	168	379	
3	.....	11	3	.....	.....	.....	.....	.....	.....	5	1	5	3	.....	.....	.....	.....	86
19	13	56	31	3	1	2	6	4	2	20	23	50	124	3	3	2	3	87
4	5	31	10	1	1	.....	1	1	.....	23	16	31	13	2	.....	4	2	88
223	77	971	275	12	3	9	27	8	19	331	140	578	497	72	17	9	30	89
148	79	412	237	12	8	4	6	3	3	185	175	281	293	23	15	14	17	90
1,044	348	5,930	1,047	87	37	50	102	44	58	1,299	1,045	2,800	2,126	236	48	41	124	91
1,945	810	7,619	2,053	162	50	112	124	57	67	1,759	1,431	3,962	3,502	488	79	78	177	92
1,117	382	6,119	922	136	34	102	89	41	48	1,663	1,241	2,485	1,348	233	22	72	123	
828	428	1,500	1,131	26	16	10	35	16	19	96	190	1,477	2,154	255	57	6	54	
80	24	383	81	7	6	1	6	1	5	85	47	210	134	14	4	5	2	93
80	56	147	62	9	7	2	11	6	5	22	52	259	201	10	2	2	7	94
6	2	26	6	.....	.....	.....	.....	.....	.....	6	3	11	11	.....	.....	2	1	95
43	11	102	38	6	2	4	9	6	3	59	73	119	156	9	1	5	5	96
8	4	17	7	.....	.....	.....	.....	.....	.....	7	4	13	18	1	.....	1	.....	97
34	20	66	23	5	3	2	1	1	.....	23	32	88	138	8	.....	5	11	98
3,309	1,337	11,824	3,367	405	210	195	478	294	184	4,495	3,398	8,320	7,923	770	160	211	312	
10	3	47	14	.....	.....	.....	3	1	2	13	23	30	30	6	.....	2	2	99
23	15	160	52	3	1	2	7	4	3	58	66	82	86	5	.....	2	6	100
7	3	12	11	.....	.....	.....	1	1	.....	5	4	12	9	.....	.....	1	.....	101
81	19	341	107	10	6	4	8	7	1	115	81	161	102	16	2	8	12	102
165	165	425	383	60	19	41	51	26	25	235	377	773	1,039	43	26	9	17	103
1,791	681	6,001	1,249	192	94	98	262	157	105	2,245	1,350	4,334	4,283	401	84	67	107	104
257	158	787	475	38	25	13	48	29	19	340	386	564	751	49	6	9	25	105
.....	.....	.....	.....	2	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	106
1	1	4	.....	.....	.....	.....	1	1	.....	1	2	4	11	.....	.....	.....	.....	107
238	42	1,011	171	36	28	8	31	23	8	376	168	548	218	64	5	47	52	108
207	62	937	257	21	9	12	19	14	5	321	235	537	382	59	12	26	46	109
93	30	384	62	8	4	4	9	4	5	121	65	190	95	33	5	11	11	
114	32	553	195	13	5	8	10	10	.....	200	170	347	287	26	7	15	35	
60	30	160	30	2	.....	2	4	3	1	59	62	78	104	11	2	5	3	110
10	.....	27	18	3	1	2	2	2	.....	14	20	19	31	1	1	2	2	111
2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	112
328	101	1,263	345	18	13	5	17	9	8	412	334	695	450	68	16	13	14	113
40	21	218	45	7	6	1	5	5	.....	91	89	152	91	19	1	7	9	114
57	26	262	137	6	6	.....	7	4	3	116	115	193	183	19	1	8	6	115
1	.....	12	5	.....	.....	.....	.....	.....	.....	5	5	7	11	2	1	1	.....	116
22	9	92	58	7	1	6	11	8	3	69	66	88	123	6	2	2	11	117
9	1	63	10	.....	.....	.....	.....	.....	.....	20	14	42	19	1	1	1	.....	118

[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed List Int. No.	CAUSE OF DEATH.	MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	2,914	835	1,133	1,581	786	1,112	2,065	1,671	147	167	242	351
119	Acute nephritis	233	57	107	115	64	76	145	134	13	12	21	23
120	Bright's disease	2,251	685	787	1,191	580	861	1,607	1,308	102	120	184	291
121	Chyluria												
122	Other diseases of the kidneys and annexa	57	18	28	44	10	28	25	37	1	6	8	7
123	Calculi of the urinary passages	19	5	9	13	5	8	9	10		1	4	2
124	Diseases of the bladder	46	23	20	73	7	29	26	42	3	2	4	11
125	Diseases of the urethra, urinary abscess, etc	24	2	2		4	1	10	2	1	1	1	
126	Diseases of the prostate	106	28	55	91	55	72	73	77	7	8	4	8
127	Nonvenereal diseases of the male genital organs	3		3		1	1	1	1				
128	Uterine hemorrhage (nonpuerperal)	1		2	1	2	1	1	1	1		2	1
129	Uterine tumor (noncancerous)	53	3	40	17	21	10	43	20	4	2	5	5
130	Other diseases of the uterus	31	3	20	17	7	11	25	14	2	5	6	
131	Cysts and other tumors of the ovary	31	7	19	10	5	8	20	10		2	1	2
132	Salpingitis and other diseases of the female genital organs.	58	3	41	8	25	6	79	15	13	8	2	1
133	Nonpuerperal diseases of the breast (cancer excepted).	1	1		[1] 1			1					
	VII.—The puerperal state	447	63	253	325	113	206	197	384	[2] 28	52	34	25
134	Accidents of pregnancy	37	3	25	31	13	21	22	28	1	8	6	2
135	Puerperal hemorrhage	55	5	20	43	8	30	14	33	2	8	1	3
136	Other accidents of labor	40	9	25	28	8	22	15	32	2	4	2	7
137	Puerperal septicemia	167	20	130	143	49	71	110	203	13	24	12	6
138	Puerperal albuminuria and convulsions	119	13	46	71	25	50	31	78	9	7	11	7
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	28	12	7	7	8	9	3	7	1	1	1	
140	Following childbirth (not otherwise defined)	1	1		2	2	3	2	3			1	
141	Puerperal diseases of the breast												
	VIII.—Diseases of the skin and of the cellular tissue.	147	49	76	112	25	67	38	78	3	10	13	25
142	Gangrene	38	28	37	83	11	28	14	30	1	4	7	18
143	Furuncle	19	4	8	3	2	8	6	13	2	2		2
144	Acute abscess	47	8	12	13	5	5	11	12		2	6	
145	Other diseases of the skin and annexa	43	9	19	13	7	26	7	23		2		5
	IX.—Diseases of the bones and of the organs of locomotion.	86	14	54	31	16	25	29	27	8	7	2	2
146	Diseases of the bones (tuberculosis excepted)	78	6	40	27	12	20	27	23	8	6	1	1
147	Diseases of the joints (tuberculosis and rheumatism excepted).	7	6	9	2	4	4	2	3		1	1	
148	Amputations												
149	Other diseases of the organs of locomotion	1	2	5	2		1		1				1
	X.—Malformations	516	139	226	333	113	189	176	270	24	42	31	43
150	Congenital malformations (stillbirths not included) (total).	516	139	226	333	113	189	176	270	24	42	31	43
	Hydrocephalus	42	10	23	32	13	23	18	22	2	2	6	2
	Congenital malformations of the heart	336	89	145	176	65	93	108	164	21	24	9	25
	Other congenital malformations	138	40	58	125	35	73	50	84	1	16	16	16
	XI.—Early infancy	2,593	589	1,430	1,476	562	1,024	791	1,461	101	176	271	227
151	Congenital debility, icterus, and sclerema (total)	2,002	477	1,236	1,189	466	836	630	1,196	74	144	244	203
	Premature birth	1,344	306	633	733	354	610	535	945	53	105	120	108
	Congenital debility, "atrophy," "marasmus," etc.	658	171	603	456	112	226	95	251	21	39	124	95
152	Other causes peculiar to early infancy (total)	585	108	187	286	95	180	156	260	26	32	26	24
	Injuries at birth	355	57	99	142	58	88	84	137	14	16	10	10
	Other causes peculiar to early infancy [3]	230	51	88	144	37	92	72	123	12	16	16	14
153	Lack of care	6	4	7	1	1	8	5	5	1		1	
	XII.—Old age	304	209	475	889	100	377	62	368	19	49	94	190
154	Senility	304	209	475	889	100	377	62	368	19	49	94	190
	XIII.—External causes	2,570	777	1,317	1,770	734	1,324	1,651	1,476	203	520	187	229
	Suicide (total)	348	128	202	207	136	168	394	192	47	68	33	42
155	By poison	62	22	98	62	41	31	212	71	24	14	5	5
156	By asphyxia	84	5	8		8	1	32	2			6	
157	By hanging or strangulation	41	29	27	42	26	39	29	26	1	6	5	12
158	By drowning	29	23	12	14	9	16	12	9		1	3	2
159	By firearms	91	35	44	69	36	61	82	70	15	41	7	15
160	By cutting or piercing instruments	26	10	10	16	6	13	17	10	5	4	5	6
161	By jumping from high places	11	1	1		7	2	5	2		1		
162	By crushing	4	1		3	2	2	1	1	1		1	
163	Other suicides		2	2	1	1	3	4	1	1	1	1	2

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1913—Con.

more inhabitants in 1910, smaller places being included with the "rural districts."]

NEW JERSEY.		NEW YORK.		NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		List
				Cities.			Rural districts.[2]											Int.
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Detailed
2,505	1,208	11,086	3,476	264	146	118	230	110	120	2,783	2,397	5,802	3,792	650	146	144	174	
245	115	903	323	35	18	17	21	6	15	298	221	628	370	58	12	11	15	119
2,007	982	9,067	2,792	189	114	75	172	87	85	2,037	1,792	4,428	2,928	535	113	104	132	120
																		121
49	16	162	41	1		1	10	6	4	42	52	102	81	4	3	1	7	122
6	5	62	8	2	1	1	3	1	2	21	17	30	23	4	1	2	1	123
34	27	82	139	5	2	3	3	2	1	36	75	82	114	8	4	3	10	124
8	5	36	6	4	1	3	2	1	1	8	7	17	6	4				125
43	31	222	77	5	1	4	8	5	3	88	136	163	139	12	5	10	8	126
4	1	13					2	1	1	2	6	16	8	1	2			127
1	1	5	5							2	2	4	2				1	128
32	5	182	38	5	2	3	5	1	4	72	24	90	51	7	1	7		129
24	5	83	12	7	3	4	2		2	33	12	54	19	6	3	2		130
18	4	67	24	4	1	3	1		1	34	23	53	21	3	1	2		131
33	10	199	10	7	3	4	1		1	110	30	132	28	8		2		132
1	1	3	1									3	2		1			133
342	104	1,064	294	55	24	31	42	25	17	388	305	829	593	58	15	25	38	134
24	4	86	26	5	3	2	6	6		28	24	61	48	6		4	3	
40	15	102	43	7	1	6				32	41	70	65	7	4	5	5	135
22	6	106	18	7	3	4	5	2	3	26	20	57	53	4	4		4	136
171	44	492	103	7	3	4	18	5	13	220	138	388	253	19	4	7	17	137
77	28	250	89	28	13	15	10	10		73	68	222	152	16	1	7	8	138
8	5	28	10	1	1		2	1	1	7	12	23	18	6	1	2	1	139
	2						1	1		2	2	7	4		1			140
												1						141
78	35	356	160	6	3	3	6	2	4	91	155	286	310	24		2	4	
33	18	107	103	5	3	2	3	1	2	30	101	134	167	8		1	2	142
5	2	54	6							18	11	39	23	2				143
26	6	127	22				2	1	1	16	15	64	68	9			1	144
14	9	68	29	1		1	1		1	27	28	49	52	5		1	1	145
50	19	289	31	7	6	1	4	3	1	73	50	166	70	8	3	8	3	
48	15	271	27	6	5	1	4	3	1	60	42	149	55	7	2	6	1	146
2	3	15	2	1	1					9	5	15	8	1	1	2		147
																		148
	1	3	2							4	3	2	7				2	149
339	168	1,077	248	25	23	2	17	12	5	404	415	694	806	69	24	20	43	
339	168	1,077	248	25	23	2	17	12	5	404	415	694	806	69	24	20	43	150
28	13	116	25	1		1	1	1		38	21	37	46	8	3	5	3	
209	121	651	150	18	17	1	11	8	3	243	265	452	525	32	15	12	32	
102	34	310	73	6	6		5	3	2	123	129	205	235	29	6	3	8	
1,647	697	6,919	1,968	172	106	66	197	135	62	1,980	1,538	3,817	4,188	489	98	100	268	
1,316	584	5,532	1,694	151	94	57	177	127	50	1,570	1,242	3,171	3,550	374	74	79	223	151
790	330	3,259	913	99	61	38	123	92	31	1,237	872	1,913	2,015	181	39	65	194	
526	254	2,273	781	52	33	19	54	35	19	333	370	1,258	1,535	193	35	14	29	
330	109	1,382	269	21	12	9	20	8	12	400	292	641	624	112	24	20	45	152
178	61	768	169	10	7	3	7	4	3	252	163	328	322	80	18	14	27	
152	48	614	100	11	5	6	13	4	9	148	129	313	302	32	6	6	18	
1	4	5	5							10	4	5	14	3		1		153
124	199	717	1,100	34	23	11	22	13	9	278	563	516	835	106	33	15	104	
124	199	717	1,100	34	23	11	22	13	9	278	563	516	835	106	33	15	104	154
1,393	996	7,293	2,634	201	92	109	205	104	101	3,459	2,645	4,667	4,938	469	106	178	288	
309	143	1,173	376	15	13	2	14	11	3	406	333	623	450	72	14	41	35	
66	19	208	91	4	3	1	2	2		176	97	197	114	11	2	17	4	155
91	19	389	18							8	2	121	9	24		3		156
37	32	164	100	3	3					51	73	67	105	9	1	1	1	157
19	12	53	29	1		1				23	33	19	25	7	5		1	158
67	52	210	91	4	4		10	8	2	105	94	166	152	17	4	17	21	159
21	6	70	36	3	3					31	22	39	35	3	1	2	5	160
6	2	70	5							3	1	9	6		1	1		161
2	1	6	1							5	9	2	2				1	162
		3	5				2	1	1	4	2	3	2	1			2	163

[3] Exclusive of injuries at birth.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN

[The term "cities" as here used is restricted to municipalities having 10,000 or

List No.	CAUSE OF DEATH.	MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.	
Detailed Int.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	2,128	635	1,048	1,510	566	1,122	1,054	1,156	144	420	148	179
164	Poisoning by food	17	6	21	31	7	16	18	25	3	5	5	5
165	Other acute poisonings	43	13	33	42	18	46	35	52	8	8	6	8
166	Conflagration	61	18	10	41	6	27	35	48	2	2	3	1
167	Burns (conflagration excepted)	250	47	81	73	37	71	85	90	11	11	16	19
168	Absorption of deleterious gases (conflagration excepted).	142	20	39	31	52	30	38	39	1	8	6	3
169	Accidental drowning	227	143	113	253	52	166	46	109	4	60	25	40
170	Traumatism by firearms	20	12	21	63	17	58	30	87	7	18	1	5
171	Traumatism by cutting or piercing instruments.	2	.....	1	1	.....	4	3	4	.....	.....	1	1
172	Traumatism by fall	532	125	188	226	119	136	233	187	12	40	32	41
173	Traumatism in mines and quarries (total)	3	.....	10	71	3	49	21	36	32	51	.....	.....
	Traumatism in mines	.....	.....	10	70	3	49	20	34	32	50	.....	.....
	Traumatism in quarries	3	.....	.....	1	.....	.....	1	2	.....	1	.....	.....
174	Traumatism by machines	71	10	32	38	20	21	31	15	2	4	4	3
175	Traumatism by other crushing (total)	577	185	382	406	184	326	325	265	43	158	34	42
	Railroad accidents and injuries	235	96	157	159	119	178	137	161	26	95	17	22
	Street-car accidents and injuries	102	24	76	33	18	13	69	9	5	.....	1	.....
	Automobile accidents and injuries	126	39	100	42	18	28	67	21	6	9	10	7
	Injuries by other vehicles	99	23	43	83	22	93	46	65	6	41	5	11
	Landslide, other crushing	15	3	6	89	7	14	6	9	.....	13	1	2
176	Injuries by animals	11	4	8	28	5	38	4	30	5	4	2	1
177	Starvation	2	1	1	2	.....	.....	1	1	.....	.....	.....	.....
178	Excessive cold	5	2	1	17	5	23	3	11	2	8	1	.....
179	Effects of heat	22	6	45	23	9	15	72	42	.....	.....	1	1
180	Lightning	1	2	3	30	1	19	.....	19	.....	8	.....	.....
181	Electricity (lightning excepted)	19	12	14	21	7	5	12	8	2	2	3	.....
185	Fractures (cause not specified)	22	1	6	6	1	14	13	14	2	1	2	2
186	Other external violence	101	28	39	107	23	58	49	74	8	32	6	7
	Homicide (total)	94	14	67	53	32	34	203	128	12	32	6	8
182	By firearms	38	9	46	27	21	24	120	79	10	21	3	5
183	By cutting or piercing instruments	13	1	7	8	2	3	33	16	1	3	.....	.....
184	By other means	43	4	14	18	9	7	50	33	1	8	3	3
	XIV.—Ill-defined diseases	153	51	121	250	12	225	39	602	27	98	17	36
187	Ill-defined organic disease	2	1	14	45	1	4	2	17	2	3	4	7
188	Sudden death	12	1	2	10	3	13	2	34	4	1	1	4
189	Not specified or ill-defined (total)	139	49	105	195	8	208	35	551	21	94	12	25
	Ill-defined	101	43	83	96	5	69	21	128	7	27	11	19
	Not specified or unknown	38	6	22	99	3	139	14	423	14	67	1	6

[1] Includes only municipalities having a population of 1,000 or over in 1900.

CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1913—Con.

more inhabitants in 1910, smaller places being included with the "rural districts."]

NEW JERSEY.		NEW YORK.		NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		List No.
				Cities.			Rural districts.[2]											
Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Detailed list.
1,497	822	5,696	2,188	139	70	69	152	84	68	2,837	2,232	3,798	4,302	379	91	123	233	
11	15	31	24	1	1		3	3		28	25	18	39	4		3	2	164
34	17	123	45	9	5	4	7	3	4	59	55	84	109	12		5	9	165
13	10	163	41	1	1		3		3	34	39	25	66	4		1	1	166
210	47	598	112	31	11	20	19	10	9	203	151	483	372	44	8	10	13	167
112	24	387	52	3	3		8	4	4	108	63	115	67	20	5		3	168
171	188	715	427	3	1	2	11	4	7	516	277	206	360	49	27	2	17	169
13	12	41	65	16	4	12	14	9	5	50	50	52	90	4	3	5	15	170
2		6	4				1	1		9	5	3	3					171
309	114	1,456	446	9	6	3	19	12	7	482	400	820	566	82	21	22	19	172
2	7	4	10							21	133	376	965		1	5	52	173
2	7	2	8							18	130	360	942			5	50	
		2	2							3	3	16	23		1		2	
49	18	178	57	3	2	1	3	2	1	97	54	145	109	9	1	4	7	174
429	290	1,574	703	36	25	11	28	17	11	911	702	1,079	1,143	114	12	47	60	175
217	186	447	471	26	18	8	17	10	7	493	488	603	852	35	8	22	29	
45	18	302	36	2	1	1				160	57	172	83	29	1	8	3	
101	47	440	92	4	3	1	3	3		133	54	136	80	34	3	6	8	
59	33	338	96	3	2	1	6	4	2	104	84	151	108	14		8	18	
7	6	47	8	1	1		2		2	21	19	17	20	2		3	2	
10	5	29	32				1	1		18	29	23	30	3		3	3	176
2		2	1	1	1						1	2	1		1			177
	4	8	6							14	12	5	22	1	3		2	178
28	16	65	15	1		1	1		1	125	53	135	102	4	2		1	179
	2	4	9				3	1	2	2	31	2	35				6	180
15	13	51	28	4	1	3	4	3	1	50	23	46	53	2		8	2	181
10	5	51	6	9	5	4	12	7	5	23	30	11	7	3	1	3		185
77	35	210	105	12	4	8	15	7	8	87	99	168	163	24	6	5	21	186
87	31	424	70	47	9	38	39	9	30	216	80	246	186	18	1	14	20	
40	22	217	38	33	8	25	35	8	27	116	43	112	108	9		10	15	182
7	4	61	17	5		5	2		2	33	16	54	34	2		2	2	183
40	5	146	15	9	1	8	2	1	1	67	21	80	44	7	1	2	3	184
70	35	72	69	104	22	82	165	66	99	85	289	247	760	40	6	51	37	
	1	3	4				2		2	4	22	17	64					187
3		1	6	8	4	4	11	4	7	4	22	9	102	9	1		1	188
67	34	68	59	96	18	78	152	62	90	77	245	221	594	31	5	51	36	189
64	30	64	52	13	3	10	41	19	22	46	94	195	453	10	4	50	18	
3	4	4	7	83	15	68	111	43	68	31	151	26	141	21	1	1	18	

[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1913—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
				Total.	White.	Colored.	Total.	White.	Colored.				
	All causes	806	4,882	7,906	4,037	3,869	21,741	12,960	8,781	5,704	5,693	10,592	17,124
	I.—General diseases	206	1,147	2,020	1,055	965	6,243	3,692	2,551	1,626	1,434	2,746	4,197
1	Typhoid fever	2	26	117	63	54	592	358	234	50	89	126	91
2	Typhus fever						2	2					
3	Relapsing fever												
4	Malaria		2	40	15	25	112	47	65	1		2	5
5	Smallpox						8	1	7		2		3
6	Measles	11	62	61	46	15	302	207	95	62	46	77	108
7	Scarlet fever	10	8	10	8	2	45	44	1	19	12	94	102
8	Whooping cough	10	30	56	25	31	226	155	71	43	60	67	112
9	Diphtheria and croup	8	27	32	27	5	270	213	57	23	19	182	118
10	Influenza	9	118	65	31	34	221	150	71	34	54	63	207
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras		5	5	2	3	16	13	3			8	7
14	Dysentery		11	72	43	29	275	169	106	5	12	26	38
15	Plague									1			
16	Yellow fever												
17	Leprosy												
18	Erysipelas	3	3	15	11	4	39	36	3	13	15	26	39
19	Other epidemic diseases		2	1	1		3	3		2		4	2
20	Purulent infection and septicemia	2	8	19	9	10	49	31	18	14	9	48	27
21	Glanders												
22	Anthrax						1	1			1	1	
23	Rabies			2	2		4	2	2			1	
24	Tetanus	4	1	24	14	10	30	16	14	1	1	12	17
25	Mycoses						2	2		1			1
26	Pellagra		3	57	38	19	108	56	52		2	2	3
27	Beriberi									1	1		
	Tuberculosis (total)	63	324	380	378	502	2,711	1,338	1,373	625	617	905	1,463
28	Tuberculosis of the lungs	54	257	703	289	414	2,362	1,156	1,206	457	513	727	1,260
29	Acute miliary tuberculosis	1	6	35	5	30	84	35	49	18	19	19	33
30	Tuberculous meningitis	3	23	62	41	21	60	41	19	76	35	71	52
31	Abdominal tuberculosis	1	14	38	23	15	107	55	52	43	29	50	63
32	Pott's disease	1	6	10	1	9	21	16	5	2	5	14	17
33	White swellings			4	2	2	9	2	7	3	2	4	8
34	Tuberculosis of other organs	3	8	20	11	9	44	24	20	20	10	15	19
35	Disseminated tuberculosis		10	8	6	2	24	9	15	6	4	5	11
36	Rickets			13	3	10	8	1	7	2	3	8	13
37	Syphilis	1	13	80	22	58	126	36	90	41	17	28	23
38	Gonococcus infection	2		2		2	4	2	2	1	2	1	4
	Cancer and other malignant tumors (total)	55	347	307	217	90	724	535	189	440	280	699	1,200
39	Of the buccal cavity	1	16	11	9	2	16	13	3	18	8	20	53
40	Of the stomach, liver	19	121	81	52	29	260	207	53	175	131	349	602
41	Of the peritoneum, intestines, rectum	11	58	47	38	9	62	49	13	65	43	86	151
42	Of the female genital organs	10	61	74	46	28	145	84	61	64	28	76	91
43	Of the breast	4	31	33	25	8	54	41	13	30	24	54	93
44	Of the skin	1	18	17	14	3	33	30	3	8	11	15	45
45	Of other organs or of organs not specified	9	42	44	33	11	154	111	43	80	35	99	165
46	Other tumors (tumors of the female genital organs excepted)	1	1	3	1	2	9	6	3	3	2	6	9
47	Acute articular rheumatism	1	8	33	12	21	83	45	38	19	12	67	71
48	Chronic rheumatism and gout	1	11	8	4	4	24	19	5	3	9	14	27
49	Scurvy			4	1	3				1			1
50	Diabetes	12	64	42	31	11	118	99	19	93	79	141	233
51	Exophthalmic goiter		5	3	2	1	5	4	1	11	2	19	27
52	Addison's disease		1	2	1	1	2	2		7	3	4	5
53	Leukemia		4	6	5	1	15	13	2	14	6	18	21
54	Anemia, chlorosis	5	39	13	7	6	30	22	8	28	25	44	103
55	Other general diseases		7	11	6	5	40	34	6	8	9	18	32
56	Alcoholism (acute or chronic)	6	12	34	27	7	31	22	9	57	43	33	83
57	Chronic lead poisoning						1	1		1		1	2
58	Other chronic occupation poisonings												
59	Other chronic poisonings		5	3	3		7	7		2	2	1	
	II.—Diseases of the nervous system and of the organs of special sense	77	583	827	429	398	2,064	1,272	792	502	613	991	1,995
60	Encephalitis		4	5	2	3	28	16	12	8	5	14	11
61	Meningitis (total)	10	36	64	39	25	217	166	51	43	29	113	157
	Simple meningitis	8	26	41	27	14	140	108	32	25	18	66	79
	Cerebrospinal meningitis (undefined)	2	10	22	12	10	66	49	17	17	11	25	46
	Cerebrospinal fever			1		1	11	9	2	1		22	32
62	Locomotor ataxia	3	9	17	16	1	20	13	7	7	8	17	24
63	Other diseases of the spinal cord (total)	1	33	26	16	10	85	58	27	23	14	39	102
	Acute anterior poliomyelitis		6	4	4		40	24	16	4	7	6	24
	Other diseases of the spinal cord [1]	1	27	22	12	10	45	34	11	19	7	33	78
64	Cerebral hemorrhage, apoplexy	48	398	449	215	234	796	491	305	312	331	516	1,025

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1913—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
				Cities.			Rural districts.						
		Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Con.												
65	Softening of the brain		10	15	9	6	41	31	10	1	1	8	25
66	Paralysis without specified cause	2	18	98	49	49	496	284	212	28	65	54	167
67	General paralysis of the insane	3	21	24	22	2	48	30	18	12	40	20	82
68	Other forms of mental alienation	1	12	9	5	4	54	26	28	10	36	15	50
69	Epilepsy		13	19	13	6	88	52	36	15	45	24	75
70	Convulsions (nonpuerperal)		2	1		1	16	6	10		2	1	6
71	Convulsions of infants	2	7	52	12	40	103	44	59	13	16	115	189
72	Chorea		2	2	1	1	1	1			1	1	1
73	Neuralgia and neuritis	2	5	4	3	1	8	7	1	3	2	2	14
74	Other diseases of the nervous system	4	12	33	22	11	46	34	12	15	12	41	52
75	Diseases of the eyes and their annexa			1		1					1	1	
76	Diseases of the ears	1	1	8	5	3	17	13	4	12	5	10	15
	III.—Diseases of the circulatory system	100	973	867	460	407	2,064	1,282	782	772	694	1,193	2,427
77	Pericarditis	2	5	13	8	5	15	10	5	6	4	10	12
78	Acute endocarditis	2	19	44	9	35	39	23	16	33	16	92	88
79	Organic diseases of the heart	57	711	708	374	334	1,725	1,048	677	598	558	828	1,788
80	Angina pectoris	6	52	18	13	5	55	45	10	23	33	28	78
81	Diseases of the arteries, atheroma, aneurism, etc.	26	153	57	38	19	167	110	57	87	59	172	380
82	Embolism and thrombosis	4	27	19	12	7	32	27	5	16	15	37	54
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1	2	2	1	1	8	7	1	4	4	12	10
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1	4	3	1				3	2	7	5
85	Hemorrhage; other diseases of the circulatory system		3	2	2		23	12	11	2	3	7	12
	IV.—Diseases of the respiratory system	98	577	903	319	584	1,688	1,003	685	497	452	1,252	1,828
86	Diseases of the nasal fossae		1	1		1	7	2	5	1		1	5
87	Diseases of the larynx	3	2	3	1	2	25	16	9	4	4	6	15
88	Diseases of the thyroid body		2	8	5	3	6	4	2	6	2	6	11
89	Acute bronchitis	14	45	95	21	74	116	59	57	13	22	111	140
90	Chronic bronchitis	5	61	50	23	27	85	60	25	19	14	84	176
91	Bronchopneumonia	22	106	216	62	154	297	197	100	164	178	327	408
92	Pneumonia (total)	49	327	402	155	247	1,010	583	427	253	198	589	828
	Lobar pneumonia	23	111	204	79	125	218	132	86	242	179	294	345
	Pneumonia (undefined)	26	216	198	76	122	792	451	341	11	19	295	483
93	Pleurisy	1	8	20	5	15	32	17	15	17	11	34	40
94	Pulmonary congestion, pulmonary apoplexy	2	12	58	33	25	40	29	11	2	3	41	98
95	Gangrene of the lung		2	1		1	4		4		2	5	8
96	Asthma	1	5	21	2	19	38	23	15	13	11	23	63
97	Pulmonary emphysema		1	4	1	3	1	1			3	2	4
98	Other diseases of the respiratory system (tuberculosis excepted)	1	5	24	11	13	27	12	15	5	4	23	32
	V.—Diseases of the digestive system	105	411	1,002	554	448	2,128	1,436	692	531	475	1,432	1,746
99	Diseases of the mouth and annexa			7	2	5	34	13	21	2	1	2	8
100	Diseases of the pharynx		10	10	6	4	37	25	12	8	7	17	24
101	Diseases of the esophagus			4	3	1	6	4	2			2	6
102	Ulcer of the stomach	2	11	25	13	12	30	17	13	23	21	46	50
103	Other diseases of the stomach (cancer excepted)	10	52	94	44	50	265	173	92	28	39	118	188
104	Diarrhea and enteritis (under 2 years)	50	127	448	228	220	1,021	722	299	126	165	547	558
105	Diarrhea and enteritis (2 years and over)	5	51	120	69	51	267	190	77	54	59	119	219
106	Ankylostomiasis						5	4	1				
107	Intestinal parasites			1		1	9	5	4			1	
108	Appendicitis and typhlitis	10	32	76	60	16	61	47	14	106	48	177	150
109	Hernia, intestinal obstruction (total)	11	40	56	32	24	94	52	42	61	53	113	139
	Hernia	4	13	16	7	9	34	20	14	13	9	38	38
	Intestinal obstruction	7	27	40	25	15	60	32	28	48	44	75	101
110	Other diseases of the intestines	1	8	19	8	11	44	25	19	15	9	23	57
111	Acute yellow atrophy of the liver		3	3	3		9	5	4	2	1	5	3
112	Hydatid tumor of the liver									1			
113	Cirrhosis of the liver	6	29	70	41	29	96	59	37	46	28	146	180
114	Biliary calculi	2	12	14	14		25	22	3	24	14	22	36
115	Other diseases of the liver	5	18	31	21	10	55	33	22	22	20	51	78
116	Diseases of the spleen		3	1	1					2		1	
117	Simple peritonitis (nonpuerperal)	3	13	16	5	11	67	39	28	3	7	32	43
118	Other diseases of the digestive system (cancer and tuberculosis excepted)		2	7	4	3	3	1	2	8	3	10	7

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1913—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
				Cities.			Rural districts.						
		Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	67	424	857	471	386	1,443	863	580	535	376	696	1,141
119	Acute nephritis	6	30	112	43	69	122	65	57	9	1	54	58
120	Bright's disease	43	337	623	366	257	1,142	698	444	427	311	520	902
121	Chyluria						1	1					
122	Other diseases of the kidneys and annexa	2	7	15	11	4	47	24	23	9	6	18	35
123	Calculi of the urinary passages	1	1	4	3	1	6	4	2	2		5	4
124	Diseases of the bladder	1	11	8	6	2	31	17	14	10	15	16	56
125	Diseases of the urethra, urinary abscess, etc			4	1	3	4	1	3	2	2		1
126	Diseases of the prostate	5	16	26	15	11	38	26	12	30	18	30	50
127	Nonvenereal diseases of the male genital organs		1	3	2	1	2	1	1		1	1	1
128	Uterine hemorrhage (nonpuerperal)			1	1		6	2	4			1	
129	Uterine tumor (noncancerous)	2	6	16	3	13	12	6	6	10	4	18	6
130	Other diseases of the uterus	2	4	15	7	8	12	8	4	8	4	11	13
131	Cysts and other tumors of the ovary	2	5	5	2	3	8	2	6	6	7	9	12
132	Salpingitis and other diseases of the female genital organs	3	6	25	11	14	11	7	4	22	7	13	3
133	Nonpuerperal diseases of the breast (cancer excepted)						1	1					
	VII.—The puerperal state	11	44	107	56	51	301	162	139	98	80	120	158
134	Accidents of pregnancy	4	1	11	8	3	35	21	14	14	10	6	7
135	Puerperal hemorrhage		3	3	1	2	25	12	13	4	11	12	21
136	Other accidents of labor		1	5	4	1	47	19	28	10	6	12	19
137	Puerperal septicemia	2	15	46	18	28	98	65	33	54	39	54	73
138	Puerperal albuminuria and convulsions	4	19	36	22	14	90	40	50	14	11	27	33
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1	5	4	2	2	4	3	1	1	2	8	4
140	Following childbirth (not otherwise defined)			2	1	1	2	2			1	1	1
141	Puerperal diseases of the breast									1			
	VIII.—Diseases of the skin and of the cellular tissue	2	34	27	11	16	68	41	27	14	14	44	82
142	Gangrene	1	25	18	8	10	40	24	16	5	8	15	52
143	Furuncle		2	1	1		3	2	1			4	5
144	Acute abscess		3	4	1	3	13	10	3	4	1	11	9
145	Other diseases of the skin and annexa	1	4	4	1	3	12	5	7	5	5	14	16
	IX.—Diseases of the bones and of the organs of locomotion	6	6	14	10	4	30	20	10	17	5	24	21
146	Diseases of the bones (tuberculosis excepted)	5	5	11	8	3	25	17	8	14	5	23	16
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1	3	2	1	1	1		2		1	4
148	Amputations						2	1	1				
149	Other diseases of the organs of locomotion						2	1	1	1			1
	X.—Malformations	16	44	60	44	16	138	119	19	58	67	115	152
150	Congenital malformations (stillbirths not included) (total)	16	44	60	44	16	138	119	19	58	67	115	152
	Hydrocephalus	2	2	10	7	3	17	14	3	5	5	10	20
	Congenital malformations of the heart	9	28	28	24	4	51	47	4	37	45	49	87
	Other congenital malformations	5	14	22	13	9	70	58	12	16	17	56	45
	XI.—Early infancy	48	192	507	246	261	1,080	758	322	314	303	839	1,113
151	Congenital debility, icterus, and sclerema (total)	41	161	447	205	242	899	636	263	258	251	681	892
	Premature birth	28	117	246	128	118	512	384	128	176	174	402	582
	Congenital debility, "atrophy," "marasmus," etc	13	44	201	77	124	387	252	135	82	77	279	310
152	Other causes peculiar to early infancy (total)	7	30	56	41	15	173	118	55	55	50	157	220
	Injuries at birth	6	14	32	23	9	87	62	25	27	24	81	116
	Other causes peculiar to early infancy [1]	1	16	24	18	6	86	56	30	28	26	76	104
153	Lack of care		1	4		4	8	4	4	1	2	1	1
	XII.—Old age	17	136	65	42	23	629	348	281	98	182	279	801
154	Senility	17	136	65	42	23	629	348	281	98	182	279	801
	XIII.—External causes	51	302	555	311	244	1,363	817	546	599	882	812	1,249
	Suicide (total)	8	50	68	62	6	75	63	12	135	111	126	194
155	By poison	5	11	22	22		15	15		37	17	48	36
156	By asphyxia			5	5					18	1	8	1
157	By hanging or strangulation	1	13	2	2		8	8		10	15	14	66
158	By drowning		3	3	1	2	3	1	2	5	10	11	15
159	By firearms	1	22	30	28	2	39	30	9	50	51	30	53
160	By cutting or piercing instruments	1	1	3	2	1	2	1	1	10	10	12	17
161	By jumping from high places			2	2					4	1		2
162	By crushing										6	2	2
163	Other suicides			1		1	8	8		1		1	2

[1] Exclusive of injuries at birth.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1913—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
				Total.	White.	Colored.	Total.	White.	Colored.				
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	42	244	405	230	175	1,139	693	446	420	736	657	1,030
164	Poisoning by food		4	5	3	2	1		1	11	13	7	15
165	Other acute poisonings	1	8	14	10	4	49	30	19	11	16	12	22
166	Conflagration	2	6	3		3	21	9	12	3	18	11	11
167	Burns (conflagration excepted)	2	16	46	23	23	200	108	92	32	31	53	66
168	Absorption of deleterious gases (conflagration excepted)	1	1	28	16	12	25	19	6	22	28	18	32
169	Accidental drowning	1	38	43	21	22	134	79	55	48	143	92	191
170	Traumatism by firearms	1	8	22	12	10	136	62	74	8	25	18	50
171	Traumatism by cutting or piercing instruments			2	1	1				1	4		3
172	Traumatism by fall	10	67	77	56	21	77	61	16	80	52	131	153
173	Traumatism in mines and quarries (total)	3	9	3	2	1	52	39	13	7	23		7
	Traumatism in mines			2	1	1	50	39	11	7	20		4
	Traumatism in quarries	3	9	1	1		2		2		3		3
174	Traumatism by machines	4	5	9	4	5	17	13	4	19	34	27	30
175	Traumatism by other crushing (total)	13	57	98	57	41	208	130	78	138	236	204	262
	Railroad accidents and injuries	8	31	58	35	23	160	100	60	61	130	113	159
	Street-car accidents and injuries		2	16	7	9	8	4	4	9	3	32	13
	Automobile accidents and injuries	2	7	12	9	3	9	6	3	25	15	25	25
	Injuries by other vehicles	2	16	8	5	3	25	19	6	21	24	27	57
	Landslide, other crushing	1	1	4	1	3	6	1	5	22	64	7	8
176	Injuries by animals		6	3	1	2	14	7	7	2	9	8	25
177	Starvation						2		2	3			
178	Excessive cold	1	2				2		2	1	1	3	12
179	Effects of heat	1	2	9	3	6	11	5	6		1	32	31
180	Lightning			1	1		24	11	13		2	1	21
181	Electricity (lightning excepted)	1	5	3	3		11	8	3	2	8	9	13
185	Fractures (cause not specified)			2	2		62	53	9	2	1	3	4
186	Other external violence	1	10	37	15	22	93	59	34	30	91	28	82
	Homicide (total)	1	8	82	19	63	149	61	88	44	35	29	25
182	By firearms		6	49	12	37	113	48	65	28	22	14	10
183	By cutting or piercing instruments	1	1	10	1	9	12	4	8	7	2	6	7
184	By other means		1	23	6	17	24	9	15	9	11	9	8
	XIV.—Ill-defined diseases	2	9	95	29	66	2,502	1,147	1,355	43	116	49	214
187	Ill-defined organic disease		2	1	1		101	50	51	1	2	10	30
188	Sudden death		1	1	1		90	48	42	3	7	4	14
189	Not specified or ill-defined (total)	2	6	93	27	66	2,311	1,049	1,262	39	107	35	170
	Ill-defined	1	2	71	20	51	362	194	168	31	31	28	101
	Not specified or unknown	1	4	22	7	15	1,949	855	1,094	8	76	7	69

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA,

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	All causes	890,848	159,435	33,917	15,364	9,498	6,915	225,129	20,214	12,823	21,742	32,711	35,492
	Males	489,128	89,590	17,976	8,111	4,964	3,594	124,235	10,768	6,669	11,529	17,691	19,628
	Females	401,720	69,845	15,941	7,253	4,534	3,321	100,894	9,446	6,154	10,213	15,020	15,864
	I. General diseases	237,400	15,116	9,842	6,188	4,331	3,375	38,852	9,649	5,328	10,198	15,443	16,107
	Males	122,910	8,096	5,111	3,167	2,204	1,770	20,348	4,895	2,351	4,674	7,931	8,623
	Females	114,490	7,020	4,731	3,021	2,127	1,605	18,504	4,754	2,977	5,524	7,512	7,484
1	Typhoid fever (M)	6,678	32	67	70	77	70	316	367	360	822	1,163	907
	Typhoid fever (F)	4,645	38	52	74	72	75	311	392	465	722	654	459
2	Typhus fever (M)	5								1		1	
	Typhus fever (F)	3										1	1
3	Relapsing fever (M)	3							1				
	Relapsing fever (F)	1										1	
4	Malaria (M)	814	79	54	36	20	15	204	62	31	33	54	47
	Malaria (F)	751	69	52	29	20	12	182	50	47	37	54	43
5	Smallpox (M)	76	15	1	3	1		20	4	1	3	4	5
	Smallpox (F)	49	12	3	1	2		18	1	1	3	3	4
6	Measles (M)	4,158	1,097	1,361	585	288	148	3,479	339	77	76	61	24
	Measles (F)	3,950	914	1,201	532	296	154	3,097	321	108	85	67	46
7	Scarlet fever (M)	2,803	135	346	413	353	327	1,574	776	194	108	66	38
	Scarlet fever (F)	2,695	120	272	385	331	276	1,384	787	207	112	64	61
8	Whooping cough (M)	2,837	1,629	665	220	118	66	2,698	103	15	4	1	3
	Whooping cough (F)	3,495	1,813	851	376	183	86	3,309	143	20	1	2	1
9	Diphtheria and croup (M)	6,213	498	1,033	945	794	678	3,948	1,612	343	96	59	32
	Diphtheria and croup (F)	5,707	415	824	836	704	615	3,394	1,559	361	118	64	48
10	Influenza (M)	3,608	341	91	63	25	24	544	66	38	53	55	65
	Influenza (F)	4,117	267	80	42	22	18	429	60	55	56	81	88
11	Miliary fever (M)												
	Miliary fever (F)												
12	Asiatic cholera (M)												
	Asiatic cholera (F)												
13	Cholera nostras (M)	205	35	14	6	2	1	58	10	2	5		2
	Cholera nostras (F)	194	36	7	6	4	4	57	9	2	2	5	
14	Dysentery (M)	1,568	355	176	84	37	23	675	38	7	6	22	18
	Dysentery (F)	1,648	296	180	63	33	14	586	25	13	10	21	19
15	Plague (M)	1											
	Plague (F)	1											
16	Yellow fever (M)												
	Yellow fever (F)												
17	Leprosy (M)	6										4	
	Leprosy (F)												
18	Erysipelas (M)	1,429	387	18	10	3	5	423	6	11	23	29	36
	Erysipelas (F)	1,096	369	35	12	4	1	421	10	9	13	17	21
19	Other epidemic diseases (M)	119	42	13	13	4	3	75	13	6	2		4
	Other epidemic diseases (F)	103	29	19	6	4	2	60	12	3	5	3	1
20	Purulent infection and septicemia (M)	1,051	106	13	16	9	7	151	50	33	53	39	46
	Purulent infection and septicemia (F)	715	87	18	10	8	7	130	28	26	25	48	59
21	Glanders (M)	8									1		2
	Glanders (F)												
22	Anthrax (M)	19									2	1	2
	Anthrax (F)	6	1	1				2					
23	Rabies (M)	72		1		1	7	9	23	8	2	6	2
	Rabies (F)	23			1	1	2	4	9	6			1
24	Tetanus (M)	977	213	7	9	7	21	257	108	115	65	63	58
	Tetanus (F)	385	156	7	4	6	9	182	43	14	16	16	28
25	Mycoses (M)	22								1	2	1	3
	Mycoses (F)	10								1	1	2	1
26	Pellagra (M)	307	2	1	3		1	7	3	3	5	8	23
	Pellagra (F)	708	2	3	3		3	11	8	7	19	54	82
27	Beriberi (M)	8	1					1			1	2	1
	Beriberi (F)	3	3					3					
	Tuberculosis (total) (M)	53,253	1,354	999	541	356	268	3,518	839	654	2,771	5,619	6,394
	Tuberculosis (total) (F)	40,168	1,137	880	512	337	239	3,105	863	1,166	3,759	5,691	5,607
28	Tuberculosis of the lungs (M)	44,900	401	284	121	94	65	965	278	340	2,240	4,956	5,724
	Tuberculosis of the lungs (F)	32,835	338	245	127	93	73	876	299	800	3,144	5,033	5,056
29	Acute miliary tuberculosis (M)	1,694	55	51	24	17	11	158	30	32	160	234	229
	Acute miliary tuberculosis (F)	1,383	54	42	28	16	18	158	63	67	204	233	189
30	Tuberculous meningitis (M)	2,905	666	512	286	190	125	1,779	329	136	111	118	108
	Tuberculous meningitis (F)	2,562	564	488	285	166	108	1,611	331	144	131	99	59
31	Abdominal tuberculosis (M)	1,730	117	83	60	26	26	312	97	58	113	130	164
	Abdominal tuberculosis (F)	1,921	93	56	41	23	16	229	71	71	157	222	167
32	Pott's disease (M)	503	8	13	19	12	14	66	41	30	37	55	47
	Pott's disease (F)	356	15	10	8	16	14	63	41	30	31	17	28
33	White swellings (M)	254	8	5	8	6	6	33	25	17	26	25	20
	White swellings (F)	181	8	3	6	6	5	28	13	15	17	12	13
34	Tuberculosis of other organs (M)	801	56	36	13	9	15	129	26	28	51	60	56
	Tuberculosis of other organs (F)	554	36	20	11	9	2	78	29	27	34	40	58
35	Disseminated tuberculosis (M)	466	43	15	10	2	6	76	13	13	33	41	46
	Disseminated tuberculosis (F)	376	29	16	6	8	3	62	16	12	41	35	37
36	Rickets (M)	295	190	61	25	5	5	286	5	1	1	1	
	Rickets (F)	202	104	50	12	7	4	177	6	2	2	3	1
37	Syphilis (M)	2,869	1,091	60	17	13	8	1,189	19	17	28	83	142
	Syphilis (F)	1,720	803	71	23	16	9	922	10	10	36	72	97
38	Gonococcus infection (M)	101	25	3				28			4	9	10
	Gonococcus infection (F)	136	33	3	1	1		38	2	2	14	21	16

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1913.

DEATHS AT AGE OF—															Detailed List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
35,387	39,711	40,139	42,028	47,804	47,961	52,990	57,413	58,413	51,998	38,011	20,281	7,096	1,568	462	1,475	
20,028	23,071	23,703	25,052	28,138	27,937	29,851	31,299	30,787	26,266	18,410	9,328	2,990	604	173	971	
15,359	16,640	16,436	16,976	19,666	20,024	23,139	26,114	27,626	25,732	19,601	10,953	4,106	964	289	504	
15,014	15,598	14,888	14,623	15,214	14,331	13,707	12,821	10,569	7,634	4,454	1,973	534	125	25	313	
8,326	8,778	8,363	7,990	8,161	7,547	6,974	6,219	5,000	3,520	1,952	856	202	41	7	152	
6,688	6,820	6,525	6,633	7,053	6,784	6,733	6,602	5,569	4,114	2,502	1,117	332	84	18	161	
609	509	424	367	256	206	146	108	63	29	9	3	1			13	1
329	294	248	191	162	130	86	89	38	35	16	3		1		20	
			1		2											2
				1												
				1			1									3
32	36	47	32	39	42	39	32	26	27	22	7	1			1	
36	45	35	24	26	30	32	30	24	25	15	8	4	2		2	4
6	5	6	5	4	4	3	1	1	3	1						
2	3	1	1	1	1	3	3			2			1		1	5
24	15	8	14	4	14	6	6	5	2		1				3	
29	41	36	32	19	10	15	15	9	11	3					6	6
20	11	7	4	5												
41	18	11	3	3	3	1										7
1	1	2		1	1	1	2	1	1		1				1	
3	1	1	1	2		1		2			2				6	8
23	19	21	17	13	6	9	7	3	2		1				2	
47	34	19	16	13	10	9	6	3	1						5	9
85	95	107	139	163	199	220	293	366	420	379	230	70	18		3	
70	94	100	136	138	199	248	348	503	553	515	282	114	35	5	8	10
																11
																12
2	3	6	5	9	6	16	17	21	16	14	11	1			1	
4	4	3	3	4	8	14	15	16	14	17	11	3	3			13
30	22	27	39	52	45	75	84	111	119	106	63	18	6	2	3	
27	31	25	38	45	55	92	103	158	141	129	83	32	6	4	5	14
1					1											15
																16
1					1											
																17
53	32	95	103	97	98	84	78	71	59	58	16	3	1		3	
30	36	44	50	63	47	63	78	58	54	51	30	1				18
	1	5	1	3	2	3	1	1		1	1					
4	2	1	1	3			2		2	2		2				19
59	59	76	76	94	71	68	54	55	40	17	4	1	2	1	2	
44	40	38	36	37	39	40	35	34	24	16	12	2	2			20
1	1		1	2												
																21
4	2		3	2	2		1									
2					1				1							22
2	7	3	4	3			1		2							
		1				1		1								23
56	38	41	43	42	31	22	14	12	8	2					2	
17	10	10	16	7	8	5	4	5	2	1				1		24
1	3	3	2	3			2								1	
	1	1	1		1	1										25
19	25	33	16	36	46	34	16	14	12	4				1	2	
83	107	81	64	47	53	30	26	18	7	2	2	1	2		4	26
1	1					1										27
5,976	6,111	5,190	4,378	3,713	2,780	2,082	1,479	933	493	181	55	14	2		71	
4,518	3,859	2,831	2,039	1,644	1,310	1,161	1,036	728	503	217	61	10		3	57	
5,437	5,591	4,740	4,041	3,365	2,509	1,867	1,325	822	423	154	47	12	2		62	
4,038	3,454	2,523	1,791	1,448	1,123	1,001	897	627	427	186	52	8		3	49	28
180	170	152	96	108	53	45	23	16	5	2					1	
136	103	72	47	30	29	20	10	10	8	3					1	29
73	70	61	41	32	13	15	7	1	4	3	2				2	
38	45	28	18	21	13	5	7	3	3	2		1			3	30
116	123	105	90	91	111	73	58	45	27	9	2	1			5	
184	162	129	107	93	80	74	68	51	38	10	4	1			3	31
55	31	23	23	27	20	17	18	7	3	2		1				
25	15	14	15	14	17	12	14	6	8	4	2					32
18	14	11	9	14	15	8	8	4	4	1	2					
11	13	12	15	5	6	7	3	2	4	4					1	33
60	70	61	51	48	41	39	24	29	18	9	1					
51	39	34	26	20	23	31	24	23	11	4	2					34
37	42	37	27	28	18	18	16	9	9	1	1				1	
35	28	19	20	13	19	11	13	6	4	4	1					35
						1										
1	2	1			2	2	1		1	1						36
217	218	219	194	181	125	97	69	36	21	5	3				6	
99	127	99	77	64	46	27	16	7	4	2	1				4	37
11	8	7	5	6	2	3	4	3	1							
19	12	8	1	1		1			1							38

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA,

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—										
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	I.—General diseases—Continued.													
	Cancer and other malignant tumors (total).	M.	20,045	23	18	31	26	22	120	56	56	88	143	214
		F.	29,883	17	30	20	18	15	100	41	36	87	141	355
39	Of the buccal cavity	M.	1,628	2	1	1	.....	1	5	1	2	8	6	7
		F.	338	1	1	1	.....	1	4	2	2	5	1	4
40	Of the stomach, liver	M.	9,749	8	2	5	2	5	22	7	5	6	33	55
		F.	10,018	3	9	3	4	2	21	6	8	7	18	66
41	Of the peritoneum, intestines, rectum.	M.	2,811	2	1	4	4	1	12	10	6	18	28	64
		F.	3,814	1	2	4	2	.....	9	4	2	10	23	46
42	Of the female genital organs	F.	7,706	.....	2	.....	1	1	4	5	4	18	47	150
43	Of the breast	M.	78	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
		F.	4,514	.....	.....	1	1	.....	2	2	.....	2	7	36
44	Of the skin	M.	1,128	.....	1	.....	1	.....	2	2	1	3	2	7
		F.	597	1	1	1	2	2	7	.....	.....	2	2	6
45	Of other organs or of organs not specified.	M.	4,651	10	13	21	19	15	78	36	42	53	74	80
		F.	2,896	11	15	10	8	9	53	22	20	43	43	47
46	Other tumors (tumors of the female genital organs excepted).	M.	88	6	1	.....	.....	1	8	1	1	2	2	2
		F.	209	8	1	1	1	1	12	.....	2	5	3	10
47	Acute articular rheumatism	M.	1,803	11	9	15	18	27	80	193	188	165	95	86
		F.	1,853	14	9	17	17	25	82	214	210	134	102	89
48	Chronic rheumatism and gout	M.	314	.....	.....	.....	.....	.....	.....	2	4	7	5	7
		F.	520	.....	1	.....	.....	.....	1	1	.....	4	3	8
49	Scurvy	M.	45	24	5	2	.....	.....	31	4	.....	1	.....	3
		F.	31	13	8	.....	.....	.....	21	2	2	1	.....	.....
50	Diabetes	M.	4,537	14	16	16	11	18	75	93	131	140	156	151
		F.	5,123	4	7	13	16	12	52	83	133	123	126	126
51	Exophthalmic goiter	M.	113	.....	.....	.....	1	1	2	.....	.....	5	6	7
		F.	853	2	1	.....	.....	.....	3	.....	9	34	62	60
52	Addison's disease	M.	140	2	.....	.....	.....	.....	2	.....	3	3	7	2
		F.	121	.....	.....	.....	.....	.....	.....	.....	.....	3	7	7
53	Leukemia	M.	638	9	19	13	17	8	66	46	27	41	49	38
		F.	474	10	10	6	6	8	40	22	17	26	37	25
54	Anemia, chlorosis	M.	1,401	79	21	7	4	2	113	23	8	29	27	35
		F.	1,785	71	21	11	5	3	111	19	25	52	55	68
55	Other general diseases	M.	656	301	37	24	14	14	390	31	13	15	24	13
		F.	534	177	34	25	12	11	259	34	18	18	17	12
56	Alcoholism (acute or chronic)	M.	3,326	.....	.....	.....	.....	.....	.....	2	2	9	54	179
		F.	418	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	32
57	Chronic lead poisoning	M.	156	.....	1	.....	.....	.....	1	.....	.....	1	6	8
		F.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
58	Other chronic occupation poisonings	M.	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
		F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
59	Other chronic poisonings	M.	136	.....	.....	.....	.....	.....	.....	.....	.....	2	6	11
		F.	147	.....	.....	.....	1	.....	1	.....	.....	1	6	7
	II.—Diseases of the nervous system and of the organs of special sense.		84,755	6,047	1,679	908	609	435	9,678	1,356	900	1,130	1,115	1,327
	Males		45,433	3,506	900	493	311	233	5,443	751	470	653	662	759
	Females		39,322	2,541	779	415	298	202	4,235	605	430	477	453	568
60	Encephalitis	M.	438	73	24	14	8	4	123	25	22	24	29	33
		F.	342	62	23	14	10	7	116	23	17	18	23	14
61	Meningitis (total)	M.	3,787	1,015	436	279	174	125	2,029	403	193	248	198	120
		F.	2,812	724	385	233	179	120	1,641	299	177	135	83	84
	Simple meningitis	M.	2,039	666	253	163	88	58	1,228	171	67	75	68	54
		F.	1,609	465	224	138	103	64	994	120	78	61	42	44
	Cerebrospinal meningitis (undefined).	M.	1,041	251	139	75	48	47	560	142	70	73	51	36
		F.	730	186	102	61	50	34	433	100	54	42	20	17
	Cerebrospinal fever	M.	707	98	44	41	38	20	241	90	56	100	79	30
		F.	473	73	59	34	26	22	214	79	45	32	21	23
62	Locomotor ataxia	M.	1,258	.....	.....	.....	.....	.....	.....	.....	.....	2	4	9
		F.	416	.....	.....	.....	.....	1	1	.....	1	1	.....	6
63	Other diseases of the spinal cord (total).	M.	2,178	102	97	55	42	42	338	95	42	63	38	50
		F.	1,818	79	76	43	40	26	264	89	34	42	28	30
	Acute anterior poliomyelitis	M.	465	88	81	45	34	34	282	72	24	21	13	4
		F.	399	64	63	42	35	22	226	77	29	16	1	7
	Other diseases of the spinal cord [1]	M.	1,713	14	16	10	8	8	56	23	18	42	25	46
		F.	1,419	15	13	1	5	4	38	12	5	26	27	23
64	Cerebral hemorrhage, apoplexy	M.	24,164	122	26	9	6	9	172	29	28	45	80	157
		F.	23,056	98	30	12	8	7	155	25	21	49	71	115
65	Softening of the brain	M.	650	.....	.....	.....	.....	.....	.....	1	.....	4	2	5
		F.	508	.....	.....	.....	.....	.....	.....	1	.....	1	4	3
66	Paralysis without specified cause	M.	3,120	31	5	5	4	.....	45	13	15	19	14	22
		F.	3,652	22	5	6	2	2	37	14	12	7	13	27
67	General paralysis of the insane	M.	3,208	.....	.....	.....	.....	.....	.....	1	1	9	11	55
		F.	1,163	.....	.....	.....	.....	.....	.....	.....	1	1	6	24
68	Other forms of mental alienation	M.	688	.....	.....	.....	1	.....	1	.....	1	13	47	43
		F.	846	.....	.....	.....	.....	.....	.....	.....	4	12	31	59
69	Epilepsy	M.	1,523	55	9	12	11	10	97	49	83	129	135	144
		F.	1,109	33	11	5	7	4	60	34	62	98	113	104
70	Convulsions (nonpuerperal)	M.	46	.....	.....	.....	.....	.....	.....	20	5	.....	1	2
		F.	98	.....	.....	.....	.....	.....	.....	18	5	8	17	8
71	Convulsions of infants	M.	2,134	1,809	209	64	36	16	2,134	.....	.....	.....	.....	.....
		F.	1,563	1,316	155	58	24	10	1,563	.....	.....	.....	.....	.....
72	Chorea	M.	31	2	1	2	.....	2	7	3	6	1	1	1
		F.	87	4	.....	2	3	.....	9	6	22	26	4	1
73	Neuralgia and neuritis	M.	163	1	.....	.....	2	1	4	.....	1	2	3	3
		F.	246	1	1	2	.....	1	5	3	3	5	9	8

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1913—Continued.

DEATHS AT AGE OF—														Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
322	512	961	1,430	2,190	2,608	2,896	2,877	2,478	1,744	903	347	76	10	3	11	
737	1,505	2,240	3,066	3,714	3,659	3,685	3,523	3,015	2,120	1,180	501	119	25	4	30	
21	25	80	103	173	202	246	222	217	154	98	43	10	2	.....	3	
5	11	22	15	27	41	24	42	46	31	30	19	5	2	.....	.....	39
110	200	477	786	1,168	1,412	1,569	1,455	1,200	771	341	110	14	2	1	5	
144	288	484	784	1,163	1,279	1,427	1,495	1,311	868	442	155	35	4	.....	13	40
52	118	148	194	304	347	383	389	378	216	104	27	10	2	1	.....	
85	164	212	357	411	415	511	534	442	329	180	70	5	3	.....	2	41
316	599	887	1,085	1,190	976	795	671	475	282	138	43	11	3	.....	7	42
3	1	5	5	6	9	8	14	7	9	5	2	2	.....	.....	.....	
107	290	433	545	577	568	512	419	373	309	198	97	30	3	1	3	43
8	15	25	38	82	95	125	156	140	182	142	78	19	4	1	1	
4	9	12	13	32	27	55	61	87	99	87	60	21	7	2	4	44
128	153	226	304	457	543	565	641	536	412	213	87	21	.....	.....	2	
76	144	190	267	314	353	361	301	281	202	105	57	12	3	1	1	45
3	1	5	6	9	4	10	8	9	6	7	4	.....	.....	.....	.....	
9	12	7	15	14	19	19	28	23	16	9	4	.....	.....	.....	.....	
97	87	81	106	89	122	78	104	92	68	40	21	7	1	.....	1	46
89	71	89	90	86	91	91	117	98	90	64	28	13	1	.....	3	
8	10	12	22	26	27	22	48	37	43	22	11	.....	2	.....	3	47
10	10	17	21	41	58	56	72	78	67	42	20	9	.....	.....	1	
.....	1	1	1	.....	1	1	.....	1	.....	.....	2	.....	.....	.....	2	48
168	191	217	292	408	519	583	547	403	267	131	53	7	1	.....	1	49
134	119	184	309	508	640	724	759	556	326	159	45	14	.....	.....	4	
10	7	18	12	15	15	9	.....	7	.....	.....	.....	.....	.....	.....	3	50
76	99	109	102	91	77	54	37	22	9	3	2	2	1	.....	1	
13	19	17	15	7	15	11	10	11	3	1	.....	.....	.....	.....	1	51
11	12	12	8	16	17	11	6	7	1	2	.....	.....	1	.....	.....	
39	47	47	39	49	43	31	36	26	13	1	.....	.....	.....	.....	.....	52
32	34	36	44	42	34	32	22	17	10	2	2	.....	.....	.....	.....	
45	79	90	115	163	161	162	147	101	64	26	9	3	.....	.....	1	53
83	87	126	164	188	183	190	187	123	69	34	11	6	2	1	1	
13	13	12	18	13	19	14	17	18	14	12	5	.....	.....	.....	2	54
13	24	19	14	16	14	16	15	15	13	11	6	.....	.....	.....	.....	
348	507	546	452	423	298	223	135	82	32	8	6	.....	.....	.....	15	55
73	71	78	55	44	24	12	11	2	5	3	.....	.....	.....	.....	.....	
12	10	23	22	23	19	12	8	8	3	.....	.....	.....	.....	.....	.....	56
1	1	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	
1	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	57
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
14	22	7	11	12	10	12	12	5	8	2	2	.....	.....	.....	.....	
14	13	12	14	12	14	11	18	8	9	3	3	.....	.....	.....	1	59
1,699	2,398	3,185	4,096	5,639	6,344	7,654	9,069	9,951	9,084	6,134	2,828	862	141	32	133	
1,013	1,486	1,910	2,347	3,124	3,521	4,155	4,900	5,154	4,525	2,852	1,230	326	58	14	80	
686	912	1,275	1,749	2,515	2,823	3,499	4,169	4,797	4,559	3,282	1,598	536	83	18	53	
24	23	22	22	21	12	19	18	10	7	1	.....	2	.....	.....	1	
17	13	18	16	21	10	9	5	10	5	3	3	1	.....	.....	.....	
81	109	93	77	74	38	40	36	20	13	5	8	1	.....	.....	1	60
66	58	58	54	35	36	34	14	19	10	5	1	.....	.....	.....	3	
42	55	60	48	44	31	31	30	13	12	4	6	.....	.....	.....	.....	61
43	35	42	35	21	24	27	12	16	9	4	1	.....	.....	.....	1	
15	27	17	17	12	1	5	4	7	1	1	1	1	.....	.....	.....	
8	12	7	11	6	7	7	2	2	.....	.....	.....	.....	.....	.....	2	
24	27	16	12	18	6	4	2	.....	.....	.....	1	.....	.....	.....	1	
15	11	9	8	8	5	.....	.....	1	1	1	.....	.....	.....	.....	.....	
22	55	95	123	212	212	159	148	125	58	22	7	2	.....	.....	3	
12	15	32	50	54	55	62	45	40	30	8	2	1	.....	.....	1	62
49	58	91	117	129	154	205	222	228	162	93	32	8	.....	1	3	
39	46	66	100	100	151	179	189	179	153	82	34	9	.....	2	2	63
10	8	2	6	5	6	3	2	1	3	1	1	.....	.....	.....	1	
8	7	4	4	3	4	3	3	4	1	.....	1	.....	.....	.....	1	
39	50	89	111	124	148	202	220	227	159	92	31	8	.....	1	2	
31	39	62	96	97	147	176	186	175	152	82	33	9	.....	2	1	
271	426	711	1,134	1,766	2,253	2,943	3,600	3,812	3,387	2,118	909	233	44	7	39	
188	346	597	1,021	1,694	1,973	2,551	3,121	3,560	3,428	2,462	1,176	405	68	6	24	64
8	9	13	15	29	39	53	103	100	139	82	32	12	2	1	1	
2	6	16	15	25	35	39	59	78	95	83	35	11	.....	.....	.....	65
39	52	83	110	186	242	285	393	516	480	362	166	52	10	4	12	
35	46	87	128	206	244	334	441	600	573	470	254	85	14	9	16	66
238	407	486	449	393	289	207	191	178	137	92	45	7	2	1	9	
66	79	113	105	112	101	85	105	126	107	78	41	9	1	.....	3	67
51	64	63	52	59	63	55	46	57	48	18	4	1	.....	.....	2	
62	78	82	77	85	68	64	67	67	45	28	12	3	.....	.....	2	68
121	136	117	87	98	91	71	66	39	27	20	5	2	.....	.....	6	
99	110	85	62	48	51	46	39	38	38	11	9	1	.....	1	.....	69
2	2	3	4	3	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	
12	9	5	5	1	1	1	1	1	1	4	.....	.....	.....	.....	1	70
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	1	1	2	2	2	2	2	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	1	3	2	2	4	2	1	2	1	.....	.....	.....	.....	72
16	9	17	14	11	23	16	10	10	13	6	4	1	.....	.....	.....	
13	20	22	15	24	19	18	19	19	16	14	11	4	.....	.....	.....	73

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA,

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												
74	Other diseases of the nervous system	M.. 1,277	122	34	18	12	10	196	53	45	44	52	70
		F.. 1,078	88	25	14	10	14	151	45	28	39	38	64
75	Diseases of the eyes and their annexa.	M.. 33	7	2	4	2	.....	15	3	.....	1	1	.....
		F.. 21	4	1	2	1	.....	8	1	1	2	.....	.....
76	Diseases of the ears	M.. 735	167	57	31	13	14	282	56	28	49	46	45
		F.. 507	110	67	24	14	10	225	47	42	33	13	21
	III.—Diseases of the circulatory system.	117,645	1,315	216	166	156	178	2,031	1,184	1,345	1,414	1,726	2,226
	Males	63,178	744	125	82	79	85	1,115	544	582	703	810	1,091
	Females	54,467	571	91	84	77	93	916	640	763	711	916	1,135
77	Pericarditis	M.. 383	7	3	1	3	1	15	15	12	17	12	15
		F.. 332	9	1	3	3	4	20	16	22	7	11	21
78	Acute endocarditis	M.. 2,848	126	26	21	30	21	224	127	82	109	142	152
		F.. 2,539	100	12	18	21	30	181	131	132	122	164	154
79	Organic diseases of the heart	M.. 46,113	414	65	48	36	56	619	380	460	542	607	825
		F.. 41,642	334	63	47	42	55	541	466	589	557	673	883
80	Angina pectoris	M.. 2,878	1	.....	.....	.....	.....	1	1	3	2	12	27
		F.. 1,714	3	.....	1	.....	1	5	3	6	1	12	19
81	Diseases of the arteries, atheroma, aneurism, etc.	M.. 9,388	4	1	.....	.....	.....	5	2	3	8	14	33
		F.. 6,536	.....	.....	.....	1	.....	1	4	1	4	3	7
82	Embolism and thrombosis	M.. 1,034	38	2	4	3	3	50	8	11	13	11	27
		F.. 1,145	23	1	5	1	.....	30	7	5	15	39	34
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	M.. 163	5	1	.....	1	2	9	1	2	2	4	4
		F.. 272	5	1	1	1	.....	8	.....	.....	.....	6	9
84	Diseases of the lymphatic system (lymphangitis, etc.).	M.. 207	115	26	8	6	1	156	7	6	6	6	3
		F.. 153	74	12	8	7	2	103	8	5	3	2	3
85	Hemorrhage; other diseases of the circulatory system.	M.. 164	34	1	.....	.....	1	36	3	3	4	2	5
		F.. 134	23	1	1	1	1	27	5	3	2	6	5
	IV.—Diseases of the respiratory system.	103,979	25,274	9,272	3,567	1,724	1,055	40,892	2,296	908	1,594	2,156	2,492
	Males	57,083	14,252	4,964	1,855	897	514	22,482	1,166	400	938	1,287	1,519
	Females	46,896	11,022	4,308	1,712	827	541	18,410	1,130	508	656	869	973
86	Diseases of the nasal fossae	M.. 69	31	3	1	3	3	41	6	1	2	5	.....
		F.. 35	12	2	1	.....	1	16	3	.....	1	1	1
87	Diseases of the larynx	M.. 467	114	67	37	40	33	291	57	9	7	3	11
		F.. 368	77	56	36	45	24	238	32	5	5	9	9
88	Diseases of the thyroid body	M.. 56	10	.....	.....	1	.....	11	2	3	7	.....	3
		F.. 302	7	1	.....	1	.....	9	3	7	13	21	18
89	Acute bronchitis	M.. 3,314	2,033	369	125	46	41	2,664	40	10	5	13	11
		F.. 3,288	1,582	373	143	63	41	2,202	46	9	14	14	15
90	Chronic bronchitis	M.. 2,209	37	12	9	3	2	63	20	7	14	16	27
		F.. 2,577	32	17	5	4	.....	58	18	14	27	27	32
91	Bronchopneumonia	M.. 16,118	7,276	2,664	895	385	185	11,405	382	64	85	107	113
		F.. 14,976	5,824	2,335	877	343	225	9,604	393	121	92	109	145
92	Pneumonia (total)	M.. 30,580	4,332	1,720	703	382	230	7,367	578	275	735	1,023	1,205
		F.. 22,104	3,188	1,436	597	349	224	5,794	576	310	433	608	648
	Lobar pneumonia	M.. 19,553	1,827	893	377	215	138	3,450	339	166	491	744	888
		F.. 13,062	1,326	719	319	189	117	2,670	327	200	278	410	436
	Pneumonia (undefined)	M.. 11,027	2,505	827	326	167	92	3,917	239	109	244	279	317
		F.. 9,042	1,862	717	278	160	107	3,124	249	110	155	198	212
93	Pleurisy	M.. 1,307	50	78	54	25	11	218	55	15	57	70	67
		F.. 904	58	57	34	14	9	172	35	20	43	39	48
94	Pulmonary congestion, pulmonary apoplexy.	M.. 1,121	260	35	16	5	6	322	11	7	6	11	19
		F.. 1,107	213	17	7	5	8	250	8	7	13	8	13
95	Gangrene of the lung	M.. 146	.....	.....	1	1	1	3	2	1	2	6	6
		F.. 57	.....	1	.....	.....	.....	1	5	1	.....	5	2
96	Asthma	M.. 843	10	5	6	2	1	24	3	2	4	3	10
		F.. 735	6	6	2	3	6	23	3	4	2	5	14
97	Pulmonary emphysema	M.. 100	4	1	2	1	.....	8	1	2	.....	2	5
		F.. 70	1	5	2	.....	.....	8	1	1	.....	1	2
98	Other diseases of the respiratory system (tuberculosis excepted).	M.. 753	45	10	6	3	1	65	9	4	14	28	42
		F.. 373	22	2	8	.....	3	35	7	9	13	22	26
	V.—Diseases of the digestive system.	103,276	43,243	9,942	2,653	1,224	697	57,759	1,968	1,354	1,585	1,962	2,168
	Males	56,087	24,032	5,271	1,437	656	364	31,760	1,039	733	893	1,038	1,128
	Females	47,189	19,211	4,671	1,216	568	333	25,999	929	621	692	924	1,040
99	Diseases of the mouth and annexa	M.. 225	118	16	1	2	2	139	7	4	1	4	6
		F.. 223	119	14	6	2	5	146	6	4	5	4	5
100	Diseases of the pharynx	M.. 731	102	46	36	34	29	247	96	40	52	41	40
		F.. 584	47	30	21	30	25	153	120	48	38	40	25
101	Diseases of the esophagus	M.. 106	5	3	2	.....	.....	10	.....	1	1	.....	2
		F.. 58	.....	2	2	2	3	9	.....	.....	3	2	2
102	Ulcer of the stomach	M.. 1,483	6	2	4	2	1	15	6	5	17	38	90
		F.. 1,053	6	2	.....	2	.....	10	6	9	29	60	72
103	Other diseases of the stomach (cancer excepted).	M.. 4,516	1,655	170	80	52	30	1,987	63	25	22	60	66
		F.. 4,316	1,257	172	79	45	31	1,584	77	28	31	67	85
104	Diarrhea and enteritis (under 2 years).	M.. 26,053	21,218	4,835	.....	.....	.....	26,053	.....	.....	.....	.....	.....
		F.. 21,552	17,237	4,315	.....	.....	.....	21,552	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over).	M.. 4,702	.....	.....	1,145	423	192	1,760	274	72	48	71	107
		F.. 4,773	.....	.....	983	379	163	1,525	234	52	45	81	95
106	Ankylostomiasis	M.. 21	.....	.....	.....	1	.....	1	6	4	4	3	.....
		F.. 18	.....	.....	.....	.....	.....	.....	4	3	2	1	2

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1913—Continued.

DEATHS AT AGE OF—														Deaths at unknown age.	Detailed List No.
30 to 34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
66	100	91	108	100	74	81	52	45	51	28	15	3			3	74
57	67	77	88	90	69	64	49	50	53	29	15	5				
		1		2	1	1	2	2	1	2		1				
1				1	1	1	1	1	3							75
25	36	23	34	39	28	15	11	9	2	3	3	1				76
16	19	17	12	16	8	9	11	7	1	3	4	2			1	
2,825	3,898	4,788	5,832	7,784	8,813	11,701	14,107	15,707	14,487	10,363	5,194	1,645	325	93	157	
1,454	2,045	2,561	3,331	4,444	5,111	6,636	7,887	8,565	7,520	5,200	2,562	746	139	37	95	
1,371	1,853	2,227	2,501	3,340	3,702	5,065	6,220	7,142	6,967	5,163	2,632	899	186	56	62	
10	24	29	31	32	30	32	27	34	23	14	8	2			1	77
17	23	16	15	15	22	33	18	24	23	19	8	1	1			
184	246	303	297	403	413	48	46	26	23	11	8	1			3	78
156	212	210	263	325	347	36	38	25	20	14	4	3	1		1	
1,109	1,522	1,906	2,512	3,257	3,743	5,210	6,036	6,391	5,366	3,430	1,578	442	79	25	74	79
1,058	1,432	1,783	1,941	2,622	2,840	4,248	5,080	5,549	5,287	3,620	1,766	518	103	32	54	
40	66	107	153	274	346	413	471	419	313	153	61	11	1		4	80
39	63	66	81	94	146	213	264	269	230	144	43	13	3			
65	128	161	243	362	461	803	1,150	1,544	1,670	1,507	871	281	58	10	8	81
21	30	54	91	168	226	406	682	1,097	1,257	1,274	762	342	78	23	5	
33	37	31	71	82	89	103	129	118	108	66	34	7	1	1	4	82
57	55	66	77	76	93	101	103	139	116	73	37	21			1	
5	16	17	12	17	13	16	11	16	6	9	1	2				83
16	23	23	25	28	22	20	30	27	18	12	5					
	3	4	3	1	4	2	2	3	1							84
2	4	3	2	4	3	3	1	1	4	1	1					
8	3	3	9	15	12	9	15	14	10	10	1			1	1	85
5	11	6	6	8	3	5	4	11	12	6	6	1		1	1	
2,879	3,480	3,729	3,889	4,585	4,365	5,060	5,530	6,116	5,754	4,486	2,562	876	188	52	90	
1,857	2,356	2,474	2,571	2,953	2,619	2,762	2,751	2,888	2,565	1,940	1,078	347	58	19	53	
1,022	1,124	1,255	1,318	1,632	1,746	2,298	2,779	3,228	3,189	2,546	1,484	529	130	33	37	
1	3	2	3	1		1		1			1	1				
1	1		1		2			2		3	1	2				86
6	6	11	14	8	5	8	9	6	8	6	1	1				
15	5	11	6	2	4	3	8	5	3	5	2	1				87
5	2	2	3	5	2	2	4	3	1	1						
17	18	26	36	36	25	20	19	19	9	3	1	2				88
10	14	16	21	39	21	29	57	81	89	91	69	30	3	1		
14	17	16	21	25	34	65	94	122	197	187	131	51	6	5	3	89
29	44	47	54	118	124	156	212	338	338	315	203	62	12	6	4	
28	29	41	61	82	92	174	259	392	423	395	283	103	33	5	1	90
162	208	221	248	340	319	363	419	461	478	410	232	73	15	6	7	
105	130	137	160	208	280	395	543	694	748	600	347	121	32	7	5	91
1,478	1,858	1,939	1,961	2,110	1,866	1,869	1,753	1,680	1,344	880	460	143	19	3	34	
749	829	900	891	1,106	1,133	1,424	1,593	1,712	1,511	1,057	556	195	42	13	24	92
1,138	1,403	1,455	1,442	1,558	1,315	1,297	1,206	1,071	799	463	235	70	8	2	13	
521	596	658	612	756	781	963	1,048	987	870	560	258	94	18	9	10	
340	455	484	519	552	551	572	547	609	545	417	225	73	11	1	21	
228	233	242	279	350	352	461	545	725	641	497	298	101	24	4	14	
63	96	84	90	110	79	77	76	52	52	33	7	3		1	2	
34	40	51	47	57	54	56	48	44	49	38	19	5	4	1		93
29	33	42	26	34	35	56	52	93	117	130	66	25	6	1		
14	19	23	23	31	44	53	74	96	127	160	95	39	8	1	1	
7	8	17	16	25	12	14	8	9	6	3	1					94
7		5	6	4	3	5	5	4		3					1	
14	27	35	55	62	75	112	106	121	92	52	32	8	2	1	3	95
18	23	25	36	55	52	68	100	100	89	73	35	4	3	1	2	
2	4	4	1	11	12	16	8	12	9	2	1					96
1		4	4	2	3	7	10	9	9	5	3					
51	53	54	79	90	69	59	47	31	31	17	5	1	1		3	
19	13	16	26	24	20	28	26	29	24	17	11	6	2			97
2,291	2,862	3,151	3,350	3,730	3,628	3,583	3,813	3,483	2,949	2,078	1,069	358	66	11	58	98
1,226	1,633	1,771	1,912	2,094	2,089	1,973	2,035	1,798	1,400	922	445	137	19	6	36	
1,065	1,229	1,380	1,438	1,636	1,539	1,610	1,778	1,685	1,549	1,156	624	221	47	5	22	
5	13	5	5	7	10	7	2	6	3		1					
7	8	3	3	4	8	3	4	5	6		1	1				99
31	40	29	19	12	20	15	10	13	11	6	8	1				
23	18	14	21	10	11	12	13	10	13	11	4					100
3	2	7	4	8	13	13	15	6	15	5		1				
2	2	2	2	6	6	7	5	2	4	3		1				101
104	140	147	145	160	165	130	129	77	68	28	16	1			2	
70	90	104	84	80	89	80	77	86	53	34	19			1		102
92	145	124	166	189	222	249	248	256	260	193	100	34	5	4	6	
100	118	114	101	184	165	210	257	307	324	309	170	64	19		2	103
																104
82	126	144	136	190	186	188	272	286	295	243	150	53	6		13	
98	110	121	133	179	155	223	317	332	385	347	211	93	20	3	5	105
1					1		1									
	2	2		1											1	106

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA,

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	V.—Diseases of the digestive system—Continued.													
107	Intestinal parasites	M.	55	4	7	8	10	6	35	5	2	3	1	5
		F.	43	2	6	10	6	4	28	5	2	2	1	2
108	Appendicitis and typhlitis	M.	4,582	20	16	40	51	43	170	379	435	545	517	447
		F.	3,066	8	15	24	41	54	142	310	345	334	332	309
109	Hernia, intestinal obstruction (total)	M.	3,775	610	116	58	55	33	872	82	57	88	115	103
		F.	3,567	333	69	39	29	26	496	65	38	62	98	134
	Hernia	M.	1,263	114	18	2	1	2	137	4	3	16	35	33
		F.	1,161	36	3		1		40	2	2	2	8	12
	Intestinal obstruction	M.	2,512	496	98	56	54	31	735	78	54	72	80	70
		F.	2,406	297	66	39	28	26	456	63	36	60	90	122
110	Other diseases of the intestines	M.	824	110	19	22	8	8	167	21	14	19	23	35
		F.	818	78	8	13	9	2	110	11	15	31	29	37
111	Acute yellow atrophy of the liver	M.	155	15				1	16	4	3	4	13	7
		F.	160	9	1	1		2	13	3	2	8	18	23
112	Hydatid tumor of the liver	M.	9									1	1	1
		F.	6			1			1					1
113	Cirrhosis of the liver	M.	5,788	10	5	7	1	1	24	9	7	21	32	90
		F.	2,709	6	5	3			14	10	8	8	22	64
114	Biliary calculi	M.	595	1					1	2	1	1	7	9
		F.	1,404			1			1			4	18	27
115	Other diseases of the liver	M.	1,410	75	16	14	4	4	113	23	13	22	50	61
		F.	1,619	53	17	13	5	3	91	20	11	14	40	53
116	Diseases of the spleen	M.	71	3					3	2	2	1	6	2
		F.	56	1	2				3		2	2	6	6
117	Simple peritonitis (nonpuerperal)	M.	742	75	17	19	13	13	137	57	45	38	41	39
		F.	966	52	11	20	18	15	116	52	50	68	93	83
118	Other diseases of digestive system (cancer and tuberculosis excepted)	M.	244	5	3	1		1	10	3	3	5	15	18
		F.	198	3	2				5	6	4	6	12	15
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.		75,253	877	318	237	195	161	1,788	572	468	834	1,575	2,147
	Males		41,796	528	175	122	121	87	1,033	295	219	320	580	862
	Females		33,457	349	143	115	74	74	755	277	249	514	995	1,285
119	Acute nephritis	M.	3,550	215	101	57	71	58	502	139	76	101	161	184
		F.	3,018	170	64	55	46	43	378	139	93	133	147	204
120	Bright's disease	M.	33,124	173	63	60	48	26	370	144	133	202	367	622
		F.	25,414	111	65	52	27	29	284	125	142	245	426	567
121	Chyluria	M.	1											
		F.												
122	Other diseases of the kidneys and annexa	M.	770	67	6	4	2	2	81	10	6	8	25	16
		F.	602	48	11	6	1	2	68	9	4	15	35	26
123	Calculi of the urinary passages	M.	291							1	1	5	9	10
		F.	112	1	1				2			3	4	5
124	Diseases of the bladder	M.	1,236	22	1			1	24	1	2		7	13
		F.	238	10		1			11	1	3	1	5	4
125	Diseases of the urethra, urinary abscess, etc.	M.	250	3	1				4		1		5	11
		F.	14			1			1					4
126	Diseases of the prostate	M.	2,465									3	1	4
127	Nonvenereal diseases of the male genital organs.	M.	104	43	3	1			47			1	5	2
128	Uterine hemorrhage (nonpuerperal)	F.	54									2	2	1
129	Uterine tumor (noncancerous)	F.	1,173	1					1			1	11	47
130	Other diseases of the uterus	F.	721	1					1	3	2	33	77	97
131	Cysts and other tumors of the ovary	F.	640								1	8	37	49
132	Salpingitis and other diseases of the female genital organs.	F.	1,451	2	2				4		4	72	250	279
133	Nonpuerperal diseases of the breast (cancer excepted)	M.	5	5					5					
		F.	20	5					5			1	1	2
	VII.—The puerperal state		10,010								14	841	2,156	2,355
134	Accidents of pregnancy	F.	861								2	34	151	204
135	Puerperal hemorrhage	F.	988								1	31	137	182
136	Other accidents of labor	F.	854									52	135	133
137	Puerperal septicemia	F.	4,542								8	399	1,095	1,150
138	Puerperal albuminuria and convulsions.[5]	F.	2,397								3	309	583	529
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	F.	310									16	44	89
140	Following childbirth (not otherwise defined).	F.	56										10	17
141	Puerperal diseases of the breast	F.	2										1	1
	VIII.—Diseases of the skin and of the cellular tissue.		3,275	558	80	29	14	11	692	28	22	33	43	51
	Males		1,847	282	45	12	4	4	347	17	12	21	26	33
	Females		1,428	276	35	17	10	7	345	11	10	12	17	18
142	Gangrene	M.	889	17	11	3	3	2	36	4	2	1	5	2
		F.	702	19	6	6	2	3	36	5	2	1	4	3
143	Furuncle	M.	231	28	2			1	31		2	8	3	5
		F.	100	27	2	2			31		1	2	3	4
144	Acute abscess	M.	405	86	20	7			113	11	6	10	14	21
		F.	262	97	13	7	5	3	125	5	6	7	7	7
145	Other diseases of the skin and annexa.	M.	322	151	12	2	1	1	167	2	2	2	4	5
		F.	364	133	14	2	3	1	153	1	1	2	3	4

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1913—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1					1				2							107
		1	1		1											
375	378	313	291	217	173	110	98	69	42	18	2				3	108
238	205	202	165	141	114	77	55	40	31	11	10	2			3	
132	148	171	191	240	242	236	298	311	230	161	68	24	4		2	109
156	191	213	225	267	247	267	312	291	241	156	79	23	3		3	
46	39	59	73	102	113	101	125	147	107	71	37	10	3		2	
20	55	76	102	151	126	135	132	117	82	63	31	5				
86	109	112	118	138	129	135	173	164	123	90	31	14	1			
136	136	137	123	116	121	132	180	174	159	93	48	18	3		3	
30	41	46	63	48	46	43	46	59	47	41	24	9	1		1	110
45	52	56	63	59	53	51	40	44	43	41	29	7	2			
7	8	14	10	8	7	7	15	17	7	4	4					111
10	12	7	7	9	10	11	6	8	8	4	1					
	2	1				1	1		1							112
1		2								1						
197	395	553	653	772	737	722	650	492	262	120	40	8		1	3	113
106	148	250	288	309	284	289	324	250	197	90	37	8	1	1	1	
21	29	44	67	64	81	74	80	46	34	27	4	2	1			114
55	76	120	136	170	196	159	162	127	91	38	16	6			2	
82	91	94	97	109	127	121	132	114	81	49	25	2	2	1	1	115
61	98	86	134	141	140	157	167	144	120	88	35	14	2		3	
3	2	7	10	5	8	8	4	4	2	1		1				116
4	6		4	5	4	3	3	4	1	2	1					
42	42	48	36	38	28	34	21	33	34	20	3	1			5	117
78	75	68	47	50	36	37	25	28	28	19	9	2			2	
18	31	24	19	27	22	15	13	9	6	6						118
11	18	15	24	21	20	15	11	7	4	2	2					
2,731	3,720	4,331	5,125	6,202	6,558	7,515	8,422	8,290	7,128	4,760	2,227	602	117	41	100	
1,144	1,622	2,115	2,687	3,479	3,904	4,514	5,065	4,957	4,285	2,917	1,303	352	59	21	63	
1,587	2,098	2,216	2,438	2,723	2,654	3,001	3,357	3,333	2,843	1,843	924	250	58	20	37	
227	269	270	260	253	219	234	193	171	136	93	40	20	1		1	119
203	244	218	179	209	181	168	166	121	108	69	37	11	3	3	4	
840	1,251	1,735	2,271	3,004	3,441	3,822	4,282	3,972	3,278	2,127	922	230	43	15	53	120
786	1,197	1,371	1,712	2,154	2,252	2,648	3,024	3,052	2,595	1,688	835	213	53	16	29	
								1								121
30	35	37	40	64	50	62	65	75	75	53	26	9	2		1	122
44	46	40	44	44	44	31	43	41	32	14	12	10				
9	16	13	19	38	22	25	43	25	32	14	6	2			1	123
13	10	5	10	12	5	11	10	5	9	5	3					
9	13	22	28	33	48	72	110	182	257	229	132	39	4	6	5	124
3	5	6	11	11	18	21	13	27	32	31	23	10	1	1		
18	23	29	32	28	19	28	21	12	5	7	4	1	1		1	125
2		2	2	1			1								1	
7	7	9	32	55	99	266	348	511	499	392	172	51	8		1	126
4	8		5	4	6	5	3	8	3	2	1					127
6	11	11	10	6	1	1	1	1	1							128
92	170	226	235	155	60	47	36	38	33	14	4	2			1	129
109	99	92	68	43	37	19	15	10	3	6	6				1	130
51	65	73	78	58	45	46	44	33	27	15	4	4	1		1	131
277	250	171	88	30	11	6	3	3	2	1						132
1	1	1	1			3	1	2	1							133
2,046	1,752	726	98	8	1										13	
211	189	60	9												1	134
245	247	125	17	1											2	135
180	199	89	13	3												136
914	659	275	33	3											6	137
420	373	152	23	1	1										3	138
63	74	21	2												1	139
13	11	4	1													140
																141
56	97	86	143	130	139	208	253	318	322	341	214	70	16	7	6	
39	65	53	85	85	84	128	148	180	206	182	95	33	5	2	1	
17	32	33	58	45	55	80	105	138	116	159	119	37	11	5	5	
9	19	14	24	28	40	67	82	122	168	148	83	31	4			142
1	8	11	24	14	30	47	66	93	86	125	102	29	7	3	5	
8	13	13	17	23	17	22	21	17	19	6	5	1				143
3	8	5	5	7	6	7	3	2	6	5	2					
19	22	18	34	24	19	25	26	21	5	11	5				1	144
8	9	8	10	13	5	7	14	11	6	6	3	4	1			
3	11	8	10	10	8	14	19	20	14	17	2	1	1	2		145
5	7	9	19	11	14	19	22	32	18	23	12	4	3	2		

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA,

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	IX.—Diseases of the bones and of the organs of locomotion.	1,616	143	52	45	23	37	300	173	128	111	87	79
	Males	982	74	25	27	12	24	162	102	74	79	57	51
	Females	634	69	27	18	11	13	138	71	54	32	30	28
146	Diseases of the bones (tuberculosis excepted). M	864	68	24	25	11	24	152	93	68	76	52	47
	F	535	60	25	17	10	12	124	69	53	31	28	26
147	Diseases of the joints (tuberculosis and rheumatism excepted). M	92	6	1	2	1	.....	10	7	5	3	3	3
	F	74	8	2	1	1	1	13	2	1	.....	2	2
148	Amputations M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion. M	24	.....	.....	.....	.....	.....	.....	2	1	.....	1	1
	F	24	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....
	X.—Malformations	9,401	8,813	246	89	40	30	9,218	73	46	32	17	9
	Males	5,399	5,050	148	53	21	18	5,290	48	22	19	11	6
	Females	4,002	3,763	98	36	19	12	3,928	25	24	13	6	3
150	Congenital malformations (still-births not included) (total). M	5,399	5,050	148	53	21	18	5,290	48	22	19	11	6
	F	4,002	3,763	98	36	19	12	3,928	25	24	13	6	3
	Hydrocephalus M	473	332	66	24	13	8	443	13	7	4	5	1
	F	347	264	36	13	7	3	323	9	7	6	1	.....
	Congenital malformations of the heart. M	3,367	3,221	57	18	7	9	3,312	21	10	12	4	5
	F	2,378	2,268	43	16	7	6	2,340	15	10	6	4	2
	Other congenital malformations. M	1,559	1,497	25	11	1	1	1,535	14	5	3	2	.....
	F	1,277	1,231	19	7	5	3	1,265	1	7	1	1	1
	XI.—Early infancy	52,865	52,865	.....	.....	.....	.....	52,865	.....	.....	.....	.....	.....
	Males	30,192	30,192	.....	.....	.....	.....	30,192	.....	.....	.....	.....	.....
	Females	22,673	22,673	.....	.....	.....	.....	22,673	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total). M	24,385	24,385	.....	.....	.....	.....	24,385	.....	.....	.....	.....	.....
	F	18,813	18,813	.....	.....	.....	.....	18,813	.....	.....	.....	.....	.....
	Premature birth M	15,490	15,490	.....	.....	.....	.....	15,490	.....	.....	.....	.....	.....
	F	11,869	11,869	.....	.....	.....	.....	11,869	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc. M	8,895	8,895	.....	.....	.....	.....	8,895	.....	.....	.....	.....	.....
	F	6,944	6,944	.....	.....	.....	.....	6,944	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total). M	5,706	5,706	.....	.....	.....	.....	5,706	.....	.....	.....	.....	.....
	F	3,780	3,780	.....	.....	.....	.....	3,780	.....	.....	.....	.....	.....
	Injuries at birth M	3,208	3,208	.....	.....	.....	.....	3,208	.....	.....	.....	.....	.....
	F	1,923	1,923	.....	.....	.....	.....	1,923	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy.[1] M	2,498	2,498	.....	.....	.....	.....	2,498	.....	.....	.....	.....	.....
	F	1,857	1,857	.....	.....	.....	.....	1,857	.....	.....	.....	.....	.....
153	Lack of care M	101	101	.....	.....	.....	.....	101	.....	.....	.....	.....	.....
	F	80	80	.....	.....	.....	.....	80	.....	.....	.....	.....	.....
	XII.—Old age	13,914	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Males	6,197	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Females	7,717	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
154	Senility M	6,197	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F	7,717	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XIII.—External causes	68,566	1,892	1,444	1,283	1,104	884	6,607	2,772	2,234	3,877	6,277	6,364
	Males	53,156	1,026	819	745	619	463	3,672	1,842	1,767	3,186	5,215	5,469
	Females	15,410	866	625	538	485	421	2,935	930	467	691	1,062	895
	Suicide (total) M	7,709	.....	.....	.....	.....	.....	.....	1	12	173	576	797
	F	2,279	.....	.....	.....	.....	.....	.....	.....	15	195	344	323
155	By poison M	1,812	.....	.....	.....	.....	.....	.....	1	.....	42	163	247
	F	1,012	.....	.....	.....	.....	.....	.....	.....	9	123	210	163
156	By asphyxia M	875	.....	.....	.....	.....	.....	.....	.....	1	12	49	77
	F	387	.....	.....	.....	.....	.....	.....	.....	.....	18	43	40
157	By hanging or strangulation M	1,147	.....	.....	.....	.....	.....	.....	.....	5	20	48	65
	F	233	.....	.....	.....	.....	.....	.....	.....	2	2	13	21
158	By drowning M	330	.....	.....	.....	.....	.....	.....	.....	.....	3	16	26
	F	188	.....	.....	.....	.....	.....	.....	.....	.....	13	22	24
159	By firearms M	2,659	.....	.....	.....	.....	.....	.....	.....	6	88	264	317
	F	271	.....	.....	.....	.....	.....	.....	.....	4	32	40	61
160	By cutting or piercing instruments. M	595	.....	.....	.....	.....	.....	.....	.....	.....	3	18	37
	F	78	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4
161	By jumping from high places M	110	.....	.....	.....	.....	.....	.....	.....	.....	1	7	17
	F	73	.....	.....	.....	.....	.....	.....	.....	.....	4	9	8
162	By crushing M	83	.....	.....	.....	.....	.....	.....	.....	.....	3	7	6
	F	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
163	Other suicides M	48	.....	.....	.....	.....	.....	.....	.....	.....	1	4	5
	F	30	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2

[1] Exclusive of injuries at birth.

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1913—Continued.

DEATHS AT AGE OF—																Detailed Int. List No
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
75	70	72	81	76	84	73	66	59	34	22	19	5			2	
48	43	56	52	49	57	44	37	31	18	12	9				1	
27	27	16	29	27	27	29	29	28	16	10	10	5			1	
42	38	50	42	41	50	39	25	21	13	8	7					146
24	21	14	22	22	17	23	21	19	11	5	2	3				
6	4	5	9	6	7	4	9	5	3	2	1					147
1	6	2	5	4	6	5	6	7	4	2	5	1				
				1												148
															1	
	1	1	1	1		1	3	5	2	2	1				1	149
2			2	1	4	1	2	2	1	3	3	1				
2	1	1	1		1											
1	1				1											
1		1	1													
1	1				1											150
1		1	1													
			1													
1	1				1											
1																
		1														
																151
																152
																153
			2	17	45	186	488	1,477	2,476	3,664	3,145	1,714	486	168	46	
			1	5	25	79	233	710	1,153	1,663	1,373	686	187	60	22	
			1	12	20	107	255	767	1,323	2,001	1,772	1,028	299	108	24	
			1	5	25	79	233	710	1,153	1,663	1,373	686	187	60	22	154
			1	12	20	107	255	767	1,323	2,001	1,772	1,028	299	108	24	
5,611	5,613	4,969	4,547	4,131	3,283	2,905	2,385	2,040	1,762	1,441	894	355	82	18	399	
4,823	4,909	4,285	3,918	3,557	2,748	2,350	1,768	1,281	889	641	308	125	29	4	370	
788	704	684	629	574	535	555	617	759	873	800	586	230	53	14	29	
774	811	787	802	847	648	577	388	254	134	72	21	4			31	
242	235	223	192	134	113	107	57	52	24	12	7	2			2	
226	201	178	156	193	133	114	74	50	15	11	3	1			4	155
103	108	81	56	47	37	30	15	17	9	1	1				2	
85	96	98	113	102	84	86	37	16	11	7	1					156
46	39	49	45	24	25	25	13	13	4		3					
71	97	109	127	152	99	135	81	64	39	19	8				8	157
23	26	25	33	22	20	14	12	8	3	5	3	1				
37	36	28	46	45	42	35	23	23	7	8		1			4	158
14	15	17	21	15	14	12	6	8	3	3		1				
261	293	265	265	259	225	152	121	68	43	17	4	2			9	159
34	27	25	15	12	5	9	5	2								
61	67	77	81	70	48	41	37	25	16	10	2				2	160
9	8	9	13	5	8	9	3	2	3	2						
21	8	15	4	12	6	6	6	4	1		2					161
8	8	10	6	5	4	6	3	1	1							
8	11	11	6	9	6	4	4	3	2						3	162
2		1	1						1							
4	2	6	4	5	5	4	5	1			1				1	163
3	4	6	2	4		2		1		1						

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA,

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—										
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	XIII.—External causes—Contd.													
	Accidental or undefined (total)	M.	41,757	933	813	743	611	460	3,560	1,817	1,729	2,819	4,048	4,026
		F.	12,254	792	618	533	483	420	2,846	917	429	412	542	451
164	Poisoning by food	M.	337	45	36	27	23	7	138	27	11	7	12	10
		F.	320	39	28	12	17	12	108	27	17	10	10	10
165	Other acute poisonings	M.	855	79	105	71	32	22	309	31	12	23	39	59
		F.	598	49	114	53	16	10	242	30	6	25	58	54
166	Conflagration	M.	622	27	21	25	26	16	115	26	3	21	31	41
		F.	327	22	25	14	21	14	96	31	11	14	16	18
167	Burns (conflagration excepted)	M.	2,156	110	308	348	273	173	1,212	148	40	51	82	92
		F.	2,779	98	226	286	277	254	1,141	383	88	77	111	101
168	Absorption of deleterious gases (conflagration excepted)	M.	1,531	331	10	8	4	2	355	12	24	65	106	96
		F.	740	303	8	4	2	1	318	7	9	33	40	30
169	Accidental drowning	M.	5,656	17	114	61	54	50	296	465	539	750	695	518
		F.	812	18	60	27	26	18	149	69	80	91	93	52
170	Traumatism by firearms	M.	1,380	3	12	11	8	11	45	102	231	277	164	120
		F.	192	.....	4	6	9	9	28	30	33	13	22	13
171	Traumatism by cutting or piercing instruments	M.	79	.....	.....	.....	2	1	3	7	3	6	5	10
		F.	16	.....	.....	1	.....	.....	1	2	1	2	.....	1
172	Traumatism by fall	M.	6,097	66	89	69	52	48	324	146	160	183	281	342
		F.	3,650	51	61	53	39	30	234	77	39	24	43	42
173	Traumatism in mines and quarries (total)	M.	2,381	.....	.....	1	.....	.....	1	2	9	189	353	429
		F.	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	Traumatism in mines	M.	2,277	.....	.....	1	.....	.....	1	2	8	180	343	422
		F.	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	Traumatism in quarries	M.	104	.....	.....	.....	.....	.....	.....	.....	1	9	10	7
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	M.	1,486	.....	1	1	1	3	6	13	33	153	217	211
		F.	40	.....	.....	1	.....	.....	1	3	1	5	5	5
175	Traumatism by other crushing (total)	M.	13,938	18	39	71	101	103	332	686	500	803	1,548	1,585
		F.	1,742	20	39	54	52	54	219	221	108	97	118	94
	Railroad accidents and injuries	M.	7,747	5	11	5	10	19	50	111	162	484	1,048	1,083
		F.	465	1	12	13	7	5	38	20	27	37	40	31
	Street-car accidents and injuries	M.	1,641	1	4	20	16	13	54	82	55	65	128	140
		F.	357	1	6	10	10	17	44	46	15	13	19	9
	Automobile accidents and injuries	M.	1,957	5	4	12	34	32	87	293	179	102	160	156
		F.	531	2	6	12	14	14	48	90	37	28	43	43
	Injuries by other vehicles	M.	2,057	7	20	31	40	38	136	174	92	111	149	137
		F.	324	15	15	18	19	14	81	42	13	18	12	9
	Landslide, other crushing	M.	536	.....	.....	3	1	1	5	26	12	41	63	69
		F.	65	1	.....	1	2	4	8	23	16	1	4	2
176	Injuries by animals	M.	495	3	4	10	10	10	37	39	25	36	27	23
		F.	45	1	3	.....	3	3	10	7	3	.....	1	1
177	Starvation	M.	21	5	1	.....	.....	.....	6	.....	1	1	.....	.....
		F.	13	4	.....	1	1	.....	6	.....	.....	.....	.....	.....
178	Excessive cold	M.	203	5	.....	1	.....	.....	6	2	2	2	5	9
		F.	27	1	.....	.....	.....	1	2	.....	1	.....	.....	.....
179	Effects of heat	M.	860	119	10	6	3	1	139	11	10	19	21	51
		F.	366	97	13	4	2	4	120	7	4	8	5	7
180	Lightning	M.	260	1	.....	1	.....	1	3	7	24	27	35	27
		F.	57	2	.....	.....	2	.....	4	3	8	5	2	3
181	Electricity (lightning excepted)	M.	661	.....	.....	.....	1	1	2	2	16	69	162	121
		F.	9	.....	.....	.....	.....	2	2	1	1	1	1	1
185	Fractures (cause not specified)	M.	301	5	1	1	.....	.....	7	3	4	7	21	23
		F.	145	4	.....	.....	1	.....	5	3	1	.....	.....	.....
186	Other external violence	M.	2,438	99	62	31	21	11	224	88	82	130	244	259
		F.	372	83	37	17	15	8	160	16	18	6	17	19
	Homicide (total)	M.	3,690	93	6	2	8	3	112	24	26	194	591	646
		F.	877	74	7	5	2	1	89	13	23	84	176	121
182	By firearms	M.	2,378	2	3	.....	2	2	9	6	17	132	416	446
		F.	443	2	2	2	1	1	8	6	10	45	102	69
183	By cutting or piercing instruments	M.	556	5	.....	.....	1	1	7	2	3	32	106	109
		F.	118	2	3	1	.....	.....	6	2	1	12	23	17
184	By other means	M.	756	86	3	2	5	.....	96	16	6	30	69	91
		F.	316	70	2	2	1	.....	75	5	12	27	51	35
	XIV.—Ill-defined diseases		8,893	3,292	826	199	78	52	4,447	143	76	93	154	167
	Males		4,868	1,808	393	118	40	32	2,391	69	39	43	74	87
	Females		4,025	1,484	433	81	38	20	2,056	74	37	50	80	80
187	Ill-defined organic disease	M.	274	6	5	2	.....	2	15	3	3	3	1	7
		F.	309	4	3	2	1	2	12	4	3	3	5	7
188	Sudden death	M.	298	66	5	6	2	.....	79	1	4	2	6	2
		F.	203	54	7	1	.....	.....	62	1	1	2	4	4
189	Not specified or ill-defined (total)	M.	4,296	1,736	383	110	38	30	2,297	65	32	38	67	78
		F.	3,513	1,426	423	78	37	18	1,982	69	33	45	71	69
	Ill-defined	M.	1,834	358	304	70	17	15	764	25	14	13	24	36
		F.	1,494	282	338	53	27	9	709	28	15	14	31	33
	Not specified or unknown	M.	2,462	1,378	79	40	21	15	1,533	40	18	25	43	42
		F.	2,019	1,144	85	25	10	9	1,273	41	18	31	40	36

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1913—Continued.

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed Int. List No.
3,530	3,576	3,164	2,874	2,521	1,997	1,710	1,329	1,006	752	569	283	121	29	4	293	
433	372	405	397	418	408	438	556	698	849	788	578	228	53	14	22	
15	11	14	8	14	16	12	13	15	8	6						
15	17	14	12	16	14	13	14	14	6	2				1		164
47	67	61	52	34	41	22	24	16	7	8		1			2	
35	37	24	20	16	16	12	11	4	5	1			1		1	165
48	39	43	51	31	46	32	26	27	19	7	6	1			9	
14	16	8	22	10	8	12	10	12	9	8	3	1	1		7	166
79	76	68	48	58	42	41	33	31	26	17	8	1		1	2	
105	86	85	67	91	70	72	65	78	73	47	25	9	1	3	1	167
88	100	122	107	110	93	82	57	50	34	16	5	4			5	
31	20	31	13	26	28	25	35	29	26	23	13	3				168
423	419	379	297	272	173	146	106	49	26	15	1	2	1		84	
51	32	29	38	31	23	17	12	16	12	6	4	1			6	169
102	89	51	59	37	38	24	18	5	2	3					13	
11	8	11	7	3	5	2	2	1	1	1					1	170
4	13	5	2	4	3	5	3	4	1			1				
1		2	1	2		1		2								171
412	447	475	485	478	383	382	340	297	312	327	191	92	23	3	14	
45	48	64	76	89	107	167	256	402	594	613	482	193	44	8	3	172
351	328	225	215	122	78	38	23	7	3						8	
1				1		1										173
340	318	209	201	115	69	33	22	3	3						8	
1				1												
11	10	16	14	7	9	5	1	4								
						1										
159	165	137	105	90	75	62	35	11	5	1					8	
3	3	2	3	4	1	1	1	1	1							174
1,371	1,369	1,188	1,047	898	698	636	466	346	205	102	38	9			111	
93	69	97	99	99	91	83	94	68	58	25	6	1	1		1	175
886	874	702	585	482	346	333	215	139	84	44	15	6			98	
31	22	31	35	26	27	25	24	19	18	11	2				1	
133	150	147	151	123	114	78	82	61	40	24	10	2			2	
15	16	23	26	26	18	21	28	13	17	8						
137	134	135	104	117	87	89	61	59	32	18	3				4	
29	19	31	23	27	29	25	19	19	13	5	3					
149	156	148	159	141	129	122	95	83	47	16	10	1			2	
16	9	10	13	20	16	12	22	17	10	1	1	1	1			
66	55	56	48	35	22	14	13	4	2						5	
2	3	2	2		1		1									
24	26	30	36	38	46	31	33	19	13	9	2				1	
1	3	1		3	3	3	2	1	3		3					176
1	2	3	1		3		1	1							1	
	3		1	1			1	1								177
9	12	19	23	28	29	18	11	10	11	2	2	1	1		1	
	1	1	1	4	1	3	2	3	4	3	1	1				178
53	79	71	65	65	58	52	43	38	38	24	16	5	1		1	
9	11	16	13	9	18	8	21	31	24	26	17	8	2	2		179
19	21	22	20	11	14	12	5	7	2	2					2	
2	8	5	3	2	3	3	4		1						1	180
101	62	49	33	21	12	2	2	2		1					4	
2																181
15	25	29	28	27	22	24	13	16	11	13	6	3	1		3	
2	2	1	2	1	4	6	12	22	22	29	21	11	1			185
209	226	173	192	183	127	89	77	55	29	16	8	1	2		24	
12	9	14	19	10	16	9	14	13	10	4	3		2		1	186
519	522	334	242	189	103	63	51	21	3		4				46	
113	97	56	40	22	14	10	4	9			1				5	
376	358	221	147	100	62	31	22	10			2				23	
60	55	33	24	12	8	4	2	2			1				2	182
78	78	50	32	17	11	3	12	3	1		1				11	
20	14	11	5	2	2	3										183
65	86	63	63	72	30	29	17	8	2		1				12	
33	28	12	11	8	4	3	2	7							3	184
158	222	213	241	288	369	398	459	403	368	268	156	75	22	15	158	
97	133	115	158	187	231	236	256	223	185	129	69	36	9	3	98	
61	89	98	83	101	138	162	203	180	183	139	87	39	13	12	60	
7	8	8	16	22	13	17	28	34	32	33	14	5			5	
4	8	15	9	22	15	25	31	44	39	32	21	5	1	1	3	187
10	17	11	13	17	30	27	27	21	10	9	8	1	1		2	
3	5	10	4	5	16	8	16	20	18	11	10	3				188
80	108	96	129	148	188	192	201	168	143	87	47	30	8	3	91	
54	76	73	70	74	107	129	156	116	126	96	56	31	12	11	57	189
42	56	47	77	91	116	127	141	97	82	40	26	7			9	
26	32	37	44	47	76	85	108	63	68	37	21	11	2	3	4	
38	52	49	52	57	72	65	60	71	61	47	21	23	8	3	82	
28	44	36	26	27	31	44	48	53	58	59	35	20	10	8	53	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	THE REGISTRATION AREA.																		
	All causes	890,848	159,435	33,917	15,364	9,498	6,915	20,214	34,565	68,203	75,098	82,167	95,765	110,403	110,411	58,292	8,664	462	1,475
	I.—General diseases	237,400	15,116	9,842	6,188	4,331	3,375	9,649	15,526	31,550	30,612	29,511	29,545	26,528	18,203	6,427	659	25	313
1	Typhoid fever	11,323	70	119	144	149	145	759	2,369	3,183	1,741	1,230	754	429	165	31	2	.....	33
2	Typhus fever	8	.....	.....	.....	.....	.....	.....	1	3	.....	1	3	.....	.....	.....	.....	.....	.....
3	Relapsing fever	4	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
4	Malaria	1,565	148	106	65	40	27	112	148	198	149	138	137	133	102	52	7	.....	3
5	Smallpox	125	27	4	4	3	.....	5	8	16	16	13	10	10	4	3	1	.....	1
6	Measles	8,108	2,011	2,562	1,117	584	302	660	346	198	109	90	47	42	27	4	.....	.....	9
7	Scarlet fever	5,498	255	618	798	684	603	1,563	621	229	90	25	11	1	.....	.....	.....	.....	.....
8	Whooping cough	6,332	3,442	1,516	596	301	152	246	40	7	6	4	4	4	4	3	.....	.....	7
9	Diphtheria and croup	11,920	913	1,857	1,781	1,498	1,293	3,171	918	203	123	73	42	31	9	1	.....	.....	7
10	Influenza	7,725	608	171	105	47	42	126	202	289	344	482	699	1,109	1,842	1,406	237	5	11
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	399	71	21	12	6	5	19	11	7	13	17	27	62	67	53	7	.....	1
14	Dysentery	3,216	651	356	147	70	37	63	36	80	110	129	197	354	529	381	62	6	8
15	Plague	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	6	.....	.....	.....	.....	.....	.....	.....	4	1	.....	1	.....	.....	.....	.....	.....	.....
18	Erysipelas	2,525	756	53	22	7	6	16	56	103	201	292	305	303	242	155	5	.....	3
19	Other epidemic diseases	222	71	32	19	8	5	25	16	8	7	8	8	6	3	4	2	.....	.....
20	Purulent infection and septicemia	1,766	193	31	26	17	14	78	137	192	202	226	241	197	153	49	7	1	2
21	Glanders	8	.....	.....	.....	.....	.....	.....	1	2	2	1	2	.....	.....	.....	.....	.....	.....
22	Anthrax	25	1	1	.....	.....	.....	.....	2	3	8	3	5	1	1	.....	.....	.....	.....
23	Rabies	95	.....	1	1	2	9	32	16	9	9	8	3	2	3	.....	.....	.....	.....
24	Tetanus	1,362	369	14	13	13	30	151	210	165	121	110	88	45	27	3	.....	1	2
25	Mycoses	32	.....	.....	.....	.....	.....	.....	5	7	5	7	4	3	.....	.....	.....	.....	1
26	Pellagra	1,015	4	4	6	.....	4	11	34	167	234	194	182	106	51	8	3	1	6
27	Beriberi	11	4	.....	.....	.....	.....	.....	1	3	2	.....	.....	1	.....	.....	.....	.....	.....
	Tuberculosis (total)	93,421	2,491	1,879	1,053	693	507	1,702	8,350	23,311	20,464	14,438	9,447	5,758	2,657	514	26	3	128
28	Tuberculosis of the lungs	77,735	739	529	248	187	138	577	6,524	20,769	18,520	13,095	8,445	5,090	2,299	439	22	3	111
29	Acute miliary tuberculosis	3,077	109	93	52	33	29	93	463	885	589	367	220	98	39	5	.....	.....	2
30	Tuberculous meningitis	5,467	1,230	1,000	571	356	233	660	522	384	226	148	79	34	11	7	1	.....	5
31	Abdominal tuberculosis	3,651	210	139	101	49	42	168	399	683	585	431	375	273	161	25	2	.....	8
32	Pott's disease	859	23	23	27	28	28	82	128	147	126	75	78	61	24	8	1	.....	.....
33	White swellings	435	16	8	14	12	11	38	75	70	56	47	40	26	14	7	.....	.....	1
34	Tuberculosis of other organs	1,355	92	56	24	18	17	55	140	214	220	172	132	118	81	16	.....	.....	.....
35	Disseminated tuberculosis	842	72	31	16	10	9	29	99	159	142	103	78	58	28	7	.....	.....	1
36	Rickets	497	294	111	37	12	9	11	6	5	3	1	2	4	1	1	.....	.....	.....
37	Syphilis	4,589	1,894	131	40	29	17	29	91	394	661	589	416	209	68	11	.....	.....	10
38	Gonococcus infection	237	58	6	1	1	.....	2	20	56	50	21	9	8	5	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	49,928	40	48	51	44	37	97	267	853	3,076	7,697	12,171	12,981	9,357	2,931	230	7	41
39	Of the buccal cavity	1,966	3	2	2	.....	2	3	17	18	62	220	443	534	448	190	19	.....	3
40	Of the stomach, liver	19,767	11	11	8	6	7	13	26	172	742	2,531	5,022	5,946	4,150	1,048	55	1	18
41	Of the peritoneum, intestines, rectum	6,625	3	3	8	6	1	14	36	161	419	911	1,477	1,817	1,365	381	20	1	2
42	Of the female genital organs	7,706	.....	2	.....	1	1	5	22	197	915	1,972	2,166	1,466	757	181	14	.....	7
43	Of the breast	4,592	1	.....	1	1	.....	2	2	44	401	988	1,160	953	698	302	35	1	3
44	Of the skin	1,725	1	2	1	3	2	2	6	17	36	88	236	397	508	367	51	3	5
45	Of other organs or of organs not specified	7,547	21	28	31	27	24	58	158	244	501	987	1,667	1,868	1,431	462	36	1	3
46	Other tumors (tumors of the female genital organs excepted)	297	14	2	1	1	2	1	10	17	25	33	46	65	54	24	1	.....	1
47	Acute articular rheumatism	3,656	25	18	32	35	52	407	697	372	344	366	388	390	348	153	23	.....	6
48	Chronic rheumatism and gout	834	.....	1	.....	.....	.....	3	15	23	38	72	152	198	225	95	9	.....	3
49	Scurvy	76	37	13	2	.....	.....	6	4	3	1	3	2	1	1	2	.....	.....	1
50	Diabetes	9,660	18	23	29	27	30	176	527	559	612	1,002	2,075	2,613	1,552	388	22	.....	7
51	Exophthalmic goiter	966	2	1	.....	1	1	.....	48	135	192	241	198	100	38	5	3	.....	1
52	Addison's disease	261	2	.....	.....	.....	.....	.....	9	23	55	52	55	38	22	3	1	.....	1
53	Leukemia	1,112	19	29	19	23	16	68	111	149	152	166	168	121	66	5	.....	.....	.....
54	Anemia, chlorosis	3,186	150	42	18	9	5	42	114	185	294	495	695	686	357	80	11	1	2
55	Other general diseases	1,190	478	71	49	26	25	65	64	66	63	63	62	62	60	34	.....	.....	2
56	Alcoholism (acute or chronic)	3,744	.....	.....	.....	.....	.....	2	11	273	999	1,131	794	381	121	17	.....	.....	15
57	Chronic lead poisoning	162	.....	1	.....	.....	.....	.....	1	15	24	46	42	20	12	1	.....	.....	.....
58	Other chronic occupation poisonings	9	.....	.....	.....	.....	.....	.....	.....	4	2	.....	3	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	283	.....	.....	.....	1	.....	.....	3	30	63	44	48	53	30	10	.....	.....	1
	II.—Diseases of the nervous system and of the organs of special sense	84,755	6,047	1,679	908	609	435	1,356	2,030	2,442	4,097	7,281	11,983	16,723	19,035	8,962	1,003	32	133
60	Encephalitis	780	135	47	28	18	11	48	81	99	77	78	64	51	32	7	3	.....	1
61	Meningitis (total)	6,599	1,739	821	512	353	245	702	753	485	314	282	183	124	62	19	1	.....	4
	Simple meningitis	3,648	1,131	477	301	191	122	291	281	208	175	185	120	100	50	15	.....	.....	1
	Cerebrospinal meningitis (undefined)	1,771	437	241	136	98	81	242	239	124	62	52	26	18	10	2	1	.....	2
	Cerebrospinal fever	1,180	171	103	75	64	42	169	233	153	77	45	37	6	2	2	.....	.....	1

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	THE REGISTRATION AREA—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	1,674	.....	.....	.....	.....	1	.....	4	19	104	300	533	414	253	39	3	.....	4
63	Other diseases of the spinal cord (total)	3,996	181	173	98	82	68	184	181	146	192	374	534	795	722	241	17	3	5
	Acute anterior poliomyelitis	864	152	144	87	69	56	149	90	25	33	16	18	11	9	3	.....	.....	2
	Other diseases of the spinal cord [1]	3,132	29	29	11	13	12	35	91	121	159	358	516	784	713	238	17	3	3
64	Cerebral hemorrhage, apoplexy	47,220	220	56	21	14	16	54	143	423	1,231	3,463	7,686	12,215	14,187	6,665	750	13	63
65	Softening of the brain	1,158	.....	.....	.....	.....	.....	2	5	14	25	59	128	254	412	232	25	1	1
66	Paralysis without specified cause	6,772	53	10	11	6	2	27	53	76	172	408	878	1,453	2,169	1,252	161	13	28
67	General paralysis of the insane	4,371	.....	.....	.....	.....	.....	1	12	96	790	1,153	895	588	548	256	19	1	12
68	Other forms of mental alienation	1,534	.....	.....	.....	1	.....	.....	30	180	255	274	275	232	217	62	4	.....	4
69	Epilepsy	2,632	88	20	17	18	14	83	372	496	466	351	288	222	142	45	3	1	6
70	Convulsions (nonpuerperal)	144	.....	.....	.....	.....	.....	38	18	28	25	17	5	5	3	4	.....	.....	1
71	Convulsions of infants	3,697	3,125	364	122	60	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	118	6	1	4	3	2	9	55	7	1	3	9	10	5	3	.....	.....	.....
73	Neuralgia and neuritis	409	2	1	2	2	2	3	11	23	58	68	76	63	58	35	5	.....	.....
74	Other diseases of the nervous system	2,355	210	59	32	22	24	98	156	224	290	364	333	246	199	87	8	.....	3
75	Diseases of the eyes and their annexa	54	11	3	6	3	.....	4	4	1	1	1	5	5	7	2	1	.....	.....
76	Diseases of the ears	1,242	277	124	55	27	24	103	152	125	96	86	91	46	19	13	3	.....	1
	III.—Diseases of the circulatory system	117,645	1,315	216	166	156	178	1,184	2,759	3,952	6,723	10,620	16,597	25,808	30,194	15,557	1,970	93	157
77	Pericarditis	715	16	4	4	6	5	31	58	59	74	91	99	110	104	49	4	.....	1
78	Acute endocarditis	5,387	226	38	39	51	51	258	445	612	798	1,073	1,488	168	94	37	5	.....	4
79	Organic diseases of the heart	87,755	748	128	95	78	111	846	2,148	2,988	5,121	8,142	12,462	20,574	22,593	10,394	1,142	57	128
80	Angina pectoris	4,592	4	.....	1	.....	1	4	12	70	208	407	860	1,361	1,231	401	28	.....	4
81	Diseases of the arteries, atheroma, aneurism, etc	15,924	4	1	.....	1	.....	6	16	57	244	549	1,218	3,041	5,568	4,414	759	33	13
82	Embolism and thrombosis	2,179	61	3	9	4	3	15	44	111	182	245	340	436	481	210	29	1	5
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	435	10	2	1	2	2	1	4	23	60	77	80	77	67	27	2	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	360	189	38	16	13	3	15	20	14	9	12	12	8	9	2	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	298	57	2	1	1	2	8	12	18	27	24	38	33	47	23	1	2	2
	IV.—Diseases of the respiratory sysem	103,979	25,274	9,272	3,567	1,724	1,055	2,296	2,502	4,648	6,359	7,618	8,950	10,590	11,870	7,048	1,064	52	90
86	Diseases of the nasal fossae	104	43	5	2	3	4	9	4	7	6	6	3	1	3	5	3	.....	.....
87	Diseases of the larynx	835	191	123	73	85	57	89	26	32	32	42	19	28	22	14	2	.....	.....
88	Diseases of the thyroid body	358	17	1	.....	2	.....	5	30	42	42	67	68	45	32	5	2	.....	.....
89	Acute bronchitis	6,602	3,665	742	268	109	82	86	38	53	55	74	119	245	489	478	90	6	3
90	Chronic bronchitis	4,786	69	29	14	7	2	38	62	102	130	203	416	801	1,491	1,196	210	11	5
91	Bronchopneumonia	31,094	13,100	4,999	1,772	728	410	775	362	474	605	766	1,147	1,720	2,381	1,589	241	13	12
92	Pneumonia (total)	52,684	7,520	3,156	1,300	731	454	1,154	1,753	3,484	4,914	5,691	6,215	6,639	6,247	2,953	399	16	58
	Lobar pneumonia	32,615	3,153	1,612	696	404	255	666	1,135	2,478	3,658	4,167	4,410	4,514	3,727	1,516	190	11	23
	Pneumonia (undefined)	20,069	4,367	1,544	604	327	199	488	618	1,006	1,256	1,524	1,805	2,125	2,520	1,437	209	5	35
93	Pleurisy	2,211	108	135	88	39	20	90	135	224	233	272	300	257	197	97	12	2	2
94	Pulmonary congestion, pulmonary apoplexy	2,228	473	52	23	10	14	19	33	51	95	114	144	235	433	451	78	2	1
95	Gangrene of the lung	203	.....	1	1	1	1	7	4	19	22	44	44	32	19	7	.....	.....	1
96	Asthma	1,578	16	11	8	5	7	6	12	32	82	151	244	386	402	192	17	2	5
97	Pulmonary emphysema	170	5	6	4	1	.....	2	3	10	7	13	28	41	39	11	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	1,126	67	12	14	3	4	16	40	118	136	175	203	160	115	50	10	.....	3
	V.—Diseases of the digestive system	103,276	43,243	9,942	2,653	1,224	697	1,968	2,939	4,130	5,153	6,501	7,358	7,396	6,432	3,147	424	11	58
99	Diseases of the mouth and annexa	448	237	30	7	4	7	13	14	19	33	16	29	16	20	2	1	.....	.....
100	Diseases of the pharynx	1,315	149	76	57	64	54	216	178	146	112	83	53	50	47	29	1	.....	.....
101	Diseases of the esophagus	164	5	5	4	2	3	.....	5	6	9	15	33	40	27	8	2	.....	.....
102	Ulcer of the stomach	2,536	12	4	4	4	1	12	60	260	404	480	494	416	284	97	1	1	2
103	Other diseases of the stomach (cancer excepted)	8,832	2,912	342	159	97	61	140	106	278	455	505	760	964	1,147	772	122	4	8
104	Diarrhea and enteritis (under 2 years)	47,605	38,455	9,150	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	9,475	.....	.....	2,128	802	355	508	217	354	416	534	710	1,009	1,298	951	172	3	18
106	Ankylostomiasis	39	.....	.....	.....	1	.....	10	13	6	3	2	2	1	.....	.....	.....	.....	1
107	Intestinal parasites	98	6	13	18	16	10	10	9	9	1	2	2	.....	2	.....	.....	.....	.....
108	Appendicitis and typhlitis	7,648	28	31	64	92	97	689	1,659	1,605	1,196	971	645	340	182	41	2	.....	6
109	Hernia, intestinal obstruction (total)	7,342	943	185	97	84	59	147	245	450	627	800	996	1,113	1,073	464	54	.....	5
	Hernia	2,424	150	21	2	2	2	6	23	88	160	310	492	493	453	202	18	.....	2
	Intestinal obstruction	4,918	793	164	95	82	57	141	222	362	467	490	504	620	620	262	36	.....	3
110	Other diseases of the intestines	1,642	188	27	35	17	10	32	79	124	168	228	206	180	193	135	19	.....	1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	THE REGISTRATION AREA—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	315	24	1	1	.....	3	7	17	61	37	38	34	39	40	13	.....	.....	.....
112	Hydatid tumor of the liver	15	.....	.....	1	.....	.....	.....	1	3	3	3	.....	2	1	1	.....	.....	.....
113	Cirrhosis of the liver	8,497	16	10	10	1	1	19	44	208	846	1,744	2,102	1,985	1,201	287	17	2	4
114	Biliary calculi	1,999	1	.....	1	.....	.....	2	6	61	181	367	511	475	298	85	9	.....	2
115	Other diseases of the liver	3,029	128	33	27	9	7	43	60	204	332	411	517	577	459	197	20	1	4
116	Diseases of the spleen	127	4	2	.....	.....	.....	2	7	20	15	21	22	18	11	4	1	.....	.....
117	Simple peritonitis (nonpuerperal)	1,708	127	28	39	31	28	109	201	256	237	199	152	117	123	51	3	.....	7
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	442	8	5	1	.....	1	9	18	60	78	82	90	54	26	10	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	75,253	877	318	237	195	161	572	1,302	3,722	6,451	9,456	12,760	15,937	15,418	6,987	719	41	100
119	Acute nephritis	6,568	385	165	112	117	101	278	403	696	943	927	862	761	536	239	35	3	5
120	Bright's disease	58,538	284	128	112	75	55	269	722	1,982	4,074	7,089	10,851	13,776	12,897	5,572	539	31	82
121	Chyluria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	1,372	115	17	10	3	4	19	33	102	155	161	202	201	223	105	21	.....	1
123	Calculi of the urinary passages	403	1	1	.....	.....	.....	1	9	28	48	47	77	89	71	28	2	.....	1
124	Diseases of the bladder	1,474	32	1	1	.....	1	2	6	29	30	67	110	216	498	415	54	7	5
125	Diseases of the urethra, urinary abscess, etc	264	3	1	1	.....	.....	.....	1	20	43	65	48	50	17	11	2	.....	2
126	Diseases of the prostate	2,465	.....	.....	.....	.....	.....	.....	3	5	14	41	154	614	1,010	564	59	.....	1
127	Nonvenereal diseases of the male genital organs	104	43	3	1	.....	.....	.....	1	7	12	5	10	8	11	3	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	54	.....	.....	.....	.....	.....	.....	2	3	17	21	7	2	2	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	1,173	1	.....	.....	.....	.....	.....	1	58	262	461	215	83	71	18	2	.....	1
130	Other diseases of the uterus	721	1	.....	.....	.....	.....	3	35	174	208	160	80	34	13	12	.....	.....	1
131	Cysts and other tumors of the ovary	640	.....	.....	.....	.....	.....	.....	9	86	116	151	103	90	60	19	5	.....	1
132	Salpingitis and other diseases of the female genital organs	1,451	2	2	.....	.....	.....	.....	76	529	527	259	41	9	5	1	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	25	10	.....	.....	.....	.....	.....	1	3	2	2	.....	4	3	.....	.....	.....	.....
	VII.—The puerperal state	10,010	.....	.....	.....	.....	.....	.....	855	4,511	3,798	824	9	.....	.....	.....	.....	.....	13
134	Accidents of pregnancy	861	.....	.....	.....	.....	.....	.....	36	355	400	69	.....	.....	.....	.....	.....	.....	1
135	Puerperal hemorrhage	988	.....	.....	.....	.....	.....	.....	32	319	492	142	1	.....	.....	.....	.....	.....	2
136	Other accidents of labor	854	.....	.....	.....	.....	.....	.....	52	318	379	102	3	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	4,542	.....	.....	.....	.....	.....	.....	407	2,245	1,573	308	3	.....	.....	.....	.....	.....	6
138	Puerperal albuminuria and convulsions	2,397	.....	.....	.....	.....	.....	.....	312	1,112	793	175	2	.....	.....	.....	.....	.....	3
139	Puerperal phlegmasia alba dolens, embolus, sudden death	310	.....	.....	.....	.....	.....	.....	16	133	137	23	.....	.....	.....	.....	.....	.....	1
140	Following childbirth (not otherwise defined)	56	.....	.....	.....	.....	.....	.....	.....	27	24	5	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	3,275	558	80	29	14	11	28	55	94	153	229	269	461	640	555	86	7	6
142	Gangrene	1,591	36	17	9	5	5	9	6	14	37	73	112	262	469	458	71	3	5
143	Furuncle	331	55	4	2	.....	1	.....	13	15	32	40	53	53	44	18	1	.....	.....
144	Acute abscess	667	183	33	14	5	3	16	29	49	58	70	61	72	43	25	5	.....	1
145	Other diseases of the skin and annexa	686	284	26	4	4	2	3	7	16	26	46	43	74	84	54	9	4	.....
	IX.—Diseases of the bones and of the organs of locomotion	1,616	143	52	45	23	37	173	239	166	145	153	160	139	93	41	5	.....	2
146	Diseases of the bones (tuberculosis excepted)	1,399	128	49	42	21	36	162	228	153	125	128	130	108	64	22	3	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	166	14	3	3	2	1	9	9	10	17	21	23	24	19	10	1	.....	.....
148	Amputations	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	1
149	Other diseases of the organs of locomotion	48	1	.....	.....	.....	.....	2	2	2	3	4	6	7	10	9	1	.....	1
	X.—Malformations	9,401	8,813	246	89	40	30	73	78	26	3	2	1	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	9,401	8,813	246	89	40	30	73	78	26	3	2	1	.....	.....	.....	.....	.....	.....
	Hydrocephalus	820	596	102	37	20	11	22	24	7	.....	1	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	5,745	5,489	100	34	14	15	36	38	15	3	.....	1	.....	.....	.....	.....	.....	.....
	Other congenital malformations	2,836	2,728	44	18	6	4	15	16	4	.....	1	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	THE REGISTRATION AREA—Continued.																		
	XI.—Early infancy	52,865	52,865																
151	Congenital debility, icterus, and sclerema (total)	43,198	43,198																
	Premature birth	27,359	27,359																
	Congenital debility, "atrophy," "marasmus," etc	15,839	15,839																
152	Other causes peculiar to early infancy (total)	9,486	9,486																
	Injuries at birth	5,131	5,131																
	Other causes peculiar to early infancy [1]	4,355	4,355																
153	Lack of care	181	181																
	XII.—Old age	13,914										2	62	674	3,953	6,809	2,200	168	46
154	Senility	13,914										2	62	674	3,953	6,809	2,200	168	46
	XIII.—External causes	68,566	1,892	1,444	1,283	1,104	884	2,772	6,111	12,641	11,224	9,516	7,414	5,290	3,802	2,335	437	18	399
	Suicide (total)	9,988						1	395	2,040	2,062	2,004	1,742	1,129	464	112	6		33
155	By poison	2,824						1	174	783	638	471	410	233	91	16	1		6
156	By asphyxia	1,262							31	209	266	305	235	161	44	11			
157	By hanging or strangulation	1,380							29	147	217	294	293	242	114	35	1		8
158	By drowning	568							16	88	102	112	116	76	41	11	2		4
159	By firearms	2,930							130	682	615	570	501	287	113	21	2		9
160	By cutting or piercing instruments	673							4	61	145	180	131	90	46	14			2
161	By jumping from high places	183							5	41	45	35	27	21	7	2			
162	By crushing	90							3	15	21	19	15	8	6				3
163	Other suicides	78							3	14	13	18	14	11	2	2			1
	Accidental or undefined (total)	54,011	1,725	1,431	1,276	1,094	880	2,734	5,389	9,067	7,911	6,840	5,344	4,033	3,305	2,218	431	18	315
164	Poisoning by food	657	84	64	39	40	19	54	45	42	58	48	60	52	43	8		1	
165	Other acute poisonings	1,453	128	219	124	48	32	61	66	210	186	157	107	69	32	9	2		3
166	Conflagration	949	49	46	39	47	30	57	49	106	117	124	95	80	67	24	3		16
167	Burns (conflagration excepted)	4,935	208	534	634	550	427	531	256	386	346	268	261	211	208	97	11	4	3
168	Absorption of deleterious gases (conflagration excepted)	2,271	634	18	12	6	3	19	131	272	239	273	257	199	139	57	7		5
169	Accidental drowning	6,468	35	174	88	80	68	534	1,460	1,358	925	743	499	281	103	26	4		90
170	Traumatism by firearms	1,572	3	16	17	17	20	132	554	319	210	128	83	46	9	4			14
171	Traumatism by cutting or piercing instruments	95			1	2	1	9	12	16	18	10	9	9	7		1		
172	Traumatism by fall	9,747	117	150	122	91	78	223	406	708	952	1,100	1,057	1,145	1,605	1,613	352	11	17
173	Traumatism in mines and quarries (total)	2,385			1			2	199	782	680	440	201	62	10				8
	Traumatism in mines	2,280			1			2	189	765	659	410	185	55	6				8
	Traumatism in quarries	105							10	17	21	30	16	7	4				
174	Traumatism by machines	1,526		1	2	1	3	16	192	438	330	247	170	99	18	1			8
175	Traumatism by other crushing (total)	15,680	38	78	125	153	157	907	1,508	3,345	2,902	2,431	1,786	1,279	677	171	11		112
	Railroad accidents and injuries	8,212	6	23	18	17	24	131	710	2,202	1,813	1,353	881	597	260	72	6		99
	Street-car accidents and injuries	1,998	2	10	30	26	30	128	148	296	314	347	281	209	131	42	2		2
	Automobile accidents and injuries	2,488	7	10	24	48	46	383	346	402	319	293	260	194	123	29			4
	Injuries by other vehicles	2,381	22	35	49	59	52	216	234	307	330	330	306	251	157	28	3		2
	Landslide, other crushing	601	1		4	3	5	49	70	138	126	108	58	28	6				5
176	Injuries by animals	540	4	7	10	13	13	46	64	52	54	67	90	69	36	14			1
177	Starvation	34	9	1	1	1			2		6	5	4	2	2				1
178	Excessive cold	230	6		1		1	2	5	14	21	44	62	34	28	8	3		1
179	Effects of heat	1,226	216	23	10	5	5	18	41	84	152	165	150	124	131	83	16	2	1
180	Lightning	317	3		1	2	1	10	64	67	50	50	30	24	10	2			3
181	Electricity (lightning excepted)	670				1	3	3	87	285	165	82	33	4	2	1			4
185	Fractures (cause not specified)	446	9	1	1	1		6	12	44	44	60	54	55	71	69	16		3
186	Other external violence	2,810	182	99	48	36	19	104	236	539	456	398	336	189	107	31	5		25
	Homicide (total)	4,567	167	13	7	10	4	37	327	1,534	1,251	672	328	128	33	5			51
182	By firearms	2,821	4	5	2	3	3	12	204	1,033	849	425	182	59	12	3			25
183	By cutting or piercing instruments	674	7	3	1	1	1	4	48	255	190	98	32	18	4	1			11
184	By other means	1,072	156	5	4	6		21	75	246	212	149	114	51	17	1			15
	XIV.—Ill-defined diseases	8,893	3,292	826	199	78	52	143	169	321	380	454	657	857	771	424	97	15	158
187	Ill-defined organic disease	583	10	8	4	1	4	7	12	20	27	48	72	101	149	100	11	1	8
188	Sudden death	501	120	12	7	2		2	9	16	35	38	68	78	69	38	5		2
189	Not specified or ill-defined (total)	7,809	3,162	806	188	75	48	134	148	285	318	368	517	678	553	286	81	14	148
	Ill-defined	3,328	640	642	123	44	24	53	56	124	156	205	330	461	310	124	20	3	13
	Not specified, or unknown	4,481	2,522	164	65	31	24	81	92	161	162	163	187	217	243	162	61	11	135

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	REGISTRATION STATES.[1]																	
	All causes	809,593	145,605	30,552	13,763	8,447	6,172	18,065	31,011	59,791	66,047	72,645	86,242	101,846	103,937	55,394	8,225	401	1,450
	I.—General diseases	214,941	13,923	8,978	5,591	3,842	3,005	8,560	13,956	27,866	27,167	26,405	26,769	24,525	17,240	6,155	630	20	369
1	Typhoid fever	10,393	63	109	137	139	132	713	2,176	2,859	1,589	1,152	697	402	161	29	2	.....	33
2	Typhus fever	7	.....	.....	.....	.....	.....	.....	1	3	.....	.....	3	.....	.....	.....	.....	.....	.....
3	Relapsing fever	3	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Malaria	1,211	129	94	57	34	27	94	118	117	101	86	90	115	90	49	7	.....	3
5	Smallpox	115	27	4	3	3	.....	5	8	13	16	10	9	9	4	3	.....	.....	1
6	Measles	7,553	1,901	2,381	1,029	526	279	594	332	190	105	89	47	41	26	4	.....	.....	9
7	Scarlet fever	4,471	216	485	644	554	490	1,275	508	192	77	20	9	1	.....	.....	.....	.....	.....
8	Whooping cough	6,013	3,285	1,438	559	283	140	230	40	7	5	4	4	4	4	3	.....	.....	7
9	Diphtheria and croup	10,604	809	1,655	1,603	1,315	1,158	2,801	819	181	114	68	37	27	9	1	.....	.....	7
10	Influenza	7,214	578	154	96	46	39	108	182	253	303	433	636	1,038	1,749	1,360	225	3	11
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	383	68	21	12	5	5	19	11	6	10	16	26	58	66	52	7	.....	1
14	Dysentery	2,898	584	511	137	67	37	60	32	62	88	101	158	310	507	370	61	5	8
15	Plague	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	4	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....
18	Erysipelas	2,333	715	48	22	6	6	16	49	88	184	259	276	281	228	147	5	.....	3
19	Other epidemic diseases	205	65	30	19	7	5	22	15	7	6	8	7	5	3	4	2	.....	.....
20	Purulent infection and septicemia	1,576	178	26	26	16	12	66	125	159	178	191	211	183	147	48	7	1	2
21	Glanders	7	.....	.....	.....	.....	.....	.....	.....	2	2	1	2	.....	.....	.....	.....	.....	.....
22	Anthrax	23	1	1	.....	.....	.....	.....	2	3	7	3	4	1	1	.....	.....	.....	.....
23	Rabies	75	.....	1	1	1	7	27	13	9	4	5	2	2	3	.....	.....	.....	.....
24	Tetanus	1,053	246	12	9	9	27	124	173	121	93	91	76	42	24	3	.....	1	2
25	Mycoses	25	.....	.....	.....	.....	.....	.....	4	6	4	4	3	3	.....	.....	.....	.....	1
26	Pellagra	573	3	1	5	.....	2	5	21	79	118	111	115	65	35	6	1	.....	6
27	Beriberi	7	4	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....
	Tuberculosis (total)	84,346	2,353	1,762	985	641	465	1,566	7,499	20,727	18,272	12,945	8,564	5,380	2,540	493	25	3	126
28	Tuberculosis of the lungs	70,039	698	491	230	175	126	526	5,848	18,504	16,535	11,733	7,665	4,754	2,199	422	21	3	109
29	Acute miliary tuberculosis	2,733	103	87	46	32	28	85	412	763	523	326	189	96	37	4	.....	.....	2
30	Tuberculous meningitis	5,082	1,162	941	538	328	214	621	474	337	200	140	72	31	11	7	1	.....	5
31	Abdominal tuberculosis	3,300	200	130	93	47	38	148	357	610	510	383	345	253	151	25	2	.....	8
32	Pott's disease	791	19	23	26	24	26	77	122	130	117	66	71	58	23	8	1	.....	.....
33	White swellings	404	16	8	13	12	10	34	68	64	53	45	35	25	13	7	.....	.....	1
34	Tuberculosis of other organs	1,240	88	54	23	15	15	49	129	185	204	160	116	108	80	14	.....	.....	.....
35	Disseminated tuberculosis	757	67	28	16	8	8	26	89	134	130	92	71	55	26	6	.....	.....	1
36	Rickets	437	256	103	35	10	8	6	4	4	3	1	1	4	1	1	.....	.....	.....
37	Syphilis	3,894	1,673	107	31	24	14	27	79	311	529	477	354	183	65	10	.....	.....	10
38	Gonococcus infection	209	53	6	1	1	.....	2	18	46	44	21	5	7	5	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	45,833	35	46	44	42	31	89	238	760	2,715	6,910	11,066	11,963	8,836	2,788	224	6	40
39	Of the buccal cavity	1,811	2	2	1	.....	.....	2	16	15	52	199	401	491	427	181	19	.....	3
40	Of the stomach, liver	18,161	8	11	8	6	7	12	22	160	655	2,270	4,553	5,470	3,916	994	51	.....	18
41	Of the peritoneum, intestines, rectum	6,155	3	3	8	6	1	13	31	141	378	828	1,372	1,697	1,294	358	19	1	2
42	Of the female genital organs	6,926	.....	2	.....	1	1	4	20	170	792	1,745	1,945	1,347	708	170	14	.....	7
43	Of the breast	4,268	1	.....	1	1	.....	2	2	40	370	909	1,059	890	667	287	35	1	3
44	Of the skin	1,625	1	1	1	3	2	2	6	12	34	77	221	374	477	355	51	3	5
45	Of other organs or of organs not specified	6,887	20	27	25	25	20	54	141	222	434	882	1,515	1,694	1,347	443	35	1	2
46	Other tumors (tumors of the female genital organs excepted)	260	13	2	1	1	2	1	7	15	20	26	38	62	48	22	1	.....	1
47	Acute articular rheumatism	3,336	22	17	29	32	46	367	637	336	303	322	356	362	329	150	22	.....	6
48	Chronic rheumatism and gout	797	.....	1	.....	.....	.....	2	14	18	37	70	143	188	218	95	8	.....	3
49	Scurvy	67	33	12	2	.....	.....	6	4	2	1	2	.....	1	1	2	.....	.....	1
50	Diabetes	8,971	17	23	29	26	29	167	495	497	572	925	1,912	2,417	1,468	368	19	.....	7
51	Exophthalmic goiter	882	2	1	.....	1	1	.....	44	119	176	216	184	94	35	5	3	.....	1
52	Addison's disease	240	1	.....	.....	.....	.....	.....	9	19	51	48	53	36	19	2	1	.....	1
53	Leukemia	1,002	18	25	16	20	14	64	104	133	133	149	151	108	63	4	.....	.....	.....
54	Anemia, chlorosis	2,966	137	37	17	8	5	42	101	170	266	451	649	651	343	76	10	1	2
55	Other general diseases	1,079	438	65	42	24	24	59	60	156	52	55	57	56	56	33	.....	.....	2
56	Alcoholism (acute or chronic)	3,476	.....	.....	.....	.....	.....	2	10	249	910	1,062	741	357	115	16	.....	.....	14
57	Chronic lead poisoning	143	.....	.....	.....	.....	.....	.....	1	13	21	40	36	19	12	1	.....	.....	.....
58	Other chronic occupation poisonings	9	.....	.....	.....	.....	.....	.....	.....	4	2	.....	3	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	246	.....	.....	.....	1	.....	.....	3	25	54	33	42	48	29	10	.....	.....	1
	II.—Diseases of the nervous system and of the organs of special sense	78,662	5,683	1,580	837	552	402	1,224	1,799	2,126	3,652	6,439	10,921	15,622	18,119	8,590	957	28	131
60	Encephalitis	695	125	45	25	15	10	40	69	86	68	71	54	47	30	7	3	.....	.....
61	Meningitis (total)	5,919	1,637	771	477	318	223	631	629	388	255	241	154	115	59	17	1	.....	3
	Simple meningitis	3,388	1,068	453	280	173	112	271	254	191	152	166	110	95	48	14	.....	.....	1
	Cerebrospinal meningitis (undefined)	1,615	418	229	130	89	77	225	199	99	53	44	21	16	10	2	1	.....	2
	Cerebrospinal fever	916	151	89	67	56	34	135	176	98	50	31	23	4	1	1	.....	.....	.....

[1] Includes District of Columbia.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	REGISTRATION STATES [1]—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	1,527	.....	.....	.....	.....	1	.....	4	18	94	258	480	379	248	38	3	.....	4
63	Other diseases of the spinal cord (total)	3,749	173	166	94	80	67	176	174	130	168	343	489	745	691	232	15	1	5
	Acute anterior poliomyelitis	834	147	137	84	68	55	143	89	25	31	15	17	10	8	3	.....	.....	2
	Other diseases of the spinal cord [2]	2,915	26	29	10	12	12	33	85	105	137	328	472	735	683	229	15	1	3
64	Cerebral hemorrhage, apoplexy	44,115	201	48	20	13	16	45	123	365	1,078	3,037	7,031	11,447	13,503	6,392	721	12	63
65	Softening of the brain	1,078	.....	.....	.....	.....	.....	2	4	12	23	51	117	228	388	229	22	1	1
66	Paralysis without specified cause	6,207	47	10	10	6	2	25	50	62	144	321	766	1,330	2,055	1,189	150	12	28
67	General paralysis of the insane	4,090	.....	.....	.....	.....	.....	1	11	83	739	1,070	835	552	522	245	19	1	12
68	Other forms of mental alienation	1,440	.....	.....	.....	1	.....	.....	26	170	233	251	261	218	212	60	4	.....	4
69	Epilepsy	2,457	82	19	15	17	14	76	349	456	437	325	266	211	139	41	3	1	6
70	Convulsions (nonpuerperal)	133	.....	.....	.....	.....	.....	36	18	24	22	17	3	5	3	4	.....	.....	1
71	Convulsions of infants	3,488	2,951	347	111	54	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	113	6	1	3	3	2	8	54	7	1	3	8	9	5	3	.....	.....	.....
73	Neuralgia and neuritis	378	2	1	1	1	2	3	10	19	52	59	72	62	55	34	5	.....	.....
74	Other diseases of the nervous system	2,088	189	54	28	21	18	85	136	190	248	317	295	228	185	84	7	.....	3
75	Diseases of the eyes and their annexa	50	11	3	5	2	.....	4	3	1	1	1	5	4	7	2	1	.....	.....
76	Diseases of the ears	1,135	259	115	48	21	22	92	139	115	89	74	85	42	17	13	3	.....	1
	III.—Diseases of the circulatory system	108,102	1,225	198	150	136	159	1,057	2,490	3,416	5,820	9,281	14,958	23,895	28,453	14,772	1,852	86	154
77	Pericarditis	643	16	4	3	5	5	27	52	50	60	83	87	99	98	49	4	.....	1
78	Acute endocarditis	4,797	212	35	34	45	46	222	403	537	699	947	1,336	155	86	31	5	.....	4
79	Organic diseases of the heart	80,651	701	115	87	66	98	766	1,940	2,583	4,444	7,083	11,227	19,082	21,311	9,891	1,079	52	126
80	Angina pectoris	4,339	4	.....	1	.....	1	4	12	63	184	379	804	1,284	1,186	386	27	.....	4
81	Diseases of the arteries, atheroma, aneurism, etc	14,714	4	1	.....	1	.....	4	13	41	188	465	1,101	2,780	5,197	4,166	709	31	13
82	Embolism and thrombosis	1,982	56	3	9	4	3	14	40	99	159	222	289	391	462	200	26	1	4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	387	10	2	1	2	2	1	4	19	53	67	68	65	64	27	2	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	317	169	36	14	12	2	11	16	10	8	11	12	6	8	2	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	272	53	2	1	1	2	8	10	14	25	24	34	33	41	20	.....	2	2
	IV.—Diseases of the respiratory system	94,026	22,830	8,328	3,151	1,511	911	2,017	2,226	3,977	5,595	6,728	8,036	9,757	11,146	6,668	1,010	46	89
86	Diseases of the nasal fossae	92	38	5	2	3	3	7	4	5	5	6	3	1	3	4	3	.....	.....
87	Diseases of the larynx	768	174	120	70	80	52	80	26	30	29	33	17	24	20	12	1	.....	.....
88	Diseases of the thyroid body	325	14	1	.....	2	.....	5	26	34	36	62	65	41	32	5	2	.....	.....
89	Acute bronchitis	6,274	3,496	693	252	99	68	83	36	40	51	68	113	239	474	465	88	6	3
90	Chronic bronchitis	4,473	65	28	12	7	2	34	51	81	109	180	377	746	1,417	1,146	204	9	5
91	Bronchopneumonia	28,259	11,817	4,520	1,544	635	365	692	325	418	553	698	1,061	1,612	2,247	1,520	227	13	12
92	Pneumonia (total)	46,955	6,615	2,757	1,143	634	382	993	1,553	2,991	4,301	5,001	5,518	6,053	5,811	2,760	373	13	57
	Lobar pneumonia	29,608	2,873	1,467	642	358	217	597	1,034	2,200	3,270	3,713	3,956	4,152	3,484	1,435	178	9	23
	Pneumonia (undefined)	17,347	3,742	1,290	501	276	165	396	519	791	,031	1,288	1,562	1,901	2,327	1,325	195	4	34
93	Pleurisy	2,006	101	129	81	33	17	79	122	194	206	243	268	241	186	92	11	1	2
94	Pulmonary congestion, pulmonary apoplexy	2,062	432	49	23	10	12	18	31	40	86	99	132	224	410	418	75	2	1
95	Gangrene of the lung	178	.....	.....	.....	.....	1	6	3	15	20	37	40	30	19	6	.....	.....	1
96	Asthma	1,461	15	10	7	5	5	6	10	26	75	132	222	360	379	185	17	2	5
97	Pulmonary emphysema	153	2	6	4	1	.....	2	3	6	7	11	27	37	38	9	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	1,020	61	10	13	2	4	12	36	97	117	158	193	149	110	46	9	.....	3
	V.—Diseases of the digestive system	91,958	38,551	8,771	2,342	1,098	635	1,759	2,570	3,450	4,329	5,607	6,531	6,790	6,048	3,002	412	8	55
99	Diseases of the mouth and annexa	406	215	27	7	4	7	12	12	16	31	15	23	15	19	2	1	.....	.....
100	Diseases of the pharynx	1,206	141	68	55	59	48	199	165	128	97	75	50	47	45	28	1	.....	.....
101	Diseases of the esophagus	145	5	4	3	1	2	.....	4	4	8	13	28	36	27	8	2	.....	.....
102	Ulcer of the stomach	2,248	12	4	3	3	1	11	53	220	348	398	440	391	273	88	1	.....	2
103	Other diseases of the stomach (cancer excepted)	8,075	2,771	314	147	89	51	119	87	221	356	409	662	885	1,089	743	120	4	8
104	Diarrhea and enteritis (under 2 years)	42,092	34,046	8,046	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	8,507	.....	.....	1,859	717	325	455	181	294	357	458	628	928	1,215	904	166	3	17
106	Ankylostomiasis	34	.....	.....	.....	1	.....	10	12	5	2	1	1	1	.....	.....	.....	.....	1
107	Intestinal parasites	89	6	11	16	16	10	10	8	6	1	2	1	.....	2	.....	.....	.....	.....
108	Appendicitis and typhlitis	6,722	27	27	59	85	87	619	1,459	1,371	1,034	856	581	306	167	37	2	.....	5
109	Hernia, intestinal obstruction (total)	6,668	373	175	89	73	56	126	211	373	525	720	901	1,034	1,011	443	53	.....	5
	Hernia	2,205	142	20	2	2	2	4	20	70	137	281	442	458	419	187	17	.....	2
	Intestinal obstruction	4,463	731	155	87	71	54	122	191	303	388	439	459	576	592	256	36	.....	3
110	Other diseases of the intestines	1,462	172	25	30	16	9	30	69	108	140	189	183	168	178	126	18	.....	1

[1] Includes District of Columbia.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	REGISTRATION STATES [1]—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Actue yellow atrophy of the liver	288	22	1	1	.....	3	7	17	51	34	34	29	38	39	12	.....	.....	.....
112	Hydatid tumor of the liver	13	.....	.....	1	.....	.....	.....	1	3	3	1	.....	2	1	1	.....	.....	.....
113	Cirrhosis of the liver	7,537	14	8	9	1	1	17	37	169	706	1,518	1,847	1,799	1,115	275	16	1	4
114	Biliary calculi	1,784	1	.....	1	.....	.....	2	4	49	150	307	458	438	282	82	8	.....	2
115	Other diseases of the liver	2,679	120	31	24	7	7	38	50	152	266	347	458	530	434	191	20	.....	4
116	Diseases of the spleen	116	3	2	.....	.....	.....	2	7	15	13	19	21	18	11	4	1	.....	.....
117	Simple peritonitis (nonpuerperal)	1,489	115	23	37	26	27	96	176	218	187	168	139	104	116	48	3	.....	6
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	398	8	5	1	.....	1	6	17	47	71	77	81	50	24	10	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	67,376	785	266	199	164	133	509	1,128	3,148	5,489	8,152	11,281	14,472	14,277	6,568	670	36	99
119	Acute nephritis	5,797	335	142	96	103	89	245	354	598	819	788	770	692	497	227	34	3	5
120	Bright's disease	52,594	255	102	91	59	40	239	633	1,674	3,508	6,141	9,586	12,504	11,940	5,217	496	27	82
121	Chyluria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	1,241	106	15	9	2	3	19	28	93	128	142	186	184	208	97	20	.....	1
123	Calculi of the urinary passages	358	1	1	.....	.....	.....	1	8	21	43	43	69	79	63	26	2	.....	1
124	Diseases of the bladder	1,375	30	1	1	.....	1	2	4	24	25	57	96	193	474	404	52	6	5
125	Diseases of the urethra, urinary abscess, etc	210	2	.....	1	.....	.....	.....	1	13	31	54	38	42	15	10	2	.....	1
126	Diseases of the prostate	2,258	.....	.....	.....	.....	.....	.....	3	5	10	34	130	557	925	535	58	.....	1
127	Nonvenereal diseases of the male genital organs	92	42	3	1	.....	.....	.....	1	5	10	2	8	8	10	2	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	50	.....	.....	.....	.....	.....	.....	2	3	15	20	6	2	2	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	1,012	1	.....	.....	.....	.....	.....	.....	46	215	390	190	81	68	18	2	.....	1
130	Other diseases of the uterus	601	1	.....	.....	.....	.....	3	26	145	174	123	72	31	13	12	.....	.....	1
131	Cysts and other tumors of the ovary	559	.....	.....	.....	.....	.....	.....	5	72	89	133	95	86	55	19	4	.....	1
132	Salpingitis and other diseases of the female genital organs	1,206	2	2	.....	.....	.....	.....	62	446	421	224	35	9	4	1	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	22	10	.....	.....	.....	.....	.....	1	3	1	1	.....	4	2	.....	.....	.....	.....
	VII.—The puerperal state	9,044	.....	.....	.....	.....	.....	.....	769	4,039	3,454	761	8	.....	.....	.....	.....	.....	13
134	Accidents of pregnancy	775	.....	.....	.....	.....	.....	.....	32	317	363	62	.....	.....	.....	.....	.....	.....	1
135	Puerperal hemorrhage	900	.....	.....	.....	.....	.....	.....	28	290	450	130	.....	.....	.....	.....	.....	.....	2
136	Other accidents of labor	777	.....	.....	.....	.....	.....	.....	50	289	339	96	3	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	4,070	.....	.....	.....	.....	.....	.....	362	1,989	1,424	286	3	.....	.....	.....	.....	.....	6
138	Puerperal albuminuria and convulsions	2,178	.....	.....	.....	.....	.....	.....	283	1,003	728	159	2	.....	.....	.....	.....	.....	3
139	Puerperal phlegmasia alba dolens, embolus, sudden death	290	.....	.....	.....	.....	.....	.....	14	124	128	23	.....	.....	.....	.....	.....	.....	1
140	Following childbirth (not otherwise defined)	52	.....	.....	.....	.....	.....	.....	.....	25	22	5	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	3,048	531	74	24	12	9	26	50	83	132	204	247	424	605	532	84	6	5
142	Gangrene	1,485	32	14	7	5	4	8	6	11	30	61	103	242	445	441	69	2	5
143	Furuncle	304	51	4	2	.....	1	.....	12	14	27	36	50	48	42	16	1	.....	.....
144	Acute abscess	624	175	32	11	4	2	15	26	44	55	67	55	68	40	25	5	.....	.....
145	Other diseases of the skin and annexa	635	273	24	4	3	2	3	6	14	20	40	39	66	78	50	9	4	.....
	IX.—Diseases of the bones and of the organs of locomotion	1,470	133	49	40	20	35	161	220	147	125	131	146	132	86	38	5	.....	2
146	Diseases of the bones (tuberculosis excepted)	1,277	120	47	37	18	34	152	211	134	107	111	121	102	59	21	3	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	146	12	2	3	2	1	7	8	10	15	16	18	24	18	9	1	.....	.....
148	Amputations	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	1
149	Other diseases of the organs of locomotion	44	1	.....	.....	.....	.....	2	1	2	3	4	6	6	9	8	1	.....	1
	X.—Malformations	8,716	8,181	225	81	36	27	64	73	23	3	2	1	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	8,716	8,181	225	81	36	27	64	73	23	3	2	1	.....	.....	.....	.....	.....	.....
	Hydrocephalus	750	550	93	33	18	10	19	21	5	.....	1	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	5,340	5,103	92	33	13	13	32	36	14	3	.....	1	.....	.....	.....	.....	.....	.....
	Other congenital malformations	2,626	2,528	40	15	5	4	13	16	4	.....	1	.....	.....	.....	.....	.....	.....	.....

[1] Includes District of Columbia.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	REGISTRATION STATES[1]—Continued.																		
	XI.—Early infancy	48,888	48,888																
151	Congenital debility, icterus, and sclerema (total)	40,076	40,076																
	Premature birth	25,343	25,343																
	Congenital debility, "atrophy," "marasmus," etc	14,733	14,733																
152	Other causes peculiar to early infancy (total)	8,659	8,659																
	Injuries at birth	4,683	4,683																
	Other causes peculiar to early infancy[2]	3,976	3,976																
153	Lack of care	153	153																
	XII.—Old age	13,010										2	49	597	3,643	6,434	2,096	143	46
154	Senility	13,010										2	49	597	3,643	6,434	2,096	143	46
	XIII.—External causes	62,170	1,741	1,343	1,171	1,008	808	2,552	5,583	11,260	9,975	8,558	6,714	4,840	3,584	2,218	412	14	389
	Suicide (total)	8,961						1	354	1,793	1,825	1,801	1,569	1,039	436	104	6		33
155	By poison	2,475						1	152	675	552	412	365	210	85	16	1		6
156	By asphyxia	1,089							27	182	230	263	194	142	40	11			
157	By hanging or strangulation	1,303							27	138	203	280	273	233	108	32	1		8
158	By drowning	532							14	80	92	108	109	73	41	9	2		4
159	By firearms	2,623							120	604	552	502	455	258	103	18	2		9
160	By cutting or piercing instruments	617							3	54	127	167	120	85	45	14			2
161	By jumping from high places	166							5	33	40	34	26	20	6	2			
162	By crushing	85							3	14	19	18	14	8	6				3
163	Other suicides	71							3	13	10	17	13	10	2	2			1
	Accidental or undefined (total)	49,602	1,582	1,330	1,165	1,000	804	2,518	4,984	8,292	7,197	6,218	4,865	3,694	3,117	2,109	406	14	307
164	Poisoning by food	597	74	63	35	37	17	47	43	37	52	45	49	48	41	8		1	
165	Other acute poisonings	1,323	124	200	118	44	31	55	56	130	167	139	100	65	30	9	2		3
166	Conflagration	892	47	44	35	46	26	55	47	98	106	113	90	77	66	24	3		15
167	Burns (conflagration excepted)	4,414	189	491	578	498	379	474	224	331	303	229	231	187	195	92	9	2	2
168	Absorption of deleterious gases (conflagration excepted)	1,970	573	17	10	6	3	18	117	229	198	233	218	173	115	50	5		5
169	Accidental drowning	6,141	33	172	84	79	67	511	1,384	1,303	875	691	466	260	102	24	4		86
170	Traumatism by firearms	1,429	3	15	17	17	20	118	516	287	180	114	74	42	9	4			13
171	Traumatism by cutting or piercing instruments	86			1	2	1	9	12	15	13	8	9	8	7		1		
172	Traumatism by fall	9,005	105	135	106	75	70	212	374	631	863	976	962	1,059	1,527	1,547	337	9	17
173	Traumatism in mines and quarries (total)	2,324			1			2	194	762	659	429	198	61	10				8
	Traumatism in mines	2,221			1			2	184	745	638	401	182	54	6				8
	Traumatism in quarries	103							10	17	21	28	16	7	4				
174	Traumatism by machines	1,391		1	1	1	3	14	172	400	292	234	154	93	17	1			8
175	Traumatism by other crushing (total)	14,335	36	74	116	142	147	830	1,380	3,049	2,642	2,212	1,629	1,166	630	160	10		112
	Railroad accidents and injuries	7,598	6	21	17	17	23	123	657	2,018	1,674	1,250	822	550	246	70	5		99
	Street-car accidents and injuries	1,725	2	10	29	23	25	114	129	257	268	296	233	180	116	39	2		2
	Automobile accidents and injuries	2,241	7	10	19	47	44	352	306	360	287	262	231	176	112	24			4
	Injuries by other vehicles	2,219	20	33	48	52	50	197	222	283	304	305	287	235	151	27	3		2
	Landslide, other crushing	552	1		3	3	5	44	66	131	109	99	56	25	5				5
176	Injuries by animals	516	4	6	8	11	13	43	63	45	50	66	88	68	36	14			1
177	Starvation	32	8	1	1	1			2		6	4	4	2	2				1
178	Excessive cold	220	5		1		1	2	5	14	20	44	57	34	25	8	3		1
179	Effects of heat	1,083	206	21	9	5	5	17	32	67	123	145	126	113	122	76	13	2	1
180	Lightning	309	3		1	2	1	7	62	67	48	49	30	24	10	2			3
181	Electricity (lightning excepted)	613				1	3	3	78	264	147	77	30	3	2	1			4
185	Fractures (cause not specified)	398	6			1		6	11	42	41	55	43	46	66	62	16		3
186	Other external violence	2,524	166	90	43	32	17	95	212	471	412	355	307	165	105	27	3		24
	Homicide (total)	3,607	159	13	6	8	4	33	245	1,175	953	539	280	107	31	5			49
182	By firearms	2,191	4	5	2	3	3	12	150	785	645	333	159	53	10	3			24
183	By cutting or piercing instruments	499	7	3	1	1	1	4	32	183	138	76	27	11	4	1			10
184	By other means	917	148	5	3	4		17	63	207	170	130	94	43	17	1			15
	XIV.—Ill-defined diseases	8,182	3,134	740	177	68	48	136	147	256	306	375	581	792	736	417	97	14	158
187	Ill-defined organic disease	508	8	7	3	1	4	7	11	12	19	36	54	88	140	98	11	1	8
188	Sudden death	479	120	12	7	2		2	8	13	31	34	64	74	67	38	5		2
189	Not specified or ill-defined (total)	7,195	3,006	721	167	65	44	127	128	231	256	305	463	630	529	281	81	13	148
	Ill-defined	3,029	597	569	104	39	22	51	50	106	125	178	305	431	295	121	20	3	13
	Not specified, or unknown	4,166	2,409	152	63	26	22	76	78	125	131	127	158	199	234	160	61	10	135

[1] Includes District of Columbia.

[2] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CALIFORNIA.																	
	All causes	38,606	4,354	761	378	270	219	591	1,265	3,258	4,001	4,421	4,827	5,490	5,421	2,950	366	23	11
	I.—General diseases	11,160	451	226	142	129	107	269	581	1,540	1,732	1,675	1,631	1,388	931	326	32	.....	.....
1	Typhoid fever	424	2	3	1	5	5	23	69	113	89	50	34	19	10	1	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	57	8	2	1	3	.....	3	2	9	6	2	8	6	5	1	1	.....	.....
5	Smallpox	15	.....	.....	1	.....	.....	2	2	3	3	1	3	.....	.....	.....	.....	.....	.....
6	Measles	155	43	40	28	14	3	15	6	2	.....	1	1	1	1	.....	.....	.....	.....
7	Scarlet fever	89	3	7	13	7	20	30	4	2	2	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	118	65	25	13	6	3	4	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
9	Diphtheria and croup	181	7	17	18	27	28	57	13	6	3	2	1	2	.....	.....	.....	.....	.....
10	Influenza	276	12	4	5	.....	.....	3	9	10	12	17	28	34	63	67	12	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
14	Dysentery	93	18	6	4	.....	1	2	1	3	6	8	5	11	15	12	1	.....	.....
15	Plague	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	92	17	.....	.....	.....	.....	.....	5	2	14	9	12	14	10	9	.....	.....	.....
19	Other epidemic diseases	8	3	.....	.....	.....	1	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
20	Purulent infection and septicemia	57	4	2	1	1	.....	2	5	11	6	4	5	8	5	2	1	.....	.....
21	Glanders	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	8	.....	.....	.....	.....	1	3	.....	1	1	1	.....	1	.....	.....	.....	.....	.....
24	Tetanus	63	15	.....	.....	1	2	9	5	6	6	11	3	4	1	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	19	.....	.....	.....	.....	.....	.....	1	1	3	5	4	4	1	.....	.....	.....	.....
27	Beriberi	4	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	Tuberculosis (total)	5,422	142	95	49	57	34	83	372	1,221	1,250	917	619	375	172	35	1	.....	.....
28	Tuberculosis of the lungs	4,550	36	17	14	7	14	20	295	1,085	1,130	834	567	346	153	31	1	.....	.....
29	Acute miliary tuberculosis	140	5	11	3	3	.....	6	17	41	28	18	6	1	1	.....	.....	.....	.....
30	Tuberculous meningitis	316	69	54	23	32	12	38	25	22	18	18	2	2	1	.....	.....	.....	.....
31	Abdominal tuberculosis	229	20	9	6	8	4	10	19	40	40	27	25	11	8	2	.....	.....	.....
32	Pott's disease	46	2	.....	.....	2	3	4	4	10	7	4	4	6	.....	.....	.....	.....	.....
33	White swellings	23	.....	.....	1	1	1	2	1	5	5	1	3	2	1	.....	.....	.....	.....
34	Tuberculosis of other organs	72	3	3	2	3	.....	1	8	13	14	7	6	4	6	2	.....	.....	.....
35	Disseminated tuberculosis	46	7	1	.....	1	.....	2	3	5	8	8	6	3	2	.....	.....	.....	.....
36	Rickets	13	10	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
37	Syphilis	222	75	10	1	1	1	3	4	12	31	34	29	11	9	1	.....	.....	.....
38	Gonococcus infection	9	2	.....	.....	.....	.....	.....	1	1	3	1	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,603	1	2	1	2	2	8	17	51	160	415	625	661	500	143	15	.....	.....
39	Of the buccal cavity	116	.....	.....	.....	.....	.....	.....	1	.....	7	17	19	24	30	16	2	.....	.....
40	Of the stomach, liver	1,037	.....	.....	.....	.....	1	1	4	12	51	137	248	313	217	49	4	.....	.....
41	Of the peritoneum, intestines, rectum	345	.....	.....	1	.....	.....	1	1	6	20	49	74	96	75	21	1	.....	.....
42	Of the female genital organs	379	.....	.....	.....	.....	.....	.....	2	10	40	95	111	62	46	11	2	.....	.....
43	Of the breast	219	.....	.....	.....	.....	.....	.....	.....	3	16	60	60	39	33	6	2	.....	.....
44	Of the skin	84	.....	.....	.....	1	.....	.....	.....	1	3	3	12	25	20	17	2	.....	.....
45	Of other organs or of organs not specified	423	1	2	.....	1	1	6	9	19	23	54	101	102	79	23	2	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	13	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	6	2	1	.....	.....	.....
47	Acute articular rheumatism	107	1	1	.....	2	1	7	16	14	13	13	15	10	7	7	.....	.....	.....
48	Chronic rheumatism and gout	38	.....	.....	.....	.....	.....	.....	1	3	2	3	6	6	10	6	1	.....	.....
49	Scurvy	3	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	500	.....	2	.....	2	2	8	23	28	30	54	110	129	83	29	.....	.....	.....
51	Exophthalmic goiter	38	.....	.....	.....	.....	.....	.....	1	3	8	10	11	4	1	.....	.....	.....	.....
52	Addison's disease	18	.....	.....	.....	.....	.....	.....	.....	1	1	8	5	2	1	.....	.....	.....	.....
53	Leukemia	42	.....	3	2	.....	1	.....	9	6	4	5	3	9	.....	.....	.....	.....	.....
54	Anemia, chlorosis	168	3	2	2	.....	.....	3	9	9	17	26	45	28	20	4	.....	.....	.....
55	Other general diseases	61	18	3	2	.....	2	1	4	2	2	4	6	9	4	4	.....	.....	.....
56	Alcoholism (acute or chronic)	204	.....	.....	.....	.....	.....	.....	.....	12	52	66	40	24	7	3	.....	.....	.....
57	Chronic lead poisoning	13	.....	.....	.....	.....	.....	.....	.....	3	2	2	3	1	2	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	18	.....	.....	.....	.....	.....	.....	.....	2	3	3	5	5	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	3,808	125	63	37	27	17	62	108	98	179	377	567	809	859	448	32	.....	.....
60	Encephalitis	36	3	.....	3	1	.....	1	7	2	6	3	3	4	3	.....	.....	.....	.....
61	Meningitis (total)	354	69	37	27	19	8	34	45	33	24	25	16	14	3	.....	.....	.....	.....
	Simple meningitis	165	44	21	13	5	6	8	9	13	11	12	11	10	2	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	135	20	13	9	14	2	19	27	12	7	8	1	2	1	.....	.....	.....	.....
	Cerebrospinal fever	54	5	3	5	.....	.....	7	9	8	6	5	4	2	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CALIFORNIA—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	106									3	19	35	31	15	3			
63	Other diseases of the spinal cord (total)	225	5	11	2	1	4	6	7	9	9	24	33	48	41	24	1		
	Acute anterior poliomyelitis	29	4	8	1	1	3	3	5	2				2					
	Other diseases of the spinal cord[1]	196	1	3	1		1	3	2	7	9	24	33	46	41	24	1		
64	Cerebral hemorrhage, apoplexy	2,133	4	1		1	1	2	8	14	44	164	347	569	644	314	20		
65	Softening of the brain	70										3	8	15	21	22	1		
66	Paralysis without specified cause	231	3					2	2	2	5	12	21	51	82	44	7		
67	General paralysis of the insane	264								2	41	76	50	39	28	25	3		
68	Other forms of mental alienation	58							1	6	7	15	8	8	8	5			
69	Epilepsy	96	1					3	20	21	13	13	10	8	4	3			
70	Convulsions (nonpuerperal)	4						2	2										
71	Convulsions of infants	39	28	9	1	1													
72	Chorea	4					1	1						2					
73	Neuralgia and neuritis	15		1			1		1		1	1	1	2	4	3			
74	Other diseases of the nervous system	115	4	1	1	2	1	3	8	5	21	17	28	15	5	4			
75	Diseases of the eyes and their annexa	2			1				1										
76	Diseases of the ears	56	8	3	2	2	1	8	6	4	5	5	7	3	1	1			
	III.—Diseases of the circulatory system	6,205	48	3	4	3	3	26	74	149	388	565	890	1,416	1,644	874	112	5	1
77	Pericarditis	36			1			1	1	5	3	7	5	9	4				
78	Acute endocarditis	216	7		1	2	1	5	7	23	49	44	63	9	4	1			
79	Organic diseases of the heart	4,758	28	3	2	1	1	17	61	112	292	446	683	1,146	1,271	611	80	3	1
80	Angina pectoris	254								2	8	21	48	80	70	25			
81	Diseases of the arteries, atheroma, aneurism, etc.	796	1						1	3	17	30	70	151	270	223	29	1	
82	Embolism and thrombosis	97	2					1	2	1	12	15	15	16	20	10	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	19					1	1		1	3	1	2	4	3	2	1		
84	Diseases of the lymphatic system (lymphangitis, etc.)	10	6					1	1	1	1								
85	Hemorrhage; other diseases of the circulatory system	19	4						1	1	3	1	3	1	2	2		1	
	IV.—Diseases of the respiratory system	3,694	636	173	63	42	30	62	77	169	282	342	378	456	569	364	47	4	
86	Diseases of the nasal fossae																		
87	Diseases of the larynx	18	2	2	2	1	1	2	3		1	1	2		1				
88	Diseases of the thyroid body	20							1	2	1	5	3	1	1		1		
89	Acute bronchitis	152	58	12	10	4	3	3	2	1	1	1	6	5	18	24	4		
90	Chronic bronchitis	212	2	1		1		2	1	3	2	4	17	33	82	57	7		
91	Bronchopneumonia	860	289	76	24	14	13	21	10	19	34	50	59	62	101	73	13	2	
92	Pneumonia (total)	2,030	268	76	26	22	12	29	50	128	208	244	246	287	278	140	14	2	
	Lobar pneumonia	1,335	129	41	14	14	4	15	30	88	163	187	195	202	173	73	5	2	
	Pneumonia (undefined)	695	139	35	12	8	8	14	20	40	45	57	51	85	105	67	9		
93	Pleurisy	100		1				4	4	11	18	15	13	10	16	6	2		
94	Pulmonary congestion, pulmonary apoplexy	174	15	3	1		1	1	3	1	3	2	8	26	52	53	5		
95	Gangrene of the lung	14								1	3	5	1	3	1				
96	Asthma	69		1							3	10	11	20	16	8			
97	Pulmonary emphysema	2												1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	43	2	1					3	3	8	5	7	8	2	3	1		
	V.—Diseases of the digestive system	3,613	1,214	226	68	32	28	54	96	170	245	342	336	364	267	153	18		
99	Diseases of the mouth and annexa	16	5					1	1		1		4	2	2				
100	Diseases of the pharynx	35	2	2	1	1	1	2	6	6	2	7	1	1	1	2			
101	Diseases of the esophagus	5	1								1			1	1	1			
102	Ulcer of the stomach	146			1				1	7	23	34	31	24	17	8			
103	Other diseases of the stomach (cancer excepted)	275	95	13	10	3	3	4	2	12	8	11	16	29	35	30	4		
104	Diarrhea and enteritis (under 2 years)	1,218	1,020	198															
105	Diarrhea and enteritis (2 years and over)	312			48	17	17	17	7	9	15	34	26	39	38	40	5		
106	Ankylostomiasis																		
107	Intestinal parasites	4							2	2									
108	Appendicitis and typhlitis	377	2	1	1	5	4	18	55	84	64	56	45	28	10	4			
109	Hernia, intestinal obstruction (total)	374	66	9	6	5	1	3	8	14	37	46	45	57	47	25	4		
	Hernia	103	7	1					1	2	6	10	21	21	20	12	2		
	Intestinal obstruction	271	59	8	6	5	1	3	7	12	31	36	25	36	27	13	2		
110	Other diseases of the intestines	79	5	2	1	1		4	3	6	7	18	9	18	7	5	2		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CALIFORNIA—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	16	3						2	3	1		1	2	3	1		
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	482	2					1	1	12	49	85	115	117	74	24	2	
114	Biliary calculi	61							1	1	5	10	15	16	9	4		
115	Other diseases of the liver	128	4					2	2	6	18	20	17	31	21	6	1	
116	Diseases of the spleen	4								1		2		1				
117	Simple peritonitis (nonpuerperal)	51	8				2	2	4	3	10	9	5	5	1	2		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	30	1	1					1	4	4	10	5	2	1	1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	3,152	27	5	4	5	4	11	43	164	250	413	485	653	711	346	27	3	1
119	Acute nephritis	157	11	2	3	4	1	2	7	27	28	22	16	16	14	4		
120	Bright's disease	2,476	11	2		1	3	7	27	87	162	322	418	569	578	271	16	2	
121	Chyluria																	
122	Other diseases of the kidneys and annexa	60	3	1				2	3	4	3	3	14	6	11	8	2	
123	Calculi of the urinary passages	19								2	3		7	4	1	2		
124	Diseases of the bladder	85	1									2	4	17	31	22	6	1	1
125	Diseases of the urethra, urinary abscess, etc	13								1	2	5	1	1	2		1		
126	Diseases of the prostate	148									2	3	4	32	68	37	2		
127	Nonvenereal diseases of the male genital organs	3	1		1						1								
128	Uterine hemorrhage (nonpuerperal)	2										2							
129	Uterine tumor (noncancerous)	52								4	12	18	8	6	4				
130	Other diseases of the uterus	23							1	8	2	5	4		1	2			
131	Cysts and other tumors of the ovary	30								6	7	9	5	2	1				
132	Salpingitis and other diseases of the female genital organs	84							5	25	28	22	4						
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	385							29	185	133	38							
134	Accidents of pregnancy	39								14	21	4							
135	Puerperal hemorrhage	28								11	14	3							
136	Other accidents of labor	33							3	10	10	10							
137	Puerperal septicemia	168							13	88	51	16							
138	Puerperal albuminuria and convulsions	99							13	52	29	5							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	16								9	7								
140	Following childbirth (not otherwise defined)	2								1	1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue.	120	10	1		1		2	2	1	8	8	11	14	38	19	4	1	
142	Gangrene	65							1		2	2	4	8	29	16	3		
143	Furuncle	11							1		1	2	3	1	3				
144	Acute abscess	21	2					2		1	4	3	4	3	2				
145	Other diseases of the skin and annexa	23	8	1		1					1	1		2	4	3	1	1	
	IX.—Diseases of the bones and of the organs of locomotion	65	5	1	1		1	4	6	7	6	6	10	8	8	2			
146	Diseases of the bones (tuberculosis excepted)	59	5	1	1		1	4	6	6	6	5	9	6	8	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	6								1		1	1	2		1			
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	339	315	7	4	4	2	3	3	1									
150	Congenital malformations (stillbirths not included) (total)	339	315	7	4	4	2	3	3	1									
	Hydrocephalus	23	13	3	2	2	1	2											
	Congenital malformations of the heart	232	222	3	2	1		1	2	1									
	Other congenital malformations	84	80	1		1	1		1										

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CALIFORNIA—Continued.																		
	XI.—Early infancy	1,448	1,448																
151	Congenital debility, icterus, and sclerema (total)	1,146	1,146																
	Premature birth	840	840																
	Congenital debility, "atrophy," "marasmus," etc.	306	306																
152	Other causes peculiar to early infancy (total)	297	297																
	Injuries at birth	158	158																
	Other causes peculiar to early infancy [1]	139	139																
153	Lack of care	5	5																
	XII.—Old age	576										1	2	26	165	297	76	9	
154	Senility	576										1	2	26	165	297	76	9	
	XIII.—External causes	3,993	68	51	55	27	27	98	245	774	774	653	512	349	220	116	16	1	7
	Suicide (total)	839							16	150	217	175	139	92	40	8			2
155	By poison	138							4	33	43	19	22	12	3	1			1
156	By asphyxia	124								16	32	32	24	16	3	1			
157	By hanging or strangulation	82								5	21	23	16	12	4	1			
158	By drowning	32							1	6	4	7	6	4	4				
159	By firearms	362							10	78	98	68	50	36	18	3			1
160	By cutting or piercing instruments	68								6	13	19	16	9	3	2			
161	By jumping from high places	10								1	1	3	2	2	1				
162	By crushing	15							1	3	5	1	2	1	2				
163	Other suicides	8								2		3	1		2				
	Accidental or undefined (total)	2,837	64	51	55	27	27	94	209	529	468	425	333	248	178	107	16	1	5
164	Poisoning by food	60	5	6	1	2	2	3	5	6	8	3	6	8	2	2		1	
165	Other acute poisonings	67	6	10	4	2	2	2	1	11	6	11	7	4	1				
166	Conflagration	64	5	3	4	3		2		1	7	11	7	10	8	2			1
167	Burns (conflagration excepted)	153	8	13	22	9	12	11	12	16	16	12	6	5	8	3			
168	Absorption of deleterious gases (conflagration excepted)	142	21	1					6	24	20	18	21	15	13	3			
169	Accidental drowning	333	2	9	9	3	1	14	42	68	52	63	37	24	5	1			3
170	Traumatism by firearms	86						3	26	20	18	9	4	5	1				
171	Traumatism by cutting or piercing instruments	1			1														
172	Traumatism by fall	401	1	3			3	13	18	34	39	53	49	53	50	71	14		
173	Traumatism in mines and quarries (total)	55							1	19	15	12	3	4	1				
	Traumatism in mines	44								16	12	11	3	2					
	Traumatism in quarries	11							1	3	3	1		2	1				
174	Traumatism by machines	75						1	3	30	15	12	11	2	1				
175	Traumatism by other crushing (total)	1,023	4	2	13	4	3	36	72	231	193	169	134	86	62	14			
	Railroad accidents and injuries	379	1	1	3	1	1	2	19	90	86	78	50	22	22	3			
	Street-car accidents and injuries	139	1		5	1		4	7	22	22	28	21	15	7	6			
	Automobile accidents and injuries	266			2	2	1	23	24	71	40	25	32	25	19	2			
	Injuries by other vehicles	186	2	1	3		1	7	20	34	27	23	29	22	14	3			
	Landslide, other crushing	53							2	14	18	15	2	2					
176	Injuries by animals	26				1	1	2	2	1	1	7	6	3		2			
177	Starvation	4									1	1	2						
178	Excessive cold	7								2		1	1	1	1	1			
179	Effects of heat	37	6	1		1	1			1	3	7	4	5	3	3	2		
180	Lightning	1									1								
181	Electricity (lightning excepted)	63				1			8	19	21	8	5	1					
185	Fractures (cause not specified)	23	1							2	6	2	1	2	6	3			
186	Other external violence	216	5	3	1	1	2	7	13	44	46	26	29	20	16	2			1
	Homicide (total)	317	4					4	20	95	89	53	40	9	2	1			
182	By firearms	211						2	8	63	64	37	31	6					
183	By cutting or piercing instruments	47	2						6	18	11	7	2		1				
184	By other means	59	2					2	6	14	14	9	7	3	1	1			
	XIV.—Ill-defined diseases	48	7	5					1		4	1	5	7	9	5	2		2
187	Ill-defined organic disease	7												1	3	2	1		
188	Sudden death	1													1				
189	Not specified or ill-defined (total)	40	7	5					1		4	1	5	6	5	3	1		2
	Ill-defined	32	5	5					1		3	1	3	6	5	2	1		
	Not specified, or unknown	8	2								1		2			1			2

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	COLORADO.																		
	All causes	10,197	1,643	301	145	97	69	226	441	1,167	1,234	1,105	1,190	1,167	941	404	56	4	7
	I.—General diseases	3,046	152	83	56	49	31	105	173	626	595	412	344	254	126	35	3	.....	2
1	Typhoid fever	150	1	1	3	5	5	8	37	41	16	13	11	7	2	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	35	7	12	3	5	1	3	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	152	7	13	24	24	13	46	21	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	66	45	10	6	1	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	66	2	7	5	4	6	25	11	.....	3	2	.....	1	.....	.....	.....	.....	.....
10	Influenza	48	8	3	1	1	1	.....	1	3	1	3	6	5	11	4	.....	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	6	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	1	.....	.....	.....
14	Dysentery	23	3	5	1	2	1	.....	.....	.....	2	2	1	4	2	.....	.....	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	39	14	.....	.....	.....	.....	.....	.....	1	4	4	2	7	4	2	1	.....	.....
19	Other epidemic diseases	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	19	.....	1	2	.....	.....	2	2	.....	3	2	4	2	1	.....	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Mycoses	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,642	28	25	8	3	4	6	75	547	493	250	126	52	18	6	1	.....	.....
28	Tuberculosis of the lungs	1,479	4	5	1	1	.....	2	57	510	472	237	118	50	16	6	.....	.....	.....
29	Acute miliary tuberculosis	28	.....	3	.....	.....	.....	1	5	12	5	1	.....	1	.....	.....	.....	.....	.....
30	Tuberculous meningitis	69	23	13	5	2	4	3	4	7	4	1	2	.....	1	.....	.....	.....	.....
31	Abdominal tuberculosis	30	.....	2	1	.....	.....	.....	3	9	4	6	2	1	1	.....	1	.....	.....
32	Pott's disease	8	.....	1	1	.....	.....	.....	2	.....	2	1	1	.....	.....	.....	.....	.....	.....
33	White swellings	6	.....	.....	.....	.....	.....	.....	2	3	.....	.....	1	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	5	.....	1	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	17	1	.....	.....	.....	.....	.....	2	4	6	2	2	.....	.....	.....	.....	.....	.....
36	Rickets	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	63	28	3	.....	.....	.....	.....	1	2	8	8	6	6	1	.....	.....	.....	.....
38	Gonococcus infection	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	448	2	1	1	2	.....	2	1	9	26	86	119	121	59	17	.....	.....	2
39	Of the buccal cavity	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	7	.....	1	.....	.....	.....
40	Of the stomach, liver	190	.....	1	.....	.....	.....	.....	.....	.....	9	25	56	64	29	5	.....	.....	1
41	Of the peritoneum, intestines, rectum	48	.....	.....	.....	.....	.....	1	.....	3	1	10	11	13	8	1	.....	.....	.....
42	Of the female genital organs	67	.....	.....	.....	.....	.....	1	.....	3	2	20	18	17	3	3	.....	.....	.....
43	Of the breast	48	.....	.....	.....	1	.....	.....	.....	.....	2	13	17	7	5	2	.....	.....	1
44	Of the skin	10	.....	.....	.....	1	.....	.....	.....	.....	2	1	2	1	1	2	.....	.....	.....
45	Of other organs or of organs not specified	74	2	.....	1	.....	.....	.....	1	3	10	15	14	12	13	3	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	36	.....	.....	.....	.....	.....	4	4	1	3	7	8	3	4	2	.....	.....	.....
48	Chronic rheumatism and gout	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	3	.....	.....	.....	.....
49	Scurvy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	88	.....	.....	.....	2	.....	3	13	4	5	8	19	19	12	2	1	.....	.....
51	Exophthalmic goiter	14	.....	.....	.....	.....	.....	.....	.....	4	4	2	4	.....	.....	.....	.....	.....	.....
52	Addison's disease	8	.....	.....	.....	.....	.....	.....	.....	2	4	.....	.....	2	.....	.....	.....	.....	.....
53	Leukemia	9	.....	.....	.....	.....	.....	.....	1	.....	2	4	2	.....	.....	.....	.....	.....	.....
54	Anemia, chlorosis	37	2	1	.....	.....	.....	1	3	2	1	3	12	7	4	1	.....	.....	.....
55	Other general diseases	6	.....	.....	2	.....	.....	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	64	.....	.....	.....	.....	.....	.....	.....	3	14	15	19	9	4	.....	.....	.....	.....
57	Chronic lead poisoning	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	7	.....	.....	.....	.....	.....	.....	.....	.....	4	2	.....	1	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	713	35	18	7	9	2	15	26	28	36	76	133	153	133	38	3	.....	1
60	Encephalitis	11	1	1	.....	1	.....	.....	1	2	3	.....	2	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	97	20	12	5	7	2	12	11	9	7	4	4	3	1	.....	.....	.....	.....
	Simple meningitis	65	15	7	4	3	2	6	10	5	4	3	3	2	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	30	5	5	1	4	.....	6	.....	3	3	1	1	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	COLORADO—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	12										3	2	4	2	1		
63	Other diseases of the spinal cord (total)	20		1								2	4	6	7			
	Acute anterior poliomyelitis	1		1														
	Other diseases of the spinal cord[1]	19										2	4	6	7			
64	Cerebral hemorrhage, apoplexy	356	1	1	2			1		4	10	32	76	106	93	28	1	1
65	Softening of the brain	3											1		2			
66	Paralysis without specified cause	62						1	1			6	5	18	22	8	1	
67	General paralysis of the insane	50									6	14	21	6	2	1		
68	Other forms of mental alienation	23							1	3		4	7	5	3			
69	Epilepsy	38						1	7	7	6	5	8	2	1		1	
70	Convulsions (nonpuerperal)																	
71	Convulsions of infants	13	11	2														
72	Chorea	3							3									
73	Neuralgia and neuritis	3								1		1	1					
74	Other diseases of the nervous system	18	1	1		1			2	2	2	4	2	3				
75	Diseases of the eyes and their annexa																	
76	Diseases of the ears	4	1								2	1						
	III.—Diseases of the circulatory system	1,098	11	1	2		5	20	51	58	93	127	199	231	224	71	4	1
77	Pericarditis	6					1	1	1			1	1		1			
78	Acute endocarditis	65	1		1		1	2	7	9	11	8	20	4	1			
79	Organic diseases of the heart	761	9	1	1		3	15	40	44	65	97	140	162	146	35	2	1
80	Angina pectoris	58								2	3	5	10	20	12	6		
81	Diseases of the arteries, atheroma, aneurism, etc.	145							1		6	6	17	32	55	26	2	
82	Embolism and thrombosis	57	1					1	2	3	8	9	8	12	9	4		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5										1	3	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	1						1										
85	Hemorrhage; other diseases of the circulatory system																	
	IV.—Diseases of the respiratory system	1,313	326	62	37	10	7	22	38	76	92	121	153	166	133	58	9	2	1
86	Diseases of the nasal fossae																	
87	Diseases of the larynx	10	2	2	1	2			1	1	1							
88	Diseases of the thyroid body	2										1	1					
89	Acute bronchitis	70	47	8	1	1	1	2						1	2	6	1	
90	Chronic bronchitis	30							1	1	1	2	2	6	9	7	1	
91	Bronchopneumonia	395	220	41	21	5	4	8	6	6	10	11	9	14	24	13	1	2
92	Pneumonia (total)	660	53	11	13	2	2	11	26	56	62	85	114	114	79	27	4	1
	Lobar pneumonia	633	50	10	12	2	2	10	25	53	61	82	110	107	77	27	4	1
	Pneumonia (undefined)	27	3	1	1			1	1	3	1	3	4	7	2			
93	Pleurisy	25			1			1	1	5	4	5	1	6	1			
94	Pulmonary congestion, pulmonary apoplexy	31	2						1		4	2	1	7	9	3	2	
95	Gangrene of the lung	2											1			1		
96	Asthma	37	1							4	2	3	7	11	8	1		
97	Pulmonary emphysema	1											1					
98	Other diseases of the respiratory system (tuberculosis excepted)	50	1						2	3	8	12	16	7	1			
	V.—Diseases of the digestive system	1,003	328	102	27	18	7	25	39	67	71	94	84	83	42	15	1	
99	Diseases of the mouth and annexa	3						1	1		1							
100	Diseases of the pharynx	23	4	1	1	4		2	3	5	1	2						
101	Diseases of the esophagus																	
102	Ulcer of the stomach	42							1	2	13	10	5	9	2			
103	Other diseases of the stomach (cancer excepted)	59	18	1		1			1	4	3	5	7	6	11	2		
104	Diarrhea and enteritis (under 2 years)	382	288	94														
105	Diarrhea and enteritis (2 years and over)	81			24	11	2	7	1	6	3	4	8	7	7	1		
106	Ankylostomiasis																	
107	Intestinal parasites																	
108	Appendicitis and typhlitis	136		1		1	2	12	24	27	21	23	10	8	6	1		
109	Hernia, intestinal obstruction (total)	110	14	3	1		2	3	6	7	13	18	13	19	6	4	1	
	Hernia	24							1	2	1	4	5	8	3			
	Intestinal obstruction	86	14	3	1		2	3	5	5	12	14	8	11	3	4	1	
110	Other diseases of the intestines	9	2		1					2			1	1				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	COLORADO—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	5								2		1	1	1					
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	63								2	10	11	14	19	4	3			
114	Biliary calculi	40								2	2	9	15	5	4	3			
115	Other diseases of the liver	33	1	1			1			5	4	8	6	5	1	1			
116	Diseases of the spleen	1							1										
117	Simple peritonitis (nonpuerperal)	7	1			1				3			1		1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	9		1					1			1	3	3					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	763	4	6	4	1	2	6	19	43	67	95	148	175	141	48	4		
119	Acute nephritis	78		3	1	1	2	2	9	7	8	12	13	14	6				
120	Bright's disease	589	2	3	3			3	8	23	45	71	128	148	117	35	3		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	9	1								2	1		3	2				
123	Calculi of the urinary passages	2													1	1			
124	Diseases of the bladder	14	1										1	3	5	4			
125	Diseases of the urethra, urinary abscess, etc	1											1						
126	Diseases of the prostate	24											2	5	10	7			
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	11									3	4	2	1		1			
130	Other diseases of the uterus	9						1		2	1	3	1	1					
131	Cysts and other tumors of the ovary	7								1	3	2					1		
132	Salpingitis and other diseases of the female genital organs	19							2	10	5	2							
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	141							12	55	58	16							
134	Accidents of pregnancy	13								5	6	2							
135	Puerperal hemorrhage	16								4	11	1							
136	Other accidents of labor	13							1	5	5	2							
137	Puerperal septicemia	66							8	26	23	9							
138	Puerperal albuminuria and convulsions	26							2	12	10	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5							1	2	2								
140	Following childbirth (not otherwise defined)	2								1	1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	24	5	1						1		1	1	4	6	4	1		
142	Gangrene	11												1	5	4	1		
143	Furuncle																		
144	Acute abscess	7	2							1		1	1	1	1				
145	Other diseases of the skin and annexa	6	3	1										2					
	IX.—Diseases of the bones and of the organs of locomotion	11						2	1		2	2	2	2					
146	Diseases of the bones (tuberculosis excepted)	10						2	1		2	2	2	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1												1					
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	107	105	1		1													
150	Congenital malformations (stillbirths not included) (total)	107	105	1		1													
	Hydrocephalus	4	3	1															
	Congenital malformations of the heart	79	78			1													
	Other congenital malformations	24	24																

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	COLORADO—Continued.																		
	XI.—Early infancy	652	652																
151	Congenital debility, icterus, and sclerema (total)	555	555																
	Premature birth	323	323																
	Congenital debility, "atrophy," "marasmus," etc	232	232																
152	Other causes peculiar to early infancy (total)	97	97																
	Injuries at birth	27	27																
	Other causes peculiar to early infancy [1]	70	70																
153	Lack of care																		
	XII.—Old age	297											1	31	104	129	30	2	
154	Senility	297											1	31	104	129	30	2	
	XIII.—External causes	1,011	24	20	12	8	14	31	82	213	220	158	124	65	31	6	1		2
	Suicide (total)	187							9	52	40	39	27	14	5	1			
155	By poison	63							4	21	19	8	5	5	1				
156	By asphyxia	5								1	1	2	1						
157	By hanging or strangulation	14							1	3	4	1	2	3					
158	By drowning	4										3		1					
159	By firearms	79							4	24	10	18	13	5	4	1			
160	By cutting or piercing instruments	16								2	4	6	4						
161	By jumping from high places	2										1	1						
162	By crushing	4								1	2		1						
163	Other suicides																		
	Accidental or undefined (total)	723	23	20	11	7	14	30	72	129	146	108	82	49	25	5	1		1
164	Poisoning by food	12	2	2	2		2		1	1		1			1				
165	Other acute poisonings	28	1	4	2	2	2	1		3	5	3	3	1	1				
166	Conflagration	10				1					2		1	3	1	1			1
167	Burns (conflagration excepted)	36	3	1	2	4	3	5	4	3	3	1	2	4	1				
168	Absorption of deleterious gases (conflagration excepted)	24	10	1				1		2	2	6		1	1				
169	Accidental drowning	67	1	7	2		3	9	18	7	11	6		2		1			
170	Traumatism by firearms	32		1				4	8	4	9	4	2						
171	Traumatism by cutting or piercing instruments	1										1							
172	Traumatism by fall	46	1	1	1			2	6	4	3	6	8	5	5	3	1		
173	Traumatism in mines and quarries (total)	165							6	52	55	27	20	3	2				
	Traumatism in mines	164							6	52	55	27	19	3	2				
	Traumatism in quarries	1											1						
174	Traumatism by machines	11							2	2	3	2	2						
175	Traumatism by other crushing (total)	206	2	2	1		2	4	13	38	44	36	37	21	6				
	Railroad accidents and injuries	116			1				3	26	26	21	21	15	3				
	Street-car accidents and injuries	11							1	1	1	5	2	1					
	Automobile accidents and injuries	22		1					4	5	5	1	3	2	1				
	Injuries by other vehicles	44	2	1			2	4	4	4	6	6	10	3	2				
	Landslide, other crushing	13							1	2	6	3	1						
176	Injuries by animals	12					1	2	2	1	1	1	2	2					
177	Starvation																		
178	Excessive cold	19								1	3	5	3	3	4				
179	Effects of heat	1	1																
180	Lightning	22							5	4	4	6	1	2					
181	Electricity (lightning excepted)	9							2	5		2							
185	Fractures (cause not specified)	2							1					1					
186	Other external violence	20	2	1	1		1	2	4	2	1	1	1	1	3				
	Homicide (total)	101	1		1	1		1	1	32	34	11	15	2	1				1
182	By firearms	81	1		1			1		27	28	8	12	2	1				
183	By cutting or piercing instruments	10							1	3	3	2							1
184	By other means	10				1				2	3	1	3						
	XIV.—Ill-defined diseases	18	1	7		1	1					3	1	3	1				
187	Ill-defined organic disease	2												1	1				
188	Sudden death																		
189	Not specified or ill-defined (total)	16	1	7		1	1					3	1	2					
	Ill-defined	11		7		1	1							2					
	Not specified, or unknown	5	1									3	1						

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CONNECTICUT.																		
	All causes	17,719	3,342	615	266	174	116	408	548	1,124	1,332	1,603	1,871	2,330	2,459	1,309	192	5	25
	I.—General diseases	4,360	239	187	105	76	57	200	228	549	547	586	524	526	379	137	15		5
1	Typhoid fever	133		1			1	3	23	33	27	24	12	7	2				
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	16			1	1				1	2	2	1	3	3	2			
5	Smallpox	1								1									
6	Measles	100	30	41	12	3	3	7	2	1	1								
7	Scarlet fever	115	2	20	16	11	13	35	10	6	1	1							
8	Whooping cough	90	50	19	8	5	2	6											
9	Diphtheria and croup	226	8	44	37	30	23	67	10	4	1		2						
10	Influenza	197	18	2	3	4	1	3		4	4	11	14	31	51	45	6		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	5	3				1								1				
14	Dysentery	42	6	3	4			1			2	4	1	5	10	4	2		
15	Plague																		
16	Yellow fever																		
17	Leprosy	1											1						
18	Erysipelas	54	12	1			1		1	3	2	4	9	13	6	2			
19	Other epidemic diseases																		
20	Purulent infection and septicemia	38	1	1	1			3	2	5	7	9	5	3	1				
21	Glanders																		
22	Anthrax	1										1							
23	Rabies	1													1				
24	Tetanus	31	5					8	8	1	2	2	3	2					
25	Mycoses																		
26	Pellagra	4								1		1	2						
27	Beriberi																		
	Tuberculosis (total)	1,660	60	45	20	17	10	45	132	425	377	270	134	76	42	5			2
28	Tuberculosis of the lungs	1,364	24	13	3	6		11	101	381	348	249	118	67	37	4			2
29	Acute miliary tuberculosis	66		2		1		2	13	22	8	10	4	3	1				
30	Tuberculous meningitis	125	28	26	13	5	7	20	10	8	3	2	2			1			
31	Abdominal tuberculosis	49	4	2	3	2	1	4	6	8	6	3	5	4	1				
32	Pott's disease	14				2		3	1	3	4				1				
33	White swellings	10	1	1			1	3			1	1	2						
34	Tuberculosis of other organs	22	2	1	1		1	2	1	2	4	3	3	1	1				
35	Disseminated tuberculosis	10	1			1				1	3	2		1	1				
36	Rickets	13	7	4				1		1									
37	Syphilis	36	18	1				1		3	5	2	4	1	1				
38	Gonococcus infection	1									1								
	Cancer and other malignant tumors (total)	1,006	1	1	2	1		1	3	23	55	162	233	281	178	58	5		2
39	Of the buccal cavity	34									1	5	8	11	8	1			
40	Of the stomach, liver	365		1	1				1	3	14	51	89	115	65	23	1		1
41	Of the peritoneum, intestines, rectum	145			1					2	5	21	36	41	29	9			1
42	Of the female genital organs	141								5	16	38	28	34	15	5			
43	Of the breast	117								2	8	20	24	29	22	10	2		
44	Of the skin	31								1		1	7	9	7	5	1		
45	Of other organs or of organs not specified	173	1			1		1	2	10	11	26	41	42	32	5	1		
46	Other tumors (tumors of the female genital organs excepted)	10	2								1		2	3	2				
47	Acute articular rheumatism	68	1			3	2	10	14	6	2	4	6	12	7	1			
48	Chronic rheumatism and gout	17						1				4	4	2	3	3			
49	Scurvy	4	3	1															
50	Diabetes	244	1	1	1			4	18	8	9	24	52	59	52	13	2		
51	Exophthalmic goiter	13								3	4	3	2	1					
52	Addison's disease	8								1	1	2	3	1					
53	Leukemia	20						1	1	1	4	6	3	3	1				
54	Anemia, chlorosis	70	4						2	8	3	13	14	14	11	1			
55	Other general diseases	20	7	2		1		3	2	1	1	1			1	1			
56	Alcoholism (acute or chronic)	104								8	32	34	16	8	4	1			1
57	Chronic lead poisoning	7									1	2	1	1	2				
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	4								1	2					1			
	II.—Diseases of the nervous system and of the organs of special sense	1,908	138	39	22	12	10	21	24	42	67	130	294	396	450	227	32	1	3
60	Encephalitis	5	1						1	1		2							
61	Meningitis (total)	152	45	24	13	10	9	11	11	9	3	4	3	8	1	1			
	Simple meningitis	100	34	14	7	6	6	7	5	7	1	3	2	6	1	1			
	Cerebrospinal meningitis (undefined)	38	7	9	5	1	3	3	3	1	2	1	1	2					
	Cerebrospinal fever	14	4	1	1	3		1	3	1									

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CONNECTICUT—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	48									2	8	16	7	15			
63	Other diseases of the spinal cord (total)	52	1	1	2			2	1	1	2	4	12	15	7	4		
	Acute anterior poliomyelitis	9	1	1	2			2	1		1				1			
	Other diseases of the spinal cord[1]	43								1	1	4	12	15	6	4		
64	Cerebral hemorrhage, apoplexy	1,237	2					2	1	6	25	72	207	327	364	198	29	1	3
65	Softening of the brain	24											3	5	8	6	2		
66	Paralysis without specified cause	45									1	2	8	6	18	9	1		
67	General paralysis of the insane	86								1	13	15	16	16	20	5			
68	Other forms of mental alienation	22								2	5	5	3	2	5				
69	Epilepsy	53	2	1	1			4	6	13	6	5	9	3	2	1			
70	Convulsions (nonpuerperal)	1											1						
71	Convulsions of infants	91	77	7	5	2													
72	Chorea	3		1					1	1									
73	Neuralgia and neuritis	8									2	1	2		2	1			
74	Other diseases of the nervous system	63	5	1	1		1		2	8	8	10	12	6	7	2			
75	Diseases of the eyes and their annexa	1	1																
76	Diseases of the ears	17	4	4				2	1			2	2	1	1				
	III.—Diseases of the circulatory system	2,544	29	3		3	3	14	54	58	122	220	329	582	715	365	41	1	5
77	Pericarditis	13								1	1	5	1	1	3		1		
78	Acute endocarditis	115	6	1		1	3	4	10	6	23	27	28	3	1	2			
79	Organic diseases of the heart	1,828	17	2		2		9	42	48	79	155	250	440	519	246	15		4
80	Angina pectoris	115									5	14	21	40	29	5	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	368							2		3	15	16	75	127	106	22	1	1
82	Embolism and thrombosis	80								3	7	3	10	18	32	5	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	14									2	1	2	4	4	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	4								1								
85	Hemorrhage, other diseases of the circulatory system	6	2					1			1		1	1					
	IV.—Diseases of the respiratory system	2,229	518	172	77	31	18	44	38	70	135	146	195	274	294	184	31	1	1
86	Diseases of the nasal fossæ	1									1								
87	Diseases of the larynx	24	6	3	2	3	1	3	1	3		1			1				
88	Diseases of the thyroid body	7								1	1	2	3						
89	Acute bronchitis	149	86	11	7	2	3	2		1	1		3	8	11	10	4		
90	Chronic bronchitis	107	1					1	1		1	5	10	8	40	35	5		
91	Bronchopneumonia	541	242	85	36	9	4	10	5	2	6	7	15	33	40	39	8		
92	Pneumonia (total)	1,248	168	68	31	16	9	26	28	59	113	115	148	200	176	79	11		1
	Lobar pneumonia	629	47	25	13	9	5	8	19	42	76	68	87	108	86	31	5		
	Pneumonia (undefined)	619	121	43	18	7	4	18	9	17	37	47	61	92	90	48	6		1
93	Pleurisy	42	3	3		1		2	2		6	7	3	8	5	2			
94	Pulmonary congestion, pulmonary apoplexy	67	12	1						2	1	2	5	7	17	16	3	1	
95	Gangrene of the lung	2										2							
96	Asthma	25		1					1		3	4	5	6	3	2			
97	Pulmonary emphysema	4												2	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	12			1		1			2	2	1	3	2					
	V.—Diseases of the digestive system	1,905	921	160	31	24	6	24	47	51	81	112	123	131	112	67	14		1
99	Diseases of the mouth and annexa	9	6	1	1						1								
100	Diseases of the pharynx	13						1	4	2	1	1	1	1	1	1			
101	Diseases of the esophagus	3											2	1					
102	Ulcer of the stomach	45	1						1	4	8	12	8	6	3	1	1		
103	Other diseases of the stomach (cancer excepted)	142	51	4	3	1		3	1	3	4	9	5	19	11	24	4		
104	Diarrhea and enteritis (under 2 years)	981	830	151															
105	Diarrhea and enteritis (2 years and over)	155			20	17	4	10	2	4	5	7	14	19	28	18	7		
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	116	1		3	2	1	6	27	22	16	16	16	4	2				
109	Hernia, intestinal obstruction (total)	133	20	3	3	2		1	6	4	12	16	15	22	19	8	1		1
	Hernia	47	3						1	1	5	9	7	10	8	2	1		
	Intestinal obstruction	86	17	3	3	2		1	5	3	7	7	8	12	11	6			1
110	Other diseases of the intestines	19	2						1	2	1	3	1	1	7		1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CONNECTICUT—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	1	1															
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	145	1							1	14	25	41	31	23	9		
114	Biliary calculi	26									2	2	5	15	2			
115	Other diseases of the liver	62	2			1				4	6	11	12	10	11	5		
116	Diseases of the spleen	2								1		1						
117	Simple peritonitis (nonpuerperal)	41	5	1	1	1	1	3	4	4	6	7	2	1	5			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	12	1						1		5	2	1	1		1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,506	18	2	2	4		19	29	64	129	192	241	291	338	157	17	3
119	Acute nephritis	143	7	1		2		7	7	23	19	24	21	16	11	4	1	
120	Bright's disease	1,181	6	1	2	2		9	19	30	89	146	199	246	293	128	8	3
121	Chyluria																	
122	Other diseases of the kidneys and annexa	25	2					1	1	2	2	4	4	2	4	1	2	
123	Calculi of the urinary passages	7										2	1	3		1		
124	Diseases of the bladder	36	1					1	1		1	1	4	6	5	11	5	
125	Diseases of the urethra, urinary abscess, etc	3	1									2						
126	Diseases of the prostate	49							1				3	11	22	11	1	
127	Nonvenereal diseases of the male genital organs	2	1												1			
128	Uterine hemorrhage (nonpuerperal)																	
129	Uterine tumor (noncancerous)	17								1	4	5	6	1				
130	Other diseases of the uterus	12						1		2	4	2	1	2				
131	Cysts and other tumors of the ovary	11								1	1	2	1	3	2	1		
132	Salpingitis and other diseases of the female genital organs	19								5	9	4	1					
133	Nonpuerperal diseases of the breast (cancer excepted)	1												1				
	VII.—The puerperal state	143							7	65	60	11						
134	Accidents of pregnancy	12							1	2	8	1						
135	Puerperal hemorrhage	12								3	7	2						
136	Other accidents of labor	14								5	9							
137	Puerperal septicemia	56							3	32	18	3						
138	Puerperal albuminuria and convulsions	45							3	22	15	5						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3									3							
140	Following childbirth (not otherwise defined)	1								1								
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	72	18						2		3	9	6	6	17	11		
142	Gangrene	32	1						1			4	3	3	10	10		
143	Furuncle	9	3						1		1			1	2	1		
144	Acute abscess	13	5								2	2	1	2	1			
145	Other diseases of the skin and annexa	18	9									3	2		4			
	IX.—Diseases of the bones and of the organs of locomotion	30	3			1		3	8	3	2	2	5		3			
146	Diseases of the bones (tuberculosis excepted)	26	3			1		3	7	2	1	2	4		3			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4							1	1	1		1					
148	Amputations																	
149	Other diseases of the organs of locomotion																	
	X.—Malformations	169	149	12	2		2	2		2								
150	Congenital malformations (stillbirths not included) (total)	169	149	12	2		2	2		2								
	Hydrocephalus	19	12	4	2					1								
	Congenital malformations of the heart	87	78	5			2	1		1								
	Other congenital malformations	63	59	3				1										

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CONNECTICUT—Continued.																		
	XI.—Early infancy	1,241	1,241																
151	Congenital debility, icterus, and sclerema (total)	959	959																
	Premature birth	556	556																
	Congenital debility, "atrophy," "marasmus," etc	403	403																
152	Other causes peculiar to early infancy (total)	274	274																
	Injuries at birth	147	147																
	Other causes peculiar to early infancy[1]	127	127																
153	Lack of care	8	8																
	XII.—Old age	218												14	69	99	34	2	
154	Senility	218												14	69	99	34	2	
	XIII.—External causes	1,282	30	25	24	21	20	79	110	216	180	185	145	99	75	59	7		7
	Suicide (total)	182							8	39	30	40	29	25	10	1			
155	By poison	60							2	17	8	12	11	7	3				
156	By asphyxia	23							2	6	4	7	1	2	1				
157	By hanging or strangulation	24								1	6	5	4	6	2				
158	By drowning	15							1	2	1	5	3	3					
159	By firearms	38							3	9	8	2	8	4	3	1			
160	By cutting or piercing instruments	18								4	3	6	2	2	1				
161	By jumping from high places	2										1		1					
162	By crushing	1										1							
163	Other suicides	1										1							
	Accidental or undefined (total)	1,053	24	25	24	21	20	79	100	169	135	138	110	72	65	57	7		7
164	Poisoning by food	13			1			5	1	1		3		1	1				
165	Other acute poisonings	30	5	4	2			2	1	5	4	1	2	3	1				
166	Conflagration	13				3		1			1	3	2	1	2				
167	Burns (conflagration excepted)	95	2	12	13	9	10	15	5	8	4	4	3	5	2	3			
168	Absorption of deleterious gases (conflagration excepted)	67	14	1	1				6	4	9	5	8	10	7	2			
169	Accidental drowning	155		3	2	3	4	22	31	33	19	17	10	8	1				2
170	Traumatism by firearms	12					1	2	4	2	1		1	1					
171	Traumatism by cutting or piercing instruments	2						1			1								
172	Traumatism by fall	221	1	3	3	3	2	3	8	16	19	27	30	17	35	47	7		
173	Traumatism in mines and quarries (total)	3								1			1	1					
	Traumatism in mines																		
	Traumatism in quarries	3								1			1	1					
174	Traumatism by machines	22					1	1	1	5	5	5	1	2	1				
175	Traumatism by other crushing (total)	351		2		2	2	24	37	82	58	62	44	20	12	4			2
	Railroad accidents and injuries	189		1		1		2	20	52	33	39	23	11	3	2			2
	Street-car accidents and injuries	49		1			1	2	2	12	6	8	10	4	2	1			
	Automobile accidents and injuries	63				1	1	17	9	7	9	5	6	3	5				
	Injuries by other vehicles	41						3	5	6	9	9	4	2	2	1			
	Landslide, other crushing	9							1	5	1	1	1						
176	Injuries by animals	6			1			1			1	1	2						
177	Starvation	3	1									1							1
178	Excessive cold	5									1	1	1	2					
179	Effects of heat	4	1		1								1		1				
180	Lightning	2											1						1
181	Electricity (lightning excepted)	16							2	7	6	1							
185	Fractures (cause not specified)	2													1	1			
186	Other external violence	31				1		2	4	5	6	7	3	1	1				1
	Homicide (total)	47	6						2	8	15	7	6	2		1			
182	By firearms	23							2	2	8	6	3	1		1			
183	By cutting or piercing instruments	8								3	5								
184	By other means	16	6							3	2	1	3	1					
	XIV.—Ill-defined diseases	112	38	15	3	2		2	1	4	6	10	9	11	7	3	1		
187	Ill-defined organic disease	7	1								1	1	1		3				
188	Sudden death	11	2		1					2	2	1	2		1				
189	Not specified or ill-defined (total)	94	35	15	2	2		2	1	2	3	8	6	11	3	3	1		
	Ill-defined	58	15	12	2	1		2	1	2	2	5	4	8	2	2			
	Not specified, or unknown	36	20	3		1					1	3	2	3	1	1	1		

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	INDIANA.																	
	All causes	36,699	5,689	1,270	545	346	255	874	1,599	2,694	2,691	2,760	3,833	4,900	5,713	3,090	395	23	22
	I.—General diseases	10,792	659	401	229	167	139	510	807	1,346	1,193	1,067	1,317	1,374	1,129	408	42	1	3
1	Typhoid fever	693	3	13	12	11	12	60	150	161	96	65	46	33	25	5	1		
2	Typhus fever	2							1				1						
3	Relapsing fever																		
4	Malaria	72	6	5	2	1		6	7	3	7	5	5	13	6	5	1		
5	Smallpox	12	1	1		1			2		1	1	2		3				
6	Measles	444	96	107	60	28	24	47	28	14	18	7	8	7					
7	Scarlet fever	201	5	12	20	20	17	67	42	11	5	2							
8	Whooping cough	322	184	64	30	14	9	17	1	3									
9	Diphtheria and croup	513	22	48	52	56	49	182	78	9	10	2	1	2	2				
10	Influenza	395	22	14	7	1	1	4	10	14	11	17	31	57	105	82	19		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	8		1									2	1	1	3			
14	Dysentery	225	32	17	7	1		3	3	4	3	6	11	30	52	49	7		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	103	15	2					7	5	9	7	18	14	15	10	1		
19	Other epidemic diseases	8	2	3	1	1			1										
20	Purulent infection and septicemia	65	8	4	1			2	2	1	4	6	11	9	13	3	1		
21	Glanders																		
22	Anthrax																		
23	Rabies	5					2	2	1										
24	Tetanus	81	13			2	1	12	21	10	5	3	9	4	1				
25	Mycoses																		
26	Pellagra	4									1	3							
27	Beriberi																		
	Tuberculosis (total)	4,136	135	89	29	27	21	80	388	972	787	512	436	357	257	43	2		1
28	Tuberculosis of the lungs	3,342	48	32	9	12	3	34	302	873	684	448	355	291	213	35	2		1
29	Acute miliary tuberculosis	110	2	4	3		2	3	21	28	20	6	13	6	2				
30	Tuberculous meningitis	230	58	37	14	11	15	28	18	14	7	13	9	3	2	1			
31	Abdominal tuberculosis	262	14	9	1	1	1	9	25	36	44	28	38	30	23	3			
32	Pott's disease	37	1	2	1			1	6	3	6	2	5	5	4	1			
33	White swellings	27							4	4	7	1	2	5	1	3			
34	Tuberculosis of other organs	72	5	2		2		4	6	10	10	8	7	11	7				
35	Disseminated tuberculosis	56	7	3	1	1		1	6	4	9	6	7	6	5				
36	Rickets	13	10	3															
37	Syphilis	198	77	8	1	1		2	3	22	21	19	25	16	2	1			
38	Gonococcus infection	11	1						1	3	3			2	1				
	Cancer and other malignant tumors (total)	2,239	1	5	1	1		6	6	34	122	285	516	605	485	163	8		1
39	Of the buccal cavity	95								1		7	20	23	31	13			
40	Of the stomach, liver	945		2				1		11	13	94	213	298	248	64	1		
41	Of the peritoneum, intestines, rectum	242								4	17	25	56	61	59	19	1		
42	Of the female genital organs	350								10	55	78	100	69	34	4			
43	Of the breast	202						1			17	39	54	43	29	19			
44	Of the skin	130						1		1	2	8	18	38	29	27	5		1
45	Of other organs or of organs not specified	275	1	3	1	1		3	6	7	18	34	55	73	55	17	1		
46	Other tumors (tumors of the female genital organs excepted)	4												3		1			
47	Acute articular rheumatism	122			2	1	1	10	20	14	6	12	10	17	22	6	1		
48	Chronic rheumatism and gout	32									1	1	9	6	12	2			1
49	Scurvy	1		1															
50	Diabetes	462		2	1			6	22	36	22	42	92	127	86	26			
51	Exophthalmic goiter	51							1	4	8	18	10	5	4		1		
52	Addison's disease	9										1	3	1	4				
53	Leukemia	45	2	2		1	1	2	5	6	4	5	8	7	2				
54	Anemia, chlorosis	119	4					1	3	8	10	15	27	27	17	6		1	
55	Other general diseases	50	20	1	2		1	1	4	3	3	1	3	4	6	1			
56	Alcoholism (acute or chronic)	110								9	29	29	25	14	4				
57	Chronic lead poisoning	4									2		1	1					
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	33									5	3	7	12	4	2			
	II.—Diseases of the nervous system and of the organs of special sense	3,718	128	45	35	20	9	38	69	94	145	282	501	781	1,016	498	53	1	3
60	Encephalitis	28	8			1		2	1	6	2	2	1	1	2	2			
61	Meningitis (total)	166	42	18	23	7	3	14	21	13	5	6	7	5	1	1			
	Simple meningitis	104	29	6	14	3	3	7	12	9	3	5	7	5		1			
	Cerebrospinal meningitis (undefined)	34	9	6	5	3		3	3	2	2				1				
	Cerebrospinal fever	28	4	6	4	1		4	6	2		1							

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	INDIANA—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	79								3	5	14	30	16	9	2		
63	Other diseases of the spinal cord (total)	210	10	8	6	6	3	10	11	5	6	14	24	39	47	18	2	1
	Acute anterior poliomyelitis	45	8	7	5	5	1	7	6	1	1		3			1		
	Other diseases of the spinal cord[1]	165	2	1	1	1	2	3	5	4	5	14	21	39	47	17	2	1
64	Cerebral hemorrhage, apoplexy	2,229	11	2	1	2		2	4	20	50	131	313	560	744	355	33	1
65	Softening of the brain	74										9	9	20	21	14	1	
66	Paralysis without specified cause	348	2	1					1	6	6	13	29	65	128	85	12	
67	General paralysis of the insane	184								3	23	44	43	31	30	7	3	
68	Other forms of mental alienation	72							3	5	9	14	12	12	11	5	1	
69	Epilepsy	141	6	2		2	1	5	15	19	31	21	9	17	10	1		2
70	Convulsions (nonpuerperal)																	
71	Convulsions of infants	39	36	3														
72	Chorea	4							3			1						
73	Neuralgia and neuritis	16							2	1	1		8	1	1	2		
74	Other diseases of the nervous system	67	1	2	1				3	8	4	10	13	11	10	3	1	
75	Diseases of the eyes and their annexa	4	1		1										1	1		
76	Diseases of the ears	57	11	9	3	2	2	5	5	5	3	3	3	3	1	2		
	III.—Diseases of the circulatory system	5,076	46	9	6	6	6	36	78	124	209	347	630	1,121	1,499	839	110	7	3
77	Pericarditis	33	2					1	2		1	5	5	6	7	3	1		
78	Acute endocarditis	116	3		2	2	3	7	14	16	15	23	25	1	3	2			
79	Organic diseases of the heart	3,823	32	6	4	4	3	27	57	99	165	281	487	887	1,145	559	61	4	2
80	Angina pectoris	286	1						2	3	14	14	53	87	80	29	3		
81	Diseases of the arteries, atheroma, aneurism, etc	695							1	2	6	11	40	117	236	234	45	3	
82	Embolism and thrombosis	89	3						2	2	7	8	19	18	20	9			1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	17								1	1	4	1	3	5	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	9	4	3				1						1					
85	Hemorrhage; other diseases of the circulatory system	8	1							1		1		1	3	1			
	IV.—Diseases of the respiratory system	3,347	755	214	98	60	29	85	81	119	149	177	295	342	553	349	39	2	
86	Diseases of the nasal fossae	7	2				1	1	1		1		1						
87	Diseases of the larynx	31	6	7	3	3	2			2	2			2	3	1			
88	Diseases of the thyroid body	14						1	2		1	2	6	2					
89	Acute bronchitis	196	94	12	10	5	3	7	1	3			2	12	15	28	4		
90	Chronic bronchitis	211	1		1			1	2	7	9	5	15	39	71	56	4		
91	Bronchopneumonia	937	378	116	46	24	6	28	11	12	20	17	30	42	114	84	8	1	
92	Pneumonia (total)	1,752	261	76	37	27	17	43	57	82	106	134	204	217	317	151	22	1	
	Lobar pneumonia	1,088	125	43	22	16	13	31	42	52	78	85	152	151	187	79	11	1	
	Pneumonia (undefined)	664	136	33	15	11	4	12	15	30	28	49	52	66	130	72	11		
93	Pleurisy	55		1	1			2	4	8	5	7	11	5	8	3			
94	Pulmonary congestion, pulmonary apoplexy	40	11							2	1		3	3	4	15	1		
95	Gangrene of the lung	6						1					4	1					
96	Asthma	64	1	1		1		1	2		2	6	12	13	17	8			
97	Pulmonary emphysema	7		1						1	1			2	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	27	1						1	2	1	6	7	4	3	2			
	V.—Diseases of the digestive system	4,401	1,630	510	115	54	27	86	141	141	211	214	297	351	368	222	32	1	1
99	Diseases of the mouth and annexa	17	9				1			1	1		1	2	1		1		
100	Diseases of the pharynx	55	2	2	2	2	2	6	14	6	6	1	3	2	5	2			
101	Diseases of the esophagus	4											1	1	2				
102	Ulcer of the stomach	107		1				2	1	10	15	15	26	19	14	4			
103	Other diseases of the stomach (cancer excepted)	471	170	22	6	3	3	5	6	10	17	13	29	58	71	45	12	1	
104	Diarrhea and enteritis (under 2 years)	1,862	1,395	467															
105	Diarrhea and enteritis (2 years and over)	481			94	39	15	16	12	12	19	19	31	54	72	87	11		
106	Ankylostomiasis																		
107	Intestinal parasites	5			1	1		1	2										
108	Appendicitis and typhlitis	288	2		4	3	1	28	73	55	53	28	18	8	12	3			
109	Hernia, intestinal obstruction (total)	311	32	12	5	3	4	11	7	14	32	23	33	50	52	26	6		1
	Hernia	94	4								9	11	15	18	22	13	2		
	Intestinal obstruction	217	28	12	5	3	4	11	7	14	23	12	18	32	30	13	4		1
110	Other diseases of the intestines	71	4	1	1	1		1	4	6	4	10	7	12	10	10			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	INDIANA—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	11	2					1		1		1	3	2		1			
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	336	2					2	2	7	25	65	77	75	64	17			
114	Biliary calculi	102						1			10	13	27	25	19	7			
115	Other diseases of the liver	178	7	3	1			5	5	7	19	21	29	32	33	14	2		
116	Diseases of the spleen	9	1						1	2	1	1	1	2					
117	Simple peritonitis (nonpuerperal)	76	4	1	1	2	1	7	13	8	7	3	8	5	11	5			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	17		1					1	2	2	1	3	4	2	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	3,039	30	14	10	3	6	21	46	140	170	287	447	626	783	420	34	2	
119	Acute nephritis	235	12	7	5	2	4	10	18	25	21	34	27	29	26	13	2		
120	Bright's disease	2,323	9	7	5	1	2	10	21	51	90	196	367	537	652	348	25	2	
121	Chyluria																		
122	Other diseases of the kidneys and annexa	52	8					1		3	5	2	9	10	6	7	1		
123	Calculi of the urinary passages	15									1	5	2	4	3				
124	Diseases of the bladder	64	1										8	9	28	16	2		
125	Diseases of the urethra, urinary abscess, etc	9							1			2	1	2	1	2			
126	Diseases of the prostate	131								1	1		7	28	59	31	4		
127	Nonvenereal diseases of the male genital organs	4									2			2					
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	40								1	12	11	12	1	3				
130	Other diseases of the uterus	30							2	8	7	6	6	1					
131	Cysts and other tumors of the ovary	48								10	6	15	6	3	5	3			
132	Salpingitis and other diseases of the female genital organs	88							4	41	25	16	2						
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	418							35	189	160	34							
134	Accidents of pregnancy	39							3	22	11	3							
135	Puerperal hemorrhage	36							1	10	18	7							
136	Other accidents of labor	25							6	8	8	3							
137	Puerperal septicemia	220							15	107	83	15							
138	Puerperal albuminuria and convulsions	87							10	40	31	6							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	10								2	8								
140	Following childbirth (not otherwise defined)	1									1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	131	17	3	2			1	2	3	2	6	9	23	31	28	2	2	
142	Gangrene	66						1		1	1	1	4	11	22	22	2	1	
143	Furuncle	18	2						1	1		2		5	4	3			
144	Acute abscess	16	3	1	2					1		1	3	3	2				
145	Other diseases of the skin and annexa	31	12	2					1		1	2	2	4	3	3		1	
	IX.—Diseases of the bones and of the organs of locomotion	67	5	2	3	1	3	7	8	6	6	7	7	6	4	2			
146	Diseases of the bones (tuberculosis excepted)	58	4	2	3	1	3	6	8	6	3	6	6	5	3	2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7	1					1			3	1		1					
148	Amputations																		
149	Other diseases of the organs of locomotion	2											1		1				
	X.—Malformations	493	460	14	2	1	1	3	9	2			1						
150	Congenital malformations (stillbirths not included) (total)	493	460	14	2	1	1	3	9	2			1						
	Hydrocephalus	40	30	6		1	1	1	1										
	Congenital malformations of the heart	326	306	8	2			1	7	1			1						
	Other congenital malformations	127	124					1	1	1									

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	INDIANA—Continued.																		
	XI.—Early infancy	1,856	1,856																
151	Congenital debility, icterus, and sclerema (total)	1,456	1,456																
	Premature birth	1,210	1,210																
	Congenital debility, "atrophy," "marasmus," etc	246	246																
152	Other causes peculiar to early infancy (total)	393	393																
	Injuries at birth	204	204																
	Other causes peculiar to early infancy [1]	189	189																
153	Lack of care	7	7																
	XII.—Old age	348											1	17	89	177	59	5	
154	Senility	348											1	17	89	177	59	5	
	XIII.—External causes	2,974	90	54	45	34	35	87	322	530	443	336	326	256	236	143	24	2	11
	Suicide (total)	440							27	98	93	74	74	51	22	1			
155	By poison	201							22	52	52	22	28	17	8				
156	By asphyxia	17								3	4	2	3	5					
157	By hanging or strangulation	47								6	4	10	10	12	5				
158	By drowning	31								6	4	8	9	2	2				
159	By firearms	116							5	28	23	26	19	9	5	1			
160	By cutting or piercing instruments	20								2	6	2	2	6	2				
161	By jumping from high places	1											1						
162	By crushing	4										3	1						
163	Other suicides	3								1		1	1						
	Accidental or undefined (total)	2,379	88	53	45	33	35	86	281	380	320	231	236	201	212	142	24	2	10
164	Poisoning by food	44	6	9	2	4	2	3	6	1	2	3	2	1	3				
165	Other acute poisonings	78	7	8	9	4	2		4	8	7	8	8	8	2	2	1		
166	Conflagration	20	1		2	1	1	1	1	1	2	4	3	1	2				
167	Burns (conflagration excepted)	167	14	13	20	12	16	15	6	14	14	10	10	9	11	3			
168	Absorption of deleterious gases (conflagration excepted)	77	36			1			4	8	7	6	8	5	1	1			
169	Accidental drowning	273	2	9	2	1	2	20	84	55	37	19	15	13	6	3			5
170	Traumatism by firearms	79				2		4	34	19	8	3	6	2					1
171	Traumatism by cutting or piercing instruments	7					1	1	2					3					
172	Traumatism by fall	468	9	7	4	1	2	5	25	29	32	15	45	47	108	115	21	2	1
173	Traumatism in mines and quarries (total)	68							8	18	19	11	8	4					
	Traumatism in mines	65							7	17	19	10	8	4					
	Traumatism in quarries	3							1	1		1							
174	Traumatism by machines	60						1	10	19	8	8	7	6	1				
175	Traumatism by other crushing (total)	758	3	1	4	5	6	24	71	166	144	105	90	75	47	12	2		3
	Railroad accidents and injuries	477	1	1		1	2	6	38	130	100	60	59	46	22	8	1		2
	Street-car accidents and injuries	102	1		3		1	2	13	13	19	16	9	13	10	1			1
	Automobile accidents and injuries	79				3	1	6	9	11	7	17	9	6	9	1			
	Injuries by other vehicles	82	1		1	1	2	9	11	8	14	8	9	10	5	2	1		
	Landslide, other crushing	18						1		4	4	4	4		1				
176	Injuries by animals	37		1		1	2	5	6	4	2	2	5	4	5				
177	Starvation																		
178	Excessive cold	5											1	2	2				
179	Effects of heat	72	4		1				3	6	11	9	8	12	12	6			
180	Lightning	31							5	4	7	9	3	2	1				
181	Electricity (lightning excepted)	39							4	19	6	7	3						
185	Fractures (cause not specified)	4	1									1	1		1				
186	Other external violence	92	5	5	1	1	1	7	8	9	14	11	13	7	10				
	Homicide (total)	155	2	1		1		1	14	52	30	31	16	4	2				1
182	By firearms	110		1		1			9	41	24	21	7	4	2				
183	By cutting or piercing instruments	13							1	6	3	1	1						1
184	By other means	32	2					1	4	5	3	9	8						
	XIV.—Ill-defined diseases	39	13	4					1		3	3	2	3	5	4			1
187	Ill-defined organic disease	5							1						1	3			
188	Sudden death																		
189	Not specified or ill-defined (total)	34	13	4							3	3	2	3	4	1			1
	Ill-defined	13	1	4							2	1	1	2	1	1			
	Not specified, or unknown	21	12								1	2	1	1	3				1

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (TOTAL).																		
	All causes	30,646	5,582	1,592	748	428	311	829	1,735	2,801	2,459	2,408	2,788	3,270	3,352	1,761	276	34	272
	I.—General diseases	10,491	841	555	341	205	163	418	936	1,675	1,248	1,050	1,008	973	679	283	31	2	83
1	Typhoid fever	998	6	12	14	12	18	89	244	249	123	92	65	44	19	2	.....	.....	9
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	190	25	16	7	9	3	11	17	17	17	18	11	14	16	8	1	.....	.....
5	Smallpox	4	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
6	Measles	396	86	87	48	29	16	39	36	18	10	11	6	3	2	1	.....	.....	4
7	Scarlet fever	56	4	8	4	8	11	11	8	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	544	258	133	58	36	19	25	9	.....	1	.....	.....	1	.....	.....	.....	.....	4
9	Diphtheria and croup	575	96	100	106	67	63	110	24	2	1	1	2	.....	.....	.....	.....	.....	3
10	Influenza	395	20	2	2	1	5	3	14	14	22	21	47	67	99	66	10	.....	2
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	37	9	2	3	.....	1	2	.....	2	2	2	4	4	4	2	.....	.....	1
14	Dysentery	366	60	57	23	5	4	11	2	10	8	13	20	43	65	37	6	.....	2
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	93	33	3	4	1	.....	2	3	4	3	7	10	9	11	2	.....	.....	1
19	Other epidemic diseases	7	5	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	108	12	1	2	2	.....	6	2	17	15	12	11	13	13	2	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
24	Tetanus	47	9	3	.....	.....	1	10	5	3	5	2	3	4	.....	.....	.....	.....	2
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
26	Pellagra	104	.....	.....	1	.....	1	2	6	15	17	12	25	9	10	2	1	.....	3
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	4,707	144	110	61	26	15	73	520	1,233	881	583	428	364	177	49	1	2	40
28	Tuberculosis of the lungs	3,990	63	50	21	8	6	39	439	1,114	805	528	380	315	142	42	1	2	35
29	Acute miliary tuberculosis	126	3	1	6	1	.....	3	18	45	21	8	7	6	6	1	.....	.....	.....
30	Tuberculous meningitis	202	58	38	26	12	7	15	16	13	5	4	2	4	.....	.....	.....	.....	2
31	Abdominal tuberculosis	228	6	8	4	2	1	8	19	35	28	33	28	28	22	3	.....	.....	3
32	Pott's disease	38	5	3	.....	1	.....	4	7	3	4	4	2	3	2	.....	.....	.....	.....
33	White swellings	13	.....	.....	.....	1	.....	2	1	4	1	1	.....	2	.....	1	.....	.....	.....
34	Tuberculosis of other organs	72	6	10	2	.....	.....	1	12	13	11	2	6	3	5	1	.....	.....	.....
35	Disseminated tuberculosis	38	3	.....	2	1	1	1	8	6	6	3	3	3	.....	1	.....	.....	.....
36	Rickets	17	10	5	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	130	38	6	2	.....	1	1	3	14	14	24	13	9	3	1	.....	.....	1
38	Gonococcus infection	4	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,122	.....	3	.....	.....	.....	5	8	22	68	174	279	285	182	82	8	.....	6
39	Of the buccal cavity	37	.....	.....	.....	.....	.....	.....	1	1	.....	6	8	8	11	1	1	.....	.....
40	Of the stomach, liver	393	.....	2	.....	.....	.....	1	.....	7	13	42	107	123	71	25	.....	.....	2
41	Of the peritoneum, intestines, rectum	100	.....	1	.....	.....	.....	.....	1	5	4	14	24	28	19	4	.....	.....	.....
42	Of the female genital organs	214	.....	.....	.....	.....	.....	.....	.....	3	22	62	69	40	14	4	.....	.....	.....
43	Of the breast	115	.....	.....	.....	.....	.....	.....	.....	.....	14	27	26	22	14	8	3	.....	1
44	Of the skin	82	.....	.....	.....	.....	.....	1	1	1	2	1	12	15	18	28	2	.....	1
45	Of other organs or of organs not specified	181	.....	.....	.....	.....	.....	3	5	5	13	22	33	49	35	12	2	.....	2
46	Other tumors (tumors of the female genital organs excepted)	23	.....	.....	.....	.....	1	.....	2	1	1	3	8	3	2	1	.....	.....	1
47	Acute articular rheumatism	122	2	.....	.....	.....	1	7	10	16	11	7	15	20	22	8	2	.....	1
48	Chronic rheumatism and gout	29	.....	.....	.....	.....	.....	.....	.....	.....	1	4	8	7	7	2	.....	.....	.....
49	Scurvy	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1
50	Diabetes	172	.....	.....	2	2	.....	5	12	11	12	18	20	46	32	11	.....	.....	1
51	Exophthalmic goiter	18	.....	.....	.....	.....	.....	.....	.....	6	4	5	2	1	.....	.....	.....	.....	.....
52	Addison's disease	6	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....	.....	.....
53	Leukemia	35	.....	1	2	3	.....	1	4	4	4	4	5	4	3	.....	.....	.....	.....
54	Anemia, chlorosis	56	7	1	1	1	.....	2	4	3	8	7	7	7	2	4	2	.....	.....
55	Other general diseases	45	15	4	2	3	1	2	1	3	2	1	5	1	3	2	.....	.....	.....
56	Alcoholism (acute or chronic)	63	.....	.....	.....	.....	.....	.....	.....	4	13	25	9	8	4	.....	.....	.....	.....
57	Chronic lead poisoning	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	12	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	4	2	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,682	336	94	46	46	28	71	92	99	126	209	318	409	533	233	20	4	18
60	Encephalitis	63	18	4	4	3	.....	3	4	7	7	7	3	2	.....	.....	1	.....	.....
61	Meningitis (total)	460	154	59	32	27	20	49	46	27	11	16	7	7	5	.....	.....	.....	.....
	Simple meningitis	259	95	37	19	16	9	24	18	12	5	9	5	6	4	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	128	46	16	9	6	9	13	16	7	2	2	.....	1	1	.....	.....	.....	.....
	Cerebrospinal fever	73	13	6	4	5	2	12	12	8	4	5	2	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (TOTAL)—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	40							1		2	8	9	10	8	1		1
63	Other diseases of the spinal cord (total)	122	19	12	5	5	6	8	6	2	3	6	6	19	18	6		1
	Acute anterior poliomyelitis	52	14	12	4	5	6	7	1		1	1						1
	Other diseases of the spinal cord[1]	70	5		1			1	5	2	2	5	6	19	18	6		
64	Cerebral hemorrhage, apoplexy	936	20	3		2		3	9	20	44	83	186	209	247	99	7	4
65	Softening of the brain	65								1	2	2	8	11	25	13	2	1
66	Paralysis without specified cause	492	4		2	1			4	6	16	34	55	100	161	90	9	3	7
67	General paralysis of the insane	104								1	7	19	12	23	27	12			3
68	Other forms of mental alienation	61								1	11	9	10	8	20	2			
69	Epilepsy	98	1	1	1	1	2	1	13	22	12	13	11	7	9	3			1
70	Convulsions (nonpuerperal)	7						1	2	2		1	1						
71	Convulsions of infants	109	93	11	2	3													
72	Chorea	3				1		1	1										
73	Neuralgia and neuritis	8										1	1	2	1	2	1		
74	Other diseases of the nervous system	78	15	2		1		3	2	6	9	9	5	10	11	5			
75	Diseases of the eyes and their annexa	1													1				
76	Diseases of the ears	35	12	2		2		2	4	4	2	1	4	1					1
	III.—Diseases of the circulatory system.	2,644	24	4	2	1	6	19	72	89	174	232	319	591	656	283	37	7	28
77	Pericarditis	32							2	3	4	1	5	6	8	3			
78	Acute endocarditis	92	1			1	1	3	3	9	14	22	32	3	3				
79	Organic diseases of the heart	2,041	16	3	2		3	14	61	71	134	182	330	481	494	197	23	4	26
80	Angina pectoris	115						1		2	10	7	23	32	34	5	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	299								2	5	12	20	62	104	77	13	2	2
82	Embolism and thrombosis	27							3	2	2	5	5	2	8				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7	2						2				2	1					
84	Diseases of the lymphatic system (lymphangitis, etc.)	8	2	1			1		1		2				1				
85	Hemorrhage; other diseases of the circulatory system	23	3				1	1			3	3	2	4	4	1		1	
	IV.—Diseases of the respiratory system.	3,006	640	231	112	55	38	85	107	157	158	186	239	326	396	221	28	5	22
86	Diseases of the nasal fossae	2				1											1		
87	Diseases of the larynx	47	16	3	6	3	2	3	1	2	3	4	1	1	1	1			
88	Diseases of the thyroid body	6									1	2	1	1		1			
89	Acute bronchitis	139	68	22	7	6	1	2		3	2	3	4	6	7	8			
90	Chronic bronchitis	216	3	2				3	7	13	10	14	13	32	64	48	5		2
91	Bronchopneumonia	550	213	71	24	18	10	19	11	16	11	9	25	32	54	28	7		2
92	Pneumonia (total)	1,764	316	126	70	26	23	53	84	105	108	130	155	208	229	103	13	3	12
	Lobar pneumonia	532	57	35	15	7	5	13	35	39	38	43	55	84	64	36	4	1	1
	Pneumonia (undefined)	1,232	259	91	55	19	18	40	49	66	70	87	100	124	165	67	9	2	11
93	Pleurisy	61	1	3	2	1	1	2	3	6	8	5	11	12	2	2			2
94	Pulmonary congestion, pulmonary apoplexy	71	18	2	1			1		2	1	7	8	6	12	12			1
95	Gangrene of the lung	7						1			3			1	2				
96	Asthma	83		1			1			2	4	6	10	22	19	12	2	2	2
97	Pulmonary emphysema	5								1		1	1	1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	55	5	1	2			1	1	7	7	5	10	4	5	6			1
	V.—Diseases of the digestive system	3,340	976	562	158	58	28	96	142	123	145	178	211	272	236	113	22	1	19
99	Diseases of the mouth and annexa	22	15				1	1		1	2			1	1				
100	Diseases of the pharynx	50	5	5	3	8	3	14	6	5			1						
101	Diseases of the esophagus	5										1		3		1			
102	Ulcer of the stomach	57		1							8	10	7	10	13	7	1		
103	Other diseases of the stomach (cancer excepted)	424	131	19	7	6	1	8	7	12	22	19	37	47	59	39	5		5
104	Diarrhea and enteritis (under 2 years)	1,299	774	525															
105	Diarrhea and enteritis (2 years and over)	471			131	32	13	19	15	12	11	20	27	61	68	45	9	1	7
106	Ankylostomiasis	24				1		6	10	3		1	1	1					1
107	Intestinal parasites	21	1	3	6	2	2	6	1										
108	Appendicitis and typhlitis	173	1	1	2	1	1	22	56	27	19	17	12	9	4	1			
109	Hernia, intestinal obstruction (total)	204	30	4	1	4	5	9	11	13	17	19	30	22	26	7	4		2
	Hernia	45	10								4	5	6	8	7	4			1
	Intestinal obstruction	159	20	4	1	4	5	9	11	13	13	14	24	14	19	3	4		1
110	Other diseases of the intestines	68	8	3	3	1			3	4	7	8	7	11	8	5			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (TOTAL)—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	10							1	2	2	1	1	1	2			
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	193	1		1				4	4	17	37	43	53	28	2	2	1
114	Biliary calculi	55						1		1	3	10	9	18	10	2	1	
115	Other diseases of the liver	127	7		2	1		1	5	6	14	19	24	25	15	5	1	2
116	Diseases of the spleen	3										1	1		1			
117	Simple peritonitis (nonpuerperal)	126	3	1	2	2	2	9	23	23	19	16	8	6	6	5		1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	8								2	2	2		1	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	2,187	29	21	11	10	7	21	38	93	154	242	353	449	488	216	29	3	23
119	Acute nephritis	176	5	9	1	6	6	6	5	8	28	25	32	23	12	7	1		2
120	Bright's disease	1,700	13	12	9	4	1	14	27	64	94	183	292	381	398	166	23	3	16
121	Chyluria																		
122	Other diseases of the kidneys and annexa	57	3		1			1	2	5	4	1	7	6	16	9	2		
123	Calculi of the urinary passages	3									1				1	1			
124	Diseases of the bladder	57	1							2	3	2	5	9	25	8			2
125	Diseases of the urethra, urinary abscess, etc	10									2	4		2	1				1
126	Diseases of the prostate	78											4	18	33	20	2		1
127	Nonvenereal diseases of the male genital organs	4	4																
128	Uterine hemorrhage (nonpuerperal)	3									3								
129	Uterine tumor (noncancerous)	28								1	5	12	7	2	1				
130	Other diseases of the uterus	25							2	6	3	6	2	2		3			1
131	Cysts and other tumors of the ovary	19									4	4	3	5	1	1	1		
132	Salpingitis and other diseases of the female genital organs	23							2	7	6	5	1	1		1			
133	Nonpuerperal diseases of the breast (cancer excepted)	4	3								1								
	VII.—The puerperal state	373							62	145	127	33							6
134	Accidents of pregnancy	34							3	10	18	3							
135	Puerperal hemorrhage	29							3	6	15	4							1
136	Other accidents of labor	39							3	20	13	3							
137	Puerperal septicemia	181							32	69	63	13							4
138	Puerperal albuminuria and convulsions	80							19	36	15	10							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7							2	2	2								1
140	Following childbirth (not otherwise defined)	3								2	1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	109	18	5	2			2	2	3	4	9	9	19	13	18	4		1
142	Gangrene	53		2	2			2			2	3	4	11	9	15	2		1
143	Furuncle	6	1							1	1		1	2					
144	Acute abscess	16	4	1					1	2		3	1	2	1		1		
145	Other diseases of the skin and annexa	34	13	2					1		1	3	3	4	3	3	1		
	IX.—Diseases of the bones and of the organs of locomotion	37	4				1	7	8	3		3	4	4	1	1			1
146	Diseases of the bones (tuberculosis excepted)	29	3				1	6	7	3		2	3	2	1	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7	1					1	1			1	1	2					
148	Amputations	1																	1
149	Other diseases of the organs of locomotion																		
	X.—Malformations	215	202	2	2	1	2	2	1	2	1								
150	Congenital malformations (stillbirths not included) (total)	215	202	2	2	1	2	2	1	2	1								
	Hydrocephalus	25	17	2	1		1	2	1	1									
	Congenital malformations of the heart	105	102			1	1				1								
	Other congenital malformations	85	83		1					1									

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (TOTAL)—Continued.																		
	XI.—Early infancy	2,067	2,067																
151	Congenital debility, icterus, and sclerema (total)	1,808	1,808																
	Premature birth	1,218	1,218																
	Congenital debility, "atrophy," "marasmus," etc	590	590																
152	Other causes peculiar to early infancy (total)	246	246																
	Injuries at birth	112	112																
	Other causes peculiar to early infancy[1]	134	134																
153	Lack of care	13	13																
	XII.—Old age	578											1	24	164	283	91	7	8
154	Senility	578											1	24	164	283	91	7	8
	XIII.—External causes	2,102	84	60	60	47	32	90	267	391	294	231	172	128	112	75	9	3	47
	Suicide (total)	200							11	48	38	28	41	23	8	1			2
155	By poison	74							5	26	13	13	9	6	2				
156	By asphyxia	4									1	1	1	1					
157	By hanging or strangulation	21							1	4	2	3	7		3				1
158	By drowning	10								1	1	2	3	2	1				
159	By firearms	76							4	17	19	6	15	12	2	1			
160	By cutting or piercing instruments	11							1		1	2	5	2					
161	By jumping from high places																		
162	By crushing	3									1	1	1						
163	Other suicides	1																	1
	Accidental or undefined (total)	1,580	83	60	60	47	32	90	229	223	174	158	109	100	102	74	9	3	27
164	Poisoning by food	22	2	4	1	1	1	1	2	2	1		4	1	1	1			
165	Other acute poisonings	46	3	7	4	1	1	3	7	4	5	3	3	1	3				1
166	Conflagration	34	6	2	3	1	3	7	2	1		1	2	4	1	1			
167	Burns (conflagration excepted)	237	14	27	41	36	20	29	13	11	8	9	10	6	6	7			
168	Absorption of deleterious gases (conflagration excepted)	42	26		1				2	2	2	4	1	2					2
169	Accidental drowning	126	3	5		1		9	42	28	15	9	4	2	2				6
170	Traumatism by firearms	112		1	1		1	12	35	26	13	13	4	3		1			2
171	Traumatism by cutting or piercing instruments	7						1		1	1	1	2		1				
172	Traumatism by fall	240	4	6	4	2	1	3	14	9	16	31	8	25	56	48	8	2	3
173	Traumatism in mines and quarries (total)	60							6	20	19	7	6	1					1
	Traumatism in mines	58							5	20	19	6	6	1					1
	Traumatism in quarries	2							1			1							
174	Traumatism by machines	37							9	10	4	8	3	2					1
175	Traumatism by other crushing (total)	344	2	1	1	2	3	14	55	72	61	47	30	27	18	3			8
	Railroad accidents and injuries	223	1	1				3	33	59	44	31	19	15	9				8
	Street-car accidents and injuries	27			1		1	2	1	3	4	6	3	4	2				
	Automobile accidents and injuries	20						2	2	4	2	3	2	3	2				
	Injuries by other vehicles	63				2	2	6	16	4	9	5	6	5	5	3			
	Landslide, other crushing	11	1					1	3	2	2	2							
176	Injuries by animals	30	1			1	1	3	5	4	3	2	4	4	1	1			
177	Starvation																		
178	Excessive cold	4	2							1			1						
179	Effects of heat	65	8	1		1		1	6	2	8	7	11	10	3	4	1	1	1
180	Lightning	17						1	3	2	4	2	3	2					
181	Electricity (lightning excepted)	9							5	2		1							1
185	Fractures (cause not specified)	26						1	2	1	2	4	2	1	7	6			
186	Other external violence	122	12	6	4	1	1	5	21	25	12	9	11	9	3	2			1
	Homicide (total)	322	1						27	120	82	45	22	5	2				18
182	By firearms	260							17	100	72	36	16	4	1				14
183	By cutting or piercing instruments	23							7	5	5	3	2						1
184	By other means	39	1						3	15	5	6	4	1	1				3
	XIV.—Ill-defined diseases	815	361	58	14	5	6	18	8	21	28	35	54	75	74	35	5	2	16
187	Ill-defined organic disease	103	2	4	2		2	4	1	2	8	9	11	20	21	14		1	2
188	Sudden death	37	14							2	2		3	5	6	5			
189	Not specified or ill-defined (total)	675	345	54	12	5	4	14	7	17	18	26	40	50	47	16	5	1	14
	Ill-defined	320	100	40	8	2	1	7	4	10	13	17	34	35	33	10	2		4
	Not specified, or unknown	355	245	14	4	3	3	7	3	7	5	9	6	15	14	6	3	1	10

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (WHITE).																	
	All causes	25,034	4,772	1,394	638	367	276	697	1,319	2,057	1,804	1,802	2,171	2,781	2,970	1,579	224	9	174
	I.—General diseases	8,530	719	494	294	182	147	344	662	1,242	942	843	837	861	616	266	23	1	57
1	Typhoid fever	831	6	12	11	11	15	73	193	207	102	84	53	38	16	2	.....	.....	8
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	136	21	11	6	9	3	7	12	11	10	11	7	9	12	6	1	.....	.....
5	Smallpox	4	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
6	Measles	380	81	85	44	27	15	38	35	18	10	11	6	3	2	1	.....	.....	4
7	Scarlet fever	56	4	8	4	8	11	11	8	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	450	216	108	47	30	15	20	8	.....	1	.....	.....	1	.....	.....	.....	.....	4
9	Diphtheria and croup	546	91	98	102	64	60	103	21	2	1	1	1	.....	.....	.....	.....	.....	2
10	Influenza	307	14	2	2	.....	4	1	8	5	15	16	33	50	87	63	6	.....	1
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	32	8	2	2	.....	1	2	.....	2	.....	2	2	4	4	2	.....	.....	1
14	Dysentery	331	56	53	23	5	4	10	1	5	7	9	17	39	60	34	6	.....	2
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	86	32	3	4	1	.....	2	3	4	3	5	8	8	10	2	.....	.....	1
19	Other epidemic diseases	7	5	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	87	12	1	2	2	.....	6	2	11	11	7	8	11	12	2	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
24	Tetanus	34	9	3	.....	.....	1	8	3	2	2	1	2	3	.....	.....	.....	.....	.....
25	Mycoses	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	95	.....	.....	1	.....	1	2	5	13	15	11	24	8	10	2	.....	.....	3
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	3,572	115	91	42	16	13	38	327	896	661	456	358	331	158	46	.....	1	23
28	Tuberculosis of the lungs	3,029	47	39	13	5	6	16	280	818	606	412	317	284	128	39	.....	1	18
29	Acute miliary tuberculosis	80	1	1	3	1	.....	2	11	26	13	6	4	6	5	1	.....	.....	.....
30	Tuberculous meningitis	166	50	33	22	8	6	11	11	12	2	4	1	4	.....	.....	.....	.....	2
31	Abdominal tuberculosis	171	5	7	2	1	.....	3	9	21	21	26	25	27	18	3	.....	.....	3
32	Pott's disease	32	5	3	.....	.....	.....	3	5	2	3	4	2	3	2	.....	.....	.....	.....
33	White swellings	12	.....	.....	.....	1	.....	2	1	4	.....	1	.....	2	.....	1	.....	.....	.....
34	Tuberculosis of other organs	55	5	8	1	.....	.....	1	6	8	10	2	6	2	5	1	.....	.....	.....
35	Disseminated tuberculosis	27	2	.....	1	.....	1	.....	4	5	6	1	3	3	.....	1	.....	.....	.....
36	Rickets	13	9	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	70	20	6	1	.....	.....	1	2	.....	6	14	10	6	3	1	.....	.....	.....
38	Gonococcus infection	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	993	.....	3	.....	.....	.....	4	6	20	50	145	239	262	173	78	8	.....	5
39	Of the buccal cavity	35	.....	.....	.....	.....	.....	.....	1	1	.....	6	6	8	11	1	1	.....	.....
40	Of the stomach, liver	352	.....	2	.....	.....	.....	1	.....	6	7	32	96	115	69	22	.....	.....	2
41	Of the peritoneum, intestines, rectum	90	.....	1	.....	.....	.....	.....	1	4	3	13	21	25	18	4	.....	.....	.....
42	Of the female genital organs	174	.....	.....	.....	.....	.....	.....	.....	3	15	49	56	35	12	4	.....	.....	.....
43	Of the breast	101	.....	.....	.....	.....	.....	.....	.....	.....	12	24	21	20	13	7	3	.....	1
44	Of the skin	76	.....	.....	.....	.....	.....	.....	.....	1	2	1	11	12	18	28	2	.....	1
45	Of other organs or of organs not specified	165	.....	.....	.....	.....	.....	3	4	5	11	20	28	47	32	12	2	.....	1
46	Other tumors (tumors of the female genital organs excepted)	18	.....	.....	.....	.....	1	.....	2	.....	1	2	6	3	2	1	.....	.....	.....
47	Acute articular rheumatism	91	2	.....	.....	.....	.....	7	8	12	6	6	10	15	17	6	1	.....	1
48	Chronic rheumatism and gout	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7	5	6	2	.....	.....	.....
49	Scurvy	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1
50	Diabetes	161	.....	.....	1	2	.....	5	10	10	12	18	17	43	31	11	.....	.....	1
51	Exophthalmic goiter	17	.....	.....	.....	.....	.....	.....	.....	6	3	5	2	1	.....	.....	.....	.....	.....
52	Addison's disease	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
53	Leukemia	31	.....	1	1	3	.....	1	4	4	2	4	5	4	2	.....	.....	.....	.....
54	Anemia, chlorosis	43	3	1	.....	1	.....	2	1	3	8	7	6	4	2	4	1	.....	.....
55	Other general diseases	38	13	3	1	3	1	2	1	2	2	1	3	1	3	2	.....	.....	.....
56	Alcoholism (acute or chronic)	51	.....	.....	.....	.....	.....	.....	.....	3	10	21	8	5	4	.....	.....	.....	.....
57	Chronic lead poisoning	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	10	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	4	1	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,167	280	76	38	39	22	68	75	81	87	142	240	336	457	197	18	1	10
60	Encephalitis	45	17	3	2	1	.....	3	2	5	4	6	.....	1	.....	.....	1	.....	.....
61	Meningitis (total)	412	142	51	29	23	16	48	40	24	10	14	5	6	4	.....	.....	.....	.....
	Simple meningitis	223	84	32	17	12	6	23	15	10	5	7	3	5	4	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	118	45	13	8	6	8	13	14	6	2	2	.....	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	71	13	6	4	5	2	12	11	8	3	5	2	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (WHITE)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	38							1		2	7	9	10	7	1			1
63	Other diseases of the spinal cord (total)	105	18	10	2	5	5	8	4	2	3	3	5	17	17	6			
	Acute anterior poliomyelitis	44	13	10	2	5	5	7	1		1								
	Other diseases of the spinal cord [1]	61	5					1	3	2	2	3	5	17	17	6			
64	Cerebral hemorrhage, apoplexy	757	15	3		2		2	5	17	23	57	142	182	217	85	6		1
65	Softening of the brain	56								1	1	1	6	10	23	12	2		
66	Paralysis without specified cause	366	2		2	1			4	6	9	14	34	72	133	76	8	1	4
67	General paralysis of the insane	84									5	16	11	17	25	8			2
68	Other forms of mental alienation	48								1	10	6	10	6	14	1			
69	Epilepsy	73	1		1	1	1	1	11	16	10	10	8	5	4	3			1
70	Convulsions (nonpuerperal)	4							1	1		1	1						
71	Convulsions of infants	71	61	5	2	3													
72	Chorea	3				1		1	1										
73	Neuralgia and neuritis	8										1	1	2	1	2	1		
74	Other diseases of the nervous system	65	13	2				3	2	5	8	6	4	8	11	3			
75	Diseases of the eyes and their annexa	1													1				
76	Diseases of the ears	31	11	2		2		2	4	3	2		4						1
	III.—Diseases of the circulatory system.	2,099	21	3	1	1	6	17	61	63	108	147	310	493	573	250	28	1	16
77	Pericarditis	22							2	2	2		3	5	6	2			
78	Acute endocarditis	67	1			1	1	3	3	6	8	12	26	3	3				
79	Organic diseases of the heart	1,621	14	2	1		3	12	51	52	87	121	243	401	432	170	17		15
80	Angina pectoris	97						1		1	8	4	14	30	33	5	1		
81	Diseases of the arteries, atheroma, aneurism, etc	241										4	16	48	90	72	10		1
82	Embolism and thrombosis	22							3	2		4	5	2	6				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7	2						2				2	1					
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	2	1			1				1								
85	Hemorrhage; other diseases of the circulatory system	17	2				1	1			2	2	1	3	3	1		1	
	IV.—Diseases of the respiratory system.	2,391	520	192	90	45	32	69	80	85	105	126	175	274	356	203	22	2	15
86	Diseases of the nasal fossae	1															1		
87	Diseases of the larynx	43	14	3	6	3	2	3	1	2	3	3		1	1	1			
88	Diseases of the thyroid body	4									1	2	1						
89	Acute bronchitis	105	59	15	4	6		2		1			3	3	6	6			
90	Chronic bronchitis	163	1	1				1	1	1	4	5	8	31	60	46	4		
91	Bronchopneumonia	456	183	61	23	13	9	15	7	5	4	7	18	27	50	27	5		2
92	Pneumonia (total)	1,404	245	105	52	22	19	45	69	70	76	94	114	176	203	93	10	2	9
	Lobar pneumonia	438	46	30	13	6	5	12	30	29	26	33	43	70	57	32	4	1	1
	Pneumonia (undefined)	966	199	75	39	16	14	33	39	41	50	61	71	106	146	61	6	1	8
93	Pleurisy	48	1	3	2	1	1	1	2	3	5	3	10	10	2	2			2
94	Pulmonary congestion, pulmonary apoplexy	55	13	2	1			1				4	6	5	12	11			
95	Gangrene of the lung	6						1			3			1	1				
96	Asthma	64		1			1				4	5	7	16	15	12	2		1
97	Pulmonary emphysema	3											1	1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	39	4	1	2					3	5	3	7	3	5	5			1
	V.—Diseases of the digestive system	2,880	842	508	143	49	26	86	122	99	110	139	167	238	219	105	17		10
99	Diseases of the mouth and annexa	20	13				1	1		1	2			1	1				
100	Diseases of the pharynx	43	4	5	2	8	2	13	5	4									
101	Diseases of the esophagus	5										1		3		1			
102	Ulcer of the stomach	43		1						5	8	5	9	9	5	1			
103	Other diseases of the stomach (cancer excepted)	338	107	15	7	5	1	6	5	8	16	10	21	40	53	38	5		1
104	Diarrhea and enteritis (under 2 years)	1,149	672	477															
105	Diarrhea and enteritis (2 years and over)	414			118	24	13	17	14	11	8	17	19	54	65	41	8		5
106	Ankylostomiasis	23				1		5	10	3		1	1	1					1
107	Intestinal parasites	20	1	3	6	2	1	6	1										
108	Appendicitis and typhlitis	152	1	1	2	1	1	20	48	23	16	15	11	8	4	1			
109	Hernia, intestinal obstruction (total)	176	30	3	1	4	5	8	9	8	16	16	24	19	24	6	2		1
	Hernia	38	10								3	3	5	7	6	3			1
	Intestinal obstruction	138	20	3	1	4	5	8	9	8	13	13	19	12	18	3	2		
110	Other diseases of the intestines	55	4	2	2	1			3	3	6	7	7	8	7	5			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (WHITE)—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	10							1	2	2	1	1	1	2				
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	160	1		1				3	4	7	28	38	49	27	2			
114	Biliary calculi	51						1		1	3	9	9	16	9	2	1		
115	Other diseases of the liver	104	7		2	1		1	4	3	11	13	20	22	14	4	1		1
116	Diseases of the spleen	3										1	1		1				
117	Simple peritonitis (nonpuerperal)	106	2	1	2	2	2	8	19	21	13	13	6	6	6	4			1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	8								2	2	2		1	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,724	24	18	11	8	7	14	31	61	104	161	259	374	424	188	23	1	16
119	Acute nephritis	138	5	7	1	5	6	5	2	3	20	18	25	22	10	7	1		1
120	Bright's disease	1,339	11	11	9	3	1	8	23	45	64	120	214	311	343	146	18	1	11
121	Chyluria																		
122	Other diseases of the kidneys and annexa	50	3		1			1	2	4	3	1	5	6	14	9	1		
123	Calculi of the urinary passages	3									1				1	1			
124	Diseases of the bladder	47	1							2	3	2	2	7	23	5			2
125	Diseases of the urethra, urinary abscess, etc	6										2		2	1				1
126	Diseases of the prostate	71											4	18	30	17	2		
127	Nonvenereal diseases of the male genital organs	2	2																
128	Uterine hemorrhage (nonpuerperal)	2									2								
129	Uterine tumor (noncancerous)	14									1	6	5	1	1				
130	Other diseases of the uterus	18							2	4	2	4	1	2		2			1
131	Cysts and other tumors of the ovary	18									3	4	3	5	1	1	1		
132	Salpingitis and other diseases of the female genital organs	13							2	3	4	4							
133	Nonpuerperal diseases of the breast (cancer excepted)	3	2								1								
	VII.—The puerperal state	318							47	122	113	30							6
134	Accidents of pregnancy	30							3	9	16	2							
135	Puerperal hemorrhage	24							1	6	12	4							1
136	Other accidents of labor	33							3	14	13	3							
137	Puerperal septicemia	150							23	57	55	11							4
138	Puerperal albuminuria and convulsions	74							17	33	14	10							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4								1	2								1
140	Following childbirth (not otherwise defined)	3								2	1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	86	15	5	2			2	2	3	4	5	5	14	11	15	3		
142	Gangrene	42		2	2			2			2	1	1	9	8	13	2		
143	Furuncle	6	1							1	1		1	2					
144	Acute abscess	12	2	1					1	2		2	1	2	1				
145	Other diseases of the skin and annexa	26	12	2					1		1	2	2	1	2	2	1		
	IX.—Diseases of the bones and of the organs of locomotion	30	3				1	7	8	2		3	3	2					1
146	Diseases of the bones (tuberculosis excepted)	22	2				1	6	7	2		2	2						
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7	1					1	1			1	1	2					
148	Amputations	1																	1
149	Other diseases of the organs of locomotion																		
	X.—Malformations	199	187	2	2		2	2	1	2	1								
150	Congenital malformations (stillbirths not included) (total)	199	187	2	2		2	2	1	2	1								
	Hydrocephalus	24	16	2	1		1	2	1	1									
	Congenital malformations of the heart	100	98				1				1								
	Other congenital malformations	75	73		1					1									

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (WHITE)—Continued.																		
	XI.—Early infancy	1,780	1,780																
151	Congenital debility, icterus, and sclerema (total)	1,557	1,557																
	Premature birth	1,080	1,080																
	Congenital debility, "atrophy," "marasmus," etc	477	477																
152	Other causes peculiar to early infancy (total)	215	215																
	Injuries at birth	102	102																
	Other causes peculiar to early infancy [1]	113	113																
153	Lack of care	8	8																
	XII.—Old age	502												20	145	254	77	1	5
154	Senility	502												20	145	254	77	1	5
	XIII.—External causes	1,644	64	47	46	40	27	73	222	279	214	180	134	108	105	69	8	2	26
	Suicide (total)	189							11	44	36	27	38	22	8	1			2
155	By poison	69							5	24	13	12	8	5	2				
156	By asphyxia	4									1	1	1	1					
157	By hanging or strangulation	19							1	4	2	3	5		3				1
158	By drowning	9									1	2	3	2	1				
159	By firearms	75							4	16	19	6	15	12	2	1			
160	By cutting or piercing instruments	10							1			2	5	2					
161	By jumping from high places																		
162	By crushing	2										1	1						
163	Other suicides	1																	1
	Accidental or undefined (total)	1,281	63	47	46	40	27	73	196	176	137	122	81	81	95	68	8	2	19
164	Poisoning by food	21	2	4	1	1	1	1	2	2	1		3	1	1	1			
165	Other acute poisonings	36	2	5	3	1	1	2	7	4	4	1	2	1	2				1
166	Conflagration	29	3	2	2	1	3	6	2	1		1	2	4	1	1			
167	Burns (conflagration excepted)	170	12	20	31	29	15	23	9	6	3	6	7	1	5	3			
168	Absorption of deleterious gases (conflagration excepted)	26	18		1					1	1	3		2					
169	Accidental drowning	105	3	5		1		7	36	23	12	6	3	2	2				5
170	Traumatism by firearms	84		1			1	9	26	21	8	10	4	3					1
171	Traumatism by cutting or piercing instruments	7						1		1	1	1	2		1				
172	Traumatism by fall	213	3	5	4	2	1	2	14	8	13	23	6	20	53	48	7	1	3
173	Traumatism in mines and quarries (total)	51							6	17	17	5	6						
	Traumatism in mines	49							5	17	17	4	6						
	Traumatism in quarries	2							1			1							
174	Traumatism by machines	33							9	7	4	8	2	2					1
175	Traumatism by other crushing (total)	284	2		1	2	3	11	47	57	51	39	21	24	18	2			6
	Railroad accidents and injuries	179	1					2	26	47	39	24	12	13	9				6
	Street-car accidents and injuries	22			1		1	2	1	2	3	5	2	3	2				
	Automobile accidents and injuries	19						2	2	3	2	3	2	3	2				
	Injuries by other vehicles	54				2	2	4	15	4	5	5	5	5	5	2			
	Landslide, other crushing	10	1					1	3	1	2	2							
176	Injuries by animals	26				1	1	3	5	4	3	1	3	3	1	1			
177	Starvation																		
178	Excessive cold	3	1							1			1						
179	Effects of heat	55	7	1		1		1	5	2	7	3	9	9	3	4	1	1	1
180	Lightning	16						1	3	2	4	2	2	2					
181	Electricity (lightning excepted)	9							5	2		1							1
185	Fractures (cause not specified)	24						1	2	1	1	4	2	1	6	6			
186	Other external violence	89	10	4	3	1	1	5	18	16	7	8	6	6	2	2			
	Homicide (total)	174	1						15	59	41	31	15	5	2				5
182	By firearms	134							10	49	34	24	9	4	1				3
183	By cutting or piercing instruments	14							4	3	3	2	2						
184	By other means	26	1						1	7	4	5	4	1	1				2
	XIV.—Ill-defined diseases	684	317	49	11	3	6	15	8	18	16	26	41	61	64	32	5		12
187	Ill-defined organic disease	77	1	4	2		2	4	1	1	6	6	6	12	17	13			2
188	Sudden death	33	13							2	1		3	5	4	5			
189	Not specified or ill-defined (total)	574	303	45	9	3	4	11	7	15	9	20	32	44	43	14	5		10
	Ill-defined	274	91	35	5	1	1	5	4	10	6	13	27	33	30	8	2		3
	Not specified, or unknown	300	212	10	4	2	3	6	3	5	3	7	5	11	13	6	3		7

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (COLORED).																		
	All causes	5,612	810	198	110	61	35	132	416	744	655	606	617	489	382	182	52	25	98
	I.—General diseases	1,961	122	61	47	23	16	74	274	433	306	207	171	112	63	17	8	1	26
1	Typhoid fever	167			3	1	3	16	51	42	21	8	12	6	3				1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	54	4	5	1			4	5	6	7	7	4	5	4	2			
5	Smallpox																		
6	Measles	16	5	2	4	2	1	1	1										
7	Scarlet fever																		
8	Whooping cough	94	42	25	11	6	4	5	1										
9	Diphtheria and croup	29	5	2	4	3	3	7	3				1						1
10	Influenza	88	6			1	1	2	6	9	7	5	14	17	12	3	4		1
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	5	1								2		2						
14	Dysentery	35	4	4				1	1	5	1	4	3	4	5	3			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	7	1									2	2	1	1				
19	Other epidemic diseases																		
20	Purulent infection and septicemia	21								6	4	5	3	2	1				
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	13						2	2	1	3	1	1	1					2
25	Mycoses	1																	1
26	Pellagra	9							1	2	2	1	1	1			1		
27	Beriberi																		
	Tuberculosis (total)	1,135	29	19	19	10	2	35	193	337	220	127	70	33	19	3	1	1	17
28	Tuberculosis of the lungs	961	16	11	8	3		23	159	296	199	116	63	31	14	3	1	1	17
29	Acute miliary tuberculosis	46	2		3			1	7	19	8	2	3		1				
30	Tuberculous meningitis	36	8	5	4	4	1	4	5	1	3		1						
31	Abdominal tuberculosis	57	1	1	2	1	1	5	10	14	7	7	3	1	4				
32	Pott's disease	6				1		1	2	1	1								
33	White swellings	1									1								
34	Tuberculosis of other organs	17	1	2	1				6	5	1			1					
35	Disseminated tuberculosis	11	1		1	1		1	4	1		2							
36	Rickets	4	1	3															
37	Syphilis	60	18		1		1		1	14	8	10	3	3					1
38	Gonococcus infection	1								1									
	Cancer and other malignant tumors (total)	129						1	2	2	18	29	40	23	9	4			1
39	Of the buccal cavity	2											2						
40	Of the stomach, liver	41								1	6	10	11	8	2	3			
41	Of the peritoneum, intestines, rectum	10								1	1	1	3	3	1				
42	Of the female genital organs	40									7	13	13	5	2				
43	Of the breast	14									2	3	5	2	1	1			
44	Of the skin	6						1	1				1	3					
45	Of other organs or of organs not specified	16							1		2	2	5	2	3				1
46	Other tumors (tumors of the female genital organs excepted)	5								1		1	2						1
47	Acute articular rheumatism	31					1		2	4	5	1	5	5	5	2	1		
48	Chronic rheumatism and gout	6									1	1	1	2	1				
49	Scurvy																		
50	Diabetes	11			1				2	1			3	3	1				
51	Exophthalmic goiter	1									1								
52	Addison's disease	1										1							
53	Leukemia	4			1						2				1				
54	Anemia, chlorosis	13	4		1				3				1	3			1		
55	Other general diseases	7	2	1	1					1			2						
56	Alcoholism (acute or chronic)	12								1	3	4	1	3					
57	Chronic lead poisoning																		
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	2									1				1				
	II.—Diseases of the nervous system and of the organs of special sense	515	56	18	8	7	6	3	17	18	39	67	78	73	76	36	2	3	8
60	Encephalitis	18	1	1	2	2			2	2	3	1	3	1					
61	Meningitis (total)	48	12	8	3	4	4	1	6	3	1	2	2	1	1				
	Simple meningitis	36	11	5	2	4	3	1	3	2		2	2	1					
	Cerebrospinal meningitis (undefined)	10	1	3	1		1		2	1					1				
	Cerebrospinal fever	2							1		1								

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (COLORED)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	2										1			1				
63	Other diseases of the spinal cord (total)	17	1	2	3		1		2			3	1	2	1				1
	Acute anterior poliomyelitis	8	1	2	2		1					1							1
	Other diseases of the spinal cord[1]	9			1				2			2	1	2	1				
64	Cerebral hemorrhage, apoplexy	179	5					1	4	3	21	26	44	27	30	14	1		3
65	Softening of the brain	9									1	1	2	1	2	1		1	
66	Paralysis without specified cause	126	2								7	20	21	28	28	14	1	2	3
67	General paralysis of the insane	20								1	2	3	1	6	2	4			1
68	Other forms of mental alienation	13									1	3		2	6	1			
69	Epilepsy	25		1			1		2	6	2	3	3	2	5				
70	Convulsions (nonpuerperal)	3						1	1	1									
71	Convulsions of infants	38	32	6															
72	Chorea																		
73	Neuralgia and neuritis																		
74	Other diseases of the nervous system	13	2			1				1	1	3	1	2		2			
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	4	1							1		1		1					
	III.—Diseases of the circulatory system	545	3	1	1			2	11	26	66	85	109	98	83	33	9	6	12
77	Pericarditis	10								1	2	1	2	1	2	1			
78	Acute endocarditis	25								3	6	10	6						
79	Organic diseases of the heart	420	2	1	1			2	10	19	47	61	87	80	62	27	6	4	11
80	Angina pectoris	18								1	2	3	9	2	1				
81	Diseases of the arteries, atheroma, aneurism, etc	58								2	5	8	4	14	14	5	3	2	1
82	Embolism and thrombosis	5									2	1			2				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)																		
84	Diseases of the lymphatic system (lymphangitis, etc.)	3							1		1				1				
85	Hemorrhage; other diseases of the circulatory system	6	1								1	1	1	1	1				
	IV.—Diseases of the respiratory system	615	120	39	22	10	6	16	27	72	53	60	64	52	40	18	6	3	7
86	Diseases of the nasal fossae	1				1													
87	Diseases of the larynx	4	2									1	1						
88	Diseases of the thyroid body	2												1		1			
89	Acute bronchitis	34	9	7	3		1			2	2	3	1	3	1	2			
90	Chronic bronchitis	53	2	1				2	6	12	6	9	5	1	4	2	1		2
91	Bronchopneumonia	94	30	10	1	5	1	4	4	11	7	2	7	5	4	1	2		
92	Pneumonia (total)	360	71	21	18	4	4	8	15	35	32	36	41	32	26	10	3	1	3
	Lobar pneumonia	94	11	5	2	1		1	5	10	12	10	12	14	7	4			
	Pneumonia (undefined)	266	60	16	16	3	4	7	10	25	20	26	29	18	19	6	3	1	3
93	Pleurisy	13						1	1	3	3	2	1	2					
94	Pulmonary congestion, pulmonary apoplexy	16	5							2	1	3	2	1		1			1
95	Gangrene of the lung	1													1				
96	Asthma	19								2		1	3	6	4			2	1
97	Pulmonary emphysema	2								1		1							
98	Other diseases of the respiratory system (tuberculosis excepted)	16	1					1	1	4	2	2	3	1		1			
	V.—Diseases of the digestive system	460	134	54	15	9	2	10	20	24	35	39	44	34	17	8	5	1	9
99	Diseases of the mouth and annexa	2	2																
100	Diseases of the pharynx	7	1		1		1	1	1	1			1						
101	Diseases of the esophagus																		
102	Ulcer of the stomach	14								3	2	2	1	4	2				
103	Other diseases of the stomach (cancer excepted)	86	24	4		1		2	2	4	6	9	16	7	6	1			4
104	Diarrhea and enteritis (under 2 years)	150	102	48															
105	Diarrhea and enteritis (2 years and over)	57			13	8		2	1	1	3	3	8	7	3	4	1	1	2
106	Ankylostomiasis	1						1											
107	Intestinal parasites	1					1												
108	Appendicitis and typhlitis	21						2	8	4	3	2	1	1					
109	Hernia, intestinal obstruction (total)	28		1				1	2	5	1	3	6	3	2	1	2		1
	Hernia	7									1	2	1	1	1	1			
	Intestinal obstruction	21		1				1	2	5		1	5	2	1		2		1
110	Other diseases of the intestines	13	4	1	1					1	1	1		3	1				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (COLORED)—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
112	Hydatid tumor of the liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	33	.....	.....	.....	.....	.....	.....	1	.....	10	9	5	4	1	.....	2	.....	1
114	Biliary calculi	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....
115	Other diseases of the liver	23	.....	.....	.....	.....	.....	.....	1	3	3	6	4	3	1	1	.....	.....	1
116	Diseases of the spleen	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	20	1	.....	.....	.....	.....	1	4	2	6	3	2	.....	.....	1	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	463	5	3	.....	2	.....	7	7	32	50	81	94	75	64	28	6	2	7
119	Acute nephritis	38	.....	2	.....	1	.....	1	3	5	8	7	7	1	2	.....	.....	.....	1
120	Bright's disease	361	2	1	.....	1	.....	6	4	19	30	63	78	70	55	20	5	2	5
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	7	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	2	.....	1	.....	.....
123	Calculi of the urinary passages	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	2	3	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc	4	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	1
127	Nonvenereal diseases of the male genital organs	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	14	.....	.....	.....	.....	.....	.....	.....	1	4	6	2	1	.....	.....	.....	.....	.....
130	Other diseases of the uterus	7	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	.....	.....	1	.....	.....	.....
131	Cysts and other tumors of the ovary	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	10	.....	.....	.....	.....	.....	.....	.....	4	2	1	1	1	.....	1	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	55	.....	.....	.....	.....	.....	.....	15	23	14	3	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	5	.....	.....	.....	.....	.....	.....	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	6	.....	.....	.....	.....	.....	.....	.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	31	.....	.....	.....	.....	.....	.....	9	12	8	2	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	6	.....	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	23	3	.....	.....	.....	.....	.....	.....	.....	.....	4	4	5	2	3	1	.....	1
142	Gangrene	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	1	2	.....	.....	1
143	Furuncle	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
144	Acute abscess	4	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....
145	Other diseases of the skin and annexa	8	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	7	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	1	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	7	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	1	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	16	15	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	16	15	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	5	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	10	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (COLORED)—Continued.																		
	XI.—Early infancy	287	287																
151	Congenital debility, icterus, and sclerema (total)	251	251																
	Premature birth	138	138																
	Congenital debility, "atrophy," "marasmus," etc.	113	113																
152	Other causes peculiar to early infancy (total)	31	31																
	Injuries at birth	10	10																
	Other causes peculiar to early infancy [1]	21	21																
153	Lack of care	5	5																
	XII.—Old age	76											1	4	19	29	14	6	3
154	Senility	76											1	4	19	29	14	6	3
	XIII.—External causes	458	20	13	14	7	5	17	45	112	80	51	38	20	7	6	1	1	21
	Suicide (total)	11								4	2	1	3	1					
155	By poison	5								2		1	1	1					
156	By asphyxia																		
157	By hanging or strangulation	2											2						
158	By drowning	1								1									
159	By firearms	1								1									
160	By cutting or piercing instruments	1									1								
161	By jumping from high places																		
162	By crushing	1									1								
163	Other suicides																		
	Accidental or undefined (total)	299	20	13	14	7	5	17	33	47	37	36	28	19	7	6	1	1	8
164	Poisoning by food	1											1						
165	Other acute poisonings	10	1	2	1			1			1	2	1		1				
166	Conflagration	5	3		1			1											
167	Burns (conflagration excepted)	67	2	7	10	7	5	6	4	5	5	3	3	5	1	4			
168	Absorption of deleterious gases (conflagration excepted)	16	8						2	1	1	1	1						2
169	Accidental drowning	21						2	6	5	3	3	1						1
170	Traumatism by firearms	28			1			3	9	5	5	3				1			1
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	27	1	1				1		1	3	8	2	5	3		1	1	
173	Traumatism in mines and quarries (total)	9								3	2	2		1					1
	Traumatism in mines	9								3	2	2		1					1
	Traumatism in quarries																		
174	Traumatism by machines	4								3			1						
175	Traumatism by other crushing (total)	60		1				3	8	15	10	8	9	3		1			2
	Railroad accidents and injuries	44		1				1	7	12	5	7	7	2					2
	Street-car accidents and injuries	5								1	1	1	1	1					
	Automobile accidents and injuries	1								1									
	Injuries by other vehicles	9						2	1		4		1			1			
	Landslide, other crushing	1								1									
176	Injuries by animals	4	1									1	1	1					
177	Starvation																		
178	Excessive cold	1	1																
179	Effects of heat	10	1						1		1	4	2	1					
180	Lightning	1											1						
181	Electricity (lightning excepted)																		
185	Fractures (cause not specified)	2									1				1				
186	Other external violence	33	2	2	1				3	9	5	1	5	3	1				1
	Homicide (total)	148							12	61	41	14	7						13
182	By firearms	126							7	51	38	12	7						11
183	By cutting or piercing instruments	9							3	2	2	1							1
184	By other means	13							2	8	1	1							1
	XIV.—Ill-defined diseases	131	44	9	3	2		3		3	12	9	13	14	10	3		2	4
187	Ill-defined organic disease	26	1							1	2	3	5	8	4	1		1	
188	Sudden death	4	1								1				2				
189	Not specified or ill-defined (total)	101	42	9	3	2		3		2	9	6	8	6	4	2		1	4
	Ill-defined	46	9	5	3	1		2			7	4	7	2	3	2			1
	Not specified, or unknown	55	33	4		1		1		2	2	2	1	4	1			1	3

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MAINE.																		
	All causes	11,565	1,734	272	123	75	64	198	384	605	669	768	1,161	1,701	2,182	1,363	238	2	26
	I.—General diseases	2,714	160	70	37	26	24	81	166	305	267	290	347	405	370	143	21	.....	2
1	Typhoid fever	91	1	.....	.....	2	1	2	21	30	9	17	3	5	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	5	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	2	1	.....	.....	.....
5	Smallpox	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
6	Measles	62	24	13	5	5	.....	5	4	4	.....	.....	1	.....	1	.....	.....	.....	.....
7	Scarlet fever	17	5	3	1	1	1	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	39	18	10	3	.....	3	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	88	9	13	9	7	10	32	4	1	.....	2	.....	1	.....	.....	.....	.....	.....
10	Influenza	173	20	3	1	2	.....	.....	2	5	3	9	10	22	45	43	8	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	10	3	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	4	1	.....	.....	.....
14	Dysentery	22	4	1	2	1	.....	2	1	1	.....	.....	1	.....	5	3	1	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	15	3	.....	.....	.....	.....	.....	.....	1	.....	1	2	5	2	1	.....	.....	.....
19	Other epidemic diseases	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	28	.....	.....	.....	.....	1	2	2	4	2	4	4	2	5	2	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	6	.....	.....	2	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....
25	Mycoses	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	10	.....	.....	.....	.....	.....	1	.....	3	1	1	1	3	.....	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	962	38	21	13	4	6	22	99	229	166	128	97	75	51	11	1	.....	1
28	Tuberculosis of the lungs	710	10	3	1	.....	2	3	70	192	128	105	79	60	47	9	.....	.....	1
29	Acute miliary tuberculosis	19	1	.....	.....	.....	.....	1	4	3	6	1	2	1	.....	.....	.....	.....	.....
30	Tuberculous meningitis	86	21	17	7	3	4	14	5	6	6	3	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	57	2	.....	3	.....	.....	3	8	13	9	6	6	6	1	.....	.....	.....	.....
32	Pott's disease	17	.....	.....	.....	.....	.....	.....	2	2	5	1	3	1	.....	2	1	.....	.....
33	White swellings	5	.....	.....	.....	.....	.....	.....	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	27	2	.....	.....	1	.....	1	2	4	6	5	4	.....	2	.....	.....	.....	.....
35	Disseminated tuberculosis	41	2	1	2	.....	.....	.....	6	7	6	7	2	7	1	.....	.....	.....	.....
36	Rickets	14	8	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
37	Syphilis	26	13	1	.....	.....	.....	.....	.....	1	4	5	2	.....	.....	.....	.....	.....	.....
38	Gonococcus infection	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	815	.....	1	1	.....	.....	.....	3	7	32	96	178	226	195	67	9	.....	.....
39	Of the buccal cavity	21	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	7	4	4	1	.....	.....
40	Of the stomach, liver	271	.....	.....	.....	.....	.....	.....	1	1	7	29	55	87	69	20	2	.....	.....
41	Of the peritoneum, intestines, rectum	173	.....	.....	.....	.....	.....	.....	.....	1	9	19	32	45	48	16	3	.....	.....
42	Of the female genital organs	123	.....	.....	.....	.....	.....	.....	.....	2	7	28	39	24	19	3	1	.....	.....
43	Of the breast	79	.....	.....	.....	.....	.....	.....	.....	.....	4	10	25	19	13	7	1	.....	.....
44	Of the skin	30	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	10	8	8	.....	.....	.....
45	Of other organs or of organs not specified	118	.....	1	1	.....	.....	.....	1	3	4	8	22	34	34	9	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	8	1	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	3	.....	.....	.....	.....
47	Acute articular rheumatism	30	1	.....	.....	.....	.....	2	7	1	4	.....	2	5	6	1	1	.....	.....
48	Chronic rheumatism and gout	16	.....	.....	.....	.....	.....	.....	1	1	1	.....	3	1	4	4	.....	.....	1
49	Scurvy	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
50	Diabetes	128	.....	.....	.....	1	.....	4	9	3	8	7	22	38	29	6	1	.....	.....
51	Exophthalmic goiter	5	.....	.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	.....	.....
52	Addison's disease	4	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....
53	Leukemia	8	.....	.....	.....	1	.....	.....	1	1	.....	2	1	1	1	.....	.....	.....	.....
54	Anemia, chlorosis	74	5	1	.....	.....	.....	.....	3	5	18	7	7	13	14	1	.....	.....	.....
55	Other general diseases	14	6	.....	.....	.....	.....	.....	1	1	3	.....	.....	1	1	1	.....	.....	.....
56	Alcoholism (acute or chronic)	29	.....	.....	.....	.....	.....	.....	2	1	8	9	6	2	1	.....	.....	.....	.....
57	Chronic lead poisoning	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,380	66	19	7	5	5	19	26	26	51	67	170	288	373	233	23	.....	2
60	Encephalitis	15	2	1	.....	.....	1	1	.....	.....	3	4	1	1	.....	1	.....	.....	.....
61	Meningitis (total)	88	26	10	5	3	3	7	11	4	6	4	1	4	2	2	.....	.....	.....
	Simple meningitis	73	20	9	4	3	3	5	9	3	5	4	1	4	1	2	.....	.....	.....
	Cerebrospinal meningitis (undefined)	15	6	1	1	.....	.....	2	2	1	1	.....	.....	.....	1	.....	.....	.....	.....
	Cerebrospinal fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MAINE—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	24									2	3	8	4	6	1			
63	Other diseases of the spinal cord (total)	65			1	2		8	5	1	5	4	9	14	13	3			
	Acute anterior poliomyelitis	14			1	1		8	2		2								
	Other diseases of the spinal cord [1]	51				1			3	1	3	4	9	14	13	3			
64	Cerebral hemorrhage, apoplexy	337	3	1					1	5	16	30	97	209	278	175	20		2
65	Softening of the brain	30										1	7	1	12	9			
66	Paralysis without specified cause	107		1						4	1	5	14	27	28	26	1		
67	General paralysis of the insane	63							1	1	3	6	17	13	15	5	2		
68	Other forms of mental alienation	27								5		5	4	5	5	3			
69	Epilepsy	26	1	1					2	1 5	6	1	4	2	4				
70	Convulsions (nonpuerperal)	3						1			1	1							
71	Convulsions of infants	33	26	5	1		1												
72	Chorea	4	1						3										
73	Neuralgia and neuritis	8									2		1	2	2	1			
74	Other diseases of the nervous system	46	5					1	3	1	6	2	7	6	8	7			
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	4	2					1				1							
	III.—Diseases of the circulatory system	1,833	25	6	3		1	12	17	16	63	92	215	400	633	312	37		1
77	Pericarditis	9						1			3		1	1	2		1		
78	Acute endocarditis	41	4		1			3	1	1	6	8	10	2	4	1			
79	Organic diseases of the heart	1,329	18	3	2		1	7	14	14	47	66	158	305	459	212	22		1
80	Angina pectoris	99	1							1	4	5	21	24	34	9			
81	Diseases of the arteries, atheroma, aneurism, etc.	287									1	3	19	54	111	85	14		
82	Embolism and thrombosis	57	1	1					2		2	8	5	14	20	4			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2													2				
84	Diseases of the lymphatic system (lymphangitis, etc.)	3		2								1							
85	Hemorrhage; other diseases of the circulatory system	6	1					1				1	1		1	1			
	IV.—Diseases of the respiratory system	1,380	241	81	32	16	12	22	28	46	72	77	108	188	254	167	32		4
86	Diseases of the nasal fossae																		
87	Diseases of the larynx	13	2	3	2		2	1			1	1			1				
88	Diseases of the thyroid body	3							1		1		1						
89	Acute bronchitis	111	46	6	1	1		1	1	2	1	1	1	5	20	22	3		
90	Chronic bronchitis	46	1					1			1	2	1	7	20	11	2		
91	Bronchopneumonia	276	79	29	13	5	3	3	2	4	9	6	11	26	51	29	5		1
92	Pneumonia (total)	825	98	42	14	10	6	14	24	34	54	60	83	134	138	90	22		2
	Lobar pneumonia	165	17	6	2	3	1	4	9	10	17	15	18	26	24	9	4		
	Pneumonia (undefined)	660	81	36	12	7	5	10	15	24	37	45	65	108	114	81	18		2
93	Pleurisy	21	2	1	1		1	2		2		3	3	2	2	2			
94	Pulmonary congestion, pulmonary apoplexy	51	11							1	3	2	5	8	12	9			
95	Gangrene of the lung	1													1				
96	Asthma	17	1		1								1	5	5	3			1
97	Pulmonary emphysema																		
98	Other diseases of the respiratory system (tuberculosis excepted)	16	1							3	2	2	2	1	4	1			
	V.—Diseases of the digestive system	1,166	466	67	32	18	11	28	42	40	44	54	93	111	100	53	6		1
99	Diseases of the mouth and annexa	3									1		1	1					
100	Diseases of the pharynx	14	2			1	2	3	2		1		1	1	1				
101	Diseases of the esophagus	2					1					1							
102	Ulcer of the stomach	27				1				1		4	8	11	1	1			
103	Other diseases of the stomach (cancer excepted)	151	32	1	2	2		3	1	6	7	7	19	27	25	16	3		
104	Diarrhea and enteritis (under 2 years)	465	406	59															
105	Diarrhea and enteritis (2 years and over)	124			26	12	4	11	3	4	2	4	12	8	22	14	1		1
106	Ankylostomiasis																		
107	Intestinal parasites	2		2															
108	Appendicitis and typhlitis	84			3	1		9	24	15	9	8	5	5	3	2			
109	Hernia, intestinal obstruction (total)	82	11	3			1	1		7	6	6	12	11	16	7	1		
	Hernia	16	1								1	1	5	5	3				
	Intestinal obstruction	66	10	3			1	1		7	5	5	7	6	13	7	1		
110	Other diseases of the intestines	29	7		1				2	1	4			9	4	1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MAINE—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	4								1	1		1	1				
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	58								1	4	8	16	14	13	2		
114	Biliary calculi	28									2	4	7	8	4	3		
115	Other diseases of the liver	57	5	1				1	2		4	10	6	12	9	6	1	
116	Diseases of the spleen	7		1							1	1	2	2				
117	Simple peritonitis (nonpuerperal)	26	3			1	3		7	4	2	1	2		2	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3							1				1	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	914	9	3		1	3	3	13	41	54	89	129	205	237	115	11	1
119	Acute nephritis	85	3	3			3	3	4	9	8	10	14	14	8	6		
120	Bright's disease	695	6			1			7	23	33	56	111	174	189	86	8	1
121	Chyluria																	
122	Other diseases of the kidneys and annexa	17									2	5		3	4	3		
123	Calculi of the urinary passages	1													1			
124	Diseases of the bladder	39										3	2	4	15	13	2	
125	Diseases of the urethra, urinary abscess, etc	1												1				
126	Diseases of the prostate	33										1		7	17	7	1	
127	Nonvenereal diseases of the male genital organs																	
128	Uterine hemorrhage (nonpuerperal)																	
129	Uterine tumor (noncancerous)	17								1	3	7	2	1	3			
130	Other diseases of the uterus	10								3	3	3		1				
131	Cysts and other tumors of the ovary	5									2	3						
132	Salpingitis and other diseases of the female genital organs	11							2	5	3	1						
133	Nonpuerperal diseases of the breast (cancer excepted)																	
	VII.—The puerperal state	86							12	36	36	2						
134	Accidents of pregnancy	12							2	5	5							
135	Puerperal hemorrhage	10								4	5	1						
136	Other accidents of labor	11							1	4	6							
137	Puerperal septicemia	28							7	13	7	1						
138	Puerperal albuminuria and convulsions	21							2	7	12							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2								2								
140	Following childbirth (not otherwise defined)	2								1	1							
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	52	6	1					1		4	5	2	9	14	10		
142	Gangrene	29									1	1		7	12	8		
143	Furuncle	7							1		1	1	1	2	1			
144	Acute abscess	9	3	1							2	2				1		
145	Other diseases of the skin and annexa	7	3									1	1		1	1		
	IX.—Diseases of the bones and of the organs of locomotion	14	3					2	2	1	1	1	2		1	1		
146	Diseases of the bones (tuberculosis excepted)	13	3					2	2	1	1	1	1		1	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1											1					
148	Amputations																	
149	Other diseases of the organs of locomotion																	
	X.—Malformations	80	74	2	1		1	1			1							
150	Congenital malformations (stillbirths not included) (total)	80	74	2	1		1	1			1							
	Hydrocephalus	8	5	1			1	1										
	Congenital malformations of the heart	48	46	1							1							
	Other congenital malformations	24	23		1													

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MAINE—Continued.																		
	XI.—Early infancy	620	620																
151	Congenital debility, icterus, and sclerema (total)	528	528																
	Premature birth	257	257																
	Congenital debility, "atrophy," "marasmus," etc	271	271																
152	Other causes peculiar to early infancy (total)	92	92																
	Injuries at birth	43	43																
	Other causes peculiar to early infancy[1]	49	49																
153	Lack of care																		
	XII.—Old age	503											2	9	117	282	89	2	2
154	Senility	503											2	9	117	282	89	2	2
	XIII.—External causes	645	13	14	10	6	7	26	73	89	67	74	77	64	61	38	14		12
	Suicide (total)	101							5	16	12	15	18	20	12	2			1
155	By poison	14								5	3	1	2	3					
156	By asphyxia	1									1								
157	By hanging or strangulation	30							2	3	2	5	6	8	3	1			
158	By drowning	17								1	2	4	2	5	1	1			1
159	By firearms	28							3	5	3	2	6	3	6				
160	By cutting or piercing instruments	8								1		2	2	1	2				
161	By jumping from high places	1								1									
162	By crushing	1									1								
163	Other suicides	1										1							
	Accidental or undefined (total)	522	11	14	10	6	7	26	67	72	47	54	58	42	49	36	14		9
164	Poisoning by food	9	1			1		1					1	3	2				
165	Other acute poisonings	27	2	5	1			2		4	5	2	2	2	1				1
166	Conflagration	5								1			2		1	1			
167	Burns (conflagration excepted)	42		4	3	1	5	2	4	3	2	4	4	1	5	3	1		
168	Absorption of deleterious gases (conflagration excepted)	12	2						1	2	2	1	3		1				
169	Accidental drowning	105		2	3	1	1	10	31	21	11	11	8	2	2				2
170	Traumatism by firearms	32							12	7	5	2	4	2					
171	Traumatism by cutting or piercing instruments	4										1	1		1		1		
172	Traumatism by fall	107	1			2				2	5	9	6	17	27	26	12		
173	Traumatism in mines and quarries (total)	2								1		1							
	Traumatism in mines																		
	Traumatism in quarries	2								1		1							
174	Traumatism by machines	26							3	7	1	5	7	1	1				1
175	Traumatism by other crushing (total)	101		2	2	1	1	11	11	16	10	11	13	11	6	3			3
	Railroad accidents and injuries	55		2				5	7	12	7	5	7	4	2	1			3
	Street-car accidents and injuries	5						1			1		1	1	1				
	Automobile accidents and injuries	11						4	1	2	1	2			1				
	Injuries by other vehicles	27			2	1	1	1	3	1	1	4	4	5	2	2			
	Landslide, other crushing	3								1			1	1					
176	Injuries by animals	4								1			1	1		1			
177	Starvation																		
178	Excessive cold	1											1						
179	Effects of heat	8	3	1								1		1	1	1			
180	Lightning	1							1										
181	Electricity (lightning excepted)	7							2	2	2	1							
185	Fractures (cause not specified)	6							1		1	2		1	1				
186	Other external violence	23	2		1				1	5	3	3	5			1			2
	Homicide (total)	22	2						1	1	8	5	1	2					2
182	By firearms	11							1	1	4	3							2
183	By cutting or piercing instruments	3									2			1					
184	By other means	8	2								2	2	1	1					
	XIV.—Ill-defined diseases	178	51	9	1	3		4	4	5	9	17	16	22	22	9	5		1
187	Ill-defined organic disease	8	1									1		1	4	1			
188	Sudden death	24	6						1		3	6	3	1	3				1
189	Not specified or ill-defined (total)	146	44	9	1	3		4	3	5	6	10	13	20	15	8	5		
	Ill-defined	80	15	5		2		4	1	5	4	6	9	16	7	4	2		
	Not specified, or unknown	66	29	4	1	1			2		2	4	4	4	8	4	3		

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (TOTAL).																		
	All causes	21,493	4,373	843	372	176	152	446	893	1,676	1,702	1,935	2,271	2,537	2,599	1,249	182	19	68
	I.—General diseases	5,860	435	234	134	77	73	203	480	858	777	730	734	588	388	121	16	2	10
1	Typhoid fever	443	5	5	4	4	6	23	121	129	51	55	27	11			1		1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	23	2	1				1	2	3	2	4	2	3	2	1			
5	Smallpox	2									1				1				
6	Measles	201	64	64	23	18	6	18	3	1	4								
7	Scarlet fever	69	2	12	10	3	11	21	9	1									
8	Whooping cough	205	115	48	22	6	3	8	2				1						
9	Diphtheria and croup	203	17	29	33	30	22	53	13	3	3								
10	Influenza	194	12	6	3		3	3	6	12	9	19	15	31	46	22	5		2
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	8							1		1		1			5			
14	Dysentery	69	17	7		1			1	3	2	5	6	8	11	7		1	
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	40	11	2					2	1	4	5	2	3	6	4			
19	Other epidemic diseases	5	2		1					1			1						
20	Purulent infection and septicemia	45	3				1	1	7	4	6	3	7	6	6	1			
21	Glanders																		
22	Anthrax																		
23	Rabies	1												1					
24	Tetanus	44	12	1				5	12	5	2	2	3	1	1				
25	Mycoses																		
26	Pellagra	14								1	4	2	1	4	2				
27	Beriberi																		
	Tuberculosis (total)	2,587	72	48	32	11	21	59	268	628	551	391	244	173	75	12			2
28	Tuberculosis of the lungs	2,210	29	15	13	4	10	21	219	574	512	352	224	154	69	12			2
29	Acute miliary tuberculosis	112	14	7	3	2	2	5	21	23	13	11	6	2	3				
30	Tuberculous meningitis	104	21	22	12	2	7	15	11	5	4	4	1						
31	Abdominal tuberculosis	87	4	3	1	2		8	9	17	13	12	8	8	2				
32	Pott's disease	24						6	6	4	2	2		3	1				
33	White swellings	12			1	1	1	1	2	1		3	2						
34	Tuberculosis of other organs	21	1		2		1	3		2	4	3	1	4					
35	Disseminated tuberculosis	17	3	1						2	3	4	2	2					
36	Rickets	7	2	3		1					1								
37	Syphilis	146	85	4	1			1	3	11	15	13	7	5	1				
38	Gonococcus infection	1								1									
	Cancer and other malignant tumors (total)	1,102			2	2			4	18	74	167	316	265	194	51	8	1	
39	Of the buccal cavity	52							1	1	2	6	17	15	7	3			
40	Of the stomach, liver	464				2				3	20	44	145	132	98	17	3		
41	Of the peritoneum, intestines, rectum	123			2						7	16	30	32	25	10	1		
42	Of the female genital organs	166								4	18	46	40	37	15	5	1		
43	Of the breast	103								1	12	20	31	18	15	3	2	1	
44	Of the skin	24									3	1	2	4	11	2	1		
45	Of other organs or of organs not specified	170							3	9	12	34	51	27	23	11			
46	Other tumors (tumors of the female genital organs excepted)	3								1				1		1			
47	Acute articular rheumatism	56						7	11	7	5	3	8	6	6	1	1		1
48	Chronic rheumatism and gout	20							1		1	1	3	5	4	4	1		
49	Scurvy	2	1							1									
50	Diabetes	182			1	1		1	9	14	16	17	49	39	24	10			1
51	Exophthalmic goiter	19							1	2	2	6	6		1	1			
52	Addison's disease	4								1		1		1					1
53	Leukemia	20	1	1				1		4	2	3	5	3					
54	Anemia, chlorosis	47	5	1				1	2	2	4	6	8	10	7	1			
55	Other general diseases	16	7	2	2				1	1	1		1	1					
56	Alcoholism (acute or chronic)	78							1	2	16	26	19	11	1				2
57	Chronic lead poisoning	2								1			1						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	2										1	1						
	II.—Diseases of the nervous system and of the organs of special sense	2,244	194	51	25	17	10	32	55	60	90	182	322	430	523	219	20	4	10
60	Encephalitis	11	3	1					3	1	1		2						
61	Meningitis (total)	174	51	29	14	7	6	18	17	11	4	6	4	2	3	1			1
	Simple meningitis	114	40	23	9	5	4	9	8	4	1	3	2	2	3	1			
	Cerebrospinal meningitis (undefined)	40	6	5	5	2	2	8	5	4	1	1							1
	Cerebrospinal fever	20	5	1				1	4	3	2	2	2						

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (TOTAL)—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	26									2	3	6	8	7			
63	Other diseases of the spinal cord (total)	70	7	2	3	3	1	3	4	4	4	5	10	12	7	4	1	
	Acute anterior poliomyelitis	19	6	1	2	3	1	2	2	1	1							
	Other diseases of the spinal cord [1]	51	1	1	1			1	2	3	3	5	10	12	7	4	1	
64	Cerebral hemorrhage, apoplexy	1,165	5	1		1			2	7	33	95	206	311	348	138	10	2	6
65	Softening of the brain	34							1	2			2	7	10	12			
66	Paralysis without specified cause	339						1	1	7	11	20	45	65	120	57	7	2	3
67	General paralysis of the insane	89								1	13	29	19	11	11	4	1		
68	Other forms of mental alienation	33								4	7	3	6	4	9				
69	Epilepsy	67				1	1	3	16	14	7	11	5	5	3	1			
70	Convulsions (nonpuerperal)	7						2	1	2	1				1				
71	Convulsions of infants	130	110	12	6	2													
72	Chorea	1							1										
73	Neuralgia and neuritis	8									1	1	5	1					
74	Other diseases of the nervous system	51	5	1			1	4	5	5	5	7	10	3	3	1	1		
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	39	13	5	2	3	1	1	4	2	1	2	2	1	1	1			
	III.—Diseases of the circulatory system	2,501	28	4	1	3	3	21	54	113	160	252	353	522	643	295	37	2	10
77	Pericarditis	13	1			1		1	1	2	1	1	1	1	2	1			
78	Acute endocarditis	121	8			1	1	3	10	15	15	29	37	1	1				
79	Organic diseases of the heart	1,868	12	2		1	2	17	41	85	130	191	259	414	473	207	26	1	7
80	Angina pectoris	101							1	4	3	9	17	30	33	3	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	342								2	8	16	34	67	124	78	10	1	2
82	Embolism and thrombosis	36	2							4	2	4	4	6	8	5			1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2									1		1						
84	Diseases of the lymphatic system (lymphangitis, etc.)	8	4	2						1		1							
85	Hemorrhage; other diseases of the circulatory system	10	1		1				1			1		3	2	1			
	IV.—Diseases of the respiratory system	2,475	649	253	106	42	32	62	68	108	131	147	166	247	286	151	21	1	5
86	Diseases of the nasal fossae	4	3						1										
87	Diseases of the larynx	17	9	2	1	2	1			1				1					
88	Diseases of the thyroid body	5							1	4									
89	Acute bronchitis	188	109	20	12	4	1	2	1		2	1	3	9	11	12	1		
90	Chronic bronchitis	132	3	2	2			2	2		4	9	10	23	46	27	1	1	
91	Bronchopneumonia	861	347	152	52	17	14	27	9	9	18	13	30	55	68	45	5		
92	Pneumonia (total)	1,093	158	73	38	18	15	30	47	87	91	103	103	139	124	55	9		3
	Lobar pneumonia	813	81	53	26	10	11	24	38	77	69	90	79	111	92	44	5		3
	Pneumonia (undefined)	280	77	20	12	8	4	6	9	10	22	13	24	28	32	11	4		
93	Pleurisy	33	1	2	1		1		4	2	3	6	4	2	7				
94	Pulmonary congestion, pulmonary apoplexy	72	16	2		1			1	3	5	6	6	5	14	9	4		
95	Gangrene of the lung	5									2	1	1						1
96	Asthma	31	1							1	2	1	5	5	12	2	1		1
97	Pulmonary emphysema	4										1		2	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	30	2					1	2	1	4	6	4	6	3	1			
	V.—Diseases of the digestive system	2,434	1,210	224	53	15	9	39	50	89	94	149	158	141	124	72	6	1	
99	Diseases of the mouth and annexa	14	12					1	1										
100	Diseases of the pharynx	33	1	2				8	3	7	2	6	2		1	1			
101	Diseases of the esophagus	5			1							2	1	1					
102	Ulcer of the stomach	39								5	7	7	8	4	6	2			
103	Other diseases of the stomach (cancer excepted)	226	49	5	2	2	3	4	3	14	13	24	19	30	33	22	3		
104	Diarrhea and enteritis (under 2 years)	1,345	1,131	214															
105	Diarrhea and enteritis (2 years and over)	180			36	6	1	12	4	3	8	7	24	26	24	27	1	1	
106	Ankylostomiasis																		
107	Intestinal parasites	6			4	1		1											
108	Appendicitis and typhlitis	129	1	1	3	1	2	3	22	36	21	20	8	9	2				
109	Hernia, intestinal obstruction (total)	166	10	1		5	2	3	5	9	16	31	25	25	22	12			
	Hernia	58	1	1						2	3	10	13	12	11	5			
	Intestinal obstruction	108	9			5	2	3	5	7	13	21	12	13	11	7			
110	Other diseases of the intestines	31	4		1				2	4	3	6	3	1	4	2	1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (TOTAL)—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	7							3		1	1	2						
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	139			1			3	2	2	12	30	40	30	18	1			
114	Biliary calculi	31									3	7	8	5	6	2			
115	Other diseases of the liver	46	1		3			1	2	4	2	6	11	8	5	2	1		
116	Diseases of the spleen	3										1		1	1				
117	Simple peritonitis (nonpuerperal)	24	1		2		1	3	2	3	5	1	4	1	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10		1					1	2	1		3		1	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,043	24	10	6	3	4	17	37	94	178	279	354	444	425	151	13	1	3
119	Acute nephritis	206	13	8	2	3	3	8	10	24	28	22	38	23	14	9	1		
120	Bright's disease	1,657	5	1	3		1	9	20	59	117	225	303	393	385	121	11	1	3
121	Chyluria																		
122	Other diseases of the kidneys and annexa	30	2	1						2	6	5	3	5	4	1	1		
123	Calculi of the urinary passages	11							1			1	2	2	4	1			
124	Diseases of the bladder	18	2		1					1		3			5	6			
125	Diseases of the urethra, urinary abscess, etc	4									1	1		2					
126	Diseases of the prostate	37										2	2	12	10	11			
127	Nonvenereal diseases of the male genital organs	5	2							1			1	1					
128	Uterine hemorrhage (nonpuerperal)	1								1									
129	Uterine tumor (noncancerous)	22								1	8	6	1	4	1	1			
130	Other diseases of the uterus	13							1	1	6	1	2		1	1			
131	Cysts and other tumors of the ovary	12									1	6	2	2	1				
132	Salpingitis and other diseases of the female genital organs	27							5	4	11	7							
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	237							38	104	74	21							
134	Accidents of pregnancy	12							1	5	5	1							
135	Puerperal hemorrhage	25								10	11	4							
136	Other accidents of labor	11								5	3	3							
137	Puerperal septicemia	112							17	54	33	8							
138	Puerperal albuminuria and convulsions	69							19	29	18	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8							1	1	4	2							
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	70	8				1		1		5	4	8	9	13	18	3		
142	Gangrene	37									1	3	6	5	6	13	3		
143	Furuncle	4	2												2				
144	Acute abscess	17	3						1		3	1	1	2	3	3			
145	Other diseases of the skin and annexa	12	3				1				1		1	2	2	2			
	IX.—Diseases of the bones and of the organs of locomotion	37	7	2	2	1	1	5	6	4	1		3	2	1	2			
146	Diseases of the bones (tuberculosis excepted)	33	6	2	2	1	1	5	6	4	1		2		1	2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3											1	2					
148	Amputations																		
149	Other diseases of the organs of locomotion	1	1																
	X.—Malformations	170	156	5	3	1		2	2			1							
150	Congenital malformations (stillbirths not included) (total)	170	156	5	3	1		2	2			1							
	Hydrocephalus	18	10	3	1	1		1	1			1							
	Congenital malformations of the heart	113	108	1	2			1	1										
	Other congenital malformations	39	38	1															

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (TOTAL)—Continued.																		
	XI.—Early infancy	1,499	1,499																
151	Congenital debility, icterus, and sclerema (total)	1,285	1,285																
	Premature birth	648	648																
	Congenital debility, "atrophy," "marasmus," etc.	637	637																
152	Other causes peculiar to early infancy (total)	203	203																
	Injuries at birth	102	102																
	Other causes peculiar to early infancy [1]	101	101																
153	Lack of care	11	11																
	XII.—Old age	368											2	20	110	169	55	8	4
154	Senility	368											2	20	110	169	55	8	4
	XIII.—External causes	1,287	54	24	35	13	18	62	98	240	182	161	153	100	69	44	11		23
	Suicide (total)	204							5	45	42	42	38	18	12				2
155	By poison	50							2	14	7	12	9	4	2				
156	By asphyxia	35								8	11	6	7		3				
157	By hanging or strangulation	27							1	4	3	4	5	4	5				1
158	By drowning	11								2	2	3	1	3					
159	By firearms	61							2	15	9	13	14	5	2				1
160	By cutting or piercing instruments	13								2	6	2	2	1					
161	By jumping from high places	5									3	2							
162	By crushing	1									1								
163	Other suicides	1												1					
	Accidental or undefined (total)	999	51	24	35	13	18	61	84	163	118	110	107	82	57	44	11		21
164	Poisoning by food	16			1	1		4			1	2	3	2	2				
165	Other acute poisonings	28	6	3	6		1	1	1		3	4	2		1				
166	Conflagration	13	1						1	2	1	1	2	4	1				
167	Burns (conflagration excepted)	108	6	11	19	8	13	14	4	7	6	7	2	5	2	3			1
168	Absorption of deleterious gases (conflagration excepted)	48	20	1					4	2	4	5	3	3	4	2			
169	Accidental drowning	163		3	1	1	1	9	29	40	24	18	16	6	1	2			12
170	Traumatism by firearms	30				1		7	12	4	3	1	2						
171	Traumatism by cutting or piercing instruments	3							1	1					1				
172	Traumatism by fall	181	4	1	4	1	1	9	7	15	12	18	22	27	20	30	10		
173	Traumatism in mines and quarries (total)	15							2	4	4	2	3						
	Traumatism in mines	15							2	4	4	2	3						
	Traumatism in quarries																		
174	Traumatism by machines	26							4	6	4	3	6	2	1				
175	Traumatism by other crushing (total)	231		3	3	1	2	13	14	65	35	27	24	22	16	1			5
	Railroad accidents and injuries	134		1	2			2	6	48	24	18	13	10	5				5
	Street-car accidents and injuries	32					1	8	1	2	4	1	5	6	4				
	Automobile accidents and injuries	30		1				2	3	9	3	3	3	3	3				
	Injuries by other vehicles	25		1	1	1			3	1	4	5	2	2	4	1			
	Landslide, other crushing	10					1	1	1	5			1	1					
176	Injuries by animals	7									1		4	1		1			
177	Starvation	1	1																
178	Excessive cold	1										1							
179	Effects of heat	23	6								3	5	1	1	3	3	1		
180	Lightning	9							1	3	1		2		1				1
181	Electricity (lightning excepted)	13								5	3	3	2						
185	Fractures (cause not specified)	6	1									1		1	2	1			
186	Other external violence	77	6	2	1			4	4	9	13	12	13	8	2	1			2
	Homicide (total)	84	3					1	9	32	22	9	8						
182	By firearms	41						1	5	15	10	5	5						
183	By cutting or piercing instruments	19							1	11	4	3							
184	By other means	24	3						3	6	8	1	3						
	XIV.—Ill-defined diseases	268	109	36	7	4	1	3	4	6	10	9	18	34	17	7			3
187	Ill-defined organic disease	9				1		1			1	1		1	3	1			
188	Sudden death	22	11	1								1	4		3	2			
189	Not specified or ill-defined (total)	237	98	35	7	3	1	2	4	6	9	7	14	33	11	4			3
	Ill-defined	133	26	31	6	3	1	2	3	3	5	5	9	30	7	2			
	Not specified, or unknown	104	72	4	1				1	3	4	2	5	3	4	2			3

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (WHITE).																		
	All causes	15,758	3,024	550	255	124	101	304	519	1,092	1,159	1,328	1,713	2,093	2,231	1,094	139	3	29
	I.—General diseases	4,152	262	148	92	57	45	130	252	537	546	506	604	503	346	110	10	1	3
1	Typhoid fever	291	2	2	1	3	3	12	76	88	37	37	18	10			1		1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	14	1	1					2	1	1	2	1	2	2	1			
5	Smallpox	1									1								
6	Measles	155	51	47	17	15	4	15	1	1	4								
7	Scarlet fever	66	1	11	10	3	11	21	8	1									
8	Whooping cough	110	72	18	12	2	1	3	1				1						
9	Diphtheria and croup	174	11	28	31	24	19	45	10	3	3								
10	Influenza	141	4		1		1	2	3	7	5	15	12	24	42	21	4		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	8							1		1		1			5			
14	Dysentery	48	9	6		1				3	1	1	4	7	8	7		1	
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	36	10	2					2	1	3	5	2	1	6	4			
19	Other epidemic diseases	4	1		1					1			1						
20	Purulent infection and septicemia	33	2						4	4	4	3	5	5	5	1			
21	Glanders																		
22	Anthrax																		
23	Rabies	1												1					
24	Tetanus	26	6	1				4	6	2	1	1	3	1	1				
25	Mycoses																		
26	Pellagra	11								1	3	1	1	4	1				
27	Beriberi																		
	Tuberculosis (total)	1,621	36	27	16	6	6	20	110	376	382	254	183	138	59	8			
28	Tuberculosis of the lungs	1,395	12	6	5	2		6	85	342	354	229	171	120	55	8			
29	Acute miliary tuberculosis	51	4	2				1	8	15	8	6	3	2	2				
30	Tuberculous meningitis	75	15	16	9	2	5	8	8	4	3	4	1						
31	Abdominal tuberculosis	48	2	2	1	1			4	9	10	6	5	7	1				
32	Pott's disease	20						5	4	3	2	2		3	1				
33	White swellings	7			1	1	1		1	1		1	1						
34	Tuberculosis of other organs	12	1							2	2	2	1	4					
35	Disseminated tuberculosis	13	2	1							3	4	1	2					
36	Rickets	2	1								1								
37	Syphilis	73	43	1					1	2	10	6	6	3	1				
38	Gonococcus infection	1								1									
	Cancer and other malignant tumors (total)	948			1	2			4	15	53	126	275	237	184	47	4		
39	Of the buccal cavity	41							1		1	4	13	12	7	3			
40	Of the stomach, liver	406			2					3	15	32	125	119	92	17	1		
41	Of the peritoneum, intestines, rectum	113			1						5	15	29	29	25	8	1		
42	Of the female genital organs	128								3	11	31	33	33	12	5			
43	Of the breast	86								1	9	15	27	15	15	3	1		
44	Of the skin	22									3	1	1	3	11	2	1		
45	Of other organs or of organs not specified	152							3	8	9	28	47	26	22	9			
46	Other tumors (tumors of the female genital organs excepted)	2								1						1			
47	Acute articular rheumatism	46						5	10	5	4	2	6	6	6	1			1
48	Chronic rheumatism and gout	17							1		1	1	3	4	2	4	1		
49	Scurvy	1								1									
50	Diabetes	158			1	1		1	8	12	13	15	42	36	21	8			
51	Exophthalmic goiter	18							1	2	2	5	6		1	1			
52	Addison's disease	4								1		1		1					1
53	Leukemia	19	1	1				1		4	2	2	5	3					
54	Anemia, chlorosis	45	5	1				1	2	2	3	6	8	10	6	1			
55	Other general diseases	13	6	2	1				1	1			1	1					
56	Alcoholism (acute or chronic)	61									11	22	18	9	1				
57	Chronic lead poisoning	2								1			1						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	2										1	1						
	II.—Diseases of the nervous system and of the organs of special sense	1,748	138	36	20	12	9	25	39	41	62	116	233	362	449	184	17		5
60	Encephalitis	9	3	1					2	1	1		1						
61	Meningitis (total)	127	38	20	12	5	5	16	10	6	3	5	2	2	3				
	Simple meningitis	86	30	15	7	4	3	8	5	3	1	3	2	2	3				
	Cerebrospinal meningitis (undefined)	29	5	4	5	1	2	7	2	2		1							
	Cerebrospinal fever	12	3	1				1	3	1	2	1							

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (WHITE)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	25									2	3	5	8	7				
63	Other diseases of the spinal cord (total)	61	4	2	2	3	1	2	4	3	4	3	9	12	7	4	1		
	Acute anterior poliomyelitis	16	4	1	2	3	1	1	2	1	1								
	Other diseases of the spinal cord [1]	45		1				1	2	2	3	3	9	12	7	4	1		
64	Cerebral hemorrhage, apoplexy	934	4						1	5	19	60	149	265	300	118	10		3
65	Softening of the brain	29								1			2	7	9	10			
66	Paralysis without specified cause	244							1	3	7	7	26	49	99	46	4		2
67	General paralysis of the insane	75								1	11	23	17	9	10	3	1		
68	Other forms of mental alienation	26								4	5	2	5	2	8				
69	Epilepsy	51					1	3	12	11	5	6	5	4	3	1			
70	Convulsions (nonpuerperal)	3							1	1					1				
71	Convulsions of infants	89	76	8	4	1													
72	Chorea	1							1										
73	Neuralgia and neuritis	7									1	1	5						
74	Other diseases of the nervous system	34	3	1			1	4	3	3	3	4	6	3	1	1	1		
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	33	10	4	2	3	1		4	2	1	2	1	1	1	1			
	III.—Diseases of the circulatory system.	1,905	23	3		3	2	18	43	67	83	166	237	424	549	253	27	2	5
77	Pericarditis	11	1			1		1	1	2			1	1	2	1			
78	Acute endocarditis	87	8			1	1	2	7	9	8	23	26	1	1				
79	Organic diseases of the heart	1,388	9	1		1	1	15	34	50	68	120	171	331	394	172	17	1	3
80	Angina pectoris	85								3	2	7	10	27	32	3	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	289								1	2	10	25	56	112	72	9	1	1
82	Embolism and thrombosis	30	2							1	2	4	3	5	7	5			1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2									1		1						
84	Diseases of the lymphatic system (lymphangitis, etc.)	7	3	2						1		1							
85	Hemorrhage; other diseases of the circulatory system	6							1			1		3	1				
	IV.—Diseases of the respiratory system.	1,678	378	156	69	25	20	39	34	58	80	96	105	207	252	138	20		1
86	Diseases of the nasal fossae	2	1						1										
87	Diseases of the larynx	15	7	2	1	2	1			1				1					
88	Diseases of the thyroid body	5							1	4									
89	Acute bronchitis	107	54	10	7	1	1	1					2	9	10	11	1		
90	Chronic bronchitis	108	3		1			2	1		1	8	4	22	41	24	1		
91	Bronchopneumonia	562	206	96	32	7	8	14	5	5	14	8	19	42	58	43	5		
92	Pneumonia (total)	747	92	44	27	14	9	22	23	45	56	65	66	118	109	48	8		1
	Lobar pneumonia	560	57	32	17	8	7	17	17	38	41	57	50	93	81	39	5		1
	Pneumonia (undefined)	187	35	12	10	6	2	5	6	7	15	8	16	25	28	9	3		
93	Pleurisy	24		2	1		1		2	1	1	4	3	2	7				
94	Pulmonary congestion, pulmonary apoplexy	60	14	2		1			1	1	4	3	4	3	14	9	4		
95	Gangrene of the lung	4									2	1	1						
96	Asthma	21										1	4	3	10	2	1		
97	Pulmonary emphysema	2										1		1					
98	Other diseases of the respiratory system (tuberculosis excepted)	21	1							1	2	5	2	6	3	1			
	V.—Diseases of the digestive system.	1,819	893	166	36	11	7	27	32	67	65	100	122	114	111	65	3		
99	Diseases of the mouth and annexa	8	6					1	1										
100	Diseases of the pharynx	28	1	2				7	2	6	2	4	2		1	1			
101	Diseases of the esophagus	3										1	1	1					
102	Ulcer of the stomach	33								4	6	7	6	3	5	2			
103	Other diseases of the stomach (cancer excepted)	138	28	1	2	2	2	2	1	8	8	10	9	18	26	20	1		
104	Diarrhea and enteritis (under 2 years)	1,006	844	162															
105	Diarrhea and enteritis (2 years and over)	134			26	4		6	4	2	4	4	14	22	23	24	1		
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	103	1	1	3		2	3	19	26	17	14	7	8	2				
109	Hernia, intestinal obstruction (total)	134	8			5	2	3	2	9	8	23	22	22	19	11			
	Hernia	49	1							2	2	9	13	10	8	4			
	Intestinal obstruction	85	7			5	2	3	2	7	6	14	9	12	11	7			
110	Other diseases of the intestines	22	3						1	3	2	4	3	1	3	2			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (WHITE)—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	4							2			1	1					
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	110			1			2		1	10	19	34	24	18	1		
114	Biliary calculi	31									3	7	8	5	6	2		
115	Other diseases of the liver	39	1		2			1		4	1	5	10	8	5	1	1	
116	Diseases of the spleen	3										1		1	1			
117	Simple peritonitis (nonpuerperal)	17	1		2		1	2		2	3		4	1	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	6								2	1		1		1	1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	1,541	16	6	2	2	3	12	20	65	111	189	265	347	356	137	9	1
119	Acute nephritis	136	7	5		2	2	6	7	18	16	13	23	17	12	8		
120	Bright's disease	1,274	4	1	1		1	6	12	43	78	149	231	307	322	110	8	1
121	Chyluria																	
122	Other diseases of the kidneys and annexa	22	1							2	3	5	2	4	3	1	1	
123	Calculi of the urinary passages	9							1			1	2	1	3	1		
124	Diseases of the bladder	14	2		1							2			4	5		
125	Diseases of the urethra, urinary abscess, etc	3										1		2				
126	Diseases of the prostate	33										1	1	12	9	10		
127	Nonvenereal diseases of the male genital organs	4	2										1	1				
128	Uterine hemorrhage (nonpuerperal)	1								1								
129	Uterine tumor (noncancerous)	14									4	6	1	1	1	1		
130	Other diseases of the uterus	8									3	1	2		1	1		
131	Cysts and other tumors of the ovary	11									1	5	2	2	1			
132	Salpingitis and other diseases of the female genital organs	12								1	6	5						
133	Nonpuerperal diseases of the breast (cancer excepted)																	
	VII.—The puerperal state	163							15	80	53	15						
134	Accidents of pregnancy	9								5	4							
135	Puerperal hemorrhage	21								8	9	4						
136	Other accidents of labor	9								5	2	2						
137	Puerperal septicemia	78							10	41	20	7						
138	Puerperal albuminuria and convulsions	42							5	21	15	1						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4									3	1						
140	Following childbirth (not otherwise defined)																	
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	56	7				1				4	2	5	7	13	15	2	
142	Gangrene	26										1	4	3	6	10	2	
143	Furuncle	4	2												2			
144	Acute abscess	16	3								3	1	1	2	3	3		
145	Other diseases of the skin and annexa	10	2				1				1			2	2	2		
	IX.—Diseases of the bones and of the organs of locomotion	28	5	2	2	1	1	2	4	3	1		2	2	1	2		
146	Diseases of the bones (tuberculosis excepted)	24	4	2	2	1	1	2	4	3	1		1		1	2		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3											1	2				
148	Amputations																	
149	Other diseases of the organs of locomotion	1	1															
	X.—Malformations	151	138	4	3	1		2	2			1						
150	Congenital malformations (stillbirths not included) (total)	151	138	4	3	1		2	2			1						
	Hydrocephalus	17	9	3	1	1		1	1			1						
	Congenital malformations of the heart	104	99	1	2			1	1									
	Other congenital malformations	30	30															

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (WHITE)—Continued.																		
	XI.—Early infancy	1,086	1,086																
151	Congenital debility, icterus, and sclerema (total)	918	918																
	Premature birth	482	482																
	Congenital debility, "atrophy," "marasmus," etc	436	436																
152	Other causes peculiar to early infancy (total)	163	163																
	Injuries at birth	88	88																
	Other causes peculiar to early infancy [1]	75	75																
153	Lack of care	5	5																
	XII.—Old age	278											1	15	79	143	40		
154	Senility	278											1	15	79	143	40		
	XIII.—External causes	1,014	34	17	26	11	13	46	77	170	148	130	128	88	62	41	11		12
	Suicide (total)	194							5	41	40	40	37	17	12				2
155	By poison	48							2	12	7	12	9	4	2				
156	By asphyxia	34								8	11	5	7		3				
157	By hanging or strangulation	26							1	3	3	4	5	4	5				1
158	By drowning	10								1	2	3	1	3					
159	By firearms	59							2	15	9	12	13	5	2				1
160	By cutting or piercing instruments	11								2	4	2	2	1					
161	By jumping from high places	5									3	2							
162	By crushing	1									1								
163	Other suicides																		
	Accidental or undefined (total)	775	32	17	26	11	13	45	66	116	97	83	86	71	50	41	11		10
164	Poisoning by food	14			1	1		4			1	1	3	1	2				
165	Other acute poisonings	19	4	2	3		1		1		3	3	2						
166	Conflagration	11							1	2	1	1	1	4	1				
167	Burns (conflagration excepted)	70	5	8	13	7	8	8	2	3	4	5	1	4	1	1			
168	Absorption of deleterious gases (conflagration excepted)	40	13	1					4	2	4	5	3	2	4	2			
169	Accidental drowning	106		2	1	1	1	8	22	21	17	11	9	5	1	2			5
170	Traumatism by firearms	20				1		5	9	1	2		2						
171	Traumatism by cutting or piercing instruments	2								1					1				
172	Traumatism by fall	155	3	1	4	1	1	5	6	10	10	13	19	24	19	29	10		
173	Traumatism in mines and quarries (total)	15							2	4	4	2	3						
	Traumatism in mines	15							2	4	4	2	3						
	Traumatism in quarries																		
174	Traumatism by machines	21							3	5	3	3	5	2					
175	Traumatism by other crushing (total)	196		2	3		2	11	14	54	29	22	21	20	14	1			3
	Railroad accidents and injuries	113			2			2	6	40	20	14	12	10	4				3
	Street-car accidents and injuries	26					1	6	1	2	4	1	3	5	3				
	Automobile accidents and injuries	29		1				2	3	9	3	3	3	2	3				
	Injuries by other vehicles	21		1	1				3	1	2	4	2	2	4	1			
	Landslide, other crushing	7					1	1	1	2			1	1					
176	Injuries by animals	5									1		2	1		1			
177	Starvation	1	1																
178	Excessive cold																		
179	Effects of heat	17	3								2	3	1	1	3	3	1		
180	Lightning	7								3	1		2						1
181	Electricity (lightning excepted)	13								5	3	3	2						
185	Fractures (cause not specified)	5											1	1	2	1			
186	Other external violence	58	3	1	1			4	2	5	12	10	10	6	2	1			1
	Homicide (total)	45	2					1	6	13	11	7	5						
182	By firearms	19						1	3	4	5	4	2						
183	By cutting or piercing instruments	11							1	5	2	3							
184	By other means	15	2						2	4	4		3						
	XIV.—Ill-defined diseases	139	44	12	5	1		3	1	4	6	7	11	24	13	6			2
187	Ill-defined organic disease	5						1							3	1			
188	Sudden death	12	5										3		2	2			
189	Not specified or ill-defined (total)	122	39	12	5	1		2	1	4	6	7	8	24	8	3			2
	Ill-defined	82	18	10	4	1		2	1	1	2	5	6	23	7	2			
	Not specified, or unknown	40	21	2	1					3	4	2	2	1	1	1			2

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (COLORED).																		
	All causes	5,735	1,349	293	117	52	51	142	374	584	543	607	558	444	368	155	43	16	39
	I.—General diseases	1,708	173	86	42	20	28	73	228	321	231	224	130	85	42	11	6	1	7
1	Typhoid fever	152	3	3	3	1	3	11	45	41	14	18	9	1					
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	9	1					1		2	1	2	1	1					
5	Smallpox	1													1				
6	Measles	46	13	17	6	3	2	3	2										
7	Scarlet fever	3	1	1					1										
8	Whooping cough	95	43	30	10	4	2	5	1										
9	Diphtheria and croup	29	6	1	2	6	3	8	3										
10	Influenza	53	8	6	2		2	1	3	5	4	4	3	7	4	1	1		2
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras																		
14	Dysentery	21	8	1					1		1	4	2	1	3				
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	4	1								1			2					
19	Other epidemic diseases	1	1																
20	Purulent infection and septicemia	12	1				1	1	3		2		2	1	1				
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	18	6					1	6	3	1	1							
25	Mycoses																		
26	Pellagra	3									1	1			1				
27	Beriberi																		
	Tuberculosis (total)	966	36	21	16	5	15	39	158	252	169	137	61	35	16	4			2
28	Tuberculosis of the lungs	815	17	9	8	2	10	15	134	232	158	123	53	34	14	4			2
29	Acute miliary tuberculosis	61	10	5	3	2	2	4	13	8	5	5	3		1				
30	Tuberculous meningitis	29	6	6	3		2	7	3	1	1								
31	Abdominal tuberculosis	39	2	1		1		8	5	8	3	6	3	1	1				
32	Pott's disease	4						1	2	1									
33	White swellings	5						1	1			2	1						
34	Tuberculosis of other organs	9			2		1	3			2	1							
35	Disseminated tuberculosis	4	1							2			1						
36	Rickets	5	1	3		1													
37	Syphilis	73	42	3	1			1	2	9	5	7	1	2					
38	Gonococcus infection																		
	Cancer and other malignant tumors (total)	154			1					3	21	41	41	28	10	4	4	1	
39	Of the buccal cavity	11								1	1	2	4	3					
40	Of the stomach, liver	58									5	12	20	13	6		2		
41	Of the peritoneum, intestines	10			1						2	1	1	3		2			
42	Of the female genital organs	38								1	7	15	7	4	3		1		
43	Of the breast	17									3	5	4	3			1	1	
44	Of the skin	2											1	1					
45	Of other organs or of organs not specified	18								1	3	6	4	1	1	2			
46	Other tumors (tumors of the female genital organs excepted)	1												1					
47	Acute articular rheumatism	10						2	1	2	1	1	2			1			
48	Chronic rheumatism and gout	3												1	2				
49	Scurvy	1	1																
50	Diabetes	24							1	2	3	2	7	3	3	2			1
51	Exophthalmic goiter	1										1							
52	Addison's disease																		
53	Leukemia	1										1							
54	Anemia, chlorosis	2									1				1				
55	Other general diseases	3	1		1						1								
56	Alcoholism (acute or chronic)	17							1	2	5	4	1	2					2
57	Chronic lead poisoning																		
58	Other chronic occupation poisonings																		
59	Other chronic poisonings																		
	II.—Diseases of the nervous system and of the organs of special sense	496	56	15	5	5	1	7	16	19	28	66	89	68	74	35	3	4	5
60	Encephalitis	2							1				1						
61	Meningitis (total)	47	13	9	2	2	1	2	7	5	1	1	2			1			1
	Simple meningitis	28	10	8	2	1	1	1	3	1						1			
	Cerebrospinal meningitis (undefined)	11	1	1		1		1	3	2	1								1
	Cerebrospinal fever	8	2						1	2		1	2						

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (COLORED)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	1											1						
63	Other diseases of the spinal cord (total)	9	3		1			1		1		2	1						
	Acute anterior poliomyelitis	3	2					1											
	Other diseases of the spinal cord[1]	6	1		1					1		2	1						
64	Cerebral hemorrhage, apoplexy	231	1	1		1			1	2	14	35	57	46	48	20		2	3
65	Softening of the brain	5							1	1					1	2			
66	Paralysis without specified cause	95						1		4	4	13	19	16	21	11	3	2	1
67	General paralysis of the insane	14									2	6	2	2	1	1			
68	Other forms of mental alienation	7									2	1	1	2	1				
69	Epilepsy	16				1			4	3	2	5		1					
70	Convulsions (nonpuerperal)	4						2		1	1								
71	Convulsions of infants	41	34	4	2	1													
72	Chorea																		
73	Neuralgia and neuritis	1												1					
74	Other diseases of the nervous system	17	2						2	2	2	3	4		2				
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	6	3	1				1					1						
	III.—Diseases of the circulatory system	596	5	1	1		1	3	11	46	77	86	116	98	94	42	10		5
77	Pericarditis	2									1	1							
78	Acute endocarditis	34						1	3	6	7	6	11						
79	Organic diseases of the heart	480	3	1			1	2	7	35	62	71	88	83	79	35	9		4
80	Angina pectoris	16							1	1	1	2	7	3	1				
81	Diseases of the arteries, atheroma, aneurism, etc.	53								1	6	6	9	11	12	6	1		1
82	Embolism and thrombosis	6								3			1	1	1				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)																		
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	1																
85	Hemorrhage; other diseases of the circulatory system	4	1		1										1	1			
	IV.—Diseases of the respiratory system	797	271	97	37	17	12	23	34	50	51	51	61	40	34	13	1	1	4
86	Diseases of the nasal fossae	2	2																
87	Diseases of the larynx	2	2																
88	Diseases of the thyroid body																		
89	Acute bronchitis	81	55	10	5	3		1	1		2	1	1		1	1			
90	Chronic bronchitis	24		2	1				1		3	1	6	1	5	3		1	
91	Bronchopneumonia	299	141	56	20	10	6	13	4	4	4	5	11	13	10	2			
92	Pneumonia (total)	346	66	29	11	4	6	8	24	42	35	38	37	21	15	7	1		2
	Lobar pneumonia	253	24	21	9	2	4	7	21	39	28	33	29	18	11	5			2
	Pneumonia (undefined)	93	42	8	2	2	2	1	3	3	7	5	8	3	4	2	1		
93	Pleurisy	9	1						2	1	2	2	1						
94	Pulmonary congestion, pulmonary apoplexy	12	2							2	1	3	2	2					
95	Gangrene of the lung	1																	1
96	Asthma	10	1							1	2		1	2	2				1
97	Pulmonary emphysema	2												1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	9	1					1	2		2	1	2						
	V.—Diseases of the digestive system	615	317	58	17	4	2	12	18	22	29	49	36	27	13	7	3	1	
99	Diseases of the mouth and annexa	6	6																
100	Diseases of the pharynx	5						1	1	1		2							
101	Diseases of the esophagus	2			1							1							
102	Ulcer of the stomach	6								1	1		2	1	1				
103	Other diseases of the stomach (cancer excepted)	88	21	4			1	2	2	6	5	14	10	12	7	2	2		
104	Diarrhea and enteritis (under 2 years)	339	287	52															
105	Diarrhea and enteritis (2 years and over)	46			10	2	1	6		1	4	3	10	4	1	3		1	
106	Ankylostomiasis																		
107	Intestinal parasites	6			4	1		1											
108	Appendicitis and typhlitis	26				1			3	10	4	6	1	1					
109	Hernia, intestinal obstruction (total)	32	2	1					3		8	8	3	3	3	1			
	Hernia	9		1							1	1		2	3	1			
	Intestinal obstruction	23	2						3		7	7	3	1					
110	Other diseases of the intestines	9	1		1				1	1	1	2			1		1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (COLORED)—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	3							1		1		1					
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	29						1	2	1	2	11	6	6				
114	Biliary calculi																	
115	Other diseases of the liver	7			1				2		1	1	1			1		
116	Diseases of the spleen																	
117	Simple peritonitis (nonpuerperal)	7						1	2	1	2	1						
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4		1					1				2					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	502	8	4	4	1	1	5	17	29	67	90	89	97	69	14	4	1	2
119	Acute nephritis	70	6	3	2	1	1	2	3	6	12	9	15	6	2	1	1		
120	Bright's disease	383	1		2			3	8	16	39	76	72	86	63	11	3	1	2
121	Chyluria																		
122	Other diseases of the kidneys and annexa	8	1	1							3		1	1	1				
123	Calculi of the urinary passages	2												1	1				
124	Diseases of the bladder	4								1		1			1	1			
125	Diseases of the urethra, urinary abscess, etc	1									1								
126	Diseases of the prostate	4										1	1		1	1			
127	Nonvenereal diseases of the male genital organs	1								1									
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	8								1	4			3					
130	Other diseases of the uterus	5							1	1	3								
131	Cysts and other tumors of the ovary	1										1							
132	Salpingitis and other diseases of the female genital organs	15							5	3	5	2							
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	74							23	24	21	6							
134	Accidents of pregnancy	3							1		1	1							
135	Puerperal hemorrhage	4								2	2								
136	Other accidents of labor	2									1	1							
137	Puerperal septicemia	34							7	13	13	1							
138	Puerperal albuminuria and convulsions	27							14	8	3	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4							1	1	1	1							
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	14	1						1		1	2	3	2		3	1		
142	Gangrene	11									1	2	2	2		3	1		
143	Furuncle																		
144	Acute abscess	1							1										
145	Other diseases of the skin and annexa	2	1										1						
	IX.—Diseases of the bones and of the organs of locomotion	9	2					3	2	1			1						
146	Diseases of the bones (tuberculosis excepted)	9	2					3	2	1			1						
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	19	18	1															
150	Congenital malformations (stillbirths not included) (total)	19	18	1															
	Hydrocephalus	1	1																
	Congenital malformations of the heart	9	9																
	Other congenital malformations	9	8	1															

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (COLORED)—Continued.																		
	XI.—Early infancy	413	413																
151	Congenital debility, icterus, and sclerema (total)	367	367																
	Premature birth	166	166																
	Congenital debility, "atrophy," "marasmus," etc.	201	201																
152	Other causes peculiar to early infancy (total)	40	40																
	Injuries at birth	14	14																
	Other causes peculiar to early infancy [1]	26	26																
153	Lack of care	6	6																
	XII.—Old age	90											1	5	31	26	15	8	4
154	Senility	90											1	5	31	26	15	8	4
	XIII.—External causes	273	20	7	9	2	5	16	21	70	34	31	25	12	7	3			11
	Suicide (total)	10								4	2	2	1	1					
155	By poison	2								2									
156	By asphyxia	1										1							
157	By hanging or strangulation	1								1									
158	By drowning	1								1									
159	By firearms	2										1	1						
160	By cutting or piercing instruments	2									2								
161	By jumping from high places																		
162	By crushing																		
163	Other suicides	1												1					
	Accidental or undefined (total)	224	19	7	9	2	5	16	18	47	21	27	21	11	7	3			11
164	Poisoning by food	2										1		1					
165	Other acute poisonings	9	2	1	3			1				1			1				
166	Conflagration	2	1										1						
167	Burns (conflagration excepted)	38	1	3	6	1	5	6	2	4	2	2	1	1	1	2			1
168	Absorption of deleterious gases (conflagration excepted)	8	7											1					
169	Accidental drowning	57		1				1	7	19	7	7	7	1					7
170	Traumatism by firearms	10						2	3	3	1	1							
171	Traumatism by cutting or piercing instruments	1							1										
172	Traumatism by fall	26	1					4	1	5	2	5	3	3	1	1			
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines																		
	Traumatism in quarries																		
174	Traumatism by machines	5							1	1	1		1		1				
175	Traumatism by other crushing (total)	35		1		1		2		11	6	5	3	2	2				2
	Railroad accidents and injuries	21		1						8	4	4	1		1				2
	Street-car accidents and injuries	6						2					2	1	1				
	Automobile accidents and injuries	1												1					
	Injuries by other vehicles	4				1					2	1							
	Landslide, other crushing	3								3									
176	Injuries by animals	2											2						
177	Starvation																		
178	Excessive cold	1										1							
179	Effects of heat	6	3								1	2							
180	Lightning	2							1						1				
181	Electricity (lightning excepted)																		
185	Fractures (cause not specified)	1	1																
186	Other external violence	19	3	1					2	4	1	2	3	2					1
	Homicide (total)	39	1						3	19	11	2	3						
182	By firearms	22							2	11	5	1	3						
183	By cutting or piercing instruments	8								6	2								
184	By other means	9	1						1	2	4	1							
	XIV.—Ill-defined diseases	129	65	24	2	3	1		3	2	4	2	7	10	4	1			1
187	Ill-defined organic disease	4				1					1	1		1					
188	Sudden death	10	6	1								1	1		1				
189	Not specified or ill-defined (total)	115	59	23	2	2	1		3	2	3		6	9	3	1			1
	Ill-defined	51	8	21	2	2	1		2	2	3		3	7					
	Not specified, or unknown	64	51	2					1				3	2	3	1			1

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MASSACHUSETTS.																		
	All causes	53,286	9,971	2,011	834	474	371	1,051	1,635	3,215	3,976	4,941	5,888	7,338	7,115	*3,763	649	18	36
	I.—General diseases	13,570	906	639	361	216	176	484	704	1,480	1,666	1,812	1,842	1,723	1,132	381	45	.....	3
1	Typhoid fever	279	1	.....	1	1	1	10	39	98	60	31	23	11	2	1	.....	.....	.....
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	13	1	1	.....	.....	.....	1	2	.....	1	.....	3	1	3	.....	.....	.....	.....
5	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	499	156	196	60	25	18	22	4	4	5	5	1	2	1	.....	.....	.....	.....
7	Scarlet fever	311	14	48	51	39	31	85	23	10	5	3	2	.....	.....	.....	.....	.....	.....
8	Whooping cough	305	168	76	31	12	6	9	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
9	Diphtheria and croup	624	41	97	94	80	63	185	44	10	4	2	2	2	.....	.....	.....	.....	.....
10	Influenza	328	32	2	2	.....	3	4	3	10	14	27	30	48	80	58	15	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	12	2	.....	1	.....	.....	1	.....	1	.....	1	1	1	3	1	.....	.....	.....
14	Dysentery	136	26	9	5	1	2	3	.....	3	4	6	16	15	31	13	2	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	137	43	2	.....	.....	.....	1	2	4	12	22	8	16	17	10	.....	.....	.....
19	Other epidemic diseases	11	6	2	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
20	Purulent infection and septicemia	150	31	4	1	1	.....	2	15	14	13	18	17	16	13	5	.....	.....	.....
21	Glanders	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
22	Anthrax	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	40	5	.....	1	.....	.....	5	7	3	6	7	4	1	1	.....	.....	.....	.....
25	Mycoses	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
26	Pellagra	13	.....	.....	.....	.....	.....	.....	1	.....	5	3	1	2	1	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	5,117	205	180	96	49	34	92	452	1,142	1,112	828	528	278	102	17	.....	.....	2
28	Tuberculosis of the lungs	4,142	57	33	13	12	11	22	349	1,029	1,027	766	475	245	89	12	.....	.....	2
29	Acute miliary tuberculosis	144	9	8	1	1	1	4	23	37	24	15	11	7	3	.....	.....	.....	.....
30	Tuberculous meningitis	452	114	111	60	28	12	43	38	20	13	8	4	2	1	.....	.....	.....	.....
31	Abdominal tuberculosis	155	19	18	13	4	2	4	11	27	17	17	14	6	1	2	.....	.....	.....
32	Pott's disease	55	.....	2	4	3	2	9	8	8	6	1	6	4	1	1	.....	.....	.....
33	White swellings	27	.....	1	3	.....	1	6	6	2	1	3	2	1	1	.....	.....	.....	.....
34	Tuberculosis of other organs	91	3	6	2	1	3	2	13	9	16	9	9	12	5	1	.....	.....	.....
35	Disseminated tuberculosis	51	3	1	.....	.....	2	2	6	10	8	9	7	1	1	1	.....	.....	.....
36	Rickets	33	19	5	5	.....	1	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....
37	Syphilis	197	97	5	1	.....	1	.....	4	11	25	21	20	9	3	.....	.....	.....	.....
38	Gonococcus infection	9	4	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	3,597	4	1	2	1	.....	7	13	53	202	553	853	988	674	222	24	.....	.....
39	Of the buccal cavity	134	.....	.....	.....	.....	.....	.....	.....	2	3	13	36	42	23	12	3	.....	.....
40	Of the stomach, liver	1,250	1	.....	1	.....	.....	.....	.....	9	50	159	307	368	277	69	9	.....	.....
41	Of the peritoneum, intestines, rectum	615	.....	.....	.....	.....	.....	.....	1	7	36	83	135	198	107	46	2	.....	.....
42	Of the female genital organs	519	.....	.....	.....	.....	.....	.....	2	9	54	127	140	117	56	14	.....	.....	.....
43	Of the breast	402	.....	.....	.....	.....	.....	.....	.....	5	35	87	89	92	60	29	5	.....	.....
44	Of the skin	84	.....	.....	.....	.....	.....	.....	1	1	1	2	8	20	28	19	4	.....	.....
45	Of other organs or of organs not specified	593	3	1	1	1	.....	7	9	20	23	82	138	151	123	33	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	25	.....	.....	.....	1	.....	.....	2	.....	1	3	6	3	5	4	.....	.....	.....
47	Acute articular rheumatism	180	.....	2	2	2	4	25	47	18	16	16	14	17	12	5	.....	.....	.....
48	Chronic rheumatism and gout	41	.....	.....	.....	.....	.....	.....	.....	.....	4	5	5	11	11	4	1	.....	.....
49	Scurvy	5	2	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	727	2	1	2	2	6	16	35	43	49	66	153	193	127	29	2	.....	1
51	Exophthalmic goiter	38	.....	.....	.....	.....	.....	.....	2	9	12	12	2	1	.....	.....	.....	.....	.....
52	Addison's disease	24	.....	.....	.....	.....	.....	.....	1	2	4	2	5	6	4	.....	.....	.....	.....
53	Leukemia	68	.....	1	.....	1	2	6	5	12	9	15	10	4	3	.....	.....	.....	.....
54	Anemia, chlorosis	260	7	2	1	1	.....	3	1	9	21	56	57	65	30	6	1	.....	.....
55	Other general diseases	79	40	4	4	.....	3	5	1	4	3	4	5	1	2	3	.....	.....	.....
56	Alcoholism (acute or chronic)	288	.....	.....	.....	.....	.....	.....	.....	12	72	101	71	27	5	.....	.....	.....	.....
57	Chronic lead poisoning	10	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	1	1	1	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	5,553	324	134	54	25	23	86	101	121	256	459	796	1,120	1,319	650	84	.....	1
60	Encephalitis	39	9	2	1	.....	1	3	3	6	2	2	4	3	2	1	.....	.....	.....
61	Meningitis (total)	424	136	68	36	14	15	41	29	19	22	18	9	11	4	2	.....	.....	.....
	Simple meningitis	283	100	54	25	7	6	17	11	12	16	13	6	10	4	2	.....	.....	.....
	Cerebrospinal meningitis (undefined)	120	28	13	9	5	9	21	16	5	6	4	3	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	21	8	1	2	2	.....	3	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MASSACHUSETTS—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	115								1	5	14	37	34	22	2			
63	Other diseases of the spinal cord (total)	290	9	16	2	6	2	17	19	16	13	33	35	60	49	13			
	Acute anterior poliomyelitis	67	9	14	2	6	2	16	10	2	3		1	1		1			
	Other diseases of the spinal cord [1]	223		2				1	9	14	10	33	34	59	49	12			
64	Cerebral hemorrhage, apoplexy	3,461	14		2		3	3	4	19	86	218	547	868	1,087	534	76		
65	Softening of the brain	47									1	4	7	6	18	10	1		
66	Paralysis without specified cause	214						2	1	1	2	12	29	44	64	55	4		
67	General paralysis of the insane	290							2	5	45	91	67	34	33	12			1
68	Other forms of mental alienation	57							1	4	6	9	8	14	11	4			
69	Epilepsy	154	6	1	1			2	19	24	31	21	21	13	10	5			
70	Convulsions (nonpuerperal)	5						2		1	2								
71	Convulsions of infants	144	107	28	6	3													
72	Chorea	6						1	3	1				1					
73	Neuralgia and neuritis	33							1	1	8	7	6	5	4	1			
74	Other diseases of the nervous system	159	12	5	1	1	1	11	8	8	24	22	23	20	14	8	1		
75	Diseases of the eyes and their annexa	5	1		1									2	1				
76	Diseases of the ears	110	30	14	4	1	1	4	11	15	9	8	3	5		3	2		
	III.—Diseases of the circulatory system	9,168	98	22	6	10	17	75	176	262	422	721	1,222	2,127	2,425	1,354	224	6	1
77	Pericarditis	38	1				2	2	3	3	4	6	4	6	3	4			
78	Acute endocarditis	409	30	3	3	4	4	15	37	47	50	74	126	10	3	3			
79	Organic diseases of the heart	6,496	38	12	1	3	10	54	131	199	326	545	895	1,624	1,708	840	105	4	1
80	Angina pectoris	349							1	2	8	32	55	117	94	38	2		
81	Diseases of the arteries, atheroma, aneurism, etc.	1,643								3	16	44	112	326	579	447	114	2	
82	Embolism and thrombosis	151	4		1			1	2	7	10	13	21	35	34	20	3		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	33		1						1	6	7	5	8	3	2			
84	Diseases of the lymphaticsystem (lymphangitis, etc.)	43	22	6	1	3	1	3	2		1		3		1				
85	Hemorrhage; other diseases of the circulatory system	6	3								1		1	1					
	IV.—Diseases of the respiratory system	6,717	1,648	655	199	96	58	108	130	224	394	554	578	745	760	472	90	4	2
86	Diseases of the nasal fossae	6	2		1			1							1		1		
87	Diseases of the larynx	44	12	6	1	4	2	3	3	1	3	5		3	1				
88	Diseases of the thyroid body	22	2								4	4	3	5	3	1			
89	Acute bronchitis	480	276	74	13	9	4	3	1	1	1	6	5	19	29	30	7	2	
90	Chronic bronchitis	314	4	2			1	2	1	4	6	15	33	46	98	78	23	1	
91	Bronchopneumonia	2,282	958	370	110	41	25	40	25	31	54	59	90	137	197	126	17	1	1
92	Pneumonia (total)	3,212	363	182	66	36	23	51	92	170	293	419	411	490	381	204	30		1
	Lobar pneumonia	2,593	250	133	53	30	20	40	73	137	241	341	351	424	325	151	23		1
	Pneumonia (undefined)	619	113	49	13	6	3	11	19	33	52	78	60	66	56	53	7		
93	Pleurisy	139	10	14	5	4	3	6	4	9	17	19	17	13	13	4	1		
94	Pulmonary congestion, pulmonary apoplexy	104	17	5	1	1			2	1	4	8	7	8	22	18	10		
95	Gangrene of the lung	16							1	2	2	1	5	2	3				
96	Asthma	52			1	1			1	1	2	8	4	18	6	10			
97	Pulmonary emphysema	9		1	1			1		1				2	2	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	37	4	1				1		3	8	10	3	2	4		1		
	V.—Diseases of the digestive system	5,822	2,901	422	99	53	35	87	127	191	234	363	377	405	339	161	28		
99	Diseases of the mouth and annexa	17	8	2							1	2	2	2					
100	Diseases of the pharynx	81	5	4	3	1	3	14	7	7	11	6	3	7	7	2	1		
101	Diseases of the esophagus	14	1						1	1	1	1	3	1	5				
102	Ulcer of the stomach	131						1	2	20	22	24	25	17	15	5			
103	Other diseases of the stomach (cancer excepted)	343	135	8	5	3	2	5	1	9	13	16	24	39	37	38	8		
104	Diarrhea and enteritis (under 2 years)	3,077	2,682	395															
105	Diarrhea and enteritis (2 years and over)	511			71	40	18	27	12	19	23	54	49	62	73	50	13		
106	Ankylostomiasis	1								1									
107	Intestinal parasites	4	1				1					2							
108	Appendicitis and typhlitis	410	2	1	4	8	6	35	81	67	63	63	43	25	10	2			
109	Hernia, intestinal obstruction (total)	435	51	9	9		3	2	8	24	24	47	57	83	83	30	5		
	Hernia	176	9						2	9	12	23	30	41	34	15	1		
	Intestinal obstruction	259	42	9	9		3	2	6	15	12	24	27	42	49	15	4		
110	Other diseases of the intestines	59	5	1	4			1	3	4	5	11	8	10	5	2			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MASSACHUSETTS—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	10	1							1	1	1	1	1	3	1		
112	Hydatid tumor of the liver	4									1	1		1	1			
113	Cirrhosis of the liver	365		1			1		2	7	29	74	92	90	55	13	1	
114	Biliary calculi	133								5	11	29	35	27	20	6		
115	Other diseases of the liver	111	2		1				1	6	12	17	25	24	15	8		
116	Diseases of the spleen	6								2	1			1		2		
117	Simple peritonitis (nonpuerperal)	79	8	1	2	1	1	2	7	12	9	8	5	12	9	2		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	31							2	5	6	7	5	5	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,749	54	11	10	9	10	23	71	199	310	471	628	844	750	323	32	2	2
119	Acute nephritis	290	27	6	6	6	9	10	15	30	42	45	33	39	15	5	2		
120	Bright's disease	2,936	17	5	2	3	1	13	46	117	208	360	534	716	645	249	17	1	2
121	Chyluria																		
122	Other diseases of the kidneys and annexa	75	7		2				4	7	3	6	14	12	10	7	3		
123	Calculi of the urinary passages	24								2	3	3	4	5	5	2			
124	Diseases of the bladder	69	2							2	2	2	7	11	21	16	5	1	
125	Diseases of the urethra, urinary abscess, etc.	26								2	4	6	4	7	1	1	1		
126	Diseases of the prostate	134										2	10	36	42	41	3		
127	Nonvenereal diseases of the male genital organs	3	1							1				1					
128	Uterine hemorrhage (nonpuerperal)	1													1				
129	Uterine tumor (noncancerous)	56								1	13	27	9	3	3				
130	Other diseases of the uterus	34							1	9	9	5	7	2		1			
131	Cysts and other tumors of the ovary	38							1	4	5	5	4	11	6	1	1		
132	Salpingitis and other diseases of the female genital organs	61							4	24	21	10	2						
133	Nonpuerperal diseases of the breast (cancer excepted)	2												1	1				
	VII.—The puerperal state	510							27	247	212	23	1						
134	Accidents of pregnancy	40							1	21	15	3							
135	Puerperal hemorrhage	60							2	23	29	6							
136	Other accidents of labor	49							3	15	29	1	1						
137	Puerperal septicemia	187							7	104	71	5							
138	Puerperal albuminuria and convulsions	132							13	67	47	5							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	40							1	16	20	3							
140	Following childbirth (not otherwise defined)	2								1	1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	196	42	5	3	2			3	6	9	10	27	28	26	30	5		
142	Gangrene	66	3		1						1	2	8	12	12	24	3		
143	Furuncle	23	5						1		3	2	5	1	5	1			
144	Acute abscess	55	16	5	2	1			2	2	4	3	7	7	4	1	1		
145	Other diseases of the skin and annexa	52	18			1				4	1	3	7	8	5	4	1		
	IX.—Diseases of the bones and of the organs of locomotion	100	14	7	3	2		14	8	13	11	5	12	4	5	1	1		
146	Diseases of the bones (tuberculosis excepted)	84	14	7	3	2		13	8	11	9	1	10	2	3		1		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	13						1		2	2	3	2	1	1	1			
148	Amputations																		
149	Other diseases of the organs of locomotion	3										1		1	1				
	X.—Malformations	655	616	21	7		1	6	2	1		1							
150	Congenital malformations (stillbirths not included) (total)	655	616	21	7		1	6	2	1		1							
	Hydrocephalus	52	39	8	3			1	1										
	Congenital malformations of the heart	425	405	11	3		1	3	1	1									
	Other congenital malformations	178	172	2	1			2				1							

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MASSACHUSETTS—Continued.																		
	XI.—Early infancy	3,182	3,182																
151	Congenital debility, icterus, and sclerema (total)	2,479	2,479																
	Premature birth	1,650	1,650																
	Congenital debility, "atrophy," "marasmus," etc.	829	829																
152	Other causes peculiar to early infancy (total)	693	693																
	Injuries at birth	412	412																
	Other causes peculiar to early infancy [1]	281	281																
153	Lack of care	10	10																
	XII.—Old age	513											5	29	134	231	108	6	
154	Senility	513											5	29	134	231	108	6	
	XIII.—External causes	3,347	104	69	85	61	50	166	285	464	446	512	387	295	214	154	31		24
	Suicide (total)	476							17	89	85	102	80	73	20	8	1		1
155	By poison	84							5	24	21	14	9	5	4	1			1
156	By asphyxia	89								16	17	20	13	15	6	2			
157	By hanging or strangulation	70							3	4	12	14	15	17	4	1			
158	By drowning	52							1	12	8	13	10	7	1				
159	By firearms	126							8	26	22	23	22	20	2	2	1		
160	By cutting or piercing instruments	36								3	4	16	7	4	1	1			
161	By jumping from high places	12								2	1		3	5	1				
162	By crushing	5								1		2	1		1				
163	Other suicides	2								1						1			
	Accidental or undefined (total)	2,763	91	68	85	61	50	164	261	344	332	396	300	218	194	146	30		23
164	Poisoning by food	23		1	1	5		2	2	1	2	4	2	2	1				
165	Other acute poisonings	56	5	6	9	2	1	1	1	10	9	6	2	2	1	1			
166	Conflagration	79	1	2	1	1	1	2	4	9	18	11	13	5	5	1			5
167	Burns (conflagration excepted)	297	13	32	45	30	20	35	11	19	16	20	16	17	17	5	1		
168	Absorption of deleterious gases (conflagration excepted)	162	44	3				1	7	11	13	23	19	21	14	5	1		
169	Accidental drowning	370	2	6	3	6	6	48	84	74	43	47	25	12	5	1			8
170	Traumatism by firearms	32	1	1		1		4	17	4	1	2		1					
171	Traumatism by cutting or piercing instruments	2									1			1					
172	Traumatism by fall	657	5	9	12	7	4	10	21	31	65	93	74	74	109	117	25		1
173	Traumatism in mines and quarries (total)	3									1		2						
	Traumatism in mines																		
	Traumatism in quarries	3									1		2						
174	Traumatism by machines	81					1	1	13	19	14	17	8	7	1				
175	Traumatism by other crushing (total)	762	1	2	12	9	15	57	85	129	109	135	96	56	34	11	2		9
	Railroad accidents and injuries	331		1	2	1	3	6	41	74	53	63	44	19	9	5	1		9
	Street-car accidents and injuries	126			4	2	1	10	9	20	15	26	14	13	9	3			
	Automobile accidents and injuries	165	1		2	3	5	34	26	14	19	18	21	12	8	2			
	Injuries by other vehicles	122		1	4	3	6	7	9	16	18	23	14	11	8	1	1		
	Landslide, other crushing	18								5	4	5	3	1					
176	Injuries by animals	15	1							2	3	1	6	1		1			
177	Starvation	3	1									1		1					
178	Excessive cold	7									2	1	3	1					
179	Effects of heat	28	7	2						2	4	4	3	2	3	1			
180	Lightning	3							1	2									
181	Electricity (lightning excepted)	31					1		7	13	5	4	1						
185	Fractures (cause not specified)	23	1							1	4	5	5	3	1	2	1		
186	Other external violence	129	9	4	2		1	3	8	17	22	22	25	12	3	1			
	Homicide (total)	108	13	1				2	7	31	29	14	7	4					
182	By firearms	47						1	4	18	14	8	2						
183	By cutting or piercing instruments	14								6	4	2	1	1					
184	By other means	47	13	1				1	3	7	11	4	4	3					
	XIV.—Ill-defined diseases	204	82	26	7		1	2	1	7	16	10	13	18	11	6	1		3
187	Ill-defined organic disease	3									1			1		1			
188	Sudden death	13	4								3	1	2	3					
189	Not specified or ill-defined (total)	188	78	26	7		1	2	1	7	12	9	11	14	11	5	1		3
	Ill-defined	144	50	24	6			2	1	6	8	7	10	13	11	3	1		2
	Not specified, or unknown	44	28	2	1		1			1	4	2	1	1		2			1

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MICHIGAN.																	
	All causes	40,816	7,620	1,365	676	461	321	1,018	1,598	2,893	2,736	2,887	4,038	5,204	6,063	3,345	480	17	94
	I.—General diseases	9,521	554	360	235	191	141	468	640	1,229	980	956	1,228	1,195	958	335	26	1	24
1	Typhoid fever	539	5	6	4	8	4	40	99	152	84	63	45	20	8	.....	.....	.....	1
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	17	1	.....	1	.....	.....	.....	1	1	5	2	.....	3	2	1	.....	.....	.....
5	Smallpox	4	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
6	Measles	253	56	88	29	14	9	21	13	14	4	4	1	.....	.....	.....	.....	.....	.....
7	Scarlet fever	281	16	26	37	37	23	90	31	17	3	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	276	154	74	21	10	4	10	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
9	Diphtheria and croup	676	29	76	79	77	70	198	88	34	14	7	2	1	1	.....	.....	.....	.....
10	Influenza	339	28	6	9	3	4	4	7	13	12	12	25	42	87	78	8	.....	1
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	21	4	3	1	1	.....	.....	.....	.....	.....	2	.....	4	3	3	.....	.....	.....
14	Dysentery	135	36	7	4	1	1	1	1	2	4	6	8	16	27	20	1	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	132	25	2	5	.....	1	.....	1	8	9	16	15	17	20	11	.....	.....	2
19	Other epidemic diseases	11	3	1	2	.....	.....	2	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	108	5	.....	3	2	.....	4	8	20	6	18	10	17	8	6	.....	.....	1
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	39	4	1	1	.....	.....	3	8	6	4	4	2	1	3	1	.....	1	.....
25	Mycoses	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	8	.....	.....	.....	.....	.....	.....	1	.....	2	2	1	.....	2	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,693	52	46	27	26	14	55	271	813	537	340	259	155	76	10	.....	.....	12
28	Tuberculosis of the lungs	2,193	21	10	8	13	1	17	209	723	464	299	223	128	59	8	.....	.....	10
29	Acute miliary tuberculosis	80	3	.....	.....	1	2	4	14	21	17	4	7	7	.....	.....	.....	.....	.....
30	Tuberculous meningitis	150	24	29	13	9	6	24	22	11	4	3	5	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	131	2	3	.....	1	2	4	14	35	23	16	11	9	9	1	.....	.....	1
32	Pott's disease	31	.....	1	3	.....	.....	2	4	8	4	2	3	2	1	1	.....	.....	.....
33	White swellings	18	1	.....	.....	.....	1	2	3	3	4	1	1	1	1	.....	.....	.....	.....
34	Tuberculosis of other organs	53	.....	1	2	1	1	1	2	9	10	9	5	7	5	.....	.....	.....	.....
35	Disseminated tuberculosis	37	1	2	1	1	1	1	3	3	11	6	4	1	1	.....	.....	.....	1
36	Rickets	14	11	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	149	74	4	1	2	.....	.....	1	11	16	11	14	10	.....	3	.....	.....	2
38	Gonococcus infection	12	6	.....	.....	.....	.....	.....	1	.....	3	1	.....	.....	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,392	2	2	2	3	2	4	11	36	120	296	578	640	536	148	11	.....	1
39	Of the buccal cavity	94	.....	1	.....	.....	.....	.....	2	1	6	7	12	25	26	13	1	.....	.....
40	Of the stomach, liver	1,018	.....	.....	1	.....	.....	.....	2	9	26	100	251	299	263	64	3	.....	.....
41	Of the peritoneum, intestines, rectum	260	.....	.....	1	1	.....	.....	2	9	18	25	65	74	53	12	.....	.....	.....
42	Of the female genital organs	360	.....	.....	.....	.....	.....	.....	1	11	45	72	98	86	42	4	1	.....	.....
43	Of the breast	207	.....	.....	.....	.....	.....	.....	.....	.....	10	51	52	38	38	17	1	.....	.....
44	Of the skin	100	.....	.....	.....	.....	.....	.....	.....	.....	1	5	17	23	33	17	3	.....	1
45	Of other organs or of organs not specified	353	2	1	.....	2	2	4	4	6	14	36	83	95	81	21	2	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	26	1	.....	.....	.....	.....	.....	.....	.....	2	3	2	8	7	3	.....	.....	.....
47	Acute articular rheumatism	176	3	1	3	.....	1	13	35	16	15	19	18	25	16	9	1	.....	1
48	Chronic rheumatism and gout	32	.....	.....	.....	.....	.....	.....	.....	.....	1	7	3	12	6	2	1	.....	.....
49	Scurvy	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	480	.....	3	4	3	4	12	40	29	32	44	100	98	80	27	3	.....	1
51	Exophthalmic goiter	90	.....	.....	.....	.....	.....	.....	4	11	20	8	28	13	6	.....	.....	.....	.....
52	Addison's disease	17	.....	.....	.....	.....	.....	.....	1	2	5	3	4	2	.....	.....	.....	.....	.....
53	Leukemia	62	3	2	.....	3	2	5	4	3	6	8	11	7	6	2	.....	.....	.....
54	Anemia, chlorosis	299	8	6	.....	.....	1	4	5	23	25	39	63	71	44	9	1	.....	.....
55	Other general diseases	67	26	4	1	1	1	1	1	5	2	3	3	11	5	2	.....	.....	1
56	Alcoholism (acute or chronic)	141	.....	.....	.....	.....	.....	.....	1	8	39	35	30	18	9	.....	.....	.....	1
57	Chronic lead poisoning	6	.....	.....	.....	.....	.....	.....	1	.....	2	.....	3	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	18	.....	.....	.....	.....	.....	.....	.....	4	5	2	1	2	4	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	4,724	464	96	63	47	24	76	107	114	182	321	601	919	1,133	518	46	3	10
60	Encephalitis	45	7	6	1	.....	1	3	6	5	3	4	2	5	2	.....	.....	.....	.....
61	Meningitis (total)	358	96	47	34	31	16	39	38	20	14	13	4	3	3	.....	.....	.....	.....
	Simple meningitis	222	67	27	20	19	11	20	17	12	10	11	2	3	3	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	124	27	19	11	10	5	17	20	8	4	2	1	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	12	2	1	3	2	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MICHIGAN—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	83								3	8	15	23	16	14	2		2
63	Other diseases of the spinal cord (total)	201	6	6	9	5	4	10	8	2	9	13	28	49	43	8	1	
	Acute anterior poliomyelitis	41	5	5	8	5	4	7	3		4							
	Other diseases of the spinal cord [1]	160	1	1	1			3	5	2	5	13	28	49	43	8	1	
64	Cerebral hemorrhage, apoplexy	2,312	15	1	1		2	3	10	16	37	142	359	602	733	354	30	1	6
65	Softening of the brain	30								1			5	6	12	5	1		
66	Paralysis without specified cause	648	2		2	2		2	2	5	8	29	84	138	239	120	13	1	1
67	General paralysis of the insane	261						1		7	44	58	44	45	46	16			
68	Other forms of mental alienation	63							1	4	12	9	13	11	8	4	1		
69	Epilepsy	124	5	2		1		7	23	22	20	10	8	15	5	5		1	
70	Convulsions (nonpuerperal)	11						3		1	4	3							
71	Convulsions of infants	352	310	25	13	4													
72	Chorea	8	1					1	2	1			2	1					
73	Neuralgia and neuritis	24				1			1	2	3	2	4	5	5	1			
74	Other diseases of the nervous system	151	10	3	3	2		5	9	20	14	21	19	21	20	3			1
75	Diseases of the eyes and their annexa	2	1							1									
76	Diseases of the ears	51	11	6		1	1	2	7	4	6	2	6	2	3				
	III.—Diseases of the circulatory system	5,845	94	9	9	8	6	56	132	157	245	379	744	1,345	1,732	828	83	5	13
77	Pericarditis	48			1	1		1	7	2	2	3	10	8	7	5			1
78	Acute endocarditis	186	5	1	3	2	4	15	20	21	23	34	45	9	3	1			
79	Organic diseases of the heart	4,469	66	5	4	2	2	38	99	121	193	285	565	1,088	1,327	607	52	4	11
80	Angina pectoris	259							2	2	10	21	46	85	71	22			
81	Diseases of the arteries, atheroma, aneurism, etc	726								1	8	19	56	131	298	182	29	1	1
82	Embolism and thrombosis	93	4	1	1			1	2	8	6	11	14	15	21	8	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	17								1	1	2	3	6	3		1		
84	Diseases of the lymphatic system (lymphangitis, etc.)	23	14	2		2		1	1	1		1	1						
85	Hemorrhage; other diseases of the circulatory system	24	5			1			1		2	3	4	3	2	3			
	IV.—Diseases of the respiratory system	4,048	1,030	336	132	69	53	113	112	196	229	263	313	408	469	284	36	1	4
86	Diseases of the nasal fossae	9	5	1									1			2			
87	Diseases of the larynx	57	10	14	3	6	3	6	2	2	1	4	1	4		1			
88	Diseases of the thyroid body	26	4							4	2	5	3	5	2		1		
89	Acute bronchitis	429	237	48	21	7	7	4	2	2	2	4	10	12	39	28	6		
90	Chronic bronchitis	243	1	1				4	1	5	4	15	16	41	79	68	8		
91	Bronchopneumonia	947	413	140	61	21	15	29	19	11	22	22	30	49	70	40	4		1
92	Pneumonia (total)	1,947	318	121	38	35	25	62	70	145	175	184	218	230	209	103	12		2
	Lobar pneumonia	858	108	52	19	11	11	30	35	87	98	106	104	90	73	32	1		1
	Pneumonia (undefined)	1,089	210	69	19	24	14	32	35	58	77	78	114	140	136	71	11		1
93	Pleurisy	111	4	5	2			6	11	10	13	7	12	18	16	5	1	1	
94	Pulmonary congestion, pulmonary apoplexy	110	24	6	3		2	1	3	2	1	8	4	14	21	17	4		
95	Gangrene of the lung	12								1		3	3	3		2			
96	Asthma	85	3				1	1		4	4	6	8	21	22	15			
97	Pulmonary emphysema	4			1								1	1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	68	11		3				4	10	5	5	6	10	10	3			1
	V.—Diseases of the digestive system	4,826	1,778	426	132	74	49	110	177	225	214	268	355	395	390	202	29		2
99	Diseases of the mouth and annexa	27	18	3	1				1		1	1	1		1				
100	Diseases of the pharynx	97	10	8	3	4	3	17	15	9	10	4	5	2	3	4			
101	Diseases of the esophagus	11	1			1			1		1		1	3	3				
102	Ulcer of the stomach	131	2						3	8	18	20	21	35	18	6			
103	Other diseases of the stomach (cancer excepted)	638	283	24	9	9	3	9	8	13	22	26	43	56	76	49	8		
104	Diarrhea and enteritis (under 2 years)	1,742	1,374	368															
105	Diarrhea and enteritis (2 years and over)	467			102	42	26	29	10	25	18	22	26	50	58	49	10		
106	Ankylostomiasis																		
107	Intestinal parasites	2					1								1				
108	Appendicitis and typhlitis	372	2			6	7	36	99	84	44	42	29	14	6	2			1
109	Hernia, intestinal obstruction (total)	443	54	14	9	9	4	4	19	23	29	42	58	56	77	43	2		
	Hernia	122	16						3	2	6	9	24	21	27	13	1		
	Intestinal obstruction	321	38	14	9	9	4	4	16	21	23	33	34	35	50	30	1		
110	Other diseases of the intestines	100	11	2	1	2		1	2	7	7	12	16	14	14	8	3		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MICHIGAN—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	18	1					1	1	4	2	1	1	5	2			
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	327	1		1				1	6	23	44	89	77	66	18	1	
114	Biliary calculi	98								2	8	14	21	25	20	7	1	
115	Other diseases of the liver	207	9	5	2		1	5	3	19	18	19	30	47	34	11	4	
116	Diseases of the spleen	10	1						1	3		1		2		2		
117	Simple peritonitis (nonpuerperal)	116	10	2	4	1	4	8	10	19	11	15	11	7	11	2		1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	20	1						3	3	2	5	3	2		1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,714	47	7	14	7	7	29	65	138	203	239	430	561	652	288	23	1	3
119	Acute nephritis	222	11	2	6	4	4	12	12	26	22	19	35	33	24	10	1	1	
120	Bright's disease	1,978	21	4	8	3	2	15	41	66	121	172	348	445	509	207	13		3
121	Chyluria																		
122	Other diseases of the kidneys and annexa	72	10				1	2	2	4	3	8	11	9	17	3	2		
123	Calculi of the urinary passages	22							2		5		3	5	4	3			
124	Diseases of the bladder	93	1	1						2	3	2	9	15	36	23	1		
125	Diseases of the urethra, urinary abscess, etc.	2									1	1							
126	Diseases of the prostate	146							1		1	1	5	37	56	39	6		
127	Nonvenereal diseases of the male genital organs	3	2						1										
128	Uterine hemorrhage (nonpuerperal)	3								1			2						
129	Uterine tumor (noncancerous)	57	1							2	16	15	10	8	4	1			
130	Other diseases of the uterus	37	1						2	10	9	8	3	2		2			
131	Cysts and other tumors of the ovary	29								4	4	11	3	6	1				
132	Salpingitis and other diseases of the female genital organs	49							4	23	18	2	1		1				
133	Nonpuerperal diseases of the breast (cancer excepted)	1												1					
	VII.—The puerperal state	578							35	258	221	63	1						
134	Accidents of pregnancy	56							1	21	29	5							
135	Puerperal hemorrhage	63							4	17	34	8							
136	Other accidents of labor	53							3	18	25	7							
137	Puerperal septicemia	273							23	137	85	27	1						
138	Puerperal albuminuria and convulsions	117							3	59	41	14							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	14							1	5	6	2							
140	Following childbirth (not otherwise defined)	2								1	1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	188	22	4				2	2	5	4	11	12	26	56	37	5		2
142	Gangrene	120	3							2		6	8	19	42	33	5		2
143	Furuncle	11	3						1	1			2		4				
144	Acute abscess	25	5	2				2	1	1	3	1	2	4	3	1			
145	Other diseases of the skin and annexa	32	11	2						1	1	4		3	7	3			
	IX.—Diseases of the bones and of the organs of locomotion	85	9	3	2		3	6	10	7	2	12	9	9	9	4			
146	Diseases of the bones (tuberculosis excepted)	67	8	3	1		3	5	10	7		10	8	7	4	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	11	1		1			1			1	1	1	1	3	1			
148	Amputations																		
149	Other diseases of the organs of locomotion	7									1	1		1	2	2			
	X.—Malformations	559	514	20	8	4	2	5	5	1									
150	Congenital malformations (stillbirths not included) (total)	559	514	20	8	4	2	5	5	1									
	Hydrocephalus	55	39	8	1	2	1	3		1									
	Congenital malformations of the heart	321	298	8	6	2	1	2	4										
	Other congenital malformations	183	177	4	1				1										

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MICHIGAN—Continued.																		
	XI.—Early infancy	2,906	2,906																
151	Congenital debility, icterus, and sclerema (total)	2,425	2,425																
	Premature birth	1,366	1,366																
	Congenital debility, "atrophy," "marasmus," etc.	1,059	1,059																
152	Other causes peculiar to early infancy (total)	473	473																
	Injuries at birth	241	241																
	Other causes peculiar to early infancy [1]	232	232																
153	Lack of care	8	8																
	XII.—Old age	1,364											2	57	410	696	193	5	1
154	Senility	1,364											2	57	410	696	193	5	1
	XIII.—External causes	3,087	113	63	68	56	35	145	309	554	437	349	311	245	203	132	34	1	32
	Suicide (total)	409							17	93	69	71	73	39	28	15			4
155	By poison	160							5	47	31	29	26	12	8	2			
156	By asphyxia	8							1		1	1	3	2					
157	By hanging or strangulation	69							3	6	8	12	16	5	10	7			2
158	By drowning	26							1	4	5	2	4	4	5	1			
159	By firearms	113							7	35	17	14	22	12	4	1			1
160	By cutting or piercing instruments	26									7	10	1	3	1	4			
161	By jumping from high places	1										1							
162	By crushing	3										1	1						1
163	Other suicides	3								1		1		1					
	Accidental or undefined (total)	2,558	109	63	66	56	34	145	288	421	341	253	234	201	173	117	34	1	22
164	Poisoning by food	52	13	6	4	6	1		4	6	3	3	2	2	2				
165	Other acute poisonings	75	12	14	13	1		1	3	7	9	5	5	3	1		1		
166	Conflagration	51	4	5	4	5	3	4	1	3	4	2	4	5	3	3	1		
167	Burns (conflagration excepted)	154	7	14	22	23	6	12	10	14	15	7	8	7	5	2	1		1
168	Absorption of deleterious gases (conflagration excepted)	70	31					2	4	11	7	4	4	2	3	2			
169	Accidental drowning	366	6	9	7	5	5	28	95	87	53	19	21	15	7	1			8
170	Traumatism by firearms	84	1		1		2	8	38	14	9	1	7	3					
171	Traumatism by cutting or piercing instruments	2				1					1								
172	Traumatism by fall	414	2	3	2		6	6	10	22	30	30	45	50	90	87	26	1	4
173	Traumatism in mines and quarries (total)	81							1	38	17	18	6	1					
	Traumatism in mines	80							1	38	17	17	6	1					
	Traumatism in quarries	1										1							
174	Traumatism by machines	70						1	7	19	11	14	12	5	1				
175	Traumatism by other crushing (total)	788	2	3	8	10	8	78	88	138	131	114	69	75	41	14	1		8
	Railroad accidents and injuries	316						6	33	87	58	50	27	26	16	6	1		6
	Street-car accidents and injuries	109				1		3	8	16	24	17	17	14	6	3			
	Automobile accidents and injuries	142	1		3	3	4	24	16	17	25	16	9	11	9	2			2
	Injuries by other vehicles	126	1	3	4	4	2	12	7	10	16	19	15	20	10	3			
	Landslide, other crushing	95			1	2	2	33	24	8	8	12	1	4					
176	Injuries by animals	36			4		1	2	3	2	6		7	7	2	1			1
177	Starvation	3	2		1														
178	Excessive cold	18					1		3	1	1	1	4	2	3	1	1		
179	Effects of heat	68	14	1		1		1	1	8	8	4	11	9	7	3			
180	Lightning	33	1						4	5	7	7	4	4	1				
181	Electricity (lightning excepted)	35							5	17	6	6	1						
185	Fractures (cause not specified)	12								2	2		2		1	2	3		
186	Other external violence	146	14	8		4	1	2	11	27	21	18	22	11	6	1			
	Homicide (total)	120	4		2		1		4	40	27	25	4	5	2				6
182	By firearms	73			1		1		3	28	19	16	3	2					
183	By cutting or piercing instruments	15			1				1	7	4	1							1
184	By other means	32	4							5	4	8	1	3	2				5
	XIV.—Ill-defined diseases	371	89	41	13	5	1	8	4	9	19	26	32	44	51	21	5		3
187	Ill-defined organic disease	59	1	1					1		1	3	7	7	25	11	2		
188	Sudden death	12	4								2	1	2	2	1				
189	Not specified or ill-defined (total)	300	84	40	13	5	1	8	3	9	16	22	23	35	25	10	3		3
	Ill-defined	179	21	38	12	5	1	6	1	1	8	15	19	27	16	7	2		
	Not specified, or unknown	121	63	2	1			2	2	8	8	7	4	8	9	3	1		3

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MINNESOTA.																	
	All causes	22,787	4,092	623	324	231	155	530	1,068	1,922	1,788	1,960	2,440	2,574	2,850	1,923	285	11	11
	I.—General diseases	6,359	392	191	113	97	79	272	465	914	742	720	867	732	527	228	19	.....	1
1	Typhoid fever	235	1	1	.....	3	2	7	29	98	39	33	16	5	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Smallpox	12	3	1	1	.....	.....	1	1	1	.....	2	1	1	.....	.....	.....	.....	.....
6	Measles	207	46	46	23	12	7	34	22	15	2	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	185	10	20	20	22	16	53	27	14	3	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	143	91	28	6	6	1	7	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
9	Diphtheria and croup	219	21	25	19	21	23	50	33	14	8	4	.....	1	.....	.....	.....	.....	.....
10	Influenza	186	23	9	3	1	3	4	6	2	12	7	10	18	36	48	4	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	15	7	1	.....	.....	.....	3	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....
14	Dysentery	44	21	2	3	3	.....	.....	.....	.....	.....	.....	1	6	5	3	.....	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	76	25	1	.....	.....	.....	2	.....	2	5	8	10	8	7	8	.....	.....	.....
19	Other epidemic diseases	11	5	3	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	39	5	.....	.....	.....	.....	5	6	3	6	5	4	1	2	2	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	3	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	33	3	.....	.....	1	1	4	11	2	4	4	1	1	1	.....	.....	.....	.....
25	Mycoses	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
26	Pellagra	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,342	50	43	31	21	21	62	257	656	466	292	237	131	60	15	.....	.....	.....
28	Tuberculosis of the lungs	1,836	14	9	8	9	5	19	179	553	404	253	202	123	47	11	.....	.....	.....
29	Acute miliary tuberculosis	84	4	2	2	.....	1	3	22	26	14	2	7	.....	.....	1	.....	.....	.....
30	Tuberculous meningitis	178	22	29	16	11	11	27	24	17	7	7	3	1	1	2	.....	.....	.....
31	Abdominal tuberculosis	123	5	1	3	.....	2	5	15	28	23	14	17	5	5	.....	.....	.....	.....
32	Pott's disease	33	.....	.....	2	.....	2	3	8	8	4	4	2	.....	.....	.....	.....	.....	.....
33	White swellings	16	1	.....	.....	1	.....	2	.....	4	1	4	3	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	45	3	2	.....	.....	.....	2	5	12	7	4	3	1	5	1	.....	.....	.....
35	Disseminated tuberculosis	27	1	.....	.....	.....	.....	1	4	8	6	4	.....	1	2	.....	.....	.....	.....
36	Rickets	20	12	4	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	99	43	2	.....	1	.....	1	.....	6	9	15	15	6	1	.....	.....	.....	.....
38	Gonococcus infection	4	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,638	1	1	.....	1	.....	2	8	28	81	222	397	414	342	128	13	.....	.....
39	Of the buccal cavity	87	.....	.....	.....	.....	.....	1	.....	2	1	10	12	22	23	15	1	.....	.....
40	Of the stomach, liver	794	1	.....	.....	.....	.....	.....	1	2	26	91	193	220	201	54	5	.....	.....
41	Of the peritoneum, intestines, rectum	193	.....	.....	.....	.....	.....	1	.....	8	8	30	38	51	44	13	.....	.....	.....
42	Of the female genital organs	175	.....	.....	.....	.....	.....	.....	1	2	14	44	59	33	16	5	1	.....	.....
43	Of the breast	123	.....	.....	.....	.....	.....	.....	.....	2	12	29	34	25	10	9	2	.....	.....
44	Of the skin	37	.....	.....	.....	.....	.....	.....	1	.....	1	1	6	4	6	15	3	.....	.....
45	Of other organs or of organs not specified	229	.....	1	.....	1	.....	.....	5	12	19	17	55	59	42	17	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	9	1	1	1	.....	.....	.....	1	.....	.....	1	1	.....	2	1	.....	.....	.....
47	Acute articular rheumatism	99	2	.....	1	.....	2	16	21	11	8	7	10	9	8	3	1	.....	.....
48	Chronic rheumatism and gout	24	.....	.....	.....	.....	.....	.....	.....	1	3	2	4	5	6	3	.....	.....	.....
49	Scurvy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
50	Diabetes	297	1	.....	1	.....	1	12	29	26	21	29	60	66	41	9	1	.....	.....
51	Exophthalmic goiter	57	.....	.....	.....	.....	.....	.....	4	6	16	16	9	5	1	.....	.....	.....	.....
52	Addison's disease	10	.....	.....	.....	.....	.....	.....	.....	2	1	3	2	1	1	.....	.....	.....	.....
53	Leukemia	48	.....	.....	.....	1	1	2	3	9	8	7	8	7	2	.....	.....	.....	.....
54	Anemia, chlorosis	125	4	1	2	.....	.....	1	1	2	7	23	37	35	9	3	.....	.....	.....
55	Other general diseases	34	15	2	1	2	1	5	1	1	2	2	2	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	133	.....	.....	.....	.....	.....	.....	.....	9	36	35	38	12	2	.....	.....	.....	1
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,973	167	33	20	19	12	34	58	63	77	166	236	357	463	242	26	.....	.....
60	Encephalitis	17	2	3	.....	1	1	.....	1	1	2	1	4	1	.....	.....	.....	.....	.....
61	Meningitis (total)	107	25	10	12	6	2	12	9	16	8	3	2	1	1	.....	.....	.....	.....
	Simple meningitis	57	12	5	10	3	1	4	3	8	5	2	2	1	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	21	8	1	.....	2	.....	2	3	4	1	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	29	5	4	2	1	1	6	3	4	2	1	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MINNESOTA—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	35									2	3	13	10	6	1			
63	Other diseases of the spinal cord (total)	130	6	4	1	3	6	7	13	4	8	12	10	28	19	9			
	Acute anterior poliomyelitis	36	5	4	1	2	6	5	7	1	2	1	1			1			
	Other diseases of the spinal cord[1]	94	1			1		2	6	3	6	11	9	28	19	8			
64	Cerebral hemorrhage, apoplexy	1,114	5						1	6	22	83	160	274	354	186	23		
65	Softening of the brain	24											2	1	12	9			
66	Paralysis without specified cause	108	2		1			1	1	3	3	4	8	19	36	27	3		
67	General paralysis of the insane	63									5	23	9	4	16	6			
68	Other forms of mental alienation	37								2	6	6	10	6	7				
69	Epilepsy	66		1	1			2	14	14	14	8	5	3	3	1			
70	Convulsions (nonpuerperal)	4							1	1	1			1					
71	Convulsions of infants	128	111	9	2	4	2												
72	Chorea	4						1	1	1					1				
73	Neuralgia and neuritis	10	1									5		1	3				
74	Other diseases of the nervous system	77	5		1	2	1	7	10	8	4	16	9	7	5	2			
75	Diseases of the eyes and their annexa	2				1					1								
76	Diseases of the ears	47	10	6	2	2		4	7	7	1	2	4	1		1			
	III.—Disease of the circulatory system	2,722	42	1	5	6	5	24	72	100	135	208	392	528	691	463	47	2	1
77	Pericarditis	11								1	2	1	1	3	3				
78	Acute endocarditis	120	5		1	2	1	3	14	21	19	23	24	3	3		1		
79	Organic diseases of the heart	2,025	14	1	2	4	4	21	57	69	97	160	300	437	532	297	28	1	1
80	Angina pectoris	108	1							2	3	9	24	28	28	12	1		
81	Diseases of the arteries, atheroma, aneurism, etc	354								3	8	7	23	49	102	144	17	1	
82	Embolism and thrombosis	66	3		2				1	4	3	6	15	6	19	7			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	10									2	1	4	2	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	18	16									1	1						
85	Hemorrhage; other diseases of the circulatory system	10	3								1				3	3			
	IV.—Diseases of the respiratory system	2,272	532	144	60	30	16	38	66	89	127	157	168	220	324	268	31	2	
86	Diseases of the nasal fossae	8	6	1					1										
87	Diseases of the larynx	18	3	5	2	1	1	2		1				1	1	1			
88	Diseases of the thyroid body	16	3						2	1	2	4	4						
89	Acute bronchitis	109	58	10	3			2	1			2		5	7	20	1		
90	Chronic bronchitis	160	1			1			5	1	1	1	12	24	55	51	8		
91	Bronchopneumonia	718	333	87	42	8	9	13	16	6	12	10	18	32	60	61	9	2	
92	Pneumonia (total)	1,050	118	36	11	18	6	19	33	71	100	126	115	137	153	99	8		
	Lobar pneumonia	851	59	24	8	16	5	18	29	62	93	114	105	119	123	71	5		
	Pneumonia (undefined)	199	59	12	3	2	1	1	4	9	7	12	10	18	30	28	3		
93	Pleurisy	59		2	2	2		1	8	6	8	6	6	5	8	4	1		
94	Pulmonary congestion, pulmonary apoplexy	48	9	1								1	1	4	12	18	2		
95	Gangrene of the lung	3										1	1		1				
96	Asthma	61		1							2	3	9	10	24	11	1		
97	Pulmonary emphysema	4								1			1	1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	18	1	1				1		2	2	3	1	1	2	3	1		
	V.—Diseases of the digestive system	2,451	886	164	79	48	20	69	126	137	126	155	187	171	176	98	8	1	
99	Diseases of the mouth and annexa	6	2					2	1				1						
100	Diseases of the pharynx	37	7	2	1	2	1	3	4	4	5	4	2	1		1			
101	Diseases of the esophagus	2													2				
102	Ulcer of the stomach	83							3	5	7	19	20	18	9	2			
103	Other diseases of the stomach (cancer excepted)	140	60	7	1	1	1	2	1	1	3	4	4	14	19	17	4	1	
104	Diarrhea and enteritis (under 2 years)	900	753	147															
105	Diarrhea and enteritis (2 years and over)	246			61	30	10	16	7	10	9	11	21	20	21	29	1		
106	Ankylostomiasis																		
107	Intestinal parasites	4				2		1			1								
108	Appendicitis and typhlitis	353	4		6	9	8	34	87	76	49	31	23	12	13	1			
109	Hernia, intestinal obstruction (total)	224	40	7	4	1		4	8	13	12	21	24	26	42	20	2		
	Hernia	67	5	4						2	2	7	9	13	17	8			
	Intestinal obstruction	157	35	3	4	1		4	8	11	10	14	15	13	25	12	2		
110	Other diseases of the intestines	54	11		2	1		2	2	7	4	3	7	5	6	4			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MINNESOTA—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	12	1					1	1	1	3	1	1		3			
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	163						1		3	15	24	34	43	33	10		
114	Biliary calculi	82							1	2	7	16	27	14	10	5		
115	Other diseases of the liver	98	6	1	1	1		1	3	9	5	13	18	15	16	8	1	
116	Diseases of the spleen	1							1									
117	Simple peritonitis (nonpuerperal)	34	1		3	1		2	6	5	4	6	3	1	1	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	12	1						1	1	2	2	2	2	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,898	23	4	1	1	5	17	30	91	138	206	327	361	403	257	34	
119	Acute nephritis	140	11	2	1	1	4	9	10	14	20	21	14	10	11	10	2	
120	Bright's disease	1,441	4	1			1	8	17	63	82	150	273	303	321	193	25	
121	Chyluria																	
122	Other diseases of the kidneys and annexa	38	6	1						1	1	2	13	3	9	2		
123	Calculi of the urinary passages	13									2	3	4	3	1			
124	Diseases of the bladder	36							1			2	3	5	12	12	1	
125	Diseases of the urethra, urinary abscess, etc	5								2	2					1		
126	Diseases of the prostate	127										2	7	33	44	35	6	
127	Nonvenereal diseases of the male genital organs	2	2															
128	Uterine hemorrhage (nonpuerperal)	3									1	1	1					
129	Uterine tumor (noncancerous)	31									8	12	5	2	3	1		
130	Other diseases of the uterus	18							1	1	8	4	2		1	1		
131	Cysts and other tumors of the ovary	13							1	1	1	2	3	2	1	2		
132	Salpingitis and other diseases of the female genital organs	31								9	13	7	2					
133	Nonpuerperal diseases of the breast (cancer excepted)																	
	VII.—The puerperal state	319							23	137	122	37						
134	Accidents of pregnancy	34							1	9	18	6						
135	Puerperal hemorrhage	38								14	16	8						
136	Other accidents of labor	30							2	14	10	4						
137	Puerperal septicemia	120							11	64	36	9						
138	Puerperal albuminuria and convulsions	75							8	28	33	6						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	17							1	5	8	3						
140	Following childbirth (not otherwise defined)	5								3	1	1						
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	92	17						3		3	7	8	12	15	22	5	
142	Gangrene	39	1								1	1	3	4	5	21	3	
143	Furuncle	10							1			3	1	2	2		1	
144	Acute abscess	10	1						1		1	2	2	2	1			
145	Other diseases of the skin and annexa	33	15						1		1	1	2	4	7	1	1	
	IX.—Diseases of the bones and of the organs of locomotion	41	2		2	2		7	6	4	1	4	6	4	1	2		
146	Diseases of the bones (tuberculosis excepted)	32	2		2	1		7	5	4	1	4	3	3				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	8				1			1				3	1	1	1		
148	Amputations																	
149	Other diseases of the organs of locomotion	1														1		
	X.—Malformations	302	277	14	2	2	1	3	3									
150	Congenital malformations (stillbirths not included) (total)	302	277	14	2	2	1	3	3									
	Hydrocephalus	36	27	5	1	1		2										
	Congenital malformations of the heart	158	147	6	1	1		1	2									
	Other congenital malformations	108	103	3			1		1									

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MINNESOTA—Continued.																		
	XI.—Early infancy	1,586	1,586																
151	Congenital debility, icterus, and sclerema (total)	1,302	1,302																
	Premature birth	964	964																
	Congenital debility, "atrophy," "marasmus," etc	338	338																
152	Other causes peculiar to early infancy (total)	275	275																
	Injuries at birth	146	146																
	Other causes peculiar to early infancy [1]	129	129																
153	Lack of care	9	9																
	XII.—Old age	477											1	11	121	245	94	5	
154	Senility	477											1	11	121	245	94	5	
	XIII.—External causes	2,058	49	53	38	25	15	59	212	384	312	294	237	155	117	81	19		8
	Suicide (total)	304							14	52	63	75	50	33	14	2	1		
155	By poison	72							7	11	17	16	11	5	4	1			
156	By asphyxia	9							1		2	4	1	1					
157	By hanging or strangulation	65							1	10	9	17	10	13	5				
158	By drowning	25								3	6	6	4	2	3		1		
159	By firearms	97							5	23	19	22	19	8		1			
160	By cutting or piercing instruments	19									4	8	2	3	2				
161	By jumping from high places	9								2	4		3						
162	By crushing	4								2	1			1					
163	Other suicides	4								1	1	2							
	Accidental or undefined (total)	1,688	45	53	38	25	15	58	197	311	233	209	177	121	101	79	18		8
164	Poisoning by food	23	2	2	2	3	1	3	2	1	1	1	1	1	3				
165	Other acute poisonings	64	4	13	8	1	1	3	3	3	5	10	6	5	1	1			
166	Conflagration	33	3	2		1	1	3		5	1	3	3	2	3	5			1
167	Burns (conflagration excepted)	108	2	16	14	8	1	6	11	13	8	10	7	5	3	2	2		
168	Absorption of deleterious gases (conflagration excepted)	82	24					1	7	10	4	15	11	4	4	2			
169	Accidental drowning	218	1	10	5	6	5	10	54	57	32	13	16	4	4				1
170	Traumatism by firearms	75		1	1	1	1	5	36	6	9	8	4	1	2				
171	Traumatism by cutting or piercing instruments	4							1	1			1		1				
172	Traumatism by fall	255		3	4	1		6	10	19	25	26	25	30	36	57	12		1
173	Traumatism in mines and quarries (total)	52							2	27	16	4	2		1				
	Traumatism in mines	52							2	27	16	4	2		1				
	Traumatism in quarries																		
174	Traumatism by machines	41			1			1	4	17	4	6	5	2	1				
175	Traumatism by other crushing (total)	510	1	2	2	2	3	15	40	113	102	78	69	50	22	6	1		4
	Railroad accidents and injuries	297					1	3	21	70	73	47	44	22	8	3	1		4
	Street-car accidents and injuries	31						2	5	8	3	4	4	3	2				
	Automobile accidents and injuries	46		1			1	3	4	13	8	7	3	4	2				
	Injuries by other vehicles	115	1	1	1	2		7	9	18	12	16	16	19	10	3			
	Landslide, other crushing	21			1		1		1	4	6	4	2	2					
176	Injuries by animals	43		1			1	2	6	5	3	5	8	5	5	2			
177	Starvation																		
178	Excessive cold	28							1	2	1	9	7	4	4				
179	Effects of heat	24	1				1	1	2	3	2	3	3	1	4	1	2		
180	Lightning	20							4	5	2	4	2	3					
181	Electricity (lightning excepted)	12							2	5	5								
185	Fractures (cause not specified)	15							1	1		3	3	3	1	2	1		
186	Other external violence	81	7	3	1	2		2	11	18	13	11	4	1	6	1			1
	Homicide (total)	66	4					1	1	21	16	10	10	1	2				
182	By firearms	45	1					1		14	13	9	5		2				
183	By cutting or piercing instruments	5							1	2	1		1						
184	By other means	16	3							5	2	1	4	1					
	XIV.—Ill-defined diseases	237	119	19	4	1	2	7	4	3	5	6	11	23	12	17	2	1	1
187	Ill-defined organic disease	5										1	1	2		1			
188	Sudden death	16	8	1					1			2			2	2			
189	Not specified or ill-defined (total)	216	111	18	4	1	2	7	3	3	5	3	10	21	10	14	2	1	1
	Ill-defined	74	11	12	2		2	1	1	2	3	1	8	16	6	9			
	Not specified, or unknown	142	100	6	2	1		6	2	1	2	2	2	5	4	5	2	1	1

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MISSOURI.																		
	All causes	41,561	7,077	1,599	762	431	332	1,004	1,828	3,489	3,503	3,753	4,315	5,051	5,149	2,725	393	25	125
	I.—General diseases	12,526	865	534	330	215	197	522	847	1,711	1,538	1,455	1,458	1,339	1,049	380	52	5	29
1	Typhoid fever	820	15	15	23	16	16	83	176	193	102	82	47	28	16	6	.....	.....	2
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Malaria	427	54	49	32	12	14	40	42	36	23	23	30	33	22	15	2	.....	.....
5	Smallpox	9	5	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....	.....	.....
6	Measles	440	101	104	47	37	17	52	25	23	8	10	8	3	4	1	.....	.....	.....
7	Scarlet fever	143	9	9	28	12	20	39	22	2	1	.....	1	.....	.....	.....	.....	.....	.....
8	Whooping cough	309	155	86	32	15	8	11	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	587	66	91	86	79	73	148	31	3	2	2	.....	3	1	1	.....	.....	1
10	Influenza	569	56	5	7	5	3	12	12	25	24	29	40	78	150	102	20	.....	1
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	11	1	1	.....	1	.....	.....	.....	.....	.....	.....	2	1	3	.....	2	.....	.....
14	Dysentery	300	53	60	22	5	6	5	4	3	7	5	14	29	45	29	7	2	4
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	108	35	1	1	.....	1	2	1	4	8	10	17	10	9	8	1	.....	.....
19	Other epidemic diseases	11	2	1	1	.....	1	2	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	86	7	2	.....	.....	2	1	5	5	11	15	15	8	8	5	2	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	9	.....	.....	1	.....	.....	2	3	.....	.....	.....	1	.....	2	.....	.....	.....	.....
24	Tetanus	93	29	1	.....	1	3	7	7	14	9	7	8	4	3	.....	.....	.....	.....
25	Mycoses	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
26	Pellagra	23	.....	.....	.....	.....	.....	1	1	1	5	5	6	2	1	1	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	4,814	121	80	34	22	25	63	419	1,233	1,001	697	533	370	176	24	.....	1	15
28	Tuberculosis of the lungs	4,140	49	34	9	11	10	29	343	1,122	915	632	470	327	151	22	.....	1	15
29	Acute miliary tuberculosis	111	2	3	.....	.....	2	4	15	32	24	21	6	2	.....	.....	.....	.....	.....
30	Tuberculous meningitis	204	52	33	14	6	8	14	18	27	13	6	4	7	1	1	.....	.....	.....
31	Abdominal tuberculosis	199	9	5	4	2	3	7	21	35	33	19	29	16	15	1	.....	.....	.....
32	Pott's disease	46	1	1	4	.....	2	6	4	3	3	5	8	6	3	.....	.....	.....	.....
33	White swellings	12	.....	.....	.....	1	.....	.....	2	2	3	3	1	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	73	6	3	2	2	.....	2	10	7	5	11	12	9	4	.....	.....	.....	.....
35	Disseminated tuberculosis	29	2	1	1	.....	.....	1	6	5	5	.....	3	3	2	.....	.....	.....	.....
36	Rickets	19	13	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	315	98	12	3	2	4	1	9	29	51	33	41	18	11	1	.....	.....	2
38	Gonococcus infection	13	1	.....	.....	.....	.....	1	3	3	3	.....	1	.....	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,250	5	3	3	4	3	4	17	53	147	356	517	545	440	137	13	2	1
39	Of the buccal cavity	116	.....	.....	.....	.....	.....	.....	1	.....	5	12	30	27	30	10	1	.....	.....
40	Of the stomach, liver	858	3	.....	2	.....	1	.....	1	12	27	114	217	247	184	46	3	.....	1
41	Of the peritoneum, intestines, rectum	254	.....	.....	.....	1	.....	.....	6	5	18	35	53	61	62	12	.....	1	.....
42	Of the female genital organs	314	.....	.....	.....	.....	.....	1	.....	10	47	91	74	58	27	6	.....	.....	.....
43	Of the breast	203	.....	.....	.....	.....	.....	.....	.....	4	22	47	51	34	32	13	.....	.....	.....
44	Of the skin	132	.....	.....	.....	.....	.....	.....	.....	3	2	6	25	25	41	25	4	1	.....
45	Of other organs or of organs not specified	373	2	3	1	3	2	3	9	19	26	51	67	93	64	25	5	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	13	.....	.....	.....	.....	.....	.....	1	3	1	2	.....	3	1	2	.....	.....	.....
47	Acute articular rheumatism	187	.....	2	1	1	.....	26	20	16	22	21	23	23	22	6	3	.....	1
48	Chronic rheumatism and gout	40	.....	.....	.....	.....	.....	.....	3	.....	4	3	5	6	13	5	1	.....	.....
49	Scurvy	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	436	3	1	2	.....	.....	14	22	25	26	49	80	111	79	24	.....	.....	.....
51	Exophthalmic goiter	56	1	.....	.....	.....	.....	.....	6	9	11	12	7	7	3	.....	.....	.....	.....
52	Addison's disease	9	.....	.....	.....	.....	.....	.....	1	.....	2	3	2	1	.....	.....	.....	.....	.....
53	Leukemia	55	3	2	1	.....	1	6	6	7	4	10	4	5	6	.....	.....	.....	.....
54	Anemia, chlorosis	94	5	.....	.....	.....	.....	1	3	4	10	21	14	18	12	5	1	.....	.....
55	Other general diseases	67	26	4	4	3	.....	1	3	2	3	3	5	2	6	4	.....	.....	1
56	Alcoholism (acute or chronic)	172	.....	.....	.....	.....	.....	.....	1	11	45	49	28	24	11	2	.....	.....	1
57	Chronic lead poisoning	12	.....	.....	.....	.....	.....	.....	.....	.....	2	5	3	.....	2	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	22	.....	.....	.....	.....	.....	.....	1	3	5	1	6	2	2	2	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	3,482	178	62	40	27	29	71	143	130	205	313	456	696	735	333	46	1	17
60	Encephalitis	32	10	4	.....	2	1	4	1	1	.....	1	2	4	2	.....	.....	.....	.....
61	Meningitis (total)	348	65	29	25	13	12	43	65	26	29	16	18	3	2	1	1	.....	.....
	Simple meningitis	123	37	11	10	3	3	10	15	8	12	6	6	1	.....	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	61	11	5	5	2	3	9	11	2	5	4	1	1	1	.....	1	.....	.....
	Cerebrospinal fever	164	17	13	10	8	6	24	39	16	12	6	11	1	1	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MISSOURI—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	98								1	7	15	26	24	22	2	1	
63	Other diseases of the spinal cord (total)	279	16	9	4	9	6	5	10	5	6	26	29	55	71	25	3	
	Acute anterior poliomyelitis	48	13	8	4	7	5	4	4			1	1		1			
	Other diseases of the spinal cord[1]	231	3	1		2	1	1	6	5	6	25	28	55	70	25	3	
64	Cerebral hemorrhage, apoplexy	1,722	8	4	1	1	3	5	6	24	50	127	267	472	489	225	31		9
65	Softening of the brain	65							1	1	1	5	7	18	14	16	2		
66	Paralysis without specified cause	257	4	1	2	1			6	2	5	9	29	50	91	49	7		1
67	General paralysis of the insane	215								6	53	61	43	19	19	8		1	5
68	Other forms of mental alienation	69							1	15	12	12	8	11	8	1			1
69	Epilepsy	151	5		1			2	26	34	27	14	13	19	10				
70	Convulsions (nonpuerperal)	5						1	1	1	2								
71	Convulsions of infants	55	48	4	1		2												
72	Chorea	8			1				6		1								
73	Neuralgia and neuritis	21						1	1	1	1	4	3	6	3	1			
74	Other diseases of the nervous system	79	8	3			3	2	8	6	6	13	7	15	4	3			1
75	Diseases of the eyes and their annexa	7	1			1		1	1			1	1				1		
76	Diseases of the ears	71	13	8	5		2	7	10	7	5	9	3			2			
	III.—Diseases of the circulatory system.	4,541	54	6	3	6	8	41	99	180	239	433	613	959	1,167	628	81	7	17
77	Pericarditis	75	2	1		1		1	4	6	8	7	6	12	17	10			
78	Acute endocarditis	155	6			3	3	7	11	26	25	38	27	6		1	1		1
79	Organic diseases of the heart	3,216	34	4	3	2	5	31	81	132	180	316	472	729	815	354	44	3	11
80	Angina pectoris	172								6	8	16	30	45	45	18	2		2
81	Diseases of the arteries, atheroma, aneurism, etc.	320	1					2	3	4	14	42	62	146	267	240	33	4	2
82	Embolism and thrombosis	64	2							4	2	7	10	15	20	3	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	16	1							1	1	4	2	4	1	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	13	3	1								2	2						
85	Hemorrhage; other diseases of the circulatory system	10								1	1	1	2	2	2				1
	IV.—Diseases of the respiratory system.	4,779	1,109	321	146	65	41	86	131	238	271	326	413	541	648	382	55	1	5
86	Diseases of the nasal fossae	5	3									2							
87	Diseases of the larynx	52	16	6	1	8	4	6	4	1	2		1		3				
88	Diseases of the thyroid body	14									1	6	3	2	2				
89	Acute bronchitis	294	174	23	8	2	3	3		1	5	5	6	8	28	25	2	1	
90	Chronic bronchitis	300	1		2	1		3	2	5	7	11	17	47	99	90	15		
91	Bronchopneumonia	1,448	621	187	91	34	16	32	18	32	26	34	55	77	121	96	7		1
92	Pneumonia (total)	2,377	276	101	44	18	16	38	100	176	210	242	291	363	338	132	28		4
	Lobar pneumonia	2,078	213	79	38	18	13	32	87	163	192	222	256	332	295	113	22		3
	Pneumonia (undefined)	299	63	22	6		3	6	13	13	18	20	35	31	43	19	6		1
93	Pleurisy	81	2	3		1	1	2	4	9	9	9	11	9	11	10			
94	Pulmonary congestion, pulmonary apoplexy	53	13				1	1		2		4	7	6	4	14	1		
95	Gangrene of the lung	7						1		1	1	1	3						
96	Asthma	92	1							3	3	5	10	20	35	13	2		
97	Pulmonary emphysema	10							1			1	4	1	3				
98	Other diseases of the respiratory system (tuberculosis excepted)	46	2	1		1			2	8	7	6	5	8	4	2			
	V.—Diseases of the digestive system.	4,848	1,671	551	167	57	25	125	174	209	246	292	370	404	355	177	18	2	5
99	Diseases of the mouth and annexa	25	14	2			1	1	1		1		3		1	1			
100	Diseases of the pharynx	68	6	4	2	8	3	14	9	7	5	2	1	1	5	1			
101	Diseases of the esophagus	6									1			2	3				
102	Ulcer of the stomach	112	1		1				2	12	10	19	17	23	17	9			1
103	Other diseases of the stomach (cancer excepted)	420	147	12	7	3	3	11	7	7	22	28	25	42	61	36	6	2	1
104	Diarrhea and enteritis (under 2 years)	1,934	1,429	505															
105	Diarrhea and enteritis (2 years and over)	519			139	29	12	24	9	19	22	23	30	62	80	59	10		1
106	Ankylostomiasis																		
107	Intestinal parasites	3		1	1	1													
108	Appendicitis and typhlitis	431	4	3	6	4	2	48	110	89	55	50	35	15	10				
109	Hernia, intestinal obstruction (total)	348	45	15	5	5	2	13	12	26	35	29	54	41	44	21			1
	Hernia	122	9	2				1	1	3	10	11	30	23	21	10			1
	Intestinal obstruction	226	36	13	5	5	2	12	11	23	25	18	24	18	23	11			
110	Other diseases of the intestines	123	13	2	2	1	2	3	4	9	9	15	14	16	20	11	2		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MISSOURI—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	14								2		2	1	5	3	1		
112	Hydatid tumor of the liver	2							1							1		
113	Cirrhosis of the liver	449	1	1	1			1	2	12	47	77	114	114	61	18		
114	Biliary calculi	144	1						1	4	13	22	38	38	22	4		1
115	Other diseases of the liver	147	6	2		1		1	4	6	16	14	33	31	21	12		
116	Diseases of the spleen	7						1			1			3	2			
117	Simple peritonitis (nonpuerperal)	84	4	4	3	5		7	12	14	5	8	5	10	4	3		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	12						1		2	4	3		1	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,736	55	14	7	9	1	20	64	147	296	432	605	788	826	414	46	2	10
119	Acute nephritis	279	27	7	4	4		7	17	25	39	30	37	38	20	18	6		
120	Bright's disease	2,915	14	5	3	5	1	12	36	74	172	314	520	680	701	334	33	2	9
121	Chyluria																		
122	Other diseases of the kidneys and annexa	62	11	1				1	4	4	6	8	7	10	4	4	2		
123	Calculi of the urinary passages	19	1	1						1	2	1	5	5	3				
124	Diseases of the bladder	68	1							1	2	4	7	9	20	24			
125	Diseases of the urethra, urinary abscess, etc	12								1	1	4	4	1	1				
126	Diseases of the prostate	150									1	2	7	32	71	34	3		
127	Nonvenereal diseases of the male genital organs	2	1												1				
128	Uterine hemorrhage (nonpuerperal)	2									1	1							
129	Uterine tumor (noncancerous)	63								3	13	27	7	8	2		2		1
130	Other diseases of the uterus	39							2	6	16	9	4	2					
131	Cysts and other tumors of the ovary	30								4	6	10	4	3	3				
132	Salpingitis and other diseases of the female genital organs	94							5	27	37	22	3						
133	Nonpuerperal diseases of the breast (cancer excepted)	1								1									
	VII.—The puerperal state	581							65	278	201	36	1						
134	Accidents of pregnancy	50							3	19	26	2							
135	Puerperal hemorrhage	47							1	13	28	5							
136	Other accidents of labor	47							6	15	21	5							
137	Puerperal septicemia	313							33	163	97	19	1						
138	Puerperal albuminuria and convulsions	109							20	60	25	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	10							2	5	2	1							
140	Following childbirth (not otherwise defined)	5								3	2								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	116	19	5	3			3	2	4	5	9	12	10	26	14	4		
142	Gangrene	44	1	1	1							2	5	3	18	10	3		
143	Furuncle	19							1	1	2	2	3	3	5	2			
144	Acute abscess	23	4	2				2	1	2	1	3	3	2	2		1		
145	Other diseases of the skin and annexa	30	14	2	2			1		1	2	2	1	2	1	2			
	IX.—Diseases of the bones and of the organs of locomotion	56	2	3	1	1	1	5	11	2	9	7	7	3	3	1			
146	Diseases of the bones (tuberculosis excepted)	50		3	1	1	1	5	9	2	8	7	7	3	3				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5	2						2		1								
148	Amputations																		
149	Other diseases of the organs of locomotion	1														1			
	X.—Malformations	446	408	10	7	3	2	6	7	3									
150	Congenital malformations (stillbirths not included) (total)	446	408	10	7	3	2	6	7	3									
	Hydrocephalus	40	28	3	2	1	1	2	3										
	Congenital malformations of the heart	272	255	4	3	1	1	3	2	3									
	Other congenital malformations	134	125	3	2	1		1	2										

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MISSOURI—Continued.																		
	XI.—Early infancy	2,252	2,252																
151	Congenital debility, icterus, and sclerema (total)	1,826	1,826																
	Premature birth	1,480	1,480																
	Congenital debility "atrophy," "marasmus," etc	346	346																
152	Other causes peculiar to early infancy (total)	416	416																
	Injuries at birth	221	221																
	Other causes peculiar to early infancy [1]	195	195																
153	Lack of care	10	10																
	XII.—Old age	430											2	23	104	233	64	4	
154	Senility	430											2	23	104	233	64	4	
	XIII.—External causes	3,127	107	72	54	43	26	117	274	573	473	435	335	246	187	133	22		30
	Suicide (total)	586							23	137	105	130	87	68	28	5	1		2
155	By poison	283							16	79	58	54	41	22	10	3			
156	By asphyxia	34							1	9	5	9	1	5	4				
157	By hanging or strangulation	55							1	8	4	15	11	10	6				
158	By drowning	21									5	5	4	6		1			
159	By firearms	152							5	39	28	34	19	17	7	1	1		1
160	By cutting or piercing instruments	27									2	11	7	6	1				
161	By jumping from high places	7									1	2	4						
162	By crushing	2								1									1
163	Other suicides	5								1	2			2					
	Accidental or undefined (total)	2,210	96	72	54	42	25	115	233	326	279	248	228	166	157	128	21		20
164	Poisoning by food	43	9	3	2		1	2	5	3	3	5	2	5	2	1			
165	Other acute poisonings	87	8	16	5	2	3	2	1	9	14	14	7	2	3	1			
166	Conflagration	83	5	9	8	5	2	7	4	11	10	5	3	3	8	3			
167	Burns (conflagration excepted)	175	6	18	24	20	8	17	8	17	13	7	14	7	10	6			
168	Absorption of deleterious gases (conflagration excepted)	77	38	2				2	7	9	5	2	7		3	1	1		
169	Accidental drowning	155	1	5	2	3		10	48	39	14	12	8	7	4				2
170	Traumatism by firearms	117		1	3	1	1	8	42	23	16	8	9	4	1				
171	Traumatism by cutting or piercing instruments	7						2	1	1		1	1		1				
172	Traumatism by fall	420	3	4	4	4	1	12	25	28	37	44	40	45	71	84	18		
173	Traumatism in mines and quarries (total)	57							2	18	17	13	4	3					
	Traumatism in mines	54							2	17	17	11	4	3					
	Traumatism in quarries	3								1		2							
174	Traumatism by machines	46						2	10	11	9	6	6	2					
175	Traumatism by other crushing (total)	590	2	4	1	4	7	32	57	115	93	80	85	57	27	10			16
	Railroad accidents and injuries	298	1	2			1	2	20	77	52	40	43	31	9	6			14
	Street-car accidents and injuries	78					2	3	10	8	13	13	11	9	7	2			
	Automobile accidents and injuries	88	1	1	1	1	3	12	14	13	7	10	13	6	6				
	Injuries by other vehicles	111		1		3		13	13	15	19	14	15	10	5	2			1
	Landslide, other crushing	15					1	2		2	2	3	3	1					1
176	Injuries by animals	34			1	1		6	9		2	5	4	4	2				
177	Starvation	2	1	1															
178	Excessive cold	14									3	1	5		1	3			1
179	Effects of heat	114	12	1			1	1	2	6	15	25	18	10	12	10	1		
180	Lightning	19						1	4	5	2	2	2	1		1			1
181	Electricity (lightning excepted)	20							2	7	8	3							
185	Fractures (cause not specified)	27	1							3	1	3	2	6	6	4	1		
186	Other external violence	123	10	8	4	2	1	11	6	21	17	12	11	10	6	4			
	Homicide (total)	331	11			1	1	2	18	110	89	57	20	12	2				8
182	By firearms	199	1			1	1		9	80	53	36	9	6	1				2
183	By cutting or piercing instruments	49						1	3	12	16	8	3	3	1				2
184	By other means	83	10					1	6	18	20	13	8	3					4
	XIV.—Ill-defined diseases	641	357	21	4	5	2	8	11	14	20	15	43	42	49	30	5	3	12
187	Ill-defined organic disease	19	1	1					2				4	4	2	5			
188	Sudden death	36	8							2	1		8	6	7	4			
189	Not specified or ill-defined (total)	586	348	20	4	5	2	8	9	12	19	15	31	32	40	21	5	3	12
	Ill-defined	149	47	9	3	2	1	2	5	3	10	8	14	20	18	4		2	1
	Not specified, or unknown	437	301	11	1	3	1	6	4	9	9	7	17	12	22	17	5	1	11

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MONTANA.																		
	All causes	5,033	812	169	117	57	38	134	238	536	629	660	612	475	367	156	20	1	12
	I.—General diseases	1,320	88	59	54	23	11	66	93	148	207	223	152	128	54	13	1	.....	.....
1	Typhoid fever	95	.....	1	3	.....	.....	2	12	30	22	15	4	5	.....	1	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
5	Smallpox	3	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
6	Measles	54	15	19	5	3	.....	5	6	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	119	7	10	24	12	7	32	15	8	4	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	46	22	13	8	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	23	2	5	3	2	1	6	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
10	Influenza	30	4	2	1	1	1	.....	1	1	3	2	4	2	3	4	1	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
14	Dysentery	9	3	.....	1	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	16	5	1	.....	.....	.....	.....	.....	.....	1	3	3	2	1	.....	.....	.....	.....
19	Other epidemic diseases	8	.....	.....	.....	.....	.....	1	1	1	2	.....	1	2	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	26	2	.....	.....	.....	.....	.....	2	7	6	2	2	4	1	.....	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	3	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Mycoses	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	456	14	5	5	3	1	10	39	72	108	104	49	33	10	3	.....	.....	.....
28	Tuberculosis of the lungs	372	2	3	1	1	.....	3	29	57	93	95	45	31	9	3	.....	.....	.....
29	Acute miliary tuberculosis	19	.....	.....	.....	.....	.....	1	2	5	7	3	1	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	25	9	1	4	1	.....	4	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	17	2	.....	.....	.....	.....	.....	1	4	6	2	1	1	.....	.....	.....	.....	.....
32	Pott's disease	6	1	.....	.....	1	1	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
33	White swellings	3	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	7	.....	.....	.....	.....	.....	1	1	2	2	1	.....	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	7	.....	1	.....	.....	.....	.....	.....	1	.....	1	2	1	1	.....	.....	.....	.....
36	Rickets	5	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	23	4	.....	.....	.....	.....	.....	1	4	5	4	3	2	.....	.....	.....	.....	.....
38	Gonococcus infection	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	207	1	.....	1	.....	1	2	2	6	22	47	47	49	27	2	.....	.....	.....
39	Of the buccal cavity	9	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	5	1	.....	.....	.....	.....
40	Of the stomach, liver	89	1	.....	.....	.....	.....	.....	.....	.....	7	21	22	25	11	2	.....	.....	.....
41	Of the peritoneum, intestines, rectum	32	.....	.....	.....	.....	.....	1	1	1	1	10	8	6	4	.....	.....	.....	.....
42	Of the female genital organs	28	.....	.....	.....	.....	.....	.....	.....	3	6	8	5	3	3	.....	.....	.....	.....
43	Of the breast	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	2	2	.....	.....	.....	.....
44	Of the skin	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
45	Of other organs or of organs not specified	37	.....	.....	1	.....	1	1	1	2	7	5	7	6	6	.....	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	5	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....
47	Acute articular rheumatism	28	.....	1	1	.....	.....	2	5	6	2	3	4	2	2	.....	.....	.....	.....
48	Chronic rheumatism and gout	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
49	Scurvy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	44	1	.....	.....	.....	.....	.....	5	4	5	8	1	13	5	2	.....	.....	.....
51	Exophthalmic goiter	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
52	Addison's disease	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	6	.....	.....	.....	.....	.....	1	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....
54	Anemia, chlorosis	15	.....	1	.....	1	.....	1	2	.....	2	2	4	1	1	.....	.....	.....	.....
55	Other general diseases	10	3	.....	2	1	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	74	.....	.....	.....	.....	.....	.....	.....	4	19	22	21	8	.....	.....	.....	.....	.....
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	389	33	10	12	3	3	4	17	23	41	50	64	53	58	16	2	.....	.....
60	Encephalitis	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	60	8	8	7	2	2	2	8	10	9	2	.....	1	1	.....	.....	.....	.....
	Simple meningitis	30	7	2	4	.....	1	1	5	2	5	1	.....	1	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	15	.....	3	2	2	1	.....	1	3	2	1	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	15	1	3	1	.....	.....	1	2	5	2	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MONTANA—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	2									1				1			
63	Other diseases of the spinal cord (total)	17	2	2	1	1	1	1	1	1	1	2	2		1			
	Acute anterior poliomyelitis	8	2	2	1	1	1	1										
	Other diseases of the spinal cord [1]	9							1	1	1	1	2	2		1		
64	Cerebral hemorrhage, apoplexy	152	3							1	9	15	35	36	41	11	1	
65	Softening of the brain	3												1	1	1		
66	Paralysis without specified cause	26							1		2		8	3	9	3		
67	General paralysis of the insane	37								1	6	14	9	4	2		1	
68	Other forms of mental alienation	14								2	4	7	1					
69	Epilepsy	23							3	4	1	4	4	5	2			
70	Convulsions (nonpuerperal)																	
71	Convulsions of infants	17	16		1													
72	Chorea	2							2									
73	Neuralgia and neuritis	2											1		1			
74	Other diseases of the nervous system	14	1		1					1	6	3	1	1				
75	Diseases of the eyes and their annexa																	
76	Diseases of the ears	17	3		2			1	2	1	2	3	3					
	III.—Diseases of the circulatory system	502	7			1	2	8	25	18	41	62	98	109	81	42	6	2
77	Pericarditis	2							1				1					
78	Acute endocarditis	32						2	1	1	6	10	12					
79	Organic diseases of the heart	381	4			1	2	5	23	14	30	43	69	92	65	28	4	1
80	Angina pectoris	13									2	1	4	4	2			
81	Diseases of the arteries, atheroma, aneurism, etc	47									2	3	7	7	12	14	2	
82	Embolism and thrombosis	16	1									3	5	4	2			1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3								3								
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	1															
85	Hemorrhage; other diseases of the circulatory system	7	1					1			1	2		2				
	IV.—Diseases of the respiratory system	612	141	32	16	10	6	15	18	33	51	80	83	52	51	23	1	
86	Diseases of the nasal fossae	2	1			1												
87	Diseases of the larynx	7	2		2	2					1							
88	Diseases of the thyroid body	2							1				1					
89	Acute bronchitis	33	19	4		2	1	2			1				2	2		
90	Chronic bronchitis	15								1	1		5	2	4	2		
91	Bronchopneumonia	135	70	12	8	1	2	6	1	3	5	7	7	4	7	2		
92	Pneumonia (total)	373	49	16	6	4	3	7	14	26	42	65	54	38	34	14	1	
	Lobar pneumonia	202	15	5	2	1	1	4	6	14	29	51	32	23	12	7		
	Pneumonia (undefined)	171	34	11	4	3	2	3	8	12	13	14	22	15	22	7	1	
93	Pleurisy	8							2	1		1	1	2		1		
94	Pulmonary congestion, pulmonary apoplexy	6											2		3	1		
95	Gangrene of the lung	1										1						
96	Asthma	10										1	4	3	1	1		
97	Pulmonary emphysema	1												1				
98	Other diseases of the respiratory system (tuberculosis excepted)	19								2	1	5	9	2				
	V.—Diseases of the digestive system	529	154	43	20	10	6	20	25	44	50	55	51	27	18	5	1	
99	Diseases of the mouth and annexa	3	2											1				
100	Diseases of the pharynx	11	2		1	3		1	1	1		1				1		
101	Diseases of the esophagus	1										1						
102	Ulcer of the stomach	23							3	2	5	4	7	2				
103	Other diseases of the stomach (cancer excepted)	28	11		1			1		3	3		3	1	4	1		
104	Diarrhea and enteritis (under 2 years)	162	125	37														
105	Diarrhea and enteritis (2 years and over)	48			15	4	2	5		4		4	4	6	3		1	
106	Ankylostomiasis																	
107	Intestinal parasites																	
108	Appendicitis and typhlitis	89		1			3	9	14	23	20	15	3	1				
109	Hernia, intestinal obstruction (total)	35	10	1			1	2	2	2	3	5	3	1	4	1		
	Hernia	10	3								1	1	3		2			
	Intestinal obstruction	25	7	1			1	2	2	2	2	4		1	2	1		
110	Other diseases of the intestines	15	3	1		1			1		5	1	2		1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MONTANA—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	1							1									
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	54			1					2	8	13	14	12	3	1		
114	Biliary calculi	12			1						2	4	3	1	1			
115	Other diseases of the liver	20						1		1		5	10	1	1	1		
116	Diseases of the spleen	1												1				
117	Simple peritonitis (nonpuerperal)	22	1	3	1	2		1	3	5	3	2			1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4								1	1		2					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	314	2	2	2		1	1	8	31	38	51	51	55	51	19	2	
119	Acute nephritis	25	1	1	1		1		3	3	6	4	3	2				
120	Bright's disease	222		1				1	3	11	22	33	42	46	47	15	1	
121	Chyluria																	
122	Other diseases of the kidneys and annexa	7	1		1					2		1		2				
123	Calculi of the urinary passages	1										1						
124	Diseases of the bladder	5								1		1			1	2		
125	Diseases of the urethra, urinary abscess, etc	2								1			1					
126	Diseases of the prostate	15								2			4	3	3	2	1	
127	Nonvenereal diseases of the male genital organs																	
128	Uterine hemorrhage (nonpuerperal)	1										1						
129	Uterine tumor (noncancerous)	6								1	1	4						
130	Other diseases of the uterus	7								1	3	1	1	1				
131	Cysts and other tumors of the ovary	2									1			1				
132	Salpingitis and other diseases of the female genital organs	21							2	9	5	5						
133	Nonpuerperal diseases of the breast (cancer excepted)																	
	VII.—The puerperal state	80							4	45	27	4						
134	Accidents of pregnancy	9								5	4							
135	Puerperal hemorrhage	10								7	3							
136	Other accidents of labor	6							1	3	2							
137	Puerperal septicemia	37							2	21	13	1						
138	Puerperal albuminuria and convulsions	16							1	8	4	3						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2								1	1							
140	Following childbirth (not otherwise defined)																	
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	13	1							3		2	1	3	3			
142	Gangrene	5								1				2	2			
143	Furuncle	4								1		2	1					
144	Acute abscess	2								1				1				
145	Other diseases of the skin and annexa	2	1												1			
	IX.—Diseases of the bones and of the organs of locomotion	15	1					1		1	5	2	1	3	1			
146	Diseases of the bones (tuberculosis excepted)	14	1					1		1	5	2	1	2	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1												1				
148	Amputations																	
149	Other diseases of the organs of locomotion																	
	X.—Malformations	66	62	2	2													
150	Congenital malformations (stillbirths not included) (total)	66	62	2	2													
	Hydrocephalus	4	3		1													
	Congenital malformations of the heart	45	42	2	1													
	Other congenital malformations	17	17															

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MONTANA—Continued.																		
	XI.—Early infancy	277	277																
151	Congenital debility, icterus, and sclerema (total)	218	218																
	Premature birth	158	158																
	Congenital debility, "atrophy," "marasmus," etc.	60	60																
152	Other causes peculiar to early infancy (total)	58	58																
	Injuries at birth	30	30																
	Other causes peculiar to early infancy [1]	28	28																
153	Lack of care	1	1																
	XII.—Old age	68											1	4	27	30	6		
154	Senility	68											1	4	27	30	6		
	XIII.—External causes	723	11	14	10	9	9	15	45	184	157	116	96	26	20	4			7
	Suicide (total)	115							4	27	26	23	25	7	3				
155	By poison	38							4	15	5	3	9	2					
156	By asphyxia																		
157	By hanging or strangulation	7									2	2	1	1	1				
158	By drowning	1								1									
159	By firearms	56								10	14	15	12	4	1				
160	By cutting or piercing instruments	9								1	2	3	2		1				
161	By jumping from high places	1									1								
162	By crushing	1									1								
163	Other suicides	2									1		1						
	Accidental or undefined (total)	564	10	14	10	9	9	15	40	145	117	87	63	18	17	4			6
164	Poisoning by food	8	1	2	1	1		1			1				1				
165	Other acute poisonings	16	1	2	1		1	1		3	2	4		1					
166	Conflagration	4				1				1		1	1						
167	Burns (conflagration excepted)	22	1	2	2	4	3		1	4	2	3							
168	Absorption of deleterious gases (conflagration excepted)	9	2		1				1	4	1								
169	Accidental drowning	64		7	2	1	1	4	16	12	11	5	2	2					1
170	Traumatism by firearms	25						3	7	7	4	3			1				
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	52	1		1	2			4	8	11	11	8	4	1	1			
173	Traumatism in mines and quarries (total)	83							1	29	28	16	8	1					
	Traumatism in mines	82							1	29	28	16	7	1					
	Traumatism in quarries	1											1						
174	Traumatism by machines	6								2	2		2						
175	Traumatism by other crushing (total)	201			2		4	4	10	58	39	29	30	9	11	1			4
	Railroad accidents and injuries	121					2	2	5	40	24	18	17	4	5	1			3
	Street-car accidents and injuries	5			1				1	1			2						
	Automobile accidents and injuries	15								7	2	4	1	1					
	Injuries by other vehicles	47			1		2	2	4	6	10	5	8	4	4				1
	Landslide, other crushing	13								4	3	2	2		2				
176	Injuries by animals	9								3	1	2	2		1				
177	Starvation																		
178	Excessive cold	10						2			1	4	3						
179	Effects of heat																		
180	Lightning	8								4		2	2						
181	Electricity (lightning excepted)	4								2	2								
185	Fractures (cause not specified)	3									1	2							
186	Other external violence	40	4	1						8	11	5	5	1	2	2			1
	Homicide (total)	44	1						1	12	14	6	8	1					1
182	By firearms	31							1	9	10	5	5	1					
183	By cutting or piercing instruments	4								1	1		1						
184	By other means	9	1							2	3	1	2						1
	XIV.—Ill-defined diseases	125	35	7	1	1		4	3	6	12	15	14	15	3	4	1	1	3
187	Ill-defined organic disease	5								1		1	1	2					
188	Sudden death	5	1								2		1	1					
189	Not specified or ill-defined (total)	115	34	7	1	1		4	3	5	10	14	12	12	3	4	1	1	3
	Ill-defined	34	5	2					1	4	3	6	5	5	2	1			
	Not specified, or unknown	81	29	5	1	1		4	2	1	7	8	7	7	1	3	1	1	3

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW HAMPSHIRE.																		
	All causes	7,459	1,322	218	83	53	37	122	196	343	438	558	730	1,017	1,293	855	135	5	54
	I.—General diseases	1,603	87	56	24	21	9	52	77	152	172	206	225	215	196	92	8	1	10
1	Typhoid fever	52		1	1	2		1	12	11	6	11	2	4					1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria																		
5	Smallpox	2	1						1										
6	Measles	54	15	13	1	1	1	7	1	1	3	5	3	2					1
7	Scarlet fever	13		2	3	1		5	1		1								
8	Whooping cough	41	23	14		2	1					1							
9	Diphtheria and croup	56	5	7	12	5	3	18	5						1				
10	Influenza	72	3	1	2	1	1	2		2	5	5	2	7	18	20	3		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	5	2					1			1				1				
14	Dysentery	10	1								1	1		1	2	3	1		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	9	1	1	1						2	1	1	1	1				
19	Other epidemic diseases																		
20	Purulent infection and septicemia	16	1			1		1		2	2		4	3	1	1			
21	Glanders	1											1						
22	Anthrax																		
23	Rabies	1										1							
24	Tetanus	1						1											
25	Mycoses																		
26	Pellagra	2								1	1								
27	Beriberi																		
	Tuberculosis (total)	525	19	10	1	6	3	11	41	113	108	97	60	24	20	7	1		4
28	Tuberculosis of the lungs	417	6	2		2	1	2	29	102	88	90	48	19	17	6	1		4
29	Acute miliary tuberculosis	15						1	2	3	4	3	1	1					
30	Tuberculous meningitis	47	13	8	1	3	2	6	5	2	5		2						
31	Abdominal tuberculosis	25						1	5	5	4	2	3	3	2				
32	Pott's disease	10				1		1			3	1	3	1					
33	White swellings	1									1								
34	Tuberculosis of other organs	6								1	2	1	1		1				
35	Disseminated tuberculosis	4									1		2			1			
36	Rickets	5	2			1		1	1										
37	Syphilis	6	2	1					1			2							
38	Gonococcus infection	1								1									
	Cancer and other malignant tumors (total)	456							1	3	15	48	107	106	116	54	3	1	2
39	Of the buccal cavity	17										2	5	3	5	2			
40	Of the stomach, liver	176								1	3	12	36	56	49	19			
41	Of the peritoneum, intestines, rectum	76									7	4	16	12	25	11	1		
42	Of the female genital organs	69								2	3	20	20	12	5	6			1
43	Of the breast	41										5	12	10	7	7			
44	Of the skin	20										1	2	5	6	3	1	1	1
45	Of other organs or of organs not specified	57							1		2	4	16	8	19	6	1		
46	Other tumors (tumors of the female genital organs excepted)	3		1						1					1				
47	Acute articular rheumatism	26						1	5	3	2	4	5	5	1				
48	Chronic rheumatism and gout	7									2		2	2		1			
49	Scurvy																		
50	Diabetes	103			1			2	4	4	4	10	22	28	24	3			1
51	Exophthalmic goiter	4									1	2		1					
52	Addison's disease	4									1	1		2					
53	Leukemia	9							1	1	1	2	3		1				
54	Anemia, chlorosis	68	7	1					2	5	7	9	7	19	8	3			
55	Other general diseases	18	5	4	2	1		1	1	1		2		1					
56	Alcoholism (acute or chronic)	28								3	8	4	5	6	1				1
57	Chronic lead poisoning	4									1		1	2					
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	1												1					
	II.—Diseases of the nervous system and of the organs of special sense	938	50	26	15	7	9	13	23	22	32	68	104	168	238	138	21		4
60	Encephalitis	6	1	1		1						2	1						
61	Meningitis (total)	81	20	13	9	4	5	9	12	2	2	2		1		1			1
	Simple meningitis	50	13	9	6	2	2	4	8	1	1	2		1					1
	Cerebrospinal meningitis (undefined)	29	6	4	3	2	3	5	4	1	1								
	Cerebrospinal fever	2	1													1			

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW HAMPSHIRE—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	13									1	1	3	6		2		
63	Other diseases of the spinal cord (total)	55	3	3	3	1	3	1	5	3	4	5	4	7	11	2		
	Acute anterior poliomyelitis	21	3	3	3	1	3	1	4	2		1						
	Other diseases of the spinal cord [1]	34							1	1	4	4	4	7	11	2		
64	Cerebral hemorrhage, apoplexy	539					1		1	4	7	34	69	125	179	102	14	3
65	Softening of the brain	8											2	1	1	1	3	
66	Paralysis without specified cause	79									2	6	8	12	29	18	4	
67	General paralysis of the insane	29								1	4	4	4	5	7	4		
68	Other forms of mental alienation	31								4	6	6	3	6	4	2		
69	Epilepsy	28	2	2	1			2	4	5	4	4		2	1	1		
70	Convulsions (nonpuerperal)	1								1								
71	Convulsions of infants	30	21	7	2													
72	Chorea	1							1									
73	Neuralgia and neuritis	4											2			2		
74	Other diseases of the nervous system	31	2			1		1		2	2	4	7	3	6	3		
75	Diseases of the eyes and their annexa																	
76	Diseases of the ears	2	1										1					
	III.—Diseases of the circulatory system	1,166	15		1			6	9	13	35	71	132	271	368	207	26	12
77	Pericarditis	9											4	2	2	1		
78	Acute endocarditis	28	2					1	2	1	5	3	10	2				2
79	Organic diseases of the heart	817	12		1			5	7	11	26	60	88	202	262	123	12	8
80	Angina pectoris	61									1	5	10	14	19	10	1	1
81	Diseases of the arteries, atheroma, aneurism, etc.	200										2	9	40	72	64	12	1
82	Embolism and thrombosis	42								1	3	1	9	10	10	7	1	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1														1		
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1												1			
85	Hemorrhage; other diseases of the circulatory system	6											2	1	2	1		
	IV.—Diseases of the respiratory system	846	182	55	20	8	7	17	23	26	34	51	67	94	135	112	12	3
86	Diseases of the nasal fossae	1														1		
87	Diseases of the larynx	8	2		1			4	1									
88	Diseases of the thyroid body																	
89	Acute bronchitis	65	40	4	1							2			6	9	2	1
90	Chronic bronchitis	55	1					1		1	1	1	2	12	10	23	2	1
91	Bronchopneumonia	159	68	20	8	2	2	4	2	1	3	4	7	12	19	7		
92	Pneumonia (total)	482	65	30	9	6	4	6	20	16	25	40	52	55	91	56	6	1
	Lobar pneumonia	77	10	4	3	2	1	3	6	5	9	5	8	8	9	4		
	Pneumonia (undefined)	405	55	26	6	4	3	3	14	11	16	35	44	47	82	52	6	1
93	Pleurisy	19	1	1	1			1		5	2	2	2	2	1	1		
94	Pulmonary congestion, pulmonary apoplexy	32	4									1	2	5	7	11	2	
96	Gangrene of the lung	1								1								
97	Asthma	13	1				1				2	1	2	5		1		
98	Pulmonary emphysema	3												3				
	Other diseases of the respiratory system (tuberculosis excepted)	8						1		2	1				1	3		
	V.—Diseases of the digestive system	887	406	56	15	9	5	14	19	22	34	53	59	62	81	41	4	7
99	Diseases of the mouth and annexa	2	1				1											
100	Diseases of the pharynx	8		2	1				3					1	1			
101	Diseases of the esophagus																	
102	Ulcer of the stomach	14								2	3		5	3	1			
103	Other diseases of the stomach (cancer excepted)	102	29	2	1	2		2	1	2	1	5	6	16	24	8	2	1
104	Diarrhea and enteritis (under 2 years)	420	368	52														
105	Diarrhea and enteritis (2 years and over)	74			12	6	2	4	1		4	6	10	9	8	9	1	2
106	Ankylostomiasis																	
107	Intestinal parasites																	
108	Appendicitis and typhlitis	55					2	5	8	8	8	6	6	4	5	2		1
109	Hernia, intestinal obstruction (total)	62	6		1	1		2	2	3	1	3	6	11	16	9	1	
	Hernia	20	2					1				1	5	6	4	1		
	Intestinal obstruction	42	4		1	1		1	2	3	1	2	1	5	12	8	1	
110	Other diseases of the intestines	8	1								1	2	2		1	1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW HAMPSHIRE—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	1													1				
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	49								1	2	14	9	9	12	2			
114	Biliary calculi	17									2	2	4	4	3	1			1
115	Other diseases of the liver	29							1		6	5	4	5	3	5			
116	Diseases of the spleen	2									1	1							
117	Simple peritonitis (nonpuerperal)	42	1					1	3	6	5	8	7		5	4			2
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2										1			1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	593	6	6	1		2	2	12	19	40	46	84	146	149	67	7		6
119	Acute nephritis	44	5	3			2		4	4	5	3	6	5	6	1			
120	Bright's disease	475	1	1	1			2	6	12	23	31	71	132	128	57	4		6
121	Chyluria																		
122	Other diseases of the kidneys and annexa	15		2							3	2	1	3	4				
123	Calculi of the urinary passages	6							1	1	1			2	1				
124	Diseases of the bladder	15									1		1	2	5	4	2		
125	Diseases of the urethra, urinary abscess, etc.	1								1									
126	Diseases of the prostate	12										1	1		5	4	1		
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)	3									1	2							
129	Uterine tumor (noncancerous)	10									3	5	1	1					
130	Other diseases of the uterus	6							1	1	1		2	1					
131	Cysts and other tumors of the ovary	3										1	1			1			
132	Salpingitis and other diseases of the female genital organs	3									2	1							
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	59							2	23	28	5	1						
134	Accidents of pregnancy	8								3	5								
135	Puerperal hemorrhage	4								1	3								
136	Other accidents of labor	9								5	4								
137	Puerperal septicemia	18							1	7	9	1							
138	Puerperal albuminuria and convulsions	18							1	7	5	4	1						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1									1								
140	Following childbirth (not otherwise defined)	1									1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue.	38	2							2		2		5	11	13	2		1
142	Gangrene	25												2	10	10	2		1
143	Furuncle	2								1						1			
144	Acute abscess	6	2							1		1		2					
145	Other diseases of the skin and annexa	5										1		1	1	2			
	IX.—Diseases of the bones and of the organs of locomotion	4										1	3						
146	Diseases of the bones (tuberculosis excepted)	2											2						
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1										1							
148	Amputations																		
149	Other diseases of the organs of locomotion	1											1						
	X.—Malformations	74	66	6					1	1									
150	Congenital malformations (stillbirths not included) (total)	74	66	6					1	1									
	Hydrocephalus	8	4	4															
	Congenital malformations of the heart	34	31	1					1	1									
	Other congenital malformations	32	31	1															

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW HAMPSHIRE—Continued.																		
	XI.—Early infancy	498	498																
151	Congenital debility, icterus, and sclerema (total)	447	447																
	Premature birth	228	228																
	Congenital debility, "atrophy," "marasmus," etc.	219	219																
152	Other causes peculiar to early infancy (total)	50	50																
	Injuries at birth	20	20																
	Other causes peculiar to early infancy[1]	30	30																
153	Lack of care	1	1																
	XII.—Old age	284											2	7	74	145	50	4	2
154	Senility	284											2	7	74	145	50	4	2
	XIII.—External causes	416	6	9	7	7	5	18	30	62	61	50	45	38	34	31	5		8
	Suicide (total)	75							3	12	11	16	11	10	6	5	1		
155	By poison	10							1	2	4	1	1		1				
156	By asphyxia	6							1	2		2		1					
157	By hanging or strangulation	17								1	4	3	1	3	2	3			
158	By drowning	5							1			1		2		1			
159	By firearms	22								5	2	3	4	4	3	1			
160	By cutting or piercing instruments	11								2	1	4	3			1			
161	By jumping from high places																		
162	By crushing	1											1						
163	Other suicides	3										2	1						
	Accidental or undefined (total)	327	6	9	7	7	5	18	25	47	46	31	34	27	27	26	4		8
164	Poisoning by food	10	4	1	1			2				1	1						
165	Other acute poisonings	14		1	2	1		2		4	3		1						
166	Conflagration	4		1								1	1						1
167	Burns (conflagration excepted)	35		3	1	3	2	2		4	3	3	5	6	3				
168	Absorption of deleterious gases (conflagration excepted)	9	1						2			2	2	2					
169	Accidental drowning	65			1	2	2	9	15	18	10	3	1			2			2
170	Traumatism by firearms	6							2		2	1		1					
171	Traumatism by cutting or piercing instruments	2										1			1				
172	Traumatism by fall	73	1	2		1				2	4	4	10	8	14	22	4		1
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines																		
	Traumatism in quarries																		
174	Traumatism by machines	7								1	3		1			1			1
175	Traumatism by other crushing (total)	76					1	3	4	13	18	13	7	7	8				2
	Railroad accidents and injuries	39						1	1	7	13	7	4	2	2				2
	Street-car accidents and injuries	1								1									
	Automobile accidents and injuries	17						2	2	2	2	3	2	4					
	Injuries by other vehicles	16					1		1	3	3	1	1	1	5				
	Landslide, other crushing	3										2			1				
176	Injuries by animals	3										1	1		1				
177	Starvation																		
178	Excessive cold	1									1								
179	Effects of heat	2								1				1					
180	Lightning																		
181	Electricity (lightning excepted)	3								2	1								
185	Fractures (cause not specified)	4								1			2			1			
186	Other external violence	13		1	2				2	1	1	1	2	2					1
	Homicide (total)	14							2	3	4	3		1	1				
182	By firearms	8							2	1	3	1			1				
183	By cutting or piercing instruments																		
184	By other means	6								2	1	2		1					
	XIV.—Ill-defined diseases	53	4	4		1				1	2	5	8	11	7	9			1
187	Ill-defined organic disease	11										1	3	2	1	4			
188	Sudden death	5										2			2	1			
189	Not specified or ill-defined (total)	37	4	4		1				1	2	2	5	9	4	4			1
	Ill-defined	30	3	4		1				1	2	1	5	9		3			1
	Not specified, or unknown	7	1									1			4	1			

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW JERSEY.																		
	All causes	39,437	7,571	1,681	703	443	318	907	1,376	2,698	3,375	3,994	4,330	4,930	4,584	2,193	312	19	3
	I.—General diseases	9,858	632	443	275	178	144	367	586	1,237	1,371	1,387	1,288	1,053	669	215	13	.....	.....
1	Typhoid fever	265	1	1	1	3	1	14	58	67	55	32	18	10	2	2	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	14	.....	.....	1	1	1	1	2	1	1	.....	2	2	1	1	.....	.....	.....
5	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	214	66	77	31	16	2	16	2	3	.....	.....	.....	1	.....	.....	.....	.....	.....
7	Scarlet fever	230	7	32	38	26	26	54	24	14	7	1	1	.....	.....	.....	.....	.....	.....
8	Whooping cough	355	191	101	31	13	3	13	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
9	Diphtheria and croup	585	50	92	101	71	77	139	37	7	4	4	2	.....	1	.....	.....	.....	.....
10	Influenza	245	21	5	3	5	1	3	8	9	13	6	37	38	61	31	4	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	11	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	.....	.....
14	Dysentery	50	12	6	3	2	1	1	1	.....	.....	2	2	7	4	8	1	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	129	48	2	.....	.....	1	2	1	5	11	15	13	12	11	8	.....	.....	.....
19	Other epidemic diseases	11	5	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	1	.....	.....
20	Purulent infection and septicemia	48	2	3	2	.....	.....	4	6	2	7	4	8	6	3	1	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	8	.....	.....	.....	1	1	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	57	14	2	.....	.....	2	4	8	4	5	7	5	5	.....	1	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	4,217	105	93	51	32	17	76	352	998	1,000	778	427	216	63	9	.....	.....	.....
28	Tuberculosis of the lungs	3,517	25	20	7	6	3	19	258	894	923	703	400	197	54	8	.....	.....	.....
29	Acute miliary tuberculosis	173	3	1	1	1	.....	1	31	51	36	33	9	5	1	.....	.....	.....	.....
30	Tuberculous meningitis	262	53	61	29	22	8	30	25	14	8	8	3	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	112	15	5	10	1	2	10	15	14	13	11	6	7	3	.....	.....	.....	.....
32	Pott's disease	44	1	1	.....	2	2	6	7	8	7	6	2	2	.....	.....	.....	.....	.....
33	White swellings	25	1	.....	2	.....	.....	2	7	5	3	4	.....	.....	1	.....	.....	.....	.....
34	Tuberculosis of other organs	56	6	4	.....	.....	1	6	3	6	8	12	2	3	4	1	.....	.....	.....
35	Disseminated tuberculosis	28	1	1	2	.....	1	2	6	6	2	1	5	1	.....	.....	.....	.....	.....
36	Rickets	32	20	9	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	134	56	5	.....	.....	1	1	.....	18	22	12	8	8	2	1	.....	.....	.....
38	Gonococcus infection	6	2	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,156	1	5	4	4	2	4	6	36	114	371	543	553	392	116	5	.....	.....
39	Of the buccal cavity	74	.....	1	.....	.....	.....	.....	1	.....	4	9	20	20	17	2	.....	.....	.....
40	Of the stomach, liver	839	.....	3	.....	.....	1	1	.....	8	27	120	238	239	147	53	2	.....	.....
41	Of the peritoneum, intestines, rectum	349	1	.....	1	1	.....	.....	.....	8	17	52	70	108	70	21	.....	.....	.....
42	Of the female genital organs	330	.....	.....	.....	.....	.....	.....	.....	10	27	105	89	52	39	7	1	.....	.....
43	Of the breast	194	.....	.....	.....	.....	.....	.....	.....	18	37	48	47	35	9	.....	.....	.....	.....
44	Of the skin	63	.....	.....	.....	1	1	.....	.....	.....	5	12	14	21	7	2	.....	.....	.....
45	Of other organs or of organs not specified	307	.....	1	3	2	.....	3	5	10	21	43	66	73	63	17	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	11	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	4	2	2	1	.....	.....
47	Acute articular rheumatism	178	1	.....	2	4	5	25	47	13	14	14	22	17	10	4	.....	.....	.....
48	Chronic rheumatism and gout	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	5	4	8	6	.....	.....	.....
49	Scurvy	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
50	Diabetes	458	.....	1	1	.....	1	4	13	22	31	44	107	131	86	17	.....	.....	.....
51	Exophthalmic goiter	23	.....	.....	.....	.....	.....	.....	3	3	4	4	6	1	1	1	.....	.....	.....
52	Addison's disease	8	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	1	1	.....	.....	.....	.....
53	Leukemia	42	2	1	.....	.....	.....	1	4	7	6	7	11	2	1	.....	.....	.....	.....
54	Anemia, chlorosis	87	6	.....	1	.....	.....	1	3	5	15	4	22	18	10	2	.....	.....	.....
55	Other general diseases	41	20	2	1	.....	2	.....	5	1	4	3	.....	1	2	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	193	.....	.....	.....	.....	.....	.....	.....	19	52	67	36	12	6	1	.....	.....	.....
57	Chronic lead poisoning	13	.....	.....	.....	.....	.....	.....	.....	.....	2	5	6	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	4,065	287	76	36	37	25	45	75	97	181	382	612	851	912	404	44	.....	1
60	Encephalitis	27	6	.....	1	.....	1	.....	2	2	3	5	1	4	2	.....	.....	.....	.....
61	Meningitis (total)	267	85	32	20	28	12	27	24	11	8	13	4	.....	2	1	.....	.....	.....
	Simple meningitis	170	64	17	15	17	7	11	9	7	5	12	4	.....	2	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	77	18	11	4	8	5	14	14	1	.....	1	.....	.....	.....	1	.....	.....	.....
	Cerebrospinal fever	20	3	4	1	3	.....	2	1	3	3	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW JERSEY—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	93								1	8	15	34	23	11	1		
63	Other diseases of the spinal cord (total)	160	6	7	2	3	5	6	2	6	6	22	29	33	23	10		
	Acute anterior poliomyelitis	30	6	6	2	3		6	1	1	1	1	1	2				
	Other diseases of the spinal cord [1]	130		1			5		1	5	5	21	28	31	23	10		
64	Cerebral hemorrhage, apoplexy	2,416	7	5	1		1		8	24	54	198	404	649	720	308	36	1
65	Softening of the brain	54									1	2	1	16	26	8		
66	Paralysis without specified cause	248	1					1	3	1	5	7	40	56	77	53	4	
67	General paralysis of the insane	229							1	3	34	54	48	38	29	19	3	
68	Other forms of mental alienation	90				1			3	10	12	21	21	14	8			
69	Epilepsy	134	4		1	1	2	4	18	19	29	21	18	9	7	1		
70	Convulsions (nonpuerperal)	2						1		1								
71	Convulsions of infants	181	151	19	8	2	1											
72	Chorea	4	1						3									
73	Neuralgia and neuritis	14								1	4	3	2	3	1			
74	Other diseases of the nervous system	94	12	5	1	2	2	4	6	13	15	15	6	5	4	3	1	
75	Diseases of the eyes and their annexa	4		1					1				1		1			
76	Diseases of the ears	48	14	7	2		1	2	4	5	2	6	3	1	1			
	III.—Diseases of the circulatory system	5,273	50	10	10	14	8	75	164	181	346	545	734	1,151	1,281	625	73	6
77	Pericarditis	20	1					1	3	1		2	2	6	2	2		
78	Acute endocarditis	374	16	3	2	4	2	17	36	32	51	75	105	17	11	3		
79	Organic diseases of the heart	3,985	19	5	5	7	6	53	119	139	262	402	526	946	995	447	49	5
80	Angina pectoris	213			1					4	10	23	44	58	55	17	1	
81	Diseases of the arteries, atheroma, aneurism, etc.	530									8	24	44	97	189	145	22	1
82	Embolism and thrombosis	101	5					2	1	5	9	14	7	23	27	7	1	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	22									3	5	5	3	2	4		
84	Diseases of the lymphatic system (lymphangitis, etc.)	19	6	2	2	3		2	2		2							
85	Hemorrhage; other diseases of the circulatory system	9	3						3		1		1	1				
	IV.—Diseases of the respiratory system	5,086	1,352	623	209	91	46	132	113	194	283	396	376	476	479	254	59	3
86	Diseases of the nasal fossae	3	2							1								
87	Diseases of the larynx	32	13	2	3	1	2	5		1		3		1	1			
88	Diseases of the thyroid body	9						1	1	1	1	3		1	1			
89	Acute bronchitis	300	185	33	8		3	3	2	2		5	9	6	15	22	6	1
90	Chronic bronchitis	227	5	1				1	4	2	4	8	26	46	71	44	14	1
91	Bronchopneumonia	1,392	628	305	94	40	15	39	11	12	16	25	28	61	68	36	13	1
92	Pneumonia (total)	2,755	476	270	97	45	25	73	82	159	242	317	272	301	270	111	15	
	Lobar pneumonia	1,499	175	110	46	24	15	38	49	100	166	223	173	184	143	47	6	
	Pneumonia (undefined)	1,256	301	160	51	21	10	35	33	59	76	94	99	117	127	64	9	
93	Pleurisy	104	6	8	5	2		8	9	8	9	14	12	11	7	5		
94	Pulmonary congestion, pulmonary apoplexy	136	32	2	2	1	1	1	3		3	4	7	14	31	26	9	
95	Gangrene of the lung	8								1		3	1	3				
96	Asthma	54	2	1		1					4	5	9	19	6	5	2	
97	Pulmonary emphysema	12				1							2	3	4	2		
98	Other diseases of the respiratory system (tuberculosis excepted)	54	3	1				1	1	7	4	9	10	10	5	3		
	V.—Diseases of the digestive system	4,646	2,273	395	88	51	26	81	85	139	198	302	321	318	228	121	20	
99	Diseases of the mouth and annexa	13	6	1						1	1	2	1		1			
100	Diseases of the pharynx	38	10	1	2		2	6	4	5		3		3	2			
101	Diseases of the esophagus	10								1		1	2	2	2	1	1	
102	Ulcer of the stomach	100							2	10	25	16	22	13	11	1		
103	Other diseases of the stomach (cancer excepted)	330	114	12	3	1	1	3		12	15	23	41	47	26	28	4	
104	Diarrhea and enteritis (under 2 years)	2,472	2,098	374														
105	Diarrhea and enteritis (2 years and over)	415			81	38	18	24	4	12	24	23	32	49	57	43	10	
106	Ankylostomiasis																	
107	Intestinal parasites	2				1	1											
108	Appendicitis and typhlitis	280	1			6	3	35	58	52	45	32	26	16	5	1		
109	Hernia, intestinal obstruction (total)	269	30	5	1	4		5	9	14	24	31	41	48	36	18	3	
	Hernia	123	5	2					1	2	9	20	23	29	21	9	2	
	Intestinal obstruction	146	25	3	1	4		5	8	12	15	11	18	19	15	9	1	
110	Other diseases of the intestines	90	11	1		1	1	2	3	5	4	20	16	8	7	10	1	

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW JERSEY—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	10						1	1	4	1	1		1	1			
112	Hydatid tumor of the liver	2								1	1							
113	Cirrhosis of the liver	429								13	38	122	108	87	51	9	1	
114	Biliary calculi	61								1	6	11	12	21	8	2		
115	Other diseases of the liver	83	2	1	1			1	1	2	6	13	17	15	16	8		
116	Diseases of the spleen	1												1				
117	Simple peritonitis (nonpuerperal)	31						3	3	5	7	2	2	4	5			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10	1					1		1	1	2	1	3				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,713	42	14	9	11	5	35	61	177	332	485	662	779	743	321	30	6	1
119	Acute nephritis	360	18	8	5	7	4	16	15	38	43	52	59	40	41	10	4		
120	Bright's disease	2,989	16	5	4	4		19	36	107	237	388	552	695	630	267	24	4	1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	65	4	1			1		2	6	9	4	13	10	9	6			
123	Calculi of the urinary passages	11								1	1	1	2	4	1	1			
124	Diseases of the bladder	61	2						1	4	2	5	1	8	16	19	1	2	
125	Diseases of the urethra, urinary abscess, etc	13								1	4		4		4				
126	Diseases of the prostate	74											6	17	34	16	1		
127	Nonvenereal diseases of the male genital organs	5	1										2		2				
128	Uterine hemorrhage (nonpuerperal)	2											2						
129	Uterine tumor (noncancerous)	37										6	18	8	2	1	2		
130	Other diseases of the uterus	29							3	4	11	5	3	2	1				
131	Cysts and other tumors of the ovary	22								1	4	3	9	1	4				
132	Salpingitis and other diseases of the female genital organs	43							4	14	15	9	1						
133	Nonpuerperal diseases of the breast (cancer excepted)	2	1							1									
	VII.—The puerperal state	446							30	200	188	28							
134	Accidents of pregnancy	28							1	11	15	1							
135	Puerperal hemorrhage	55							1	18	30	6							
136	Other accidents of labor	28							3	9	14	2							
137	Puerperal septicemia	215							13	108	82	12							
138	Puerperal albuminuria and convulsions	105							12	49	38	6							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	13								5	7	1							
140	Following childbirth (not otherwise defined)	2									2								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	113	22	4	3	1	1	2		8	5	11	9	15	18	11	3		
142	Gangrene	51	4	2	1	1		2		2	1	2	3	8	14	9	2		
143	Furuncle	7	1		1						1		2	2					
144	Acute abscess	32	8	1			1			4	3	6	3	3	1	2			
145	Other diseases of the skin and annexa	23	9	1	1					2		3	1	2	3		1		
	IX.—Diseases of the bones and of the organs of locomotion	69	4	2	1	1	2	3	13		9	12	3	9	5	5			
146	Diseases of the bones (tuberculosis excepted)	63	4	2	1	1	2	3	13		9	10	3	8	4	3			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5										2		1	1	1			
148	Amputations																		
149	Other diseases of the organs of locomotion	1														1			
	X.—Malformations	507	481	9	7	2	1	2	2	3									
150	Congenital malformations (stillbirths not included) (total)	507	481	9	7	2	1	2	2	3									
	Hydrocephalus	41	31	3	2	2		1	1	1									
	Congenital malformations of the heart	330	320	3	2		1	1	1	2									
	Other congenital malformations	136	130	3	3														

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed list No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW JERSEY—Continued.																		
	XI.—Early infancy	2,344	2,344																
151	Congenital debility, icterus, and sclerema (total)	1,900	1,900																
	Premature birth	1,120	1,120																
	Congenital debility, "atrophy," "marasmus," etc.	780	780																
152	Other causes peculiar to early infancy (total)	439	439																
	Injuries at birth	239	239																
	Other causes peculiar to early infancy[1]	200	200																
153	Lack of care	5	5																
	XII.—Old age	323											2	23	95	142	57	4	
154	Senility	323											2	23	95	142	57	4	
	XIII.—External causes	2,889	67	60	58	57	58	161	247	461	461	443	318	241	150	93	13		1
	Suicide (total)	452							26	82	84	84	87	63	18	8			
155	By poison	85							6	28	18	10	11	8	3	1			
156	By asphyxia	110							6	18	17	22	19	22	4	2			
157	By hanging or strangulation	69							2	6	14	12	19	9	3	4			
158	By drowning	31							1	5	3	7	10	2	3				
159	By firearms	119							11	20	25	25	17	17	4				
160	By cutting or piercing instruments	27								3	6	6	6	4	1	1			
161	By jumping from high places	8								2	1	1	4						
162	By crushing	3										1	1	1					
163	Other suicides																		
	Accidental or undefined (total)	2,319	61	60	58	57	58	159	213	343	344	339	222	175	131	85	13		1
164	Poisoning by food	26	1	2		2	1	1	5	3	2	2	4		3				
165	Other acute poisonings	51	4	8	4		2	2	1	7	8	8	2	2	2	1			
166	Conflagration	23	1			1	1		2	1	4	6	2	2	3				
167	Burns (conflagration excepted)	257	11	26	32	34	35	29	10	17	18	11	15	10	5	4			
168	Absorption of deleterious gases (conflagration excepted)	136	21	1	1		1	1	9	21	6	22	23	17	8	5			
169	Accidental drowning	359		3	5	5	4	42	73	73	52	52	34	15					1
170	Traumatism by firearms	25		1	1	1	1	1	9	3	3	4	1						
171	Traumatism by cutting or piercing instruments	2								1				1					
172	Traumatism by fall	423	4	7	3	5	3	17	16	29	53	60	45	41	71	59	10		
173	Traumatism in mines and quarries (total)	9								1	6	1	1						
	Traumatism in mines	9								1	6	1	1						
	Traumatism in quarries																		
174	Traumatism by machines	67							6	23	19	7	3	8	1				
175	Traumatism by other crushing (total)	719		8	10	7	9	58	66	127	133	129	71	67	28	6			
	Railroad accidents and injuries	403		1	3	1	1	12	33	88	97	79	32	38	16	2			
	Street-car accidents and injuries	63		1		1	1	9	6	3	8	19	6	7	2				
	Automobile accidents and injuries	148			1	3	7	29	20	20	15	14	15	16	5	3			
	Injuries by other vehicles	92		6	5	2		8	6	13	11	14	16	6	4	1			
	Landslide, other crushing	13			1				1	3	2	3	2		1				
176	Injuries by animals	15		1				1	2	1	2	2	2	3	1				
177	Starvation	2				1					1								
178	Excessive cold	4			1									2	1				
179	Effects of heat	44	10	1	1			3	2	1	5	7	2	3	3	5	1		
180	Lightning	2								1		1							
181	Electricity (lightning excepted)	28						1	5	9	7	3	2		1				
185	Fractures (cause not specified)	15						1		1	1	1	3	2	1	4	1		
186	Other external violence	112	9	2		1	1	2	7	24	24	23	12	2	3	1	1		
	Homicide (total)	118	6					2	8	36	33	20	9	3	1				
182	By firearms	62						2	1	19	22	13	5						
183	By cutting or piercing instruments	11							1	3	2	3	2						
184	By other means	45	6						6	14	9	4	2	3	1				
	XIV.—Ill-defined diseases	105	17	45	7		2	4		1	1	3	5	14	4	2			
187	Ill-defined organic disease	1											1						
188	Sudden death	3								1		1		1					
189	Not specified or ill-defined (total)	101	17	45	7		2	4			1	2	4	13	4	2			
	Ill-defined	94	11	45	7		2	4				2	4	13	4	2			
	Not specified, or unknown	7	6								1								

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW YORK.																	
	All causes	145,522	25,059	5,550	2,466	1,537	1,149	3,049	4,724	10,144	12,713	14,966	17,092	18,979	17,764	8,939	1,336	42	13
	I.—General diseases	37,966	2,269	1,586	1,054	741	522	1,317	2,028	4,647	5,281	5,417	5,183	4,299	2,643	884	93	1	1
1	Typhoid fever	999	2	5	7	11	12	58	183	279	182	118	75	46	18	3	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	42	3	2	.....	1	.....	2	4	6	4	4	5	8	1	2	.....	.....	.....
5	Smallpox	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
6	Measles	1,120	305	414	175	95	40	51	14	8	6	4	2	3	2	1	.....	.....	.....
7	Scarlet fever	891	30	94	153	146	101	230	85	30	16	4	2	.....	.....	.....	.....	.....	.....
8	Whooping cough	763	417	205	70	35	16	12	3	.....	1	.....	2	.....	2	.....	.....	.....	.....
9	Diphtheria and croup	1,896	147	389	323	248	191	439	109	13	11	14	10	1	1	.....	.....	.....	.....
10	Influenza	1,057	93	31	11	5	4	20	31	32	50	60	95	145	267	179	33	1	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	51	7	1	1	2	.....	2	1	.....	.....	2	3	13	10	9	.....	.....	.....
14	Dysentery	208	38	13	8	7	1	4	2	5	12	9	12	20	35	37	5	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	483	192	14	5	1	1	4	10	23	32	50	54	49	26	21	1	.....	.....
19	Other epidemic diseases	44	11	5	5	2	.....	8	2	3	.....	4	1	.....	1	2	.....	.....	.....
20	Purulent infection and septicemia	178	21	1	2	4	1	5	17	18	22	23	20	23	16	5	.....	.....	.....
21	Glanders	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	4	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....
23	Rabies	12	.....	.....	.....	.....	1	5	3	1	1	1	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	105	27	1	.....	2	3	8	16	12	10	11	10	3	2	.....	.....	.....	.....
25	Mycoses	8	.....	.....	.....	.....	.....	.....	.....	4	2	1	1	.....	.....	.....	.....	.....	.....
26	Pellagra	7	.....	.....	.....	.....	.....	.....	.....	1	1	.....	4	.....	1	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	16,238	431	359	256	146	117	328	1,235	3,709	3,747	2,938	1,734	832	348	50	7	.....	1
28	Tuberculosis of the lungs	13,584	73	71	31	23	24	99	972	3,335	3,469	2,740	1,620	762	313	45	6	.....	1
29	Acute miliary tuberculosis	592	27	30	15	10	6	24	61	160	117	78	41	16	7	.....	.....	.....	.....
30	Tuberculous meningitis	1,214	259	221	182	90	65	167	93	68	29	21	11	6	1	.....	1	.....	.....
31	Abdominal tuberculosis	415	47	23	13	9	6	17	52	77	61	43	31	22	13	1	.....	.....	.....
32	Pott's disease	128	2	2	5	4	10	8	26	17	20	12	12	7	2	1	.....	.....	.....
33	White swellings	65	3	2	3	4	3	4	10	11	4	10	5	5	.....	1	.....	.....	.....
34	Tuberculosis of other organs	170	10	5	3	4	2	6	17	30	33	25	12	11	11	1	.....	.....	.....
35	Disseminated tuberculosis	70	10	5	4	2	1	3	4	11	14	9	2	3	1	1	.....	.....	.....
36	Rickets	47	29	9	6	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	808	407	14	4	8	1	6	10	50	113	112	56	22	5	.....	.....	.....	.....
38	Gonococcus infection	61	15	1	1	1	.....	1	4	12	18	4	.....	2	2	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	8,531	4	5	7	8	7	8	49	160	541	1,359	2,185	2,247	1,445	465	41	.....	.....
39	Of the buccal cavity	306	1	.....	.....	.....	.....	.....	4	2	7	43	82	74	59	28	6	.....	.....
40	Of the stomach, liver	3,303	.....	.....	.....	2	2	1	3	35	141	491	864	987	611	158	8	.....	.....
41	Of the peritoneum, intestines, rectum	1,268	.....	.....	.....	1	.....	2	7	33	83	158	310	348	249	71	6	.....	.....
42	Of the female genital organs	1,286	.....	1	.....	.....	.....	.....	2	32	143	325	374	264	112	31	2	.....	.....
43	Of the breast	838	.....	.....	.....	.....	.....	.....	.....	11	70	158	221	189	128	55	6	.....	.....
44	Of the skin	218	.....	.....	1	.....	.....	.....	1	1	7	11	30	46	62	52	7	.....	.....
45	Of other organs or of organs not specified	1,312	3	4	6	5	5	5	32	46	90	173	304	339	224	70	6	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	31	4	.....	.....	.....	.....	.....	.....	.....	2	4	6	8	5	2	.....	.....	.....
47	Acute articular rheumatism	622	5	3	8	8	11	73	122	63	66	68	59	58	53	22	3	.....	.....
48	Chronic rheumatism and gout	152	.....	.....	.....	.....	.....	.....	1	3	6	11	20	38	54	18	1	.....	.....
49	Scurvy	7	4	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	1,834	3	3	4	4	4	24	60	69	114	223	475	552	252	47	.....	.....	.....
51	Exophthalmic goiter	133	.....	.....	.....	.....	1	.....	7	13	22	40	27	15	7	.....	1	.....	.....
52	Addison's disease	35	1	.....	.....	.....	.....	.....	1	.....	8	4	10	5	4	2	.....	.....	.....
53	Leukemia	204	4	7	4	2	2	14	24	23	35	30	26	22	11	.....	.....	.....	.....
54	Anemia, chlorosis	523	15	4	3	1	2	8	19	27	42	88	120	129	53	11	1	.....	.....
55	Other general diseases	120	54	4	1	4	5	5	11	8	6	7	3	4	5	3	.....	.....	.....
56	Alcoholism (acute or chronic)	698	.....	.....	.....	.....	.....	.....	1	61	204	211	154	52	11	4	.....	.....	.....
57	Chronic lead poisoning	18	.....	.....	.....	.....	.....	.....	.....	5	2	6	3	.....	2	.....	.....	.....	.....
58	Other chronic occupation poisonings	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	30	.....	.....	.....	.....	.....	.....	1	5	4	6	7	2	4	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	12,584	661	207	104	62	58	171	228	332	615	1,139	1,885	2,715	2,902	1,348	150	7	.....
60	Encephalitis	70	4	2	3	1	1	4	11	8	13	11	5	2	4	.....	1	.....	.....
61	Meningitis (total)	691	192	93	50	32	32	81	51	45	31	36	20	16	11	1	.....	.....	.....
	Simple meningitis	353	98	46	24	17	15	27	21	20	20	25	15	14	10	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	242	68	36	19	9	10	37	19	18	9	10	4	2	1	.....	.....	.....	.....
	Cerebrospinal fever	96	26	11	7	6	7	17	11	7	2	1	1	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	267								3	15	53	80	57	47	11	1		
63	Other diseases of the spinal cord (total)	581	23	28	16	12	12	29	31	24	27	65	93	112	85	24			
	Acute anterior poliomyelitis	136	18	19	14	10	11	25	19	5	6	5	1	2	1				
	Other diseases of the spinal cord[1]	445	5	9	2	2	1	4	12	19	21	60	92	110	84	24			
64	Cerebral hemorrhage, apoplexy	7,775	19	6	3	1		6	11	50	159	536	1,285	2,124	2,359	1,092	119	5	
65	Softening of the brain	136								1	3	5	19	31	54	19	4		
66	Paralysis without specified cause	692	7	1				6	3	7	13	36	72	166	226	131	22	2	
67	General paralysis of the insane	800							1	24	183	227	160	103	56	45	1		
68	Other forms of mental alienation	175							8	30	28	31	28	30	15	5			
69	Epilepsy	367	18	2	3	4	4	11	51	68	58	53	37	30	20	7	1		
70	Convulsions (nonpuerperal)	7						1		1	2	2				1			
71	Convulsions of infants	387	322	45	15	4	1												
72	Chorea	8						1	5				2						
73	Neuralgia and neuritis	68							2	5	15	16	12	9	5	4			
74	Other diseases of the nervous system	326	26	10	3	6	2	14	21	35	48	58	52	27	16	7	1		
75	Diseases of the eyes and their annexa	9	1	1	1			2					2		1	1			
76	Diseases of the ears	225	49	19	10	2	6	16	33	31	20	10	18	8	3				
	III.—Diseases of the circulatory system	21,284	194	37	38	34	49	278	566	736	1,186	2,024	3,072	4,662	5,339	2,710	351	7	1
77	Pericarditis	86	6	1	1	1	1	8	13	12	4	13	9	7	6	4			
78	Acute endocarditis	1,251	58	16	11	10	14	62	108	148	166	236	355	38	22	6			1
79	Organic diseases of the heart	15,629	86	12	20	20	31	204	431	541	922	1,538	2,241	3,692	3,904	1,767	218	2	
80	Angina pectoris	718							2	9	27	76	141	200	201	58	4		
81	Diseases of the arteries, atheroma, aneurism, etc	3,144	2			1		1	1	5	35	110	266	640	1,121	833	124	5	
82	Embolism and thrombosis	309	6	1	1		2	2	8	15	21	33	41	68	68	38	5		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	77	2			1	1			4	11	14	14	14	14	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	53	29	7	5	1			3			3	2	2	1				
85	Hemorrhage; other diseases of the circulatory system	17	5					1		2		1	3	1	2	2			
	IV.—Diseases of the respiratory system	19,644	4,794	2,142	732	331	194	390	387	833	1,288	1,542	1,817	1,933	1,999	1,085	173	4	
86	Diseases of the nasal fossae	14	3	1			1	2		2	2	3							
87	Diseases of the larynx	87	14	10	7	10	11	10	2	5	3	4	5	3	1	2			
88	Diseases of the thyroid body	41	1			1			2	7	3	7	9	5	6				
89	Acute bronchitis	1,246	725	130	42	14	15	19	11	7	8	16	24	60	98	58	19		
90	Chronic bronchitis	649	9	5	2			3	7	7	18	24	68	119	193	164	30		
91	Bronchopneumonia	6,977	2,892	1,347	402	172	90	149	56	111	128	176	274	382	462	285	49	2	
92	Pneumonia (total)	9,672	1,065	587	238	119	70	186	282	643	1,058	1,218	1,329	1,228	1,101	485	62	1	
	Lobar pneumonia	7,041	577	411	170	80	51	149	220	529	894	993	1,060	926	716	242	22	1	
	Pneumonia (undefined)	2,631	488	176	68	39	19	37	62	114	164	225	269	302	385	243	40		
93	Pleurisy	464	44	56	36	13	5	16	16	35	40	52	61	45	28	16	1		
94	Pulmonary congestion, pulmonary apoplexy	209	31	4	1	2	1	1	3	4	8	5	5	31	47	54	11	1	
95	Gangrene of the lung	32						1	2	1	2	7	3	10	6				
96	Asthma	140	2		1		1	1		2	5	16	20	35	40	16	1		
97	Pulmonary emphysema	24	1							1		3	4	6	7	2			
98	Other diseases of the respiratory system (tuberculosis excepted)	89	7	2	3			2	6	8	13	11	15	9	10	3			
	V.—Diseases of the digestive system	15,191	6,556	1,218	290	149	108	252	360	568	849	1,104	1,212	1,160	903	406	55	1	
99	Diseases of the mouth and annexa	61	33	1	1		1	1	3	6	4	4	2	2	2	1			
100	Diseases of the pharynx	212	33	14	12	8	9	31	25	19	21	14	11	6	6	3			
101	Diseases of the esophagus	23							1		1	2	7	7	3	1	1		
102	Ulcer of the stomach	448				1		2	11	46	89	80	87	65	46	21			
103	Other diseases of the stomach (cancer excepted)	808	197	24	13	11	6	9	5	28	48	50	86	118	123	79	11		
104	Diarrhea and enteritis (under 2 years)	7,250	6,114	1,136															
105	Diarrhea and enteritis (2 years and over)	1,262			232	100	58	61	29	57	74	74	93	137	184	139	24		
106	Ankylostomiasis																		
107	Intestinal parasites	4							1	2			1						
108	Appendicitis and typhlitis	1,182	4	6	10	14	16	104	213	226	204	164	130	59	25	7			
109	Hernia, intestinal obstruction (total)	1,194	138	27	11	9	15	15	30	60	92	149	185	213	189	53	8		
	Hernia	446	18	1		1	1	2	1	16	25	71	98	106	81	23	2		
	Intestinal obstruction	748	120	26	11	8	14	13	29	44	67	78	87	107	108	30	6		
110	Other diseases of the intestines	190	12	3	3	2		5	6	20	22	32	30	26	17	11	1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW YORK—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	45					2	1	2	10	9	7	3	1	7	3			
112	Hydatid tumor of the liver	2								1				1					
113	Cirrhosis of the liver	1,608	2	2	3			3	10	33	185	381	404	353	184	43	4	1	
114	Biliary calculi	263								12	29	48	67	64	37	4	2		
115	Other diseases of the liver	399	10	3	2	1		6	4	22	34	60	62	90	66	36	3		
116	Diseases of the spleen	17	1	1				1	2	2		3	6	1					
117	Simple peritonitis (nonpuerperal)	150	10	1	3	3	1	13	17	14	22	18	21	11	10	5	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	73	2						1	10	15	18	17	6	4				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	14,562	132	47	30	27	27	89	183	641	1,322	2,067	2,715	3,189	2,772	1,183	132	6	
119	Acute nephritis	1,226	76	27	15	17	19	46	67	142	203	201	150	139	76	42	4	2	
120	Bright's disease	11,859	30	16	14	10	8	40	99	349	892	1,634	2,382	2,848	2,437	986	110	4	
121	Chyluria																		
122	Other diseases of the kidneys and annexa	203	13	4	1			2	2	17	33	33	34	35	18	9	2		
123	Calculi of the urinary passages	70							1	10	7	13	19	9	8	3			
124	Diseases of the bladder	221	2					1	1	2	6	9	9	30	79	73	9		
125	Diseases of the urethra, urinary abscess, etc	42									7	16	7	9	1	2			
126	Diseases of the prostate	299									2	3	26	78	119	64	7		
127	Nonvenereal diseases of the male genital organs	13	8								2			1	2				
128	Uterine hemorrhage (nonpuerperal)	10							2		6	2							
129	Uterine tumor (noncancerous)	220								10	44	80	48	15	19	4			
130	Other diseases of the uterus	95							2	21	34	21	12	4	1				
131	Cysts and other tumors of the ovary	91								9	14	16	23	18	11				
132	Salpingitis and other diseases of the female genital organs	209	1						9	80	72	39	5	3					
133	Nonpuerperal diseases of the breast (cancer excepted)	4	2							1					1				
	VII.—The puerperal state	1,358							80	634	537	105	2						
134	Accidents of pregnancy	112							2	53	52	5							
135	Puerperal hemorrhage	145							3	60	61	21							
136	Other accidents of labor	124							3	50	55	15	1						
137	Puerperal septicemia	600							41	300	229	30							
138	Puerperal albuminuria and convulsions	339							30	151	128	29	1						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	38							1	20	12	5							
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	516	98	17	6	1	1	4	15	11	32	47	45	75	85	71	7	1	
142	Gangrene	210	4	5	2		1		1		3	7	14	40	70	57	6		
143	Furuncle	60	17	2					3		6	10	7	11	3	1			
144	Acute abscess	149	37	8	3	1		4	10	11	18	24	12	11	4	5	1		
145	Other diseases of the skin and annexa	97	40	2	1				1		5	6	12	13	8	8		1	
	IX.—Diseases of the bones and of the organs of locomotion	320	27	13	11	4	10	44	53	41	18	27	26	27	14	5			
146	Diseases of the bones (tuberculosis excepted)	298	24	12	11	4	9	43	50	41	17	25	24	26	10	2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	17	3	1			1		2		1	2			4	3			
148	Amputations																		
149	Other diseases of the organs of locomotion	5						1	1				2	1					
	X.—Malformations	1,325	1,238	36	11	7	5	11	13	4									
150	Congenital malformations (stillbirths not included) (total)	1,325	1,238	36	11	7	5	11	13	4									
	Hydrocephalus	141	112	15	4	3	2		4	1									
	Congenital malformations of the heart	801	763	17	4	2	1	6	6	2									
	Other congenital malformations	383	363	4	3	2	2	5	3	1									

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW YORK—Continued.																		
	XI.—Early infancy	8,887	8,887																
151	Congenital debility, icterus, and sclerema (total)	7,226	7,226																
	Premature birth	4,172	4,172																
	Congenital debility, "atrophy," "marasmus," etc.	3,054	3,054																
152	Other causes peculiar to early infancy (total)	1,651	1,651																
	Injuries at birth	937	937																
	Other causes peculiar to early infancy [1]	714	714																
153	Lack of care	10	10																
	XII.—Old age	1,817											2	62	518	916	306	13	
154	Senility	1,817											2	62	518	916	306	13	
	XIII.—External causes	9,927	193	182	185	178	175	490	811	1,696	1,581	1,487	1,122	848	581	319	67	1	11
	Suicide (total)	1,549							53	287	313	331	265	198	77	23	1		1
155	By poison	299							17	73	69	51	43	31	10	4			1
156	By asphyxia	407							14	71	84	95	67	59	12	5			
157	By hanging or strangulation	264							3	33	40	60	56	43	23	5	1		
158	By drowning	82							3	9	17	12	16	13	9	3			
159	By firearms	301							12	66	57	65	61	24	14	2			
160	By cutting or piercing instruments	106							1	11	26	25	17	17	7	2			
161	By jumping from high places	75							3	20	18	20	4	8	1	1			
162	By crushing	7								2	1	2		1	1				
163	Other suicides	8								2	1	1	1	2		1			
	Accidental or undefined (total)	7,884	152	180	182	177	174	484	714	1,244	1,134	1,100	835	638	499	294	66	1	10
164	Poisoning by food	55	1	5	2	2	3	1	4	2	9	8	6	7	3	2			
165	Other acute poisonings	168	10	16	5	6	3	9	10	34	29	21	16	5	3	1			
166	Conflagration	204	3	1	4	3	5	3	19	36	29	35	28	19	9	3	1		6
167	Burns (conflagration excepted)	710	26	76	87	78	82	88	17	44	42	42	42	36	35	13	2		
168	Absorption of deleterious gases (conflagration excepted)	439	60	1	3	3	1	3	25	61	59	62	57	58	28	16	1		1
169	Accidental drowning	1,142	2	14	13	10	10	81	217	247	180	185	113	53	12	2	1		2
170	Traumatism by firearms	106		1		1	3	9	35	16	17	14	4	4	1	1			
171	Traumatism by cutting or piercing instruments	10				1			2	1	2	1	1	1	1				
172	Traumatism by fall	1,902	25	34	33	28	32	70	88	152	209	243	212	223	268	226	58	1	
173	Traumatism in mines and quarries (total)	14							1	3	2	7	1						
	Traumatism in mines	10							1	3	2	4							
	Traumatism in quarries	4										3	1						
174	Traumatism by machines	235		1				1	25	67	57	44	24	12	4				
175	Traumatism by other crushing (total)	2,277	3	16	29	40	30	201	227	439	396	350	245	179	102	18	2		
	Railroad accidents and injuries	918		3	1	2	2	10	77	250	204	157	97	71	37	6	1		
	Street-car accidents and injuries	338		3	3	6	6	25	20	58	58	53	46	32	22	5	1		
	Automobile accidents and injuries	532	2	3	9	15	11	103	88	67	61	61	53	36	18	5			
	Injuries by other vehicles	434	1	7	16	16	11	62	38	45	61	69	41	40	25	2			
	Landslide, other crushing	55				1		1	4	19	12	10	8						
176	Injuries by animals	61			1		1	4	5	7	5	9	14	8	5	2			
177	Starvation	3									1	1		1					
178	Excessive cold	14								1	1	3	6	1	2				
179	Effects of heat	80	10	4	1		2	1	2	7	7	12	11	5	12	6			
180	Lightning	13							4	3	1	4	1						
181	Electricity (lightning excepted)	79						2	7	46	15	7	2						
185	Fractures (cause not specified)	57							1	4	11	10	9	10	7	3	1		1
186	Other external violence	315	12	11	4	5	2	11	25	74	62	42	43	16	7	1			
	Homicide (total)	494	41	2	3	1	1	6	44	165	134	56	22	12	5	2			
182	By firearms	255	1	1			1	1	30	107	79	21	6	6		2			
183	By cutting or piercing instruments	78	1						1	28	27	16	3	1	1				
184	By other means	161	39	1	3	1		5	13	30	28	19	13	5	4				
	XIV.—Ill-defined diseases	141	10	65	5	3		3		1	4	7	11	9	8	12	2	1	
187	Ill-defined organic disease	7											1	1	1	4			
188	Sudden death	7	1					1				1	1		1	2			
189	Not specified or ill-defined (total)	127	9	65	5	3		2		1	3	7	9	8	6	6	2	1	
	Ill-defined	116	6	65	5	3		2			2	5	7	7	5	6	2	1	
	Not specified, or unknown	11	3							1	1	2	2	1	1				

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA[1] (TOTAL).																		
	All causes	6,684	1,394	379	160	102	69	160	428	791	685	491	619	673	477	187	31	8	30
	I.—General diseases	2,263	243	117	72	57	34	79	225	444	351	201	171	150	86	22	1		10
1	Typhoid fever	228	2	6	6	4	6	19	55	66	31	17	6	6	1				3
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	75	14	6	4	3	1	6	9	8	6	5	3	4	3	3			
5	Smallpox	10	2	1						1	1		1	3		1			
6	Measles	107	16	31	14	14	4	7	8	5	5			1	1				1
7	Scarlet fever	11	1	1		1	2	6											
8	Whooping cough	114	51	30	10	11	6	5	1										
9	Diphtheria and croup	51	6	9	10	8	6	9	1		2								
10	Influenza	73	8	1	1	1			3	8	5	5	10	10	16	5			
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	2			1					1									
14	Dysentery	81	30	14	6	3	1	3		3	1		2	4	8	5	1		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	15	9						1	1	1	1		1	1				
19	Other epidemic diseases	1			1														
20	Purulent infection and septicemia	15	1				1		4	3	3	1		2					
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	59	41	1	2			1	6		1	3	3		1				
25	Mycoses																		
26	Pellagra	157	3	1	3		1	1	4	24	37	28	28	20	6	1			
27	Beriberi																		
	Tuberculosis (total)	912	30	12	11	11	3	18	122	293	211	89	53	41	13	1			4
28	Tuberculosis of the lungs	776	14	6	10	6	2	13	101	259	191	78	45	37	9	1			4
29	Acute miliary tuberculosis	33				1			6	15	8	1	1		1				
30	Tuberculous meningitis	34	11	5	1	1		4	4	3	2	2	1						
31	Abdominal tuberculosis	40		1		1			6	13	6	5	4	3	1				
32	Pott's disease	4				1				1	1		1						
33	White swellings	3	2										1						
34	Tuberculosis of other organs	14	2				1	1	5	2	1	2							
35	Disseminated tuberculosis	8	1			1					2	1		1	2				
36	Rickets	10	8	2															
37	Syphilis	53	16	1					3	11	10	5	5	1	1				
38	Gonococcus infection																		
	Cancer and other malignant tumors (total)	190				1	1		3	9	20	32	50	44	25	4			1
39	Of the buccal cavity	4										1	1	1		1			
40	Of the stomach, liver	54					1		2	2	3	12	8	17	8	1			
41	Of the peritoneum, intestines, rectum	21				1				2	2	4	3	4	5				
42	Of the female genital organs	59								1	9	9	26	8	6				
43	Of the breast	13								1	2	3	3	3					1
44	Of the skin	7									1		1	2	1	2			
45	Of other organs or of organs not specified	32							1	3	3	3	8	9	5				
46	Other tumors (tumors of the female genital organs excepted)																		
47	Acute articular rheumatism	21						3	1	3	3	3	2	3	2	1			
48	Chronic rheumatism and gout	3										1		1	1				
49	Scurvy																		
50	Diabetes	25			1				1	2	3	1	5	7	5				
51	Exophthalmic goiter	3								1	1			1					
52	Addison's disease	2										2							
53	Leukemia	6							2	1	2		1						
54	Anemia, chlorosis	10	2	1	1				1	2	3								
55	Other general diseases	12	3		1		2	1		1	1	1		1		1			
56	Alcoholism (acute or chronic)	11								1	2	5	2		1				
57	Chronic lead poisoning	1									1								
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	5									1	2			1				1
	II.—Diseases of the nervous system and of the organs of special sense	591	49	6	6	7	6	20	31	24	35	54	96	131	88	29	5	1	3
60	Encephalitis	4						1					2	1					
61	Meningitis (total)	93	21	3	5	2	4	14	24	9	3	5	1	1	1				
	Simple meningitis	22	5	2	2	1	1	5	3	1	1	1							
	Cerebrospinal meningitis (undefined)	31	12	1	2		2	2	6	2		1	1	1	1				
	Cerebrospinal fever	40	4		1	1	1	7	15	6	2	3							

[1] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA[1] (TOTAL)—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	5									1	1	1	2				
63	Other diseases of the spinal cord (total)	25	1	2	1	1		3		1	1	2	2	4	5	1		
	Acute anterior poliomyelitis	7	1	2	1			2		1								
	Other diseases of the spinal cord[2]	18				1		1			1	2	2	4	5	1	1	
64	Cerebral hemorrhage, apoplexy	284	3						3	5	20	29	65	82	55	19	1	2
65	Softening of the brain	12									1		1	6	4			
66	Paralysis without specified cause	81	2			1			1		4	10	14	22	16	7	3	1
67	General paralysis of the insane	19								1		3	4	6	4	1		
68	Other forms of mental alienation	16								6	1	1	4	2	1			1
69	Epilepsy	9							2	2	2	1		1	1			
70	Convulsions (nonpuerperal)																	
71	Convulsions of infants	22	18			2	2											
72	Chorea	1				1												
73	Neuralgia and neuritis	4									2			1		1		
74	Other diseases of the nervous system	12	3	1				1				1	2	3	1			
75	Diseases of the eyes and their annexa																	
76	Diseases of the ears	4	1					1	1			1						
	III.—Diseases of the circulatory system	594	10	2	1	1		4	9	27	60	58	109	137	123	43	5	2	3
77	Pericarditis	3										1	1	1				
78	Acute endocarditis	12				1		1			2	2	5				1		
79	Organic diseases of the heart	502	7	2	1			3	8	26	51	51	91	121	97	35	4	2	3
80	Angina pectoris	24									3		7	4	10				
81	Diseases of the arteries, atheroma, aneurism, etc.	38									2	4	2	9	13	8			
82	Embolism and thrombosis	10							1	1	2		3	2	1				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	1												1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	2																
85	Hemorrhage; other diseases of the circulatory system	1													1				
	IV.—Diseases of the respiratory system.	597	157	65	27	13	15	14	34	50	43	35	51	39	34	16	2		2
86	Diseases of the nasal fossae																		
87	Diseases of the larynx	9	1	3	1		1					1	1		1				
88	Diseases of the thyroid body	2										1			1				
89	Acute bronchitis	39	22	7	1	3	1		2		1				1	1			
90	Chronic bronchitis	18	1			1			1	1	4	1	1	3	3	2			
91	Bronchopneumonia	189	78	40	15	3	6	6	7	6	1	4	11	4	2	4	1		1
92	Pneumonia (total)	286	47	15	10	5	6	6	23	37	30	25	28	25	19	8	1		1
	Lobar pneumonia	225	30	12	7	4	3	5	20	26	27	25	25	21	13	5	1		1
	Pneumonia (undefined)	61	17	3	3	1	3	1	3	11	3		3	4	6	3			
93	Pleurisy	13						1		4	1	1	4	2					
94	Pulmonary congestion, pulmonary apoplexy	20	8				1	1	1		3		1	1	4				
95	Gangrene of the lung																		
96	Asthma	15				1				1	2	2	2	3	3	1			
97	Pulmonary emphysema																		
98	Other diseases of the respiratory system (tuberculosis excepted)	6								1	1		3	1					
	V.—Diseases of the digestive system	883	352	151	34	10	7	17	30	45	37	42	59	55	33	8	1		2
99	Diseases of the mouth and annexa	3	1		1							1							
100	Diseases of the pharynx	10	1	1		1	1	2	1	1	1			1					
101	Diseases of the esophagus	1												1					
102	Ulcer of the stomach	18				1	1	1		1	1	4	3	3	3				
103	Other diseases of the stomach (cancer excepted)	111	29	3	9	3			4	7	8	8	17	11	10	2			
104	Diarrhea and enteritis (under 2 years)	454	312	142															
105	Diarrhea and enteritis (2 years and over)	86			21	5	4	6	3	3	2	4	11	13	9	4	1		
106	Ankylostomiasis	3						2	1										
107	Intestinal parasites	1			1														
108	Appendicitis and typhlitis	67		1			1	4	16	19	10	8	4	3					1
109	Hernia, intestinal obstruction (total)	40	6	2	2				1	5	4	2	7	9	1	1			
	Hernia	17	2						1	1			5	6	1	1			
	Intestinal obstruction	23	4	2	2					4	4	2	2	3					
110	Other diseases of the intestines	6	2	1					2				1						

[1] Includes only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA[1] (TOTAL)—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	5								1	2				1	1		
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	35							2	2	5	6	7	7	6			
114	Biliary calculi	12										3	5	4				
115	Other diseases of the liver	13								1	3	4	3	2				
116	Diseases of the spleen																	
117	Simple peritonitis (nonpuerperal)	18	1	1				2		5	1	2	1	1	3			1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)																	
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	494	7	6	5	3		5	13	33	54	55	90	113	71	32	6	1
119	Acute nephritis	56	4	4	1	1		3	7	6	12	4	4	3	5	2		
120	Bright's disease	361	2	2	4	2		2	3	17	25	43	77	95	59	25	4	1
121	Chyluria																	
122	Other diseases of the kidneys and annexa	11	1						2		1	3		2	2			
123	Calculi of the urinary passages	5									3			1			1	
124	Diseases of the bladder	8									1		1	3	1	2		
125	Diseases of the urethra, urinary abscess, etc	6									1		2	2		1		
126	Diseases of the prostate	13											2	4	4	2	1	
127	Nonvenereal diseases of the male genital organs	2									1			1				
128	Uterine hemorrhage (nonpuerperal)																	
129	Uterine tumor (noncancerous)	10									5	3	2					
130	Other diseases of the uterus	9								4	3		1	1				
131	Cysts and other tumors of the ovary	5								2		1	1	1				
132	Salpingitis and other diseases of the female genital organs	8							1	4	2	1						
133	Nonpuerperal diseases of the breast (cancer excepted)																	
	VII.—The puerperal state	97							14	49	29	4						1
134	Accidents of pregnancy	11								5	4	1						1
135	Puerperal hemorrhage	7								2	5							
136	Other accidents of labor	12							1	6	4	1						
137	Puerperal septicemia	25							4	15	6							
138	Puerperal albuminuria and convulsions	38							9	18	9	2						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3								2	1							
140	Following childbirth (not otherwise defined)	1								1								
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	12	2	2							1	1	4	1		1		
142	Gangrene	8		1							1	1	3	1		1		
143	Furuncle																	
144	Acute abscess	2	1	1														
145	Other diseases of the skin and annexa	2	1										1					
	IX.—Diseases of the bones and of the organs of locomotion	11	1	1	1			1	3	1		1	1	1				
146	Diseases of the bones (tuberculosis excepted)	10	1	1				1	3	1		1	1	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1			1													
148	Amputations																	
149	Other diseases of the organs of locomotion																	
	X.—Malformations	42	41	1														
150	Congenital malformations (stillbirths not included) (total)	42	41	1														
	Hydrocephalus	2	1	1														
	Congenital malformations of the heart	29	29															
	Other congenital malformations	11	11															

[1] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (TOTAL)—Continued.																		
	XI.—Early infancy	369	369																
151	Congenital debility, icterus, and sclerema (total)	328	328																
	Premature birth	222	222																
	Congenital debility, "atrophy," "marasmus," etc.	106	106																
152	Other causes peculiar to early infancy (total)	41	41																
	Injuries at birth	17	17																
	Other causes peculiar to early infancy[2]	24	24																
153	Lack of care																		
	XII.—Old age	56												5	19	20	8	4	
154	Senility	56												5	19	20	8	4	
	XIII.—External causes	406	18	12	13	10	6	15	59	108	65	23	24	22	14	12	1		4
	Suicide (total)	29							3	12	7	2	2	2	1				
155	By poison	6								4	2								
156	By asphyxia																		
157	By hanging or strangulation	3											1	2					
158	By drowning	1								1									
159	By firearms	14							3	6	3	1			1				
160	By cutting or piercing instruments	3									2	1							
161	By jumping from high places																		
162	By crushing																		
163	Other suicides	2								1			1						
	Accidental or undefined (total)	291	18	12	13	10	6	15	37	65	36	15	17	18	13	12	1		3
164	Poisoning by food	4			1	1		1		1									
165	Other acute poisonings	16	3	4	2			1		2			1	2	1				
166	Conflagration	4					1						2		1				
167	Burns (conflagration excepted)	50	2	4	7	7	4	8	3	2	4	1	1	4	2	1			
168	Absorption of deleterious gases (conflagration excepted)	11	8								2			1					
169	Accidental drowning	14		1					6	2	3		1		1				
170	Traumatism by firearms	30			1			1	13	8	4	1	2						
171	Traumatism by cutting or piercing instruments	1											1						
172	Traumatism by fall	28	1	1				1	1	6		3	1	4	2	7	1		
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines																		
	Traumatism in quarries																		
174	Traumatism by machines	6							1		1	1	3						
175	Traumatism by other crushing (total)	64		1		1		3	7	28	11	2	5	4		1			1
	Railroad accidents and injuries	43		1		1		1	5	22	7		2	2		1			1
	Street-car accidents and injuries	2									1		1						
	Automobile accidents and injuries	7							1	3	2	1							
	Injuries by other vehicles	9						1	1	2		1	2	2					
	Landslide, other crushing	3						1		1	1								
176	Injuries by animals	1					1												
177	Starvation	1									1								
178	Excessive cold																		
179	Effects of heat	2									1	1							
180	Lightning	3							2		1								
181	Electricity (lightning excepted)	8							1	4	2								1
185	Fractures (cause not specified)	21							1	7	3	1		3	3	3			
186	Other external violence	27	4	1	2	1			2	5	3	5			3				1
	Homicide (total)	86							19	31	22	6	5	2					1
182	By firearms	68							14	25	17	4	5	2					1
183	By cutting or piercing instruments	7							2	4		1							
184	By other means	11							3	2	5	1							
	XIV.—Ill-defined diseases	269	145	16	1	1	1	5	10	10	10	17	14	19	9	4	2		5
187	Ill-defined organic disease	2						1								1			
188	Sudden death	19	6						1	1	1	5	4	1					
189	Not specified or ill-defined (total)	248	139	16	1	1	1	4	9	9	9	12	10	18	9	3	2		5
	Ill-defined	54	16	6	1		1	2		1	3	7	3	8	5	1			
	Not specified, or unknown	194	123	10		1		2	9	8	6	5	7	10	4	2	2		5

[1] Includes only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA[1] (WHITE).																		
	All causes	3,545	706	217	93	58	34	73	156	356	338	241	342	424	339	137	18	2	11
	I.—General diseases	1,211	109	65	41	37	19	36	91	206	190	113	113	102	66	16	1	.....	6
1	Typhoid fever	130	1	4	4	2	2	10	27	35	22	13	4	4	1	.....	.....	.....	1
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	29	3	3	3	3	.....	1	4	2	2	3	1	2	2	.....	.....	.....	.....
5	Smallpox	8	2	1	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	1	.....	.....	.....
6	Measles	83	13	23	9	13	3	5	7	3	4	.....	.....	1	1	.....	.....	.....	1
7	Scarlet fever	9	1	.....	.....	1	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	60	30	13	5	5	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	31	3	6	7	7	2	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
10	Influenza	41	3	.....	.....	.....	.....	.....	1	2	2	3	7	5	13	5	.....	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	Dysentery	45	13	8	5	2	1	1	.....	1	.....	.....	2	3	4	4	1	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	14	9	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	1	.....	.....	.....	.....
19	Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	10	1	.....	.....	.....	1	.....	4	2	1	.....	.....	1	.....	.....	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	9	3	.....	1	.....	.....	.....	1	.....	1	.....	2	.....	1	.....	.....	.....	.....
25	Mycoses	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	93	3	.....	1	.....	.....	.....	2	9	18	17	20	17	6	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	440	14	5	4	3	1	5	37	138	112	46	37	27	8	.....	.....	.....	3
28	Tuberculosis of the lungs	375	2	2	3	1	.....	3	31	126	101	41	32	24	6	.....	.....	.....	3
29	Acute miliary tuberculosis	10	.....	.....	.....	.....	.....	.....	3	3	3	1	.....	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	22	8	3	1	1	.....	2	2	2	1	1	1	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	17	.....	.....	.....	.....	.....	.....	.....	7	5	1	2	2	.....	.....	.....	.....	.....
32	Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
33	White swellings	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	6	2	.....	.....	.....	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	6	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	1	2	.....	.....	.....	.....
36	Rickets	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	17	6	.....	.....	.....	.....	.....	.....	.....	4	4	2	.....	1	.....	.....	.....	.....
38	Gonococcus infection	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	120	.....	.....	.....	1	1	.....	2	7	10	16	30	29	19	4	.....	.....	1
39	Of the buccal cavity	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....
40	Of the stomach, liver	37	.....	.....	.....	.....	1	.....	2	1	2	8	6	10	6	1	.....	.....	.....
41	Of the peritoneum, intestines, rectum	16	.....	.....	.....	1	.....	.....	.....	2	1	2	2	3	5	.....	.....	.....	.....
42	Of the female genital organs	35	.....	.....	.....	.....	.....	.....	.....	1	5	3	16	7	3	.....	.....	.....	.....
43	Of the breast	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	1
44	Of the skin	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	2	.....	.....	.....
45	Of other organs or of organs not specified	19	.....	.....	.....	.....	.....	.....	.....	2	1	1	4	7	4	.....	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	7	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	1	1	1	.....	.....	.....
48	Chronic rheumatism and gout	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
49	Scurvy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	21	.....	.....	.....	.....	.....	.....	1	2	2	.....	4	7	5	.....	.....	.....	.....
51	Exophthalmic goiter	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
52	Addison's disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	4	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....
54	Anemia, chlorosis	7	1	1	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....
55	Other general diseases	11	3	.....	1	.....	2	1	.....	.....	1	1	.....	1	.....	1	.....	.....	.....
56	Alcoholism (acute or chronic)	9	.....	.....	.....	.....	.....	.....	.....	.....	2	4	2	.....	1	.....	.....	.....	.....
57	Chronic lead poisoning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	351	27	4	4	4	3	10	11	9	17	23	55	93	68	20	2	.....	1
60	Encephalitis	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
61	Meningitis (total)	40	12	1	3	1	2	7	7	3	1	1	1	.....	1	.....	.....	.....	.....
	Simple meningitis	16	3	1	2	1	1	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	15	6	.....	1	.....	1	.....	2	2	.....	1	1	.....	1	.....	.....	.....	.....
	Cerebrospinal fever	9	3	.....	.....	.....	.....	2	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

[1] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA[1] (WHITE)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	4										1	1	2					
63	Other diseases of the spinal cord (total)	15		2	1			1			1	2		3	4	1			
	Acute anterior poliomyelitis	4		2	1			1											
	Other diseases of the spinal cord[2]	11									1	2		3	4	1			
64	Cerebral hemorrhage, apoplexy	183	3						1	1	10	11	38	61	44	14			
65	Softening of the brain	12									1		1	6	4				
66	Paralysis without specified cause	32	1						1			2	3	10	10	3	2		
67	General paralysis of the insane	16										3	4	5	3	1			
68	Other forms of mental alienation	14								5	1	1	4	1	1				1
69	Epilepsy	3							1		1				1				
70	Convulsions (nonpuerperal)																		
71	Convulsions of infants	13	10			2	1												
72	Chorea	1				1													
73	Neuralgia and neuritis	4									2			1		1			
74	Other diseases of the nervous system	9	1	1				1				1	2	3					
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	2							1			1							
	III.—Diseases of the circulatory system.	315	5	1	1	1		3	5	6	18	15	49	81	95	31	4		
77	Pericarditis	2											1	1					
78	Acute endocarditis	6				1		1				1	2				1		
79	Organic diseases of the heart	250	5	1	1			2	4	6	13	12	36	69	74	24	3		
80	Angina pectoris	18									2		5	3	8				
81	Diseases of the arteries, atheroma, aneurism, etc	28									1	2	2	6	10	7			
82	Embolism and thrombosis	9							1		2		3	2	1				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1													1				
84	Diseases of the lymphatic system (lymphangitis, etc.)																		
85	Hemorrhage; other diseases of the circulatory system	1													1				
	IV.—Diseases of the respiratory system.	249	54	28	13	5	7	6	6	19	12	14	22	22	25	14	2		
86	Diseases of the nasal fossae																		
87	Diseases of the larynx	5		1	1		1						1		1				
88	Diseases of the thyroid body	2										1			1				
89	Acute bronchitis	11	6	2		1									1	1			
90	Chronic bronchitis	11				1					1		1	3	3	2			
91	Bronchopneumonia	81	28	21	6	1	2	3	2	3	1	2	5	2	2	2	1		
92	Pneumonia (total)	107	15	4	6	2	3	2	4	13	7	10	8	13	11	8	1		
	Lobar pneumonia	75	7	2	3	2	1	2	3	7	6	10	6	12	8	5	1		
	Pneumonia (undefined)	32	8	2	3		2		1	6	1		2	1	3	3			
93	Pleurisy	7						1		2		1	2	1					
94	Pulmonary congestion, pulmonary apoplexy	13	5				1				1		1	1	4				
95	Gangrene of the lung																		
96	Asthma	8									1		2	2	2	1			
97	Pulmonary emphysema																		
98	Other diseases of the respiratory system (tuberculosis excepted)	4								1	1		2						
	V.—Diseases of the digestive system	504	172	100	21	5	2	10	16	23	27	26	33	36	24	7	1		1
99	Diseases of the mouth and annexa	1										1							
100	Diseases of the pharynx	5		1		1		1	1	1									
101	Diseases of the esophagus	1												1					
102	Ulcer of the stomach	13				1	1	1		1	1	2	2	2	2				
103	Other diseases of the stomach (cancer excepted)	45	10	1	6	2			1	1	5	4	2	4	7	2			
104	Diarrhea and enteritis (under 2 years)	251	157	94															
105	Diarrhea and enteritis (2 years and over)	54			13	1		3	2	1	2	3	9	9	7	3	1		
106	Ankylostomiasis	1						1											
107	Intestinal parasites	1			1														
108	Appendicitis and typhlitis	51		1			1	3	10	14	8	7	3	3					1
109	Hernia, intestinal obstruction (total)	23	2	2	1					2	3	2	5	5		1			
	Hernia	8											3	4		1			
	Intestinal obstruction	15	2	2	1					2	3	2	2	1					
110	Other diseases of the intestines	3	2						1										

[1] Includes only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NORTH CAROLINA[1] (WHITE)—Continued.																			
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	3									1				1	1			
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	22							1	1	4	1	5	5	5				
114	Biliary calculi	11										2	5	4					
115	Other diseases of the liver	10								1	2	3	2	2					
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	9	1	1				1		1	1	1		1	2				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	256	4	1	2	1		1	4	16	27	28	46	63	39	21	2	1	
119	Acute nephritis	24	2					1	3	2	6	1	3	2	3	1			
120	Bright's disease	201	1	1	2	1				10	14	23	42	55	35	15	1	1	
121	Chyluria																		
122	Other diseases of the kidneys and annexa	6	1						1		1	2		1					
123	Calculi of the urinary passages	2									2								
124	Diseases of the bladder	4												2		2			
125	Diseases of the urethra, urinary abscess, etc	2												1		1			
126	Diseases of the prostate	6											1	1	1	2	1		
127	Nonvenereal diseases of the male genital organs	1												1					
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	3									2	1							
130	Other diseases of the uterus	3								1	2								
131	Cysts and other tumors of the ovary	1								1									
132	Salpingitis and other diseases of the female genital organs	3								2		1							
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	49							4	25	17	3							
134	Accidents of pregnancy	9								5	3	1							
135	Puerperal hemorrhage	1									1								
136	Other accidents of labor	5							1	2	2								
137	Puerperal septicemia	8								3	5								
138	Puerperal albuminuria and convulsions	23							3	13	5	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2								1	1								
140	Following childbirth (not otherwise defined)	1								1									
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	5	1	1								1	2						
142	Gangrene	4		1								1	2						
143	Furuncle																		
144	Acute abscess	1	1																
145	Other diseases of the skin and annexa																		
	IX.—Diseases of the bones and of the organs of locomotion	9	1	1	1			1	2			1	1	1					
146	Diseases of the bones (tuberculosis excepted)	8	1	1				1	2			1	1	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1			1														
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	35	34	1															
150	Congenital malformations (stillbirths not included) (total)	35	34	1															
	Hydrocephalus	1		1															
	Congenital malformations of the heart	25	25																
	Other congenital malformations	9	9																

[1] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA[1] (WHITE)—Continued.																		
	XI.—Early infancy	241	241																
151	Congenital debility, icterus, and sclerema (total)	221	221																
	Premature birth	153	153																
	Congenital debility, "atrophy," "marasmus," etc.	68	68																
152	Other causes peculiar to early infancy (total)	20	20																
	Injuries at birth	11	11																
	Other causes peculiar to early infancy[2]	9	9																
153	Lack of care																		
	XII.—Old age	36												1	13	17	4	1	
154	Senility	36												1	13	17	4	1	
	XIII.—External causes	196	11	7	9	4	2	5	16	50	29	14	17	13	6	11	1		1
	Suicide (total)	24							2	9	6	2	2	2	1				
155	By poison	5								4	1								
156	By asphyxia																		
157	By hanging or strangulation	3											1	2					
158	By drowning																		
159	By firearms	12							2	5	3	1			1				
160	By cutting or piercing instruments	3									2	1							
161	By jumping from high places																		
162	By crushing																		
163	Other suicides	1											1						
	Accidental or undefined (total)	154	11	7	9	4	2	5	14	37	17	9	11	10	5	11	1		1
164	Poisoning by food	4			1	1		1		1									
165	Other acute poisonings	8	2	1	1					2			1	1					
166	Conflagration	1											1						
167	Burns (conflagration excepted)	21	2	3	5	2	1	1	1	1	2	1		1	1				
168	Absorption of deleterious gases (conflagration excepted)	7	5								1			1					
169	Accidental drowning	5		1					1	2	1								
170	Traumatism by firearms	13			1			1	4	3	2	1	1						
171	Traumatism by cutting or piercing instruments	1											1						
172	Traumatism by fall	18		1					1	3		1		3	1	7	1		
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines																		
	Traumatism in quarries																		
174	Traumatism by machines	4							1			1	2						
175	Traumatism by other crushing (total)	42		1				2	3	20	6	2	5	2		1			
	Railroad accidents and injuries	28		1				1	2	16	3		2	2		1			
	Street-car accidents and injuries	1											1						
	Automobile accidents and injuries	6							1	2	2	1							
	Injuries by other vehicles	6						1		2		1	2						
	Landslide, other crushing	1									1								
176	Injuries by animals	1					1												
177	Starvation	1									1								
178	Excessive cold																		
179	Effects of heat																		
180	Lightning	1							1										
181	Electricity (lightning excepted)	4								2	1								1
185	Fractures (cause not specified)	12							1	2	2			2	2	3			
186	Other external violence	11	2		1	1			1	1	1	3			1				
	Homicide (total)	18								4	6	3	4	1					
182	By firearms	16								4	5	2	4	1					
183	By cutting or piercing instruments																		
184	By other means	2									1	1							
	XIV.—Ill-defined diseases	88	47	8	1	1	1	1	1	2	1	3	4	12	3		1		2
187	Ill-defined organic disease																		
188	Sudden death	8	5									2	1						
189	Not specified or ill-defined (total)	80	42	8	1	1	1	1	1	2	1	1	3	12	3		1		2
	Ill-defined	22	5	4	1		1				1	1	1	5	2				
	Not specified, or unknown	58	37	4		1		1	1	1			2	7	1		1		2

[1] Includes only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA[1] (COLORED).																		
	All causes	3,139	688	162	67	44	35	87	272	435	347	250	277	249	138	50	13	6	19
	I.—General diseases	1,052	134	52	31	20	15	43	134	238	161	88	58	48	20	6	.....	.....	4
1	Typhoid fever	98	1	2	2	2	4	9	28	31	9	4	2	2	.....	.....	.....	.....	2
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	46	11	3	1	.....	1	5	5	6	4	2	2	2	1	3	.....	.....	.....
5	Smallpox	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
6	Measles	24	3	8	5	1	1	2	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	54	21	17	5	6	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	20	3	3	3	1	4	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Influenza	32	5	1	1	1	.....	.....	2	6	3	2	3	5	3	.....	.....	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	Dysentery	36	17	6	1	1	.....	2	.....	2	1	.....	.....	1	4	1	.....	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
19	Other epidemic diseases	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	.....	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	50	38	1	1	.....	.....	1	5	.....	.....	3	1	.....	.....	.....	.....	.....	.....
25	Mycoses	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	64	.....	1	2	.....	1	1	2	15	19	11	8	3	.....	1	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	472	16	7	7	8	2	13	85	155	99	43	16	14	5	1	.....	.....	1
28	Tuberculosis of the lungs	401	12	4	7	5	2	10	70	133	90	37	13	13	3	1	.....	.....	1
29	Acute miliary tuberculosis	23	.....	.....	.....	1	.....	.....	3	12	5	.....	1	.....	1	.....	.....	.....	.....
30	Tuberculous meningitis	12	3	2	.....	.....	.....	2	2	1	1	1	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	23	.....	1	.....	1	.....	.....	6	6	1	4	2	1	1	.....	.....	.....	.....
32	Potts' disease	3	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
33	White swellings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	8	.....	.....	.....	.....	.....	1	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
36	Rickets	9	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	36	10	1	.....	.....	.....	.....	3	11	6	1	3	1	.....	.....	.....	.....	.....
38	Gonococcus infection	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	70	.....	.....	.....	.....	.....	.....	1	2	10	16	20	15	6	.....	.....	.....	.....
39	Of the buccal cavity	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
40	Of the stomach, liver	17	.....	.....	.....	.....	.....	.....	.....	1	1	4	2	7	2	.....	.....	.....	.....
41	Of the peritoneum, intestines, rectum	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....
42	Of the female genital organs	24	.....	.....	.....	.....	.....	.....	.....	.....	4	6	10	1	3	.....	.....	.....	.....
43	Of the breast	9	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	3	.....	.....	.....	.....	.....
44	Of the skin	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
45	Of other organs or of organs not specified	13	.....	.....	.....	.....	.....	.....	1	1	2	2	4	2	1	.....	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	14	.....	.....	.....	.....	.....	1	1	3	2	2	2	2	1	.....	.....	.....	.....
48	Chronic rheumatism and gout	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Scurvy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	4	.....	.....	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
51	Exophthalmic goiter	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Addison's disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
54	Anemia, chlorosis	3	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
55	Other general diseases	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1
	II.—Diseases of the nervous system and of the organs of special sense	240	22	2	2	3	3	10	20	15	18	31	41	38	20	9	3	1	2
60	Encephalitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	53	9	2	2	1	2	7	17	6	2	4	.....	1	.....	.....	.....	.....	.....
	Simple meningitis	6	2	1	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	16	6	1	1	.....	1	2	4	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	31	1	.....	1	1	1	5	12	6	1	3	.....	.....	.....	.....	.....	.....	.....

[1] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA[1] (COLORED)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	1									1								
63	Other diseases of the spinal cord (total)	10	1			1		2		1			2	1	1		1		
	Acute anterior poliomyelitis	3	1					1		1									
	Other diseases of the spinal cord[2]	7				1		1					2	1	1		1		
64	Cerebral hemorrhage, apoplexy	101							2	4	10	18	27	21	11	5	1		2
65	Softening of the brain																		
66	Paralysis without specified cause	49	1			1					4	8	11	12	6	4	1	1	
67	General paralysis of the insane	3								1				1	1				
68	Other forms of mental alienation	2								1				1					
69	Epilepsy	6							1	2	1	1		1					
70	Convulsions (nonpuerperal)																		
71	Convulsions of infants	9	8				1												
72	Chorea																		
73	Neuralgia and neuritis																		
74	Other diseases of the nervous system	3	2												1				
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	2	1					1											
	III.—Diseases of the circulatory system	279	5	1				1	4	21	42	43	60	56	28	12	1	2	3
77	Pericarditis	1										1							
78	Acute endocarditis	6									2	1	3						
79	Organic diseases of the heart	252	2	1				1	4	20	38	39	55	52	23	11	1	2	3
80	Angina pectoris	6									1		2	1	2				
81	Diseases of the arteries, atheroma, aneurism, etc	10									1	2		3	3	1			
82	Embolism and thrombosis	1								1									
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1	1																
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	2																
85	Hemorrhage; other diseases of the circulatory system																		
	IV.—Diseases of the respiratory system	348	103	37	14	8	8	8	28	31	31	21	29	17	9	2			2
86	Diseases of the nasal fossae																		
87	Diseases of the larynx	4	1	2								1							
88	Diseases of the thyroid body																		
89	Acute bronchitis	28	16	5	1	2	1		2		1								
90	Chronic bronchitis	7	1						1	1	3	1							
91	Bronchopneumonia	108	50	19	9	2	4	3	5	3		2	6	2		2			1
92	Pneumonia (total)	179	32	11	4	3	3	4	19	24	23	15	20	12	8				1
	Lobar pneumonia	150	23	10	4	2	2	3	17	19	21	15	19	9	5				1
	Pneumonia (undefined)	29	9	1		1	1	1	2	5	2		1	3	3				
93	Pleurisy	6								2	1		2	1					
94	Pulmonary congestion, pulmonary apoplexy	7	3					1	1		2								
95	Gangrene of the lung																		
96	Asthma	7				1				1	1	2		1	1				
97	Pulmonary emphysema																		
98	Other diseases of the respiratory system (tuberculosis excepted)	2											1	1					
	V.—Diseases of the digestive system	379	180	51	13	5	5	7	14	22	10	16	26	19	9	1			1
99	Diseases of the mouth and annexa	2	1		1														
100	Diseases of the pharynx	5	1				1	1			1			1					
101	Diseases of the esophagus																		
102	Ulcer of the stomach	5										2	1	1	1				
103	Other diseases of the stomach (cancer excepted)	66	19	2	3	1			3	6	3	4	15	7	3				
104	Diarrhea and enteritis (under 2 years)	203	155	48															
105	Diarrhea and enteritis (2 years and over)	32			8	4	4	3	1	2		1	2	4	2	1			
106	Ankylostomiasis	2						1	1										
107	Intestinal parasites																		
108	Appendicitis and typhlitis	16						1	6	5	2	1	1						
109	Hernia, intestinal obstruction (total)	17	4		1				1	3	1		2	4	1				
	Hernia	9	2						1	1			2	2	1				
	Intestinal obstruction	8	2		1					2	1			2					
110	Other diseases of the intestines	3		1					1				1						

[1] Includes only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA[1] (COLORED)—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	2								1	1								
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	13							1	1	1	5	2	2	1				
114	Biliary calculi	1										1							
115	Other diseases of the liver	3									1	1	1						
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	9						1		4		1	1		1				1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	238	3	5	3	2		4	9	17	27	27	44	50	32	11	4		
119	Acute nephritis	32	2	4	1	1		2	4	4	6	3	1	1	2	1			
120	Bright's disease	160	1	1	2	1		2	3	7	11	20	35	40	24	10	3		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	5							1			1		1	2				
123	Calculi of the urinary passages	3									1			1			1		
124	Diseases of the bladder	4									1		1	1	1				
125	Diseases of the urethra, urinary abscess, etc.	4									1		2	1					
126	Diseases of the prostate	7											1	3	3				
127	Nonvenereal diseases of the male genital organs	1									1								
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	7									3	2	2						
130	Other diseases of the uterus	6								3	1		1	1					
131	Cysts and other tumors of the ovary	4								1		1	1	1					
132	Salpingitis and other diseases of the female genital organs	5							1	2	2								
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	48							10	24	12	1							1
134	Accidents of pregnancy	2									1								1
135	Puerperal hemorrhage	6								2	4								
136	Other accidents of labor	7								4	2	1							
137	Puerperal septicemia	17							4	12	1								
138	Puerperal albuminuria and convulsions	15							6	5	4								
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1								1									
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	7	1	1							1		2	1		1			
142	Gangrene	4									1		1	1		1			
143	Furuncle																		
144	Acute abscess	1		1															
145	Other diseases of the skin and annexa	2	1										1						
	IX.—Diseases of the bones and of the organs of locomotion	2							1	1									
146	Diseases of the bones (tuberculosis excepted)	2							1	1									
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	7	7																
150	Congenital malformations (stillbirths not included) (total)	7	7																
	Hydrocephalus	1	1																
	Congenital malformations of the heart	4	4																
	Other congenital malformations	2	2																

[1] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA[1] (COLORED)—Continued.																		
	XI.—Early infancy	128	128																
151	Congenital debility, icterus, and sclerema (total)	107	107																
	Premature birth	69	69																
	Congenital debility, "atrophy," "marasmus," etc	38	38																
152	Other causes peculiar to early infancy (total)	21	21																
	Injuries at birth	6	6																
	Other causes peculiar to early infancy[2]	15	15																
153	Lack of care																		
	XII.—Old age	20												4	6	3	4	3	
154	Senility	20												4	6	3	4	3	
	XIII.—External causes	210	7	5	4	6	4	10	43	58	36	9	7	9	8	1			3
	Suicide (total)	5							1	3	1								
155	By poison	1									1								
156	By asphyxia																		
157	By hanging or strangulation																		
158	By drowning	1								1									
159	By firearms	2							1	1									
160	By cutting or piercing instruments																		
161	By jumping from high places																		
162	By crushing																		
163	Other suicides	1								1									
	Accidental or undefined (total)	137	7	5	4	6	4	10	23	28	19	6	6	8	8	1			2
164	Poisoning by food																		
165	Other acute poisonings	8	1	3	1			1						1	1				
166	Conflagration	3					1						1		1				
167	Burns (conflagration excepted)	29		1	2	5	3	7	2	1	2		1	3	1	1			
168	Absorption of deleterious gases (conflagration excepted)	4	3								1								
169	Accidental drowning	9							5		2		1		1				
170	Traumatism by firearms	17							9	5	2		1						
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	10	1					1		3		2	1	1	1				
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines																		
	Traumatism in quarries																		
174	Traumatism by machines	2									1		1						
175	Traumatism by other crushing (total)	22				1		1	4	8	5			2					1
	Railroad accidents and injuries	15				1			3	6	4								1
	Street-car accidents and injuries	1									1								
	Automobile accidents and injuries	1								1									
	Injuries by other vehicles	3							1					2					
	Landslide, other crushing	2						1		1									
176	Injuries by animals																		
177	Starvation																		
178	Excessive cold																		
179	Effects of heat	2									1	1							
180	Lightning	2							1		1								
181	Electricity (lightning excepted)	4							1	2	1								
185	Fractures (cause not specified)	9								5	1	1		1	1				
186	Other external violence	16	2	1	1				1	4	2	2			2				1
	Homicide (total)	68							19	27	16	3	1	1					1
182	By firearms	52							14	21	12	2	1	1					1
183	By cutting or piercing instruments	7							2	4		1							
184	By other means	9							3	2	4								
	XIV.—Ill-defined diseases	181	98	8				4	9	8	9	14	10	7	6	4	1		3
187	Ill-defined organic disease	2						1								1			
188	Sudden death	11	1						1	1	1	3	3	1					
189	Not specified or ill-defined (total)	168	97	8				3	8	7	8	11	7	6	6	3	1		3
	Ill-defined	32	11	2				2			2	6	2	3	3	1			
	Not specified, or unknown	136	86	6				1	8	7	6	5	5	3	3	2	1		3

[1] Includes only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	OHIO.																		
	All causes	68,493	11,064	2,387	1,088	637	493	1,495	2,507	4,907	5,442	5,779	7,178	9,071	10,121	5,496	761	28	39
	I.—General diseases	18,642	1,181	768	479	329	268	785	1,155	2,236	2,190	2,152	2,302	2,285	1,774	660	68	2	8
1	Typhoid fever	1,191	7	18	20	21	16	95	233	305	156	161	83	58	16	2	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	46	3	1	.....	.....	.....	5	2	3	4	6	3	10	7	2	.....	.....	.....
5	Smallpox	6	3	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
6	Measles	679	147	209	103	44	32	53	37	21	16	11	1	3	2	.....	.....	.....	.....
7	Scarlet fever	323	17	36	34	49	30	92	35	23	6	.....	.....	1	.....	.....	.....	.....	.....
8	Whooping cough	678	357	172	62	34	21	27	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	1,056	57	127	162	115	115	302	111	34	15	8	5	3	1	.....	.....	.....	1
10	Influenza	707	37	15	9	3	2	13	18	29	25	38	61	113	179	139	25	.....	1
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	44	8	1	.....	.....	.....	.....	2	.....	3	2	4	8	5	9	2	.....	.....
14	Dysentery	301	42	20	7	8	3	3	4	2	4	7	16	26	73	74	11	1	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	191	56	3	.....	.....	1	1	1	7	15	24	20	27	18	17	1	.....	.....
19	Other epidemic diseases	10	4	.....	2	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	127	15	1	2	1	2	6	7	4	12	14	30	19	9	4	.....	1	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
23	Rabies	6	.....	.....	.....	.....	.....	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	91	12	1	2	.....	6	13	17	11	11	10	6	.....	1	1	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
26	Pellagra	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	6,563	175	122	57	42	28	107	544	1,560	1,381	960	706	518	291	63	5	.....	4
28	Tuberculosis of the lungs	5,407	61	30	21	11	5	34	406	1,388	1,223	852	609	451	254	54	4	.....	4
29	Acute miliary tuberculosis	207	10	5	3	3	3	5	40	45	44	20	18	8	3	.....	.....	.....	.....
30	Tuberculous meningitis	336	69	60	21	24	14	36	41	26	24	11	5	2	3	.....	.....	.....	.....
31	Abdominal tuberculosis	320	19	14	7	2	4	14	21	60	52	42	37	30	13	4	1	.....	.....
32	Pott's disease	72	.....	3	4	1	1	6	14	16	7	5	4	8	3	.....	.....	.....	.....
33	White swellings	42	.....	.....	.....	1	.....	5	6	7	6	5	4	2	4	2	.....	.....	.....
34	Tuberculosis of other organs	99	9	5	.....	.....	1	4	7	5	12	17	16	13	8	2	.....	.....	.....
35	Disseminated tuberculosis	80	7	5	1	.....	.....	3	9	13	13	8	13	4	3	1	.....	.....	.....
36	Rickets	24	12	8	1	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
37	Syphilis	378	164	7	3	3	.....	3	11	22	50	48	37	20	8	2	.....	.....	.....
38	Gonococcus infection	25	5	.....	.....	.....	.....	.....	2	3	4	9	2	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	4,061	3	8	4	.....	1	5	18	47	245	557	927	1,067	881	276	20	.....	2
39	Of the buccal cavity	175	.....	.....	1	.....	.....	.....	2	.....	2	16	39	44	48	22	1	.....	.....
40	Of the stomach, liver	1,625	.....	1	2	.....	.....	2	4	10	49	163	381	528	390	89	4	.....	2
41	Of the peritoneum, intestines, rectum	488	.....	.....	.....	.....	.....	1	.....	12	36	66	112	124	111	25	1	.....	.....
42	Of the female genital organs	640	.....	1	.....	.....	.....	.....	2	11	86	160	178	122	61	18	1	.....	.....
43	Of the breast	364	1	.....	.....	.....	.....	.....	.....	3	38	68	82	72	65	32	3	.....	.....
44	Of the skin	174	.....	1	.....	.....	.....	.....	.....	2	2	8	17	34	60	44	6	.....	.....
45	Of other organs or of organs not specified	595	2	5	1	.....	1	2	10	9	32	76	118	143	146	46	4	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	17	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	6	4	2	.....	.....	.....
47	Acute articular rheumatism	269	.....	1	4	2	4	27	44	26	27	27	27	32	33	14	1	.....	.....
48	Chronic rheumatism and gout	80	.....	.....	.....	.....	.....	.....	.....	2	6	5	17	18	21	11	.....	.....	.....
49	Scurvy	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	800	3	3	3	3	1	10	34	48	64	76	163	212	143	35	2	.....	.....
51	Exophthalmic goiter	122	.....	.....	.....	.....	.....	.....	4	14	21	27	29	18	8	1	.....	.....	.....
52	Addison's disease	20	.....	.....	.....	.....	.....	.....	.....	3	7	4	3	2	1	.....	.....	.....	.....
53	Leukemia	86	2	1	1	1	1	9	11	12	7	10	12	11	8	.....	.....	.....	.....
54	Anemia, chlorosis	264	13	8	.....	.....	1	1	9	15	15	36	65	60	34	6	1	.....	.....
55	Other general diseases	93	38	5	3	1	3	9	3	7	3	1	4	4	11	1	.....	.....	.....
56	Alcoholism (acute or chronic)	330	.....	.....	.....	.....	.....	.....	1	24	82	103	73	34	12	1	.....	.....	.....
57	Chronic lead poisoning	15	.....	.....	.....	.....	.....	.....	.....	2	2	4	2	3	2	.....	.....	.....	.....
58	Other chronic occupation poisonings	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	33	.....	.....	.....	.....	.....	.....	.....	4	7	2	5	9	6	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	7,373	369	96	82	42	34	110	154	206	370	589	994	1,472	1,846	912	94	.....	3
60	Encephalitis	66	9	8	3	1	.....	1	6	10	5	8	4	6	4	.....	1	.....	.....
61	Meningitis (total)	508	131	51	46	28	22	60	58	41	19	21	13	9	7	2	.....	.....	.....
	Simple meningitis	202	70	18	19	7	4	13	13	13	8	13	10	8	5	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	126	40	18	12	4	8	20	12	4	1	3	1	.....	2	1	.....	.....	.....
	Cerebrospinal fever	180	21	15	15	17	10	27	33	24	10	5	2	1	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES; AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	OHIO—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	151							2	4	5	22	49	44	21	2	1		1
63	Other diseases of the spinal cord (total)	407	16	12	14	8	3	7	8	12	14	32	52	82	110	35	1		1
	Acute anterior poliomyelitis	62	13	10	11	6	3	7	4	3		2	1	1	1				
	Other diseases of the spinal cord[1]	345	3	2	3	2			4	9	14	30	51	81	109	35	1		1
64	Cerebral hemorrhage, apoplexy	4,537	15	3	3	1	2	5	19	44	115	283	652	1,142	1,438	736	78		1
65	Softening of the brain	131						1	1	1	7	9	7	22	50	32	1		
66	Paralysis without specified cause	298	5		1			2	3	1	10	8	40	57	98	66	7		
67	General paralysis of the insane	396								6	88	117	86	38	45	14	2		
68	Other forms of mental alienation	165							4	21	33	29	27	20	25	5	1		
69	Epilepsy	214	9	2		3	1	6	20	39	36	23	34	23	12	6			
70	Convulsions (nonpuerperal)	10						5	1		1	2			1				
71	Convulsions of infants	164	151	6	7														
72	Chorea	9						1	3	1			1	2	1				
73	Neuralgia and neuritis	30					1			1	1	3	5	6	9	3	1		
74	Other diseases of the nervous system	170	10	5	2		2	9	11	15	22	23	18	18	23	11	1		
75	Diseases of the eyes and their annexa	2			1										1				
76	Diseases of the ears	115	23	9	5	1	3	13	18	10	14	9	6	3	1				
	III.—Diseases of the circulatory system	9,821	67	20	14	4	8	80	198	252	423	727	1,299	2,191	2,805	1,559	166	6	2
77	Pericarditis	54	2					1	5	2	6	6	7	4	16	5			
78	Acute endocarditis	294	8	5	2	1	2	20	22	29	42	51	87	13	10	2			
79	Organic diseases of the heart	7,485	40	13	10	2	6	57	160	194	325	558	1,014	1,782	2,166	1,051	101	4	2
80	Angina pectoris	458						1		8	23	44	74	129	126	50	3		
81	Diseases of the arteries, atheroma, aneurism, etc	1,315							1	4	8	41	92	231	448	429	59	2	
82	Embolism and thrombosis	144	5		1			1	7	11	14	18	15	25	31	13	3		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	38	2	1						2	4	7	8	4	5	5			
84	Diseases of the lymphatic system (lymphangitis, etc.)	16	8	1	1	1			2	1	1	1							
85	Hemorrhage; other diseases of the circulatory system	17	2						1	1		1	2	3	3	4			
	IV.—Diseases of the respiratory system	6,866	1,502	503	192	99	63	135	135	281	410	436	561	787	965	682	106	7	2
86	Diseases of the nasal fossae	6				1		1	1			1		1		1			
87	Diseases of the larynx	43	8	7	4	1	1	7	2	2		2	2	2	2	2	1		
88	Diseases of the thyroid body	39	1					1	3	1	3	7	8	5	10				
89	Acute bronchitis	471	221	51	17	9	6	7	2	1	5	6	10	15	52	56	11	2	
90	Chronic bronchitis	360	5	2	1		1		1	9	6	11	25	62	120	104	11	2	
91	Bronchopneumonia	2,344	885	282	112	49	36	52	27	34	51	53	80	166	250	228	37	1	1
92	Pneumonia (total)	3,190	350	144	54	37	18	62	88	217	321	319	367	461	471	239	39	2	1
	Lobar pneumonia	2,904	305	128	49	35	17	54	79	199	296	296	340	428	427	213	35	2	1
	Pneumonia (undefined)	286	45	16	5	2	1	8	9	18	25	23	27	33	44	26	4		
93	Pleurisy	132	4	9	4	1		2	5	12	11	19	22	28	3	10	2		
94	Pulmonary congestion, pulmonary apoplexy	74	27	5		1		2			3	2	3	5	9	14	3		
95	Gangrene of the lung	9								2		3	2	1		1			
96	Asthma	132		1				1	1	1	5	6	25	33	35	22	2		
97	Pulmonary emphysema	11		2							1	2	2	1	3				
98	Other diseases of the respiratory system (tuberculosis excepted)	55	1				1		5	2	4	5	15	7	10	5			
	V.—Diseases of the digestive system	7,893	3,217	803	212	73	49	121	197	271	357	434	538	594	661	322	42		2
99	Diseases of the mouth and annexa	36	15	3			1	2	1	1	2	3	3	2	3				
100	Diseases of the pharynx	124	11	6	3	1	6	23	21	17	12	9	3	7	3	2			
101	Diseases of the esophagus	9								1			2	4	2				
102	Ulcer of the stomach	196	2		1				3	14	27	38	32	39	29	11			
103	Other diseases of the stomach (cancer excepted)	612	238	27	10	4	4	5	5	6	17	12	42	45	106	73	17		1
104	Diarrhea and enteritis (under 2 years)	3,595	2,856	739															
105	Diarrhea and enteritis (2 years and over)	726			173	55	23	16	14	27	28	23	45	72	150	86	14		
106	Ankylostomiasis																		
107	Intestinal parasites	3			1	1				1									
108	Appendicitis and typhlitis	544		1	9	3	8	51	120	109	84	66	36	33	21	3			
109	Hernia, intestinal obstruction (total)	556	64	17	9	4	3	12	13	34	39	60	76	88	90	44	3		
	Hernia	186	9	4			1		1	11	11	23	35	37	40	12	2		
	Intestinal obstruction	370	55	13	9	4	2	12	12	23	28	37	41	51	50	32	1		
110	Other diseases of the intestines	121	9	2	1	1	1	1	6	6	16	10	15	14	18	19	2		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	OHIO—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	34	3	1				1		3	5	6	2	5	7	1			
112	Hydatid tumor of the liver	1			1														
113	Cirrhosis of the liver	746			1				2	10	64	133	164	190	137	42	3		
114	Biliary calculi	180							1	4	14	28	48	36	36	13			
115	Other diseases of the liver	231	7	4	1	2			4	10	27	26	42	42	40	23	2		1
116	Diseases of the spleen	10								1	1	2	5		1				
117	Simple peritonitis (nonpuerperal)	135	11	2	2	2	2	10	5	25	18	13	13	13	15	3	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	34	1	1			1		2	2	3	5	10	4	3	2			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	5,180	51	15	16	7	8	36	70	225	380	535	769	1,115	1,258	619	70	5	1
119	Acute nephritis	519	22	8	10	5	6	23	23	53	78	60	57	61	74	34	5		
120	Bright's disease	3,829	13	4	6	2	1	12	42	80	203	365	631	947	995	472	51	4	1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	94	11							5	8	11	10	14	23	10	2		
123	Calculi of the urinary passages	38						1	1	1	3	3	6	7	12	4			
124	Diseases of the bladder	111	2				1			2	1	1	7	11	41	40	4	1	
125	Diseases of the urethra, urinary abscess, etc	15									2	4	4	2	1	2			
126	Diseases of the prostate	224									2		9	59	95	52	7		
127	Nonvenereal diseases of the male genital organs	8	3	2							1		1		1				
128	Uterine hemorrhage (nonpuerperal)	4								1	1	2							
129	Uterine tumor (noncancerous)	96								4	12	43	24	5	7	1			
130	Other diseases of the uterus	45							1	15	11	7	6	3	2				
131	Cysts and other tumors of the ovary	57								9	8	14	11	5	5	4	1		
132	Salpingitis and other diseases of the female genital organs	140		1					3	55	50	25	3	1	2				
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	693							65	289	263	76							
134	Accidents of pregnancy	52							3	20	23	6							
135	Puerperal hemorrhage	73							4	17	37	15							
136	Other accidents of labor	46							1	21	18	6							
137	Puerperal septicemia	358							33	155	137	33							
138	Puerperal albuminuria and convulsions	141							24	63	42	12							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	19								11	5	3							
140	Following childbirth (not otherwise defined)	4								2	1	1							
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	246	36	3	1	1	1	2	1	9	8	5	23	27	61	60	8		
142	Gangrene	131				1	1	1		2	3	1	7	17	41	49	8		
143	Furuncle	29	2						1	3	2	3	11	3	2	2			
144	Acute abscess	31	9	1	1					3	1	1	4	2	6	3			
145	Other diseases of the skin and annexa	55	25	2				1		1	2		1	5	12	6			
	IX.—Diseases of the bones and of the organs of locomotion	123	10	2	5	1	2	9	16	11	13	6	16	16	10	5	1		
146	Diseases of the bones (tuberculosis excepted)	102	8	1	4	1	2	9	16	8	11	6	12	14	5	4	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	14	2	1	1					2	1		3	2	2				
148	Amputations																		
149	Other diseases of the organs of locomotion	7								1	1		1		3	1			
	X.—Malformations	819	773	14	7	2	6	5	11		1								
150	Congenital malformations (stillbirths not included) (total)	819	773	14	7	2	6	5	11		1								
	Hydrocephalus	59	41	7	5	1	2	1	2										
	Congenital malformations of the heart	508	489	6	2		4	2	4		1								
	Other congenital malformations	252	243	1		1		2	5										

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	OHIO—Continued.																		
	XI.—Early infancy	3,518	3,518																
151	Congenital debility, icterus, and sclerema (total)	2,812	2,812																
	Premature birth	2,109	2,109																
	Congenital debility, "atrophy," "marasmus," etc	703	703																
152	Other causes peculiar to early infancy (total)	692	692																
	Injuries at birth	415	415																
	Other causes peculiar to early infancy [1]	277	277																
153	Lack of care	14	14																
	XII.—Old age	841											1	47	229	395	161	7	1
154	Senility	841											1	47	229	395	161	7	1
	XIII.—External causes	6,104	205	141	79	79	54	210	500	1,116	1,009	803	637	494	459	262	39	1	16
	Suicide (total)	739							26	150	149	154	124	83	44	7			2
155	By poison	273							14	72	63	52	32	28	10	1			1
156	By asphyxia	10									3	2	5						
157	By hanging or strangulation	124								14	18	31	30	18	9	3			1
158	By drowning	56							2	9	6	11	10	9	7	2			
159	By firearms	199							8	47	44	45	33	16	6				
160	By cutting or piercing instruments	53								4	10	8	11	9	10	1			
161	By jumping from high places	4								1	1				2				
162	By crushing	14							2	2	3	3	1	3					
163	Other suicides	6								1	1	2	2						
	Accidental or undefined (total)	5,069	187	139	79	79	54	210	461	867	775	611	495	394	410	255	39	1	13
164	Poisoning by food	53	5	5	3	2		8	2	1	2	4	4	8	8	1			
165	Other acute poisonings	114	9	15	8	6	1	7	1	22	17	15	9	3	1				
166	Conflagration	73	2	8	1	8	2	5	8	4	8	8	2	6	9	2			
167	Burns (conflagration excepted)	354	11	45	35	29	17	20	23	41	32	17	25	15	32	11	1		
168	Absorption of deleterious gases (conflagration excepted)	171	80	1	2		1	1	7	18	20	17	11	6	5	1			1
169	Accidental drowning	793	8	28	7	10	9	59	156	133	129	83	70	53	38	5			5
170	Traumatism by firearms	100		1	1	2	1	10	39	23	9	7	4	2		1			
171	Traumatism by cutting or piercing instruments	14						1	2	4	4		2	1					
172	Traumatism by fall	882	16	13	8	4	3	10	41	57	78	72	88	97	184	179	31	1	
173	Traumatism in mines and quarries (total)	154							14	48	42	29	14	6	1				
	Traumatism in mines	148							13	48	42	25	13	6	1				
	Traumatism in quarries	6							1			4	1						
174	Traumatism by machines	151						2	5	51	37	30	11	14					1
175	Traumatism by other crushing (total)	1,613	4	8	9	13	17	65	130	378	328	247	180	133	73	22			6
	Railroad accidents and injuries	981		1		1	4	15	69	282	228	167	98	71	31	8			6
	Street-car accidents and injuries	217		2	6	1	4	8	16	33	35	32	31	22	17	10			
	Automobile accidents and injuries	187	1	1		6	3	25	20	28	28	26	17	17	12	3			
	Injuries by other vehicles	188	3	4	3	5	6	14	18	26	28	20	28	19	13	1			
	Landslide, other crushing	40						3	7	9	9	2	6	4					
176	Injuries by animals	47	2	1		1	1	3	4	3	4	9	6	7	5	1			
177	Starvation	1													1				
178	Excessive cold	26	2						1	1		6	5	6	2	3			
179	Effects of heat	178	32	2	1			5	3	9	24	28	22	16	21	13	2		
180	Lightning	33	1			1		1	6	6	5	3	4	2	3	1			
181	Electricity (lightning excepted)	73					1		7	35	15	8	6	1					
185	Fractures (cause not specified)	53						1	1	5		7	6	6	11	12	4		
186	Other external violence	186	15	12	4	3	1	12	11	28	21	21	26	12	16	3	1		
	Homicide (total)	296	18	2					13	99	85	38	18	17	5				1
182	By firearms	159		2					11	59	50	18	9	8	2				
183	By cutting or piercing instruments	49	1						2	21	14	5	1	3	1				1
184	By other means	88	17							19	21	15	8	6	2				
	XIV.—Ill-defined diseases	374	135	22	1			2	5	11	18	16	38	43	53	20	6		4
187	Ill-defined organic disease	26	1									1	2	4	12	4	2		
188	Sudden death	26	6	1								1	1	2	6	7	2		
189	Not specified or ill-defined (total)	322	128	21	1			2	5	11	16	15	34	33	34	14	4		4
	Ill-defined	140	21	19				1	4	6	8	12	20	22	18	7	1		1
	Not specified, or unknown	182	107	2	1			1	1	5	8	3	11	11	16	7	3		3

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PENNSYLVANIA.																		
	All causes	117,994	26,304	5,779	2,444	1,461	1,062	3,003	4,357	8,032	9,113	9,823	11,487	13,860	13,611	6,739	878	27	14
	I.—General diseases	28,351	2,174	1,567	1,001	674	545	1,458	1,830	3,323	3,326	3,187	3,241	3,072	2,156	718	73	3	3
1	Typhoid fever	1,470	4	8	16	19	14	93	307	456	256	146	97	35	17	2	.....	.....	.....
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	34	3	2	.....	1	.....	1	4	3	6	1	3	5	3	2	.....	.....	.....
5	Smallpox	12	4	.....	.....	1	.....	.....	.....	2	4	1	.....	.....	.....	.....	.....	.....	.....
6	Measles	1,578	391	562	256	105	58	111	49	19	11	6	3	3	4	.....	.....	.....	.....
7	Scarlet fever	915	56	97	122	103	109	282	97	29	12	5	3	.....	.....	.....	.....	.....	.....
8	Whooping cough	898	503	201	89	44	20	35	3	1	.....	1	.....	.....	1	.....	.....	.....	.....
9	Diphtheria and croup	2,099	139	355	338	276	247	538	138	21	21	11	5	9	1	.....	.....	.....	.....
10	Influenza	994	80	22	14	6	3	18	26	32	47	71	96	170	214	171	23	1	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	90	11	7	1	1	2	6	3	1	3	3	5	15	20	11	1	.....	.....
14	Dysentery	305	67	35	11	11	7	5	1	7	8	7	13	33	62	29	8	1	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	407	116	6	1	2	.....	1	9	15	40	50	62	46	40	19	.....	.....	.....
19	Other epidemic diseases	37	14	9	5	.....	.....	3	2	1	1	.....	.....	1	1	.....	.....	.....	.....
20	Purulent infection and septicemia	208	38	4	6	2	1	14	12	14	18	15	29	23	24	7	1	.....	.....
21	Glanders	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	8	1	1	.....	.....	.....	.....	.....	1	3	.....	2	.....	.....	.....	.....	.....	.....
23	Rabies	5	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	148	26	1	.....	1	6	24	21	26	16	12	7	6	2	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	7	.....	.....	.....	.....	.....	.....	1	1	1	.....	3	.....	1	.....	.....	.....	.....
27	Beriberi	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	9,802	317	192	103	73	52	190	856	2,349	2,135	1,472	1,025	664	309	60	4	.....	1
28	Tuberculosis of the lungs	8,107	97	65	26	26	16	68	662	2,086	1,920	1,311	918	586	272	49	4	.....	1
29	Acute miliary tuberculosis	368	12	8	4	4	6	8	45	106	70	55	28	16	4	2	.....	.....	.....
30	Tuberculous meningitis	533	153	79	55	28	19	69	50	34	18	17	8	2	.....	1	.....	.....	.....
31	Abdominal tuberculosis	412	19	22	13	8	6	24	51	70	64	42	41	33	14	5	.....	.....	.....
32	Pott's disease	75	5	3	.....	5	2	10	11	8	10	7	8	2	3	1	.....	.....	.....
33	White swellings	51	5	3	2	2	2	2	9	4	8	4	4	3	3	.....	.....	.....	.....
34	Tuberculosis of other organs	158	18	7	3	.....	.....	4	16	16	29	23	12	16	12	2	.....	.....	.....
35	Disseminated tuberculosis	98	8	5	.....	.....	1	5	12	25	16	13	6	6	1	.....	.....	.....	.....
36	Rickets	85	49	22	9	2	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
37	Syphilis	467	216	12	7	3	2	1	11	32	66	61	27	22	7	.....	.....	.....	.....
38	Gonococcus infection	29	12	4	.....	.....	.....	.....	3	4	1	3	2	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	5,854	7	2	8	5	11	16	35	91	371	924	1,377	1,530	1,144	309	22	1	1
39	Of the buccal cavity	231	1	.....	.....	.....	.....	.....	2	3	6	15	52	82	56	13	1	.....	.....
40	Of the stomach, liver	2,336	1	.....	1	1	1	3	1	17	92	309	576	702	516	112	3	.....	1
41	Of the peritoneum, intestines, rectum	752	1	.....	2	.....	1	6	7	24	50	114	152	207	155	32	1	.....	.....
42	Of the female genital organs	974	.....	.....	.....	.....	.....	.....	5	21	119	247	273	178	103	25	3	.....	.....
43	Of the breast	560	.....	.....	1	.....	.....	.....	1	5	48	134	130	119	86	32	4	.....	.....
44	Of the skin	213	1	.....	.....	.....	1	.....	.....	.....	3	10	25	56	72	38	6	1	.....
45	Of other organs or of organs not specified	788	3	2	4	4	8	7	19	21	53	95	169	186	156	57	4	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	22	3	.....	.....	.....	.....	.....	.....	2	3	5	2	5	1	1	.....	.....	.....
47	Acute articular rheumatism	652	4	2	3	8	6	73	141	64	57	54	73	59	66	37	5	.....	.....
48	Chronic rheumatism and gout	118	.....	1	.....	.....	.....	.....	3	5	1	9	24	30	31	13	1	.....	.....
49	Scurvy	23	15	2	.....	.....	.....	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	952	.....	2	3	4	3	14	55	43	57	107	198	284	141	37	4	.....	.....
51	Exophthalmic goiter	111	1	1	.....	.....	.....	.....	8	19	22	24	22	9	2	2	1	.....	.....
52	Addison's disease	24	.....	.....	.....	.....	.....	.....	2	1	4	3	7	5	2	.....	.....	.....	.....
53	Leukemia	116	.....	3	.....	1	1	8	10	16	22	18	15	10	10	2	.....	.....	.....
54	Anemia, chlorosis	313	26	4	4	1	.....	3	18	21	27	42	56	65	32	10	3	.....	1
55	Other general diseases	169	71	10	5	4	2	15	10	7	7	13	8	8	6	3	.....	.....	.....
56	Alcoholism (acute or chronic)	353	.....	.....	.....	.....	.....	2	2	31	97	109	71	26	13	2	.....	.....	.....
57	Chronic lead poisoning	17	.....	.....	.....	.....	.....	.....	.....	.....	1	8	4	4	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	24	.....	.....	.....	1	.....	.....	.....	3	6	5	2	4	2	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	11,016	1,240	280	121	74	52	162	210	246	489	789	1,397	2,154	2,531	1,138	128	1	4
60	Encephalitis	122	30	8	4	1	2	11	10	18	11	7	7	6	6	1	.....	.....	.....
61	Meningitis (total)	678	228	96	55	37	24	72	53	33	22	25	17	8	5	3	.....	.....	.....
	Simple meningitis	534	188	74	45	26	15	49	36	24	20	25	17	7	5	3	.....	.....	.....
	Cerebrospinal meningitis (undefined)	118	30	20	9	7	7	20	14	8	2	.....	.....	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	26	10	2	1	4	2	3	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	PENNSYLVANIA—Continued.																	
	II.—Disease of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	189					1		1	1	15	38	59	48	24	2		
63	Other diseases of the spinal cord (total)	433	11	27	13	5	6	27	18	15	29	40	63	86	67	23	3	
	Acute anterior poliomyelitis	96	10	20	13	5	4	19	5	1	5	1	7	2	4			
	Other diseases of the spinal cord [1]	337	1	7			2	8	13	14	24	39	56	84	63	23	3	
64	Cerebral hemorrhage, apoplexy	5,966	40	16	5	3	1	6	13	37	149	369	885	1,591	1,907	849	91	1	3
65	Softening of the brain	159							1	1	2	9	14	38	62	30	2		
66	Paralysis without specified cause	912	10	3	1	1		2	9	10	22	39	115	214	299	160	27		
67	General paralysis of the insane	538							4	12	102	125	110	63	81	39	2		
68	Other forms of mental alienation	205							2	18	36	36	39	33	30	10	1		
69	Epilepsy	297	7	2	3	2	2	10	45	55	58	42	28	20	17	4	1		1
70	Convulsions (nonpuerperal)	37						12	6	3	4	5	1	3	1	2			
71	Convulsions of infants	1,003	845	103	24	20	11												
72	Chorea	24	2		1	1	1	1	10	2		1	2	1	1	1			
73	Neuralgia and neuritis	52	1		1			1	2	4	6	8	9	11	5	4			
74	Other diseases of the nervous system	260	34	8	7			11	20	25	22	38	37	25	23	9	1		
75	Diseases of the eyes and their annexa	6	4	1										1					
76	Diseases of the ears	135	28	16	7	4	4	9	16	12	11	7	11	6	3	1			
	III.—Diseases of the circulatory system	13,445	253	40	30	23	16	163	351	469	779	1,230	1,891	2,969	3,353	1,673	193	11	1
77	Pericarditis	74	1	2		1		7	3	6	7	11	13	12	8	3			
78	Acute endocarditis	707	39	4	4	7	6	34	67	72	108	142	196	16	9	3			
79	Organic diseases of the heart	10,176	173	27	19	9	10	116	271	357	536	939	1,402	2,423	2,544	1,181	110	8	1
80	Angina pectoris	558						1	2	10	26	52	110	177	140	35	5		
81	Diseases of the arteries, atheroma, aneurism, etc.	1,500		1				1	1	3	16	35	105	272	579	411	73	3	
82	Embolism and thrombosis	296	5		2	3		3	4	11	27	36	50	56	57	37	5		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	49	1			1			1	5	6	12	6	6	8	3			
84	Diseases of the lymphatic system (lymphangitis, etc.)	51	23	5	5	2		1	2	4		1	3	3	2				
85	Hemorrhage; other diseases of the circulatory system	34	11	1						1	3	2	6	4	6				
	IV.—Diseases of the respiratory system	15,623	4,418	1,598	600	272	172	407	364	589	879	1,066	1,281	1,540	1,560	785	90	1	1
86	Diseases of the nasal fossæ	8	4		1			1		1					1				
87	Diseases of the larynx	174	37	31	18	22	12	23	4	4	7	2	2	5	3	4			
88	Diseases of the thyroid body	44	1					1	4	5	6	8	7	9	2	1			
89	Acute bronchitis	1,075	629	138	57	20	10	15	1	7	8	4	23	42	63	49	9		
90	Chronic bronchitis	574	17	7	2	2		5	5	5	15	27	65	115	176	113	20		
91	Bronchopneumonia	4,926	2,155	842	273	111	67	147	52	60	80	138	186	283	335	179	18		
92	Pneumonia (total)	7,464	1,415	546	220	109	74	182	255	449	667	751	790	881	774	317	32	1	1
	Lobar pneumonia	3,833	405	206	97	49	33	83	152	315	486	501	493	506	368	124	13	1	1
	Pneumonia (undefined)	3,631	1,010	340	123	60	41	99	103	134	181	250	297	375	406	193	19		
93	Pleurisy	344	16	17	18	5	5	18	29	29	29	35	50	44	40	8	1		
94	Pulmonary congestion, pulmonary apoplexy	460	134	13	8	3	2	8	5	9	28	26	36	40	66	76	6		
95	Gangrene of the lung	22						2		3	4	3	6	2	1	1			
96	Asthma	275	1	2	1			1	2	2	16	28	53	70	66	31	2		
97	Pulmonary emphysema	31	1	1				1	1		3	2	10	7	5				
98	Other diseases of the respiratory system (tuberculosis excepted)	226	8	1	2		2	3	6	15	16	42	53	42	28	6	2		
	V.—Diseases of the digestive system	16,243	7,954	1,797	411	177	110	263	350	441	566	801	919	1,029	935	427	63		
99	Diseases of the mouth and annexa	60	31	7	2	2		1	1	3	4	1	3	2	3				
100	Diseases of the pharynx	168	19	10	6	7	9	32	24	17	11	6	8	9	6	4			
101	Diseases of the esophagus	21	2	2	1					1	1	2	3	4	4	1			
102	Ulcer of the stomach	263	4	2				3	12	32	29	36	44	45	43	13			
103	Other diseases of the stomach (cancer excepted)	1,312	669	94	40	19	18	27	18	41	80	93	145	180	231	140	17		
104	Diarrhea and enteritis (under 2 years)	8,617	6,982	1,635															
105	Diarrhea and enteritis (2 years and over)	1,315			328	122	58	99	22	29	46	60	80	138	185	119	29		
106	Ankylostomiasis																		
107	Intestinal parasites	15	3	3		4	2		2	1									
108	Appendicitis and typhlitis	766	1	3	5	8	7	59	181	158	117	115	64	27	15	4	2		
109	Hernia, intestinal obstruction (total)	919	140	26	10	11	3	19	37	49	65	105	118	151	124	56	5		
	Hernia	285	20	2	2	1			5	9	15	37	64	51	50	29			
	Intestinal obstruction	634	120	24	8	10	3	19	32	40	50	68	54	100	74	27	5		
110	Other diseases of the intestines	182	34	2	5	1		1	11	8	17	14	26	15	24	21	3		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	PENNSYLVANIA—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	50	8	.....	1	.....	1	1	5	9	2	5	8	6	3	1	.....	.....	.....
112	Hydatid tumor of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	1,145	2	2	.....	1	.....	4	6	26	94	235	273	295	173	33	1	.....	.....
114	Biliary calculi	243	.....	.....	.....	.....	.....	.....	.....	7	17	46	56	68	38	8	3	.....	.....
115	Other diseases of the liver	376	33	9	6	....	4	5	6	24	35	41	56	66	69	20	2	.....	.....
116	Diseases of the spleen	18	.....	.....	.....	.....	.....	.....	1	2	5	1	4	1	3	.....	1	.....	.....
117	Simple peritonitis (nonpuerperal)	211	26	2	7	2	8	10	22	29	27	27	20	15	11	5	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	61	.....	.....	.....	.....	.....	2	2	5	15	14	11	7	3	2	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	9,594	147	40	42	41	25	100	187	444	767	1,124	1,621	2,152	1,945	880	78	1	.....
119	Acute nephritis	998	52	20	26	29	11	56	82	76	122	134	132	126	91	38	3	.....	.....
120	Bright's disease	7,356	53	16	14	11	14	36	93	233	489	820	1,368	1,855	1,590	698	65	1	.....
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	183	13	2	1	1	.....	7	3	17	25	21	28	23	27	14	1	.....	.....
123	Calculi of the urinary passages	53	.....	.....	.....	.....	.....	.....	2	2	5	6	8	15	10	5	.....	.....	.....
124	Diseases of the bladder	196	13	.....	.....	.....	.....	.....	.....	4	.....	12	15	21	70	57	4	.....	.....
125	Diseases of the urethra, urinary abscess, etc	23	1	.....	1	.....	.....	.....	.....	2	1	5	4	9	.....	.....	.....	.....	.....
126	Diseases of the prostate	302	.....	.....	.....	.....	.....	.....	.....	2	1	6	21	72	136	59	5	.....	.....
127	Nonvenereal diseases of the male genital organs	24	11	1	.....	.....	.....	.....	.....	3	3	2	.....	2	1	1	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	6	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	1	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	141	.....	.....	.....	.....	.....	.....	.....	12	28	52	22	13	11	3	.....	.....	.....
130	Other diseases of the uterus	73	.....	.....	.....	.....	.....	1	1	15	22	20	10	2	2	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	74	.....	.....	.....	.....	.....	.....	.....	14	13	16	8	11	7	5	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	160	1	1	.....	.....	.....	.....	5	64	57	27	4	1	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	5	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	VII.—The puerperal state	1,422	.....	.....	.....	.....	.....	.....	107	637	555	122	1	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	109	.....	.....	.....	.....	.....	.....	4	50	42	13	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	135	.....	.....	.....	.....	.....	.....	7	38	72	18	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	110	.....	.....	.....	.....	.....	.....	5	43	44	18	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	641	.....	.....	.....	.....	.....	.....	47	313	231	49	1	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	374	.....	.....	.....	.....	.....	.....	44	168	141	21	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	41	.....	.....	.....	.....	.....	.....	.....	19	20	2	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	11	.....	.....	.....	.....	.....	.....	.....	5	5	1	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	596	131	14	3	4	3	7	6	16	25	37	32	88	111	97	21	1	.....
142	Gangrene	301	12	2	.....	2	1	1	1	1	6	14	16	56	91	79	18	1	.....
143	Furuncle	62	14	2	.....	.....	1	.....	.....	2	8	7	9	10	6	3	.....	.....	.....
144	Acute abscess	132	53	7	3	2	1	5	5	9	9	9	4	12	6	6	1	.....	.....
145	Other diseases of the skin and annexa	101	52	3	.....	.....	.....	1	.....	4	2	7	3	10	8	9	2	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	236	27	7	7	3	9	29	34	25	24	22	15	21	10	2	1	.....	.....
146	Diseases of the bones (tuberculosis excepted)	204	26	7	7	3	9	25	34	23	22	16	12	13	6	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	23	1	.....	.....	.....	.....	3	.....	1	2	4	2	5	3	1	1	.....	.....
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	9	.....	.....	.....	.....	.....	1	.....	1	.....	2	1	3	1	.....	.....	.....	.....
	X.—Malformations	1,500	1,449	23	6	6	.....	6	9	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	1,500	1,449	23	6	6	.....	6	9	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	83	63	6	4	3	.....	1	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	977	953	10	2	3	.....	5	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	440	433	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	PENNSYLVANIA—Continued.																		
	XI.—Early infancy	8,005	8,005																
151	Congenital debility, icterus, and sclerema (total)	6,721	6,721																
	Premature birth	3,928	3,928																
	Congenital debility, "atrophy," "marasmus," etc	2,793	2,793																
152	Other causes peculiar to early infancy (total)	1,265	1,265																
	Injuries at birth	650	650																
	Other causes peculiar to early infancy[1]	615	615																
153	Lack of care	19	19																
	XII.—Old age	1,351											6	63	440	660	171	8	3
154	Senility	1,351											6	63	440	660	171	8	3
	XIII.—External causes	9,605	278	251	185	173	124	403	897	1,817	1,667	1,393	977	625	457	303	52	1	2
	Suicide (total)	1,073						1	50	215	218	219	209	110	41	10			
155	By poison	311						1	23	88	63	54	49	24	7	2			
156	By asphyxia	130							1	16	32	38	31	6	5	1			
157	By hanging or strangulation	172							3	16	28	35	36	39	11	4			
158	By drowning	44							2	7	9	12	11	1	2				
159	By firearms	318							19	77	66	59	62	26	9				
160	By cutting or piercing instruments	74								7	15	18	15	11	6	2			
161	By jumping from high places	15							2	1	3	1	3	3	1	1			
162	By crushing	4								2		1	1						
163	Other suicides	5								1	2	1	1						
	Accidental or undefined (total)	8,100	250	247	185	171	123	392	822	1,465	1,349	1,097	731	507	414	292	52	1	2
164	Poisoning by food	57	11	6	5	3	2	4	3	2	9	2	5	4	1				
165	Other acute poisonings	193	20	39	15	11	5	9	10	27	22	12	11	8	3	1			
166	Conflagration	91	8	4	4	5	4	13	3	13	10	12	4	4	5	1	1		
167	Burns (conflagration excepted)	855	35	122	111	105	75	103	48	51	64	45	43	21	20	12			
168	Absorption of deleterious gases (conflagration excepted)	182	57	4				4	12	17	15	18	24	11	12	7	1		
169	Accidental drowning	566	3	17	6	6	5	63	154	120	70	62	34	19	2	4	1		
170	Traumatism by firearms	142		4	4	1	2	16	54	24	20	10	2	5					
171	Traumatism by cutting or piercing instruments	6						2		1	1	1		1					
172	Traumatism by fall	1,386	15	25	11	10	9	25	46	98	143	153	150	178	242	234	47		
173	Traumatism in mines and quarries (total)	1,341			1			2	131	420	384	257	110	31	4				1
	Traumatism in mines	1,302			1			2	128	414	374	247	103	30	2				1
	Traumatism in quarries	39							3	6	10	10	7	1	2				
174	Traumatism by machines	254					1	1	39	65	60	36	29	19	4				
175	Traumatism by other crushing (total)	2,222	6	10	12	23	18	125	256	502	446	369	230	138	70	16			1
	Railroad accidents and injuries	1,455	1	3	4	5	4	33	155	390	347	260	135	82	27	8			1
	Street-car accidents and injuries	255		3	4	8	6	22	20	38	39	39	30	22	18	6			
	Automobile accidents and injuries	216	1		1	5	1	45	36	35	27	27	23	10	4	1			
	Injuries by other vehicles	259	4	4	3	5	7	25	30	36	28	34	38	23	21	1			
	Landslide, other crushing	37							15	3	5	9	4	1					
176	Injuries by animals	53		2		2		6	6	4	6	8	7	7	5				
177	Starvation	3							1				2						
178	Excessive cold	27								2	3	6	8	5	3				
179	Effects of heat	237	74	7	3			3	8	13	20	16	21	26	31	13	1	1	
180	Lightning	37				1	1	2	10	8	8	3	3		1				
181	Electricity (lightning excepted)	99							10	43	25	16	3	1		1			
185	Fractures (cause not specified)	18						1	1	3	2	6	4				1		
186	Other external violence	331	21	7	13	4	1	13	30	52	41	65	41	29	11	3			
	Homicide (total)	432	28	4		2	1	10	25	137	100	77	37	8	2	1			
182	By firearms	220		1		1		2	17	71	61	46	19	2					
183	By cutting or piercing instruments	88	2	1			1	2	2	32	23	18	6			1			
184	By other means	124	26	2		1		6	6	34	16	13	12	6	2				
	XIV.—Ill-defined diseases	1,007	228	162	38	14	6	5	12	24	36	52	106	147	113	56	8		
187	Ill-defined organic disease	81							1	2	1	4	10	16	27	19	1		
188	Sudden death	111	32	6	3	1			1	1	3	4	16	19	11	8	1		
189	Not specified or ill-defined (total)	815	196	156	35	13	6	5	10	21	27	44	80	112	75	29	6		
	Ill-defined	648	90	153	31	12	5	3	9	16	17	37	71	107	65	28	4		
	Not specified, or unknown	167	106	3	4	1	1	2	1	5	10	7	9	5	10	1	2		

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	RHODE ISLAND.																		
	All causes	8,698	1,635	317	112	94	57	205	295	520	684	857	1,030	1,201	1,094	501	90	2	4
	I.—General diseases	2,280	151	105	47	39	26	98	122	254	293	331	281	283	191	50	8		1
1	Typhoid fever	48		1	1	1		1	5	11	13	9	4	2					
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	4								1			1		2				
5	Smallpox																		
6	Measles	71	20	30	9	4	3	1	3						1				
7	Scarlet fever	21	2	3	1	3	4	4	2	1	1								
8	Whooping cough	40	32	6	1			1											
9	Diphtheria and croup	141	8	20	22	19	16	49	6			1							
10	Influenza	75	5			2		2	1	2	2	5	2	11	25	14	4		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras																		
14	Dysentery	26	11	3								2	1	7	2				
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	25	8								1	4	6	5	1				
19	Other epidemic diseases	3	2			1													
20	Purulent infection and septicemia	23	1		1		1	1	1	2	3	6	3	1	2		1		
21	Glanders																		
22	Anthrax																		
23	Rabies	1						1											
24	Tetanus	8	1					2	1	1	1	1			1				
25	Mycoses																		
26	Pellagra	9									2	2	1	2	2				
27	Beriberi																		
	Tuberculosis (total)	943	35	40	11	9	2	28	89	212	210	147	75	57	22	5			1
28	Tuberculosis of the lungs	754	5	10	3	1	1	5	67	190	190	136	67	54	20	4			1
29	Acute miliary tuberculosis	19						4	1	6	4	3	1						
30	Tuberculous meningitis	87	20	28	7	7		14	6	3	1		1						
31	Abdominal tuberculosis	33	5	1	1	1	1	4	4	6	5	3	2						
32	Pott's disease	10						1	2	3	3				1				
33	White swellings	8							3	1	2		2						
34	Tuberculosis of other organs	15	3	1					3		2	3	2	1					
35	Disseminated tuberculosis	17	2						3	3	3	2		2	1	1			
36	Rickets	1		1															
37	Syphilis	36	21		1			1	1		3	4	2	3					
38	Gonococcus infection	1									1								
	Cancer and other malignant tumors (total)	541						2	3	6	37	104	133	126	99	28	3		
39	Of the buccal cavity	27									1	5	4	6	9	2			
40	Of the stomach, liver	195								2	12	31	56	58	28	7	1		
41	Of the peritoneum, intestines, rectum	85									4	18	18	19	22	4			
42	Of the female genital organs	91								2	8	27	22	19	12	1			
43	Of the breast	56									7	15	13	6	9	5	1		
44	Of the skin	20									1	2	2	3	6	6			
45	Of other organs or of organs not specified	67						2	3	2	4	6	18	15	13	3	1		
46	Other tumors (tumors of the female genital organs excepted)	1													1				
47	Acute articular rheumatism	22						3	2	2	1	5	2	5	2				
48	Chronic rheumatism and gout	4										2		1	1				
49	Scurvy																		
50	Diabetes	141							5	8	7	13	32	52	22	2			
51	Exophthalmic goiter	3										1	1		1				
52	Addison's disease	2							1			1							
53	Leukemia	15		1					1	4	1	2	3	3					
54	Anemia, chlorosis	23						2		2	6	3	5	2	3				
55	Other general diseases	10	5						1			2			2				
56	Alcoholism (acute or chronic)	41								2	4	17	10	6	1	1			
57	Chronic lead poisoning	1													1				
58	Other chronic occupation poisonings																		
59	Other chronic poisonings																		
	II.—Diseases of the nervous system and of the organs of special sense	873	53	15	10	6	1	8	17	17	45	69	157	184	202	80	9		
60	Encephalitis	3	1						2										
61	Meningitis (total)	52	19	6	4	5		4	4	2	3	2	2	1					
	Simple meningitis	29	12	2	1	4		2	1	1	2	2	1	1					
	Cerebrospinal meningitis (undefined)	11	3	3	2			1			1		1						
	Cerebrospinal fever	12	4	1	1	1		1	3	1									

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	RHODE ISLAND—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	24								1	1	2	15	5					
63	Other diseases of the spinal cord (total)	33		4	4		1	1	3			1	1	12	5	1			
	Acute anterior poliomyelitis	13		4	4		1	1	3										
	Other diseases of the spinal cord[1]	20										1	1	12	5	1			
64	Cerebral hemorrhage, apoplexy	541	2	1				1		3	17	35	102	138	166	67	9		
65	Softening of the brain	3													2	1			
66	Paralysis without specified cause	41									1	4	7	9	13	7			
67	General paralysis of the insane	58								1	9	14	18	11	3	2			
68	Other forms of mental alienation	13								1	1	1	3	3	3	1			
69	Epilepsy	33	1			1			2	6	11	7	1	1	3				
70	Convulsions (nonpuerperal)																		
71	Convulsions of infants	24	19	3	2														
72	Chorea	3							1					1	1				
73	Neuralgia and neuritis	7									2		2	1	1	1			
74	Other diseases of the nervous system	24	4					1	4	2		3	5	1	4				
75	Diseases of the eyes and their annexa	2	1										1						
76	Diseases of the ears	12	6	1				1	1	1				1	1				
	III.—Diseases of the circulatory system	1,236	9	3	1	1	1	12	30	38	65	101	190	299	310	149	25	1	1
77	Pericarditis	7					1		1			2		2	1				
78	Acute endocarditis	45						1	3	4	3	11	19	2	2				
79	Organic diseases of the heart	922	4	3	1	1		11	25	33	59	82	147	246	209	87	12	1	1
80	Angina pectoris	45							1				11	13	10	10			
81	Diseases of the arteries, atheroma, aneurism, etc	189									2	3	11	33	78	49	13		
82	Embolism and thrombosis	18	1							1		2	2	2	7	3			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3									1	1			1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	4																
85	Hemorrhage; other diseases of the circulatory system	3												1	2				
	IV.—Diseases of the respiratory system	1,035	245	88	31	21	10	24	25	30	69	85	107	101	132	57	9		1
86	Diseases of the nasal fossae																		
87	Diseases of the larynx	6	1		2	1	1	1											
88	Diseases of the thyroid body	2									2								
89	Acute bronchitis	89	53	9	2	3		1	1			1	4	5	4	5	1		
90	Chronic bronchitis	38	1		1			1			3	4	2	6	11	5	3		1
91	Bronchopneumonia	284	119	39	12	5	3	9	6	2	5	9	12	12	37	13	1		
92	Pneumonia (total)	567	68	39	13	10	6	11	15	26	56	64	82	72	70	32	3		
	Lobar pneumonia	255	13	15	6	6	2	3	7	16	37	40	50	32	19	9			
	Pneumonia (undefined)	312	55	24	7	4	4	8	8	10	19	24	32	40	51	23	3		
93	Pleurisy	18	2	1		2		1		2	2	2	4	1	1				
94	Pulmonary congestion, pulmonary apoplexy	12							2		1		1	2	4	1	1		
95	Gangrene of the lung																		
96	Asthma	10			1							2	1	1	4	1			
97	Pulmonary emphysema	1												1					
98	Other diseases of the respiratory system (tuberculosis excepted)	8	1						1			3	1	1	1				
	V.—Diseases of the digestive system	930	454	78	8	5	4	20	19	36	42	63	74	58	46	21	2		
99	Diseases of the mouth and annexa	6	4											1	1				
100	Diseases of the pharynx	5	1					3			1								
101	Diseases of the esophagus																		
102	Ulcer of the stomach	18	1							5	3	3	4	2					
103	Other diseases of the stomach (cancer excepted)	69	27	1	1			2		2	5	5	5	6	9	6			
104	Diarrhea and enteritis (under 2 years)	485	410	75															
105	Diarrhea and enteritis (2 years and over)	55			6	4	2	3	2	2	4	4	9	8	4	6	1		
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	69		1		1		10	14	21	11	6	2		3				
109	Hernia, intestinal obstruction (total)	71	8	1			2	1	1	5	2	13	12	10	11	4	1		
	Hernia	38	2	1						3	1	8	11	4	5	2	1		
	Intestinal obstruction	33	6				2	1	1	2	1	5	1	6	6	2			
110	Other diseases of the intestines	13	2		1						1	3	1	2	2	1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	RHODE ISLAND—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	2	1									1							
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	84									13	16	29	17	7	2			
114	Biliary calculi	20									1	6	7	5	1				
115	Other diseases of the liver	20						1			1		4	6	6	2			
116	Diseases of the spleen	3										1		1	1				
117	Simple peritonitis (nonpuerperal)	8							2	1		4	1						
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2										1			1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	796	5	2	2	2	4	5	17	32	72	123	136	184	140	62	10		
119	Acute nephritis	70	3	2	2	1	4	3	5	9	16	5	8	9	2		1		
120	Bright's disease	648	1			1		2	12	18	50	106	118	159	121	55	5		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	7								1			2	1	3				
123	Calculi of the urinary passages	5											1	2	2				
124	Diseases of the bladder	12											1	6	2	2	1		
125	Diseases of the urethra, urinary abscess, etc	4										1	1	1	1				
126	Diseases of the prostate	17												5	5	4	3		
127	Nonvenereal diseases of the male genital organs	3											2		1				
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	8										5	1		1	1			
130	Other diseases of the uterus	9								1	2	4		1	1				
131	Cysts and other tumors of the ovary	4									2	1	1						
132	Salpingitis and other diseases of the female genital organs	8								3	2	1	1		1				
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VII.—The puerperal state	73							5	30	32	6							
134	Accidents of pregnancy	6								3	2	1							
135	Puerperal hemorrhage	11								5	5	1							
136	Other accidents of labor	8								3	3	2							
137	Puerperal septicemia	23							2	8	11	2							
138	Puerperal albuminuria and convulsions	17							3	7	7								
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7								4	3								
140	Following childbirth (not otherwise defined)	1									1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue.	24	5	2						2		3	5	4	2		1		
142	Gangrene	8								1		1	1	4	1				
143	Furuncle	2											2						
144	Acute abscess	9	4	1						1		1	2						
145	Other diseases of the skin and annexa	5	1	1								1			1		1		
	IX.—Diseases of the bones and of the organs of locomotion	11	1	1					2	2		3	2						
146	Diseases of the bones (tuberculosis excepted)	9	1	1					2	1		3	1						
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2								1			1						
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	93	85	7		1													
150	Congenital malformations (stillbirths not included) (total)	93	85	7		1													
	Hydrocephalus	11	7	4															
	Congenital malformations of the heart	47	46			1													
	Other congenital malformations	35	32	3															

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	RHODE ISLAND—Continued.																		
	XI.—Early infancy	587	587																
151	Congenital debility, icterus, and sclerema (total)	448	448																
	Premature birth	220	220																
	Congenital debility, "atrophy," "marasmus," etc	228	228																
152	Other causes peculiar to early infancy (total)	136	136																
	Injuries at birth	98	98																
	Other causes peculiar to early infancy[1]	38	38																
153	Lack of care	3	3																
	XII.—Old age	139										1	17	39	58	22	1	1	
154	Senility	139										1	17	39	58	22	1	1	
	XIII.—External causes	575	17	12	13	19	11	38	57	77	62	71	73	66	32	24	3		
	Suicide (total)	86							1	14	15	20	18	14	3	1			
155	By poison	13								2	5	2	3	1					
156	By asphyxia	24								3	4	5	8	4					
157	By hanging or strangulation	10								1	1	3		4	1				
158	By drowning	12								2	3	3	1	2		1			
159	By firearms	21							1	5	2	6	4	2	1				
160	By cutting or piercing instruments	4										1	2		1				
161	By jumping from high places	1								1									
162	By crushing																		
163	Other suicides	1												1					
	Accidental or undefined (total)	470	17	12	13	18	11	38	54	56	41	49	54	52	29	23	3		
164	Poisoning by food	4	1	1						1				1					
165	Other acute poisonings	12	3				1		2	1		1	3	1					
166	Conflagration	4				1			2					1					
167	Burns (conflagration excepted)	52	1	4	6	6	3	7	4	6	4		4	4	2	1			
168	Absorption of deleterious gases (conflagration excepted)	25	4			1		1	3	1	3	2		4	4	2			
169	Accidental drowning	76		2	1	3	2	12	17	12	6	6	9	5	1				
170	Traumatism by firearms	7						1	3	3									
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	103	1	2	4	1		2	5	3	6	11	16	17	13	19	3		
173	Traumatism in mines and quarries (total)	1									1								
	Traumatism in mines																		
	Traumatism in quarries	1									1								
174	Traumatism by machines	10							4	2	2	1		1					
175	Traumatism by other crushing (total)	126		2	1	6	5	14	10	24	14	17	15	12	5	1			
	Railroad accidents and injuries	43				1	1	4	2	12	7	6	5	4		1			
	Street-car accidents and injuries	30			1			6	1	3	3	5	5	3	3				
	Automobile accidents and injuries	37		1		3	2	3	5	7	4	3	4	3	2				
	Injuries by other vehicles	14		1		2	2	1	2			3	1	2					
	Landslide, other crushing	2								2									
176	Injuries by animals	3						1					1	1					
177	Starvation	1							1										
178	Excessive cold	4											1	2	1				
179	Effects of heat	6	1		1							1		1	2				
180	Lightning																		
181	Electricity (lightning excepted)	2								2									
185	Fractures (cause not specified)	4	1						1			2							
186	Other external violence	30	5	1					2	1	5	8	5	2	1				
	Homicide (total)	19				1			2	7	6	2	1						
182	By firearms	9							1	5	2	1							
183	By cutting or piercing instruments	2								1	1								
184	By other means	8				1			1	1	3	1	1						
	XIV.—Ill-defined diseases	46	23	4					1	2	4	2	4	5			1		
187	Ill-defined organic disease																		
188	Sudden death	10	5							1		1	1	1			1		
189	Not specified or ill-defined (total)	36	18	4					1	1	4	1	3	4					
	Ill-defined	14	3	4					1		1	1	2	2					
	Not specified, or unknown	22	15							1	3		1	2					

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	UTAH.																		
	All causes	4,444	916	217	99	72	42	140	266	402	378	350	387	391	458	288	36	2	
	I.—General diseases	984	96	76	39	30	19	50	75	108	90	93	115	98	68	26	1		
1	Typhoid fever	90		3	1	1	2	5	33	23	7	7	3	3	2				
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	4								1	2				1				
5	Smallpox	6	2		1					1	1	1							
6	Measles	128	29	37	18	17	7	12	6	1	1								
7	Scarlet fever	15		2	1		3	7	2										
8	Whooping cough	40	27	7	1	2	1	2											
9	Diphtheria and croup	33	3	12	4	2	3	8	1										
10	Influenza	45	8	6	1		1	2	1	5	2		4	4	5	6			
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	1			1														
14	Dysentery	7	1	1	1	2							1			1			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	13	7	1								2	2		1				
19	Other epidemic diseases	2										2							
20	Purulent infection and septicemia	3						1				1		1					
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	3							1	1					1				
25	Mycoses																		
26	Pellagra																		
27	Beriberi																		
	Tuberculosis (total)	198	3	4	4	1		3	14	52	43	25	22	22	4	1			
28	Tuberculosis of the lungs	155		1	1	1		1	8	39	36	21	21	21	4	1			
29	Acute miliary tuberculosis	13	1		1				2	7		2							
30	Tuberculous meningitis	12	2	2	1			1	2	2	2								
31	Abdominal tuberculosis	6						1		2	1	1		1					
32	Pott's disease	7			1				1	1	3	1							
33	White swellings	1											1						
34	Tuberculosis of other organs	3		1						1	1								
35	Disseminated tuberculosis	1							1										
36	Rickets	4	1	1	1	1													
37	Syphilis	18	4						1	7		3	2		1				
38	Gonococcus infection	2								1	1								
	Cancer and other malignant tumors (total)	211		1	1	1			2	3	14	34	60	48	35	12			
39	Of the buccal cavity	11										1	3	4	1	2			
40	Of the stomach, liver	104		1					1	1	2	15	27	31	21	5			
41	Of the peritoneum, intestines, rectum	19									1	1	9	4	4				
42	Of the female genital organs	28									4	6	10	2	5	1			
43	Of the breast	14								1	1	4	4	1	2	1			
44	Of the skin	6								1	1		2			2			
45	Of other organs or of organs not specified	29			1	1			1		5	7	5	6	2	1			
46	Other tumors (tumors of the female genital organs excepted)	1														1			
47	Acute articular rheumatism	27			1		2	9	7	1	1		1	1		3	1		
48	Chronic rheumatism and gout	5												1	4				
49	Scurvy																		
50	Diabetes	50		1	1	1			5	4	6	1	10	7	12	2			
51	Exophthalmic goiter	7								2	1	4							
52	Addison's disease	1											1						
53	Leukemia	9			2	1		1	1	2	1	1							
54	Anemia, chlorosis	13	2			1			1	1	1	2	3	2					
55	Other general diseases	14	9								1	2	1	1					
56	Alcoholism (acute or chronic)	30								2	8	7	3	8	2				
57	Chronic lead poisoning	3								1		1	1						
58	Other chronic occupation poisonings	1											1						
59	Other chronic poisonings																		
	II.—Diseases of the nervous system and of the organs of special sense	374	34	13	4	6	6	16	29	21	25	32	38	46	70	32	2		
60	Encephalitis	11	1						2	3	3			1	1				
61	Meningitis (total)	68	12	9	3	3	3	10	17	3	3	3	1	1					
	Simple meningitis	12	4					1	4			1	1	1					
	Cerebrospinal meningitis (undefined)	18	5	4	1	1	1	3	2			1							
	Cerebrospinal fever	38	3	5	2	2	2	6	11	3	3	1							

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	UTAH—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	4									1		1	1		1			
63	Other diseases of the spinal cord (total)	27	2		1	1		3	2		5	3	1	6	3				
	Acute anterior poliomyelitis	7	2		1	1		3											
	Other diseases of the spinal cord [1]	20							2		5	3	1	6	3				
64	Cerebral hemorrhage, apoplexy	143					2		2	1	5	14	16	28	51	22	2		
65	Softening of the brain	3									1		1		1				
66	Paralysis without specified cause	22		1								4	1	2	5	9			
67	General paralysis of the insane	12									2	4	3	1	2				
68	Other forms of mental alienation	10											7	1	2				
69	Epilepsy	27	2					1	3	9	2	2	4	2	2				
70	Convulsions (nonpuerperal)	1						1											
71	Convulsions of infants	16	13	2		1													
72	Chorea	1							1										
73	Neuralgia and neuritis	2									1				1				
74	Other diseases of the nervous system	13	1				1			2	2	2	1	2	2				
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	14	3	1		1		1	2	3			2	1					
	III.—Diseases of the circulatory system	514	14	2	4	2	2	22	45	41	56	47	47	70	103	56	3		
77	Pericarditis																		
78	Acute endocarditis	29	1					4		2	9	6	7						
79	Organic diseases of the heart	403	8	1	3	2	2	17	44	39	42	37	35	53	81	38	1		
80	Angina pectoris	19									1		2	6	6	4			
81	Diseases of the arteries, atheroma, aneurism, etc	39									1	1	1	7	15	12	2		
82	Embolism and thrombosis	16	3					1	1		3	1	1	4	1	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3			1							1				1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	2	1															
85	Hemorrhage; other diseases of the circulatory system	2										1	1						
	IV.—Diseases of the respiratory system	547	149	48	25	12	5	11	13	23	39	40	35	49	55	37	5	1	
86	Diseases of the nasal fossae																		
87	Diseases of the larynx	5		1		1		1				2							
88	Diseases of the thyroid body	6	1			1			1			2				1			
89	Acute bronchitis	39	27	3	3	1		1						1	2		1		
90	Chronic bronchitis	31											1	3	5	5	14	2	1
91	Bronchopneumonia	165	77	22	12	6	2	4	2		2	4	6	9	11	8			
92	Pneumonia (total)	255	43	22	9	3	2	5	10	17	29	25	23	28	28	10	1		
	Lobar pneumonia	195	23	12	8	1	1	3	8	17	24	22	20	24	24	7	1		
	Pneumonia (undefined)	60	20	10	1	2	1	2	2		5	3	3	4	4	3			
93	Pleurisy	7			1					3	2		1						
94	Pulmonary congestion, pulmonary apoplexy	9					1							1	3	3	1		
95	Gangrene of the lung	3									1	2							
96	Asthma	10								1	1	1		1	5	1			
97	Pulmonary emphysema	1												1					
98	Other diseases of the respiratory system (tuberculosis excepted)	16	1							2	4	3	2	3	1				
	V.—Diseases of the digestive system	523	158	55	17	9	7	15	37	43	27	33	37	31	33	20	1		
99	Diseases of the mouth and annexa	4	1			1		1			1								
100	Diseases of the pharynx	8	1		2	1		1	1		1		1						
101	Diseases of the esophagus	1		1															
102	Ulcer of the stomach	20	1						2	1		6	3	4	3				
103	Other diseases of the stomach (cancer excepted)	26	7	2	1	1		1							8	6			
104	Diarrhea and enteritis (under 2 years)	174	127	47															
105	Diarrhea and enteritis (2 years and over)	34			12	5	1	1	1				2	3	4	4	1		
106	Ankylostomiasis	1						1											
107	Intestinal parasites																		
108	Appendicitis and typhlitis	99				1	3	6	28	29	11	10	9	2					
109	Hernia, intestinal obstruction (total)	72	15	4	2		2		3	6	5	5	9	3	11	7			
	Hernia	22	4	1							1	1	4	3	6	2			
	Intestinal obstruction	50	11	3	2		2		3	6	4	4	5		5	5			
110	Other diseases of the intestines	8	1				1		1	1			1		3				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	UTAH—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	4									1		1	1		1			
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	27								2	2	9	2	9	2	1			
114	Biliary calculi	16									2	2	6	5	1				
115	Other diseases of the liver	14	2					1		1	2	1	3	3	1				
116	Diseases of the spleen	1									1								
117	Simple peritonitis (nonpuerperal)	13	3	1				3	1	3				1		1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1									1								
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	318	5	2	1	3	2	4	14	21	26	26	52	56	66	36	4		
119	Acute nephritis	26	1	1		2	1	4	4	4	3		3	1	1	1			
120	Bright's disease	236	2		1	1	1		8	15	22	21	43	41	55	24	2		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	8	2	1									3	2					
123	Calculi of the urinary passages	3									1			2					
124	Diseases of the bladder	13											1	1	4	7			
125	Diseases of the urethra, urinary abscess, etc																		
126	Diseases of the prostate	18							1			1	2	5	5	2	2		
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)	1												1					
129	Uterine tumor (noncancerous)	7								1		2		2		2			
130	Other diseases of the uterus	2												1	1				
131	Cysts and other tumors of the ovary	2										2							
132	Salpingitis and other diseases of the female genital organs	2							1	1									
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	63							5	29	20	9							
134	Accidents of pregnancy	7								3	2	2							
135	Puerperal hemorrhage	10								5	3	2							
136	Other accidents of labor	4								1	1	2							
137	Puerperal septicemia	24							4	12	5	3							
138	Puerperal albuminuria and convulsions	15							1	7	7								
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3								1	2								
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue.	6	2												3	1			
142	Gangrene	3													2	1			
143	Furuncle																		
144	Acute abscess	1													1				
145	Other diseases of the skin and annexa	2	2																
	IX.—Diseases of the bones and of the organs of locomotion	11	1			1			3				2		3	1			
146	Diseases of the bones (tuberculosis excepted)	7	1			1			3				2						
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2													2				
148	Amputations																		
149	Other diseases of the organs of locomotion	2													1	1			
	X.—Malformations	63	58	3	1			1											
150	Congenital malformations (stillbirths not included) (total)	63	58	3	1			1											
	Hydrocephalus	8	6	2															
	Congenital malformations of the heart	44	42	1				1											
	Other congenital malformations	11	10		1														

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	UTAH—Continued.																		
	XI.—Early infancy	368	368																
151	Congenital debility, icterus, and sclerema (total)	302	302																
	Premature birth	259	259																
	Congenital debility, "atrophy," "marasmus," etc.	43	43																
152	Other causes peculiar to early infancy (total)	65	65																
	Injuries at birth	41	41																
	Other causes peculiar to early infancy[1]	24	24																
153	Lack of care	1	1																
	XII.—Old age	119											1	2	31	67	17	1	
154	Senility	119											1	2	31	67	17	1	
	XIII.—External causes	466	7	16	7	9	1	20	43	110	88	67	49	28	13	6	2		
	Suicide (total)	76							5	16	21	17	7	6	4				
155	By poison	21							3	5	7	3	2		1				
156	By asphyxia	3								1	1	1							
157	By hanging or strangulation	2									1	1							
158	By drowning	1													1				
159	By firearms	38							1	10	9	8	4	5	1				
160	By cutting or piercing instruments	7									1	3	1	1	1				
161	By jumping from high places	1										1							
162	By crushing	1									1								
163	Other suicides	2							1		1								
	Accidental or undefined (total)	356	7	16	7	9	1	19	36	84	56	42	40	22	9	6	2		
164	Poisoning by food	5		2		1		1					1						
165	Other acute poisonings	14		5	3			1	1	1	1		1	1					
166	Conflagration	2						1							1				
167	Burns (conflagration excepted)	23	1	3	3	1		1	3	3	2	2	2	2					
168	Absorption of deleterious gases (conflagration excepted)	3									1	1	1						
169	Accidental drowning	19		5		1		1	3	4	2	2		1					
170	Traumatism by firearms	20				1		5	3	4	3	2	2						
171	Traumatism by cutting or piercing instruments																		
172	Tramautism by fall	41			1	2		1	4	6	2	3	5	6	6	5			
173	Traumatism in mines and quarries (total)	57							4	29	10	9	3	2					
	Traumatism in mines	55							4	28	10	9	2	2					
	Traumatism in quarries	2								1			1						
174	Traumatism by machines	11							2	4	3	1	1						
175	Traumatism by other crushing (total)	107	1			2	1	6	10	27	20	13	20	5	2				
	Railroad accidents and injuries	51						2	4	16	11	4	12	1	1				
	Street-car accidents and injuries	11						1		1	2	5	1		1				
	Automobile accidents and injuries	14						1	3	3	2	1	2	2					
	Injuries by other vehicles	26	1			2	1	2	3	4	3	3	5	2					
	Landslide, other crushing	5								3	2								
176	Injuries by animals	6						1	2		1	2							
177	Starvation																		
178	Excessive cold	2									2								
179	Effects of heat	1												1					
180	Lightning	6	1						1	2				2					
181	Electricity (lightning excepted)	10								1	6	1	2						
185	Fractures (cause not specified)	3										1					2		
186	Other external violence	26	4	1		1		1	3	3	3	5	2	2		1			
	Homicide (total)	34						1	2	10	11	8	2						
182	By firearms	25							1	6	10	7	1						
183	By cutting or piercing instruments	4								3		1							
184	By other means	5						1	1	1	1		1						
	XIV.—Ill-defined diseases	88	24	2	1			1	2	6	7	3	11	11	13	6	1		
187	Ill-defined organic disease																		
188	Sudden death	1											1						
189	Not specified or ill-defined (total)	87	24	2	1			1	2	6	7	3	10	11	13	6	1		
	Ill-defined	68	9	2	1				1	6	7	3	10	9	13	6	1		
	Not specified, or unknown	19	15					1	1					2					

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VERMONT.																		
	All causes	5,688	729	129	62	39	21	78	161	259	354	416	534	910	1,110	722	147	2	15
	I.—General diseases	1,353	77	36	25	17	11	42	71	108	132	147	165	231	191	88	12	.....	.....
1	Typhoid fever	28	.....	1	3	1	.....	2	6	6	5	1	1	.....	2	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
5	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	73	19	16	6	3	.....	8	5	5	3	3	1	1	3	.....	.....	.....	.....
7	Scarlet fever	18	1	2	1	1	2	5	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	40	23	6	5	3	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	35	3	2	3	4	5	9	7	.....	1	1	.....	.....	.....	.....	.....	.....	.....
10	Influenza	127	8	1	.....	.....	.....	1	3	.....	3	14	9	19	28	32	9	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....
14	Dysentery	11	1	.....	.....	3	.....	2	1	.....	.....	.....	.....	2	.....	2	.....	.....	.....
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	6	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
19	Other epidemic diseases	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	10	3	.....	.....	.....	1	.....	.....	1	.....	2	.....	2	1	.....	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	5	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Mycoses	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	387	9	5	5	2	1	5	27	81	85	52	48	45	16	6	.....	.....	.....
28	Tuberculosis of the lungs	311	.....	1	1	.....	1	1	18	67	76	44	43	40	13	6	.....	.....	.....
29	Acute miliary tuberculosis	7	.....	.....	.....	.....	.....	.....	1	.....	3	1	.....	1	1	.....	.....	.....	.....
30	Tuberculous meningitis	26	7	3	2	2	.....	4	2	4	2	.....	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	15	.....	.....	.....	.....	.....	.....	4	3	1	3	2	2	.....	.....	.....	.....	.....
32	Pott's disease	7	.....	1	.....	.....	.....	.....	1	2	.....	.....	2	.....	1	.....	.....	.....	.....
33	White swellings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	11	1	.....	.....	.....	.....	.....	.....	2	2	4	.....	2	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	10	1	.....	2	.....	.....	.....	1	3	1	.....	1	.....	1	.....	.....	.....	.....
36	Rickets	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	14	4	.....	.....	.....	.....	.....	1	1	3	3	2	.....	.....	.....	.....	.....	.....
38	Gonococcus infection	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	402	.....	.....	.....	.....	.....	.....	.....	1	14	41	79	109	114	41	3	.....	.....
39	Of the buccal cavity	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	8	3	.....	.....	.....
40	Of the stomach, liver	140	.....	.....	.....	.....	.....	.....	.....	.....	1	7	26	47	44	15	.....	.....	.....
41	Of the peritoneum, intestines, rectum	69	.....	.....	.....	.....	.....	.....	.....	.....	4	7	11	15	26	6	.....	.....	.....
42	Of the female genital organs	71	.....	.....	.....	.....	.....	.....	.....	1	3	16	20	16	13	2	.....	.....	.....
43	Of the breast	35	.....	.....	.....	.....	.....	.....	.....	.....	2	6	7	8	7	4	1	.....	.....
44	Of the skin	19	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	7	3	4	2	.....	.....
45	Of other organs or of organs not specified	51	.....	.....	.....	.....	.....	.....	.....	.....	3	3	12	13	13	7	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
47	Acute articular rheumatism	9	.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	1	2	1	.....	.....	.....
48	Chronic rheumatism and gout	12	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	2	2	.....	.....	.....
49	Scurvy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	76	.....	1	.....	.....	1	3	8	5	3	9	5	28	11	2	.....	.....	.....
51	Exophthalmic goiter	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	.....	.....	.....	.....
52	Addison's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
54	Anemia, chlorosis	44	1	.....	1	.....	.....	1	1	2	3	7	11	10	7	.....	.....	.....	.....
55	Other general diseases	7	2	1	.....	.....	.....	1	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	18	.....	.....	.....	.....	.....	.....	.....	2	5	6	2	3	.....	.....	.....	.....	.....
57	Chronic lead poisoning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	2	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	660	28	10	5	1	.....	6	9	10	21	44	84	141	204	80	14	.....	3
60	Encephalitis	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....
61	Meningitis (total)	46	18	8	4	1	.....	2	.....	5	1	1	4	2	.....	.....	.....	.....	.....
	Simple meningitis	34	12	6	3	1	.....	2	.....	5	1	1	2	1	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	12	6	2	1	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VERMONT—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	12										1	5	5	1				
63	Other diseases of the spinal cord (total)	34						2	3	1	2	3	4	6	9	4			
	Acute anterior poliomyelitis	6						2	1	1	2								
	Other diseases of the spinal cord[1]	28							2			3	4	6	9	4			
64	Cerebral hemorrhage, apoplexy	446	1						1		8	26	60	107	168	61	12		2
65	Softening of the brain	10												2	5	3			
66	Paralysis without specified cause	20									1		4	1	5	7	1		1
67	General paralysis of the insane	24										5	3	6	9	1			
68	Other forms of mental alienation	13								2	2	1	1	4	2	1			
69	Epilepsy	13	2						3	1	4	1		1	1				
70	Convulsions (nonpuerperal)	2								1				1					
71	Convulsions of infants	9	7	1	1														
72	Chorea	2							1					1					
73	Neuralgia and neuritis	7											1	1	3	1	1		
74	Other diseases of the nervous system	16		1				1	1		2	4	2	4	1				
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	2						1			1								
	III.—Diseases of the circulatory system	1,073	14	1				2	8	23	30	49	106	256	319	226	37		2
77	Pericarditis	7						1				1	1	1		3			
78	Acute endocarditis	21	2							6	2	5	5	1					
79	Organic diseases of the heart	768	7	1					8	13	24	35	69	197	242	150	20		2
80	Angina pectoris	58								2	1	5	10	14	18	8			
81	Diseases of the arteries, atheroma, aneurism, etc	179									2	1	16	34	49	61	16		
82	Embolism and thrombosis	31	2							2		2	5	7	8	4	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3									1			1	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	3																
85	Hemorrhage; other diseases of the circulatory system	3						1						1	1				
	IV.—Diseases of the respiratory system	675	101	35	9	10	1	7	16	24	37	41	53	85	129	100	26		1
86	Diseases of the nasal fossae	1	1																
87	Diseases of the larynx	5	1							1	1	1	1						
88	Diseases of the thyroid body	2									1			1					
89	Acute bronchitis	59	26	6	3	1			3		1	3		1	5	8	2		
90	Chronic bronchitis	66	2							1		2	5	4	22	23	7		
91	Bronchopneumonia	128	35	17	1	2		4	2	1	1	5	3	13	25	16	3		
92	Pneumonia (total)	376	34	12	3	6	1	3	9	18	31	28	40	59	72	48	11		1
	Lobar pneumonia	134	6	3		2		1	3	11	13	16	16	24	24	13	1		1
	Pneumonia (undefined)	242	28	9	3	4	1	2	6	7	18	12	24	35	48	35	10		
93	Pleurisy	9							1	2		1			2	2	1		
94	Pulmonary congestion, pulmonary apoplexy	14	1		1	1					1	1	2	2	2	2	1		
95	Gangrene of the lung	2											1	1					
96	Asthma	6	1						1					2	1		1		
97	Pulmonary emphysema	1									1								
98	Other diseases of the respiratory system (tuberculosis excepted)	6			1					1			1	2		1			
	V.—Diseases of the digestive system	516	189	28	15	9	5	12	11	20	21	34	34	42	60	30	5		1
99	Diseases of the mouth and annexa																		
100	Diseases of the pharynx	10		1	1	1		2	1	1		1	1			1			
101	Diseases of the esophagus																		
102	Ulcer of the stomach	13								3		1	2	4	3				
103	Other diseases of the stomach (cancer excepted)	62	24	3	2				1		3	4	4	4	9	8			
104	Diarrhea and enteritis (under 2 years)	177	154	23															
105	Diarrhea and enteritis (2 years and over)	56			11	6	3	4		2		1	3	6	14	3	3		
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	42				1	2	3	6	5	9	10	4	1	1				
109	Hernia, intestinal obstruction (total)	51	8	1	1	1		2		2	2	4	1	10	11	7	1		
	Hernia	17										3		4	6	3	1		
	Intestinal obstruction	34	8	1	1	1		2		2	2	1	1	6	5	4			
110	Other diseases of the intestines	9								1	1	1	1	3		1	1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VERMONT—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	3	1									1			1				
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	35							1		2	6	8	8	7	3			
114	Biliary calculi	14								2		2	3	2	3	2			
115	Other diseases of the liver	23	1							1	3		5	2	8	2			1
116	Diseases of the spleen	3										1	1	1					
117	Simple peritonitis (nonpuerperal)	16	1					1	2	3	1	2	1		2	3			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2												1	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	491	4	4	1		1	3	7	14	35	44	58	102	129	78	8		3
119	Acute nephritis	36	2	2	1		1	2	1		6	4	4	4	5	2	1		1
120	Bright's disease	330	2	1				1	4	9	17	34	50	88	103	66	3		2
121	Chyluria																		
122	Other diseases of the kidneys and annexa	9		1							2	3	1	1		1			
123	Calculi of the urinary passages	2									1						1		
124	Diseases of the bladder	12										1		1	3	4	3		
125	Diseases of the urethra, urinary abscess, etc																		
126	Diseases of the prostate	21												5	12	4			
127	Nonvenereal diseases of the male genital organs	1													1				
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	8									1	2	2		2	1			
130	Other diseases of the uterus	6								2	2		1	1					
131	Cysts and other tumors of the ovary	7							1		2			1	3				
132	Salpingitis and other diseases of the female genital organs	9							1	3	4			1					
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	55							8	20	22	5							
134	Accidents of pregnancy	5								4	1								
135	Puerperal hemorrhage	3								1	2								
136	Other accidents of labor	1									1								
137	Puerperal septicemia	17							2	4	9	2							
138	Puerperal albuminuria and convulsions	23							3	10	8	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6							3	1	1	1							
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	36	7									2	3	2	5	15	2		
142	Gangrene	26	1									1	2	1	5	14	2		
143	Furuncle	2										1		1					
144	Acute abscess	3	2													1			
145	Other diseases of the skin and annexa	5	4										1						
	IX.—Diseases of the bones and of the organs of locomotion	12		1					3		1	1	1	4		1			
146	Disease of the bones (tuberculosis excepted)	10		1					3		1	1	1	2		1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2												2					
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	60	58	1					1										
150	Congenital malformations (stillbirths not included) (total)	60	58	1					1										
	Hydrocephalus	4	3	1															
	Congenital malformations of the heart	37	37																
	Other congenital malformations	19	18						1										

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VERMONT—Continued.																		
	XI.—Early infancy	240	240																
151	Congenital debility, icterus, and sclerema (total)	202	202																
	Premature birth	145	145																
	Congenital debility, "atrophy," "marasmus," etc.	57	57																
152	Other causes peculiar to early infancy (total)	37	37																
	Injuries at birth	20	20																
	Other causes peculiar to early infancy[1]	17	17																
153	Lack of care	1	1																
	XII.—Old age	153												2	35	79	35	2	
154	Senility	153												2	35	79	35	2	
	XIII.—External causes	353	7	12	7	2	3	6	27	40	55	48	29	43	37	24	8		5
	Suicide (total)	58							3	7	10	10	10	13	3		1		1
155	By poison	16							1	2	4	1	4	1	1		1		1
156	By asphyxia																		
157	By hanging or strangulation	14							1	2		3	2	5	1				
158	By drowning	3									2	1							
159	By firearms	23							1	3	4	4	4	6	1				
160	By cutting or piercing instruments	2										1		1					
161	By jumping from high places																		
162	By crushing																		
163	Other suicides																		
	Accidental or undefined (total)	286	7	12	7	2	3	6	23	29	44	36	18	30	34	24	7		4
164	Poisoning by food	4	1	1	1										1				
165	Other acute poisonings	9	1	2					1	1		1	1	1	1				
166	Conflagration	8		2			1			1	1	1			1	1			
167	Burns (conflagration excepted)	18		3	4	1	2			2				1	3	2			
168	Absorption of deleterious gases (conflagration excepted)	2	1									1							
169	Accidental drowning	39		3	2	1		3	8	9	9	1	1	1	1				
170	Traumatism by firearms	9						3	1			2	2		1				
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	77	1	1					1	1	2	7	9	13	16	19	7		
173	Traumatism in mines and quarries (total)	12									4	4		3	1				
	Traumatism in mines																		
	Traumatism in quarries	12									4	4		3	1				
174	Traumatism by machines	9							1	3	2	1	1	1					
175	Traumatism by other crushing (total)	70							9	8	21	10	4	6	7	1			4
	Railroad accidents and injuries	39							3	4	16	4		3	4	1			4
	Street-car accidents and injuries	2										1		1					
	Automobile accidents and injuries	9							3	1	1	1	1	1	1				
	Injuries by other vehicles	18							3	2	4	4	3		2				
	Landslide, other crushing	2								1				1					
176	Injuries by animals	6									1	3		2					
177	Starvation																		
178	Excessive cold	3								1		1		1					
179	Effects of heat	3	2													1			
180	Lightning																		
181	Electricity (lightning excepted)	6									3	2			1				
185	Fractures (cause not specified)																		
186	Other external violence	11	1						2	3	1	2		1	1				
	Homicide (total)	9							1	4	1	2	1						
182	By firearms	6							1	3	1		1						
183	By cutting or piercing instruments	2										2							
184	By other means	1								1									
	XIV.—Ill-defined diseases	11	4	1								1	1	2	1	1			
187	Ill-defined organic disease	2												2					
188	Sudden death	1														1			
189	Not specified or ill-defined (total)	8	4	1								1	1		1				
	Ill-defined	3		1									1		1				
	Not specified, or unknown	5	4									1							

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (TOTAL).																		
	All causes	29,647	5,931	1,261	618	352	232	673	1,603	2,749	2,418	2,356	2,684	3,235	3,107	1,646	328	57	397
	I.—General diseases	8,263	641	351	213	141	98	322	826	1,399	1,021	882	784	764	498	211	23	2	87
1	Typhoid fever	709	3	6	13	8	4	55	187	188	79	64	43	26	15	3			15
2	Typhus fever	2											2						
3	Relapsing fever																		
4	Malaria	152	8	9	8	2	7	15	21	20	13	13	11	9	8	3	2		3
5	Smallpox	8	1			1				1	2	1				1			1
6	Measles	363	89	80	32	17	13	27	37	22	5	18	9	8	3	1			2
7	Scarlet fever	55	6	9	9	4	6	13	4	1	1	2							
8	Whooping cough	282	149	52	30	19	9	15	1	2	1			1					3
9	Diphtheria and croup	302	52	46	44	41	30	59	18	6	3	1							2
10	Influenza	286	27	6	4	3	1	2	9	9	9	24	21	42	61	56	7	1	4
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	21	5	1	2		1	3	1	1		1	2	2	1	1			
14	Dysentery	347	71	41	20	10	5	10	9	15	21	12	22	35	41	28	5		2
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	54	13	2	3	2		1		1	3	4	2	8	9	6			
19	Other epidemic diseases	4		1					1			1	1						
20	Purulent infection and septicemia	68	6	2	1			2	11	9	8	9	8	3	7		1		1
21	Glanders																		
22	Anthrax	1										1							
23	Rabies	6		1				2	1	1		1							
24	Tetanus	54	20			1		5	9	6	3	2	3	3	2				
25	Mycoses	2							1			1							
26	Pellagra	165			1				5	27	34	38	30	17	8	2			3
27	Beriberi																		
	Tuberculosis (total)	3,591	89	72	34	23	15	76	452	989	677	426	300	252	127	28	1		30
28	Tuberculosis of the lungs	3,065	42	44	19	11	8	39	371	892	605	388	264	222	113	25	1		21
29	Acute miliary tuberculosis	119	4	1	1	2	2	1	27	34	21	7	11	3	3				2
30	Tuberculous meningitis	122	30	19	10	7	1	16	15	7	10	2	2	1					2
31	Abdominal tuberculosis	145	4	2		1	1	9	19	27	16	20	14	15	10	3			4
32	Pott's disease	31	1	3		1		2	4	7	5	3	2	3					
33	White swellings	13	1	1	1			2	1		3	2		1					1
34	Tuberculosis of other organs	64	4	1	3	1	3	4	9	15	12	1	5	5	1				
35	Disseminated tuberculosis	32	3	1				3	6	7	5	3	2	2					
36	Rickets	21	9	6	3		1	1					1						
37	Syphilis	206	70	5	4	1	2	3	6	29	33	19	17	8	5				4
38	Gonococcus infection	6	1						1	4									
	Cancer and other malignant tumors (total)	1,031		1	1	3		4	12	21	68	174	230	274	164	60	6	1	12
39	Of the buccal cavity	27								1	1	6	4	10	4		1		
40	Of the stomach, liver	341								4	14	50	93	102	55	16			7
41	Of the peritoneum, intestines, rectum	109				1			1	4	6	19	22	33	18	3	1		1
42	Of the female genital organs	219				1		1	2	9	29	48	50	43	26	6			4
43	Of the breast	87							1		5	22	19	23	11	5	1		
44	Of the skin	50							1			6	6	11	14	11	1		
45	Of other organs or of organs not specified	198		1	1	1		3	7	3	13	23	36	52	36	19	2	1	
46	Other tumors (tumors of the female genital organs excepted)	12	1							1	3		3	2	2				
47	Acute articular rheumatism	116	2	2	1		2	10	17	14	8	13	11	10	15	9			2
48	Chronic rheumatism and gout	32						1	2	2		6	6	8	5	1			1
49	Scurvy	4	1					1	1		1								
50	Diabetes	160				1	1	6	13	10	17	20	32	37	16	6			1
51	Exophthalmic goiter	8				1				2	3		2						
52	Addison's disease	4										1	1	1			1		
53	Leukemia	21			1	1		2	4	5	3	2	2		1				
54	Anemia, chlorosis	43	4	1			1	4	1	6	2	5	10	6	2				1
55	Other general diseases	51	14	8	2	3		5	2	1	3	2	2	2	2	5			
56	Alcoholism (acute or chronic)	65								5	18	19	11	9	3				
57	Chronic lead poisoning	1										1							
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	10								1	3	1	2	1	1	1			
	II.—Diseases of the nervous system and of the organs of special sense	2,891	270	78	46	22	14	56	78	85	152	244	441	536	564	237	27	4	37
60	Encephalitis	33	4	3	2	1			5	4	1	3	5	4	1				
61	Meningitis (total)	281	89	47	22	13	6	31	30	12	11	7	6	4	2				1
	Simple meningitis	181	54	33	15	10	6	17	16	6	8	6	5	3	2				
	Cerebrospinal meningitis (undefined)	88	30	14	7	3		12	10	6	2	1	1	1					1
	Cerebrospinal fever	12	5					2	4		1								

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (TOTAL)—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	37									1	8	11	5	9	3		
63	Other diseases of the spinal cord (total)	111	18	8	4	6	1	5	6	1	4	8	12	23	10	4		1
	Acute anterior poliomyelitis	44	17	8	4	6	1	4	2		1							1
	Other diseases of the spinal cord[1]	67	1					1	4	1	3	8	12	23	10	4		
64	Cerebral hemorrhage, apoplexy	1,245	14		1			4	11	23	59	116	263	312	300	110	16	1	15
65	Softening of the brain	56								1	2	2	10	15	14	9	2		1
66	Paralysis without specified cause	594	3	1	1		1	4	5	4	17	39	87	136	180	89	9	3	15
67	General paralysis of the insane	72										18	12	8	18	5			2
68	Other forms of mental alienation	63							1	7	12	1	13	8	13	7			1
69	Epilepsy	107	4		1		1	6	11	22	19	18	9	9	7				
70	Convulsions (nonpuerperal)	17						1	3	5	3	3				1			1
71	Convulsions of infants	155	129	16	6	1	3												
72	Chorea	3	1		1											1			
73	Neuralgia and neuritis	12								2	1	5		3	1				
74	Other diseases of the nervous system	79	4	2	4	1	2		3	4	10	14	10	8	9	8			
75	Diseases of the eyes and their annexa	1						1											
76	Diseases of the ears	25	4	1	4			4	3		3	2	3	1					
	III.—Diseases of the circulatory system	2,931	27	2	3	2	2	21	64	122	225	325	431	660	674	289	45	2	37
77	Pericarditis	28							2	4	4	3	2	8	2	3			
78	Acute endocarditis	83	2					4	9	12	13	19	17	5	1		1		
79	Organic diseases of the heart	2,433	24	2	3	2	2	14	48	95	177	264	377	559	575	226	32	1	32
80	Angina pectoris	73								3	5	7	13	21	21	3			
81	Diseases of the arteries, atheroma, aneurism, etc.	224								3	10	15	13	53	64	50	12	1	3
82	Embolism and thrombosis	51							2	3	4	10	6	11	10	4			1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	10									4	2	1	1	1	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	1					1	1							1			
85	Hemorrhage; other diseases of the circulatory system	25						2	2	2	8	5	2	2		1			1
	IV.—Diseases of the respiratory system	2,591	645	197	104	62	26	51	104	182	180	175	200	216	259	140	23	2	25
86	Diseases of the nasal fossae	8	5	1									1		1				
87	Diseases of the larynx	28	6	3	5	5	4	1	2		2								
88	Diseases of the thyroid body	14	1	1					1	3		1	3	2	1	1			
89	Acute bronchitis	211	115	30	10	4	5	1	2	3	10	3	2	4	16	5			1
90	Chronic bronchitis	135	3	3				2	7	10	8	11	17	17	30	21	5		1
91	Bronchopneumonia	513	210	82	41	21	7	20	10	11	12	4	24	25	21	19	4		2
92	Pneumonia (total)	1,412	284	73	45	31	9	26	74	125	113	119	124	131	150	77	9	2	20
	Lobar pneumonia	422	45	15	7	6	1	6	22	55	50	53	41	57	37	16	4	1	6
	Pneumonia (undefined)	990	239	58	38	25	8	20	52	70	63	66	83	74	113	61	5	1	14
93	Pleurisy	52	1					1	4	13	7	8	4	7	5	2			
94	Pulmonary congestion, pulmonary apoplexy	98	15	2	1				3	9	10	9	10	10	16	11	2		
95	Gangrene of the lung	5									2	1	2						
96	Asthma	59		1	1		1			4	7	11	5	15	11	2	1		
97	Pulmonary emphysema	5		1	1				1		1			1					
98	Other diseases of the respiratory system (tuberculosis excepted)	51	5			1				4	8	8	8	4	8	2	2		1
	V.—Diseases of the digestive system	3,130	1,256	420	122	41	24	68	98	124	158	138	216	207	158	75	14	1	10
99	Diseases of the mouth and annexa	41	25	5		1			1	1	5		1	1	1				
100	Diseases of the pharynx	47	10	3	4	1	1	7	4	3	2	2	3	4	1	2			
101	Diseases of the esophagus	10		1	1		1		1		1		1	3		2			
102	Ulcer of the stomach	55						1	1	6	14	9	14	6	3				1
103	Other diseases of the stomach (cancer excepted)	359	91	19	7	6	2	12	7	16	22	23	46	43	42	18	5		
104	Diarrhea and enteritis (under 2 years)	1,469	1,089	380															
105	Diarrhea and enteritis (2 years and over)	387			102	25	11	17	14	15	19	27	31	47	39	29	4	1	6
106	Ankylostomiasis	5						1	1	1	2								
107	Intestinal parasites	10	1	2	1	3	2	1											
108	Appendicitis and typhlitis	137	1	2		3		14	32	25	21	11	12	9	5	1			1
109	Hernia, intestinal obstruction (total)	150	18	2			3	6	9	9	20	14	24	19	18	7	1		
	Hernia	50	6						1	1	7	4	10	8	7	6			
	Intestinal obstruction	100	12	2			3	6	8	8	13	10	14	11	11	1	1		
110	Other diseases of the intestines	63	11	2		1	2		5	7	7	8	8	2	6	3	1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (TOTAL)—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	12								4	1	1		4	1	1			
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	166		2					2	15	15	19	37	42	26	5	1		2
114	Biliary calculi	39								1	3	4	15	7	5	3	1		
115	Other diseases of the liver	86	5	1	3		1	4	3	8	13	10	11	16	8	3			
116	Diseases of the spleen	1										1							
117	Simple peritonitis (nonpuerperal)	83	5	1	3	1	1	5	18	10	13	9	10	2	3	1	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10			1					3	1		3	2					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	2,300	24	19	12	4	5	20	37	152	196	266	365	516	465	170	18	2	29
119	Acute nephritis	234	7	10	4	3	3	9	16	32	31	30	40	28	15	5			1
120	Bright's disease	1,765	10	9	6	1	2	9	17	81	122	186	306	433	399	143	15	1	25
121	Chyluria	1													1				
122	Other diseases of the kidneys and annexa	62	5		2			2	1	5	4	9	5	11	15	3			
123	Calculi of the urinary passages	10								1	2	3		3					1
124	Diseases of the bladder	39								2	3	3		8	10	10	1	1	1
125	Diseases of the urethra, urinary abscess, etc	8								2	3	2	1						
126	Diseases of the prostate	64										3	2	26	23	8	2		
127	Nonvenereal diseases of the male genital organs	5	2										2			1			
128	Uterine hemorrhage (nonpuerperal)	7									1	6							
129	Uterine tumor (noncancerous)	28								1	8	12	2	4	1				
130	Other diseases of the uterus	27							2	10	7	5	2	1					
131	Cysts and other tumors of the ovary	13								2	1	3	3	2	1				1
132	Salpingitis and other diseases of the female genital organs	36							1	16	14	3	2						
133	Nonpuerperal diseases of the breast (cancer excepted)	1										1							
	VII.—The puerperal state	408							62	165	135	41							5
134	Accidents of pregnancy	46							4	11	28	3							
135	Puerperal hemorrhage	28							2	8	12	6							
136	Other accidents of labor	52							6	14	23	9							
137	Puerperal septicemia	144							19	71	42	10							2
138	Puerperal albuminuria and convulsions	126							31	55	25	12							3
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8								4	4								
140	Following childbirth (not otherwise defined)	4								2	1	1							
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue.	95	11	2		1		1	5	1	3	5	12	18	16	18	1	1	
142	Gangrene	58	1	1		1		1	1		1	3	7	12	13	16	1		
143	Furuncle	4											1	2		1			
144	Acute abscess	17	3	1					3		2		3	4		1			
145	Other diseases of the skin and annexa	16	7						1	1		2	1		3			1	
	IX.—Diseases of the bones and of the organs of locomotion	44	3	1	1	1		3	7	5	8	4	4	2	2	1	2		
146	Diseases of the bones (tuberculosis excepted)	36	2	1	1			3	7	3	6	4	3	2	2	1	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4	1			1				1	1								
148	Amputations	2								1			1						
149	Other diseases of the organs of locomotion	2									1						1		
	X.—Malformations	198	179	8	4	1		4	1	1									
150	Congenital malformations (stillbirths not included) (total)	198	179	8	4	1		4	1	1									
	Hydrocephalus	27	20	3	2	1		1											
	Congenital malformations of the heart	79	72	3	1			2	1										
	Other congenital malformations	92	87	2	1			1		1									

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (TOTAL)—Continued.																		
	XI.—Early infancy	1,587	1,587																
151	Congenital debility, icterus, and sclerema (total)	1,346	1,346																
	Premature birth	758	758																
	Congenital debility, "atrophy," "marasmus," etc.	588	588																
152	Other causes peculiar to early infancy (total)	229	229																
	Injuries at birth	119	119																
	Other causes peculiar to early infancy[1]	110	110																
153	Lack of care	12	12																
	XII.—Old age	694										1	7	27	175	312	121	35	16
154	Senility	694										1	7	27	175	312	121	35	16
	XIII.—External causes	1,918	106	43	53	60	44	79	257	399	268	174	113	107	89	58	9	2	57
	Suicide (total)	143							9	28	31	24	27	17	6	1			
155	By poison	37							3	10	7	5	8	2	2				
156	By asphyxia	5								2	1		1	1					
157	By hanging or strangulation	10							2		1	1	2	2	2				
158	By drowning	6								2	1		2	1					
159	By firearms	69							2	11	18	15	11	9	2	1			
160	By cutting or piercing instruments	5								2	1	1	1						
161	By jumping from high places	2									1		1						
162	By crushing																		
163	Other suicides	9							2	1	1	2	1	2					
	Accidental or undefined (total)	1,544	99	42	53	60	44	78	229	286	176	118	74	85	82	57	9	2	50
164	Poisoning by food	6					1			2	1				2				
165	Other acute poisonings	63	10	10	6	2	3	2	2	8	5	5	6	2	1	1			
166	Conflagration	24	3	2	3	3	1	4		2	2	1		2	1				
167	Burns (conflagration excepted)	246	19	15	30	45	29	31	16	13	6	4	5	9	15	6	1	2	
168	Absorption of deleterious gases (conflagration excepted)	53	37							4	2	2	3	1	2	1			1
169	Accidental drowning	177	1	6	2	1	1	7	47	39	21	21	9	4	1				17
170	Traumatism by firearms	158	1	3	3	4	4	10	53	38	18	7	4	4	1	1			7
171	Traumatism by cutting or piercing instruments	2							1	1									
172	Traumatism by fall	154	7		3	1	1	4	8	15	12	11	14	16	27	27	6		2
173	Traumatism in mines and quarries (total)	55							11	18	10	7	4						5
	Traumatism in mines	52							11	17	9	7	3						5
	Traumatism in quarries	3								1	1		1						
174	Traumatism by machines	26						1	7	5	6	4	1	2					
175	Traumatism by other crushing (total)	306		1	3	1	1	9	44	88	59	29	19	27	11	2			12
	Railroad accidents and injuries	218		1		1		3	30	70	44	19	13	17	6	2			12
	Street-car accidents and injuries	24			1			3	4	4	3	6	1	2					
	Automobile accidents and injuries	21					1	3	2	4	4	1	2	4					
	Injuries by other vehicles	33			2				7	7	5	2	2	3	5				
	Landslide, other crushing	10							1	3	3	1	1	1					
176	Injuries by animals	17					1	3	4	3	2	2		2					
177	Starvation	2	2																
178	Excessive cold	2	1																
179	Effects of heat	20	6			1			2	1	3	3	2	1	1				
180	Lightning	25			1				6	7	2	5	1	2	1				
181	Electricity (lightning excepted)	14							6	5	2								1
185	Fractures (cause not specified)	64						2	1	9	5	4	2	6	17	17	1		
186	Other external violence	130	12	5	2	2	2	5	21	28	20	13	4	7	1	2	1		5
	Homicide (total)	231	7	1				1	19	85	61	32	12	5	1				7
182	By firearms	162						1	11	62	54	17	8	4					5
183	By cutting or piercing instruments	22							2	11	4	2	2						1
184	By other means	47	7	1					6	12	3	13	2	1	1				1
	XIV.—Ill-defined diseases	2,597	1,182	140	60	17	19	48	64	114	72	101	111	182	207	135	45	6	94
187	Ill-defined organic disease	102	1	1	1		2	1	5	7	2	12	9	19	21	12	3		6
188	Sudden death	91	8	2	3	1		1	4	3	2	7	7	20	20	9	3		1
189	Not specified or ill-defined (total)	2,404	1,173	137	56	16	17	46	55	104	68	82	95	143	166	114	39	6	87
	Ill-defined	433	115	58	13	4	3	10	8	33	14	27	37	45	44	15	4		3
	Not specified, or unknown	1,971	1,058	79	43	12	14	36	47	71	54	55	58	98	122	99	35	6	84

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (WHITE).																	
	All causes	16,997	3,408	763	379	197	151	393	725	1,255	1,106	1,152	1,508	2,130	2,295	1,199	173	4	159
	I.—General diseases	4,747	375	223	139	91	70	195	335	628	508	517	506	573	390	155	13	.....	29
1	Typhoid fever	421	3	4	11	4	3	26	105	117	43	46	27	20	8	1	.....	.....	3
2	Typhus fever	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	62	2	5	3	.....	5	3	8	5	7	8	5	4	3	2	.....	.....	2
5	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
6	Measles	253	59	54	23	11	11	17	21	14	5	17	9	8	3	1	.....	.....	.....
7	Scarlet fever	52	6	9	8	4	6	12	3	1	1	2	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	180	103	33	15	11	7	8	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1
9	Diphtheria and croup	240	39	38	35	34	25	50	10	5	2	1	.....	.....	.....	.....	.....	.....	1
10	Influenza	181	15	4	2	2	1	1	3	2	4	12	8	29	52	40	5	.....	1
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	15	3	1	2	.....	1	2	1	.....	.....	1	2	1	.....	1	.....	.....	.....
14	Dysentery	212	32	30	16	6	4	8	7	5	11	4	9	20	34	21	4	.....	1
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	47	11	2	3	2	.....	.....	.....	.....	3	3	1	7	9	6	.....	.....	.....
19	Other epidemic diseases	4	.....	1	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	40	5	.....	1	.....	.....	2	5	4	6	7	3	2	5	.....	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
23	Rabies	4	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	30	7	.....	.....	1	.....	4	6	3	1	2	2	2	2	.....	.....	.....	.....
25	Mycoses	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	94	.....	.....	.....	.....	.....	.....	1	13	20	28	19	9	3	.....	.....	.....	1
27	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,716	51	35	14	9	4	32	123	402	324	221	190	187	93	17	1	.....	13
28	Tuberculosis of the lungs	1,445	19	16	4	3	.....	12	93	367	292	197	167	164	85	16	1	.....	9
29	Acute miliary tuberculosis	40	3	1	1	.....	1	1	5	11	6	4	3	2	.....	.....	.....	.....	2
30	Tuberculous meningitis	82	21	14	7	4	.....	11	10	6	6	1	1	.....	.....	.....	.....	.....	1
31	Abdominal tuberculosis	78	4	1	.....	.....	.....	3	8	9	7	13	11	12	8	1	.....	.....	1
32	Pott's disease	17	1	1	.....	1	.....	1	2	.....	4	3	1	3	.....	.....	.....	.....	.....
33	White swellings	4	.....	1	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	35	2	.....	1	1	3	2	2	7	7	.....	5	5	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	15	1	1	.....	.....	.....	1	3	2	1	3	2	1	.....	.....	.....	.....	.....
36	Rickets	4	1	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
37	Syphilis	58	22	1	2	.....	.....	1	3	6	6	6	5	3	2	.....	.....	.....	1
38	Gonococcus infection	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	752	.....	.....	.....	3	.....	2	7	11	36	113	167	218	137	50	3	.....	5
39	Of the buccal cavity	22	.....	.....	.....	.....	.....	.....	.....	1	1	3	3	10	4	.....	.....	.....	.....
40	Of the stomach, liver	259	.....	.....	.....	.....	.....	.....	.....	4	5	34	73	79	50	10	.....	.....	4
41	Of the peritoneum, intestines, rectum	87	.....	.....	.....	1	.....	.....	1	2	3	15	17	28	17	3	.....	.....	.....
42	Of the female genital organs	130	.....	.....	.....	1	.....	1	1	3	17	29	28	28	17	4	.....	.....	1
43	Of the breast	66	.....	.....	.....	.....	.....	.....	1	.....	3	14	16	17	9	5	1	.....	.....
44	Of the skin	44	.....	.....	.....	.....	.....	.....	1	.....	.....	2	6	11	12	11	1	.....	.....
45	Of other organs or of organs not specified	144	.....	.....	.....	1	.....	1	3	1	7	16	24	45	28	17	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	7	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	2	.....	.....	.....	.....
47	Acute articular rheumatism	57	.....	.....	.....	.....	.....	8	10	8	1	7	5	4	10	4	.....	.....	.....
48	Chronic rheumatism and gout	23	.....	.....	.....	.....	.....	1	2	2	.....	4	3	7	3	1	.....	.....	.....
49	Scurvy	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	130	.....	.....	.....	1	1	5	12	9	13	10	23	34	16	6	.....	.....	.....
51	Exophthalmic goiter	6	.....	.....	.....	1	.....	.....	.....	1	2	.....	2	.....	.....	.....	.....	.....	.....
52	Addison's disease	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
53	Leukemia	18	.....	.....	1	1	.....	2	4	4	2	2	1	.....	1	.....	.....	.....	.....
54	Anemia, chlorosis	29	2	1	.....	.....	1	4	1	5	2	1	6	5	1	.....	.....	.....	.....
55	Other general diseases	40	12	5	2	1	.....	5	1	1	3	1	2	2	2	3	.....	.....	.....
56	Alcoholism (acute or chronic)	49	.....	.....	.....	.....	.....	.....	.....	4	12	14	9	7	3	.....	.....	.....	.....
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	10	.....	.....	.....	.....	.....	.....	.....	1	3	1	2	1	1	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,701	150	53	28	15	8	37	38	41	64	106	200	345	420	169	15	.....	12
60	Encephalitis	18	3	3	1	.....	.....	.....	1	2	1	1	2	3	1	.....	.....	.....	.....
61	Meningitis (total)	205	72	38	12	8	5	25	15	7	8	5	3	4	2	.....	.....	.....	1
	Simple meningitis	135	43	27	10	6	5	14	9	3	6	4	3	3	2	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	61	25	11	2	2	.....	9	4	4	1	1	.....	1	.....	.....	.....	.....	1
	Cerebrospinal fever	9	4	.....	.....	.....	.....	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (WHITE)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	29										7	8	3	9	2			
63	Other diseases of the spinal cord (total)	74	11	5	4	5		3	2		1	6	10	17	8	2			
	Acute anterior poliomyelitis	28	11	5	4	5		2			1								
	Other diseases of the spinal cord [1]	46						1	2			6	10	17	8	2			
64	Cerebral hemorrhage, apoplexy	706	7		1			3	5	7	16	40	109	203	223	81	9		2
65	Softening of the brain	40								1		1	5	12	12	8	1		
66	Paralysis without specified cause	333	2	1	1			2	1	1	6	9	34	75	127	61	5		8
67	General paralysis of the insane	52									7	14	6	7	15	2			1
68	Other forms of mental alienation	31									4		7	5	9	6			
69	Epilepsy	65	2		1		1	2	8	17	9	9	5	6	5				
70	Convulsions (nonpuerperal)	6							2	2	2								
71	Convulsions of infants	56	46	6	2	1	1												
72	Chorea	2	1													1			
73	Neuralgia and neuritis	10								1	1	5		2	1				
74	Other diseases of the nervous system	56	2		4	1	1		2	3	7	7	8	7	8	6			
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	18	4		2			2	2		2	2	3	1					
	III.—Diseases of the circulatory system	1,742	19			1	2	14	44	38	81	121	230	432	499	221	25		15
77	Pericarditis	18							2	3	2	1	2	5	1	2			
78	Acute endocarditis	32	1					2	6	2	6	4	8	2	1				
79	Organic diseases of the heart	1,422	18			1	2	10	32	29	58	98	195	360	419	173	16		11
80	Angina pectoris	58									1	4	11	19	20	3			
81	Diseases of the arteries, atheroma, aneurism, etc	148								1	3	5	7	34	50	37	9		2
82	Embolism and thrombosis	39							2	2	3	6	4	10	8	3			1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8									4	1	1	1		1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	3						1	1							1			
85	Hemorrhage; other diseases of the circulatory system	14						1	1	1	4	2	2	1		1			1
	IV.—Diseases of the respiratory system	1,322	313	85	48	27	19	27	43	66	45	65	106	139	204	115	14		6
86	Diseases of the nasal fossae	2	1										1						
87	Diseases of the larynx	17	2	3	4	3	4	1											
88	Diseases of the thyroid body	9	1	1					1	2			1	1	1	1			
89	Acute bronchitis	80	44	10	2	2	2		1	1		1	1	2	9	4			1
90	Chronic bronchitis	83		2				1	3	2	1	3	9	12	24	21	4		1
91	Bronchopneumonia	259	110	27	17	9	5	11	2	3	1		14	19	19	17	4		1
92	Pneumonia (total)	738	142	40	23	12	7	13	30	50	36	51	68	83	118	59	3		3
	Lobar pneumonia	211	16	12	4	4		4	9	23	16	18	25	38	29	11	1		1
	Pneumonia (undefined)	527	126	28	19	8	7	9	21	27	20	33	43	45	89	48	2		2
93	Pleurisy	22	1					1	2	2	2	3	2	3	4	2			
94	Pulmonary congestion, pulmonary apoplexy	62	9	1	1				3	5	3	4	4	9	13	9	1		
95	Gangrene of the lung																		
96	Asthma	25		1	1		1			1	1	3	1	6	8	2			
97	Pulmonary emphysema	2							1					1					
98	Other diseases of the respiratory system (tuberculosis excepted)	23	3			1					1		5	3	8		2		
	V.—Diseases of the digestive system	1,990	769	296	87	24	16	46	54	57	82	64	142	146	129	64	8		6
99	Diseases of the mouth and annexa	15	8	3		1					2				1				
100	Diseases of the pharynx	31	7		3		1	6	2	1	1	1	2	4	1	2			
101	Diseases of the esophagus	7		1					1				1	2		2			
102	Ulcer of the stomach	30						1		1	9	4	8	3	3				1
103	Other diseases of the stomach (cancer excepted)	217	55	11	6	3	1	8	2	6	9	8	29	28	32	16	3		
104	Diarrhea and enteritis (under 2 years)	950	677	273															
105	Diarrhea and enteritis (2 years and over)	259			71	15	9	8	5	5	10	13	24	33	33	26	3		4
106	Ankylostomiasis	4						1		1	2								
107	Intestinal parasites	5		1	1	1	2												
108	Appendicitis and typhlitis	107	1	2		3		11	24	21	13	7	12	8	5				
109	Hernia, intestinal obstruction (total)	84	9	2			1	4	6	3	11	5	13	13	12	5			
	Hernia	27	3						1	1	4	1	3	4	6	4			
	Intestinal obstruction	57	6	2			1	4	5	2	7	4	10	9	6	1			
110	Other diseases of the intestines	33	7	1			1		4	5	2	4	1	1	4	3			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (WHITE)—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	8								2				4	1	1		
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	100		1					1	5	5	8	26	27	22	4		1
114	Biliary calculi	36									3	4	13	7	5	3	1	
115	Other diseases of the liver	54	2		3			2	1	3	9	6	6	12	8	2		
116	Diseases of the spleen	1										1						
117	Simple peritonitis (nonpuerperal)	44	3	1	3	1	1	5	8	3	6	3	5	2	2		1	
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5								1			2	2				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,334	11	11	7	4	1	9	16	72	85	112	186	318	342	139	11	10
119	Acute nephritis	108	3	4	2	3	1	4	9	14	11	12	15	16	10	3		1
120	Bright's disease	1,064	5	7	3	1		3	7	38	55	80	159	271	299	120	8	8
121	Chyluria	1													1			
122	Other diseases of the kidneys and annexa	35	2		2			2		2	2	3	5	8	8	1		
123	Calculi of the urinary passages	7								1	2	2		1				1
124	Diseases of the bladder	23								1	1	2		3	7	8	1	
125	Diseases of the urethra, urinary abscess, etc	2								1	1							
126	Diseases of the prostate	41										2	1	15	15	6	2	
127	Nonvenereal diseases of the male genital organs	3	1										1			1		
128	Uterine hemorrhage (nonpuerperal)	3										3						
129	Uterine tumor (noncancerous)	9									2	3		3	1			
130	Other diseases of the uterus	15								6	5	2	1	1				
131	Cysts and other tumors of the ovary	4								1			2		1			
132	Salpingitis and other diseases of the female genital organs	18								8	6	2	2					
133	Nonpuerperal diseases of the breast (cancer excepted)	1										1						
	VII.—The puerperal state	218							28	93	73	22						2
134	Accidents of pregnancy	29							3	8	16	2						
135	Puerperal hemorrhage	13							1	5	5	2						
136	Other accidents of labor	23							2	6	11	4						
137	Puerperal septicemia	83							8	43	26	6						
138	Puerperal albuminuria and convulsions	62							14	27	12	7						2
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5								3	2							
140	Following childbirth (not otherwise defined)	3								1	1	1						
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	52	9	2		1		1	2				6	6	10	14	1	
142	Gangrene	32	1	1		1		1	1				3	1	9	13	1	
143	Furuncle	3											1	1		1		
144	Acute abscess	11	3	1					1				2	4				
145	Other diseases of the skin and annexa	6	5												1			
	IX.—Diseases of the bones and of the organs of locomotion	30				1		3	5	5	4	3	3	2	2		2	
146	Diseases of the bones (tuberculosis excepted)	25						3	5	3	3	3	3	2	2		1	
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3				1				1	1							
148	Amputations	1								1								
149	Other diseases of the organs of locomotion	1															1	
	X.—Malformations	163	149	8	2			2	1	1								
150	Congenital malformations (stillbirths not included) (total)	163	149	8	2			2	1	1								
	Hydrocephalus	21	16	3	1			1										
	Congenital malformations of the heart	71	65	3	1			1	1									
	Other congenital malformations	71	68	2						1								

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (WHITE)—Continued.																		
	XI.—Early infancy	1,004	1,004																
151	Congenital debility, icterus, and sclerema (total)	841	841																
	Premature birth	512	512																
	Congenital debility, "atrophy," "marasmus," etc	329	329																
152	Other causes peculiar to early infancy (total)	159	159																
	Injuries at birth	85	85																
	Other causes peculiar to early infancy[1]	74	74																
153	Lack of care	4	4																
	XII.—Old age	390											3	11	110	203	57	2	4
154	Senility	390											3	11	110	203	57	2	4
	XIII.—External causes	1,128	55	26	39	27	27	43	140	225	136	101	78	68	75	49	8		31
	Suicide (total)	125							8	23	25	20	26	16	6	1			
155	By poison	37							3	10	7	5	8	2	2				
156	By asphyxia	5								2	1		1	1					
157	By hanging or strangulation	10							2		1	1	2	2	2				
158	By drowning	2											1	1					
159	By firearms	58							2	8	14	12	11	8	2	1			
160	By cutting or piercing instruments	3								2			1						
161	By jumping from high places	2									1		1						
162	By crushing																		
163	Other suicides	8							1	1	1	2	1	2					
	Accidental or undefined (total)	923	54	25	39	27	27	42	127	173	88	69	49	48	68	48	8		31
164	Poisoning by food	3					1								2				
165	Other acute poisonings	40	5	7	3		2		1	7	2	5	5	2	1				
166	Conflagration	9	2		3	1	1			1		1							
167	Burns (conflagration excepted)	131	10	8	19	22	16	16	10	8	2		3	5	9	3			
168	Absorption of deleterious gases (conflagration excepted)	35	23							3	2	2	3	1	1				
169	Accidental drowning	100	1	4	2			4	25	26	7	12	4	1					14
170	Traumatism by firearms	74		2	3	1	3	6	21	21	8	4	3	1	1				
171	Traumatism by cutting or piercing instruments	1							1										
172	Traumatism by fall	117	3		3	1	1	3	7	12	9	6	6	10	23	25	6		2
173	Traumatism in mines and quarries (total)	41							9	15	8	2	3						4
	Traumatism in mines	40							9	15	8	2	2						4
	Traumatism in quarries	1											1						
174	Traumatism by machines	17						1	3	3	4	3	1	2					
175	Traumatism by other crushing (total)	187		1	3	1	1	8	26	48	30	17	16	16	11	1			8
	Railroad accidents and injuries	135		1		1		3	18	40	22	13	12	10	6	1			8
	Street-car accidents and injuries	11			1			3	3	1		2		1					
	Automobile accidents and injuries	15					1	2	1	2	4		2	3					
	Injuries by other vehicles	24			2				4	4	3	2	2	2	5				
	Landslide, other crushing	2								1	1								
176	Injuries by animals	8					1	2		2		1		2					
177	Starvation																		
178	Excessive cold																		
179	Effects of heat	8	4						1	1		1			1				
180	Lightning	12			1				3	3	1	3			1				
181	Electricity (lightning excepted)	11							5	5	1								
185	Fractures (cause not specified)	55						1	1	5	4	2	2	5	17	17	1		
186	Other external violence	74	6	3	2	1	1	1	14	13	10	10	3	3	1	2	1		3
	Homicide (total)	80	1	1				1	5	29	23	12	3	4	1				
182	By firearms	60						1	2	23	22	8	1	3					
183	By cutting or piercing instruments	5							1	3			1						
184	By other means	15	1	1					2	3	1	4	1	1	1				
	XIV.—Ill-defined diseases	1,176	554	59	29	6	8	16	19	29	28	41	48	90	114	70	19	2	44
187	Ill-defined organic disease	51	1	1	1		1		2	2		4	4	8	15	9			3
188	Sudden death	49	4	2	1	1						2	2	17	11	5	3		1
189	Not specified or ill-defined (total)	1,076	549	56	27	5	7	16	17	27	28	35	42	65	88	56	16	2	40
	Ill-defined	214	61	23	6	2	1	2	3	11	5	12	19	27	31	8	3		
	Not specified, or unknown	862	488	33	21	3	6	14	14	16	23	23	23	38	57	48	13	2	40

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (COLORED).																		
	All causes	12,650	2,523	498	239	155	81	280	878	1,494	1,312	1,204	1,176	1,105	812	447	155	53	238
	I.—General diseases	3,516	266	128	74	50	28	127	491	771	513	365	278	191	108	56	10	2	58
1	Typhoid fever	288	2	2	4	1	29	82	71	36	18	16	6	7	2				12
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	90	6	4	5	2	2	12	13	15	6	5	6	5	5	1	2		1
5	Small pox	7	1			1				1	2	1							1
6	Measles	110	30	26	9	6	2	10	16	8		1							2
7	Scarlet fever	3			1			1	1										
8	Whooping cough	102	46	19	15	8	2	7	1		1			1					2
9	Diphtheria and croup	62	13	8	9	7	5	9	8	1	1								1
10	Influenza	105	12	2	2	1		1	6	7	5	12	13	13	9	16	2	1	3
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	6	2					1		1				1	1				
14	Dysentery	135	39	11	4	4	1	2	2	10	10	8	13	15	7	7	1		1
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	7	2					1		1		1	1	1					
19	Other epidemic diseases																		
20	Purulent infection and septicemia	28	1	2					6	5	2	2	5	1	2		1		1
21	Glanders																		
22	Anthrax																		
23	Rabies	2		1					1										
24	Tetanus	24	13					1	3	3	2		1	1					
25	Mycoses																		
26	Pellagra	71			1				4	14	14	10	11	8	5	2			2
27	Beriberi																		
	Tuberculosis (total)	1,875	38	37	20	14	11	44	329	587	353	205	110	65	34	11			17
28	Tuberculosis of the lungs	1,620	23	28	15	8	8	27	278	525	313	191	97	58	28	9			12
29	Acute miliary tuberculosis	79	1			2	1		22	23	15	3	8	1	3				
30	Tuberculous meningitis	40	9	5	3	3	1	5	5	1	4	1	1	1					1
31	Abdominal tuberculosis	67		1		1	1	6	11	18	9	7	3	3	2	2			3
32	Pott's disease	14		2				1	2	7	1		1						
33	White swellings	9	1					1	1		2	2		1					1
34	Tuberculosis of other organs	29	2	1	2			2	7	8	5	1			1				
35	Disseminated tuberculosis	17	2					2	3	5	4			1					
36	Rickets	17	8	6	2			1											
37	Syphilis	148	48	4	2	1	2	2	3	23	27	13	12	5	3				3
38	Gonococcus infection	4							1	3									
	Cancer and other malignant tumors (total)	279		1	1			2	5	10	32	61	63	56	27	10	3	1	7
39	Of the buccal cavity	5										3	1				1		
40	Of the stomach, liver	82									9	16	20	23	5	6			3
41	Of the peritoneum, intestines, rectum	22								2	3	4	5	5	1		1		1
42	Of the female genital organs	89							1	6	12	19	22	15	9	2			3
43	Of the breast	21									2	8	3	6	2				
44	Of the skin	6										4			2				
45	Of other organs or of organs not specified	54		1	1			2	4	2	6	7	12	7	8	2	1	1	
46	Other tumors (tumors of the female genital organs excepted)	5	1								2		2						
47	Acute articular rheumatism	59	2	2	1		2	2	7	6	7	6	6	6	5	5			2
48	Chronic rheumatism and gout	9										2	3	1	2				1
49	Scurvy	3						1	1		1								
50	Diabetes	30						1	1	1	4	10	9	3					1
51	Exophthalmic goiter	2								1	1								
52	Addison's disease	1															1		
53	Leukemia	3								1	1		1						
54	Anemia, chlorosis	14	2							1		4	4	1	1				1
55	Other general diseases	11	2	3		2			1			1				2			
56	Alcoholism (acute or chronic)	16								1	6	5	2	2					
57	Chronic lead poisoning																		
58	Other chronic occupation poisonings																		
59	Other chronic poisonings																		
	II.—Diseases of the nervous system and of the organs of special sense	1,190	120	25	18	7	6	19	40	44	88	138	241	191	144	68	12	4	25
60	Encephalitis	15	1		1	1			4	2		2	3	1					
61	Meningitis (total)	76	17	9	10	5	1	6	15	5	3	2	3						
	Simple meningitis	46	11	6	5	4	1	3	7	3	2	2	2						
	Cerebrospinal meningitis (undefined)	27	5	3	5	1		3	6	2	1		1						
	Cerebrospinal fever	3	1						2										

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (COLORED)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	8									1	1	3	2		1			
63	Other diseases of the spinal cord (total)	37	7	3		1	1	2	4	1	3	2	2	6	2	2			1
	Acute anterior poliomyelitis	16	6	3		1	1	2	2										1
	Other diseases of the spinal cord [1]	21	1						2	1	3	2	2	6	2	2			
64	Cerebral hemorrhage, apoplexy	539	7					1	6	16	43	76	154	109	77	29	7	1	13
65	Softening of the brain	16									2	1	5	3	2	1	1		1
66	Paralysis without specified cause	261	1				1	2	4	3	11	30	53	61	53	28	4	3	7
67	General paralysis of the insane	20									2	4	6	1	3	3			1
68	Other forms of mental alienation	32							1	7	8	1	6	3	4	1			1
69	Epilepsy	42	2					4	3	5	10	9	4	3	2				
70	Convulsions (nonpuerperal)	11						1	1	3	1	3				1			1
71	Convulsions of infants	99	83	10	4		2												
72	Chorea	1			1														
73	Neuralgia and neuritis	2								1				1					
74	Other diseases of the nervous system	23	2	2			1		1	1	3	7	2	1	1	2			
75	Diseases of the eyes and their annexa	1						1											
76	Diseases of the ears	7		1	2			2	1		1								
	III.—Diseases of the circulatory system	1,189	8	2	3	1		7	20	84	144	204	201	228	175	68	20	2	22
77	Pericarditis	10								1	2	2		3	1	1			
78	Acute endocarditis	51	1					2	3	10	7	15	9	3			1		
79	Organic diseases of the heart	1,011	6	2	3	1		4	16	66	119	166	182	199	156	53	16	1	21
80	Angina pectoris	15								3	4	3	2	2	1				
81	Diseases of the arteries, atheroma, aneurism, etc	76								2	7	10	6	19	14	13	3	1	1
82	Embolism and thrombosis	12								1	1	4	2	1	2	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2										1			1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	1																
85	Hemorrhage; other diseases of the circulatory system	11						1	1	1	4	3		1					
	IV.—Diseases of the respiratory system	1,269	332	112	56	35	7	24	61	116	135	110	94	77	55	25	9	2	19
86	Diseases of the nasal fossæ	6	4	1											1				
87	Diseases of the larynx	11	4		1	2			2		2								
88	Diseases of the thyroid body	5								1		1	2	1					
89	Acute bronchitis	131	71	20	8	2	3	1	1	2	10	2	1	2	7	1			
90	Chronic bronchitis	52	3	1				1	4	8	7	8	8	5	6		1		
91	Bronchopneumonia	254	100	55	24	12	2	9	8	8	11	4	10	6	2	2			1
92	Pneumonia (total)	674	142	33	22	19	2	13	44	75	77	68	56	48	32	18	6	2	17
	Lobar pneumonia	211	29	3	3	2	1	2	13	32	34	35	16	19	8	5	3	1	5
	Pneumonia (undefined)	463	113	30	19	17	1	11	31	43	43	33	40	29	24	13	3	1	12
93	Pleurisy	30							2	11	5	5	2	4	1				
94	Pulmonary congestion, pulmonary apoplexy	36	6	1						4	7	5	6	1	3	2	1		
95	Gangrene of the lung	5									2	1	2						
96	Asthma	34								3	6	8	4	9	3		1		
97	Pulmonary emphysema	3		1	1						1								
98	Other diseases of the respiratory system (tuberculosis excepted)	28	2							4	7	8	3	1		2			1
	V.—Diseases of the digestive system	1,140	487	124	35	17	8	22	44	67	76	74	74	61	29	11	6	1	4
99	Diseases of the mouth and annexa	26	17	2					1	1	3		1	1					
100	Diseases of the pharynx	16	3	3	1	1		1	2	2	1	1	1						
101	Diseases of the esophagus	3			1		1							1					
102	Ulcer of the stomach	25							1	5	5	5	6	3					
103	Other diseases of the stomach (cancer excepted)	142	36	8	1	3	1	4	5	10	13	15	17	15	10	2	2		
104	Diarrhea and enteritis (under 2 years)	519	412	107															
105	Diarrhea and enteritis (2 years and over)	128			31	10	2	9	9	10	9	14	7	14	6	3	1	1	2
106	Ankylostomiasis	1							1										
107	Intestinal parasites	5	1	1		2		1											
108	Appendicitis and typhlitis	30						3	8	4	8	4		1		1			1
109	Hernia, intestinal obstruction (total)	66	9				2	2	3	6	9	9	11	6	6	2	1		
	Hernia	23	3								3	3	7	4	1	2			
	Intestinal obstruction	43	6				2	2	3	6	6	6	4	2	5		1		
110	Other diseases of the intestines	30	4	1		1	1		1	2	5	4	7	1	2		1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (COLORED)—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	4								2	1	1							
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	66		1					1	10	10	11	11	15	4	1	1		1
114	Biliary calculi	3								1			2						
115	Other diseases of the liver	32	3	1			1	2	2	5	4	4	5	4		1			
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	39	2						10	7	7	6	5		1	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5			1					2	1		1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	966	13	8	5		4	11	21	80	111	154	179	198	123	31	7	2	19
119	Acute nephritis	126	4	6	2		2	5	7	18	20	18	25	12	5	2			
120	Bright's disease	701	5	2	3		2	6	10	43	67	106	147	162	109	23	7	1	17
121	Chyluria																		
122	Other diseases of the kidneys and annexa	27	3						1	3	2	6		3	7	2			
123	Calculi of the urinary passages	3										1		2					
124	Diseases of the bladder	16								1	2	1		5	3	2		1	1
125	Diseases of the urethra, urinary abscess, etc.	6								1	2	2	1						
126	Diseases of the prostate	23										1	1	11	8	2			
127	Nonvenereal diseases of the male genital organs	2	1										1						
128	Uterine hemorrhage (nonpuerperal)	4										1	3						
129	Uterine tumor (noncancerous)	19								1	6	9	2	1					
130	Other diseases of the uterus	12							2	4	2	3	1						
131	Cysts and other tumors of the ovary	9								1	1	3	1	2					1
132	Salpingitis and other diseases of the female genital organs	18							1	8	8	1							
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	190							34	72	62	19							3
134	Accidents of pregnancy	17							1	3	12	1							
135	Puerperal hemorrhage	15							1	3	7	4							
136	Other accidents of labor	29							4	8	12	5							
137	Puerperal septicemia	61							11	28	16	4							2
138	Puerperal albuminuria and convulsions	64							17	28	13	5							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3								1	2								
140	Following childbirth (not otherwise defined)	1								1									
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	43	2						3	1	3	5	6	12	6	4		1	
142	Gangrene	26									1	3	4	11	4	3			
143	Furuncle	1												1					
144	Acute abscess	6							2		2		1			1			
145	Other diseases of the skin and annexa	10	2						1	1		2	1		2			1	
	IX.—Diseases of the bones and of the organs of locomotion	14	3	1	1				2		4	1	1			1			
146	Diseases of the bones (tuberculosis excepted)	11	2	1	1				2		3	1				1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1																
148	Amputations	1											1						
149	Other diseases of the organs of locomotion	1									1								
	X.—Malformations	35	30		2	1		2											
150	Congenital malformations (stillbirths not included) (total)	35	30		2	1		2											
	Hydrocephalus	6	4		1	1													
	Congenital malformations of the heart	8	7					1											
	Other congenital malformations	21	19		1			1											

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (COLORED)—Continued.																		
	XI.—Early infancy	583	583																
151	Congenital debility, icterus, and sclerema (total)	505	505																
	Premature birth	246	246																
	Congenital debility, "atrophy," "marasmus," etc.	259	259																
152	Other causes peculiar to early infancy (total)	70	70																
	Injuries at birth	34	34																
	Other causes peculiar to early infancy [1]	36	36																
153	Lack of care	8	8																
	XII.—Old age	304										1	4	16	65	109	64	33	12
154	Senility	304										1	4	16	65	109	64	33	12
	XIII.—External causes	790	51	17	14	33	17	36	117	174	132	73	35	39	14	9	1	2	26
	Suicide (total)	18							1	5	6	4	1	1					
155	By poison																		
156	By asphyxia																		
157	By hanging or strangulation																		
158	By drowning	4								2	1		1						
159	By firearms	11								3	4	3		1					
160	By cutting or piercing instruments	2									1	1							
161	By jumping from high places																		
162	By crushing																		
163	Other suicides	1							1										
	Accidental or undefined (total)	621	45	17	14	33	17	36	102	113	88	49	25	37	14	9	1	2	19
164	Poisoning by food	3								2	1								
165	Other acute poisonings	23	5	3	3	2	1	2	1	1	3		1			1			
166	Conflagration	15	1	2		2		4		1	2			2	1				
167	Burns (conflagration excepted)	115	9	7	11	23	13	15	6	5	4	4	2	4	6	3	1	2	
168	Absorption of deleterious gases (conflagration excepted)	18	14							1					1	1			1
169	Accidental drowning	77		2		1	1	3	22	13	14	9	5	3	1				3
170	Traumatism by firearms	84	1	1		3	1	4	32	17	10	3	1	3		1			7
171	Traumatism by cutting or piercing instruments	1								1									
172	Traumatism by fall	37	4					1	1	3	3	5	8	6	4	2			
173	Traumatism in mines and quarries (total)	14							2	3	2	5	1						1
	Traumatism in mines	12							2	2	1	5	1						1
	Traumatism in quarries	2								1	1								
174	Traumatism by machines	9							4	2	2	1							
175	Traumatism by other crushing (total)	119						1	18	40	29	12	3	11		1			4
	Railroad accidents and injuries	83							12	30	22	6	1	7		1			4
	Street-car accidents and injuries	13							1	3	3	4	1	1					
	Automobile accidents and injuries	6						1	1	2		1		1					
	Injuries by other vehicles	9							3	3	2			1					
	Landslide, other crushing	8							1	2	2	1	1	1					
176	Injuries by animals	9						1	4	1	2	1							
177	Starvation	2	2																
178	Excessive cold	2	1												1				
179	Effects of heat	12	2			1			1		3	2	2	1					
180	Lightning	13							3	4	1	2	1	2					
181	Electricity (lightning excepted)	3							1		1								1
185	Fractures (cause not specified)	9						1		4	1	2		1					
186	Other external violence	56	6	2		1	1	4	7	15	10	3	1	4					2
	Homicide (total)	151	6						14	56	38	20	9	1					7
182	By firearms	102							9	39	32	9	7	1					5
183	By cutting or piercing instruments	17							1	8	4	2	1						1
184	By other means	32	6						4	9	2	9	1						1
	XIV.—Ill-defined diseases	1,421	628	81	31	11	11	32	45	85	44	60	63	92	93	65	26	4	50
187	Ill-defined organic disease	51					1	1	3	5	2	8	5	11	6	3	3		3
188	Sudden death	42	4		2			1	4	3	2	5	5	3	9	4			
189	Not specified or ill-defined (total)	1,328	624	81	29	11	10	30	38	77	40	47	53	78	78	58	23	4	47
	Ill-defined	219	54	35	7	2	2	8	5	22	9	15	18	18	13	7	1		3
	Not specified, or unknown	1,109	570	46	22	9	8	22	33	55	31	32	35	60	65	51	22	4	44

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WASHINGTON.																		
	All causes	11,397	1,566	294	153	115	79	205	518	1,129	1,230	1,176	1,490	1,366	1,290	656	65	3	62
	I.—General diseases	3,060	176	87	60	39	35	85	230	439	434	404	436	340	209	75	3	.....	8
1	Typhoid fever	139	1	.....	.....	.....	4	5	23	43	33	18	7	5	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
5	Smallpox	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
6	Measles	108	23	30	15	7	6	13	6	4	1	1	1	1	.....	.....	.....	.....	.....
7	Scarlet fever	31	1	1	5	5	3	7	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	103	64	24	6	3	2	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	42	5	1	4	8	.....	15	3	2	1	.....	3	.....	.....	.....	.....	.....	.....
10	Influenza	88	9	4	2	1	.....	2	5	4	5	8	12	6	20	10	.....	.....	.....
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	Dysentery	17	3	.....	2	.....	2	2	.....	.....	1	2	1	1	1	2	.....	.....	.....
15	Plague	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	28	8	3	1	.....	.....	.....	.....	.....	3	5	1	4	2	1	.....	.....	.....
19	Other epidemic diseases	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....
20	Purulent infection and septicemia	23	2	.....	.....	1	.....	.....	4	2	1	2	5	3	2	1	.....	.....	.....
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
23	Rabies	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
27	Beriberi	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,242	28	22	21	10	11	29	145	328	255	172	117	65	27	7	1	.....	4
28	Tuberculosis of the lungs	970	5	2	1	.....	.....	10	110	281	221	145	103	57	25	6	1	.....	3
29	Acute miliary tuberculosis	37	.....	1	.....	.....	.....	2	4	9	8	9	2	2	.....	.....	.....	.....	.....
30	Tuberculous meningitis	111	20	18	13	10	6	15	14	4	5	3	1	.....	.....	1	.....	.....	1
31	Abdominal tuberculosis	72	.....	1	6	.....	2	.....	9	19	14	11	7	2	1	.....	.....	.....	.....
32	Pott's disease	7	.....	.....	1	.....	1	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	.....
33	White swellings	5	1	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	30	1	.....	.....	.....	1	1	6	11	3	2	3	1	1	.....	.....	.....	.....
35	Disseminated tuberculosis	10	1	.....	.....	.....	1	.....	1	3	1	.....	1	2	.....	.....	.....	.....	.....
36	Rickets	5	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	58	14	1	.....	.....	.....	2	2	5	13	8	9	1	2	.....	.....	.....	1
38	Gonococcus infection	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	720	1	.....	1	.....	.....	.....	4	11	56	120	190	178	119	38	.....	.....	2
39	Of the buccal cavity	26	.....	.....	.....	.....	.....	.....	.....	.....	1	5	5	9	2	3	.....	.....	1
40	Of the stomach, liver	306	1	.....	.....	.....	.....	.....	.....	3	13	45	81	93	58	12	.....	.....	.....
41	Of the peritoneum, intestines, rectum	108	.....	.....	.....	.....	.....	.....	2	.....	9	18	26	23	24	6	.....	.....	.....
42	Of the female genital organs	92	.....	.....	.....	.....	.....	.....	.....	3	18	19	28	14	7	2	.....	.....	1
43	Of the breast	54	.....	.....	.....	.....	.....	.....	.....	.....	3	12	16	15	6	2	.....	.....	.....
44	Of the skin	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	4	4	6	.....	.....	.....
45	Of other organs or of organs not specified	115	.....	.....	1	.....	.....	.....	2	5	12	21	29	20	18	7	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	5	.....	.....	.....	.....	1	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....
47	Acute articular rheumatism	31	.....	.....	.....	1	1	1	5	3	6	3	3	4	1	2	1	.....	.....
48	Chronic rheumatism and gout	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	5	2	2	.....	.....	.....
49	Scurvy	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	172	1	.....	1	.....	2	4	20	16	13	15	32	38	22	8	.....	.....	.....
51	Exophthalmic goiter	13	.....	.....	.....	.....	.....	.....	1	.....	2	7	1	2	.....	.....	.....	.....	.....
52	Addison's disease	10	.....	.....	.....	.....	.....	.....	.....	1	3	2	2	1	1	.....	.....	.....	.....
53	Leukemia	20	.....	.....	.....	2	2	.....	1	3	3	3	4	1	1	.....	.....	.....	.....
54	Anemia, chlorosis	53	.....	.....	.....	1	.....	2	2	2	5	9	16	10	4	2	.....	.....	.....
55	Other general diseases	17	8	.....	1	.....	1	1	2	.....	1	.....	2	1	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	100	.....	.....	.....	.....	.....	.....	.....	6	24	25	26	12	5	1	.....	.....	1
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	4	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,115	54	20	2	11	6	20	30	52	66	119	215	206	199	109	5	.....	1
60	Encephalitis	13	1	.....	.....	1	1	2	1	1	2	1	1	2	.....	.....	.....	.....	.....
61	Meningitis (total)	72	13	14	2	9	3	6	11	7	.....	3	2	2	.....	.....	.....	.....	.....
	Simple meningitis	43	7	5	2	8	1	4	7	5	.....	1	1	2	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	28	6	8	.....	1	2	2	4	2	.....	2	1	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WASHINGTON—Continued.																	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																	
62	Locomotor ataxia	15									1	4	6	2	2			
63	Other diseases of the spinal cord (total)	37	2				1	2	4	5	4	5	7	5	1	1		
	Acute anterior poliomyelitis	11	2				1	2	4	2								
	Other diseases of the spinal cord [1]	26								3	4	5	7	5	1	1		
64	Cerebral hemorrhage, apoplexy	643	1	2				1	2	10	19	57	152	165	153	77	3	1
65	Softening of the brain	2												2				
66	Paralysis without specified cause	93	1					1	2		1	10	9	13	32	22	2	
67	General paralysis of the insane	52							1		14	13	13	1	3	7		
68	Other forms of mental alienation	46								7	7	13	12	3	3	1		
69	Epilepsy	60	3	1				1	7	15	12	10	7	3	1			
70	Convulsions (nonpuerperal)	2								1	1							
71	Convulsions of infants	29	27	1			1											
72	Chorea	1											1					
73	Neuralgia and neuritis	5						1			1			1	1	1		
74	Other diseases of the nervous system	27	3			1		3	1	4	3	3	4	3	2			
75	Diseases of the eyes and their annexa	1												1				
76	Diseases of the ears	17	3	2				3	1	2	1		1	3	1			
	III.—Diseases of the circulatory system.	1,466	20	2	1	1	1	7	46	46	101	139	254	343	349	144	8	1	3
77	Pericarditis	10									4	3		1	1	1		
78	Acute endocarditis	49	3						6	7	9	7	16	1				
79	Organic diseases of the heart	1,156	10	1	1			7	39	30	78	113	211	279	286	96	2	1	2
80	Angina pectoris	56	1							1	2	6	9	23	8	4	1		1
81	Diseases of the arteries, atheroma, aneurism, etc.	146								3	2	5	14	31	44	42	5		
82	Embolism and thrombosis	31	2			1	1			2	4	4	4	8	5				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8	1						1		2	1			3				
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	2	1											1	1			
85	Hemorrhage; other diseases of the circulatory system	5	1							3					1				
	IV.—Diseases of the respiratory system.	949	229	63	16	12	6	12	31	53	55	76	102	91	123	71	8		1
86	Diseases of the nasal fossae	1					1												
87	Diseases of the larynx	8	1	2		3				1		1							
88	Diseases of the thyroid body	8							1	2	1	2	1		1				
89	Acute bronchitis	35	20	1				1	1			1		4	2	5			
90	Chronic bronchitis	33							2			2		5	13	7	4		
91	Bronchopneumonia	342	164	43	12	6	4	5	7	5	4	9	15	19	31	16	2		
92	Pneumonia (total)	451	41	17	3	2	1	6	14	41	41	55	74	58	62	33	2		1
	Lobar pneumonia	421	35	15	3	2	1	4	12	40	41	53	70	54	57	32	1		1
	Pneumonia (undefined)	30	6	2				2	2	1		2	4	4	5	1	1		
93	Pleurisy	28							5	2	5	5	5	2	3	1			
94	Pulmonary congestion, pulmonary apoplexy	5	3												1	1			
95	Gangrene of the lung	2											1	1					
96	Asthma	24			1	1			1		2		3	1	7	8			
97	Pulmonary emphysema	3								1					2				
98	Other diseases of the respiratory system (tuberculosis excepted)	9								1	2	1	3	1	1				
	V.—Diseases of the digestive system	1,006	270	76	44	29	12	28	33	77	73	87	101	68	80	26			2
99	Diseases of the mouth and annexa	3	1								2								
100	Diseases of the pharynx	15	2		2		1	1	1	1	3		1		2	1			
101	Diseases of the esophagus																		
102	Ulcer of the stomach	44						1	1	7	3	11	8	7	4	2			
103	Other diseases of the stomach (cancer excepted)	67	20	3	1			2	2	2		2	6	4	19	6			
104	Diarrhea and enteritis (under 2 years)	291	223	68															
105	Diarrhea and enteritis (2 years and over)	113			35	23	8	7		7	4	8	8	3	8	2			
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	154		2	3	2	3	13	22	40	28	24	11	2	2	1			1
109	Hernia, intestinal obstruction (total)	114	17	3	3	4		2	3	10	12	8	18	15	14	5			
	Hernia	22	1								1	3	6	3	7	1			
	Intestinal obstruction	92	16	3	3	4		2	3	10	11	5	12	12	7	4			
110	Other diseases of the intestines	24	4					1	2	3	3	2	2	2	2	2			1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WASHINGTON—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	3									1	2							
112	Hydatid tumor of the liver	1								1									
113	Cirrhosis of the liver	74								2	5	12	29	15	7	4			
114	Biliary calculi	38								1	4	8	7	8	8	2			
115	Other diseases of the liver	42	2						1	2	4	6	4	10	12	1			
116	Diseases of the spleen	2									1		1						
117	Simple peritonitis (nonpuerperal)	10	1						1	1	1	2	2	1	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	11						1			2	2	4	1	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	911	6	3	3	2		4	20	43	91	127	180	179	178	61	7	1	6
119	Acute nephritis	10	1	1					5	1	2								
120	Bright's disease	738	4	2	3	2		4	13	26	69	98	155	157	150	43	6	1	5
121	Chyluria																		
122	Other diseases of the kidneys and annexa	15								2	2	4	1	2	2	2			
123	Calculi of the urinary passages	2												1	1				
124	Diseases of the bladder	25								1		2	5	4	8	3	1		1
125	Diseases of the urethra, urinary abscess, etc	4										1	2		1				
126	Diseases of the prostate	48										4	4	12	15	13			
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	14									3	4	7						
130	Other diseases of the uterus	12								6	4	2							
131	Cysts and other tumors of the ovary	13								2	2	3	3	2	1				
132	Salpingitis and other diseases of the female genital organs	29							2	5	9	9	3	1					
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	178							19	81	67	10	1						
134	Accidents of pregnancy	24							1	11	12								
135	Puerperal hemorrhage	15								4	10	1							
136	Other accidents of labor	16							1	5	9		1						
137	Puerperal septicemia	93							13	47	26	7							
138	Puerperal albuminuria and convulsions	25							3	11	9	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3							1	2									
140	Following childbirth (not otherwise defined)	1									1								
141	Puerperal diseases of the breast	1								1									
	VIII.—Diseases of the skin and of the cellular tissue	28	5	2						1	4	2	2	4	7	1			
142	Gangrene	13								1	2	1	1	3	5				
143	Furuncle																		
144	Acute abscess	5	1								1	1	1	1					
145	Other diseases of the skin and annexa	10	4	2							1				2	1			
	IX.—Diseases of the bones and of the organs of locomotion	22	2	1			2	2	3	5	2	1	1	2		1			
146	Diseases of the bones (tuberculosis excepted)	19	2	1			2	2	3	5		1	1	2					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2									2								
148	Amputations																		
149	Other diseases of the organs of locomotion	1														1			
	X.—Malformations	125	121	1	2				1										
150	Congenital malformations (stillbirths not included) (total)	125	121	1	2				1										
	Hydrocephalus	10	8	1	1														
	Congenital malformations of the heart	82	81		1														
	Other congenital malformations	33	32						1										

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WASHINGTON—Continued.																		
	XI.—Early infancy	617	617																
151	Congenital debility, icterus, and sclerema (total)	509	509																
	Premature birth	350	350																
	Congenital debility, "atrophy," "marasmus," etc	159	159																
152	Other causes peculiar to early infancy (total)	105	105																
	Injuries at birth	51	51																
	Other causes peculiar to early infancy [1]	54	54																
153	Lack of care	3	3																
	XII.—Old age	280											2	16	84	146	28	1	3
154	Senility	280											2	16	84	146	28	1	3
	XIII.—External causes	1,481	25	35	22	18	14	41	99	328	331	205	177	96	40	12	3		35
	Suicide (total)	246							5	47	58	47	52	21	8				8
155	By poison	54							2	14	11	11	10	3	2				1
156	By asphyxia	19								5	3	5	3	2	1				
157	By hanging or strangulation	25								7	5	7	4	2					
158	By drowning	15									5		5	2					3
159	By firearms	101							3	17	26	17	23	9	3				3
160	By cutting or piercing instruments	20								2	5	5	4	2	2				
161	By jumping from high places	5								2	2	1							
162	By crushing	6									1	1	2	1					1
163	Other suicides	1											1						
	Accidental or undefined (total)	1,156	22	34	22	18	14	41	93	254	250	150	116	71	31	12	3		25
164	Poisoning by food	24	3	1	3	1		1	1	2	4	1	4		2	1			
165	Other acute poisonings	27	2	5	4	1		1	2	3	3	3		3					
166	Conflagration	21	2	1		3		2		2	2	4	3	1	1				
167	Burns (conflagration excepted)	63	1	7	6	4	4	7	5	8	7	5	2	3	2	2			
168	Absorption of deleterious gases (conflagration excepted)	50	10						4	7	11	10	6	2					
169	Accidental drowning	191		13	6	4	3	15	28	40	42	17	12	4	1	1			5
170	Traumatism by firearms	33				1			8	13	5	3		2					1
171	Traumatism by cutting or piercing instruments	5							1	2	1	1							
172	Traumatism by fall	132	1	4	1			3	2	18	29	15	14	17	17	7	3		1
173	Traumatism in mines and quarries (total)	30							3	12	7	4	2	1					1
	Traumatism in mines	27							1	11	7	4	2	1					1
	Traumatism in quarries	3							2	1									
174	Traumatism by machines	53				1			7	18	9	9	5	3					1
175	Traumatism by other crushing (total)	374	1		2	1	4	10	23	88	87	61	52	29	5				11
	Railroad accidents and injuries	191			1			2	15	38	56	30	27	10	3				9
	Street-car accidents and injuries	12							1	4	1	1	4	1					
	Automobile accidents and injuries	40					2	4	3	9	5	9	5	2	1				
	Injuries by other vehicles	45	1		1	1	2	3	1	9	6	6	2	12	1				
	Landslide, other crushing	86						1	3	28	19	15	14	4					2
176	Injuries by animals	11					2	1	2	1	1	1	1	1		1			
177	Starvation	3									2				1				
178	Excessive cold	2									1			1					
179	Effects of heat	1									1								
180	Lightning	2									1				1				
181	Electricity (lightning excepted)	10								4	4	1							1
185	Fractures (cause not specified)	3				1				1	1								
186	Other external violence	121	2	3		1	1	1	7	35	32	15	15	4	1				4
	Homicide (total)	79	3	1					1	27	23	8	9	4	1				2
182	By firearms	50								19	17	7	5	2					
183	By cutting or piercing instruments	9		1					1	2	3		1	1					
184	By other means	20	3							6	3	1	3	1	1				2
	XIV.—Ill-defined diseases	159	41	4	3	3	3	6	6	4	6	6	19	21	21	10	3		2
187	Ill-defined organic disease	3											1	1		1			
188	Sudden death	10	2	1							1			4	2				
189	Not specified or ill-defined (total)	146	39	3	3	3	3	6	6	4	5	6	18	16	19	9	3		3
	Ill-defined	62	9	1	1	1	1	1	3	2	3	4	10	8	12	5			1
	Not specified, or unknown	84	30	2	2	2	2	5	3	2	2	2	8	8	7	4	3		2

[1] Exclusive of injuries at birth.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WISCONSIN.																	
	All causes	27,716	4,997	775	410	264	185	627	1,138	1,933	1,849	1,975	2,749	3,351	4,022	2,800	521	10	110
	I.—General diseases	6,943	373	211	138	80	86	272	491	873	747	762	931	937	709	292	22		19
1	Typhoid fever	217	2	1	1	1	2	11	41	60	37	24	22	10	3	1			1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	7	1					1		1	1	1			1	1			
5	Smallpox	3	1					1	1										
6	Measles	185	50	57	20	7	9	19	13	3	1	2		2	1				1
7	Scarlet fever	196	10	17	27	17	21	56	31	10	7								
8	Whooping cough	179	116	30	16	3	2	7	3			1		1					
9	Diphtheria and croup	300	13	39	36	33	31	95	33	11	6	2		1					
10	Influenza	270	24	3	4		1	3	5	4	7	15	18	33	68	76	9		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	15	2	1				1	1			1	1	3	4		1		
14	Dysentery	64	28	4	3	1	2	2		1	2	1	1	6	8	3	2		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	65	17	1	1				3	1	5	6	7	8	9	7			
19	Other epidemic diseases	6	1	2	1		1				1								
20	Purulent infection and septicemia	75	8		1	1	1	2	4	10	16	12	7	7	6				
21	Glanders																		
22	Anthrax	1									1								
23	Rabies	1						1											
24	Tetanus	29	4		1		1	2	5	4	2	3	2	2	3				
25	Mycoses	1							1										
26	Pellagra	5											1	2	2				
27	Beriberi																		
	Tuberculosis (total)	2,368	40	33	18	12	7	31	256	656	485	339	245	163	59	22			2
28	Tuberculosis of the lungs	1,987	12	11	6	3	3	11	202	573	436	306	217	137	49	19			2
29	Acute miliary tuberculosis	52	3		1	2	1	1	8	17	8	4	2	4	1				
30	Tuberculous meningitis	123	20	21	9	5	3	10	22	14	9	6	4						
31	Abdominal tuberculosis	113	4	1	1	2		5	14	22	22	15	12	10	5				
32	Pott's disease	31						3	2	12	5	2	3	3		1			
33	White swellings	12							4	3	1			3	1				
34	Tuberculosis of other organs	34	1		1				2	9	3	4	6	4	2	2			
35	Disseminated tuberculosis	16						1	2	6	1	2	1	2	1				
36	Rickets	21	8	8	2	1	1					1							
37	Syphilis	51	14	1					3	8	10	7	5	2	1				
38	Gonococcus infection	5	1						1	2	1								
	Cancer and other malignant tumors (total)	1,899	1	4	1	1	1	7	7	26	84	221	443	522	423	146	5		7
39	Of the buccal cavity	73									2	9	10	16	20	14			2
40	Of the stomach, liver	951						2	1	7	32	90	229	291	233	61	2		3
41	Of the peritoneum, intestines, rectum	237	1	2					1	4	8	26	55	82	42	15	1		
42	Of the female genital organs	167					1		2	6	10	36	51	31	25	4			1
43	Of the breast	147						1		2	20	30	31	23	29	11			
44	Of the skin	60									1	2	6	14	21	14	1		1
45	Of other organs or of organs not specified	264		2	1	1		4	3	7	11	28	61	65	53	27	1		
46	Other tumors (tumors of the female genital organs excepted)	15								2	1	1	2	4	5				
47	Acute articular rheumatism	138		2			3	12	28	16	10	16	17	15	10	8	1		
48	Chronic rheumatism and gout	41							2	1	1		12	11	8	5	1		
49	Scurvy	1							1										
50	Diabetes	374	2	2			3	14	37	28	15	32	66	83	68	20	3		1
51	Exophthalmic goiter	46							2	4	7	13	11	8					1
52	Addison's disease	9							1		5	1	1	1					
53	Leukemia	39	1		2	2		4	3	6	5	2	7	2	5				
54	Anemia, chlorosis	147	6	2		1		2	4	7	14	24	36	31	19	1			
55	Other general diseases	50	23	4	4			1	4	4	1	3	3	1		2			
56	Alcoholism (acute or chronic)	116							1	8	22	32	22	18	7				6
57	Chronic lead poisoning	3										1	1	1					
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	1													1				
	II.—Diseases of the nervous system and of the organs of special sense	2,986	386	78	36	17	18	61	75	97	110	189	338	479	653	378	60	1	10
60	Encephalitis	25	4	1	2			3	2	5	1	3	3		1				
61	Meningitis (total)	270	69	42	23	8	14	29	31	17	10	6	9	7	4	1			
	Simple meningitis	145	38	20	8	5	6	16	13	10	8	5	7	5	3	1			
	Cerebrospinal meningitis (undefined)	71	21	12	8	3	5	5	6	4	1	1	2	2	1				
	Cerebrospinal fever	54	10	10	7		3	8	12	3	1								

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WISCONSIN—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
62	Locomotor ataxia	41									5	8	9	13	5	1			
63	Other diseases of the spinal cord (total)	141	10	2		2	2	12	7	11	5	10	16	17	34	11			2
	Acute anterior poliomyelitis	30	8	2			2	8	5	2	1	1	1						
	Other diseases of the spinal cord [1]	111	2			2		4	2	9	4	9	15	17	34	11			2
64	Cerebral hemorrhage, apoplexy	1,541	7	1		1		1	4	19	25	100	203	340	492	293	51	1	3
65	Softening of the brain	33						1		3	2		3	4	11	9			
66	Paralysis without specified cause	221	1	1			1		4	3	7	9	28	48	72	42	5		
67	General paralysis of the insane	102							1	3	17	21	18	23	12	5	1		1
68	Other forms of mental alienation	65								9	12	11	11	8	9	4			1
69	Epilepsy	99	3	1	1	1		5	15	13	16	10	17	9	4	2			2
70	Convulsions (nonpuerperal)	7						3	1	3									
71	Convulsions of infants	304	266	25	8	4	1												
72	Chorea	2							1			1							
73	Neuralgia and neuritis	16											6	1	2	5	2		
74	Other diseases of the nervous system	93	17	3	2	1		4	8	9	9	10	12	8	6	3			1
75	Diseases of the eyes and their annexa	1														1			
76	Diseases of the ears	25	9	2				3	1	2	1		3	1		2	1		
	III.—Diseases of the circulatory system	3,620	43	10	5	7	7	30	87	116	141	219	437	716	1,068	634	89	2	9
77	Pericarditis	22							3	2	4	2	4	2	3	1	1		
78	Acute endocarditis	180	4	2	2	4		7	13	24	22	37	46	9	4	5	1		
79	Organic diseases of the heart	2,616	22	6	2	3	5	21	66	75	95	151	313	582	791	429	47		8
80	Angina pectoris	106					1	1	1		5	6	17	28	33	13	1		
81	Diseases of the arteries, atheroma, aneurism, etc	552							2	3	2	12	35	79	205	174	38	1	1
82	Embolism and thrombosis	91	4		1			1		8	10	9	12	12	21	11	1	1	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	22									3	2	7	3	6	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	12	7	1					1	2					1				
85	Hemorrhage; other diseases of the circulatory system	19	6	1			1		1	2			3	1	4				
	IV.—Diseases of the respiratory system	3,080	697	184	82	40	20	64	74	129	143	156	236	324	479	372	70	1	9
86	Diseases of the nasal fossae	6	1	1				1		1	1						1		
87	Diseases of the larynx	21	4	8	3			2		2			1	1					
88	Diseases of the thyroid body	17						1	4	2	4		3	1	2				
89	Acute bronchitis	251	141	26	11	1	1	2		5	1		1	7	21	30	3		1
90	Chronic bronchitis	260	3	1	1	1		1		5	2	3	11	34	86	85	26	1	
91	Bronchopneumonia	735	288	90	26	13	9	14	9	18	18	17	25	57	67	68	14		2
92	Pneumonia (total)	1,417	230	52	37	24	8	37	48	80	95	105	158	171	218	135	14		5
	Lobar pneumonia	639	80	15	13	7	1	15	24	45	53	60	86	94	97	44	3		2
	Pneumonia (undefined)	778	150	37	24	17	7	22	24	35	42	45	72	77	121	91	11		3
93	Pleurisy	74	4	2	1	1		3	6	8	7	14	7	6	7	7	1		
94	Pulmonary congestion, pulmonary apoplexy	139	21	3	3		1	1	4	1	5	5	4	17	34	33	7		
95	Gangrene of the lung	13					1			1		2	4	2	2	1			
96	Asthma	86						1	1		3	3	14	19	31	11	2		1
97	Pulmonary emphysema	6											1		4	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	55	5	1				1	2	6	7	7	7	9	7	1	2		
	V.—Diseases of the digestive system	3,178	1,127	209	96	70	24	96	131	146	147	186	255	253	263	155	18		2
99	Diseases of the mouth and annexa	10	3	2	1		1						1		2				
100	Diseases of the pharynx	41	7		5	5	1	6	6	5	1	3	2						
101	Diseases of the esophagus	8										1	4	2		1			
102	Ulcer of the stomach	96							4	8	11	13	27	15	17	1			
103	Other diseases of the stomach (cancer excepted)	306	136	8	6	7	1	1	5	7	8	5	17	27	30	42	6		
104	Diarrhea and enteritis (under 2 years)	1,105	918	187															
105	Diarrhea and enteritis (2 years and over)	338			70	46	13	17	9	9	11	14	30	22	49	39	9		
106	Ankylostomiasis																		
107	Intestinal parasites	1			1														
108	Appendicitis and typhlitis	327	1	2		5	5	52	83	67	40	30	26	9	5	2			
109	Hernia, intestinal obstruction (total)	252	38	6	6	4	2	5	6	16	14	18	27	38	44	26	2		
	Hernia	76	5	1					1	3	5	7	11	16	11	15	1		
	Intestinal obstruction	176	33	5	6	4	2	5	5	13	9	11	16	22	33	11	1		
110	Other diseases of the intestines	80	9	2	3	2	1	7	6	2	8	8	4	7	12	9			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WISCONSIN—Continued.																	
	V.—Diseases of the digestive system—Continued.																	
111	Acute yellow atrophy of the liver	8								2	1	1	2	2				
112	Hydatid tumor of the liver																	
113	Cirrhosis of the liver	326	2					2		5	25	64	71	84	59	13		1
114	Biliary calculi	58								4	4	7	12	12	15	4		
115	Other diseases of the liver	129	7		1			2	2	6	12	15	23	27	21	12	1	
116	Diseases of the spleen	1										1						
117	Simple peritonitis (nonpuerperal)	75	6	2	3	1		3	10	11	9	4	5	7	8	5		1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	17						1		4	3	1	5	1	1	1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	1,837	27	8	5	7	4	15	36	75	125	176	257	367	430	271	27	7
119	Acute nephritis	112	11	5	2	3	1	6	4	8	14	13	13	10	16	5		1
120	Bright's disease	1,422	11	3	2	3	2	9	24	49	85	132	224	312	337	201	23	5
121	Chyluria																	
122	Other diseases of the kidneys and annexa	53	3		1	1	1		2	4	4	5	4	9	12	6		1
123	Calculi of the urinary passages	9									2	1	2	1	2	1		
124	Diseases of the bladder	72										2	5	9	27	25	4	
125	Diseases of the urethra, urinary abscess, etc	1													1			
126	Diseases of the prostate	80										2	2	17	29	30		
127	Nonvenereal diseases of the male genital organs	2	2															
128	Uterine hemorrhage (nonpuerperal)	1													1			
129	Uterine tumor (noncancerous)	24								2	6	11	2	2	1			
130	Other diseases of the uterus	24							4	6	4	4	2		2	2		
131	Cysts and other tumors of the ovary	21							2	2	2	3	3	6	2	1		
132	Salpingitis and other diseases of the female genital organs	16								4	8	3		1				
133	Nonpuerperal diseases of the breast (cancer excepted)																	
	VII.—The puerperal state	278							15	109	127	26						1
134	Accidents of pregnancy	13							1	3	9							
135	Puerperal hemorrhage	33								7	18	7						1
136	Other accidents of labor	31							1	9	18	3						
137	Puerperal septicemia	127							8	59	50	10						
138	Puerperal albuminuria and convulsions	60							5	26	24	5						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	12								4	8							
140	Following childbirth (not otherwise defined)	2								1		1						
141	Puerperal diseases of the breast																	
	VIII.—Diseases of the skin and of the cellular tissue	126	26	3	1	1	1		3	6	3	4	6	13	21	31	6	1
142	Gangrene	67	1						1		2	2	4	7	17	27	5	1
143	Furuncle	9	1		1					2	1		1	1	1	1		
144	Acute abscess	20	7						1	4		2	1	3	1	1		
145	Other diseases of the skin and annexa	30	17	3		1	1		1					2	2	2	1	
	IX.—Diseases of the bones and of the organs of locomotion	45	2	2		1		5	9	5	4	2	4	4	5	1		1
146	Diseases of the bones (tuberculosis excepted)	39	2	2		1		5	8	4	4	2	3	3	4	1		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5							1	1			1	1	1			
148	Amputations																	
149	Other diseases of the organs of locomotion	1																1
	X.—Malformations	267	254	5	2		1	2	2	1								
150	Congenital malformations (stillbirths not included) (total)	267	254	5	2		1	2	2	1								
	Hydrocephalus	30	27	2					1									
	Congenital malformations of the heart	136	129	1	1		1	2	1	1								
	Other congenital malformations	101	98	2	1													

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1913—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WISCONSIN—Continued.																		
	XI.—Early infancy	1,952	1,952																
151	Congenital debility, icterus, and sclerema (total)	1,573	1,573																
	Premature birth	984	984																
	Congenital debility, "atrophy," "marasmus," etc.	589	589																
152	Other causes peculiar to early infancy (total)	377	377																
	Injuries at birth	197	197																
	Other causes peculiar to early infancy [1]	180	180																
153	Lack of care	2	2																
	XII.—Old age	1,080											5	46	245	569	206	4	5
154	Senility	1,080											5	46	245	569	206	4	5
	XIII.—External causes	2,061	52	45	39	40	22	77	210	369	288	243	245	181	111	76	21	2	40
	Suicide (total)	320							13	61	64	48	67	36	19	5			7
155	By poison	84							5	24	13	13	16	11	2				
156	By asphyxia	9								2	1	3	3						
157	By hanging or strangulation	80							3	4	13	13	19	15	7	3			3
158	By drowning	26							1	5	6	3	8	1	2				
159	By firearms	83							3	24	22	10	12	5	3	2			2
160	By cutting or piercing instruments	29							1	2	7	6	6	2	3				2
161	By jumping from high places	2									1			1					
162	By crushing	4									1		1		2				
163	Other suicides	3											2	1					
	Accidental or undefined (total)	1,687	49	44	39	39	22	76	195	300	211	187	171	138	90	71	21	2	32
164	Poisoning by food	22	6	4	1	1		2		1	2	2	1	2					
165	Other acute poisonings	34	2	3	5	1	2	2	3	3	5		1	4	2				1
166	Conflagration	22	2	2	1					4	4	2	4	3					
167	Burns (conflagration excepted)	119	3	18	23	17	7	8	5	7	12	5	4	3	5	2			
168	Absorption of deleterious gases (conflagration excepted)	50	20		1	1		1	4	3	3	4	2	8	2		1		
169	Accidental drowning	283	1	5	3	5	2	25	33	78	26	18	19	7	5	1	1		4
170	Traumatism by firearms	68			1		3	2	21	17	2	7	10	2	1				2
171	Traumatism by cutting or piercing instruments	3						1	1	1									
172	Traumatism by fall	284	1	4	3		1	10	11	22	23	22	33	35	51	50	13	2	3
173	Traumatism in mines and quarries (total)	7							1	4	2								
	Traumatism in mines	4								3	1								
	Traumatism in quarries	3							1	1	1								
174	Traumatism by machines	57						1	8	12	12	14	5	2					3
175	Traumatism by other crushing (total)	466	4	4		8	5	19	36	94	83	75	54	46	14	9	2		13
	Railroad accidents and injuries	272	1	1		1	1	1	17	71	61	46	29	24	6	5			8
	Street-car accidents and injuries	45				3	1	2	2	5	4	10	7	6	2	1	1		1
	Automobile accidents and injuries	50		1		2	1	7	9	6	6	4	4	3	2	3			2
	Injuries by other vehicles	84	3	2		2	2	9	6	9	10	10	14	12	4		1		
	Landslide, other crushing	15							2	3	2	5		1					2
176	Injuries by animals	33			1	4			5	3	4	2	5	5	3	1			
177	Starvation																		
178	Excessive cold	15								2		4	6	1			2		
179	Effects of heat	63	7			1		1	1	7	7	12	8	8	3	6	2		
180	Lightning	22						2	5	6	2	1	1	4	1				
181	Electricity (lightning excepted)	22					1		3	10	3	2	3						
185	Fractures (cause not specified)	7								1	1		1	1		1			2
186	Other external violence	110	3	4		1	1	2	8	25	20	17	14	7	3	1			4
	Homicide (total)	54	3	1		1		1	2	8	13	8	7	7	2				1
182	By firearms	24							2	4	8	5	2	3					
183	By cutting or piercing instruments	13	1	1		1		1		2	4		1	1					1
184	By other means	17	2							2	1	3	4	3	2				
	XIV.—Ill-defined diseases	263	58	20	6	1	2	5	5	7	14	12	35	31	38	21	2		6
187	Ill-defined organic disease	40									3	2	2	3	14	14	2		
188	Sudden death	18	2								2	1	7	4		2			
189	Not specified or ill-defined (total)	205	56	20	6	1	2	5	5	7	9	9	26	24	24	5			6
	Ill-defined	129	18	15	5	1	2	1	5	5	7	7	19	21	20	3			
	Not specified, or unknown	76	38	5	1			4		2	2	2	7	3	4	2			6

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	BIRMINGHAM, ALA. (TOTAL).																		
	All causes	2,749	425	108	63	30	26	68	163	472	403	328	265	190	139	55	11	3	
1	Typhoid fever	57		1	1	2		2	13	16	11	5	5	1					
2	Typhus fever																		
3	Malaria	28	1		1			1	4	4	7	5	3		2				
4	Smallpox																		
5	Measles	11	6		3			1		1									
6	Scarlet fever	1						1											
7	Whooping cough	24	7	3	3	3	4	4											
8	Diphtheria and croup	3	1					2											
9	Influenza	13						2	1	2		1	2	3	1		1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	31	7	5	3			1	1	2	2	1	4	2		3			
13	Tuberculosis of the lungs	309	2				1	3	40	121	68	42	18	14					
14	Tuberculous meningitis	11	1	1	2	1	2		2	2									
15	Other forms of tuberculosis	46				1		5	2	18	7	6	3	2	2				
16	Cancer and other malignant tumors	93		1					2	2	16	13	25	21	10	3			
17	Meningitis	59	3	1	3	3	2	8	13	13	9	1	2		1				
18	Cerebral hemorrhage and softening	111						2	1	7	6	24	34	18	14	4	1		
19	Organic diseases of the heart	203	1		1		1	1	4	8	36	41	38	27	32	9	4		
20	Acute bronchitis	8	3	1		1	2									1			
21	Chronic bronchitis	5													1	3	1		
22	Pneumonia	195	30	10	4	5		5	11	32	31	29	17	13	5	2	1		
23a	Bronchopneumonia	42	16	7	5	2	2	3	1	2	1	1	1		1				
23b	Other diseases of the respiratory system	24	5	1		1			2	3	2	6	1	1		2			
24	Diseases of the stomach	46	9	1		1		2	1	7	7	5	7	4	2				
25(37)	Diarrhea and enteritis	172	92	48	15	4	2	3		1	1			2	4				
26	Appendicitis and typhlitis	40					2	3	10	11	4	5	3	1	1				
27	Hernia, intestinal obstruction	27	3	1		1				5	7	2	4	2	1	1			
28	Cirrhosis of the liver	21	1	1	1				1	1	3	6	3	4					
29	Acute nephritis and Bright's disease	175	3	5	1				4	9	30	29	33	30	21	8	1	1	
30	Diseases of the female genital organs	29							1	10	12	6							
31	Puerperal fever	10								6	4								
32	Other puerperal affections	28							2	12	14								
33	Congenital debility and malformations	151	150							1									
34	Senility	21												1	12	6		2	
35	Violent deaths (excluding suicide)	334	15	7	9	3	5	7	32	107	78	38	16	7	4	5	1		
36	Suicide	19								7	5	5	1	1					
(37)	Other defined diseases	359	54	9	9	1	3	12	14	61	39	54	38	32	24	8	1		
38	Diseases ill-defined or unknown	43	15	5	2	1			1	1	3	3	7	4	1				
	BIRMINGHAM, ALA. (WHITE).																		
	All causes	1,176	206	54	31	13	15	36	53	150	127	123	118	117	93	38	2		
1	Typhoid fever	27		1		1			5	10	5	2	2	1					
2	Typhus fever																		
3	Malaria	5							1	1	1		1		1				
4	Smallpox																		
5	Measles	7	4		1			1		1									
6	Scarlet fever	1						1											
7	Whooping cough	16	4	2	2	2	3	3											
8	Diphtheria and croup	2						2											
9	Influenza	2												2					
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	10	3		2					1			2			2			
13	Tuberculosis of the lungs	74	2						3	23	21	11	6	8					
14	Tuberculous meningitis	6	1	1	1				1	2									
15	Other forms of tuberculosis	16						3		3	3	2	2	1	2				
16	Cancer and other malignant tumors	74							2	2	9	10	21	19	8	3			
17	Meningitis	29	1		3	3		7	6	3	5	1							
18	Cerebral hemorrhage and softening	52						1	1	2	2	8	13	8	12	4	1		
19	Organic diseases of the heart	78	1		1		1	1	2	3	5	10	11	18	20	5			
20	Acute bronchitis	3					2									1			
21	Chronic bronchitis	5													1	3	1		
22	Pneumonia	46	5	3	1	2		1	4	9	3	7	5	3	3				
23a	Bronchopneumonia	12	7	2	1		1				1								
23b	Other diseases of the respiratory system	9	3	1						1	1			1		2			
24	Diseases of the stomach	14	4					1	1		1	1	3	2	1				
25(37)	Diarrhea and enteritis	96	47	32	5	2	2	3						2	3				
26	Appendicitis and typhlitis	33					1	3	8	10	3	4	2	1	1				
27	Hernia, intestinal obstruction	14	3	1		1				1	3	1	2	1	1				
28	Cirrhosis of the liver	11									2	4	2	3					
29	Acute nephritis and Bright's disease	83	2						1	4	11	11	15	22	12	5			
30	Diseases of the female genital organs	9								1	5	3							
31	Puerperal fever	4								1	3								
32	Other puerperal affections	16							1	6	9								
33	Congenital debility and malformations	87	86							1									
34	Senility	9													6	3			
35	Violent deaths (excluding suicide)	134	5	5	6	2	4	4	11	42	20	17	7	3	3	5			
36	Suicide	15								5	3	5	1	1					
(37)	Other defined diseases	166	25	4	7		1	5	6	18	11	26	21	19	18	5			
38	Diseases ill-defined or unknown	11	3	2	1								2	2	1				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BIRMINGHAM, ALA. (COLORED).																			
	All causes	1,573	219	54	32	17	11	32	110	322	276	205	147	73	46	17	9	3	
1	Typhoid fever	30			1	1		2	8	6	6	3	3						
2	Typhus fever																		
3	Malaria	23	1		1			1	3	3	6	5	2		1				
4	Smallpox																		
5	Measles	4	2		2														
6	Scarlet fever																		
7	Whooping cough	8	3	1	1	1	1	1											
8	Diphtheria and croup	1	1																
9	Influenza	11						2	1	2		1	2	1	1		1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	21	4	5	1			1	1	1	2	1	2	2		1			
13	Tuberculosis of the lungs	235					1	3	37	98	47	31	12	6					
14	Tuberculous meningitis	5			1	1	2		1										
15	Other forms of tuberculosis	30				1		2	2	15	4	4	1	1					
16	Cancer and other malignant tumors	19		1							7	3	4	2	2				
17	Meningitis	30	2	1			2	1	7	10	4		2		1				
18	Cerebral hemorrhage and softening	59						1			5	4	16	21	10	2			
19	Organic diseases of the heart	125							2	5	31	31	27	9	12	4	4		
20	Acute bronchitis	5	3	1		1													
21	Chronic bronchitis																		
22	Pneumonia	149	25	7	3	3		4	7	23	28	22	12	10	2	2	1		
23a	Bronchopneumonia	30	9	5	4	2	1	3	1	2		1	1		1				
23b	Other diseases of the respiratory system	15	2			1			2	2	1	6	1						
24	Diseases of the stomach	32	5	1		1		1		7	6	4	4	2	1				
25(37)	Diarrhea and enteritis	76	45	16	10	2				1	1				1				
26	Appendicitis and typhlitis	7					1		2	1	1	1	1						
27	Hernia, intestinal obstruction	13								4	4	1	2	1		1			
28	Cirrhosis of the liver	10	1	1	1				1	1	1	2	1	1					
29	Acute nephritis and Bright's disease	92	1	5	1				3	5	19	18	18	8	9	3	1	1	
30	Diseases of the female genital organs	20							1	9	7	3							
31	Puerperal fever	6								5	1								
32	Other puerperal affections	12							1	6	5								
33	Congenital debility and malformations	64	64																
34	Senility	12												1	6	3		2	
35	Violent deaths (excluding suicide)	200	10	2	3	1	1	3	21	65	58	21	9	4	1		1		
36	Suicide	4								2	2								
(37)	Other defined diseases	193	29	5	2	1	2	7	8	43	28	28	17	13	6	3	1		
38	Diseases ill-defined or unknown	32	12	3	1	1			1	1	3	3	5	2					
LOS ANGELES, CAL. (TOTAL).																			
	All causes	6,199	715	146	80	50	33	113	216	604	716	714	826	829	753	355	45	3	1
1	Typhoid fever	50					1	4	11	12	10	4	6	2					
2	Typhus fever																		
3	Malaria	1								1									
4	Smallpox																		
5	Measles	55	12	13	16	4	1	6	1			1		1					
6	Scarlet fever	13		2	2	1	1	5		1	1								
7	Whooping cough	28	10	6	4	4	1	3											
8	Diphtheria and croup	41		7	2	10	5	15		2									
9	Influenza	39	1	1					2	3	5	4	5	4	5	8	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	33	8					1	1	2	8	4	3	3	1	2			
13	Tuberculosis of the lungs	963	16	6	2	2	6	9	60	242	247	166	118	59	23	7			
14	Tuberculous meningitis	54	9	10	2	5	1	8	5	3	4	5	1	1					
15	Other forms of tuberculosis	50	2	3	1	2		1	2	10	12	10	4	2		1			
16	Cancer and other malignant tumors	425						2	4	10	26	88	120	92	64	17	2		
17	Meningitis	109	17	6	10	4	3	15	13	14	5	11	5	4	2				
18	Cerebral hemorrhage and softening	298				1			2	3	6	21	50	74	106	35			
19	Organic diseases of the heart	678						3	14	25	59	71	109	160	167	64	6		
20	Acute bronchitis	22	8	3	4			1					1	2	1	2			
21	Chronic bronchitis	32								1			3	7	11	10			
22	Pneumonia	312	39	21	7	3	5	6	8	17	35	27	29	49	35	27	3	1	
23a	Bronchopneumonia	136	63	20	9	3	1	2	1	2	3	4	6	6	9	3	4		
23b	Other diseases of the respiratory system	55	4					1		4	7	2	7	12	12	6			
24	Diseases of the stomach	59	11	2	1	1	1			4	5	11	9	5	4	5			
25(37)	Diarrhea and enteritis	217	148	28	3	1	1	2		1	4	8	9	7	4	1			
26	Appendicitis and typhlitis	66					1	3	11	19	10	10	4	5	3				
27	Hernia, intestinal obstruction	64	8	2	2	1			1	2	15	12	7	6	5	2	1		
28	Cirrhosis of the liver	77								2	6	14	18	21	11	4	1		
29	Acute nephritis and Bright's disease	447	5	1	1	1	1		5	17	31	53	94	109	87	40	1	1	
30	Diseases of the female genital organs	33							2	13	10	6	2						
31	Puerperal fever	28							3	15	9	1							
32	Other puerperal affections	36							1	19	12	4							
33	Congenital debility and malformations	262	257	2			1	1		1									
34	Senility	78												7	22	38	10	1	
35	Violent deaths (excluding suicide)	392	9	6	9	4	1	14	36	86	65	47	45	31	25	14			
36	Suicide	122							2	31	35	26	17	6	3	1			1
(37)	Other defined diseases	920	87	6	5	3	2	11	31	42	88	104	153	153	153	68	16		
38	Diseases ill-defined or unknown	4	1	1									1	1					

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
LOS ANGELES, CAL. (WHITE).																			
	All causes	5,834	651	137	75	48	30	106	198	547	661	655	786	793	745	354	45	2	1
1	Typhoid fever	45					1	4	9	11	8	4	6	2					
2	Typhus fever																		
3	Malaria	1								1									
4	Smallpox																		
5	Measles	54	11	13	16	4	1	6	1			1		1					
6	Scarlet fever	13		2	2	1	1	5		1	1								
7	Whooping cough	25	8	5	4	4	1	3											
8	Diphtheria and croup	40		6	2	10	5	15		2									
9	Influenza	36	1	1					2	2	4	4	5	3	5	8	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	31	8					1	1	1	8	3	3	3	1	2			
13	Tuberculosis of the lungs	869	14	6	2	2	5	7	53	210	227	148	111	54	23	7			
14	Tuberculous meningitis	43	4	8	2	4	1	8	5	3	3	3	1	1					
15	Other forms of tuberculosis	44	2	2	1	2		1	2	10	9	9	3	2		1			
16	Cancer and other malignant tumors	416						2	4	9	26	82	119	91	64	17	2		
17	Meningitis	96	12	5	9	3	3	12	12	13	5	11	5	4	2				
18	Cerebral hemorrhage and softening	290				1			2	3	6	20	48	72	103	35			
19	Organic diseases of the heart	646						3	14	23	52	65	103	151	165	64	6		
20	Acute bronchitis	21	7	3	4			1					1	2	1	2			
21	Chronic bronchitis	32								1			3	7	11	10			
22	Pneumonia	293	35	20	7	3	4	6	8	16	30	26	27	46	35	27	3		
23a	Bronchopneumonia	128	57	19	9	3	1	2	1	2	3	4	6	5	9	3	4		
23b	Other diseases of the respiratory system	53	4					1		4	6	2	7	11	12	6			
24	Diseases of the stomach	54	10	2	1	1				3	5	10	9	4	4	5			
25(37)	Diarrhea and enteritis	198	134	28	3	1	1	2		1	3	5	9	6	4	1			
26	Appendicitis and typhlitis	61					1	3	11	17	10	8	3	5	3				
27	Hernia, intestinal obstruction	61	8	2	2	1			1	1	14	11	7	6	5	2	1		
28	Cirrhosis of the liver	74								2	6	14	15	21	11	4	1		
29	Acute nephritis and Bright's disease	425	5		1	1	1		5	16	30	46	86	105	87	40	1	1	
30	Diseases of the female genital organs	29							2	11	10	5	1						
31	Puerperal fever	24							2	14	8								
32	Other puerperal affections	34							1	17	12	4							
33	Congenital debility and malformations	245	240	2			1	1		1									
34	Senility	78												7	22	38	10	1	
35	Violent deaths (excluding suicide)	368	9	6	6	4	1	14	30	83	60	43	45	29	24	14			
36	Suicide	119							2	29	34	26	17	6	3	1			1
(37)	Other defined diseases	884	81	6	4	3	2	9	30	40	81	101	145	148	151	67	16		
38	Diseases ill-defined or unknown	4	1	1									1	1					
LOS ANGELES, CAL. (COLORED).																			
	All causes	365	64	9	5	2	3	7	18	57	55	59	40	36	8	1		1	
1	Typhoid fever	5							2	1	2								
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	1	1																
6	Scarlet fever																		
7	Whooping cough	3	2	1															
8	Diphtheria and croup	1		1															
9	Influenza	3								1	1			1					
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	2								1		1							
13	Tuberculosis of the lungs	94	2				1	2	7	32	20	18	7	5					
14	Tuberculous meningitis	11	5	2		1					1	2							
15	Other forms of tuberculosis	6		1							3	1	1						
16	Cancer and other malignant tumors	9								1		6	1	1					
17	Meningitis	13	5	1	1	1		3	1	1									
18	Cerebral hemorrhage and softening	8										1	2	2	3				
19	Organic diseases of the heart	32								2	7	6	6	9	2				
20	Acute bronchitis	1	1																
21	Chronic bronchitis																		
22	Pneumonia	19	4	1			1			1	5	1	2	3				1	
23a	Bronchopneumonia	8	6	1										1					
23b	Other diseases of the respiratory system	2									1			1					
24	Diseases of the stomach	5	1				1			1		1		1					
25(37)	Diarrhea and enteritis	19	14								1	3		1					
26	Appendicitis and typhlitis	5								2		2	1						
27	Hernia, intestinal obstruction	3								1	1	1							
28	Cirrhosis of the liver	3											3						
29	Acute nephritis and Bright's disease	22		1						1	1	7	8	4					
30	Diseases of the female genital organs	4								2		1	1						
31	Puerperal fever	4							1	1	1	1							
32	Other puerperal affections	2								2									
33	Congenital debility and malformations	17	17																
34	Senility																		
35	Violent deaths (excluding suicide)	24			3				6	3	5	4		2	1				
36	Suicide	3								2	1								
(37)	Other defined diseases	36	6		1			2	1	2	5	3	8	5	2	1			
38	Diseases ill-defined or unknown																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
OAKLAND, CAL.																			
	All causes	2,197	264	34	15	14	14	41	62	148	204	229	302	360	309	181	19	1	
1	Typhoid fever	21							2	9	5	1	3	1					
2	Typhus fever																		
3	Malaria	1											1						
4	Smallpox																		
5	Measles																		
6	Scarlet fever	2						1		1									
7	Whooping cough	2	1	1															
8	Diphtheria and croup	24	2	3	4	1	4	8	1					1					
9	Influenza	9										1	2	2	2	1	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	5										1	1		1	2			
13	Tuberculosis of the lungs	187	2	3		1		1	16	37	51	30	25	16	4	1			
14	Tuberculous meningitis	19	5	4	3		1	3	3										
15	Other forms of tuberculosis	21		2		1		1	2	4	4	3	2	2					
16	Cancer and other malignant tumors	202							1		9	31	49	66	41	4	1		
17	Meningitis	12	1	4		1	1	1					4						
18	Cerebral hemorrhage and softening	146									5	15	17	43	38	26	2		
19	Organic diseases of the heart	331						1	3	6	17	24	58	80	86	47	9		
20	Acute bronchitis	8	2	1				1							3	1			
21	Chronic bronchitis	10	1										2	3	2	2			
22	Pneumonia	131	21	3	2	2		2		8	15	13	20	18	16	9	2		
23a	Bronchopneumonia	78	29	5	1	2	4	2	2	1	1	2	4	3	10	12			
23b	Other diseases of the respiratory system	20	2						1	1	1	3	2	4	2	4			
24	Diseases of the stomach	26	4							1	2	4	5	4	4	2			
25(37)	Diarrhea and enteritis	71	57	4			1				1	3	1	2	2				
26	Appendicitis and typhlitis	33						3	6	7	5	4	5	1	2				
27	Hernia, intestinal obstruction	24	2					1		2	4	1	3	6	1	4			
28	Cirrhosis of the liver	30								1	6	6	7	7	3				
29	Acute nephritis and Bright's disease	168	1		1		2		3	6	14	22	32	25	39	21	2		
30	Diseases of the female genital organs	22								6	5	8	1	1	1				
31	Puerperal fever	15							3	7	4	1							
32	Other puerperal affections	12							3	7	2								
33	Congenital debility and malformations	105	103		1	1													
34	Senility	20													4	13	2	1	
35	Violent deaths (excluding suicide)	127	2		2	4	1	8	6	17	24	15	19	13	8	8			
36	Suicide	56							2	14	12	8	9	8	2	1			
(37)	Other defined diseases	258	29	4	1	1		8	8	13	17	33	30	54	37	23			
38	Diseases ill-defined or unknown	1													1				
SAN FRANCISCO, CAL. (TOTAL).																			
	All causes	7,002	632	120	67	53	39	91	165	585	846	1,043	1,035	1,080	816	391	37	2	
1	Typhoid fever	71	1				1	2	11	23	18	6	6	2	1				
2	Typhus fever																		
3	Malaria	5						1		1	3								
4	Smallpox																		
5	Measles	8	2	2	3	1													
6	Scarlet fever	18		1	4	2	4	6	1										
7	Whooping cough	16	9	3	4														
8	Diphtheria and croup	29		1	5	7	5	7	2		1			1					
9	Influenza	21	1		1			2	1	1	3	3	2	3	1	3			
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	25	6						1	1	3	4	2	4	2	1	1		
13	Tuberculosis of the lungs	718	5	4	4	1	1	4	29	169	192	166	85	47	10	1			
14	Tuberculous meningitis	88	20	15	10	11	5	11	3	5	4	3		1					
15	Other forms of tuberculosis	78	11	1	4	5	3	3	4	15	16	9	6		1				
16	Cancer and other malignant tumors	578		1		1	1	3	4	17	49	114	145	137	83	22	1		
17	Meningitis	47	8	10	3	2		4	4	3	5	4	2	2					
18	Cerebral hemorrhage and softening	335	2						1	2	3	43	68	96	87	28	5		
19	Organic diseases of the heart	1,046	9	1	1	1		6	8	26	63	132	174	268	224	118	14	1	
20	Acute bronchitis	34	10	2	2	2	1				1		2	2	5	6	1		
21	Chronic bronchitis	40	1			1				2		2	3	7	15	9			
22	Pneumonia	352	39	9	3	3	1	2	9	28	58	54	58	46	35	7			
23a	Bronchopneumonia	242	60	19	4	2	3	8	2	4	24	34	25	25	22	9	1		
23b	Other diseases of the respiratory system	64	2	2				1	4	1	8	11	10	9	10	6			
24	Diseases of the stomach	62	9	2	2			2		4	10	10	10	9	3	1			
25(37)	Diarrhea and enteritis	178	121	19	7	3	2	3		3	3	4	2	4	3	4			
26	Appendicitis and typhlitis	94	1			1	2	2	8	25	16	16	17	4	1	1			
27	Hernia, intestinal obstruction	56	10	1	1				1	3	2	9	10	9	5	5			
28	Cirrhosis of the liver	143							1	5	15	33	46	31	9	3			
29	Acute nephritis and Bright's disease	532	5	1				1	6	24	52	92	101	129	88	32	1		
30	Diseases of the female genital organs	49								8	12	20	5	2	2				
31	Puerperal fever	23							1	17	2	3							
32	Other puerperal affections	48							5	25	15	3							
33	Congenital debility and malformations	206	198	3	1	1			3										
34	Senility	59												2	22	32	2	1	
35	Violent deaths (excluding suicide)	457	5	5	5	4	4	10	26	82	90	77	64	50	23	9	3		
36	Suicide	220							2	36	62	48	35	28	8	1			
(37)	Other defined diseases	1,055	97	15	3	5	6	13	28	55	116	143	157	161	156	93	7		
38	Diseases ill-defined or unknown	4		3													1		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SAN FRANCISCO, CAL. (WHITE).																			
	All causes	6,665	603	113	64	50	37	82	164	550	794	980	967	1,027	806	389	37	2	
1	Typhoid fever	66	1				1	2	11	21	16	5	6	2	1				
2	Typhus fever																		
3	Malaria	4						1		1	2								
4	Smallpox																		
5	Measles	8	2	2	3	1													
6	Scarlet fever	18		1	4	2	4	6	1										
7	Whooping cough	16	9	3	4														
8	Diphtheria and croup	29		1	5	7	5	7	2		1			1					
9	Influenza	20	1		1			1	1	1	3	3	2	3	1	3			
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	25	6						1	1	3	4	2	4	2	1	1		
13	Tuberculosis of the lungs	639	5	4	4		3	29	154	173	153	69	36	8	1				
14	Tuberculous meningitis	80	19	13	9	10	5	9	3	5	4	2	1						
15	Other forms of tuberculosis	75	11	1	4	5	3	3	4	15	13	9	6		1				
16	Cancer and other malignant tumors	560		1		1	1	3	4	15	46	110	140	133	83	22	1		
17	Meningitis	46	8	10	3	2		3	4	3	5	4	2	2					
18	Cerebral hemorrhage and softening	317	2						1	2	2	41	65	87	84	28	5		
19	Organic diseases of the heart	1,010	9		1	1		6	8	25	61	124	167	254	221	118	14	1	
20	Acute bronchitis	29	9		2	1	1				1		1	2	5	6	1		
21	Chronic bronchitis	39	1			1				2		2	2	7	15	9			
22	Pneumonia	334	34	9	2	3	1	2	8	24	56	51	56	46	35	7			
23a	Bronchopneumonia	235	56	19	4	2	3	7	2	4	23	34	24	25	22	9	1		
23b	Other diseases of the respiratory system	63	2	2				1	4	1	8	11	9	9	10	6			
24	Diseases of the stomach	60	9	2	2			1		3	10	10	10	9	3	1			
25(37)	Diarrhea and enteritis	170	117	18	6	3	2	3		3	3	4	1	3	3	4			
26	Appendicitis and typhlitis	91	1			1	2	2	8	24	14	16	17	4	1	1			
27	Hernia, intestinal obstruction	52	9	1	1				1	2	2	8	9	9	5	5			
28	Cirrhosis of the liver	138							1	5	15	30	45	30	9	3			
29	Acute nephritis and Bright's disease	511	5	1				1	6	23	52	82	94	126	88	32	1		
30	Diseases of the female genital organs	48								8	12	19	5	2	2				
31	Puerperal fever	23							1	17	2	3							
32	Other puerperal affections	44							5	22	14	3							
33	Congenital debility and malformations	196	188	3	1	1			3										
34	Senility	58												2	21	32	2	1	
35	Violent deaths (excluding suicide)	433	5	4	5	4	3	8	26	79	84	71	59	50	23	9	3		
36	Suicide	212							2	35	58	46	35	27	8	1			
(37)	Other defined diseases	1,011	94	15	3	5	6	13	28	55	111	135	141	152	155	91	7		
38	Diseases ill-defined or unknown	4		3													1		
SAN FRANCISCO, CAL. (COLORED).																			
	All causes	337	29	7	3	3	2	9	1	35	52	63	68	53	10	2			
1	Typhoid fever	5								2	2	1							
2	Typhus fever																		
3	Malaria	1									1								
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough																		
8	Diphtheria and croup																		
9	Influenza	1						1											
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases																		
13	Tuberculosis of the lungs	79				1	1	1		15	19	13	16	11	2				
14	Tuberculous meningitis	8	1	2	1	1		2				1							
15	Other forms of tuberculosis	3									3								
16	Cancer and other malignant tumors	18								2	3	4	5	4					
17	Meningitis	1						1											
18	Cerebral hemorrhage and softening	18									1	2	3	9	3				
19	Organic diseases of the heart	36		1						1	2	8	7	14	3				
20	Acute bronchitis	5	1	2		1							1						
21	Chronic bronchitis	1											1						
22	Pneumonia	18	5		1				1	4	2	3	2						
23a	Bronchopneumonia	7	4					1			1		1						
23b	Other diseases of the respiratory system	1											1						
24	Diseases of the stomach	2						1		1									
25(37)	Diarrhea and enteritis	8	4	1	1								1	1					
26	Appendicitis and typhlitis	3								1	2								
27	Hernia, intestinal obstruction	4	1							1		1	1						
28	Cirrhosis of the liver	5										3	1	1					
29	Acute nephritis and Bright's disease	21								1		10	7	3					
30	Diseases of the female genital organs	1										1							
31	Puerperal fever																		
32	Other puerperal affections	4								3	1								
33	Congenital debility and malformations	10	10																
34	Senility	1													1				
35	Violent deaths (excluding suicide)	24		1			1	2		3	6	6	5						
36	Suicide	8								1	4	2		1					
(37)	Other defined diseases	44	3								5	8	16	9	1	2			
38	Diseases ill-defined or unknown																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
DENVER, COLO.																			
	All causes	3,261	365	71	27	24	19	54	125	376	412	423	437	435	333	140	16	3	1
1	Typhoid fever	32			1	1		2	7	7	3	5	3	2	1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	10	4	5				1											
6	Scarlet fever	53	3	4	6	6	7	15	10	2									
7	Whooping cough	13	9	1				2	1										
8	Diphtheria and croup	19		1	2	2	3	4	2		2	2		1					
9	Influenza	6									1		1	1	3				
10	Asiatic cholera																		
11	Cholera nostras	2	1																
12	Other epidemic diseases	16	2			1					2	4	1	2	2	2			
13	Tuberculosis of the lungs	582		3					25	198	176	105	49	18	7	1			
14	Tuberculous meningitis	36	11	7	5		4	1	1	3	2		2						
15	Other forms of tuberculosis	22	1		1				4	3	6	6	1						
16	Cancer and other malignant tumors	197	2			1			1	4	9	42	60	48	22	7			1
17	Meningitis	27	6	5			1	1	5	2	2	1	2	2					
18	Cerebral hemorrhage and softening	134						1			5	10	30	40	41	7			
19	Organic diseases of the heart	266	2					5	16	20	26	34	47	52	49	14	1		
20	Acute bronchitis	13	7	2				1							2	1			
21	Chronic bronchitis	10									1	1	1	1	2	4			
22	Pneumonia	179	14	5	2		1	4	5	13	13	26	27	40	24	5			
23a	Bronchopneumonia	81	28	6	1	2		1		3	2	5	5	7	12	6	1	2	
23b	Other diseases of the respiratory system	42	3		1					3	3	4	8	8	9	3			
24	Diseases of the stomach	33	4							1	6	6	4	7	4	1			
25(37)	Diarrhea and enteritis	83	49	16	3	2		1		3	2	1	1	3	2				
26	Appendicitis and typhlitis	45					1	2	5	7	7	11	5	6	1				
27	Hernia, intestinal obstruction	41	5					1	2	4	7	6	6	6	2	1	1		
28	Cirrhosis of the liver	28								2	5	4	4	10	3				
29	Acute nephritis and Bright's disease	279	2	2	2			1	3	14	23	37	57	69	55	14			
30	Diseases of the female genital organs	22							1	4	9	5	1	2					
31	Puerperal fever	17							2	6	7	2							
32	Other puerperal affections	24							1	6	14	3							
33	Congenital debility and malformations	173	171	1		1													
34	Senility	99												8	36	44	10	1	
35	Violent deaths (excluding suicide)	143	4	3	1	3	1	6	14	27	21	20	19	17	4	2	1		
36	Suicide	76							4	22	17	13	14	5	1				
(37)	Other defined diseases	450	36	6	2	4	1	5	16	21	41	70	89	78	51	28	2		
38	Diseases ill-defined or unknown	8	1	4		1						1		1					
BRIDGEPORT, CONN.																			
	All causes	1,668	400	84	40	19	11	47	53	115	130	166	182	202	151	58	8		2
1	Typhoid fever	7								2	2	3							
2	Typhus fever																		
3	Malaria	1										1							
4	Smallpox																		
5	Measles	15	4	8	1		1	1											
6	Scarlet fever	30		3	2	3	2	14	3	1	1	1							
7	Whooping cough	8	3	2	1	1		1											
8	Diphtheria and croup	23	3	6	3	3	1	6		1									
9	Influenza	8	2					1				2		1	1	1			
10	Asiatic cholera																		
11	Cholera nostras	2	2																
12	Other epidemic diseases	8								1	1	3	1	1	1				
13	Tuberculosis of the lungs	94	2	1		1		1	6	30	21	19	8	4	1				
14	Tuberculous meningitis	11	1	2	3			1	1	2	1								
15	Other forms of tuberculosis	11	1	1	1	1		2		1	1	1	2						
16	Cancer and other malignant tumors	84		1	1						4	14	20	33	8	3			
17	Meningitis	15	2	4		1	2	1	2	2	1								
18	Cerebral hemorrhage and softening	67						1			4	4	21	19	10	5	2		1
19	Organic diseases of the heart	141				1			6	4	9	12	21	33	41	14			
20	Acute bronchitis	8	7		1														
21	Chronic bronchitis	4									1				3				
22	Pneumonia	145	21	11	6	2	1	1	2	8	20	16	18	22	12	4	1		
23a	Bronchopneumonia	62	34	11	7	1					1			3	5				
23b	Other diseases of the respiratory system	13	2					1		2	1	2	3	2					
24	Diseases of the stomach	18	6	1				1			3		2	3	1	1			
25(37)	Diarrhea and enteritis	157	124	23	3	1				1		1	1	2		1			
26	Appendicitis and typhlitis	14			1	1		1	3	3	1	2	1	1					
27	Hernia, intestinal obstruction	14		1	1			1	1	1	2	2		2	1	2			
28	Cirrhosis of the liver	17	1							1	1	5	7	2					
29	Acute nephritis and Bright's disease	179	1		2	2		5	5	8	14	28	34	36	34	8	2		
30	Diseases of the female genital organs	5								1	2	1			1				
31	Puerperal fever	6								5	1								
32	Other puerperal affections	8								4	4								
33	Congenital debility and malformations	137	131	5	1														
34	Senility	8													1	5	2		
35	Violent deaths (excluding suicide)	105	1	2	2	1	4	3	12	17	15	18	14	7	4	4			1
36	Suicide	16							2	8		3	1	1	1				
(37)	Other defined diseases	225	52	2	4			5	10	12	19	27	27	30	26	10	1		
38	Diseases ill-defined or unknown	2										1	1						

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW HAVEN, CONN.																			
	All causes	2,253	381	93	29	23	17	52	82	127	183	260	258	296	301	133	17	1	
1	Typhoid fever	18						2	3	1	7	4		1					
2	Typhus fever																		
3	Malaria	1										1							
4	Smallpox																		
5	Measles	2	1				1												
6	Scarlet fever	12		3		3	3	3											
7	Whooping cough	11	8	2		1													
8	Diphtheria and croup	23		7	4	4	3	4	1										
9	Influenza	16	1							1	1	1	3	4	5				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	11	1		1		1					1		3	3	1			
13	Tuberculosis of the lungs	160	4	6	1	2		2	18	41	31	37	11	1	5	1			
14	Tuberculous meningitis	25	7	7	3	1	1	5	1										
15	Other forms of tuberculosis	13		1	1		1	1	2	2	1	2	2						
16	Cancer and other malignant tumors	136	1					1		3	9	27	26	35	24	10			
17	Meningitis	24	7	5	2	2	2		2			2		2					
18	Cerebral hemorrhage and softening	137						1			6	4	29	37	39	19	2		
19	Organic diseases of the heart	249	1			1		2	7	9	14	23	39	55	68	28	2		
20	Acute bronchitis	21	14		1						1		1	1	1	1	1		
21	Chronic bronchitis	19	1					1					3	4	7	2	1		
22	Pneumonia	185	29	16	5	1	2	3	7	8	15	20	20	34	17	7	1		
23a	Bronchopneumonia	82	42	16	4	2		1	1				1	3	4	8			
23b	Other diseases of the respiratory system	35	1	2			1		1		5	7	2	6	6	3	1		
24	Diseases of the stomach	17	2	1					1	1	1	3		6	1	1			
25(37)	Diarrhea and enteritis	90	68	13		1		1			1	1	1		4				
26	Appendicitis and typhlitis	14					1		1	1	6	2	2	1					
27	Hernia, intestinal obstruction	16	2						2		3	1	1	3	4				
28	Cirrhosis of the liver	13									1	3	5	1	3				
29	Acute nephritis and Bright's disease	183						2	3	3	16	32	36	42	31	18			
30	Diseases of the female genital organs	14								1	6	6		1					
31	Puerperal fever	8							1	4	3								
32	Other puerperal affections	23							3	6	12	2							
33	Congenital debility and malformations	127	124	1			1	1											
34	Senility	21												1	8	8	4		
35	Violent deaths (excluding suicide)	143	4	7	3	4		11	13	25	13	25	19	5	8	6			
36	Suicide	29								6	7	6	5	3	2				
(37)	Other defined diseases	346	55	5	3	1		11	15	13	22	44	50	43	59	19	5	1	
38	Diseases ill-defined or unknown	29	8	1	1					2	2	6	2	4	2	1			
WASHINGTON, D. C. (TOTAL).																			
	All causes	6,006	828	144	75	58	25	92	210	504	648	703	698	825	795	334	53	14	
1	Typhoid fever	57	1		2			4	13	17	11	4	3	2					
2	Typhus fever																		
3	Malaria	8						1	3	1			1		1	1			
4	Smallpox																		
5	Measles	27	7	8	6	3		1	1				1						
6	Scarlet fever	14	1	1	2	2		2	3	3									
7	Whooping cough	17	7	4		3	1	1	1										
8	Diphtheria and croup	27	1	4	3	5	3	8	1			1	1						
9	Influenza	45		1	1				1	4	3	8	9	5	11	2			
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	10							1			2	1		4	2			
13	Tuberculosis of the lungs	720	1	4	5	1		5	61	200	188	131	59	38	24	3			
14	Tuberculous meningitis	34	6	6		7	3	4	2	5	1								
15	Other forms of tuberculosis	68	4	1	3			5	11	11	17	7	3	4	1	1			
16	Cancer and other malignant tumors	362			1	2		2	5	6	27	66	84	79	67	21	2		
17	Meningitis	24	3	6	1	2		4	3	4				1					
18	Cerebral hemorrhage and softening	387	1						2	3	15	48	75	101	95	39	8		
19	Organic diseases of the heart	764	1					3	7	22	59	86	105	195	205	68	9	4	
20	Acute bronchitis	44	20	5	4				2	1	1	4		4		2	1		
21	Chronic bronchitis	41		1				1	1		1	2	1	10	10	11	1	2	
22	Pneumonia	297	51	22	11	5	1	7	8	24	31	28	37	26	29	12	4	1	
23a	Bronchopneumonia	155	55	25	8	8	3	3	1	6	5	5	11	6	12	5	1	1	
23b	Other diseases of the respiratory system	78	8		3	1	2		1	7	6	14	12	11	9	4			
24	Diseases of the stomach	114	8			1			1	5	17	23	19	20	11	8	1		
25(37)	Diarrhea and enteritis	267	188	28	9	3		3		4	6	5	2	7	10	2			
26	Appendicitis and typhlitis	42						3	6	7	12	5	4	3	2				
27	Hernia, intestinal obstruction	53	2			1	1	1	5	4	9	5	7	6	8	2	2		
28	Cirrhosis of the liver	39								1	3	8	17	8	2				
29	Acute nephritis and Bright's disease	493	7	1	1	4		3	8	14	54	69	85	113	105	28	1		
30	Diseases of the female genital organs	35								11	8	11	3	1	1				
31	Puerperal fever	24							4	12	7	1							
32	Other puerperal affections	39							4	17	13	5							
33	Congenital debility and malformations	317	315	1	1														
34	Senility	133												15	45	54	15	4	
35	Violent deaths (excluding suicide)	261	13	6	7	6	3	19	23	49	30	32	21	20	18	13	1		
36	Suicide	72							1	16	24	15	9	3	4				
(37)	Other defined diseases	924	127	13	6	3	7	11	30	50	100	118	128	146	120	56	7	2	
38	Diseases ill-defined or unknown	13	1	7	1	1	1	1							1				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
WASHINGTON, D. C. (WHITE).																			
	All causes	3,569	399	72	38	26	14	49	104	217	327	374	414	576	641	279	38	1	
1	Typhoid fever	35	1		1			3	10	10	6	1	1	2					
2	Typhus fever																		
3	Malaria	5						1		1			1		1	1			
4	Smallpox																		
5	Measles	19	5	7	4	2							1						
6	Scarlet fever	13	1	1	2	1		2	3	3									
7	Whooping cough	3	1			1			1										
8	Diphtheria and croup	23	1	4	3	4	3	7	1										
9	Influenza	26		1	1						2	4	4	4	8	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	7										1			4	2			
13	Tuberculosis of the lungs	334		1					16	71	97	63	40	22	21	3			
14	Tuberculous meningitis	14	1	4		3	1	1	2	2									
15	Other forms of tuberculosis	27	1	1	1			1	4	2	6	5	3	1	1	1			
16	Cancer and other malignant tumors	286			1	1		2	4	5	20	47	61	66	60	17	2		
17	Meningitis	19	3	6		2		2	3	2				1					
18	Cerebral hemorrhage and softening	255	1						2		5	25	41	69	74	34	4		
19	Organic diseases of the heart	493	1					1	4	9	22	39	57	134	159	58	8	1	
20	Acute bronchitis	13	6		1							1		2		2	1		
21	Chronic bronchitis	33		1					1			1	1	9	10	9	1		
22	Pneumonia	123	12	10	6	2		2	1	4	11	5	21	16	20	11	2		
23a	Bronchopneumonia	63	21	8	2	3	1				2	2	3	4	11	5	1		
23b	Other diseases of the respiratory system	29	3		2		2		1	2	1	7	2	1	6	2			
24	Diseases of the stomach	60	3						1	3	1	11	8	13	7	6	1		
25(37)	Diarrhea and enteritis	122	80	13	4	1				2	2	3	1	6	8	2			
26	Appendicitis and typhlitis	33						2	4	5	12	3	3	2	2				
27	Hernia, intestinal obstruction	35	1			1	1	1	3	1	7	2	5	3	6	2	2		
28	Cirrhosis of the liver	30								1	2	5	13	7	2				
29	Acute nephritis and Bright's disease	293	4					2	4	7	21	39	49	68	77	21	1		
30	Diseases of the female genital organs	15								4	3	6	1		1				
31	Puerperal fever	13							1	7	5								
32	Other puerperal affections	19								9	8	2							
33	Congenital debility and malformations	183	181	1	1														
34	Senility	92												8	34	42	8		
35	Violent deaths (excluding suicide)	166	6	4	6	4	2	14	15	28	14	18	11	16	16	11	1		
36	Suicide	64							1	11	23	13	9	3	4				
(37)	Other defined diseases	618	65	5	3	1	4	8	22	28	51	71	78	119	109	48	6		
38	Diseases ill-defined or unknown	6	1	5															
WASHINGTON, D. C. (COLORED).																			
	All causes	2,437	429	72	37	32	11	43	106	287	321	329	284	249	154	55	15	13	
1	Typhoid fever	22			1			1	3	7	5	3	2						
2	Typhus fever																		
3	Malaria	3							3										
4	Smallpox																		
5	Measles	8	2	1	2	1		1	1										
6	Scarlet fever	1				1													
7	Whooping cough	14	6	4		2	1	1											
8	Diphtheria and croup	4				1		1				1	1						
9	Influenza	19							1	4	1	4	5	1	3				
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	3							1			1	1						
13	Tuberculosis of the lungs	386	1	3	5	1		5	45	129	91	68	19	16	3				
14	Tuberculous meningitis	20	5	2		4	2	3		3	1								
15	Other forms of tuberculosis	41	3		2			4	7	9	11	2		3					
16	Cancer and other malignant tumors	76				1			1	1	7	19	23	13	7	4			
17	Meningitis	5			1			2		2									
18	Cerebral hemorrhage and softening	132								3	10	23	34	32	21	5	4		
19	Organic diseases of the heart	271						2	3	13	37	47	48	61	46	10	1	3	
20	Acute bronchitis	31	14	5	3				2	1	1	3		2					
21	Chronic bronchitis	8						1			1	1		1		2		2	
22	Pneumonia	174	39	12	5	3	1	5	7	20	20	23	16	10	9	1	2	1	
23a	Bronchopneumonia	92	34	17	6	5	2	3	1	6	3	3	8	2	1			1	
23b	Other diseases of the respiratory system	49	5		1	1				5	5	7	10	10	3	2			
24	Diseases of the stomach	54	5			1				2	10	12	11	7	4	2			
25(37)	Diarrhea and enteritis	145	108	15	5	2		3		2	4	2	1	1	2				
26	Appendicitis and typhlitis	9						1	2	2		2	1	1					
27	Hernia, intestinal obstruction	18	1						2	3	2	3	2	3	2				
28	Cirrhosis of the liver	9									1	3	4	1					
29	Acute nephritis and Bright's disease	200	3	1	1	4		1	4	7	33	30	36	45	28	7			
30	Diseases of the female genital organs	20								7	5	5	2	1					
31	Puerperal fever	11							3	5	2	1							
32	Other puerperal affections	20							4	8	5	3							
33	Congenital debility and malformations	134	134																
34	Senility	41												7	11	12	7	4	
35	Violent deaths (excluding suicide)	95	7	2	1	2	1	5	8	21	16	14	10	4	2	2			
36	Suicide	8								5	1	2							
(37)	Other defined diseases	306	62	8	3	2	3	3	8	22	49	47	50	27	11	8	1	2	
38	Diseases ill-defined or unknown	7		2	1	1	1	1							1				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ATLANTA, GA. (TOTAL).																		
	All causes	3,027	485	120	65	31	26	62	177	403	399	339	367	273	184	81	11	4	
1	Typhoid fever	38		1	1		2	6	9	8	3	5	2	1					
2	Typhus fever	1										1							
3	Malaria	12	1			1		1	1	1	1	2	2	1	1				
4	Smallpox	1															1		
5	Measles	9		4	3	1		1											
6	Scarlet fever																		
7	Whooping cough	31	17	6	3	2	1	2											
8	Diphtheria and croup	23	4	2	7	1	4	4	1										
9	Influenza	34			2				2	4	5	5	3	5	5	3			
10	Asiatic cholera																		
11	Cholera nostras	1										1							
12	Other epidemic diseases	30	5	11				1			2	3	4	2	1	1			
13	Tuberculosis of the lungs	236		1	1			1	35	82	68	23	16	5	4				
14	Tuberculous meningitis	10		3					3	3	1								
15	Other forms of tuberculosis	17							2	7	5	2			1				
16	Cancer and other malignant tumors	117			1		1		2	6	19	20	29	25	11	3			
17	Meningitis	68	4	2	1	3	3	8	15	14	7	4	7						
18	Cerebral hemorrhage and softening	138	1		1			1	5	8	11	20	37	25	18	10	1		
19	Organic diseases of the heart	182	3						7	18	20	32	34	38	25	5			
20	Acute bronchitis	5	3							2									
21	Chronic bronchitis	12								2	3	4		2	1				
22	Pneumonia	213	48	18	2	5	3	7	9	37	23	20	18	13	6	3		1	
23a	Bronchopneumonia	65	26	12	7			2	2	2	2	1	5	2	2	1	1		
23b	Other diseases of the respiratory system	40	5	1			1			8	2	6	7	3	4	3			
24	Diseases of the stomach	100	10	3	2	3	1	3	5	15	11	11	14	16	3	3			
25(37)	Diarrhea and enteritis	184	91	37	19	1		2	5	5	6	4	5	3	5	1			
26	Appendicitis and typhlitis	41						4	6	12	10	4	5						
27	Hernia, intestinal obstruction	28	3		1		2		6	4	5	3	2	1		1			
28	Cirrhosis of the liver	18							1		2	4	7	3	1				
29	Acute nephritis and Bright's disease	305	4	3		1			3	26	37	54	66	62	37	11	1		
30	Diseases of the female genital organs	29								5	10	11	2		1				
31	Puerperal fever	29							2	21	6								
32	Other puerperal affections	33							3	17	12	1							
33	Congenital debility and malformations	177	177																
34	Senility	31												6	6	15	3	1	
35	Violent deaths (excluding suicide)	197	17	2	7	5	4	9	23	41	42	15	17	4	5	4	1	1	
36	Suicide	24							1	4	8	6	3	1	1				
(37)	Other defined diseases	502	60	9	6	5	3	9	28	50	72	72	75	48	45	16	3	1	
38	Diseases ill-defined or unknown	46	6	5	1	3	1	1	1	1	6	5	7	7	1	1			
ATLANTA, GA. (WHITE).																			
	All causes	1,557	262	64	33	13	13	32	67	153	190	142	183	188	152	62	3		
1	Typhoid fever	21		1			1	3	2	6	1	4	2	1					
2	Typhus fever	1										1							
3	Malaria	7				1		1		1	1		1	1	1				
4	Smallpox																		
5	Measles	7		3	3			1											
6	Scarlet fever																		
7	Whooping cough	12	7	4		1													
8	Diphtheria and croup	18	2	2	6		4	3	1										
9	Influenza	14							1		2			3	5	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	13	1	7				1				1	1		1	1			
13	Tuberculosis of the lungs	106			1				8	34	34	10	12	4	3				
14	Tuberculous meningitis	4		2					1	1									
15	Other forms of tuberculosis	7								2	3	1			1				
16	Cancer and other malignant tumors	89			1		1		2	4	11	15	20	21	11	3			
17	Meningitis	24	3	2	1		1	1	4	5	3	2	2						
18	Cerebral hemorrhage and softening	73	1		1			1	1	2	2	9	15	19	15	6	1		
19	Organic diseases of the heart	95	2						1	5	11	9	18	25	19	5			
20	Acute bronchitis	1	1																
21	Chronic bronchitis	3										1	1		1				
22	Pneumonia	58	14	4		2	1	2	1	8	3	3	5	6	6	3			
23a	Bronchopneumonia	30	18	3	2								4		2	1			
23b	Other diseases of the respiratory system	21	4							2	1	2	4	2	3	3			
24	Diseases of the stomach	34	1	1		1			2	3	4	2	6	10	2	2			
25(37)	Diarrhea and enteritis	96	49	22	9			2	2	1	1	2	3	3	1	1			
26	Appendicitis and typhlitis	31						4	6	8	8	3	2						
27	Hernia, intestinal obstruction	18	3		1		1		4	2	4	2				1			
28	Cirrhosis of the liver	10									2	2	3	3					
29	Acute nephritis and Bright's disease	172	2	2		1			2	12	15	23	32	44	29	10			
30	Diseases of the female genital organs	20								4	7	6	2		1				
31	Puerperal fever	15							1	9	5								
32	Other puerperal affections	21							1	11	8	1							
33	Congenital debility and malformations	110	110																
34	Senility	23												4	6	12	1		
35	Violent deaths (excluding suicide)	93	7		4	2	1	7	16	11	16	6	10	4	4	4	1		
36	Suicide	17								2	4	6	3	1	1				
(37)	Other defined diseases	276	36	8	4	3	3	5	11	20	41	29	37	33	39	7			
38	Diseases ill-defined or unknown	17	1	3		2		1			2	2	1	4	1				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ATLANTA, GA. (COLORED).																			
	All causes	1,470	223	56	32	18	13	30	110	250	209	197	184	85	32	19	8	4	.....
1	Typhoid fever	17	.....	.....	1	.....	1	3	7	2	2	1	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	5	1	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....
4	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
5	Measles	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	19	10	2	3	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	5	2	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	20	.....	.....	2	.....	.....	.....	1	4	3	5	3	2	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	17	4	4	.....	.....	.....	.....	.....	.....	2	2	3	2	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	130	.....	1	.....	.....	.....	1	27	48	34	13	4	1	1	.....	.....	.....	.....
14	Tuberculous meningitis	6	.....	1	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	10	.....	.....	.....	.....	.....	.....	2	5	2	1	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	28	.....	.....	.....	.....	.....	.....	.....	2	8	5	9	4	.....	.....	.....	.....	.....
17	Meningitis	44	1	.....	.....	3	2	7	11	9	4	2	5	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	65	.....	.....	.....	.....	.....	.....	4	6	9	11	22	6	3	4	.....	.....	.....
19	Organic diseases of the heart	87	1	.....	.....	.....	.....	.....	6	13	9	23	16	13	6	.....	.....	.....	.....
20	Acute bronchitis	4	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	9	.....	.....	.....	.....	.....	.....	.....	2	2	3	.....	2	.....	.....	.....	.....	.....
22	Pneumonia	155	34	14	2	3	2	5	8	29	20	17	13	7	.....	.....	.....	1	.....
23a	Bronchopneumonia	35	8	9	5	.....	.....	2	2	2	2	1	1	2	.....	.....	1	.....	.....
23b	Other diseases of the respiratory system	19	1	1	.....	.....	1	.....	.....	6	1	4	3	1	1	.....	.....	.....	.....
24	Diseases of the stomach	66	9	2	2	2	1	3	3	12	7	9	8	6	1	1	.....	.....	.....
25(37)	Diarrhea and enteritis	88	42	15	10	1	.....	.....	3	4	5	2	2	.....	4	.....	.....	.....	.....
26	Appendicitis and typhlitis	10	.....	.....	.....	.....	.....	.....	.....	4	2	1	3	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	10	.....	.....	.....	.....	1	.....	2	2	1	1	2	1	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	8	.....	.....	.....	.....	.....	.....	1	.....	.....	2	4	.....	1	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	133	2	1	.....	.....	.....	.....	1	14	22	31	34	18	8	1	1	.....	.....
30	Diseases of the female genital organs	9	.....	.....	.....	.....	.....	.....	.....	1	3	5	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	14	.....	.....	.....	.....	.....	.....	1	12	1	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	12	.....	.....	.....	.....	.....	.....	2	6	4	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	67	67	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	3	2	1	.....
35	Violent deaths (excluding suicide)	104	10	2	3	3	3	2	7	30	26	9	7	.....	1	.....	.....	1	.....
36	Suicide	7	.....	.....	.....	.....	.....	.....	1	2	4	.....	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	226	24	1	2	2	.....	4	17	30	31	43	38	15	6	9	3	1	.....
38	Diseases ill-defined or unknown	29	5	2	1	1	1	.....	1	1	4	3	6	3	.....	1	.....	.....	.....
CHICAGO, ILL. (TOTAL).																			
	All causes	35,298	6,939	1,723	864	593	442	1,187	1,344	2,932	3,440	4,106	4,233	3,648	2,613	1,060	167	6	1
1	Typhoid fever	243	2	1	.....	1	4	6	49	85	54	22	13	6	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	3	1	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	278	66	102	38	24	12	31	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	918	35	120	145	110	101	252	105	33	10	5	2	.....	.....	.....	.....	.....	.....
7	Whooping cough	94	49	28	11	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	965	70	155	136	131	91	277	75	18	6	3	3	.....	.....	.....	.....	.....	.....
9	Influenza	101	2	7	3	.....	1	7	2	9	7	11	14	15	15	5	3	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	6	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	1	.....	.....	.....
12	Other epidemic diseases	163	51	8	2	3	.....	1	2	9	13	23	23	18	7	3	.....	.....	.....
13	Tuberculosis of the lungs	3,430	19	11	11	6	6	17	260	934	892	665	433	134	34	8	.....	.....	.....
14	Tuberculous meningitis	205	35	37	21	12	14	23	26	20	10	5	2	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	261	14	8	6	6	7	14	36	47	43	24	33	17	3	3	.....	.....	.....
16	Cancer and other malignant tumors	2,017	4	.....	4	1	4	5	13	36	153	405	553	513	262	60	4	.....	.....
17	Meningitis	176	37	16	13	16	9	23	14	19	11	11	5	1	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	1,167	3	3	.....	.....	.....	1	4	13	37	141	245	324	271	106	19	.....	.....
19	Organic diseases of the heart	3,337	11	4	5	9	8	61	124	182	285	493	591	713	568	255	27	1	.....
20	Acute bronchitis	90	50	11	7	3	5	1	1	1	1	1	2	1	3	3	.....	.....	.....
21	Chronic bronchitis	92	2	.....	1	.....	.....	1	1	3	6	4	17	14	30	12	.....	1	.....
22	Pneumonia	2,911	427	192	76	54	45	84	83	161	311	390	398	337	242	96	15	.....	.....
23a	Bronchopneumonia	1,921	909	345	153	66	29	53	16	20	36	42	61	68	81	33	9	.....	.....
23b	Other diseases of the respiratory system	222	29	6	8	6	3	12	11	15	14	19	26	29	21	20	3	.....	.....
24	Diseases of the stomach	197	18	4	2	3	.....	1	7	14	30	52	25	15	11	13	2	.....	.....
25(37)	Diarrhea and enteritis	3,658	2,801	528	99	40	16	23	11	16	13	22	23	21	27	16	2	.....	.....
26	Appendicitis and typhlitis	389	.....	3	3	3	7	33	83	90	69	46	29	17	4	2	.....	.....	.....
27	Hernia, intestinal obstruction	217	31	5	5	1	.....	9	9	16	27	26	30	26	25	6	1	.....	.....
28	Cirrhosis of the liver	527	1	1	.....	.....	.....	1	2	20	70	142	143	98	43	5	1	.....	.....
29	Acute nephritis and Bright's disease	2,697	38	27	22	16	19	37	61	142	232	439	530	518	437	157	21	1	.....
30	Diseases of the female genital organs	219	.....	.....	.....	.....	.....	.....	9	50	64	64	25	4	3	.....	.....	.....	.....
31	Puerperal fever	198	.....	.....	.....	.....	.....	.....	7	111	65	15	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	165	.....	.....	.....	.....	.....	.....	7	63	77	17	1	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	1,363	1,339	8	5	.....	2	4	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	11	13	11	1	.....
35	Violent deaths (excluding suicide)	2,123	35	48	53	48	31	98	135	382	374	348	277	163	88	35	7	.....	1
36	Suicide	517	.....	.....	.....	.....	.....	.....	15	118	115	101	103	48	12	5	.....	.....	.....
(37)	Other defined diseases	4,371	858	42	35	32	25	111	169	301	411	565	623	539	413	203	42	2	.....
38	Diseases ill-defined or unknown	14	2	3	.....	.....	.....	.....	1	2	.....	3	2	1	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CHICAGO, ILL. (WHITE).																		
	All causes	34,077	6,833	1,693	848	582	435	1,165	1,293	2,768	3,190	3,883	4,064	3,559	2,553	1,047	157	6	1
1	Typhoid fever	237	2	1	.....	.....	4	6	47	84	54	21	12	6	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	6	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	1	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	275	65	101	38	24	11	31	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	910	35	120	142	110	101	249	103	33	10	5	2	.....	.....	.....	.....	.....	.....
7	Whooping cough	91	49	26	10	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	949	69	154	135	129	89	272	72	17	6	3	3	.....	.....	.....	.....	.....	.....
9	Influenza	100	2	7	3	.....	1	7	2	9	7	10	14	15	15	5	3	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	6	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	1	.....	.....	.....
12	Other epidemic diseases	159	51	8	2	3	.....	1	2	8	13	22	21	18	7	3	.....	.....	.....
13	Tuberculosis of the lungs	3,177	18	11	11	6	6	15	240	855	811	620	413	131	32	8	.....	.....	.....
14	Tuberculous meningitis	197	34	34	20	12	13	23	26	19	9	5	2	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	239	14	7	6	4	5	14	32	42	38	23	32	16	3	3	.....	.....	.....
16	Cancer and other malignant tumors	1,954	4	.....	4	1	4	5	13	33	145	390	529	505	257	60	4	.....	.....
17	Meningitis	170	36	16	13	15	9	22	14	18	10	10	5	1	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	1,118	3	3	.....	.....	.....	1	4	12	30	131	230	315	266	105	18	.....	.....
19	Organic diseases of the heart	3,183	10	3	4	9	8	59	121	175	254	459	560	690	553	253	24	1	.....
20	Acute bronchitis	87	49	11	5	3	5	1	1	1	1	1	2	1	3	3	.....	.....	.....
21	Chronic bronchitis	91	2	.....	1	.....	.....	1	.....	3	6	4	17	14	30	12	.....	1	.....
22	Pneumonia	2,811	415	189	72	52	45	83	80	158	285	369	388	332	237	94	12	.....	.....
23a	Bronchopneumonia	1,885	896	335	153	64	29	51	15	20	36	40	57	66	81	33	9	.....	.....
23b	Other diseases of the respiratory system	217	28	6	8	6	3	12	11	15	13	19	25	28	21	19	3	.....	.....
24	Diseases of the stomach	195	18	4	2	3	.....	1	7	14	29	52	24	15	11	13	2	.....	.....
25(37)	Diarrhea and enteritis	3,617	2,772	522	98	40	16	23	11	16	11	20	22	21	27	16	2	.....	.....
26	Appendicitis and typhlitis	379	.....	3	3	3	7	32	83	87	65	45	28	17	4	2	.....	.....	.....
27	Hernia, intestinal obstruction	208	31	5	5	1	.....	9	9	14	23	25	29	25	25	6	1	.....	.....
28	Cirrhosis of the liver	510	1	1	.....	.....	.....	1	2	20	65	136	142	93	43	5	1	.....	.....
29	Acute nephritis and Bright's disease	2,587	37	26	22	16	19	37	58	139	218	411	507	504	419	153	20	1	.....
30	Diseases of the female genital organs	201	.....	.....	.....	.....	.....	.....	9	46	62	55	23	3	3	.....	.....	.....	.....
31	Puerperal fever	195	.....	.....	.....	.....	.....	.....	7	108	65	15	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections:	161	.....	.....	.....	.....	.....	.....	7	60	76	17	1	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	1,339	1,315	8	5	.....	2	4	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	11	13	11	1	.....
35	Violent deaths (excluding suicide)	2,040	35	47	51	48	31	96	131	355	350	339	273	159	83	35	6	.....	1
36	Suicide	508	.....	.....	.....	.....	.....	.....	14	116	111	101	101	48	12	5	.....	.....	.....
(37)	Other defined diseases	4,223	839	42	35	31	24	108	165	287	383	530	600	528	408	200	41	2	.....
38	Diseases ill-defined or unknown	13	2	3	.....	.....	.....	.....	1	2	.....	3	1	1	.....	.....	.....	.....	.....
CHICAGO, ILL. (COLORED).																			
	All causes	1,221	106	30	16	11	7	22	51	164	250	223	169	89	60	13	10	.....	.....
1	Typhoid fever	6	.....	.....	.....	1	.....	.....	2	1	.....	1	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	3	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	8	.....	.....	3	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	3	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	16	1	1	1	2	2	5	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	253	1	.....	.....	.....	.....	2	20	79	81	45	20	3	2	.....	.....	.....	.....
14	Tuberculous meningitis	8	1	3	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	22	.....	1	.....	2	2	.....	4	5	5	1	1	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	63	.....	.....	.....	.....	.....	.....	.....	3	8	15	24	8	5	.....	.....	.....	.....
17	Meningitis	6	1	.....	.....	1	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	49	.....	.....	.....	.....	.....	.....	.....	1	7	10	15	9	5	1	1	.....	.....
19	Organic diseases of the heart	154	1	1	1	.....	.....	2	3	7	31	34	31	23	15	2	3	.....	.....
20	Acute bronchitis	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Pneumonia	100	12	3	4	2	.....	1	3	3	26	21	10	5	5	2	3	.....	.....
23a	Bronchopneumonia	36	13	10	.....	2	.....	2	1	.....	.....	2	4	2	.....	.....	.....	.....	.....
23b	Other diseases of the respiratory system	5	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....
24	Diseases of the stomach	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	41	29	6	1	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	10	.....	.....	.....	.....	.....	1	.....	3	4	1	1	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	9	.....	.....	.....	.....	.....	.....	.....	2	4	1	1	1	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	17	.....	.....	.....	.....	.....	.....	.....	.....	5	6	1	5	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	110	1	1	.....	.....	.....	.....	3	3	14	28	23	14	18	4	1	.....	.....
30	Diseases of the female genital organs	18	.....	.....	.....	.....	.....	.....	.....	4	2	9	2	1	.....	.....	.....	.....	.....
31	Puerperal fever	3	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	4	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	24	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Violent deaths (excluding suicide)	83	.....	1	2	.....	.....	2	4	27	24	9	4	4	5	.....	1	.....	.....
36	Suicide	9	.....	.....	.....	.....	.....	.....	1	2	4	.....	2	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	148	19	.....	.....	1	1	3	4	14	28	35	23	11	5	3	1	.....	.....
38	Diseases ill-defined or unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
INDIANAPOLIS, IND. (TOTAL).																			
	All causes	3,989	518	102	46	33	20	98	161	376	441	448	548	557	422	187	30	2	
1	Typhoid fever	62		1				7	13	17	13	4	3	4					
2	Typhus fever																		
3	Malaria	4							1		2	1							
4	Smallpox																		
5	Measles	16	4		5	2		3		2									
6	Scarlet fever	13		2	1	1	2	3	3		1								
7	Whooping cough	36	17	7	5	2	1	4											
8	Diphtheria and croup	48	2	6	6	3	2	19	5	2	3								
9	Influenza	24	2	1				1	1	2	1	1	6	5	3		1		
10	Asiatic cholera																		
11	Cholera nostras	2											2						
12	Other epidemic diseases	20	3	1						2		2	4	2	2	3	1		
13	Tuberculosis of the lungs	462	8	4	1	3	1	11	48	120	108	63	57	23	14	1			
14	Tuberculous meningitis	24	2	5	2	1	3	4	2	3	1					1			
15	Other forms of tuberculosis	78	7	2	1			5	8	7	18	9	12	7	2				
16	Cancer and other malignant tumors	232				1			1	3	25	43	45	66	37	11			
17	Meningitis	17	1	1	3		1	1	4	1	1	2		2					
18	Cerebral hemorrhage and softening	220	3							2	4	27	50	67	48	15	4		
19	Organic diseases of the heart	393	6	1	1		1	3	8	14	23	46	77	100	78	31	2	2	
20	Acute bronchitis	16	6		1	1		2		1				2	1	2			
21	Chronic bronchitis	16								3				5	4	4			
22	Pneumonia	166	13	6	5	4	1	4	2	8	20	16	31	29	17	8	2		
23a	Bronchopneumonia	140	43	24	6	4		3	3	4	9	5	10	12	12	3	2		
23b	Other diseases of the respiratory system	39	2						2	3	3	5	9	6	6	3			
24	Diseases of the stomach	45	9	1					2	2	3	6	9	5	5	2	1		
25(37)	Diarrhea and enteritis	158	101	23	2	1		1	4	1	1	1	3	9	6	5			
26	Appendicitis and typhlitis	47	1					2	6	9	12	10	3	1	3				
27	Hernia, intestinal obstruction	44	4	1			1	1		1	7	5	7	9	5	3			
28	Cirrhosis of the liver	48						1		2	5	12	13	8	7				
29	Acute nephritis and Bright's disease	280	2	1	1			1	3	8	21	38	59	67	58	21			
30	Diseases of the female genital organs	52								18	16	10	7	1					
31	Puerperal fever	24								12	10	2							
32	Other puerperal affections	23							3	9	8	3							
33	Congenital debility and malformations	215	213	1						1									
34	Senility	36											1	5	11	17	2		
35	Violent deaths (excluding suicide)	270	4	4	2	5	4	10	24	57	44	35	32	20	18	7	4		
36	Suicide	76							2	22	21	9	11	9	2				
(37)	Other defined diseases	643	65	10	4	5	3	12	16	40	61	93	97	93	83	50	11		
38	Diseases ill-defined or unknown																		
INDIANAPOLIS, IND. (WHITE).																			
	All causes	3,407	430	92	40	26	20	83	120	302	352	368	468	510	392	176	28		
1	Typhoid fever	52		1				5	11	14	10	4	3	4					
2	Typhus fever																		
3	Malaria	1									1								
4	Smallpox																		
5	Measles	15	4		5	2		3		1								1	
6	Scarlet fever	12		2	1	1	2	3	2		1								
7	Whooping cough	32	14	7	4	2	1	4											
8	Diphtheria and croup	46	1	6	6	3	2	19	5	2	2								
9	Influenza	24	2	1				1	1	2	1	1	6	5	3		1		
10	Asiatic cholera																		
11	Cholera nostras	2											2						
12	Other epidemic diseases	18	2							2		2	4	2	2	3	1		
13	Tuberculosis of the lungs	348	4	3			1	5	28	93	83	52	48	19	11	1			
14	Tuberculous meningitis	23	2	5	2	1	3	3	2	3	1					1			
15	Other forms of tuberculosis	59	4	2	1			4	5	4	15	5	10	7	2				
16	Cancer and other malignant tumors	213				1			1	2	20	38	43	63	34	11			
17	Meningitis	16	1	1	3		1	1	4		1	2		2					
18	Cerebral hemorrhage and softening	194	1							2	4	23	40	60	47	13	4		
19	Organic diseases of the heart	325	5	1	1		1	3	6	10	15	31	57	92	72	30	1		
20	Acute bronchitis	13	4		1			2		1				2	1	2			
21	Chronic bronchitis	13								2				4	4	3			
22	Pneumonia	140	11	5	2	2	1	3	2	6	14	14	28	26	16	8	2		
23a	Bronchopneumonia	110	30	21	5	3		3	2	3	6	3	8	11	11	3	1		
23b	Other diseases of the respiratory system	30	2						1	3	2	2	7	5	6	2			
24	Diseases of the stomach	39	8	1					2		3	5	7	5	5	2	1		
25(37)	Diarrhea and enteritis	143	90	22	2	1		1	4	1	1		3	7	6	5			
26	Appendicitis and typhlitis	42						2	5	9	10	10	3	1	2				
27	Hernia, intestinal obstruction	36	4	1			1	1		1	5	5	6	6	4	2			
28	Cirrhosis of the liver	43						1		2	4	10	11	8	7				
29	Acute nephritis and Bright's disease	243	2	1	1			1	3	6	15	29	54	59	54	18			
30	Diseases of the female genital organs	46								15	14	9	7	1					
31	Puerperal fever	19								9	8	2							
32	Other puerperal affections	20							2	8	7	3							
33	Congenital debility and malformations	186	184	1						1									
34	Senility	35											1	5	10	17	2		
35	Violent deaths (excluding suicide)	230	4	4	2	5	4	8	18	48	35	28	28	19	16	7	4		
36	Suicide	72							2	20	19	9	11	9	2				
(37)	Other defined diseases	567	51	7	4	5	3	10	14	32	55	81	81	88	77	48	11		
38	Diseases ill-defined or unknown																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
INDIANAPOLIS, IND. (COLORED).																			
	All causes	582	88	10	6	7	.....	15	41	74	89	80	80	47	30	11	2	2	.....
1	Typhoid fever	10	.....	.....	.....	.....	.....	2	2	3	3	.....	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	4	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	114	4	1	1	3	.....	6	20	27	25	11	9	4	3	.....	.....	.....	.....
14	Tuberculous meningitis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	19	3	.....	.....	.....	.....	1	3	3	3	4	2	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	19	.....	.....	.....	.....	.....	.....	.....	1	5	5	2	3	3	.....	.....	.....	.....
17	Meningitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	26	2	.....	.....	.....	.....	.....	.....	.....	.....	4	10	7	1	2	.....	.....	.....
19	Organic diseases of the heart	68	1	.....	.....	.....	.....	.....	2	4	8	15	20	8	6	1	1	2	.....
20	Acute bronchitis	3	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....
22	Pneumonia	26	2	1	3	2	.....	1	.....	2	6	2	3	3	1	.....	.....	.....	.....
23a	Bronchopneumonia	30	13	3	1	1	.....	.....	1	1	3	2	2	1	1	.....	1	.....	.....
23b	Other diseases of the respiratory system	9	.....	.....	.....	.....	.....	.....	1	.....	1	3	2	1	.....	1	.....	.....	.....
24	Diseases of the stomach	6	1	.....	.....	.....	.....	.....	.....	2	.....	1	2	.....	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	15	11	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	5	1	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	8	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	3	1	1	.....	.....	.....
28	Cirrhosis of the liver	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	37	.....	.....	.....	.....	.....	.....	.....	2	6	9	5	8	4	3	.....	.....	.....
30	Diseases of the female genital organs	6	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	5	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	29	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
35	Violent deaths (excluding suicide)	40	.....	.....	.....	.....	.....	2	6	9	9	7	4	1	2	.....	.....	.....	.....
36	Suicide	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	76	14	3	.....	.....	.....	2	2	8	6	12	16	5	6	2	.....	.....	.....
38	Diseases ill-defined or unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
LOUISVILLE, KY. (TOTAL).																			
	All causes	3,784	486	110	67	40	30	73	176	380	429	469	489	462	382	161	16	2	12
1	Typhoid fever	54	.....	.....	.....	1	1	3	12	16	12	4	5	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	8	.....	1	.....	.....	.....	.....	.....	1	2	2	.....	.....	1	1	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	14	3	8	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	8	.....	.....	.....	3	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	40	15	11	5	3	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	35	2	4	8	2	8	6	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	34	1	.....	.....	.....	1	.....	1	3	3	4	10	6	3	1	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
12	Other epidemic diseases	42	9	1	1	.....	.....	.....	.....	3	1	6	3	8	5	5	.....	.....	.....
13	Tuberculosis of the lungs	375	2	3	3	1	1	1	40	123	87	65	29	14	4	2	.....	.....	.....
14	Tuberculous meningitis	20	4	2	1	4	2	3	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	37	2	2	2	2	.....	3	3	8	8	6	1	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	183	.....	1	.....	.....	.....	.....	2	6	20	44	49	35	23	3	.....	.....	.....
17	Meningitis	30	7	4	5	1	2	2	4	2	1	1	.....	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	174	1	.....	.....	.....	.....	1	3	5	13	16	43	30	47	14	.....	.....	1
19	Organic diseases of the heart	334	.....	1	1	.....	.....	2	11	17	29	46	75	82	52	16	.....	1	1
20	Acute bronchitis	27	12	6	.....	.....	.....	.....	.....	2	1	2	3	.....	.....	1	.....	.....	.....
21	Chronic bronchitis	50	.....	.....	.....	.....	.....	.....	1	3	4	6	5	11	16	4	.....	.....	.....
22	Pneumonia	249	39	13	16	2	4	5	14	23	29	19	29	25	21	9	1	.....	.....
23a	Bronchopneumonia	93	33	14	6	5	3	3	1	5	2	3	5	7	3	2	.....	.....	1
23b	Other diseases of the respiratory system	76	6	.....	2	1	.....	3	.....	3	9	9	11	11	11	7	1	.....	2
24	Diseases of the stomach	56	10	.....	.....	1	.....	.....	.....	3	9	6	8	10	7	1	1	.....	.....
25(37)	Diarrhea and enteritis	119	62	22	6	3	.....	.....	3	2	5	2	5	3	3	3	.....	.....	.....
26	Appendicitis and typhlitis	39	.....	.....	.....	.....	.....	5	13	6	5	5	3	2	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	43	3	.....	.....	.....	1	2	1	3	5	5	11	7	5	.....	.....	.....	.....
28	Cirrhosis of the liver	53	.....	.....	.....	.....	.....	.....	.....	1	4	11	17	15	4	.....	.....	.....	1
29	Acute nephritis and Bright's disease	353	1	2	.....	1	1	4	6	17	36	65	71	83	52	10	1	.....	3
30	Diseases of the female genital organs	25	.....	.....	.....	.....	.....	.....	1	4	9	7	2	2	.....	.....	.....	.....	.....
31	Puerperal fever	14	.....	.....	.....	.....	.....	.....	4	4	5	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	18	.....	.....	.....	.....	.....	.....	2	8	7	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	218	217	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	78	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30	43	4	1	.....
35	Violent deaths (excluding suicide)	243	8	1	6	4	1	10	31	41	51	34	18	14	13	8	1	.....	2
36	Suicide	52	.....	.....	.....	.....	.....	.....	2	14	11	8	11	4	2	.....	.....	.....	.....
(37)	Other defined diseases	574	49	9	3	5	.....	14	17	49	61	87	73	90	80	31	5	.....	1
38	Diseases ill-defined or unknown	14	.....	5	.....	.....	.....	1	.....	3	.....	2	1	1	.....	.....	1	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

LOUISVILLE, KY. (WHITE).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	All causes	2,737	366	82	46	28	24	53	121	229	273	300	335	378	338	146	15	.....	3
1	Typhoid fever	37	.....	.....	.....	.....	1	1	8	11	8	4	4	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	11	3	6	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	8	.....	.....	.....	3	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	19	6	7	2	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	32	2	4	7	2	8	5	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	15	.....	.....	.....	.....	.....	.....	.....	.....	1	3	5	2	3	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
12	Other epidemic diseases	34	9	1	1	.....	.....	.....	.....	1	1	2	3	7	5	4	.....	.....	.....
13	Tuberculosis of the lungs	246	2	3	1	1	1	.....	22	78	61	46	13	13	3	2	.....	.....	.....
14	Tuberculous meningitis	16	4	2	1	2	2	1	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	19	1	2	1	1	.....	.....	1	2	5	5	1	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	158	.....	1	.....	.....	.....	.....	2	5	16	35	42	33	21	3	.....	.....	.....
17	Meningitis	24	7	3	5	1	.....	2	3	.....	1	1	.....	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	137	1	.....	.....	.....	.....	.....	2	5	8	9	33	22	44	13	.....	.....	.....
19	Organic diseases of the heart	232	.....	1	.....	.....	.....	2	9	10	16	24	47	66	41	16	.....	.....	.....
20	Acute bronchitis	16	9	5	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	11	14	4	.....	.....	.....
22	Pneumonia	155	27	10	8	2	3	4	8	8	19	8	11	19	20	7	1	.....	.....
23a	Bronchopneumonia	59	21	9	6	3	3	2	1	1	.....	1	1	6	2	2	.....	.....	1
23b	Other diseases of the respiratory system	55	4	.....	2	1	.....	2	.....	1	4	7	7	9	9	7	1	.....	1
24	Diseases of the stomach	32	7	.....	.....	.....	.....	.....	.....	2	5	3	4	5	4	1	1	.....	.....
25(37)	Diarrhea and enteritis	85	45	15	5	2	.....	.....	2	2	2	1	3	3	2	3	.....	.....	.....
26	Appendicitis and typhlitis	31	.....	.....	.....	.....	.....	4	11	4	3	4	3	2	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	39	3	.....	.....	.....	1	2	.....	2	5	5	10	7	4	.....	.....	.....	.....
28	Cirrhosis of the liver	47	.....	.....	.....	.....	.....	.....	.....	1	2	10	16	14	4	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	256	1	2	.....	.....	1	1	4	10	23	38	52	66	47	10	1	.....	.....
30	Diseases of the female genital organs	13	.....	.....	.....	.....	.....	.....	1	2	4	4	.....	2	.....	.....	.....	.....	.....
31	Puerperal fever	11	.....	.....	.....	.....	.....	.....	3	3	5	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	12	.....	.....	.....	.....	.....	.....	1	5	5	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	166	165	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	70	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29	37	4	.....	.....
35	Violent deaths (excluding suicide)	170	7	1	4	4	1	8	23	21	33	22	13	10	13	8	1	.....	1
36	Suicide	50	.....	.....	.....	.....	.....	.....	2	13	10	8	11	4	2	.....	.....	.....	.....
(37)	Other defined diseases	436	42	5	2	4	.....	14	14	35	36	55	51	74	71	28	5	.....	.....
38	Diseases ill-defined or unknown	13	.....	5	.....	.....	.....	1	.....	2	.....	2	1	1	.....	.....	1	.....	.....

LOUISVILLE, KY. (COLORED).

	All causes	1,047	120	28	21	12	6	20	55	151	156	169	154	84	44	15	1	2	9
1	Typhoid fever	17	.....	.....	.....	1	.....	2	4	5	4	.....	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	8	.....	1	.....	.....	.....	.....	.....	1	2	2	.....	.....	1	1	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	3	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	21	9	4	3	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	3	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	19	1	.....	.....	.....	1	.....	1	3	2	1	5	4	.....	.....	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	8	.....	.....	.....	.....	.....	.....	.....	2	.....	4	.....	1	.....	1	.....	.....	.....
13	Tuberculosis of the lungs	129	.....	.....	2	.....	.....	1	18	45	26	19	16	1	1	.....	.....	.....	.....
14	Tuberculous meningitis	4	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	18	1	.....	1	1	.....	3	2	6	3	1	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	25	.....	.....	.....	.....	.....	.....	.....	1	4	9	7	2	2	.....	.....	.....	.....
17	Meningitis	6	.....	1	.....	.....	2	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	37	.....	.....	.....	.....	.....	1	1	.....	5	7	10	8	3	1	.....	.....	1
19	Organic diseases of the heart	102	.....	.....	1	.....	.....	.....	2	7	13	22	28	16	11	.....	.....	1	1
20	Acute bronchitis	11	3	1	.....	.....	.....	.....	.....	2	1	2	1	.....	.....	1	.....	.....	.....
21	Chronic bronchitis	19	.....	.....	.....	.....	.....	.....	1	3	4	6	3	.....	2	.....	.....	.....	.....
22	Pneumonia	94	12	3	8	.....	1	1	6	15	10	11	18	6	1	2	.....	.....	.....
23a	Bronchopneumonia	34	12	5	.....	2	.....	1	.....	4	2	2	4	1	1	.....	.....	.....	.....
23b	Other diseases of the respiratory system	21	2	.....	.....	.....	.....	1	.....	2	5	2	4	2	2	.....	.....	.....	1
24	Diseases of the stomach	24	3	.....	.....	1	.....	.....	.....	1	4	3	4	5	3	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	34	17	7	1	1	.....	.....	1	.....	3	1	2	.....	1	.....	.....	.....	.....
26	Appendicitis and typhlitis	8	.....	.....	.....	.....	.....	1	2	2	2	1	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	4	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	1	.....	.....	.....	.....
28	Cirrhosis of the liver	6	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	1
29	Acute nephritis and Bright's disease	97	.....	.....	.....	1	.....	3	2	7	13	27	19	17	5	.....	.....	.....	3
30	Diseases of the female genital organs	12	.....	.....	.....	.....	.....	.....	.....	2	5	3	2	.....	.....	.....	.....	.....	.....
31	Puerperal fever	3	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	6	.....	.....	.....	.....	.....	.....	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	52	52	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	1	.....	.....
35	Violent deaths (excluding suicide)	73	1	.....	2	.....	.....	2	8	20	18	12	5	4	.....	.....	.....	.....	1
36	Suicide	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	138	7	4	1	1	.....	.....	3	14	25	32	22	16	9	3	.....	.....	1
38	Diseases ill-defined or unknown	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW ORLEANS, LA. (TOTAL).																			
	All causes	7,088	934	201	105	70	50	155	310	806	839	974	934	811	584	276	34	5	
1	Typhoid fever	60	2			1		1	11	25	10	6	4						
2	Typhus fever																		
3	Malaria	24	1	2				1	2	6	3	3	5	1					
4	Smallpox	2								1		1							
5	Measles	35	9	12	3	7		3				1							
6	Scarlet fever	2					1	1											
7	Whooping cough	11	4	2	4		1												
8	Diphtheria and croup	113	12	14	16	13	12	36	9		1								
9	Influenza	70	3	1	1			1	3	4	5	7	8	13	18	4	2		
10	Asiatic cholera																		
11	Cholera nostras	4								1	2			1					
12	Other epidemic diseases	56	2	2					1	6	7	10	12	9	4	2		1	
13	Tuberculosis of the lungs	834	5	7	2		1	8	67	235	198	165	95	35	13	3			
14	Tuberculous meningitis	16	3	1	1			2	3	3	3								
15	Other forms of tuberculosis	53	2	1		1		4	4	11	8	12	7	3					
16	Cancer and other malignant tumors	328						1	6	9	36	58	96	78	28	16			
17	Meningitis	59	5	2	1	3	1	4	23	16	1		1	2					
18	Cerebral hemorrhage and softening	305	2					1		4	15	47	60	72	78	25	1		
19	Organic diseases of the heart	791	1	1	1			3	12	35	82	131	136	175	156	50	7	1	
20	Acute bronchitis	45	29	6	2	1	2			4						1			
21	Chronic bronchitis	28	1					1		4	1	1	6	7	4	2	1		
22	Pneumonia	411	74	37	15	4	4	11	22	61	43	49	39	21	19	8	3	1	
23a	Bronchopneumonia	176	85	24	20	10	4	11	2	1		1	4	7	6	1			
23b	Other diseases of the respiratory system	35	3	3	1	1	1	2	3	3	2	6	4	1	4	1			
24	Diseases of the stomach	104	10	1	1		3	6	2	16	16	21	18	8	2				
25(37)	Diarrhea and enteritis	446	302	65	14	9	2	5	1	3	8	7	7	12	6	5			
26	Appendicitis and typhlitis	50	1			1		3	9	9	9	7	6	4	1				
27	Hernia, intestinal obstruction	48	1		1			1	1	8	6	4	10	6	8	2			
28	Cirrhosis of the liver	108								8	17	21	31	21	8	2			
29	Acute nephritis and Bright's disease	962	4	3	2	4	3	4	15	76	103	195	214	185	102	47	5		
30	Diseases of the female genital organs	61							3	11	25	16	4	2					
31	Puerperal fever	29							8	10	10	1							
32	Other puerperal affections	45							5	27	11	2							
33	Congenital debility and malformations	238	234			2		2											
34	Senility	86												2	28	46	9	1	
35	Violent deaths (excluding suicide)	390	4	4	11	6	6	21	57	89	74	48	24	24	12	7	2	1	
36	Suicide	53							5	12	12	12	8	2		2			
(37)	Other defined diseases	1,009	135	12	9	7	9	22	36	108	131	142	135	120	87	52	4		
38	Diseases ill-defined or unknown	1		1															
NEW ORLEANS, LA. (WHITE).																			
	All causes	4,087	538	121	56	39	27	84	134	332	402	516	576	563	458	220	21		
1	Typhoid fever	38	1			1		1	6	13	8	5	3						
2	Typhus fever																		
3	Malaria	10								2	3	2	3						
4	Smallpox	2								1		1							
5	Measles	27	8	9	1	6		2				1							
6	Scarlet fever	1					1												
7	Whooping cough	5	3	1	1														
8	Diphtheria and croup	82	10	13	14	6	6	25	8										
9	Influenza	39	2	1				1	1	1	2	6	3	7	12	2	1		
10	Asiatic cholera																		
11	Cholera nostras	1									1								
12	Other epidemic diseases	41	1	2						4	5	8	11	7	3				
13	Tuberculosis of the lungs	380	1	2				3	22	84	96	87	51	23	10	1			
14	Tuberculous meningitis	7	1		1			1		1	3								
15	Other forms of tuberculosis	30	2	1		1		2	2	2	3	9	5	3					
16	Cancer and other malignant tumors	242							3	4	15	35	78	68	23	16			
17	Meningitis	24	2		1	1	1	3	8	5	1			2					
18	Cerebral hemorrhage and softening	218	2					1		2	10	29	35	54	65	19	1		
19	Organic diseases of the heart	444	1	1	1			3	5	15	31	43	70	110	117	42	5		
20	Acute bronchitis	14	9	3		1	1												
21	Chronic bronchitis	18	1							1	1		3	5	4	2	1		
22	Pneumonia	195	39	23	8		1	4	7	19	15	21	21	14	15	6	2		
23a	Bronchopneumonia	69	36	8	5	5	1	2					2	5	4	1			
23b	Other diseases of the respiratory system	22	2	2	1			1	1	3	1	5	1	1	3	1			
24	Diseases of the stomach	44	5	1	1		3	5		3	1	9	10	5	1				
25(37)	Diarrhea and enteritis	273	194	45	6	3	2	3	1	1	3	2	3	6	1	3			
26	Appendicitis and typhlitis	41	1			1		3	7	7	7	4	6	4	1				
27	Hernia, intestinal obstruction	34	1		1			1		4	3	2	6	6	8	2			
28	Cirrhosis of the liver	68								5	9	9	21	15	8	1			
29	Acute nephritis and Bright's disease	580	3		2	3		1	3	39	50	106	127	131	79	34	2		
30	Diseases of the female genital organs	19								1	9	8	1						
31	Puerperal fever	12							2	4	6								
32	Other puerperal affections	26							2	14	9	1							
33	Congenital debility and malformations	155	151			2		2											
34	Senility	64												2	20	36	6		
35	Violent deaths (excluding suicide)	207	2	1	8	3	4	11	31	35	36	25	20	14	10	6	1		
36	Suicide	48							4	11	11	11	8	2		1			
(37)	Other defined diseases	606	60	7	5	6	7	9	21	51	63	87	88	79	74	47	2		
38	Diseases ill-defined or unknown	1		1															

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW ORLEANS, LA. (COLORED).																		
	All causes	3,001	396	80	49	31	23	71	176	474	437	458	358	248	126	56	13	5	
1	Typhoid fever	22	1						5	12	2	1	1						
2	Typhus fever																		
3	Malaria	14	1	2				1	2	4		1	2	1					
4	Smallpox																		
5	Measles	8	1	3	2	1		1											
6	Scarlet fever	1						1											
7	Whooping cough	6	1	1	3		1												
8	Diphtheria and croup	31	2	1	2	7	6	11	1		1								
9	Influenza	31	1		1				2	3	3	1	5	6	6	2	1		
10	Asiatic cholera																		
11	Cholera nostras	3								1	1			1					
12	Other epidemic diseases	15	1						1	2	2	2	1	2	1	2		1	
13	Tuberculosis of the lungs	454	4	5	2		1	5	45	151	102	78	44	12	3	2			
14	Tuberculous meningitis	9	2	1				1	3	2									
15	Other forms of tuberculosis	23						2	2	9	5	3	2						
16	Cancer and other malignant tumors	86						1	3	5	21	23	18	10	5				
17	Meningitis	35	3	2		2		1	15	11			1						
18	Cerebral hemorrhage and softening	87								2	5	18	25	18	13	6			
19	Organic diseases of the heart	347							7	20	51	88	66	65	39	8	2	1	
20	Acute bronchitis	31	20	3	2		1			4						1			
21	Chronic bronchitis	10						1		3		1	3	2					
22	Pneumonia	216	35	14	7	4	3	7	15	42	28	28	18	7	4	2	1	1	
23a	Bronchopneumonia	107	49	16	15	5	3	9	2	1		1	2	2	2				
23b	Other diseases of the respiratory system	13	1	1		1	1	1	2		1	1	3		1				
24	Diseases of the stomach	60	5					1	2	13	15	12	8	3	1				
25(37)	Diarrhea and enteritis	173	108	20	8	6		2		2	5	5	4	6	5	2			
26	Appendicitis and typhlitis	9							2	2	2	3							
27	Hernia, intestinal obstruction	14							1	4	3	2	4						
28	Cirrhosis of the liver	40								3	8	12	10	6		1			
29	Acute nephritis and Bright's disease	382	1	3		1	3	3	12	37	53	89	87	54	23	13	3		
30	Diseases of the female genital organs	42							3	10	16	8	3	2					
31	Puerperal fever	17							6	6	4	1							
32	Other puerperal affections	19							3	13	2	1							
33	Congenital debility and malformations	83	83																
34	Senility	22													8	10	3	1	
35	Violent deaths (excluding suicide)	183	2	3	3	3	2	10	26	54	38	23	4	10	2	1	1	1	
36	Suicide	5							1	1	1	1				1			
(37)	Other defined diseases	403	75	5	4	1	2	13	15	57	68	55	47	41	13	5	2		
38	Diseases ill-defined or unknown																		
BALTIMORE, MD. (TOTAL).																			
	All causes	10,624	2,011	414	180	78	76	219	338	879	1,003	1,196	1,271	1,278	1,094	510	74	3	
1	Typhoid fever	137		2		1	3	5	25	49	20	24	6	2					
2	Typhus fever																		
3	Malaria	9							1	2	1	3	1			1			
4	Smallpox																		
5	Measles	115	42	39	13	10	5	5			1								
6	Scarlet fever	44	2	10	5	3	8	11	4	1									
7	Whooping cough	39	23	7	3	2		3	1										
8	Diphtheria and croup	86	3	13	23	11	10	21	2	1	2								
9	Influenza	58		2	2				1	5	3	7	7	15	12	4			
10	Asiatic cholera																		
11	Cholera nostras	3									1		1			1			
12	Other epidemic diseases	49	9	3	1				1	3	4	6	5	5	10	2			
13	Tuberculosis of the lungs	1,194	22	14	8	4	8	15	81	290	295	227	122	73	31	4			
14	Tuberculous meningitis	73	15	15	7	2	5	11	5	5	4	3	1						
15	Other forms of tuberculosis	81	4	2	3	2	1	9	9	12	13	11	7	6	2				
16	Cancer and other malignant tumors	601							3	14	49	114	188	134	77	19	3		
17	Meningitis	81	19	12	5	4	3	8	11	9	3	2	3		2				
18	Cerebral hemorrhage and softening	542	4							3	16	53	109	151	146	52	8		
19	Organic diseases of the heart	974	5			1	2	12	25	53	87	125	151	213	197	93	9	1	
20	Acute bronchitis	108	61	11	9	1		1	1		2	1	2	6	6	6	1		
21	Chronic bronchitis	73	1	1	1			2			3	4	8	17	23	13			
22	Pneumonia	638	74	40	20	7	7	18	23	68	58	79	74	78	63	26	3		
23a	Bronchopneumonia	535	200	99	32	13	5	16	6	5	13	8	22	41	44	27	4		
23b	Other diseases of the respiratory system	100	18	2	1		1		1	8	9	12	8	14	15	7	4		
24	Diseases of the stomach	99	19	1		1		1	1	7	9	17	13	11	11	8			
25(37)	Diarrhea and enteritis	672	494	89	12	2	1	7	1	1	6	3	19	15	11	10	1		
26	Appendicitis and typhlitis	72	1	1	1		1	1	8	25	13	11	4	4	2				
27	Hernia, intestinal obstruction	111	6			3		1	2	8	11	27	17	16	11	9			
28	Cirrhosis of the liver	86			1			1		2	10	24	25	11	11	1			
29	Acute nephritis and Bright's disease	1,035	6	7	3		1	6	11	58	105	166	217	214	175	61	5		
30	Diseases of the female genital organs	44							3	6	16	10	4	3	2				
31	Puerperal fever	63							8	33	17	5							
32	Other puerperal affections	58							9	25	20	4							
33	Congenital debility and malformations	689	684	2	2			1											
34	Senility	131												12	43	59	16	1	
35	Violent deaths (excluding suicide)	484	15	8	14	6	9	37	32	74	80	66	52	37	24	22	8		
36	Suicide	116							2	29	25	25	19	8	8				
(37)	Other defined diseases	1,387	280	20	9	4	5	25	60	83	107	159	182	187	168	85	12	1	
38	Diseases ill-defined or unknown	37	4	14	5	1	1	2	1				4	5					

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BALTIMORE, MD. (WHITE).																		
	All causes	7,912	1,488	293	129	63	50	156	211	568	662	781	939	1,069	968	467	66	2	
1	Typhoid fever	93		1		1	2	4	17	34	14	15	3	2					
2	Typhus fever																		
3	Malaria	5							1	1		1	1			1			
4	Smallpox																		
5	Measles	90	35	29	10	8	3	4			1								
6	Scarlet fever	42	1	10	5	3	8	11	3	1									
7	Whooping cough	24	15	3	2	1		2	1										
8	Diphtheria and croup	81	3	12	22	10	9	21	1	1	2								
9	Influenza	38							1	2	1	3	5	11	11	4			
10	Asiatic cholera																		
11	Cholera nostras	3									1		1			1			
12	Other epidemic diseases	39	7	3	1				1	3	2	4	4	3	9	2			
13	Tuberculosis of the lungs	742	10	5	2	2		5	37	174	193	140	90	56	26	2			
14	Tuberculous meningitis	52	10	12	4	2	4	5	4	4	3	3	1						
15	Other forms of tuberculosis	55	3	1	2	1	1	3	6	9	11	6	4	6	2				
16	Cancer and other malignant tumors	510							3	12	34	82	161	123	74	19	2		
17	Meningitis	57	14	10	4	3	3	6	7	4	2	1	1		2				
18	Cerebral hemorrhage and softening	440	3							2	9	31	74	131	136	46	8		
19	Organic diseases of the heart	706	4			1	1	11	21	35	43	74	94	174	162	80	5	1	
20	Acute bronchitis	67	35	7	5	1							1	6	6	5	1		
21	Chronic bronchitis	61	1		1			2			1	3	3	16	21	13			
22	Pneumonia	426	45	25	15	7	4	14	10	33	33	46	45	65	57	24	3		
23a	Bronchopneumonia	354	121	68	19	7	1	8	4	2	10	4	14	30	37	25	4		
23b	Other diseases of the respiratory system	75	14	2	1		1			6	4	8	4	11	13	7	4		
24	Diseases of the stomach	65	14			1				4	7	9	9	5	8	8			
25(37)	Diarrhea and enteritis	532	396	73	10	1		2	1		3	1	11	12	11	10	1		
26	Appendicitis and typhlitis	54	1	1	1		1	1	6	15	10	8	4	4	2				
27	Hernia, intestinal obstruction	91	5			3		1	1	8	6	19	14	15	10	9			
28	Cirrhosis of the liver	66			1			1		1	8	14	21	8	11	1			
29	Acute nephritis and Bright's disease	801	5	4	1		1	4	8	44	69	107	167	177	153	56	5		
30	Diseases of the female genital organs	27								2	9	8	4	2	2				
31	Puerperal fever	49							6	27	11	5							
32	Other puerperal affections	45							4	20	18	3							
33	Congenital debility and malformations	518	513	2	2			1											
34	Senility	114												10	34	55	15		
35	Violent deaths (excluding suicide)	379	12	7	11	6	6	29	28	41	61	51	42	34	22	21	8		
36	Suicide	110							2	26	23	24	19	8	8				
(37)	Other defined diseases	1,075	217	12	6	4	5	19	37	57	73	111	139	155	151	78	10	1	
38	Diseases ill-defined or unknown	26	4	6	4	1		2	1				3	5					
BALTIMORE, MD. (COLORED).																			
	All causes	2,712	523	121	51	15	26	63	127	311	341	415	332	209	126	43	8	1	
1	Typhoid fever	44		1			1	1	8	15	6	9	3						
2	Typhus fever																		
3	Malaria	4								1	1	2							
4	Smallpox																		
5	Measles	25	7	10	3	2	2	1											
6	Scarlet fever	2	1						1										
7	Whooping cough	15	8	4	1	1		1											
8	Diphtheria and croup	5		1	1	1	1		1										
9	Influenza	20		2	2					3	2	4	2	4	1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	10	2								2	2	1	2	1				
13	Tuberculosis of the lungs	452	12	9	6	2	8	10	44	116	102	87	32	17	5	2			
14	Tuberculous meningitis	21	5	3	3		1	6	1	1	1								
15	Other forms of tuberculosis	26	1	1	1	1		6	3	3	2	5	3						
16	Cancer and other malignant tumors	91								2	15	32	27	11	3		1		
17	Meningitis	24	5	2	1	1		2	4	5	1	1	2						
18	Cerebral hemorrhage and softening	102	1							1	7	22	35	20	10	6			
19	Organic diseases of the heart	268	1				1	1	4	18	44	51	57	39	35	13	4		
20	Acute bronchitis	41	26	4	4			1	1		2	1	1			1			
21	Chronic bronchitis	12		1							2	1	5	1	2				
22	Pneumonia	212	29	15	5		3	4	13	35	25	33	29	13	6	2			
23a	Bronchopneumonia	181	79	31	13	6	4	8	2	3	3	4	8	11	7	2			
23b	Other diseases of the respiratory system	25	4						1	2	5	4	4	3	2				
24	Diseases of the stomach	34	5	1				1	1	3	2	8	4	6	3				
25(37)	Diarrhea and enteritis	140	98	16	2	1	1	5		1	3	2	8	3					
26	Appendicitis and typhlitis	18							2	10	3	3							
27	Hernia, intestinal obstruction	20	1						1		5	8	3	1	1				
28	Cirrhosis of the liver	20								1	2	10	4	3					
29	Acute nephritis and Bright's disease	234	1	3	2			2	3	14	36	59	50	37	22	5			
30	Diseases of the female genital organs	17							3	4	7	2		1					
31	Puerperal fever	14							2	6	6								
32	Other puerperal affections	13							5	5	2	1							
33	Congenital debility and malformations	171	171																
34	Senility	17												2	9	4	1	1	
35	Violent deaths (excluding suicide)	105	3	1	3		3	8	4	33	19	15	10	3	2	1			
36	Suicide	6								3	2	1							
(37)	Other defined diseases	312	63	8	3			6	23	26	34	48	43	32	17	7	2		
38	Diseases ill-defined or unknown	11		8	1		1						1						

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BOSTON, MASS. (TOTAL).																			
	All causes	11,838	2,107	423	195	113	86	233	358	853	1,108	1,437	1,531	1,598	1,176	535	84	1	
1	Typhoid fever	59						3	10	24	13	5	4						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	77	20	33	12	5	3	4											
6	Scarlet fever	76	3	9	15	11	9	20	5	2	1		1						
7	Whooping cough	97	51	23	12	6	2	2					1						
8	Diphtheria and croup	160	21	32	23	16	11	37	13	3		2	1	1					
9	Influenza	38	4				1			1	3	6	3	9	6	4	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	53	21	3			1			2	4	10	7	3	2				
13	Tuberculosis of the lungs	1,051	19	17	5	7	2	7	64	229	268	220	144	49	18	2			
14	Tuberculous meningitis	123	34	30	15	10	2	13	11	4	1	2			1				
15	Other forms of tuberculosis	80	6	9	8	3	2	8	11	11	11	8	2	1					
16	Cancer and other malignant tumors	843		1		1		3	2	15	61	162	220	239	103	32	4		
17	Meningitis	79	25	14	10	1		5	6	5	5	6	1	1					
18	Cerebral hemorrhage and softening	648	2		1			1	1	5	22	60	128	146	179	94	9		
19	Organic diseases of the heart	1,527	4	1			2	22	41	68	89	159	257	417	307	140	19	1	
20	Acute bronchitis	74	41	6	1	1	2					2	2	4	8	6	1		
21	Chronic bronchitis	51	1				1			2	2	5	6	9	14	9	2		
22	Pneumonia	941	118	58	15	10	5	9	19	53	103	153	128	140	86	36	8		
23a	Bronchopneumonia	476	204	69	24	5	6	7	4	8	18	23	29	26	34	15	4		
23b	Other diseases of the respiratory system	95	8	9	3	4	1	1	1		13	16	12	11	9	5	2		
24	Diseases of the stomach	66	11	2	2		1	2		6	5	7	13	5	8	3	1		
25(37)	Diarrhea and enteritis	604	469	58	6	5	1	6	2	7	6	15	5	9	8	5	2		
26	Appendicitis and typhlitis	109			1	1	3	2	25	22	20	16	10	7	2				
27	Hernia, intestinal obstruction	115	14	3	2		1	1	1	6	7	18	18	21	16	6	1		
28	Cirrhosis of the liver	91		1			1			2	10	24	32	17	3		1		
29	Acute nephritis and Bright's disease	664	6	1	1		1	4	10	49	60	88	138	156	110	38	2		
30	Diseases of the female genital organs	65							1	16	19	18	6	4		1			
31	Puerperal fever	54							1	31	20	2							
32	Other puerperal affections	95							10	44	35	6							
33	Congenital debility and malformations	643	636	2	2			2				1							
34	Senility	20												1	6	8	5		
35	Violent deaths (excluding suicide)	801	24	14	21	20	21	37	53	113	122	140	105	57	47	23	4		
36	Suicide	105							3	25	23	25	12	15	1	1			
(37)	Other defined diseases	1,837	351	28	16	7	7	37	64	100	166	237	244	248	208	106	18		
38	Diseases ill-defined or unknown	21	14								1	1	2	2		1			
BOSTON, MASS. (WHITE).																			
	All causes	11,452	2,046	404	191	112	82	227	338	820	1,048	1,375	1,477	1,559	1,156	533	83	1	
1	Typhoid fever	58						3	9	24	13	5	4						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	77	20	33	12	5	3	4											
6	Scarlet fever	76	3	9	15	11	9	20	5	2	1		1						
7	Whooping cough	90	47	21	11	6	2	2					1						
8	Diphtheria and croup	158	21	32	23	16	11	35	13	3		2	1	1					
9	Influenza	38	4				1			1	3	6	3	9	6	4	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	53	21	3			1			2	4	10	7	3	2				
13	Tuberculosis of the lungs	989	18	15	5	6	2	6	57	212	253	213	136	46	18	2			
14	Tuberculous meningitis	117	34	27	15	10	2	11	11	4	1	1			1				
15	Other forms of tuberculosis	75	6	9	7	3	2	8	10	11	10	6	2	1					
16	Cancer and other malignant tumors	823		1		1		3	2	14	58	153	215	238	102	32	4		
17	Meningitis	77	24	14	10	1		5	6	4	5	6	1	1					
18	Cerebral hemorrhage and softening	632	2		1			1	1	5	21	55	121	144	178	94	9		
19	Organic diseases of the heart	1,473	4	1			2	22	41	63	83	149	244	404	300	140	19	1	
20	Acute bronchitis	71	39	6		1	2					2	2	4	8	6	1		
21	Chronic bronchitis	51	1				1			2	2	5	6	9	14	9	2		
22	Pneumonia	914	113	55	15	10	4	9	18	51	101	148	127	133	86	36	8		
23a	Bronchopneumonia	461	198	66	23	5	6	7	4	8	18	22	28	25	33	14	4		
23b	Other diseases of the respiratory system	93	8	9	3	4		1	1		13	15	12	11	9	5	2		
24	Diseases of the stomach	63	11	2	2		1	2		5	5	7	12	5	7	3	1		
25(37)	Diarrhea and enteritis	592	459	56	6	5	1	6	2	7	6	15	5	9	8	5	2		
26	Appendicitis and typhlitis	108			1	1	3	2	24	22	20	16	10	7	2				
27	Hernia, intestinal obstruction	112	14	2	2		1	1	1	5	7	18	18	21	15	6	1		
28	Cirrhosis of the liver	90		1			1			2	10	24	31	17	3		1		
29	Acute nephritis and Bright's disease	638	6	1	1		1	4	10	48	54	84	132	149	108	38	2		
30	Diseases of the female genital organs	64							1	16	18	18	6	4		1			
31	Puerperal fever	50								31	18	1							
32	Other puerperal affections	94							9	44	35	6							
33	Congenital debility and malformations	625	618	2	2			2				1							
34	Senility	20												1	6	8	5		
35	Violent deaths (excluding suicide)	771	23	13	21	20	20	37	49	111	111	137	102	57	44	23	3		
36	Suicide	102							3	25	21	24	12	15	1	1			
(37)	Other defined diseases	1,776	338	26	16	7	6	36	61	98	156	225	236	243	205	105	18		
38	Diseases ill-defined or unknown	21	14								1	1	2	2		1			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BOSTON, MASS. (COLORED).																		
	All causes	386	61	19	4	1	4	6	20	33	60	62	54	39	20	2	1	.....	.....
1	Typhoid fever	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	7	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	62	1	2	.....	1	.....	1	7	17	15	7	8	3	.....	.....	.....	.....	.....
14	Tuberculous meningitis	6	.....	3	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	5	.....	.....	1	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	20	.....	.....	.....	.....	.....	.....	.....	1	3	9	5	1	1	.....	.....	.....	.....
17	Meningitis	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	16	.....	.....	.....	.....	.....	.....	.....	.....	1	5	7	2	1	.....	.....	.....	.....
19	Organic diseases of the heart	54	.....	.....	.....	.....	.....	.....	.....	5	6	10	13	13	7	.....	.....	.....	.....
20	Acute bronchitis	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Pneumonia	27	5	3	.....	.....	1	.....	1	2	2	5	1	7	.....	.....	.....	.....	.....
23a	Bronchopneumonia	15	6	3	1	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....
23b	Other diseases of the respiratory system	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
24	Diseases of the stomach	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	12	10	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	3	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
28	Cirrhosis of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	26	.....	.....	.....	.....	.....	.....	.....	1	6	4	6	7	2	.....	.....	.....	.....
30	Diseases of the female genital organs	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	4	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	18	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Violent deaths (excluding suicide)	30	1	1	.....	.....	1	.....	4	2	11	3	3	.....	3	.....	1	.....	.....
36	Suicide	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	61	13	2	.....	.....	1	1	3	2	10	12	8	5	3	1	.....	.....	.....
38	Diseases ill-defined or unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
CAMBRIDGE, MASS.																			
	All causes	1,472	265	68	18	13	7	30	58	100	126	174	162	178	174	82	17	.....	.....
1	Typhoid fever	10	.....	.....	.....	.....	.....	1	1	4	3	.....	.....	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	10	1	2	4	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	10	3	4	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	14	.....	2	3	2	.....	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	11	1	.....	.....	.....	.....	1	1	.....	1	.....	.....	2	3	1	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	201	1	3	.....	.....	1	1	23	54	43	34	27	11	3	.....	.....	.....	.....
14	Tuberculous meningitis	10	3	2	3	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	7	.....	.....	.....	.....	.....	.....	2	1	2	2	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	89	.....	.....	.....	.....	.....	.....	.....	.....	8	16	26	16	23	.....	.....	.....	.....
17	Meningitis	4	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	85	.....	.....	.....	.....	.....	.....	.....	.....	5	6	13	22	24	14	1	.....	.....
19	Organic diseases of the heart	175	3	.....	.....	.....	1	3	1	6	8	29	22	38	45	17	2	.....	.....
20	Acute bronchitis	18	9	4	.....	.....	.....	1	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....
21	Chronic bronchitis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
22	Pneumonia	111	12	6	.....	2	1	3	6	6	9	24	13	18	8	2	1	.....	.....
23a	Bronchopneumonia	75	28	20	5	4	.....	3	.....	1	1	1	4	4	3	1	.....	.....	.....
23b	Other diseases of the respiratory system	8	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	3	.....	1	.....	.....
24	Diseases of the stomach	10	4	.....	.....	.....	.....	.....	1	.....	2	1	.....	1	1	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	99	79	14	1	1	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....
26	Appendicitis and typhlitis	13	.....	.....	.....	1	.....	.....	4	2	1	1	1	2	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	9	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	3	2	.....	.....	.....	.....
28	Cirrhosis of the liver	6	.....	.....	.....	.....	.....	.....	1	.....	.....	2	3	.....	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	68	2	.....	.....	.....	.....	.....	1	.....	6	12	14	17	10	6	.....	.....	.....
30	Diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	1	.....	2	4	.....	1	.....	.....	.....	.....	.....
31	Puerperal fever	5	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	6	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	86	85	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....
35	Violent deaths (excluding suicide)	68	3	3	1	.....	1	7	8	8	6	13	3	3	9	3	.....	.....	.....
36	Suicide	15	.....	.....	.....	.....	.....	.....	.....	3	4	5	2	.....	.....	1	.....	.....	.....
(37)	Other defined diseases	270	26	6	1	1	1	3	3	8	13	23	32	34	36	35	8	.....	.....
38	Diseases ill-defined or unknown	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
FALL RIVER, MASS.																			
	All causes	2,136	696	213	64	33	21	52	46	97	128	154	201	199	170	54	8		
1	Typhoid fever	11				1			2	4	3	1							
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	73	19	37	7	4	3	2				1							
6	Scarlet fever	27	1	6	6	1	1	8	2		1		1						
7	Whooping cough	14	7	4	2			1											
8	Diphtheria and croup	34	3	7	8	2	5	9											
9	Influenza	9	3										2		1	2	1		
10	Asiatic cholera																		
11	Cholera nostras	1										1							
12	Other epidemic diseases	5	1	1								1	1		1				
13	Tuberculosis of the lungs	159	2	2	1			5	14	40	39	30	21	4		1			
14	Tuberculous meningitis	12	1	6		1		3		1									
15	Other forms of tuberculosis	9	1		2					2	1	1	2						
16	Cancer and other malignant tumors	93								1	8	19	26	24	15				
17	Meningitis	14	5	3	3			1		1		1							
18	Cerebral hemorrhage and softening	88	1								1	8	21	24	26	7			
19	Organic diseases of the heart	180	5	1			1	2	7	4	12	17	33	48	42	7	1		
20	Acute bronchitis	49	30	11	1	2								3	2				
21	Chronic bronchitis	12									1		2	1	4	4			
22	Pneumonia	95	16	8	3	3	1	2	2	6	7	7	12	13	10	4	1		
23a	Bronchopneumonia	228	106	80	16	7	2	3	1		4	3		4	2				
23b	Other diseases of the respiratory system	17	4		1	1					2	2		3	1	2	1		
24	Diseases of the stomach	19	8	1						2	1	1	1	2	2	1			
25(37)	Diarrhea and enteritis	306	243	35	4	5	5	3			1	2	1	1	4	1	1		
26	Appendicitis and typhlitis	10					1	2	1		2	2	2						
27	Hernia, intestinal obstruction	16	1						1			2	4	2	5	1			
28	Cirrhosis of the liver	12										3	3	3	3				
29	Acute nephritis and Bright's disease	114	3	1	1	2			2	10	10	16	19	23	21	6			
30	Diseases of the female genital organs	4								1		2	1						
31	Puerperal fever	7								3	3	1							
32	Other puerperal affections	15							1	5	8	1							
33	Congenital debility and malformations	149	147	1					1										
34	Senility	18											2	3	5	7	1		
35	Violent deaths (excluding suicide)	58	9	1	5	1		7	3	4	3	6	6	7	2	3	1		
36	Suicide	9									5	1	3						
(37)	Other defined diseases	245	64	7	3	3	1	3	9	13	16	24	37	33	23	8	1		
38	Diseases ill-defined or unknown	24	16	1	1		1	1				1	1	1	1				
LOWELL, MASS.																			
	All causes	1,750	421	103	42	18	9	42	53	85	131	167	184	212	187	76	19	1	
1	Typhoid fever	11							1	3	5	1	1						
2	Typhus fever																		
3	Malaria	1							1										
4	Smallpox																		
5	Measles	21	7	11	2		1												
6	Scarlet fever	4					1	2	1										
7	Whooping cough	5	3	2															
8	Diphtheria and croup	35	2	9	11	6	3	4											
9	Influenza	4								1	1		1		1				
10	Asiatic cholera																		
11	Cholera nostras	1			1														
12	Other epidemic diseases	5								1		1		1	2				
13	Tuberculosis of the lungs	99	1	3					14	22	25	20	10	2	2				
14	Tuberculous meningitis	22	5	7	2	2		2	2			2							
15	Other forms of tuberculosis	10		1	1		1	1	1	1		1		1	2				
16	Cancer and other malignant tumors	82						1	1	1	4	18	14	28	10	5			
17	Meningitis	18	4	3	4		1	2	3			1							
18	Cerebral hemorrhage and softening	105					1			1	3	6	28	25	31	8	2		
19	Organic diseases of the heart	145						2		6	15	15	19	36	36	15	1		
20	Acute bronchitis	29	14	10	3							1				1			
21	Chronic bronchitis	9										1	2	2	3	1			
22	Pneumonia	88	10	6	4	2		2	1	7	6	18	9	13	7	2	1		
23a	Bronchopneumonia	69	24	18	4	1	1	3		1	1	3	5	3	4	1			
23b	Other diseases of the respiratory system	13		1						2		2	2	2	2	1	1		
24	Diseases of the stomach	13	1							1	2	5	1	3					
25(37)	Diarrhea and enteritis	204	157	25	5	3		2	1		2	1	2	5			1		
26	Appendicitis and typhlitis	11						1	3	2		2	3						
27	Hernia, intestinal obstruction	21	3						1	1	2	3	2	5	2	2			
28	Cirrhosis of the liver	7									2	2	2	1					
29	Acute nephritis and Bright's disease	124		1				1	4	7	15	19	26	23	22	6			
30	Diseases of the female genital organs	7									4	2	1						
31	Puerperal fever	4								2	2								
32	Other puerperal affections	7							1	4	2								
33	Congenital debility and malformations	144	143		1														
34	Senility	20													1	7	7	5	
35	Violent deaths (excluding suicide)	71	2	1	4	2		8	7	2	11	8	6	8	5	6	1		
36	Suicide	14								7	2	1	3		1				
(37)	Other defined diseases	326	45	5		2		11	11	13	26	34	47	53	50	21	7	1	
38	Diseases ill-defined or unknown	1									1								

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
WORCESTER, MASS.																			
	All causes	2,534	470	101	40	25	26	62	70	156	206	276	301	329	295	152	21	2	2
1	Typhoid fever	9						1	1	1	3		2	1					
2	Typhus fever																		
3	Malaria	1													1				
4	Smallpox																		
5	Measles	16	3	7	2	1	1	1		1									
6	Scarlet fever	12		2	1	2	1	4	1			1							
7	Whooping cough	9	7	1	1														
8	Diphtheria and croup	36	1	2	4	4	4	17	2		1		1						
9	Influenza	7	1											2	3	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	18	8	1							1	3	2	1	1	1			
13	Tuberculosis of the lungs	162	1		1	3		1	10	41	43	33	16	11	2				
14	Tuberculous meningitis	30	5	8	4	1	1	2	4	4		1							
15	Other forms of tuberculosis	16	1	2	2	1	1	1	1	2	4				1				
16	Cancer and other malignant tumors	173			1					4	14	38	42	44	24	6			
17	Meningitis	15	5	1	2		1	2	2			2							
18	Cerebral hemorrhage and softening	140	1					1		1	5	17	22	31	34	26	2		
19	Organic diseases of the heart	314		1			1	2	5	10	20	35	35	82	88	31	3	1	
20	Acute bronchitis	19	14	2							1				1	1			
21	Chronic bronchitis	19									1	1	2	2	4	8	1		
22	Pneumonia	162	16	17	4	3	3	5	5	4	9	16	30	26	17	7			
23a	Bronchopneumonia	117	52	15	5		3			2	2	3	9	8	14	3	1		
23b	Other diseases of the respiratory system	21	2	2		1	2	1		1	2		1	2	3	4			
24	Diseases of the stomach	26	6	1				1		3	1	3	3	4	2	1	1		
25(37)	Diarrhea and enteritis	193	128	24	8	2	2		1		6	10	4	2	2	4			
26	Appendicitis and typhlitis	29		1		1	1	2	8	4	6	4	1	1					
27	Hernia, intestinal obstruction	26	3							3	1	3	5	4	6	1			
28	Cirrhosis of the liver	16								1	3	2	3	5	1	1			
29	Acute nephritis and Bright's disease	119	1		1		1		2	6	12	21	19	20	26	10			
30	Diseases of the female genital organs	7							1		2	3	1						
31	Puerperal fever	8								5	3								
32	Other puerperal affections	8								5	3								
33	Congenital debility and malformations	155	155																
34	Senility	17												1	3	9	4		
35	Violent deaths (excluding suicide)	140	3	7	4	2	3	8	8	24	16	20	13	12	3	12	3		2
36	Suicide	27							1	5	6	4	4	5	1		1		
(37)	Other defined diseases	467	57	7		4	1	13	18	29	41	56	86	65	58	26	5	1	
38	Diseases ill-defined or unknown																		
DETROIT, MICH.																			
	All causes	8,995	2,332	492	250	156	96	307	341	853	759	712	878	750	698	316	50	1	4
1	Typhoid fever	153				1		12	25	53	31	17	10	2	2				
2	Typhus fever																		
3	Malaria	2									2								
4	Smallpox	1											1						
5	Measles	106	27	43	15	10	2	5		4									
6	Scarlet fever	111	9	11	19	17	7	29	8	8	2	1							
7	Whooping cough	100	50	28	8	4	1	7	1						1				
8	Diphtheria and croup	300	11	45	46	35	34	79	22	21	6	1							
9	Influenza	19			1		1	1	2	4	3	2		4		1			
10	Asiatic cholera																		
11	Cholera nostras	2		1		1													
12	Other epidemic diseases	60	16	1	6			1		6	5	7	6	5	5	2			
13	Tuberculosis of the lungs	513	12	5	3	5		8	54	177	101	74	53	16	4				1
14	Tuberculous meningitis	44	6	10	5	3	1	9	7	1			2						
15	Other forms of tuberculosis	47	2		2		2	3	6	13	10	5	3		1				
16	Cancer and other malignant tumors	374	1	1					3	9	35	62	115	77	67	3	1		
17	Meningitis	151	44	18	16	20	4	15	11	10	3	5	3	2					
18	Cerebral hemorrhage and softening	323	4					2	4	5	11	28	77	84	77	26	4		1
19	Organic diseases of the heart	696	11	1		2		14	26	41	65	85	127	146	128	48	2		
20	Acute bronchitis	85	45	10	8	1		1		1	1	1	1	2	7	6	1		
21	Chronic bronchitis	38	1					1			1	2	1	7	16	9			
22	Pneumonia	604	91	49	16	7	5	20	19	73	79	72	71	53	31	16	2		
23a	Bronchopneumonia	483	239	76	34	11	7	14	6	8	10	12	15	22	17	12			
23b	Other diseases of the respiratory system	108	12	8	4	4	4	1	2	10	7	8	11	16	15	6			
24	Diseases of the stomach	162	72	7	5	2	1	1	4	2	11	11	20	13	9	3	1		
25(37)	Diarrhea and enteritis	621	453	99	20	7	7	6	4	6	1	6	5	2	3	1	1		
26	Appendicitis and typhlitis	69	2					5	16	14	13	11	5	3					
27	Hernia, intestinal obstruction	101	18	2		2		1	5	8	15	12	13	7	12	5	1		
28	Cirrhosis of the liver	87							1	2	10	18	22	17	12	5			
29	Acute nephritis and Bright's disease	421	3	3	5	3	3	9	14	29	38	46	102	82	62	20	1		1
30	Diseases of the female genital organs	53							1	15	16	11	4	5	1				
31	Puerperal fever	75							7	45	17	5	1						
32	Other puerperal affections	63							1	29	29	4							
33	Congenital debility and malformations	829	825		3				1										
34	Senility	187											1	8	69	86	23		
35	Violent deaths (excluding suicide)	573	20	16	17	12	9	29	42	130	105	70	47	38	27	9	1		1
36	Suicide	113							5	37	34	14	16	3	2	2			
(37)	Other defined diseases	1,263	356	38	12	8	7	30	44	88	92	119	142	136	125	54	11	1	
38	Diseases ill-defined or unknown	58	2	20	5	1	1	4		4	6	3	4		5	2	1		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	GRAND RAPIDS, MICH.																	
	All causes	1,600	308	46	33	22	18	57	42	129	111	134	164	193	201	127	14	1	
1	Typhoid fever	22	1				1	2	4	8	3	1	1	1					
2	Typhus fever																		
3	Malaria	1								1									
4	Smallpox																		
5	Measles	11	3	1	1	1	1	2	1	1									
6	Scarlet fever	22		2	8	3	2	4	3										
7	Whooping cough	1	1																
8	Diphtheria and croup	53	2	5	6	7	6	21	3	3									
9	Influenza	4											2		2				
10	Asiatic cholera																		
11	Cholera nostras	2										1			1				
12	Other epidemic diseases	5	2									2			1				
13	Tuberculosis of the lungs	66						1	5	29	14	9	4	3	1				
14	Tuberculous meningitis	8	2		2			1	1	1		1							
15	Other forms of tuberculosis	14							2	3	2	3	3	1					
16	Cancer and other malignant tumors	138		1						6	3	23	35	42	20	8			
17	Meningitis	10	5				1	2	2										
18	Cerebral hemorrhage and softening	89					1			1	3	5	19	20	32	7	1		
19	Organic diseases of the heart	151	2					4	2	4	9	11	20	39	38	20	2		
20	Acute bronchitis	17	6	3		1						1			3	3			
21	Chronic bronchitis	15								1	1	1		3	4	5			
22	Pneumonia	54	7	5	2	1	1	3	1	6	5	6	7	2	5	3			
23a	Bronchopneumonia	26	10	4	1	2	1			1	3	1	1	2					
23b	Other diseases of the respiratory system	20	2	2	1			2			2	3		4	3	1			
24	Diseases of the stomach	40	11	1				1		3	2	3	5	5	4	5			
25(37)	Diarrhea and enteritis	102	69	12	5	1				1	4	2	1	6		1			
26	Appendicitis and typhlitis	22						1	5	9	3	1	2	1					
27	Hernia, intestinal obstruction	21	2	2			1	1		1		4	1	1	8				
28	Cirrhosis of the liver	6									1	2	3						
29	Acute nephritis and Bright's disease	100	1			1		2	2	6	6	12	17	23	18	12			
30	Diseases of the female genital organs	15									6	4	4	1					
31	Puerperal fever	8								3	3	2							
32	Other puerperal affections	7								6	1								
33	Congenital debility and malformations	159	158		1														
34	Senility	81												2	26	44	8	1	
35	Violent deaths (excluding suicide)	86	6	2	3	3	2	5	3	16	12	8	9	7	7	2	1		
36	Suicide	22							1	6	3	6	3	1	1	1			
(37)	Other defined diseases	195	17	5	3	2	1	5	7	12	24	22	25	29	26	15	2		
38	Diseases ill-defined or unknown	7	1	1						1	1		2		1				
	MINNEAPOLIS, MINN.																	
	All causes	3,861	606	91	56	38	32	79	161	421	371	401	483	436	396	254	36		
1	Typhoid fever	40						1	4	22	8	2	2	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	20	3	6	4	1	1	4		1									
6	Scarlet fever	63	4	6	8	10	4	16	6	9									
7	Whooping cough	15	12	2			1												
8	Diphtheria and croup	56	7	7	7	3	6	14	4	4	2	2							
9	Influenza	17			1				1		3	1	3	2	4	2			
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	21	12	1								2	4		1	1			
13	Tuberculosis of the lungs	387	7	1	2	1	1	4	31	141	94	49	36	16	4				
14	Tuberculous meningitis	29	1	8	3	3	2	3	5	3	1								
15	Other forms of tuberculosis	36	1					1	6	15	5	6	1		1				
16	Cancer and other malignant tumors	282	1					1	1	6	24	34	74	76	48	14	3		
17	Meningitis	17	3	3	1			2	1	5		1		1					
18	Cerebral hemorrhage and softening	165	1							2	5	17	29	28	57	24	2		
19	Organic diseases of the heart	356					1	6	9	19	25	39	59	85	74	37	2		
20	Acute bronchitis	11	6	1	1							1				2			
21	Chronic bronchitis	24							1				3	4	7	9			
22	Pneumonia	191	10	5	2	4	1	4	7	10	25	27	28	29	23	15	1		
23a	Bronchopneumonia	151	63	20	8	3	3	1	1	3	4	3	7	7	12	12	4		
23b	Other diseases of the respiratory system	39	2	1	1	1			2	6	4	4	6	1	2	8	1		
24	Diseases of the stomach	29	5	1							2	4	7	7	1	2			
25(37)	Diarrhea and enteritis	157	102	14	8	5		1		4	2	3	8	3	3	4			
26	Appendicitis and typhlitis	75	2		3	2	4	4	18	17	9	10	5		1				
27	Hernia, intestinal obstruction	44	4	2	1				2	4	2	7	8	6	5	2	1		
28	Cirrhosis of the liver	37								1	2	7	9	10	6	2			
29	Acute nephritis and Bright's disease	326	4				1	4	5	14	24	46	60	68	55	37	8		
30	Diseases of the female genital organs	33							1	6	10	11	4	1					
31	Puerperal fever	22							1	13	5	3							
32	Other puerperal affections	28							1	13	12	2							
33	Congenital debility and malformations	261	260	1															
34	Senility	44													10	29	5		
35	Violent deaths (excluding suicide)	280	2	5	2		5	6	25	55	49	44	30	15	21	18	3		
36	Suicide	57							5	11	11	10	10	8	2				
(37)	Other defined diseases	544	92	7	3	5	2	7	24	37	43	66	90	68	59	35	6		
38	Diseases ill-defined or unknown	3	1		1											1			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ST. PAUL, MINN.																			
	All causes	2,558	425	53	27	26	17	57	111	266	249	267	342	304	262	125	23	4	
1	Typhoid fever	21						1	4	9	5	2							
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	18	8		1		1	5		2	1								
6	Scarlet fever	18			2	1	3	5	4	2	1								
7	Whooping cough	13	6	6				1											
8	Diphtheria and croup	43	2	7	2	7	4	6	6	4	4			1					
9	Influenza	11	2								4	2		1	2				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	12	3								2	2	1		2	2			
13	Tuberculosis of the lungs	269				1	1	1	21	84	69	45	29	15	3				
14	Tuberculous meningitis	22	3	2		1	1	2	3	4		4	2						
15	Other forms of tuberculosis	29	1	3	1			1	2	9	4	1	6	1					
16	Cancer and other malignant tumors	185								2	7	35	58	44	30	7	2		
17	Meningitis	10	2		1	1	1	2	2		1								
18	Cerebral hemorrhage and softening	109	1								2	14	21	30	25	15	1		
19	Organic diseases of the heart	192	2			1	1	3	8	5	11	18	31	49	45	17	1		
20	Acute bronchitis	8	3	1								1				2	1		
21	Chronic bronchitis	23											2	5	10	6			
22	Pneumonia	112	10		1	1		3	2	9	14	15	12	22	17	5	1		
23a	Bronchopneumonia	76	34	8	6		1	2	3		1	3	1	2	6	7	1	1	
23b	Other diseases of the respiratory system	24	1	1					2		3	3	5	2	4	1	2		
24	Diseases of the stomach	24	6			1				2	1	3	3	4	2	1	1		
25(37)	Diarrhea and enteritis	129	89	17	4	2		1	4		2		3	2	2	3			
26	Appendicitis and typhlitis	51			1		1	5	5	18	10	2	2	4	3				
27	Hernia, intestinal obstruction	35	6	1					3	3	4	5	2	1	9	1			
28	Cirrhosis of the liver	23									2	3	10	4	3	1			
29	Acute nephritis and Bright's disease	217	2			1		3	3	13	20	27	55	43	37	10	3		
30	Diseases of the female genital organs	12								2	3	4		1	2				
31	Puerperal fever	16							3	11	2								
32	Other puerperal affections	19							1	9	7	2							
33	Congenital debility and malformations	174	171			1	1		1										
34	Senility	30												1	13	8	6	2	
35	Violent deaths (excluding suicide)	180	7	3	7	3	1	5	20	34	25	24	24	14	6	6	1		
36	Suicide	49							2	11	14	11	10	1					
(37)	Other defined diseases	404	66	4	1	5	1	11	12	33	30	41	65	57	41	33	3	1	
38	Diseases ill-defined or unknown																		
KANSAS CITY, MO. (TOTAL).																			
	All causes	4,045	655	109	44	39	25	100	171	443	467	488	463	463	377	171	28	2	
1	Typhoid fever	60	2			2	1	6	13	18	10	4	3	1					
2	Typhus fever																		
3	Malaria	3	1					1							1				
4	Smallpox	1												1					
5	Measles	61	14	16	10	6	3	6	2	3	1								
6	Scarlet fever	6	1		2	1	1		1										
7	Whooping cough	24	13	4	2	3	1	1											
8	Diphtheria and croup	35	2	4	2	4	5	13	2		1	1		1					
9	Influenza	27	1			1		1	1	1	2	5		4	5	4	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	22	4	1							1	3	3	3	5	2			
13	Tuberculosis of the lungs	367	2	3	1	2	3	4	26	122	97	57	31	14	5				
14	Tuberculous meningitis	18	7	1			1	2	2	2	3								
15	Other forms of tuberculosis	41	2				1	2	5	7	9	4	9	2					
16	Cancer and other malignant tumors	237	2		1	2			3	2	17	49	55	53	42	9	2		
17	Meningitis	59	4	1	1	2		11	11	8	10	3	6	1	1				
18	Cerebral hemorrhage and softening	148						1	2	5	5	16	21	51	31	14	2		
19	Organic diseases of the heart	373	5	1	1			6	11	18	30	55	64	72	75	29	5	1	
20	Acute bronchitis	23	12	2	1					1	1			1	1	3	1		
21	Chronic bronchitis	14						1			2	1	1	2	2	4	1		
22	Pneumonia	201	21	9	6	3		2	10	27	19	23	26	28	17	9	1		
23a	Bronchopneumonia	115	54	16	5	1		3	3	1		4	6	7	10	5			
23b	Other diseases of the respiratory system	29	2	1			2	2	4			5	5	3	4	1			
24	Diseases of the stomach	38	4					1		3	6	5	4	7	4	4			
25(37)	Diarrhea and enteritis	268	190	35	4	1	1	1		1	3	4	7	7	8	3	3		
26	Appendicitis and typhlitis	67			2			8	12	17	13	8	5	1	1				
27	Hernia, intestinal obstruction	38	7						2	6	4	3	8	5	1	2			
28	Cirrhosis of the liver	33	1							1	3	5	10	7	3	3			
29	Acute nephritis and Bright's disease	303	5	1				2	5	9	35	53	56	68	47	19	3		
30	Diseases of the female genital organs	57							5	10	24	13	4				1		
31	Puerperal fever	25							3	16	6								
32	Other puerperal affections	19							2	6	9	2							
33	Congenital debility and malformations	191	187	2	1				1										
34	Senility	20												3	11	6			
35	Violent deaths (excluding suicide)	352	12	5	2	7	4	11	20	80	68	48	39	24	18	13	1		
36	Suicide	102							5	34	19	20	10	13	1				
(37)	Other defined diseases	660	97	6	3	3	2	15	19	45	69	97	89	83	84	41	6	1	
38	Diseases ill-defined or unknown	8	3	1		1			1				1	1					

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
KANSAS CITY, MO. (WHITE).																			
	All causes	3,419	605	93	38	34	19	87	132	333	346	384	397	416	348	166	21	.....	.....
1	Typhoid fever	51	2	.....	.....	2	.....	5	10	15	9	4	3	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	59	14	14	10	6	3	6	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	5	1	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	19	13	2	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	34	2	4	2	4	5	13	1	.....	1	1	.....	1	.....	.....	.....	.....	.....
9	Influenza	22	1	.....	.....	1	.....	1	1	1	1	4	.....	3	5	4	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	19	3	1	.....	.....	.....	.....	.....	.....	.....	3	2	3	5	2	.....	.....	.....
13	Tuberculosis of the lungs	241	2	3	.....	2	2	1	10	76	61	39	28	12	5	.....	.....	.....	.....
14	Tuberculous meningitis	16	7	1	.....	.....	1	1	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	31	2	.....	.....	.....	1	2	2	5	6	3	8	2	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	224	2	.....	1	2	.....	.....	3	2	13	44	55	50	41	9	2	.....	.....
17	Meningitis	49	4	1	1	1	.....	8	9	7	9	3	4	1	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	131	.....	.....	.....	.....	.....	.....	2	4	3	13	17	47	29	14	2	.....	.....
19	Organic diseases of the heart	300	5	1	.....	.....	.....	5	11	14	15	38	48	65	66	28	4	.....	.....
20	Acute bronchitis	16	10	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....
21	Chronic bronchitis	11	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	2	2	3	1	.....	.....
22	Pneumonia	165	17	7	5	2	.....	2	7	16	14	20	22	26	17	9	1	.....	.....
23a	Bronchopneumonia	99	47	14	5	1	.....	2	3	1	.....	2	6	5	8	5	.....	.....	.....
23b	Other diseases of the respiratory system	25	2	1	.....	.....	1	2	4	.....	.....	3	4	3	4	1	.....	.....	.....
24	Diseases of the stomach	32	4	.....	.....	.....	.....	1	.....	2	4	4	3	6	4	4	.....	.....	.....
25(37)	Diarrhea and enteritis	249	181	31	3	1	1	1	.....	1	2	3	7	4	8	3	3	.....	.....
26	Appendicitis and typhlitis	60	.....	.....	2	.....	.....	8	11	14	11	7	5	1	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	32	7	.....	.....	.....	.....	.....	2	5	3	1	6	5	1	2	.....	.....	.....
28	Cirrhosis of the liver	31	1	.....	.....	.....	.....	.....	.....	1	3	4	9	7	3	3	.....	.....	.....
29	Acute nephritis and Bright's disease	245	5	.....	.....	.....	.....	1	4	8	25	41	42	58	42	17	2	.....	.....
30	Diseases of the female genital organs	44	.....	.....	.....	.....	.....	.....	4	6	20	9	4	.....	.....	.....	1	.....	.....
31	Puerperal fever	22	.....	.....	.....	.....	.....	.....	3	13	6	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	18	.....	.....	.....	.....	.....	.....	1	6	9	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	173	169	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	9	6	.....	.....	.....
35	Violent deaths (excluding suicide)	296	12	5	2	7	3	11	16	61	56	35	36	21	17	13	1	.....	.....
36	Suicide	95	.....	.....	.....	.....	.....	.....	5	33	16	18	9	13	1	.....	.....	.....	.....
(37)	Other defined diseases	580	89	5	2	3	1	15	17	37	54	83	77	75	78	40	4	.....	.....
38	Diseases ill-defined or unknown	6	2	1	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....
KANSAS CITY, MO. (COLORED).																			
	All causes	626	50	16	6	5	6	13	39	110	121	104	66	47	29	5	7	2	.....
1	Typhoid fever	9	.....	.....	.....	.....	1	1	3	3	1	.....	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
4	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
5	Measles	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	5	.....	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	2	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	126	.....	.....	1	.....	1	3	16	46	36	18	3	2	.....	.....	.....	.....	.....
14	Tuberculous meningitis	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	10	.....	.....	.....	.....	.....	.....	3	2	3	1	1	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	13	.....	.....	.....	.....	.....	.....	.....	.....	4	5	.....	3	1	.....	.....	.....	.....
17	Meningitis	10	.....	.....	.....	1	.....	3	2	1	1	.....	2	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	17	.....	.....	.....	.....	.....	1	.....	1	2	3	4	4	2	.....	.....	.....	.....
19	Organic diseases of the heart	73	.....	.....	1	.....	.....	1	.....	4	15	17	16	7	9	1	1	1	.....
20	Acute bronchitis	7	2	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....
21	Chronic bronchitis	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....
22	Pneumonia	36	4	2	1	1	.....	.....	3	11	5	3	4	2	.....	.....	.....	.....	.....
23a	Bronchopneumonia	16	7	2	.....	.....	.....	1	.....	.....	.....	2	.....	2	2	.....	.....	.....	.....
23b	Other diseases of the respiratory system	4	.....	.....	.....	.....	1	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
24	Diseases of the stomach	6	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	19	9	4	1	.....	.....	.....	.....	.....	1	1	.....	3	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	7	.....	.....	.....	.....	.....	.....	1	3	2	1	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	6	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	58	.....	1	.....	.....	.....	1	1	1	10	12	14	10	5	2	1	.....	.....
30	Diseases of the female genital organs	13	.....	.....	.....	.....	.....	.....	1	4	4	4	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	3	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	18	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
35	Violent deaths (excluding suicide)	56	.....	.....	.....	.....	1	.....	4	19	12	13	3	3	1	.....	.....	.....	.....
36	Suicide	7	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	80	8	1	1	.....	1	.....	2	8	15	14	12	8	6	1	2	1	.....
38	Diseases ill-defined or unknown	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	ST. LOUIS, MO. (TOTAL).																	
	All causes	10,761	1,478	326	152	102	91	247	388	978	1,122	1,383	1,458	1,398	1,082	493	57	4	2
1	Typhoid fever	122	1	.....	2	2	1	11	29	32	26	11	5	2	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	29	1	3	.....	.....	.....	.....	1	5	6	1	5	3	1	3	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	114	29	41	17	7	5	13	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
6	Scarlet fever	44	2	4	7	6	9	11	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	27	9	9	4	.....	2	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	211	23	37	26	27	28	57	9	1	1	1	.....	.....	.....	1	.....	.....	.....
9	Influenza	90	9	1	.....	1	1	6	.....	8	5	9	14	17	13	5	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
12	Other epidemic diseases	44	8	2	2	.....	.....	1	1	3	6	5	6	4	3	3	.....	.....	.....
13	Tuberculosis of the lungs	1,002	10	6	3	2	3	8	38	282	255	195	105	35	8	2	.....	.....	.....
14	Tuberculous meningitis	67	9	12	4	2	5	6	5	12	6	4	.....	2	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	73	2	1	3	.....	.....	4	10	14	13	12	8	3	3	.....	.....	.....	.....
16	Cancer and other malignant tumors	710	.....	.....	1	2	1	4	8	24	54	147	191	163	90	24	1	.....	.....
17	Meningitis	61	18	2	4	2	1	5	6	6	6	5	5	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	429	2	1	.....	.....	1	.....	.....	7	15	40	81	124	108	42	8	.....	.....
19	Organic diseases of the heart	890	4	.....	.....	1	3	6	28	55	69	122	166	196	161	73	5	1	.....
20	Acute bronchitis	85	43	9	4	1	.....	2	.....	.....	2	2	4	3	9	6	.....	.....	.....
21	Chronic bronchitis	102	.....	.....	1	1	.....	1	.....	1	2	6	4	23	35	23	5	.....	.....
22	Pneumonia	630	43	16	9	6	5	10	20	43	80	96	94	104	75	24	5	.....	.....
23a	Bronchopneumonia	371	143	61	30	10	5	6	3	11	11	13	15	23	21	18	1	.....	.....
23b	Other diseases of the respiratory system	104	3	2	.....	2	.....	3	2	11	9	14	19	11	21	7	.....	.....	.....
24	Diseases of the stomach	96	22	.....	.....	.....	.....	.....	1	5	12	15	11	14	9	7	.....	.....	.....
25(37)	Diarrhea and enteritis	619	449	76	12	6	4	4	2	10	11	4	6	18	10	5	2	.....	.....
26	Appendicitis and typhlitis	133	.....	.....	1	1	.....	12	32	33	16	16	14	6	2	.....	.....	.....	.....
27	Hernia, intestinal obstruction	116	7	5	1	3	1	6	3	8	12	14	23	15	12	6	.....	.....	.....
28	Cirrhosis of the liver	214	.....	.....	.....	.....	.....	.....	2	5	29	49	63	45	17	4	.....	.....	.....
29	Acute nephritis and Bright's disease	1,212	7	2	1	2	.....	4	18	45	96	174	264	265	235	89	8	1	1
30	Diseases of the female genital organs	84	.....	.....	.....	.....	.....	.....	2	16	24	31	7	4	.....	.....	.....	.....	.....
31	Puerperal fever	60	.....	.....	.....	.....	.....	.....	7	31	17	5	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	40	.....	.....	.....	.....	.....	.....	.....	19	21	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	439	426	3	3	1	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	5	9	3	.....	.....
35	Violent deaths (excluding suicide)	656	18	11	10	5	8	33	50	116	99	97	83	62	36	25	3	.....	.....
36	Suicide	241	.....	.....	.....	.....	.....	.....	7	66	43	56	31	26	11	1	.....	.....	.....
(37)	Other defined diseases	1,616	188	18	7	12	7	29	47	108	176	238	233	225	196	115	14	2	1
38	Diseases ill-defined or unknown	7	1	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
	ST. LOUIS, MO. (WHITE).																	
	All causes	9,510	1,344	279	133	91	79	227	334	804	904	1,190	1,295	1,285	1,018	467	57	1	2
1	Typhoid fever	107	.....	.....	2	2	.....	9	27	30	21	9	5	2	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	25	1	3	.....	.....	.....	.....	1	3	5	1	5	2	1	3	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	107	28	37	17	6	5	12	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
6	Scarlet fever	44	2	4	7	6	9	11	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	22	8	7	2	.....	2	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	202	20	36	26	26	27	56	7	1	1	1	.....	.....	.....	1	.....	.....	.....
9	Influenza	86	9	1	.....	1	.....	6	.....	7	5	9	14	17	11	5	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
12	Other epidemic diseases	38	7	1	2	.....	.....	1	1	1	5	5	6	3	3	3	.....	.....	.....
13	Tuberculosis of the lungs	780	8	4	2	2	3	4	61	224	191	156	84	31	8	2	.....	.....	.....
14	Tuberculous meningitis	55	8	12	3	2	4	5	5	9	2	3	.....	2	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	57	2	.....	2	.....	.....	3	8	13	8	10	6	3	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	663	.....	.....	1	1	1	4	8	20	50	136	177	153	88	23	1	.....	.....
17	Meningitis	52	17	2	4	1	1	4	6	3	6	4	3	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	394	2	1	.....	.....	1	.....	.....	7	13	34	74	113	101	40	8	.....	.....
19	Organic diseases of the heart	775	3	.....	.....	1	3	5	28	46	53	94	141	179	148	69	5	.....	.....
20	Acute bronchitis	76	39	7	4	1	.....	2	.....	.....	1	1	3	3	9	6	.....	.....	.....
21	Chronic bronchitis	95	.....	.....	1	1	.....	1	.....	1	2	5	4	21	32	22	5	.....	.....
22	Pneumonia	528	35	10	8	5	4	9	15	31	64	79	78	93	70	22	5	.....	.....
23a	Bronchopneumonia	312	118	49	22	8	4	5	3	9	10	10	14	22	19	18	1	.....	.....
23b	Other diseases of the respiratory system	87	3	2	.....	2	.....	3	2	6	6	12	16	9	20	6	.....	.....	.....
24	Diseases of the stomach	84	19	.....	.....	.....	.....	.....	.....	4	10	13	10	13	9	6	.....	.....	.....
25(37)	Diarrhea and enteritis	580	427	69	10	4	2	3	1	10	9	4	6	18	10	5	2	.....	.....
26	Appendicitis and typhlitis	123	.....	.....	1	1	.....	11	32	30	13	16	12	5	2	.....	.....	.....	.....
27	Hernia, intestinal obstruction	100	7	4	1	3	.....	6	1	6	9	12	21	14	10	6	.....	.....	.....
28	Cirrhosis of the liver	196	.....	.....	.....	.....	.....	.....	1	4	23	46	59	43	16	4	.....	.....	.....
29	Acute nephritis and Bright's disease	1,077	6	1	1	2	.....	4	15	38	71	154	229	240	225	82	8	.....	1
30	Diseases of the female genital organs	71	.....	.....	.....	.....	.....	.....	2	15	18	27	5	4	.....	.....	.....	.....	.....
31	Puerperal fever	57	.....	.....	.....	.....	.....	.....	7	29	17	4	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	39	.....	.....	.....	.....	.....	.....	.....	18	21	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	410	399	2	2	1	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	5	9	3	.....	.....
35	Violent deaths (excluding suicide)	573	17	11	9	5	6	30	45	86	82	86	82	53	33	25	3	.....	.....
36	Suicide	233	.....	.....	.....	.....	.....	.....	7	63	40	54	31	26	11	1	.....	.....	.....
(37)	Other defined diseases	1,433	157	13	6	10	6	28	44	89	148	204	209	211	184	108	14	1	1
38	Diseases ill-defined or unknown	6	1	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ST. LOUIS, MO. (COLORED).																			
	All causes	1,251	134	47	19	11	12	20	54	174	218	193	163	113	64	26	.....	3	.....
1	Typhoid fever	15	1	.....	.....	.....	1	2	2	2	5	2	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	4	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	7	1	4	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	5	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	9	3	1	.....	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	4	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	6	1	1	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	222	2	2	1	.....	.....	4	27	58	64	39	21	4	.....	.....	.....	.....	.....
14	Tuberculous meningitis	12	1	.....	1	.....	1	1	.....	3	4	1	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	16	.....	1	1	.....	.....	1	2	1	5	2	2	.....	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	47	.....	.....	.....	1	.....	.....	.....	4	4	11	14	10	2	1	.....	.....	.....
17	Meningitis	9	1	.....	.....	1	.....	1	.....	3	.....	1	2	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	35	.....	.....	.....	.....	.....	.....	.....	.....	2	6	7	11	7	2	.....	.....	.....
19	Organic diseases of the heart	115	1	.....	.....	.....	.....	1	.....	9	16	28	25	17	13	4	.....	1	.....
20	Acute bronchitis	9	4	2	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	1	.....	.....	.....
22	Pneumonia	102	8	6	1	1	1	1	5	12	16	17	16	11	5	2	.....	.....	.....
23a	Bronchopneumonia	59	25	12	8	2	1	1	.....	2	1	3	1	1	2	.....	.....	.....	.....
23b	Other diseases of the respiratory system	17	.....	.....	.....	.....	.....	.....	.....	5	3	2	3	2	1	1	.....	.....	.....
24	Diseases of the stomach	12	3	.....	.....	.....	.....	.....	1	1	2	2	1	1	.....	1	.....	.....	.....
25(37)	Diarrhea and enteritis	39	22	7	2	2	2	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	10	.....	.....	.....	.....	.....	1	.....	3	3	.....	2	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	16	.....	1	.....	.....	1	.....	2	2	3	2	2	1	2	.....	.....	.....	.....
28	Cirrhosis of the liver	18	.....	.....	.....	.....	.....	.....	1	1	6	3	4	2	1	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	135	1	1	.....	.....	.....	.....	3	7	25	20	35	25	10	7	.....	1	.....
30	Diseases of the female genital organs	13	.....	.....	.....	.....	.....	.....	.....	1	6	4	2	.....	.....	.....	.....	.....	.....
31	Puerperal fever	3	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	29	27	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Violent deaths (excluding suicide)	83	1	.....	1	.....	2	3	5	30	17	11	1	9	3	.....	.....	.....	.....
36	Suicide	8	.....	.....	.....	.....	.....	.....	.....	3	3	2	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	183	31	5	1	2	1	1	3	19	28	34	24	14	12	7	.....	1	.....
38	Diseases ill-defined or unknown	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
OMAHA, NEBR.																			
	All causes	1,822	215	34	23	16	11	45	76	193	224	237	250	246	166	73	12	.....	1
1	Typhoid fever	10	.....	.....	.....	.....	.....	1	2	3	2	.....	1	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	14	.....	1	1	2	3	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	3	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	21	.....	2	1	2	3	11	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	7	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	13	1	3	.....	.....	.....	.....	.....	1	.....	3	3	2	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	118	1	.....	1	.....	.....	1	5	31	30	22	11	11	3	2	.....	.....	.....
14	Tuberculous meningitis	4	.....	.....	1	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	17	.....	.....	2	.....	.....	.....	.....	4	4	2	.....	2	3	.....	.....	.....	.....
16	Cancer and other malignant tumors	129	.....	1	1	.....	.....	1	.....	3	10	26	33	34	17	3	.....	.....	.....
17	Meningitis	14	1	2	.....	1	.....	1	3	2	2	2	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	73	3	.....	.....	.....	.....	.....	1	1	3	10	17	22	11	4	1	.....	.....
19	Organic diseases of the heart	147	2	.....	.....	.....	.....	1	3	8	15	22	27	27	32	9	1	.....	.....
20	Acute bronchitis	9	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....
21	Chronic bronchitis	6	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	3	.....	.....	.....
22	Pneumonia	84	4	.....	.....	.....	1	.....	1	13	14	13	14	16	5	3	.....	.....	.....
23a	Bronchopneumonia	73	25	7	4	2	2	2	.....	1	1	1	2	2	16	8	.....	.....	.....
23b	Other diseases of the respiratory system	20	.....	.....	.....	.....	.....	2	1	3	2	6	3	2	.....	.....	1	.....	.....
24	Diseases of the stomach	13	2	.....	.....	.....	.....	.....	.....	1	2	3	3	2	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	69	44	13	4	2	.....	.....	.....	1	.....	2	.....	2	1	.....	.....	.....	.....
26	Appendicitis and typhlitis	47	.....	.....	.....	.....	.....	4	8	17	4	8	2	3	.....	1	.....	.....	.....
27	Hernia, intestinal obstruction	37	2	.....	.....	.....	.....	.....	2	6	6	6	6	1	7	1	.....	.....	.....
28	Cirrhosis of the liver	24	.....	.....	.....	.....	.....	.....	.....	2	7	3	9	3	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	114	1	.....	.....	.....	.....	.....	5	2	11	15	29	31	12	7	1	.....	.....
30	Diseases of the female genital organs	23	.....	.....	.....	.....	.....	.....	3	6	6	5	3	.....	.....	.....	.....	.....	.....
31	Puerperal fever	14	.....	.....	.....	.....	.....	.....	2	6	5	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	16	.....	.....	.....	.....	.....	.....	.....	9	6	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	99	98	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	8	15	5	.....	.....
35	Violent deaths (excluding suicide)	229	10	2	3	4	1	8	26	40	35	35	27	27	5	3	2	.....	1
36	Suicide	34	.....	.....	.....	.....	.....	.....	1	6	12	3	5	6	1	.....	.....	.....	.....
(37)	Other defined diseases	307	15	.....	5	1	1	6	8	25	47	46	50	46	42	14	1	.....	.....
38	Diseases ill-defined or unknown	4	1	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
JERSEY CITY, N. J.																			
	All causes	4,194	810	240	99	69	54	114	161	303	420	494	478	463	335	129	19	4	2
1	Typhoid fever	31						2	7	10	3	6	2	1					
2	Typhus fever																		
3	Malaria	1											1						
4	Smallpox																		
5	Measles	30	12	11	2	3		2											
6	Scarlet fever	41	1	7	8	7	6	8	2	2									
7	Whooping cough	37	13	16	3	3		2											
8	Diphtheria and croup	74	3	15	11	11	12	17	3	2									
9	Influenza	12			1						2	1	4		4				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	17	6								2	2	1	2	1	3			
13	Tuberculosis of the lungs	384	4	2	1	1		4	34	103	107	77	35	12	4				
14	Tuberculous meningitis	35	5	10	5	4	2	3	2	2	1		1						
15	Other forms of tuberculosis	27	2	1	2	1	1	3	7	1	5	2	1	1					
16	Cancer and other malignant tumors	198		2		2				4	14	42	60	42	27	5			
17	Meningitis	32	9	5	2	2		5	6	1		2							
18	Cerebral hemorrhage and softening	232		1			1		1	4	4	22	49	70	64	13	2		1
19	Organic diseases of the heart	379	1		2	1	1	9	21	21	35	59	52	85	55	34	2	1	
20	Acute bronchitis	41	20	4	1			1		1		1	2	2	1	6	1	1	
21	Chronic bronchitis	25											5	12	4	2	2		
22	Pneumonia	327	46	31	21	7	7	13	9	20	27	50	43	24	22	6	1		
23a	Bronchopneumonia	223	101	62	15	9	6	3	1	1	2	4	3	10	4	2			
23b	Other diseases of the respiratory system	32	2		1			1		1	2	3	7	8	5		2		
24	Diseases of the stomach	35	5		1			1		2	2	5	5	9	3	2			
25(37)	Diarrhea and enteritis	303	204	48	10	5	4	5		1	5	4	4	4	5	4			
26	Appendicitis and typhlitis	39						2	11	7	8	5	5		1				
27	Hernia, intestinal obstruction	35	7	1		1		2	1	1	4	5	5	3	4		1		
28	Cirrhosis of the liver	59								1	6	24	12	7	8	1			
29	Acute nephritis and Bright's disease	364	2	1				4	9	23	52	67	69	71	50	14	1	1	
30	Diseases of the female genital organs	31								6	8	8	8	1					
31	Puerperal fever	30							1	13	14	2							
32	Other puerperal affections	22							1	10	10	1							
33	Congenital debility and malformations	253	252	1															
34	Senility	20													9	8	3		
35	Violent deaths (excluding suicide)	260	6	4	4	9	11	14	22	41	48	39	26	19	13	3			1
36	Suicide	31							3	3	8	5	6	5	1				
(37)	Other defined diseases	520	106	10	8	3	3	12	20	22	51	58	72	74	50	26	4	1	
38	Diseases ill-defined or unknown	14	3	8	1			1						1					
NEWARK, N. J.																			
	All causes	5,454	1,009	243	106	56	42	123	169	382	499	654	704	674	531	243	18	1	
1	Typhoid fever	33		1			1	1	3	12	10	4	1						
2	Typhus fever																		
3	Malaria	1												1					
4	Smallpox																		
5	Measles	18	4	8	4		1	1											
6	Scarlet fever	21		5	4	4	2	4	1		1								
7	Whooping cough	43	21	11	7	2		2											
8	Diphtheria and croup	69	7	13	12	6	11	12	6	1			1						
9	Influenza	26	6	2						1	1	2	5	2	5	1	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	42	16	1						4	3	5	5	2	5	1			
13	Tuberculosis of the lungs	569	5	3				3	33	123	142	131	89	34	6				
14	Tuberculous meningitis	51	9	14	5	3	2	6	6	1	3	1		1					
15	Other forms of tuberculosis	41	2	2	2		2	7	6	3	5	4	2	4	2				
16	Cancer and other malignant tumors	311		2	1			1	1	7	11	64	84	77	51	10	2		
17	Meningitis	29	7	4		6	2	2	4	2		1	1						
18	Cerebral hemorrhage and softening	307	2	1					2	2	10	32	63	85	75	34	1		
19	Organic diseases of the heart	521	1	1		1	1	5	12	23	26	60	84	121	123	57	6		
20	Acute bronchitis	55	39	3	2		2	1	1				2		4	1			
21	Chronic bronchitis	42	3					1	1	1		1	5	7	14	7	2		
22	Pneumonia	296	34	21	14	3	3	8	12	23	36	41	38	30	26	6	1		
23a	Bronchopneumonia	237	95	65	23	8	2	12	3	2	2	3	7	8	1	5	1		
23b	Other diseases of the respiratory system	57	5	4	1			2	2	2	3	10	6	10	9	3			
24	Diseases of the stomach	41	3	1					1	1	12	8	7	6		2			
25(37)	Diarrhea and enteritis	388	294	53	9	5	2			1	3	3	5	4	5	4			
26	Appendicitis and typhlitis	54				1	1	6	14	11	6	5	9	1					
27	Hernia, intestinal obstruction	41	5	1	1				1	3	5	5	5	8	3	4			
28	Cirrhosis of the liver	69								4	7	24	14	12	8				
29	Acute nephritis and Bright's disease	539	4			2		5	8	24	46	88	110	131	79	41		1	
30	Diseases of the female genital organs	18								5	5	5	1		2				
31	Puerperal fever	47							3	27	15	2							
32	Other puerperal affections	41							2	10	26	3							
33	Congenital debility and malformations	326	323	1	1	1													
34	Senility	26												2	8	14	2		
35	Violent deaths (excluding suicide)	313	14	12	14	12	7	27	15	37	36	43	28	32	19	17			
36	Suicide	75							2	13	13	15	14	13	4	1			
(37)	Other defined diseases	698	109	8	6	2	3	17	30	39	72	94	118	82	82	34	2		
38	Diseases ill-defined or unknown	9	1	6										1		1			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PATERSON, N. J.																			
	All causes	1,780	307	66	16	19	12	26	80	134	167	187	229	245	204	80	8		
1	Typhoid fever	11						1	2	2	4	1	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	1		1															
6	Scarlet fever	4			1		1	1	1										
7	Whooping cough	11	3	5	2			1											
8	Diphtheria and croup	13	1	4	2		2	3	1										
9	Influenza	12				2					2		3	3		2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	10	4									1	1	2	1	1			
13	Tuberculosis of the lungs	176							15	47	52	34	16	9	3				
14	Tuberculous meningitis	8	1	2	2	2			1										
15	Other forms of tuberculosis	12	2	1		1		1	3	1	1	2							
16	Cancer and other malignant tumors	105				1				1	7	17	34	30	12	3			
17	Meningitis	16	10			1			1	1	2	1							
18	Cerebral hemorrhage and softening	95									1	6	16	22	44	6			
19	Organic diseases of the heart	220				1		6	13	11	14	24	35	52	45	17	2		
20	Acute bronchitis	14	9	1										1	2	1			
21	Chronic bronchitis	9									2		2	2	2	1			
22	Pneumonia	148	23	19	4	3		2	6	13	8	18	15	17	13	7			
23a	Bronchopneumonia	62	35	14	1		4	1		1			1		3	2			
23b	Other diseases of the respiratory system	18	3	1		1					1		5	3	1	3			
24	Diseases of the stomach	18	4						1	2	3		2	4	2				
25(37)	Diarrhea and enteritis	120	90	11	2	1		1			1	2	3	3	4	2			
26	Appendicitis and typhlitis	12				1		1	3	1	2	4							
27	Hernia, intestinal obstruction	22	1						2	1	1	3	6	4	4				
28	Cirrhosis of the liver	21								1	1	5	5	6	2	1			
29	Acute nephritis and Bright's disease	175	2	1	1	1	1		1	13	9	24	35	40	28	16	3		
30	Diseases of the female genital organs	7								2	3	1			1				
31	Puerperal fever	9							1	4	4								
32	Other puerperal affections	17							1	8	6	2							
33	Congenital debility and malformations	94	91			1			1	1									
34	Senility	15												2	5	6	2		
35	Violent deaths (excluding suicide)	108	1	1		3	2	6	15	10	17	16	9	8	17	3			
36	Suicide	26							2	5	7	4	5	3					
(37)	Other defined diseases	188	26	3	1		2	2	10	9	19	22	35	34	15	9	1		
38	Diseases ill-defined or unknown	3	1	2															
ALBANY, N. Y.																			
	All causes	2,025	268	36	13	16	17	24	62	138	229	207	305	309	277	109	14	1	
1	Typhoid fever	28						2	4	6	10	3	3						
2	Typhus fever																		
3	Malaria																		
4	Smallpox	1						1											
5	Measles	7	1		2	2	1	1											
6	Scarlet fever	2				1	1												
7	Whooping cough	10	4	3	1		1						1						
8	Diphtheria and croup	23	1	5	1	4	6	5	1										
9	Influenza	20	3								1	1	4	4	4	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	10	3							1	2	2	1		1				
13	Tuberculosis of the lungs	232	3						13	48	69	53	32	13	1				
14	Tuberculous meningitis	8	2	1			2	1	1				1						
15	Other forms of tuberculosis	14						2	1	4	3	1	3						
16	Cancer and other malignant tumors	138				1				5	5	21	39	35	28	4			
17	Meningitis	18	4	2		1		2	4	1	2	1		1					
18	Cerebral hemorrhage and softening	109	2								4	6	18	36	25	18			
19	Organic diseases of the heart	223	2						6	5	15	17	24	73	61	17	3		
20	Acute bronchitis	11	3	1							1	1		2	1	1	1		
21	Chronic bronchitis	10									1	2	2	1	1	2	1		
22	Pneumonia	94	7	4	3	4	2	1	2	4	11	12	19	12	10	3			
23a	Bronchopneumonia	45	13	9	3	1	1	1		2	2	4	1	4	2	2			
23b	Other diseases of the respiratory system	32	7						1	1	1	3	7	3	5	3	1		
24	Diseases of the stomach	14	4					1			3	1	2	1	2				
25(37)	Diarrhea and enteritis	71	54	7	1					2	1	1	1	1	3				
26	Appendicitis and typhlitis	24							7	4	9	2	2						
27	Hernia, intestinal obstruction	17	2								5	3	3	2	2				
28	Cirrhosis of the liver	31								1	3	7	10	7	3				
29	Acute nephritis and Bright's disease	214	4			1		1	1	7	20	22	54	46	39	18	1		
30	Diseases of the female genital organs	12								1	6	3	1	1					
31	Puerperal fever	5								3	2								
32	Other puerperal affections	6							1	2	2	1							
33	Congenital debility and malformations	110	110																
34	Senility	18													11	5	2		
35	Violent deaths (excluding suicide)	103	1	1	1	2	4	8	19	14	13	12	12	9	5	1	1		
36	Suicide	15								1	3	2	4	3	2				
(37)	Other defined diseases	349	39	3	1		1	2	12	21	34	25	60	52	67	28	4		
38	Diseases ill-defined or unknown	1											1						

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BUFFALO, N. Y.																			
	All causes	7,043	1,621	253	104	55	39	118	226	529	616	750	869	814	673	326	45	3	2
1	Typhoid fever	69				1		2	20	18	10	10	5	2	1				
2	Typhus fever																		
3	Malaria	1										1							
4	Smallpox																		
5	Measles	71	26	26	8	5	3	1			1	1							
6	Scarlet fever	15		2	2		4	4		1	2								
7	Whooping cough	27	23	2	2														
8	Diphtheria and croup	43	2	8	9	4	3	12	1		3			1					
9	Influenza	21	3	1	1			1	1	1		1	3	2	4	2	1		
10	Asiatic cholera																		
11	Cholera nostras	4	2											2					
12	Other epidemic diseases	36	10		1	1			1	2	3	6	4	2	4	2			
13	Tuberculosis of the lungs	600	5	6	1	2	2	4	62	180	156	88	58	29	3	4			
14	Tuberculous meningitis	56	7	8	11	5	4	7	3	8	1		1	1					
15	Other forms of tuberculosis	41	5		3			1	3	8	8	5	5	3					
16	Cancer and other malignant tumors	458							3	12	30	86	133	117	57	19	1		
17	Meningitis	36	7	7	1	2	2	3	1	3		5	3	1	1				
18	Cerebral hemorrhage and softening	361	4	1		1				4	13	47	58	101	81	41	8	2	
19	Organic diseases of the heart	761	7		3	2	1	10	15	27	45	84	131	165	176	85	10		
20	Acute bronchitis	32	23	2	1	1			1			1	1	1			1		
21	Chronic bronchitis	27									1	2	7	1	11	5			
22	Pneumonia	321	28	8	7	3	1	8	5	25	38	45	62	47	31	10	3		
23a	Bronchopneumonia	345	180	61	15	5	6	7	1	6	6	10	9	13	16	8	2		
23b	Other diseases of the respiratory system	63	4	4		1	1	1	2	4	5	7	10	11	6	5	2		
24	Diseases of the stomach	58	18	1	1				2	5	6	5	6	3	9		2		
25(37)	Diarrhea and enteritis	690	552	84	20	5	2		1	6	5	3	2	4	5	1			
26	Appendicitis and typhlitis	95	1			3		9	15	16	28	12	8	2	1				
27	Hernia, intestinal obstruction	77	15	4		1	2		3	6	7	11	9	7	8	4			
28	Cirrhosis of the liver	69								2	13	18	13	19	2	2			
29	Acute nephritis and Bright's disease	516	9	5	2	1	1	6	14	12	41	74	113	102	95	38	3		
30	Diseases of the female genital organs	50							1	10	13	17	4	2	3				
31	Puerperal fever	30							1	19	8	2							
32	Other puerperal affections	32							1	16	11	4							
33	Congenital debility and malformations	413	407	2	1			1	1	1									
34	Senility	20												1	5	11	3		
35	Violent deaths (excluding suicide)	427	8	7	5	9	4	21	27	84	66	56	61	33	32	11	1		2
36	Suicide	46							1	8	10	13	8	5			1		
(37)	Other defined diseases	1,128	274	12	10	3	3	20	40	45	86	136	155	136	122	78	7	1	
38	Diseases ill-defined or unknown	4	1	2										1					
NEW YORK, N. Y. (TOTAL).																			
	All causes	74,286	13,850	3,739	1,624	977	736	1,855	2,616	5,712	7,515	8,928	9,236	8,674	6,131	2,372	304	14	3
1	Typhoid fever	363	1	2	3	2	6	20	65	110	74	41	28	10	1				
2	Typhus fever																		
3	Malaria	16	1	2				1		5	1	1	3	2					
4	Smallpox																		
5	Measles	721	196	283	120	65	22	27	3	4	1								
6	Scarlet fever	572	19	66	108	102	66	130	52	18	8	3							
7	Whooping cough	400	196	130	36	25	8	4					1						
8	Diphtheria and croup	1,358	122	314	249	181	134	277	60	7	6	5	3						
9	Influenza	281	20	15	5	3	1	7	11	13	24	31	39	37	44	24	6	1	
10	Asiatic cholera																		
11	Cholera nostras	5											1	3	1				
12	Other epidemic diseases	368	162	19	10	6	1	8	12	16	28	35	29	24	11	7			
13	Tuberculosis of the lungs	8,842	63	73	37	21	25	83	639	2,086	2,277	1,898	1,086	398	129	24	2		1
14	Tuberculous meningitis	817	173	171	133	61	46	108	50	35	17	16	4	3					
15	Other forms of tuberculosis	429	39	19	20	19	13	25	54	75	71	53	20	18	3				
16	Cancer and other malignant tumors	4,250	3	4	5	7	5	6	31	98	338	829	1,167	1,058	564	127	8		
17	Meningitis	394	117	54	32	19	20	46	29	27	20	16	9	2	3				
18	Cerebral hemorrhage and softening	2,695	8	4	2			3	5	22	73	263	600	827	634	231	22	1	
19	Organic diseases of the heart	7,515	28	10	12	10	26	150	304	360	616	941	1,227	1,766	1,453	550	60	2	
20	Acute bronchitis	695	450	85	22	7	14	7	6	4	3	9	9	21	35	15	8		
21	Chronic bronchitis	256	5	3				1	3	5	8	10	34	60	65	50	12		
22	Pneumonia	5,469	562	423	166	70	43	122	173	420	738	805	771	606	428	128	14		
23a	Bronchopneumonia	4,634	2,049	1,065	313	134	60	109	33	63	65	86	165	184	180	103	24	1	
23b	Other diseases of the respiratory system	555	56	56	39	11	9	19	18	39	37	58	60	65	45	35	7	1	
24	Diseases of the stomach	386	47	7	3	4		2	6	38	71	67	58	43	31	8	1		
25(37)	Diarrhea and enteritis	4,248	3,236	584	90	32	23	25	13	18	38	29	43	46	36	32	3		
26	Appendicitis and typhlitis	622	2	4	4	7	11	53	104	132	96	90	73	34	10	2			
27	Hernia, intestinal obstruction	566	74	11	6	5	7	7	12	32	45	78	111	94	67	16	1		
28	Cirrhosis of the liver	886	1	1	2			2	4	26	109	258	234	162	71	14	2		
29	Acute nephritis and Bright's disease	7,180	49	20	13	13	13	55	95	295	717	1,181	1,516	1,632	1,130	403	45	3	
30	Diseases of the female genital organs	347							4	78	105	93	45	11	10	1			
31	Puerperal fever	338							25	178	119	16							
32	Other puerperal affections	395							15	173	169	37	1						
33	Congenital debility and malformations	4,380	4,323	29	8	3	4	6	7										
34	Senility	330											2	22	106	160	37	3	
35	Violent deaths (excluding suicide)	4,050	109	94	116	114	120	315	358	601	622	611	421	297	188	68	14		2
36	Suicide	856							34	182	187	190	123	104	28	8			
(37)	Other defined diseases	9,017	1,736	154	67	53	59	236	391	552	832	1,178	1,352	1,144	857	366	38	2	
38	Diseases ill-defined or unknown	50	3	37	3	3		1					1	1	1				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (WHITE).																		
	All causes	71,849	13,412	3,590	1,572	943	718	1,790	2,484	5,386	7,122	8,614	9,003	8,515	6,044	2,343	296	14	3
1	Typhoid fever	356	1	2	3	2	6	20	64	109	71	41	27	9	1				
2	Typhus fever																		
3	Malaria	14	1	2				1		5		1	2	2					
4	Smallpox																		
5	Measles	713	194	280	119	64	22	27	3	4									
6	Scarlet fever	567	19	66	107	102	64	129	52	18	7	3							
7	Whooping cough	382	192	120	33	25	8	3					1						
8	Diphtheria and croup	1,331	116	308	249	177	132	268	60	7	6	5	3						
9	Influenza	273	20	15	4	3	1	6	10	13	21	31	38	36	44	24	6	1	
10	Asiatic cholera																		
11	Cholera nostras	5											1	3	1				
12	Other epidemic diseases	359	157	19	10	5	1	8	12	15	28	34	28	24	11	7			
13	Tuberculosis of the lungs	8,307	58	62	31	18	25	68	562	1,933	2,142	1,820	1,054	384	125	23	1		1
14	Tuberculous meningitis	771	166	160	126	53	43	101	49	34	16	16	4	3					
15	Other forms of tuberculosis	404	38	17	18	19	11	22	50	69	67	52	20	18	3				
16	Cancer and other malignant tumors	4,174	3	4	5	7	5	6	31	93	322	816	1,146	1,043	559	126	8		
17	Meningitis	380	111	54	31	19	20	45	28	24	18	16	9	2	3				
18	Cerebral hemorrhage and softening	2,635	7	4	2			3	5	21	70	251	579	813	628	230	21	1	
19	Organic diseases of the heart	7,278	26	9	12	10	25	147	298	335	581	899	1,176	1,731	1,430	539	58	2	
20	Acute bronchitis	667	432	82	19	7	13	5	6	4	3	9	9	21	35	15	7		
21	Chronic bronchitis	252	5	3				1	3	5	7	10	34	59	64	49	12		
22	Pneumonia	5,256	540	402	159	69	43	119	161	383	699	772	751	593	425	126	14		
23a	Bronchopneumonia	4,456	1,970	1,016	302	125	59	102	32	58	61	85	161	183	178	100	23	1	
23b	Other diseases of the respiratory system	549	56	56	39	11	9	19	18	38	34	57	60	65	44	35	7	1	
24	Diseases of the stomach	377	46	7	3	3		2	6	35	70	66	56	43	31	8	1		
25(37)	Diarrhea and enteritis	4,134	3,150	568	85	32	23	24	13	18	34	27	43	46	36	32	3		
26	Appendicitis and typhlitis	606	2	4	4	7	11	53	102	126	93	87	71	34	10	2			
27	Hernia, intestinal obstruction	548	71	10	5	5	6	7	11	31	39	76	110	94	66	16	1		
28	Cirrhosis of the liver	875	1	1	2			2	4	25	109	253	232	159	71	14	2		
29	Acute nephritis and Bright's disease	6,962	47	19	12	13	12	54	95	278	677	1,126	1,477	1,601	1,105	400	43	3	
30	Diseases of the female genital organs	320							1	71	98	87	44	8	10	1			
31	Puerperal fever	323							21	170	116	16							
32	Other puerperal affections	384							14	169	163	37	1						
33	Congenital debility and malformations	4,257	4,202	28	8	3	3	6	7										
34	Senility	324											2	21	104	157	37	3	
35	Violent deaths (excluding suicide)	3,948	107	91	116	111	118	310	349	581	594	596	415	288	188	68	14		2
36	Suicide	846							34	180	183	187	122	104	28	8			
(37)	Other defined diseases	8,772	1,671	146	65	52	58	232	383	534	793	1,138	1,326	1,128	843	363	38	2	
38	Diseases ill-defined or unknown	44	3	35	3	1							1		1				
NEW YORK, N. Y. (COLORED).																			
	All causes	2,437	438	149	52	34	18	65	132	326	393	314	233	159	87	29	8		
1	Typhoid fever	7							1	1	3		1	1					
2	Typhus fever																		
3	Malaria	2									1		1						
4	Smallpox																		
5	Measles	8	2	3	1	1					1								
6	Scarlet fever	5			1		2	1			1								
7	Whooping cough	18	4	10	3			1											
8	Diphtheria and croup	27	6	6		4	2	9											
9	Influenza	8			1			1	1		3		1	1					
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	9	5			1				1		1	1						
13	Tuberculosis of the lungs	535	5	11	6	3		15	77	153	135	78	32	14	4	1	1		
14	Tuberculous meningitis	46	7	11	7	8	3	7	1	1	1								
15	Other forms of tuberculosis	25	1	2	2		2	3	4	6	4	1							
16	Cancer and other malignant tumors	76								5	16	13	21	15	5	1			
17	Meningitis	14	6		1			1	1	3	2								
18	Cerebral hemorrhage and softening	60	1							1	3	12	21	14	6	1	1		
19	Organic diseases of the heart	237	2	1			1	3	6	25	35	42	51	35	23	11	2		
20	Acute bronchitis	28	18	3	3		1	2									1		
21	Chronic bronchitis	4									1			1	1	1			
22	Pneumonia	213	22	21	7	1		3	12	37	39	33	20	13	3	2			
23a	Bronchopneumonia	178	79	49	11	9	1	7	1	5	4	1	4	1	2	3	1		
23b	Other diseases of the respiratory system	6								1	3	1			1				
24	Diseases of the stomach	9	1			1				3	1	1	2						
25(37)	Diarrhea and enteritis	114	86	16	5			1			4	2							
26	Appendicitis and typhlitis	16							2	6	3	3	2						
27	Hernia, intestinal obstruction	18	3	1	1		1		1	1	6	2	1		1				
28	Cirrhosis of the liver	11								1		5	2	3					
29	Acute nephritis and Bright's disease	218	2	1	1		1	1		17	40	55	39	31	25	3	2		
30	Diseases of the female genital organs	27							3	7	7	6	1	3					
31	Puerperal fever	15							4	8	3								
32	Other puerperal affections	11							1	4	6								
33	Congenital debility and malformations	123	121	1			1												
34	Senility	6												1	2	3			
35	Violent deaths (excluding suicide)	102	2	3		3	2	5	9	20	28	15	6	9					
36	Suicide	10								2	4	3	1						
(37)	Other defined diseases	245	65	8	2	1	1	4	8	18	39	40	26	16	14	3			
38	Diseases ill-defined or unknown	6		2		2		1						1					

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (BRONX BOROUGH, TOTAL).																			
	All causes	7,020	1,152	283	161	95	70	202	301	611	736	836	899	840	566	244	24	.....	.....
1	Typhoid fever	31	.....	.....	.....	.....	.....	3	9	9	4	4	2	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	70	15	29	13	4	2	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	47	3	4	7	9	6	10	5	2	.....	1	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	45	27	11	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	144	11	17	27	23	20	33	11	.....	.....	1	1	.....	.....	.....	.....	.....	.....
9	Influenza	35	1	3	.....	1	.....	1	1	3	5	2	4	4	6	4	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
12	Other epidemic diseases	27	13	1	1	.....	.....	.....	1	.....	.....	2	4	2	3	.....	.....	.....	.....
13	Tuberculosis of the lungs	910	5	5	6	1	2	7	75	198	254	186	110	49	11	1	.....	.....	.....
14	Tuberculous meningitis	72	11	20	9	5	3	10	4	3	.....	6	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	32	1	1	2	1	1	3	3	7	9	2	1	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	452	.....	1	1	1	1	.....	2	11	32	78	135	112	68	8	2	.....	.....
17	Meningitis	39	9	5	4	2	1	7	3	2	3	1	2	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	254	.....	.....	.....	.....	.....	.....	.....	1	6	27	55	85	55	23	2	.....	.....
19	Organic diseases of the heart	727	1	.....	.....	1	2	21	43	48	60	86	112	147	137	66	3	.....	.....
20	Acute bronchitis	42	28	4	.....	.....	1	.....	.....	.....	1	.....	1	.....	6	1	.....	.....	.....
21	Chronic bronchitis	20	.....	.....	.....	.....	.....	1	1	.....	.....	.....	4	.....	8	6	.....	.....	.....
22	Pneumonia	502	47	38	24	5	3	21	19	38	66	68	67	52	35	18	1	.....	.....
23a	Bronchopneumonia	356	165	66	26	10	7	5	6	6	4	8	10	15	17	10	1	.....	.....
23b	Other diseases of the respiratory system	60	5	9	3	.....	.....	2	2	4	4	7	9	10	3	2	.....	.....	.....
24	Diseases of the stomach	48	4	.....	.....	.....	.....	1	.....	6	12	8	9	7	1	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	326	241	47	8	6	2	2	3	3	1	3	3	1	5	1	.....	.....	.....
26	Appendicitis and typhlitis	51	.....	.....	.....	.....	.....	4	4	13	8	9	7	5	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	79	11	1	.....	1	.....	1	3	4	8	9	21	9	7	3	1	.....	.....
28	Cirrhosis of the liver	81	1	.....	.....	.....	.....	1	.....	3	12	22	16	16	10	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	711	3	1	3	1	.....	6	13	47	54	113	153	173	96	44	4	.....	.....
30	Diseases of the female genital organs	35	.....	.....	.....	.....	.....	.....	1	8	12	9	5	.....	.....	.....	.....	.....	.....
31	Puerperal fever	40	.....	.....	.....	.....	.....	.....	2	17	18	3	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	51	.....	.....	.....	.....	.....	.....	3	21	24	3	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	392	388	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	6	13	4	.....	.....
35	Violent deaths (excluding suicide)	388	9	7	15	15	11	27	35	70	45	58	38	28	20	7	3	.....	.....
36	Suicide	97	.....	.....	.....	.....	.....	.....	3	19	20	26	16	7	4	2	.....	.....	.....
(37)	Other defined diseases	825	151	11	6	7	7	29	49	67	74	94	112	114	66	35	3	.....	.....
38	Diseases ill-defined or unknown	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
NEW YORK, N. Y. (BRONX BOROUGH, WHITE).																			
	All causes	6,920	1,140	281	158	95	69	198	290	597	719	828	887	832	563	240	23	.....	.....
1	Typhoid fever	31	.....	.....	.....	.....	.....	3	9	9	4	4	2	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	70	15	29	13	4	2	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	47	3	4	7	9	6	10	5	2	.....	1	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	44	26	11	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	143	11	17	27	23	19	33	11	.....	.....	1	1	.....	.....	.....	.....	.....	.....
9	Influenza	33	1	3	.....	1	.....	1	1	3	3	2	4	4	6	4	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
12	Other epidemic diseases	27	13	1	1	.....	.....	.....	1	.....	.....	2	4	2	3	.....	.....	.....	.....
13	Tuberculosis of the lungs	883	5	4	6	1	2	4	67	194	248	183	108	49	11	1	.....	.....	.....
14	Tuberculous meningitis	70	11	20	7	5	3	10	4	3	.....	6	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	32	1	1	2	1	1	3	3	7	9	2	1	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	450	.....	1	1	1	1	.....	2	10	32	78	134	112	68	8	2	.....	.....
17	Meningitis	39	9	5	4	2	1	7	3	2	3	1	2	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	251	.....	.....	.....	.....	.....	.....	.....	1	6	27	54	84	54	23	2	.....	.....
19	Organic diseases of the heart	715	1	.....	.....	1	2	21	42	47	60	85	110	143	136	65	2	.....	.....
20	Acute bronchitis	42	28	4	.....	.....	1	.....	.....	.....	1	.....	1	.....	6	1	.....	.....	.....
21	Chronic bronchitis	20	.....	.....	.....	.....	.....	1	1	.....	.....	.....	4	.....	8	6	.....	.....	.....
22	Pneumonia	497	47	37	23	5	3	21	18	37	66	68	67	52	35	17	1	.....	.....
23a	Bronchopneumonia	352	162	66	26	10	7	5	6	6	4	8	10	15	17	9	1	.....	.....
23b	Other diseases of the respiratory system	60	5	9	3	.....	.....	2	2	4	4	7	9	10	3	2	.....	.....	.....
24	Diseases of the stomach	46	4	.....	.....	.....	.....	1	.....	5	11	8	9	7	1	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	324	239	47	8	6	2	2	3	3	1	3	3	1	5	1	.....	.....	.....
26	Appendicitis and typhlitis	51	.....	.....	.....	.....	.....	4	4	13	8	9	7	5	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	78	11	1	.....	1	.....	1	3	4	8	9	20	9	7	3	1	.....	.....
28	Cirrhosis of the liver	81	1	.....	.....	.....	.....	1	.....	3	12	22	16	16	10	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	702	3	1	3	1	.....	6	13	46	53	112	151	171	95	43	4	.....	.....
30	Diseases of the female genital organs	33	.....	.....	.....	.....	.....	.....	1	8	10	9	5	.....	.....	.....	.....	.....	.....
31	Puerperal fever	40	.....	.....	.....	.....	.....	.....	2	17	18	3	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	50	.....	.....	.....	.....	.....	.....	3	21	23	3	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	388	384	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	6	13	4	.....	.....
35	Violent deaths (excluding suicide)	380	9	7	15	15	11	27	34	68	42	57	37	28	20	7	3	.....	.....
36	Suicide	97	.....	.....	.....	.....	.....	.....	3	19	20	26	16	7	4	2	.....	.....	.....
(37)	Other defined diseases	814	149	11	6	7	7	28	49	64	73	92	110	114	66	35	3	.....	.....
38	Diseases ill-defined or unknown	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (BRONX BOROUGH, COLORED).																			
	All causes	100	12	2	3	.....	1	4	11	14	17	8	12	8	3	4	1	.....	.....
1	Typhoid fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	27	.....	1	.....	.....	.....	3	8	4	6	3	2	.....	.....	.....	.....	.....	.....
14	Tuberculous meningitis	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
17	Meningitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
19	Organic diseases of the heart	12	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	4	1	1	1	.....	.....
20	Acute bronchitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Pneumonia	5	.....	1	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....
23a	Bronchopneumonia	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
23b	Other diseases of the respiratory system	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Diseases of the stomach	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	9	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	2	1	1	.....	.....	.....
30	Diseases of the female genital organs	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
35	Violent deaths (excluding suicide)	8	.....	.....	.....	.....	.....	.....	1	2	3	1	1	.....	.....	.....	.....	.....	.....
36	Suicide	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	11	2	.....	.....	.....	.....	1	.....	3	1	2	2	.....	.....	.....	.....	.....	.....
38	Diseases ill-defined or unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).																			
	All causes	24,830	4,415	1,194	494	319	239	697	886	1,854	2,373	2,889	3,134	3,004	2,299	917	109	6	1
1	Typhoid fever	121	.....	.....	.....	.....	2	9	21	39	22	16	8	3	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	6	.....	.....	.....	.....	.....	.....	.....	3	1	.....	2	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	141	31	52	25	13	8	10	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	199	5	19	35	27	22	55	22	9	5	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	129	71	39	10	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	461	42	112	75	60	44	101	20	3	3	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	124	7	3	1	1	.....	5	7	4	12	15	21	18	20	7	3	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
12	Other epidemic diseases	137	51	6	4	6	1	5	4	6	13	17	10	6	4	4	.....	.....	.....
13	Tuberculosis of the lungs	2,676	7	11	5	3	8	29	207	682	690	577	328	97	21	11	.....	.....	.....
14	Tuberculous meningitis	261	63	49	46	16	16	37	15	11	4	2	1	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	144	21	8	10	7	4	8	16	27	15	17	7	4	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	1,377	1	.....	.....	2	2	2	12	34	93	274	369	348	189	49	2	.....	.....
17	Meningitis	115	33	21	7	7	5	17	8	6	4	3	3	.....	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	994	1	2	1	.....	.....	.....	3	.....	20	76	215	294	266	104	11	1	.....
19	Organic diseases of the heart	2,850	10	5	6	4	3	59	120	126	186	367	487	668	576	210	21	2	.....
20	Acute bronchitis	294	186	32	9	3	7	3	5	4	1	3	4	11	15	8	3	.....	.....
21	Chronic bronchitis	105	3	.....	.....	.....	.....	.....	.....	2	4	6	15	25	25	21	4	.....	.....
22	Pneumonia	1,926	204	146	48	27	12	55	62	144	252	273	276	214	164	42	7	.....	.....
23a	Bronchopneumonia	1,573	659	353	98	57	24	47	9	19	23	28	63	66	68	48	11	.....	.....
23b	Other diseases of the respiratory system	196	19	16	13	6	4	8	9	11	13	13	20	25	20	19	.....	.....	.....
24	Diseases of the stomach	142	10	1	.....	1	.....	.....	.....	14	29	26	28	15	15	2	1	.....	.....
25(37)	Diarrhea and enteritis	1,489	1,127	199	30	12	9	12	6	5	13	5	19	22	15	13	2	.....	.....
26	Appendicitis and typhlitis	229	1	3	2	4	6	19	38	54	32	29	26	12	3	.....	.....	.....	.....
27	Hernia, intestinal obstruction	194	26	5	4	1	2	2	.....	10	13	20	37	41	27	6	.....	.....	.....
28	Cirrhosis of the liver	328	.....	1	2	.....	.....	1	1	8	32	98	95	58	21	10	1	.....	.....
29	Acute nephritis and Bright's disease	2,481	20	7	2	7	5	22	37	101	278	403	499	546	399	136	17	2	.....
30	Diseases of the female genital organs	128	.....	.....	.....	.....	.....	.....	1	31	38	32	17	4	5	.....	.....	.....	.....
31	Puerperal fever	116	.....	.....	.....	.....	.....	.....	8	67	37	4	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	140	.....	.....	.....	.....	.....	.....	2	63	60	15	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	1,259	1,238	10	3	.....	2	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	112	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	34	57	12	1	.....
35	Violent deaths (excluding suicide)	1,205	27	32	33	33	31	94	103	170	189	183	130	91	62	23	3	.....	1
36	Suicide	226	.....	.....	.....	.....	.....	.....	8	41	55	49	31	32	7	3	.....	.....	.....
(37)	Other defined diseases	2,940	551	56	25	15	19	96	136	159	236	337	422	393	340	144	11	.....	.....
38	Diseases ill-defined or unknown	10	1	6	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).																		
	All causes	24,252	4,313	1,154	479	311	234	679	864	1,784	2,281	2,812	3,075	2,966	2,273	912	108	6	1
1	Typhoid fever	117					2	9	21	39	19	16	8	2	1				
2	Typhus fever																		
3	Malaria	4								3			1						
4	Smallpox																		
5	Measles	140	31	52	25	12	8	10	1	1									
6	Scarlet fever	197	5	19	35	27	21	55	22	9	4								
7	Whooping cough	123	70	35	9	6	3												
8	Diphtheria and croup	453	39	111	75	59	44	98	20	3	3	1							
9	Influenza	121	7	3	1	1		4	6	4	11	15	21	18	20	7	3		
10	Asiatic cholera																		
11	Cholera nostras	2											1	1					
12	Other epidemic diseases	134	49	6	4	5	1	5	4	6	13	17	10	6	4	4			
13	Tuberculosis of the lungs	2,583	6	11	5	3	8	26	198	654	662	560	323	96	20	11			
14	Tuberculous meningitis	247	61	44	44	13	16	35	15	11	4	2	1	1					
15	Other forms of tuberculosis	135	20	7	9	7	4	6	16	25	14	16	7	4					
16	Cancer and other malignant tumors	1,361	1			2	2	2	12	34	90	270	365	346	186	49	2		
17	Meningitis	110	30	21	6	7	5	17	8	5	4	3	3		1				
18	Cerebral hemorrhage and softening	979	1	2	1				3		20	75	207	291	265	103	10	1	
19	Organic diseases of the heart	2,783	10	5	6	4	3	58	119	117	174	354	473	659	569	209	21	2	
20	Acute bronchitis	285	179	30	9	3	7	3	5	4	1	3	4	11	15	8	3		
21	Chronic bronchitis	103	3							2	4	6	15	24	24	21	4		
22	Pneumonia	1,867	196	137	47	27	12	53	58	137	242	261	273	212	163	42	7		
23a	Bronchopneumonia	1,532	644	342	93	56	23	47	8	18	22	28	61	66	67	46	11		
23b	Other diseases of the respiratory system	193	19	16	13	6	4	8	9	11	11	12	20	25	20	19			
24	Diseases of the stomach	139	10	1		1				12	29	26	27	15	15	2	1		
25(37)	Diarrhea and enteritis	1,451	1,098	195	28	12	9	11	6	5	11	5	19	22	15	13	2		
26	Appendicitis and typhlitis	222	1	3	2	4	6	19	37	50	32	28	25	12	3				
27	Hernia, intestinal obstruction	190	26	5	4	1	1	2		10	11	20	37	41	26	6			
28	Cirrhosis of the liver	324		1	2			1	1	8	32	95	95	57	21	10	1		
29	Acute nephritis and Bright's disease	2,442	20	7	2	7	5	22	37	98	269	392	491	542	395	136	17	2	
30	Diseases of the female genital organs	120								28	36	31	16	4	5				
31	Puerperal fever	113							8	64	37	4							
32	Other puerperal affections	136							2	61	58	15							
33	Congenital debility and malformations	1,235	1,215	10	3		1	1	5										
34	Senility	110												8	33	56	12	1	
35	Violent deaths (excluding suicide)	1,184	27	32	33	32	30	92	101	170	187	180	126	85	62	23	3		1
36	Suicide	225							8	41	55	49	30	32	7	3			
(37)	Other defined diseases	2,884	544	54	23	15	19	95	134	154	226	328	416	386	335	144	11		
38	Diseases ill-defined or unknown	8	1	5		1									1				
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).																			
	All causes	578	102	40	15	8	5	18	22	70	92	77	59	38	26	5	1		
1	Typhoid fever	4									3			1					
2	Typhus fever																		
3	Malaria	2									1		1						
4	Smallpox																		
5	Measles	1				1													
6	Scarlet fever	2					1				1								
7	Whooping cough	6	1	4	1														
8	Diphtheria and croup	8	3	1		1		3											
9	Influenza	3						1	1		1								
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	3	2			1													
13	Tuberculosis of the lungs	93	1					3	9	28	28	17	5	1	1				
14	Tuberculous meningitis	14	2	5	2	3		2											
15	Other forms of tuberculosis	9	1	1	1			2		2	1	1							
16	Cancer and other malignant tumors	16									3	4	4	2	3				
17	Meningitis	5	3		1					1									
18	Cerebral hemorrhage and softening	15										1	8	3	1	1	1		
19	Organic diseases of the heart	67						1	1	9	12	13	14	9	7	1			
20	Acute bronchitis	9	7	2															
21	Chronic bronchitis	2												1	1				
22	Pneumonia	59	8	9	1			2	4	7	10	12	3	2	1				
23a	Bronchopneumonia	41	15	11	5	1	1		1	1	1		2		1	2			
23b	Other diseases of the respiratory system	3									2	1							
24	Diseases of the stomach	3								2			1						
25(37)	Diarrhea and enteritis	38	29	4	2			1			2								
26	Appendicitis and typhlitis	7							1	4		1	1						
27	Hernia, intestinal obstruction	4					1				2				1				
28	Cirrhosis of the liver	4										3		1					
29	Acute nephritis and Bright's disease	39								3	9	11	8	4	4				
30	Diseases of the female genital organs	8							1	3	2	1	1						
31	Puerperal fever	3								3									
32	Other puerperal affections	4								2	2								
33	Congenital debility and malformations	24	23				1												
34	Senility	2													1	1			
35	Violent deaths (excluding suicide)	21				1	1	2	2		2	3	4	6					
36	Suicide	1											1						
(37)	Other defined diseases	56	7	2	2			1	2	5	10	9	6	7	5				
38	Diseases ill-defined or unknown	2		1										1					

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).																		
	All causes	36,375	7,176	1,989	850	494	352	799	1,197	2,795	3,873	4,532	4,501	4,069	2,653	942	144	7	2
1	Typhoid fever	180		2	3	2	3	5	30	52	42	18	17	6					
2	Typhus fever																		
3	Malaria	4		1						2			1						
4	Smallpox																		
5	Measles	464	140	187	70	43	10	9	2	2	1								
6	Scarlet fever	269	11	35	60	58	29	53	14	6	1	2							
7	Whooping cough	181	76	67	16	15	3	4											
8	Diphtheria and croup	655	65	167	134	87	58	114	20	3	3	2	2						
9	Influenza	100	8	7	4	1	1	1	2	4	7	12	12	12	15	10	3	1	
10	Asiatic cholera																		
11	Cholera nostras	2												2					
12	Other epidemic diseases	137	93	8	4			3	5	9	14	15	15	14	4	3			
13	Tuberculosis of the lungs	4,684	46	54	25	16	14	40	311	1,063	1,184	1,017	587	226	89	10	1		1
14	Tuberculous meningitis	426	92	90	69	32	20	53	25	21	13	7	2	2					
15	Other forms of tuberculosis	212	16	8	6	10	8	14	26	35	41	29	9	8	2				
16	Cancer and other malignant tumors	2,090	2	2	3	4	2	3	16	48	195	412	576	512	251	60	4		
17	Meningitis	212	67	23	16	8	12	18	17	19	13	11	4	2	2				
18	Cerebral hemorrhage and softening	1,125	6	2				1	2	16	41	134	264	342	231	78	8		
19	Organic diseases of the heart	3,301	15	5	6	5	17	56	114	155	321	410	527	811	607	220	32		
20	Acute bronchitis	316	210	41	12	4	6	3	1			5	4	10	11	6	3		
21	Chronic bronchitis	103	2	1					2	3	4	3	12	27	24	17	8		
22	Pneumonia	2,635	271	215	79	35	21	42	74	210	369	406	363	290	200	54	6		
23a	Bronchopneumonia	2,381	1,069	582	173	59	24	49	17	34	34	42	83	91	77	37	9	1	
23b	Other diseases of the respiratory system	265	30	31	18	4	4	6	6	19	19	35	27	26	21	12	6	1	
24	Diseases of the stomach	165	29	4	3	2		1	6	17	28	31	19	14	7	4			
25(37)	Diarrhea and enteritis	2,033	1,564	282	45	11	9	9	1	8	21	20	19	17	13	13	1		
26	Appendicitis and typhlitis	286	1	1	2	2	5	24	49	55	49	46	35	13	4				
27	Hernia, intestinal obstruction	250	33	5	2	2	5	3	8	13	22	46	45	32	29	5			
28	Cirrhosis of the liver	381							2	9	56	110	99	70	31	3	1		
29	Acute nephritis and Bright's disease	3,379	20	11	7	5	6	22	36	118	331	576	762	786	518	161	20		
30	Diseases of the female genital organs	160							2	34	49	47	20	5	2	1			
31	Puerperal fever	141							11	72	49	9							
32	Other puerperal affections	166							10	74	66	15	1						
33	Congenital debility and malformations	2,350	2,323	14	3	3	2	3	2										
34	Senility	152												1	9	52	72	16	2
35	Violent deaths (excluding suicide)	2,109	61	48	56	56	67	168	183	304	335	315	224	159	95	29	8		1
36	Suicide	465							21	106	98	103	63	57	16	1			
(37)	Other defined diseases	4,518	925	75	32	28	26	94	182	284	467	654	707	526	352	146	18	2	
38	Diseases ill-defined or unknown	28	1	21	2	2		1					1						
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).																			
	All causes	34,729	6,873	1,890	817	469	340	758	1,104	2,564	3,609	4,315	4,347	3,964	2,604	925	141	7	2
1	Typhoid fever	178		2	3	2	3	5	29	52	42	18	16	6					
2	Typhus fever																		
3	Malaria	4		1						2			1						
4	Smallpox																		
5	Measles	457	138	184	69	43	10	9	2	2									
6	Scarlet fever	266	11	35	59	58	28	52	14	6	1	2							
7	Whooping cough	174	75	63	15	15	3	3											
8	Diphtheria and croup	637	62	162	134	84	57	108	20	3	3	2	2						
9	Influenza	97	8	7	3	1	1	1	2	4	7	12	11	11	15	10	3	1	
10	Asiatic cholera																		
11	Cholera nostras	2												2					
12	Other epidemic diseases	131	90	8	4			3	5	8	14	14	14	14	4	3			
13	Tuberculosis of the lungs	4,289	42	44	19	13	14	31	254	947	1,089	963	562	214	86	9	1		1
14	Tuberculous meningitis	396	87	84	66	27	17	48	24	20	12	7	2	2					
15	Other forms of tuberculosis	198	16	8	5	10	6	13	22	31	39	29	9	8	2				
16	Cancer and other malignant tumors	2,037	2	2	3	4	2	3	16	44	183	403	562	500	250	59	4		
17	Meningitis	203	64	23	16	8	12	17	16	17	11	11	4	2	2				
18	Cerebral hemorrhage and softening	1,085	5	2				1	2	15	38	124	252	333	227	78	8		
19	Organic diseases of the heart	3,150	13	4	6	5	16	54	112	141	299	382	494	789	593	211	31		
20	Acute bronchitis	300	200	40	9	4	5	2	1			5	4	10	11	6	3		
21	Chronic bronchitis	101	2	1					2	3	3	3	12	27	24	16	8		
22	Pneumonia	2,491	257	205	74	34	21	41	67	182	340	386	346	280	198	54	6		
23a	Bronchopneumonia	2,254	1,009	546	167	52	24	43	17	30	31	41	81	90	77	37	8	1	
23b	Other diseases of the respiratory system	262	30	31	18	4	4	6	6	18	18	35	27	26	20	12	6	1	
24	Diseases of the stomach	161	28	4	3	1		1	6	17	28	30	18	14	7	4			
25(37)	Diarrhea and enteritis	1,965	1,513	272	42	11	9	9	1	8	19	18	19	17	13	13	1		
26	Appendicitis and typhlitis	277	1	1	2	2	5	24	48	53	46	44	34	13	4				
27	Hernia, intestinal obstruction	237	30	4	1	2	5	3	7	12	18	44	45	32	29	5			
28	Cirrhosis of the liver	374							2	8	56	108	97	68	31	3	1		
29	Acute nephritis and Bright's disease	3,225	18	10	6	5	5	21	36	106	304	534	736	764	501	160	19		
30	Diseases of the female genital organs	144								30	47	42	20	2	2	1			
31	Puerperal fever	131							7	68	47	9							
32	Other puerperal affections	162							9	72	65	15	1						
33	Congenital debility and malformations	2,265	2,239	13	3	3	2	3	2										
34	Senility	150												1	9	51	71	16	2
35	Violent deaths (excluding suicide)	2,038	59	45	56	54	66	165	178	286	313	304	223	156	95	29	8		1
36	Suicide	456							21	104	94	100	63	57	16	1			
(37)	Other defined diseases	4,358	873	69	32	27	25	92	176	275	442	630	690	518	346	143	18	2	
38	Diseases ill-defined or unknown	24	1	20	2								1						

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).																			
	All causes	1,646	303	99	33	25	12	41	93	231	264	217	154	105	49	17	3	.....	.....
1	Typhoid fever	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	7	2	3	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	7	1	4	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	18	3	5	.....	3	1	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	6	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	395	4	10	6	3	.....	9	57	116	95	54	25	12	3	1	.....	.....	.....
14	Tuberculous meningitis	30	5	6	3	5	3	5	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	14	.....	.....	1	.....	2	1	4	4	2	.....	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	53	.....	.....	.....	.....	.....	.....	.....	4	12	9	14	12	1	1	.....	.....	.....
17	Meningitis	9	3	.....	.....	.....	.....	1	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	40	1	.....	.....	.....	.....	.....	.....	1	3	10	12	9	4	.....	.....	.....	.....
19	Organic diseases of the heart	151	2	1	.....	.....	1	2	2	14	22	28	33	22	14	9	1	.....	.....
20	Acute bronchitis	16	10	1	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
22	Pneumonia	144	14	10	5	1	.....	1	7	28	29	20	17	10	2	.....	.....	.....	.....
23a	Bronchopneumonia	127	60	36	6	7	.....	6	.....	4	3	1	2	1	.....	.....	1	.....	.....
23b	Other diseases of the respiratory system	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....
24	Diseases of the stomach	4	1	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	68	51	10	3	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	9	.....	.....	.....	.....	.....	.....	1	2	3	2	1	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	13	3	1	1	.....	.....	.....	1	1	4	2	.....	.....	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	7	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	2	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	154	2	1	1	.....	1	1	.....	12	27	42	26	22	17	1	1	.....	.....
30	Diseases of the female genital organs	16	.....	.....	.....	.....	.....	.....	2	4	2	5	.....	3	.....	.....	.....	.....	.....
31	Puerperal fever	10	.....	.....	.....	.....	.....	.....	4	4	2	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	4	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	85	84	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
35	Violent deaths (excluding suicide)	71	2	3	.....	2	1	3	5	18	22	11	1	3	.....	.....	.....	.....	.....
36	Suicide	9	.....	.....	.....	.....	.....	.....	.....	2	4	3	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	160	52	6	.....	1	1	2	6	9	25	24	17	8	6	3	.....	.....	.....
38	Diseases ill-defined or unknown	4	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
NEW YORK, N. Y. (QUEENS BOROUGH, TOTAL).																			
	All causes	4,506	858	210	100	53	58	119	178	350	406	496	540	551	408	162	17	.....	.....
1	Typhoid fever	24	.....	.....	.....	.....	1	3	4	7	5	3	.....	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	29	6	7	10	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	44	.....	4	5	6	9	10	8	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	35	18	10	4	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	85	4	15	12	9	12	25	6	1	.....	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	16	3	1	.....	.....	.....	.....	.....	2	.....	1	1	3	2	3	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	13	4	4	1	.....	.....	.....	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	427	5	2	1	.....	1	4	35	113	112	91	45	16	1	1	.....	.....	.....
14	Tuberculous meningitis	39	6	6	7	6	4	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	29	1	2	.....	1	.....	.....	7	5	4	5	3	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	240	.....	1	1	.....	.....	1	.....	4	15	48	68	63	37	2	.....	.....	.....
17	Meningitis	21	4	5	4	1	1	4	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	233	.....	.....	1	.....	.....	1	.....	5	5	20	51	79	55	15	1	.....	.....
19	Organic diseases of the heart	490	2	.....	.....	.....	3	13	23	26	47	67	81	108	91	28	1	.....	.....
20	Acute bronchitis	37	21	8	1	.....	.....	1	.....	.....	1	1	.....	.....	3	.....	1	.....	.....
21	Chronic bronchitis	22	.....	2	.....	.....	.....	.....	.....	.....	.....	1	3	7	4	5	.....	.....	.....
22	Pneumonia	310	36	17	14	3	5	2	15	21	36	42	50	38	21	10	.....	.....	.....
23a	Bronchopneumonia	242	119	49	15	7	2	5	.....	2	3	3	5	9	15	5	3	.....	.....
23b	Other diseases of the respiratory system	31	1	.....	5	1	1	2	1	5	1	3	3	4	1	2	1	.....	.....
24	Diseases of the stomach	22	2	2	.....	.....	.....	.....	.....	1	1	1	2	6	5	2	.....	.....	.....
25(37)	Diarrhea and enteritis	307	231	47	6	3	2	1	2	1	3	1	2	4	1	3	.....	.....	.....
26	Appendicitis and typhlitis	47	.....	.....	.....	.....	.....	6	13	8	7	6	2	2	2	1	.....	.....	.....
27	Hernia, intestinal obstruction	31	3	.....	.....	1	.....	.....	1	4	2	2	6	8	4	.....	.....	.....	.....
28	Cirrhosis of the liver	75	.....	.....	.....	.....	.....	.....	1	3	6	23	21	14	6	1	.....	.....	.....
29	Acute nephritis and Bright's disease	406	4	1	.....	.....	2	4	6	24	38	64	80	76	71	33	3	.....	.....
30	Diseases of the female genital organs	15	.....	.....	.....	.....	.....	.....	.....	4	2	4	2	1	2	.....	.....	.....	.....
31	Puerperal fever	35	.....	.....	.....	.....	.....	.....	3	19	13	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	32	.....	.....	.....	.....	.....	.....	.....	13	16	3	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	293	289	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	8	15	3	.....	.....
35	Violent deaths (excluding suicide)	243	10	4	9	9	7	19	25	41	33	37	20	13	9	7	.....	.....	.....
36	Suicide	49	.....	.....	.....	.....	.....	.....	2	9	12	8	8	8	.....	2	.....	.....	.....
(37)	Other defined diseases	545	89	11	4	2	5	11	18	32	41	59	86	86	70	27	4	.....	.....
38	Diseases ill-defined or unknown	8	.....	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (QUEENS BOROUGH, WHITE).																			
	All causes	4,423	846	205	99	52	58	117	173	341	392	485	533	544	401	161	16		
1	Typhoid fever	23					1	3	4	6	5	3		1					
2	Typhus fever																		
3	Malaria	3		1								1		1					
4	Smallpox																		
5	Measles	29	6	7	10	3	2	1											
6	Scarlet fever	44		4	5	6	9	10	8		2								
7	Whooping cough	33	18	9	3	1	1						1						
8	Diphtheria and croup	85	4	15	12	9	12	25	6	1		1							
9	Influenza	16	3	1						2		1	1	3	2	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	13	4	4	1				2		1			1					
13	Tuberculosis of the lungs	411	5	2	1		1	4	32	109	108	87	45	15	1	1			
14	Tuberculous meningitis	39	6	6	7	6	4	5	5										
15	Other forms of tuberculosis	28	1	1		1			7	5	4	5	3	1					
16	Cancer and other malignant tumors	235		1	1			1		4	14	48	66	62	36	2			
17	Meningitis	21	4	5	4	1	1	4	1			1							
18	Cerebral hemorrhage and softening	232			1			1		5	5	19	51	79	55	15	1		
19	Organic diseases of the heart	486	2				3	13	22	25	47	67	79	108	91	28	1		
20	Acute bronchitis	36	21	8	1						1	1			3	1			
21	Chronic bronchitis	22		2								1	3	7	4	5			
22	Pneumonia	307	36	16	14	3	5	2	15	21	36	41	50	37	21	10			
23a	Bronchopneumonia	238	118	48	15	6	2	4		2	3	3	5	9	15	5	3		
23b	Other diseases of the respiratory system	31	1		5	1	1	2	1	5	1	3	3	4	1	2	1		
24	Diseases of the stomach	22	2	2						1	1	1	2	6	5	2			
25(37)	Diarrhea and enteritis	302	227	46	6	3	2	1	2	1	3	1	2	4	1	3			
26	Appendicitis and typhlitis	47						6	13	8	7	6	2	2	2	1			
27	Hernia, intestinal obstruction	31	3			1			1	4	2	2	6	8	4				
28	Cirrhosis of the liver	75							1	3	6	23	21	14	6	1			
29	Acute nephritis and Bright's disease	392	4	1			2	4	6	23	35	63	78	73	68	33	2		
30	Diseases of the female genital organs	15								4	2	4	2	1	2				
31	Puerperal fever	33							3	18	12								
32	Other puerperal affections	30								13	14	3							
33	Congenital debility and malformations	289	285	3				1											
34	Senility	27												2	8	14	3		
35	Violent deaths (excluding suicide)	241	10	4	9	9	7	19	24	41	32	37	20	13	9	7			
36	Suicide	49							2	9	12	8	8	8		2			
(37)	Other defined diseases	530	86	11	4	2	5	11	18	31	39	55	85	85	67	27	4		
38	Diseases ill-defined or unknown	8		8															
NEW YORK, N. Y. (QUEENS BOROUGH, COLORED).																			
	All causes	83	12	5	1	1		2	5	9	14	11	7	7	7	1	1		
1	Typhoid fever	1								1									
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough	2		1	1														
8	Diphtheria and croup																		
9	Influenza																		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases																		
13	Tuberculosis of the lungs	16							3	4	4	4		1					
14	Tuberculous meningitis																		
15	Other forms of tuberculosis	1		1															
16	Cancer and other malignant tumors	5									1		2	1	1				
17	Meningitis																		
18	Cerebral hemorrhage and softening	1										1							
19	Organic diseases of the heart	4							1	1			2						
20	Acute bronchitis	1						1											
21	Chronic bronchitis																		
22	Pneumonia	3		1								1		1					
23a	Bronchopneumonia	4	1	1		1		1											
23b	Other diseases of the respiratory system																		
24	Diseases of the stomach																		
25(37)	Diarrhea and enteritis	5	4	1															
26	Appendicitis and typhlitis																		
27	Hernia, intestinal obstruction																		
28	Cirrhosis of the liver																		
29	Acute nephritis and Bright's disease	14								1	3	1	2	3	3		1		
30	Diseases of the female genital organs																		
31	Puerperal fever	2								1	1								
32	Other puerperal affections	2									2								
33	Congenital debility and malformations	4	4																
34	Senility	1														1			
35	Violent deaths (excluding suicide)	2							1		1								
36	Suicide																		
(37)	Other defined diseases	15	3							1	2	4	1	1	3				
38	Diseases ill-defined or unknown																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (RICHMOND BOROUGH, TOTAL).																		
	All causes	1,555	249	63	19	16	17	38	54	102	127	175	162	210	205	107	10	1	
1	Typhoid fever	7	1						1	3	1		1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	17	4	8	2	2		1											
6	Scarlet fever	13		4	1	2		2	3	1									
7	Whooping cough	10	4	3	2	1													
8	Diphtheria and croup	13		3	1	2		4	3										
9	Influenza	6	1	1					1			1	1		1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	4	1							1		1		1					
13	Tuberculosis of the lungs	145		1		1		3	11	30	37	27	16	10	7	1	1		
14	Tuberculous meningitis	19	1	6	2	2	3	3	1			1							
15	Other forms of tuberculosis	12			2				2	1	2			4	1				
16	Cancer and other malignant tumors	91							1	1	3	17	19	23	19	8			
17	Meningitis	7	4		1	1	1												
18	Cerebral hemorrhage and softening	89	1					1			1	6	15	27	27	11			
19	Organic diseases of the heart	147					1	1	4	5	2	11	20	32	42	26	3		
20	Acute bronchitis	6	5														1		
21	Chronic bronchitis	6												1	4	1			
22	Pneumonia	96	4	7	1		2	2	3	7	15	16	15	12	8	4			
23*a*	Bronchopneumonia	82	37	15	1	1	3	3	1	2	1	5	4	3	3	3			
23*b*	Other diseases of the respiratory system	3	1					1					1						
24	Diseases of the stomach	9	2			1					1	1		1	3				
25(37)	Diarrhea and enteritis	93	73	9	1		1	1	1	1				2	2	2			
26	Appendicitis	9				1				2			3	2		1			
27	Hernia, intestinal obstruction	12	1					1		1		1	2	4		2			
28	Cirrhosis of the liver	21								3	3	5	3	4	3				
29	Acute nephritis and Bright's disease	203	2		1			1	3	5	16	25	22	51	46	29	1	1	
30	Diseases of the female genital organs	9								1	4	1	1	1	1				
31	Puerperal fever	6							1	3	2								
32	Other puerperal affections	6								2	3	1							
33	Congenital debility and malformations	86	85					1											
34	Senility	12												1	6	3	2		
35	Violent deaths (excluding suicide)	105	2	3	3	1	4	7	12	16	20	18	9	6	2	2			
36	Suicide	19								7	2	4	5		1				
(37)	Other defined diseases	189	20	1		1	2	6	6	10	14	34	25	25	29	14	2		
38	Diseases ill-defined or unknown	3		2	1														
NEW YORK, N. Y. (RICHMOND BOROUGH, WHITE).																			
	All causes	1,525	240	60	19	16	17	38	53	100	121	174	161	209	203	105	8	1	
1	Typhoid fever	7	1						1	3	1		1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	17	4	8	2	2		1											
6	Scarlet fever	13		4	1	2		2	3	1									
7	Whooping cough	8	3	2	2	1													
8	Diphtheria and croup	13		3	1	2		4	3										
9	Influenza	6	1	1					1			1	1		1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	4	1							1		1		1					
13	Tuberculosis of the lungs	141		1		1		3	11	29	35	27	16	10	7	1			
14	Tuberculous meningitis	19	1	6	2	2	3	3	1			1							
15	Other forms of tuberculosis	11			2				2	1	1			4	1				
16	Cancer and other malignant tumors	91							1	1	3	17	19	23	19	8			
17	Meningitis	7	4		1	1	1												
18	Cerebral hemorrhage and softening	88	1					1			1	6	15	26	27	11			
19	Organic diseases of the heart	144					1	1	3	5	1	11	20	32	41	26	3		
20	Acute bronchitis	4	4																
21	Chronic bronchitis	6												1	4	1			
22	Pneumonia	94	4	7	1		2	2	3	6	15	16	15	12	8	3			
23*a*	Bronchopneumonia	80	37	14	1	1	3	3	1	2	1	5	4	3	2	3			
23*b*	Other diseases of the respiratory system	3	1					1					1						
24	Diseases of the stomach	9	2			1					1	1		1	3				
25(37)	Diarrhea and enteritis	92	73	8	1		1	1	1	1				2	2	2			
26	Appendicitis and typhlitis	9				1				2			3	2		1			
27	Hernia, intestinal obstruction	12	1					1		1		1	2	4		2			
28	Cirrhosis of the liver	21								3	3	5	3	4	3				
29	Acute nephritis and Bright's disease	201	2		1			1	3	5	16	25	21	51	46	28	1	1	
30	Diseases of the female genital organs	8								1	3	1	1	1	1				
31	Puerperal fever	6							1	3	2								
32	Other puerperal affections	6								2	3	1							
33	Congenital debility and malformations	80	79					1											
34	Senility	12												1	6	3	2		
35	Violent deaths (excluding suicide)	105	2	3	3	1	4	7	12	16	20	18	9	6	2	2			
36	Suicide	19								7	2	4	5		1				
(37)	Other defined diseases	186	19	1		1	2	6	6	10	13	33	25	25	29	14	2		
38	Diseases ill-defined or unknown	3		2	1														

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (RICHMOND BOROUGH, COLORED).																			
	All causes	30	9	3					1	2	6	1	1	1	2	2	2		
1	Typhoid fever																		
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough	2	1	1															
8	Diphtheria and croup																		
9	Influenza																		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases																		
13	Tuberculosis of the lungs	4								1	2						1		
14	Tuberculous meningitis																		
15	Other forms of tuberculosis	1									1								
16	Cancer and other malignant tumors																		
17	Meningitis																		
18	Cerebral hemorrhage and softening	1												1					
19	Organic diseases of the heart	3							1		1				1				
20	Acute bronchitis	2	1														1		
21	Chronic bronchitis																		
22	Pneumonia	2								1						1			
23a	Bronchopneumonia	2		1											1				
23b	Other diseases of the respiratory system																		
24	Diseases of the stomach																		
25(37)	Diarrhea and enteritis	1		1															
26	Appendicitis and typhlitis																		
27	Hernia, intestinal obstruction																		
28	Cirrhosis of the liver																		
29	Acute nephritis and Bright's disease	2											1			1			
30	Diseases of the female genital organs	1									1								
31	Puerperal fever																		
32	Other puerperal affections																		
33	Congenital debility and malformations	6	6																
34	Senility																		
35	Violent deaths (excluding suicide)																		
36	Suicide																		
(37)	Other defined diseases	3	1								1	1							
38	Diseases ill-defined or unknown																		
ROCHESTER, N. Y.																			
	All causes	3,448	578	98	40	41	22	63	110	229	308	366	405	506	430	223	28	1	
1	Typhoid fever	21							2	5	6	4	2	2					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	8		4	4														
6	Scarlet fever	21	1	3	3	3	1	5	3	1	1								
7	Whooping cough	28	16	6	3		2	1											
8	Diphtheria and croup	41	2	4	4	7	5	14	4				1						
9	Influenza	8						1	1		2		1	1	1	1			
10	Asiatic cholera																		
11	Cholera nostras	1						1											
12	Other epidemic diseases	18	4					1		1		5	1	2	1	3			
13	Tuberculosis of the lungs	230	2	1				1	20	60	61	35	35	12	3				
14	Tuberculous meningitis	23	4	3	1	4		5	3	2	1								
15	Other forms of tuberculosis	27	1	2		1		1	3	6	7	2	3			1			
16	Cancer and other malignant tumors	225							1	3	15	40	53	64	34	13	2		
17	Meningitis	13	3	3		1		1		3	1		1						
18	Cerebral hemorrhage and softening	203	1							1	5	15	29	63	58	28	3		
19	Organic diseases of the heart	377	1					2	7	11	17	45	41	110	93	46	4		
20	Acute bronchitis	37	22	2	1				1	1		1	1	2	5	1			
21	Chronic bronchitis	19							1		1	1	1	3	7	5			
22	Pneumonia	197	13	4	3	3	2	3	5	16	19	33	30	31	25	9	1		
23a	Bronchopneumonia	169	71	26	5	5	1	4		2	8	8	8	11	12	8			
23b	Other diseases of the respiratory system	29	1	1		1				3	4	2	4	5	5	3			
24	Diseases of the stomach	31	5			1			1	4	6	4	5	2	1	2			
25(37)	Diarrhea and enteritis	223	164	27	6	3		1	1	2	1	3	3	6	4	1	1		
26	Appendicitis and typhlitis	38		1	1		1	3	7	8	7	5	2	1	1	1			
27	Hernia, intestinal obstruction	36	2	3	1						4	4	3	11	6	2			
28	Cirrhosis of the liver	66									11	14	18	9	13	1			
29	Acute nephritis and Bright's disease	330	2	1	1	1	2		3	10	21	52	62	67	80	24	3	1	
30	Diseases of the female genital organs	23							1	4	7	4	2	2	3				
31	Puerperal fever	18							2	8	7	1							
32	Other puerperal affections	18							1	11	4	2							
33	Congenital debility and malformations	197	196	1															
34	Senility	19												1	5	8	5		
35	Violent deaths (excluding suicide)	181	3	2	3	8	2	7	15	30	29	23	16	17	11	12	3		
36	Suicide	45							4	10	11	8	8	2	1	1			
(37)	Other defined diseases	528	64	4	4	3	6	12	24	27	52	55	75	82	61	53	6		
38	Diseases ill-defined or unknown																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths: at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SYRACUSE, N. Y.																		
	All causes	2,294	446	68	28	17	12	41	63	142	189	232	325	324	251	135	21	.....	.....
1	Typhoid fever	19	.....	.....	.....	.....	.....	1	3	5	5	4	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	23	6	8	2	.....	4	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	19	1	2	2	1	1	9	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	7	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	21	.....	3	3	4	3	5	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	1	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	15	5	2	.....	.....	.....	.....	.....	.....	1	.....	3	3	.....	1	.....	.....	.....
13	Tuberculosis of the lungs	147	.....	2	.....	1	.....	2	12	36	45	24	12	9	3	1	.....	.....	.....
14	Tuberculous meningitis	17	6	2	1	1	.....	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	13	1	1	.....	.....	.....	2	2	4	1	1	.....	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	142	.....	.....	1	.....	.....	.....	1	3	9	18	46	41	16	6	1	.....	.....
17	Meningitis	7	4	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	130	.....	.....	.....	.....	.....	.....	.....	1	.....	12	26	38	35	16	2	.....	.....
19	Organic diseases of the heart	271	1	.....	.....	.....	.....	.....	3	5	8	28	52	63	69	36	6	.....	.....
20	Acute bronchitis	20	14	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....
21	Chronic bronchitis	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	4	.....	.....	.....
22	Pneumonia	194	25	4	3	3	.....	3	5	16	22	26	26	26	27	6	2	.....	.....
23*a*	Bronchopneumonia	77	31	9	1	2	2	.....	1	2	2	1	2	8	8	7	1	.....	.....
23*b*	Other diseases of the respiratory system	16	1	2	.....	.....	.....	.....	1	.....	4	2	2	2	2	.....	.....	.....	.....
24	Diseases of the stomach	17	5	.....	.....	1	.....	.....	.....	.....	1	1	2	2	2	3	.....	.....	.....
25(37)	Diarrhea and enteritis	145	95	22	3	.....	2	.....	.....	4	2	2	3	7	3	2	.....	.....	.....
26	Appendicitis and typhlitis	21	.....	.....	.....	.....	.....	2	5	2	3	4	2	3	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	34	3	1	1	1	.....	1	.....	1	.....	4	12	7	2	1	.....	.....	.....
28	Cirrhosis of the liver	28	.....	.....	.....	.....	.....	1	1	.....	4	8	5	5	4	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	154	4	.....	1	.....	.....	.....	1	8	19	24	38	24	25	9	1	.....	.....
30	Diseases of the female genital organs	15	.....	.....	.....	.....	.....	.....	1	2	6	4	2	.....	.....	.....	.....	.....	.....
31	Puerperal fever	10	.....	.....	.....	.....	.....	.....	1	4	5	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	8	.....	.....	.....	.....	.....	.....	.....	3	5	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	189	188	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	11	5	.....	.....
35	Violent deaths (excluding suicide)	127	5	2	5	2	.....	8	8	22	15	21	18	10	6	5	.....	.....	.....
36	Suicide	29	.....	.....	.....	.....	.....	.....	.....	2	6	6	7	5	3	.....	.....	.....	.....
(37)	Other defined diseases	344	46	4	4	.....	.....	3	11	21	23	39	63	64	38	26	2	.....	.....
38	Diseases ill-defined or unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	CINCINNATI, OHIO (TOTAL).																		
	All causes	6,735	801	177	80	62	45	113	254	624	726	828	918	922	771	370	42	2	.....
1	Typhoid fever	27	.....	1	.....	.....	.....	5	2	8	3	4	4	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	72	15	29	13	4	2	3	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	21	.....	2	3	4	2	5	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	45	19	14	3	6	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	52	2	6	8	10	7	16	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	54	1	1	.....	1	.....	2	2	2	3	5	9	9	9	10	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
12	Other epidemic diseases	31	3	.....	.....	.....	.....	.....	1	1	4	6	4	5	5	2	.....	.....	.....
13	Tuberculosis of the lungs	914	3	3	3	3	3	5	68	247	230	168	108	57	14	2	.....	.....	.....
14	Tuberculous meningitis	60	17	6	4	3	2	8	7	3	5	2	2	.....	1	.....	.....	.....	.....
15	Other forms of tuberculosis	38	.....	1	1	.....	.....	4	3	7	3	7	10	2	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	402	1	.....	.....	.....	.....	1	3	9	29	70	102	92	72	20	3	.....	.....
17	Meningitis	73	10	4	4	9	3	9	14	4	8	3	2	1	2	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	343	.....	.....	.....	.....	.....	.....	1	3	15	36	55	79	113	38	3	.....	.....
19	Organic diseases of the heart	828	2	.....	.....	.....	1	7	32	33	58	94	159	184	172	77	9	.....	.....
20	Acute bronchitis	51	20	6	1	.....	.....	1	.....	.....	1	1	1	1	10	9	.....	.....	.....
21	Chronic bronchitis	45	.....	.....	.....	.....	.....	.....	1	1	1	3	4	8	16	10	1	.....	.....
22	Pneumonia	343	13	7	5	1	2	4	7	37	62	52	56	44	32	19	2	.....	.....
23*a*	Bronchopneumonia	260	87	37	13	11	7	12	1	3	9	9	8	19	22	19	3	.....	.....
23*b*	Other diseases of the respiratory system	35	.....	.....	1	.....	.....	.....	2	3	4	4	7	11	3	.....	.....	.....	.....
24	Diseases of the stomach	44	8	1	1	.....	1	.....	.....	7	4	4	7	7	1	3	.....	.....	.....
25(37)	Diarrhea and enteritis	321	220	37	9	3	2	.....	3	4	5	2	10	6	15	5	.....	.....	.....
26	Appendicitis and typhlitis	65	.....	1	.....	.....	1	3	17	11	9	10	2	7	3	1	.....	.....	.....
27	Hernia, intestinal obstruction	68	5	1	1	1	.....	2	4	6	7	7	6	15	11	2	.....	.....	.....
28	Cirrhosis of the liver	102	.....	.....	.....	.....	.....	.....	.....	2	18	30	20	19	12	1	.....	.....	.....
29	Acute nephritis and Bright's disease	638	3	.....	2	.....	2	3	6	18	48	85	110	175	124	54	7	1	.....
30	Diseases of the female genital organs	43	.....	.....	.....	.....	.....	.....	.....	13	9	12	7	2	.....	.....	.....	.....	.....
31	Puerperal fever	44	.....	.....	.....	.....	.....	.....	3	24	11	6	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	24	.....	.....	.....	.....	.....	.....	4	8	9	3	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	250	246	1	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....
35	Violent deaths (excluding suicide)	435	27	11	4	4	6	10	32	77	75	63	46	31	28	20	1	.....	.....
36	Suicide	66	.....	.....	.....	.....	.....	.....	2	14	10	9	20	8	3	.....	.....	.....	.....
(37)	Other defined diseases	930	99	8	4	2	2	12	30	72	83	132	159	136	103	75	12	1	.....
38	Diseases ill-defined or unknown	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CINCINNATI, OHIO (WHITE).																		
	All causes	6,069	749	164	68	54	43	105	225	521	589	723	828	862	739	358	40	1	
1	Typhoid fever	24		1				5	2	6	2	4	4						
2	Typhus fever																		
3	Malaria	1												1					
4	Smallpox																		
5	Measles	70	13	29	13	4	2	3	3	3									
6	Scarlet fever	21		2	3	4	2	5		3	2								
7	Whooping cough	41	18	13	2	5	1	1	1										
8	Diphtheria and croup	52	2	6	8	10	7	16	3										
9	Influenza	51	1	1		1		2	2	2	2	4	8	9	9	10			
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	27	2						1	1	2	5	4	5	5	2			
13	Tuberculosis of the lungs	736	3	2	2	1	3	4	56	205	182	130	90	46	11	1			
14	Tuberculous meningitis	55	17	6	3	3	2	6	7	3	4	2	1		1				
15	Other forms of tuberculosis	34		1	1			3	1	7	3	6	10	2					
16	Cancer and other malignant tumors	380	1					1	3	7	27	63	99	89	67	20	3		
17	Meningitis	64	9	4	4	7	3	8	13	3	7	3	2		1				
18	Cerebral hemorrhage and softening	323							1	2	13	34	49	74	109	38	3		
19	Organic diseases of the heart	745	2				1	7	31	26	48	78	137	164	167	75	9		
20	Acute bronchitis	48	20	5	1			1				1		1	10	9			
21	Chronic bronchitis	43							1	1		2	4	8	16	10	1		
22	Pneumonia	288	12	4	3		2	4	7	21	49	45	50	40	31	18	2		
23a	Bronchopneumonia	228	75	32	8	9	5	10	1	3	8	9	7	19	21	18	3		
23b	Other diseases of the respiratory system	32			1				2	2	3	4	6	11	3				
24	Diseases of the stomach	42	8	1	1		1			6	4	4	6	7	1	3			
25(37)	Diarrhea and enteritis	304	208	36	8	3	2		3	4	3	2	9	6	15	5			
26	Appendicitis and typhlitis	58		1			1	3	17	9	7	9	2	5	3	1			
27	Hernia, intestinal obstruction	64	5	1	1	1		2	4	6	5	6	6	14	11	2			
28	Cirrhosis of the liver	98								2	17	28	19	19	12	1			
29	Acute nephritis and Bright's disease	594	3		1		2	3	5	17	38	79	103	165	117	53	7	1	
30	Diseases of the female genital organs	35								9	8	10	6	2					
31	Puerperal fever	43							3	23	11	6							
32	Other puerperal affections	22							2	8	9	3							
33	Congenital debility and malformations	239	235	1			1		2										
34	Senility	4												1		3			
35	Violent deaths (excluding suicide)	383	22	11	4	4	6	9	27	67	57	55	42	31	28	19	1		
36	Suicide	66							2	14	10	9	20	8	3				
(37)	Other defined diseases	850	93	7	4	2	2	12	25	61	67	122	144	133	98	70	10		
38	Diseases ill-defined or unknown	3									1			1			1		
CINCINNATI, OHIO (COLORED).																			
	All causes	666	52	13	12	8	2	8	29	103	137	105	90	60	32	12	2	1	
1	Typhoid fever	3								2	1								
2	Typhus fever																		
3	Malaria	2								1		1							
4	Smallpox																		
5	Measles	2	2																
6	Scarlet fever																		
7	Whooping cough	4	1	1	1	1													
8	Diphtheria and croup																		
9	Influenza	3									1	1	1						
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	4	1								2	1							
13	Tuberculosis of the lungs	178		1	1	2		1	12	42	48	38	18	11	3	1			
14	Tuberculous meningitis	5			1			2			1		1						
15	Other forms of tuberculosis	4						1	2			1							
16	Cancer and other malignant tumors	22								2	2	7	3	3	5				
17	Meningitis	9	1			2		1	1	1	1			1	1				
18	Cerebral hemorrhage and softening	20								1	2	2	6	5	4				
19	Organic diseases of the heart	83							1	7	10	16	22	20	5	2			
20	Acute bronchitis	3		1							1		1						
21	Chronic bronchitis	2									1	1							
22	Pneumonia	55	1	3	2	1				16	13	7	6	4	1	1			
23a	Bronchopneumonia	32	12	5	5	2	2	2			1		1		1	1			
23b	Other diseases of the respiratory system	3								1	1		1						
24	Diseases of the stomach	2								1			1						
25(37)	Diarrhea and enteritis	17	12	1	1						2		1						
26	Appendicitis and typhlitis	7								2	2	1		2					
27	Hernia, intestinal obstruction	4									2	1		1					
28	Cirrhosis of the liver	4									1	2	1						
29	Acute nephritis and Bright's disease	44			1				1	1	10	6	7	10	7	1			
30	Diseases of the female genital organs	8								4	1	2	1						
31	Puerperal fever	1								1									
32	Other puerperal affections	2							2										
33	Congenital debility and malformations	11	11																
34	Senility																		
35	Violent deaths (excluding suicide)	52	5					1	5	10	18	8	4			1			
36	Suicide																		
(37)	Other defined diseases	80	6	1					5	11	16	10	15	3	5	5	2	1	
38	Diseases ill-defined or unknown																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CLEVELAND, OHIO.																		
	All causes	8,817	1,944	449	203	119	123	260	308	682	848	935	905	940	730	323	44	3	1
1	Typhoid fever	88	2		1	1	9	11	28	13	16	3	3		1			
2	Typhus fever																	
3	Malaria	1								1								
4	Smallpox																	
5	Measles	102	19	39	14	11	8	8	2	1								
6	Scarlet fever	121	4	15	19	20	9	38	11	4	1							
7	Whooping cough	62	27	18	8	3	4	2										
8	Diphtheria and croup	226	15	35	31	22	38	61	16	5	2		1					
9	Influenza	25	2	1					3	2	2	2	5	4	3	1		
10	Asiatic cholera																	
11	Cholera nostras	4	2						1							1		
12	Other epidemic diseases	43	17					1		1	3	8	5	3	2	3		
13	Tuberculosis of the lungs	711	9	5	2		1	7	59	207	188	140	52	34	6	1		
14	Tuberculous meningitis	51	7	9	3	4	5	5	5	4	6	3						
15	Other forms of tuberculosis	58	4	5	3		1	3	4	12	12	5	3	2	4			
16	Cancer and other malignant tumors	502	1	1	2		1	1	2	8	39	96	133	117	86	15		
17	Meningitis	65	9	11	8	2	3	9	6	10	2	3	2					
18	Cerebral hemorrhage and softening	386	1	2				1	2	5	19	40	78	107	85	45	1	
19	Organic diseases of the heart	735	2	3	3		1	14	26	38	51	82	100	171	160	68	15	1
20	Acute bronchitis	183	102	24	14	7	3	3		1	2	3	4	3	11	6		
21	Chronic bronchitis	46	1	1			1		2	2	3	4	9	12	8	2	1	
22	Pneumonia	477	45	34	8	9	5	13	11	39	63	68	59	63	45	11	4	
23a	Bronchopneumonia	319	139	57	25	7	6	5	3	5	5	12	11	18	18	6	2	
23b	Other diseases of the respiratory system	76	5	7	3	2		1	4	3	7	11	11	10	8	3	1	
24	Diseases of the stomach	75	24			1	1		1	1	8	9	10	6	8	5	1	
25(37)	Diarrhea and enteritis	899	699	129	18	10	9	2		5	6	2	5	6	5	2	1	
26	Appendicitis and typhlitis	79			4			7	17	10	14	12	9	5	1			
27	Hernia, intestinal obstruction	67	10	1	1		1		1	6	4	13	11	11	6	2		
28	Cirrhosis of the liver	101								2	11	33	26	20	4	5		
29	Acute nephritis and Bright's disease	603	7	4	2	2	4	7	7	25	54	87	114	137	105	43	5	
30	Diseases of the female genital organs	56							1	20	13	13	6	3				
31	Puerperal fever	44							5	19	20							
32	Other puerperal affections	43							3	20	17	3						
33	Congenital debility and malformations	514	502	5	2	1		1	2		1							
34	Senility	44												4	18	15	6	1
35	Violent deaths (excluding suicide)	651	30	18	18	13	12	29	56	103	125	83	76	43	24	20		1
36	Suicide	105							2	21	24	31	11	10	4	2		
(37)	Other defined diseases	1,241	256	22	15	4	9	33	46	75	133	156	164	149	113	60	6	
38	Diseases ill-defined or unknown	14	5	1					1			1	2	2	2			
COLUMBUS, OHIO (TOTAL).																		
	All causes	3,047	370	76	30	20	18	71	137	261	355	337	390	425	361	182	14	
1	Typhoid fever	38						1	12	9	9	5	2					
2	Typhus fever																	
3	Malaria																	
4	Smallpox																	
5	Measles	9	1		3			1	1	3								
6	Scarlet fever	9		1	2		1	4	1									
7	Whooping cough	25	13	4	2	3	1	2										
8	Diphtheria and croup	21	1		4	1	1	9	3	1				1				
9	Influenza	17	1									1	4	5	5	1		
10	Asiatic cholera																	
11	Cholera nostras																	
12	Other epidemic diseases	16	1	1			1		1	1		1	3		6	1		
13	Tuberculosis of the lungs	274	1				1	1	28	68	73	48	22	24	8			
14	Tuberculous meningitis	13	2	5		2		1	1	1		1						
15	Other forms of tuberculosis	33	4	1		1		2	5	6	5	3	5	1				
16	Cancer and other malignant tumors	181		1				1		2	21	31	44	47	24	10		
17	Meningitis	38	10	2	3	4	1	3	5	4	2		1	1	2			
18	Cerebral hemorrhage and softening	219							2	7	12	19	44	55	51	29		
19	Organic diseases of the heart	301							12	9	21	36	65	64	65	28	1	
20	Acute bronchitis	16	7	2			1		1						1	4		
21	Chronic bronchitis	21	1									1	5	3	8	3		
22	Pneumonia	118	12	6			1	1	1	9	19	13	20	20	13	3		
23a	Bronchopneumonia	109	27	8	6	3	1	5	2	3	7	3	7	7	13	14	3	
23b	Other diseases of the respiratory system	31	2	2				5	1		5	4	3	4	3	2		
24	Diseases of the stomach	31	9	1		1					4	5	3	4	2	2		
25(37)	Diarrhea and enteritis	115	56	26	5	1	1			3	1	3	2	2	13	2		
26	Appendicitis and typhlitis	38					1	1	10	11	4	6	3	2				
27	Hernia, intestinal obstruction	31	1	1				1	1	3	2	6	3	8	4	1		
28	Cirrhosis of the liver	26								1	2	3	5	9	5	1		
29	Acute nephritis and Bright's disease	188						3	4	7	23	23	38	38	32	18	2	
30	Diseases of the female genital organs	38								17	8	10	3					
31	Puerperal fever	21							2	5	9	5						
32	Other puerperal affections	14								6	6	2						
33	Congenital debility and malformations	166	163	1	1		1											
34	Senility	54											1	4	16	27	6	
35	Violent deaths (excluding suicide)	296	9	5	3	3	4	20	29	50	43	33	27	30	29	11		
36	Suicide	36								12	5	8	5	4	2			
(37)	Other defined diseases	492	47	1	1	1	2	10	15	22	74	67	74	92	59	25	2	
38	Diseases ill-defined or unknown	12	2	8						1			1					

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
COLUMBUS, OHIO (WHITE).																			
	All causes	2,748	335	65	28	15	17	64	116	231	303	289	351	398	342	180	14		
1	Typhoid fever	35						1	12	8	8	4	2						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	9	1		3			1	1	3									
6	Scarlet fever	8		1	2		1	3	1										
7	Whooping cough	21	12	3	2	2	1	1											
8	Diphtheria and croup	19	1		2	1	1	9	3	1				1					
9	Influenza	14	1										3	4	5	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	16	1	1			1		1	1		1	3		6	1			
13	Tuberculosis of the lungs	230							21	59	62	41	19	21	7				
14	Tuberculous meningitis	13	2	5		2		1	1	1		1							
15	Other forms of tuberculosis	29	4	1				2	3	6	5	2	5	1					
16	Cancer and other malignant tumors	175		1				1		2	21	27	44	45	24	10			
17	Meningitis	32	7	2	3	3	1	3	4	4	1		1	1	2				
18	Cerebral hemorrhage and softening	194								5	6	15	37	52	50	29			
19	Organic diseases of the heart	256							9	7	15	27	55	59	56	27	1		
20	Acute bronchitis	16	7	2			1		1						1	4			
21	Chronic bronchitis	21	1									1	5	3	8	3			
22	Pneumonia	92	12	5			1	1		5	11	8	16	17	13	3			
23a	Bronchopneumonia	93	24	7	6	2	1	3	1	3	5	3	5	5	12	13	3		
23b	Other diseases of the respiratory system	25	2					4	1		4	3	3	4	2	2			
24	Diseases of the stomach	27	8	1		1					4	5		4	2	2			
25(37)	Diarrhea and enteritis	104	49	23	5	1	1			3	1	2	2	2	13	2			
26	Appendicitis and typhlitis	38					1	1	10	11	4	6	3	2					
27	Hernia, intestinal obstruction	30	1					1	1	3	2	6	3	8	4	1			
28	Cirrhosis of the liver	25								1	2	3	5	8	5	1			
29	Acute nephritis and Bright's disease	176						3	3	6	20	21	36	36	31	18	2		
30	Diseases of the female genital organs	33								16	8	7	2						
31	Puerperal fever	18							1	4	8	5							
32	Other puerperal affections	13								6	5	2							
33	Congenital debility and malformations	152	149	1	1		1												
34	Senility	53											1	4	15	27	6		
35	Violent deaths (excluding suicide)	275	9	5	3	3	4	20	28	46	37	28	26	27	28	11			
36	Suicide	36								12	5	8	5	4	2				
(37)	Other defined diseases	460	42	1	1		2	9	14	17	69	63	69	90	56	25	2		
38	Diseases ill-defined or unknown	10	2	6						1			1						
COLUMBUS, OHIO (COLORED).																			
	All causes	299	35	11	2	5	1	7	21	30	52	48	39	27	19	2			
1	Typhoid fever	3								1	1	1							
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever	1						1											
7	Whooping cough	4	1	1		1		1											
8	Diphtheria and croup	2			2														
9	Influenza	3										1	1	1					
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases																		
13	Tuberculosis of the lungs	44	1				1	1	7	9	11	7	3	3	1				
14	Tuberculous meningitis																		
15	Other forms of tuberculosis	4				1			2			1							
16	Cancer and other malignant tumors	6										4		2					
17	Meningitis	6	3			1			1		1								
18	Cerebral hemorrhage and softening	25							2	2	6	4	7	3	1				
19	Organic diseases of the heart	45							3	2	6	9	10	5	9	1			
20	Acute bronchitis																		
21	Chronic bronchitis																		
22	Pneumonia	26		1					1	4	8	5	4	3					
23a	Bronchopneumonia	16	3	1		1		2	1		2		2	2	1	1			
23b	Other diseases of the respiratory system	6		2				1			1	1			1				
24	Diseases of the stomach	4	1										3						
25(37)	Diarrhea and enteritis	11	7	3								1							
26	Appendicitis and typhlitis																		
27	Hernia, intestinal obstruction	1		1															
28	Cirrhosis of the liver	1												1					
29	Acute nephritis and Bright's disease	12							1	1	3	2	2	2	1				
30	Diseases of the female genital organs	5								1		3	1						
31	Puerperal fever	3							1	1	1								
32	Other puerperal affections	1									1								
33	Congenital debility and malformations	14	14																
34	Senility	1													1				
35	Violent deaths (excluding suicide)	21							1	4	6	5	1	3	1				
36	Suicide																		
(37)	Other defined diseases	32	5			1		1	1	5	5	4	5	2	3				
38	Diseases ill-defined or unknown	2		2															

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	DAYTON, OHIO.																	
	All causes	1,950	321	53	27	13	10	59	71	154	201	188	247	265	227	97	16	.....	1
1	Typhoid fever	22	.....	.....	.....	2	1	2	2	3	6	1	2	1	2	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	5	1	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	5	.....	1	.....	.....	1	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
7	Whooping cough	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	43	.....	3	7	4	4	18	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	11	.....	.....	.....	.....	.....	2	1	2	.....	1	.....	2	1	1	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
12	Other epidemic diseases	11	3	1	.....	.....	.....	.....	1	.....	1	1	3	1	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	180	.....	1	.....	.....	.....	1	14	42	48	31	23	12	7	1	.....	.....	.....
14	Tuberculous meningitis	7	1	.....	.....	.....	.....	1	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	17	.....	1	.....	.....	.....	.....	1	3	2	4	1	2	2	1	.....	.....	.....
16	Cancer and other malignant tumors	109	.....	.....	.....	.....	.....	.....	1	2	9	15	27	27	22	5	1	.....	.....
17	Meningitis	19	9	.....	2	.....	2	2	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	118	1	.....	1	.....	.....	.....	.....	2	3	9	18	37	31	14	2	.....	.....
19	Organic diseases of the heart	210	2	1	.....	.....	.....	.....	4	6	10	21	30	62	52	21	1	.....	.....
20	Acute bronchitis	11	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	1	.....	.....
21	Chronic bronchitis	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....
22	Pneumonia	98	12	6	2	.....	.....	4	1	8	10	9	12	16	14	2	2	.....	.....
23*a*	Bronchopneumonia	58	22	6	1	.....	.....	2	1	1	4	.....	2	7	6	5	1	.....	.....
23*b*	Other diseases of the respiratory system	18	1	.....	.....	.....	.....	.....	.....	1	1	4	3	3	3	2	.....	.....	.....
24	Diseases of the stomach	23	10	.....	1	1	.....	.....	.....	.....	1	1	3	2	2	1	1	.....	.....
25 (37)	Diarrhea and enteritis	112	83	16	6	.....	.....	1	.....	.....	3	1	1	.....	1	.....	.....	.....	.....
26	Appendicitis and typhlitis	25	.....	.....	2	.....	.....	1	7	5	2	3	2	2	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	25	3	2	1	.....	.....	.....	1	.....	2	2	9	3	1	1	.....	.....	.....
28	Cirrhosis of the liver	17	.....	.....	.....	.....	.....	.....	.....	1	1	6	6	3	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	127	2	.....	.....	.....	.....	2	9	5	8	14	26	32	21	8	.....	.....	.....
30	Diseases of the female genital organs	18	.....	.....	.....	.....	.....	.....	.....	2	5	5	3	.....	3	.....	.....	.....	.....
31	Puerperal fever	12	.....	.....	.....	.....	.....	.....	1	6	5	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	9	.....	.....	.....	.....	.....	.....	.....	5	2	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	125	124	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	3	4	.....	.....
35	Violent deaths (excluding suicide)	199	6	8	1	3	.....	11	7	32	35	26	24	19	15	9	2	.....	1
36	Suicide	32	.....	.....	.....	.....	.....	.....	.....	7	11	6	4	2	2	.....	.....	.....	.....
(37)	Other defined diseases	259	35	4	2	3	1	11	9	19	29	25	47	30	28	16	.....	.....	.....
38	Diseases ill-defined or unknown	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	TOLEDO, OHIO.																	
	All causes	2,917	477	74	38	23	17	65	105	274	299	323	374	345	329	147	25	2	.....
1	Typhoid fever	75	.....	.....	1	1	.....	4	12	17	18	11	9	1	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	14	2	3	2	1	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	12	.....	2	2	3	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	8	5	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	42	2	3	5	6	4	12	3	4	2	.....	.....	1	.....	.....	.....	.....	.....
9	Influenza	19	4	.....	1	.....	.....	.....	.....	1	2	1	.....	5	4	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....
12	Other epidemic diseases	13	7	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	3	.....	.....	.....
13	Tuberculosis of the lungs	290	10	.....	.....	1	.....	3	19	73	60	54	44	20	4	2	.....	.....	.....
14	Tuberculous meningitis	14	3	2	1	1	1	2	1	.....	2	.....	.....	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	36	3	2	.....	.....	1	3	3	8	8	4	2	2	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	138	.....	1	.....	.....	.....	1	.....	3	13	24	32	36	25	3	.....	.....	.....
17	Meningitis	18	5	1	1	1	.....	2	2	2	1	2	.....	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	179	1	.....	.....	.....	.....	.....	.....	4	3	21	39	41	45	22	3	.....	.....
19	Organic diseases of the heart	276	1	.....	.....	.....	1	1	7	11	15	27	60	65	63	21	4	.....	.....
20	Acute bronchitis	16	8	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....
21	Chronic bronchitis	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	1	.....	.....
22	Pneumonia	83	9	8	1	.....	1	.....	1	9	9	9	10	12	9	5	.....	.....	.....
23*a*	Bronchopneumonia	79	29	12	5	.....	.....	1	.....	4	2	.....	4	4	12	5	1	.....	.....
23*b*	Other diseases of the respiratory system	13	.....	.....	.....	.....	1	.....	1	.....	1	3	4	2	1	.....	.....	.....	.....
24	Diseases of the stomach	26	5	2	1	.....	.....	.....	.....	1	3	2	.....	5	7	.....	.....	.....	.....
25 (37)	Diarrhea and enteritis	204	141	27	8	3	.....	1	.....	.....	1	3	5	6	4	3	2	.....	.....
26	Appendicitis and typhlitis	35	.....	.....	.....	.....	.....	5	6	6	6	7	5	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	28	2	.....	.....	.....	.....	1	.....	4	6	2	8	2	2	1	.....	.....	.....
28	Cirrhosis of the liver	59	.....	.....	.....	.....	.....	.....	2	1	4	9	19	8	14	2	.....	.....	.....
29	Acute nephritis and Bright's disease	158	1	.....	.....	1	.....	.....	2	9	15	14	28	29	36	21	.....	2	.....
30	Diseases of the female genital organs	26	.....	.....	.....	.....	.....	.....	1	4	9	11	1	.....	.....	.....	.....	.....	.....
31	Puerperal fever	18	.....	.....	.....	.....	.....	.....	3	9	4	2	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	16	.....	.....	.....	.....	.....	.....	.....	8	7	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	167	165	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	43	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12	13	15	3	.....	.....
35	Violent deaths (excluding suicide)	242	7	3	7	3	4	10	19	50	35	32	29	24	14	5	.....	.....	.....
36	Suicide	40	.....	.....	.....	.....	.....	.....	3	10	9	8	7	3	.....	.....	.....	.....	.....
(37)	Other defined diseases	510	65	2	1	2	.....	11	18	36	61	74	67	58	69	36	10	.....	.....
38	Diseases ill-defined or unknown	6	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PORTLAND, OREG.																			
	All causes	2,347	295	51	23	14	5	42	71	216	250	291	328	361	266	122	12	.....	.....
1	Typhoid fever	16	.....	1	.....	.....	.....	.....	3	6	2	3	.....	.....	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
5	Measles	6	.....	3	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	10	.....	.....	3	3	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	10	7	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	13	.....	2	2	.....	.....	5	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....
9	Influenza	15	1	1	.....	.....	.....	.....	.....	.....	1	3	2	.....	5	2	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	13	.....	1	.....	.....	.....	.....	1	3	1	1	2	2	.....	2	.....	.....	.....
13	Tuberculosis of the lungs	159	2	1	1	.....	1	1	13	46	41	28	10	12	3	.....	.....	.....	.....
14	Tuberculous meningitis	26	1	4	3	2	.....	3	2	6	3	1	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	24	.....	.....	.....	.....	.....	1	1	6	10	5	1	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	189	.....	.....	.....	.....	.....	.....	2	4	11	34	47	60	25	6	.....	.....	.....
17	Meningitis	20	4	2	1	.....	1	.....	2	5	1	3	1	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	135	.....	.....	.....	.....	.....	.....	.....	.....	4	11	25	40	35	19	1	.....	.....
19	Organic diseases of the heart	299	3	3	.....	.....	.....	1	5	13	19	41	58	67	63	23	3	.....	.....
20	Acute bronchitis	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
21	Chronic bronchitis	10	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	1	3	1	.....	.....
22	Pneumonia	131	20	2	2	1	.....	.....	2	14	12	20	22	15	13	8	.....	.....	.....
23a	Bronchopneumonia	55	28	10	3	.....	.....	.....	.....	.....	.....	2	2	7	1	2	.....	.....	.....
23b	Other diseases of the respiratory system	31	4	.....	1	.....	.....	1	.....	3	2	5	7	4	2	2	.....	.....	.....
24	Diseases of the stomach	34	3	.....	.....	.....	.....	.....	.....	2	5	10	6	4	4	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	44	24	5	1	2	.....	.....	1	2	.....	1	5	2	.....	.....	1	.....	.....
26	Appendicitis and typhlitis	35	.....	.....	.....	1	1	2	7	5	7	7	3	1	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	35	5	.....	.....	1	.....	.....	1	4	6	6	4	3	2	3	.....	.....	.....
28	Cirrhosis of the liver	27	.....	.....	.....	.....	.....	.....	2	.....	3	2	11	6	3	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	140	1	.....	.....	.....	.....	1	4	8	9	18	28	39	26	6	.....	.....	.....
30	Diseases of the female genital organs	9	.....	.....	.....	.....	.....	.....	.....	2	3	2	1	.....	.....	.....	1	.....	.....
31	Puerperal fever	13	.....	.....	.....	.....	.....	.....	1	7	5	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	15	.....	.....	.....	.....	.....	.....	2	9	4	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	140	137	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	55	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	19	26	3	.....	.....
35	Violent deaths (excluding suicide)	172	5	4	2	1	1	12	9	26	40	25	21	17	8	.....	1	.....	.....
36	Suicide	56	.....	.....	.....	.....	.....	.....	1	16	14	11	9	3	1	1	.....	.....	.....
(37)	Other defined diseases	391	45	8	2	2	1	11	10	26	42	49	58	68	50	18	1	.....	.....
38	Diseases ill-defined or unknown	10	2	.....	.....	.....	.....	.....	.....	.....	2	1	1	2	2	.....	.....	.....	.....
PHILADELPHIA, PA. (TOTAL).																			
	All causes	25,612	4,618	996	439	274	202	549	787	1,867	2,378	2,743	3,165	3,375	2,806	1,231	172	8	2
1	Typhoid fever	257	.....	3	1	5	4	13	45	103	44	24	11	2	1	1	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	7	.....	1	.....	.....	.....	.....	1	1	2	.....	1	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	204	53	84	40	12	3	8	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	172	3	14	26	27	24	56	12	8	2	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	105	55	24	10	7	2	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	351	29	85	63	46	35	73	10	2	3	1	.....	4	.....	.....	.....	.....	.....
9	Influenza	148	11	4	1	1	.....	3	2	2	7	19	21	25	31	18	3	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	5	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
12	Other epidemic diseases	123	26	4	1	2	.....	2	2	2	13	16	20	16	14	4	1	.....	.....
13	Tuberculosis of the lungs	2,692	20	15	5	10	7	22	180	667	704	489	350	165	53	4	.....	.....	1
14	Tuberculous meningitis	209	53	35	29	12	10	25	17	11	6	9	2	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	177	8	3	5	4	7	13	28	29	27	19	19	10	5	.....	.....	.....	.....
16	Cancer and other malignant tumors	1,563	3	.....	2	.....	3	1	6	30	115	285	412	399	248	55	4	.....	.....
17	Meningitis	78	37	12	4	1	2	5	4	3	4	2	1	3	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	998	6	3	.....	.....	1	.....	5	6	33	83	161	260	297	129	14	.....	.....
19	Organic diseases of the heart	2,781	31	5	5	4	2	21	73	114	176	309	397	689	637	280	35	3	.....
20	Acute bronchitis	234	150	26	17	4	.....	4	.....	1	.....	.....	2	10	7	11	2	.....	.....
21	Chronic bronchitis	111	2	3	.....	.....	.....	1	.....	1	2	5	17	23	25	27	5	.....	.....
22	Pneumonia	1,335	184	98	44	20	18	45	44	90	117	172	173	176	107	45	2	.....	.....
23a	Bronchopneumonia	1,038	414	197	66	20	13	27	13	23	21	29	52	63	62	33	5	.....	.....
23b	Other diseases of the respiratory system	306	36	13	9	2	4	13	13	17	34	29	55	32	28	19	2	.....	.....
24	Diseases of the stomach	319	69	15	3	2	2	5	4	14	34	39	43	33	35	18	3	.....	.....
25(37)	Diarrhea and enteritis	1,854	1,408	233	31	24	9	18	5	8	8	14	18	26	30	17	5	.....	.....
26	Appendicitis and typhlitis	208	.....	1	.....	2	1	10	43	44	43	30	22	7	4	1	.....	.....	.....
27	Hernia, intestinal obstruction	201	31	3	2	2	1	1	9	10	13	30	29	36	23	11	.....	.....	.....
28	Cirrhosis of the liver	325	.....	.....	.....	.....	.....	.....	3	7	29	81	91	76	31	6	1	.....	.....
29	Acute nephritis and Bright's disease	2,397	27	8	10	7	6	18	39	107	252	383	558	715	526	217	23	1	.....
30	Diseases of the female genital organs	146	1	.....	.....	.....	.....	.....	3	32	45	35	16	5	9	.....	.....	.....	.....
31	Puerperal fever	149	.....	.....	.....	.....	.....	.....	8	70	59	11	1	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	155	.....	.....	.....	.....	.....	.....	11	65	68	11	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	1,393	1,385	3	2	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	208	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	16	75	83	30	2	1
35	Violent deaths (excluding suicide)	1,277	62	25	28	41	32	87	90	161	165	167	161	106	98	46	8	.....	.....
36	Suicide	288	.....	.....	.....	.....	.....	.....	9	63	57	72	60	19	6	2	.....	.....	.....
(37)	Other defined diseases	3,251	511	59	28	14	15	71	105	174	292	375	469	452	452	203	29	2	.....
38	Diseases ill-defined or unknown	47	3	19	7	4	.....	.....	.....	1	1	4	1	5	2	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PHILADELPHIA, PA. (WHITE).																			
	All causes	23,405	4,150	923	407	253	176	501	667	1,586	2,052	2,452	2,915	3,230	2,718	1,202	166	5	2
1	Typhoid fever	229	.....	3	1	5	4	13	43	85	42	19	10	2	1	1	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	6	.....	1	.....	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	188	49	75	38	11	3	8	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	168	3	14	25	26	23	55	12	8	2	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	85	43	21	8	6	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	336	29	82	60	45	33	69	10	.....	3	1	.....	4	.....	.....	.....	.....	.....
9	Influenza	141	11	4	1	1	.....	3	2	1	6	16	20	24	31	18	3	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	5	.....	1	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
12	Other epidemic diseases	118	24	4	1	2	.....	2	2	2	13	15	19	15	14	4	1	.....	.....
13	Tuberculosis of the lungs	2,278	16	11	5	6	5	13	126	550	602	417	320	153	49	4	.....	.....	1
14	Tuberculous meningitis	189	48	35	29	10	7	22	15	9	6	7	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	143	8	3	4	3	5	10	17	23	22	16	18	9	5	.....	.....	.....	.....
16	Cancer and other malignant tumors	1,480	3	.....	2	.....	2	.....	6	28	95	263	388	393	243	53	4	.....	.....
17	Meningitis	76	36	11	4	1	2	5	4	3	4	2	1	3	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	963	5	2	.....	.....	1	.....	4	6	28	76	155	254	291	128	13	.....	.....
19	Organic diseases of the heart	2,583	30	5	5	4	2	20	68	100	144	272	354	657	612	274	34	2	.....
20	Acute bronchitis	209	130	23	17	4	.....	4	.....	.....	.....	.....	2	10	7	11	1	.....	.....
21	Chronic bronchitis	104	2	3	.....	.....	.....	1	.....	1	1	4	16	21	23	27	5	.....	.....
22	Pneumonia	1,170	152	87	39	19	12	38	32	66	95	151	155	173	105	44	2	.....	.....
23a	Bronchopneumonia	932	356	179	60	20	12	26	10	19	17	27	47	60	62	32	5	.....	.....
23b	Other diseases of the respiratory system	273	34	11	9	2	2	11	11	14	26	26	49	32	26	18	2	.....	.....
24	Diseases of the stomach	282	63	14	2	2	2	5	3	11	26	33	36	30	34	18	3	.....	.....
25(37)	Diarrhea and enteritis	1,695	1,275	226	27	21	8	16	4	8	7	12	17	23	29	17	5	.....	.....
26	Appendicitis and typhlitis	198	.....	1	.....	2	1	10	42	38	40	30	22	7	4	1	.....	.....	.....
27	Hernia, intestinal obstruction	181	29	2	2	2	1	1	7	6	12	25	26	35	23	10	.....	.....	.....
28	Cirrhosis of the liver	311	.....	.....	.....	.....	.....	.....	3	6	27	77	86	74	31	6	1	.....	.....
29	Acute nephritis and Bright's disease	2,688	23	8	8	7	5	16	39	94	223	339	516	676	507	206	21	.....	.....
30	Diseases of the female genital organs	115	1	.....	.....	.....	.....	.....	1	23	31	30	15	5	9	.....	.....	.....	.....
31	Puerperal fever	137	.....	.....	.....	.....	.....	.....	4	64	59	10	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	144	.....	.....	.....	.....	.....	.....	11	60	62	11	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	1,274	1,266	3	2	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	206	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	15	74	83	30	2	1
35	Violent deaths (excluding suicide)	1,182	50	25	28	37	28	82	83	140	144	161	155	101	94	46	8	.....	.....
36	Suicide	284	.....	.....	.....	.....	.....	.....	9	60	56	72	60	19	6	2	.....	.....	.....
(37)	Other defined diseases	2,993	462	53	26	12	15	66	95	158	255	337	423	428	436	198	28	1	.....
38	Diseases ill-defined or unknown	39	2	16	4	4	.....	.....	.....	1	1	3	1	5	2	.....	.....	.....	.....
PHILADELPHIA, PA. (COLORED).																			
	All causes	2,207	468	73	32	21	26	48	120	281	326	291	250	145	88	29	6	3	.....
1	Typhoid fever	28	.....	.....	.....	.....	.....	.....	2	18	2	5	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	16	4	9	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	4	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	20	12	3	2	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	15	.....	3	3	1	2	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	7	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	1	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	5	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	414	4	4	.....	4	2	9	54	117	102	72	30	12	4	.....	.....	.....	.....
14	Tuberculous meningitis	20	5	.....	.....	2	3	3	2	2	.....	2	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	34	.....	.....	1	1	2	3	11	6	5	3	1	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	83	.....	.....	.....	.....	1	1	.....	2	20	22	24	6	5	2	.....	.....	.....
17	Meningitis	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	35	1	1	.....	.....	.....	.....	1	.....	5	7	6	6	6	1	1	.....	.....
19	Organic diseases of the heart	198	1	.....	.....	.....	.....	1	5	14	32	37	43	32	25	6	1	1	.....
20	Acute bronchitis	25	20	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....
21	Chronic bronchitis	7	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	2	.....	.....	.....	.....
22	Pneumonia	165	32	11	5	1	6	7	12	24	22	21	18	3	2	1	.....	.....	.....
23a	Bronchopneumonia	106	58	18	6	.....	1	1	3	4	4	2	5	3	.....	1	.....	.....	.....
23b	Other diseases of the respiratory system	33	2	2	.....	.....	2	2	2	3	8	3	6	.....	2	1	.....	.....	.....
24	Diseases of the stomach	37	6	1	1	.....	.....	.....	1	3	8	6	7	3	1	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	159	133	7	4	3	1	2	1	.....	1	2	1	3	1	.....	.....	.....	.....
26	Appendicitis and typhlitis	10	.....	.....	.....	.....	.....	.....	1	6	3	.....	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	20	2	1	.....	.....	.....	.....	2	4	1	5	3	1	.....	1	.....	.....	.....
28	Cirrhosis of the liver	14	.....	.....	.....	.....	.....	.....	.....	1	2	4	5	2	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	209	4	.....	2	.....	1	2	.....	13	29	44	42	39	19	11	2	1	.....
30	Diseases of the female genital organs	31	.....	.....	.....	.....	.....	.....	2	9	14	5	1	.....	.....	.....	.....	.....	.....
31	Puerperal fever	12	.....	.....	.....	.....	.....	.....	4	6	.....	1	1	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	11	.....	.....	.....	.....	.....	.....	.....	5	6	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	119	119	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
35	Violent deaths (excluding suicide)	95	12	.....	.....	4	4	5	7	21	21	6	6	5	4	.....	.....	.....	.....
36	Suicide	4	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	258	49	6	2	2	.....	5	10	16	37	38	46	24	16	5	1	1	.....
38	Diseases ill-defined or unknown	8	1	3	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PITTSBURGH, PA. (TOTAL).																			
	All causes	9,550	1,957	580	245	147	108	304	358	836	972	1,040	996	965	718	292	30	1	1
1	Typhoid fever	109			1	1	1	2	18	51	18	11	3	1	1	1			
2	Typhus fever																		
3	Malaria	2									2								
4	Smallpox																		
5	Measles	153	33	54	26	15	4	13	3	3	2								
6	Scarlet fever	147	8	14	14	9	18	50	24	6	1	2	1						
7	Whooping cough	86	39	25	12	4	4	1				1							
8	Diphtheria and croup	204	12	31	39	34	24	52	8	1	3								
9	Influenza	47	2	2				1	1	3	4	6	5	7	11	4	1		
10	Asiatic cholera																		
11	Cholera nostras	5	1										1	2	1				
12	Other epidemic diseases	65	7	5				1		4	7	10	11	14	4	1	1		
13	Tuberculosis of the lungs	594	9	7	2	3		7	53	169	145	112	55	28	3	1			
14	Tuberculous meningitis	54	11	10	5	2		12	5	3	1	4	1						
15	Other forms of tuberculosis	65	1	3	2	3		3	8	9	18	7	5	5	1				
16	Cancer and other malignant tumors	432	1		1	1	3	1	4	12	34	93	116	93	57	15	1		
17	Meningitis	60	14	11	7	4	3	6	4	2	4	3	2						
18	Cerebral hemorrhage and softening	340	3		1			1		5	12	36	59	91	90	39	2		1
19	Organic diseases of the heart	704	2	2	1			15	33	41	68	98	142	136	123	43			
20	Acute bronchitis	126	51	20	8	6	3	3	1	1	3		4	10	9	7			
21	Chronic bronchitis	57	1									2	8	18	20	8			
22	Pneumonia	936	47	38	14	10	4	16	26	104	149	143	140	127	91	22	5		
23a	Bronchopneumonia	647	203	133	37	14	10	23	4	9	24	39	42	49	38	22			
23b	Other diseases of the respiratory system	119	13	3	3	1		3	7	12	10	11	10	19	18	9			
24	Diseases of the stomach	124	38	5	2	1	3	3		10	13	9	10	8	16	6			
25(37)	Diarrhea and enteritis	864	593	159	33	12	10	7	2	4	7	6	5	9	13	3	1		
26	Appendicitis and typhlitis	88		1	2	1	1	5	16	26	12	19	4	1					
27	Hernia, intestinal obstruction	86	11	1	1			3	1	8	14	9	17	13	4	3	1		
28	Cirrhosis of the liver	136								3	18	36	32	28	17	2			
29	Acute nephritis and Bright's disease	459	5	4	4	6	3	13	4	28	42	77	85	95	64	25	4		
30	Diseases of the female genital organs	58							2	17	20	13	2	3	1				
31	Puerperal fever	64							1	31	26	6							
32	Other puerperal affections	66							4	26	30	6							
33	Congenital debility and malformations	545	540	3					1	1									
34	Senility	62												3	23	31	5		
35	Violent deaths (excluding suicide)	760	26	15	12	12	7	38	68	135	144	122	75	59	26	19	1	1	
36	Suicide	89							5	24	20	17	13	9	1				
(37)	Other defined diseases	1,179	285	26	17	7	10	25	54	88	121	140	148	134	85	31	8		
38	Diseases ill-defined or unknown	18	1	8	1	1			1			2		3	1				
PITTSBURGH, PA. (WHITE).																			
	All causes	8,958	1,847	535	230	143	104	280	321	776	886	952	937	928	705	285	27	1	1
1	Typhus fever	101			1	1	1	2	17	48	17	9	2	1	1	1			
2	Typhus fever																		
3	Malaria	1									1								
4	Smallpox																		
5	Measles	148	31	53	26	14	3	13	3	3	2								
6	Scarlet fever	144	8	13	13	9	18	49	24	6	1	2	1						
7	Whooping cough	77	37	20	11	4	4					1							
8	Diphtheria and croup	202	12	31	39	34	24	50	8	1	3								
9	Influenza	46	2	2				1	1	3	3	6	5	7	11	4	1		
10	Asiatic cholera																		
11	Cholera nostras	4	1											2	1				
12	Other epidemic diseases	64	7	5						4	7	10	11	14	4	1	1		
13	Tuberculosis of the lungs	517	8	7	2	3		4	36	152	127	98	50	26	3	1			
14	Tuberculous meningitis	43	9	8	5	2		10	3	2		3	1						
15	Other forms of tuberculosis	55	1	3	2	2		2	4	8	15	7	5	5	1				
16	Cancer and other malignant tumors	414	1		1	1	3	1	4	12	31	88	111	92	54	15			
17	Meningitis	59	14	11	6	4	3	6	4	2	4	3	2						
18	Cerebral hemorrhage and softening	331	3		1			1		5	12	32	56	89	90	39	2		1
19	Organic diseases of the heart	654	2	2	1			14	32	36	58	90	132	127	120	40			
20	Acute bronchitis	118	48	18	8	5	2	3	1		3		4	10	9	7			
21	Chronic bronchitis	56	1									1	8	18	20	8			
22	Pneumonia	855	42	33	12	10	4	16	24	89	132	129	127	122	88	22	5		
23a	Bronchopneumonia	592	180	122	31	13	10	21	4	8	23	33	39	48	38	22			
23b	Other diseases of the respiratory system	110	13	3	2	1		3	6	11	9	7	9	19	18	9			
24	Diseases of the stomach	114	35	5	2	1	3	3		9	10	7	10	8	16	5			
25(37)	Diarrhea and enteritis	825	573	148	32	12	9	6	1	3	7	6	5	6	13	3	1		
26	Appendicitis and typhlitis	84		1	2	1	1	5	14	25	11	19	4	1					
27	Hernia, intestinal obstruction	83	10	1	1			3	1	8	13	9	16	13	4	3	1		
28	Cirrhosis of the liver	134								3	17	36	31	28	17	2			
29	Acute nephritis and Bright's disease	425	5	4	4	6	3	11	4	26	36	70	76	90	62	25	3		
30	Diseases of the female genital organs	54							1	17	20	11	2	2	1				
31	Puerperal fever	62							1	30	25	6							
32	Other puerperal affections	63							4	25	28	6							
33	Congenital debility and malformations	518	513	3					1	1									
34	Senility	60												3	23	30	4		
35	Violent deaths (excluding suicide)	724	23	15	11	12	6	33	65	130	139	117	71	56	26	18	1	1	
36	Suicide	89							5	24	20	17	13	9	1				
(37)	Other defined diseases	1,116	267	20	16	7	10	23	52	85	112	128	146	129	83	30	8		
38	Diseases ill-defined or unknown	16	1	7	1	1			1			1		3	1				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PITTSBURGH, PA. (COLORED).																		
	All causes	592	110	45	15	4	4	24	37	60	86	88	59	37	13	7	3		
1	Typhoid fever	8							1	3	1	2	1						
2	Typhus fever																		
3	Malaria	1									1								
4	Smallpox																		
5	Measles	5	2	1		1	1												
6	Scarlet fever	3		1	1			1											
7	Whooping cough	9	2	5	1			1											
8	Diphtheria and croup	2						2											
9	Influenza	1									1								
10	Asiatic cholera																		
11	Cholera nostras	1											1						
12	Other epidemic diseases	1						1											
13	Tuberculosis of the lungs	77	1					3	17	17	18	14	5	2					
14	Tuberculous meningitis	11	2	2				2	2	1	1	1							
15	Other forms of tuberculosis	10				1		1	4	1	3								
16	Cancer and other malignant tumors	18									3	5	5	1	3		1		
17	Meningitis	1			1														
18	Cerebral hemorrhage and softening	9										4	3	2					
19	Organic diseases of the heart	50						1	1	5	10	8	10	9	3	3			
20	Acute bronchitis	8	3	2		1	1			1									
21	Chronic bronchitis	1										1							
22	Pneumonia	81	5	5	2				2	15	17	14	13	5	3				
23a	Bronchopneumonia	55	23	11	6	1		2		1	1	6	3	1					
23b	Other diseases of the respiratory system	9			1				1	1	1	4	1						
24	Diseases of the stomach	10	3							1	3	2				1			
25(37)	Diarrhea and enteritis	39	20	11	1		1	1	1	1				3					
26	Appendicitis and typhlitis	4							2	1	1								
27	Hernia, intestinal obstruction	3	1								1		1						
28	Cirrhosis of the liver	2									1		1						
29	Acute nephritis and Bright's disease	34						2		2	6	7	9	5	2		1		
30	Diseases of the female genital organs	4							1			2		1					
31	Puerperal fever	2								1	1								
32	Other puerperal affections	3								1	2								
33	Congenital debility and malformations	27	27																
34	Senility	2														1	1		
35	Violent deaths (excluding suicide)	36	3		1		1	5	3	5	5	5	4	3		1			
36	Suicide																		
(37)	Other defined diseases	63	18	6	1			2	2	3	9	12	2	5	2	1			
38	Diseases ill-defined or unknown	2		1								1							
SCRANTON, PA.																			
	All causes	2,057	447	96	47	27	29	55	83	173	187	218	238	207	193	52	5		
1	Typhoid fever	13						1	1	5	5	1							
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	4		2	1		1												
6	Scarlet fever	14		1	1	4	3	3	1	1									
7	Whooping cough	11	6	2			1	1	1										
8	Diphtheria and croup	44	5	6	10	5	7	11											
9	Influenza	11			1				3	1	1	2		1	2				
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	7	1										2	3	1				
13	Tuberculosis of the lungs	106	2	2					11	25	23	17	18	8					
14	Tuberculous meningitis	6	1	2			1	2											
15	Other forms of tuberculosis	8	1	2		1	1	1		1				1					
16	Cancer and other malignant tumors	96		1				1	1	1	8	24	22	20	15	3			
17	Meningitis	16	2	5	1		1	3	3	1									
18	Cerebral hemorrhage and softening	103						1	1		2	7	27	29	28	7	1		
19	Organic diseases of the heart	156	2		1				10	10	18	29	20	28	29	7	2		
20	Acute bronchitis	28	13	5	2	1		1					2		3	1			
21	Chronic bronchitis	16									2		2	7	4	1			
22	Pneumonia	166	11	6	3	2	2	1	5	11	27	35	26	20	14	3			
23a	Bronchopneumonia	123	64	16	7	3	3	5			1	3	3	8	7	3			
23b	Other diseases of the respiratory system	41	2	2		1	1	2	3	2		10	6	6	4	2			
24	Diseases of the stomach	41	14		2				1	1	2	1	3	6	9	1	1		
25(37)	Diarrhea and enteritis	218	161	31	6	3	2	1		1	1	1	1	3	4	2	1		
26	Appendicitis and typhlitis	27						2	6	6	5	4	2		2				
27	Hernia, intestinal obstruction	23	1		1	1			2	2	5	2	2	1	5	1			
28	Cirrhosis of the liver	14						1			1	3	4	4	1				
29	Acute nephritis and Bright's disease	131	1	2			1	4	3	4	13	16	29	23	25	10			
30	Diseases of the female genital organs	11								4	2	5							
31	Puerperal fever	15								9	6								
32	Other puerperal affections	22								13	4	5							
33	Congenital debility and malformations	115	115																
34	Senility	6													3	3			
35	Violent deaths (excluding suicide)	218	5	9	9	3	3	7	16	55	44	25	30	5	6	1			
36	Suicide	13							1	5		1	6						
(37)	Other defined diseases	229	40	1	2	3	1	7	14	15	17	26	33	32	31	7			
38	Diseases ill-defined or unknown	4		1			1					1		1					

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PROVIDENCE, R. I.																			
	All causes	3,643	660	151	56	49	21	85	121	242	323	415	454	473	401	162	30	.....	.....
1	Typhoid fever	27	.....	1	1	1	.....	.....	1	8	8	5	2	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	38	9	22	3	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	13	1	.....	.....	2	4	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	16	14	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	71	4	10	12	11	7	24	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	21	1	.....	.....	.....	.....	.....	1	.....	2	2	.....	2	8	4	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	26	11	.....	.....	1	.....	.....	.....	.....	.....	3	4	6	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	310	3	7	3	.....	.....	2	26	81	76	62	26	16	7	1	.....	.....	.....
14	Tuberculous meningitis	45	11	10	4	2	.....	8	5	3	1	.....	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	34	3	1	.....	1	.....	4	6	4	7	4	2	2	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	255	.....	.....	.....	.....	.....	1	.....	3	20	52	74	58	39	8	.....	.....	.....
17	Meningitis	24	8	3	1	2	.....	2	1	1	2	2	2	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	215	.....	1	.....	.....	.....	.....	.....	1	7	14	39	58	73	19	3	.....	.....
19	Organic diseases of the heart	379	3	.....	.....	1	.....	4	12	15	36	30	62	97	84	31	4	.....	.....
20	Acute bronchitis	29	17	5	1	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	1	.....	.....
21	Chronic bronchitis	12	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	3	4	1	1	.....	.....
22	Pneumonia	258	28	17	10	7	2	4	6	8	31	41	37	31	22	13	1	.....	.....
23a	Bronchopneumonia	125	51	17	6	1	.....	4	1	1	2	6	7	6	17	6	.....	.....	.....
23b	Other diseases of the respiratory system	28	3	1	.....	.....	.....	1	1	1	3	4	3	3	8	.....	.....	.....	.....
24	Diseases of the stomach	27	7	1	.....	.....	.....	.....	.....	6	3	3	2	3	1	1	.....	.....	.....
25(37)	Diarrhea and enteritis	203	148	33	3	1	.....	1	1	1	3	2	4	2	.....	3	1	.....	.....
26	Appendicitis and typhlitis	48	.....	1	.....	.....	.....	6	9	14	9	5	2	.....	2	.....	.....	.....	.....
27	Hernia, intestinal obstruction	36	4	.....	.....	.....	.....	.....	.....	2	.....	10	7	5	5	2	1	.....	.....
28	Cirrhosis of the liver	32	.....	.....	.....	.....	.....	.....	.....	.....	5	9	8	8	2	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	299	3	1	.....	.....	1	2	8	16	27	53	61	62	44	21	.....	.....	.....
30	Diseases of the female genital organs	16	.....	.....	.....	.....	.....	.....	.....	3	3	9	1	.....	.....	.....	.....	.....	.....
31	Puerperal fever	11	.....	.....	.....	.....	.....	.....	.....	5	5	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	23	.....	.....	.....	.....	.....	.....	2	12	8	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	223	218	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	6	8	5	.....	.....
35	Violent deaths (excluding suicide)	233	4	6	7	15	5	13	20	28	28	28	26	29	16	7	1	.....	.....
36	Suicide	35	.....	.....	.....	.....	.....	.....	1	5	7	11	3	6	1	1	.....	.....	.....
(37)	Other defined diseases	475	95	5	4	.....	1	6	14	21	25	58	76	66	58	36	10	.....	.....
38	Diseases ill-defined or unknown	29	14	3	.....	.....	.....	.....	1	1	4	.....	2	3	.....	.....	1	.....	.....
MEMPHIS, TENN. (TOTAL).																			
	All causes	2,923	319	76	34	35	13	74	173	517	452	382	326	277	156	68	17	1	3
1	Typhoid fever	48	.....	1	.....	.....	.....	4	6	17	12	2	4	2	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	109	6	4	2	4	.....	7	7	33	16	11	9	5	5	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	16	.....	1	3	4	.....	2	3	2	.....	.....	.....	.....	1	.....	.....	.....	.....
6	Scarlet fever	12	1	.....	.....	2	1	7	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	13	9	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	14	6	1	.....	2	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	33	3	1	1	.....	.....	2	3	4	2	3	6	4	4	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	19	2	.....	1	.....	.....	.....	1	2	1	4	1	6	.....	1	.....	.....	.....
13	Tuberculosis of the lungs	341	1	5	1	2	1	1	37	117	88	52	24	9	3	.....	.....	.....	.....
14	Tuberculous meningitis	13	4	.....	.....	2	.....	2	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	20	.....	.....	.....	.....	.....	1	3	5	3	2	3	2	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	77	1	.....	.....	.....	.....	1	.....	3	7	23	21	11	9	1	.....	.....	.....
17	Meningitis	62	4	2	2	1	1	6	17	11	4	8	4	1	.....	.....	.....	.....	1
18	Cerebral hemorrhage and softening	82	.....	.....	.....	.....	.....	1	.....	3	5	14	19	28	9	3	.....	.....	.....
19	Organic diseases of the heart	173	2	1	.....	.....	.....	.....	3	18	20	35	31	35	21	5	2	.....	.....
20	Acute bronchitis	12	4	2	.....	.....	.....	.....	.....	3	1	.....	.....	2	.....	.....	.....	.....	.....
21	Chronic bronchitis	21	.....	.....	.....	.....	.....	.....	1	2	3	3	5	3	3	1	.....	.....	.....
22	Pneumonia	163	11	9	4	1	2	6	11	22	28	22	24	8	10	5	.....	.....	.....
23a	Bronchopneumonia	69	29	8	6	2	1	4	3	4	.....	3	1	2	2	3	1	.....	.....
23b	Other diseases of the respiratory system	44	2	1	.....	1	.....	2	1	11	9	6	4	6	1	.....	.....	.....	.....
24	Diseases of the stomach	46	6	2	.....	.....	1	2	2	7	6	7	7	5	.....	1	.....	.....	.....
25(37)	Diarrhea and enteritis	102	52	19	6	2	.....	.....	.....	1	7	4	6	2	2	.....	1	.....	.....
26	Appendicitis and typhlitis	37	.....	.....	.....	.....	.....	2	5	19	6	2	1	.....	1	.....	.....	.....	1
27	Hernia, intestinal obstruction	23	1	.....	.....	.....	.....	1	1	6	4	3	3	3	.....	1	.....	.....	.....
28	Cirrhosis of the liver	18	.....	.....	.....	.....	.....	.....	.....	2	4	5	.....	4	2	1	.....	.....	.....
29	Acute nephritis and Bright's disease	252	2	2	.....	2	2	5	3	24	31	48	41	55	27	8	2	.....	.....
30	Diseases of the female genital organs	49	.....	.....	.....	.....	.....	.....	2	13	25	5	2	1	1	.....	.....	.....	.....
31	Puerperal fever	10	.....	.....	.....	.....	.....	.....	2	4	4	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	26	.....	.....	.....	.....	.....	.....	4	14	6	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	100	99	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	45	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	14	20	6	1	.....
35	Violent deaths (excluding suicide)	272	10	5	4	6	1	6	32	65	64	27	19	24	3	3	.....	.....	.....
36	Suicide	32	.....	.....	.....	.....	.....	.....	.....	12	6	8	4	1	1	.....	.....	.....	.....
(37)	Other defined diseases	423	33	5	1	1	.....	10	16	68	67	62	73	43	28	13	2	.....	1
38	Diseases ill-defined or unknown	147	31	5	1	2	.....	.....	7	24	22	21	12	12	8	2	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
MEMPHIS, TENN. (WHITE).																			
	All causes	1,336	152	34	12	18	7	34	60	158	171	180	178	159	115	43	13	.....	2
1	Typhoid fever	28	.....	1	.....	.....	.....	2	2	8	9	2	3	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	28	1	.....	.....	2	.....	.....	3	2	5	4	5	3	3	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	9	.....	1	1	3	.....	1	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
6	Scarlet fever	10	1	.....	.....	2	1	5	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	6	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	7	.....	1	.....	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	6	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	.....	2	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	8	2	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	.....	1	.....	.....	.....
13	Tuberculosis of the lungs	115	.....	2	1	.....	.....	.....	9	36	25	22	13	7	.....	.....	.....	.....	.....
14	Tuberculous meningitis	8	4	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	10	.....	.....	.....	.....	.....	.....	.....	2	1	2	3	1	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	47	1	.....	.....	.....	.....	1	.....	2	3	8	14	8	9	1	.....	.....	.....
17	Meningitis	28	3	.....	1	.....	.....	1	8	2	3	5	4	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	46	.....	.....	.....	.....	.....	1	.....	1	2	7	9	19	5	2	.....	.....	.....
19	Organic diseases of the heart	68	2	1	.....	.....	.....	.....	1	2	4	9	11	16	17	3	2	.....	.....
20	Acute bronchitis	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
21	Chronic bronchitis	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	1	.....	.....	.....
22	Pneumonia	59	2	5	1	.....	1	1	3	5	9	8	11	3	5	5	.....	.....	.....
23a	Bronchopneumonia	30	15	1	2	1	1	2	.....	.....	.....	3	1	1	1	1	1	.....	.....
23b	Other diseases of the respiratory system	19	.....	.....	.....	1	.....	.....	.....	3	2	3	3	6	1	.....	.....	.....	.....
24	Diseases of the stomach	12	2	2	.....	.....	.....	.....	.....	1	.....	2	2	2	.....	1	.....	.....	.....
25(37)	Diarrhea and enteritis	47	26	11	3	.....	.....	.....	.....	1	2	1	1	.....	2	.....	.....	.....	.....
26	Appendicitis and typhlitis	22	.....	.....	.....	.....	.....	2	4	7	5	2	1	.....	.....	.....	.....	.....	1
27	Hernia, intestinal obstruction	16	1	.....	.....	.....	.....	1	1	4	1	3	2	2	.....	1	.....	.....	.....
28	Cirrhosis of the liver	14	.....	.....	.....	.....	.....	.....	.....	.....	4	4	.....	4	2	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	138	1	.....	.....	2	.....	4	.....	10	15	19	26	30	24	5	2	.....	.....
30	Diseases of the female genital organs	15	.....	.....	.....	.....	.....	.....	.....	2	8	2	2	1	.....	.....	.....	.....	.....
31	Puerperal fever	7	.....	.....	.....	.....	.....	.....	1	3	3	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	16	.....	.....	.....	.....	.....	.....	1	9	5	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	62	61	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	12	11	4	.....	.....
35	Violent deaths (excluding suicide)	116	2	4	1	2	1	4	13	18	22	13	13	14	3	3	3	.....	.....
36	Suicide	26	.....	.....	.....	.....	.....	.....	.....	7	6	8	3	1	1	.....	.....	.....	.....
(37)	Other defined diseases	237	18	4	1	.....	.....	6	10	29	28	41	41	30	19	8	1	.....	1
38	Diseases ill-defined or unknown	39	4	.....	.....	2	.....	.....	1	1	7	9	7	3	5	.....	.....	.....	.....
MEMPHIS, TENN. (COLORED).																			
	All causes	1,587	167	42	22	17	6	40	113	359	281	202	148	118	41	25	4	1	1
1	Typhoid fever	20	.....	.....	.....	.....	.....	2	4	9	3	.....	1	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	81	5	4	2	2	.....	7	4	31	11	7	4	2	2	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	7	.....	.....	2	1	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	7	4	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	7	6	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	27	3	1	1	.....	.....	2	2	3	2	3	4	4	2	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	11	.....	.....	1	.....	.....	.....	1	1	.....	3	1	4	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	226	1	3	.....	2	1	1	28	81	63	30	11	2	3	.....	.....	.....	.....
14	Tuberculous meningitis	5	.....	.....	.....	.....	.....	1	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	10	.....	.....	.....	.....	.....	1	3	3	2	.....	.....	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	30	.....	.....	.....	.....	.....	.....	.....	1	4	15	7	3	.....	.....	.....	.....	.....
17	Meningitis	34	1	2	1	1	1	5	9	9	1	3	.....	.....	.....	.....	.....	.....	1
18	Cerebral hemorrhage and softening	36	.....	.....	.....	.....	.....	.....	.....	2	3	7	10	9	4	1	.....	.....	.....
19	Organic diseases of the heart	105	.....	.....	.....	.....	.....	.....	2	16	16	26	20	19	4	2	.....	.....	.....
20	Acute bronchitis	9	3	2	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	15	.....	.....	.....	.....	.....	.....	1	2	3	2	4	2	1	.....	.....	.....	.....
22	Pneumonia	104	9	4	3	1	1	5	8	17	19	14	13	5	5	.....	.....	.....	.....
23a	Bronchopneumonia	39	14	7	4	1	.....	2	3	4	.....	.....	.....	1	1	2	.....	.....	.....
23b	Other diseases of the respiratory system	25	2	1	.....	.....	.....	2	1	8	7	3	1	.....	.....	.....	.....	.....	.....
24	Diseases of the stomach	34	4	.....	.....	.....	1	2	2	6	6	5	5	3	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	55	26	8	3	2	.....	.....	.....	.....	5	3	5	2	.....	.....	1	.....	.....
26	Appendicitis and typhlitis	15	.....	.....	.....	.....	.....	.....	1	12	1	.....	.....	.....	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	7	.....	.....	.....	.....	.....	.....	.....	2	3	.....	1	1	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	1	.....	.....	.....
29	Acute nephritis and Bright's disease	114	1	2	.....	.....	2	1	3	14	16	29	15	25	3	3	.....	.....	.....
30	Diseases of the female genital organs	34	.....	.....	.....	.....	.....	.....	2	11	17	3	.....	.....	1	.....	.....	.....	.....
31	Puerperal fever	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	10	.....	.....	.....	.....	.....	.....	3	5	1	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	38	38	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	9	2	1	.....
35	Violent deaths (excluding suicide)	156	8	1	3	4	.....	2	19	47	42	14	6	10	.....	.....	.....	.....	.....
36	Suicide	6	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	1	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	186	15	1	.....	1	.....	4	6	39	39	21	32	13	9	5	1	.....	.....
38	Diseases ill-defined or unknown	108	27	5	1	.....	.....	.....	6	23	15	12	5	9	3	2	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

NASHVILLE, TENN. (TOTAL).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	All causes	2,026	255	64	36	16	20	47	142	262	254	225	248	223	157	61	11	5	
1	Typhoid fever	42	1		1		1	5	10	15	2	3	4						
2	Typhus fever																		
3	Malaria	14	1					1	1	3		2	6						
4	Smallpox																		
5	Measles	25	3	2	4	2	3	7		2	1			1					
6	Scarlet fever																		
7	Whooping cough	10	6	1	1	1	1												
8	Diphtheria and croup	8	1	4	1	1		1											
9	Influenza	20		1				2	2	2	2		4	2	2	2	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	15	3	2	1					1		4	1	2	1				
13	Tuberculosis of the lungs	198	1		1			1	39	71	41	23	12	7	2				
14	Tuberculous meningitis	13	3	1	2	2	1	1		2	1								
15	Other forms of tuberculosis	35	1	2			1	3	7	9	5	2	4	1					
16	Cancer and other malignant tumors	87				1				2	9	11	35	20	8	1			
17	Meningitis	15			1	1		1	9	1	2								
18	Cerebral hemorrhage and softening	98	2	1				1	2	2	8	16	18	19	19	10			
19	Organic diseases of the heart	237	2	1					2	16	22	38	51	52	39	12	1	1	
20	Acute bronchitis	4		1		1							1			1			
21	Chronic bronchitis	13							1	1	2	1	4	2	1	1			
22	Pneumonia	136	23	9	1	1	3	7	4	13	18	12	12	15	11	1			
23a	Bronchopneumonia	36	14	9	1			1	3	2			3	1			2		
23b	Other diseases of the respiratory system	27	2		2		1	2		2	1	8	1	4	3	1			
24	Diseases of the stomach	46	4	3	2				1	3	10	6	10	3	1	2		1	
25(37)	Diarrhea and enteritis	86	33	16	8		4	1	1	1	2	2	1	7	3	1	1		
26	Appendicitis and typhlitis	36						3	15	7	6	1		3	1				
27	Hernia, intestinal obstruction	36	2			1		1	1	6	10	5	5	5					
28	Cirrhosis of the liver	21									7	4	6	3	1				
29	Acute nephritis and Bright's disease	117	2	3	2	1			1	7	15	17	19	26	16	8			
30	Diseases of the female genital organs	29							2	5	10	11			1				
31	Puerperal fever	10							3	3	3	1							
32	Other puerperal affections	11							1	3	6	1							
33	Congenital debility and malformations	103	101		2														
34	Senility	31											1	2	14	7	4	3	
35	Violent deaths (excluding suicide)	156	9	1	3	2	3	3	27	43	28	11	5	12	7	2			
36	Suicide	25							3	11	3	4	2	1	1				
(37)	Other defined diseases	272	29	4	3	2	2	6	7	28	38	40	40	35	24	12	2		
38	Diseases ill-defined or unknown	14	1	3						1	2	2	3		2				

NASHVILLE, TENN. (WHITE).

	All causes	1,123	152	35	21	6	13	29	70	127	108	114	137	138	118	50	4	1	
1	Typhoid fever	30	1				1	3	5	12	1	3	4						
2	Typhus fever																		
3	Malaria	3								1			2						
4	Smallpox																		
5	Measles	21	2	2	4	1	3	5		2	1			1					
6	Scarlet fever																		
7	Whooping cough	6	4	1			1												
8	Diphtheria and croup	7		4	1	1		1											
9	Influenza	7						1	1				1	1	1	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	11	2	1						1		4	1	2					
13	Tuberculosis of the lungs	90	1						14	30	20	12	7	5	1				
14	Tuberculous meningitis	10	3	1	1	1	1	1		1	1								
15	Other forms of tuberculosis	11						1	1	3	3			3					
16	Cancer and other malignant tumors	74				1				1	7	9	27	20	8	1			
17	Meningitis	12			1			1	7	1	2								
18	Cerebral hemorrhage and softening	59	2	1				1	1	1	3	6	9	12	16	7			
19	Organic diseases of the heart	108	2						1	6	2	14	22	31	21	9			
20	Acute bronchitis	2											1			1			
21	Chronic bronchitis	5										1	1	1	1	1			
22	Pneumonia	66	15	4	1		2	2		6	6	5	7	8	9	1			
23a	Bronchopneumonia	15	8	4					1	1			1						
23b	Other diseases of the respiratory system	11	1		1		1	2				2	1	2		1			
24	Diseases of the stomach	15	2	2							3	1	4		1	2			
25(37)	Diarrhea and enteritis	60	25	11	7		2	1	1		2	2		4	3	1	1		
26	Appendicitis and typhlitis	24						2	11	4	3	1		2	1				
27	Hernia, intestinal obstruction	23	1			1		1		3	5	4	4	4					
28	Cirrhosis of the liver	12									3	4	4	1					
29	Acute nephritis and Bright's disease	69	2		1				1	3	7	6	11	17	14	7			
30	Diseases of the female genital organs	13								3	2	7			1				
31	Puerperal fever	5							2	1	2								
32	Other puerperal affections	8							1	3	4								
33	Congenital debility and malformations	66	65		1														
34	Senility	25											1	2	13	6	2	1	
35	Violent deaths (excluding suicide)	78	4		2			1	13	22	12	6	4	6	6	2			
36	Suicide	22							3	10	2	3	2	1	1				
(37)	Other defined diseases	149	11	2	1	1	2	6	7	12	17	23	20	18	19	9	1		
38	Diseases ill-defined or unknown	6	1	2								1			2				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NASHVILLE, TENN. (COLORED).																			
	All causes	903	103	29	15	10	7	18	72	135	146	111	111	85	39	11	7	4	
1	Typhoid fever	12			1			2	5	3	1								
2	Typhus fever																		
3	Malaria	11	1					1	1	2		2	4						
4	Smallpox																		
5	Measles	4	1			1		2											
6	Scarlet fever																		
7	Whooping cough	4	2		1	1													
8	Diphtheria and croup	1	1																
9	Influenza	13		1				1	1	2	2		3	1	1		1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	4	1	1	1										1				
13	Tuberculosis of the lungs	108			1			1	25	41	21	11	5	2	1				
14	Tuberculous meningitis	3			1	1				1									
15	Other forms of tuberculosis	24	1	2			1	2	6	6	2	2	1	1					
16	Cancer and other malignant tumors	13								1	2	2	8						
17	Meningitis	3				1			2										
18	Cerebral hemorrhage and softening	39							1	1	5	10	9	7	3	3			
19	Organic diseases of the heart	129		1					1	10	20	24	29	21	18	3	1	1	
20	Acute bronchitis	2		1		1													
21	Chronic bronchitis	8							1	1	2		3	1					
22	Pneumonia	70	14	5		1	1	5	4	7	12	7	5	7	2				
23a	Bronchopneumonia	21	6	5	1			1	2	1			2	1			2		
23b	Other diseases of the respiratory system	16	1		1					2	1	6		2	3				
24	Diseases of the stomach	31	2	1	2				1	3	7	5	6	3				1	
25(37)	Diarrhea and enteritis	26	13	5	1		2			1			1	3					
26	Appendicitis and typhlitis	12						1	4	3	3			1					
27	Hernia, intestinal obstruction	13	1						1	3	5	1	1	1					
28	Cirrhosis of the liver	9									4		2	2	1				
29	Acute nephritis and Bright's disease	48		3	1	1				4	8	11	8	9	2	1			
30	Diseases of the female genital organs	16							2	2	8	4							
31	Puerperal fever	5							1	2	1	1							
32	Other puerperal affections	3									2	1							
33	Congenital debility and malformations	37	36		1														
34	Senility	6													1	1	2	2	
35	Violent deaths (excluding suicide)	78	5	1	1	2	3	2	14	21	16	5	1	6	1				
36	Suicide	3								1	1	1							
(37)	Other defined diseases	123	18	2	2	1				16	21	17	20	17	5	3	1		
38	Diseases ill-defined or unknown	8		1						1	2	1	3						
RICHMOND, VA. (TOTAL).																			
	All causes	2,718	507	85	34	26	15	45	115	269	300	313	358	290	255	92	12	2	
1	Typhoid fever	27						1	5	13	4	1	3						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	26	5	9	4	2	2	2				1	1						
6	Scarlet fever	5	2					2				1							
7	Whooping cough	15	11		1	1	1			1									
8	Diphtheria and croup	8		3	1			4											
9	Influenza	22		2							2	7	1	3	4	2	1		
10	Asiatic cholera																		
11	Cholera nostras	1								1									
12	Other epidemic diseases	23	5			1			1	3	2	2	4	4	1				
13	Tuberculosis of the lungs	226	2	2	1		2	1	32	65	49	44	18	5	4	1			
14	Tuberculous meningitis	22	4	4	3	4		4	2	1									
15	Other forms of tuberculosis	25	3	3			1	1	4	5		4	2	1	1				
16	Cancer and other malignant tumors	115				2		1		4	6	20	35	24	19	4			
17	Meningitis	18	4	1	1	2		4	4		1	1							
18	Cerebral hemorrhage and softening	187	3							3	16	24	53	38	39	10	1		
19	Organic diseases of the heart	275	4	1					3	8	35	48	54	57	47	16	1	1	
20	Acute bronchitis	42	23	3							7	1		1	6	1			
21	Chronic bronchitis	20							2	1		2	4	4	6		1		
22	Pneumonia	118	14	1	3			4	3	15	19	15	13	19	7	4	1		
23a	Bronchopneumonia	98	42	23	6	4	2	2	2	4	1		3	3	2	4			
23b	Other diseases of the respiratory system	55	4	1				1	2	12	7	8	9	4	5	2			
24	Diseases of the stomach	33	8			1			1	3	9	3	5	3					
25(37)	Diarrhea and enteritis	155	100	15	2	4	2	2	1	3	5	4	2	8	3	3		1	
26	Appendicitis and typhlitis	32						4	6	7	5	4	4	1	1				
27	Hernia, intestinal obstruction	24	2	1				1	1		4	2	5	5	3				
28	Cirrhosis of the liver	30							1	4	3	3	9	4	5	1			
29	Acute nephritis and Bright's disease	272	1						4	16	25	34	68	55	51	17	1		
30	Diseases of the female genital organs	26								5	9	9	3						
31	Puerperal fever	16							3	6	6	1							
32	Other puerperal affections	20							2	9	8	1							
33	Congenital debility and malformations	177	175			1				1									
34	Senility	16											1	1	4	9	1		
35	Violent deaths (excluding suicide)	159	16	2	3	2	4	6	17	36	25	19	9	6	9	3	2		
36	Suicide	27							2	6	9	1	5	3	1				
(37)	Other defined diseases	369	68	7	7	2	1	4	17	33	42	52	43	40	36	14	3		
38	Diseases ill-defined or unknown	34	11	7	2			1		4	1	1	4	1	1	1			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
RICHMOND, VA. (WHITE).																			
	All causes	1,412	233	39	17	10	10	27	49	103	109	126	179	191	223	86	10		
1	Typhoid fever	18						1	4	6	3	1	3						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	16	3	6	2	2	1					1	1						
6	Scarlet fever	4	2					1				1							
7	Whooping cough	7	5				1			1									
8	Diphtheria and croup	8		3	1			4											
9	Influenza	13		1							2	1		2	4	2	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	9	4								1	1		2	1				
13	Tuberculosis of the lungs	78	1	1				1	5	19	18	13	11	5	3	1			
14	Tuberculous meningitis	15	2	4	3	2		2	1	1									
15	Other forms of tuberculosis	17	3	2			1		1	2		4	2	1	1				
16	Cancer and other malignant tumors	82				2				1	3	12	23	20	17	4			
17	Meningitis	8	3					3	1		1								
18	Cerebral hemorrhage and softening	89	1								3	10	14	20	32	9			
19	Organic diseases of the heart	161	2						2		12	18	27	43	41	15	1		
20	Acute bronchitis	11	7											1	2	1			
21	Chronic bronchitis	12							1				2	2	6		1		
22	Pneumonia	53	4	1	3			2	2	3	6	4	7	10	7	3	1		
23a	Bronchopneumonia	24	6	6		1	1	1	1	1				1	2	4			
23b	Other diseases of the respiratory system	21	1	1				1	2	3	1	1	3	3	3	2			
24	Diseases of the stomach	14	4							1	2	2	3	2					
25(37)	Diarrhea and enteritis	84	53	8	2	1	2			1	2	3	2	4	3	3			
26	Appendicitis and typhlitis	27						3	4	7	4	3	4	1	1				
27	Hernia, intestinal obstruction	16	1	1				1	1		2	1	3	3	3				
28	Cirrhosis of the liver	20							1	1	1	1	8	2	5	1			
29	Acute nephritis and Bright's disease	159							2	8	8	11	29	36	48	17			
30	Diseases of the female genital organs	11								3	4	3	1						
31	Puerperal fever	4							1	2	1								
32	Other puerperal affections	16							1	8	6	1							
33	Congenital debility and malformations	88	87							1									
34	Senility	13												1	3	8	1		
35	Violent deaths (excluding suicide)	73	7		1	1	4	4	9	12	5	9	6	3	8	2	2		
36	Suicide	23							1	5	8		5	3	1				
(37)	Other defined diseases	209	35	3	3	1		3	9	17	16	24	24	26	32	13	3		
38	Diseases ill-defined or unknown	9	2	2	2							1	1			1			
RICHMOND, VA. (COLORED).																			
	All causes	1,306	274	46	17	16	5	18	66	166	191	187	179	99	32	6	2	2	
1	Typhoid fever	9							1	7	1								
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	10	2	3	2		1	2											
6	Scarlet fever	1						1											
7	Whooping cough	8	6		1	1													
8	Diphtheria and croup																		
9	Influenza	9		1								6	1	1					
10	Asiatic cholera																		
11	Cholera nostras	1								1									
12	Other epidemic diseases	14	1			1			1	3	1	1	4	2					
13	Tuberculosis of the lungs	148	1	1	1		2		27	46	31	31	7		1				
14	Tuberculous meningitis	7	2			2		2	1										
15	Other forms of tuberculosis	8		1				1	3	3									
16	Cancer and other malignant tumors	33						1		3	3	8	12	4	2				
17	Meningitis	10	1	1	1	2		1	3			1							
18	Cerebral hemorrhage and softening	98	2							3	13	14	39	18	7	1	1		
19	Organic diseases of the heart	114	2	1					1	8	23	30	27	14	6	1		1	
20	Acute bronchitis	31	16	3							7	1			4				
21	Chronic bronchitis	8							1	1		2	2	2					
22	Pneumonia	65	10					2	1	12	13	11	6	9		1			
23a	Bronchopneumonia	74	36	17	6	3	1	1	1	3	1		3	2					
23b	Other diseases of the respiratory system	34	3							9	6	7	6	1	2				
24	Diseases of the stomach	19	4			1			1	2	7	1	2	1					
25(37)	Diarrhea and enteritis	71	47	7		3		2	1	2	3	1		4				1	
26	Appendicitis and typhlitis	5						1	2		1	1							
27	Hernia, intestinal obstruction	8	1								2	1	2	2					
28	Cirrhosis of the liver	10								3	2	2	1	2					
29	Acute nephritis and Bright's disease	113	1						2	8	17	23	39	19	3		1		
30	Diseases of the female genital organs	15								2	5	6	2						
31	Puerperal fever	12							2	4	5	1							
32	Other puerperal affections	4							1	1	2								
33	Congenital debility and malformations	89	88			1													
34	Senility	3											1		1	1			
35	Violent deaths (excluding suicide)	86	9	2	2	1		2	8	24	20	10	3	3	1	1			
36	Suicide	4							1	1	1	1							
(37)	Other defined diseases	160	33	4	4	1	1	1	8	16	26	28	19	14	4	1			
38	Diseases ill-defined or unknown	25	9	5				1		4	1		3	1	1				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SEATTLE, WASH.																		
	All causes	2,471	303	56	40	20	15	40	86	256	302	305	368	291	263	111	9	1	5
1	Typhoid fever	14							1	6	4	3							
2	Typhus fever																		
3	Malaria	1												1					
4	Smallpox																		
5	Measles	33	5	11	7	1	3	5	1										
6	Scarlet fever	6			3	2				1									
7	Whooping cough	24	14	6	2	2													
8	Diphtheria and croup	13	1		1	3		4	1	2			1						
9	Influenza	14	1							2		2	5	1	2	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	10	3		1						3	1		1			1		
13	Tuberculosis of the lungs	213						2	16	59	55	45	23	10	3				
14	Tuberculous meningitis	36	6	6	5	3	2	4	4	3	2								1
15	Other forms of tuberculosis	36	1	1	3		2		6	14	4	2	2	1					
16	Cancer and other malignant tumors	202	1						2	4	15	39	60	38	36	7			
17	Meningitis	13	2	2		1		1	3	2		1	1						
18	Cerebral hemorrhage and softening	136								3	4	13	38	36	28	14			
19	Organic diseases of the heart	259	2					4	8	8	24	24	44	65	61	17		1	1
20	Acute bronchitis	4	1						1					2					
21	Chronic bronchitis	10							1						6	3			
22	Pneumonia	114	8	7	3	1		1	3	13	17	12	20	13	11	5			
23a	Bronchopneumonia	76	31	8	3		1	1	3	2	1	6	6	6	4	4			
23b	Other diseases of the respiratory system	28	2	1			1		1	2	5	6	4		2	4			
24	Diseases of the stomach	21	4	1								4	6	2	4				
25(37)	Diarrhea and enteritis	63	40	5	4	3	2	1		3		3	1		1				
26	Appendicitis and typhlitis	38						4		14	7	8	4		1				
27	Hernia, intestinal obstruction	20	2							4		3	3	5	3				
28	Cirrhosis of the liver	23								1	2	5	10	4		1			
29	Acute nephritis and Bright's disease	182	1	1	1	1		1	3	10	28	30	34	38	25	8	1		
30	Diseases of the female genital organs	16							1	3	3	6	2	1					
31	Puerperal fever	22							5	9	6	2							
32	Other puerperal affections	14								8	6								
33	Congenital debility and malformations	129	127		1				1										
34	Senility	49											1	5	14	25	4		
35	Violent deaths (excluding suicide)	210	5	5	4	2	1	7	13	44	53	21	25	19	6	1	1		3
36	Suicide	69								15	19	18	12	3	2				
(37)	Other defined diseases	369	46	2	2	1	3	4	12	24	44	51	66	39	53	20	2		
38	Diseases ill-defined or unknown	4						1						1	1	1			
SPOKANE, WASH.																			
	All causes	1,139	154	31	14	11	8	23	41	106	131	146	175	135	114	41	8		1
1	Typhoid fever	9								4	2	2	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	1						1											
6	Scarlet fever	8			1	2	1	2		2									
7	Whooping cough	9	4	3	1	1													
8	Diphtheria and croup	1						1											
9	Influenza	7								1	1		1		2	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	6		1				1			1	2	1						
13	Tuberculosis of the lungs	87	1						7	31	22	11	8	6	1				
14	Tuberculous meningitis	11	3	3	1			3	1										
15	Other forms of tuberculosis	16	1		1				1	6	4	1	1	1					
16	Cancer and other malignant tumors	89								1	5	25	24	20	10	4			
17	Meningitis	11	2	3	1	1		1	2	1									
18	Cerebral hemorrhage and softening	66	1							3	1	5	21	18	12	5			
19	Organic diseases of the heart	120						1	8	1	12	11	28	26	28	4	1		
20	Acute bronchitis	6	3									1		1		1			
21	Chronic bronchitis	5										1			1	1	2		
22	Pneumonia	55	1	1					1	4	6	8	10	10	12	2			
23a	Bronchopneumonia	36	19	2	2	1		2	1	1					5	2	1		
23b	Other diseases of the respiratory system	7							1	2	2	1		1					
24	Diseases of the stomach	11	1		1			1		3		1	2	2					
25(37)	Diarrhea and enteritis	44	21	11	4	3						1	1	1	2				
26	Appendicitis and typhlitis	28		1	1	1	1	1	4	4	7	4	2	1					1
27	Hernia, intestinal obstruction	15	3	1				1		3	1		1	1	3	1			
28	Cirrhosis of the liver	8									1	4	2	1					
29	Acute nephritis and Bright's disease	95		1				1	3		9	14	20	22	19	4	2		
30	Diseases of the female genital organs	13								3	3	3	3	1					
31	Puerperal fever	11							1	4	6								
32	Other puerperal affections	6									6								
33	Congenital debility and malformations	69	69																
34	Senility	9													1	7	1		
35	Violent deaths (excluding suicide)	80	2	2		1	2	3	6	20	11	14	10	7	1	1			
36	Suicide	21								2	4	8	6		1				
(37)	Other defined diseases	175	21	2	1	1	4	4	5	10	27	29	31	16	16	7	1		
38	Diseases ill-defined or unknown	4	2										2						

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MILWAUKEE, WIS.																		
	All causes	5,183	1,262	218	90	71	59	154	201	380	410	415	561	548	489	276	49	.....	.....
1	Typhoid fever	46	.....	.....	.....	1	1	5	8	14	6	5	6	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	26	8	12	4	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	64	2	4	10	5	7	20	9	4	3	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	14	10	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	145	9	22	17	20	15	43	12	3	3	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	25	4	.....	1	.....	.....	.....	.....	.....	1	2	1	3	7	4	2	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
12	Other epidemic diseases	28	14	3	1	.....	1	.....	.....	.....	.....	2	1	2	3	.....	1	.....	.....
13	Tuberculosis of the lungs	368	3	2	2	1	3	4	44	108	85	55	39	15	6	1	.....	.....	.....
14	Tuberculous meningitis	24	3	2	1	2	.....	4	5	2	2	1	2	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	34	1	.....	.....	1	.....	.....	4	11	9	4	2	2	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	310	1	.....	.....	.....	.....	2	1	4	19	45	82	85	58	13	.....	.....	.....
17	Meningitis	52	15	11	3	2	5	6	2	3	4	1	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	233	2	.....	.....	.....	.....	1	1	4	6	23	39	51	59	42	5	.....	.....
19	Organic diseases of the heart	394	1	1	.....	1	3	7	17	12	23	33	63	95	89	46	3	.....	.....
20	Acute bronchitis	78	43	16	1	1	.....	2	.....	1	.....	.....	1	1	3	4	.....	.....	.....
21	Chronic bronchitis	46	.....	.....	1	1	.....	1	.....	1	1	2	3	7	12	11	6	.....	.....
22	Pneumonia	315	49	12	10	3	1	9	10	20	33	36	46	44	25	15	2	.....	.....
23a	Bronchopneumonia	186	76	34	9	5	3	4	2	4	5	5	6	9	11	9	4	.....	.....
23b	Other diseases of the respiratory system	54	4	4	2	1	.....	.....	5	1	5	4	5	8	9	6	.....	.....	.....
24	Diseases of the stomach	87	43	3	2	4	.....	.....	.....	3	3	3	11	7	4	3	1	.....	.....
25(37)	Diarrhea and enteritis	405	306	48	10	7	4	3	.....	1	3	3	8	1	4	5	2	.....	.....
26	Appendicitis and typhlitis	65	1	.....	.....	.....	1	7	14	16	9	11	5	.....	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	46	6	1	.....	1	.....	.....	.....	6	5	4	3	9	6	5	.....	.....	.....
28	Cirrhosis of the liver	91	.....	.....	.....	.....	.....	1	.....	4	11	22	22	23	7	1	.....	.....	.....
29	Acute nephritis and Bright's disease	303	3	3	.....	1	1	4	6	10	33	40	70	51	52	26	3	.....	.....
30	Diseases of the female genital organs	19	.....	.....	.....	.....	.....	.....	1	2	4	6	.....	3	3	.....	.....	.....	.....
31	Puerperal fever	24	.....	.....	.....	.....	.....	.....	1	11	11	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	29	.....	.....	.....	.....	.....	.....	1	10	16	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	435	433	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	79	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	19	44	14	.....	.....
35	Violent deaths (excluding suicide)	302	9	10	9	8	7	10	18	55	35	40	42	32	17	10	.....	.....	.....
36	Suicide	75	.....	.....	.....	.....	.....	.....	3	20	18	7	12	11	4	.....	.....	.....	.....
(37)	Other defined diseases	764	210	20	7	6	5	19	36	50	57	55	92	83	87	31	6	.....	.....
38	Diseases ill-defined or unknown	14	1	7	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	.....	.....	.....	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	SUMMARY.													
	THE REGISTRATION AREA.													
	All causes	890,848	82,034	78,194	85,372	75,140	74,799	70,497	74,033	74,522	69,519	68,092	66,868	71,778
1	Typhoid fever	11,323	594	551	531	501	610	680	1,097	1,533	1,605	1,582	1,165	874
3	Malaria	1,565	73	59	71	81	108	154	174	244	238	192	108	63
5	Measles	8,108	708	919	1,403	1,433	1,357	826	477	279	109	135	190	272
6	Scarlet fever	5,498	619	661	752	651	618	499	277	202	200	286	329	404
7	Whooping cough	6,332	407	554	602	584	694	613	684	635	438	343	361	417
8	Diphtheria and croup	11,920	1,285	1,080	1,035	954	860	739	605	650	869	1,194	1,383	1,266
9	Influenza	7,725	2,135	1,589	1,541	722	357	163	81	60	81	185	308	503
13	Tuberculosis of the lungs	80,812	7,289	7,212	8,074	7,547	7,621	6,629	6,387	6,073	5,660	5,823	5,973	6,524
14–15	Other forms of tuberculosis	12,609	945	995	1,202	1,236	1,186	1,147	1,123	1,114	947	977	846	891
17	Meningitis	6,599	584	552	733	734	663	579	532	503	478	401	415	425
20–21	Bronchitis	11,388	1,665	1,520	1,547	1,091	887	650	468	427	520	684	860	1,069
22	Pneumonia	52,684	7,853	7,472	7,799	5,186	4,413	2,781	1,675	1,583	1,863	2,812	4,092	5,155
(23)	Bronchopneumonia	31,094	4,198	4,383	4,525	3,213	2,591	1,770	1,275	1,100	1,256	1,621	2,194	2,968
25	Diarrhea and enteritis (under 2 years)	47,605	1,521	1,402	1,758	1,818	2,120	3,798	8,936	10,527	7,810	4,325	2,020	1,570
(37)	Diarrhea and enteritis (2 years and over)	9,475	427	405	441	463	575	837	1,326	1,712	1,427	845	567	450
(33)	Congenital debility [1]	15,839	1,097	1,079	1,173	1,150	1,181	1,194	1,603	1,814	1,861	1,489	1,156	1,042
35	Violent deaths (excluding suicide)	58,578	4,285	3,983	4,963	4,250	4,525	5,630	6,288	5,734	4,823	4,756	4,584	4,757
36	Suicide	9,988	772	730	805	873	930	949	815	852	805	836	786	835
	All other causes	501,706	45,577	43,048	46,417	42,653	43,503	40,859	40,210	39,480	38,529	39,606	39,531	42,293
	REGISTRATION STATES.[2]													
	All causes	809,593	74,510	70,986	77,656	68,226	67,904	63,704	67,290	68,011	63,469	61,937	60,583	65,317
1	Typhoid fever	10,393	550	490	492	456	561	617	999	1,403	1,473	1,481	1,067	804
3	Malaria	1,211	64	49	58	67	87	115	129	188	186	142	82	44
5	Measles	7,553	661	856	1,317	1,328	1,244	752	447	266	102	131	183	266
6	Scarlet fever	4,471	456	489	574	537	523	396	233	173	173	252	297	368
7	Whooping cough	6,013	375	527	577	567	662	575	653	592	418	330	344	393
8	Diphtheria and croup	10,604	1,108	961	911	826	746	631	537	581	812	1,100	1,242	1,149
9	Influenza	7,214	1,988	1,499	1,445	679	336	150	78	57	75	168	270	469
13	Tuberculosis of the lungs	72,772	6,551	6,491	7,321	6,800	6,894	5,993	5,715	5,472	5,073	5,222	5,361	5,879
14–15	Other forms of tuberculosis	11,574	878	918	1,102	1,129	1,090	1,057	1,020	1,018	865	896	782	819
17	Meningitis	5,919	524	477	632	638	573	535	490	470	447	373	375	385
20–21	Bronchitis	10,747	1,575	1,443	1,475	1,019	838	610	434	396	490	645	806	1,016
22	Pneumonia	46,955	7,051	6,664	6,947	4,620	3,935	2,455	1,463	1,393	1,642	2,507	3,623	4,655
(23)	Bronchopneumonia	28,259	3,822	3,999	4,137	2,903	2,332	1,588	1,153	1,015	1,148	1,477	1,989	2,696
25	Diarrhea and enteritis (under 2 years)	42,092	1,270	1,169	1,469	1,498	1,735	3,286	8,101	9,626	7,023	3,877	1,732	1,306
(37)	Diarrhea and enteritis (2 years and over)	8,507	375	350	386	411	491	732	1,207	1,577	1,310	769	494	405
(33)	Congenital debility [1]	14,733	1,017	1,004	1,100	1,064	1,084	1,086	1,498	1,707	1,754	1,383	1,077	959
35	Violent deaths (excluding suicide)	53,209	3,886	3,594	4,416	3,870	4,120	5,121	5,778	5,243	4,397	4,339	4,136	4,309
36	Suicide	8,961	681	639	723	780	843	847	732	774	732	739	709	762
	All other causes	458,406	41,678	39,367	42,574	39,034	39,810	37,158	36,623	36,060	35,349	36,106	36,014	38,633
	CITIES IN REGISTRATION STATES.[2]													
	All causes	439,478	40,185	38,419	42,120	37,527	37,719	34,364	36,263	36,321	33,721	33,052	33,143	36,644
1	Typhoid fever	4,697	262	255	252	236	300	291	435	558	652	631	460	365
3	Malaria	290	18	10	11	23	20	24	28	41	46	29	27	13
5	Measles	3,962	369	411	658	688	659	396	240	151	50	67	112	161
6	Scarlet fever	2,827	290	278	357	390	370	262	142	97	106	145	161	229
7	Whooping cough	2,728	149	218	257	250	314	266	302	306	211	156	132	167
8	Diphtheria and croup	6,324	633	603	598	570	496	432	326	309	458	553	671	675
9	Influenza	2,489	722	458	464	224	115	58	36	20	32	74	109	177
13	Tuberculosis of the lungs	40,693	3,636	3,659	4,071	3,829	3,900	3,322	3,186	2,933	2,792	2,876	3,070	3,419
14–15	Other forms of tuberculosis	6,856	546	550	692	665	640	614	615	577	489	536	450	482
17	Meningitis	3,196	271	257	379	367	311	278	262	244	232	205	199	191
20–21	Bronchitis	5,939	828	775	753	551	504	356	251	229	260	366	442	624
22	Pneumonia	27,413	3,778	3,685	3,847	2,699	2,480	1,565	957	936	1,036	1,518	2,121	2,791
(23)	Bronchopneumonia	18,256	2,298	2,372	2,421	1,896	1,660	1,131	863	747	808	994	1,308	1,758
25	Diarrhea and enteritis (under 2 years)	24,731	816	760	987	970	1,029	1,757	4,875	5,678	3,881	2,128	1,025	825
(37)	Diarrhea and enteritis (2 years and over)	3,834	192	176	184	223	250	313	551	673	502	307	242	221
(33)	Congenital debility [1]	8,158	547	537	594	587	604	600	857	958	954	755	618	547
35	Violent deaths (excluding suicide)	27,695	2,072	1,946	2,422	1,977	2,177	2,596	2,951	2,568	2,305	2,263	2,183	2,235
36	Suicide	5,432	430	404	459	465	491	479	417	455	442	481	432	477
	All other causes	243,958	22,328	21,065	22,714	20,917	21,399	19,624	18,969	18,841	18,465	18,968	19,381	21,287
	RURAL PART OF REGISTRATION STATES.													
	All causes	370,115	34,325	32,567	35,536	30,699	30,185	29,340	31,027	31,690	29,748	28,885	27,440	28,673
1	Typhoid fever	5,696	288	235	240	220	261	326	564	845	821	850	607	439
3	Malaria	921	46	39	47	44	67	91	101	147	140	113	55	31
5	Measles	3,591	292	445	659	640	585	356	207	115	52	64	71	105
6	Scarlet fever	1,644	166	211	217	147	153	134	91	76	67	107	136	139
7	Whooping cough	3,285	226	309	320	317	348	309	351	286	207	174	212	226
8	Diphtheria and croup	4,280	475	358	313	256	250	199	211	272	354	547	571	474
9	Influenza	4,725	1,266	1,041	981	455	221	92	42	37	43	94	161	292
13	Tuberculosis of the lungs	32,079	2,915	2,832	3,250	2,971	2,994	2,671	2,529	2,539	2,281	2,346	2,291	2,460
14–15	Other forms of tuberculosis	4,718	332	368	410	464	450	443	405	441	376	360	332	337
17	Meningitis	2,723	253	220	253	271	262	257	228	226	215	168	176	194
20–21	Bronchitis	4,808	747	668	722	468	334	254	183	167	230	279	364	392
22	Pneumonia	19,542	3,273	2,979	3,100	1,921	1,455	890	506	457	606	989	1,502	1,864
(23)	Bronchopneumonia	10,003	1,524	1,627	1,716	1,007	672	457	290	268	340	483	681	938
25	Diarrhea and enteritis (under 2 years)	17,361	454	409	482	528	706	1,529	3,226	3,948	3,142	1,749	707	481
(37)	Diarrhea and enteritis (2 years and over)	4,673	183	174	202	188	241	419	656	904	808	462	252	184
(33)	Congenital debility [1]	6,575	470	467	506	477	480	486	641	749	800	628	459	412
35	Violent deaths (excluding suicide)	25,514	1,814	1,648	1,994	1,893	1,943	2,525	2,827	2,675	2,092	2,076	1,953	2,074
36	Suicide	3,529	251	235	264	315	352	368	315	319	290	258	277	285
	All other causes	214,448	19,350	18,302	19,860	18,117	18,411	17,534	17,654	17,219	16,884	17,138	16,633	17,346

[1] Excluding premature birth.

[2] Includes District of Columbia.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	SUMMARY—Continued.													
	REGISTRATION CITIES IN OTHER STATES.													
	All causes	81,255	7,524	7,208	7,716	6,914	6,895	6,793	6,743	6,511	6,050	6,155	6,285	6,461
1	Typhoid fever	930	44	61	39	45	49	63	98	130	132	101	98	70
3	Malaria	354	9	10	13	14	21	39	45	56	52	50	26	19
5	Measles	555	47	63	86	105	113	74	30	13	7	4	7	6
6	Scarlet fever	1,027	163	172	178	114	95	103	44	29	27	34	32	36
7	Whooping cough	319	32	27	25	17	32	38	31	43	20	13	17	24
8	Diphtheria and croup	1,316	177	119	124	128	114	108	68	69	57	94	141	117
9	Influenza	511	147	90	96	43	21	13	3	3	6	17	38	34
13	Tuberculosis of the lungs	8,040	738	721	753	747	727	636	672	601	587	601	612	645
14–15	Other forms of tuberculosis	1,035	67	77	100	107	96	90	103	96	82	81	64	72
17	Meningitis	680	60	75	101	96	90	44	42	33	31	28	40	40
20–21	Bronchitis	641	90	77	72	72	49	40	34	31	30	39	54	53
22	Pneumonia	5,729	802	808	852	566	478	326	212	190	221	305	469	500
(23)	Bronchopneumonia	2,835	376	384	388	310	259	182	122	85	108	144	205	272
25	Diarrhea and enteritis (under 2 years)	5,513	251	233	289	320	385	512	835	901	787	448	288	264
(37)	Diarrhea and enteritis (2 years and over)	968	52	55	55	52	84	105	119	135	117	76	73	45
(33)	Congenital debility [1]	1,106	80	75	73	86	97	108	105	107	107	106	79	83
35	Violent deaths (excluding suicide)	5,369	399	389	547	380	405	509	510	491	426	417	448	448
36	Suicide	1,027	91	91	82	93	87	102	83	78	73	97	77	73
	All other causes	43,300	3,899	3,681	3,843	3,619	3,693	3,701	3,587	3,420	3,180	3,500	3,517	3,660
	ALL REGISTRATION CITIES. [2]													
	All causes	520,733	47,709	45,627	49,836	44,441	44,614	41,157	43,006	42,832	39,771	39,207	39,428	43,105
1	Typhoid fever	5,627	306	316	291	281	349	354	533	688	784	732	558	435
3	Malaria	644	27	20	24	37	41	63	73	97	98	79	53	32
5	Measles	4,517	416	474	744	793	772	470	270	164	57	71	119	167
6	Scarlet fever	3,854	453	450	535	504	465	365	186	126	133	179	193	265
7	Whooping cough	3,047	181	245	252	267	346	304	333	349	231	169	149	191
8	Diphtheria and croup	7,640	810	722	722	698	610	540	394	378	515	647	812	792
9	Influenza	3,000	869	548	560	267	136	71	39	23	38	91	147	211
13	Tuberculosis of the lungs	48,733	4,374	4,380	4,824	4,576	4,627	3,958	3,858	3,534	3,379	3,477	3,682	4,064
14–15	Other forms of tuberculosis	7,891	613	627	792	772	736	704	718	673	571	617	514	554
17	Meningitis	3,876	331	332	480	463	401	322	304	277	263	233	239	231
20–21	Bronchitis	6,580	918	852	825	623	553	396	285	260	290	405	496	677
22	Pneumonia	33,142	4,580	4,493	4,699	3,265	2,958	1,891	1,169	1,126	1,257	1,823	2,590	3,291
(23)	Bronchopneumonia	21,091	2,674	2,756	2,809	2,206	1,919	1,313	985	832	916	1,138	1,513	2,030
25	Diarrhea and enteritis (under 2 years)	30,244	1,067	993	1,276	1,290	1,414	2,269	5,710	6,579	4,668	2,576	1,313	1,089
(37)	Diarrhea and enteritis (2 years and over)	4,802	244	231	239	275	334	418	670	808	619	383	315	266
(33)	Congenital debility [1]	9,264	627	612	667	673	701	708	962	1,065	1,061	861	697	630
35	Violent deaths (excluding suicide)	33,064	2,471	2,335	2,969	2,357	2,582	3,105	3,461	3,059	2,731	2,680	2,631	2,683
36	Suicide	6,459	521	495	541	558	578	581	500	533	515	578	509	550
	All other causes	287,258	26,227	24,746	26,557	24,536	25,092	23,325	22,556	22,261	21,645	22,468	22,898	24,947
	REGISTRATION STATES.													
	CALIFORNIA.													
	All causes	38,606	4,148	3,165	3,405	3,238	3,261	3,091	3,077	2,950	2,809	3,027	2,986	3,449
1	Typhoid fever	424	29	19	18	19	25	34	47	51	43	51	55	33
3	Malaria	57	2	2	.....	3	4	7	2	9	11	7	6	4
5	Measles	155	4	10	9	30	39	25	14	10	.....	5	5	4
6	Scarlet fever	89	5	5	2	7	14	16	7	4	6	1	14	8
7	Whooping cough	118	8	9	12	11	10	11	14	15	10	3	6	9
8	Diphtheria and croup	181	16	7	14	20	13	14	4	7	18	17	22	29
9	Influenza	276	95	58	33	18	9	7	6	1	8	8	12	21
13	Tuberculosis of the lungs	4,690	465	412	472	422	377	384	353	332	354	379	357	383
14–15	Other forms of tuberculosis	732	67	57	65	73	68	72	63	48	49	58	50	62
17	Meningitis	354	25	40	46	44	31	26	24	21	26	28	25	18
20–21	Bronchitis	364	84	35	32	24	27	22	20	12	16	26	27	39
22	Pneumonia	2,030	375	235	197	162	147	95	90	86	92	143	158	250
(23)	Bronchopneumonia	860	153	86	105	70	64	51	38	36	35	58	62	102
25	Diarrhea and enteritis (under 2 years)	1,218	48	39	43	74	119	124	174	138	144	148	97	70
(37)	Diarrhea and enteritis (2 years and over)	312	25	12	17	27	21	45	31	31	25	34	27	17
(33)	Congenital debility [1]	306	34	18	29	18	25	25	28	29	28	24	20	28
35	Violent deaths (excluding suicide)	3,154	264	197	241	258	299	282	302	294	253	246	237	281
36	Suicide	839	79	64	71	74	76	77	65	60	69	73	54	77
	All other causes	22,447	2,370	1,860	1,999	1,884	1,893	1,774	1,795	1,766	1,622	1,718	1,752	2,014
	COLORADO.													
	All causes	10,197	969	873	955	880	782	819	869	906	844	769	727	804
1	Typhoid fever	150	6	7	4	2	7	8	9	22	22	32	16	15
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	35	.....	1	5	4	7	8	3	3	2	1	1	.....
6	Scarlet fever	152	23	27	9	12	24	6	8	6	8	9	10	10
7	Whooping cough	66	5	10	7	7	9	5	10	4	2	6	1	.....
8	Diphtheria and croup	66	6	5	4	5	7	7	2	5	3	9	7	6
9	Influenza	48	16	13	9	3	3	1	.....	.....	.....	.....	1	2
13	Tuberculosis of the lungs	1,507	136	134	148	143	97	119	104	144	142	119	117	104
14–15	Other forms of tuberculosis	135	12	12	14	11	13	9	14	9	14	8	12	7
17	Meningitis	97	11	7	9	14	8	11	4	11	9	3	8	2
20–21	Bronchitis	100	14	20	13	7	9	5	1	5	3	6	7	10
22	Pneumonia	660	105	83	88	75	39	35	30	20	31	35	49	70
(23)	Bronchopneumonia	395	65	62	71	35	13	21	10	16	15	21	24	42
25	Diarrhea and enteritis (under 2 years)	382	9	3	18	15	8	26	70	87	94	26	18	8
(37)	Diarrhea and enteritis (2 years and over)	81	7	3	.....	3	3	6	17	12	14	13	1	2
(33)	Congenital debility [1]	232	16	18	21	20	21	13	14	27	32	25	17	8
35	Violent deaths (excluding suicide)	824	52	44	63	51	60	74	81	100	66	71	51	111
36	Suicide	187	18	13	17	13	17	20	21	15	11	11	17	14
	All other causes	5,080	468	411	455	460	437	445	471	420	376	374	370	393

[1] Excluding premature birth.

[2] Includes District of Columbia.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	CONNECTICUT.													
	All causes	17,719	1,614	1,548	1,705	1,506	1,424	1,407	1,497	1,534	1,421	1,238	1,276	1,549
1	Typhoid fever	133	4	7	6	3	8	6	17	23	23	13	15	8
3	Malaria	16	1	.....	.....	3	3	1	1	2	2	2	.....	1
5	Measles	100	2	6	12	17	16	11	6	5	2	3	5	15
6	Scarlet fever	115	23	20	18	9	8	3	6	6	.....	8	5	9
7	Whooping cough	90	2	5	10	8	17	10	8	9	4	7	3	7
8	Diphtheria and croup	226	21	23	13	21	20	14	13	10	20	21	28	22
9	Influenza	197	59	38	51	18	9	3	2	1	.....	.....	5	11
13	Tuberculosis of the lungs	1,430	126	136	135	143	110	129	111	119	98	94	98	131
14–15	Other forms of tuberculosis	230	16	18	30	23	18	19	23	17	17	16	13	20
17	Meningitis	152	17	14	12	10	20	11	9	14	11	16	9	9
20–21	Bronchitis	256	41	38	34	29	21	16	10	8	10	10	16	23
22	Pneumonia	1,248	191	174	186	139	97	54	39	32	47	47	106	136
(23)	Bronchopneumonia	541	80	70	97	47	46	21	19	17	34	22	34	54
25	Diarrhea and enteritis (under 2 years)	981	28	21	31	20	22	74	222	263	180	66	24	30
(37)	Diarrhea and enteritis (2 years and over)	155	4	7	6	3	17	15	19	35	22	11	10	6
(33)	Congenital debility [1]	403	27	38	39	16	30	34	31	57	47	40	24	20
35	Violent deaths (excluding suicide)	1,100	72	72	80	80	68	118	120	107	116	83	88	96
36	Suicide	182	13	10	14	12	13	30	17	14	15	13	15	16
	All other causes	10,164	887	851	931	905	881	838	824	795	773	766	778	935
	INDIANA.													
	All causes	36,699	3,322	3,108	3,655	3,116	3,013	2,933	3,058	3,218	2,869	2,900	2,794	2,713
1	Typhoid fever	693	26	26	26	28	32	26	48	115	95	128	85	58
3	Malaria	72	2	3	4	7	6	8	7	11	8	8	6	2
5	Measles	444	26	57	81	103	91	50	13	9	1	2	3	8
6	Scarlet fever	201	15	23	38	26	21	18	5	7	7	13	14	14
7	Whooping cough	322	26	46	46	45	41	27	24	19	11	9	15	13
8	Diphtheria and croup	513	70	53	25	22	30	23	21	36	44	59	78	52
9	Influenza	395	131	65	85	41	20	6	4	2	3	5	15	18
13	Tuberculosis of the lungs	3,452	324	291	368	350	320	287	282	249	233	232	241	275
14–15	Other forms of tuberculosis	684	49	45	59	45	75	55	60	82	55	62	58	39
17	Meningitis	166	18	10	13	18	12	16	17	14	16	14	12	6
20–21	Bronchitis	407	52	43	59	41	36	19	17	24	27	27	28	34
22	Pneumonia	1,752	300	279	313	171	120	56	49	38	45	77	143	161
(23)	Bronchopneumonia	937	159	150	143	98	67	39	32	23	26	50	68	82
25	Diarrhea and enteritis (under 2 years)	1,862	43	44	63	63	56	114	341	424	330	246	89	49
(37)	Diarrhea and enteritis (2 years and over)	481	19	16	23	19	20	47	70	105	65	51	29	17
(33)	Congenital debility [1]	246	15	16	7	23	26	18	21	25	20	28	28	19
35	Violent deaths (excluding suicide)	2,534	161	144	230	191	173	271	302	292	192	193	206	179
36	Suicide	440	26	31	38	42	41	39	32	46	53	28	32	32
	All other causes	21,098	1,860	1,766	2,034	1,783	1,826	1,814	1,713	1,697	1,638	1,668	1,644	1,655
	KENTUCKY (TOTAL).													
	All causes	30,646	2,854	2,570	2,961	2,518	2,441	2,800	2,917	2,460	2,176	2,284	2,403	2,262
1	Typhoid fever	998	52	52	47	31	36	65	131	153	136	119	111	65
3	Malaria	190	11	6	9	14	18	18	20	33	27	19	11	4
5	Measles	396	38	36	83	82	48	43	31	17	6	5	3	4
6	Scarlet fever	56	3	3	4	3	5	4	.....	1	4	13	12	4
7	Whooping cough	544	41	53	37	42	43	56	62	49	33	39	51	38
8	Diphtheria and croup	575	59	46	38	19	22	16	18	33	52	105	102	65
9	Influenza	395	119	77	69	40	11	2	3	3	3	12	29	27
13	Tuberculosis of the lungs	4,116	396	366	458	379	369	345	347	304	242	271	313	326
14–15	Other forms of tuberculosis	591	43	48	54	62	61	57	46	49	42	37	51	41
17	Meningitis	460	46	39	58	53	39	44	37	41	28	20	26	29
20–21	Bronchitis	355	58	34	49	26	27	20	19	17	14	27	31	33
22	Pneumonia	1,764	280	248	261	194	115	67	36	49	37	98	195	184
(23)	Bronchopneumonia	550	80	88	92	44	34	29	18	14	25	19	54	53
25	Diarrhea and enteritis (under 2 years)	1,299	29	16	30	23	63	289	325	207	127	116	48	26
(37)	Diarrhea and enteritis (2 years and over)	471	19	16	21	17	31	86	101	58	45	29	28	20
(33)	Congenital debility [1]	590	52	47	40	33	43	64	82	60	45	50	35	39
35	Violent deaths (excluding suicide)	1,902	149	150	170	133	163	177	237	171	133	118	136	165
36	Suicide	200	11	10	22	14	19	20	12	17	21	16	15	23
	All other causes	15,194	1,368	1,235	1,419	1,309	1,294	1,398	1,392	1,184	1,156	1,171	1,152	1,116
	KENTUCKY (WHITE).													
	All causes	25,034	2,392	2,118	2,429	2,005	1,979	2,297	2,388	2,031	1,754	1,856	1,974	1,811
1	Typhoid fever	831	45	47	38	23	27	52	111	127	113	96	96	56
3	Malaria	136	7	4	6	5	13	16	14	24	24	13	7	3
5	Measles	380	37	36	82	78	45	42	27	17	5	5	2	4
6	Scarlet fever	56	3	3	4	3	5	4	.....	1	4	13	12	4
7	Whooping cough	450	34	45	30	34	38	46	42	40	27	33	49	32
8	Diphtheria and croup	546	59	46	34	19	22	15	17	31	50	96	97	60
9	Influenza	307	103	58	55	24	7	1	2	2	2	8	24	21
13	Tuberculosis of the lungs	3,109	325	284	354	290	275	250	254	222	170	202	240	243
14–15	Other forms of tuberculosis	463	34	33	41	44	51	45	37	37	36	29	43	33
17	Meningitis	412	39	36	56	47	34	39	33	37	24	17	23	27
20–21	Bronchitis	268	49	31	38	17	16	15	12	14	12	19	22	23
22	Pneumonia	1,404	244	195	212	151	92	53	30	41	23	62	149	152
(23)	Bronchopneumonia	456	71	72	77	30	27	24	16	13	22	17	46	41
25	Diarrhea and enteritis (under 2 years)	1,149	25	16	29	16	52	249	295	184	115	102	44	22
(37)	Diarrhea and enteritis (2 years and over)	414	16	15	20	12	26	78	89	55	39	24	23	17
(33)	Congenital debility [1]	477	40	40	33	27	35	55	62	53	33	43	26	30
35	Violent deaths (excluding suicide)	1,455	118	117	127	98	125	141	133	137	94	89	106	120
36	Suicide	189	11	10	22	12	16	19	12	17	19	15	14	22
	All other causes	12,532	1,132	1,030	1,171	1,075	1,073	1,153	1,152	979	942	973	951	901

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	KENTUCKY (COLORED).													
	All causes	5,612	462	452	532	513	462	503	529	429	422	428	429	451
1	Typhoid fever	167	7	5	9	8	9	13	20	26	23	23	15	9
3	Malaria	54	4	2	3	9	5	2	6	9	3	6	4	1
5	Measles	16	1		1	4	3	1	4		1		1	
6	Scarlet fever													
7	Whooping cough	94	7	8	7	8	5	10	20	9	6	6	2	6
8	Diphtheria and croup	29			4			1	1	2	2	9	5	5
9	Influenza	88	16	19	14	16	4	1	1	1	1	4	5	6
13	Tuberculosis of the lungs	1,007	71	82	104	89	94	95	93	82	72	69	73	83
14-15	Other forms of tuberculosis	128	9	15	13	18	10	12	9	12	6	8	8	8
17	Meningitis	48	7	3	2	6	5	5	4	4	4	3	3	2
20-21	Bronchitis	87	9	3	11	9	11	5	7	3	2	8	9	10
22	Pneumonia	360	36	53	49	43	23	14	6	8	14	36	46	32
(23)	Bronchopneumonia	94	9	16	15	14	7	5	2	1	3	2	8	12
25	Diarrhea and enteritis (under 2 years)	150	4		1	7	11	40	30	23	12	14	4	4
(37)	Diarrhea and enteritis (2 years and over)	57	3	1	1	5	5	8	12	3	6	5	5	3
(33)	Congenital debility [1]	113	12	7	7	6	8	9	20	7	12	7	9	9
35	Violent deaths (excluding suicide)	447	31	33	43	35	38	36	54	34	39	29	30	45
36	Suicide	11				2	3	1			2	1	1	1
	All other causes	2,662	236	205	248	234	221	245	240	205	214	198	201	215
	MAINE.													
	All causes	11,565	1,116	1,073	1,203	978	1,016	838	799	1,035	973	836	788	910
1	Typhoid fever	91	6	4	8	7	10	10	3	2	14	12	12	3
3	Malaria	5						2	2	1				
5	Measles	62		1	3	6	8	18	15	4		1	4	2
6	Scarlet fever	17	1	4	4	1		2		2			2	1
7	Whooping cough	39	3	8	2	2	4	4	1	4	6		4	1
8	Diphtheria and croup	88	10	8	8	2	13	3	7	10	1	5	10	11
9	Influenza	173	29	36	48	23	16	1	1	1	1	4	6	7
13	Tuberculosis of the lungs	729	73	69	83	70	71	61	48	66	58	45	41	44
14-15	Other forms of tuberculosis	233	19	18	21	18	30	16	13	24	16	15	17	26
17	Meningitis	88	4	5	8	10	9	8	6	8	7	13	6	4
20-21	Bronchitis	157	32	25	22	11	12	8	8	8	4	10	9	8
22	Pneumonia	825	131	143	143	91	85	43	16	17	18	30	30	78
(23)	Bronchopneumonia	276	29	42	45	32	30	17	13	12	12	9	16	19
25	Diarrhea and enteritis (under 2 years)	465	11	7	5	15	13	9	39	155	143	40	17	11
(37)	Diarrhea and enteritis (2 years and over)	124	6	2	11	8	11	4	10	21	24	15	6	6
(33)	Congenital debility [1]	271	25	23	27	26	21	16	26	21	35	21	12	18
35	Violent deaths (excluding suicide)	544	40	41	39	39	46	47	62	51	45	38	43	53
36	Suicide	101	10	11	11	6	8	14	9	11	2	8	4	7
	All other causes	7,277	687	626	715	611	629	555	520	617	587	570	549	611
	MARYLAND (TOTAL).													
	All causes	21,493	1,800	1,756	1,948	1,743	1,815	1,828	2,182	1,842	1,570	1,676	1,621	1,712
1	Typhoid fever	443	19	19	27	10	19	28	48	82	63	55	43	30
3	Malaria	23	1	1		2	1	2	1	2	3	5	4	1
5	Measles	201	4	16	32	52	44	21	7	4	5	2	3	11
6	Scarlet fever	69	6	6	4	11	4	4	8	4	4	7	6	5
7	Whooping cough	205	5	8	11	22	22	26	32	23	15	12	15	14
8	Diphtheria and croup	203	22	16	8	9	10	9	10	16	13	23	38	29
9	Influenza	194	56	42	42	18	6	3	2	2	1	2	7	13
13	Tuberculosis of the lungs	2,322	222	216	222	190	226	192	194	193	160	160	176	171
14-15	Other forms of tuberculosis	265	18	14	26	23	30	36	25	30	18	14	17	14
17	Meningitis	174	11	17	19	17	17	21	19	12	16	10	9	6
20-21	Bronchitis	320	52	43	39	23	18	16	23	19	9	16	31	31
22	Pneumonia	1,093	180	144	154	109	90	59	29	33	36	63	89	107
(23)	Bronchopneumonia	861	70	105	102	102	83	66	53	42	32	57	65	84
25	Diarrhea and enteritis (under 2 years)	1,345	16	10	25	21	69	189	444	253	161	95	38	24
(37)	Diarrhea and enteritis (2 years and over)	180	6	10	12	11	7	18	41	28	19	12	9	7
(33)	Congenital debility [1]	637	35	34	43	34	46	54	106	81	64	56	43	41
35	Violent deaths (excluding suicide)	1,083	71	62	118	80	81	94	122	97	93	91	86	88
36	Suicide	204	16	11	19	14	22	21	22	9	17	12	19	22
	All other causes	11,671	990	982	1,045	995	1,020	969	996	912	841	984	923	1,014
	MARYLAND (WHITE).													
	All causes	15,758	1,326	1,281	1,440	1,281	1,329	1,292	1,605	1,355	1,152	1,213	1,190	1,294
1	Typhoid fever	291	14	16	22	6	15	17	29	51	42	32	28	19
3	Malaria	14		1		1		2	1	1	2	3	2	1
5	Measles	155	4	9	24	43	38	13	4	2	4	1	3	10
6	Scarlet fever	66	6	6	3	11	3	3	8	4	4	7	6	5
7	Whooping cough	110		2	7	11	15	14	18	11	7	5	12	8
8	Diphtheria and croup	174	19	15	7	9	8	9	10	10	11	20	31	25
9	Influenza	141	42	28	31	15	4	3	1	1		1	6	9
13	Tuberculosis of the lungs	1,446	131	137	129	122	141	117	108	121	104	106	113	117
14-15	Other forms of tuberculosis	175	14	10	18	19	20	21	11	20	14	7	12	9
17	Meningitis	127	5	12	16	11	10	16	13	12	12	8	6	6
20-21	Bronchitis	215	40	28	23	13	16	9	14	14	5	9	21	23
22	Pneumonia	747	117	100	107	72	64	43	21	22	22	39	61	79
(23)	Bronchopneumonia	562	50	59	65	67	57	41	44	28	21	33	43	54
25	Diarrhea and enteritis (under 2 years)	1,006	14	10	22	16	42	136	339	195	120	62	33	17
(37)	Diarrhea and enteritis (2 years and over)	134	5	7	8	8	5	14	31	22	13	9	7	5
(33)	Congenital debility [1]	436	22	25	27	22	33	26	82	61	39	41	31	27
35	Violent deaths (excluding suicide)	820	54	46	91	58	65	69	96	73	76	67	60	65
36	Suicide	194	16	11	17	12	21	20	21	8	16	12	18	22
	All other causes	8,945	773	759	823	765	772	719	754	699	640	751	697	793

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	MARYLAND (COLORED).													
	All causes	5,735	474	475	508	462	486	536	577	487	418	463	431	418
1	Typhoid fever	152	5	3	5	4	4	11	19	31	21	23	15	11
3	Malaria	9	1	.....	.....	1	1	.....	.....	1	1	2	2	.....
5	Measles	46	.....	7	8	9	6	8	3	2	1	1	.....	1
6	Scarlet fever	3	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
7	Whooping cough	95	5	6	4	11	7	12	14	12	8	7	3	6
8	Diphtheria and croup	29	3	1	1	.....	2	.....	.....	6	2	3	7	4
9	Influenza	53	14	14	11	3	2	.....	1	1	1	1	1	4
13	Tuberculosis of the lungs	876	91	79	93	68	85	75	86	72	56	54	63	54
14–15	Other forms of tuberculosis	90	4	4	8	4	10	15	14	10	4	7	5	5
17	Meningitis	47	6	5	3	6	7	5	6	.....	4	2	3	.....
20–21	Bronchitis	105	12	15	16	10	2	7	9	5	4	7	10	8
22	Pneumonia	346	63	44	47	37	26	16	8	11	14	24	28	28
(23)	Bronchopneumonia	299	20	46	37	35	26	25	9	14	11	24	22	30
25	Diarrhea and enteritis (under 2 years)	339	2	.....	3	5	27	53	105	58	41	33	5	7
(37)	Diarrhea and enteritis (2 years and over)	46	1	3	4	3	2	4	10	6	6	3	2	2
(33)	Congenital debility [1]	201	13	9	16	12	13	28	24	20	25	15	12	14
35	Violent deaths (excluding suicide)	263	17	16	27	22	16	25	26	24	17	24	26	23
36	Suicide	10	.....	.....	2	2	1	1	1	1	1	.....	1	.....
	All other causes	2,726	217	223	222	230	248	250	242	213	201	233	226	221
	MASSACHUSETTS.													
	All causes	53,286	4,995	4,743	5,097	4,584	4,628	4,019	4,102	4,483	4,345	4,009	3,793	4,488
1	Typhoid fever	279	12	22	11	9	17	15	24	37	47	40	23	22
3	Malaria	13	2	1	1	1	.....	1	2	2	2	1	.....	.....
5	Measles	499	49	51	81	109	88	49	26	20	7	6	6	7
6	Scarlet fever	311	42	39	36	45	30	29	12	20	7	11	19	21
7	Whooping cough	305	22	37	29	34	36	19	25	23	28	19	14	19
8	Diphtheria and croup	624	63	56	78	49	54	52	41	33	38	38	66	56
9	Influenza	328	111	54	57	27	18	9	3	8	5	7	11	18
13	Tuberculosis of the lungs	4,286	385	375	397	390	449	357	349	302	288	318	324	352
14–15	Other forms of tuberculosis	831	77	54	86	95	69	79	78	76	55	61	53	48
17	Meningitis	424	38	23	47	47	38	34	39	40	33	26	29	30
20–21	Bronchitis	794	114	99	128	79	61	50	27	25	37	38	53	83
22	Pneumonia	3,212	491	401	480	327	317	194	106	86	115	151	200	344
(23)	Bronchopneumonia	2,282	261	313	309	292	227	135	86	74	88	124	154	219
25	Diarrhea and enteritis (under 2 years)	3,077	112	95	95	120	95	149	499	788	603	305	122	94
(37)	Diarrhea and enteritis (2 years and over)	511	19	17	29	25	24	24	58	111	97	48	32	27
(33)	Congenital debility [1]	829	46	84	58	58	64	55	60	87	105	98	56	58
35	Violent deaths (excluding suicide)	2,871	226	211	221	186	223	270	326	260	233	236	207	272
36	Suicide	476	36	38	35	41	41	46	46	43	43	38	29	40
	All other causes	31,334	2,889	2,773	2,919	2,650	2,777	2,452	2,295	2,448	2,514	2,444	2,395	2,778
	MICHIGAN.													
	All causes	40,816	3,745	3,509	3,943	3,621	3,552	3,239	3,129	3,275	3,385	3,106	3,091	3,221
1	Typhoid fever	539	44	31	35	37	31	28	42	47	72	68	62	42
3	Malaria	17	2	.....	.....	2	1	4	1	1	3	3	.....	.....
5	Measles	253	17	15	26	34	50	27	25	26	5	9	5	14
6	Scarlet fever	281	38	39	47	42	27	24	7	8	12	13	9	15
7	Whooping cough	276	21	17	22	15	32	21	35	25	22	12	22	32
8	Diphtheria and croup	676	63	51	61	56	47	44	51	42	59	67	81	54
9	Influenza	339	104	75	65	39	17	3	3	.....	5	4	7	17
13	Tuberculosis of the lungs	2,273	179	206	208	224	258	170	197	160	166	146	159	200
14–15	Other forms of tuberculosis	420	33	20	37	40	47	37	51	41	29	29	24	32
17	Meningitis	358	29	23	41	39	40	40	24	26	23	25	23	25
20–21	Bronchitis	672	88	93	83	79	59	51	19	19	34	36	43	68
22	Pneumonia	1,947	276	251	317	220	197	109	50	49	57	108	143	170
(23)	Bronchopneumonia	947	135	127	148	108	73	49	32	38	35	43	77	82
25	Diarrhea and enteritis (under 2 years)	1,742	45	55	63	66	55	116	234	382	387	199	78	62
(37)	Diarrhea and enteritis (2 years and over)	467	22	19	16	25	31	27	51	81	91	55	30	19
(33)	Congenital debility [1]	1,059	72	85	66	86	74	74	101	108	146	95	74	78
35	Violent deaths (excluding suicide)	2,678	205	157	172	187	212	288	296	276	215	225	200	245
36	Suicide	409	22	32	28	28	39	38	26	37	39	37	47	36
	All other causes	25,463	2,350	2,213	2,508	2,294	2,262	2,089	1,884	1,909	1,985	1,932	2,007	2,030
	MINNESOTA.													
	All causes	22,787	2,090	2,013	2,283	2,018	1,925	1,769	1,593	1,807	1,798	1,929	1,710	1,852
1	Typhoid fever	235	19	16	16	9	6	6	16	15	23	50	36	23
3	Malaria	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	207	5	16	43	36	49	24	11	3	2	4	5	9
6	Scarlet fever	185	8	12	34	27	25	17	10	9	7	6	9	21
7	Whooping cough	143	10	11	25	13	19	12	15	8	8	5	10	7
8	Diphtheria and croup	219	22	16	25	30	18	13	12	7	8	17	23	28
9	Influenza	186	49	47	36	20	6	3	5	1	.....	5	4	10
13	Tuberculosis of the lungs	1,920	151	172	203	182	188	175	153	151	127	158	106	154
14–15	Other forms of tuberculosis	422	38	32	39	57	33	39	32	39	33	31	21	28
17	Meningitis	107	10	7	19	8	8	9	8	9	8	4	9	8
20–21	Bronchitis	269	39	40	34	21	26	14	10	8	10	28	16	23
22	Pneumonia	1,050	156	154	149	118	83	53	25	29	38	65	68	112
(23)	Bronchopneumonia	718	109	118	132	72	53	27	22	8	30	24	43	80
25	Diarrhea and enteritis (under 2 years)	900	50	65	50	44	41	50	53	158	222	90	45	32
(37)	Diarrhea and enteritis (2 years and over)	246	14	8	9	13	14	15	14	53	59	23	14	10
(33)	Congenital debility [1]	338	23	35	33	26	27	32	20	36	38	26	27	15
35	Violent deaths (excluding suicide)	1,754	129	101	105	129	119	189	154	169	164	188	157	150
36	Suicide	304	14	19	21	31	32	37	32	33	19	25	16	25
	All other causes	13,583	1,244	1,143	1,310	1,182	1,178	1,054	1,001	1,071	1,002	1,180	1,101	1,117

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	MISSOURI.													
	All causes	41,561	4,120	4,010	4,085	3,526	3,237	3,022	3,473	3,641	3,042	3,338	3,103	2,964
1	Typhoid fever	820	42	30	24	32	34	37	84	158	131	108	85	55
3	Malaria	427	19	25	31	23	43	35	49	71	57	34	26	14
5	Measles	440	21	46	94	113	71	32	19	7	2	6	8	21
6	Scarlet fever	143	15	17	15	20	21	16	5	1	3	6	11	13
7	Whooping cough	309	22	37	42	25	30	23	38	25	16	18	14	19
8	Diphtheria and croup	587	74	61	42	31	25	18	15	19	50	111	66	75
9	Influenza	569	104	147	126	60	17	16	2	2	5	11	26	53
13	Tuberculosis of the lungs	4,251	410	397	422	409	403	333	328	313	289	322	321	304
14–15	Other forms of tuberculosis	563	43	42	62	49	46	55	46	44	42	52	44	38
17	Meningitis	348	47	43	43	53	36	28	19	18	14	14	14	19
20–21	Bronchitis	594	82	103	97	59	41	26	26	19	20	36	43	42
22	Pneumonia	2,377	463	431	396	252	131	60	44	42	54	116	193	195
(23)	Bronchopneumonia	1,448	275	276	270	125	95	60	37	29	38	59	85	99
25	Diarrhea and enteritis (under 2 years)	1,934	53	67	68	72	72	179	410	390	220	234	112	57
(37)	Diarrhea and enteritis (2 years and over)	519	22	14	22	27	29	52	98	89	58	52	34	22
(33)	Congenital debility [1]	346	33	37	28	26	21	27	34	36	37	26	28	13
35	Violent deaths (excluding suicide)	2,541	195	191	196	194	205	230	273	292	200	183	212	170
36	Suicide	586	34	51	38	70	40	57	47	51	53	51	48	46
	All other causes	22,759	2,166	1,995	2,069	1,886	1,877	1,738	1,899	2,035	1,753	1,899	1,733	1,709
	MONTANA.													
	All causes	5,033	473	452	483	477	439	353	337	412	424	403	368	412
1	Typhoid fever	95	5	6	7	6	3	3	6	5	14	14	13	13
3	Malaria	1							1					
5	Measles	54	3	4	9	16	7	2	3			1	2	7
6	Scarlet fever	119	13	10	17	25	18	13	5	3	3	5	1	6
7	Whooping cough	46	3	3	1	7	3	8	4	4	3	5	1	4
8	Diphtheria and croup	23	3	1	2		2	2	3	2	5		1	2
9	Influenza	30	4	4	11	5	3	1		1				1
13	Tuberculosis of the lungs	391	46	49	41	31	39	31	20	27	22	35	24	26
14–15	Other forms of tuberculosis	65	6	10	6	8	4	4	4	9	4	4	3	3
17	Meningitis	60	7	6	9	7	5	5	5	4	2	4	3	3
20–21	Bronchitis	48	3	7	4	7	4	1	1	2	2	6	5	6
22	Pneumonia	373	56	57	45	38	40	16	11	8	17	23	28	34
(23)	Bronchopneumonia	135	17	23	28	11	11	3	3	4	9	7	7	12
25	Diarrhea and enteritis (under 2 years)	162	8	5	7	10	5	5	14	36	42	17	5	8
(37)	Diarrhea and enteritis (2 years and over)	48	1	4	4	1	2	2	4	9	8	9	3	1
(33)	Congenital debility [1]	60	1	7	5	6	4	4	2	10	5	6	7	3
35	Violent deaths (excluding suicide)	608	48	34	38	54	48	62	55	67	63	51	41	47
36	Suicide	115	8	9	4	15	10	11	6	17	11	7	6	11
	All other causes	2,600	241	213	245	230	231	180	190	204	214	209	218	225
	NEW HAMPSHIRE.													
	All causes	7,459	701	671	665	605	587	602	639	690	631	521	550	597
1	Typhoid fever	52	6	3	1	3	1	3	8	2	6	5	10	4
3	Malaria													
5	Measles	54	7	6	7	12	6	8	5		1		2	
6	Scarlet fever	13			1	1	1		1			1	6	2
7	Whooping cough	41	3	3	4		3	6	8	5	3	2	4	
8	Diphtheria and croup	56	7	1	4	3	3	8	3	5	4	5	9	4
9	Influenza	72	24	16	10	8	2	2		1		3		6
13	Tuberculosis of the lungs	432	42	53	32	41	36	40	40	24	30	35	28	31
14–15	Other forms of tuberculosis	93	6	3	8	11	6	11	9	10	9	9	6	5
17	Meningitis	81	6	7	7	4	8	4	11	6	7	10	4	7
20–21	Bronchitis	120	19	17	19	11	6	5	4	4	6	4	10	15
22	Pneumonia	482	73	98	85	43	32	32	18	11	19	17	20	34
(23)	Bronchopneumonia	159	26	19	31	22	12	8	2	3	6	7	7	16
25	Diarrhea and enteritis (under 2 years)	420	10	13	6	6	13	15	72	127	92	34	18	14
(37)	Diarrhea and enteritis (2 years and over)	74	4	3	1	2	5	5	2	16	20	9	7	
(33)	Congenital debility [1]	219	21	10	18	19	14	18	11	25	23	22	20	18
35	Violent deaths (excluding suicide)	341	20	24	17	22	23	40	39	47	28	21	28	32
36	Suicide	75	6	7	4	8	9	9	6	8	3	1	7	7
	All other causes	4,675	421	388	410	389	407	388	400	396	374	336	364	402
	NEW JERSEY.													
	All causes	39,437	3,399	3,343	3,842	3,315	3,400	3,036	3,519	3,420	3,055	2,993	2,855	3,260
1	Typhoid fever	265	14	10	14	10	16	15	28	36	44	39	31	8
3	Malaria	14	1	1			2	2	1	1	3	2	1	
5	Measles	214	16	23	33	29	30	22	16	9	4	9	11	12
6	Scarlet fever	230	24	26	32	32	28	20	15	9	7	13	5	19
7	Whooping cough	355	11	20	31	34	33	33	41	46	35	26	20	25
8	Diphtheria and croup	585	53	54	65	39	46	40	29	32	47	48	62	70
9	Influenza	245	39	40	67	31	21	4	1	2	3	6	11	20
13	Tuberculosis of the lungs	3,690	330	340	374	338	375	285	262	282	257	267	289	291
14–15	Other forms of tuberculosis	527	37	55	50	37	63	50	44	44	35	44	28	40
17	Meningitis	267	20	26	19	26	20	29	23	27	21	19	11	26
20–21	Bronchitis	527	64	67	81	50	47	27	20	13	25	32	41	60
22	Pneumonia	2,755	348	390	434	303	235	156	98	84	97	135	177	298
(23)	Bronchopneumonia	1,392	184	171	190	161	121	82	61	60	52	67	97	146
25	Diarrhea and enteritis (under 2 years)	2,472	64	61	72	69	81	174	627	560	407	184	83	90
(37)	Diarrhea and enteritis (2 years and over)	415	16	13	24	28	28	36	76	63	70	21	18	22
(33)	Congenital debility [1]	780	54	39	38	44	60	45	105	117	94	90	44	50
35	Violent deaths (excluding suicide)	2,437	177	190	180	161	187	203	286	242	223	208	184	196
36	Suicide	452	35	29	38	34	49	37	27	35	39	43	45	41
	All other causes	21,815	1,912	1,788	2,100	1,889	1,958	1,776	1,759	1,758	1,592	1,740	1,697	1,846

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	NEW YORK.													
	All causes	145,522	13,215	13,151	14,228	12,557	12,603	11,061	11,492	12,025	11,279	11,009	10,873	12,029
1	Typhoid fever	999	53	46	52	45	64	48	72	105	126	168	121	99
3	Malaria	42	2	2	3	2	.....	3	7	3	6	8	3	3
5	Measles	1,120	101	87	157	143	202	131	84	51	19	28	45	72
6	Scarlet fever	891	96	94	137	130	139	104	42	25	21	26	32	45
7	Whooping cough	763	50	57	63	58	64	71	87	105	66	56	45	41
8	Diphtheria and croup	1,896	181	216	216	212	181	157	115	106	90	116	137	169
9	Influenza	1,057	276	224	207	97	56	26	14	12	16	25	38	66
13	Tuberculosis of the lungs	14,176	1,228	1,279	1,428	1,337	1,387	1,126	1,076	1,026	962	1,044	1,072	1,211
14–15	Other forms of tuberculosis	2,062	142	190	223	223	186	165	180	168	149	155	125	156
17	Meningitis	691	74	55	55	69	57	68	52	49	67	52	49	44
20–21	Bronchitis	1,895	252	226	260	196	172	106	89	84	97	113	126	174
22	Pneumonia	9,672	1,254	1,381	1,467	957	902	587	350	312	334	493	695	940
(23)	Bronchopneumonia	6,977	782	902	940	696	643	510	371	306	331	378	508	610
25	Diarrhea and enteritis (under 2 years)	7,250	276	232	333	323	311	351	1,172	1,771	1,193	701	331	256
(37)	Diarrhea and enteritis (2 years and over)	1,262	66	65	55	68	74	68	146	256	204	121	72	67
(33)	Congenital debility[1]	3,054	211	180	227	254	229	202	314	371	374	265	226	201
35	Violent deaths (excluding suicide)	8,378	596	575	653	575	638	817	937	836	706	718	701	626
36	Suicide	1,549	128	101	144	125	136	121	128	147	116	128	131	144
	All other causes	81,788	7,447	7,239	7,608	7,047	7,162	6,400	6,256	6,292	6,402	6,414	6,416	7,105
	NORTH CAROLINA[2] (TOTAL).													
	All causes	6,684	537	557	572	491	617	594	652	564	493	516	487	604
1	Typhoid fever	228	8	4	5	10	8	21	46	45	34	23	13	11
3	Malaria	75	3	.....	2	2	1	7	11	11	17	10	6	5
5	Measles	107	6	18	19	21	25	7	3	2	3	2	.....	1
6	Scarlet fever	11	2	.....	1	3	.....	1	1	.....	.....	2	.....	1
7	Whooping cough	114	4	9	13	7	17	13	11	19	6	5	2	8
8	Diphtheria and croup	51	7	4	1	2	.....	1	2	2	4	8	11	9
9	Influenza	73	18	13	14	10	3	2	.....	2	1	.....	3	7
13	Tuberculosis of the lungs	809	63	73	79	78	57	61	78	72	56	61	67	64
14–15	Other forms of tuberculosis	103	6	11	7	7	10	8	10	9	9	11	8	7
17	Meningitis	93	18	15	11	4	10	2	5	6	4	6	2	10
20–21	Bronchitis	57	8	9	5	11	2	4	4	2	2	2	3	5
22	Pneumonia	286	37	44	36	27	18	4	11	6	9	13	34	47
(23)	Bronchopneumonia	189	28	18	29	13	16	10	8	5	8	11	20	23
25	Diarrhea and enteritis (under 2 years)	454	11	11	11	23	75	86	85	58	34	32	14	14
(37)	Diarrhea and enteritis (2 years and over)	86	6	5	11	3	11	6	10	6	7	7	6	8
(33)	Congenital debility[1]	106	3	4	9	3	9	14	9	9	16	10	15	5
35	Violent deaths (excluding suicide)	377	37	33	38	18	26	38	31	31	28	30	28	39
36	Suicide	29	2	3	2	5	1	.....	3	2	4	.....	1	6
	All other causes	3,436	270	283	279	244	328	309	324	277	251	283	254	334
	NORTH CAROLINA[2] (WHITE).													
	All causes	3,545	273	299	325	269	329	326	322	304	251	272	269	306
1	Typhoid fever	130	4	3	1	3	3	13	24	29	23	13	9	5
3	Malaria	29	1	.....	.....	1	.....	2	4	7	4	4	5	1
5	Measles	83	5	14	16	13	20	6	2	2	3	2	.....	.....
6	Scarlet fever	9	1	.....	1	3	.....	1	.....	.....	.....	2	.....	1
7	Whooping cough	60	.....	4	10	6	10	6	7	6	3	3	.....	5
8	Diphtheria and croup	31	3	2	1	.....	.....	1	2	1	6	8	7	
9	Influenza	41	12	5	8	4	3	1	.....	1	1	.....	2	4
13	Tuberculosis of the lungs	385	32	38	36	43	19	32	36	35	23	26	34	31
14–15	Other forms of tuberculosis	55	2	7	4	5	4	3	6	7	5	4	6	2
17	Meningitis	40	4	7	2	3	4	2	4	2	3	2	2	5
20–21	Bronchitis	22	1	7	3	4	.....	1	1	1	.....	2	1	1
22	Pneumonia	107	15	14	13	8	7	3	3	3	2	7	15	17
(23)	Bronchopneumonia	81	11	9	16	5	6	3	5	1	3	3	9	10
25	Diarrhea and enteritis (under 2 years)	251	5	8	5	13	39	55	47	31	11	21	10	6
(37)	Diarrhea and enteritis (2 years and over)	54	2	3	8	3	7	5	5	2	6	3	5	5
(33)	Congenital debility[1]	68	3	2	8	1	6	6	5	6	13	8	8	2
35	Violent deaths (excluding suicide)	172	14	15	19	11	13	18	9	16	16	7	14	20
36	Suicide	24	1	1	2	5	1	.....	1	2	4	.....	1	6
	All other causes	1,903	157	160	172	138	187	169	162	151	130	159	140	178
	NORTH CAROLINA[2] (COLORED).													
	All causes	3,139	264	258	247	222	288	268	330	260	242	244	218	298
1	Typhoid fever	98	4	1	4	7	5	8	22	16	11	10	4	6
3	Malaria	46	2	.....	2	1	1	5	7	4	13	6	1	4
5	Measles	24	1	4	3	8	5	1	1	.....	.....	.....	.....	1
6	Scarlet fever	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
7	Whooping cough	54	4	5	3	1	7	7	4	13	3	2	2	3
8	Diphtheria and croup	20	4	2	.....	2	.....	1	1	.....	3	2	3	2
9	Influenza	32	6	8	6	6	.....	1	.....	1	.....	.....	1	3
13	Tuberculosis of the lungs	424	31	35	43	35	38	29	42	37	33	35	33	33
14–15	Other forms of tuberculosis	48	4	4	3	2	6	5	4	2	4	7	2	5
17	Meningitis	53	14	8	9	1	6	.....	1	4	1	4	.....	5
20–21	Bronchitis	35	7	2	2	7	2	3	3	1	2	.....	2	4
22	Pneumonia	179	22	30	23	19	11	1	8	3	7	6	19	30
(23)	Bronchopneumonia	108	17	9	13	8	10	7	3	4	5	8	11	13
25	Diarrhea and enteritis (under 2 years)	203	6	3	6	10	36	31	38	27	23	11	4	8
(37)	Diarrhea and enteritis (2 years and over)	32	4	2	3	.....	4	1	5	4	1	4	1	3
(33)	Congenital debility[1]	38	.....	2	1	2	3	8	4	3	3	2	7	3
35	Violent deaths (excluding suicide)	205	23	18	19	7	13	20	22	15	12	23	14	19
36	Suicide	5	1	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
	All other causes	1,533	113	123	107	106	141	140	162	126	121	124	114	156

[1] Excluding premature birth.

[2] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	OHIO.													
	All causes	68,493	6,196	5,855	6,711	5,652	5,628	5,346	5,954	5,987	5,460	5,301	5,129	5,274
1	Typhoid fever	1,191	51	51	55	67	77	65	106	176	181	177	106	79
3	Malaria	46	4	5	2	2	3	2	2	6	5	6	4	5
5	Measles	679	84	103	123	106	97	67	46	16	11	11	7	8
6	Scarlet fever	323	42	29	25	30	25	16	18	14	27	35	28	34
7	Whooping cough	678	44	74	69	81	99	78	72	63	31	22	18	27
8	Diphtheria and croup	1,056	103	79	78	73	44	51	47	55	105	136	150	135
9	Influenza	707	197	149	124	71	29	30	7	7	9	13	31	40
13	Tuberculosis of the lungs	5,614	502	447	591	535	542	466	479	433	406	369	403	441
14–15	Other forms of tuberculosis	949	71	87	91	84	86	88	78	89	78	70	68	59
17	Meningitis	508	34	38	83	67	63	37	34	36	27	29	26	34
20–21	Bronchitis	831	133	112	107	69	58	47	32	31	40	59	83	60
22	Pneumonia	3,190	504	441	433	328	262	180	77	88	114	191	290	282
(23)	Bronchopneumonia	2,344	351	359	358	212	184	112	80	61	96	140	158	233
25	Diarrhea and enteritis (under 2 years)	3,595	119	81	118	116	110	247	742	935	577	307	126	117
(37)	Diarrhea and enteritis (2 years and over)	726	27	28	22	23	36	57	132	190	88	52	36	35
(33)	Congenital debility [1]	703	58	47	47	59	49	33	67	81	69	86	62	45
35	Violent deaths (excluding suicide)	5,365	359	300	724	340	424	492	605	493	440	426	397	365
36	Suicide	739	49	47	56	66	80	82	56	58	56	68	68	53
	All other causes	39,249	3,464	3,378	3,605	3,323	3,360	3,196	3,274	3,155	3,100	3,104	3,068	3,222
	PENNSYLVANIA.													
	All causes	117,994	10,762	10,368	11,056	9,590	9,455	8,903	10,399	10,465	9,505	8,842	8,928	9,721
1	Typhoid fever	1,470	92	84	65	81	105	97	111	173	201	196	137	128
3	Malaria	34	5	1	3	3		2	3	3	5	5	3	1
5	Measles	1,578	210	238	311	262	195	98	74	58	22	24	38	48
6	Scarlet fever	915	60	87	99	73	95	79	63	42	42	70	93	112
7	Whooping cough	898	51	62	84	77	86	93	93	96	72	53	54	77
8	Diphtheria and croup	2,099	228	196	170	180	144	119	94	118	185	207	230	228
9	Influenza	994	307	190	200	82	39	17	12	4	10	32	32	69
13	Tuberculosis of the lungs	8,475	763	771	829	790	817	707	636	640	589	595	635	703
14–15	Other forms of tuberculosis	1,327	111	97	104	116	116	127	120	122	111	120	99	84
17	Meningitis	678	44	45	71	62	55	60	74	63	62	40	50	52
20–21	Bronchitis	1,649	229	221	219	149	117	96	58	63	79	97	151	170
22	Pneumonia	7,464	1,070	966	1,056	669	666	368	254	271	323	449	631	741
(23)	Bronchopneumonia	4,926	672	734	660	466	390	245	200	201	201	274	360	523
25	Diarrhea and enteritis (under 2 years)	8,617	225	233	267	247	251	591	1,968	2,213	1,400	692	309	221
(37)	Diarrhea and enteritis (2 years and over)	1,315	51	58	63	59	68	96	220	270	214	86	68	62
(33)	Congenital debility [1]	2,793	169	163	219	183	186	202	303	360	387	262	198	161
35	Violent deaths (excluding suicide)	8,532	634	659	650	721	637	786	927	802	682	701	637	696
36	Suicide	1,073	97	81	88	84	112	96	79	99	82	86	84	85
	All other causes	63,157	5,744	5,482	5,898	5,286	5,376	5,024	5,110	4,867	4,838	4,853	5,119	5,560
	RHODE ISLAND.													
	All causes	8,698	766	820	863	708	660	670	726	741	671	630	675	768
1	Typhoid fever	48	3	4	4	2		5	1	3	9	10	4	3
3	Malaria	4	1					2						1
5	Measles	71	3	6		5	8	10	11	2	3	1	13	9
6	Scarlet fever	21	1	4	2	4	1	2	1	1		2	2	1
7	Whooping cough	40	1	5	5	4	4	5		2	3	1	6	4
8	Diphtheria and croup	141	15	10	11	9	14	10	8	11	9	11	19	14
9	Influenza	75	24	13	18	5	5	3	1				1	5
13	Tuberculosis of the lungs	773	67	66	92	65	60	67	62	52	48	57	65	72
14–15	Other forms of tuberculosis	170	14	15	12	23	20	16	13	10	11	11	10	15
17	Meningitis	52	7	1	5	4	3	3	6	9	3	1	6	4
20–21	Bronchitis	127	23	26	20	8	7	10	4	3	2	6	9	9
22	Pneumonia	567	83	97	93	52	44	32	13	19	19	26	42	47
(23)	Bronchopneumonia	284	37	48	37	35	19	13	10	12	14	12	20	27
25	Diarrhea and enteritis (under 2 years)	485	15	23	31	22	11	17	94	107	100	29	21	15
(37)	Diarrhea and enteritis (2 years and over)	55	2	4	3	5	3	4	9	8	4	4	4	5
(33)	Congenital debility [1]	228	15	13	13	12	14	13	22	38	27	20	27	14
35	Violent deaths (excluding suicide)	489	25	34	43	31	40	43	55	45	40	49	30	54
36	Suicide	86	5	3	7	12	5	9	8	5	6	11	5	10
	All other causes	4,982	425	448	467	410	402	406	408	414	373	379	391	459
	UTAH.													
	All causes	4,444	397	445	463	358	359	300	323	371	350	350	352	376
1	Typhoid fever	90		2	2	3	2	4	12	10	10	20	10	15
3	Malaria	4	1		1		1					1		
5	Measles	128	12	31	21	21	26	7	5	4	1			
6	Scarlet fever	15	1	3	3		1				2		2	3
7	Whooping cough	40	5	3	4	1	4	3	6	5	2	3	1	3
8	Diphtheria and croup	33	2	4		4	3		3	1	4	5	3	4
9	Influenza	45	15	13	9	3				1	2		1	1
13	Tuberculosis of the lungs	168	6	13	24	13	20	7	13	17	11	13	15	16
14–15	Other forms of tuberculosis	30	7	3		4	1	4		2	2	2	3	2
17	Meningitis	68		9	6	10	14	8	2	5	6	2	5	1
20–21	Bronchitis	70	6	12	18	12	5		2	1	1	2	5	6
22	Pneumonia	255	29	39	41	24	16	17	9	8	8	20	17	27
(23)	Bronchopneumonia	165	26	35	41	14	9	5	5	3	2	8	5	12
25	Diarrhea and enteritis (under 2 years)	174	6	13	7	6	4	5	14	39	47	18	11	4
(37)	Diarrhea and enteritis (2 years and over)	34					1	2	3	9	12	5	1	1
(33)	Congenital debility [1]	43	2	1	2	6	2	3	3	5	5	3	6	5
35	Violent deaths (excluding suicide)	390	29	25	33	35	32	40	41	49	26	32	23	25
36	Suicide	76	6	7	5	11	6	9	8	6	6	3	3	6
	All other causes	2,616	244	232	246	191	212	186	197	206	203	213	241	245

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	VERMONT.													
	All causes	5,688	526	534	598	500	488	407	434	435	476	439	425	426
1	Typhoid fever	28	1	3	3	2	1		3		3	4	3	5
3	Malaria	2							1			1		
5	Measles	73	12	10	18	14	11	3	1	1	3			
6	Scarlet fever	18	1		3	3	4	2	4					1
7	Whooping cough	40	3	1	4	4	3	2	4	1	7	3	3	5
8	Diphtheria and croup	35	4	3	5	3	2	1	4	2		4	3	4
9	Influenza	127	20	34	36	11	5	3	4	2		4	3	5
13	Tuberculosis of the lungs	318	31	25	28	27	30	24	27	24	27	22	26	27
14–15	Other forms of tuberculosis	69	4	5	6	8	6	8	4	4	8	8	4	4
17	Meningitis	46	4		2	4	9	4	3	4	4	5	5	2
20–21	Bronchitis	125	15	19	26	10	11	6	6		4	12	2	14
22	Pneumonia	376	59	63	65	45	30	18	9	9	11	18	23	26
(23)	Bronchopneumonia	128	17	19	25	15	12	2	2	2	3	9	13	9
25	Diarrhea and enteritis (under 2 years)	177	10	5	6	2	4	5	12	50	47	20	8	8
(37)	Diarrhea and enteritis (2 years and over)	56	3	3	1	3	1	3	5	10	9	10	2	6
(33)	Congenital debility [1]	57	3	6	4	5	7		7	4	6	5	3	7
35	Violent deaths (excluding suicide)	295	27	30	17	19	25	23	32	42	23	19	21	17
36	Suicide	58	8	4	6	5	11	4	3	4	2	5	2	4
	All other causes	3,660	304	304	343	320	316	299	303	276	319	290	304	282
	VIRGINIA (TOTAL).													
	All causes	29,647	2,610	2,448	2,626	2,344	2,574	2,914	2,746	2,297	2,180	2,271	2,249	2,388
1	Typhoid fever	709	26	19	30	15	30	70	109	106	118	99	44	43
3	Malaria	152	6	1	1	3	3	18	16	29	36	27	9	3
5	Measles	363	27	57	101	66	48	37	14	5	1	2	5	
6	Scarlet fever	55	5	6	3	6	2	1	1	4	4	5	8	10
7	Whooping cough	282	14	20	15	30	32	21	39	27	19	15	22	28
8	Diphtheria and croup	302	36	22	18	8	15	5	6	11	31	54	57	39
9	Influenza	286	70	74	51	18	14	2	2		1	10	14	30
13	Tuberculosis of the lungs	3,184	294	278	292	298	278	289	259	262	225	230	226	253
14–15	Other forms of tuberculosis	407	25	23	33	43	42	34	38	37	34	30	33	35
17	Meningitis	281	24	21	15	17	25	44	39	28	21	12	14	21
20–21	Bronchitis	346	49	43	48	33	26	18	18	13	18	17	25	38
22	Pneumonia	1,412	252	227	242	117	84	50	26	25	39	61	109	180
(23)	Bronchopneumonia	513	75	78	73	53	28	19	14	20	17	34	35	67
25	Diarrhea and enteritis (under 2 years)	1,469	22	14	29	49	183	361	352	201	113	89	34	22
(37)	Diarrhea and enteritis (2 years and over)	387	10	15	14	13	38	82	60	36	40	33	29	17
(33)	Congenital debility [1]	588	34	40	41	35	40	73	81	51	67	48	42	36
35	Violent deaths (excluding suicide)	1,775	151	137	149	141	128	150	159	152	142	132	164	170
36	Suicide	143	15	13	8	12	11	17	9	7	9	13	15	14
	All other causes	16,993	1,475	1,360	1,463	1,387	1,547	1,623	1,504	1,283	1,245	1,360	1,364	1,382
	VIRGINIA (WHITE).													
	All causes	16,997	1,484	1,461	1,539	1,320	1,437	1,711	1,571	1,270	1,241	1,259	1,299	1,405
1	Typhoid fever	421	19	12	21	6	17	41	67	60	67	53	27	31
3	Malaria	62	4	1		2	2	8	4	11	12	13	3	2
5	Measles	253	20	43	73	43	31	22	12	3	1	1	4	
6	Scarlet fever	52	5	6	3	6	1	1	1	4	4	5	8	8
7	Whooping cough	180	6	13	10	21	18	17	30	19	10	8	12	16
8	Diphtheria and croup	240	26	17	15	7	9	5	5	9	25	43	48	31
9	Influenza	181	43	51	28	10	9	1	1		1	4	8	22
13	Tuberculosis of the lungs	1,485	131	154	130	116	131	139	123	110	107	108	113	123
14–15	Other forms of tuberculosis	231	19	15	17	23	25	26	16	22	16	15	18	19
17	Meningitis	205	15	13	11	11	18	31	30	21	17	11	11	16
20–21	Bronchitis	163	22	25	21	12	9	10	6	8	8	7	17	18
22	Pneumonia	738	137	120	142	55	46	22	14	13	18	28	51	92
(23)	Bronchopneumonia	259	39	45	42	19	11	8	10	8	5	17	15	40
25	Diarrhea and enteritis (under 2 years)	950	13	8	21	29	117	237	227	139	74	55	18	12
(37)	Diarrhea and enteritis (2 years and over)	259	5	10	10	9	25	65	37	20	30	22	18	8
(33)	Congenital debility [1]	329	18	24	23	21	19	43	53	31	36	24	19	18
35	Violent deaths (excluding suicide)	1,003	87	72	93	81	68	84	90	89	80	70	101	88
36	Suicide	125	14	12	8	12	9	14	8	7	8	11	11	11
	All other causes	9,861	861	817	871	837	872	937	837	696	722	764	797	850
	VIRGINIA (COLORED).													
	All causes	12,650	1,126	987	1,087	1,024	1,137	1,203	1,175	1,027	939	1,012	950	983
1	Typhoid fever	288	7	7	9	9	13	29	42	46	51	46	17	12
3	Malaria	90	2		1	1	1	10	12	18	24	14	6	1
5	Measles	110	7	14	28	23	17	15	2	2		1	1	
6	Scarlet fever	3					1							2
7	Whooping cough	102	8	7	5	9	14	4	9	8	9	7	10	12
8	Diphtheria and croup	62	10	5	3	1	6		1	2	6	11	9	8
9	Influenza	105	27	20	23	8	5	1	1			6	6	8
13	Tuberculosis of the lungs	1,699	163	124	162	182	147	150	136	152	118	122	113	130
14–15	Other forms of tuberculosis	176	6	8	16	20	17	8	22	15	18	15	15	16
17	Meningitis	76	9	8	4	6	7	13	9	7	4	1	3	5
20–21	Bronchitis	183	27	18	27	21	17	8	12	5	10	10	8	20
22	Pneumonia	674	115	107	100	62	38	28	12	12	21	33	58	88
(23)	Bronchopneumonia	254	36	33	31	34	17	11	4	12	12	17	20	27
25	Diarrhea and enteritis (under 2 years)	519	9	6	8	20	66	124	125	62	39	34	16	10
(37)	Diarrhea and enteritis (2 years and over)	128	5	5	4	4	13	17	23	16	10	11	11	9
(33)	Congenital debility [1]	259	16	16	18	14	21	30	28	20	31	24	23	18
35	Violent deaths (excluding suicide)	772	64	65	56	60	60	66	69	63	62	62	63	82
36	Suicide	18	1	1			2	3	1		1	2	4	3
	All other causes	7,132	614	543	592	550	675	686	667	587	523	596	567	532

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	WASHINGTON.													
	All causes	11,397	966	928	1,086	1,044	982	895	896	908	954	939	862	937
1	Typhoid fever	139	5	4	9	2	5	6	9	13	32	17	15	22
3	Malaria	1			1									
5	Measles	108	5	6	25	18	19	13	8	4		2	3	5
6	Scarlet fever	31	1	1	9	2	4	5		2	1	3		3
7	Whooping cough	103	9	10	16	20	16	7	10	3	3	3	4	2
8	Diphtheria and croup	42	5	5	2	4	3	2	2	3	2	2	4	8
9	Influenza	88	12	16	27	9	7	2	2	2		5	2	4
13	Tuberculosis of the lungs	1,007	88	80	89	96	91	100	68	90	84	72	70	79
14–15	Other forms of tuberculosis	235	7	25	27	25	18	26	26	21	10	11	15	24
17	Meningitis	72	5	2	8	11	10	6	1	4	10	5	5	5
20–21	Bronchitis	68	12	15	6	4	6	5		1	2	6	5	6
22	Pneumonia	451	44	58	60	57	36	27	16	17	21	34	33	48
(23)	Bronchopneumonia	342	55	56	45	39	26	18	17	7	13	15	21	30
25	Diarrhea and enteritis (under 2 years)	291	19	10	17	15	11	19	18	43	74	33	19	13
(37)	Diarrhea and enteritis (2 years and over)	113	2	5	3	1	2	4	8	17	36	22	9	4
(33)	Congenital debility [1]	159	14	13	15	12	14	15	6	9	11	18	12	20
35	Violent deaths (excluding suicide)	1,235	95	65	102	111	106	116	132	115	109	111	94	79
36	Suicide	246	20	18	22	19	18	20	27	23	16	28	19	16
	All other causes	6,666	568	539	603	599	590	504	546	534	530	552	532	569
	WISCONSIN.													
	All causes	27,716	2,652	2,479	2,668	2,326	2,514	2,360	1,956	2,123	2,319	2,164	2,040	2,115
1	Typhoid fever	217	23	17	19	21	21	12	12	15	24	22	15	16
3	Malaria	7	1				1			3		1	1	
5	Measles	185	7	10	15	23	53	38	7	6	2	7	8	9
6	Scarlet fever	196	28	32	28	24	24	13	14	4	8	3	9	9
7	Whooping cough	179	10	19	23	18	31	19	14	10	12	6	7	10
8	Diphtheria and croup	300	35	20	22	21	29	21	26	15	19	26	34	32
9	Influenza	270	99	53	43	16	19	4	2	2	2	9	6	15
13	Tuberculosis of the lungs	2,039	163	175	220	183	215	181	173	133	151	134	136	175
14–15	Other forms of tuberculosis	329	23	28	32	32	30	39	34	26	23	25	15	22
17	Meningitis	270	23	22	25	35	33	16	26	14	20	13	23	20
20–21	Bronchitis	511	93	84	67	51	37	29	12	12	23	25	31	47
22	Pneumonia	1,417	257	228	158	65	131	123	42	44	53	85	122	109
(23)	Bronchopneumonia	735	122	77	144	121	66	37	17	16	17	24	47	47
25	Diarrhea and enteritis (under 2 years)	1,105	40	40	66	73	56	56	61	213	254	135	56	55
(37)	Diarrhea and enteritis (2 years and over)	338	23	22	16	23	12	19	19	59	74	39	15	17
(33)	Congenital debility [1]	589	49	39	65	52	54	44	33	44	66	54	42	47
35	Violent deaths (excluding suicide)	1,741	99	97	119	100	135	246	176	192	153	153	142	129
36	Suicide	320	16	18	21	37	40	26	38	20	31	29	23	21
	All other causes	16,968	1,541	1,498	1,585	1,431	1,527	1,437	1,250	1,295	1,387	1,374	1,308	1,335
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.													
	BIRMINGHAM, ALA. (TOTAL).													
	All causes	2,749	230	189	225	227	233	289	251	253	207	226	199	220
1	Typhoid fever	57	2	2		5	1	2	12	10	9	7	6	1
3	Malaria	28	1	2	2		1	3	5	3	6	5		
5	Measles	11			3	1	5		1	1				
6	Scarlet fever	1												1
7	Whooping cough	24		1	2		2	5	3	2	1	2	2	4
8	Diphtheria and croup	3				1						1	1	
9	Influenza	13	5	2	1	1	2							2
13	Tuberculosis of the lungs	309	35	25	24	26	24	26	26	32	21	29	17	24
14–15	Other forms of tuberculosis	57	5	5	4	4	4	5	6	4	6	6	4	4
17	Meningitis	59	7	6	9	14	11	6	1	1		1	2	1
20–21	Bronchitis	13		2		3	1	2		1				4
22	Pneumonia	195	24	13	30	14	13	16	12	13	7	15	17	21
(23)	Bronchopneumonia	42	7	9	8	4		2		1	3	3	4	1
25	Diarrhea and enteritis (under 2 years)	140	3	2	5	10	19	31	18	24	17	5	4	2
(37)	Diarrhea and enteritis (2 years and over)	32			1		4	6	6	8	3	1	2	1
(33)	Congenital debility [1]	39	2	2	2	1	1	6	6	3	6	6	2	2
35	Violent deaths (excluding suicide)	334	28	25	21	26	32	30	34	28	25	23	31	31
36	Suicide	19		1	3		1	3	4	1		4	1	1
	All other causes	1,373	111	92	110	117	112	146	117	121	103	118	106	120
	BIRMINGHAM, ALA. (WHITE).													
	All causes	1,176	97	83	94	100	96	114	104	118	85	103	84	98
1	Typhoid fever	27		1		4		1	6	3	6	2	3	1
3	Malaria	5			1				2		1	1		
5	Measles	7			2	1	4							
6	Scarlet fever	1												1
7	Whooping cough	16			1		2	4	2	2		1	2	2
8	Diphtheria and croup	2										1	1	
9	Influenza	2	1		1									
13	Tuberculosis of the lungs	74	12	7	8	6	2	3	4	9	5	8	2	8
14–15	Other forms of tuberculosis	22	2	1	1	4	1			3	2	3	2	3
17	Meningitis	29	6	3	6	4	3	3	1				2	1
20–21	Bronchitis	8		2		2				1				3
22	Pneumonia	46	5	5	6	4	1	4	3	4	1	3	4	6
(23)	Bronchopneumonia	12	2	2	1	2		1			1	2	1	
25	Diarrhea and enteritis (under 2 years)	79	3	2	2	5	13	15	12	13	9	3	1	1
(37)	Diarrhea and enteritis (2 years and over)	17			1		3	3	3	4	1	1		1
(33)	Congenital debility [1]	20	2		2		1	3	2	3	4	2		1
35	Violent deaths (excluding suicide)	134	6	11	11	9	16	13	15	10	6	12	15	10
36	Suicide	15		1	3		1	1	4			3	1	1
	All other causes	660	58	48	48	59	49	63	50	66	49	61	50	59

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	BIRMINGHAM, ALA. (COLORED)													
	All causes	1,573	133	106	131	127	137	175	147	135	122	123	115	122
1	Typhoid fever	30	2	1	.....	1	1	1	6	7	3	5	3	.....
3	Malaria	23	1	2	1	.....	1	3	3	3	5	4	.....	.....
5	Measles	4	.....	.....	1	.....	1	.....	1	1	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	8	.....	1	1	.....	.....	1	1	.....	1	1	.....	2
8	Diphtheria and croup	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	11	4	2	.....	1	2	.....	.....	.....	.....	.....	.....	2
13	Tuberculosis of the lungs	235	23	18	16	20	22	23	22	23	16	21	15	16
14–15	Other forms of tuberculosis	35	3	4	3	.....	3	5	6	1	4	3	2	1
17	Meningitis	30	1	3	3	10	8	3	.....	1	.....	1	.....	.....
20–21	Bronchitis	5	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	1
22	Pneumonia	149	19	8	24	10	12	12	9	9	6	12	13	15
(23)	Bronchopneumonia	30	5	7	7	2	.....	1	.....	1	2	1	3	1
25	Diarrhea and enteritis (under 2 years)	61	.....	.....	3	5	6	16	6	11	8	2	3	1
(37)	Diarrhea and enteritis (2 years and over)	15	.....	.....	.....	.....	1	3	3	4	2	.....	2	.....
(33)	Congenital debility [1]	19	.....	2	.....	1	.....	3	4	.....	2	4	2	1
35	Violent deaths (excluding suicide)	200	22	14	10	17	16	17	19	18	19	11	16	21
36	Suicide	4	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....
	All other causes	713	53	44	62	58	63	83	67	55	54	57	56	61
	LOS ANGELES, CAL. (TOTAL).													
	All causes	6,199	671	571	553	528	526	501	493	471	438	441	465	541
1	Typhoid fever	50	3	3	3	1	3	1	6	2	4	8	10	6
3	Malaria	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	55	.....	4	4	15	17	7	4	3	.....	.....	1	.....
6	Scarlet fever	13	2	.....	1	2	2	2	.....	.....	.....	1	1	2
7	Whooping cough	28	1	.....	3	3	3	5	3	4	1	.....	1	4
8	Diphtheria and croup	41	2	.....	3	6	4	6	1	2	4	4	4	5
9	Influenza	39	16	6	5	4	1	1	1	.....	2	1	2	.....
13	Tuberculosis of the lungs	963	82	99	91	87	75	92	72	77	69	70	68	81
14–15	Other forms of tuberculosis	104	12	8	12	16	5	11	7	8	10	5	5	5
17	Meningitis	109	11	13	14	18	8	8	8	6	7	9	3	4
20–21	Bronchitis	54	9	4	3	5	8	5	1	2	6	4	2	5
22	Pneumonia	312	62	51	29	25	23	17	14	11	13	14	18	35
(23)	Bronchopneumonia	136	21	13	16	12	11	14	12	7	9	5	7	9
25	Diarrhea and enteritis (under 2 years)	176	6	7	3	9	20	23	36	20	18	16	13	5
(37)	Diarrhea and enteritis (2 years and over)	41	1	.....	4	3	3	3	6	3	2	7	6	3
(33)	Congenital debility [1]	42	5	3	9	1	3	3	7	3	1	5	1	1
35	Violent deaths (excluding suicide)	392	37	32	17	32	36	29	34	39	35	31	34	36
36	Suicide	122	15	9	5	11	14	6	10	10	10	13	6	13
	All other causes	3,521	386	318	331	278	290	268	271	274	247	248	283	327
	LOS ANGELES, CAL. (WHITE).													
	All causes	5,834	643	528	529	501	485	464	466	437	414	420	441	506
1	Typhoid fever	45	3	3	1	1	2	1	6	2	3	7	10	6
3	Malaria	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	54	.....	4	4	15	16	7	4	3	.....	.....	1	.....
6	Scarlet fever	13	2	.....	1	2	2	2	.....	.....	.....	1	1	2
7	Whooping cough	25	1	.....	3	3	3	4	3	3	.....	.....	1	4
8	Diphtheria and croup	40	2	.....	3	6	4	6	1	1	4	4	4	5
9	Influenza	36	14	5	5	4	1	1	1	.....	2	1	2	.....
13	Tuberculosis of the lungs	869	77	87	87	78	67	80	62	66	63	66	63	73
14–15	Other forms of tuberculosis	87	11	5	8	14	5	11	5	6	9	5	5	3
17	Meningitis	96	10	13	13	16	5	8	7	5	7	7	2	3
20–21	Bronchitis	53	9	4	3	5	8	5	1	1	6	4	2	5
22	Pneumonia	293	61	46	28	24	20	17	12	11	13	14	17	30
(23)	Bronchopneumonia	128	20	12	16	10	10	12	12	7	9	5	7	8
25	Diarrhea and enteritis (under 2 years)	162	6	5	3	8	18	20	35	20	18	15	10	4
(37)	Diarrhea and enteritis (2 years and over)	36	1	.....	3	3	3	3	6	2	2	6	5	2
(33)	Congenital debility [1]	39	5	3	9	1	3	2	6	2	1	5	1	1
35	Violent deaths (excluding suicide)	368	36	30	15	30	33	29	31	35	32	30	33	34
36	Suicide	119	15	9	5	11	13	5	10	9	10	13	6	13
	All other causes	3,370	370	301	322	270	272	251	264	264	235	237	271	313
	LOS ANGELES, CAL. (COLORED).													
	All causes	365	28	43	24	27	41	37	27	34	24	21	24	35
1	Typhoid fever	5	.....	.....	2	.....	1	.....	.....	.....	1	1	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	3	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
8	Diphtheria and croup	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
9	Influenza	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	94	5	12	4	9	8	12	10	11	6	4	5	8
14–15	Other forms of tuberculosis	17	1	3	4	2	.....	.....	2	2	1	.....	.....	2
17	Meningitis	13	1	.....	1	2	3	.....	1	1	.....	2	1	1
20–21	Bronchitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
22	Pneumonia	19	1	5	1	1	3	.....	2	.....	.....	.....	1	5
(23)	Bronchopneumonia	8	1	1	.....	2	1	2	.....	.....	.....	.....	.....	1
25	Diarrhea and enteritis (under 2 years)	14	.....	2	.....	1	2	3	1	.....	.....	1	3	1
(37)	Diarrhea and enteritis (2 years and over)	5	.....	.....	1	.....	.....	.....	.....	1	.....	1	1	1
(33)	Congenital debility [1]	3	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
35	Violent deaths (excluding suicide)	24	1	2	2	2	3	.....	3	4	3	1	1	2
36	Suicide	3	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
	All other causes	151	16	17	9	8	18	17	7	10	12	11	12	14

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	OAKLAND, CAL.													
	All causes	2,197	228	190	214	172	196	163	169	176	175	160	165	189
1	Typhoid fever	21	2	1	2	2		2		4	4	2	2	
3	Malaria	1	1											
5	Measles													
6	Scarlet fever	2									1		1	
7	Whooping cough	2									2			
8	Diphtheria and croup	24	2	3	1	1	3			1	1	2	4	6
9	Influenza	9	3	2		2			1					1
13	Tuberculosis of the lungs	187	18	13	22	19	8	14	21	9	13	18	22	10
14–15	Other forms of tuberculosis	40	2	7	6	3	5	3	1		2	2	4	5
17	Meningitis	12		1	1	2	2	1		1	1	1	1	1
20–21	Bronchitis	18	7	1	2	1				1			2	4
22	Pneumonia	131	19	16	12	11	12	4	7	7	9	8	6	20
(23)	Bronchopneumonia	78	15	12	8	2	5	3	1	4	3	9	4	12
25	Diarrhea and enteritis (under 2 years)	61	1		2	4	4	1	4	10	17	8	6	4
(37)	Diarrhea and enteritis (2 years and over)	10		2		1		2		2	2		1	
(33)	Congenital debility [1]	21	2		1	2	5	3	2	3		1	1	1
35	Violent deaths (excluding suicide)	127	10	17	14	17	8	6	10	9	11	7	6	12
36	Suicide	56	5	2	6	4	8	7	3	4	6	4	1	6
	All other causes	1,397	141	113	137	101	136	117	119	121	103	98	104	107
	SAN FRANCISCO, CAL. (TOTAL).													
	All causes	7,002	751	564	664	611	552	537	523	499	519	622	527	633
1	Typhoid fever	71	6	3	1	4	5	9	10	5	7	5	9	7
3	Malaria	5				1				1	1		1	1
5	Measles	8	1			1		2	2	1		1		
6	Scarlet fever	18	1			3	6	4			2		2	
7	Whooping cough	16		1	2		2			2	2	1	3	3
8	Diphtheria and croup	29	3	3	2	4		2	1		2	4	4	4
9	Influenza	21	7	5	3	2			1			1		2
13	Tuberculosis of the lungs	718	68	58	74	62	51	52	57	41	58	65	64	68
14–15	Other forms of tuberculosis	166	18	8	10	15	17	14	20	10	12	15	11	16
17	Meningitis	47	2	6	8	4	4	1	3	5	4	3	5	2
20–21	Bronchitis	74	16	4	11	3	6	5	3	1	4	9	6	6
22	Pneumonia	352	52	33	43	34	26	22	14	17	28	22	23	38
(23)	Bronchopneumonia	242	39	27	27	16	20	11	10	10	8	24	17	33
25	Diarrhea and enteritis (under 2 years)	140	9	9	10	8	10	6	16	16	17	26	5	8
(37)	Diarrhea and enteritis (2 years and over)	38	5	2	1	8	3	3	3	1	2	4	4	2
(33)	Congenital debility [1]	40	2	2	4	5	2	3	5	4	4	3	5	1
35	Violent deaths (excluding suicide)	457	53	31	49	33	34	38	29	34	32	40	35	49
36	Suicide	220	21	21	19	18	15	15	16	16	18	29	9	23
	All other causes	4,340	448	351	400	390	351	350	333	335	318	370	324	370
	SAN FRANCISCO, CAL. (WHITE).													
	All causes	6,665	721	542	630	576	524	505	498	472	493	595	500	609
1	Typhoid fever	66	6	3	1	3	4	8	10	5	7	4	9	6
3	Malaria	4								1	1		1	1
5	Measles	8	1			1		2	2	1		1		
6	Scarlet fever	18	1			3	6	4			2		2	
7	Whooping cough	16		1	2		2			2	2	1	3	3
8	Diphtheria and croup	29	3	3	2	4		2	1		2	4	4	4
9	Influenza	20	7	4	3	2			1			1		2
13	Tuberculosis of the lungs	639	61	54	66	52	47	45	49	32	54	57	58	64
14–15	Other forms of tuberculosis	155	18	7	10	13	16	13	18	10	11	15	9	15
17	Meningitis	46	2	6	8	4	4	1	3	4	4	3	5	2
20–21	Bronchitis	68	15	4	10	3	5	4	3	1	4	9	5	5
22	Pneumonia	334	49	32	42	32	24	21	14	14	26	21	23	36
(23)	Bronchopneumonia	235	37	25	27	15	20	11	10	10	8	24	16	32
25	Diarrhea and enteritis (under 2 years)	135	9	8	9	8	10	5	16	16	16	26	5	7
(37)	Diarrhea and enteritis (2 years and over)	35	4	2	1	8	3	3	2	1	2	4	4	1
(33)	Congenital debility [1]	39	2	2	4	5	1	3	5	4	4	3	5	1
35	Violent deaths (excluding suicide)	433	52	31	44	31	30	37	28	33	28	38	34	47
36	Suicide	212	20	21	18	17	15	15	14	16	17	28	9	22
	All other causes	4,173	434	339	383	375	337	331	322	322	305	356	308	361
	SAN FRANCISCO, CAL. (COLORED).													
	All causes	337	30	22	34	35	28	32	25	27	26	27	27	24
1	Typhoid fever	5				1	1	1				1		1
3	Malaria	1				1								
5	Measles													
6	Scarlet fever													
7	Whooping cough													
8	Diphtheria and croup													
9	Influenza	1		1										
13	Tuberculosis of the lungs	79	7	4	8	10	4	7	8	9	4	8	6	4
14–15	Other forms of tuberculosis	11		1		2	1	1	2		1		2	1
17	Meningitis	1								1				
20–21	Bronchitis	6	1		1		1	1					1	1
22	Pneumonia	18	3	1	1	2	2	1		3	2	1		2
(23)	Bronchopneumonia	7	2	2		1							1	1
25	Diarrhea and enteritis (under 2 years)	5		1	1			1			1			1
(37)	Diarrhea and enteritis (2 years and over)	3	1						1					1
(33)	Congenital debility [1]	1					1							
35	Violent deaths (excluding suicide)	24	1		5	2	4	1	1	1	4	2	1	2
36	Suicide	8	1		1	1			2		1	1		1
	All other causes	167	14	12	17	15	14	19	11	13	13	14	16	9

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	DENVER, COLO.													
	All causes	3,261	285	281	311	302	266	252	248	280	270	227	268	271
1	Typhoid fever	32	2		1		1	4	2	5	5	2	5	5
3	Malaria													
5	Measles	10					3	4		1	1		1	
6	Scarlet fever	53	6	2		4	19	4	1	1	5	1	4	6
7	Whooping cough	13	1	3	2	1	2	1	1		1		1	
8	Diphtheria and croup	19	1	1	1		2			1		5	6	2
9	Influenza	6	3	1	1								1	
13	Tuberculosis of the lungs	582	50	47	64	57	30	53	34	42	63	42	59	41
14–15	Other forms of tuberculosis	58	5	6	7	5	6	3	6	2	7	5	2	4
17	Meningitis	27	3	3	3	5	3	2		2	3		3	
20–21	Bronchitis	23	4	4	2	2	2	1			1	3	1	3
22	Pneumonia	179	25	26	21	19	10	9	9	4	8	9	13	26
(23)	Bronchopneumonia	81	9	8	12	8	2	4	2	2	7	6	10	11
25	Diarrhea and enteritis (under 2 years)	65	3	2	5	5		2	12	22	11		1	2
(37)	Diarrhea and enteritis (2 years and over)	18	1	2		3	1	1	1	2	2	3		2
(33)	Congenital debility [1]	69	4	3	10	4	5	4	4	11	11	6	1	6
35	Violent deaths (excluding suicide)	143	6	11	11	7	13	7	16	21	14	17	10	10
36	Suicide	76	7	4	9	3	8	10	5	7	3	7	9	4
	All other causes	1,807	155	158	162	179	159	143	155	157	128	121	141	149
	BRIDGEPORT, CONN.													
	All causes	1,668	159	138	181	135	118	134	150	131	133	117	121	151
1	Typhoid fever	7		2				1	1	1	1		1	
3	Malaria	1				1								
5	Measles	15			2				1		1		2	9
6	Scarlet fever	30	7	6	8	2	2		2			1		2
7	Whooping cough	8		2		2			1			1	2	
8	Diphtheria and croup	23	4	2	3	2	1	1	1	1	1	1	2	4
9	Influenza	8	4	2	1	1								
13	Tuberculosis of the lungs	94	11	12	9	6	7	2	8	7	7	8	5	12
14–15	Other forms of tuberculosis	22	2	3	4	2	2	2	4	2	1			
17	Meningitis	15	1		2	4	2		1	2		1	1	1
20–21	Bronchitis	12	2	2	2	2		1			1			2
22	Pneumonia	145	21	15	27	13	13	5	6	2	3	7	15	18
(23)	Bronchopneumonia	62	11	5	15	3	4	1	3	3	3	4	2	8
25	Diarrhea and enteritis (under 2 years)	147	4	4	6	5	1	25	35	31	21	7	4	4
(37)	Diarrhea and enteritis (2 years and over)	10		1			1	2		3	1	1	1	
(33)	Congenital debility [1]	55	5	2	5	5	3	10	3	8	6	5	2	1
35	Violent deaths (excluding suicide)	105	3	6	12	10	7	7	14	11	9	10	6	10
36	Suicide	16	1			2	2	4		1	1	3	1	1
	All other causes	893	83	74	85	75	73	73	70	59	77	68	77	79
	NEW HAVEN, CONN.													
	All causes	2,253	209	192	244	213	204	183	184	167	147	170	158	182
1	Typhoid fever	18			2	2	4		1	2	1	2		4
3	Malaria	1	1											
5	Measles	2					1	1						
6	Scarlet fever	12	1	2	4	2	3							
7	Whooping cough	11		1	2		5	1		1	1			
8	Diphtheria and croup	23	3	2		1	4	3	1		3		3	3
9	Influenza	16	8	1	5	1	1							
13	Tuberculosis of the lungs	160	18	16	17	18	17	18	11	12	8	8	7	10
14–15	Other forms of tuberculosis	38	2	3	4	3	3	4	3	3	3	1	4	5
17	Meningitis	24	2	6	2	1	2	2	1	1	1	4	2	
20–21	Bronchitis	40	4	5	5	6	5	2	2	1	1	2	5	2
22	Pneumonia	185	31	26	28	20	12	9	3	6	7	8	14	21
(23)	Bronchopneumonia	82	14	7	9	9	9	4	6	2	3	4	4	11
25	Diarrhea and enteritis (under 2 years)	81	1	1	4	1	3	5	20	18	16	7	3	2
(37)	Diarrhea and enteritis (2 years and over)	9			1		4	2	1				1	
(33)	Congenital debility [1]	33	1	4	8	1	2		3	8		3	3	
35	Violent deaths (excluding suicide)	143	11	6	6	13	6	15	15	10	18	15	11	17
36	Suicide	29	2		5	2	1	4	2	1	3	4	3	2
	All other causes	1,346	110	112	142	133	122	113	115	102	82	112	98	105
	WASHINGTON, D. C. (TOTAL).													
	All causes	6,006	537	567	555	531	504	498	521	422	440	447	498	486
1	Typhoid fever	57	4	4	4	2	3	5	7	9	2	11	2	4
3	Malaria	8						1	2		1	2	2	
5	Measles	27	2	2	9	6	6	1					1	
6	Scarlet fever	14	3	2	3	1	2	1		1				1
7	Whooping cough	17	2		2	2	4	2		2	1		2	
8	Diphtheria and croup	27	3	4	1	4	1	1	1		1	6	1	4
9	Influenza	45	10	8	7	6	1		2			3	5	3
13	Tuberculosis of the lungs	720	61	68	86	66	79	57	56	57	48	44	52	46
14–15	Other forms of tuberculosis	102	4	6	10	12	12	3	9	8	12	13	5	8
17	Meningitis	24	2	2	1	5	3	1	3	1	2	2	2	
20–21	Bronchitis	85	13	12	5	9	3	9	4	3	5	4	6	12
22	Pneumonia	297	37	32	48	37	18	20	15	10	8	9	28	35
(23)	Bronchopneumonia	155	14	23	22	20	10	9	3	6	9	5	9	25
25	Diarrhea and enteritis (under 2 years)	216	1	6	8	4	7	35	59	28	32	21	9	6
(37)	Diarrhea and enteritis (2 years and over)	51	1	1	3	4	2	9	3	4	5	8	4	7
(33)	Congenital debility [1]	97	5	7	6	8	4	8	12	16	7	5	9	10
35	Violent deaths (excluding suicide)	261	25	21	18	14	22	25	28	21	24	16	23	24
36	Suicide	72	7	9	4	2	7	7	5	7	9	5	4	6
	All other causes	3,731	343	360	318	329	320	304	312	249	274	293	334	295

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	WASHINGTON, D. C. (WHITE).													
	All causes	3,569	310	354	336	323	308	290	303	235	262	258	287	303
1	Typhoid fever	35	2	3		2	2	2	4	8	1	6	2	3
3	Malaria	5						1	2		1	1		
5	Measles	19	2	1	7	3	5	1						
6	Scarlet fever	13	3	2	3	1	2			1				1
7	Whooping cough	3	1				2							
8	Diphtheria and croup	23	3	4	1	4	1	1			1	5		3
9	Influenza	26	5	3	5	3	1		1			3	3	2
13	Tuberculosis of the lungs	334	22	28	41	36	38	27	23	20	23	17	27	32
14–15	Other forms of tuberculosis	41	3	2	4	6	5	2	2	5	4	4	1	3
17	Meningitis	19	1	1		5	3	1	3	1	1	2	1	
20–21	Bronchitis	46	8	8	3	5		5	1	3	4		3	6
22	Pneumonia	123	18	15	22	17	7	8	4	4	1	4	10	13
(23)	Bronchopneumonia	63	3	13	12	8	6	1		1	3	1	4	11
25	Diarrhea and enteritis (under 2 years)	93		4	4	2	2	14	29	14	11	10	1	2
(37)	Diarrhea and enteritis (2 years and over)	29		1	2	3	2	8		3	2	4	1	3
(33)	Congenital debility [1]	58	5	5	1	5	3	4	8	6	5	3	6	7
35	Violent deaths (excluding suicide)	166	18	14	13	8	12	16	14	14	17	9	15	16
36	Suicide	64	6	8	4	1	7	7	4	5	8	4	4	6
	All other causes	2,409	210	242	214	214	210	192	208	150	180	185	209	195
	WASHINGTON, D. C. (COLORED).													
	All causes	2,437	227	213	219	208	196	208	218	187	178	189	211	183
1	Typhoid fever	22	2	1	4		1	3	3	1	1	5		1
3	Malaria	3										1	2	
5	Measles	8		1	2	3	1						1	
6	Scarlet fever	1						1						
7	Whooping cough	14	1		2	2	2	2		2	1		2	
8	Diphtheria and croup	4							1			1	1	1
9	Influenza	19	5	5	2	3		1					2	1
13	Tuberculosis of the lungs	386	39	40	45	30	41	30	33	37	25	27	25	14
14–15	Other forms of tuberculosis	61	1	4	6	6	7	1	7	3	8	9	4	5
17	Meningitis	5	1	1	1						1		1	
20–21	Bronchitis	39	5	4	2	4	3	4	3		1	4	3	6
22	Pneumonia	174	19	17	26	20	11	12	11	6	7	5	18	22
(23)	Bronchopneumonia	92	11	10	10	12	4	8	3	5	6	4	5	14
25	Diarrhea and enteritis (under 2 years)	123	1	2	4	2	5	21	30	14	21	11	8	4
(37)	Diarrhea and enteritis (2 years and over)	22	1		1	1		1	3	1	3	4	3	4
(33)	Congenital debility [1]	39		2	5	3	1	4	4	10	2	2	3	3
35	Violent deaths (excluding suicide)	95	7	7	5	6	10	9	14	7	7	7	8	8
36	Suicide	8	1	1		1			1	2	1	1		
	All other causes	1,322	133	118	104	115	110	112	104	99	94	108	125	100
	ATLANTA, GA. (TOTAL).													
	All causes	3,027	231	219	287	238	307	305	274	265	209	218	249	225
1	Typhoid fever	38	3			1	1	2	11	5	7	5	1	2
3	Malaria	12			1			1	4	1	3	2		
5	Measles	9					3	4	1			1		
6	Scarlet fever													
7	Whooping cough	31	7	1	1	3	2	5		5	3	2	2	
8	Diphtheria and croup	23	1	1	1	4	5	1		2	1	3	3	1
9	Influenza	34	8	4	10	2		1	1		1	2	4	1
13	Tuberculosis of the lungs	236	18	18	24	21	23	31	22	15	14	18	19	13
14–15	Other forms of tuberculosis	27		2	3	2		3	3	4	1	4	3	2
17	Meningitis	68	1	7	10	23	16	5			1	1	2	2
20–21	Bronchitis	17	3	1	3	2	1			1		1	3	2
22	Pneumonia	213	18	25	39	22	24	10	5	10	3	12	24	21
(23)	Bronchopneumonia	65	11	7	4	4	3	7	7	6	3	4	5	4
25	Diarrhea and enteritis (under 2 years)	128	4	2	5	5	26	18	27	17	5	13	3	3
(37)	Diarrhea and enteritis (2 years and over)	56	1	2	8	1	11	7	6	6	7	1	4	2
(33)	Congenital debility [1]	67	5	3	4	5	10	11	4	8	7	3	6	1
35	Violent deaths (excluding suicide)	197	22	21	15	6	18	15	19	23	9	13	21	15
36	Suicide	24	1	4	3	5		4	2	2		1	2	
	All other causes	1,782	128	121	156	132	164	180	162	160	144	132	147	156
	ATLANTA, GA. (WHITE).													
	All causes	1,557	120	121	151	100	141	167	142	137	105	108	134	131
1	Typhoid fever	21	1				1		6	4	4	3	1	1
3	Malaria	7							3		3	1		
5	Measles	7					2	3	1			1		
6	Scarlet fever													
7	Whooping cough	12	1			2	1	1		4	2	1		
8	Diphtheria and croup	18	1	1	1	4	3	1		2		1	3	1
9	Influenza	14	5	1	3						1	1	2	1
13	Tuberculosis of the lungs	106	10	10	10	11	7	13	9	5	8	9	9	5
14–15	Other forms of tuberculosis	11			1	1			1	2	1	3	1	1
17	Meningitis	24	1	3	6	8	2	3						1
20–21	Bronchitis	4			1		1						1	1
22	Pneumonia	58	3	7	8	4	6	5	1	1	2	4	11	6
(23)	Bronchopneumonia	30	5	4	4	1		3	3	2	1	2	3	2
25	Diarrhea and enteritis (under 2 years)	71	2	1	3	2	19	8	15	5	1	9	3	3
(37)	Diarrhea and enteritis (2 years and over)	25		2	3		4	5	2	2	3	1	2	1
(33)	Congenital debility [1]	37	2	1	2	3	5	8	3	5	3	1	4	
35	Violent deaths (excluding suicide)	93	10	15	5	2	7	11	12	10	1	5	10	5
36	Suicide	17	1	3	2	3		1	2	2		1	2	
	All other causes	1,002	78	73	102	59	83	105	84	93	75	65	82	103

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	ATLANTA, GA. (COLORED).													
	All causes	1,470	111	98	136	138	166	138	132	128	104	110	115	94
1	Typhoid fever	17	2			1		2	5	1	3	2		1
3	Malaria	5			1			1	1	1		1		
5	Measles	2					1	1						
6	Scarlet fever													
7	Whooping cough	19	6	1	1	1	1	4		1	1	1	2	
8	Diphtheria and croup	5					2				1	2		
9	Influenza	20	3	3	7	2		1	1			1	2	
13	Tuberculosis of the lungs	130	8	8	14	10	16	18	13	10	6	9	10	8
14–15	Other forms of tuberculosis	16		2	2	1		3	2	2		1	2	1
17	Meningitis	44		4	4	15	14	2			1	1	2	1
20–21	Bronchitis	13	3	1	2	2				1		1	2	1
22	Pneumonia	155	15	18	31	18	18	5	4	9	1	8	13	15
(23)	Bronchopneumonia	35	6	3		3	3	4	4	4	2	2	2	2
25	Diarrhea and enteritis (under 2 years)	57	2	1	2	3	7	10	12	12	4	4		
(37)	Diarrhea and enteritis (2 years and over)	31	1		5	1	7	2	4	4	4		2	1
(33)	Congenital debility[1]	30	3	2	2	2	5	3	1	3	4	2	2	1
35	Violent deaths (excluding suicide)	104	12	6	10	4	11	4	7	13	8	8	11	10
36	Suicide	7		1	1	2		3						
	All other causes	780	50	48	54	73	81	75	78	67	69	67	65	53
	CHICAGO, ILL. (TOTAL).													
	All causes	35,298	3,325	3,240	3,557	3,157	2,928	2,901	2,731	2,800	2,737	2,533	2,616	2,773
1	Typhoid fever	243	7	18	12	13	16	15	8	22	24	36	44	28
3	Malaria	7			1	3		1		1		1		
5	Measles	278	39	47	51	51	37	24	13	5	3	1	4	3
6	Scarlet fever	918	150	154	159	105	85	98	43	24	24	23	24	29
7	Whooping cough	94	16	11	9	4	9	7	5	11	5	4	4	9
8	Diphtheria and croup	965	137	92	92	97	97	83	53	48	39	59	85	83
9	Influenza	101	29	18	27	8	2	1	1	2	2	3	1	7
13	Tuberculosis of the lungs	3,430	307	285	340	312	318	284	281	259	270	254	244	276
14–15	Other forms of tuberculosis	466	36	45	39	53	40	36	35	47	41	38	27	29
17	Meningitis	176	8	15	17	22	27	14	12	14	15	8	11	13
20–21	Bronchitis	182	23	24	14	24	11	13	8	12	9	10	16	18
22	Pneumonia	2,911	393	399	457	315	267	179	107	79	135	144	221	215
(23)	Bronchopneumonia	1,921	238	247	278	220	180	134	78	45	71	95	143	192
25	Diarrhea and enteritis (under 2 years)	3,329	164	153	211	192	174	231	476	603	513	266	177	169
(37)	Diarrhea and enteritis (2 years and over)	329	16	24	14	19	25	30	33	63	47	25	17	16
(33)	Congenital debility[1]	186	9	22	22	23	12	15	13	14	15	10	14	17
35	Violent deaths (excluding suicide)	2,123	151	139	179	157	152	236	214	187	183	182	162	181
36	Suicide	517	42	48	38	50	41	51	40	41	38	55	33	40
	All other causes	17,122	1,560	1,499	1,597	1,489	1,435	1,449	1,311	1,323	1,303	1,319	1,389	1,448
	CHICAGO, ILL. (WHITE).													
	All causes	34,077	3,203	3,129	3,431	3,042	2,818	2,806	2,645	2,714	2,640	2,441	2,534	2,674
1	Typhoid fever	237	7	16	12	13	15	15	8	22	22	36	43	28
3	Malaria	6			1	3		1		1				
5	Measles	275	39	47	49	51	36	24	13	5	3	1	4	3
6	Scarlet fever	910	147	154	158	105	85	97	40	24	24	23	24	29
7	Whooping cough	91	16	11	9	4	9	7	4	11	4	4	4	8
8	Diphtheria and croup	949	133	90	92	96	94	83	51	47	39	58	84	82
9	Influenza	100	29	18	26	8	2	1	1	2	2	3	1	7
13	Tuberculosis of the lungs	3,177	276	266	323	288	290	266	256	243	241	239	232	257
14–15	Other forms of tuberculosis	436	35	43	32	40	39	33	33	45	39	36	25	27
17	Meningitis	170	8	15	16	21	27	12	12	13	15	8	11	12
20–21	Bronchitis	178	22	24	14	23	11	12	8	11	9	10	16	18
22	Pneumonia	2,811	380	390	438	302	257	172	105	73	135	134	213	212
(23)	Bronchopneumonia	1,885	237	242	271	215	175	133	78	44	69	93	141	187
25	Diarrhea and enteritis (under 2 years)	3,294	163	153	209	190	171	227	472	596	508	262	174	169
(37)	Diarrhea and enteritis (2 years and over)	323	16	23	14	18	24	29	32	63	46	25	17	16
(33)	Congenital debility[1]	183	9	21	21	22	12	15	13	14	15	10	14	17
35	Violent deaths (excluding suicide)	2,040	143	133	174	151	148	226	210	175	173	178	157	172
36	Suicide	508	42	48	37	49	41	51	40	39	38	52	32	39
	All other causes	16,504	1,501	1,435	1,535	1,434	1,382	1,402	1,269	1,286	1,258	1,269	1,342	1,391
	CHICAGO, ILL. (COLORED).													
	All causes	1,221	122	111	126	115	110	95	86	86	97	92	82	99
1	Typhoid fever	6		2			1				2		1	
3	Malaria	1										1		
5	Measles	3			2		1							
6	Scarlet fever	8	3		1			1	3					
7	Whooping cough	3							1		1			1
8	Diphtheria and croup	16	4	2		1	3		2	1		1	1	1
9	Influenza	1			1									
13	Tuberculosis of the lungs	253	31	19	17	24	28	18	25	16	29	15	12	19
14–15	Other forms of tuberculosis	30	1	2	7	4	1	3	2	2	2	2	2	2
17	Meningitis	6			1	1		2		1				1
20–21	Bronchitis	4	1			1		1		1				
22	Pneumonia	100	13	9	19	13	10	7	2	6		10	8	3
(23)	Bronchopneumonia	36	1	5	7	5	5	1		1	2	2	2	5
25	Diarrhea and enteritis (under 2 years)	35	1		2	2	3	4	4	7	5	4	3	
(37)	Diarrhea and enteritis (2 years and over)	6		1		1	1	1	1		1			
(33)	Congenital debility[1]	3		1	1	1								
35	Violent deaths (excluding suicide)	83	8	6	5	6	4	10	4	12	10	4	5	9
36	Suicide	9			1	1				2		3	1	1
	All other causes	618	59	64	62	55	53	47	42	37	45	50	47	57

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	INDIANAPOLIS, IND. (TOTAL).													
	All causes	3,989	320	300	391	334	345	345	334	360	312	310	339	299
1	Typhoid fever	62	1	2	2	1	3	4	3	14	9	9	8	6
3	Malaria	4		1	1	1						1		
5	Measles	16			2	1	6	3	3	1				
6	Scarlet fever	13			1	1	4	3	1		1	1	1	
7	Whooping cough	36	1	3	2	7	8	4	5	4		1	1	
8	Diphtheria and croup	48	4	6	1	4	10	1		2	1	5	9	5
9	Influenza	24	9	3	5	1	1	2						3
13	Tuberculosis of the lungs	462	26	29	62	53	51	44	35	23	32	34	45	28
14–15	Other forms of tuberculosis	102	6	5	7	5	10	8	8	15	11	7	13	7
17	Meningitis	17	2	2	1	2		3		1	1	2	2	1
20–21	Bronchitis	32	1	4	5		5			4	4	1	6	2
22	Pneumonia	166	22	21	26	10	17	11	7	8	5	7	18	14
(23)	Bronchopneumonia	140	21	19	21	18	10	8	5	4	8	7	9	10
25	Diarrhea and enteritis (under 2 years)	124	4	3	6	6	2	4	31	31	12	19	4	2
(37)	Diarrhea and enteritis (2 years and over)	34	1	1	2	1	1	3	5	5	6	2	5	2
(33)	Congenital debility[1]	39	1		1	5	3	3	5	6	2	8	5	
35	Violent deaths (excluding suicide)	270	18	12	22	19	8	30	35	31	25	22	28	20
36	Suicide	76	4	8	9	7	6	8	4	8	8	5	3	6
	All other causes	2,324	199	181	215	192	200	206	187	203	187	179	182	193
	INDIANAPOLIS, IND. (WHITE).													
	All causes	3,407	271	262	321	281	295	292	280	307	277	267	289	265
1	Typhoid fever	52	1	1	2	1	3	4	2	11	9	7	7	4
3	Malaria	1				1								
5	Measles	15			2	1	6	3	2	1				
6	Scarlet fever	12			1	1	4	3	1			1	1	
7	Whooping cough	32	1	3	2	6	7	4	4	3		1	1	
8	Diphtheria and croup	46	4	6	1	3	10			2	1	5	9	5
9	Influenza	24	9	3	5	1	1	2						3
13	Tuberculosis of the lungs	348	22	23	45	39	40	28	29	17	27	22	34	22
14–15	Other forms of tuberculosis	82	5	3	7	5	9	5	5	11	10	5	12	5
17	Meningitis	16	1	2	1	2		3		1	1	2	2	1
20–21	Bronchitis	26	1	3	5		3			2	3	1	6	2
22	Pneumonia	140	19	21	20	10	14	9	4	7	4	6	14	12
(23)	Bronchopneumonia	110	13	15	17	15	9	6	4	4	7	4	7	9
25	Diarrhea and enteritis (under 2 years)	112	4	3	5	6	2	3	26	29	9	19	4	2
(37)	Diarrhea and enteritis (2 years and over)	31	1	1	2	1	1	2	5	4	5	2	5	2
(33)	Congenital debility[1]	36	1		1	5	3	3	4	5	2	7	5	
35	Violent deaths (excluding suicide)	230	13	10	17	18	7	24	29	29	24	19	23	17
36	Suicide	72	4	6	9	7	6	6	4	8	8	5	3	6
	All other causes	2,022	172	162	179	159	170	187	161	173	167	161	156	175
	INDIANAPOLIS, IND. (COLORED).													
	All causes	582	49	38	70	53	50	53	54	53	35	43	50	34
1	Typhoid fever	10		1					1	3		2	1	2
3	Malaria	3		1	1							1		
5	Measles	1							1					
6	Scarlet fever	1									1			
7	Whooping cough	4				1	1		1	1				
8	Diphtheria and croup	2				1		1						
9	Influenza													
13	Tuberculosis of the lungs	114	4	6	17	14	11	16	6	6	5	12	11	6
14–15	Other forms of tuberculosis	20	1	2			1	3	3	4	1	2	1	2
17	Meningitis	1	1											
20–21	Bronchitis	6		1			2			2	1			
22	Pneumonia	26	3		6		3	2	3	1	1	1	4	2
(23)	Bronchopneumonia	30	8	4	4	3	1	2	1		1	3	2	1
25	Diarrhea and enteritis (under 2 years)	12			1			1	5	2	3			
(37)	Diarrhea and enteritis (2 years and over)	3						1		1	1			
(33)	Congenital debility[1]	3							1	1		1		
35	Violent deaths (excluding suicide)	40	5	2	5	1	1	6	6	2	1	3	5	3
36	Suicide	4		2				2						
	All other causes	302	27	19	36	33	30	19	26	30	20	18	26	18
	LOUISVILLE, KY. (TOTAL).													
	All causes	3,784	318	318	405	313	305	314	344	271	266	300	322	308
1	Typhoid fever	54	2	3	4	1	3	1	7	11	11	5	2	4
3	Malaria	8				2	2	1		1			1	1
5	Measles	14					8	3	3					
6	Scarlet fever	8	1	2	1		2					1		1
7	Whooping cough	40	1	4	4	6	4	5	7	5	2		1	1
8	Diphtheria and croup	35	4	4		1	1	1	1	1		12	7	3
9	Influenza	34	8	3	6	7	3					3	4	
13	Tuberculosis of the lungs	375	38	35	37	32	25	23	37	21	17	37	33	40
14–15	Other forms of tuberculosis	57	5	5	6	8	7	4	1	5	3	3	7	3
17	Meningitis	30	5	3	1	1	3	2	2	5	5	1	2	
20–21	Bronchitis	77	15	11	9	4	9	2	7	4	2	3	3	8
22	Pneumonia	249	26	32	43	20	20	14	7	5	4	23	28	27
(23)	Bronchopneumonia	93	11	12	14	10	7	9	4	3	6	3	7	7
25	Diarrhea and enteritis (under 2 years)	84	3	5	3		8	12	16	15	8	8	3	3
(37)	Diarrhea and enteritis (2 years and over)	35	2		1	1	3	6		4	6	6	2	4
(33)	Congenital debility[1]	114	13	7	8	5	8	7	20	12	8	7	12	7
35	Violent deaths (excluding suicide)	243	23	17	28	15	14	15	42	22	19	17	16	15
36	Suicide	52	1	3	6	2	3	6	5	2	9	3	6	6
	All other causes	2,182	160	172	234	198	175	203	185	155	166	168	188	178

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.												
	LOUISVILLE, KY. (WHITE).												
	All causes	2,737	238	244	281	215	221	228	238	202	202	211	232	225
1	Typhoid fever	37	.....	2	2	.....	1	.....	5	9	9	3	2	4
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	11	.....	.....	.....	.....	8	2	1	.....	.....	.....	.....	.....
6	Scarlet fever	8	1	2	1	.....	2	.....	.....	.....	.....	1	.....	1
7	Whooping cough	19	1	4	2	.....	4	.....	3	3	.....	.....	1	1
8	Diphtheria and croup	32	4	4	.....	1	1	.....	1	1	.....	12	6	2
9	Influenza	15	6	2	2	3	.....	.....	.....	.....	.....	1	1	.....
13	Tuberculosis of the lungs	246	31	22	25	23	14	15	21	11	11	24	23	26
14–15	Other forms of tuberculosis	35	5	2	3	3	6	2	1	1	3	2	4	3
17	Meningitis	24	2	3	1	1	2	2	2	4	4	1	2	.....
20–21	Bronchitis	47	12	10	6	1	5	.....	4	3	1	.....	.....	5
22	Pneumonia	155	23	23	26	10	16	8	4	2	3	8	17	15
(23)	Bronchopneumonia	59	9	7	10	5	4	7	3	2	4	2	4	2
25	Diarrhea and enteritis (under 2 years)	60	.....	5	2	.....	5	6	13	12	8	6	2	1
(37)	Diarrhea and enteritis (2 years and over)	25	2	.....	.....	.....	1	5	.....	3	5	4	2	3
(33)	Congenital debility [1]	74	8	5	6	3	4	2	13	12	5	3	9	4
35	Violent deaths (excluding suicide)	170	13	14	15	11	10	13	34	17	9	13	9	12
36	Suicide	50	1	3	6	2	3	6	5	2	9	3	5	5
	All other causes	1,670	120	136	174	152	135	160	128	120	131	128	145	141
	LOUISVILLE, KY. (COLORED).													
	All causes	1,047	80	74	124	98	84	86	106	69	64	89	90	83
1	Typhoid fever	17	2	1	2	1	2	1	2	2	2	2	.....	.....
3	Malaria	8	.....	.....	.....	2	2	1	.....	1	.....	.....	1	1
5	Measles	3	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	21	.....	.....	2	6	.....	5	4	2	2	.....	.....	.....
8	Diphtheria and croup	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1
9	Influenza	19	2	1	4	4	3	.....	.....	.....	.....	2	3	.....
13	Tuberculosis of the lungs	129	7	13	12	9	11	8	16	10	6	13	10	14
14–15	Other forms of tuberculosis	22	.....	3	3	5	1	2	.....	4	.....	1	3	.....
17	Meningitis	6	3	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
20–21	Bronchitis	30	3	1	3	3	4	2	3	1	1	3	3	3
22	Pneumonia	94	3	9	17	10	4	6	3	3	1	15	11	12
(23)	Bronchopneumonia	34	2	5	4	5	3	2	1	1	2	1	3	5
25	Diarrhea and enteritis (under 2 years)	24	3	.....	1	.....	3	6	3	3	.....	2	1	2
(37)	Diarrhea and enteritis (2 years and over)	10	.....	.....	1	1	2	1	.....	1	1	2	.....	1
(33)	Congenital debility [1]	40	5	2	2	2	4	5	7	.....	3	4	3	3
35	Violent deaths (excluding suicide)	73	10	3	13	4	4	2	8	5	10	4	7	3
36	Suicide	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
	All other causes	512	40	36	60	46	40	43	57	35	35	40	43	37
	NEW ORLEANS, LA. (TOTAL).													
	All causes	7,088	604	661	632	560	583	572	547	576	529	548	666	610
1	Typhoid fever	60	4	2	3	1	.....	5	8	13	7	4	8	5
3	Malaria	24	.....	1	.....	.....	.....	2	2	5	4	3	4	3
5	Measles	35	1	2	7	12	8	3	2	.....	.....	.....	.....	.....
6	Scarlet fever	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
7	Whooping cough	11	1	.....	.....	1	3	.....	1	1	1	1	1	1
8	Diphtheria and croup	113	7	9	12	7	1	9	5	10	7	11	22	13
9	Influenza	70	17	13	8	4	3	1	.....	.....	.....	2	15	7
13	Tuberculosis of the lungs	834	79	99	66	82	63	63	54	68	67	51	69	73
14–15	Other forms of tuberculosis	69	7	1	5	11	8	6	7	6	2	6	5	5
17	Meningitis	59	6	8	21	6	1	4	2	2	1	4	3	1
20–21	Bronchitis	73	7	10	13	6	4	3	2	3	6	6	4	9
22	Pneumonia	411	41	63	45	34	34	25	20	25	17	23	41	43
(23)	Bronchopneumonia	176	19	24	15	13	19	12	8	12	9	15	13	17
25	Diarrhea and enteritis (under 2 years)	367	19	25	23	29	68	44	39	22	16	28	25	29
(37)	Diarrhea and enteritis (2 years and over)	79	5	6	6	3	6	6	7	7	11	7	11	4
(33)	Congenital debility [1]	61	6	1	4	3	8	3	3	5	4	7	6	11
35	Violent deaths (excluding suicide)	390	17	26	32	34	34	39	36	41	31	38	33	29
36	Suicide	53	6	3	5	1	2	6	9	4	6	4	3	4
	All other causes	4,201	361	368	367	313	321	341	342	352	340	337	403	356
	NEW ORLEANS, LA. (WHITE).													
	All causes	4,087	367	399	355	309	319	329	310	333	277	334	389	366
1	Typhoid fever	38	2	2	3	.....	.....	.....	6	8	6	4	4	3
3	Malaria	10	.....	1	.....	.....	.....	2	1	3	1	1	1	.....
5	Measles	27	1	1	7	8	5	3	2	.....	.....	.....	.....	.....
6	Scarlet fever	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	5	.....	.....	.....	1	3	.....	.....	.....	1	.....	.....	.....
8	Diphtheria and croup	82	7	8	10	5	1	9	2	5	2	8	15	10
9	Influenza	39	8	7	4	3	1	.....	.....	.....	.....	2	9	5
13	Tuberculosis of the lungs	380	43	54	31	39	28	26	17	23	29	20	35	35
14–15	Other forms of tuberculosis	37	2	1	1	8	5	1	3	5	2	4	2	3
17	Meningitis	24	2	3	7	1	1	2	2	2	1	2	1	.....
20–21	Bronchitis	32	4	5	4	4	2	1	1	2	1	1	3	4
22	Pneumonia	195	21	29	19	18	15	11	10	8	9	14	17	24
(23)	Bronchopneumonia	69	9	13	4	3	8	6	3	4	4	5	7	3
25	Diarrhea and enteritis (under 2 years)	239	12	11	15	21	34	35	33	18	8	14	19	19
(37)	Diarrhea and enteritis (2 years and over)	34	4	1	2	1	5	4	4	3	2	2	4	2
(33)	Congenital debility [1]	36	4	1	.....	2	4	2	.....	4	3	4	5	7
35	Violent deaths (excluding suicide)	207	5	14	15	14	20	26	21	23	13	25	16	15
36	Suicide	48	5	2	5	1	1	6	9	3	5	4	3	4
	All other causes	2,584	237	246	228	180	186	195	196	222	190	224	248	232

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW ORLEANS, LA. (COLORED).													
	All causes	3,001	237	262	277	251	264	243	237	243	252	214	277	244
1	Typhoid fever	22	2			1		5	2	5	1		4	2
3	Malaria	14							1	2	3	2	3	3
5	Measles	8		1		4	3							
6	Scarlet fever	1										1		
7	Whooping cough	6	1						1	1		1	1	1
8	Diphtheria and croup	31		1	2	2			3	5	5	3	7	3
9	Influenza	31	9	6	4	1	2	1					6	2
13	Tuberculosis of the lungs	454	36	45	35	43	35	37	37	45	38	31	34	38
14–15	Other forms of tuberculosis	32	5		4	3	3	5	4	1		2	3	2
17	Meningitis	35	4	5	14	5		2				2	2	1
20–21	Bronchitis	41	3	5	9	2	2	2	1	1	5	5	1	5
22	Pneumonia	216	20	34	26	16	19	14	10	17	8	9	24	19
(23)	Bronchopneumonia	107	10	11	11	10	11	6	5	8	5	10	6	14
25	Diarrhea and enteritis (under 2 years)	128	7	14	8	8	34	9	6	4	8	14	6	10
(37)	Diarrhea and enteritis (2 years and over)	45	1	5	4	2	1	2	3	4	9	5	7	2
(33)	Congenital debility [1]	25	2		4	1	4	1	3	1	1	3	1	4
35	Violent deaths (excluding suicide)	183	12	12	17	20	14	13	15	18	18	13	17	14
36	Suicide	5	1	1			1			1	1			
	All other causes	1,617	124	122	139	133	135	146	146	130	150	113	155	124
	BALTIMORE, MD. (TOTAL).													
	All causes	10,624	914	874	962	894	969	854	1,038	881	752	775	801	910
1	Typhoid fever	137	6	12	8	3	6	9	15	23	22	19	8	6
3	Malaria	9				2	1			1		1	4	
5	Measles	115	2	9	21	30	26	8	3	3	1	2		10
6	Scarlet fever	44	4	6	4	7	4	2	4	1	2	4	1	5
7	Whooping cough	39		3	2	1	2	4	7	6	4	2	4	4
8	Diphtheria and croup	86	11	7	2	5	6	5	5	4	6	8	13	14
9	Influenza	58	21	8	9	6	1	1	1	1		2	2	6
13	Tuberculosis of the lungs	1,194	125	103	117	98	123	96	93	97	84	77	94	87
14–15	Other forms of tuberculosis	154	12	11	15	19	25	14	12	15	11	9	7	4
17	Meningitis	81	7	8	7	12	10	10	9	6	6	2	3	1
20–21	Bronchitis	181	26	27	19	16	11	9	11	10	7	9	18	18
22	Pneumonia	638	107	87	76	60	58	37	18	21	23	38	47	66
(23)	Bronchopneumonia	535	43	54	45	62	55	45	34	34	20	38	52	53
25	Diarrhea and enteritis (under 2 years)	583	8	4	15	12	23	71	206	109	76	31	16	12
(37)	Diarrhea and enteritis (2 years and over)	89	4	3	9	5	4	7	20	12	11	5	6	3
(33)	Congenital debility [1]	309	19	18	24	21	26	25	40	36	34	24	25	17
35	Violent deaths (excluding suicide)	484	27	32	66	38	35	40	60	37	36	36	39	38
36	Suicide	116	8	8	8	8	8	12	14	8	9	5	13	15
	All other causes	5,772	484	474	515	489	545	459	486	457	400	463	449	551
	BALTIMORE, MD. (WHITE).													
	All causes	7,912	664	642	714	673	715	637	778	657	578	551	589	714
1	Typhoid fever	93	3	10	7	2	4	8	6	15	16	12	5	5
3	Malaria	5				1				1		1	2	
5	Measles	90	2	2	15	26	22	7	2	2	1	1		10
6	Scarlet fever	42	4	6	3	7	3	2	4	1	2	4	1	5
7	Whooping cough	24		1	2	1	2	3	5	3	2	1	4	
8	Diphtheria and croup	81	9	7	2	5	6	5	5	4	6	7	13	12
9	Influenza	38	15	6	5	4	1	1	1			1	1	3
13	Tuberculosis of the lungs	742	72	65	67	59	75	58	51	60	65	50	59	61
14–15	Other forms of tuberculosis	107	11	8	10	17	16	9	6	11	8	3	5	3
17	Meningitis	57	2	7	7	9	6	7	6	6	3	2	1	1
20–21	Bronchitis	128	20	18	14	9	11	6	6	8	4	5	12	15
22	Pneumonia	426	68	58	48	42	42	27	13	13	13	21	32	49
(23)	Bronchopneumonia	354	29	31	28	42	38	28	28	25	12	22	35	36
25	Diarrhea and enteritis (under 2 years)	469	6	4	13	9	19	57	165	87	64	23	13	9
(37)	Diarrhea and enteritis (2 years and over)	63	3	3	6	4	2	6	14	9	7	4	4	1
(33)	Congenital debility [1]	231	14	16	14	15	19	18	32	27	23	19	20	14
35	Violent deaths (excluding suicide)	379	19	21	54	28	30	31	49	28	32	24	29	34
36	Suicide	110	8	8	7	7	7	11	13	7	9	5	13	15
	All other causes	4,473	379	371	412	386	412	353	372	350	311	346	340	441
	BALTIMORE, MD. (COLORED).													
	All causes	2,712	250	232	248	221	254	217	260	224	174	224	212	196
1	Typhoid fever	44	3	2	1	1	2	1	9	8	6	7	3	1
3	Malaria	4				1	1						2	
5	Measles	25		7	6	4	4	1	1	1		1		
6	Scarlet fever	2			1		1							
7	Whooping cough	15		2				1	2	3	2	1		4
8	Diphtheria and croup	5	2									1		2
9	Influenza	20	6	2	4	2				1		1	1	3
13	Tuberculosis of the lungs	452	53	38	50	39	48	38	42	37	19	27	35	26
14–15	Other forms of tuberculosis	47	1	3	5	2	9	5	6	4	3	6	2	1
17	Meningitis	24	5	1		3	4	3	3		3		2	
20–21	Bronchitis	53	6	9	5	7		3	5	2	3	4	6	3
22	Pneumonia	212	39	29	28	18	16	10	5	8	10	17	15	17
(23)	Bronchopneumonia	181	14	23	17	20	17	17	6	9	8	16	17	17
25	Diarrhea and enteritis (under 2 years)	114	2		2	3	4	14	41	22	12	8	3	3
(37)	Diarrhea and enteritis (2 years and over)	26	1		3	1	2	1	6	3	4	1	2	2
(33)	Congenital debility [1]	78	5	2	10	6	7	7	8	9	11	5	5	3
35	Violent deaths (excluding suicide)	105	8	11	12	10	5	9	11	9	4	12	10	4
36	Suicide	6			1	1	1	1	1	1				
	All other causes	1,299	105	103	103	103	133	106	114	107	89	117	109	110

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	BOSTON, MASS. (TOTAL).													
	All causes	11,838	1,139	1,000	1,172	1,014	1,068	898	880	891	905	910	840	1,121
1	Typhoid fever	59	4	8	4	.....	1	2	3	5	11	14	5	2
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	77	9	12	11	15	12	6	7	3	.....	.....	1	1
6	Scarlet fever	76	12	9	4	13	9	8	1	1	1	4	7	7
7	Whooping cough	97	8	16	7	13	10	5	7	6	12	7	5	1
8	Diphtheria and croup	160	14	15	29	13	14	18	13	8	13	5	9	9
9	Influenza	38	6	3	11	3	2	2	.....	1	.....	3	1	6
13	Tuberculosis of the lungs	1,051	106	85	100	89	112	79	79	89	62	81	69	100
14–15	Other forms of tuberculosis	203	21	12	21	17	16	27	18	14	11	16	14	16
17	Meningitis	79	8	3	13	8	6	9	8	3	6	4	4	7
20–21	Bronchitis	125	22	13	17	9	10	5	4	7	6	8	9	15
22	Pneumonia	941	130	97	143	103	97	66	37	31	40	38	55	104
(23)	Bronchopneumonia	476	54	61	64	51	46	28	24	30	19	29	29	41
25	Diarrhea and enteritis (under 2 years)	527	20	19	14	28	25	25	63	117	100	70	25	21
(37)	Diarrhea and enteritis (2 years and over)	77	5	4	5	5	6	.....	7	16	12	5	9	3
(33)	Congenital debility [1]	121	7	9	8	10	16	4	10	13	16	14	7	7
35	Violent deaths (excluding suicide)	801	65	47	72	49	65	64	102	62	63	64	56	92
36	Suicide	105	9	5	7	10	11	10	14	9	7	8	5	10
	All other causes	6,825	639	582	642	578	610	540	483	476	526	540	530	679
	BOSTON, MASS. (WHITE).													
	All causes	11,452	1,106	973	1,136	976	1,027	869	850	856	883	879	813	1,084
1	Typhoid fever	58	4	8	4	.....	1	2	3	5	10	14	5	2
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	77	9	12	11	15	12	6	7	3	.....	.....	1	1
6	Scarlet fever	76	12	9	4	13	9	8	1	1	1	4	7	7
7	Whooping cough	90	8	16	7	13	8	4	7	6	10	5	5	1
8	Diphtheria and croup	158	14	15	28	13	14	17	13	8	13	5	9	9
9	Influenza	38	6	3	11	3	2	2	.....	1	.....	3	1	6
13	Tuberculosis of the lungs	989	101	79	96	86	109	71	77	80	59	72	66	93
14–15	Other forms of tuberculosis	192	21	11	20	17	15	25	18	12	10	15	13	15
17	Meningitis	77	8	3	13	7	6	9	8	3	6	3	4	7
20–21	Bronchitis	122	22	13	17	9	9	5	4	6	6	8	9	14
22	Pneumonia	914	127	96	138	97	95	65	34	28	39	38	55	102
(23)	Bronchopneumonia	461	54	58	60	50	46	28	22	29	19	28	29	38
25	Diarrhea and enteritis (under 2 years)	515	20	18	14	27	24	24	63	114	98	69	24	20
(37)	Diarrhea and enteritis (2 years and over)	77	5	4	5	5	6	.....	7	16	12	5	9	3
(33)	Congenital debility [1]	117	7	8	7	10	16	4	9	13	16	14	6	7
35	Violent deaths (excluding suicide)	771	63	46	70	47	64	60	94	61	62	61	55	88
36	Suicide	102	9	5	7	9	11	9	13	9	7	8	5	10
	All other causes	6,618	616	569	624	555	580	530	470	461	515	527	510	661
	BOSTON, MASS. (COLORED).													
	All causes	386	33	27	36	38	41	29	30	35	22	31	27	37
1	Typhoid fever	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	7	.....	.....	.....	.....	2	1	.....	.....	2	2	.....	.....
8	Diphtheria and croup	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	62	5	6	4	3	3	8	2	9	3	9	3	7
14–15	Other forms of tuberculosis	11	.....	1	1	.....	1	2	.....	2	1	1	1	1
17	Meningitis	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....
20–21	Bronchitis	3	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1
22	Pneumonia	27	3	1	5	6	2	1	3	3	1	.....	.....	2
(23)	Bronchopneumonia	15	.....	3	4	1	.....	.....	2	1	.....	1	.....	3
25	Diarrhea and enteritis (under 2 years)	12	.....	1	.....	1	1	1	.....	3	2	1	1	1
(37)	Diarrhea and enteritis (2 years and over)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
(33)	Congenital debility [1]	4	.....	1	1	.....	.....	.....	1	.....	.....	.....	1	.....
35	Violent deaths (excluding suicide)	30	2	1	2	2	1	4	8	1	1	3	1	4
36	Suicide	3	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
	All other causes	207	23	13	18	23	30	10	13	15	11	13	20	18
	CAMBRIDGE, MASS.													
	All causes	1,472	158	121	132	149	115	114	98	110	105	110	121	139
1	Typhoid fever	10	.....	5	1	.....	.....	1	1	.....	.....	2	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	10	1	1	1	2	2	2	.....	.....	.....	.....	1	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	10	.....	1	2	2	.....	.....	1	.....	1	.....	1	2
8	Diphtheria and croup	14	1	.....	.....	1	5	1	1	.....	1	2	.....	2
9	Influenza	11	2	3	3	2	.....	.....	.....	.....	.....	.....	1	.....
13	Tuberculosis of the lungs	201	17	18	24	27	13	15	13	9	18	9	20	18
14–15	Other forms of tuberculosis	17	4	2	.....	2	.....	1	2	1	1	3	.....	1
17	Meningitis	4	1	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
20–21	Bronchitis	21	3	3	1	3	.....	2	1	1	.....	2	1	4
22	Pneumonia	111	17	12	14	10	7	11	4	4	6	3	9	14
(23)	Bronchopneumonia	75	12	3	9	15	3	4	1	3	2	3	11	9
25	Diarrhea and enteritis (under 2 years)	93	7	3	.....	4	3	5	16	22	18	7	5	3
(37)	Diarrhea and enteritis (2 years and over)	6	.....	.....	2	1	.....	.....	.....	3	.....	.....	.....	.....
(33)	Congenital debility [1]	16	.....	2	.....	.....	1	3	2	1	1	2	2	2
35	Violent deaths (excluding suicide)	68	5	4	5	2	3	8	7	5	7	8	4	10
36	Suicide	15	.....	1	3	1	2	2	1	1	.....	1	2	1
	All other causes	790	88	63	67	76	76	58	47	60	50	68	64	73

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	FALL RIVER, MASS.													
	All causes	2,136	178	174	188	230	233	173	212	183	149	144	120	152
1	Typhoid fever	11		1			3	1	2	1	1	2		
3	Malaria													
5	Measles	73	1		9	21	26	12	3	1				
6	Scarlet fever	27	3		4	8	6	3	1			1		1
7	Whooping cough	14	1	1	3	3	2			2	1			1
8	Diphtheria and croup	34	2	2		3	10	2	3	1	5	2	3	1
9	Influenza	9	3	1	2		1					1		1
13	Tuberculosis of the lungs	159	16	14	11	11	17	21	8	12	9	11	11	18
14–15	Other forms of tuberculosis	21	2	1	3	3		4	1	2		2	2	1
17	Meningitis	14	2		3	1	1	1	2	2			2	
20–21	Bronchitis	61	12	7	4	13	6	1	2	2	2	3	3	6
22	Pneumonia	95	18	12	9	9	12	7	4	3	2	3	3	13
(23)	Bronchopneumonia	228	12	22	28	56	42	17	7	1	6	8	10	19
25	Diarrhea and enteritis (under 2 years)	278	11	12	13	11	7	14	73	61	32	23	15	6
(37)	Diarrhea and enteritis (2 years and over)	28	3	1		2	1	2	4	5	2	5	1	2
(33)	Congenital debility [1]	54	2	4	4	3	3	1	13	8	5	7	4	
35	Violent deaths (excluding suicide)	58	6	6	3	8	4	5	4	4	4	7	5	2
36	Suicide	9	1	3		2	1		1			1		
	All other causes	963	83	87	92	76	91	82	84	78	80	68	61	81
	LOWELL, MASS.													
	All causes	1,750	154	135	157	137	151	143	169	161	162	126	107	148
1	Typhoid fever	11					1		2		3	2	1	2
3	Malaria	1							1					
5	Measles	21				5	4	3	2	6		1		
6	Scarlet fever	4	1			1			1	1				
7	Whooping cough	5		1	1	1	2							
8	Diphtheria and croup	35	1	4	2	1	5	6		2	4	2	4	4
9	Influenza	4	2				1	1						
13	Tuberculosis of the lungs	99	9	10	7	9	16	2	8	7	8	9	6	8
14–15	Other forms of tuberculosis	32	1	2	4	4	2	1	4	4	1	5	3	1
17	Meningitis	18			1	4	1		6	3	1		1	1
20–21	Bronchitis	38	2	4	7	3	4	6	3	3			2	4
22	Pneumonia	88	18	5	11	7	6	4	3	4	5	6	7	12
(23)	Bronchopneumonia	69	8	8	4	8	10	6	6	3	3	1	2	10
25	Diarrhea and enteritis (under 2 years)	132	10	4	6	9	2	14	39	46	31	13	4	4
(37)	Diarrhea and enteritis (2 years and over)	22			1	2		1	5	8	2	2		1
(33)	Congenital debility [1]	63	3	5	4	1	3	7	6	4	13	9	3	5
35	Violent deaths (excluding suicide)	71	1	9	3	6	3	9	6	6	13	7	4	4
36	Suicide	14	1	1	1		2		2	1	1	2	2	1
	All other causes	973	97	82	105	76	89	83	75	63	77	67	68	91
	WORCESTER, MASS.													
	All causes	2,534	254	233	246	196	211	181	209	216	230	207	174	177
1	Typhoid fever	9		1				1	1	1	3		1	1
3	Malaria	1	1											
5	Measles	16		1		4	3	4	1		1	1	1	
6	Scarlet fever	12		4	2			1	1			1	1	2
7	Whooping cough	9	1	1	1			1	2	1	1	1		
8	Diphtheria and croup	36	4	2	2	2	1	4	2	2	3	3	5	6
9	Influenza	7	2	1	2	1						1		
13	Tuberculosis of the lungs	162	18	14	18	13	20	8	17	7	8	10	21	8
14–15	Other forms of tuberculosis	46	8	4	6	6	2	3	5	3	6		2	1
17	Meningitis	15	1	4	2	2		1	3				2	
20–21	Bronchitis	38	4	6	8	2	3	4	3	1	3	1	1	2
22	Pneumonia	162	24	25	25	21	17	12	3	5	3	6	9	12
(23)	Bronchopneumonia	117	19	22	16	12	7	11	4	3	6	5	4	8
25	Diarrhea and enteritis (under 2 years)	152	3	5	4	5	3	6	19	40	40	16	7	4
(37)	Diarrhea and enteritis (2 years and over)	41	1	1	3	1	1	1	5	11	9	4	1	3
(33)	Congenital debility [1]	47	3	8	6	2	3	4	3	6	1	6	3	2
35	Violent deaths (excluding suicide)	140	14	10	18	8	15	7	19	10	11	9	10	9
36	Suicide	27	2	1	2	2	3	4	2	2	3	4		2
	All other causes	1,497	149	123	131	115	133	109	119	124	132	139	106	117
	DETROIT, MICH.													
	All causes	8,995	758	722	840	804	796	759	862	742	742	641	643	686
1	Typhoid fever	153	8	12	5	11	15	10	16	13	25	15	15	8
3	Malaria	2				1		1						
5	Measles	106	4	3	13	11	19	7	14	23	1	3	1	7
6	Scarlet fever	111	17	17	15	27	15	9	2	3	1	5		
7	Whooping cough	100	10	5	11	8	9	6	15	10	7	2	5	12
8	Diphtheria and croup	300	25	20	36	27	29	21	22	17	25	28	37	13
9	Influenza	19	4	4	2	3	1		1		1			3
13	Tuberculosis of the lungs	513	45	49	48	44	43	50	44	30	47	28	33	52
14–15	Other forms of tuberculosis	91	7	4	6	6	13	11	12	8	5	11	4	4
17	Meningitis	151	10	11	19	14	15	20	10	14	7	8	11	12
20–21	Bronchitis	123	19	13	20	11	14	7	2	3	8	3	9	14
22	Pneumonia	604	58	68	75	73	79	41	25	22	22	41	44	56
(23)	Bronchopneumonia	483	56	63	76	55	40	31	20	24	19	21	31	47
25	Diarrhea and enteritis (under 2 years)	552	10	15	21	17	16	41	152	116	84	39	24	17
(37)	Diarrhea and enteritis (2 years and over)	69	2	4	2	4	6	8	19	12	5	3	3	1
(33)	Congenital debility [1]	384	22	23	19	24	24	25	56	41	52	26	30	42
35	Violent deaths (excluding suicide)	573	48	36	34	46	52	62	76	57	40	52	39	31
36	Suicide	113	6	11	5	8	5	8	8	13	15	11	14	9
	All other causes	4,548	407	364	433	414	401	401	368	336	378	345	343	358

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	GRAND RAPIDS, MICH.													
	All causes	1,600	139	149	138	126	116	109	108	155	147	144	141	128
1	Typhoid fever	22	4	3	1	1	1			2	2	2	1	5
3	Malaria	1										1		
5	Measles	11			1	1	1					1	2	5
6	Scarlet fever	22	3	2	2	1		1			1	4	1	7
7	Whooping cough	1											1	
8	Diphtheria and croup	53	3	1	3	3	2	1	2	3	7	9	10	9
9	Influenza	4	4											
13	Tuberculosis of the lungs	66	4	6	3	6	10	5	12	7	2	2	4	5
14-15	Other forms of tuberculosis	22	1		1	3	3	2	5	2	1	1	1	2
17	Meningitis	10		1		2	2		1		1	1		2
20-21	Bronchitis	32	3	10	1	2	3	3		1		2	3	4
22	Pneumonia	54	5	6	12	4	2	2	2		2	7	6	6
(23)	Bronchopneumonia	26	4	3	4	2	1			1	2	1	7	1
25	Diarrhea and enteritis (under 2 years)	81		3	3			2	2	26	22	15	7	1
(37)	Diarrhea and enteritis (2 years and over)	21	1	3		1	1	1	1	4	2	5	1	1
(33)	Congenital debility [1]	71	7	6	7	3	3	8	4	5	10	8	5	5
35	Violent deaths (excluding suicide)	86	7	3	5	7	5	7	7	7	17	8	2	11
36	Suicide	22	1	1	4	3	2	1	2		1		3	4
	All other causes	995	92	101	91	87	80	76	70	97	77	77	87	60
	MINNEAPOLIS, MINN.													
	All causes	3,861	402	341	398	319	334	297	279	288	276	284	283	360
1	Typhoid fever	40	1	1	4	2	2	1	5	1	5	4	7	7
3	Malaria													
5	Measles	20	2	5	10	1	2							
6	Scarlet fever	63	2	6	8	11	13	2	4	1	2	5	2	7
7	Whooping cough	15			2		2	1	2	2		1	3	2
8	Diphtheria and croup	56	5	3	7	2	6	2	2		3	6	11	9
9	Influenza	17	7	4	1	1	1	1					1	1
13	Tuberculosis of the lungs	387	34	34	37	41	41	26	39	36	24	23	20	32
14-15	Other forms of tuberculosis	65	5	5	7	6	6	9	6	3	5	2	5	6
17	Meningitis	17		2	4	3	3		1	1	1		1	1
20-21	Bronchitis	35	7	4	4	4	2	2	3	2		3	1	3
22	Pneumonia	191	38	22	22	16	14	12	6	9	6	14	12	20
(23)	Bronchopneumonia	151	32	24	20	11	12	6	4	2	7	4	11	18
25	Diarrhea and enteritis (under 2 years)	116	10	9	14	8	4	4	15	17	21	6	5	3
(37)	Diarrhea and enteritis (2 years and over)	41	5		1	2	4	2	6	10	6	2	2	1
(33)	Congenital debility [1]	38		5	1	3	3	5	3	6	5	2	5	
35	Violent deaths (excluding suicide)	280	25	15	20	22	22	32	24	15	18	37	25	25
36	Suicide	57	2	4	5	3	9	10	4	2	1	7	5	5
	All other causes	2,272	227	198	231	183	188	182	155	181	172	168	167	220
	ST. PAUL, MINN.													
	All causes	2,558	238	218	247	235	219	198	186	204	198	218	201	196
1	Typhoid fever	21	3	2	2	1		1	2		1	2	4	3
3	Malaria													
5	Measles	18	2	3	8	3	2							
6	Scarlet fever	18	1	1	1	8	1	3	1		1			1
7	Whooping cough	13	2		3	3	3	1		1				
8	Diphtheria and croup	43	2	4	9	6	4	4	4	2		1	3	4
9	Influenza	11	3	3	2	2			1					
13	Tuberculosis of the lungs	269	27	18	28	27	24	26	23	15	13	19	21	28
14-15	Other forms of tuberculosis	51	3	3	6	5	4	5	3	5	4	5	3	5
17	Meningitis	10	3		2	2		1			1	1		
20-21	Bronchitis	31	7	3	2	5	3			1	1	5		4
22	Pneumonia	112	15	16	13	16	11	4	3	4	5	8	7	10
(23)	Bronchopneumonia	76	14	7	14	6	5	3	2	1	4	5	5	10
25	Diarrhea and enteritis (under 2 years)	106	5	12	3	3	7	5	10	21	21	10	6	3
(37)	Diarrhea and enteritis (2 years and over)	23	2	2	1	3	1	1	1	6	1	1	2	2
(33)	Congenital debility [1]	34	2	2	5	1	2	5	5	4	4	2	1	1
35	Violent deaths (excluding suicide)	180	7	10	12	16	13	11	14	17	24	26	17	13
36	Suicide	49	4	2	1	6	7	5	4	5	6	3	3	3
	All other causes	1,493	136	130	135	122	132	123	113	122	112	130	129	109
	KANSAS CITY, MO. (TOTAL).													
	All causes	4,045	359	378	348	377	321	283	364	387	275	327	322	304
1	Typhoid fever	60	4	3	4	2	4	3	6	14	9	3	6	2
3	Malaria	3	1					1	1					
5	Measles	61		3	11	23	17	3	1		1	1		1
6	Scarlet fever	6	1			2	1				1			1
7	Whooping cough	24	1	1	3	2	3	2	6	1	2	1	2	
8	Diphtheria and croup	35	3	4	1	3	2	4		1	1	4	3	9
9	Influenza	27	5	9	3	2					2	1	4	1
13	Tuberculosis of the lungs	367	35	27	35	33	36	28	33	33	28	23	24	32
14-15	Other forms of tuberculosis	59	7	2	6	4	1	6	5	4	7	4	6	7
17	Meningitis	59	8	11	16	5	5	5	1		5			3
20-21	Bronchitis	37	5	8	6	3	2	1	1	2	2	2	3	2
22	Pnuemonia	201	36	39	33	18	9	4	4	6	5	14	16	17
(23)	Bronchopneumonia	115	18	19	16	7	13	5	5	3	6	5	7	11
25	Diarrhea and enteritis (under 2 years)	225	6	12	7	21	12	18	55	38	16	15	16	9
(37)	Diarrhea and enteritis (2 years and over)	43	3	4	2	3	4	1	8	4	6	1	3	4
(33)	Congenital debility [1]	19	2	1	1	1		4	2	3	1	3	1	
35	Violent deaths (excluding suicide)	352	28	27	23	41	25	20	31	45	26	33	26	27
36	Suicide	102	6	5	4	13	7	14	7	7	12	12	8	7
	All other causes	2,250	190	203	177	194	180	164	198	226	145	205	197	171

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	KANSAS CITY, MO. (WHITE).													
	All causes	3,419	307	325	297	309	272	248	296	325	225	279	268	268
1	Typhoid fever	51	4	3	3	2	4	3	3	12	7	2	6	2
3	Malaria	1	1											
5	Measles	59		3	11	23	16	3			1	1		1
6	Scarlet fever	5	1			1	1				1			1
7	Whooping cough	19			3	1	3	1	5	1	2	1	2	
8	Diphtheria and croup	34	3	4	1	3	2	4		1	1	3	3	9
9	Influenza	22	5	8	3	2					2		2	
13	Tuberculosis of the lungs	241	22	16	22	22	26	22	20	20	15	16	13	27
14-15	Other forms of tuberculosis	47	6	2	4	3	1	5	2	3	6	4	5	6
17	Meningitis	49	6	9	14	4	4	5			4			3
20-21	Bronchitis	27	2	5	5	2	1	1	1	2	2	1	3	2
22	Pneumonia	165	28	34	27	14	7	4	4	6	3	12	13	13
(23)	Bronchopneumonia	99	15	16	13	6	12	5	5	3	5	4	5	10
25	Diarrhea and enteritis (under 2 years)	212	6	12	6	21	11	16	49	37	15	15	16	8
(37)	Diarrhea and enteritis (2 years and over)	37	3	4	2	2	1	1	8	3	6	1	2	4
(33)	Congenital debility [1]	17	2	1	1	1		4	2	3		2	1	
35	Violent deaths (excluding suicide)	296	24	24	19	32	23	18	30	39	19	24	20	24
36	Suicide	95	5	4	4	12	5	14	6	6	12	12	8	7
	All other causes	1,943	174	180	159	158	155	142	161	189	124	181	169	151
	KANSAS CITY, MO. (COLORED).													
	All causes	626	52	53	51	68	49	35	68	62	50	48	54	36
1	Typhoid fever	9			1				3	2	2	1		
3	Malaria	2						1	1					
5	Measles	2					1		1					
6	Scarlet fever	1				1								
7	Whooping cough	5	1	1		1		1	1					
8	Diphtheria and croup	1										1		
9	Influenza	5		1								1	2	1
13	Tuberculosis of the lungs	126	13	11	13	11	10	6	13	13	13	7	11	5
14-15	Other forms of tuberculosis	12	1		2	1		1	3	1	1		1	1
17	Meningitis	10	2	2	2	1	1		1		1			
20-21	Bronchitis	10	3	3	1	1	1					1		
22	Pneumonia	36	8	5	6	4	2				2	2	3	4
(23)	Bronchopneumonia	16	3	3	3	1	1				1	1	2	1
25	Diarrhea and enteritis (under 2 years)	13			1		1	2	6	1	1			1
(37)	Diarrhea and enteritis (2 years and over)	6				1	3			1			1	
(33)	Congenital debility [1]	2									1	1		
35	Violent deaths (excluding suicide)	56	4	3	4	9	2	2	1	6	7	9	6	3
36	Suicide	7	1	1		1	2		1	1				
	All other causes	307	16	23	18	36	25	22	37	37	21	24	28	20
	ST. LOUIS, MO. (TOTAL).													
	All causes	10,761	1,021	896	1,034	922	895	885	885	905	777	881	853	807
1	Typhoid fever	122	9	3	3	8	2	4	14	19	19	18	15	8
3	Malaria	29		2	1	4	1	2	3	8	3		4	1
5	Measles	114	9	24	29	21	10	8				2	5	6
6	Scarlet fever	44	5	5	3	9	8	2	2		1	1		8
7	Whooping cough	27	1	2	2	1	3	2	4	7	1	2	2	
8	Diphtheria and croup	211	25	23	21	15	11	10	4	7	17	33	15	30
9	Influenza	90	30	10	17	8	3	4	1	2		1	8	6
13	Tuberculosis of the lungs	1,002	99	92	102	93	86	82	68	79	61	93	73	74
14-15	Other forms of tuberculosis	140	16	8	17	9	17	16	12	6	6	9	15	9
17	Meningitis	61	6	3	9	12	9	6	4	1		2	3	6
20-21	Bronchitis	187	26	23	27	14	12	13	11	10	6	14	16	15
22	Pneumonia	630	89	73	84	72	52	32	17	22	23	47	65	54
(23)	Bronchopneumonia	371	73	47	41	22	24	29	23	15	16	19	28	34
25	Diarrhea and enteritis (under 2 years)	525	14	16	30	27	18	57	96	113	55	50	26	23
(37)	Diarrhea and enteritis (2 years and over)	94	4	4	6	3	5	12	12	15	14	6	6	7
(33)	Congenital debility [1]	54	3	3	3	4	5	4	8	3	7	6	6	2
35	Violent deaths (excluding suicide)	656	48	52	59	39	53	65	77	65	53	48	58	39
36	Suicide	241	15	28	24	30	15	16	19	21	15	21	16	21
	All other causes	6,163	549	478	556	531	561	521	510	512	480	509	492	464
	ST. LOUIS, MO. (WHITE).													
	All causes	9,510	899	794	905	821	775	790	771	810	683	783	760	719
1	Typhoid fever	107	6	3	3	5	2	3	14	18	16	17	13	7
3	Malaria	25		2		3	1	2	3	6	3		4	1
5	Measles	107	9	24	28	20	5	8				2	5	6
6	Scarlet fever	44	5	5	3	9	8	2	2		1	1		8
7	Whooping cough	22	1	1	2	1	2	2	3	5	1	2	2	
8	Diphtheria and croup	202	24	22	20	15	10	9	3	6	17	32	15	29
9	Influenza	86	29	10	17	6	3	4	1	2		1	7	6
13	Tuberculosis of the lungs	780	77	69	82	80	63	65	47	63	42	79	58	55
14-15	Other forms of tuberculosis	112	15	7	15	8	13	12	7	5	4	9	11	6
17	Meningitis	52	6	3	9	6	8	5	3	1		2	3	6
20-21	Bronchitis	171	25	22	23	12	11	13	11	8	6	12	13	15
22	Pneumonia	528	78	60	65	65	41	26	13	21	21	38	55	45
(23)	Bronchopneumonia	312	61	41	33	16	21	29	16	13	16	16	23	27
25	Diarrhea and enteritis (under 2 years)	496	14	16	28	26	17	53	92	109	51	45	24	21
(37)	Diarrhea and enteritis (2 years and over)	84	4	3	6	2	4	11	12	13	11	6	6	6
(33)	Congenital debility [1]	53	3	3	3	4	5	3	8	3	7	6	6	2
35	Violent deaths (excluding suicide)	573	42	46	51	35	47	55	66	58	45	39	56	33
36	Suicide	233	14	26	24	30	14	16	17	20	14	21	16	21
	All other causes	5,523	486	431	493	478	500	472	453	459	428	455	443	425

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	ST. LOUIS, MO. (COLORED).													
	All causes	1,251	122	102	129	101	120	95	114	95	94	98	93	88
1	Typhoid fever	15	3	.....	.....	3	.....	1	.....	1	3	1	2	1
3	Malaria	4	.....	.....	1	1	.....	.....	.....	2	.....	.....	.....	.....
5	Measles	7	.....	.....	1	1	5	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	5	.....	1	.....	.....	1	.....	1	2	.....	.....	.....	.....
8	Diphtheria and croup	9	1	1	1	.....	1	1	1	1	.....	1	.....	1
9	Influenza	4	1	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....
13	Tuberculosis of the lungs	222	22	23	20	13	23	17	21	16	19	14	15	19
14–15	Other forms of tuberculosis	28	1	1	2	1	4	4	5	1	2	.....	4	3
17	Meningitis	9	.....	.....	.....	6	1	1	1	.....	.....	.....	.....	.....
20–21	Bronchitis	16	1	1	4	2	1	.....	.....	2	.....	2	3	.....
22	Pneumonia	102	11	13	19	7	11	6	4	1	2	9	10	9
(23)	Bronchopneumonia	59	12	6	8	6	3	.....	7	2	.....	3	5	7
25	Diarrhea and enteritis (under 2 years)	29	.....	.....	2	1	1	4	4	4	4	5	2	2
(37)	Diarrhea and enteritis (2 years and over)	10	.....	1	.....	1	1	1	.....	2	3	.....	.....	1
(33)	Congenital debility [1]	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
35	Violent deaths (excluding suicide)	83	6	6	8	4	6	10	11	7	8	9	2	6
36	Suicide	8	1	2	.....	.....	1	.....	2	1	1	.....	.....	.....
	All other causes	640	63	47	63	53	61	49	57	53	52	54	49	39
	OMAHA, NEBR.													
	All causes	1,822	175	139	260	149	113	124	174	136	116	125	170	141
1	Typhoid fever	10	.....	.....	.....	.....	.....	1	.....	1	3	2	3	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
6	Scarlet fever	14	.....	.....	4	2	1	.....	1	.....	.....	1	2	3
7	Whooping cough	3	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
8	Diphtheria and croup	21	6	2	.....	1	.....	.....	.....	1	.....	2	5	4
9	Influenza	7	2	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	118	10	8	13	14	6	7	13	8	6	8	14	11
14–15	Other forms of tuberculosis	21	.....	.....	4	2	.....	2	5	2	1	2	2	1
17	Meningitis	14	2	.....	2	1	.....	1	2	.....	1	.....	3	2
20–21	Bronchitis	15	.....	1	2	3	1	2	1	.....	.....	1	3	1
22	Pneumonia	84	19	16	11	5	4	3	1	5	2	4	8	6
(23)	Bronchopneumonia	73	8	6	16	12	2	3	3	.....	3	5	8	7
25	Diarrhea and enteritis (under 2 years)	57	1	3	.....	1	3	3	15	10	9	6	4	2
(37)	Diarrhea and enteritis (2 years and over)	12	2	.....	1	.....	.....	.....	2	3	2	.....	.....	2
(33)	Congenital debility [1]	55	5	10	4	6	3	.....	7	5	4	2	5	4
35	Violent deaths (excluding suicide)	229	7	5	103	8	7	14	25	17	12	11	16	4
36	Suicide	34	6	2	5	5	1	2	3	4	.....	1	3	2
	All other causes	1,054	107	82	93	88	85	86	95	79	73	80	94	92
	JERSEY CITY, N. J.													
	All causes	4,194	388	371	386	390	375	317	360	307	325	324	309	342
1	Typhoid fever	31	1	.....	2	2	3	4	3	4	6	2	3	1
3	Malaria	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
5	Measles	30	2	3	3	11	5	3	2	.....	.....	.....	.....	1
6	Scarlet fever	41	9	8	6	6	4	2	2	1	2	.....	.....	1
7	Whooping cough	37	.....	2	4	3	4	3	3	5	4	6	1	2
8	Diphtheria and croup	74	7	5	9	3	9	9	2	3	7	6	6	8
9	Influenza	12	1	1	2	3	1	.....	.....	.....	1	1	1	1
13	Tuberculosis of the lungs	384	31	32	37	42	45	26	39	31	24	21	29	27
14–15	Other forms of tuberculosis	62	4	11	2	7	10	3	3	3	4	7	6	2
17	Meningitis	32	1	5	4	5	4	3	1	4	1	2	2	.....
20–21	Bronchitis	66	7	5	7	4	6	7	1	1	2	3	7	16
22	Pneumonia	327	40	39	44	40	29	25	18	10	16	19	18	29
(23)	Bronchopneumonia	223	31	26	24	31	26	14	8	13	10	9	17	14
25	Diarrhea and enteritis (under 2 years)	252	4	9	11	10	7	18	56	53	46	18	5	15
(37)	Diarrhea and enteritis (2 years and over)	51	1	2	5	3	3	5	10	10	5	4	3	.....
(33)	Congenital debility [1]	81	8	1	2	2	8	6	8	9	10	16	5	6
35	Violent deaths (excluding suicide)	260	16	32	12	20	20	17	29	17	27	26	17	27
36	Suicide	31	1	3	2	1	8	1	1	2	2	6	2	2
	All other causes	2,199	224	187	210	197	182	171	174	141	158	178	187	190
	NEWARK, N. J.													
	All causes	5,454	498	488	531	441	450	425	494	426	367	435	396	503
1	Typhoid fever	33	1	.....	3	.....	1	2	6	5	6	5	4	.....
3	Malaria	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	18	.....	.....	2	1	1	2	5	2	.....	1	.....	4
6	Scarlet fever	21	3	2	4	3	4	1	1	1	.....	1	.....	1
7	Whooping cough	43	.....	3	1	6	6	3	10	2	3	1	3	5
8	Diphtheria and croup	69	8	2	7	10	3	6	5	4	3	3	11	7
9	Influenza	26	5	4	7	3	2	.....	.....	.....	1	.....	3	1
13	Tuberculosis of the lungs	569	63	47	59	54	42	33	34	44	44	52	44	53
14–15	Other forms of tuberculosis	92	9	7	8	4	15	10	10	8	3	5	3	10
17	Meningitis	29	2	3	3	3	.....	.....	4	7	3	1	1	2
20–21	Bronchitis	97	9	13	12	14	6	6	3	2	2	6	9	15
22	Pneumonia	296	45	38	48	26	16	17	9	12	9	13	26	37
(23)	Bronchopneumonia	237	27	26	38	28	23	16	11	7	8	9	19	25
25	Diarrhea and enteritis (under 2 years)	347	14	7	8	6	16	21	96	67	52	38	9	13
(37)	Diarrhea and enteritis (2 years and over)	41	3	.....	3	3	4	4	6	5	7	3	2	1
(33)	Congenital debility [1]	105	10	6	6	4	12	8	15	7	7	14	2	14
35	Violent deaths (excluding suicide)	313	34	30	22	16	27	25	37	23	26	31	22	20
36	Suicide	75	4	1	9	6	9	5	7	3	5	9	8	9
	All other causes	3,042	260	299	291	254	263	266	235	227	188	243	230	286

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	PATERSON, N. J.													
	All causes	1,780	156	150	163	145	158	141	154	179	123	151	111	149
1	Typhoid fever	11		1			1			1	2	3	3	
3	Malaria													
5	Measles	1										1		
6	Scarlet fever	4	1		2		1							
7	Whooping cough	11	1	1		2		2		2		2		1
8	Diphtheria and croup	13	1	1	4			1	3		1		2	
9	Influenza	12	2	2	4	2	2							
13	Tuberculosis of the lungs	176	10	13	15	18	26	19	12	10	9	13	12	19
14–15	Other forms of tuberculosis	20	2	3	3	2	1		2	3		3		1
17	Meningitis	16	2		2	2	1	3	2	1			1	2
20–21	Bronchitis	23	6	3	2	2	3		1		1		1	4
22	Pneumonia	148	16	23	19	11	12	7	8	8	9	7	10	18
(23)	Bronchopneumonia	62	13	7	7	2	6	4	3	4	3	2	2	9
25	Diarrhea and enteritis (under 2 years)	101		2	5		4	6	15	32	22	5	5	5
(37)	Diarrhea and enteritis (2 years and over)	19		1	1	1		2	4	4	4			2
(33)	Congenital debility[1]	41	4	1		1	3	3	5	5	4	9	3	3
35	Violent deaths (excluding suicide)	108	10	11	6	7	7	9	12	14	11	12	6	3
36	Suicide	26	1	2	4	2	4	1	2	1	1	2	5	1
	All other causes	988	87	79	89	93	87	84	85	94	56	92	61	81
	ALBANY, N. Y.													
	All causes	2,025	197	185	192	191	173	166	167	152	158	145	124	175
1	Typhoid fever	28	1		2	5	7	2		4	2	4		1
3	Malaria													
5	Measles	7	1	5								1		
6	Scarlet fever	2	1						1					
7	Whooping cough	10			1		1		1	4			3	
8	Diphtheria and croup	23		4	3	4		2	3			1	4	2
9	Influenza	20	8	1	3		1	1			1	1	2	2
13	Tuberculosis of the lungs	232	26	26	32	22	15	17	17	14	19	14	9	21
14–15	Other forms of tuberculosis	22	2	1	3	3	1	4	1	1	1	4		1
17	Meningitis	18	1		3	2	1	2	1		2	2	1	3
20–21	Bronchitis	21	5		4	2	1	2	2	1		2		2
22	Pneumonia	94	12	15	12	16	11	5	6		1	3	6	7
(23)	Broncho pneumonia	45	8	9	4	5	5	4		2			3	5
25	Diarrhea and enteritis (under 2 years)	61	3	3	5	3		3	15	15	4	7	2	1
(37)	Diarrhea and enteritis (2 years and over)	10			1	2	1		2	1	1	2		
(33)	Congenital debility[1]	36	3	1	1	1	2	3	5	8	5	2	3	2
35	Violent deaths (excluding suicide)	103	5	10	10	11	7	12	12	5	5	8	9	9
36	Suicide	15	2	2	1				1	1	3		3	2
	All other causes	1,278	119	108	107	115	120	109	100	96	114	94	79	117
	BUFFALO, N. Y.													
	All causes	7,043	636	586	588	562	602	561	546	729	560	585	509	579
1	Typhoid fever	69	6	3	3	4	7	3	5	7	5	13	6	7
3	Malaria	1												1
5	Measles	71	17	5	9	11	10	8	4	1		2	3	1
6	Scarlet fever	15		2	4	1	1	2					4	1
7	Whooping cough	27		1	1	1	1	1		3	4	2	6	7
8	Diphtheria and croup	43	4	3	3	6	3	2	1	2	2	4	8	5
9	Influenza	21	8	4	2		1	2			1	1		2
13	Tuberculosis of the lungs	600	38	49	67	60	54	55	41	51	39	47	51	48
14–15	Other forms of tuberculosis	97	5	8	12	10	6	6	8	5	11	10	5	11
17	Meningitis	36	3	1	2	2	5	3	1	5	2	7	2	3
20–21	Bronchitis	59	8	9	9	8	4	3	3	3	2	2	4	4
22	Pneumonia	321	44	40	35	34	36	30	11	14	8	19	27	23
(23)	Bronchopneumonia	345	49	61	42	32	31	22	10	10	13	12	25	38
25	Diarrhea and enteritis (under 2 years)	636	20	28	17	28	38	28	91	184	100	59	18	25
(37)	Diarrhea and enteritis (2 years and over)	54	2	1	2	1	4	3	2	14	9	4	8	4
(33)	Congenital debility[1]	45	6	3	4	3	6	2	5	5	3	3	1	4
35	Violent deaths (excluding suicide)	427	29	29	36	21	36	57	38	42	46	36	30	27
36	Suicide	46	5	3	1	4	7	1	5	5	4	7	2	2
	All other causes	4,130	392	336	339	336	352	333	321	378	311	357	309	366
	NEW YORK, N. Y. (TOTAL).													
	All causes	74,286	6,653	6,929	7,521	6,666	6,765	5,590	5,661	5,809	5,368	5,360	5,616	6,348
1	Typhoid fever	363	13	15	19	14	14	16	26	38	54	75	50	29
3	Malaria	16	1	2	1	1		1	2	1	3	2	1	1
5	Measles	721	47	45	92	108	151	89	47	35	13	13	33	48
6	Scarlet fever	572	72	62	97	87	86	61	16	14	12	13	21	31
7	Whooping cough	400	21	25	35	33	42	40	51	55	36	35	15	12
8	Diphtheria and croup	1,358	123	169	163	165	147	130	76	67	55	66	82	115
9	Influenza	281	54	52	59	37	15	7	3	3	5	7	12	27
13	Tuberculosis of the lungs	8,842	779	836	897	843	868	663	685	642	586	620	662	761
14–15	Other forms of tuberculosis	1,246	84	119	143	135	121	101	111	101	79	82	78	92
17	Meningitis	394	34	28	39	42	34	43	33	24	37	26	28	26
20–21	Bronchitis	951	94	114	126	88	107	62	49	46	41	64	62	98
22	Pneumonia	5,469	675	808	842	516	508	326	206	214	197	263	382	532
(23)	Bronchopneumonia	4,634	441	548	610	484	471	346	292	233	228	253	345	383
25	Diarrhea and enteritis (under 2 years)	3,820	176	136	224	197	190	221	630	833	548	352	172	141
(37)	Diarrhea and enteritis (2 years and over)	428	30	33	22	29	29	31	55	72	43	33	20	22
(33)	Congenital debility[1]	1,616	117	97	94	141	138	106	172	202	195	113	124	117
35	Violent deaths (excluding suicide)	4,050	311	313	299	277	319	367	446	371	316	334	351	346
36	Suicide	856	80	61	91	66	76	63	50	76	60	79	74	80
	All other causes	38,269	3,501	3,466	3,668	3,403	3,449	2,917	2,711	2,782	2,860	2,930	3,095	3,487

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.												
	NEW YORK, N. Y. (WHITE).												
	All causes	71,849	6,455	6,695	7,283	6,463	6,520	5,399	5,498	5,620	5,163	5,187	5,445	6,121
1	Typhoid fever	356	13	15	19	12	14	16	26	38	53	73	49	28
3	Malaria	14	1	1	1	1	.....	1	1	1	3	2	1	1
5	Measles	713	46	45	89	108	151	86	47	35	13	12	33	48
6	Scarlet fever	567	72	62	95	87	83	61	16	14	12	13	21	31
7	Whooping cough	382	21	24	35	33	37	37	49	54	33	32	15	12
8	Diphtheria and croup	1,331	121	168	162	163	145	125	72	65	53	66	80	111
9	Influenza	273	52	52	57	34	15	7	3	3	5	7	11	27
13	Tuberculosis of the lungs	8,307	735	793	839	799	810	626	645	599	546	535	624	706
14–15	Other forms of tuberculosis	1,175	80	117	136	126	111	96	107	91	76	74	73	88
17	Meningitis	330	33	28	38	42	33	42	30	22	35	25	28	24
20–21	Bronchitis	919	91	110	124	84	101	59	48	44	39	61	60	98
22	Pneumonia	5,256	650	774	813	492	489	317	201	201	189	250	366	514
(23)	Bronchopneumonia	4,456	431	522	583	471	460	323	282	228	211	241	334	370
25	Diarrhea and enteritis (under 2 years)	3,718	173	133	216	192	183	212	621	812	528	345	166	137
(37)	Diarrhea and enteritis (2 years and over)	416	30	32	22	29	26	30	54	68	42	32	29	22
(33)	Congenital debility [1]	1,565	112	92	91	137	135	104	165	198	189	109	119	114
35	Violent deaths (excluding suicide)	3,948	297	304	289	273	310	360	436	362	306	328	343	340
36	Suicide	846	79	61	89	64	73	63	50	76	59	78	74	80
	All other causes	37,227	3,418	3,362	3,585	3,316	3,344	2,834	2,645	2,709	2,771	2,854	3,019	3,370
	NEW YORK, N. Y. (COLORED).													
	All causes	2,437	198	234	238	203	245	191	163	189	205	173	171	227
1	Typhoid fever	7	.....	.....	.....	2	.....	.....	.....	.....	1	2	1	1
3	Malaria	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
5	Measles	8	1	.....	3	.....	.....	3	.....	.....	.....	1	.....	.....
6	Scarlet fever	5	.....	.....	2	.....	3	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	18	.....	1	.....	.....	5	3	2	1	3	3	.....	.....
8	Diphtheria and croup	27	2	1	1	2	2	5	4	2	2	.....	2	4
9	Influenza	8	2	.....	2	3	.....	.....	.....	.....	.....	.....	1	.....
13	Tuberculosis of the lungs	535	44	43	58	44	58	37	40	43	40	35	38	55
14–15	Other forms of tuberculosis	71	4	2	7	9	10	5	4	10	3	8	5	4
17	Meningitis	14	1	.....	1	.....	1	1	3	2	2	1	.....	2
20–21	Bronchitis	32	3	4	2	4	6	3	1	2	2	3	2	.....
22	Pneumonia	213	25	34	29	24	19	9	5	13	8	13	16	18
(23)	Bronchopneumonia	178	10	26	27	13	11	23	10	5	17	12	11	13
25	Diarrhea and enteritis (under 2 years)	102	3	3	8	5	7	9	9	21	20	7	6	4
(37)	Diarrhea and enteritis (2 years and over)	12	.....	1	.....	.....	3	1	1	4	1	1	.....	.....
(33)	Congenital debility [1]	51	5	5	3	4	3	2	7	4	6	4	5	3
35	Violent deaths (excluding suicide)	102	14	9	10	4	9	7	10	9	10	6	8	6
36	Suicide	10	1	.....	2	2	3	.....	.....	.....	1	1	.....	.....
	All other causes	1,042	83	104	83	87	105	83	66	73	89	76	76	117
	NEW YORK, N. Y. (BRONX BOROUGH, TOTAL).													
	All causes	7,020	644	657	664	620	659	578	550	557	497	492	537	565
1	Typhoid fever	31	1	1	2	2	.....	3	2	2	6	4	6	2
3	Malaria	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1
5	Measles	70	7	3	12	14	18	9	4	2	.....	.....	1	.....
6	Scarlet fever	47	1	6	11	5	10	4	3	2	1	.....	1	3
7	Whooping cough	45	2	2	6	4	7	1	9	5	4	3	1	1
8	Diphtheria and croup	144	11	21	18	17	22	19	7	5	4	4	6	10
9	Influenza	35	3	9	12	2	3	.....	1	1	.....	1	2	1
13	Tuberculosis of the lungs	910	75	69	77	82	93	109	73	68	57	75	67	65
14–15	Other forms of tuberculosis	104	10	9	9	11	11	8	12	10	6	7	6	5
17	Meningitis	39	4	2	2	8	4	5	4	1	1	2	4	2
20–21	Bronchitis	62	4	5	6	5	8	4	4	6	4	5	4	7
22	Pneumonia	502	63	86	73	49	48	23	21	20	18	18	39	44
(23)	Bronchopneumonia	356	42	45	38	31	46	22	21	14	18	22	25	32
25	Diarrhea and enteritis (under 2 years)	288	18	16	22	11	13	16	38	64	44	26	8	12
(37)	Diarrhea and enteritis (2 years and over)	38	1	1	.....	4	3	3	11	10	1	1	2	1
(33)	Congenital debility [1]	101	6	6	6	8	9	8	10	10	15	6	13	4
35	Violent deaths (excluding suicide)	388	31	21	28	19	29	40	50	40	27	38	40	25
36	Suicide	97	7	7	12	7	13	8	5	5	8	6	8	11
	All other causes	3,760	358	348	330	341	322	296	274	292	283	273	304	339
	NEW YORK, N. Y. (BRONX BOROUGH, WHITE).													
	All causes	6,920	637	642	659	616	649	566	545	547	490	482	528	559
1	Typhoid fever	21	1	1	2	2	.....	3	2	2	6	4	6	2
3	Malaria	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1
5	Measles	70	7	3	12	14	18	9	4	2	.....	.....	1	.....
6	Scarlet fever	47	1	6	11	5	10	4	3	2	1	.....	1	3
7	Whooping cough	44	2	2	6	4	7	.....	9	5	4	3	1	1
8	Diphtheria and croup	143	11	21	18	17	22	19	6	5	4	4	6	10
9	Influenza	33	3	9	11	2	3	.....	1	1	.....	1	1	1
13	Tuberculosis of the lungs	883	74	65	76	82	89	105	71	65	56	73	64	63
14–15	Other forms of tuberculosis	102	10	9	9	11	11	7	12	10	6	6	6	5
17	Meningitis	39	4	2	2	8	4	5	4	1	1	2	4	2
20–21	Bronchitis	62	4	5	6	5	8	4	4	6	4	5	4	7
22	Pneumonia	497	62	83	73	49	48	23	21	20	18	17	39	44
(23)	Bronchopneumonia	352	41	44	38	31	46	22	21	14	17	21	25	32
25	Diarrhea and enteritis (under 2 years)	286	18	16	21	11	13	16	38	64	44	25	8	12
(37)	Diarrhea and enteritis (2 years and over)	38	1	1	.....	4	3	3	11	10	1	1	2	1
(33)	Congenital debility [1]	100	5	6	6	8	9	8	10	10	15	6	13	4
35	Violent deaths (excluding suicide)	380	30	19	27	19	29	40	50	39	27	37	39	24
36	Suicide	97	7	7	12	7	13	8	5	5	8	6	8	11
	All other causes	3,713	356	343	329	337	316	290	272	286	278	270	300	336

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (BRONX BOROUGH, COLORED).													
	All causes	100	7	15	5	4	10	12	5	10	7	10	9	6
1	Typhoid fever													
3	Malaria													
5	Measles													
6	Scarlet fever													
7	Whooping cough	1						1						
8	Diphtheria and croup	1							1					
9	Influenza	2			1								1	
13	Tuberculosis of the lungs	27	1	4	1		4	4	2	3	1	2	3	2
14–15	Other forms of tuberculosis	2						1				1		
17	Meningitis													
20–21	Bronchitis													
22	Pneumonia	5	1	3								1		
(23)	Bronchopneumonia	4	1	1							1	1		
25	Diarrhea and enteritis (under 2 years)	2			1							1		
(37)	Diarrhea and enteritis (2 years and over)													
(33)	Congenital debility [1]	1	1											
35	Violent deaths (excluding suicide)	8	1	2	1					1		1	1	1
36	Suicide													
	All other causes	47	2	5	1	4	6	6	2	6	5	3	4	3
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).													
	All causes	24,830	2,202	2,348	2,561	2,177	2,167	1,889	1,918	1,905	1,824	1,770	1,867	2,202
1	Typhoid fever	121	7	6	8	6	8	7	12	11	14	17	16	9
3	Malaria	6		1				1	1	1		1	1	
5	Measles	141	3	7	12	19	21	29	16	7	3	2	15	7
6	Scarlet fever	199	38	27	33	30	21	21	3	2	4	5	7	8
7	Whooping cough	129	9	4	15	7	15	15	17	21	10	7	4	5
8	Diphtheria and croup	461	45	71	54	55	43	28	22	20	23	23	32	45
9	Influenza	124	26	25	27	15	4	5		2	3	2	3	12
13	Tuberculosis of the lungs	2,676	246	253	274	254	273	199	209	186	163	188	196	235
14–15	Other forms of tuberculosis	405	24	43	39	45	41	28	45	35	22	23	25	35
17	Meningitis	115	7	9	10	8	12	13	12	9	9	5	10	11
20–21	Bronchitis	399	38	57	54	36	45	25	19	14	16	25	26	44
22	Pneumonia	1,926	251	285	297	188	145	124	77	67	71	97	121	203
(23)	Bronchopneumonia	1,573	158	187	209	147	147	113	100	83	90	76	127	136
25	Diarrhea and enteritis (under 2 years)	1,326	53	40	71	49	63	88	259	315	178	112	60	33
(37)	Diarrhea and enteritis (2 years and over)	163	13	14	10	7	5	16	17	19	23	17	14	8
(33)	Congenital debility [1]	280	11	15	10	22	21	8	34	34	43	24	21	37
35	Violent deaths (excluding suicide)	1,205	93	103	86	75	90	112	116	120	108	94	101	107
36	Suicide	226	25	17	25	21	14	9	9	24	17	23	17	25
	All other causes	13,355	1,155	1,184	1,327	1,193	1,199	1,048	950	935	1,027	1,029	1,071	1,237
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).													
	All causes	24,252	2,158	2,285	2,517	2,124	2,104	1,836	1,884	1,865	1,777	1,737	1,822	2,143
1	Typhoid fever	117	7	6	8	5	8	7	12	11	13	17	15	8
3	Malaria	4						1		1		1	1	
5	Measles	140	3	7	12	19	21	28	16	7	3	2	15	7
6	Scarlet fever	197	38	27	32	30	20	21	3	2	4	5	7	8
7	Whooping cough	123	9	4	15	7	13	14	17	21	8	6	4	5
8	Diphtheria and croup	453	44	71	54	55	43	27	22	19	23	23	31	41
9	Influenza	121	26	25	26	13	4	5		2	3	2	3	12
13	Tuberculosis of the lungs	2,583	242	247	266	246	259	189	205	180	158	178	190	223
14–15	Other forms of tuberculosis	382	21	42	36	40	38	26	45	33	21	22	24	34
17	Meningitis	110	7	9	10	8	11	13	11	9	8	4	10	10
20–21	Bronchitis	388	37	55	54	35	43	23	19	12	16	25	25	44
22	Pneumonia	1,867	247	273	290	178	142	120	76	62	70	95	115	199
(23)	Bronchopneumonia	1,532	154	179	203	144	146	109	99	81	85	74	125	133
25	Diarrhea and enteritis (under 2 years)	1,293	51	39	70	47	61	85	257	306	173	110	56	33
(37)	Diarrhea and enteritis (2 years and over)	158	13	13	10	7	4	16	16	19	22	16	14	8
(33)	Congenital debility [1]	271	11	15	9	21	21	8	31	33	43	24	20	35
35	Violent deaths (excluding suicide)	1,184	87	100	86	74	88	111	113	119	107	94	100	105
36	Suicide	225	25	17	24	21	14	9	9	24	17	23	17	25
	All other causes	13,104	1,136	1,156	1,312	1,174	1,168	1,024	933	924	1,003	1,016	1,050	1,208
	NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).													
	All causes	578	44	63	44	53	63	53	34	40	47	33	45	59
1	Typhoid fever	4				1					1		1	1
3	Malaria	2		1					1					
5	Measles	1						1						
6	Scarlet fever	2			1		1							
7	Whooping cough	6					2	1			2	1		
8	Diphtheria and croup	8	1					1		1			1	4
9	Influenza	3			1	2								
13	Tuberculosis of the lungs	93	4	6	8	8	14	10	4	6	5	10	6	12
14–15	Other forms of tuberculosis	23	3	1	3	5	3	2		2	1	1	1	1
17	Meningitis	5					1		1		1	1		1
20–21	Bronchitis	11	1	2		1	2	2		2			1	
22	Pneumonia	59	4	12	7	10	3	4	1	5	1	2	6	4
(23)	Bronchopneumonia	41	4	8	6	3	1	4	1	2	5	2	2	3
25	Diarrhea and enteritis (under 2 years)	33	2	1	1	2	2	3	2	9	5	2	4	
(37)	Diarrhea and enteritis (2 years and over)	5		1			1		1		1	1		
(33)	Congenital debility [1]	9			1	1			3	1			1	2
35	Violent deaths (excluding suicide)	21	6	3		1	2	1	3	1	1		1	2
36	Suicide	1			1									
	All other causes	251	19	28	15	19	31	24	17	11	24	13	21	29

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).													
	All causes	36,375	3,333	3,403	3,680	3,363	3,461	2,634	2,710	2,797	2,573	2,652	2,753	3,016
1	Typhoid fever	180	3	7	6	4	4	4	11	21	30	49	26	15
3	Malaria	4	1	1	1	1								
5	Measles	464	33	28	59	67	109	43	25	26	9	11	16	38
6	Scarlet fever	269	30	26	40	41	47	29	8	7	4	8	10	19
7	Whooping cough	181	7	18	9	20	17	18	21	19	17	22	10	3
8	Diphtheria and croup	655	59	65	81	86	76	72	42	35	23	33	35	48
9	Influenza	100	21	17	14	14	8	1	1		2	3	6	13
13	Tuberculosis of the lungs	4,684	423	466	491	450	446	303	361	337	335	316	347	409
14-15	Other forms of tuberculosis	638	44	63	84	70	59	53	47	47	45	43	38	45
17	Meningitis	212	22	15	25	22	17	22	13	12	23	15	14	12
20-21	Bronchitis	419	44	43	56	43	46	26	22	23	19	31	30	36
22	Pneumonia	2,635	323	385	403	248	286	149	93	107	90	129	193	229
(23)	Bronchopneumonia	2,381	198	274	321	272	258	194	161	117	105	138	171	172
25	Diarrhea and enteritis (under 2 years)	1,846	91	69	116	122	100	89	257	379	275	180	90	78
(37)	Diarrhea and enteritis (2 years and over)	187	13	16	9	17	16	9	22	33	16	14	11	11
(33)	Congenital debility [1]	1,114	93	70	73	105	99	83	117	132	122	71	77	72
35	Violent deaths (excluding suicide)	2,109	166	169	159	155	170	191	236	174	148	169	186	186
36	Suicide	465	42	31	49	32	42	42	34	43	29	44	43	34
	All other causes	17,832	1,720	1,640	1,684	1,594	1,661	1,306	1,239	1,285	1,281	1,376	1,450	1,596
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).													
	All causes	34,729	3,191	3,255	3,500	3,228	3,300	2,514	2,597	2,671	2,433	2,528	2,646	2,866
1	Typhoid fever	178	3	7	6	4	4	4	11	21	30	47	26	15
3	Malaria	4	1	1	1	1								
5	Measles	457	32	28	56	67	109	41	25	26	9	10	16	38
6	Scarlet fever	266	30	26	39	41	45	29	8	7	4	8	10	19
7	Whooping cough	174	7	17	9	20	16	18	20	18	16	20	10	3
8	Diphtheria and croup	637	58	64	80	84	74	68	39	34	21	33	34	48
9	Influenza	97	19	17	14	13	8	1	1		2	3	6	13
13	Tuberculosis of the lungs	4,289	384	435	445	417	407	280	328	307	304	293	320	369
14-15	Other forms of tuberculosis	594	43	62	80	66	52	51	44	39	43	37	34	43
17	Meningitis	203	21	15	24	22	17	21	11	10	22	15	14	11
20-21	Bronchitis	401	42	42	54	40	42	25	22	23	18	28	29	36
22	Pneumonia	2,491	303	366	381	234	270	144	90	100	83	120	183	217
(23)	Bronchopneumonia	2,254	194	257	301	263	248	175	152	114	94	130	162	164
25	Diarrhea and enteritis (under 2 years)	1,785	90	67	110	120	96	85	250	369	260	176	88	74
(37)	Diarrhea and enteritis (2 years and over)	180	13	16	9	17	14	8	22	29	16	14	11	11
(33)	Congenital debility [1]	1,075	89	65	71	102	97	81	113	129	116	68	73	71
35	Violent deaths (excluding suicide)	2,038	159	165	151	152	164	185	229	167	139	164	180	183
36	Suicide	456	41	31	48	30	39	42	34	43	28	43	43	34
	All other causes	17,150	1,662	1,574	1,621	1,535	1,598	1,256	1,198	1,235	1,228	1,319	1,407	1,517
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).													
	All causes	1,646	142	148	180	135	161	120	113	126	140	124	107	150
1	Typhoid fever	2										2		
3	Malaria													
5	Measles	7	1		3			2				1		
6	Scarlet fever	3			1		2							
7	Whooping cough	7		1			1		1	1	1	2		
8	Diphtheria and croup	18	1	1	1	2	2	4	3	1	2		1	
9	Influenza	3	2			1								
13	Tuberculosis of the lungs	395	39	31	46	33	39	23	33	30	31	23	27	40
14-15	Other forms of tuberculosis	44	1	1	4	4	7	2	3	8	2	6	4	2
17	Meningitis	9	1		1			1	2	2	1			1
20-21	Bronchitis	18	2	1	2	3	4	1			1	3	1	
22	Pneumonia	144	20	19	22	14	16	5	3	7	7	9	10	12
(23)	Bronchopneumonia	127	4	17	20	9	10	19	9	3	11	8	9	8
25	Diarrhea and enteritis (under 2 years)	61	1	2	6	2	4	4	7	10	15	4	2	4
(37)	Diarrhea and enteritis (2 years and over)	7					2	1		4				
(33)	Congenital debility [1]	39	4	5	2	3	2	2	4	3	6	3	4	1
35	Violent deaths (excluding suicide)	71	7	4	8	3	6	6	7	7	9	5	6	3
36	Suicide	9	1		1	2	3				1	1		
	All other causes	682	58	66	63	59	63	50	41	50	53	57	43	79
	NEW YORK, N. Y. (QUEENS BOROUGH, TOTAL).													
	All causes	4,506	334	391	464	373	355	371	363	422	365	339	327	402
1	Typhoid fever	24	1	1	3	2	1	1	1	3	4	5		2
3	Malaria	3									3			
5	Measles	29	1	2	6	5	2	7	2		1			3
6	Scarlet fever	44	2	3	12	9	5	5	1	1	3		2	1
7	Whooping cough	35	3	1	5	2	1	4	3	9	3	2		2
8	Diphtheria and croup	85	8	11	10	6	6	10	4	5	4	5	8	8
9	Influenza	16	2	1	4	4		1	1			1	1	1
13	Tuberculosis of the lungs	427	23	35	38	38	41	42	30	43	28	31	38	40
14-15	Other forms of tuberculosis	68	4	3	9	8	5	6	6	7	3	6	5	6
17	Meningitis	21	1	2	1	3	1	2	2	1	4	3		1
20-21	Bronchitis	59	6	7	9	4	8	4	4	3	1	2	1	10
22	Pneumonia	310	26	40	48	28	23	22	14	17	15	16	24	37
(23)	Bronchopneumonia	242	27	30	32	25	15	14	8	14	14	13	16	34
25	Diarrhea and enteritis (under 2 years)	278	11	10	12	10	14	20	58	58	41	22	12	10
(37)	Diarrhea and enteritis (2 years and over)	29	3	2	3		4	2	3	7	3	1	1	
(33)	Congenital debility [1]	98	6	5	5	5	7	6	10	23	10	8	10	3
35	Violent deaths (excluding suicide)	243	14	16	23	14	19	21	31	21	25	18	18	23
36	Suicide	49	6	4	4	2	5	4	2	2	5	5	3	7
	All other causes	2,446	190	218	240	208	198	200	183	208	198	201	188	214

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (QUEENS BOROUGH, WHITE).													
	All causes	4,423	331	385	455	363	349	367	353	412	358	335	320	395
1	Typhoid fever	23	1	1	3	1	1	1	1	3	4	5		2
3	Malaria	3									3			
5	Measles	29	1	2	6	5	2	7	2		1			3
6	Scarlet fever	44	2	3	12	9	5	5	1	1	3		2	1
7	Whooping cough	33	3	1	5	2	1	3	2	9	3	2		2
8	Diphtheria and croup	85	8	11	10	6	6	10	4	5	4	5	8	8
9	Influenza	16	2	1	4	4		1	1			1	1	1
13	Tuberculosis of the lungs	411	23	33	35	36	41	42	29	40	26	31	36	39
14–15	Other forms of tuberculosis	67	4	3	9	8	5	6	5	7	3	6	5	6
17	Meningitis	21	1	2	1	3	1	2	2	1	4	3		1
20–21	Bronchitis	58	6	7	9	4	8	4	3	3	1	2	1	10
22	Pneumonia	307	26	40	48	28	23	22	13	16	15	15	24	37
(23)	Bronchopneumonia	233	27	30	31	24	15	14	8	14	14	12	16	33
25	Diarrhea and enteritis (under 2 years)	273	11	10	12	9	13	19	58	56	41	22	12	10
(37)	Diarrhea and enteritis (2 years and over)	29	3	2	3		4	2	3	7	3	1	1	
(33)	Congenital debility [1]	97	6	5	5	5	7	6	10	23	10	7	10	3
35	Violent deaths (excluding suicide)	241	14	16	22	14	18	21	31	21	25	18	18	23
36	Suicide	49	6	4	4	2	5	4	2	2	5	5	3	7
	All other causes	2,399	187	214	236	203	194	198	178	204	193	200	183	209
	NEW YORK, N. Y. (QUEENS BOROUGH, COLORED).													
	All causes	83	3	6	9	10	6	4	10	10	7	4	7	7
1	Typhoid fever	1				1								
3	Malaria													
5	Measles													
6	Scarlet fever													
7	Whooping cough	2						1	1					
8	Diphtheria and croup													
9	Influenza													
13	Tuberculosis of the lungs	16		2	3	2			1	3	2		2	1
14–15	Other forms of tuberculosis	1							1					
17	Meningitis													
20–21	Bronchitis	1							1					
22	Pneumonia	3							1	1		1		
(23)	Bronchopneumonia	4			1	1						1		1
25	Diarrhea and enteritis (under 2 years)	5				1	1	1		2				
(37)	Diarrhea and enteritis (2 years and over)													
(33)	Congenital debility [1]	1										1		
35	Violent deaths (excluding suicide)	2			1		1							
36	Suicide													
	All other causes	47	3	4	4	5	4	2	5	4	5	1	5	5
	NEW YORK, N. Y. (RICHMOND BOROUGH, TOTAL).													
	All causes	1,555	140	130	152	133	123	118	120	128	109	107	132	163
1	Typhoid fever	7	1				1	1		1			2	1
3	Malaria													
5	Measles	17	3	5	3	3	1	1					1	
6	Scarlet fever	13	1		1	2	3	2	1	2			1	
7	Whooping cough	10					2	2	1	1	2	1		1
8	Diphtheria and croup	13		1		1		1	1	2	1	1	1	4
9	Influenza	6	2		2	2								
13	Tuberculosis of the lungs	145	12	13	17	19	15	10	12	8	3	10	14	12
14–15	Other forms of tuberculosis	31	2	1	2	1	5	6	1	2	3	3	4	1
17	Meningitis	7			1	1		1	2	1		1		
20–21	Bronchitis	12	2	2	1			3			1	1	1	1
22	Pneumonia	96	12	12	21	3	6	8	1	3	3	3	5	19
(23)	Bronchopneumonia	82	16	12	10	9	5	3	2	5	1	4	6	9
25	Diarrhea and enteritis (under 2 years)	82	3	1	3	5		8	18	17	10	12	2	3
(37)	Diarrhea and enteritis (2 years and over)	11				1	1	1	2	3			1	2
(33)	Congenital debility [1]	23	1	1		1	2	1	1	3	5	4	3	1
35	Violent deaths (excluding suicide)	105	7	4	3	14	11	3	13	16	8	15	6	5
36	Suicide	19		2	1	4	2			2	1	1	3	3
	All other causes	876	78	76	87	67	69	67	65	62	71	51	82	101
	NEW YORK, N. Y. (RICHMOND BOROUGH, WHITE).													
	All causes	1,525	138	128	152	132	118	116	119	125	105	105	129	158
1	Typhoid fever	7	1				1	1		1			2	1
3	Malaria													
5	Measles	17	3	5	3	3	1	1					1	
6	Scarlet fever	13	1		1	2	3	2	1	2			1	
7	Whooping cough	8						2	1	1	2	1		1
8	Diphtheria and croup	13		1		1		1	1	2	1	1	1	4
9	Influenza	6	2		2	2								
13	Tuberculosis of the lungs	141	12	13	17	18	14	10	12	7	2	10	14	12
14–15	Other forms of tuberculosis	30	2	1	2	1	5	6	1	2	3	3	4	
17	Meningitis	7			1	1		1	2	1		1		
20–21	Bronchitis	10	2	1	1			3				1	1	1
22	Pneumonia	94	12	12	21	3	6	8	1	3	3	3	5	17
(23)	Bronchopneumonia	80	15	12	10	9	5	3	2	5	1	4	6	8
25	Diarrhea and enteritis (under 2 years)	81	3	1	3	5		7	18	17	10	12	2	3
(37)	Diarrhea and enteritis (2 years and over)	11				1	1	1	2	3			1	2
(33)	Congenital debility [1]	22	1	1		1	1	1	1	3	5	4	3	1
35	Violent deaths (excluding suicide)	105	7	4	3	14	11	3	13	16	8	15	6	5
36	Suicide	19		2	1	4	2			2	1	1	3	3
	All other causes	861	77	75	87	67	68	66	64	60	69	49	79	100

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (RICHMOND BOROUGH, COLORED).													
	All causes	30	2	2	.....	1	5	2	1	3	4	2	3	5
1	Typhoid fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	4	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....
14–15	Other forms of tuberculosis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
17	Meningitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20–21	Bronchitis	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
22	Pneumonia	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
(23)	Bronchopneumonia	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
25	Diarrhea and enteritis (under 2 years)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
(37)	Diarrhea and enteritis (2 years and over)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
(33)	Congenital debility [1]	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
35	Violent deaths (excluding suicide)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Suicide	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	All other causes	15	1	1	.....	.....	1	1	1	2	2	2	3	1
	ROCHESTER, N. Y.													
	All causes	3,448	312	282	327	311	320	273	256	260	273	272	281	281
1	Typhoid fever	21	2	1	1	1	.....	.....	2	1	4	4	2	3
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	8	.....	1	.....	.....	.....	.....	1	2	.....	2	1	1
6	Scarlet fever	21	2	2	1	1	2	6	4	1	.....	.....	.....	2
7	Whooping cough	28	2	.....	1	5	2	4	3	8	1	2	.....	.....
8	Diphtheria and croup	41	4	1	5	4	5	2	3	3	5	5	1	3
9	Influenza	8	1	1	3	.....	1	.....	.....	.....	.....	1	.....	1
13	Tuberculosis of the lungs	230	23	18	23	25	34	20	10	12	10	18	20	17
14–15	Other forms of tuberculosis	50	3	6	3	2	9	4	5	2	6	3	2	5
17	Meningitis	13	4	1	.....	1	.....	1	1	1	.....	.....	2	2
20–21	Bronchitis	56	7	7	10	7	7	3	2	1	5	.....	4	3
22	Pneumonia	197	25	18	30	13	26	21	8	5	2	15	14	20
(23)	Bronchopneumonia	169	23	16	21	14	21	11	6	12	11	10	8	16
25	Diarrhea and enteritis (under 2 years)	191	10	6	10	16	9	8	26	35	34	18	11	8
(37)	Diarrhea and enteritis (2 years and over)	32	.....	3	2	1	1	2	2	6	8	3	1	3
(33)	Congenital debility [1]	16	2	.....	2	5	.....	.....	2	1	2	.....	2	.....
35	Violent deaths (excluding suicide)	181	11	13	13	10	11	20	19	12	22	16	20	14
36	Suicide	45	2	1	6	2	2	5	2	4	6	4	7	4
	All other causes	2,141	191	187	196	204	190	166	160	154	157	171	186	179
	SYRACUSE, N. Y.													
	All causes	2,294	242	213	225	183	197	155	170	198	198	171	159	183
1	Typhoid fever	19	.....	.....	1	.....	1	3	1	2	3	1	2	5
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	23	.....	2	14	1	2	1	.....	1	.....	1	.....	1
6	Scarlet fever	19	.....	6	3	5	.....	.....	3	1	.....	.....	.....	1
7	Whooping cough	7	1	.....	.....	.....	.....	.....	1	1	.....	3	.....	1
8	Diphtheria and croup	21	6	5	1	1	3	.....	1	1	.....	2	.....	1
9	Influenza	7	5	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1
13	Tuberculosis of the lungs	147	18	8	17	18	11	14	12	7	10	7	6	19
14–15	Other forms of tuberculosis	30	4	4	.....	3	1	4	1	5	2	4	2	.....
17	Meningitis	7	1	.....	1	3	.....	.....	.....	2	.....	.....	.....	.....
20–21	Bronchitis	28	7	5	4	2	3	2	.....	.....	1	1	2	1
22	Pneumonia	194	29	30	19	28	19	9	5	8	8	10	15	14
(23)	Bronchopneumonia	77	12	14	11	7	4	8	4	1	2	3	4	7
25	Diarrhea and enteritis (under 2 years)	117	2	6	7	3	1	3	22	30	21	9	10	3
(37)	Diarrhea and enteritis (2 years and over)	28	1	2	.....	2	2	3	5	4	4	3	.....	2
(33)	Congenital debility [1]	78	9	7	6	3	9	5	5	7	9	9	3	6
35	Violent deaths (excluding suicide)	127	7	5	9	8	15	16	8	11	12	13	15	8
36	Suicide	29	1	1	2	3	5	1	4	5	1	3	1	2
	All other causes	1,336	139	118	130	95	121	86	98	112	125	102	99	111
	CINCINNATI, OHIO (TOTAL).													
	All causes	6,735	683	577	640	579	591	565	633	497	413	491	499	567
1	Typhoid fever	27	3	2	2	1	2	2	4	3	3	4	.....	1
3	Malaria	3	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....
5	Measles	72	32	22	8	5	1	.....	.....	1	.....	1	.....	2
6	Scarlet fever	21	6	1	6	3	.....	.....	.....	.....	1	1	1	2
7	Whooping cough	45	2	4	5	5	2	6	6	3	2	2	2	6
8	Diphtheria and croup	52	2	4	2	6	1	4	3	1	4	5	11	9
9	Influenza	54	21	14	9	3	.....	1	.....	.....	1	.....	2	3
13	Tuberculosis of the lungs	914	84	63	93	94	88	75	90	69	49	66	69	74
14–15	Other forms of tuberculosis	98	8	11	7	12	10	10	6	6	6	9	6	7
17	Meningitis	73	3	13	20	6	15	3	1	1	3	4	3	1
20–21	Bronchitis	96	14	7	10	9	6	10	6	5	3	7	12	7
22	Pneumonia	343	61	38	41	32	33	16	7	9	11	30	34	31
(23)	Bronchopneumonia	260	46	29	41	18	29	18	13	3	7	17	18	21
25	Diarrhea and enteritis (under 2 years)	257	18	9	8	11	8	21	65	51	19	18	15	14
(37)	Diarrhea and enteritis (2 years and over)	64	4	1	1	2	2	5	17	12	8	7	2	3
(33)	Congenital debility [1]	13	.....	1	1	2	2	2	.....	2	.....	1	1	1
35	Violent deaths (excluding suicide)	435	36	26	25	25	31	41	68	41	33	33	24	52
36	Suicide	66	5	2	6	7	4	8	3	6	3	10	7	5
	All other causes	3,842	338	330	355	338	357	342	344	284	259	275	292	328

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	CINCINNATI, OHIO (WHITE).													
	All causes	6,069	622	513	576	533	532	506	571	448	368	432	452	516
1	Typhoid fever	24	3	2	1	1	1	2	4	3	2	4		1
3	Malaria	1									1			
5	Measles	70	31	22	8	5	1			1		1		1
6	Scarlet fever	21	6	1	6	3					1	1	1	2
7	Whooping cough	41	2	4	5	4	2	6	4	3	2	2	2	5
8	Diphtheria and croup	52	2	4	2	6	1	4	3	1	4	5	11	9
9	Influenza	51	21	11	9	3		1			1		2	3
13	Tuberculosis of the lungs	736	71	47	74	80	71	59	75	56	41	46	53	63
14-15	Other forms of tuberculosis	89	8	10	6	11	9	10	6	5	5	9	4	6
17	Meningitis	64	3	11	19	6	13	3	1		1	4	2	1
20-21	Bronchitis	91	13	7	10	9	5	10	4	5	3	6	12	7
22	Pneumonia	288	49	29	36	26	30	14	4	8	11	25	30	26
(23)	Bronchopneumonia	228	43	24	35	15	24	14	12	3	7	17	15	19
25	Diarrhea and enteritis (under 2 years)	244	17	9	7	10	8	20	63	49	16	17	15	13
(37)	Diarrhea and enteritis (2 years and over)	60	3	1	1	2	2	5	15	12	7	7	2	3
(33)	Congenital debility [1]	13		1	1	2	2	2		2		1	1	1
35	Violent deaths (excluding suicide)	383	33	23	22	21	27	35	61	35	29	26	24	47
36	Suicide	66	5	2	6	7	4	8	3	6	3	10	7	5
	All other causes	3,547	312	305	328	322	332	313	316	259	234	251	271	304
	CINCINNATI, OHIO (COLORED).													
	All causes	666	61	64	64	46	59	59	62	49	45	59	47	51
1	Typhoid fever	3			1		1				1			
3	Malaria	2						1				1		
5	Measles	2	1											1
6	Scarlet fever													
7	Whooping cough	4				1			2					1
8	Diphtheria and croup													
9	Influenza	3		3										
13	Tuberculosis of the lungs	178	13	16	19	14	17	16	15	13	8	20	16	11
14-15	Other forms of tuberculosis	9		1	1	1	1			1	1		2	1
17	Meningitis	9		2	1		2			1	2		1	
20-21	Bronchitis	5	1				1		2			1		
22	Pneumonia	55	12	9	5	6	3	2	3	1		5	4	5
(23)	Bronchopneumonia	32	3	5	6	3	5	4	1				3	2
25	Diarrhea and enteritis (under 2 years)	13	1		1	1		1	2	2	3	1		1
(37)	Diarrhea and enteritis (2 years and over)	4	1						2		1			
(33)	Congenital debility [1]													
35	Violent deaths (excluding suicide)	52	3	3	3	4	4	6	7	6	4	7		5
36	Suicide													
	All other causes	295	26	25	27	16	25	29	28	25	25	24	21	24
	CLEVELAND, OHIO.													
	All causes	8,817	743	687	841	727	791	654	768	823	700	705	671	707
1	Typhoid fever	88	3	2	5	8	12	5	6	10	11	11	8	7
3	Malaria	1			1									
5	Measles	102	8	7	18	19	17	9	13	6	3	1		1
6	Scarlet fever	121	13	7	8	9	8	7	10	6	15	12	12	14
7	Whooping cough	62	5	5	6	7	9	8	7	7	3	1	3	1
8	Diphtheria and croup	226	21	25	12	16	10	14	13	9	17	28	33	28
9	Influenza	25	4	6	9		3						1	2
13	Tuberculosis of the lungs	711	54	54	74	75	82	49	62	63	43	50	56	49
14-15	Other forms of tuberculosis	109	8	6	15	11	6	17	12	10	5	5	6	8
17	Meningitis	65	3	4	12	14	9	3	3	5	2	4	4	2
20-12	Bronchitis	229	30	38	29	19	17	11	10	8	14	20	17	16
22	Pneumonia	477	57	56	67	50	45	38	18	21	17	36	38	34
(23)	Bronchopneumonia	319	34	36	39	28	30	17	18	11	21	25	28	32
25	Diarrhea and enteritis (under 2 years)	828	32	28	44	33	35	37	146	214	126	63	33	37
(37)	Diarrhea and enteritis (2 years and over)	71	2	3	5	6	5	6	7	16	7	4	7	3
(33)	Congenital debility [1]	88	7	5	8	8	3	5	4	8	11	10	7	12
35	Violent deaths (excluding suicide)	651	54	40	31	38	59	55	80	61	65	59	60	49
36	Suicide	105	7	5	13	10	12	16	8	5	4	10	9	6
	All other causes	4,539	401	360	445	376	429	357	351	363	336	366	349	406
	COLUMBUS, OHIO (TOTAL).													
	All causes	3,047	258	266	369	217	266	245	260	263	219	235	221	228
1	Typhoid fever	38	1	3		3	4	3	4	6	6	3	3	2
3	Malaria													
5	Measles	9		3	3		1	2						
6	Scarlet fever	9	3	1			2				1	1		1
7	Whooping cough	25	1	6	3	5	2	3	1	3			1	
8	Diphtheria and croup	21	3	3	4	1	1			3		4	1	1
9	Influenza	17	7	4	2	2	1		1					
13	Tuberculosis of the lungs	274	25	32	24	23	30	25	18	15	15	25	20	22
14-15	Other forms of tuberculosis	46	3	4	7	1	7	5	3	4		5	5	2
17	Meningitis	38	3		7	5	5	6	5		2		5	
20-21	Bronchitis	37	3	7	3	4	2	1		1	2	4	3	7
22	Pneumonia	118	13	16	10	15	15	12	3	6	3	8	10	7
(23)	Bronchopneumonia	109	15	12	20	9	11	6	7	2	2	5	9	11
25	Diarrhea and enteritis (under 2 years)	82	2	1		1	2	8	26	15	14	9	2	2
(37)	Diarrhea and enteritis (2 years and over)	33	1		3	1	1	2	5	12	4	2	2	
(33)	Congenital debility [1]	61	3	6	1	3	3	3	7	8	9	7	7	4
35	Violent deaths (excluding suicide)	296	15	13	106	13	12	18	31	23	21	14	14	16
36	Suicide	36	1	4	4	1	7	4	2	2	3	4	3	1
	All other causes	1,798	159	151	172	130	160	147	147	163	137	144	136	152

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	COLUMBUS, OHIO (WHITE).													
	All causes	2,748	231	239	344	202	229	221	235	242	193	209	197	206
1	Typhoid fever	35	1	3	.....	3	4	3	3	5	5	3	3	2
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	9	.....	3	3	.....	1	2	.....	.....	.....	.....	.....	.....
6	Scarlet fever	8	3	.....	.....	.....	2	.....	.....	.....	1	1	.....	1
7	Whooping cough	21	1	5	3	5	2	3	.....	1	.....	.....	1	.....
8	Diphtheria and croup	19	2	2	4	1	1	.....	.....	3	.....	4	1	1
9	Influenza	14	5	4	2	1	1	.....	1	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	230	20	30	21	19	23	19	18	13	13	21	16	17
14–15	Other forms of tuberculosis	42	2	4	6	1	6	4	3	4	.....	5	5	2
17	Meningitis	32	3	.....	6	5	4	5	4	.....	1	.....	4	.....
20–21	Bronchitis	37	3	7	3	4	2	1	.....	1	2	4	3	7
22	Pneumonia	92	12	11	6	12	14	9	1	5	2	7	8	5
(23)	Bronchopneumonia	93	11	10	19	9	9	5	6	2	2	4	6	10
25	Diarrhea and enteritis (under 2 years)	72	2	1	.....	1	1	5	22	15	12	9	2	2
(37)	Diarrhea and enteritis (2 years and over)	32	1	.....	3	1	1	2	5	11	4	2	2	.....
(33)	Congenital debility [1]	55	2	6	1	3	3	2	5	8	9	6	6	4
35	Violent deaths (excluding suicide)	275	14	11	102	13	11	16	29	22	18	11	13	15
36	Suicide	36	1	4	4	1	7	4	2	2	3	4	3	1
	All other causes	1,646	148	138	161	123	137	141	136	150	121	128	124	139
	COLUMBUS, OHIO (COLORED).													
	All causes	299	27	27	25	15	37	24	25	21	26	26	24	22
1	Typhoid fever	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	4	.....	1	.....	.....	.....	.....	1	2	.....	.....	.....	.....
8	Diphtheria and croup	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	3	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	44	5	2	3	4	7	6	.....	2	2	4	4	5
14–15	Other forms of tuberculosis	4	1	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
17	Meningitis	6	.....	.....	1	.....	1	1	1	.....	1	.....	1	.....
20–21	Bronchitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Pneumonia	26	1	5	4	3	1	3	2	1	1	1	2	2
(23)	Bronchopneumonia	16	4	2	1	.....	2	1	1	.....	.....	1	3	1
25	Diarrhea and enteritis (under 2 years)	10	.....	.....	.....	.....	1	3	4	.....	2	.....	.....	.....
(37)	Diarrhea and enteritis (2 years and over)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
(33)	Congenital debility [1]	6	1	.....	.....	.....	.....	1	2	.....	.....	1	1	.....
35	Violent deaths (excluding suicide)	21	1	2	4	.....	1	2	2	1	3	3	1	1
36	Suicide	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	All other causes	152	11	13	11	7	23	6	11	13	16	16	12	13
	DAYTON, OHIO.													
	All causes	1,950	196	162	252	173	148	131	168	170	141	126	150	133
1	Typhoid fever	22	.....	1	.....	1	1	.....	2	7	4	4	2	.....
3	Malaria	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	5	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	1
6	Scarlet fever	5	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	3	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	43	4	1	7	9	.....	.....	2	2	8	1	5	4
9	Influenza	11	3	.....	2	2	1	1	.....	.....	.....	1	1	.....
13	Tuberculosis of the lungs	180	25	11	28	21	15	5	13	13	11	9	12	17
14–15	Other forms of tuberculosis	24	1	2	2	2	2	2	3	5	2	2	.....	1
17	Meningitis	19	2	1	3	2	2	.....	.....	3	.....	3	.....	3
20–21	Bronchitis	15	3	2	.....	.....	4	1	.....	1	.....	.....	3	1
22	Pneumonia	98	17	17	11	11	4	4	3	3	2	8	9	9
(23)	Bronchopneumonia	58	7	15	8	9	2	2	1	3	3	.....	3	5
25	Diarrhea and enteritis (under 2 years)	99	1	1	5	3	2	7	31	28	10	8	2	1
(37)	Diarrhea and enteritis (2 years and over)	13	.....	.....	.....	1	2	3	3	2	1	.....	.....	1
(33)	Congenital debility [1]	17	2	1	1	.....	2	.....	.....	4	2	2	1	2
35	Violent deaths (excluding suicide)	199	8	8	81	9	16	14	14	9	7	10	15	8
36	Suicide	32	2	4	1	1	2	5	4	1	3	3	4	2
	All other causes	1,106	117	96	103	100	92	87	90	88	88	75	92	78
	TOLEDO, OHIO.													
	All causes	2,917	245	201	283	215	262	239	249	255	256	248	230	234
1	Typhoid fever	75	3	.....	6	2	4	13	10	4	9	12	8	4
3	Malaria	3	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....
5	Measles	14	.....	1	4	1	5	1	2	.....	.....	.....	.....	.....
6	Scarlet fever	12	1	1	2	3	1	1	1	.....	.....	.....	1	1
7	Whooping cough	8	1	.....	1	.....	2	.....	.....	1	1	.....	.....	2
8	Diphtheria and croup	42	6	1	6	2	4	2	3	2	2	4	7	3
9	Influenza	19	5	6	1	.....	.....	3	.....	.....	.....	1	2	1
13	Tuberculosis of the lungs	200	26	21	29	23	26	23	27	20	19	20	30	26
14–15	Other forms of tuberculosis	50	.....	2	5	5	6	5	5	4	5	5	4	4
17	Meningitis	18	1	1	4	4	2	1	.....	3	.....	1	1	.....
20–21	Bronchitis	23	7	3	4	2	2	.....	.....	1	.....	.....	3	1
22	Pneumonia	83	8	15	11	7	9	3	1	1	6	6	6	10
(23)	Bronchopneumonia	79	15	9	15	7	8	7	1	1	2	4	4	6
25	Diarrhea and enteritis (under 2 years)	168	3	1	6	11	2	5	10	50	41	27	8	4
(37)	Diarrhea and enteritis (2 years and over)	36	3	1	.....	1	4	3	3	7	8	2	2	2
(33)	Congenital debility [1]	21	1	1	2	2	1	.....	2	1	6	1	6	1
35	Violent deaths (excluding suicide)	242	13	9	16	15	20	28	38	22	21	17	24	19
36	Suicide	40	5	1	2	2	5	1	7	4	4	2	2	5
	All other causes	1,691	117	128	169	127	161	143	139	134	131	145	122	145

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	PORTLAND, OREG.													
	All causes	2,347	221	211	232	192	210	184	195	158	172	183	198	191
1	Typhoid fever	16		3	1	1	1		3	1	2	4		
3	Malaria	1					1							
5	Measles	6			1			1	1				1	2
6	Scarlet fever	10	2	2	1	1		1			1	1		1
7	Whooping cough	10	1	1	1	1	1	1	3				1	
8	Diphtheria and croup	13		1	2	2		2			1		2	3
9	Influenza	15	2		2	1		2	1	1		2	2	2
13	Tuberculosis of the lungs	159	11	18	19	21	20	10	12	10	13	7	9	9
14–15	Other forms of tuberculosis	50	2	2	6	5	7	3	5	3	5	5	3	4
17	Meningitis	20	2	2	2	2	1	2	2	3	1		2	1
20–21	Bronchitis	15	5	1	2			2				1	3	1
22	Pneumonia	131	20	19	12	6	13	9	6	3	2	10	11	20
(23)	Bronchopneumonia	55	8	9	3	5	11	3	1		4	3	3	5
25	Diarrhea and enteritis (under 2 years)	29	2	1		2	1	1	3	3	11	3	2	
(37)	Diarrhea and enteritis (2 years and over)	15	2	1	4	1			4			3		
(33)	Congenital debility [1]	49	6	4	2	5	7	3	6	1	7	4	1	3
35	Violent deaths (excluding suicide)	172	15	14	14	13	12	10	20	14	16	15	18	11
36	Suicide	56	9	4	3	5	6	1	3	4	4	6	9	2
	All other causes	1,525	134	129	157	121	129	133	125	115	105	119	131	127
	PHILADELPHIA, PA. (TOTAL).													
	All causes	25,612	2,332	2,389	2,447	2,188	2,082	2,063	2,204	1,945	1,856	1,858	2,022	2,226
1	Typhoid fever	257	14	5	9	13	29	32	26	44	26	20	21	18
3	Malaria	7	2		1	1					1	1	1	
5	Measles	204	26	24	43	40	21	15	17	9	2	1	1	5
6	Scarlet fever	172	13	13	18	12	14	15	6	4	9	17	28	23
7	Whooping cough	105	4	3	7	6	6	7	7	15	14	10	13	13
8	Diphtheria and croup	351	36	50	30	45	25	27	11	14	26	12	39	36
9	Influenza	148	44	34	25	10	11		1		2	7	5	9
13	Tuberculosis of the lungs	2,692	220	252	236	282	279	232	198	197	190	188	181	237
14–15	Other forms of tuberculosis	386	41	33	27	32	33	46	41	37	37	28	21	10
17	Meningitis	78	7	6	8	8	6	3	10	8	8	5	5	4
20–21	Bronchitis	345	42	52	46	28	27	17	12	15	8	13	30	55
22	Pneumonia	1,335	180	183	194	117	113	70	49	55	50	64	111	149
(23)	Bronchopneumonia	1,038	118	192	146	89	73	52	42	43	42	58	61	122
25	Diarrhea and enteritis (under 2 years)	1,641	59	60	57	68	73	160	352	313	233	132	74	60
(37)	Diarrhea and enteritis (2 years and over)	213	10	8	6	22	16	20	38	30	19	14	15	15
(33)	Congenital debility [1]	430	26	25	23	37	39	45	45	39	63	30	37	21
35	Violent deaths (excluding suicide)	1,277	100	103	104	104	91	124	131	108	84	98	107	123
36	Suicide	288	29	22	29	28	29	17	19	26	15	24	24	26
	All other causes	14,645	1,361	1,324	1,438	1,246	1,197	1,181	1,199	988	1,027	1,136	1,248	1,300
	PHILADELPHIA, PA. (WHITE).													
	All causes	23,405	2,153	2,197	2,247	1,990	1,874	1,879	2,010	1,786	1,692	1,706	1,839	2,032
1	Typhoid fever	229	12	4	8	10	25	28	26	38	24	19	20	15
3	Malaria	6	2			1					1	1	1	
5	Measles	188	25	23	36	36	20	15	15	9	2	1	1	5
6	Scarlet fever	168	13	12	17	12	14	15	6	4	9	17	27	22
7	Whooping cough	85	3	2	6	6	4	5	7	14	12	6	9	11
8	Diphtheria and croup	336	36	49	28	41	24	24	9	14	26	12	37	36
9	Influenza	141	41	33	24	10	11		1		1	7	5	8
13	Tuberculosis of the lungs	2,278	190	217	206	235	235	195	163	160	162	163	150	202
14–15	Other forms of tuberculosis	332	37	27	23	25	25	41	36	34	33	25	18	8
17	Meningitis	76	6	6	8	8	6	3	10	8	7	5	5	4
20–21	Bronchitis	313	41	49	39	25	25	16	10	13	7	10	28	50
22	Pneumonia	1,170	163	168	168	102	94	60	40	50	41	60	89	135
(23)	Bronchopneumonia	932	107	133	134	79	61	46	38	37	36	48	56	107
25	Diarrhea and enteritis (under 2 years)	1,501	54	57	56	64	65	145	323	282	212	122	68	53
(37)	Diarrhea and enteritis (2 years and over)	194	10	7	5	20	14	18	34	29	18	13	12	14
(33)	Congenital debility [1]	392	26	21	22	33	34	38	43	38	57	29	33	18
35	Violent deaths (excluding suicide)	1,182	94	92	96	98	82	117	121	101	75	91	104	111
36	Suicide	284	29	21	29	28	29	17	19	25	15	23	23	26
	All other causes	13,598	1,264	1,226	1,342	1,157	1,106	1,096	1,109	930	954	1,054	1,153	1,207
	PHILADELPHIA, PA. (COLORED).													
	All causes	2,207	179	192	200	198	208	184	194	159	164	152	183	194
1	Typhoid fever	28	2	1	1	3	4	4		6	2	1	1	3
3	Malaria	1			1									
5	Measles	16	1	1	7	4	1		2					
6	Scarlet fever	4		1	1								1	1
7	Whooping cough	20	1	1	1		2	2		1	2	4	4	2
8	Diphtheria and croup	15		1	2	4	1	3	2				2	
9	Influenza	7	3	1	1						1			1
13	Tuberculosis of the lungs	414	30	35	30	47	44	37	35	37	28	25	31	35
14–15	Other forms of tuberculosis	54	4	6	4	7	8	5	5	3	4	3	3	2
17	Meningitis	2	1								1			
20–21	Bronchitis	32	1	3	7	3	2	1	2	2	1	3	2	5
22	Pneumonia	165	17	15	26	15	19	10	9	5	9	4	22	14
(23)	Bronchopneumonia	106	11	9	12	10	12	6	4	6	6	10	5	15
25	Diarrhea and enteritis (under 2 years)	140	5	3	1	4	8	15	29	31	21	10	6	7
(37)	Diarrhea and enteritis (2 years and over)	19		1	1	2	2	2	4	1	1	1	3	1
(33)	Congenital debility [1]	38		4	1	4	5	7	2	1	6	1	4	3
35	Violent deaths (excluding suicide)	95	6	11	8	6	9	7	10	7	9	7	3	12
36	Suicide	4		1						1		1	1	
	All other causes	1,047	97	98	96	89	91	85	90	58	73	82	95	93

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	PITTSBURGH, PA. (TOTAL).													
	All causes	9,550	821	789	824	784	846	788	871	817	762	687	766	789
1	Typhoid fever	109	7	6	7	5	8	5	9	13	19	10	5	15
3	Malaria	2	1								1			
5	Measles	153	25	22	32	24	16	6	4	7	3	2	8	4
6	Scarlet fever	147	1	6	7	12	13	13	14	10	13	18	14	26
7	Whooping cough	86	4	3	9	11	12	18	10	5	6	4	1	3
8	Diphtheria and croup	204	26	16	16	17	9	8	10	11	17	26	28	20
9	Influenza	47	9	6	11	7	1		2		2	4	2	3
13	Tuberculosis of the lungs	594	51	52	55	54	59	52	50	47	51	29	40	54
14–15	Other forms of tuberculosis	119	10	7	10	7	7	8	13	15	8	14	8	12
17	Meningitis	60	4	5	10	6	5	6	4	2	4	4	5	5
20–21	Bronchitis	183	22	19	18	18	16	15	8	13	8	16	19	11
22	Pneumonia	936	103	87	82	71	116	76	31	42	73	85	104	66
(23)	Bronchopneumonia	647	74	64	63	68	86	48	39	38	29	41	48	49
25	Diarrhea and enteritis (under 2 years)	752	26	28	37	28	32	59	201	154	88	42	34	23
(37)	Diarrhea and enteritis (2 years and over)	112	4	11	10	7	7	10	15	13	15	9	3	8
(33)	Congenital debility [1]	138	8	10	12	6	6	11	23	15	20	11	11	5
35	Violent deaths (excluding suicide)	760	60	64	63	68	59	64	69	78	66	61	58	50
36	Suicide	89	10	4	8	5	10	11	3	4	9	10	3	12
	All other causes	4,412	376	379	374	370	384	378	366	350	336	301	375	423
	PITTSBURGH, PA. (WHITE).													
	All causes	8,958	770	748	771	735	786	728	816	762	728	644	724	746
1	Typhoid fever	101	7	6	6	4	8	5	7	13	19	7	5	14
3	Malaria	1	1											
5	Measles	148	24	22	31	23	14	6	4	7	3	2	8	4
6	Scarlet fever	144	1	6	7	11	13	13	14	10	13	18	13	25
7	Whooping cough	77	3	3	8	11	11	14	9	4	6	4	1	3
8	Diphtheria and croup	202	26	16	16	17	9	8	9	11	16	26	28	20
9	Influenza	46	9	6	11	7	1		2		2	4	1	3
13	Tuberculosis of the lungs	517	49	46	50	46	53	42	38	38	46	24	38	47
14–15	Other forms of tuberculosis	98	6	7	7	6	6	7	13	12	6	11	7	10
17	Meningitis	59	4	5	9	6	5	6	4	2	4	4	5	5
20–21	Bronchitis	174	19	19	16	18	16	15	8	12	8	16	17	10
22	Pneumonia	855	98	82	69	63	103	67	30	36	69	80	95	63
(23)	Bronchopneumonia	592	69	58	56	62	81	42	36	31	29	38	46	44
25	Diarrhea and enteritis (under 2 years)	721	25	28	36	26	30	56	190	147	87	40	33	23
(37)	Diarrhea and enteritis (2 years and over)	104	4	9	9	7	6	9	15	12	13	9	3	8
(33)	Congenital debility [1]	134	7	10	12	6	6	11	21	15	19	11	11	5
35	Violent deaths (excluding suicide)	724	57	63	62	65	55	60	66	74	61	57	55	49
36	Suicide	89	10	4	8	5	10	11	3	4	9	10	3	12
	All other causes	4,172	351	358	358	352	359	356	347	334	318	283	355	401
	PITTSBURGH, PA. (COLORED).													
	All causes	592	51	41	53	49	60	60	55	55	40	43	42	43
1	Typhoid fever	8			1	1			2			3		1
3	Malaria	1									1			
5	Measles	5	1		1	1	2							
6	Scarlet fever	3				1							1	1
7	Whooping cough	9	1		1		1	4	1	1				
8	Diphtheria and croup	2							1		1			
9	Influenza	1											1	
13	Tuberculosis of the lungs	77	2	6	5	8	6	10	12	9	5	5	2	7
14–15	Other forms of tuberculosis	21	4		3	1	1	1		3	2	3	1	2
17	Meningitis	1			1									
20–21	Bronchitis	9	3		2					1			2	1
22	Pneumonia	81	5	5	13	8	13	9	1	6	4	5	9	3
(23)	Bronchopneumonia	55	5	6	7	6	5	6	3	7		3	2	5
25	Diarrhea and enteritis (under 2 years)	31	1		1	2	2	3	11	7	1	2	1	
(37)	Diarrhea and enteritis (2 years and over)	8		2	1		1	1		1	2			
(33)	Congenital debility [1]	4	1						2		1			
35	Violent deaths (excluding suicide)	36	3	1	1	3	4	4	3	4	5	4	3	1
36	Suicide													
	All other causes	240	25	21	16	18	25	22	19	16	18	18	20	22
	SCRANTON, PA.													
	All causes	2,057	184	144	187	150	156	159	185	219	202	148	163	160
1	Typhoid fever	13	2	1		1		2			5		1	1
3	Malaria													
5	Measles	4					1	2			1			
6	Scarlet fever	14	2		2	3	1	3	3					
7	Whooping cough	11	2		2	3	1	2						1
8	Diphtheria and croup	44	4	5	4	1	4	2	1	2	6	5	4	6
9	Influenza	11	4	1	1	1			2		1		1	
13	Tuberculosis of the lungs	106	14	8	6	5	20	9	7	7	10	7	6	7
14–15	Other forms of tuberculosis	14		2	2	1		1	1	1	1	2	2	1
17	Meningitis	16		1	3		1		2	2	2	2	1	2
20–21	Bronchitis	44	5	4	4	2	4	5	3	1	4	2	4	6
22	Pneumonia	166	13	17	21	11	11	10	15	7	13	9	21	18
(23)	Bronchopneumonia	123	18	11	11	14	9	5	4	6	15	7	12	11
25	Diarrhea and enteritis (under 2 years)	192	4	4	8	1	5	11	42	56	31	19	7	4
(37)	Diarrhea and enteritis (2 years and over)	26	1		1	1			3	13	4	2	1	
(33)	Congenital debility [1]	18	1		3	2		2		6	2	1		1
35	Violent deaths (excluding suicide)	218	14	15	18	15	17	25	24	25	10	18	17	20
36	Suicide	13	1				1	2	2		1		4	2
	All other causes	1,024	99	75	101	89	81	78	76	93	96	74	82	80

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	PROVIDENCE, R. I.													
	All causes	3,643	322	348	361	308	265	273	303	283	275	287	292	326
1	Typhoid fever	27	2	3	1	2		3	1	3	4	5	1	2
3	Malaria	3	1					1						1
5	Measles	38				2	4	3	5	1	3	1	11	8
6	Scarlet fever	13	1	2	2	2	1	1	1	1			1	1
7	Whooping cough	16			2	2	2	2		1	2	1	3	1
8	Diphtheria and croup	71	4	5	6	6	3	5	5	4	2	6	12	8
9	Influenza	21	9	2	4	2	1	1	1					1
13	Tuberculosis of the lungs	310	29	27	43	20	27	28	25	15	18	25	24	29
14–15	Other forms of tuberculosis	79	8	8	5	10	6	5	6	4	7	5	6	9
17	Meningitis	24	4		1	3	1	1	4	1	3		3	3
20–21	Bronchitis	41	8	8	7	2	1	4	1	3		1	3	3
22	Pneumonia	258	35	44	36	25	21	14	9	12	10	15	12	25
(23)	Bronchopneumonia	125	16	13	11	14	6	3	7	6	8	10	14	17
25	Diarrhea and enteritis (under 2 years)	181	4	13	11	8	6	8	30	38	41	12	4	6
(37)	Diarrhea and enteritis (2 years and over)	22	2	1	2	3	2	1	3	2	2	1	2	1
(33)	Congenital debility [1]	95	4	5	7	4	6	4	9	19	12	10	9	6
35	Violent deaths (excluding suicide)	233	10	18	23	17	22	24	17	19	20	22	21	20
36	Suicide	35	1		3	4	3	5	4	1	3	7	2	2
	All other causes	2,051	184	199	197	182	148	160	175	153	140	166	164	183
	MEMPHIS, TENN. (TOTAL).													
	All causes	2,923	263	252	282	238	265	265	222	224	200	246	226	240
1	Typhoid fever	48	3	4		2		4	7	9	9	4	3	3
3	Malaria	109	1	2	3	2	6	13	13	18	20	16	7	8
5	Measles	16	1			4	6	3	1	1				
6	Scarlet fever	12	1	5	2		2	2						
7	Whooping cough	13	1	1				3		5	2			1
8	Diphtheria and croup	14	3	1	2	2		3		1			1	1
9	Influenza	33	9	6	6	5	2	2			1	1	1	
13	Tuberculosis of the lungs	341	33	30	30	34	28	23	30	25	16	31	27	34
14–15	Other forms of tuberculosis	33	2	2	7	2	6	3	1	3	4		2	1
17	Meningitis	62	8	11	18	7	7	1	4			1	4	1
20–21	Bronchitis	33	7	1	3	4	3	4	1		2	3	3	2
22	Pneumonia	163	26	20	24	20	20	5	3	3	2	5	16	19
(23)	Bronchopneumonia	69	14	10	9	6	3	5	3	1	1	1	5	11
25	Diarrhea and enteritis (under 2 years)	71	3	3	3	4	9	11	7	9	8	6	3	5
(37)	Diarrhea and enteritis (2 years and over)	31	2	2	1	2	4	5	5	1	3	1	4	1
(33)	Congenital debility [1]	37		1	3	2	3	6	2	6	1	6	1	6
35	Violent deaths (excluding suicide)	272	29	27	24	20	24	23	23	23	12	15	28	24
36	Suicide	32	2	3	3	3	4	2	3	3	1	1	2	5
	All other causes	1,534	118	123	144	119	138	147	119	116	118	155	119	118
	MEMPHIS, TENN. (WHITE).													
	All causes	1,336	118	123	129	126	103	126	93	99	100	119	100	100
1	Typhoid fever	28	1			2		2	5	5	7	2	3	1
3	Malaria	28	1				1	3	3	6	7	4	2	1
5	Measles	9				3	4	1		1				
6	Scarlet fever	10	1	5	2			2						
7	Whooping cough	6	1	1				2		1	1			
8	Diphtheria and croup	7		1		1		3					1	1
9	Influenza	6	1	1		1	1				1		1	
13	Tuberculosis of the lungs	115	15	11	12	15	6	9	7	5	7	10	5	13
14–15	Other forms of tuberculosis	18	2	1	5	2	2	2		1	1		1	1
17	Meningitis	28	4	5	10	4			2			1	2	
20–21	Bronchitis	9	2					2			1	1	1	2
22	Pneumonia	59	13	5	6	9	7	1	1	2		3	5	7
(23)	Bronchopneumonia	30	6	6	3	4	1	1	1	1	1			6
25	Diarrhea and enteritis (under 2 years)	37		2	2	3	6	4	3	5	4	3	3	2
(37)	Diarrhea and enteritis (2 years and over)	10	2				1	1	3	1			2	
(33)	Congenital debility [1]	23			1	2	3	3	1	4	1	3		5
35	Violent deaths (excluding suicide)	116	8	13	11	11	10	9	9	7	6	8	13	11
36	Suicide	26	2	3	3	3	2	2	2	1	1	1	2	4
	All other causes	771	59	69	74	66	59	79	56	59	62	83	59	46
	MEMPHIS, TENN. (COLORED).													
	All causes	1,587	145	129	153	112	162	139	129	125	100	127	126	140
1	Typhoid fever	20	2	4				2	2	4	2	2		2
3	Malaria	81		2	3	2	5	10	10	12	13	12	5	7
5	Measles	7	1			1	2	2	1					
6	Scarlet fever	2					2							
7	Whooping cough	7						1		4	1			1
8	Diphtheria and croup	7	3		2	1				1				
9	Influenza	27	8	5	6	4	1	2				1		
13	Tuberculosis of the lungs	226	18	19	18	19	22	14	23	20	9	21	22	21
14–15	Other forms of tuberculosis	15		1	2		4	1	1	2	3		1	
17	Meningitis	34	4	6	8	3	7	1	2				2	1
20–21	Bronchitis	24	5	1	3	4	3	2	1		1	2	2	
22	Pneumonia	104	13	15	18	11	13	4	2	1	2	2	11	12
(23)	Bronchopneumonia	39	8	4	6	2	2	4	2			1	5	5
25	Diarrhea and enteritis (under 2 years)	34	3	1	1	1	3	7	4	4	4	3		3
(37)	Diarrhea and enteritis (2 years and over)	21		2	1	2	3	4	2		3	1	2	1
(33)	Congenital debility [1]	14		1	2			3	1	2		3	1	1
35	Violent deaths (excluding suicide)	156	21	14	13	9	14	14	14	16	6	7	15	13
36	Suicide	6					2		1	2				1
	All other causes	763	59	54	70	53	79	68	63	57	56	72	60	72

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NASHVILLE, TENN. (TOTAL).													
	All causes	2,026	176	192	199	168	175	169	187	152	153	158	154	143
1	Typhoid fever	42	.....	4	2	1	4	5	6	8	6	4	1	1
3	Malaria	14	.....	.....	2	.....	1	2	4	3	1	1	.....	.....
5	Measles	25	.....	2	7	8	8	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	10	.....	2	.....	.....	.....	2	1	.....	.....	.....	2	3
8	Diphtheria and croup	8	1	1	1	.....	.....	.....	1	.....	2	1	1	.....
9	Influenza	20	5	1	5	2	.....	1	.....	.....	.....	.....	3	3
13	Tuberculosis of the lungs	198	17	14	22	13	26	15	17	11	17	13	16	17
14-15	Other forms of tuberculosis	48	2	4	6	4	3	4	9	5	1	2	6	2
17	Meningitis	15	3	3	.....	3	3	1	.....	1	.....	.....	.....	1
20-21	Bronchitis	17	2	2	1	3	3	.....	1	.....	2	.....	2	1
22	Pneumonia	126	11	31	16	15	5	7	5	2	4	7	18	15
(23)	Bronchopneumonia	36	3	4	7	4	3	.....	1	1	5	.....	3	5
25	Diarrhea and enteritis (under 2 years)	54	1	2	.....	.....	4	9	8	12	5	8	4	1
(37)	Diarrhea and enteritis (2 years and over)	32	1	3	3	.....	4	7	3	2	2	4	2	1
(33)	Congenital debility [1]	42	2	3	1	1	2	10	6	6	5	3	3	.....
35	Violent deaths (excluding suicide)	156	12	19	20	10	10	16	17	8	15	7	9	13
36	Suicide	25	1	3	1	1	2	2	2	2	4	3	2	2
	All other causes	1,148	115	94	105	103	97	88	106	91	84	105	82	78
	NASHVILLE, TENN. (WHITE).													
	All causes	1,123	96	108	108	91	93	97	101	85	88	92	90	74
1	Typhoid fever	30	.....	3	.....	.....	3	4	4	7	4	4	1	.....
3	Malaria	3	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
5	Measles	21	.....	1	6	7	7	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	6	.....	.....	.....	.....	.....	2	1	.....	.....	.....	1	2
8	Diphtheria and croup	7	1	.....	1	.....	.....	.....	1	.....	2	1	1	.....
9	Influenza	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3
13	Tuberculosis of the lungs	90	6	7	12	7	9	8	9	4	8	5	8	7
14-15	Other forms of tuberculosis	21	2	4	4	3	.....	2	2	2	.....	1	.....	1
17	Meningitis	12	3	3	.....	2	2	.....	.....	1	.....	.....	.....	1
20-21	Bronchitis	7	.....	1	1	1	2	.....	.....	.....	.....	.....	2	.....
22	Pneumonia	66	5	19	9	7	1	3	2	1	1	4	8	6
(23)	Bronchopneumonia	15	1	3	2	1	1	.....	.....	1	3	.....	2	1
25	Diarrhea and enteritis (under 2 years)	36	.....	1	.....	.....	.....	5	6	7	4	8	4	1
(37)	Diarrhea and enteritis (2 years and over)	24	1	2	1	.....	2	5	2	2	2	4	2	1
(33)	Congenital debility [1]	23	1	2	.....	1	1	6	4	3	3	1	1	.....
35	Violent deaths (excluding suicide)	78	9	10	9	.....	7	10	7	6	8	2	4	6
36	Suicide	22	1	3	1	.....	2	1	2	1	4	3	2	2
	All other causes	655	64	49	62	62	56	51	59	49	49	59	52	43
	NASHVILLE, TENN. (COLORED).													
	All causes	903	80	84	91	77	82	72	86	67	65	66	64	69
1	Typhoid fever	12	.....	1	2	1	1	1	2	1	2	.....	.....	1
3	Malaria	11	.....	.....	2	.....	1	2	2	2	1	1	.....	.....
5	Measles	4	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1
8	Diphtheria and croup	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	13	3	1	5	2	.....	1	.....	.....	.....	.....	1	.....
13	Tuberculosis of the lungs	108	11	7	10	6	17	7	8	7	9	8	8	10
14-15	Other forms of tuberculosis	27	.....	.....	2	1	3	2	7	3	1	1	6	1
17	Meningitis	3	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
20-21	Bronchitis	10	2	1	.....	2	1	.....	1	.....	2	.....	.....	1
22	Pneumonia	70	6	12	7	8	4	4	3	1	3	3	10	9
(23)	Bronchopneumonia	21	2	1	5	3	2	.....	1	.....	2	.....	1	4
25	Diarrhea and enteritis (under 2 years)	18	1	1	.....	.....	4	4	2	5	1	.....	.....	.....
(37)	Diarrhea and enteritis (2 years and over)	8	.....	1	2	.....	2	2	1	.....	.....	.....	.....	.....
(33)	Congenital debility [1]	19	1	1	1	.....	1	4	2	3	2	2	2	.....
35	Violent deaths (excluding suicide)	78	3	9	11	10	3	6	10	2	7	5	5	7
36	Suicide	3	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
	All other causes	493	51	45	43	41	41	37	47	42	35	46	30	35
	RICHMOND, VA. (TOTAL).													
	All causes	2,718	251	235	243	220	217	277	227	213	198	206	203	228
1	Typhoid fever	27	1	1	.....	.....	3	6	3	3	6	1	1	2
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	26	7	6	8	3	2	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	5	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	2
7	Whooping cough	15	.....	.....	.....	.....	1	.....	1	8	.....	1	1	3
8	Diphtheria and croup	8	.....	2	.....	.....	.....	.....	.....	1	.....	3	1	1
9	Influenza	22	6	6	2	2	2	.....	.....	.....	.....	.....	1	3
13	Tuberculosis of the lungs	226	17	16	24	28	12	21	23	15	20	18	14	18
14-15	Other forms of tuberculosis	47	1	2	7	7	8	.....	3	5	4	4	3	3
17	Meningitis	18	3	1	.....	2	.....	1	4	3	.....	.....	4	.....
20-21	Bronchitis	62	8	10	7	2	5	1	4	5	5	3	3	9
22	Pneumonia	118	17	22	21	9	7	5	3	4	1	9	5	15
(23)	Bronchopneumonia	98	12	12	10	8	5	8	3	7	6	4	9	14
25	Diarrhea and enteritis (under 2 years)	115	4	1	1	3	14	31	19	14	16	7	4	1
(37)	Diarrhea and enteritis (2 years and over)	40	3	4	2	2	1	7	5	2	6	3	4	1
(33)	Congenital debility [1]	62	5	3	6	5	1	12	8	3	10	4	5	.....
35	Violent deaths (excluding suicide)	159	15	15	17	8	18	16	12	15	9	9	12	13
36	Suicide	27	4	4	3	2	1	3	4	1	1	2	1	1
	All other causes	1,643	148	129	135	139	137	166	135	127	114	137	134	142

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	RICHMOND, VA. (WHITE).													
	All causes	1,412	120	145	126	110	105	131	115	102	98	122	101	137
1	Typhoid fever	18	1	1			2	3	1	3	5			2
3	Malaria													
5	Measles	16	3	4	5	2	2							
6	Scarlet fever	4		1								1	1	1
7	Whooping cough	7								3		1	1	2
8	Diphtheria and croup	8		2						1		3	1	1
9	Influenza	13	4	4			2							3
13	Tuberculosis of the lungs	78	5	6	10	7	6	7	11	2	6	7	4	7
14–15	Other forms of tuberculosis	32	1	2	5	2	5		2	5	2	2	3	3
17	Meningitis	8						1	2	2			3	
20–21	Bronchitis	23	4	5	3		1	1	1	1	2		2	3
22	Pneumonia	53	4	12	10	7	2	1			1	6	1	9
(23)	Bronchopneumonia	24	3	5	1			1	1	1	1	2	3	6
25	Diarrhea and enteritis (under 2 years)	61	2	1		3	5	20	6	9	8	5	1	1
(37)	Diarrhea and enteritis (2 years and over)	23	1	3	2	2		3	3	1	4	3	1	
(33)	Congenital debility [1]	29	4	2	2	4		3	6	3	3	2		
35	Violent deaths (excluding suicide)	73	5	9	9	4	9	5	3	7	5	4	6	7
36	Suicide	23	4	4	3	2	1	2	3	1		2		1
	All other causes	919	79	84	76	77	70	84	76	63	61	84	74	91
	RICHMOND, VA. (COLORED).													
	All causes	1,306	131	90	117	110	112	146	112	111	100	84	102	91
1	Typhoid fever	9					1	3	2		1	1	1	
3	Malaria													
5	Measles	10	4	2	3	1								
6	Scarlet fever	1												1
7	Whooping cough	8					1		1	5				1
8	Diphtheria and croup													
9	Influenza	9	2	2	2	2							1	
13	Tuberculosis of the lungs	148	12	10	14	21	6	14	12	13	14	11	10	11
14–15	Other forms of tuberculosis	15			2	5	3		1		2	2		
17	Meningitis	10	3	1		2			2	1			1	
20–21	Bronchitis	39	4	5	4	2	4		3	4	3	3	1	6
22	Pneumonia	65	13	10	11	2	5	4	3	4		3	4	6
(23)	Bronchopneumonia	74	9	7	9	8	5	7	2	6	5	2	6	8
25	Diarrhea and enteritis (under 2 years)	54	2		1		9	11	13	5	8	2	3	
(37)	Diarrhea and enteritis (2 years and over)	17	2	1			1	4	2	1	2		3	1
(33)	Congenital debility [1]	33	1	1	4	1	1	9	2		7	2	5	
35	Violent deaths (excluding suicide)	86	10	6	8	4	9	11	9	8	4	5	6	6
36	Suicide	4						1	1		1		1	
	All other causes	724	69	45	59	62	67	82	59	64	53	53	60	51
	SEATTLE, WASH.													
	All causes	2,471	196	195	246	222	228	214	181	206	200	191	184	208
1	Typhoid fever	14	1		2	1			1	2	2	3	1	1
3	Malaria	1			1									
5	Measles	33	2	4	15	2	3	5	1	1				
6	Scarlet fever	6			2	1	1					1		1
7	Whooping cough	24		1	5	4	8	2		1	1	2		
8	Diphtheria and croup	13	1	1			1	2		1	1		2	4
9	Influenza	14	2	2	5		1			1			1	2
13	Tuberculosis of the lungs	213	20	14	23	17	21	22	13	15	15	17	17	19
14–15	Other forms of tuberculosis	72		8	11	6	6	9	7	6	5	5	5	4
17	Meningitis	13	1		1	4	1	2	1		1	1		1
20–21	Bronchitis	14	1	3	3	2		1				2	1	1
22	Pneumonia	114	9	13	12	18	10	8	2	5	9	8	4	16
(23)	Bronchopneumonia	76	6	9	10	11	9	5	2	3	4	3	6	8
25	Diarrhea and enteritis (under 2 years)	45	7	2	5	2	1	5	2	6	9	2	3	1
(37)	Diarrhea and enteritis (2 years and over)	18	1				1	1	1	2	7	3	2	
(33)	Congenital debility [1]	39	4	3	8	1	3	3		1	4	5	3	4
35	Violent deaths (excluding suicide)	210	8	9	15	20	23	20	28	15	17	17	21	17
36	Suicide	69	7	3	7	5	3	2	5	7	8	9	10	3
	All other causes	1,483	126	123	121	128	136	127	118	140	117	113	108	126
	SPOKANE, WASH.													
	All causes	1,139	87	108	115	105	91	91	85	87	93	90	88	99
1	Typhoid fever	9			1					2	4	1		1
3	Malaria													
5	Measles	1						1						
6	Scarlet fever	8			3		2	3						
7	Whooping cough	9	1			3		1	2	1	1			
8	Diphtheria and croup	1												1
9	Influenza	7	1	1	3		1					1		
13	Tuberculosis of the lungs	87	6	12	7	9	9	8	4	9	7	5	7	4
14–15	Other forms of tuberculosis	27	2	3	4	1	2	5	2	2		2	1	3
17	Meningitis	11			2	3	1				1	1		3
20–21	Bronchitis	11	3	1	1		1	2				1		2
22	Pneumonia	55	5	7	9	8	5	2		3	1	4	5	6
(23)	Bronchopneumonia	36	8	7	5	3	1	2	3		1	3	1	2
25	Diarrhea and enteritis (under 2 years)	32	1	1	3	1	1	3	3	1	12	3	1	2
(37)	Diarrhea and enteritis (2 years and over)	12		1				1		5	3		2	
(33)	Congenital debility [1]	17	1	1	1			3		2	2	3	2	2
35	Violent deaths (excluding suicide)	80	5	5	8	9	6	7	5	9	6	8	4	8
36	Suicide	21		2	2	2	1	2	1	3	2	3	2	1
	All other causes	715	54	67	66	66	61	51	65	50	53	55	63	64

[1] Excluding premature birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	MILWAUKEE, WIS.													
	All causes	5,183	493	425	503	444	470	440	344	445	435	397	392	395
1	Typhoid fever	46	3	6	5	6	4	3	5	1	4	4	3	2
3	Malaria	2					1			1				
5	Measles	26	4	1	2	3	5	4	1	2			3	1
6	Scarlet fever	64	4	6	8	9	6	9	2	3	5	2	6	4
7	Whooping cough	14	3	2	1	1	2		2		2	1		
8	Diphtheria and croup	145	20	12	13	10	13	6	11	4	12	10	16	18
9	Influenza	25	11	4	2	2	3			1				2
13	Tuberculosis of the lungs	368	31	34	46	39	41	42	39	23	12	18	16	27
14–15	Other forms of tuberculosis	58	3	4	3	5	6	10	7	6	5	4	1	4
17	Meningitis	52	5	1	6	6	6	2	6	3	3	3	6	5
20–21	Bronchitis	124	24	20	13	14	8	14	2	3	6	6	8	6
22	Pneumonia	315	40	40	39	24	38	17	11	17	10	21	32	26
(23)	Bronchopneumonia	186	32	12	23	33	22	13	6	6	1	4	17	17
25	Diarrhea and enteritis (under 2 years)	354	17	15	29	25	14	16	21	85	67	32	18	15
(37)	Diarrhea and enteritis (2 years and over)	51	5	1	4	3	2	2	1	13	10	3	1	6
(33)	Congenital debility [1]	156	13	10	25	9	12	6	9	14	13	13	14	18
35	Violent deaths (excluding suicide)	302	21	21	23	15	28	34	25	32	30	33	20	20
36	Suicide	75	7	4	5	12	9	4	12	4	3	6	2	7
	All other causes	2,820	250	232	256	228	250	258	184	227	252	237	229	217

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	SUMMARY.															
	THE REGISTRATION AREA.															
	All causes	159,435	21,362	7,751	5,378	10,841	45,332	10,223	7,494	5,928	68,977	14,912	12,225	27,694	19,896	15,731
5	Measles	2,011	3	1	3	6	13	22	39	41	115	77	62	267	551	939
6	Scarlet fever	255	----	----	2	----	2	6	10	5	23	10	7	38	70	107
7	Whooping cough	3,442	1	----	5	4	10	26	87	160	283	491	408	822	754	684
8	Diphtheria and croup	913	3	3	1	13	20	20	26	27	93	48	53	144	223	352
9	Influenza	608	1	2	1	6	10	36	37	33	116	93	64	160	107	68
(12)	Dysentery	651	1	1	1	4	7	10	17	12	46	48	74	193	160	130
(12)	Erysipelas	756	----	----	----	6	6	41	94	99	240	163	83	132	101	37
(37)	Tetanus	369	6	5	14	97	122	187	32	10	351	6	1	5	3	3
13	Tuberculosis of the lungs	848	4	2	4	8	18	15	13	13	59	47	64	249	220	209
14	Tuberculous meningitis	1,230	----	----	----	6	6	6	9	8	29	64	65	318	385	369
15	Other forms of tuberculosis	413	2	1	1	3	7	3	4	12	26	43	40	118	93	93
(37)	Syphilis	1,894	121	47	45	86	299	174	142	121	736	336	228	370	138	86
17	Meningitis	1,739	1	9	13	64	87	76	50	46	259	110	119	435	413	353
(37)	Convulsions	3,125	106	177	216	474	973	405	199	143	1,720	324	193	461	268	159
19	Organic diseases of the heart	748	39	31	52	106	228	70	43	28	369	80	66	129	66	38
20	Acute bronchitis	3,665	9	13	32	119	173	232	283	227	915	592	391	812	545	410
22	Pneumonia	7,520	16	38	70	233	357	383	372	311	1,423	838	728	1,720	1,520	1,291
(23)	Bronchopneumonia	13,100	30	62	105	265	462	526	608	588	2,184	1,523	1,258	3,009	2,742	2,384
24	Diseases of the stomach	2,924	4	14	26	143	187	206	216	155	764	511	380	730	334	205
25	Diarrhea and enteritis	38,455	25	45	97	501	668	1,054	1,221	1,224	4,167	4,152	4,411	11,677	8,314	5,734
(33)	Malformations	8,813	1,796	1,048	765	1,512	5,121	977	543	372	7,013	546	316	527	255	156
(33)	Premature birth	27,359	13,078	3,704	1,996	2,919	21,697	2,411	1,263	753	26,124	751	235	198	40	11
(33,37)	Congenital debility	20,375	2,802	1,283	981	2,328	7,394	1,962	1,338	965	11,659	2,581	1,904	2,788	976	467
(37)	Injuries at birth	5,131	2,497	783	520	857	4,657	311	88	30	5,086	33	10	2	----	----
35	External causes	1,892	123	88	67	110	388	81	71	77	617	227	163	350	246	289
38	Diseases ill-defined or unknown	3,292	535	254	148	364	1,301	308	187	138	1,934	380	253	422	169	134
	All other causes	7,907	159	140	213	607	1,119	675	502	330	2,626	838	649	1,568	1,203	1,023
	REGISTRATION STATES.[1]															
	All causes	145,605	19,856	7,102	4,936	9,828	41,722	9,254	6,844	5,423	63,243	13,741	11,114	25,236	17,956	14,315
5	Measles	1,901	3	1	3	6	13	21	38	40	112	72	58	257	518	884
6	Scarlet fever	216	----	----	2	----	2	6	9	3	20	10	6	29	59	92
7	Whooping cough	3,285	1	----	5	4	10	25	82	153	270	474	393	788	711	649
8	Diphtheria and croup	809	3	3	1	13	20	20	24	26	90	42	46	125	193	313
9	Influenza	578	----	2	1	6	9	36	35	32	112	90	61	148	104	63
(12)	Dysentery	584	1	1	1	4	7	9	17	11	44	45	68	171	140	116
(12)	Erysipelas	715	----	----	----	6	6	38	90	95	229	151	81	124	93	37
(37)	Tetanus	246	5	4	12	59	80	123	24	6	233	4	1	3	3	2
13	Tuberculosis of the lungs	801	4	2	3	7	16	13	13	13	55	43	62	235	202	204
14	Tuberculous meningitis	1,162	----	----	----	6	6	6	8	7	27	62	62	301	364	346
15	Other forms of tuberculosis	390	2	1	1	3	7	3	4	12	26	42	39	109	85	89
(37)	Syphilis	1,673	108	44	43	78	273	155	129	110	667	297	198	313	121	77
17	Meningitis	1,637	1	8	12	59	80	71	50	46	247	105	112	454	387	332
(37)	Convulsions	2,951	99	170	206	439	914	363	193	137	1,607	305	184	447	254	154
19	Organic diseases of the heart	701	37	29	48	99	213	67	42	28	350	76	63	119	60	33
20	Acute bronchitis	3,496	5	12	27	113	157	224	265	221	867	567	380	768	520	394
22	Pneumonia	6,615	13	30	58	191	292	342	327	272	1,233	760	625	1,533	1,330	1,134
(23)	Bronchopneumonia	11,817	26	54	98	239	417	466	542	514	1,939	1,403	1,127	2,722	2,470	2,156
24	Diseases of the stomach	2,783	4	13	24	133	174	196	210	143	723	497	361	692	319	191
25	Diarrhea and enteritis	34,046	18	33	81	401	533	882	1,044	1,075	3,534	3,677	3,897	10,436	7,366	5,136
(33)	Malformations	8,181	1,665	957	704	1,400	4,726	908	507	352	6,493	516	296	492	236	148
(33)	Premature birth	25,343	12,170	3,421	1,848	2,692	20,131	2,210	1,164	692	24,197	700	212	188	36	10
(33,37)	Congenital debility	18,862	2,614	1,172	881	2,096	6,763	1,797	1,233	894	10,687	2,433	1,785	2,624	902	431
(37)	Injuries at birth	4,683	2,297	704	481	772	4,254	281	83	27	4,645	28	8	2	----	----
35	External causes	1,741	120	76	60	98	354	77	62	72	565	210	148	327	226	265
38	Diseases ill-defined or unknown	3,134	520	245	142	347	1,254	295	178	131	1,858	357	243	389	161	126
	All other causes	7,255	140	120	194	557	1,011	620	471	311	2,413	775	598	1,440	1,096	933
	CITIES IN REGISTRATION STATES.[1]															
	All causes	80,624	10,188	3,752	2,652	5,124	21,716	4,711	3,571	2,960	32,958	7,645	6,299	14,502	10,697	8,523
5	Measles	1,029	----	----	----	4	4	6	11	5	26	16	20	107	312	548
6	Scarlet fever	115	----	----	----	----	----	4	----	----	4	3	3	16	31	58
7	Whooping cough	1,412	----	----	----	1	1	5	20	46	72	172	175	340	349	304
8	Diphtheria and croup	413	1	----	----	2	3	3	8	6	20	14	16	49	121	193
9	Influenza	179	----	1	----	----	1	4	6	10	21	28	20	43	38	29
(12)	Dysentery	209	----	----	1	2	3	2	2	3	10	18	23	56	63	39
(12)	Erysipelas	438	----	----	----	3	3	23	56	65	147	92	56	68	54	21
(37)	Tetanus	127	3	1	7	30	41	65	8	5	119	3	1	2	1	1
13	Tuberculosis of the lungs	420	1	2	3	3	9	3	6	3	21	23	34	122	107	113
14	Tuberculous meningitis	754	----	----	----	1	1	5	4	3	13	29	36	191	238	247
15	Other forms of tuberculosis	234	1	----	1	2	4	2	3	5	14	24	19	73	51	53
(37)	Syphilis	1,288	70	33	36	54	193	125	103	85	506	241	160	243	82	56
17	Meningitis	822	----	5	6	24	35	30	27	16	108	42	55	238	208	171
(37)	Convulsions	1,459	42	89	90	202	423	158	87	74	742	143	95	261	126	92
19	Organic diseases of the heart	305	12	10	18	48	88	25	14	9	136	32	37	51	30	19
20	Acute bronchitis	2,111	1	9	16	59	85	134	170	134	523	326	223	449	329	261
22	Pneumonia	3,428	7	19	30	97	153	131	141	110	535	346	308	768	758	713
(23)	Bronchopneumonia	7,642	14	36	61	150	261	268	321	306	1,156	854	693	1,747	1,679	1,513
24	Diseases of the stomach	1,168	3	5	10	44	62	57	79	56	254	216	155	290	167	86
25	Diarrhea and enteritis	20,737	9	18	45	217	289	497	639	671	2,096	2,332	2,407	6,403	4,506	2,993
(33)	Malformations	4,395	840	513	381	764	2,498	488	249	190	3,425	299	173	276	129	93
(33)	Premature birth	13,704	6,301	1,863	1,051	1,501	10,716	1,214	651	419	13,000	433	134	115	17	5
(33,37)	Congenital debility	10,443	1,282	612	462	1,057	3,413	917	627	517	5,474	1,445	1,082	1,613	579	250
(37)	Injuries at birth	2,818	1,379	395	288	492	2,554	177	49	15	2,795	18	3	2	----	----
35	External causes	857	80	46	30	46	202	36	26	44	308	89	62	154	105	139
38	Diseases ill-defined or unknown	358	59	32	14	36	141	21	14	8	184	37	31	60	27	19
	All other causes	3,759	83	63	102	285	533	311	250	155	1,249	370	278	765	590	507

[1] Includes District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	SUMMARY—Continued.															
	RURAL PART OF REGISTRATION STATES.															
	All causes	64,981	9,668	3,350	2,284	4,704	20,006	4,543	3,273	2,463	30,285	6,096	4,815	10,734	7,259	5,792
5	Measles	872	3	1	3	2	9	15	27	35	86	56	38	150	206	336
6	Scarlet fever	101			2		2	2	9	3	16	7	3	13	28	34
7	Whooping cough	1,873	1		5	3	9	20	62	107	198	302	218	448	362	345
8	Diphtheria and croup	396	2	3	1	11	17	17	16	20	70	28	30	76	72	120
9	Influenza	399		1	1	6	8	32	29	22	91	62	41	105	66	34
(12)	Dysentery	375	1	1		2	4	7	15	8	34	27	45	115	77	77
(12)	Erysipelas	277				3	3	15	34	30	82	59	25	56	39	16
(37)	Tetanus	119	2	3	5	29	39	58	16	1	114	1		1	2	1
13	Tuberculosis of the lungs	381	3			4	7	10	7	10	34	20	28	113	95	91
14	Tuberculous meningitis	408				5	5	1	4	4	14	33	26	110	126	99
15	Other forms of tuberculosis	156	1	1		1	3	1	1	7	12	18	20	36	34	36
(37)	Syphilis	385	38	11	7	24	80	30	26	25	161	56	38	70	39	21
17	Meningitis	815	1	3	6	35	45	41	23	30	139	63	57	216	179	161
(37)	Convulsions	1,492	57	81	116	237	491	205	106	63	865	162	89	186	128	62
19	Organic diseases of the heart	396	25	19	30	51	125	42	28	19	214	44	26	68	30	14
20	Acute bronchitis	1,385	4	3	11	54	72	90	95	87	344	241	157	319	191	133
22	Pneumonia	3,187	6	11	28	94	139	211	186	162	698	414	317	765	572	421
(23)	Bronchopneumonia	4,175	12	18	37	89	156	198	221	208	783	549	434	975	791	643
24	Diseases of the stomach	1,615	1	8	14	89	112	139	131	87	469	281	206	402	152	105
25	Diarrhea and enteritis	13,309	9	15	36	184	244	385	405	404	1,438	1,345	1,490	4,033	2,860	2,143
(33)	Malformations	3,786	825	444	323	636	2,228	420	258	162	3,068	217	123	216	107	55
(33)	Premature birth	11,639	5,869	1,558	797	1,191	9,415	936	513	273	11,197	267	78	73	19	5
(33,37)	Congenital debility	8,419	1,332	560	419	1,039	3,350	880	606	377	5,213	988	703	1,011	323	181
(37)	Injuries at birth	1,865	918	309	193	280	1,700	104	34	12	1,850	10	5			
35	External causes	884	40	30	30	52	152	41	36	28	257	121	86	173	121	126
38	Diseases ill-defined or unknown	2,776	461	213	128	311	1,113	274	164	123	1,674	320	212	329	134	107
	All other causes	3,496	57	57	92	272	478	309	221	156	1,164	405	320	675	506	426
	REGISTRATION CITIES IN OTHER STATES.															
	All causes	13,830	1,506	649	442	1,013	3,610	969	650	505	5,734	1,171	1,111	2,458	1,940	1,416
5	Measles	110						1	1	1	3	5	4	10	33	55
6	Scarlet fever	39							1	2	3		1	9	11	15
7	Whooping cough	157						1	5	7	13	17	15	34	43	35
8	Diphtheria and croup	104							2	1	3	6	7	19	30	39
9	Influenza	30	1				1		2	1	4	3	3	12	3	5
(12)	Dysentery	67						1		1	2	3	6	22	20	14
(12)	Erysipelas	41						3	4	4	11	12	2	8	8	
(37)	Tetanus	123	1	1	2	38	42	64	8	4	118	2		2		1
13	Tuberculosis of the lungs	47			1	1	2	2			4	4	2	14	18	5
14	Tuberculous meningitis	68							1	1	2	2	3	17	21	23
15	Other forms of tuberculosis	23										1	1	9	8	4
(37)	Syphilis	221	13	3	2	8	26	19	13	11	69	39	30	57	17	9
17	Meningitis	102		1	1	5	7	5			12	5	7	31	26	21
(37)	Convulsions	174	7	7	10	35	59	42	6	6	113	19	9	14	14	5
19	Organic diseases of the heart	47	2	2	4	7	15	3	1		19	4	3	10	6	5
20	Acute bronchitis	169	4	1	5	6	16	8	18	6	48	25	11	44	25	16
22	Pneumonia	905	3	8	12	42	65	41	45	39	190	78	103	187	190	157
(23)	Bronchopneumonia	1,283	4	8	7	26	45	60	66	74	245	120	131	287	272	228
24	Diseases of the stomach	141		1	2	10	13	10	6	12	41	14	19	38	15	14
25	Diarrhea and enteritis	4,409	7	12	16	100	135	172	177	149	633	475	514	1,241	948	598
(33)	Malformations	632	131	91	61	112	395	69	36	20	520	30	20	35	19	8
(33)	Premature birth	2,016	908	283	148	227	1,566	201	99	61	1,927	51	23	10	4	1
(33,37)	Congenital debility	1,513	188	111	100	232	631	165	105	71	972	148	119	164	74	36
(37)	Injuries at birth	448	200	79	39	85	403	30	5	3	441	5	2			
35	External causes	151	3	12	7	12	34	4	9	5	52	17	15	23	20	24
38	Diseases ill-defined or unknown	158	15	9	6	17	47	13	9	7	76	23	10	33	8	8
	All other causes	652	19	20	19	50	108	55	31	19	213	63	51	128	107	90
	ALL REGISTRATION CITIES.[1]															
	All causes	94,454	11,694	4,401	3,094	6,137	25,326	5,680	4,221	3,465	38,692	8,816	7,410	16,960	12,637	9,939
5	Measles	1,139				4	4	7	12	6	29	21	24	117	345	603
6	Scarlet fever	154						4	1	2	7	3	4	25	42	73
7	Whooping cough	1,569				1	1	6	25	53	85	189	190	374	392	339
8	Diphtheria and croup	517	1			2	3	3	10	7	23	20	23	68	151	232
9	Influenza	209	1	1			2	4	8	11	25	31	23	55	41	34
(12)	Dysentery	276			1	2	3	3	2	4	12	21	29	78	83	53
(12)	Erysipelas	479				3	3	26	60	69	158	104	58	76	62	21
(37)	Tetanus	250	4	2	9	68	83	129	16	9	237	5	1	4	1	2
13	Tuberculosis of the lungs	467	1	2	4	4	11	5	6	3	25	27	36	136	125	118
14	Tuberculous meningitis	822				1	1	5	5	4	15	31	39	208	259	270
15	Other forms of tuberculosis	257	1		1	2	4	2	3	5	14	25	20	82	59	57
(37)	Syphilis	1,509	83	36	38	62	219	144	116	96	575	280	190	300	99	65
17	Meningitis	924		6	7	29	42	35	27	16	120	47	62	269	234	192
(37)	Convulsions	1,633	49	96	100	237	482	200	93	80	855	162	104	275	140	97
19	Organic diseases of the heart	352	14	12	22	55	103	28	15	9	155	36	40	61	36	24
20	Acute bronchitis	2,280	5	10	21	65	101	142	188	140	571	351	234	493	354	277
22	Pneumonia	4,333	10	27	42	139	218	172	186	149	725	424	411	955	948	870
(23)	Bronchopneumonia	8,925	18	44	68	176	306	328	387	380	1,401	974	824	2,034	1,951	1,741
24	Diseases of the stomach	1,309	3	6	12	54	75	67	85	68	295	230	174	328	182	100
25	Diarrhea and enteritis	25,146	16	30	61	317	424	669	816	820	2,729	2,807	2,921	7,644	5,454	3,591
(33)	Malformations	5,027	971	604	442	876	2,893	557	285	210	3,945	329	193	311	148	101
(33)	Premature birth	15,720	7,209	2,146	1,199	1,728	12,282	1,415	750	480	14,927	484	157	125	21	6
(33,37)	Congenital debility	11,956	1,470	723	562	1,289	4,044	1,082	732	588	6,446	1,593	1,201	1,777	653	286
(37)	Injuries at birth	3,266	1,579	474	327	577	2,957	207	54	18	3,236	23	5	2		
35	External causes	1,008	83	58	37	58	236	40	35	49	360	106	77	177	125	163
38	Diseases ill-defined or unknown	516	74	41	20	53	188	34	23	15	260	60	41	93	35	27
	All other causes	4,411	102	83	121	335	641	366	281	174	1,462	433	329	893	697	597

[1] Includes District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES.															
	CALIFORNIA.															
	All causes	4,354	609	258	186	331	1,384	297	193	159	2,033	434	340	730	433	384
5	Measles	43						2	1	1	4	2	4	4	8	21
6	Scarlet fever	3											1	1	1	
7	Whooping cough	65						1		3	4	6	8	26	9	12
8	Diphtheria and croup	7								1	1		2	2	1	1
9	Influenza	12							1		1	3	1	2	2	3
(12)	Dysentery	18							2	1	3		4	5	4	2
(12)	Erysipelas	17							2	3	5	5	3	2	1	1
(37)	Tetanus	15			1	5	6	7	2		15					
13	Tuberculosis of the lungs	41				1	1	2	1	1	5	2	1	12	10	11
14	Tuberculous meningitis	69								1	1	6	1	15	27	19
15	Other forms of tuberculosis	32								1	1	2	7	8	8	6
(37)	Syphilis	75	3		2	2	7	3	11	6	27	10	12	15	6	5
17	Meningitis	69		2	2	3	5	5	2	1	13	3	4	18	12	19
(37)	Convulsions	28	1	2	4	7	14	1		1	16	6	3	1	1	1
19	Organic diseases of the heart	28	1	1	4	4	10	2	2	2	16	1	3	3	4	1
20	Acute bronchitis	58				4	4	3	2	1	10	10	6	18	7	7
22	Pneumonia	268		1	5	12	18	19	9	12	58	33	36	57	43	41
(23)	Bronchopneumonia	289	1	1	5	11	18	13	18	10	59	43	30	68	47	42
24	Diseases of the stomach	95				2	2	7	4	6	19	26	9	27	9	5
25	Diarrhea and enteritis	1,020	1	2	4	18	25	39	38	35	137	129	131	335	161	127
(33)	Malformations	315	57	37	33	55	182	35	17	16	250	21	8	21	12	3
(33)	Premature birth	840	399	137	62	85	683	64	26	23	796	27	8	7	2	
(33,37)	Congenital debility	450	73	38	34	76	221	56	35	19	331	59	24	21	9	6
(37)	Injuries at birth	158	62	31	22	24	139	11	5	1	156	1	1			
35	External causes	68	6	2	3	4	15	1	1	5	22	4	6	10	9	17
38	Diseases ill-defined or unknown	7	2	2		1	5				5			2		
	All other causes	264	3	4	5	17	29	26	14	9	78	35	27	50	40	34
	COLORADO.															
	All causes	1,643	268	86	46	91	491	118	94	68	771	153	129	283	185	122
5	Measles	7							1		1	1	1	1	2	1
6	Scarlet fever	7								1	1				3	3
7	Whooping cough	45						1	2	3	6	5	6	9	8	11
8	Diphtheria and croup	2											1	1		
9	Influenza	8						1	1	1	3			4	1	
(12)	Dysentery	3								1	1			1	1	
(12)	Erysipelas	14						2	2	2	6		4	2	1	1
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	4		1		1	2				2	1				
14	Tuberculous meningitis	23										1	2	6	7	7
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	28	2		1	1	4	3	2	1	10	8	3	6	1	
17	Meningitis	20						1		1	2	1	2	3	8	4
(37)	Convulsions	11	2	1	1	3	7	1			8	1		1		1
19	Organic diseases of the heart	9				1	1	1		1	3		1	3	2	
20	Acute bronchitis	47				1	1	3	6	4	14	4	8	7	10	4
22	Pneumonia	53			2	1	3		1	3	7	6	7	17	10	6
(23)	Bronchopneumonia	220		1	3	3	7	12	11	13	43	34	27	57	36	23
24	Diseases of the stomach	18				3	3	1	2	2	8	1	2	7		
25	Diarrhea and enteritis	288	1			2	3	8	9	9	29	32	21	92	76	38
(33)	Malformations	105	20	8	6	24	58	16	6	3	83	9	3	4	1	5
(33)	Premature birth	323	172	52	14	13	251	38	17	9	315	4	3			1
(33,37)	Congenital debility	302	50	18	15	35	118	26	29	13	186	31	27	44	8	6
(37)	Injuries at birth	27	18	5	1	1	25	1	1		27					
35	External causes	24	2		1	1	4			1	5	5	3	4	2	5
38	Diseases ill-defined or unknown	1											1			
	All other causes	52	1		2	1	4	2	4		10	9	7	13	7	6
	CONNECTICUT.															
	All causes	3,342	417	233	113	214	977	203	174	120	1,474	323	263	576	391	315
5	Measles	30								1	1			6	13	10
6	Scarlet fever	2													2	
7	Whooping cough	50								1	1	10	8	10	12	9
8	Diphtheria and croup	8												1	3	4
9	Influenza	18						1	1	2	4	2		3	3	1
(12)	Dysentery	6												1	2	1
(12)	Erysipelas	12						3	1	3	7	2				
(37)	Tetanus	5				1	1	3			4			1		
13	Tuberculosis of the lungs	24				1	1				1		2	7	3	11
14	Tuberculous meningitis	28										1	10	9	8	
15	Other forms of tuberculosis	8				1	1				1	2	1	1	2	1
(37)	Syphilis	18	2	1	1		4	2	2		8	3	2	3	1	1
17	Meningitis	45		1			1	2	2	1	6	4	6	11	9	9
(37)	Convulsions	77	1	8	6	11	26	5	5	3	39	9	4	13	7	5
19	Organic diseases of the heart	17	1	2			3		2		5	3	2	4	3	
20	Acute bronchitis	86		1	2	4	7	4	10	4	25	14	5	21	9	12
22	Pneumonia	168		1	4	3	8	4	5	8	25	20	20	38	38	27
(23)	Bronchopneumonia	242			2	5	7	10	13	7	37	32	20	62	39	52
24	Diseases of the stomach	52				3	3	5	5	2	15	11	6	14	4	2
25	Diarrhea and enteritis	830			1	10	11	20	29	31	91	87	104	243	181	124
(33)	Malformations	149	34	28	10	23	95	13	9	8	125	5	4	10	2	3
(33)	Premature birth	556	220	117	44	56	437	52	31	13	533	16	4	3		
(33,37)	Congenital debility	538	61	39	24	65	189	55	39	24	307	76	58	65	20	12
(37)	Injuries at birth	147	89	26	12	13	140	6	1		147					
35	External causes	30	2	4	3	1	10	3		2	15	7	2	5	1	
38	Diseases ill-defined or unknown	38	4	4	1	4	13	2	4		19	6	2	8	3	
	All other causes	158	3	1	3	13	20	13	15	10	58	14	11	31	21	23

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	INDIANA.															
	All causes	5,689	949	297	212	440	1,898	425	267	215	2,805	482	381	901	605	515
5	Measles	96						3	1	2	6	4	5	14	28	39
6	Scarlet fever	5							1		1		1	1		2
7	Whooping cough	184				1	1		9	12	22	34	29	36	38	25
8	Diphtheria and croup	22						1		1	2	2	1	6	2	9
9	Influenza	22				1	1	2		4	7	1	1	5	4	4
(12)	Dysentery	32						3	3		6	3	2	14	4	3
(12)	Erysipelas	15							1	3	4	4	1	5		1
(37)	Tetanus	13			1	2	3	8	1		12	1				
13	Tuberculosis of the lungs	50						3	3	1	7	4	2	17	11	9
14	Tuberculous meningitis	58							2	1	3	3	5	16	18	13
15	Other forms of tuberculosis	27				1	1				1	2	3	9	6	6
(37)	Syphilis	77	7		2	4	13	7	4	6	30	9	7	21	6	4
17	Meningitis	42				2	2	3	3	4	12	1	5	9	8	7
(37)	Convulsions	36	3	5	1	7	16	10		2	28	2	4		1	1
19	Organic diseases of the heart	32		2		8	10	1	2		13	2	4	9	2	2
20	Acute bronchitis	94	2		1	6	9	5	6	10	30	17	9	15	14	9
22	Pneumonia	261		3	7	13	23	16	18	10	67	29	27	68	40	30
(23)	Bronchopneumonia	378		4	3	16	23	21	11	30	85	64	40	82	60	47
24	Diseases of the stomach	170				11	11	23	10	9	53	31	20	43	18	5
25	Diarrhea and enteritis	1,395			5	32	37	49	45	44	175	143	155	406	284	232
(33)	Malformations	460	100	60	43	84	287	58	30	16	391	23	7	21	10	8
(33)	Premature birth	1,210	619	157	78	130	984	104	61	19	1,168	27	3	11	1	
(33,37)	Congenital debility	442	99	36	40	58	233	62	29	22	346	33	17	32	8	6
(37)	Injuries at birth	204	101	26	21	37	185	13	3	2	203	1				
35	External causes	90	6	1	3	3	13	5	8	5	31	9	10	14	8	18
38	Diseases ill-defined or unknown	13	4			2	6	1		1	8	2	1	1	1	
	All other causes	261	8	3	7	22	40	27	16	11	94	31	22	46	33	35
	KENTUCKY (TOTAL).															
	All causes	5,582	945	303	174	414	1,836	385	258	216	2,695	488	384	825	622	568
5	Measles	86	1				1	3	7	7	18	6	9	15	13	25
6	Scarlet fever	4													1	3
7	Whooping cough	258				1	1	1	10	14	26	51	26	57	50	48
8	Diphtheria and croup	96	2	2	1	7	12	5	4	4	25	7	9	21	13	21
9	Influenza	20						1	2		3	2	2	6	5	2
(12)	Dysentery	60							5	2	7	4	6	15	12	16
(12)	Erysipelas	33						2	4	6	12	5	5	4	4	3
(37)	Tetanus	9			3	2	5	2			7				1	1
13	Tuberculosis of the lungs	66	1			2	3		1	2	6	6	6	17	14	17
14	Tuberculous meningitis	58								2	2	6	4	17	15	14
15	Other forms of tuberculosis	20						1		1	2	2		3	6	7
(37)	Syphilis	38	7	2			9	3	4	2	18	4	4	6	3	3
17	Meningitis	154	1			5	6	9	5	6	26	19	7	35	29	38
(37)	Convulsions	93	7	9	5	18	39	8	8	8	63	9	2	11	6	2
19	Organic diseases of the heart	16	3	3		3	9	1	1		11		2	2		1
20	Acute bronchitis	68		1	2	5	8	4	6	6	24	7	7	15	10	5
22	Pneumonia	316		1	4	6	11	28	20	11	70	49	40	63	54	40
(23)	Bronchopneumonia	213		2		4	6	10	5	8	29	19	27	45	51	42
24	Diseases of the stomach	131		1	2	10	13	6	7	6	32	19	18	33	23	6
25	Diarrhea and enteritis	774			1	9	10	25	11	19	65	50	76	227	190	166
(33)	Malformations	202	47	26	12	36	121	23	9	4	157	10	7	13	7	8
(33)	Premature birth	1,218	642	150	80	139	1,011	104	44	23	1,182	23	7	3	3	
(33,37)	Congenital debility	737	121	50	29	89	289	78	60	46	473	80	41	100	27	16
(37)	Injuries at birth	112	61	17	9	14	101	7	2	1	111		1			
35	External causes	84	4	3	3	1	11	5	3	4	23	16	6	13	12	14
38	Diseases ill-defined or unknown	361	42	31	18	33	124	34	25	17	200	52	36	42	13	18
	All other causes	355	6	5	5	30	46	25	15	17	103	42	36	62	60	52
	KENTUCKY (WHITE).															
	All causes	4,772	840	254	148	348	1,590	339	222	190	2,341	419	315	698	504	495
5	Measles	81	1				1	3	7	7	18	6	9	15	10	23
6	Scarlet fever	4													1	3
7	Whooping cough	216				1	1	1	9	14	25	47	22	48	35	39
8	Diphtheria and croup	91	2	2	1	6	11	4	4	4	23	7	9	18	13	21
9	Influenza	14						1	2		3	2	2	1	4	2
(12)	Dysentery	56							5	2	7	4	6	14	10	15
(12)	Erysipelas	32						2	4	5	11	5	5	4	4	3
(37)	Tetanus	9			3	2	5	2			7				1	1
13	Tuberculosis of the lungs	48							1	2	3	4	6	13	8	14
14	Tuberculous meningitis	50								2	2	5	4	14	12	13
15	Other forms of tuberculosis	17						1		1	2	2		3	6	4
(37)	Syphilis	20	2	1			3	2	2	2	9	1	2	5	1	2
17	Meningitis	142	1			4	5	7	5	4	21	18	7	34	26	36
(37)	Convulsions	61	5	4	5	12	26	4	6	6	42	6		6	5	2
19	Organic diseases of the heart	14	2	2		3	7	1	1		9		2	2		1
20	Acute bronchitis	59		1	1	4	6	3	6	6	21	7	6	15	5	5
22	Pneumonia	245			3	3	6	23	18	10	57	39	29	45	42	33
(23)	Bronchopneumonia	183		2		4	6	10	5	8	29	17	23	34	44	36
24	Diseases of the stomach	107		1	2	8	11	5	3	6	25	16	14	30	16	6
25	Diarrhea and enteritis	672			1	7	8	21	9	17	55	45	64	202	162	144
(33)	Malformations	187	43	26	10	34	113	21	9	4	147	9	5	12	7	7
(33)	Premature birth	1,080	573	129	65	126	893	92	40	23	1,048	22	4	3	3	
(33,37)	Congenital debility	598	107	41	23	67	238	70	46	34	388	64	33	85	17	11
(37)	Injuries at birth	102	57	14	9	14	94	7	1		102					
35	External causes	64	4	1	3	1	9	4	3	2	18	10	6	10	8	12
38	Diseases ill-defined or unknown	317	38	27	17	25	107	32	23	16	178	45	31	35	12	16
	All other causes	303	5	3	5	27	40	23	13	15	91	38	26	50	52	46

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	KENTUCKY (COLORED).															
	All causes	810	105	49	26	66	246	46	36	26	354	69	69	127	118	73
5	Measles	5													3	2
6	Scarlet fever															
7	Whooping cough	42							1		1	4	4	9	15	9
8	Diphtheria and croup	5				1	1	1			2			3		
9	Influenza	6												5	1	
(12)	Dysentery	4												1	2	1
(12)	Erysipelas	1								1	1					
(37)	Tetanus															
13	Tuberculosis of the lungs	18	1			2	3				3	2		4	6	3
14	Tuberculous meningitis	8										1		3	3	1
15	Other forms of tuberculosis	3														3
(37)	Syphilis	18	5	1			6	1	2		9	3	2	1	2	1
17	Meningitis	12				1	1	2		2	5	1		1	3	2
(37)	Convulsions	32	2	5		6	13	4	2	2	21	3	2	5	1	
19	Organic diseases of the heart	2	1	1			2				2					
20	Acute bronchitis	9			1	1	2	1			3		1		5	
22	Pneumonia	71		1	1	3	5	5	2	1	13	10	11	18	12	7
(23)	Bronchopneumonia	30										2	4	11	7	6
24	Diseases of the stomach	24				2	2	1	4		7	3	4	3	7	
25	Diarrhea and enteritis	102				2	2	4	2	2	10	5	12	25	28	22
(33)	Malformations	15	4		2	2	8	2			10	1	2	1		1
(33)	Premature birth	138	69	21	15	13	118	12	4		134	1	3			
(33,37)	Congenital debility	139	14	9	6	22	51	8	14	12	85	16	8	15	10	5
(37)	Injuries at birth	10	4	3			7		1	1	9		1			
35	External causes	20		2			2	1		2	5	6		3	4	2
38	Diseases ill-defined or unknown	44	4	4	1	8	17	2	2	1	22	7	5	7	1	2
	All other causes	52	1	2		3	6	2	2	2	12	4	10	12	8	6
	MAINE.															
	All causes	1,734	111	185	83	120	499	78	74	56	707	174	150	364	200	139
5	Measles	24										2	2	1	8	11
6	Scarlet fever	5							1		1		1	1	1	1
7	Whooping cough	18										3	3	5	7	
8	Diphtheria and croup	9								1	1	1	1	1	3	2
9	Influenza	20						1	1		2	4	1	8	2	3
(12)	Dysentery	4										1		1	2	
(12)	Erysipelas	3										1		2		
(37)	Tetanus															
13	Tuberculosis of the lungs	11								1	1	2	1	5	2	
14	Tuberculous meningitis	21				1	1				1	2		6	9	3
15	Other forms of tuberculosis	6		1			1				1	1	1	1	1	1
(37)	Syphilis	13							1	1	2		2	8		1
17	Meningitis	26						2		1	3		1	11	4	7
(37)	Convulsions	26	2		1	7	10	2	2		14	3	3	2	4	
19	Organic diseases of the heart	18			1	4	5			3	8	5		1	1	3
20	Acute bronchitis	46						1	2	5	8	7	6	14	8	3
22	Pneumonia	98						1	3	4	8	10	17	28	19	16
(23)	Bronchopneumonia	79		1		1	2	2	3	5	12	10	6	27	12	12
24	Diseases of the stomach	32						1	2	2	5	8	3	7	4	5
25	Diarrhea and enteritis	406		1		8	9	7	8	8	32	41	42	156	86	49
(33)	Malformations	74	7	16	10	13	46	3	7	3	59	2	2	6	3	2
(33)	Premature birth	257	48	103	33	24	208	26	14	3	251	5	1			
(33,37)	Congenital debility	320	40	32	22	36	130	19	18	14	181	47	37	40	8	7
(37)	Injuries at birth	43	10	14	6	10	40	2			42		1			
35	External causes	13	1	1	2	1	5			1	6	2	1	3	1	
38	Diseases ill-defined or unknown	51	3	8	4	4	19	6	3	2	30	4	6	7	2	2
	All other causes	111		8	4	11	23	5	9	2	39	13	12	23	13	11
	MARYLAND (TOTAL).															
	All causes	4,373	525	147	126	270	1,068	233	185	136	1,622	412	401	851	640	447
5	Measles	64				1	1		1		2	1	2	6	18	35
6	Scarlet fever	2												1	1	
7	Whooping cough	115			1		1		2	5	8	13	14	22	26	32
8	Diphtheria and croup	17						2	1	1	4	3	2	1	3	4
9	Influenza	12				1	1		1		2	4		5	1	
(12)	Dysentery	17											3	4	7	3
(12)	Erysipelas	11								1	1	4	1	3	2	
(37)	Tetanus	12	1		1	2	4	6	2		12					
13	Tuberculosis of the lungs	43						2		1	3	3	1	10	14	12
14	Tuberculous meningitis	21											1	5	7	8
15	Other forms of tuberculosis	8						1	1		2	1	1	2	1	1
(37)	Syphilis	85	10	4	3	3	20	5	10	4	39	12	16	14	2	2
17	Meningitis	51				1	1	5	1	4	11		4	13	13	10
(37)	Convulsions	110	4	4	3	20	31	16	8	2	57	10	9	17	9	8
19	Organic diseases of the heart	12	1			2	3	1	1		5	2	1	4		
20	Acute bronchitis	109				1	1	7	4	3	15	16	17	25	20	16
22	Pneumonia	158				5	5	3	7	5	20	22	19	36	32	29
(23)	Bronchopneumonia	347	1	2	2	7	12	17	14	8	51	29	39	88	87	53
24	Diseases of the stomach	49	1			3	4	4	5		13	10	5	10	8	3
25	Diarrhea and enteritis	1,131			1	9	10	12	20	29	71	104	106	373	301	176
(33)	Malformations	156	30	16	16	27	89	11	10	6	116	12	11	9	3	5
(33)	Premature birth	648	328	67	49	81	525	47	27	15	614	25	5	4		
(33,37)	Congenital debility	749	75	33	34	63	205	64	51	38	358	102	104	125	47	13
(37)	Injuries at birth	102	61	9	10	14	94	5	2		101	1				
35	External causes	54	1	1	1	5	8	4	3	4	19	9	5	9	9	3
38	Diseases ill-defined or unknown	109	11	7	5	14	37	10	3	6	56	16	10	14	6	7
	All other causes	181	1	4		11	16	11	11	4	42	13	25	51	23	27

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	MARYLAND (WHITE).															
	All causes	3,024	419	98	89	181	787	144	128	90	1,149	280	274	581	428	312
5	Measles	51							1		1		2	5	14	29
6	Scarlet fever	1													1	
7	Whooping cough	72			1		1		1	4	6	9	9	14	11	23
8	Diphtheria and croup	11							1	1	2	1	2	1	3	2
9	Influenza	4										2		2		
(12)	Dysentery	9											2	2	2	3
(12)	Erysipelas	10								1	1	4	1	3	1	
(37)	Tetanus	6			1	1	2	3	1		6					
13	Tuberculosis of the lungs	16										2	1	6	4	3
14	Tuberculous meningitis	15										1	3	4	7	
15	Other forms of tuberculosis	5						1	1		2	1	2			
(37)	Syphilis	43	3		2		5	1	6	3	15	8	12	8		
17	Meningitis	38				1	1	3	1	4	9		3	9	12	5
(37)	Convulsions	76	2	4	2	14	22	7	6	1	36	8	6	16	4	6
19	Organic diseases of the heart	9	1			2	3	1	1		5	2		2		
20	Acute bronchitis	54				1	1	5	3	2	11	8	8	13	7	7
22	Pneumonia	92				2	2	2	4	2	10	16	7	18	19	22
(23)	Bronchopneumonia	206		1	2	5	8	13	6	5	32	19	26	49	52	28
24	Diseases of the stomach	28	1			1	2	2	1		5	5	1	7	7	3
25	Diarrhea and enteritis	844				7	7	10	15	24	56	71	77	271	228	141
(33)	Malformations	138	27	14	14	25	80	11	8	5	104	11	10	7	2	4
(33)	Premature birth	482	260	39	37	54	390	30	24	11	455	20	4	3		
(33,37)	Congenital debility	516	61	22	19	37	139	40	36	20	235	68	80	93	32	8
(37)	Injuries at birth	88	53	9	9	10	81	5	1		87	1				
35	External causes	34	1	1		3	5	2	3	3	13	5	5	3	6	2
38	Diseases ill-defined or unknown	44	10	4	2	8	24				24	8	2	7	1	2
	All other causes	132		4		10	14	8	8	4	34	11	15	37	18	17
	MARYLAND (COLORED).															
	All causes	1,349	106	49	37	89	281	89	57	46	473	132	127	270	212	135
5	Measles	13				1	1				1	1		1	4	6
6	Scarlet fever	1												1		
7	Whooping cough	43							1	1	2	4	5	8	15	9
8	Diphtheria and croup	6						2			2	2				2
9	Influenza	8				1	1		1		2	2		3	1	
(12)	Dysentery	8											1	2	5	
(12)	Erysipelas	1													1	
(37)	Tetanus	6	1			1	2	3	1		6					
13	Tuberculosis of the lungs	27						2		1	3	1		4	10	9
14	Tuberculous meningitis	6												2	3	1
15	Other forms of tuberculosis	3											1		1	1
(37)	Syphilis	42	7	4	1	3	15	4	4	1	24	4	4	6	2	2
17	Meningitis	13						2			2		1	4	1	5
(37)	Convulsions	34	2		1	6	9	9	2	1	21	2	3	1	5	2
19	Organic diseases of the heart	3											1	2		
20	Acute bronchitis	55						2	1	1	4	8	9	12	13	9
22	Pneumonia	66				3	3	1	3	3	10	6	12	18	13	7
(23)	Bronchopneumonia	141	1	1		2	4	4	8	3	19	10	13	39	35	25
24	Diseases of the stomach	21				2	2	2	4		8	5	4	3	1	
25	Diarrhea and enteritis	287			1	2	3	2	5	5	15	33	29	102	73	35
(33)	Malformations	18	3	2	2	2	9		2	1	12	1	1	2	1	1
(33)	Premature birth	166	68	28	12	27	135	17	3	4	159	5	1	1		
(33,37)	Congenital debility	233	14	11	15	26	66	24	15	18	123	34	24	32	15	5
(37)	Injuries at birth	14	8		1	4	13		1		14					
35	External causes	20			1	2	3	2		1	6	4		6	3	1
38	Diseases ill-defined or unknown	65	1	3	3	6	13	10	3	6	32	8	8	7	5	5
	All other causes	49	1			1	2	3	3		8	2	10	14	5	10
	MASSACHUSETTS.															
	All causes	9,971	1,330	467	297	639	2,733	518	411	359	4,021	922	779	1,856	1,333	1,060
5	Measles	156			1	1	2		2	2	6	1	4	20	45	80
6	Scarlet fever	14												4	4	6
7	Whooping cough	168							4	3	7	18	18	44	37	44
8	Diphtheria and croup	41								1	1	1	2	7	9	21
9	Influenza	32				1	1	2		2	5	7	2	6	7	5
(12)	Dysentery	26										4	4	3	11	4
(12)	Erysipelas	43						1	7	11	19	8	9	4	1	2
(37)	Tetanus	5			1	1	2	1	1		4			1		
13	Tuberculosis of the lungs	66				1	1	1		1	3	4	6	19	17	17
14	Tuberculous meningitis	114						2			2	4	1	32	38	37
15	Other forms of tuberculosis	25										4	5	4	4	8
(37)	Syphilis	97	2		3	3	8	6	7	12	33	13	12	20	12	7
17	Meningitis	136				5	5	4	8	2	19	12	4	45	35	21
(37)	Convulsions	107	4	4	9	17	34	9	5	2	50	11	4	23	11	8
19	Organic diseases of the heart	38	2	2	1	5	10	4	1	2	17	8	2	6	3	2
20	Acute bronchitis	276			1	9	10	20	29	13	72	46	27	54	38	39
22	Pneumonia	363				14	14	20	15	6	55	32	35	74	94	73
(23)	Bronchopneumonia	958		2	8	8	18	27	37	40	122	104	82	226	209	215
24	Diseases of the stomach	135		2	1	3	6	5	11	6	28	23	18	43	13	10
25	Diarrhea and enteritis	2,682	2	2	4	15	23	53	85	81	242	311	337	870	579	343
(33)	Malformations	616	114	63	47	111	335	60	37	36	468	52	25	38	21	12
(33)	Premature birth	1,650	788	234	113	179	1,314	130	62	57	1,563	57	15	14		1
(33,37)	Congenital debility	1,120	169	83	58	148	458	100	61	51	670	137	106	144	44	19
(37)	Injuries at birth	412	216	56	28	75	375	29	5	2	411	1				
35	External causes	104	10	5	2	3	20	6	1	4	31	14	5	28	13	13
38	Diseases ill-defined or unknown	82	12	6	1	3	22	4	3	4	33	7	14	14	9	5
	All other causes	505	11	8	19	37	75	34	30	21	160	43	42	113	79	68

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	MICHIGAN.															
	All causes	7,620	1,149	406	292	564	2,411	553	373	313	3,650	688	523	1,266	868	625
5	Measles	56						1	3		4	4		5	14	29
6	Scarlet fever	16							1		1			1	6	8
7	Whooping cough	154						2	7	9	18	24	20	35	33	24
8	Diphtheria and croup	29				1	1	1	2	1	5	3	1	6	3	11
9	Influenza	28						1	1	1	3	2	3	11	7	2
(12)	Dysentery	36	1				1			2	3	5	2	14	7	5
(12)	Erysipelas	25						1	3	1	5	4	5	6	3	2
(37)	Tetanus	4		1		1	2		1		3			1		
13	Tuberculosis of the lungs	24							1		1	2	1	6	7	7
14	Tuberculous meningitis	24							1		1			9	6	8
15	Other forms of tuberculosis	4							1		1			1	1	1
(37)	Syphilis	74	7	1	2	4	14	3	3	5	25	23	7	12	4	3
17	Meningitis	96				2	2	2	3	3	10	8	8	15	30	25
(37)	Convulsions	310	15	22	23	52	112	45	19	11	187	43	8	45	15	12
19	Organic diseases of the heart	66	5	2	8	11	26	4	3	1	34	4	7	11	7	3
20	Acute bronchitis	237				5	5	15	21	16	57	28	22	79	31	20
22	Pneumonia	318	1	1	4	9	15	13	13	16	57	35	42	68	57	59
(23)	Bronchopneumonia	413	1	5	2	9	17	17	21	15	70	46	30	94	110	63
24	Diseases of the stomach	285			2	13	15	21	23	15	74	49	36	64	41	21
25	Diarrhea and enteritis	1,374	1	3	3	17	24	41	49	43	157	124	137	439	317	200
(33)	Malformations	514	111	61	38	78	288	63	24	29	404	27	20	35	14	14
(33)	Premature birth	1,366	668	176	100	142	1,086	127	57	48	1,318	27	14	3	3	1
(33,37)	Congenital debility	1,299	191	77	56	131	455	133	78	63	729	145	119	205	74	27
(37)	Injuries at birth	241	113	34	28	41	216	15	4	2	237	4				
35	External causes	113	5	6	4	6	21	3	3	7	34	16	8	21	13	21
38	Diseases ill-defined or unknown	89	17	10	4	8	39	9	8	5	61	6	6	9	1	6
	All other causes	425	13	7	18	34	72	36	23	20	151	59	27	71	64	53
	MINNESOTA.															
	All causes	4,092	817	208	168	325	1,518	312	195	175	2,200	387	281	580	361	283
5	Measles	46						1		1	2	2		6	10	26
6	Scarlet fever	10										2		3		5
7	Whooping cough	91							1	10	11	15	16	19	13	17
8	Diphtheria and croup	21						1	1	4	6	3	2		6	4
9	Influenza	23						4	2	1	7	2	3	8	1	2
(12)	Dysentery	21			1		1		2		3		2	8	5	3
(12)	Erysipelas	25				1	1	1		3	5	8	2	5	5	
(37)	Tetanus	3				1	1	1		1	3					
13	Tuberculosis of the lungs	18											1	7	5	5
14	Tuberculous meningitis	22				1	1				1	2	1	5	5	8
15	Other forms of tuberculosis	10								2	2	1		1	3	3
(37)	Syphilis	43	4	1		3	8	5	1	3	17	6	4	9	6	1
17	Meningitis	25				1	1	1	3		5	2	2	2	8	6
(37)	Convulsions	111	5	3	13	17	38	17	7	8	70	14	6	11	6	4
19	Organic diseases of the heart	14	2	2		3	7	2		1	10	1	2	1		
20	Acute bronchitis	58				3	3	4	3	3	13	12	10	16	6	1
22	Pneumonia	118		1		7	8	8	5	5	26	21	11	33	15	12
(23)	Bronchopneumonia	333		3	2	8	13	11	17	20	61	46	39	75	66	46
24	Diseases of the stomach	60			1	3	4	5	6	2	17	12	5	18	4	4
25	Diarrhea and enteritis	753	3	2	3	18	26	33	27	37	123	111	93	213	122	91
(33)	Malformations	277	65	25	21	46	157	22	19	11	209	25	8	19	13	3
(33)	Premature birth	964	547	98	62	89	796	75	31	28	930	19	8	5	2	
(33,37)	Congenital debility	476	90	34	30	62	216	71	37	17	341	46	33	43	8	5
(37)	Injuries at birth	146	67	21	17	25	130	9	5	1	145			1		
35	External causes	49	2		4	1	7	4	1	2	14	6	5	8	7	9
38	Diseases ill-defined or unknown	119	21	13	7	18	59	13	6	3	81	7	6	16	7	2
	All other causes	256	11	5	7	18	41	24	21	12	98	24	22	48	38	26
	MISSOURI.															
	All causes	7,077	1,219	362	244	564	2,389	578	361	278	3,606	688	476	1,019	708	580
5	Measles	101	1			1	2	2	3	3	10	5	6	17	24	39
6	Scarlet fever	9										1			3	5
7	Whooping cough	155			1		1	2	7	10	20	37	17	34	28	19
8	Diphtheria and croup	66						4	1	3	8	7	5	5	10	31
9	Influenza	56				2	2	2	8	2	14	10	9	8	9	6
(12)	Dysentery	53		1		1	2	2			4	5	2	12	15	15
(12)	Erysipelas	35							5		5	10	5	13	2	
(37)	Tetanus	29			1	7	8	19	1	1	29					
13	Tuberculosis of the lungs	51	1	1	1	1	4	1	3	2	10	3	2	14	12	10
14	Tuberculous meningitis	52				2	2		1	1	4	4	4	9	18	13
15	Other forms of tuberculosis	18								2	2	3	1	6	3	3
(37)	Syphilis	98	4	1	2	7	14	9	7	4	34	22	11	22	5	4
17	Meningitis	65		2		4	6	3	2	3	14	6	7	14	20	4
(37)	Convulsions	48	3	7	7	9	26	6	2	3	37	2	2	5	1	1
19	Organic diseases of the heart	34	1	3	4	4	12	8	1		21	2	5	4	2	
20	Acute bronchitis	174	2		3	7	12	20	15	13	60	28	15	27	24	20
22	Pneumonia	276	1	1	2	14	18	18	15	20	71	41	27	60	41	36
(23)	Bronchopneumonia	621	3	7	8	18	36	45	41	38	160	92	60	141	88	80
24	Diseases of the stomach	148			2	19	21	15	13	11	60	25	19	22	11	11
25	Diarrhea and enteritis	1,429	1		10	28	39	51	41	61	192	177	153	438	276	193
(33)	Malformations	408	105	47	34	56	242	39	38	12	331	30	14	14	12	7
(33)	Premature birth	1,480	817	174	85	151	1,227	124	46	30	1,427	31	9	10	3	
(33,37)	Congenital debility	551	120	42	29	86	277	87	39	22	425	45	27	33	14	7
(37)	Injuries at birth	221	88	40	22	48	198	14	5		217	3	1			
35	External causes	107	3	5	7	13	28	4	8	4	44	13	12	11	15	12
38	Diseases ill-defined or unknown	357	66	21	18	51	156	49	35	12	252	33	23	29	15	5
	All other causes	435	3	10	8	35	56	54	24	21	155	53	40	71	57	59

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	MONTANA.															
	All causes	812	142	51	32	65	290	59	45	30	424	76	56	110	79	67
5	Measles	15												3	7	5
6	Scarlet fever	7			1		1	1			2				3	2
7	Whooping cough	22				1	1		2		3	3	5	3	6	2
8	Diphtheria and croup	2													1	1
9	Influenza	4						1			1	1			1	1
(12)	Dysentery	3												1	2	
(12)	Erysipelas	5								1	1	3				1
(37)	Tetanus															
13	Tuberculosis of the lungs	2										1		1		
14	Tuberculous meningitis	9							1		1	1		2	1	4
15	Other forms of tuberculosis	3										1	1			1
(37)	Syphilis	4	1				1	1			2		1		1	
17	Meningitis	8				2	2				2	1		1	3	1
(37)	Convulsions	16				1	1	2	3	1	7	2	2	1	3	1
19	Organic diseases of the heart	4		1			1				1	1	1	1		
20	Acute bronchitis	19						1		1	2	3	4	3	4	3
22	Pneumonia	49	1			1	2	7	3	4	16	3	4	15	5	6
(23)	Bronchopneumonia	70	1		1	6	8	4	3	5	20	6	9	21	6	8
24	Diseases of the stomach	11			1	1	2	1	3		6	1	1	3		
25	Diarrhea and enteritis	125			2	1	3	5	7	6	21	22	15	27	22	18
(33)	Malformations	62	16	12	7	6	41	6	4		51	3	2	2	2	2
(33)	Premature birth	158	85	23	8	12	128	10	11	1	150	5	2	1		
(33,37)	Congenital debility	89	20	5	5	17	47	7	4	5	63	5	5	8	4	4
(37)	Injuries at birth	30	11	5	3	7	26	2	1	1	30					
35	External causes	11	2				2	1	1		4	3		2	2	
38	Diseases ill-defined or unknown	35	5	5	2	3	15	5	2	2	24	6	2	3		
	All other causes	49			2	7	9	5		3	17	5	2	12	6	7
	NEW HAMPSHIRE.															
	All causes	1,322	145	83	47	75	350	65	45	44	504	117	128	271	170	132
5	Measles	15						1			1			1	4	9
6	Scarlet fever															
7	Whooping cough	23								2	2	4	5	5	4	3
8	Diphtheria and croup	5											1		3	1
9	Influenza	3												1	2	
(12)	Dysentery	1										1				
(12)	Erysipelas	1								1	1					
(37)	Tetanus															
13	Tuberculosis of the lungs	6												2	1	3
14	Tuberculous meningitis	13										3	1	3	3	3
15	Other forms of tuberculosis															
(37)	Syphilis	2												2		
17	Meningitis	20				1	1		1		2	1	1	6	5	5
(37)	Convulsions	21	1	1	1	4	7		1		8	2	3	3	2	3
19	Organic diseases of the heart	12		2	1	2	5	4			9	1		2		
20	Acute bronchitis	40						1	2	4	7	13	4	7	3	6
22	Pneumonia	65						3	3	2	8	10	7	18	15	7
(23)	Bronchopneumonia	68						4	1	3	8	4	9	19	13	15
24	Diseases of the stomach	29			1	1	2	1	3	1	7	6	2	8	5	1
25	Diarrhea and enteritis	368			1	3	4	6	7	7	24	27	46	124	89	58
(33)	Malformations	66	6	7	8	13	34	6	5	5	50		7	5	2	2
(33)	Premature birth	228	107	40	22	24	193	17	3	4	217	4	2	2	2	1
(33,37)	Congenital debility	250	22	25	6	22	75	19	17	10	121	35	31	48	9	6
(37)	Injuries at birth	20	8	5	4	2	19	1			20					
35	External causes	6										2		1	2	1
38	Diseases ill-defined or unknown	4		1			1			1	2	1		1		
	All other causes	56	1	2	3	3	9	2	2	4	17	3	9	13	6	8
	NEW JERSEY.															
	All causes	7,571	891	288	222	435	1,836	439	348	289	2,912	679	589	1,420	1,100	871
5	Measles	66								1	1	2	1	11	17	34
6	Scarlet fever	7												1	1	5
7	Whooping cough	191							3	7	10	21	27	40	49	44
8	Diphtheria and croup	50							2		2	2	3	8	11	24
9	Influenza	21						1			1	2	4	5	4	5
(12)	Dysentery	12											1	5	5	1
(12)	Erysipelas	48				1	1	3	13	6	23	7	1	6	8	3
(37)	Tetanus	14		2		1	3	8	3		14					
13	Tuberculosis of the lungs	28							1	1	2		4	7	8	7
14	Tuberculous meningitis	53								1	1	4	4	9	14	21
15	Other forms of tuberculosis	24								1	1	1		9	3	10
(37)	Syphilis	56	4	1	2	3	10	7	5	6	28	7	8	9	1	3
17	Meningitis	85			1	6	7	4		4	15	4	8	17	21	20
(37)	Convulsions	151	2	1	5	18	26	17	6	9	58	15	12	41	12	13
19	Organic diseases of the heart	19				2	2		1	1	4	5	3	2	3	2
20	Acute bronchitis	185		1		4	5	14	21	19	59	27	19	40	20	20
22	Pneumonia	476	1	1	5	9	16	21	22	9	68	56	53	97	109	93
(23)	Bronchopneumonia	628	1	4	3	6	14	34	30	35	113	59	58	128	146	124
24	Diseases of the stomach	114				2	2	7	11	3	23	18	18	37	10	8
25	Diarrhea and enteritis	2,098	2	1	4	13	20	50	60	59	189	205	226	636	507	335
(33)	Malformations	481	111	42	43	92	288	54	28	20	390	34	9	25	18	5
(33)	Premature birth	1,120	506	139	96	129	870	98	64	47	1,079	20	7	10	3	1
(33,37)	Congenital debility	985	116	48	33	88	285	77	50	48	460	145	91	183	70	36
(37)	Injuries at birth	239	128	33	19	37	217	15	3	2	237	2				
35	External causes	67	4	5	1	5	15	3	3		21	6	3	16	11	10
38	Diseases ill-defined or unknown	17	5	2	1	1	9		3		12		1	3	1	
	All other causes	336	11	8	9	18	46	26	19	10	101	37	28	75	48	47

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	NEW YORK.															
	All causes	25,059	3,105	1,162	798	1,478	6,543	1,430	1,164	968	10,105	2,509	1,975	4,400	3,272	2,798
5	Measles	305				1	1	1	2	1	5	5	4	20	96	175
6	Scarlet fever	30						1			1		1	4	8	16
7	Whooping cough	417						3	10	13	26	59	49	106	91	86
8	Diphtheria and croup	147						2	2	3	7	2	2	17	44	75
9	Influenza	93						9	8	7	24	13	10	17	19	10
(12)	Dysentery	38						2			2	5	4	12	9	6
(12)	Erysipelas	192				2	2	13	25	23	63	46	17	34	23	9
(37)	Tetanus	27	1	1	1	5	8	17	2		27					
13	Tuberculosis of the lungs	100	1		1		2				2	7	7	29	28	27
14	Tuberculous meningitis	259				1	1	1	1	1	4	6	12	64	85	88
15	Other forms of tuberculosis	72							1	2	3	10	3	25	16	15
(37)	Syphilis	407	28	18	6	20	72	32	33	29	166	78	55	68	25	15
17	Meningitis	192		1		2	3	2	2	2	9	9	16	65	49	44
(37)	Convulsions	322	9	20	22	46	97	37	23	15	172	27	20	47	31	25
19	Organic diseases of the heart	86	3	2	4	9	18	8	7	7	40	8	8	17	7	6
20	Acute bronchitis	725		3	9	28	40	53	72	50	215	127	70	130	97	86
22	Pneumonia	1,065	3	9	10	33	55	49	38	45	187	108	64	228	231	247
(23)	Bronchopneumonia	2,892	3	6	14	46	69	82	131	104	386	301	234	658	666	647
24	Diseases of the stomach	197	1		3	8	12	11	9	10	42	39	30	51	16	19
25	Diarrhea and enteritis	6,114	1	4	10	50	65	128	167	215	575	709	759	1,889	1,278	904
(33)	Malformations	1,238	252	139	97	197	685	138	72	44	939	78	58	94	45	24
(33)	Premature birth	4,172	1,861	543	345	451	3,200	385	229	128	3,942	144	42	39	2	3
(33,37)	Congenital debility	3,778	452	235	154	343	1,184	304	242	208	1,938	600	422	537	203	78
(37)	Injuries at birth	937	445	151	94	163	853	57	17	6	933	4				
35	External causes	193	22	15	8	13	58	6	9	7	80	22	13	31	15	32
38	Diseases ill-defined or unknown	10	2	2			4	1			5	1		2	1	1
	All other causes	1,051	21	13	20	60	114	88	62	48	312	101	75	216	187	160
	NORTH CAROLINA [1] (TOTAL).															
	All causes	1,394	152	56	45	83	336	101	58	46	541	139	124	255	175	160
5	Measles	16			1		1			1	2	1	2	5	2	4
6	Scarlet fever	1													1	
7	Whooping cough	51							1	2	3	6	6	18	9	9
8	Diphtheria and croup	6				1	1				1			1	2	2
9	Influenza	8										3	1	3	1	
(12)	Dysentery	30							1		1	1	3	9	7	9
(12)	Erysipelas	9								1	1	4		1		3
(37)	Tetanus	41	2		1	14	17	16	2	3	38	2	1			
13	Tuberculosis of the lungs	14											2	3	2	7
14	Tuberculous meningitis	11											3	4	1	3
15	Other forms of tuberculosis	5								1	1	1		1	2	
(37)	Syphilis	16	1				1	7		1	9	1	1	2	2	1
17	Meningitis	21						2		2	4	3		3	8	3
(37)	Convulsions	18	1	1	4	3	9	3	1		13	2		1	1	1
19	Organic diseases of the heart	7	1				1				1	3	2		1	
20	Acute bronchitis	22				1	1	3	1	2	7	3	2	5	3	2
22	Pneumonia	47				3	3	4	3		10	5	3	14	12	3
(23)	Bronchopneumonia	78		1		5	6	1	2	1	10	13	10	20	13	12
24	Diseases of the stomach	29		1			1			2	3	5	6	9	3	3
25	Diarrhea and enteritis	312	1			2	3	5	5	6	19	29	41	78	75	70
(33)	Malformations	41	3	6	6	6	21	7	3	1	32	2	2	4	1	
(33)	Premature birth	222	95	27	24	17	163	17	16	8	204	11	1	5	1	
(33,37)	Congenital debility	130	21	7	3	10	41	12	12	6	71	16	12	20	7	4
(37)	Injuries at birth	17	9	3	1	2	15		1		16			1		
35	External causes	18		1		1	2	1		1	4	3	2	5	1	3
38	Diseases ill-defined or unknown	145	17	8	4	15	44	14	7	6	71	18	14	26	10	6
	All other causes	79	1	1	1	3	6	9	3	2	20	7	10	17	10	15
	NORTH CAROLINA [1] (WHITE).															
	All causes	706	107	31	29	31	198	43	30	23	294	64	76	122	76	74
5	Measles	13								1	1	1	1	4	2	4
6	Scarlet fever	1													1	
7	Whooping cough	30								2	2	5	4	7	5	7
8	Diphtheria and croup	3													1	2
9	Influenza	3										1		1	1	
(12)	Dysentery	13											3	6	2	2
(12)	Erysipelas	9								1	1	4		1		3
(37)	Tetanus	3				1	1	2			3					
13	Tuberculosis of the lungs	2														2
14	Tuberculous meningitis	8											3	3		2
15	Other forms of tuberculosis	4								1	1	1		1	1	
(37)	Syphilis	6						5			5				1	
17	Meningitis	12						2		2	4			1	5	2
(37)	Convulsions	10	1	1	4	1	7	1			8	2				
19	Organic diseases of the heart	5	1				1				1	2	2			
20	Acute bronchitis	6							1		1	1	1	3		
22	Pneumonia	15				1	1	2			3	1	2	3	4	2
(23)	Bronchopneumonia	28				1	1		1		2	8	5	6	5	2
24	Diseases of the stomach	10		1			1				1	2		5	2	
25	Diarrhea and enteritis	157	1				1	1	3	3	8	11	26	41	36	35
(33)	Malformations	34	2	6	6	6	20	4	2	1	27		2	4	1	
(33)	Premature birth	153	75	17	11	10	113	12	11	4	140	8	1	4		
(33,37)	Congenital debility	77	15	2	2	6	25	7	6	4	42	5	9	17	2	2
(37)	Injuries at birth	11	4	2	1	2	9		1		10			1		
35	External causes	11				1	1			1	2	3	1	3		2
38	Diseases ill-defined or unknown	47	7	2	4	2	15	4	4	2	25	6	11	2	2	1
	All other causes	35	1		1		2	3	1	1	7	3	5	9	5	6

[1] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	NORTH CAROLINA [1] (COLORED).															
	All causes	688	45	25	16	52	138	58	28	23	247	75	48	133	99	86
5	Measles	3			1		1				1		1	1		
6	Scarlet fever															
7	Whooping cough	21							1		1	1	2	11	4	2
8	Diphtheria and croup	3				1	1				1			1	1	
9	Influenza	5										2	1	2		
(12)	Dysentery	17							1		1	1		3	5	7
(12)	Erysipelas															
(37)	Tetanus	38	2		1	13	16	14	2	3	35	2	1			
13	Tuberculosis of the lungs	12											2	3	2	5
14	Tuberculous meningitis	3												1	1	1
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	10	1				1	2		1	4	1	1	2	1	1
17	Meningitis	9										3		2	3	1
(37)	Convulsions	8				2	2	2	1		5			1	1	1
19	Organic diseases of the heart	2										1			1	
20	Acute bronchitis	16				1	1	3		2	6	2	1	2	3	2
22	Pneumonia	32				2	2	2	3		7	4	1	11	8	1
(23)	Bronchopneumonia	50		1		4	5	1	1	1	8	5	5	14	8	10
24	Diseases of the stomach	19								2	2	3	6	4	1	3
25	Diarrhea and enteritis	155				2	2	4	2	3	11	18	15	37	39	35
(33)	Malformations	7	1				1	3	1		5	2				
(33)	Premature birth	69	20	10	13	7	50	5	5	4	64	3		1	1	
(33,37)	Congenital debility	53	6	5	1	4	16	5	6	2	29	11	3	3	5	2
(37)	Injuries at birth	6	5	1			6				6					
35	External causes	7		1			1	1			2		1	2	1	1
38	Diseases ill-defined or unknown	98	10	6		13	29	10	3	4	46	12	3	24	8	5
	All other causes	44		1		3	4	6	2	1	13	4	5	8	5	9
	OHIO.															
	All causes	11,064	1,542	609	391	870	3,412	753	524	382	5,071	1,018	770	1,806	1,298	1,101
5	Measles	147						1	2	6	9	7	4	25	33	69
6	Scarlet fever	17						1		1	2	2		1	3	9
7	Whooping cough	357						6	6	21	33	52	42	89	67	74
8	Diphtheria and croup	57				2	2		2	1	5	1	2	10	14	25
9	Influenza	37		1			1	2	3	3	9	8	6	6	5	3
(12)	Dysentery	42				2	2	1	1	1	5	4	2	14	5	12
(12)	Erysipelas	56						3	7	8	18	10	6	11	9	2
(37)	Tetanus	12				4	4	5	2	1	12					
13	Tuberculosis of the lungs	71			1		1	1	2	1	5	3	10	21	15	17
14	Tuberculous meningitis	69				1	1	1	1		3	6	4	18	15	23
15	Other forms of tuberculosis	35			1		1	1			2	4	5	9	7	8
(37)	Syphilis	164	9	6	6	9	30	23	12	8	73	41	10	24	10	6
17	Meningitis	131		1		4	5	8	7	2	22	9	9	34	24	33
(37)	Convulsions	151	4	15	17	28	64	23	8	8	103	14	9	12	9	4
19	Organic diseases of the heart	40	3		3	4	10	2	7		19	6	4	4	3	4
20	Acute bronchitis	221		1	4	8	13	12	6	12	43	41	36	38	38	25
22	Pneumonia	350	1	1	4	12	18	19	17	19	73	52	25	77	71	52
(23)	Bronchopneumonia	885	2	4	11	33	50	42	52	40	184	111	89	210	162	129
24	Diseases of the stomach	240		2	2	10	14	14	19	13	60	48	28	58	31	15
25	Diarrhea and enteritis	2,856	2	5	4	41	52	87	99	88	326	310	313	827	613	467
(33)	Malformations	773	144	120	74	138	476	89	52	30	647	41	20	32	18	15
(33)	Premature birth	2,109	987	306	142	233	1,668	189	106	52	2,015	57	15	19	3	
(33,37)	Congenital debility	994	149	60	49	178	436	114	60	33	643	105	65	114	42	25
(37)	Injuries at birth	415	190	53	46	82	371	28	11	3	413	2				
35	External causes	205	14	9	3	16	42	12	5	15	74	26	18	39	22	26
38	Diseases ill-defined or unknown	135	29	18	4	19	70	13	5	3	91	13	11	12	5	3
	All other causes	495	8	7	20	46	81	56	32	13	182	45	37	102	74	55
	PENNSYLVANIA.															
	All causes	26,304	2,962	1,015	851	1,617	6,445	1,588	1,287	997	10,317	2,538	2,113	4,864	3,668	2,804
5	Measles	391				1	1	3	7	5	16	9	5	59	121	181
6	Scarlet fever	56			1		1	3	3		7	3	1	8	17	20
7	Whooping cough	503	1		1		2	5	7	16	30	72	47	116	120	118
8	Diphtheria and croup	139	1	1			2	2	4	1	9	5	5	20	40	60
9	Influenza	80			1		1	2	3	5	11	12	8	23	17	9
(12)	Dysentery	67								2	2	6	13	19	17	10
(12)	Erysipelas	116				1	1	8	13	19	41	19	13	14	26	3
(37)	Tetanus	26			2	5	7	11	5		23	1			1	1
13	Tuberculosis of the lungs	109						2	1	1	4	4	8	31	29	33
14	Tuberculous meningitis	153							1		1	8	14	37	54	39
15	Other forms of tuberculosis	55	1				1		1	2	4	5	7	15	12	12
(37)	Syphilis	216	14	6	9	12	41	28	17	16	102	36	23	33	14	8
17	Meningitis	228		2	4	13	19	9	7	5	40	12	16	71	47	42
(37)	Convulsions	845	18	30	48	98	194	100	65	38	397	89	72	146	98	43
19	Organic diseases of the heart	173	7	3	12	27	49	24	9	10	92	20	10	32	14	5
20	Acute bronchitis	629		2	1	15	18	29	33	35	115	99	62	159	116	78
22	Pneumonia	1,415	3	9	9	32	53	63	84	60	260	149	119	346	298	243
(23)	Bronchopneumonia	2,155	9	9	21	35	74	84	88	86	332	263	211	485	476	388
24	Diseases of the stomach	673	1	5	3	29	38	48	54	36	176	114	90	161	85	47
25	Diarrhea and enteritis	6,982	1	3	12	76	92	170	239	211	712	728	774	2,102	1,554	1,112
(33)	Malformations	1,449	267	157	134	263	821	178	94	72	1,165	91	54	83	38	18
(33)	Premature birth	3,928	1,825	485	310	441	3,061	362	190	115	3,728	119	40	33	6	2
(33,37)	Congenital debility	3,427	405	172	149	325	1,051	288	233	172	1,744	466	370	534	204	109
(37)	Injuries at birth	650	331	86	77	93	587	39	10	5	641	5	4			
35	External causes	278	19	11	13	12	55	14	8	7	84	31	27	46	46	44
38	Diseases ill-defined or unknown	228	37	19	7	32	95	12	10	11	128	31	16	28	16	9
	All other causes	1,333	22	15	37	107	181	104	101	67	453	141	104	263	202	170

[1] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	RHODE ISLAND.															
	All causes	1,635	185	69	62	90	406	92	57	59	614	173	145	310	234	159
5	Measles	20										1		2	3	14
6	Scarlet fever	2										1		1		
7	Whooping cough	32							1		1	4	3	6	11	7
8	Diphtheria and croup	8												1	4	3
9	Influenza	5											1	1	2	1
(12)	Dysentery	11							1		1	1	1	3	4	1
(12)	Erysipelas	8							1	1	2	2	2		2	
(37)	Tetanus	1							1		1					
13	Tuberculosis of the lungs	5											2	1	1	1
14	Tuberculous meningitis	20												6	9	5
15	Other forms of tuberculosis	10										1		5	3	1
(37)	Syphilis	21			2	1	3	1	4		8	5	3	4	1	
17	Meningitis	19				1	1			1	2		2	2	8	5
(37)	Convulsions	19	2				2		2	1	5	3	1	5	3	2
19	Organic diseases of the heart	4				1	1	1			2		1			1
20	Acute bronchitis	53			1		1	4	2	2	9	11	8	12	10	3
22	Pneumonia	68						3	3	3	9	6	2	18	16	17
(23)	Bronchopneumonia	119			1		1	2	2	5	10	13	12	34	30	20
24	Diseases of the stomach	28			1		1	3			4	5	6	7	6	
25	Diarrhea and enteritis	410				5	5	12	9	9	35	58	50	130	78	59
(33)	Malformations	85	17	8	14	10	49	9	9	4	71	4	2	6	2	
(33)	Premature birth	220	86	29	20	28	163	24	7	12	206	7	3	3	1	
(33,37)	Congenital debility	269	21	13	11	26	71	20	12	12	115	33	34	52	23	7
(37)	Injuries at birth	98	56	17	11	8	92	4		1	97	1				
35	External causes	17				2	2		1		3	1	5	2	2	4
38	Diseases ill-defined or unknown	23	3	2		2	7	5		2	14	2	2	3	2	
	All other causes	60			1	6	7	4	2	6	19	9	5	6	13	8
	UTAH.															
	All causes	916	206	49	51	80	386	45	54	35	520	67	46	116	95	72
5	Measles	29							1		1			4	10	14
6	Scarlet fever															
7	Whooping cough	27							1	1	2	4	7	5	5	4
8	Diphtheria and croup	3							1		1					2
9	Influenza	8						1			1			3	1	3
(12)	Dysentery	1											1			
(12)	Erysipelas	7				1	1				1	2	1	3		
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	2														2
15	Other forms of tuberculosis															
(37)	Syphilis	4								1	1	1		1		1
17	Meningitis	12								1	1			2	6	3
(37)	Convulsions	13		1		5	6	1	1	1	9	2		2		
19	Organic diseases of the heart	8			3		3	1	1		5			1	2	
20	Acute bronchitis	27						2	4	2	8	7	4	5	1	2
22	Pneumonia	43				1	1	2	3	3	9	3	2	13	10	6
(23)	Bronchopneumonia	77	1		1		2	2	7	8	19	16	7	15	15	5
24	Diseases of the stomach	8						1			1	1	1	2	1	2
25	Diarrhea and enteritis	127						3	5	4	12	15	12	37	32	19
(33)	Malformations	58	13	8	6	8	35	8	5	2	50	2	1	3		2
(33)	Premature birth	259	155	21	22	28	226	12	10	5	253	4	1	1		
(33,37)	Congenital debility	68	15	8	2	17	42	6	5	3	56	2	4	3		3
(37)	Injuries at birth	41	15	8	8	8	39	1	1		41					
35	External causes	7	2				2				2			3	2	
38	Diseases ill-defined or unknown	24	4	2	3	3	12	2	2	2	18	3		3		
	All other causes	62	1	1	6	9	17	3	7	2	29	5	5	10	10	3
	VERMONT.															
	All causes	729	85	54	22	55	216	54	37	25	332	80	69	126	65	57
5	Measles	19		1		1	2			1	3	3		6	2	5
6	Scarlet fever	1							1		1					
7	Whooping cough	23								2	2	2	3	9	6	1
8	Diphtheria and croup	3												1	1	1
9	Influenza	8							1	1	2	3	2	1		
(12)	Dysentery	1												1		
(12)	Erysipelas	2														2
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	7										2	1	1	2	1
15	Other forms of tuberculosis	2													2	
(37)	Syphilis	4						1			1	1	1		1	
17	Meningitis	18							1		1	2	2	9	3	1
(37)	Convulsions	7	1			1	2	2			4		1	1	1	
19	Organic diseases of the heart	7				1	1	1	1		3			2		2
20	Acute bronchitis	26		1		1	2	2	2	3	9	2	4	4	4	3
22	Pneumonia	34				1	1	1	3		5	2	3	14	6	4
(23)	Bronchopneumonia	35				1	1	2	3		6	6	8	4	6	5
24	Diseases of the stomach	24			1	3	4	1	1	3	9	5	5	3		2
25	Diarrhea and enteritis	154		1		1	2	5	3	5	15	25	20	46	25	23
(33)	Malformations	58	10	9	6	8	33	5	3	2	43	6	3	4	2	
(33)	Premature birth	145	61	26	8	15	110	15	3	6	134	8		3		
(33,37)	Congenital debility	75	7	7	5	6	25	9	8	1	43	10	11	8	1	2
(37)	Injuries at birth	20	5	4		9	18	1	1		20					
35	External causes	7		1		1	2				2	1	1	1		2
38	Diseases ill-defined or unknown	4	1	1	1	1	4				4					
	All other causes	45		3	1	5	9	9	6	1	25	2	4	8	3	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	VIRGINIA (TOTAL).															
	All causes	5,931	801	259	191	397	1,648	409	266	185	2,508	554	454	1,124	736	555
5	Measles	89	1		1		2	1	6	5	14	14	4	12	24	21
6	Scarlet fever	6							2		2	1		1	1	1
7	Whooping cough	149			2	1	3	4	5	5	17	13	10	33	40	36
8	Diphtheria and croup	52				2	2	2	3	4	11	3	6	12	13	7
9	Influenza	27						2	1	1	4	1	6	7	6	3
(12)	Dysentery	71				1	1	1	2	2	6	5	9	19	16	16
(12)	Erysipelas	13						1	2	1	4	3		3	1	2
(37)	Tetanus	20	1			6	7	11	1		19			1		
13	Tuberculosis of the lungs	46	1				1	1			2	1	2	20	14	7
14	Tuberculous meningitis	30						1			1	3		13	8	5
15	Other forms of tuberculosis	13										1	2	3	3	4
(37)	Syphilis	70	3	2	2	2	9	2	1	1	13	9	10	17	15	6
17	Meningitis	89				4	4	6	1	2	13	1	5	37	19	14
(37)	Convulsions	129	2	4	9	20	35	24	6	4	69	10	7	22	14	7
19	Organic diseases of the heart	24	2	2		1	5	2			7	2	4	7	4	
20	Acute bronchitis	115		1	1	2	4	6	7	2	19	17	19	31	18	11
22	Pneumonia	284	1			6	7	21	18	8	54	30	20	78	61	41
(23)	Bronchopneumonia	210			4	7	11	11	4	7	33	24	21	54	36	42
24	Diseases of the stomach	91				1	1	2	3	6	12	12	17	23	17	10
25	Diarrhea and enteritis	1,089	1	1	6	12	20	25	25	22	92	100	114	323	263	197
(33)	Malformations	179	39	16	12	24	91	21	8	9	129	15	11	21	2	1
(33)	Premature birth	753	363	106	48	88	605	59	40	15	719	21	12	4	2	
(33,37)	Congenital debility	710	103	30	26	66	225	65	55	27	372	80	63	131	42	22
(37)	Injuries at birth	119	54	18	19	13	104	12	2		118	1				
35	External causes	106	12	2		3	17	3	4	1	25	9	9	32	15	16
38	Diseases ill-defined or unknown	1,182	214	75	57	119	465	107	57	49	678	141	85	157	64	57
	All other causes	260	4	2	4	19	29	19	13	14	75	37	18	63	38	29
	VIRGINIA (WHITE).															
	All causes	3,408	528	139	109	222	998	234	175	114	1,521	309	266	603	395	314
5	Measles	59			1		1	1	5	3	10	6	4	8	15	16
6	Scarlet fever	6							2		2	1		1	1	1
7	Whooping cough	103			2	1	3	4	5	5	17	9	9	25	21	22
8	Diphtheria and croup	39				1	1	2	3	4	10	2	4	11	9	3
9	Influenza	15						1	1	1	3		3	5	2	2
(12)	Dysentery	32							1	1	2	2	2	7	8	11
(12)	Erysipelas	11						1	1	1	3	3		2	1	2
(37)	Tetanus	7				1	1	4	1		6			1		
13	Tuberculosis of the lungs	22	1				1	1			2		1	9	9	1
14	Tuberculous meningitis	21						1			1	3		8	6	3
15	Other forms of tuberculosis	8											1	2	3	2
(37)	Syphilis	22		1			1	1		1	3	4	4	8	3	
17	Meningitis	72				2	2	6	1	2	11	1	5	30	15	10
(37)	Convulsions	46	1	2	5	11	19	7	1	1	28	3	3	9	1	2
19	Organic diseases of the heart	18	2	2		1	5				5	2	4	4	3	
20	Acute bronchitis	44			1	1	2	3	5	1	11	9	8	5	5	6
22	Pneumonia	142	1			5	6	13	13	7	39	18	11	28	29	17
(23)	Bronchopneumonia	110			2	4	6	5	3	4	18	16	13	23	18	22
24	Diseases of the stomach	55				1	1	1	2	3	7	8	13	11	9	7
25	Diarrhea and enteritis	677	1		3	5	9	10	17	10	46	58	70	197	166	140
(33)	Malformations	149	31	12	11	20	74	18	8	8	108	11	10	18	1	1
(33)	Premature birth	512	266	65	27	51	409	41	31	6	487	10	10	3	2	
(33,37)	Congenital debility	407	70	14	14	37	135	40	25	16	216	43	36	79	22	11
(37)	Injuries at birth	85	37	13	14	9	73	10	1		84	1				
35	External causes	55	6	1		2	9	2	4	1	16	4	4	17	5	9
38	Diseases ill-defined or unknown	554	109	27	25	59	220	54	36	33	343	75	41	60	21	14
	All other causes	137	3	2	4	11	20	8	9	6	43	20	10	32	20	12
	VIRGINIA (COLORED).															
	All causes	2,523	273	120	82	175	650	175	91	71	987	245	188	521	341	241
5	Measles	30	1				1		1	2	4	8		4	9	5
6	Scarlet fever															
7	Whooping cough	46										4	1	8	19	14
8	Diphtheria and croup	13				1	1				1	1	2	1	4	4
9	Influenza	12						1			1	1	3	2	4	1
(12)	Dysentery	39				1	1	1	1	1	4	3	7	12	8	5
(12)	Erysipelas	2							1		1			1		
(37)	Tetanus	13	1			5	6	7			13					
13	Tuberculosis of the lungs	24										1	1	11	5	6
14	Tuberculous meningitis	9												5	2	2
15	Other forms of tuberculosis	5										1	1	1		2
(37)	Syphilis	48	3	1	2	2	8	1	1		10	5	6	9	12	6
17	Meningitis	17				2	2				2			7	4	4
(37)	Convulsions	83	1	2	4	9	16	17	5	3	41	7	4	13	13	5
19	Organic diseases of the heart	6						2			2			3	1	
20	Acute bronchitis	71		1		1	2	3	2	1	8	8	11	26	13	5
22	Pneumonia	142				1	1	8	5	1	15	12	9	50	32	24
(23)	Bronchopneumonia	100			2	3	5	6	1	3	15	8	8	31	18	20
24	Diseases of the stomach	36						1	1	3	5	4	4	12	8	3
25	Diarrhea and enteritis	412		1	3	7	11	15	8	12	46	42	44	126	97	57
(33)	Malformations	30	8	4	1	4	17	3		1	21	4	1	3	1	
(33)	Premature birth	246	97	41	21	37	196	18	9	9	232	11	2	1		
(33,37)	Congenital debility	303	33	16	12	29	90	25	30	11	156	37	27	52	20	11
(37)	Injuries at birth	34	17	5	5	4	31	2	1		34					
35	External causes	51	6	1		1	8	1			9	5	5	15	10	7
38	Diseases ill-defined or unknown	628	105	48	32	60	245	53	21	16	335	66	44	97	43	43
	All other causes	123	1			8	9	11	4	8	32	17	8	31	18	17

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	WASHINGTON.															
	All causes	1,566	246	111	73	160	590	124	67	46	827	154	113	215	145	112
5	Measles	23						2			2	1	1	5	2	12
6	Scarlet fever	1								1	1					
7	Whooping cough	64							2	5	7	7	7	23	13	7
8	Diphtheria and croup	5												2	3	
9	Influenza	9				1	1			1	2	1		3	3	
(12)	Dysentery	3												2		1
(12)	Erysipelas	8							2	1	3	1	2		1	1
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	5												2	2	1
14	Tuberculous meningitis	20						1			1	1	2	6	4	6
15	Other forms of tuberculosis	3											1	1	1	
(37)	Syphilis	14				4	4		1		5	3	2	3		1
17	Meningitis	13			1		1	2	1	1	5	2	1	2	3	
(37)	Convulsions	27	1	5	8	3	17	2	1	1	21	2		3		1
19	Organic diseases of the heart	10			3	3	6				6	2		1		1
20	Acute bronchitis	20							2		2	3	3	7	4	1
22	Pneumonia	41				4	4	3	1	1	9	8	8	5	4	7
(23)	Bronchopneumonia	164			4	4	8	5	9	7	29	26	27	36	19	27
24	Diseases of the stomach	20				2	2		2	1	5	5	2	5	2	1
25	Diarrhea and enteritis	223			2	5	7	11	10	3	31	31	29	59	52	21
(33)	Malformations	121	25	12	11	27	75	12	8	4	99	9	2	5	4	2
(33)	Premature birth	350	165	54	21	32	272	34	15	11	332	16	1	1		
(33,37)	Congenital debility	216	25	24	17	37	103	34	7	6	150	23	12	22	5	4
(37)	Injuries at birth	51	20	11	2	14	47	3			50	1				
35	External causes	25	1	1	1	1	4	2			6		3	6	8	2
38	Diseases ill-defined or unknown	41	8	3	3	8	22	3	2		27	4	2	2	3	3
	All other causes	88	1	1		15	17	9	4	3	33	8	8	14	12	13
	WISCONSIN.															
	All causes	4,997	911	298	186	406	1,801	352	279	199	2,631	420	365	795	466	320
5	Measles	50							1	3	4	1	3	8	11	23
6	Scarlet fever	10											1	1	2	6
7	Whooping cough	116							2	9	11	11	16	35	27	16
8	Diphtheria and croup	13							1		1	2	1	2	3	4
9	Influenza	24		1			1	3	1	1	6	9	1	7	1	
(12)	Dysentery	28											8	7	5	8
(12)	Erysipelas	17							2		2	3	4	6	1	1
(37)	Tetanus	4						4			4					
13	Tuberculosis of the lungs	15								1	1		4	3	6	1
14	Tuberculous meningitis	20											1	7	7	5
15	Other forms of tuberculosis	5												4	1	
(37)	Syphilis	14		1			1	2	1	2	6	3	1	3	1	
17	Meningitis	69		1	4	3	8	1	1		10	5	2	28	14	10
(37)	Convulsions	266	11	27	19	43	100	30	19	19	168	27	12	31	18	10
19	Organic diseases of the heart	22	4	2	4	4	14		3		17		1	2	2	
20	Acute bronchitis	141	1	1	2	7	11	9	8	11	39	23	13	31	21	14
22	Pneumonia	230	1	1	2	4	8	16	17	17	58	24	27	54	38	29
(23)	Bronchopneumonia	288	3	2	2	6	13	8	18	16	55	34	29	60	65	45
24	Diseases of the stomach	136	1	2	4	6	13	13	17	6	49	21	14	35	6	11
25	Diarrhea and enteritis	918	1	8	8	24	41	34	44	38	157	93	115	294	160	99
(33)	Malformations	254	66	29	14	48	157	24	9	14	204	12	14	16	4	4
(33)	Premature birth	934	534	128	50	97	809	89	43	15	956	16	6	4	2	
(33,37)	Congenital debility	771	151	47	45	106	349	84	48	29	510	95	61	84	16	5
(37)	Injuries at birth	197	117	28	18	26	189	5	2		196	1				
35	External causes	52	1	3	1	3	8		2	2	12	3	4	14	8	11
38	Diseases ill-defined or unknown	58	12	5	2	6	25	5	3	5	38	4	5	7	2	2
	All other causes	295	8	12	11	23	54	25	37	11	127	33	22	52	45	16

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.															
	BIRMINGHAM, ALA. (TOTAL).															
	All causes	425	77	18	17	32	144	21	21	16	202	28	29	66	54	46
5	Measles	6							1		1		1	1	2	1
6	Scarlet fever															
7	Whooping cough	7										3		1	2	1
8	Diphtheria and croup	1													1	
9	Influenza															
(12)	Dysentery	7										1	1	2	2	1
(12)	Erysipelas															
(37)	Tetanus	3				1	1	1			2					1
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	10	1			2	3				3	1		4	2	
17	Meningitis	3											1	1		1
(37)	Convulsions	11				3	3	3	2	1	9	1		1		
19	Organic diseases of the heart	1						1			1					
20	Acute bronchitis	3											3			
22	Pneumonia	30				2	2	1	4	1	8	1	6	9	4	2
(23)	Bronchopneumonia	16				1	1		1	1	3		2	7	1	3
24	Diseases of the stomach	9				2	2	1		1	4	1		2	2	
25	Diarrhea and enteritis	92			1	1	2			1	3	2	10	23	28	26
(33)	Malformations	15	2	2	1	1	6	5		1	12	1	2			
(33)	Premature birth	96	54	9	8	3	74	7	4	6	91	4		1		
(33,37)	Congenital debility	53	10	3	5	8	26	2	5	2	35	6	3	3	2	4
(37)	Injuries at birth	9	5	1		3	9				9					
35	External causes	15	1			2	3			1	4	2		4	2	3
38	Diseases ill-defined or unknown	15	4		2	2	8		1	1	10	4		1		
	All other causes	20		3		1	4		3		7	1		5	4	3
	BIRMINGHAM, ALA. (WHITE).															
	All causes	206	49	11	11	10	81	8	10	7	106	11	7	31	24	27
5	Measles	4							1		1			1	2	
6	Scarlet fever															
7	Whooping cough	4										2			1	1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	3										1		1	1	
(12)	Erysipelas															
(37)	Tetanus	1														1
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	2										1		1		
17	Meningitis	1												1		
(37)	Convulsions	2						1	1		2					
19	Organic diseases of the heart	1						1			1					
20	Acute bronchitis															
22	Pneumonia	5										1		1	1	2
(23)	Bronchopneumonia	7							1	1	2			4	1	
24	Diseases of the stomach	4				1	1			1	2			2		
25	Diarrhea and enteritis	47			1		1				1		4	13	11	18
(33)	Malformations	11	1	2	1	1	5	3		1	9		2			
(33)	Premature birth	55	37	3	4	2	46	1	3	4	54			1		
(33,37)	Congenital debility	28	6	2	4	3	15	2	3		20	3	1	1		3
(37)	Injuries at birth	7	4	1		2	7				7					
35	External causes	5	1				1				1	1		1	2	
38	Diseases ill-defined or unknown	3			1		1		1		2	1				
	All other causes	13		3		1	4				4	1		3	3	2
	BIRMINGHAM, ALA. (COLORED).															
	All causes	219	28	7	6	22	63	13	11	9	96	17	22	35	30	19
5	Measles	2											1			1
6	Scarlet fever															
7	Whooping cough	3										1		1	1	
8	Diphtheria and croup	1													1	
9	Influenza															
(12)	Dysentery	4											1	1	1	1
(12)	Erysipelas															
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
37)	Syphilis	8	1			2	3				3			3	2	
17	Meningitis	2											1			1
(37)	Convulsions	9				3	3	2	1	1	7	1		1		
19	Organic diseases of the heart															
20	Acute bronchitis	3											3			
22	Pneumonia	25				2	2	1	4	1	8		6	8	3	
(23)	Bronchopneumonia	9				1	1				1		2	3		3
24	Diseases of the stomach	5				1	1	1			2	1			2	
25	Diarrhea and enteritis	45				1	1			1	2	2	6	10	17	8
(33)	Malformations	4	1				1	2			3	1				
(33)	Premature birth	41	17	6	4	1	28	6	1	2	37	4				
(33,37)	Congenital debility	25	4	1	1	5	11		2	2	15	3	2	2	2	1
(37)	Injuries at birth	2	1			1	2				2					
35	External causes	10				2	2			1	3	1		3		3
38	Diseases ill-defined or unknown	12	4		1	2	7			1	8	3		1		
	All other causes	7							3		3			2	1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	LOS ANGELES, CAL. (TOTAL).															
	All causes	715	115	34	36	60	245	49	35	20	349	64	56	116	68	62
5	Measles	12						1			1		1	1	3	6
6	Scarlet fever															
7	Whooping cough	10										2	2	4	1	1
8	Diphtheria and croup															
9	Influenza	1										1				
(12)	Dysentery	4											1	1	1	1
(12)	Erysipelas	3										1		1	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	16				1	1	1	1	1	4	1		7	2	2
14	Tuberculous meningitis	9										1		2	3	3
15	Other forms of tuberculosis	2												2		
(37)	Syphilis	12						1	4		5	2	1	1	1	2
17	Meningitis	17			2		2	1	1	1	5		1	3	3	5
(37)	Convulsions	5	1		1	1	3				3	1	1			
19	Organic diseases of the heart															
20	Acute bronchitis	8						1	1		2	1	1	2	1	1
22	Pneumonia	39				5	5	4	1	2	12	2	2	10	5	8
(23)	Bronchopneumonia	63			3	2	5	2	4	2	13	12	8	15	9	6
24	Diseases of the stomach	11								1	1	3	2	4	1	
25	Diarrhea and enteritis	148				3	3	4	4	3	14	17	19	48	29	21
(33)	Malformations	58	11	3	7	11	32	7	5	2	46	5	2	4	1	
(33)	Premature birth	157	78	21	11	18	128	11	6	5	150	2	3	1	1	
(33,37)	Congenital debility	63	11	4	6	12	33	8	5	1	47	8	7	1		
(37)	Injuries at birth	27	12	4	4	5	25	2			27					
35	External causes	9	1			1	2		1	2	5			1	1	2
38	Diseases ill-defined or unknown	1												1		
	All other causes	40	1	2	2	1	6	6	2		14	5	5	7	5	4
	LOS ANGELES, CAL. (WHITE).															
	All causes	651	105	31	34	53	223	47	34	18	322	58	51	104	56	60
5	Measles	11						1			1		1	1	3	5
6	Scarlet fever															
7	Whooping cough	8										2	2	2	1	1
8	Diphtheria and croup															
9	Influenza	1										1				
(12)	Dysentery	4											1	1	1	1
(12)	Erysipelas	3										1		1	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	14				1	1		1	1	3	1		6	2	2
14	Tuberculous meningitis	4										1		1		2
15	Other forms of tuberculosis	2												2		
(37)	Syphilis	12						1	4		5	2	1	1	1	2
17	Meningitis	12			2		2			1	3		1	2	1	5
(37)	Convulsions	5	1		1	1	3				3	1	1			
19	Organic diseases of the heart															
20	Acute bronchitis	7						1	1		2	1	1	2		1
22	Pneumonia	35				4	4	4	1		9	2	2	10	4	8
(23)	Bronchopneumonia	57			3	2	5	2	4	2	13	10	7	14	7	6
24	Diseases of the stomach	10								1	1	3	2	4		
25	Diarrhea and enteritis	134						4	4	3	11	14	17	43	28	21
(33)	Malformations	58	11	3	7	11	32	7	5	2	46	5	2	4	1	
(33)	Premature birth	143	69	20	10	16	115	11	6	5	137	2	3	1		
(33,37)	Congenital debility	60	11	4	6	11	32	8	5	1	46	7	7			
(37)	Injuries at birth	24	11	2	4	5	22	2			24					
35	External causes	9	1			1	2		1	2	5			1	1	2
38	Diseases ill-defined or unknown	1												1		
	All other causes	37	1	2	1	1	5	6	2		13	5	3	7	5	4
	LOS ANGELES, CAL. (COLORED).															
	All causes	64	10	3	2	7	22	2	1	2	27	6	5	12	12	2
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	2												2		
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2						1			1			1		
14	Tuberculous meningitis	5												1	3	1
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis	5						1	1		2			1	2	
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	1													1	
22	Pneumonia	4				1	1			2	3				1	
(23)	Bronchopneumonia	6										2	1	1	2	
24	Diseases of the stomach	1													1	
25	Diarrhea and enteritis	14				3	3				3	3	2	5	1	
(33)	Malformations															
(33)	Premature birth	14	9	1	1	2	13				13				1	
(33,37)	Congenital debility	3				1	1				1	1		1		
(37)	Injuries at birth	3	1	2			3				3					
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	3			1		1				1		2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	OAKLAND, CAL.															
	All causes	264	41	18	11	19	89	18	11	12	130	18	22	51	25	18
5	Measles															
6	Scarlet fever															
7	Whooping cough	1												1		
8	Diphtheria and croup	2											1			1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis	5												3	2	
15	Other forms of tuberculosis															
(37)	Syphilis	9	1				1		2		3		3	2	1	
17	Meningitis	1														1
(37)	Convulsions	1			1		1				1					
19	Organic diseases of the heart															
20	Acute bronchitis	2											1			1
22	Pneumonia	21							2	2	4	2	2	7	5	1
(23)	Bronchopneumonia	29			1		1	2	2		5	4	2	7	7	4
24	Diseases of the stomach	4												1	2	1
25	Diarrhea and enteritis	57				1	1	1	2	6	10	6	9	24	4	4
(33)	Malformations	24	6	4	3	4	17	3			20	2		2		
(33)	Premature birth	58	25	9	4	7	45	7	2	2	56	1	1			
(33,37)	Congenital debility	26	6	3	1	5	15	4	1	1	21	3			1	1
(37)	Injuries at birth	7	3	2	1	1	7				7					
35	External causes	2													1	1
38	Diseases ill-defined or unknown															
	All other causes	13				1	1	1		1	3		3	3	2	2
	SAN FRANCISCO, CAL. (TOTAL).															
	All causes	632	79	40	27	43	189	43	33	29	294	66	47	102	68	55
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	9								1	1	2	1	2	1	2
8	Diphtheria and croup															
9	Influenza	1													1	
(12)	Dysentery	1								1	1					
(12)	Erysipelas	5							1	1	2	1	1	1		
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	5													2	3
14	Tuberculous meningitis	20												5	10	5
15	Other forms of tuberculosis	11								1	1		1	3	5	1
(37)	Syphilis	14				1	1	2	2		5	2	3	3		1
17	Meningitis	8						1	1		2			4		2
(37)	Convulsions	3				2	2				2					1
19	Organic diseases of the heart	9			1	1	2	1			3	1		1	3	1
20	Acute bronchitis	10				1	1				1	3		4	1	1
22	Pneumonia	39			1		1	1	1	1	4	6	7	5	7	10
(23)	Bronchopneumonia	60	1	1	1	2	5	5	5	3	18	9	4	12	7	10
24	Diseases of the stomach	9						1	2	3	2	1	2	1		
25	Diarrhea and enteritis	121		2			2	3	7	7	19	15	19	44	15	9
(33)	Malformations	56	6	10	4	11	31	7	2	2	42	2	3	3	5	1
(33)	Premature birth	102	51	17	8	5	81	7	3	2	93	7		2		
(33,37)	Congenital debility	72	10	5	6	14	35	10	6	4	55	12	3	2		
(37)	Injuries at birth	27	11	5	5	3	24	2	1		27					
35	External causes	5			1		1			2	3	1		1		
38	Diseases ill-defined or unknown															
	All other causes	42				3	3	3	3	2	11	3	4	8	9	7
	SAN FRANCISCO, CAL. (WHITE).															
	All causes	603	76	38	25	39	178	42	33	29	282	59	46	100	63	53
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	9								1	1	2	1	2	1	2
8	Diphtheria and croup															
9	Influenza	1													1	
(12)	Dysentery	1								1	1					
(12)	Erysipelas	5							1	1	2	1	1	1		
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	5													2	3
14	Tuberculous meningitis	19												5	9	5
15	Other forms of tuberculosis	11								1	1		1	3	5	1
(37)	Syphilis	14				1	1	2	2		5	2	3	3		1
17	Meningitis	8						1	1		2			4		2
(37)	Convulsions	3				2	2				2					1
19	Organic diseases of the heart	9			1	1	2	1			3	1		1	3	1
20	Acute bronchitis	9				1	1				1	3		4		1
22	Pneumonia	34			1		1	1	1	1	4	3	6	5	7	9
(23)	Bronchopneumonia	56	1	1	1	2	5	5	5	3	18	8	4	11	6	9
24	Diseases of the stomach	9							1	2	3	2	1	2	1	
25	Diarrhea and enteritis	117		2			2	3	7	7	19	13	19	43	14	9
(33)	Malformations	54	6	10	4	9	29	7	2	2	40	2	3	3	5	1
(33)	Premature birth	95	48	15	7	4	74	7	3	2	86	7		2		
(33,37)	Congenital debility	69	10	5	5	13	33	10	6	4	53	11	3	2		
(37)	Injuries at birth	27	11	5	5	3	24	2	1		27					
35	External causes	5			1		1			2	3	1		1		
38	Diseases ill-defined or unknown															
	All other causes	40				3	3	2	3	2	10	3	4	8	8	7

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	SAN FRANCISCO, CAL. (COLORED).															
	All causes	29	3	2	2	4	11	1			12	7	1	2	5	2
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	1													1	
22	Pneumonia	5										3	1			1
(23)	Bronchopneumonia	4										1		1	1	1
24	Diseases of the stomach															
25	Diarrhea and enteritis	4										2		1	1	
(33)	Malformations	2				2	2				2					
(33)	Premature birth	7	3	2	1	1	7				7					
(33,37)	Congenital debility	3			1	1	2				2	1				
(37)	Injuries at birth															
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	2						1			1				1	
	DENVER, COLO.															
	All causes	365	52	17	12	24	105	13	16	16	150	50	30	56	41	38
5	Measles	4											1	1	2	
6	Scarlet fever	3													2	1
7	Whooping cough	9										1	1		3	4
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	2											1		1	
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	11											1	3	4	3
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	11										5	2	3	1	
17	Meningitis	6												1	5	
(37)	Convulsions	3				2	2				2					1
19	Organic diseases of the heart	2								1	1			1		
20	Acute bronchitis	7						1	1		2	1	1	1	1	1
22	Pneumonia	14			1		1		1		2	1	1	3	3	4
(23)	Bronchopneumonia	28			1		1	2	2		5	4	4	6	4	5
24	Diseases of the stomach	4						1			1		1	2		
25	Diarrhea and enteritis	49				1	1			1	2	8	5	16	8	10
(33)	Malformations	27	3	1	2	7	13	1	1	1	16	6		1	1	3
(33)	Premature birth	75	39	12	3	5	59	5	4	2	70	4	1			
(33,37)	Congenital debility	81	7	4	4	8	23	7	5	6	41	15	9	11	2	3
(37)	Injuries at birth	5	3		1	1	5				5					
35	External causes	4								1	1			1	1	1
38	Diseases ill-defined or unknown	1											1			
	All other causes	18						2			2	5	1	5	3	2
	BRIDGEPORT, CONN.															
	All causes	400	44	16	7	20	87	32	25	13	157	39	29	85	51	39
5	Measles	4												1	2	1
6	Scarlet fever															
7	Whooping cough	3													1	2
8	Diphtheria and croup	3													1	2
9	Influenza	2						1			1	1				
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis	1														1
(37)	Syphilis	4						1			1	2		1		
17	Meningitis	2												2		
(37)	Convulsions	6			1		1		1		2			3	1	
19	Organic diseases of the heart															
20	Acute bronchitis	7						2			2	1		2		2
22	Pneumonia	21						1		1	2	1	2	7	5	4
(23)	Bronchopneumonia	34						2	2	2	6	4	2	8	6	8
24	Diseases of the stomach	6						1	1		2	2		2		
25	Diarrhea and enteritis	124				1	1	4	5	6	16	11	16	39	29	13
(33)	Malformations	15		2	1	3	6	1	2		9	1	1	3	1	
(33)	Premature birth	61	28	12	3	4	47	6	4	1	58	3				
(33,37)	Congenital debility	79	11	1	2	10	24	11	8	2	45	11	8	12	2	1
(37)	Injuries at birth	10	5	1		2	8	1	1		10					
35	External causes	1												1		
38	Diseases ill-defined or unknown															
	All other causes	13							1	1	2	2		3	3	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW HAVEN, CONN.															
	All causes	381	41	37	16	23	117	26	16	17	176	32	24	69	29	51
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	8										4	1	2		1
8	Diphtheria and croup															
9	Influenza	1								1	1					
(12)	Dysentery	1												1		
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	4												1		3
14	Tuberculous meningitis	7												1	3	3
15	Other forms of tuberculosis															
(37)	Syphilis	4						1			1		1		1	1
17	Meningitis	7						1	1	1	3		1	2	1	
(37)	Convulsions	9				5	5	1			6			1	1	1
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	14			1	1	2		2	3	7	1		2	1	3
22	Pneumonia	29			1		1	1		2	4	4	3	9	2	7
(23)	Bronchopneumonia	42				1	1	3	2	2	8	5	2	11	6	10
24	Diseases of the stomach	2						1			1			1		
25	Diarrhea and enteritis	68			2	2	2	3	2	2	9	4	9	24	7	15
(33)	Malformations	18	3	5	1	1	10	1	2	1	14	1		1		2
(33)	Premature birth	73	21	20	9	7	57	7	5	2	71	2				
(33,37)	Congenital debility	51	8	6	2	3	19	6	1	3	29	8	5	6	2	1
(37)	Injuries at birth	13	8	3		1	12	1			13					
35	External causes	4		2	1	1	4				4					
38	Diseases ill-defined or unknown	8	1	1	1		3		1		4	1	1	2		
	All other causes	16				1	1				1	2		5	5	3
	WASHINGTON, D. C. (TOTAL).															
	All causes	828	144	46	24	45	259	43	28	23	353	66	60	173	107	69
5	Measles	7											1	1	3	2
6	Scarlet fever	1													1	
7	Whooping cough	7											1	3	2	1
8	Diphtheria and croup	1													1	
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	4				2	2	2			4					
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	6												1	2	3
15	Other forms of tuberculosis	4	1			1	2				2		1			1
(37)	Syphilis	35						5	3	2	10	2	3	11	4	5
17	Meningitis	3												1	1	1
(37)	Convulsions	9				1	1	2	1		4			3	1	1
19	Organic diseases of the heart	1	1				1				1					
20	Acute bronchitis	20				2	2	2	1		5	2		5	4	4
22	Pneumonia	51				1	1		1	1	3	6	7	14	11	10
(23)	Bronchopneumonia	55			1		1		1	3	5	8	3	13	12	14
24	Diseases of the stomach	8						1		1	2	2		2	2	
25	Diarrhea and enteritis	188				2	2	3	2	5	12	16	28	72	45	15
(33)	Malformations	40	6	5	2	7	20	8	1	1	30	3	2	2		3
(33)	Premature birth	178	92	29	12	8	141	8	11	5	165	7	3	3		
(33,37)	Congenital debility	116	18	9	5	6	38	7	4	5	54	12	11	28	9	2
(37)	Injuries at birth	36	22	3	3	6	34	1	1		36					
35	External causes	13	1			2	3		1		4	2		3	2	2
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	43	2		1	7	10	4	1		15	6		10	7	5
	WASHINGTON, D. C. (WHITE).															
	All causes	399	86	23	13	28	150	22	16	11	199	35	20	75	43	27
5	Measles	5											1	1	3	
6	Scarlet fever	1													1	
7	Whooping cough	1														1
8	Diphtheria and croup	1													1	
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis	1				1	1				1					
(37)	Syphilis	13						1	1	1	3		1	8	1	
17	Meningitis	3												1	1	1
(37)	Convulsions	2				1	1	1			2					
19	Organic diseases of the heart	1	1				1				1					
20	Acute bronchitis	6										2		2	1	1
22	Pneumonia	12							1		1	2	1	3	3	2
(23)	Bronchopneumonia	21								1	1	3	1	6	3	7
24	Diseases of the stomach	3						1			1	1		1		
25	Diarrhea and enteritis	80				2	2	2	2	3	9	9	8	27	21	6
(33)	Malformations	34	4	5	2	6	17	6	1	1	25	3	2	1		3
(33)	Premature birth	89	54	12	7	2	75	2	4	3	84	2		3		
(33,37)	Congenital debility	67	8	3	1	3	15	6	4	2	27	9	6	20	3	2
(37)	Injuries at birth	29	17	3	2	6	28		1		29					
35	External causes	6							1		1	1		1	1	2
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	20	1		1	6	8	2	1		11	3		1	4	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	WASHINGTON, D. C. (COLORED).															
	All causes	429	58	23	11	17	109	21	12	12	154	31	40	98	64	42
5	Measles	2														2
6	Scarlet fever															
7	Whooping cough	6											1	3	2	
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	5												1	2	2
15	Other forms of tuberculosis	3	1				1				1		1			1
(37)	Syphilis	22						4	2	1	7	2	2	3	3	5
17	Meningitis															
(37)	Convulsions	7						1	1		2			3	1	1
19	Organic diseases of the heart															
20	Acute bronchitis	14				2	2	2	1		5			3	3	3
22	Pneumonia	39				1	1			1	2	4	6	11	8	8
(23)	Bronchopneumonia	34			1		1		1	2	4	5	2	7	9	7
24	Diseases of the stomach	5								1	1	1		1	2	
25	Diarrhea and enteritis	108						1		2	3	7	20	45	24	9
(33)	Malformations	6	2			1	3	2			5			1		
(33)	Premature birth	89	38	17	5	6	66	6	7	2	81	5	3			
(33,37)	Congenital debility	49	10	6	4	3	23	1		3	27	3	5	8	6	
(37)	Injuries at birth	7	5		1		6	1			7					
35	External causes	7	1			2	3				3	1		2	1	
38	Diseases ill-defined or unknown															
	All other causes	23	1			1	2	2			4	3		9	3	4
	ATLANTA, GA. (TOTAL).															
	All causes	485	70	23	22	33	148	28	16	13	205	41	35	84	64	56
5	Measles															
6	Scarlet fever															
7	Whooping cough	17											2	5	8	2
8	Diphtheria and croup	4										1	1	1	1	
9	Influenza															
(12)	Dysentery	5												2	3	
(12)	Erysipelas															
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	11	1			1	2			1	3		3	3	1	1
17	Meningitis	4		1			1				1				3	
(37)	Convulsions	8		1	1	1	3	1			4	1	1		2	
19	Organic diseases of the heart	3				2	2				2				1	
20	Acute bronchitis	3											1	1	1	
22	Pneumonia	48			1	2	3	3	3		9	6	6	11	9	7
(23)	Bronchopneumonia	26						1	1		2	2	4	6	9	3
24	Diseases of the stomach	10				1	1	1			2	2		3	1	2
25	Diarrhea and enteritis	91				1	1	2		1	4	10	6	28	15	28
(33)	Malformations	10	3	2	2		7				7		1		1	1
(33)	Premature birth	100	49	10	6	13	78	5	4	8	95	3	2			
(33,37)	Congenital debility	74	7	4	6	7	24	10	3	2	39	7	4	15	5	4
(37)	Injuries at birth	17	8	4	2	1	15	1	1		17					
35	External causes	17			1		1		1	1	3	4	3	4	1	2
38	Diseases ill-defined or unknown	6			1		1		1		2	2		1		1
	All other causes	30	2	1	2	3	8	4	2		14	3	1	4	3	5
	ATLANTA, GA. (WHITE).															
	All causes	262	41	13	12	17	83	12	11	9	115	21	21	42	30	33
5	Measles															
6	Scarlet fever															
7	Whooping cough	7											1	1	3	2
8	Diphtheria and croup	2												1	1	
9	Influenza															
(12)	Dysentery	1													1	
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	7								1	1		2	3		1
17	Meningitis	3													3	
(37)	Convulsions	6		1	1	1	3				3	1			2	
19	Organic diseases of the heart	2				2	2				2					
20	Acute bronchitis	1											1			
22	Pneumonia	14				1	1	1	1		3	1	2	3	4	1
(23)	Bronchopneumonia	18							1		1	2	3	4	6	2
24	Diseases of the stomach	1						1			1					
25	Diarrhea and enteritis	49				1	1	1			2	4	4	16	5	18
(33)	Malformations	9	2	2	2		6				6		1		1	1
(33)	Premature birth	64	31	5	5	5	46	2	4	7	59	3	2			
(33,37)	Congenital debility	40	4	1	1	3	9	4	3		16	5	3	10	3	3
(37)	Injuries at birth	10	4	3	1	1	9		1		10					
35	External causes	7								1	1	2	2	1		1
38	Diseases ill-defined or unknown	1										1				
	All other causes	20		1	2	3	6	3	1		10	2		3	1	4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	ATLANTA, GA. (COLORED).															
	All causes	223	29	10	10	16	65	16	5	4	90	20	14	42	34	23
5	Measles															
6	Scarlet fever															
7	Whooping cough	10											1	4	5	
8	Diphtheria and croup	2										1	1			
9	Influenza															
(12)	Dysentery	4												2	2	
(12)	Erysipelas															
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	4	1			1	2				2		1		1	
17	Meningitis	1		1			1				1					
(37)	Convulsions	2						1			1		1			
19	Organic diseases of the heart	1													1	
20	Acute bronchitis	2												1	1	
22	Pneumonia	34			1	1	2	2	2		6	5	4	8	5	6
(23)	Bronchopneumonia	8						1			1		1	2	3	1
24	Diseases of the stomach	9				1	1				1	2		3	1	2
25	Diarrhea and enteritis	42						1		1	2	6	2	12	10	10
(33)	Malformations	1	1				1				1					
(33)	Premature birth	36	18	5	1	8	32	3		1	36					
(33,37)	Congenital debility	34	3	3	5	4	15	6		2	23	2	1	5	2	1
(37)	Injuries at birth	7	4	1	1		6	1			7					
35	External causes	10			1		1		1		2	2	1	3	1	1
38	Diseases ill-defined or unknown	5			1		1		1		2	1		1		1
	All other causes	10	2				2	1	1		4	1	1	1	2	1
	CHICAGO, ILL. (TOTAL).															
	All causes	6,939	696	297	224	473	1,690	433	352	270	2,745	559	550	1,266	1,056	763
5	Measles	66								1	1	2		5	23	35
6	Scarlet fever	35								2	2		1	7	11	14
7	Whooping cough	49							2	3	5	7	6	9	10	12
8	Diphtheria and croup	70							1		1	1	5	11	24	28
9	Influenza	2										1	1			
(12)	Dysentery	21						1			1		2	8	5	5
(12)	Erysipelas	28						2	4	3	9	7	1	4	7	
(37)	Tetanus	4				1	1	3			4					
13	Tuberculosis of the lungs	19				1	1	2			3	1	1	5	7	2
14	Tuberculous meningitis	35							1		1		2	11	11	10
15	Other forms of tuberculosis	14										1	1	6	3	3
(37)	Syphilis	106	8	2	1	4	15	12	7	5	39	25	13	18	6	5
17	Meningitis	37				3	3	1			4	2	4	10	7	10
(37)	Convulsions	28	3	2	4	6	15	3			18	2	2	3	2	1
19	Organic diseases of the heart	11			1	1	2	1	1		4	2		3	1	1
20	Acute bronchitis	50	2	1	1	3	7	3	10		20	5	1	11	8	5
22	Pneumonia	427	3	5	6	18	32	16	23	22	93	29	38	87	90	90
(23)	Bronchopneumonia	909	4	8	7	18	37	42	51	60	190	83	85	186	198	167
24	Diseases of the stomach	18				1	1	1		2	4	2	2	6		4
25	Diarrhea and enteritis	2,801	5	11	14	75	105	126	139	112	482	300	335	791	571	322
(33)	Malformations	366	73	48	43	72	236	35	21	11	303	15	9	22	13	4
(33)	Premature birth	787	355	109	64	91	619	81	37	17	754	22	7	3	1	
(33,37)	Congenital debility	430	88	48	50	88	274	54	32	22	382	19	13	12	3	1
(37)	Injuries at birth	316	147	52	20	63	282	22	4	2	310	5	1			
35	External causes	35	1	5	3	4	13		3		16	4	1	1	9	4
38	Diseases ill-defined or unknown	2		1			1	1			2					
	All other causes	273	7	5	10	24	46	27	16	8	97	24	19	47	46	40
	CHICAGO, ILL. (WHITE).															
	All causes	6,833	684	294	220	464	1,662	427	341	266	2,696	553	541	1,252	1,041	750
5	Measles	65								1	1	1		5	23	35
6	Scarlet fever	35								2	2		1	7	11	14
7	Whooping cough	49							2	3	5	7	6	9	10	12
8	Diphtheria and croup	69							1		1	1	5	11	23	28
9	Influenza	2										1	1			
(12)	Dysentery	21						1			1		2	8	5	5
(12)	Erysipelas	28						2	4	3	9	7	1	4	7	
(37)	Tetanus	4				1	1	3			4					
13	Tuberculosis of the lungs	18				1	1	2			3	1	1	5	7	1
14	Tuberculous meningitis	34							1		1		2	11	10	10
15	Other forms of tuberculosis	14										1	1	6	3	3
(37)	Syphilis	99	8	2	1	2	13	11	6	5	35	23	13	18	6	4
17	Meningitis	36				3	3	1			4	1	4	10	7	10
(37)	Convulsions	28	3	2	4	6	15	3			18	2	2	3	2	1
19	Organic diseases of the heart	10			1	1	2	1	1		4	2		2	1	1
20	Acute bronchitis	49	2	1	1	3	7	3	9		19	5	1	11	8	5
22	Pneumonia	415	3	5	6	17	31	16	23	21	91	28	37	86	89	84
(23)	Bronchopneumonia	896	4	8	7	18	37	41	51	59	188	82	83	184	195	164
24	Diseases of the stomach	18				1	1	1		2	4	2	2	6		4
25	Diarrhea and enteritis	2,772	5	11	14	72	102	124	136	110	472	300	333	782	564	321
(33)	Malformations	362	72	48	42	72	234	35	20	11	300	15	9	22	12	4
(33)	Premature birth	770	349	107	61	88	605	80	35	17	737	22	7	3	1	
(33,37)	Congenital debility	424	87	48	50	88	273	53	31	22	379	19	11	12	3	
(37)	Injuries at birth	311	144	51	20	63	278	22	3	2	305	5	1			
35	External causes	35	1	5	3	4	13		3		16	4	1	1	9	4
38	Diseases ill-defined or unknown	2		1			1	1			2					
	All other causes	267	6	5	10	24	45	27	15	8	95	24	17	46	45	40

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	CHICAGO, ILL. (COLORED).															
	All causes	106	12	3	4	9	28	6	11	4	49	6	9	14	15	13
5	Measles	1										1				
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup	1													1	
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	7				2	2	1	1		4	2				1
17	Meningitis	1										1				
(37)	Convulsions															
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	1							1		1					
22	Pneumonia	12				1	1			1	2	1	1	1	1	6
(23)	Bronchopneumonia	13						1		1	2	1	2	2	3	3
24	Diseases of the stomach															
25	Diarrhea and enteritis	29				3	3	2	3	2	10		2	9	7	1
(33)	Malformations	4	1		1		2		1		3				1	
(33)	Premature birth	17	6	2	3	3	14	1	2		17					
(33,37)	Congenital debility	6	1				1	1	1		3		2			1
(37)	Injuries at birth	5	3	1			4		1		5					
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	6	1				1		1		2		2	1	1	
	INDIANAPOLIS, IND. (TOTAL).															
	All causes	518	68	33	24	39	164	36	18	23	241	45	39	90	61	42
5	Measles	4														4
6	Scarlet fever															
7	Whooping cough	17							1	1	2	1	4	5		5
8	Diphtheria and croup	2												1		1
9	Influenza	2											1		1	
(12)	Dysentery															
(12)	Erysipelas	3												3		
(37)	Tetanus															
13	Tuberculosis of the lungs	8						1			1			3	2	2
14	Tuberculous meningitis	2								1	1				1	
15	Other forms of tuberculosis	7												2	3	2
(37)	Syphilis	22				1	1	1			2	5	2	8	2	3
17	Meningitis	1						1			1					
(37)	Convulsions	3						1			1	1			1	
19	Organic diseases of the heart	6				1	1				1		2	1	1	1
20	Acute bronchitis	6		1			1				1	1	1	1	1	1
22	Pneumonia	13		2		1	3			1	4	1		2	6	
(23)	Bronchopneumonia	43								5	5	10	8	6	8	6
24	Diseases of the stomach	9				1	1				1	4	2	2		
25	Diarrhea and enteritis	101				4	4	1	2	5	12	8	9	38	25	9
(33)	Malformations	46	10	7	4	7	28	8	2	1	39	1	2	2	1	1
(33)	Premature birth	128	48	20	13	16	97	10	8	6	121	4		3		
(33,37)	Congenital debility	59	5	4	4	3	16	10	3	3	32	8	4	8	5	2
(37)	Injuries at birth	8	4			4	8				8					
35	External causes	4										1		1		2
38	Diseases ill-defined or unknown															
	All other causes	24	1		2	1	4	3	2		9		4	4	4	3
	INDIANAPOLIS, IND. (WHITE).															
	All causes	430	56	28	20	37	141	34	15	19	209	37	32	71	47	34
5	Measles	4														4
6	Scarlet fever															
7	Whooping cough	14							1	1	2		3	4		5
8	Diphtheria and croup	1														1
9	Influenza	2											1		1	
(12)	Dysentery															
(12)	Erysipelas	2												2		
(37)	Tetanus															
13	Tuberculosis of the lungs	4												2	1	1
14	Tuberculous meningitis	2								1	1				1	
15	Other forms of tuberculosis	4												2	1	1
(37)	Syphilis	15				1	1	1			2	5	2	6		
17	Meningitis	1						1			1					
(37)	Convulsions	1						1			1					
19	Organic diseases of the heart	5				1	1				1		2		1	1
20	Acute bronchitis	4		1			1				1	1		1	1	
22	Pneumonia	11		2		1	3			1	4	1		1	5	
(23)	Bronchopneumonia	30								3	3	6	5	4	6	6
24	Diseases of the stomach	8				1	1				1	4	2	1		
25	Diarrhea and enteritis	90				4	4	1	2	5	12	7	8	31	23	9
(33)	Malformations	43	10	6	3	7	26	7	2	1	36	1	2	2	1	1
(33)	Premature birth	105	38	17	10	14	79	10	5	4	98	4		3		
(33,37)	Congenital debility	55	5	3	4	3	15	10	3	3	31	7	4	7	4	2
(37)	Injuries at birth	6	2			4	6				6					
35	External causes	4										1		1		2
38	Diseases ill-defined or unknown															
	All other causes	19	1		2	1	4	3	2		9		3	4	2	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	INDIANAPOLIS, IND. (COLORED).															
	All causes	88	12	5	4	2	23	2	3	4	32	8	7	19	14	8
5	Measles															
6	Scarlet fever															
7	Whooping cough	3										1	1	1		
8	Diphtheria and croup	1												1		
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1												1		
(37)	Tetanus															
13	Tuberculosis of the lungs	4						1			1			1	1	1
14	Tuberculous meningitis															
15	Other forms of tuberculosis	3													2	1
(37)	Syphilis	7												2	2	3
17	Meningitis															
(37)	Convulsions	2										1			1	
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	2											1			1
22	Pneumonia	2												1	1	
(23)	Bronchopneumonia	13								2	2	4	3	2	2	
24	Diseases of the stomach	1												1		
25	Diarrhea and enteritis	11										1	1	7	2	
(33)	Malformations	3		1	1		2	1			3					
(33)	Premature birth	23	10	3	3	2	18		3	2	23					
(33,37)	Congenital debility	4		1			1				1	1		1	1	
(37)	Injuries at birth	2	2				2				2					
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	5											1		2	2
	LOUISVILLE, KY. (TOTAL).															
	All causes	486	60	27	21	32	140	26	17	14	197	38	42	103	62	44
5	Measles	3							2		2				1	
6	Scarlet fever															
7	Whooping cough	15										2		3	8	2
8	Diphtheria and croup	2											1			1
9	Influenza	1												1		
(12)	Dysentery	2												2		
(12)	Erysipelas	7							1	1	2	3	1	1		
(37)	Tetanus	1			1		1				1					
13	Tuberculosis of the lungs	2											1		1	
14	Tuberculous meningitis	4											1		2	1
15	Other forms of tuberculosis	2													1	1
(37)	Syphilis	7		1			1	1		1	3		1	3		
17	Meningitis	7							1		1		1	1	2	2
(37)	Convulsions	14		1	1	2	4	2			6	1	1	4	2	
19	Organic diseases of the heart															
20	Acute bronchitis	12				1	1	1		1	3	1	2	2	2	2
22	Pneumonia	39		1	1	1	3	1	1		5	4	6	12	8	4
(23)	Bronchopneumonia	33		1		1	2				2	4	7	8	7	5
24	Diseases of the stomach	10				1	1				1	1	1	4	2	1
25	Diarrhea and enteritis	62						3	1	1	5	2	8	19	15	13
(33)	Malformations	15	3	3	3	2	11	1		1	13		1			1
(33)	Premature birth	88	50	10	7	7	74	7	3	2	86		2			
(33,37)	Congenital debility	122	4	6	4	12	26	7	7	7	47	18	8	35	8	6
(37)	Injuries at birth	8	2	1	3	2	8				8					
35	External causes	8		1			1				1	1		3	1	2
38	Diseases ill-defined or unknown															
	All other causes	22	1	2	1	3	7	3	1		11	1		5	2	3
	LOUISVILLE, KY. (WHITE).															
	All causes	366	57	23	15	25	120	17	14	10	161	26	30	80	35	34
5	Measles	3							2		2				1	
6	Scarlet fever															
7	Whooping cough	6										2		1	3	
8	Diphtheria and croup	2											1			1
9	Influenza															
(12)	Dysentery	2												2		
(12)	Erysipelas	7							1	1	2	3	1	1		
(37)	Tetanus	1			1		1				1					
13	Tuberculosis of the lungs	2											1		1	
14	Tuberculous meningitis	4											1		2	1
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	7		1			1	1		1	3		1	3		
17	Meningitis	7							1		1		1	1	2	2
(37)	Convulsions	7			1	1	2				2			3	2	
19	Organic diseases of the heart															
20	Acute bronchitis	9				1	1	1		1	3	1	1	2		2
22	Pneumonia	27			1		1		1		2	3	4	9	6	3
(23)	Bronchopneumonia	21		1		1	2				2	3	3	6	4	3
24	Diseases of the stomach	7				1	1				1	1		4		1
25	Diarrhea and enteritis	45						2	1	1	4	1	7	14	7	12
(33)	Malformations	12	3	3	1	2	9	1		1	11					1
(33)	Premature birth	79	47	9	5	7	68	5	3	2	78		1			
(33,37)	Congenital debility	82	4	6	2	7	19	5	4	3	31	11	8	26	3	3
(37)	Injuries at birth	8	2	1	3	2	8				8					
35	External causes	7		1			1				1			3	1	2
38	Diseases ill-defined or unknown															
	All other causes	20	1	1	1	3	6	2	1		9	1		5	2	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	LOUISVILLE, KY. (COLORED).															
	All causes	120	3	4	6	7	20	9	3	4	36	12	12	23	27	10
5	Measles															
6	Scarlet fever															
7	Whooping cough	9												2	5	2
8	Diphtheria and croup															
9	Influenza	1												1		
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis	1														1
(37)	Syphilis															
17	Meningitis															
(37)	Convulsions	7		1		1	2	2			4	1	1	1		
19	Organic diseases of the heart															
20	Acute bronchitis	3														
22	Pneumonia	12		1		1	2	1			3	1	2	3	2	1
(23)	Bronchopneumonia	12										1	4	2	3	2
24	Diseases of the stomach	3											1		2	
25	Diarrhea and enteritis	17						1			1	1	1	5	8	1
(33)	Malformations	3			2		2				2		1			
(33)	Premature birth	9	3	1	2		6	2			8		1			
(33,37)	Congenital debility	40			2	5	7	2	3	4	16	7		9	5	3
(37)	Injuries at birth															
35	External causes	1										1				
38	Diseases ill-defined or unknown															
	All other causes	2		1			1	1			2					
	NEW ORLEANS, LA. (TOTAL).															
	All causes	934	81	32	17	65	195	67	33	35	330	103	98	188	129	86
5	Measles	9						1			1			1	1	6
6	Scarlet fever															
7	Whooping cough	4											1	1		2
8	Diphtheria and croup	12										2		1	3	6
9	Influenza	3							1		1			1		1
(12)	Dysentery															
(12)	Erysipelas	2														
(37)	Tetanus	36		1	1	13	15	16	2	1	34	1		1		
13	Tuberculosis of the lungs	5			1		1				1			2		
14	Tuberculous meningitis	3								1	1				3	1
15	Other forms of tuberculosis	2												1	1	1
(37)	Syphilis	26						1	3	2	6	3	3	11	3	
17	Meningitis	5										1		2	1	1
(37)	Convulsions	11	1	1		2	4				4	3	1	3		
19	Organic diseases of the heart	1														1
20	Acute bronchitis	29	1				1	3	2	1	7	6	1	8	6	1
22	Pneumonia	74			1		1	2		1	4	6	8	24	20	12
(23)	Bronchopneumonia	85				4	4	3	3	3	13	12	12	24	15	9
24	Diseases of the stomach	10						2			2	1	2	3	2	
25	Diarrhea and enteritis	302	2			3	5	10	8	11	34	46	38	79	69	36
(33)	Malformations	41	9	4	2	8	23	4	5	2	34	2	2	2		1
(33)	Premature birth	132	53	21	7	19	100	12	5	4	121	4	4	2	1	
(33,37)	Congenital debility	83	9	2	3	12	26	8	3	6	43	12	22	4	1	1
(37)	Injuries at birth	15	5	2	2	3	12	2		1	15					
35	External causes	4										1	1			2
38	Diseases ill-defined or unknown															
	All other causes	40	1	1		1	3	3	1	2	9	3	3	17	3	5
	NEW ORLEANS, LA. (WHITE).															
	All causes	538	52	20	10	31	113	36	18	24	191	55	55	100	77	60
5	Measles	8						1			1			1		6
6	Scarlet fever															
7	Whooping cough	3												1		2
8	Diphtheria and croup	10										1		1	3	5
9	Influenza	2							1		1					1
(12)	Dysentery															
(12)	Erysipelas	1												1		
(37)	Tetanus	9				2	2	4	1	1	8			1		
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis	2														
(37)	Syphilis	14							2	2	4	2	2	5	1	
17	Meningitis	2												1		1
(37)	Convulsions	5		1			1				1	1	1	2		
19	Organic diseases of the heart	1														1
20	Acute bronchitis	9						3	1		4	1	1	2		1
22	Pneumonia	39			1		1	1		1	3	4	6	12	12	2
(23)	Bronchopneumonia	36				3	3	1	2	2	8	6	5	7	5	5
24	Diseases of the stomach	5						1			1	1		2	1	
25	Diarrhea and enteritis	194						5	2	8	15	27	26	50	48	28
(33)	Malformations	32	6	3	2	5	16	3	4	2	25	2	2	2		1
(33)	Premature birth	83	35	12	4	11	62	10	3	2	77	1	3	1	1	
(33,37)	Congenital debility	45	7	1	1	7	16	3	2	4	25	8	7	3	1	1
(37)	Injuries at birth	12	3	2	2	3	10	1		1	12					
35	External causes	2														2
38	Diseases ill-defined or unknown															
	All other causes	22	1	1			2	3		1	6	1	2	7	3	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW ORLEANS, LA. (COLORED).															
	All causes	396	29	12	7	34	82	31	15	11	139	48	43	88	52	26
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough	1											1			
8	Diphtheria and croup	2										1				1
9	Influenza	1												1		
(12)	Dysentery															
(12)	Erysipelas	1										1				
(37)	Tetanus	27		1	1	11	13	12	1		26			1		
13	Tuberculosis of the lungs	4			1		1				1				2	1
14	Tuberculous meningitis	2								1	1			1		
15	Other forms of tuberculosis															
(37)	Syphilis	12						1	1		2	1	1	6	2	
17	Meningitis	3										1		1	1	
(37)	Convulsions	6	1			2	3				3	2		1		
19	Organic diseases of the heart															
20	Acute bronchitis	20	1				1		1	1	3	5		6	6	
22	Pneumonia	35						1			1	2	2	12	8	10
(23)	Bronchopneumonia	49				1	1	2	1	1	5	6	7	17	10	4
24	Diseases of the stomach	5						1			1		2	1	1	
25	Diarrhea and enteritis	108	2			3	5	5	6	3	19	19	12	29	21	8
(33)	Malformations	9	3	1		3	7	1	1		9					
(33)	Premature birth	49	18	9	3	8	38	2	2	2	44	3	1	1		
(33,37)	Congenital debility	38	2	1	2	5	10	5	1	2	18	4	15	1		
(37)	Injuries at birth	3	2				2	1			3					
35	External causes	2										1	1			
38	Diseases ill-defined or unknown															
	All other causes	18				1	1		1	1	3	2	1	10		2
	BALTIMORE, MD. (TOTAL).															
	All causes	2,011	252	71	54	121	498	95	81	59	733	195	190	386	303	204
5	Measles	42				1	1		1		2		1	3	12	24
6	Scarlet fever	2												1	1	
7	Whooping cough	23								1	1	2	4	9	3	4
8	Diphtheria	3													2	1
9	Influenza															
(12)	Dysentery	5											1		3	1
(12)	Erysipelas	4										3		1		
(37)	Tetanus	2	1				1	1			2					
13	Tuberculosis of the lungs	22										1	1	6	7	7
14	Tuberculous meningitis	15											1	4	6	4
15	Other forms of tuberculosis	4						1			1			2		1
(37)	Syphilis	65	7	2	2	3	14	4	8	3	29	11	14	9	2	
17	Meningitis	19											2	5	7	5
(37)	Convulsions	52	1	2	1	8	12	6	3	2	23	5	5	8	6	5
19	Organic diseases of the heart	5				1	1	1			2	1		2		
20	Acute bronchitis	61				1	1	5	2		8	8	11	12	12	10
22	Pneumonia	74				3	3	1		1	5	10	7	18	13	21
(23)	Bronchopneumonia	200	1	2	2	5	10	5	12	4	31	17	18	52	57	25
24	Diseases of the stomach	19	1			1	2	1	1		4	3	2	3	7	
25	Diarrhea and enteritis	494			1	2	3	4	7	15	29	56	46	154	130	79
(33)	Malformations	69	12	6	6	13	37	5	3	3	48	5	7	5	3	1
(33)	Premature birth	306	154	32	24	39	249	22	15	5	291	12	2	1		
(33,37)	Congenital debility	355	33	18	13	26	90	31	25	19	165	50	55	61	19	5
(37)	Injuries at birth	63	40	6	5	10	61	2			63					
35	External causes	15				1	1	1		4	6	1	1	3	4	
38	Diseases ill-defined or unknown	4	2	1			3				3	1				
	All other causes	88		2		7	9	5	4	2	20	9	12	27	9	11
	BALTIMORE, MD. (WHITE).															
	All causes	1,488	202	47	35	82	366	69	61	43	539	151	150	282	216	150
5	Measles	35							1		1		1	2	10	21
6	Scarlet fever	1													1	
7	Whooping cough	15								1	1	2	2	5	2	3
8	Diphtheria and croup	3													2	1
9	Influenza															
(12)	Dysentery	3											1		1	1
(12)	Erysipelas	4										3		1		
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	10										1	1	3	3	2
14	Tuberculous meningitis	10											1	3	3	3
15	Other forms of tuberculosis	3						1			1			2		
(37)	Syphilis	36	2		1		3	1	5	2	11	8	12	5		
17	Meningitis	14											2	3	6	3
(37)	Convulsions	42	1	2	1	6	10	4	3	1	18	5	4	8	3	4
19	Organic diseases of the heart	4				1	1	1			2	1		1		
20	Acute bronchitis	35				1	1	5	2		8	5	7	7	4	4
22	Pneumonia	45				1	1	1			2	7	2	9	9	16
(23)	Bronchopneumonia	121		1	2	4	7	4	6	3	20	10	13	29	35	14
24	Diseases of the stomach	14	1			1	2				2	3	1	1	7	
25	Diarrhea and enteritis	396				1	1	2	5	12	20	41	38	125	105	67
(33)	Malformations	59	10	5	4	13	32	5	2	2	41	5	6	4	2	1
(33)	Premature birth	223	119	19	15	25	178	15	13	4	210	10	2	1		
(33,37)	Congenital debility	268	30	11	8	14	63	22	21	13	119	40	46	48	12	3
(37)	Injuries at birth	56	37	6	4	7	54	2			56					
35	External causes	12				1	1	1		3	5	1	1	1	4	
38	Diseases ill-defined or unknown	4	2	1			3				3	1				
	All other causes	74		2		7	9	4	3	2	18	8	10	24	7	7

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	BALTIMORE, MD. (COLORED).															
	All causes	523	50	24	19	39	132	26	20	16	194	44	40	104	87	54
5	Measles	7				1	1				1			1	2	3
6	Scarlet fever	1												1		
7	Whooping cough	8											2	4	1	1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	2													2	
(12)	Erysipelas															
(37)	Tetanus	1	1				1				1					
13	Tuberculosis of the lungs	12												3	4	5
14	Tuberculous meningitis	5												1	3	1
15	Other forms of tuberculosis	1														1
(37)	Syphilis	29	5	2	1	3	11	3	3	1	18	3	2	4	2	
17	Meningitis	5												2	1	2
(37)	Convulsions	10				2	2	2		1	5		1		3	1
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	26										3	4	5	8	6
22	Pneumonia	29				2	2			1	3	3	5	9	4	5
(23)	Bronchopneumonia	79	1	1		1	3	1	6	1	11	7	5	23	22	11
24	Diseases of the stomach	5						1	1		2		1	2		
25	Diarrhea and enteritis	98			1	1	2	2	2	3	9	15	8	29	25	12
(33)	Malformations	10	2	1	2		5		1	1	7		1	1	1	
(33)	Premature birth	83	35	13	9	14	71	7	2	1	81	2				
(33,37)	Congenital debility	87	3	7	5	12	27	9	4	6	46	10	9	13	7	2
(37)	Injuries at birth	7	3		1	3	7				7					
35	External causes	3								1	1			2		
38	Diseases ill-defined or unknown															
	All other causes	14						1	1		2	1	2	3	2	4
	BOSTON, MASS. (TOTAL).															
	All causes	2,107	293	80	70	154	597	110	84	86	877	186	137	381	288	238
5	Measles	20											1	3	4	12
6	Scarlet fever	3													1	2
7	Whooping cough	51										4	4	12	13	18
8	Diphtheria and croup	21								1	1	1	2	3	4	10
9	Influenza	4										1		1	2	
(12)	Dysentery	2												1		1
(12)	Erysipelas	17						1	3	5	9	1	4	3		
(37)	Tetanus															
13	Tuberculosis of the lungs	19										1	2	6	5	5
14	Tuberculous meningitis	34										1	1	8	16	8
15	Other forms of tuberculosis	6										1	2	1	2	
(37)	Syphilis	34	1		1	2	4	1	3	5	13	4	2	10	3	2
17	Meningitis	25				1	1	1	1		3	2	1	10	7	2
(37)	Convulsions	14	1	1	1	2	5	1	1	1	8		2	1	2	1
19	Organic diseases of the heart	4										1		1	1	1
20	Acute bronchitis	41				1	1	1	6	3	11	8	4	8	6	4
22	Pneumonia	118				7	7	8	5	3	23	7	8	25	28	27
(23)	Bronchopneumonia	204		1	5	2	8	9	7	15	39	19	13	45	43	45
24	Diseases of the stomach	11				1	1				1	1		5	2	2
25	Diarrhea and enteritis	469			2	2	4	8	10	7	29	57	58	153	109	63
(33)	Malformations	154	28	8	16	21	73	12	10	12	107	21	11	7	2	6
(33)	Premature birth	361	166	39	22	48	275	30	17	17	339	17	3	2		
(33,37)	Congenital debility	197	29	8	11	36	84	20	11	10	125	26	8	24	8	6
(37)	Injuries at birth	123	65	19	6	21	111	10	1	1	123					
35	External causes	24	2	1		1	4	1	1	1	7	2	2	6	2	5
38	Diseases ill-defined or unknown	14		1			1	2			3	2	4	4		1
	All other causes	137	1	2	6	9	18	5	8	5	36	9	5	42	28	17
	BOSTON, MASS. (WHITE).															
	All causes	2,046	286	76	66	151	579	106	81	85	851	183	137	370	273	232
5	Measles	20											1	3	4	12
6	Scarlet fever	3													1	2
7	Whooping cough	47										4	4	11	11	17
8	Diphtheria and croup	21								1	1	1	2	3	4	10
9	Influenza	4										1		1	2	
(12)	Dysentery	2												1		1
(12)	Erysipelas	17						1	3	5	9	1	4	3		
(37)	Tetanus															
13	Tuberculosis of the lungs	18										1	2	5	5	5
14	Tuberculous meningitis	34										1	1	8	16	8
15	Other forms of tuberculosis	6										1	2	1	2	
(37)	Syphilis	32	1			2	3	1	2	5	11	4	2	10	3	2
17	Meningitis	24				1	1	1	1		3	2	1	10	7	1
(37)	Convulsions	12	1	1	1	2	5			1	6		2	1	2	1
19	Organic diseases of the heart	4										1		1	1	1
20	Acute bronchitis	39				1	1	1	6	3	11	8	4	7	6	3
22	Pneumonia	113				7	7	8	5	3	23	7	8	25	23	27
(23)	Bronchopneumonia	198		1	4	2	7	9	7	15	38	19	13	44	39	45
24	Diseases of the stomach	11				1	1				1	1		5	2	2
25	Diarrhea and enteritis	459			2	2	4	8	10	7	29	56	58	148	107	61
(33)	Malformations	152	27	8	16	21	72	12	10	12	106	20	11	7	2	6
(33)	Premature birth	349	162	38	21	46	267	28	16	16	327	17	3	2		
(33,37)	Congenital debility	188	27	7	10	35	79	19	11	10	119	25	8	23	8	5
(37)	Injuries at birth	121	65	17	6	21	109	10	1	1	121					
35	External causes	23	2	1		1	4	1	1	1	7	2	2	6	1	5
38	Diseases ill-defined or unknown	14		1			1	2			3	2	4	4		1
	All other causes	135	1	2	6	9	18	5	8	5	36	9	5	41	27	17

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	BOSTON, MASS. (COLORED).															
	All causes	61	7	4	4	3	18	4	3	1	26	3	.....	11	15	6
5	Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1
8	Diphtheria and croup	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
(12)	Dysentery	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
(12)	Erysipelas	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
(37)	Tetanus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
14	Tuberculous meningitis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
(37)	Syphilis	2	.....	.....	1	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....
17	Meningitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
(37)	Convulsions	2	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....
19	Organic diseases of the heart	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Acute bronchitis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
22	Pneumonia	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....
(23)	Bronchopneumonia	6	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	1	4	.....
24	Diseases of the stomach	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Diarrhea and enteritis	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	5	2	2
(33)	Malformations	2	1	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....
(33)	Premature birth	12	4	1	1	2	8	2	1	1	12	.....	.....	.....	.....	.....
(33,37)	Congenital debility	9	2	1	1	1	5	1	.....	.....	6	1	.....	1	.....	1
(37)	Injuries at birth	2	.....	2	.....	.....	2	.....	.....	.....	2	.....	.....	.....	.....	.....
35	External causes	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
38	Diseases ill-defined or unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	All other causes	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....
	CAMBRIDGE, MASS.															
	All causes	265	41	8	8	23	80	15	9	8	112	16	20	53	39	25
5	Measles	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1
8	Diphtheria and croup	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
(12)	Dysentery	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
(12)	Erysipelas	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
(37)	Tetanus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
14	Tuberculous meningitis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1
15	Other forms of tuberculosis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
(37)	Syphilis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
17	Meningitis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
(37)	Convulsions	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Organic diseases of the heart	3	.....	.....	1	1	2	.....	.....	.....	2	.....	1	.....	.....	.....
20	Acute bronchitis	9	.....	.....	.....	.....	.....	1	1	1	3	1	1	3	.....	1
22	Pneumonia	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	5	4	.....
(23)	Bronchopneumonia	28	.....	.....	.....	1	1	2	.....	.....	3	3	2	6	8	6
24	Diseases of the stomach	4	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	1
25	Diarrhea and enteritis	79	.....	.....	.....	.....	.....	3	3	4	10	8	7	24	20	10
(33)	Malformations	17	4	.....	1	6	11	2	1	.....	14	.....	.....	2	1	.....
(33)	Premature birth	52	24	6	4	9	43	6	.....	2	51	1	.....	.....	.....	.....
(33,37)	Congenital debility	23	5	2	1	3	11	1	2	1	15	.....	3	4	1	.....
(37)	Injuries at birth	10	7	.....	.....	3	10	.....	.....	.....	10	.....	.....	.....	.....	.....
35	External causes	3	1	.....	.....	.....	1	.....	.....	.....	1	.....	1	1	.....	.....
38	Diseases ill-defined or unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	All other causes	12	.....	.....	1	.....	1	.....	1	.....	2	2	.....	3	2	3
	FALL RIVER, MASS.															
	All causes	696	66	22	6	34	128	31	34	21	214	69	66	123	117	107
5	Measles	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	14
6	Scarlet fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
7	Whooping cough	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	4
8	Diphtheria and croup	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
9	Influenza	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1
(12)	Dysentery	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
(12)	Erysipelas	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
(37)	Tetanus	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
14	Tuberculous meningitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
15	Other forms of tuberculosis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
(37)	Syphilis	7	.....	.....	.....	.....	.....	2	.....	2	4	2	.....	.....	.....	1
17	Meningitis	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1
(37)	Convulsions	9	1	.....	.....	1	2	.....	1	.....	3	1	.....	.....	3	2
19	Organic diseases of the heart	5	.....	.....	.....	1	1	1	1	.....	3	.....	1	.....	.....	1
20	Acute bronchitis	30	.....	.....	.....	.....	.....	1	2	2	5	11	3	4	4	3
22	Pneumonia	16	.....	.....	.....	.....	.....	.....	1	.....	1	1	4	2	5	3
(23)	Bronchopneumonia	106	.....	.....	.....	1	1	4	3	.....	8	6	7	22	30	33
24	Diseases of the stomach	8	.....	.....	.....	.....	.....	1	2	.....	3	.....	.....	3	.....	2
25	Diarrhea and enteritis	243	.....	.....	.....	4	4	6	9	9	28	26	33	67	58	31
(33)	Malformations	18	5	2	.....	4	11	2	1	.....	14	1	2	.....	1	.....
(33)	Premature birth	75	39	10	2	7	58	5	6	3	72	2	.....	1	.....	.....
(33,37)	Congenital debility	71	8	8	1	5	22	7	4	4	37	10	9	13	2	.....
(37)	Injuries at birth	21	9	2	1	9	21	.....	.....	.....	21	.....	.....	.....	.....	.....
35	External causes	9	.....	.....	1	1	2	.....	.....	.....	2	4	1	2	.....	.....
38	Diseases ill-defined or unknown	16	4	.....	1	.....	5	.....	.....	.....	5	1	2	3	3	2
	All other causes	19	.....	.....	.....	1	1	2	3	1	7	2	1	1	3	5

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	LOWELL, MASS.															
	All causes	421	62	17	11	17	107	16	10	13	146	37	43	84	68	43
5	Measles	7												1		6
6	Scarlet fever															
7	Whooping cough	3											1		1	1
8	Diphtheria and croup	2												1		1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	5						1			1			2	1	1
15	Other forms of tuberculosis															
(37)	Syphilis	2											2			
17	Meningitis	4											1	1	1	1
(37)	Convulsions	11		1	1		2	2			4	1		4	2	
19	Organic diseases of the heart															
20	Acute bronchitis	14						1	1		2	1	1	2	3	5
22	Pneumonia	10							1		1	1		2	5	1
(23)	Bronchopneumonia	24				1	1				1	2		10	5	6
24	Diseases of the stomach	1										1				
25	Diarrhea and enteritis	157	1				1		3	6	10	14	22	48	43	20
(33)	Malformations	25	3	3	2	3	11	3	1	2	17	2	2	3	1	
(33)	Premature birth	55	35	4	3	5	47	2	1		50	4	1			
(33,37)	Congenital debility	78	15	8	4	8	35	6	3	3	47	10	11	7	3	
(37)	Injuries at birth	10	8	1	1		10				10					
35	External causes	2												1	1	
38	Diseases ill-defined or unknown															
	All other causes	10						1		2	3	1	2	2	1	1
	WORCESTER, MASS.															
	All causes	470	71	15	8	24	118	26	20	12	176	40	44	91	58	61
5	Measles	3												1	1	1
6	Scarlet fever															
7	Whooping cough	7										1		2	1	3
8	Diphtheria and croup	1													1	
9	Influenza	1														1
(12)	Dysentery	3											1		1	1
(12)	Erysipelas	5										1	2			2
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	5													2	3
15	Other forms of tuberculosis	1														1
(37)	Syphilis	1										1				
17	Meningitis	5							1		1			1		3
(37)	Convulsions	7				2	2				2	1	1	2		1
19	Organic diseases of the heart															
20	Acute bronchitis	14						1	2		3	3	3	3	1	1
22	Pneumonia	16							1		1		1	4	2	8
(23)	Bronchopneumonia	52						1	2	2	5	6	7	12	5	17
24	Diseases of the stomach	6						1			1		1	3	1	
25	Diarrhea and enteritis	128				2	2	2	2	3	9	14	18	39	35	13
(33)	Malformations	18	7	4		1	12	2	1	1	16			1	1	
(33)	Premature birth	90	43	4	5	8	60	12	6	4	82	4	1	3		
(33,37)	Congenital debility	61	10	6		5	21	7	3	1	32	7	5	12	3	2
(37)	Injuries at birth	16	10	1	2	3	16				16					
35	External causes	3	1			1	2				2	1				
38	Diseases ill-defined or unknown															
	All other causes	26			1	2	3		2	1	6	1	4	8	4	3
	DETROIT, MICH.															
	All causes	2,332	214	113	86	163	576	159	116	91	942	215	189	430	300	256
5	Measles	27										1		2	5	19
6	Scarlet fever	9													3	6
7	Whooping cough	50						1	2	4	7	3	7	10	12	11
8	Diphtheria and croup	11										1	1		1	8
9	Influenza															
(12)	Dysentery	6												4	2	
(12)	Erysipelas	8							1	1	2	1	1	2	2	
(37)	Tetanus															
13	Tuberculosis of the lungs	12							1		1	1		3	3	4
14	Tuberculous meningitis	6												2		4
15	Other forms of tuberculosis	2							1		1					1
(37)	Syphilis	43	4			1	5	2	3	2	12	16	5	8	1	1
17	Meningitis	44						1		2	3	4	2	7	13	15
(37)	Convulsions	129	5	11	8	22	46	21	6	7	80	16	6	17	5	5
19	Organic diseases of the heart	11			4	2	6				6		1	2	1	1
20	Acute bronchitis	45				1	1	3	6	3	13	4	3	12	8	5
22	Pneumonia	91	1	1	1	5	8	3	6	1	18	8	11	16	15	23
(23)	Bronchopneumonia	239		4	1	6	11	8	15	6	40	25	20	61	54	39
24	Diseases of the stomach	72				2	2	6	6	3	17	14	7	15	12	7
25	Diarrhea and enteritis	453		1	1	7	9	14	13	10	46	27	47	152	108	73
(33)	Malformations	103	14	20	9	19	62	14	3	5	84	8	2	5	2	2
(33)	Premature birth	338	140	51	27	45	263	35	11	14	323	9	4		1	1
(33,37)	Congenital debility	445	28	15	18	31	92	39	32	27	190	55	64	93	29	14
(37)	Injuries at birth	59	19	7	10	15	51	3	2		56	3				
35	External causes	20	1	2	2		5	1	1	1	8	4	1	3	3	1
38	Diseases ill-defined or unknown	2	1				1				1					1
	All other causes	107	1	1	5	7	14	8	7	5	34	15	7	16	20	15

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	GRAND RAPIDS, MICH.															
	All causes	308	54	11	11	26	102	24	14	9	149	25	17	57	39	21
5	Measles	3							1		1					2
6	Scarlet fever															
7	Whooping cough	1											1			
8	Diphtheria and croup	2								1	1				1	
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	2										1	1			
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2												2		
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis	5				1	1				1	1	1	1	1	
(37)	Convulsions	1										1				
19	Organic diseases of the heart	2												1	1	
20	Acute bronchitis	6						1			1		1	3	1	
22	Pneumonia	7												2	1	4
(23)	Bronchopneumonia	10										2			7	1
24	Diseases of the stomach	11				2	2		1		3	3		4		1
25	Diarrhea and enteritis	69				1	1	2	3	3	9	8	3	26	16	7
(33)	Malformations	17	2	4	3	5	14			1	15		1	1		
(33)	Premature birth	70	45	5	5	5	60	5	3	1	69				1	
(33,37)	Congenital debility	77	6		3	10	19	14	4	2	39	9	7	13	8	1
(37)	Injuries at birth	2		1		1	2				2					
35	External causes	6		1			1			1	2		1	2		1
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	14				1	1	2	2		5		1	2	2	4
	MINNEAPOLIS, MINN.															
	All causes	606	131	34	18	53	236	47	22	25	330	59	37	81	62	37
5	Measles	3													2	1
6	Scarlet fever	4												2		2
7	Whooping cough	12								1	1	3	2	1	2	3
8	Diphtheria and croup	7							1		1	1			3	2
9	Influenza															
(12)	Dysentery	2			1		1				1			1		
(12)	Erysipelas	10				1	1			1	2	4	1	1	2	
(37)	Tetanus															
13	Tuberculosis of the lungs	7												1	3	3
14	Tuberculous meningitis	1												1		
15	Other forms of tuberculosis	1										1				
(37)	Syphilis	17				2	2	2		3	7	3		3	4	
17	Meningitis	3													3	
(37)	Convulsions	13	1		2	4	7	1	1	1	10	1	1	1		
19	Organic diseases of the heart															
20	Acute bronchitis	6						1			1		1	2	2	
22	Pneumonia	10				1	1			1	2	2	1	3	2	
(23)	Bronchopneumonia	63				3	3	4	1	2	10	10	6	19	12	6
24	Diseases of the stomach	5							1		1	2		2		
25	Diarrhea and enteritis	102				5	5	8	2	10	25	17	12	21	15	12
(33)	Malformations	46	15	5	3	7	30	5	2		37	1		4	3	1
(33)	Premature birth	176	96	18	8	18	140	16	7	2	165	8	1	2		
(33,37)	Congenital debility	54	6	7	3	5	21	5	4	2	32	2	6	10	3	1
(37)	Injuries at birth	24	12	2	1	5	20	3	1		24					
35	External causes	2											1		1	
38	Diseases ill-defined or unknown	1											1			
	All other causes	37	1	2		2	5	2	2	2	11	4	4	7	5	6
	ST. PAUL, MINN.															
	All causes	425	78	18	24	32	152	31	21	18	222	45	18	72	40	28
5	Measles	8													3	5
6	Scarlet fever															
7	Whooping cough	6								2	2		1	1	1	1
8	Diphtheria and croup	2						1			1				1	
9	Influenza	2												2		
(12)	Dysentery															
(12)	Erysipelas	3								1	1	1			1	
(37)	Tetanus	1								1	1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	3										1			1	1
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	9				1	1	1			2	1		4	1	1
17	Meningitis	2											1			1
(37)	Convulsions	5			2		2	2			4	1				
19	Organic diseases of the heart	2				2	2				2					
20	Acute bronchitis	3											2	1		
22	Pneumonia	10				1	1	1	3		5	1		3	1	
(23)	Bronchopneumonia	34		1	1		2			2	4	8	4	9	5	4
24	Diseases of the stomach	6										2	1	3		
25	Diarrhea and enteritis	89			1	2	3	4	4	5	16	14	6	27	16	10
(33)	Malformations	32	3	4	4	4	15	4	1		20	6		3	2	1
(33)	Premature birth	105	53	9	11	10	83	10	4	4	101	2		1	1	
(33,37)	Congenital debility	44	9	1	2	7	19	4	3	1	27	5	2	8	1	1
(37)	Injuries at birth	23	10	3	2	4	19	1	2		22			1		
35	External causes	7	1				1				1	1		1	1	3
38	Diseases ill-defined or unknown															
	All other causes	28	2		1	1	4	3	4	2	13	2	1	7	5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	KANSAS CITY, MO. (TOTAL).															
	All causes	655	92	43	14	42	191	49	30	34	304	95	51	81	65	59
5	Measles	14										2		1	3	8
6	Scarlet fever	1													1	
7	Whooping cough	13							1		1	5	2		4	1
8	Diphtheria and croup	2														2
9	Influenza	1											1			
(12)	Dysentery	2													1	1
(12)	Erysipelas	2										1			1	
(37)	Tetanus	2			1		1	1			2					
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	7								1	1			1	4	1
15	Other forms of tuberculosis	2										1		1		
(37)	Syphilis	17				1	1	1	1		3	8	1	3	1	1
17	Meningitis	4										1		1	2	
(37)	Convulsions	4				1	1	1			2		1	1		
19	Organic diseases of the heart	5				1	1	1			2		3			
20	Acute bronchitis	12						1	3	1	5		3	1	2	1
22	Pneumonia	21		1		2	3		2	1	6	2	3	4	2	4
(23)	Bronchopneumonia	54			1	2	3	3	3	3	12	10	7	11	3	11
24	Diseases of the stomach	4				1	1				1	1		1		1
25	Diarrhea and enteritis	190				4	4	8	3	20	35	43	21	46	28	17
(33)	Malformations	43	11	8		7	26	5	2	3	36	3	1		1	2
(33)	Premature birth	125	59	22	5	8	94	15	8	2	119	5	1			
(33,37)	Congenital debility	35	12	2	2	5	21	3		1	25	3	2	4	1	
(37)	Injuries at birth	34	8	8	3	7	26	4	2		32	2				
35	External causes	12			2		2		2		4		2		4	2
38	Diseases ill-defined or unknown	3	1				1				1		1	1		
	All other causes	44	1	2		3	6	6	3	2	17	8	2	5	6	6
	KANSAS CITY, MO. (WHITE).															
	All causes	605	88	38	10	40	176	47	27	29	279	90	50	73	58	55
5	Measles	14										2		1	3	8
6	Scarlet fever	1													1	
7	Whooping cough	13							1		1	5	2		4	1
8	Diphtheria and croup	2														2
9	Influenza	1											1			
(12)	Dysentery	1													1	
(12)	Erysipelas	2										1			1	
(37)	Tetanus	2			1		1	1			2					
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	7								1	1			1	4	1
15	Other forms of tuberculosis	2										1		1		
(37)	Syphilis	15				1	1		1		2	8	1	3	1	
17	Meningitis	4										1		1	2	
(37)	Convulsions	3				1	1	1			2		1			
19	Organic diseases of the heart	5				1	1	1			2		3			
20	Acute bronchitis	10						1	3	1	5		3	1		1
22	Pneumonia	17		1		1	2		2		4	2	3	2	2	4
(23)	Bronchopneumonia	47			1	2	3	3	2	1	9	9	7	9	3	10
24	Diseases of the stomach	4				1	1				1	1		1		1
25	Diarrhea and enteritis	181				4	4	8	3	19	34	42	20	45	24	16
(33)	Malformations	42	11	7		7	25	5	2	3	35	3	1		1	2
(33)	Premature birth	110	56	18	3	7	84	14	7	1	106	3	1			
(33,37)	Congenital debility	32	11	2	1	5	19	3		1	23	3	2	3	1	
(37)	Injuries at birth	31	8	8	2	7	25	4	1		30	1				
35	External causes	12			2		2		2		4		2		4	2
38	Diseases ill-defined or unknown	2	1				1				1		1			
	All other causes	43	1	2		3	6	6	3	2	17	8	2	5	5	6
	KANSAS CITY, MO. (COLORED).															
	All causes	50	4	5	4	2	15	2	3	5	25	5	1	8	7	4
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	1														1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	2						1			1					1
17	Meningitis															
(37)	Convulsions	1												1		
19	Organic diseases of the heart															
20	Acute bronchitis	2													2	
22	Pneumonia	4				1	1			1	2			2		
(23)	Bronchopneumonia	7							1	2	3	1		2		1
24	Diseases of the stomach															
25	Diarrhea and enteritis	9								1	1	1	1	1	4	1
(33)	Malformations	1		1			1				1					
(33)	Premature birth	15	3	4	2	1	10	1	1	1	13	2				
(33,37)	Congenital debility	3	1		1		2				2			1		
(37)	Injuries at birth	3			1		1		1		2	1				
35	External causes															
38	Diseases ill-defined or unknown	1												1		
	All other causes	1													1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	ST. LOUIS, MO. (TOTAL).															
	All causes	1,478	212	77	50	79	418	80	47	58	603	132	98	301	206	138
5	Measles	29							1		1	1	1	4	9	13
6	Scarlet fever	2													1	1
7	Whooping cough	9								1	1	2	2		1	3
8	Diphtheria and croup	23								2	2	3	1	2	4	11
9	Influenza	9							1		1	1	2	1	2	2
(12)	Dysentery	4												1	2	1
(12)	Erysipelas	4										1	1	2		
(37)	Tetanus	9				2	2	7			9					
13	Tuberculosis of the lungs	10		1	1		2				2	1		2	4	1
14	Tuberculous meningitis	9										1	2	2	2	2
15	Other forms of tuberculosis	2												1		1
(37)	Syphilis	52	3	1	2	3	9	5	3	4	21	10	5	12	2	2
17	Meningitis	18		1			1	1			2		1	6	6	3
(37)	Convulsions	6		1	1	2	4			1	5			1		
19	Organic diseases of the heart	4		1		1	2				2	1	1			
20	Acute bronchitis	43			1		1	3	3	2	9	3	4	10	10	7
22	Pneumonia	43			1	1	2	3	1	1	7	6	2	12	9	7
(23)	Bronchopneumonia	143		4	1	4	9	7	7	8	31	20	8	39	24	21
24	Diseases of the stomach	22				1	1		1	2	4	4	2	6	4	2
25	Diarrhea and enteritis	449			2	4	6	8	15	19	48	45	49	169	96	42
(33)	Malformations	78	21	9	9	5	44	6	7	2	59	5	4	3	5	2
(33)	Premature birth	294	149	41	19	30	239	22	4	7	272	11	5	4	2	
(33,37)	Congenital debility	106	26	11	8	11	56	10	2	6	74	8	5	9	7	3
(37)	Injuries at birth	33	12	5	4	8	29	4			33					
35	External causes	18		1		2	3	1		1	5	3	2	1	4	3
38	Diseases ill-defined or unknown	1														1
	All other causes	58	1	1	1	5	8	3	2	2	15	6	1	14	12	10
	ST. LOUIS, MO. (WHITE).															
	All causes	1,344	196	71	45	70	382	73	44	54	553	121	90	275	184	121
5	Measles	28							1		1	1	1	4	8	13
6	Scarlet fever	2													1	1
7	Whooping cough	8								1	1	2	2			3
8	Diphtheria and croup	20								2	2	3	1	2	3	9
9	Influenza	9							1		1	1	2	1	2	2
(12)	Dysentery	3												1	2	
(12)	Erysipelas	4										1	1	2		
(37)	Tetanus	9				2	2	7			9					
13	Tuberculosis of the lungs	8			1		1				1	1		1	4	1
14	Tuberculous meningitis	8										1	2	1	2	2
15	Other forms of tuberculosis	2												1		1
(37)	Syphilis	40	2		1	2	5	5	1	3	14	9	4	11	1	1
17	Meningitis	17		1			1				1		1	6	6	3
(37)	Convulsions	5		1	1	2	4			1	5					
19	Organic diseases of the heart	3		1		1	2				2		1			
20	Acute bronchitis	39			1		1	3	3	2	9	3	4	8	8	7
22	Pneumonia	35			1	1	2	2	1	1	6	6	2	9	8	4
(23)	Bronchopneumonia	118		3		3	6	7	7	7	27	16	8	33	18	16
24	Diseases of the stomach	19				1	1		1	2	4	3	2	5	4	1
25	Diarrhea and enteritis	427			2	4	6	8	14	18	46	44	44	162	90	41
(33)	Malformations	75	19	9	8	5	41	6	7	2	56	5	4	3	5	2
(33)	Premature birth	271	141	39	19	25	224	19	4	6	253	10	3	3	2	
(33,37)	Congenital debility	96	22	11	7	9	49	8	2	6	65	7	5	9	7	3
(37)	Injuries at birth	30	11	4	3	8	26	4			30					
35	External causes	17		1		2	3	1		1	5	3	2	1	4	2
38	Diseases ill-defined or unknown	1														1
	All other causes	50	1	1	1	5	8	3	2	2	15	5	1	12	9	8
	ST. LOUIS, MO. (COLORED).															
	All causes	134	16	6	5	9	36	7	3	4	50	11	8	26	22	17
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough	1													1	
8	Diphtheria and croup	3													1	2
9	Influenza															
(12)	Dysentery	1														1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2		1			1				1			1		
14	Tuberculous meningitis	1												1		
15	Other forms of tuberculosis															
(37)	Syphilis	12	1	1	1	1	4		2	1	7	1	1	1	1	1
17	Meningitis	1						1			1					
(37)	Convulsions	1												1		
19	Organic diseases of the heart	1										1				
20	Acute bronchitis	4												2	2	
22	Pneumonia	8						1			1			3	1	3
(23)	Bronchopneumonia	25		1	1	1	3			1	4	4		6	6	5
24	Diseases of the stomach	3										1		1		1
25	Diarrhea and enteritis	22							1	1	2	1	5	7	6	1
(33)	Malformations	3	2		1		3				3					
(33)	Premature birth	23	8	2		5	15	3		1	19	1	2	1		
(33,37)	Congenital debility	10	4		1	2	7	2			9	1				
(37)	Injuries at birth	3	1	1	1		3				3					
35	External causes	1														1
38	Diseases ill-defined or unknown															
	All other causes	8										1		2	3	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.*	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	OMAHA, NEBR.															
	All causes	215	19	16	8	20	63	24	17	8	112	19	14	33	24	13
5	Measles															
6	Scarlet fever															
7	Whooping cough	1										1				
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1										1				
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	3											2	1		
17	Meningitis	1														1
(37)	Convulsions															
19	Organic diseases of the heart	2		1	1		2				2					
20	Acute bronchitis	4										2		1		1
22	Pneumonia	4						4			4					
(23)	Bronchopneumonia	25						4	1	1	6	2	2	3	9	3
24	Diseases of the stomach	2												1	1	
25	Diarrhea and enteritis	44				1	1	1	3	2	7	5	5	16	6	5
(33)	Malformations	5	1		1		2				2	2		1		
(33)	Premature birth	38	15	11	2	3	31	2	4	1	38					
(33,37)	Congenital debility	59		2	3	13	18	10	7	4	39	6	3	7	4	
(37)	Injuries at birth	4	2	1	1		4				4					
35	External causes	10		1		1	2	2			4		1	2	1	2
38	Diseases ill-defined or unknown	1				1	1				1					
	All other causes	10	1			1	2	1	2		5		1	1	2	1
	JERSEY CITY, N. J.															
	All causes	810	98	29	22	51	200	45	43	29	317	62	59	134	125	113
5	Measles	12													4	8
6	Scarlet fever	1														1
7	Whooping cough	13										1	2	2	5	3
8	Diphtheria and croup	3							1		1				1	1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	5						1	1		2				2	1
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	4												1	2	1
14	Tuberculous meningitis	5										1		1	2	1
15	Other forms of tuberculosis	2								1	1					1
(37)	Syphilis	5	1				1				1	3				1
17	Meningitis	9								2	2				3	4
(37)	Convulsions	21						2	1	1	4	2	3	4	4	4
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	20				1	1	2	3	4	10	3	2	1	2	2
22	Pneumonia	46							4	2	6	4	7	7	12	10
(23)	Bronchopneumonia	101				1	1	4	6	5	16	9	8	19	24	25
24	Diseases of the stomach	5												1	3	1
25	Diarrhea and enteritis	204				3	3	9	6	5	23	15	21	63	43	39
(33)	Malformations	52	17	5	4	9	35	6	3	2	46	1	1	2	2	
(33)	Premature birth	119	49	14	10	13	86	15	9	3	113	2	2	2		
(33,37)	Congenital debility	109	14	3	3	14	34	4	5	3	46	13	11	26	10	3
(37)	Injuries at birth	32	16	5	4	6	31	1			32					
35	External causes	6						1			1	2			2	1
38	Diseases ill-defined or unknown	3		1	1		2		1		3					
	All other causes	31	1	1		3	5	1	3		9	6	1	5	4	6
	NEWARK, N. J.															
	All causes	1,009	124	38	40	68	270	57	52	40	419	86	74	184	132	114
5	Measles	4								1	1				1	2
6	Scarlet fever															
7	Whooping cough	21								2	2	2	5	3	5	4
8	Diphtheria and croup	7										1	1	2	1	2
9	Influenza	6											1	2	1	2
(12)	Dysentery	1												1		
(12)	Erysipelas	15						1	6	2	9	2			3	1
(37)	Tetanus	1							1		1					
13	Tuberculosis of the lungs	5								1	1			2	1	1
14	Tuberculous meningitis	9												3	2	4
15	Other forms of tuberculosis	2												2		
(37)	Syphilis	10	2		1		3		2		5	1	1	2		1
17	Meningitis	7										1	1	1	2	2
(37)	Convulsions	15				3	3	2			5	4	3	2		1
19	Organic diseases of the heart	1														1
20	Acute bronchitis	39		1		1	2	5		6	13	6	4	6	5	5
22	Pneumonia	34		1			1	2	2		5	2	2	7	10	8
(23)	Bronchopneumonia	95	1	2	1		4	4	4	5	17	8	6	21	23	20
24	Diseases of the stomach	3							2		2				1	
25	Diarrhea and enteritis	294			4	1	5	5	6	9	25	37	37	85	64	46
(33)	Malformations	50	11	3	6	11	31	4	3	2	40	2	1	4	2	1
(33)	Premature birth	168	70	19	14	26	129	15	10	8	162	3	1	2		
(33,37)	Congenital debility	136	25	9	9	13	56	15	8	4	83	13	8	25	6	1
(37)	Injuries at birth	23	12	1	3	6	22	1			23					
35	External causes	14	2	1		3	6		3		9			2	1	2
38	Diseases ill-defined or unknown	1							1		1					
	All other causes	48	1	1	2	4	8	3	4		15	4	3	12	4	10

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	PATERSON, N. J.															
	All causes	307	29	14	8	15	66	23	14	12	115	29	24	54	48	37
5	Measles															
6	Scarlet fever															
7	Whooping cough	3											1	1	1	
8	Diphtheria and croup	1												1		
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	4				1	1	1			2			1	1	
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis	2													1	1
(37)	Syphilis	1										1				
17	Meningitis	10			1	3	4				4	1	1	2		2
(37)	Convulsions	8				2	2	1			3	1	1	2		1
19	Organic diseases of the heart															
20	Acute bronchitis	9						3	2	1	6		2			1
22	Pneumonia	23						2	4		6	3		7	4	3
(23)	Bronchopneumonia	35				1	1	4	1	3	9	3	1	3	11	8
24	Diseases of the stomach	4										1	1	2		
25	Diarrhea and enteritis	90				1	1	1	2	2	6	12	10	22	23	17
(33)	Malformations	15	2	4	4	1	11	2			13	1		1		
(33)	Premature birth	35	18	7	2	1	28	4	1	1	34			1		
(33,37)	Congenital debility	46	4	3		3	10	1	4	3	18	5	6	9	6	2
(37)	Injuries at birth	7	4		1	2	7				7					
35	External causes	1						1			1					
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	11						3		2	5	1	1	2		2
	ALBANY, N. Y.															
	All causes	268	36	11	12	7	66	17	13	5	101	30	28	58	33	18
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	4										2			2	
8	Diphtheria and croup	1														1
9	Influenza	3							1		1				1	1
(12)	Dysentery															
(12)	Erysipelas	3												1	2	
(37)	Tetanus															
13	Tuberculosis of the lungs	3			1		1				1				2	
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis															
(37)	Syphilis	7										3	2	1	1	
17	Meningitis	4											1	3		
(37)	Convulsions	3			1		1		1		2				1	
19	Organic diseases of the heart	2												1	1	
20	Acute bronchitis	3												1	1	1
22	Pneumonia	7								1	1		2	2		2
(23)	Bronchopneumonia	13								2	2	1	1	7	1	1
24	Diseases of the stomach	4										2		1	1	
25	Diarrhea and enteritis	54							2	1	3	5	7	24	8	7
(33)	Malformations	19	4	5	1	2	12	3	1		16	1	2			
(33)	Premature birth	55	21	3	5	2	31	3	6		40	8	5	2		
(33,37)	Congenital debility	40	1		1	2	4	9	2		15	3	7	7	7	1
(37)	Injuries at birth	13	8	1	3		12	1			13					
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	27	2	2		1	5	1		1	7	5	1	7	4	3
	BUFFALO, N. Y.															
	All causes	1,621	223	57	51	96	427	94	75	59	655	163	135	301	207	160
5	Measles	26												2	9	15
6	Scarlet fever															
7	Whooping cough	23								1	1	3	2	6	6	5
8	Diphtheria and croup	2												1	1	
9	Influenza	3										1	1		1	
(12)	Dysentery	5						1			1	1	1	1	1	
(12)	Erysipelas	5						1			1	1	2		1	
(37)	Tetanus															
13	Tuberculosis of the lungs	5											1	2	1	1
14	Tuberculous meningitis	7										1		3	1	2
15	Other forms of tuberculosis	5										1	1	1	1	1
(37)	Syphilis	75	3	1		1	5	3	9	11	28	19	8	11	6	3
17	Meningitis	7		1			1		1		2	1		1	2	1
(37)	Convulsions	31	1	3	2	2	8	5	1	1	15	2	4	4	4	2
19	Organic diseases of the heart	7	1				1	1			2	2		1		2
20	Acute bronchitis	23		1		2	3	4	1	1	9	4	3	4	3	
22	Pneumonia	28		1			1	1	2		4	1	1	9	6	7
(23)	Bronchopneumonia	180			2	4	6	5	10	6	27	18	14	52	35	34
24	Diseases of the stomach	18	1			2	3		1	1	5	2	2	5	2	2
25	Diarrhea and enteritis	552		2	1	8	11	10	22	16	59	68	73	170	111	71
(33)	Malformations	104	32	8	11	18	69	9	3	3	84	9	3	5	3	
(33)	Premature birth	258	134	21	18	21	194	33	15	6	248	7	2	1		
(33,37)	Congenital debility	71	11	5	6	11	33	8	4	6	51	5	7	5	1	2
(37)	Injuries at birth	84	34	12	10	22	78	5	1		84					
35	External causes	8	2				2				2		1	2		3
38	Diseases ill-defined or unknown	1		1			1				1					
	All other causes	93	4	1	1	5	11	8	5	7	31	17	9	15	12	9

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (TOTAL).															
	All causes	13,850	1,415	607	418	768	3,208	725	620	555	5,108	1,422	1,129	2,417	1,992	1,782
5	Measles	196							1		1		1	8	63	123
6	Scarlet fever	19						1			1			2	3	13
7	Whooping cough	196						2	3	6	11	30	25	44	45	41
8	Diphtheria and croup	122							2	2	4	1	2	12	38	65
9	Influenza	20							1	2	3	1	3	4	5	4
(12)	Dysentery	9										2		3	1	3
(12)	Erysipelas	143				1	1	7	20	14	42	36	12	27	18	8
(37)	Tetanus	16			1	4	5	10	1		16					
13	Tuberculosis of the lungs	63	1				1				1	3	5	18	15	21
14	Tuberculous meningitis	173							1		1	3	7	37	62	63
15	Other forms of tuberculosis	39								1	1	4		17	8	9
(37)	Syphilis	229	20	14	6	15	55	16	19	11	101	31	34	41	13	9
17	Meningitis	117						1	1		2	5	10	41	31	28
(37)	Convulsions	165	2	9	6	22	39	14	11	10	74	17	12	28	18	16
19	Organic diseases of the heart	28	2	1	2	2	7	2	2	2	13	1	4	4	4	2
20	Acute bronchitis	450		2	5	16	23	30	47	37	137	78	38	85	59	53
22	Pneumonia	562	3	5	6	14	28	17	17	21	83	47	34	103	147	148
(23)	Bronchopneumonia	2,049	2	6	7	30	45	49	92	74	260	204	160	432	500	493
24	Diseases of the stomach	47			2	2	4	5	1	3	13	8	7	7	9	3
25	Diarrhea and enteritis	3,236	1	1	6	24	32	63	83	111	289	379	419	955	686	508
(33)	Malformations	695	116	68	58	104	346	87	40	31	504	45	40	58	29	19
(33)	Premature birth	2,012	829	274	181	247	1,531	191	115	66	1,903	73	19	17		
(33,37)	Congenital debility	2,106	201	130	71	172	574	142	121	135	972	396	249	326	126	37
(37)	Injuries at birth	481	213	81	54	82	430	38	7	4	479	2				
35	External causes	109	13	10	6	6	35	4	2	3	44	10	6	17	8	24
38	Diseases ill-defined or unknown	3	1				1	1			2	1				
	All other causes	565	11	6	7	27	51	45	33	22	151	45	42	131	104	92
	NEW YORK, N. Y. (WHITE).															
	All causes	13,412	1,376	588	408	740	3,112	710	600	538	4,960	1,379	1,093	2,330	1,922	1,728
5	Measles	194							1		1		1	8	62	122
6	Scarlet fever	19						1			1			2	3	13
7	Whooping cough	192						2	3	6	11	30	23	44	44	40
8	Diphtheria and croup	116							2	2	4	1	2	11	36	62
9	Influenza	20							1	2	3	1	3	4	5	4
(12)	Dysentery	8										2		2	1	3
(12)	Erysipelas	140				1	1	7	20	14	42	34	12	26	18	8
(37)	Tetanus	16			1	4	5	10	1		16					
13	Tuberculosis of the lungs	58	1				1				1	3	4	17	13	20
14	Tuberculous meningitis	166							1		1	3	7	32	60	63
15	Other forms of tuberculosis	38								1	1	4		16	8	9
(37)	Syphilis	220	20	14	6	15	55	15	19	11	100	30	33	40	10	7
17	Meningitis	111						1	1		2	5	9	40	28	27
(37)	Convulsions	163	2	9	6	22	39	14	11	10	74	17	12	27	17	16
19	Organic diseases of the heart	26	2	1	2	2	7	2	2	2	13	1	4	4	3	1
20	Acute bronchitis	432		2	5	16	23	30	46	36	135	75	37	79	56	50
22	Pneumonia	540	3	4	6	14	27	17	16	19	79	45	32	100	142	142
(23)	Bronchopneumonia	1,970	2	6	7	28	43	49	88	70	250	198	150	417	479	476
24	Diseases of the stomach	46			2	2	4	5	1	3	13	8	7	7	8	3
25	Diarrhea and enteritis	3,150	1	1	5	23	30	62	80	108	280	370	413	924	669	494
(33)	Malformations	686	115	68	57	102	342	86	39	30	497	44	40	58	28	19
(33)	Premature birth	1,951	805	265	176	237	1,483	185	114	64	1,846	71	18	16		
(33,37)	Congenital debility	2,027	191	125	69	160	545	136	115	133	929	382	242	316	122	36
(37)	Injuries at birth	474	210	78	54	82	424	38	7	4	473	1				
35	External causes	107	13	10	6	6	35	4	2	3	44	10	5	16	8	24
38	Diseases ill-defined or unknown	3	1				1	1			2	1				
	All other causes	539	10	5	6	26	47	45	30	20	142	43	39	124	102	89
	NEW YORK, N. Y. (COLORED).															
	All causes	438	39	19	10	28	96	15	20	17	148	43	36	87	70	54
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	4											2		1	1
8	Diphtheria and croup	6												1	2	3
9	Influenza															
(12)	Dysentery	1												1		
(12)	Erysipelas	3										2		1		
(37)	Tetanus															
13	Tuberculosis of the lungs	5											1	1	2	1
14	Tuberculous meningitis	7												5	2	
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	9						1			1	1	1	1	3	2
17	Meningitis	6											1	1	3	1
(37)	Convulsions	2												1	1	
19	Organic diseases of the heart	2													1	1
20	Acute bronchitis	18							1	1	2	3	1	6	3	3
22	Pneumonia	22		1			1		1	2	4	2	2	3	5	6
(23)	Bronchopneumonia	79				2	2		4	4	10	6	10	15	21	17
24	Diseases of the stomach	1													1	
25	Diarrhea and enteritis	86			1	1	2	1	3	3	9	9	6	31	17	14
(33)	Malformations	9	1		1	2	4	1	1	1	7	1			1	
(33)	Premature birth	61	24	9	5	10	48	6	1	2	57	2	1	1		
(33,37)	Congenital debility	79	10	5	2	12	29	6	6	2	43	14	7	10	4	1
(37)	Injuries at birth	7	3	3			6				6	1				
35	External causes	2											1	1		
38	Diseases ill-defined or unknown															
	All other causes	26	1	1	1	1	4		3	2	9	2	3	7	2	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (BRONX BOROUGH, TOTAL).															
	All causes	1,152	172	56	37	67	332	68	57	41	498	112	92	183	145	122
5	Measles	15												2	5	8
6	Scarlet fever	3													1	2
7	Whooping cough	27								1	1	4	3	7	9	3
8	Diphtheria and croup	11												2	5	4
9	Influenza	1										1				
(12)	Dysentery															
(12)	Erysipelas	13						1	1	2	4	2		4	3	
(37)	Tetanus															
13	Tuberculosis of the lungs	5	1				1				1		1	1	1	1
14	Tuberculous meningitis	11							1		1		1	2	4	3
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	26	4	1	1	2	8	4	2	1	15	3	1	5	1	1
17	Meningitis	9										1		2	3	3
(37)	Convulsions	5			1	4	5				5					
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	28						2	7	3	12	6	1	5	3	1
22	Pneumonia	47			1	2	3	1	2		6	5	4	11	10	11
(23)	Bronchopneumonia	165			1	3	4	5	7	4	20	17	16	32	41	39
24	Diseases of the stomach	4			1		1	1			2				2	
25	Diarrhea and enteritis	241				3	3	7	6	11	27	33	41	65	41	34
(33)	Malformations	63	10	5	3	7	25	10	5	2	42	5	6	6	2	2
(33)	Premature birth	224	111	25	16	18	170	17	14	9	210	8	4	2		
(33,37)	Congenital debility	153	23	16	7	22	68	13	6	7	94	18	7	23	8	3
(37)	Injuries at birth	39	19	6	6	5	36	2	1		39					
35	External causes	9		1			1	1	1		3	4		1		1
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	50	3	2		1	6	4	4	1	15	5	6	12	6	6
	NEW YORK, N. Y. (BRONX BOROUGH, WHITE).															
	All causes	1,140	171	56	36	64	327	68	57	40	492	112	91	181	143	121
5	Measles	15												2	5	8
6	Scarlet fever	3													1	2
7	Whooping cough	26								1	1	4	2	7	9	3
8	Diphtheria and croup	11												2	5	4
9	Influenza	1										1				
(12)	Dysentery															
(12)	Erysipelas	13						1	1	2	4	2		4	3	
(37)	Tetanus															
13	Tuberculosis of the lungs	5	1				1				1		1	1	1	1
14	Tuberculous meningitis	11							1		1		1	2	4	3
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	26	4	1	1	2	8	4	2	1	15	3	1	5	1	1
17	Meningitis	9										1		2	3	3
(37)	Convulsions	5			1	4	5				5					
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	28						2	7	3	12	6	1	5	3	1
22	Pneumonia	47			1	2	3	1	2		6	5	4	11	10	11
(23)	Bronchopneumonia	162			1	3	4	5	7	4	20	17	16	31	40	38
24	Diseases of the stomach	4			1		1	1			2				2	
25	Diarrhea and enteritis	239				2	2	7	6	11	26	33	41	64	41	34
(33)	Malformations	62	10	5	3	6	24	10	5	2	41	5	6	6	2	2
(33)	Premature birth	222	110	25	15	18	168	17	14	9	208	8	4	2		
(33,37)	Congenital debility	151	23	16	7	21	67	13	6	7	93	18	7	23	7	3
(37)	Injuries at birth	39	19	6	6	5	36	2	1		39					
35	External causes	9		1			1	1	1		3	4		1		1
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	49	3	2		1	6	4	4		14	5	6	12	6	6
	NEW YORK, N. Y. (BRONX BOROUGH, COLORED).															
	All causes	12	1		1	3	5			1	6		1	2	2	1
5	Measles															
6	Scarlet fever															
7	Whooping cough	1											1			
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis															
22	Pneumonia															
(23)	Bronchopneumonia	3												1	1	1
24	Diseases of the stomach															
25	Diarrhea and enteritis	2				1	1				1			1		
(33)	Malformations	1				1	1				1					
(33)	Premature birth	2	1		1		2				2					
(33,37)	Congenital debility	2				1	1				1				1	
(37)	Injuries at birth															
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	1								1	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N.Y. (BROOKLYN BOROUGH, TOTAL).															
	All causes	4,415	478	201	140	262	1,081	236	202	160	1,679	379	322	785	628	622
5	Measles	31							1		1				9	21
6	Scarlet fever	5						1			1			2		2
7	Whooping cough	71						2	1	4	7	11	9	18	8	18
8	Diphtheria and croup	42							1	1	2	1		4	12	23
9	Influenza	7								1	1		2	1	1	2
(12)	Dysentery	6										2		3		1
(12)	Erysipelas	38						3	5	4	12	8	3	9	4	2
(37)	Tetanus	4						3	1		4					
13	Tuberculosis of the lungs	7										1			2	4
14	Tuberculous meningitis	63										1	4	13	23	22
15	Other forms of tuberculosis	21										3		10	4	4
(37)	Syphilis	63	5	7		3	15	6	6	3	30	6	9	10	6	2
17	Meningitis	33										1	3	8	9	12
(37)	Convulsions	85	1	7	3	13	24	4	8	6	42	9	4	14	10	6
19	Organic diseases of the heart	10		1		1	2	1	1	1	5		2	1	1	1
20	Acute bronchitis	186		2	2	8	12	16	15	11	54	27	17	40	25	28
22	Pneumonia	204	1	1		5	7	5	7	5	24	24	16	35	45	60
(23)	Bronchopneumonia	659		2	2	13	17	12	43	24	96	63	38	145	151	166
24	Diseases of the stomach	10			1	1	2				2	2	3	1		2
25	Diarrhea and enteritis	1,127	1	1	3	8	13	16	26	35	90	110	129	338	261	199
(33)	Malformations	327	54	39	33	46	172	41	19	12	244	22	17	26	9	9
(33)	Premature birth	631	268	74	60	90	492	69	28	17	606	16	5	4		
(33,37)	Congenital debility	384	45	30	13	39	127	27	29	24	207	49	49	53	17	9
(37)	Injuries at birth	193	98	36	20	27	181	11	1		193					
35	External causes	27			2	1	3	1	1	1	6	3	4	5	1	8
38	Diseases ill-defined or unknown	1										1				
	All other causes	180	5	1	1	7	14	18	9	11	52	19	8	45	30	26
	NEW YORK, N.Y. (BROOKLYN BOROUGH, WHITE).															
	All causes	4,313	472	199	139	255	1,065	231	198	157	1,651	367	317	758	612	608
5	Measles	31							1		1				9	21
6	Scarlet fever	5						1			1			2		2
7	Whooping cough	70						2	1	4	7	11	9	18	8	17
8	Diphtheria and croup	39							1	1	2	1		3	11	22
9	Influenza	7								1	1		2	1	1	2
(12)	Dysentery	5										2		2		1
(12)	Erysipelas	38						3	5	4	12	8	3	9	4	2
(37)	Tetanus	4						3	1		4					
13	Tuberculosis of the lungs	6										1			1	4
14	Tuberculous meningitis	61										1	4	11	23	22
15	Other forms of tuberculosis	20										3		9	4	4
(37)	Syphilis	62	5	7		3	15	6	6	3	30	6	9	10	6	1
17	Meningitis	30										1	3	8	7	11
(37)	Convulsions	85	1	7	3	13	24	4	8	6	42	9	4	14	10	6
19	Organic diseases of the heart	10		1		1	2	1	1	1	5		2	1	1	1
20	Acute bronchitis	179		2	2	8	12	16	14	10	52	26	17	39	24	21
22	Pneumonia	196	1			5	6	5	7	5	23	23	16	33	43	58
(23)	Bronchopneumonia	644		2	2	12	16	12	43	24	95	62	37	139	147	164
24	Diseases of the stomach	10			1	1	2				2	2	3	1		2
25	Diarrhea and enteritis	1,098	1	1	2	8	12	15	25	35	87	105	127	327	257	195
(33)	Malformations	325	54	39	33	46	172	40	19	11	242	22	17	26	9	9
(33)	Premature birth	619	263	74	60	87	484	67	27	17	595	16	4	4		
(33,37)	Congenital debility	371	44	29	13	36	122	26	28	23	199	47	48	51	17	9
(37)	Injuries at birth	193	98	36	20	27	181	11	1		193					
35	External causes	27			2	1	3	1	1	1	6	3	4	5	1	8
38	Diseases ill-defined or unknown	1										1				
	All other causes	177	5	1	1	7	14	18	9	11	52	17	8	45	29	26
	NEW YORK, N.Y. (BROOKLYN BOROUGH, COLORED).															
	All causes	102	6	2	1	7	16	5	4	3	28	12	5	27	16	14
5	Measles															
6	Scarlet fever															
7	Whooping cough	1														1
8	Diphtheria and croup	3												1	1	1
9	Influenza															
(12)	Dysentery	1												1		
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	2												2		
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	1														1
17	Meningitis	3													2	1
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	7							1	1	2	1		1	1	2
22	Pneumonia	8		1			1				1	1		2	2	2
(23)	Bronchopneumonia	15				1	1				1	1	1	6	4	2
24	Diseases of the stomach															
25	Diarrhea and enteritis	29			1		1	1	1		3	5	2	11	4	4
(33)	Malformations	2						1		1	2					
(33)	Premature birth	12	5			3	8	2	1		11		1			
(33,37)	Congenital debility	13	1	1		3	5	1	1	1	8	2	1	2		
(37)	Injuries at birth															
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	3										2			1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).															
	All causes	7,176	633	314	211	365	1,523	363	315	314	2,515	836	617	1,244	1,043	921
5	Measles	140											1	6	47	86
6	Scarlet fever	11													2	9
7	Whooping cough	76							2	1	3	10	9	14	23	17
8	Diphtheria and croup	65							1	1	2		2	5	18	38
9	Influenza	8							1	1	2			1	3	2
(12)	Dysentery	2														2
(12)	Erysipelas	88				1	1	3	14	7	25	24	8	14	11	6
(37)	Tetanus	9			1	3	4	5			9					
13	Tuberculosis of the lungs	46										1	4	15	11	15
14	Tuberculous meningitis	92										2	2	21	31	36
15	Other forms of tuberculosis	16								1	1	1		6	4	4
(37)	Syphilis	127	11	6	3	8	28	6	11	7	52	17	23	25	5	5
17	Meningitis	67						1			1	3	5	28	18	12
(37)	Convulsions	67	1	1	1	5	8	10	3	4	25	7	8	12	6	9
19	Organic diseases of the heart	15	2		2	1	5	1		1	7	1	1	3	2	1
20	Acute bronchitis	210			3	5	8	12	23	20	63	41	17	34	28	27
22	Pneumonia	271	2	4	5	6	17	10	7	12	46	12	9	52	82	70
(23)	Bronchopneumonia	1,069	2	3	4	11	20	26	36	39	121	106	92	222	275	253
24	Diseases of the stomach	29				1	1	2	1	3	7	5	4	5	7	1
25	Diarrhea and enteritis	1,564			3	11	14	35	39	54	142	208	210	463	307	234
(33)	Malformations	235	36	17	19	40	112	26	14	13	165	17	13	20	14	6
(33)	Premature birth	974	373	155	89	106	723	87	65	36	911	46	7	10		
(33,37)	Congenital debility	1,421	114	81	47	99	341	92	79	99	611	315	176	215	83	21
(37)	Injuries at birth	216	77	35	26	47	185	22	3	4	214	2				
35	External causes	61	12	9	3	4	28	2		2	32	1	2	9	6	11
38	Diseases ill-defined or unknown	1						1			1					
	All other causes	296	3	3	5	17	28	22	16	9	75	17	24	64	60	56
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).															
	All causes	6,873	605	299	203	351	1,458	354	299	301	2,412	809	589	1,188	993	882
5	Measles	138											1	6	46	85
6	Scarlet fever	11													2	9
7	Whooping cough	75							2	1	3	10	8	14	23	17
8	Diphtheria and croup	62							1	1	2		2	5	17	36
9	Influenza	8							1	1	2			1	3	2
(12)	Dysentery	2														2
(12)	Erysipelas	85				1	1	3	14	7	25	22	8	13	11	6
(37)	Tetanus	9			1	3	4	5			9					
13	Tuberculosis of the lungs	42										1	3	14	10	14
14	Tuberculous meningitis	87										2	2	18	29	36
15	Other forms of tuberculosis	16								1	1	1		6	4	4
(37)	Syphilis	119	11	6	3	8	28	5	11	7	51	16	22	24	2	4
17	Meningitis	64						1			1	3	4	27	17	12
(37)	Convulsions	65	1	1	1	5	8	10	3	4	25	7	8	11	5	9
19	Organic diseases of the heart	13	2		2	1	5	1		1	7	1	1	3	1	
20	Acute bronchitis	200			3	5	8	12	23	20	63	40	16	29	26	26
22	Pneumonia	257	2	4	5	6	17	10	6	10	43	11	7	51	79	66
(23)	Bronchopneumonia	1,009	2	3	4	10	19	26	32	35	112	102	83	214	259	239
24	Diseases of the stomach	28				1	1	2	1	3	7	5	4	5	6	1
25	Diarrhea and enteritis	1,513			3	11	14	35	37	51	137	205	206	446	295	224
(33)	Malformations	231	36	17	18	40	111	26	13	13	163	16	13	20	13	6
(33)	Premature birth	933	356	148	85	101	690	84	65	34	873	44	7	9		
(33,37)	Congenital debility	1,362	107	77	45	92	321	87	74	98	580	304	171	207	80	20
(37)	Injuries at birth	209	74	32	26	47	179	22	3	4	208	1				
35	External causes	59	12	9	3	4	28	2		2	32	1	1	8	6	11
38	Diseases ill-defined or unknown	1						1			1					
	All other causes	275	2	2	4	16	24	22	13	8	67	17	22	57	59	53
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).															
	All causes	303	28	15	8	14	65	9	16	13	103	27	28	56	50	39
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	1											1			
8	Diphtheria and croup	3													1	2
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	3										2		1		
(37)	Tetanus															
13	Tuberculosis of the lungs	4											1	1	1	1
14	Tuberculous meningitis	5												3	2	
15	Other forms of tuberculosis															
(37)	Syphilis	8						1			1	1	1	1	3	1
17	Meningitis	3											1	1	1	
(37)	Convulsions	2												1	1	
19	Organic diseases of the heart	2													1	1
20	Acute bronchitis	10										1	1	5	2	1
22	Pneumonia	14							1	2	3	1	2	1	3	4
(23)	Bronchopneumonia	60				1	1		4	4	9	4	9	8	16	14
24	Diseases of the stomach	1													1	
25	Diarrhea and enteritis	51							2	3	5	3	4	17	12	10
(33)	Malformations	4			1		1		1		2	1			1	
(33)	Premature birth	41	17	7	4	5	33	3		2	38	2		1		
(33,37)	Congenital debility	59	7	4	2	7	20	5	5	1	31	11	5	8	3	1
(37)	Injuries at birth	7	3	3			6				6	1				
35	External causes	2											1	1		
38	Diseases ill-defined or unknown															
	All other causes	21	1	1	1	1	4		3	1	8		2	7	1	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (QUEENS BOROUGH, TOTAL).															
	All causes	858	94	29	22	61	206	43	36	33	318	75	78	158	142	87
5	Measles	6													2	4
6	Scarlet fever															
7	Whooping cough	18										5	3	4	3	3
8	Diphtheria and croup	4												1	3	
9	Influenza	3											1	1	1	
(12)	Dysentery	1													1	
(12)	Erysipelas	3								1	1	1	1			
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	5										1		2	1	1
14	Tuberculous meningitis	6												1	3	2
15	Other forms of tuberculosis	1														1
(37)	Syphilis	10			2	2	4				4	3	1	1	1	
17	Meningitis	4							1		1			2		1
(37)	Convulsions	7			1		1				1	1		2	2	1
19	Organic diseases of the heart	2							1		1				1	
20	Acute bronchitis	21				2	2		2	3	7	2	3	4	3	2
22	Pneumonia	36				1	1	1	1	4	7	6	5	4	10	4
(23)	Bronchopneumonia	119		1		2	3	4	4	5	16	16	11	25	26	25
24	Diseases of the stomach	2						1			1			1		
25	Diarrhea and enteritis	231				2	2	4	9	8	23	23	28	68	58	31
(33)	Malformations	64	13	7	2	9	31	10	2	4	47	1	4	6	4	2
(33)	Premature birth	127	49	14	10	28	101	11	6	2	120	3	3	1		
(33,37)	Congenital debility	120	15	3	4	9	31	10	5	5	51	8	14	28	15	4
(37)	Injuries at birth	27	16	4	2	2	24	1	2		27					
35	External causes	10	1		1	1	3				3	2			1	4
38	Diseases ill-defined or unknown															
	All other causes	30				2	2	1	3	1	7	3	4	7	7	2
	NEW YORK, N. Y. (QUEENS BOROUGH, WHITE).															
	All causes	846	92	29	22	59	202	42	36	33	313	72	77	156	141	87
5	Measles	6													2	4
6	Scarlet fever															
7	Whooping cough	18										5	3	4	3	3
8	Diphtheria and croup	4												1	3	
9	Influenza	3											1	1	1	
(12)	Dysentery	1													1	
(12)	Erysipelas	3								1	1	1	1			
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	5										1		2	1	1
14	Tuberculous meningitis	6												1	3	2
15	Other forms of tuberculosis	1														1
(37)	Syphilis	10			2	2	4				4	3	1	1	1	
17	Meningitis	4							1		1			2		1
(37)	Convulsions	7			1		1				1	1		2	2	1
19	Organic diseases of the heart	2							1		1				1	
20	Acute bronchitis	21				2	2		2	3	7	2	3	4	3	2
22	Pneumonia	36				1	1	1	1	4	7	6	5	4	10	4
(23)	Bronchopneumonia	118		1		2	3	4	4	5	16	15	11	25	26	25
24	Diseases of the stomach	2						1			1			1		
25	Diarrhea and enteritis	227				2	2	4	9	8	23	22	28	66	57	31
(33)	Malformations	64	13	7	2	9	31	10	2	4	47	1	4	6	4	2
(33)	Premature birth	124	48	14	10	27	99	10	6	2	117	3	3	1		
(33,37)	Congenital debility	117	14	3	4	8	29	10	5	5	49	7	14	28	15	4
(37)	Injuries at birth	27	16	4	2	2	24	1	2		27					
35	External causes	10	1		1	1	3				3	2			1	4
38	Diseases ill-defined or unknown															
	All other causes	29				2	2	1	3	1	7	3	3	7	7	2
	NEW YORK, N. Y. (QUEENS BOROUGH, COLORED).															
	All causes	12	2			2	4	1			5	3	1	2	1	
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis															
22	Pneumonia															
(23)	Bronchopneumonia	1										1				
24	Diseases of the stomach															
25	Diarrhea and enteritis	4										1		2	1	
(33)	Malformations															
(33)	Premature birth	3	1			1	2	1			3					
(33,37)	Congenital debility	3	1			1	2				2	1				
(37)	Injuries at birth															
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	1											1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (RICHMOND BOROUGH, TOTAL).															
	All causes	249	38	7	8	13	66	15	10	7	98	20	20	47	34	30
5	Measles	4														4
6	Scarlet fever															
7	Whooping cough	4											1	1	2	
8	Diphtheria and croup															
9	Influenza	1												1		
(12)	Dysentery															
(12)	Erysipelas	1										1				
(37)	Tetanus	2						2			2					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	3										2				1
17	Meningitis	4											2	1	1	
(37)	Convulsions	1		1			1				1					
19	Organic diseases of the heart															
20	Acute bronchitis	5				1	1				1	2		2		
22	Pneumonia	4												1		3
(23)	Bronchopneumonia	37				1	1	2	2	2	7	2	3	8	7	10
24	Diseases of the stomach	2						1			1	1				
25	Diarrhea and enteritis	73						1	3	3	7	5	11	21	19	10
(33)	Malformations	6	3		1	2	6				6					
(33)	Premature birth	56	28	6	6	5	45	7	2	2	56					
(33,37)	Congenital debility	28	4			3	7		2		9	6	3	7	3	
(37)	Injuries at birth	6	3			1	4	2			6					
35	External causes	2												2		
38	Diseases ill-defined or unknown															
	All other causes	9			1		1		1		2	1		3	1	2
	NEW YORK, N. Y. (RICHMOND BOROUGH, WHITE).															
	All causes	240	36	5	8	11	60	15	10	7	92	19	19	47	33	30
5	Measles	4														4
6	Scarlet fever															
7	Whooping cough	3											1	1	1	
8	Diphtheria and croup															
9	Influenza	1												1		
(12)	Dysentery															
(12)	Erysipelas	1										1				
(37)	Tetanus	2						2			2					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	3										2				1
17	Meningitis	4											2	1	1	
(37)	Convulsions	1		1			1				1					
19	Organic diseases of the heart															
20	Acute bronchitis	4				1	1				1	1		2		
22	Pneumonia	4												1		3
(23)	Bronchopneumonia	37				1	1	2	2	2	7	2	3	8	7	10
24	Diseases of the stomach	2						1			1	1				
25	Diarrhea and enteritis	73						1	3	3	7	5	11	21	19	10
(33)	Malformations	4	2		1	1	4				4					
(33)	Premature birth	53	28	4	6	4	42	7	2	2	53					
(33,37)	Congenital debility	26	3			3	6		2		8	6	2	7	3	
(37)	Injuries at birth	6	3			1	4	2			6					
35	External causes	2												2		
38	Diseases ill-defined or unknown															
	All other causes	9			1		1		1		2	1		3	1	2
	NEW YORK, N. Y. (RICHMOND BOROUGH, COLORED).															
	All causes	9	2	2		2	6				6	1	1		1	
5	Measles															
6	Scarlet fever															
7	Whooping cough	1													1	
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	1										1				
22	Pneumonia															
(23)	Bronchopneumonia															
24	Diseases of the stomach															
25	Diarrhea and enteritis															
(33)	Malformations	2	1			1	2				2					
(33)	Premature birth	3		2		1	3				3					
(33,37)	Congenital debility	2	1				1				1		1			
(37)	Injuries at birth															
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes															

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	ROCHESTER, N. Y.															
	All causes	578	107	25	21	46	199	37	28	26	290	45	35	97	65	46
5	Measles															
6	Scarlet fever	1													1	
7	Whooping cough	16								1	1	2	3	8	2	
8	Diphtheria and croup	2													2	
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	4							2		2	1	1			
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	4													2	2
15	Other forms of tuberculosis	1														1
(37)	Syphilis	9						4	1	1	6	1			2	
17	Meningitis	3				1	1				1			1	1	
(37)	Convulsions	1						1			1					
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	22			1	1	2	4	3		9	3	3	5		2
22	Pneumonia	13				1	1			1	2	1	2	2	3	3
(23)	Bronchopneumonia	71	1			1	2	1	3	5	11	8	6	20	15	11
24	Diseases of the stomach	5								1	1	3		1		
25	Diarrhea and enteritis	164			1	2	3	5	5	10	23	18	17	48	33	25
(33)	Malformations	33	9	4	2	9	24	2	1		27	1	1	3	1	
(33)	Premature birth	147	77	14	8	16	115	10	11	3	139	5	2			1
(33,37)	Congenital debility	33	10	4	2	5	21	6	1	3	31	1			1	
(37)	Injuries at birth	26	10	2	5	5	22	4			26					
35	External causes	3		1			1				1	1		1		
38	Diseases ill-defined or unknown															
	All other causes	17			2	5	7		1	1	9			6	1	1
	SYRACUSE, N. Y.															
	All causes	446	76	12	10	30	128	33	19	18	198	55	40	60	54	39
5	Measles	6										1		1		4
6	Scarlet fever	1														1
7	Whooping cough	5												1	2	2
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	4										1			2	1
(12)	Erysipelas	1								1	1					
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	6												3	3	
15	Other forms of tuberculosis	1														1
(37)	Syphilis	8										4	2		1	1
17	Meningitis	4											1	2	1	
(37)	Convulsions	4		1			1				1	1		2		
19	Organic diseases of the heart	1				1	1				1					
20	Acute bronchitis	14						1	2		3	3	1	3	1	3
22	Pneumonia	25				1	1	2		1	4	5	4	4	3	5
(23)	Bronchopneumonia	31			1	1	2	3	1	1	7	4	3	3	10	4
24	Diseases of the stomach	5											2	2		1
25	Diarrhea and enteritis	95				1	1	2	6	1	10	10	11	28	25	11
(33)	Malformations	15	3	2		2	7	3	1		11	2	1		1	
(33)	Premature birth	95	44	5	8	13	70	12	2	4	88	7				
(33,37)	Congenital debility	88	13	3	1	9	26	5	6	8	45	14	12	10	5	2
(37)	Injuries at birth	16	14	1		1	16				16					
35	External causes	5	1			1	2		1		3	1	1			
38	Diseases ill-defined or unknown															
	All other causes	16	1				1	5		2	8	2	2	1		3
	CINCINNATI, OHIO (TOTAL).															
	All causes	801	129	29	31	61	250	58	32	24	364	77	48	129	86	97
5	Measles	15												4	5	6
6	Scarlet fever															
7	Whooping cough	19										1	3	5	4	6
8	Diphtheria and croup	2													1	1
9	Influenza	1										1				
(12)	Dysentery	1													1	
(12)	Erysipelas	2												1	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	3													2	1
14	Tuberculous meningitis	17				1	1				1	2		6	2	6
15	Other forms of tuberculosis															
(37)	Syphilis	27	2		1	2	5	8	1	1	15	6	2	3	1	
17	Meningitis	10												2	1	7
(37)	Convulsions	3			1	1	2	1			3					
19	Organic diseases of the heart	2											1	1		
20	Acute bronchitis	20							1	1	2	3	5	4	4	2
22	Pneumonia	13						2		1	3	1		2	4	3
(23)	Bronchopneumonia	87			1	3	4	3	3	4	14	10	10	21	14	18
24	Diseases of the stomach	8												7	1	
25	Diarrhea and enteritis	220				5	5	10	8	4	27	37	21	60	39	36
(33)	Malformations	50	7	4	5	8	24	7	5	3	39	4	2	2		3
(33)	Premature birth	183	89	17	18	21	145	17	10	5	177	4		2		
(33,37)	Congenital debility	26	6	2		7	15	5	3	1	24	1				1
(37)	Injuries at birth	39	22	4	3	8	37	2			39					
35	External causes	27	2	2	1	4	9	1		4	14	3	2	6	1	1
38	Diseases ill-defined or unknown															
	All other causes	26	1		1	1	3	2	1		6	4	2	3	5	6

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	CINCINNATI, OHIO (WHITE).															
	All causes	749	126	27	28	59	240	54	29	21	344	72	44	125	76	88
5	Measles	13												4	4	5
6	Scarlet fever															
7	Whooping cough	18										1	3	5	4	5
8	Diphtheria and croup	2													1	1
9	Influenza	1										1				
(12)	Dysentery															
(12)	Erysipelas	2												1	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	3													2	1
14	Tuberculous meningitis	17				1	1				1	2		6	2	6
15	Other forms of tuberculosis															
(37)	Syphilis	23	2		1	2	5	6	1	1	13	6	1	3		
17	Meningitis	9												1	1	7
(37)	Convulsions	3			1	1	2	1			3					
19	Organic diseases of the heart	2											1	1		
20	Acute bronchitis	20							1	1	2	3	5	4	4	2
22	Pneumonia	12						2		1	3	1		2	4	2
(23)	Bronchopneumonia	75			1	3	4	3	1	3	11	9	8	21	12	14
24	Diseases of the stomach	8												7	1	
25	Diarrhea and enteritis	208				5	5	9	8	4	26	34	20	59	34	35
(33)	Malformations	49	7	4	5	8	24	7	4	3	38	4	2	2		3
(33)	Premature birth	173	86	16	15	20	137	16	10	4	167	4		2		
(33,37)	Congenital debility	26	6	2		7	15	5	3	1	24	1				1
(37)	Injuries at birth	38	22	4	3	7	36	2			38					
35	External causes	22	2	1	1	4	8	1		3	12	2	2	4	1	1
38	Diseases ill-defined or unknown															
	All other causes	25	1		1	1	3	2	1		6	4	2	3	5	5
	CINCINNATI, OHIO (COLORED).															
	All causes	52	3	2	3	2	10	4	3	3	20	5	4	4	10	9
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	1														1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	1													1	
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	4						2			2		1		1	
17	Meningitis	1												1		
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis															
22	Pneumonia	1														1
(23)	Bronchopneumonia	12							2	1	3	1	2		2	4
24	Diseases of the stomach															
25	Diarrhea and enteritis	12						1			1	3	1	1	5	1
(33)	Malformations	1							1		1					
(33)	Premature birth	10	3	1	3	1	8	1		1	10					
(33,37)	Congenital debility															
(37)	Injuries at birth	1				1	1				1					
35	External causes	5		1			1			1	2	1		2		
38	Diseases ill-defined or unknown															
	All other causes	1														1
	CLEVELAND, OHIO.															
	All causes	1,944	266	89	56	110	521	87	94	59	761	191	157	337	271	227
5	Measles	19												1	6	12
6	Scarlet fever	4													1	3
7	Whooping cough	27								1	1	2	2	7	5	10
8	Diphtheria and croup	15										1		2	8	4
9	Influenza	2												1	1	
(12)	Dysentery	3							1		1			1		1
(12)	Erysipelas	14						1	1	3	5	3	1	1	3	1
(37)	Tetanus	2						1		1	2					
13	Tuberculosis of the lungs	9											1	5	1	2
14	Tuberculous meningitis	7													2	5
15	Other forms of tuberculosis	4													2	2
(37)	Syphilis	49	2	2	2	1	7	2	4	3	16	12	5	9	4	3
17	Meningitis	9										1		4	1	3
(37)	Convulsions	17	1	2	1	2	6	1		1	8	4		3	2	
19	Organic diseases of the heart	2				1	1	1			2					
20	Acute bronchitis	102		1	1	3	5	5	3	4	17	25	11	15	20	14
22	Pneumonia	45							3	3	6	4	5	6	13	11
(23)	Bronchopneumonia	139		1		2	3	3	5	2	13	13	17	40	31	25
24	Diseases of the stomach	24			1		1		2	2	5	3	2	9	4	1
25	Diarrhea and enteritis	699			1	9	10	11	32	22	75	82	87	198	148	109
(33)	Malformations	99	18	13	8	14	53	14	4	3	74	8	5	4	4	4
(33)	Premature birth	315	156	46	16	37	255	25	16	5	301	9	2	3		
(33,37)	Congenital debility	135	32	8	5	23	68	11	12	4	95	12	9	10	4	5
(37)	Injuries at birth	102	52	14	15	13	94	3	2	1	100	2				
35	External causes	30	3	1		1	5	1	1	3	10	5	4	4	4	3
38	Diseases ill-defined or unknown	5	2			1	3		1		4			1		
	All other causes	66		1	6	3	10	8	7	1	26	5	6	13	7	9

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	COLUMBUS, OHIO (TOTAL).															
	All causes	370	66	11	14	25	116	19	15	12	162	40	29	60	45	34
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	13										2	2	5		4
8	Diphtheria and croup	1							1		1					
9	Influenza	1										1				
(12)	Dysentery															
(12)	Erysipelas	1								1	1					
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	2							1		1				1	
15	Other forms of tuberculosis	4										1		2	1	
(37)	Syphilis	6			1		1	1			2	2		2		
17	Meningitis	10						1			1		2	2	4	1
(37)	Convulsions	6			2		2	1		1	4			1	1	
19	Organic diseases of the heart															
20	Acute bronchitis	7				1	1	1			2		1		2	2
22	Pneumonia	12							1		1	2	2	4	2	1
(23)	Bronchopneumonia	27			1	1	2	1		1	4	5	2	4	9	3
24	Diseases of the stomach	9				1	1			1	2	2	1	2	2	
25	Diarrhea and enteritis	56						3	2	3	8	6	5	18	9	10
(33)	Malformations	11	4		3		7	1		1	9		1	1		
(33)	Premature birth	91	47	7	2	14	70	6	6	1	83	6		1	1	
(33,37)	Congenital debility	74	8	4	3	2	17	4	3	3	27	11	10	13	8	5
(37)	Injuries at birth	9	6			3	9				9					
35	External causes	9											2	3	2	2
38	Diseases ill-defined or unknown	2	1				1				1		1			
	All other causes	17			2	3	5		1		6	2		2	3	4
	COLUMBUS, OHIO (WHITE).															
	All causes	335	65	10	13	23	111	14	14	9	148	36	28	55	38	30
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	12										2	2	5		3
8	Diphtheria and croup	1							1		1					
9	Influenza	1										1				
(12)	Dysentery															
(12)	Erysipelas	1								1	1					
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2							1		1				1	
15	Other forms of tuberculosis	4										1		2	1	
(37)	Syphilis	4						1			1	1		2		
17	Meningitis	7											2		4	1
(37)	Convulsions	6			2		2	1		1	4			1	1	
19	Organic diseases of the heart															
20	Acute bronchitis	7				1	1	1			2		1		2	2
22	Pneumonia	12							1		1	2	2	4	2	1
(23)	Bronchopneumonia	24			1	1	2	1		1	4	5	2	3	7	3
24	Diseases of the stomach	8				1	1			1	2	2	1	1	2	
25	Diarrhea and enteritis	49						2	2	2	6	5	5	18	6	9
(33)	Malformations	11	4		3		7	1		1	9		1	1		
(33)	Premature birth	83	46	7	2	12	67	4	5	1	77	5		1		
(33,37)	Congenital debility	66	8	3	3	2	16	3	3	1	23	10	9	12	7	5
(37)	Injuries at birth	9	6			3	9				9					
35	External causes	9											2	3	2	2
38	Diseases ill-defined or unknown	2	1				1				1		1			
	All other causes	16			2	3	5		1		6	2		2	3	3
	COLUMBUS, OHIO (COLORED).															
	All causes	35	1	1	1	2	5	5	1	3	14	4	1	5	7	4
5	Measles															
6	Scarlet fever															
7	Whooping cough	1														1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	2			1		1				1	1				
17	Meningitis	3						1			1			2		
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis															
22	Pneumonia															
(23)	Bronchopneumonia	3												1	2	
24	Diseases of the stomach	1												1		
25	Diarrhea and enteritis	7						1		1	2	1			3	1
(33)	Malformations															
(33)	Premature birth	8	1			2	3	2	1		6	1			1	
(33,37)	Congenital debility	8		1			1	1		2	4	1	1	1	1	
(37)	Injuries at birth															
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	1														1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	DAYTON, OHIO.															
	All causes	321	51	20	18	24	113	30	18	9	170	22	22	52	30	25
5	Measles	1												1		
6	Scarlet fever															
7	Whooping cough	2											1	1		
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	2				1	1				1				1	
(12)	Erysipelas	1													1	
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis															
(37)	Syphilis	4	1				1				1		1	1		1
17	Meningitis	9											1	2	2	4
(37)	Convulsions	2						1	1		2					
19	Organic diseases of the heart	2				1	1				1		1			
20	Acute bronchitis	3						1			1		1	1		
22	Pneumonia	12			1	1	2				2	3	1	2	3	1
(23)	Bronchopneumonia	22						4	4		8	3	3	3	2	3
24	Diseases of the stomach	10				1	1		1	1	3	2	2	1	1	1
25	Diarrhea and enteritis	83		2			2	4	2	4	12	8	6	30	15	12
(33)	Malformations	25	2	5	5	4	16	2	2	2	22	3				
(33)	Premature birth	82	40	10	9	5	64	10	4	1	79	2		1		
(33,37)	Congenital debility	24	3	2	1	5	11	1	2		14	1	3	5	1	
(37)	Injuries at birth	12	5	1	1	4	11	1			12					
35	External causes	6						1		1	2		1		2	1
38	Diseases ill-defined or unknown	1						1			1					
	All other causes	17			1	2	3	4	2		9		1	4	2	1
	TOLEDO, OHIO.															
	All causes	477	79	21	11	33	144	32	20	13	209	33	43	73	72	47
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	5								1	1				1	3
8	Diphtheria and croup	2												2		
9	Influenza	4							1		1	1		1	1	
(12)	Dysentery	4								1	1			1	1	1
(12)	Erysipelas	3							1	1	2			1		
(37)	Tetanus															
13	Tuberculosis of the lungs	10										2	3	1	2	2
14	Tuberculous meningitis	3											1		1	1
15	Other forms of tuberculosis	3													1	2
(37)	Syphilis	11			1		1	1	1		3	3	2	2	1	
17	Meningitis	5												2	1	2
(37)	Convulsions	7		3		1	4	2			6				1	
19	Organic diseases of the heart	1														1
20	Acute bronchitis	8											4	2		2
22	Pneumonia	9							2		2	1	1	1	3	1
(23)	Bronchopneumonia	29						2	4	1	7	4		3	9	6
24	Diseases of the stomach	5				1	1				1			2	2	
25	Diarrhea and enteritis	141						5	2	4	11	8	19	40	40	23
(33)	Malformations	44	10	1	2	8	21	8	2	3	34	2	2	5		1
(33)	Premature birth	97	49	11	8	11	79	5	4		88	6	2	1		
(33,37)	Congenital debility	49	11	3		7	21	7	2	2	32	3	6	4	3	1
(37)	Injuries at birth	12	9			2	11	1			12					
35	External causes	7						1	1		2	1	2	1	1	
38	Diseases ill-defined or unknown	1		1			1				1					
	All other causes	15		2		3	5				5	2	1	4	3	
	PORTLAND, OREG.															
	All causes	295	43	26	17	30	116	28	18	11	173	20	23	34	18	27
5	Measles															
6	Scarlet fever															
7	Whooping cough	7							1	1	2		1	2	1	1
8	Diphtheria and croup															
9	Influenza	1														1
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	2											1		1	
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis															
(37)	Syphilis	2						1			1			1		
17	Meningitis	4				1	1	1			2			1		1
(37)	Convulsions	4		1		1	2	1			3		1			
19	Organic diseases of the heart	3			1		1				1		1		1	
20	Acute bronchitis	3								1	1	2				
22	Pneumonia	20			1	3	4				4	3	2	3	4	4
(23)	Bronchopneumonia	28						2	2	3	7	2	4	3	4	8
24	Diseases of the stomach	3										1		1	1	
25	Diarrhea and enteritis	24							2		2	4	1	10	4	3
(33)	Malformations	31	5	6	5	5	21	3	2		26	3	1			1
(33)	Premature birth	57	26	8	3	7	44	8	3	1	56	1				
(33,37)	Congenital debility	59	8	6	4	9	27	7	6	3	43	2	7	6		1
(37)	Injuries at birth	12	4	3	2	2	11	1			12					
35	External causes	5				1	1				1		2	1		1
38	Diseases ill-defined or unknown	2								1	1			1		
	All other causes	26		2	1	1	4	3	2	1	10	2	2	5	2	5

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	PHILADELPHIA, PA. (TOTAL).															
	All causes	4,618	428	146	148	263	985	270	210	173	1,638	476	407	939	654	504
5	Measles	53							2	1	3		1	4	14	31
6	Scarlet fever	3													1	2
7	Whooping cough	55								2	2	6	3	8	18	18
8	Diphtheria and croup	29							1		1	1	2	3	12	10
9	Influenza	11								1	1	1		4	3	2
(12)	Dysentery	4										1		2	1	
(12)	Erysipelas	16						1		4	5	2	4	1	4	
(37)	Tetanus	7				1	1	3	1	1	6					1
13	Tuberculosis of the lungs	20										1	1	5	4	9
14	Tuberculous meningitis	53										2	6	13	18	14
15	Other forms of tuberculosis	8												3	3	2
(37)	Syphilis	77	4	2	4	3	13	12	7	4	36	13	8	10	4	6
17	Meningitis	37		1	2	1	4	1	2	1	8	2	3	7	9	8
(37)	Convulsions	84	1	4	1	8	14	10	7	5	36	6	9	18	10	5
19	Organic diseases of the heart	31	3		1	3	7		1	2	10	2	3	10	3	3
20	Acute bronchitis	150				2	2	3	11	10	26	23	12	39	31	19
22	Pneumonia	184	1			3	4	4	15	8	31	12	10	52	41	38
(23)	Bronchopneumonia	414	3	2	11	7	23	18	16	15	72	40	48	97	89	68
24	Diseases of the stomach	69				3	3	1	7	1	12	8	10	18	13	8
25	Diarrhea and enteritis	1,408			1	13	14	27	45	40	126	184	165	456	275	202
(33)	Malformations	265	34	26	25	47	132	40	13	17	202	18	17	20	6	2
(33)	Premature birth	690	261	76	54	93	484	85	32	25	626	40	13	11		
(33,37)	Congenital debility	544	61	16	24	46	147	41	28	23	239	78	67	98	44	18
(37)	Injuries at birth	106	49	14	18	13	94	8	2		104	1	1			
35	External causes	62	5	2	2	4	13	2	1	2	18	8	6	14	9	7
38	Diseases ill-defined or unknown	3										1			2	
	All other causes	235	6	3	5	16	30	14	19	11	74	26	18	46	40	31
	PHILADELPHIA, PA. (WHITE).															
	All causes	4,150	387	133	135	237	892	240	198	160	1,490	451	358	820	578	453
5	Measles	49							2	1	3			4	13	29
6	Scarlet fever	3													1	2
7	Whooping cough	43								2	2	6	2	6	13	14
8	Diphtheria and croup	29							1		1	1	2	3	12	10
9	Influenza	11								1	1	1		4	3	2
(12)	Dysentery	4										1		2	1	
(12)	Erysipelas	15						1		3	4	2	4	1	4	
(37)	Tetanus	6				1	1	3		1	5					1
13	Tuberculosis of the lungs	16										1	1	4	3	7
14	Tuberculous meningitis	48										2	5	11	17	13
15	Other forms of tuberculosis	8												3	3	2
(37)	Syphilis	60	3	1	3	2	9	9	5	3	26	12	7	8	3	4
17	Meningitis	36		1	2		3	1	2	1	7	2	3	7	9	8
(37)	Convulsions	78	1	4	1	7	13	10	7	5	35	5	8	17	9	4
19	Organic diseases of the heart	30	3		1	3	7		1	2	10	2	3	10	2	3
20	Acute bronchitis	130				2	2	2	11	9	24	23	9	36	24	14
22	Pneumonia	152				3	3	4	14	7	28	12	8	39	33	32
(23)	Bronchopneumonia	356	2	1	7	7	17	16	15	14	62	38	44	77	76	59
24	Diseases of the stomach	63				3	3	1	7	1	12	7	9	16	12	7
25	Diarrhea and enteritis	1,275			1	12	13	23	43	39	118	171	144	405	248	189
(33)	Malformations	251	31	25	24	44	124	39	11	16	190	17	17	19	6	2
(33)	Premature birth	623	238	68	48	82	436	76	31	22	565	38	13	7		
(33,37)	Congenital debility	498	53	14	24	41	132	35	27	22	216	77	55	91	41	18
(37)	Injuries at birth	101	46	14	17	13	90	8	2		100		1			
35	External causes	50	4	2	2	3	11		1	2	14	8	6	9	7	6
38	Diseases ill-defined or unknown	2										1			1	
	All other causes	213	6	3	5	14	28	12	18	9	67	24	17	41	37	27
	PHILADELPHIA, PA. (COLORED).															
	All causes	468	41	13	13	26	93	30	12	13	148	25	49	119	76	51
5	Measles	4											1		1	2
6	Scarlet fever															
7	Whooping cough	12											1	2	5	4
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1								1	1					
(37)	Tetanus	1							1		1					
13	Tuberculosis of the lungs	4												1	1	2
14	Tuberculous meningitis	5											1	2	1	1
15	Other forms of tuberculosis															
(37)	Syphilis	17	1	1	1	1	4	3	2	1	10	1	1	2	1	2
17	Meningitis	1				1	1				1					
(37)	Convulsions	6				1	1				1	1	1	1	1	1
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	20						1		1	2		3	3	7	5
22	Pneumonia	32	1				1		1	1	3		2	13	8	6
(23)	Bronchopneumonia	58	1	1	4		6	2	1	1	10	2	4	20	13	9
24	Diseases of the stomach	6										1	1	2	1	1
25	Diarrhea and enteritis	133				1	1	4	2	1	8	13	21	51	27	13
(33)	Malformations	14	3	1	1	3	8	1	2	1	12	1		1		
(33)	Premature birth	67	23	8	6	11	48	9	1	3	61	2		4		
(33,37)	Congenital debility	46	8	2		5	15	6	1	1	23	1	12	7	3	
(37)	Injuries at birth	5	3		1		4				4	1				
35	External causes	12	1			1	2	2			4			5	2	1
38	Diseases ill-defined or unknown	1													1	
	All other causes	22				2	2	2	1	2	7	2	1	5	3	4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	PITTSBURGH, PA. (TOTAL).															
	All causes	1,957	260	72	61	110	503	98	93	71	765	163	137	343	280	269
5	Measles	33				1	1		1		2	2		5	13	11
6	Scarlet fever	8						2			2				2	4
7	Whooping cough	39										2	3	7	13	14
8	Diphtheria and croup	12							1		1			2	3	6
9	Influenza	2													1	1
(12)	Dysentery	1													1	
(12)	Erysipelas	2						1	2		3				1	
(37)	Tetanus	3			1	1	2	1			3					
13	Tuberculosis of the lungs	9											2	5	2	
14	Tuberculous meningitis	11											2	3	3	3
15	Other forms of tuberculosis	1														1
(37)	Syphilis	31	2				2	3	3	1	9	5	5	7	3	2
17	Meningitis	14										2	2	8	2	
(37)	Convulsions	38		3	3	2	8	4	5	3	20	3	5	5	3	2
19	Organic diseases of the heart	2				1	1				1	1				
20	Acute bronchitis	51						1	2	1	4	3	1	19	9	15
22	Pneumonia	47				1	1	2	3		6	3	3	9	16	10
(23)	Bronchopneumonia	203	1	3		5	9	9	3	4	25	28	17	40	50	43
24	Diseases of the stomach	38				1	1	2	2	2	7	9	7	5	5	5
25	Diarrhea and enteritis	593	1		2	5	8	9	26	24	67	54	61	173	118	120
(33)	Malformations	91	14	10	5	18	47	13	7	3	70	10	2	4	3	2
(33)	Premature birth	311	157	34	28	33	252	20	12	11	295	7	5	4		
(33,37)	Congenital debility	220	40	12	13	25	90	19	16	14	139	23	15	27	10	6
(37)	Injuries at birth	69	39	9	6	7	61	5	1	1	68		1			
35	External causes	26	3			3	6	1	3	1	11	2		2	7	4
38	Diseases ill-defined or unknown	1				1	1				1					
	All other causes	99	3	1	3	6	13	7	7	4	31	9	6	18	15	20
	PITTSBURGH, PA. (WHITE).															
	All causes	1,847	245	69	58	100	472	91	87	71	721	156	130	325	263	252
5	Measles	31				1	1		1		2	2		5	12	10
6	Scarlet fever	8						2			2				2	4
7	Whooping cough	37										2	3	6	13	13
8	Diphtheria and croup	12							1		1			2	3	6
9	Influenza	2													1	1
(12)	Dysentery	1													1	
(12)	Erysipelas	4						1	2		3				1	
(37)	Tetanus	3			1	1	2	1			3					
13	Tuberculosis of the lungs	8											2	5	1	
14	Tuberculous meningitis	9											2	2	3	2
15	Other forms of tuberculosis	1														1
(37)	Syphilis	28	1				1	3	3	1	8	4	5	7	3	1
17	Meningitis	14										2	2	8	2	
(37)	Convulsions	37		3	3	2	8	4	5	3	20	3	5	5	2	2
19	Organic diseases of the heart	2				1	1				1	1				
20	Acute bronchitis	48						1	2	1	4	3	1	19	7	14
22	Pneumonia	42				1	1	2	2		5	3	3	8	13	10
(23)	Bronchopneumonia	180	1	2		5	8	9	2	4	23	27	14	35	45	36
24	Diseases of the stomach	35				1	1	2	2	2	7	7	6	5	5	5
25	Diarrhea and enteritis	573	1		2	5	8	9	26	24	67	51	58	167	115	115
(33)	Malformations	90	13	10	5	18	46	13	7	3	69	10	2	4	3	2
(33)	Premature birth	289	147	33	26	30	236	17	10	11	274	7	5	3		
(33,37)	Congenital debility	209	40	11	12	22	85	17	15	14	131	23	15	24	10	6
(37)	Injuries at birth	65	38	9	6	5	58	5		1	64		1			
35	External causes	23	1			3	4	1	3	1	9	2		2	6	4
38	Diseases ill-defined or unknown	1				1	1				1					
	All other causes	95	3	1	3	4	11	5	7	4	27	9	6	18	15	20
	PITTSBURGH, PA. (COLORED).															
	All causes	110	15	3	3	10	31	7	6		44	7	7	18	17	17
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	2												1		1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	2												1		1
15	Other forms of tuberculosis															
(37)	Syphilis	3	1				1				1	1				1
17	Meningitis															
(37)	Convulsions	1													1	
19	Organic diseases of the heart															
20	Acute bronchitis	3													2	1
22	Pneumonia	5							1		1			1	3	
(23)	Bronchopneumonia	23		1			1		1		2	1	3	5	5	7
24	Diseases of the stomach	3										2	1			
25	Diarrhea and enteritis	20										3	3	6	3	5
(33)	Malformations	1	1				1				1					
(33)	Premature birth	22	10	1	2	3	16	3	2		21			1		
(33,37)	Congenital debility	11		1	1	3	5	2	1		8			3		
(37)	Injuries at birth	4	1			2	3		1		4					
35	External causes	3	2				2				2				1	
38	Diseases ill-defined or unknown															
	All other causes	4				2	2	2			4					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	SCRANTON, PA.															
	All causes	447	38	26	15	29	108	29	21	19	177	41	36	89	50	54
5	Measles															
6	Scarlet fever															
7	Whooping cough	6										1	1	2		2
8	Diphtheria and croup	5													3	2
9	Influenza															
(12)	Dysentery	1											1			
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis	1														1
(37)	Syphilis	2	1				1				1		1			
17	Meningitis	2												2		
(37)	Convulsions	16	1	1		1	3	1	2	1	7	2	4	3		
19	Organic diseases of the heart	2		1			1	1			2					
20	Acute bronchitis	13						1			1	3	1	4	2	2
22	Pneumonia	11		1	1	2	4			1	5	2	1	1		2
(23)	Bronchopneumonia	64				2	2		2	4	8	9	4	19	15	9
24	Diseases of the stomach	14		2			2	2	1	2	7	2	1	2	1	1
25	Diarrhea and enteritis	161				1	1	9	6	7	23	17	18	48	25	30
(33)	Malformations	11	1	3	1	2	7	2		1	10	1				
(33)	Premature birth	86	30	15	9	10	64	12	7		83	1		1	1	
(33,37)	Congenital debility	21	1	2	1	4	8	1	2	3	14	2	3	2		
(37)	Injuries at birth	10	4	1	1	3	9		1		10					
35	External causes	5			1		1				1		1	2		1
38	Diseases ill-defined or unknown															
	All other causes	13			1	4	5				5	1		3	1	3
	PROVIDENCE, R. I.															
	All causes	660	84	14	25	41	164	33	25	26	248	60	56	129	99	68
5	Measles	9													3	6
6	Scarlet fever	1										1				
7	Whooping cough	14										1	1	3	6	3
8	Diphtheria and croup	4												1	3	
9	Influenza	1													1	
(12)	Dysentery	5											1	1	3	
(12)	Erysipelas	5							1	1	2	1	2			
(37)	Tetanus	1							1		1					
13	Tuberculosis of the lungs	3												1	1	1
14	Tuberculous meningitis	11												4	5	2
15	Other forms of tuberculosis	3												3		
(37)	Syphilis	15			1		1	1	3		5	4	2	3	1	
17	Meningitis	8				1	1				1		1	1	3	2
(37)	Convulsions	7	1				1		2		3		1	1	1	1
19	Organic diseases of the heart	3						1			1		1			1
20	Acute bronchitis	17						3	1	2	6	5	1	1	2	2
22	Pneumonia	28						1	2	1	4	3	2	3	6	5
(23)	Bronchopneumonia	51			1		1	1	1	3	6	4	4	17	10	10
24	Diseases of the stomach	7			1		1	1			2	3	1		1	
25	Diarrhea and enteritis	148				3	3	3	1	2	9	17	18	50	31	23
(33)	Malformations	29	7	1	4	3	15	2	3	3	23	1	1	2	2	
(33)	Premature birth	94	39	3	9	16	67	10	4	5	86	3	2	2	1	
(33,37)	Congenital debility	108	3	5	6	9	23	4	5	6	38	16	14	27	9	4
(37)	Injuries at birth	43	31	4	3	3	41	1		1	43					
35	External causes	4				1	1				1		1			2
38	Diseases ill-defined or unknown	14	3	1			4	4		2	10		2	1	1	
	All other causes	27				5	5	1	1		7	1	1	3	9	6
	MEMPHIS, TENN. (TOTAL).															
	All causes	319	19	27	8	19	73	22	15	15	125	29	22	66	37	40
5	Measles															
6	Scarlet fever	1												1		
7	Whooping cough	9							1	1	2	1	2	1	1	2
8	Diphtheria and croup	6										1	1	3		1
9	Influenza	3												2	1	
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	3						1	1		2	1				
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	4										1			1	2
15	Other forms of tuberculosis															
(37)	Syphilis	7				1	1	1	1		3			2	2	
17	Meningitis	4												2	1	1
(37)	Convulsions	5			1	1	2	1			3	1	1			
19	Organic diseases of the heart	2			1		1				1			1		
20	Acute bronchitis	4										1	1			2
22	Pneumonia	11				3	3	1	1		5	1		1	1	3
(23)	Bronchopneumonia	29						2	1		3	1	2	10	7	6
24	Diseases of the stomach	6						2		1	3			2		1
25	Diarrhea and enteritis	52				1	1		2	5	8	5	5	7	12	15
(33)	Malformations	6	1	3			4	1			5		1			
(33)	Premature birth	56	15	17	3	5	40	3	4	3	50	4	1	1		
(33,37)	Congenital debility	39	3	1	2	3	9	4	2	3	18	3	4	10	4	
(37)	Injuries at birth	6		3	1	2	6				6					
35	External causes	10		1			1				1	2		4	1	2
38	Diseases ill-defined or unknown	31		1		2	3	3	2	2	10	5	3	11	2	
	All other causes	24		1		1	2	3			5	2	1	7	4	5

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	MEMPHIS, TENN. (WHITE).															
	All causes	152	15	12	4	10	41	8	11	10	70	8	9	32	14	19
5	Measles															
6	Scarlet fever	1												1		
7	Whooping cough	5							1	1	2		2		1	
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	4										1			1	2
15	Other forms of tuberculosis															
(37)	Syphilis	6				1	1	1	1		3			2	1	
17	Meningitis	3												2		1
(37)	Convulsions	1			1		1				1					
19	Organic diseases of the heart	2			1		1				1			1		
20	Acute bronchitis	1										1				
22	Pneumonia	2				1	1		1		2					
(23)	Bronchopneumonia	15						2	1		3		1	5		6
24	Diseases of the stomach	2												1		1
25	Diarrhea and enteritis	26				1	1			3	4	1	3	4	8	6
(33)	Malformations	6	1	3			4	1			5		1			
(33)	Premature birth	32	12	4	1	3	20	1	4	3	28	3		1		
(33,37)	Congenital debility	25	2	1		2	5	2	2	3	12	2	2	8	1	
(37)	Injuries at birth	5		2	1	2	5				5					
35	External causes	2												1		1
38	Diseases ill-defined or unknown	4		1			1		1		2			1	1	
	All other causes	9		1			1				1			5	1	2
	MEMPHIS, TENN. (COLORED).															
	All causes	167	4	15	4	9	32	14	4	5	55	21	13	34	23	21
5	Measles															
6	Scarlet fever															
7	Whooping cough	4										1		1		2
8	Diphtheria and croup	6										1	1	3		1
9	Influenza	3												2	1	
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	2							1		1	1				
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	1													1	
17	Meningitis	1													1	
(37)	Convulsions	4				1	1	1			2	1	1			
19	Organic diseases of the heart															
20	Acute bronchitis	3											1			2
22	Pneumonia	9				2	2	1			3	1		1	1	3
(23)	Bronchopneumonia	14										1	1	5	7	
24	Diseases of the stomach	4						2		1	3			1		
25	Diarrhea and enteritis	26							2	2	4	4	2	3	4	9
(33)	Malformations															
(33)	Premature birth	24	3	13	2	2	20	2			22	1	1			
(33,37)	Congenital debility	14	1		2	1	4	2			6	1	2	2	3	
(37)	Injuries at birth	1		1			1				1					
35	External causes	8		1			1				1	2		3	1	1
38	Diseases ill-defined or unknown	27				2	2	3	1	2	8	5	3	10	1	
	All other causes	15				1	1	3			4	2	1	2	3	3
	NASHVILLE, TENN. (TOTAL).															
	All causes	255	30	10	5	20	65	24	11	11	111	22	15	44	36	27
5	Measles	3													1	2
6	Scarlet fever															
7	Whooping cough	6										1	2		1	2
8	Diphtheria and croup	1										1				
9	Influenza															
(12)	Dysentery	3								1	1			2		
(12)	Erysipelas															
(37)	Tetanus	1								1	1					
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	3												1	1	1
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	4						1	1		2		1	1		
17	Meningitis															
(37)	Convulsions	12	1			4	5	6			11			1		
19	Organic diseases of the heart	2												2		
20	Acute bronchitis															
22	Pneumonia	29				2	2	1	2	2	7	4	2	4	5	7
(23)	Bronchopneumonia	14				1	1			1	2	1	1	5	2	3
24	Diseases of the stomach	4										1		1	2	
25	Diarrhea and enteritis	38							2		2	2	4	11	13	6
(33)	Malformations	14	1	1	1	4	7	4			11	1		1	1	
(33)	Premature birth	45	24	4	2	4	34	7	1	1	43		1	1		
(33,37)	Congenital debility	47	3	3	2	4	12	4	2	5	23	9	2	7	3	3
(37)	Injuries at birth	3	1	1			2	1			3					
35	External causes	9		1		1	2		2		4	2	1	1		1
38	Diseases ill-defined or unknown	1							1		1					
	All other causes	14											1	5	6	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NASHVILLE, TENN. (WHITE).															
	All causes	152	23	3	4	11	41	15	5	9	70	12	7	28	17	18
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	4										1	2			1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	2								1	1			1		
(12)	Erysipelas															
(37)	Tetanus	1								1	1					
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	3												1	1	1
15	Other forms of tuberculosis															
(37)	Syphilis	1											1			
17	Meningitis															
(37)	Convulsions	5	1			2	3	2			5					
19	Organic diseases of the heart	2												2		
20	Acute bronchitis															
22	Pneumonia	15				1	1	1	2	2	6	2		1	2	4
(23)	Bronchopneumonia	8								1	1	1		3	1	2
24	Diseases of the stomach	2										1		1		
25	Diarrhea and enteritis	25							1		1	1	1	9	8	5
(33)	Malformations	13	1	1	1	4	7	4			11			1	1	
(33)	Premature birth	29	17	1	2	3	23	5		1	29					
(33,37)	Congenital debility	24	3	1	1	1	6	2		3	11	5	2	4	1	1
(37)	Injuries at birth	2	1				1	1			2					
35	External causes	4							1		1	1	1			1
38	Diseases ill-defined or unknown	1							1		1					
	All other causes	8												4	2	2
	NASHVILLE, TENN. (COLORED).															
	All causes	103	7	7	1	9	24	9	6	2	41	10	8	16	19	9
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	2													1	1
8	Diphtheria and croup	1										1				
9	Influenza															
(12)	Dysentery	1												1		
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis	1														
(37)	Syphilis	3						1	1		2			1	1	
17	Meningitis															
(37)	Convulsions	7				2	2	4			6			1		
19	Organic diseases of the heart															
20	Acute bronchitis															
22	Pneumonia	14				1	1				1	2	2	3	3	3
(23)	Bronchopneumonia	6				1	1				1		1	2	1	1
24	Diseases of the stomach	2													2	
25	Diarrhea and enteritis	13							1		1	1	3	2	5	1
(33)	Malformations	1										1				
(33)	Premature birth	16	7	3		1	11	2	1		14		1	1		
(33,37)	Congenital debility	23		2	1	3	6	2	2	2	12	4		3	2	2
(37)	Injuries at birth	1		1			1				1					
35	External causes	5		1		1	2		1		3	1		1		
38	Diseases ill-defined or unknown															
	All other causes	6											1	1	4	
	RICHMOND, VA. (TOTAL).															
	All causes	507	62	12	13	24	111	38	12	16	177	38	48	112	76	56
5	Measles	5										1			1	3
6	Scarlet fever	2										1				1
7	Whooping cough	11												2	5	4
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	4													2	2
(12)	Erysipelas	1										1				
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	2												2		
14	Tuberculous meningitis	4												1	2	1
15	Other forms of tuberculosis	3												1	2	
(37)	Syphilis	20	1	1			2	2			4	3	4	5	4	
17	Meningitis	4						1			1			1	1	1
(37)	Convulsions	20				3	3	3	1	2	9	3	1	4	2	1
19	Organic diseases of the heart	4											1	2	1	
20	Acute bronchitis	23				1	1				1	4	5	6	5	2
22	Pneumonia	14				1	1			2	3		1	5	4	1
(23)	Bronchopneumonia	42				1	1	3		3	7	1	2	14	7	11
24	Diseases of the stomach	8											3	2	2	1
25	Diarrhea and enteritis	100				1	1	4	1	1	7	8	12	31	23	19
(33)	Malformations	20	4		1	3	8	2	1	1	12		3	3	1	1
(33)	Premature birth	93	45	8	8	7	68	6	5	4	83	4	5	1		
(33,37)	Congenital debility	71	4	3	2	3	12	11	3	1	27	4	8	22	9	1
(37)	Injuries at birth	9	4		2	2	8	1			9					
35	External causes	16	4				4	2			6	2		5	1	2
38	Diseases ill-defined or unknown	11				1	1				1	2	2	1	2	3
	All other causes	19				1	1	2	1	2	6	4	1	4	2	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	RICHMOND, VA. (WHITE).															
	All causes	233	32	7	7	9	55	22	6	6	89	19	21	46	30	28
5	Measles	3														3
6	Scarlet fever	2										1				1
7	Whooping cough	5												1	2	2
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	3													1	2
(12)	Erysipelas	1										1				
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	2													1	1
15	Other forms of tuberculosis	3												1	2	
(37)	Syphilis	9		1			1	1			2	2	3	1	1	
17	Meningitis	3						1			1			1		1
(37)	Convulsions	6				1	1	2		1	4			2		
19	Organic diseases of the heart	2											1		1	
20	Acute bronchitis	7				1	1				1	2	1	2	1	
22	Pneumonia	4								1	1			1	1	1
(23)	Bronchopneumonia	6										1		4		1
24	Diseases of the stomach	4											1	1	1	1
25	Diarrhea and enteritis	53					2	1	1	4	5	2	15	14		13
(33)	Malformations	14	2		1	2	5	2	1	1	9		2	2		1
(33)	Premature birth	44	22	6	3	1	32	3	2	1	38	1	4	1		
(33,37)	Congenital debility	35	4		1	1	6	7	1	1	15	3	5	8	4	
(37)	Injuries at birth	7	2		2	2	6	1			7					
35	External causes	7	2				2	1			3	1		3		
38	Diseases ill-defined or unknown	2											1			1
	All other causes	9				1	1	1	1		3	2	1	2	1	
	RICHMOND, VA. (COLORED).															
	All causes	274	30	5	6	15	56	16	6	10	88	19	27	66	46	28
5	Measles	2										1			1	
6	Scarlet fever															
7	Whooping cough	6												1	3	2
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	1													1	
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis															
(37)	Syphilis	11	1				1	1			2	1	1	4	3	
17	Meningitis	1													1	
(37)	Convulsions	14				2	2	1	1	1	5	3	1	2	2	1
19	Organic diseases of the heart	2												2		
20	Acute bronchitis	16										2	4	4	4	2
22	Pneumonia	10				1	1			1	2		1	4	3	
(23)	Bronchopneumonia	36				1	1	3		3	7		2	10	7	10
24	Diseases of the stomach	4											2	1	1	
25	Diarrhea and enteritis	47				1	1	2			3	3	10	16	9	6
(33)	Malformations	6	2			1	3				3		1	1	1	
(33)	Premature birth	49	23	2	5	6	36	3	3	3	45	3	1			
(33,37)	Congenital debility	36		3	1	2	6	4	2		12	1	3	14	5	1
(37)	Injuries at birth	2	2				2				2					
35	External causes	9	2				2	1			3	1		2	1	2
38	Diseases ill-defined or unknown	9				1	1				1	2	1	1	2	2
	All other causes	10						1		2	3	2		2	1	2
	SEATTLE, WASH.															
	All causes	303	42	17	14	34	107	22	12	14	155	33	22	51	20	22
5	Measles	5												2		3
6	Scarlet fever															
7	Whooping cough	14							1		1		2	7	3	1
8	Diphtheria and croup	1													1	
9	Influenza	1								1	1					
(12)	Dysentery															
(12)	Erysipelas	3											2			1
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	6						1			1		1	1	1	2
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	9				2	2		1		3	3	1	2		
17	Meningitis	2							1	1	2					
(37)	Convulsions	3		1			1	1			2			1		
19	Organic diseases of the heart	2			1	1	2				2					
20	Acute bronchitis	1										1				
22	Pneumonia	8							1		1	2	1		2	2
(23)	Bronchopneumonia	31			2		2		1	2	5	4	3	7	5	7
24	Diseases of the stomach	4				1	1			1	2	2				
25	Diarrhea and enteritis	40				1	1	1	2		4	4	6	17	5	4
(33)	Malformations	28	4	5	2	5	16	2	1	1	20	4	1	2		1
(33)	Premature birth	60	26	7	5	4	42	4	4	5	55	4	1			
(33,37)	Congenital debility	48	7	4	3	10	24	9		3	36	6	2	3	1	
(37)	Injuries at birth	12	3		1	5	9	2			11	1				
35	External causes	5	1				1				1			2	2	
38	Diseases ill-defined or unknown															
	All other causes	19	1			5	6	2			8	2	2	6		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1913—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	SPOKANE, WASH.															
	All causes	154	26	7	8	15	56	20	6	3	85	11	11	20	12	15
5	Measles															
6	Scarlet fever															
7	Whooping cough	4										1			2	1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	3												1		2
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	1												1		
17	Meningitis	2			1		1				1				1	
(37)	Convulsions	2				1	1		1		2					
19	Organic diseases of the heart															
20	Acute bronchitis	3										1	1			1
22	Pneumonia	1														1
(23)	Bronchopneumonia	19			1		1	1		1	3	2	6	6		2
24	Diseases of the stomach	1												1		
25	Diarrhea and enteritis	21						2			2	1	3	5	7	3
(33)	Malformations	15	3	2		3	8	2	1	1	12	2		1		
(33)	Premature birth	37	18	3	2	3	26	6	2	1	35	2				
(33,37)	Congenital debility	24	4	1	3	4	12	5	1		18	2	1	2		1
(37)	Injuries at birth	2	1	1			2				2					
35	External causes	2			1		1	1			2					
38	Diseases ill-defined or unknown	2						1			1					1
	All other causes	13				4	4	2	1		7			2	1	3
	MILWAUKEE, WIS.															
	All causes	1,262	225	68	46	90	429	70	71	49	619	98	91	202	156	96
5	Measles	8													3	5
6	Scarlet fever	2												1		1
7	Whooping cough	10											1	1	4	4
8	Diphtheria and croup	9							1		1	2	1		2	3
9	Influenza	4		1			1	1			2	1		1		
(12)	Dysentery	9											2	2	1	4
(12)	Erysipelas	5							1		1		1	2	1	
(37)	Tetanus	2						2			2					
13	Tuberculosis of the lungs	3													3	
14	Tuberculous meningitis	3													3	
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	3		1			1			1	2				1	
17	Meningitis	15										1		5	6	3
(37)	Convulsions	47	2	6	5	7	20	2	3	2	27	5	1	8	3	3
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	48	1		1	3	5	2	4	3	14	5	4	11	9	5
22	Pneumonia	49			1		1	3		2	6	4	3	8	15	13
(23)	Bronchopneumonia	76	1	1	1	3	6		3	4	13	4	8	18	21	12
24	Diseases of the stomach	43	1	1	2	1	5	4	6	4	19	6	3	8	1	6
25	Diarrhea and enteritis	306		3	3	5	11	5	11	11	38	36	43	94	65	30
(33)	Malformations	63	19	7	3	10	39	7	2	5	53	1	4	3	1	1
(33)	Premature birth	214	125	25	7	21	178	17	9	5	209	2	1	1	1	
(33,37)	Congenital debility	203	43	9	13	27	92	21	15	6	134	28	14	21	5	1
(37)	Injuries at birth	52	30	8	5	7	50	2			52					
35	External causes	9	1	2			3		1		4			1	1	3
38	Diseases ill-defined or unknown	1												1		
	All other causes	76	2	4	5	6	17	4	15	6	42	3	5	14	10	2

INDEX.

Abdominal tuberculosis. *See* Tuberculosis (total).
Abscess, acute, average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 344; by age, 344, 352.
—— death rate, 55; in cities and rural districts, 188.
Absorption of deleterious gases (conflagration excepted). *See* Accidental or undefined causes (total).
Accidental or undefined causes (total), average and median ages at death from, 14; deaths from, 55; in cities and rural districts, 324; by sex, 348; by age, 348, 353.
—— death rate, 55; in cities and rural districts, 188.
Addison's disease, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 350.
—— death rate, 53; in cities and rural districts, 184.
Age, deaths by, 222, 338, 350, 486.
Alcoholism (acute or chronic), average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 350.
—— death rate, 53; in cities and rural districts, 184.
Amputations, average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 346; by age, 346, 352.
—— death rate, 55; in cities and rural districts, 188.
Anemia, chlorosis, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 350.
—— death rate, 53; in cities and rural districts, 184.
Aneurism. *See* Arteries, etc.
Angina pectoris, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Ankylostomiasis, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Anthrax, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.
Apoplexy. *See* Cerebral hemorrhage, etc.
Appendicitis and typhlitis, average and median ages at death from, 12; deaths from, 54; by color, 245; in cities and rural districts, 320; by sex, 344; by age, 344, 351, 486.
—— death rate, 54; by color, 57; in cities and rural districts, 186.
Arteries, diseases of, atheroma, aneurism, etc., average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Asiatic cholera, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486.
—— death rate, 53; in cities and rural districts, 184.
Asthma, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Atheroma. *See* Arteries, etc.
"Atrophy." *See* Congenital debility, etc.
Automobile accidents and injuries. *See* Accidental or undefined causes (total).

Beriberi, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.
Biliary calculi, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 344; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 186.
Bladder, diseases of, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by sex, 344; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.
Bones, diseases of (tuberculosis excepted), average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 346; by age, 346, 352.
—— death rate, 55; in cities and rural districts, 188.
Bones and organs of locomotion, diseases of, average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 346; by age, 346, 352.
—— death rate, 55; in cities and rural districts, 188.
Breast, nonpuerperal diseases of (cancer excepted), average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by sex, 344; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.
Breast, puerperal diseases of, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.
Bright's disease, average and median ages at death from, 13; deaths from, 30, 54; by color, 245; in cities and rural districts, 322; by sex, 344; by age, 344, 352, 486.
—— death rate, 54; by color, 57; in cities and rural districts, 186.
Bronchitis (acute and chronic), average and median ages at death from, 12; deaths from, 54; by color, 245; in cities and rural districts, 320; by sex, 342; by age, 342, 351, 486; by months, 540; by days, weeks, and months, 577.
—— death rate, 54; by color, 57; in cities and rural districts, 186.
Bronchopneumonia, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351, 486; by months, 540; by days, weeks, and months, 577.
—— death rate, 54; in cities and rural districts, 186.
Burns (conflagration excepted). *See* Accidental or undefined causes (total).

Calculi of the urinary passages, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by sex, 344; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 186.
Cancer and other malignant tumors (total), average and median ages at death from, 11; deaths from, 28, 53; by color, 245; in cities and rural districts, 318; by sex, 340; by age, 340, 350, 486.
—— death rate, 53; by color, 57; in cities and rural districts, 184.
Causes of death, 21, 25, 53, 56, 184, 244, 318, 338, 350, 486, 540, 577.
Cellular tissue. *See* Skin, etc.
Cerebral hemorrhage, apoplexy, average and median ages at death from, 12; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 351.
—— death rate, 53; in cities and rural districts, 184.
Cerebral hemorrhage and softening, deaths from, by color, 245, 486.
—— death rate, by color, 57.
Cerebrospinal fever. *See* Meningitis (total).
Cerebrospinal meningitis. *See* Meningitis (total).
Childbirth, average and median ages at death following, 13; deaths following, 54; in cities and rural districts, 322; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.
Chinese, deaths of, by sex, 10.
Chlorosis. *See* Anemia, etc.
Cholera. *See* Asiatic cholera.
Cholera nostras, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486.
—— death rate, 53; in cities and rural districts, 184.
Chorea, average and median ages at death from, 12; deaths from, 53; in cities and rural districts, 320; by sex, 340; by age, 340, 351.

Chorea, death rate, 53; in cities and rural districts, 186.
Chyluria, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by sex, 344; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 186.
Circulatory system, diseases of, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Cirrhosis of the liver, average and median ages at death from, 12; deaths from, 54; by color, 245; in cities and rural districts, 320; by sex, 344; by age, 344, 352, 486.
—— death rate, 54; by color, 57; in cities and rural districts, 186.
Cities in registration states, deaths in, by color, 34, 222; by age, 222; by cause, 244, 318; by months, 540; by days, weeks, and months, 577.
—— death rate, 15; by color, 34, 56; by cause, 56, 184.
Cities of 100,000 population or over, deaths in, by cause and by age, 486; by months, 540; by days, weeks, and months, 577.
—— death rate, 16.
Color, deaths by, 10, 34, 222, 244.
—— death rates, 19, 21, 34, 56.
Colored population, deaths of, 10, 34, 222, 244.
—— death rate, 19, 21, 34, 56.
Conflagration. *See* Accidental or undefined causes (total).
Congenital debility, "atrophy," "marasmus," etc., average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 346; by age, 346, 353.
—— death rate, 55; in cities and rural districts, 188.
Congenital debility, icterus, and sclerema (total), average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 346; by age, 346, 353.
—— death rate, 55; in cities and rural districts, 188.
Congenital debility and malformations, deaths from, 55; by color, 245; by age, 486; by months, 540; by days, weeks, and months, 577.
—— death rate, 55; by color, 57.
Congenital malformations (stillbirths not included) (total), average and median ages at death from, 13; deaths from, 55; by color, 245; in cities and rural districts, 322; by sex, 346; by age, 346, 352.
—— death rate, 55; in cities and rural districts, 188.
Congenital malformations of the heart. *See* Congenital malformations, etc. (total).
Convulsions. *See* Puerperal albuminuria, etc.
Convulsions (nonpuerperal), average and median ages at death from, 12; deaths from, 53; in cities and rural districts, 320; by sex, 340; by age, 340, 351.
—— death rate, 53; in cities and rural districts, 186.
Convulsions of infants, average and median ages at death from, 12; deaths from, 53; in cities and rural districts, 320; by sex, 340; by age, 340, 351; by days, weeks, and months, 577.
—— death rate, 53; in cities and rural districts, 186.
Croup. *See* Diphtheria, etc.
Cysts and other tumors of the ovary, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by age, 344, 352.
Cysts and other tumors of the ovary, death rate, 54; in cities and rural districts, 188.

Death rates, in cities of 100,000 population or over, 16; in foreign countries, 18; by color, 19, 21, 34, 56; by cause, 53, 56, 184.
Deaths, by nativity, 10; by color, 10, 34, 222, 244; by sex, 10, 338; by cause, 25, 53, 56, 184, 244, 318, 338, 350, 486, 540, 577; by age, 222, 338, 350, 486; by months, 540; by days, weeks, and months, 577.
Diabetes, average and median ages at death from, 11; deaths from, 53; by color, 245; in cities and rural districts, 318; by sex, 340; by age, 340, 350.
—— death rate, 53; by color, 57; in cities and rural districts, 184.
Diarrhea and enteritis (under 2 years), average and median ages at death from, 12; deaths from, 29, 54; by color, 245; in cities and rural districts, 320; by sex, 342; by age, 342, 351; by months, 540; by days, weeks, and months, 577.
—— death rate, 54; by color, 57; in cities and rural districts, 186.
Diarrhea and enteritis (2 years and over), average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351, 486; by months, 540.
—— death rate, 54; in cities and rural districts, 186.
Digestive system, diseases of, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Diphtheria and croup, average and median ages at death from, 11; deaths from, 26, 53; by color, 244; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486; by months, 540; by days, weeks, and months, 577.
—— death rate, 53; by color, 56; in cities and rural districts, 184.
Disseminated tuberculosis. *See* Tuberculosis (total).
Drowning, accidental. *See* Accidental or undefined causes (total).
Dysentery, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350; by days, weeks, and months, 577.
—— death rate, 53; in cities and rural districts, 184.

Early infancy, average and median ages at death in, 13; deaths in, 55; in cities and rural districts, 322; by sex, 346; by age, 346, 353.
—— death rate, 55; in cities and rural districts, 188.
Ears, diseases of, average and median ages at death from, 12; deaths from, 53; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 53; in cities and rural districts, 186.
Electricity (lightning excepted). *See* Accidental or undefined causes (total).
Embolism and thrombosis, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Embolus. *See* Puerperal phlegmasia alba dolens, etc.
Encephalitis, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 350.
Encephalitis, death rate, 53; in cities and rural districts, 184.
Endocarditis, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Enteritis. *See* Diarrhea, etc.
Epidemic diseases, average and median ages at death from, 11; deaths from, 27, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486.
—— death rate, 53; in cities and rural districts, 184.
Epilepsy, average and median ages at death from, 12; deaths from, 53; in cities and rural districts, 320; by sex, 340; by age, 340, 351.
—— death rate, 53; in cities and rural districts, 186.
Erysipelas, average and median ages at death from, 11; deaths from, 53; by color, 244; in cities and rural districts, 318; by sex, 338; by age, 338, 350; by days, weeks, and months, 577.
—— death rate, 53; by color, 56; in cities and rural districts, 184.
Esophagus, diseases of, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Excessive cold. *See* Accidental or undefined causes (total).
Exophthalmic goiter, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 350.
—— death rate, 53; in cities and rural districts, 184.
External causes, average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 346; by age, 346, 353; by days, weeks, and months, 577.
—— death rate, 55; in cities and rural districts, 188.
Eyes and their annexa, diseases of, average and median ages at death from, 12; deaths from, 53; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 53; in cities and rural districts, 186.

Female genital organs, diseases of, deaths from, by age, 486. *See also* Salpingitis, etc.
Foreign countries and cities, death rates in, 18.
Foreign-born white population, deaths of, by sex, 10.
Fractures (cause not specified). *See* Accidental or undefined causes (total).
Furuncle, average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 344; by age, 344, 352.
—— death rate, 55; in cities and rural districts, 188.

Gangrene, average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 344; by age, 344, 352.
—— death rate, 55; in cities and rural districts, 188.
Gangrene of the lung, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.

Genito-urinary system and annexa, nonvenereal diseases of, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by sex, 344; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 186.
Glanders, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.
Gonococcus infection, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184;
Gout. *See* Rheumatism, etc.

Heart, organic diseases of, average and median ages at death from, 12; deaths from, 29, 54; by color, 245; in cities and rural districts, 320; by sex, 342; by age, 342, 351, 486; by days, weeks, and months, 577.
—— death rate, 54; by color, 57; in cities and rural districts, 186.
Heat, effects of. *See* Accidental or undefined causes (total).
Hemorrhage; other diseases of circulatory system, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Hemorrhoids. *See* Veins, etc.
Hernia, intestinal obstruction (total), average and median ages at death from, 12; deaths from, 54; by color, 245; in cities and rural districts, 320; by sex, 344; by age, 344, 351, 486.
—— death rate, 54; by color, 57; in cities and rural districts, 186.
Homicide (total), average and median ages at death from, 14; deaths from, 55; in cities and rural districts, 324; by sex, 348; by age, 348, 353.
—— death rate, 55; in cities and rural districts, 190.
Hydatid tumor of the liver, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 344; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 186.
Hydrocephalus. *See* Congenital malformations, etc. (total).

Icterus. *See* Congenital debility, etc. (total).
Ill-defined diseases, average and median ages at death from, 14; deaths from, 55; by color, 245; in cities and rural districts, 324; by sex, 348; by age, 348, 353, 486; by days, weeks, and months, 577.
—— death rate, 55; by color, 57; in cities and rural districts, 190.
Indians, deaths of, by sex, 10.
Infants, deaths of, by days, weeks, and months, 577. *See also* Early infancy.
Influenza, average and median ages at death from, 11; deaths from, 27, 53; by color, 244; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486; by months, 540; by days, weeks, and months, 577.
—— death rate, 53; by color, 56; in cities and rural districts, 184.
Injuries at birth, average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 346; by age, 346, 353; by days, weeks, and months, 577.
—— death rate, 55; in cities and rural districts, 188.
Injuries by animals. *See* Accidental or undefined causes (total).
Intestinal obstruction. *See* Hernia, etc.
Intestinal parasites, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 344; by age, 344, 351.
—— death rate, 54; in cities and rural districts, 186.
Intestines, diseases of, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 344; by age, 344, 351.
—— death rate, 54; in cities and rural districts. 186.

Japanese, deaths of, by sex, 10.
Joints, diseases of (tuberculosis and rheumatism excepted), average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 346; by age, 346, 352.
—— death rate, 55; in cities and rural districts, 188.

Kidneys and annexa, diseases of, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by sex, 344; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 186.

Lack of care, average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 346; by age, 346, 353.
—— death rate, 55; in cities and rural districts, 188.
Landslide, other crushing. *See* Accidental or undefined causes (total).
Larynx, diseases of, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts 186.
Lead poisoning, chronic, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 350.
—— death rate, 53; in cities and rural districts, 184.
Leprosy, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.
Leukemia, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 350.
—— death rate, 53; in cities and rural districts, 184.
Lightning. *See* Accidental or undefined causes (total).
Liver, diseases of, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 344; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 186.
Lobar pneumonia. *See* Pneumonia (total).
Locomotor ataxia, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 351.
—— death rate, 53; in cities and rural districts, 184.
Lymphangitis. *See* Lymphatic system.
Lymphatic system, diseases of (lymphangitis, etc.), average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Malaria, average and median ages at death from, 11; deaths from, 53; by color, 244; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486; by months, 540.
—— death rate, 53; by color, 56; in cities and rural districts, 184.
Male genital organs, nonvenereal diseases of, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.
Malformations, average and median ages at death from, 13; deaths from, 55; by color, 245; in cities and rural districts, 322; by sex, 346; by age, 346, 352; by days, weeks, and months, 577.
—— death rate, 55; in cities and rural districts, 188. *See also* Congenital debility, etc.
"Marasmus." *See* Congenital debility, etc.
Measles, average and median ages at death from, 11; deaths from, 25, 53; by color, 244; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486; by months, 540; by days, weeks, and months, 577.
—— death rate, 53; by color, 56; in cities and rural districts, 184.
Meningitis (total), average and median ages at death from, 11; deaths from, 53; by color, 245; in cities and rural districts, 318; by sex, 340; by age, 340, 350, 486; by months, 540; by days, weeks, and months, 577.
—— death rate, 53; by color, 57; in cities and rural districts, 184.
Miliary fever, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.
Miliary tuberculosis, acute. *See* Tuberculosis (total).
Mouth and annexa, diseases of, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Mycoses, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.

Nasal fossae, diseases of, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Native white population; deaths of, by sex, 10.
Nativity, deaths by, 10.
Negroes, deaths of, by sex, 10.
Nephritis, acute, average and median ages at death from, 13; deaths from, 30, 54; by color, 245; in cities and rural districts, 322; by sex, 344; by age, 344, 352, 486.
—— death rate, 54; by color, 57; in cities and rural districts, 186.
Nervous system, diseases of, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 350.
—— death rate, 53; in cities and rural districts, 184.
Neuralgia and neuritis, average and median ages at death from, 12; deaths from, 53; in cities and rural districts, 320; by sex, 340; by age, 340, 351.
—— death rate, 53; in cities and rural districts, 186.
Neuritis. *See* Neuralgia, etc.

Old age, average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 346; by age, 346, 353.
—— death rate, 55; in cities and rural districts, 188.
Organs of locomotion. *See* Bones, etc.

Paralysis of the insane, average and median ages at death from, 12; deaths from, 53; in cities and rural districts, 320; by sex, 340; by age, 340, 351.
—— death rate, 53; in cities and rural districts, 186.
Paralysis without specified cause, average and median ages at death from, 12; deaths from, 53; in cities and rural districts, 320; by sex, 340; by age, 340, 351.
—— death rate, 53; in cities and rural districts, 186.
Pellagra, average and median ages at death from, 11; deaths from, 27, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.
Pericarditis, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Peritonitis, simple (nonpuerperal), average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 344; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 186.
Pharynx, diseases of, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Phlebitis. *See* Veins, etc.
Plague, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.
Pleurisy, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Pneumonia (total), average and median ages at death from, 12; deaths from, 29, 54; by color, 245; in cities and rural districts, 320; by sex, 342; by age, 342, 351, 486; by months, 540; by days, weeks, and months, 577.
—— death rate, 54; by color, 57; in cities and rural districts, 186.
Poisoning by food. *See* Accidental or undefined causes (total).
Poisonings, chronic, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 350.
—— death rate, 53; in cities and rural districts, 184.
Poliomyelitis, acute anterior. *See* Spinal cord, etc.
Pott's disease. *See* Tuberculosis (total).
Pregnancy, accidents of, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.
Premature birth, average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 346; by age, 346, 353; by days, weeks, and months, 577.
Premature birth, death rate, 55; in cities and rural districts, 188.
Prostate, diseases of, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.
Puerperal albuminuria and convulsions, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.
Puerperal fever, deaths from, by color, 245; by age, 486.
—— death rate, by color, 57.
Puerperal hemorrhage, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.
Puerperal phlegmasia alba dolens, embolus, sudden death, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.
Puerperal septicemia, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.
Pulmonary apoplexy. *See* Pulmonary congestion, etc.
Pulmonary congestion, pulmonary apoplexy, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Pulmonary emphysema, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Purulent infection and septicemia, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.

Rabies, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.
Railroad accidents and injuries. *See* Accidental or undefined causes (total).
Registration area, growth of, 9; deaths in, 10, 11; by color, 10, 34, 222; by age, 222, 338, 350; by cause, 244, 318; by sex, 338; by months, 540; by days, weeks, and months, 577.
—— death rate, 15; by color, 34, 56; by cause, 56.
Registration cities, deaths in, by color, 34, 222; by age, 222; by cause, 244, 318; by months, 541; by days, weeks, and months, 578.
—— death rate, 15; by color, 34, 56; by cause, 56.
Registration states, list of, 10; deaths in, by color, 34, 222; by age, 222, 350; by cause, 244, 318; by months, 540; by days, weeks, and months, 577.
—— death rate, 15; by color, 34, 56; by cause, 56, 184; in cities and rural districts, 184.
Relapsing fever, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.
Respiratory system, diseases of, average and median ages at death from, 12; deaths from, 54; by color, 245; in cities and rural districts, 320; by sex, 342; by age, 342, 351, 486.
—— death rate, 54; by color, 57; in cities and rural districts, 186.
Rheumatism, acute articular, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 350.
—— death rate, 53; in cities and rural districts, 184.
Rheumatism and gout, chronic, average and median ages at death from, 11; deaths from, 53; by color, 244; in cities and rural districts, 318; by sex, 340; by age, 340, 350.
—— death rate, 53; by color, 56; in cities and rural districts, 184.
Rickets, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.
Rural part of registration states, deaths in, by color, 34, 222; by age, 222; by cause, 244, 318; by months, 540; by days, weeks, and months, 578.
—— death rate, 15; by color, 34, 56; by cause, 56, 184.

Salpingitis and other diseases of the female genital organs, average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.
Scarlet fever, average and median ages at death from, 11; deaths from, 26, 53; by color, 244; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486; by months, 540; by days, weeks, and months, 577.
—— death rate, 53; by color, 56; in cities and rural districts, 184.
Sclerema. *See* Congenital debility, etc. (total).
Scurvy, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 350.
—— death rate, 53; in cities and rural districts, 184.
Senility, average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 346; by age, 346, 353, 486.
—— death rate, 55; in cities and rural districts, 188.
Septicemia. *See* Purulent infection, etc.
Sex, deaths by, 10, 338, 344.
Skin and cellular tissue, diseases of, average and median ages at death from, 13; deaths from, 55; in cities and rural districts, 322; by sex, 344; by age, 344, 352.
—— death rate, 55; in cities and rural districts, 188.
Smallpox, average and median ages at death from, 11; deaths from, 53; by color, 244; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486.
—— death rate, 53; by color, 56; in cities and rural districts, 184.
Softening of the brain, average and median ages at death from, 12; deaths from, 53; in cities and rural districts, 320; by sex, 340; by age, 340, 351.
—— death rate, 53; in cities and rural districts, 186.

Spinal cord, diseases of, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 340; by age, 340, 351.
—— death rate, 53; in cities and rural districts, 184.
Spleen, diseases of, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 344; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 186.
Starvation. *See* Accidental or undefined causes (total).
Stomach, diseases of (cancer excepted), average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351, 486; by days, weeks, and months, 577.
—— death rate, 54; in cities and rural districts, 186.
Street-car accidents and injuries. *See* Accidental or undefined causes (total).
Sudden death, average and median ages at death from, 14; deaths from, 55; in cities and rural districts, 324; by sex, 348; by age, 348, 353.
—— death rate, 55; in cities and rural districts, 190. *See also* Puerperal phlegmasia alba dolens, etc.
Suicide, average and median ages at death from, 13; deaths from, 30, 55; by color, 245; in cities and rural districts, 322; by sex, 346; by age, 346, 353, 486; by months, 540.
—— death rate, 55; by color, 57; in cities and rural districts, 188.
Syphilis, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350; by days, weeks, and months, 577.
—— death rate, 53; in cities and rural districts, 184.

Tetanus, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350; by days, weeks, and months, 577.
—— death rate, 53; in cities and rural districts, 184.
Thrombosis. *See* Embolism, etc.
Thyroid body, diseases of, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
Thyroid body, diseases of, death rate, 54; in cities and rural districts, 186.
Traumatism, average and median ages at death from, 14; deaths from, 55; in cities and rural districts, 324; by sex, 348; by age, 348, 353.
—— death rate, 55; in cities and rural districts, 190.
Tuberculosis (total), average and median ages at death from, 11; deaths from, 28, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.
Tuberculosis of the lungs, average and median ages at death from, 11; deaths from, 28, 53; by color, 244; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486; by months, 540; by days, weeks, and months, 577.
—— death rate, 53; by color, 56; in cities and rural districts, 184.
Tuberculous meningitis, average and median ages at death from, 11; deaths from, 53; by color, 244; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486; by days, weeks, and months, 577.
—— death rate, 53; by color, 56; in cities and rural districts, 184.
Tumors. *See* Cancer, etc.
Typhlitis. *See* Appendicitis, etc.
Typhoid fever, average and median ages at death from, 11; deaths from, 25, 53; by color, 244; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486; by months, 540.
—— death rate, 53; by color, 56; in cities and rural districts, 184.
Typhus fever, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486.
—— death rate, 53; in cities and rural districts, 184.

Ulcer of the stomach, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Urethra, diseases of, urinary abscess, etc., average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by sex, 344; by age, 344, 352.
Urethra, diseases of, death rate, 54; in cities and rural districts, 188.
Urinary abscess. *See* Urethra, etc.
Uterine hemorrhage (nonpuerperal), average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.
Uterine tumor (noncancerous), average and median ages at death from, 13; deaths from, 54; in cities and rural districts, 322; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 188.

Varices. (*See* Veins, etc.)
Veins, diseases of (varices, hemorrhoids, phlebitis, etc.), average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 342; by age, 342, 351.
—— death rate, 54; in cities and rural districts, 186.
Violent deaths (excluding suicide), number of, 31; by color, 245; by age, 486; by months, 540.
—— death rate, by color, 57.

White population, deaths of, 10, 34, 222, 244.
—— death rate, 19, 21, 34, 56.
White swellings. *See* Tuberculosis (total).
Whooping cough, average and median ages at death from, 11; deaths from, 26, 53; by color, 244; in cities and rural districts, 318; by sex, 338; by age, 338, 350, 486; by months, 540; by days, weeks, and months, 577.
—— death rate, 53; by color, 56; in cities and rural districts, 184.

Yellow atrophy of the liver, acute, average and median ages at death from, 12; deaths from, 54; in cities and rural districts, 320; by sex, 344; by age, 344, 352.
—— death rate, 54; in cities and rural districts, 186.
Yellow fever, average and median ages at death from, 11; deaths from, 53; in cities and rural districts, 318; by sex, 338; by age, 338, 350.
—— death rate, 53; in cities and rural districts, 184.

○