

	FLU/PNEUMONIA MORTALITY – 2010	DEATHS	AGE-ADJUSTED DEATH RATE
1	Kentucky	943	21.0
2	New York	4,642	20.6
3	Tennessee	1,352	20.5
4	Louisiana	878	20.2
5	Arkansas	647	19.9
6	Nevada	471	19.8
7	Oklahoma	778	19.7
8	Wyoming	109	19.5
9	Mississippi	567	19.2
10	West Virginia	436	19.0
11	Alabama	942	18.7
12	Georgia	1,456	18.3
13	North Carolina	1,700	17.7
14	Missouri	1,188	17.4
15	Utah	348	17.1
16	Hawaii	289	17.0
17	Indiana	1,175	16.8
18	California	5,882	16.4
18	Kansas	550	16.4
20	Illinois	2,212	16.1
21	Massachusetts	1,291	16.0
22	South Carolina	747	15.9
23	Alaska	64	15.8
23	South Dakota	169	15.8
25	Maryland	925	15.7
26	Virginia	1,195	15.5
27	Ohio	1,975	14.6
27	Texas	3,022	14.6
29	New Mexico	294	14.2
30	North Dakota	128	13.9
31	Delaware	138	13.8
31	Rhode Island	197	13.8
33	Iowa	560	13.7
34	Michigan	1,529	13.6
34	Montana	168	13.6
34	Pennsylvania	2,324	13.6
37	Idaho	208	13.5
38	Maine	234	13.4
39	Wisconsin	904	13.3
40	New Hampshire	191	12.6
41	Colorado	550	12.3
42	Connecticut	568	12.1
43	Nebraska	266	11.9
44	Arizona	768	11.4
45	New Jersey	1,128	11.0
46	Minnesota	595	9.7
47	Oregon	417	9.2
48	Florida	2,259	8.9
49	Washington	578	8.3
50	Vermont	60	7.9
	United States	50,097	15.1

SOURCE: National Vital Statistics System, 2010. Age-adjusted death rates = # of deaths per 100,000 total population.