

Urinary Tract Infection (UTI) for LTCF

*Required for saving

*Facility ID:		Event #:	
*Resident ID:			
Medicare number (or comparable railroad insurance number):			
Resident Name: Last:		First: Middle:	
* Sex: F M		*Date of Birth: __/__/__	
*Ethnicity (specify): <input type="checkbox"/> Hispanic or Latino <input type="checkbox"/> Not Hispanic or Latino <input type="checkbox"/> Declined to respond <input type="checkbox"/> Unknown		*Race (specify): <input type="checkbox"/> American Indian/Alaska Native <input type="checkbox"/> Asian <input type="checkbox"/> Black or African American <input type="checkbox"/> Middle Eastern or North African <input type="checkbox"/> Native Hawaiian/Other Pacific Islander <input type="checkbox"/> White <input type="checkbox"/> Declined to respond <input type="checkbox"/> Unknown	
*Date of First Admission to Facility: __/__/__		*Date of Current Admission to Facility: __/__/__	
*Event Type: UTI		*Date of Event: __/__/__	
*Resident Care Location: _____			
*Primary Resident Service Type: (check one)			
<input type="checkbox"/> Long-term general nursing <input type="checkbox"/> Long-term dementia <input type="checkbox"/> Long-term psychiatric <input type="checkbox"/> Skilled nursing/Short-term rehab (subacute) <input type="checkbox"/> Ventilator <input type="checkbox"/> Bariatric <input type="checkbox"/> Hospice/Palliative			
*Has resident been transferred from an acute care facility to your facility in the past 4 weeks? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, <u>date of last transfer</u> from acute care to your facility: __/__/__ If Yes, did the resident have an indwelling urinary catheter at the time of transfer to your facility? <input type="checkbox"/> Yes <input type="checkbox"/> No			
*Indwelling Urinary Catheter status at time of event onset (check one):			
<input type="checkbox"/> In place <input type="checkbox"/> Removed within last 2 calendar days <input type="checkbox"/> Not in place If indwelling urinary catheter status in place or removed within last 2 calendar days: Indicate site where indwelling urinary catheter was inserted (check one): <input type="checkbox"/> Your facility <input type="checkbox"/> Acute care hospital <input type="checkbox"/> Other <input type="checkbox"/> Unknown Date of indwelling urinary catheter insertion: __/__/__ If indwelling urinary catheter not in place, was another urinary device type present at the time of event onset? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, other device type: <input type="checkbox"/> Suprapubic <input type="checkbox"/> External Drainage (male or female) <input type="checkbox"/> Intermittent straight catheter			
Event Details			
*Specify Criteria Used: (check all that apply)		<u>Laboratory & Diagnostic Testing</u>	
<u>Signs & Symptoms</u> <input type="checkbox"/> Fever: Single temperature $\geq 37.8^{\circ}\text{C}$ ($>100^{\circ}\text{F}$), or $> 37.2^{\circ}\text{C}$ ($>99^{\circ}\text{F}$) on repeated occasions, or an increase of $>1.1^{\circ}\text{C}$ ($>2^{\circ}\text{F}$) over baseline <input type="checkbox"/> Rigors <input type="checkbox"/> New onset hypotension <input type="checkbox"/> New onset confusion/functional decline <input type="checkbox"/> Acute pain, swelling, or tenderness of the testes, epididymis, or prostate <input type="checkbox"/> Acute dysuria <input type="checkbox"/> Purulent drainage at catheter insertion site		<input type="checkbox"/> Positive urine culture with no more than 2 species of microorganisms, at least one of which is a bacterium of $\geq 10^5$ CFU/ml <input type="checkbox"/> Leukocytosis ($>10,000$ cells/mm ³), or Left shift ($> 6\%$ or 1,500 bands/mm ³) <input type="checkbox"/> Positive blood culture with at least 1 matching organism in urine culture	
<u>New and/or marked increase in (check all that apply):</u> <input type="checkbox"/> Urgency <input type="checkbox"/> Costovertebral angle pain or tenderness <input type="checkbox"/> Frequency <input type="checkbox"/> Suprapubic tenderness <input type="checkbox"/> Incontinence <input type="checkbox"/> Visible (gross) hematuria			
*Specific Event (Check one): <i>Auto-populated in NHSN application</i>			
<input type="checkbox"/> Symptomatic UTI (SUTI) <input type="checkbox"/> Symptomatic CA-UTI (CA-SUTI) <input type="checkbox"/> Asymptomatic Bacteremic UTI (ABUTI)			
Secondary Bloodstream Infection: Yes No		Died within 7 days of date of event: Yes No	
*Transfer to acute care facility within 7 days: Yes No			
*Pathogens identified: Yes No		*If Yes, specify on page 3	
<small>Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). Public reporting burden of this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0666). CDC 57.140 (Front) v13.0 January 2025</small>			

Urinary Tract Infection (UTI) for LTCF

Pathogen #	Gram-positive Organisms																	
_____	<i>Staphylococcus coagulase-negative</i> (specify species if available):		CEFOX/OX SRN		VANC S IRN													
_____	_____ <i>Enterococcus faecium</i> _____ <i>Enterococcus faecalis</i> _____ <i>Enterococcus</i> spp. (Only those not identified to the species level)		DAPTO S S-DD NS R IRN		GENTHL[§] SRN		LNZ S IRN		NIT S IRN		VANC S IRN							
_____	<i>Staphylococcus aureus</i>		CIPRO/LEVO/MOXI S IRN		CEFOX/METH/OX SRN		CEFTAR S S-DD I R N		CLIND S IRN		DAPTO S NS N		DOXY/MINO S IRN					
			GENT S IRN		LNZ SRN		RIF S IRN		TETRA S IRN		TMZ S IRN		VANC S IRN					
Pathogen #	Gram-negative Organisms																	
_____	<i>Proteus mirabilis</i>		AMP S IRN		AMOX S IRN		CEFUR S IRN		CEFTRX S IRN		CEFIX S IRN		CIPRO S IRN		LEVO S IRN		ERTA/IMI/MERO S IRN	
_____	<i>Acinetobacter</i> (specify species) _____		AMK S IRN		AMPSUL S IRN		CEFTAZ/CEFOT/CEFTRX S IRN				CEFEP S IRN		CIPRO/LEVO S IRN					
			COL/PB SRN		DORI/MERO S IRN		DOXY/ MINO S IRN		GENT S IRN		IMI S IRN		PIPTAZ S IRN		TMZ S IRN		TOBRA S IRN	
_____	<i>Escherichia coli</i>		AMK S IRN		AMP S IRN		AMPSUL/AMXCLV S IRN		AZT S IRN		CEFAZ S IRN		CEFTAZ S IRN		CEFOT/CEFTRX S IRN			
			CEFEP S I/S-DD R N		CEFTAVI SRN		CEFUR S IRN		CEFTOTAZ S IRN		CIPRO/LEVO/MOXI S IRN				COL/PB[†] I R N			
			DORI / IMI / MEDRO S IRN				DOXY / MINO / TETRA S IRN				ERTA S IRN		GENT S IRN		IMIREL S IRN		MERVAB S IRN	
			NIT S IRN		PIPTAZ S IRN		TIG S IRN		TMZ S IRN		TOBRA S IRN							
_____	<i>Enterobacter</i> (specify species) _____		AMK S IRN		AZT S IRN		CEFTAZ S IRN		CEFOT/CEFTRX S IRN		CEFEP S I/S-DD R N		CEFTAVI SRN		CEFTOTAZ S IRN			
			CIPRO/LEVO/MOXI S IRN				COL/PB[†] I R N		DORI/IMI/MERO S IRN				DOXY/MINO/TETRA S IRN				ERTA S IRN	
			IMIREL S IRN		MERVAB S IRN		NIT S IRN		PIPTAZ S IRN		TIG S IRN		TMZ S IRN		TOBRA S IRN			
			CEFTAVI SRN		CEFTOTAZ S IRN		CIPRO/ LEVO/ MOXI S IRN		COL/PB[†] I R N		DORI/IMI/MERO S IRN				DOXY/MINO/TETRA S IRN			
			GENT S IRN		IMIREL S IRN		MERVAB S IRN		NIT S IRN		PIPTAZ S IRN		TIG S IRN		TMZ S IRN		TOBRA S IRN	

Urinary Tract Infection (UTI) for LTCF

Pathogen #	Gram-negative Organisms (<i>continued</i>)									
_____	<i>Pseudomonas aeruginosa</i>	AMK S I R N	AZT S I R N	CEFTAZ S I R N	CEFEP S I R N	CEFTAVI S R N	CEFTOTAZ S I R N	CIPRO/LEVO S I R N		
		COL/PB S I R N	DORI/IMI/MERO S I R N		GENT S I R N		PIPTAZ S I R N			
_____	_____ <i>Klebsiella pneumoniae</i>	AMK S I R N	AMPSUL/AMXCLV S I R N	AZT S I R N	CEFAZ S I R N	CEFEP S I/S-DD R N	CEFOT/CEFTRX S I R N	CEFTAVI S R N		
	_____ <i>Klebsiella oxytoca</i>	CEFTAZ S I R N	CEFTOTAZ S I R N	CIPRO/LEVO/MOXI S I R N	COL/PB [†] I R N	DORI/IMI/MERO S I R N	DOXY/MINO/TETRA S I R N	ERTA S I R N		
	_____ <i>Klebsiella aerogenes</i>	GENT S I R N	IMIREL S I R N	MERVAB S I R N	PIPTAZ S I R N	TIG S I R N	TMZ S I R N	TOBRA S I R N		
Pathogen #	Other Organisms									
_____	Organism 1 (specify) _____	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Drug 8 S I R N	Drug 9 S I R N
_____	Organism 1 (specify) _____	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Drug 8 S I R N	Drug 9 S I R N
_____	Organism 1 (specify) _____	Drug 1 S I R N	Drug 2 S I R N	Drug 3 S I R N	Drug 4 S I R N	Drug 5 S I R N	Drug 6 S I R N	Drug 7 S I R N	Drug 8 S I R N	Drug 9 S I R N

Result Codes

S = Susceptible I = Intermediate R = Resistant NS = Non-susceptible S-DD = Susceptible-dose dependent

N = Not tested

§ GENTHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic

† Clinical breakpoints are based on CLSI M100-ED30:2020, Intermediate MIC ≤ 2 and Resistant MIC ≥ 4

Drug Codes:			
AMK = amikacin	CEFTAR = ceftaroline	GENTHL = gentamicin –high level test	PB = polymyxin B
AMP = ampicillin	CEFTAVI = ceftazidime/avibactam	IMI = imipenem	PIPTAZ = piperacillin/tazobactam
AMPSUL = ampicillin/sulbactam	CEFTOTAZ = ceftolozane/tazobactam	IMIREL = imipenem/relebactam	RIF = rifampin
AMXCLV = amoxicillin/clavulanic acid	CEFTRX = ceftriaxone	LEVO = levofloxacin	TETRA = tetracycline
ANID = anidulafungin	CIPRO = ciprofloxacin	LNZ = linezolid	TIG = tigecycline
AZT = aztreonam	CLIND = clindamycin	MERO = meropenem	TMZ = trimethoprim/sulfamethoxazole
CASPO = caspofungin	COL = colistin	MERVAB = meropenem/vaborbactam	TOBRA = tobramycin
CEFAZ = ceftazolin	DAPTO = daptomycin	METH = methicillin	VANC = vancomycin
CEFEP = cefepime	DORI = doripenem	MICA = micafungin	VORI = voriconazole
CEFIX = cefixime	DOXY = doxycycline	MINO = minocycline	
CEFOT = cefotaxime	ERTA = ertapenem	MOXI = moxifloxacin	
CEFOX = cefoxitin	FLUCO = fluconazole	NIT = nitrofurantoin	
CEFTAZ = ceftazidime	GENT = gentamicin	OX = oxacillin	

Urinary Tract Infection (UTI) for LTCF

Custom Fields			
Label		Label	
_____	____/____/____	_____	____/____/____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
Comments			