

Exposure to Blood/Body Fluids

Page 1 of 7		*required for saving					
Facility ID#:	acility ID#: Exposure Event #:						
							
HCW Name, Last:	First:	Middle:					
*Gender: □ F □ M □ 0	Other	*Date of Birth:/	<i>I</i>				
*Work Location:							
*Occupation:		physician, indicate clinical spe	cialty:				
Section I – General Exposure Information							
1. *Did exposure occur in this facility: \square Y \square N							
1a. If No, specify name of facility in which exposure occurred:							
2. *Date of exposure://		3. *Time of exposure: □ AM □ PM					
4. Number of hours on duty:		5. Is exposed person a temp/agency employee? \square Y \square N					
6. *Location where exposure	e occurred:						
7. *Type of exposure: (Chec	ck all that apply)						
☐ 7a. Percutaneous	s: Did exposure involve a clean,	unused needle or sharp object	t?				
□ Y □ N(If No, complete Q8, Q9, Section	n II and Section V-XI)					
☐ 7b. Mucous mem	nbrane (Complete Q8, Q9, Secti	on III and Section V-XI)					
□ 7c. Skin: Was ski	in intact? □ Y □ N □Unl	known (If No, complete Q8, C	29, Section III & Section V-XI)				
☐ 7d. Bite (Complet	te Q9 and Section IV-XI)						
8. *Type of fluid/tissue involv	ved in exposure: (Check one)						
☐ Blood/blood prod	ucts	☐ Body fluids: (Check one)					
☐ Solutions (IV fluid	d, irrigation, etc.): (Check one)	☐ Visibly bloody					
☐ Visibly blo	oody	☐ Not visibly bloody					
□ Not visibly	/ bloody	, ,					
☐ Tissue	•	If body fluid, indicate one body fluid type:					
☐ Other (specify): _		□ Amniotic	□ Saliva				
□ Unknown		□ CSF	□ Sputum				
		□ Pericardial	□ Tears				
9. *Body site of exposure: (0	Check all that apply)	□ Peritoneal	□ Urine				
□ Hand/finger	□ Foot	□ Pleural	□ Feces/stool				
□ Eye	☐ Mouth	□ Semen	☐ Other (Specify):				
□ Arm	□ Nose	□ Synovial					
□ Leg	☐ Other (specify):	□ Vaginal fluid					
Accurance of Confidentiality. The valuete iller	provided information obtained in this surveillance sys	stam that would narmit identification of any in 11! In	al or institution is collected with a grounds - 41-4				
it will be held in strict confidence, will be used	only for the purposes stated, and will not otherwise balth Service Act (42 USC 242b, 242k, and 242m(d)).						
Public reporting burden of this collection of inf	formation is estimated to average 60 minutes per respo	onse, including the time for reviewing instructions, s	earching existing data sources, gathering, and				

maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS H21-8, Atlanta, GA 30333, ATTN: PRA (0920-0666).

CDC 57.205 (Front), v6.6



Exposure to Blood/Body Fluids

Page 2 of 7

Section II – Percutaneous Injury								
1. *Was the needle or sharp object visibly contaminated with blood prior to exposure? ☐ Y ☐ N								
2. Depth of the injury: (Check one)								
☐ Superficial, surface scratch ☐ Deep puncture or wound								
☐ Moderate, penetrated skin ☐ Unknown								
3. What needle or sharp object caused the injury (Check one)								
□ Device (select one) □ Non-device sharp object (specify): □ Unknown sharp object								
Hollow-bore needle								
☐ Arterial blood collection device	☐ Bone marrow needle							
☐ Hypodermic needle, attached to syringe	☐ Hypodermic needle, attached to IV tubing	☐ Unattached hypodermic needle						
□ IV catheter – central line	□ IV catheter – peripheral line	☐ Huber needle						
□ Prefilled cartridge syringe	□ IV stylet	☐ Spinal or epidural needle						
☐ Hemodialysis needle	☐ Dental aspirating syringe w/ needle	□ Vacuum tube holder/needle						
□ Winged-steel (Butterfly™ type) needle	☐ Hollow-bore needle, type unknown	☐ Other hollow-bore needle						
Suture needle								
☐ Suture needle								
Other solid sharps								
☐ Bone cutter	□ Bur	☐ Electrocautery device						
□ Elevator	□ Explorer	☐ Extraction forceps						
□ File	□ Lancet	☐ Microtome blade						
□ Pin	□ Razor	□ Retractor						
□ Rod (orthopedic)	□ Scaler/curette	□ Scalpel blade						
□ Scissors	□ Tenaculum	□ Trocar						
□ Wire								
Glass								
□ Capillary tube	illary tube Blood collection tube							
□ Pipette	□ Slide	☐ Specimen/test/vacuum tube						
Plastic								
□ Capillary tube	☐ Blood collection tube	□ Specimen/test/vacuum tube						
Non-sharp safety device								
☐ Blood culture adapter ☐ Catheter securement device ☐ IV delivery system								
□ Other known device (specify):								
4. Manufacturer and Model:								



Exposure to Blood/Body Fluids

Page 3 of 7

5. Did the needle or other sharp object involved in the injury have a safety feature? $\ \square\ Y$ $\ \square\ N$						
5a. If Yes, indicate type of safety feature: (Check one) I	f No, skip to Q6.					
□ Bluntable needle, sharp	□ Needle/sharp ejector					
☐ Hinged guard/shield	☐ Mylar wrapping/plastic					
□ Retractable needle/sharp	☐ Other safety feature (specify):					
☐ Sliding/gliding guard/shield	☐ Unknown safety mechanism					
5b. If the device had a safety feature, when did the injury	occur? (Check one)					
☐ Before activation of the safety feature was appropriate	☐ Safety feature failed, after activation					
□ During activation of the safety feature	☐ Safety feature not activated					
☐ Safety feature improperly activated	□ Other (specify):					
6. When did the injury occur? (Check one)						
☐ Before use of the item	□ During or after disposal					
☐ During use of the item	□ Unknown					
☐ After use of the item before disposal						
7. For what purpose or activity was the sharp device being used? (Check one) Obtaining a blood specimen percutaneously						
☐ Performing phlebotomy	☐ Performing a fingerstick/heelstick					
☐ Performing arterial puncture	☐ Other blood-sampling procedure (specify):					
Giving a percutaneous injection	· · · · · · · · · · · · · · · · · · ·					
☐ Giving an IM injection	☐ Placing a skin test (e.g., tuberculin, allergy, etc.)					
☐ Giving a SC injection Performing a line related procedure						
☐ Inserting or withdrawing a catheter	☐ Injecting into a line or port					
 ☐ Obtaining a blood sample from a central or peripheral I.V. line or port Performing surgery/autopsy/other invasive procedure 	□ Connecting an I.V. line					
☐ Suturing	□ Palpating/exploring					
☐ Incising	□ Specify procedure:					
Performing a dental procedure						
☐ Hygiene (prophylaxis)	□ Oral surgery					
☐ Restoration (amalgam composite, crown)	☐ Simple extraction					
□ Root canal	☐ Surgical extraction					
☐ Periodontal surgery Handling a specimen						
☐ Transferring BBF into a specimen container Other	□ Processing specimen					
☐ Other diagnostic procedure (e.g., thoracentesis)	□ Unknown					
□ Other (specify):	_					



Exposure to Blood/Body Fluids

Page 4 of 7

8. What was the activity at the time of injury? (Check one)						
□ Cleaning room	☐ Collecting/transporting waste					
☐ Decontamination/processing used	equipment Disassembling device/equipment					
☐ Handling equipment	☐ Opening/breaking glass container (e.g., ampule)					
☐ Performing procedure	☐ Placing sharp in container					
□ Recapping	☐ Transferring/passing/receiving device					
□ Other (specify):						
9. Who was holding the device at the time the	e injury occurred? (Check one)					
☐ Exposed person	□ Exposed person					
☐ Co-worker/other person	□ Co-worker/other person					
$\ \square$ No one, the sharp was an uncontrol	☐ No one, the sharp was an uncontrolled sharp in the environment					
10. What happened when the injury occurred? (Check one)						
$\ \square$ Patient moved and jarred device	☐ Contact with overfilled/punctured sharps container					
☐ Device slipped	☐ Improperly disposed sharp					
☐ Device rebounded	□ Other (specify):					
☐ Sharp was being recapped	□ Unknown					
☐ Collided with co-worker or other pe	erson					



Exposure to Blood/Body Fluids

Page 5 of 7

Section III – Mucous Membrane and/or Skin Exposure						
Estimate the amount of blood/body fluid exposure: (Check one)						
☐ Small (<1 tsp or 5cc)	□ Large (> ¼ cup or 50cc)					
\square Moderate (>1 tsp and up to $\frac{1}{4}$ cup, or 6-50 cc)	□ Unknown					
2. Activity/event when exposure occurred: (Check one)						
 Airway manipulation (e.g., suctioning airway, inducing sputum) 	□ Patient spit/coughed/vomited					
☐ Bleeding vessel	□ Phlebotomy					
☐ Changing dressing/wound care	 ☐ Surgical procedure (e.g., all surgical procedures including C-section) 					
☐ Cleaning/transporting contaminated equipment	☐ Tube placement/removal/manipulation (e.g., chest, endotracheal, NG, rectal, urine catheter)					
☐ Endoscopic procedures	□ Vaginal delivery					
$\ \square$ IV or arterial line insertion/removal/manipulation	□ Other (specify):					
☐ Irrigation procedures	□ Unknown					
☐ Manipulating blood tube/bottle/specimen container						
3. Barriers used by the worker at the time of exposure: (Che	ck all that apply)					
□ Face shield	☐ Mask/respirator					
□ Gloves	□ Other (specify):					
□ Goggles	□ No barriers					
☐ Gown						
Section IV – Bite						
Wound description: (Check one)						
□ No spontaneous bleeding	☐ Tissue avulsed					
□ Spontaneous bleeding	□ Unknown					
2. Activity/event when exposure occurred: (Check one)						
☐ During dental procedure	☐ Assault by patient					
☐ During oral examination	□ Other (specify):					
☐ Providing oral hygiene	□ Unknown					
☐ Providing non-oral care to patient						



Exposure to Blood/Body Fluids

Page 6 of 7

Note: Section V-IX are required when following the protocols for Exposure Management.

Section V – Source Information							
1. Was the source patient known?		I					
2. Was HIV status known at the tin	ne of exposur	e? □ Y □	1 N				
3. Check the test results for the so	urce patient (F	P=positive, N=n	egative, I=indeterm	inate, U=unknow	n, R=refused, NT	=not tested)	
Hepatitis B	Р	N	I	U	R	NT	
HBsAg							
HBeAg							
Total anti-HBc							
Anti-HBs							
Hepatitis C							
Anti-HCV EIA							
Anti-HCV supplemental							
PCR-HCV RNA							
HIV							
EIA, ELISA							
Rapid HIV							
Confirmatory test							
Section VI – For HIV Infected So	urce						
1. Stage of disease: (Check one)							
□ End-s	stage AIDS		☐ Other sympto	matic HIV, not	AIDS		
□ AIDS			☐ HIV infection,	no symptoms			
□ Acute	e HIV illness		□ Unknown	, ,			
2. Is the source patient taking anti-retroviral drugs? $\ \square\ Y \ \square\ N \ \square\ U$							
2a. If yes, indicate drug(s):							
3. Most recent CD4 count:	mm³		Date: / (mo/yr)				
4. Viral load: copies/ml undetectable			Date: / (mo/yr)				
Section VII – Initial Care Given to Healthcare Worker							
1. HIV postexposure prophylaxis:							
Offered? □ Y	\square N \square U		Taken: □ Y □	□N □U (If	Yes, complete	PEP form)	
2. HBIG given? □ Y	□N □U		Date administered://				
3. Hepatitis B vaccine given: ☐ Y	\square N \square U		Date 1 st dose administered://				
4. Is the HCW pregnant? ☐ Y	□ N □ U						
4a. If yes, which trimester? □ 1	□ 2 □ 3	□U					



Exposure to Blood/Body Fluids

Page 7 of 7

Section VIII - Baseline Lab	Testing							
Was baseline testing performed on the HCW? □ Y □ N □ U If Yes, indicate results								
Test	Date	Result			Test	Date	Result	
HIV EIA	//	Р	Ν	I	R	ALT	//	IU/L
HIV Confirmatory	//	Р	Ν	I	R	Amylase	//	IU/L
Hepatitis C anti-HCV-EIA	//	Р	Ν	I	R	Blood glucose	//	mmol/L
Hepatitis C anti-HCV-supp	//	Р	N	I	R	Hematocrit	//	%
Hepatitis C PRC HCV RNA	//	Р	Ν	I		Hemoglobin	//	gm/L
Hepatitis B HBs Ag	//	Р	Z	I		Platelets	//	x10 ⁹ /L
Hepatitis B IgM anti-HBc	//	Р	Z	I		Blood cells in Urine	//	#/mm ³
Hepatitis B Total anti-HBc	//	Р	Z			WBC	//	x10 ⁹ /L
Hepatitis B Anti-HBs	//		r	nIU/r	nL	Creatinine	//	μmol/L
Result Codes: P=Positive, N=Ne	gative, I=Indeteri	minat	e, R=	Refu	sed	Other:	//	
Section IX – Follow-up								
1. Is it recommended that the	HCW return fo	r follo	ow-u	p of	this e	exposure? Y		
1a. If Yes, will follow-up be	e performed at t	his fa	acility	v? □	Υ	□N		
•	·							
Section X – Narrative	141							
In the worker's words, how di	d the injury occ	ur'?						
Section XI – Prevention								
In the worker's words, what c	ould have preve	 ented	the	injur	y?			
ŕ	•			,	•			
Custom Fields								
Label	1 /	,			La	bel	ı	1 1
	— '	′_		_			·	
				_				
				_				
				_				
Comments								
Comments								