

## Hemovigilance Module Adverse Reaction Transfusion Associated Dyspnea

\*Required for saving

*Facility ID#: NHSN A	dverse Reaction #:	=						
Patient Information								
*Patient ID:	-	*Date of Birth://						
*Sex at Birth: □M □F □Unknow	า	*Gender Identity (Specify):						
Social Security #:	Secondary ID:	Medicare #:						
Last Name:	First Name:	Middle Name:						
Ethnicity  Hispanic or Latino	☐ Not Hispanic or Not Latin	10						
Race	Race							
☐ Native Hawaiian/Oth	er Pacific Islander	White						
*Blood Group: A- A+ D	B- 🔲 B+ 🔲 AB- 🔲 AB+	☐ O- ☐ O+ ☐ Blood type not done						
☐ Transitional ABO /☐ Group A/Transitional Rh ☐ Grou	<del>_</del>	/Rh - Transitional ABO / Transitional Rh /Transitional Rh Group AB/Transitional Rh						
Patient Medical History								
List the patient's admitting diagno	sis. (Use ICD-10 Diagnostic co	des/descriptions)						
Code:	Description:							
Code:	Description:							
Code:								
List the patient's underlying indica	ation for transfusion. (Use ICD-:	10 Diagnostic codes/descriptions)						
Code:	Description:							
Code:	Description:							
Code:	Description:							
List the patient's comorbid condit reaction. (Use ICD-10 Diagnostic	ons at the time of the transfusion							
Code:	Description:							
Code:	Description:							
Code:	Description:							
or institution is collected with a guarantee that it	will be held in strict confidence, will be us individual, or the institution in accordance	lance system that would permit identification of any individual sed only for the purposes stated, and will not otherwise be e with Sections 304, 306 and 308(d) of the Public Health						
searching existing data sources, gathering, and may not conduct or sponsor, and a person is no	maintaining the data needed, and complet required to respond to a collection of infestimate or any other aspect of this colle	es per response, including the time for reviewing instructions, eting and reviewing the collection of information. An agency ormation unless it displays a currently valid OMB control ection of information, including suggestions for reducing this 33, ATTN: PRA (0920-0666).						



## **Transfusion Associated Dyspnea**

	nedical procedure including past procedures and procedures to be nt hospital or outpatient stay. (Use ICD-10 Procedure NONE						
Code:	Description:						
Code:	Description:						
Code:	Description:						
Additional Information							
Transfusion History							
Has the patient received a previous transfusion?							
•	e reaction transfusion-related?						
Type of transfusion adve	n about the transfusion adverse reaction. rse reaction:						
Reaction Details							
*Date reaction occurred:	// *Time reaction occurred::						
*Facility location where pati							
Is this reaction associated wit	h an incident?						
Investigation Res	ults						
* Transfusion associated	dyspnea (TAD)						
*Case Definition Check all that apply:  Acute respiratory distress occurring within 24 hours of cessation of transfusion.  Allergic reaction, TACO, and TRALI definitions are not applicable.							
Other signs and symptoms:	(check all that apply)						
Generalized:	☐ Chills/rigors ☐ Fever ☐ Nausea/vomiting						
Cardiovascular:	☐ Blood pressure decrease ☐ Shock						
Cutaneous:	☐ Edema ☐ Flushing ☐ Jaundice   ☐ Other rash ☐ Pruritus (itching) ☐ Urticaria (hives)						
Hemolysis/Hemorrhage:	<ul><li>☐ Disseminated intravascular coagulation</li><li>☐ Hemoglobinemia</li><li>☐ Positive antibody screen</li></ul>						
Pain:	☐ Abdominal pain ☐ Back pain ☐ Flank pain ☐ Infusion site pain						
Renal:	☐ Hematuria ☐ Hemoglobinuria ☐ Oliguria						
Respiratory:	<ul><li>☐ Bilateral infiltrates on chest x-ray</li><li>☐ Bronchospasm</li><li>☐ Cough</li><li>☐ Hypoxemia</li><li>☐ Shortness of breath</li></ul>						



Other: (specify)									
*Severity									
Did the patient receive or experience any of the following?									
☐ No treatment required ☐ Symptomatic treatment only									
☐ Hospitalization, inlcuding prolonged hospitalization ☐ Life-threatening reaction									
☐ Disability and/or incapacitation ☐ Congenital anomaly or birth defect(s) of the fetus									
☐ Other medically important conditions ☐ Death ☐ Unknown or not stated									
*Imputability									
Which best describes the relationship between the transfusion and the reaction?									
Patient has no other conditions that could explain symptoms.									
☐ There are other potential causes that could explain symptoms, but transfusion is the most likely cause.									
Other present causes are most likely, but transfusion cannot be ruled out.									
☐ Evidence is clearly in favor of a cause other than the transfusion, but transfusion cannot be excluded.									
☐ There is conclusive evidence beyond reasonable doubt of a cause other than the transfusion.									
☐ The relationship between the adverse reaction and the transfusion is unknown or not stated.									
Did the transfusion occur at your facility?									
Module-generated Designations									
NOTE: Designations for case definition, severity, and imputability will be automatically assigned in the NHSN application based on responses in the corresponding investigation results section above.									
*Do you agree with the <u>case definition</u> designation?									
*Do you agree with the <u>severity</u> designation?									
*Do you agree with the <u>imputability</u> designation?									
Patient Treatment									
Did the patient receive treatment for the transfusion reaction?  If yes, select treatment(s):  Medication (Select the type of medication)									
<ul> <li>☐ Antipyretics</li> <li>☐ Antihistamines</li> <li>☐ Inotropes/Vasopressors</li> <li>☐ Bronchodilator</li> <li>☐ Diuretics</li> <li>☐ Intravenous Immunoglobulin</li> <li>☐ Intravenous steroids</li> <li>☐ Corticosteroids</li> <li>☐ Antibiotics</li> <li>☐ Antithymocyte globulin</li> <li>☐ Cyclosporin</li> <li>☐ Other</li> </ul>									
☐ Volume resuscitation (Intravenous colloids or crystalloids)									
<ul> <li>☐ Respiratory support (Select the type of support)</li> <li>☐ Mechanical ventilation</li> <li>☐ Noninvasive ventilation</li> <li>☐ Oxygen</li> </ul>									
<ul> <li>□ Renal replacement therapy (Select the type of therapy)</li> <li>□ Hemodialysis □ Peritoneal □ Continuous Veno-Venous Hemofiltration</li> <li>□ Phlebotomy</li> </ul>									



Other Specify:												
Outcome												
*Outcome: Death Major or long-term sequelae Minor or no sequelae Not determined  Date of Death:/  ^If recipient died, relationship of transfusion to death:  Definite Probable Possible Doubtful Ruled Out Not determined  Cause of death:  Was an autopsy performed? Yes No												
Component Details												
*Was a particular unit implicated in (i.e., responsible for) the adverse reaction?												
Transfusion Start and End Date/Time	*Component code (check system used)	Amount transfused at reaction onset	(Requ	number ired for on and l)	*Unit expiration Date/Time	*Blood group of unit		Implic ated Unit?				
^IMPLICATED	UNIT											
// :	☐ ISBT-128 ☐ Codabar	☐ Entire unit ☐ Partial unit mL			:	□ A- □B+	□ A+ □ B- □ AB- □ AB+ □ O+ □ N/A	Y				
	☐ ISBT-128 ☐ Codabar	☐ Entire unit ☐ Partial unit mL				□ A- □B+	□ A+ □ B- □ AB- □ AB+ □ O+ □ N/A	N				
Custom Field	ds											
Label				Label								
Comments												