

NHSN Facility TAP Reports - MRSA

April 2022

Description

CDC's Targeted Assessment for Prevention (TAP) strategy uses a metric known as the Cumulative Attributable Difference (CAD) to help facilities identify and rank locations and target those areas with the greatest need for improvement. The CAD is the number of infections that must be prevented to achieve a HAI reduction goal. TAP Reports can be generated within NHSN for CLABSI, CAUTI, CDI LabID, and MRSA LabID data. The ranking is established using the overall Hospital CAD (highest to lowest). TAP Reports can help to prioritize the facilities where the greatest prevention impact could be achieved.

This quick reference guide will describe how a facility can generate a TAP report for MRSA LabID data within NHSN. It will also explain how to interpret the TAP report output for facility users. For more information about the TAP Strategy, please visit: <http://www.cdc.gov/hai/prevent/tap.html>.


Generate a MRSA TAP Report

1. Select Analysis on the NHSN home screen. Then select "Reports" from the dropdown menu that opens. Expand the "TAP Reports" folder. The TAP reports are organized by facility type. Expand the folder for the facility type relevant to your analysis to see the available TAP Report options.

The screenshot shows the NHSN Patient Safety interface. On the left is a navigation menu with 'Analysis' selected. A dropdown menu is open, showing 'Reports' highlighted with a blue arrow and a box containing the number '1'. The main content area shows a 'Confidentiality' notice and a 'Get Adobe Acrobat' button. On the right, the 'Analysis Reports' section is shown with a list of folders. 'TAP Reports' is highlighted with a blue arrow and a box containing the number '2'. Below 'TAP Reports' are sub-folders for 'Acute Care Hospitals (ACHs)', 'Long Term Acute Care Hospitals (LTACs)', and 'Inpatient Rehabilitation Facilities (IRFs)'.



2. Choose to either **Run** or **Modify** an Acute Care Hospitals (ACH), Long Term Acute Care Hospitals (LTACs), or Inpatient Rehabilitation Facilities (IRFs) FACWIDEIN MRSA LabID TAP Report. Please note: ACH TAP Reports contain both Acute Care and Critical Access Hospital (CAH) data, and exclude IRF unit data.
 - a. Click **Run** to create a TAP Report that is inclusive of all data reported to NHSN and available in the analysis datasets (for example, all MRSA LabID data from 2015 to present).
 - b. Click **Modify** to customize the TAP Report.
 - i. It is recommended that users check the box above Title/Format titled “Show descriptive variable names.” Not only will this show more descriptive variable names while modifying a TAP report, but it will also create more descriptive column headers in the tables created.



- ii. Use the Title/Format tab to change the name of the Report generated or to change the format (HTML, PDF, CSV, and RTF). **TIP:** If the format is changed to PDF or RTF, change the orientation of the report to Landscape to allow all columns to fit on a single page.
- iii. Use the Time Period tab to modify the date variable by months, quarters, half-years, or year (for example, summaryYr 2020 to 2021).
- iv. Display Options. Choose the source value of the SIR goal. The SIR goal can be a custom/value or the user can use the HHS Goal or MRSA National SIR. These are available in the source drop down menu. If a custom value is used, remember that the multiplier must be <1.

Example TAP Report Output – MRSA

The following table is an example of a MRSA TAP report generated by an acute care hospital for the calendar year 2021. The footnotes provided with each table define the data that appear in the derived columns. Please see page 3 for an example interpretation of this table.

National Healthcare Safety Network

TAP Report for FACWIDEIN MRSA LabID data for Acute Care and Critical Access Hospitals (2015 Baseline)

Facilities Ranked by CAD 'Cumulative Attributable Difference'

SIR Goal: HHS Goal = 0.5

A TAP Report is the first step in the CDC TAP Strategy. For more information on the TAP strategy, please visit: <http://www.cdc.gov/hai/prevent/tap.html>

As of: March 31, 2022 at 12:52 PM

Date Range: BS2_MRSA_TAP summaryYr 2021 to 2021



Facility Org ID	Facility Name	State	Type of Facility	Type of Affiliation	Number of Beds	Patient Days	MRSA Blood Incident LabID Count	Number Predicted	Facility CAD	SIR	SIR Test
10000	DHQP MEMORIAL HOSPITAL	GA	HOSP-GEN	M	300	25500	5	2.776	3.61	1.801	

1. This report includes facility-wide inpatient data from acute care hospitals for 2015 and forward.
2. Facility Rank = Priority ranking for Targeted Assessment of Prevention by CAD in descending order
3. CAD = Observed - Predicted*SIR Goal
4. SIR is set to '.' when predicted number of events is <1.0. SIR TEST = 'SIG' means SIR > SIR Goal significantly

Source of aggregate data: 2015 NHSN MRSA Blood LabID Data

Data contained in this report were last generated on March 31, 2022 at 12:13 PM to include data beginning January 2021 .



Interpretation

- The header above each table describes what information has been included in the table. The second line of the header is a descriptive title for the table. The title names which hospital types are included in the report and what baselines data sets are used for the analysis. The third line of the header describes how the data has been arranged (Facilities Ranked by CAD). The fourth line displays the value for the SIR goal. For the TAP report in this example, HHS Goal = 0.5 was used as the SIR goal. Lastly, the final line of the header helps users find out more about the CDC TAP Strategy. For more information about the TAP strategy, please visit: <https://www.cdc.gov/hai/prevent/tap.html>.
- The footnote for each table includes the rules for interpreting the data, meanings for abbreviation used in the table, pathogen names, and the date data sets were last generated. For example, footnote #4 states, “The SIR is set to ‘.’ when predicted number of events is <1.0.” This would be helpful to know if an SIR value is not given in the table. Additionally, the formula for calculating the CAD can also be found in the footnotes.
- Since MRSA data are collected and analyzed at the inpatient, facility wide level, location specific information is not displayed in the table. Looking at the third to last column in the TAP report, we can see that this facility’s CAD is 3.61 – this means that the facility had approximately 4 excess infections when compared to the number of infections that were predicted, when using an SIR Goal of 0.5. The SIR for this hospital in 2021 was 1.801. The “SIR Test” column is blank, which indicates that the SIR is not significantly greater than the SIR Goal.

Additional Resources:

- The Five “W”s of the Targeted Assessment for Prevention (TAP) Strategy: <http://www.cdc.gov/hai/prevent/tap.html>
- Introduction to NHSN Analysis: <https://www.cdc.gov/nhsn/pdfs/training/2019/intro-nhsn-analysis-508.pdf>
- How to filter your data by time period: <https://www.cdc.gov/nhsn/pdfs/ps-analysis-resources/filtertimeperiod.pdf>
- How to filter your data on additional criteria: <https://www.cdc.gov/nhsn/pdfs/ps-analysis-resources/selectioncriteria.pdf>
- Analysis Quick Reference Guides: <http://www.cdc.gov/nhsn/PS-Analysis-resources/reference-guides.html>
- HHS Action Plan to Prevent Healthcare-associated Infections: <http://health.gov/hcq/prevent-hai.asp>
- HAI Progress Report: <https://www.cdc.gov/nhsn/datastat/progress-report.html>

