

National Personal Protective Technology Laboratory

CBRN PAPER Retrofit Concept

Sheraton Station Square
Pittsburgh, PA

Bill Hoffman

December 13, 2005



National Personal Protective Technology Laboratory

Prerequisites

- Part 84 approval
- CBRN approval
- Field deployed units available



National Personal Protective Technology Laboratory

Hardware Requirements

- 4 units from field in use 1-5 years
 - 2 light use
 - 2 heavy use



Workplace
Safety and Health



NPPTL *Research to Practice
through Partnerships*

National Personal Protective Technology Laboratory

Testing Requirements

- Units fitted with retrofit kit by factory representative
- Testing will consist of Mustard (HD) and Sarin (GB)
- Other tests may be required as deemed necessary



Workplace
Safety and Health



NPPTL *Research to Practice
through Partnerships*

National Personal Protective Technology Laboratory

Documentation Requirements

- Complete Standard Application Procedure (SAP)
- Information describing criteria for determining retrofit-eligible PAPP
- User Instructions addressing the retrofit
- Method of recording which units have been retrofitted
- Retrofit labeling



Workplace
Safety and Health



NPPTL *Research to Practice
through Partnerships*

National Personal Protective Technology Laboratory

Additional details being addressed:

- Fees
- Additional QA requirements
- Performance differences between industrial and CBRN



Workplace
Safety and Health



NPPTL *Research to Practice
through Partnerships*

National Personal Protective Technology Laboratory

Questions?

