

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29

IMMEDIATELY DANGEROUS TO LIFE OR HEALTH (IDLH) VALUE PROFILE

FOR

FURAN

[CAS No. 110-00-9]

Department of Health and Human Services
Centers for Disease Control and Prevention
National Institute for Occupational Safety and Health

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

**External Review Draft Document
March 2015**

1 **Disclaimer**

2
3 Mention of any company or product does not constitute endorsement by the National Institute for Occupational
4 Safety and Health (NIOSH). In addition, citations to Web sites external to NIOSH do not constitute NIOSH
5 endorsement of the sponsoring organizations or their programs or products. Furthermore, NIOSH is not
6 responsible for the content of these Web sites.
7

8 **Ordering Information**

9
10 To receive this document or information about other occupational safety and health topics, contact NIOSH:

11
12 Telephone: 1-800-CDC-INFO (1-800-232-4636)

13 TTY: 1-888-232-6348

14 E-mail: cdcinfo@cdc.gov

15 Or visit the NIOSH Web site: www.cdc.gov/niosh

16
17 For a monthly update on news at NIOSH, subscribe to *NIOSH eNews* by visiting www.cdc.gov/niosh/eNews.

18
19 DHHS (NIOSH) Publication No. XXX

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

**External Review Draft Document
March 2015**

1 Foreword

2 Chemicals are a ubiquitous component of the modern workplace. Occupational exposures to chemicals have the
3 potential to adversely affect the health and lives of workers. Acute or short-term exposures to high concentrations
4 of some airborne chemicals have the ability to quickly overwhelm workers, resulting in a spectrum of undesirable
5 health outcomes that may inhibit the ability to escape from the exposure environment (e.g., irritation of the eyes
6 and respiratory tract or cognitive impairment), cause severe irreversible effects (e.g., damage to the respiratory
7 tract or reproductive toxicity), and in extreme cases, cause death. Airborne concentrations of chemicals capable
8 of causing such adverse health effects or of impeding escape from high-risk conditions may arise from a variety of
9 non-routine workplace situations, including special work procedures (e.g., in confined spaces), industrial
10 accidents (e.g., chemical spills or explosions), and chemical releases into the community (e.g., during
11 transportation incidents or other uncontrolled-release scenarios).

12
13 The “immediately dangerous to life or health air concentration values (IDLH values)” developed by the National
14 Institute for Occupational Safety and Health (NIOSH) characterize these high-risk exposure concentrations and
15 conditions [NIOSH 2013]. IDLH values are based on a 30-minute exposure duration and have traditionally
16 served as a key component of the decision logic for the selection of respiratory protection devices [NIOSH 2004].
17 Occupational health professionals have employed these values beyond their initial purpose as a component of the
18 NIOSH Respirator Selection Logic to assist in developing Risk Management Plans for non-routine work practices
19 governing operations in high-risk environments (e.g., confined spaces) and the development of Emergency
20 Preparedness Plans.

21
22 The approach used to derive IDLH values for high priority chemicals is outlined in the NIOSH Current
23 Intelligence Bulletin (CIB) 66: Derivation of Immediately Dangerous to Life or Health Values [NIOSH 2013].
24 CIB 66 provides 1) an update on the scientific basis and risk assessment methodology used to derive IDLH
25 values, 2) the rationale and derivation process for IDLH values, and 3) a demonstration of the derivation of
26 scientifically credible IDLH values using available data resources.

27
28 The purpose of this technical report is to present the IDLH value for furan (CAS # 110-00-9). The scientific
29 basis, toxicologic data and risk assessment approach used to derive the IDLH value are summarized to ensure
30 transparency and scientific credibility.

31
32 John Howard, M.D.
33 Director
34 National Institute for Occupational Safety and Health

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

**External Review Draft Document
March 2015**

1 Centers for Disease Control and Prevention

DRAFT - DO NOT DISTRIBUTE OR CITE

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

1 **Table of Contents**

2 **FOREWORD**III

3 **ABBREVIATIONS** VI

4 **GLOSSARY** VII

5 **ACKNOWLEDGMENTS**XI

6 **1.0 INTRODUCTION** 1

7 1.1 OVERVIEW OF THE IDLH VALUE FOR FURAN..... 1

8 1.2 PURPOSE 1

9 1.3 GENERAL SUBSTANCE INFORMATION..... 1

10 **2.0 ANIMAL TOXICITY DATA**4

11 **3.0 HUMAN DATA** 7

12 **4.0 SUMMARY** 7

13 **5.0 REFERENCES**8

14
15
16
17
18

DRAFT - DO NOT DISTRIBUTE OR CITE

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

**External Review Draft Document
March 2015**

1 Abbreviations

2		
3	ACGIH	American Conference of Governmental Industrial Hygienists
4	AEGL	Acute Exposure Guideline Levels
5	AIHA	American Industrial Hygiene Association
6	BMC	benchmark concentration
7	BMCL	benchmark concentration lower confidence limit
8	C	ceiling
9	CAS	chemical abstract service
10	ERPG	Emergency Response Planning Guidelines
11	IDLH	immediately dangerous to life or health
12	LC ₅₀	median lethal concentration
13	LC _{Lo}	lowest concentration of a chemical that caused death in humans or animals
14	LEL	lower explosive limit
15	LOAEL	lowest observed adverse effect level
16	mg/m ³	milligram(s) per cubic meter
17	NAC	National Advisory Committee
18	NAS	National Academy of Sciences
19	NIOSH	National Institute for Occupational Safety and Health
20	NOAEL	no observed adverse effect level
21	OSHA	Occupational Safety and Health Administration
22	PEL	permissible exposure limit
23	ppm	parts per million
24	RD ₅₀	concentration of a chemical in the air that is estimated to cause a 50% decrease in the respiratory rate
25		
26	REL	recommended exposure limit
27	SCP	Standard Completion Program
28	STEL	short term exposure limit
29	TLV	threshold limit value
30	TWA	time weighted average
31	UEL	upper explosive limit
32	WEEL	workplace environmental exposure level

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

1 **Glossary**

2
3 **Acute Exposure:** Exposure by the oral, dermal, or inhalation route for 24 hours or less.

4 **Acute Exposure Guideline Levels (AEGLs):** Threshold exposure limits for the general public applicable to
5 emergency exposure periods ranging from 10 minutes to 8 hours. AEGL-1, AEGL 2, and AEGL-3 are
6 developed for five exposure periods (10 and 30 minutes, 1 hour, 4 hours, and 8 hours) and are distinguished
7 by varying degrees of severity of toxic effects ranging from transient, reversible effects to life-threatening
8 effects [NAS 2001]. AEGLs are intended to be guideline levels used during rare events or single once-in-a-
9 lifetime exposures to airborne concentrations of acutely toxic, high-priority chemicals [NAS 2001]. The
10 threshold exposure limits are designed to protect the general population, including the elderly, children or
11 other potentially sensitive groups that are generally not considered in the development of workplace exposure
12 recommendations (additional information available at <http://www.epa.gov/oppt/aeagl/>).

13 **Acute Reference Concentration (RfC):** An estimate (with uncertainty spanning perhaps an order of magnitude)
14 of a continuous inhalation exposure for an acute duration (24 hours or less) of the human population
15 (including sensitive subgroups) that is likely to be without an appreciable risk of deleterious effects during a
16 lifetime. It can be derived from a NOAEL, LOAEL, or benchmark concentration, with uncertainty factors
17 (UFs) generally applied to reflect limitations of the data used. Generally used in USEPA noncancer health
18 assessments [USEPA 2014].

19 **Acute Toxicity:** Any poisonous effect produced within a short period of time following an exposure, usually 24
20 to 96 hours.

21 **Adverse Effect:** A substance-related biochemical change, functional impairment, or pathologic lesion that affects
22 the performance of an organ or system or alters the ability to respond to additional environmental challenges.

23 **Benchmark Dose/Concentration (BMD/BMC):** A dose or concentration that produces a predetermined change
24 in response rate of an effect (called the benchmark response, or BMR) compared to background [USEPA
25 2014] (additional information available at <http://www.epa.gov/ncea/bmds/>).

26 **Benchmark Response (BMR):** A predetermined change in response rate of an effect. Common defaults for the
27 BMR are 10% or 5%, reflecting study design, data variability, and sensitivity limits used.

28 **BMCL:** A statistical lower confidence limit on the concentration at the BMC [USEPA 2014].

29 **Bolus Exposure:** A single, relatively large dose.

30 **Ceiling Value ("C"):** U.S. term in occupational exposure indicating the airborne concentration of a potentially
31 toxic substance that should never be exceeded in a worker's breathing zone.

32 **Chronic Exposure:** Repeated exposure for an extended period of time. Typically exposures are more than
33 approximately 10% of life span for humans and >90 days to 2 years for laboratory species.

34 **Critical Study:** The study that contributes most significantly to the qualitative and quantitative assessment of risk
35 [USEPA 2014].

36
37 **Dose:** The amount of a substance available for interactions with metabolic processes or biologically significant
38 receptors after crossing the outer boundary of an organism [USEPA 2014].

39 **EC₅₀:** A combination of the effective concentration of a substance in the air and the exposure duration that is
40 predicted to cause an effect in 50% (one half) of the experimental test subjects.

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

**External Review Draft Document
March 2015**

- 1 **Emergency Response Planning Guidelines (ERPGs):** Maximum airborne concentrations below which nearly all
2 individuals can be exposed without experiencing health effects for 1-hour exposure. ERPGs are presented in a
3 tiered fashion with health effects ranging from mild or transient to serious, irreversible, or life threatening
4 (depending on the tier). ERPGs are developed by the American Industrial Hygiene Association [AIHA 2006].
- 5 **Endpoint:** An observable or measurable biological event or sign of toxicity ranging from biomarkers of initial
6 response to gross manifestations of clinical toxicity.
- 7 **Exposure:** Contact made between a chemical, physical, or biological agent and the outer boundary of an
8 organism. Exposure is quantified as the amount of an agent available at the exchange boundaries of the
9 organism (e.g., skin, lungs, gut).
- 10 **Extrapolation:** An estimate of the response at a point outside the range of the experimental data, generally
11 through the use of a mathematical model, although qualitative extrapolation may also be conducted. The
12 model may then be used to extrapolate to response levels that cannot be directly observed.
- 13 **Hazard:** A potential source of harm. Hazard is distinguished from risk, which is the probability of harm under
14 specific exposure conditions.
- 15 **Immediately Dangerous to Life or Health (IDLH) condition:** A situation that poses a threat of exposure to
16 airborne contaminants when that exposure is likely to cause death or immediate or delayed permanent adverse
17 health effects or prevent escape from such an environment [NIOSH 2004, 2013].
- 18 **IDLH value:** A maximum (airborne concentration) level above which only a highly reliable breathing apparatus
19 providing maximum worker protection is permitted [NIOSH 2004, 2013]. IDLH values are based on a 30-
20 minute exposure duration.
- 21 **LC₀₁:** The statistically determined concentration of a substance in the air that is estimated to cause death in 1% of
22 the test animals.
- 23 **LC₅₀:** The statistically determined concentration of a substance in the air that is estimated to cause death in 50%
24 (one half) of the test animals; median lethal concentration.
- 25 **LC_{LO}:** The lowest lethal concentration of a substance in the air reported to cause death, usually for a small
26 percentage of the test animals.
- 27
- 28 **LD₅₀:** The statistically determined lethal dose of a substance that is estimated to cause death in 50% (one half) of
29 the test animals; median lethal concentration.
- 30 **LD_{LO}:** The lowest dose of a substance that causes death, usually for a small percentage of the test animals.
- 31 **LEL:** The minimum concentration of a gas or vapor in air, below which propagation of a flame does not occur in
32 the presence of an ignition source.
- 33 **Lethality:** Pertaining to or causing death; fatal; referring to the deaths resulting from acute toxicity studies. May
34 also be used in lethality threshold to describe the point of sufficient substance concentration to begin to cause
35 death.
- 36 **Lowest Observed Adverse Effect Level (LOAEL):** The lowest tested dose or concentration of a substance that
37 has been reported to cause harmful (adverse) health effects in people or animals.

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

**External Review Draft Document
March 2015**

- 1 **Mode of Action:** The sequence of significant events and processes that describes how a substance causes a toxic
2 outcome. Mode of action is distinguished from the more detailed mechanism of action, which implies a more
3 detailed understanding on a molecular level.
- 4 **No Observed Adverse Effect Level (NOAEL):** The highest tested dose or concentration of a substance that has
5 been reported to cause no harmful (adverse) health effects in people or animals.
- 6 **Occupational Exposure Limit (OEL):** Workplace exposure recommendations developed by governmental
7 agencies and non-governmental organizations. OELs are intended to represent the maximum airborne
8 concentrations of a chemical substance below which workplace exposures should not cause adverse health
9 effects. OELs may apply to ceiling, short-term (STELs), or time-weighted average (TWA) limits.
- 10 **Peak Concentration:** Highest concentration of a substance recorded during a certain period of observation.
- 11 **Permissible Exposure Limit (PEL):** Occupational exposure limits developed by OSHA (29 CFR 1910.1000) or
12 MSHA (30 CFR 57.5001) for allowable occupational airborne exposure concentrations. PELs are legally
13 enforceable and may be designated as ceiling, STEL, or TWA limits.
- 14
- 15 **Point of Departure (POD):** The point on the dose–response curve from which dose extrapolation is initiated.
16 This point can be the lower bound on dose for an estimated incidence or a change in response level from a
17 concentration-response model (BMC), or it can be a NOAEL or LOAEL for an observed effect selected from
18 a dose evaluated in a health effects or toxicology study.
- 19 **RD₅₀:** The statistically determined concentration of a substance in the air that is estimated to cause a 50% (one
20 half) decrease in the respiratory rate.
- 21 **Recommended Exposure Limit (REL):** Recommended maximum exposure limit to prevent adverse health
22 effects based on human and animal studies and established for occupational (up to 10-hour shift, 40-hour
23 week) inhalation exposure by NIOSH. RELs may be designated as ceiling, STEL, or TWA limits.
- 24 **Short-Term Exposure Limit (STEL):** A worker’s 15-minute time-weighted average exposure concentration that
25 shall not be exceeded at any time during a work day.
- 26 **Target Organ:** Organ in which the toxic injury manifests in terms of dysfunction or overt disease.
- 27 **Threshold Limit Values (TLVs®):** Recommended guidelines for occupational exposure to airborne
28 contaminants, published by the American Conference of Governmental Industrial Hygienists (ACGIH). TLVs
29 refer to airborne concentrations of chemical substances and represent conditions under which it is believed
30 that nearly all workers may be repeatedly exposed, day after day, over a working lifetime, without adverse
31 effects. TLVs may be designated as ceiling, short-term (STELs), or 8-hr TWA limits.
- 32 **Time-Weighted Average (TWA):** A worker’s 8-hour (or up to 10-hour) time-weighted average exposure
33 concentration that shall not be exceeded during an 8-hour (or up to 10-hour) work shift of a 40-hour week.
34 The average concentration is weighted to take into account the duration of different exposure concentrations.
- 35 **Toxicity:** The degree to which a substance is able to cause an adverse effect on an exposed organism.
- 36
- 37 **Uncertainty Factors (UFs):** Mathematical adjustments applied to the POD when developing IDLH values. The
38 UFs for IDLH value derivation are determined by considering the study and effect used for the POD, with
39 further modification based on the overall database.

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

**External Review Draft Document
March 2015**

- 1 **Workplace Environmental Exposure Levels (WEELs):** Exposure levels developed by the American Industrial
2 Hygiene Association (AIHA) that provide guidance for protecting most workers from adverse health effects
3 related to occupational chemical exposures expressed as a TWA or ceiling limit.
4

DRAFT - DO NOT DISTRIBUTE OR CITE

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

1 **Acknowledgments**

2

3 This document was developed by the Education and Information Division (Paul Schulte, Ph.D., Director). G.
4 Scott Dotson, Ph.D., was the project officer and lead NIOSH author for this technical report. The basis for this
5 document was a report contracted by NIOSH and prepared by Andrew Maier, Ph.D., Ann Parker, and Lynn
6 Haber, Ph.D. (Toxicology Excellence for Risk Assessment [TERA]).

7

8 **Education and Information Division**

9 Devin Baker, M.Ed.

10 Charles L. Geraci, Ph.D.

11 Thomas J. Lentz, Ph.D.

12 Richard Niemeier, Ph.D.

13 Chris Sofge, Ph.D.

14

15 NIOSH would like to acknowledge the contribution of the following subject matter experts for their critical
16 technical review of this report.

17

18 Michael S. Bisesi, Ph.D., R.E.H.S., C.I.H., Senior Associate Dean for Academic Affairs; Director, Center
19 for Public Health Practice; Interim Chair & Associate Professor, Division of Environmental Health
20 Science, College of Public Health, Ohio State University

21

22 Mary A. Fox, Ph.D., Assistant Professor; Co-Director, Risk Sciences and Public Policy Institute;
23 Department of Health Policy and Management, Bloomberg School of Public Health, Johns Hopkins
24 University

1.0 Introduction

1.1 Overview of the IDLH Value for Furan

IDLH Value: 43 ppm (120 mg/m³)

Basis for IDLH Value: The IDLH value for furan is based on a rat LOAEL of 1,014 ppm for a 1- hour exposure reported by Terrill et al. [1989] for potential escape- impairing effects, such as respiratory distress. The 30- minute duration adjusted concentration for the LOAEL is 1,278 ppm. Applying a composite uncertainty factor of 30 to account for extrapolation from a concentration that causes an escape- impairing effect in animals, animal to human differences, and human variability, results in an IDLH value of **43 ppm**.

1.2 Purpose

This *IDLH Value Profile* presents (1) a brief summary of technical data associated with acute inhalation exposures to furan and (2) the rationale behind the Immediately Dangerous to Life or Health (IDLH) value for furan. IDLH values are developed based on the scientific rationale and logic outlined in the Current Intelligence Bulletin (CIB) 66: Derivation of Immediately Dangerous to Life or Health (IDLH) Values [NIOSH 2013]. As described in CIB 66, NIOSH performs in-depth literature searches to ensure that all relevant data from human and animal studies with acute exposures to the substance are identified. Information included in CIB 66 on the literature search includes pertinent databases, key terms, and guides for evaluating data quality and relevance for the establishment of an IDLH value. The information that is identified in the in-depth literature search is evaluated with general considerations that include description of studies (i.e., species, study protocol, exposure concentration and duration), health endpoint evaluated, and critical effect levels (e.g., NOAELs, LOAELs, LC₅₀ values). For furan, the in-depth literature search was conducted through February 2014.

1.3 General Substance Information

Chemical: Furan

CAS No: 110-00-9

Synonyms: 1,4-Epoxy-1,3-butadiene; Axole; Oxole; Divinylene oxide*

Chemical category: Oxygen heterocycles[†]

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

1 **Structural formula:**



7 Table 1 highlights selected physiochemical properties of furan relevant to IDLH conditions. Table 2 provides
8 alternative exposure guidelines for furan. Table 3 summarizes the Acute Exposure Guidelines Level (AEGLE)
9 values for furan.

10

11 **Table 1: Physiochemical Properties of Furan**

Property	Value
Molecular weight	68.07 [‡]
Chemical formula	C ₄ H ₄ O
Description	Colorless liquid
Odor	Strong ethereal; chloroform-like
Odor Threshold	Not available
UEL	14.3% [†]
LEL	2.3% [†]
Vapor pressure	600 mmHg at 25°C (77°F) [‡]
Flash point	-35.56°C (-32°F) [‡]
Ignition temperature	390°C (734°F) [‡]
Solubility	Sparingly soluble in water [†]

12 **Abbreviation:** °C – Celsius; °F – Fahrenheit; mmHg – millimeter mercury; LEL – lower explosive limit; UEL – upper explosive limit

13 * NLM [2014]

14 † IFA [2014]

15 ‡ HSDB [2014]

16

17 **Table 2: Alternative Exposure Guidelines for Furan**

Organization	Value
Original (SCP) IDLH value [NIOSH 2014]	None
NIOSH REL [2014]	Not available
OSHA PEL [2014]	Not available
ACGIH TLV [2014]	Not available
AIHA ERPG [2013]	Not available
AIHA WEEL [2013]	Worker exposure by all routes should be minimized to the fullest extent possible.

18 **Abbreviation:** ACGIH – American Conference of Governmental Industrial Hygienists; AIHA – American Industrial Hygiene
19 Association; ERPG – Emergency Response Preparedness Guidelines; IDLH – immediately dangerous to life or health; NIOSH – National
20 Institute for Occupational Safety and Health; OSHA – Occupational Safety and Health Administration; PEL – permissible exposure limit;
21 REL – recommended exposure limit; SCP – Standards Completion Program; WEEL – workplace environmental exposure level

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

**External Review Draft Document
March 2015**

Table 3: AEGL Values for Furan

Classification	10-min	30-min	1-hour	4-hour	8-hour	Endpoint [reference]
AEGL-1	NR	NR	NR	NR	NR	Not applicable
AEGL-2	12.0 ppm 33.0 mg/m ³	8.5 ppm 24.0 mg/m ³	6.8 ppm 19.0 mg/m ³	1.7 ppm 4.7 mg/m ³	0.85 ppm 2.4 mg/m ³	1,014 ppm for 1 hour: threshold for adverse effects in rats; clinical signs: although the severity of respiratory distress and increased secretory response not reported, no decrease in body weight occurred (Terrill et al. 1989)
AEGL-3	35.0 ppm 97.0 mg/m ³	24.0 ppm 67.0 mg/m ³	19.0 ppm 53.0 mg/m ³	4.8 ppm 13.0 mg/m ³	2.4 ppm 6.7 mg/m ³	2,851 ppm for 1 hour: threshold for lethality in rats (Terrill et al. 1989)

Abbreviation: AEGL – acute exposure guideline levels; mg/m³ – milligrams per cubic meter; min – minute; NR – not recommended due to insufficient data; ppm – parts per million

References: NAS [2010]

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

1 **2.0 Animal Toxicity Data**

2 Lethality studies were conducted in three different species. Koch and Cahan [1926] exposed a single rat and
3 rabbit via inhalation of furan from saturated cotton held over the nose. Both animals struggled; the rat died the
4 following day and the rabbit died shortly after collapsing from the exposure. There was no information available
5 on the exposure concentration because of the nonstandard exposure method. Egle and Gochberg [1979] reported
6 a 1-hour LC₅₀ of 42 ppm in mice exposed to furan vapor; no individual concentrations were reported and hypoxia
7 contributed to the mortality observed. In addition to the evaluation of lethality data, Terrill et al. [1989] also
8 evaluated non-lethal effects and reported a LOAEL of 1,014 ppm for a 1-hour exposure in rats, based on observed
9 respiratory distress. Symptoms of intoxication were seen at concentrations between the LOAEL and reported
10 lethal concentrations. These symptoms included increased respiratory rate, decreased blood pressure,
11 convulsions, complete anesthesia and death from asphyxia. In a 2-year NTP [1993] study, there was clear
12 evidence of carcinogenic activity in rats (based on liver neoplasms and leukemia) and in mice (based on liver and
13 adrenal gland tumors). However, no cancer potency values have been developed for furan.

14
15 Table 4 summarizes the LC data identified in animal studies and provides 30-minute equivalent derived values for
16 furan. Table 5 provides non-lethal data reported in animal studies with 30-minute equivalent derived values.
17 Information in these tables includes species of test animals, toxicological metrics (i.e., LC, NOAEL, LOAEL),
18 adjusted 30-minute concentration, and the justification for the composite uncertainty factors applied to calculate
19 the derived values.

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

External Review Draft Document
March 2015

1 **Table 4: Lethal Concentration Data for Furan**
2

Reference	Species (sex)	LC ₅₀ (ppm)	LC _{Lo} (ppm)	Time (min)	Adjusted 30-minute Concentration* (ppm)	Composite Uncertainty Factor	Derived Value (ppm)†
Terrill et al. [1989]	Rat (males)	3,398	--	60	4,281	100‡	43
Terrill et al. [1989]	Rat (females)	3,550	--	60	4,473	100‡	45
Terrill et al. [1989]	Rat (both sexes)	3,464	--	60	4,364	100‡	44

3
4 **Abbreviation:** LC – lethal concentration; LC₅₀ – median lethal concentration; LC_{Lo} – lowest concentration of a chemical that caused death in humans or animals; min – minute; ppm –
5 parts per million
6

7 *For exposures other than 30 minutes the ten Berge et al. [1986] relationship is used for duration adjustment ($C^n \times t = k$); no empirically estimated n values were available,
8 therefore the default values were used, n = 3 for exposures greater than 30 minutes and n = 1 for exposures less than 30 minutes.

9 †The derived value is the result of the adjusted 30-minute concentration divided by the composite uncertainty factor.

10 ‡ Composite uncertainty factor to account for adjustment of LC₅₀ values to LC₀₁ values, use of lethal concentration threshold in animals, interspecies differences and
11 human variability.
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

External Review Draft Document
March 2015

1 **Table 5: Non-lethal Concentration Data for Furan**
2

Reference	Species (reference)	NOAEL (ppm)	LOAEL (ppm)	Time (min)	Adjusted 30-minute Concentration* (ppm)	Composite Uncertainty Factor	Derived Value (ppm)†
Terrill et al. [1989] ⁺	Rat (both sexes)	--	1,014	60	1,278	30 [‡]	43

3 **Abbreviation:** NOAEL – no observed adverse effect level; min – minute; LOAEL – lowest observed adverse effect level; ppm – parts per million
4

5 *For exposures other than 30 minutes the ten Berge et al. [1986] relationship is used for duration adjustment ($C^n \times t = k$); no empirically estimated n values were available,
6 therefore the default values were used, n = 3 for exposures greater than 30 minutes and n = 1 for exposures less than 30 minutes.

7 †The derived value is the result of the adjusted 30-minute concentration divided by the composite uncertainty factor.

8 †Identified study is the primary basis of the IDLH value for furan.

9 ‡Composite uncertainty factor assigned to account for adjusting from a LOAEL to NOAEL, interspecies differences and human variability.

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

1 **3.0 Human Data**

2 No human studies for furan were found.

3 **4.0 Summary**

4 A single acute lethality study in the rat provides the only adequate toxicity data for development of an IDLH
5 value. The study reports a 1-hour LC₅₀ value of 3,464 ppm for both sexes combined [Terrill et al. 1989]. This
6 study also identified a LOAEL of 1,014 ppm for a 1-hour exposure for potential escape-impairing effects, such as
7 respiratory distress. This LOAEL is more appropriate as the basis of the IDLH value because it protects against
8 potential escape-impairing effects such as respiratory distress. The 30-minute duration adjusted concentration for
9 the LOAEL is 1,278 ppm. Applying a composite uncertainty factor of 30 to account for extrapolation from a
10 concentration that causes an escape-impairing effect in animals, animal to human differences, human variability
11 and potential cancer risks, results in an IDLH value of **43 ppm**.

12
13 It should be noted that the IDLH value for furan differs by more than an order of magnitude from the AEGL-2 30-
14 minute value, which is intended to represent an airborne concentration of a substance above which it is predicted
15 that the general population, including susceptible individuals, could experience irreversible or other serious, long-
16 lasting adverse health effects or an impaired ability to escape [NAS 2001]. The AEGL-2 value for furan is based
17 on a threshold effect (i.e., respiratory distress and increased secretory response) in male and female rats exposed
18 at 1,014 ppm for 1 hour [Terrill et al. 1989, NAS 2010]. NIOSH based the IDLH value for furan on the same data
19 set and endpoint. The differences between the AEGL-2 value for 30-minute and the IDLH value can be attributed
20 to the use of a much larger uncertainty factor during the derivation of the AEGL values. A total uncertainty factor
21 and modifying factor of 150 were applied to account for limited data, interspecies variability and human
22 variability to derive the AEGL-2. In comparison, NIOSH applied a composite uncertainty factor of 30 to account
23 for adjusting from a LOAEL to NOAEL, interspecies differences and human variability.

24

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

5.0 References

- ACGIH (American Conference of Governmental Industrial Hygienists) [2014]. Annual TLVs® (Threshold Limit Values) and BEIs® (Biological Exposure Indices) booklet. Cincinnati, OH: ACGIH Signature Publications.
- AIHA (American Industrial Hygiene Association) [2006]. AIHA Emergency Response Planning (ERP) Committee procedures and responsibilities. Fairfax, VA: American Industrial Hygiene Association, <https://www.aiha.org/get-involved/AIHAGuidelineFoundation/EmergencyResponsePlanningGuidelines/Documents/ERP-SOPs2006.pdf>.
- AIHA (American Industrial Hygiene Association) [2013]. Emergency response planning guidelines (ERPG) and workplace environmental exposure levels (WEEL) handbook. Fairfax, VA: American Industrial Hygiene Association Press, <https://www.aiha.org/get-involved/AIHAGuidelineFoundation/EmergencyResponsePlanningGuidelines/Pages/default.aspx>.
- Egle JL, Gochberg BJ [1979]. Respiratory retention and acute toxicity of furan. *Am Ind Hyg Assoc J* 40:310–314.
- HSDB (Hazardous Substances Data Bank) [2014]. HSDB. National Library of Medicine, Bethesda, MA, <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB>.
- IFA (Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung) [2014]. GESTIS: Database on hazardous substances, [http://gestis-en.itrust.de/nxt/gateway.dll/gestis_en/000000.xml?f=templates\\$fn=default.htm\\$vid=gestiseng:sdbeng\\$3.0](http://gestis-en.itrust.de/nxt/gateway.dll/gestis_en/000000.xml?f=templates$fn=default.htm$vid=gestiseng:sdbeng$3.0).
- Koch EM, Cahan MH [1926]. Physiologic action of furane. *J Pharmacol Exp Ther* 26:281–285.
- NAS (National Academy of Sciences) [2001]. Standing operating procedures for developing acute exposure guideline levels for hazardous chemicals. National Academy of Science, Committee on Toxicology, Board of Environmental Studies and Toxicology, National Research Council. Washington, DC: National Academy Press, <http://www.nap.edu/>.
- NAS [2010]. Acute Exposure Guideline Levels (AEGs) for selected airborne chemicals. Vol. 9. - Chapter 3: Furan. National Academy of Science, Committee on Toxicology and Committee on Acute Exposure Guideline Levels, Board on Environmental Studies and Toxicology, National Research Council. Washington, DC: National Academy Press, http://www.epa.gov/oppt/aegl/pubs/furan_final_volume9_2010.pdf. Data accessed: August 1, 2014.
- NIOSH (National Institute for Occupational Safety and Health) [2004]. NIOSH respirator selection logic. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 2005-100, <http://www.cdc.gov/niosh/docs/2005-100/pdfs/05-100.pdf>.
- NIOSH [2013]. NIOSH Current Intelligence Bulletin 66: Derivation of Immediately Dangerous to Life or Health (IDLH) Values. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 2014-100, <http://www.cdc.gov/niosh/docs/2014-100/>.

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.

**External Review Draft Document
March 2015**

- 1
2 NIOSH [2014]. NIOSH pocket guide to chemical hazards. Cincinnati, OH: U.S. Department of Health and
3 Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and
4 Health, DHHS (NIOSH) Publication No. 2005-149, <http://www.cdc.gov/niosh/npg/>.
5
6 NLM (National Library of Medicine) [2014]. ChemIDplus lite. National Library of Medicine, Bethesda,
7 Md, [http://chem.sis.nlm.nih.gov/chemidplus/ProxyServlet?objectHandle=DBMaint&actionHandle=default&next
8 Page=jsp/chemidlite/ResultScreen.jsp&TXTSUPERLISTID=0000110009](http://chem.sis.nlm.nih.gov/chemidplus/ProxyServlet?objectHandle=DBMaint&actionHandle=default&nextPage=jsp/chemidlite/ResultScreen.jsp&TXTSUPERLISTID=0000110009).
9
10 NTP (National Toxicology Program) [1993]. Toxicology and carcinogenesis studies of furan (CAS No. 110-00-9)
11 in F344/N rats and B6C3F1 mice (gavage studies). Research Triangle Park, NC: U.S. Department of Health and
12 Human Services, National Toxicology Program, NIH Publication No. 93-2857, NTP TR 402.
13
14 OSHA (Occupational Safety and Health Administration) [2014]. Occupational Safety and Health Standards. 29
15 CFR 1910. Subpart Z -- Toxic and Hazardous Substances. OSHA; Washington, DC,
16 http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=standards&p_id=9992.
17
18 ten Berge WF, Zwart A, Appelman LM [1986]. Concentration-time mortality response relationship of irritant and
19 systemically acting vapors and gases. *J Haz Mat* 13:301–309.
20
21 Terrill JB, Van Horn WE, Robinson D, Thomas DL [1989]. Acute inhalation toxicity of furan, 2 methylfuran,
22 furfuryl alcohol, and furfural in the rat. *Am Ind Hyg Assoc J* 50:A359–A361.
23
24 USEPA (United States Environmental Protection Agency) [2014]. Integrated Risk Information System (IRIS):
25 glossary. Washington, DC: U.S. Environmental Protection Agency, National Center for Environmental
26 Assessment, <http://www.epa.gov/iris/index.html>.

This information is distributed solely for the purpose of pre-dissemination peer review under applicable information quality guidelines. It has not been formally disseminated by the National Institute for Occupational Safety and Health. It does not represent and should not be construed to represent any agency determination or policy.