

# **Work-Related Lung Disease Surveillance Report 2007**

## **Respiratory Conditions by NORA Industrial Sector**

Division of Respiratory Disease Studies  
National Institute for Occupational Safety and Health

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
Centers for Disease Control and Prevention  
National Institute for Occupational Safety and Health

---

**This document is in the public domain and may be freely copied or reprinted.**

---

## **Disclaimer**

Mention of any company or product does not constitute endorsement by the National Institute for Occupational Safety and Health (NIOSH). In addition, citations to Web sites external to NIOSH do not constitute NIOSH endorsement of the sponsoring organizations or their programs or products. Furthermore, NIOSH is not responsible for the content of these Web sites.

## **Ordering Information**

To receive documents or other information about occupational safety and health topics, contact NIOSH at

Telephone: **1-800-CDC-INFO** (1-800-232-4636)

TTY: 1-888-232-6348

E-mail: [cdcinfo@cdc.gov](mailto:cdcinfo@cdc.gov)

or visit the NIOSH Web site at **[www.cdc.gov/niosh](http://www.cdc.gov/niosh)**.

For a monthly update on news at NIOSH, subscribe to *NIOSH eNews* by visiting **[www.cdc.gov/niosh/eNews](http://www.cdc.gov/niosh/eNews)**.

DHHS (NIOSH) Publication No. 2008-143b

**September 2008**

**SAFER • HEALTHIER • PEOPLE™**

# Table of Contents

## **Volume II: Respiratory Conditions by NORA Industrial Sector**

Section 1. Respiratory Conditions by NORA Industrial Sector.....	1
Section 2. NORA Agriculture, Forestry, and Fishing (AFF) Sector .....	25
Section 3. NORA Construction (CON) Sector .....	43
Section 4. NORA Healthcare and Social Assistance (HAS) Sector.....	63
Section 5. NORA Manufacturing (MNF) Sector .....	81
Section 6. NORA Mining (MIN) Sector .....	107
Section 7. NORA Services (SRV) Sector.....	129
Section 8. NORA Transportation, Warehousing, and Utilities (TWU) Sector .....	151
Section 9. NORA Wholesale and Retail Trade (TRD) Sector .....	171

## List of Tables and Figures

---

### Section 1. Respiratory Conditions by NORA Industrial Sector

Table 1-1. Asbestosis: Number and percent of deaths by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	3
Table 1-2. Asbestosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	4
Table 1-3. Coal workers’ pneumoconiosis: Number and percent of deaths by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999.....	5
Table 1-4. Coal workers’ pneumoconiosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	6
Table 1-5. Silicosis: Number and percent of deaths by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	7
Table 1-6. Silicosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	8
Table 1-7. Byssinosis: Number and percent of deaths by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	9
Table 1-8. Byssinosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	10
Table 1-9. Unspecified and other pneumoconioses: Number and percent of deaths by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	11
Table 1-10. Unspecified and other pneumoconioses: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	12
Table 1-11. All pneumoconioses: Number and percent of deaths by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	13
Table 1-12. All pneumoconioses: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999.....	14
Table 1-13. Malignant mesothelioma: Number and percent of deaths by NORA industrial sector, U.S. residents age 15 and over, selected states, 1999 .....	15
Table 1-14. Malignant mesothelioma: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states, 1999 .....	16
Table 1-15. Hypersensitivity pneumonitis: Number and percent of deaths by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999.....	17
Table 1-16. Hypersensitivity pneumonitis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	18
Table 1-17. Asthma: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	19
Table 1-18. Chronic obstructive pulmonary disease: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states, 1999.....	20

Table 1-19. Respiratory tuberculosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states and years, 1990–1999.....	21
Table 1-20. Lung cancer: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states, 1999.....	22
Table 1-21. Other interstitial pulmonary diseases: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states, 1999.....	23
Table 1-22. Pneumonia and Influenza: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by NORA industrial sector, U.S. residents age 15 and over, selected states, 1999.....	24

## Section 2. NORA Agriculture, Forestry, and Fishing (AFF) Sector

Table 2-1. NORA <i>agriculture, forestry, and fishing</i> sector: Number and percent of deaths with selected work-related respiratory condition, U.S. residents age 15 and over, selected states and years, 1990–1999.....	27
Table 2-2. NORA <i>agriculture, forestry, and fishing</i> sector: Proportionate mortality ratio (PMR) adjusted for age, sex, and race for selected work-related respiratory conditions, U.S. residents age 15 and over, selected states and years, 1990–1999.....	28
Table 2-3. NORA <i>agriculture, forestry, and fishing</i> sector and asbestosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	29
Table 2-4. NORA <i>agriculture, forestry, and fishing</i> sector and coal workers' pneumoconiosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	30
Table 2-5. NORA <i>agriculture, forestry, and fishing</i> sector and silicosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	31
Table 2-6. NORA <i>agriculture, forestry, and fishing</i> sector and byssinosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	32
Table 2-7. NORA <i>agriculture, forestry, and fishing</i> sector and unspecified and other pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	33
Table 2-8. NORA <i>agriculture, forestry, and fishing</i> sector and all pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	34
Table 2-9. NORA <i>agriculture, forestry, and fishing</i> sector and malignant mesothelioma: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states, 1999.....	35
Table 2-10. NORA <i>agriculture, forestry, and fishing</i> sector and hypersensitivity pneumonitis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	36

## List of Tables and Figures

---

Table 2-11. NORA <i>agriculture, forestry, and fishing</i> sector and hypersensitivity pneumonitis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	37
Table 2-12. NORA <i>agriculture, forestry, and fishing</i> sector and asthma: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	38
Table 2-13. NORA <i>agriculture, forestry, and fishing</i> sector and chronic obstructive pulmonary disease: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999 .....	39
Table 2-14. NORA <i>agriculture, forestry, and fishing</i> sector and respiratory tuberculosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	40
Table 2-15. NORA <i>agriculture, forestry, and fishing</i> sector and other interstitial pulmonary diseases: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states, 1999 .....	41
Table 2-16. NORA <i>agriculture, forestry, and fishing</i> sector and pneumonia and influenza: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states, 1999 .....	42

### Section 3. NORA Construction (CON) Sector

Table 3-1. NORA <i>construction</i> sector: Number and percent of deaths with selected work-related respiratory condition, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	45
Table 3-2. NORA <i>construction</i> sector: Proportionate mortality ratio (PMR) adjusted for age, sex, and race for selected work-related respiratory conditions, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	46
Table 3-3. NORA <i>construction</i> sector and asbestosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	47
Table 3-4. NORA <i>construction</i> sector and asbestosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	48
Table 3-5. NORA <i>construction</i> sector and coal workers' pneumoconiosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	49
Table 3-6. NORA <i>construction</i> sector and silicosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	50
Table 3-7. NORA <i>construction</i> sector and silicosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	51
Table 3-8. NORA <i>construction</i> sector and byssinosis: Most frequently recorded industries on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	52

Table 3-9. NORA <i>construction</i> sector and unspecified and other pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	53
Table 3-10. NORA <i>construction</i> sector and all pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	54
Table 3-11. NORA <i>construction</i> sector and all pneumoconioses: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	55
Table 3-12. NORA <i>construction</i> sector and malignant mesothelioma: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states, 1999.....	56
Table 3-13. NORA <i>construction</i> sector and malignant mesothelioma: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999.....	57
Table 3-14. NORA <i>construction</i> sector and hypersensitivity pneumonitis: Most frequently recorded industries on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	58
Table 3-15. NORA <i>construction</i> sector and chronic obstructive pulmonary disease: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999 .....	59
Table 3-16. NORA <i>construction</i> sector and respiratory tuberculosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	60
Table 3-17. NORA <i>construction</i> sector and lung cancer: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999.....	61
Table 3-18. NORA <i>construction</i> sector and pneumonia and influenza: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states, 1999.....	62

#### **Section 4. NORA Healthcare and Social Assistance (HAS) Sector**

Table 4-1. NORA <i>healthcare and social assistance</i> sector: Number and percent of deaths with selected work-related respiratory condition, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	65
Table 4-2. NORA <i>healthcare and social assistance</i> sector: Proportionate mortality ratio (PMR) adjusted for age, sex, and race for selected work-related respiratory conditions, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	66
Table 4-3. NORA <i>healthcare and social assistance</i> sector and asbestosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	67
Table 4-4. NORA <i>healthcare and social assistance</i> sector and coal workers' pneumoconiosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	68

## List of Tables and Figures

---

Table 4-5. NORA <i>healthcare and social assistance</i> sector and silicosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	69
Table 4-6. NORA <i>healthcare and social assistance</i> sector and byssinosis: Most frequently recorded industries on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	70
Table 4-7. NORA <i>healthcare and social assistance</i> sector and unspecified and other pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	71
Table 4-8. NORA <i>healthcare and social assistance</i> sector and all pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	72
Table 4-9. NORA <i>healthcare and social assistance</i> sector and malignant mesothelioma: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states, 1999.....	73
Table 4-10. NORA <i>healthcare and social assistance</i> sector and hypersensitivity pneumonitis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	74
Table 4-11. NORA <i>healthcare and social assistance</i> sector and asthma: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	75
Table 4-12. NORA <i>healthcare and social assistance</i> sector and chronic obstructive pulmonary disease: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999.....	76
Table 4-13. NORA <i>healthcare and social assistance</i> sector and respiratory tuberculosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	77
Table 4-14. NORA <i>healthcare and social assistance</i> sector and lung cancer: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states, 1999.....	78
Table 4-15. NORA <i>healthcare and social assistance</i> sector and other interstitial pulmonary diseases: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999 .....	79
Table 4-16. NORA <i>healthcare and social assistance</i> sector and pneumonia and influenza: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999 .....	80

## Section 5. NORA Manufacturing (MNF) Sector

Table 5-1. NORA <i>manufacturing</i> sector: Number and percent of deaths with selected work-related respiratory condition, U.S. residents age 15 and over, selected states and years, 1990–1999.....	83
Table 5-2. NORA <i>manufacturing</i> sector: Proportionate mortality ratio (PMR) adjusted for age, sex, and race for selected work-related respiratory conditions, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	84

---

Table 5-3. NORA <i>manufacturing</i> sector and asbestosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	85
Table 5-4. NORA <i>manufacturing</i> sector and asbestosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	86
Table 5-5. NORA <i>manufacturing</i> sector and coal workers’ pneumoconiosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	88
Table 5-6. NORA <i>manufacturing</i> sector and silicosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	89
Table 5-7. NORA <i>manufacturing</i> sector and silicosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	90
Table 5-8. NORA <i>manufacturing</i> sector and byssinosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	91
Table 5-9. NORA <i>manufacturing</i> sector and byssinosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	92
Table 5-10. NORA <i>manufacturing</i> sector and unspecified and other pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	93
Table 5-11. NORA <i>manufacturing</i> sector and unspecified and other pneumoconioses: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	94
Table 5-12. NORA <i>manufacturing</i> sector and all pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	95
Table 5-13. NORA <i>manufacturing</i> sector and all pneumoconioses: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	96
Table 5-14. NORA <i>manufacturing</i> sector and malignant mesothelioma: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states, 1999.....	97
Table 5-15. NORA <i>manufacturing</i> sector and malignant mesothelioma: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry, U.S. residents age 15 and over, selected states, 1999.....	98
Table 5-16. NORA <i>manufacturing</i> sector and hypersensitivity pneumonitis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	99

## List of Tables and Figures

---

Table 5-17. NORA <i>manufacturing</i> sector and asthma: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	100
Table 5-18. NORA <i>manufacturing</i> sector and chronic obstructive pulmonary disease: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999 .....	101
Table 5-19. NORA <i>manufacturing</i> sector and respiratory tuberculosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	102
Table 5-20. NORA <i>manufacturing</i> sector and lung cancer: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999.....	103
Table 5-21. NORA <i>manufacturing</i> sector and other interstitial pulmonary diseases: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999 .....	104
Table 5-22. NORA <i>manufacturing</i> sector and pneumonia and influenza: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states, 1999.....	105

### **Section 6. NORA Mining (MIN) Sector**

Table 6-1. NORA <i>mining</i> sector: Number and percent of deaths with selected work-related respiratory condition, U.S. residents age 15 and over, selected states and years, 1990–1999.....	109
Table 6-2. NORA <i>mining</i> sector: Proportionate mortality ratio (PMR) adjusted for age, sex, and race for selected work-related respiratory conditions, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	110
Table 6-3. NORA <i>mining</i> sector and asbestosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	111
Table 6-4. NORA <i>mining</i> sector and coal workers’ pneumoconiosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	112
Table 6-5. NORA <i>mining</i> sector and coal workers’ pneumoconiosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	113
Table 6-6. NORA <i>mining</i> sector and silicosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	114
Table 6-7. NORA <i>mining</i> sector and silicosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	115
Table 6-8. NORA <i>mining</i> sector and byssinosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	116
Table 6-9. NORA <i>mining</i> sector and unspecified and other pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	117

Table 6-10. NORA <i>mining</i> sector and unspecified and other pneumoconioses: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	118
Table 6-11. NORA <i>mining</i> sector and all pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	119
Table 6-12. NORA <i>mining</i> sector and all pneumoconioses: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	120
Table 6-13. NORA <i>mining</i> sector and malignant mesothelioma: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states, 1999 .....	122
Table 6-14. NORA <i>mining</i> sector and chronic obstructive pulmonary disease: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999 .....	123
Table 6-15. NORA <i>mining</i> sector and respiratory tuberculosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	124
Table 6-16. NORA <i>mining</i> sector and lung cancer: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999.....	125
Table 6-17. NORA <i>mining</i> sector and other interstitial pulmonary diseases: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	126
Table 6-18. NORA <i>mining</i> sector and pneumonia and influenza: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999.....	127

## Section 7. NORA Services (SRV) Sector

Table 7-1. NORA <i>services</i> sector: Number and percent of deaths with selected work-related respiratory condition, U.S. residents age 15 and over, selected states and years, 1990–1999.....	131
Table 7-2. NORA <i>services</i> sector: Proportionate mortality ratio (PMR) adjusted for age, sex, and race for selected work-related respiratory conditions, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	132
Table 7-3. NORA <i>services</i> sector and asbestosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	133
Table 7-4. NORA <i>services</i> sector and asbestosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	134
Table 7-5. NORA <i>services</i> sector and coal workers' pneumoconiosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	135

## List of Tables and Figures

---

Table 7-6. NORA <i>services</i> sector and silicosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	136
Table 7-7. NORA <i>services</i> sector and byssinosis: Most frequently recorded industries on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	137
Table 7-8. NORA <i>services</i> sector and unspecified and other pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	138
Table 7-9. NORA <i>services</i> sector and all pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	139
Table 7-10. NORA <i>services</i> sector and all pneumoconioses: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	140
Table 7-11. NORA <i>services</i> sector and malignant mesothelioma: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states, 1999.....	141
Table 7-12. NORA <i>services</i> sector and malignant mesothelioma: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states, 1999.....	142
Table 7-13. NORA <i>services</i> sector and hypersensitivity pneumonitis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	143
Table 7-14. NORA <i>services</i> sector and asthma: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	144
Table 7-15. NORA <i>services</i> sector and chronic obstructive pulmonary disease: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999 .....	145
Table 7-16. NORA <i>services</i> sector and respiratory tuberculosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	146
Table 7-17. NORA <i>services</i> sector and lung cancer: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999.....	147
Table 7-18. NORA <i>services</i> sector and other interstitial pulmonary diseases: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states, 1999.....	148
Table 7-19. NORA <i>services</i> sector and pneumonia and influenza: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states, 1999.....	149

### **Section 8. NORA Transportation, Warehousing, and Utilities (TWU) Sector**

Table 8-1. NORA <i>transportation, warehousing, and utilities</i> sector: Number and percent of deaths with selected work-related respiratory condition, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	153
---	-----

---

Table 8-2. NORA <i>transportation, warehousing, and utilities</i> sector: Proportionate mortality ratio (PMR) adjusted for age, sex, and race for selected work-related respiratory conditions, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	154
Table 8-3. NORA <i>transportation, warehousing, and utilities</i> sector and asbestosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	155
Table 8-4. NORA <i>transportation, warehousing, and utilities</i> sector and asbestosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	156
Table 8-5. NORA <i>transportation, warehousing, and utilities</i> sector and coal workers’ pneumoconiosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	157
Table 8-6. NORA <i>transportation, warehousing, and utilities</i> sector and silicosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	158
Table 8-7. NORA <i>transportation, warehousing, and utilities</i> sector and unspecified and other pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	159
Table 8-8. NORA <i>transportation, warehousing, and utilities</i> sector and all pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	160
Table 8-9. NORA <i>transportation, warehousing, and utilities</i> sector and all pneumoconioses: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	161
Table 8-10. NORA <i>transportation, warehousing, and utilities</i> sector and malignant mesothelioma: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states, 1999 .....	162
Table 8-11. NORA <i>transportation, warehousing, and utilities</i> sector and malignant mesothelioma: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry, U.S. residents age 15 and over, selected states, 1999 .....	163
Table 8-12. NORA <i>transportation, warehousing, and utilities</i> sector and hypersensitivity pneumonitis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	164
Table 8-13. NORA <i>transportation, warehousing, and utilities</i> sector and asthma: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	165
Table 8-14. NORA <i>transportation, warehousing, and utilities</i> sector and chronic obstructive pulmonary disease: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999.....	166
Table 8-15. NORA <i>transportation, warehousing, and utilities</i> sector and respiratory tuberculosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	167

## List of Tables and Figures

---

Table 8-16. NORA <i>transportation, warehousing, and utilities</i> sector and lung cancer: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999 .....	168
Table 8-17. NORA <i>transportation, warehousing, and utilities</i> sector and other interstitial pulmonary diseases: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999.....	169
Table 8-18. NORA <i>transportation, warehousing, and utilities</i> sector and pneumonia and influenza: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states, 1999 .....	170

### **Section 9. NORA Wholesale and Retail Trade (TRD) Sector**

Table 9-1. NORA <i>wholesale and retail trade</i> sector: Number and percent of deaths with selected work-related respiratory condition, U.S. residents age 15 and over, selected states and years, 1990–1999.....	173
Table 9-2. NORA <i>wholesale and retail trade</i> sector: Proportionate mortality ratio (PMR) adjusted for age, sex, and race for selected work-related respiratory conditions, U.S. residents age 15 and over, selected states and years, 1990–1999.....	174
Table 9-3. NORA <i>wholesale and retail trade</i> sector and asbestosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	175
Table 9-4. NORA <i>wholesale and retail trade</i> sector and asbestosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	176
Table 9-5. NORA <i>wholesale and retail trade</i> sector and coal workers' pneumoconiosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	177
Table 9-6. NORA <i>wholesale and retail trade</i> sector and silicosis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	178
Table 9-7. NORA <i>wholesale and retail trade</i> sector and silicosis: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	179
Table 9-8. NORA <i>wholesale and retail trade</i> sector and unspecified and other pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	180
Table 9-9. NORA <i>wholesale and retail trade</i> sector and all pneumoconioses: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999 .....	181
Table 9-10. NORA <i>wholesale and retail trade</i> sector and all pneumoconioses: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry, U.S. residents age 15 and over, selected states and years, 1990–1999.....	182
Table 9-11. NORA <i>wholesale and retail trade</i> sector and malignant mesothelioma: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states, 1999.....	183

---

Table 9-12. NORA <i>wholesale and retail trade</i> sector and hypersensitivity pneumonitis: Most frequently recorded industries and occupations on death certificate, U.S. residents age 15 and over, selected states and years, 1990–1999.....	184
Table 9-13. NORA <i>wholesale and retail trade</i> sector and asthma: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states and years, 1990–1999.....	185
Table 9-14. NORA <i>wholesale and retail trade</i> sector and chronic obstructive pulmonary disease: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states, 1999 .....	186
Table 9-15. NORA <i>wholesale and retail trade</i> sector and lung cancer: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by industry and occupation, U.S. residents age 15 and over, selected states, 1999.....	187
Table 9-16. NORA <i>wholesale and retail trade</i> sector and other interstitial pulmonary diseases: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states, 1999 .....	188
Table 9-17. NORA <i>wholesale and retail trade</i> sector and pneumonia and influenza: Proportionate mortality ratio (PMR) adjusted for age, sex, and race by occupation, U.S. residents age 15 and over, selected states, 1999.....	189