

Table I.4 - Weighted Percentage Distribution of Hired Crop Worker Injuries on the US Farms by Body Part Injured

| Body Part Injured    | 1999, 2002-2004 |             | 2008 - 2010 |             |
|----------------------|-----------------|-------------|-------------|-------------|
|                      | Percent         | 95% CI      | Percent     | 95% CI      |
| Head, face, neck     | 5.4             | 3.2 - 7.6   | 4.1         | 3.0 - 5.2   |
| Eye                  | 6.9             | 4.0 - 9.7   | 9.3         | 5.3 - 13.3  |
| Back                 | 24.5            | 17.3 - 31.7 | 26.8        | 19.3 - 34.3 |
| Shoulder, arm, elbow | 6.8             | 4.4 - 9.3   | 14.9        | 7.0 - 22.7  |
| Hand, wrist, finger  | 32.8            | 24.9 - 40.8 | 22.0        | 15.4 - 28.6 |
| Leg                  | 8.9             | 5.2 - 12.5  | 11.9        | 7.0 - 16.3  |
| Foot, ankle, toe     | 6.5             | 3.9 - 9.1   | 8.4         | 4.3 - 12.6  |
| All other            | 8.2             | 4.8 - 11.6  | 2.5         | 0.0 - 5.2   |

Data from the National Agricultural Workers Survey

Percents may not sum to 100 due to rounding

CI: Confidence interval