

Codebook for the Medications for Opioid Use Disorders (MOUD) Study

Contents

Codebook for Baseline Questionnaire	2
Codebook for 3-month Questionnaire	744
Codebook for 6-month Questionnaire	873
Codebook for 12-month Questionnaire	1004
Codebook for 18-month Questionnaire	1433

Codebook for Baseline Questionnaire

Data Set Name	Patient Baseline Data
Observations	1974
Variables	1635
Engine	V9
Created	09/20/2021 12:05:32

CID	
LABEL	Case id
TYPE	char
LENGTH	20
VARNUM	1

MAT_COUN	
LABEL	Type of index treatment
TYPE	num
LENGTH	8
VARNUM	2

MAT_COUN: Distribution	Value	n	%
methadone maintenance therapy	1	1209	61.2
buprenorphine (e.g. Suboxone, Probuphine, generic)	2	632	32.0
naltrexone (e.g. Vivitrol, Revia, generic)	3	46	2.3
counseling	4	87	4.4
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

responded	
LABEL	Flag for completing the survey
TYPE	num
LENGTH	8
VARNUM	3

responded: Distribution	Value	n	%
No	0	0	.
Yes	1	1974	100.0
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

surveylanguage	
LABEL	Language in which the survey was given
TYPE	num
LENGTH	8
VARNUM	4

surveylanguage: Distribution	Value	n	%
English	1	1958	99.2
Spanish	2	16	0.8
Undefined	U	0	.
		1974	100.0

survey	
LABEL	Survey time period
TYPE	num
LENGTH	8
VARNUM	5

survey: Distribution	Value	n	%
Baseline	1	1974	100.0
3 month	2	0	.
6 month	3	0	.
12 month	4	0	.
18 month	5	0	.
Undefined	U	0	.
		1974	100.0

newprotocol	
LABEL	Enrolled in the study after protocol changes on April 20, 2019
TYPE	num
LENGTH	8
VARNUM	6

newprotocol: Distribution	Value	n	%
No	0	511	25.9
Yes	1	1463	74.1

newprotocol: Distribution	Value	n	%
Undefined	U	0	.
		1974	100.0

daysfromtxstart30	
LABEL	Enrolled within 30 days from start of treatment
TYPE	num
LENGTH	8
VARNUM	7

daysfromtxstart30: Distribution	Value	n	%
No	0	1243	63.0
Yes	1	731	37.0
Undefined	U	0	.
		1974	100.0

daysfromtxstart60	
LABEL	Enrolled within 31-60 days from start of treatment
TYPE	num
LENGTH	8
VARNUM	8

daysfromtxstart60: Distribution	Value	n	%
No	0	1823	92.4
Yes	1	151	7.6
Undefined	U	0	.
		1974	100.0

daysfromtxstart90	
LABEL	Enrolled within 61-90 days from start of treatment
TYPE	num
LENGTH	8
VARNUM	9

daysfromtxstart90: Distribution	Value	n	%
No	0	1868	94.6
Yes	1	106	5.4
Undefined	U	0	.
		1974	100.0

daysfromtxstart91plus	
LABEL	Enrolled within 91 or more days from start of treatment
TYPE	num
LENGTH	8
VARNUM	10

daysfromtxstart91plus: Distribution	Value	n	%
No	0	988	50.1
Yes	1	986	49.9
Undefined	U	0	.
		1974	100.0

monthsenrolled	
LABEL	Months enrolled in the study
TYPE	num
LENGTH	8
VARNUM	11

monthsenrolled: Distribution	Value	n	%
0	0	1487	75.3
0.0333333	0.03333333	1	0.1
0.0666667	0.06666667	11	0.6
0.1	0.1	12	0.6
0.1333333	0.13333333	14	0.7
0.1666667	0.16666667	10	0.5
0.2	0.2	7	0.4
0.2333333	0.23333333	23	1.2
0.2666667	0.26666667	13	0.7
0.3	0.3	13	0.7

monthsenrolled: Distribution	Value	n	%
0.3333333	0.33333333	7	0.4
0.3666667	0.36666667	12	0.6
0.4	0.4	7	0.4
0.4333333	0.43333333	16	0.8
0.4666667	0.46666667	18	0.9
0.5	0.5	9	0.5
0.5333333	0.53333333	9	0.5
0.5666667	0.56666667	8	0.4
0.6	0.6	7	0.4
0.6333333	0.63333333	7	0.4
0.6666667	0.66666667	7	0.4
0.7	0.7	9	0.5
0.7333333	0.73333333	12	0.6
0.7666667	0.76666667	6	0.3
0.8	0.8	15	0.8
0.8333333	0.83333333	8	0.4
0.8666667	0.86666667	2	0.1
0.9	0.9	6	0.3
0.9333333	0.93333333	7	0.4
0.9666667	0.96666667	10	0.5
1	1	8	0.4
1.0333333	1.03333333	4	0.2
1.0666667	1.06666667	6	0.3
1.1	1.1	7	0.4
1.1333333	1.13333333	5	0.3
1.1666667	1.16666667	9	0.5
1.2	1.2	6	0.3
1.2333333	1.23333333	5	0.3
1.2666667	1.26666667	6	0.3
1.3	1.3	7	0.4
1.3333333	1.33333333	2	0.1
1.3666667	1.36666667	6	0.3
1.4	1.4	4	0.2
1.4333333	1.43333333	5	0.3
1.4666667	1.46666667	6	0.3
1.5	1.5	5	0.3
1.5333333	1.53333333	3	0.2
1.5666667	1.56666667	5	0.3

monthsenrolled: Distribution	Value	n	%
1.6	1.6	4	0.2
1.6333333	1.63333333	6	0.3
1.6666667	1.66666667	4	0.2
1.7	1.7	5	0.3
1.7333333	1.73333333	8	0.4
1.7666667	1.76666667	2	0.1
1.8	1.8	1	0.1
1.8333333	1.83333333	2	0.1
1.8666667	1.86666667	2	0.1
1.9	1.9	3	0.2
1.9333333	1.93333333	1	0.1
1.9666667	1.96666667	2	0.1
2	2	9	0.5
2.0666667	2.06666667	2	0.1
2.1333333	2.13333333	5	0.3
2.1666667	2.16666667	3	0.2
2.2	2.2	1	0.1
2.2333333	2.23333333	4	0.2
2.2666667	2.26666667	4	0.2
2.3	2.3	2	0.1
2.3333333	2.33333333	1	0.1
2.3666667	2.36666667	2	0.1
2.4	2.4	1	0.1
2.4333333	2.43333333	2	0.1
2.4666667	2.46666667	3	0.2
2.5	2.5	1	0.1
2.5333333	2.53333333	1	0.1
2.5666667	2.56666667	2	0.1
2.6	2.6	3	0.2
2.6333333	2.63333333	1	0.1
2.7	2.7	2	0.1
2.7333333	2.73333333	3	0.2
2.7666667	2.76666667	2	0.1
2.8	2.8	1	0.1
2.8666667	2.86666667	1	0.1
2.9333333	2.93333333	1	0.1
3	3	2	0.1
3.0333333	3.03333333	1	0.1

monthsenrolled: Distribution	Value	n	%
3.1	3.1	2	0.1
Undefined	U	0	.
		1974	100.0

anybup12	
LABEL	Received buprenorphine treatment other than index buprenorphine in the 12 months prior to baseline
TYPE	num
LENGTH	8
VARNUM	12

anybup12: Distribution	Value	n	%
No	0	1550	78.5
Yes	1	424	21.5
Undefined	U	0	.
		1974	100.0

anymmt12	
LABEL	Received methadone treatment other than index methadone in the 12 months prior to baseline
TYPE	num
LENGTH	8
VARNUM	13

anymmt12: Distribution	Value	n	%
No	0	1684	85.3
Yes	1	290	14.7
Undefined	U	0	.
		1974	100.0

anymoud12	
LABEL	Received any medications for opioid use disorder other than index treatment in the 12 months prior to baseline
TYPE	num
LENGTH	8
VARNUM	14

anymoud12: Distribution	Value	n	%
No	0	1278	64.7
Yes	1	696	35.3
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

anyntx12	
LABEL	Received naltrexone treatment other than index naltrexone in the 12 months prior to baselines
TYPE	num
LENGTH	8
VARNUM	15

anyntx12: Distribution	Value	n	%
No	0	1870	94.7
Yes	1	104	5.3
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

inanytx	
LABEL	Receiving any treatment for opioid use disorder
TYPE	num
LENGTH	8
VARNUM	16

inanytx: Distribution	Value	n	%
No	0	15	0.8
Yes	1	1959	99.2
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

currentbup	
LABEL	Currently receiving buprenorphine to treat opioid use disorder
TYPE	num

currentbup	
LENGTH	8
VARNUM	17

currentbup: Distribution	Value	n	%
No	0	1323	67.0
Yes	1	651	33.0
Undefined	U	0	.
		1974	100.0

currentcoun	
LABEL	Currently receiving counseling without medication to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	18

currentcoun: Distribution	Value	n	%
No	0	1914	97.0
Yes	1	60	3.0
Undefined	U	0	.
		1974	100.0

currentmmt	
LABEL	Currently receiving methadone to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	19

currentmmt: Distribution	Value	n	%
No	0	750	38.0
Yes	1	1224	62.0
Undefined	U	0	.
		1974	100.0

currentntx	
LABEL	Currently receiving naltrexone to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	20

currentntx: Distribution	Value	n	%
No	0	1888	95.6
Yes	1	86	4.4
Undefined	U	0	.
		1974	100.0

difftx	
LABEL	Currently receiving a treatment different than index treatment*
TYPE	num
LENGTH	8
VARNUM	21

*: If a patient received the same treatment in another facility, although it is not an index treatment, this treatment was not counted as a different treatment in this case.

difftx: Distribution	Value	n	%
No	0	1888	95.6
Yes	1	86	4.4
Undefined	U	0	.
		1974	100.0

endindextx	
LABEL	Ended index treatment
TYPE	num
LENGTH	8
VARNUM	22

endindextx: Distribution	Value	n	%
No	0	1943	98.4
Yes	1	31	1.6
Undefined	U	0	.
		1974	100.0

adverse	
LABEL	Experienced an adverse reaction to an opioid treatment medication (for the current or most recent treatment)
TYPE	num
LENGTH	8
VARNUM	23

adverse: Distribution	Value	n	%
No	0	1858	94.1
Yes	1	116	5.9
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

tookmeds	
LABEL	Usually took opioid treatment medication as directed by your doctor (for the current or most recent treatment)
TYPE	num
LENGTH	8
VARNUM	24

tookmeds: Distribution	Value	n	%
No	0	284	14.4
Yes	1	1690	85.6
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

indcoun	
LABEL	Received individual counseling while in index treatment
TYPE	num
LENGTH	8
VARNUM	25

indcoun: Distribution	Value	n	%
No	0	321	16.3
Yes	1	1653	83.7

indcoun: Distribution	Value	n	%
Undefined	U	0	.
		1974	100.0

grpcoun	
LABEL	Received group counseling while in index treatment
TYPE	num
LENGTH	8
VARNUM	26

grpcoun: Distribution	Value	n	%
No	0	728	36.9
Yes	1	1246	63.1
Undefined	U	0	.
		1974	100.0

peernav	
LABEL	Met with a peer navigator about once a month or more while in index treatment
TYPE	num
LENGTH	8
VARNUM	27

peernav: Distribution	Value	n	%
No	0	1351	68.4
Yes	1	623	31.6
Undefined	U	0	.
		1974	100.0

selfhelp90	
LABEL	Attended a self-help group in the past 90 days
TYPE	num
LENGTH	8
VARNUM	28

selfhelp90: Distribution	Value	n	%
No	0	1139	57.7
Yes	1	835	42.3
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

abstinent30ohf	
LABEL	Abstinent from using prescription opioids non-medically, heroin, and illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	29

abstinent30ohf: Distribution	Value	n	%
No	0	884	45.0
Yes	1	1082	55.0
Undefined	U	8	.
		<i>1974</i>	<i>100.0</i>

abstinent90ohfmb	
LABEL	Abstinent from using prescription opioids non-medically, opioid treatment medications non-medically, heroin, and illicitly-made fentanyl in the past 90 days
TYPE	num
LENGTH	8
VARNUM	30

abstinent90ohfmb: Distribution	Value	n	%
No	0	1135	57.7
Yes	1	832	42.3
Undefined	U	7	.
		<i>1974</i>	<i>100.0</i>

opuse30	
LABEL	Number of days used prescription opioids non-medically in the past 30 days
TYPE	num

opuse30	
LENGTH	8
VARNUM	31

opuse30: Distribution	Value	n	%
0	0	1516	77.1
1	1	50	2.5
2	2	48	2.4
3	3	33	1.7
4	4	19	1.0
5	5	23	1.2
6	6	8	0.4
7	7	14	0.7
8	8	4	0.2
9	9	1	0.1
10	10	16	0.8
11	11	2	0.1
12	12	9	0.5
14	14	5	0.3
15	15	30	1.5
16	16	1	0.1
18	18	1	0.1
19	19	2	0.1
20	20	31	1.6
21	21	2	0.1
22	22	3	0.2
23	23	2	0.1
24	24	2	0.1
25	25	13	0.7
26	26	2	0.1
27	27	3	0.2
28	28	5	0.3
29	29	2	0.1
30	30	119	6.1
Undefined	U	8	.
		<i>1974</i>	<i>100.0</i>

opuse30users	
LABEL	Among users, number of days used prescription opioids non-medically in the past 30 days
TYPE	num
LENGTH	8
VARNUM	32

opuse30users: Distribution	Value	n	%
1	1	50	11.1
2	2	48	10.7
3	3	33	7.3
4	4	19	4.2
5	5	23	5.1
6	6	8	1.8
7	7	14	3.1
8	8	4	0.9
9	9	1	0.2
10	10	16	3.6
11	11	2	0.4
12	12	9	2.0
14	14	5	1.1
15	15	30	6.7
16	16	1	0.2
18	18	1	0.2
19	19	2	0.4
20	20	31	6.9
21	21	2	0.4
22	22	3	0.7
23	23	2	0.4
24	24	2	0.4
25	25	13	2.9
26	26	2	0.4
27	27	3	0.7
28	28	5	1.1
29	29	2	0.4
30	30	119	26.4
Undefined	U	1524	.
		<i>1974</i>	<i>100.0</i>

opabst90	
LABEL	Abstinent from using prescription opioids non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	33

opabst90: Distribution	Value	n	%
No	0	631	32.1
Yes	1	1337	67.9
Undefined	U	6	.
		1974	100.0

fnuse30	
LABEL	Number of days used illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	34

fnuse30: Distribution	Value	n	%
0	0	1690	85.8
1	1	32	1.6
2	2	32	1.6
3	3	17	0.9
4	4	15	0.8
5	5	11	0.6
6	6	3	0.2
7	7	7	0.4
8	8	7	0.4
9	9	1	0.1
10	10	17	0.9
11	11	1	0.1
12	12	1	0.1
13	13	1	0.1
14	14	3	0.2
15	15	22	1.1
17	17	1	0.1
19	19	2	0.1

fnuse30: Distribution	Value	n	%
20	20	13	0.7
22	22	3	0.2
23	23	1	0.1
25	25	12	0.6
27	27	2	0.1
28	28	6	0.3
29	29	1	0.1
30	30	69	3.5
Undefined	U	4	.
		<i>1974</i>	<i>100.0</i>

fnuse30users	
LABEL	Among users, number of days used illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	35

fnuse30users: Distribution	Value	n	%
1	1	32	11.4
2	2	32	11.4
3	3	17	6.1
4	4	15	5.4
5	5	11	3.9
6	6	3	1.1
7	7	7	2.5
8	8	7	2.5
9	9	1	0.4
10	10	17	6.1
11	11	1	0.4
12	12	1	0.4
13	13	1	0.4
14	14	3	1.1
15	15	22	7.9
17	17	1	0.4
19	19	2	0.7
20	20	13	4.6
22	22	3	1.1

fnuse30users: Distribution	Value	n	%
23	23	1	0.4
25	25	12	4.3
27	27	2	0.7
28	28	6	2.1
29	29	1	0.4
30	30	69	24.6
Undefined	U	1694	.
		<i>1974</i>	<i>100.0</i>

fnabst90	
LABEL	Abstinent from using illicitly-made fentanyl in the past 90 days
TYPE	num
LENGTH	8
VARNUM	36

fnabst90: Distribution	Value	n	%
No	0	357	18.1
Yes	1	1615	81.9
Undefined	U	2	.
		<i>1974</i>	<i>100.0</i>

hruse30	
LABEL	Number of days used heroin in the past 30 days
TYPE	num
LENGTH	8
VARNUM	37

hruse30: Distribution	Value	n	%
0	0	1247	63.3
1	1	65	3.3
2	2	53	2.7
3	3	33	1.7
4	4	25	1.3
5	5	31	1.6
6	6	15	0.8
7	7	30	1.5

hruse30: Distribution	Value	n	%
8	8	9	0.5
9	9	3	0.2
10	10	29	1.5
11	11	1	0.1
12	12	5	0.3
13	13	2	0.1
14	14	7	0.4
15	15	37	1.9
16	16	1	0.1
17	17	3	0.2
18	18	4	0.2
19	19	1	0.1
20	20	42	2.1
21	21	1	0.1
22	22	7	0.4
23	23	2	0.1
24	24	1	0.1
25	25	36	1.8
26	26	2	0.1
27	27	7	0.4
28	28	16	0.8
29	29	12	0.6
30	30	242	12.3
Undefined	U	5	.
		1974	100.0

hruse30users	
LABEL	Among users, number of days used heroin in the past 30 days
TYPE	num
LENGTH	8
VARNUM	38

hruse30users: Distribution	Value	n	%
1	1	65	9.0
2	2	53	7.3
3	3	33	4.6
4	4	25	3.5

hruse30users: Distribution	Value	n	%
5	5	31	4.3
6	6	15	2.1
7	7	30	4.2
8	8	9	1.2
9	9	3	0.4
10	10	29	4.0
11	11	1	0.1
12	12	5	0.7
13	13	2	0.3
14	14	7	1.0
15	15	37	5.1
16	16	1	0.1
17	17	3	0.4
18	18	4	0.6
19	19	1	0.1
20	20	42	5.8
21	21	1	0.1
22	22	7	1.0
23	23	2	0.3
24	24	1	0.1
25	25	36	5.0
26	26	2	0.3
27	27	7	1.0
28	28	16	2.2
29	29	12	1.7
30	30	242	33.5
Undefined	U	1252	.
		1974	100.0

hrabst90	
LABEL	Abstinent from using heroin in the past 90 days
TYPE	num
LENGTH	8
VARNUM	39

hrabst90: Distribution	Value	n	%
No	0	886	45.0

hrabst90: Distribution	Value	n	%
Yes	1	1083	55.0
Undefined	U	5	.
		1974	100.0

mmbpabst90	
LABEL	Abstinent from using opioid treatment medications non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	40

mmbpabst90: Distribution	Value	n	%
No	0	347	17.6
Yes	1	1623	82.4
Undefined	U	4	.
		1974	100.0

diversionuse90	
LABEL	Frequency of using prescription opioids non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	41

diversionuse90: Distribution	Value	n	%
Never	1	1623	82.4
Less than once a week	2	134	6.8
Once a week	3	29	1.5
More than once a week	4	60	3.0
Almost every day of the week	5	124	6.3
Undefined	U	4	.
		1974	100.0

diversiongive	
LABEL	Frequency of giving away or selling methadone or buprenorphine that has been prescribed to you
TYPE	num

diversiongive	
LENGTH	8
VARNUM	42

diversiongive: Distribution	Value	n	%
Never	1	1667	84.7
Rarely	2	124	6.3
Sometimes	3	94	4.8
Often	4	54	2.7
Very often	5	30	1.5
Undefined	U	5	.
		1974	100.0

suoverdose	
LABEL	Number of drug overdoses in the past 90 days
TYPE	num
LENGTH	8
VARNUM	43

suoverdose: Distribution	Value	n	%
No	0	1777	92.2
Yes	1	151	7.8
Undefined	U	46	.
		1974	100.0

opoverdose	
LABEL	Number of overdoses due to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	44

opoverdose: Distribution	Value	n	%
No	0	1791	92.9
Yes	1	137	7.1
Undefined	U	46	.
		1974	100.0

edvisit	
LABEL	Had an emergency department visit in the past 90 days
TYPE	num
LENGTH	8
VARNUM	45

edvisit: Distribution	Value	n	%
No	0	1579	80.3
Yes	1	387	19.7
Undefined	U	8	.
		<i>1974</i>	<i>100.0</i>

opedvisit	
LABEL	Had an emergency department visit related to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	46

opedvisit: Distribution	Value	n	%
No	0	1784	90.7
Yes	1	182	9.3
Undefined	U	8	.
		<i>1974</i>	<i>100.0</i>

hospstay	
LABEL	Had a hospital stay in the past 90 days
TYPE	num
LENGTH	8
VARNUM	47

hospstay: Distribution	Value	n	%
No	0	1743	88.6
Yes	1	224	11.4
Undefined	U	7	.
		<i>1974</i>	<i>100.0</i>

ophospstay	
LABEL	Had a hospital stay related to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	48

ophospstay: Distribution	Value	n	%
No	0	1855	94.3
Yes	1	113	5.7
Undefined	U	6	.
		<i>1974</i>	<i>100.0</i>

pcp90	
LABEL	Visited a primary care provider in the past 90 days
TYPE	num
LENGTH	8
VARNUM	49

pcp90: Distribution	Value	n	%
No	0	966	49.0
Yes	1	1004	51.0
Undefined	U	4	.
		<i>1974</i>	<i>100.0</i>

HepCtest12m	
LABEL	Had a hepatitis C test in the past 12 months
TYPE	num
LENGTH	8
VARNUM	50

HepCtest12m: Distribution	Value	n	%
No	0	962	50.5
Yes	1	943	49.5

HepCtest12m: Distribution	Value	n	%
Undefined	U	69	.
		1974	100.0

hepcpositive	
LABEL	Had a positive hepatitis C test, among those tested in the past 12 months
TYPE	num
LENGTH	8
VARNUM	51

hepcpositive: Distribution	Value	n	%
No	0	642	70.9
Yes	1	264	29.1
Undefined	U	1068	.
		1974	100.0

HIVtest12m	
LABEL	Had a HIV test in the past 12 months
TYPE	num
LENGTH	8
VARNUM	52

HIVtest12m: Distribution	Value	n	%
No	0	932	49.0
Yes	1	970	51.0
Undefined	U	72	.
		1974	100.0

hivpositive	
LABEL	Had a positive HIV test, among those tested in the past 12 months
TYPE	num
LENGTH	8
VARNUM	53

hivpositive: Distribution	Value	n	%
No	0	929	98.4
Yes	1	15	1.6
Undefined	U	1030	.
		<i>1974</i>	<i>100.0</i>

mentalillness	
LABEL	Ever diagnosed with a mental illness
TYPE	num
LENGTH	8
VARNUM	54

mentalillness: Distribution	Value	n	%
No	0	698	35.4
Yes	1	1276	64.6
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

insurance	
LABEL	Health insurance status
TYPE	num
LENGTH	8
VARNUM	55

insurance: Distribution	Value	n	%
Health insurance	1	1654	83.8
No health insurance	2	320	16.2
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

healthins	
LABEL	Has health insurance
TYPE	num
LENGTH	8
VARNUM	56

healthins: Distribution	Value	n	%
No	0	320	16.2
Yes	1	1654	83.8
Undefined	U	0	.
		1974	100.0

nohealthins	
LABEL	Does not have health insurance
TYPE	num
LENGTH	8
VARNUM	57

nohealthins: Distribution	Value	n	%
No	0	1654	83.8
Yes	1	320	16.2
Undefined	U	0	.
		1974	100.0

sex	
LABEL	Sex
TYPE	num
LENGTH	8
VARNUM	58

sex: Distribution	Value	n	%
Male	1	912	46.2
Female	2	1062	53.8
Undefined	U	0	.
		1974	100.0

agecat	
LABEL	Age category
TYPE	num
LENGTH	8
VARNUM	59

agecat: Distribution	Value	n	%
18-24	1	120	6.1
25-34	2	651	33.0
35-44	3	574	29.1
45-54	4	374	18.9
55+	5	255	12.9
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

raceth	
LABEL	Race and ethnicity
TYPE	num
LENGTH	8
VARNUM	60

raceth: Distribution	Value	n	%
Black only, non-Hispanic	1	196	9.9
White only, non-Hispanic	2	1337	67.7
Other or mixed race, non-Hispanic	3	122	6.2
Hispanic, any race	4	319	16.2
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

education	
LABEL	Education categories
TYPE	num
LENGTH	8
VARNUM	61

education: Distribution	Value	n	%
Bachelors or graduate degree	1	139	7.0
Associate degree	2	122	6.2
Some college but no degree	3	447	22.6
Vocational/technical training or degree	4	166	8.4

education: Distribution	Value	n	%
High school diploma	5	694	35.2
No highschool diploma	6	406	20.6
No answer	7	0	.
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

educat	
LABEL	Education categories, simplified
TYPE	num
LENGTH	8
VARNUM	62

educat: Distribution	Value	n	%
No high school diploma	1	406	20.6
High school diploma	2	694	35.2
Some college or technical training	3	874	44.3
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

employed	
LABEL	Currently employed or self-employed
TYPE	num
LENGTH	8
VARNUM	63

employed: Distribution	Value	n	%
No	0	1425	72.2
Yes	1	549	27.8
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

socialsupportscore	
LABEL	Social support score from the Multidimensional Scale of Perceived Social Support
TYPE	num

socialsupportscore	
LENGTH	8
VARNUM	64

socialsupportscore: Distribution	Value	n	%
1	1	18	0.9
1.0833333	1.08333333	2	0.1
1.1666667	1.16666667	1	0.1
1.25	1.25	3	0.2
1.4166667	1.41666667	4	0.2
1.5	1.5	4	0.2
1.5833333	1.58333333	2	0.1
1.6666667	1.66666667	5	0.3
1.75	1.75	1	0.1
1.8333333	1.83333333	5	0.3
1.9166667	1.91666667	1	0.1
2	2	19	1.0
2.0833333	2.08333333	2	0.1
2.1666667	2.16666667	3	0.2
2.25	2.25	10	0.5
2.3333333	2.33333333	7	0.4
2.4166667	2.41666667	3	0.2
2.5	2.5	12	0.6
2.5833333	2.58333333	5	0.3
2.6666667	2.66666667	9	0.5
2.75	2.75	11	0.6
2.8333333	2.83333333	6	0.3
2.9166667	2.91666667	12	0.6
3	3	30	1.5
3.0833333	3.08333333	14	0.7
3.1666667	3.16666667	17	0.9
3.25	3.25	20	1.0
3.3333333	3.33333333	8	0.4
3.4166667	3.41666667	22	1.1
3.5	3.5	13	0.7
3.5833333	3.58333333	9	0.5
3.6666667	3.66666667	22	1.1
3.75	3.75	20	1.0

socialsupportscore: Distribution	Value	n	%
3.83333333	3.83333333	24	1.2
3.91666667	3.91666667	11	0.6
4	4	88	4.5
4.08333333	4.08333333	20	1.0
4.16666667	4.16666667	17	0.9
4.25	4.25	29	1.5
4.33333333	4.33333333	34	1.7
4.41666667	4.41666667	26	1.3
4.5	4.5	22	1.1
4.58333333	4.58333333	24	1.2
4.66666667	4.66666667	34	1.7
4.75	4.75	34	1.7
4.83333333	4.83333333	28	1.4
4.91666667	4.91666667	23	1.2
5	5	69	3.5
5.08333333	5.08333333	23	1.2
5.16666667	5.16666667	27	1.4
5.25	5.25	33	1.7
5.33333333	5.33333333	40	2.0
5.41666667	5.41666667	36	1.8
5.5	5.5	31	1.6
5.58333333	5.58333333	39	2.0
5.66666667	5.66666667	46	2.3
5.75	5.75	35	1.8
5.83333333	5.83333333	44	2.2
5.91666667	5.91666667	50	2.5
6	6	110	5.6
6.08333333	6.08333333	34	1.7
6.16666667	6.16666667	35	1.8
6.25	6.25	26	1.3
6.33333333	6.33333333	45	2.3
6.41666667	6.41666667	21	1.1
6.5	6.5	49	2.5
6.58333333	6.58333333	27	1.4
6.66666667	6.66666667	27	1.4
6.75	6.75	38	1.9
6.83333333	6.83333333	23	1.2

socialsupportscore: Distribution	Value	n	%
6.9166667	6.91666667	37	1.9
7	7	295	14.9
Undefined	U	0	.
		1974	100.0

socialsupportcat	
LABEL	Level of social support
TYPE	num
LENGTH	8
VARNUM	65

socialsupportcat: Distribution	Value	n	%
High social support	1	1171	59.3
Moderate social support	2	658	33.3
Low social support	3	145	7.3
Undefined	U	0	.
		1974	100.0

lowsocialsupport	
LABEL	Low social support
TYPE	num
LENGTH	8
VARNUM	66

lowsocialsupport: Distribution	Value	n	%
No	0	1171	59.3
Yes	1	803	40.7
Undefined	U	0	.
		1974	100.0

modsocialsupport	
LABEL	Moderate social support
TYPE	num

modsocialsupport	
LENGTH	8
VARNUM	67

modsocialsupport: Distribution	Value	n	%
No	0	658	33.3
Yes	1	1316	66.7
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

highsocialsupport	
LABEL	High social support
TYPE	num
LENGTH	8
VARNUM	68

highsocialsupport: Distribution	Value	n	%
No	0	145	7.3
Yes	1	1829	92.7
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

ace	
LABEL	Had one or more adverse childhood experience
TYPE	num
LENGTH	8
VARNUM	69

ace: Distribution	Value	n	%
Did not experience an adverse childhood event	0	265	13.4
Experienced an adverse childhood event	1	1709	86.6
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

hrqol	
LABEL	Health-related quality of life based on the EQ-5D-5L health utility values
TYPE	num
LENGTH	8
VARNUM	70

hrqol: Distribution	Value	n	%
0.037	0.037	1	0.1
0.064	0.064	1	0.1
0.079	0.079	1	0.1
0.097	0.097	1	0.1
0.129	0.129	1	0.1
0.131	0.131	1	0.1
0.135	0.135	1	0.1
0.154	0.154	1	0.1
0.165	0.165	2	0.1
0.177	0.177	1	0.1
0.181	0.181	1	0.1
0.189	0.189	1	0.1
0.192	0.192	1	0.1
0.202	0.202	3	0.2
0.204	0.204	3	0.2
0.214	0.214	2	0.1
0.217	0.217	1	0.1
0.223	0.223	1	0.1
0.228	0.228	1	0.1
0.236	0.236	3	0.2
0.24	0.24	1	0.1
0.244	0.244	1	0.1
0.254	0.254	4	0.2
0.255	0.255	2	0.1
0.256	0.256	1	0.1
0.257	0.257	1	0.1
0.266	0.266	1	0.1
0.267	0.267	1	0.1
0.27	0.27	1	0.1
0.271	0.271	3	0.2
0.273	0.273	1	0.1

hrqol: Distribution	Value	n	%
0.274	0.274	1	0.1
0.277	0.277	1	0.1
0.283	0.283	1	0.1
0.289	0.289	3	0.2
0.29	0.29	1	0.1
0.291	0.291	1	0.1
0.292	0.292	3	0.2
0.293	0.293	1	0.1
0.301	0.301	1	0.1
0.303	0.303	3	0.2
0.307	0.307	3	0.2
0.308	0.308	1	0.1
0.309	0.309	1	0.1
0.314	0.314	1	0.1
0.316	0.316	1	0.1
0.317	0.317	1	0.1
0.318	0.318	1	0.1
0.322	0.322	2	0.1
0.323	0.323	4	0.2
0.329	0.329	1	0.1
0.33	0.33	1	0.1
0.333	0.333	1	0.1
0.335	0.335	1	0.1
0.337	0.337	1	0.1
0.34	0.34	1	0.1
0.342	0.342	2	0.1
0.344	0.344	1	0.1
0.353	0.353	2	0.1
0.355	0.355	1	0.1
0.357	0.357	1	0.1
0.358	0.358	3	0.2
0.36	0.36	1	0.1
0.367	0.367	1	0.1
0.369	0.369	3	0.2
0.372	0.372	2	0.1
0.373	0.373	1	0.1
0.374	0.374	1	0.1
0.377	0.377	1	0.1

hrqol: Distribution	Value	n	%
0.378	0.378	3	0.2
0.381	0.381	1	0.1
0.385	0.385	1	0.1
0.386	0.386	1	0.1
0.388	0.388	1	0.1
0.389	0.389	5	0.3
0.393	0.393	4	0.2
0.394	0.394	3	0.2
0.396	0.396	1	0.1
0.397	0.397	4	0.2
0.398	0.398	5	0.3
0.403	0.403	3	0.2
0.404	0.404	2	0.1
0.41	0.41	2	0.1
0.412	0.412	8	0.4
0.413	0.413	1	0.1
0.415	0.415	1	0.1
0.416	0.416	1	0.1
0.418	0.418	1	0.1
0.419	0.419	1	0.1
0.421	0.421	1	0.1
0.422	0.422	5	0.3
0.425	0.425	2	0.1
0.426	0.426	6	0.3
0.429	0.429	3	0.2
0.432	0.432	2	0.1
0.435	0.435	1	0.1
0.437	0.437	1	0.1
0.439	0.439	1	0.1
0.441	0.441	1	0.1
0.442	0.442	2	0.1
0.443	0.443	1	0.1
0.445	0.445	1	0.1
0.446	0.446	4	0.2
0.447	0.447	2	0.1
0.45	0.45	2	0.1
0.452	0.452	1	0.1
0.455	0.455	3	0.2

hrqol: Distribution	Value	n	%
0.46	0.46	4	0.2
0.461	0.461	2	0.1
0.463	0.463	2	0.1
0.465	0.465	1	0.1
0.467	0.467	3	0.2
0.468	0.468	3	0.2
0.474	0.474	4	0.2
0.475	0.475	1	0.1
0.477	0.477	5	0.3
0.48	0.48	2	0.1
0.482	0.482	5	0.3
0.485	0.485	1	0.1
0.486	0.486	1	0.1
0.488	0.488	3	0.2
0.49	0.49	1	0.1
0.491	0.491	1	0.1
0.495	0.495	6	0.3
0.497	0.497	1	0.1
0.499	0.499	6	0.3
0.5	0.5	2	0.1
0.501	0.501	2	0.1
0.502	0.502	14	0.7
0.506	0.506	10	0.5
0.509	0.509	1	0.1
0.511	0.511	8	0.4
0.514	0.514	1	0.1
0.515	0.515	2	0.1
0.517	0.517	22	1.1
0.518	0.518	2	0.1
0.522	0.522	1	0.1
0.523	0.523	6	0.3
0.524	0.524	9	0.5
0.526	0.526	8	0.4
0.527	0.527	2	0.1
0.529	0.529	1	0.1
0.53	0.53	2	0.1
0.531	0.531	1	0.1
0.532	0.532	2	0.1

hrqol: Distribution	Value	n	%
0.537	0.537	2	0.1
0.539	0.539	1	0.1
0.54	0.54	1	0.1
0.544	0.544	8	0.4
0.545	0.545	1	0.1
0.547	0.547	1	0.1
0.55	0.55	18	0.9
0.551	0.551	1	0.1
0.561	0.561	1	0.1
0.562	0.562	1	0.1
0.569	0.569	1	0.1
0.57	0.57	2	0.1
0.574	0.574	2	0.1
0.576	0.576	1	0.1
0.581	0.581	2	0.1
0.584	0.584	4	0.2
0.586	0.586	1	0.1
0.59	0.59	1	0.1
0.591	0.591	4	0.2
0.593	0.593	6	0.3
0.597	0.597	7	0.4
0.598	0.598	4	0.2
0.599	0.599	1	0.1
0.601	0.601	5	0.3
0.604	0.604	1	0.1
0.605	0.605	3	0.2
0.606	0.606	12	0.6
0.612	0.612	1	0.1
0.613	0.613	3	0.2
0.616	0.616	7	0.4
0.62	0.62	8	0.4
0.624	0.624	1	0.1
0.626	0.626	1	0.1
0.628	0.628	2	0.1
0.63	0.63	8	0.4
0.632	0.632	4	0.2
0.634	0.634	6	0.3
0.635	0.635	2	0.1

hrqol: Distribution	Value	n	%
0.637	0.637	1	0.1
0.638	0.638	8	0.4
0.639	0.639	3	0.2
0.64	0.64	1	0.1
0.641	0.641	2	0.1
0.643	0.643	6	0.3
0.644	0.644	3	0.2
0.645	0.645	2	0.1
0.647	0.647	11	0.6
0.648	0.648	4	0.2
0.65	0.65	1	0.1
0.654	0.654	14	0.7
0.659	0.659	15	0.8
0.661	0.661	36	1.8
0.662	0.662	5	0.3
0.663	0.663	8	0.4
0.666	0.666	2	0.1
0.669	0.669	30	1.5
0.67	0.67	1	0.1
0.671	0.671	1	0.1
0.673	0.673	1	0.1
0.676	0.676	1	0.1
0.678	0.678	3	0.2
0.682	0.682	5	0.3
0.689	0.689	1	0.1
0.69	0.69	1	0.1
0.692	0.692	3	0.2
0.693	0.693	2	0.1
0.694	0.694	3	0.2
0.695	0.695	3	0.2
0.7	0.7	42	2.1
0.703	0.703	3	0.2
0.708	0.708	6	0.3
0.709	0.709	1	0.1
0.71	0.71	2	0.1
0.712	0.712	2	0.1
0.714	0.714	2	0.1
0.716	0.716	3	0.2

hrqol: Distribution	Value	n	%
0.719	0.719	11	0.6
0.723	0.723	7	0.4
0.725	0.725	1	0.1
0.728	0.728	17	0.9
0.732	0.732	8	0.4
0.734	0.734	1	0.1
0.735	0.735	2	0.1
0.738	0.738	1	0.1
0.741	0.741	16	0.8
0.744	0.744	9	0.5
0.748	0.748	3	0.2
0.756	0.756	12	0.6
0.757	0.757	1	0.1
0.761	0.761	2	0.1
0.768	0.768	21	1.1
0.771	0.771	4	0.2
0.774	0.774	16	0.8
0.777	0.777	16	0.8
0.778	0.778	8	0.4
0.78	0.78	18	0.9
0.781	0.781	5	0.3
0.782	0.782	1	0.1
0.783	0.783	10	0.5
0.784	0.784	8	0.4
0.786	0.786	12	0.6
0.79	0.79	21	1.1
0.791	0.791	1	0.1
0.796	0.796	8	0.4
0.797	0.797	1	0.1
0.8	0.8	81	4.1
0.803	0.803	1	0.1
0.806	0.806	70	3.6
0.809	0.809	87	4.4
0.81	0.81	5	0.3
0.813	0.813	7	0.4
0.816	0.816	1	0.1
0.818	0.818	2	0.1
0.82	0.82	124	6.3

hrqol: Distribution	Value	n	%
0.824	0.824	1	0.1
0.825	0.825	2	0.1
0.826	0.826	12	0.6
0.827	0.827	30	1.5
0.828	0.828	1	0.1
0.83	0.83	3	0.2
0.833	0.833	1	0.1
0.835	0.835	7	0.4
0.84	0.84	3	0.2
0.844	0.844	96	4.9
0.846	0.846	5	0.3
0.853	0.853	1	0.1
0.854	0.854	1	0.1
0.861	0.861	61	3.1
0.876	0.876	138	7.0
0.88	0.88	8	0.4
0.888	0.888	1	0.1
1	1	258	13.2
U	U	14	.
-0.109	-0.109	1	0.1
		1974	100.0

transportation	
LABEL	Usual mode of transportation to your appointments
TYPE	num
LENGTH	8
VARNUM	71

transportation: Distribution	Value	n	%
Usually drive a car to treatment site	1	742	37.6
Usually take public transportation or a taxi to treatment site	2	768	38.9
Other transportation to treatment site	3	464	23.5
Undefined	U	0	.
		1974	100.0

region	
LABEL	Region Where The Treatment Facility Is Located
TYPE	num
LENGTH	8
VARNUM	72

region: Distribution	Value	n	%
Northeast	1	295	14.9
Midwest	2	388	19.7
South	3	784	39.7
West	4	507	25.7
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

indexstatus	
LABEL	Based on previous questionnaires, is the client still receiving the index treatment?
TYPE	num
LENGTH	8
VARNUM	73

indexstatus: Distribution	Value	n	%
Yes	1	1974	100.0
No	2	0	.
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

SS2	
LABEL	Are you still receiving your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	74

SS2: Distribution	Value	n	%
Yes	1	1943	98.4
No	2	31	1.6

SS2: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

SS4	
LABEL	Why did you stop receiving your INDEX treatment? (If you have multiple reasons, select the most important reason.)
TYPE	num
LENGTH	8
VARNUM	75

SS4: Distribution	Value	n	%
I completed my INDEX treatment	1	3	10.0
I voluntarily stopped my INDEX treatment	2	8	26.7
I continued my [MAT_COUN] treatment at a different facility	3	7	23.3
I am still receiving treatment for my opioid addiction at [FACILITY], but I am no longer receiving [MAT_COUN]	4	4	13.3
I was involuntarily discharged from my INDEX treatment program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify)	6	8	26.7
No response	N	1	.
Logical skip	S	1943	.
		1974	100.0

SS5_1	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? The program took up too much of my time?
TYPE	num
LENGTH	8
VARNUM	76

SS5_1: Distribution	Value	n	%
No	0	27	93.1
Yes	1	2	6.9
No response	N	2	.
Logical skip	S	1943	.
		<i>1974</i>	<i>100.0</i>

SS5_3	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? My insurance ran out?
TYPE	num
LENGTH	8
VARNUM	77

SS5_3: Distribution	Value	n	%
No	0	27	93.1
Yes	1	2	6.9
No response	N	2	.
Logical skip	S	1943	.
		<i>1974</i>	<i>100.0</i>

SS5_4	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I could not find a way to pay for it?
TYPE	num
LENGTH	8
VARNUM	78

SS5_4: Distribution	Value	n	%
No	0	25	86.2
Yes	1	4	13.8
No response	N	2	.
Logical skip	S	1943	.
		<i>1974</i>	<i>100.0</i>

SS5_5	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not have reliable transportation?
TYPE	num
LENGTH	8
VARNUM	79

SS5_5: Distribution	Value	n	%
No	0	18	62.1
Yes	1	11	37.9
No response	N	2	.
Logical skip	S	1943	.
		1974	100.0

SS5_6	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I got sick and could not make appointments?
TYPE	num
LENGTH	8
VARNUM	80

SS5_6: Distribution	Value	n	%
No	0	27	93.1
Yes	1	2	6.9
No response	N	2	.
Logical skip	S	1943	.
		1974	100.0

SS5_7	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not think the treatment was doing any good?
TYPE	num
LENGTH	8
VARNUM	81

SS5_7: Distribution	Value	n	%
No	0	27	93.1

SS5_7: Distribution	Value	n	%
Yes	1	2	6.9
No response	N	2	.
Logical skip	S	1943	.
		1974	100.0

SS5_8	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not need the treatment anymore?
TYPE	num
LENGTH	8
VARNUM	82

SS5_8: Distribution	Value	n	%
No	0	25	86.2
Yes	1	4	13.8
No response	N	2	.
Logical skip	S	1943	.
		1974	100.0

SS5_9	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not like the people?
TYPE	num
LENGTH	8
VARNUM	83

SS5_9: Distribution	Value	n	%
No	0	27	93.1
Yes	1	2	6.9
No response	N	2	.
Logical skip	S	1943	.
		1974	100.0

SS5_10	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I relapsed?

SS5_10	
TYPE	num
LENGTH	8
VARNUM	84

SS5_10: Distribution	Value	n	%
No	0	24	82.8
Yes	1	5	17.2
No response	N	2	.
Logical skip	S	1943	.
		1974	100.0

SS5_12	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I moved too far away?
TYPE	num
LENGTH	8
VARNUM	85

SS5_12: Distribution	Value	n	%
No	0	26	89.7
Yes	1	3	10.3
No response	N	2	.
Logical skip	S	1943	.
		1974	100.0

SS5_13	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? None of these apply?
TYPE	num
LENGTH	8
VARNUM	86

SS5_13: Distribution	Value	n	%
No	0	23	79.3
Yes	1	6	20.7
No response	N	2	.

SS5_13: Distribution	Value	n	%
Logical skip	S	1943	.
		1974	100.0

SS6A	
LABEL	How important were the following reasons for starting your INDEX treatment? I believed I had to get treatment.
TYPE	num
LENGTH	8
VARNUM	87

SS6A: Distribution	Value	n	%
Very important	1	1723	88.1
Somewhat important	2	166	8.5
Not important	3	66	3.4
No response	N	19	.
Logical skip	S	0	.
		1974	100.0

SS6B	
LABEL	How important were the following reasons for starting your INDEX treatment? My employer believed I had to get treatment.
TYPE	num
LENGTH	8
VARNUM	88

SS6B: Distribution	Value	n	%
Very important	1	358	18.5
Somewhat important	2	217	11.2
Not important	3	1362	70.3
No response	N	37	.
Logical skip	S	0	.
		1974	100.0

SS6C	
LABEL	How important were the following reasons for starting your INDEX treatment? My friends/family believed I had to get treatment.

SS6C	
TYPE	num
LENGTH	8
VARNUM	89

SS6C: Distribution	Value	n	%
Very important	1	1242	63.9
Somewhat important	2	393	20.2
Not important	3	308	15.9
No response	N	31	.
Logical skip	S	0	.
		1974	100.0

SS6D	
LABEL	How important were the following reasons for starting your INDEX treatment? I failed at getting off drugs on my own.
TYPE	num
LENGTH	8
VARNUM	90

SS6D: Distribution	Value	n	%
Very important	1	1513	77.6
Somewhat important	2	284	14.6
Not important	3	152	7.8
No response	N	25	.
Logical skip	S	0	.
		1974	100.0

SS6E	
LABEL	How important were the following reasons for starting your INDEX treatment? I found the type of treatment I wanted.
TYPE	num
LENGTH	8
VARNUM	91

SS6E: Distribution	Value	n	%
Very important	1	1518	77.7

SS6E: Distribution	Value	n	%
Somewhat important	2	363	18.6
Not important	3	73	3.7
No response	N	20	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS6F	
LABEL	How important were the following reasons for starting your INDEX treatment? There was an opening in the facility I wanted.
TYPE	num
LENGTH	8
VARNUM	92

SS6F: Distribution	Value	n	%
Very important	1	1270	65.3
Somewhat important	2	367	18.9
Not important	3	309	15.9
No response	N	28	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS6G	
LABEL	How important were the following reasons for starting your INDEX treatment? I had transportation I needed.
TYPE	num
LENGTH	8
VARNUM	93

SS6G: Distribution	Value	n	%
Very important	1	1206	61.8
Somewhat important	2	363	18.6
Not important	3	384	19.7
No response	N	21	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS6I	
LABEL	How important were the following reasons for starting your INDEX treatment? Treatment was close enough to me.
TYPE	num
LENGTH	8
VARNUM	94

SS6I: Distribution	Value	n	%
Very important	1	1157	59.3
Somewhat important	2	512	26.2
Not important	3	282	14.5
No response	N	23	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS6J	
LABEL	How important were the following reasons for starting your INDEX treatment? Treatment was covered under my health care plan.
TYPE	num
LENGTH	8
VARNUM	95

SS6J: Distribution	Value	n	%
Very important	1	1460	74.8
Somewhat important	2	202	10.3
Not important	3	290	14.9
No response	N	22	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS6K	
LABEL	How important were the following reasons for starting your INDEX treatment? I could afford it.
TYPE	num
LENGTH	8
VARNUM	96

SS6K: Distribution	Value	n	%
Very important	1	1294	66.6
Somewhat important	2	317	16.3
Not important	3	331	17.0
No response	N	32	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS6L	
LABEL	How important were the following reasons for starting your INDEX treatment? I decided I could not handle my addiction on my own.
TYPE	num
LENGTH	8
VARNUM	97

SS6L: Distribution	Value	n	%
Very important	1	1682	86.3
Somewhat important	2	195	10.0
Not important	3	72	3.7
No response	N	25	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS6M	
LABEL	How important were the following reasons for starting your INDEX treatment? I overdosed and was frightened for my life.
TYPE	num
LENGTH	8
VARNUM	98

SS6M: Distribution	Value	n	%
Very important	1	705	36.4
Somewhat important	2	372	19.2
Not important	3	860	44.4
No response	N	37	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS6N	
LABEL	How important were the following reasons for starting your INDEX treatment? I hit rock bottom.
TYPE	num
LENGTH	8
VARNUM	99

SS6N: Distribution	Value	n	%
Very important	1	1390	71.5
Somewhat important	2	359	18.5
Not important	3	195	10.0
No response	N	30	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS6O	
LABEL	How important were the following reasons for starting your INDEX treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms.
TYPE	num
LENGTH	8
VARNUM	100

SS6O: Distribution	Value	n	%
Very important	1	873	45.0
Somewhat important	2	478	24.6
Not important	3	590	30.4
No response	N	33	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS6P	
LABEL	How important were the following reasons for starting your INDEX treatment? My doctor recommended that I get treatment.
TYPE	num
LENGTH	8
VARNUM	101

SS6P: Distribution	Value	n	%
Very important	1	631	32.6
Somewhat important	2	385	19.9
Not important	3	922	47.6
No response	N	36	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS8_1	
LABEL	Who recommended that you go to [FACILITY] to get your INDEX treatment? I picked it myself?
TYPE	num
LENGTH	8
VARNUM	102

SS8_1: Distribution	Value	n	%
No	0	560	28.4
Yes	1	1412	71.6
No response	N	2	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS8_2	
LABEL	Who recommended that you go to [FACILITY] to get your INDEX treatment? Friends or family members?
TYPE	num
LENGTH	8
VARNUM	103

SS8_2: Distribution	Value	n	%
No	0	1381	70.0
Yes	1	591	30.0
No response	N	2	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS8_3	
LABEL	Who recommended that you go to [FACILITY] to get your INDEX treatment? Alcohol/drug abuse care provider?
TYPE	num
LENGTH	8
VARNUM	104

SS8_3: Distribution	Value	n	%
No	0	1812	91.9
Yes	1	160	8.1
No response	N	2	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS8_4	
LABEL	Who recommended that you go to [FACILITY] to get your INDEX treatment? Primary health care provider?
TYPE	num
LENGTH	8
VARNUM	105

SS8_4: Distribution	Value	n	%
No	0	1837	93.2
Yes	1	135	6.8
No response	N	2	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS8_5	
LABEL	Who recommended that you go to [FACILITY] to get your INDEX treatment? School-based counselor?
TYPE	num
LENGTH	8
VARNUM	106

SS8_5: Distribution	Value	n	%
No	0	1966	99.7

SS8_5: Distribution	Value	n	%
Yes	1	6	0.3
No response	N	2	.
Logical skip	S	0	.
		1974	100.0

SS8_6	
LABEL	Who recommended that you go to [FACILITY] to get your INDEX treatment? Employer?
TYPE	num
LENGTH	8
VARNUM	107

SS8_6: Distribution	Value	n	%
No	0	1951	98.9
Yes	1	21	1.1
No response	N	2	.
Logical skip	S	0	.
		1974	100.0

SS8_7	
LABEL	Who recommended that you go to [FACILITY] to get your INDEX treatment? Community group (e.g. religious organizations or self-help groups)?
TYPE	num
LENGTH	8
VARNUM	108

SS8_7: Distribution	Value	n	%
No	0	1920	97.4
Yes	1	52	2.6
No response	N	2	.
Logical skip	S	0	.
		1974	100.0

SS8_9	
LABEL	Who recommended that you go to [FACILITY] to get your INDEX treatment? None of these apply?

SS8_9	
TYPE	num
LENGTH	8
VARNUM	109

SS8_9: Distribution	Value	n	%
No	0	1912	97.0
Yes	1	60	3.0
No response	N	2	.
Logical skip	S	0	.
		1974	100.0

SS9	
LABEL	How would you best describe the place you received your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	110

SS9: Distribution	Value	n	%
Methadone center/treatment facility	1	1144	58.0
Drug rehabilitation center/treatment facility	2	425	21.5
Mental health center/treatment facility	3	145	7.3
Specialty addiction doctor	4	61	3.1
General doctor's office or primary care physician	5	87	4.4
Office-based counseling with psychiatrist, psychologist, or social worker	6	77	3.9
Other type of place	7	35	1.8
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

SS10	
LABEL	This treatment was...? Inpatient? Residential? Intensive outpatient? Outpatient? Other?
TYPE	num

SS10	
LENGTH	8
VARNUM	111

SS10: Distribution	Value	n	%
Inpatient	1	132	6.7
Residential	2	72	3.7
Intensive outpatient	3	228	11.6
Outpatient	4	1484	75.3
Other	5	56	2.8
No response	N	2	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS11_1	
LABEL	While enrolled in INDEX treatment, did you receive... Methadone?
TYPE	num
LENGTH	8
VARNUM	112

SS11_1: Distribution	Value	n	%
No	0	747	37.9
Yes	1	1223	62.1
No response	N	4	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS11_2	
LABEL	While enrolled in INDEX treatment, did you receive... Oral buprenorphine (e.g., Suboxone, generic)?
TYPE	num
LENGTH	8
VARNUM	113

SS11_2: Distribution	Value	n	%
No	0	1333	67.7
Yes	1	637	32.3

SS11_2: Distribution	Value	n	%
No response	N	4	.
Logical skip	S	0	.
		1974	100.0

SS11_3	
LABEL	While enrolled in INDEX treatment, did you receive... Implantable or injectable buprenorphine (e.g., Probuphine, generic)?
TYPE	num
LENGTH	8
VARNUM	114

SS11_3: Distribution	Value	n	%
No	0	1963	99.6
Yes	1	7	0.4
No response	N	4	.
Logical skip	S	0	.
		1974	100.0

SS11_4	
LABEL	While enrolled in INDEX treatment, did you receive... Oral naltrexone (e.g., Revia)?
TYPE	num
LENGTH	8
VARNUM	115

SS11_4: Distribution	Value	n	%
No	0	1940	98.5
Yes	1	30	1.5
No response	N	4	.
Logical skip	S	0	.
		1974	100.0

SS11_5	
LABEL	While enrolled in INDEX treatment, did you receive... Injectable naltrexone (e.g., Vivitrol)?
TYPE	num

SS11_5	
LENGTH	8
VARNUM	116

SS11_5: Distribution	Value	n	%
No	0	1922	97.6
Yes	1	48	2.4
No response	N	4	.
Logical skip	S	0	.
		1974	100.0

SS11_6	
LABEL	While enrolled in INDEX treatment, did you receive... Other drug?
TYPE	num
LENGTH	8
VARNUM	117

SS11_6: Distribution	Value	n	%
No	0	1925	97.7
Yes	1	45	2.3
No response	N	4	.
Logical skip	S	0	.
		1974	100.0

SS11_7	
LABEL	While enrolled in INDEX treatment, did you receive... No drug?
TYPE	num
LENGTH	8
VARNUM	118

SS11_7: Distribution	Value	n	%
No	0	1906	96.8
Yes	1	64	3.2
No response	N	4	.
Logical skip	S	0	.
		1974	100.0

SS12_1	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Individual counseling?
TYPE	num
LENGTH	8
VARNUM	119

SS12_1: Distribution	Value	n	%
No	0	320	16.2
Yes	1	1653	83.8
No response	N	1	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS12_2	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Group counseling?
TYPE	num
LENGTH	8
VARNUM	120

SS12_2: Distribution	Value	n	%
No	0	728	36.9
Yes	1	1245	63.1
No response	N	1	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS12_3	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Other behavioral therapy/counseling?
TYPE	num
LENGTH	8
VARNUM	121

SS12_3: Distribution	Value	n	%
No	0	1495	75.8
Yes	1	478	24.2
No response	N	1	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS12_4	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Detoxification services?
TYPE	num
LENGTH	8
VARNUM	122

SS12_4: Distribution	Value	n	%
No	0	1635	82.9
Yes	1	338	17.1
No response	N	1	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS12_5	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication) ?
TYPE	num
LENGTH	8
VARNUM	123

SS12_5: Distribution	Value	n	%
No	0	1145	58.0
Yes	1	828	42.0
No response	N	1	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS12_6	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? HIV testing?
TYPE	num
LENGTH	8
VARNUM	124

SS12_6: Distribution	Value	n	%
No	0	1269	64.3
Yes	1	704	35.7
No response	N	1	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS12_7	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing?
TYPE	num
LENGTH	8
VARNUM	125

SS12_7: Distribution	Value	n	%
No	0	1202	60.9
Yes	1	771	39.1
No response	N	1	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS12_8	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Laboratory drug testing/urine testing?
TYPE	num
LENGTH	8
VARNUM	126

SS12_8: Distribution	Value	n	%
No	0	616	31.2

SS12_8: Distribution	Value	n	%
Yes	1	1357	68.8
No response	N	1	.
Logical skip	S	0	.
		1974	100.0

SS12_9	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)?
TYPE	num
LENGTH	8
VARNUM	127

SS12_9: Distribution	Value	n	%
No	0	1347	68.3
Yes	1	626	31.7
No response	N	1	.
Logical skip	S	0	.
		1974	100.0

SS12_10	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator) ?
TYPE	num
LENGTH	8
VARNUM	128

SS12_10: Distribution	Value	n	%
No	0	1502	76.1
Yes	1	471	23.9
No response	N	1	.
Logical skip	S	0	.
		1974	100.0

SS12_11	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator?
TYPE	num
LENGTH	8
VARNUM	129

SS12_11: Distribution	Value	n	%
No	0	1623	82.3
Yes	1	350	17.7
No response	N	1	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS12_12	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Training on how to avoid overdosing?
TYPE	num
LENGTH	8
VARNUM	130

SS12_12: Distribution	Value	n	%
No	0	1385	70.2
Yes	1	588	29.8
No response	N	1	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SS12_13	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Training on how to use naloxone?
TYPE	num
LENGTH	8
VARNUM	131

SS12_13: Distribution	Value	n	%
No	0	1347	68.3

SS12_13: Distribution	Value	n	%
Yes	1	626	31.7
No response	N	1	.
Logical skip	S	0	.
		1974	100.0

SS12_14	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Other services?
TYPE	num
LENGTH	8
VARNUM	132

SS12_14: Distribution	Value	n	%
No	0	1686	85.5
Yes	1	287	14.5
No response	N	1	.
Logical skip	S	0	.
		1974	100.0

SS12_15	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? No other services?
TYPE	num
LENGTH	8
VARNUM	133

SS12_15: Distribution	Value	n	%
No	0	1891	95.8
Yes	1	82	4.2
No response	N	1	.
Logical skip	S	0	.
		1974	100.0

SS13	
LABEL	When you entered your INDEX treatment, how confident were you that your INDEX treatment would be successful?

SS13	
TYPE	num
LENGTH	8
VARNUM	134

SS13: Distribution	Value	n	%
Not confident	1	121	6.1
Slightly confident	2	378	19.2
Moderately confident	3	696	35.3
Highly confident	4	776	39.4
No response	N	3	.
Logical skip	S	0	.
		1974	100.0

PN1	
LABEL	(Since you started your INDEX treatment/While you were in your INDEX treatment), were you offered services from a Peer Navigator? ** (Prior to April 21, 2019, question referred to since starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	135

PN1: Distribution	Value	n	%
Yes	1	745	37.7
No	2	989	50.1
No Answer	3	240	12.2
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

PN2	
LABEL	(Since you began your INDEX treatment/At any time while you were in your INDEX treatment), how often did you meet with a Peer Navigator? ** (Prior to April 21, 2019, question referred to since beginning INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	136

PN2: Distribution	Value	n	%
Less than once a month	1	78	10.5
About once a month	2	180	24.2
Several times a month	3	121	16.2
About once a week	4	160	21.5
Several times a week	5	90	12.1
I never met with a peer navigator	6	116	15.6
No response	N	0	.
Logical skip	S	1229	.
		<i>1974</i>	<i>100.0</i>

PN3	
LABEL	How helpful (is/was) your peer navigator to your recovery?
TYPE	num
LENGTH	8
VARNUM	137

PN3: Distribution	Value	n	%
Very helpful	1	390	62.1
Somewhat helpful	2	203	32.3
Somewhat unhelpful	3	20	3.2
Not helpful at all	4	15	2.4
No response	N	1	.
Logical skip	S	1345	.
		<i>1974</i>	<i>100.0</i>

PN4_1	
LABEL	Why did you not meet with a peer navigator? I did not want the service?
TYPE	num
LENGTH	8
VARNUM	138

PN4_1: Distribution	Value	n	%
No	0	75	65.2
Yes	1	40	34.8
No response	N	1	.

PN4_1: Distribution	Value	n	%
Logical skip	S	1858	.
		1974	100.0

PN4_2	
LABEL	Why did you not meet with a peer navigator? I did not think the service was worthwhile for me?
TYPE	num
LENGTH	8
VARNUM	139

PN4_2: Distribution	Value	n	%
No	0	106	92.2
Yes	1	9	7.8
No response	N	1	.
Logical skip	S	1858	.
		1974	100.0

PN4_3	
LABEL	Why did you not meet with a peer navigator? I could not afford the service?
TYPE	num
LENGTH	8
VARNUM	140

PN4_3: Distribution	Value	n	%
No	0	113	98.3
Yes	1	2	1.7
No response	N	1	.
Logical skip	S	1858	.
		1974	100.0

PN4_4	
LABEL	Why did you not meet with a peer navigator? I will arrange to meet with peer navigator if I ever need their service?
TYPE	num

PN4_4	
LENGTH	8
VARNUM	141

PN4_4: Distribution	Value	n	%
No	0	86	74.8
Yes	1	29	25.2
No response	N	1	.
Logical skip	S	1858	.
		<i>1974</i>	<i>100.0</i>

PN4_5	
LABEL	Why did you not meet with a peer navigator? I tried to make an appointment but the peer navigator did not have any openings on their schedule?
TYPE	num
LENGTH	8
VARNUM	142

PN4_5: Distribution	Value	n	%
No	0	112	97.4
Yes	1	3	2.6
No response	N	1	.
Logical skip	S	1858	.
		<i>1974</i>	<i>100.0</i>

PN4_6	
LABEL	Why did you not meet with a peer navigator? I plan to schedule an appointment soon?
TYPE	num
LENGTH	8
VARNUM	143

PN4_6: Distribution	Value	n	%
No	0	94	81.7
Yes	1	21	18.3
No response	N	1	.
Logical skip	S	1858	.
		<i>1974</i>	<i>100.0</i>

PN4_7	
LABEL	Why did you not meet with a peer navigator? I have an appointment scheduled?
TYPE	num
LENGTH	8
VARNUM	144

PN4_7: Distribution	Value	n	%
No	0	105	91.3
Yes	1	10	8.7
No response	N	1	.
Logical skip	S	1858	.
		<i>1974</i>	<i>100.0</i>

PN4_8	
LABEL	Why did you not meet with a peer navigator? I had an appointment but the peer navigator did not make it?
TYPE	num
LENGTH	8
VARNUM	145

PN4_8: Distribution	Value	n	%
No	0	113	98.3
Yes	1	2	1.7
No response	N	1	.
Logical skip	S	1858	.
		<i>1974</i>	<i>100.0</i>

PN4_9	
LABEL	Why did you not meet with a peer navigator? I had another reason that is not listed above?
TYPE	num
LENGTH	8
VARNUM	146

PN4_9: Distribution	Value	n	%
No	0	100	87.0

PN4_9: Distribution	Value	n	%
Yes	1	15	13.0
No response	N	1	.
Logical skip	S	1858	.
		1974	100.0

PN5_A	
LABEL	Peer navigators are helpful?
TYPE	num
LENGTH	8
VARNUM	147

PN5_A: Distribution	Value	n	%
Agree	1	1237	63.3
Neutral or no opinion	2	649	33.2
Disagree	3	67	3.4
No response	N	21	.
Logical skip	S	0	.
		1974	100.0

PN5_B	
LABEL	I am uncomfortable sharing my personal life with a peer navigator?
TYPE	num
LENGTH	8
VARNUM	148

PN5_B: Distribution	Value	n	%
Agree	1	354	18.2
Neutral or no opinion	2	645	33.1
Disagree	3	950	48.7
No response	N	25	.
Logical skip	S	0	.
		1974	100.0

PN5_C	
LABEL	People I know told me not to work with a peer navigator?

PN5_C	
TYPE	num
LENGTH	8
VARNUM	149

PN5_C: Distribution	Value	n	%
Agree	1	137	7.0
Neutral or no opinion	2	541	27.8
Disagree	3	1269	65.2
No response	N	27	.
Logical skip	S	0	.
		1974	100.0

PN5_D	
LABEL	A peer navigator is not helpful or needed given my situation?
TYPE	num
LENGTH	8
VARNUM	150

PN5_D: Distribution	Value	n	%
Agree	1	273	14.0
Neutral or no opinion	2	736	37.8
Disagree	3	940	48.2
No response	N	25	.
Logical skip	S	0	.
		1974	100.0

PN5_E	
LABEL	I would recommend peer navigators to a friend?
TYPE	num
LENGTH	8
VARNUM	151

PN5_E: Distribution	Value	n	%
Agree	1	1145	58.5
Neutral or no opinion	2	713	36.5

PN5_E: Distribution	Value	n	%
Disagree	3	98	5.0
No response	N	18	.
Logical skip	S	0	.
		1974	100.0

OU1	
LABEL	When was the last time you abused opioids before entering your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	152

OU1: Distribution	Value	n	%
The same day ((TX_STRT_DT))	1	594	30.3
1-2 day before	2	628	32.0
3-7 days before	3	226	11.5
8-14 days before	4	100	5.1
More than 14 days before	5	414	21.1
No response	N	12	.
Logical skip	S	0	.
		1974	100.0

OU2	
LABEL	Since [TX_STRT_DT], have you abused opioids even once? ** (Prior to April 21, 2019, question was only asked if participant was still in INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	153

OU2: Distribution	Value	n	%
Yes	1	943	47.8
No	2	1029	52.2
No response	N	2	.
Logical skip	S	0	.
		1974	100.0

OU3	
LABEL	[It has been [INDEX DAYS] since you started treatment at [FACILITY]/You were in INDEX treatment for [INDEX DAYS]], how many of those days did you abuse opioids? ** (Prior to April 21, 2019, question had response minimum of 0)
TYPE	num
LENGTH	8
VARNUM	154

OU3: Distribution	Value	n	%
0	0	13	1.4
1	1	81	8.8
2	2	94	10.2
3	3	73	7.9
4	4	54	5.8
5	5	63	6.8
6	6	25	2.7
7	7	34	3.7
8	8	17	1.8
9	9	9	1.0
10	10	54	5.8
11	11	3	0.3
12	12	12	1.3
13	13	4	0.4
14	14	21	2.3
15	15	20	2.2
16	16	1	0.1
17	17	3	0.3
18	18	5	0.5
19	19	2	0.2
20	20	36	3.9
21	21	2	0.2
22	22	4	0.4
23	23	3	0.3
24	24	1	0.1
25	25	9	1.0
26	26	1	0.1
27	27	2	0.2
30	30	42	4.5
32	32	1	0.1

OU3: Distribution	Value	n	%
33	33	5	0.5
34	34	1	0.1
35	35	5	0.5
36	36	2	0.2
38	38	2	0.2
40	40	15	1.6
42	42	1	0.1
43	43	1	0.1
45	45	6	0.6
48	48	1	0.1
50	50	12	1.3
52	52	1	0.1
56	56	1	0.1
57	57	1	0.1
58	58	1	0.1
60	60	21	2.3
68	68	1	0.1
70	70	2	0.2
72	72	2	0.2
73	73	1	0.1
75	75	6	0.6
78	78	1	0.1
79	79	1	0.1
80	80	3	0.3
81	81	1	0.1
85	85	1	0.1
88	88	1	0.1
90	90	6	0.6
95	95	2	0.2
99	99	1	0.1
100	100	25	2.7
105	105	1	0.1
111	111	1	0.1
120	120	7	0.8
125	125	3	0.3
130	130	1	0.1
145	145	2	0.2
150	150	8	0.9

OU3: Distribution	Value	n	%
167	167	1	0.1
175	175	1	0.1
180	180	5	0.5
200	200	8	0.9
225	225	1	0.1
227	227	1	0.1
228	228	1	0.1
230	230	1	0.1
234	234	1	0.1
250	250	4	0.4
252	252	1	0.1
290	290	1	0.1
291	291	1	0.1
300	300	9	1.0
325	325	1	0.1
354	354	1	0.1
362	362	1	0.1
365	365	3	0.3
375	375	1	0.1
378	378	1	0.1
392	392	1	0.1
400	400	7	0.8
439	439	1	0.1
443	443	1	0.1
468	468	1	0.1
475	475	1	0.1
500	500	6	0.6
580	580	1	0.1
600	600	3	0.3
650	650	1	0.1
700	700	1	0.1
715	715	1	0.1
750	750	1	0.1
760	760	1	0.1
770	770	1	0.1
900	900	2	0.2
1000	1000	1	0.1
1257	1257	1	0.1

OU3: Distribution	Value	n	%
1460	1460	1	0.1
1490	1490	1	0.1
1560	1560	1	0.1
3480	3480	1	0.1
5000	5000	1	0.1
5500	5500	1	0.1
17339	17339	1	0.1
No response	N	20	.
Logical skip	S	1029	.
		<i>1974</i>	<i>100.0</i>

PX1	
LABEL	Since stopping your INDEX treatment, did you start another treatment program for opioid addiction? ** (Prior to April 21, 2019, question had 3 response options)
TYPE	num
LENGTH	8
VARNUM	155

PX1: Distribution	Value	n	%
Yes	1	7	22.6
No	2	22	71.0
No Answer	3	2	6.5
No response	N	0	.
Logical skip	S	1943	.
		<i>1974</i>	<i>100.0</i>

PH1	
LABEL	In the 12 months before you started your INDEX treatment, did you receive any treatment for opioid addiction? ** (Prior to April 21, 2019, question referred to past 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	156

PH1: Distribution	Value	n	%
Yes	1	493	25.0
No	2	1428	72.3

PH1: Distribution	Value	n	%
No Answer	3	53	2.7
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

PH2	
LABEL	Were you in any type of treatment for opioid addiction 12 months ago, that is, around this time last year? ** (Prior to April 21, 2019, question referred to treatment for opioid addiction 12 months before starting INDEX)
TYPE	num
LENGTH	8
VARNUM	157

PH2: Distribution	Value	n	%
Yes	1	290	58.8
No	2	203	41.2
No response	N	0	.
Logical skip	S	1481	.
		1974	100.0

PH4A_R1	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	158

PH4A_R1: Distribution	Value	n	%
Very important	1	437	89.4
Somewhat important	2	38	7.8
Not important	3	14	2.9
No response	N	4	.
Logical skip	S	1481	.
		1974	100.0

PH4A_R2	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 2
TYPE	num
LENGTH	8
VARNUM	159

PH4A_R2: Distribution	Value	n	%
Very important	1	46	76.7
Somewhat important	2	9	15.0
Not important	3	5	8.3
No response	N	17	.
Logical skip	S	1897	.
		1974	100.0

PH4A_R3	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 3
TYPE	num
LENGTH	8
VARNUM	160

PH4A_R3: Distribution	Value	n	%
Very important	1	15	88.2
Somewhat important	2	0	.
Not important	3	2	11.8
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH4A_R4	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 4
TYPE	num
LENGTH	8
VARNUM	161

PH4A_R4: Distribution	Value	n	%
Very important	1	6	75.0
Somewhat important	2	1	12.5
Not important	3	1	12.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH4A_R5	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 5
TYPE	num
LENGTH	8
VARNUM	162

PH4A_R5: Distribution	Value	n	%
Very important	1	6	85.7
Somewhat important	2	1	14.3
Not important	3	0	.
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4A_R6	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 6
TYPE	num
LENGTH	8
VARNUM	163

PH4A_R6: Distribution	Value	n	%
Very important	1	4	80.0
Somewhat important	2	1	20.0
Not important	3	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4A_R7	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 7
TYPE	num
LENGTH	8
VARNUM	164

PH4A_R7: Distribution	Value	n	%
Very important	1	3	75.0
Somewhat important	2	0	.
Not important	3	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4A_R8	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 8
TYPE	num
LENGTH	8
VARNUM	165

PH4A_R8: Distribution	Value	n	%
Very important	1	2	66.7
Somewhat important	2	1	33.3
Not important	3	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4A_R9	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 9
TYPE	num
LENGTH	8
VARNUM	166

PH4A_R9: Distribution	Value	n	%
Very important	1	2	66.7
Somewhat important	2	0	.
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4A_R10	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 10
TYPE	num
LENGTH	8
VARNUM	167

PH4A_R10: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4A_R11	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 11
TYPE	num
LENGTH	8
VARNUM	168

PH4A_R11: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4A_R12	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 12
TYPE	num
LENGTH	8
VARNUM	169

PH4A_R12: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4B_R1	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	170

PH4B_R1: Distribution	Value	n	%
Very important	1	97	20.0
Somewhat important	2	65	13.4
Not important	3	323	66.6
No response	N	8	.
Logical skip	S	1481	.
		1974	100.0

PH4B_R2	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 2
TYPE	num
LENGTH	8
VARNUM	171

PH4B_R2: Distribution	Value	n	%
Very important	1	9	14.8
Somewhat important	2	5	8.2
Not important	3	47	77.0
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH4B_R3	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 3
TYPE	num
LENGTH	8
VARNUM	172

PH4B_R3: Distribution	Value	n	%
Very important	1	3	17.6
Somewhat important	2	2	11.8
Not important	3	12	70.6
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH4B_R4	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 4
TYPE	num
LENGTH	8
VARNUM	173

PH4B_R4: Distribution	Value	n	%
Very important	1	2	25.0
Somewhat important	2	0	.
Not important	3	6	75.0
No response	N	19	.

PH4B_R4: Distribution	Value	n	%
Logical skip	S	1947	.
		1974	100.0

PH4B_R5	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 5
TYPE	num
LENGTH	8
VARNUM	174

PH4B_R5: Distribution	Value	n	%
Very important	1	0	.
Somewhat important	2	2	28.6
Not important	3	5	71.4
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4B_R6	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 6
TYPE	num
LENGTH	8
VARNUM	175

PH4B_R6: Distribution	Value	n	%
Very important	1	2	40.0
Somewhat important	2	0	.
Not important	3	3	60.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4B_R7	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 7

PH4B_R7	
TYPE	num
LENGTH	8
VARNUM	176

PH4B_R7: Distribution	Value	n	%
Very important	1	1	25.0
Somewhat important	2	1	25.0
Not important	3	2	50.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4B_R8	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 8
TYPE	num
LENGTH	8
VARNUM	177

PH4B_R8: Distribution	Value	n	%
Very important	1	0	.
Somewhat important	2	1	33.3
Not important	3	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4B_R9	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 9
TYPE	num
LENGTH	8
VARNUM	178

PH4B_R9: Distribution	Value	n	%
Very important	1	0	.

PH4B_R9: Distribution	Value	n	%
Somewhat important	2	1	33.3
Not important	3	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4B_R10	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 10
TYPE	num
LENGTH	8
VARNUM	179

PH4B_R10: Distribution	Value	n	%
Very important	1	0	.
Somewhat important	2	0	.
Not important	3	2	100.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4B_R11	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 11
TYPE	num
LENGTH	8
VARNUM	180

PH4B_R11: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4B_R12	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 12
TYPE	num
LENGTH	8
VARNUM	181

PH4B_R12: Distribution	Value	n	%
Very important	1	0	.
Somewhat important	2	0	.
Not important	3	2	100.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4C_R1	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	182

PH4C_R1: Distribution	Value	n	%
Very important	1	340	69.8
Somewhat important	2	76	15.6
Not important	3	71	14.6
No response	N	6	.
Logical skip	S	1481	.
		1974	100.0

PH4C_R2	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 2
TYPE	num
LENGTH	8
VARNUM	183

PH4C_R2: Distribution	Value	n	%
Very important	1	42	68.9
Somewhat important	2	10	16.4
Not important	3	9	14.8
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH4C_R3	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 3
TYPE	num
LENGTH	8
VARNUM	184

PH4C_R3: Distribution	Value	n	%
Very important	1	12	70.6
Somewhat important	2	1	5.9
Not important	3	4	23.5
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH4C_R4	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 4
TYPE	num
LENGTH	8
VARNUM	185

PH4C_R4: Distribution	Value	n	%
Very important	1	6	75.0
Somewhat important	2	1	12.5
Not important	3	1	12.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH4C_R5	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 5
TYPE	num
LENGTH	8
VARNUM	186

PH4C_R5: Distribution	Value	n	%
Very important	1	6	85.7
Somewhat important	2	1	14.3
Not important	3	0	.
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4C_R6	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 6
TYPE	num
LENGTH	8
VARNUM	187

PH4C_R6: Distribution	Value	n	%
Very important	1	3	60.0
Somewhat important	2	1	20.0
Not important	3	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4C_R7	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 7
TYPE	num
LENGTH	8
VARNUM	188

PH4C_R7: Distribution	Value	n	%
Very important	1	2	50.0
Somewhat important	2	2	50.0
Not important	3	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4C_R8	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 8
TYPE	num
LENGTH	8
VARNUM	189

PH4C_R8: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	1	50.0
Not important	3	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4C_R9	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 9
TYPE	num
LENGTH	8
VARNUM	190

PH4C_R9: Distribution	Value	n	%
Very important	1	2	66.7
Somewhat important	2	1	33.3
Not important	3	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4C_R10	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 10
TYPE	num
LENGTH	8
VARNUM	191

PH4C_R10: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	1	50.0
Not important	3	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4C_R11	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 11
TYPE	num
LENGTH	8
VARNUM	192

PH4C_R11: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	1	50.0
Not important	3	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4C_R12	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 12
TYPE	num
LENGTH	8
VARNUM	193

PH4C_R12: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	1	50.0
Not important	3	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4D_R1	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 1
TYPE	num
LENGTH	8
VARNUM	194

PH4D_R1: Distribution	Value	n	%
Very important	1	405	83.3
Somewhat important	2	44	9.1
Not important	3	37	7.6
No response	N	7	.
Logical skip	S	1481	.
		1974	100.0

PH4D_R2	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 2
TYPE	num
LENGTH	8
VARNUM	195

PH4D_R2: Distribution	Value	n	%
Very important	1	46	76.7
Somewhat important	2	4	6.7
Not important	3	10	16.7
No response	N	17	.

PH4D_R2: Distribution	Value	n	%
Logical skip	S	1897	.
		1974	100.0

PH4D_R3	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 3
TYPE	num
LENGTH	8
VARNUM	196

PH4D_R3: Distribution	Value	n	%
Very important	1	11	64.7
Somewhat important	2	2	11.8
Not important	3	4	23.5
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH4D_R4	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 4
TYPE	num
LENGTH	8
VARNUM	197

PH4D_R4: Distribution	Value	n	%
Very important	1	7	87.5
Somewhat important	2	1	12.5
Not important	3	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH4D_R5	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 5

PH4D_R5	
TYPE	num
LENGTH	8
VARNUM	198

PH4D_R5: Distribution	Value	n	%
Very important	1	5	71.4
Somewhat important	2	1	14.3
Not important	3	1	14.3
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4D_R6	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 6
TYPE	num
LENGTH	8
VARNUM	199

PH4D_R6: Distribution	Value	n	%
Very important	1	3	60.0
Somewhat important	2	0	.
Not important	3	2	40.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4D_R7	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 7
TYPE	num
LENGTH	8
VARNUM	200

PH4D_R7: Distribution	Value	n	%
Very important	1	2	50.0

PH4D_R7: Distribution	Value	n	%
Somewhat important	2	1	25.0
Not important	3	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4D_R8	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 8
TYPE	num
LENGTH	8
VARNUM	201

PH4D_R8: Distribution	Value	n	%
Very important	1	1	33.3
Somewhat important	2	1	33.3
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4D_R9	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 9
TYPE	num
LENGTH	8
VARNUM	202

PH4D_R9: Distribution	Value	n	%
Very important	1	2	66.7
Somewhat important	2	0	.
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4D_R10	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 10
TYPE	num
LENGTH	8
VARNUM	203

PH4D_R10: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4D_R11	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 11
TYPE	num
LENGTH	8
VARNUM	204

PH4D_R11: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4D_R12	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 12
TYPE	num
LENGTH	8
VARNUM	205

PH4D_R12: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4E_R1	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 1
TYPE	num
LENGTH	8
VARNUM	206

PH4E_R1: Distribution	Value	n	%
Very important	1	372	76.1
Somewhat important	2	81	16.6
Not important	3	36	7.4
No response	N	4	.
Logical skip	S	1481	.
		1974	100.0

PH4E_R2	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 2
TYPE	num
LENGTH	8
VARNUM	207

PH4E_R2: Distribution	Value	n	%
Very important	1	40	69.0
Somewhat important	2	10	17.2
Not important	3	8	13.8
No response	N	19	.
Logical skip	S	1897	.
		1974	100.0

PH4E_R3	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 3
TYPE	num
LENGTH	8
VARNUM	208

PH4E_R3: Distribution	Value	n	%
Very important	1	12	70.6
Somewhat important	2	3	17.6
Not important	3	2	11.8
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH4E_R4	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 4
TYPE	num
LENGTH	8
VARNUM	209

PH4E_R4: Distribution	Value	n	%
Very important	1	6	75.0
Somewhat important	2	2	25.0
Not important	3	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH4E_R5	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 5
TYPE	num
LENGTH	8
VARNUM	210

PH4E_R5: Distribution	Value	n	%
Very important	1	5	71.4
Somewhat important	2	0	.
Not important	3	2	28.6
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4E_R6	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 6
TYPE	num
LENGTH	8
VARNUM	211

PH4E_R6: Distribution	Value	n	%
Very important	1	3	60.0
Somewhat important	2	0	.
Not important	3	2	40.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4E_R7	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 7
TYPE	num
LENGTH	8
VARNUM	212

PH4E_R7: Distribution	Value	n	%
Very important	1	2	50.0
Somewhat important	2	1	25.0
Not important	3	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4E_R8	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 8
TYPE	num
LENGTH	8
VARNUM	213

PH4E_R8: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4E_R9	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 9
TYPE	num
LENGTH	8
VARNUM	214

PH4E_R9: Distribution	Value	n	%
Very important	1	2	66.7
Somewhat important	2	0	.
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4E_R10	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 10
TYPE	num
LENGTH	8
VARNUM	215

PH4E_R10: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4E_R11	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 11
TYPE	num
LENGTH	8
VARNUM	216

PH4E_R11: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4E_R12	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 12
TYPE	num
LENGTH	8
VARNUM	217

PH4E_R12: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.

PH4E_R12: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH4F_R1	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 1
TYPE	num
LENGTH	8
VARNUM	218

PH4F_R1: Distribution	Value	n	%
Very important	1	328	67.4
Somewhat important	2	78	16.0
Not important	3	81	16.6
No response	N	6	.
Logical skip	S	1481	.
		1974	100.0

PH4F_R2	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 2
TYPE	num
LENGTH	8
VARNUM	219

PH4F_R2: Distribution	Value	n	%
Very important	1	43	70.5
Somewhat important	2	9	14.8
Not important	3	9	14.8
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH4F_R3	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 3

PH4F_R3	
TYPE	num
LENGTH	8
VARNUM	220

PH4F_R3: Distribution	Value	n	%
Very important	1	11	64.7
Somewhat important	2	3	17.6
Not important	3	3	17.6
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH4F_R4	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 4
TYPE	num
LENGTH	8
VARNUM	221

PH4F_R4: Distribution	Value	n	%
Very important	1	7	87.5
Somewhat important	2	0	.
Not important	3	1	12.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH4F_R5	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 5
TYPE	num
LENGTH	8
VARNUM	222

PH4F_R5: Distribution	Value	n	%
Very important	1	4	57.1

PH4F_R5: Distribution	Value	n	%
Somewhat important	2	2	28.6
Not important	3	1	14.3
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4F_R6	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 6
TYPE	num
LENGTH	8
VARNUM	223

PH4F_R6: Distribution	Value	n	%
Very important	1	3	60.0
Somewhat important	2	1	20.0
Not important	3	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4F_R7	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 7
TYPE	num
LENGTH	8
VARNUM	224

PH4F_R7: Distribution	Value	n	%
Very important	1	2	50.0
Somewhat important	2	1	25.0
Not important	3	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4F_R8	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 8
TYPE	num
LENGTH	8
VARNUM	225

PH4F_R8: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4F_R9	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 9
TYPE	num
LENGTH	8
VARNUM	226

PH4F_R9: Distribution	Value	n	%
Very important	1	1	33.3
Somewhat important	2	1	33.3
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4F_R10	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 10
TYPE	num
LENGTH	8
VARNUM	227

PH4F_R10: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4F_R11	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 11
TYPE	num
LENGTH	8
VARNUM	228

PH4F_R11: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4F_R12	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 12
TYPE	num
LENGTH	8
VARNUM	229

PH4F_R12: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4G_R1	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 1
TYPE	num
LENGTH	8
VARNUM	230

PH4G_R1: Distribution	Value	n	%
Very important	1	295	60.7
Somewhat important	2	89	18.3
Not important	3	102	21.0
No response	N	7	.
Logical skip	S	1481	.
		1974	100.0

PH4G_R2	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 2
TYPE	num
LENGTH	8
VARNUM	231

PH4G_R2: Distribution	Value	n	%
Very important	1	35	57.4
Somewhat important	2	12	19.7
Not important	3	14	23.0
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH4G_R3	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 3
TYPE	num
LENGTH	8
VARNUM	232

PH4G_R3: Distribution	Value	n	%
Very important	1	11	64.7
Somewhat important	2	4	23.5
Not important	3	2	11.8
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH4G_R4	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 4
TYPE	num
LENGTH	8
VARNUM	233

PH4G_R4: Distribution	Value	n	%
Very important	1	5	62.5
Somewhat important	2	1	12.5
Not important	3	2	25.0
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH4G_R5	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 5
TYPE	num
LENGTH	8
VARNUM	234

PH4G_R5: Distribution	Value	n	%
Very important	1	4	57.1
Somewhat important	2	2	28.6
Not important	3	1	14.3
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4G_R6	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 6
TYPE	num
LENGTH	8
VARNUM	235

PH4G_R6: Distribution	Value	n	%
Very important	1	4	80.0
Somewhat important	2	0	.
Not important	3	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4G_R7	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 7
TYPE	num
LENGTH	8
VARNUM	236

PH4G_R7: Distribution	Value	n	%
Very important	1	3	75.0
Somewhat important	2	0	.
Not important	3	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4G_R8	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 8
TYPE	num
LENGTH	8
VARNUM	237

PH4G_R8: Distribution	Value	n	%
Very important	1	2	66.7
Somewhat important	2	0	.
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4G_R9	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 9
TYPE	num
LENGTH	8
VARNUM	238

PH4G_R9: Distribution	Value	n	%
Very important	1	1	33.3
Somewhat important	2	1	33.3
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4G_R10	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 10
TYPE	num
LENGTH	8
VARNUM	239

PH4G_R10: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.

PH4G_R10: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH4G_R11	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 11
TYPE	num
LENGTH	8
VARNUM	240

PH4G_R11: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4G_R12	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 12
TYPE	num
LENGTH	8
VARNUM	241

PH4G_R12: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4I_R1	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 1

PH4I_R1	
TYPE	num
LENGTH	8
VARNUM	242

PH4I_R1: Distribution	Value	n	%
Very important	1	278	57.1
Somewhat important	2	120	24.6
Not important	3	89	18.3
No response	N	6	.
Logical skip	S	1481	.
		1974	100.0

PH4I_R2	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 2
TYPE	num
LENGTH	8
VARNUM	243

PH4I_R2: Distribution	Value	n	%
Very important	1	33	55.0
Somewhat important	2	17	28.3
Not important	3	10	16.7
No response	N	17	.
Logical skip	S	1897	.
		1974	100.0

PH4I_R3	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 3
TYPE	num
LENGTH	8
VARNUM	244

PH4I_R3: Distribution	Value	n	%
Very important	1	12	70.6

PH4I_R3: Distribution	Value	n	%
Somewhat important	2	2	11.8
Not important	3	3	17.6
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH4I_R4	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 4
TYPE	num
LENGTH	8
VARNUM	245

PH4I_R4: Distribution	Value	n	%
Very important	1	6	75.0
Somewhat important	2	1	12.5
Not important	3	1	12.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH4I_R5	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 5
TYPE	num
LENGTH	8
VARNUM	246

PH4I_R5: Distribution	Value	n	%
Very important	1	4	57.1
Somewhat important	2	0	.
Not important	3	3	42.9
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4I_R6	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 6
TYPE	num
LENGTH	8
VARNUM	247

PH4I_R6: Distribution	Value	n	%
Very important	1	3	60.0
Somewhat important	2	1	20.0
Not important	3	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4I_R7	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 7
TYPE	num
LENGTH	8
VARNUM	248

PH4I_R7: Distribution	Value	n	%
Very important	1	2	50.0
Somewhat important	2	1	25.0
Not important	3	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4I_R8	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 8
TYPE	num
LENGTH	8
VARNUM	249

PH4I_R8: Distribution	Value	n	%
Very important	1	2	66.7
Somewhat important	2	0	.
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH4I_R9	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 9
TYPE	num
LENGTH	8
VARNUM	250

PH4I_R9: Distribution	Value	n	%
Very important	1	1	33.3
Somewhat important	2	1	33.3
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH4I_R10	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 10
TYPE	num
LENGTH	8
VARNUM	251

PH4I_R10: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH4I_R11	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 11
TYPE	num
LENGTH	8
VARNUM	252

PH4I_R11: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4I_R12	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 12
TYPE	num
LENGTH	8
VARNUM	253

PH4I_R12: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4J_R1	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 1
TYPE	num
LENGTH	8
VARNUM	254

PH4J_R1: Distribution	Value	n	%
Very important	1	354	72.4
Somewhat important	2	55	11.2
Not important	3	80	16.4
No response	N	4	.
Logical skip	S	1481	.
		1974	100.0

PH4J_R2	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 2
TYPE	num
LENGTH	8
VARNUM	255

PH4J_R2: Distribution	Value	n	%
Very important	1	43	71.7
Somewhat important	2	5	8.3
Not important	3	12	20.0
No response	N	17	.
Logical skip	S	1897	.
		1974	100.0

PH4J_R3	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 3
TYPE	num
LENGTH	8
VARNUM	256

PH4J_R3: Distribution	Value	n	%
Very important	1	12	70.6
Somewhat important	2	1	5.9
Not important	3	4	23.5
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH4J_R4	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 4
TYPE	num
LENGTH	8
VARNUM	257

PH4J_R4: Distribution	Value	n	%
Very important	1	6	75.0
Somewhat important	2	1	12.5
Not important	3	1	12.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH4J_R5	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 5
TYPE	num
LENGTH	8
VARNUM	258

PH4J_R5: Distribution	Value	n	%
Very important	1	5	71.4
Somewhat important	2	0	.
Not important	3	2	28.6
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4J_R6	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 6
TYPE	num
LENGTH	8
VARNUM	259

PH4J_R6: Distribution	Value	n	%
Very important	1	3	60.0
Somewhat important	2	1	20.0
Not important	3	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4J_R7	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 7
TYPE	num
LENGTH	8
VARNUM	260

PH4J_R7: Distribution	Value	n	%
Very important	1	2	66.7
Somewhat important	2	0	.
Not important	3	1	33.3
No response	N	20	.
Logical skip	S	1951	.
		1974	100.0

PH4J_R8	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 8
TYPE	num
LENGTH	8
VARNUM	261

PH4J_R8: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.

PH4J_R8: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH4J_R9	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 9
TYPE	num
LENGTH	8
VARNUM	262

PH4J_R9: Distribution	Value	n	%
Very important	1	2	66.7
Somewhat important	2	0	.
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4J_R10	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 10
TYPE	num
LENGTH	8
VARNUM	263

PH4J_R10: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4J_R11	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 11

PH4J_R11	
TYPE	num
LENGTH	8
VARNUM	264

PH4J_R11: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4J_R12	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 12
TYPE	num
LENGTH	8
VARNUM	265

PH4J_R12: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4K_R1	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 1
TYPE	num
LENGTH	8
VARNUM	266

PH4K_R1: Distribution	Value	n	%
Very important	1	296	61.0

PH4K_R1: Distribution	Value	n	%
Somewhat important	2	89	18.4
Not important	3	100	20.6
No response	N	8	.
Logical skip	S	1481	.
		1974	100.0

PH4K_R2	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 2
TYPE	num
LENGTH	8
VARNUM	267

PH4K_R2: Distribution	Value	n	%
Very important	1	38	63.3
Somewhat important	2	5	8.3
Not important	3	17	28.3
No response	N	17	.
Logical skip	S	1897	.
		1974	100.0

PH4K_R3	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 3
TYPE	num
LENGTH	8
VARNUM	268

PH4K_R3: Distribution	Value	n	%
Very important	1	8	47.1
Somewhat important	2	2	11.8
Not important	3	7	41.2
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH4K_R4	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 4
TYPE	num
LENGTH	8
VARNUM	269

PH4K_R4: Distribution	Value	n	%
Very important	1	4	50.0
Somewhat important	2	2	25.0
Not important	3	2	25.0
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH4K_R5	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 5
TYPE	num
LENGTH	8
VARNUM	270

PH4K_R5: Distribution	Value	n	%
Very important	1	3	50.0
Somewhat important	2	2	33.3
Not important	3	1	16.7
No response	N	20	.
Logical skip	S	1948	.
		1974	100.0

PH4K_R6	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 6
TYPE	num
LENGTH	8
VARNUM	271

PH4K_R6: Distribution	Value	n	%
Very important	1	3	60.0
Somewhat important	2	0	.
Not important	3	2	40.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4K_R7	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 7
TYPE	num
LENGTH	8
VARNUM	272

PH4K_R7: Distribution	Value	n	%
Very important	1	2	50.0
Somewhat important	2	1	25.0
Not important	3	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4K_R8	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 8
TYPE	num
LENGTH	8
VARNUM	273

PH4K_R8: Distribution	Value	n	%
Very important	1	1	33.3
Somewhat important	2	1	33.3
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4K_R9	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 9
TYPE	num
LENGTH	8
VARNUM	274

PH4K_R9: Distribution	Value	n	%
Very important	1	2	66.7
Somewhat important	2	0	.
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4K_R10	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 10
TYPE	num
LENGTH	8
VARNUM	275

PH4K_R10: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4K_R11	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 11
TYPE	num
LENGTH	8
VARNUM	276

PH4K_R11: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4K_R12	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 12
TYPE	num
LENGTH	8
VARNUM	277

PH4K_R12: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4L_R1	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 1
TYPE	num
LENGTH	8
VARNUM	278

PH4L_R1: Distribution	Value	n	%
Very important	1	425	87.1
Somewhat important	2	37	7.6
Not important	3	26	5.3
No response	N	5	.
Logical skip	S	1481	.
		1974	100.0

PH4L_R2	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 2
TYPE	num
LENGTH	8
VARNUM	279

PH4L_R2: Distribution	Value	n	%
Very important	1	50	82.0
Somewhat important	2	4	6.6
Not important	3	7	11.5
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH4L_R3	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 3
TYPE	num
LENGTH	8
VARNUM	280

PH4L_R3: Distribution	Value	n	%
Very important	1	14	82.4
Somewhat important	2	1	5.9
Not important	3	2	11.8
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH4L_R4	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 4
TYPE	num
LENGTH	8
VARNUM	281

PH4L_R4: Distribution	Value	n	%
Very important	1	8	100.0
Somewhat important	2	0	.
Not important	3	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH4L_R5	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 5
TYPE	num
LENGTH	8
VARNUM	282

PH4L_R5: Distribution	Value	n	%
Very important	1	7	100.0
Somewhat important	2	0	.
Not important	3	0	.
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4L_R6	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 6
TYPE	num
LENGTH	8
VARNUM	283

PH4L_R6: Distribution	Value	n	%
Very important	1	4	80.0
Somewhat important	2	1	20.0
Not important	3	0	.
No response	N	19	.

PH4L_R6: Distribution	Value	n	%
Logical skip	S	1950	.
		1974	100.0

PH4L_R7	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 7
TYPE	num
LENGTH	8
VARNUM	284

PH4L_R7: Distribution	Value	n	%
Very important	1	3	75.0
Somewhat important	2	1	25.0
Not important	3	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4L_R8	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 8
TYPE	num
LENGTH	8
VARNUM	285

PH4L_R8: Distribution	Value	n	%
Very important	1	2	100.0
Somewhat important	2	0	.
Not important	3	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4L_R9	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 9

PH4L_R9	
TYPE	num
LENGTH	8
VARNUM	286

PH4L_R9: Distribution	Value	n	%
Very important	1	3	100.0
Somewhat important	2	0	.
Not important	3	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4L_R10	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 10
TYPE	num
LENGTH	8
VARNUM	287

PH4L_R10: Distribution	Value	n	%
Very important	1	2	100.0
Somewhat important	2	0	.
Not important	3	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4L_R11	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 11
TYPE	num
LENGTH	8
VARNUM	288

PH4L_R11: Distribution	Value	n	%
Very important	1	2	100.0

PH4L_R11: Distribution	Value	n	%
Somewhat important	2	0	.
Not important	3	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4L_R12	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 12
TYPE	num
LENGTH	8
VARNUM	289

PH4L_R12: Distribution	Value	n	%
Very important	1	2	100.0
Somewhat important	2	0	.
Not important	3	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4M_R1	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 1
TYPE	num
LENGTH	8
VARNUM	290

PH4M_R1: Distribution	Value	n	%
Very important	1	174	35.7
Somewhat important	2	86	17.6
Not important	3	228	46.7
No response	N	5	.
Logical skip	S	1481	.
		1974	100.0

PH4M_R2	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 2
TYPE	num
LENGTH	8
VARNUM	291

PH4M_R2: Distribution	Value	n	%
Very important	1	21	35.0
Somewhat important	2	8	13.3
Not important	3	31	51.7
No response	N	17	.
Logical skip	S	1897	.
		1974	100.0

PH4M_R3	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 3
TYPE	num
LENGTH	8
VARNUM	292

PH4M_R3: Distribution	Value	n	%
Very important	1	6	35.3
Somewhat important	2	2	11.8
Not important	3	9	52.9
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH4M_R4	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 4
TYPE	num
LENGTH	8
VARNUM	293

PH4M_R4: Distribution	Value	n	%
Very important	1	3	37.5
Somewhat important	2	2	25.0
Not important	3	3	37.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH4M_R5	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 5
TYPE	num
LENGTH	8
VARNUM	294

PH4M_R5: Distribution	Value	n	%
Very important	1	3	42.9
Somewhat important	2	2	28.6
Not important	3	2	28.6
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4M_R6	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 6
TYPE	num
LENGTH	8
VARNUM	295

PH4M_R6: Distribution	Value	n	%
Very important	1	2	40.0
Somewhat important	2	1	20.0
Not important	3	2	40.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4M_R7	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 7
TYPE	num
LENGTH	8
VARNUM	296

PH4M_R7: Distribution	Value	n	%
Very important	1	3	75.0
Somewhat important	2	0	.
Not important	3	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4M_R8	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 8
TYPE	num
LENGTH	8
VARNUM	297

PH4M_R8: Distribution	Value	n	%
Very important	1	1	33.3
Somewhat important	2	1	33.3
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4M_R9	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 9
TYPE	num
LENGTH	8
VARNUM	298

PH4M_R9: Distribution	Value	n	%
Very important	1	1	33.3
Somewhat important	2	0	.
Not important	3	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4M_R10	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 10
TYPE	num
LENGTH	8
VARNUM	299

PH4M_R10: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4M_R11	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 11
TYPE	num
LENGTH	8
VARNUM	300

PH4M_R11: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4M_R12	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 12
TYPE	num
LENGTH	8
VARNUM	301

PH4M_R12: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4N_R1	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 1
TYPE	num
LENGTH	8
VARNUM	302

PH4N_R1: Distribution	Value	n	%
Very important	1	368	75.6
Somewhat important	2	67	13.8
Not important	3	52	10.7
No response	N	6	.
Logical skip	S	1481	.
		1974	100.0

PH4N_R2	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 2
TYPE	num
LENGTH	8
VARNUM	303

PH4N_R2: Distribution	Value	n	%
Very important	1	41	68.3
Somewhat important	2	10	16.7
Not important	3	9	15.0
No response	N	17	.
Logical skip	S	1897	.
		1974	100.0

PH4N_R3	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 3
TYPE	num
LENGTH	8
VARNUM	304

PH4N_R3: Distribution	Value	n	%
Very important	1	12	75.0
Somewhat important	2	2	12.5
Not important	3	2	12.5
No response	N	19	.
Logical skip	S	1939	.
		1974	100.0

PH4N_R4	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 4
TYPE	num
LENGTH	8
VARNUM	305

PH4N_R4: Distribution	Value	n	%
Very important	1	7	87.5
Somewhat important	2	0	.
Not important	3	1	12.5
No response	N	19	.

PH4N_R4: Distribution	Value	n	%
Logical skip	S	1947	.
		1974	100.0

PH4N_R5	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 5
TYPE	num
LENGTH	8
VARNUM	306

PH4N_R5: Distribution	Value	n	%
Very important	1	6	85.7
Somewhat important	2	0	.
Not important	3	1	14.3
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4N_R6	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 6
TYPE	num
LENGTH	8
VARNUM	307

PH4N_R6: Distribution	Value	n	%
Very important	1	4	80.0
Somewhat important	2	0	.
Not important	3	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4N_R7	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 7

PH4N_R7	
TYPE	num
LENGTH	8
VARNUM	308

PH4N_R7: Distribution	Value	n	%
Very important	1	2	50.0
Somewhat important	2	0	.
Not important	3	2	50.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4N_R8	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 8
TYPE	num
LENGTH	8
VARNUM	309

PH4N_R8: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4N_R9	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 9
TYPE	num
LENGTH	8
VARNUM	310

PH4N_R9: Distribution	Value	n	%
Very important	1	2	66.7

PH4N_R9: Distribution	Value	n	%
Somewhat important	2	0	.
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4N_R10	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 10
TYPE	num
LENGTH	8
VARNUM	311

PH4N_R10: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4N_R11	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 11
TYPE	num
LENGTH	8
VARNUM	312

PH4N_R11: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4N_R12	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 12
TYPE	num
LENGTH	8
VARNUM	313

PH4N_R12: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4O_R1	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 1
TYPE	num
LENGTH	8
VARNUM	314

PH4O_R1: Distribution	Value	n	%
Very important	1	221	45.4
Somewhat important	2	104	21.4
Not important	3	162	33.3
No response	N	6	.
Logical skip	S	1481	.
		1974	100.0

PH4O_R2	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 2
TYPE	num
LENGTH	8
VARNUM	315

PH4O_R2: Distribution	Value	n	%
Very important	1	25	41.7
Somewhat important	2	15	25.0
Not important	3	20	33.3
No response	N	17	.
Logical skip	S	1897	.
		1974	100.0

PH4O_R3	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 3
TYPE	num
LENGTH	8
VARNUM	316

PH4O_R3: Distribution	Value	n	%
Very important	1	10	58.8
Somewhat important	2	2	11.8
Not important	3	5	29.4
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH4O_R4	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 4
TYPE	num
LENGTH	8
VARNUM	317

PH4O_R4: Distribution	Value	n	%
Very important	1	3	37.5
Somewhat important	2	3	37.5
Not important	3	2	25.0
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH4O_R5	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 5
TYPE	num
LENGTH	8
VARNUM	318

PH4O_R5: Distribution	Value	n	%
Very important	1	3	42.9
Somewhat important	2	1	14.3
Not important	3	3	42.9
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4O_R6	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 6
TYPE	num
LENGTH	8
VARNUM	319

PH4O_R6: Distribution	Value	n	%
Very important	1	3	60.0
Somewhat important	2	2	40.0
Not important	3	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4O_R7	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 7
TYPE	num
LENGTH	8
VARNUM	320

PH4O_R7: Distribution	Value	n	%
Very important	1	1	25.0
Somewhat important	2	1	25.0
Not important	3	2	50.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4O_R8	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 8
TYPE	num
LENGTH	8
VARNUM	321

PH4O_R8: Distribution	Value	n	%
Very important	1	1	33.3
Somewhat important	2	1	33.3
Not important	3	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4O_R9	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 9
TYPE	num
LENGTH	8
VARNUM	322

PH4O_R9: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4O_R10	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 10
TYPE	num
LENGTH	8
VARNUM	323

PH4O_R10: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4O_R11	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 11
TYPE	num
LENGTH	8
VARNUM	324

PH4O_R11: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4O_R12	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 12
TYPE	num
LENGTH	8
VARNUM	325

PH4O_R12: Distribution	Value	n	%
Very important	1	1	50.0
Somewhat important	2	0	.
Not important	3	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4P_R1	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	326

PH4P_R1: Distribution	Value	n	%
Very important	1	183	37.7
Somewhat important	2	85	17.5
Not important	3	217	44.7
No response	N	8	.
Logical skip	S	1481	.
		1974	100.0

PH4P_R2	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 2
TYPE	num
LENGTH	8
VARNUM	327

PH4P_R2: Distribution	Value	n	%
Very important	1	23	38.3
Somewhat important	2	8	13.3
Not important	3	29	48.3
No response	N	17	.

PH4P_R2: Distribution	Value	n	%
Logical skip	S	1897	.
		1974	100.0

PH4P_R3	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 3
TYPE	num
LENGTH	8
VARNUM	328

PH4P_R3: Distribution	Value	n	%
Very important	1	6	37.5
Somewhat important	2	3	18.8
Not important	3	7	43.8
No response	N	19	.
Logical skip	S	1939	.
		1974	100.0

PH4P_R4	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 4
TYPE	num
LENGTH	8
VARNUM	329

PH4P_R4: Distribution	Value	n	%
Very important	1	2	25.0
Somewhat important	2	1	12.5
Not important	3	5	62.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH4P_R5	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 5

PH4P_R5	
TYPE	num
LENGTH	8
VARNUM	330

PH4P_R5: Distribution	Value	n	%
Very important	1	1	14.3
Somewhat important	2	1	14.3
Not important	3	5	71.4
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH4P_R6	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 6
TYPE	num
LENGTH	8
VARNUM	331

PH4P_R6: Distribution	Value	n	%
Very important	1	2	40.0
Somewhat important	2	1	20.0
Not important	3	2	40.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH4P_R7	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 7
TYPE	num
LENGTH	8
VARNUM	332

PH4P_R7: Distribution	Value	n	%
Very important	1	1	25.0

PH4P_R7: Distribution	Value	n	%
Somewhat important	2	1	25.0
Not important	3	2	50.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH4P_R8	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 8
TYPE	num
LENGTH	8
VARNUM	333

PH4P_R8: Distribution	Value	n	%
Very important	1	0	.
Somewhat important	2	1	33.3
Not important	3	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4P_R9	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 9
TYPE	num
LENGTH	8
VARNUM	334

PH4P_R9: Distribution	Value	n	%
Very important	1	0	.
Somewhat important	2	0	.
Not important	3	3	100.0
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH4P_R10	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 10
TYPE	num
LENGTH	8
VARNUM	335

PH4P_R10: Distribution	Value	n	%
Very important	1	0	.
Somewhat important	2	0	.
Not important	3	2	100.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4P_R11	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 11
TYPE	num
LENGTH	8
VARNUM	336

PH4P_R11: Distribution	Value	n	%
Very important	1	0	.
Somewhat important	2	0	.
Not important	3	2	100.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH4P_R12	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 12
TYPE	num
LENGTH	8
VARNUM	337

PH4P_R12: Distribution	Value	n	%
Very important	1	0	.
Somewhat important	2	0	.
Not important	3	2	100.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH5_11_R1	
LABEL	Was your participation in this treatment? None of these apply? Response 1
TYPE	num
LENGTH	8
VARNUM	338

PH5_11_R1: Distribution	Value	n	%
No	0	141	28.7
Yes	1	350	71.3
No response	N	2	.
Logical skip	S	1481	.
		1974	100.0

PH5_11_R2	
LABEL	Was your participation in this treatment? None of these apply? Response 2
TYPE	num
LENGTH	8
VARNUM	339

PH5_11_R2: Distribution	Value	n	%
No	0	16	26.2
Yes	1	45	73.8
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH5_11_R3	
LABEL	Was your participation in this treatment? None of these apply? Response 3

PH5_11_R3	
TYPE	num
LENGTH	8
VARNUM	340

PH5_11_R3: Distribution	Value	n	%
No	0	4	25.0
Yes	1	12	75.0
No response	N	19	.
Logical skip	S	1939	.
		1974	100.0

PH5_11_R4	
LABEL	Was your participation in this treatment? None of these apply? Response 4
TYPE	num
LENGTH	8
VARNUM	341

PH5_11_R4: Distribution	Value	n	%
No	0	1	12.5
Yes	1	7	87.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH5_11_R5	
LABEL	Was your participation in this treatment? None of these apply? Response 5
TYPE	num
LENGTH	8
VARNUM	342

PH5_11_R5: Distribution	Value	n	%
No	0	2	28.6
Yes	1	5	71.4
No response	N	19	.

PH5_11_R5: Distribution	Value	n	%
Logical skip	S	1948	.
		1974	100.0

PH5_11_R6	
LABEL	Was your participation in this treatment? None of these apply? Response 6
TYPE	num
LENGTH	8
VARNUM	343

PH5_11_R6: Distribution	Value	n	%
No	0	0	.
Yes	1	5	100.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH5_11_R7	
LABEL	Was your participation in this treatment? None of these apply? Response 7
TYPE	num
LENGTH	8
VARNUM	344

PH5_11_R7: Distribution	Value	n	%
No	0	0	.
Yes	1	4	100.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH5_11_R8	
LABEL	Was your participation in this treatment? None of these apply? Response 8
TYPE	num
LENGTH	8
VARNUM	345

PH5_11_R8: Distribution	Value	n	%
No	0	0	.
Yes	1	3	100.0
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH5_11_R9	
LABEL	Was your participation in this treatment? None of these apply? Response 9
TYPE	num
LENGTH	8
VARNUM	346

PH5_11_R9: Distribution	Value	n	%
No	0	0	.
Yes	1	3	100.0
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH5_11_R10	
LABEL	Was your participation in this treatment? None of these apply? Response 10
TYPE	num
LENGTH	8
VARNUM	347

PH5_11_R10: Distribution	Value	n	%
No	0	0	.
Yes	1	2	100.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH5_11_R11	
LABEL	Was your participation in this treatment? None of these apply? Response 11

PH5_11_R11	
TYPE	num
LENGTH	8
VARNUM	348

PH5_11_R11: Distribution	Value	n	%
No	0	0	.
Yes	1	2	100.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH5_11_R12	
LABEL	Was your participation in this treatment? None of these apply? Response 12
TYPE	num
LENGTH	8
VARNUM	349

PH5_11_R12: Distribution	Value	n	%
No	0	0	.
Yes	1	2	100.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_1_R1	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 1
TYPE	num
LENGTH	8
VARNUM	350

PH6_1_R1: Distribution	Value	n	%
No	0	155	31.6
Yes	1	335	68.4
No response	N	3	.

PH6_1_R1: Distribution	Value	n	%
Logical skip	S	1481	.
		1974	100.0

PH6_2_R1	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 1
TYPE	num
LENGTH	8
VARNUM	351

PH6_2_R1: Distribution	Value	n	%
No	0	327	66.7
Yes	1	163	33.3
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH6_3_R1	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/drug abuse care provider? Response 1
TYPE	num
LENGTH	8
VARNUM	352

PH6_3_R1: Distribution	Value	n	%
No	0	449	91.6
Yes	1	41	8.4
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH6_4_R1	
LABEL	Who recommended that you go to this facility to get treatment? Other health care provider? Response 1
TYPE	num

PH6_4_R1	
LENGTH	8
VARNUM	353

PH6_4_R1: Distribution	Value	n	%
No	0	450	91.8
Yes	1	40	8.2
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH6_5_R1	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 1
TYPE	num
LENGTH	8
VARNUM	354

PH6_5_R1: Distribution	Value	n	%
No	0	487	99.4
Yes	1	3	0.6
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH6_6_R1	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 1
TYPE	num
LENGTH	8
VARNUM	355

PH6_6_R1: Distribution	Value	n	%
No	0	483	98.6
Yes	1	7	1.4
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH6_7_R1	
LABEL	Who recommended that you go to this facility to get treatment? Other community referral (e.g. religious organizations or self-help groups)? Response 1
TYPE	num
LENGTH	8
VARNUM	356

PH6_7_R1: Distribution	Value	n	%
No	0	472	96.3
Yes	1	18	3.7
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH6_8_R1	
LABEL	Who recommended that you go to this facility to get treatment? Court/criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 1
TYPE	num
LENGTH	8
VARNUM	357

PH6_8_R1: Distribution	Value	n	%
No	0	446	91.0
Yes	1	44	9.0
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH6_9_R1	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 1
TYPE	num
LENGTH	8
VARNUM	358

PH6_9_R1: Distribution	Value	n	%
No	0	475	96.9
Yes	1	15	3.1
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH6_1_R2	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 2
TYPE	num
LENGTH	8
VARNUM	359

PH6_1_R2: Distribution	Value	n	%
No	0	21	34.4
Yes	1	40	65.6
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH6_2_R2	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 2
TYPE	num
LENGTH	8
VARNUM	360

PH6_2_R2: Distribution	Value	n	%
No	0	45	73.8
Yes	1	16	26.2
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH6_3_R2	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/drug abuse care provider? Response 2
TYPE	num
LENGTH	8
VARNUM	361

PH6_3_R2: Distribution	Value	n	%
No	0	51	83.6
Yes	1	10	16.4
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH6_4_R2	
LABEL	Who recommended that you go to this facility to get treatment? Other health care provider? Response 2
TYPE	num
LENGTH	8
VARNUM	362

PH6_4_R2: Distribution	Value	n	%
No	0	52	85.2
Yes	1	9	14.8
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH6_5_R2	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 2
TYPE	num
LENGTH	8
VARNUM	363

PH6_5_R2: Distribution	Value	n	%
No	0	61	100.0

PH6_5_R2: Distribution	Value	n	%
Yes	1	0	.
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH6_6_R2	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 2
TYPE	num
LENGTH	8
VARNUM	364

PH6_6_R2: Distribution	Value	n	%
No	0	60	98.4
Yes	1	1	1.6
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH6_7_R2	
LABEL	Who recommended that you go to this facility to get treatment? Other community referral (e.g. religious organizations or self-help groups)? Response 2
TYPE	num
LENGTH	8
VARNUM	365

PH6_7_R2: Distribution	Value	n	%
No	0	60	98.4
Yes	1	1	1.6
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH6_8_R2	
LABEL	Who recommended that you go to this facility to get treatment? Court/criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 2

PH6_8_R2	
TYPE	num
LENGTH	8
VARNUM	366

PH6_8_R2: Distribution	Value	n	%
No	0	56	91.8
Yes	1	5	8.2
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH6_9_R2	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 2
TYPE	num
LENGTH	8
VARNUM	367

PH6_9_R2: Distribution	Value	n	%
No	0	56	91.8
Yes	1	5	8.2
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH6_1_R3	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 3
TYPE	num
LENGTH	8
VARNUM	368

PH6_1_R3: Distribution	Value	n	%
No	0	5	31.3
Yes	1	11	68.8
No response	N	19	.

PH6_1_R3: Distribution	Value	n	%
Logical skip	S	1939	.
		1974	100.0

PH6_2_R3	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 3
TYPE	num
LENGTH	8
VARNUM	369

PH6_2_R3: Distribution	Value	n	%
No	0	15	93.8
Yes	1	1	6.3
No response	N	19	.
Logical skip	S	1939	.
		1974	100.0

PH6_3_R3	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/drug abuse care provider? Response 3
TYPE	num
LENGTH	8
VARNUM	370

PH6_3_R3: Distribution	Value	n	%
No	0	15	93.8
Yes	1	1	6.3
No response	N	19	.
Logical skip	S	1939	.
		1974	100.0

PH6_4_R3	
LABEL	Who recommended that you go to this facility to get treatment? Other health care provider? Response 3
TYPE	num

PH6_4_R3	
LENGTH	8
VARNUM	371

PH6_4_R3: Distribution	Value	n	%
No	0	15	93.8
Yes	1	1	6.3
No response	N	19	.
Logical skip	S	1939	.
		<i>1974</i>	<i>100.0</i>

PH6_5_R3	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 3
TYPE	num
LENGTH	8
VARNUM	372

PH6_5_R3: Distribution	Value	n	%
No	0	16	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1939	.
		<i>1974</i>	<i>100.0</i>

PH6_6_R3	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 3
TYPE	num
LENGTH	8
VARNUM	373

PH6_6_R3: Distribution	Value	n	%
No	0	16	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1939	.
		<i>1974</i>	<i>100.0</i>

PH6_7_R3	
LABEL	Who recommended that you go to this facility to get treatment? Other community referral (e.g. religious organizations or self-help groups)? Response 3
TYPE	num
LENGTH	8
VARNUM	374

PH6_7_R3: Distribution	Value	n	%
No	0	15	93.8
Yes	1	1	6.3
No response	N	19	.
Logical skip	S	1939	.
		1974	100.0

PH6_8_R3	
LABEL	Who recommended that you go to this facility to get treatment? Court/criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 3
TYPE	num
LENGTH	8
VARNUM	375

PH6_8_R3: Distribution	Value	n	%
No	0	16	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1939	.
		1974	100.0

PH6_9_R3	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 3
TYPE	num
LENGTH	8
VARNUM	376

PH6_9_R3: Distribution	Value	n	%
No	0	14	87.5
Yes	1	2	12.5
No response	N	19	.
Logical skip	S	1939	.
		1974	100.0

PH6_1_R4	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 4
TYPE	num
LENGTH	8
VARNUM	377

PH6_1_R4: Distribution	Value	n	%
No	0	1	12.5
Yes	1	7	87.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH6_2_R4	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 4
TYPE	num
LENGTH	8
VARNUM	378

PH6_2_R4: Distribution	Value	n	%
No	0	7	87.5
Yes	1	1	12.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH6_3_R4	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/drug abuse care provider? Response 4
TYPE	num
LENGTH	8
VARNUM	379

PH6_3_R4: Distribution	Value	n	%
No	0	8	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH6_4_R4	
LABEL	Who recommended that you go to this facility to get treatment? Other health care provider? Response 4
TYPE	num
LENGTH	8
VARNUM	380

PH6_4_R4: Distribution	Value	n	%
No	0	8	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH6_5_R4	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 4
TYPE	num
LENGTH	8
VARNUM	381

PH6_5_R4: Distribution	Value	n	%
No	0	8	100.0

PH6_5_R4: Distribution	Value	n	%
Yes	1	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH6_6_R4	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 4
TYPE	num
LENGTH	8
VARNUM	382

PH6_6_R4: Distribution	Value	n	%
No	0	8	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH6_7_R4	
LABEL	Who recommended that you go to this facility to get treatment? Other community referral (e.g. religious organizations or self-help groups)? Response 4
TYPE	num
LENGTH	8
VARNUM	383

PH6_7_R4: Distribution	Value	n	%
No	0	8	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH6_8_R4	
LABEL	Who recommended that you go to this facility to get treatment? Court/criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 4

PH6_8_R4	
TYPE	num
LENGTH	8
VARNUM	384

PH6_8_R4: Distribution	Value	n	%
No	0	8	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH6_9_R4	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 4
TYPE	num
LENGTH	8
VARNUM	385

PH6_9_R4: Distribution	Value	n	%
No	0	7	87.5
Yes	1	1	12.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH6_1_R5	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 5
TYPE	num
LENGTH	8
VARNUM	386

PH6_1_R5: Distribution	Value	n	%
No	0	3	42.9
Yes	1	4	57.1
No response	N	19	.

PH6_1_R5: Distribution	Value	n	%
Logical skip	S	1948	.
		1974	100.0

PH6_2_R5	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 5
TYPE	num
LENGTH	8
VARNUM	387

PH6_2_R5: Distribution	Value	n	%
No	0	6	85.7
Yes	1	1	14.3
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH6_3_R5	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/drug abuse care provider? Response 5
TYPE	num
LENGTH	8
VARNUM	388

PH6_3_R5: Distribution	Value	n	%
No	0	7	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH6_4_R5	
LABEL	Who recommended that you go to this facility to get treatment? Other health care provider? Response 5
TYPE	num

PH6_4_R5	
LENGTH	8
VARNUM	389

PH6_4_R5: Distribution	Value	n	%
No	0	7	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1948	.
		<i>1974</i>	<i>100.0</i>

PH6_5_R5	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 5
TYPE	num
LENGTH	8
VARNUM	390

PH6_5_R5: Distribution	Value	n	%
No	0	7	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1948	.
		<i>1974</i>	<i>100.0</i>

PH6_6_R5	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 5
TYPE	num
LENGTH	8
VARNUM	391

PH6_6_R5: Distribution	Value	n	%
No	0	7	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1948	.
		<i>1974</i>	<i>100.0</i>

PH6_7_R5	
LABEL	Who recommended that you go to this facility to get treatment? Other community referral (e.g. religious organizations or self-help groups)? Response 5
TYPE	num
LENGTH	8
VARNUM	392

PH6_7_R5: Distribution	Value	n	%
No	0	6	85.7
Yes	1	1	14.3
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH6_8_R5	
LABEL	Who recommended that you go to this facility to get treatment? Court/criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 5
TYPE	num
LENGTH	8
VARNUM	393

PH6_8_R5: Distribution	Value	n	%
No	0	7	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH6_9_R5	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 5
TYPE	num
LENGTH	8
VARNUM	394

PH6_9_R5: Distribution	Value	n	%
No	0	5	71.4
Yes	1	2	28.6
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH6_1_R6	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 6
TYPE	num
LENGTH	8
VARNUM	395

PH6_1_R6: Distribution	Value	n	%
No	0	2	40.0
Yes	1	3	60.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH6_2_R6	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 6
TYPE	num
LENGTH	8
VARNUM	396

PH6_2_R6: Distribution	Value	n	%
No	0	4	80.0
Yes	1	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH6_3_R6	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/drug abuse care provider? Response 6
TYPE	num
LENGTH	8
VARNUM	397

PH6_3_R6: Distribution	Value	n	%
No	0	4	80.0
Yes	1	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH6_4_R6	
LABEL	Who recommended that you go to this facility to get treatment? Other health care provider? Response 6
TYPE	num
LENGTH	8
VARNUM	398

PH6_4_R6: Distribution	Value	n	%
No	0	5	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH6_5_R6	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 6
TYPE	num
LENGTH	8
VARNUM	399

PH6_5_R6: Distribution	Value	n	%
No	0	5	100.0

PH6_5_R6: Distribution	Value	n	%
Yes	1	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH6_6_R6	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 6
TYPE	num
LENGTH	8
VARNUM	400

PH6_6_R6: Distribution	Value	n	%
No	0	5	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH6_7_R6	
LABEL	Who recommended that you go to this facility to get treatment? Other community referral (e.g. religious organizations or self-help groups)? Response 6
TYPE	num
LENGTH	8
VARNUM	401

PH6_7_R6: Distribution	Value	n	%
No	0	5	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH6_8_R6	
LABEL	Who recommended that you go to this facility to get treatment? Court/criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 6

PH6_8_R6	
TYPE	num
LENGTH	8
VARNUM	402

PH6_8_R6: Distribution	Value	n	%
No	0	5	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH6_9_R6	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 6
TYPE	num
LENGTH	8
VARNUM	403

PH6_9_R6: Distribution	Value	n	%
No	0	4	80.0
Yes	1	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH6_1_R7	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 7
TYPE	num
LENGTH	8
VARNUM	404

PH6_1_R7: Distribution	Value	n	%
No	0	2	50.0
Yes	1	2	50.0
No response	N	19	.

PH6_1_R7: Distribution	Value	n	%
Logical skip	S	1951	.
		1974	100.0

PH6_2_R7	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 7
TYPE	num
LENGTH	8
VARNUM	405

PH6_2_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH6_3_R7	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/drug abuse care provider? Response 7
TYPE	num
LENGTH	8
VARNUM	406

PH6_3_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH6_4_R7	
LABEL	Who recommended that you go to this facility to get treatment? Other health care provider? Response 7
TYPE	num

PH6_4_R7	
LENGTH	8
VARNUM	407

PH6_4_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		<i>1974</i>	<i>100.0</i>

PH6_5_R7	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 7
TYPE	num
LENGTH	8
VARNUM	408

PH6_5_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		<i>1974</i>	<i>100.0</i>

PH6_6_R7	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 7
TYPE	num
LENGTH	8
VARNUM	409

PH6_6_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		<i>1974</i>	<i>100.0</i>

PH6_7_R7	
LABEL	Who recommended that you go to this facility to get treatment? Other community referral (e.g. religious organizations or self-help groups)? Response 7
TYPE	num
LENGTH	8
VARNUM	410

PH6_7_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH6_8_R7	
LABEL	Who recommended that you go to this facility to get treatment? Court/criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 7
TYPE	num
LENGTH	8
VARNUM	411

PH6_8_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH6_9_R7	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 7
TYPE	num
LENGTH	8
VARNUM	412

PH6_9_R7: Distribution	Value	n	%
No	0	2	50.0
Yes	1	2	50.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH6_1_R8	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 8
TYPE	num
LENGTH	8
VARNUM	413

PH6_1_R8: Distribution	Value	n	%
No	0	1	33.3
Yes	1	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH6_2_R8	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 8
TYPE	num
LENGTH	8
VARNUM	414

PH6_2_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH6_3_R8	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/drug abuse care provider? Response 8
TYPE	num
LENGTH	8
VARNUM	415

PH6_3_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH6_4_R8	
LABEL	Who recommended that you go to this facility to get treatment? Other health care provider? Response 8
TYPE	num
LENGTH	8
VARNUM	416

PH6_4_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH6_5_R8	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 8
TYPE	num
LENGTH	8
VARNUM	417

PH6_5_R8: Distribution	Value	n	%
No	0	3	100.0

PH6_5_R8: Distribution	Value	n	%
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH6_6_R8	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 8
TYPE	num
LENGTH	8
VARNUM	418

PH6_6_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH6_7_R8	
LABEL	Who recommended that you go to this facility to get treatment? Other community referral (e.g. religious organizations or self-help groups)? Response 8
TYPE	num
LENGTH	8
VARNUM	419

PH6_7_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH6_8_R8	
LABEL	Who recommended that you go to this facility to get treatment? Court/criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 8

PH6_8_R8	
TYPE	num
LENGTH	8
VARNUM	420

PH6_8_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH6_9_R8	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 8
TYPE	num
LENGTH	8
VARNUM	421

PH6_9_R8: Distribution	Value	n	%
No	0	2	66.7
Yes	1	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH6_1_R9	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 9
TYPE	num
LENGTH	8
VARNUM	422

PH6_1_R9: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.

PH6_1_R9: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH6_2_R9	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 9
TYPE	num
LENGTH	8
VARNUM	423

PH6_2_R9: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_3_R9	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/drug abuse care provider? Response 9
TYPE	num
LENGTH	8
VARNUM	424

PH6_3_R9: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_4_R9	
LABEL	Who recommended that you go to this facility to get treatment? Other health care provider? Response 9
TYPE	num

PH6_4_R9	
LENGTH	8
VARNUM	425

PH6_4_R9: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH6_5_R9	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 9
TYPE	num
LENGTH	8
VARNUM	426

PH6_5_R9: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH6_6_R9	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 9
TYPE	num
LENGTH	8
VARNUM	427

PH6_6_R9: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH6_7_R9	
LABEL	Who recommended that you go to this facility to get treatment? Other community referral (e.g. religious organizations or self-help groups)? Response 9
TYPE	num
LENGTH	8
VARNUM	428

PH6_7_R9: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_8_R9	
LABEL	Who recommended that you go to this facility to get treatment? Court/criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 9
TYPE	num
LENGTH	8
VARNUM	429

PH6_8_R9: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_9_R9	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 9
TYPE	num
LENGTH	8
VARNUM	430

PH6_9_R9: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_1_R10	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 10
TYPE	num
LENGTH	8
VARNUM	431

PH6_1_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_2_R10	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 10
TYPE	num
LENGTH	8
VARNUM	432

PH6_2_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_3_R10	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/drug abuse care provider? Response 10
TYPE	num
LENGTH	8
VARNUM	433

PH6_3_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_4_R10	
LABEL	Who recommended that you go to this facility to get treatment? Other health care provider? Response 10
TYPE	num
LENGTH	8
VARNUM	434

PH6_4_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_5_R10	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 10
TYPE	num
LENGTH	8
VARNUM	435

PH6_5_R10: Distribution	Value	n	%
No	0	2	100.0

PH6_5_R10: Distribution	Value	n	%
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_6_R10	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 10
TYPE	num
LENGTH	8
VARNUM	436

PH6_6_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_7_R10	
LABEL	Who recommended that you go to this facility to get treatment? Other community referral (e.g. religious organizations or self-help groups)? Response 10
TYPE	num
LENGTH	8
VARNUM	437

PH6_7_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_8_R10	
LABEL	Who recommended that you go to this facility to get treatment? Court/criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 10

PH6_8_R10	
TYPE	num
LENGTH	8
VARNUM	438

PH6_8_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_9_R10	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 10
TYPE	num
LENGTH	8
VARNUM	439

PH6_9_R10: Distribution	Value	n	%
No	0	0	.
Yes	1	2	100.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_1_R11	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 11
TYPE	num
LENGTH	8
VARNUM	440

PH6_1_R11: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.

PH6_1_R11: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH6_2_R11	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 11
TYPE	num
LENGTH	8
VARNUM	441

PH6_2_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_3_R11	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/drug abuse care provider? Response 11
TYPE	num
LENGTH	8
VARNUM	442

PH6_3_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_4_R11	
LABEL	Who recommended that you go to this facility to get treatment? Other health care provider? Response 11
TYPE	num

PH6_4_R11	
LENGTH	8
VARNUM	443

PH6_4_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH6_5_R11	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 11
TYPE	num
LENGTH	8
VARNUM	444

PH6_5_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH6_6_R11	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 11
TYPE	num
LENGTH	8
VARNUM	445

PH6_6_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH6_7_R11	
LABEL	Who recommended that you go to this facility to get treatment? Other community referral (e.g. religious organizations or self-help groups)? Response 11
TYPE	num
LENGTH	8
VARNUM	446

PH6_7_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_8_R11	
LABEL	Who recommended that you go to this facility to get treatment? Court/criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 11
TYPE	num
LENGTH	8
VARNUM	447

PH6_8_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_9_R11	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 11
TYPE	num
LENGTH	8
VARNUM	448

PH6_9_R11: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_1_R12	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 12
TYPE	num
LENGTH	8
VARNUM	449

PH6_1_R12: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_2_R12	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 12
TYPE	num
LENGTH	8
VARNUM	450

PH6_2_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_3_R12	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/drug abuse care provider? Response 12
TYPE	num
LENGTH	8
VARNUM	451

PH6_3_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_4_R12	
LABEL	Who recommended that you go to this facility to get treatment? Other health care provider? Response 12
TYPE	num
LENGTH	8
VARNUM	452

PH6_4_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_5_R12	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 12
TYPE	num
LENGTH	8
VARNUM	453

PH6_5_R12: Distribution	Value	n	%
No	0	2	100.0

PH6_5_R12: Distribution	Value	n	%
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_6_R12	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 12
TYPE	num
LENGTH	8
VARNUM	454

PH6_6_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_7_R12	
LABEL	Who recommended that you go to this facility to get treatment? Other community referral (e.g. religious organizations or self-help groups)? Response 12
TYPE	num
LENGTH	8
VARNUM	455

PH6_7_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_8_R12	
LABEL	Who recommended that you go to this facility to get treatment? Court/criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 12

PH6_8_R12	
TYPE	num
LENGTH	8
VARNUM	456

PH6_8_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH6_9_R12	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 12
TYPE	num
LENGTH	8
VARNUM	457

PH6_9_R12: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH7_R1	
LABEL	How would you best describe the place you received this treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	458

PH7_R1: Distribution	Value	n	%
Drug rehabilitation center/service	1	324	66.0
Mental health center or facility	2	39	7.9
Specialty addiction doctor	3	29	5.9

PH7_R1: Distribution	Value	n	%
General doctor's office or primary care physician	4	24	4.9
Office-based counseling with psychiatrist, psychologist, or social worker	5	32	6.5
Other type of place	6	43	8.8
No response	N	2	.
Logical skip	S	1481	.
		1974	100.0

PH7_R2	
LABEL	How would you best describe the place you received this treatment? Response 2
TYPE	num
LENGTH	8
VARNUM	459

PH7_R2: Distribution	Value	n	%
Drug rehabilitation center/service	1	38	62.3
Mental health center or facility	2	6	9.8
Specialty addiction doctor	3	8	13.1
General doctor's office or primary care physician	4	3	4.9
Office-based counseling with psychiatrist, psychologist, or social worker	5	3	4.9
Other type of place	6	3	4.9
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH7_R3	
LABEL	How would you best describe the place you received this treatment? Response 3
TYPE	num
LENGTH	8
VARNUM	460

PH7_R3: Distribution	Value	n	%
Drug rehabilitation center/service	1	10	62.5
Mental health center or facility	2	1	6.3
Specialty addiction doctor	3	3	18.8
General doctor's office or primary care physician	4	2	12.5
Office-based counseling with psychiatrist, psychologist, or social worker	5	0	.
Other type of place	6	0	.
No response	N	19	.
Logical skip	S	1939	.
		1974	100.0

PH7_R4	
LABEL	How would you best describe the place you received this treatment? Response 4
TYPE	num
LENGTH	8
VARNUM	461

PH7_R4: Distribution	Value	n	%
Drug rehabilitation center/service	1	5	62.5
Mental health center or facility	2	1	12.5
Specialty addiction doctor	3	1	12.5
General doctor's office or primary care physician	4	0	.
Office-based counseling with psychiatrist, psychologist, or social worker	5	0	.
Other type of place	6	1	12.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH7_R5	
LABEL	How would you best describe the place you received this treatment? Response 5
TYPE	num

PH7_R5	
LENGTH	8
VARNUM	462

PH7_R5: Distribution	Value	n	%
Drug rehabilitation center/service	1	5	71.4
Mental health center or facility	2	1	14.3
Specialty addiction doctor	3	1	14.3
General doctor's office or primary care physician	4	0	.
Office-based counseling with psychiatrist, psychologist, or social worker	5	0	.
Other type of place	6	0	.
No response	N	19	.
Logical skip	S	1948	.
		<i>1974</i>	<i>100.0</i>

PH7_R6	
LABEL	How would you best describe the place you received this treatment? Response 6
TYPE	num
LENGTH	8
VARNUM	463

PH7_R6: Distribution	Value	n	%
Drug rehabilitation center/service	1	3	60.0
Mental health center or facility	2	0	.
Specialty addiction doctor	3	2	40.0
General doctor's office or primary care physician	4	0	.
Office-based counseling with psychiatrist, psychologist, or social worker	5	0	.
Other type of place	6	0	.
No response	N	19	.
Logical skip	S	1950	.
		<i>1974</i>	<i>100.0</i>

PH7_R7	
LABEL	How would you best describe the place you received this treatment? Response 7
TYPE	num
LENGTH	8
VARNUM	464

PH7_R7: Distribution	Value	n	%
Drug rehabilitation center/service	1	4	100.0
Mental health center or facility	2	0	.
Specialty addiction doctor	3	0	.
General doctor's office or primary care physician	4	0	.
Office-based counseling with psychiatrist, psychologist, or social worker	5	0	.
Other type of place	6	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH7_R8	
LABEL	How would you best describe the place you received this treatment? Response 8
TYPE	num
LENGTH	8
VARNUM	465

PH7_R8: Distribution	Value	n	%
Drug rehabilitation center/service	1	3	100.0
Mental health center or facility	2	0	.
Specialty addiction doctor	3	0	.
General doctor's office or primary care physician	4	0	.
Office-based counseling with psychiatrist, psychologist, or social worker	5	0	.
Other type of place	6	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH7_R9	
LABEL	How would you best describe the place you received this treatment? Response 9
TYPE	num
LENGTH	8
VARNUM	466

PH7_R9: Distribution	Value	n	%
Drug rehabilitation center/service	1	3	100.0
Mental health center or facility	2	0	.
Specialty addiction doctor	3	0	.
General doctor's office or primary care physician	4	0	.
Office-based counseling with psychiatrist, psychologist, or social worker	5	0	.
Other type of place	6	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH7_R10	
LABEL	How would you best describe the place you received this treatment? Response 10
TYPE	num
LENGTH	8
VARNUM	467

PH7_R10: Distribution	Value	n	%
Drug rehabilitation center/service	1	2	100.0
Mental health center or facility	2	0	.
Specialty addiction doctor	3	0	.
General doctor's office or primary care physician	4	0	.
Office-based counseling with psychiatrist, psychologist, or social worker	5	0	.
Other type of place	6	0	.
No response	N	20	.

PH7_R10: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH7_R11	
LABEL	How would you best describe the place you received this treatment? Response 11
TYPE	num
LENGTH	8
VARNUM	468

PH7_R11: Distribution	Value	n	%
Drug rehabilitation center/service	1	2	100.0
Mental health center or facility	2	0	.
Specialty addiction doctor	3	0	.
General doctor's office or primary care physician	4	0	.
Office-based counseling with psychiatrist, psychologist, or social worker	5	0	.
Other type of place	6	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH7_R12	
LABEL	How would you best describe the place you received this treatment? Response 12
TYPE	num
LENGTH	8
VARNUM	469

PH7_R12: Distribution	Value	n	%
Drug rehabilitation center/service	1	2	100.0
Mental health center or facility	2	0	.
Specialty addiction doctor	3	0	.
General doctor's office or primary care physician	4	0	.

PH7_R12: Distribution	Value	n	%
Office-based counseling with psychiatrist, psychologist, or social worker	5	0	.
Other type of place	6	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH8_R1	
LABEL	When you entered this treatment, how confident were you that this treatment would be successful? Response 1
TYPE	num
LENGTH	8
VARNUM	470

PH8_R1: Distribution	Value	n	%
Not confident	1	63	12.8
Slightly confident	2	130	26.4
Moderately confident	3	151	30.7
Highly confident	4	148	30.1
No response	N	1	.
Logical skip	S	1481	.
		1974	100.0

PH8_R2	
LABEL	When you entered this treatment, how confident were you that this treatment would be successful? Response 2
TYPE	num
LENGTH	8
VARNUM	471

PH8_R2: Distribution	Value	n	%
Not confident	1	8	12.9
Slightly confident	2	12	19.4
Moderately confident	3	18	29.0
Highly confident	4	24	38.7
No response	N	15	.

PH8_R2: Distribution	Value	n	%
Logical skip	S	1897	.
		1974	100.0

PH8_R3	
LABEL	When you entered this treatment, how confident were you that this treatment would be successful? Response 3
TYPE	num
LENGTH	8
VARNUM	472

PH8_R3: Distribution	Value	n	%
Not confident	1	5	31.3
Slightly confident	2	1	6.3
Moderately confident	3	4	25.0
Highly confident	4	6	37.5
No response	N	19	.
Logical skip	S	1939	.
		1974	100.0

PH8_R4	
LABEL	When you entered this treatment, how confident were you that this treatment would be successful? Response 4
TYPE	num
LENGTH	8
VARNUM	473

PH8_R4: Distribution	Value	n	%
Not confident	1	1	12.5
Slightly confident	2	3	37.5
Moderately confident	3	2	25.0
Highly confident	4	2	25.0
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH8_R5	
LABEL	When you entered this treatment, how confident were you that this treatment would be successful? Response 5
TYPE	num
LENGTH	8
VARNUM	474

PH8_R5: Distribution	Value	n	%
Not confident	1	2	28.6
Slightly confident	2	0	.
Moderately confident	3	3	42.9
Highly confident	4	2	28.6
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH8_R6	
LABEL	When you entered this treatment, how confident were you that this treatment would be successful? Response 6
TYPE	num
LENGTH	8
VARNUM	475

PH8_R6: Distribution	Value	n	%
Not confident	1	2	40.0
Slightly confident	2	0	.
Moderately confident	3	2	40.0
Highly confident	4	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH8_R7	
LABEL	When you entered this treatment, how confident were you that this treatment would be successful? Response 7
TYPE	num
LENGTH	8
VARNUM	476

PH8_R7: Distribution	Value	n	%
Not confident	1	0	.
Slightly confident	2	1	25.0
Moderately confident	3	2	50.0
Highly confident	4	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH8_R8	
LABEL	When you entered this treatment, how confident were you that this treatment would be successful? Response 8
TYPE	num
LENGTH	8
VARNUM	477

PH8_R8: Distribution	Value	n	%
Not confident	1	1	33.3
Slightly confident	2	0	.
Moderately confident	3	1	33.3
Highly confident	4	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH8_R9	
LABEL	When you entered this treatment, how confident were you that this treatment would be successful? Response 9
TYPE	num
LENGTH	8
VARNUM	478

PH8_R9: Distribution	Value	n	%
Not confident	1	0	.
Slightly confident	2	0	.
Moderately confident	3	2	100.0

PH8_R9: Distribution	Value	n	%
Highly confident	4	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH8_R10	
LABEL	When you entered this treatment, how confident were you that this treatment would be successful? Response 10
TYPE	num
LENGTH	8
VARNUM	479

PH8_R10: Distribution	Value	n	%
Not confident	1	0	.
Slightly confident	2	0	.
Moderately confident	3	1	50.0
Highly confident	4	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH8_R11	
LABEL	When you entered this treatment, how confident were you that this treatment would be successful? Response 11
TYPE	num
LENGTH	8
VARNUM	480

PH8_R11: Distribution	Value	n	%
Not confident	1	0	.
Slightly confident	2	0	.
Moderately confident	3	2	100.0
Highly confident	4	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH8_R12	
LABEL	When you entered this treatment, how confident were you that this treatment would be successful? Response 12
TYPE	num
LENGTH	8
VARNUM	481

PH8_R12: Distribution	Value	n	%
Not confident	1	0	.
Slightly confident	2	0	.
Moderately confident	3	1	50.0
Highly confident	4	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH9_R1	
LABEL	This treatment was? Inpatient? Residential? Intensive outpatient? Outpatient? Other? Response 1
TYPE	num
LENGTH	8
VARNUM	482

PH9_R1: Distribution	Value	n	%
Inpatient	1	113	23.0
Residential	2	42	8.5
Intensive outpatient	3	53	10.8
Outpatient	4	258	52.4
Other (specify):	5	26	5.3
No response	N	1	.
Logical skip	S	1481	.
		1974	100.0

PH9_R2	
LABEL	This treatment was? Inpatient? Residential? Intensive outpatient? Outpatient? Other? Response 2
TYPE	num

PH9_R2	
LENGTH	8
VARNUM	483

PH9_R2: Distribution	Value	n	%
Inpatient	1	15	24.6
Residential	2	7	11.5
Intensive outpatient	3	5	8.2
Outpatient	4	33	54.1
Other (specify):	5	1	1.6
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH9_R3	
LABEL	This treatment was? Inpatient? Residential? Intensive outpatient? Outpatient? Other? Response 3
TYPE	num
LENGTH	8
VARNUM	484

PH9_R3: Distribution	Value	n	%
Inpatient	1	3	18.8
Residential	2	2	12.5
Intensive outpatient	3	1	6.3
Outpatient	4	10	62.5
Other (specify):	5	0	.
No response	N	19	.
Logical skip	S	1939	.
		1974	100.0

PH9_R4	
LABEL	This treatment was? Inpatient? Residential? Intensive outpatient? Outpatient? Other? Response 4
TYPE	num
LENGTH	8
VARNUM	485

PH9_R4: Distribution	Value	n	%
Inpatient	1	2	25.0
Residential	2	2	25.0
Intensive outpatient	3	0	.
Outpatient	4	4	50.0
Other (specify):	5	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH9_R5	
LABEL	This treatment was? Inpatient? Residential? Intensive outpatient? Outpatient? Other? Response 5
TYPE	num
LENGTH	8
VARNUM	486

PH9_R5: Distribution	Value	n	%
Inpatient	1	2	33.3
Residential	2	1	16.7
Intensive outpatient	3	0	.
Outpatient	4	3	50.0
Other (specify):	5	0	.
No response	N	20	.
Logical skip	S	1948	.
		1974	100.0

PH9_R6	
LABEL	This treatment was? Inpatient? Residential? Intensive outpatient? Outpatient? Other? Response 6
TYPE	num
LENGTH	8
VARNUM	487

PH9_R6: Distribution	Value	n	%
Inpatient	1	0	.
Residential	2	0	.

PH9_R6: Distribution	Value	n	%
Intensive outpatient	3	0	.
Outpatient	4	5	100.0
Other (specify):	5	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH9_R7	
LABEL	This treatment was? Inpatient? Residential? Intensive outpatient? Outpatient? Other? Response 7
TYPE	num
LENGTH	8
VARNUM	488

PH9_R7: Distribution	Value	n	%
Inpatient	1	0	.
Residential	2	0	.
Intensive outpatient	3	0	.
Outpatient	4	4	100.0
Other (specify):	5	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH9_R8	
LABEL	This treatment was? Inpatient? Residential? Intensive outpatient? Outpatient? Other? Response 8
TYPE	num
LENGTH	8
VARNUM	489

PH9_R8: Distribution	Value	n	%
Inpatient	1	0	.
Residential	2	0	.
Intensive outpatient	3	0	.
Outpatient	4	3	100.0

PH9_R8: Distribution	Value	n	%
Other (specify):	5	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH9_R9	
LABEL	This treatment was? Inpatient? Residential? Intensive outpatient? Outpatient? Other? Response 9
TYPE	num
LENGTH	8
VARNUM	490

PH9_R9: Distribution	Value	n	%
Inpatient	1	0	.
Residential	2	0	.
Intensive outpatient	3	0	.
Outpatient	4	3	100.0
Other (specify):	5	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH9_R10	
LABEL	This treatment was? Inpatient? Residential? Intensive outpatient? Outpatient? Other? Response 10
TYPE	num
LENGTH	8
VARNUM	491

PH9_R10: Distribution	Value	n	%
Inpatient	1	0	.
Residential	2	0	.
Intensive outpatient	3	0	.
Outpatient	4	2	100.0
Other (specify):	5	0	.
No response	N	20	.

PH9_R10: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH9_R11	
LABEL	This treatment was? Inpatient? Residential? Intensive outpatient? Outpatient? Other? Response 11
TYPE	num
LENGTH	8
VARNUM	492

PH9_R11: Distribution	Value	n	%
Inpatient	1	0	.
Residential	2	0	.
Intensive outpatient	3	0	.
Outpatient	4	2	100.0
Other (specify):	5	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH9_R12	
LABEL	This treatment was? Inpatient? Residential? Intensive outpatient? Outpatient? Other? Response 12
TYPE	num
LENGTH	8
VARNUM	493

PH9_R12: Distribution	Value	n	%
Inpatient	1	0	.
Residential	2	0	.
Intensive outpatient	3	0	.
Outpatient	4	2	100.0
Other (specify):	5	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_1_R1	
LABEL	While enrolled in this treatment, did you receive: Methadone? Response 1
TYPE	num
LENGTH	8
VARNUM	494

PH10_1_R1: Distribution	Value	n	%
No	0	294	59.8
Yes	1	198	40.2
No response	N	1	.
Logical skip	S	1481	.
		1974	100.0

PH10_2_R1	
LABEL	While enrolled in this treatment, did you receive: Oral buprenorphine (e.g. Suboxone, generic)? Response 1
TYPE	num
LENGTH	8
VARNUM	495

PH10_2_R1: Distribution	Value	n	%
No	0	310	63.0
Yes	1	182	37.0
No response	N	1	.
Logical skip	S	1481	.
		1974	100.0

PH10_3_R1	
LABEL	While enrolled in this treatment, did you receive: Implantable or injectable buprenorphine (e.g. Probuphine, generic)? Response 1
TYPE	num
LENGTH	8
VARNUM	496

PH10_3_R1: Distribution	Value	n	%
No	0	488	99.2

PH10_3_R1: Distribution	Value	n	%
Yes	1	4	0.8
No response	N	1	.
Logical skip	S	1481	.
		1974	100.0

PH10_4_R1	
LABEL	While enrolled in this treatment, did you receive: Oral naltrexone (e.g. Revia)? Response 1
TYPE	num
LENGTH	8
VARNUM	497

PH10_4_R1: Distribution	Value	n	%
No	0	479	97.4
Yes	1	13	2.6
No response	N	1	.
Logical skip	S	1481	.
		1974	100.0

PH10_5_R1	
LABEL	While enrolled in this treatment, did you receive: Injectable naltrexone (e.g. Vivitrol)? Response 1
TYPE	num
LENGTH	8
VARNUM	498

PH10_5_R1: Distribution	Value	n	%
No	0	469	95.3
Yes	1	23	4.7
No response	N	1	.
Logical skip	S	1481	.
		1974	100.0

PH10_6_R1	
LABEL	While enrolled in this treatment, did you receive: Other drug? Response 1
TYPE	num

PH10_6_R1	
LENGTH	8
VARNUM	499

PH10_6_R1: Distribution	Value	n	%
No	0	474	96.3
Yes	1	18	3.7
No response	N	1	.
Logical skip	S	1481	.
		1974	100.0

PH10_7_R1	
LABEL	While enrolled in this treatment, did you receive: No drug? Response 1
TYPE	num
LENGTH	8
VARNUM	500

PH10_7_R1: Distribution	Value	n	%
No	0	416	84.6
Yes	1	76	15.4
No response	N	1	.
Logical skip	S	1481	.
		1974	100.0

PH10_1_R2	
LABEL	While enrolled in this treatment, did you receive: Methadone? Response 2
TYPE	num
LENGTH	8
VARNUM	501

PH10_1_R2: Distribution	Value	n	%
No	0	43	69.4
Yes	1	19	30.6
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH10_2_R2	
LABEL	While enrolled in this treatment, did you receive: Oral buprenorphine (e.g. Suboxone, generic)? Response 2
TYPE	num
LENGTH	8
VARNUM	502

PH10_2_R2: Distribution	Value	n	%
No	0	37	59.7
Yes	1	25	40.3
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH10_3_R2	
LABEL	While enrolled in this treatment, did you receive: Implantable or injectable buprenorphine (e.g. Probuphine, generic)? Response 2
TYPE	num
LENGTH	8
VARNUM	503

PH10_3_R2: Distribution	Value	n	%
No	0	62	100.0
Yes	1	0	.
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH10_4_R2	
LABEL	While enrolled in this treatment, did you receive: Oral naltrexone (e.g. Revia)? Response 2
TYPE	num
LENGTH	8
VARNUM	504

PH10_4_R2: Distribution	Value	n	%
No	0	62	100.0

PH10_4_R2: Distribution	Value	n	%
Yes	1	0	.
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH10_5_R2	
LABEL	While enrolled in this treatment, did you receive: Injectable naltrexone (e.g. Vivitrol)? Response 2
TYPE	num
LENGTH	8
VARNUM	505

PH10_5_R2: Distribution	Value	n	%
No	0	59	95.2
Yes	1	3	4.8
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH10_6_R2	
LABEL	While enrolled in this treatment, did you receive: Other drug? Response 2
TYPE	num
LENGTH	8
VARNUM	506

PH10_6_R2: Distribution	Value	n	%
No	0	59	95.2
Yes	1	3	4.8
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH10_7_R2	
LABEL	While enrolled in this treatment, did you receive: No drug? Response 2
TYPE	num

PH10_7_R2	
LENGTH	8
VARNUM	507

PH10_7_R2: Distribution	Value	n	%
No	0	48	77.4
Yes	1	14	22.6
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH10_1_R3	
LABEL	While enrolled in this treatment, did you receive: Methadone? Response 3
TYPE	num
LENGTH	8
VARNUM	508

PH10_1_R3: Distribution	Value	n	%
No	0	9	52.9
Yes	1	8	47.1
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH10_2_R3	
LABEL	While enrolled in this treatment, did you receive: Oral buprenorphine (e.g. Suboxone, generic)? Response 3
TYPE	num
LENGTH	8
VARNUM	509

PH10_2_R3: Distribution	Value	n	%
No	0	11	64.7
Yes	1	6	35.3
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH10_3_R3	
LABEL	While enrolled in this treatment, did you receive: Implantable or injectable buprenorphine (e.g. Probuphine, generic)? Response 3
TYPE	num
LENGTH	8
VARNUM	510

PH10_3_R3: Distribution	Value	n	%
No	0	17	100.0
Yes	1	0	.
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH10_4_R3	
LABEL	While enrolled in this treatment, did you receive: Oral naltrexone (e.g. Revia)? Response 3
TYPE	num
LENGTH	8
VARNUM	511

PH10_4_R3: Distribution	Value	n	%
No	0	17	100.0
Yes	1	0	.
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH10_5_R3	
LABEL	While enrolled in this treatment, did you receive: Injectable naltrexone (e.g. Vivitrol)? Response 3
TYPE	num
LENGTH	8
VARNUM	512

PH10_5_R3: Distribution	Value	n	%
No	0	17	100.0
Yes	1	0	.
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH10_6_R3	
LABEL	While enrolled in this treatment, did you receive: Other drug? Response 3
TYPE	num
LENGTH	8
VARNUM	513

PH10_6_R3: Distribution	Value	n	%
No	0	16	94.1
Yes	1	1	5.9
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH10_7_R3	
LABEL	While enrolled in this treatment, did you receive: No drug? Response 3
TYPE	num
LENGTH	8
VARNUM	514

PH10_7_R3: Distribution	Value	n	%
No	0	15	88.2
Yes	1	2	11.8
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH10_1_R4	
LABEL	While enrolled in this treatment, did you receive: Methadone? Response 4
TYPE	num

PH10_1_R4	
LENGTH	8
VARNUM	515

PH10_1_R4: Distribution	Value	n	%
No	0	3	37.5
Yes	1	5	62.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH10_2_R4	
LABEL	While enrolled in this treatment, did you receive: Oral buprenorphine (e.g. Suboxone, generic)? Response 4
TYPE	num
LENGTH	8
VARNUM	516

PH10_2_R4: Distribution	Value	n	%
No	0	6	75.0
Yes	1	2	25.0
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH10_3_R4	
LABEL	While enrolled in this treatment, did you receive: Implantable or injectable buprenorphine (e.g. Probuphine, generic)? Response 4
TYPE	num
LENGTH	8
VARNUM	517

PH10_3_R4: Distribution	Value	n	%
No	0	8	100.0
Yes	1	0	.
No response	N	19	.

PH10_3_R4: Distribution	Value	n	%
Logical skip	S	1947	.
		1974	100.0

PH10_4_R4	
LABEL	While enrolled in this treatment, did you receive: Oral naltrexone (e.g. Revia)? Response 4
TYPE	num
LENGTH	8
VARNUM	518

PH10_4_R4: Distribution	Value	n	%
No	0	8	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH10_5_R4	
LABEL	While enrolled in this treatment, did you receive: Injectable naltrexone (e.g. Vivitrol)? Response 4
TYPE	num
LENGTH	8
VARNUM	519

PH10_5_R4: Distribution	Value	n	%
No	0	8	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH10_6_R4	
LABEL	While enrolled in this treatment, did you receive: Other drug? Response 4
TYPE	num
LENGTH	8
VARNUM	520

PH10_6_R4: Distribution	Value	n	%
No	0	7	87.5
Yes	1	1	12.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH10_7_R4	
LABEL	While enrolled in this treatment, did you receive: No drug? Response 4
TYPE	num
LENGTH	8
VARNUM	521

PH10_7_R4: Distribution	Value	n	%
No	0	7	87.5
Yes	1	1	12.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH10_1_R5	
LABEL	While enrolled in this treatment, did you receive: Methadone? Response 5
TYPE	num
LENGTH	8
VARNUM	522

PH10_1_R5: Distribution	Value	n	%
No	0	4	57.1
Yes	1	3	42.9
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH10_2_R5	
LABEL	While enrolled in this treatment, did you receive: Oral buprenorphine (e.g. Suboxone, generic)? Response 5
TYPE	num
LENGTH	8
VARNUM	523

PH10_2_R5: Distribution	Value	n	%
No	0	4	57.1
Yes	1	3	42.9
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH10_3_R5	
LABEL	While enrolled in this treatment, did you receive: Implantable or injectable buprenorphine (e.g. Probuphine, generic)? Response 5
TYPE	num
LENGTH	8
VARNUM	524

PH10_3_R5: Distribution	Value	n	%
No	0	7	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH10_4_R5	
LABEL	While enrolled in this treatment, did you receive: Oral naltrexone (e.g. Revia)? Response 5
TYPE	num
LENGTH	8
VARNUM	525

PH10_4_R5: Distribution	Value	n	%
No	0	7	100.0
Yes	1	0	.

PH10_4_R5: Distribution	Value	n	%
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH10_5_R5	
LABEL	While enrolled in this treatment, did you receive: Injectable naltrexone (e.g. Vivitrol)? Response 5
TYPE	num
LENGTH	8
VARNUM	526

PH10_5_R5: Distribution	Value	n	%
No	0	7	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH10_6_R5	
LABEL	While enrolled in this treatment, did you receive: Other drug? Response 5
TYPE	num
LENGTH	8
VARNUM	527

PH10_6_R5: Distribution	Value	n	%
No	0	7	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH10_7_R5	
LABEL	While enrolled in this treatment, did you receive: No drug? Response 5
TYPE	num

PH10_7_R5	
LENGTH	8
VARNUM	528

PH10_7_R5: Distribution	Value	n	%
No	0	6	85.7
Yes	1	1	14.3
No response	N	19	.
Logical skip	S	1948	.
		<i>1974</i>	<i>100.0</i>

PH10_1_R6	
LABEL	While enrolled in this treatment, did you receive: Methadone? Response 6
TYPE	num
LENGTH	8
VARNUM	529

PH10_1_R6: Distribution	Value	n	%
No	0	2	40.0
Yes	1	3	60.0
No response	N	19	.
Logical skip	S	1950	.
		<i>1974</i>	<i>100.0</i>

PH10_2_R6	
LABEL	While enrolled in this treatment, did you receive: Oral buprenorphine (e.g. Suboxone, generic)? Response 6
TYPE	num
LENGTH	8
VARNUM	530

PH10_2_R6: Distribution	Value	n	%
No	0	4	80.0
Yes	1	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		<i>1974</i>	<i>100.0</i>

PH10_3_R6	
LABEL	While enrolled in this treatment, did you receive: Implantable or injectable buprenorphine (e.g. Probuphine, generic)? Response 6
TYPE	num
LENGTH	8
VARNUM	531

PH10_3_R6: Distribution	Value	n	%
No	0	5	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH10_4_R6	
LABEL	While enrolled in this treatment, did you receive: Oral naltrexone (e.g. Revia)? Response 6
TYPE	num
LENGTH	8
VARNUM	532

PH10_4_R6: Distribution	Value	n	%
No	0	5	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH10_5_R6	
LABEL	While enrolled in this treatment, did you receive: Injectable naltrexone (e.g. Vivitrol)? Response 6
TYPE	num
LENGTH	8
VARNUM	533

PH10_5_R6: Distribution	Value	n	%
No	0	5	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH10_6_R6	
LABEL	While enrolled in this treatment, did you receive: Other drug? Response 6
TYPE	num
LENGTH	8
VARNUM	534

PH10_6_R6: Distribution	Value	n	%
No	0	5	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH10_7_R6	
LABEL	While enrolled in this treatment, did you receive: No drug? Response 6
TYPE	num
LENGTH	8
VARNUM	535

PH10_7_R6: Distribution	Value	n	%
No	0	4	80.0
Yes	1	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH10_1_R7	
LABEL	While enrolled in this treatment, did you receive: Methadone? Response 7
TYPE	num

PH10_1_R7	
LENGTH	8
VARNUM	536

PH10_1_R7: Distribution	Value	n	%
No	0	1	25.0
Yes	1	3	75.0
No response	N	19	.
Logical skip	S	1951	.
		<i>1974</i>	<i>100.0</i>

PH10_2_R7	
LABEL	While enrolled in this treatment, did you receive: Oral buprenorphine (e.g. Suboxone, generic)? Response 7
TYPE	num
LENGTH	8
VARNUM	537

PH10_2_R7: Distribution	Value	n	%
No	0	3	75.0
Yes	1	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		<i>1974</i>	<i>100.0</i>

PH10_3_R7	
LABEL	While enrolled in this treatment, did you receive: Implantable or injectable buprenorphine (e.g. Probuphine, generic)? Response 7
TYPE	num
LENGTH	8
VARNUM	538

PH10_3_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.

PH10_3_R7: Distribution	Value	n	%
Logical skip	S	1951	.
		1974	100.0

PH10_4_R7	
LABEL	While enrolled in this treatment, did you receive: Oral naltrexone (e.g. Revia)? Response 7
TYPE	num
LENGTH	8
VARNUM	539

PH10_4_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH10_5_R7	
LABEL	While enrolled in this treatment, did you receive: Injectable naltrexone (e.g. Vivitrol)? Response 7
TYPE	num
LENGTH	8
VARNUM	540

PH10_5_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH10_6_R7	
LABEL	While enrolled in this treatment, did you receive: Other drug? Response 7
TYPE	num
LENGTH	8
VARNUM	541

PH10_6_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH10_7_R7	
LABEL	While enrolled in this treatment, did you receive: No drug? Response 7
TYPE	num
LENGTH	8
VARNUM	542

PH10_7_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH10_1_R8	
LABEL	While enrolled in this treatment, did you receive: Methadone? Response 8
TYPE	num
LENGTH	8
VARNUM	543

PH10_1_R8: Distribution	Value	n	%
No	0	1	33.3
Yes	1	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_2_R8	
LABEL	While enrolled in this treatment, did you receive: Oral buprenorphine (e.g. Suboxone, generic)? Response 8
TYPE	num
LENGTH	8
VARNUM	544

PH10_2_R8: Distribution	Value	n	%
No	0	2	66.7
Yes	1	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_3_R8	
LABEL	While enrolled in this treatment, did you receive: Implantable or injectable buprenorphine (e.g. Probuphine, generic)? Response 8
TYPE	num
LENGTH	8
VARNUM	545

PH10_3_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_4_R8	
LABEL	While enrolled in this treatment, did you receive: Oral naltrexone (e.g. Revia)? Response 8
TYPE	num
LENGTH	8
VARNUM	546

PH10_4_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.

PH10_4_R8: Distribution	Value	n	%
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_5_R8	
LABEL	While enrolled in this treatment, did you receive: Injectable naltrexone (e.g. Vivitrol)? Response 8
TYPE	num
LENGTH	8
VARNUM	547

PH10_5_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_6_R8	
LABEL	While enrolled in this treatment, did you receive: Other drug? Response 8
TYPE	num
LENGTH	8
VARNUM	548

PH10_6_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_7_R8	
LABEL	While enrolled in this treatment, did you receive: No drug? Response 8
TYPE	num

PH10_7_R8	
LENGTH	8
VARNUM	549

PH10_7_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_1_R9	
LABEL	While enrolled in this treatment, did you receive: Methadone? Response 9
TYPE	num
LENGTH	8
VARNUM	550

PH10_1_R9: Distribution	Value	n	%
No	0	1	33.3
Yes	1	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_2_R9	
LABEL	While enrolled in this treatment, did you receive: Oral buprenorphine (e.g. Suboxone, generic)? Response 9
TYPE	num
LENGTH	8
VARNUM	551

PH10_2_R9: Distribution	Value	n	%
No	0	2	66.7
Yes	1	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_3_R9	
LABEL	While enrolled in this treatment, did you receive: Implantable or injectable buprenorphine (e.g. Probuphine, generic)? Response 9
TYPE	num
LENGTH	8
VARNUM	552

PH10_3_R9: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_4_R9	
LABEL	While enrolled in this treatment, did you receive: Oral naltrexone (e.g. Revia)? Response 9
TYPE	num
LENGTH	8
VARNUM	553

PH10_4_R9: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_5_R9	
LABEL	While enrolled in this treatment, did you receive: Injectable naltrexone (e.g. Vivitrol)? Response 9
TYPE	num
LENGTH	8
VARNUM	554

PH10_5_R9: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_6_R9	
LABEL	While enrolled in this treatment, did you receive: Other drug? Response 9
TYPE	num
LENGTH	8
VARNUM	555

PH10_6_R9: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_7_R9	
LABEL	While enrolled in this treatment, did you receive: No drug? Response 9
TYPE	num
LENGTH	8
VARNUM	556

PH10_7_R9: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH10_1_R10	
LABEL	While enrolled in this treatment, did you receive: Methadone? Response 10
TYPE	num

PH10_1_R10	
LENGTH	8
VARNUM	557

PH10_1_R10: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_2_R10	
LABEL	While enrolled in this treatment, did you receive: Oral buprenorphine (e.g. Suboxone, generic)? Response 10
TYPE	num
LENGTH	8
VARNUM	558

PH10_2_R10: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_3_R10	
LABEL	While enrolled in this treatment, did you receive: Implantable or injectable buprenorphine (e.g. Probuphine, generic)? Response 10
TYPE	num
LENGTH	8
VARNUM	559

PH10_3_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.

PH10_3_R10: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH10_4_R10	
LABEL	While enrolled in this treatment, did you receive: Oral naltrexone (e.g. Revia)? Response 10
TYPE	num
LENGTH	8
VARNUM	560

PH10_4_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_5_R10	
LABEL	While enrolled in this treatment, did you receive: Injectable naltrexone (e.g. Vivitrol)? Response 10
TYPE	num
LENGTH	8
VARNUM	561

PH10_5_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_6_R10	
LABEL	While enrolled in this treatment, did you receive: Other drug? Response 10
TYPE	num
LENGTH	8
VARNUM	562

PH10_6_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_7_R10	
LABEL	While enrolled in this treatment, did you receive: No drug? Response 10
TYPE	num
LENGTH	8
VARNUM	563

PH10_7_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_1_R11	
LABEL	While enrolled in this treatment, did you receive: Methadone? Response 11
TYPE	num
LENGTH	8
VARNUM	564

PH10_1_R11: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_2_R11	
LABEL	While enrolled in this treatment, did you receive: Oral buprenorphine (e.g. Suboxone, generic)? Response 11
TYPE	num
LENGTH	8
VARNUM	565

PH10_2_R11: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_3_R11	
LABEL	While enrolled in this treatment, did you receive: Implantable or injectable buprenorphine (e.g. Probuphine, generic)? Response 11
TYPE	num
LENGTH	8
VARNUM	566

PH10_3_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_4_R11	
LABEL	While enrolled in this treatment, did you receive: Oral naltrexone (e.g. Revia)? Response 11
TYPE	num
LENGTH	8
VARNUM	567

PH10_4_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.

PH10_4_R11: Distribution	Value	n	%
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_5_R11	
LABEL	While enrolled in this treatment, did you receive: Injectable naltrexone (e.g. Vivitrol)? Response 11
TYPE	num
LENGTH	8
VARNUM	568

PH10_5_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_6_R11	
LABEL	While enrolled in this treatment, did you receive: Other drug? Response 11
TYPE	num
LENGTH	8
VARNUM	569

PH10_6_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_7_R11	
LABEL	While enrolled in this treatment, did you receive: No drug? Response 11
TYPE	num

PH10_7_R11	
LENGTH	8
VARNUM	570

PH10_7_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH10_1_R12	
LABEL	While enrolled in this treatment, did you receive: Methadone? Response 12
TYPE	num
LENGTH	8
VARNUM	571

PH10_1_R12: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH10_2_R12	
LABEL	While enrolled in this treatment, did you receive: Oral buprenorphine (e.g. Suboxone, generic)? Response 12
TYPE	num
LENGTH	8
VARNUM	572

PH10_2_R12: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH10_3_R12	
LABEL	While enrolled in this treatment, did you receive: Implantable or injectable buprenorphine (e.g. Probuphine, generic)? Response 12
TYPE	num
LENGTH	8
VARNUM	573

PH10_3_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_4_R12	
LABEL	While enrolled in this treatment, did you receive: Oral naltrexone (e.g. Revia)? Response 12
TYPE	num
LENGTH	8
VARNUM	574

PH10_4_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_5_R12	
LABEL	While enrolled in this treatment, did you receive: Injectable naltrexone (e.g. Vivitrol)? Response 12
TYPE	num
LENGTH	8
VARNUM	575

PH10_5_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_6_R12	
LABEL	While enrolled in this treatment, did you receive: Other drug? Response 12
TYPE	num
LENGTH	8
VARNUM	576

PH10_6_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH10_7_R12	
LABEL	While enrolled in this treatment, did you receive: No drug? Response 12
TYPE	num
LENGTH	8
VARNUM	577

PH10_7_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_1_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? Individual counseling? Response 1

PH11_1_R1	
TYPE	num
LENGTH	8
VARNUM	578

PH11_1_R1: Distribution	Value	n	%
No	0	162	33.1
Yes	1	328	66.9
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH11_2_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? Group counseling? Response 1
TYPE	num
LENGTH	8
VARNUM	579

PH11_2_R1: Distribution	Value	n	%
No	0	173	35.3
Yes	1	317	64.7
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH11_3_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other behavioral therapy? Response 1
TYPE	num
LENGTH	8
VARNUM	580

PH11_3_R1: Distribution	Value	n	%
No	0	321	65.5
Yes	1	169	34.5
No response	N	3	.

PH11_3_R1: Distribution	Value	n	%
Logical skip	S	1481	.
		1974	100.0

PH11_4_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? Detoxification services? Response 1
TYPE	num
LENGTH	8
VARNUM	581

PH11_4_R1: Distribution	Value	n	%
No	0	338	69.0
Yes	1	152	31.0
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH11_5_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication)? Response 1
TYPE	num
LENGTH	8
VARNUM	582

PH11_5_R1: Distribution	Value	n	%
No	0	254	51.8
Yes	1	236	48.2
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH11_6_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? HIV testing? Response 1
TYPE	num

PH11_6_R1	
LENGTH	8
VARNUM	583

PH11_6_R1: Distribution	Value	n	%
No	0	296	60.4
Yes	1	194	39.6
No response	N	3	.
Logical skip	S	1481	.
		<i>1974</i>	<i>100.0</i>

PH11_7_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing? Response 1
TYPE	num
LENGTH	8
VARNUM	584

PH11_7_R1: Distribution	Value	n	%
No	0	282	57.6
Yes	1	208	42.4
No response	N	3	.
Logical skip	S	1481	.
		<i>1974</i>	<i>100.0</i>

PH11_8_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? Laboratory drug testing/urine testing? Response 1
TYPE	num
LENGTH	8
VARNUM	585

PH11_8_R1: Distribution	Value	n	%
No	0	163	33.3
Yes	1	327	66.7
No response	N	3	.

PH11_8_R1: Distribution	Value	n	%
Logical skip	S	1481	.
		1974	100.0

PH11_9_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)? Response 1
TYPE	num
LENGTH	8
VARNUM	586

PH11_9_R1: Distribution	Value	n	%
No	0	310	63.3
Yes	1	180	36.7
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH11_10_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator)? Response 1
TYPE	num
LENGTH	8
VARNUM	587

PH11_10_R1: Distribution	Value	n	%
No	0	342	69.8
Yes	1	148	30.2
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH11_11_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator? Response 1
TYPE	num

PH11_11_R1	
LENGTH	8
VARNUM	588

PH11_11_R1: Distribution	Value	n	%
No	0	366	74.7
Yes	1	124	25.3
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH11_12_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to avoid overdosing? Response 1
TYPE	num
LENGTH	8
VARNUM	589

PH11_12_R1: Distribution	Value	n	%
No	0	342	69.8
Yes	1	148	30.2
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH11_13_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to use naloxone? Response 1
TYPE	num
LENGTH	8
VARNUM	590

PH11_13_R1: Distribution	Value	n	%
No	0	343	70.0
Yes	1	147	30.0
No response	N	3	.

PH11_13_R1: Distribution	Value	n	%
Logical skip	S	1481	.
		1974	100.0

PH11_14_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other services? Response 1
TYPE	num
LENGTH	8
VARNUM	591

PH11_14_R1: Distribution	Value	n	%
No	0	409	83.5
Yes	1	81	16.5
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH11_15_R1	
LABEL	While enrolled in this treatment, what other types of services did you receive? No other services? Response 1
TYPE	num
LENGTH	8
VARNUM	592

PH11_15_R1: Distribution	Value	n	%
No	0	466	95.1
Yes	1	24	4.9
No response	N	3	.
Logical skip	S	1481	.
		1974	100.0

PH11_1_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? Individual counseling? Response 2
TYPE	num

PH11_1_R2	
LENGTH	8
VARNUM	593

PH11_1_R2: Distribution	Value	n	%
No	0	23	37.1
Yes	1	39	62.9
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH11_2_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? Group counseling? Response 2
TYPE	num
LENGTH	8
VARNUM	594

PH11_2_R2: Distribution	Value	n	%
No	0	24	38.7
Yes	1	38	61.3
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH11_3_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other behavioral therapy? Response 2
TYPE	num
LENGTH	8
VARNUM	595

PH11_3_R2: Distribution	Value	n	%
No	0	36	58.1
Yes	1	26	41.9
No response	N	15	.

PH11_3_R2: Distribution	Value	n	%
Logical skip	S	1897	.
		1974	100.0

PH11_4_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? Detoxification services? Response 2
TYPE	num
LENGTH	8
VARNUM	596

PH11_4_R2: Distribution	Value	n	%
No	0	39	62.9
Yes	1	23	37.1
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH11_5_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication)? Response 2
TYPE	num
LENGTH	8
VARNUM	597

PH11_5_R2: Distribution	Value	n	%
No	0	32	51.6
Yes	1	30	48.4
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH11_6_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? HIV testing? Response 2
TYPE	num

PH11_6_R2	
LENGTH	8
VARNUM	598

PH11_6_R2: Distribution	Value	n	%
No	0	38	61.3
Yes	1	24	38.7
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH11_7_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing? Response 2
TYPE	num
LENGTH	8
VARNUM	599

PH11_7_R2: Distribution	Value	n	%
No	0	37	59.7
Yes	1	25	40.3
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH11_8_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? Laboratory drug testing/urine testing? Response 2
TYPE	num
LENGTH	8
VARNUM	600

PH11_8_R2: Distribution	Value	n	%
No	0	28	45.2
Yes	1	34	54.8
No response	N	15	.

PH11_8_R2: Distribution	Value	n	%
Logical skip	S	1897	.
		1974	100.0

PH11_9_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)? Response 2
TYPE	num
LENGTH	8
VARNUM	601

PH11_9_R2: Distribution	Value	n	%
No	0	38	61.3
Yes	1	24	38.7
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH11_10_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator)? Response 2
TYPE	num
LENGTH	8
VARNUM	602

PH11_10_R2: Distribution	Value	n	%
No	0	45	72.6
Yes	1	17	27.4
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH11_11_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator? Response 2
TYPE	num

PH11_11_R2	
LENGTH	8
VARNUM	603

PH11_11_R2: Distribution	Value	n	%
No	0	47	75.8
Yes	1	15	24.2
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH11_12_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to avoid overdosing? Response 2
TYPE	num
LENGTH	8
VARNUM	604

PH11_12_R2: Distribution	Value	n	%
No	0	44	71.0
Yes	1	18	29.0
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH11_13_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to use naloxone? Response 2
TYPE	num
LENGTH	8
VARNUM	605

PH11_13_R2: Distribution	Value	n	%
No	0	45	72.6
Yes	1	17	27.4
No response	N	15	.

PH11_13_R2: Distribution	Value	n	%
Logical skip	S	1897	.
		1974	100.0

PH11_14_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other services? Response 2
TYPE	num
LENGTH	8
VARNUM	606

PH11_14_R2: Distribution	Value	n	%
No	0	47	75.8
Yes	1	15	24.2
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH11_15_R2	
LABEL	While enrolled in this treatment, what other types of services did you receive? No other services? Response 2
TYPE	num
LENGTH	8
VARNUM	607

PH11_15_R2: Distribution	Value	n	%
No	0	58	93.5
Yes	1	4	6.5
No response	N	15	.
Logical skip	S	1897	.
		1974	100.0

PH11_1_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? Individual counseling? Response 3
TYPE	num

PH11_1_R3	
LENGTH	8
VARNUM	608

PH11_1_R3: Distribution	Value	n	%
No	0	9	52.9
Yes	1	8	47.1
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH11_2_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? Group counseling? Response 3
TYPE	num
LENGTH	8
VARNUM	609

PH11_2_R3: Distribution	Value	n	%
No	0	8	47.1
Yes	1	9	52.9
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH11_3_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other behavioral therapy? Response 3
TYPE	num
LENGTH	8
VARNUM	610

PH11_3_R3: Distribution	Value	n	%
No	0	14	82.4
Yes	1	3	17.6
No response	N	18	.

PH11_3_R3: Distribution	Value	n	%
Logical skip	S	1939	.
		1974	100.0

PH11_4_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? Detoxification services? Response 3
TYPE	num
LENGTH	8
VARNUM	611

PH11_4_R3: Distribution	Value	n	%
No	0	12	70.6
Yes	1	5	29.4
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH11_5_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication)? Response 3
TYPE	num
LENGTH	8
VARNUM	612

PH11_5_R3: Distribution	Value	n	%
No	0	13	76.5
Yes	1	4	23.5
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH11_6_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? HIV testing? Response 3
TYPE	num

PH11_6_R3	
LENGTH	8
VARNUM	613

PH11_6_R3: Distribution	Value	n	%
No	0	10	58.8
Yes	1	7	41.2
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH11_7_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing? Response 3
TYPE	num
LENGTH	8
VARNUM	614

PH11_7_R3: Distribution	Value	n	%
No	0	9	52.9
Yes	1	8	47.1
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH11_8_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? Laboratory drug testing/urine testing? Response 3
TYPE	num
LENGTH	8
VARNUM	615

PH11_8_R3: Distribution	Value	n	%
No	0	9	52.9
Yes	1	8	47.1
No response	N	18	.

PH11_8_R3: Distribution	Value	n	%
Logical skip	S	1939	.
		1974	100.0

PH11_9_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)? Response 3
TYPE	num
LENGTH	8
VARNUM	616

PH11_9_R3: Distribution	Value	n	%
No	0	12	70.6
Yes	1	5	29.4
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH11_10_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator)? Response 3
TYPE	num
LENGTH	8
VARNUM	617

PH11_10_R3: Distribution	Value	n	%
No	0	13	76.5
Yes	1	4	23.5
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH11_11_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator? Response 3
TYPE	num

PH11_11_R3	
LENGTH	8
VARNUM	618

PH11_11_R3: Distribution	Value	n	%
No	0	15	88.2
Yes	1	2	11.8
No response	N	18	.
Logical skip	S	1939	.
		<i>1974</i>	<i>100.0</i>

PH11_12_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to avoid overdosing? Response 3
TYPE	num
LENGTH	8
VARNUM	619

PH11_12_R3: Distribution	Value	n	%
No	0	13	76.5
Yes	1	4	23.5
No response	N	18	.
Logical skip	S	1939	.
		<i>1974</i>	<i>100.0</i>

PH11_13_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to use naloxone? Response 3
TYPE	num
LENGTH	8
VARNUM	620

PH11_13_R3: Distribution	Value	n	%
No	0	14	82.4
Yes	1	3	17.6
No response	N	18	.

PH11_13_R3: Distribution	Value	n	%
Logical skip	S	1939	.
		1974	100.0

PH11_14_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other services? Response 3
TYPE	num
LENGTH	8
VARNUM	621

PH11_14_R3: Distribution	Value	n	%
No	0	15	88.2
Yes	1	2	11.8
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH11_15_R3	
LABEL	While enrolled in this treatment, what other types of services did you receive? No other services? Response 3
TYPE	num
LENGTH	8
VARNUM	622

PH11_15_R3: Distribution	Value	n	%
No	0	16	94.1
Yes	1	1	5.9
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH11_1_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? Individual counseling? Response 4
TYPE	num

PH11_1_R4	
LENGTH	8
VARNUM	623

PH11_1_R4: Distribution	Value	n	%
No	0	3	37.5
Yes	1	5	62.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH11_2_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? Group counseling? Response 4
TYPE	num
LENGTH	8
VARNUM	624

PH11_2_R4: Distribution	Value	n	%
No	0	3	37.5
Yes	1	5	62.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH11_3_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other behavioral therapy? Response 4
TYPE	num
LENGTH	8
VARNUM	625

PH11_3_R4: Distribution	Value	n	%
No	0	6	75.0
Yes	1	2	25.0
No response	N	19	.

PH11_3_R4: Distribution	Value	n	%
Logical skip	S	1947	.
		1974	100.0

PH11_4_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? Detoxification services? Response 4
TYPE	num
LENGTH	8
VARNUM	626

PH11_4_R4: Distribution	Value	n	%
No	0	5	62.5
Yes	1	3	37.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH11_5_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication)? Response 4
TYPE	num
LENGTH	8
VARNUM	627

PH11_5_R4: Distribution	Value	n	%
No	0	7	87.5
Yes	1	1	12.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH11_6_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? HIV testing? Response 4
TYPE	num

PH11_6_R4	
LENGTH	8
VARNUM	628

PH11_6_R4: Distribution	Value	n	%
No	0	4	50.0
Yes	1	4	50.0
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH11_7_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing? Response 4
TYPE	num
LENGTH	8
VARNUM	629

PH11_7_R4: Distribution	Value	n	%
No	0	3	37.5
Yes	1	5	62.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH11_8_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? Laboratory drug testing/urine testing? Response 4
TYPE	num
LENGTH	8
VARNUM	630

PH11_8_R4: Distribution	Value	n	%
No	0	4	50.0
Yes	1	4	50.0
No response	N	19	.

PH11_8_R4: Distribution	Value	n	%
Logical skip	S	1947	.
		1974	100.0

PH11_9_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)? Response 4
TYPE	num
LENGTH	8
VARNUM	631

PH11_9_R4: Distribution	Value	n	%
No	0	7	87.5
Yes	1	1	12.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH11_10_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator)? Response 4
TYPE	num
LENGTH	8
VARNUM	632

PH11_10_R4: Distribution	Value	n	%
No	0	6	75.0
Yes	1	2	25.0
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH11_11_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator? Response 4
TYPE	num

PH11_11_R4	
LENGTH	8
VARNUM	633

PH11_11_R4: Distribution	Value	n	%
No	0	6	75.0
Yes	1	2	25.0
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH11_12_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to avoid overdosing? Response 4
TYPE	num
LENGTH	8
VARNUM	634

PH11_12_R4: Distribution	Value	n	%
No	0	6	75.0
Yes	1	2	25.0
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH11_13_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to use naloxone? Response 4
TYPE	num
LENGTH	8
VARNUM	635

PH11_13_R4: Distribution	Value	n	%
No	0	5	62.5
Yes	1	3	37.5
No response	N	19	.

PH11_13_R4: Distribution	Value	n	%
Logical skip	S	1947	.
		1974	100.0

PH11_14_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other services? Response 4
TYPE	num
LENGTH	8
VARNUM	636

PH11_14_R4: Distribution	Value	n	%
No	0	5	62.5
Yes	1	3	37.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH11_15_R4	
LABEL	While enrolled in this treatment, what other types of services did you receive? No other services? Response 4
TYPE	num
LENGTH	8
VARNUM	637

PH11_15_R4: Distribution	Value	n	%
No	0	8	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH11_1_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? Individual counseling? Response 5
TYPE	num

PH11_1_R5	
LENGTH	8
VARNUM	638

PH11_1_R5: Distribution	Value	n	%
No	0	2	28.6
Yes	1	5	71.4
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH11_2_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? Group counseling? Response 5
TYPE	num
LENGTH	8
VARNUM	639

PH11_2_R5: Distribution	Value	n	%
No	0	3	42.9
Yes	1	4	57.1
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH11_3_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other behavioral therapy? Response 5
TYPE	num
LENGTH	8
VARNUM	640

PH11_3_R5: Distribution	Value	n	%
No	0	6	85.7
Yes	1	1	14.3
No response	N	19	.

PH11_3_R5: Distribution	Value	n	%
Logical skip	S	1948	.
		1974	100.0

PH11_4_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? Detoxification services? Response 5
TYPE	num
LENGTH	8
VARNUM	641

PH11_4_R5: Distribution	Value	n	%
No	0	5	71.4
Yes	1	2	28.6
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH11_5_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication)? Response 5
TYPE	num
LENGTH	8
VARNUM	642

PH11_5_R5: Distribution	Value	n	%
No	0	6	85.7
Yes	1	1	14.3
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH11_6_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? HIV testing? Response 5
TYPE	num

PH11_6_R5	
LENGTH	8
VARNUM	643

PH11_6_R5: Distribution	Value	n	%
No	0	3	42.9
Yes	1	4	57.1
No response	N	19	.
Logical skip	S	1948	.
		<i>1974</i>	<i>100.0</i>

PH11_7_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing? Response 5
TYPE	num
LENGTH	8
VARNUM	644

PH11_7_R5: Distribution	Value	n	%
No	0	4	57.1
Yes	1	3	42.9
No response	N	19	.
Logical skip	S	1948	.
		<i>1974</i>	<i>100.0</i>

PH11_8_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? Laboratory drug testing/urine testing? Response 5
TYPE	num
LENGTH	8
VARNUM	645

PH11_8_R5: Distribution	Value	n	%
No	0	2	28.6
Yes	1	5	71.4
No response	N	19	.

PH11_8_R5: Distribution	Value	n	%
Logical skip	S	1948	.
		1974	100.0

PH11_9_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)? Response 5
TYPE	num
LENGTH	8
VARNUM	646

PH11_9_R5: Distribution	Value	n	%
No	0	4	57.1
Yes	1	3	42.9
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH11_10_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator)? Response 5
TYPE	num
LENGTH	8
VARNUM	647

PH11_10_R5: Distribution	Value	n	%
No	0	4	57.1
Yes	1	3	42.9
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH11_11_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator? Response 5
TYPE	num

PH11_11_R5	
LENGTH	8
VARNUM	648

PH11_11_R5: Distribution	Value	n	%
No	0	4	57.1
Yes	1	3	42.9
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH11_12_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to avoid overdosing? Response 5
TYPE	num
LENGTH	8
VARNUM	649

PH11_12_R5: Distribution	Value	n	%
No	0	5	71.4
Yes	1	2	28.6
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH11_13_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to use naloxone? Response 5
TYPE	num
LENGTH	8
VARNUM	650

PH11_13_R5: Distribution	Value	n	%
No	0	5	71.4
Yes	1	2	28.6
No response	N	19	.

PH11_13_R5: Distribution	Value	n	%
Logical skip	S	1948	.
		1974	100.0

PH11_14_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other services? Response 5
TYPE	num
LENGTH	8
VARNUM	651

PH11_14_R5: Distribution	Value	n	%
No	0	5	71.4
Yes	1	2	28.6
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH11_15_R5	
LABEL	While enrolled in this treatment, what other types of services did you receive? No other services? Response 5
TYPE	num
LENGTH	8
VARNUM	652

PH11_15_R5: Distribution	Value	n	%
No	0	7	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH11_1_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? Individual counseling? Response 6
TYPE	num

PH11_1_R6	
LENGTH	8
VARNUM	653

PH11_1_R6: Distribution	Value	n	%
No	0	2	40.0
Yes	1	3	60.0
No response	N	19	.
Logical skip	S	1950	.
		<i>1974</i>	<i>100.0</i>

PH11_2_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? Group counseling? Response 6
TYPE	num
LENGTH	8
VARNUM	654

PH11_2_R6: Distribution	Value	n	%
No	0	2	40.0
Yes	1	3	60.0
No response	N	19	.
Logical skip	S	1950	.
		<i>1974</i>	<i>100.0</i>

PH11_3_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other behavioral therapy? Response 6
TYPE	num
LENGTH	8
VARNUM	655

PH11_3_R6: Distribution	Value	n	%
No	0	4	80.0
Yes	1	1	20.0
No response	N	19	.

PH11_3_R6: Distribution	Value	n	%
Logical skip	S	1950	.
		1974	100.0

PH11_4_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? Detoxification services? Response 6
TYPE	num
LENGTH	8
VARNUM	656

PH11_4_R6: Distribution	Value	n	%
No	0	4	80.0
Yes	1	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH11_5_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication)? Response 6
TYPE	num
LENGTH	8
VARNUM	657

PH11_5_R6: Distribution	Value	n	%
No	0	5	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH11_6_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? HIV testing? Response 6
TYPE	num

PH11_6_R6	
LENGTH	8
VARNUM	658

PH11_6_R6: Distribution	Value	n	%
No	0	3	60.0
Yes	1	2	40.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH11_7_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing? Response 6
TYPE	num
LENGTH	8
VARNUM	659

PH11_7_R6: Distribution	Value	n	%
No	0	4	80.0
Yes	1	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH11_8_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? Laboratory drug testing/urine testing? Response 6
TYPE	num
LENGTH	8
VARNUM	660

PH11_8_R6: Distribution	Value	n	%
No	0	2	40.0
Yes	1	3	60.0
No response	N	19	.

PH11_8_R6: Distribution	Value	n	%
Logical skip	S	1950	.
		1974	100.0

PH11_9_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)? Response 6
TYPE	num
LENGTH	8
VARNUM	661

PH11_9_R6: Distribution	Value	n	%
No	0	4	80.0
Yes	1	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH11_10_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator)? Response 6
TYPE	num
LENGTH	8
VARNUM	662

PH11_10_R6: Distribution	Value	n	%
No	0	4	80.0
Yes	1	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH11_11_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator? Response 6
TYPE	num

PH11_11_R6	
LENGTH	8
VARNUM	663

PH11_11_R6: Distribution	Value	n	%
No	0	3	60.0
Yes	1	2	40.0
No response	N	19	.
Logical skip	S	1950	.
		<i>1974</i>	<i>100.0</i>

PH11_12_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to avoid overdosing? Response 6
TYPE	num
LENGTH	8
VARNUM	664

PH11_12_R6: Distribution	Value	n	%
No	0	4	80.0
Yes	1	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		<i>1974</i>	<i>100.0</i>

PH11_13_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to use naloxone? Response 6
TYPE	num
LENGTH	8
VARNUM	665

PH11_13_R6: Distribution	Value	n	%
No	0	4	80.0
Yes	1	1	20.0
No response	N	19	.

PH11_13_R6: Distribution	Value	n	%
Logical skip	S	1950	.
		1974	100.0

PH11_14_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other services? Response 6
TYPE	num
LENGTH	8
VARNUM	666

PH11_14_R6: Distribution	Value	n	%
No	0	4	80.0
Yes	1	1	20.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH11_15_R6	
LABEL	While enrolled in this treatment, what other types of services did you receive? No other services? Response 6
TYPE	num
LENGTH	8
VARNUM	667

PH11_15_R6: Distribution	Value	n	%
No	0	5	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH11_1_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? Individual counseling? Response 7
TYPE	num

PH11_1_R7	
LENGTH	8
VARNUM	668

PH11_1_R7: Distribution	Value	n	%
No	0	1	25.0
Yes	1	3	75.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH11_2_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? Group counseling? Response 7
TYPE	num
LENGTH	8
VARNUM	669

PH11_2_R7: Distribution	Value	n	%
No	0	1	25.0
Yes	1	3	75.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH11_3_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other behavioral therapy? Response 7
TYPE	num
LENGTH	8
VARNUM	670

PH11_3_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.

PH11_3_R7: Distribution	Value	n	%
Logical skip	S	1951	.
		1974	100.0

PH11_4_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? Detoxification services? Response 7
TYPE	num
LENGTH	8
VARNUM	671

PH11_4_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH11_5_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication)? Response 7
TYPE	num
LENGTH	8
VARNUM	672

PH11_5_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH11_6_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? HIV testing? Response 7
TYPE	num

PH11_6_R7	
LENGTH	8
VARNUM	673

PH11_6_R7: Distribution	Value	n	%
No	0	3	75.0
Yes	1	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		<i>1974</i>	<i>100.0</i>

PH11_7_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing? Response 7
TYPE	num
LENGTH	8
VARNUM	674

PH11_7_R7: Distribution	Value	n	%
No	0	3	75.0
Yes	1	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		<i>1974</i>	<i>100.0</i>

PH11_8_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? Laboratory drug testing/urine testing? Response 7
TYPE	num
LENGTH	8
VARNUM	675

PH11_8_R7: Distribution	Value	n	%
No	0	3	75.0
Yes	1	1	25.0
No response	N	19	.

PH11_8_R7: Distribution	Value	n	%
Logical skip	S	1951	.
		1974	100.0

PH11_9_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)? Response 7
TYPE	num
LENGTH	8
VARNUM	676

PH11_9_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH11_10_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator)? Response 7
TYPE	num
LENGTH	8
VARNUM	677

PH11_10_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH11_11_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator? Response 7
TYPE	num

PH11_11_R7	
LENGTH	8
VARNUM	678

PH11_11_R7: Distribution	Value	n	%
No	0	3	75.0
Yes	1	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		<i>1974</i>	<i>100.0</i>

PH11_12_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to avoid overdosing? Response 7
TYPE	num
LENGTH	8
VARNUM	679

PH11_12_R7: Distribution	Value	n	%
No	0	3	75.0
Yes	1	1	25.0
No response	N	19	.
Logical skip	S	1951	.
		<i>1974</i>	<i>100.0</i>

PH11_13_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to use naloxone? Response 7
TYPE	num
LENGTH	8
VARNUM	680

PH11_13_R7: Distribution	Value	n	%
No	0	3	75.0
Yes	1	1	25.0
No response	N	19	.

PH11_13_R7: Distribution	Value	n	%
Logical skip	S	1951	.
		1974	100.0

PH11_14_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other services? Response 7
TYPE	num
LENGTH	8
VARNUM	681

PH11_14_R7: Distribution	Value	n	%
No	0	2	50.0
Yes	1	2	50.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH11_15_R7	
LABEL	While enrolled in this treatment, what other types of services did you receive? No other services? Response 7
TYPE	num
LENGTH	8
VARNUM	682

PH11_15_R7: Distribution	Value	n	%
No	0	4	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH11_1_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? Individual counseling? Response 8
TYPE	num

PH11_1_R8	
LENGTH	8
VARNUM	683

PH11_1_R8: Distribution	Value	n	%
No	0	1	33.3
Yes	1	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_2_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? Group counseling? Response 8
TYPE	num
LENGTH	8
VARNUM	684

PH11_2_R8: Distribution	Value	n	%
No	0	1	33.3
Yes	1	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_3_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other behavioral therapy? Response 8
TYPE	num
LENGTH	8
VARNUM	685

PH11_3_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.

PH11_3_R8: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_4_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? Detoxification services? Response 8
TYPE	num
LENGTH	8
VARNUM	686

PH11_4_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_5_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication)? Response 8
TYPE	num
LENGTH	8
VARNUM	687

PH11_5_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_6_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? HIV testing? Response 8
TYPE	num

PH11_6_R8	
LENGTH	8
VARNUM	688

PH11_6_R8: Distribution	Value	n	%
No	0	1	33.3
Yes	1	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_7_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing? Response 8
TYPE	num
LENGTH	8
VARNUM	689

PH11_7_R8: Distribution	Value	n	%
No	0	1	33.3
Yes	1	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_8_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? Laboratory drug testing/urine testing? Response 8
TYPE	num
LENGTH	8
VARNUM	690

PH11_8_R8: Distribution	Value	n	%
No	0	0	.
Yes	1	3	100.0
No response	N	19	.

PH11_8_R8: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_9_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)? Response 8
TYPE	num
LENGTH	8
VARNUM	691

PH11_9_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_10_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator)? Response 8
TYPE	num
LENGTH	8
VARNUM	692

PH11_10_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_11_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator? Response 8
TYPE	num

PH11_11_R8	
LENGTH	8
VARNUM	693

PH11_11_R8: Distribution	Value	n	%
No	0	1	33.3
Yes	1	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_12_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to avoid overdosing? Response 8
TYPE	num
LENGTH	8
VARNUM	694

PH11_12_R8: Distribution	Value	n	%
No	0	2	66.7
Yes	1	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_13_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to use naloxone? Response 8
TYPE	num
LENGTH	8
VARNUM	695

PH11_13_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.

PH11_13_R8: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_14_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other services? Response 8
TYPE	num
LENGTH	8
VARNUM	696

PH11_14_R8: Distribution	Value	n	%
No	0	2	66.7
Yes	1	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_15_R8	
LABEL	While enrolled in this treatment, what other types of services did you receive? No other services? Response 8
TYPE	num
LENGTH	8
VARNUM	697

PH11_15_R8: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_1_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? Individual counseling? Response 9
TYPE	num

PH11_1_R9	
LENGTH	8
VARNUM	698

PH11_1_R9: Distribution	Value	n	%
No	0	1	33.3
Yes	1	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_2_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? Group counseling? Response 9
TYPE	num
LENGTH	8
VARNUM	699

PH11_2_R9: Distribution	Value	n	%
No	0	1	33.3
Yes	1	2	66.7
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_3_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other behavioral therapy? Response 9
TYPE	num
LENGTH	8
VARNUM	700

PH11_3_R9: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.

PH11_3_R9: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_4_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? Detoxification services? Response 9
TYPE	num
LENGTH	8
VARNUM	701

PH11_4_R9: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_5_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication)? Response 9
TYPE	num
LENGTH	8
VARNUM	702

PH11_5_R9: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_6_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? HIV testing? Response 9
TYPE	num

PH11_6_R9	
LENGTH	8
VARNUM	703

PH11_6_R9: Distribution	Value	n	%
No	0	2	66.7
Yes	1	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_7_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing? Response 9
TYPE	num
LENGTH	8
VARNUM	704

PH11_7_R9: Distribution	Value	n	%
No	0	2	66.7
Yes	1	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_8_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? Laboratory drug testing/urine testing? Response 9
TYPE	num
LENGTH	8
VARNUM	705

PH11_8_R9: Distribution	Value	n	%
No	0	1	33.3
Yes	1	2	66.7
No response	N	19	.

PH11_8_R9: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_9_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)? Response 9
TYPE	num
LENGTH	8
VARNUM	706

PH11_9_R9: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_10_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator)? Response 9
TYPE	num
LENGTH	8
VARNUM	707

PH11_10_R9: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_11_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator? Response 9
TYPE	num

PH11_11_R9	
LENGTH	8
VARNUM	708

PH11_11_R9: Distribution	Value	n	%
No	0	2	66.7
Yes	1	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_12_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to avoid overdosing? Response 9
TYPE	num
LENGTH	8
VARNUM	709

PH11_12_R9: Distribution	Value	n	%
No	0	2	66.7
Yes	1	1	33.3
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_13_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to use naloxone? Response 9
TYPE	num
LENGTH	8
VARNUM	710

PH11_13_R9: Distribution	Value	n	%
No	0	2	66.7
Yes	1	1	33.3
No response	N	19	.

PH11_13_R9: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_14_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other services? Response 9
TYPE	num
LENGTH	8
VARNUM	711

PH11_14_R9: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_15_R9	
LABEL	While enrolled in this treatment, what other types of services did you receive? No other services? Response 9
TYPE	num
LENGTH	8
VARNUM	712

PH11_15_R9: Distribution	Value	n	%
No	0	3	100.0
Yes	1	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH11_1_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? Individual counseling? Response 10
TYPE	num

PH11_1_R10	
LENGTH	8
VARNUM	713

PH11_1_R10: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_2_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? Group counseling? Response 10
TYPE	num
LENGTH	8
VARNUM	714

PH11_2_R10: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_3_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other behavioral therapy? Response 10
TYPE	num
LENGTH	8
VARNUM	715

PH11_3_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.

PH11_3_R10: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_4_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? Detoxification services? Response 10
TYPE	num
LENGTH	8
VARNUM	716

PH11_4_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_5_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication)? Response 10
TYPE	num
LENGTH	8
VARNUM	717

PH11_5_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_6_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? HIV testing? Response 10
TYPE	num

PH11_6_R10	
LENGTH	8
VARNUM	718

PH11_6_R10: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH11_7_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing? Response 10
TYPE	num
LENGTH	8
VARNUM	719

PH11_7_R10: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH11_8_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? Laboratory drug testing/urine testing? Response 10
TYPE	num
LENGTH	8
VARNUM	720

PH11_8_R10: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.

PH11_8_R10: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_9_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)? Response 10
TYPE	num
LENGTH	8
VARNUM	721

PH11_9_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_10_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator)? Response 10
TYPE	num
LENGTH	8
VARNUM	722

PH11_10_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_11_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator? Response 10
TYPE	num

PH11_11_R10	
LENGTH	8
VARNUM	723

PH11_11_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_12_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to avoid overdosing? Response 10
TYPE	num
LENGTH	8
VARNUM	724

PH11_12_R10: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_13_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to use naloxone? Response 10
TYPE	num
LENGTH	8
VARNUM	725

PH11_13_R10: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.

PH11_13_R10: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_14_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other services? Response 10
TYPE	num
LENGTH	8
VARNUM	726

PH11_14_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_15_R10	
LABEL	While enrolled in this treatment, what other types of services did you receive? No other services? Response 10
TYPE	num
LENGTH	8
VARNUM	727

PH11_15_R10: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_1_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? Individual counseling? Response 11
TYPE	num

PH11_1_R11	
LENGTH	8
VARNUM	728

PH11_1_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH11_2_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? Group counseling? Response 11
TYPE	num
LENGTH	8
VARNUM	729

PH11_2_R11: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH11_3_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other behavioral therapy? Response 11
TYPE	num
LENGTH	8
VARNUM	730

PH11_3_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.

PH11_3_R11: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_4_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? Detoxification services? Response 11
TYPE	num
LENGTH	8
VARNUM	731

PH11_4_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_5_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication)? Response 11
TYPE	num
LENGTH	8
VARNUM	732

PH11_5_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_6_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? HIV testing? Response 11
TYPE	num

PH11_6_R11	
LENGTH	8
VARNUM	733

PH11_6_R11: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_7_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing? Response 11
TYPE	num
LENGTH	8
VARNUM	734

PH11_7_R11: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_8_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? Laboratory drug testing/urine testing? Response 11
TYPE	num
LENGTH	8
VARNUM	735

PH11_8_R11: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.

PH11_8_R11: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_9_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)? Response 11
TYPE	num
LENGTH	8
VARNUM	736

PH11_9_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_10_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator)? Response 11
TYPE	num
LENGTH	8
VARNUM	737

PH11_10_R11: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_11_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator? Response 11
TYPE	num

PH11_11_R11	
LENGTH	8
VARNUM	738

PH11_11_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH11_12_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to avoid overdosing? Response 11
TYPE	num
LENGTH	8
VARNUM	739

PH11_12_R11: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH11_13_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to use naloxone? Response 11
TYPE	num
LENGTH	8
VARNUM	740

PH11_13_R11: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.

PH11_13_R11: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_14_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other services? Response 11
TYPE	num
LENGTH	8
VARNUM	741

PH11_14_R11: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_15_R11	
LABEL	While enrolled in this treatment, what other types of services did you receive? No other services? Response 11
TYPE	num
LENGTH	8
VARNUM	742

PH11_15_R11: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_1_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? Individual counseling? Response 12
TYPE	num

PH11_1_R12	
LENGTH	8
VARNUM	743

PH11_1_R12: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH11_2_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? Group counseling? Response 12
TYPE	num
LENGTH	8
VARNUM	744

PH11_2_R12: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH11_3_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other behavioral therapy? Response 12
TYPE	num
LENGTH	8
VARNUM	745

PH11_3_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.

PH11_3_R12: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_4_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? Detoxification services? Response 12
TYPE	num
LENGTH	8
VARNUM	746

PH11_4_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_5_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication)? Response 12
TYPE	num
LENGTH	8
VARNUM	747

PH11_5_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_6_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? HIV testing? Response 12
TYPE	num

PH11_6_R12	
LENGTH	8
VARNUM	748

PH11_6_R12: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH11_7_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing? Response 12
TYPE	num
LENGTH	8
VARNUM	749

PH11_7_R12: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH11_8_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? Laboratory drug testing/urine testing? Response 12
TYPE	num
LENGTH	8
VARNUM	750

PH11_8_R12: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.

PH11_8_R12: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_9_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)? Response 12
TYPE	num
LENGTH	8
VARNUM	751

PH11_9_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_10_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator)? Response 12
TYPE	num
LENGTH	8
VARNUM	752

PH11_10_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_11_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator? Response 12
TYPE	num

PH11_11_R12	
LENGTH	8
VARNUM	753

PH11_11_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH11_12_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to avoid overdosing? Response 12
TYPE	num
LENGTH	8
VARNUM	754

PH11_12_R12: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.
Logical skip	S	1952	.
		<i>1974</i>	<i>100.0</i>

PH11_13_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? Training on how to use naloxone? Response 12
TYPE	num
LENGTH	8
VARNUM	755

PH11_13_R12: Distribution	Value	n	%
No	0	1	50.0
Yes	1	1	50.0
No response	N	20	.

PH11_13_R12: Distribution	Value	n	%
Logical skip	S	1952	.
		1974	100.0

PH11_14_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? Other services? Response 12
TYPE	num
LENGTH	8
VARNUM	756

PH11_14_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH11_15_R12	
LABEL	While enrolled in this treatment, what other types of services did you receive? No other services? Response 12
TYPE	num
LENGTH	8
VARNUM	757

PH11_15_R12: Distribution	Value	n	%
No	0	2	100.0
Yes	1	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH13_R1	
LABEL	Why did you stop obtaining treatment there? Response 1
TYPE	num

PH13_R1	
LENGTH	8
VARNUM	758

PH13_R1: Distribution	Value	n	%
I completed my treatment program	1	132	27.6
I decided to stop receiving treatment	2	83	17.4
I continued my treatment at a different facility	3	75	15.7
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	48	10.0
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	41	8.6
A different reason/none of the above (specify):	6	99	20.7
No response	N	15	.
Logical skip	S	1481	.
		1974	100.0

PH13_R2	
LABEL	Why did you stop obtaining treatment there? Response 2
TYPE	num
LENGTH	8
VARNUM	759

PH13_R2: Distribution	Value	n	%
I completed my treatment program	1	19	31.1
I decided to stop receiving treatment	2	9	14.8
I continued my treatment at a different facility	3	13	21.3
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	4	6.6

PH13_R2: Distribution	Value	n	%
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	5	8.2
A different reason/none of the above (specify):	6	11	18.0
No response	N	16	.
Logical skip	S	1897	.
		1974	100.0

PH13_R3	
LABEL	Why did you stop obtaining treatment there? Response 3
TYPE	num
LENGTH	8
VARNUM	760

PH13_R3: Distribution	Value	n	%
I completed my treatment program	1	5	29.4
I decided to stop receiving treatment	2	2	11.8
I continued my treatment at a different facility	3	2	11.8
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	4	23.5
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	2	11.8
A different reason/none of the above (specify):	6	2	11.8
No response	N	18	.
Logical skip	S	1939	.
		1974	100.0

PH13_R4	
LABEL	Why did you stop obtaining treatment there? Response 4
TYPE	num

PH13_R4	
LENGTH	8
VARNUM	761

PH13_R4: Distribution	Value	n	%
I completed my treatment program	1	3	37.5
I decided to stop receiving treatment	2	1	12.5
I continued my treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	2	25.0
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	2	25.0
A different reason/none of the above (specify):	6	0	.
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH13_R5	
LABEL	Why did you stop obtaining treatment there? Response 5
TYPE	num
LENGTH	8
VARNUM	762

PH13_R5: Distribution	Value	n	%
I completed my treatment program	1	1	14.3
I decided to stop receiving treatment	2	1	14.3
I continued my treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	2	28.6

PH13_R5: Distribution	Value	n	%
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	3	42.9
A different reason/none of the above (specify):	6	0	.
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH13_R6	
LABEL	Why did you stop obtaining treatment there? Response 6
TYPE	num
LENGTH	8
VARNUM	763

PH13_R6: Distribution	Value	n	%
I completed my treatment program	1	0	.
I decided to stop receiving treatment	2	1	20.0
I continued my treatment at a different facility	3	1	20.0
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	2	40.0
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	1	20.0
A different reason/none of the above (specify):	6	0	.
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH13_R7	
LABEL	Why did you stop obtaining treatment there? Response 7
TYPE	num

PH13_R7	
LENGTH	8
VARNUM	764

PH13_R7: Distribution	Value	n	%
I completed my treatment program	1	0	.
I decided to stop receiving treatment	2	1	25.0
I continued my treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	2	50.0
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	1	25.0
A different reason/none of the above (specify):	6	0	.
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH13_R8	
LABEL	Why did you stop obtaining treatment there? Response 8
TYPE	num
LENGTH	8
VARNUM	765

PH13_R8: Distribution	Value	n	%
I completed my treatment program	1	1	33.3
I decided to stop receiving treatment	2	0	.
I continued my treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	2	66.7

PH13_R8: Distribution	Value	n	%
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH13_R9	
LABEL	Why did you stop obtaining treatment there? Response 9
TYPE	num
LENGTH	8
VARNUM	766

PH13_R9: Distribution	Value	n	%
I completed my treatment program	1	0	.
I decided to stop receiving treatment	2	1	33.3
I continued my treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	2	66.7
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH13_R10	
LABEL	Why did you stop obtaining treatment there? Response 10
TYPE	num

PH13_R10	
LENGTH	8
VARNUM	767

PH13_R10: Distribution	Value	n	%
I completed my treatment program	1	0	.
I decided to stop receiving treatment	2	1	50.0
I continued my treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	1	50.0
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH13_R11	
LABEL	Why did you stop obtaining treatment there? Response 11
TYPE	num
LENGTH	8
VARNUM	768

PH13_R11: Distribution	Value	n	%
I completed my treatment program	1	1	50.0
I decided to stop receiving treatment	2	0	.
I continued my treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	1	50.0

PH13_R11: Distribution	Value	n	%
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH13_R12	
LABEL	Why did you stop obtaining treatment there? Response 12
TYPE	num
LENGTH	8
VARNUM	769

PH13_R12: Distribution	Value	n	%
I completed my treatment program	1	1	50.0
I decided to stop receiving treatment	2	0	.
I continued my treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	1	50.0
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH14_R1	
LABEL	Did you enter treatment anywhere else after that? Response 1
TYPE	num

PH14_R1	
LENGTH	8
VARNUM	770

PH14_R1: Distribution	Value	n	%
The next treatment I received was my INDEX treatment	1	416	87.0
I started treatment for my opioid addiction somewhere else	2	62	13.0
No response	N	15	.
Logical skip	S	1481	.
		1974	100.0

PH14_R2	
LABEL	Did you enter treatment anywhere else after that? Response 2
TYPE	num
LENGTH	8
VARNUM	771

PH14_R2: Distribution	Value	n	%
The next treatment I received was my INDEX treatment	1	42	71.2
I started treatment for my opioid addiction somewhere else	2	17	28.8
No response	N	18	.
Logical skip	S	1897	.
		1974	100.0

PH14_R3	
LABEL	Did you enter treatment anywhere else after that? Response 3
TYPE	num
LENGTH	8
VARNUM	772

PH14_R3: Distribution	Value	n	%
The next treatment I received was my INDEX treatment	1	8	50.0
I started treatment for my opioid addiction somewhere else	2	8	50.0

PH14_R3: Distribution	Value	n	%
No response	N	19	.
Logical skip	S	1939	.
		1974	100.0

PH14_R4	
LABEL	Did you enter treatment anywhere else after that? Response 4
TYPE	num
LENGTH	8
VARNUM	773

PH14_R4: Distribution	Value	n	%
The next treatment I received was my INDEX treatment	1	1	12.5
I started treatment for my opioid addiction somewhere else	2	7	87.5
No response	N	19	.
Logical skip	S	1947	.
		1974	100.0

PH14_R5	
LABEL	Did you enter treatment anywhere else after that? Response 5
TYPE	num
LENGTH	8
VARNUM	774

PH14_R5: Distribution	Value	n	%
The next treatment I received was my INDEX treatment	1	2	28.6
I started treatment for my opioid addiction somewhere else	2	5	71.4
No response	N	19	.
Logical skip	S	1948	.
		1974	100.0

PH14_R6	
LABEL	Did you enter treatment anywhere else after that? Response 6

PH14_R6	
TYPE	num
LENGTH	8
VARNUM	775

PH14_R6: Distribution	Value	n	%
The next treatment I received was my INDEX treatment	1	1	20.0
I started treatment for my opioid addiction somewhere else	2	4	80.0
No response	N	19	.
Logical skip	S	1950	.
		1974	100.0

PH14_R7	
LABEL	Did you enter treatment anywhere else after that? Response 7
TYPE	num
LENGTH	8
VARNUM	776

PH14_R7: Distribution	Value	n	%
The next treatment I received was my INDEX treatment	1	1	25.0
I started treatment for my opioid addiction somewhere else	2	3	75.0
No response	N	19	.
Logical skip	S	1951	.
		1974	100.0

PH14_R8	
LABEL	Did you enter treatment anywhere else after that? Response 8
TYPE	num
LENGTH	8
VARNUM	777

PH14_R8: Distribution	Value	n	%
The next treatment I received was my INDEX treatment	1	0	.

PH14_R8: Distribution	Value	n	%
I started treatment for my opioid addiction somewhere else	2	3	100.0
No response	N	19	.
Logical skip	S	1952	.
		1974	100.0

PH14_R9	
LABEL	Did you enter treatment anywhere else after that? Response 9
TYPE	num
LENGTH	8
VARNUM	778

PH14_R9: Distribution	Value	n	%
The next treatment I received was my INDEX treatment	1	0	.
I started treatment for my opioid addiction somewhere else	2	2	100.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH14_R10	
LABEL	Did you enter treatment anywhere else after that? Response 10
TYPE	num
LENGTH	8
VARNUM	779

PH14_R10: Distribution	Value	n	%
The next treatment I received was my INDEX treatment	1	0	.
I started treatment for my opioid addiction somewhere else	2	2	100.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH14_R11	
LABEL	Did you enter treatment anywhere else after that? Response 11
TYPE	num
LENGTH	8
VARNUM	780

PH14_R11: Distribution	Value	n	%
The next treatment I received was my INDEX treatment	1	0	.
I started treatment for my opioid addiction somewhere else	2	2	100.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

PH14_R12	
LABEL	Did you enter treatment anywhere else after that? Response 12
TYPE	num
LENGTH	8
VARNUM	781

PH14_R12: Distribution	Value	n	%
The next treatment I received was my INDEX treatment	1	0	.
I started treatment for my opioid addiction somewhere else	2	2	100.0
No response	N	20	.
Logical skip	S	1952	.
		1974	100.0

QA1	
LABEL	How many times did you try to quit opioids voluntarily (and not simply because you could not obtain opioids)? If none, enter 0. ** (Prior to February 12, 2019, question allowed for a lower limit of 1)
TYPE	num
LENGTH	8
VARNUM	782

QA1: Distribution	Value	n	%
0	0	284	14.5
1	1	515	26.3
2	2	253	12.9
3	3	211	10.8
4	4	134	6.9
5	5	150	7.7
6	6	72	3.7
7	7	35	1.8
8	8	30	1.5
9	9	3	0.2
10	10	88	4.5
11	11	5	0.3
12	12	27	1.4
13	13	5	0.3
14	14	2	0.1
15	15	24	1.2
17	17	2	0.1
19	19	1	0.1
20	20	41	2.1
21	21	1	0.1
22	22	2	0.1
24	24	1	0.1
25	25	7	0.4
27	27	1	0.1
30	30	13	0.7
32	32	1	0.1
33	33	1	0.1
35	35	1	0.1
40	40	3	0.2
44	44	1	0.1
45	45	2	0.1
50	50	16	0.8
55	55	1	0.1
58	58	1	0.1
75	75	1	0.1
85	85	1	0.1
90	90	3	0.2
99	99	17	0.9

QA1: Distribution	Value	n	%
No response	N	18	.
Logical skip	S	0	.
		1974	100.0

QA2	
LABEL	Of these times, how many times did you quit opioids for more than five days?
TYPE	num
LENGTH	8
VARNUM	783

QA2: Distribution	Value	n	%
0	0	384	23.0
1	1	625	37.4
2	2	321	19.2
3	3	126	7.5
4	4	63	3.8
5	5	61	3.7
6	6	23	1.4
7	7	11	0.7
8	8	9	0.5
9	9	3	0.2
10	10	17	1.0
11	11	1	0.1
12	12	6	0.4
15	15	4	0.2
17	17	1	0.1
20	20	5	0.3
22	22	1	0.1
30	30	2	0.1
50	50	3	0.2
67	67	1	0.1
99	99	2	0.1
No response	N	21	.
Logical skip	S	284	.
		1974	100.0

QA3	
LABEL	Of these times, what was the longest time you quit opioids?
TYPE	num
LENGTH	8
VARNUM	784

QA3: Distribution	Value	n	%
Less than one day	1	94	5.6
1 to 2 days	2	254	15.1
3 to 7 days	3	227	13.5
8 to 14 days	4	135	8.0
2 to 4 weeks	5	122	7.2
1 to 3 months	6	238	14.1
4 to 6 months	7	150	8.9
More than 6 months	8	463	27.5
No response	N	7	.
Logical skip	S	284	.
		1974	100.0

MM1	
LABEL	Have you ever been in a methadone maintenance program to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	785

MM1: Distribution	Value	n	%
Yes	1	393	36.0
No	2	678	62.1
No Answer	3	21	1.9
No response	N	882	.
Logical skip	S	0	.
		1974	100.0

MM2	
LABEL	Did you receive methadone to treat opioid addiction at any time in the 12 months before you entered your INDEX treatment? **(Question ended on April 20, 2019)
TYPE	num

MM2	
LENGTH	8
VARNUM	786

MM2: Distribution	Value	n	%
Yes	1	59	29.1
No	2	144	70.9
No response	N	1072	.
Logical skip	S	699	.
		1974	100.0

MM3	
LABEL	Did you receive methadone to treat opioid addiction at any time in the 90 days before you entered your INDEX treatment? **(Question ended on April 20, 2019)
TYPE	num
LENGTH	8
VARNUM	787

MM3: Distribution	Value	n	%
Yes	1	27	45.8
No	2	32	54.2
No response	N	1072	.
Logical skip	S	843	.
		1974	100.0

MM4	
LABEL	(Did/Do) you receive methadone as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	788

MM4: Distribution	Value	n	%
Yes	1	1068	83.8
No	2	206	16.2
No response	N	1	.
Logical skip	S	699	.
		1974	100.0

MM5	
LABEL	Did you receive methadone treatment for opioid addiction at any time since your INDEX treatment? ** (Prior to April 21, 2019, question did not include the statement regarding the past 12 months, and question was only asked if MM4 was No)
TYPE	num
LENGTH	8
VARNUM	789

MM5: Distribution	Value	n	%
Yes	1	8	11.6
No	2	61	88.4
No response	N	1206	.
Logical skip	S	699	.
		<i>1974</i>	<i>100.0</i>

MM6a	
LABEL	Did you receive methadone treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	790

MM6a: Distribution	Value	n	%
Yes	1	4	80.0
No	2	1	20.0
No response	N	1270	.
Logical skip	S	699	.
		<i>1974</i>	<i>100.0</i>

MM7	
LABEL	Are you currently being treated with methadone for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	791

MM7: Distribution	Value	n	%
Yes	1	1066	83.9
No	2	204	16.1
No response	N	5	.
Logical skip	S	699	.
		<i>1974</i>	<i>100.0</i>

MM10	
LABEL	Thinking about your most recent methadone treatment, (did/do) you usually take methadone every day as directed by your doctor?
TYPE	num
LENGTH	8
VARNUM	792

MM10: Distribution	Value	n	%
Yes	1	1224	96.2
No	2	49	3.8
No response	N	2	.
Logical skip	S	699	.
		<i>1974</i>	<i>100.0</i>

MM11	
LABEL	How many milligrams of methadone was the treatment dose the last time you took methadone?
TYPE	num
LENGTH	8
VARNUM	793

MM11: Distribution	Value	n	%
1	1	5	0.4
2	2	2	0.2
4	4	2	0.2
5	5	8	0.6
6	6	2	0.2
7	7	1	0.1
8	8	5	0.4
10	10	12	0.9

MM11: Distribution	Value	n	%
11	11	1	0.1
13	13	2	0.2
15	15	5	0.4
16	16	1	0.1
17	17	1	0.1
18	18	2	0.2
19	19	2	0.2
20	20	16	1.3
21	21	1	0.1
22	22	2	0.2
23	23	2	0.2
24	24	1	0.1
25	25	11	0.9
28	28	1	0.1
30	30	36	2.8
31	31	1	0.1
32	32	3	0.2
34	34	2	0.2
35	35	17	1.3
36	36	1	0.1
37	37	1	0.1
38	38	5	0.4
39	39	1	0.1
40	40	50	3.9
42	42	1	0.1
43	43	1	0.1
44	44	2	0.2
45	45	19	1.5
46	46	3	0.2
48	48	3	0.2
49	49	2	0.2
50	50	59	4.6
51	51	1	0.1
52	52	2	0.2
53	53	2	0.2
55	55	31	2.4
56	56	2	0.2
57	57	1	0.1

MM11: Distribution	Value	n	%
59	59	1	0.1
60	60	89	7.0
64	64	1	0.1
65	65	28	2.2
67	67	1	0.1
70	70	66	5.2
71	71	4	0.3
75	75	41	3.2
77	77	3	0.2
78	78	1	0.1
79	79	2	0.2
80	80	71	5.6
83	83	3	0.2
85	85	35	2.8
86	86	2	0.2
87	87	4	0.3
88	88	1	0.1
90	90	89	7.0
93	93	1	0.1
94	94	3	0.2
95	95	31	2.4
97	97	1	0.1
98	98	3	0.2
99	99	7	0.6
100	100	76	6.0
101	101	1	0.1
103	103	1	0.1
104	104	2	0.2
105	105	20	1.6
108	108	1	0.1
109	109	2	0.2
110	110	50	3.9
111	111	1	0.1
112	112	2	0.2
115	115	17	1.3
116	116	2	0.2
120	120	70	5.5
125	125	12	0.9

MM11: Distribution	Value	n	%
128	128	1	0.1
130	130	31	2.4
135	135	6	0.5
139	139	1	0.1
140	140	25	2.0
141	141	2	0.2
145	145	9	0.7
150	150	32	2.5
154	154	2	0.2
155	155	2	0.2
158	158	1	0.1
160	160	15	1.2
165	165	3	0.2
167	167	1	0.1
170	170	15	1.2
172	172	1	0.1
175	175	3	0.2
180	180	10	0.8
181	181	1	0.1
183	183	1	0.1
185	185	1	0.1
190	190	8	0.6
200	200	3	0.2
210	210	3	0.2
220	220	7	0.6
225	225	1	0.1
230	230	1	0.1
240	240	3	0.2
255	255	1	0.1
260	260	1	0.1
285	285	1	0.1
300	300	2	0.2
315	315	1	0.1
395	395	1	0.1
No response	N	3	.
Logical skip	S	699	.
		<i>1974</i>	<i>100.0</i>

MM12	
LABEL	How often did you give away or sell the methadone you were prescribed?
TYPE	num
LENGTH	8
VARNUM	794

MM12: Distribution	Value	n	%
Never	1	1189	93.6
Rarely	2	53	4.2
Sometimes	3	19	1.5
Often	4	3	0.2
Very often	5	6	0.5
No response	N	5	.
Logical skip	S	699	.
		<i>1974</i>	<i>100.0</i>

MM13	
LABEL	In the past 12 months, how often have you used methadone that was not prescribed to you? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	795

MM13: Distribution	Value	n	%
Never	1	1045	82.3
Rarely	2	128	10.1
Sometimes	3	70	5.5
Often	4	17	1.3
Very often	5	9	0.7
No response	N	6	.
Logical skip	S	699	.
		<i>1974</i>	<i>100.0</i>

MM14_1	
LABEL	What was the reason you took methadone not prescribed for you? To get high?
TYPE	num

MM14_1	
LENGTH	8
VARNUM	796

MM14_1: Distribution	Value	n	%
No	0	187	84.2
Yes	1	35	15.8
No response	N	8	.
Logical skip	S	1744	.
		1974	100.0

MM14_2	
LABEL	What was the reason you took methadone not prescribed for you? To prevent withdrawal?
TYPE	num
LENGTH	8
VARNUM	797

MM14_2: Distribution	Value	n	%
No	0	43	19.4
Yes	1	179	80.6
No response	N	8	.
Logical skip	S	1744	.
		1974	100.0

MM14_3	
LABEL	What was the reason you took methadone not prescribed for you? To self-medicate for physical pain?
TYPE	num
LENGTH	8
VARNUM	798

MM14_3: Distribution	Value	n	%
No	0	182	82.0
Yes	1	40	18.0
No response	N	8	.
Logical skip	S	1744	.
		1974	100.0

MM14_4	
LABEL	What was the reason you took methadone not prescribed for you? To self-medicate for emotional pain?
TYPE	num
LENGTH	8
VARNUM	799

MM14_4: Distribution	Value	n	%
No	0	194	87.4
Yes	1	28	12.6
No response	N	8	.
Logical skip	S	1744	.
		<i>1974</i>	<i>100.0</i>

MM14_5	
LABEL	What was the reason you took methadone not prescribed for you? Other reason?
TYPE	num
LENGTH	8
VARNUM	800

MM14_5: Distribution	Value	n	%
No	0	196	88.3
Yes	1	26	11.7
No response	N	8	.
Logical skip	S	1744	.
		<i>1974</i>	<i>100.0</i>

MM15	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after taking methadone?
TYPE	num
LENGTH	8
VARNUM	801

MM15: Distribution	Value	n	%
Yes	1	59	25.7

MM15: Distribution	Value	n	%
No	2	171	74.3
No response	N	0	.
Logical skip	S	1744	.
		1974	100.0

MM16_1	
LABEL	What were some of the adverse effects or unexpected symptoms? Profuse sweating?
TYPE	num
LENGTH	8
VARNUM	802

MM16_1: Distribution	Value	n	%
No	0	17	28.8
Yes	1	42	71.2
No response	N	0	.
Logical skip	S	1915	.
		1974	100.0

MM16_2	
LABEL	What were some of the adverse effects or unexpected symptoms? Heavy sedation?
TYPE	num
LENGTH	8
VARNUM	803

MM16_2: Distribution	Value	n	%
No	0	32	54.2
Yes	1	27	45.8
No response	N	0	.
Logical skip	S	1915	.
		1974	100.0

MM16_3	
LABEL	What were some of the adverse effects or unexpected symptoms? Anxiety?
TYPE	num

MM16_3	
LENGTH	8
VARNUM	804

MM16_3: Distribution	Value	n	%
No	0	43	72.9
Yes	1	16	27.1
No response	N	0	.
Logical skip	S	1915	.
		<i>1974</i>	<i>100.0</i>

MM16_4	
LABEL	What were some of the adverse effects or unexpected symptoms? Continued having cravings to abuse opioids?
TYPE	num
LENGTH	8
VARNUM	805

MM16_4: Distribution	Value	n	%
No	0	38	64.4
Yes	1	21	35.6
No response	N	0	.
Logical skip	S	1915	.
		<i>1974</i>	<i>100.0</i>

MM16_5	
LABEL	What were some of the adverse effects or unexpected symptoms? Feeling high or buzzed?
TYPE	num
LENGTH	8
VARNUM	806

MM16_5: Distribution	Value	n	%
No	0	38	64.4
Yes	1	21	35.6
No response	N	0	.
Logical skip	S	1915	.
		<i>1974</i>	<i>100.0</i>

MM16_6	
LABEL	What were some of the adverse effects or unexpected symptoms? Other effects or symptoms?
TYPE	num
LENGTH	8
VARNUM	807

MM16_6: Distribution	Value	n	%
No	0	41	69.5
Yes	1	18	30.5
No response	N	0	.
Logical skip	S	1915	.
		<i>1974</i>	<i>100.0</i>

MM16_7	
LABEL	What were some of the adverse effects or unexpected symptoms? None of the above?
TYPE	num
LENGTH	8
VARNUM	808

MM16_7: Distribution	Value	n	%
No	0	58	98.3
Yes	1	1	1.7
No response	N	0	.
Logical skip	S	1915	.
		<i>1974</i>	<i>100.0</i>

MM17	
LABEL	How strongly did these adverse effects or symptoms influence your decision to stop taking methadone to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	809

MM17: Distribution	Value	n	%
Strongly influenced	1	10	52.6
Somewhat influenced	2	6	31.6
Did not influence	3	3	15.8
No response	N	0	.
Logical skip	S	1955	.
		<i>1974</i>	<i>100.0</i>

BU1	
LABEL	Have you ever received oral buprenorphine to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	810

BU1: Distribution	Value	n	%
Yes	1	1081	54.8
No	2	845	42.8
No Answer	3	48	2.4
No response	N	0	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

BU2	
LABEL	Did you receive oral buprenorphine to treat opioid addiction any time in the 12 months before your INDEX treatment? **(Question ended on April 20, 2019)
TYPE	num
LENGTH	8
VARNUM	811

BU2: Distribution	Value	n	%
Yes	1	145	50.5
No	2	142	49.5
No response	N	794	.
Logical skip	S	893	.
		<i>1974</i>	<i>100.0</i>

BU3	
LABEL	Did you receive oral buprenorphine to treat opioid addiction any time in the 90 days before your INDEX treatment? **(Question ended on April 20, 2019)
TYPE	num
LENGTH	8
VARNUM	812

BU3: Distribution	Value	n	%
Yes	1	80	55.2
No	2	65	44.8
No response	N	794	.
Logical skip	S	1035	.
		1974	100.0

BU4	
LABEL	(Did/do) you receive oral buprenorphine as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	813

BU4: Distribution	Value	n	%
Yes	1	588	54.5
No	2	490	45.5
No response	N	3	.
Logical skip	S	893	.
		1974	100.0

BU5	
LABEL	After ending your INDEX treatment, did you receive oral buprenorphine for opioid addiction at any time in the past 12 months? (at ANY facility.) ** (Prior to April 21, 2019, question did not include the past 12 months and was only asked if BU4 was No)
TYPE	num
LENGTH	8
VARNUM	814

BU5: Distribution	Value	n	%
Yes	1	2	25.0

BU5: Distribution	Value	n	%
No	2	6	75.0
No response	N	1073	.
Logical skip	S	893	.
		1974	100.0

BU6a	
LABEL	Did you receive oral buprenorphine for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	815

BU6a: Distribution	Value	n	%
Yes	1	2	100.0
No	2	0	.
No response	N	1079	.
Logical skip	S	893	.
		1974	100.0

BU7	
LABEL	Are you currently being treated with oral buprenorphine for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	816

BU7: Distribution	Value	n	%
Yes	1	571	52.8
No	2	510	47.2
No response	N	0	.
Logical skip	S	893	.
		1974	100.0

BU10	
LABEL	Thinking about your most recent oral buprenorphine treatment program, (do/did) you usually take oral buprenorphine every day as directed by your doctor?

BU10	
TYPE	num
LENGTH	8
VARNUM	817

BU10: Distribution	Value	n	%
Yes	1	919	85.2
No	2	160	14.8
No response	N	2	.
Logical skip	S	893	.
		1974	100.0

BU11	
LABEL	How many milligrams of oral buprenorphine was the treatment dose the last time you took oral buprenorphine?
TYPE	num
LENGTH	8
VARNUM	818

BU11: Distribution	Value	n	%
1	1	17	1.6
2	2	42	3.9
3	3	1	0.1
4	4	68	6.4
5	5	10	0.9
6	6	7	0.7
7	7	4	0.4
8	8	407	38.2
9	9	1	0.1
10	10	28	2.6
12	12	78	7.3
14	14	11	1.0
15	15	2	0.2
16	16	250	23.5
18	18	3	0.3
19	19	1	0.1
20	20	21	2.0
22	22	3	0.3

BU11: Distribution	Value	n	%
23	23	1	0.1
24	24	74	6.9
25	25	2	0.2
26	26	3	0.3
30	30	3	0.3
32	32	12	1.1
35	35	1	0.1
36	36	1	0.1
40	40	1	0.1
43	43	1	0.1
50	50	5	0.5
60	60	1	0.1
75	75	1	0.1
80	80	1	0.1
82	82	1	0.1
86	86	2	0.2
90	90	2	0.2
No response	N	15	.
Logical skip	S	893	.
		<i>1974</i>	<i>100.0</i>

BU11A	
LABEL	Did you receive a prescription for oral buprenorphine to take the medication at home?
TYPE	num
LENGTH	8
VARNUM	819

BU11A: Distribution	Value	n	%
Yes	1	895	83.0
No	2	183	17.0
No response	N	3	.
Logical skip	S	893	.
		<i>1974</i>	<i>100.0</i>

BU11B	
LABEL	How long was the prescription for?

BU11B	
TYPE	num
LENGTH	8
VARNUM	820

BU11B: Distribution	Value	n	%
Less than 1 week (less than 7 days)	1	47	5.3
1 week (7 days)	2	306	34.2
2 weeks (14 days)	3	217	24.2
30 days	4	325	36.3
More than 30 days	5	0	.
No response	N	3	.
Logical skip	S	1076	.
		<i>1974</i>	<i>100.0</i>

BU12	
LABEL	How often did you give away or sell the oral buprenorphine you were prescribed?
TYPE	num
LENGTH	8
VARNUM	821

BU12: Distribution	Value	n	%
Never	1	829	77.0
Rarely	2	91	8.5
Sometimes	3	81	7.5
Often	4	51	4.7
Very often	5	24	2.2
No response	N	5	.
Logical skip	S	893	.
		<i>1974</i>	<i>100.0</i>

BU13	
LABEL	In the past 12 months, how often have you used oral buprenorphine that was not prescribed to you? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num

BU13	
LENGTH	8
VARNUM	822

BU13: Distribution	Value	n	%
Never	1	740	68.7
Rarely	2	151	14.0
Sometimes	3	129	12.0
Often	4	24	2.2
Very often	5	33	3.1
No response	N	4	.
Logical skip	S	893	.
		<i>1974</i>	<i>100.0</i>

BU14_1	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? To get high?
TYPE	num
LENGTH	8
VARNUM	823

BU14_1: Distribution	Value	n	%
No	0	306	90.8
Yes	1	31	9.2
No response	N	4	.
Logical skip	S	1633	.
		<i>1974</i>	<i>100.0</i>

BU14_2	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? To prevent withdrawal?
TYPE	num
LENGTH	8
VARNUM	824

BU14_2: Distribution	Value	n	%
No	0	52	15.4
Yes	1	285	84.6

BU14_2: Distribution	Value	n	%
No response	N	4	.
Logical skip	S	1633	.
		<i>1974</i>	<i>100.0</i>

BU14_3	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? To self-medicate for physical pain?
TYPE	num
LENGTH	8
VARNUM	825

BU14_3: Distribution	Value	n	%
No	0	281	83.4
Yes	1	56	16.6
No response	N	4	.
Logical skip	S	1633	.
		<i>1974</i>	<i>100.0</i>

BU14_4	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? To self-medicate for emotional pain
TYPE	num
LENGTH	8
VARNUM	826

BU14_4: Distribution	Value	n	%
No	0	287	85.2
Yes	1	50	14.8
No response	N	4	.
Logical skip	S	1633	.
		<i>1974</i>	<i>100.0</i>

BU14_5	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? Other reason?
TYPE	num

BU14_5	
LENGTH	8
VARNUM	827

BU14_5: Distribution	Value	n	%
No	0	305	90.5
Yes	1	32	9.5
No response	N	4	.
Logical skip	S	1633	.
		<i>1974</i>	<i>100.0</i>

BU15	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after taking oral buprenorphine?
TYPE	num
LENGTH	8
VARNUM	828

BU15: Distribution	Value	n	%
Yes	1	111	32.7
No	2	228	67.3
No response	N	2	.
Logical skip	S	1633	.
		<i>1974</i>	<i>100.0</i>

BU16_1	
LABEL	What were some of the adverse effects or unexpected symptoms? Profuse sweating?
TYPE	num
LENGTH	8
VARNUM	829

BU16_1: Distribution	Value	n	%
No	0	52	46.8
Yes	1	59	53.2
No response	N	2	.
Logical skip	S	1861	.
		<i>1974</i>	<i>100.0</i>

BU16_2	
LABEL	What were some of the adverse effects or unexpected symptoms? Heavy sedation?
TYPE	num
LENGTH	8
VARNUM	830

BU16_2: Distribution	Value	n	%
No	0	92	82.9
Yes	1	19	17.1
No response	N	2	.
Logical skip	S	1861	.
		<i>1974</i>	<i>100.0</i>

BU16_3	
LABEL	What were some of the adverse effects or unexpected symptoms? Anxiety?
TYPE	num
LENGTH	8
VARNUM	831

BU16_3: Distribution	Value	n	%
No	0	60	54.1
Yes	1	51	45.9
No response	N	2	.
Logical skip	S	1861	.
		<i>1974</i>	<i>100.0</i>

BU16_4	
LABEL	What were some of the adverse effects or unexpected symptoms? Continued having cravings to abuse opioids?
TYPE	num
LENGTH	8
VARNUM	832

BU16_4: Distribution	Value	n	%
No	0	68	61.3

BU16_4: Distribution	Value	n	%
Yes	1	43	38.7
No response	N	2	.
Logical skip	S	1861	.
		1974	100.0

BU16_5	
LABEL	What were some of the adverse effects or unexpected symptoms? I felt high or buzzed?
TYPE	num
LENGTH	8
VARNUM	833

BU16_5: Distribution	Value	n	%
No	0	91	82.0
Yes	1	20	18.0
No response	N	2	.
Logical skip	S	1861	.
		1974	100.0

BU16_6	
LABEL	What were some of the adverse effects or unexpected symptoms? Other effects or symptoms?
TYPE	num
LENGTH	8
VARNUM	834

BU16_6: Distribution	Value	n	%
No	0	54	48.6
Yes	1	57	51.4
No response	N	2	.
Logical skip	S	1861	.
		1974	100.0

BU16_7	
LABEL	What were some of the adverse effects or unexpected symptoms? None of the above?
TYPE	num

BU16_7	
LENGTH	8
VARNUM	835

BU16_7: Distribution	Value	n	%
No	0	107	96.4
Yes	1	4	3.6
No response	N	2	.
Logical skip	S	1861	.
		<i>1974</i>	<i>100.0</i>

BU17	
LABEL	How strongly did these adverse effects or symptoms influence your decision to stop taking oral buprenorphine to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	836

BU17: Distribution	Value	n	%
Strongly influenced	1	35	59.3
Somewhat influenced	2	17	28.8
Did not influence	3	7	11.9
No response	N	2	.
Logical skip	S	1913	.
		<i>1974</i>	<i>100.0</i>

PB1	
LABEL	Have you ever received a buprenorphine implant or injection to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	837

PB1: Distribution	Value	n	%
Yes	1	43	2.2
No	2	1888	95.6
No answer	3	43	2.2
No response	N	0	.

PB1: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

PB1A	
LABEL	Did you receive the implant or injection, or both?
TYPE	num
LENGTH	8
VARNUM	838

PB1A: Distribution	Value	n	%
Implant	1	5	11.6
Injection	2	21	48.8
Both	3	3	7.0
Neither	4	14	32.6
No response	N	0	.
Logical skip	S	1931	.
		1974	100.0

PB2	
LABEL	Did you receive a buprenorphine implant or injection to treat opioid addiction any time in the 12 months before you started your INDEX treatment? ** (Question ended on April 20, 2019)
TYPE	num
LENGTH	8
VARNUM	839

PB2: Distribution	Value	n	%
Implant	1	0	.
Injection	2	0	.
Both	3	0	.
Neither	4	2	100.0
No response	N	41	.
Logical skip	S	1931	.
		1974	100.0

PB3	
LABEL	Did you receive a buprenorphine implant or injection to treat opioid addiction any time in the 90 days before you started your INDEX treatment? ** (Question ended on April 20, 2019)
TYPE	num
LENGTH	8
VARNUM	840

PB3: Distribution	Value	n	%
Implant	1	0	.
Injection	2	0	.
Both	3	0	.
Neither	4	0	.
No response	N	41	.
Logical skip	S	1933	.
		<i>1974</i>	.

PB4	
LABEL	(Did/Do) you receive a buprenorphine implant as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	841

PB4: Distribution	Value	n	%
Yes	1	17	39.5
No	2	26	60.5
No response	N	0	.
Logical skip	S	1931	.
		<i>1974</i>	<i>100.0</i>

PB5	
LABEL	After ending your INDEX treatment, did you receive a buprenorphine implant or injection at any time in the past 12 months? (at ANY facility.) ** (Prior to April 21, 2019, question did not include the past 12 months and was only asked if PB4 was No)
TYPE	num
LENGTH	8
VARNUM	842

PB5: Distribution	Value	n	%
Implant	1	0	.
Injection	2	2	66.7
Both	3	0	.
Neither	4	1	33.3
No response	N	40	.
Logical skip	S	1931	.
		<i>1974</i>	<i>100.0</i>

PB6a	
LABEL	Did you receive a buprenorphine implant or injection at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	843

PB6a: Distribution	Value	n	%
Implant	1	0	.
Injection	2	0	.
Both	3	1	50.0
Neither	4	1	50.0
No response	N	41	.
Logical skip	S	1931	.
		<i>1974</i>	<i>100.0</i>

PB7	
LABEL	Are you currently receiving buprenorphine implants or injections?
TYPE	num
LENGTH	8
VARNUM	844

PB7: Distribution	Value	n	%
Yes	1	12	27.9
No	2	31	72.1
No response	N	0	.
Logical skip	S	1931	.
		<i>1974</i>	<i>100.0</i>

PB10	
LABEL	Thinking about your most recent oral buprenorphine treatment program, How many milligrams of buprenorphine was in the last implant you received?
TYPE	num
LENGTH	8
VARNUM	845

PB10: Distribution	Value	n	%
1	1	1	2.4
4	4	1	2.4
5	5	4	9.8
8	8	9	22.0
10	10	5	12.2
14	14	1	2.4
16	16	7	17.1
20	20	1	2.4
24	24	2	4.9
30	30	3	7.3
70	70	1	2.4
100	100	1	2.4
300	300	3	7.3
320	320	1	2.4
380	380	1	2.4
No response	N	2	.
Logical skip	S	1931	.
		1974	100.0

PB11	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after receiving a buprenorphine implant/injection?
TYPE	num
LENGTH	8
VARNUM	846

PB11: Distribution	Value	n	%
Yes	1	8	19.5

PB11: Distribution	Value	n	%
No	2	33	80.5
No response	N	2	.
Logical skip	S	1931	.
		1974	100.0

ON1	
LABEL	Have you ever received oral naltrexone to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	847

ON1: Distribution	Value	n	%
Yes	1	190	9.6
No	2	1736	87.9
No Answer	3	48	2.4
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

ON2	
LABEL	Did you receive oral naltrexone to treat opioid addiction any time in the 12 months before your INDEX treatment? **(Question ended on April 20, 2019)
TYPE	num
LENGTH	8
VARNUM	848

ON2: Distribution	Value	n	%
Yes	1	14	36.8
No	2	24	63.2
No response	N	152	.
Logical skip	S	1784	.
		1974	100.0

ON3	
LABEL	Did you receive oral naltrexone to treat opioid addiction any time in the 90 days before your INDEX treatment? **(Question ended on April 20, 2019)
TYPE	num
LENGTH	8
VARNUM	849

ON3: Distribution	Value	n	%
Yes	1	8	57.1
No	2	6	42.9
No response	N	152	.
Logical skip	S	1808	.
		1974	100.0

ON4	
LABEL	Did you receive oral naltrexone as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	850

ON4: Distribution	Value	n	%
Yes	1	68	36.2
No	2	120	63.8
No response	N	2	.
Logical skip	S	1784	.
		1974	100.0

ON5	
LABEL	After ending your INDEX treatment, did you receive oral naltrexone for opioid addiction at any time in the past 12 months? (at ANY facility.) ** (Prior to April 21, 2019, question did not include the past 12 months and was only asked if ON5 was No)
TYPE	num
LENGTH	8
VARNUM	851

ON5: Distribution	Value	n	%
Yes	1	1	20.0

ON5: Distribution	Value	n	%
No	2	4	80.0
No response	N	185	.
Logical skip	S	1784	.
		1974	100.0

ON6a	
LABEL	Did you receive oral naltrexone for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	852

ON6a: Distribution	Value	n	%
Yes	1	1	100.0
No	2	0	.
No response	N	189	.
Logical skip	S	1784	.
		1974	100.0

ON7	
LABEL	Are you currently being treated with oral naltrexone for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	853

ON7: Distribution	Value	n	%
Yes	1	46	24.2
No	2	144	75.8
No response	N	0	.
Logical skip	S	1784	.
		1974	100.0

ON10	
LABEL	Thinking about your most recent oral naltrexone treatment program, (did/do) you usually take oral naltrexone every day as directed by your doctor?

ON10	
TYPE	num
LENGTH	8
VARNUM	854

ON10: Distribution	Value	n	%
Yes	1	134	71.3
No	2	54	28.7
No response	N	2	.
Logical skip	S	1784	.
		1974	100.0

ON11	
LABEL	How many milligrams of oral naltrexone was the treatment dose the last time you took oral naltrexone?
TYPE	num
LENGTH	8
VARNUM	855

ON11: Distribution	Value	n	%
1	1	8	4.5
2	2	9	5.1
3	3	1	0.6
4	4	6	3.4
5	5	6	3.4
6	6	1	0.6
8	8	22	12.5
10	10	9	5.1
12	12	2	1.1
15	15	1	0.6
16	16	7	4.0
25	25	7	4.0
26	26	1	0.6
30	30	4	2.3
35	35	1	0.6
45	45	1	0.6
50	50	73	41.5
100	100	11	6.3

ON11: Distribution	Value	n	%
140	140	1	0.6
150	150	3	1.7
200	200	1	0.6
300	300	1	0.6
No response	N	14	.
Logical skip	S	1784	.
		1974	100.0

ON12	
LABEL	Did you receive a prescription for oral naltrexone?
TYPE	num
LENGTH	8
VARNUM	856

ON12: Distribution	Value	n	%
Yes	1	135	72.2
No	2	52	27.8
No response	N	3	.
Logical skip	S	1784	.
		1974	100.0

ON13	
LABEL	How long was the prescription for? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	857

ON13: Distribution	Value	n	%
Less than 1 week (less than 7 days)	1	8	6.0
1 week (7 days)	2	34	25.4
2 weeks (14 days)	3	21	15.7
30 days	4	71	53.0
No response	N	4	.

ON13: Distribution	Value	n	%
Logical skip	S	1836	.
		1974	100.0

ON14	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after taking oral naltrexone?
TYPE	num
LENGTH	8
VARNUM	858

ON14: Distribution	Value	n	%
Yes	1	55	29.6
No	2	131	70.4
No response	N	4	.
Logical skip	S	1784	.
		1974	100.0

ON15_1	
LABEL	What were some of the adverse effects or unexpected symptoms? Profuse sweating?
TYPE	num
LENGTH	8
VARNUM	859

ON15_1: Distribution	Value	n	%
No	0	33	60.0
Yes	1	22	40.0
No response	N	4	.
Logical skip	S	1915	.
		1974	100.0

ON15_2	
LABEL	What were some of the adverse effects or unexpected symptoms? Heavy sedation?
TYPE	num
LENGTH	8
VARNUM	860

ON15_2: Distribution	Value	n	%
No	0	49	89.1
Yes	1	6	10.9
No response	N	4	.
Logical skip	S	1915	.
		1974	100.0

ON15_3	
LABEL	What were some of the adverse effects or unexpected symptoms? Anxiety?
TYPE	num
LENGTH	8
VARNUM	861

ON15_3: Distribution	Value	n	%
No	0	32	58.2
Yes	1	23	41.8
No response	N	4	.
Logical skip	S	1915	.
		1974	100.0

ON15_4	
LABEL	What were some of the adverse effects or unexpected symptoms? Continued having cravings to abuse opioids?
TYPE	num
LENGTH	8
VARNUM	862

ON15_4: Distribution	Value	n	%
No	0	32	58.2
Yes	1	23	41.8
No response	N	4	.
Logical skip	S	1915	.
		1974	100.0

ON15_5	
LABEL	What were some of the adverse effects or unexpected symptoms? I felt high or buzzed?
TYPE	num
LENGTH	8
VARNUM	863

ON15_5: Distribution	Value	n	%
No	0	48	87.3
Yes	1	7	12.7
No response	N	4	.
Logical skip	S	1915	.
		1974	100.0

ON15_6	
LABEL	What were some of the adverse effects or unexpected symptoms? Other effects or symptoms?
TYPE	num
LENGTH	8
VARNUM	864

ON15_6: Distribution	Value	n	%
No	0	21	38.2
Yes	1	34	61.8
No response	N	4	.
Logical skip	S	1915	.
		1974	100.0

ON15_7	
LABEL	What were some of the adverse effects or unexpected symptoms? None of the above?
TYPE	num
LENGTH	8
VARNUM	865

ON15_7: Distribution	Value	n	%
No	0	50	90.9
Yes	1	5	9.1
No response	N	4	.

ON15_7: Distribution	Value	n	%
Logical skip	S	1915	.
		1974	100.0

ON16	
LABEL	How strongly did these adverse effects or symptoms influence your decision to stop taking oral naltrexone to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	866

ON16: Distribution	Value	n	%
Strongly influenced	1	36	73.5
Somewhat influenced	2	6	12.2
Did not influence	3	7	14.3
No response	N	4	.
Logical skip	S	1921	.
		1974	100.0

IN1	
LABEL	Have you ever received injectable naltrexone to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	867

IN1: Distribution	Value	n	%
Yes	1	109	5.5
No	2	1831	92.8
No Answer	3	34	1.7
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

IN2	
LABEL	Did you receive naltrexone injection(s) to treat opioid addiction any time in the 12 months before your INDEX treatment? **(Question ended on April 20, 2019)

IN2	
TYPE	num
LENGTH	8
VARNUM	868

IN2: Distribution	Value	n	%
Yes	1	13	52.0
No	2	12	48.0
No response	N	84	.
Logical skip	S	1865	.
		1974	100.0

IN3	
LABEL	Did you receive naltrexone injection(s) to treat opioid addiction any time in the 90 days before your INDEX treatment? **(Question ended on April 20, 2019)
TYPE	num
LENGTH	8
VARNUM	869

IN3: Distribution	Value	n	%
Yes	1	5	41.7
No	2	7	58.3
No response	N	85	.
Logical skip	S	1877	.
		1974	100.0

IN4	
LABEL	Did you receive injectable naltrexone as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	870

IN4: Distribution	Value	n	%
Yes	1	47	43.1
No	2	62	56.9
No response	N	0	.

IN4: Distribution	Value	n	%
Logical skip	S	1865	.
		1974	100.0

IN5	
LABEL	After ending your INDEX treatment, did you receive injectable naltrexone for opioid addiction at any time in the past 12 months? (at ANY facility.) ** (Prior to April 21, 2019, question did not include the past 12 months and was only asked if IN4 was No)
TYPE	num
LENGTH	8
VARNUM	871

IN5: Distribution	Value	n	%
Yes	1	1	25.0
No	2	3	75.0
No response	N	105	.
Logical skip	S	1865	.
		1974	100.0

IN6a	
LABEL	Did you receive injectable naltrexone for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	872

IN6a: Distribution	Value	n	%
Yes	1	1	100.0
No	2	0	.
No response	N	108	.
Logical skip	S	1865	.
		1974	100.0

IN7	
LABEL	Are you currently receiving injectable naltrexone for opioid addiction?
TYPE	num

IN7	
LENGTH	8
VARNUM	873

IN7: Distribution	Value	n	%
Yes	1	33	30.8
No	2	74	69.2
No response	N	2	.
Logical skip	S	1865	.
		1974	100.0

IN10	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after receiving injectable naltrexone?
TYPE	num
LENGTH	8
VARNUM	874

IN10: Distribution	Value	n	%
Yes	1	36	33.6
No	2	71	66.4
No response	N	2	.
Logical skip	S	1865	.
		1974	100.0

IN11_1	
LABEL	What were some of the adverse effects or unexpected symptoms? Profuse sweating?
TYPE	num
LENGTH	8
VARNUM	875

IN11_1: Distribution	Value	n	%
No	0	25	69.4
Yes	1	11	30.6
No response	N	2	.
Logical skip	S	1936	.
		1974	100.0

IN11_2	
LABEL	What were some of the adverse effects or unexpected symptoms? Heavy sedation?
TYPE	num
LENGTH	8
VARNUM	876

IN11_2: Distribution	Value	n	%
No	0	33	91.7
Yes	1	3	8.3
No response	N	2	.
Logical skip	S	1936	.
		1974	100.0

IN11_3	
LABEL	What were some of the adverse effects or unexpected symptoms? Anxiety?
TYPE	num
LENGTH	8
VARNUM	877

IN11_3: Distribution	Value	n	%
No	0	17	47.2
Yes	1	19	52.8
No response	N	2	.
Logical skip	S	1936	.
		1974	100.0

IN11_4	
LABEL	What were some of the adverse effects or unexpected symptoms? Continued having cravings to abuse opioids?
TYPE	num
LENGTH	8
VARNUM	878

IN11_4: Distribution	Value	n	%
No	0	22	61.1

IN11_4: Distribution	Value	n	%
Yes	1	14	38.9
No response	N	2	.
Logical skip	S	1936	.
		<i>1974</i>	<i>100.0</i>

IN11_5	
LABEL	What were some of the adverse effects or unexpected symptoms? I felt high or buzzed?
TYPE	num
LENGTH	8
VARNUM	879

IN11_5: Distribution	Value	n	%
No	0	35	97.2
Yes	1	1	2.8
No response	N	2	.
Logical skip	S	1936	.
		<i>1974</i>	<i>100.0</i>

IN11_6	
LABEL	What were some of the adverse effects or unexpected symptoms? Other effects or symptoms?
TYPE	num
LENGTH	8
VARNUM	880

IN11_6: Distribution	Value	n	%
No	0	13	36.1
Yes	1	23	63.9
No response	N	2	.
Logical skip	S	1936	.
		<i>1974</i>	<i>100.0</i>

IN11_7	
LABEL	What were some of the adverse effects or unexpected symptoms? None of the above?
TYPE	num

IN11_7	
LENGTH	8
VARNUM	881

IN11_7: Distribution	Value	n	%
No	0	34	94.4
Yes	1	2	5.6
No response	N	2	.
Logical skip	S	1936	.
		<i>1974</i>	<i>100.0</i>

IN12	
LABEL	How strongly did these adverse effects or symptoms influence your decision to stop receiving injectable naltrexone to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	882

IN12: Distribution	Value	n	%
Strongly influenced	1	20	71.4
Somewhat influenced	2	6	21.4
Did not influence	3	2	7.1
No response	N	1	.
Logical skip	S	1945	.
		<i>1974</i>	<i>100.0</i>

KA1A	
LABEL	Methadone is expensive?
TYPE	num
LENGTH	8
VARNUM	883

KA1A: Distribution	Value	n	%
Agree Strongly	1	461	23.6
Agree	2	630	32.3
Disagree	3	619	31.7
Strongly Disagree	4	241	12.4

KA1A: Distribution	Value	n	%
No response	N	23	.
Logical skip	S	0	.
		1974	100.0

KA1B	
LABEL	Methadone is hard to get?
TYPE	num
LENGTH	8
VARNUM	884

KA1B: Distribution	Value	n	%
Agree Strongly	1	285	14.7
Agree	2	462	23.8
Disagree	3	838	43.1
Strongly Disagree	4	359	18.5
No response	N	30	.
Logical skip	S	0	.
		1974	100.0

KA1C	
LABEL	Methadone is harder to withdraw from than opioids?
TYPE	num
LENGTH	8
VARNUM	885

KA1C: Distribution	Value	n	%
Agree Strongly	1	816	42.0
Agree	2	622	32.0
Disagree	3	387	19.9
Strongly Disagree	4	116	6.0
No response	N	33	.
Logical skip	S	0	.
		1974	100.0

KA1D	
LABEL	Being on methadone is the same as being addicted to opioids?
TYPE	num
LENGTH	8
VARNUM	886

KA1D: Distribution	Value	n	%
Agree Strongly	1	383	19.7
Agree	2	418	21.5
Disagree	3	634	32.6
Strongly Disagree	4	511	26.3
No response	N	28	.
Logical skip	S	0	.
		1974	100.0

KA1E	
LABEL	Buprenorphine is expensive?
TYPE	num
LENGTH	8
VARNUM	887

KA1E: Distribution	Value	n	%
Agree Strongly	1	514	26.7
Agree	2	598	31.0
Disagree	3	566	29.4
Strongly Disagree	4	250	13.0
No response	N	46	.
Logical skip	S	0	.
		1974	100.0

KA1F	
LABEL	Buprenorphine treatment is hard to get?
TYPE	num
LENGTH	8
VARNUM	888

KA1F: Distribution	Value	n	%
Agree Strongly	1	233	12.1
Agree	2	443	23.0
Disagree	3	885	46.0
Strongly Disagree	4	363	18.9
No response	N	50	.
Logical skip	S	0	.
		1974	100.0

KA1G	
LABEL	Buprenorphine is harder to withdraw from than opioids?
TYPE	num
LENGTH	8
VARNUM	889

KA1G: Distribution	Value	n	%
Agree Strongly	1	280	14.6
Agree	2	526	27.5
Disagree	3	843	44.0
Strongly Disagree	4	267	13.9
No response	N	58	.
Logical skip	S	0	.
		1974	100.0

KA1H	
LABEL	Being on buprenorphine is the same as being addicted to opioids?
TYPE	num
LENGTH	8
VARNUM	890

KA1H: Distribution	Value	n	%
Agree Strongly	1	176	9.2
Agree	2	337	17.6
Disagree	3	798	41.6
Strongly Disagree	4	609	31.7
No response	N	54	.

KA1H: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

KA1I	
LABEL	Naltrexone is expensive?
TYPE	num
LENGTH	8
VARNUM	891

KA1I: Distribution	Value	n	%
Agree Strongly	1	351	18.6
Agree	2	582	30.8
Disagree	3	680	36.0
Strongly Disagree	4	276	14.6
No response	N	85	.
Logical skip	S	0	.
		1974	100.0

KA1J	
LABEL	Naltrexone is hard to get?
TYPE	num
LENGTH	8
VARNUM	892

KA1J: Distribution	Value	n	%
Agree Strongly	1	255	13.5
Agree	2	513	27.1
Disagree	3	810	42.8
Strongly Disagree	4	315	16.6
No response	N	81	.
Logical skip	S	0	.
		1974	100.0

KA1K	
LABEL	Naltrexone is harder to withdraw from than opioids?

KA1K	
TYPE	num
LENGTH	8
VARNUM	893

KA1K: Distribution	Value	n	%
Agree Strongly	1	150	8.0
Agree	2	392	20.8
Disagree	3	933	49.6
Strongly Disagree	4	406	21.6
No response	N	93	.
Logical skip	S	0	.
		1974	100.0

KA1L	
LABEL	Being on naltrexone is the same as being addicted to opioids?
TYPE	num
LENGTH	8
VARNUM	894

KA1L: Distribution	Value	n	%
Agree Strongly	1	110	5.8
Agree	2	280	14.9
Disagree	3	887	47.1
Strongly Disagree	4	608	32.3
No response	N	89	.
Logical skip	S	0	.
		1974	100.0

KA2_1	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. We discussed how different opioid addiction treatment medications would fit with my lifestyle?
TYPE	num
LENGTH	8
VARNUM	895

KA2_1: Distribution	Value	n	%
No	0	930	51.7
Yes	1	869	48.3
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_2	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. I was informed about the side effects and risks of the various opioid addiction treatment medications available to me?
TYPE	num
LENGTH	8
VARNUM	896

KA2_2: Distribution	Value	n	%
No	0	551	30.6
Yes	1	1248	69.4
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_3	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. I was asked to sign a contract acknowledging my role as a client in addiction treatment?
TYPE	num
LENGTH	8
VARNUM	897

KA2_3: Distribution	Value	n	%
No	0	392	21.8
Yes	1	1407	78.2
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_4	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. We discussed different payment options when choosing the medication that was right for me?
TYPE	num
LENGTH	8
VARNUM	898

KA2_4: Distribution	Value	n	%
No	0	1220	67.8
Yes	1	579	32.2
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_5	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. I was informed that I would be asked to provide urine drug screens?
TYPE	num
LENGTH	8
VARNUM	899

KA2_5: Distribution	Value	n	%
No	0	245	13.6
Yes	1	1554	86.4
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_6	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. I was informed that I would have to return my used wrappers/foils (for buprenorphine clients)?
TYPE	num
LENGTH	8
VARNUM	900

KA2_6: Distribution	Value	n	%
No	0	1535	85.3

KA2_6: Distribution	Value	n	%
Yes	1	264	14.7
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_7	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. I am required to fill my prescription at a specific pharmacy?
TYPE	num
LENGTH	8
VARNUM	901

KA2_7: Distribution	Value	n	%
No	0	1441	80.1
Yes	1	358	19.9
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_8	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. I was told that my doctor would not prescribe extra medicine if I ran out early (for buprenorphine clients)?
TYPE	num
LENGTH	8
VARNUM	902

KA2_8: Distribution	Value	n	%
No	0	1240	68.9
Yes	1	559	31.1
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_9	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. I was provided information about group counseling?
TYPE	num
LENGTH	8
VARNUM	903

KA2_9: Distribution	Value	n	%
No	0	443	24.6
Yes	1	1356	75.4
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_10	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. We discussed target doses in relation to the size of my opioid habit?
TYPE	num
LENGTH	8
VARNUM	904

KA2_10: Distribution	Value	n	%
No	0	785	43.6
Yes	1	1014	56.4
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_11	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. We discussed the limited use of buprenorphine when opioid habits are too large?
TYPE	num
LENGTH	8
VARNUM	905

KA2_11: Distribution	Value	n	%
No	0	1342	74.6

KA2_11: Distribution	Value	n	%
Yes	1	457	25.4
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_12	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. We jointly developed a treatment plan for me?
TYPE	num
LENGTH	8
VARNUM	906

KA2_12: Distribution	Value	n	%
No	0	456	25.3
Yes	1	1343	74.7
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_13	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. We discussed how long I wish to remain on this medication?
TYPE	num
LENGTH	8
VARNUM	907

KA2_13: Distribution	Value	n	%
No	0	877	48.7
Yes	1	922	51.3
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_14	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. I was given information about the risks associated with taking depressants (i.e., benzodiazepines and alcohol) while in treatment.
TYPE	num
LENGTH	8
VARNUM	908

KA2_14: Distribution	Value	n	%
No	0	502	27.9
Yes	1	1297	72.1
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_15	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. I was asked about my mental health using a paper form or interview?
TYPE	num
LENGTH	8
VARNUM	909

KA2_15: Distribution	Value	n	%
No	0	548	30.5
Yes	1	1251	69.5
No response	N	88	.
Logical skip	S	87	.
		1974	100.0

KA2_16	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. I had a say in deciding what type of medication I would be receive?
TYPE	num
LENGTH	8
VARNUM	910

KA2_16: Distribution	Value	n	%
No	0	800	44.5

KA2_16: Distribution	Value	n	%
Yes	1	999	55.5
No response	N	88	.
Logical skip	S	87	.
		<i>1974</i>	<i>100.0</i>

KA2_17	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. We discussed the use of naloxone for overdose prevention?
TYPE	num
LENGTH	8
VARNUM	911

KA2_17: Distribution	Value	n	%
No	0	829	46.1
Yes	1	970	53.9
No response	N	88	.
Logical skip	S	87	.
		<i>1974</i>	<i>100.0</i>

KA2_18	
LABEL	Please tell us whether each of the following occurred as part of your INDEX treatment. None of these apply?
TYPE	num
LENGTH	8
VARNUM	912

KA2_18: Distribution	Value	n	%
No	0	1734	96.4
Yes	1	65	3.6
No response	N	88	.
Logical skip	S	87	.
		<i>1974</i>	<i>100.0</i>

AC1_1	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Acupuncturist? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	913

AC1_1: Distribution	Value	n	%
No	0	1859	94.6
Yes	1	107	5.4
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

AC1_2	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Herbalist? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	914

AC1_2: Distribution	Value	n	%
No	0	1946	99.0
Yes	1	20	1.0
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

AC1_3	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Homeopath? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	915

AC1_3: Distribution	Value	n	%
No	0	1946	99.0
Yes	1	20	1.0
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

AC1_4	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Hypnotist? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	916

AC1_4: Distribution	Value	n	%
No	0	1961	99.7
Yes	1	5	0.3
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

AC1_5	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Naturopath? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	917

AC1_5: Distribution	Value	n	%
No	0	1954	99.4
Yes	1	12	0.6
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

AC1_6	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Massage Therapist? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	918

AC1_6: Distribution	Value	n	%
No	0	1865	94.9
Yes	1	101	5.1
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

AC1_7	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Religious Practitioner? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	919

AC1_7: Distribution	Value	n	%
No	0	1904	96.8
Yes	1	62	3.2
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

AC1_8	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Yoga Practitioner? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	920

AC1_8: Distribution	Value	n	%
No	0	1886	95.9
Yes	1	80	4.1
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

AC1_9	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Physical therapist? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	921

AC1_9: Distribution	Value	n	%
No	0	1820	92.6
Yes	1	146	7.4
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

AC1_10	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Exercise coach? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	922

AC1_10: Distribution	Value	n	%
No	0	1912	97.3
Yes	1	54	2.7
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

AC1_11	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Other? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	923

AC1_11: Distribution	Value	n	%
No	0	1846	93.9
Yes	1	120	6.1
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

AC1_12	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? None of the above? ** (Prior to April 21, 2019, question referred to 12 months before starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	924

AC1_12: Distribution	Value	n	%
No	0	423	21.5
Yes	1	1543	78.5
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

AC2_1_R1	
LABEL	Why did you see an acupuncturist? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	925

AC2_1_R1: Distribution	Value	n	%
No	0	50	47.6

AC2_1_R1: Distribution	Value	n	%
Yes	1	55	52.4
No response	N	10	.
Logical skip	S	1859	.
		1974	100.0

AC2_2_R1	
LABEL	Why did you see an acupuncturist? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	926

AC2_2_R1: Distribution	Value	n	%
No	0	52	49.5
Yes	1	53	50.5
No response	N	10	.
Logical skip	S	1859	.
		1974	100.0

AC2_3_R1	
LABEL	Why did you see an acupuncturist? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	927

AC2_3_R1: Distribution	Value	n	%
No	0	55	52.4
Yes	1	50	47.6
No response	N	10	.
Logical skip	S	1859	.
		1974	100.0

AC2_4_R1	
LABEL	Why did you see an acupuncturist? Other reason?
TYPE	num

AC2_4_R1	
LENGTH	8
VARNUM	928

AC2_4_R1: Distribution	Value	n	%
No	0	88	83.8
Yes	1	17	16.2
No response	N	10	.
Logical skip	S	1859	.
		<i>1974</i>	<i>100.0</i>

AC2_1_R2	
LABEL	Why did you see an herbalist? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	929

AC2_1_R2: Distribution	Value	n	%
No	0	11	57.9
Yes	1	8	42.1
No response	N	9	.
Logical skip	S	1946	.
		<i>1974</i>	<i>100.0</i>

AC2_2_R2	
LABEL	Why did you see an herbalist? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	930

AC2_2_R2: Distribution	Value	n	%
No	0	12	63.2
Yes	1	7	36.8
No response	N	9	.
Logical skip	S	1946	.
		<i>1974</i>	<i>100.0</i>

AC2_3_R2	
LABEL	Why did you see an herbalist? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	931

AC2_3_R2: Distribution	Value	n	%
No	0	8	42.1
Yes	1	11	57.9
No response	N	9	.
Logical skip	S	1946	.
		1974	100.0

AC2_4_R2	
LABEL	Why did you see an herbalist? Other reason?
TYPE	num
LENGTH	8
VARNUM	932

AC2_4_R2: Distribution	Value	n	%
No	0	18	94.7
Yes	1	1	5.3
No response	N	9	.
Logical skip	S	1946	.
		1974	100.0

AC2_1_R3	
LABEL	Why did you see a homeopath? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	933

AC2_1_R3: Distribution	Value	n	%
No	0	9	45.0
Yes	1	11	55.0

AC2_1_R3: Distribution	Value	n	%
No response	N	8	.
Logical skip	S	1946	.
		1974	100.0

AC2_2_R3	
LABEL	Why did you see a homeopath? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	934

AC2_2_R3: Distribution	Value	n	%
No	0	12	60.0
Yes	1	8	40.0
No response	N	8	.
Logical skip	S	1946	.
		1974	100.0

AC2_3_R3	
LABEL	Why did you see a homeopath? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	935

AC2_3_R3: Distribution	Value	n	%
No	0	6	30.0
Yes	1	14	70.0
No response	N	8	.
Logical skip	S	1946	.
		1974	100.0

AC2_4_R3	
LABEL	Why did you see a homeopath? Other reason?
TYPE	num
LENGTH	8
VARNUM	936

AC2_4_R3: Distribution	Value	n	%
No	0	15	75.0
Yes	1	5	25.0
No response	N	8	.
Logical skip	S	1946	.
		1974	100.0

AC2_1_R5	
LABEL	Why did you see a naturopath? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	937

AC2_1_R5: Distribution	Value	n	%
No	0	5	41.7
Yes	1	7	58.3
No response	N	8	.
Logical skip	S	1954	.
		1974	100.0

AC2_2_R5	
LABEL	Why did you see a naturopath? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	938

AC2_2_R5: Distribution	Value	n	%
No	0	9	75.0
Yes	1	3	25.0
No response	N	8	.
Logical skip	S	1954	.
		1974	100.0

AC2_3_R5	
LABEL	Why did you see a naturopath? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	939

AC2_3_R5: Distribution	Value	n	%
No	0	9	75.0
Yes	1	3	25.0
No response	N	8	.
Logical skip	S	1954	.
		1974	100.0

AC2_4_R5	
LABEL	Why did you see a naturopath? Other reason?
TYPE	num
LENGTH	8
VARNUM	940

AC2_4_R5: Distribution	Value	n	%
No	0	11	91.7
Yes	1	1	8.3
No response	N	8	.
Logical skip	S	1954	.
		1974	100.0

AC2_1_R6	
LABEL	Why did you see a massage therapist? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	941

AC2_1_R6: Distribution	Value	n	%
No	0	16	15.8
Yes	1	85	84.2
No response	N	8	.

AC2_1_R6: Distribution	Value	n	%
Logical skip	S	1865	.
		1974	100.0

AC2_2_R6	
LABEL	Why did you see a massage therapist? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	942

AC2_2_R6: Distribution	Value	n	%
No	0	79	78.2
Yes	1	22	21.8
No response	N	8	.
Logical skip	S	1865	.
		1974	100.0

AC2_3_R6	
LABEL	Why did you see a massage therapist? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	943

AC2_3_R6: Distribution	Value	n	%
No	0	54	53.5
Yes	1	47	46.5
No response	N	8	.
Logical skip	S	1865	.
		1974	100.0

AC2_4_R6	
LABEL	Why did you see a massage therapist? Other reason?
TYPE	num
LENGTH	8
VARNUM	944

AC2_4_R6: Distribution	Value	n	%
No	0	90	89.1
Yes	1	11	10.9
No response	N	8	.
Logical skip	S	1865	.
		1974	100.0

AC2_1_R7	
LABEL	Why did you see a religious practitioner? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	945

AC2_1_R7: Distribution	Value	n	%
No	0	57	93.4
Yes	1	4	6.6
No response	N	9	.
Logical skip	S	1904	.
		1974	100.0

AC2_2_R7	
LABEL	Why did you see a religious practitioner? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	946

AC2_2_R7: Distribution	Value	n	%
No	0	37	60.7
Yes	1	24	39.3
No response	N	9	.
Logical skip	S	1904	.
		1974	100.0

AC2_3_R7	
LABEL	Why did you see a religious practitioner? To improve my general health?

AC2_3_R7	
TYPE	num
LENGTH	8
VARNUM	947

AC2_3_R7: Distribution	Value	n	%
No	0	30	49.2
Yes	1	31	50.8
No response	N	9	.
Logical skip	S	1904	.
		1974	100.0

AC2_4_R7	
LABEL	Why did you see a religious practitioner? Other reason?
TYPE	num
LENGTH	8
VARNUM	948

AC2_4_R7: Distribution	Value	n	%
No	0	44	72.1
Yes	1	17	27.9
No response	N	9	.
Logical skip	S	1904	.
		1974	100.0

AC2_1_R8	
LABEL	Why did you see a yoga practitioner? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	949

AC2_1_R8: Distribution	Value	n	%
No	0	48	60.0
Yes	1	32	40.0
No response	N	8	.

AC2_1_R8: Distribution	Value	n	%
Logical skip	S	1886	.
		1974	100.0

AC2_2_R8	
LABEL	Why did you see a yoga practitioner? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	950

AC2_2_R8: Distribution	Value	n	%
No	0	36	45.0
Yes	1	44	55.0
No response	N	8	.
Logical skip	S	1886	.
		1974	100.0

AC2_3_R8	
LABEL	Why did you see a yoga practitioner? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	951

AC2_3_R8: Distribution	Value	n	%
No	0	26	32.5
Yes	1	54	67.5
No response	N	8	.
Logical skip	S	1886	.
		1974	100.0

AC2_4_R8	
LABEL	Why did you see a yoga practitioner? Other reason?
TYPE	num
LENGTH	8
VARNUM	952

AC2_4_R8: Distribution	Value	n	%
No	0	66	82.5
Yes	1	14	17.5
No response	N	8	.
Logical skip	S	1886	.
		1974	100.0

AC2_1_R9	
LABEL	Why did you see a physical therapist? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	953

AC2_1_R9: Distribution	Value	n	%
No	0	45	30.8
Yes	1	101	69.2
No response	N	8	.
Logical skip	S	1820	.
		1974	100.0

AC2_2_R9	
LABEL	Why did you see a physical therapist? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	954

AC2_2_R9: Distribution	Value	n	%
No	0	120	82.2
Yes	1	26	17.8
No response	N	8	.
Logical skip	S	1820	.
		1974	100.0

AC2_3_R9	
LABEL	Why did you see a physical therapist? To improve my general health?

AC2_3_R9	
TYPE	num
LENGTH	8
VARNUM	955

AC2_3_R9: Distribution	Value	n	%
No	0	96	65.8
Yes	1	50	34.2
No response	N	8	.
Logical skip	S	1820	.
		1974	100.0

AC2_4_R9	
LABEL	Why did you see a physical therapist? Other reason?
TYPE	num
LENGTH	8
VARNUM	956

AC2_4_R9: Distribution	Value	n	%
No	0	114	78.1
Yes	1	32	21.9
No response	N	8	.
Logical skip	S	1820	.
		1974	100.0

AC2_1_R10	
LABEL	Why did you see an exercise coach? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	957

AC2_1_R10: Distribution	Value	n	%
No	0	42	77.8
Yes	1	12	22.2
No response	N	8	.

AC2_1_R10: Distribution	Value	n	%
Logical skip	S	1912	.
		1974	100.0

AC2_2_R10	
LABEL	Why did you see an exercise coach? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	958

AC2_2_R10: Distribution	Value	n	%
No	0	34	63.0
Yes	1	20	37.0
No response	N	8	.
Logical skip	S	1912	.
		1974	100.0

AC2_3_R10	
LABEL	Why did you see an exercise coach? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	959

AC2_3_R10: Distribution	Value	n	%
No	0	13	24.1
Yes	1	41	75.9
No response	N	8	.
Logical skip	S	1912	.
		1974	100.0

AC2_4_R10	
LABEL	Why did you see an exercise coach? Other reason?
TYPE	num
LENGTH	8
VARNUM	960

AC2_4_R10: Distribution	Value	n	%
No	0	44	81.5
Yes	1	10	18.5
No response	N	8	.
Logical skip	S	1912	.
		1974	100.0

AC2_1_R11	
LABEL	Why did you see other health professionals? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	961

AC2_1_R11: Distribution	Value	n	%
No	0	86	71.7
Yes	1	34	28.3
No response	N	8	.
Logical skip	S	1846	.
		1974	100.0

AC2_2_R11	
LABEL	Why did you see other health professionals? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	962

AC2_2_R11: Distribution	Value	n	%
No	0	67	55.8
Yes	1	53	44.2
No response	N	8	.
Logical skip	S	1846	.
		1974	100.0

AC2_3_R11	
LABEL	Why did you see other health professionals? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	963

AC2_3_R11: Distribution	Value	n	%
No	0	49	40.8
Yes	1	71	59.2
No response	N	8	.
Logical skip	S	1846	.
		1974	100.0

AC2_4_R11	
LABEL	Why did you see other health professionals? Other reason?
TYPE	num
LENGTH	8
VARNUM	964

AC2_4_R11: Distribution	Value	n	%
No	0	89	74.2
Yes	1	31	25.8
No response	N	8	.
Logical skip	S	1846	.
		1974	100.0

AC3_R1	
LABEL	How effective was this treatment? Acupuncturist
TYPE	num
LENGTH	8
VARNUM	965

AC3_R1: Distribution	Value	n	%
Very effective	1	38	36.2
Somewhat effective	2	40	38.1
Not very effective	3	27	25.7

AC3_R1: Distribution	Value	n	%
No response	N	10	.
Logical skip	S	1859	.
		1974	100.0

AC3_R2	
LABEL	How effective was this treatment? Herbalist
TYPE	num
LENGTH	8
VARNUM	966

AC3_R2: Distribution	Value	n	%
Very effective	1	7	36.8
Somewhat effective	2	11	57.9
Not very effective	3	1	5.3
No response	N	9	.
Logical skip	S	1946	.
		1974	100.0

AC3_R3	
LABEL	How effective was this treatment? Homeopath
TYPE	num
LENGTH	8
VARNUM	967

AC3_R3: Distribution	Value	n	%
Very effective	1	4	20.0
Somewhat effective	2	12	60.0
Not very effective	3	4	20.0
No response	N	8	.
Logical skip	S	1946	.
		1974	100.0

AC3_R5	
LABEL	How effective was this treatment? Naturopath
TYPE	num

AC3_R5	
LENGTH	8
VARNUM	968

AC3_R5: Distribution	Value	n	%
Very effective	1	3	25.0
Somewhat effective	2	7	58.3
Not very effective	3	2	16.7
No response	N	8	.
Logical skip	S	1954	.
		1974	100.0

AC3_R6	
LABEL	How effective was this treatment? Massage therapist
TYPE	num
LENGTH	8
VARNUM	969

AC3_R6: Distribution	Value	n	%
Very effective	1	52	51.5
Somewhat effective	2	40	39.6
Not very effective	3	9	8.9
No response	N	8	.
Logical skip	S	1865	.
		1974	100.0

AC3_R7	
LABEL	How effective was this treatment? Religious practitioner
TYPE	num
LENGTH	8
VARNUM	970

AC3_R7: Distribution	Value	n	%
Very effective	1	27	44.3
Somewhat effective	2	22	36.1
Not very effective	3	12	19.7

AC3_R7: Distribution	Value	n	%
No response	N	9	.
Logical skip	S	1904	.
		1974	100.0

AC3_R8	
LABEL	How effective was this treatment? Yoga practitioner
TYPE	num
LENGTH	8
VARNUM	971

AC3_R8: Distribution	Value	n	%
Very effective	1	33	41.3
Somewhat effective	2	34	42.5
Not very effective	3	13	16.3
No response	N	8	.
Logical skip	S	1886	.
		1974	100.0

AC3_R9	
LABEL	How effective was this treatment? Physical therapist
TYPE	num
LENGTH	8
VARNUM	972

AC3_R9: Distribution	Value	n	%
Very effective	1	57	39.0
Somewhat effective	2	72	49.3
Not very effective	3	17	11.6
No response	N	8	.
Logical skip	S	1820	.
		1974	100.0

AC3_R10	
LABEL	How effective was this treatment? Exercise coach
TYPE	num

AC3_R10	
LENGTH	8
VARNUM	973

AC3_R10: Distribution	Value	n	%
Very effective	1	33	61.1
Somewhat effective	2	18	33.3
Not very effective	3	3	5.6
No response	N	8	.
Logical skip	S	1912	.
		1974	100.0

AC3_R11	
LABEL	How effective was this treatment? Other
TYPE	num
LENGTH	8
VARNUM	974

AC3_R11: Distribution	Value	n	%
Very effective	1	56	47.5
Somewhat effective	2	50	42.4
Not very effective	3	12	10.2
No response	N	10	.
Logical skip	S	1846	.
		1974	100.0

AC4_R1	
LABEL	Did your health insurance help cover the cost of an acupuncturist?
TYPE	num
LENGTH	8
VARNUM	975

AC4_R1: Distribution	Value	n	%
Yes	1	65	61.9
No	2	29	27.6
I don't know	3	8	7.6

AC4_R1: Distribution	Value	n	%
I don't have health insurance	4	3	2.9
No response	N	10	.
Logical skip	S	1859	.
		1974	100.0

AC4_R2	
LABEL	Did your health insurance help cover the cost of an herbalist?
TYPE	num
LENGTH	8
VARNUM	976

AC4_R2: Distribution	Value	n	%
Yes	1	4	21.1
No	2	11	57.9
I don't know	3	2	10.5
I don't have health insurance	4	2	10.5
No response	N	9	.
Logical skip	S	1946	.
		1974	100.0

AC4_R3	
LABEL	Did your health insurance help cover the cost of a homeopath?
TYPE	num
LENGTH	8
VARNUM	977

AC4_R3: Distribution	Value	n	%
Yes	1	2	10.0
No	2	12	60.0
I don't know	3	4	20.0
I don't have health insurance	4	2	10.0
No response	N	8	.
Logical skip	S	1946	.
		1974	100.0

AC4_R5	
LABEL	Did your health insurance help cover the cost of a naturopath?
TYPE	num
LENGTH	8
VARNUM	978

AC4_R5: Distribution	Value	n	%
Yes	1	9	75.0
No	2	1	8.3
I don't know	3	2	16.7
I don't have health insurance	4	0	.
No response	N	8	.
Logical skip	S	1954	.
		1974	100.0

AC4_R6	
LABEL	Did your health insurance help cover the cost of a massage therapist?
TYPE	num
LENGTH	8
VARNUM	979

AC4_R6: Distribution	Value	n	%
Yes	1	22	21.8
No	2	61	60.4
I don't know	3	9	8.9
I don't have health insurance	4	9	8.9
No response	N	8	.
Logical skip	S	1865	.
		1974	100.0

AC4_R7	
LABEL	Did your health insurance help cover the cost of a religious practitioner?
TYPE	num
LENGTH	8
VARNUM	980

AC4_R7: Distribution	Value	n	%
Yes	1	4	6.6
No	2	50	82.0
I don't know	3	3	4.9
I don't have health insurance	4	4	6.6
No response	N	9	.
Logical skip	S	1904	.
		1974	100.0

AC4_R8	
LABEL	Did your health insurance help cover the cost of a yoga practitioner?
TYPE	num
LENGTH	8
VARNUM	981

AC4_R8: Distribution	Value	n	%
Yes	1	22	27.5
No	2	42	52.5
I don't know	3	11	13.8
I don't have health insurance	4	5	6.3
No response	N	8	.
Logical skip	S	1886	.
		1974	100.0

AC4_R9	
LABEL	Did your health insurance help cover the cost of a physical therapist?
TYPE	num
LENGTH	8
VARNUM	982

AC4_R9: Distribution	Value	n	%
Yes	1	110	75.9
No	2	15	10.3
I don't know	3	11	7.6
I don't have health insurance	4	9	6.2
No response	N	9	.

AC4_R9: Distribution	Value	n	%
Logical skip	S	1820	.
		1974	100.0

AC4_R10	
LABEL	Did your health insurance help cover the cost of an exercise coach?
TYPE	num
LENGTH	8
VARNUM	983

AC4_R10: Distribution	Value	n	%
Yes	1	23	42.6
No	2	16	29.6
I don't know	3	7	13.0
I don't have health insurance	4	8	14.8
No response	N	8	.
Logical skip	S	1912	.
		1974	100.0

AC4_R11	
LABEL	Did your health insurance help cover the cost of other health professionals?
TYPE	num
LENGTH	8
VARNUM	984

AC4_R11: Distribution	Value	n	%
Yes	1	67	55.8
No	2	30	25.0
I don't know	3	14	11.7
I don't have health insurance	4	9	7.5
No response	N	8	.
Logical skip	S	1846	.
		1974	100.0

DW3	
LABEL	Were you required to go through medically supervised opioid detox immediately prior to entering your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	985

DW3: Distribution	Value	n	%
Yes	1	352	17.9
No	2	1615	82.1
No response	N	7	.
Logical skip	S	0	.
		1974	100.0

DW4	
LABEL	Over the past 12 months, how many times did you go through medically supervised opioid detox? If none, enter 0 ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as DW1)
TYPE	num
LENGTH	8
VARNUM	986

DW4: Distribution	Value	n	%
0	0	1477	75.1
1	1	286	14.5
2	2	100	5.1
3	3	43	2.2
4	4	18	0.9
5	5	15	0.8
6	6	9	0.5
7	7	6	0.3
9	9	1	0.1
10	10	4	0.2
11	11	1	0.1
12	12	1	0.1
13	13	1	0.1
15	15	1	0.1
20	20	2	0.1
22	22	1	0.1

DW4: Distribution	Value	n	%
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

DW5	
LABEL	Over the past 90 days, how many times did you go through medically supervised opioid detox? If none, enter 0. ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as DW2)
TYPE	num
LENGTH	8
VARNUM	987

DW5: Distribution	Value	n	%
0	0	255	52.3
1	1	179	36.7
2	2	30	6.1
3	3	12	2.5
4	4	4	0.8
5	5	3	0.6
6	6	2	0.4
7	7	1	0.2
10	10	1	0.2
22	22	1	0.2
No response	N	9	.
Logical skip	S	1477	.
		1974	100.0

HS3	
LABEL	Over the past 12 months, how many nights did you spend in a hospital? If none, enter 0 ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as HS1)
TYPE	num
LENGTH	8
VARNUM	988

HS3: Distribution	Value	n	%
0	0	1456	73.9

HS3: Distribution	Value	n	%
1	1	62	3.1
2	2	58	2.9
3	3	51	2.6
4	4	40	2.0
5	5	37	1.9
6	6	23	1.2
7 or more	7	244	12.4
No response	N	3	.
Logical skip	S	0	.
		1974	100.0

HS3A	
LABEL	How many of those nights were related to injuries or conditions resulting from opioid addiction? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as HS1a)
TYPE	num
LENGTH	8
VARNUM	989

HS3A: Distribution	Value	n	%
0	0	260	50.8
1	1	41	8.0
2	2	36	7.0
3	3	27	5.3
4	4	22	4.3
5	5	19	3.7
6	6	10	2.0
7	7	12	2.3
8	8	8	1.6
9	9	3	0.6
10	10	5	1.0
11	11	2	0.4
12	12	4	0.8
13	13	2	0.4
14	14	10	2.0
15	15	4	0.8
17	17	1	0.2

HS3A: Distribution	Value	n	%
18	18	2	0.4
20	20	4	0.8
21	21	2	0.4
22	22	2	0.4
24	24	1	0.2
25	25	3	0.6
26	26	1	0.2
28	28	3	0.6
30	30	11	2.1
33	33	1	0.2
34	34	1	0.2
37	37	1	0.2
40	40	1	0.2
45	45	2	0.4
48	48	1	0.2
50	50	1	0.2
55	55	2	0.4
60	60	3	0.6
110	110	1	0.2
120	120	1	0.2
150	150	2	0.4
No response	N	6	.
Logical skip	S	1456	.
		1974	100.0

HS4	
LABEL	Over the past 90 days, how many nights did you spend in a hospital? If none, enter 0. ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as HS2)
TYPE	num
LENGTH	8
VARNUM	990

HS4: Distribution	Value	n	%
0	0	287	56.2
1	1	36	7.0
2	2	38	7.4

HS4: Distribution	Value	n	%
3	3	22	4.3
4	4	10	2.0
5	5	17	3.3
6	6	7	1.4
7	7	15	2.9
8	8	6	1.2
9	9	4	0.8
10	10	8	1.6
11	11	1	0.2
12	12	4	0.8
14 or more	14	56	11.0
No response	N	7	.
Logical skip	S	1456	.
		1974	100.0

HS4A	
LABEL	How many of those nights were related to injuries or conditions resulting from opioid addiction? If none, enter 0. ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as HS2a)
TYPE	num
LENGTH	8
VARNUM	991

HS4A: Distribution	Value	n	%
0	0	110	49.3
1	1	23	10.3
2	2	18	8.1
3	3	14	6.3
4	4	7	3.1
5	5	9	4.0
6	6	1	0.4
7	7	6	2.7
8	8	1	0.4
9	9	3	1.3
10	10	2	0.9
11	11	1	0.4
14	14	4	1.8

HS4A: Distribution	Value	n	%
15	15	4	1.8
17	17	1	0.4
20	20	2	0.9
21	21	2	0.9
22	22	1	0.4
30	30	8	3.6
33	33	1	0.4
34	34	1	0.4
37	37	1	0.4
40	40	1	0.4
43	43	1	0.4
50	50	1	0.4
No response	N	8	.
Logical skip	S	1743	.
		1974	100.0

ED3	
LABEL	Over the past 12 months, how many times did you go to the Emergency Department? If none, enter 0. ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as ED1)
TYPE	num
LENGTH	8
VARNUM	992

ED3: Distribution	Value	n	%
0	0	1185	60.2
1	1	254	12.9
2	2	195	9.9
3	3	120	6.1
4	4	77	3.9
5	5	41	2.1
6	6	28	1.4
7	7	9	0.5
8	8	18	0.9
9	9	5	0.3
10	10	15	0.8
11	11	1	0.1

ED3: Distribution	Value	n	%
12	12	6	0.3
15	15	2	0.1
20	20	3	0.2
24	24	1	0.1
25	25	2	0.1
30	30	4	0.2
35	35	1	0.1
No response	N	7	.
Logical skip	S	0	.
		1974	100.0

ED3A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0. ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as ED1a)
TYPE	num
LENGTH	8
VARNUM	993

ED3A: Distribution	Value	n	%
0	0	438	56.2
1	1	159	20.4
2	2	75	9.6
3	3	43	5.5
4	4	28	3.6
5	5	12	1.5
6	6	5	0.6
7	7	1	0.1
8	8	5	0.6
10	10	7	0.9
12	12	2	0.3
14	14	1	0.1
15	15	1	0.1
25	25	1	0.1
30	30	2	0.3
No response	N	9	.

ED3A: Distribution	Value	n	%
Logical skip	S	1185	.
		1974	100.0

ED4	
LABEL	Over the past 90 days, how many times did you go to the Emergency Department? If none, enter 0. ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as ED2)
TYPE	num
LENGTH	8
VARNUM	994

ED4: Distribution	Value	n	%
0	0	394	50.4
1	1	207	26.5
2	2	83	10.6
3	3	46	5.9
4	4	18	2.3
5	5	14	1.8
6	6	5	0.6
7	7	3	0.4
8	8	3	0.4
10	10	4	0.5
12	12	1	0.1
15	15	1	0.1
20	20	1	0.1
30	30	1	0.1
No response	N	8	.
Logical skip	S	1185	.
		1974	100.0

ED4A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0. ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as ED2a)
TYPE	num
LENGTH	8
VARNUM	995

ED4A: Distribution	Value	n	%
0	0	205	53.0
1	1	94	24.3
2	2	46	11.9
3	3	22	5.7
4	4	6	1.6
5	5	6	1.6
6	6	1	0.3
7	7	1	0.3
8	8	1	0.3
9	9	1	0.3
10	10	2	0.5
15	15	1	0.3
30	30	1	0.3
No response	N	8	.
Logical skip	S	1579	.
		1974	100.0

SH1	
LABEL	Have you ever attended a self-help group, like Alcoholics or Narcotics Anonymous?
TYPE	num
LENGTH	8
VARNUM	996

SH1: Distribution	Value	n	%
Yes	1	1445	73.2
No	2	529	26.8
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

SH2	
LABEL	In the 12 months before you entered your INDEX treatment, how many times did you attend a self-help group, like Alcoholics or Narcotics Anonymous? ** (Question ended on April 20, 2019; see SH5)
TYPE	num

SH2	
LENGTH	8
VARNUM	997

SH2: Distribution	Value	n	%
Never	1	139	37.6
Less than once a month	2	98	26.5
More than once a month	3	66	17.8
Most weeks	4	67	18.1
No response	N	1075	.
Logical skip	S	529	.
		1974	100.0

SH3	
LABEL	In the 90 days before you entered your INDEX treatment, how many times did attend a self-help group, like Alcoholics/Narcotics Anonymous? ** (Question ended on April 20, 2019; see SH4)
TYPE	num
LENGTH	8
VARNUM	998

SH3: Distribution	Value	n	%
Never	1	59	25.5
Less than once a month	2	74	32.0
More than once a month	3	53	22.9
Most weeks	4	45	19.5
No response	N	1075	.
Logical skip	S	668	.
		1974	100.0

SH4	
LABEL	Over the past 90 days, how many times did you attend a self-help group, like Alcoholics or Narcotics Anonymous? ** (Started on April 21, 2019; see SH3)
TYPE	num
LENGTH	8
VARNUM	999

SH4: Distribution	Value	n	%
Never	1	410	38.2
Less than once a week	2	186	17.4
Once a week	3	170	15.9
More than once a week	4	192	17.9
Every day or almost every day of the week	5	114	10.6
No response	N	373	.
Logical skip	S	529	.
		1974	100.0

SH5	
LABEL	Over the past 12 months, how many times did you attend a self-help group, like Alcoholics or Narcotics Anonymous? ** (Started on April 21, 2019; see SH2)
TYPE	num
LENGTH	8
VARNUM	1000

SH5: Distribution	Value	n	%
Never	1	325	30.3
Less than once a week	2	262	24.4
Once a week	3	187	17.4
More than once a week	4	225	21.0
Every day or almost every day of the week	5	73	6.8
No response	N	373	.
Logical skip	S	529	.
		1974	100.0

PC3	
LABEL	Over the past 90 days, how many times did you visit a primary care provider? If none, enter 0. ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as PC2)
TYPE	num
LENGTH	8
VARNUM	1001

PC3: Distribution	Value	n	%
0	0	966	49.0

PC3: Distribution	Value	n	%
1	1	354	18.0
2	2	202	10.3
3	3	211	10.7
4	4	55	2.8
5	5	51	2.6
6	6	34	1.7
7	7	7	0.4
8	8	11	0.6
9	9	9	0.5
10	10	19	1.0
11	11	1	0.1
12	12	17	0.9
13	13	2	0.1
14	14	1	0.1
15	15	10	0.5
16	16	1	0.1
19	19	1	0.1
20	20	7	0.4
24	24	1	0.1
25	25	3	0.2
30	30	3	0.2
36	36	1	0.1
47	47	1	0.1
80	80	1	0.1
90	90	1	0.1
No response	N	4	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

PC3A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0. ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as PC2a)
TYPE	num
LENGTH	8
VARNUM	1002

PC3A: Distribution	Value	n	%
0	0	781	77.8
1	1	85	8.5
2	2	38	3.8
3	3	46	4.6
4	4	15	1.5
5	5	5	0.5
6	6	6	0.6
7	7	2	0.2
8	8	5	0.5
9	9	5	0.5
10	10	1	0.1
11	11	2	0.2
12	12	7	0.7
15	15	2	0.2
30	30	2	0.2
32	32	1	0.1
90	90	1	0.1
No response	N	4	.
Logical skip	S	966	.
		1974	100.0

PC4	
LABEL	Over the past 12 months, how many times did you visit a primary care provider? If none, enter 0. ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as PC1)
TYPE	num
LENGTH	8
VARNUM	1003

PC4: Distribution	Value	n	%
0	0	742	37.7
1	1	255	13.0
2	2	206	10.5
3	3	160	8.1
4	4	124	6.3
5	5	73	3.7
6	6	79	4.0

PC4: Distribution	Value	n	%
7	7	20	1.0
8	8	31	1.6
9	9	19	1.0
10	10	51	2.6
11	11	5	0.3
12	12	95	4.8
13	13	1	0.1
14	14	6	0.3
15	15	21	1.1
16	16	10	0.5
18	18	5	0.3
20	20	20	1.0
23	23	1	0.1
24	24	2	0.1
25	25	2	0.1
30	30	12	0.6
32	32	1	0.1
35	35	1	0.1
36	36	1	0.1
40	40	3	0.2
47	47	1	0.1
48	48	2	0.1
50	50	6	0.3
52	52	2	0.1
53	53	1	0.1
54	54	1	0.1
60	60	1	0.1
67	67	1	0.1
80	80	1	0.1
201	201	1	0.1
203	203	1	0.1
365	365	2	0.1
No response	N	8	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

PC4A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0. ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as PC1a)
TYPE	num
LENGTH	8
VARNUM	1004

PC4A: Distribution	Value	n	%
0	0	921	75.4
1	1	90	7.4
2	2	53	4.3
3	3	29	2.4
4	4	27	2.2
5	5	11	0.9
6	6	16	1.3
7	7	4	0.3
8	8	5	0.4
9	9	3	0.2
10	10	15	1.2
11	11	2	0.2
12	12	25	2.0
13	13	1	0.1
15	15	5	0.4
16	16	1	0.1
20	20	4	0.3
22	22	1	0.1
24	24	1	0.1
30	30	2	0.2
32	32	1	0.1
35	35	1	0.1
48	48	1	0.1
50	50	1	0.1
52	52	1	0.1
365	365	1	0.1
No response	N	10	.
Logical skip	S	742	.
		1974	100.0

LM1	
LABEL	Which best describes your current work situation? ** (Prior to April 21, 2019, question referred to when starting INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1005

LM1: Distribution	Value	n	%
Employed/Self-employed	1	549	27.9
Unemployed and looking for work	2	608	30.9
Unemployed and not looking for work	3	183	9.3
Full-time homemaker	4	89	4.5
In school or training program	5	25	1.3
Retired	6	27	1.4
Disabled, unable to work	7	418	21.2
Other	8	70	3.6
No response	N	5	.
Logical skip	S	0	.
		1974	100.0

LM1A	
LABEL	Were you employed at any point in the past 12 months? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1006

LM1A: Distribution	Value	n	%
Yes	1	455	31.9
No	2	924	64.8
No Answer	3	46	3.2
No response	N	0	.
Logical skip	S	549	.
		1974	100.0

LM2	
LABEL	How long have you been/were you employed at your primary job? ** (Prior to April 21, 2019, question referred to as of entering INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1007

LM2: Distribution	Value	n	%
Less than a month	1	152	15.2
Less than a year	2	448	44.7
More than a year	3	402	40.1
No response	N	2	.
Logical skip	S	970	.
		1974	100.0

LM2_Y	
LABEL	How many years have you been/were you employed at your primary job?
TYPE	num
LENGTH	8
VARNUM	1008

LM2_Y: Distribution	Value	n	%
1	1	58	14.5
2	2	133	33.2
3	3	55	13.7
4	4	24	6.0
5	5	22	5.5
6	6	13	3.2
7	7	9	2.2
8	8	7	1.7
9	9	11	2.7
10	10	17	4.2
11	11	4	1.0
12	12	2	0.5
13	13	5	1.2
14	14	3	0.7
15	15	7	1.7
17	17	2	0.5

LM2_Y: Distribution	Value	n	%
18	18	3	0.7
20	20	7	1.7
22	22	2	0.5
23	23	1	0.2
24	24	2	0.5
25	25	1	0.2
26	26	1	0.2
27	27	1	0.2
28	28	1	0.2
29	29	1	0.2
30	30	2	0.5
33	33	1	0.2
34	34	1	0.2
35	35	3	0.7
38	38	1	0.2
40	40	1	0.2
No response	N	3	.
Logical skip	S	1570	.
		1974	100.0

LM2_M	
LABEL	How many months have you been/were you employed at your primary job?
TYPE	num
LENGTH	8
VARNUM	1009

LM2_M: Distribution	Value	n	%
0	0	1	0.2
1	1	13	2.9
2	2	50	11.2
3	3	71	15.8
4	4	70	15.6
5	5	42	9.4
6	6	73	16.3
7	7	39	8.7
8	8	27	6.0
9	9	20	4.5

LM2_M: Distribution	Value	n	%
10	10	27	6.0
11	11	15	3.3
No response	N	2	.
Logical skip	S	1524	.
		1974	100.0

LM2_W	
LABEL	How many weeks have you been/were you employed at your primary job?
TYPE	num
LENGTH	8
VARNUM	1010

LM2_W: Distribution	Value	n	%
0	0	12	7.9
1	1	27	17.9
2	2	39	25.8
3	3	57	37.7
4	4	16	10.6
No response	N	3	.
Logical skip	S	1820	.
		1974	100.0

LM3	
LABEL	What is/was your wage, salary, or rate of pay at your primary job, before taxes and deductions?
TYPE	num
LENGTH	8
VARNUM	1011

LM3: Distribution	Value	n	%
1	1	5	0.5
1.3	1.3	1	0.1
2.13	2.13	10	1.0
2.14	2.14	1	0.1
2.15	2.15	5	0.5
2.33	2.33	1	0.1

LM3: Distribution	Value	n	%
2.35	2.35	1	0.1
2.37	2.37	1	0.1
3	3	1	0.1
3.25	3.25	1	0.1
3.56	3.56	1	0.1
3.95	3.95	1	0.1
4	4	2	0.2
4.15	4.15	3	0.3
4.3	4.3	1	0.1
4.95	4.95	1	0.1
5	5	1	0.1
5.25	5.25	1	0.1
6	6	1	0.1
7	7	2	0.2
7.2	7.2	1	0.1
7.25	7.25	3	0.3
7.5	7.5	4	0.4
7.75	7.75	2	0.2
8	8	15	1.5
8.08	8.08	1	0.1
8.1	8.1	1	0.1
8.15	8.15	1	0.1
8.25	8.25	3	0.3
8.5	8.5	6	0.6
8.55	8.55	2	0.2
8.75	8.75	19	1.9
9	9	43	4.3
9.15	9.15	1	0.1
9.25	9.25	3	0.3
9.35	9.35	1	0.1
9.5	9.5	12	1.2
9.75	9.75	3	0.3
9.8	9.8	1	0.1
10	10	94	9.5
10.25	10.25	1	0.1
10.3	10.3	1	0.1
10.35	10.35	1	0.1
10.5	10.5	10	1.0

LM3: Distribution	Value	n	%
10.75	10.75	4	0.4
10.85	10.85	1	0.1
11	11	53	5.4
11.15	11.15	1	0.1
11.2	11.2	2	0.2
11.25	11.25	2	0.2
11.3	11.3	1	0.1
11.47	11.47	1	0.1
11.5	11.5	6	0.6
11.65	11.65	1	0.1
11.72	11.72	1	0.1
11.75	11.75	8	0.8
11.9	11.9	1	0.1
12	12	74	7.5
12.25	12.25	1	0.1
12.35	12.35	1	0.1
12.4	12.4	2	0.2
12.5	12.5	18	1.8
12.55	12.55	2	0.2
12.75	12.75	3	0.3
12.76	12.76	1	0.1
12.8	12.8	1	0.1
12.84	12.84	1	0.1
12.9	12.9	1	0.1
13	13	38	3.8
13.25	13.25	1	0.1
13.43	13.43	1	0.1
13.5	13.5	7	0.7
13.52	13.52	1	0.1
13.75	13.75	2	0.2
13.77	13.77	1	0.1
13.94	13.94	1	0.1
14	14	25	2.5
14.5	14.5	4	0.4
14.53	14.53	1	0.1
14.75	14.75	1	0.1
15	15	94	9.5
15.5	15.5	5	0.5

LM3: Distribution	Value	n	%
15.57	15.57	1	0.1
15.75	15.75	1	0.1
15.8	15.8	1	0.1
15.84	15.84	1	0.1
16	16	21	2.1
16.2	16.2	1	0.1
16.44	16.44	1	0.1
16.5	16.5	5	0.5
16.8	16.8	1	0.1
17	17	7	0.7
17.3	17.3	1	0.1
17.5	17.5	1	0.1
18	18	16	1.6
18.5	18.5	1	0.1
18.6	18.6	1	0.1
18.68	18.68	1	0.1
18.75	18.75	1	0.1
19	19	8	0.8
19.75	19.75	1	0.1
20	20	28	2.8
20.1	20.1	1	0.1
21	21	2	0.2
21.95	21.95	1	0.1
22	22	9	0.9
23	23	3	0.3
23.49	23.49	1	0.1
23.5	23.5	2	0.2
24	24	3	0.3
24.5	24.5	1	0.1
24.8	24.8	1	0.1
25	25	11	1.1
25.5	25.5	2	0.2
26	26	3	0.3
26.6	26.6	1	0.1
28	28	2	0.2
29	29	1	0.1
30	30	7	0.7
31	31	1	0.1

LM3: Distribution	Value	n	%
31.5	31.5	1	0.1
33	33	1	0.1
33.57	33.57	1	0.1
34	34	1	0.1
35	35	1	0.1
36	36	1	0.1
37	37	1	0.1
40	40	2	0.2
44	44	2	0.2
45	45	1	0.1
48	48	1	0.1
50	50	5	0.5
52	52	2	0.2
60	60	2	0.2
75	75	1	0.1
80	80	3	0.3
100	100	14	1.4
110	110	1	0.1
125	125	1	0.1
150	150	4	0.4
168	168	1	0.1
175	175	1	0.1
180	180	1	0.1
200	200	10	1.0
250	250	4	0.4
300	300	5	0.5
322	322	1	0.1
325	325	1	0.1
350	350	1	0.1
375	375	1	0.1
400	400	7	0.7
450	450	3	0.3
500	500	13	1.3
520	520	2	0.2
550	550	2	0.2
600	600	1	0.1
640	640	1	0.1
680	680	1	0.1

LM3: Distribution	Value	n	%
700	700	3	0.3
800	800	5	0.5
850	850	1	0.1
900	900	1	0.1
950	950	1	0.1
1000	1000	8	0.8
1050	1050	1	0.1
1200	1200	4	0.4
1300	1300	2	0.2
1500	1500	6	0.6
1600	1600	3	0.3
1720	1720	1	0.1
1800	1800	2	0.2
2000	2000	2	0.2
2300	2300	1	0.1
2500	2500	3	0.3
2800	2800	1	0.1
3000	3000	3	0.3
3100	3100	2	0.2
3500	3500	1	0.1
3850	3850	1	0.1
4000	4000	3	0.3
5000	5000	2	0.2
5300	5300	1	0.1
5500	5500	1	0.1
6000	6000	4	0.4
7000	7000	1	0.1
7025	7025	1	0.1
10000	10000	2	0.2
10200	10200	1	0.1
12000	12000	2	0.2
13000	13000	1	0.1
15000	15000	1	0.1
28000	28000	1	0.1
32000	32000	1	0.1
37000	37000	1	0.1
43000	43000	1	0.1
48000	48000	2	0.2

LM3: Distribution	Value	n	%
48550	48550	1	0.1
50000	50000	2	0.2
55000	55000	1	0.1
56000	56000	1	0.1
60000	60000	1	0.1
62000	62000	1	0.1
63500	63500	1	0.1
69000	69000	1	0.1
72000	72000	1	0.1
75000	75000	1	0.1
76000	76000	1	0.1
80000	80000	2	0.2
81000	81000	1	0.1
90000	90000	2	0.2
92000	92000	1	0.1
100000	100000	1	0.1
No response	N	15	.
Logical skip	S	970	.
		1974	100.0

LM3_UNIT	
LABEL	What is/was your wage, salary, or rate of pay at your primary job, before taxes and deductions? In Dollars?
TYPE	num
LENGTH	8
VARNUM	1012

LM3_UNIT: Distribution	Value	n	%
Hour	1	790	80.0
Day	2	25	2.5
Week	3	68	6.9
Month	4	60	6.1
Other(Specify)	5	44	4.5
No response	N	17	.
Logical skip	S	970	.
		1974	100.0

LM4	
LABEL	How many weeks in total did you work at your primary job during the past 12 months? (Include weeks spent on paid leave. Enter a number from 0 to 52.) ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1013

LM4: Distribution	Value	n	%
0	0	86	8.6
1	1	17	1.7
2	2	32	3.2
3	3	42	4.2
4	4	21	2.1
5	5	13	1.3
6	6	13	1.3
7	7	12	1.2
8	8	32	3.2
9	9	8	0.8
10	10	13	1.3
11	11	2	0.2
12	12	53	5.3
13	13	3	0.3
14	14	5	0.5
15	15	8	0.8
16	16	39	3.9
17	17	4	0.4
18	18	4	0.4
19	19	1	0.1
20	20	43	4.3
21	21	5	0.5
22	22	7	0.7
23	23	4	0.4
24	24	34	3.4
25	25	15	1.5
26	26	16	1.6
27	27	3	0.3
28	28	22	2.2
29	29	2	0.2

LM4: Distribution	Value	n	%
30	30	21	2.1
31	31	3	0.3
32	32	20	2.0
33	33	5	0.5
34	34	2	0.2
35	35	5	0.5
36	36	18	1.8
37	37	2	0.2
38	38	4	0.4
40	40	61	6.1
41	41	1	0.1
42	42	6	0.6
43	43	2	0.2
44	44	9	0.9
45	45	14	1.4
46	46	5	0.5
47	47	1	0.1
48	48	23	2.3
49	49	5	0.5
50	50	25	2.5
51	51	11	1.1
52	52	197	19.7
No response	N	5	.
Logical skip	S	970	.
		<i>1974</i>	<i>100.0</i>

LM5	
LABEL	How many hours per week did you usually work at your primary job during the past 12 months? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1014

LM5: Distribution	Value	n	%
0	0	28	2.8
2	2	4	0.4
3	3	3	0.3

LM5: Distribution	Value	n	%
4	4	3	0.3
5	5	8	0.8
6	6	11	1.1
7	7	2	0.2
8	8	14	1.4
9	9	1	0.1
10	10	9	0.9
11	11	1	0.1
12	12	7	0.7
13	13	2	0.2
14	14	1	0.1
15	15	9	0.9
16	16	6	0.6
17	17	2	0.2
18	18	4	0.4
20	20	55	5.5
21	21	4	0.4
23	23	2	0.2
24	24	5	0.5
25	25	47	4.7
26	26	2	0.2
27	27	4	0.4
28	28	11	1.1
29	29	2	0.2
30	30	109	10.9
31	31	3	0.3
32	32	28	2.8
33	33	3	0.3
34	34	3	0.3
35	35	66	6.6
36	36	13	1.3
37	37	4	0.4
38	38	11	1.1
39	39	2	0.2
40	40	315	31.6
41	41	1	0.1
42	42	2	0.2
43	43	2	0.2

LM5: Distribution	Value	n	%
44	44	4	0.4
45	45	36	3.6
46	46	2	0.2
47	47	2	0.2
48	48	5	0.5
49	49	1	0.1
50	50	72	7.2
52	52	4	0.4
53	53	1	0.1
55	55	9	0.9
58	58	2	0.2
60	60	30	3.0
63	63	1	0.1
64	64	1	0.1
65	65	4	0.4
70	70	5	0.5
75	75	3	0.3
80	80	4	0.4
82	82	1	0.1
95	95	1	0.1
124	124	1	0.1
No response	N	6	.
Logical skip	S	970	.
		<i>1974</i>	<i>100.0</i>

LM6	
LABEL	How many days were you absent from work at your primary job during the past 90 days? (Enter a number from 0 to 90.) ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1015

LM6: Distribution	Value	n	%
0	0	450	45.0
1	1	74	7.4
2	2	101	10.1

LM6: Distribution	Value	n	%
3	3	66	6.6
4	4	27	2.7
5	5	61	6.1
6	6	25	2.5
7	7	23	2.3
8	8	11	1.1
9	9	3	0.3
10	10	42	4.2
11	11	1	0.1
12	12	5	0.5
13	13	2	0.2
14	14	6	0.6
15	15	9	0.9
16	16	2	0.2
17	17	1	0.1
18	18	1	0.1
19	19	1	0.1
20	20	13	1.3
21	21	1	0.1
23	23	1	0.1
25	25	4	0.4
26	26	1	0.1
28	28	1	0.1
30	30	15	1.5
36	36	1	0.1
40	40	3	0.3
45	45	5	0.5
50	50	1	0.1
60	60	4	0.4
67	67	2	0.2
70	70	1	0.1
84	84	1	0.1
88	88	1	0.1
90	90	33	3.3
No response	N	5	.
Logical skip	S	970	.
		<i>1974</i>	<i>100.0</i>

LM7	
LABEL	Of the [LM6] days you were absent, how many were related to opioid addiction?
TYPE	num
LENGTH	8
VARNUM	1016

LM7: Distribution	Value	n	%
0	0	264	48.1
1	1	32	5.8
2	2	41	7.5
3	3	33	6.0
4	4	13	2.4
5	5	31	5.6
6	6	13	2.4
7	7	12	2.2
8	8	3	0.5
9	9	3	0.5
10	10	27	4.9
11	11	1	0.2
12	12	7	1.3
14	14	4	0.7
15	15	9	1.6
16	16	2	0.4
19	19	1	0.2
20	20	11	2.0
21	21	2	0.4
25	25	1	0.2
30	30	10	1.8
34	34	1	0.2
35	35	1	0.2
40	40	2	0.4
44	44	1	0.2
60	60	4	0.7
67	67	1	0.2
70	70	1	0.2
88	88	1	0.2
90	90	17	3.1

LM7: Distribution	Value	n	%
No response	N	5	.
Logical skip	S	1420	.
		1974	100.0

LM8_1	
LABEL	In the past 12 months, did you receive money from... Wages/Salary? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1017

LM8_1: Distribution	Value	n	%
No	0	1287	65.5
Yes	1	679	34.5
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

LM8_2	
LABEL	In the past 12 months, did you receive money from... Public assistance? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1018

LM8_2: Distribution	Value	n	%
No	0	1606	81.7
Yes	1	360	18.3
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

LM8_3	
LABEL	In the past 12 months, did you receive money from... Retirement? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num

LM8_3	
LENGTH	8
VARNUM	1019

LM8_3: Distribution	Value	n	%
No	0	1930	98.2
Yes	1	36	1.8
No response	N	8	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

LM8_4	
LABEL	In the past 12 months, did you receive money from... Disability? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1020

LM8_4: Distribution	Value	n	%
No	0	1622	82.5
Yes	1	344	17.5
No response	N	8	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

LM8_5	
LABEL	In the past 12 months, did you receive money from... Non-legal income? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1021

LM8_5: Distribution	Value	n	%
No	0	1848	94.0
Yes	1	118	6.0
No response	N	8	.

LM8_5: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

LM8_6	
LABEL	In the past 12 months, did you receive money from... Family and/or friends? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1022

LM8_6: Distribution	Value	n	%
No	0	1317	67.0
Yes	1	649	33.0
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

LM8_7	
LABEL	In the past 12 months, did you receive money from... Other? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1023

LM8_7: Distribution	Value	n	%
No	0	1790	91.0
Yes	1	176	9.0
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

LM8_8	
LABEL	In the past 12 months, did you receive money from... I did not receive money? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num

LM8_8	
LENGTH	8
VARNUM	1024

LM8_8: Distribution	Value	n	%
No	0	1593	81.0
Yes	1	373	19.0
No response	N	8	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SU10_1	
LABEL	Which of the following drugs have you ever used in your lifetime? Prescription opioids used non-medically (e.g., OxyContin, Percocet, Dilaudid, Opana, Vicodin, Duragesic, Ultram, Morphine, Tramadol)?
TYPE	num
LENGTH	8
VARNUM	1025

SU10_1: Distribution	Value	n	%
No	0	376	19.0
Yes	1	1598	81.0
No response	N	0	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SU10_2	
LABEL	Which of the following drugs have you ever used in your lifetime? Prescription opioid treatment medications used non-medically (e.g., Methadone, Suboxone)?
TYPE	num
LENGTH	8
VARNUM	1026

SU10_2: Distribution	Value	n	%
No	0	714	36.2
Yes	1	1260	63.8
No response	N	0	.

SU10_2: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

SU10_3	
LABEL	Which of the following drugs have you ever used in your lifetime? Prescription stimulants used non-medically (e.g., Ritalin, Adderall)?
TYPE	num
LENGTH	8
VARNUM	1027

SU10_3: Distribution	Value	n	%
No	0	1100	55.7
Yes	1	874	44.3
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

SU10_4	
LABEL	Which of the following drugs have you ever used in your lifetime? Prescription sedatives used non-medically (e.g., Xanax, Klonopin, Ativan)?
TYPE	num
LENGTH	8
VARNUM	1028

SU10_4: Distribution	Value	n	%
No	0	750	38.0
Yes	1	1224	62.0
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

SU10_5	
LABEL	Which of the following drugs have you ever used in your lifetime? Heroin?
TYPE	num

SU10_5	
LENGTH	8
VARNUM	1029

SU10_5: Distribution	Value	n	%
No	0	366	18.5
Yes	1	1608	81.5
No response	N	0	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SU10_6	
LABEL	Which of the following drugs have you ever used in your lifetime? Illicitly-made fentanyl (not the prescription Duragesic patches)?
TYPE	num
LENGTH	8
VARNUM	1030

SU10_6: Distribution	Value	n	%
No	0	1224	62.0
Yes	1	750	38.0
No response	N	0	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SU10_7	
LABEL	Which of the following drugs have you ever used in your lifetime? Neuropathics used non-medically (e.g., gabapentin, pregabalin)?
TYPE	num
LENGTH	8
VARNUM	1031

SU10_7: Distribution	Value	n	%
No	0	1345	68.1
Yes	1	629	31.9
No response	N	0	.

SU10_7: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

SU10_8	
LABEL	Which of the following drugs have you ever used in your lifetime? Marijuana/ Cannabis?
TYPE	num
LENGTH	8
VARNUM	1032

SU10_8: Distribution	Value	n	%
No	0	465	23.6
Yes	1	1509	76.4
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

SU10_9	
LABEL	Which of the following drugs have you ever used in your lifetime? Cocaine/Crack (e.g., powder, rock, or in any form/combination)?
TYPE	num
LENGTH	8
VARNUM	1033

SU10_9: Distribution	Value	n	%
No	0	564	28.6
Yes	1	1410	71.4
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

SU10_10	
LABEL	Which of the following drugs have you ever used in your lifetime? Methamphetamine/crank?
TYPE	num

SU10_10	
LENGTH	8
VARNUM	1034

SU10_10: Distribution	Value	n	%
No	0	1076	54.5
Yes	1	898	45.5
No response	N	0	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SU10_11	
LABEL	Which of the following drugs have you ever used in your lifetime? Krokodil?
TYPE	num
LENGTH	8
VARNUM	1035

SU10_11: Distribution	Value	n	%
No	0	1948	98.7
Yes	1	26	1.3
No response	N	0	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SU10_12	
LABEL	Which of the following drugs have you ever used in your lifetime? Ecstasy, PCPs, or other synthetics?
TYPE	num
LENGTH	8
VARNUM	1036

SU10_12: Distribution	Value	n	%
No	0	1174	59.5
Yes	1	800	40.5
No response	N	0	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

SU10_13	
LABEL	Which of the following drugs have you ever used in your lifetime? Inhalants?
TYPE	num
LENGTH	8
VARNUM	1037

SU10_13: Distribution	Value	n	%
No	0	1606	81.4
Yes	1	368	18.6
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

SU10_14	
LABEL	Which of the following drugs have you ever used in your lifetime? Alcohol?
TYPE	num
LENGTH	8
VARNUM	1038

SU10_14: Distribution	Value	n	%
No	0	568	28.8
Yes	1	1406	71.2
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

SU10_15	
LABEL	Which of the following drugs have you ever used in your lifetime? Tobacco?
TYPE	num
LENGTH	8
VARNUM	1039

SU10_15: Distribution	Value	n	%
No	0	327	16.6

SU10_15: Distribution	Value	n	%
Yes	1	1647	83.4
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

SU10_16	
LABEL	Which of the following drugs have you ever used in your lifetime? None
TYPE	num
LENGTH	8
VARNUM	1040

SU10_16: Distribution	Value	n	%
No	0	1964	99.5
Yes	1	10	0.5
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

SU11_1_R1	
LABEL	In your lifetime, in what ways have you used prescription opioids non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	1041

SU11_1_R1: Distribution	Value	n	%
No	0	227	14.2
Yes	1	1369	85.8
No response	N	2	.
Logical skip	S	376	.
		1974	100.0

SU11_2_R1	
LABEL	In your lifetime, in what ways have you used prescription opioids non-medically? Oral, swallowed after chewing/crushing?

SU11_2_R1	
TYPE	num
LENGTH	8
VARNUM	1042

SU11_2_R1: Distribution	Value	n	%
No	0	695	43.5
Yes	1	901	56.5
No response	N	2	.
Logical skip	S	376	.
		1974	100.0

SU11_3_R1	
LABEL	In your lifetime, in what ways have you used prescription opioids non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	1043

SU11_3_R1: Distribution	Value	n	%
No	0	1020	63.9
Yes	1	576	36.1
No response	N	2	.
Logical skip	S	376	.
		1974	100.0

SU11_4_R1	
LABEL	In your lifetime, in what ways have you used prescription opioids non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	1044

SU11_4_R1: Distribution	Value	n	%
No	0	799	50.1
Yes	1	797	49.9
No response	N	2	.

SU11_4_R1: Distribution	Value	n	%
Logical skip	S	376	.
		1974	100.0

SU11_5_R1	
LABEL	In your lifetime, in what ways have you used prescription opioids non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	1045

SU11_5_R1: Distribution	Value	n	%
No	0	388	24.3
Yes	1	1208	75.7
No response	N	2	.
Logical skip	S	376	.
		1974	100.0

SU11_6_R1	
LABEL	In your lifetime, in what ways have you used prescription opioids non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	1046

SU11_6_R1: Distribution	Value	n	%
No	0	786	49.2
Yes	1	810	50.8
No response	N	2	.
Logical skip	S	376	.
		1974	100.0

SU11_7_R1	
LABEL	In your lifetime, in what ways have you used prescription opioids non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	1047

SU11_7_R1: Distribution	Value	n	%
No	0	1581	99.1
Yes	1	15	0.9
No response	N	2	.
Logical skip	S	376	.
		1974	100.0

SU11_1_R2	
LABEL	In your lifetime, in what ways have you used methadone/suboxone non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	1048

SU11_1_R2: Distribution	Value	n	%
No	0	356	28.3
Yes	1	900	71.7
No response	N	4	.
Logical skip	S	714	.
		1974	100.0

SU11_2_R2	
LABEL	In your lifetime, in what ways have you used methadone/suboxone non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	1049

SU11_2_R2: Distribution	Value	n	%
No	0	997	79.4
Yes	1	259	20.6
No response	N	4	.
Logical skip	S	714	.
		1974	100.0

SU11_3_R2	
LABEL	In your lifetime, in what ways have you used methadone/suboxone non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	1050

SU11_3_R2: Distribution	Value	n	%
No	0	1180	93.9
Yes	1	76	6.1
No response	N	4	.
Logical skip	S	714	.
		1974	100.0

SU11_4_R2	
LABEL	In your lifetime, in what ways have you used methadone/suboxone non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	1051

SU11_4_R2: Distribution	Value	n	%
No	0	1212	96.5
Yes	1	44	3.5
No response	N	4	.
Logical skip	S	714	.
		1974	100.0

SU11_5_R2	
LABEL	In your lifetime, in what ways have you used methadone/suboxone non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	1052

SU11_5_R2: Distribution	Value	n	%
No	0	1026	81.7
Yes	1	230	18.3
No response	N	4	.

SU11_5_R2: Distribution	Value	n	%
Logical skip	S	714	.
		1974	100.0

SU11_6_R2	
LABEL	In your lifetime, in what ways have you used methadone/suboxone non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	1053

SU11_6_R2: Distribution	Value	n	%
No	0	1024	81.5
Yes	1	232	18.5
No response	N	4	.
Logical skip	S	714	.
		1974	100.0

SU11_7_R2	
LABEL	In your lifetime, in what ways have you used methadone/suboxone non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	1054

SU11_7_R2: Distribution	Value	n	%
No	0	1021	81.3
Yes	1	235	18.7
No response	N	4	.
Logical skip	S	714	.
		1974	100.0

SU11_1_R3	
LABEL	In your lifetime, in what ways have you used prescription stimulants non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num

SU11_1_R3	
LENGTH	8
VARNUM	1055

SU11_1_R3: Distribution	Value	n	%
No	0	201	23.0
Yes	1	673	77.0
No response	N	0	.
Logical skip	S	1100	.
		1974	100.0

SU11_2_R3	
LABEL	In your lifetime, in what ways have you used prescription stimulants non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	1056

SU11_2_R3: Distribution	Value	n	%
No	0	542	62.0
Yes	1	332	38.0
No response	N	0	.
Logical skip	S	1100	.
		1974	100.0

SU11_3_R3	
LABEL	In your lifetime, in what ways have you used prescription stimulants non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	1057

SU11_3_R3: Distribution	Value	n	%
No	0	742	84.9
Yes	1	132	15.1
No response	N	0	.

SU11_3_R3: Distribution	Value	n	%
Logical skip	S	1100	.
		1974	100.0

SU11_4_R3	
LABEL	In your lifetime, in what ways have you used prescription stimulants non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	1058

SU11_4_R3: Distribution	Value	n	%
No	0	692	79.2
Yes	1	182	20.8
No response	N	0	.
Logical skip	S	1100	.
		1974	100.0

SU11_5_R3	
LABEL	In your lifetime, in what ways have you used prescription stimulants non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	1059

SU11_5_R3: Distribution	Value	n	%
No	0	371	42.4
Yes	1	503	57.6
No response	N	0	.
Logical skip	S	1100	.
		1974	100.0

SU11_6_R3	
LABEL	In your lifetime, in what ways have you used prescription stimulants non-medically? Injected?
TYPE	num

SU11_6_R3	
LENGTH	8
VARNUM	1060

SU11_6_R3: Distribution	Value	n	%
No	0	673	77.0
Yes	1	201	23.0
No response	N	0	.
Logical skip	S	1100	.
		<i>1974</i>	<i>100.0</i>

SU11_7_R3	
LABEL	In your lifetime, in what ways have you used prescription stimulants non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	1061

SU11_7_R3: Distribution	Value	n	%
No	0	803	91.9
Yes	1	71	8.1
No response	N	0	.
Logical skip	S	1100	.
		<i>1974</i>	<i>100.0</i>

SU11_1_R4	
LABEL	In your lifetime, in what ways have you used prescription sedatives non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	1062

SU11_1_R4: Distribution	Value	n	%
No	0	224	18.4
Yes	1	996	81.6
No response	N	4	.

SU11_1_R4: Distribution	Value	n	%
Logical skip	S	750	.
		1974	100.0

SU11_2_R4	
LABEL	In your lifetime, in what ways have you used prescription sedatives non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	1063

SU11_2_R4: Distribution	Value	n	%
No	0	775	63.5
Yes	1	445	36.5
No response	N	4	.
Logical skip	S	750	.
		1974	100.0

SU11_3_R4	
LABEL	In your lifetime, in what ways have you used prescription sedatives non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	1064

SU11_3_R4: Distribution	Value	n	%
No	0	1065	87.3
Yes	1	155	12.7
No response	N	4	.
Logical skip	S	750	.
		1974	100.0

SU11_4_R4	
LABEL	In your lifetime, in what ways have you used prescription sedatives non-medically? Smoked?
TYPE	num

SU11_4_R4	
LENGTH	8
VARNUM	1065

SU11_4_R4: Distribution	Value	n	%
No	0	1076	88.2
Yes	1	144	11.8
No response	N	4	.
Logical skip	S	750	.
		<i>1974</i>	<i>100.0</i>

SU11_5_R4	
LABEL	In your lifetime, in what ways have you used prescription sedatives non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	1066

SU11_5_R4: Distribution	Value	n	%
No	0	639	52.4
Yes	1	581	47.6
No response	N	4	.
Logical skip	S	750	.
		<i>1974</i>	<i>100.0</i>

SU11_6_R4	
LABEL	In your lifetime, in what ways have you used prescription sedatives non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	1067

SU11_6_R4: Distribution	Value	n	%
No	0	1019	83.5
Yes	1	201	16.5
No response	N	4	.
Logical skip	S	750	.
		<i>1974</i>	<i>100.0</i>

SU11_7_R4	
LABEL	In your lifetime, in what ways have you used prescription sedatives non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	1068

SU11_7_R4: Distribution	Value	n	%
No	0	1100	90.2
Yes	1	120	9.8
No response	N	4	.
Logical skip	S	750	.
		<i>1974</i>	<i>100.0</i>

SU11_1_R5	
LABEL	In your lifetime, in what ways have you used heroin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	1069

SU11_1_R5: Distribution	Value	n	%
No	0	1410	87.9
Yes	1	195	12.1
No response	N	3	.
Logical skip	S	366	.
		<i>1974</i>	<i>100.0</i>

SU11_2_R5	
LABEL	In your lifetime, in what ways have you used heroin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	1070

SU11_2_R5: Distribution	Value	n	%
No	0	1476	92.0
Yes	1	129	8.0
No response	N	3	.
Logical skip	S	366	.
		1974	100.0

SU11_3_R5	
LABEL	In your lifetime, in what ways have you used heroin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	1071

SU11_3_R5: Distribution	Value	n	%
No	0	1536	95.7
Yes	1	69	4.3
No response	N	3	.
Logical skip	S	366	.
		1974	100.0

SU11_4_R5	
LABEL	In your lifetime, in what ways have you used heroin? Smoked?
TYPE	num
LENGTH	8
VARNUM	1072

SU11_4_R5: Distribution	Value	n	%
No	0	1016	63.3
Yes	1	589	36.7
No response	N	3	.
Logical skip	S	366	.
		1974	100.0

SU11_5_R5	
LABEL	In your lifetime, in what ways have you used heroin? Snorted?

SU11_5_R5	
TYPE	num
LENGTH	8
VARNUM	1073

SU11_5_R5: Distribution	Value	n	%
No	0	379	23.6
Yes	1	1226	76.4
No response	N	3	.
Logical skip	S	366	.
		1974	100.0

SU11_6_R5	
LABEL	In your lifetime, in what ways have you used heroin? Injected?
TYPE	num
LENGTH	8
VARNUM	1074

SU11_6_R5: Distribution	Value	n	%
No	0	488	30.4
Yes	1	1117	69.6
No response	N	3	.
Logical skip	S	366	.
		1974	100.0

SU11_7_R5	
LABEL	In your lifetime, in what ways have you used heroin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	1075

SU11_7_R5: Distribution	Value	n	%
No	0	1593	99.3
Yes	1	12	0.7
No response	N	3	.

SU11_7_R5: Distribution	Value	n	%
Logical skip	S	366	.
		1974	100.0

SU11_1_R6	
LABEL	In your lifetime, in what ways have you used illicitly-made fentanyl? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	1076

SU11_1_R6: Distribution	Value	n	%
No	0	649	86.5
Yes	1	101	13.5
No response	N	0	.
Logical skip	S	1224	.
		1974	100.0

SU11_2_R6	
LABEL	In your lifetime, in what ways have you used illicitly-made fentanyl? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	1077

SU11_2_R6: Distribution	Value	n	%
No	0	659	87.9
Yes	1	91	12.1
No response	N	0	.
Logical skip	S	1224	.
		1974	100.0

SU11_3_R6	
LABEL	In your lifetime, in what ways have you used illicitly-made fentanyl? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num

SU11_3_R6	
LENGTH	8
VARNUM	1078

SU11_3_R6: Distribution	Value	n	%
No	0	724	96.5
Yes	1	26	3.5
No response	N	0	.
Logical skip	S	1224	.
		1974	100.0

SU11_4_R6	
LABEL	In your lifetime, in what ways have you used illicitly-made fentanyl? Smoked?
TYPE	num
LENGTH	8
VARNUM	1079

SU11_4_R6: Distribution	Value	n	%
No	0	606	80.8
Yes	1	144	19.2
No response	N	0	.
Logical skip	S	1224	.
		1974	100.0

SU11_5_R6	
LABEL	In your lifetime, in what ways have you used illicitly-made fentanyl? Snorted?
TYPE	num
LENGTH	8
VARNUM	1080

SU11_5_R6: Distribution	Value	n	%
No	0	375	50.0
Yes	1	375	50.0
No response	N	0	.
Logical skip	S	1224	.
		1974	100.0

SU11_6_R6	
LABEL	In your lifetime, in what ways have you used illicitly-made fentanyl? Injected?
TYPE	num
LENGTH	8
VARNUM	1081

SU11_6_R6: Distribution	Value	n	%
No	0	330	44.0
Yes	1	420	56.0
No response	N	0	.
Logical skip	S	1224	.
		<i>1974</i>	<i>100.0</i>

SU11_7_R6	
LABEL	In your lifetime, in what ways have you used illicitly-made fentanyl? None of these apply?
TYPE	num
LENGTH	8
VARNUM	1082

SU11_7_R6: Distribution	Value	n	%
No	0	672	89.6
Yes	1	78	10.4
No response	N	0	.
Logical skip	S	1224	.
		<i>1974</i>	<i>100.0</i>

SU11_1_R7	
LABEL	In your lifetime, in what ways have you used Gabapentin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	1083

SU11_1_R7: Distribution	Value	n	%
No	0	57	9.1

SU11_1_R7: Distribution	Value	n	%
Yes	1	570	90.9
No response	N	2	.
Logical skip	S	1345	.
		1974	100.0

SU11_2_R7	
LABEL	In your lifetime, in what ways have you used Gabapentin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	1084

SU11_2_R7: Distribution	Value	n	%
No	0	560	89.3
Yes	1	67	10.7
No response	N	2	.
Logical skip	S	1345	.
		1974	100.0

SU11_3_R7	
LABEL	In your lifetime, in what ways have you used Gabapentin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	1085

SU11_3_R7: Distribution	Value	n	%
No	0	604	96.3
Yes	1	23	3.7
No response	N	2	.
Logical skip	S	1345	.
		1974	100.0

SU11_4_R7	
LABEL	In your lifetime, in what ways have you used Gabapentin? Smoked?

SU11_4_R7	
TYPE	num
LENGTH	8
VARNUM	1086

SU11_4_R7: Distribution	Value	n	%
No	0	622	99.2
Yes	1	5	0.8
No response	N	2	.
Logical skip	S	1345	.
		1974	100.0

SU11_5_R7	
LABEL	In your lifetime, in what ways have you used Gabapentin? Snorted?
TYPE	num
LENGTH	8
VARNUM	1087

SU11_5_R7: Distribution	Value	n	%
No	0	558	89.0
Yes	1	69	11.0
No response	N	2	.
Logical skip	S	1345	.
		1974	100.0

SU11_6_R7	
LABEL	In your lifetime, in what ways have you used Gabapentin? Injected?
TYPE	num
LENGTH	8
VARNUM	1088

SU11_6_R7: Distribution	Value	n	%
No	0	609	97.1
Yes	1	18	2.9
No response	N	2	.

SU11_6_R7: Distribution	Value	n	%
Logical skip	S	1345	.
		1974	100.0

SU11_7_R7	
LABEL	In your lifetime, in what ways have you used Gabapentin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	1089

SU11_7_R7: Distribution	Value	n	%
No	0	605	96.5
Yes	1	22	3.5
No response	N	2	.
Logical skip	S	1345	.
		1974	100.0

SU11_1_R8	
LABEL	In your lifetime, in what ways have you used marijuana/cannabis? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	1090

SU11_1_R8: Distribution	Value	n	%
No	0	1400	92.9
Yes	1	107	7.1
No response	N	2	.
Logical skip	S	465	.
		1974	100.0

SU11_2_R8	
LABEL	In your lifetime, in what ways have you used marijuana/cannabis? Oral, swallowed after chewing/crushing?
TYPE	num

SU11_2_R8	
LENGTH	8
VARNUM	1091

SU11_2_R8: Distribution	Value	n	%
No	0	1443	95.8
Yes	1	64	4.2
No response	N	2	.
Logical skip	S	465	.
		1974	100.0

SU11_3_R8	
LABEL	In your lifetime, in what ways have you used marijuana/cannabis? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	1092

SU11_3_R8: Distribution	Value	n	%
No	0	946	62.8
Yes	1	561	37.2
No response	N	2	.
Logical skip	S	465	.
		1974	100.0

SU11_4_R8	
LABEL	In your lifetime, in what ways have you used marijuana/cannabis? Smoked?
TYPE	num
LENGTH	8
VARNUM	1093

SU11_4_R8: Distribution	Value	n	%
No	0	67	4.4
Yes	1	1440	95.6
No response	N	2	.
Logical skip	S	465	.
		1974	100.0

SU11_5_R8	
LABEL	In your lifetime, in what ways have you used marijuana/cannabis? Snorted?
TYPE	num
LENGTH	8
VARNUM	1094

SU11_5_R8: Distribution	Value	n	%
No	0	1486	98.6
Yes	1	21	1.4
No response	N	2	.
Logical skip	S	465	.
		1974	100.0

SU11_6_R8	
LABEL	In your lifetime, in what ways have you used marijuana/cannabis? Injected?
TYPE	num
LENGTH	8
VARNUM	1095

SU11_6_R8: Distribution	Value	n	%
No	0	1486	98.6
Yes	1	21	1.4
No response	N	2	.
Logical skip	S	465	.
		1974	100.0

SU11_7_R8	
LABEL	In your lifetime, in what ways have you used marijuana/cannabis? None of these apply?
TYPE	num
LENGTH	8
VARNUM	1096

SU11_7_R8: Distribution	Value	n	%
No	0	1484	98.5

SU11_7_R8: Distribution	Value	n	%
Yes	1	23	1.5
No response	N	2	.
Logical skip	S	465	.
		1974	100.0

SU11_1_R9	
LABEL	In your lifetime, in what ways have you used cocaine/crack? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	1097

SU11_1_R9: Distribution	Value	n	%
No	0	1375	97.7
Yes	1	32	2.3
No response	N	3	.
Logical skip	S	564	.
		1974	100.0

SU11_2_R9	
LABEL	In your lifetime, in what ways have you used cocaine/crack? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	1098

SU11_2_R9: Distribution	Value	n	%
No	0	1371	97.4
Yes	1	36	2.6
No response	N	3	.
Logical skip	S	564	.
		1974	100.0

SU11_3_R9	
LABEL	In your lifetime, in what ways have you used cocaine/crack? Oral, ate with food (e.g., marijuana brownies)?

SU11_3_R9	
TYPE	num
LENGTH	8
VARNUM	1099

SU11_3_R9: Distribution	Value	n	%
No	0	1393	99.0
Yes	1	14	1.0
No response	N	3	.
Logical skip	S	564	.
		1974	100.0

SU11_4_R9	
LABEL	In your lifetime, in what ways have you used cocaine/crack? Smoked?
TYPE	num
LENGTH	8
VARNUM	1100

SU11_4_R9: Distribution	Value	n	%
No	0	460	32.7
Yes	1	947	67.3
No response	N	3	.
Logical skip	S	564	.
		1974	100.0

SU11_5_R9	
LABEL	In your lifetime, in what ways have you used cocaine/crack? Shorted?
TYPE	num
LENGTH	8
VARNUM	1101

SU11_5_R9: Distribution	Value	n	%
No	0	416	29.6
Yes	1	991	70.4
No response	N	3	.

SU11_5_R9: Distribution	Value	n	%
Logical skip	S	564	.
		1974	100.0

SU11_6_R9	
LABEL	In your lifetime, in what ways have you used cocaine/crack? Injected?
TYPE	num
LENGTH	8
VARNUM	1102

SU11_6_R9: Distribution	Value	n	%
No	0	915	65.0
Yes	1	492	35.0
No response	N	3	.
Logical skip	S	564	.
		1974	100.0

SU11_7_R9	
LABEL	In your lifetime, in what ways have you used cocaine/crack? None of these apply?
TYPE	num
LENGTH	8
VARNUM	1103

SU11_7_R9: Distribution	Value	n	%
No	0	1371	97.4
Yes	1	36	2.6
No response	N	3	.
Logical skip	S	564	.
		1974	100.0

SU11_1_R10	
LABEL	In your lifetime, in what ways have you used methamphetamine/crank? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	1104

SU11_1_R10: Distribution	Value	n	%
No	0	738	82.5
Yes	1	157	17.5
No response	N	3	.
Logical skip	S	1076	.
		1974	100.0

SU11_2_R10	
LABEL	In your lifetime, in what ways have you used methamphetamine/crank? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	1105

SU11_2_R10: Distribution	Value	n	%
No	0	804	89.8
Yes	1	91	10.2
No response	N	3	.
Logical skip	S	1076	.
		1974	100.0

SU11_3_R10	
LABEL	In your lifetime, in what ways have you used methamphetamine/crank? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	1106

SU11_3_R10: Distribution	Value	n	%
No	0	854	95.4
Yes	1	41	4.6
No response	N	3	.
Logical skip	S	1076	.
		1974	100.0

SU11_4_R10	
LABEL	In your lifetime, in what ways have you used methamphetamine/crank? Smoked?
TYPE	num
LENGTH	8
VARNUM	1107

SU11_4_R10: Distribution	Value	n	%
No	0	228	25.5
Yes	1	667	74.5
No response	N	3	.
Logical skip	S	1076	.
		1974	100.0

SU11_5_R10	
LABEL	In your lifetime, in what ways have you used methamphetamine/crank? Snorted?
TYPE	num
LENGTH	8
VARNUM	1108

SU11_5_R10: Distribution	Value	n	%
No	0	309	34.5
Yes	1	586	65.5
No response	N	3	.
Logical skip	S	1076	.
		1974	100.0

SU11_6_R10	
LABEL	In your lifetime, in what ways have you used methamphetamine/crank? Injected?
TYPE	num
LENGTH	8
VARNUM	1109

SU11_6_R10: Distribution	Value	n	%
No	0	406	45.4
Yes	1	489	54.6
No response	N	3	.

SU11_6_R10: Distribution	Value	n	%
Logical skip	S	1076	.
		1974	100.0

SU11_7_R10	
LABEL	In your lifetime, in what ways have you used methamphetamine/crank? None of these apply?
TYPE	num
LENGTH	8
VARNUM	1110

SU11_7_R10: Distribution	Value	n	%
No	0	850	95.0
Yes	1	45	5.0
No response	N	3	.
Logical skip	S	1076	.
		1974	100.0

SU11_1_R11	
LABEL	In your lifetime, in what ways have you used krokodil? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	1111

SU11_1_R11: Distribution	Value	n	%
No	0	24	92.3
Yes	1	2	7.7
No response	N	0	.
Logical skip	S	1948	.
		1974	100.0

SU11_2_R11	
LABEL	In your lifetime, in what ways have you used krokodil? Oral, swallowed after chewing/crushing?
TYPE	num

SU11_2_R11	
LENGTH	8
VARNUM	1112

SU11_2_R11: Distribution	Value	n	%
No	0	26	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1948	.
		<i>1974</i>	<i>100.0</i>

SU11_3_R11	
LABEL	In your lifetime, in what ways have you used krokodil? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	1113

SU11_3_R11: Distribution	Value	n	%
No	0	26	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1948	.
		<i>1974</i>	<i>100.0</i>

SU11_4_R11	
LABEL	In your lifetime, in what ways have you used krokodil? Smoked?
TYPE	num
LENGTH	8
VARNUM	1114

SU11_4_R11: Distribution	Value	n	%
No	0	24	92.3
Yes	1	2	7.7
No response	N	0	.
Logical skip	S	1948	.
		<i>1974</i>	<i>100.0</i>

SU11_5_R11	
LABEL	In your lifetime, in what ways have you used krokodil? Snorted?
TYPE	num
LENGTH	8
VARNUM	1115

SU11_5_R11: Distribution	Value	n	%
No	0	24	92.3
Yes	1	2	7.7
No response	N	0	.
Logical skip	S	1948	.
		1974	100.0

SU11_6_R11	
LABEL	In your lifetime, in what ways have you used krokodil? Injected?
TYPE	num
LENGTH	8
VARNUM	1116

SU11_6_R11: Distribution	Value	n	%
No	0	14	53.8
Yes	1	12	46.2
No response	N	0	.
Logical skip	S	1948	.
		1974	100.0

SU11_7_R11	
LABEL	In your lifetime, in what ways have you used krokodil? None of these apply?
TYPE	num
LENGTH	8
VARNUM	1117

SU11_7_R11: Distribution	Value	n	%
No	0	15	57.7

SU11_7_R11: Distribution	Value	n	%
Yes	1	11	42.3
No response	N	0	.
Logical skip	S	1948	.
		<i>1974</i>	<i>100.0</i>

SU11_1_R12	
LABEL	In your lifetime, in what ways have you used ecstasy, PCPs, or other synthetics? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	1118

SU11_1_R12: Distribution	Value	n	%
No	0	155	19.4
Yes	1	642	80.6
No response	N	3	.
Logical skip	S	1174	.
		<i>1974</i>	<i>100.0</i>

SU11_2_R12	
LABEL	In your lifetime, in what ways have you used ecstasy, PCPs, or other synthetics? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	1119

SU11_2_R12: Distribution	Value	n	%
No	0	581	72.9
Yes	1	216	27.1
No response	N	3	.
Logical skip	S	1174	.
		<i>1974</i>	<i>100.0</i>

SU11_3_R12	
LABEL	In your lifetime, in what ways have you used ecstasy, PCPs, or other synthetics? Oral, ate with food (e.g., marijuana brownies)?

SU11_3_R12	
TYPE	num
LENGTH	8
VARNUM	1120

SU11_3_R12: Distribution	Value	n	%
No	0	753	94.5
Yes	1	44	5.5
No response	N	3	.
Logical skip	S	1174	.
		1974	100.0

SU11_4_R12	
LABEL	In your lifetime, in what ways have you used ecstasy, PCPs, or other synthetics? Smoked?
TYPE	num
LENGTH	8
VARNUM	1121

SU11_4_R12: Distribution	Value	n	%
No	0	660	82.8
Yes	1	137	17.2
No response	N	3	.
Logical skip	S	1174	.
		1974	100.0

SU11_5_R12	
LABEL	In your lifetime, in what ways have you used ecstasy, PCPs, or other synthetics? Snorted?
TYPE	num
LENGTH	8
VARNUM	1122

SU11_5_R12: Distribution	Value	n	%
No	0	541	67.9
Yes	1	256	32.1
No response	N	3	.

SU11_5_R12: Distribution	Value	n	%
Logical skip	S	1174	.
		1974	100.0

SU11_6_R12	
LABEL	In your lifetime, in what ways have you used ecstasy, PCPs, or other synthetics? Injected?
TYPE	num
LENGTH	8
VARNUM	1123

SU11_6_R12: Distribution	Value	n	%
No	0	744	93.4
Yes	1	53	6.6
No response	N	3	.
Logical skip	S	1174	.
		1974	100.0

SU11_7_R12	
LABEL	In your lifetime, in what ways have you used ecstasy, PCPs, or other synthetics? None of these apply?
TYPE	num
LENGTH	8
VARNUM	1124

SU11_7_R12: Distribution	Value	n	%
No	0	760	95.4
Yes	1	37	4.6
No response	N	3	.
Logical skip	S	1174	.
		1974	100.0

SU50_R1	
LABEL	Over the past 12 months, how often did you use prescription opioids non-medically? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU20)
TYPE	num

SU50_R1	
LENGTH	8
VARNUM	1125

SU50_R1: Distribution	Value	n	%
Never	1	655	41.1
Less than once a month	2	283	17.8
About once a month	3	84	5.3
More than once a month	4	195	12.2
Most weeks	5	376	23.6
No response	N	5	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

SU50_R2	
LABEL	Over the past 12 months, how often did you use methadone/suboxone non-medically? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU20)
TYPE	num
LENGTH	8
VARNUM	1126

SU50_R2: Distribution	Value	n	%
Never	1	703	55.9
Less than once a month	2	234	18.6
About once a month	3	50	4.0
More than once a month	4	101	8.0
Most weeks	5	170	13.5
No response	N	2	.
Logical skip	S	714	.
		<i>1974</i>	<i>100.0</i>

SU50_R3	
LABEL	Over the past 12 months, how often did you use prescription stimulants non-medically? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU20)
TYPE	num

SU50_R3	
LENGTH	8
VARNUM	1127

SU50_R3: Distribution	Value	n	%
Never	1	454	52.1
Less than once a month	2	188	21.6
About once a month	3	72	8.3
More than once a month	4	80	9.2
Most weeks	5	78	8.9
No response	N	2	.
Logical skip	S	1100	.
		1974	100.0

SU50_R4	
LABEL	Over the past 12 months, how often did you use prescription sedatives non-medically? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU20)
TYPE	num
LENGTH	8
VARNUM	1128

SU50_R4: Distribution	Value	n	%
Never	1	623	51.2
Less than once a month	2	243	20.0
About once a month	3	107	8.8
More than once a month	4	141	11.6
Most weeks	5	103	8.5
No response	N	7	.
Logical skip	S	750	.
		1974	100.0

SU50_R5	
LABEL	Over the past 12 months, how often did you use heroin? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU20)
TYPE	num
LENGTH	8
VARNUM	1129

SU50_R5: Distribution	Value	n	%
Never	1	449	28.0
Less than once a month	2	202	12.6
About once a month	3	50	3.1
More than once a month	4	212	13.2
Most weeks	5	691	43.1
No response	N	4	.
Logical skip	S	366	.
		<i>1974</i>	<i>100.0</i>

SU50_R6	
LABEL	Over the past 12 months, how often did you use illicitly-made fentanyl? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU20)
TYPE	num
LENGTH	8
VARNUM	1130

SU50_R6: Distribution	Value	n	%
Never	1	273	36.5
Less than once a month	2	145	19.4
About once a month	3	44	5.9
More than once a month	4	91	12.2
Most weeks	5	195	26.1
No response	N	2	.
Logical skip	S	1224	.
		<i>1974</i>	<i>100.0</i>

SU50_R7	
LABEL	Over the past 12 months, how often did you use Gabapentin? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU20)
TYPE	num
LENGTH	8
VARNUM	1131

SU50_R7: Distribution	Value	n	%
Never	1	213	34.0

SU50_R7: Distribution	Value	n	%
Less than once a month	2	134	21.4
About once a month	3	40	6.4
More than once a month	4	71	11.3
Most weeks	5	169	27.0
No response	N	2	.
Logical skip	S	1345	.
		1974	100.0

SU50_R8	
LABEL	Over the past 12 months, how often did you use marijuana/cannabis? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU20)
TYPE	num
LENGTH	8
VARNUM	1132

SU50_R8: Distribution	Value	n	%
Never	1	512	34.0
Less than once a month	2	247	16.4
About once a month	3	113	7.5
More than once a month	4	170	11.3
Most weeks	5	462	30.7
No response	N	5	.
Logical skip	S	465	.
		1974	100.0

SU50_R9	
LABEL	Over the past 12 months, how often did you use cocaine/crack? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU20)
TYPE	num
LENGTH	8
VARNUM	1133

SU50_R9: Distribution	Value	n	%
Never	1	696	49.4
Less than once a month	2	287	20.4
About once a month	3	102	7.2

SU50_R9: Distribution	Value	n	%
More than once a month	4	174	12.4
Most weeks	5	149	10.6
No response	N	2	.
Logical skip	S	564	.
		1974	100.0

SU50_R10	
LABEL	Over the past 12 months, how often did you use methamphetamine/crank? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU20)
TYPE	num
LENGTH	8
VARNUM	1134

SU50_R10: Distribution	Value	n	%
Never	1	352	39.3
Less than once a month	2	169	18.9
About once a month	3	74	8.3
More than once a month	4	127	14.2
Most weeks	5	173	19.3
No response	N	3	.
Logical skip	S	1076	.
		1974	100.0

SU50_R11	
LABEL	Over the past 12 months, how often did you use krokodil? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU20)
TYPE	num
LENGTH	8
VARNUM	1135

SU50_R11: Distribution	Value	n	%
Never	1	20	76.9
Less than once a month	2	5	19.2
About once a month	3	0	.
More than once a month	4	0	.
Most weeks	5	1	3.8

SU50_R11: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	1948	.
		1974	100.0

SU50_R12	
LABEL	Over the past 12 months, how often did you use ecstasy, PCPs, or other synthetics? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU20)
TYPE	num
LENGTH	8
VARNUM	1136

SU50_R12: Distribution	Value	n	%
Never	1	634	79.3
Less than once a month	2	112	14.0
About once a month	3	22	2.8
More than once a month	4	17	2.1
Most weeks	5	14	1.8
No response	N	1	.
Logical skip	S	1174	.
		1974	100.0

SU51_1_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1137

SU51_1_R1: Distribution	Value	n	%
No	0	272	29.0
Yes	1	665	71.0
No response	N	6	.
Logical skip	S	1031	.
		1974	100.0

SU51_2_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1138

SU51_2_R1: Distribution	Value	n	%
No	0	573	61.2
Yes	1	364	38.8
No response	N	6	.
Logical skip	S	1031	.
		1974	100.0

SU51_3_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? Oral, ate with food? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1139

SU51_3_R1: Distribution	Value	n	%
No	0	719	76.7
Yes	1	218	23.3
No response	N	6	.
Logical skip	S	1031	.
		1974	100.0

SU51_4_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? Smoked? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1140

SU51_4_R1: Distribution	Value	n	%
No	0	677	72.3
Yes	1	260	27.7
No response	N	6	.
Logical skip	S	1031	.
		1974	100.0

SU51_5_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? Snorted? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1141

SU51_5_R1: Distribution	Value	n	%
No	0	394	42.0
Yes	1	543	58.0
No response	N	6	.
Logical skip	S	1031	.
		1974	100.0

SU51_6_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? Injected? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1142

SU51_6_R1: Distribution	Value	n	%
No	0	611	65.2
Yes	1	326	34.8
No response	N	6	.
Logical skip	S	1031	.
		1974	100.0

SU51_7_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? None of these apply? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1143

SU51_7_R1: Distribution	Value	n	%
No	0	897	95.7
Yes	1	40	4.3
No response	N	6	.
Logical skip	S	1031	.
		1974	100.0

SU51_1_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1144

SU51_1_R2: Distribution	Value	n	%
No	0	137	24.7
Yes	1	418	75.3
No response	N	2	.
Logical skip	S	1417	.
		1974	100.0

SU51_2_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1145

SU51_2_R2: Distribution	Value	n	%
No	0	462	83.2
Yes	1	93	16.8
No response	N	2	.
Logical skip	S	1417	.
		1974	100.0

SU51_3_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1146

SU51_3_R2: Distribution	Value	n	%
No	0	525	94.6
Yes	1	30	5.4
No response	N	2	.
Logical skip	S	1417	.
		1974	100.0

SU51_4_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? Smoked? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1147

SU51_4_R2: Distribution	Value	n	%
No	0	541	97.5
Yes	1	14	2.5
No response	N	2	.
Logical skip	S	1417	.
		1974	100.0

SU51_5_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? Snorted? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1148

SU51_5_R2: Distribution	Value	n	%
No	0	468	84.3
Yes	1	87	15.7
No response	N	2	.
Logical skip	S	1417	.
		1974	100.0

SU51_6_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? Injected? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1149

SU51_6_R2: Distribution	Value	n	%
No	0	465	83.8
Yes	1	90	16.2
No response	N	2	.
Logical skip	S	1417	.
		1974	100.0

SU51_7_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? None of these apply? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1150

SU51_7_R2: Distribution	Value	n	%
No	0	487	87.7
Yes	1	68	12.3
No response	N	2	.
Logical skip	S	1417	.
		1974	100.0

SU51_1_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1151

SU51_1_R3: Distribution	Value	n	%
No	0	118	28.4
Yes	1	298	71.6
No response	N	4	.
Logical skip	S	1554	.
		1974	100.0

SU51_2_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1152

SU51_2_R3: Distribution	Value	n	%
No	0	280	67.3
Yes	1	136	32.7
No response	N	4	.
Logical skip	S	1554	.
		1974	100.0

SU51_3_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? Oral, ate with food? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1153

SU51_3_R3: Distribution	Value	n	%
No	0	375	90.1
Yes	1	41	9.9
No response	N	4	.
Logical skip	S	1554	.
		1974	100.0

SU51_4_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? Smoked? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1154

SU51_4_R3: Distribution	Value	n	%
No	0	343	82.5
Yes	1	73	17.5
No response	N	4	.
Logical skip	S	1554	.
		1974	100.0

SU51_5_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? Snorted? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1155

SU51_5_R3: Distribution	Value	n	%
No	0	195	46.9
Yes	1	221	53.1
No response	N	4	.
Logical skip	S	1554	.
		1974	100.0

SU51_6_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? Injected? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1156

SU51_6_R3: Distribution	Value	n	%
No	0	333	80.0
Yes	1	83	20.0
No response	N	4	.
Logical skip	S	1554	.
		1974	100.0

SU51_7_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? None of these apply? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1157

SU51_7_R3: Distribution	Value	n	%
No	0	394	94.7
Yes	1	22	5.3
No response	N	4	.
Logical skip	S	1554	.
		1974	100.0

SU51_1_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1158

SU51_1_R4: Distribution	Value	n	%
No	0	109	18.4
Yes	1	484	81.6
No response	N	8	.
Logical skip	S	1373	.
		1974	100.0

SU51_2_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1159

SU51_2_R4: Distribution	Value	n	%
No	0	402	67.8
Yes	1	191	32.2
No response	N	8	.
Logical skip	S	1373	.
		1974	100.0

SU51_3_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? Oral, ate with food? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1160

SU51_3_R4: Distribution	Value	n	%
No	0	528	89.0
Yes	1	65	11.0
No response	N	8	.
Logical skip	S	1373	.
		<i>1974</i>	<i>100.0</i>

SU51_4_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? Smoked? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1161

SU51_4_R4: Distribution	Value	n	%
No	0	539	90.9
Yes	1	54	9.1
No response	N	8	.
Logical skip	S	1373	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? Snorted? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1162

SU51_5_R4: Distribution	Value	n	%
No	0	361	60.9
Yes	1	232	39.1
No response	N	8	.
Logical skip	S	1373	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? Injected? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1163

SU51_6_R4: Distribution	Value	n	%
No	0	521	87.9
Yes	1	72	12.1
No response	N	8	.
Logical skip	S	1373	.
		1974	100.0

SU51_7_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? None of these apply? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1164

SU51_7_R4: Distribution	Value	n	%
No	0	566	95.4
Yes	1	27	4.6
No response	N	8	.
Logical skip	S	1373	.
		1974	100.0

SU51_1_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1165

SU51_1_R5: Distribution	Value	n	%
No	0	1099	95.2
Yes	1	55	4.8
No response	N	5	.
Logical skip	S	815	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1166

SU51_2_R5: Distribution	Value	n	%
No	0	1116	96.7
Yes	1	38	3.3
No response	N	5	.
Logical skip	S	815	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1167

SU51_3_R5: Distribution	Value	n	%
No	0	1131	98.0
Yes	1	23	2.0
No response	N	5	.
Logical skip	S	815	.
		<i>1974</i>	<i>100.0</i>

SU51_4_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? Smoked? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1168

SU51_4_R5: Distribution	Value	n	%
No	0	837	72.5
Yes	1	317	27.5
No response	N	5	.
Logical skip	S	815	.
		1974	100.0

SU51_5_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? Snorted? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1169

SU51_5_R5: Distribution	Value	n	%
No	0	467	40.5
Yes	1	687	59.5
No response	N	5	.
Logical skip	S	815	.
		1974	100.0

SU51_6_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? Injected? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1170

SU51_6_R5: Distribution	Value	n	%
No	0	416	36.0
Yes	1	738	64.0
No response	N	5	.
Logical skip	S	815	.
		<i>1974</i>	<i>100.0</i>

SU51_7_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? None of these apply? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1171

SU51_7_R5: Distribution	Value	n	%
No	0	1147	99.4
Yes	1	7	0.6
No response	N	5	.
Logical skip	S	815	.
		<i>1974</i>	<i>100.0</i>

SU51_1_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1172

SU51_1_R6: Distribution	Value	n	%
No	0	439	92.4
Yes	1	36	7.6
No response	N	2	.
Logical skip	S	1497	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1173

SU51_2_R6: Distribution	Value	n	%
No	0	443	93.3
Yes	1	32	6.7
No response	N	2	.
Logical skip	S	1497	.
		1974	100.0

SU51_3_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1174

SU51_3_R6: Distribution	Value	n	%
No	0	470	98.9
Yes	1	5	1.1
No response	N	2	.
Logical skip	S	1497	.
		1974	100.0

SU51_4_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? Smoked? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1175

SU51_4_R6: Distribution	Value	n	%
No	0	384	80.8
Yes	1	91	19.2
No response	N	2	.
Logical skip	S	1497	.
		1974	100.0

SU51_5_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? Snorted? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1176

SU51_5_R6: Distribution	Value	n	%
No	0	222	46.7
Yes	1	253	53.3
No response	N	2	.
Logical skip	S	1497	.
		1974	100.0

SU51_6_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? Injected? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1177

SU51_6_R6: Distribution	Value	n	%
No	0	195	41.1
Yes	1	280	58.9
No response	N	2	.
Logical skip	S	1497	.
		1974	100.0

SU51_7_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? None of these apply? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1178

SU51_7_R6: Distribution	Value	n	%
No	0	464	97.7
Yes	1	11	2.3
No response	N	2	.
Logical skip	S	1497	.
		1974	100.0

SU51_1_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1179

SU51_1_R7: Distribution	Value	n	%
No	0	14	3.4
Yes	1	397	96.6
No response	N	5	.
Logical skip	S	1558	.
		1974	100.0

SU51_2_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1180

SU51_2_R7: Distribution	Value	n	%
No	0	376	91.5
Yes	1	35	8.5
No response	N	5	.
Logical skip	S	1558	.
		1974	100.0

SU51_3_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1181

SU51_3_R7: Distribution	Value	n	%
No	0	398	96.8
Yes	1	13	3.2
No response	N	5	.
Logical skip	S	1558	.
		1974	100.0

SU51_4_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? Smoked? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1182

SU51_4_R7: Distribution	Value	n	%
No	0	411	100.0
Yes	1	0	.
No response	N	5	.
Logical skip	S	1558	.
		1974	100.0

SU51_5_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? Snorted? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1183

SU51_5_R7: Distribution	Value	n	%
No	0	377	91.7
Yes	1	34	8.3
No response	N	5	.
Logical skip	S	1558	.
		1974	100.0

SU51_6_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? Injected? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1184

SU51_6_R7: Distribution	Value	n	%
No	0	408	99.3
Yes	1	3	0.7
No response	N	5	.
Logical skip	S	1558	.
		1974	100.0

SU51_7_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? None of these apply? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1185

SU51_7_R7: Distribution	Value	n	%
No	0	407	99.0
Yes	1	4	1.0
No response	N	5	.
Logical skip	S	1558	.
		<i>1974</i>	<i>100.0</i>

SU51_1_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1186

SU51_1_R8: Distribution	Value	n	%
No	0	941	95.0
Yes	1	50	5.0
No response	N	6	.
Logical skip	S	977	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1187

SU51_2_R8: Distribution	Value	n	%
No	0	966	97.5
Yes	1	25	2.5
No response	N	6	.
Logical skip	S	977	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1188

SU51_3_R8: Distribution	Value	n	%
No	0	750	75.7
Yes	1	241	24.3
No response	N	6	.
Logical skip	S	977	.
		1974	100.0

SU51_4_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? Smoked? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1189

SU51_4_R8: Distribution	Value	n	%
No	0	32	3.2
Yes	1	959	96.8
No response	N	6	.
Logical skip	S	977	.
		1974	100.0

SU51_5_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? Snorted? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1190

SU51_5_R8: Distribution	Value	n	%
No	0	985	99.4
Yes	1	6	0.6
No response	N	6	.
Logical skip	S	977	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? Injected? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1191

SU51_6_R8: Distribution	Value	n	%
No	0	985	99.4
Yes	1	6	0.6
No response	N	6	.
Logical skip	S	977	.
		<i>1974</i>	<i>100.0</i>

SU51_7_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? None of these apply? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1192

SU51_7_R8: Distribution	Value	n	%
No	0	984	99.3
Yes	1	7	0.7
No response	N	6	.
Logical skip	S	977	.
		<i>1974</i>	<i>100.0</i>

SU51_1_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1193

SU51_1_R9: Distribution	Value	n	%
No	0	703	98.9
Yes	1	8	1.1
No response	N	3	.
Logical skip	S	1260	.
		1974	100.0

SU51_2_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1194

SU51_2_R9: Distribution	Value	n	%
No	0	701	98.6
Yes	1	10	1.4
No response	N	3	.
Logical skip	S	1260	.
		1974	100.0

SU51_3_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1195

SU51_3_R9: Distribution	Value	n	%
No	0	709	99.7
Yes	1	2	0.3
No response	N	3	.
Logical skip	S	1260	.
		<i>1974</i>	<i>100.0</i>

SU51_4_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? Smoked? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1196

SU51_4_R9: Distribution	Value	n	%
No	0	242	34.0
Yes	1	469	66.0
No response	N	3	.
Logical skip	S	1260	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? Snorted? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1197

SU51_5_R9: Distribution	Value	n	%
No	0	316	44.4
Yes	1	395	55.6
No response	N	3	.
Logical skip	S	1260	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? Injected? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1198

SU51_6_R9: Distribution	Value	n	%
No	0	487	68.5
Yes	1	224	31.5
No response	N	3	.
Logical skip	S	1260	.
		1974	100.0

SU51_7_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? None of these apply? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1199

SU51_7_R9: Distribution	Value	n	%
No	0	699	98.3
Yes	1	12	1.7
No response	N	3	.
Logical skip	S	1260	.
		1974	100.0

SU51_1_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1200

SU51_1_R10: Distribution	Value	n	%
No	0	484	89.1
Yes	1	59	10.9
No response	N	3	.
Logical skip	S	1428	.
		1974	100.0

SU51_2_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1201

SU51_2_R10: Distribution	Value	n	%
No	0	506	93.2
Yes	1	37	6.8
No response	N	3	.
Logical skip	S	1428	.
		1974	100.0

SU51_3_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1202

SU51_3_R10: Distribution	Value	n	%
No	0	521	95.9
Yes	1	22	4.1
No response	N	3	.
Logical skip	S	1428	.
		1974	100.0

SU51_4_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? Smoked? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1203

SU51_4_R10: Distribution	Value	n	%
No	0	134	24.7
Yes	1	409	75.3
No response	N	3	.
Logical skip	S	1428	.
		1974	100.0

SU51_5_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? Snorted? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1204

SU51_5_R10: Distribution	Value	n	%
No	0	281	51.7
Yes	1	262	48.3
No response	N	3	.
Logical skip	S	1428	.
		1974	100.0

SU51_6_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? Injected? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1205

SU51_6_R10: Distribution	Value	n	%
No	0	244	44.9
Yes	1	299	55.1
No response	N	3	.
Logical skip	S	1428	.
		1974	100.0

SU51_7_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? None of these apply? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1206

SU51_7_R10: Distribution	Value	n	%
No	0	535	98.5
Yes	1	8	1.5
No response	N	3	.
Logical skip	S	1428	.
		1974	100.0

SU51_1_R12	
LABEL	Over the past 12 months, in what ways have you used ecstasy, PCPs, or other synthetics? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1207

SU51_1_R12: Distribution	Value	n	%
No	0	47	28.5
Yes	1	118	71.5
No response	N	1	.
Logical skip	S	1808	.
		1974	100.0

SU51_2_R12	
LABEL	Over the past 12 months, in what ways have you used ecstasy, PCPs, or other synthetics? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1208

SU51_2_R12: Distribution	Value	n	%
No	0	127	77.0
Yes	1	38	23.0
No response	N	1	.
Logical skip	S	1808	.
		1974	100.0

SU51_3_R12	
LABEL	Over the past 12 months, in what ways have you used ecstasy, PCPs, or other synthetics? Oral, ate with food? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1209

SU51_3_R12: Distribution	Value	n	%
No	0	154	93.3
Yes	1	11	6.7
No response	N	1	.
Logical skip	S	1808	.
		1974	100.0

SU51_4_R12	
LABEL	Over the past 12 months, in what ways have you used ecstasy, PCPs, or other synthetics? Smoked? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1210

SU51_4_R12: Distribution	Value	n	%
No	0	137	83.0
Yes	1	28	17.0
No response	N	1	.
Logical skip	S	1808	.
		1974	100.0

SU51_5_R12	
LABEL	Over the past 12 months, in what ways have you used ecstasy, PCPs, or other synthetics? Snorted? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1211

SU51_5_R12: Distribution	Value	n	%
No	0	107	64.8
Yes	1	58	35.2
No response	N	1	.
Logical skip	S	1808	.
		1974	100.0

SU51_6_R12	
LABEL	Over the past 12 months, in what ways have you used ecstasy, PCPs, or other synthetics? Injected? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1212

SU51_6_R12: Distribution	Value	n	%
No	0	148	89.7
Yes	1	17	10.3
No response	N	1	.
Logical skip	S	1808	.
		1974	100.0

SU51_7_R12	
LABEL	Over the past 12 months, in what ways have you used ecstasy, PCPs, or other synthetics? None of these apply? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as SU21)
TYPE	num
LENGTH	8
VARNUM	1213

SU51_7_R12: Distribution	Value	n	%
No	0	160	97.0
Yes	1	5	3.0
No response	N	1	.
Logical skip	S	1808	.
		1974	100.0

SU60_R1	
LABEL	Over the past 90 days, how often did you use prescription opioids non-medically? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU30)
TYPE	num
LENGTH	8
VARNUM	1214

SU60_R1: Distribution	Value	n	%
Never	1	306	32.7
Less than once a week	2	187	20.0
Once a week	3	55	5.9
More than once a week	4	150	16.0
Almost every day of the week	5	239	25.5
No response	N	6	.
Logical skip	S	1031	.
		1974	100.0

SU60_R2	
LABEL	Over the past 90 days, how often did you use methadone/suboxone non-medically? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU30)
TYPE	num

SU60_R2	
LENGTH	8
VARNUM	1215

SU60_R2: Distribution	Value	n	%
Never	1	206	37.3
Less than once a week	2	134	24.2
Once a week	3	29	5.2
More than once a week	4	60	10.8
Almost every day of the week	5	124	22.4
No response	N	4	.
Logical skip	S	1417	.
		<i>1974</i>	<i>100.0</i>

SU60_R3	
LABEL	Over the past 90 days, how often did you use prescription stimulants non-medically? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU30)
TYPE	num
LENGTH	8
VARNUM	1216

SU60_R3: Distribution	Value	n	%
Never	1	169	40.5
Less than once a week	2	117	28.1
Once a week	3	35	8.4
More than once a week	4	48	11.5
Almost every day of the week	5	48	11.5
No response	N	3	.
Logical skip	S	1554	.
		<i>1974</i>	<i>100.0</i>

SU60_R4	
LABEL	Over the past 90 days, how often did you use prescription sedatives non-medically? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU30)
TYPE	num

SU60_R4	
LENGTH	8
VARNUM	1217

SU60_R4: Distribution	Value	n	%
Never	1	217	36.6
Less than once a week	2	177	29.8
Once a week	3	50	8.4
More than once a week	4	79	13.3
Almost every day of the week	5	70	11.8
No response	N	8	.
Logical skip	S	1373	.
		1974	100.0

SU60_R5	
LABEL	Over the past 90 days, how often did you use heroin? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU30)
TYPE	num
LENGTH	8
VARNUM	1218

SU60_R5: Distribution	Value	n	%
Never	1	268	23.2
Less than once a week	2	192	16.6
Once a week	3	75	6.5
More than once a week	4	166	14.4
Almost every day of the week	5	453	39.3
No response	N	5	.
Logical skip	S	815	.
		1974	100.0

SU60_R6	
LABEL	Over the past 90 days, how often did you use illicitly-made fentanyl? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU30)
TYPE	num
LENGTH	8
VARNUM	1219

SU60_R6: Distribution	Value	n	%
Never	1	118	24.8
Less than once a week	2	113	23.8
Once a week	3	38	8.0
More than once a week	4	77	16.2
Almost every day of the week	5	129	27.2
No response	N	2	.
Logical skip	S	1497	.
		1974	100.0

SU60_R7	
LABEL	Over the past 90 days, how often did you use Gabapentin? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU30)
TYPE	num
LENGTH	8
VARNUM	1220

SU60_R7: Distribution	Value	n	%
Never	1	111	26.9
Less than once a week	2	81	19.7
Once a week	3	23	5.6
More than once a week	4	52	12.6
Almost every day of the week	5	145	35.2
No response	N	4	.
Logical skip	S	1558	.
		1974	100.0

SU60_R8	
LABEL	Over the past 90 days, how often did you use marijuana/cannabis? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU30)
TYPE	num
LENGTH	8
VARNUM	1221

SU60_R8: Distribution	Value	n	%
Never	1	179	18.0
Less than once a week	2	255	25.7

SU60_R8: Distribution	Value	n	%
Once a week	3	73	7.4
More than once a week	4	166	16.7
Almost every day of the week	5	319	32.2
No response	N	5	.
Logical skip	S	977	.
		<i>1974</i>	<i>100.0</i>

SU60_R9	
LABEL	Over the past 90 days, how often did you use cocaine/crack? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU30)
TYPE	num
LENGTH	8
VARNUM	1222

SU60_R9: Distribution	Value	n	%
Never	1	236	33.2
Less than once a week	2	212	29.8
Once a week	3	74	10.4
More than once a week	4	113	15.9
Almost every day of the week	5	76	10.7
No response	N	3	.
Logical skip	S	1260	.
		<i>1974</i>	<i>100.0</i>

SU60_R10	
LABEL	Over the past 90 days, how often did you use methamphetamine/crank? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU30)
TYPE	num
LENGTH	8
VARNUM	1223

SU60_R10: Distribution	Value	n	%
Never	1	146	26.9
Less than once a week	2	153	28.2
Once a week	3	62	11.4
More than once a week	4	81	14.9

SU60_R10: Distribution	Value	n	%
Almost every day of the week	5	101	18.6
No response	N	3	.
Logical skip	S	1428	.
		1974	100.0

SU60_R12	
LABEL	Over the past 90 days, how often did you use ecstasy, PCPs, or other synthetics? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU30)
TYPE	num
LENGTH	8
VARNUM	1224

SU60_R12: Distribution	Value	n	%
Never	1	91	55.2
Less than once a week	2	56	33.9
Once a week	3	7	4.2
More than once a week	4	6	3.6
Almost every day of the week	5	5	3.0
No response	N	1	.
Logical skip	S	1808	.
		1974	100.0

SU61_1_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1225

SU61_1_R1: Distribution	Value	n	%
No	0	207	33.0
Yes	1	420	67.0
No response	N	10	.
Logical skip	S	1337	.
		1974	100.0

SU61_2_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1226

SU61_2_R1: Distribution	Value	n	%
No	0	416	66.3
Yes	1	211	33.7
No response	N	10	.
Logical skip	S	1337	.
		1974	100.0

SU61_3_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1227

SU61_3_R1: Distribution	Value	n	%
No	0	523	83.4
Yes	1	104	16.6
No response	N	10	.
Logical skip	S	1337	.
		1974	100.0

SU61_4_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1228

SU61_4_R1: Distribution	Value	n	%
No	0	479	76.4
Yes	1	148	23.6
No response	N	10	.
Logical skip	S	1337	.
		1974	100.0

SU61_5_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1229

SU61_5_R1: Distribution	Value	n	%
No	0	288	45.9
Yes	1	339	54.1
No response	N	10	.
Logical skip	S	1337	.
		1974	100.0

SU61_6_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1230

SU61_6_R1: Distribution	Value	n	%
No	0	423	67.5
Yes	1	204	32.5
No response	N	10	.
Logical skip	S	1337	.
		1974	100.0

SU61_7_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1231

SU61_7_R1: Distribution	Value	n	%
No	0	616	98.2
Yes	1	11	1.8
No response	N	10	.
Logical skip	S	1337	.
		1974	100.0

SU61_1_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1232

SU61_1_R2: Distribution	Value	n	%
No	0	87	25.1
Yes	1	259	74.9
No response	N	5	.
Logical skip	S	1623	.
		1974	100.0

SU61_2_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1233

SU61_2_R2: Distribution	Value	n	%
No	0	295	85.3
Yes	1	51	14.7
No response	N	5	.
Logical skip	S	1623	.
		1974	100.0

SU61_3_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1234

SU61_3_R2: Distribution	Value	n	%
No	0	335	96.8
Yes	1	11	3.2
No response	N	5	.
Logical skip	S	1623	.
		1974	100.0

SU61_4_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1235

SU61_4_R2: Distribution	Value	n	%
No	0	335	96.8
Yes	1	11	3.2
No response	N	5	.
Logical skip	S	1623	.
		1974	100.0

SU61_5_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1236

SU61_5_R2: Distribution	Value	n	%
No	0	302	87.3
Yes	1	44	12.7
No response	N	5	.
Logical skip	S	1623	.
		1974	100.0

SU61_6_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1237

SU61_6_R2: Distribution	Value	n	%
No	0	301	87.0
Yes	1	45	13.0
No response	N	5	.
Logical skip	S	1623	.
		1974	100.0

SU61_7_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1238

SU61_7_R2: Distribution	Value	n	%
No	0	310	89.6
Yes	1	36	10.4
No response	N	5	.
Logical skip	S	1623	.
		1974	100.0

SU61_1_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1239

SU61_1_R3: Distribution	Value	n	%
No	0	78	31.6
Yes	1	169	68.4
No response	N	4	.
Logical skip	S	1723	.
		1974	100.0

SU61_2_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1240

SU61_2_R3: Distribution	Value	n	%
No	0	174	70.4
Yes	1	73	29.6
No response	N	4	.
Logical skip	S	1723	.
		1974	100.0

SU61_3_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1241

SU61_3_R3: Distribution	Value	n	%
No	0	222	89.9
Yes	1	25	10.1
No response	N	4	.
Logical skip	S	1723	.
		1974	100.0

SU61_4_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1242

SU61_4_R3: Distribution	Value	n	%
No	0	201	81.4
Yes	1	46	18.6
No response	N	4	.
Logical skip	S	1723	.
		1974	100.0

SU61_5_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1243

SU61_5_R3: Distribution	Value	n	%
No	0	136	55.1
Yes	1	111	44.9
No response	N	4	.
Logical skip	S	1723	.
		1974	100.0

SU61_6_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1244

SU61_6_R3: Distribution	Value	n	%
No	0	197	79.8
Yes	1	50	20.2
No response	N	4	.
Logical skip	S	1723	.
		1974	100.0

SU61_7_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1245

SU61_7_R3: Distribution	Value	n	%
No	0	243	98.4
Yes	1	4	1.6
No response	N	4	.
Logical skip	S	1723	.
		1974	100.0

SU61_1_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1246

SU61_1_R4: Distribution	Value	n	%
No	0	77	20.5
Yes	1	299	79.5
No response	N	8	.
Logical skip	S	1590	.
		1974	100.0

SU61_2_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1247

SU61_2_R4: Distribution	Value	n	%
No	0	271	72.1
Yes	1	105	27.9
No response	N	8	.
Logical skip	S	1590	.
		1974	100.0

SU61_3_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1248

SU61_3_R4: Distribution	Value	n	%
No	0	345	91.8
Yes	1	31	8.2
No response	N	8	.
Logical skip	S	1590	.
		<i>1974</i>	<i>100.0</i>

SU61_4_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1249

SU61_4_R4: Distribution	Value	n	%
No	0	349	92.8
Yes	1	27	7.2
No response	N	8	.
Logical skip	S	1590	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1250

SU61_5_R4: Distribution	Value	n	%
No	0	253	67.3
Yes	1	123	32.7
No response	N	8	.
Logical skip	S	1590	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1251

SU61_6_R4: Distribution	Value	n	%
No	0	333	88.6
Yes	1	43	11.4
No response	N	8	.
Logical skip	S	1590	.
		1974	100.0

SU61_7_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1252

SU61_7_R4: Distribution	Value	n	%
No	0	365	97.1
Yes	1	11	2.9
No response	N	8	.
Logical skip	S	1590	.
		1974	100.0

SU61_1_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1253

SU61_1_R5: Distribution	Value	n	%
No	0	850	95.9
Yes	1	36	4.1
No response	N	5	.
Logical skip	S	1083	.
		<i>1974</i>	<i>100.0</i>

SU61_2_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1254

SU61_2_R5: Distribution	Value	n	%
No	0	862	97.3
Yes	1	24	2.7
No response	N	5	.
Logical skip	S	1083	.
		<i>1974</i>	<i>100.0</i>

SU61_3_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1255

SU61_3_R5: Distribution	Value	n	%
No	0	873	98.5
Yes	1	13	1.5
No response	N	5	.
Logical skip	S	1083	.
		<i>1974</i>	<i>100.0</i>

SU61_4_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1256

SU61_4_R5: Distribution	Value	n	%
No	0	682	77.0
Yes	1	204	23.0
No response	N	5	.
Logical skip	S	1083	.
		1974	100.0

SU61_5_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1257

SU61_5_R5: Distribution	Value	n	%
No	0	410	46.3
Yes	1	476	53.7
No response	N	5	.
Logical skip	S	1083	.
		1974	100.0

SU61_6_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1258

SU61_6_R5: Distribution	Value	n	%
No	0	353	39.8

SU61_6_R5: Distribution	Value	n	%
Yes	1	533	60.2
No response	N	5	.
Logical skip	S	1083	.
		1974	100.0

SU61_7_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1259

SU61_7_R5: Distribution	Value	n	%
No	0	882	99.5
Yes	1	4	0.5
No response	N	5	.
Logical skip	S	1083	.
		1974	100.0

SU61_1_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1260

SU61_1_R6: Distribution	Value	n	%
No	0	337	94.4
Yes	1	20	5.6
No response	N	2	.
Logical skip	S	1615	.
		1974	100.0

SU61_2_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1261

SU61_2_R6: Distribution	Value	n	%
No	0	336	94.1
Yes	1	21	5.9
No response	N	2	.
Logical skip	S	1615	.
		1974	100.0

SU61_3_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1262

SU61_3_R6: Distribution	Value	n	%
No	0	353	98.9
Yes	1	4	1.1
No response	N	2	.
Logical skip	S	1615	.
		1974	100.0

SU61_4_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1263

SU61_4_R6: Distribution	Value	n	%
No	0	295	82.6
Yes	1	62	17.4
No response	N	2	.
Logical skip	S	1615	.
		1974	100.0

SU61_5_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1264

SU61_5_R6: Distribution	Value	n	%
No	0	174	48.7
Yes	1	183	51.3
No response	N	2	.
Logical skip	S	1615	.
		1974	100.0

SU61_6_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1265

SU61_6_R6: Distribution	Value	n	%
No	0	157	44.0
Yes	1	200	56.0
No response	N	2	.
Logical skip	S	1615	.
		1974	100.0

SU61_7_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1266

SU61_7_R6: Distribution	Value	n	%
No	0	351	98.3
Yes	1	6	1.7
No response	N	2	.
Logical skip	S	1615	.
		1974	100.0

SU61_1_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1267

SU61_1_R7: Distribution	Value	n	%
No	0	15	5.0
Yes	1	286	95.0
No response	N	4	.
Logical skip	S	1669	.
		1974	100.0

SU61_2_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1268

SU61_2_R7: Distribution	Value	n	%
No	0	277	92.0
Yes	1	24	8.0
No response	N	4	.
Logical skip	S	1669	.
		1974	100.0

SU61_3_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1269

SU61_3_R7: Distribution	Value	n	%
No	0	294	97.7
Yes	1	7	2.3
No response	N	4	.
Logical skip	S	1669	.
		1974	100.0

SU61_4_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1270

SU61_4_R7: Distribution	Value	n	%
No	0	300	99.7
Yes	1	1	0.3
No response	N	4	.
Logical skip	S	1669	.
		1974	100.0

SU61_5_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1271

SU61_5_R7: Distribution	Value	n	%
No	0	281	93.4
Yes	1	20	6.6
No response	N	4	.
Logical skip	S	1669	.
		1974	100.0

SU61_6_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1272

SU61_6_R7: Distribution	Value	n	%
No	0	300	99.7
Yes	1	1	0.3
No response	N	4	.
Logical skip	S	1669	.
		1974	100.0

SU61_7_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1273

SU61_7_R7: Distribution	Value	n	%
No	0	299	99.3

SU61_7_R7: Distribution	Value	n	%
Yes	1	2	0.7
No response	N	4	.
Logical skip	S	1669	.
		1974	100.0

SU61_1_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1274

SU61_1_R8: Distribution	Value	n	%
No	0	784	96.8
Yes	1	26	3.2
No response	N	8	.
Logical skip	S	1156	.
		1974	100.0

SU61_2_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1275

SU61_2_R8: Distribution	Value	n	%
No	0	795	98.1
Yes	1	15	1.9
No response	N	8	.
Logical skip	S	1156	.
		1974	100.0

SU61_3_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1276

SU61_3_R8: Distribution	Value	n	%
No	0	667	82.3
Yes	1	143	17.7
No response	N	8	.
Logical skip	S	1156	.
		<i>1974</i>	<i>100.0</i>

SU61_4_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1277

SU61_4_R8: Distribution	Value	n	%
No	0	30	3.7
Yes	1	780	96.3
No response	N	8	.
Logical skip	S	1156	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1278

SU61_5_R8: Distribution	Value	n	%
No	0	805	99.4
Yes	1	5	0.6
No response	N	8	.
Logical skip	S	1156	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1279

SU61_6_R8: Distribution	Value	n	%
No	0	805	99.4
Yes	1	5	0.6
No response	N	8	.
Logical skip	S	1156	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1280

SU61_7_R8: Distribution	Value	n	%
No	0	806	99.5
Yes	1	4	0.5
No response	N	8	.
Logical skip	S	1156	.
		<i>1974</i>	<i>100.0</i>

SU61_1_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1281

SU61_1_R9: Distribution	Value	n	%
No	0	471	99.4
Yes	1	3	0.6
No response	N	4	.
Logical skip	S	1496	.
		1974	100.0

SU61_2_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1282

SU61_2_R9: Distribution	Value	n	%
No	0	467	98.5
Yes	1	7	1.5
No response	N	4	.
Logical skip	S	1496	.
		1974	100.0

SU61_3_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1283

SU61_3_R9: Distribution	Value	n	%
No	0	472	99.6
Yes	1	2	0.4
No response	N	4	.
Logical skip	S	1496	.
		1974	100.0

SU61_4_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1284

SU61_4_R9: Distribution	Value	n	%
No	0	163	34.4
Yes	1	311	65.6
No response	N	4	.
Logical skip	S	1496	.
		1974	100.0

SU61_5_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1285

SU61_5_R9: Distribution	Value	n	%
No	0	244	51.5
Yes	1	230	48.5
No response	N	4	.
Logical skip	S	1496	.
		1974	100.0

SU61_6_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1286

SU61_6_R9: Distribution	Value	n	%
No	0	350	73.8
Yes	1	124	26.2
No response	N	4	.
Logical skip	S	1496	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1287

SU61_7_R9: Distribution	Value	n	%
No	0	468	98.7
Yes	1	6	1.3
No response	N	4	.
Logical skip	S	1496	.
		<i>1974</i>	<i>100.0</i>

SU61_1_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1288

SU61_1_R10: Distribution	Value	n	%
No	0	365	91.9
Yes	1	32	8.1
No response	N	3	.
Logical skip	S	1574	.
		1974	100.0

SU61_2_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1289

SU61_2_R10: Distribution	Value	n	%
No	0	377	95.0
Yes	1	20	5.0
No response	N	3	.
Logical skip	S	1574	.
		1974	100.0

SU61_3_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1290

SU61_3_R10: Distribution	Value	n	%
No	0	385	97.0
Yes	1	12	3.0
No response	N	3	.
Logical skip	S	1574	.
		1974	100.0

SU61_4_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1291

SU61_4_R10: Distribution	Value	n	%
No	0	108	27.2
Yes	1	289	72.8
No response	N	3	.
Logical skip	S	1574	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1292

SU61_5_R10: Distribution	Value	n	%
No	0	245	61.7
Yes	1	152	38.3
No response	N	3	.
Logical skip	S	1574	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1293

SU61_6_R10: Distribution	Value	n	%
No	0	195	49.1
Yes	1	202	50.9
No response	N	3	.
Logical skip	S	1574	.
		1974	100.0

SU61_7_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1294

SU61_7_R10: Distribution	Value	n	%
No	0	393	99.0
Yes	1	4	1.0
No response	N	3	.
Logical skip	S	1574	.
		1974	100.0

SU61_1_R12	
LABEL	Over the past 90 days, in what ways have you used ecstasy, PCPs, or other synthetics? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1295

SU61_1_R12: Distribution	Value	n	%
No	0	24	32.4
Yes	1	50	67.6
No response	N	1	.
Logical skip	S	1899	.
		1974	100.0

SU61_2_R12	
LABEL	Over the past 90 days, in what ways have you used ecstasy, PCPs, or other synthetics? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1296

SU61_2_R12: Distribution	Value	n	%
No	0	58	78.4
Yes	1	16	21.6
No response	N	1	.
Logical skip	S	1899	.
		1974	100.0

SU61_3_R12	
LABEL	Over the past 90 days, in what ways have you used ecstasy, PCPs, or other synthetics? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1297

SU61_3_R12: Distribution	Value	n	%
No	0	71	95.9
Yes	1	3	4.1
No response	N	1	.
Logical skip	S	1899	.
		1974	100.0

SU61_4_R12	
LABEL	Over the past 90 days, in what ways have you used ecstasy, PCPs, or other synthetics? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1298

SU61_4_R12: Distribution	Value	n	%
No	0	61	82.4
Yes	1	13	17.6
No response	N	1	.
Logical skip	S	1899	.
		1974	100.0

SU61_5_R12	
LABEL	Over the past 90 days, in what ways have you used ecstasy, PCPs, or other synthetics? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1299

SU61_5_R12: Distribution	Value	n	%
No	0	54	73.0
Yes	1	20	27.0
No response	N	1	.
Logical skip	S	1899	.
		1974	100.0

SU61_6_R12	
LABEL	Over the past 90 days, in what ways have you used ecstasy, PCPs, or other synthetics? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1300

SU61_6_R12: Distribution	Value	n	%
No	0	70	94.6
Yes	1	4	5.4
No response	N	1	.
Logical skip	S	1899	.
		1974	100.0

SU61_7_R12	
LABEL	Over the past 90 days, in what ways have you used ecstasy, PCPs, or other synthetics? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU31)
TYPE	num
LENGTH	8
VARNUM	1301

SU61_7_R12: Distribution	Value	n	%
No	0	72	97.3
Yes	1	2	2.7
No response	N	1	.
Logical skip	S	1899	.
		1974	100.0

SU70_R1	
LABEL	Over the past 30 days, how often did you use prescription opioids non-medically? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU40)
TYPE	num
LENGTH	8
VARNUM	1302

SU70_R1: Distribution	Value	n	%
0	0	179	28.5
1	1	50	7.9
2	2	48	7.6
3	3	33	5.2
4	4	19	3.0
5	5	23	3.7
6	6	8	1.3
7	7	14	2.2
8	8	4	0.6
9	9	1	0.2
10	10	16	2.5
11	11	2	0.3
12	12	9	1.4
14	14	5	0.8
15	15	30	4.8

SU70_R1: Distribution	Value	n	%
16	16	1	0.2
18	18	1	0.2
19	19	2	0.3
20	20	31	4.9
21	21	2	0.3
22	22	3	0.5
23	23	2	0.3
24	24	2	0.3
25	25	13	2.1
26	26	2	0.3
27	27	3	0.5
28	28	5	0.8
29	29	2	0.3
30	30	119	18.9
No response	N	8	.
Logical skip	S	1337	.
		1974	100.0

SU70_R2	
LABEL	Over the past 30 days, how often did you use methadone/suboxone non-medically? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU40)
TYPE	num
LENGTH	8
VARNUM	1303

SU70_R2: Distribution	Value	n	%
0	0	99	28.6
1	1	23	6.6
2	2	35	10.1
3	3	17	4.9
4	4	7	2.0
5	5	14	4.0
6	6	4	1.2
7	7	9	2.6
8	8	3	0.9
9	9	4	1.2

SU70_R2: Distribution	Value	n	%
10	10	4	1.2
11	11	2	0.6
12	12	1	0.3
14	14	3	0.9
15	15	15	4.3
17	17	2	0.6
18	18	1	0.3
20	20	8	2.3
21	21	1	0.3
22	22	1	0.3
24	24	1	0.3
25	25	7	2.0
27	27	1	0.3
28	28	3	0.9
29	29	1	0.3
30	30	80	23.1
No response	N	5	.
Logical skip	S	1623	.
		1974	100.0

SU70_R3	
LABEL	Over the past 30 days, how often did you use prescription stimulants non-medically? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU40)
TYPE	num
LENGTH	8
VARNUM	1304

SU70_R3: Distribution	Value	n	%
0	0	57	23.0
1	1	38	15.3
2	2	25	10.1
3	3	10	4.0
4	4	10	4.0
5	5	9	3.6
6	6	7	2.8
7	7	2	0.8

SU70_R3: Distribution	Value	n	%
8	8	4	1.6
9	9	1	0.4
10	10	17	6.9
11	11	1	0.4
12	12	1	0.4
13	13	1	0.4
14	14	4	1.6
15	15	14	5.6
17	17	1	0.4
19	19	1	0.4
20	20	7	2.8
21	21	3	1.2
23	23	2	0.8
25	25	1	0.4
26	26	1	0.4
27	27	2	0.8
28	28	1	0.4
30	30	28	11.3
No response	N	3	.
Logical skip	S	1723	.
		1974	100.0

SU70_R4	
LABEL	Over the past 30 days, how often did you use prescription sedatives non-medically? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU40)
TYPE	num
LENGTH	8
VARNUM	1305

SU70_R4: Distribution	Value	n	%
0	0	93	24.7
1	1	53	14.1
2	2	36	9.6
3	3	19	5.1
4	4	14	3.7
5	5	23	6.1

SU70_R4: Distribution	Value	n	%
6	6	6	1.6
7	7	9	2.4
8	8	4	1.1
9	9	1	0.3
10	10	18	4.8
12	12	3	0.8
14	14	4	1.1
15	15	24	6.4
16	16	1	0.3
19	19	1	0.3
20	20	14	3.7
23	23	2	0.5
25	25	7	1.9
27	27	2	0.5
28	28	3	0.8
30	30	39	10.4
No response	N	8	.
Logical skip	S	1590	.
		1974	100.0

SU70_R5	
LABEL	Over the past 30 days, how often did you use heroin? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU40)
TYPE	num
LENGTH	8
VARNUM	1306

SU70_R5: Distribution	Value	n	%
0	0	164	18.5
1	1	65	7.3
2	2	53	6.0
3	3	33	3.7
4	4	25	2.8
5	5	31	3.5
6	6	15	1.7
7	7	30	3.4
8	8	9	1.0

SU70_R5: Distribution	Value	n	%
9	9	3	0.3
10	10	29	3.3
11	11	1	0.1
12	12	5	0.6
13	13	2	0.2
14	14	7	0.8
15	15	37	4.2
16	16	1	0.1
17	17	3	0.3
18	18	4	0.5
19	19	1	0.1
20	20	42	4.7
21	21	1	0.1
22	22	7	0.8
23	23	2	0.2
24	24	1	0.1
25	25	36	4.1
26	26	2	0.2
27	27	7	0.8
28	28	16	1.8
29	29	12	1.4
30	30	242	27.3
No response	N	5	.
Logical skip	S	1083	.
		1974	100.0

SU70_R6	
LABEL	Over the past 30 days, how often did you use illicitly-made fentanyl? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU40)
TYPE	num
LENGTH	8
VARNUM	1307

SU70_R6: Distribution	Value	n	%
0	0	75	21.1
1	1	32	9.0
2	2	32	9.0

SU70_R6: Distribution	Value	n	%
3	3	17	4.8
4	4	15	4.2
5	5	11	3.1
6	6	3	0.8
7	7	7	2.0
8	8	7	2.0
9	9	1	0.3
10	10	17	4.8
11	11	1	0.3
12	12	1	0.3
13	13	1	0.3
14	14	3	0.8
15	15	22	6.2
17	17	1	0.3
19	19	2	0.6
20	20	13	3.7
22	22	3	0.8
23	23	1	0.3
25	25	12	3.4
27	27	2	0.6
28	28	6	1.7
29	29	1	0.3
30	30	69	19.4
No response	N	4	.
Logical skip	S	1615	.
		1974	100.0

SU70_R7	
LABEL	Over the past 30 days, how often did you use Gabapentin? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU40)
TYPE	num
LENGTH	8
VARNUM	1308

SU70_R7: Distribution	Value	n	%
0	0	38	12.6
1	1	23	7.6

SU70_R7: Distribution	Value	n	%
2	2	21	7.0
3	3	14	4.7
4	4	9	3.0
5	5	8	2.7
6	6	1	0.3
7	7	7	2.3
8	8	2	0.7
10	10	10	3.3
12	12	2	0.7
14	14	1	0.3
15	15	13	4.3
19	19	1	0.3
20	20	9	3.0
21	21	2	0.7
23	23	1	0.3
24	24	1	0.3
25	25	9	3.0
26	26	1	0.3
28	28	4	1.3
30	30	124	41.2
No response	N	4	.
Logical skip	S	1669	.
		1974	100.0

SU70_R8	
LABEL	Over the past 30 days, how often did you use marijuana/cannabis? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU40)
TYPE	num
LENGTH	8
VARNUM	1309

SU70_R8: Distribution	Value	n	%
0	0	90	11.1
1	1	94	11.6
2	2	63	7.7
3	3	47	5.8
4	4	24	3.0

SU70_R8: Distribution	Value	n	%
5	5	25	3.1
6	6	10	1.2
7	7	18	2.2
8	8	9	1.1
9	9	3	0.4
10	10	30	3.7
12	12	6	0.7
13	13	1	0.1
14	14	5	0.6
15	15	41	5.0
16	16	2	0.2
17	17	2	0.2
18	18	6	0.7
19	19	2	0.2
20	20	54	6.6
21	21	1	0.1
22	22	1	0.1
23	23	2	0.2
24	24	5	0.6
25	25	32	3.9
26	26	2	0.2
27	27	4	0.5
28	28	20	2.5
29	29	5	0.6
30	30	209	25.7
No response	N	5	.
Logical skip	S	1156	.
		1974	100.0

SU70_R9	
LABEL	Over the past 30 days, how often did you use cocaine/crack? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU40)
TYPE	num
LENGTH	8
VARNUM	1310

SU70_R9: Distribution	Value	n	%
0	0	101	21.4
1	1	64	13.6
2	2	58	12.3
3	3	34	7.2
4	4	14	3.0
5	5	19	4.0
6	6	7	1.5
7	7	10	2.1
8	8	6	1.3
9	9	3	0.6
10	10	33	7.0
11	11	1	0.2
12	12	4	0.8
13	13	2	0.4
14	14	8	1.7
15	15	25	5.3
17	17	2	0.4
18	18	2	0.4
19	19	2	0.4
20	20	25	5.3
21	21	3	0.6
22	22	2	0.4
23	23	2	0.4
24	24	2	0.4
25	25	7	1.5
26	26	4	0.8
27	27	3	0.6
28	28	4	0.8
29	29	2	0.4
30	30	22	4.7
No response	N	7	.
Logical skip	S	1496	.
		1974	100.0

SU70_R10	
LABEL	Over the past 30 days, how often did you use methamphetamine/crank? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU40)

SU70_R10	
TYPE	num
LENGTH	8
VARNUM	1311

SU70_R10: Distribution	Value	n	%
0	0	75	18.9
1	1	43	10.9
2	2	39	9.8
3	3	17	4.3
4	4	16	4.0
5	5	19	4.8
6	6	4	1.0
7	7	5	1.3
8	8	5	1.3
9	9	1	0.3
10	10	23	5.8
11	11	2	0.5
12	12	7	1.8
13	13	1	0.3
14	14	6	1.5
15	15	19	4.8
18	18	1	0.3
19	19	1	0.3
20	20	21	5.3
21	21	1	0.3
23	23	3	0.8
24	24	1	0.3
25	25	16	4.0
26	26	2	0.5
27	27	1	0.3
28	28	6	1.5
29	29	5	1.3
30	30	56	14.1
No response	N	4	.
Logical skip	S	1574	.
		<i>1974</i>	<i>100.0</i>

SU70_R12	
LABEL	Over the past 30 days, how often did you use ecstasy, PCPs, or other synthetics? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU40)
TYPE	num
LENGTH	8
VARNUM	1312

SU70_R12: Distribution	Value	n	%
0	0	24	32.4
1	1	14	18.9
2	2	14	18.9
3	3	3	4.1
4	4	2	2.7
5	5	5	6.8
6	6	2	2.7
7	7	1	1.4
9	9	1	1.4
10	10	1	1.4
13	13	1	1.4
15	15	1	1.4
20	20	2	2.7
23	23	1	1.4
24	24	1	1.4
30	30	1	1.4
No response	N	1	.
Logical skip	S	1899	.
		1974	100.0

SU71_1_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1313

SU71_1_R1: Distribution	Value	n	%
No	0	163	36.5

SU71_1_R1: Distribution	Value	n	%
Yes	1	283	63.5
No response	N	12	.
Logical skip	S	1516	.
		1974	100.0

SU71_2_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1314

SU71_2_R1: Distribution	Value	n	%
No	0	315	70.6
Yes	1	131	29.4
No response	N	12	.
Logical skip	S	1516	.
		1974	100.0

SU71_3_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1315

SU71_3_R1: Distribution	Value	n	%
No	0	391	87.7
Yes	1	55	12.3
No response	N	12	.
Logical skip	S	1516	.
		1974	100.0

SU71_4_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1316

SU71_4_R1: Distribution	Value	n	%
No	0	357	80.0
Yes	1	89	20.0
No response	N	12	.
Logical skip	S	1516	.
		1974	100.0

SU71_5_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1317

SU71_5_R1: Distribution	Value	n	%
No	0	217	48.7
Yes	1	229	51.3
No response	N	12	.
Logical skip	S	1516	.
		1974	100.0

SU71_6_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1318

SU71_6_R1: Distribution	Value	n	%
No	0	310	69.5
Yes	1	136	30.5
No response	N	12	.
Logical skip	S	1516	.
		1974	100.0

SU71_7_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1319

SU71_7_R1: Distribution	Value	n	%
No	0	440	98.7
Yes	1	6	1.3
No response	N	12	.
Logical skip	S	1516	.
		1974	100.0

SU71_1_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1320

SU71_1_R2: Distribution	Value	n	%
No	0	65	26.5
Yes	1	180	73.5
No response	N	7	.
Logical skip	S	1722	.
		1974	100.0

SU71_2_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1321

SU71_2_R2: Distribution	Value	n	%
No	0	210	85.7
Yes	1	35	14.3
No response	N	7	.
Logical skip	S	1722	.
		1974	100.0

SU71_3_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1322

SU71_3_R2: Distribution	Value	n	%
No	0	238	97.1
Yes	1	7	2.9
No response	N	7	.
Logical skip	S	1722	.
		1974	100.0

SU71_4_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1323

SU71_4_R2: Distribution	Value	n	%
No	0	241	98.4
Yes	1	4	1.6
No response	N	7	.
Logical skip	S	1722	.
		1974	100.0

SU71_5_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1324

SU71_5_R2: Distribution	Value	n	%
No	0	218	89.0
Yes	1	27	11.0
No response	N	7	.
Logical skip	S	1722	.
		1974	100.0

SU71_6_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1325

SU71_6_R2: Distribution	Value	n	%
No	0	216	88.2
Yes	1	29	11.8
No response	N	7	.
Logical skip	S	1722	.
		1974	100.0

SU71_7_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1326

SU71_7_R2: Distribution	Value	n	%
No	0	218	89.0
Yes	1	27	11.0
No response	N	7	.
Logical skip	S	1722	.
		1974	100.0

SU71_1_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1327

SU71_1_R3: Distribution	Value	n	%
No	0	69	36.1
Yes	1	122	63.9
No response	N	3	.
Logical skip	S	1780	.
		1974	100.0

SU71_2_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1328

SU71_2_R3: Distribution	Value	n	%
No	0	137	71.7
Yes	1	54	28.3
No response	N	3	.
Logical skip	S	1780	.
		1974	100.0

SU71_3_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1329

SU71_3_R3: Distribution	Value	n	%
No	0	174	91.1
Yes	1	17	8.9
No response	N	3	.
Logical skip	S	1780	.
		1974	100.0

SU71_4_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1330

SU71_4_R3: Distribution	Value	n	%
No	0	152	79.6
Yes	1	39	20.4
No response	N	3	.
Logical skip	S	1780	.
		1974	100.0

SU71_5_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1331

SU71_5_R3: Distribution	Value	n	%
No	0	110	57.6
Yes	1	81	42.4
No response	N	3	.
Logical skip	S	1780	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1332

SU71_6_R3: Distribution	Value	n	%
No	0	150	78.5
Yes	1	41	21.5
No response	N	3	.
Logical skip	S	1780	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1333

SU71_7_R3: Distribution	Value	n	%
No	0	186	97.4
Yes	1	5	2.6
No response	N	3	.
Logical skip	S	1780	.
		<i>1974</i>	<i>100.0</i>

SU71_1_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1334

SU71_1_R4: Distribution	Value	n	%
No	0	58	20.5
Yes	1	225	79.5
No response	N	8	.
Logical skip	S	1683	.
		<i>1974</i>	<i>100.0</i>

SU71_2_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1335

SU71_2_R4: Distribution	Value	n	%
No	0	206	72.8
Yes	1	77	27.2
No response	N	8	.
Logical skip	S	1683	.
		<i>1974</i>	<i>100.0</i>

SU71_3_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1336

SU71_3_R4: Distribution	Value	n	%
No	0	262	92.6
Yes	1	21	7.4
No response	N	8	.
Logical skip	S	1683	.
		1974	100.0

SU71_4_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1337

SU71_4_R4: Distribution	Value	n	%
No	0	263	92.9
Yes	1	20	7.1
No response	N	8	.
Logical skip	S	1683	.
		1974	100.0

SU71_5_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1338

SU71_5_R4: Distribution	Value	n	%
No	0	194	68.6
Yes	1	89	31.4
No response	N	8	.
Logical skip	S	1683	.
		1974	100.0

SU71_6_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1339

SU71_6_R4: Distribution	Value	n	%
No	0	252	89.0
Yes	1	31	11.0
No response	N	8	.
Logical skip	S	1683	.
		1974	100.0

SU71_7_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1340

SU71_7_R4: Distribution	Value	n	%
No	0	281	99.3
Yes	1	2	0.7
No response	N	8	.
Logical skip	S	1683	.
		1974	100.0

SU71_1_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1341

SU71_1_R5: Distribution	Value	n	%
No	0	702	97.5
Yes	1	18	2.5
No response	N	7	.
Logical skip	S	1247	.
		1974	100.0

SU71_2_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1342

SU71_2_R5: Distribution	Value	n	%
No	0	704	97.8
Yes	1	16	2.2
No response	N	7	.
Logical skip	S	1247	.
		1974	100.0

SU71_3_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1343

SU71_3_R5: Distribution	Value	n	%
No	0	714	99.2
Yes	1	6	0.8
No response	N	7	.
Logical skip	S	1247	.
		<i>1974</i>	<i>100.0</i>

SU71_4_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1344

SU71_4_R5: Distribution	Value	n	%
No	0	566	78.6
Yes	1	154	21.4
No response	N	7	.
Logical skip	S	1247	.
		<i>1974</i>	<i>100.0</i>

SU71_5_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1345

SU71_5_R5: Distribution	Value	n	%
No	0	362	50.3
Yes	1	358	49.7
No response	N	7	.
Logical skip	S	1247	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1346

SU71_6_R5: Distribution	Value	n	%
No	0	297	41.3
Yes	1	423	58.8
No response	N	7	.
Logical skip	S	1247	.
		1974	100.0

SU71_7_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1347

SU71_7_R5: Distribution	Value	n	%
No	0	715	99.3
Yes	1	5	0.7
No response	N	7	.
Logical skip	S	1247	.
		1974	100.0

SU71_1_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1348

SU71_1_R6: Distribution	Value	n	%
No	0	270	96.4
Yes	1	10	3.6
No response	N	4	.
Logical skip	S	1690	.
		<i>1974</i>	<i>100.0</i>

SU71_2_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1349

SU71_2_R6: Distribution	Value	n	%
No	0	265	94.6
Yes	1	15	5.4
No response	N	4	.
Logical skip	S	1690	.
		<i>1974</i>	<i>100.0</i>

SU71_3_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1350

SU71_3_R6: Distribution	Value	n	%
No	0	276	98.6
Yes	1	4	1.4
No response	N	4	.
Logical skip	S	1690	.
		<i>1974</i>	<i>100.0</i>

SU71_4_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1351

SU71_4_R6: Distribution	Value	n	%
No	0	240	85.7
Yes	1	40	14.3
No response	N	4	.
Logical skip	S	1690	.
		1974	100.0

SU71_5_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1352

SU71_5_R6: Distribution	Value	n	%
No	0	147	52.5
Yes	1	133	47.5
No response	N	4	.
Logical skip	S	1690	.
		1974	100.0

SU71_6_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1353

SU71_6_R6: Distribution	Value	n	%
No	0	120	42.9
Yes	1	160	57.1
No response	N	4	.
Logical skip	S	1690	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1354

SU71_7_R6: Distribution	Value	n	%
No	0	279	99.6
Yes	1	1	0.4
No response	N	4	.
Logical skip	S	1690	.
		<i>1974</i>	<i>100.0</i>

SU71_1_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1355

SU71_1_R7: Distribution	Value	n	%
No	0	11	4.2
Yes	1	252	95.8
No response	N	4	.
Logical skip	S	1707	.
		<i>1974</i>	<i>100.0</i>

SU71_2_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1356

SU71_2_R7: Distribution	Value	n	%
No	0	244	92.8
Yes	1	19	7.2
No response	N	4	.
Logical skip	S	1707	.
		1974	100.0

SU71_3_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1357

SU71_3_R7: Distribution	Value	n	%
No	0	259	98.5
Yes	1	4	1.5
No response	N	4	.
Logical skip	S	1707	.
		1974	100.0

SU71_4_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1358

SU71_4_R7: Distribution	Value	n	%
No	0	263	100.0
Yes	1	0	.
No response	N	4	.
Logical skip	S	1707	.
		<i>1974</i>	<i>100.0</i>

SU71_5_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1359

SU71_5_R7: Distribution	Value	n	%
No	0	247	93.9
Yes	1	16	6.1
No response	N	4	.
Logical skip	S	1707	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1360

SU71_6_R7: Distribution	Value	n	%
No	0	261	99.2
Yes	1	2	0.8
No response	N	4	.
Logical skip	S	1707	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1361

SU71_7_R7: Distribution	Value	n	%
No	0	261	99.2
Yes	1	2	0.8
No response	N	4	.
Logical skip	S	1707	.
		1974	100.0

SU71_1_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1362

SU71_1_R8: Distribution	Value	n	%
No	0	693	96.5
Yes	1	25	3.5
No response	N	10	.
Logical skip	S	1246	.
		1974	100.0

SU71_2_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1363

SU71_2_R8: Distribution	Value	n	%
No	0	706	98.3
Yes	1	12	1.7
No response	N	10	.
Logical skip	S	1246	.
		1974	100.0

SU71_3_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1364

SU71_3_R8: Distribution	Value	n	%
No	0	607	84.5
Yes	1	111	15.5
No response	N	10	.
Logical skip	S	1246	.
		1974	100.0

SU71_4_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1365

SU71_4_R8: Distribution	Value	n	%
No	0	34	4.7
Yes	1	684	95.3
No response	N	10	.
Logical skip	S	1246	.
		1974	100.0

SU71_5_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1366

SU71_5_R8: Distribution	Value	n	%
No	0	714	99.4
Yes	1	4	0.6
No response	N	10	.
Logical skip	S	1246	.
		1974	100.0

SU71_6_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1367

SU71_6_R8: Distribution	Value	n	%
No	0	715	99.6
Yes	1	3	0.4
No response	N	10	.
Logical skip	S	1246	.
		1974	100.0

SU71_7_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1368

SU71_7_R8: Distribution	Value	n	%
No	0	713	99.3
Yes	1	5	0.7
No response	N	10	.
Logical skip	S	1246	.
		1974	100.0

SU71_1_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1369

SU71_1_R9: Distribution	Value	n	%
No	0	367	99.2
Yes	1	3	0.8
No response	N	7	.
Logical skip	S	1597	.
		1974	100.0

SU71_2_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1370

SU71_2_R9: Distribution	Value	n	%
No	0	367	99.2
Yes	1	3	0.8
No response	N	7	.
Logical skip	S	1597	.
		1974	100.0

SU71_3_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1371

SU71_3_R9: Distribution	Value	n	%
No	0	369	99.7
Yes	1	1	0.3
No response	N	7	.
Logical skip	S	1597	.
		1974	100.0

SU71_4_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1372

SU71_4_R9: Distribution	Value	n	%
No	0	127	34.3
Yes	1	243	65.7
No response	N	7	.
Logical skip	S	1597	.
		1974	100.0

SU71_5_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1373

SU71_5_R9: Distribution	Value	n	%
No	0	221	59.7
Yes	1	149	40.3
No response	N	7	.
Logical skip	S	1597	.
		1974	100.0

SU71_6_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1374

SU71_6_R9: Distribution	Value	n	%
No	0	283	76.5
Yes	1	87	23.5
No response	N	7	.
Logical skip	S	1597	.
		1974	100.0

SU71_7_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1375

SU71_7_R9: Distribution	Value	n	%
No	0	366	98.9
Yes	1	4	1.1
No response	N	7	.
Logical skip	S	1597	.
		1974	100.0

SU71_1_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1376

SU71_1_R10: Distribution	Value	n	%
No	0	296	92.2
Yes	1	25	7.8
No response	N	4	.
Logical skip	S	1649	.
		1974	100.0

SU71_2_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1377

SU71_2_R10: Distribution	Value	n	%
No	0	308	96.0
Yes	1	13	4.0
No response	N	4	.
Logical skip	S	1649	.
		1974	100.0

SU71_3_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1378

SU71_3_R10: Distribution	Value	n	%
No	0	311	96.9
Yes	1	10	3.1
No response	N	4	.
Logical skip	S	1649	.
		1974	100.0

SU71_4_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1379

SU71_4_R10: Distribution	Value	n	%
No	0	83	25.9
Yes	1	238	74.1
No response	N	4	.
Logical skip	S	1649	.
		1974	100.0

SU71_5_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1380

SU71_5_R10: Distribution	Value	n	%
No	0	220	68.5
Yes	1	101	31.5
No response	N	4	.
Logical skip	S	1649	.
		1974	100.0

SU71_6_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1381

SU71_6_R10: Distribution	Value	n	%
No	0	176	54.8
Yes	1	145	45.2
No response	N	4	.
Logical skip	S	1649	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1382

SU71_7_R10: Distribution	Value	n	%
No	0	320	99.7
Yes	1	1	0.3
No response	N	4	.
Logical skip	S	1649	.
		<i>1974</i>	<i>100.0</i>

SU71_1_R12	
LABEL	Over the past 30 days, in what ways have you used ecstasy, PCPs, or other synthetics? Oral, swallowed intact (e.g., whole pill)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1383

SU71_1_R12: Distribution	Value	n	%
No	0	17	34.0
Yes	1	33	66.0
No response	N	1	.
Logical skip	S	1923	.
		1974	100.0

SU71_2_R12	
LABEL	Over the past 30 days, in what ways have you used ecstasy, PCPs, or other synthetics? Oral, swallowed after chewing/crushing? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1384

SU71_2_R12: Distribution	Value	n	%
No	0	38	76.0
Yes	1	12	24.0
No response	N	1	.
Logical skip	S	1923	.
		1974	100.0

SU71_3_R12	
LABEL	Over the past 30 days, in what ways have you used ecstasy, PCPs, or other synthetics? Oral, ate with food (e.g., marijuana brownies)? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1385

SU71_3_R12: Distribution	Value	n	%
No	0	49	98.0
Yes	1	1	2.0
No response	N	1	.
Logical skip	S	1923	.
		1974	100.0

SU71_4_R12	
LABEL	Over the past 30 days, in what ways have you used ecstasy, PCPs, or other synthetics? Smoked? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1386

SU71_4_R12: Distribution	Value	n	%
No	0	42	84.0
Yes	1	8	16.0
No response	N	1	.
Logical skip	S	1923	.
		1974	100.0

SU71_5_R12	
LABEL	Over the past 30 days, in what ways have you used ecstasy, PCPs, or other synthetics? Snorted? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1387

SU71_5_R12: Distribution	Value	n	%
No	0	34	68.0
Yes	1	16	32.0
No response	N	1	.
Logical skip	S	1923	.
		1974	100.0

SU71_6_R12	
LABEL	Over the past 30 days, in what ways have you used ecstasy, PCPs, or other synthetics? Injected? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1388

SU71_6_R12: Distribution	Value	n	%
No	0	46	92.0
Yes	1	4	8.0
No response	N	1	.
Logical skip	S	1923	.
		1974	100.0

SU71_7_R12	
LABEL	Over the past 30 days, in what ways have you used ecstasy, PCPs, or other synthetics? None of these apply? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as SU41)
TYPE	num
LENGTH	8
VARNUM	1389

SU71_7_R12: Distribution	Value	n	%
No	0	50	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	1923	.
		1974	100.0

PO1	
LABEL	How old were you the first time you used prescription opioids non-medically?
TYPE	num
LENGTH	8
VARNUM	1390

PO1: Distribution	Value	n	%
1	1	1	0.1
6	6	1	0.1
7	7	2	0.1
8	8	5	0.3
9	9	6	0.4
10	10	8	0.5
11	11	11	0.7
12	12	57	3.6

PO1: Distribution	Value	n	%
13	13	64	4.0
14	14	119	7.5
15	15	144	9.0
16	16	151	9.5
17	17	103	6.5
18	18	123	7.7
19	19	81	5.1
20	20	67	4.2
21	21	79	5.0
22	22	58	3.6
23	23	53	3.3
24	24	36	2.3
25	25	94	5.9
26	26	28	1.8
27	27	30	1.9
28	28	35	2.2
29	29	9	0.6
30	30	45	2.8
31	31	7	0.4
32	32	25	1.6
33	33	9	0.6
34	34	7	0.4
35	35	21	1.3
36	36	13	0.8
37	37	3	0.2
38	38	12	0.8
39	39	5	0.3
40	40	19	1.2
41	41	6	0.4
42	42	8	0.5
43	43	6	0.4
44	44	5	0.3
45	45	4	0.3
46	46	3	0.2
47	47	3	0.2
48	48	1	0.1
49	49	4	0.3
50	50	4	0.3

PO1: Distribution	Value	n	%
51	51	1	0.1
52	52	4	0.3
53	53	1	0.1
54	54	2	0.1
55	55	1	0.1
56	56	1	0.1
57	57	2	0.1
60	60	4	0.3
62	62	1	0.1
No response	N	6	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO2	
LABEL	The first time you used prescription opioids non-medically, did you have a prescription from a doctor or medical professional for a legitimate medical condition?
TYPE	num
LENGTH	8
VARNUM	1391

PO2: Distribution	Value	n	%
Yes	1	810	50.8
No	2	784	49.2
No response	N	4	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO3	
LABEL	When was the last time you used prescription opioids non-medically?
TYPE	num
LENGTH	8
VARNUM	1392

PO3: Distribution	Value	n	%
Today	1	31	1.9
Past 7 days	2	75	4.7

PO3: Distribution	Value	n	%
Past 30 days	3	199	12.5
Past 90 days	4	207	13.0
Past 6 months	5	176	11.1
Past 12 months	6	163	10.3
More than 1 year ago	7	739	46.5
No response	N	8	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO4	
LABEL	In the past 12 months, how many months did you use prescription opioids non-medically? (Enter 1 if less than 1 month.) ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1393

PO4: Distribution	Value	n	%
0	0	44	5.2
1	1	283	33.3
2	2	66	7.8
3	3	52	6.1
4	4	37	4.4
5	5	34	4.0
6	6	42	4.9
7	7	18	2.1
8	8	18	2.1
9	9	35	4.1
10	10	27	3.2
11	11	27	3.2
12	12	167	19.6
No response	N	9	.
Logical skip	S	1115	.
		<i>1974</i>	<i>100.0</i>

PO5	
LABEL	In the most recent month that you used prescription opioids non-medically, how many days per month did you typically use it?
TYPE	num
LENGTH	8
VARNUM	1394

PO5: Distribution	Value	n	%
0	0	268	16.9
1	1	199	12.5
2	2	126	7.9
3	3	82	5.2
4	4	40	2.5
5	5	69	4.3
6	6	14	0.9
7	7	49	3.1
8	8	8	0.5
9	9	4	0.3
10	10	43	2.7
11	11	1	0.1
12	12	13	0.8
13	13	1	0.1
14	14	15	0.9
15	15	53	3.3
17	17	2	0.1
18	18	1	0.1
19	19	1	0.1
20	20	61	3.8
21	21	5	0.3
22	22	1	0.1
23	23	6	0.4
24	24	4	0.3
25	25	34	2.1
27	27	3	0.2
28	28	19	1.2
29	29	3	0.2
30	30	462	29.1
No response	N	11	.

PO5: Distribution	Value	n	%
Logical skip	S	376	.
		1974	100.0

PO6	
LABEL	In the past 90 days, how many days did you use prescription opioids non-medically? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1395

PO6: Distribution	Value	n	%
0	0	68	13.3
1	1	45	8.8
2	2	32	6.3
3	3	24	4.7
4	4	8	1.6
5	5	25	4.9
6	6	13	2.5
7	7	9	1.8
8	8	4	0.8
9	9	3	0.6
10	10	16	3.1
12	12	3	0.6
13	13	1	0.2
14	14	3	0.6
15	15	11	2.2
16	16	2	0.4
17	17	1	0.2
18	18	1	0.2
19	19	1	0.2
20	20	12	2.4
21	21	4	0.8
22	22	1	0.2
24	24	2	0.4
25	25	4	0.8
27	27	1	0.2
30	30	38	7.5

PO6: Distribution	Value	n	%
31	31	3	0.6
35	35	1	0.2
40	40	4	0.8
45	45	14	2.7
50	50	3	0.6
54	54	1	0.2
55	55	1	0.2
58	58	1	0.2
60	60	28	5.5
62	62	1	0.2
63	63	1	0.2
65	65	2	0.4
66	66	1	0.2
70	70	8	1.6
75	75	4	0.8
79	79	1	0.2
80	80	14	2.7
83	83	2	0.4
84	84	1	0.2
85	85	3	0.6
86	86	1	0.2
87	87	1	0.2
88	88	5	1.0
90	90	77	15.1
No response	N	10	.
Logical skip	S	1454	.
		1974	100.0

PO7A_1	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Got from one doctor?
TYPE	num
LENGTH	8
VARNUM	1396

PO7A_1: Distribution	Value	n	%
No	0	980	61.8

PO7A_1: Distribution	Value	n	%
Yes	1	605	38.2
No response	N	13	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO7A_2	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Got from more than one doctor?
TYPE	num
LENGTH	8
VARNUM	1397

PO7A_2: Distribution	Value	n	%
No	0	1380	87.1
Yes	1	205	12.9
No response	N	13	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO7A_3	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Wrote fake prescription?
TYPE	num
LENGTH	8
VARNUM	1398

PO7A_3: Distribution	Value	n	%
No	0	1530	96.5
Yes	1	55	3.5
No response	N	13	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO7A_4	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Stole from Dr. office, clinic, hospital, or pharmacy?

PO7A_4	
TYPE	num
LENGTH	8
VARNUM	1399

PO7A_4: Distribution	Value	n	%
No	0	1554	98.0
Yes	1	31	2.0
No response	N	13	.
Logical skip	S	376	.
		1974	100.0

PO7A_5	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Got from friend or relative for free?
TYPE	num
LENGTH	8
VARNUM	1400

PO7A_5: Distribution	Value	n	%
No	0	746	47.1
Yes	1	839	52.9
No response	N	13	.
Logical skip	S	376	.
		1974	100.0

PO7A_6	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Bought from friend or relative?
TYPE	num
LENGTH	8
VARNUM	1401

PO7A_6: Distribution	Value	n	%
No	0	725	45.7
Yes	1	860	54.3
No response	N	13	.

PO7A_6: Distribution	Value	n	%
Logical skip	S	376	.
		1974	100.0

PO7A_7	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Stole from friend or relative?
TYPE	num
LENGTH	8
VARNUM	1402

PO7A_7: Distribution	Value	n	%
No	0	1250	78.9
Yes	1	335	21.1
No response	N	13	.
Logical skip	S	376	.
		1974	100.0

PO7A_8	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Bought from drug dealer or another stranger?
TYPE	num
LENGTH	8
VARNUM	1403

PO7A_8: Distribution	Value	n	%
No	0	550	34.7
Yes	1	1035	65.3
No response	N	13	.
Logical skip	S	376	.
		1974	100.0

PO7A_9	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Got some other way?
TYPE	num

PO7A_9	
LENGTH	8
VARNUM	1404

PO7A_9: Distribution	Value	n	%
No	0	1525	96.2
Yes	1	60	3.8
No response	N	13	.
Logical skip	S	376	.
		1974	100.0

PO7B_1	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Got from one doctor? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1405

PO7B_1: Distribution	Value	n	%
No	0	1075	74.0
Yes	1	378	26.0
No response	N	145	.
Logical skip	S	376	.
		1974	100.0

PO7B_2	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Got from more than one doctor? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1406

PO7B_2: Distribution	Value	n	%
No	0	1382	95.1
Yes	1	71	4.9
No response	N	145	.

PO7B_2: Distribution	Value	n	%
Logical skip	S	376	.
		1974	100.0

PO7B_3	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Wrote fake prescription? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1407

PO7B_3: Distribution	Value	n	%
No	0	1448	99.7
Yes	1	5	0.3
No response	N	145	.
Logical skip	S	376	.
		1974	100.0

PO7B_4	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Stole from Dr. office, clinic, hospital, or pharmacy? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1408

PO7B_4: Distribution	Value	n	%
No	0	1448	99.7
Yes	1	5	0.3
No response	N	145	.
Logical skip	S	376	.
		1974	100.0

PO7B_5	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Got from friend or relative for free? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)

PO7B_5	
TYPE	num
LENGTH	8
VARNUM	1409

PO7B_5: Distribution	Value	n	%
No	0	921	63.4
Yes	1	532	36.6
No response	N	145	.
Logical skip	S	376	.
		1974	100.0

PO7B_6	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Bought from friend or relative? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1410

PO7B_6: Distribution	Value	n	%
No	0	937	64.5
Yes	1	516	35.5
No response	N	145	.
Logical skip	S	376	.
		1974	100.0

PO7B_7	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Stole from friend or relative? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1411

PO7B_7: Distribution	Value	n	%
No	0	1302	89.6
Yes	1	151	10.4

PO7B_7: Distribution	Value	n	%
No response	N	145	.
Logical skip	S	376	.
		1974	100.0

PO7B_8	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Bought from drug dealer or another stranger? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1412

PO7B_8: Distribution	Value	n	%
No	0	724	49.8
Yes	1	729	50.2
No response	N	145	.
Logical skip	S	376	.
		1974	100.0

PO7B_9	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Got some other way? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1413

PO7B_9: Distribution	Value	n	%
No	0	1403	96.6
Yes	1	50	3.4
No response	N	145	.
Logical skip	S	376	.
		1974	100.0

PO7C	
LABEL	How did you acquire the prescription opioids you used non-medically? Most typical way you acquire?

PO7C	
TYPE	num
LENGTH	8
VARNUM	1414

PO7C: Distribution	Value	n	%
Got from one doctor	1	252	16.1
Got from more than one doctor	2	48	3.1
Wrote fake prescription	3	1	0.1
Stole from Dr. office, clinic, hospital, or pharmacy	4	2	0.1
Got from friend or relative for free	5	255	16.3
Bought from friend or relative	6	264	16.8
Stole from friend or relative	7	41	2.6
Bought from drug dealer or other stranger	8	684	43.7
Got some other way (specify):	9	20	1.3
No response	N	31	.
Logical skip	S	376	.
		1974	100.0

PO8A_1	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Immediate Release Oxycodone (e.g., Percocet, Roxicodone)?
TYPE	num
LENGTH	8
VARNUM	1415

PO8A_1: Distribution	Value	n	%
No	0	272	17.1
Yes	1	1317	82.9
No response	N	9	.
Logical skip	S	376	.
		1974	100.0

PO8A_2	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Extended Release Oxycodone (e.g. OxyContin OC/OP)?

PO8A_2	
TYPE	num
LENGTH	8
VARNUM	1416

PO8A_2: Distribution	Value	n	%
No	0	546	34.4
Yes	1	1043	65.6
No response	N	9	.
Logical skip	S	376	.
		1974	100.0

PO8A_3	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Immediate Release Hydrocodone (e.g., Vicodin)?
TYPE	num
LENGTH	8
VARNUM	1417

PO8A_3: Distribution	Value	n	%
No	0	445	28.0
Yes	1	1144	72.0
No response	N	9	.
Logical skip	S	376	.
		1974	100.0

PO8A_4	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Extended Release Hydrocodone (e.g., Hysingla, Zohydro)?
TYPE	num
LENGTH	8
VARNUM	1418

PO8A_4: Distribution	Value	n	%
No	0	1079	67.9
Yes	1	510	32.1
No response	N	9	.

PO8A_4: Distribution	Value	n	%
Logical skip	S	376	.
		1974	100.0

PO8A_5	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Buprenorphine (e.g. Suboxone, Subutex)?
TYPE	num
LENGTH	8
VARNUM	1419

PO8A_5: Distribution	Value	n	%
No	0	866	54.5
Yes	1	723	45.5
No response	N	9	.
Logical skip	S	376	.
		1974	100.0

PO8A_6	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Methadone?
TYPE	num
LENGTH	8
VARNUM	1420

PO8A_6: Distribution	Value	n	%
No	0	841	52.9
Yes	1	748	47.1
No response	N	9	.
Logical skip	S	376	.
		1974	100.0

PO8A_7	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Fentanyl (patch or lollipop)?
TYPE	num

PO8A_7	
LENGTH	8
VARNUM	1421

PO8A_7: Distribution	Value	n	%
No	0	901	56.7
Yes	1	688	43.3
No response	N	9	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO8A_8	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Morphine (e.g. Embeda, MS-Contin)?
TYPE	num
LENGTH	8
VARNUM	1422

PO8A_8: Distribution	Value	n	%
No	0	773	48.6
Yes	1	816	51.4
No response	N	9	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO8A_9	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Oxymorphone (e.g., Opana)?
TYPE	num
LENGTH	8
VARNUM	1423

PO8A_9: Distribution	Value	n	%
No	0	1021	64.3
Yes	1	568	35.7
No response	N	9	.

PO8A_9: Distribution	Value	n	%
Logical skip	S	376	.
		1974	100.0

PO8A_10	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Hydromorphone (e.g., Dilaudid)?
TYPE	num
LENGTH	8
VARNUM	1424

PO8A_10: Distribution	Value	n	%
No	0	940	59.2
Yes	1	649	40.8
No response	N	9	.
Logical skip	S	376	.
		1974	100.0

PO8A_11	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Tramadol (e.g. Ultram)?
TYPE	num
LENGTH	8
VARNUM	1425

PO8A_11: Distribution	Value	n	%
No	0	900	56.6
Yes	1	689	43.4
No response	N	9	.
Logical skip	S	376	.
		1974	100.0

PO8A_12	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Codeine (e.g., Tylenol #3)?
TYPE	num

PO8A_12	
LENGTH	8
VARNUM	1426

PO8A_12: Distribution	Value	n	%
No	0	784	49.3
Yes	1	805	50.7
No response	N	9	.
Logical skip	S	376	.
		1974	100.0

PO8A_13	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Meperidine (e.g., Demerol)?
TYPE	num
LENGTH	8
VARNUM	1427

PO8A_13: Distribution	Value	n	%
No	0	1296	81.6
Yes	1	293	18.4
No response	N	9	.
Logical skip	S	376	.
		1974	100.0

PO8A_14	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Other (specify)?
TYPE	num
LENGTH	8
VARNUM	1428

PO8A_14: Distribution	Value	n	%
No	0	1527	96.1
Yes	1	62	3.9
No response	N	9	.

PO8A_14: Distribution	Value	n	%
Logical skip	S	376	.
		1974	100.0

PO8B_1	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Immediate Release Oxycodone (e.g., Percocet, Roxicodone)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1429

PO8B_1: Distribution	Value	n	%
No	0	676	47.9
Yes	1	734	52.1
No response	N	188	.
Logical skip	S	376	.
		1974	100.0

PO8B_2	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Extended Release Oxycodone (e.g. OxyContin OC/OP)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1430

PO8B_2: Distribution	Value	n	%
No	0	999	70.9
Yes	1	411	29.1
No response	N	188	.
Logical skip	S	376	.
		1974	100.0

PO8B_3	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Immediate Release Hydrocodone (e.g., Vicodin)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)

PO8B_3	
TYPE	num
LENGTH	8
VARNUM	1431

PO8B_3: Distribution	Value	n	%
No	0	951	67.4
Yes	1	459	32.6
No response	N	188	.
Logical skip	S	376	.
		1974	100.0

PO8B_4	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Extended Release Hydrocodone (e.g., Hysingla, Zohydro)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1432

PO8B_4: Distribution	Value	n	%
No	0	1239	87.9
Yes	1	171	12.1
No response	N	188	.
Logical skip	S	376	.
		1974	100.0

PO8B_5	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Buprenorphine (e.g. Suboxone, Subutex)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1433

PO8B_5: Distribution	Value	n	%
No	0	1017	72.1
Yes	1	393	27.9

PO8B_5: Distribution	Value	n	%
No response	N	188	.
Logical skip	S	376	.
		1974	100.0

PO8B_6	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Methadone? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1434

PO8B_6: Distribution	Value	n	%
No	0	997	70.7
Yes	1	413	29.3
No response	N	188	.
Logical skip	S	376	.
		1974	100.0

PO8B_7	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Fentanyl (patch or lollipop)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1435

PO8B_7: Distribution	Value	n	%
No	0	1092	77.4
Yes	1	318	22.6
No response	N	188	.
Logical skip	S	376	.
		1974	100.0

PO8B_8	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Morphine (e.g. Embeda, MS-Contin)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1436

PO8B_8: Distribution	Value	n	%
No	0	1132	80.3
Yes	1	278	19.7
No response	N	188	.
Logical skip	S	376	.
		1974	100.0

PO8B_9	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Oxymorphone (e.g., Opana)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1437

PO8B_9: Distribution	Value	n	%
No	0	1251	88.7
Yes	1	159	11.3
No response	N	188	.
Logical skip	S	376	.
		1974	100.0

PO8B_10	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Hydromorphone (e.g., Dilaudid)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1438

PO8B_10: Distribution	Value	n	%
No	0	1220	86.5
Yes	1	190	13.5
No response	N	188	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO8B_11	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Tramadol (e.g. Ultram)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1439

PO8B_11: Distribution	Value	n	%
No	0	1175	83.3
Yes	1	235	16.7
No response	N	188	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO8B_12	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Codeine (e.g., Tylenol #3)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1440

PO8B_12: Distribution	Value	n	%
No	0	1141	80.9
Yes	1	269	19.1
No response	N	188	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO8B_13	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Meperidine (e.g., Demerol)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1441

PO8B_13: Distribution	Value	n	%
No	0	1361	96.5
Yes	1	49	3.5
No response	N	188	.
Logical skip	S	376	.
		1974	100.0

PO8B_14	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Other (specify)? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1442

PO8B_14: Distribution	Value	n	%
No	0	1347	95.5
Yes	1	63	4.5
No response	N	188	.
Logical skip	S	376	.
		1974	100.0

PO8C	
LABEL	Which of the following prescription opioids you have used non-medically? One I like the best? Pick one.
TYPE	num
LENGTH	8
VARNUM	1443

PO8C: Distribution	Value	n	%
Immediate Release Oxycodone (e.g., Percocet, Roxicodone)	1	549	35.0
Extended Release Oxycodone (e.g. OxyContin OC/OP)	2	185	11.8
Immediate Release Hydrocodone (e.g., Vicodin)	3	113	7.2
Extended Release Hydrocodone (e.g., Hysingla, Zohydro)	4	6	0.4
Buprenorphine (e.g. Suboxone, Subutex)	5	52	3.3
Methadone	6	147	9.4
Fentanyl (patch or lollipop)	7	168	10.7
Morphine (e.g. Embeda, MS-Contin)	8	51	3.2
Oxymorphone (e.g. Opana)	9	106	6.8
Hydromorphone (e.g. Dilaudid)	10	98	6.2
Tramadol (e.g. Ultram)	11	33	2.1
Codeine (e.g. Tylenol #3)	12	19	1.2
Meperidine (e.g., Demerol)	13	12	0.8
Other (specify)	14	31	2.0
No response	N	28	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO9	
LABEL	The last time you used [One I like the best named in PO8c], what was the dose?
TYPE	num
LENGTH	8
VARNUM	1444

PO9: Distribution	Value	n	%
Milligrams	1	1438	91.2
Other units	2	139	8.8
No response	N	21	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO9_MG	
LABEL	The last time you used [One I like the best named in PO8c], what was the dose? Milligrams.
TYPE	num
LENGTH	8
VARNUM	1445

PO9_MG: Distribution	Value	n	%
1	1	14	1.0
2	2	17	1.2
3	3	8	0.6
4	4	15	1.1
5	5	47	3.3
6	6	3	0.2
7	7	5	0.4
8	8	53	3.7
10	10	222	15.7
12	12	6	0.4
13	13	1	0.1
14	14	1	0.1
15	15	37	2.6
16	16	16	1.1
20	20	53	3.7
22	22	1	0.1
24	24	11	0.8
25	25	14	1.0
29	29	1	0.1
30	30	286	20.2
32	32	3	0.2
35	35	1	0.1
36	36	1	0.1
39	39	1	0.1
40	40	94	6.6
45	45	8	0.6
50	50	68	4.8
52	52	1	0.1
55	55	4	0.3
56	56	1	0.1
60	60	41	2.9

PO9_MG: Distribution	Value	n	%
65	65	6	0.4
70	70	6	0.4
75	75	17	1.2
79	79	1	0.1
80	80	140	9.9
85	85	4	0.3
90	90	25	1.8
95	95	4	0.3
98	98	1	0.1
99	99	5	0.4
100	100	52	3.7
105	105	1	0.1
108	108	1	0.1
110	110	1	0.1
120	120	24	1.7
125	125	2	0.1
130	130	5	0.4
135	135	1	0.1
140	140	4	0.3
145	145	3	0.2
150	150	14	1.0
154	154	1	0.1
160	160	6	0.4
170	170	1	0.1
190	190	1	0.1
200	200	10	0.7
210	210	1	0.1
220	220	1	0.1
240	240	4	0.3
250	250	1	0.1
300	300	7	0.5
320	320	1	0.1
325	325	5	0.4
345	345	1	0.1
350	350	2	0.1
400	400	2	0.1
500	500	9	0.6
560	560	1	0.1

PO9_MG: Distribution	Value	n	%
600	600	1	0.1
610	610	1	0.1
700	700	1	0.1
750	750	3	0.2
800	800	3	0.2
999	999	3	0.2
No response	N	181	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

PO9_OUA	
LABEL	The last time you used [One I like the best named in PO8c], what was the dose? Other units? Specify amount in those units.
TYPE	num
LENGTH	8
VARNUM	1446

PO9_OUA: Distribution	Value	n	%
1	1	32	25.8
2	2	7	5.6
3	3	5	4.0
4	4	4	3.2
5	5	6	4.8
8	8	4	3.2
10	10	8	6.5
12	12	1	0.8
15	15	2	1.6
16	16	1	0.8
20	20	5	4.0
30	30	4	3.2
35	35	2	1.6
40	40	4	3.2
50	50	9	7.3
75	75	5	4.0
80	80	3	2.4
100	100	13	10.5
200	200	2	1.6

PO9_OUA: Distribution	Value	n	%
222	222	1	0.8
1000	1000	2	1.6
1600	1600	2	1.6
2000	2000	1	0.8
2400	2400	1	0.8
No response	N	1474	.
Logical skip	S	376	.
		<i>1974</i>	<i>100.0</i>

FE2	
LABEL	Did you use a prescription opioid (e.g., Duragesic, Percocet, Roxicodone, OxyContin) prior to using illicitly-made fentanyl for the first time?
TYPE	num
LENGTH	8
VARNUM	1447

FE2: Distribution	Value	n	%
Yes	1	617	82.5
No	2	131	17.5
No response	N	2	.
Logical skip	S	1224	.
		<i>1974</i>	<i>100.0</i>

FE3	
LABEL	When was the last time you used illicitly-made fentanyl?
TYPE	num
LENGTH	8
VARNUM	1448

FE3: Distribution	Value	n	%
Today	1	26	3.5
Past 7 days	2	76	10.2
Past 30 days	3	113	15.1
Past 90 days	4	103	13.8
Past 6 months	5	71	9.5
Past 12 months	6	78	10.5

FE3: Distribution	Value	n	%
More than 1 year ago	7	279	37.4
No response	N	4	.
Logical skip	S	1224	.
		1974	100.0

FE4	
LABEL	In the past 12 months, how many months did you use illicitly-made fentanyl? (Enter 1 if less than 1 month.) ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1449

FE4: Distribution	Value	n	%
0	0	12	2.6
1	1	110	23.6
2	2	35	7.5
3	3	46	9.9
4	4	16	3.4
5	5	18	3.9
6	6	39	8.4
7	7	18	3.9
8	8	8	1.7
9	9	31	6.7
10	10	24	5.2
11	11	19	4.1
12	12	90	19.3
No response	N	5	.
Logical skip	S	1503	.
		1974	100.0

FE5	
LABEL	In the most recent month that you used illicitly-made fentanyl, how many days per month did you typically use it?
TYPE	num
LENGTH	8
VARNUM	1450

FE5: Distribution	Value	n	%
0	0	88	11.9
1	1	108	14.6
2	2	54	7.3
3	3	43	5.8
4	4	24	3.2
5	5	44	6.0
6	6	8	1.1
7	7	17	2.3
8	8	5	0.7
9	9	4	0.5
10	10	31	4.2
11	11	1	0.1
12	12	5	0.7
13	13	2	0.3
14	14	5	0.7
15	15	43	5.8
16	16	1	0.1
17	17	2	0.3
19	19	1	0.1
20	20	30	4.1
21	21	3	0.4
22	22	1	0.1
23	23	4	0.5
25	25	21	2.8
26	26	2	0.3
28	28	10	1.4
29	29	3	0.4
30	30	179	24.2
No response	N	11	.
Logical skip	S	1224	.
		1974	100.0

FE6	
LABEL	In the past 90 days, how many days did you use illicitly-made fentanyl? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment)
TYPE	num

FE6	
LENGTH	8
VARNUM	1451

FE6: Distribution	Value	n	%
0	0	25	7.9
1	1	20	6.3
2	2	24	7.6
3	3	13	4.1
4	4	12	3.8
5	5	14	4.4
6	6	8	2.5
7	7	10	3.2
8	8	15	4.7
9	9	51	16.1
10	10	20	6.3
12	12	5	1.6
14	14	3	0.9
15	15	8	2.5
20	20	7	2.2
24	24	2	0.6
25	25	3	0.9
30	30	12	3.8
35	35	1	0.3
38	38	1	0.3
40	40	3	0.9
45	45	4	1.3
50	50	1	0.3
54	54	1	0.3
55	55	2	0.6
60	60	12	3.8
61	61	1	0.3
63	63	1	0.3
65	65	1	0.3
67	67	1	0.3
70	70	7	2.2
75	75	9	2.8
78	78	1	0.3

FE6: Distribution	Value	n	%
80	80	3	0.9
83	83	1	0.3
85	85	3	0.9
90	90	11	3.5
No response	N	6	.
Logical skip	S	1652	.
		1974	100.0

HU2	
LABEL	Did you use a prescription opioid (e.g., Duragesic, Percocet, Roxicodone, OxyContin) prior to using heroin for the first time?
TYPE	num
LENGTH	8
VARNUM	1452

HU2: Distribution	Value	n	%
Yes	1	1147	71.5
No	2	457	28.5
No response	N	4	.
Logical skip	S	366	.
		1974	100.0

HU3	
LABEL	When was the last time you used heroin?
TYPE	num
LENGTH	8
VARNUM	1453

HU3: Distribution	Value	n	%
Today	1	79	4.9
Past 7 days	2	236	14.7
Past 30 days	3	297	18.5
Past 90 days	4	243	15.2
Past 6 months	5	157	9.8
Past 12 months	6	116	7.2
More than 1 year ago	7	475	29.6

HU3: Distribution	Value	n	%
No response	N	5	.
Logical skip	S	366	.
		1974	100.0

HU4	
LABEL	In the past 12 months, how many months did you use heroin? (Enter 1 if less than 1 month.) ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1454

HU4: Distribution	Value	n	%
0	0	5	0.4
1	1	174	15.5
2	2	89	7.9
3	3	74	6.6
4	4	53	4.7
5	5	47	4.2
6	6	101	9.0
7	7	51	4.5
8	8	37	3.3
9	9	62	5.5
10	10	55	4.9
11	11	60	5.3
12	12	316	28.1
No response	N	9	.
Logical skip	S	841	.
		1974	100.0

HU5	
LABEL	In the most recent month that you used heroin, how many days per month did you typically use it?
TYPE	num
LENGTH	8
VARNUM	1455

HU5: Distribution	Value	n	%
0	0	12	0.8
1	1	186	11.6
2	2	69	4.3
3	3	54	3.4
4	4	34	2.1
5	5	44	2.8
6	6	20	1.3
7	7	29	1.8
8	8	8	0.5
9	9	4	0.3
10	10	41	2.6
11	11	1	0.1
12	12	13	0.8
13	13	1	0.1
14	14	13	0.8
15	15	51	3.2
16	16	3	0.2
17	17	4	0.3
18	18	6	0.4
20	20	68	4.3
21	21	6	0.4
22	22	4	0.3
23	23	6	0.4
24	24	8	0.5
25	25	53	3.3
26	26	2	0.1
27	27	9	0.6
28	28	22	1.4
29	29	16	1.0
30	30	810	50.7
No response	N	11	.
Logical skip	S	366	.
		1974	100.0

HU6	
LABEL	In the past 90 days, how many days did you use heroin? ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment)

HU6	
TYPE	num
LENGTH	8
VARNUM	1456

HU6: Distribution	Value	n	%
0	0	53	6.2
1	1	47	5.5
2	2	36	4.2
3	3	26	3.0
4	4	16	1.9
5	5	22	2.6
6	6	22	2.6
7	7	15	1.8
8	8	9	1.1
9	9	4	0.5
10	10	21	2.5
11	11	1	0.1
12	12	8	0.9
14	14	5	0.6
15	15	15	1.8
17	17	1	0.1
18	18	2	0.2
20	20	18	2.1
21	21	1	0.1
24	24	2	0.2
25	25	13	1.5
26	26	1	0.1
27	27	1	0.1
28	28	1	0.1
30	30	54	6.3
32	32	1	0.1
35	35	5	0.6
36	36	2	0.2
40	40	11	1.3
42	42	2	0.2
43	43	1	0.1
45	45	15	1.8

HU6: Distribution	Value	n	%
50	50	9	1.1
54	54	1	0.1
55	55	8	0.9
59	59	2	0.2
60	60	54	6.3
61	61	3	0.4
63	63	1	0.1
65	65	7	0.8
66	66	2	0.2
67	67	3	0.4
68	68	3	0.4
70	70	21	2.5
75	75	35	4.1
76	76	3	0.4
78	78	1	0.1
79	79	1	0.1
80	80	27	3.2
81	81	3	0.4
82	82	2	0.2
83	83	5	0.6
84	84	2	0.2
85	85	15	1.8
86	86	4	0.5
87	87	2	0.2
88	88	14	1.6
89	89	9	1.1
90	90	186	21.8
No response	N	6	.
Logical skip	S	1114	.
		<i>1974</i>	<i>100.0</i>

HU7	
LABEL	In the most recent month that you used heroin, how much heroin did you typically consume per day? (Select one.)
TYPE	num
LENGTH	8
VARNUM	1457

HU7: Distribution	Value	n	%
One small bag	1	265	16.6
2-3 small bags	2	325	20.3
4-6 small bags	3	189	11.8
More than 6 small bags	4	102	6.4
Less than one gram	5	311	19.4
More than one gram	6	407	25.5
No response	N	9	.
Logical skip	S	366	.
		1974	100.0

HU7_GMS	
LABEL	Specify how many grams (of heroin you typically consume per day)
TYPE	num
LENGTH	8
VARNUM	1458

HU7_GMS: Distribution	Value	n	%
1	1	55	13.5
1.2	1.2	3	0.7
1.3	1.3	1	0.2
1.5	1.5	67	16.4
2	2	167	40.9
2.5	2.5	10	2.5
3	3	56	13.7
3.1	3.1	2	0.5
3.5	3.5	9	2.2
4	4	18	4.4
5	5	8	2.0
6	6	4	1.0
6.2	6.2	1	0.2
7	7	1	0.2
9	9	2	0.5
10	10	2	0.5
15	15	1	0.2
28	28	1	0.2
No response	N	1200	.

HU7_GMS: Distribution	Value	n	%
Logical skip	S	366	.
		1974	100.0

HU8	
LABEL	In the most recent month that you used heroin, how many times per day did you typically use it?
TYPE	num
LENGTH	8
VARNUM	1459

HU8: Distribution	Value	n	%
1	1	222	14.1
2	2	256	16.3
3	3	336	21.4
4	4	212	13.5
5	5	193	12.3
6	6	138	8.8
7	7	23	1.5
8	8	35	2.2
9	9	8	0.5
10	10	66	4.2
11	11	1	0.1
12	12	9	0.6
13	13	2	0.1
14	14	2	0.1
15	15	11	0.7
16	16	1	0.1
18	18	1	0.1
20	20	9	0.6
24	24	3	0.2
25	25	2	0.1
28	28	3	0.2
30	30	36	2.3
No response	N	39	.
Logical skip	S	366	.
		1974	100.0

DO1	
LABEL	Have you ever had a drug overdose in your life?
TYPE	num
LENGTH	8
VARNUM	1460

DO1: Distribution	Value	n	%
Yes	1	827	41.9
No	2	1102	55.8
No Answer	3	45	2.3
No response	N	0	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

DO10_1	
LABEL	Thinking about your last overdose that involved opioids... Did someone call... 911 or Emergency Medical Service (EMS)?
TYPE	num
LENGTH	8
VARNUM	1461

DO10_1: Distribution	Value	n	%
No	0	398	48.2
Yes	1	427	51.8
No response	N	2	.
Logical skip	S	1147	.
		<i>1974</i>	<i>100.0</i>

DO10_2	
LABEL	Thinking about your last overdose that involved opioids... Did someone call... Police or fire department?
TYPE	num
LENGTH	8
VARNUM	1462

DO10_2: Distribution	Value	n	%
No	0	741	89.8
Yes	1	84	10.2
No response	N	2	.
Logical skip	S	1147	.
		1974	100.0

DO10_3	
LABEL	Thinking about your last overdose that involved opioids... Did someone call... Friend(s)?
TYPE	num
LENGTH	8
VARNUM	1463

DO10_3: Distribution	Value	n	%
No	0	637	77.2
Yes	1	188	22.8
No response	N	2	.
Logical skip	S	1147	.
		1974	100.0

DO10_4	
LABEL	Thinking about your last overdose that involved opioids... Did someone call... Someone else?
TYPE	num
LENGTH	8
VARNUM	1464

DO10_4: Distribution	Value	n	%
No	0	730	88.5
Yes	1	95	11.5
No response	N	2	.
Logical skip	S	1147	.
		1974	100.0

DO10_5	
LABEL	Thinking about your last overdose that involved opioids... Did someone call... None of these apply?
TYPE	num
LENGTH	8
VARNUM	1465

DO10_5: Distribution	Value	n	%
No	0	624	75.6
Yes	1	201	24.4
No response	N	2	.
Logical skip	S	1147	.
		1974	100.0

DO11	
LABEL	Did the Emergency Medical Services come to treat you on site?
TYPE	num
LENGTH	8
VARNUM	1466

DO11: Distribution	Value	n	%
Yes	1	498	60.3
No	2	328	39.7
No response	N	1	.
Logical skip	S	1147	.
		1974	100.0

DO12	
LABEL	Were you administered naloxone?
TYPE	num
LENGTH	8
VARNUM	1467

DO12: Distribution	Value	n	%
Yes	1	542	65.8
No	2	282	34.2
No response	N	3	.

DO12: Distribution	Value	n	%
Logical skip	S	1147	.
		1974	100.0

DO13	
LABEL	Who provided the naloxone?
TYPE	num
LENGTH	8
VARNUM	1468

DO13: Distribution	Value	n	%
First responder (Emergency Medical Service /police/fire fighter)	1	374	69.0
A person with me had naloxone and gave it to me	2	106	19.6
Other professional (i.e. counselor, CBO staff, etc.)	3	7	1.3
I had naloxone and someone gave it to me	4	41	7.6
Other way (specify):	5	14	2.6
No response	N	3	.
Logical skip	S	1429	.
		1974	100.0

DO14	
LABEL	Were you taken to an Emergency Department?
TYPE	num
LENGTH	8
VARNUM	1469

DO14: Distribution	Value	n	%
Yes	1	450	54.6
No	2	374	45.4
No response	N	3	.
Logical skip	S	1147	.
		1974	100.0

DO15_1	
LABEL	What other drugs were you on at the time of your overdose? Prescription opioids used non-medically (e.g., OxyContin, Percocet, Dilaudid, Opana, Vicodin, Duragesic, Ultram, Morphine, Tramadol)?
TYPE	num
LENGTH	8
VARNUM	1470

DO15_1: Distribution	Value	n	%
No	0	663	81.1
Yes	1	155	18.9
No response	N	9	.
Logical skip	S	1147	.
		1974	100.0

DO15_2	
LABEL	What other drugs were you on at the time of your overdose? Prescription opioid treatment medications used non-medically (e.g., Methadone, Suboxone)?
TYPE	num
LENGTH	8
VARNUM	1471

DO15_2: Distribution	Value	n	%
No	0	768	93.9
Yes	1	50	6.1
No response	N	9	.
Logical skip	S	1147	.
		1974	100.0

DO15_3	
LABEL	What other drugs were you on at the time of your overdose? Prescription stimulants used non-medically (e.g., Ritalin, Adderall)?
TYPE	num
LENGTH	8
VARNUM	1472

DO15_3: Distribution	Value	n	%
No	0	789	96.5

DO15_3: Distribution	Value	n	%
Yes	1	29	3.5
No response	N	9	.
Logical skip	S	1147	.
		<i>1974</i>	<i>100.0</i>

DO15_4	
LABEL	What other drugs were you on at the time of your overdose? Prescription sedatives used non-medically (e.g., Xanax, Klonopin, Ativan)?
TYPE	num
LENGTH	8
VARNUM	1473

DO15_4: Distribution	Value	n	%
No	0	655	80.1
Yes	1	163	19.9
No response	N	9	.
Logical skip	S	1147	.
		<i>1974</i>	<i>100.0</i>

DO15_5	
LABEL	What other drugs were you on at the time of your overdose? Heroin?
TYPE	num
LENGTH	8
VARNUM	1474

DO15_5: Distribution	Value	n	%
No	0	318	38.9
Yes	1	500	61.1
No response	N	9	.
Logical skip	S	1147	.
		<i>1974</i>	<i>100.0</i>

DO15_6	
LABEL	What other drugs were you on at the time of your overdose? Illicitly-made fentanyl (not the prescription Duragesic patches)?

DO15_6	
TYPE	num
LENGTH	8
VARNUM	1475

DO15_6: Distribution	Value	n	%
No	0	695	85.0
Yes	1	123	15.0
No response	N	9	.
Logical skip	S	1147	.
		1974	100.0

DO15_7	
LABEL	What other drugs were you on at the time of your overdose? Neuropathics used non-medically (e.g., gabapentin, pregabalin)?
TYPE	num
LENGTH	8
VARNUM	1476

DO15_7: Distribution	Value	n	%
No	0	789	96.5
Yes	1	29	3.5
No response	N	9	.
Logical skip	S	1147	.
		1974	100.0

DO15_8	
LABEL	What other drugs were you on at the time of your overdose? Marijuana/ Cannabis?
TYPE	num
LENGTH	8
VARNUM	1477

DO15_8: Distribution	Value	n	%
No	0	695	85.0
Yes	1	123	15.0
No response	N	9	.

DO15_8: Distribution	Value	n	%
Logical skip	S	1147	.
		1974	100.0

DO15_9	
LABEL	What other drugs were you on at the time of your overdose? Cocaine/Crack (e.g., powder, rock, or in any form/combination)?
TYPE	num
LENGTH	8
VARNUM	1478

DO15_9: Distribution	Value	n	%
No	0	697	85.2
Yes	1	121	14.8
No response	N	9	.
Logical skip	S	1147	.
		1974	100.0

DO15_10	
LABEL	What other drugs were you on at the time of your overdose? Methamphetamine/crank?
TYPE	num
LENGTH	8
VARNUM	1479

DO15_10: Distribution	Value	n	%
No	0	693	84.7
Yes	1	125	15.3
No response	N	9	.
Logical skip	S	1147	.
		1974	100.0

DO15_11	
LABEL	What other drugs were you on at the time of your overdose? Krokodil?
TYPE	num
LENGTH	8
VARNUM	1480

DO15_11: Distribution	Value	n	%
No	0	815	99.6
Yes	1	3	0.4
No response	N	9	.
Logical skip	S	1147	.
		<i>1974</i>	<i>100.0</i>

DO15_12	
LABEL	What other drugs were you on at the time of your overdose? Ecstasy, PCPs, or other synthetics?
TYPE	num
LENGTH	8
VARNUM	1481

DO15_12: Distribution	Value	n	%
No	0	801	97.9
Yes	1	17	2.1
No response	N	9	.
Logical skip	S	1147	.
		<i>1974</i>	<i>100.0</i>

DO15_13	
LABEL	What other drugs were you on at the time of your overdose? Inhalants?
TYPE	num
LENGTH	8
VARNUM	1482

DO15_13: Distribution	Value	n	%
No	0	813	99.4
Yes	1	5	0.6
No response	N	9	.
Logical skip	S	1147	.
		<i>1974</i>	<i>100.0</i>

DO15_14	
LABEL	What other drugs were you on at the time of your overdose? Alcohol?
TYPE	num
LENGTH	8
VARNUM	1483

DO15_14: Distribution	Value	n	%
No	0	670	81.9
Yes	1	148	18.1
No response	N	9	.
Logical skip	S	1147	.
		1974	100.0

DO15_15	
LABEL	What other drugs were you on at the time of your overdose? Tobacco?
TYPE	num
LENGTH	8
VARNUM	1484

DO15_15: Distribution	Value	n	%
No	0	509	62.2
Yes	1	309	37.8
No response	N	9	.
Logical skip	S	1147	.
		1974	100.0

PD1A	
LABEL	What sex were you assigned at birth, on your original birth certificate?
TYPE	num
LENGTH	8
VARNUM	1485

PD1A: Distribution	Value	n	%
Male	1	913	46.3
Female	2	1061	53.7
No Answer	3	0	.

PD1A: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

PD2_1	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Anemia?
TYPE	num
LENGTH	8
VARNUM	1486

PD2_1: Distribution	Value	n	%
No	0	1679	86.6
Yes	1	259	13.4
No response	N	36	.
Logical skip	S	0	.
		1974	100.0

PD2_2	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Arthritis?
TYPE	num
LENGTH	8
VARNUM	1487

PD2_2: Distribution	Value	n	%
No	0	1585	81.8
Yes	1	353	18.2
No response	N	36	.
Logical skip	S	0	.
		1974	100.0

PD2_3	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Asthma?
TYPE	num

PD2_3	
LENGTH	8
VARNUM	1488

PD2_3: Distribution	Value	n	%
No	0	1573	81.2
Yes	1	365	18.8
No response	N	36	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

PD2_4	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Cancer?
TYPE	num
LENGTH	8
VARNUM	1489

PD2_4: Distribution	Value	n	%
No	0	1868	96.4
Yes	1	70	3.6
No response	N	36	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

PD2_5	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Cirrhosis of the liver?
TYPE	num
LENGTH	8
VARNUM	1490

PD2_5: Distribution	Value	n	%
No	0	1902	98.1
Yes	1	36	1.9
No response	N	36	.

PD2_5: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

PD2_6	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Diabetes Type I?
TYPE	num
LENGTH	8
VARNUM	1491

PD2_6: Distribution	Value	n	%
No	0	1903	98.2
Yes	1	35	1.8
No response	N	36	.
Logical skip	S	0	.
		1974	100.0

PD2_7	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Diabetes Type II?
TYPE	num
LENGTH	8
VARNUM	1492

PD2_7: Distribution	Value	n	%
No	0	1865	96.2
Yes	1	73	3.8
No response	N	36	.
Logical skip	S	0	.
		1974	100.0

PD2_8	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Fibromyalgia?
TYPE	num

PD2_8	
LENGTH	8
VARNUM	1493

PD2_8: Distribution	Value	n	%
No	0	1838	94.8
Yes	1	100	5.2
No response	N	36	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

PD2_9	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Heart Disease?
TYPE	num
LENGTH	8
VARNUM	1494

PD2_9: Distribution	Value	n	%
No	0	1868	96.4
Yes	1	70	3.6
No response	N	36	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

PD2_10	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Hepatitis C?
TYPE	num
LENGTH	8
VARNUM	1495

PD2_10: Distribution	Value	n	%
No	0	1410	72.8
Yes	1	528	27.2
No response	N	36	.

PD2_10: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

PD2_11	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? High Blood Pressure (Hypertension)?
TYPE	num
LENGTH	8
VARNUM	1496

PD2_11: Distribution	Value	n	%
No	0	1548	79.9
Yes	1	390	20.1
No response	N	36	.
Logical skip	S	0	.
		1974	100.0

PD2_12	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? HIV/AIDS?
TYPE	num
LENGTH	8
VARNUM	1497

PD2_12: Distribution	Value	n	%
No	0	1908	98.5
Yes	1	30	1.5
No response	N	36	.
Logical skip	S	0	.
		1974	100.0

PD2_13	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Osteoporosis?
TYPE	num

PD2_13	
LENGTH	8
VARNUM	1498

PD2_13: Distribution	Value	n	%
No	0	1888	97.4
Yes	1	50	2.6
No response	N	36	.
Logical skip	S	0	.
		1974	100.0

PD2_14	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Pancreatitis?
TYPE	num
LENGTH	8
VARNUM	1499

PD2_14: Distribution	Value	n	%
No	0	1908	98.5
Yes	1	30	1.5
No response	N	36	.
Logical skip	S	0	.
		1974	100.0

PD2_15	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Pneumonia?
TYPE	num
LENGTH	8
VARNUM	1500

PD2_15: Distribution	Value	n	%
No	0	1767	91.2
Yes	1	171	8.8
No response	N	36	.

PD2_15: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

PD2_16	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Sexually Transmitted Disease (e.g. chlamydia, herpes, syphilis, gonorrhea)?
TYPE	num
LENGTH	8
VARNUM	1501

PD2_16: Distribution	Value	n	%
No	0	1744	90.0
Yes	1	194	10.0
No response	N	36	.
Logical skip	S	0	.
		1974	100.0

PD2_17	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Sleep apnea?
TYPE	num
LENGTH	8
VARNUM	1502

PD2_17: Distribution	Value	n	%
No	0	1805	93.1
Yes	1	133	6.9
No response	N	36	.
Logical skip	S	0	.
		1974	100.0

PD2_18	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Stroke?
TYPE	num

PD2_18	
LENGTH	8
VARNUM	1503

PD2_18: Distribution	Value	n	%
No	0	1892	97.6
Yes	1	46	2.4
No response	N	36	.
Logical skip	S	0	.
		1974	100.0

PD2_20	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Ulcer(s)?
TYPE	num
LENGTH	8
VARNUM	1504

PD2_20: Distribution	Value	n	%
No	0	1811	93.4
Yes	1	127	6.6
No response	N	36	.
Logical skip	S	0	.
		1974	100.0

PD2_21	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Other condition/none of the above?
TYPE	num
LENGTH	8
VARNUM	1505

PD2_21: Distribution	Value	n	%
No	0	1314	67.8
Yes	1	624	32.2
No response	N	36	.

PD2_21: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

HV1	
LABEL	Have you ever been tested for HIV/AIDS?
TYPE	num
LENGTH	8
VARNUM	1506

HV1: Distribution	Value	n	%
Yes	1	1729	87.7
No	2	243	12.3
No response	N	2	.
Logical skip	S	0	.
		1974	100.0

HV3	
LABEL	Do you know the results of your most recent HIV test?
TYPE	num
LENGTH	8
VARNUM	1507

HV3: Distribution	Value	n	%
No, I took the test but did not get the result	1	50	2.9
Yes, it was negative	2	1641	95.1
Yes, it was positive	3	35	2.0
No response	N	5	.
Logical skip	S	243	.
		1974	100.0

HC1	
LABEL	Have you ever been tested for Hepatitis C?
TYPE	num

HC1	
LENGTH	8
VARNUM	1508

HC1: Distribution	Value	n	%
Yes	1	1669	84.8
No	2	299	15.2
No response	N	6	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

HC3	
LABEL	Do you know the results of your most recent Hepatitis C test?
TYPE	num
LENGTH	8
VARNUM	1509

HC3: Distribution	Value	n	%
No, I took the test but did not get the result	1	58	3.5
Yes, it was negative	2	1140	68.5
Yes, it was positive	3	466	28.0
No response	N	11	.
Logical skip	S	299	.
		<i>1974</i>	<i>100.0</i>

HC4	
LABEL	Did you receive treatment for Hepatitis C?
TYPE	num
LENGTH	8
VARNUM	1510

HC4: Distribution	Value	n	%
Yes	1	100	21.6
No	2	364	78.4
No response	N	13	.

HC4: Distribution	Value	n	%
Logical skip	S	1497	.
		1974	100.0

EQ1	
LABEL	How is your mobility?
TYPE	num
LENGTH	8
VARNUM	1511

EQ1: Distribution	Value	n	%
I have no problems in walking about	1	1320	67.1
I have slight problems in walking about	2	321	16.3
I have moderate problems in walking about	3	210	10.7
I have severe problems in walking about	4	99	5.0
I am unable to walk about	5	17	0.9
No response	N	7	.
Logical skip	S	0	.
		1974	100.0

EQ2	
LABEL	How well can you care for yourself?
TYPE	num
LENGTH	8
VARNUM	1512

EQ2: Distribution	Value	n	%
I have no problems washing or dressing myself	1	1713	87.1
I have slight problems washing or dressing myself	2	156	7.9
I have moderate problems washing or dressing myself	3	68	3.5
I have severe problems washing or dressing myself	4	19	1.0

EQ2: Distribution	Value	n	%
I am unable to wash or dress myself	5	10	0.5
No response	N	8	.
Logical skip	S	0	.
		1974	100.0

EQ3	
LABEL	How are you at regular activities (e.g. work, study, housework, family or leisure activities)?
TYPE	num
LENGTH	8
VARNUM	1513

EQ3: Distribution	Value	n	%
I have no problems doing my usual activities	1	1351	68.7
I have slight problems doing my usual activities	2	335	17.0
I have moderate problems doing my usual activities	3	191	9.7
I have severe problems doing my usual activities	4	72	3.7
I am unable to do my usual activities	5	18	0.9
No response	N	7	.
Logical skip	S	0	.
		1974	100.0

EQ4	
LABEL	How is your pain or discomfort?
TYPE	num
LENGTH	8
VARNUM	1514

EQ4: Distribution	Value	n	%
I have no pain or discomfort	1	609	30.9
I have slight pain or discomfort	2	499	25.3
I have moderate pain or discomfort	3	543	27.6

EQ4: Distribution	Value	n	%
I have severe pain or discomfort	4	224	11.4
I have extreme pain or discomfort	5	94	4.8
No response	N	5	.
Logical skip	S	0	.
		1974	100.0

EQ5	
LABEL	How is your anxiety or depression?
TYPE	num
LENGTH	8
VARNUM	1515

EQ5: Distribution	Value	n	%
I am not anxious or depressed	1	438	22.2
I am slightly anxious or depressed	2	527	26.8
I am moderately anxious or depressed	3	551	28.0
I am severely anxious or depressed	4	287	14.6
I am extremely anxious or depressed	5	166	8.4
No response	N	5	.
Logical skip	S	0	.
		1974	100.0

EQ6	
LABEL	We would like to know how good or bad your health is today. (This scale is numbered from 0 to 100. 100 means the best health you can imagine. 0 means the worst health you can imagine. Enter a number from 1 to 100.) My health today is?
TYPE	num
LENGTH	8
VARNUM	1516

EQ6: Distribution	Value	n	%
1	1	11	0.6
2	2	3	0.2

EQ6: Distribution	Value	n	%
3	3	3	0.2
4	4	3	0.2
5	5	9	0.5
6	6	2	0.1
7	7	8	0.4
8	8	1	0.1
9	9	2	0.1
10	10	18	0.9
15	15	3	0.2
20	20	19	1.0
22	22	1	0.1
25	25	15	0.8
29	29	1	0.1
30	30	23	1.2
33	33	3	0.2
35	35	10	0.5
36	36	1	0.1
37	37	1	0.1
38	38	1	0.1
39	39	1	0.1
40	40	42	2.1
45	45	18	0.9
48	48	1	0.1
49	49	2	0.1
50	50	187	9.5
52	52	1	0.1
54	54	3	0.2
55	55	13	0.7
56	56	4	0.2
58	58	2	0.1
59	59	4	0.2
60	60	87	4.4
63	63	1	0.1
64	64	1	0.1
65	65	39	2.0
66	66	3	0.2
67	67	5	0.3
68	68	5	0.3

EQ6: Distribution	Value	n	%
69	69	6	0.3
70	70	148	7.5
72	72	6	0.3
73	73	4	0.2
74	74	3	0.2
75	75	207	10.5
76	76	2	0.1
77	77	5	0.3
78	78	16	0.8
79	79	8	0.4
80	80	225	11.4
82	82	1	0.1
83	83	5	0.3
84	84	1	0.1
85	85	154	7.8
86	86	5	0.3
87	87	6	0.3
88	88	20	1.0
89	89	25	1.3
90	90	230	11.7
91	91	4	0.2
92	92	7	0.4
93	93	5	0.3
95	95	101	5.1
96	96	5	0.3
97	97	5	0.3
98	98	20	1.0
99	99	25	1.3
100	100	162	8.2
No response	N	6	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

BF1	
LABEL	How you are feeling physically?
TYPE	num

BF1	
LENGTH	8
VARNUM	1517

BF1: Distribution	Value	n	%
Excellent	1	206	10.5
Very good	2	450	22.8
Good	3	731	37.1
Fair	4	454	23.0
Poor	5	129	6.5
No response	N	4	.
Logical skip	S	0	.
		1974	100.0

BF2	
LABEL	Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	1518

BF2: Distribution	Value	n	%
0	0	715	36.5
1	1	74	3.8
2	2	157	8.0
3	3	90	4.6
4	4	59	3.0
5	5	119	6.1
6	6	16	0.8
7	7	47	2.4
8	8	13	0.7
9	9	9	0.5
10	10	129	6.6
11	11	5	0.3
12	12	19	1.0
13	13	6	0.3
14	14	13	0.7

BF2: Distribution	Value	n	%
15	15	119	6.1
16	16	3	0.2
17	17	4	0.2
18	18	6	0.3
19	19	3	0.2
20	20	95	4.8
21	21	6	0.3
22	22	2	0.1
23	23	1	0.1
24	24	1	0.1
25	25	36	1.8
26	26	3	0.2
27	27	8	0.4
28	28	11	0.6
29	29	7	0.4
30	30	185	9.4
No response	N	13	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

BF3	
LABEL	Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	1519

BF3: Distribution	Value	n	%
0	0	501	25.5
1	1	63	3.2
2	2	95	4.8
3	3	75	3.8
4	4	48	2.4
5	5	140	7.1
6	6	26	1.3
7	7	30	1.5

BF3: Distribution	Value	n	%
8	8	18	0.9
9	9	5	0.3
10	10	162	8.3
11	11	3	0.2
12	12	12	0.6
13	13	8	0.4
14	14	17	0.9
15	15	190	9.7
16	16	4	0.2
17	17	8	0.4
18	18	6	0.3
19	19	5	0.3
20	20	144	7.3
21	21	7	0.4
22	22	6	0.3
23	23	7	0.4
24	24	2	0.1
25	25	74	3.8
26	26	7	0.4
27	27	13	0.7
28	28	14	0.7
29	29	4	0.2
30	30	268	13.7
No response	N	12	.
Logical skip	S	0	.
		1974	100.0

BF4	
LABEL	During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	1520

BF4: Distribution	Value	n	%
0	0	759	38.7

BF4: Distribution	Value	n	%
1	1	74	3.8
2	2	91	4.6
3	3	66	3.4
4	4	45	2.3
5	5	155	7.9
6	6	15	0.8
7	7	33	1.7
8	8	16	0.8
9	9	3	0.2
10	10	136	6.9
11	11	5	0.3
12	12	16	0.8
13	13	5	0.3
14	14	17	0.9
15	15	178	9.1
16	16	4	0.2
17	17	5	0.3
18	18	13	0.7
19	19	6	0.3
20	20	102	5.2
21	21	1	0.1
22	22	2	0.1
23	23	5	0.3
24	24	2	0.1
25	25	47	2.4
26	26	2	0.1
27	27	8	0.4
28	28	6	0.3
29	29	7	0.4
30	30	138	7.0
No response	N	12	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

BF5	
LABEL	These next questions are about physical, mental, or emotional problems or limitations you may have in your daily life. Are you LIMITED in any way in any activities because of any impairment or health problem?

BF5	
TYPE	num
LENGTH	8
VARNUM	1521

BF5: Distribution	Value	n	%
Yes	1	676	34.4
No	2	1288	65.6
No response	N	10	.
Logical skip	S	0	.
		1974	100.0

BF7_DAYS	
LABEL	For how long have your activities been limited because of your major impairment or health problem? (Days)
TYPE	num
LENGTH	8
VARNUM	1522

BF7_DAYS: Distribution	Value	n	%
0	0	138	24.3
1	1	42	7.4
2	2	22	3.9
3	3	18	3.2
4	4	16	2.8
5	5	23	4.0
6	6	15	2.6
7	7	22	3.9
8	8	3	0.5
9	9	2	0.4
10	10	18	3.2
11	11	1	0.2
12	12	1	0.2
14	14	3	0.5
15	15	19	3.3
16	16	2	0.4
17	17	2	0.4
18	18	1	0.2

BF7_DAYS: Distribution	Value	n	%
19	19	1	0.2
20	20	21	3.7
21	21	2	0.4
22	22	4	0.7
23	23	2	0.4
24	24	2	0.4
25	25	8	1.4
28	28	4	0.7
29	29	5	0.9
30	30	172	30.2
No response	N	117	.
Logical skip	S	1288	.
		<i>1974</i>	<i>100.0</i>

BF7_WKS	
LABEL	For how long have your activities been limited because of your major impairment or health problem? (Weeks)
TYPE	num
LENGTH	8
VARNUM	1523

BF7_WKS: Distribution	Value	n	%
0	0	151	26.7
1	1	65	11.5
2	2	57	10.1
3	3	48	8.5
4	4	85	15.0
5	5	159	28.1
No response	N	121	.
Logical skip	S	1288	.
		<i>1974</i>	<i>100.0</i>

BF7_MONTHS	
LABEL	For how long have your activities been limited because of your major impairment or health problem? (Months)
TYPE	num

BF7_MONTHS	
LENGTH	8
VARNUM	1524

BF7_MONTHS: Distribution	Value	n	%
0	0	135	22.0
1	1	62	10.1
2	2	46	7.5
3	3	30	4.9
4	4	19	3.1
5	5	39	6.4
6	6	39	6.4
7	7	20	3.3
8	8	15	2.4
9	9	7	1.1
10	10	18	2.9
11	11	25	4.1
12	12	158	25.8
No response	N	73	.
Logical skip	S	1288	.
		1974	100.0

BF7_YEARS	
LABEL	For how long have your activities been limited because of your major impairment or health problem? (Years)
TYPE	num
LENGTH	8
VARNUM	1525

BF7_YEARS: Distribution	Value	n	%
0	0	68	10.6
1	1	46	7.2
2	2	47	7.3
3	3	39	6.1
4	4	26	4.0
5	5	58	9.0
6	6	24	3.7
7	7	23	3.6

BF7_YEARS: Distribution	Value	n	%
8	8	24	3.7
9	9	11	1.7
10	10	70	10.9
11	11	7	1.1
12	12	23	3.6
13	13	7	1.1
14	14	5	0.8
15	15	42	6.5
16	16	7	1.1
17	17	2	0.3
18	18	8	1.2
19	19	6	0.9
20	20	39	6.1
21	21	2	0.3
22	22	1	0.2
23	23	3	0.5
24	24	2	0.3
25	25	12	1.9
26	26	4	0.6
27	27	2	0.3
28	28	4	0.6
29	29	2	0.3
30	30	7	1.1
31	31	3	0.5
32	32	2	0.3
34	34	1	0.2
35	35	5	0.8
40	40	5	0.8
42	42	1	0.2
44	44	1	0.2
45	45	1	0.2
49	49	1	0.2
50	50	1	0.2
No response	N	44	.
Logical skip	S	1288	.
		<i>1974</i>	<i>100.0</i>

BF8	
LABEL	Because of any impairment or health problem, do you need the help of other persons with your personal care needs, such as eating, bathing, dressing, or getting around the house?
TYPE	num
LENGTH	8
VARNUM	1526

BF8: Distribution	Value	n	%
Yes	1	171	8.7
No	2	1785	91.3
No response	N	18	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

BF9	
LABEL	Because of any impairment or health problem, do you need the help of other persons in handling your routine needs, such as everyday household chores, doing necessary business, shopping, or getting around for other purposes?
TYPE	num
LENGTH	8
VARNUM	1527

BF9: Distribution	Value	n	%
Yes	1	314	16.0
No	2	1643	84.0
No response	N	17	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

BF10	
LABEL	During the past 30 days, for about how many days did PAIN make it hard for you to do your usual activities, such as self-care, work, or recreation? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	1528

BF10: Distribution	Value	n	%
0	0	841	42.8

BF10: Distribution	Value	n	%
1	1	59	3.0
2	2	107	5.5
3	3	66	3.4
4	4	46	2.3
5	5	130	6.6
6	6	18	0.9
7	7	40	2.0
8	8	18	0.9
9	9	5	0.3
10	10	101	5.1
11	11	3	0.2
12	12	21	1.1
13	13	3	0.2
14	14	6	0.3
15	15	97	4.9
17	17	2	0.1
18	18	2	0.1
19	19	1	0.1
20	20	82	4.2
21	21	4	0.2
22	22	4	0.2
23	23	3	0.2
24	24	3	0.2
25	25	42	2.1
26	26	4	0.2
27	27	6	0.3
28	28	5	0.3
29	29	7	0.4
30	30	237	12.1
No response	N	11	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

BF11	
LABEL	During the past 30 days, for about how many days have you felt SAD, BLUE, or DEPRESSED? (Enter 0 if zero days.)
TYPE	num

BF11	
LENGTH	8
VARNUM	1529

BF11: Distribution	Value	n	%
0	0	482	24.6
1	1	51	2.6
2	2	114	5.8
3	3	101	5.1
4	4	39	2.0
5	5	162	8.3
6	6	27	1.4
7	7	36	1.8
8	8	13	0.7
9	9	9	0.5
10	10	181	9.2
11	11	2	0.1
12	12	24	1.2
13	13	10	0.5
14	14	11	0.6
15	15	178	9.1
16	16	5	0.3
17	17	5	0.3
18	18	11	0.6
19	19	5	0.3
20	20	115	5.9
21	21	8	0.4
22	22	6	0.3
23	23	3	0.2
24	24	5	0.3
25	25	74	3.8
26	26	3	0.2
27	27	9	0.5
28	28	13	0.7
29	29	3	0.2
30	30	257	13.1
No response	N	12	.

BF11: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

BF12	
LABEL	During the past 30 days, for about how many days have you felt WORRIED, TENSE, or ANXIOUS? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	1530

BF12: Distribution	Value	n	%
0	0	398	20.3
1	1	49	2.5
2	2	114	5.8
3	3	84	4.3
4	4	40	2.0
5	5	153	7.8
6	6	24	1.2
7	7	44	2.2
8	8	11	0.6
9	9	4	0.2
10	10	160	8.2
11	11	3	0.2
12	12	11	0.6
13	13	4	0.2
14	14	16	0.8
15	15	159	8.1
16	16	3	0.2
17	17	4	0.2
18	18	7	0.4
19	19	2	0.1
20	20	138	7.0
21	21	10	0.5
22	22	9	0.5
23	23	6	0.3
24	24	3	0.2
25	25	77	3.9

BF12: Distribution	Value	n	%
26	26	5	0.3
27	27	6	0.3
28	28	19	1.0
29	29	9	0.5
30	30	388	19.8
No response	N	14	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

BF13	
LABEL	During the past 30 days, for about how many days have you felt you did NOT get ENOUGH REST or SLEEP? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	1531

BF13: Distribution	Value	n	%
0	0	417	21.3
1	1	25	1.3
2	2	66	3.4
3	3	46	2.3
4	4	48	2.5
5	5	136	6.9
6	6	18	0.9
7	7	56	2.9
8	8	16	0.8
9	9	6	0.3
10	10	160	8.2
11	11	1	0.1
12	12	22	1.1
13	13	7	0.4
14	14	18	0.9
15	15	197	10.1
16	16	6	0.3
17	17	9	0.5
18	18	11	0.6
19	19	2	0.1

BF13: Distribution	Value	n	%
20	20	188	9.6
21	21	6	0.3
22	22	7	0.4
23	23	5	0.3
24	24	5	0.3
25	25	93	4.7
26	26	6	0.3
27	27	4	0.2
28	28	20	1.0
29	29	8	0.4
30	30	350	17.9
No response	N	15	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

BF14	
LABEL	During the past 30 days, for about how many days have you felt VERY HEALTHY AND FULL OF ENERGY? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	1532

BF14: Distribution	Value	n	%
0	0	448	22.9
1	1	39	2.0
2	2	84	4.3
3	3	45	2.3
4	4	29	1.5
5	5	200	10.2
6	6	18	0.9
7	7	40	2.0
8	8	12	0.6
9	9	11	0.6
10	10	173	8.9
11	11	4	0.2
12	12	12	0.6
13	13	2	0.1

BF14: Distribution	Value	n	%
14	14	20	1.0
15	15	187	9.6
16	16	7	0.4
17	17	5	0.3
18	18	9	0.5
19	19	2	0.1
20	20	160	8.2
21	21	2	0.1
22	22	7	0.4
23	23	6	0.3
24	24	16	0.8
25	25	120	6.1
26	26	12	0.6
27	27	19	1.0
28	28	48	2.5
29	29	17	0.9
30	30	200	10.2
No response	N	20	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

MD1_1	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Major Depression/Clinical Depression?
TYPE	num
LENGTH	8
VARNUM	1533

MD1_1: Distribution	Value	n	%
No	0	1217	62.1
Yes	1	743	37.9
No response	N	14	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

MD1_2	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Bi-Polar Disorder/ Mania/Manic Depression?
TYPE	num
LENGTH	8
VARNUM	1534

MD1_2: Distribution	Value	n	%
No	0	1443	73.6
Yes	1	517	26.4
No response	N	14	.
Logical skip	S	0	.
		1974	100.0

MD1_3	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Dysthymia?
TYPE	num
LENGTH	8
VARNUM	1535

MD1_3: Distribution	Value	n	%
No	0	1947	99.3
Yes	1	13	0.7
No response	N	14	.
Logical skip	S	0	.
		1974	100.0

MD1_4	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Generalized Anxiety Disorder?
TYPE	num
LENGTH	8
VARNUM	1536

MD1_4: Distribution	Value	n	%
No	0	1258	64.2

MD1_4: Distribution	Value	n	%
Yes	1	702	35.8
No response	N	14	.
Logical skip	S	0	.
		1974	100.0

MD1_5	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Phobia (e.g. specific phobias like spiders, or general phobias like agoraphobia)?
TYPE	num
LENGTH	8
VARNUM	1537

MD1_5: Distribution	Value	n	%
No	0	1898	96.8
Yes	1	62	3.2
No response	N	14	.
Logical skip	S	0	.
		1974	100.0

MD1_6	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Post-Traumatic Stress Disorder/PTSD?
TYPE	num
LENGTH	8
VARNUM	1538

MD1_6: Distribution	Value	n	%
No	0	1434	73.2
Yes	1	526	26.8
No response	N	14	.
Logical skip	S	0	.
		1974	100.0

MD1_7	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Panic Disorder?

MD1_7	
TYPE	num
LENGTH	8
VARNUM	1539

MD1_7: Distribution	Value	n	%
No	0	1638	83.6
Yes	1	322	16.4
No response	N	14	.
Logical skip	S	0	.
		1974	100.0

MD1_8	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Conduct Disorder (before age 18)?
TYPE	num
LENGTH	8
VARNUM	1540

MD1_8: Distribution	Value	n	%
No	0	1939	98.9
Yes	1	21	1.1
No response	N	14	.
Logical skip	S	0	.
		1974	100.0

MD1_9	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Personality Disorder (e.g., Borderline Personality Disorder, Anti-social Personality Disorder)?
TYPE	num
LENGTH	8
VARNUM	1541

MD1_9: Distribution	Value	n	%
No	0	1815	92.6
Yes	1	145	7.4

MD1_9: Distribution	Value	n	%
No response	N	14	.
Logical skip	S	0	.
		1974	100.0

MD1_10	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Intermittent Explosive Disorder?
TYPE	num
LENGTH	8
VARNUM	1542

MD1_10: Distribution	Value	n	%
No	0	1939	98.9
Yes	1	21	1.1
No response	N	14	.
Logical skip	S	0	.
		1974	100.0

MD1_11	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Attention-Deficit Hyperactivity Disorder (ADHD)?
TYPE	num
LENGTH	8
VARNUM	1543

MD1_11: Distribution	Value	n	%
No	0	1661	84.7
Yes	1	299	15.3
No response	N	14	.
Logical skip	S	0	.
		1974	100.0

MD1_12	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Obsessive-Compulsive Disorder?
TYPE	num

MD1_12	
LENGTH	8
VARNUM	1544

MD1_12: Distribution	Value	n	%
No	0	1801	91.9
Yes	1	159	8.1
No response	N	14	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

MD1_13	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Eating Disorder (e.g., Anorexia Nervosa, Binge Eating Disorder)?
TYPE	num
LENGTH	8
VARNUM	1545

MD1_13: Distribution	Value	n	%
No	0	1873	95.6
Yes	1	87	4.4
No response	N	14	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

MD1_14	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Other Mental Health Condition?
TYPE	num
LENGTH	8
VARNUM	1546

MD1_14: Distribution	Value	n	%
No	0	1818	92.8
Yes	1	142	7.2
No response	N	14	.

MD1_14: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

MD1_15	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? None
TYPE	num
LENGTH	8
VARNUM	1547

MD1_15: Distribution	Value	n	%
No	0	1267	64.6
Yes	1	693	35.4
No response	N	14	.
Logical skip	S	0	.
		1974	100.0

MD2	
LABEL	At any time in the past 12 months, did you seriously think about trying to kill yourself? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1548

MD2: Distribution	Value	n	%
Yes	1	256	13.0
No	2	1708	87.0
No response	N	10	.
Logical skip	S	0	.
		1974	100.0

MD3	
LABEL	During the past 12 months, did you try to kill yourself? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num

MD3	
LENGTH	8
VARNUM	1549

MD3: Distribution	Value	n	%
Yes	1	69	3.5
No	2	1896	96.5
No response	N	9	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

PS1A	
LABEL	In the past 30 days, how often have you... Been upset because of something that happened unexpectedly?
TYPE	num
LENGTH	8
VARNUM	1550

PS1A: Distribution	Value	n	%
Never	1	233	12.0
Almost never	2	313	16.1
Sometimes	3	885	45.5
Fairly often	4	342	17.6
Very often	5	174	8.9
No response	N	27	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

PS1B	
LABEL	In the past 30 days, how often have you... Felt you were unable to control the important things in your life?
TYPE	num
LENGTH	8
VARNUM	1551

PS1B: Distribution	Value	n	%
Never	1	320	16.4

PS1B: Distribution	Value	n	%
Almost never	2	363	18.6
Sometimes	3	694	35.6
Fairly often	4	364	18.7
Very often	5	210	10.8
No response	N	23	.
Logical skip	S	0	.
		1974	100.0

PS1C	
LABEL	In the past 30 days, how often have you... Felt nervous and stressed?
TYPE	num
LENGTH	8
VARNUM	1552

PS1C: Distribution	Value	n	%
Never	1	184	9.4
Almost never	2	207	10.6
Sometimes	3	722	37.0
Fairly often	4	467	24.0
Very often	5	369	18.9
No response	N	25	.
Logical skip	S	0	.
		1974	100.0

PS1D	
LABEL	In the past 30 days, how often have you... Felt confident about your ability to handle your personal problems?
TYPE	num
LENGTH	8
VARNUM	1553

PS1D: Distribution	Value	n	%
Never	1	149	7.6
Almost never	2	214	11.0
Sometimes	3	707	36.3
Fairly often	4	537	27.6

PS1D: Distribution	Value	n	%
Very often	5	341	17.5
No response	N	26	.
Logical skip	S	0	.
		1974	100.0

PS1E	
LABEL	In the past 30 days, how often have you... Felt that things were not going your way?
TYPE	num
LENGTH	8
VARNUM	1554

PS1E: Distribution	Value	n	%
Never	1	212	10.9
Almost never	2	265	13.6
Sometimes	3	848	43.6
Fairly often	4	385	19.8
Very often	5	235	12.1
No response	N	29	.
Logical skip	S	0	.
		1974	100.0

PS1F	
LABEL	In the past 30 days, how often have you... Found that you could not cope with all the things you had to do?
TYPE	num
LENGTH	8
VARNUM	1555

PS1F: Distribution	Value	n	%
Never	1	365	18.7
Almost never	2	411	21.1
Sometimes	3	700	36.0
Fairly often	4	289	14.8
Very often	5	182	9.3
No response	N	27	.

PS1F: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

PS1G	
LABEL	In the past 30 days, how often have you... Been able to control irritations in your life?
TYPE	num
LENGTH	8
VARNUM	1556

PS1G: Distribution	Value	n	%
Never	1	145	7.4
Almost never	2	224	11.5
Sometimes	3	801	41.1
Fairly often	4	505	25.9
Very often	5	272	14.0
No response	N	27	.
Logical skip	S	0	.
		1974	100.0

PS1H	
LABEL	In the past 30 days, how often have you... Felt you were on top of things?
TYPE	num
LENGTH	8
VARNUM	1557

PS1H: Distribution	Value	n	%
Never	1	159	8.2
Almost never	2	343	17.6
Sometimes	3	771	39.6
Fairly often	4	446	22.9
Very often	5	227	11.7
No response	N	28	.
Logical skip	S	0	.
		1974	100.0

PS1I	
LABEL	In the past 30 days, how often have you... Been angered because things were out of your control?
TYPE	num
LENGTH	8
VARNUM	1558

PS1I: Distribution	Value	n	%
Never	1	286	14.7
Almost never	2	356	18.2
Sometimes	3	770	39.5
Fairly often	4	339	17.4
Very often	5	200	10.3
No response	N	23	.
Logical skip	S	0	.
		1974	100.0

PS1J	
LABEL	In the past 30 days, how often have you... Felt difficulties were piling up so high that you could not overcome them?
TYPE	num
LENGTH	8
VARNUM	1559

PS1J: Distribution	Value	n	%
Never	1	337	17.3
Almost never	2	356	18.2
Sometimes	3	701	35.9
Fairly often	4	336	17.2
Very often	5	221	11.3
No response	N	23	.
Logical skip	S	0	.
		1974	100.0

PQ1A	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Little interest or pleasure in doing things?
TYPE	num

PQ1A	
LENGTH	8
VARNUM	1560

PQ1A: Distribution	Value	n	%
Not at all	1	753	38.7
Several days	2	673	34.6
More than half the days	3	300	15.4
Nearly every day	4	220	11.3
No response	N	28	.
Logical skip	S	0	.
		1974	100.0

PQ1B	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling down, depressed, or hopeless?
TYPE	num
LENGTH	8
VARNUM	1561

PQ1B: Distribution	Value	n	%
Not at all	1	670	34.4
Several days	2	699	35.9
More than half the days	3	338	17.4
Nearly every day	4	238	12.2
No response	N	29	.
Logical skip	S	0	.
		1974	100.0

PQ1C	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Trouble falling or staying asleep, or sleeping too much?
TYPE	num
LENGTH	8
VARNUM	1562

PQ1C: Distribution	Value	n	%
Not at all	1	565	29.0
Several days	2	599	30.8
More than half the days	3	388	19.9
Nearly every day	4	393	20.2
No response	N	29	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

PQ1D	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling tired or having little energy?
TYPE	num
LENGTH	8
VARNUM	1563

PQ1D: Distribution	Value	n	%
Not at all	1	482	24.8
Several days	2	770	39.6
More than half the days	3	352	18.1
Nearly every day	4	341	17.5
No response	N	29	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

PQ1E	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Poor appetite or overeating?
TYPE	num
LENGTH	8
VARNUM	1564

PQ1E: Distribution	Value	n	%
Not at all	1	786	40.5
Several days	2	612	31.5
More than half the days	3	318	16.4
Nearly every day	4	227	11.7

PQ1E: Distribution	Value	n	%
No response	N	31	.
Logical skip	S	0	.
		1974	100.0

PQ1F	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling bad about yourself or that you are a failure or have let yourself or your family down?
TYPE	num
LENGTH	8
VARNUM	1565

PQ1F: Distribution	Value	n	%
Not at all	1	720	37.0
Several days	2	625	32.2
More than half the days	3	316	16.3
Nearly every day	4	283	14.6
No response	N	30	.
Logical skip	S	0	.
		1974	100.0

PQ1G	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Trouble concentrating on things, such as reading the newspaper or watching television?
TYPE	num
LENGTH	8
VARNUM	1566

PQ1G: Distribution	Value	n	%
Not at all	1	831	42.7
Several days	2	616	31.6
More than half the days	3	277	14.2
Nearly every day	4	224	11.5
No response	N	26	.
Logical skip	S	0	.
		1974	100.0

PQ1H	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Moving /speaking so slowly that other people could have noticed? Or the opposite; being so fidgety/ restless that you have been moving around a lot more than usual?
TYPE	num
LENGTH	8
VARNUM	1567

PQ1H: Distribution	Value	n	%
Not at all	1	1202	61.8
Several days	2	436	22.4
More than half the days	3	186	9.6
Nearly every day	4	122	6.3
No response	N	28	.
Logical skip	S	0	.
		1974	100.0

PT1A	
LABEL	In your life, have you ever had any experience that was so frightening, horrible or upsetting that, in the past 30 days, you... Have had nightmares about it or thought about it when you did not want to?
TYPE	num
LENGTH	8
VARNUM	1568

PT1A: Distribution	Value	n	%
Yes	1	772	39.5
No	2	1183	60.5
No response	N	19	.
Logical skip	S	0	.
		1974	100.0

PT1B	
LABEL	In your life, have you ever had any experience that was so frightening, horrible or upsetting that, in the past 30 days, you... Tried hard not to think about it or went out of your way to avoid situations that reminded you of it?
TYPE	num

PT1B	
LENGTH	8
VARNUM	1569

PT1B: Distribution	Value	n	%
Yes	1	894	45.7
No	2	1062	54.3
No response	N	18	.
Logical skip	S	0	.
		1974	100.0

PT1C	
LABEL	In your life, have you ever had any experience that was so frightening, horrible or upsetting that, in the past 30 days, you... Were constantly on guard, watchful or easily startled?
TYPE	num
LENGTH	8
VARNUM	1570

PT1C: Distribution	Value	n	%
Yes	1	744	38.1
No	2	1209	61.9
No response	N	21	.
Logical skip	S	0	.
		1974	100.0

PT1D	
LABEL	In your life, have you ever had any experience that was so frightening, horrible or upsetting that, in the past 30 days, you... Felt numb or detached from others, activities, or your surroundings?
TYPE	num
LENGTH	8
VARNUM	1571

PT1D: Distribution	Value	n	%
Yes	1	853	43.7
No	2	1097	56.3
No response	N	24	.

PT1D: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

SO1A	
LABEL	Would you say you... There is a special person who is around when I am in need?
TYPE	num
LENGTH	8
VARNUM	1572

SO1A: Distribution	Value	n	%
Very Strongly Agree	1	825	42.6
Strongly Agree	2	399	20.6
Mildly Agree	3	211	10.9
Neutral	4	242	12.5
Mildly Disagree	5	84	4.3
Strongly Disagree	6	66	3.4
Very Strongly Disagree	7	111	5.7
No response	N	36	.
Logical skip	S	0	.
		1974	100.0

SO1B	
LABEL	Would you say you... There is a special person with whom I can share my joys and sorrows?
TYPE	num
LENGTH	8
VARNUM	1573

SO1B: Distribution	Value	n	%
Very Strongly Agree	1	871	44.9
Strongly Agree	2	412	21.2
Mildly Agree	3	206	10.6
Neutral	4	209	10.8
Mildly Disagree	5	81	4.2
Strongly Disagree	6	75	3.9
Very Strongly Disagree	7	87	4.5

SO1B: Distribution	Value	n	%
No response	N	33	.
Logical skip	S	0	.
		1974	100.0

SO1C	
LABEL	Would you say you... My family really tries to help me?
TYPE	num
LENGTH	8
VARNUM	1574

SO1C: Distribution	Value	n	%
Very Strongly Agree	1	753	38.9
Strongly Agree	2	397	20.5
Mildly Agree	3	239	12.3
Neutral	4	213	11.0
Mildly Disagree	5	87	4.5
Strongly Disagree	6	98	5.1
Very Strongly Disagree	7	149	7.7
No response	N	38	.
Logical skip	S	0	.
		1974	100.0

SO1D	
LABEL	Would you say you... I get the emotional help and support I need from my family?
TYPE	num
LENGTH	8
VARNUM	1575

SO1D: Distribution	Value	n	%
Very Strongly Agree	1	679	35.0
Strongly Agree	2	382	19.7
Mildly Agree	3	234	12.1
Neutral	4	241	12.4
Mildly Disagree	5	107	5.5
Strongly Disagree	6	124	6.4
Very Strongly Disagree	7	173	8.9

SO1D: Distribution	Value	n	%
No response	N	34	.
Logical skip	S	0	.
		1974	100.0

SO1E	
LABEL	Would you say you... I have a special person who is a real source of comfort to me?
TYPE	num
LENGTH	8
VARNUM	1576

SO1E: Distribution	Value	n	%
Very Strongly Agree	1	887	45.9
Strongly Agree	2	407	21.0
Mildly Agree	3	196	10.1
Neutral	4	200	10.3
Mildly Disagree	5	85	4.4
Strongly Disagree	6	68	3.5
Very Strongly Disagree	7	91	4.7
No response	N	40	.
Logical skip	S	0	.
		1974	100.0

SO1F	
LABEL	Would you say you... My friends really try to help me?
TYPE	num
LENGTH	8
VARNUM	1577

SO1F: Distribution	Value	n	%
Very Strongly Agree	1	534	27.6
Strongly Agree	2	370	19.1
Mildly Agree	3	284	14.7
Neutral	4	322	16.6
Mildly Disagree	5	145	7.5
Strongly Disagree	6	138	7.1
Very Strongly Disagree	7	144	7.4

SO1F: Distribution	Value	n	%
No response	N	37	.
Logical skip	S	0	.
		1974	100.0

SO1G	
LABEL	Would you say you... I can count on my friends when things go wrong?
TYPE	num
LENGTH	8
VARNUM	1578

SO1G: Distribution	Value	n	%
Very Strongly Agree	1	490	25.2
Strongly Agree	2	319	16.4
Mildly Agree	3	303	15.6
Neutral	4	328	16.9
Mildly Disagree	5	151	7.8
Strongly Disagree	6	167	8.6
Very Strongly Disagree	7	183	9.4
No response	N	33	.
Logical skip	S	0	.
		1974	100.0

SO1H	
LABEL	Would you say you... I can talk about my problems with my family?
TYPE	num
LENGTH	8
VARNUM	1579

SO1H: Distribution	Value	n	%
Very Strongly Agree	1	662	34.2
Strongly Agree	2	370	19.1
Mildly Agree	3	251	13.0
Neutral	4	247	12.8
Mildly Disagree	5	117	6.1
Strongly Disagree	6	113	5.8
Very Strongly Disagree	7	173	8.9

SO1H: Distribution	Value	n	%
No response	N	41	.
Logical skip	S	0	.
		1974	100.0

SO1I	
LABEL	Would you say you... I have friends with whom I can share my joys and sorrows?
TYPE	num
LENGTH	8
VARNUM	1580

SO1I: Distribution	Value	n	%
Very Strongly Agree	1	597	30.8
Strongly Agree	2	403	20.8
Mildly Agree	3	271	14.0
Neutral	4	279	14.4
Mildly Disagree	5	120	6.2
Strongly Disagree	6	131	6.7
Very Strongly Disagree	7	140	7.2
No response	N	33	.
Logical skip	S	0	.
		1974	100.0

SO1J	
LABEL	Would you say you... There is a special person in my life who cares about my feelings?
TYPE	num
LENGTH	8
VARNUM	1581

SO1J: Distribution	Value	n	%
Very Strongly Agree	1	938	48.3
Strongly Agree	2	379	19.5
Mildly Agree	3	201	10.3
Neutral	4	190	9.8
Mildly Disagree	5	74	3.8
Strongly Disagree	6	73	3.8
Very Strongly Disagree	7	88	4.5

SO1J: Distribution	Value	n	%
No response	N	31	.
Logical skip	S	0	.
		1974	100.0

SO1K	
LABEL	Would you say you... My family is willing to help me make decisions?
TYPE	num
LENGTH	8
VARNUM	1582

SO1K: Distribution	Value	n	%
Very Strongly Agree	1	682	35.2
Strongly Agree	2	434	22.4
Mildly Agree	3	230	11.9
Neutral	4	252	13.0
Mildly Disagree	5	100	5.2
Strongly Disagree	6	83	4.3
Very Strongly Disagree	7	155	8.0
No response	N	38	.
Logical skip	S	0	.
		1974	100.0

SO1L	
LABEL	Would you say you... I can talk about my problems with friends?
TYPE	num
LENGTH	8
VARNUM	1583

SO1L: Distribution	Value	n	%
Very Strongly Agree	1	577	29.8
Strongly Agree	2	394	20.4
Mildly Agree	3	285	14.7
Neutral	4	270	13.9
Mildly Disagree	5	130	6.7
Strongly Disagree	6	137	7.1
Very Strongly Disagree	7	143	7.4

SO1L: Distribution	Value	n	%
No response	N	38	.
Logical skip	S	0	.
		1974	100.0

SG1A	
LABEL	Please tell us how much you agree or disagree with the following statements. I avoid being friends with people who do not use drugs.
TYPE	num
LENGTH	8
VARNUM	1584

SG1A: Distribution	Value	n	%
Strongly Agree	1	225	11.6
Agree	2	285	14.7
Disagree	3	773	39.8
Strongly Disagree	4	660	34.0
No response	N	31	.
Logical skip	S	0	.
		1974	100.0

SG1B	
LABEL	Please tell us how much you agree or disagree with the following statements. I put a lot of effort into hiding my substance use history.
TYPE	num
LENGTH	8
VARNUM	1585

SG1B: Distribution	Value	n	%
Strongly Agree	1	365	18.8
Agree	2	510	26.3
Disagree	3	691	35.6
Strongly Disagree	4	376	19.4
No response	N	32	.
Logical skip	S	0	.
		1974	100.0

SG1C	
LABEL	Please tell us how much you agree or disagree with the following statements. Shame gets in the way of how I live my life.
TYPE	num
LENGTH	8
VARNUM	1586

SG1C: Distribution	Value	n	%
Strongly Agree	1	313	16.1
Agree	2	599	30.8
Disagree	3	667	34.3
Strongly Disagree	4	364	18.7
No response	N	31	.
Logical skip	S	0	.
		1974	100.0

SG1D	
LABEL	Please tell us how much you agree or disagree with the following statements. I often lie to people about my substance use if I know they could never find out the truth.
TYPE	num
LENGTH	8
VARNUM	1587

SG1D: Distribution	Value	n	%
Strongly Agree	1	338	17.4
Agree	2	542	27.8
Disagree	3	654	33.6
Strongly Disagree	4	413	21.2
No response	N	27	.
Logical skip	S	0	.
		1974	100.0

SG1E	
LABEL	Please tell us how much you agree or disagree with the following statements. I often blame my substance use history for many things that do NOT go my way in life.
TYPE	num
LENGTH	8
VARNUM	1588

SG1E: Distribution	Value	n	%
Strongly Agree	1	301	15.5
Agree	2	529	27.2
Disagree	3	670	34.5
Strongly Disagree	4	443	22.8
No response	N	31	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

CE1	
LABEL	Now, looking back before you were 18 years of age... Did you live with anyone who was depressed, mentally ill, or suicidal?
TYPE	num
LENGTH	8
VARNUM	1589

CE1: Distribution	Value	n	%
Yes	1	743	37.9
No	2	1001	51.1
Don't Know/Prefer not to say	3	214	10.9
No response	N	16	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

CE2	
LABEL	Now, looking back before you were 18 years of age... Did you live with anyone who was a problem drinker or alcoholic?
TYPE	num
LENGTH	8
VARNUM	1590

CE2: Distribution	Value	n	%
Yes	1	952	48.6
No	2	881	45.0
Don't Know/Prefer not to say	3	125	6.4
No response	N	16	.

CE2: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

CE3	
LABEL	Now, looking back before you were 18 years of age. Did you live with anyone who used illegal street drugs or who abused prescription medications?
TYPE	num
LENGTH	8
VARNUM	1591

CE3: Distribution	Value	n	%
Yes	1	808	41.4
No	2	1013	51.8
Don't Know/Prefer not to say	3	133	6.8
No response	N	20	.
Logical skip	S	0	.
		1974	100.0

CE4	
LABEL	Now, looking back before you were 18 years of age... Did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional facility?
TYPE	num
LENGTH	8
VARNUM	1592

CE4: Distribution	Value	n	%
Yes	1	551	28.2
No	2	1294	66.1
Don't Know/Prefer not to say	3	112	5.7
No response	N	17	.
Logical skip	S	0	.
		1974	100.0

CE5	
LABEL	Now, looking back before you were 18 years of age... How often did your parents or adults in your home ever slap, hit, kick, punch, beat, or physically hurt each other?

CE5	
TYPE	num
LENGTH	8
VARNUM	1593

CE5: Distribution	Value	n	%
Never	1	977	49.9
Once	2	136	6.9
More than once	3	648	33.1
Don't Know/Prefer not to say	4	197	10.1
No response	N	16	.
Logical skip	S	0	.
		1974	100.0

CE6	
LABEL	Now, looking back before you were 18 years of age... Before age 18, how often did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way? Do not include spanking.
TYPE	num
LENGTH	8
VARNUM	1594

CE6: Distribution	Value	n	%
Never	1	996	51.0
Once	2	156	8.0
More than once	3	648	33.2
Don't Know/Prefer not to say	4	153	7.8
No response	N	21	.
Logical skip	S	0	.
		1974	100.0

CE7	
LABEL	Now, looking back before you were 18 years of age... How often did a parent or adult in your home ever swear at you, insult you, or put you down?
TYPE	num
LENGTH	8
VARNUM	1595

CE7: Distribution	Value	n	%
Never	1	658	33.7
Once	2	114	5.8
More than once	3	1039	53.3
Don't Know/Prefer not to say	4	140	7.2
No response	N	23	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

CE8	
LABEL	Now, looking back before you were 18 years of age... Did anyone at least 5 years older than you or an adult, ever touch you sexually, try to make you touch them sexually, or force you to have sex?
TYPE	num
LENGTH	8
VARNUM	1596

CE8: Distribution	Value	n	%
Yes	1	565	28.9
No	2	1237	63.3
Don't Know/Prefer not to say	3	151	7.7
No response	N	21	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

CE9	
LABEL	Now, looking back before you were 18 years of age... How often was there an adult in your household who tried hard to make sure your basic needs were met?
TYPE	num
LENGTH	8
VARNUM	1597

CE9: Distribution	Value	n	%
Never	1	90	4.6
Rarely	2	90	4.6
Sometimes	3	197	10.1
Most of the time	4	427	21.9
Always	5	1086	55.6

CE9: Distribution	Value	n	%
Don't Know/Prefer not to say	6	62	3.2
No response	N	22	.
Logical skip	S	0	.
		1974	100.0

CE10	
LABEL	Now, looking back before you were 18 years of age... How often was there an adult in your household who made you feel safe and protected?
TYPE	num
LENGTH	8
VARNUM	1598

CE10: Distribution	Value	n	%
Never	1	98	5.0
Rarely	2	123	6.3
Sometimes	3	288	14.8
Most of the time	4	425	21.8
Always	5	957	49.0
Don't Know/Prefer not to say	6	61	3.1
No response	N	22	.
Logical skip	S	0	.
		1974	100.0

HI1_1	
LABEL	Do you have any of the following types of health insurance? Insurance plan through current/former employer or union?
TYPE	num
LENGTH	8
VARNUM	1599

HI1_1: Distribution	Value	n	%
No	0	1833	93.8
Yes	1	122	6.2
No response	N	19	.
Logical skip	S	0	.
		1974	100.0

HI1_2	
LABEL	Do you have any of the following types of health insurance? Insurance through the work plan of someone else (e.g., spouse/domestic partner, parent, or other)?
TYPE	num
LENGTH	8
VARNUM	1600

HI1_2: Distribution	Value	n	%
No	0	1862	95.2
Yes	1	93	4.8
No response	N	19	.
Logical skip	S	0	.
		1974	100.0

HI1_3	
LABEL	Do you have any of the following types of health insurance? Privately purchased insurance?
TYPE	num
LENGTH	8
VARNUM	1601

HI1_3: Distribution	Value	n	%
No	0	1903	97.3
Yes	1	52	2.7
No response	N	19	.
Logical skip	S	0	.
		1974	100.0

HI1_4	
LABEL	Do you have any of the following types of health insurance? Medicare?
TYPE	num
LENGTH	8
VARNUM	1602

HI1_4: Distribution	Value	n	%
No	0	1624	83.1

HI1_4: Distribution	Value	n	%
Yes	1	331	16.9
No response	N	19	.
Logical skip	S	0	.
		1974	100.0

HI1_5	
LABEL	Do you have any of the following types of health insurance? Medicaid?
TYPE	num
LENGTH	8
VARNUM	1603

HI1_5: Distribution	Value	n	%
No	0	863	44.1
Yes	1	1092	55.9
No response	N	19	.
Logical skip	S	0	.
		1974	100.0

HI1_6	
LABEL	Do you have any of the following types of health insurance? Veterans Administration-provided insurance?
TYPE	num
LENGTH	8
VARNUM	1604

HI1_6: Distribution	Value	n	%
No	0	1925	98.5
Yes	1	30	1.5
No response	N	19	.
Logical skip	S	0	.
		1974	100.0

HI1_7	
LABEL	Do you have any of the following types of health insurance? Other?
TYPE	num

HI1_7	
LENGTH	8
VARNUM	1605

HI1_7: Distribution	Value	n	%
No	0	1828	93.5
Yes	1	127	6.5
No response	N	19	.
Logical skip	S	0	.
		1974	100.0

HI1_8	
LABEL	Do you have any of the following types of health insurance? No, I do not have health insurance?
TYPE	num
LENGTH	8
VARNUM	1606

HI1_8: Distribution	Value	n	%
No	0	1641	83.9
Yes	1	314	16.1
No response	N	19	.
Logical skip	S	0	.
		1974	100.0

HI2	
LABEL	Does your health insurance cover any part of the costs associated with medication-assisted treatment services (i.e., methadone, buprenorphine, naltrexone)?
TYPE	num
LENGTH	8
VARNUM	1607

HI2: Distribution	Value	n	%
Yes, most (75% or more of the costs)	1	0	.
Yes, some (less than 75% but more than 25% of the costs)	2	0	.
Yes, Very Little (less than 25%)	3	0	.

HI2: Distribution	Value	n	%
None	4	0	.
No response	N	333	.
Logical skip	S	1641	.
		1974	.

HI3	
LABEL	Does your health insurance cover any part of the costs associated with counseling services for treatment of substance abuse?
TYPE	num
LENGTH	8
VARNUM	1608

HI3: Distribution	Value	n	%
Yes, most (75% or more of the costs)	1	0	.
Yes, some (less than 75% but more than 25% of the costs)	2	0	.
Yes, Very Little (less than 25%)	3	0	.
None	4	0	.
No response	N	333	.
Logical skip	S	1641	.
		1974	.

D3	
LABEL	Which of the following best represents how you think of yourself?
TYPE	num
LENGTH	8
VARNUM	1609

D3: Distribution	Value	n	%
Lesbian or gay	1	56	2.9
Straight (not lesbian or gay)	2	1691	86.1
Bisexual	3	146	7.4
Something else	4	18	0.9
I don't know/prefer not to answer	5	52	2.6
No response	N	11	.

D3: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

D4	
LABEL	Your current marital status.
TYPE	num
LENGTH	8
VARNUM	1610

D4: Distribution	Value	n	%
Single, never married	1	984	50.1
Married or domestic partnership	2	463	23.6
Divorced or separated	3	406	20.7
Widowed	4	66	3.4
Other	5	44	2.2
No response	N	11	.
Logical skip	S	0	.
		1974	100.0

D8	
LABEL	Your highest degree or level of school that you have completed. (If you are currently enrolled in school, tell us the highest degree received.)
TYPE	num
LENGTH	8
VARNUM	1611

D8: Distribution	Value	n	%
8th grade or lower	1	97	5.0
Some high school but no diploma	2	300	15.3
High school diploma or equivalent (e.g., GED)	3	675	34.5
Some vocational/technical training after high school, but no degree	4	68	3.5
Vocational/technical diploma after high school	5	96	4.9

D8: Distribution	Value	n	%
Some college credit, but no degree	6	437	22.3
Associate degree	7	120	6.1
Bachelor's degree	8	107	5.5
Master's degree/Doctoral degree/Professional degree	9	30	1.5
Other	10	29	1.5
No response	N	15	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

D9	
LABEL	Are you currently enrolled in school or in a job training program?
TYPE	num
LENGTH	8
VARNUM	1612

D9: Distribution	Value	n	%
Enrolled, full time	1	45	2.3
Enrolled, part time	2	49	2.5
Not enrolled	3	1820	93.0
Other	4	42	2.1
No response	N	18	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

D11_1	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Car, truck or van driven by you?
TYPE	num
LENGTH	8
VARNUM	1613

D11_1: Distribution	Value	n	%
No	0	1221	62.3
Yes	1	738	37.7
No response	N	15	.

D11_1: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

D11_2	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Car, truck or van driven by your family or friends?
TYPE	num
LENGTH	8
VARNUM	1614

D11_2: Distribution	Value	n	%
No	0	1579	80.6
Yes	1	380	19.4
No response	N	15	.
Logical skip	S	0	.
		1974	100.0

D11_3	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Public transportation (e.g., bus, subway)?
TYPE	num
LENGTH	8
VARNUM	1615

D11_3: Distribution	Value	n	%
No	0	1353	69.1
Yes	1	606	30.9
No response	N	15	.
Logical skip	S	0	.
		1974	100.0

D11_4	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Taxi cab or car service (e.g., Uber, Lyft)?
TYPE	num

D11_4	
LENGTH	8
VARNUM	1616

D11_4: Distribution	Value	n	%
No	0	1733	88.5
Yes	1	226	11.5
No response	N	15	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

D11_5	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Motorcycle?
TYPE	num
LENGTH	8
VARNUM	1617

D11_5: Distribution	Value	n	%
No	0	1946	99.3
Yes	1	13	0.7
No response	N	15	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

D11_6	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Bicycle?
TYPE	num
LENGTH	8
VARNUM	1618

D11_6: Distribution	Value	n	%
No	0	1917	97.9
Yes	1	42	2.1
No response	N	15	.

D11_6: Distribution	Value	n	%
Logical skip	S	0	.
		1974	100.0

D11_7	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Walk?
TYPE	num
LENGTH	8
VARNUM	1619

D11_7: Distribution	Value	n	%
No	0	1787	91.2
Yes	1	172	8.8
No response	N	15	.
Logical skip	S	0	.
		1974	100.0

D11_8	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) I lived at (FACILITY)?
TYPE	num
LENGTH	8
VARNUM	1620

D11_8: Distribution	Value	n	%
No	0	1923	98.2
Yes	1	36	1.8
No response	N	15	.
Logical skip	S	0	.
		1974	100.0

D11_9	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Other?
TYPE	num

D11_9	
LENGTH	8
VARNUM	1621

D11_9: Distribution	Value	n	%
No	0	1883	96.1
Yes	1	76	3.9
No response	N	15	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

daysintx	
LABEL	Days in index treatment
TYPE	num
LENGTH	8
VARNUM	1622

daysintx: Distribution	Value	n	%
0	0	3	0.2
1	1	5	0.3
2	2	19	1.0
3	3	19	1.0
4	4	21	1.1
5	5	21	1.1
6	6	16	0.8
7	7	34	1.7
8	8	27	1.4
9	9	26	1.3
10	10	16	0.8
11	11	21	1.1
12	12	16	0.8
13	13	23	1.2
14	14	23	1.2
15	15	18	0.9
16	16	15	0.8
17	17	18	0.9
18	18	12	0.6

daysintx: Distribution	Value	n	%
19	19	13	0.7
20	20	15	0.8
21	21	18	0.9
22	22	19	1.0
23	23	17	0.9
24	24	26	1.3
25	25	10	0.5
26	26	9	0.5
27	27	15	0.8
28	28	17	0.9
29	29	19	1.0
30	30	12	0.6
31	31	13	0.7
32	32	13	0.7
33	33	11	0.6
34	34	13	0.7
35	35	18	0.9
36	36	13	0.7
37	37	8	0.4
38	38	9	0.5
39	39	10	0.5
40	40	3	0.2
41	41	17	0.9
42	42	9	0.5
43	43	9	0.5
44	44	15	0.8
45	45	9	0.5
46	46	9	0.5
47	47	10	0.5
48	48	10	0.5
49	49	11	0.6
50	50	11	0.6
51	51	10	0.5
52	52	9	0.5
53	53	6	0.3
54	54	4	0.2
55	55	7	0.4
56	56	4	0.2

daysintx: Distribution	Value	n	%
57	57	8	0.4
58	58	2	0.1
59	59	7	0.4
60	60	11	0.6
61	61	2	0.1
62	62	5	0.3
63	63	6	0.3
64	64	7	0.4
65	65	4	0.2
66	66	2	0.1
67	67	6	0.3
68	68	8	0.4
69	69	6	0.3
70	70	5	0.3
71	71	4	0.2
72	72	2	0.1
73	73	3	0.2
74	74	6	0.3
75	75	6	0.3
76	76	3	0.2
77	77	12	0.6
78	78	8	0.4
79	79	8	0.4
80	80	7	0.4
81	81	6	0.3
82	82	7	0.4
83	83	5	0.3
84	84	3	0.2
85	85	2	0.1
86	86	6	0.3
87	87	3	0.2
88	88	3	0.2
89	89	3	0.2
90	90	7	0.4
91	91	4	0.2
92	92	3	0.2
93	93	4	0.2
94	94	2	0.1

daysintx: Distribution	Value	n	%
95	95	2	0.1
96	96	5	0.3
97	97	2	0.1
98	98	3	0.2
99	99	1	0.1
100	100	1	0.1
101	101	1	0.1
102	102	1	0.1
103	103	2	0.1
104	104	5	0.3
105	105	5	0.3
106	106	4	0.2
107	107	3	0.2
108	108	1	0.1
109	109	1	0.1
110	110	1	0.1
111	111	3	0.2
112	112	3	0.2
113	113	2	0.1
114	114	1	0.1
115	115	5	0.3
116	116	2	0.1
118	118	1	0.1
119	119	5	0.3
120	120	3	0.2
121	121	2	0.1
122	122	2	0.1
123	123	5	0.3
124	124	3	0.2
125	125	2	0.1
126	126	1	0.1
128	128	3	0.2
129	129	1	0.1
131	131	2	0.1
132	132	1	0.1
133	133	1	0.1
134	134	1	0.1
135	135	2	0.1

daysintx: Distribution	Value	n	%
137	137	1	0.1
138	138	2	0.1
140	140	4	0.2
141	141	2	0.1
142	142	2	0.1
145	145	2	0.1
146	146	3	0.2
147	147	3	0.2
148	148	2	0.1
150	150	1	0.1
151	151	1	0.1
152	152	3	0.2
153	153	1	0.1
154	154	1	0.1
155	155	2	0.1
158	158	2	0.1
159	159	3	0.2
160	160	2	0.1
162	162	1	0.1
163	163	1	0.1
164	164	1	0.1
165	165	1	0.1
166	166	3	0.2
167	167	5	0.3
168	168	2	0.1
169	169	3	0.2
171	171	3	0.2
172	172	2	0.1
173	173	1	0.1
174	174	1	0.1
175	175	1	0.1
176	176	4	0.2
177	177	2	0.1
181	181	2	0.1
183	183	3	0.2
184	184	2	0.1
186	186	2	0.1
187	187	1	0.1

daysintx: Distribution	Value	n	%
188	188	4	0.2
189	189	4	0.2
190	190	1	0.1
191	191	2	0.1
192	192	2	0.1
193	193	2	0.1
194	194	1	0.1
195	195	2	0.1
196	196	3	0.2
197	197	1	0.1
198	198	2	0.1
199	199	1	0.1
201	201	3	0.2
202	202	1	0.1
204	204	2	0.1
209	209	1	0.1
210	210	2	0.1
211	211	1	0.1
212	212	2	0.1
214	214	1	0.1
216	216	1	0.1
217	217	2	0.1
218	218	3	0.2
219	219	2	0.1
220	220	2	0.1
222	222	2	0.1
223	223	1	0.1
224	224	1	0.1
226	226	2	0.1
227	227	3	0.2
228	228	1	0.1
230	230	1	0.1
231	231	1	0.1
232	232	1	0.1
233	233	1	0.1
235	235	1	0.1
236	236	2	0.1
240	240	1	0.1

daysintx: Distribution	Value	n	%
241	241	2	0.1
243	243	2	0.1
245	245	2	0.1
246	246	2	0.1
247	247	3	0.2
253	253	1	0.1
255	255	1	0.1
256	256	2	0.1
257	257	1	0.1
259	259	1	0.1
260	260	2	0.1
261	261	2	0.1
262	262	2	0.1
263	263	1	0.1
266	266	1	0.1
267	267	1	0.1
268	268	2	0.1
270	270	2	0.1
272	272	1	0.1
273	273	1	0.1
274	274	1	0.1
276	276	1	0.1
280	280	2	0.1
281	281	2	0.1
283	283	2	0.1
284	284	3	0.2
286	286	2	0.1
287	287	3	0.2
289	289	1	0.1
290	290	1	0.1
294	294	1	0.1
296	296	1	0.1
297	297	1	0.1
300	300	1	0.1
301	301	1	0.1
302	302	1	0.1
304	304	1	0.1
306	306	2	0.1

daysintx: Distribution	Value	n	%
308	308	1	0.1
309	309	1	0.1
312	312	2	0.1
313	313	1	0.1
314	314	1	0.1
315	315	1	0.1
316	316	2	0.1
317	317	1	0.1
318	318	3	0.2
322	322	1	0.1
323	323	1	0.1
325	325	1	0.1
328	328	2	0.1
330	330	3	0.2
331	331	3	0.2
333	333	2	0.1
334	334	2	0.1
335	335	2	0.1
336	336	1	0.1
337	337	1	0.1
339	339	2	0.1
341	341	1	0.1
344	344	2	0.1
345	345	2	0.1
346	346	2	0.1
347	347	1	0.1
349	349	2	0.1
353	353	1	0.1
354	354	4	0.2
355	355	2	0.1
356	356	2	0.1
357	357	1	0.1
358	358	1	0.1
362	362	1	0.1
363	363	1	0.1
365	365	1	0.1
366	366	3	0.2
367	367	1	0.1

daysintx: Distribution	Value	n	%
368	368	1	0.1
369	369	1	0.1
370	370	1	0.1
371	371	2	0.1
372	372	1	0.1
375	375	2	0.1
377	377	3	0.2
378	378	1	0.1
379	379	1	0.1
380	380	2	0.1
382	382	4	0.2
385	385	1	0.1
388	388	1	0.1
390	390	2	0.1
392	392	1	0.1
394	394	1	0.1
396	396	1	0.1
398	398	1	0.1
401	401	2	0.1
402	402	1	0.1
403	403	3	0.2
405	405	2	0.1
406	406	2	0.1
407	407	1	0.1
408	408	2	0.1
411	411	1	0.1
413	413	3	0.2
414	414	3	0.2
416	416	2	0.1
418	418	3	0.2
420	420	3	0.2
421	421	1	0.1
422	422	2	0.1
423	423	1	0.1
424	424	1	0.1
425	425	2	0.1
427	427	1	0.1
428	428	1	0.1

daysintx: Distribution	Value	n	%
429	429	1	0.1
432	432	1	0.1
434	434	2	0.1
435	435	2	0.1
436	436	1	0.1
439	439	2	0.1
440	440	2	0.1
441	441	3	0.2
443	443	1	0.1
444	444	1	0.1
446	446	1	0.1
447	447	1	0.1
448	448	1	0.1
449	449	2	0.1
450	450	2	0.1
451	451	2	0.1
454	454	3	0.2
455	455	1	0.1
457	457	1	0.1
459	459	1	0.1
460	460	1	0.1
461	461	1	0.1
463	463	1	0.1
465	465	2	0.1
467	467	3	0.2
468	468	2	0.1
469	469	1	0.1
471	471	1	0.1
473	473	1	0.1
475	475	2	0.1
476	476	1	0.1
477	477	2	0.1
481	481	1	0.1
482	482	1	0.1
483	483	2	0.1
484	484	2	0.1
485	485	1	0.1
486	486	2	0.1

daysintx: Distribution	Value	n	%
487	487	2	0.1
488	488	1	0.1
492	492	2	0.1
493	493	2	0.1
494	494	2	0.1
499	499	1	0.1
500 or more	500	488	24.7
No response	N	0	.
Logical skip	S	0	.
		<i>1974</i>	<i>100.0</i>

DO6	
LABEL	Over the past 12 months, how many times did you have a drug overdose? If none, enter 0. ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as DO2)
TYPE	num
LENGTH	8
VARNUM	1623

DO6: Distribution	Value	n	%
0	0	472	57.1
1	1	172	20.8
2	2	69	8.3
3	3	46	5.6
4	4	20	2.4
5 or more	5	48	5.8
No response	N	0	.
Logical skip	S	1147	.
		<i>1974</i>	<i>100.0</i>

DO7	
LABEL	Over the past 12 months, how many times did you overdose due to opioids? If none, enter 0. ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment, and was labeled as DO3)
TYPE	num
LENGTH	8
VARNUM	1624

DO7: Distribution	Value	n	%
0	0	41	11.6
1	1	162	45.8
2	2	65	18.4
3	3	35	9.9
4	4	16	4.5
5 or more	5	35	9.9
No response	N	1	.
Logical skip	S	1619	.
		1974	100.0

DO8	
LABEL	Over the past 90 days, how many times did you have a drug overdose? If none, enter 0. ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as DO4)
TYPE	num
LENGTH	8
VARNUM	1625

DO8: Distribution	Value	n	%
0	0	203	57.3
1	1	83	23.4
2	2	43	12.1
3 or more	3	25	7.1
No response	N	1	.
Logical skip	S	1619	.
		1974	100.0

DO9	
LABEL	Over the past 90 days, how many times did you overdose due to opioids? If none, enter 0. ** (Prior to April 21, 2019, question referred to 90 days before INDEX treatment, and was labeled as DO5)
TYPE	num
LENGTH	8
VARNUM	1626

DO9: Distribution	Value	n	%
0	0	14	9.3

DO9: Distribution	Value	n	%
1	1	83	55.0
2	2	37	24.5
3	3	17	11.3
5 or more	5	0	.
No response	N	1	.
Logical skip	S	1822	.
		<i>1974</i>	<i>100.0</i>

distance2tx	
LABEL	Miles from treatment facility
TYPE	num
LENGTH	8
VARNUM	1627

distance2tx: Distribution	Value	n	%
0-<2 miles	1	358	23.4
2-<4 miles	2	422	27.6
4-<6 miles	3	237	15.5
6-<8 miles	4	231	15.1
8-<10 miles	5	179	11.7
10-<12 miles	6	101	6.6
Greater than 12 miles	7	0	.
.	.	446	.
		<i>1974</i>	<i>100.0</i>

FE1	
LABEL	How old were you the first time you used illicitly-made fentanyl?
TYPE	num
LENGTH	8
VARNUM	1628

FE1: Distribution	Value	n	%
Less than 18	1	47	6.4
18-24	2	198	26.9
25-34	3	276	37.4
35+	4	216	29.3

FE1: Distribution	Value	n	%
.	.	1237	.
		1974	100.0

HU1	
LABEL	How old were you the first time you used heroin?
TYPE	num
LENGTH	8
VARNUM	1629

HU1: Distribution	Value	n	%
Less than 18	1	331	20.6
18-24	2	508	31.6
25-34	3	499	31.1
35+	4	268	16.7
.	.	368	.
		1974	100.0

BF6	
LABEL	What is the one MAJOR impairment or health problem that limits your activities?
TYPE	num
LENGTH	8
VARNUM	1630

BF6: Distribution	Value	n	%
Arthritis/rheumatism	1	54	8.0
Back or neck problem	2	126	18.7
Fractures, bone/joint injury	3	52	7.7
Walking problem	4	48	7.1
Lung/breathing problem, Hearing problem, Eye/vision problem	5	42	6.2
Heart problem,Stroke problem, Hypertension/high blood pressure	8	39	5.8
Diabetes,Cancer	12	22	3.3
Depression/anxiety/emotional problem	13	216	32.0
Other impairment/problem	14	76	11.3

BF6: Distribution	Value	n	%
.	.	1299	.
No response	N	0	.
		1974	100.0

D10	
LABEL	Have you ever served in the United States Armed Forces, in the Reserves, or in the National Guard?
TYPE	num
LENGTH	8
VARNUM	1631

D10: Distribution	Value	n	%
Yes, currently serving or currently separated or retired	1	73	3.7
No	3	1888	96.3
.	.	13	.
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

D6	
LABEL	Where have you lived most of the time over the 12 months prior to entering INDEX treatment? ** (Prior to April 21, 2019, question referred to 12 months before INDEX treatment)
TYPE	num
LENGTH	8
VARNUM	1632

D6: Distribution	Value	n	%
House or condo I own	1	260	13.3
House, apartment, or room I rent or have permission to live in	2	1284	65.4
Dormitory or college residence,Hotel room	3	41	2.1
SRO housing (single room occupancy housing)	5	20	1.0
Residential treatment center,Hospital/long-term residential care facility/nursing home	6	38	1.9

D6: Distribution	Value	n	%
Halfway house (e.g., sober house)	7	40	2.0
Shelter (e.g., temporary day or evening facility)	8	90	4.6
Outdoors (e.g., on the street, abandoned building, public park)	9	53	2.7
Jail/prison	10	33	1.7
Other (specify)	12	103	5.2
.	.	12	.
No response	N	0	.
		1974	100.0

pufsite_ID	
LABEL	Site ID
TYPE	num
LENGTH	8
VARNUM	1633

death	
LABEL	Client reported as deceased via National Death Index between 2018-2021 (1=Y,0=N)
TYPE	num
LENGTH	8
VARNUM	1634

death: Distribution	Value	n	%
No	0	1922	97.4
Yes	1	52	2.6
No response	N	0	.
Logical skip	S	0	.
		1974	100.0

opoddeath	
LABEL	Client death linked to opioid overdose via National Death Index 2018-2021 (1=Y,0=N)
TYPE	num
LENGTH	8
VARNUM	1635

opoddeath: Distribution	Value	n	%
No	0	1950	98.8
Yes	1	24	1.2
No response	N	0	.
Logical skip	S	0	.

Codebook for 3-month Questionnaire

Data Set Name	Patient 3-month Data
Observations	1974
Variables	206
Engine	V9
Created	09/20/2021 12:05:33

CID	
LABEL	Case id
TYPE	char
LENGTH	20
VARNUM	1

MAT_COUN	
LABEL	Type of index treatment
TYPE	num
LENGTH	8
VARNUM	2

MAT_COUN: Distribution	Value	n	%
methadone maintenance therapy	1	1209	61.2
buprenorphine (e.g. Suboxone, Probuphine, generic)	2	632	32.0
naltrexone (e.g. Vivitrol, Revia, generic)	3	46	2.3
counseling	4	87	4.4
Undefined	U	0	.
		1974	100.0

responded	
LABEL	Flag for completing the survey
TYPE	num
LENGTH	8
VARNUM	3

responded: Distribution	Value	n	%
No	0	559	28.3
Yes	1	1415	71.7
Undefined	U	0	.
		1974	100.0

surveylanguage	
LABEL	Language in which the survey was given
TYPE	num
LENGTH	8
VARNUM	4

surveylanguage: Distribution	Value	n	%
English	1	1401	99.0
Spanish	2	14	1.0
Undefined	U	0	.
Missing Survey	Z	559	.
		1974	100.0

survey	
LABEL	Survey time period
TYPE	num
LENGTH	8
VARNUM	5

survey: Distribution	Value	n	%
Baseline	1	0	.
3 month	2	1974	100.0
6 month	3	0	.
12 month	4	0	.
18 month	5	0	.
Undefined	U	0	.
		1974	100.0

covidtime	
LABEL	Survey completed after March 13, 2020 during the COVID-19 pandemic
TYPE	num
LENGTH	8
VARNUM	6

covidtime: Distribution	Value	n	%
No	0	1408	99.5

covidtime: Distribution	Value	n	%
Yes	1	7	0.5
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

newprotocol	
LABEL	Enrolled in the study after protocol changes on April 20, 2019
TYPE	num
LENGTH	8
VARNUM	7

newprotocol: Distribution	Value	n	%
No	0	363	25.7
Yes	1	1052	74.3
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

daysfromtxstart30	
LABEL	Enrolled within 30 days from start of treatment
TYPE	num
LENGTH	8
VARNUM	8

daysfromtxstart30: Distribution	Value	n	%
No	0	904	63.9
Yes	1	511	36.1
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

daysfromtxstart60	
LABEL	Enrolled within 31-60 days from start of treatment
TYPE	num

daysfromtxstart60	
LENGTH	8
VARNUM	9

daysfromtxstart60: Distribution	Value	n	%
No	0	1322	93.4
Yes	1	93	6.6
Undefined	U	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

daysfromtxstart90	
LABEL	Enrolled within 61-90 days from start of treatment
TYPE	num
LENGTH	8
VARNUM	10

daysfromtxstart90: Distribution	Value	n	%
No	0	1348	95.3
Yes	1	67	4.7
Undefined	U	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

daysfromtxstart91plus	
LABEL	Enrolled within 91 or more days from start of treatment
TYPE	num
LENGTH	8
VARNUM	11

daysfromtxstart91plus: Distribution	Value	n	%
No	0	671	47.4
Yes	1	744	52.6
Undefined	U	0	.

daysfromtxstart91plus: Distribution	Value	n	%
Missing survey	Z	559	.
		1974	100.0

monthsenrolled	
LABEL	Months enrolled in the study
TYPE	num
LENGTH	8
VARNUM	12

monthsenrolled: Distribution	Value	n	%
2.333333333333	2.33333333	112	7.9
2.366666666667	2.36666667	43	3.0
2.4	2.4	44	3.1
2.433333333333	2.43333333	33	2.3
2.466666666667	2.46666667	36	2.5
2.5	2.5	41	2.9
2.533333333333	2.53333333	47	3.3
2.566666666667	2.56666667	96	6.8
2.6	2.6	50	3.5
2.633333333333	2.63333333	38	2.7
2.666666666667	2.66666667	23	1.6
2.7	2.7	30	2.1
2.733333333333	2.73333333	26	1.8
2.766666666667	2.76666667	33	2.3
2.8	2.8	44	3.1
2.833333333333	2.83333333	52	3.7
2.866666666667	2.86666667	35	2.5
2.9	2.9	46	3.3
2.933333333333	2.93333333	36	2.5
2.966666666667	2.96666667	33	2.3
3	3	28	2.0
3.033333333333	3.03333333	38	2.7
3.066666666667	3.06666667	31	2.2
3.1	3.1	27	1.9
3.133333333333	3.13333333	21	1.5
3.166666666667	3.16666667	25	1.8

monthsenrolled: Distribution	Value	n	%
3.2	3.2	23	1.6
3.23333333333333	3.233333333	18	1.3
3.26666666666667	3.266666667	37	2.6
3.3	3.3	13	0.9
3.33333333333333	3.333333333	11	0.8
3.36666666666667	3.366666667	9	0.6
3.4	3.4	10	0.7
3.43333333333333	3.433333333	12	0.8
3.46666666666667	3.466666667	9	0.6
3.5	3.5	12	0.8
3.53333333333333	3.533333333	13	0.9
3.56666666666667	3.566666667	4	0.3
3.6	3.6	9	0.6
3.63333333333333	3.633333333	5	0.4
3.66666666666667	3.666666667	9	0.6
3.7	3.7	5	0.4
3.73333333333333	3.733333333	17	1.2
3.76666666666667	3.766666667	8	0.6
3.8	3.8	6	0.4
3.83333333333333	3.833333333	4	0.3
3.86666666666667	3.866666667	4	0.3
3.9	3.9	8	0.6
3.93333333333333	3.933333333	8	0.6
3.96666666666667	3.966666667	10	0.7
4	4	9	0.6
4.03333333333333	4.033333333	7	0.5
4.06666666666667	4.066666667	3	0.2
4.1	4.1	6	0.4
4.13333333333333	4.133333333	7	0.5
4.16666666666667	4.166666667	10	0.7
4.2	4.2	6	0.4
4.23333333333333	4.233333333	2	0.1
4.26666666666667	4.266666667	4	0.3
4.3	4.3	6	0.4
4.33333333333333	4.333333333	1	0.1
4.36666666666667	4.366666667	3	0.2
4.4	4.4	7	0.5
4.43333333333333	4.433333333	3	0.2

monthsenrolled: Distribution	Value	n	%
4.466666666667	4.46666667	2	0.1
4.5	4.5	1	0.1
4.6	4.6	2	0.1
4.833333333333	4.83333333	1	0.1
5.433333333333	5.43333333	1	0.1
5.833333333333	5.83333333	1	0.1
6.166666666667	6.16666667	1	0.1
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

inanytx	
LABEL	Receiving any treatment for opioid use disorder
TYPE	num
LENGTH	8
VARNUM	13

inanytx: Distribution	Value	n	%
No	0	89	6.3
Yes	1	1326	93.7
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

currentbup	
LABEL	Currently receiving buprenorphine to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	14

currentbup: Distribution	Value	n	%
No	0	1029	72.7
Yes	1	386	27.3
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

currentcoun	
LABEL	Currently receiving counseling without medication to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	15

currentcoun: Distribution	Value	n	%
No	0	1369	96.7
Yes	1	46	3.3
Undefined	U	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

currentmmt	
LABEL	Currently receiving methadone to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	16

currentmmt: Distribution	Value	n	%
No	0	544	38.4
Yes	1	871	61.6
Undefined	U	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

currentntx	
LABEL	Currently receiving naltrexone to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	17

currentntx: Distribution	Value	n	%
No	0	1389	98.2

currentntx: Distribution	Value	n	%
Yes	1	26	1.8
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

difftx	
LABEL	Currently receiving a treatment different than index treatment*
TYPE	num
LENGTH	8
VARNUM	18

*: If a patient received the same treatment in another facility, although it is not an index treatment, this treatment was not counted as a different treatment in this case.

difftx: Distribution	Value	n	%
No	0	1408	99.5
Yes	1	7	0.5
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

endindextx	
LABEL	Ended index treatment
TYPE	num
LENGTH	8
VARNUM	19

endindextx: Distribution	Value	n	%
No	0	1289	91.1
Yes	1	126	8.9
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

daysinctx	
LABEL	Days in index treatment
TYPE	num

daysintx	
LENGTH	8
VARNUM	20

daysintx: Distribution	Value	n	%
1	1	2	0.1
2	2	1	0.1
7	7	2	0.1
10	10	1	0.1
11	11	2	0.1
12	12	1	0.1
13	13	1	0.1
14	14	2	0.1
16	16	1	0.1
21	21	4	0.3
23	23	1	0.1
29	29	2	0.1
30	30	1	0.1
31	31	1	0.1
32	32	1	0.1
34	34	2	0.1
35	35	3	0.2
36	36	2	0.1
37	37	2	0.1
38	38	1	0.1
40	40	1	0.1
41	41	2	0.1
42	42	3	0.2
44	44	2	0.1
47	47	1	0.1
48	48	1	0.1
49	49	3	0.2
52	52	1	0.1
53	53	2	0.1
55	55	1	0.1
56	56	1	0.1
57	57	2	0.1
60	60	1	0.1

daysintx: Distribution	Value	n	%
62	62	2	0.1
63	63	1	0.1
64	64	1	0.1
65	65	1	0.1
66	66	1	0.1
69	69	1	0.1
70	70	8	0.6
71	71	8	0.6
72	72	7	0.5
73	73	5	0.4
74	74	7	0.5
75	75	4	0.3
76	76	9	0.6
77	77	27	1.9
78	78	13	0.9
79	79	16	1.1
80	80	9	0.6
81	81	9	0.6
82	82	12	0.8
83	83	10	0.7
84	84	18	1.3
85	85	19	1.3
86	86	12	0.8
87	87	14	1.0
88	88	11	0.8
89	89	10	0.7
90	90	13	0.9
91	91	18	1.3
92	92	12	0.8
93	93	21	1.5
94	94	8	0.6
95	95	7	0.5
96	96	10	0.7
97	97	8	0.6
98	98	12	0.8
99	99	6	0.4
100	100	6	0.4
101	101	8	0.6

daysintx: Distribution	Value	n	%
102	102	8	0.6
103	103	9	0.6
104	104	2	0.1
105	105	9	0.6
106	106	12	0.8
107	107	5	0.4
108	108	4	0.3
109	109	5	0.4
110	110	4	0.3
111	111	8	0.6
112	112	4	0.3
113	113	3	0.2
114	114	2	0.1
115	115	2	0.1
117	117	3	0.2
118	118	5	0.4
119	119	8	0.6
120	120	5	0.4
121	121	10	0.7
122	122	3	0.2
123	123	3	0.2
124	124	6	0.4
125	125	6	0.4
126	126	5	0.4
127	127	1	0.1
128	128	2	0.1
129	129	4	0.3
131	131	5	0.4
132	132	4	0.3
133	133	2	0.1
134	134	4	0.3
135	135	4	0.3
136	136	2	0.1
137	137	2	0.1
138	138	3	0.2
139	139	4	0.3
140	140	3	0.2
141	141	2	0.1

daysintx: Distribution	Value	n	%
142	142	4	0.3
143	143	3	0.2
144	144	1	0.1
145	145	7	0.5
147	147	1	0.1
149	149	6	0.4
150	150	1	0.1
151	151	2	0.1
152	152	4	0.3
153	153	4	0.3
154	154	3	0.2
155	155	2	0.1
156	156	2	0.1
158	158	1	0.1
159	159	2	0.1
160	160	3	0.2
161	161	7	0.5
162	162	3	0.2
163	163	2	0.1
164	164	2	0.1
165	165	1	0.1
166	166	1	0.1
168	168	4	0.3
169	169	1	0.1
170	170	4	0.3
171	171	2	0.1
172	172	2	0.1
174	174	3	0.2
175	175	2	0.1
179	179	2	0.1
180	180	1	0.1
181	181	2	0.1
182	182	2	0.1
183	183	2	0.1
184	184	4	0.3
186	186	2	0.1
187	187	2	0.1
188	188	2	0.1

daysintx: Distribution	Value	n	%
189	189	1	0.1
190	190	2	0.1
191	191	1	0.1
192	192	2	0.1
193	193	2	0.1
194	194	2	0.1
196	196	3	0.2
198	198	1	0.1
199	199	2	0.1
200	200	1	0.1
202	202	1	0.1
203	203	5	0.4
204	204	4	0.3
205	205	3	0.2
207	207	2	0.1
208	208	4	0.3
209	209	2	0.1
211	211	2	0.1
213	213	1	0.1
214	214	1	0.1
217	217	1	0.1
218	218	4	0.3
222	222	2	0.1
223	223	1	0.1
224	224	1	0.1
225	225	1	0.1
226	226	2	0.1
227	227	1	0.1
229	229	2	0.1
230	230	1	0.1
231	231	2	0.1
232	232	1	0.1
235	235	1	0.1
237	237	2	0.1
239	239	2	0.1
240	240	2	0.1
241	241	1	0.1
242	242	2	0.1

daysintx: Distribution	Value	n	%
244	244	1	0.1
245	245	2	0.1
246	246	2	0.1
247	247	1	0.1
248	248	2	0.1
249	249	1	0.1
250	250	1	0.1
251	251	1	0.1
252	252	2	0.1
253	253	1	0.1
255	255	1	0.1
256	256	1	0.1
258	258	1	0.1
259	259	1	0.1
260	260	2	0.1
262	262	3	0.2
263	263	1	0.1
264	264	1	0.1
265	265	3	0.2
266	266	3	0.2
267	267	2	0.1
268	268	2	0.1
270	270	3	0.2
275	275	2	0.1
281	281	1	0.1
282	282	1	0.1
284	284	1	0.1
286	286	1	0.1
287	287	1	0.1
288	288	1	0.1
290	290	2	0.1
291	291	1	0.1
292	292	1	0.1
294	294	1	0.1
295	295	2	0.1
296	296	1	0.1
300	300	2	0.1
301	301	2	0.1

daysintx: Distribution	Value	n	%
303	303	2	0.1
304	304	1	0.1
306	306	3	0.2
307	307	2	0.1
309	309	3	0.2
311	311	1	0.1
312	312	2	0.1
313	313	1	0.1
316	316	3	0.2
319	319	1	0.1
320	320	2	0.1
321	321	1	0.1
322	322	2	0.1
323	323	1	0.1
324	324	1	0.1
326	326	1	0.1
327	327	1	0.1
333	333	1	0.1
334	334	1	0.1
336	336	1	0.1
338	338	2	0.1
339	339	1	0.1
340	340	2	0.1
342	342	1	0.1
343	343	1	0.1
345	345	1	0.1
346	346	1	0.1
348	348	1	0.1
351	351	1	0.1
352	352	1	0.1
355	355	1	0.1
356	356	1	0.1
357	357	3	0.2
359	359	1	0.1
360	360	2	0.1
362	362	2	0.1
363	363	1	0.1
365	365	1	0.1

daysintx: Distribution	Value	n	%
366	366	1	0.1
367	367	3	0.2
370	370	1	0.1
373	373	1	0.1
374	374	1	0.1
377	377	1	0.1
378	378	1	0.1
386	386	1	0.1
387	387	1	0.1
388	388	2	0.1
391	391	1	0.1
394	394	1	0.1
395	395	2	0.1
399	399	1	0.1
400	400	1	0.1
401	401	1	0.1
406	406	2	0.1
408	408	3	0.2
409	409	2	0.1
411	411	1	0.1
413	413	1	0.1
414	414	1	0.1
415	415	1	0.1
416	416	2	0.1
417	417	2	0.1
419	419	1	0.1
420	420	1	0.1
421	421	1	0.1
422	422	1	0.1
423	423	1	0.1
425	425	1	0.1
426	426	2	0.1
427	427	3	0.2
428	428	1	0.1
429	429	2	0.1
433	433	1	0.1
434	434	1	0.1
437	437	1	0.1

daysintx: Distribution	Value	n	%
438	438	2	0.1
439	439	1	0.1
440	440	1	0.1
445	445	2	0.1
446	446	1	0.1
448	448	1	0.1
452	452	1	0.1
455	455	1	0.1
456	456	1	0.1
457	457	1	0.1
459	459	1	0.1
460	460	1	0.1
462	462	1	0.1
464	464	3	0.2
465	465	1	0.1
466	466	1	0.1
467	467	1	0.1
468	468	2	0.1
474	474	2	0.1
476	476	1	0.1
478	478	2	0.1
481	481	1	0.1
482	482	1	0.1
484	484	2	0.1
485	485	1	0.1
486	486	1	0.1
490	490	3	0.2
492	492	1	0.1
493	493	1	0.1
494	494	2	0.1
497	497	1	0.1
498	498	2	0.1
499	499	2	0.1
508	508	4	0.3
509	509	1	0.1
510	510	1	0.1
511	511	1	0.1
513	513	1	0.1

daysintx: Distribution	Value	n	%
514	514	1	0.1
521	521	2	0.1
524	524	2	0.1
525	525	2	0.1
526	526	2	0.1
528	528	1	0.1
529	529	2	0.1
530	530	2	0.1
533	533	1	0.1
534	534	2	0.1
535	535	1	0.1
536	536	1	0.1
537	537	1	0.1
538	538	2	0.1
539	539	1	0.1
542	542	1	0.1
543	543	3	0.2
544	544	3	0.2
547	547	1	0.1
551	551	1	0.1
552	552	1	0.1
553	553	1	0.1
555	555	1	0.1
556	556	3	0.2
557	557	2	0.1
561	561	1	0.1
562	562	1	0.1
564	564	2	0.1
565	565	1	0.1
567	567	1	0.1
571	571	3	0.2
572	572	3	0.2
573	573	1	0.1
574	574	3	0.2
575	575	1	0.1
576	576	1	0.1
577	577	1	0.1
578	578	1	0.1

daysintx: Distribution	Value	n	%
579	579	1	0.1
581	581	1	0.1
582	582	1	0.1
583	583	1	0.1
587	587	1	0.1
588	588	1	0.1
589	589	1	0.1
591	591	2	0.1
592	592	1	0.1
595	595	1	0.1
596	596	1	0.1
597	597	2	0.1
599	599	1	0.1
601	601	1	0.1
602	602	1	0.1
603	603	2	0.1
607	607	2	0.1
609	609	1	0.1
611	611	2	0.1
614	614	1	0.1
619	619	1	0.1
622	622	2	0.1
623	623	1	0.1
626	626	1	0.1
629	629	1	0.1
630	630	1	0.1
635	635	1	0.1
636	636	1	0.1
637	637	1	0.1
638	638	1	0.1
640	640	1	0.1
642	642	1	0.1
644	644	5	0.4
646	646	1	0.1
647	647	2	0.1
651	651	1	0.1
655	655	1	0.1
659	659	1	0.1

daysintx: Distribution	Value	n	%
663	663	1	0.1
664	664	2	0.1
665	665	1	0.1
673	673	1	0.1
678	678	1	0.1
682	682	2	0.1
683	683	1	0.1
684	684	1	0.1
685	685	1	0.1
691	691	1	0.1
692	692	1	0.1
693	693	1	0.1
695	695	1	0.1
697	697	1	0.1
698	698	2	0.1
701	701	1	0.1
704	704	1	0.1
707	707	1	0.1
711	711	1	0.1
715	715	1	0.1
716	716	2	0.1
728	728	1	0.1
729	729	1	0.1
730	730	1	0.1
740	740	1	0.1
742	742	2	0.1
757	757	1	0.1
759	759	1	0.1
761	761	1	0.1
763	763	1	0.1
769	769	1	0.1
777	777	2	0.1
787	787	1	0.1
791	791	1	0.1
793	793	1	0.1
795	795	1	0.1
796	796	1	0.1
803	803	1	0.1

daysintx: Distribution	Value	n	%
805	805	1	0.1
808	808	1	0.1
810	810	1	0.1
811	811	1	0.1
812	812	1	0.1
819	819	1	0.1
824	824	1	0.1
825	825	2	0.1
827	827	1	0.1
831	831	2	0.1
832	832	1	0.1
833	833	3	0.2
835	835	1	0.1
845	845	1	0.1
846	846	2	0.1
847	847	1	0.1
848	848	2	0.1
849	849	1	0.1
853	853	1	0.1
859	859	1	0.1
862	862	1	0.1
866	866	1	0.1
868	868	1	0.1
869	869	1	0.1
874	874	2	0.1
875	875	1	0.1
877	877	1	0.1
887	887	1	0.1
891	891	1	0.1
893	893	1	0.1
894	894	1	0.1
905	905	1	0.1
906	906	1	0.1
908	908	1	0.1
909	909	1	0.1
914	914	1	0.1
920	920	1	0.1
921	921	1	0.1

daysintx: Distribution	Value	n	%
922	922	1	0.1
926	926	2	0.1
928	928	1	0.1
934	934	2	0.1
936	936	1	0.1
937	937	1	0.1
938	938	1	0.1
940	940	1	0.1
941	941	1	0.1
953	953	2	0.1
956	956	1	0.1
969	969	1	0.1
971	971	1	0.1
973	973	1	0.1
986	986	1	0.1
993	993	1	0.1
1004	1004	1	0.1
1009	1009	1	0.1
1015	1015	1	0.1
1019	1019	1	0.1
1025	1025	1	0.1
1028	1028	1	0.1
1053	1053	1	0.1
1063	1063	1	0.1
1070	1070	1	0.1
1074	1074	1	0.1
1080	1080	1	0.1
1091	1091	1	0.1
1092	1092	1	0.1
1096	1096	1	0.1
1109	1109	1	0.1
1111	1111	1	0.1
1119	1119	1	0.1
1120	1120	1	0.1
1121	1121	1	0.1
1122	1122	1	0.1
1126	1126	1	0.1
1129	1129	1	0.1

daysintx: Distribution	Value	n	%
1134	1134	1	0.1
1135	1135	1	0.1
1163	1163	1	0.1
1173	1173	1	0.1
1177	1177	1	0.1
1193	1193	1	0.1
1195	1195	1	0.1
1203	1203	1	0.1
1205	1205	1	0.1
1232	1232	1	0.1
1240	1240	2	0.1
1242	1242	1	0.1
1246	1246	1	0.1
1250	1250	1	0.1
1255	1255	1	0.1
1259	1259	1	0.1
1279	1279	1	0.1
1287	1287	1	0.1
1291	1291	1	0.1
1294	1294	2	0.1
1299	1299	1	0.1
1309	1309	1	0.1
1316	1316	1	0.1
1317	1317	2	0.1
1332	1332	1	0.1
1341	1341	1	0.1
1348	1348	1	0.1
1356	1356	1	0.1
1357	1357	1	0.1
1361	1361	1	0.1
1383	1383	1	0.1
1387	1387	1	0.1
1393	1393	1	0.1
1411	1411	1	0.1
1415	1415	1	0.1
1427	1427	1	0.1
1431	1431	1	0.1
1439	1439	1	0.1

daysintx: Distribution	Value	n	%
1450	1450	1	0.1
1452	1452	1	0.1
1460	1460	2	0.1
1469	1469	1	0.1
1471	1471	1	0.1
1478	1478	1	0.1
1479	1479	1	0.1
1489	1489	1	0.1
1516	1516	1	0.1
1519	1519	1	0.1
1521	1521	1	0.1
1533	1533	1	0.1
1557	1557	1	0.1
1606	1606	2	0.1
1608	1608	1	0.1
1612	1612	1	0.1
1615	1615	1	0.1
1632	1632	1	0.1
1636	1636	1	0.1
1640	1640	1	0.1
1653	1653	2	0.1
1668	1668	1	0.1
1670	1670	1	0.1
1690	1690	1	0.1
1698	1698	1	0.1
1699	1699	1	0.1
1714	1714	1	0.1
1721	1721	1	0.1
1727	1727	1	0.1
1729	1729	1	0.1
1730	1730	1	0.1
1731	1731	1	0.1
1755	1755	2	0.1
1758	1758	1	0.1
1775	1775	1	0.1
1794	1794	1	0.1
1814	1814	1	0.1
1841	1841	1	0.1

daysintx: Distribution	Value	n	%
1855	1855	1	0.1
1878	1878	2	0.1
1880	1880	1	0.1
1920	1920	1	0.1
1923	1923	1	0.1
1925	1925	1	0.1
1932	1932	1	0.1
1936	1936	1	0.1
1952	1952	1	0.1
1965	1965	1	0.1
1996	1996	1	0.1
2016	2016	1	0.1
2022	2022	1	0.1
2035	2035	1	0.1
2039	2039	1	0.1
2044	2044	1	0.1
2053	2053	1	0.1
2066	2066	1	0.1
2084	2084	1	0.1
2090	2090	1	0.1
2095	2095	2	0.1
2104	2104	1	0.1
2118	2118	1	0.1
2131	2131	1	0.1
2139	2139	2	0.1
2163	2163	1	0.1
2195	2195	2	0.1
2197	2197	1	0.1
2222	2222	1	0.1
2265	2265	1	0.1
2297	2297	1	0.1
2298	2298	1	0.1
2315	2315	1	0.1
2337	2337	1	0.1
2340	2340	1	0.1
2403	2403	1	0.1
2440	2440	1	0.1
2446	2446	1	0.1

daysintx: Distribution	Value	n	%
2449	2449	1	0.1
2454	2454	1	0.1
2468	2468	1	0.1
2507	2507	1	0.1
2571	2571	1	0.1
2612	2612	1	0.1
2617	2617	1	0.1
2651	2651	1	0.1
2675	2675	1	0.1
2685	2685	1	0.1
2758	2758	1	0.1
2816	2816	1	0.1
2847	2847	1	0.1
2849	2849	1	0.1
2944	2944	1	0.1
2981	2981	1	0.1
2982	2982	1	0.1
2992	2992	1	0.1
3035	3035	1	0.1
3038	3038	1	0.1
3163	3163	1	0.1
3239	3239	1	0.1
3240	3240	1	0.1
3247	3247	1	0.1
3263	3263	1	0.1
3470	3470	1	0.1
3534	3534	1	0.1
3625	3625	1	0.1
3639	3639	1	0.1
3653	3653	2	0.1
3669	3669	1	0.1
3755	3755	2	0.1
3787	3787	1	0.1
3935	3935	1	0.1
4026	4026	1	0.1
4051	4051	1	0.1
4084	4084	1	0.1
4105	4105	1	0.1

daysintx: Distribution	Value	n	%
4124	4124	1	0.1
4181	4181	1	0.1
4192	4192	1	0.1
4279	4279	1	0.1
4365	4365	1	0.1
4426	4426	1	0.1
4484	4484	1	0.1
4628	4628	1	0.1
4698	4698	1	0.1
4877	4877	1	0.1
5058	5058	1	0.1
5059	5059	1	0.1
5075	5075	1	0.1
5128	5128	1	0.1
5158	5158	1	0.1
5250	5250	1	0.1
5260	5260	1	0.1
5529	5529	1	0.1
6061	6061	1	0.1
6238	6238	1	0.1
6552	6552	1	0.1
6716	6716	1	0.1
6763	6763	1	0.1
6873	6873	1	0.1
6921	6921	1	0.1
7833	7833	1	0.1
8043	8043	1	0.1
9156	9156	1	0.1
9387	9387	1	0.1
9402	9402	1	0.1
10880	10880	1	0.1
Z	Z	559	.
		1974	100.0

adverse	
LABEL	Experienced an adverse reaction to an opioid treatment medication (for the current or most recent treatment)

adverse	
TYPE	num
LENGTH	8
VARNUM	21

adverse: Distribution	Value	n	%
No	0	1336	94.4
Yes	1	79	5.6
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

tookmeds	
LABEL	Usually took opioid treatment medication as directed by your doctor (for the current or most recent treatment)
TYPE	num
LENGTH	8
VARNUM	22

tookmeds: Distribution	Value	n	%
No	0	199	14.1
Yes	1	1216	85.9
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

indcoun	
LABEL	Received individual counseling while in index treatment
TYPE	num
LENGTH	8
VARNUM	23

indcoun: Distribution	Value	n	%
No	0	106	7.5
Yes	1	1309	92.5
Undefined	U	0	.

indcoun: Distribution	Value	n	%
Missing survey	Z	559	.
		1974	100.0

grpcoun	
LABEL	Received group counseling while in index treatment
TYPE	num
LENGTH	8
VARNUM	24

grpcoun: Distribution	Value	n	%
No	0	385	27.2
Yes	1	1030	72.8
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

peernav	
LABEL	Met with a peer navigator about once a month or more while in index treatment
TYPE	num
LENGTH	8
VARNUM	25

peernav: Distribution	Value	n	%
No	0	765	54.1
Yes	1	650	45.9
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

selfhelp90	
LABEL	Attended a self-help group in the past 90 days
TYPE	num
LENGTH	8
VARNUM	26

selfhelp90: Distribution	Value	n	%
No	0	681	48.1
Yes	1	734	51.9
Undefined	U	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

coun90	
LABEL	Attended any counseling sessions in the past 90 days while in index treatment
TYPE	num
LENGTH	8
VARNUM	27

coun90: Distribution	Value	n	%
No	0	142	10.1
Yes	1	1263	89.9
Undefined	U	10	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

ncoun90	
LABEL	Number of counseling sessions attended in the past 90 days while in index treatment
TYPE	num
LENGTH	8
VARNUM	28

ncoun90: Distribution	Value	n	%
0	0	142	10.1
1	1	55	3.9
2	2	57	4.1
3	3	193	13.7
4	4	67	4.8
5	5	64	4.6
6	6	115	8.2
7	7	23	1.6
8	8	46	3.3

ncoun90: Distribution	Value	n	%
9	9	29	2.1
10	10	65	4.6
11	11	7	0.5
12	12	153	10.9
13	13	8	0.6
14	14	8	0.6
15	15	45	3.2
16	16	17	1.2
17	17	2	0.1
18	18	18	1.3
19	19	1	0.1
20	20	46	3.3
21	21	1	0.1
22	22	4	0.3
24	24	24	1.7
25	25	14	1.0
26	26	1	0.1
27	27	2	0.1
28	28	3	0.2
30	30	49	3.5
32	32	4	0.3
33	33	2	0.1
35	35	6	0.4
36	36	8	0.6
38	38	1	0.1
40	40	12	0.9
41	41	1	0.1
43	43	1	0.1
44	44	1	0.1
45	45	15	1.1
48	48	4	0.3
50	50	12	0.9
55	55	1	0.1
60	60	24	1.7
62	62	1	0.1
65	65	2	0.1
70	70	6	0.4
72	72	1	0.1

ncoun90: Distribution	Value	n	%
75	75	3	0.2
80	80	6	0.4
85	85	1	0.1
90	90	34	2.4
Undefined	U	10	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

abstinent30ohf	
LABEL	Abstinent from using prescription opioids non-medically, heroin, and illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	29

abstinent30ohf: Distribution	Value	n	%
No	0	357	26.4
Yes	1	995	73.6
Undefined	U	63	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

abstinent90ohfmb	
LABEL	Abstinent from using prescription opioids non-medically, opioid treatment medications non-medically, heroin, and illicitly-made fentanyl in the past 90 days
TYPE	num
LENGTH	8
VARNUM	30

abstinent90ohfmb: Distribution	Value	n	%
No	0	637	45.2
Yes	1	771	54.8
Undefined	U	7	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

opuse30	
LABEL	Number of days used prescription opioids non-medically in the past 30 days
TYPE	num
LENGTH	8
VARNUM	31

opuse30: Distribution	Value	n	%
0	0	1254	96.8
1	1	6	0.5
2	2	3	0.2
3	3	7	0.5
4	4	2	0.2
5	5	3	0.2
6	6	1	0.1
7	7	1	0.1
8	8	1	0.1
15	15	3	0.2
20	20	1	0.1
25	25	1	0.1
28	28	1	0.1
30	30	11	0.8
Undefined	U	120	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

opuse30users	
LABEL	Among users, number of days used prescription opioids non-medically in the past 30 days
TYPE	num
LENGTH	8
VARNUM	32

opuse30users: Distribution	Value	n	%
1	1	6	14.6
2	2	3	7.3
3	3	7	17.1
4	4	2	4.9
5	5	3	7.3

opuse30users: Distribution	Value	n	%
6	6	1	2.4
7	7	1	2.4
8	8	1	2.4
15	15	3	7.3
20	20	1	2.4
25	25	1	2.4
28	28	1	2.4
30	30	11	26.8
Undefined	U	1374	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

opabst90	
LABEL	Abstinent from using prescription opioids non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	33

opabst90: Distribution	Value	n	%
No	0	229	16.3
Yes	1	1180	83.7
Undefined	U	6	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

fnuse30	
LABEL	Number of days used illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	34

fnuse30: Distribution	Value	n	%
0	0	1267	89.9
1	1	17	1.2
2	2	20	1.4
3	3	7	0.5

fnuse30: Distribution	Value	n	%
4	4	10	0.7
5	5	13	0.9
6	6	4	0.3
7	7	4	0.3
8	8	1	0.1
10	10	7	0.5
12	12	3	0.2
14	14	1	0.1
15	15	11	0.8
20	20	4	0.3
23	23	1	0.1
24	24	1	0.1
25	25	8	0.6
28	28	2	0.1
30	30	29	2.1
Undefined	U	5	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

fnuse30users	
LABEL	Among users, number of days used illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	35

fnuse30users: Distribution	Value	n	%
1	1	17	11.9
2	2	20	14.0
3	3	7	4.9
4	4	10	7.0
5	5	13	9.1
6	6	4	2.8
7	7	4	2.8
8	8	1	0.7
10	10	7	4.9
12	12	3	2.1
14	14	1	0.7

fnuse30users: Distribution	Value	n	%
15	15	11	7.7
20	20	4	2.8
23	23	1	0.7
24	24	1	0.7
25	25	8	5.6
28	28	2	1.4
30	30	29	20.3
Undefined	U	1272	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

fnabst90	
LABEL	Abstinent from using illicitly-made fentanyl in the past 90 days
TYPE	num
LENGTH	8
VARNUM	36

fnabst90: Distribution	Value	n	%
No	0	207	14.7
Yes	1	1204	85.3
Undefined	U	4	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

hruse30	
LABEL	Number of days used heroin in the past 30 days
TYPE	num
LENGTH	8
VARNUM	37

hruse30: Distribution	Value	n	%
0	0	1108	79.0
1	1	41	2.9
2	2	28	2.0
3	3	23	1.6
4	4	25	1.8

hruse30: Distribution	Value	n	%
5	5	20	1.4
6	6	2	0.1
7	7	5	0.4
8	8	3	0.2
9	9	3	0.2
10	10	16	1.1
12	12	7	0.5
13	13	2	0.1
14	14	1	0.1
15	15	20	1.4
17	17	2	0.1
18	18	2	0.1
19	19	1	0.1
20	20	21	1.5
22	22	2	0.1
23	23	1	0.1
25	25	13	0.9
26	26	2	0.1
27	27	1	0.1
28	28	4	0.3
29	29	2	0.1
30	30	47	3.4
Undefined	U	13	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

hruse30users	
LABEL	Among users, number of days used heroin in the past 30 days
TYPE	num
LENGTH	8
VARNUM	38

hruse30users: Distribution	Value	n	%
1	1	41	13.9
2	2	28	9.5
3	3	23	7.8
4	4	25	8.5

hruse30users: Distribution	Value	n	%
5	5	20	6.8
6	6	2	0.7
7	7	5	1.7
8	8	3	1.0
9	9	3	1.0
10	10	16	5.4
12	12	7	2.4
13	13	2	0.7
14	14	1	0.3
15	15	20	6.8
17	17	2	0.7
18	18	2	0.7
19	19	1	0.3
20	20	21	7.1
22	22	2	0.7
23	23	1	0.3
25	25	13	4.4
26	26	2	0.7
27	27	1	0.3
28	28	4	1.4
29	29	2	0.7
30	30	47	16.0
Undefined	U	1121	.
Missing survey	Z	559	.
		1974	100.0

hrabst90	
LABEL	Abstinent from using heroin in the past 90 days
TYPE	num
LENGTH	8
VARNUM	39

hrabst90: Distribution	Value	n	%
No	0	383	27.3
Yes	1	1020	72.7
Undefined	U	12	.

hrabst90: Distribution	Value	n	%
Missing survey	Z	559	.
		1974	100.0

mmbpabst90	
LABEL	Abstinent from using opioid treatment medications non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	40

mmbpabst90: Distribution	Value	n	%
No	0	325	23.0
Yes	1	1085	77.0
Undefined	U	5	.
Missing survey	Z	559	.
		1974	100.0

diversionuse90	
LABEL	Frequency of using prescription opioids non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	41

diversionuse90: Distribution	Value	n	%
Never	1	1085	77.0
Less than once a week	2	40	2.8
Once a week	3	27	1.9
More than once a week	4	41	2.9
Almost every day of the week	5	217	15.4
Undefined	U	5	.
Missing survey	Z	559	.
		1974	100.0

suoverdose	
LABEL	Number of drug overdoses in the past 90 days
TYPE	num

suoverdose	
LENGTH	8
VARNUM	42

suoverdose: Distribution	Value	n	%
No	0	1375	97.2
Yes	1	40	2.8
Undefined	U	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

opoverdose	
LABEL	Number of overdoses due to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	43

opoverdose: Distribution	Value	n	%
No	0	1385	97.9
Yes	1	30	2.1
Undefined	U	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

edvisit	
LABEL	Had an emergency department visit in the past 90 days
TYPE	num
LENGTH	8
VARNUM	44

edvisit: Distribution	Value	n	%
No	0	1183	83.7
Yes	1	231	16.3
Undefined	U	1	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

opedvisit	
LABEL	Had an emergency department visit related to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	45

opedvisit: Distribution	Value	n	%
No	0	1364	96.5
Yes	1	49	3.5
Undefined	U	2	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

hospstay	
LABEL	Had a hospital stay in the past 90 days
TYPE	num
LENGTH	8
VARNUM	46

hospstay: Distribution	Value	n	%
No	0	1305	92.4
Yes	1	108	7.6
Undefined	U	2	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

ophospstay	
LABEL	Had a hospital stay related to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	47

ophospstay: Distribution	Value	n	%
No	0	1369	96.9
Yes	1	44	3.1

ophospstay: Distribution	Value	n	%
Undefined	U	2	.
Missing survey	Z	559	.
		1974	100.0

pcp90	
LABEL	Visited a primary care provider in the past 90 days
TYPE	num
LENGTH	8
VARNUM	48

pcp90: Distribution	Value	n	%
No	0	573	40.5
Yes	1	841	59.5
Undefined	U	1	.
Missing survey	Z	559	.
		1974	100.0

mentalillness	
LABEL	Ever diagnosed with a mental illness
TYPE	num
LENGTH	8
VARNUM	49

mentalillness: Distribution	Value	n	%
No	0	497	35.1
Yes	1	918	64.9
.	.	559	.
Undefined	U	0	.
Missing survey	Z	0	.
		1974	100.0

insurance	
LABEL	Health insurance status
TYPE	num

insurance	
LENGTH	8
VARNUM	50

insurance: Distribution	Value	n	%
Health insurance	1	1197	84.6
No health insurance	2	218	15.4
Undefined	U	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

healthins	
LABEL	Has health insurance
TYPE	num
LENGTH	8
VARNUM	51

healthins: Distribution	Value	n	%
No	0	218	15.4
Yes	1	1197	84.6
Undefined	U	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

nohealthins	
LABEL	Does not have health insurance
TYPE	num
LENGTH	8
VARNUM	52

nohealthins: Distribution	Value	n	%
No	0	1197	84.6
Yes	1	218	15.4
Undefined	U	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

employed	
LABEL	Currently employed or self-employed
TYPE	num
LENGTH	8
VARNUM	53

employed: Distribution	Value	n	%
No	0	1018	71.9
Yes	1	397	28.1
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

socialsupportscore	
LABEL	Social support score from the Multidimensional Scale of Perceived Social Support
TYPE	num
LENGTH	8
VARNUM	54

socialsupportscore: Distribution	Value	n	%
1	1	16	1.1
1.08333333333333	1.08333333	2	0.1
1.16666666666667	1.16666667	1	0.1
1.25	1.25	3	0.2
1.41666666666667	1.41666667	3	0.2
1.5	1.5	3	0.2
1.58333333333333	1.58333333	2	0.1
1.66666666666667	1.66666667	4	0.3
1.75	1.75	1	0.1
1.83333333333333	1.83333333	3	0.2
1.91666666666667	1.91666667	1	0.1
2	2	11	0.8
2.16666666666667	2.16666667	2	0.1
2.25	2.25	7	0.5
2.33333333333333	2.33333333	5	0.4
2.41666666666667	2.41666667	2	0.1

socialsupportscore: Distribution	Value	n	%
2.5	2.5	10	0.7
2.58333333333333	2.583333333	3	0.2
2.66666666666667	2.666666667	5	0.4
2.75	2.75	5	0.4
2.83333333333333	2.833333333	5	0.4
2.91666666666667	2.916666667	6	0.4
3	3	22	1.6
3.08333333333333	3.083333333	10	0.7
3.16666666666667	3.166666667	12	0.8
3.25	3.25	15	1.1
3.33333333333333	3.333333333	7	0.5
3.41666666666667	3.416666667	17	1.2
3.5	3.5	10	0.7
3.58333333333333	3.583333333	5	0.4
3.66666666666667	3.666666667	19	1.3
3.75	3.75	16	1.1
3.83333333333333	3.833333333	16	1.1
3.91666666666667	3.916666667	6	0.4
4	4	64	4.5
4.08333333333333	4.083333333	15	1.1
4.16666666666667	4.166666667	10	0.7
4.25	4.25	17	1.2
4.33333333333333	4.333333333	31	2.2
4.41666666666667	4.416666667	17	1.2
4.5	4.5	16	1.1
4.58333333333333	4.583333333	16	1.1
4.66666666666667	4.666666667	21	1.5
4.75	4.75	26	1.8
4.83333333333333	4.833333333	15	1.1
4.91666666666667	4.916666667	13	0.9
5	5	44	3.1
5.08333333333333	5.083333333	19	1.3
5.16666666666667	5.166666667	21	1.5
5.25	5.25	28	2.0
5.33333333333333	5.333333333	29	2.0
5.41666666666667	5.416666667	26	1.8
5.5	5.5	22	1.6

socialsupportscore: Distribution	Value	n	%
5.58333333333333	5.583333333	23	1.6
5.66666666666667	5.666666667	33	2.3
5.75	5.75	23	1.6
5.83333333333333	5.833333333	36	2.5
5.91666666666667	5.916666667	40	2.8
6	6	78	5.5
6.08333333333333	6.083333333	24	1.7
6.16666666666667	6.166666667	29	2.0
6.25	6.25	22	1.6
6.33333333333333	6.333333333	32	2.3
6.41666666666667	6.416666667	18	1.3
6.5	6.5	38	2.7
6.58333333333333	6.583333333	23	1.6
6.66666666666667	6.666666667	20	1.4
6.75	6.75	25	1.8
6.83333333333333	6.833333333	16	1.1
6.91666666666667	6.916666667	29	2.0
7	7	201	14.2
.	.	559	.
Undefined	U	0	.
Missing survey	Z	0	.
		<i>1974</i>	<i>100.0</i>

socialsupportcat	
LABEL	Level of social support
TYPE	num
LENGTH	8
VARNUM	55

socialsupportcat: Distribution	Value	n	%
High social support	1	855	60.4
Moderate social support	2	460	32.5
Low social support	3	100	7.1
.	.	559	.
Undefined	U	0	.

socialsupportcat: Distribution	Value	n	%
Missing survey	Z	0	.
		1974	100.0

lowsocialsupport	
LABEL	Low social support
TYPE	num
LENGTH	8
VARNUM	56

lowsocialsupport: Distribution	Value	n	%
No	0	855	60.4
Yes	1	560	39.6
.	.	559	.
Undefined	U	0	.
Missing survey	Z	0	.
		1974	100.0

modsocialsupport	
LABEL	Moderate social support
TYPE	num
LENGTH	8
VARNUM	57

modsocialsupport: Distribution	Value	n	%
No	0	460	32.5
Yes	1	955	67.5
.	.	559	.
Undefined	U	0	.
Missing survey	Z	0	.
		1974	100.0

highsocialsupport	
LABEL	High social support
TYPE	num

highsocialsupport	
LENGTH	8
VARNUM	58

highsocialsupport: Distribution	Value	n	%
No	0	100	7.1
Yes	1	1315	92.9
.	.	559	.
Undefined	U	0	.
Missing survey	Z	0	.
		<i>1974</i>	<i>100.0</i>

ace	
LABEL	Had one or more adverse childhood experience
TYPE	num
LENGTH	8
VARNUM	59

ace: Distribution	Value	n	%
Did not experience an adverse childhood event	0	189	13.4
Experienced an adverse childhood event	1	1226	86.6
Undefined	U	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

clienttostaffratio_impute	
LABEL	Flag for imputed clienttostaffratio_raw values
TYPE	num
LENGTH	8
VARNUM	60

clienttostaffratio_impute: Distribution	Value	n	%
No imputation	0	1256	88.8

clienttostaffratio_impute: Distribution	Value	n	%
Logical assignment	1	0	.
Assignment from other questionnaire	2	18	1.3
Statistical imputation	3	141	10.0
Undefined	U	0	.
Missing survey	Z	559	.
		1974	100.0

clienttostaffratio_raw	
LABEL	Original clienttostaffratio_raw values, not imputed
TYPE	num
LENGTH	8
VARNUM	61

clienttostaffratio_raw: Distribution	Value	n	%
0.326086956522	0.32608696	3	0.2
0.926136363636	0.92613636	6	0.5
0.93023255814	0.93023256	8	0.6
1.106382978723	1.10638298	77	6.1
1.125	1.125	12	1.0
1.632653061224	1.63265306	7	0.6
2.818181818182	2.81818182	10	0.8
2.857142857143	2.85714286	4	0.3
3.6	3.6	4	0.3
3.857142857143	3.85714286	6	0.5
4.294117647059	4.29411765	15	1.2
4.375	4.375	3	0.2
4.4	4.4	10	0.8
5	5	57	4.5
8.222222222222	8.22222222	15	1.2
8.333333333333	8.33333333	39	3.1
8.529411764706	8.52941176	44	3.5
8.866666666667	8.86666667	21	1.7
11.27272727273	11.2727273	29	2.3
14.05263157895	14.0526316	37	2.9
15	15	12	1.0

clienttostaffratio_raw: Distribution	Value	n	%
15.42307692308	15.4230769	4	0.3
17.5	17.5	3	0.2
17.96153846154	17.9615385	5	0.4
18.38709677419	18.3870968	36	2.9
19.06896551724	19.0689655	95	7.6
19.35294117647	19.3529412	4	0.3
19.444444444444	19.4444444	39	3.1
21.2	21.2	3	0.2
21.30769230769	21.3076923	46	3.7
21.333333333333	21.3333333	45	3.6
21.45098039216	21.4509804	35	2.8
22.27272727273	22.2727273	18	1.4
23.66666666667	23.6666667	6	0.5
24.333333333333	24.3333333	7	0.6
25.37037037037	25.3703704	46	3.7
26.26086956522	26.2608696	22	1.8
26.27777777778	26.2777778	12	1.0
27.27272727273	27.2727273	39	3.1
27.45161290323	27.4516129	11	0.9
28.31818181818	28.3181818	61	4.9
29.375	29.375	13	1.0
30	30	29	2.3
33	33	4	0.3
33.27777777778	33.2777778	17	1.4
34.81818181818	34.8181818	48	3.8
37.5	37.5	83	6.6
38.63636363636	38.6363636	10	0.8
79.85714285714	79.8571429	20	1.6
80.25	80.25	54	4.3
92.17391304348	92.173913	7	0.6
97.28571428571	97.2857143	2	0.2
156.33333333333	156.333333	13	1.0
Undefined	U	159	.
Missing survey	Z	559	.
		1974	100.0

indexstatus	
LABEL	Based on previous questionnaires, is the client still receiving the index treatment?
TYPE	num
LENGTH	8
VARNUM	62

indexstatus: Distribution	Value	n	%
Yes	1	1398	98.8
No	2	17	1.2
Undefined	U	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SS2	
LABEL	Are you still receiving your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	63

SS2: Distribution	Value	n	%
Yes	1	1289	92.2
No	2	109	7.8
No response	N	0	.
Logical skip	S	17	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SS4	
LABEL	Why did you stop receiving your INDEX treatment? (If you have multiple reasons, select the most important reason.)
TYPE	num
LENGTH	8
VARNUM	64

SS4: Distribution	Value	n	%
I completed my INDEX treatment	1	15	13.8

SS4: Distribution	Value	n	%
I voluntarily stopped my INDEX treatment	2	33	30.3
I continued my [MAT_COUN] treatment at a different facility	3	25	22.9
I am still receiving treatment for my opioid addiction at [FACILITY], but I am no longer receiving [MAT_COUN]	4	8	7.3
I was involuntarily discharged from my INDEX treatment program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	8	7.3
A different reason/none of the above (specify)	6	20	18.3
No response	N	0	.
Logical skip	S	1306	.
Missing survey	Z	559	.
		1974	100.0

SS5_1	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? The program took up too much of my time?
TYPE	num
LENGTH	8
VARNUM	65

SS5_1: Distribution	Value	n	%
No	0	99	90.8
Yes	1	10	9.2
No response	N	0	.
Logical skip	S	1306	.
Missing survey	Z	559	.
		1974	100.0

SS5_3	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? My insurance ran out?
TYPE	num

SS5_3	
LENGTH	8
VARNUM	66

SS5_3: Distribution	Value	n	%
No	0	98	89.9
Yes	1	11	10.1
No response	N	0	.
Logical skip	S	1306	.
Missing survey	Z	559	.
		1974	100.0

SS5_4	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I could not find a way to pay for it?
TYPE	num
LENGTH	8
VARNUM	67

SS5_4: Distribution	Value	n	%
No	0	96	88.1
Yes	1	13	11.9
No response	N	0	.
Logical skip	S	1306	.
Missing survey	Z	559	.
		1974	100.0

SS5_5	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not have reliable transportation?
TYPE	num
LENGTH	8
VARNUM	68

SS5_5: Distribution	Value	n	%
No	0	87	79.8
Yes	1	22	20.2

SS5_5: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	1306	.
Missing survey	Z	559	.
		1974	100.0

SS5_6	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I got sick and could not make appointments?
TYPE	num
LENGTH	8
VARNUM	69

SS5_6: Distribution	Value	n	%
No	0	105	96.3
Yes	1	4	3.7
No response	N	0	.
Logical skip	S	1306	.
Missing survey	Z	559	.
		1974	100.0

SS5_7	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not think the treatment was doing any good?
TYPE	num
LENGTH	8
VARNUM	70

SS5_7: Distribution	Value	n	%
No	0	96	88.1
Yes	1	13	11.9
No response	N	0	.
Logical skip	S	1306	.
Missing survey	Z	559	.
		1974	100.0

SS5_8	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not need the treatment anymore?
TYPE	num
LENGTH	8
VARNUM	71

SS5_8: Distribution	Value	n	%
No	0	102	93.6
Yes	1	7	6.4
No response	N	0	.
Logical skip	S	1306	.
Missing survey	Z	559	.
		1974	100.0

SS5_9	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not like the people?
TYPE	num
LENGTH	8
VARNUM	72

SS5_9: Distribution	Value	n	%
No	0	99	90.8
Yes	1	10	9.2
No response	N	0	.
Logical skip	S	1306	.
Missing survey	Z	559	.
		1974	100.0

SS5_10	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I relapsed?
TYPE	num
LENGTH	8
VARNUM	73

SS5_10: Distribution	Value	n	%
No	0	84	77.1
Yes	1	25	22.9
No response	N	0	.
Logical skip	S	1306	.
Missing survey	Z	559	.
		1974	100.0

SS5_12	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I moved too far away?
TYPE	num
LENGTH	8
VARNUM	74

SS5_12: Distribution	Value	n	%
No	0	94	86.2
Yes	1	15	13.8
No response	N	0	.
Logical skip	S	1306	.
Missing survey	Z	559	.
		1974	100.0

SS5_13	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? None of these apply.
TYPE	num
LENGTH	8
VARNUM	75

SS5_13: Distribution	Value	n	%
No	0	81	74.3
Yes	1	28	25.7
No response	N	0	.
Logical skip	S	1306	.
Missing survey	Z	559	.
		1974	100.0

SS11_1	
LABEL	While enrolled in INDEX treatment, did you receive? Methadone?
TYPE	num
LENGTH	8
VARNUM	76

SS11_1: Distribution	Value	n	%
No	0	470	33.7
Yes	1	923	66.3
No response	N	5	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

SS11_2	
LABEL	While enrolled in INDEX treatment, did you receive? Oral buprenorphine (e.g., Suboxone, generic)?
TYPE	num
LENGTH	8
VARNUM	77

SS11_2: Distribution	Value	n	%
No	0	988	70.9
Yes	1	405	29.1
No response	N	5	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

SS11_3	
LABEL	While enrolled in INDEX treatment, did you receive? Implantable or injectable buprenorphine (e.g., Probuphine, generic)?
TYPE	num
LENGTH	8
VARNUM	78

SS11_3: Distribution	Value	n	%
No	0	1389	99.7
Yes	1	4	0.3
No response	N	5	.
Logical skip	S	17	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SS11_4	
LABEL	While enrolled in INDEX treatment, did you receive? Oral naltrexone (e.g., Revia)?
TYPE	num
LENGTH	8
VARNUM	79

SS11_4: Distribution	Value	n	%
No	0	1375	98.7
Yes	1	18	1.3
No response	N	5	.
Logical skip	S	17	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SS11_5	
LABEL	While enrolled in INDEX treatment, did you receive? Injectable naltrexone (e.g., Vivitrol)?
TYPE	num
LENGTH	8
VARNUM	80

SS11_5: Distribution	Value	n	%
No	0	1358	97.5
Yes	1	35	2.5
No response	N	5	.
Logical skip	S	17	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SS11_6	
LABEL	While enrolled in INDEX treatment, did you receive? Other drug?
TYPE	num
LENGTH	8
VARNUM	81

SS11_6: Distribution	Value	n	%
No	0	1371	98.4
Yes	1	22	1.6
No response	N	5	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

SS12_1	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Individual counseling?
TYPE	num
LENGTH	8
VARNUM	82

SS12_1: Distribution	Value	n	%
No	0	309	22.1
Yes	1	1087	77.9
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

SS12_2	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Group counseling?
TYPE	num
LENGTH	8
VARNUM	83

SS12_2: Distribution	Value	n	%
No	0	554	39.7
Yes	1	842	60.3
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SS12_3	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Other behavioral therapy/counseling?
TYPE	num
LENGTH	8
VARNUM	84

SS12_3: Distribution	Value	n	%
No	0	928	66.5
Yes	1	468	33.5
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SS12_4	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Detoxification services?
TYPE	num
LENGTH	8
VARNUM	85

SS12_4: Distribution	Value	n	%
No	0	1198	85.8
Yes	1	198	14.2
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SS12_5	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication) ?
TYPE	num
LENGTH	8
VARNUM	86

SS12_5: Distribution	Value	n	%
No	0	790	56.6
Yes	1	606	43.4
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SS12_6	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? HIV testing?
TYPE	num
LENGTH	8
VARNUM	87

SS12_6: Distribution	Value	n	%
No	0	878	62.9
Yes	1	518	37.1
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SS12_7	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing?
TYPE	num
LENGTH	8
VARNUM	88

SS12_7: Distribution	Value	n	%
No	0	832	59.6
Yes	1	564	40.4
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

SS12_8	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Laboratory drug testing/urine testing?
TYPE	num
LENGTH	8
VARNUM	89

SS12_8: Distribution	Value	n	%
No	0	355	25.4
Yes	1	1041	74.6
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

SS12_9	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)?
TYPE	num
LENGTH	8
VARNUM	90

SS12_9: Distribution	Value	n	%
No	0	924	66.2
Yes	1	472	33.8
No response	N	2	.
Logical skip	S	17	.

SS12_9: Distribution	Value	n	%
Missing survey	Z	559	.
		1974	100.0

SS12_10	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator) ?
TYPE	num
LENGTH	8
VARNUM	91

SS12_10: Distribution	Value	n	%
No	0	1022	73.2
Yes	1	374	26.8
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

SS12_11	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator?
TYPE	num
LENGTH	8
VARNUM	92

SS12_11: Distribution	Value	n	%
No	0	1081	77.4
Yes	1	315	22.6
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

SS12_12	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Training on how to avoid overdosing?

SS12_12	
TYPE	num
LENGTH	8
VARNUM	93

SS12_12: Distribution	Value	n	%
No	0	864	61.9
Yes	1	532	38.1
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SS12_13	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Training on how to use naloxone?
TYPE	num
LENGTH	8
VARNUM	94

SS12_13: Distribution	Value	n	%
No	0	905	64.8
Yes	1	491	35.2
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SS12_14	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Other services?
TYPE	num
LENGTH	8
VARNUM	95

SS12_14: Distribution	Value	n	%
No	0	1252	89.7

SS12_14: Distribution	Value	n	%
Yes	1	144	10.3
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

SS12_15	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? No other services?
TYPE	num
LENGTH	8
VARNUM	96

SS12_15: Distribution	Value	n	%
No	0	1330	95.3
Yes	1	66	4.7
No response	N	2	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

PN1	
LABEL	(Since you started your INDEX treatment/While you were in your INDEX treatment), were you offered services from a Peer Navigator?
TYPE	num
LENGTH	8
VARNUM	97

PN1: Distribution	Value	n	%
Yes	1	617	44.2
No	2	669	47.9
No Answer	3	111	7.9
No response	N	1	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

PN2	
LABEL	(Since you began your INDEX treatment/At any time while you were in your INDEX treatment), how often did you meet with a Peer Navigator?
TYPE	num
LENGTH	8
VARNUM	98

PN2: Distribution	Value	n	%
Less than once a month	1	87	14.1
About once a month	2	179	29.1
Several times a month	3	110	17.9
About once a week	4	103	16.7
Several times a week	5	45	7.3
I never met with a peer navigator	6	92	14.9
No response	N	2	.
Logical skip	S	797	.
Missing survey	Z	559	.
		1974	100.0

PN3	
LABEL	How helpful (is/was) your peer navigator to your recovery?
TYPE	num
LENGTH	8
VARNUM	99

PN3: Distribution	Value	n	%
Very helpful	1	323	61.6
Somewhat helpful	2	175	33.4
Somewhat unhelpful	3	14	2.7
Not helpful at all	4	12	2.3
No response	N	2	.
Logical skip	S	889	.
Missing survey	Z	559	.
		1974	100.0

PN4_1	
LABEL	Why did you not meet with a peer navigator? I did not want the service?
TYPE	num
LENGTH	8
VARNUM	100

PN4_1: Distribution	Value	n	%
No	0	54	58.7
Yes	1	38	41.3
No response	N	2	.
Logical skip	S	1321	.
Missing survey	Z	559	.
		1974	100.0

PN4_2	
LABEL	Why did you not meet with a peer navigator? I did not think the service was worthwhile for me?
TYPE	num
LENGTH	8
VARNUM	101

PN4_2: Distribution	Value	n	%
No	0	81	88.0
Yes	1	11	12.0
No response	N	2	.
Logical skip	S	1321	.
Missing survey	Z	559	.
		1974	100.0

PN4_3	
LABEL	Why did you not meet with a peer navigator? I could not afford the service?
TYPE	num
LENGTH	8
VARNUM	102

PN4_3: Distribution	Value	n	%
No	0	89	96.7

PN4_3: Distribution	Value	n	%
Yes	1	3	3.3
No response	N	2	.
Logical skip	S	1321	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

PN4_4	
LABEL	Why did you not meet with a peer navigator? I will arrange to meet with peer navigator if I ever need their service?
TYPE	num
LENGTH	8
VARNUM	103

PN4_4: Distribution	Value	n	%
No	0	64	69.6
Yes	1	28	30.4
No response	N	2	.
Logical skip	S	1321	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

PN4_5	
LABEL	Why did you not meet with a peer navigator? I tried to make an appointment but the peer navigator did not have any openings on their schedule?
TYPE	num
LENGTH	8
VARNUM	104

PN4_5: Distribution	Value	n	%
No	0	91	98.9
Yes	1	1	1.1
No response	N	2	.
Logical skip	S	1321	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

PN4_6	
LABEL	Why did you not meet with a peer navigator? I plan to schedule an appointment soon?
TYPE	num
LENGTH	8
VARNUM	105

PN4_6: Distribution	Value	n	%
No	0	82	89.1
Yes	1	10	10.9
No response	N	2	.
Logical skip	S	1321	.
Missing survey	Z	559	.
		1974	100.0

PN4_7	
LABEL	Why did you not meet with a peer navigator? I have an appointment scheduled?
TYPE	num
LENGTH	8
VARNUM	106

PN4_7: Distribution	Value	n	%
No	0	92	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	1321	.
Missing survey	Z	559	.
		1974	100.0

PN4_8	
LABEL	Why did you not meet with a peer navigator? I had an appointment but the peer navigator did not make it?
TYPE	num
LENGTH	8
VARNUM	107

PN4_8: Distribution	Value	n	%
No	0	90	97.8

PN4_8: Distribution	Value	n	%
Yes	1	2	2.2
No response	N	2	.
Logical skip	S	1321	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

PN4_9	
LABEL	Why did you not meet with a peer navigator? I had another reason that is not listed above?
TYPE	num
LENGTH	8
VARNUM	108

PN4_9: Distribution	Value	n	%
No	0	83	90.2
Yes	1	9	9.8
No response	N	2	.
Logical skip	S	1321	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

PN5_A	
LABEL	Peer navigators are helpful?
TYPE	num
LENGTH	8
VARNUM	109

PN5_A: Distribution	Value	n	%
Agree	1	956	68.5
Neutral or no opinion	2	401	28.7
Disagree	3	38	2.7
No response	N	3	.
Logical skip	S	17	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

PN5_B	
LABEL	I am uncomfortable sharing my personal life with a peer navigator?
TYPE	num
LENGTH	8
VARNUM	110

PN5_B: Distribution	Value	n	%
Agree	1	269	19.4
Neutral or no opinion	2	414	29.8
Disagree	3	707	50.9
No response	N	8	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

PN5_C	
LABEL	People I know told me not to work with a peer navigator?
TYPE	num
LENGTH	8
VARNUM	111

PN5_C: Distribution	Value	n	%
Agree	1	113	8.1
Neutral or no opinion	2	337	24.2
Disagree	3	940	67.6
No response	N	8	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

PN5_D	
LABEL	A peer navigator is not helpful or needed given my situation?
TYPE	num
LENGTH	8
VARNUM	112

PN5_D: Distribution	Value	n	%
Agree	1	217	15.6
Neutral or no opinion	2	499	36.0
Disagree	3	672	48.4
No response	N	10	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

PN5_E	
LABEL	I would recommend peer navigators to a friend?
TYPE	num
LENGTH	8
VARNUM	113

PN5_E: Distribution	Value	n	%
Agree	1	876	62.9
Neutral or no opinion	2	467	33.5
Disagree	3	50	3.6
No response	N	5	.
Logical skip	S	17	.
Missing survey	Z	559	.
		1974	100.0

PX1	
LABEL	Since stopping your INDEX treatment, did you start another treatment program for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	114

PX1: Distribution	Value	n	%
Yes	1	45	41.3
No	2	61	56.0
No Answer	3	3	2.8
No response	N	0	.
Logical skip	S	1306	.

PX1: Distribution	Value	n	%
Missing survey	Z	559	.
		1974	100.0

PX3A_R1	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	115

PX3A_R1: Distribution	Value	n	%
Very important	1	36	80.0
Somewhat important	2	7	15.6
Not important	3	2	4.4
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3B_R1	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	116

PX3B_R1: Distribution	Value	n	%
Very important	1	11	25.6
Somewhat important	2	6	14.0
Not important	3	26	60.5
No response	N	2	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3C_R1	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	117

PX3C_R1: Distribution	Value	n	%
Very important	1	28	62.2
Somewhat important	2	11	24.4
Not important	3	6	13.3
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3D_R1	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 1
TYPE	num
LENGTH	8
VARNUM	118

PX3D_R1: Distribution	Value	n	%
Very important	1	30	66.7
Somewhat important	2	9	20.0
Not important	3	6	13.3
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3E_R1	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 1
TYPE	num
LENGTH	8
VARNUM	119

PX3E_R1: Distribution	Value	n	%
Very important	1	37	82.2
Somewhat important	2	6	13.3
Not important	3	2	4.4
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3F_R1	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 1
TYPE	num
LENGTH	8
VARNUM	120

PX3F_R1: Distribution	Value	n	%
Very important	1	25	55.6
Somewhat important	2	11	24.4
Not important	3	9	20.0
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3G_R1	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 1
TYPE	num
LENGTH	8
VARNUM	121

PX3G_R1: Distribution	Value	n	%
Very important	1	23	51.1
Somewhat important	2	15	33.3
Not important	3	7	15.6

PX3G_R1: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3I_R1	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 1
TYPE	num
LENGTH	8
VARNUM	122

PX3I_R1: Distribution	Value	n	%
Very important	1	31	68.9
Somewhat important	2	9	20.0
Not important	3	5	11.1
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3J_R1	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 1
TYPE	num
LENGTH	8
VARNUM	123

PX3J_R1: Distribution	Value	n	%
Very important	1	30	66.7
Somewhat important	2	10	22.2
Not important	3	5	11.1
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3K_R1	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 1
TYPE	num
LENGTH	8
VARNUM	124

PX3K_R1: Distribution	Value	n	%
Very important	1	24	53.3
Somewhat important	2	11	24.4
Not important	3	10	22.2
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3L_R1	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 1
TYPE	num
LENGTH	8
VARNUM	125

PX3L_R1: Distribution	Value	n	%
Very important	1	34	75.6
Somewhat important	2	3	6.7
Not important	3	8	17.8
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3M_R1	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 1
TYPE	num

PX3M_R1	
LENGTH	8
VARNUM	126

PX3M_R1: Distribution	Value	n	%
Very important	1	9	20.0
Somewhat important	2	9	20.0
Not important	3	27	60.0
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3N_R1	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 1
TYPE	num
LENGTH	8
VARNUM	127

PX3N_R1: Distribution	Value	n	%
Very important	1	24	53.3
Somewhat important	2	10	22.2
Not important	3	11	24.4
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3O_R1	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 1
TYPE	num
LENGTH	8
VARNUM	128

PX3O_R1: Distribution	Value	n	%
Very important	1	15	33.3
Somewhat important	2	10	22.2
Not important	3	20	44.4
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX3P_R1	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	129

PX3P_R1: Distribution	Value	n	%
Very important	1	15	33.3
Somewhat important	2	14	31.1
Not important	3	16	35.6
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX4_11_R1	
LABEL	Was your participation in this treatment? None of these apply? Response 1
TYPE	num
LENGTH	8
VARNUM	130

PX4_11_R1: Distribution	Value	n	%
No	0	15	33.3
Yes	1	30	66.7
No response	N	0	.
Logical skip	S	1370	.

PX4_11_R1: Distribution	Value	n	%
Missing survey	Z	559	.
		1974	100.0

PX5_1_R1	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 1
TYPE	num
LENGTH	8
VARNUM	131

PX5_1_R1: Distribution	Value	n	%
No	0	5	11.1
Yes	1	40	88.9
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX5_2_R1	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 1
TYPE	num
LENGTH	8
VARNUM	132

PX5_2_R1: Distribution	Value	n	%
No	0	40	88.9
Yes	1	5	11.1
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX5_3_R1	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/ drug abuse care provider? Response 1

PX5_3_R1	
TYPE	num
LENGTH	8
VARNUM	133

PX5_3_R1: Distribution	Value	n	%
No	0	42	93.3
Yes	1	3	6.7
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX5_4_R1	
LABEL	Who recommended that you go to this facility to get treatment? Primary health care provider? Response 1
TYPE	num
LENGTH	8
VARNUM	134

PX5_4_R1: Distribution	Value	n	%
No	0	43	95.6
Yes	1	2	4.4
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX5_5_R1	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 1
TYPE	num
LENGTH	8
VARNUM	135

PX5_5_R1: Distribution	Value	n	%
No	0	45	100.0

PX5_5_R1: Distribution	Value	n	%
Yes	1	0	.
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX5_6_R1	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 1
TYPE	num
LENGTH	8
VARNUM	136

PX5_6_R1: Distribution	Value	n	%
No	0	45	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX5_7_R1	
LABEL	Who recommended that you go to this facility to get treatment? Community group (e.g. religious organizations. self-help groups)? Response 1
TYPE	num
LENGTH	8
VARNUM	137

PX5_7_R1: Distribution	Value	n	%
No	0	44	97.8
Yes	1	1	2.2
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX5_8_R1	
LABEL	Who recommended that you go to this facility to get treatment? Court/ criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 1
TYPE	num
LENGTH	8
VARNUM	138

PX5_8_R1: Distribution	Value	n	%
No	0	43	95.6
Yes	1	2	4.4
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

PX5_9_R1	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 1
TYPE	num
LENGTH	8
VARNUM	139

PX5_9_R1: Distribution	Value	n	%
No	0	45	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

PX10_R1	
LABEL	When you started this treatment, how confident were you that this treatment would be successful? Response 1
TYPE	num
LENGTH	8
VARNUM	140

PX10_R1: Distribution	Value	n	%
Not confident	1	4	8.9
Slightly confident	2	7	15.6
Moderately confident	3	15	33.3
Highly confident	4	19	42.2
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX11_R1	
LABEL	Are you still receiving this treatment at this facility? Response 1
TYPE	num
LENGTH	8
VARNUM	141

PX11_R1: Distribution	Value	n	%
Yes	1	36	80.0
No	2	9	20.0
No response	N	0	.
Logical skip	S	1370	.
Missing survey	Z	559	.
		1974	100.0

PX13_R1	
LABEL	Why did you stop receiving this treatment at this facility? Response 1
TYPE	num
LENGTH	8
VARNUM	142

PX13_R1: Distribution	Value	n	%
I completed this treatment program	1	4	44.4
I voluntarily stopped this treatment	2	3	33.3
I continued this treatment at a different facility	3	1	11.1

PX13_R1: Distribution	Value	n	%
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	1	11.1
No response	N	0	.
Logical skip	S	1406	.
Missing survey	Z	559	.
		1974	100.0

PX13_R2	
LABEL	Why did you stop receiving this treatment at this facility? Response 2
TYPE	num
LENGTH	8
VARNUM	143

PX13_R2: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1415	.
Missing survey	Z	559	.
		1974	.

PX13_R3	
LABEL	Why did you stop receiving this treatment at this facility? Response 3
TYPE	num
LENGTH	8
VARNUM	144

PX13_R3: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1415	.
Missing survey	Z	559	.
		1974	.

PX13_R4	
LABEL	Why did you stop receiving this treatment at this facility? Response 4
TYPE	num
LENGTH	8
VARNUM	145

PX13_R4: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.

PX13_R4: Distribution	Value	n	%
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1415	.
Missing survey	Z	559	.
		1974	.

PX13_R5	
LABEL	Why did you stop receiving this treatment at this facility? Response 5
TYPE	num
LENGTH	8
VARNUM	146

PX13_R5: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1415	.
Missing survey	Z	559	.
		1974	.

PX13_R6	
LABEL	Why did you stop receiving this treatment at this facility? Response 6
TYPE	num
LENGTH	8
VARNUM	147

PX13_R6: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1415	.
Missing survey	Z	559	.
		1974	.

PX13_R7	
LABEL	Why did you stop receiving this treatment at this facility? Response 7
TYPE	num
LENGTH	8
VARNUM	148

PX13_R7: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.

PX13_R7: Distribution	Value	n	%
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1415	.
Missing survey	Z	559	.
		1974	.

PX13_R8	
LABEL	Why did you stop receiving this treatment at this facility? Response 8
TYPE	num
LENGTH	8
VARNUM	149

PX13_R8: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1415	.
Missing survey	Z	559	.
		1974	.

PX13_R9	
LABEL	Why did you stop receiving this treatment at this facility? Response 9
TYPE	num
LENGTH	8
VARNUM	150

PX13_R9: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1415	.
Missing survey	Z	559	.
		1974	.

PX13_R10	
LABEL	Why did you stop receiving this treatment at this facility? Response 10
TYPE	num
LENGTH	8
VARNUM	151

PX13_R10: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.

PX13_R10: Distribution	Value	n	%
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1415	.
Missing survey	Z	559	.
		1974	.

PX13_R11	
LABEL	Why did you stop receiving this treatment at this facility? Response 11
TYPE	num
LENGTH	8
VARNUM	152

PX13_R11: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1415	.
Missing survey	Z	559	.
		1974	.

PX13_R12	
LABEL	Why did you stop receiving this treatment at this facility? Response 12
TYPE	num
LENGTH	8
VARNUM	153

PX13_R12: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1415	.
Missing survey	Z	559	.
		1974	.

SA1	
LABEL	Over the past 90 days, how many days did you spend receiving your INDEX treatment at (FACILITY)? (Consider all types of treatment received directly at (FACILITY). If none, enter 0.)
TYPE	num
LENGTH	8
VARNUM	154

SA1: Distribution	Value	n	%
0	0	76	5.4
1	1	8	0.6
2	2	8	0.6

SA1: Distribution	Value	n	%
3	3	56	4.0
4	4	10	0.7
5	5	16	1.1
6	6	30	2.1
7	7	9	0.6
8	8	9	0.6
9	9	14	1.0
10	10	16	1.1
12	12	46	3.3
13	13	4	0.3
14	14	7	0.5
15	15	14	1.0
16	16	8	0.6
17	17	2	0.1
18	18	15	1.1
20	20	22	1.6
21	21	3	0.2
22	22	1	0.1
24	24	10	0.7
25	25	8	0.6
26	26	1	0.1
27	27	2	0.1
28	28	2	0.1
30	30	38	2.7
31	31	1	0.1
32	32	1	0.1
33	33	1	0.1
34	34	1	0.1
35	35	12	0.9
36	36	8	0.6
38	38	2	0.1
39	39	1	0.1
40	40	12	0.9
43	43	2	0.1
45	45	15	1.1
48	48	5	0.4
50	50	8	0.6
55	55	3	0.2

SA1: Distribution	Value	n	%
58	58	1	0.1
60	60	56	4.0
62	62	1	0.1
64	64	2	0.1
65	65	9	0.6
66	66	1	0.1
68	68	2	0.1
70	70	14	1.0
71	71	1	0.1
72	72	21	1.5
73	73	1	0.1
74	74	1	0.1
75	75	12	0.9
76	76	5	0.4
77	77	3	0.2
78	78	13	0.9
79	79	1	0.1
80	80	26	1.8
82	82	4	0.3
83	83	4	0.3
84	84	4	0.3
85	85	9	0.6
86	86	4	0.3
87	87	11	0.8
88	88	16	1.1
89	89	16	1.1
90	90	663	47.1
No response	N	7	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

SA2	
LABEL	Of those days, how many days included counseling sessions (either individual or group)?
TYPE	num
LENGTH	8
VARNUM	155

SA2: Distribution	Value	n	%
0	0	66	5.0
1	1	55	4.1
2	2	57	4.3
3	3	193	14.5
4	4	67	5.0
5	5	64	4.8
6	6	115	8.7
7	7	23	1.7
8	8	46	3.5
9	9	29	2.2
10	10	65	4.9
11	11	7	0.5
12	12	153	11.5
13	13	8	0.6
14	14	8	0.6
15	15	45	3.4
16	16	17	1.3
17	17	2	0.2
18	18	18	1.4
19	19	1	0.1
20	20	46	3.5
21	21	1	0.1
22	22	4	0.3
24	24	24	1.8
25	25	14	1.1
26	26	1	0.1
27	27	2	0.2
28	28	3	0.2
30	30	49	3.7
32	32	4	0.3
33	33	2	0.2
35	35	6	0.5
36	36	8	0.6
38	38	1	0.1
40	40	12	0.9
41	41	1	0.1

SA2: Distribution	Value	n	%
43	43	1	0.1
44	44	1	0.1
45	45	15	1.1
48	48	4	0.3
50	50	12	0.9
55	55	1	0.1
60	60	24	1.8
62	62	1	0.1
65	65	2	0.2
70	70	6	0.5
72	72	1	0.1
75	75	3	0.2
80	80	6	0.5
85	85	1	0.1
90	90	34	2.6
No response	N	10	.
Logical skip	S	76	.
Missing survey	Z	559	.
		1974	100.0

DW5	
LABEL	Over the past 90 days, how many times did you go through medically supervised opioid detox? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	156

DW5: Distribution	Value	n	%
0	0	1237	87.6
1	1	68	4.8
2	2	14	1.0
3	3	12	0.8
4	4	3	0.2
5	5	12	0.8
6	6	5	0.4
7	7	4	0.3
8	8	2	0.1

DW5: Distribution	Value	n	%
9	9	1	0.1
10	10	10	0.7
12	12	1	0.1
14	14	1	0.1
15	15	1	0.1
20	20	1	0.1
24	24	1	0.1
30	30	4	0.3
42	42	1	0.1
45	45	1	0.1
56	56	1	0.1
60	60	6	0.4
70	70	1	0.1
80	80	1	0.1
87	87	1	0.1
89	89	1	0.1
90	90	22	1.6
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

HS4	
LABEL	Over the past 90 days, how many nights did you spend in a hospital? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	157

HS4: Distribution	Value	n	%
0	0	1305	92.4
1	1	17	1.2
2	2	19	1.3
3	3	11	0.8
4	4	7	0.5
5	5	14	1.0
6	6	1	0.1
7	7	6	0.4

HS4: Distribution	Value	n	%
8	8	3	0.2
9	9	1	0.1
10	10	4	0.3
12	12	1	0.1
14	14	6	0.4
15	15	1	0.1
17	17	2	0.1
18	18	1	0.1
20	20	3	0.2
21	21	1	0.1
24	24	1	0.1
25	25	1	0.1
30	30	3	0.2
32	32	1	0.1
50	50	1	0.1
60	60	2	0.1
90	90	1	0.1
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

HS4A	
LABEL	How many of those nights were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	158

HS4A: Distribution	Value	n	%
0	0	64	59.3
1	1	12	11.1
2	2	7	6.5
3	3	3	2.8
4	4	2	1.9
5	5	7	6.5
6	6	2	1.9

HS4A: Distribution	Value	n	%
7	7	3	2.8
8	8	1	0.9
10	10	1	0.9
17	17	1	0.9
20	20	1	0.9
21	21	1	0.9
25	25	1	0.9
50	50	1	0.9
60	60	1	0.9
No response	N	2	.
Logical skip	S	1305	.
Missing survey	Z	559	.
		1974	100.0

ED4	
LABEL	Over the past 90 days, how many times did you go to the Emergency Department? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	159

ED4: Distribution	Value	n	%
0	0	1183	83.7
1	1	125	8.8
2	2	61	4.3
3	3	25	1.8
4	4	9	0.6
5	5	5	0.4
6	6	1	0.1
7	7	1	0.1
8	8	1	0.1
10	10	1	0.1
60	60	1	0.1
90	90	1	0.1
No response	N	1	.
Logical skip	S	0	.

ED4: Distribution	Value	n	%
Missing survey	Z	559	.
		1974	100.0

ED4A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	160

ED4A: Distribution	Value	n	%
0	0	181	78.7
1	1	28	12.2
2	2	12	5.2
3	3	2	0.9
4	4	2	0.9
5	5	2	0.9
7	7	1	0.4
10	10	1	0.4
60	60	1	0.4
No response	N	2	.
Logical skip	S	1183	.
Missing survey	Z	559	.
		1974	100.0

SH4	
LABEL	Over the past 90 days, how many times did you attend a self-help group, like Alcoholics or Narcotics Anonymous?
TYPE	num
LENGTH	8
VARNUM	161

SH4: Distribution	Value	n	%
Never	1	681	48.1
Less than once a week	2	231	16.3
Once a week	3	216	15.3

SH4: Distribution	Value	n	%
More than once a week	4	223	15.8
Almost every day of the week	5	64	4.5
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

PC3	
LABEL	Over the past 90 days, how many times did you visit a primary care provider? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	162

PC3: Distribution	Value	n	%
0	0	573	40.5
1	1	245	17.3
2	2	184	13.0
3	3	191	13.5
4	4	59	4.2
5	5	45	3.2
6	6	35	2.5
7	7	6	0.4
8	8	13	0.9
9	9	6	0.4
10	10	17	1.2
11	11	2	0.1
12	12	11	0.8
13	13	2	0.1
15	15	7	0.5
16	16	1	0.1
20	20	3	0.2
30	30	7	0.5
35	35	1	0.1
37	37	1	0.1
45	45	2	0.1
48	48	1	0.1

PC3: Distribution	Value	n	%
60	60	1	0.1
90	90	1	0.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

PC3A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	163

PC3A: Distribution	Value	n	%
0	0	671	79.8
1	1	61	7.3
2	2	28	3.3
3	3	39	4.6
4	4	11	1.3
5	5	9	1.1
6	6	11	1.3
7	7	2	0.2
8	8	1	0.1
10	10	1	0.1
12	12	1	0.1
30	30	1	0.1
35	35	1	0.1
37	37	1	0.1
48	48	1	0.1
60	60	1	0.1
90	90	1	0.1
No response	N	1	.
Logical skip	S	573	.
Missing survey	Z	559	.
		1974	100.0

HM1	
LABEL	Did you receive methadone treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	164

HM1: Distribution	Value	n	%
Yes	1	892	63.0
No	2	523	37.0
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

HM2	
LABEL	Did you receive oral buprenorphine (e.g. Suboxone or generic) treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	165

HM2: Distribution	Value	n	%
Yes	1	431	30.5
No	2	983	69.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

HM3	
LABEL	Did you receive implantable or injectable buprenorphine (e.g. Probuphine or generic) treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	166

HM3: Distribution	Value	n	%
Yes	1	28	2.0
No	2	1386	98.0
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

HM4	
LABEL	Did you receive oral naltrexone (e.g. Revia) treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	167

HM4: Distribution	Value	n	%
Yes	1	76	5.4
No	2	1338	94.6
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

HM5	
LABEL	Did you receive injectable naltrexone (e.g. Vivitrol) treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	168

HM5: Distribution	Value	n	%
Yes	1	53	3.7
No	2	1361	96.3
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

HM6	
LABEL	Did you receive counseling (either individual or group) treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	169

HM6: Distribution	Value	n	%
Yes	1	1213	85.7
No	2	202	14.3
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SU1A	
LABEL	Over the past 90 days, how often did you use? Prescription opioids used non-medically (e.g., OxyContin, Percocet, Dilaudid, Opana, Vicodin, Duragesic, Ultram, Morphine, Tramadol)?
TYPE	num
LENGTH	8
VARNUM	170

SU1A: Distribution	Value	n	%
Never	1	1180	83.7
Less than once a week	2	119	8.4
Once a week	3	32	2.3
More than once a week	4	42	3.0
Almost every day of the week	5	36	2.6
No response	N	6	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SU1B	
LABEL	Over the past 90 days, how often did you use? Prescription opioid treatment medications used non-medically (e.g., Methadone, Suboxone)?
TYPE	num
LENGTH	8
VARNUM	171

SU1B: Distribution	Value	n	%
Never	1	1085	77.0
Less than once a week	2	40	2.8
Once a week	3	27	1.9
More than once a week	4	41	2.9
Almost every day of the week	5	217	15.4
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

SU1C	
LABEL	Over the past 90 days, how often did you use? Prescription stimulants used non-medically (e.g., Ritalin, Adderall)?
TYPE	num
LENGTH	8
VARNUM	172

SU1C: Distribution	Value	n	%
Never	1	1304	92.4
Less than once a week	2	52	3.7
Once a week	3	23	1.6
More than once a week	4	17	1.2
Almost every day of the week	5	16	1.1
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

SU1D	
LABEL	Over the past 90 days, how often did you use? Prescription sedatives used non-medically (e.g., Xanax, Klonopin, Ativan)?
TYPE	num
LENGTH	8
VARNUM	173

SU1D: Distribution	Value	n	%
Never	1	1195	84.9
Less than once a week	2	112	8.0
Once a week	3	34	2.4
More than once a week	4	32	2.3
Almost every day of the week	5	35	2.5
No response	N	7	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

SU1E	
LABEL	Over the past 90 days, how often did you use? Heroin?
TYPE	num
LENGTH	8
VARNUM	174

SU1E: Distribution	Value	n	%
Never	1	1020	72.7
Less than once a week	2	156	11.1
Once a week	3	56	4.0
More than once a week	4	89	6.3
Almost every day of the week	5	82	5.8
No response	N	12	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

SU1F	
LABEL	Over the past 90 days, how often did you use? Illicitly-made fentanyl (not the prescription Duragesic patches)
TYPE	num
LENGTH	8
VARNUM	175

SU1F: Distribution	Value	n	%
Never	1	1204	85.3
Less than once a week	2	85	6.0
Once a week	3	37	2.6
More than once a week	4	47	3.3
Almost every day of the week	5	38	2.7
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SU1G	
LABEL	Over the past 90 days, how often did you use? Neuropathics used non-medically (e.g., gabapentin, pregabalin)?
TYPE	num
LENGTH	8
VARNUM	176

SU1G: Distribution	Value	n	%
Never	1	1260	89.4
Less than once a week	2	41	2.9
Once a week	3	28	2.0
More than once a week	4	36	2.6
Almost every day of the week	5	45	3.2
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SU1H	
LABEL	Over the past 90 days, how often did you use? Marijuana/ Cannabis?
TYPE	num
LENGTH	8
VARNUM	177

SU1H: Distribution	Value	n	%
Never	1	925	65.7
Less than once a week	2	143	10.2
Once a week	3	68	4.8
More than once a week	4	91	6.5
Almost every day of the week	5	181	12.9
No response	N	7	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SU1I	
LABEL	Over the past 90 days, how often did you use? Cocaine/Crack (e.g., powder, rock, or in any form/combination)?
TYPE	num
LENGTH	8
VARNUM	178

SU1I: Distribution	Value	n	%
Never	1	1187	84.3
Less than once a week	2	126	8.9
Once a week	3	37	2.6
More than once a week	4	42	3.0
Almost every day of the week	5	16	1.1
No response	N	7	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SU1J	
LABEL	Over the past 90 days, how often did you use? Methamphetamine/crank?

SU1J	
TYPE	num
LENGTH	8
VARNUM	179

SU1J: Distribution	Value	n	%
Never	1	1211	85.9
Less than once a week	2	91	6.5
Once a week	3	37	2.6
More than once a week	4	42	3.0
Almost every day of the week	5	28	2.0
No response	N	6	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SU1K	
LABEL	Over the past 90 days, how often did you use? Krokodil?
TYPE	num
LENGTH	8
VARNUM	180

SU1K: Distribution	Value	n	%
Never	1	1383	98.4
Less than once a week	2	10	0.7
Once a week	3	6	0.4
More than once a week	4	3	0.2
Almost every day of the week	5	3	0.2
No response	N	10	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SU1L	
LABEL	Over the past 90 days, how often did you use? Ecstasy, PCPs, or other synthetics?
TYPE	num

SU1L	
LENGTH	8
VARNUM	181

SU1L: Distribution	Value	n	%
Never	1	1361	96.7
Less than once a week	2	28	2.0
Once a week	3	11	0.8
More than once a week	4	4	0.3
Almost every day of the week	5	4	0.3
No response	N	7	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SU1M	
LABEL	Over the past 90 days, how often did you use? Inhalants?
TYPE	num
LENGTH	8
VARNUM	182

SU1M: Distribution	Value	n	%
Never	1	1380	97.9
Less than once a week	2	12	0.9
Once a week	3	7	0.5
More than once a week	4	8	0.6
Almost every day of the week	5	2	0.1
No response	N	6	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SU1N	
LABEL	Over the past 90 days, how often did you use? Alcohol?
TYPE	num
LENGTH	8
VARNUM	183

SU1N: Distribution	Value	n	%
Never	1	1063	75.6
Less than once a week	2	166	11.8
Once a week	3	81	5.8
More than once a week	4	60	4.3
Almost every day of the week	5	36	2.6
No response	N	9	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SU10	
LABEL	Over the past 90 days, how often did you use? Tobacco
TYPE	num
LENGTH	8
VARNUM	184

SU10: Distribution	Value	n	%
Never	1	378	26.9
Less than once a week	2	38	2.7
Once a week	3	49	3.5
More than once a week	4	77	5.5
Almost every day of the week	5	865	61.5
No response	N	8	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SU2	
LABEL	Over the past 90 days, how many days did you use prescription opioids non-medically? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	185

SU2: Distribution	Value	n	%
0	0	58	50.4
1	1	2	1.7
2	2	10	8.7
3	3	10	8.7
4	4	1	0.9
5	5	3	2.6
6	6	1	0.9
8	8	2	1.7
10	10	3	2.6
12	12	1	0.9
15	15	2	1.7
20	20	2	1.7
25	25	1	0.9
30	30	9	7.8
50	50	1	0.9
60	60	2	1.7
75	75	1	0.9
80	80	2	1.7
85	85	1	0.9
90	90	3	2.6
No response	N	3	.
Logical skip	S	1297	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

SU3	
LABEL	Over the past 30 days, how many days did you use prescription opioids non-medically? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	186

SU3: Distribution	Value	n	%
0	0	16	28.1
1	1	6	10.5
2	2	3	5.3
3	3	7	12.3

SU3: Distribution	Value	n	%
4	4	2	3.5
5	5	3	5.3
6	6	1	1.8
7	7	1	1.8
8	8	1	1.8
15	15	3	5.3
20	20	1	1.8
25	25	1	1.8
28	28	1	1.8
30	30	11	19.3
No response	N	3	.
Logical skip	S	1355	.
Missing survey	Z	559	.
		1974	100.0

SU4	
LABEL	Over the past 90 days, how many days did you use heroin? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	187

SU4: Distribution	Value	n	%
0	0	40	10.5
1	1	20	5.2
2	2	28	7.3
3	3	20	5.2
4	4	15	3.9
5	5	17	4.5
6	6	7	1.8
7	7	14	3.7
8	8	3	0.8
9	9	4	1.0
10	10	24	6.3
11	11	2	0.5
12	12	11	2.9
14	14	4	1.0
15	15	11	2.9

SU4: Distribution	Value	n	%
17	17	1	0.3
20	20	13	3.4
22	22	1	0.3
25	25	3	0.8
30	30	22	5.8
33	33	2	0.5
35	35	2	0.5
36	36	2	0.5
40	40	12	3.1
42	42	1	0.3
45	45	11	2.9
46	46	1	0.3
50	50	11	2.9
52	52	1	0.3
60	60	14	3.7
65	65	2	0.5
70	70	5	1.3
75	75	11	2.9
76	76	1	0.3
80	80	13	3.4
82	82	1	0.3
85	85	1	0.3
86	86	1	0.3
88	88	2	0.5
89	89	1	0.3
90	90	27	7.1
No response	N	13	.
Logical skip	S	1020	.
Missing survey	Z	559	.
		1974	100.0

SU5	
LABEL	Over the past 30 days, how many days did you use heroin? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	188

SU5: Distribution	Value	n	%
0	0	48	14.0
1	1	41	12.0
2	2	28	8.2
3	3	23	6.7
4	4	25	7.3
5	5	20	5.8
6	6	2	0.6
7	7	5	1.5
8	8	3	0.9
9	9	3	0.9
10	10	16	4.7
12	12	7	2.0
13	13	2	0.6
14	14	1	0.3
15	15	20	5.8
17	17	2	0.6
18	18	2	0.6
19	19	1	0.3
20	20	21	6.1
22	22	2	0.6
23	23	1	0.3
25	25	13	3.8
26	26	2	0.6
27	27	1	0.3
28	28	4	1.2
29	29	2	0.6
30	30	47	13.7
No response	N	13	.
Logical skip	S	1060	.
Missing survey	Z	559	.
		1974	100.0

SU6	
LABEL	Over the past 90 days, how many days did you use illicitly-made fentanyl? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	189

SU6: Distribution	Value	n	%
0	0	39	18.9
1	1	10	4.9
2	2	11	5.3
3	3	15	7.3
4	4	7	3.4
5	5	7	3.4
6	6	4	1.9
7	7	4	1.9
8	8	1	0.5
9	9	3	1.5
10	10	10	4.9
12	12	6	2.9
13	13	1	0.5
14	14	3	1.5
15	15	11	5.3
16	16	1	0.5
17	17	1	0.5
20	20	3	1.5
22	22	1	0.5
24	24	2	1.0
25	25	1	0.5
30	30	11	5.3
33	33	1	0.5
35	35	2	1.0
40	40	6	2.9
45	45	5	2.4
50	50	3	1.5
60	60	8	3.9
65	65	1	0.5
67	67	1	0.5
75	75	4	1.9
78	78	1	0.5
80	80	4	1.9
85	85	1	0.5
88	88	1	0.5
90	90	16	7.8

SU6: Distribution	Value	n	%
No response	N	5	.
Logical skip	S	1204	.
Missing survey	Z	559	.
		1974	100.0

SU7	
LABEL	Over the past 30 days, how many days did you use illicitly-made fentanyl? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	190

SU7: Distribution	Value	n	%
0	0	24	14.4
1	1	17	10.2
2	2	20	12.0
3	3	7	4.2
4	4	10	6.0
5	5	13	7.8
6	6	4	2.4
7	7	4	2.4
8	8	1	0.6
10	10	7	4.2
12	12	3	1.8
14	14	1	0.6
15	15	11	6.6
20	20	4	2.4
23	23	1	0.6
24	24	1	0.6
25	25	8	4.8
28	28	2	1.2
30	30	29	17.4
No response	N	5	.
Logical skip	S	1243	.
Missing survey	Z	559	.
		1974	100.0

DO8	
LABEL	Over the past 90 days, how many times did you have a drug overdose? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	191

DO8: Distribution	Value	n	%
0	0	1375	97.2
1	1	20	1.4
2	2	7	0.5
3	3	6	0.4
4	4	3	0.2
5	5	1	0.1
7	7	1	0.1
60	60	1	0.1
77	77	1	0.1
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

DO9	
LABEL	Over the past 90 days, how many times did you overdose due to opioids? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	192

DO9: Distribution	Value	n	%
0	0	10	25.0
1	1	18	45.0
2	2	6	15.0
3	3	2	5.0
4	4	3	7.5
60	60	1	2.5
No response	N	0	.
Logical skip	S	1375	.

DO9: Distribution	Value	n	%
Missing survey	Z	559	.
		1974	100.0

DO12	
LABEL	Were you administered naloxone?
TYPE	num
LENGTH	8
VARNUM	193

DO12: Distribution	Value	n	%
Yes	1	20	66.7
No	2	10	33.3
No response	N	0	.
Logical skip	S	1385	.
Missing survey	Z	559	.
		1974	100.0

DO13	
LABEL	Who provided the naloxone?
TYPE	num
LENGTH	8
VARNUM	194

DO13: Distribution	Value	n	%
First responder (Emergency Medical Service /police/fire fighter)	1	10	50.0
A person with me had naloxone and gave it to me	2	7	35.0
Other professional (i.e. counselor, CBO staff, etc.)	3	0	.
I had naloxone and someone gave it to me	4	2	10.0
Other way (specify):	5	1	5.0
No response	N	0	.
Logical skip	S	1395	.
Missing survey	Z	559	.
		1974	100.0

BF1	
LABEL	How You are Feeling Physically? Would you say that in general your health is:
TYPE	num
LENGTH	8
VARNUM	195

BF1: Distribution	Value	n	%
Excellent	1	100	7.1
Very good	2	355	25.1
Good	3	559	39.5
Fair	4	313	22.1
Poor	5	88	6.2
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

BF2	
LABEL	Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	196

BF2: Distribution	Value	n	%
0	0	670	47.4
1	1	56	4.0
2	2	100	7.1
3	3	73	5.2
4	4	35	2.5
5	5	107	7.6
6	6	16	1.1
7	7	32	2.3
8	8	13	0.9
9	9	2	0.1

BF2: Distribution	Value	n	%
10	10	63	4.5
11	11	1	0.1
12	12	8	0.6
13	13	2	0.1
14	14	12	0.8
15	15	48	3.4
16	16	1	0.1
17	17	1	0.1
18	18	3	0.2
20	20	36	2.5
21	21	1	0.1
22	22	4	0.3
24	24	2	0.1
25	25	13	0.9
27	27	1	0.1
28	28	5	0.4
29	29	4	0.3
30	30	105	7.4
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

BF3	
LABEL	Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	197

BF3: Distribution	Value	n	%
0	0	475	33.6
1	1	40	2.8
2	2	58	4.1
3	3	56	4.0
4	4	27	1.9

BF3: Distribution	Value	n	%
5	5	102	7.2
6	6	12	0.8
7	7	40	2.8
8	8	17	1.2
9	9	4	0.3
10	10	120	8.5
12	12	13	0.9
13	13	3	0.2
14	14	10	0.7
15	15	102	7.2
16	16	7	0.5
17	17	4	0.3
18	18	4	0.3
19	19	2	0.1
20	20	79	5.6
21	21	6	0.4
22	22	3	0.2
23	23	2	0.1
24	24	3	0.2
25	25	38	2.7
27	27	4	0.3
28	28	7	0.5
30	30	176	12.4
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

PQ1A_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Little interest or pleasure in doing things?
TYPE	num
LENGTH	8
VARNUM	198

PQ1A_2: Distribution	Value	n	%
Not at all	1	601	42.7

PQ1A_2: Distribution	Value	n	%
Several days	2	498	35.4
More than half the days	3	163	11.6
Nearly every day	4	146	10.4
No response	N	7	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

PQ1B_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling down, depressed, or hopeless?
TYPE	num
LENGTH	8
VARNUM	199

PQ1B_2: Distribution	Value	n	%
Not at all	1	557	39.4
Several days	2	525	37.2
More than half the days	3	177	12.5
Nearly every day	4	153	10.8
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	559	.
		<i>1974</i>	<i>100.0</i>

PQ1C_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Trouble falling or staying asleep, or sleeping too much?
TYPE	num
LENGTH	8
VARNUM	200

PQ1C_2: Distribution	Value	n	%
Not at all	1	462	32.7
Several days	2	484	34.3
More than half the days	3	194	13.7

PQ1C_2: Distribution	Value	n	%
Nearly every day	4	272	19.3
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

PQ1D_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling tired or having little energy?
TYPE	num
LENGTH	8
VARNUM	201

PQ1D_2: Distribution	Value	n	%
Not at all	1	374	26.5
Several days	2	585	41.4
More than half the days	3	228	16.1
Nearly every day	4	225	15.9
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

PQ1E_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Poor appetite or overeating?
TYPE	num
LENGTH	8
VARNUM	202

PQ1E_2: Distribution	Value	n	%
Not at all	1	641	45.4
Several days	2	444	31.4
More than half the days	3	172	12.2
Nearly every day	4	155	11.0
No response	N	3	.

PQ1E_2: Distribution	Value	n	%
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

PQ1F_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling bad about yourself — or that you are a failure or have let yourself or your family down?
TYPE	num
LENGTH	8
VARNUM	203

PQ1F_2: Distribution	Value	n	%
Not at all	1	625	44.3
Several days	2	461	32.6
More than half the days	3	164	11.6
Nearly every day	4	162	11.5
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

PQ1G_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Trouble concentrating on things, such as reading the newspaper or watching television?
TYPE	num
LENGTH	8
VARNUM	204

PQ1G_2: Distribution	Value	n	%
Not at all	1	686	48.7
Several days	2	412	29.2
More than half the days	3	153	10.9
Nearly every day	4	159	11.3
No response	N	5	.
Logical skip	S	0	.

PQ1G_2: Distribution	Value	n	%
Missing survey	Z	559	.
		1974	100.0

PQ1H_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Moving/speaking so slowly that other people could have noticed? Or opposite — being so fidgety/restless that you have been moving around a lot more than usual?
TYPE	num
LENGTH	8
VARNUM	205

PQ1H_2: Distribution	Value	n	%
Not at all	1	991	70.2
Several days	2	257	18.2
More than half the days	3	93	6.6
Nearly every day	4	71	5.0
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	559	.
		1974	100.0

pufsite_ID	
LABEL	Site ID
TYPE	num
LENGTH	8
VARNUM	206

Codebook for 6 Month Questionnaire

Data Set Name	Patient 6-month Data
Observations	1974
Variables	206
Engine	V9
Created	09/20/2021 12:05:34

CID	
LABEL	Case id
TYPE	char
LENGTH	20
VARNUM	1

MAT_COUN	
LABEL	Type of index treatment
TYPE	num
LENGTH	8
VARNUM	2

MAT_COUN: Distribution	Value	n	%
methadone maintenance therapy	1	1209	61.2
buprenorphine (e.g. Suboxone, Probuphine, generic)	2	632	32.0
naltrexone (e.g. Vivitrol, Revia, generic)	3	46	2.3
counseling	4	87	4.4
Undefined	U	0	.
		1974	100.0

responded	
LABEL	Flag for completing the survey
TYPE	num
LENGTH	8
VARNUM	3

responded: Distribution	Value	n	%
No	0	630	31.9
Yes	1	1344	68.1
Undefined	U	0	.
		1974	100.0

surveylanguage	
LABEL	Language in which the survey was given
TYPE	num
LENGTH	8
VARNUM	4

surveylanguage: Distribution	Value	n	%
English	1	1334	99.3
Spanish	2	10	0.7
Undefined	U	0	.
Missing Survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

survey	
LABEL	Survey time period
TYPE	num
LENGTH	8
VARNUM	5

survey: Distribution	Value	n	%
Baseline	1	0	.
3 month	2	0	.
6 month	3	1974	100.0
12 month	4	0	.
18 month	5	0	.
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

covidtime	
LABEL	Survey completed after March 13, 2020 during the COVID-19 pandemic
TYPE	num
LENGTH	8
VARNUM	6

covidtime: Distribution	Value	n	%
No	0	1144	85.1

covidtime: Distribution	Value	n	%
Yes	1	200	14.9
Undefined	U	0	.
Missing survey	Z	630	.
		1974	100.0

newprotocol	
LABEL	Enrolled in the study after protocol changes on April 20, 2019
TYPE	num
LENGTH	8
VARNUM	7

newprotocol: Distribution	Value	n	%
No	0	331	24.6
Yes	1	1013	75.4
Undefined	U	0	.
Missing survey	Z	630	.
		1974	100.0

daysfromtxstart30	
LABEL	Enrolled within 30 days from start of treatment
TYPE	num
LENGTH	8
VARNUM	8

daysfromtxstart30: Distribution	Value	n	%
No	0	862	64.1
Yes	1	482	35.9
Undefined	U	0	.
Missing survey	Z	630	.
		1974	100.0

daysfromtxstart60	
LABEL	Enrolled within 31-60 days from start of treatment
TYPE	num

daysfromtxstart60	
LENGTH	8
VARNUM	9

daysfromtxstart60: Distribution	Value	n	%
No	0	1255	93.4
Yes	1	89	6.6
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

daysfromtxstart90	
LABEL	Enrolled within 61-90 days from start of treatment
TYPE	num
LENGTH	8
VARNUM	10

daysfromtxstart90: Distribution	Value	n	%
No	0	1279	95.2
Yes	1	65	4.8
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

daysfromtxstart91 plus	
LABEL	Enrolled within 91 or more days from start of treatment
TYPE	num
LENGTH	8
VARNUM	11

daysfromtxstart91 plus: Distribution	Value	n	%
No	0	636	47.3
Yes	1	708	52.7
Undefined	U	0	.

daysfromtxstart91plus: Distribution	Value	n	%
Missing survey	Z	630	.
		1974	100.0

monthsenrolled	
LABEL	Months enrolled in the study
TYPE	num
LENGTH	8
VARNUM	12

monthsenrolled: Distribution	Value	n	%
5	5	102	7.6
5.03333333333333	5.033333333	35	2.6
5.06666666666667	5.066666667	31	2.3
5.1	5.1	30	2.2
5.13333333333333	5.133333333	64	4.8
5.16666666666667	5.166666667	34	2.5
5.2	5.2	48	3.6
5.23333333333333	5.233333333	38	2.8
5.26666666666667	5.266666667	33	2.5
5.3	5.3	23	1.7
5.33333333333333	5.333333333	18	1.3
5.36666666666667	5.366666667	36	2.7
5.4	5.4	31	2.3
5.43333333333333	5.433333333	24	1.8
5.46666666666667	5.466666667	49	3.6
5.5	5.5	18	1.3
5.53333333333333	5.533333333	18	1.3
5.56666666666667	5.566666667	9	0.7
5.6	5.6	19	1.4
5.63333333333333	5.633333333	22	1.6
5.66666666666667	5.666666667	15	1.1
5.7	5.7	17	1.3
5.73333333333333	5.733333333	14	1.0
5.76666666666667	5.766666667	12	0.9
5.8	5.8	12	0.9
5.83333333333333	5.833333333	20	1.5

monthsenrolled: Distribution	Value	n	%
5.86666666667	5.86666667	14	1.0
5.9	5.9	15	1.1
5.93333333333	5.93333333	22	1.6
5.96666666667	5.96666667	27	2.0
6	6	25	1.9
6.03333333333	6.03333333	39	2.9
6.06666666667	6.06666667	36	2.7
6.1	6.1	29	2.2
6.13333333333	6.13333333	21	1.6
6.16666666667	6.16666667	24	1.8
6.2	6.2	13	1.0
6.23333333333	6.23333333	16	1.2
6.26666666667	6.26666667	12	0.9
6.3	6.3	18	1.3
6.33333333333	6.33333333	17	1.3
6.36666666667	6.36666667	14	1.0
6.4	6.4	23	1.7
6.43333333333	6.43333333	7	0.5
6.46666666667	6.46666667	6	0.4
6.5	6.5	7	0.5
6.53333333333	6.53333333	8	0.6
6.56666666667	6.56666667	11	0.8
6.6	6.6	8	0.6
6.63333333333	6.63333333	5	0.4
6.66666666667	6.66666667	7	0.5
6.73333333333	6.73333333	7	0.5
6.76666666667	6.76666667	7	0.5
6.8	6.8	8	0.6
6.83333333333	6.83333333	6	0.4
6.86666666667	6.86666667	10	0.7
6.9	6.9	6	0.4
6.93333333333	6.93333333	7	0.5
6.96666666667	6.96666667	6	0.4
7	7	6	0.4
7.03333333333	7.03333333	4	0.3
7.06666666667	7.06666667	6	0.4
7.1	7.1	2	0.1
7.13333333333	7.13333333	1	0.1

monthsenrolled: Distribution	Value	n	%
7.2	7.2	1	0.1
7.23333333333333	7.233333333	1	0.1
7.26666666666667	7.266666667	3	0.2
7.3	7.3	7	0.5
7.33333333333333	7.333333333	2	0.1
7.4	7.4	1	0.1
7.43333333333333	7.433333333	4	0.3
7.46666666666667	7.466666667	2	0.1
7.5	7.5	6	0.4
7.53333333333333	7.533333333	3	0.2
7.56666666666667	7.566666667	4	0.3
7.6	7.6	4	0.3
7.63333333333333	7.633333333	4	0.3
7.66666666666667	7.666666667	3	0.2
7.7	7.7	5	0.4
7.76666666666667	7.766666667	1	0.1
7.8	7.8	3	0.2
7.83333333333333	7.833333333	4	0.3
7.86666666666667	7.866666667	1	0.1
7.9	7.9	2	0.1
7.93333333333333	7.933333333	1	0.1
7.96666666666667	7.966666667	3	0.2
8.03333333333333	8.033333333	1	0.1
8.06666666666667	8.066666667	1	0.1
8.13333333333333	8.133333333	1	0.1
8.7	8.7	1	0.1
8.73333333333333	8.733333333	1	0.1
9.6	9.6	1	0.1
12.16666666666667	12.166666667	1	0.1
Undefined	U	0	.
Missing survey	Z	630	.
		1974	100.0

inanytx	
LABEL	Receiving any treatment for opioid use disorder
TYPE	num

inanytx	
LENGTH	8
VARNUM	13

inanytx: Distribution	Value	n	%
No	0	202	15.0
Yes	1	1142	85.0
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

currentbup	
LABEL	Currently receiving buprenorphine to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	14

currentbup: Distribution	Value	n	%
No	0	1023	76.1
Yes	1	321	23.9
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

currentcoun	
LABEL	Currently receiving counseling without medication to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	15

currentcoun: Distribution	Value	n	%
No	0	1320	98.2
Yes	1	24	1.8
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

currentmmt	
LABEL	Currently receiving methadone to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	16

currentmmt: Distribution	Value	n	%
No	0	562	41.8
Yes	1	782	58.2
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

currentntx	
LABEL	Currently receiving naltrexone to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	17

currentntx: Distribution	Value	n	%
No	0	1328	98.8
Yes	1	16	1.2
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

difftx	
LABEL	Currently receiving a treatment different than index treatment*
TYPE	num
LENGTH	8
VARNUM	18

*: If a patient received the same treatment in another facility, although it is not an index treatment, this treatment was not counted as a different treatment in this case.

diffctx: Distribution	Value	n	%
No	0	1334	99.3
Yes	1	10	0.7
Undefined	U	0	.
Missing survey	Z	630	.
		1974	100.0

endindextx	
LABEL	Ended index treatment
TYPE	num
LENGTH	8
VARNUM	19

endindextx: Distribution	Value	n	%
No	0	1107	82.4
Yes	1	237	17.6
Undefined	U	0	.
Missing survey	Z	630	.
		1974	100.0

daysindextx	
LABEL	Days in index treatment
TYPE	num
LENGTH	8
VARNUM	20

daysindextx: Distribution	Value	n	%
1	1	2	0.1
2	2	1	0.1
4	4	1	0.1
7	7	2	0.1
8	8	1	0.1
10	10	1	0.1
11	11	1	0.1
12	12	1	0.1
13	13	1	0.1
14	14	3	0.2

daysintx: Distribution	Value	n	%
16	16	1	0.1
21	21	1	0.1
24	24	1	0.1
29	29	1	0.1
30	30	1	0.1
31	31	1	0.1
32	32	1	0.1
34	34	2	0.1
35	35	2	0.1
36	36	2	0.1
38	38	1	0.1
41	41	2	0.1
42	42	4	0.3
44	44	1	0.1
47	47	1	0.1
48	48	1	0.1
49	49	2	0.1
52	52	1	0.1
53	53	1	0.1
54	54	1	0.1
55	55	1	0.1
56	56	2	0.1
57	57	2	0.1
60	60	1	0.1
62	62	2	0.1
66	66	1	0.1
68	68	1	0.1
69	69	1	0.1
70	70	2	0.1
72	72	1	0.1
74	74	1	0.1
76	76	2	0.1
77	77	1	0.1
78	78	1	0.1
79	79	2	0.1
81	81	1	0.1
82	82	2	0.1
83	83	2	0.1

daysintx: Distribution	Value	n	%
84	84	2	0.1
85	85	5	0.4
86	86	2	0.1
88	88	1	0.1
91	91	2	0.1
92	92	1	0.1
93	93	1	0.1
95	95	1	0.1
96	96	1	0.1
97	97	1	0.1
98	98	4	0.3
100	100	3	0.2
101	101	1	0.1
102	102	3	0.2
105	105	1	0.1
106	106	2	0.1
111	111	1	0.1
112	112	1	0.1
113	113	2	0.1
114	114	1	0.1
115	115	2	0.1
117	117	1	0.1
118	118	2	0.1
119	119	2	0.1
120	120	1	0.1
121	121	1	0.1
122	122	1	0.1
124	124	1	0.1
125	125	3	0.2
127	127	1	0.1
132	132	1	0.1
134	134	1	0.1
137	137	1	0.1
138	138	2	0.1
140	140	1	0.1
141	141	1	0.1
143	143	2	0.1
145	145	1	0.1

daysintx: Distribution	Value	n	%
146	146	1	0.1
147	147	1	0.1
149	149	1	0.1
153	153	1	0.1
154	154	21	1.6
155	155	8	0.6
156	156	14	1.0
157	157	11	0.8
158	158	9	0.7
159	159	10	0.7
160	160	3	0.2
161	161	10	0.7
162	162	10	0.7
163	163	8	0.6
164	164	6	0.4
165	165	5	0.4
166	166	10	0.7
167	167	1	0.1
168	168	11	0.8
169	169	16	1.2
170	170	6	0.4
171	171	9	0.7
172	172	6	0.4
173	173	10	0.7
174	174	8	0.6
175	175	13	1.0
176	176	14	1.0
177	177	13	1.0
178	178	2	0.1
179	179	7	0.5
180	180	5	0.4
181	181	9	0.7
182	182	7	0.5
183	183	7	0.5
184	184	8	0.6
185	185	3	0.2
186	186	5	0.4
187	187	5	0.4

daysintx: Distribution	Value	n	%
188	188	8	0.6
189	189	3	0.2
190	190	6	0.4
191	191	10	0.7
192	192	6	0.4
193	193	6	0.4
194	194	8	0.6
195	195	4	0.3
196	196	6	0.4
197	197	4	0.3
198	198	7	0.5
199	199	3	0.2
200	200	2	0.1
201	201	1	0.1
202	202	3	0.2
203	203	5	0.4
204	204	3	0.2
205	205	4	0.3
206	206	5	0.4
207	207	4	0.3
208	208	3	0.2
209	209	1	0.1
210	210	5	0.4
211	211	2	0.1
212	212	5	0.4
213	213	1	0.1
214	214	1	0.1
215	215	3	0.2
216	216	3	0.2
217	217	2	0.1
218	218	3	0.2
219	219	2	0.1
220	220	2	0.1
221	221	2	0.1
222	222	3	0.2
223	223	3	0.2
224	224	1	0.1
225	225	1	0.1

daysintx: Distribution	Value	n	%
226	226	7	0.5
227	227	1	0.1
228	228	4	0.3
229	229	3	0.2
230	230	4	0.3
231	231	5	0.4
232	232	3	0.2
233	233	5	0.4
234	234	5	0.4
235	235	7	0.5
236	236	2	0.1
237	237	1	0.1
238	238	3	0.2
239	239	3	0.2
240	240	1	0.1
242	242	1	0.1
243	243	2	0.1
244	244	3	0.2
246	246	2	0.1
247	247	1	0.1
248	248	1	0.1
249	249	3	0.2
250	250	2	0.1
251	251	1	0.1
252	252	3	0.2
253	253	1	0.1
254	254	4	0.3
255	255	1	0.1
257	257	1	0.1
258	258	3	0.2
259	259	1	0.1
260	260	3	0.2
261	261	1	0.1
262	262	2	0.1
264	264	1	0.1
265	265	2	0.1
266	266	2	0.1
267	267	1	0.1

daysintx: Distribution	Value	n	%
269	269	2	0.1
270	270	2	0.1
271	271	2	0.1
272	272	1	0.1
273	273	2	0.1
274	274	3	0.2
276	276	1	0.1
277	277	1	0.1
278	278	1	0.1
279	279	2	0.1
281	281	2	0.1
282	282	1	0.1
284	284	1	0.1
286	286	3	0.2
288	288	2	0.1
289	289	1	0.1
290	290	1	0.1
292	292	1	0.1
293	293	1	0.1
294	294	2	0.1
295	295	1	0.1
296	296	2	0.1
297	297	3	0.2
298	298	2	0.1
300	300	1	0.1
301	301	3	0.2
304	304	2	0.1
305	305	2	0.1
306	306	3	0.2
307	307	1	0.1
309	309	5	0.4
310	310	1	0.1
313	313	2	0.1
316	316	2	0.1
319	319	1	0.1
321	321	2	0.1
324	324	1	0.1
325	325	1	0.1

daysintx: Distribution	Value	n	%
326	326	2	0.1
330	330	1	0.1
331	331	3	0.2
333	333	2	0.1
336	336	1	0.1
337	337	2	0.1
338	338	4	0.3
339	339	1	0.1
342	342	1	0.1
343	343	3	0.2
344	344	1	0.1
345	345	4	0.3
348	348	2	0.1
352	352	3	0.2
354	354	2	0.1
355	355	1	0.1
357	357	1	0.1
358	358	1	0.1
360	360	1	0.1
361	361	2	0.1
362	362	2	0.1
364	364	1	0.1
365	365	1	0.1
368	368	1	0.1
371	371	1	0.1
372	372	2	0.1
374	374	1	0.1
376	376	1	0.1
378	378	2	0.1
381	381	1	0.1
382	382	1	0.1
383	383	2	0.1
385	385	1	0.1
386	386	4	0.3
387	387	1	0.1
388	388	1	0.1
390	390	1	0.1
392	392	1	0.1

daysintx: Distribution	Value	n	%
396	396	1	0.1
397	397	1	0.1
398	398	2	0.1
402	402	3	0.2
403	403	3	0.2
406	406	2	0.1
407	407	2	0.1
408	408	2	0.1
410	410	1	0.1
411	411	1	0.1
413	413	2	0.1
414	414	1	0.1
416	416	1	0.1
419	419	1	0.1
420	420	1	0.1
423	423	1	0.1
424	424	2	0.1
425	425	1	0.1
427	427	1	0.1
428	428	1	0.1
429	429	1	0.1
432	432	1	0.1
434	434	1	0.1
436	436	2	0.1
437	437	1	0.1
439	439	2	0.1
442	442	1	0.1
443	443	1	0.1
445	445	3	0.2
453	453	2	0.1
455	455	2	0.1
456	456	2	0.1
458	458	1	0.1
459	459	1	0.1
466	466	2	0.1
471	471	1	0.1
474	474	2	0.1
477	477	2	0.1

daysintx: Distribution	Value	n	%
479	479	1	0.1
481	481	1	0.1
488	488	2	0.1
489	489	1	0.1
490	490	2	0.1
491	491	2	0.1
492	492	1	0.1
493	493	1	0.1
495	495	1	0.1
496	496	1	0.1
497	497	1	0.1
498	498	1	0.1
502	502	1	0.1
505	505	2	0.1
506	506	1	0.1
507	507	1	0.1
508	508	1	0.1
509	509	1	0.1
510	510	1	0.1
511	511	2	0.1
514	514	1	0.1
516	516	1	0.1
517	517	2	0.1
520	520	2	0.1
521	521	1	0.1
522	522	1	0.1
528	528	3	0.2
529	529	1	0.1
530	530	1	0.1
533	533	1	0.1
535	535	1	0.1
537	537	1	0.1
538	538	2	0.1
540	540	1	0.1
542	542	2	0.1
543	543	2	0.1
551	551	1	0.1
552	552	1	0.1

daysintx: Distribution	Value	n	%
553	553	2	0.1
554	554	1	0.1
558	558	1	0.1
559	559	1	0.1
561	561	1	0.1
563	563	3	0.2
565	565	2	0.1
566	566	1	0.1
568	568	1	0.1
569	569	1	0.1
571	571	1	0.1
572	572	3	0.2
576	576	1	0.1
577	577	1	0.1
579	579	1	0.1
582	582	1	0.1
584	584	1	0.1
585	585	1	0.1
587	587	2	0.1
588	588	1	0.1
590	590	1	0.1
591	591	1	0.1
592	592	1	0.1
593	593	2	0.1
594	594	1	0.1
595	595	2	0.1
596	596	1	0.1
598	598	2	0.1
600	600	2	0.1
602	602	1	0.1
603	603	2	0.1
610	610	1	0.1
611	611	1	0.1
612	612	1	0.1
616	616	2	0.1
617	617	1	0.1
618	618	2	0.1
621	621	1	0.1

daysintx: Distribution	Value	n	%
624	624	2	0.1
627	627	1	0.1
628	628	1	0.1
629	629	3	0.2
630	630	1	0.1
632	632	1	0.1
633	633	1	0.1
634	634	1	0.1
637	637	2	0.1
639	639	1	0.1
640	640	1	0.1
641	641	2	0.1
644	644	2	0.1
645	645	1	0.1
648	648	1	0.1
651	651	1	0.1
654	654	1	0.1
656	656	1	0.1
658	658	1	0.1
659	659	2	0.1
660	660	2	0.1
662	662	1	0.1
663	663	1	0.1
669	669	2	0.1
671	671	1	0.1
672	672	1	0.1
679	679	1	0.1
680	680	1	0.1
681	681	2	0.1
682	682	1	0.1
683	683	2	0.1
686	686	1	0.1
687	687	1	0.1
688	688	2	0.1
689	689	1	0.1
690	690	1	0.1
692	692	2	0.1
694	694	1	0.1

daysintx: Distribution	Value	n	%
695	695	1	0.1
697	697	1	0.1
699	699	1	0.1
700	700	2	0.1
702	702	1	0.1
706	706	1	0.1
709	709	1	0.1
711	711	1	0.1
714	714	1	0.1
719	719	2	0.1
723	723	1	0.1
727	727	1	0.1
728	728	1	0.1
731	731	1	0.1
732	732	3	0.2
734	734	1	0.1
737	737	1	0.1
738	738	1	0.1
741	741	1	0.1
742	742	1	0.1
743	743	1	0.1
744	744	1	0.1
746	746	1	0.1
748	748	1	0.1
752	752	1	0.1
755	755	2	0.1
757	757	1	0.1
759	759	1	0.1
760	760	2	0.1
767	767	1	0.1
773	773	1	0.1
774	774	1	0.1
776	776	2	0.1
780	780	1	0.1
782	782	1	0.1
786	786	1	0.1
794	794	1	0.1
802	802	1	0.1

daysintx: Distribution	Value	n	%
803	803	1	0.1
808	808	2	0.1
814	814	1	0.1
818	818	1	0.1
820	820	1	0.1
822	822	1	0.1
825	825	2	0.1
826	826	1	0.1
846	846	1	0.1
849	849	1	0.1
851	851	1	0.1
852	852	1	0.1
857	857	1	0.1
858	858	1	0.1
859	859	1	0.1
861	861	1	0.1
865	865	1	0.1
875	875	1	0.1
879	879	1	0.1
883	883	1	0.1
884	884	1	0.1
885	885	1	0.1
889	889	1	0.1
890	890	1	0.1
897	897	1	0.1
898	898	1	0.1
900	900	1	0.1
901	901	1	0.1
902	902	1	0.1
906	906	1	0.1
907	907	1	0.1
909	909	1	0.1
915	915	1	0.1
925	925	1	0.1
927	927	1	0.1
928	928	1	0.1
929	929	2	0.1
931	931	1	0.1

daysintx: Distribution	Value	n	%
932	932	1	0.1
933	933	1	0.1
936	936	1	0.1
937	937	2	0.1
939	939	1	0.1
941	941	1	0.1
942	942	1	0.1
944	944	1	0.1
948	948	1	0.1
952	952	1	0.1
953	953	1	0.1
955	955	1	0.1
957	957	1	0.1
960	960	1	0.1
964	964	1	0.1
972	972	2	0.1
975	975	1	0.1
977	977	1	0.1
981	981	1	0.1
982	982	2	0.1
988	988	1	0.1
992	992	1	0.1
993	993	1	0.1
995	995	1	0.1
998	998	1	0.1
999	999	2	0.1
1000	1000	1	0.1
1003	1003	1	0.1
1009	1009	1	0.1
1013	1013	1	0.1
1014	1014	1	0.1
1015	1015	1	0.1
1017	1017	1	0.1
1018	1018	1	0.1
1019	1019	1	0.1
1020	1020	1	0.1
1025	1025	1	0.1
1028	1028	1	0.1

daysintx: Distribution	Value	n	%
1034	1034	1	0.1
1035	1035	1	0.1
1047	1047	1	0.1
1066	1066	1	0.1
1071	1071	1	0.1
1072	1072	1	0.1
1088	1088	1	0.1
1089	1089	1	0.1
1103	1103	1	0.1
1110	1110	1	0.1
1132	1132	1	0.1
1138	1138	1	0.1
1145	1145	1	0.1
1146	1146	1	0.1
1148	1148	1	0.1
1169	1169	1	0.1
1171	1171	1	0.1
1202	1202	1	0.1
1205	1205	1	0.1
1208	1208	1	0.1
1209	1209	1	0.1
1215	1215	1	0.1
1221	1221	1	0.1
1226	1226	1	0.1
1235	1235	1	0.1
1250	1250	1	0.1
1253	1253	1	0.1
1254	1254	1	0.1
1255	1255	1	0.1
1281	1281	1	0.1
1296	1296	1	0.1
1309	1309	1	0.1
1313	1313	1	0.1
1337	1337	2	0.1
1342	1342	1	0.1
1346	1346	1	0.1
1348	1348	1	0.1
1357	1357	1	0.1

daysintx: Distribution	Value	n	%
1358	1358	1	0.1
1366	1366	1	0.1
1373	1373	1	0.1
1379	1379	1	0.1
1386	1386	1	0.1
1391	1391	1	0.1
1392	1392	1	0.1
1399	1399	1	0.1
1420	1420	1	0.1
1427	1427	1	0.1
1431	1431	1	0.1
1432	1432	1	0.1
1441	1441	1	0.1
1446	1446	1	0.1
1455	1455	1	0.1
1460	1460	2	0.1
1468	1468	1	0.1
1470	1470	1	0.1
1493	1493	1	0.1
1504	1504	1	0.1
1523	1523	1	0.1
1530	1530	1	0.1
1542	1542	1	0.1
1543	1543	1	0.1
1544	1544	1	0.1
1546	1546	1	0.1
1547	1547	1	0.1
1550	1550	2	0.1
1559	1559	1	0.1
1561	1561	1	0.1
1566	1566	1	0.1
1567	1567	1	0.1
1589	1589	1	0.1
1592	1592	1	0.1
1601	1601	1	0.1
1610	1610	1	0.1
1626	1626	1	0.1
1634	1634	1	0.1

daysintx: Distribution	Value	n	%
1638	1638	1	0.1
1674	1674	1	0.1
1685	1685	1	0.1
1690	1690	1	0.1
1698	1698	1	0.1
1699	1699	1	0.1
1704	1704	1	0.1
1714	1714	1	0.1
1722	1722	1	0.1
1725	1725	1	0.1
1738	1738	1	0.1
1754	1754	1	0.1
1756	1756	1	0.1
1772	1772	1	0.1
1777	1777	1	0.1
1780	1780	1	0.1
1796	1796	2	0.1
1800	1800	1	0.1
1817	1817	1	0.1
1825	1825	1	0.1
1835	1835	1	0.1
1852	1852	1	0.1
1878	1878	1	0.1
1883	1883	1	0.1
1887	1887	1	0.1
1923	1923	1	0.1
1932	1932	1	0.1
1959	1959	1	0.1
1967	1967	1	0.1
1974	1974	1	0.1
1975	1975	1	0.1
1996	1996	1	0.1
1999	1999	1	0.1
2015	2015	1	0.1
2037	2037	1	0.1
2042	2042	1	0.1
2071	2071	1	0.1
2080	2080	1	0.1

daysintx: Distribution	Value	n	%
2092	2092	1	0.1
2094	2094	1	0.1
2110	2110	1	0.1
2122	2122	1	0.1
2150	2150	1	0.1
2157	2157	1	0.1
2171	2171	1	0.1
2174	2174	1	0.1
2181	2181	1	0.1
2213	2213	1	0.1
2223	2223	1	0.1
2248	2248	1	0.1
2257	2257	1	0.1
2279	2279	1	0.1
2290	2290	1	0.1
2293	2293	1	0.1
2300	2300	1	0.1
2302	2302	1	0.1
2361	2361	1	0.1
2362	2362	1	0.1
2389	2389	1	0.1
2412	2412	1	0.1
2418	2418	1	0.1
2420	2420	1	0.1
2450	2450	1	0.1
2517	2517	1	0.1
2529	2529	1	0.1
2533	2533	1	0.1
2538	2538	1	0.1
2571	2571	1	0.1
2573	2573	1	0.1
2660	2660	1	0.1
2683	2683	1	0.1
2691	2691	1	0.1
2709	2709	1	0.1
2746	2746	1	0.1
2772	2772	1	0.1
2807	2807	1	0.1

daysintx: Distribution	Value	n	%
2858	2858	1	0.1
2892	2892	1	0.1
2895	2895	1	0.1
2926	2926	1	0.1
2938	2938	1	0.1
2982	2982	2	0.1
3151	3151	1	0.1
3172	3172	1	0.1
3264	3264	2	0.1
3319	3319	1	0.1
3340	3340	2	0.1
3574	3574	1	0.1
3648	3648	1	0.1
3666	3666	1	0.1
3680	3680	1	0.1
3692	3692	1	0.1
3721	3721	1	0.1
3726	3726	1	0.1
3738	3738	1	0.1
3833	3833	2	0.1
3873	3873	1	0.1
4115	4115	1	0.1
4125	4125	1	0.1
4132	4132	1	0.1
4169	4169	1	0.1
4198	4198	1	0.1
4200	4200	1	0.1
4202	4202	1	0.1
4250	4250	1	0.1
4304	4304	1	0.1
4371	4371	1	0.1
4443	4443	1	0.1
4506	4506	1	0.1
4561	4561	1	0.1
4683	4683	1	0.1
4709	4709	1	0.1
4776	4776	1	0.1
4950	4950	1	0.1

daysintx: Distribution	Value	n	%
5157	5157	1	0.1
5223	5223	1	0.1
5308	5308	1	0.1
5338	5338	1	0.1
5571	5571	1	0.1
6117	6117	1	0.1
6350	6350	1	0.1
6626	6626	1	0.1
6794	6794	1	0.1
6849	6849	1	0.1
6958	6958	1	0.1
7913	7913	1	0.1
8126	8126	1	0.1
9275	9275	1	0.1
9467	9467	1	0.1
9486	9486	1	0.1
10991	10991	1	0.1
Z	Z	630	.
		<i>1974</i>	<i>100.0</i>

adverse	
LABEL	Experienced an adverse reaction to an opioid treatment medication (for the current or most recent treatment)
TYPE	num
LENGTH	8
VARNUM	21

adverse: Distribution	Value	n	%
No	0	1267	94.3
Yes	1	77	5.7
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

tookmeds	
LABEL	Usually took opioid treatment medication as directed by your doctor (for the current or most recent treatment)

tookmeds	
TYPE	num
LENGTH	8
VARNUM	22

tookmeds: Distribution	Value	n	%
No	0	189	14.1
Yes	1	1155	85.9
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

indcoun	
LABEL	Received individual counseling while in index treatment
TYPE	num
LENGTH	8
VARNUM	23

indcoun: Distribution	Value	n	%
No	0	70	5.2
Yes	1	1274	94.8
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

grpcoun	
LABEL	Received group counseling while in index treatment
TYPE	num
LENGTH	8
VARNUM	24

grpcoun: Distribution	Value	n	%
No	0	295	21.9
Yes	1	1049	78.1
Undefined	U	0	.

grpcoun: Distribution	Value	n	%
Missing survey	Z	630	.
		1974	100.0

peernav	
LABEL	Met with a peer navigator about once a month or more while in index treatment
TYPE	num
LENGTH	8
VARNUM	25

peernav: Distribution	Value	n	%
No	0	668	49.7
Yes	1	676	50.3
Undefined	U	0	.
Missing survey	Z	630	.
		1974	100.0

selfhelp90	
LABEL	Attended a self-help group in the past 90 days
TYPE	num
LENGTH	8
VARNUM	26

selfhelp90: Distribution	Value	n	%
No	0	676	50.3
Yes	1	668	49.7
Undefined	U	0	.
Missing survey	Z	630	.
		1974	100.0

coun90	
LABEL	Attended any counseling sessions in the past 90 days while in index treatment
TYPE	num
LENGTH	8
VARNUM	27

coun90: Distribution	Value	n	%
No	0	217	16.1
Yes	1	1127	83.9
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

ncoun90	
LABEL	Number of counseling sessions attended in the past 90 days while in index treatment
TYPE	num
LENGTH	8
VARNUM	28

ncoun90: Distribution	Value	n	%
0	0	217	16.1
1	1	41	3.1
2	2	52	3.9
3	3	199	14.8
4	4	74	5.5
5	5	69	5.1
6	6	134	10.0
7	7	16	1.2
8	8	33	2.5
9	9	32	2.4
10	10	65	4.8
11	11	2	0.1
12	12	130	9.7
13	13	3	0.2
14	14	11	0.8
15	15	33	2.5
16	16	11	0.8
17	17	2	0.1
18	18	17	1.3
20	20	33	2.5
21	21	3	0.2
23	23	3	0.2
24	24	19	1.4

ncoun90: Distribution	Value	n	%
25	25	6	0.4
27	27	2	0.1
28	28	2	0.1
30	30	41	3.1
32	32	2	0.1
33	33	1	0.1
35	35	2	0.1
36	36	6	0.4
38	38	1	0.1
39	39	1	0.1
40	40	12	0.9
45	45	12	0.9
50	50	4	0.3
56	56	1	0.1
59	59	1	0.1
60	60	7	0.5
65	65	2	0.1
70	70	6	0.4
72	72	1	0.1
75	75	1	0.1
80	80	5	0.4
90	90	29	2.2
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

abstinent30ohf	
LABEL	Abstinent from using prescription opioids non-medically, heroin, and illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	29

abstinent30ohf: Distribution	Value	n	%
No	0	330	25.6
Yes	1	961	74.4
Undefined	U	53	.

abstinent30ohf: Distribution	Value	n	%
Missing survey	Z	630	.
		1974	100.0

abstinent90ohfmb	
LABEL	Abstinent from using prescription opioids non-medically, opioid treatment medications non-medically, heroin, and illicitly-made fentanyl in the past 90 days
TYPE	num
LENGTH	8
VARNUM	30

abstinent90ohfmb: Distribution	Value	n	%
No	0	564	42.4
Yes	1	767	57.6
Undefined	U	13	.
Missing survey	Z	630	.
		1974	100.0

opuse30	
LABEL	Number of days used prescription opioids non-medically in the past 30 days
TYPE	num
LENGTH	8
VARNUM	31

opuse30: Distribution	Value	n	%
0	0	1207	96.4
1	1	8	0.6
2	2	7	0.6
3	3	4	0.3
5	5	3	0.2
7	7	1	0.1
10	10	5	0.4
12	12	1	0.1
15	15	1	0.1
17	17	1	0.1
20	20	6	0.5

opuse30: Distribution	Value	n	%
25	25	1	0.1
28	28	1	0.1
30	30	6	0.5
Undefined	U	92	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

opuse30users	
LABEL	Among users, number of days used prescription opioids non-medically in the past 30 days
TYPE	num
LENGTH	8
VARNUM	32

opuse30users: Distribution	Value	n	%
1	1	8	17.8
2	2	7	15.6
3	3	4	8.9
5	5	3	6.7
7	7	1	2.2
10	10	5	11.1
12	12	1	2.2
15	15	1	2.2
17	17	1	2.2
20	20	6	13.3
25	25	1	2.2
28	28	1	2.2
30	30	6	13.3
Undefined	U	1299	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

opabst90	
LABEL	Abstinent from using prescription opioids non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	33

opabst90: Distribution	Value	n	%
No	0	184	13.8
Yes	1	1151	86.2
Undefined	U	9	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

fnuse30	
LABEL	Number of days used illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	34

fnuse30: Distribution	Value	n	%
0	0	1185	88.8
1	1	17	1.3
2	2	13	1.0
3	3	16	1.2
4	4	11	0.8
5	5	9	0.7
6	6	1	0.1
7	7	2	0.1
8	8	2	0.1
9	9	2	0.1
10	10	10	0.7
12	12	3	0.2
13	13	1	0.1
15	15	8	0.6
18	18	1	0.1
19	19	1	0.1
20	20	6	0.4
22	22	1	0.1
23	23	1	0.1
24	24	1	0.1
25	25	4	0.3
28	28	2	0.1

fnuse30: Distribution	Value	n	%
29	29	1	0.1
30	30	36	2.7
Undefined	U	10	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

fnuse30users	
LABEL	Among users, number of days used illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	35

fnuse30users: Distribution	Value	n	%
1	1	17	11.4
2	2	13	8.7
3	3	16	10.7
4	4	11	7.4
5	5	9	6.0
6	6	1	0.7
7	7	2	1.3
8	8	2	1.3
9	9	2	1.3
10	10	10	6.7
12	12	3	2.0
13	13	1	0.7
15	15	8	5.4
18	18	1	0.7
19	19	1	0.7
20	20	6	4.0
22	22	1	0.7
23	23	1	0.7
24	24	1	0.7
25	25	4	2.7
28	28	2	1.3
29	29	1	0.7
30	30	36	24.2
Undefined	U	1195	.

fnuse30users: Distribution	Value	n	%
Missing survey	Z	630	.
		1974	100.0

fnabst90	
LABEL	Abstinent from using illicitly-made fentanyl in the past 90 days
TYPE	num
LENGTH	8
VARNUM	36

fnabst90: Distribution	Value	n	%
No	0	204	15.3
Yes	1	1132	84.7
Undefined	U	8	.
Missing survey	Z	630	.
		1974	100.0

hruse30	
LABEL	Number of days used heroin in the past 30 days
TYPE	num
LENGTH	8
VARNUM	37

hruse30: Distribution	Value	n	%
0	0	1061	79.8
1	1	29	2.2
2	2	24	1.8
3	3	20	1.5
4	4	26	2.0
5	5	21	1.6
6	6	4	0.3
7	7	6	0.5
8	8	4	0.3
9	9	1	0.1
10	10	16	1.2
11	11	1	0.1
12	12	2	0.2

hruse30: Distribution	Value	n	%
14	14	1	0.1
15	15	14	1.1
20	20	18	1.4
23	23	3	0.2
24	24	1	0.1
25	25	9	0.7
26	26	1	0.1
27	27	2	0.2
28	28	3	0.2
29	29	3	0.2
30	30	59	4.4
Undefined	U	15	.
Missing survey	Z	630	.
		1974	100.0

hruse30users	
LABEL	Among users, number of days used heroin in the past 30 days
TYPE	num
LENGTH	8
VARNUM	38

hruse30users: Distribution	Value	n	%
1	1	29	10.8
2	2	24	9.0
3	3	20	7.5
4	4	26	9.7
5	5	21	7.8
6	6	4	1.5
7	7	6	2.2
8	8	4	1.5
9	9	1	0.4
10	10	16	6.0
11	11	1	0.4
12	12	2	0.7
14	14	1	0.4
15	15	14	5.2
20	20	18	6.7

hruse30users: Distribution	Value	n	%
23	23	3	1.1
24	24	1	0.4
25	25	9	3.4
26	26	1	0.4
27	27	2	0.7
28	28	3	1.1
29	29	3	1.1
30	30	59	22.0
Undefined	U	1076	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

hrabst90	
LABEL	Abstinent from using heroin in the past 90 days
TYPE	num
LENGTH	8
VARNUM	39

hrabst90: Distribution	Value	n	%
No	0	343	25.8
Yes	1	988	74.2
Undefined	U	13	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

mmbpabst90	
LABEL	Abstinent from using opioid treatment medications non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	40

mmbpabst90: Distribution	Value	n	%
No	0	280	21.0
Yes	1	1053	79.0
Undefined	U	11	.

mmbpabst90: Distribution	Value	n	%
Missing survey	Z	630	.
		1974	100.0

diversionuse90	
LABEL	Frequency of using prescription opioids non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	41

diversionuse90: Distribution	Value	n	%
Never	1	1053	79.0
Less than once a week	2	65	4.9
Once a week	3	25	1.9
More than once a week	4	22	1.7
Almost every day of the week	5	168	12.6
Undefined	U	11	.
Missing survey	Z	630	.
		1974	100.0

suoverdose	
LABEL	Number of drug overdoses in the past 90 days
TYPE	num
LENGTH	8
VARNUM	42

suoverdose: Distribution	Value	n	%
No	0	1308	97.3
Yes	1	36	2.7
Undefined	U	0	.
Missing survey	Z	630	.
		1974	100.0

opoverdose	
LABEL	Number of overdoses due to opioids in the past 90 days
TYPE	num

opoverdose	
LENGTH	8
VARNUM	43

opoverdose: Distribution	Value	n	%
No	0	1318	98.1
Yes	1	26	1.9
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

edvisit	
LABEL	Had an emergency department visit in the past 90 days
TYPE	num
LENGTH	8
VARNUM	44

edvisit: Distribution	Value	n	%
No	0	1104	82.1
Yes	1	240	17.9
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

opedvisit	
LABEL	Had an emergency department visit related to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	45

opedvisit: Distribution	Value	n	%
No	0	1285	95.7
Yes	1	58	4.3
Undefined	U	1	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

hospstay	
LABEL	Had a hospital stay in the past 90 days
TYPE	num
LENGTH	8
VARNUM	46

hospstay: Distribution	Value	n	%
No	0	1218	90.6
Yes	1	126	9.4
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

ophospstay	
LABEL	Had a hospital stay related to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	47

ophospstay: Distribution	Value	n	%
No	0	1293	96.3
Yes	1	49	3.7
Undefined	U	2	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

pcp90	
LABEL	Visited a primary care provider in the past 90 days
TYPE	num
LENGTH	8
VARNUM	48

pcp90: Distribution	Value	n	%
No	0	544	40.5
Yes	1	800	59.5

pcp90: Distribution	Value	n	%
Undefined	U	0	.
Missing survey	Z	630	.
		1974	100.0

mentalillness	
LABEL	Ever diagnosed with a mental illness
TYPE	num
LENGTH	8
VARNUM	49

mentalillness: Distribution	Value	n	%
No	0	466	34.7
Yes	1	878	65.3
.	.	630	.
Undefined	U	0	.
Missing survey	Z	0	.
		1974	100.0

insurance	
LABEL	Health insurance status
TYPE	num
LENGTH	8
VARNUM	50

insurance: Distribution	Value	n	%
Health insurance	1	1134	84.4
No health insurance	2	210	15.6
Undefined	U	0	.
Missing survey	Z	630	.
		1974	100.0

healthins	
LABEL	Has health insurance
TYPE	num

healthins	
LENGTH	8
VARNUM	51

healthins: Distribution	Value	n	%
No	0	210	15.6
Yes	1	1134	84.4
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

nohealthins	
LABEL	Does not have health insurance
TYPE	num
LENGTH	8
VARNUM	52

nohealthins: Distribution	Value	n	%
No	0	1134	84.4
Yes	1	210	15.6
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

employed	
LABEL	Currently employed or self-employed
TYPE	num
LENGTH	8
VARNUM	53

employed: Distribution	Value	n	%
No	0	954	71.0
Yes	1	390	29.0
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

socialsupportscore	
LABEL	Social support score from the Multidimensional Scale of Perceived Social Support
TYPE	num
LENGTH	8
VARNUM	54

socialsupportscore: Distribution	Value	n	%
1	1	11	0.8
1.08333333333333	1.08333333	2	0.1
1.16666666666667	1.16666667	1	0.1
1.25	1.25	3	0.2
1.41666666666667	1.41666667	3	0.2
1.5	1.5	3	0.2
1.58333333333333	1.58333333	2	0.1
1.66666666666667	1.66666667	3	0.2
1.75	1.75	1	0.1
1.83333333333333	1.83333333	2	0.1
1.91666666666667	1.91666667	1	0.1
2	2	14	1.0
2.16666666666667	2.16666667	2	0.1
2.25	2.25	7	0.5
2.33333333333333	2.33333333	3	0.2
2.41666666666667	2.41666667	1	0.1
2.5	2.5	7	0.5
2.58333333333333	2.58333333	5	0.4
2.66666666666667	2.66666667	6	0.4
2.75	2.75	7	0.5
2.83333333333333	2.83333333	5	0.4
2.91666666666667	2.91666667	8	0.6
3	3	19	1.4
3.08333333333333	3.08333333	9	0.7
3.16666666666667	3.16666667	11	0.8
3.25	3.25	15	1.1
3.33333333333333	3.33333333	6	0.4
3.41666666666667	3.41666667	17	1.3
3.5	3.5	11	0.8
3.58333333333333	3.58333333	4	0.3

socialsupportscore: Distribution	Value	n	%
3.666666666667	3.66666667	14	1.0
3.75	3.75	16	1.2
3.833333333333	3.83333333	12	0.9
3.916666666667	3.91666667	5	0.4
4	4	62	4.6
4.083333333333	4.08333333	13	1.0
4.166666666667	4.16666667	12	0.9
4.25	4.25	16	1.2
4.333333333333	4.33333333	31	2.3
4.416666666667	4.41666667	17	1.3
4.5	4.5	18	1.3
4.583333333333	4.58333333	19	1.4
4.666666666667	4.66666667	24	1.8
4.75	4.75	24	1.8
4.833333333333	4.83333333	16	1.2
4.916666666667	4.91666667	14	1.0
5	5	44	3.3
5.083333333333	5.08333333	18	1.3
5.166666666667	5.16666667	18	1.3
5.25	5.25	23	1.7
5.333333333333	5.33333333	28	2.1
5.416666666667	5.41666667	22	1.6
5.5	5.5	19	1.4
5.583333333333	5.58333333	28	2.1
5.666666666667	5.66666667	37	2.8
5.75	5.75	22	1.6
5.833333333333	5.83333333	29	2.2
5.916666666667	5.91666667	32	2.4
6	6	75	5.6
6.083333333333	6.08333333	19	1.4
6.166666666667	6.16666667	26	1.9
6.25	6.25	19	1.4
6.333333333333	6.33333333	28	2.1
6.416666666667	6.41666667	18	1.3
6.5	6.5	38	2.8
6.583333333333	6.58333333	20	1.5
6.666666666667	6.66666667	17	1.3

socialsupportscore: Distribution	Value	n	%
6.75	6.75	24	1.8
6.83333333333333	6.833333333	13	1.0
6.91666666666667	6.91666667	23	1.7
7	7	202	15.0
.	.	630	.
Undefined	U	0	.
Missing survey	Z	0	.
		<i>1974</i>	<i>100.0</i>

socialsupportcat	
LABEL	Level of social support
TYPE	num
LENGTH	8
VARNUM	55

socialsupportcat: Distribution	Value	n	%
High social support	1	798	59.4
Moderate social support	2	449	33.4
Low social support	3	97	7.2
.	.	630	.
Undefined	U	0	.
Missing survey	Z	0	.
		<i>1974</i>	<i>100.0</i>

lowsocialsupport	
LABEL	Low social support
TYPE	num
LENGTH	8
VARNUM	56

lowsocialsupport: Distribution	Value	n	%
No	0	798	59.4
Yes	1	546	40.6
.	.	630	.
Undefined	U	0	.

lowsocialsupport: Distribution	Value	n	%
Missing survey	Z	0	.
		1974	100.0

modsocialsupport	
LABEL	Moderate social support
TYPE	num
LENGTH	8
VARNUM	57

modsocialsupport: Distribution	Value	n	%
No	0	449	33.4
Yes	1	895	66.6
.	.	630	.
Undefined	U	0	.
Missing survey	Z	0	.
		1974	100.0

highsocialsupport	
LABEL	High social support
TYPE	num
LENGTH	8
VARNUM	58

highsocialsupport: Distribution	Value	n	%
No	0	97	7.2
Yes	1	1247	92.8
.	.	630	.
Undefined	U	0	.
Missing survey	Z	0	.
		1974	100.0

ace	
LABEL	Had one or more adverse childhood experience

ace	
TYPE	num
LENGTH	8
VARNUM	59

ace: Distribution	Value	n	%
Did not experience an adverse childhood event	0	180	13.4
Experienced an adverse childhood event	1	1164	86.6
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

clienttostaffratio_impute	
LABEL	Flag for imputed clienttostaffratio_raw values
TYPE	num
LENGTH	8
VARNUM	60

clienttostaffratio_impute: Distribution	Value	n	%
No imputation	0	1199	89.2
Logical assignment	1	0	.
Assignment from other questionnaire	2	14	1.0
Statistical imputation	3	131	9.7
Undefined	U	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

clienttostaffratio_raw	
LABEL	Original clienttostaffratio_raw values, not imputed
TYPE	num
LENGTH	8
VARNUM	61

clienttostaffratio_raw: Distribution	Value	n	%
0.326086956522	0.32608696	2	0.2
0.926136363636	0.92613636	5	0.4
0.93023255814	0.93023256	9	0.8
1.106382978723	1.10638298	74	6.2
1.125	1.125	13	1.1
1.632653061224	1.63265306	6	0.5
2.818181818182	2.81818182	9	0.8
2.857142857143	2.85714286	5	0.4
3.6	3.6	2	0.2
3.857142857143	3.85714286	6	0.5
4.294117647059	4.29411765	17	1.4
4.375	4.375	3	0.3
4.4	4.4	9	0.8
5	5	55	4.6
8.222222222222	8.22222222	6	0.5
8.333333333333	8.33333333	34	2.8
8.529411764706	8.52941176	40	3.3
8.866666666667	8.86666667	23	1.9
11.27272727273	11.2727273	33	2.8
14.05263157895	14.0526316	38	3.2
15	15	13	1.1
15.42307692308	15.4230769	3	0.3
17.5	17.5	3	0.3
17.96153846154	17.9615385	6	0.5
18.38709677419	18.3870968	37	3.1
19.06896551724	19.0689655	103	8.6
19.35294117647	19.3529412	3	0.3
19.444444444444	19.4444444	34	2.8
21.2	21.2	4	0.3
21.30769230769	21.3076923	45	3.8
21.333333333333	21.3333333	43	3.6
21.45098039216	21.4509804	34	2.8
22.27272727273	22.2727273	19	1.6
23.666666666667	23.6666667	6	0.5
24.333333333333	24.3333333	7	0.6
25.37037037037	25.3703704	46	3.8
26.26086956522	26.2608696	18	1.5

clienttostaffratio_raw: Distribution	Value	n	%
26.2777777778	26.2777778	11	0.9
27.27272727273	27.2727273	43	3.6
27.45161290323	27.4516129	9	0.8
28.31818181818	28.3181818	54	4.5
29.375	29.375	14	1.2
30	30	28	2.3
33	33	4	0.3
33.2777777778	33.2777778	13	1.1
34.81818181818	34.8181818	47	3.9
37.5	37.5	79	6.6
38.63636363636	38.6363636	7	0.6
79.85714285714	79.8571429	18	1.5
80.25	80.25	41	3.4
92.17391304348	92.173913	6	0.5
97.28571428571	97.2857143	2	0.2
156.33333333333	156.3333333	10	0.8
Undefined	U	145	.
Missing survey	Z	630	.
		1974	100.0

indexstatus	
LABEL	Based on previous questionnaires, is the client still receiving the index treatment?
TYPE	num
LENGTH	8
VARNUM	62

indexstatus: Distribution	Value	n	%
Yes	1	1241	92.3
No	2	103	7.7
Undefined	U	0	.
Missing survey	Z	630	.
		1974	100.0

SS2	
LABEL	Are you still receiving your INDEX treatment?

SS2	
TYPE	num
LENGTH	8
VARNUM	63

SS2: Distribution	Value	n	%
Yes	1	1107	89.2
No	2	134	10.8
No response	N	0	.
Logical skip	S	103	.
Missing survey	Z	630	.
		1974	100.0

SS4	
LABEL	Why did you stop receiving your INDEX treatment? (If you have multiple reasons, select the most important reason.)
TYPE	num
LENGTH	8
VARNUM	64

SS4: Distribution	Value	n	%
I completed my INDEX treatment	1	12	9.0
I voluntarily stopped my INDEX treatment	2	39	29.3
I continued my [MAT_COUN] treatment at a different facility	3	26	19.5
I am still receiving treatment for my opioid addiction at [FACILITY], but I am no longer receiving [MAT_COUN]	4	9	6.8
I was involuntarily discharged from my INDEX treatment program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	14	10.5
A different reason/none of the above (specify)	6	33	24.8
No response	N	1	.
Logical skip	S	1210	.

SS4: Distribution	Value	n	%
Missing survey	Z	630	.
		1974	100.0

SS5_1	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? The program took up too much of my time?
TYPE	num
LENGTH	8
VARNUM	65

SS5_1: Distribution	Value	n	%
No	0	124	92.5
Yes	1	10	7.5
No response	N	0	.
Logical skip	S	1210	.
Missing survey	Z	630	.
		1974	100.0

SS5_3	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? My insurance ran out?
TYPE	num
LENGTH	8
VARNUM	66

SS5_3: Distribution	Value	n	%
No	0	131	97.8
Yes	1	3	2.2
No response	N	0	.
Logical skip	S	1210	.
Missing survey	Z	630	.
		1974	100.0

SS5_4	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I could not find a way to pay for it?

SS5_4	
TYPE	num
LENGTH	8
VARNUM	67

SS5_4: Distribution	Value	n	%
No	0	120	89.6
Yes	1	14	10.4
No response	N	0	.
Logical skip	S	1210	.
Missing survey	Z	630	.
		1974	100.0

SS5_5	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not have reliable transportation?
TYPE	num
LENGTH	8
VARNUM	68

SS5_5: Distribution	Value	n	%
No	0	118	88.1
Yes	1	16	11.9
No response	N	0	.
Logical skip	S	1210	.
Missing survey	Z	630	.
		1974	100.0

SS5_6	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I got sick and could not make appointments?
TYPE	num
LENGTH	8
VARNUM	69

SS5_6: Distribution	Value	n	%
No	0	129	96.3

SS5_6: Distribution	Value	n	%
Yes	1	5	3.7
No response	N	0	.
Logical skip	S	1210	.
Missing survey	Z	630	.
		1974	100.0

SS5_7	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not think the treatment was doing any good?
TYPE	num
LENGTH	8
VARNUM	70

SS5_7: Distribution	Value	n	%
No	0	126	94.0
Yes	1	8	6.0
No response	N	0	.
Logical skip	S	1210	.
Missing survey	Z	630	.
		1974	100.0

SS5_8	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not need the treatment anymore?
TYPE	num
LENGTH	8
VARNUM	71

SS5_8: Distribution	Value	n	%
No	0	113	84.3
Yes	1	21	15.7
No response	N	0	.
Logical skip	S	1210	.
Missing survey	Z	630	.
		1974	100.0

SS5_9	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not like the people?
TYPE	num
LENGTH	8
VARNUM	72

SS5_9: Distribution	Value	n	%
No	0	121	90.3
Yes	1	13	9.7
No response	N	0	.
Logical skip	S	1210	.
Missing survey	Z	630	.
		1974	100.0

SS5_10	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I relapsed?
TYPE	num
LENGTH	8
VARNUM	73

SS5_10: Distribution	Value	n	%
No	0	111	82.8
Yes	1	23	17.2
No response	N	0	.
Logical skip	S	1210	.
Missing survey	Z	630	.
		1974	100.0

SS5_12	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I moved too far away?
TYPE	num
LENGTH	8
VARNUM	74

SS5_12: Distribution	Value	n	%
No	0	120	89.6
Yes	1	14	10.4
No response	N	0	.
Logical skip	S	1210	.
Missing survey	Z	630	.
		1974	100.0

SS5_13	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? None of these apply.
TYPE	num
LENGTH	8
VARNUM	75

SS5_13: Distribution	Value	n	%
No	0	96	71.6
Yes	1	38	28.4
No response	N	0	.
Logical skip	S	1210	.
Missing survey	Z	630	.
		1974	100.0

SS11_1	
LABEL	While enrolled in INDEX treatment, did you receive? Methadone?
TYPE	num
LENGTH	8
VARNUM	76

SS11_1: Distribution	Value	n	%
No	0	412	33.3
Yes	1	826	66.7
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		1974	100.0

SS11_2	
LABEL	While enrolled in INDEX treatment, did you receive? Oral buprenorphine (e.g., Suboxone, generic)?
TYPE	num
LENGTH	8
VARNUM	77

SS11_2: Distribution	Value	n	%
No	0	884	71.4
Yes	1	354	28.6
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		1974	100.0

SS11_3	
LABEL	While enrolled in INDEX treatment, did you receive? Implantable or injectable buprenorphine (e.g., Probuphine, generic)?
TYPE	num
LENGTH	8
VARNUM	78

SS11_3: Distribution	Value	n	%
No	0	1233	99.6
Yes	1	5	0.4
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		1974	100.0

SS11_4	
LABEL	While enrolled in INDEX treatment, did you receive? Oral naltrexone (e.g., Revia)?
TYPE	num
LENGTH	8
VARNUM	79

SS11_4: Distribution	Value	n	%
No	0	1222	98.7
Yes	1	16	1.3
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SS11_5	
LABEL	While enrolled in INDEX treatment, did you receive? Injectable naltrexone (e.g., Vivitrol)?
TYPE	num
LENGTH	8
VARNUM	80

SS11_5: Distribution	Value	n	%
No	0	1210	97.7
Yes	1	28	2.3
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SS11_6	
LABEL	While enrolled in INDEX treatment, did you receive? Other drug?
TYPE	num
LENGTH	8
VARNUM	81

SS11_6: Distribution	Value	n	%
No	0	1228	99.2
Yes	1	10	0.8
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SS12_1	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Individual counseling?
TYPE	num
LENGTH	8
VARNUM	82

SS12_1: Distribution	Value	n	%
No	0	290	23.4
Yes	1	948	76.6
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SS12_2	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Group counseling?
TYPE	num
LENGTH	8
VARNUM	83

SS12_2: Distribution	Value	n	%
No	0	480	38.8
Yes	1	758	61.2
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SS12_3	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Other behavioral therapy/counseling?
TYPE	num
LENGTH	8
VARNUM	84

SS12_3: Distribution	Value	n	%
No	0	804	64.9
Yes	1	434	35.1
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SS12_4	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Detoxification services?
TYPE	num
LENGTH	8
VARNUM	85

SS12_4: Distribution	Value	n	%
No	0	1061	85.7
Yes	1	177	14.3
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SS12_5	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication) ?
TYPE	num
LENGTH	8
VARNUM	86

SS12_5: Distribution	Value	n	%
No	0	688	55.6
Yes	1	550	44.4
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SS12_6	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? HIV testing?
TYPE	num
LENGTH	8
VARNUM	87

SS12_6: Distribution	Value	n	%
No	0	774	62.5
Yes	1	464	37.5
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SS12_7	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing?
TYPE	num
LENGTH	8
VARNUM	88

SS12_7: Distribution	Value	n	%
No	0	748	60.4
Yes	1	490	39.6
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SS12_8	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Laboratory drug testing/urine testing?
TYPE	num
LENGTH	8
VARNUM	89

SS12_8: Distribution	Value	n	%
No	0	322	26.0
Yes	1	916	74.0
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		1974	100.0

SS12_9	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)?
TYPE	num
LENGTH	8
VARNUM	90

SS12_9: Distribution	Value	n	%
No	0	807	65.2
Yes	1	431	34.8
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		1974	100.0

SS12_10	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator) ?
TYPE	num
LENGTH	8
VARNUM	91

SS12_10: Distribution	Value	n	%
No	0	890	71.9
Yes	1	348	28.1
No response	N	3	.
Logical skip	S	103	.

SS12_10: Distribution	Value	n	%
Missing survey	Z	630	.
		1974	100.0

SS12_11	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator?
TYPE	num
LENGTH	8
VARNUM	92

SS12_11: Distribution	Value	n	%
No	0	980	79.2
Yes	1	258	20.8
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		1974	100.0

SS12_12	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Training on how to avoid overdosing?
TYPE	num
LENGTH	8
VARNUM	93

SS12_12: Distribution	Value	n	%
No	0	744	60.1
Yes	1	494	39.9
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		1974	100.0

SS12_13	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Training on how to use naloxone?

SS12_13	
TYPE	num
LENGTH	8
VARNUM	94

SS12_13: Distribution	Value	n	%
No	0	756	61.1
Yes	1	482	38.9
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		1974	100.0

SS12_14	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Other services?
TYPE	num
LENGTH	8
VARNUM	95

SS12_14: Distribution	Value	n	%
No	0	1125	90.9
Yes	1	113	9.1
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		1974	100.0

SS12_15	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? No other services?
TYPE	num
LENGTH	8
VARNUM	96

SS12_15: Distribution	Value	n	%
No	0	1162	93.9

SS12_15: Distribution	Value	n	%
Yes	1	76	6.1
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PN1	
LABEL	(Since you started your INDEX treatment/While you were in your INDEX treatment), were you offered services from a Peer Navigator?
TYPE	num
LENGTH	8
VARNUM	97

PN1: Distribution	Value	n	%
Yes	1	557	44.9
No	2	581	46.8
No Answer	3	103	8.3
No response	N	0	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PN2	
LABEL	(Since you began your INDEX treatment/At any time while you were in your INDEX treatment), how often did you meet with a Peer Navigator?
TYPE	num
LENGTH	8
VARNUM	98

PN2: Distribution	Value	n	%
Less than once a month	1	101	18.1
About once a month	2	162	29.1
Several times a month	3	87	15.6
About once a week	4	89	16.0
Several times a week	5	39	7.0
I never met with a peer navigator	6	79	14.2

PN2: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	787	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PN3	
LABEL	How helpful (is/was) your peer navigator to your recovery?
TYPE	num
LENGTH	8
VARNUM	99

PN3: Distribution	Value	n	%
Very helpful	1	290	60.7
Somewhat helpful	2	148	31.0
Somewhat unhelpful	3	24	5.0
Not helpful at all	4	16	3.3
No response	N	0	.
Logical skip	S	866	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PN4_1	
LABEL	Why did you not meet with a peer navigator? I did not want the service?
TYPE	num
LENGTH	8
VARNUM	100

PN4_1: Distribution	Value	n	%
No	0	48	60.8
Yes	1	31	39.2
No response	N	0	.
Logical skip	S	1265	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PN4_2	
LABEL	Why did you not meet with a peer navigator? I did not think the service was worthwhile for me?
TYPE	num
LENGTH	8
VARNUM	101

PN4_2: Distribution	Value	n	%
No	0	69	87.3
Yes	1	10	12.7
No response	N	0	.
Logical skip	S	1265	.
Missing survey	Z	630	.
		1974	100.0

PN4_3	
LABEL	Why did you not meet with a peer navigator? I could not afford the service?
TYPE	num
LENGTH	8
VARNUM	102

PN4_3: Distribution	Value	n	%
No	0	75	94.9
Yes	1	4	5.1
No response	N	0	.
Logical skip	S	1265	.
Missing survey	Z	630	.
		1974	100.0

PN4_4	
LABEL	Why did you not meet with a peer navigator? I will arrange to meet with peer navigator if I ever need their service?
TYPE	num
LENGTH	8
VARNUM	103

PN4_4: Distribution	Value	n	%
No	0	53	67.1
Yes	1	26	32.9
No response	N	0	.
Logical skip	S	1265	.
Missing survey	Z	630	.
		1974	100.0

PN4_5	
LABEL	Why did you not meet with a peer navigator? I tried to make an appointment but the peer navigator did not have any openings on their schedule?
TYPE	num
LENGTH	8
VARNUM	104

PN4_5: Distribution	Value	n	%
No	0	73	92.4
Yes	1	6	7.6
No response	N	0	.
Logical skip	S	1265	.
Missing survey	Z	630	.
		1974	100.0

PN4_6	
LABEL	Why did you not meet with a peer navigator? I plan to schedule an appointment soon?
TYPE	num
LENGTH	8
VARNUM	105

PN4_6: Distribution	Value	n	%
No	0	71	89.9
Yes	1	8	10.1
No response	N	0	.
Logical skip	S	1265	.
Missing survey	Z	630	.
		1974	100.0

PN4_7	
LABEL	Why did you not meet with a peer navigator? I have an appointment scheduled?
TYPE	num
LENGTH	8
VARNUM	106

PN4_7: Distribution	Value	n	%
No	0	78	98.7
Yes	1	1	1.3
No response	N	0	.
Logical skip	S	1265	.
Missing survey	Z	630	.
		1974	100.0

PN4_8	
LABEL	Why did you not meet with a peer navigator? I had an appointment but the peer navigator did not make it?
TYPE	num
LENGTH	8
VARNUM	107

PN4_8: Distribution	Value	n	%
No	0	79	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1265	.
Missing survey	Z	630	.
		1974	100.0

PN4_9	
LABEL	Why did you not meet with a peer navigator? I had another reason that is not listed above?
TYPE	num
LENGTH	8
VARNUM	108

PN4_9: Distribution	Value	n	%
No	0	71	89.9
Yes	1	8	10.1
No response	N	0	.
Logical skip	S	1265	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PN5_A	
LABEL	Peer navigators are helpful?
TYPE	num
LENGTH	8
VARNUM	109

PN5_A: Distribution	Value	n	%
Agree	1	784	63.4
Neutral or no opinion	2	411	33.2
Disagree	3	42	3.4
No response	N	4	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PN5_B	
LABEL	I am uncomfortable sharing my personal life with a peer navigator?
TYPE	num
LENGTH	8
VARNUM	110

PN5_B: Distribution	Value	n	%
Agree	1	248	20.0
Neutral or no opinion	2	398	32.1
Disagree	3	593	47.9
No response	N	2	.
Logical skip	S	103	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PN5_C	
LABEL	People I know told me not to work with a peer navigator?
TYPE	num
LENGTH	8
VARNUM	111

PN5_C: Distribution	Value	n	%
Agree	1	94	7.6
Neutral or no opinion	2	323	26.1
Disagree	3	821	66.3
No response	N	3	.
Logical skip	S	103	.
Missing survey	Z	630	.
		1974	100.0

PN5_D	
LABEL	A peer navigator is not helpful or needed given my situation?
TYPE	num
LENGTH	8
VARNUM	112

PN5_D: Distribution	Value	n	%
Agree	1	208	16.8
Neutral or no opinion	2	461	37.2
Disagree	3	570	46.0
No response	N	2	.
Logical skip	S	103	.
Missing survey	Z	630	.
		1974	100.0

PN5_E	
LABEL	I would recommend peer navigators to a friend?
TYPE	num
LENGTH	8
VARNUM	113

PN5_E: Distribution	Value	n	%
Agree	1	715	57.8
Neutral or no opinion	2	466	37.7
Disagree	3	56	4.5
No response	N	4	.
Logical skip	S	103	.
Missing survey	Z	630	.
		1974	100.0

PX1	
LABEL	Since stopping your INDEX treatment, did you start another treatment program for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	114

PX1: Distribution	Value	n	%
Yes	1	44	32.8
No	2	82	61.2
No Answer	3	8	6.0
No response	N	0	.
Logical skip	S	1210	.
Missing survey	Z	630	.
		1974	100.0

PX3A_R1	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	115

PX3A_R1: Distribution	Value	n	%
Very important	1	40	90.9
Somewhat important	2	3	6.8
Not important	3	1	2.3

PX3A_R1: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX3B_R1	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	116

PX3B_R1: Distribution	Value	n	%
Very important	1	8	18.2
Somewhat important	2	4	9.1
Not important	3	32	72.7
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX3C_R1	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	117

PX3C_R1: Distribution	Value	n	%
Very important	1	25	56.8
Somewhat important	2	11	25.0
Not important	3	8	18.2
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX3D_R1	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 1
TYPE	num
LENGTH	8
VARNUM	118

PX3D_R1: Distribution	Value	n	%
Very important	1	33	75.0
Somewhat important	2	7	15.9
Not important	3	4	9.1
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX3E_R1	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 1
TYPE	num
LENGTH	8
VARNUM	119

PX3E_R1: Distribution	Value	n	%
Very important	1	37	84.1
Somewhat important	2	7	15.9
Not important	3	0	.
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX3F_R1	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 1
TYPE	num

PX3F_R1	
LENGTH	8
VARNUM	120

PX3F_R1: Distribution	Value	n	%
Very important	1	31	70.5
Somewhat important	2	4	9.1
Not important	3	9	20.5
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PX3G_R1	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 1
TYPE	num
LENGTH	8
VARNUM	121

PX3G_R1: Distribution	Value	n	%
Very important	1	35	79.5
Somewhat important	2	3	6.8
Not important	3	6	13.6
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PX3I_R1	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 1
TYPE	num
LENGTH	8
VARNUM	122

PX3I_R1: Distribution	Value	n	%
Very important	1	33	75.0
Somewhat important	2	6	13.6
Not important	3	5	11.4
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX3J_R1	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 1
TYPE	num
LENGTH	8
VARNUM	123

PX3J_R1: Distribution	Value	n	%
Very important	1	35	79.5
Somewhat important	2	2	4.5
Not important	3	7	15.9
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX3K_R1	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 1
TYPE	num
LENGTH	8
VARNUM	124

PX3K_R1: Distribution	Value	n	%
Very important	1	32	72.7
Somewhat important	2	5	11.4
Not important	3	7	15.9
No response	N	0	.

PX3K_R1: Distribution	Value	n	%
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX3L_R1	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 1
TYPE	num
LENGTH	8
VARNUM	125

PX3L_R1: Distribution	Value	n	%
Very important	1	34	77.3
Somewhat important	2	7	15.9
Not important	3	3	6.8
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX3M_R1	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 1
TYPE	num
LENGTH	8
VARNUM	126

PX3M_R1: Distribution	Value	n	%
Very important	1	14	31.8
Somewhat important	2	3	6.8
Not important	3	27	61.4
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX3N_R1	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 1
TYPE	num
LENGTH	8
VARNUM	127

PX3N_R1: Distribution	Value	n	%
Very important	1	27	61.4
Somewhat important	2	7	15.9
Not important	3	10	22.7
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX3O_R1	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 1
TYPE	num
LENGTH	8
VARNUM	128

PX3O_R1: Distribution	Value	n	%
Very important	1	19	43.2
Somewhat important	2	7	15.9
Not important	3	18	40.9
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX3P_R1	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	129

PX3P_R1: Distribution	Value	n	%
Very important	1	15	34.9
Somewhat important	2	11	25.6
Not important	3	17	39.5
No response	N	1	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PX4_11_R1	
LABEL	Was your participation in this treatment? None of these apply? Response 1
TYPE	num
LENGTH	8
VARNUM	130

PX4_11_R1: Distribution	Value	n	%
No	0	10	22.7
Yes	1	34	77.3
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PX5_1_R1	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 1
TYPE	num
LENGTH	8
VARNUM	131

PX5_1_R1: Distribution	Value	n	%
No	0	7	15.9
Yes	1	37	84.1
No response	N	0	.
Logical skip	S	1300	.

PX5_1_R1: Distribution	Value	n	%
Missing survey	Z	630	.
		1974	100.0

PX5_2_R1	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 1
TYPE	num
LENGTH	8
VARNUM	132

PX5_2_R1: Distribution	Value	n	%
No	0	36	81.8
Yes	1	8	18.2
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX5_3_R1	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/ drug abuse care provider? Response 1
TYPE	num
LENGTH	8
VARNUM	133

PX5_3_R1: Distribution	Value	n	%
No	0	39	88.6
Yes	1	5	11.4
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX5_4_R1	
LABEL	Who recommended that you go to this facility to get treatment? Primary health care provider? Response 1

PX5_4_R1	
TYPE	num
LENGTH	8
VARNUM	134

PX5_4_R1: Distribution	Value	n	%
No	0	41	93.2
Yes	1	3	6.8
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX5_5_R1	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 1
TYPE	num
LENGTH	8
VARNUM	135

PX5_5_R1: Distribution	Value	n	%
No	0	44	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX5_6_R1	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 1
TYPE	num
LENGTH	8
VARNUM	136

PX5_6_R1: Distribution	Value	n	%
No	0	44	100.0
Yes	1	0	.

PX5_6_R1: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX5_7_R1	
LABEL	Who recommended that you go to this facility to get treatment? Community group (e.g. religious organizations. self-help groups)? Response 1
TYPE	num
LENGTH	8
VARNUM	137

PX5_7_R1: Distribution	Value	n	%
No	0	44	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX5_8_R1	
LABEL	Who recommended that you go to this facility to get treatment? Court/ criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 1
TYPE	num
LENGTH	8
VARNUM	138

PX5_8_R1: Distribution	Value	n	%
No	0	43	97.7
Yes	1	1	2.3
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX5_9_R1	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 1
TYPE	num
LENGTH	8
VARNUM	139

PX5_9_R1: Distribution	Value	n	%
No	0	43	97.7
Yes	1	1	2.3
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX10_R1	
LABEL	When you started this treatment, how confident were you that this treatment would be successful? Response 1
TYPE	num
LENGTH	8
VARNUM	140

PX10_R1: Distribution	Value	n	%
Not confident	1	1	2.3
Slightly confident	2	5	11.4
Moderately confident	3	19	43.2
Highly confident	4	19	43.2
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX11_R1	
LABEL	Are you still receiving this treatment at this facility? Response 1
TYPE	num
LENGTH	8
VARNUM	141

PX11_R1: Distribution	Value	n	%
Yes	1	30	68.2
No	2	14	31.8
No response	N	0	.
Logical skip	S	1300	.
Missing survey	Z	630	.
		1974	100.0

PX13_R1	
LABEL	Why did you stop receiving this treatment at this facility? Response 1
TYPE	num
LENGTH	8
VARNUM	142

PX13_R1: Distribution	Value	n	%
I completed this treatment program	1	5	35.7
I voluntarily stopped this treatment	2	1	7.1
I continued this treatment at a different facility	3	6	42.9
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	1	7.1
A different reason/none of the above (specify):	6	1	7.1
No response	N	0	.
Logical skip	S	1330	.
Missing survey	Z	630	.
		1974	100.0

PX13_R2	
LABEL	Why did you stop receiving this treatment at this facility? Response 2
TYPE	num

PX13_R2	
LENGTH	8
VARNUM	143

PX13_R2: Distribution	Value	n	%
I completed this treatment program	1	2	40.0
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	1	20.0
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	1	20.0
A different reason/none of the above (specify):	6	1	20.0
No response	N	0	.
Logical skip	S	1339	.
Missing survey	Z	630	.
		1974	100.0

PX13_R3	
LABEL	Why did you stop receiving this treatment at this facility? Response 3
TYPE	num
LENGTH	8
VARNUM	144

PX13_R3: Distribution	Value	n	%
I completed this treatment program	1	1	50.0
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	1	50.0
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.

PX13_R3: Distribution	Value	n	%
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1342	.
Missing survey	Z	630	.
		1974	100.0

PX13_R4	
LABEL	Why did you stop receiving this treatment at this facility? Response 4
TYPE	num
LENGTH	8
VARNUM	145

PX13_R4: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	1	100.0
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1343	.
Missing survey	Z	630	.
		1974	100.0

PX13_R5	
LABEL	Why did you stop receiving this treatment at this facility? Response 5
TYPE	num
LENGTH	8
VARNUM	146

PX13_R5: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1344	.
Missing survey	Z	630	.
		1974	.

PX13_R6	
LABEL	Why did you stop receiving this treatment at this facility? Response 6
TYPE	num
LENGTH	8
VARNUM	147

PX13_R6: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.

PX13_R6: Distribution	Value	n	%
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1344	.
Missing survey	Z	630	.
		1974	.

PX13_R7	
LABEL	Why did you stop receiving this treatment at this facility? Response 7
TYPE	num
LENGTH	8
VARNUM	148

PX13_R7: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1344	.
Missing survey	Z	630	.
		1974	.

PX13_R8	
LABEL	Why did you stop receiving this treatment at this facility? Response 8
TYPE	num
LENGTH	8
VARNUM	149

PX13_R8: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1344	.
Missing survey	Z	630	.
		1974	.

PX13_R9	
LABEL	Why did you stop receiving this treatment at this facility? Response 9
TYPE	num
LENGTH	8
VARNUM	150

PX13_R9: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.

PX13_R9: Distribution	Value	n	%
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1344	.
Missing survey	Z	630	.
		1974	.

PX13_R10	
LABEL	Why did you stop receiving this treatment at this facility? Response 10
TYPE	num
LENGTH	8
VARNUM	151

PX13_R10: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1344	.
Missing survey	Z	630	.
		1974	.

PX13_R11	
LABEL	Why did you stop receiving this treatment at this facility? Response 11
TYPE	num
LENGTH	8
VARNUM	152

PX13_R11: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1344	.
Missing survey	Z	630	.
		1974	.

PX13_R12	
LABEL	Why did you stop receiving this treatment at this facility? Response 12
TYPE	num
LENGTH	8
VARNUM	153

PX13_R12: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.

PX13_R12: Distribution	Value	n	%
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1344	.
Missing survey	Z	630	.
		1974	.

SA1	
LABEL	Over the past 90 days, how many days did you spend receiving your INDEX treatment at (FACILITY)? (Consider all types of treatment received directly at (FACILITY). If none, enter 0.)
TYPE	num
LENGTH	8
VARNUM	154

SA1: Distribution	Value	n	%
0	0	156	11.6
1	1	11	0.8
2	2	5	0.4
3	3	54	4.0
4	4	10	0.7
5	5	17	1.3
6	6	30	2.2
7	7	5	0.4
8	8	11	0.8
9	9	8	0.6
10	10	15	1.1
11	11	2	0.1
12	12	47	3.5
13	13	2	0.1
14	14	6	0.4
15	15	14	1.0

SA1: Distribution	Value	n	%
16	16	6	0.4
18	18	7	0.5
19	19	1	0.1
20	20	19	1.4
21	21	2	0.1
22	22	1	0.1
23	23	1	0.1
24	24	10	0.7
25	25	3	0.2
28	28	4	0.3
30	30	38	2.8
31	31	1	0.1
32	32	1	0.1
33	33	2	0.1
35	35	1	0.1
36	36	8	0.6
39	39	2	0.1
40	40	5	0.4
42	42	1	0.1
45	45	9	0.7
48	48	5	0.4
50	50	7	0.5
52	52	1	0.1
53	53	2	0.1
55	55	2	0.1
59	59	2	0.1
60	60	39	2.9
65	65	2	0.1
66	66	2	0.1
67	67	1	0.1
68	68	1	0.1
70	70	9	0.7
72	72	20	1.5
74	74	2	0.1
75	75	8	0.6
77	77	1	0.1
78	78	4	0.3
79	79	1	0.1

SA1: Distribution	Value	n	%
80	80	26	1.9
81	81	1	0.1
82	82	4	0.3
84	84	3	0.2
85	85	15	1.1
86	86	6	0.4
87	87	4	0.3
88	88	4	0.3
89	89	6	0.4
90	90	651	48.4
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

SA2	
LABEL	Of those days, how many days included counseling sessions (either individual or group)?
TYPE	num
LENGTH	8
VARNUM	155

SA2: Distribution	Value	n	%
0	0	61	5.1
1	1	41	3.5
2	2	52	4.4
3	3	199	16.8
4	4	74	6.2
5	5	69	5.8
6	6	134	11.3
7	7	16	1.3
8	8	33	2.8
9	9	32	2.7
10	10	65	5.5
11	11	2	0.2
12	12	130	10.9
13	13	3	0.3
14	14	11	0.9

SA2: Distribution	Value	n	%
15	15	33	2.8
16	16	11	0.9
17	17	2	0.2
18	18	17	1.4
20	20	33	2.8
21	21	3	0.3
23	23	3	0.3
24	24	19	1.6
25	25	6	0.5
27	27	2	0.2
28	28	2	0.2
30	30	41	3.5
32	32	2	0.2
33	33	1	0.1
35	35	2	0.2
36	36	6	0.5
38	38	1	0.1
39	39	1	0.1
40	40	12	1.0
45	45	12	1.0
50	50	4	0.3
56	56	1	0.1
59	59	1	0.1
60	60	7	0.6
65	65	2	0.2
70	70	6	0.5
72	72	1	0.1
75	75	1	0.1
80	80	5	0.4
90	90	29	2.4
No response	N	0	.
Logical skip	S	156	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

DW5	
LABEL	Over the past 90 days, how many times did you go through medically supervised opioid detox? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	156

DW5: Distribution	Value	n	%
0	0	1197	89.1
1	1	47	3.5
2	2	14	1.0
3	3	6	0.4
4	4	2	0.1
5	5	5	0.4
6	6	5	0.4
7	7	7	0.5
8	8	3	0.2
9	9	2	0.1
10	10	2	0.1
12	12	2	0.1
14	14	2	0.1
20	20	1	0.1
21	21	1	0.1
30	30	6	0.4
35	35	1	0.1
45	45	2	0.1
48	48	1	0.1
60	60	1	0.1
65	65	1	0.1
66	66	1	0.1
68	68	1	0.1
70	70	1	0.1
75	75	1	0.1
78	78	1	0.1
87	87	1	0.1
90	90	29	2.2
No response	N	1	.
Logical skip	S	0	.

DW5: Distribution	Value	n	%
Missing survey	Z	630	.
		1974	100.0

HS4	
LABEL	Over the past 90 days, how many nights did you spend in a hospital? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	157

HS4: Distribution	Value	n	%
0	0	1218	90.6
1	1	20	1.5
2	2	16	1.2
3	3	17	1.3
4	4	7	0.5
5	5	7	0.5
6	6	5	0.4
7	7	7	0.5
8	8	6	0.4
9	9	1	0.1
10	10	8	0.6
11	11	1	0.1
12	12	2	0.1
14	14	8	0.6
15	15	4	0.3
20	20	2	0.1
21	21	2	0.1
23	23	1	0.1
25	25	1	0.1
30	30	3	0.2
40	40	2	0.1
45	45	2	0.1
56	56	1	0.1
76	76	1	0.1
90	90	2	0.1
No response	N	0	.
Logical skip	S	0	.

HS4: Distribution	Value	n	%
Missing survey	Z	630	.
		1974	100.0

HS4A	
LABEL	How many of those nights were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	158

HS4A: Distribution	Value	n	%
0	0	75	60.5
1	1	11	8.9
2	2	9	7.3
3	3	5	4.0
4	4	3	2.4
5	5	3	2.4
7	7	1	0.8
8	8	3	2.4
10	10	3	2.4
11	11	1	0.8
12	12	1	0.8
14	14	2	1.6
15	15	1	0.8
21	21	1	0.8
30	30	1	0.8
40	40	1	0.8
45	45	2	1.6
50	50	1	0.8
No response	N	2	.
Logical skip	S	1218	.
Missing survey	Z	630	.
		1974	100.0

ED4	
LABEL	Over the past 90 days, how many times did you go to the Emergency Department? If none, enter 0.

ED4	
TYPE	num
LENGTH	8
VARNUM	159

ED4: Distribution	Value	n	%
0	0	1104	82.1
1	1	120	8.9
2	2	67	5.0
3	3	27	2.0
4	4	10	0.7
5	5	3	0.2
6	6	2	0.1
7	7	2	0.1
8	8	1	0.1
10	10	4	0.3
12	12	1	0.1
35	35	1	0.1
43	43	1	0.1
90	90	1	0.1
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

ED4A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	160

ED4A: Distribution	Value	n	%
0	0	181	75.7
1	1	30	12.6
2	2	17	7.1
3	3	1	0.4
4	4	3	1.3

ED4A: Distribution	Value	n	%
5	5	2	0.8
6	6	1	0.4
10	10	1	0.4
12	12	1	0.4
23	23	1	0.4
35	35	1	0.4
No response	N	1	.
Logical skip	S	1104	.
Missing survey	Z	630	.
		1974	100.0

SH4	
LABEL	Over the past 90 days, how many times did you attend a self-help group, like Alcoholics or Narcotics Anonymous?
TYPE	num
LENGTH	8
VARNUM	161

SH4: Distribution	Value	n	%
Never	1	676	50.3
Less than once a week	2	227	16.9
Once a week	3	204	15.2
More than once a week	4	183	13.6
Almost every day of the week	5	54	4.0
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

PC3	
LABEL	Over the past 90 days, how many times did you visit a primary care provider? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	162

PC3: Distribution	Value	n	%
0	0	544	40.5
1	1	219	16.3
2	2	188	14.0
3	3	190	14.1
4	4	64	4.8
5	5	33	2.5
6	6	30	2.2
7	7	11	0.8
8	8	13	1.0
9	9	6	0.4
10	10	10	0.7
11	11	3	0.2
12	12	9	0.7
14	14	1	0.1
15	15	6	0.4
16	16	1	0.1
18	18	1	0.1
20	20	4	0.3
23	23	1	0.1
25	25	1	0.1
30	30	3	0.2
33	33	1	0.1
45	45	1	0.1
78	78	1	0.1
80	80	1	0.1
90	90	2	0.1
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PC3A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	163

PC3A: Distribution	Value	n	%
0	0	657	82.2
1	1	35	4.4
2	2	27	3.4
3	3	39	4.9
4	4	16	2.0
5	5	4	0.5
6	6	5	0.6
7	7	2	0.3
8	8	2	0.3
9	9	1	0.1
10	10	1	0.1
12	12	2	0.3
14	14	1	0.1
15	15	1	0.1
16	16	1	0.1
20	20	2	0.3
67	67	1	0.1
80	80	1	0.1
90	90	1	0.1
No response	N	1	.
Logical skip	S	544	.
Missing survey	Z	630	.
		1974	100.0

HM1	
LABEL	Did you receive methadone treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	164

HM1: Distribution	Value	n	%
Yes	1	813	60.5
No	2	531	39.5
No response	N	0	.
Logical skip	S	0	.

HM1: Distribution	Value	n	%
Missing survey	Z	630	.
		1974	100.0

HM2	
LABEL	Did you receive oral buprenorphine (e.g. Suboxone or generic) treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	165

HM2: Distribution	Value	n	%
Yes	1	396	29.5
No	2	947	70.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

HM3	
LABEL	Did you receive implantable or injectable buprenorphine (e.g. Probuphine or generic) treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	166

HM3: Distribution	Value	n	%
Yes	1	35	2.6
No	2	1307	97.4
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

HM4	
LABEL	Did you receive oral naltrexone (e.g. Revia) treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	167

HM4: Distribution	Value	n	%
Yes	1	55	4.1
No	2	1288	95.9
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

HM5	
LABEL	Did you receive injectable naltrexone (e.g. Vivitrol) treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	168

HM5: Distribution	Value	n	%
Yes	1	37	2.8
No	2	1307	97.2
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

HM6	
LABEL	Did you receive counseling (either individual or group) treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	169

HM6: Distribution	Value	n	%
Yes	1	1096	81.6
No	2	247	18.4
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

SU1A	
LABEL	Over the past 90 days, how often did you use? Prescription opioids used non-medically (e.g., OxyContin, Percocet, Dilaudid, Opana, Vicodin, Duragesic, Ultram, Morphine, Tramadol)?
TYPE	num
LENGTH	8
VARNUM	170

SU1A: Distribution	Value	n	%
Never	1	1151	86.2
Less than once a week	2	93	7.0
Once a week	3	38	2.8
More than once a week	4	29	2.2
Almost every day of the week	5	24	1.8
No response	N	9	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

SU1B	
LABEL	Over the past 90 days, how often did you use? Prescription opioid treatment medications used non-medically (e.g., Methadone, Suboxone)?
TYPE	num
LENGTH	8
VARNUM	171

SU1B: Distribution	Value	n	%
Never	1	1053	79.0
Less than once a week	2	65	4.9
Once a week	3	25	1.9

SU1B: Distribution	Value	n	%
More than once a week	4	22	1.7
Almost every day of the week	5	168	12.6
No response	N	11	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SU1C	
LABEL	Over the past 90 days, how often did you use? Prescription stimulants used non-medically (e.g., Ritalin, Adderall)?
TYPE	num
LENGTH	8
VARNUM	172

SU1C: Distribution	Value	n	%
Never	1	1238	92.9
Less than once a week	2	49	3.7
Once a week	3	21	1.6
More than once a week	4	11	0.8
Almost every day of the week	5	13	1.0
No response	N	12	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SU1D	
LABEL	Over the past 90 days, how often did you use? Prescription sedatives used non-medically (e.g., Xanax, Klonopin, Ativan)?
TYPE	num
LENGTH	8
VARNUM	173

SU1D: Distribution	Value	n	%
Never	1	1138	85.1
Less than once a week	2	98	7.3
Once a week	3	34	2.5

SU1D: Distribution	Value	n	%
More than once a week	4	34	2.5
Almost every day of the week	5	34	2.5
No response	N	6	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SU1E	
LABEL	Over the past 90 days, how often did you use? Heroin?
TYPE	num
LENGTH	8
VARNUM	174

SU1E: Distribution	Value	n	%
Never	1	988	74.2
Less than once a week	2	138	10.4
Once a week	3	47	3.5
More than once a week	4	73	5.5
Almost every day of the week	5	85	6.4
No response	N	13	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SU1F	
LABEL	Over the past 90 days, how often did you use? Illicitly-made fentanyl (not the prescription Duragesic patches)
TYPE	num
LENGTH	8
VARNUM	175

SU1F: Distribution	Value	n	%
Never	1	1132	84.7
Less than once a week	2	94	7.0
Once a week	3	40	3.0
More than once a week	4	35	2.6

SU1F: Distribution	Value	n	%
Almost every day of the week	5	35	2.6
No response	N	8	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SU1G	
LABEL	Over the past 90 days, how often did you use? Neuropathics used non-medically (e.g., gabapentin, pregabalin)?
TYPE	num
LENGTH	8
VARNUM	176

SU1G: Distribution	Value	n	%
Never	1	1181	88.5
Less than once a week	2	49	3.7
Once a week	3	24	1.8
More than once a week	4	30	2.2
Almost every day of the week	5	51	3.8
No response	N	9	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SU1H	
LABEL	Over the past 90 days, how often did you use? Marijuana/ Cannabis?
TYPE	num
LENGTH	8
VARNUM	177

SU1H: Distribution	Value	n	%
Never	1	852	63.9
Less than once a week	2	123	9.2
Once a week	3	69	5.2
More than once a week	4	103	7.7
Almost every day of the week	5	186	14.0

SU1H: Distribution	Value	n	%
No response	N	11	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

SU1I	
LABEL	Over the past 90 days, how often did you use? Cocaine/Crack (e.g., powder, rock, or in any form/combination)?
TYPE	num
LENGTH	8
VARNUM	178

SU1I: Distribution	Value	n	%
Never	1	1131	84.7
Less than once a week	2	106	7.9
Once a week	3	42	3.1
More than once a week	4	28	2.1
Almost every day of the week	5	28	2.1
No response	N	9	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

SU1J	
LABEL	Over the past 90 days, how often did you use? Methamphetamine/crank?
TYPE	num
LENGTH	8
VARNUM	179

SU1J: Distribution	Value	n	%
Never	1	1142	85.7
Less than once a week	2	80	6.0
Once a week	3	31	2.3
More than once a week	4	42	3.2
Almost every day of the week	5	38	2.9
No response	N	11	.

SU1J: Distribution	Value	n	%
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

SU1K	
LABEL	Over the past 90 days, how often did you use? Krokodil?
TYPE	num
LENGTH	8
VARNUM	180

SU1K: Distribution	Value	n	%
Never	1	1310	98.4
Less than once a week	2	8	0.6
Once a week	3	7	0.5
More than once a week	4	4	0.3
Almost every day of the week	5	2	0.2
No response	N	13	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

SU1L	
LABEL	Over the past 90 days, how often did you use? Ecstasy, PCPs, or other synthetics?
TYPE	num
LENGTH	8
VARNUM	181

SU1L: Distribution	Value	n	%
Never	1	1289	96.6
Less than once a week	2	28	2.1
Once a week	3	7	0.5
More than once a week	4	7	0.5
Almost every day of the week	5	3	0.2
No response	N	10	.
Logical skip	S	0	.

SU1L: Distribution	Value	n	%
Missing survey	Z	630	.
		1974	100.0

SU1M	
LABEL	Over the past 90 days, how often did you use? Inhalants?
TYPE	num
LENGTH	8
VARNUM	182

SU1M: Distribution	Value	n	%
Never	1	1295	97.2
Less than once a week	2	12	0.9
Once a week	3	11	0.8
More than once a week	4	7	0.5
Almost every day of the week	5	7	0.5
No response	N	12	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

SU1N	
LABEL	Over the past 90 days, how often did you use? Alcohol?
TYPE	num
LENGTH	8
VARNUM	183

SU1N: Distribution	Value	n	%
Never	1	1023	76.7
Less than once a week	2	158	11.9
Once a week	3	77	5.8
More than once a week	4	46	3.5
Almost every day of the week	5	29	2.2
No response	N	11	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

SU10	
LABEL	Over the past 90 days, how often did you use? Tobacco
TYPE	num
LENGTH	8
VARNUM	184

SU10: Distribution	Value	n	%
Never	1	382	28.7
Less than once a week	2	38	2.9
Once a week	3	40	3.0
More than once a week	4	85	6.4
Almost every day of the week	5	788	59.1
No response	N	11	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

SU2	
LABEL	Over the past 90 days, how many days did you use prescription opioids non-medically? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	185

SU2: Distribution	Value	n	%
0	0	40	39.2
1	1	4	3.9
2	2	10	9.8
3	3	2	2.0
4	4	4	3.9
5	5	4	3.9
6	6	1	1.0
7	7	1	1.0
9	9	1	1.0
10	10	10	9.8
12	12	1	1.0

SU2: Distribution	Value	n	%
15	15	4	3.9
20	20	2	2.0
25	25	1	1.0
30	30	4	3.9
40	40	1	1.0
45	45	1	1.0
50	50	1	1.0
60	60	2	2.0
70	70	1	1.0
82	82	1	1.0
90	90	6	5.9
No response	N	6	.
Logical skip	S	1236	.
Missing survey	Z	630	.
		1974	100.0

SU3	
LABEL	Over the past 30 days, how many days did you use prescription opioids non-medically? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	186

SU3: Distribution	Value	n	%
0	0	16	26.2
1	1	8	13.1
2	2	7	11.5
3	3	4	6.6
5	5	3	4.9
7	7	1	1.6
10	10	5	8.2
12	12	1	1.6
15	15	1	1.6
17	17	1	1.6
20	20	6	9.8
25	25	1	1.6
28	28	1	1.6

SU3: Distribution	Value	n	%
30	30	6	9.8
No response	N	7	.
Logical skip	S	1276	.
Missing survey	Z	630	.
		1974	100.0

SU4	
LABEL	Over the past 90 days, how many days did you use heroin? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	187

SU4: Distribution	Value	n	%
0	0	38	11.1
1	1	11	3.2
2	2	19	5.6
3	3	20	5.9
4	4	21	6.2
5	5	12	3.5
6	6	9	2.6
7	7	8	2.3
8	8	6	1.8
9	9	3	0.9
10	10	21	6.2
11	11	1	0.3
12	12	12	3.5
14	14	2	0.6
15	15	5	1.5
16	16	1	0.3
18	18	1	0.3
20	20	12	3.5
23	23	1	0.3
24	24	1	0.3
25	25	3	0.9
30	30	21	6.2
32	32	1	0.3
34	34	1	0.3

SU4: Distribution	Value	n	%
38	38	1	0.3
40	40	9	2.6
45	45	13	3.8
46	46	1	0.3
50	50	3	0.9
60	60	15	4.4
65	65	1	0.3
69	69	1	0.3
70	70	6	1.8
75	75	9	2.6
80	80	9	2.6
85	85	4	1.2
86	86	1	0.3
87	87	3	0.9
88	88	1	0.3
90	90	34	10.0
No response	N	15	.
Logical skip	S	988	.
Missing survey	Z	630	.
		1974	100.0

SU5	
LABEL	Over the past 30 days, how many days did you use heroin? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	188

SU5: Distribution	Value	n	%
0	0	35	11.6
1	1	29	9.6
2	2	24	7.9
3	3	20	6.6
4	4	26	8.6
5	5	21	6.9
6	6	4	1.3
7	7	6	2.0
8	8	4	1.3

SU5: Distribution	Value	n	%
9	9	1	0.3
10	10	16	5.3
11	11	1	0.3
12	12	2	0.7
14	14	1	0.3
15	15	14	4.6
20	20	18	5.9
23	23	3	1.0
24	24	1	0.3
25	25	9	3.0
26	26	1	0.3
27	27	2	0.7
28	28	3	1.0
29	29	3	1.0
30	30	59	19.5
No response	N	15	.
Logical skip	S	1026	.
Missing survey	Z	630	.
		1974	100.0

SU6	
LABEL	Over the past 90 days, how many days did you use illicitly-made fentanyl? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	189

SU6: Distribution	Value	n	%
0	0	33	16.3
1	1	15	7.4
2	2	10	4.9
3	3	15	7.4
4	4	9	4.4
5	5	12	5.9
6	6	3	1.5
7	7	1	0.5
8	8	3	1.5
9	9	2	1.0

SU6: Distribution	Value	n	%
10	10	7	3.4
11	11	2	1.0
12	12	7	3.4
13	13	2	1.0
15	15	6	3.0
19	19	1	0.5
20	20	5	2.5
21	21	1	0.5
25	25	1	0.5
30	30	9	4.4
34	34	1	0.5
37	37	1	0.5
40	40	2	1.0
45	45	4	2.0
50	50	3	1.5
60	60	7	3.4
69	69	1	0.5
70	70	3	1.5
80	80	6	3.0
84	84	1	0.5
85	85	3	1.5
87	87	1	0.5
88	88	1	0.5
90	90	25	12.3
No response	N	9	.
Logical skip	S	1132	.
Missing survey	Z	630	.
		1974	100.0

SU7	
LABEL	Over the past 30 days, how many days did you use illicitly-made fentanyl? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	190

SU7: Distribution	Value	n	%
0	0	20	11.8

SU7: Distribution	Value	n	%
1	1	17	10.1
2	2	13	7.7
3	3	16	9.5
4	4	11	6.5
5	5	9	5.3
6	6	1	0.6
7	7	2	1.2
8	8	2	1.2
9	9	2	1.2
10	10	10	5.9
12	12	3	1.8
13	13	1	0.6
15	15	8	4.7
18	18	1	0.6
19	19	1	0.6
20	20	6	3.6
22	22	1	0.6
23	23	1	0.6
24	24	1	0.6
25	25	4	2.4
28	28	2	1.2
29	29	1	0.6
30	30	36	21.3
No response	N	10	.
Logical skip	S	1165	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

DO8	
LABEL	Over the past 90 days, how many times did you have a drug overdose? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	191

DO8: Distribution	Value	n	%
0	0	1308	97.3
1	1	18	1.3

DO8: Distribution	Value	n	%
2	2	7	0.5
3	3	4	0.3
4	4	1	0.1
5	5	4	0.3
6	6	1	0.1
7	7	1	0.1
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

DO9	
LABEL	Over the past 90 days, how many times did you overdose due to opioids? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	192

DO9: Distribution	Value	n	%
0	0	10	27.8
1	1	14	38.9
2	2	5	13.9
3	3	2	5.6
4	4	1	2.8
5	5	3	8.3
6	6	1	2.8
No response	N	0	.
Logical skip	S	1308	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

DO12	
LABEL	Were you administered naloxone?
TYPE	num
LENGTH	8
VARNUM	193

DO12: Distribution	Value	n	%
Yes	1	15	57.7
No	2	11	42.3
No response	N	0	.
Logical skip	S	1318	.
Missing survey	Z	630	.
		1974	100.0

DO13	
LABEL	Who provided the naloxone?
TYPE	num
LENGTH	8
VARNUM	194

DO13: Distribution	Value	n	%
First responder (Emergency Medical Service /police/fire fighter)	1	6	40.0
A person with me had naloxone and gave it to me	2	8	53.3
Other professional (i.e. counselor, CBO staff, etc.)	3	0	.
I had naloxone and someone gave it to me	4	0	.
Other way (specify):	5	1	6.7
No response	N	0	.
Logical skip	S	1329	.
Missing survey	Z	630	.
		1974	100.0

BF1	
LABEL	How You are Feeling Physically? Would you say that in general your health is:
TYPE	num
LENGTH	8
VARNUM	195

BF1: Distribution	Value	n	%
Excellent	1	113	8.4
Very good	2	329	24.5

BF1: Distribution	Value	n	%
Good	3	510	38.0
Fair	4	299	22.3
Poor	5	92	6.9
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

BF2	
LABEL	Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	196

BF2: Distribution	Value	n	%
0	0	637	47.4
1	1	56	4.2
2	2	96	7.1
3	3	63	4.7
4	4	36	2.7
5	5	89	6.6
6	6	11	0.8
7	7	36	2.7
8	8	6	0.4
9	9	5	0.4
10	10	57	4.2
11	11	1	0.1
12	12	12	0.9
13	13	2	0.1
14	14	7	0.5
15	15	51	3.8
16	16	3	0.2
17	17	1	0.1
18	18	2	0.1
19	19	1	0.1

BF2: Distribution	Value	n	%
20	20	43	3.2
21	21	3	0.2
22	22	4	0.3
23	23	3	0.2
24	24	1	0.1
25	25	16	1.2
26	26	1	0.1
27	27	3	0.2
28	28	4	0.3
29	29	1	0.1
30	30	93	6.9
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

BF3	
LABEL	Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	197

BF3: Distribution	Value	n	%
0	0	460	34.3
1	1	42	3.1
2	2	67	5.0
3	3	55	4.1
4	4	27	2.0
5	5	91	6.8
6	6	14	1.0
7	7	41	3.1
8	8	14	1.0
9	9	3	0.2
10	10	111	8.3
11	11	4	0.3

BF3: Distribution	Value	n	%
12	12	12	0.9
13	13	1	0.1
14	14	11	0.8
15	15	93	6.9
16	16	1	0.1
17	17	3	0.2
18	18	3	0.2
19	19	2	0.1
20	20	63	4.7
21	21	2	0.1
22	22	1	0.1
23	23	4	0.3
24	24	2	0.1
25	25	31	2.3
27	27	6	0.4
28	28	7	0.5
29	29	4	0.3
30	30	168	12.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PQ1A_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Little interest or pleasure in doing things?
TYPE	num
LENGTH	8
VARNUM	198

PQ1A_2: Distribution	Value	n	%
Not at all	1	600	44.7
Several days	2	428	31.9
More than half the days	3	164	12.2
Nearly every day	4	150	11.2
No response	N	2	.
Logical skip	S	0	.

PQ1A_2: Distribution	Value	n	%
Missing survey	Z	630	.
		1974	100.0

PQ1B_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling down, depressed, or hopeless?
TYPE	num
LENGTH	8
VARNUM	199

PQ1B_2: Distribution	Value	n	%
Not at all	1	566	42.2
Several days	2	462	34.4
More than half the days	3	154	11.5
Nearly every day	4	160	11.9
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

PQ1C_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Trouble falling or staying asleep, or sleeping too much?
TYPE	num
LENGTH	8
VARNUM	200

PQ1C_2: Distribution	Value	n	%
Not at all	1	457	34.1
Several days	2	428	31.9
More than half the days	3	201	15.0
Nearly every day	4	255	19.0
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	630	.
		1974	100.0

PQ1D_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling tired or having little energy?
TYPE	num
LENGTH	8
VARNUM	201

PQ1D_2: Distribution	Value	n	%
Not at all	1	397	29.6
Several days	2	501	37.3
More than half the days	3	220	16.4
Nearly every day	4	224	16.7
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PQ1E_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Poor appetite or overeating?
TYPE	num
LENGTH	8
VARNUM	202

PQ1E_2: Distribution	Value	n	%
Not at all	1	618	46.1
Several days	2	387	28.9
More than half the days	3	180	13.4
Nearly every day	4	156	11.6
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PQ1F_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling bad about yourself — or that you are a failure or have let yourself or your family down?
TYPE	num
LENGTH	8
VARNUM	203

PQ1F_2: Distribution	Value	n	%
Not at all	1	621	46.3
Several days	2	417	31.1
More than half the days	3	145	10.8
Nearly every day	4	157	11.7
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PQ1G_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Trouble concentrating on things, such as reading the newspaper or watching television?
TYPE	num
LENGTH	8
VARNUM	204

PQ1G_2: Distribution	Value	n	%
Not at all	1	667	49.7
Several days	2	393	29.3
More than half the days	3	140	10.4
Nearly every day	4	141	10.5
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

PQ1H_2	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Moving/speaking so slowly that other people could have noticed? Or opposite — being so fidgety/restless that you have been moving around a lot more than usual?
TYPE	num
LENGTH	8
VARNUM	205

PQ1H_2: Distribution	Value	n	%
Not at all	1	965	72.1
Several days	2	218	16.3
More than half the days	3	91	6.8
Nearly every day	4	65	4.9
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	630	.
		<i>1974</i>	<i>100.0</i>

pufsite_ID	
LABEL	Site ID
TYPE	num
LENGTH	8
VARNUM	206

Codebook for 12 Month Questionnaire

Data Set Name	Patient 12-month Data
Observations	1974
Variables	836
Engine	V9
Created	09/20/2021 12:05:36

CID	
LABEL	Case id
TYPE	char
LENGTH	20
VARNUM	1

MAT_COUN	
LABEL	Type of index treatment
TYPE	num
LENGTH	8
VARNUM	2

MAT_COUN: Distribution	Value	n	%
methadone maintenance therapy	1	1209	61.2
buprenorphine (e.g. Suboxone, Probuphine, generic)	2	632	32.0
naltrexone (e.g. Vivitrol, Revia, generic)	3	46	2.3
counseling	4	87	4.4
Undefined	U	0	.
		1974	100.0

responded	
LABEL	Flag for completing the survey
TYPE	num
LENGTH	8
VARNUM	3

responded: Distribution	Value	n	%
No	0	941	47.7
Yes	1	1033	52.3
Undefined	U	0	.
		1974	100.0

surveylanguage	
LABEL	Language in which the survey was given
TYPE	num
LENGTH	8
VARNUM	4

surveylanguage: Distribution	Value	n	%
English	1	1029	99.6
Spanish	2	4	0.4
Undefined	U	0	.
Missing Survey	Z	941	.
		1974	100.0

survey	
LABEL	Survey time period
TYPE	num
LENGTH	8
VARNUM	5

survey: Distribution	Value	n	%
Baseline	1	0	.
3 month	2	0	.
6 month	3	0	.
12 month	4	1974	100.0
18 month	5	0	.
Undefined	U	0	.
		1974	100.0

newprotocol	
LABEL	Enrolled in the study after protocol changes on April 20, 2019
TYPE	num
LENGTH	8
VARNUM	6

newprotocol: Distribution	Value	n	%
No	0	287	27.8

newprotocol: Distribution	Value	n	%
Yes	1	746	72.2
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

daysfromtxstart30	
LABEL	Enrolled within 30 days from start of treatment
TYPE	num
LENGTH	8
VARNUM	7

daysfromtxstart30: Distribution	Value	n	%
No	0	646	62.5
Yes	1	387	37.5
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

daysfromtxstart60	
LABEL	Enrolled within 31-60 days from start of treatment
TYPE	num
LENGTH	8
VARNUM	8

daysfromtxstart60: Distribution	Value	n	%
No	0	958	92.7
Yes	1	75	7.3
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

daysfromtxstart90	
LABEL	Enrolled within 61-90 days from start of treatment

daysfromtxstart90	
TYPE	num
LENGTH	8
VARNUM	9

daysfromtxstart90: Distribution	Value	n	%
No	0	980	94.9
Yes	1	53	5.1
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

daysfromtxstart91plus	
LABEL	Enrolled within 91 or more days from start of treatment
TYPE	num
LENGTH	8
VARNUM	10

daysfromtxstart91plus: Distribution	Value	n	%
No	0	515	49.9
Yes	1	518	50.1
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

monthsenrolled	
LABEL	Months enrolled in the study
TYPE	num
LENGTH	8
VARNUM	11

monthsenrolled: Distribution	Value	n	%
9.9	9.9	1	0.1
10.2	10.2	1	0.1

monthsenrolled: Distribution	Value	n	%
10.233333333333	10.23333333	1	0.1
10.7	10.7	2	0.2
10.8	10.8	1	0.1
11	11	149	14.4
11.033333333333	11.03333333	32	3.1
11.066666666667	11.06666667	28	2.7
11.1	11.1	23	2.2
11.133333333333	11.13333333	23	2.2
11.166666666667	11.16666667	19	1.8
11.2	11.2	18	1.7
11.233333333333	11.23333333	19	1.8
11.266666666667	11.26666667	12	1.2
11.3	11.3	11	1.1
11.333333333333	11.33333333	8	0.8
11.366666666667	11.36666667	21	2.0
11.4	11.4	13	1.3
11.433333333333	11.43333333	15	1.5
11.466666666667	11.46666667	57	5.5
11.5	11.5	15	1.5
11.533333333333	11.53333333	13	1.3
11.566666666667	11.56666667	12	1.2
11.6	11.6	10	1.0
11.633333333333	11.63333333	14	1.4
11.666666666667	11.66666667	15	1.5
11.7	11.7	8	0.8
11.733333333333	11.73333333	3	0.3
11.766666666667	11.76666667	9	0.9
11.8	11.8	3	0.3
11.833333333333	11.83333333	6	0.6
11.866666666667	11.86666667	7	0.7
11.9	11.9	5	0.5
11.933333333333	11.93333333	30	2.9
11.966666666667	11.96666667	25	2.4
12	12	10	1.0
12.033333333333	12.03333333	10	1.0
12.066666666667	12.06666667	7	0.7
12.1	12.1	14	1.4
12.133333333333	12.13333333	21	2.0

monthsenrolled: Distribution	Value	n	%
12.16666666667	12.1666667	15	1.5
12.2	12.2	9	0.9
12.23333333333	12.2333333	6	0.6
12.26666666667	12.2666667	16	1.5
12.3	12.3	10	1.0
12.33333333333	12.3333333	10	1.0
12.36666666667	12.3666667	7	0.7
12.4	12.4	27	2.6
12.43333333333	12.4333333	11	1.1
12.46666666667	12.4666667	5	0.5
12.5	12.5	10	1.0
12.53333333333	12.5333333	4	0.4
12.56666666667	12.5666667	10	1.0
12.6	12.6	8	0.8
12.63333333333	12.6333333	5	0.5
12.66666666667	12.6666667	9	0.9
12.7	12.7	3	0.3
12.73333333333	12.7333333	5	0.5
12.76666666667	12.7666667	4	0.4
12.8	12.8	3	0.3
12.83333333333	12.8333333	5	0.5
12.86666666667	12.8666667	20	1.9
12.9	12.9	4	0.4
12.93333333333	12.9333333	5	0.5
12.96666666667	12.9666667	5	0.5
13	13	3	0.3
13.03333333333	13.0333333	4	0.4
13.06666666667	13.0666667	6	0.6
13.1	13.1	6	0.6
13.13333333333	13.1333333	1	0.1
13.16666666667	13.1666667	5	0.5
13.2	13.2	7	0.7
13.23333333333	13.2333333	3	0.3
13.26666666667	13.2666667	3	0.3
13.3	13.3	5	0.5
13.33333333333	13.3333333	4	0.4
13.36666666667	13.3666667	5	0.5
13.4	13.4	4	0.4

monthsenrolled: Distribution	Value	n	%
13.4333333333333	13.43333333	2	0.2
13.4666666666667	13.46666667	2	0.2
13.5	13.5	7	0.7
13.5333333333333	13.53333333	2	0.2
13.5666666666667	13.56666667	7	0.7
13.6	13.6	3	0.3
13.6333333333333	13.63333333	1	0.1
13.7	13.7	4	0.4
13.7333333333333	13.73333333	4	0.4
13.7666666666667	13.76666667	7	0.7
13.8	13.8	1	0.1
13.8333333333333	13.83333333	2	0.2
13.8666666666667	13.86666667	3	0.3
13.9	13.9	2	0.2
13.9333333333333	13.93333333	2	0.2
13.9666666666667	13.96666667	1	0.1
14	14	3	0.3
14.0333333333333	14.03333333	1	0.1
14.0666666666667	14.06666667	1	0.1
14.1666666666667	14.16666667	1	0.1
14.2666666666667	14.26666667	1	0.1
14.3666666666667	14.36666667	1	0.1
14.4	14.4	1	0.1
14.5	14.5	1	0.1
14.5666666666667	14.56666667	1	0.1
14.7333333333333	14.73333333	1	0.1
14.8	14.8	2	0.2
14.9333333333333	14.93333333	1	0.1
15.1	15.1	1	0.1
16.1333333333333	16.13333333	1	0.1
16.6666666666667	16.66666667	1	0.1
17.0333333333333	17.03333333	1	0.1
19.0333333333333	19.03333333	1	0.1
Undefined	U	0	.
Missing survey	Z	941	.
		1974	100.0

inanytx	
LABEL	Receiving any treatment for opioid use disorder
TYPE	num
LENGTH	8
VARNUM	12

inanytx: Distribution	Value	n	%
No	0	144	13.9
Yes	1	889	86.1
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

currentbup	
LABEL	Currently receiving buprenorphine to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	13

currentbup: Distribution	Value	n	%
No	0	752	72.8
Yes	1	281	27.2
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

currentcoun	
LABEL	Currently receiving counseling without medication to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	14

currentcoun: Distribution	Value	n	%
No	0	1026	99.3
Yes	1	7	0.7
Undefined	U	0	.

currentcoun: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

currentmmt	
LABEL	Currently receiving methadone to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	15

currentmmt: Distribution	Value	n	%
No	0	437	42.3
Yes	1	596	57.7
Undefined	U	0	.
Missing survey	Z	941	.
		1974	100.0

currentntx	
LABEL	Currently receiving naltrexone to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	16

currentntx: Distribution	Value	n	%
No	0	998	96.6
Yes	1	35	3.4
Undefined	U	0	.
Missing survey	Z	941	.
		1974	100.0

difftx	
LABEL	Currently receiving a treatment different than index treatment*
TYPE	num
LENGTH	8
VARNUM	17

*: If a patient received the same treatment in another facility, although it is not an index treatment, this treatment was not counted as a different treatment in this case.

difftx: Distribution	Value	n	%
No	0	961	93.0
Yes	1	72	7.0
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

endindextx	
LABEL	Ended index treatment
TYPE	num
LENGTH	8
VARNUM	18

endindextx: Distribution	Value	n	%
No	0	752	72.8
Yes	1	281	27.2
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

daysintx	
LABEL	Days in index treatment
TYPE	num
LENGTH	8
VARNUM	19

daysintx: Distribution	Value	n	%
1	1	2	0.2
2	2	1	0.1
7	7	1	0.1
10	10	1	0.1
12	12	1	0.1
13	13	1	0.1
14	14	3	0.3
16	16	2	0.2

daysintx: Distribution	Value	n	%
21	21	1	0.1
22	22	1	0.1
24	24	1	0.1
30	30	1	0.1
31	31	1	0.1
35	35	2	0.2
36	36	1	0.1
38	38	1	0.1
40	40	1	0.1
41	41	2	0.2
42	42	4	0.4
44	44	1	0.1
47	47	1	0.1
49	49	2	0.2
51	51	1	0.1
53	53	3	0.3
54	54	1	0.1
55	55	1	0.1
56	56	2	0.2
57	57	3	0.3
60	60	1	0.1
62	62	1	0.1
65	65	1	0.1
68	68	1	0.1
69	69	1	0.1
70	70	1	0.1
72	72	1	0.1
74	74	1	0.1
76	76	1	0.1
77	77	2	0.2
78	78	1	0.1
79	79	2	0.2
81	81	1	0.1
82	82	2	0.2
83	83	1	0.1
84	84	1	0.1
85	85	1	0.1
86	86	1	0.1

daysintx: Distribution	Value	n	%
88	88	1	0.1
91	91	1	0.1
92	92	1	0.1
93	93	3	0.3
95	95	1	0.1
96	96	1	0.1
97	97	1	0.1
98	98	3	0.3
100	100	3	0.3
102	102	2	0.2
106	106	2	0.2
108	108	1	0.1
112	112	2	0.2
113	113	3	0.3
114	114	1	0.1
115	115	3	0.3
117	117	1	0.1
118	118	1	0.1
119	119	1	0.1
120	120	2	0.2
122	122	1	0.1
124	124	1	0.1
125	125	3	0.3
127	127	1	0.1
132	132	1	0.1
137	137	1	0.1
138	138	2	0.2
140	140	1	0.1
141	141	1	0.1
143	143	2	0.2
145	145	1	0.1
147	147	1	0.1
153	153	2	0.2
154	154	2	0.2
155	155	3	0.3
156	156	1	0.1
159	159	1	0.1
160	160	1	0.1

daysintx: Distribution	Value	n	%
162	162	3	0.3
163	163	1	0.1
164	164	3	0.3
169	169	2	0.2
170	170	1	0.1
171	171	2	0.2
174	174	1	0.1
175	175	2	0.2
178	178	2	0.2
179	179	1	0.1
180	180	1	0.1
181	181	2	0.2
183	183	1	0.1
187	187	1	0.1
188	188	1	0.1
190	190	1	0.1
191	191	1	0.1
194	194	2	0.2
196	196	1	0.1
197	197	2	0.2
199	199	2	0.2
201	201	2	0.2
202	202	1	0.1
203	203	1	0.1
206	206	2	0.2
216	216	2	0.2
219	219	2	0.2
220	220	1	0.1
223	223	2	0.2
226	226	1	0.1
227	227	1	0.1
230	230	1	0.1
233	233	2	0.2
235	235	2	0.2
237	237	1	0.1
238	238	1	0.1
243	243	1	0.1
246	246	1	0.1

daysintx: Distribution	Value	n	%
247	247	1	0.1
258	258	1	0.1
262	262	2	0.2
270	270	1	0.1
271	271	1	0.1
272	272	1	0.1
273	273	1	0.1
274	274	2	0.2
275	275	1	0.1
289	289	1	0.1
290	290	1	0.1
294	294	1	0.1
296	296	1	0.1
297	297	1	0.1
299	299	1	0.1
301	301	2	0.2
303	303	1	0.1
304	304	1	0.1
316	316	1	0.1
321	321	1	0.1
324	324	1	0.1
325	325	3	0.3
326	326	1	0.1
330	330	9	0.9
331	331	5	0.5
332	332	2	0.2
333	333	1	0.1
334	334	4	0.4
335	335	5	0.5
336	336	6	0.6
337	337	6	0.6
338	338	6	0.6
339	339	8	0.8
340	340	3	0.3
341	341	12	1.2
342	342	5	0.5
343	343	6	0.6
344	344	5	0.5

daysintx: Distribution	Value	n	%
346	346	2	0.2
347	347	2	0.2
348	348	1	0.1
349	349	5	0.5
350	350	5	0.5
351	351	3	0.3
352	352	3	0.3
353	353	3	0.3
354	354	4	0.4
355	355	1	0.1
356	356	5	0.5
357	357	5	0.5
358	358	6	0.6
359	359	5	0.5
360	360	4	0.4
361	361	7	0.7
362	362	5	0.5
363	363	10	1.0
364	364	2	0.2
365	365	7	0.7
366	366	3	0.3
367	367	5	0.5
368	368	5	0.5
369	369	6	0.6
370	370	3	0.3
371	371	8	0.8
372	372	5	0.5
373	373	6	0.6
375	375	5	0.5
376	376	1	0.1
377	377	3	0.3
378	378	3	0.3
379	379	2	0.2
380	380	5	0.5
381	381	4	0.4
382	382	2	0.2
384	384	4	0.4
385	385	3	0.3

daysintx: Distribution	Value	n	%
386	386	4	0.4
387	387	2	0.2
388	388	1	0.1
389	389	2	0.2
391	391	3	0.3
393	393	5	0.5
394	394	2	0.2
395	395	2	0.2
397	397	2	0.2
398	398	3	0.3
399	399	2	0.2
400	400	4	0.4
401	401	2	0.2
402	402	1	0.1
403	403	2	0.2
404	404	5	0.5
405	405	4	0.4
406	406	1	0.1
407	407	2	0.2
409	409	3	0.3
410	410	1	0.1
412	412	3	0.3
413	413	1	0.1
414	414	2	0.2
416	416	5	0.5
417	417	4	0.4
418	418	3	0.3
420	420	2	0.2
421	421	1	0.1
424	424	2	0.2
425	425	1	0.1
426	426	2	0.2
427	427	1	0.1
429	429	2	0.2
430	430	2	0.2
431	431	2	0.2
434	434	3	0.3
435	435	2	0.2

daysintx: Distribution	Value	n	%
436	436	1	0.1
437	437	2	0.2
438	438	2	0.2
439	439	1	0.1
440	440	1	0.1
441	441	1	0.1
443	443	1	0.1
444	444	2	0.2
446	446	1	0.1
451	451	1	0.1
453	453	1	0.1
454	454	1	0.1
455	455	1	0.1
456	456	1	0.1
458	458	1	0.1
459	459	2	0.2
460	460	1	0.1
462	462	1	0.1
463	463	1	0.1
464	464	1	0.1
465	465	2	0.2
466	466	1	0.1
467	467	1	0.1
469	469	1	0.1
470	470	2	0.2
472	472	2	0.2
474	474	1	0.1
475	475	1	0.1
476	476	3	0.3
478	478	1	0.1
482	482	1	0.1
483	483	1	0.1
484	484	1	0.1
488	488	1	0.1
490	490	1	0.1
492	492	1	0.1
495	495	1	0.1
497	497	2	0.2

daysintx: Distribution	Value	n	%
502	502	1	0.1
503	503	1	0.1
504	504	1	0.1
508	508	3	0.3
509	509	1	0.1
510	510	4	0.4
513	513	1	0.1
517	517	2	0.2
520	520	2	0.2
521	521	2	0.2
522	522	1	0.1
523	523	1	0.1
526	526	2	0.2
527	527	1	0.1
533	533	1	0.1
536	536	2	0.2
540	540	1	0.1
544	544	2	0.2
549	549	1	0.1
552	552	1	0.1
553	553	1	0.1
555	555	1	0.1
558	558	1	0.1
562	562	2	0.2
563	563	1	0.1
565	565	1	0.1
566	566	2	0.2
567	567	1	0.1
568	568	2	0.2
571	571	1	0.1
574	574	1	0.1
576	576	1	0.1
577	577	2	0.2
578	578	1	0.1
579	579	1	0.1
581	581	1	0.1
583	583	1	0.1
585	585	1	0.1

daysintx: Distribution	Value	n	%
588	588	2	0.2
592	592	1	0.1
593	593	2	0.2
594	594	1	0.1
597	597	1	0.1
598	598	1	0.1
599	599	1	0.1
600	600	2	0.2
603	603	1	0.1
605	605	2	0.2
616	616	3	0.3
617	617	2	0.2
621	621	1	0.1
625	625	1	0.1
626	626	1	0.1
628	628	1	0.1
629	629	1	0.1
630	630	1	0.1
633	633	1	0.1
639	639	1	0.1
641	641	1	0.1
644	644	1	0.1
645	645	1	0.1
652	652	1	0.1
657	657	1	0.1
661	661	1	0.1
662	662	1	0.1
672	672	1	0.1
673	673	1	0.1
675	675	1	0.1
681	681	1	0.1
682	682	1	0.1
685	685	2	0.2
689	689	2	0.2
693	693	1	0.1
695	695	1	0.1
697	697	2	0.2
700	700	1	0.1

daysintx: Distribution	Value	n	%
701	701	2	0.2
702	702	2	0.2
703	703	1	0.1
704	704	1	0.1
711	711	1	0.1
712	712	1	0.1
717	717	1	0.1
719	719	1	0.1
721	721	2	0.2
725	725	1	0.1
731	731	1	0.1
732	732	2	0.2
737	737	2	0.2
738	738	1	0.1
744	744	1	0.1
745	745	1	0.1
746	746	1	0.1
750	750	3	0.3
754	754	2	0.2
755	755	1	0.1
760	760	1	0.1
763	763	1	0.1
769	769	1	0.1
770	770	1	0.1
771	771	1	0.1
772	772	1	0.1
773	773	1	0.1
774	774	1	0.1
782	782	1	0.1
786	786	2	0.2
789	789	1	0.1
791	791	1	0.1
794	794	2	0.2
797	797	2	0.2
798	798	1	0.1
799	799	1	0.1
802	802	1	0.1
804	804	1	0.1

daysintx: Distribution	Value	n	%
806	806	1	0.1
810	810	1	0.1
811	811	1	0.1
813	813	1	0.1
814	814	1	0.1
815	815	1	0.1
820	820	1	0.1
822	822	2	0.2
824	824	1	0.1
825	825	1	0.1
828	828	1	0.1
833	833	1	0.1
835	835	1	0.1
840	840	1	0.1
841	841	1	0.1
844	844	1	0.1
845	845	1	0.1
847	847	1	0.1
850	850	2	0.2
851	851	1	0.1
852	852	1	0.1
855	855	1	0.1
856	856	3	0.3
857	857	1	0.1
859	859	1	0.1
865	865	1	0.1
868	868	1	0.1
869	869	1	0.1
871	871	1	0.1
874	874	1	0.1
876	876	2	0.2
878	878	2	0.2
879	879	1	0.1
882	882	1	0.1
883	883	1	0.1
887	887	1	0.1
892	892	1	0.1
894	894	2	0.2

daysintx: Distribution	Value	n	%
896	896	1	0.1
897	897	1	0.1
898	898	1	0.1
901	901	1	0.1
903	903	1	0.1
905	905	1	0.1
906	906	1	0.1
916	916	1	0.1
924	924	1	0.1
929	929	1	0.1
931	931	1	0.1
932	932	1	0.1
933	933	1	0.1
936	936	1	0.1
937	937	1	0.1
939	939	1	0.1
940	940	3	0.3
942	942	1	0.1
944	944	1	0.1
947	947	1	0.1
952	952	1	0.1
955	955	1	0.1
956	956	2	0.2
957	957	1	0.1
959	959	1	0.1
960	960	1	0.1
964	964	1	0.1
965	965	1	0.1
972	972	1	0.1
973	973	1	0.1
975	975	1	0.1
976	976	1	0.1
981	981	1	0.1
993	993	2	0.2
996	996	1	0.1
1004	1004	1	0.1
1011	1011	1	0.1
1015	1015	1	0.1

daysintx: Distribution	Value	n	%
1018	1018	2	0.2
1024	1024	1	0.1
1028	1028	1	0.1
1029	1029	1	0.1
1030	1030	1	0.1
1033	1033	2	0.2
1036	1036	1	0.1
1057	1057	1	0.1
1061	1061	2	0.2
1069	1069	2	0.2
1073	1073	1	0.1
1075	1075	1	0.1
1076	1076	1	0.1
1077	1077	1	0.1
1085	1085	2	0.2
1087	1087	1	0.1
1088	1088	2	0.2
1092	1092	1	0.1
1093	1093	1	0.1
1100	1100	1	0.1
1109	1109	1	0.1
1110	1110	1	0.1
1113	1113	1	0.1
1135	1135	1	0.1
1136	1136	1	0.1
1143	1143	1	0.1
1146	1146	1	0.1
1150	1150	1	0.1
1151	1151	1	0.1
1153	1153	1	0.1
1156	1156	1	0.1
1157	1157	2	0.2
1159	1159	1	0.1
1171	1171	1	0.1
1178	1178	1	0.1
1180	1180	1	0.1
1185	1185	2	0.2
1193	1193	2	0.2

daysintx: Distribution	Value	n	%
1200	1200	1	0.1
1210	1210	1	0.1
1226	1226	1	0.1
1227	1227	1	0.1
1230	1230	1	0.1
1248	1248	1	0.1
1250	1250	1	0.1
1261	1261	1	0.1
1266	1266	1	0.1
1270	1270	1	0.1
1293	1293	1	0.1
1300	1300	1	0.1
1301	1301	1	0.1
1313	1313	1	0.1
1324	1324	1	0.1
1335	1335	1	0.1
1354	1354	1	0.1
1361	1361	2	0.2
1365	1365	1	0.1
1369	1369	1	0.1
1371	1371	1	0.1
1381	1381	1	0.1
1385	1385	1	0.1
1391	1391	1	0.1
1431	1431	1	0.1
1433	1433	1	0.1
1444	1444	1	0.1
1460	1460	1	0.1
1467	1467	1	0.1
1473	1473	1	0.1
1486	1486	1	0.1
1492	1492	1	0.1
1497	1497	1	0.1
1525	1525	1	0.1
1542	1542	1	0.1
1548	1548	1	0.1
1559	1559	1	0.1
1565	1565	1	0.1

daysintx: Distribution	Value	n	%
1569	1569	1	0.1
1583	1583	1	0.1
1587	1587	1	0.1
1625	1625	1	0.1
1628	1628	1	0.1
1629	1629	1	0.1
1631	1631	1	0.1
1637	1637	1	0.1
1641	1641	1	0.1
1643	1643	1	0.1
1668	1668	1	0.1
1677	1677	1	0.1
1683	1683	1	0.1
1687	1687	1	0.1
1703	1703	1	0.1
1728	1728	1	0.1
1740	1740	1	0.1
1748	1748	1	0.1
1757	1757	1	0.1
1762	1762	1	0.1
1781	1781	2	0.2
1793	1793	1	0.1
1816	1816	1	0.1
1864	1864	1	0.1
1870	1870	1	0.1
1879	1879	1	0.1
1892	1892	1	0.1
1894	1894	1	0.1
1905	1905	1	0.1
1920	1920	1	0.1
1925	1925	1	0.1
1929	1929	1	0.1
1930	1930	1	0.1
1931	1931	1	0.1
1962	1962	1	0.1
1964	1964	2	0.2
1993	1993	1	0.1
1996	1996	1	0.1

daysintx: Distribution	Value	n	%
2015	2015	1	0.1
2081	2081	1	0.1
2084	2084	1	0.1
2089	2089	1	0.1
2112	2112	1	0.1
2152	2152	1	0.1
2165	2165	1	0.1
2176	2176	1	0.1
2217	2217	1	0.1
2227	2227	1	0.1
2228	2228	2	0.2
2263	2263	1	0.1
2276	2276	1	0.1
2292	2292	1	0.1
2319	2319	1	0.1
2347	2347	1	0.1
2360	2360	1	0.1
2375	2375	1	0.1
2380	2380	1	0.1
2393	2393	1	0.1
2400	2400	1	0.1
2408	2408	1	0.1
2409	2409	1	0.1
2447	2447	1	0.1
2462	2462	1	0.1
2474	2474	1	0.1
2486	2486	1	0.1
2504	2504	1	0.1
2570	2570	1	0.1
2578	2578	1	0.1
2600	2600	1	0.1
2607	2607	1	0.1
2651	2651	1	0.1
2709	2709	1	0.1
2712	2712	1	0.1
2782	2782	1	0.1
2836	2836	1	0.1
2878	2878	1	0.1

daysintx: Distribution	Value	n	%
2938	2938	1	0.1
2980	2980	1	0.1
2982	2982	1	0.1
3016	3016	1	0.1
3067	3067	1	0.1
3075	3075	1	0.1
3260	3260	1	0.1
3297	3297	1	0.1
3360	3360	1	0.1
3425	3425	1	0.1
3509	3509	1	0.1
3527	3527	1	0.1
3537	3537	1	0.1
3692	3692	1	0.1
3738	3738	1	0.1
3861	3861	1	0.1
3910	3910	1	0.1
3926	3926	1	0.1
3974	3974	1	0.1
4286	4286	1	0.1
4293	4293	1	0.1
4297	4297	1	0.1
4453	4453	1	0.1
4566	4566	1	0.1
4618	4618	1	0.1
4707	4707	1	0.1
4742	4742	1	0.1
4816	4816	1	0.1
4892	4892	1	0.1
5019	5019	1	0.1
5130	5130	1	0.1
5347	5347	1	0.1
5352	5352	1	0.1
5388	5388	1	0.1
5392	5392	1	0.1
5504	5504	1	0.1
6805	6805	1	0.1
6987	6987	1	0.1

daysintx: Distribution	Value	n	%
7006	7006	1	0.1
7108	7108	1	0.1
8110	8110	1	0.1
11136	11136	1	0.1
Z	Z	941	.
		<i>1974</i>	<i>100.0</i>

adverse	
LABEL	Experienced an adverse reaction to an opioid treatment medication (for the current or most recent treatment)
TYPE	num
LENGTH	8
VARNUM	20

adverse: Distribution	Value	n	%
No	0	986	95.5
Yes	1	47	4.5
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

tookmeds	
LABEL	Usually took opioid treatment medication as directed by your doctor (for the current or most recent treatment)
TYPE	num
LENGTH	8
VARNUM	21

tookmeds: Distribution	Value	n	%
No	0	38	3.7
Yes	1	995	96.3
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

indcoun	
LABEL	Received individual counseling while in index treatment
TYPE	num
LENGTH	8
VARNUM	22

indcoun: Distribution	Value	n	%
No	0	37	3.6
Yes	1	996	96.4
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

grpcoun	
LABEL	Received group counseling while in index treatment
TYPE	num
LENGTH	8
VARNUM	23

grpcoun: Distribution	Value	n	%
No	0	211	20.4
Yes	1	822	79.6
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

peernav	
LABEL	Met with a peer navigator about once a month or more while in index treatment
TYPE	num
LENGTH	8
VARNUM	24

peernav: Distribution	Value	n	%
No	0	496	48.0
Yes	1	537	52.0
Undefined	U	0	.

peernav: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

selfhelp90	
LABEL	Attended a self-help group in the past 90 days
TYPE	num
LENGTH	8
VARNUM	25

selfhelp90: Distribution	Value	n	%
No	0	625	60.5
Yes	1	408	39.5
Undefined	U	0	.
Missing survey	Z	941	.
		1974	100.0

coun90	
LABEL	Attended any counseling sessions in the past 90 days while in index treatment
TYPE	num
LENGTH	8
VARNUM	26

coun90: Distribution	Value	n	%
No	0	240	27.9
Yes	1	619	72.1
Undefined	U	174	.
Missing survey	Z	941	.
		1974	100.0

ncoun90	
LABEL	Number of counseling sessions attended in the past 90 days while in index treatment
TYPE	num
LENGTH	8
VARNUM	27

ncoun90: Distribution	Value	n	%
0	0	95	13.3
1	1	62	8.7
2	2	74	10.4
3	3	121	16.9
4	4	74	10.4
5	5	22	3.1
6	6	72	10.1
7	7	5	0.7
8	8	21	2.9
9	9	14	2.0
10	10	17	2.4
12	12	64	9.0
13	13	1	0.1
15	15	18	2.5
16	16	3	0.4
18	18	5	0.7
19	19	1	0.1
20	20	8	1.1
22	22	1	0.1
24	24	6	0.8
25	25	4	0.6
29	29	1	0.1
30	30	11	1.5
35	35	2	0.3
40	40	1	0.1
50	50	2	0.3
60	60	4	0.6
70	70	1	0.1
90	90	4	0.6
S	S	145	.
Undefined	U	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

abstinent30ohf	
LABEL	Abstinent from using prescription opioids non-medically, heroin, and illicitly-made fentanyl in the past 30 days

abstinent30ohf	
TYPE	num
LENGTH	8
VARNUM	28

abstinent30ohf: Distribution	Value	n	%
No	0	233	22.6
Yes	1	798	77.4
Undefined	U	2	.
Missing survey	Z	941	.
		1974	100.0

abstinent90ohfmb	
LABEL	Abstinent from using prescription opioids non-medically, opioid treatment medications non-medically, heroin, and illicitly-made fentanyl in the past 90 days
TYPE	num
LENGTH	8
VARNUM	29

abstinent90ohfmb: Distribution	Value	n	%
No	0	288	28.0
Yes	1	742	72.0
Undefined	U	3	.
Missing survey	Z	941	.
		1974	100.0

opuse30	
LABEL	Number of days used prescription opioids non-medically in the past 30 days
TYPE	num
LENGTH	8
VARNUM	30

opuse30: Distribution	Value	n	%
0	0	1000	97.0
1	1	3	0.3
3	3	6	0.6

opuse30: Distribution	Value	n	%
4	4	2	0.2
5	5	3	0.3
7	7	1	0.1
10	10	3	0.3
12	12	1	0.1
18	18	1	0.1
20	20	5	0.5
25	25	1	0.1
28	28	1	0.1
30	30	4	0.4
Undefined	U	2	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

opuse30users	
LABEL	Among users, number of days used prescription opioids non-medically in the past 30 days
TYPE	num
LENGTH	8
VARNUM	31

opuse30users: Distribution	Value	n	%
1	1	3	9.7
3	3	6	19.4
4	4	2	6.5
5	5	3	9.7
7	7	1	3.2
10	10	3	9.7
12	12	1	3.2
18	18	1	3.2
20	20	5	16.1
25	25	1	3.2
28	28	1	3.2
30	30	4	12.9
Undefined	U	1002	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

opabst90	
LABEL	Abstinent from using prescription opioids non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	32

opabst90: Distribution	Value	n	%
No	0	43	4.2
Yes	1	988	95.8
Undefined	U	2	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

fnuse30	
LABEL	Number of days used illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	33

fnuse30: Distribution	Value	n	%
0	0	948	91.8
1	1	2	0.2
2	2	2	0.2
3	3	4	0.4
4	4	2	0.2
5	5	6	0.6
9	9	1	0.1
10	10	10	1.0
13	13	1	0.1
14	14	1	0.1
15	15	8	0.8
16	16	1	0.1
17	17	1	0.1
20	20	7	0.7
22	22	3	0.3
25	25	6	0.6

fnuse30: Distribution	Value	n	%
26	26	2	0.2
28	28	4	0.4
29	29	1	0.1
30	30	23	2.2
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

fnuse30users	
LABEL	Among users, number of days used illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	34

fnuse30users: Distribution	Value	n	%
1	1	2	2.4
2	2	2	2.4
3	3	4	4.7
4	4	2	2.4
5	5	6	7.1
9	9	1	1.2
10	10	10	11.8
13	13	1	1.2
14	14	1	1.2
15	15	8	9.4
16	16	1	1.2
17	17	1	1.2
20	20	7	8.2
22	22	3	3.5
25	25	6	7.1
26	26	2	2.4
28	28	4	4.7
29	29	1	1.2
30	30	23	27.1
Undefined	U	948	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

fnabst90	
LABEL	Abstinent from using illicitly-made fentanyl in the past 90 days
TYPE	num
LENGTH	8
VARNUM	35

fnabst90: Distribution	Value	n	%
No	0	90	8.7
Yes	1	943	91.3
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

hruse30	
LABEL	Number of days used heroin in the past 30 days
TYPE	num
LENGTH	8
VARNUM	36

hruse30: Distribution	Value	n	%
0	0	850	82.4
1	1	12	1.2
2	2	11	1.1
3	3	9	0.9
4	4	8	0.8
5	5	13	1.3
6	6	2	0.2
7	7	3	0.3
8	8	1	0.1
10	10	13	1.3
12	12	1	0.1
14	14	4	0.4
15	15	11	1.1
16	16	3	0.3
18	18	1	0.1
20	20	14	1.4

hruse30: Distribution	Value	n	%
21	21	1	0.1
25	25	11	1.1
26	26	1	0.1
27	27	2	0.2
28	28	11	1.1
29	29	1	0.1
30	30	49	4.7
Undefined	U	1	.
Missing survey	Z	941	.
		1974	100.0

hruse30users	
LABEL	Among users, number of days used heroin in the past 30 days
TYPE	num
LENGTH	8
VARNUM	37

hruse30users: Distribution	Value	n	%
1	1	12	6.6
2	2	11	6.0
3	3	9	4.9
4	4	8	4.4
5	5	13	7.1
6	6	2	1.1
7	7	3	1.6
8	8	1	0.5
10	10	13	7.1
12	12	1	0.5
14	14	4	2.2
15	15	11	6.0
16	16	3	1.6
18	18	1	0.5
20	20	14	7.7
21	21	1	0.5
25	25	11	6.0
26	26	1	0.5
27	27	2	1.1

hruse30users: Distribution	Value	n	%
28	28	11	6.0
29	29	1	0.5
30	30	49	26.9
Undefined	U	851	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

hrabst90	
LABEL	Abstinent from using heroin in the past 90 days
TYPE	num
LENGTH	8
VARNUM	38

hrabst90: Distribution	Value	n	%
No	0	204	19.8
Yes	1	828	80.2
Undefined	U	1	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

mmbpabst90	
LABEL	Abstinent from using opioid treatment medications non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	39

mmbpabst90: Distribution	Value	n	%
No	0	52	5.0
Yes	1	978	95.0
Undefined	U	3	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

diversionuse90	
LABEL	Frequency of using prescription opioids non-medically in the past 90 days

diversionuse90	
TYPE	num
LENGTH	8
VARNUM	40

diversionuse90: Distribution	Value	n	%
Never	1	978	95.0
Less than once a week	2	9	0.9
Once a week	3	3	0.3
More than once a week	4	8	0.8
Almost every day of the week	5	32	3.1
Undefined	U	3	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

diversiongive	
LABEL	Frequency of giving away or selling methadone or buprenorphine that has been prescribed to you
TYPE	num
LENGTH	8
VARNUM	41

diversiongive: Distribution	Value	n	%
Never	1	899	87.1
Rarely	2	58	5.6
Sometimes	3	47	4.6
Often	4	20	1.9
Very often	5	8	0.8
Undefined	U	1	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

suoverdose	
LABEL	Number of drug overdoses in the past 90 days
TYPE	num
LENGTH	8
VARNUM	42

suoverdose: Distribution	Value	n	%
No	0	970	97.3
Yes	1	27	2.7
Undefined	U	36	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

opoverdose	
LABEL	Number of overdoses due to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	43

opoverdose: Distribution	Value	n	%
No	0	976	97.9
Yes	1	21	2.1
Undefined	U	36	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

edvisit	
LABEL	Had an emergency department visit in the past 90 days
TYPE	num
LENGTH	8
VARNUM	44

edvisit: Distribution	Value	n	%
No	0	894	86.5
Yes	1	139	13.5
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

opedvisit	
LABEL	Had an emergency department visit related to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	45

opedvisit: Distribution	Value	n	%
No	0	998	96.6
Yes	1	35	3.4
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

hospstay	
LABEL	Had a hospital stay in the past 90 days
TYPE	num
LENGTH	8
VARNUM	46

hospstay: Distribution	Value	n	%
No	0	949	92.1
Yes	1	81	7.9
Undefined	U	3	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

ophospstay	
LABEL	Had a hospital stay related to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	47

ophospstay: Distribution	Value	n	%
No	0	996	96.6
Yes	1	35	3.4
Undefined	U	2	.

ophospstay: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

pcp90	
LABEL	Visited a primary care provider in the past 90 days
TYPE	num
LENGTH	8
VARNUM	48

pcp90: Distribution	Value	n	%
No	0	465	45.1
Yes	1	567	54.9
Undefined	U	1	.
Missing survey	Z	941	.
		1974	100.0

HepCtest12m	
LABEL	Had a hepatitis C test in the past 12 months
TYPE	num
LENGTH	8
VARNUM	49

HepCtest12m: Distribution	Value	n	%
No	0	663	64.2
Yes	1	369	35.8
Undefined	U	1	.
Missing survey	Z	941	.
		1974	100.0

hepcpositive	
LABEL	Had a positive hepatitis C test, among those tested in the past 12 months
TYPE	num
LENGTH	8
VARNUM	50

hepcpositive: Distribution	Value	n	%
No	0	267	74.8
Yes	1	90	25.2
Undefined	U	676	.
Missing survey	Z	941	.
		1974	100.0

HIVtest12m	
LABEL	Had a HIV test in the past 12 months
TYPE	num
LENGTH	8
VARNUM	51

HIVtest12m: Distribution	Value	n	%
No	0	646	62.7
Yes	1	384	37.3
Undefined	U	3	.
Missing survey	Z	941	.
		1974	100.0

mentalillness	
LABEL	Ever diagnosed with a mental illness
TYPE	num
LENGTH	8
VARNUM	52

mentalillness: Distribution	Value	n	%
No	0	457	44.2
Yes	1	576	55.8
.	.	941	.
Undefined	U	0	.
Missing survey	Z	0	.
		1974	100.0

insurance	
LABEL	Health insurance status
TYPE	num
LENGTH	8
VARNUM	53

insurance: Distribution	Value	n	%
Health insurance	1	860	83.3
No health insurance	2	173	16.7
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

healthins	
LABEL	Has health insurance
TYPE	num
LENGTH	8
VARNUM	54

healthins: Distribution	Value	n	%
No	0	173	16.7
Yes	1	860	83.3
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

nohealthins	
LABEL	Does not have health insurance
TYPE	num
LENGTH	8
VARNUM	55

nohealthins: Distribution	Value	n	%
No	0	860	83.3
Yes	1	173	16.7
Undefined	U	0	.

nohealthins: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

employed	
LABEL	Currently employed or self-employed
TYPE	num
LENGTH	8
VARNUM	56

employed: Distribution	Value	n	%
No	0	684	66.2
Yes	1	349	33.8
Undefined	U	0	.
Missing survey	Z	941	.
		1974	100.0

socialsupportscore	
LABEL	Social support score from the Multidimensional Scale of Perceived Social Support
TYPE	num
LENGTH	8
VARNUM	57

socialsupportscore: Distribution	Value	n	%
1	1	14	1.4
1.166666666667	1.16666667	3	0.3
1.25	1.25	3	0.3
1.333333333333	1.33333333	2	0.2
1.416666666667	1.41666667	1	0.1
1.5	1.5	5	0.5
1.583333333333	1.58333333	1	0.1
1.666666666667	1.66666667	3	0.3
1.75	1.75	4	0.4
1.833333333333	1.83333333	5	0.5
1.916666666667	1.91666667	2	0.2
2	2	7	0.7

socialsupportscore: Distribution	Value	n	%
2.08333333333333	2.083333333	3	0.3
2.16666666666667	2.16666667	6	0.6
2.25	2.25	6	0.6
2.33333333333333	2.333333333	3	0.3
2.41666666666667	2.41666667	5	0.5
2.5	2.5	6	0.6
2.58333333333333	2.583333333	6	0.6
2.66666666666667	2.66666667	4	0.4
2.75	2.75	5	0.5
2.83333333333333	2.833333333	4	0.4
2.91666666666667	2.91666667	9	0.9
3	3	9	0.9
3.08333333333333	3.083333333	5	0.5
3.16666666666667	3.16666667	6	0.6
3.25	3.25	3	0.3
3.33333333333333	3.333333333	10	1.0
3.41666666666667	3.41666667	9	0.9
3.5	3.5	3	0.3
3.58333333333333	3.583333333	9	0.9
3.66666666666667	3.66666667	12	1.2
3.75	3.75	6	0.6
3.83333333333333	3.833333333	11	1.1
3.91666666666667	3.91666667	6	0.6
4	4	24	2.3
4.08333333333333	4.083333333	14	1.4
4.16666666666667	4.16666667	19	1.8
4.25	4.25	7	0.7
4.33333333333333	4.333333333	14	1.4
4.41666666666667	4.41666667	21	2.0
4.5	4.5	22	2.1
4.58333333333333	4.583333333	11	1.1
4.66666666666667	4.66666667	20	1.9
4.75	4.75	13	1.3
4.83333333333333	4.833333333	28	2.7
4.91666666666667	4.91666667	18	1.7
5	5	32	3.1
5.08333333333333	5.083333333	14	1.4

socialsupportscore: Distribution	Value	n	%
5.166666666667	5.16666667	18	1.7
5.25	5.25	22	2.1
5.333333333333	5.33333333	18	1.7
5.416666666667	5.41666667	11	1.1
5.5	5.5	17	1.6
5.583333333333	5.58333333	19	1.8
5.666666666667	5.66666667	20	1.9
5.75	5.75	32	3.1
5.833333333333	5.83333333	27	2.6
5.916666666667	5.91666667	22	2.1
6	6	50	4.8
6.083333333333	6.08333333	22	2.1
6.166666666667	6.16666667	18	1.7
6.25	6.25	18	1.7
6.333333333333	6.33333333	17	1.6
6.416666666667	6.41666667	18	1.7
6.5	6.5	16	1.5
6.583333333333	6.58333333	12	1.2
6.666666666667	6.66666667	13	1.3
6.75	6.75	21	2.0
6.833333333333	6.83333333	17	1.6
6.916666666667	6.91666667	23	2.2
7	7	129	12.5
.	.	941	.
Undefined	U	0	.
Missing survey	Z	0	.
		1974	100.0

socialsupportcat	
LABEL	Level of social support
TYPE	num
LENGTH	8
VARNUM	58

socialsupportcat: Distribution	Value	n	%
High social support	1	594	57.5

socialsupportcat: Distribution	Value	n	%
Moderate social support	2	332	32.1
Low social support	3	107	10.4
.	.	941	.
Undefined	U	0	.
Missing survey	Z	0	.
		<i>1974</i>	<i>100.0</i>

lowsocialsupport	
LABEL	Low social support
TYPE	num
LENGTH	8
VARNUM	59

lowsocialsupport: Distribution	Value	n	%
No	0	594	57.5
Yes	1	439	42.5
.	.	941	.
Undefined	U	0	.
Missing survey	Z	0	.
		<i>1974</i>	<i>100.0</i>

modsocialsupport	
LABEL	Moderate social support
TYPE	num
LENGTH	8
VARNUM	60

modsocialsupport: Distribution	Value	n	%
No	0	332	32.1
Yes	1	701	67.9
.	.	941	.
Undefined	U	0	.
Missing survey	Z	0	.
		<i>1974</i>	<i>100.0</i>

highsocialsupport	
LABEL	High social support
TYPE	num
LENGTH	8
VARNUM	61

highsocialsupport: Distribution	Value	n	%
No	0	107	10.4
Yes	1	926	89.6
.	.	941	.
Undefined	U	0	.
Missing survey	Z	0	.
		<i>1974</i>	<i>100.0</i>

ace	
LABEL	Had one or more adverse childhood experience
TYPE	num
LENGTH	8
VARNUM	62

ace: Distribution	Value	n	%
Did not experience an adverse childhood event	0	137	13.3
Experienced an adverse childhood event	1	896	86.7
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

hrqol	
LABEL	Health-related quality of life based on the EQ-5D-5L health utility values
TYPE	num
LENGTH	8
VARNUM	63

hrqol: Distribution	Value	n	%
0.106	0.106	1	0.1
0.131	0.131	1	0.1
0.154	0.154	3	0.3
0.165	0.165	1	0.1
0.167	0.167	1	0.1
0.177	0.177	1	0.1
0.192	0.192	1	0.1
0.203	0.203	1	0.1
0.215	0.215	1	0.1
0.221	0.221	1	0.1
0.228	0.228	1	0.1
0.236	0.236	1	0.1
0.255	0.255	3	0.3
0.256	0.256	1	0.1
0.258	0.258	1	0.1
0.263	0.263	1	0.1
0.273	0.273	1	0.1
0.275	0.275	1	0.1
0.279	0.279	1	0.1
0.282	0.282	2	0.2
0.289	0.289	4	0.4
0.291	0.291	4	0.4
0.292	0.292	2	0.2
0.293	0.293	1	0.1
0.295	0.295	1	0.1
0.306	0.306	1	0.1
0.307	0.307	3	0.3
0.309	0.309	2	0.2
0.31	0.31	1	0.1
0.314	0.314	1	0.1
0.315	0.315	1	0.1
0.318	0.318	1	0.1
0.319	0.319	2	0.2
0.323	0.323	2	0.2
0.327	0.327	1	0.1
0.33	0.33	2	0.2
0.333	0.333	1	0.1
0.34	0.34	1	0.1

hrqol: Distribution	Value	n	%
0.347	0.347	1	0.1
0.369	0.369	1	0.1
0.371	0.371	2	0.2
0.373	0.373	1	0.1
0.377	0.377	1	0.1
0.378	0.378	1	0.1
0.382	0.382	1	0.1
0.386	0.386	1	0.1
0.389	0.389	2	0.2
0.393	0.393	2	0.2
0.394	0.394	2	0.2
0.397	0.397	4	0.4
0.398	0.398	3	0.3
0.4	0.4	1	0.1
0.403	0.403	1	0.1
0.408	0.408	1	0.1
0.409	0.409	1	0.1
0.412	0.412	6	0.6
0.413	0.413	1	0.1
0.419	0.419	1	0.1
0.422	0.422	2	0.2
0.425	0.425	1	0.1
0.426	0.426	1	0.1
0.427	0.427	1	0.1
0.432	0.432	2	0.2
0.437	0.437	1	0.1
0.438	0.438	1	0.1
0.441	0.441	2	0.2
0.442	0.442	2	0.2
0.451	0.451	1	0.1
0.455	0.455	3	0.3
0.458	0.458	1	0.1
0.46	0.46	2	0.2
0.461	0.461	2	0.2
0.471	0.471	2	0.2
0.474	0.474	1	0.1
0.477	0.477	4	0.4
0.479	0.479	1	0.1

hrqol: Distribution	Value	n	%
0.48	0.48	3	0.3
0.482	0.482	2	0.2
0.49	0.49	2	0.2
0.491	0.491	2	0.2
0.494	0.494	1	0.1
0.495	0.495	4	0.4
0.496	0.496	1	0.1
0.499	0.499	4	0.4
0.501	0.501	1	0.1
0.502	0.502	7	0.7
0.506	0.506	2	0.2
0.508	0.508	7	0.7
0.511	0.511	4	0.4
0.512	0.512	3	0.3
0.515	0.515	2	0.2
0.517	0.517	7	0.7
0.518	0.518	1	0.1
0.519	0.519	1	0.1
0.523	0.523	2	0.2
0.524	0.524	11	1.1
0.526	0.526	2	0.2
0.529	0.529	1	0.1
0.53	0.53	2	0.2
0.532	0.532	1	0.1
0.533	0.533	1	0.1
0.537	0.537	2	0.2
0.538	0.538	1	0.1
0.54	0.54	1	0.1
0.544	0.544	3	0.3
0.547	0.547	2	0.2
0.55	0.55	4	0.4
0.554	0.554	1	0.1
0.559	0.559	1	0.1
0.561	0.561	2	0.2
0.569	0.569	1	0.1
0.57	0.57	1	0.1
0.574	0.574	1	0.1
0.575	0.575	1	0.1

hrqol: Distribution	Value	n	%
0.576	0.576	1	0.1
0.581	0.581	2	0.2
0.586	0.586	1	0.1
0.587	0.587	1	0.1
0.59	0.59	1	0.1
0.591	0.591	3	0.3
0.592	0.592	1	0.1
0.593	0.593	1	0.1
0.594	0.594	1	0.1
0.597	0.597	4	0.4
0.598	0.598	1	0.1
0.599	0.599	4	0.4
0.601	0.601	2	0.2
0.604	0.604	3	0.3
0.605	0.605	3	0.3
0.606	0.606	8	0.8
0.611	0.611	1	0.1
0.612	0.612	5	0.5
0.613	0.613	1	0.1
0.616	0.616	6	0.6
0.62	0.62	3	0.3
0.629	0.629	1	0.1
0.63	0.63	2	0.2
0.632	0.632	1	0.1
0.634	0.634	3	0.3
0.635	0.635	2	0.2
0.638	0.638	5	0.5
0.639	0.639	1	0.1
0.64	0.64	1	0.1
0.641	0.641	2	0.2
0.643	0.643	5	0.5
0.644	0.644	3	0.3
0.645	0.645	1	0.1
0.647	0.647	1	0.1
0.648	0.648	5	0.5
0.65	0.65	3	0.3
0.654	0.654	1	0.1
0.655	0.655	1	0.1

hrqol: Distribution	Value	n	%
0.659	0.659	5	0.5
0.661	0.661	30	2.9
0.662	0.662	2	0.2
0.663	0.663	3	0.3
0.664	0.664	1	0.1
0.669	0.669	16	1.6
0.67	0.67	1	0.1
0.672	0.672	1	0.1
0.682	0.682	5	0.5
0.689	0.689	2	0.2
0.696	0.696	1	0.1
0.697	0.697	1	0.1
0.7	0.7	15	1.5
0.708	0.708	3	0.3
0.714	0.714	1	0.1
0.716	0.716	1	0.1
0.719	0.719	10	1.0
0.723	0.723	2	0.2
0.728	0.728	11	1.1
0.732	0.732	2	0.2
0.735	0.735	1	0.1
0.738	0.738	1	0.1
0.741	0.741	6	0.6
0.744	0.744	3	0.3
0.748	0.748	1	0.1
0.756	0.756	3	0.3
0.761	0.761	1	0.1
0.768	0.768	8	0.8
0.774	0.774	8	0.8
0.777	0.777	7	0.7
0.778	0.778	2	0.2
0.78	0.78	10	1.0
0.781	0.781	2	0.2
0.782	0.782	1	0.1
0.783	0.783	5	0.5
0.785	0.785	1	0.1
0.786	0.786	7	0.7
0.787	0.787	1	0.1

hrqol: Distribution	Value	n	%
0.79	0.79	9	0.9
0.796	0.796	9	0.9
0.8	0.8	37	3.6
0.806	0.806	25	2.4
0.807	0.807	1	0.1
0.809	0.809	44	4.3
0.81	0.81	1	0.1
0.813	0.813	8	0.8
0.816	0.816	1	0.1
0.818	0.818	1	0.1
0.82	0.82	76	7.4
0.826	0.826	2	0.2
0.827	0.827	11	1.1
0.83	0.83	3	0.3
0.832	0.832	1	0.1
0.833	0.833	2	0.2
0.835	0.835	1	0.1
0.84	0.84	1	0.1
0.844	0.844	39	3.8
0.846	0.846	1	0.1
0.861	0.861	30	2.9
0.876	0.876	67	6.5
0.88	0.88	2	0.2
1	1	171	16.6
U	U	2	.
Z	Z	941	.
-0.024	-0.024	1	0.1
		1974	100.0

indexstatus	
LABEL	Based on previous questionnaires, is the client still receiving the index treatment?
TYPE	num
LENGTH	8
VARNUM	64

indexstatus: Distribution	Value	n	%
Yes	1	859	83.2

indexstatus: Distribution	Value	n	%
No	2	174	16.8
Undefined	U	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS2	
LABEL	Are you still receiving your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	65

SS2: Distribution	Value	n	%
Yes	1	752	87.5
No	2	107	12.5
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS4	
LABEL	Why did you stop receiving your INDEX treatment? (If you have multiple reasons, select the most important reason.)
TYPE	num
LENGTH	8
VARNUM	66

SS4: Distribution	Value	n	%
I completed my INDEX treatment	1	12	11.2
I voluntarily stopped my INDEX treatment	2	36	33.6
I continued my [MAT_COUN] treatment at a different facility	3	30	28.0
I am still receiving treatment for my opioid addiction at [FACILITY], but I am no longer receiving [MAT_COUN]	4	2	1.9

SS4: Distribution	Value	n	%
I was involuntarily discharged from my INDEX treatment program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	7	6.5
A different reason/none of the above (specify)	6	20	18.7
No response	N	0	.
Logical skip	S	926	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS5_1	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? The program took up too much of my time?
TYPE	num
LENGTH	8
VARNUM	67

SS5_1: Distribution	Value	n	%
No	0	99	92.5
Yes	1	8	7.5
No response	N	0	.
Logical skip	S	926	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS5_3	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? My insurance ran out?
TYPE	num
LENGTH	8
VARNUM	68

SS5_3: Distribution	Value	n	%
No	0	103	96.3
Yes	1	4	3.7

SS5_3: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	926	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS5_4	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I could not find a way to pay for it?
TYPE	num
LENGTH	8
VARNUM	69

SS5_4: Distribution	Value	n	%
No	0	102	95.3
Yes	1	5	4.7
No response	N	0	.
Logical skip	S	926	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS5_5	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not have reliable transportation?
TYPE	num
LENGTH	8
VARNUM	70

SS5_5: Distribution	Value	n	%
No	0	92	86.0
Yes	1	15	14.0
No response	N	0	.
Logical skip	S	926	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS5_6	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I got sick and could not make appointments?
TYPE	num
LENGTH	8
VARNUM	71

SS5_6: Distribution	Value	n	%
No	0	104	97.2
Yes	1	3	2.8
No response	N	0	.
Logical skip	S	926	.
Missing survey	Z	941	.
		1974	100.0

SS5_7	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not think the treatment was doing any good?
TYPE	num
LENGTH	8
VARNUM	72

SS5_7: Distribution	Value	n	%
No	0	95	88.8
Yes	1	12	11.2
No response	N	0	.
Logical skip	S	926	.
Missing survey	Z	941	.
		1974	100.0

SS5_8	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not need the treatment anymore?
TYPE	num
LENGTH	8
VARNUM	73

SS5_8: Distribution	Value	n	%
No	0	90	84.1
Yes	1	17	15.9
No response	N	0	.
Logical skip	S	926	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS5_9	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not like the people?
TYPE	num
LENGTH	8
VARNUM	74

SS5_9: Distribution	Value	n	%
No	0	99	92.5
Yes	1	8	7.5
No response	N	0	.
Logical skip	S	926	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS5_10	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I relapsed?
TYPE	num
LENGTH	8
VARNUM	75

SS5_10: Distribution	Value	n	%
No	0	90	84.1
Yes	1	17	15.9
No response	N	0	.
Logical skip	S	926	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS5_12	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I moved too far away?
TYPE	num
LENGTH	8
VARNUM	76

SS5_12: Distribution	Value	n	%
No	0	95	88.8
Yes	1	12	11.2
No response	N	0	.
Logical skip	S	926	.
Missing survey	Z	941	.
		1974	100.0

SS5_13	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? None of these apply?
TYPE	num
LENGTH	8
VARNUM	77

SS5_13: Distribution	Value	n	%
No	0	65	60.7
Yes	1	42	39.3
No response	N	0	.
Logical skip	S	926	.
Missing survey	Z	941	.
		1974	100.0

SS11_1	
LABEL	While enrolled in INDEX treatment, did you receive? Methadone?
TYPE	num
LENGTH	8
VARNUM	78

SS11_1: Distribution	Value	n	%
No	0	284	33.1
Yes	1	575	66.9
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS11_2	
LABEL	While enrolled in INDEX treatment, did you receive? Oral buprenorphine (e.g., Suboxone, generic)?
TYPE	num
LENGTH	8
VARNUM	79

SS11_2: Distribution	Value	n	%
No	0	597	69.5
Yes	1	262	30.5
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS11_3	
LABEL	While enrolled in INDEX treatment, did you receive? Implantable or injectable buprenorphine (e.g., Probuphine, generic)?
TYPE	num
LENGTH	8
VARNUM	80

SS11_3: Distribution	Value	n	%
No	0	850	99.0
Yes	1	9	1.0
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS11_4	
LABEL	While enrolled in INDEX treatment, did you receive? Oral naltrexone (e.g., Revia)?
TYPE	num
LENGTH	8
VARNUM	81

SS11_4: Distribution	Value	n	%
No	0	852	99.2
Yes	1	7	0.8
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS11_5	
LABEL	While enrolled in INDEX treatment, did you receive? Injectable naltrexone (e.g., Vivitrol)?
TYPE	num
LENGTH	8
VARNUM	82

SS11_5: Distribution	Value	n	%
No	0	843	98.1
Yes	1	16	1.9
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS11_6	
LABEL	While enrolled in INDEX treatment, did you receive? Other drug?
TYPE	num
LENGTH	8
VARNUM	83

SS11_6: Distribution	Value	n	%
No	0	853	99.3
Yes	1	6	0.7
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS11_7	
LABEL	While enrolled in INDEX treatment, did you receive? No drug?
TYPE	num
LENGTH	8
VARNUM	84

SS11_7: Distribution	Value	n	%
No	0	853	97.8
Yes	1	19	2.2
No response	N	161	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS12_1	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Individual counseling?
TYPE	num
LENGTH	8
VARNUM	85

SS12_1: Distribution	Value	n	%
No	0	110	12.8
Yes	1	749	87.2
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS12_2	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Group counseling?
TYPE	num
LENGTH	8
VARNUM	86

SS12_2: Distribution	Value	n	%
No	0	326	38.0
Yes	1	533	62.0
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS12_3	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Other behavioral therapy/counseling?
TYPE	num
LENGTH	8
VARNUM	87

SS12_3: Distribution	Value	n	%
No	0	706	82.2
Yes	1	153	17.8
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS12_4	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Detoxification services?
TYPE	num
LENGTH	8
VARNUM	88

SS12_4: Distribution	Value	n	%
No	0	764	88.9
Yes	1	95	11.1
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS12_5	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication) ?
TYPE	num
LENGTH	8
VARNUM	89

SS12_5: Distribution	Value	n	%
No	0	487	56.7
Yes	1	372	43.3
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS12_6	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? HIV testing?
TYPE	num
LENGTH	8
VARNUM	90

SS12_6: Distribution	Value	n	%
No	0	611	71.1
Yes	1	248	28.9
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS12_7	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing?
TYPE	num
LENGTH	8
VARNUM	91

SS12_7: Distribution	Value	n	%
No	0	565	65.8
Yes	1	294	34.2
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS12_8	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Laboratory drug testing/urine testing?
TYPE	num
LENGTH	8
VARNUM	92

SS12_8: Distribution	Value	n	%
No	0	252	29.3
Yes	1	607	70.7
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS12_9	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)?
TYPE	num
LENGTH	8
VARNUM	93

SS12_9: Distribution	Value	n	%
No	0	609	70.9
Yes	1	250	29.1
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS12_10	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator) ?
TYPE	num
LENGTH	8
VARNUM	94

SS12_10: Distribution	Value	n	%
No	0	688	80.1
Yes	1	171	19.9
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS12_11	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator?
TYPE	num
LENGTH	8
VARNUM	95

SS12_11: Distribution	Value	n	%
No	0	766	89.2
Yes	1	93	10.8
No response	N	0	.
Logical skip	S	174	.

SS12_11: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

SS12_12	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Training on how to avoid overdosing?
TYPE	num
LENGTH	8
VARNUM	96

SS12_12: Distribution	Value	n	%
No	0	570	66.4
Yes	1	289	33.6
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		1974	100.0

SS12_13	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Training on how to use naloxone?
TYPE	num
LENGTH	8
VARNUM	97

SS12_13: Distribution	Value	n	%
No	0	534	62.2
Yes	1	325	37.8
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		1974	100.0

SS12_14	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Other services?

SS12_14	
TYPE	num
LENGTH	8
VARNUM	98

SS12_14: Distribution	Value	n	%
No	0	768	89.4
Yes	1	91	10.6
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SS12_15	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? No Other Services?
TYPE	num
LENGTH	8
VARNUM	99

SS12_15: Distribution	Value	n	%
No	0	836	97.3
Yes	1	23	2.7
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PN1	
LABEL	(Since you started your INDEX treatment/While you were in your INDEX treatment), were you offered services from a Peer Navigator?
TYPE	num
LENGTH	8
VARNUM	100

PN1: Distribution	Value	n	%
Yes	1	360	41.9

PN1: Distribution	Value	n	%
No	2	417	48.5
No Answer	3	82	9.5
No response	N	0	.
Logical skip	S	174	.
Missing survey	Z	941	.
		1974	100.0

PN2	
LABEL	(Since you began your INDEX treatment/At any time while you were in your INDEX treatment), how often did you meet with a Peer Navigator?
TYPE	num
LENGTH	8
VARNUM	101

PN2: Distribution	Value	n	%
Less than once a month	1	80	22.2
About once a month	2	117	32.5
Several times a month	3	43	11.9
About once a week	4	46	12.8
Several times a week	5	10	2.8
I never met with a peer navigator	6	64	17.8
No response	N	0	.
Logical skip	S	673	.
Missing survey	Z	941	.
		1974	100.0

PN3	
LABEL	How helpful (is/was) your peer navigator to your recovery?
TYPE	num
LENGTH	8
VARNUM	102

PN3: Distribution	Value	n	%
Very helpful	1	173	58.4
Somewhat helpful	2	102	34.5

PN3: Distribution	Value	n	%
Somewhat unhelpful	3	13	4.4
Not helpful at all	4	8	2.7
No response	N	0	.
Logical skip	S	737	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PN4_1	
LABEL	Why did you not meet with a peer navigator? I did not want the service?
TYPE	num
LENGTH	8
VARNUM	103

PN4_1: Distribution	Value	n	%
No	0	27	42.2
Yes	1	37	57.8
No response	N	0	.
Logical skip	S	969	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PN4_2	
LABEL	Why did you not meet with a peer navigator? I did not think the service was worthwhile for me?
TYPE	num
LENGTH	8
VARNUM	104

PN4_2: Distribution	Value	n	%
No	0	59	92.2
Yes	1	5	7.8
No response	N	0	.
Logical skip	S	969	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PN4_3	
LABEL	Why did you not meet with a peer navigator? I could not afford the service?
TYPE	num
LENGTH	8
VARNUM	105

PN4_3: Distribution	Value	n	%
No	0	62	96.9
Yes	1	2	3.1
No response	N	0	.
Logical skip	S	969	.
Missing survey	Z	941	.
		1974	100.0

PN4_4	
LABEL	Why did you not meet with a peer navigator? I will arrange to meet with peer navigator if I ever need their service?
TYPE	num
LENGTH	8
VARNUM	106

PN4_4: Distribution	Value	n	%
No	0	50	78.1
Yes	1	14	21.9
No response	N	0	.
Logical skip	S	969	.
Missing survey	Z	941	.
		1974	100.0

PN4_5	
LABEL	Why did you not meet with a peer navigator? I tried to make an appointment but the peer navigator did not have any openings on their schedule?
TYPE	num
LENGTH	8
VARNUM	107

PN4_5: Distribution	Value	n	%
No	0	61	95.3
Yes	1	3	4.7
No response	N	0	.
Logical skip	S	969	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PN4_6	
LABEL	Why did you not meet with a peer navigator? I plan to schedule an appointment soon?
TYPE	num
LENGTH	8
VARNUM	108

PN4_6: Distribution	Value	n	%
No	0	61	95.3
Yes	1	3	4.7
No response	N	0	.
Logical skip	S	969	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PN4_7	
LABEL	Why did you not meet with a peer navigator? I have an appointment scheduled?
TYPE	num
LENGTH	8
VARNUM	109

PN4_7: Distribution	Value	n	%
No	0	64	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	969	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PN4_8	
LABEL	Why did you not meet with a peer navigator? I had an appointment but the peer navigator did not make it?
TYPE	num
LENGTH	8
VARNUM	110

PN4_8: Distribution	Value	n	%
No	0	64	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	969	.
Missing survey	Z	941	.
		1974	100.0

PN4_9	
LABEL	Why did you not meet with a peer navigator? I had another reason that is not listed above?
TYPE	num
LENGTH	8
VARNUM	111

PN4_9: Distribution	Value	n	%
No	0	58	90.6
Yes	1	6	9.4
No response	N	0	.
Logical skip	S	969	.
Missing survey	Z	941	.
		1974	100.0

PN5_A	
LABEL	Peer navigators are helpful?
TYPE	num
LENGTH	8
VARNUM	112

PN5_A: Distribution	Value	n	%
Agree	1	545	63.5

PN5_A: Distribution	Value	n	%
Neutral or no opinion	2	295	34.4
Disagree	3	18	2.1
No response	N	1	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PN5_B	
LABEL	I am uncomfortable sharing my personal life with a peer navigator?
TYPE	num
LENGTH	8
VARNUM	113

PN5_B: Distribution	Value	n	%
Agree	1	175	20.4
Neutral or no opinion	2	284	33.2
Disagree	3	397	46.4
No response	N	3	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PN5_C	
LABEL	People I know told me not to work with a peer navigator?
TYPE	num
LENGTH	8
VARNUM	114

PN5_C: Distribution	Value	n	%
Agree	1	60	7.0
Neutral or no opinion	2	207	24.2
Disagree	3	589	68.8
No response	N	3	.
Logical skip	S	174	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PN5_D	
LABEL	A peer navigator is not helpful or needed given my situation?
TYPE	num
LENGTH	8
VARNUM	115

PN5_D: Distribution	Value	n	%
Agree	1	141	16.5
Neutral or no opinion	2	325	38.0
Disagree	3	390	45.6
No response	N	3	.
Logical skip	S	174	.
Missing survey	Z	941	.
		1974	100.0

PN5_E	
LABEL	I would recommend peer navigators to a friend?
TYPE	num
LENGTH	8
VARNUM	116

PN5_E: Distribution	Value	n	%
Agree	1	485	56.5
Neutral or no opinion	2	341	39.7
Disagree	3	32	3.7
No response	N	1	.
Logical skip	S	174	.
Missing survey	Z	941	.
		1974	100.0

OU2	
LABEL	Since [TX_STRT_DT], have you abused opioids even once?
TYPE	num
LENGTH	8
VARNUM	117

OU2: Distribution	Value	n	%
Yes	1	412	47.3
No	2	459	52.7
No response	N	162	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

OU3	
LABEL	It has been [INDEX DAYS] since you started treatment at [FACILITY]/You were in INDEX treatment for [INDEX DAYS]], how many of those days did you abuse opioids?
TYPE	num
LENGTH	8
VARNUM	118

OU3: Distribution	Value	n	%
No response	N	574	.
Logical skip	S	459	.
Missing survey	Z	941	.
		1974	.

OU4	
LABEL	In the last 12 months, how often have you abused opioids? **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	119

OU4: Distribution	Value	n	%
I have not abuse any opioids since beginning my INDEX treatment	1	561	54.3
I have abused opioids a couple times but have not gone back to using opioids regularly	2	289	28.0
I have abused opioids for several of the past 12 months	3	117	11.3
I have abused opioids for most or all of the past 12 months	4	66	6.4

OU4: Distribution	Value	n	%
No response	N	0	.
Z	Z	941	.
		1974	100.0

PX1	
LABEL	Since stopping your INDEX treatment, did you start another treatment program for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	120

PX1: Distribution	Value	n	%
Yes	1	39	36.4
No	2	64	59.8
No Answer	3	4	3.7
No response	N	0	.
Logical skip	S	926	.
Missing survey	Z	941	.
		1974	100.0

PX3A_R1	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	121

PX3A_R1: Distribution	Value	n	%
Very important	1	35	89.7
Somewhat important	2	2	5.1
Not important	3	2	5.1
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX3B_R1	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	122

PX3B_R1: Distribution	Value	n	%
Very important	1	4	10.3
Somewhat important	2	4	10.3
Not important	3	31	79.5
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX3C_R1	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	123

PX3C_R1: Distribution	Value	n	%
Very important	1	18	46.2
Somewhat important	2	12	30.8
Not important	3	9	23.1
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX3D_R1	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 1
TYPE	num
LENGTH	8
VARNUM	124

PX3D_R1: Distribution	Value	n	%
Very important	1	26	66.7
Somewhat important	2	7	17.9
Not important	3	6	15.4
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX3E_R1	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 1
TYPE	num
LENGTH	8
VARNUM	125

PX3E_R1: Distribution	Value	n	%
Very important	1	34	87.2
Somewhat important	2	3	7.7
Not important	3	2	5.1
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX3F_R1	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 1
TYPE	num
LENGTH	8
VARNUM	126

PX3F_R1: Distribution	Value	n	%
Very important	1	28	71.8
Somewhat important	2	5	12.8
Not important	3	6	15.4

PX3F_R1: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PX3G_R1	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 1
TYPE	num
LENGTH	8
VARNUM	127

PX3G_R1: Distribution	Value	n	%
Very important	1	23	59.0
Somewhat important	2	7	17.9
Not important	3	9	23.1
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PX3I_R1	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 1
TYPE	num
LENGTH	8
VARNUM	128

PX3I_R1: Distribution	Value	n	%
Very important	1	21	53.8
Somewhat important	2	10	25.6
Not important	3	8	20.5
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PX3J_R1	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 1
TYPE	num
LENGTH	8
VARNUM	129

PX3J_R1: Distribution	Value	n	%
Very important	1	28	71.8
Somewhat important	2	2	5.1
Not important	3	9	23.1
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX3K_R1	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 1
TYPE	num
LENGTH	8
VARNUM	130

PX3K_R1: Distribution	Value	n	%
Very important	1	26	68.4
Somewhat important	2	4	10.5
Not important	3	8	21.1
No response	N	1	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX3L_R1	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 1
TYPE	num

PX3L_R1	
LENGTH	8
VARNUM	131

PX3L_R1: Distribution	Value	n	%
Very important	1	28	71.8
Somewhat important	2	7	17.9
Not important	3	4	10.3
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PX3M_R1	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 1
TYPE	num
LENGTH	8
VARNUM	132

PX3M_R1: Distribution	Value	n	%
Very important	1	7	17.9
Somewhat important	2	7	17.9
Not important	3	25	64.1
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PX3N_R1	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 1
TYPE	num
LENGTH	8
VARNUM	133

PX3N_R1: Distribution	Value	n	%
Very important	1	24	61.5
Somewhat important	2	4	10.3
Not important	3	11	28.2
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX3O_R1	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 1
TYPE	num
LENGTH	8
VARNUM	134

PX3O_R1: Distribution	Value	n	%
Very important	1	13	33.3
Somewhat important	2	8	20.5
Not important	3	18	46.2
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX3P_R1	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	135

PX3P_R1: Distribution	Value	n	%
Very important	1	14	35.9
Somewhat important	2	9	23.1
Not important	3	16	41.0
No response	N	0	.

PX3P_R1: Distribution	Value	n	%
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX4_1_R1	
LABEL	Was your participation in this treatment? To comply with a court-order? Response 1
TYPE	num
LENGTH	8
VARNUM	136

PX4_1_R1: Distribution	Value	n	%
No	0	34	87.2
Yes	1	5	12.8
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX4_2_R1	
LABEL	Was your participation in this treatment? To avoid a conviction on a charge(s)? Response 1
TYPE	num
LENGTH	8
VARNUM	137

PX4_2_R1: Distribution	Value	n	%
No	0	38	97.4
Yes	1	1	2.6
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX4_3_R1	
LABEL	Was your participation in this treatment? To meet a condition of your probation or parole? Response 1

PX4_3_R1	
TYPE	num
LENGTH	8
VARNUM	138

PX4_3_R1: Distribution	Value	n	%
No	0	32	82.1
Yes	1	7	17.9
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX4_11_R1	
LABEL	Was your participation in this treatment? None of these apply? Response 1
TYPE	num
LENGTH	8
VARNUM	139

PX4_11_R1: Distribution	Value	n	%
No	0	12	30.8
Yes	1	27	69.2
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX5_1_R1	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 1
TYPE	num
LENGTH	8
VARNUM	140

PX5_1_R1: Distribution	Value	n	%
No	0	11	28.2
Yes	1	28	71.8

PX5_1_R1: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX5_2_R1	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 1
TYPE	num
LENGTH	8
VARNUM	141

PX5_2_R1: Distribution	Value	n	%
No	0	34	87.2
Yes	1	5	12.8
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX5_3_R1	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/ drug abuse care provider? Response 1
TYPE	num
LENGTH	8
VARNUM	142

PX5_3_R1: Distribution	Value	n	%
No	0	34	87.2
Yes	1	5	12.8
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX5_4_R1	
LABEL	Who recommended that you go to this facility to get treatment? Primary health care provider? Response 1
TYPE	num
LENGTH	8
VARNUM	143

PX5_4_R1: Distribution	Value	n	%
No	0	36	92.3
Yes	1	3	7.7
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX5_5_R1	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 1
TYPE	num
LENGTH	8
VARNUM	144

PX5_5_R1: Distribution	Value	n	%
No	0	39	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX5_6_R1	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 1
TYPE	num
LENGTH	8
VARNUM	145

PX5_6_R1: Distribution	Value	n	%
No	0	39	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX5_7_R1	
LABEL	Who recommended that you go to this facility to get treatment? Community group (e.g. religious organizations. self-help groups)? Response 1
TYPE	num
LENGTH	8
VARNUM	146

PX5_7_R1: Distribution	Value	n	%
No	0	38	97.4
Yes	1	1	2.6
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX5_8_R1	
LABEL	Who recommended that you go to this facility to get treatment? Court/ criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 1
TYPE	num
LENGTH	8
VARNUM	147

PX5_8_R1: Distribution	Value	n	%
No	0	35	89.7
Yes	1	4	10.3
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX5_9_R1	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 1
TYPE	num
LENGTH	8
VARNUM	148

PX5_9_R1: Distribution	Value	n	%
No	0	39	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX10_R1	
LABEL	When you started this treatment, how confident were you that this treatment would be successful? Response 1
TYPE	num
LENGTH	8
VARNUM	149

PX10_R1: Distribution	Value	n	%
Not confident	1	1	2.6
Slightly confident	2	5	12.8
Moderately confident	3	11	28.2
Highly confident	4	22	56.4
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX11_R1	
LABEL	Are you still receiving this treatment at this facility? Response 1
TYPE	num

PX11_R1	
LENGTH	8
VARNUM	150

PX11_R1: Distribution	Value	n	%
Yes	1	32	82.1
No	2	7	17.9
No response	N	0	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

PX13_R1	
LABEL	Why did you stop receiving this treatment at this facility? Response 1
TYPE	num
LENGTH	8
VARNUM	151

PX13_R1: Distribution	Value	n	%
I completed this treatment program	1	1	14.3
I voluntarily stopped this treatment	2	1	14.3
I continued this treatment at a different facility	3	4	57.1
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	1	14.3
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1026	.
Missing survey	Z	941	.
		1974	100.0

PX13_R2	
LABEL	Why did you stop receiving this treatment at this facility? Response 2
TYPE	num
LENGTH	8
VARNUM	152

PX13_R2: Distribution	Value	n	%
I completed this treatment program	1	1	25.0
I voluntarily stopped this treatment	2	1	25.0
I continued this treatment at a different facility	3	1	25.0
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	1	25.0
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1029	.
Missing survey	Z	941	.
		1974	100.0

PX13_R3	
LABEL	Why did you stop receiving this treatment at this facility? Response 3
TYPE	num
LENGTH	8
VARNUM	153

PX13_R3: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	1	100.0
I continued this treatment at a different facility	3	0	.

PX13_R3: Distribution	Value	n	%
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1032	.
Missing survey	Z	941	.
		1974	100.0

PX13_R4	
LABEL	Why did you stop receiving this treatment at this facility? Response 4
TYPE	num
LENGTH	8
VARNUM	154

PX13_R4: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	1	100.0
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1032	.
Missing survey	Z	941	.
		1974	100.0

PX13_R5	
LABEL	Why did you stop receiving this treatment at this facility? Response 5
TYPE	num
LENGTH	8
VARNUM	155

PX13_R5: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	1	100.0
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1032	.
Missing survey	Z	941	.
		1974	100.0

PX13_R6	
LABEL	Why did you stop receiving this treatment at this facility? Response 6
TYPE	num
LENGTH	8
VARNUM	156

PX13_R6: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	1	100.0
I continued this treatment at a different facility	3	0	.

PX13_R6: Distribution	Value	n	%
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1032	.
Missing survey	Z	941	.
		1974	100.0

PX13_R7	
LABEL	Why did you stop receiving this treatment at this facility? Response 7
TYPE	num
LENGTH	8
VARNUM	157

PX13_R7: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1033	.
Missing survey	Z	941	.
		1974	.

PX13_R8	
LABEL	Why did you stop receiving this treatment at this facility? Response 8
TYPE	num
LENGTH	8
VARNUM	158

PX13_R8: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1033	.
Missing survey	Z	941	.
		1974	.

PX13_R9	
LABEL	Why did you stop receiving this treatment at this facility? Response 9
TYPE	num
LENGTH	8
VARNUM	159

PX13_R9: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.

PX13_R9: Distribution	Value	n	%
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1033	.
Missing survey	Z	941	.
		1974	.

PX13_R10	
LABEL	Why did you stop receiving this treatment at this facility? Response 10
TYPE	num
LENGTH	8
VARNUM	160

PX13_R10: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1033	.
Missing survey	Z	941	.
		1974	.

PX13_R11	
LABEL	Why did you stop receiving this treatment at this facility? Response 11
TYPE	num
LENGTH	8
VARNUM	161

PX13_R11: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1033	.
Missing survey	Z	941	.
		1974	.

PX13_R12	
LABEL	Why did you stop receiving this treatment at this facility? Response 12
TYPE	num
LENGTH	8
VARNUM	162

PX13_R12: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.

PX13_R12: Distribution	Value	n	%
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1033	.
Missing survey	Z	941	.
		1974	.

QA1	
LABEL	How many times did you try to quit opioids voluntarily (and not simply because you could not obtain opioids)? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	163

QA1: Distribution	Value	n	%
0	0	415	40.3
1	1	141	13.7
2	2	103	10.0
3	3	101	9.8
4	4	49	4.8
5	5	71	6.9
6	6	23	2.2
7	7	10	1.0
8	8	9	0.9
9	9	4	0.4
10	10	33	3.2
11	11	2	0.2
12	12	18	1.7
13	13	1	0.1
15	15	8	0.8
16	16	1	0.1

QA1: Distribution	Value	n	%
20	20	16	1.6
22	22	1	0.1
24	24	1	0.1
25	25	2	0.2
28	28	1	0.1
30	30	8	0.8
50	50	7	0.7
99	99	5	0.5
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

QA2	
LABEL	Of these times, how many times did you quit opioids for more than five days?
TYPE	num
LENGTH	8
VARNUM	164

QA2: Distribution	Value	n	%
0	0	85	13.8
1	1	187	30.4
2	2	137	22.3
3	3	83	13.5
4	4	36	5.9
5	5	34	5.5
6	6	16	2.6
7	7	6	1.0
8	8	5	0.8
9	9	1	0.2
10	10	12	2.0
11	11	1	0.2
12	12	3	0.5
15	15	3	0.5
20	20	2	0.3
22	22	1	0.2
25	25	1	0.2

QA2: Distribution	Value	n	%
30	30	1	0.2
50	50	1	0.2
No response	N	3	.
Logical skip	S	415	.
Missing survey	Z	941	.
		1974	100.0

QA3	
LABEL	Of these times, what was the longest time you quit opioids?
TYPE	num
LENGTH	8
VARNUM	165

QA3: Distribution	Value	n	%
Less than one day	1	22	3.6
1 to 2 days	2	55	8.9
3 to 7 days	3	76	12.4
8 to 14 days	4	40	6.5
2 to 4 weeks	5	38	6.2
1 to 3 months	6	85	13.8
4 to 6 months	7	71	11.5
More than 6 months	8	228	37.1
No response	N	3	.
Logical skip	S	415	.
Missing survey	Z	941	.
		1974	100.0

MM1	
LABEL	Have you ever been in a methadone maintenance program to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	166

MM1: Distribution	Value	n	%
Yes	1	103	26.8
No	2	272	70.6

MM1: Distribution	Value	n	%
No Answer	3	10	2.6
No response	N	648	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM4	
LABEL	(Did/Do) you receive methadone as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	167

MM4: Distribution	Value	n	%
Yes	1	637	84.8
No	2	114	15.2
No response	N	0	.
Logical skip	S	282	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM5	
LABEL	Did you receive methadone treatment for opioid addiction at any time since your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	168

MM5: Distribution	Value	n	%
Yes	1	89	53.0
No	2	79	47.0
No response	N	583	.
Logical skip	S	282	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM6a	
LABEL	Did you receive methadone treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	169

MM6a: Distribution	Value	n	%
Yes	1	60	75.0
No	2	20	25.0
No response	N	671	.
Logical skip	S	282	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM7	
LABEL	Are you currently being treated with methadone for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	170

MM7: Distribution	Value	n	%
Yes	1	581	77.5
No	2	169	22.5
No response	N	1	.
Logical skip	S	282	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM7X1	
LABEL	How do/did you typically receive methadone?
TYPE	num
LENGTH	8
VARNUM	171

MM7X1: Distribution	Value	n	%
I come to the clinic almost everyday	1	72	53.3
I receive take-home doses	2	63	46.7
No response	N	534	.
Logical skip	S	364	.
Missing survey	Z	941	.
		1974	100.0

MM7X2	
LABEL	How long was the take-home dose for?
TYPE	num
LENGTH	8
VARNUM	172

MM7X2: Distribution	Value	n	%
Less than 1 week (less than 7 days)	1	0	.
1 week (7 days)	2	0	.
8 to 14 days	3	0	.
15 to 28 days	4	0	.
More than 28 days	5	0	.
No response	N	970	.
Logical skip	S	63	.
Missing survey	Z	941	.
		1974	.

MM10	
LABEL	Thinking about your most recent methadone treatment, (did/do) you usually take methadone every day as directed by your doctor?
TYPE	num
LENGTH	8
VARNUM	173

MM10: Distribution	Value	n	%
Yes	1	731	97.5
No	2	19	2.5
No response	N	1	.

MM10: Distribution	Value	n	%
Logical skip	S	282	.
Missing survey	Z	941	.
		1974	100.0

MM11	
LABEL	How many milligrams of methadone was the treatment dose the last time you took methadone?
TYPE	num
LENGTH	8
VARNUM	174

MM11: Distribution	Value	n	%
1	1	4	0.5
2	2	2	0.3
3	3	3	0.4
5	5	8	1.1
6	6	1	0.1
7	7	1	0.1
8	8	2	0.3
9	9	2	0.3
10	10	6	0.8
11	11	1	0.1
14	14	2	0.3
15	15	2	0.3
16	16	1	0.1
17	17	1	0.1
18	18	1	0.1
20	20	4	0.5
21	21	1	0.1
25	25	4	0.5
26	26	1	0.1
27	27	2	0.3
29	29	1	0.1
30	30	24	3.2
31	31	2	0.3
32	32	1	0.1
34	34	1	0.1

MM11: Distribution	Value	n	%
35	35	12	1.6
36	36	3	0.4
37	37	2	0.3
38	38	1	0.1
40	40	17	2.3
42	42	1	0.1
45	45	18	2.4
46	46	2	0.3
48	48	1	0.1
50	50	18	2.4
52	52	1	0.1
53	53	2	0.3
54	54	2	0.3
55	55	13	1.7
56	56	1	0.1
57	57	1	0.1
58	58	2	0.3
59	59	1	0.1
60	60	48	6.4
62	62	1	0.1
65	65	21	2.8
67	67	1	0.1
68	68	1	0.1
70	70	34	4.5
71	71	3	0.4
74	74	2	0.3
75	75	23	3.1
77	77	1	0.1
78	78	2	0.3
79	79	3	0.4
80	80	47	6.3
83	83	1	0.1
84	84	1	0.1
85	85	34	4.5
87	87	1	0.1
88	88	1	0.1
90	90	33	4.4
94	94	2	0.3

MM11: Distribution	Value	n	%
95	95	19	2.5
96	96	2	0.3
97	97	1	0.1
99	99	1	0.1
100	100	44	5.9
102	102	1	0.1
103	103	1	0.1
104	104	2	0.3
105	105	10	1.3
108	108	1	0.1
110	110	28	3.7
111	111	1	0.1
115	115	12	1.6
120	120	42	5.6
123	123	1	0.1
125	125	16	2.1
128	128	1	0.1
130	130	21	2.8
135	135	7	0.9
136	136	1	0.1
140	140	14	1.9
141	141	1	0.1
144	144	1	0.1
145	145	8	1.1
150	150	18	2.4
154	154	1	0.1
155	155	1	0.1
160	160	10	1.3
165	165	1	0.1
168	168	1	0.1
170	170	8	1.1
175	175	3	0.4
180	180	6	0.8
181	181	1	0.1
185	185	3	0.4
190	190	4	0.5
195	195	1	0.1
197	197	1	0.1

MM11: Distribution	Value	n	%
200	200	5	0.7
210	210	2	0.3
215	215	1	0.1
220	220	2	0.3
222	222	1	0.1
225	225	1	0.1
235	235	1	0.1
240	240	1	0.1
260	260	1	0.1
290	290	1	0.1
370	370	1	0.1
999	999	1	0.1
No response	N	2	.
Logical skip	S	282	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM12	
LABEL	How often did you give away or sell the methadone you were prescribed?
TYPE	num
LENGTH	8
VARNUM	175

MM12: Distribution	Value	n	%
Never	1	707	94.3
Rarely	2	30	4.0
Sometimes	3	10	1.3
Often	4	3	0.4
Very often	5	0	.
No response	N	1	.
Logical skip	S	282	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM13	
LABEL	In the past 12 months, how often have you used methadone that was not prescribed to you?

MM13	
TYPE	num
LENGTH	8
VARNUM	176

MM13: Distribution	Value	n	%
Never	1	676	90.1
Rarely	2	48	6.4
Sometimes	3	22	2.9
Often	4	2	0.3
Very often	5	2	0.3
No response	N	1	.
Logical skip	S	282	.
Missing survey	Z	941	.
		1974	100.0

MM14_1	
LABEL	What was the reason you took methadone not prescribed for you? To get high?
TYPE	num
LENGTH	8
VARNUM	177

MM14_1: Distribution	Value	n	%
No	0	64	86.5
Yes	1	10	13.5
No response	N	1	.
Logical skip	S	958	.
Missing survey	Z	941	.
		1974	100.0

MM14_2	
LABEL	What was the reason you took methadone not prescribed for you? To prevent withdrawal?
TYPE	num
LENGTH	8
VARNUM	178

MM14_2: Distribution	Value	n	%
No	0	16	21.6
Yes	1	58	78.4
No response	N	1	.
Logical skip	S	958	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM14_3	
LABEL	What was the reason you took methadone not prescribed for you? To self-medicate for physical pain?
TYPE	num
LENGTH	8
VARNUM	179

MM14_3: Distribution	Value	n	%
No	0	58	78.4
Yes	1	16	21.6
No response	N	1	.
Logical skip	S	958	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM14_4	
LABEL	What was the reason you took methadone not prescribed for you? To self-medicate for emotional pain?
TYPE	num
LENGTH	8
VARNUM	180

MM14_4: Distribution	Value	n	%
No	0	64	86.5
Yes	1	10	13.5
No response	N	1	.
Logical skip	S	958	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM14_5	
LABEL	What was the reason you took methadone not prescribed for you? Other reason?
TYPE	num
LENGTH	8
VARNUM	181

MM14_5: Distribution	Value	n	%
No	0	69	93.2
Yes	1	5	6.8
No response	N	1	.
Logical skip	S	958	.
Missing survey	Z	941	.
		1974	100.0

MM15	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after taking methadone?
TYPE	num
LENGTH	8
VARNUM	182

MM15: Distribution	Value	n	%
Yes	1	22	29.7
No	2	52	70.3
No response	N	1	.
Logical skip	S	958	.
Missing survey	Z	941	.
		1974	100.0

MM16_1	
LABEL	What were some of the adverse effects or unexpected symptoms? Profuse sweating?
TYPE	num
LENGTH	8
VARNUM	183

MM16_1: Distribution	Value	n	%
No	0	5	22.7
Yes	1	17	77.3
No response	N	1	.
Logical skip	S	1010	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM16_2	
LABEL	What were some of the adverse effects or unexpected symptoms? Heavy sedation?
TYPE	num
LENGTH	8
VARNUM	184

MM16_2: Distribution	Value	n	%
No	0	13	59.1
Yes	1	9	40.9
No response	N	1	.
Logical skip	S	1010	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM16_3	
LABEL	What were some of the adverse effects or unexpected symptoms? Anxiety?
TYPE	num
LENGTH	8
VARNUM	185

MM16_3: Distribution	Value	n	%
No	0	16	72.7
Yes	1	6	27.3
No response	N	1	.
Logical skip	S	1010	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM16_4	
LABEL	What were some of the adverse effects or unexpected symptoms? Continued having cravings to abuse opioids?
TYPE	num
LENGTH	8
VARNUM	186

MM16_4: Distribution	Value	n	%
No	0	17	77.3
Yes	1	5	22.7
No response	N	1	.
Logical skip	S	1010	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM16_5	
LABEL	What were some of the adverse effects or unexpected symptoms? Feeling high or buzzed?
TYPE	num
LENGTH	8
VARNUM	187

MM16_5: Distribution	Value	n	%
No	0	20	90.9
Yes	1	2	9.1
No response	N	1	.
Logical skip	S	1010	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM16_6	
LABEL	What were some of the adverse effects or unexpected symptoms? Other effects or symptoms?
TYPE	num
LENGTH	8
VARNUM	188

MM16_6: Distribution	Value	n	%
No	0	15	68.2
Yes	1	7	31.8
No response	N	1	.
Logical skip	S	1010	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MM16_7	
LABEL	What were some of the adverse effects or unexpected symptoms? None of the above?
TYPE	num
LENGTH	8
VARNUM	189

MM16_7: Distribution	Value	n	%
No	0	22	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	1010	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU1	
LABEL	Have you ever received oral buprenorphine to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	190

BU1: Distribution	Value	n	%
Yes	1	574	55.6
No	2	426	41.2
No Answer	3	33	3.2
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU4	
LABEL	(Did/do) you receive oral buprenorphine as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	191

BU4: Distribution	Value	n	%
Yes	1	351	61.1
No	2	223	38.9
No response	N	0	.
Logical skip	S	459	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU5	
LABEL	After ending your INDEX treatment, did you receive oral buprenorphine for opioid addiction at any time in the past 12 months? (at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	192

BU5: Distribution	Value	n	%
Yes	1	98	54.7
No	2	81	45.3
No response	N	395	.
Logical skip	S	459	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU6a	
LABEL	Did you receive oral buprenorphine for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	193

BU6a: Distribution	Value	n	%
Yes	1	57	70.4
No	2	24	29.6
No response	N	493	.
Logical skip	S	459	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU7	
LABEL	Are you currently being treated with oral buprenorphine for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	194

BU7: Distribution	Value	n	%
Yes	1	270	47.0
No	2	304	53.0
No response	N	0	.
Logical skip	S	459	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU10	
LABEL	Thinking about your most recent oral buprenorphine treatment program, (do/did) you usually take oral buprenorphine every day as directed by your doctor?
TYPE	num
LENGTH	8
VARNUM	195

BU10: Distribution	Value	n	%
Yes	1	501	87.3
No	2	73	12.7
No response	N	0	.
Logical skip	S	459	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU11	
LABEL	How many milligrams of oral buprenorphine was the treatment dose the last time you took oral buprenorphine?
TYPE	num
LENGTH	8
VARNUM	196

BU11: Distribution	Value	n	%
1	1	14	2.4
2	2	25	4.4
3	3	1	0.2
4	4	16	2.8
5	5	3	0.5
6	6	5	0.9
7	7	3	0.5
8	8	233	40.7
9	9	1	0.2
10	10	10	1.7
11	11	1	0.2
12	12	40	7.0
14	14	5	0.9
15	15	1	0.2
16	16	122	21.3
18	18	2	0.3
20	20	21	3.7
21	21	2	0.3
24	24	43	7.5
25	25	1	0.2
26	26	2	0.3
30	30	3	0.5
32	32	8	1.4
45	45	1	0.2
50	50	4	0.7
60	60	1	0.2
70	70	1	0.2
80	80	1	0.2
82	82	1	0.2
95	95	1	0.2

BU11: Distribution	Value	n	%
99	99	1	0.2
No response	N	1	.
Logical skip	S	459	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU11A	
LABEL	Did you receive a prescription for oral buprenorphine to take the medication at home?
TYPE	num
LENGTH	8
VARNUM	197

BU11A: Distribution	Value	n	%
Yes	1	506	88.2
No	2	68	11.8
No response	N	0	.
Logical skip	S	459	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU11B	
LABEL	How long was the prescription for?
TYPE	num
LENGTH	8
VARNUM	198

BU11B: Distribution	Value	n	%
Less than 1 week (less than 7 days)	1	25	4.9
1 week (7 days)	2	104	20.6
2 weeks (14 days)	3	127	25.1
30 days	4	241	47.6
More than 30 days	5	9	1.8
No response	N	0	.
Logical skip	S	527	.

BU11B: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

BU12	
LABEL	How often did you give away or sell the oral buprenorphine you were prescribed?
TYPE	num
LENGTH	8
VARNUM	199

BU12: Distribution	Value	n	%
Never	1	475	82.8
Rarely	2	37	6.4
Sometimes	3	37	6.4
Often	4	17	3.0
Very often	5	8	1.4
No response	N	0	.
Logical skip	S	459	.
Missing survey	Z	941	.
		1974	100.0

BU13	
LABEL	In the past 12 months, how often have you used oral buprenorphine that was not prescribed to you?
TYPE	num
LENGTH	8
VARNUM	200

BU13: Distribution	Value	n	%
Never	1	519	90.4
Rarely	2	33	5.7
Sometimes	3	10	1.7
Often	4	5	0.9
Very often	5	7	1.2
No response	N	0	.
Logical skip	S	459	.

BU13: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

BU14_1	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? To get high?
TYPE	num
LENGTH	8
VARNUM	201

BU14_1: Distribution	Value	n	%
No	0	50	90.9
Yes	1	5	9.1
No response	N	0	.
Logical skip	S	978	.
Missing survey	Z	941	.
		1974	100.0

BU14_2	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? To prevent withdrawal?
TYPE	num
LENGTH	8
VARNUM	202

BU14_2: Distribution	Value	n	%
No	0	13	23.6
Yes	1	42	76.4
No response	N	0	.
Logical skip	S	978	.
Missing survey	Z	941	.
		1974	100.0

BU14_3	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? To self-medicate for physical pain?

BU14_3	
TYPE	num
LENGTH	8
VARNUM	203

BU14_3: Distribution	Value	n	%
No	0	44	80.0
Yes	1	11	20.0
No response	N	0	.
Logical skip	S	978	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU14_4	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? To self-medicate for emotional pain
TYPE	num
LENGTH	8
VARNUM	204

BU14_4: Distribution	Value	n	%
No	0	48	87.3
Yes	1	7	12.7
No response	N	0	.
Logical skip	S	978	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU14_5	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? Other reason?
TYPE	num
LENGTH	8
VARNUM	205

BU14_5: Distribution	Value	n	%
No	0	43	78.2
Yes	1	12	21.8

BU14_5: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	978	.
Missing survey	Z	941	.
		1974	100.0

BU15	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after taking oral buprenorphine?
TYPE	num
LENGTH	8
VARNUM	206

BU15: Distribution	Value	n	%
Yes	1	18	32.7
No	2	37	67.3
No response	N	0	.
Logical skip	S	978	.
Missing survey	Z	941	.
		1974	100.0

BU16_1	
LABEL	What were some of the adverse effects or unexpected symptoms? Profuse sweating?
TYPE	num
LENGTH	8
VARNUM	207

BU16_1: Distribution	Value	n	%
No	0	8	44.4
Yes	1	10	55.6
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		1974	100.0

BU16_2	
LABEL	What were some of the adverse effects or unexpected symptoms? Heavy sedation?
TYPE	num
LENGTH	8
VARNUM	208

BU16_2: Distribution	Value	n	%
No	0	14	77.8
Yes	1	4	22.2
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU16_3	
LABEL	What were some of the adverse effects or unexpected symptoms? Anxiety?
TYPE	num
LENGTH	8
VARNUM	209

BU16_3: Distribution	Value	n	%
No	0	14	77.8
Yes	1	4	22.2
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU16_4	
LABEL	What were some of the adverse effects or unexpected symptoms? Continued having cravings to abuse opioids?
TYPE	num
LENGTH	8
VARNUM	210

BU16_4: Distribution	Value	n	%
No	0	13	72.2

BU16_4: Distribution	Value	n	%
Yes	1	5	27.8
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU16_5	
LABEL	What were some of the adverse effects or unexpected symptoms? I felt high or buzzed?
TYPE	num
LENGTH	8
VARNUM	211

BU16_5: Distribution	Value	n	%
No	0	15	83.3
Yes	1	3	16.7
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU16_6	
LABEL	What were some of the adverse effects or unexpected symptoms? Other effects or symptoms?
TYPE	num
LENGTH	8
VARNUM	212

BU16_6: Distribution	Value	n	%
No	0	8	44.4
Yes	1	10	55.6
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BU16_7	
LABEL	What were some of the adverse effects or unexpected symptoms? None of the above?
TYPE	num
LENGTH	8
VARNUM	213

BU16_7: Distribution	Value	n	%
No	0	17	94.4
Yes	1	1	5.6
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PB1	
LABEL	Have you ever received a buprenorphine implant or injection to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	214

PB1: Distribution	Value	n	%
Yes	1	41	4.0
No	2	973	94.2
No answer	3	19	1.8
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PB1A	
LABEL	Did you receive the implant or injection, or both?
TYPE	num
LENGTH	8
VARNUM	215

PB1A: Distribution	Value	n	%
Implant	1	6	14.6
Injection	2	28	68.3
Both	3	0	.
Neither	4	7	17.1
No response	N	0	.
Logical skip	S	992	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PB4	
LABEL	(Did/Do) you receive a buprenorphine implant as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	216

PB4: Distribution	Value	n	%
Yes	1	22	53.7
No	2	19	46.3
No response	N	0	.
Logical skip	S	992	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PB5	
LABEL	After ending your INDEX treatment, did you receive a buprenorphine implant or injection at any time in the past 12 months? (at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	217

PB5: Distribution	Value	n	%
Implant	1	0	.
Injection	2	5	33.3
Both	3	1	6.7
Neither	4	9	60.0
No response	N	26	.

PB5: Distribution	Value	n	%
Logical skip	S	992	.
Missing survey	Z	941	.
		1974	100.0

PB6a	
LABEL	Did you receive a buprenorphine implant or injection at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	218

PB6a: Distribution	Value	n	%
Implant	1	0	.
Injection	2	1	25.0
Both	3	0	.
Neither	4	3	75.0
No response	N	37	.
Logical skip	S	992	.
Missing survey	Z	941	.
		1974	100.0

PB7	
LABEL	Are you currently receiving buprenorphine implants or injections?
TYPE	num
LENGTH	8
VARNUM	219

PB7: Distribution	Value	n	%
Yes	1	14	34.1
No	2	27	65.9
No response	N	0	.
Logical skip	S	992	.
Missing survey	Z	941	.
		1974	100.0

PB10	
LABEL	Thinking about your most recent oral buprenorphine treatment program, how many milligrams of buprenorphine was in the last implant you received?
TYPE	num
LENGTH	8
VARNUM	220

PB10: Distribution	Value	n	%
1	1	4	9.8
2	2	1	2.4
5	5	1	2.4
8	8	6	14.6
10	10	3	7.3
12	12	2	4.9
14	14	1	2.4
15	15	2	4.9
16	16	4	9.8
18	18	1	2.4
22	22	1	2.4
24	24	1	2.4
50	50	1	2.4
75	75	1	2.4
100	100	7	17.1
200	200	1	2.4
300	300	2	4.9
380	380	2	4.9
No response	N	0	.
Logical skip	S	992	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PB11	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after receiving a buprenorphine implant/injection?
TYPE	num
LENGTH	8
VARNUM	221

PB11: Distribution	Value	n	%
Yes	1	10	24.4
No	2	31	75.6
No response	N	0	.
Logical skip	S	992	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

ON1	
LABEL	Have you ever received oral naltrexone to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	222

ON1: Distribution	Value	n	%
Yes	1	95	9.2
No	2	905	87.6
No Answer	3	33	3.2
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

ON4	
LABEL	Did you receive oral naltrexone as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	223

ON4: Distribution	Value	n	%
Yes	1	50	53.2
No	2	44	46.8
No response	N	1	.
Logical skip	S	938	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

ON5	
LABEL	After ending your INDEX treatment, did you receive oral naltrexone for opioid addiction at any time in the past 12 months? (at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	224

ON5: Distribution	Value	n	%
Yes	1	9	21.4
No	2	33	78.6
No response	N	53	.
Logical skip	S	938	.
Missing survey	Z	941	.
		1974	100.0

ON6a	
LABEL	Did you receive oral naltrexone for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	225

ON6a: Distribution	Value	n	%
Yes	1	4	57.1
No	2	3	42.9
No response	N	88	.
Logical skip	S	938	.
Missing survey	Z	941	.
		1974	100.0

ON7	
LABEL	Are you currently being treated with oral naltrexone for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	226

ON7: Distribution	Value	n	%
Yes	1	22	23.2
No	2	73	76.8
No response	N	0	.
Logical skip	S	938	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

ON10	
LABEL	Thinking about your most recent oral naltrexone treatment program, (did/do) you usually take oral naltrexone every day as directed by your doctor?
TYPE	num
LENGTH	8
VARNUM	227

ON10: Distribution	Value	n	%
Yes	1	70	73.7
No	2	25	26.3
No response	N	0	.
Logical skip	S	938	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

ON11	
LABEL	How many milligrams of oral naltrexone was the treatment dose the last time you took oral naltrexone?
TYPE	num
LENGTH	8
VARNUM	228

ON11: Distribution	Value	n	%
1	1	2	2.1
2	2	4	4.3
3	3	2	2.1
4	4	1	1.1
5	5	3	3.2
8	8	7	7.4

ON11: Distribution	Value	n	%
10	10	3	3.2
12	12	1	1.1
16	16	7	7.4
24	24	3	3.2
25	25	2	2.1
32	32	1	1.1
50	50	49	52.1
95	95	1	1.1
100	100	2	2.1
110	110	1	1.1
150	150	3	3.2
222	222	1	1.1
500	500	1	1.1
No response	N	1	.
Logical skip	S	938	.
Missing survey	Z	941	.
		1974	100.0

ON12	
LABEL	Did you receive a prescription for oral naltrexone?
TYPE	num
LENGTH	8
VARNUM	229

ON12: Distribution	Value	n	%
Yes	1	72	75.8
No	2	23	24.2
No response	N	0	.
Logical skip	S	938	.
Missing survey	Z	941	.
		1974	100.0

ON13	
LABEL	How long was the prescription for?
TYPE	num

ON13	
LENGTH	8
VARNUM	230

ON13: Distribution	Value	n	%
Less than 1 week (less than 7 days)	1	7	9.7
1 week (7 days)	2	14	19.4
2 weeks (14 days)	3	10	13.9
30 days	4	41	56.9
No response	N	0	.
Logical skip	S	961	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

ON14	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after taking oral naltrexone?
TYPE	num
LENGTH	8
VARNUM	231

ON14: Distribution	Value	n	%
Yes	1	18	19.1
No	2	76	80.9
No response	N	1	.
Logical skip	S	938	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

ON15_1	
LABEL	What were some of the adverse effects or unexpected symptoms? Profuse sweating?
TYPE	num
LENGTH	8
VARNUM	232

ON15_1: Distribution	Value	n	%
No	0	11	61.1
Yes	1	7	38.9
No response	N	1	.
Logical skip	S	1014	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

ON15_2	
LABEL	What were some of the adverse effects or unexpected symptoms? Heavy sedation?
TYPE	num
LENGTH	8
VARNUM	233

ON15_2: Distribution	Value	n	%
No	0	17	94.4
Yes	1	1	5.6
No response	N	1	.
Logical skip	S	1014	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

ON15_3	
LABEL	What were some of the adverse effects or unexpected symptoms? Anxiety?
TYPE	num
LENGTH	8
VARNUM	234

ON15_3: Distribution	Value	n	%
No	0	11	61.1
Yes	1	7	38.9
No response	N	1	.
Logical skip	S	1014	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

ON15_4	
LABEL	What were some of the adverse effects or unexpected symptoms? Continued having cravings to abuse opioids?
TYPE	num
LENGTH	8
VARNUM	235

ON15_4: Distribution	Value	n	%
No	0	11	61.1
Yes	1	7	38.9
No response	N	1	.
Logical skip	S	1014	.
Missing survey	Z	941	.
		1974	100.0

ON15_5	
LABEL	What were some of the adverse effects or unexpected symptoms? I felt high or buzzed?
TYPE	num
LENGTH	8
VARNUM	236

ON15_5: Distribution	Value	n	%
No	0	16	88.9
Yes	1	2	11.1
No response	N	1	.
Logical skip	S	1014	.
Missing survey	Z	941	.
		1974	100.0

ON15_6	
LABEL	What were some of the adverse effects or unexpected symptoms? Other effects or symptoms?
TYPE	num
LENGTH	8
VARNUM	237

ON15_6: Distribution	Value	n	%
No	0	7	38.9
Yes	1	11	61.1
No response	N	1	.
Logical skip	S	1014	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

ON15_7	
LABEL	What were some of the adverse effects or unexpected symptoms? None of the above?
TYPE	num
LENGTH	8
VARNUM	238

ON15_7: Distribution	Value	n	%
No	0	17	94.4
Yes	1	1	5.6
No response	N	1	.
Logical skip	S	1014	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

ON16	
LABEL	How strongly did these adverse effects or symptoms influence your decision to stop taking oral naltrexone to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	239

ON16: Distribution	Value	n	%
Strongly influenced	1	13	81.3
Somewhat influenced	2	3	18.8
Did not influence	3	0	.
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

IN1	
LABEL	Have you ever received injectable naltrexone to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	240

IN1: Distribution	Value	n	%
Yes	1	54	5.2
No	2	959	92.8
No Answer	3	20	1.9
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

IN4	
LABEL	Did you receive injectable naltrexone as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	241

IN4: Distribution	Value	n	%
Yes	1	35	64.8
No	2	19	35.2
No response	N	0	.
Logical skip	S	979	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

IN5	
LABEL	After ending your INDEX treatment, did you receive injectable naltrexone for opioid addiction at any time in the past 12 months? (at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	242

IN5: Distribution	Value	n	%
Yes	1	12	41.4
No	2	17	58.6
No response	N	25	.
Logical skip	S	979	.
Missing survey	Z	941	.
		1974	100.0

IN6a	
LABEL	Did you receive injectable naltrexone for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	243

IN6a: Distribution	Value	n	%
Yes	1	8	80.0
No	2	2	20.0
No response	N	44	.
Logical skip	S	979	.
Missing survey	Z	941	.
		1974	100.0

IN7	
LABEL	Are you currently receiving injectable naltrexone for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	244

IN7: Distribution	Value	n	%
Yes	1	13	24.1
No	2	41	75.9
No response	N	0	.
Logical skip	S	979	.
Missing survey	Z	941	.
		1974	100.0

IN10	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after receiving injectable naltrexone?
TYPE	num
LENGTH	8
VARNUM	245

IN10: Distribution	Value	n	%
Yes	1	18	33.3
No	2	36	66.7
No response	N	0	.
Logical skip	S	979	.
Missing survey	Z	941	.
		1974	100.0

IN11_1	
LABEL	What were some of the adverse effects or unexpected symptoms? Profuse sweating?
TYPE	num
LENGTH	8
VARNUM	246

IN11_1: Distribution	Value	n	%
No	0	14	77.8
Yes	1	4	22.2
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		1974	100.0

IN11_2	
LABEL	What were some of the adverse effects or unexpected symptoms? Heavy sedation?
TYPE	num
LENGTH	8
VARNUM	247

IN11_2: Distribution	Value	n	%
No	0	16	88.9
Yes	1	2	11.1
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		1974	100.0

IN11_3	
LABEL	What were some of the adverse effects or unexpected symptoms? Anxiety?
TYPE	num
LENGTH	8
VARNUM	248

IN11_3: Distribution	Value	n	%
No	0	9	50.0
Yes	1	9	50.0
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		1974	100.0

IN11_4	
LABEL	What were some of the adverse effects or unexpected symptoms? Continued having cravings to abuse opioids?
TYPE	num
LENGTH	8
VARNUM	249

IN11_4: Distribution	Value	n	%
No	0	14	77.8
Yes	1	4	22.2
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		1974	100.0

IN11_5	
LABEL	What were some of the adverse effects or unexpected symptoms? I felt high or buzzed?
TYPE	num
LENGTH	8
VARNUM	250

IN11_5: Distribution	Value	n	%
No	0	17	94.4
Yes	1	1	5.6
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		1974	100.0

IN11_6	
LABEL	What were some of the adverse effects or unexpected symptoms? Other effects or symptoms?
TYPE	num
LENGTH	8
VARNUM	251

IN11_6: Distribution	Value	n	%
No	0	9	50.0
Yes	1	9	50.0
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		1974	100.0

IN11_7	
LABEL	What were some of the adverse effects or unexpected symptoms? None of the above?
TYPE	num
LENGTH	8
VARNUM	252

IN11_7: Distribution	Value	n	%
No	0	16	88.9
Yes	1	2	11.1
No response	N	0	.
Logical skip	S	1015	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

KA1A	
LABEL	Methadone is expensive?
TYPE	num
LENGTH	8
VARNUM	253

KA1A: Distribution	Value	n	%
Agree Strongly	1	221	21.5
Agree	2	360	35.0
Disagree	3	332	32.3
Strongly Disagree	4	116	11.3
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

KA1B	
LABEL	Methadone is hard to get?
TYPE	num
LENGTH	8
VARNUM	254

KA1B: Distribution	Value	n	%
Agree Strongly	1	126	12.3
Agree	2	262	25.5
Disagree	3	490	47.8
Strongly Disagree	4	148	14.4
No response	N	7	.
Logical skip	S	0	.

KA1B: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

KA1C	
LABEL	Methadone is harder to withdraw from than opioids?
TYPE	num
LENGTH	8
VARNUM	255

KA1C: Distribution	Value	n	%
Agree Strongly	1	397	38.7
Agree	2	360	35.1
Disagree	3	220	21.4
Strongly Disagree	4	50	4.9
No response	N	6	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

KA1D	
LABEL	Being on methadone is the same as being addicted to opioids?
TYPE	num
LENGTH	8
VARNUM	256

KA1D: Distribution	Value	n	%
Agree Strongly	1	142	13.8
Agree	2	259	25.2
Disagree	3	365	35.6
Strongly Disagree	4	260	25.3
No response	N	7	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

KA1E	
LABEL	Buprenorphine is expensive?
TYPE	num
LENGTH	8
VARNUM	257

KA1E: Distribution	Value	n	%
Agree Strongly	1	213	20.7
Agree	2	402	39.0
Disagree	3	313	30.4
Strongly Disagree	4	103	10.0
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

KA1F	
LABEL	Buprenorphine treatment is hard to get?
TYPE	num
LENGTH	8
VARNUM	258

KA1F: Distribution	Value	n	%
Agree Strongly	1	106	10.3
Agree	2	258	25.0
Disagree	3	495	48.1
Strongly Disagree	4	171	16.6
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

KA1G	
LABEL	Buprenorphine is harder to withdraw from than opioids?
TYPE	num
LENGTH	8
VARNUM	259

KA1G: Distribution	Value	n	%
Agree Strongly	1	132	12.9
Agree	2	311	30.3
Disagree	3	474	46.2
Strongly Disagree	4	110	10.7
No response	N	6	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

KA1H	
LABEL	Being on buprenorphine is the same as being addicted to opioids?
TYPE	num
LENGTH	8
VARNUM	260

KA1H: Distribution	Value	n	%
Agree Strongly	1	68	6.6
Agree	2	193	18.8
Disagree	3	436	42.4
Strongly Disagree	4	332	32.3
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

KA1I	
LABEL	Naltrexone is expensive?
TYPE	num
LENGTH	8
VARNUM	261

KA1I: Distribution	Value	n	%
Agree Strongly	1	123	12.0
Agree	2	380	37.0

KA1I: Distribution	Value	n	%
Disagree	3	394	38.3
Strongly Disagree	4	131	12.7
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

KA1J	
LABEL	Naltrexone is hard to get?
TYPE	num
LENGTH	8
VARNUM	262

KA1J: Distribution	Value	n	%
Agree Strongly	1	113	11.0
Agree	2	314	30.6
Disagree	3	455	44.4
Strongly Disagree	4	143	14.0
No response	N	8	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

KA1K	
LABEL	Naltrexone is harder to withdraw from than opioids?
TYPE	num
LENGTH	8
VARNUM	263

KA1K: Distribution	Value	n	%
Agree Strongly	1	70	6.8
Agree	2	234	22.9
Disagree	3	548	53.5
Strongly Disagree	4	172	16.8
No response	N	9	.
Logical skip	S	0	.

KA1K: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

KA1L	
LABEL	Being on naltrexone is the same as being addicted to opioids?
TYPE	num
LENGTH	8
VARNUM	264

KA1L: Distribution	Value	n	%
Agree Strongly	1	49	4.8
Agree	2	159	15.5
Disagree	3	501	48.7
Strongly Disagree	4	319	31.0
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

SA1	
LABEL	During the past 12 months, how many months did you receive your INDEX treatment? (Enter a number from 1 to 12. If less than one month, enter 0.)
TYPE	num
LENGTH	8
VARNUM	265

SA1: Distribution	Value	n	%
0	0	68	6.6
1	1	45	4.4
2	2	25	2.4
3	3	35	3.4
4	4	26	2.5
5	5	24	2.3
6	6	48	4.6
7	7	17	1.6
8	8	16	1.5

SA1: Distribution	Value	n	%
9	9	15	1.5
10	10	11	1.1
11	11	23	2.2
12	12	680	65.8
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

SA2	
LABEL	How many days per month did you typically spend receiving treatment at [FACILITY]? (Consider all types of treatment received. If none, enter 0)
TYPE	num
LENGTH	8
VARNUM	266

SA2: Distribution	Value	n	%
0	0	36	3.7
1	1	58	6.0
2	2	45	4.7
3	3	31	3.2
4	4	100	10.4
5	5	30	3.1
6	6	20	2.1
7	7	10	1.0
8	8	20	2.1
9	9	2	0.2
10	10	14	1.5
11	11	3	0.3
12	12	28	2.9
14	14	2	0.2
15	15	18	1.9
16	16	4	0.4
18	18	3	0.3
19	19	1	0.1
20	20	29	3.0
21	21	4	0.4

SA2: Distribution	Value	n	%
22	22	4	0.4
23	23	5	0.5
24	24	16	1.7
25	25	15	1.6
26	26	22	2.3
27	27	9	0.9
28	28	12	1.2
29	29	6	0.6
30	30	418	43.3
No response	N	0	.
Logical skip	S	68	.
Missing survey	Z	941	.
		1974	100.0

SA3	
LABEL	Of those days, how many days included counseling sessions (either individual or group)? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	267

SA3: Distribution	Value	n	%
0	0	106	11.0
1	1	179	18.5
2	2	160	16.6
3	3	66	6.8
4	4	219	22.7
5	5	52	5.4
6	6	28	2.9
7	7	12	1.2
8	8	44	4.6
9	9	1	0.1
10	10	14	1.5
11	11	1	0.1
12	12	10	1.0
13	13	2	0.2
14	14	4	0.4

SA3: Distribution	Value	n	%
15	15	24	2.5
16	16	3	0.3
18	18	2	0.2
19	19	1	0.1
20	20	11	1.1
21	21	3	0.3
23	23	1	0.1
24	24	3	0.3
25	25	2	0.2
26	26	1	0.1
28	28	2	0.2
29	29	1	0.1
30	30	13	1.3
No response	N	0	.
Logical skip	S	68	.
Missing survey	Z	941	.
		1974	100.0

SA7	
LABEL	How many dollars did you typically spend traveling to get there? (Add up costs for both ways. Include gas costs, bus fees, etc.)
TYPE	num
LENGTH	8
VARNUM	268

SA7: Distribution	Value	n	%
0	0	149	15.5
1	1	8	0.8
2	2	20	2.1
3	3	27	2.8
4	4	14	1.5
5	5	141	14.6
6	6	40	4.2
7	7	18	1.9
8	8	13	1.3
9	9	2	0.2
10	10	151	15.7

SA7: Distribution	Value	n	%
11	11	2	0.2
12	12	4	0.4
15	15	43	4.5
16	16	1	0.1
17	17	1	0.1
18	18	4	0.4
19	19	1	0.1
20	20	106	11.0
22	22	1	0.1
25	25	14	1.5
29	29	1	0.1
30	30	27	2.8
31	31	1	0.1
32	32	2	0.2
34	34	1	0.1
35	35	5	0.5
40	40	26	2.7
45	45	6	0.6
50	50	34	3.5
60	60	8	0.8
65	65	2	0.2
75	75	3	0.3
80	80	5	0.5
84	84	1	0.1
90	90	2	0.2
100	100	22	2.3
120	120	4	0.4
125	125	1	0.1
130	130	1	0.1
140	140	1	0.1
149	149	1	0.1
150	150	5	0.5
155	155	1	0.1
160	160	4	0.4
162	162	1	0.1
168	168	1	0.1
180	180	1	0.1
200	200	4	0.4

SA7: Distribution	Value	n	%
240	240	2	0.2
300	300	4	0.4
350	350	1	0.1
400	400	2	0.2
500	500	5	0.5
550	550	6	0.6
575	575	1	0.1
700	700	1	0.1
720	720	1	0.1
750	750	1	0.1
900	900	1	0.1
999	999	7	0.7
No response	N	2	.
Logical skip	S	68	.
Missing survey	Z	941	.
		1974	100.0

SA8	
LABEL	How many dollars were you typically charged for fees and copayments for a treatment visit?
TYPE	num
LENGTH	8
VARNUM	269

SA8: Distribution	Value	n	%
0	0	647	67.0
1	1	6	0.6
2	2	3	0.3
3	3	26	2.7
4	4	3	0.3
5	5	7	0.7
6	6	3	0.3
7	7	10	1.0
9	9	4	0.4
10	10	13	1.3
11	11	1	0.1
12	12	5	0.5
13	13	14	1.5

SA8: Distribution	Value	n	%
14	14	5	0.5
15	15	33	3.4
16	16	6	0.6
17	17	22	2.3
18	18	1	0.1
20	20	17	1.8
22	22	1	0.1
23	23	1	0.1
25	25	5	0.5
28	28	1	0.1
29	29	1	0.1
30	30	4	0.4
32	32	1	0.1
35	35	4	0.4
40	40	7	0.7
45	45	2	0.2
49	49	1	0.1
50	50	6	0.6
55	55	1	0.1
60	60	3	0.3
65	65	6	0.6
70	70	5	0.5
75	75	2	0.2
80	80	1	0.1
90	90	2	0.2
91	91	4	0.4
97	97	1	0.1
99	99	1	0.1
100	100	14	1.5
112	112	1	0.1
115	115	4	0.4
120	120	1	0.1
125	125	1	0.1
130	130	3	0.3
135	135	1	0.1
144	144	1	0.1
148	148	1	0.1
150	150	7	0.7

SA8: Distribution	Value	n	%
155	155	1	0.1
160	160	2	0.2
170	170	1	0.1
175	175	2	0.2
180	180	1	0.1
196	196	1	0.1
200	200	3	0.3
210	210	1	0.1
234	234	1	0.1
243	243	2	0.2
247	247	1	0.1
260	260	1	0.1
275	275	1	0.1
300	300	3	0.3
336	336	1	0.1
350	350	1	0.1
364	364	2	0.2
365	365	1	0.1
380	380	2	0.2
396	396	1	0.1
400	400	5	0.5
450	450	2	0.2
500	500	3	0.3
560	560	2	0.2
1000	1000	1	0.1
1500	1500	1	0.1
1650	1650	1	0.1
6000	6000	1	0.1
No response	N	0	.
Logical skip	S	68	.
Missing survey	Z	941	.
		1974	100.0

SA9	
LABEL	Over the past 90 days, how many days did you spend receiving your INDEX treatment at [FACILITY]? (Consider all types of treatment received directly at [FACILITY]. If none, enter 0)
TYPE	num

SA9	
LENGTH	8
VARNUM	270

SA9: Distribution	Value	n	%
0	0	80	10.6
1	1	18	2.4
2	2	17	2.2
3	3	57	7.5
4	4	26	3.4
5	5	10	1.3
6	6	35	4.6
7	7	7	0.9
8	8	5	0.7
9	9	8	1.1
10	10	3	0.4
11	11	1	0.1
12	12	39	5.1
13	13	2	0.3
14	14	2	0.3
15	15	12	1.6
16	16	3	0.4
18	18	3	0.4
19	19	1	0.1
20	20	4	0.5
21	21	1	0.1
22	22	1	0.1
23	23	1	0.1
24	24	10	1.3
25	25	3	0.4
26	26	4	0.5
27	27	3	0.4
28	28	2	0.3
29	29	2	0.3
30	30	81	10.7
31	31	1	0.1
36	36	6	0.8
37	37	1	0.1

SA9: Distribution	Value	n	%
38	38	1	0.1
45	45	5	0.7
50	50	3	0.4
51	51	1	0.1
53	53	2	0.3
54	54	1	0.1
55	55	1	0.1
59	59	1	0.1
60	60	8	1.1
65	65	1	0.1
70	70	4	0.5
72	72	3	0.4
74	74	1	0.1
75	75	6	0.8
78	78	5	0.7
80	80	10	1.3
84	84	2	0.3
85	85	4	0.5
86	86	1	0.1
87	87	3	0.4
88	88	1	0.1
89	89	1	0.1
90	90	244	32.2
No response	N	0	.
Logical skip	S	275	.
Missing survey	Z	941	.
		1974	100.0

SA10	
LABEL	Of those days, how many days did you spend in counseling sessions (either individual or group) at [FACILITY]?
TYPE	num
LENGTH	8
VARNUM	271

SA10: Distribution	Value	n	%
0	0	59	8.7

SA10: Distribution	Value	n	%
1	1	62	9.1
2	2	74	10.9
3	3	121	17.8
4	4	74	10.9
5	5	22	3.2
6	6	72	10.6
7	7	5	0.7
8	8	21	3.1
9	9	14	2.1
10	10	17	2.5
12	12	64	9.4
13	13	1	0.1
15	15	18	2.7
16	16	3	0.4
18	18	5	0.7
19	19	1	0.1
20	20	8	1.2
22	22	1	0.1
24	24	6	0.9
25	25	4	0.6
29	29	1	0.1
30	30	11	1.6
35	35	2	0.3
40	40	1	0.1
50	50	2	0.3
60	60	4	0.6
70	70	1	0.1
90	90	4	0.6
No response	N	0	.
Logical skip	S	355	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC1_1	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Acupuncturist?
TYPE	num

AC1_1	
LENGTH	8
VARNUM	272

AC1_1: Distribution	Value	n	%
No	0	991	96.2
Yes	1	39	3.8
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

AC1_2	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Herbalist?
TYPE	num
LENGTH	8
VARNUM	273

AC1_2: Distribution	Value	n	%
No	0	1021	99.1
Yes	1	9	0.9
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

AC1_3	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Homeopath?
TYPE	num
LENGTH	8
VARNUM	274

AC1_3: Distribution	Value	n	%
No	0	1022	99.2
Yes	1	8	0.8

AC1_3: Distribution	Value	n	%
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC1_4	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Hypnotist?
TYPE	num
LENGTH	8
VARNUM	275

AC1_4: Distribution	Value	n	%
No	0	1027	99.7
Yes	1	3	0.3
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC1_5	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Naturopath?
TYPE	num
LENGTH	8
VARNUM	276

AC1_5: Distribution	Value	n	%
No	0	1020	99.0
Yes	1	10	1.0
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC1_6	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Massage Therapist?
TYPE	num
LENGTH	8
VARNUM	277

AC1_6: Distribution	Value	n	%
No	0	976	94.8
Yes	1	54	5.2
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

AC1_7	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Religious Practitioner?
TYPE	num
LENGTH	8
VARNUM	278

AC1_7: Distribution	Value	n	%
No	0	995	96.6
Yes	1	35	3.4
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

AC1_8	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Yoga Practitioner?
TYPE	num
LENGTH	8
VARNUM	279

AC1_8: Distribution	Value	n	%
No	0	994	96.5
Yes	1	36	3.5
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC1_9	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Physical therapist?
TYPE	num
LENGTH	8
VARNUM	280

AC1_9: Distribution	Value	n	%
No	0	958	93.0
Yes	1	72	7.0
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC1_10	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Exercise coach?
TYPE	num
LENGTH	8
VARNUM	281

AC1_10: Distribution	Value	n	%
No	0	1005	97.6
Yes	1	25	2.4
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC1_11	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? Other?
TYPE	num
LENGTH	8
VARNUM	282

AC1_11: Distribution	Value	n	%
No	0	944	91.7
Yes	1	86	8.3
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

AC1_12	
LABEL	During the past 12 months, have you received treatment from any of the following health professionals? None of the above?
TYPE	num
LENGTH	8
VARNUM	283

AC1_12: Distribution	Value	n	%
No	0	227	22.0
Yes	1	803	78.0
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

AC2_1_R1	
LABEL	Why did you see an acupuncturist? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	284

AC2_1_R1: Distribution	Value	n	%
No	0	13	33.3
Yes	1	26	66.7
No response	N	3	.
Logical skip	S	991	.
Missing survey	Z	941	.
		1974	100.0

AC2_2_R1	
LABEL	Why did you see an acupuncturist? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	285

AC2_2_R1: Distribution	Value	n	%
No	0	22	56.4
Yes	1	17	43.6
No response	N	3	.
Logical skip	S	991	.
Missing survey	Z	941	.
		1974	100.0

AC2_3_R1	
LABEL	Why did you see an acupuncturist? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	286

AC2_3_R1: Distribution	Value	n	%
No	0	23	59.0
Yes	1	16	41.0
No response	N	3	.
Logical skip	S	991	.
Missing survey	Z	941	.
		1974	100.0

AC2_4_R1	
LABEL	Why did you see an acupuncturist? Other reason?
TYPE	num
LENGTH	8
VARNUM	287

AC2_4_R1: Distribution	Value	n	%
No	0	33	84.6
Yes	1	6	15.4
No response	N	3	.
Logical skip	S	991	.
Missing survey	Z	941	.
		1974	100.0

AC2_1_R6	
LABEL	Why did you see a massage therapist? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	288

AC2_1_R6: Distribution	Value	n	%
No	0	19	35.2
Yes	1	35	64.8
No response	N	3	.
Logical skip	S	976	.
Missing survey	Z	941	.
		1974	100.0

AC2_2_R6	
LABEL	Why did you see a massage therapist? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	289

AC2_2_R6: Distribution	Value	n	%
No	0	47	87.0

AC2_2_R6: Distribution	Value	n	%
Yes	1	7	13.0
No response	N	3	.
Logical skip	S	976	.
Missing survey	Z	941	.
		1974	100.0

AC2_3_R6	
LABEL	Why did you see a massage therapist? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	290

AC2_3_R6: Distribution	Value	n	%
No	0	27	50.0
Yes	1	27	50.0
No response	N	3	.
Logical skip	S	976	.
Missing survey	Z	941	.
		1974	100.0

AC2_4_R6	
LABEL	Why did you see a massage therapist? Other reason?
TYPE	num
LENGTH	8
VARNUM	291

AC2_4_R6: Distribution	Value	n	%
No	0	46	85.2
Yes	1	8	14.8
No response	N	3	.
Logical skip	S	976	.
Missing survey	Z	941	.
		1974	100.0

AC2_1_R7	
LABEL	Why did you see a religious practitioner? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	292

AC2_1_R7: Distribution	Value	n	%
No	0	31	88.6
Yes	1	4	11.4
No response	N	3	.
Logical skip	S	995	.
Missing survey	Z	941	.
		1974	100.0

AC2_2_R7	
LABEL	Why did you see a religious practitioner? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	293

AC2_2_R7: Distribution	Value	n	%
No	0	20	57.1
Yes	1	15	42.9
No response	N	3	.
Logical skip	S	995	.
Missing survey	Z	941	.
		1974	100.0

AC2_3_R7	
LABEL	Why did you see a religious practitioner? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	294

AC2_3_R7: Distribution	Value	n	%
No	0	13	37.1

AC2_3_R7: Distribution	Value	n	%
Yes	1	22	62.9
No response	N	3	.
Logical skip	S	995	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC2_4_R7	
LABEL	Why did you see a religious practitioner? Other reason?
TYPE	num
LENGTH	8
VARNUM	295

AC2_4_R7: Distribution	Value	n	%
No	0	27	77.1
Yes	1	8	22.9
No response	N	3	.
Logical skip	S	995	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC2_1_R8	
LABEL	Why did you see a yoga practitioner? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	296

AC2_1_R8: Distribution	Value	n	%
No	0	25	71.4
Yes	1	10	28.6
No response	N	4	.
Logical skip	S	994	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC2_2_R8	
LABEL	Why did you see a yoga practitioner? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	297

AC2_2_R8: Distribution	Value	n	%
No	0	21	60.0
Yes	1	14	40.0
No response	N	4	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

AC2_3_R8	
LABEL	Why did you see a yoga practitioner? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	298

AC2_3_R8: Distribution	Value	n	%
No	0	8	22.9
Yes	1	27	77.1
No response	N	4	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

AC2_4_R8	
LABEL	Why did you see a yoga practitioner? Other reason?
TYPE	num
LENGTH	8
VARNUM	299

AC2_4_R8: Distribution	Value	n	%
No	0	27	77.1

AC2_4_R8: Distribution	Value	n	%
Yes	1	8	22.9
No response	N	4	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

AC2_1_R9	
LABEL	Why did you see a physical therapist? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	300

AC2_1_R9: Distribution	Value	n	%
No	0	24	33.3
Yes	1	48	66.7
No response	N	3	.
Logical skip	S	958	.
Missing survey	Z	941	.
		1974	100.0

AC2_2_R9	
LABEL	Why did you see a physical therapist? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	301

AC2_2_R9: Distribution	Value	n	%
No	0	68	94.4
Yes	1	4	5.6
No response	N	3	.
Logical skip	S	958	.
Missing survey	Z	941	.
		1974	100.0

AC2_3_R9	
LABEL	Why did you see a physical therapist? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	302

AC2_3_R9: Distribution	Value	n	%
No	0	47	65.3
Yes	1	25	34.7
No response	N	3	.
Logical skip	S	958	.
Missing survey	Z	941	.
		1974	100.0

AC2_4_R9	
LABEL	Why did you see a physical therapist? Other reason?
TYPE	num
LENGTH	8
VARNUM	303

AC2_4_R9: Distribution	Value	n	%
No	0	51	70.8
Yes	1	21	29.2
No response	N	3	.
Logical skip	S	958	.
Missing survey	Z	941	.
		1974	100.0

AC2_1_R10	
LABEL	Why did you see an exercise coach? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	304

AC2_1_R10: Distribution	Value	n	%
No	0	22	88.0

AC2_1_R10: Distribution	Value	n	%
Yes	1	3	12.0
No response	N	3	.
Logical skip	S	1005	.
Missing survey	Z	941	.
		1974	100.0

AC2_2_R10	
LABEL	Why did you see an exercise coach? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	305

AC2_2_R10: Distribution	Value	n	%
No	0	16	64.0
Yes	1	9	36.0
No response	N	3	.
Logical skip	S	1005	.
Missing survey	Z	941	.
		1974	100.0

AC2_3_R10	
LABEL	Why did you see an exercise coach? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	306

AC2_3_R10: Distribution	Value	n	%
No	0	6	24.0
Yes	1	19	76.0
No response	N	3	.
Logical skip	S	1005	.
Missing survey	Z	941	.
		1974	100.0

AC2_4_R10	
LABEL	Why did you see an exercise coach? Other reason?
TYPE	num
LENGTH	8
VARNUM	307

AC2_4_R10: Distribution	Value	n	%
No	0	19	76.0
Yes	1	6	24.0
No response	N	3	.
Logical skip	S	1005	.
Missing survey	Z	941	.
		1974	100.0

AC2_1_R11	
LABEL	Why did you see other health professionals? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	308

AC2_1_R11: Distribution	Value	n	%
No	0	62	72.1
Yes	1	24	27.9
No response	N	3	.
Logical skip	S	944	.
Missing survey	Z	941	.
		1974	100.0

AC2_2_R11	
LABEL	Why did you see other health professionals? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	309

AC2_2_R11: Distribution	Value	n	%
No	0	56	65.1

AC2_2_R11: Distribution	Value	n	%
Yes	1	30	34.9
No response	N	3	.
Logical skip	S	944	.
Missing survey	Z	941	.
		1974	100.0

AC2_3_R11	
LABEL	Why did you see other health professionals? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	310

AC2_3_R11: Distribution	Value	n	%
No	0	44	51.2
Yes	1	42	48.8
No response	N	3	.
Logical skip	S	944	.
Missing survey	Z	941	.
		1974	100.0

AC2_4_R11	
LABEL	Why did you see other health professionals? Other reason?
TYPE	num
LENGTH	8
VARNUM	311

AC2_4_R11: Distribution	Value	n	%
No	0	56	65.1
Yes	1	30	34.9
No response	N	3	.
Logical skip	S	944	.
Missing survey	Z	941	.
		1974	100.0

AC3_R1	
LABEL	How effective was this treatment? Acupuncturist
TYPE	num
LENGTH	8
VARNUM	312

AC3_R1: Distribution	Value	n	%
Very effective	1	15	38.5
Somewhat effective	2	16	41.0
Not very effective	3	8	20.5
No response	N	3	.
Logical skip	S	991	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC3_R6	
LABEL	How effective was this treatment? Massage therapist
TYPE	num
LENGTH	8
VARNUM	313

AC3_R6: Distribution	Value	n	%
Very effective	1	31	57.4
Somewhat effective	2	21	38.9
Not very effective	3	2	3.7
No response	N	3	.
Logical skip	S	976	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC3_R7	
LABEL	How effective was this treatment? Religious practitioner
TYPE	num
LENGTH	8
VARNUM	314

AC3_R7: Distribution	Value	n	%
Very effective	1	14	40.0
Somewhat effective	2	20	57.1
Not very effective	3	1	2.9
No response	N	3	.
Logical skip	S	995	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC3_R8	
LABEL	How effective was this treatment? Yoga practitioner
TYPE	num
LENGTH	8
VARNUM	315

AC3_R8: Distribution	Value	n	%
Very effective	1	21	58.3
Somewhat effective	2	14	38.9
Not very effective	3	1	2.8
No response	N	3	.
Logical skip	S	994	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

AC3_R9	
LABEL	How effective was this treatment? Physical therapist
TYPE	num
LENGTH	8
VARNUM	316

AC3_R9: Distribution	Value	n	%
Very effective	1	33	45.8
Somewhat effective	2	27	37.5
Not very effective	3	12	16.7
No response	N	3	.
Logical skip	S	958	.

AC3_R9: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

AC3_R10	
LABEL	How effective was this treatment? Exercise coach
TYPE	num
LENGTH	8
VARNUM	317

AC3_R10: Distribution	Value	n	%
Very effective	1	15	60.0
Somewhat effective	2	10	40.0
Not very effective	3	0	.
No response	N	3	.
Logical skip	S	1005	.
Missing survey	Z	941	.
		1974	100.0

AC3_R11	
LABEL	How effective was this treatment? Other
TYPE	num
LENGTH	8
VARNUM	318

AC3_R11: Distribution	Value	n	%
Very effective	1	47	54.7
Somewhat effective	2	32	37.2
Not very effective	3	7	8.1
No response	N	3	.
Logical skip	S	944	.
Missing survey	Z	941	.
		1974	100.0

AC4_R1	
LABEL	Did your health insurance help cover the cost of an acupuncturist?

AC4_R1	
TYPE	num
LENGTH	8
VARNUM	319

AC4_R1: Distribution	Value	n	%
Yes	1	26	68.4
No	2	7	18.4
I don't know	3	4	10.5
I don't have health insurance	4	1	2.6
No response	N	4	.
Logical skip	S	991	.
Missing survey	Z	941	.
		1974	100.0

AC4_R6	
LABEL	Did your health insurance help cover the cost of a massage therapist?
TYPE	num
LENGTH	8
VARNUM	320

AC4_R6: Distribution	Value	n	%
Yes	1	10	18.5
No	2	39	72.2
I don't know	3	0	.
I don't have health insurance	4	5	9.3
No response	N	3	.
Logical skip	S	976	.
Missing survey	Z	941	.
		1974	100.0

AC4_R7	
LABEL	Did your health insurance help cover the cost of a religious practitioner?
TYPE	num
LENGTH	8
VARNUM	321

AC4_R7: Distribution	Value	n	%
Yes	1	3	8.6
No	2	22	62.9
I don't know	3	5	14.3
I don't have health insurance	4	5	14.3
No response	N	3	.
Logical skip	S	995	.
Missing survey	Z	941	.
		1974	100.0

AC4_R8	
LABEL	Did your health insurance help cover the cost of a yoga practitioner?
TYPE	num
LENGTH	8
VARNUM	322

AC4_R8: Distribution	Value	n	%
Yes	1	7	19.4
No	2	23	63.9
I don't know	3	4	11.1
I don't have health insurance	4	2	5.6
No response	N	3	.
Logical skip	S	994	.
Missing survey	Z	941	.
		1974	100.0

AC4_R9	
LABEL	Did your health insurance help cover the cost of a physical therapist?
TYPE	num
LENGTH	8
VARNUM	323

AC4_R9: Distribution	Value	n	%
Yes	1	54	75.0
No	2	10	13.9
I don't know	3	4	5.6

AC4_R9: Distribution	Value	n	%
I don't have health insurance	4	4	5.6
No response	N	3	.
Logical skip	S	958	.
Missing survey	Z	941	.
		1974	100.0

AC4_R10	
LABEL	Did your health insurance help cover the cost of an exercise coach?
TYPE	num
LENGTH	8
VARNUM	324

AC4_R10: Distribution	Value	n	%
Yes	1	8	32.0
No	2	13	52.0
I don't know	3	2	8.0
I don't have health insurance	4	2	8.0
No response	N	3	.
Logical skip	S	1005	.
Missing survey	Z	941	.
		1974	100.0

AC4_R11	
LABEL	Did your health insurance help cover the cost of other health professionals?
TYPE	num
LENGTH	8
VARNUM	325

AC4_R11: Distribution	Value	n	%
Yes	1	58	67.4
No	2	21	24.4
I don't know	3	2	2.3
I don't have health insurance	4	5	5.8
No response	N	3	.
Logical skip	S	944	.

AC4_R11: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

DW4	
LABEL	Over the past 12 months, how many times did you go through medically supervised opioid detox? If none, enter 0
TYPE	num
LENGTH	8
VARNUM	326

DW4: Distribution	Value	n	%
0	0	891	86.3
1	1	79	7.7
2	2	33	3.2
3	3	9	0.9
4	4	7	0.7
5	5	1	0.1
6	6	5	0.5
7	7	2	0.2
9	9	1	0.1
12	12	3	0.3
30	30	1	0.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

DW5	
LABEL	Over the past 90 days, how many times did you go through medically supervised opioid detox? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	327

DW5: Distribution	Value	n	%
0	0	94	66.7

DW5: Distribution	Value	n	%
1	1	27	19.1
2	2	10	7.1
3	3	3	2.1
4	4	2	1.4
6	6	1	0.7
7	7	1	0.7
9	9	1	0.7
12	12	1	0.7
30	30	1	0.7
No response	N	1	.
Logical skip	S	891	.
Missing survey	Z	941	.
		1974	100.0

HS3	
LABEL	Over the past 12 months, how many nights did you spend in a hospital? If none, enter 0
TYPE	num
LENGTH	8
VARNUM	328

HS3: Distribution	Value	n	%
0	0	861	83.4
1	1	37	3.6
2	2	14	1.4
3	3	25	2.4
4	4	16	1.6
5	5	16	1.6
6	6	7	0.7
7	7	10	1.0
8	8	4	0.4
9	9	1	0.1
10	10	7	0.7
11	11	1	0.1
12	12	3	0.3
13	13	1	0.1
14	14	5	0.5
15	15	8	0.8

HS3: Distribution	Value	n	%
20	20	2	0.2
21	21	2	0.2
25	25	1	0.1
27	27	1	0.1
29	29	1	0.1
30	30	2	0.2
35	35	1	0.1
40	40	2	0.2
42	42	1	0.1
45	45	2	0.2
150	150	1	0.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

HS3A	
LABEL	How many of those nights were related to injuries or conditions resulting from opioid addiction?
TYPE	num
LENGTH	8
VARNUM	329

HS3A: Distribution	Value	n	%
0	0	110	64.3
1	1	15	8.8
2	2	3	1.8
3	3	9	5.3
4	4	6	3.5
5	5	5	2.9
6	6	3	1.8
7	7	4	2.3
8	8	2	1.2
10	10	4	2.3
12	12	1	0.6
14	14	1	0.6
15	15	2	1.2

HS3A: Distribution	Value	n	%
20	20	1	0.6
27	27	1	0.6
28	28	1	0.6
30	30	1	0.6
35	35	1	0.6
45	45	1	0.6
No response	N	1	.
Logical skip	S	861	.
Missing survey	Z	941	.
		1974	100.0

HS4	
LABEL	Over the past 90 days, how many nights did you spend in a hospital? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	330

HS4: Distribution	Value	n	%
0	0	88	52.1
1	1	17	10.1
2	2	6	3.6
3	3	13	7.7
4	4	9	5.3
5	5	13	7.7
6	6	3	1.8
7	7	6	3.6
8	8	1	0.6
9	9	1	0.6
10	10	2	1.2
11	11	1	0.6
12	12	2	1.2
13	13	1	0.6
14	14	2	1.2
15	15	1	0.6
20	20	1	0.6
30	30	1	0.6
45	45	1	0.6

HS4: Distribution	Value	n	%
No response	N	3	.
Logical skip	S	861	.
Missing survey	Z	941	.
		1974	100.0

HS4A	
LABEL	How many of those nights were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	331

HS4A: Distribution	Value	n	%
0	0	46	56.8
1	1	9	11.1
2	2	3	3.7
3	3	6	7.4
4	4	4	4.9
5	5	6	7.4
6	6	2	2.5
7	7	3	3.7
10	10	1	1.2
20	20	1	1.2
No response	N	3	.
Logical skip	S	949	.
Missing survey	Z	941	.
		1974	100.0

ED3	
LABEL	Over the past 12 months, how many times did you go to the Emergency Department? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	332

ED3: Distribution	Value	n	%
0	0	754	73.0
1	1	119	11.5
2	2	79	7.6
3	3	38	3.7
4	4	15	1.5
5	5	10	1.0
6	6	5	0.5
7	7	2	0.2
8	8	3	0.3
9	9	2	0.2
10	10	3	0.3
11	11	1	0.1
12	12	1	0.1
30	30	1	0.1
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

ED3A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	333

ED3A: Distribution	Value	n	%
0	0	210	75.3
1	1	45	16.1
2	2	9	3.2
3	3	6	2.2
4	4	2	0.7
5	5	3	1.1
7	7	2	0.7
8	8	1	0.4
10	10	1	0.4
No response	N	0	.

ED3A: Distribution	Value	n	%
Logical skip	S	754	.
Missing survey	Z	941	.
		1974	100.0

ED4	
LABEL	Over the past 90 days, how many times did you go to the Emergency Department? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	334

ED4: Distribution	Value	n	%
0	0	140	50.2
1	1	76	27.2
2	2	35	12.5
3	3	12	4.3
4	4	3	1.1
5	5	7	2.5
6	6	3	1.1
7	7	1	0.4
8	8	2	0.7
No response	N	0	.
Logical skip	S	754	.
Missing survey	Z	941	.
		1974	100.0

ED4A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	335

ED4A: Distribution	Value	n	%
0	0	104	74.8
1	1	21	15.1

ED4A: Distribution	Value	n	%
2	2	5	3.6
3	3	2	1.4
4	4	2	1.4
5	5	1	0.7
6	6	1	0.7
7	7	1	0.7
8	8	1	0.7
10	10	1	0.7
No response	N	0	.
Logical skip	S	894	.
Missing survey	Z	941	.
		1974	100.0

SH1	
LABEL	Have you ever attended a self-help group, like Alcoholics or Narcotics Anonymous?
TYPE	num
LENGTH	8
VARNUM	336

SH1: Distribution	Value	n	%
Yes	1	706	68.3
No	2	327	31.7
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

SH4	
LABEL	Over the past 90 days, how many times did you attend a self-help group, like Alcoholics or Narcotics Anonymous?
TYPE	num
LENGTH	8
VARNUM	337

SH4: Distribution	Value	n	%
Never	1	298	42.2

SH4: Distribution	Value	n	%
Less than once a week	2	140	19.8
Once a week	3	115	16.3
More than once a week	4	112	15.9
Every day or almost every day of the week	5	41	5.8
No response	N	0	.
Logical skip	S	327	.
Missing survey	Z	941	.
		1974	100.0

SH5	
LABEL	Over the past 12 months, how many times did you attend a self-help group, like Alcoholics or Narcotics Anonymous?
TYPE	num
LENGTH	8
VARNUM	338

SH5: Distribution	Value	n	%
Never	1	205	29.1
Less than once a week	2	205	29.1
Once a week	3	120	17.0
More than once a week	4	138	19.6
Every day or almost every day of the week	5	36	5.1
No response	N	2	.
Logical skip	S	327	.
Missing survey	Z	941	.
		1974	100.0

PC3	
LABEL	Over the past 90 days, how many times did you visit a primary care provider? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	339

PC3: Distribution	Value	n	%
0	0	465	45.1
1	1	190	18.4
2	2	121	11.7
3	3	131	12.7
4	4	43	4.2
5	5	27	2.6
6	6	17	1.6
7	7	6	0.6
8	8	6	0.6
9	9	1	0.1
10	10	8	0.8
12	12	8	0.8
15	15	2	0.2
20	20	2	0.2
21	21	1	0.1
29	29	1	0.1
50	50	1	0.1
90	90	2	0.2
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PC3A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	340

PC3A: Distribution	Value	n	%
0	0	481	85.0
1	1	32	5.7
2	2	16	2.8
3	3	19	3.4
4	4	4	0.7
5	5	3	0.5

PC3A: Distribution	Value	n	%
6	6	4	0.7
7	7	1	0.2
8	8	1	0.2
10	10	2	0.4
12	12	1	0.2
50	50	1	0.2
90	90	1	0.2
No response	N	2	.
Logical skip	S	465	.
Missing survey	Z	941	.
		1974	100.0

PC4	
LABEL	Over the past 12 months, how many times did you visit a primary care provider? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	341

PC4: Distribution	Value	n	%
0	0	362	35.0
1	1	129	12.5
2	2	122	11.8
3	3	116	11.2
4	4	77	7.5
5	5	37	3.6
6	6	33	3.2
7	7	9	0.9
8	8	12	1.2
9	9	11	1.1
10	10	22	2.1
11	11	2	0.2
12	12	52	5.0
13	13	1	0.1
14	14	3	0.3
15	15	11	1.1
16	16	4	0.4

PC4: Distribution	Value	n	%
18	18	1	0.1
20	20	3	0.3
22	22	1	0.1
23	23	1	0.1
24	24	3	0.3
25	25	3	0.3
26	26	4	0.4
30	30	3	0.3
36	36	1	0.1
40	40	2	0.2
50	50	3	0.3
57	57	1	0.1
60	60	1	0.1
90	90	1	0.1
220	220	1	0.1
365	365	1	0.1
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PC4A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	342

PC4A: Distribution	Value	n	%
0	0	551	82.4
1	1	33	4.9
2	2	19	2.8
3	3	17	2.5
4	4	10	1.5
5	5	8	1.2
6	6	3	0.4
7	7	1	0.1

PC4A: Distribution	Value	n	%
8	8	2	0.3
9	9	3	0.4
12	12	14	2.1
13	13	1	0.1
16	16	1	0.1
20	20	2	0.3
24	24	1	0.1
25	25	1	0.1
26	26	1	0.1
28	28	1	0.1
No response	N	2	.
Logical skip	S	362	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

LM1	
LABEL	Which best describes your current work situation?
TYPE	num
LENGTH	8
VARNUM	343

LM1: Distribution	Value	n	%
Employed/Self-employed	1	349	33.8
Unemployed and looking for work	2	260	25.2
Unemployed and not looking for work	3	47	4.5
Full-time homemaker	4	59	5.7
In school or training program	5	25	2.4
Retired	6	11	1.1
Disabled, unable to work	7	221	21.4
Other	8	61	5.9
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

LM1A	
LABEL	Were you employed at any point in the past 12 months?
TYPE	num
LENGTH	8
VARNUM	344

LM1A: Distribution	Value	n	%
Yes	1	232	33.9
No	2	427	62.4
No Answer	3	25	3.7
No response	N	0	.
Logical skip	S	349	.
Missing survey	Z	941	.
		1974	100.0

LM2	
LABEL	How long have you been/were you employed at your primary job?
TYPE	num
LENGTH	8
VARNUM	345

LM2: Distribution	Value	n	%
Less than a month	1	50	8.6
Less than a year	2	292	50.3
More than a year	3	239	41.1
No response	N	0	.
Logical skip	S	452	.
Missing survey	Z	941	.
		1974	100.0

LM2_Y	
LABEL	How many years have you been/were you employed at your primary job?
TYPE	num
LENGTH	8
VARNUM	346

LM2_Y: Distribution	Value	n	%
1	1	54	22.6
2	2	61	25.5
3	3	42	17.6
4	4	16	6.7
5	5	16	6.7
6	6	6	2.5
7	7	6	2.5
8	8	2	0.8
9	9	4	1.7
10	10	5	2.1
11	11	3	1.3
12	12	3	1.3
13	13	1	0.4
14	14	2	0.8
15	15	6	2.5
16	16	2	0.8
20	20	1	0.4
24	24	1	0.4
25	25	1	0.4
26	26	1	0.4
27	27	1	0.4
28	28	2	0.8
30	30	1	0.4
38	38	1	0.4
50	50	1	0.4
No response	N	0	.
Logical skip	S	794	.
Missing survey	Z	941	.
		1974	100.0

LM2_M	
LABEL	How many months have you been/were you employed at your primary job?
TYPE	num
LENGTH	8
VARNUM	347

LM2_M: Distribution	Value	n	%
1	1	5	1.7
2	2	30	10.3
3	3	46	15.8
4	4	30	10.3
5	5	28	9.6
6	6	43	14.7
7	7	19	6.5
8	8	35	12.0
9	9	26	8.9
10	10	17	5.8
11	11	13	4.5
No response	N	0	.
Logical skip	S	741	.
Missing survey	Z	941	.
		1974	100.0

LM2_W	
LABEL	How many weeks have you been/were you employed at your primary job?
TYPE	num
LENGTH	8
VARNUM	348

LM2_W: Distribution	Value	n	%
0	0	5	10.0
1	1	9	18.0
2	2	10	20.0
3	3	17	34.0
4	4	9	18.0
No response	N	0	.
Logical skip	S	983	.
Missing survey	Z	941	.
		1974	100.0

LM3	
LABEL	What is/was your wage, salary, or rate of pay at your primary job, before taxes and deductions?

LM3	
TYPE	num
LENGTH	8
VARNUM	349

LM3: Distribution	Value	n	%
1	1	9	1.6
2.13	2.13	7	1.2
2.15	2.15	1	0.2
2.43	2.43	1	0.2
2.45	2.45	1	0.2
2.5	2.5	1	0.2
3.15	3.15	1	0.2
4.15	4.15	1	0.2
4.3	4.3	2	0.3
5	5	2	0.3
7	7	1	0.2
7.25	7.25	2	0.3
8	8	15	2.6
8.5	8.5	3	0.5
8.55	8.55	2	0.3
8.75	8.75	8	1.4
8.9	8.9	1	0.2
9	9	20	3.4
9.35	9.35	1	0.2
9.5	9.5	6	1.0
9.75	9.75	5	0.9
10	10	50	8.6
10.1	10.1	1	0.2
10.15	10.15	1	0.2
10.25	10.25	2	0.3
10.4	10.4	1	0.2
10.45	10.45	1	0.2
10.5	10.5	4	0.7
10.65	10.65	1	0.2
11	11	28	4.8
11.25	11.25	1	0.2
11.4	11.4	1	0.2

LM3: Distribution	Value	n	%
11.47	11.47	1	0.2
11.5	11.5	7	1.2
11.65	11.65	1	0.2
11.75	11.75	4	0.7
11.85	11.85	1	0.2
12	12	43	7.4
12.5	12.5	12	2.1
12.74	12.74	1	0.2
12.75	12.75	2	0.3
13	13	25	4.3
13.5	13.5	10	1.7
13.55	13.55	1	0.2
13.75	13.75	1	0.2
14	14	16	2.8
14.17	14.17	1	0.2
14.35	14.35	1	0.2
14.45	14.45	1	0.2
14.5	14.5	8	1.4
14.65	14.65	1	0.2
15	15	57	9.8
15.45	15.45	1	0.2
15.5	15.5	3	0.5
15.75	15.75	1	0.2
16	16	19	3.3
16.5	16.5	2	0.3
16.65	16.65	1	0.2
16.75	16.75	1	0.2
17	17	10	1.7
17.5	17.5	2	0.3
18	18	17	2.9
18.15	18.15	1	0.2
18.51	18.51	1	0.2
18.75	18.75	1	0.2
18.96	18.96	1	0.2
19	19	5	0.9
20	20	21	3.6
20.86	20.86	1	0.2
21	21	2	0.3

LM3: Distribution	Value	n	%
21.5	21.5	1	0.2
22	22	5	0.9
23	23	4	0.7
24	24	3	0.5
24.03	24.03	1	0.2
25	25	8	1.4
25.69	25.69	1	0.2
26	26	2	0.3
27	27	2	0.3
28	28	1	0.2
29	29	2	0.3
30	30	2	0.3
31	31	1	0.2
32	32	1	0.2
32.5	32.5	1	0.2
35	35	3	0.5
38.5	38.5	1	0.2
38.6	38.6	1	0.2
50	50	2	0.3
53	53	1	0.2
56	56	1	0.2
90	90	1	0.2
100	100	6	1.0
107	107	1	0.2
120	120	1	0.2
125	125	1	0.2
140	140	1	0.2
150	150	2	0.3
160	160	1	0.2
180	180	1	0.2
200	200	4	0.7
250	250	1	0.2
280	280	1	0.2
300	300	4	0.7
350	350	1	0.2
400	400	4	0.7
485	485	1	0.2
500	500	8	1.4

LM3: Distribution	Value	n	%
520	520	1	0.2
545	545	1	0.2
550	550	1	0.2
600	600	6	1.0
625	625	1	0.2
700	700	1	0.2
750	750	1	0.2
800	800	5	0.9
850	850	1	0.2
900	900	1	0.2
999	999	4	0.7
1000	1000	2	0.3
2400	2400	1	0.2
3000	3000	1	0.2
3100	3100	1	0.2
5500	5500	1	0.2
7500	7500	1	0.2
55000	55000	1	0.2
100000	100000	1	0.2
No response	N	1	.
Logical skip	S	452	.
Missing survey	Z	941	.
		1974	100.0

LM3_UNIT	
LABEL	What is/was your wage, salary, or rate of pay at your primary job, before taxes and deductions? In Dollars?
TYPE	num
LENGTH	8
VARNUM	350

LM3_UNIT: Distribution	Value	n	%
Hour	1	481	86.5
Day	2	9	1.6
Week	3	44	7.9
Month	4	12	2.2
Other(Specify)	5	10	1.8

LM3_UNIT: Distribution	Value	n	%
No response	N	25	.
Logical skip	S	452	.
Missing survey	Z	941	.
		1974	100.0

LM4	
LABEL	How many weeks in total did you work at your primary job during the past 12 months? (Include weeks spent on paid leave. Enter a number from 0 to 52.)
TYPE	num
LENGTH	8
VARNUM	351

LM4: Distribution	Value	n	%
0	0	40	6.9
1	1	12	2.1
2	2	10	1.7
3	3	15	2.6
4	4	11	1.9
5	5	5	0.9
6	6	7	1.2
7	7	8	1.4
8	8	23	4.0
9	9	5	0.9
10	10	6	1.0
11	11	3	0.5
12	12	32	5.5
13	13	5	0.9
14	14	4	0.7
15	15	5	0.9
16	16	18	3.1
18	18	3	0.5
19	19	1	0.2
20	20	20	3.4
21	21	1	0.2
22	22	3	0.5
23	23	1	0.2
24	24	23	4.0

LM4: Distribution	Value	n	%
25	25	11	1.9
26	26	7	1.2
28	28	11	1.9
30	30	20	3.4
31	31	1	0.2
32	32	20	3.4
33	33	1	0.2
34	34	1	0.2
35	35	7	1.2
36	36	14	2.4
37	37	1	0.2
38	38	4	0.7
40	40	26	4.5
42	42	2	0.3
43	43	1	0.2
44	44	4	0.7
45	45	15	2.6
46	46	4	0.7
47	47	2	0.3
48	48	16	2.8
49	49	1	0.2
50	50	19	3.3
51	51	3	0.5
52	52	129	22.2
No response	N	0	.
Logical skip	S	452	.
Missing survey	Z	941	.
		1974	100.0

LM5	
LABEL	How many hours per week did you usually work at your primary job during the past 12 months?
TYPE	num
LENGTH	8
VARNUM	352

LM5: Distribution	Value	n	%
0	0	16	2.8
1	1	3	0.5
2	2	2	0.3
3	3	1	0.2
4	4	3	0.5
5	5	4	0.7
6	6	6	1.0
7	7	1	0.2
8	8	11	1.9
9	9	4	0.7
10	10	6	1.0
11	11	1	0.2
12	12	3	0.5
13	13	1	0.2
15	15	5	0.9
16	16	3	0.5
20	20	41	7.1
22	22	3	0.5
24	24	7	1.2
25	25	30	5.2
26	26	3	0.5
28	28	7	1.2
30	30	60	10.3
32	32	17	2.9
33	33	3	0.5
34	34	3	0.5
35	35	31	5.3
36	36	3	0.5
37	37	4	0.7
38	38	11	1.9
39	39	3	0.5
40	40	190	32.7
42	42	5	0.9
43	43	2	0.3
44	44	2	0.3
45	45	23	4.0
46	46	1	0.2
47	47	2	0.3

LM5: Distribution	Value	n	%
48	48	5	0.9
49	49	2	0.3
50	50	31	5.3
52	52	3	0.5
56	56	2	0.3
60	60	12	2.1
65	65	2	0.3
70	70	1	0.2
112	112	1	0.2
150	150	1	0.2
No response	N	0	.
Logical skip	S	452	.
Missing survey	Z	941	.
		1974	100.0

LM6	
LABEL	How many days were you absent from work at your primary job during the past 90 days? (Enter a number from 0 to 90.)
TYPE	num
LENGTH	8
VARNUM	353

LM6: Distribution	Value	n	%
0	0	316	54.4
1	1	47	8.1
2	2	54	9.3
3	3	32	5.5
4	4	18	3.1
5	5	29	5.0
6	6	5	0.9
7	7	7	1.2
8	8	4	0.7
9	9	2	0.3
10	10	13	2.2
12	12	2	0.3
15	15	5	0.9
16	16	1	0.2

LM6: Distribution	Value	n	%
17	17	1	0.2
20	20	2	0.3
25	25	1	0.2
30	30	4	0.7
33	33	1	0.2
34	34	1	0.2
35	35	1	0.2
36	36	1	0.2
50	50	1	0.2
55	55	1	0.2
60	60	3	0.5
62	62	1	0.2
75	75	1	0.2
80	80	1	0.2
87	87	1	0.2
90	90	25	4.3
No response	N	0	.
Logical skip	S	452	.
Missing survey	Z	941	.
		1974	100.0

LM7	
LABEL	Of the [LM6] days you were absent, how many were related to opioid addiction?
TYPE	num
LENGTH	8
VARNUM	354

LM7: Distribution	Value	n	%
0	0	192	72.5
1	1	15	5.7
2	2	14	5.3
3	3	8	3.0
4	4	4	1.5
5	5	10	3.8
7	7	1	0.4
8	8	3	1.1
10	10	6	2.3

LM7: Distribution	Value	n	%
12	12	1	0.4
14	14	1	0.4
15	15	3	1.1
22	22	1	0.4
25	25	1	0.4
30	30	1	0.4
80	80	1	0.4
90	90	3	1.1
No response	N	0	.
Logical skip	S	768	.
Missing survey	Z	941	.
		1974	100.0

LM8_1	
LABEL	In the past 12 months, did you receive money from? Wages/Salary?
TYPE	num
LENGTH	8
VARNUM	355

LM8_1: Distribution	Value	n	%
No	0	623	60.3
Yes	1	410	39.7
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

LM8_2	
LABEL	In the past 12 months, did you receive money from? Public assistance?
TYPE	num
LENGTH	8
VARNUM	356

LM8_2: Distribution	Value	n	%
No	0	849	82.2
Yes	1	184	17.8

LM8_2: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

LM8_3	
LABEL	In the past 12 months, did you receive money from? Retirement?
TYPE	num
LENGTH	8
VARNUM	357

LM8_3: Distribution	Value	n	%
No	0	1019	98.6
Yes	1	14	1.4
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

LM8_4	
LABEL	In the past 12 months, did you receive money from? Disability?
TYPE	num
LENGTH	8
VARNUM	358

LM8_4: Distribution	Value	n	%
No	0	877	84.9
Yes	1	156	15.1
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

LM8_5	
LABEL	In the past 12 months, did you receive money from? Non-legal income?

LM8_5	
TYPE	num
LENGTH	8
VARNUM	359

LM8_5: Distribution	Value	n	%
No	0	992	96.0
Yes	1	41	4.0
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

LM8_6	
LABEL	In the past 12 months, did you receive money from? Family and/or friends?
TYPE	num
LENGTH	8
VARNUM	360

LM8_6: Distribution	Value	n	%
No	0	762	73.8
Yes	1	271	26.2
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

LM8_7	
LABEL	In the past 12 months, did you receive money from? Other?
TYPE	num
LENGTH	8
VARNUM	361

LM8_7: Distribution	Value	n	%
No	0	920	89.1
Yes	1	113	10.9

LM8_7: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

LM8_8	
LABEL	In the past 12 months, did you receive money from? I did not receive money?
TYPE	num
LENGTH	8
VARNUM	362

LM8_8: Distribution	Value	n	%
No	0	815	78.9
Yes	1	218	21.1
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_1	
LABEL	Which of the following drugs have you ever used in your lifetime? Prescription opioids used non-medically (e.g., OxyContin, Percocet, Dilaudid, Opana, Vicodin, Duragesic, Ultram, Morphine, Tramadol)?
TYPE	num
LENGTH	8
VARNUM	363

SU10_1: Distribution	Value	n	%
No	0	890	86.2
Yes	1	143	13.8
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_2	
LABEL	Which of the following drugs have you ever used in your lifetime? Prescription opioid treatment medications used non-medically (e.g., Methadone, Suboxone)?
TYPE	num
LENGTH	8
VARNUM	364

SU10_2: Distribution	Value	n	%
No	0	789	76.4
Yes	1	244	23.6
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_3	
LABEL	Which of the following drugs have you ever used in your lifetime? Prescription stimulants used non-medically (e.g., Ritalin, Adderall)?
TYPE	num
LENGTH	8
VARNUM	365

SU10_3: Distribution	Value	n	%
No	0	964	93.3
Yes	1	69	6.7
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_4	
LABEL	Which of the following drugs have you ever used in your lifetime? Prescription sedatives used non-medically (e.g., Xanax, Klonopin, Ativan)?
TYPE	num
LENGTH	8
VARNUM	366

SU10_4: Distribution	Value	n	%
No	0	875	84.7
Yes	1	158	15.3
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_5	
LABEL	Which of the following drugs have you ever used in your lifetime? Heroin?
TYPE	num
LENGTH	8
VARNUM	367

SU10_5: Distribution	Value	n	%
No	0	707	68.4
Yes	1	326	31.6
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_6	
LABEL	Which of the following drugs have you ever used in your lifetime? Illicitly-made fentanyl (not the prescription Duragesic patches)?
TYPE	num
LENGTH	8
VARNUM	368

SU10_6: Distribution	Value	n	%
No	0	885	85.7
Yes	1	148	14.3
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_7	
LABEL	Which of the following drugs have you ever used in your lifetime? Neuropathics used non-medically (e.g., gabapentin, pregabalin)?
TYPE	num
LENGTH	8
VARNUM	369

SU10_7: Distribution	Value	n	%
No	0	961	93.0
Yes	1	72	7.0
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_8	
LABEL	Which of the following drugs have you ever used in your lifetime? Marijuana/ Cannabis?
TYPE	num
LENGTH	8
VARNUM	370

SU10_8: Distribution	Value	n	%
No	0	687	66.5
Yes	1	346	33.5
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_9	
LABEL	Which of the following drugs have you ever used in your lifetime? Cocaine/Crack (e.g., powder, rock, or in any form/combination)?
TYPE	num
LENGTH	8
VARNUM	371

SU10_9: Distribution	Value	n	%
No	0	866	83.8
Yes	1	167	16.2
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_10	
LABEL	Which of the following drugs have you ever used in your lifetime? Methamphetamine/crank?
TYPE	num
LENGTH	8
VARNUM	372

SU10_10: Distribution	Value	n	%
No	0	871	84.3
Yes	1	162	15.7
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_11	
LABEL	Which of the following drugs have you ever used in your lifetime? Krokodil?
TYPE	num
LENGTH	8
VARNUM	373

SU10_11: Distribution	Value	n	%
No	0	1031	99.8
Yes	1	2	0.2
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_12	
LABEL	Which of the following drugs have you ever used in your lifetime? Ecstasy, PCPs, or other synthetics?
TYPE	num
LENGTH	8
VARNUM	374

SU10_12: Distribution	Value	n	%
No	0	1003	97.1
Yes	1	30	2.9
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

SU10_13	
LABEL	Which of the following drugs have you ever used in your lifetime? Inhalants?
TYPE	num
LENGTH	8
VARNUM	375

SU10_13: Distribution	Value	n	%
No	0	1023	99.0
Yes	1	10	1.0
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

SU10_14	
LABEL	Which of the following drugs have you ever used in your lifetime? Alcohol?
TYPE	num
LENGTH	8
VARNUM	376

SU10_14: Distribution	Value	n	%
No	0	804	77.8

SU10_14: Distribution	Value	n	%
Yes	1	229	22.2
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_15	
LABEL	Which of the following drugs have you ever used in your lifetime? Tobacco?
TYPE	num
LENGTH	8
VARNUM	377

SU10_15: Distribution	Value	n	%
No	0	426	41.2
Yes	1	607	58.8
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU10_16	
LABEL	Which of the following drugs have you ever used in your lifetime? None?
TYPE	num
LENGTH	8
VARNUM	378

SU10_16: Distribution	Value	n	%
No	0	876	84.8
Yes	1	157	15.2
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU50_R1	
LABEL	Over the past 12 months, how often did you use prescription opioids non-medically?
TYPE	num
LENGTH	8
VARNUM	379

SU50_R1: Distribution	Value	n	%
Never	1	82	57.7
Less than once a month	2	18	12.7
About once a month	3	28	19.7
More than once a month	4	14	9.9
Most weeks	5	0	.
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU50_R2	
LABEL	Over the past 12 months, how often did you use methadone/suboxone non-medically?
TYPE	num
LENGTH	8
VARNUM	380

SU50_R2: Distribution	Value	n	%
Never	1	144	59.8
Less than once a month	2	18	7.5
About once a month	3	21	8.7
More than once a month	4	58	24.1
Most weeks	5	0	.
No response	N	3	.
Logical skip	S	789	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU50_R3	
LABEL	Over the past 12 months, how often did you use prescription stimulants non-medically?
TYPE	num

SU50_R3	
LENGTH	8
VARNUM	381

SU50_R3: Distribution	Value	n	%
Never	1	40	58.0
Less than once a month	2	11	15.9
About once a month	3	9	13.0
More than once a month	4	9	13.0
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	964	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU50_R4	
LABEL	Over the past 12 months, how often did you use prescription sedatives non-medically?
TYPE	num
LENGTH	8
VARNUM	382

SU50_R4: Distribution	Value	n	%
Never	1	100	63.3
Less than once a month	2	20	12.7
About once a month	3	18	11.4
More than once a month	4	20	12.7
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	875	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU50_R5	
LABEL	Over the past 12 months, how often did you use heroin?
TYPE	num
LENGTH	8
VARNUM	383

SU50_R5: Distribution	Value	n	%
Never	1	100	30.9
Less than once a month	2	37	11.4
About once a month	3	70	21.6
More than once a month	4	117	36.1
Most weeks	5	0	.
No response	N	2	.
Logical skip	S	707	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU50_R6	
LABEL	Over the past 12 months, how often did you use illicitly-made fentanyl?
TYPE	num
LENGTH	8
VARNUM	384

SU50_R6: Distribution	Value	n	%
Never	1	45	30.4
Less than once a month	2	12	8.1
About once a month	3	33	22.3
More than once a month	4	58	39.2
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	885	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU50_R7	
LABEL	Over the past 12 months, how often did you use Gabapentin?
TYPE	num
LENGTH	8
VARNUM	385

SU50_R7: Distribution	Value	n	%
Never	1	24	33.3
Less than once a month	2	7	9.7
About once a month	3	11	15.3
More than once a month	4	30	41.7
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	961	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU50_R8	
LABEL	Over the past 12 months, how often did you use marijuana/cannabis?
TYPE	num
LENGTH	8
VARNUM	386

SU50_R8: Distribution	Value	n	%
Never	1	73	21.2
Less than once a month	2	39	11.3
About once a month	3	59	17.2
More than once a month	4	173	50.3
Most weeks	5	0	.
No response	N	2	.
Logical skip	S	687	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU50_R9	
LABEL	Over the past 12 months, how often did you use cocaine/crack?
TYPE	num
LENGTH	8
VARNUM	387

SU50_R9: Distribution	Value	n	%
Never	1	72	43.1
Less than once a month	2	21	12.6

SU50_R9: Distribution	Value	n	%
About once a month	3	48	28.7
More than once a month	4	26	15.6
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	866	.
Missing survey	Z	941	.
		1974	100.0

SU50_R10	
LABEL	Over the past 12 months, how often did you use methamphetamine/crank?
TYPE	num
LENGTH	8
VARNUM	388

SU50_R10: Distribution	Value	n	%
Never	1	48	29.6
Less than once a month	2	19	11.7
About once a month	3	34	21.0
More than once a month	4	61	37.7
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	871	.
Missing survey	Z	941	.
		1974	100.0

SU50_R12	
LABEL	Over the past 12 months, how often did you use ecstasy, PCPs, or other synthetics?
TYPE	num
LENGTH	8
VARNUM	389

SU50_R12: Distribution	Value	n	%
Never	1	26	86.7
Less than once a month	2	2	6.7
About once a month	3	1	3.3
More than once a month	4	1	3.3

SU50_R12: Distribution	Value	n	%
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	1003	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_1_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	390

SU51_1_R1: Distribution	Value	n	%
No	0	23	39.0
Yes	1	36	61.0
No response	N	2	.
Logical skip	S	972	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	391

SU51_2_R1: Distribution	Value	n	%
No	0	45	76.3
Yes	1	14	23.7
No response	N	2	.
Logical skip	S	972	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? Oral, ate with food?
TYPE	num
LENGTH	8
VARNUM	392

SU51_3_R1: Distribution	Value	n	%
No	0	51	86.4
Yes	1	8	13.6
No response	N	2	.
Logical skip	S	972	.
Missing survey	Z	941	.
		1974	100.0

SU51_4_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	393

SU51_4_R1: Distribution	Value	n	%
No	0	46	78.0
Yes	1	13	22.0
No response	N	2	.
Logical skip	S	972	.
Missing survey	Z	941	.
		1974	100.0

SU51_5_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	394

SU51_5_R1: Distribution	Value	n	%
No	0	30	50.8
Yes	1	29	49.2
No response	N	2	.
Logical skip	S	972	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	395

SU51_6_R1: Distribution	Value	n	%
No	0	43	72.9
Yes	1	16	27.1
No response	N	2	.
Logical skip	S	972	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_7_R1	
LABEL	Over the past 12 months, in what ways have you used prescription opioids non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	396

SU51_7_R1: Distribution	Value	n	%
No	0	59	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	972	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_1_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	397

SU51_1_R2: Distribution	Value	n	%
No	0	36	37.1
Yes	1	61	62.9
No response	N	3	.
Logical skip	S	933	.
Missing survey	Z	941	.
		1974	100.0

SU51_2_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	398

SU51_2_R2: Distribution	Value	n	%
No	0	81	83.5
Yes	1	16	16.5
No response	N	3	.
Logical skip	S	933	.
Missing survey	Z	941	.
		1974	100.0

SU51_3_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	399

SU51_3_R2: Distribution	Value	n	%
No	0	95	97.9
Yes	1	2	2.1
No response	N	3	.
Logical skip	S	933	.
Missing survey	Z	941	.
		1974	100.0

SU51_4_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	400

SU51_4_R2: Distribution	Value	n	%
No	0	95	97.9
Yes	1	2	2.1
No response	N	3	.
Logical skip	S	933	.
Missing survey	Z	941	.
		1974	100.0

SU51_5_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	401

SU51_5_R2: Distribution	Value	n	%
No	0	90	92.8
Yes	1	7	7.2
No response	N	3	.
Logical skip	S	933	.
Missing survey	Z	941	.
		1974	100.0

SU51_6_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	402

SU51_6_R2: Distribution	Value	n	%
No	0	89	91.8
Yes	1	8	8.2
No response	N	3	.
Logical skip	S	933	.
Missing survey	Z	941	.
		1974	100.0

SU51_7_R2	
LABEL	Over the past 12 months, in what ways have you used methadone/suboxone non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	403

SU51_7_R2: Distribution	Value	n	%
No	0	78	80.4
Yes	1	19	19.6
No response	N	3	.
Logical skip	S	933	.
Missing survey	Z	941	.
		1974	100.0

SU51_1_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	404

SU51_1_R3: Distribution	Value	n	%
No	0	14	48.3
Yes	1	15	51.7
No response	N	0	.
Logical skip	S	1004	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	405

SU51_2_R3: Distribution	Value	n	%
No	0	22	75.9
Yes	1	7	24.1
No response	N	0	.
Logical skip	S	1004	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? Oral, ate with food?
TYPE	num
LENGTH	8
VARNUM	406

SU51_3_R3: Distribution	Value	n	%
No	0	27	93.1
Yes	1	2	6.9
No response	N	0	.
Logical skip	S	1004	.

SU51_3_R3: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

SU51_4_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	407

SU51_4_R3: Distribution	Value	n	%
No	0	23	79.3
Yes	1	6	20.7
No response	N	0	.
Logical skip	S	1004	.
Missing survey	Z	941	.
		1974	100.0

SU51_5_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	408

SU51_5_R3: Distribution	Value	n	%
No	0	23	79.3
Yes	1	6	20.7
No response	N	0	.
Logical skip	S	1004	.
Missing survey	Z	941	.
		1974	100.0

SU51_6_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? Injected?

SU51_6_R3	
TYPE	num
LENGTH	8
VARNUM	409

SU51_6_R3: Distribution	Value	n	%
No	0	18	62.1
Yes	1	11	37.9
No response	N	0	.
Logical skip	S	1004	.
Missing survey	Z	941	.
		1974	100.0

SU51_7_R3	
LABEL	Over the past 12 months, in what ways have you used prescription stimulants non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	410

SU51_7_R3: Distribution	Value	n	%
No	0	26	89.7
Yes	1	3	10.3
No response	N	0	.
Logical skip	S	1004	.
Missing survey	Z	941	.
		1974	100.0

SU51_1_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	411

SU51_1_R4: Distribution	Value	n	%
No	0	16	27.6

SU51_1_R4: Distribution	Value	n	%
Yes	1	42	72.4
No response	N	0	.
Logical skip	S	975	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	412

SU51_2_R4: Distribution	Value	n	%
No	0	45	77.6
Yes	1	13	22.4
No response	N	0	.
Logical skip	S	975	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? Oral, ate with food?
TYPE	num
LENGTH	8
VARNUM	413

SU51_3_R4: Distribution	Value	n	%
No	0	55	94.8
Yes	1	3	5.2
No response	N	0	.
Logical skip	S	975	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_4_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	414

SU51_4_R4: Distribution	Value	n	%
No	0	55	94.8
Yes	1	3	5.2
No response	N	0	.
Logical skip	S	975	.
Missing survey	Z	941	.
		1974	100.0

SU51_5_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	415

SU51_5_R4: Distribution	Value	n	%
No	0	41	70.7
Yes	1	17	29.3
No response	N	0	.
Logical skip	S	975	.
Missing survey	Z	941	.
		1974	100.0

SU51_6_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	416

SU51_6_R4: Distribution	Value	n	%
No	0	54	93.1
Yes	1	4	6.9
No response	N	0	.
Logical skip	S	975	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_7_R4	
LABEL	Over the past 12 months, in what ways have you used prescription sedatives non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	417

SU51_7_R4: Distribution	Value	n	%
No	0	56	96.6
Yes	1	2	3.4
No response	N	0	.
Logical skip	S	975	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_1_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	418

SU51_1_R5: Distribution	Value	n	%
No	0	217	96.4
Yes	1	8	3.6
No response	N	1	.
Logical skip	S	807	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	419

SU51_2_R5: Distribution	Value	n	%
No	0	223	99.1
Yes	1	2	0.9
No response	N	1	.
Logical skip	S	807	.
Missing survey	Z	941	.
		1974	100.0

SU51_3_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	420

SU51_3_R5: Distribution	Value	n	%
No	0	223	99.1
Yes	1	2	0.9
No response	N	1	.
Logical skip	S	807	.
Missing survey	Z	941	.
		1974	100.0

SU51_4_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? Smoked?
TYPE	num
LENGTH	8
VARNUM	421

SU51_4_R5: Distribution	Value	n	%
No	0	188	83.6
Yes	1	37	16.4
No response	N	1	.
Logical skip	S	807	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? Snorted?
TYPE	num
LENGTH	8
VARNUM	422

SU51_5_R5: Distribution	Value	n	%
No	0	118	52.4
Yes	1	107	47.6
No response	N	1	.
Logical skip	S	807	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? Injected?
TYPE	num
LENGTH	8
VARNUM	423

SU51_6_R5: Distribution	Value	n	%
No	0	81	36.0
Yes	1	144	64.0
No response	N	1	.
Logical skip	S	807	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_7_R5	
LABEL	Over the past 12 months, in what ways have you used heroin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	424

SU51_7_R5: Distribution	Value	n	%
No	0	223	99.1
Yes	1	2	0.9
No response	N	1	.
Logical skip	S	807	.
Missing survey	Z	941	.
		1974	100.0

SU51_1_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	425

SU51_1_R6: Distribution	Value	n	%
No	0	98	95.1
Yes	1	5	4.9
No response	N	0	.
Logical skip	S	930	.
Missing survey	Z	941	.
		1974	100.0

SU51_2_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	426

SU51_2_R6: Distribution	Value	n	%
No	0	102	99.0
Yes	1	1	1.0
No response	N	0	.
Logical skip	S	930	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	427

SU51_3_R6: Distribution	Value	n	%
No	0	103	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	930	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_4_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? Smoked?
TYPE	num
LENGTH	8
VARNUM	428

SU51_4_R6: Distribution	Value	n	%
No	0	91	88.3
Yes	1	12	11.7
No response	N	0	.
Logical skip	S	930	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? Snorted?
TYPE	num
LENGTH	8
VARNUM	429

SU51_5_R6: Distribution	Value	n	%
No	0	54	52.4
Yes	1	49	47.6
No response	N	0	.
Logical skip	S	930	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? Injected?
TYPE	num
LENGTH	8
VARNUM	430

SU51_6_R6: Distribution	Value	n	%
No	0	41	39.8
Yes	1	62	60.2
No response	N	0	.
Logical skip	S	930	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_7_R6	
LABEL	Over the past 12 months, in what ways have you used illicitly-made fentanyl? None of these apply?
TYPE	num
LENGTH	8
VARNUM	431

SU51_7_R6: Distribution	Value	n	%
No	0	102	99.0
Yes	1	1	1.0
No response	N	0	.
Logical skip	S	930	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_1_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	432

SU51_1_R7: Distribution	Value	n	%
No	0	5	10.4
Yes	1	43	89.6
No response	N	0	.
Logical skip	S	985	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	433

SU51_2_R7: Distribution	Value	n	%
No	0	45	93.8
Yes	1	3	6.3
No response	N	0	.
Logical skip	S	985	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	434

SU51_3_R7: Distribution	Value	n	%
No	0	47	97.9
Yes	1	1	2.1
No response	N	0	.
Logical skip	S	985	.
Missing survey	Z	941	.
		1974	100.0

SU51_4_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? Smoked?
TYPE	num
LENGTH	8
VARNUM	435

SU51_4_R7: Distribution	Value	n	%
No	0	48	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	985	.
Missing survey	Z	941	.
		1974	100.0

SU51_5_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? Snorted?
TYPE	num
LENGTH	8
VARNUM	436

SU51_5_R7: Distribution	Value	n	%
No	0	47	97.9
Yes	1	1	2.1
No response	N	0	.
Logical skip	S	985	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? Injected?
TYPE	num
LENGTH	8
VARNUM	437

SU51_6_R7: Distribution	Value	n	%
No	0	48	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	985	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_7_R7	
LABEL	Over the past 12 months, in what ways have you used Gabapentin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	438

SU51_7_R7: Distribution	Value	n	%
No	0	45	93.8
Yes	1	3	6.3
No response	N	0	.
Logical skip	S	985	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_1_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	439

SU51_1_R8: Distribution	Value	n	%
No	0	262	96.7
Yes	1	9	3.3
No response	N	2	.
Logical skip	S	760	.
Missing survey	Z	941	.
		1974	100.0

SU51_2_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	440

SU51_2_R8: Distribution	Value	n	%
No	0	265	97.8
Yes	1	6	2.2
No response	N	2	.
Logical skip	S	760	.
Missing survey	Z	941	.
		1974	100.0

SU51_3_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	441

SU51_3_R8: Distribution	Value	n	%
No	0	209	77.1
Yes	1	62	22.9
No response	N	2	.
Logical skip	S	760	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_4_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? Smoked?
TYPE	num
LENGTH	8
VARNUM	442

SU51_4_R8: Distribution	Value	n	%
No	0	9	3.3
Yes	1	262	96.7
No response	N	2	.
Logical skip	S	760	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? Snorted?
TYPE	num
LENGTH	8
VARNUM	443

SU51_5_R8: Distribution	Value	n	%
No	0	270	99.6
Yes	1	1	0.4
No response	N	2	.
Logical skip	S	760	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? Injected?
TYPE	num
LENGTH	8
VARNUM	444

SU51_6_R8: Distribution	Value	n	%
No	0	271	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	760	.
Missing survey	Z	941	.
		1974	100.0

SU51_7_R8	
LABEL	Over the past 12 months, in what ways have you used marijuana/cannabis? None of these apply?
TYPE	num
LENGTH	8
VARNUM	445

SU51_7_R8: Distribution	Value	n	%
No	0	267	98.5
Yes	1	4	1.5
No response	N	2	.
Logical skip	S	760	.
Missing survey	Z	941	.
		1974	100.0

SU51_1_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	446

SU51_1_R9: Distribution	Value	n	%
No	0	94	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	938	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	447

SU51_2_R9: Distribution	Value	n	%
No	0	94	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	938	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	448

SU51_3_R9: Distribution	Value	n	%
No	0	94	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	938	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_4_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? Smoked?
TYPE	num
LENGTH	8
VARNUM	449

SU51_4_R9: Distribution	Value	n	%
No	0	25	26.6
Yes	1	69	73.4
No response	N	1	.
Logical skip	S	938	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? Snorted?
TYPE	num
LENGTH	8
VARNUM	450

SU51_5_R9: Distribution	Value	n	%
No	0	64	68.1
Yes	1	30	31.9
No response	N	1	.
Logical skip	S	938	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? Injected?
TYPE	num
LENGTH	8
VARNUM	451

SU51_6_R9: Distribution	Value	n	%
No	0	69	73.4
Yes	1	25	26.6
No response	N	1	.
Logical skip	S	938	.
Missing survey	Z	941	.
		1974	100.0

SU51_7_R9	
LABEL	Over the past 12 months, in what ways have you used cocaine/crack? None of these apply?
TYPE	num
LENGTH	8
VARNUM	452

SU51_7_R9: Distribution	Value	n	%
No	0	91	96.8
Yes	1	3	3.2
No response	N	1	.
Logical skip	S	938	.
Missing survey	Z	941	.
		1974	100.0

SU51_1_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	453

SU51_1_R10: Distribution	Value	n	%
No	0	111	97.4
Yes	1	3	2.6
No response	N	0	.
Logical skip	S	919	.
Missing survey	Z	941	.
		1974	100.0

SU51_2_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	454

SU51_2_R10: Distribution	Value	n	%
No	0	108	94.7
Yes	1	6	5.3
No response	N	0	.
Logical skip	S	919	.
Missing survey	Z	941	.
		1974	100.0

SU51_3_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	455

SU51_3_R10: Distribution	Value	n	%
No	0	113	99.1
Yes	1	1	0.9
No response	N	0	.
Logical skip	S	919	.
Missing survey	Z	941	.
		1974	100.0

SU51_4_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? Smoked?
TYPE	num
LENGTH	8
VARNUM	456

SU51_4_R10: Distribution	Value	n	%
No	0	27	23.7
Yes	1	87	76.3
No response	N	0	.
Logical skip	S	919	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? Snorted?
TYPE	num
LENGTH	8
VARNUM	457

SU51_5_R10: Distribution	Value	n	%
No	0	77	67.5
Yes	1	37	32.5
No response	N	0	.
Logical skip	S	919	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? Injected?
TYPE	num
LENGTH	8
VARNUM	458

SU51_6_R10: Distribution	Value	n	%
No	0	56	49.1
Yes	1	58	50.9
No response	N	0	.
Logical skip	S	919	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU51_7_R10	
LABEL	Over the past 12 months, in what ways have you used methamphetamine/crank? None of these apply?
TYPE	num
LENGTH	8
VARNUM	459

SU51_7_R10: Distribution	Value	n	%
No	0	113	99.1
Yes	1	1	0.9
No response	N	0	.
Logical skip	S	919	.
Missing survey	Z	941	.
		1974	100.0

SU60_R1	
LABEL	Over the past 90 days, how often did you use prescription opioids non-medically?
TYPE	num
LENGTH	8
VARNUM	460

SU60_R1: Distribution	Value	n	%
Never	1	16	27.1
Less than once a week	2	14	23.7
Once a week	3	5	8.5
More than once a week	4	17	28.8
Almost every day of the week	5	7	11.9
No response	N	2	.
Logical skip	S	972	.
Missing survey	Z	941	.
		1974	100.0

SU60_R2	
LABEL	Over the past 90 days, how often did you use methadone/suboxone non-medically?
TYPE	num
LENGTH	8
VARNUM	461

SU60_R2: Distribution	Value	n	%
Never	1	45	46.4
Less than once a week	2	9	9.3
Once a week	3	3	3.1
More than once a week	4	8	8.2
Almost every day of the week	5	32	33.0
No response	N	3	.
Logical skip	S	933	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU60_R3	
LABEL	Over the past 90 days, how often did you use prescription stimulants non-medically?
TYPE	num
LENGTH	8
VARNUM	462

SU60_R3: Distribution	Value	n	%
Never	1	8	27.6
Less than once a week	2	6	20.7
Once a week	3	5	17.2
More than once a week	4	6	20.7
Almost every day of the week	5	4	13.8
No response	N	0	.
Logical skip	S	1004	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU60_R4	
LABEL	Over the past 90 days, how often did you use prescription sedatives non-medically?
TYPE	num
LENGTH	8
VARNUM	463

SU60_R4: Distribution	Value	n	%
Never	1	15	25.9
Less than once a week	2	15	25.9
Once a week	3	8	13.8
More than once a week	4	10	17.2
Almost every day of the week	5	10	17.2
No response	N	0	.
Logical skip	S	975	.
Missing survey	Z	941	.
		1974	100.0

SU60_R5	
LABEL	Over the past 90 days, how often did you use heroin?
TYPE	num
LENGTH	8
VARNUM	464

SU60_R5: Distribution	Value	n	%
Never	1	21	9.3
Less than once a week	2	38	16.9
Once a week	3	23	10.2
More than once a week	4	54	24.0
Almost every day of the week	5	89	39.6
No response	N	1	.
Logical skip	S	807	.
Missing survey	Z	941	.
		1974	100.0

SU60_R6	
LABEL	Over the past 90 days, how often did you use illicitly-made fentanyl?
TYPE	num
LENGTH	8
VARNUM	465

SU60_R6: Distribution	Value	n	%
Never	1	13	12.6
Less than once a week	2	13	12.6

SU60_R6: Distribution	Value	n	%
Once a week	3	10	9.7
More than once a week	4	28	27.2
Almost every day of the week	5	39	37.9
No response	N	0	.
Logical skip	S	930	.
Missing survey	Z	941	.
		1974	100.0

SU60_R7	
LABEL	Over the past 90 days, how often did you use Gabapentin?
TYPE	num
LENGTH	8
VARNUM	466

SU60_R7: Distribution	Value	n	%
Never	1	7	14.6
Less than once a week	2	7	14.6
Once a week	3	0	.
More than once a week	4	6	12.5
Almost every day of the week	5	28	58.3
No response	N	0	.
Logical skip	S	985	.
Missing survey	Z	941	.
		1974	100.0

SU60_R8	
LABEL	Over the past 90 days, how often did you use marijuana/cannabis?
TYPE	num
LENGTH	8
VARNUM	467

SU60_R8: Distribution	Value	n	%
Never	1	17	6.3
Less than once a week	2	24	8.9
Once a week	3	35	13.0
More than once a week	4	64	23.7

SU60_R8: Distribution	Value	n	%
Almost every day of the week	5	130	48.1
No response	N	3	.
Logical skip	S	760	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU60_R9	
LABEL	Over the past 90 days, how often did you use cocaine/crack?
TYPE	num
LENGTH	8
VARNUM	468

SU60_R9: Distribution	Value	n	%
Never	1	15	15.8
Less than once a week	2	24	25.3
Once a week	3	18	18.9
More than once a week	4	24	25.3
Almost every day of the week	5	14	14.7
No response	N	0	.
Logical skip	S	938	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU60_R10	
LABEL	Over the past 90 days, how often did you use methamphetamine/crank?
TYPE	num
LENGTH	8
VARNUM	469

SU60_R10: Distribution	Value	n	%
Never	1	13	11.4
Less than once a week	2	19	16.7
Once a week	3	18	15.8
More than once a week	4	31	27.2
Almost every day of the week	5	33	28.9
No response	N	0	.

SU60_R10: Distribution	Value	n	%
Logical skip	S	919	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_1_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	470

SU61_1_R1: Distribution	Value	n	%
No	0	19	44.2
Yes	1	24	55.8
No response	N	2	.
Logical skip	S	988	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_2_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	471

SU61_2_R1: Distribution	Value	n	%
No	0	36	83.7
Yes	1	7	16.3
No response	N	2	.
Logical skip	S	988	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_3_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	472

SU61_3_R1: Distribution	Value	n	%
No	0	40	93.0
Yes	1	3	7.0
No response	N	2	.
Logical skip	S	988	.
Missing survey	Z	941	.
		1974	100.0

SU61_4_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	473

SU61_4_R1: Distribution	Value	n	%
No	0	38	88.4
Yes	1	5	11.6
No response	N	2	.
Logical skip	S	988	.
Missing survey	Z	941	.
		1974	100.0

SU61_5_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	474

SU61_5_R1: Distribution	Value	n	%
No	0	28	65.1
Yes	1	15	34.9
No response	N	2	.
Logical skip	S	988	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	475

SU61_6_R1: Distribution	Value	n	%
No	0	30	69.8
Yes	1	13	30.2
No response	N	2	.
Logical skip	S	988	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	476

SU61_7_R1: Distribution	Value	n	%
No	0	43	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	988	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_1_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	477

SU61_1_R2: Distribution	Value	n	%
No	0	19	36.5
Yes	1	33	63.5
No response	N	3	.
Logical skip	S	978	.
Missing survey	Z	941	.
		1974	100.0

SU61_2_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	478

SU61_2_R2: Distribution	Value	n	%
No	0	43	82.7
Yes	1	9	17.3
No response	N	3	.
Logical skip	S	978	.
Missing survey	Z	941	.
		1974	100.0

SU61_3_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	479

SU61_3_R2: Distribution	Value	n	%
No	0	50	96.2
Yes	1	2	3.8
No response	N	3	.
Logical skip	S	978	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_4_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	480

SU61_4_R2: Distribution	Value	n	%
No	0	51	98.1
Yes	1	1	1.9
No response	N	3	.
Logical skip	S	978	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	481

SU61_5_R2: Distribution	Value	n	%
No	0	46	88.5
Yes	1	6	11.5
No response	N	3	.
Logical skip	S	978	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	482

SU61_6_R2: Distribution	Value	n	%
No	0	47	90.4
Yes	1	5	9.6
No response	N	3	.
Logical skip	S	978	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	483

SU61_7_R2: Distribution	Value	n	%
No	0	44	84.6
Yes	1	8	15.4
No response	N	3	.
Logical skip	S	978	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_1_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	484

SU61_1_R3: Distribution	Value	n	%
No	0	10	47.6
Yes	1	11	52.4
No response	N	0	.
Logical skip	S	1012	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_2_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	485

SU61_2_R3: Distribution	Value	n	%
No	0	19	90.5
Yes	1	2	9.5
No response	N	0	.
Logical skip	S	1012	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_3_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	486

SU61_3_R3: Distribution	Value	n	%
No	0	20	95.2
Yes	1	1	4.8
No response	N	0	.
Logical skip	S	1012	.

SU61_3_R3: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

SU61_4_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	487

SU61_4_R3: Distribution	Value	n	%
No	0	17	81.0
Yes	1	4	19.0
No response	N	0	.
Logical skip	S	1012	.
Missing survey	Z	941	.
		1974	100.0

SU61_5_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	488

SU61_5_R3: Distribution	Value	n	%
No	0	18	85.7
Yes	1	3	14.3
No response	N	0	.
Logical skip	S	1012	.
Missing survey	Z	941	.
		1974	100.0

SU61_6_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Injected?

SU61_6_R3	
TYPE	num
LENGTH	8
VARNUM	489

SU61_6_R3: Distribution	Value	n	%
No	0	16	76.2
Yes	1	5	23.8
No response	N	0	.
Logical skip	S	1012	.
Missing survey	Z	941	.
		1974	100.0

SU61_7_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	490

SU61_7_R3: Distribution	Value	n	%
No	0	20	95.2
Yes	1	1	4.8
No response	N	0	.
Logical skip	S	1012	.
Missing survey	Z	941	.
		1974	100.0

SU61_1_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	491

SU61_1_R4: Distribution	Value	n	%
No	0	12	28.6

SU61_1_R4: Distribution	Value	n	%
Yes	1	30	71.4
No response	N	1	.
Logical skip	S	990	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_2_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	492

SU61_2_R4: Distribution	Value	n	%
No	0	34	81.0
Yes	1	8	19.0
No response	N	1	.
Logical skip	S	990	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_3_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	493

SU61_3_R4: Distribution	Value	n	%
No	0	39	92.9
Yes	1	3	7.1
No response	N	1	.
Logical skip	S	990	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_4_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	494

SU61_4_R4: Distribution	Value	n	%
No	0	40	95.2
Yes	1	2	4.8
No response	N	1	.
Logical skip	S	990	.
Missing survey	Z	941	.
		1974	100.0

SU61_5_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	495

SU61_5_R4: Distribution	Value	n	%
No	0	29	69.0
Yes	1	13	31.0
No response	N	1	.
Logical skip	S	990	.
Missing survey	Z	941	.
		1974	100.0

SU61_6_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	496

SU61_6_R4: Distribution	Value	n	%
No	0	41	97.6
Yes	1	1	2.4
No response	N	1	.
Logical skip	S	990	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	497

SU61_7_R4: Distribution	Value	n	%
No	0	41	97.6
Yes	1	1	2.4
No response	N	1	.
Logical skip	S	990	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_1_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	498

SU61_1_R5: Distribution	Value	n	%
No	0	199	98.0
Yes	1	4	2.0
No response	N	2	.
Logical skip	S	828	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_2_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	499

SU61_2_R5: Distribution	Value	n	%
No	0	202	99.5
Yes	1	1	0.5
No response	N	2	.
Logical skip	S	828	.
Missing survey	Z	941	.
		1974	100.0

SU61_3_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	500

SU61_3_R5: Distribution	Value	n	%
No	0	202	99.5
Yes	1	1	0.5
No response	N	2	.
Logical skip	S	828	.
Missing survey	Z	941	.
		1974	100.0

SU61_4_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Smoked?
TYPE	num
LENGTH	8
VARNUM	501

SU61_4_R5: Distribution	Value	n	%
No	0	173	85.2
Yes	1	30	14.8
No response	N	2	.
Logical skip	S	828	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Snorted?
TYPE	num
LENGTH	8
VARNUM	502

SU61_5_R5: Distribution	Value	n	%
No	0	112	55.2
Yes	1	91	44.8
No response	N	2	.
Logical skip	S	828	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Injected?
TYPE	num
LENGTH	8
VARNUM	503

SU61_6_R5: Distribution	Value	n	%
No	0	80	39.4
Yes	1	123	60.6
No response	N	2	.
Logical skip	S	828	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	504

SU61_7_R5: Distribution	Value	n	%
No	0	201	99.0
Yes	1	2	1.0
No response	N	2	.
Logical skip	S	828	.
Missing survey	Z	941	.
		1974	100.0

SU61_1_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	505

SU61_1_R6: Distribution	Value	n	%
No	0	87	96.7
Yes	1	3	3.3
No response	N	0	.
Logical skip	S	943	.
Missing survey	Z	941	.
		1974	100.0

SU61_2_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	506

SU61_2_R6: Distribution	Value	n	%
No	0	90	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	943	.
Missing survey	Z	941	.
		1974	100.0

SU61_3_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	507

SU61_3_R6: Distribution	Value	n	%
No	0	90	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	943	.
Missing survey	Z	941	.
		1974	100.0

SU61_4_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Smoked?
TYPE	num
LENGTH	8
VARNUM	508

SU61_4_R6: Distribution	Value	n	%
No	0	79	87.8
Yes	1	11	12.2
No response	N	0	.
Logical skip	S	943	.
Missing survey	Z	941	.
		1974	100.0

SU61_5_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Snorted?
TYPE	num
LENGTH	8
VARNUM	509

SU61_5_R6: Distribution	Value	n	%
No	0	47	52.2
Yes	1	43	47.8
No response	N	0	.
Logical skip	S	943	.
Missing survey	Z	941	.
		1974	100.0

SU61_6_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Injected?
TYPE	num
LENGTH	8
VARNUM	510

SU61_6_R6: Distribution	Value	n	%
No	0	39	43.3
Yes	1	51	56.7
No response	N	0	.
Logical skip	S	943	.
Missing survey	Z	941	.
		1974	100.0

SU61_7_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? None of these apply?
TYPE	num
LENGTH	8
VARNUM	511

SU61_7_R6: Distribution	Value	n	%
No	0	89	98.9
Yes	1	1	1.1
No response	N	0	.
Logical skip	S	943	.
Missing survey	Z	941	.
		1974	100.0

SU61_1_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	512

SU61_1_R7: Distribution	Value	n	%
No	0	4	9.8
Yes	1	37	90.2
No response	N	0	.
Logical skip	S	992	.
Missing survey	Z	941	.
		1974	100.0

SU61_2_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	513

SU61_2_R7: Distribution	Value	n	%
No	0	39	95.1
Yes	1	2	4.9
No response	N	0	.
Logical skip	S	992	.
Missing survey	Z	941	.
		1974	100.0

SU61_3_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	514

SU61_3_R7: Distribution	Value	n	%
No	0	40	97.6
Yes	1	1	2.4
No response	N	0	.
Logical skip	S	992	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_4_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Smoked?
TYPE	num
LENGTH	8
VARNUM	515

SU61_4_R7: Distribution	Value	n	%
No	0	41	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	992	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Snorted?
TYPE	num
LENGTH	8
VARNUM	516

SU61_5_R7: Distribution	Value	n	%
No	0	41	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	992	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Injected?
TYPE	num
LENGTH	8
VARNUM	517

SU61_6_R7: Distribution	Value	n	%
No	0	41	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	992	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	518

SU61_7_R7: Distribution	Value	n	%
No	0	39	95.1
Yes	1	2	4.9
No response	N	0	.
Logical skip	S	992	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_1_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	519

SU61_1_R8: Distribution	Value	n	%
No	0	249	98.4
Yes	1	4	1.6
No response	N	3	.
Logical skip	S	777	.
Missing survey	Z	941	.
		1974	100.0

SU61_2_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	520

SU61_2_R8: Distribution	Value	n	%
No	0	249	98.4
Yes	1	4	1.6
No response	N	3	.
Logical skip	S	777	.
Missing survey	Z	941	.
		1974	100.0

SU61_3_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	521

SU61_3_R8: Distribution	Value	n	%
No	0	211	83.4
Yes	1	42	16.6
No response	N	3	.
Logical skip	S	777	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_4_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Smoked?
TYPE	num
LENGTH	8
VARNUM	522

SU61_4_R8: Distribution	Value	n	%
No	0	7	2.8
Yes	1	246	97.2
No response	N	3	.
Logical skip	S	777	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Snorted?
TYPE	num
LENGTH	8
VARNUM	523

SU61_5_R8: Distribution	Value	n	%
No	0	252	99.6
Yes	1	1	0.4
No response	N	3	.
Logical skip	S	777	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Injected?
TYPE	num
LENGTH	8
VARNUM	524

SU61_6_R8: Distribution	Value	n	%
No	0	253	100.0
Yes	1	0	.
No response	N	3	.
Logical skip	S	777	.
Missing survey	Z	941	.
		1974	100.0

SU61_7_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? None of these apply?
TYPE	num
LENGTH	8
VARNUM	525

SU61_7_R8: Distribution	Value	n	%
No	0	250	98.8
Yes	1	3	1.2
No response	N	3	.
Logical skip	S	777	.
Missing survey	Z	941	.
		1974	100.0

SU61_1_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	526

SU61_1_R9: Distribution	Value	n	%
No	0	79	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	953	.
Missing survey	Z	941	.
		1974	100.0

SU61_2_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	527

SU61_2_R9: Distribution	Value	n	%
No	0	79	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	953	.
Missing survey	Z	941	.
		1974	100.0

SU61_3_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	528

SU61_3_R9: Distribution	Value	n	%
No	0	79	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	953	.
Missing survey	Z	941	.
		1974	100.0

SU61_4_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Smoked?
TYPE	num
LENGTH	8
VARNUM	529

SU61_4_R9: Distribution	Value	n	%
No	0	17	21.5
Yes	1	62	78.5
No response	N	1	.
Logical skip	S	953	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Snorted?
TYPE	num
LENGTH	8
VARNUM	530

SU61_5_R9: Distribution	Value	n	%
No	0	59	74.7
Yes	1	20	25.3
No response	N	1	.
Logical skip	S	953	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Injected?
TYPE	num
LENGTH	8
VARNUM	531

SU61_6_R9: Distribution	Value	n	%
No	0	63	79.7
Yes	1	16	20.3
No response	N	1	.
Logical skip	S	953	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? None of these apply?
TYPE	num
LENGTH	8
VARNUM	532

SU61_7_R9: Distribution	Value	n	%
No	0	76	96.2
Yes	1	3	3.8
No response	N	1	.
Logical skip	S	953	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_1_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	533

SU61_1_R10: Distribution	Value	n	%
No	0	98	98.0
Yes	1	2	2.0
No response	N	1	.
Logical skip	S	932	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_2_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	534

SU61_2_R10: Distribution	Value	n	%
No	0	96	96.0
Yes	1	4	4.0
No response	N	1	.
Logical skip	S	932	.
Missing survey	Z	941	.
		1974	100.0

SU61_3_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	535

SU61_3_R10: Distribution	Value	n	%
No	0	99	99.0
Yes	1	1	1.0
No response	N	1	.
Logical skip	S	932	.
Missing survey	Z	941	.
		1974	100.0

SU61_4_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Smoked?
TYPE	num
LENGTH	8
VARNUM	536

SU61_4_R10: Distribution	Value	n	%
No	0	24	24.0
Yes	1	76	76.0
No response	N	1	.
Logical skip	S	932	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Snorted?
TYPE	num
LENGTH	8
VARNUM	537

SU61_5_R10: Distribution	Value	n	%
No	0	78	78.0
Yes	1	22	22.0
No response	N	1	.
Logical skip	S	932	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Injected?
TYPE	num
LENGTH	8
VARNUM	538

SU61_6_R10: Distribution	Value	n	%
No	0	52	52.0
Yes	1	48	48.0
No response	N	1	.
Logical skip	S	932	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? None of these apply?
TYPE	num
LENGTH	8
VARNUM	539

SU61_7_R10: Distribution	Value	n	%
No	0	100	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	932	.
Missing survey	Z	941	.
		1974	100.0

SU70_R1	
LABEL	Over the past 30 days, how often did you use prescription opioids non-medically?
TYPE	num
LENGTH	8
VARNUM	540

SU70_R1: Distribution	Value	n	%
0	0	12	27.9
1	1	3	7.0
3	3	6	14.0
4	4	2	4.7
5	5	3	7.0
7	7	1	2.3
10	10	3	7.0
12	12	1	2.3
18	18	1	2.3
20	20	5	11.6
25	25	1	2.3
28	28	1	2.3
30	30	4	9.3
No response	N	2	.
Logical skip	S	988	.

SU70_R1: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

SU70_R2	
LABEL	Over the past 30 days, how often did you use methadone/suboxone non-medically?
TYPE	num
LENGTH	8
VARNUM	541

SU70_R2: Distribution	Value	n	%
0	0	7	13.5
1	1	5	9.6
2	2	2	3.8
3	3	1	1.9
4	4	1	1.9
5	5	1	1.9
6	6	3	5.8
7	7	4	7.7
10	10	1	1.9
20	20	2	3.8
25	25	1	1.9
28	28	1	1.9
30	30	23	44.2
No response	N	3	.
Logical skip	S	978	.
Missing survey	Z	941	.
		1974	100.0

SU70_R3	
LABEL	Over the past 30 days, how often did you use prescription stimulants non-medically?
TYPE	num
LENGTH	8
VARNUM	542

SU70_R3: Distribution	Value	n	%
0	0	5	23.8

SU70_R3: Distribution	Value	n	%
2	2	5	23.8
3	3	3	14.3
5	5	1	4.8
6	6	1	4.8
7	7	1	4.8
9	9	1	4.8
10	10	1	4.8
15	15	1	4.8
20	20	2	9.5
No response	N	0	.
Logical skip	S	1012	.
Missing survey	Z	941	.
		1974	100.0

SU70_R4	
LABEL	Over the past 30 days, how often did you use prescription sedatives non-medically?
TYPE	num
LENGTH	8
VARNUM	543

SU70_R4: Distribution	Value	n	%
0	0	10	23.3
1	1	2	4.7
2	2	4	9.3
3	3	2	4.7
4	4	2	4.7
5	5	6	14.0
6	6	1	2.3
8	8	2	4.7
10	10	1	2.3
15	15	1	2.3
20	20	4	9.3
26	26	1	2.3
27	27	1	2.3
30	30	6	14.0
No response	N	0	.
Logical skip	S	990	.

SU70_R4: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

SU70_R5	
LABEL	Over the past 30 days, how often did you use heroin?
TYPE	num
LENGTH	8
VARNUM	544

SU70_R5: Distribution	Value	n	%
0	0	22	10.8
1	1	12	5.9
2	2	11	5.4
3	3	9	4.4
4	4	8	3.9
5	5	13	6.4
6	6	2	1.0
7	7	3	1.5
8	8	1	0.5
10	10	13	6.4
12	12	1	0.5
14	14	4	2.0
15	15	11	5.4
16	16	3	1.5
18	18	1	0.5
20	20	14	6.9
21	21	1	0.5
25	25	11	5.4
26	26	1	0.5
27	27	2	1.0
28	28	11	5.4
29	29	1	0.5
30	30	49	24.0
No response	N	1	.
Logical skip	S	828	.
Missing survey	Z	941	.
		1974	100.0

SU70_R6	
LABEL	Over the past 30 days, how often did you use illicitly-made fentanyl?
TYPE	num
LENGTH	8
VARNUM	545

SU70_R6: Distribution	Value	n	%
0	0	5	5.6
1	1	2	2.2
2	2	2	2.2
3	3	4	4.4
4	4	2	2.2
5	5	6	6.7
9	9	1	1.1
10	10	10	11.1
13	13	1	1.1
14	14	1	1.1
15	15	8	8.9
16	16	1	1.1
17	17	1	1.1
20	20	7	7.8
22	22	3	3.3
25	25	6	6.7
26	26	2	2.2
28	28	4	4.4
29	29	1	1.1
30	30	23	25.6
No response	N	0	.
Logical skip	S	943	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU70_R7	
LABEL	Over the past 30 days, how often did you use Gabapentin?
TYPE	num

SU70_R7	
LENGTH	8
VARNUM	546

SU70_R7: Distribution	Value	n	%
0	0	3	7.3
2	2	3	7.3
4	4	2	4.9
5	5	3	7.3
6	6	1	2.4
10	10	1	2.4
14	14	1	2.4
22	22	1	2.4
28	28	2	4.9
30	30	24	58.5
No response	N	0	.
Logical skip	S	992	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU70_R8	
LABEL	Over the past 30 days, how often did you use marijuana/cannabis?
TYPE	num
LENGTH	8
VARNUM	547

SU70_R8: Distribution	Value	n	%
0	0	11	4.3
1	1	8	3.2
2	2	9	3.6
3	3	6	2.4
4	4	4	1.6
5	5	17	6.7
6	6	3	1.2
7	7	4	1.6
8	8	2	0.8
9	9	1	0.4

SU70_R8: Distribution	Value	n	%
10	10	9	3.6
12	12	2	0.8
13	13	3	1.2
14	14	1	0.4
15	15	14	5.5
17	17	1	0.4
18	18	2	0.8
20	20	32	12.6
21	21	1	0.4
22	22	2	0.8
23	23	1	0.4
24	24	2	0.8
25	25	8	3.2
26	26	4	1.6
27	27	3	1.2
28	28	5	2.0
29	29	3	1.2
30	30	95	37.5
No response	N	3	.
Logical skip	S	777	.
Missing survey	Z	941	.
		1974	100.0

SU70_R9	
LABEL	Over the past 30 days, how often did you use cocaine/crack?
TYPE	num
LENGTH	8
VARNUM	548

SU70_R9: Distribution	Value	n	%
0	0	6	7.5
1	1	3	3.8
2	2	6	7.5
3	3	6	7.5
4	4	10	12.5
5	5	9	11.3
6	6	1	1.3

SU70_R9: Distribution	Value	n	%
7	7	3	3.8
8	8	3	3.8
9	9	1	1.3
10	10	7	8.8
11	11	1	1.3
12	12	1	1.3
15	15	4	5.0
16	16	1	1.3
18	18	1	1.3
20	20	4	5.0
25	25	3	3.8
26	26	1	1.3
28	28	1	1.3
29	29	1	1.3
30	30	7	8.8
No response	N	0	.
Logical skip	S	953	.
Missing survey	Z	941	.
		1974	100.0

SU70_R10	
LABEL	Over the past 30 days, how often did you use methamphetamine/crank?
TYPE	num
LENGTH	8
VARNUM	549

SU70_R10: Distribution	Value	n	%
0	0	7	6.9
1	1	2	2.0
2	2	8	7.9
3	3	4	4.0
4	4	5	5.0
5	5	4	4.0
7	7	3	3.0
8	8	2	2.0
9	9	1	1.0
10	10	2	2.0

SU70_R10: Distribution	Value	n	%
12	12	2	2.0
13	13	1	1.0
14	14	1	1.0
15	15	11	10.9
20	20	10	9.9
21	21	3	3.0
22	22	1	1.0
24	24	1	1.0
25	25	4	4.0
26	26	1	1.0
27	27	2	2.0
28	28	3	3.0
29	29	2	2.0
30	30	21	20.8
No response	N	0	.
Logical skip	S	932	.
Missing survey	Z	941	.
		1974	100.0

SU71_1_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	550

SU71_1_R1: Distribution	Value	n	%
No	0	14	45.2
Yes	1	17	54.8
No response	N	2	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		1974	100.0

SU71_2_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Oral, swallowed after chewing/crushing?

SU71_2_R1	
TYPE	num
LENGTH	8
VARNUM	551

SU71_2_R1: Distribution	Value	n	%
No	0	25	80.6
Yes	1	6	19.4
No response	N	2	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		1974	100.0

SU71_3_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	552

SU71_3_R1: Distribution	Value	n	%
No	0	30	96.8
Yes	1	1	3.2
No response	N	2	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		1974	100.0

SU71_4_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	553

SU71_4_R1: Distribution	Value	n	%
No	0	29	93.5

SU71_4_R1: Distribution	Value	n	%
Yes	1	2	6.5
No response	N	2	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_5_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	554

SU71_5_R1: Distribution	Value	n	%
No	0	20	64.5
Yes	1	11	35.5
No response	N	2	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	555

SU71_6_R1: Distribution	Value	n	%
No	0	22	71.0
Yes	1	9	29.0
No response	N	2	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	556

SU71_7_R1: Distribution	Value	n	%
No	0	31	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		1974	100.0

SU71_1_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	557

SU71_1_R2: Distribution	Value	n	%
No	0	17	37.8
Yes	1	28	62.2
No response	N	3	.
Logical skip	S	985	.
Missing survey	Z	941	.
		1974	100.0

SU71_2_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	558

SU71_2_R2: Distribution	Value	n	%
No	0	38	84.4
Yes	1	7	15.6
No response	N	3	.
Logical skip	S	985	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_3_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	559

SU71_3_R2: Distribution	Value	n	%
No	0	44	97.8
Yes	1	1	2.2
No response	N	3	.
Logical skip	S	985	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_4_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	560

SU71_4_R2: Distribution	Value	n	%
No	0	45	100.0
Yes	1	0	.
No response	N	3	.
Logical skip	S	985	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_5_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	561

SU71_5_R2: Distribution	Value	n	%
No	0	40	88.9
Yes	1	5	11.1
No response	N	3	.
Logical skip	S	985	.
Missing survey	Z	941	.
		1974	100.0

SU71_6_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	562

SU71_6_R2: Distribution	Value	n	%
No	0	42	93.3
Yes	1	3	6.7
No response	N	3	.
Logical skip	S	985	.
Missing survey	Z	941	.
		1974	100.0

SU71_7_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	563

SU71_7_R2: Distribution	Value	n	%
No	0	38	84.4
Yes	1	7	15.6
No response	N	3	.
Logical skip	S	985	.
Missing survey	Z	941	.
		1974	100.0

SU71_1_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	564

SU71_1_R3: Distribution	Value	n	%
No	0	6	37.5
Yes	1	10	62.5
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	941	.
		1974	100.0

SU71_2_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	565

SU71_2_R3: Distribution	Value	n	%
No	0	14	87.5
Yes	1	2	12.5
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	941	.
		1974	100.0

SU71_3_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	566

SU71_3_R3: Distribution	Value	n	%
No	0	15	93.8
Yes	1	1	6.3
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	941	.
		1974	100.0

SU71_4_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	567

SU71_4_R3: Distribution	Value	n	%
No	0	12	75.0
Yes	1	4	25.0
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	941	.
		1974	100.0

SU71_5_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	568

SU71_5_R3: Distribution	Value	n	%
No	0	15	93.8
Yes	1	1	6.3
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	941	.
		1974	100.0

SU71_6_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	569

SU71_6_R3: Distribution	Value	n	%
No	0	13	81.3
Yes	1	3	18.8
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	941	.
		1974	100.0

SU71_7_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	570

SU71_7_R3: Distribution	Value	n	%
No	0	16	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1017	.

SU71_7_R3: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

SU71_1_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	571

SU71_1_R4: Distribution	Value	n	%
No	0	10	30.3
Yes	1	23	69.7
No response	N	0	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		1974	100.0

SU71_2_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	572

SU71_2_R4: Distribution	Value	n	%
No	0	27	81.8
Yes	1	6	18.2
No response	N	0	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		1974	100.0

SU71_3_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Oral, ate with food (e.g., marijuana brownies)?

SU71_3_R4	
TYPE	num
LENGTH	8
VARNUM	573

SU71_3_R4: Distribution	Value	n	%
No	0	30	90.9
Yes	1	3	9.1
No response	N	0	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		1974	100.0

SU71_4_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	574

SU71_4_R4: Distribution	Value	n	%
No	0	31	93.9
Yes	1	2	6.1
No response	N	0	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		1974	100.0

SU71_5_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	575

SU71_5_R4: Distribution	Value	n	%
No	0	22	66.7

SU71_5_R4: Distribution	Value	n	%
Yes	1	11	33.3
No response	N	0	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	576

SU71_6_R4: Distribution	Value	n	%
No	0	32	97.0
Yes	1	1	3.0
No response	N	0	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	577

SU71_7_R4: Distribution	Value	n	%
No	0	33	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1000	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_1_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	578

SU71_1_R5: Distribution	Value	n	%
No	0	178	98.3
Yes	1	3	1.7
No response	N	2	.
Logical skip	S	850	.
Missing survey	Z	941	.
		1974	100.0

SU71_2_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	579

SU71_2_R5: Distribution	Value	n	%
No	0	181	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	850	.
Missing survey	Z	941	.
		1974	100.0

SU71_3_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	580

SU71_3_R5: Distribution	Value	n	%
No	0	181	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	850	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_4_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Smoked?
TYPE	num
LENGTH	8
VARNUM	581

SU71_4_R5: Distribution	Value	n	%
No	0	157	86.7
Yes	1	24	13.3
No response	N	2	.
Logical skip	S	850	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_5_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Snorted?
TYPE	num
LENGTH	8
VARNUM	582

SU71_5_R5: Distribution	Value	n	%
No	0	104	57.5
Yes	1	77	42.5
No response	N	2	.
Logical skip	S	850	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Injected?
TYPE	num
LENGTH	8
VARNUM	583

SU71_6_R5: Distribution	Value	n	%
No	0	70	38.7
Yes	1	111	61.3
No response	N	2	.
Logical skip	S	850	.
Missing survey	Z	941	.
		1974	100.0

SU71_7_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	584

SU71_7_R5: Distribution	Value	n	%
No	0	180	99.4
Yes	1	1	0.6
No response	N	2	.
Logical skip	S	850	.
Missing survey	Z	941	.
		1974	100.0

SU71_1_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	585

SU71_1_R6: Distribution	Value	n	%
No	0	81	96.4

SU71_1_R6: Distribution	Value	n	%
Yes	1	3	3.6
No response	N	1	.
Logical skip	S	948	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_2_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	586

SU71_2_R6: Distribution	Value	n	%
No	0	84	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	948	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_3_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	587

SU71_3_R6: Distribution	Value	n	%
No	0	84	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	948	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_4_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Smoked?
TYPE	num
LENGTH	8
VARNUM	588

SU71_4_R6: Distribution	Value	n	%
No	0	73	86.9
Yes	1	11	13.1
No response	N	1	.
Logical skip	S	948	.
Missing survey	Z	941	.
		1974	100.0

SU71_5_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Snorted?
TYPE	num
LENGTH	8
VARNUM	589

SU71_5_R6: Distribution	Value	n	%
No	0	45	53.6
Yes	1	39	46.4
No response	N	1	.
Logical skip	S	948	.
Missing survey	Z	941	.
		1974	100.0

SU71_6_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Injected?
TYPE	num
LENGTH	8
VARNUM	590

SU71_6_R6: Distribution	Value	n	%
No	0	37	44.0

SU71_6_R6: Distribution	Value	n	%
Yes	1	47	56.0
No response	N	1	.
Logical skip	S	948	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? None of these apply?
TYPE	num
LENGTH	8
VARNUM	591

SU71_7_R6: Distribution	Value	n	%
No	0	83	98.8
Yes	1	1	1.2
No response	N	1	.
Logical skip	S	948	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_1_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	592

SU71_1_R7: Distribution	Value	n	%
No	0	4	10.5
Yes	1	34	89.5
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_2_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	593

SU71_2_R7: Distribution	Value	n	%
No	0	36	94.7
Yes	1	2	5.3
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	941	.
		1974	100.0

SU71_3_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	594

SU71_3_R7: Distribution	Value	n	%
No	0	37	97.4
Yes	1	1	2.6
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	941	.
		1974	100.0

SU71_4_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Smoked?
TYPE	num
LENGTH	8
VARNUM	595

SU71_4_R7: Distribution	Value	n	%
No	0	38	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_5_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Snorted?
TYPE	num
LENGTH	8
VARNUM	596

SU71_5_R7: Distribution	Value	n	%
No	0	38	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Injected?
TYPE	num
LENGTH	8
VARNUM	597

SU71_6_R7: Distribution	Value	n	%
No	0	38	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	598

SU71_7_R7: Distribution	Value	n	%
No	0	36	94.7
Yes	1	2	5.3
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	941	.
		1974	100.0

SU71_1_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	599

SU71_1_R8: Distribution	Value	n	%
No	0	240	99.2
Yes	1	2	0.8
No response	N	3	.
Logical skip	S	788	.
Missing survey	Z	941	.
		1974	100.0

SU71_2_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	600

SU71_2_R8: Distribution	Value	n	%
No	0	239	98.8
Yes	1	3	1.2
No response	N	3	.
Logical skip	S	788	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_3_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	601

SU71_3_R8: Distribution	Value	n	%
No	0	210	86.8
Yes	1	32	13.2
No response	N	3	.
Logical skip	S	788	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_4_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Smoked?
TYPE	num
LENGTH	8
VARNUM	602

SU71_4_R8: Distribution	Value	n	%
No	0	6	2.5
Yes	1	236	97.5
No response	N	3	.
Logical skip	S	788	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_5_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Snorted?
TYPE	num
LENGTH	8
VARNUM	603

SU71_5_R8: Distribution	Value	n	%
No	0	241	99.6
Yes	1	1	0.4
No response	N	3	.
Logical skip	S	788	.
Missing survey	Z	941	.
		1974	100.0

SU71_6_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Injected?
TYPE	num
LENGTH	8
VARNUM	604

SU71_6_R8: Distribution	Value	n	%
No	0	242	100.0
Yes	1	0	.
No response	N	3	.
Logical skip	S	788	.
Missing survey	Z	941	.
		1974	100.0

SU71_7_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? None of these apply?
TYPE	num
LENGTH	8
VARNUM	605

SU71_7_R8: Distribution	Value	n	%
No	0	240	99.2
Yes	1	2	0.8
No response	N	3	.
Logical skip	S	788	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_1_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	606

SU71_1_R9: Distribution	Value	n	%
No	0	73	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	959	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_2_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	607

SU71_2_R9: Distribution	Value	n	%
No	0	73	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	959	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_3_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	608

SU71_3_R9: Distribution	Value	n	%
No	0	73	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	959	.
Missing survey	Z	941	.
		1974	100.0

SU71_4_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Smoked?
TYPE	num
LENGTH	8
VARNUM	609

SU71_4_R9: Distribution	Value	n	%
No	0	15	20.5
Yes	1	58	79.5
No response	N	1	.
Logical skip	S	959	.
Missing survey	Z	941	.
		1974	100.0

SU71_5_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Snorted?
TYPE	num
LENGTH	8
VARNUM	610

SU71_5_R9: Distribution	Value	n	%
No	0	57	78.1
Yes	1	16	21.9
No response	N	1	.
Logical skip	S	959	.
Missing survey	Z	941	.
		1974	100.0

SU71_6_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Injected?
TYPE	num
LENGTH	8
VARNUM	611

SU71_6_R9: Distribution	Value	n	%
No	0	61	83.6
Yes	1	12	16.4
No response	N	1	.
Logical skip	S	959	.
Missing survey	Z	941	.
		1974	100.0

SU71_7_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? None of these apply?
TYPE	num
LENGTH	8
VARNUM	612

SU71_7_R9: Distribution	Value	n	%
No	0	71	97.3
Yes	1	2	2.7
No response	N	1	.
Logical skip	S	959	.
Missing survey	Z	941	.
		1974	100.0

SU71_1_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	613

SU71_1_R10: Distribution	Value	n	%
No	0	93	98.9
Yes	1	1	1.1
No response	N	0	.
Logical skip	S	939	.
Missing survey	Z	941	.
		1974	100.0

SU71_2_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	614

SU71_2_R10: Distribution	Value	n	%
No	0	92	97.9
Yes	1	2	2.1
No response	N	0	.
Logical skip	S	939	.
Missing survey	Z	941	.
		1974	100.0

SU71_3_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	615

SU71_3_R10: Distribution	Value	n	%
No	0	93	98.9
Yes	1	1	1.1
No response	N	0	.
Logical skip	S	939	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_4_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Smoked?
TYPE	num
LENGTH	8
VARNUM	616

SU71_4_R10: Distribution	Value	n	%
No	0	22	23.4
Yes	1	72	76.6
No response	N	0	.
Logical skip	S	939	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_5_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Snorted?
TYPE	num
LENGTH	8
VARNUM	617

SU71_5_R10: Distribution	Value	n	%
No	0	73	77.7
Yes	1	21	22.3
No response	N	0	.
Logical skip	S	939	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Injected?
TYPE	num
LENGTH	8
VARNUM	618

SU71_6_R10: Distribution	Value	n	%
No	0	52	55.3
Yes	1	42	44.7
No response	N	0	.
Logical skip	S	939	.
Missing survey	Z	941	.
		1974	100.0

SU71_7_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? None of these apply?
TYPE	num
LENGTH	8
VARNUM	619

SU71_7_R10: Distribution	Value	n	%
No	0	94	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	939	.
Missing survey	Z	941	.
		1974	100.0

PO3	
LABEL	When was the last time you used prescription opioids non-medically?
TYPE	num
LENGTH	8
VARNUM	620

PO3: Distribution	Value	n	%
Today	1	8	5.6

PO3: Distribution	Value	n	%
Past 7 days	2	19	13.4
Past 30 days	3	26	18.3
Past 90 days	4	15	10.6
Past 6 months	5	24	16.9
Past 12 months	6	23	16.2
More than 1 year ago	7	27	19.0
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO4	
LABEL	In the past 12 months, how many months did you use prescription opioids non-medically? (Enter 1 if less than 1 month.)
TYPE	num
LENGTH	8
VARNUM	621

PO4: Distribution	Value	n	%
0	0	11	9.6
1	1	43	37.4
2	2	12	10.4
3	3	8	7.0
4	4	9	7.8
5	5	9	7.8
6	6	5	4.3
7	7	2	1.7
8	8	3	2.6
9	9	3	2.6
10	10	3	2.6
11	11	2	1.7
12	12	5	4.3
No response	N	1	.
Logical skip	S	917	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO5	
LABEL	In the most recent month that you used prescription opioids non-medically, how many days per month did you typically use it?
TYPE	num
LENGTH	8
VARNUM	622

PO5: Distribution	Value	n	%
0	0	25	17.6
1	1	32	22.5
2	2	19	13.4
3	3	10	7.0
4	4	5	3.5
5	5	8	5.6
6	6	3	2.1
7	7	5	3.5
8	8	1	0.7
10	10	6	4.2
14	14	1	0.7
15	15	7	4.9
20	20	2	1.4
21	21	1	0.7
22	22	1	0.7
24	24	1	0.7
25	25	1	0.7
30	30	14	9.9
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO6	
LABEL	In the past 90 days, how many days did you use prescription opioids non-medically?
TYPE	num
LENGTH	8
VARNUM	623

PO6: Distribution	Value	n	%
0	0	12	17.6
1	1	9	13.2
2	2	6	8.8
3	3	5	7.4
5	5	8	11.8
6	6	1	1.5
7	7	2	2.9
8	8	3	4.4
9	9	1	1.5
10	10	3	4.4
14	14	1	1.5
15	15	2	2.9
20	20	1	1.5
24	24	1	1.5
30	30	3	4.4
35	35	1	1.5
39	39	1	1.5
60	60	2	2.9
70	70	1	1.5
73	73	1	1.5
75	75	1	1.5
80	80	1	1.5
90	90	2	2.9
No response	N	1	.
Logical skip	S	964	.
Missing survey	Z	941	.
		1974	100.0

PO7A_1	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Got from one doctor?
TYPE	num
LENGTH	8
VARNUM	624

PO7A_1: Distribution	Value	n	%
No	0	99	69.2

PO7A_1: Distribution	Value	n	%
Yes	1	44	30.8
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7A_2	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Got from more than one doctor?
TYPE	num
LENGTH	8
VARNUM	625

PO7A_2: Distribution	Value	n	%
No	0	135	94.4
Yes	1	8	5.6
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7A_3	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Wrote fake prescription?
TYPE	num
LENGTH	8
VARNUM	626

PO7A_3: Distribution	Value	n	%
No	0	136	95.1
Yes	1	7	4.9
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7A_4	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Stole from Dr. office, clinic, hospital, or pharmacy?
TYPE	num
LENGTH	8
VARNUM	627

PO7A_4: Distribution	Value	n	%
No	0	140	97.9
Yes	1	3	2.1
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO7A_5	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Got from friend or relative for free?
TYPE	num
LENGTH	8
VARNUM	628

PO7A_5: Distribution	Value	n	%
No	0	75	52.4
Yes	1	68	47.6
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO7A_6	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Bought from friend or relative?
TYPE	num
LENGTH	8
VARNUM	629

PO7A_6: Distribution	Value	n	%
No	0	81	56.6
Yes	1	62	43.4
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7A_7	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Stole from friend or relative?
TYPE	num
LENGTH	8
VARNUM	630

PO7A_7: Distribution	Value	n	%
No	0	126	88.1
Yes	1	17	11.9
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7A_8	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Bought from drug dealer or another stranger?
TYPE	num
LENGTH	8
VARNUM	631

PO7A_8: Distribution	Value	n	%
No	0	68	47.6
Yes	1	75	52.4
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7A_9	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Got some other way?
TYPE	num
LENGTH	8
VARNUM	632

PO7A_9: Distribution	Value	n	%
No	0	139	97.2
Yes	1	4	2.8
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7B_1	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Got from one doctor?
TYPE	num
LENGTH	8
VARNUM	633

PO7B_1: Distribution	Value	n	%
No	0	112	78.9
Yes	1	30	21.1
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7B_2	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Got from more than one doctor?
TYPE	num
LENGTH	8
VARNUM	634

PO7B_2: Distribution	Value	n	%
No	0	138	97.2
Yes	1	4	2.8
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7B_3	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Wrote fake prescription?
TYPE	num
LENGTH	8
VARNUM	635

PO7B_3: Distribution	Value	n	%
No	0	141	99.3
Yes	1	1	0.7
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7B_4	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Stole from Dr. office, clinic, hospital, or pharmacy?
TYPE	num
LENGTH	8
VARNUM	636

PO7B_4: Distribution	Value	n	%
No	0	141	99.3
Yes	1	1	0.7
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7B_5	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Got from friend or relative for free?
TYPE	num
LENGTH	8
VARNUM	637

PO7B_5: Distribution	Value	n	%
No	0	90	63.4
Yes	1	52	36.6
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7B_6	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Bought from friend or relative?
TYPE	num
LENGTH	8
VARNUM	638

PO7B_6: Distribution	Value	n	%
No	0	92	64.8
Yes	1	50	35.2
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7B_7	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Stole from friend or relative?
TYPE	num
LENGTH	8
VARNUM	639

PO7B_7: Distribution	Value	n	%
No	0	136	95.8
Yes	1	6	4.2
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7B_8	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Bought from drug dealer or another stranger?
TYPE	num
LENGTH	8
VARNUM	640

PO7B_8: Distribution	Value	n	%
No	0	78	54.9
Yes	1	64	45.1
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO7B_9	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 12 months? Got some other way?
TYPE	num
LENGTH	8
VARNUM	641

PO7B_9: Distribution	Value	n	%
No	0	141	99.3
Yes	1	1	0.7
No response	N	1	.
Logical skip	S	890	.

PO7B_9: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

PO7C	
LABEL	How did you acquire the prescription opioids you used non-medically? Most typical way you acquire?
TYPE	num
LENGTH	8
VARNUM	642

PO7C: Distribution	Value	n	%
Got from one doctor	1	20	14.1
Got from more than one doctor	2	1	0.7
Wrote fake prescription	3	1	0.7
Stole from Dr. office, clinic, hospital, or pharmacy	4	0	.
Got from friend or relative for free	5	31	21.8
Bought from friend or relative	6	30	21.1
Stole from friend or relative	7	4	2.8
Bought from drug dealer or other stranger	8	54	38.0
Got some other way (specify):	9	1	0.7
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO8A_1	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Immediate Release Oxycodone (e.g., Percocet, Roxicodone)?
TYPE	num
LENGTH	8
VARNUM	643

PO8A_1: Distribution	Value	n	%
No	0	42	29.4
Yes	1	101	70.6

PO8A_1: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8A_2	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Extended Release Oxycodone (e.g. OxyContin OC/OP)?
TYPE	num
LENGTH	8
VARNUM	644

PO8A_2: Distribution	Value	n	%
No	0	72	50.3
Yes	1	71	49.7
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8A_3	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Immediate Release Hydrocodone (e.g., Vicodin)?
TYPE	num
LENGTH	8
VARNUM	645

PO8A_3: Distribution	Value	n	%
No	0	68	47.6
Yes	1	75	52.4
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8A_4	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Extended Release Hydrocodone (e.g., Hysingla, Zohydro)?
TYPE	num
LENGTH	8
VARNUM	646

PO8A_4: Distribution	Value	n	%
No	0	111	77.6
Yes	1	32	22.4
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO8A_5	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Buprenorphine (e.g. Suboxone, Subutex)?
TYPE	num
LENGTH	8
VARNUM	647

PO8A_5: Distribution	Value	n	%
No	0	87	60.8
Yes	1	56	39.2
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO8A_6	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Methadone?
TYPE	num
LENGTH	8
VARNUM	648

PO8A_6: Distribution	Value	n	%
No	0	86	60.1
Yes	1	57	39.9
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8A_7	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Fentanyl (patch or lollipop)?
TYPE	num
LENGTH	8
VARNUM	649

PO8A_7: Distribution	Value	n	%
No	0	92	64.3
Yes	1	51	35.7
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8A_8	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Morphine (e.g. Embeda, MS-Contin)?
TYPE	num
LENGTH	8
VARNUM	650

PO8A_8: Distribution	Value	n	%
No	0	97	67.8
Yes	1	46	32.2
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8A_9	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Oxymorphone (e.g., Opana)?
TYPE	num
LENGTH	8
VARNUM	651

PO8A_9: Distribution	Value	n	%
No	0	104	72.7
Yes	1	39	27.3
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO8A_10	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Hydromorphone (e.g., Dilaudid)?
TYPE	num
LENGTH	8
VARNUM	652

PO8A_10: Distribution	Value	n	%
No	0	96	67.1
Yes	1	47	32.9
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO8A_11	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Tramadol (e.g. Ultram)?
TYPE	num
LENGTH	8
VARNUM	653

PO8A_11: Distribution	Value	n	%
No	0	101	70.6
Yes	1	42	29.4
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8A_12	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Codeine (e.g., Tylenol #3)?
TYPE	num
LENGTH	8
VARNUM	654

PO8A_12: Distribution	Value	n	%
No	0	87	60.8
Yes	1	56	39.2
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8A_13	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Meperidine (e.g., Demerol)?
TYPE	num
LENGTH	8
VARNUM	655

PO8A_13: Distribution	Value	n	%
No	0	122	85.3
Yes	1	21	14.7
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8A_14	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Other (specify)?
TYPE	num
LENGTH	8
VARNUM	656

PO8A_14: Distribution	Value	n	%
No	0	136	95.1
Yes	1	7	4.9
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO8B_1	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Immediate Release Oxycodone (e.g., Percocet, Roxicodone)?
TYPE	num
LENGTH	8
VARNUM	657

PO8B_1: Distribution	Value	n	%
No	0	70	49.3
Yes	1	72	50.7
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO8B_2	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Extended Release Oxycodone (e.g. OxyContin OC/OP)?
TYPE	num
LENGTH	8
VARNUM	658

PO8B_2: Distribution	Value	n	%
No	0	116	81.7
Yes	1	26	18.3
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8B_3	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Immediate Release Hydrocodone (e.g., Vicodin)?
TYPE	num
LENGTH	8
VARNUM	659

PO8B_3: Distribution	Value	n	%
No	0	101	71.1
Yes	1	41	28.9
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8B_4	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Extended Release Hydrocodone (e.g., Hysingla, Zohydro)?
TYPE	num
LENGTH	8
VARNUM	660

PO8B_4: Distribution	Value	n	%
No	0	130	91.5
Yes	1	12	8.5
No response	N	1	.
Logical skip	S	890	.

PO8B_4: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

PO8B_5	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Buprenorphine (e.g. Suboxone, Subutex)?
TYPE	num
LENGTH	8
VARNUM	661

PO8B_5: Distribution	Value	n	%
No	0	115	81.0
Yes	1	27	19.0
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO8B_6	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Methadone?
TYPE	num
LENGTH	8
VARNUM	662

PO8B_6: Distribution	Value	n	%
No	0	108	76.1
Yes	1	34	23.9
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO8B_7	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Fentanyl (patch or lollipop)?

PO8B_7	
TYPE	num
LENGTH	8
VARNUM	663

PO8B_7: Distribution	Value	n	%
No	0	121	85.2
Yes	1	21	14.8
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8B_8	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Morphine (e.g. Embeda, MS-Contin)?
TYPE	num
LENGTH	8
VARNUM	664

PO8B_8: Distribution	Value	n	%
No	0	125	88.0
Yes	1	17	12.0
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8B_9	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Oxymorphone (e.g., Opana)?
TYPE	num
LENGTH	8
VARNUM	665

PO8B_9: Distribution	Value	n	%
No	0	133	93.7

PO8B_9: Distribution	Value	n	%
Yes	1	9	6.3
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8B_10	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Hydromorphone (e.g., Dilaudid)?
TYPE	num
LENGTH	8
VARNUM	666

PO8B_10: Distribution	Value	n	%
No	0	126	88.7
Yes	1	16	11.3
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8B_11	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Tramadol (e.g. Ultram)?
TYPE	num
LENGTH	8
VARNUM	667

PO8B_11: Distribution	Value	n	%
No	0	125	88.0
Yes	1	17	12.0
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8B_12	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Codeine (e.g., Tylenol #3)?
TYPE	num
LENGTH	8
VARNUM	668

PO8B_12: Distribution	Value	n	%
No	0	123	86.6
Yes	1	19	13.4
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO8B_13	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Meperidine (e.g., Demerol)?
TYPE	num
LENGTH	8
VARNUM	669

PO8B_13: Distribution	Value	n	%
No	0	139	97.9
Yes	1	3	2.1
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		1974	100.0

PO8B_14	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 12 months? Other (specify)?
TYPE	num
LENGTH	8
VARNUM	670

PO8B_14: Distribution	Value	n	%
No	0	136	95.8
Yes	1	6	4.2
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO8C	
LABEL	Which of the following prescription opioids you have used non-medically? One I like the best? Pick one.
TYPE	num
LENGTH	8
VARNUM	671

PO8C: Distribution	Value	n	%
Immediate Release Oxycodone (e.g., Percocet, Roxicodone)	1	47	33.1
Extended Release Oxycodone (e.g. OxyContin OC/OP)	2	10	7.0
Immediate Release Hydrocodone (e.g., Vicodin)	3	13	9.2
Extended Release Hydrocodone (e.g., Hysingla, Zohydro)	4	1	0.7
Buprenorphine (e.g. Suboxone, Subutex)	5	7	4.9
Methadone	6	12	8.5
Fentanyl (patch or lollipop)	7	17	12.0
Morphine (e.g. Embeda, MS-Contin)	8	3	2.1
Oxymorphone (e.g. Opana)	9	9	6.3
Hydromorphone (e.g. Dilaudid)	10	10	7.0
Tramadol (e.g. Ultram)	11	3	2.1
Codeine (e.g. Tylenol #3)	12	5	3.5
Meperidine (e.g., Demerol)	13	0	.
Other (specify)	14	5	3.5
No response	N	1	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO9	
LABEL	The last time you used [One I like the best named in PO8c], what was the dose?
TYPE	num
LENGTH	8
VARNUM	672

PO9: Distribution	Value	n	%
Milligrams	1	134	93.7
Other units	2	9	6.3
No response	N	0	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO9_MG	
LABEL	The last time you used [One I like the best named in PO8c], what was the dose? Milligrams.
TYPE	num
LENGTH	8
VARNUM	673

PO9_MG: Distribution	Value	n	%
1	1	2	1.5
2	2	2	1.5
4	4	7	5.2
5	5	6	4.5
6	6	1	0.7
7	7	1	0.7
8	8	9	6.7
9	9	1	0.7
10	10	21	15.7
12	12	1	0.7
15	15	5	3.7
16	16	1	0.7
20	20	4	3.0
30	30	24	17.9
40	40	7	5.2

PO9_MG: Distribution	Value	n	%
50	50	5	3.7
60	60	4	3.0
75	75	2	1.5
80	80	11	8.2
85	85	1	0.7
90	90	3	2.2
100	100	7	5.2
110	110	1	0.7
140	140	1	0.7
165	165	1	0.7
200	200	1	0.7
300	300	2	1.5
325	325	2	1.5
900	900	1	0.7
No response	N	9	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PO9_OUA	
LABEL	The last time you used [One I like the best named in PO8c], what was the dose? Other units? Specify amount in those units.
TYPE	num
LENGTH	8
VARNUM	674

PO9_OUA: Distribution	Value	n	%
1	1	4	44.4
10	10	2	22.2
30	30	2	22.2
410	410	1	11.1
No response	N	134	.
Logical skip	S	890	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

FE2	
LABEL	Did you use a prescription opioid (e.g., Duragesic, Percocet, Roxicodone, OxyContin) prior to using illicitly-made fentanyl for the first time?
TYPE	num
LENGTH	8
VARNUM	675

FE2: Distribution	Value	n	%
Yes	1	129	87.2
No	2	19	12.8
No response	N	0	.
Logical skip	S	885	.
Missing survey	Z	941	.
		1974	100.0

FE3	
LABEL	When was the last time you used illicitly-made fentanyl?
TYPE	num
LENGTH	8
VARNUM	676

FE3: Distribution	Value	n	%
Today	1	31	20.9
Past 7 days	2	33	22.3
Past 30 days	3	25	16.9
Past 90 days	4	12	8.1
Past 6 months	5	16	10.8
Past 12 months	6	22	14.9
More than 1 year ago	7	9	6.1
No response	N	0	.
Logical skip	S	885	.
Missing survey	Z	941	.
		1974	100.0

FE4	
LABEL	In the past 12 months, how many months did you use illicitly-made fentanyl? (Enter 1 if less than 1 month.)

FE4	
TYPE	num
LENGTH	8
VARNUM	677

FE4: Distribution	Value	n	%
1	1	37	26.6
2	2	10	7.2
3	3	5	3.6
4	4	7	5.0
5	5	7	5.0
6	6	13	9.4
7	7	4	2.9
8	8	5	3.6
9	9	5	3.6
10	10	8	5.8
11	11	3	2.2
12	12	35	25.2
No response	N	0	.
Logical skip	S	894	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

FE5	
LABEL	In the most recent month that you used illicitly-made fentanyl, how many days per month did you typically use it?
TYPE	num
LENGTH	8
VARNUM	678

FE5: Distribution	Value	n	%
0	0	10	6.8
1	1	16	10.8
2	2	10	6.8
3	3	8	5.4
4	4	3	2.0
5	5	4	2.7
6	6	3	2.0

FE5: Distribution	Value	n	%
8	8	1	0.7
9	9	2	1.4
10	10	12	8.1
12	12	2	1.4
13	13	1	0.7
14	14	4	2.7
15	15	7	4.7
20	20	8	5.4
21	21	1	0.7
25	25	8	5.4
26	26	1	0.7
27	27	3	2.0
28	28	5	3.4
29	29	2	1.4
30	30	37	25.0
No response	N	0	.
Logical skip	S	885	.
Missing survey	Z	941	.
		1974	100.0

FE6	
LABEL	In the past 90 days, how many days did you use illicitly-made fentanyl?
TYPE	num
LENGTH	8
VARNUM	679

FE6: Distribution	Value	n	%
0	0	3	3.0
1	1	7	6.9
2	2	7	6.9
3	3	5	5.0
4	4	5	5.0
6	6	1	1.0
9	9	2	2.0
10	10	5	5.0
12	12	1	1.0
15	15	1	1.0

FE6: Distribution	Value	n	%
20	20	2	2.0
22	22	1	1.0
24	24	1	1.0
27	27	1	1.0
30	30	4	4.0
33	33	1	1.0
36	36	2	2.0
40	40	2	2.0
45	45	6	5.9
50	50	1	1.0
60	60	6	5.9
70	70	1	1.0
75	75	4	4.0
76	76	1	1.0
78	78	1	1.0
80	80	3	3.0
81	81	1	1.0
82	82	1	1.0
84	84	2	2.0
85	85	3	3.0
88	88	3	3.0
90	90	17	16.8
No response	N	0	.
Logical skip	S	932	.
Missing survey	Z	941	.
		1974	100.0

HU2	
LABEL	Did you use a prescription opioid (e.g., Duragesic, Percocet, Roxicodone, OxyContin) prior to using heroin for the first time?
TYPE	num
LENGTH	8
VARNUM	680

HU2: Distribution	Value	n	%
Yes	1	238	73.0
No	2	88	27.0

HU2: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	707	.
Missing survey	Z	941	.
		1974	100.0

HU3	
LABEL	When was the last time you used heroin?
TYPE	num
LENGTH	8
VARNUM	681

HU3: Distribution	Value	n	%
Today	1	68	20.9
Past 7 days	2	74	22.8
Past 30 days	3	62	19.1
Past 90 days	4	40	12.3
Past 6 months	5	34	10.5
Past 12 months	6	31	9.5
More than 1 year ago	7	16	4.9
No response	N	1	.
Logical skip	S	707	.
Missing survey	Z	941	.
		1974	100.0

HU4	
LABEL	In the past 12 months, how many months did you use heroin? (Enter 1 if less than 1 month.)
TYPE	num
LENGTH	8
VARNUM	682

HU4: Distribution	Value	n	%
1	1	70	22.7
2	2	35	11.3
3	3	35	11.3
4	4	13	4.2
5	5	12	3.9

HU4: Distribution	Value	n	%
6	6	24	7.8
7	7	12	3.9
8	8	10	3.2
9	9	12	3.9
10	10	14	4.5
11	11	5	1.6
12	12	67	21.7
No response	N	1	.
Logical skip	S	723	.
Missing survey	Z	941	.
		1974	100.0

HU5	
LABEL	In the most recent month that you used heroin, how many days per month did you typically use it?
TYPE	num
LENGTH	8
VARNUM	683

HU5: Distribution	Value	n	%
1	1	49	15.0
2	2	35	10.7
3	3	14	4.3
4	4	13	4.0
5	5	12	3.7
6	6	5	1.5
7	7	8	2.5
8	8	4	1.2
9	9	2	0.6
10	10	15	4.6
12	12	3	0.9
13	13	1	0.3
14	14	5	1.5
15	15	15	4.6
16	16	1	0.3
17	17	1	0.3
18	18	2	0.6

HU5: Distribution	Value	n	%
19	19	1	0.3
20	20	12	3.7
21	21	1	0.3
22	22	1	0.3
23	23	1	0.3
24	24	1	0.3
25	25	11	3.4
26	26	4	1.2
27	27	4	1.2
28	28	8	2.5
29	29	2	0.6
30	30	95	29.1
No response	N	0	.
Logical skip	S	707	.
Missing survey	Z	941	.
		1974	100.0

HU6	
LABEL	In the past 90 days, how many days did you use heroin?
TYPE	num
LENGTH	8
VARNUM	684

HU6: Distribution	Value	n	%
0	0	8	3.3
1	1	21	8.6
2	2	16	6.6
3	3	16	6.6
4	4	6	2.5
5	5	6	2.5
6	6	3	1.2
7	7	6	2.5
8	8	7	2.9
10	10	7	2.9
12	12	3	1.2
14	14	1	0.4
15	15	5	2.0

HU6: Distribution	Value	n	%
16	16	1	0.4
17	17	1	0.4
18	18	1	0.4
20	20	5	2.0
21	21	1	0.4
25	25	1	0.4
27	27	1	0.4
28	28	1	0.4
30	30	17	7.0
35	35	2	0.8
38	38	1	0.4
40	40	3	1.2
45	45	7	2.9
46	46	1	0.4
50	50	5	2.0
57	57	1	0.4
60	60	15	6.1
65	65	1	0.4
66	66	1	0.4
70	70	3	1.2
75	75	3	1.2
76	76	2	0.8
78	78	1	0.4
79	79	1	0.4
80	80	8	3.3
84	84	2	0.8
85	85	6	2.5
86	86	2	0.8
89	89	4	1.6
90	90	41	16.8
No response	N	1	.
Logical skip	S	788	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

HU7	
LABEL	In the most recent month that you used heroin, how much heroin did you typically consume per day? (Select one.)
TYPE	num
LENGTH	8
VARNUM	685

HU7: Distribution	Value	n	%
One small bag	1	90	27.6
2-3 small bags	2	68	20.9
4-6 small bags	3	27	8.3
More than 6 small bags	4	5	1.5
Less than one gram	5	81	24.8
More than one gram	6	55	16.9
No response	N	0	.
Logical skip	S	707	.
Missing survey	Z	941	.
		1974	100.0

HU7_GMS	
LABEL	Specify how many grams (of heroin you typically consume per day)
TYPE	num
LENGTH	8
VARNUM	686

HU7_GMS: Distribution	Value	n	%
1	1	8	14.5
1.5	1.5	7	12.7
2	2	21	38.2
2.5	2.5	3	5.5
3	3	6	10.9
3.5	3.5	1	1.8
3.8	3.8	1	1.8
4	4	3	5.5
5	5	2	3.6
6	6	2	3.6
7	7	1	1.8
No response	N	271	.

HU7_GMS: Distribution	Value	n	%
Logical skip	S	707	.
Missing survey	Z	941	.
		1974	100.0

HU8	
LABEL	In the most recent month that you used heroin, how many times per day did you typically use it?
TYPE	num
LENGTH	8
VARNUM	687

HU8: Distribution	Value	n	%
1	1	74	23.1
2	2	54	16.8
3	3	70	21.8
4	4	36	11.2
5	5	30	9.3
6	6	15	4.7
7	7	5	1.6
8	8	8	2.5
10	10	11	3.4
12	12	3	0.9
15	15	1	0.3
20	20	4	1.2
21	21	1	0.3
24	24	2	0.6
27	27	2	0.6
28	28	1	0.3
30	30	4	1.2
No response	N	5	.
Logical skip	S	707	.
Missing survey	Z	941	.
		1974	100.0

DO1	
LABEL	Have you ever had a drug overdose in your life?

DO1	
TYPE	num
LENGTH	8
VARNUM	688

DO1: Distribution	Value	n	%
Yes	1	380	36.8
No	2	617	59.7
No Answer	3	36	3.5
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

DO6	
LABEL	Over the past 12 months, how many times did you have a drug overdose? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	689

DO6: Distribution	Value	n	%
0	0	280	73.7
1	1	47	12.4
2	2	18	4.7
3	3	19	5.0
4	4	4	1.1
5 or more	5	12	3.2
No response	N	0	.
Logical skip	S	653	.
Z	Z	941	.
		1974	100.0

DO7	
LABEL	Over the past 12 months, how many times did you overdose due to opioids? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	690

DO7: Distribution	Value	n	%
0	0	19	19.0
1	1	41	41.0
2	2	20	20.0
3	3	12	12.0
4	4	1	1.0
5 or more	5	7	7.0
No response	N	0	.
Logical skip	S	933	.
Z	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO8	
LABEL	Over the past 90 days, how many times did you have a drug overdose? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	691

DO8: Distribution	Value	n	%
0	0	73	73.0
1	1	20	20.0
2	2	2	2.0
3 or more	3	5	5.0
No response	N	0	.
Logical skip	S	933	.
Z	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO9	
LABEL	Over the past 90 days, how many times did you overdose due to opioids? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	692

DO9: Distribution	Value	n	%
0	0	6	22.2
1	1	14	51.9
2	2	3	11.1
3	3	4	14.8
5 or more	5	0	.
No response	N	0	.
Logical skip	S	1006	.
Z	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO10_1	
LABEL	Thinking about your last overdose that involved opioids? Did someone call? 911 or Emergency Medical Service (EMS)?
TYPE	num
LENGTH	8
VARNUM	693

DO10_1: Distribution	Value	n	%
No	0	181	47.6
Yes	1	199	52.4
No response	N	0	.
Logical skip	S	653	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO10_2	
LABEL	Thinking about your last overdose that involved opioids? Did someone call? Police or fire department?
TYPE	num
LENGTH	8
VARNUM	694

DO10_2: Distribution	Value	n	%
No	0	337	88.7
Yes	1	43	11.3
No response	N	0	.

DO10_2: Distribution	Value	n	%
Logical skip	S	653	.
Missing survey	Z	941	.
		1974	100.0

DO10_3	
LABEL	Thinking about your last overdose that involved opioids? Did someone call? Friend(s)?
TYPE	num
LENGTH	8
VARNUM	695

DO10_3: Distribution	Value	n	%
No	0	319	83.9
Yes	1	61	16.1
No response	N	0	.
Logical skip	S	653	.
Missing survey	Z	941	.
		1974	100.0

DO10_4	
LABEL	Thinking about your last overdose that involved opioids? Did someone call? Someone else?
TYPE	num
LENGTH	8
VARNUM	696

DO10_4: Distribution	Value	n	%
No	0	341	89.7
Yes	1	39	10.3
No response	N	0	.
Logical skip	S	653	.
Missing survey	Z	941	.
		1974	100.0

DO10_5	
LABEL	Thinking about your last overdose that involved opioids? Did someone call? None of these apply?

DO10_5	
TYPE	num
LENGTH	8
VARNUM	697

DO10_5: Distribution	Value	n	%
No	0	256	67.4
Yes	1	124	32.6
No response	N	0	.
Logical skip	S	653	.
Missing survey	Z	941	.
		1974	100.0

DO11	
LABEL	Did the Emergency Medical Services come to treat you on site?
TYPE	num
LENGTH	8
VARNUM	698

DO11: Distribution	Value	n	%
Yes	1	223	58.7
No	2	157	41.3
No response	N	0	.
Logical skip	S	653	.
Missing survey	Z	941	.
		1974	100.0

DO12	
LABEL	Were you administered naloxone?
TYPE	num
LENGTH	8
VARNUM	699

DO12: Distribution	Value	n	%
Yes	1	248	65.3
No	2	132	34.7

DO12: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	653	.
Missing survey	Z	941	.
		1974	100.0

DO13	
LABEL	Who provided the naloxone?
TYPE	num
LENGTH	8
VARNUM	700

DO13: Distribution	Value	n	%
First responder (Emergency Medical Service /police/fire fighter)	1	161	64.9
A person with me had naloxone and gave it to me	2	52	21.0
Other professional (i.e. counselor, CBO staff, etc.)	3	8	3.2
I had naloxone and someone gave it to me	4	23	9.3
Other way (specify):	5	4	1.6
No response	N	0	.
Logical skip	S	785	.
Missing survey	Z	941	.
		1974	100.0

DO14	
LABEL	Were you taken to an Emergency Department?
TYPE	num
LENGTH	8
VARNUM	701

DO14: Distribution	Value	n	%
Yes	1	199	52.5
No	2	180	47.5
No response	N	1	.
Logical skip	S	653	.

DO14: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

DO15_1	
LABEL	What other drugs were you on at the time of your overdose? Prescription opioids used non-medically (e.g., OxyContin, Percocet, Dilaudid, Opana, Vicodin, Duragesic, Ultram, Morphine, Tramadol)?
TYPE	num
LENGTH	8
VARNUM	702

DO15_1: Distribution	Value	n	%
No	0	323	85.7
Yes	1	54	14.3
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		1974	100.0

DO15_2	
LABEL	What other drugs were you on at the time of your overdose? Prescription opioid treatment medications used non-medically (e.g., Methadone, Suboxone)?
TYPE	num
LENGTH	8
VARNUM	703

DO15_2: Distribution	Value	n	%
No	0	349	92.6
Yes	1	28	7.4
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		1974	100.0

DO15_3	
LABEL	What other drugs were you on at the time of your overdose? Prescription stimulants used non-medically (e.g., Ritalin, Adderall)?
TYPE	num
LENGTH	8
VARNUM	704

DO15_3: Distribution	Value	n	%
No	0	361	95.8
Yes	1	16	4.2
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO15_4	
LABEL	What other drugs were you on at the time of your overdose? Prescription sedatives used non-medically (e.g., Xanax, Klonopin, Ativan)?
TYPE	num
LENGTH	8
VARNUM	705

DO15_4: Distribution	Value	n	%
No	0	306	81.2
Yes	1	71	18.8
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO15_5	
LABEL	What other drugs were you on at the time of your overdose? Heroin?
TYPE	num
LENGTH	8
VARNUM	706

DO15_5: Distribution	Value	n	%
No	0	146	38.7
Yes	1	231	61.3
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO15_6	
LABEL	What other drugs were you on at the time of your overdose? Illicitly-made fentanyl (not the prescription Duragesic patches)?
TYPE	num
LENGTH	8
VARNUM	707

DO15_6: Distribution	Value	n	%
No	0	313	83.0
Yes	1	64	17.0
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO15_7	
LABEL	What other drugs were you on at the time of your overdose? Neuropathics used non-medically (e.g., gabapentin, pregabalin)?
TYPE	num
LENGTH	8
VARNUM	708

DO15_7: Distribution	Value	n	%
No	0	367	97.3
Yes	1	10	2.7
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO15_8	
LABEL	What other drugs were you on at the time of your overdose? Marijuana/ Cannabis?
TYPE	num
LENGTH	8
VARNUM	709

DO15_8: Distribution	Value	n	%
No	0	311	82.5
Yes	1	66	17.5
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		1974	100.0

DO15_9	
LABEL	What other drugs were you on at the time of your overdose? Cocaine/Crack (e.g., powder, rock, or in any form/combination)?
TYPE	num
LENGTH	8
VARNUM	710

DO15_9: Distribution	Value	n	%
No	0	313	83.0
Yes	1	64	17.0
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		1974	100.0

DO15_10	
LABEL	What other drugs were you on at the time of your overdose? Methamphetamine/crank?
TYPE	num
LENGTH	8
VARNUM	711

DO15_10: Distribution	Value	n	%
No	0	324	85.9
Yes	1	53	14.1
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO15_11	
LABEL	What other drugs were you on at the time of your overdose? Krokodil?
TYPE	num
LENGTH	8
VARNUM	712

DO15_11: Distribution	Value	n	%
No	0	374	99.2
Yes	1	3	0.8
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO15_12	
LABEL	What other drugs were you on at the time of your overdose? Ecstasy, PCPs, or other synthetics?
TYPE	num
LENGTH	8
VARNUM	713

DO15_12: Distribution	Value	n	%
No	0	371	98.4
Yes	1	6	1.6
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO15_13	
LABEL	What other drugs were you on at the time of your overdose? Inhalants?
TYPE	num
LENGTH	8
VARNUM	714

DO15_13: Distribution	Value	n	%
No	0	377	100.0
Yes	1	0	.
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO15_14	
LABEL	What other drugs were you on at the time of your overdose? Alcohol?
TYPE	num
LENGTH	8
VARNUM	715

DO15_14: Distribution	Value	n	%
No	0	317	84.1
Yes	1	60	15.9
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

DO15_15	
LABEL	What other drugs were you on at the time of your overdose? Tobacco?
TYPE	num
LENGTH	8
VARNUM	716

DO15_15: Distribution	Value	n	%
No	0	225	59.7

DO15_15: Distribution	Value	n	%
Yes	1	152	40.3
No response	N	3	.
Logical skip	S	653	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PD1A	
LABEL	What sex were you assigned at birth, on your original birth certificate?
TYPE	num
LENGTH	8
VARNUM	717

PD1A: Distribution	Value	n	%
Male	1	422	40.9
Female	2	601	58.2
No Answer	3	10	1.0
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PD2_1	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Anemia?
TYPE	num
LENGTH	8
VARNUM	718

PD2_1: Distribution	Value	n	%
No	0	904	87.9
Yes	1	124	12.1
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PD2_2	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Arthritis?
TYPE	num
LENGTH	8
VARNUM	719

PD2_2: Distribution	Value	n	%
No	0	847	82.4
Yes	1	181	17.6
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_3	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Asthma?
TYPE	num
LENGTH	8
VARNUM	720

PD2_3: Distribution	Value	n	%
No	0	857	83.4
Yes	1	171	16.6
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_4	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Cancer?
TYPE	num
LENGTH	8
VARNUM	721

PD2_4: Distribution	Value	n	%
No	0	1002	97.5
Yes	1	26	2.5
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_5	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Cirrhosis of the liver?
TYPE	num
LENGTH	8
VARNUM	722

PD2_5: Distribution	Value	n	%
No	0	1016	98.8
Yes	1	12	1.2
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_6	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Diabetes Type I?
TYPE	num
LENGTH	8
VARNUM	723

PD2_6: Distribution	Value	n	%
No	0	1015	98.7
Yes	1	13	1.3
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_7	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Diabetes Type II?
TYPE	num
LENGTH	8
VARNUM	724

PD2_7: Distribution	Value	n	%
No	0	986	95.9
Yes	1	42	4.1
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_8	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Fibromyalgia?
TYPE	num
LENGTH	8
VARNUM	725

PD2_8: Distribution	Value	n	%
No	0	971	94.5
Yes	1	57	5.5
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_9	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Heart Disease?
TYPE	num
LENGTH	8
VARNUM	726

PD2_9: Distribution	Value	n	%
No	0	1002	97.5
Yes	1	26	2.5
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_10	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Hepatitis C?
TYPE	num
LENGTH	8
VARNUM	727

PD2_10: Distribution	Value	n	%
No	0	775	75.4
Yes	1	253	24.6
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_11	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? High Blood Pressure (Hypertension)?
TYPE	num
LENGTH	8
VARNUM	728

PD2_11: Distribution	Value	n	%
No	0	863	83.9
Yes	1	165	16.1
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_12	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? HIV/AIDS?
TYPE	num
LENGTH	8
VARNUM	729

PD2_12: Distribution	Value	n	%
No	0	1017	98.9
Yes	1	11	1.1
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_13	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Osteoporosis?
TYPE	num
LENGTH	8
VARNUM	730

PD2_13: Distribution	Value	n	%
No	0	1009	98.2
Yes	1	19	1.8
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_14	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Pancreatitis?
TYPE	num
LENGTH	8
VARNUM	731

PD2_14: Distribution	Value	n	%
No	0	1008	98.1
Yes	1	20	1.9
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_15	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Pneumonia?
TYPE	num
LENGTH	8
VARNUM	732

PD2_15: Distribution	Value	n	%
No	0	917	89.2
Yes	1	111	10.8
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_16	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Sexually Transmitted Disease (e.g. chlamydia, herpes, syphilis, gonorrhea)?
TYPE	num
LENGTH	8
VARNUM	733

PD2_16: Distribution	Value	n	%
No	0	927	90.2
Yes	1	101	9.8
No response	N	5	.
Logical skip	S	0	.

PD2_16: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

PD2_17	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Sleep apnea?
TYPE	num
LENGTH	8
VARNUM	734

PD2_17: Distribution	Value	n	%
No	0	953	92.7
Yes	1	75	7.3
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_18	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Stroke?
TYPE	num
LENGTH	8
VARNUM	735

PD2_18: Distribution	Value	n	%
No	0	1006	97.9
Yes	1	22	2.1
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_20	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Ulcer(s)?

PD2_20	
TYPE	num
LENGTH	8
VARNUM	736

PD2_20: Distribution	Value	n	%
No	0	972	94.6
Yes	1	56	5.4
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PD2_21	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Other condition/none of the above
TYPE	num
LENGTH	8
VARNUM	737

PD2_21: Distribution	Value	n	%
No	0	632	61.5
Yes	1	396	38.5
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

HV1	
LABEL	Have you ever been tested for HIV/AIDS?
TYPE	num
LENGTH	8
VARNUM	738

HV1: Distribution	Value	n	%
Yes	1	876	84.9
No	2	156	15.1

HV1: Distribution	Value	n	%
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

HV3	
LABEL	Do you know the results of your most recent HIV test?
TYPE	num
LENGTH	8
VARNUM	739

HV3: Distribution	Value	n	%
No, I took the test but did not get the result	1	13	1.5
Yes, it was negative	2	847	96.8
Yes, it was positive	3	15	1.7
No response	N	2	.
Logical skip	S	156	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

HC1	
LABEL	Have you ever been tested for Hepatitis C?
TYPE	num
LENGTH	8
VARNUM	740

HC1: Distribution	Value	n	%
Yes	1	847	82.0
No	2	186	18.0
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

HC3	
LABEL	Do you know the results of your most recent Hepatitis C test?
TYPE	num
LENGTH	8
VARNUM	741

HC3: Distribution	Value	n	%
No, I took the test but did not get the result	1	25	3.0
Yes, it was negative	2	591	69.9
Yes, it was positive	3	230	27.2
No response	N	1	.
Logical skip	S	186	.
Missing survey	Z	941	.
		1974	100.0

HC4	
LABEL	Did you receive treatment for Hepatitis C?
TYPE	num
LENGTH	8
VARNUM	742

HC4: Distribution	Value	n	%
Yes	1	56	24.3
No	2	174	75.7
No response	N	1	.
Logical skip	S	802	.
Missing survey	Z	941	.
		1974	100.0

EQ1	
LABEL	How is your mobility?
TYPE	num
LENGTH	8
VARNUM	743

EQ1: Distribution	Value	n	%
I have no problems in walking about	1	678	65.6
I have slight problems in walking about	2	175	16.9
I have moderate problems in walking about	3	109	10.6
I have severe problems in walking about	4	62	6.0
I am unable to walk about	5	9	0.9
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

EQ2	
LABEL	How well can you care for yourself?
TYPE	num
LENGTH	8
VARNUM	744

EQ2: Distribution	Value	n	%
I have no problems washing or dressing myself	1	871	84.4
I have slight problems washing or dressing myself	2	89	8.6
I have moderate problems washing or dressing myself	3	54	5.2
I have severe problems washing or dressing myself	4	13	1.3
I am unable to wash or dress myself	5	5	0.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

EQ3	
LABEL	How are you at regular activities (e.g. work, study, housework, family or leisure activities)?
TYPE	num

EQ3	
LENGTH	8
VARNUM	745

EQ3: Distribution	Value	n	%
I have no problems doing my usual activities	1	685	66.3
I have slight problems doing my usual activities	2	170	16.5
I have moderate problems doing my usual activities	3	103	10.0
I have severe problems doing my usual activities	4	60	5.8
I am unable to do my usual activities	5	15	1.5
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

EQ4	
LABEL	How is your pain or discomfort?
TYPE	num
LENGTH	8
VARNUM	746

EQ4: Distribution	Value	n	%
I have no pain or discomfort	1	317	30.7
I have slight pain or discomfort	2	256	24.8
I have moderate pain or discomfort	3	282	27.3
I have severe pain or discomfort	4	138	13.4
I have extreme pain or discomfort	5	39	3.8
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

EQ5	
LABEL	How is your anxiety or depression?
TYPE	num
LENGTH	8
VARNUM	747

EQ5: Distribution	Value	n	%
I am not anxious or depressed	1	260	25.2
I am slightly anxious or depressed	2	256	24.8
I am moderately anxious or depressed	3	274	26.5
I am severely anxious or depressed	4	146	14.1
I am extremely anxious or depressed	5	97	9.4
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

EQ6	
LABEL	We would like to know how good or bad your health is today. (This scale is numbered from 0 to 100. 100 means the best health you can imagine. 0 means the worst health you can imagine. Enter a number from 1 to 100.) My health today is?
TYPE	num
LENGTH	8
VARNUM	748

EQ6: Distribution	Value	n	%
1	1	7	0.7
2	2	1	0.1
4	4	2	0.2
5	5	9	0.9
6	6	5	0.5
7	7	1	0.1
8	8	3	0.3
9	9	2	0.2
10	10	9	0.9
14	14	1	0.1

EQ6: Distribution	Value	n	%
15	15	2	0.2
16	16	1	0.1
20	20	7	0.7
22	22	1	0.1
24	24	1	0.1
25	25	6	0.6
28	28	1	0.1
30	30	14	1.4
31	31	1	0.1
33	33	1	0.1
35	35	6	0.6
37	37	2	0.2
38	38	1	0.1
39	39	1	0.1
40	40	29	2.8
45	45	12	1.2
46	46	1	0.1
50	50	98	9.5
51	51	1	0.1
55	55	10	1.0
56	56	1	0.1
57	57	1	0.1
58	58	1	0.1
59	59	3	0.3
60	60	50	4.8
63	63	1	0.1
64	64	1	0.1
65	65	29	2.8
66	66	3	0.3
67	67	5	0.5
68	68	1	0.1
69	69	3	0.3
70	70	75	7.3
72	72	1	0.1
74	74	2	0.2
75	75	106	10.3
76	76	2	0.2
77	77	3	0.3

EQ6: Distribution	Value	n	%
78	78	4	0.4
79	79	10	1.0
80	80	104	10.1
82	82	2	0.2
83	83	5	0.5
85	85	73	7.1
86	86	1	0.1
87	87	6	0.6
88	88	8	0.8
89	89	15	1.5
90	90	118	11.4
93	93	1	0.1
94	94	3	0.3
95	95	45	4.4
96	96	2	0.2
97	97	6	0.6
98	98	8	0.8
99	99	11	1.1
100	100	85	8.2
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BF1	
LABEL	How are you feeling physically?
TYPE	num
LENGTH	8
VARNUM	749

BF1: Distribution	Value	n	%
Excellent	1	94	9.1
Very good	2	262	25.4
Good	3	348	33.7
Fair	4	251	24.3
Poor	5	78	7.6
No response	N	0	.

BF1: Distribution	Value	n	%
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

BF2	
LABEL	Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	750

BF2: Distribution	Value	n	%
0	0	439	42.5
1	1	33	3.2
2	2	63	6.1
3	3	35	3.4
4	4	38	3.7
5	5	61	5.9
6	6	12	1.2
7	7	21	2.0
8	8	6	0.6
9	9	3	0.3
10	10	67	6.5
11	11	1	0.1
12	12	10	1.0
13	13	3	0.3
14	14	6	0.6
15	15	56	5.4
16	16	2	0.2
17	17	4	0.4
18	18	2	0.2
19	19	1	0.1
20	20	35	3.4
21	21	1	0.1
22	22	2	0.2
23	23	3	0.3

BF2: Distribution	Value	n	%
24	24	1	0.1
25	25	31	3.0
26	26	3	0.3
27	27	2	0.2
28	28	8	0.8
29	29	3	0.3
30	30	80	7.8
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

BF3	
LABEL	Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	751

BF3: Distribution	Value	n	%
0	0	287	27.8
1	1	21	2.0
2	2	59	5.7
3	3	42	4.1
4	4	21	2.0
5	5	67	6.5
6	6	15	1.5
7	7	17	1.6
8	8	6	0.6
9	9	5	0.5
10	10	78	7.6
11	11	1	0.1
12	12	10	1.0
13	13	2	0.2
14	14	7	0.7
15	15	85	8.2

BF3: Distribution	Value	n	%
16	16	6	0.6
17	17	4	0.4
18	18	7	0.7
19	19	4	0.4
20	20	90	8.7
21	21	6	0.6
22	22	5	0.5
23	23	1	0.1
24	24	2	0.2
25	25	39	3.8
26	26	2	0.2
27	27	6	0.6
28	28	8	0.8
29	29	3	0.3
30	30	127	12.3
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

BF4	
LABEL	During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	752

BF4: Distribution	Value	n	%
0	0	416	40.3
1	1	30	2.9
2	2	53	5.1
3	3	38	3.7
4	4	15	1.5
5	5	69	6.7
6	6	12	1.2
7	7	13	1.3

BF4: Distribution	Value	n	%
8	8	10	1.0
9	9	4	0.4
10	10	82	7.9
11	11	1	0.1
12	12	10	1.0
13	13	2	0.2
14	14	7	0.7
15	15	77	7.5
16	16	5	0.5
17	17	1	0.1
18	18	3	0.3
19	19	1	0.1
20	20	62	6.0
21	21	2	0.2
22	22	3	0.3
23	23	3	0.3
24	24	2	0.2
25	25	24	2.3
26	26	2	0.2
27	27	3	0.3
28	28	8	0.8
29	29	2	0.2
30	30	72	7.0
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BF5	
LABEL	These next questions are about physical, mental, or emotional problems or limitations you may have in your daily life. Are you LIMITED in any way in any activities because of any impairment or health problem?
TYPE	num
LENGTH	8
VARNUM	753

BF5: Distribution	Value	n	%
Yes	1	358	34.7
No	2	674	65.3
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BF6	
LABEL	What is the one MAJOR impairment or health problem that limits your activities?
TYPE	num
LENGTH	8
VARNUM	754

BF6: Distribution	Value	n	%
Arthritis/rheumatism	1	22	6.1
Back or neck problem	2	73	20.4
Fractures, bone/joint injury	3	29	8.1
Walking problem	4	22	6.1
Lung/breathing problem	5	22	6.1
Hearing problem	6	4	1.1
Eye/vision problem	7	6	1.7
Heart problem	8	6	1.7
Stroke problem	9	3	0.8
Hypertension/high blood pressure	10	1	0.3
Diabetes	11	4	1.1
Cancer	12	5	1.4
Depression/anxiety/emotional problem	13	134	37.4
Other impairment/problem	14	27	7.5
No response	N	1	.
Logical skip	S	674	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BF7_DAYS	
LABEL	For how long have your activities been limited because of your major impairment or health problem? (Days)
TYPE	num
LENGTH	8
VARNUM	755

BF7_DAYS: Distribution	Value	n	%
0	0	155	45.1
1	1	10	2.9
2	2	11	3.2
3	3	9	2.6
4	4	9	2.6
5	5	28	8.1
6	6	4	1.2
7	7	9	2.6
8	8	1	0.3
10	10	6	1.7
12	12	2	0.6
14	14	1	0.3
15	15	11	3.2
16	16	1	0.3
18	18	1	0.3
19	19	1	0.3
20	20	6	1.7
21	21	2	0.6
22	22	2	0.6
25	25	6	1.7
28	28	1	0.3
30	30	68	19.8
No response	N	15	.
Logical skip	S	674	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BF7_WKS	
LABEL	For how long have your activities been limited because of your major impairment or health problem? (Weeks)

BF7_WKS	
TYPE	num
LENGTH	8
VARNUM	756

BF7_WKS: Distribution	Value	n	%
0	0	161	47.5
1	1	16	4.7
2	2	30	8.8
3	3	20	5.9
4	4	40	11.8
5	5	72	21.2
No response	N	20	.
Logical skip	S	674	.
Missing survey	Z	941	.
		1974	100.0

BF7_MONTHS	
LABEL	For how long have your activities been limited because of your major impairment or health problem? (Months)
TYPE	num
LENGTH	8
VARNUM	757

BF7_MONTHS: Distribution	Value	n	%
0	0	142	40.5
1	1	16	4.6
2	2	17	4.8
3	3	13	3.7
4	4	12	3.4
5	5	38	10.8
6	6	17	4.8
7	7	12	3.4
8	8	10	2.8
9	9	6	1.7
10	10	8	2.3
11	11	7	2.0
12	12	53	15.1

BF7_MONTHS: Distribution	Value	n	%
No response	N	8	.
Logical skip	S	674	.
Missing survey	Z	941	.
		1974	100.0

BF7_YEARS	
LABEL	For how long have your activities been limited because of your major impairment or health problem? (Years)
TYPE	num
LENGTH	8
VARNUM	758

BF7_YEARS: Distribution	Value	n	%
0	0	39	10.9
1	1	26	7.3
2	2	29	8.1
3	3	21	5.9
4	4	15	4.2
5	5	39	10.9
6	6	9	2.5
7	7	6	1.7
8	8	11	3.1
9	9	7	2.0
10	10	39	10.9
11	11	4	1.1
12	12	24	6.7
13	13	3	0.8
14	14	4	1.1
15	15	13	3.6
16	16	4	1.1
17	17	3	0.8
18	18	7	2.0
19	19	1	0.3
20	20	26	7.3
21	21	1	0.3
22	22	2	0.6
25	25	6	1.7

BF7_YEARS: Distribution	Value	n	%
26	26	1	0.3
27	27	1	0.3
28	28	2	0.6
30	30	6	1.7
33	33	1	0.3
35	35	1	0.3
36	36	1	0.3
40	40	2	0.6
42	42	1	0.3
47	47	2	0.6
No response	N	2	.
Logical skip	S	674	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BF8	
LABEL	Because of any impairment or health problem, do you need the help of other persons with your personal care needs, such as eating, bathing, dressing, or getting around the house?
TYPE	num
LENGTH	8
VARNUM	759

BF8: Distribution	Value	n	%
Yes	1	96	9.3
No	2	935	90.7
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BF9	
LABEL	Because of any impairment or health problem, do you need the help of other persons in handling your routine needs, such as everyday household chores, doing necessary business, shopping, or getting around for other purposes?
TYPE	num
LENGTH	8
VARNUM	760

BF9: Distribution	Value	n	%
Yes	1	183	17.8
No	2	846	82.2
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BF10	
LABEL	During the past 30 days, for about how many days did PAIN make it hard for you to do your usual activities, such as self-care, work, or recreation? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	761

BF10: Distribution	Value	n	%
0	0	451	43.7
1	1	19	1.8
2	2	51	4.9
3	3	37	3.6
4	4	24	2.3
5	5	60	5.8
6	6	15	1.5
7	7	16	1.6
8	8	5	0.5
9	9	4	0.4
10	10	48	4.7
12	12	9	0.9
13	13	1	0.1
14	14	7	0.7
15	15	52	5.0
16	16	1	0.1
17	17	2	0.2
18	18	4	0.4
19	19	2	0.2
20	20	54	5.2
21	21	2	0.2

BF10: Distribution	Value	n	%
22	22	1	0.1
24	24	2	0.2
25	25	23	2.2
28	28	7	0.7
29	29	2	0.2
30	30	132	12.8
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

BF11	
LABEL	During the past 30 days, for about how many days have you felt SAD, BLUE, or DEPRESSED? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	762

BF11: Distribution	Value	n	%
0	0	291	28.2
1	1	41	4.0
2	2	53	5.1
3	3	42	4.1
4	4	24	2.3
5	5	67	6.5
6	6	11	1.1
7	7	24	2.3
8	8	14	1.4
9	9	2	0.2
10	10	73	7.1
11	11	2	0.2
12	12	12	1.2
13	13	4	0.4
14	14	14	1.4
15	15	84	8.1
16	16	4	0.4
17	17	2	0.2

BF11: Distribution	Value	n	%
18	18	6	0.6
20	20	64	6.2
21	21	3	0.3
22	22	3	0.3
23	23	3	0.3
24	24	1	0.1
25	25	39	3.8
26	26	3	0.3
27	27	4	0.4
28	28	11	1.1
29	29	5	0.5
30	30	127	12.3
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

BF12	
LABEL	During the past 30 days, for about how many days have you felt WORRIED, TENSE, or ANXIOUS? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	763

BF12: Distribution	Value	n	%
0	0	242	23.4
1	1	25	2.4
2	2	50	4.8
3	3	42	4.1
4	4	26	2.5
5	5	62	6.0
6	6	15	1.5
7	7	22	2.1
8	8	10	1.0
9	9	3	0.3
10	10	75	7.3
12	12	11	1.1

BF12: Distribution	Value	n	%
13	13	2	0.2
14	14	12	1.2
15	15	75	7.3
16	16	3	0.3
17	17	1	0.1
18	18	6	0.6
19	19	3	0.3
20	20	77	7.5
21	21	2	0.2
22	22	3	0.3
23	23	2	0.2
24	24	3	0.3
25	25	49	4.7
26	26	3	0.3
27	27	7	0.7
28	28	7	0.7
29	29	8	0.8
30	30	186	18.0
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BF13	
LABEL	During the past 30 days, for about how many days have you felt you did NOT get ENOUGH REST or SLEEP? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	764

BF13: Distribution	Value	n	%
0	0	243	23.5
1	1	14	1.4
2	2	28	2.7
3	3	35	3.4
4	4	23	2.2
5	5	64	6.2

BF13: Distribution	Value	n	%
6	6	13	1.3
7	7	26	2.5
8	8	4	0.4
9	9	3	0.3
10	10	90	8.7
12	12	9	0.9
13	13	2	0.2
14	14	6	0.6
15	15	99	9.6
16	16	3	0.3
17	17	4	0.4
18	18	7	0.7
19	19	4	0.4
20	20	103	10.0
21	21	5	0.5
22	22	3	0.3
23	23	1	0.1
24	24	2	0.2
25	25	42	4.1
26	26	3	0.3
27	27	6	0.6
28	28	13	1.3
29	29	3	0.3
30	30	174	16.9
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

BF14	
LABEL	During the past 30 days, for about how many days have you felt VERY HEALTHY AND FULL OF ENERGY? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	765

BF14: Distribution	Value	n	%
0	0	283	27.4
1	1	21	2.0
2	2	52	5.0
3	3	18	1.7
4	4	23	2.2
5	5	93	9.0
6	6	15	1.5
7	7	16	1.5
8	8	8	0.8
9	9	5	0.5
10	10	87	8.4
12	12	6	0.6
13	13	1	0.1
14	14	6	0.6
15	15	74	7.2
16	16	4	0.4
17	17	3	0.3
18	18	7	0.7
20	20	80	7.7
21	21	6	0.6
22	22	3	0.3
23	23	10	1.0
24	24	2	0.2
25	25	64	6.2
26	26	6	0.6
27	27	10	1.0
28	28	21	2.0
29	29	8	0.8
30	30	101	9.8
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MD1_1	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Major Depression/Clinical Depression?

MD1_1	
TYPE	num
LENGTH	8
VARNUM	766

MD1_1: Distribution	Value	n	%
No	0	634	61.4
Yes	1	398	38.6
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MD1_2	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Bi-Polar Disorder/ Mania/Manic Depression?
TYPE	num
LENGTH	8
VARNUM	767

MD1_2: Distribution	Value	n	%
No	0	784	76.0
Yes	1	248	24.0
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MD1_3	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Dysthymia?
TYPE	num
LENGTH	8
VARNUM	768

MD1_3: Distribution	Value	n	%
No	0	1020	98.8

MD1_3: Distribution	Value	n	%
Yes	1	12	1.2
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

MD1_4	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Generalized Anxiety Disorder?
TYPE	num
LENGTH	8
VARNUM	769

MD1_4: Distribution	Value	n	%
No	0	685	66.4
Yes	1	347	33.6
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

MD1_5	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Phobia (e.g. specific phobias like spiders, or general phobias like agoraphobia)?
TYPE	num
LENGTH	8
VARNUM	770

MD1_5: Distribution	Value	n	%
No	0	996	96.5
Yes	1	36	3.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

MD1_6	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Post-Traumatic Stress Disorder/PTSD?
TYPE	num
LENGTH	8
VARNUM	771

MD1_6: Distribution	Value	n	%
No	0	716	69.4
Yes	1	316	30.6
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

MD1_7	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Panic Disorder?
TYPE	num
LENGTH	8
VARNUM	772

MD1_7: Distribution	Value	n	%
No	0	856	82.9
Yes	1	176	17.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

MD1_8	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Conduct Disorder (before age 18)?
TYPE	num
LENGTH	8
VARNUM	773

MD1_8: Distribution	Value	n	%
No	0	1019	98.7
Yes	1	13	1.3
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MD1_9	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Personality Disorder (e.g., Borderline Personality Disorder, Anti-social Personality Disorder)?
TYPE	num
LENGTH	8
VARNUM	774

MD1_9: Distribution	Value	n	%
No	0	944	91.5
Yes	1	88	8.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MD1_10	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Intermittent Explosive Disorder?
TYPE	num
LENGTH	8
VARNUM	775

MD1_10: Distribution	Value	n	%
No	0	1020	98.8
Yes	1	12	1.2
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

MD1_11	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Attention-Deficit Hyperactivity Disorder (ADHD)?
TYPE	num
LENGTH	8
VARNUM	776

MD1_11: Distribution	Value	n	%
No	0	890	86.2
Yes	1	142	13.8
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

MD1_12	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Obsessive-Compulsive Disorder?
TYPE	num
LENGTH	8
VARNUM	777

MD1_12: Distribution	Value	n	%
No	0	951	92.2
Yes	1	81	7.8
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

MD1_13	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Eating Disorder (e.g., Anorexia Nervosa, Binge Eating Disorder)?
TYPE	num
LENGTH	8
VARNUM	778

MD1_13: Distribution	Value	n	%
No	0	989	95.8
Yes	1	43	4.2
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

MD1_14	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Other Mental Health Condition?
TYPE	num
LENGTH	8
VARNUM	779

MD1_14: Distribution	Value	n	%
No	0	953	92.3
Yes	1	79	7.7
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

MD1_15	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? None?
TYPE	num
LENGTH	8
VARNUM	780

MD1_15: Distribution	Value	n	%
No	0	659	63.9
Yes	1	373	36.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

MD2	
LABEL	At any time in the past 12 months, did you seriously think about trying to kill yourself?
TYPE	num
LENGTH	8
VARNUM	781

MD2: Distribution	Value	n	%
Yes	1	105	10.2
No	2	928	89.8
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

MD3	
LABEL	During the past 12 months, did you try to kill yourself?
TYPE	num
LENGTH	8
VARNUM	782

MD3: Distribution	Value	n	%
Yes	1	22	2.1
No	2	1010	97.9
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PS1A	
LABEL	In the past 30 days, how often have you... Been upset because of something that happened unexpectedly?
TYPE	num
LENGTH	8
VARNUM	783

PS1A: Distribution	Value	n	%
Never	1	143	13.9
Almost never	2	183	17.7
Sometimes	3	464	45.0
Fairly often	4	155	15.0
Very often	5	86	8.3
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PS1B	
LABEL	In the past 30 days, how often have you... Felt you were unable to control the important things in your life?
TYPE	num
LENGTH	8
VARNUM	784

PS1B: Distribution	Value	n	%
Never	1	207	20.1
Almost never	2	188	18.2
Sometimes	3	375	36.3
Fairly often	4	168	16.3
Very often	5	94	9.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PS1C	
LABEL	In the past 30 days, how often have you... Felt nervous and stressed?
TYPE	num
LENGTH	8
VARNUM	785

PS1C: Distribution	Value	n	%
Never	1	114	11.0

PS1C: Distribution	Value	n	%
Almost never	2	126	12.2
Sometimes	3	375	36.3
Fairly often	4	226	21.9
Very often	5	191	18.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PS1D	
LABEL	In the past 30 days, how often have you... Felt confident about your ability to handle your personal problems?
TYPE	num
LENGTH	8
VARNUM	786

PS1D: Distribution	Value	n	%
Never	1	82	7.9
Almost never	2	119	11.5
Sometimes	3	367	35.6
Fairly often	4	264	25.6
Very often	5	200	19.4
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PS1E	
LABEL	In the past 30 days, how often have you... Felt that things were not going your way?
TYPE	num
LENGTH	8
VARNUM	787

PS1E: Distribution	Value	n	%
Never	1	134	13.0
Almost never	2	149	14.5

PS1E: Distribution	Value	n	%
Sometimes	3	427	41.4
Fairly often	4	205	19.9
Very often	5	116	11.3
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PS1F	
LABEL	In the past 30 days, how often have you... Found that you could not cope with all the things you had to do?
TYPE	num
LENGTH	8
VARNUM	788

PS1F: Distribution	Value	n	%
Never	1	217	21.0
Almost never	2	211	20.4
Sometimes	3	352	34.1
Fairly often	4	158	15.3
Very often	5	94	9.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PS1G	
LABEL	In the past 30 days, how often have you... Been able to control irritations in your life?
TYPE	num
LENGTH	8
VARNUM	789

PS1G: Distribution	Value	n	%
Never	1	93	9.0
Almost never	2	132	12.8
Sometimes	3	407	39.4

PS1G: Distribution	Value	n	%
Fairly often	4	254	24.6
Very often	5	146	14.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PS1H	
LABEL	In the past 30 days, how often have you... Felt you were on top of things?
TYPE	num
LENGTH	8
VARNUM	790

PS1H: Distribution	Value	n	%
Never	1	111	10.8
Almost never	2	186	18.1
Sometimes	3	395	38.3
Fairly often	4	225	21.8
Very often	5	113	11.0
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PS1I	
LABEL	In the past 30 days, how often have you... Been angered because things were out of your control?
TYPE	num
LENGTH	8
VARNUM	791

PS1I: Distribution	Value	n	%
Never	1	179	17.4
Almost never	2	193	18.7
Sometimes	3	428	41.5
Fairly often	4	147	14.3

PS1I: Distribution	Value	n	%
Very often	5	84	8.1
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PS1J	
LABEL	In the past 30 days, how often have you... Felt difficulties were piling up so high that you could not overcome them?
TYPE	num
LENGTH	8
VARNUM	792

PS1J: Distribution	Value	n	%
Never	1	219	21.2
Almost never	2	177	17.2
Sometimes	3	352	34.1
Fairly often	4	184	17.8
Very often	5	99	9.6
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PQ1A	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Little interest or pleasure in doing things?
TYPE	num
LENGTH	8
VARNUM	793

PQ1A: Distribution	Value	n	%
Not at all	1	390	37.8
Several days	2	346	33.5
More than half the days	3	157	15.2
Nearly every day	4	139	13.5

PQ1A: Distribution	Value	n	%
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PQ1B	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling down, depressed, or hopeless?
TYPE	num
LENGTH	8
VARNUM	794

PQ1B: Distribution	Value	n	%
Not at all	1	371	35.9
Several days	2	357	34.6
More than half the days	3	162	15.7
Nearly every day	4	142	13.8
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PQ1C	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Trouble falling or staying asleep, or sleeping too much?
TYPE	num
LENGTH	8
VARNUM	795

PQ1C: Distribution	Value	n	%
Not at all	1	296	28.7
Several days	2	310	30.0
More than half the days	3	180	17.4
Nearly every day	4	247	23.9
No response	N	0	.
Logical skip	S	0	.

PQ1C: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

PQ1D	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling tired or having little energy?
TYPE	num
LENGTH	8
VARNUM	796

PQ1D: Distribution	Value	n	%
Not at all	1	266	25.8
Several days	2	361	35.0
More than half the days	3	191	18.5
Nearly every day	4	213	20.7
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PQ1E	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Poor appetite or overeating?
TYPE	num
LENGTH	8
VARNUM	797

PQ1E: Distribution	Value	n	%
Not at all	1	414	40.1
Several days	2	310	30.0
More than half the days	3	165	16.0
Nearly every day	4	143	13.9
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PQ1F	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling bad about yourself or that you are a failure or have let yourself or your family down?
TYPE	num
LENGTH	8
VARNUM	798

PQ1F: Distribution	Value	n	%
Not at all	1	407	39.4
Several days	2	323	31.3
More than half the days	3	145	14.0
Nearly every day	4	158	15.3
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PQ1G	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Trouble concentrating on things, such as reading the newspaper or watching television?
TYPE	num
LENGTH	8
VARNUM	799

PQ1G: Distribution	Value	n	%
Not at all	1	458	44.5
Several days	2	308	29.9
More than half the days	3	132	12.8
Nearly every day	4	132	12.8
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PQ1H	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Moving/speaking so slowly that other people could have noticed? Or the opposite; being so fidgety/ restless that you have been moving around a lot more than usual?
TYPE	num
LENGTH	8
VARNUM	800

PQ1H: Distribution	Value	n	%
Not at all	1	669	64.8
Several days	2	213	20.6
More than half the days	3	93	9.0
Nearly every day	4	58	5.6
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PT1A	
LABEL	In your life, have you ever had any experience that was so frightening, horrible or upsetting that, in the past 30 days, you? Have had nightmares about it or thought about it when you did not want to?
TYPE	num
LENGTH	8
VARNUM	801

PT1A: Distribution	Value	n	%
Yes	1	424	41.1
No	2	608	58.9
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

PT1B	
LABEL	In your life, have you ever had any experience that was so frightening, horrible or upsetting that, in the past 30 days, you? Tried hard not to think about it or went out of your way to avoid situations that reminded you of it?

PT1B	
TYPE	num
LENGTH	8
VARNUM	802

PT1B: Distribution	Value	n	%
Yes	1	472	45.7
No	2	561	54.3
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PT1C	
LABEL	In your life, have you ever had any experience that was so frightening, horrible or upsetting that, in the past 30 days, you? Were constantly on guard, watchful or easily startled?
TYPE	num
LENGTH	8
VARNUM	803

PT1C: Distribution	Value	n	%
Yes	1	389	37.7
No	2	643	62.3
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

PT1D	
LABEL	In your life, have you ever had any experience that was so frightening, horrible or upsetting that, in the past 30 days, you? Felt numb or detached from others, activities, or your surroundings?
TYPE	num
LENGTH	8
VARNUM	804

PT1D: Distribution	Value	n	%
Yes	1	452	43.8
No	2	581	56.2
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SO1A	
LABEL	Would you say you? There is a special person who is around when I am in need?
TYPE	num
LENGTH	8
VARNUM	805

SO1A: Distribution	Value	n	%
Very Strongly Agree	1	423	41.0
Strongly Agree	2	203	19.7
Mildly Agree	3	124	12.0
Neutral	4	120	11.6
Mildly Disagree	5	49	4.8
Strongly Disagree	6	48	4.7
Very Strongly Disagree	7	64	6.2
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SO1B	
LABEL	Would you say you? There is a special person with whom I can share my joys and sorrows?
TYPE	num
LENGTH	8
VARNUM	806

SO1B: Distribution	Value	n	%
Very Strongly Agree	1	445	43.2
Strongly Agree	2	201	19.5
Mildly Agree	3	132	12.8

SO1B: Distribution	Value	n	%
Neutral	4	113	11.0
Mildly Disagree	5	39	3.8
Strongly Disagree	6	38	3.7
Very Strongly Disagree	7	63	6.1
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SO1C	
LABEL	Would you say you? My family really tries to help me?
TYPE	num
LENGTH	8
VARNUM	807

SO1C: Distribution	Value	n	%
Very Strongly Agree	1	358	34.7
Strongly Agree	2	225	21.8
Mildly Agree	3	140	13.6
Neutral	4	106	10.3
Mildly Disagree	5	53	5.1
Strongly Disagree	6	52	5.0
Very Strongly Disagree	7	97	9.4
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SO1D	
LABEL	Would you say you? I get the emotional help and support I need from my family?
TYPE	num
LENGTH	8
VARNUM	808

SO1D: Distribution	Value	n	%
Very Strongly Agree	1	327	31.7

SO1D: Distribution	Value	n	%
Strongly Agree	2	210	20.3
Mildly Agree	3	149	14.4
Neutral	4	116	11.2
Mildly Disagree	5	66	6.4
Strongly Disagree	6	60	5.8
Very Strongly Disagree	7	104	10.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SO1E	
LABEL	Would you say you? I have a special person who is a real source of comfort to me?
TYPE	num
LENGTH	8
VARNUM	809

SO1E: Distribution	Value	n	%
Very Strongly Agree	1	448	43.4
Strongly Agree	2	214	20.7
Mildly Agree	3	128	12.4
Neutral	4	105	10.2
Mildly Disagree	5	33	3.2
Strongly Disagree	6	44	4.3
Very Strongly Disagree	7	60	5.8
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SO1F	
LABEL	Would you say you? My friends really try to help me?
TYPE	num
LENGTH	8
VARNUM	810

SO1F: Distribution	Value	n	%
Very Strongly Agree	1	247	24.0
Strongly Agree	2	197	19.1
Mildly Agree	3	173	16.8
Neutral	4	186	18.1
Mildly Disagree	5	70	6.8
Strongly Disagree	6	69	6.7
Very Strongly Disagree	7	87	8.5
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SO1G	
LABEL	Would you say you? I can count on my friends when things go wrong?
TYPE	num
LENGTH	8
VARNUM	811

SO1G: Distribution	Value	n	%
Very Strongly Agree	1	232	22.5
Strongly Agree	2	169	16.4
Mildly Agree	3	175	17.0
Neutral	4	197	19.1
Mildly Disagree	5	86	8.3
Strongly Disagree	6	72	7.0
Very Strongly Disagree	7	99	9.6
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SO1H	
LABEL	Would you say you? I can talk about my problems with my family?
TYPE	num
LENGTH	8
VARNUM	812

SO1H: Distribution	Value	n	%
Very Strongly Agree	1	327	31.7
Strongly Agree	2	205	19.9
Mildly Agree	3	165	16.0
Neutral	4	118	11.4
Mildly Disagree	5	58	5.6
Strongly Disagree	6	55	5.3
Very Strongly Disagree	7	104	10.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SO1I	
LABEL	Would you say you? I have friends with whom I can share my joys and sorrows?
TYPE	num
LENGTH	8
VARNUM	813

SO1I: Distribution	Value	n	%
Very Strongly Agree	1	277	26.9
Strongly Agree	2	219	21.3
Mildly Agree	3	178	17.3
Neutral	4	137	13.3
Mildly Disagree	5	62	6.0
Strongly Disagree	6	68	6.6
Very Strongly Disagree	7	89	8.6
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SO1J	
LABEL	Would you say you? There is a special person in my life who cares about my feelings?
TYPE	num

SO1J	
LENGTH	8
VARNUM	814

SO1J: Distribution	Value	n	%
Very Strongly Agree	1	468	45.3
Strongly Agree	2	204	19.8
Mildly Agree	3	127	12.3
Neutral	4	97	9.4
Mildly Disagree	5	33	3.2
Strongly Disagree	6	43	4.2
Very Strongly Disagree	7	60	5.8
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SO1K	
LABEL	Would you say you? My family is willing to help me make decisions?
TYPE	num
LENGTH	8
VARNUM	815

SO1K: Distribution	Value	n	%
Very Strongly Agree	1	329	32.0
Strongly Agree	2	224	21.8
Mildly Agree	3	150	14.6
Neutral	4	127	12.3
Mildly Disagree	5	50	4.9
Strongly Disagree	6	56	5.4
Very Strongly Disagree	7	93	9.0
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

SO1L	
LABEL	Would you say you? I can talk about my problems with friends?
TYPE	num
LENGTH	8
VARNUM	816

SO1L: Distribution	Value	n	%
Very Strongly Agree	1	267	25.9
Strongly Agree	2	208	20.2
Mildly Agree	3	167	16.2
Neutral	4	181	17.6
Mildly Disagree	5	69	6.7
Strongly Disagree	6	62	6.0
Very Strongly Disagree	7	76	7.4
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

HI1_1	
LABEL	Do you have any of the following types of health insurance? Insurance plan through current/former employer or union?
TYPE	num
LENGTH	8
VARNUM	817

HI1_1: Distribution	Value	n	%
No	0	955	92.4
Yes	1	78	7.6
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

HI1_2	
LABEL	Do you have any of the following types of health insurance? Insurance through the work plan of someone else (e.g., spouse/domestic partner, parent, or other)?

HI1_2	
TYPE	num
LENGTH	8
VARNUM	818

HI1_2: Distribution	Value	n	%
No	0	987	95.5
Yes	1	46	4.5
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

HI1_3	
LABEL	Do you have any of the following types of health insurance? Privately purchased insurance?
TYPE	num
LENGTH	8
VARNUM	819

HI1_3: Distribution	Value	n	%
No	0	1011	97.9
Yes	1	22	2.1
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

HI1_4	
LABEL	Do you have any of the following types of health insurance? Medicare?
TYPE	num
LENGTH	8
VARNUM	820

HI1_4: Distribution	Value	n	%
No	0	865	83.7
Yes	1	168	16.3

HI1_4: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

HI1_5	
LABEL	Do you have any of the following types of health insurance? Medicaid?
TYPE	num
LENGTH	8
VARNUM	821

HI1_5: Distribution	Value	n	%
No	0	469	45.4
Yes	1	564	54.6
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

HI1_6	
LABEL	Do you have any of the following types of health insurance? Veterans Administration-provided insurance?
TYPE	num
LENGTH	8
VARNUM	822

HI1_6: Distribution	Value	n	%
No	0	1022	98.9
Yes	1	11	1.1
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

HI1_7	
LABEL	Do you have any of the following types of health insurance? Other?
TYPE	num
LENGTH	8
VARNUM	823

HI1_7: Distribution	Value	n	%
No	0	976	94.5
Yes	1	57	5.5
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

HI1_8	
LABEL	Do you have any of the following types of health insurance? No, I do not have health insurance?
TYPE	num
LENGTH	8
VARNUM	824

HI1_8: Distribution	Value	n	%
No	0	860	83.3
Yes	1	173	16.7
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

HI2	
LABEL	Does your health insurance cover any part of the costs associated with medication-assisted treatment services (i.e., methadone, buprenorphine, naltrexone)?
TYPE	num
LENGTH	8
VARNUM	825

HI2: Distribution	Value	n	%
Yes, most (75% or more of the costs)	1	0	.
Yes, some (less than 75% but more than 25% of the costs)	2	0	.
Yes, Very Little (less than 25%)	3	0	.
None	4	0	.
No response	N	173	.
Logical skip	S	860	.
Missing survey	Z	941	.
		1974	.

HI3	
LABEL	Does your health insurance cover any part of the costs associated with counseling services for treatment of substance abuse?
TYPE	num
LENGTH	8
VARNUM	826

HI3: Distribution	Value	n	%
Yes, most (75% or more of the costs)	1	0	.
Yes, some (less than 75% but more than 25% of the costs)	2	0	.
Yes, Very Little (less than 25%)	3	0	.
None	4	0	.
No response	N	173	.
Logical skip	S	860	.
Missing survey	Z	941	.
		1974	.

D11_1	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Car, truck or van driven by you?
TYPE	num
LENGTH	8
VARNUM	827

D11_1: Distribution	Value	n	%
No	0	437	50.3
Yes	1	432	49.7
No response	N	164	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

D11_2	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Car, truck or van driven by your family or friends?
TYPE	num
LENGTH	8
VARNUM	828

D11_2: Distribution	Value	n	%
No	0	721	83.0
Yes	1	148	17.0
No response	N	164	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

D11_3	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Public transportation (e.g., bus, subway)?
TYPE	num
LENGTH	8
VARNUM	829

D11_3: Distribution	Value	n	%
No	0	648	74.6
Yes	1	221	25.4
No response	N	164	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

D11_4	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Taxi cab or car service (e.g., Uber, Lyft)?
TYPE	num
LENGTH	8
VARNUM	830

D11_4: Distribution	Value	n	%
No	0	749	86.2
Yes	1	120	13.8
No response	N	164	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

D11_5	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Motorcycle?
TYPE	num
LENGTH	8
VARNUM	831

D11_5: Distribution	Value	n	%
No	0	867	99.8
Yes	1	2	0.2
No response	N	164	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

D11_6	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Bicycle?
TYPE	num
LENGTH	8
VARNUM	832

D11_6: Distribution	Value	n	%
No	0	857	98.6
Yes	1	12	1.4
No response	N	164	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

D11_7	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Walk?
TYPE	num
LENGTH	8
VARNUM	833

D11_7: Distribution	Value	n	%
No	0	814	93.7
Yes	1	55	6.3
No response	N	164	.
Logical skip	S	0	.
Missing survey	Z	941	.
		<i>1974</i>	<i>100.0</i>

D11_8	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) I lived at (FACILITY)?
TYPE	num
LENGTH	8
VARNUM	834

D11_8: Distribution	Value	n	%
No	0	861	99.1
Yes	1	8	0.9
No response	N	164	.
Logical skip	S	0	.

D11_8: Distribution	Value	n	%
Missing survey	Z	941	.
		1974	100.0

D11_9	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Other?
TYPE	num
LENGTH	8
VARNUM	835

D11_9: Distribution	Value	n	%
No	0	833	95.9
Yes	1	36	4.1
No response	N	164	.
Logical skip	S	0	.
Missing survey	Z	941	.
		1974	100.0

pufsite_ID	
LABEL	Site ID
TYPE	num
LENGTH	8
VARNUM	836

Codebook for 18 Month Questionnaire

Data Set Name	Patient 18-month Data
Observations	1974
Variables	851
Engine	V9
Created	09/20/2021 12:05:39

CID	
LABEL	Case id
TYPE	char
LENGTH	20
VARNUM	1

MAT_COUN	
LABEL	Type of index treatment
TYPE	num
LENGTH	8
VARNUM	2

MAT_COUN: Distribution	Value	n	%
methadone maintenance therapy	1	1209	61.2
buprenorphine (e.g. Suboxone, Probuphine, generic)	2	632	32.0
naltrexone (e.g. Vivitrol, Revia, generic)	3	46	2.3
counseling	4	87	4.4
Undefined	U	0	.
		1974	100.0

responded	
LABEL	Flag for completing the survey
TYPE	num
LENGTH	8
VARNUM	3

responded: Distribution	Value	n	%
No	0	920	46.6
Yes	1	1054	53.4
Undefined	U	0	.
		1974	100.0

surveylanguage	
LABEL	Language in which the survey was given
TYPE	num
LENGTH	8
VARNUM	4

surveylanguage: Distribution	Value	n	%
English	1	1052	99.8
Spanish	2	2	0.2
Undefined	U	0	.
Missing Survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

survey	
LABEL	Survey time period
TYPE	num
LENGTH	8
VARNUM	5

survey: Distribution	Value	n	%
Baseline	1	0	.
3 month	2	0	.
6 month	3	0	.
12 month	4	0	.
18 month	5	1974	100.0
Undefined	U	0	.
		<i>1974</i>	<i>100.0</i>

newprotocol	
LABEL	Enrolled in the study after protocol changes on April 20, 2019
TYPE	num
LENGTH	8
VARNUM	6

newprotocol: Distribution	Value	n	%
No	0	251	23.8

newprotocol: Distribution	Value	n	%
Yes	1	803	76.2
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

daysfromtxstart30	
LABEL	Enrolled within 30 days from start of treatment
TYPE	num
LENGTH	8
VARNUM	7

daysfromtxstart30: Distribution	Value	n	%
No	0	692	65.7
Yes	1	362	34.3
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

daysfromtxstart60	
LABEL	Enrolled within 31-60 days from start of treatment
TYPE	num
LENGTH	8
VARNUM	8

daysfromtxstart60: Distribution	Value	n	%
No	0	982	93.2
Yes	1	72	6.8
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

daysfromtxstart90	
LABEL	Enrolled within 61-90 days from start of treatment

daysfromtxstart90	
TYPE	num
LENGTH	8
VARNUM	9

daysfromtxstart90: Distribution	Value	n	%
No	0	1001	95.0
Yes	1	53	5.0
Undefined	U	0	.
Missing survey	Z	920	.
		1974	100.0

daysfromtxstart91plus	
LABEL	Enrolled within 91 or more days from start of treatment
TYPE	num
LENGTH	8
VARNUM	10

daysfromtxstart91plus: Distribution	Value	n	%
No	0	487	46.2
Yes	1	567	53.8
Undefined	U	0	.
Missing survey	Z	920	.
		1974	100.0

monthsenrolled	
LABEL	Months enrolled in the study
TYPE	num
LENGTH	8
VARNUM	11

monthsenrolled: Distribution	Value	n	%
15.16666666667	15.1666667	1	0.1
15.23333333333	15.2333333	1	0.1

monthsenrolled: Distribution	Value	n	%
15.46666666667	15.4666667	1	0.1
15.63333333333	15.6333333	3	0.3
15.7	15.7	1	0.1
15.83333333333	15.8333333	1	0.1
15.9	15.9	1	0.1
16	16	250	23.7
16.03333333333	16.0333333	72	6.8
16.06666666667	16.0666667	34	3.2
16.1	16.1	32	3.0
16.13333333333	16.1333333	21	2.0
16.16666666667	16.1666667	23	2.2
16.2	16.2	13	1.2
16.23333333333	16.2333333	18	1.7
16.26666666667	16.2666667	15	1.4
16.3	16.3	7	0.7
16.33333333333	16.3333333	7	0.7
16.36666666667	16.3666667	6	0.6
16.4	16.4	9	0.9
16.43333333333	16.4333333	7	0.7
16.46666666667	16.4666667	51	4.8
16.5	16.5	24	2.3
16.53333333333	16.5333333	15	1.4
16.56666666667	16.5666667	16	1.5
16.6	16.6	12	1.1
16.63333333333	16.6333333	13	1.2
16.66666666667	16.6666667	5	0.5
16.7	16.7	8	0.8
16.73333333333	16.7333333	3	0.3
16.76666666667	16.7666667	3	0.3
16.8	16.8	9	0.9
16.83333333333	16.8333333	3	0.3
16.86666666667	16.8666667	2	0.2
16.9	16.9	3	0.3
16.93333333333	16.9333333	26	2.5
16.96666666667	16.9666667	14	1.3
17	17	5	0.5
17.03333333333	17.0333333	12	1.1
17.06666666667	17.0666667	11	1.0

monthsenrolled: Distribution	Value	n	%
17.1	17.1	10	0.9
17.1333333333333	17.13333333	12	1.1
17.1666666666667	17.16666667	6	0.6
17.2	17.2	8	0.8
17.2333333333333	17.23333333	5	0.5
17.2666666666667	17.26666667	9	0.9
17.3	17.3	10	0.9
17.3333333333333	17.33333333	10	0.9
17.3666666666667	17.36666667	5	0.5
17.4	17.4	4	0.4
17.4333333333333	17.43333333	6	0.6
17.4666666666667	17.46666667	3	0.3
17.5	17.5	4	0.4
17.5333333333333	17.53333333	4	0.4
17.5666666666667	17.56666667	4	0.4
17.6	17.6	4	0.4
17.6333333333333	17.63333333	18	1.7
17.6666666666667	17.66666667	6	0.6
17.7	17.7	8	0.8
17.7333333333333	17.73333333	3	0.3
17.7666666666667	17.76666667	8	0.8
17.8	17.8	4	0.4
17.8333333333333	17.83333333	3	0.3
17.8666666666667	17.86666667	2	0.2
17.9	17.9	3	0.3
17.9333333333333	17.93333333	4	0.4
17.9666666666667	17.96666667	2	0.2
18	18	4	0.4
18.0333333333333	18.03333333	2	0.2
18.0666666666667	18.06666667	1	0.1
18.1	18.1	4	0.4
18.1333333333333	18.13333333	4	0.4
18.2	18.2	2	0.2
18.2333333333333	18.23333333	1	0.1
18.2666666666667	18.26666667	1	0.1
18.3	18.3	2	0.2
18.3333333333333	18.33333333	13	1.2
18.3666666666667	18.36666667	2	0.2

monthsenrolled: Distribution	Value	n	%
18.4	18.4	3	0.3
18.433333333333	18.43333333	2	0.2
18.466666666667	18.46666667	1	0.1
18.5	18.5	3	0.3
18.566666666667	18.56666667	1	0.1
18.6	18.6	4	0.4
18.633333333333	18.63333333	3	0.3
18.666666666667	18.66666667	1	0.1
18.7	18.7	1	0.1
18.766666666667	18.76666667	1	0.1
18.8	18.8	1	0.1
18.833333333333	18.83333333	1	0.1
18.866666666667	18.86666667	2	0.2
18.9	18.9	3	0.3
18.933333333333	18.93333333	1	0.1
19	19	1	0.1
19.033333333333	19.03333333	5	0.5
19.066666666667	19.06666667	3	0.3
19.133333333333	19.13333333	1	0.1
19.2	19.2	3	0.3
19.3	19.3	1	0.1
19.333333333333	19.33333333	2	0.2
19.366666666667	19.36666667	1	0.1
19.4	19.4	1	0.1
19.433333333333	19.43333333	2	0.2
19.466666666667	19.46666667	2	0.2
19.5	19.5	2	0.2
19.533333333333	19.53333333	2	0.2
19.566666666667	19.56666667	1	0.1
19.666666666667	19.66666667	1	0.1
19.7	19.7	1	0.1
19.733333333333	19.73333333	4	0.4
19.766666666667	19.76666667	2	0.2
19.8	19.8	3	0.3
19.833333333333	19.83333333	1	0.1
19.866666666667	19.86666667	1	0.1
19.9	19.9	2	0.2
19.933333333333	19.93333333	1	0.1

monthsenrolled: Distribution	Value	n	%
20	20	1	0.1
20.06666666667	20.0666667	1	0.1
20.1	20.1	1	0.1
20.16666666667	20.1666667	1	0.1
20.2	20.2	1	0.1
20.26666666667	20.2666667	2	0.2
20.4	20.4	1	0.1
20.43333333333	20.4333333	1	0.1
20.46666666667	20.4666667	1	0.1
20.5	20.5	1	0.1
20.53333333333	20.5333333	1	0.1
20.56666666667	20.5666667	1	0.1
20.66666666667	20.6666667	1	0.1
20.73333333333	20.7333333	2	0.2
20.76666666667	20.7666667	2	0.2
20.96666666667	20.9666667	2	0.2
22.16666666667	22.1666667	1	0.1
24.76666666667	24.7666667	1	0.1
25.4	25.4	1	0.1
30.1	30.1	1	0.1
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

inanytx	
LABEL	Receiving any treatment for opioid use disorder
TYPE	num
LENGTH	8
VARNUM	12

inanytx: Distribution	Value	n	%
No	0	177	16.8
Yes	1	877	83.2
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

currentbup	
LABEL	Currently receiving buprenorphine to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	13

currentbup: Distribution	Value	n	%
No	0	774	73.4
Yes	1	280	26.6
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

currentcoun	
LABEL	Currently receiving counseling without medication to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	14

currentcoun: Distribution	Value	n	%
No	0	1049	99.5
Yes	1	5	0.5
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

currentmmt	
LABEL	Currently receiving methadone to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	15

currentmmt: Distribution	Value	n	%
No	0	464	44.0
Yes	1	590	56.0

currentmmt: Distribution	Value	n	%
Undefined	U	0	.
Missing survey	Z	920	.
		1974	100.0

currentntx	
LABEL	Currently receiving naltrexone to treat opioid use disorder
TYPE	num
LENGTH	8
VARNUM	16

currentntx: Distribution	Value	n	%
No	0	1019	96.7
Yes	1	35	3.3
Undefined	U	0	.
Missing survey	Z	920	.
		1974	100.0

difftx	
LABEL	Currently receiving a treatment different than index treatment*
TYPE	num
LENGTH	8
VARNUM	17

*: If a patient received the same treatment in another facility, although it is not an index treatment, this treatment was not counted as a different treatment in this case.

difftx: Distribution	Value	n	%
No	0	982	93.2
Yes	1	72	6.8
Undefined	U	0	.
Missing survey	Z	920	.
		1974	100.0

endindextx	
LABEL	Ended index treatment
TYPE	num

endindextx	
LENGTH	8
VARNUM	18

endindextx: Distribution	Value	n	%
No	0	712	67.6
Yes	1	342	32.4
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

daysintx	
LABEL	Days in index treatment
TYPE	num
LENGTH	8
VARNUM	19

daysintx: Distribution	Value	n	%
1	1	2	0.2
7	7	2	0.2
12	12	1	0.1
14	14	2	0.2
16	16	1	0.1
21	21	2	0.2
24	24	1	0.1
31	31	1	0.1
32	32	1	0.1
34	34	2	0.2
35	35	2	0.2
38	38	1	0.1
40	40	1	0.1
41	41	2	0.2
42	42	4	0.4
44	44	1	0.1
47	47	1	0.1
49	49	2	0.2
51	51	1	0.1

daysintx: Distribution	Value	n	%
53	53	2	0.2
54	54	1	0.1
55	55	2	0.2
56	56	2	0.2
57	57	2	0.2
60	60	1	0.1
62	62	1	0.1
63	63	1	0.1
65	65	1	0.1
68	68	1	0.1
69	69	1	0.1
70	70	2	0.2
72	72	1	0.1
74	74	1	0.1
76	76	2	0.2
77	77	1	0.1
78	78	1	0.1
79	79	2	0.2
81	81	1	0.1
82	82	2	0.2
83	83	1	0.1
84	84	1	0.1
85	85	1	0.1
86	86	1	0.1
88	88	2	0.2
91	91	1	0.1
92	92	1	0.1
93	93	1	0.1
95	95	1	0.1
96	96	1	0.1
97	97	1	0.1
98	98	3	0.3
100	100	2	0.2
101	101	1	0.1
102	102	1	0.1
105	105	1	0.1
106	106	2	0.2
107	107	1	0.1

daysintx: Distribution	Value	n	%
108	108	1	0.1
112	112	2	0.2
113	113	2	0.2
114	114	1	0.1
115	115	1	0.1
117	117	1	0.1
118	118	1	0.1
119	119	2	0.2
120	120	2	0.2
122	122	1	0.1
124	124	1	0.1
125	125	3	0.3
127	127	1	0.1
132	132	1	0.1
134	134	1	0.1
137	137	1	0.1
138	138	2	0.2
140	140	1	0.1
143	143	2	0.2
145	145	1	0.1
146	146	1	0.1
147	147	1	0.1
152	152	1	0.1
153	153	1	0.1
154	154	1	0.1
155	155	2	0.2
156	156	1	0.1
160	160	1	0.1
162	162	1	0.1
163	163	1	0.1
164	164	3	0.3
169	169	1	0.1
170	170	1	0.1
171	171	2	0.2
173	173	1	0.1
174	174	1	0.1
175	175	2	0.2
178	178	2	0.2

daysintx: Distribution	Value	n	%
179	179	1	0.1
181	181	1	0.1
183	183	1	0.1
187	187	1	0.1
188	188	1	0.1
191	191	1	0.1
194	194	2	0.2
196	196	1	0.1
197	197	1	0.1
199	199	2	0.2
201	201	1	0.1
202	202	1	0.1
203	203	1	0.1
206	206	2	0.2
216	216	2	0.2
218	218	1	0.1
219	219	2	0.2
220	220	1	0.1
223	223	2	0.2
226	226	1	0.1
227	227	1	0.1
233	233	2	0.2
235	235	2	0.2
237	237	1	0.1
238	238	1	0.1
243	243	1	0.1
246	246	1	0.1
247	247	1	0.1
248	248	1	0.1
259	259	1	0.1
262	262	2	0.2
270	270	1	0.1
271	271	1	0.1
272	272	1	0.1
273	273	1	0.1
274	274	2	0.2
275	275	1	0.1
290	290	1	0.1

daysintx: Distribution	Value	n	%
294	294	1	0.1
296	296	1	0.1
297	297	1	0.1
299	299	1	0.1
301	301	2	0.2
303	303	1	0.1
304	304	2	0.2
310	310	2	0.2
316	316	1	0.1
325	325	3	0.3
331	331	3	0.3
335	335	1	0.1
337	337	1	0.1
338	338	1	0.1
339	339	1	0.1
340	340	2	0.2
342	342	3	0.3
343	343	2	0.2
344	344	2	0.2
349	349	1	0.1
350	350	1	0.1
352	352	1	0.1
353	353	1	0.1
355	355	1	0.1
357	357	1	0.1
361	361	2	0.2
364	364	1	0.1
365	365	2	0.2
366	366	1	0.1
367	367	2	0.2
369	369	1	0.1
370	370	1	0.1
371	371	1	0.1
376	376	1	0.1
380	380	1	0.1
385	385	1	0.1
386	386	1	0.1
387	387	2	0.2

daysintx: Distribution	Value	n	%
388	388	1	0.1
392	392	1	0.1
393	393	1	0.1
404	404	3	0.3
411	411	1	0.1
412	412	2	0.2
414	414	1	0.1
415	415	2	0.2
416	416	1	0.1
417	417	1	0.1
418	418	1	0.1
420	420	1	0.1
430	430	1	0.1
431	431	2	0.2
440	440	1	0.1
442	442	1	0.1
443	443	1	0.1
444	444	1	0.1
446	446	1	0.1
458	458	1	0.1
459	459	1	0.1
464	464	1	0.1
471	471	1	0.1
473	473	1	0.1
474	474	1	0.1
480	480	8	0.8
481	481	7	0.7
482	482	6	0.6
483	483	2	0.2
484	484	7	0.7
485	485	4	0.4
486	486	2	0.2
487	487	5	0.5
488	488	3	0.3
489	489	4	0.4
490	490	4	0.4
491	491	6	0.6
492	492	2	0.2

daysintx: Distribution	Value	n	%
493	493	3	0.3
494	494	6	0.6
495	495	3	0.3
496	496	6	0.6
497	497	3	0.3
498	498	4	0.4
499	499	1	0.1
500	500	2	0.2
501	501	2	0.2
502	502	4	0.4
503	503	3	0.3
504	504	3	0.3
506	506	2	0.2
507	507	2	0.2
508	508	10	0.9
509	509	2	0.2
510	510	2	0.2
511	511	4	0.4
512	512	3	0.3
513	513	7	0.7
514	514	6	0.6
515	515	3	0.3
516	516	4	0.4
517	517	3	0.3
518	518	4	0.4
519	519	3	0.3
520	520	3	0.3
521	521	5	0.5
522	522	1	0.1
523	523	4	0.4
525	525	1	0.1
526	526	1	0.1
527	527	2	0.2
528	528	1	0.1
529	529	3	0.3
530	530	5	0.5
531	531	3	0.3
532	532	4	0.4

daysintx: Distribution	Value	n	%
533	533	2	0.2
534	534	2	0.2
535	535	3	0.3
538	538	1	0.1
540	540	3	0.3
541	541	1	0.1
542	542	1	0.1
543	543	1	0.1
544	544	3	0.3
546	546	2	0.2
547	547	3	0.3
548	548	4	0.4
550	550	2	0.2
552	552	4	0.4
555	555	1	0.1
556	556	1	0.1
557	557	4	0.4
558	558	1	0.1
559	559	1	0.1
560	560	2	0.2
561	561	2	0.2
562	562	2	0.2
564	564	2	0.2
565	565	2	0.2
566	566	2	0.2
567	567	2	0.2
568	568	1	0.1
569	569	1	0.1
570	570	2	0.2
571	571	2	0.2
574	574	1	0.1
575	575	2	0.2
576	576	1	0.1
577	577	2	0.2
578	578	2	0.2
580	580	2	0.2
583	583	2	0.2
584	584	2	0.2

daysintx: Distribution	Value	n	%
585	585	1	0.1
586	586	2	0.2
589	589	1	0.1
590	590	1	0.1
591	591	1	0.1
592	592	1	0.1
593	593	2	0.2
595	595	2	0.2
596	596	2	0.2
597	597	1	0.1
598	598	3	0.3
599	599	2	0.2
601	601	1	0.1
602	602	3	0.3
604	604	1	0.1
605	605	1	0.1
606	606	2	0.2
608	608	1	0.1
609	609	1	0.1
610	610	1	0.1
612	612	2	0.2
613	613	1	0.1
615	615	2	0.2
617	617	2	0.2
618	618	2	0.2
620	620	2	0.2
621	621	2	0.2
622	622	3	0.3
624	624	1	0.1
625	625	2	0.2
626	626	2	0.2
628	628	1	0.1
629	629	1	0.1
630	630	1	0.1
635	635	1	0.1
636	636	1	0.1
637	637	1	0.1
639	639	2	0.2

daysintx: Distribution	Value	n	%
640	640	2	0.2
642	642	1	0.1
643	643	1	0.1
644	644	1	0.1
645	645	3	0.3
646	646	2	0.2
657	657	2	0.2
668	668	2	0.2
669	669	1	0.1
671	671	2	0.2
672	672	1	0.1
675	675	1	0.1
677	677	2	0.2
678	678	1	0.1
685	685	1	0.1
686	686	1	0.1
692	692	3	0.3
693	693	1	0.1
694	694	1	0.1
697	697	1	0.1
699	699	1	0.1
700	700	3	0.3
701	701	1	0.1
702	702	2	0.2
704	704	2	0.2
711	711	1	0.1
712	712	1	0.1
713	713	2	0.2
714	714	2	0.2
716	716	3	0.3
719	719	1	0.1
722	722	2	0.2
725	725	3	0.3
727	727	4	0.4
733	733	1	0.1
741	741	1	0.1
742	742	1	0.1
743	743	1	0.1

daysintx: Distribution	Value	n	%
745	745	1	0.1
747	747	1	0.1
750	750	1	0.1
751	751	2	0.2
755	755	1	0.1
758	758	1	0.1
761	761	2	0.2
762	762	3	0.3
764	764	1	0.1
766	766	1	0.1
767	767	1	0.1
771	771	1	0.1
774	774	1	0.1
785	785	1	0.1
791	791	1	0.1
792	792	1	0.1
801	801	1	0.1
803	803	1	0.1
809	809	1	0.1
811	811	1	0.1
812	812	1	0.1
816	816	2	0.2
817	817	2	0.2
822	822	1	0.1
824	824	1	0.1
825	825	1	0.1
826	826	1	0.1
828	828	1	0.1
837	837	1	0.1
838	838	2	0.2
839	839	1	0.1
840	840	1	0.1
842	842	1	0.1
843	843	2	0.2
844	844	1	0.1
845	845	1	0.1
846	846	1	0.1
847	847	1	0.1

daysintx: Distribution	Value	n	%
848	848	2	0.2
855	855	2	0.2
858	858	1	0.1
860	860	1	0.1
862	862	1	0.1
868	868	2	0.2
874	874	1	0.1
875	875	1	0.1
881	881	1	0.1
882	882	1	0.1
885	885	1	0.1
887	887	1	0.1
888	888	1	0.1
889	889	1	0.1
898	898	1	0.1
902	902	4	0.4
910	910	2	0.2
911	911	2	0.2
913	913	1	0.1
915	915	2	0.2
916	916	1	0.1
920	920	1	0.1
923	923	1	0.1
924	924	2	0.2
926	926	1	0.1
927	927	1	0.1
933	933	1	0.1
934	934	2	0.2
935	935	1	0.1
936	936	1	0.1
937	937	2	0.2
940	940	1	0.1
947	947	2	0.2
948	948	1	0.1
949	949	2	0.2
950	950	1	0.1
952	952	3	0.3
953	953	2	0.2

daysintx: Distribution	Value	n	%
956	956	1	0.1
957	957	4	0.4
960	960	1	0.1
963	963	1	0.1
964	964	2	0.2
965	965	2	0.2
968	968	1	0.1
970	970	3	0.3
971	971	1	0.1
972	972	2	0.2
973	973	2	0.2
977	977	1	0.1
980	980	1	0.1
987	987	2	0.2
988	988	1	0.1
993	993	1	0.1
995	995	1	0.1
998	998	2	0.2
999	999	3	0.3
1002	1002	2	0.2
1004	1004	1	0.1
1008	1008	2	0.2
1014	1014	1	0.1
1015	1015	1	0.1
1020	1020	1	0.1
1022	1022	1	0.1
1026	1026	1	0.1
1028	1028	1	0.1
1029	1029	1	0.1
1030	1030	1	0.1
1032	1032	1	0.1
1033	1033	2	0.2
1043	1043	1	0.1
1048	1048	1	0.1
1052	1052	1	0.1
1059	1059	1	0.1
1061	1061	1	0.1
1070	1070	1	0.1

daysintx: Distribution	Value	n	%
1072	1072	1	0.1
1073	1073	1	0.1
1074	1074	2	0.2
1076	1076	2	0.2
1081	1081	1	0.1
1082	1082	2	0.2
1086	1086	1	0.1
1089	1089	1	0.1
1090	1090	1	0.1
1092	1092	2	0.2
1094	1094	1	0.1
1095	1095	1	0.1
1096	1096	1	0.1
1099	1099	1	0.1
1101	1101	1	0.1
1103	1103	1	0.1
1104	1104	1	0.1
1106	1106	1	0.1
1108	1108	1	0.1
1114	1114	1	0.1
1115	1115	1	0.1
1119	1119	1	0.1
1123	1123	1	0.1
1143	1143	1	0.1
1149	1149	1	0.1
1151	1151	1	0.1
1157	1157	2	0.2
1161	1161	1	0.1
1187	1187	2	0.2
1191	1191	1	0.1
1197	1197	1	0.1
1210	1210	1	0.1
1211	1211	1	0.1
1213	1213	2	0.2
1214	1214	1	0.1
1217	1217	1	0.1
1218	1218	1	0.1
1220	1220	1	0.1

daysintx: Distribution	Value	n	%
1221	1221	1	0.1
1224	1224	1	0.1
1239	1239	1	0.1
1245	1245	1	0.1
1246	1246	1	0.1
1249	1249	1	0.1
1250	1250	1	0.1
1252	1252	1	0.1
1259	1259	1	0.1
1262	1262	1	0.1
1267	1267	1	0.1
1274	1274	1	0.1
1278	1278	1	0.1
1279	1279	1	0.1
1282	1282	1	0.1
1285	1285	1	0.1
1288	1288	1	0.1
1296	1296	1	0.1
1303	1303	3	0.3
1306	1306	1	0.1
1307	1307	2	0.2
1313	1313	2	0.2
1315	1315	2	0.2
1324	1324	1	0.1
1329	1329	1	0.1
1340	1340	1	0.1
1347	1347	1	0.1
1352	1352	1	0.1
1355	1355	1	0.1
1357	1357	1	0.1
1358	1358	1	0.1
1363	1363	1	0.1
1377	1377	1	0.1
1400	1400	1	0.1
1411	1411	1	0.1
1421	1421	1	0.1
1450	1450	1	0.1
1460	1460	1	0.1

daysintx: Distribution	Value	n	%
1474	1474	1	0.1
1475	1475	1	0.1
1495	1495	1	0.1
1496	1496	1	0.1
1497	1497	2	0.2
1519	1519	1	0.1
1521	1521	1	0.1
1539	1539	1	0.1
1540	1540	1	0.1
1550	1550	1	0.1
1554	1554	1	0.1
1556	1556	1	0.1
1570	1570	1	0.1
1575	1575	2	0.2
1578	1578	1	0.1
1579	1579	1	0.1
1583	1583	1	0.1
1601	1601	1	0.1
1610	1610	1	0.1
1628	1628	1	0.1
1636	1636	1	0.1
1643	1643	1	0.1
1648	1648	2	0.2
1689	1689	1	0.1
1709	1709	1	0.1
1717	1717	1	0.1
1725	1725	1	0.1
1732	1732	1	0.1
1734	1734	1	0.1
1737	1737	1	0.1
1753	1753	1	0.1
1760	1760	1	0.1
1763	1763	1	0.1
1770	1770	1	0.1
1781	1781	1	0.1
1790	1790	1	0.1
1793	1793	1	0.1
1802	1802	1	0.1

daysintx: Distribution	Value	n	%
1814	1814	1	0.1
1825	1825	1	0.1
1832	1832	1	0.1
1840	1840	1	0.1
1854	1854	1	0.1
1859	1859	1	0.1
1862	1862	1	0.1
1864	1864	1	0.1
1871	1871	1	0.1
1883	1883	1	0.1
1890	1890	1	0.1
1899	1899	1	0.1
1925	1925	1	0.1
1931	1931	1	0.1
1954	1954	2	0.2
1977	1977	1	0.1
2015	2015	1	0.1
2018	2018	1	0.1
2027	2027	1	0.1
2055	2055	1	0.1
2061	2061	1	0.1
2069	2069	1	0.1
2071	2071	1	0.1
2072	2072	1	0.1
2086	2086	1	0.1
2104	2104	1	0.1
2110	2110	1	0.1
2112	2112	1	0.1
2115	2115	1	0.1
2120	2120	1	0.1
2139	2139	1	0.1
2142	2142	1	0.1
2168	2168	1	0.1
2217	2217	1	0.1
2223	2223	1	0.1
2232	2232	1	0.1
2248	2248	1	0.1
2259	2259	1	0.1

daysintx: Distribution	Value	n	%
2320	2320	1	0.1
2323	2323	1	0.1
2326	2326	1	0.1
2344	2344	1	0.1
2367	2367	1	0.1
2375	2375	2	0.2
2401	2401	1	0.1
2403	2403	1	0.1
2406	2406	1	0.1
2411	2411	1	0.1
2426	2426	1	0.1
2437	2437	1	0.1
2452	2452	1	0.1
2486	2486	1	0.1
2502	2502	1	0.1
2511	2511	1	0.1
2530	2530	1	0.1
2531	2531	1	0.1
2553	2553	1	0.1
2554	2554	1	0.1
2559	2559	1	0.1
2565	2565	1	0.1
2588	2588	1	0.1
2606	2606	1	0.1
2623	2623	1	0.1
2657	2657	1	0.1
2678	2678	1	0.1
2685	2685	1	0.1
2735	2735	1	0.1
2750	2750	1	0.1
2754	2754	1	0.1
2772	2772	1	0.1
2848	2848	1	0.1
2883	2883	1	0.1
2937	2937	1	0.1
2982	2982	1	0.1
2984	2984	1	0.1
3010	3010	1	0.1

daysintx: Distribution	Value	n	%
3064	3064	1	0.1
3070	3070	1	0.1
3143	3143	1	0.1
3161	3161	1	0.1
3167	3167	1	0.1
3206	3206	1	0.1
3213	3213	1	0.1
3265	3265	1	0.1
3369	3369	1	0.1
3452	3452	1	0.1
3567	3567	1	0.1
3635	3635	1	0.1
3637	3637	1	0.1
3692	3692	1	0.1
3883	3883	1	0.1
4001	4001	1	0.1
4040	4040	1	0.1
4089	4089	1	0.1
4192	4192	2	0.2
4424	4424	1	0.1
4448	4448	1	0.1
4456	4456	1	0.1
4555	4555	1	0.1
4570	4570	1	0.1
4575	4575	1	0.1
4687	4687	1	0.1
4738	4738	1	0.1
4825	4825	1	0.1
4895	4895	1	0.1
4963	4963	1	0.1
5017	5017	1	0.1
5109	5109	1	0.1
5280	5280	1	0.1
5503	5503	1	0.1
5541	5541	1	0.1
5613	5613	1	0.1
5694	5694	1	0.1
6806	6806	1	0.1

daysintx: Distribution	Value	n	%
7111	7111	1	0.1
7152	7152	1	0.1
7257	7257	1	0.1
8244	8244	1	0.1
11301	11301	1	0.1
Z	Z	920	.
		1974	100.0

txepisodes	
LABEL	Number of new treatment episodes for opioid addiction, after the index treatment
TYPE	num
LENGTH	8
VARNUM	20

txepisodes: Distribution	Value	n	%
0	0	801	85.1
1	1	57	6.1
2	2	22	2.3
3	3	10	1.1
4	4	5	0.5
5	5	11	1.2
6	6	7	0.7
7	7	4	0.4
8	8	5	0.5
9	9	3	0.3
10	10	3	0.3
11	11	2	0.2
12	12	2	0.2
13	13	2	0.2
15	15	2	0.2
20	20	1	0.1
22	22	1	0.1
31	31	2	0.2
40	40	1	0.1
Undefined	U	113	.
Missing survey	Z	920	.
		1974	100.0

adverse	
LABEL	Experienced an adverse reaction to an opioid treatment medication (for the current or most recent treatment)
TYPE	num
LENGTH	8
VARNUM	21

adverse: Distribution	Value	n	%
No	0	1016	96.4
Yes	1	38	3.6
Undefined	U	0	.
Missing survey	Z	920	.
		1974	100.0

tookmeds	
LABEL	Usually took opioid treatment medication as directed by your doctor (for the current or most recent treatment)
TYPE	num
LENGTH	8
VARNUM	22

tookmeds: Distribution	Value	n	%
No	0	50	4.7
Yes	1	1004	95.3
Undefined	U	0	.
Missing survey	Z	920	.
		1974	100.0

indcoun	
LABEL	Received individual counseling while in index treatment
TYPE	num
LENGTH	8
VARNUM	23

indcoun: Distribution	Value	n	%
No	0	31	2.9
Yes	1	1023	97.1
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

grpcoun	
LABEL	Received group counseling while in index treatment
TYPE	num
LENGTH	8
VARNUM	24

grpcoun: Distribution	Value	n	%
No	0	202	19.2
Yes	1	852	80.8
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

peernav	
LABEL	Met with a peer navigator about once a month or more while in index treatment
TYPE	num
LENGTH	8
VARNUM	25

peernav: Distribution	Value	n	%
No	0	473	44.9
Yes	1	581	55.1
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

selfhelp90	
LABEL	Attended a self-help group in the past 90 days
TYPE	num

selfhelp90	
LENGTH	8
VARNUM	26

selfhelp90: Distribution	Value	n	%
No	0	654	62.0
Yes	1	400	38.0
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

coun90	
LABEL	Attended any counseling sessions in the past 90 days while in index treatment
TYPE	num
LENGTH	8
VARNUM	27

coun90: Distribution	Value	n	%
No	0	236	29.4
Yes	1	567	70.6
Undefined	U	251	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

ncoun90	
LABEL	Number of counseling sessions attended in the past 90 days while in index treatment
TYPE	num
LENGTH	8
VARNUM	28

ncoun90: Distribution	Value	n	%
0	0	141	19.9
1	1	82	11.6
2	2	76	10.7
3	3	82	11.6
4	4	72	10.2

ncoun90: Distribution	Value	n	%
5	5	22	3.1
6	6	80	11.3
7	7	8	1.1
8	8	19	2.7
9	9	11	1.6
10	10	19	2.7
12	12	48	6.8
14	14	1	0.1
15	15	6	0.8
16	16	5	0.7
18	18	6	0.8
20	20	4	0.6
24	24	4	0.6
25	25	3	0.4
26	26	1	0.1
29	29	1	0.1
30	30	6	0.8
36	36	1	0.1
39	39	1	0.1
40	40	1	0.1
45	45	4	0.6
48	48	1	0.1
80	80	1	0.1
90	90	2	0.3
S	S	95	.
Undefined	U	251	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

abstinent30ohf	
LABEL	Abstinent from using prescription opioids non-medically, heroin, and illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	29

abstinent30ohf: Distribution	Value	n	%
No	0	240	22.9
Yes	1	809	77.1
Undefined	U	5	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

abstinent90ohfmb	
LABEL	Abstinent from using prescription opioids non-medically, opioid treatment medications non-medically, heroin, and illicitly-made fentanyl in the past 90 days
TYPE	num
LENGTH	8
VARNUM	30

abstinent90ohfmb: Distribution	Value	n	%
No	0	289	27.5
Yes	1	761	72.5
Undefined	U	4	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

opuse30	
LABEL	Number of days used prescription opioids non-medically in the past 30 days
TYPE	num
LENGTH	8
VARNUM	31

opuse30: Distribution	Value	n	%
0	0	1004	95.3
1	1	6	0.6
2	2	5	0.5
3	3	2	0.2
4	4	3	0.3
5	5	2	0.2
6	6	1	0.1
7	7	1	0.1

opuse30: Distribution	Value	n	%
10	10	5	0.5
11	11	1	0.1
12	12	4	0.4
15	15	3	0.3
18	18	1	0.1
20	20	7	0.7
21	21	1	0.1
22	22	1	0.1
25	25	2	0.2
30	30	5	0.5
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

opuse30users	
LABEL	Among users, number of days used prescription opioids non-medically in the past 30 days
TYPE	num
LENGTH	8
VARNUM	32

opuse30users: Distribution	Value	n	%
1	1	6	12.0
2	2	5	10.0
3	3	2	4.0
4	4	3	6.0
5	5	2	4.0
6	6	1	2.0
7	7	1	2.0
10	10	5	10.0
11	11	1	2.0
12	12	4	8.0
15	15	3	6.0
18	18	1	2.0
20	20	7	14.0
21	21	1	2.0
22	22	1	2.0
25	25	2	4.0

opuse30users: Distribution	Value	n	%
30	30	5	10.0
Undefined	U	1004	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

opabst90	
LABEL	Abstinent from using prescription opioids non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	33

opabst90: Distribution	Value	n	%
No	0	53	5.0
Yes	1	1001	95.0
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

fnuse30	
LABEL	Number of days used illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	34

fnuse30: Distribution	Value	n	%
0	0	961	91.4
1	1	2	0.2
2	2	7	0.7
3	3	2	0.2
4	4	8	0.8
5	5	4	0.4
6	6	1	0.1
7	7	2	0.2
8	8	2	0.2
10	10	9	0.9
14	14	1	0.1

fnuse30: Distribution	Value	n	%
15	15	6	0.6
20	20	8	0.8
21	21	1	0.1
22	22	1	0.1
23	23	1	0.1
24	24	1	0.1
25	25	2	0.2
27	27	1	0.1
28	28	4	0.4
29	29	1	0.1
30	30	26	2.5
Undefined	U	3	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

fnuse30users	
LABEL	Among users, number of days used illicitly-made fentanyl in the past 30 days
TYPE	num
LENGTH	8
VARNUM	35

fnuse30users: Distribution	Value	n	%
1	1	2	2.2
2	2	7	7.8
3	3	2	2.2
4	4	8	8.9
5	5	4	4.4
6	6	1	1.1
7	7	2	2.2
8	8	2	2.2
10	10	9	10.0
14	14	1	1.1
15	15	6	6.7
20	20	8	8.9
21	21	1	1.1
22	22	1	1.1
23	23	1	1.1

fnuse30users: Distribution	Value	n	%
24	24	1	1.1
25	25	2	2.2
27	27	1	1.1
28	28	4	4.4
29	29	1	1.1
30	30	26	28.9
Undefined	U	964	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

fnabst90	
LABEL	Abstinent from using illicitly-made fentanyl in the past 90 days
TYPE	num
LENGTH	8
VARNUM	36

fnabst90: Distribution	Value	n	%
No	0	102	9.7
Yes	1	950	90.3
Undefined	U	2	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

hruse30	
LABEL	Number of days used heroin in the past 30 days
TYPE	num
LENGTH	8
VARNUM	37

hruse30: Distribution	Value	n	%
0	0	870	82.7
1	1	9	0.9
2	2	13	1.2
3	3	6	0.6
4	4	5	0.5
5	5	9	0.9

hruse30: Distribution	Value	n	%
6	6	2	0.2
7	7	3	0.3
8	8	5	0.5
9	9	2	0.2
10	10	5	0.5
12	12	1	0.1
14	14	1	0.1
15	15	12	1.1
16	16	2	0.2
17	17	1	0.1
18	18	2	0.2
20	20	14	1.3
21	21	1	0.1
22	22	3	0.3
23	23	1	0.1
24	24	1	0.1
25	25	12	1.1
26	26	1	0.1
27	27	1	0.1
28	28	8	0.8
29	29	1	0.1
30	30	61	5.8
Undefined	U	2	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

hruse30users	
LABEL	Among users, number of days used heroin in the past 30 days
TYPE	num
LENGTH	8
VARNUM	38

hruse30users: Distribution	Value	n	%
1	1	9	4.9
2	2	13	7.1
3	3	6	3.3
4	4	5	2.7

hruse30users: Distribution	Value	n	%
5	5	9	4.9
6	6	2	1.1
7	7	3	1.6
8	8	5	2.7
9	9	2	1.1
10	10	5	2.7
12	12	1	0.5
14	14	1	0.5
15	15	12	6.6
16	16	2	1.1
17	17	1	0.5
18	18	2	1.1
20	20	14	7.7
21	21	1	0.5
22	22	3	1.6
23	23	1	0.5
24	24	1	0.5
25	25	12	6.6
26	26	1	0.5
27	27	1	0.5
28	28	8	4.4
29	29	1	0.5
30	30	61	33.5
Undefined	U	872	.
Missing survey	Z	920	.
		1974	100.0

hrabst90	
LABEL	Abstinent from using heroin in the past 90 days
TYPE	num
LENGTH	8
VARNUM	39

hrabst90: Distribution	Value	n	%
No	0	200	19.0
Yes	1	852	81.0
Undefined	U	2	.

hrabst90: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

mmbpabst90	
LABEL	Abstinent from using opioid treatment medications non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	40

mmbpabst90: Distribution	Value	n	%
No	0	55	5.2
Yes	1	998	94.8
Undefined	U	1	.
Missing survey	Z	920	.
		1974	100.0

diversionuse90	
LABEL	Frequency of using prescription opioids non-medically in the past 90 days
TYPE	num
LENGTH	8
VARNUM	41

diversionuse90: Distribution	Value	n	%
Never	1	998	94.8
Less than once a week	2	9	0.9
Once a week	3	3	0.3
More than once a week	4	7	0.7
Almost every day of the week	5	36	3.4
Undefined	U	1	.
Missing survey	Z	920	.
		1974	100.0

diversiongive	
LABEL	Frequency of giving away or selling methadone or buprenorphine that has been prescribed to you

diversiongive	
TYPE	num
LENGTH	8
VARNUM	42

diversiongive: Distribution	Value	n	%
Never	1	914	86.7
Rarely	2	58	5.5
Sometimes	3	49	4.6
Often	4	20	1.9
Very often	5	13	1.2
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

suoverdose	
LABEL	Number of drug overdoses in the past 90 days
TYPE	num
LENGTH	8
VARNUM	43

suoverdose: Distribution	Value	n	%
No	0	1002	97.8
Yes	1	23	2.2
Undefined	U	29	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

opoverdose	
LABEL	Number of overdoses due to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	44

opoverdose: Distribution	Value	n	%
No	0	1005	98.0

opoverdose: Distribution	Value	n	%
Yes	1	20	2.0
Undefined	U	29	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

edvisit	
LABEL	Had an emergency department visit in the past 90 days
TYPE	num
LENGTH	8
VARNUM	45

edvisit: Distribution	Value	n	%
No	0	887	84.3
Yes	1	165	15.7
Undefined	U	2	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

opedvisit	
LABEL	Had an emergency department visit related to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	46

opedvisit: Distribution	Value	n	%
No	0	1006	95.6
Yes	1	46	4.4
Undefined	U	2	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

hospstay	
LABEL	Had a hospital stay in the past 90 days
TYPE	num

hospstay	
LENGTH	8
VARNUM	47

hospstay: Distribution	Value	n	%
No	0	966	91.7
Yes	1	87	8.3
Undefined	U	1	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

ophospstay	
LABEL	Had a hospital stay related to opioids in the past 90 days
TYPE	num
LENGTH	8
VARNUM	48

ophospstay: Distribution	Value	n	%
No	0	1020	96.9
Yes	1	33	3.1
Undefined	U	1	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

pcp90	
LABEL	Visited a primary care provider in the past 90 days
TYPE	num
LENGTH	8
VARNUM	49

pcp90: Distribution	Value	n	%
No	0	511	48.5
Yes	1	542	51.5
Undefined	U	1	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

HepCtest12m	
LABEL	Had a hepatitis C test in the past 12 months
TYPE	num
LENGTH	8
VARNUM	50

HepCtest12m: Distribution	Value	n	%
No	0	728	69.3
Yes	1	322	30.7
Undefined	U	4	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

hepcpositive	
LABEL	Had a positive hepatitis C test, among those tested in the past 12 months
TYPE	num
LENGTH	8
VARNUM	51

hepcpositive: Distribution	Value	n	%
No	0	231	72.6
Yes	1	87	27.4
Undefined	U	736	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

HIVtest12m	
LABEL	Had a HIV test in the past 12 months
TYPE	num
LENGTH	8
VARNUM	52

HIVtest12m: Distribution	Value	n	%
No	0	721	68.5
Yes	1	331	31.5

HIVtest12m: Distribution	Value	n	%
Undefined	U	2	.
Missing survey	Z	920	.
		1974	100.0

mentalillness	
LABEL	Ever diagnosed with a mental illness
TYPE	num
LENGTH	8
VARNUM	53

mentalillness: Distribution	Value	n	%
No	0	512	48.6
Yes	1	542	51.4
.	.	920	.
Undefined	U	0	.
Missing survey	Z	0	.
		1974	100.0

insurance	
LABEL	Health insurance status
TYPE	num
LENGTH	8
VARNUM	54

insurance: Distribution	Value	n	%
Health insurance	1	892	84.6
No health insurance	2	162	15.4
Undefined	U	0	.
Missing survey	Z	920	.
		1974	100.0

healthins	
LABEL	Has health insurance
TYPE	num

healthins	
LENGTH	8
VARNUM	55

healthins: Distribution	Value	n	%
No	0	162	15.4
Yes	1	892	84.6
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

nohealthins	
LABEL	Does not have health insurance
TYPE	num
LENGTH	8
VARNUM	56

nohealthins: Distribution	Value	n	%
No	0	892	84.6
Yes	1	162	15.4
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

employed	
LABEL	Currently employed or self-employed
TYPE	num
LENGTH	8
VARNUM	57

employed: Distribution	Value	n	%
No	0	696	66.0
Yes	1	358	34.0
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

socialsupportscore	
LABEL	Social support score from the Multidimensional Scale of Perceived Social Support
TYPE	num
LENGTH	8
VARNUM	58

socialsupportscore: Distribution	Value	n	%
1	1	13	1.2
1.08333333333333	1.08333333	2	0.2
1.25	1.25	1	0.1
1.33333333333333	1.33333333	4	0.4
1.41666666666667	1.41666667	1	0.1
1.5	1.5	4	0.4
1.58333333333333	1.58333333	1	0.1
1.66666666666667	1.66666667	3	0.3
1.75	1.75	2	0.2
1.83333333333333	1.83333333	4	0.4
1.91666666666667	1.91666667	6	0.6
2	2	3	0.3
2.08333333333333	2.08333333	4	0.4
2.16666666666667	2.16666667	4	0.4
2.25	2.25	4	0.4
2.33333333333333	2.33333333	3	0.3
2.41666666666667	2.41666667	2	0.2
2.5	2.5	3	0.3
2.58333333333333	2.58333333	5	0.5
2.66666666666667	2.66666667	2	0.2
2.75	2.75	6	0.6
2.83333333333333	2.83333333	3	0.3
2.91666666666667	2.91666667	5	0.5
3	3	14	1.3
3.08333333333333	3.08333333	5	0.5
3.16666666666667	3.16666667	5	0.5
3.25	3.25	8	0.8
3.33333333333333	3.33333333	7	0.7
3.41666666666667	3.41666667	8	0.8
3.5	3.5	9	0.9

socialsupportscore: Distribution	Value	n	%
3.58333333333333	3.583333333	10	0.9
3.6666666666667	3.66666667	12	1.1
3.75	3.75	9	0.9
3.83333333333333	3.833333333	7	0.7
3.9166666666667	3.91666667	11	1.0
4	4	38	3.6
4.08333333333333	4.083333333	21	2.0
4.1666666666667	4.16666667	10	0.9
4.25	4.25	16	1.5
4.33333333333333	4.333333333	16	1.5
4.4166666666667	4.41666667	15	1.4
4.5	4.5	13	1.2
4.58333333333333	4.583333333	16	1.5
4.6666666666667	4.66666667	28	2.7
4.75	4.75	20	1.9
4.83333333333333	4.833333333	15	1.4
4.9166666666667	4.91666667	23	2.2
5	5	31	2.9
5.08333333333333	5.083333333	27	2.6
5.1666666666667	5.16666667	15	1.4
5.25	5.25	14	1.3
5.33333333333333	5.333333333	14	1.3
5.4166666666667	5.41666667	21	2.0
5.5	5.5	25	2.4
5.58333333333333	5.583333333	13	1.2
5.6666666666667	5.66666667	28	2.7
5.75	5.75	17	1.6
5.83333333333333	5.833333333	16	1.5
5.9166666666667	5.91666667	17	1.6
6	6	46	4.4
6.08333333333333	6.083333333	16	1.5
6.1666666666667	6.16666667	15	1.4
6.25	6.25	19	1.8
6.33333333333333	6.333333333	16	1.5
6.4166666666667	6.41666667	17	1.6
6.5	6.5	20	1.9
6.58333333333333	6.583333333	15	1.4

socialsupportscore: Distribution	Value	n	%
6.666666666667	6.66666667	12	1.1
6.75	6.75	19	1.8
6.833333333333	6.83333333	19	1.8
6.916666666667	6.91666667	22	2.1
7	7	159	15.1
.	.	920	.
Undefined	U	0	.
Missing survey	Z	0	.
		<i>1974</i>	<i>100.0</i>

socialsupportcat	
LABEL	Level of social support
TYPE	num
LENGTH	8
VARNUM	59

socialsupportcat: Distribution	Value	n	%
High social support	1	602	57.1
Moderate social support	2	367	34.8
Low social support	3	85	8.1
.	.	920	.
Undefined	U	0	.
Missing survey	Z	0	.
		<i>1974</i>	<i>100.0</i>

lowsocialsupport	
LABEL	Low social support
TYPE	num
LENGTH	8
VARNUM	60

lowsocialsupport: Distribution	Value	n	%
No	0	602	57.1
Yes	1	452	42.9
.	.	920	.

lowsocialsupport: Distribution	Value	n	%
Undefined	U	0	.
Missing survey	Z	0	.
		1974	100.0

modsocialsupport	
LABEL	Moderate social support
TYPE	num
LENGTH	8
VARNUM	61

modsocialsupport: Distribution	Value	n	%
No	0	367	34.8
Yes	1	687	65.2
.	.	920	.
Undefined	U	0	.
Missing survey	Z	0	.
		1974	100.0

highsocialsupport	
LABEL	High social support
TYPE	num
LENGTH	8
VARNUM	62

highsocialsupport: Distribution	Value	n	%
No	0	85	8.1
Yes	1	969	91.9
.	.	920	.
Undefined	U	0	.
Missing survey	Z	0	.
		1974	100.0

ace	
LABEL	Had one or more adverse childhood experience
TYPE	num
LENGTH	8
VARNUM	63

ace: Distribution	Value	n	%
Did not experience an adverse childhood event	0	133	12.6
Experienced an adverse childhood event	1	921	87.4
Undefined	U	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

hrqol	
LABEL	Health-related quality of life based on the EQ-5D-5L health utility values
TYPE	num
LENGTH	8
VARNUM	64

hrqol: Distribution	Value	n	%
0.027	0.027	1	0.1
0.154	0.154	1	0.1
0.16	0.16	1	0.1
0.165	0.165	1	0.1
0.169	0.169	1	0.1
0.177	0.177	2	0.2
0.192	0.192	3	0.3
0.195	0.195	1	0.1
0.202	0.202	3	0.3
0.215	0.215	2	0.2
0.22	0.22	1	0.1
0.226	0.226	1	0.1
0.228	0.228	1	0.1
0.236	0.236	1	0.1
0.246	0.246	1	0.1
0.247	0.247	1	0.1

hrqol: Distribution	Value	n	%
0.254	0.254	2	0.2
0.255	0.255	1	0.1
0.257	0.257	1	0.1
0.26	0.26	1	0.1
0.262	0.262	2	0.2
0.263	0.263	1	0.1
0.268	0.268	1	0.1
0.27	0.27	1	0.1
0.272	0.272	1	0.1
0.277	0.277	1	0.1
0.279	0.279	1	0.1
0.282	0.282	1	0.1
0.284	0.284	1	0.1
0.289	0.289	1	0.1
0.292	0.292	3	0.3
0.293	0.293	1	0.1
0.295	0.295	1	0.1
0.301	0.301	1	0.1
0.303	0.303	1	0.1
0.306	0.306	1	0.1
0.314	0.314	1	0.1
0.316	0.316	1	0.1
0.318	0.318	1	0.1
0.32	0.32	1	0.1
0.322	0.322	2	0.2
0.323	0.323	3	0.3
0.333	0.333	1	0.1
0.338	0.338	3	0.3
0.34	0.34	3	0.3
0.344	0.344	1	0.1
0.345	0.345	1	0.1
0.346	0.346	1	0.1
0.353	0.353	3	0.3
0.359	0.359	1	0.1
0.365	0.365	1	0.1
0.366	0.366	1	0.1
0.367	0.367	1	0.1
0.369	0.369	1	0.1

hrqol: Distribution	Value	n	%
0.371	0.371	1	0.1
0.372	0.372	1	0.1
0.381	0.381	1	0.1
0.385	0.385	1	0.1
0.386	0.386	1	0.1
0.389	0.389	5	0.5
0.393	0.393	3	0.3
0.394	0.394	1	0.1
0.397	0.397	2	0.2
0.398	0.398	1	0.1
0.403	0.403	5	0.5
0.41	0.41	1	0.1
0.412	0.412	4	0.4
0.418	0.418	1	0.1
0.419	0.419	1	0.1
0.425	0.425	1	0.1
0.426	0.426	4	0.4
0.429	0.429	1	0.1
0.437	0.437	1	0.1
0.44	0.44	3	0.3
0.446	0.446	1	0.1
0.449	0.449	1	0.1
0.45	0.45	1	0.1
0.451	0.451	2	0.2
0.456	0.456	1	0.1
0.46	0.46	1	0.1
0.461	0.461	1	0.1
0.462	0.462	1	0.1
0.463	0.463	1	0.1
0.467	0.467	1	0.1
0.468	0.468	3	0.3
0.471	0.471	1	0.1
0.474	0.474	6	0.6
0.477	0.477	2	0.2
0.48	0.48	1	0.1
0.482	0.482	1	0.1
0.485	0.485	1	0.1
0.486	0.486	1	0.1

hrqol: Distribution	Value	n	%
0.488	0.488	2	0.2
0.49	0.49	4	0.4
0.495	0.495	5	0.5
0.499	0.499	2	0.2
0.502	0.502	8	0.8
0.506	0.506	6	0.6
0.508	0.508	1	0.1
0.51	0.51	1	0.1
0.511	0.511	4	0.4
0.515	0.515	1	0.1
0.517	0.517	8	0.8
0.518	0.518	2	0.2
0.519	0.519	1	0.1
0.522	0.522	1	0.1
0.523	0.523	3	0.3
0.524	0.524	2	0.2
0.526	0.526	1	0.1
0.529	0.529	1	0.1
0.53	0.53	1	0.1
0.536	0.536	1	0.1
0.539	0.539	1	0.1
0.543	0.543	2	0.2
0.544	0.544	5	0.5
0.547	0.547	3	0.3
0.55	0.55	12	1.1
0.556	0.556	1	0.1
0.557	0.557	1	0.1
0.561	0.561	2	0.2
0.562	0.562	2	0.2
0.57	0.57	1	0.1
0.572	0.572	2	0.2
0.574	0.574	1	0.1
0.584	0.584	5	0.5
0.593	0.593	2	0.2
0.597	0.597	7	0.7
0.598	0.598	1	0.1
0.599	0.599	6	0.6
0.601	0.601	2	0.2

hrqol: Distribution	Value	n	%
0.603	0.603	1	0.1
0.604	0.604	2	0.2
0.605	0.605	1	0.1
0.611	0.611	3	0.3
0.612	0.612	1	0.1
0.613	0.613	2	0.2
0.616	0.616	4	0.4
0.62	0.62	3	0.3
0.625	0.625	1	0.1
0.626	0.626	2	0.2
0.628	0.628	1	0.1
0.629	0.629	1	0.1
0.63	0.63	6	0.6
0.632	0.632	1	0.1
0.634	0.634	5	0.5
0.637	0.637	1	0.1
0.638	0.638	5	0.5
0.639	0.639	2	0.2
0.641	0.641	2	0.2
0.643	0.643	5	0.5
0.644	0.644	6	0.6
0.645	0.645	1	0.1
0.647	0.647	3	0.3
0.648	0.648	5	0.5
0.65	0.65	3	0.3
0.654	0.654	8	0.8
0.655	0.655	1	0.1
0.659	0.659	10	1.0
0.66	0.66	1	0.1
0.661	0.661	19	1.8
0.662	0.662	1	0.1
0.663	0.663	3	0.3
0.665	0.665	1	0.1
0.669	0.669	20	1.9
0.678	0.678	4	0.4
0.682	0.682	3	0.3
0.689	0.689	1	0.1
0.692	0.692	1	0.1

hrqol: Distribution	Value	n	%
0.693	0.693	2	0.2
0.694	0.694	1	0.1
0.695	0.695	2	0.2
0.7	0.7	15	1.4
0.706	0.706	1	0.1
0.71	0.71	1	0.1
0.714	0.714	1	0.1
0.719	0.719	14	1.3
0.723	0.723	4	0.4
0.725	0.725	1	0.1
0.728	0.728	7	0.7
0.73	0.73	1	0.1
0.732	0.732	4	0.4
0.741	0.741	6	0.6
0.744	0.744	5	0.5
0.748	0.748	2	0.2
0.756	0.756	8	0.8
0.761	0.761	5	0.5
0.768	0.768	9	0.9
0.774	0.774	4	0.4
0.777	0.777	10	1.0
0.778	0.778	2	0.2
0.78	0.78	5	0.5
0.781	0.781	3	0.3
0.783	0.783	4	0.4
0.785	0.785	1	0.1
0.786	0.786	8	0.8
0.79	0.79	11	1.0
0.796	0.796	12	1.1
0.8	0.8	24	2.3
0.803	0.803	3	0.3
0.806	0.806	27	2.6
0.809	0.809	49	4.7
0.813	0.813	7	0.7
0.818	0.818	1	0.1
0.82	0.82	63	6.0
0.826	0.826	7	0.7
0.827	0.827	18	1.7

hrqol: Distribution	Value	n	%
0.832	0.832	1	0.1
0.833	0.833	1	0.1
0.835	0.835	3	0.3
0.84	0.84	1	0.1
0.844	0.844	38	3.6
0.845	0.845	1	0.1
0.846	0.846	1	0.1
0.86	0.86	1	0.1
0.861	0.861	28	2.7
0.876	0.876	57	5.4
0.88	0.88	3	0.3
0.888	0.888	1	0.1
1	1	176	16.7
U	U	2	.
Z	Z	920	.
-0.055	-0.055	1	0.1
-0.109	-0.109	1	0.1
		1974	100.0

indexstatus	
LABEL	Based on previous questionnaires, is the client still receiving the index treatment?
TYPE	num
LENGTH	8
VARNUM	65

indexstatus: Distribution	Value	n	%
Yes	1	804	76.3
No	2	250	23.7
Undefined	U	0	.
Missing survey	Z	920	.
		1974	100.0

SS2	
LABEL	Are you still receiving your INDEX treatment?
TYPE	num

SS2	
LENGTH	8
VARNUM	66

SS2: Distribution	Value	n	%
Yes	1	712	88.6
No	2	92	11.4
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		1974	100.0

SS4	
LABEL	Why did you stop receiving your INDEX treatment? (If you have multiple reasons, select the most important reason.)
TYPE	num
LENGTH	8
VARNUM	67

SS4: Distribution	Value	n	%
I completed my INDEX treatment	1	25	27.2
I voluntarily stopped my INDEX treatment	2	22	23.9
I continued my [MAT_COUN] treatment at a different facility	3	23	25.0
I am still receiving treatment for my opioid addiction at [FACILITY], but I am no longer receiving [MAT_COUN]	4	1	1.1
I was involuntarily discharged from my INDEX treatment program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	6	6.5
A different reason/none of the above (specify)	6	15	16.3
No response	N	0	.
Logical skip	S	962	.
Missing survey	Z	920	.
		1974	100.0

SS5_1	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? The program took up too much of my time?
TYPE	num
LENGTH	8
VARNUM	68

SS5_1: Distribution	Value	n	%
No	0	81	88.0
Yes	1	11	12.0
No response	N	0	.
Logical skip	S	962	.
Missing survey	Z	920	.
		1974	100.0

SS5_3	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? My insurance ran out?
TYPE	num
LENGTH	8
VARNUM	69

SS5_3: Distribution	Value	n	%
No	0	84	91.3
Yes	1	8	8.7
No response	N	0	.
Logical skip	S	962	.
Missing survey	Z	920	.
		1974	100.0

SS5_4	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I could not find a way to pay for it?
TYPE	num
LENGTH	8
VARNUM	70

SS5_4: Distribution	Value	n	%
No	0	88	95.7
Yes	1	4	4.3
No response	N	0	.
Logical skip	S	962	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS5_5	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not have reliable transportation?
TYPE	num
LENGTH	8
VARNUM	71

SS5_5: Distribution	Value	n	%
No	0	83	90.2
Yes	1	9	9.8
No response	N	0	.
Logical skip	S	962	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS5_6	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I got sick and could not make appointments?
TYPE	num
LENGTH	8
VARNUM	72

SS5_6: Distribution	Value	n	%
No	0	87	94.6
Yes	1	5	5.4
No response	N	0	.
Logical skip	S	962	.

SS5_6: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

SS5_7	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not think the treatment was doing any good?
TYPE	num
LENGTH	8
VARNUM	73

SS5_7: Distribution	Value	n	%
No	0	85	92.4
Yes	1	7	7.6
No response	N	0	.
Logical skip	S	962	.
Missing survey	Z	920	.
		1974	100.0

SS5_8	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not need the treatment anymore?
TYPE	num
LENGTH	8
VARNUM	74

SS5_8: Distribution	Value	n	%
No	0	68	73.9
Yes	1	24	26.1
No response	N	0	.
Logical skip	S	962	.
Missing survey	Z	920	.
		1974	100.0

SS5_9	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I did not like the people?

SS5_9	
TYPE	num
LENGTH	8
VARNUM	75

SS5_9: Distribution	Value	n	%
No	0	88	95.7
Yes	1	4	4.3
No response	N	0	.
Logical skip	S	962	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS5_10	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I relapsed?
TYPE	num
LENGTH	8
VARNUM	76

SS5_10: Distribution	Value	n	%
No	0	81	88.0
Yes	1	11	12.0
No response	N	0	.
Logical skip	S	962	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS5_12	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? I moved too far away?
TYPE	num
LENGTH	8
VARNUM	77

SS5_12: Distribution	Value	n	%
No	0	82	89.1

SS5_12: Distribution	Value	n	%
Yes	1	10	10.9
No response	N	0	.
Logical skip	S	962	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS5_13	
LABEL	Here are reasons someone might stop treatment. Did any of these apply to your situation? None of these apply?
TYPE	num
LENGTH	8
VARNUM	78

SS5_13: Distribution	Value	n	%
No	0	67	72.8
Yes	1	25	27.2
No response	N	0	.
Logical skip	S	962	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS11_1	
LABEL	While enrolled in INDEX treatment, did you receive? Methadone?
TYPE	num
LENGTH	8
VARNUM	79

SS11_1: Distribution	Value	n	%
No	0	251	31.2
Yes	1	553	68.8
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS11_2	
LABEL	While enrolled in INDEX treatment, did you receive? Oral buprenorphine (e.g., Suboxone, generic)?
TYPE	num
LENGTH	8
VARNUM	80

SS11_2: Distribution	Value	n	%
No	0	573	71.3
Yes	1	231	28.7
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		1974	100.0

SS11_3	
LABEL	While enrolled in INDEX treatment, did you receive? Implantable or injectable buprenorphine (e.g., Probuphine, generic)?
TYPE	num
LENGTH	8
VARNUM	81

SS11_3: Distribution	Value	n	%
No	0	794	98.8
Yes	1	10	1.2
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		1974	100.0

SS11_4	
LABEL	While enrolled in INDEX treatment, did you receive? Oral naltrexone (e.g., Revia)?
TYPE	num
LENGTH	8
VARNUM	82

SS11_4: Distribution	Value	n	%
No	0	798	99.3
Yes	1	6	0.7
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS11_5	
LABEL	While enrolled in INDEX treatment, did you receive? Injectable naltrexone (e.g., Vivitrol)?
TYPE	num
LENGTH	8
VARNUM	83

SS11_5: Distribution	Value	n	%
No	0	796	99.0
Yes	1	8	1.0
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS11_6	
LABEL	While enrolled in INDEX treatment, did you receive? Other drug?
TYPE	num
LENGTH	8
VARNUM	84

SS11_6: Distribution	Value	n	%
No	0	794	98.8
Yes	1	10	1.2
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS11_7	
LABEL	While enrolled in INDEX treatment, did you receive? No drug?
TYPE	num
LENGTH	8
VARNUM	85

SS11_7: Distribution	Value	n	%
No	0	789	98.1
Yes	1	15	1.9
No response	N	250	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SS12_1	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Individual counseling?
TYPE	num
LENGTH	8
VARNUM	86

SS12_1: Distribution	Value	n	%
No	0	81	10.1
Yes	1	723	89.9
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		1974	100.0

SS12_2	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Group counseling?
TYPE	num
LENGTH	8
VARNUM	87

SS12_2: Distribution	Value	n	%
No	0	307	38.2
Yes	1	497	61.8
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS12_3	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Other behavioral therapy/counseling?
TYPE	num
LENGTH	8
VARNUM	88

SS12_3: Distribution	Value	n	%
No	0	656	81.6
Yes	1	148	18.4
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS12_4	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Detoxification services?
TYPE	num
LENGTH	8
VARNUM	89

SS12_4: Distribution	Value	n	%
No	0	724	90.0
Yes	1	80	10.0
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS12_5	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Medical services (e.g., physical exams, medication)?
TYPE	num
LENGTH	8
VARNUM	90

SS12_5: Distribution	Value	n	%
No	0	485	60.3
Yes	1	319	39.7
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS12_6	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? HIV testing?
TYPE	num
LENGTH	8
VARNUM	91

SS12_6: Distribution	Value	n	%
No	0	577	71.8
Yes	1	227	28.2
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS12_7	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Hepatitis C virus (HCV) testing?
TYPE	num
LENGTH	8
VARNUM	92

SS12_7: Distribution	Value	n	%
No	0	526	65.4
Yes	1	278	34.6
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		1974	100.0

SS12_8	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Laboratory drug testing/urine testing?
TYPE	num
LENGTH	8
VARNUM	93

SS12_8: Distribution	Value	n	%
No	0	252	31.3
Yes	1	552	68.7
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		1974	100.0

SS12_9	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Case management services (e.g., employment coaching, family services/education, housing services)?
TYPE	num
LENGTH	8
VARNUM	94

SS12_9: Distribution	Value	n	%
No	0	557	69.3
Yes	1	247	30.7
No response	N	0	.
Logical skip	S	250	.

SS12_9: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

SS12_10	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Peer-to-peer recovery support services (e.g., Peer Navigator)?
TYPE	num
LENGTH	8
VARNUM	95

SS12_10: Distribution	Value	n	%
No	0	634	78.9
Yes	1	170	21.1
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		1974	100.0

SS12_11	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Recovery coach services other than Peer Navigator?
TYPE	num
LENGTH	8
VARNUM	96

SS12_11: Distribution	Value	n	%
No	0	706	87.8
Yes	1	98	12.2
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		1974	100.0

SS12_12	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Training on how to avoid overdosing?

SS12_12	
TYPE	num
LENGTH	8
VARNUM	97

SS12_12: Distribution	Value	n	%
No	0	523	65.0
Yes	1	281	35.0
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS12_13	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Training on how to use naloxone?
TYPE	num
LENGTH	8
VARNUM	98

SS12_13: Distribution	Value	n	%
No	0	503	62.6
Yes	1	301	37.4
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS12_14	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? Other services?
TYPE	num
LENGTH	8
VARNUM	99

SS12_14: Distribution	Value	n	%
No	0	714	88.8

SS12_14: Distribution	Value	n	%
Yes	1	90	11.2
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SS12_15	
LABEL	While enrolled in INDEX treatment, what other types of services did you receive? No Other Services?
TYPE	num
LENGTH	8
VARNUM	100

SS12_15: Distribution	Value	n	%
No	0	778	96.8
Yes	1	26	3.2
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PN1	
LABEL	(Since you started your INDEX treatment/While you were in your INDEX treatment), were you offered services from a Peer Navigator?
TYPE	num
LENGTH	8
VARNUM	101

PN1: Distribution	Value	n	%
Yes	1	362	45.0
No	2	365	45.4
No Answer	3	77	9.6
No response	N	0	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PN2	
LABEL	(Since you began your INDEX treatment/At any time while you were in your INDEX treatment), how often did you meet with a Peer Navigator?
TYPE	num
LENGTH	8
VARNUM	102

PN2: Distribution	Value	n	%
Less than once a month	1	81	22.4
About once a month	2	119	32.9
Several times a month	3	46	12.7
About once a week	4	49	13.5
Several times a week	5	8	2.2
I never met with a peer navigator	6	59	16.3
No response	N	0	.
Logical skip	S	692	.
Missing survey	Z	920	.
		1974	100.0

PN3	
LABEL	How helpful (is/was) your peer navigator to your recovery?
TYPE	num
LENGTH	8
VARNUM	103

PN3: Distribution	Value	n	%
Very helpful	1	165	54.5
Somewhat helpful	2	106	35.0
Somewhat unhelpful	3	21	6.9
Not helpful at all	4	11	3.6
No response	N	0	.
Logical skip	S	751	.
Missing survey	Z	920	.
		1974	100.0

PN4_1	
LABEL	Why did you not meet with a peer navigator? I did not want the service?
TYPE	num
LENGTH	8
VARNUM	104

PN4_1: Distribution	Value	n	%
No	0	22	37.3
Yes	1	37	62.7
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		1974	100.0

PN4_2	
LABEL	Why did you not meet with a peer navigator? I did not think the service was worthwhile for me?
TYPE	num
LENGTH	8
VARNUM	105

PN4_2: Distribution	Value	n	%
No	0	54	91.5
Yes	1	5	8.5
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		1974	100.0

PN4_3	
LABEL	Why did you not meet with a peer navigator? I could not afford the service?
TYPE	num
LENGTH	8
VARNUM	106

PN4_3: Distribution	Value	n	%
No	0	59	100.0

PN4_3: Distribution	Value	n	%
Yes	1	0	.
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PN4_4	
LABEL	Why did you not meet with a peer navigator? I will arrange to meet with peer navigator if I ever need their service?
TYPE	num
LENGTH	8
VARNUM	107

PN4_4: Distribution	Value	n	%
No	0	43	72.9
Yes	1	16	27.1
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PN4_5	
LABEL	Why did you not meet with a peer navigator? I tried to make an appointment but the peer navigator did not have any openings on their schedule?
TYPE	num
LENGTH	8
VARNUM	108

PN4_5: Distribution	Value	n	%
No	0	58	98.3
Yes	1	1	1.7
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PN4_6	
LABEL	Why did you not meet with a peer navigator? I plan to schedule an appointment soon?
TYPE	num
LENGTH	8
VARNUM	109

PN4_6: Distribution	Value	n	%
No	0	59	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		1974	100.0

PN4_7	
LABEL	Why did you not meet with a peer navigator? I have an appointment scheduled?
TYPE	num
LENGTH	8
VARNUM	110

PN4_7: Distribution	Value	n	%
No	0	59	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		1974	100.0

PN4_8	
LABEL	Why did you not meet with a peer navigator? I had an appointment but the peer navigator did not make it?
TYPE	num
LENGTH	8
VARNUM	111

PN4_8: Distribution	Value	n	%
No	0	56	94.9

PN4_8: Distribution	Value	n	%
Yes	1	3	5.1
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PN4_9	
LABEL	Why did you not meet with a peer navigator? I had another reason that is not listed above?
TYPE	num
LENGTH	8
VARNUM	112

PN4_9: Distribution	Value	n	%
No	0	56	94.9
Yes	1	3	5.1
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PN5_A	
LABEL	Peer navigators are helpful?
TYPE	num
LENGTH	8
VARNUM	113

PN5_A: Distribution	Value	n	%
Agree	1	501	62.6
Neutral or no opinion	2	275	34.4
Disagree	3	24	3.0
No response	N	4	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PN5_B	
LABEL	I am uncomfortable sharing my personal life with a peer navigator?
TYPE	num
LENGTH	8
VARNUM	114

PN5_B: Distribution	Value	n	%
Agree	1	151	18.9
Neutral or no opinion	2	249	31.1
Disagree	3	400	50.0
No response	N	4	.
Logical skip	S	250	.
Missing survey	Z	920	.
		1974	100.0

PN5_C	
LABEL	People I know told me not to work with a peer navigator?
TYPE	num
LENGTH	8
VARNUM	115

PN5_C: Distribution	Value	n	%
Agree	1	55	6.9
Neutral or no opinion	2	188	23.5
Disagree	3	556	69.6
No response	N	5	.
Logical skip	S	250	.
Missing survey	Z	920	.
		1974	100.0

PN5_D	
LABEL	A peer navigator is not helpful or needed given my situation?
TYPE	num
LENGTH	8
VARNUM	116

PN5_D: Distribution	Value	n	%
Agree	1	136	17.0
Neutral or no opinion	2	302	37.7
Disagree	3	363	45.3
No response	N	3	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PN5_E	
LABEL	I would recommend peer navigators to a friend?
TYPE	num
LENGTH	8
VARNUM	117

PN5_E: Distribution	Value	n	%
Agree	1	479	59.7
Neutral or no opinion	2	298	37.1
Disagree	3	26	3.2
No response	N	1	.
Logical skip	S	250	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

OU2	
LABEL	Since [TX_STRT_DT], have you abused opioids even once?
TYPE	num
LENGTH	8
VARNUM	118

OU2: Distribution	Value	n	%
Yes	1	376	46.8
No	2	427	53.2
No response	N	251	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

OU3	
LABEL	[It has been [INDEX DAYS] since you started treatment at [FACILITY]/You were in INDEX treatment for [INDEX DAYS]], how many of those days did you abuse opioids?
TYPE	num
LENGTH	8
VARNUM	119

OU3: Distribution	Value	n	%
No response	N	627	.
Logical skip	S	427	.
Missing survey	Z	920	.
		1974	.

OU4	
LABEL	In the last 6 months, how often have you abused opioids? **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	120

OU4: Distribution	Value	n	%
I have not abuse any opioids since beginning my INDEX treatment	1	671	63.9
I have abused opioids a couple times but have not gone back to using opioids regularly	2	210	20.0
I have abused opioids for several of the past 6 months	3	91	8.7
I have abused opioids for most or all of the past 6 months	4	78	7.4
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PX1	
LABEL	Since stopping your INDEX treatment, did you start another treatment program for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	121

PX1: Distribution	Value	n	%
Yes	1	32	34.8
No	2	57	62.0
No Answer	3	3	3.3
No response	N	0	.
Logical skip	S	962	.
Missing survey	Z	920	.
		1974	100.0

PX3A_R1	
LABEL	How important were the following reasons for starting this treatment? I believed I needed treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	122

PX3A_R1: Distribution	Value	n	%
Very important	1	28	87.5
Somewhat important	2	1	3.1
Not important	3	3	9.4
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX3B_R1	
LABEL	How important were the following reasons for starting this treatment? My employer believed I had to get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	123

PX3B_R1: Distribution	Value	n	%
Very important	1	8	25.0
Somewhat important	2	2	6.3
Not important	3	22	68.8
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX3C_R1	
LABEL	How important were the following reasons for starting this treatment? My friends/family believed I had to get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	124

PX3C_R1: Distribution	Value	n	%
Very important	1	17	53.1
Somewhat important	2	6	18.8
Not important	3	9	28.1
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX3D_R1	
LABEL	How important were the following reasons for starting this treatment? I failed at getting off drugs on my own? Response 1
TYPE	num
LENGTH	8
VARNUM	125

PX3D_R1: Distribution	Value	n	%
Very important	1	23	71.9
Somewhat important	2	3	9.4
Not important	3	6	18.8

PX3D_R1: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX3E_R1	
LABEL	How important were the following reasons for starting this treatment? I found the type of treatment I wanted? Response 1
TYPE	num
LENGTH	8
VARNUM	126

PX3E_R1: Distribution	Value	n	%
Very important	1	24	75.0
Somewhat important	2	3	9.4
Not important	3	5	15.6
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX3F_R1	
LABEL	How important were the following reasons for starting this treatment? There was an opening in the facility I wanted? Response 1
TYPE	num
LENGTH	8
VARNUM	127

PX3F_R1: Distribution	Value	n	%
Very important	1	20	62.5
Somewhat important	2	5	15.6
Not important	3	7	21.9
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX3G_R1	
LABEL	How important were the following reasons for starting this treatment? I had transportation I needed? Response 1
TYPE	num
LENGTH	8
VARNUM	128

PX3G_R1: Distribution	Value	n	%
Very important	1	19	59.4
Somewhat important	2	6	18.8
Not important	3	7	21.9
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX3I_R1	
LABEL	How important were the following reasons for starting this treatment? Treatment was close enough to me? Response 1
TYPE	num
LENGTH	8
VARNUM	129

PX3I_R1: Distribution	Value	n	%
Very important	1	21	65.6
Somewhat important	2	7	21.9
Not important	3	4	12.5
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX3J_R1	
LABEL	How important were the following reasons for starting this treatment? Treatment was covered under my health care plan? Response 1
TYPE	num

PX3J_R1	
LENGTH	8
VARNUM	130

PX3J_R1: Distribution	Value	n	%
Very important	1	24	75.0
Somewhat important	2	2	6.3
Not important	3	6	18.8
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PX3K_R1	
LABEL	How important were the following reasons for starting this treatment? I could afford it? Response 1
TYPE	num
LENGTH	8
VARNUM	131

PX3K_R1: Distribution	Value	n	%
Very important	1	18	56.3
Somewhat important	2	4	12.5
Not important	3	10	31.3
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PX3L_R1	
LABEL	How important were the following reasons for starting this treatment? I decided I could not handle my addiction on my own? Response 1
TYPE	num
LENGTH	8
VARNUM	132

PX3L_R1: Distribution	Value	n	%
Very important	1	21	65.6
Somewhat important	2	7	21.9
Not important	3	4	12.5
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX3M_R1	
LABEL	How important were the following reasons for starting this treatment? I overdosed and was frightened for my life? Response 1
TYPE	num
LENGTH	8
VARNUM	133

PX3M_R1: Distribution	Value	n	%
Very important	1	11	34.4
Somewhat important	2	6	18.8
Not important	3	15	46.9
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX3N_R1	
LABEL	How important were the following reasons for starting this treatment? I hit rock bottom? Response 1
TYPE	num
LENGTH	8
VARNUM	134

PX3N_R1: Distribution	Value	n	%
Very important	1	18	56.3
Somewhat important	2	8	25.0
Not important	3	6	18.8
No response	N	0	.

PX3N_R1: Distribution	Value	n	%
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX3O_R1	
LABEL	How important were the following reasons for starting this treatment? I could not find heroin or prescription opioids and was experiencing withdrawal symptoms? Response 1
TYPE	num
LENGTH	8
VARNUM	135

PX3O_R1: Distribution	Value	n	%
Very important	1	10	31.3
Somewhat important	2	8	25.0
Not important	3	14	43.8
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX3P_R1	
LABEL	How important were the following reasons for starting this treatment? My doctor recommended that I get treatment? Response 1
TYPE	num
LENGTH	8
VARNUM	136

PX3P_R1: Distribution	Value	n	%
Very important	1	12	37.5
Somewhat important	2	7	21.9
Not important	3	13	40.6
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX4_1_R1	
LABEL	Was your participation in this treatment? To comply with a court-order? Response 1
TYPE	num
LENGTH	8
VARNUM	137

PX4_1_R1: Distribution	Value	n	%
No	0	30	93.8
Yes	1	2	6.3
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX4_2_R1	
LABEL	Was your participation in this treatment? To avoid a conviction on a charge(s)? Response 1
TYPE	num
LENGTH	8
VARNUM	138

PX4_2_R1: Distribution	Value	n	%
No	0	29	90.6
Yes	1	3	9.4
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX4_3_R1	
LABEL	Was your participation in this treatment? To meet a condition of your probation or parole? Response 1
TYPE	num
LENGTH	8
VARNUM	139

PX4_3_R1: Distribution	Value	n	%
No	0	30	93.8

PX4_3_R1: Distribution	Value	n	%
Yes	1	2	6.3
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX4_11_R1	
LABEL	Was your participation in this treatment? None of these apply? Response 1
TYPE	num
LENGTH	8
VARNUM	140

PX4_11_R1: Distribution	Value	n	%
No	0	5	15.6
Yes	1	27	84.4
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX5_1_R1	
LABEL	Who recommended that you go to this facility to get treatment? I picked it myself? Response 1
TYPE	num
LENGTH	8
VARNUM	141

PX5_1_R1: Distribution	Value	n	%
No	0	7	21.9
Yes	1	25	78.1
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX5_2_R1	
LABEL	Who recommended that you go to this facility to get treatment? Friends or family members? Response 1
TYPE	num
LENGTH	8
VARNUM	142

PX5_2_R1: Distribution	Value	n	%
No	0	27	84.4
Yes	1	5	15.6
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX5_3_R1	
LABEL	Who recommended that you go to this facility to get treatment? Alcohol/ drug abuse care provider? Response 1
TYPE	num
LENGTH	8
VARNUM	143

PX5_3_R1: Distribution	Value	n	%
No	0	29	90.6
Yes	1	3	9.4
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX5_4_R1	
LABEL	Who recommended that you go to this facility to get treatment? Primary health care provider? Response 1
TYPE	num
LENGTH	8
VARNUM	144

PX5_4_R1: Distribution	Value	n	%
No	0	32	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PX5_5_R1	
LABEL	Who recommended that you go to this facility to get treatment? School-based counselor? Response 1
TYPE	num
LENGTH	8
VARNUM	145

PX5_5_R1: Distribution	Value	n	%
No	0	32	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PX5_6_R1	
LABEL	Who recommended that you go to this facility to get treatment? Employer? Response 1
TYPE	num
LENGTH	8
VARNUM	146

PX5_6_R1: Distribution	Value	n	%
No	0	32	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PX5_7_R1	
LABEL	Who recommended that you go to this facility to get treatment? Community group (e.g. religious organizations. self-help groups)? Response 1
TYPE	num
LENGTH	8
VARNUM	147

PX5_7_R1: Distribution	Value	n	%
No	0	30	93.8
Yes	1	2	6.3
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX5_8_R1	
LABEL	Who recommended that you go to this facility to get treatment? Court/ criminal justice referral (e.g. police official, judge, prosecutor, probation officer)? Response 1
TYPE	num
LENGTH	8
VARNUM	148

PX5_8_R1: Distribution	Value	n	%
No	0	32	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX5_9_R1	
LABEL	Who recommended that you go to this facility to get treatment? None of these apply? Response 1
TYPE	num
LENGTH	8
VARNUM	149

PX5_9_R1: Distribution	Value	n	%
No	0	30	93.8
Yes	1	2	6.3
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX10_R1	
LABEL	When you started this treatment, how confident were you that this treatment would be successful? Response 1
TYPE	num
LENGTH	8
VARNUM	150

PX10_R1: Distribution	Value	n	%
Not confident	1	0	.
Slightly confident	2	9	28.1
Moderately confident	3	11	34.4
Highly confident	4	12	37.5
No response	N	0	.
Logical skip	S	1022	.
Missing survey	Z	920	.
		1974	100.0

PX11_R1	
LABEL	Are you still receiving this treatment at this facility? Response 1
TYPE	num
LENGTH	8
VARNUM	151

PX11_R1: Distribution	Value	n	%
Yes	1	21	65.6
No	2	11	34.4
No response	N	0	.
Logical skip	S	1022	.

PX11_R1: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

PX13_R1	
LABEL	Why did you stop receiving this treatment at this facility? Response 1
TYPE	num
LENGTH	8
VARNUM	152

PX13_R1: Distribution	Value	n	%
I completed this treatment program	1	5	45.5
I voluntarily stopped this treatment	2	2	18.2
I continued this treatment at a different facility	3	4	36.4
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1043	.
Missing survey	Z	920	.
		1974	100.0

PX13_R2	
LABEL	Why did you stop receiving this treatment at this facility? Response 2
TYPE	num
LENGTH	8
VARNUM	153

PX13_R2: Distribution	Value	n	%
I completed this treatment program	1	1	33.3
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	2	66.7
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1051	.
Missing survey	Z	920	.
		1974	100.0

PX13_R3	
LABEL	Why did you stop receiving this treatment at this facility? Response 3
TYPE	num
LENGTH	8
VARNUM	154

PX13_R3: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.

PX13_R3: Distribution	Value	n	%
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1054	.
Missing survey	Z	920	.
		1974	.

PX13_R4	
LABEL	Why did you stop receiving this treatment at this facility? Response 4
TYPE	num
LENGTH	8
VARNUM	155

PX13_R4: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1054	.
Missing survey	Z	920	.
		1974	.

PX13_R5	
LABEL	Why did you stop receiving this treatment at this facility? Response 5
TYPE	num
LENGTH	8
VARNUM	156

PX13_R5: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1054	.
Missing survey	Z	920	.
		1974	.

PX13_R6	
LABEL	Why did you stop receiving this treatment at this facility? Response 6
TYPE	num
LENGTH	8
VARNUM	157

PX13_R6: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.

PX13_R6: Distribution	Value	n	%
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1054	.
Missing survey	Z	920	.
		1974	.

PX13_R7	
LABEL	Why did you stop receiving this treatment at this facility? Response 7
TYPE	num
LENGTH	8
VARNUM	158

PX13_R7: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1054	.
Missing survey	Z	920	.
		1974	.

PX13_R8	
LABEL	Why did you stop receiving this treatment at this facility? Response 8
TYPE	num
LENGTH	8
VARNUM	159

PX13_R8: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1054	.
Missing survey	Z	920	.
		1974	.

PX13_R9	
LABEL	Why did you stop receiving this treatment at this facility? Response 9
TYPE	num
LENGTH	8
VARNUM	160

PX13_R9: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.

PX13_R9: Distribution	Value	n	%
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1054	.
Missing survey	Z	920	.
		1974	.

PX13_R10	
LABEL	Why did you stop receiving this treatment at this facility? Response 10
TYPE	num
LENGTH	8
VARNUM	161

PX13_R10: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1054	.
Missing survey	Z	920	.
		1974	.

PX13_R11	
LABEL	Why did you stop receiving this treatment at this facility? Response 11
TYPE	num
LENGTH	8
VARNUM	162

PX13_R11: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1054	.
Missing survey	Z	920	.
		1974	.

PX13_R12	
LABEL	Why did you stop receiving this treatment at this facility? Response 12
TYPE	num
LENGTH	8
VARNUM	163

PX13_R12: Distribution	Value	n	%
I completed this treatment program	1	0	.
I voluntarily stopped this treatment	2	0	.
I continued this treatment at a different facility	3	0	.
I am still receiving treatment for my opioid addiction at this facility but I changed treatments	4	0	.
I was involuntarily discharged from this program (e.g., for non-compliance, for continued substance use, for violating program rules, for non-payment, etc.)	5	0	.

PX13_R12: Distribution	Value	n	%
A different reason/none of the above (specify):	6	0	.
No response	N	0	.
Logical skip	S	1054	.
Missing survey	Z	920	.
		1974	.

QA1	
LABEL	How many times did you try to quit opioids voluntarily (and not simply because you could not obtain opioids)? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	164

QA1: Distribution	Value	n	%
0	0	524	49.9
1	1	90	8.6
2	2	100	9.5
3	3	85	8.1
4	4	45	4.3
5	5	54	5.1
6	6	26	2.5
7	7	8	0.8
8	8	7	0.7
9	9	5	0.5
10	10	40	3.8
11	11	1	0.1
12	12	5	0.5
13	13	4	0.4
14	14	2	0.2
15	15	6	0.6
16	16	1	0.1
20	20	13	1.2
21	21	1	0.1
25	25	4	0.4
30	30	4	0.4
37	37	1	0.1

QA1: Distribution	Value	n	%
50	50	4	0.4
55	55	1	0.1
60	60	3	0.3
80	80	1	0.1
88	88	1	0.1
90	90	2	0.2
99	99	12	1.1
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

QA2	
LABEL	Of these times, how many times did you quit opioids for more than five days?
TYPE	num
LENGTH	8
VARNUM	165

QA2: Distribution	Value	n	%
0	0	84	16.0
1	1	151	28.8
2	2	129	24.6
3	3	72	13.7
4	4	16	3.0
5	5	27	5.1
6	6	13	2.5
7	7	6	1.1
8	8	3	0.6
9	9	3	0.6
10	10	11	2.1
12	12	1	0.2
14	14	1	0.2
15	15	2	0.4
20	20	2	0.4
25	25	1	0.2
50	50	2	0.4
99	99	1	0.2

QA2: Distribution	Value	n	%
No response	N	5	.
Logical skip	S	524	.
Missing survey	Z	920	.
		1974	100.0

QA3	
LABEL	Of these times, what was the longest time you quit opioids?
TYPE	num
LENGTH	8
VARNUM	166

QA3: Distribution	Value	n	%
Less than one day	1	16	3.0
1 to 2 days	2	73	13.9
3 to 7 days	3	76	14.5
8 to 14 days	4	35	6.7
2 to 4 weeks	5	35	6.7
1 to 3 months	6	93	17.7
4 to 6 months	7	45	8.6
More than 6 months	8	152	29.0
No response	N	5	.
Logical skip	S	524	.
Missing survey	Z	920	.
		1974	100.0

MM1	
LABEL	Have you ever been in a methadone maintenance program to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	167

MM1: Distribution	Value	n	%
Yes	1	101	25.6
No	2	288	72.9
No Answer	3	6	1.5
No response	N	659	.

MM1: Distribution	Value	n	%
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

MM4	
LABEL	(Did/Do) you receive methadone as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	168

MM4: Distribution	Value	n	%
Yes	1	667	87.8
No	2	93	12.2
No response	N	0	.
Logical skip	S	294	.
Missing survey	Z	920	.
		1974	100.0

MM6	
LABEL	After ending your INDEX treatment, did you receive methadone treatment for opioid addiction at any time in the past 6 months? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	169

MM6: Distribution	Value	n	%
Yes	1	104	47.5
No	2	115	52.5
No response	N	541	.
Logical skip	S	294	.
Missing survey	Z	920	.
		1974	100.0

MM6a	
LABEL	Did you receive methadone treatment for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	170

MM6a: Distribution	Value	n	%
Yes	1	91	86.7
No	2	14	13.3
No response	N	655	.
Logical skip	S	294	.
Missing survey	Z	920	.
		1974	100.0

MM7	
LABEL	Are you currently being treated with methadone for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	171

MM7: Distribution	Value	n	%
Yes	1	576	75.8
No	2	184	24.2
No response	N	0	.
Logical skip	S	294	.
Missing survey	Z	920	.
		1974	100.0

MM7X1	
LABEL	How do/did you typically receive methadone?
TYPE	num
LENGTH	8
VARNUM	172

MM7X1: Distribution	Value	n	%
I come to the clinic almost everyday	1	298	55.4
I receive take-home doses	2	240	44.6
No response	N	147	.
Logical skip	S	369	.
Missing survey	Z	920	.
		1974	100.0

MM7X2	
LABEL	How long was the take-home dose for?
TYPE	num
LENGTH	8
VARNUM	173

MM7X2: Distribution	Value	n	%
Less than 1 week (less than 7 days)	1	1	100.0
1 week (7 days)	2	0	.
8 to 14 days	3	0	.
15 to 28 days	4	0	.
More than 28 days	5	0	.
No response	N	813	.
Logical skip	S	240	.
Missing survey	Z	920	.
		1974	100.0

MM10	
LABEL	Thinking about your most recent methadone treatment, (did/do) you usually take methadone every day as directed by your doctor?
TYPE	num
LENGTH	8
VARNUM	174

MM10: Distribution	Value	n	%
Yes	1	740	97.4
No	2	20	2.6
No response	N	0	.

MM10: Distribution	Value	n	%
Logical skip	S	294	.
Missing survey	Z	920	.
		1974	100.0

MM11	
LABEL	How many milligrams of methadone was the treatment dose the last time you took methadone?
TYPE	num
LENGTH	8
VARNUM	175

MM11: Distribution	Value	n	%
1	1	6	0.8
2	2	4	0.5
3	3	4	0.5
5	5	9	1.2
6	6	1	0.1
8	8	1	0.1
9	9	1	0.1
10	10	6	0.8
12	12	2	0.3
14	14	1	0.1
15	15	5	0.7
17	17	2	0.3
18	18	1	0.1
20	20	10	1.3
21	21	2	0.3
22	22	1	0.1
23	23	2	0.3
24	24	2	0.3
25	25	3	0.4
26	26	1	0.1
28	28	2	0.3
29	29	1	0.1
30	30	22	2.9
32	32	1	0.1
34	34	1	0.1

MM11: Distribution	Value	n	%
35	35	10	1.3
36	36	5	0.7
37	37	1	0.1
38	38	1	0.1
40	40	19	2.5
42	42	1	0.1
43	43	1	0.1
45	45	12	1.6
47	47	3	0.4
50	50	21	2.8
51	51	1	0.1
53	53	2	0.3
54	54	2	0.3
55	55	10	1.3
57	57	1	0.1
58	58	2	0.3
59	59	1	0.1
60	60	38	5.0
65	65	25	3.3
67	67	1	0.1
68	68	2	0.3
69	69	2	0.3
70	70	28	3.7
71	71	1	0.1
72	72	2	0.3
74	74	1	0.1
75	75	22	2.9
78	78	1	0.1
79	79	2	0.3
80	80	54	7.1
85	85	24	3.2
88	88	2	0.3
90	90	37	4.9
92	92	3	0.4
94	94	1	0.1
95	95	28	3.7
96	96	2	0.3
97	97	1	0.1

MM11: Distribution	Value	n	%
99	99	1	0.1
100	100	38	5.0
102	102	1	0.1
103	103	2	0.3
104	104	1	0.1
105	105	9	1.2
110	110	30	3.9
112	112	1	0.1
115	115	17	2.2
120	120	36	4.7
121	121	1	0.1
123	123	2	0.3
125	125	15	2.0
130	130	23	3.0
131	131	1	0.1
135	135	10	1.3
140	140	15	2.0
141	141	1	0.1
143	143	1	0.1
145	145	8	1.1
150	150	15	2.0
153	153	1	0.1
155	155	2	0.3
160	160	10	1.3
165	165	4	0.5
170	170	8	1.1
175	175	6	0.8
180	180	6	0.8
181	181	1	0.1
182	182	1	0.1
184	184	1	0.1
185	185	3	0.4
190	190	6	0.8
199	199	1	0.1
200	200	4	0.5
205	205	1	0.1
208	208	1	0.1
210	210	2	0.3

MM11: Distribution	Value	n	%
215	215	2	0.3
220	220	1	0.1
222	222	1	0.1
235	235	1	0.1
240	240	3	0.4
258	258	1	0.1
260	260	1	0.1
280	280	1	0.1
315	315	1	0.1
370	370	1	0.1
No response	N	0	.
Logical skip	S	294	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MM12	
LABEL	How often did you give away or sell the methadone you were prescribed?
TYPE	num
LENGTH	8
VARNUM	176

MM12: Distribution	Value	n	%
Never	1	709	93.3
Rarely	2	35	4.6
Sometimes	3	12	1.6
Often	4	3	0.4
Very often	5	1	0.1
No response	N	0	.
Logical skip	S	294	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MM13	
LABEL	In the past 6 months, how often have you used methadone that was not prescribed to you?
TYPE	num

MM13	
LENGTH	8
VARNUM	177

MM13: Distribution	Value	n	%
Never	1	695	91.4
Rarely	2	42	5.5
Sometimes	3	21	2.8
Often	4	2	0.3
Very often	5	0	.
No response	N	0	.
Logical skip	S	294	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MM14_1	
LABEL	What was the reason you took methadone not prescribed for you? To get high?
TYPE	num
LENGTH	8
VARNUM	178

MM14_1: Distribution	Value	n	%
No	0	57	89.1
Yes	1	7	10.9
No response	N	1	.
Logical skip	S	989	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MM14_2	
LABEL	What was the reason you took methadone not prescribed for you? To prevent withdrawal?
TYPE	num
LENGTH	8
VARNUM	179

MM14_2: Distribution	Value	n	%
No	0	27	42.2
Yes	1	37	57.8
No response	N	1	.
Logical skip	S	989	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MM14_3	
LABEL	What was the reason you took methadone not prescribed for you? To self-medicate for physical pain?
TYPE	num
LENGTH	8
VARNUM	180

MM14_3: Distribution	Value	n	%
No	0	40	62.5
Yes	1	24	37.5
No response	N	1	.
Logical skip	S	989	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MM14_4	
LABEL	What was the reason you took methadone not prescribed for you? To self-medicate for emotional pain?
TYPE	num
LENGTH	8
VARNUM	181

MM14_4: Distribution	Value	n	%
No	0	53	82.8
Yes	1	11	17.2
No response	N	1	.
Logical skip	S	989	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MM14_5	
LABEL	What was the reason you took methadone not prescribed for you? Other reason?
TYPE	num
LENGTH	8
VARNUM	182

MM14_5: Distribution	Value	n	%
No	0	56	87.5
Yes	1	8	12.5
No response	N	1	.
Logical skip	S	989	.
Missing survey	Z	920	.
		1974	100.0

MM15	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after taking methadone?
TYPE	num
LENGTH	8
VARNUM	183

MM15: Distribution	Value	n	%
Yes	1	19	29.2
No	2	46	70.8
No response	N	0	.
Logical skip	S	989	.
Missing survey	Z	920	.
		1974	100.0

MM16_1	
LABEL	What were some of the adverse effects or unexpected symptoms? Profuse sweating?
TYPE	num
LENGTH	8
VARNUM	184

MM16_1: Distribution	Value	n	%
No	0	10	52.6
Yes	1	9	47.4
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MM16_2	
LABEL	What were some of the adverse effects or unexpected symptoms? Heavy sedation?
TYPE	num
LENGTH	8
VARNUM	185

MM16_2: Distribution	Value	n	%
No	0	17	89.5
Yes	1	2	10.5
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MM16_3	
LABEL	What were some of the adverse effects or unexpected symptoms? Anxiety?
TYPE	num
LENGTH	8
VARNUM	186

MM16_3: Distribution	Value	n	%
No	0	10	52.6
Yes	1	9	47.4
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MM16_4	
LABEL	What were some of the adverse effects or unexpected symptoms? Continued having cravings to abuse opioids?
TYPE	num
LENGTH	8
VARNUM	187

MM16_4: Distribution	Value	n	%
No	0	13	68.4
Yes	1	6	31.6
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MM16_5	
LABEL	What were some of the adverse effects or unexpected symptoms? Feeling high or buzzed?
TYPE	num
LENGTH	8
VARNUM	188

MM16_5: Distribution	Value	n	%
No	0	16	84.2
Yes	1	3	15.8
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MM16_6	
LABEL	What were some of the adverse effects or unexpected symptoms? Other effects or symptoms?
TYPE	num
LENGTH	8
VARNUM	189

MM16_6: Distribution	Value	n	%
No	0	13	68.4
Yes	1	6	31.6
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MM16_7	
LABEL	What were some of the adverse effects or unexpected symptoms? None of the above?
TYPE	num
LENGTH	8
VARNUM	190

MM16_7: Distribution	Value	n	%
No	0	18	94.7
Yes	1	1	5.3
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BU1	
LABEL	Have you ever received oral buprenorphine to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	191

BU1: Distribution	Value	n	%
Yes	1	568	53.9
No	2	454	43.1
No Answer	3	32	3.0
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BU4	
LABEL	(Did/do) you receive oral buprenorphine as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	192

BU4: Distribution	Value	n	%
Yes	1	352	62.0
No	2	216	38.0
No response	N	0	.
Logical skip	S	486	.
Missing survey	Z	920	.
		1974	100.0

BU6	
LABEL	After ending your INDEX treatment, did you receive oral buprenorphine for opioid addiction at any time in the past 6 months? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	193

BU6: Distribution	Value	n	%
Yes	1	84	41.0
No	2	121	59.0
No response	N	363	.
Logical skip	S	486	.
Missing survey	Z	920	.
		1974	100.0

BU6a	
LABEL	Did you receive oral buprenorphine for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	194

BU6a: Distribution	Value	n	%
Yes	1	72	85.7
No	2	12	14.3
No response	N	484	.
Logical skip	S	486	.
Missing survey	Z	920	.
		1974	100.0

BU7	
LABEL	Are you currently being treated with oral buprenorphine for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	195

BU7: Distribution	Value	n	%
Yes	1	265	46.7
No	2	303	53.3
No response	N	0	.
Logical skip	S	486	.
Missing survey	Z	920	.
		1974	100.0

BU10	
LABEL	Thinking about your most recent oral buprenorphine treatment program, (do/did) you usually take oral buprenorphine every day as directed by your doctor?
TYPE	num
LENGTH	8
VARNUM	196

BU10: Distribution	Value	n	%
Yes	1	492	86.6
No	2	76	13.4
No response	N	0	.
Logical skip	S	486	.
Missing survey	Z	920	.
		1974	100.0

BU11	
LABEL	How many milligrams of oral buprenorphine was the treatment dose the last time you took oral buprenorphine?
TYPE	num
LENGTH	8
VARNUM	197

BU11: Distribution	Value	n	%
1	1	9	1.6
2	2	19	3.4
4	4	26	4.6
5	5	7	1.2
6	6	6	1.1
7	7	3	0.5
8	8	224	39.6
9	9	1	0.2
10	10	15	2.7
11	11	1	0.2
12	12	40	7.1
14	14	9	1.6
15	15	5	0.9
16	16	108	19.1
18	18	3	0.5
20	20	20	3.5
21	21	4	0.7
24	24	42	7.4
25	25	3	0.5
26	26	1	0.2
30	30	1	0.2
32	32	6	1.1
36	36	1	0.2
37	37	1	0.2
40	40	1	0.2
50	50	4	0.7
60	60	1	0.2
70	70	1	0.2
72	72	1	0.2
80	80	1	0.2

BU11: Distribution	Value	n	%
82	82	1	0.2
90	90	1	0.2
No response	N	2	.
Logical skip	S	486	.
Missing survey	Z	920	.
		1974	100.0

BU11A	
LABEL	Did you receive a prescription for oral buprenorphine to take the medication at home?
TYPE	num
LENGTH	8
VARNUM	198

BU11A: Distribution	Value	n	%
Yes	1	491	86.6
No	2	76	13.4
No response	N	1	.
Logical skip	S	486	.
Missing survey	Z	920	.
		1974	100.0

BU11B	
LABEL	How long was the prescription for?
TYPE	num
LENGTH	8
VARNUM	199

BU11B: Distribution	Value	n	%
Less than 1 week (less than 7 days)	1	14	2.9
1 week (7 days)	2	107	21.8
2 weeks (14 days)	3	116	23.6
30 days	4	216	44.0
More than 30 days	5	38	7.7
No response	N	1	.
Logical skip	S	562	.

BU11B: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

BU12	
LABEL	How often did you give away or sell the oral buprenorphine you were prescribed?
TYPE	num
LENGTH	8
VARNUM	200

BU12: Distribution	Value	n	%
Never	1	460	81.1
Rarely	2	40	7.1
Sometimes	3	38	6.7
Often	4	17	3.0
Very often	5	12	2.1
No response	N	1	.
Logical skip	S	486	.
Missing survey	Z	920	.
		1974	100.0

BU13	
LABEL	In the past 6 months, how often have you used oral buprenorphine that was not prescribed to you?
TYPE	num
LENGTH	8
VARNUM	201

BU13: Distribution	Value	n	%
Never	1	511	90.0
Rarely	2	32	5.6
Sometimes	3	22	3.9
Often	4	2	0.4
Very often	5	1	0.2
No response	N	0	.
Logical skip	S	486	.

BU13: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

BU14_1	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? To get high?
TYPE	num
LENGTH	8
VARNUM	202

BU14_1: Distribution	Value	n	%
No	0	50	87.7
Yes	1	7	12.3
No response	N	0	.
Logical skip	S	997	.
Missing survey	Z	920	.
		1974	100.0

BU14_2	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? To prevent withdrawal?
TYPE	num
LENGTH	8
VARNUM	203

BU14_2: Distribution	Value	n	%
No	0	13	22.8
Yes	1	44	77.2
No response	N	0	.
Logical skip	S	997	.
Missing survey	Z	920	.
		1974	100.0

BU14_3	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? To self-medicate for physical pain?

BU14_3	
TYPE	num
LENGTH	8
VARNUM	204

BU14_3: Distribution	Value	n	%
No	0	46	80.7
Yes	1	11	19.3
No response	N	0	.
Logical skip	S	997	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BU14_4	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? To self-medicate for emotional pain
TYPE	num
LENGTH	8
VARNUM	205

BU14_4: Distribution	Value	n	%
No	0	46	80.7
Yes	1	11	19.3
No response	N	0	.
Logical skip	S	997	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BU14_5	
LABEL	What was the reason you took oral buprenorphine not prescribed for you? Other reason?
TYPE	num
LENGTH	8
VARNUM	206

BU14_5: Distribution	Value	n	%
No	0	48	84.2
Yes	1	9	15.8

BU14_5: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	997	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BU15	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after taking oral buprenorphine?
TYPE	num
LENGTH	8
VARNUM	207

BU15: Distribution	Value	n	%
Yes	1	19	33.3
No	2	38	66.7
No response	N	0	.
Logical skip	S	997	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BU16_1	
LABEL	What were some of the adverse effects or unexpected symptoms? Profuse sweating?
TYPE	num
LENGTH	8
VARNUM	208

BU16_1: Distribution	Value	n	%
No	0	9	47.4
Yes	1	10	52.6
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BU16_2	
LABEL	What were some of the adverse effects or unexpected symptoms? Heavy sedation?
TYPE	num
LENGTH	8
VARNUM	209

BU16_2: Distribution	Value	n	%
No	0	14	73.7
Yes	1	5	26.3
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BU16_3	
LABEL	What were some of the adverse effects or unexpected symptoms? Anxiety?
TYPE	num
LENGTH	8
VARNUM	210

BU16_3: Distribution	Value	n	%
No	0	7	36.8
Yes	1	12	63.2
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BU16_4	
LABEL	What were some of the adverse effects or unexpected symptoms? Continued having cravings to abuse opioids?
TYPE	num
LENGTH	8
VARNUM	211

BU16_4: Distribution	Value	n	%
No	0	13	68.4

BU16_4: Distribution	Value	n	%
Yes	1	6	31.6
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BU16_5	
LABEL	What were some of the adverse effects or unexpected symptoms? I felt high or buzzed?
TYPE	num
LENGTH	8
VARNUM	212

BU16_5: Distribution	Value	n	%
No	0	11	57.9
Yes	1	8	42.1
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BU16_6	
LABEL	What were some of the adverse effects or unexpected symptoms? Other effects or symptoms?
TYPE	num
LENGTH	8
VARNUM	213

BU16_6: Distribution	Value	n	%
No	0	13	68.4
Yes	1	6	31.6
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BU16_7	
LABEL	What were some of the adverse effects or unexpected symptoms? None of the above?
TYPE	num
LENGTH	8
VARNUM	214

BU16_7: Distribution	Value	n	%
No	0	18	94.7
Yes	1	1	5.3
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PB1	
LABEL	Have you ever received a buprenorphine implant or injection to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	215

PB1: Distribution	Value	n	%
Yes	1	38	3.6
No	2	992	94.1
No answer	3	24	2.3
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PB1A	
LABEL	Did you receive the implant or injection, or both?
TYPE	num
LENGTH	8
VARNUM	216

PB1A: Distribution	Value	n	%
Implant	1	6	15.8
Injection	2	22	57.9
Both	3	2	5.3
Neither	4	8	21.1
No response	N	0	.
Logical skip	S	1016	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PB4	
LABEL	(Did/Do) you receive a buprenorphine implant as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	217

PB4: Distribution	Value	n	%
Yes	1	24	63.2
No	2	14	36.8
No response	N	0	.
Logical skip	S	1016	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PB6	
LABEL	After ending your INDEX treatment, did you receive a buprenorphine implant or injection at any time in the past 6 months? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	218

PB6: Distribution	Value	n	%
Implant	1	2	10.0
Injection	2	5	25.0
Both	3	1	5.0
Neither	4	12	60.0
No response	N	18	.

PB6: Distribution	Value	n	%
Logical skip	S	1016	.
Missing survey	Z	920	.
		1974	100.0

PB6a	
LABEL	Did you receive a buprenorphine implant or injection at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	219

PB6a: Distribution	Value	n	%
Implant	1	1	12.5
Injection	2	1	12.5
Both	3	1	12.5
Neither	4	5	62.5
No response	N	30	.
Logical skip	S	1016	.
Missing survey	Z	920	.
		1974	100.0

PB7	
LABEL	Are you currently receiving buprenorphine implants or injections?
TYPE	num
LENGTH	8
VARNUM	220

PB7: Distribution	Value	n	%
Yes	1	12	31.6
No	2	26	68.4
No response	N	0	.
Logical skip	S	1016	.
Missing survey	Z	920	.
		1974	100.0

PB10	
LABEL	Thinking about your most recent oral buprenorphine treatment program, how many milligrams of buprenorphine was in the last implant you received?
TYPE	num
LENGTH	8
VARNUM	221

PB10: Distribution	Value	n	%
1	1	2	5.4
3	3	3	8.1
6	6	1	2.7
8	8	8	21.6
10	10	1	2.7
15	15	1	2.7
16	16	3	8.1
24	24	1	2.7
30	30	1	2.7
50	50	4	10.8
100	100	7	18.9
280	280	1	2.7
300	300	2	5.4
330	330	1	2.7
600	600	1	2.7
No response	N	1	.
Logical skip	S	1016	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PB11	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after receiving a buprenorphine implant/injection?
TYPE	num
LENGTH	8
VARNUM	222

PB11: Distribution	Value	n	%
Yes	1	14	36.8
No	2	24	63.2

PB11: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	1016	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

ON1	
LABEL	Have you ever received oral naltrexone to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	223

ON1: Distribution	Value	n	%
Yes	1	100	9.5
No	2	932	88.4
No Answer	3	22	2.1
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

ON4	
LABEL	Did you receive oral naltrexone as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	224

ON4: Distribution	Value	n	%
Yes	1	58	58.0
No	2	42	42.0
No response	N	0	.
Logical skip	S	954	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

ON6	
LABEL	After ending your INDEX treatment, did you receive oral naltrexone for opioid addiction at any time in the past 6 months? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	225

ON6: Distribution	Value	n	%
Yes	1	18	32.1
No	2	38	67.9
No response	N	44	.
Logical skip	S	954	.
Missing survey	Z	920	.
		1974	100.0

ON6a	
LABEL	Did you receive oral naltrexone for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	226

ON6a: Distribution	Value	n	%
Yes	1	14	73.7
No	2	5	26.3
No response	N	81	.
Logical skip	S	954	.
Missing survey	Z	920	.
		1974	100.0

ON7	
LABEL	Are you currently being treated with oral naltrexone for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	227

ON7: Distribution	Value	n	%
Yes	1	27	27.0
No	2	73	73.0
No response	N	0	.
Logical skip	S	954	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

ON10	
LABEL	Thinking about your most recent oral naltrexone treatment program, (did/do) you usually take oral naltrexone every day as directed by your doctor?
TYPE	num
LENGTH	8
VARNUM	228

ON10: Distribution	Value	n	%
Yes	1	79	79.0
No	2	21	21.0
No response	N	0	.
Logical skip	S	954	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

ON11	
LABEL	How many milligrams of oral naltrexone was the treatment dose the last time you took oral naltrexone?
TYPE	num
LENGTH	8
VARNUM	229

ON11: Distribution	Value	n	%
1	1	3	3.0
2	2	10	10.0
3	3	1	1.0
4	4	1	1.0
5	5	3	3.0
8	8	12	12.0

ON11: Distribution	Value	n	%
10	10	2	2.0
15	15	1	1.0
16	16	3	3.0
18	18	1	1.0
24	24	2	2.0
25	25	2	2.0
30	30	2	2.0
40	40	1	1.0
50	50	49	49.0
100	100	5	5.0
150	150	2	2.0
No response	N	0	.
Logical skip	S	954	.
Missing survey	Z	920	.
		1974	100.0

ON12	
LABEL	Did you receive a prescription for oral naltrexone?
TYPE	num
LENGTH	8
VARNUM	230

ON12: Distribution	Value	n	%
Yes	1	81	81.0
No	2	19	19.0
No response	N	0	.
Logical skip	S	954	.
Missing survey	Z	920	.
		1974	100.0

ON13	
LABEL	How long was the prescription for?
TYPE	num
LENGTH	8
VARNUM	231

ON13: Distribution	Value	n	%
Less than 1 week (less than 7 days)	1	9	11.1
1 week (7 days)	2	13	16.0
2 weeks (14 days)	3	13	16.0
30 days	4	46	56.8
No response	N	0	.
Logical skip	S	973	.
Missing survey	Z	920	.
		1974	100.0

ON14	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after taking oral naltrexone?
TYPE	num
LENGTH	8
VARNUM	232

ON14: Distribution	Value	n	%
Yes	1	24	24.0
No	2	76	76.0
No response	N	0	.
Logical skip	S	954	.
Missing survey	Z	920	.
		1974	100.0

ON15_1	
LABEL	What were some of the adverse effects or unexpected symptoms? Profuse sweating?
TYPE	num
LENGTH	8
VARNUM	233

ON15_1: Distribution	Value	n	%
No	0	14	58.3
Yes	1	10	41.7
No response	N	0	.
Logical skip	S	1030	.

ON15_1: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

ON15_2	
LABEL	What were some of the adverse effects or unexpected symptoms? Heavy sedation?
TYPE	num
LENGTH	8
VARNUM	234

ON15_2: Distribution	Value	n	%
No	0	22	91.7
Yes	1	2	8.3
No response	N	0	.
Logical skip	S	1030	.
Missing survey	Z	920	.
		1974	100.0

ON15_3	
LABEL	What were some of the adverse effects or unexpected symptoms? Anxiety?
TYPE	num
LENGTH	8
VARNUM	235

ON15_3: Distribution	Value	n	%
No	0	12	50.0
Yes	1	12	50.0
No response	N	0	.
Logical skip	S	1030	.
Missing survey	Z	920	.
		1974	100.0

ON15_4	
LABEL	What were some of the adverse effects or unexpected symptoms? Continued having cravings to abuse opioids?
TYPE	num

ON15_4	
LENGTH	8
VARNUM	236

ON15_4: Distribution	Value	n	%
No	0	17	70.8
Yes	1	7	29.2
No response	N	0	.
Logical skip	S	1030	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

ON15_5	
LABEL	What were some of the adverse effects or unexpected symptoms? I felt high or buzzed?
TYPE	num
LENGTH	8
VARNUM	237

ON15_5: Distribution	Value	n	%
No	0	18	75.0
Yes	1	6	25.0
No response	N	0	.
Logical skip	S	1030	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

ON15_6	
LABEL	What were some of the adverse effects or unexpected symptoms? Other effects or symptoms?
TYPE	num
LENGTH	8
VARNUM	238

ON15_6: Distribution	Value	n	%
No	0	14	58.3
Yes	1	10	41.7
No response	N	0	.

ON15_6: Distribution	Value	n	%
Logical skip	S	1030	.
Missing survey	Z	920	.
		1974	100.0

ON15_7	
LABEL	What were some of the adverse effects or unexpected symptoms? None of the above?
TYPE	num
LENGTH	8
VARNUM	239

ON15_7: Distribution	Value	n	%
No	0	22	91.7
Yes	1	2	8.3
No response	N	0	.
Logical skip	S	1030	.
Missing survey	Z	920	.
		1974	100.0

ON16	
LABEL	How strongly did these adverse effects or symptoms influence your decision to stop taking oral naltrexone to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	240

ON16: Distribution	Value	n	%
Strongly influenced	1	14	73.7
Somewhat influenced	2	4	21.1
Did not influence	3	1	5.3
No response	N	0	.
Logical skip	S	1035	.
Missing survey	Z	920	.
		1974	100.0

IN1	
LABEL	Have you ever received injectable naltrexone to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	241

IN1: Distribution	Value	n	%
Yes	1	55	5.2
No	2	990	93.9
No Answer	3	9	0.9
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

IN4	
LABEL	Did you receive injectable naltrexone as part of your INDEX treatment?
TYPE	num
LENGTH	8
VARNUM	242

IN4: Distribution	Value	n	%
Yes	1	27	49.1
No	2	28	50.9
No response	N	0	.
Logical skip	S	999	.
Missing survey	Z	920	.
		1974	100.0

IN6	
LABEL	After ending your INDEX treatment, did you receive injectable naltrexone for opioid addiction at any time in the past 6 months? (Consider treatment received at ANY facility.)
TYPE	num
LENGTH	8
VARNUM	243

IN6: Distribution	Value	n	%
Yes	1	7	20.6
No	2	27	79.4
No response	N	21	.
Logical skip	S	999	.
Missing survey	Z	920	.
		1974	100.0

IN6a	
LABEL	Did you receive injectable naltrexone for opioid addiction at any time in the past 90 days? (Consider treatment received at ANY facility.) **(Question started on April 21, 2019)
TYPE	num
LENGTH	8
VARNUM	244

IN6a: Distribution	Value	n	%
Yes	1	5	71.4
No	2	2	28.6
No response	N	48	.
Logical skip	S	999	.
Missing survey	Z	920	.
		1974	100.0

IN7	
LABEL	Are you currently receiving injectable naltrexone for opioid addiction?
TYPE	num
LENGTH	8
VARNUM	245

IN7: Distribution	Value	n	%
Yes	1	7	12.7
No	2	48	87.3
No response	N	0	.
Logical skip	S	999	.
Missing survey	Z	920	.
		1974	100.0

IN10	
LABEL	Did you ever notice any adverse effects or unexpected symptoms after receiving injectable naltrexone?
TYPE	num
LENGTH	8
VARNUM	246

IN10: Distribution	Value	n	%
Yes	1	18	32.7
No	2	37	67.3
No response	N	0	.
Logical skip	S	999	.
Missing survey	Z	920	.
		1974	100.0

IN11_1	
LABEL	What were some of the adverse effects or unexpected symptoms? Profuse sweating?
TYPE	num
LENGTH	8
VARNUM	247

IN11_1: Distribution	Value	n	%
No	0	14	77.8
Yes	1	4	22.2
No response	N	0	.
Logical skip	S	1036	.
Missing survey	Z	920	.
		1974	100.0

IN11_2	
LABEL	What were some of the adverse effects or unexpected symptoms? Heavy sedation?
TYPE	num
LENGTH	8
VARNUM	248

IN11_2: Distribution	Value	n	%
No	0	17	94.4
Yes	1	1	5.6
No response	N	0	.
Logical skip	S	1036	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

IN11_3	
LABEL	What were some of the adverse effects or unexpected symptoms? Anxiety?
TYPE	num
LENGTH	8
VARNUM	249

IN11_3: Distribution	Value	n	%
No	0	8	44.4
Yes	1	10	55.6
No response	N	0	.
Logical skip	S	1036	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

IN11_4	
LABEL	What were some of the adverse effects or unexpected symptoms? Continued having cravings to abuse opioids?
TYPE	num
LENGTH	8
VARNUM	250

IN11_4: Distribution	Value	n	%
No	0	13	72.2
Yes	1	5	27.8
No response	N	0	.
Logical skip	S	1036	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

IN11_5	
LABEL	What were some of the adverse effects or unexpected symptoms? I felt high or buzzed?
TYPE	num
LENGTH	8
VARNUM	251

IN11_5: Distribution	Value	n	%
No	0	18	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1036	.
Missing survey	Z	920	.
		1974	100.0

IN11_6	
LABEL	What were some of the adverse effects or unexpected symptoms? Other effects or symptoms?
TYPE	num
LENGTH	8
VARNUM	252

IN11_6: Distribution	Value	n	%
No	0	5	27.8
Yes	1	13	72.2
No response	N	0	.
Logical skip	S	1036	.
Missing survey	Z	920	.
		1974	100.0

IN11_7	
LABEL	What were some of the adverse effects or unexpected symptoms? None of the above?
TYPE	num
LENGTH	8
VARNUM	253

IN11_7: Distribution	Value	n	%
No	0	17	94.4
Yes	1	1	5.6
No response	N	0	.
Logical skip	S	1036	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

IN12	
LABEL	How strongly did these adverse effects or symptoms influence your decision to stop receiving injectable naltrexone to treat opioid addiction?
TYPE	num
LENGTH	8
VARNUM	254

IN12: Distribution	Value	n	%
Strongly influenced	1	13	72.2
Somewhat influenced	2	3	16.7
Did not influence	3	2	11.1
No response	N	0	.
Logical skip	S	1036	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

HST1_A1	
LABEL	Since ending your INDEX treatment, how many times did you start a new treatment for opioid addiction? Enter the number of times by treatment type. Methadone
TYPE	num
LENGTH	8
VARNUM	255

HST1_A1: Distribution	Value	n	%
0	0	150	65.5
1	1	49	21.4
2	2	12	5.2
3	3	4	1.7
4	4	7	3.1

HST1_A1: Distribution	Value	n	%
5	5	4	1.7
6	6	1	0.4
8	8	1	0.4
16	16	1	0.4
Invalid response	I	0	.
No response	N	113	.
Logical skip	S	712	.
Missing survey	Z	920	.
		1974	100.0

HST1_A2	
LABEL	Since ending your INDEX treatment, how many times did you start a new treatment for opioid addiction? Enter the number of times by treatment type. Oral buprenorphine (e.g., Suboxone®, generic)
TYPE	num
LENGTH	8
VARNUM	256

HST1_A2: Distribution	Value	n	%
0	0	162	71.1
1	1	41	18.0
2	2	12	5.3
3	3	4	1.8
4	4	3	1.3
5	5	2	0.9
6	6	1	0.4
7	7	2	0.9
13	13	1	0.4
Invalid response	I	0	.
No response	N	114	.
Logical skip	S	712	.
Missing survey	Z	920	.
		1974	100.0

HST1_A3	
LABEL	Since ending your INDEX treatment, how many times did you start a new treatment for opioid addiction? Enter the number of times by treatment type. Implantable or injectable buprenorphine (e.g., Probuphine®, generic)
TYPE	num
LENGTH	8
VARNUM	257

HST1_A3: Distribution	Value	n	%
0	0	221	96.9
1	1	3	1.3
2	2	1	0.4
3	3	1	0.4
8	8	1	0.4
9	9	1	0.4
Invalid response	I	0	.
No response	N	114	.
Logical skip	S	712	.
Missing survey	Z	920	.
		1974	100.0

HST1_A4	
LABEL	Since ending your INDEX treatment, how many times did you start a new treatment for opioid addiction? Enter the number of times by treatment type. Oral naltrexone (e.g., Revia®)
TYPE	num
LENGTH	8
VARNUM	258

HST1_A4: Distribution	Value	n	%
0	0	209	92.5
1	1	10	4.4
2	2	5	2.2
3	3	2	0.9
Invalid response	I	0	.
No response	N	116	.
Logical skip	S	712	.
Missing survey	Z	920	.
		1974	100.0

HST1_A5	
LABEL	Since ending your INDEX treatment, how many times did you start a new treatment for opioid addiction? Enter the number of times by treatment type. Injectable naltrexone (e.g., Vivitrol®)
TYPE	num
LENGTH	8
VARNUM	259

HST1_A5: Distribution	Value	n	%
0	0	218	95.6
1	1	3	1.3
2	2	3	1.3
4	4	1	0.4
5	5	1	0.4
6	6	1	0.4
8	8	1	0.4
Invalid response	I	0	.
No response	N	114	.
Logical skip	S	712	.
Missing survey	Z	920	.
		1974	100.0

HST1_A6	
LABEL	Since ending your INDEX treatment, how many times did you start a new treatment for opioid addiction? Enter the number of times by treatment type. Counseling without medication
TYPE	num
LENGTH	8
VARNUM	260

HST1_A6: Distribution	Value	n	%
0	0	178	79.1
1	1	20	8.9
2	2	12	5.3
3	3	4	1.8
4	4	2	0.9
5	5	3	1.3

HST1_A6: Distribution	Value	n	%
9	9	1	0.4
10	10	2	0.9
15	15	1	0.4
20	20	2	0.9
Invalid response	I	0	.
No response	N	117	.
Logical skip	S	712	.
Missing survey	Z	920	.
		1974	100.0

HST1_A7	
LABEL	Since ending your INDEX treatment, how many times did you start a new treatment for opioid addiction? Enter the number of times by treatment type. Other
TYPE	num
LENGTH	8
VARNUM	261

HST1_A7: Distribution	Value	n	%
0	0	170	89.9
1	1	11	5.8
3	3	3	1.6
5	5	2	1.1
10	10	2	1.1
28	28	1	0.5
Invalid response	I	0	.
No response	N	153	.
Logical skip	S	712	.
Missing survey	Z	920	.
		1974	100.0

KA1A	
LABEL	Methadone is expensive?
TYPE	num
LENGTH	8
VARNUM	262

KA1A: Distribution	Value	n	%
Agree Strongly	1	233	22.2
Agree	2	361	34.3
Disagree	3	338	32.2
Strongly Disagree	4	119	11.3
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

KA1B	
LABEL	Methadone is hard to get?
TYPE	num
LENGTH	8
VARNUM	263

KA1B: Distribution	Value	n	%
Agree Strongly	1	130	12.4
Agree	2	262	25.0
Disagree	3	487	46.6
Strongly Disagree	4	167	16.0
No response	N	8	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

KA1C	
LABEL	Methadone is harder to withdraw from than opioids?
TYPE	num
LENGTH	8
VARNUM	264

KA1C: Distribution	Value	n	%
Agree Strongly	1	405	38.5
Agree	2	407	38.7
Disagree	3	186	17.7
Strongly Disagree	4	53	5.0

KA1C: Distribution	Value	n	%
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

KA1D	
LABEL	Being on methadone is the same as being addicted to opioids?
TYPE	num
LENGTH	8
VARNUM	265

KA1D: Distribution	Value	n	%
Agree Strongly	1	136	13.0
Agree	2	250	23.8
Disagree	3	407	38.8
Strongly Disagree	4	257	24.5
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

KA1E	
LABEL	Buprenorphine is expensive?
TYPE	num
LENGTH	8
VARNUM	266

KA1E: Distribution	Value	n	%
Agree Strongly	1	233	22.1
Agree	2	413	39.3
Disagree	3	323	30.7
Strongly Disagree	4	83	7.9
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

KA1F	
LABEL	Buprenorphine treatment is hard to get?
TYPE	num
LENGTH	8
VARNUM	267

KA1F: Distribution	Value	n	%
Agree Strongly	1	103	9.8
Agree	2	286	27.3
Disagree	3	488	46.6
Strongly Disagree	4	171	16.3
No response	N	6	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

KA1G	
LABEL	Buprenorphine is harder to withdraw from than opioids?
TYPE	num
LENGTH	8
VARNUM	268

KA1G: Distribution	Value	n	%
Agree Strongly	1	153	14.6
Agree	2	330	31.5
Disagree	3	463	44.2
Strongly Disagree	4	102	9.7
No response	N	6	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

KA1H	
LABEL	Being on buprenorphine is the same as being addicted to opioids?
TYPE	num

KA1H	
LENGTH	8
VARNUM	269

KA1H: Distribution	Value	n	%
Agree Strongly	1	68	6.5
Agree	2	202	19.3
Disagree	3	476	45.4
Strongly Disagree	4	302	28.8
No response	N	6	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

KA1I	
LABEL	Naltrexone is expensive?
TYPE	num
LENGTH	8
VARNUM	270

KA1I: Distribution	Value	n	%
Agree Strongly	1	147	14.0
Agree	2	384	36.6
Disagree	3	401	38.2
Strongly Disagree	4	117	11.2
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

KA1J	
LABEL	Naltrexone is hard to get?
TYPE	num
LENGTH	8
VARNUM	271

KA1J: Distribution	Value	n	%
Agree Strongly	1	133	12.7
Agree	2	319	30.5
Disagree	3	469	44.8
Strongly Disagree	4	125	12.0
No response	N	8	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

KA1K	
LABEL	Naltrexone is harder to withdraw from than opioids?
TYPE	num
LENGTH	8
VARNUM	272

KA1K: Distribution	Value	n	%
Agree Strongly	1	84	8.0
Agree	2	274	26.1
Disagree	3	524	50.0
Strongly Disagree	4	167	15.9
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

KA1L	
LABEL	Being on naltrexone is the same as being addicted to opioids?
TYPE	num
LENGTH	8
VARNUM	273

KA1L: Distribution	Value	n	%
Agree Strongly	1	52	5.0
Agree	2	168	16.0
Disagree	3	529	50.4
Strongly Disagree	4	300	28.6

KA1L: Distribution	Value	n	%
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SA1	
LABEL	During the past 6 months, how many months did you receive your INDEX treatment? (Enter a number from 1 to 12. If less than one month, enter 0.)
TYPE	num
LENGTH	8
VARNUM	274

SA1: Distribution	Value	n	%
0	0	218	20.7
1	1	40	3.8
2	2	32	3.0
3	3	29	2.8
4	4	21	2.0
5	5	23	2.2
6	6	691	65.6
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SA2	
LABEL	How many days per month did you typically spend receiving treatment at [FACILITY]? (Consider all types of treatment received. If none, enter 0)
TYPE	num
LENGTH	8
VARNUM	275

SA2: Distribution	Value	n	%
0	0	57	6.8
1	1	50	6.0
2	2	60	7.2

SA2: Distribution	Value	n	%
3	3	39	4.7
4	4	77	9.2
5	5	22	2.6
6	6	35	4.2
7	7	13	1.6
8	8	7	0.8
9	9	4	0.5
10	10	8	1.0
12	12	27	3.2
14	14	1	0.1
15	15	13	1.6
16	16	2	0.2
18	18	4	0.5
20	20	20	2.4
21	21	2	0.2
22	22	6	0.7
23	23	3	0.4
24	24	14	1.7
25	25	11	1.3
26	26	10	1.2
27	27	6	0.7
28	28	21	2.5
29	29	1	0.1
30	30	323	38.6
No response	N	0	.
Logical skip	S	218	.
Missing survey	Z	920	.
		1974	100.0

SA3	
LABEL	Of those days, how many days included counseling sessions (either individual or group)? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	276

SA3: Distribution	Value	n	%
0	0	125	15.0
1	1	162	19.4
2	2	163	19.5
3	3	50	6.0
4	4	138	16.5
5	5	38	4.6
6	6	48	5.7
7	7	5	0.6
8	8	20	2.4
9	9	1	0.1
10	10	21	2.5
12	12	15	1.8
13	13	2	0.2
14	14	1	0.1
15	15	11	1.3
16	16	5	0.6
18	18	1	0.1
20	20	6	0.7
24	24	5	0.6
27	27	1	0.1
28	28	4	0.5
30	30	13	1.6
No response	N	1	.
Logical skip	S	218	.
Missing survey	Z	920	.
		1974	100.0

SA7	
LABEL	How many dollars did you typically spend traveling to get there? (Add up costs for both ways. Include gas costs, bus fees, etc.)
TYPE	num
LENGTH	8
VARNUM	277

SA7: Distribution	Value	n	%
0	0	141	16.9
1	1	5	0.6

SA7: Distribution	Value	n	%
2	2	19	2.3
3	3	26	3.1
4	4	7	0.8
5	5	119	14.3
6	6	36	4.3
7	7	7	0.8
8	8	10	1.2
9	9	3	0.4
10	10	142	17.0
11	11	2	0.2
12	12	8	1.0
14	14	1	0.1
15	15	42	5.0
18	18	1	0.1
19	19	1	0.1
20	20	79	9.5
25	25	18	2.2
27	27	1	0.1
30	30	29	3.5
32	32	1	0.1
35	35	4	0.5
40	40	11	1.3
42	42	1	0.1
44	44	1	0.1
45	45	3	0.4
50	50	22	2.6
51	51	1	0.1
60	60	8	1.0
70	70	3	0.4
80	80	5	0.6
90	90	1	0.1
98	98	1	0.1
100	100	15	1.8
110	110	1	0.1
120	120	9	1.1
125	125	1	0.1
135	135	1	0.1
150	150	1	0.1

SA7: Distribution	Value	n	%
165	165	1	0.1
170	170	1	0.1
200	200	10	1.2
240	240	1	0.1
250	250	2	0.2
275	275	1	0.1
300	300	7	0.8
350	350	1	0.1
360	360	1	0.1
400	400	3	0.4
420	420	1	0.1
425	425	1	0.1
450	450	1	0.1
500	500	4	0.5
550	550	4	0.5
600	600	3	0.4
635	635	1	0.1
999	999	4	0.5
No response	N	2	.
Logical skip	S	218	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SA8	
LABEL	How many dollars were you typically charged for fees and copayments for a treatment visit?
TYPE	num
LENGTH	8
VARNUM	278

SA8: Distribution	Value	n	%
0	0	585	70.0
2	2	4	0.5
3	3	26	3.1
5	5	6	0.7
6	6	3	0.4
7	7	5	0.6
8	8	1	0.1

SA8: Distribution	Value	n	%
9	9	4	0.5
10	10	10	1.2
12	12	5	0.6
13	13	8	1.0
14	14	1	0.1
15	15	25	3.0
16	16	5	0.6
17	17	14	1.7
18	18	1	0.1
20	20	15	1.8
25	25	7	0.8
28	28	1	0.1
30	30	4	0.5
35	35	3	0.4
40	40	5	0.6
45	45	1	0.1
49	49	1	0.1
50	50	10	1.2
60	60	2	0.2
65	65	1	0.1
70	70	4	0.5
75	75	5	0.6
77	77	1	0.1
90	90	2	0.2
91	91	3	0.4
95	95	3	0.4
98	98	1	0.1
100	100	4	0.5
115	115	3	0.4
120	120	3	0.4
142	142	1	0.1
145	145	1	0.1
150	150	8	1.0
160	160	1	0.1
170	170	1	0.1
175	175	2	0.2
180	180	1	0.1
196	196	1	0.1

SA8: Distribution	Value	n	%
200	200	7	0.8
205	205	1	0.1
210	210	1	0.1
215	215	1	0.1
240	240	1	0.1
250	250	3	0.4
260	260	1	0.1
270	270	1	0.1
280	280	1	0.1
300	300	7	0.8
336	336	2	0.2
364	364	3	0.4
396	396	1	0.1
400	400	1	0.1
460	460	1	0.1
500	500	3	0.4
550	550	1	0.1
600	600	2	0.2
No response	N	0	.
Logical skip	S	218	.
Missing survey	Z	920	.
		1974	100.0

SA9	
LABEL	Over the past 90 days, how many days did you spend receiving your INDEX treatment at [FACILITY]? (Consider all types of treatment received directly at [FACILITY]. If none, enter 0)
TYPE	num
LENGTH	8
VARNUM	279

SA9: Distribution	Value	n	%
0	0	66	9.6
1	1	22	3.2
2	2	18	2.6
3	3	43	6.2
4	4	26	3.8

SA9: Distribution	Value	n	%
5	5	13	1.9
6	6	43	6.2
7	7	7	1.0
8	8	9	1.3
9	9	8	1.2
10	10	9	1.3
11	11	1	0.1
12	12	34	4.9
13	13	1	0.1
14	14	2	0.3
15	15	9	1.3
18	18	3	0.4
20	20	12	1.7
22	22	3	0.4
23	23	1	0.1
24	24	2	0.3
25	25	4	0.6
26	26	3	0.4
27	27	2	0.3
28	28	6	0.9
30	30	74	10.7
34	34	1	0.1
35	35	1	0.1
36	36	5	0.7
37	37	1	0.1
38	38	1	0.1
40	40	2	0.3
45	45	5	0.7
50	50	1	0.1
55	55	1	0.1
60	60	5	0.7
63	63	1	0.1
70	70	1	0.1
72	72	3	0.4
75	75	2	0.3
77	77	1	0.1
78	78	5	0.7
79	79	1	0.1

SA9: Distribution	Value	n	%
80	80	9	1.3
82	82	1	0.1
84	84	2	0.3
85	85	2	0.3
89	89	1	0.1
90	90	217	31.4
No response	N	0	.
Logical skip	S	364	.
Missing survey	Z	920	.
		1974	100.0

SA10	
LABEL	Of those days, how many days did you spend in counseling sessions (either individual or group) at [FACILITY]?
TYPE	num
LENGTH	8
VARNUM	280

SA10: Distribution	Value	n	%
0	0	56	9.0
1	1	82	13.2
2	2	76	12.2
3	3	82	13.2
4	4	72	11.6
5	5	22	3.5
6	6	80	12.8
7	7	8	1.3
8	8	19	3.0
9	9	11	1.8
10	10	19	3.0
12	12	48	7.7
14	14	1	0.2
15	15	6	1.0
16	16	5	0.8
18	18	6	1.0
20	20	4	0.6
24	24	4	0.6

SA10: Distribution	Value	n	%
25	25	3	0.5
26	26	1	0.2
29	29	1	0.2
30	30	6	1.0
36	36	1	0.2
39	39	1	0.2
40	40	1	0.2
45	45	4	0.6
48	48	1	0.2
80	80	1	0.2
90	90	2	0.3
No response	N	1	.
Logical skip	S	430	.
Missing survey	Z	920	.
		1974	100.0

AC1_1	
LABEL	During the past 6 months, have you received treatment from any of the following health professionals? Acupuncturist?
TYPE	num
LENGTH	8
VARNUM	281

AC1_1: Distribution	Value	n	%
No	0	1025	97.3
Yes	1	28	2.7
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

AC1_2	
LABEL	During the past 6 months, have you received treatment from any of the following health professionals? Herbalist?
TYPE	num
LENGTH	8
VARNUM	282

AC1_2: Distribution	Value	n	%
No	0	1037	98.5
Yes	1	16	1.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

AC1_3	
LABEL	During the past 6 months, have you received treatment from any of the following health professionals? Homeopath?
TYPE	num
LENGTH	8
VARNUM	283

AC1_3: Distribution	Value	n	%
No	0	1046	99.3
Yes	1	7	0.7
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

AC1_4	
LABEL	During the past 6 months, have you received treatment from any of the following health professionals? Hypnotist?
TYPE	num
LENGTH	8
VARNUM	284

AC1_4: Distribution	Value	n	%
No	0	1050	99.7
Yes	1	3	0.3
No response	N	1	.
Logical skip	S	0	.

AC1_4: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

AC1_5	
LABEL	During the past 6 months, have you received treatment from any of the following health professionals? Naturopath?
TYPE	num
LENGTH	8
VARNUM	285

AC1_5: Distribution	Value	n	%
No	0	1045	99.2
Yes	1	8	0.8
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

AC1_6	
LABEL	During the past 6 months, have you received treatment from any of the following health professionals? Massage Therapist?
TYPE	num
LENGTH	8
VARNUM	286

AC1_6: Distribution	Value	n	%
No	0	1003	95.3
Yes	1	50	4.7
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

AC1_7	
LABEL	During the past 6 months, have you received treatment from any of the following health professionals? Religious Practitioner?

AC1_7	
TYPE	num
LENGTH	8
VARNUM	287

AC1_7: Distribution	Value	n	%
No	0	1021	97.0
Yes	1	32	3.0
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

AC1_8	
LABEL	During the past 6 months, have you received treatment from any of the following health professionals? Yoga Practitioner?
TYPE	num
LENGTH	8
VARNUM	288

AC1_8: Distribution	Value	n	%
No	0	1029	97.7
Yes	1	24	2.3
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

AC1_9	
LABEL	During the past 6 months, have you received treatment from any of the following health professionals? Physical therapist?
TYPE	num
LENGTH	8
VARNUM	289

AC1_9: Distribution	Value	n	%
No	0	1007	95.6

AC1_9: Distribution	Value	n	%
Yes	1	46	4.4
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

AC1_10	
LABEL	During the past 6 months, have you received treatment from any of the following health professionals? Exercise coach?
TYPE	num
LENGTH	8
VARNUM	290

AC1_10: Distribution	Value	n	%
No	0	1036	98.4
Yes	1	17	1.6
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

AC1_11	
LABEL	During the past 6 months, have you received treatment from any of the following health professionals? Other?
TYPE	num
LENGTH	8
VARNUM	291

AC1_11: Distribution	Value	n	%
No	0	960	91.2
Yes	1	93	8.8
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

AC1_12	
LABEL	During the past 6 months, have you received treatment from any of the following health professionals? None of the above?
TYPE	num
LENGTH	8
VARNUM	292

AC1_12: Distribution	Value	n	%
No	0	211	20.0
Yes	1	842	80.0
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

AC2_1_R1	
LABEL	Why did you see an acupuncturist? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	293

AC2_1_R1: Distribution	Value	n	%
No	0	8	28.6
Yes	1	20	71.4
No response	N	1	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		1974	100.0

AC2_2_R1	
LABEL	Why did you see an acupuncturist? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	294

AC2_2_R1: Distribution	Value	n	%
No	0	15	53.6

AC2_2_R1: Distribution	Value	n	%
Yes	1	13	46.4
No response	N	1	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		1974	100.0

AC2_3_R1	
LABEL	Why did you see an acupuncturist? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	295

AC2_3_R1: Distribution	Value	n	%
No	0	19	67.9
Yes	1	9	32.1
No response	N	1	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		1974	100.0

AC2_4_R1	
LABEL	Why did you see an acupuncturist? Other reason?
TYPE	num
LENGTH	8
VARNUM	296

AC2_4_R1: Distribution	Value	n	%
No	0	23	82.1
Yes	1	5	17.9
No response	N	1	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		1974	100.0

AC2_1_R2	
LABEL	Why did you see an herbalist? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	297

AC2_1_R2: Distribution	Value	n	%
No	0	11	68.8
Yes	1	5	31.3
No response	N	1	.
Logical skip	S	1037	.
Missing survey	Z	920	.
		1974	100.0

AC2_2_R2	
LABEL	Why did you see an herbalist? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	298

AC2_2_R2: Distribution	Value	n	%
No	0	9	56.3
Yes	1	7	43.8
No response	N	1	.
Logical skip	S	1037	.
Missing survey	Z	920	.
		1974	100.0

AC2_3_R2	
LABEL	Why did you see an herbalist? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	299

AC2_3_R2: Distribution	Value	n	%
No	0	6	37.5

AC2_3_R2: Distribution	Value	n	%
Yes	1	10	62.5
No response	N	1	.
Logical skip	S	1037	.
Missing survey	Z	920	.
		1974	100.0

AC2_4_R2	
LABEL	Why did you see an herbalist? Other reason?
TYPE	num
LENGTH	8
VARNUM	300

AC2_4_R2: Distribution	Value	n	%
No	0	13	81.3
Yes	1	3	18.8
No response	N	1	.
Logical skip	S	1037	.
Missing survey	Z	920	.
		1974	100.0

AC2_1_R6	
LABEL	Why did you see a massage therapist? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	301

AC2_1_R6: Distribution	Value	n	%
No	0	16	32.7
Yes	1	33	67.3
No response	N	2	.
Logical skip	S	1003	.
Missing survey	Z	920	.
		1974	100.0

AC2_2_R6	
LABEL	Why did you see a massage therapist? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	302

AC2_2_R6: Distribution	Value	n	%
No	0	40	81.6
Yes	1	9	18.4
No response	N	2	.
Logical skip	S	1003	.
Missing survey	Z	920	.
		1974	100.0

AC2_3_R6	
LABEL	Why did you see a massage therapist? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	303

AC2_3_R6: Distribution	Value	n	%
No	0	22	44.9
Yes	1	27	55.1
No response	N	2	.
Logical skip	S	1003	.
Missing survey	Z	920	.
		1974	100.0

AC2_4_R6	
LABEL	Why did you see a massage therapist? Other reason?
TYPE	num
LENGTH	8
VARNUM	304

AC2_4_R6: Distribution	Value	n	%
No	0	36	73.5

AC2_4_R6: Distribution	Value	n	%
Yes	1	13	26.5
No response	N	2	.
Logical skip	S	1003	.
Missing survey	Z	920	.
		1974	100.0

AC2_1_R7	
LABEL	Why did you see a religious practitioner? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	305

AC2_1_R7: Distribution	Value	n	%
No	0	28	87.5
Yes	1	4	12.5
No response	N	1	.
Logical skip	S	1021	.
Missing survey	Z	920	.
		1974	100.0

AC2_2_R7	
LABEL	Why did you see a religious practitioner? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	306

AC2_2_R7: Distribution	Value	n	%
No	0	19	59.4
Yes	1	13	40.6
No response	N	1	.
Logical skip	S	1021	.
Missing survey	Z	920	.
		1974	100.0

AC2_3_R7	
LABEL	Why did you see a religious practitioner? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	307

AC2_3_R7: Distribution	Value	n	%
No	0	15	46.9
Yes	1	17	53.1
No response	N	1	.
Logical skip	S	1021	.
Missing survey	Z	920	.
		1974	100.0

AC2_4_R7	
LABEL	Why did you see a religious practitioner? Other reason?
TYPE	num
LENGTH	8
VARNUM	308

AC2_4_R7: Distribution	Value	n	%
No	0	24	75.0
Yes	1	8	25.0
No response	N	1	.
Logical skip	S	1021	.
Missing survey	Z	920	.
		1974	100.0

AC2_1_R8	
LABEL	Why did you see a yoga practitioner? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	309

AC2_1_R8: Distribution	Value	n	%
No	0	15	62.5

AC2_1_R8: Distribution	Value	n	%
Yes	1	9	37.5
No response	N	1	.
Logical skip	S	1029	.
Missing survey	Z	920	.
		1974	100.0

AC2_2_R8	
LABEL	Why did you see a yoga practitioner? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	310

AC2_2_R8: Distribution	Value	n	%
No	0	16	66.7
Yes	1	8	33.3
No response	N	1	.
Logical skip	S	1029	.
Missing survey	Z	920	.
		1974	100.0

AC2_3_R8	
LABEL	Why did you see a yoga practitioner? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	311

AC2_3_R8: Distribution	Value	n	%
No	0	7	29.2
Yes	1	17	70.8
No response	N	1	.
Logical skip	S	1029	.
Missing survey	Z	920	.
		1974	100.0

AC2_4_R8	
LABEL	Why did you see a yoga practitioner? Other reason?
TYPE	num
LENGTH	8
VARNUM	312

AC2_4_R8: Distribution	Value	n	%
No	0	22	91.7
Yes	1	2	8.3
No response	N	1	.
Logical skip	S	1029	.
Missing survey	Z	920	.
		1974	100.0

AC2_1_R9	
LABEL	Why did you see a physical therapist? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	313

AC2_1_R9: Distribution	Value	n	%
No	0	19	41.3
Yes	1	27	58.7
No response	N	1	.
Logical skip	S	1007	.
Missing survey	Z	920	.
		1974	100.0

AC2_2_R9	
LABEL	Why did you see a physical therapist? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	314

AC2_2_R9: Distribution	Value	n	%
No	0	41	89.1

AC2_2_R9: Distribution	Value	n	%
Yes	1	5	10.9
No response	N	1	.
Logical skip	S	1007	.
Missing survey	Z	920	.
		1974	100.0

AC2_3_R9	
LABEL	Why did you see a physical therapist? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	315

AC2_3_R9: Distribution	Value	n	%
No	0	29	63.0
Yes	1	17	37.0
No response	N	1	.
Logical skip	S	1007	.
Missing survey	Z	920	.
		1974	100.0

AC2_4_R9	
LABEL	Why did you see a physical therapist? Other reason?
TYPE	num
LENGTH	8
VARNUM	316

AC2_4_R9: Distribution	Value	n	%
No	0	33	71.7
Yes	1	13	28.3
No response	N	1	.
Logical skip	S	1007	.
Missing survey	Z	920	.
		1974	100.0

AC2_1_R10	
LABEL	Why did you see an exercise coach? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	317

AC2_1_R10: Distribution	Value	n	%
No	0	14	82.4
Yes	1	3	17.6
No response	N	1	.
Logical skip	S	1036	.
Missing survey	Z	920	.
		1974	100.0

AC2_2_R10	
LABEL	Why did you see an exercise coach? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	318

AC2_2_R10: Distribution	Value	n	%
No	0	11	64.7
Yes	1	6	35.3
No response	N	1	.
Logical skip	S	1036	.
Missing survey	Z	920	.
		1974	100.0

AC2_3_R10	
LABEL	Why did you see an exercise coach? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	319

AC2_3_R10: Distribution	Value	n	%
No	0	5	29.4

AC2_3_R10: Distribution	Value	n	%
Yes	1	12	70.6
No response	N	1	.
Logical skip	S	1036	.
Missing survey	Z	920	.
		1974	100.0

AC2_4_R10	
LABEL	Why did you see an exercise coach? Other reason?
TYPE	num
LENGTH	8
VARNUM	320

AC2_4_R10: Distribution	Value	n	%
No	0	16	94.1
Yes	1	1	5.9
No response	N	1	.
Logical skip	S	1036	.
Missing survey	Z	920	.
		1974	100.0

AC2_1_R11	
LABEL	Why did you see other health professionals? To help relieve pain?
TYPE	num
LENGTH	8
VARNUM	321

AC2_1_R11: Distribution	Value	n	%
No	0	68	73.9
Yes	1	24	26.1
No response	N	2	.
Logical skip	S	960	.
Missing survey	Z	920	.
		1974	100.0

AC2_2_R11	
LABEL	Why did you see other health professionals? To help with my recovery from opioids addiction?
TYPE	num
LENGTH	8
VARNUM	322

AC2_2_R11: Distribution	Value	n	%
No	0	69	75.0
Yes	1	23	25.0
No response	N	2	.
Logical skip	S	960	.
Missing survey	Z	920	.
		1974	100.0

AC2_3_R11	
LABEL	Why did you see other health professionals? To improve my general health?
TYPE	num
LENGTH	8
VARNUM	323

AC2_3_R11: Distribution	Value	n	%
No	0	37	40.2
Yes	1	55	59.8
No response	N	2	.
Logical skip	S	960	.
Missing survey	Z	920	.
		1974	100.0

AC2_4_R11	
LABEL	Why did you see other health professionals? Other reason?
TYPE	num
LENGTH	8
VARNUM	324

AC2_4_R11: Distribution	Value	n	%
No	0	68	73.9

AC2_4_R11: Distribution	Value	n	%
Yes	1	24	26.1
No response	N	2	.
Logical skip	S	960	.
Missing survey	Z	920	.
		1974	100.0

AC3_R1	
LABEL	How effective was this treatment? Acupuncturist
TYPE	num
LENGTH	8
VARNUM	325

AC3_R1: Distribution	Value	n	%
Very effective	1	10	35.7
Somewhat effective	2	15	53.6
Not very effective	3	3	10.7
No response	N	1	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		1974	100.0

AC3_R2	
LABEL	How effective was this treatment? Herbalist
TYPE	num
LENGTH	8
VARNUM	326

AC3_R2: Distribution	Value	n	%
Very effective	1	8	50.0
Somewhat effective	2	4	25.0
Not very effective	3	4	25.0
No response	N	1	.
Logical skip	S	1037	.
Missing survey	Z	920	.
		1974	100.0

AC3_R6	
LABEL	How effective was this treatment? Massage therapist
TYPE	num
LENGTH	8
VARNUM	327

AC3_R6: Distribution	Value	n	%
Very effective	1	28	56.0
Somewhat effective	2	16	32.0
Not very effective	3	6	12.0
No response	N	1	.
Logical skip	S	1003	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

AC3_R7	
LABEL	How effective was this treatment? Religious practitioner
TYPE	num
LENGTH	8
VARNUM	328

AC3_R7: Distribution	Value	n	%
Very effective	1	16	50.0
Somewhat effective	2	14	43.8
Not very effective	3	2	6.3
No response	N	1	.
Logical skip	S	1021	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

AC3_R8	
LABEL	How effective was this treatment? Yoga practitioner
TYPE	num
LENGTH	8
VARNUM	329

AC3_R8: Distribution	Value	n	%
Very effective	1	16	66.7
Somewhat effective	2	8	33.3
Not very effective	3	0	.
No response	N	1	.
Logical skip	S	1029	.
Missing survey	Z	920	.
		1974	100.0

AC3_R9	
LABEL	How effective was this treatment? Physical therapist
TYPE	num
LENGTH	8
VARNUM	330

AC3_R9: Distribution	Value	n	%
Very effective	1	21	45.7
Somewhat effective	2	18	39.1
Not very effective	3	7	15.2
No response	N	1	.
Logical skip	S	1007	.
Missing survey	Z	920	.
		1974	100.0

AC3_R10	
LABEL	How effective was this treatment? Exercise coach
TYPE	num
LENGTH	8
VARNUM	331

AC3_R10: Distribution	Value	n	%
Very effective	1	13	76.5
Somewhat effective	2	4	23.5
Not very effective	3	0	.
No response	N	1	.
Logical skip	S	1036	.

AC3_R10: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

AC3_R11	
LABEL	How effective was this treatment? Other
TYPE	num
LENGTH	8
VARNUM	332

AC3_R11: Distribution	Value	n	%
Very effective	1	38	41.3
Somewhat effective	2	44	47.8
Not very effective	3	10	10.9
No response	N	2	.
Logical skip	S	960	.
Missing survey	Z	920	.
		1974	100.0

AC4_R1	
LABEL	Did your health insurance help cover the cost of an acupuncturist?
TYPE	num
LENGTH	8
VARNUM	333

AC4_R1: Distribution	Value	n	%
Yes	1	15	53.6
No	2	10	35.7
I don't know	3	3	10.7
I don't have health insurance	4	0	.
No response	N	1	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		1974	100.0

AC4_R2	
LABEL	Did your health insurance help cover the cost of an herbalist?
TYPE	num
LENGTH	8
VARNUM	334

AC4_R2: Distribution	Value	n	%
Yes	1	4	25.0
No	2	8	50.0
I don't know	3	1	6.3
I don't have health insurance	4	3	18.8
No response	N	1	.
Logical skip	S	1037	.
Missing survey	Z	920	.
		1974	100.0

AC4_R6	
LABEL	Did your health insurance help cover the cost of a massage therapist?
TYPE	num
LENGTH	8
VARNUM	335

AC4_R6: Distribution	Value	n	%
Yes	1	10	20.0
No	2	35	70.0
I don't know	3	4	8.0
I don't have health insurance	4	1	2.0
No response	N	1	.
Logical skip	S	1003	.
Missing survey	Z	920	.
		1974	100.0

AC4_R7	
LABEL	Did your health insurance help cover the cost of a religious practitioner?
TYPE	num
LENGTH	8
VARNUM	336

AC4_R7: Distribution	Value	n	%
Yes	1	2	6.3
No	2	24	75.0
I don't know	3	2	6.3
I don't have health insurance	4	4	12.5
No response	N	1	.
Logical skip	S	1021	.
Missing survey	Z	920	.
		1974	100.0

AC4_R8	
LABEL	Did your health insurance help cover the cost of a yoga practitioner?
TYPE	num
LENGTH	8
VARNUM	337

AC4_R8: Distribution	Value	n	%
Yes	1	4	16.7
No	2	18	75.0
I don't know	3	0	.
I don't have health insurance	4	2	8.3
No response	N	1	.
Logical skip	S	1029	.
Missing survey	Z	920	.
		1974	100.0

AC4_R9	
LABEL	Did your health insurance help cover the cost of a physical therapist?
TYPE	num
LENGTH	8
VARNUM	338

AC4_R9: Distribution	Value	n	%
Yes	1	38	82.6
No	2	8	17.4

AC4_R9: Distribution	Value	n	%
I don't know	3	0	.
I don't have health insurance	4	0	.
No response	N	1	.
Logical skip	S	1007	.
Missing survey	Z	920	.
		1974	100.0

AC4_R10	
LABEL	Did your health insurance help cover the cost of an exercise coach?
TYPE	num
LENGTH	8
VARNUM	339

AC4_R10: Distribution	Value	n	%
Yes	1	4	23.5
No	2	13	76.5
I don't know	3	0	.
I don't have health insurance	4	0	.
No response	N	1	.
Logical skip	S	1036	.
Missing survey	Z	920	.
		1974	100.0

AC4_R11	
LABEL	Did your health insurance help cover the cost of other health professionals?
TYPE	num
LENGTH	8
VARNUM	340

AC4_R11: Distribution	Value	n	%
Yes	1	60	64.5
No	2	22	23.7
I don't know	3	4	4.3
I don't have health insurance	4	7	7.5
No response	N	1	.
Logical skip	S	960	.

AC4_R11: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

DW4	
LABEL	Over the past 6 months, how many times did you go through medically supervised opioid detox? If none, enter 0
TYPE	num
LENGTH	8
VARNUM	341

DW4: Distribution	Value	n	%
0	0	967	91.9
1	1	51	4.8
2	2	12	1.1
3	3	7	0.7
5	5	3	0.3
6	6	4	0.4
7	7	1	0.1
8	8	1	0.1
9	9	2	0.2
20	20	1	0.1
30	30	2	0.2
180	180	1	0.1
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

DW5	
LABEL	Over the past 90 days, how many times did you go through medically supervised opioid detox? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	342

DW5: Distribution	Value	n	%
0	0	38	44.7
1	1	28	32.9
2	2	9	10.6
3	3	3	3.5
5	5	3	3.5
6	6	1	1.2
20	20	1	1.2
30	30	1	1.2
90	90	1	1.2
No response	N	2	.
Logical skip	S	967	.
Missing survey	Z	920	.
		1974	100.0

HS3	
LABEL	Over the past 6 months, how many nights did you spend in a hospital? If none, enter 0
TYPE	num
LENGTH	8
VARNUM	343

HS3: Distribution	Value	n	%
0	0	919	87.3
1	1	30	2.8
2	2	24	2.3
3	3	15	1.4
4	4	7	0.7
5	5	9	0.9
6	6	4	0.4
7	7	6	0.6
8	8	1	0.1
9	9	3	0.3
10	10	7	0.7
11	11	4	0.4
12	12	2	0.2
14	14	4	0.4
18	18	1	0.1
20	20	2	0.2

HS3: Distribution	Value	n	%
21	21	2	0.2
22	22	2	0.2
28	28	1	0.1
30	30	1	0.1
31	31	1	0.1
40	40	1	0.1
45	45	2	0.2
49	49	1	0.1
60	60	2	0.2
65	65	1	0.1
150	150	1	0.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

HS3A	
LABEL	How many of those nights were related to injuries or conditions resulting from opioid addiction?
TYPE	num
LENGTH	8
VARNUM	344

HS3A: Distribution	Value	n	%
0	0	86	64.2
1	1	15	11.2
2	2	7	5.2
3	3	4	3.0
4	4	1	0.7
5	5	2	1.5
6	6	1	0.7
7	7	4	3.0
9	9	1	0.7
10	10	2	1.5
11	11	1	0.7
12	12	1	0.7
14	14	2	1.5

HS3A: Distribution	Value	n	%
30	30	1	0.7
31	31	1	0.7
40	40	1	0.7
45	45	1	0.7
50	50	1	0.7
60	60	1	0.7
65	65	1	0.7
No response	N	1	.
Logical skip	S	919	.
Missing survey	Z	920	.
		1974	100.0

HS4	
LABEL	Over the past 90 days, how many nights did you spend in a hospital? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	345

HS4: Distribution	Value	n	%
0	0	47	35.1
1	1	16	11.9
2	2	14	10.4
3	3	10	7.5
4	4	6	4.5
5	5	7	5.2
6	6	5	3.7
7	7	3	2.2
8	8	2	1.5
9	9	2	1.5
10	10	3	2.2
11	11	1	0.7
12	12	2	1.5
14	14	4	3.0
18	18	1	0.7
21	21	2	1.5
22	22	1	0.7
28	28	1	0.7

HS4: Distribution	Value	n	%
31	31	1	0.7
40	40	1	0.7
45	45	1	0.7
49	49	1	0.7
50	50	1	0.7
60	60	1	0.7
90	90	1	0.7
No response	N	1	.
Logical skip	S	919	.
Missing survey	Z	920	.
		1974	100.0

HS4A	
LABEL	How many of those nights were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	346

HS4A: Distribution	Value	n	%
0	0	54	62.1
1	1	9	10.3
2	2	3	3.4
3	3	2	2.3
4	4	1	1.1
5	5	2	2.3
6	6	2	2.3
7	7	2	2.3
9	9	1	1.1
10	10	2	2.3
11	11	1	1.1
12	12	1	1.1
14	14	2	2.3
31	31	1	1.1
40	40	1	1.1
45	45	1	1.1
50	50	1	1.1

HS4A: Distribution	Value	n	%
60	60	1	1.1
No response	N	1	.
Logical skip	S	966	.
Missing survey	Z	920	.
		1974	100.0

ED3	
LABEL	Over the past 6 months, how many times did you go to the Emergency Department? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	347

ED3: Distribution	Value	n	%
0	0	843	80.1
1	1	97	9.2
2	2	55	5.2
3	3	33	3.1
4	4	6	0.6
5	5	9	0.9
6	6	5	0.5
7	7	1	0.1
8	8	1	0.1
10	10	1	0.1
60	60	1	0.1
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

ED3A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	348

ED3A: Distribution	Value	n	%
0	0	152	72.7
1	1	30	14.4
2	2	11	5.3
3	3	7	3.3
4	4	3	1.4
5	5	2	1.0
6	6	2	1.0
7	7	1	0.5
50	50	1	0.5
No response	N	2	.
Logical skip	S	843	.
Missing survey	Z	920	.
		1974	100.0

ED4	
LABEL	Over the past 90 days, how many times did you go to the Emergency Department? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	349

ED4: Distribution	Value	n	%
0	0	44	21.1
1	1	92	44.0
2	2	38	18.2
3	3	24	11.5
4	4	5	2.4
5	5	3	1.4
6	6	3	1.4
No response	N	2	.
Logical skip	S	843	.
Missing survey	Z	920	.
		1974	100.0

ED4A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	350

ED4A: Distribution	Value	n	%
0	0	119	72.1
1	1	27	16.4
2	2	5	3.0
3	3	9	5.5
4	4	1	0.6
5	5	1	0.6
6	6	2	1.2
40	40	1	0.6
No response	N	2	.
Logical skip	S	887	.
Missing survey	Z	920	.
		1974	100.0

SH1	
LABEL	Have you ever attended a self-help group, like Alcoholics or Narcotics Anonymous?
TYPE	num
LENGTH	8
VARNUM	351

SH1: Distribution	Value	n	%
Yes	1	736	69.8
No	2	318	30.2
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SH4	
LABEL	Over the past 90 days, how many times did you attend a self-help group, like Alcoholics or Narcotics Anonymous?
TYPE	num
LENGTH	8
VARNUM	352

SH4: Distribution	Value	n	%
Never	1	335	45.6
Less than once a week	2	160	21.8
Once a week	3	112	15.2
More than once a week	4	99	13.5
Every day or almost every day of the week	5	29	3.9
No response	N	1	.
Logical skip	S	318	.
Missing survey	Z	920	.
		1974	100.0

SH5	
LABEL	Over the past 6 months, how many times did you attend a self-help group, like Alcoholics or Narcotics Anonymous?
TYPE	num
LENGTH	8
VARNUM	353

SH5: Distribution	Value	n	%
Never	1	308	41.8
Less than once a week	2	178	24.2
Once a week	3	114	15.5
More than once a week	4	109	14.8
Every day or almost every day of the week	5	27	3.7
No response	N	0	.
Logical skip	S	318	.
Missing survey	Z	920	.
		1974	100.0

PC3	
LABEL	Over the past 90 days, how many times did you visit a primary care provider? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	354

PC3: Distribution	Value	n	%
0	0	511	48.5
1	1	167	15.9
2	2	151	14.3
3	3	106	10.1
4	4	41	3.9
5	5	24	2.3
6	6	25	2.4
7	7	4	0.4
8	8	3	0.3
9	9	1	0.1
10	10	8	0.8
12	12	3	0.3
13	13	1	0.1
15	15	2	0.2
20	20	1	0.1
30	30	1	0.1
40	40	1	0.1
59	59	1	0.1
86	86	1	0.1
90	90	1	0.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PC3A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num

PC3A	
LENGTH	8
VARNUM	355

PC3A: Distribution	Value	n	%
0	0	477	88.2
1	1	21	3.9
2	2	9	1.7
3	3	19	3.5
4	4	2	0.4
5	5	3	0.6
6	6	4	0.7
8	8	2	0.4
9	9	2	0.4
10	10	1	0.2
40	40	1	0.2
No response	N	2	.
Logical skip	S	511	.
Missing survey	Z	920	.
		1974	100.0

PC4	
LABEL	Over the past 6 months, how many times did you visit a primary care provider? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	356

PC4: Distribution	Value	n	%
0	0	444	42.2
1	1	150	14.3
2	2	160	15.2
3	3	87	8.3
4	4	55	5.2
5	5	31	2.9
6	6	56	5.3
7	7	9	0.9
8	8	11	1.0

PC4: Distribution	Value	n	%
9	9	3	0.3
10	10	12	1.1
11	11	1	0.1
12	12	9	0.9
13	13	2	0.2
14	14	1	0.1
15	15	4	0.4
16	16	1	0.1
19	19	1	0.1
20	20	3	0.3
21	21	1	0.1
24	24	1	0.1
30	30	1	0.1
32	32	1	0.1
40	40	1	0.1
50	50	1	0.1
59	59	1	0.1
60	60	1	0.1
70	70	1	0.1
86	86	1	0.1
180	180	1	0.1
182	182	1	0.1
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PC4A	
LABEL	How many of those times were related to injuries or conditions resulting from opioid addiction? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	357

PC4A: Distribution	Value	n	%
0	0	540	88.8
1	1	24	3.9

PC4A: Distribution	Value	n	%
2	2	9	1.5
3	3	14	2.3
4	4	4	0.7
5	5	4	0.7
6	6	6	1.0
8	8	1	0.2
9	9	1	0.2
12	12	1	0.2
19	19	1	0.2
20	20	1	0.2
30	30	1	0.2
40	40	1	0.2
No response	N	2	.
Logical skip	S	444	.
Missing survey	Z	920	.
		1974	100.0

LM1	
LABEL	Which best describes your current work situation?
TYPE	num
LENGTH	8
VARNUM	358

LM1: Distribution	Value	n	%
Employed/Self-employed	1	357	33.9
Unemployed and looking for work	2	259	24.6
Unemployed and not looking for work	3	58	5.5
Full-time homemaker	4	72	6.8
In school or training program	5	27	2.6
Retired	6	15	1.4
Disabled, unable to work	7	224	21.3
Other	8	41	3.9
No response	N	1	.
Logical skip	S	0	.

LM1: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

LM1A	
LABEL	Were you employed at any point in the past 6 months?
TYPE	num
LENGTH	8
VARNUM	359

LM1A: Distribution	Value	n	%
Yes	1	145	20.8
No	2	535	76.8
No Answer	3	17	2.4
No response	N	0	.
Logical skip	S	357	.
Missing survey	Z	920	.
		1974	100.0

LM2	
LABEL	How long have you been/were you employed at your primary job?
TYPE	num
LENGTH	8
VARNUM	360

LM2: Distribution	Value	n	%
Less than a month	1	54	10.8
Less than a year	2	207	41.3
More than a year	3	240	47.9
No response	N	1	.
Logical skip	S	552	.
Missing survey	Z	920	.
		1974	100.0

LM2_Y	
LABEL	How many years have you been/were you employed at your primary job?

LM2_Y	
TYPE	num
LENGTH	8
VARNUM	361

LM2_Y: Distribution	Value	n	%
1	1	57	23.8
2	2	75	31.3
3	3	41	17.1
4	4	15	6.3
5	5	12	5.0
6	6	8	3.3
7	7	5	2.1
8	8	2	0.8
9	9	1	0.4
10	10	7	2.9
11	11	1	0.4
12	12	3	1.3
15	15	4	1.7
16	16	3	1.3
18	18	1	0.4
20	20	1	0.4
24	24	1	0.4
26	26	2	0.8
28	28	1	0.4
No response	N	1	.
Logical skip	S	813	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

LM2_M	
LABEL	How many months have you been/were you employed at your primary job?
TYPE	num
LENGTH	8
VARNUM	362

LM2_M: Distribution	Value	n	%
1	1	5	2.4
2	2	30	14.5
3	3	36	17.4
4	4	25	12.1
5	5	18	8.7
6	6	25	12.1
7	7	14	6.8
8	8	22	10.6
9	9	15	7.2
10	10	10	4.8
11	11	7	3.4
No response	N	1	.
Logical skip	S	846	.
Missing survey	Z	920	.
		1974	100.0

LM2_W	
LABEL	How many weeks have you been/were you employed at your primary job?
TYPE	num
LENGTH	8
VARNUM	363

LM2_W: Distribution	Value	n	%
0	0	4	7.4
1	1	12	22.2
2	2	14	25.9
3	3	15	27.8
4	4	9	16.7
No response	N	1	.
Logical skip	S	999	.
Missing survey	Z	920	.
		1974	100.0

LM3	
LABEL	What is/was your wage, salary, or rate of pay at your primary job, before taxes and deductions?

LM3	
TYPE	num
LENGTH	8
VARNUM	364

LM3: Distribution	Value	n	%
1	1	5	1.0
2	2	2	0.4
2.13	2.13	2	0.4
3	3	1	0.2
3.15	3.15	1	0.2
3.59	3.59	1	0.2
3.75	3.75	1	0.2
4	4	1	0.2
4.15	4.15	1	0.2
4.35	4.35	1	0.2
5	5	1	0.2
6	6	2	0.4
7.25	7.25	3	0.6
8	8	5	1.0
8.25	8.25	2	0.4
8.5	8.5	2	0.4
8.59	8.59	1	0.2
8.7	8.7	2	0.4
8.75	8.75	3	0.6
8.99	8.99	1	0.2
9	9	19	3.8
9.15	9.15	1	0.2
9.2	9.2	1	0.2
9.25	9.25	5	1.0
9.5	9.5	1	0.2
9.75	9.75	2	0.4
10	10	57	11.4
10.25	10.25	3	0.6
10.5	10.5	2	0.4
10.65	10.65	1	0.2
11	11	13	2.6
11.25	11.25	2	0.4

LM3: Distribution	Value	n	%
11.45	11.45	2	0.4
11.5	11.5	2	0.4
11.6	11.6	2	0.4
11.65	11.65	1	0.2
11.8	11.8	1	0.2
12	12	32	6.4
12.35	12.35	1	0.2
12.5	12.5	7	1.4
12.52	12.52	1	0.2
12.75	12.75	3	0.6
13	13	18	3.6
13.25	13.25	1	0.2
13.3	13.3	1	0.2
13.37	13.37	1	0.2
13.5	13.5	9	1.8
13.64	13.64	1	0.2
13.75	13.75	4	0.8
13.9	13.9	1	0.2
14	14	18	3.6
14.5	14.5	3	0.6
14.7	14.7	1	0.2
14.85	14.85	1	0.2
15	15	44	8.8
15.45	15.45	1	0.2
15.5	15.5	2	0.4
16	16	22	4.4
16.31	16.31	1	0.2
16.5	16.5	2	0.4
17	17	9	1.8
17.5	17.5	4	0.8
17.75	17.75	1	0.2
18	18	15	3.0
18.39	18.39	1	0.2
18.5	18.5	1	0.2
18.75	18.75	2	0.4
19	19	3	0.6
19.75	19.75	2	0.4
19.83	19.83	1	0.2

LM3: Distribution	Value	n	%
20	20	15	3.0
20.21	20.21	1	0.2
21	21	2	0.4
21.99	21.99	1	0.2
22	22	6	1.2
22.5	22.5	1	0.2
23.75	23.75	1	0.2
24	24	3	0.6
25	25	13	2.6
26	26	1	0.2
26.72	26.72	1	0.2
27	27	1	0.2
28	28	2	0.4
29	29	1	0.2
30	30	5	1.0
32.5	32.5	1	0.2
34.2	34.2	1	0.2
35	35	2	0.4
39	39	1	0.2
39.6	39.6	1	0.2
40	40	1	0.2
48	48	1	0.2
50	50	5	1.0
53	53	1	0.2
55	55	1	0.2
69	69	1	0.2
75	75	1	0.2
80	80	1	0.2
85	85	1	0.2
100	100	2	0.4
120	120	1	0.2
125	125	1	0.2
140	140	1	0.2
150	150	3	0.6
165	165	1	0.2
200	200	5	1.0
215	215	1	0.2
250	250	2	0.4

LM3: Distribution	Value	n	%
300	300	5	1.0
350	350	3	0.6
400	400	5	1.0
425	425	1	0.2
450	450	1	0.2
458	458	1	0.2
480	480	1	0.2
500	500	5	1.0
590	590	1	0.2
600	600	2	0.4
630	630	1	0.2
700	700	1	0.2
750	750	1	0.2
800	800	2	0.4
850	850	1	0.2
900	900	2	0.4
999	999	2	0.4
1200	1200	2	0.4
4000	4000	1	0.2
4500	4500	1	0.2
7500	7500	1	0.2
9692	9692	1	0.2
No response	N	4	.
Logical skip	S	552	.
Missing survey	Z	920	.
		1974	100.0

LM3_UNIT	
LABEL	What is/was your wage, salary, or rate of pay at your primary job, before taxes and deductions? In Dollars?
TYPE	num
LENGTH	8
VARNUM	365

LM3_UNIT: Distribution	Value	n	%
Hour	1	404	84.7
Day	2	16	3.4

LM3_UNIT: Distribution	Value	n	%
Week	3	41	8.6
Month	4	8	1.7
Other(Specify)	5	8	1.7
No response	N	25	.
Logical skip	S	552	.
Missing survey	Z	920	.
		1974	100.0

LM4	
LABEL	How many weeks in total did you work at your primary job during the past 6 months? (Include weeks spent on paid leave. Enter a number from 0 to 52.)
TYPE	num
LENGTH	8
VARNUM	366

LM4: Distribution	Value	n	%
0	0	42	8.4
1	1	6	1.2
2	2	14	2.8
3	3	17	3.4
4	4	13	2.6
5	5	13	2.6
6	6	12	2.4
7	7	4	0.8
8	8	13	2.6
9	9	3	0.6
10	10	9	1.8
11	11	3	0.6
12	12	21	4.2
13	13	4	0.8
14	14	3	0.6
15	15	6	1.2
16	16	14	2.8
17	17	2	0.4
18	18	7	1.4
20	20	36	7.2
21	21	3	0.6

LM4: Distribution	Value	n	%
22	22	4	0.8
23	23	7	1.4
24	24	63	12.6
25	25	13	2.6
26	26	169	33.7
No response	N	1	.
Logical skip	S	552	.
Missing survey	Z	920	.
		1974	100.0

LM5	
LABEL	How many hours per week did you usually work at your primary job during the past 6 months?
TYPE	num
LENGTH	8
VARNUM	367

LM5: Distribution	Value	n	%
0	0	16	3.2
1	1	1	0.2
2	2	1	0.2
3	3	4	0.8
4	4	2	0.4
5	5	6	1.2
6	6	3	0.6
8	8	13	2.6
10	10	4	0.8
12	12	3	0.6
13	13	1	0.2
14	14	3	0.6
15	15	2	0.4
16	16	4	0.8
17	17	1	0.2
18	18	1	0.2
20	20	24	4.8
21	21	3	0.6
23	23	2	0.4

LM5: Distribution	Value	n	%
24	24	4	0.8
25	25	31	6.2
26	26	3	0.6
27	27	3	0.6
28	28	5	1.0
29	29	1	0.2
30	30	42	8.4
32	32	11	2.2
33	33	2	0.4
34	34	4	0.8
35	35	18	3.6
36	36	8	1.6
37	37	6	1.2
38	38	8	1.6
39	39	2	0.4
40	40	177	35.3
42	42	4	0.8
43	43	1	0.2
44	44	1	0.2
45	45	21	4.2
47	47	2	0.4
48	48	6	1.2
50	50	22	4.4
52	52	3	0.6
55	55	4	0.8
60	60	11	2.2
62	62	1	0.2
65	65	1	0.2
80	80	3	0.6
100	100	2	0.4
No response	N	1	.
Logical skip	S	552	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

LM6	
LABEL	How many days were you absent from work at your primary job during the past 90 days? (Enter a number from 0 to 90.)
TYPE	num
LENGTH	8
VARNUM	368

LM6: Distribution	Value	n	%
0	0	256	51.0
1	1	30	6.0
2	2	47	9.4
3	3	50	10.0
4	4	22	4.4
5	5	25	5.0
6	6	12	2.4
7	7	4	0.8
8	8	4	0.8
9	9	4	0.8
10	10	10	2.0
13	13	1	0.2
14	14	4	0.8
15	15	1	0.2
16	16	1	0.2
20	20	5	1.0
25	25	1	0.2
26	26	1	0.2
30	30	4	0.8
36	36	1	0.2
40	40	1	0.2
44	44	1	0.2
45	45	1	0.2
50	50	2	0.4
60	60	4	0.8
70	70	2	0.4
80	80	2	0.4
90	90	6	1.2
No response	N	0	.
Logical skip	S	552	.

LM6: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

LM7	
LABEL	Of the [LM6] days you were absent, how many were related to opioid addiction?
TYPE	num
LENGTH	8
VARNUM	369

LM7: Distribution	Value	n	%
0	0	183	74.7
1	1	10	4.1
2	2	13	5.3
3	3	9	3.7
4	4	11	4.5
5	5	5	2.0
6	6	3	1.2
7	7	1	0.4
8	8	1	0.4
9	9	1	0.4
12	12	1	0.4
15	15	1	0.4
16	16	1	0.4
19	19	1	0.4
25	25	1	0.4
26	26	1	0.4
45	45	1	0.4
60	60	1	0.4
No response	N	1	.
Logical skip	S	808	.
Missing survey	Z	920	.
		1974	100.0

LM8_1	
LABEL	In the past 6 months, did you receive money from? Wages/Salary?
TYPE	num

LM8_1	
LENGTH	8
VARNUM	370

LM8_1: Distribution	Value	n	%
No	0	685	65.1
Yes	1	368	34.9
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

LM8_2	
LABEL	In the past 6 months, did you receive money from? Public assistance?
TYPE	num
LENGTH	8
VARNUM	371

LM8_2: Distribution	Value	n	%
No	0	835	79.3
Yes	1	218	20.7
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

LM8_3	
LABEL	In the past 6 months, did you receive money from? Retirement?
TYPE	num
LENGTH	8
VARNUM	372

LM8_3: Distribution	Value	n	%
No	0	1029	97.7
Yes	1	24	2.3
No response	N	1	.

LM8_3: Distribution	Value	n	%
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

LM8_4	
LABEL	In the past 6 months, did you receive money from? Disability?
TYPE	num
LENGTH	8
VARNUM	373

LM8_4: Distribution	Value	n	%
No	0	878	83.4
Yes	1	175	16.6
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

LM8_5	
LABEL	In the past 6 months, did you receive money from? Non-legal income?
TYPE	num
LENGTH	8
VARNUM	374

LM8_5: Distribution	Value	n	%
No	0	1027	97.5
Yes	1	26	2.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

LM8_6	
LABEL	In the past 6 months, did you receive money from? Family and/or friends?
TYPE	num

LM8_6	
LENGTH	8
VARNUM	375

LM8_6: Distribution	Value	n	%
No	0	785	74.5
Yes	1	268	25.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

LM8_7	
LABEL	In the past 6 months, did you receive money from? Other?
TYPE	num
LENGTH	8
VARNUM	376

LM8_7: Distribution	Value	n	%
No	0	945	89.7
Yes	1	108	10.3
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

LM8_8	
LABEL	In the past 6 months, did you receive money from? I did not receive money?
TYPE	num
LENGTH	8
VARNUM	377

LM8_8: Distribution	Value	n	%
No	0	832	79.0
Yes	1	221	21.0
No response	N	1	.

LM8_8: Distribution	Value	n	%
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SU10_1	
LABEL	Which of the following drugs have you ever used in the past 6 months? Prescription opioids used non-medically (e.g., OxyContin, Percocet, Dilaudid, Opana, Vicodin, Duragesic, Ultram, Morphine, Tramadol)?
TYPE	num
LENGTH	8
VARNUM	378

SU10_1: Distribution	Value	n	%
No	0	934	88.6
Yes	1	120	11.4
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SU10_2	
LABEL	Which of the following drugs have you ever used in the past 6 months? Prescription opioid treatment medications used non-medically (e.g., Methadone, Suboxone)?
TYPE	num
LENGTH	8
VARNUM	379

SU10_2: Distribution	Value	n	%
No	0	844	80.1
Yes	1	210	19.9
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SU10_3	
LABEL	Which of the following drugs have you ever used in the past 6 months? Prescription stimulants used non-medically (e.g., Ritalin, Adderall)?
TYPE	num
LENGTH	8
VARNUM	380

SU10_3: Distribution	Value	n	%
No	0	988	93.7
Yes	1	66	6.3
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SU10_4	
LABEL	Which of the following drugs have you ever used in the past 6 months? Prescription sedatives used non-medically (e.g., Xanax, Klonopin, Ativan)?
TYPE	num
LENGTH	8
VARNUM	381

SU10_4: Distribution	Value	n	%
No	0	932	88.4
Yes	1	122	11.6
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SU10_5	
LABEL	Which of the following drugs have you ever used in the past 6 months? Heroin?
TYPE	num
LENGTH	8
VARNUM	382

SU10_5: Distribution	Value	n	%
No	0	773	73.3
Yes	1	281	26.7
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU10_6	
LABEL	Which of the following drugs have you ever used in the past 6 months? Illicitly-made fentanyl (not the prescription Duragesic patches)?
TYPE	num
LENGTH	8
VARNUM	383

SU10_6: Distribution	Value	n	%
No	0	914	86.7
Yes	1	140	13.3
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU10_7	
LABEL	Which of the following drugs have you ever used in the past 6 months? Neuropathics used non-medically (e.g., gabapentin, pregabalin)?
TYPE	num
LENGTH	8
VARNUM	384

SU10_7: Distribution	Value	n	%
No	0	997	94.6
Yes	1	57	5.4
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU10_8	
LABEL	Which of the following drugs have you ever used in the past 6 months? Marijuana/Cannabis?
TYPE	num
LENGTH	8
VARNUM	385

SU10_8: Distribution	Value	n	%
No	0	733	69.5
Yes	1	321	30.5
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SU10_9	
LABEL	Which of the following drugs have you ever used in the past 6 months? Cocaine/Crack (e.g., powder, rock, or in any form/combination)?
TYPE	num
LENGTH	8
VARNUM	386

SU10_9: Distribution	Value	n	%
No	0	907	86.1
Yes	1	147	13.9
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SU10_10	
LABEL	Which of the following drugs have you ever used in the past 6 months? Methamphetamine/crank?
TYPE	num
LENGTH	8
VARNUM	387

SU10_10: Distribution	Value	n	%
No	0	917	87.0
Yes	1	137	13.0
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SU10_11	
LABEL	Which of the following drugs have you ever used in the past 6 months? Krokodil?
TYPE	num
LENGTH	8
VARNUM	388

SU10_11: Distribution	Value	n	%
No	0	1052	99.8
Yes	1	2	0.2
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SU10_12	
LABEL	Which of the following drugs have you ever used in the past 6 months? Ecstasy, PCPs, or other synthetics?
TYPE	num
LENGTH	8
VARNUM	389

SU10_12: Distribution	Value	n	%
No	0	1026	97.3
Yes	1	28	2.7
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SU10_13	
LABEL	Which of the following drugs have you ever used in the past 6 months? Inhalants?
TYPE	num
LENGTH	8
VARNUM	390

SU10_13: Distribution	Value	n	%
No	0	1042	98.9
Yes	1	12	1.1
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SU10_14	
LABEL	Which of the following drugs have you ever used in the past 6 months? Alcohol?
TYPE	num
LENGTH	8
VARNUM	391

SU10_14: Distribution	Value	n	%
No	0	848	80.5
Yes	1	206	19.5
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SU10_15	
LABEL	Which of the following drugs have you ever used in the past 6 months? Tobacco?
TYPE	num
LENGTH	8
VARNUM	392

SU10_15: Distribution	Value	n	%
No	0	439	41.7
Yes	1	615	58.3
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU10_16	
LABEL	Which of the following drugs have you ever used in the past 6 months? None?
TYPE	num
LENGTH	8
VARNUM	393

SU10_16: Distribution	Value	n	%
No	0	850	80.6
Yes	1	204	19.4
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU50_R1	
LABEL	Over the past 6 months, how often did you use prescription opioids non-medically?
TYPE	num
LENGTH	8
VARNUM	394

SU50_R1: Distribution	Value	n	%
Never	1	59	49.2
Less than once a month	2	15	12.5
About once a month	3	25	20.8
More than once a month	4	21	17.5
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	934	.

SU50_R1: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

SU50_R2	
LABEL	Over the past 6 months, how often did you use methadone/suboxone non-medically?
TYPE	num
LENGTH	8
VARNUM	395

SU50_R2: Distribution	Value	n	%
Never	1	122	58.7
Less than once a month	2	13	6.3
About once a month	3	17	8.2
More than once a month	4	56	26.9
Most weeks	5	0	.
No response	N	2	.
Logical skip	S	844	.
Missing survey	Z	920	.
		1974	100.0

SU50_R3	
LABEL	Over the past 6 months, how often did you use prescription stimulants non-medically?
TYPE	num
LENGTH	8
VARNUM	396

SU50_R3: Distribution	Value	n	%
Never	1	37	56.1
Less than once a month	2	8	12.1
About once a month	3	12	18.2
More than once a month	4	9	13.6
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	988	.
Missing survey	Z	920	.
		1974	100.0

SU50_R4	
LABEL	Over the past 6 months, how often did you use prescription sedatives non-medically?
TYPE	num
LENGTH	8
VARNUM	397

SU50_R4: Distribution	Value	n	%
Never	1	63	51.6
Less than once a month	2	13	10.7
About once a month	3	24	19.7
More than once a month	4	22	18.0
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	932	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU50_R5	
LABEL	Over the past 6 months, how often did you use heroin?
TYPE	num
LENGTH	8
VARNUM	398

SU50_R5: Distribution	Value	n	%
Never	1	69	24.6
Less than once a month	2	31	11.0
About once a month	3	63	22.4
More than once a month	4	118	42.0
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	773	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU50_R6	
LABEL	Over the past 6 months, how often did you use illicitly-made fentanyl?
TYPE	num
LENGTH	8
VARNUM	399

SU50_R6: Distribution	Value	n	%
Never	1	33	23.9
Less than once a month	2	21	15.2
About once a month	3	34	24.6
More than once a month	4	50	36.2
Most weeks	5	0	.
No response	N	2	.
Logical skip	S	914	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU50_R7	
LABEL	Over the past 6 months, how often did you use Gabapentin?
TYPE	num
LENGTH	8
VARNUM	400

SU50_R7: Distribution	Value	n	%
Never	1	17	29.8
Less than once a month	2	7	12.3
About once a month	3	10	17.5
More than once a month	4	23	40.4
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	997	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU50_R8	
LABEL	Over the past 6 months, how often did you use marijuana/cannabis?
TYPE	num

SU50_R8	
LENGTH	8
VARNUM	401

SU50_R8: Distribution	Value	n	%
Never	1	45	14.2
Less than once a month	2	27	8.5
About once a month	3	75	23.7
More than once a month	4	170	53.6
Most weeks	5	0	.
No response	N	4	.
Logical skip	S	733	.
Missing survey	Z	920	.
		1974	100.0

SU50_R9	
LABEL	Over the past 6 months, how often did you use cocaine/crack?
TYPE	num
LENGTH	8
VARNUM	402

SU50_R9: Distribution	Value	n	%
Never	1	57	39.0
Less than once a month	2	17	11.6
About once a month	3	35	24.0
More than once a month	4	37	25.3
Most weeks	5	0	.
No response	N	1	.
Logical skip	S	907	.
Missing survey	Z	920	.
		1974	100.0

SU50_R10	
LABEL	Over the past 6 months, how often did you use methamphetamine/crank?
TYPE	num
LENGTH	8
VARNUM	403

SU50_R10: Distribution	Value	n	%
Never	1	29	21.2
Less than once a month	2	22	16.1
About once a month	3	31	22.6
More than once a month	4	55	40.1
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	917	.
Missing survey	Z	920	.
		1974	100.0

SU50_R12	
LABEL	Over the past 6 months, how often did you use ecstasy, PCPs, or other synthetics?
TYPE	num
LENGTH	8
VARNUM	404

SU50_R12: Distribution	Value	n	%
Never	1	23	82.1
Less than once a month	2	2	7.1
About once a month	3	2	7.1
More than once a month	4	1	3.6
Most weeks	5	0	.
No response	N	0	.
Logical skip	S	1026	.
Missing survey	Z	920	.
		1974	100.0

SU51_1_R1	
LABEL	Over the past 6 months, in what ways have you used prescription opioids non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	405

SU51_1_R1: Distribution	Value	n	%
No	0	32	52.5
Yes	1	29	47.5
No response	N	0	.
Logical skip	S	993	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R1	
LABEL	Over the past 6 months, in what ways have you used prescription opioids non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	406

SU51_2_R1: Distribution	Value	n	%
No	0	53	86.9
Yes	1	8	13.1
No response	N	0	.
Logical skip	S	993	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R1	
LABEL	Over the past 6 months, in what ways have you used prescription opioids non-medically? Oral, ate with food?
TYPE	num
LENGTH	8
VARNUM	407

SU51_3_R1: Distribution	Value	n	%
No	0	59	96.7
Yes	1	2	3.3
No response	N	0	.
Logical skip	S	993	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_4_R1	
LABEL	Over the past 6 months, in what ways have you used prescription opioids non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	408

SU51_4_R1: Distribution	Value	n	%
No	0	49	80.3
Yes	1	12	19.7
No response	N	0	.
Logical skip	S	993	.
Missing survey	Z	920	.
		1974	100.0

SU51_5_R1	
LABEL	Over the past 6 months, in what ways have you used prescription opioids non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	409

SU51_5_R1: Distribution	Value	n	%
No	0	31	50.8
Yes	1	30	49.2
No response	N	0	.
Logical skip	S	993	.
Missing survey	Z	920	.
		1974	100.0

SU51_6_R1	
LABEL	Over the past 6 months, in what ways have you used prescription opioids non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	410

SU51_6_R1: Distribution	Value	n	%
No	0	48	78.7
Yes	1	13	21.3
No response	N	0	.
Logical skip	S	993	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_7_R1	
LABEL	Over the past 6 months, in what ways have you used prescription opioids non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	411

SU51_7_R1: Distribution	Value	n	%
No	0	60	98.4
Yes	1	1	1.6
No response	N	0	.
Logical skip	S	993	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_1_R2	
LABEL	Over the past 6 months, in what ways have you used methadone/suboxone non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	412

SU51_1_R2: Distribution	Value	n	%
No	0	35	40.2
Yes	1	52	59.8
No response	N	1	.
Logical skip	S	966	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R2	
LABEL	Over the past 6 months, in what ways have you used methadone/suboxone non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	413

SU51_2_R2: Distribution	Value	n	%
No	0	75	86.2
Yes	1	12	13.8
No response	N	1	.
Logical skip	S	966	.
Missing survey	Z	920	.
		1974	100.0

SU51_3_R2	
LABEL	Over the past 6 months, in what ways have you used methadone/suboxone non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	414

SU51_3_R2: Distribution	Value	n	%
No	0	86	98.9
Yes	1	1	1.1
No response	N	1	.
Logical skip	S	966	.
Missing survey	Z	920	.
		1974	100.0

SU51_4_R2	
LABEL	Over the past 6 months, in what ways have you used methadone/suboxone non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	415

SU51_4_R2: Distribution	Value	n	%
No	0	82	94.3
Yes	1	5	5.7
No response	N	1	.
Logical skip	S	966	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R2	
LABEL	Over the past 6 months, in what ways have you used methadone/suboxone non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	416

SU51_5_R2: Distribution	Value	n	%
No	0	82	94.3
Yes	1	5	5.7
No response	N	1	.
Logical skip	S	966	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R2	
LABEL	Over the past 6 months, in what ways have you used methadone/suboxone non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	417

SU51_6_R2: Distribution	Value	n	%
No	0	79	90.8
Yes	1	8	9.2
No response	N	1	.
Logical skip	S	966	.

SU51_6_R2: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

SU51_7_R2	
LABEL	Over the past 6 months, in what ways have you used methadone/suboxone non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	418

SU51_7_R2: Distribution	Value	n	%
No	0	62	71.3
Yes	1	25	28.7
No response	N	1	.
Logical skip	S	966	.
Missing survey	Z	920	.
		1974	100.0

SU51_1_R3	
LABEL	Over the past 6 months, in what ways have you used prescription stimulants non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	419

SU51_1_R3: Distribution	Value	n	%
No	0	7	24.1
Yes	1	22	75.9
No response	N	0	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		1974	100.0

SU51_2_R3	
LABEL	Over the past 6 months, in what ways have you used prescription stimulants non-medically? Oral, swallowed after chewing/crushing?

SU51_2_R3	
TYPE	num
LENGTH	8
VARNUM	420

SU51_2_R3: Distribution	Value	n	%
No	0	24	82.8
Yes	1	5	17.2
No response	N	0	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		1974	100.0

SU51_3_R3	
LABEL	Over the past 6 months, in what ways have you used prescription stimulants non-medically? Oral, ate with food?
TYPE	num
LENGTH	8
VARNUM	421

SU51_3_R3: Distribution	Value	n	%
No	0	28	96.6
Yes	1	1	3.4
No response	N	0	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		1974	100.0

SU51_4_R3	
LABEL	Over the past 6 months, in what ways have you used prescription stimulants non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	422

SU51_4_R3: Distribution	Value	n	%
No	0	26	89.7

SU51_4_R3: Distribution	Value	n	%
Yes	1	3	10.3
No response	N	0	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R3	
LABEL	Over the past 6 months, in what ways have you used prescription stimulants non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	423

SU51_5_R3: Distribution	Value	n	%
No	0	22	75.9
Yes	1	7	24.1
No response	N	0	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R3	
LABEL	Over the past 6 months, in what ways have you used prescription stimulants non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	424

SU51_6_R3: Distribution	Value	n	%
No	0	23	79.3
Yes	1	6	20.7
No response	N	0	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_7_R3	
LABEL	Over the past 6 months, in what ways have you used prescription stimulants non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	425

SU51_7_R3: Distribution	Value	n	%
No	0	29	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		1974	100.0

SU51_1_R4	
LABEL	Over the past 6 months, in what ways have you used prescription sedatives non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	426

SU51_1_R4: Distribution	Value	n	%
No	0	15	25.4
Yes	1	44	74.6
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		1974	100.0

SU51_2_R4	
LABEL	Over the past 6 months, in what ways have you used prescription sedatives non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	427

SU51_2_R4: Distribution	Value	n	%
No	0	43	72.9
Yes	1	16	27.1
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R4	
LABEL	Over the past 6 months, in what ways have you used prescription sedatives non-medically? Oral, ate with food?
TYPE	num
LENGTH	8
VARNUM	428

SU51_3_R4: Distribution	Value	n	%
No	0	54	91.5
Yes	1	5	8.5
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_4_R4	
LABEL	Over the past 6 months, in what ways have you used prescription sedatives non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	429

SU51_4_R4: Distribution	Value	n	%
No	0	57	96.6
Yes	1	2	3.4
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R4	
LABEL	Over the past 6 months, in what ways have you used prescription sedatives non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	430

SU51_5_R4: Distribution	Value	n	%
No	0	39	66.1
Yes	1	20	33.9
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		1974	100.0

SU51_6_R4	
LABEL	Over the past 6 months, in what ways have you used prescription sedatives non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	431

SU51_6_R4: Distribution	Value	n	%
No	0	56	94.9
Yes	1	3	5.1
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		1974	100.0

SU51_7_R4	
LABEL	Over the past 6 months, in what ways have you used prescription sedatives non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	432

SU51_7_R4: Distribution	Value	n	%
No	0	57	96.6
Yes	1	2	3.4
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_1_R5	
LABEL	Over the past 6 months, in what ways have you used heroin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	433

SU51_1_R5: Distribution	Value	n	%
No	0	209	98.6
Yes	1	3	1.4
No response	N	0	.
Logical skip	S	842	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R5	
LABEL	Over the past 6 months, in what ways have you used heroin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	434

SU51_2_R5: Distribution	Value	n	%
No	0	207	97.6
Yes	1	5	2.4
No response	N	0	.
Logical skip	S	842	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R5	
LABEL	Over the past 6 months, in what ways have you used heroin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	435

SU51_3_R5: Distribution	Value	n	%
No	0	210	99.1
Yes	1	2	0.9
No response	N	0	.
Logical skip	S	842	.
Missing survey	Z	920	.
		1974	100.0

SU51_4_R5	
LABEL	Over the past 6 months, in what ways have you used heroin? Smoked?
TYPE	num
LENGTH	8
VARNUM	436

SU51_4_R5: Distribution	Value	n	%
No	0	181	85.4
Yes	1	31	14.6
No response	N	0	.
Logical skip	S	842	.
Missing survey	Z	920	.
		1974	100.0

SU51_5_R5	
LABEL	Over the past 6 months, in what ways have you used heroin? Snorted?
TYPE	num
LENGTH	8
VARNUM	437

SU51_5_R5: Distribution	Value	n	%
No	0	125	59.0
Yes	1	87	41.0
No response	N	0	.
Logical skip	S	842	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R5	
LABEL	Over the past 6 months, in what ways have you used heroin? Injected?
TYPE	num
LENGTH	8
VARNUM	438

SU51_6_R5: Distribution	Value	n	%
No	0	73	34.4
Yes	1	139	65.6
No response	N	0	.
Logical skip	S	842	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_7_R5	
LABEL	Over the past 6 months, in what ways have you used heroin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	439

SU51_7_R5: Distribution	Value	n	%
No	0	208	98.1
Yes	1	4	1.9
No response	N	0	.
Logical skip	S	842	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_1_R6	
LABEL	Over the past 6 months, in what ways have you used illicitly-made fentanyl? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	440

SU51_1_R6: Distribution	Value	n	%
No	0	101	96.2
Yes	1	4	3.8
No response	N	2	.
Logical skip	S	947	.
Missing survey	Z	920	.
		1974	100.0

SU51_2_R6	
LABEL	Over the past 6 months, in what ways have you used illicitly-made fentanyl? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	441

SU51_2_R6: Distribution	Value	n	%
No	0	103	98.1
Yes	1	2	1.9
No response	N	2	.
Logical skip	S	947	.
Missing survey	Z	920	.
		1974	100.0

SU51_3_R6	
LABEL	Over the past 6 months, in what ways have you used illicitly-made fentanyl? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	442

SU51_3_R6: Distribution	Value	n	%
No	0	104	99.0
Yes	1	1	1.0
No response	N	2	.
Logical skip	S	947	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_4_R6	
LABEL	Over the past 6 months, in what ways have you used illicitly-made fentanyl? Smoked?
TYPE	num
LENGTH	8
VARNUM	443

SU51_4_R6: Distribution	Value	n	%
No	0	92	87.6
Yes	1	13	12.4
No response	N	2	.
Logical skip	S	947	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R6	
LABEL	Over the past 6 months, in what ways have you used illicitly-made fentanyl? Snorted?
TYPE	num
LENGTH	8
VARNUM	444

SU51_5_R6: Distribution	Value	n	%
No	0	58	55.2
Yes	1	47	44.8
No response	N	2	.
Logical skip	S	947	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R6	
LABEL	Over the past 6 months, in what ways have you used illicitly-made fentanyl? Injected?
TYPE	num
LENGTH	8
VARNUM	445

SU51_6_R6: Distribution	Value	n	%
No	0	42	40.0
Yes	1	63	60.0
No response	N	2	.
Logical skip	S	947	.
Missing survey	Z	920	.
		1974	100.0

SU51_7_R6	
LABEL	Over the past 6 months, in what ways have you used illicitly-made fentanyl? None of these apply?
TYPE	num
LENGTH	8
VARNUM	446

SU51_7_R6: Distribution	Value	n	%
No	0	104	99.0
Yes	1	1	1.0
No response	N	2	.
Logical skip	S	947	.
Missing survey	Z	920	.
		1974	100.0

SU51_1_R7	
LABEL	Over the past 6 months, in what ways have you used Gabapentin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	447

SU51_1_R7: Distribution	Value	n	%
No	0	1	2.5
Yes	1	39	97.5
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R7	
LABEL	Over the past 6 months, in what ways have you used Gabapentin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	448

SU51_2_R7: Distribution	Value	n	%
No	0	39	97.5
Yes	1	1	2.5
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R7	
LABEL	Over the past 6 months, in what ways have you used Gabapentin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	449

SU51_3_R7: Distribution	Value	n	%
No	0	39	97.5
Yes	1	1	2.5
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_4_R7	
LABEL	Over the past 6 months, in what ways have you used Gabapentin? Smoked?
TYPE	num
LENGTH	8
VARNUM	450

SU51_4_R7: Distribution	Value	n	%
No	0	40	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R7	
LABEL	Over the past 6 months, in what ways have you used Gabapentin? Snorted?
TYPE	num
LENGTH	8
VARNUM	451

SU51_5_R7: Distribution	Value	n	%
No	0	36	90.0
Yes	1	4	10.0
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R7	
LABEL	Over the past 6 months, in what ways have you used Gabapentin? Injected?
TYPE	num
LENGTH	8
VARNUM	452

SU51_6_R7: Distribution	Value	n	%
No	0	39	97.5
Yes	1	1	2.5
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_7_R7	
LABEL	Over the past 6 months, in what ways have you used Gabapentin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	453

SU51_7_R7: Distribution	Value	n	%
No	0	40	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_1_R8	
LABEL	Over the past 6 months, in what ways have you used marijuana/cannabis? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	454

SU51_1_R8: Distribution	Value	n	%
No	0	264	96.7
Yes	1	9	3.3
No response	N	3	.
Logical skip	S	778	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R8	
LABEL	Over the past 6 months, in what ways have you used marijuana/cannabis? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	455

SU51_2_R8: Distribution	Value	n	%
No	0	267	97.8
Yes	1	6	2.2
No response	N	3	.
Logical skip	S	778	.
Missing survey	Z	920	.
		1974	100.0

SU51_3_R8	
LABEL	Over the past 6 months, in what ways have you used marijuana/cannabis? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	456

SU51_3_R8: Distribution	Value	n	%
No	0	224	82.1
Yes	1	49	17.9
No response	N	3	.
Logical skip	S	778	.
Missing survey	Z	920	.
		1974	100.0

SU51_4_R8	
LABEL	Over the past 6 months, in what ways have you used marijuana/cannabis? Smoked?
TYPE	num
LENGTH	8
VARNUM	457

SU51_4_R8: Distribution	Value	n	%
No	0	13	4.8
Yes	1	260	95.2
No response	N	3	.
Logical skip	S	778	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R8	
LABEL	Over the past 6 months, in what ways have you used marijuana/cannabis? Snorted?
TYPE	num
LENGTH	8
VARNUM	458

SU51_5_R8: Distribution	Value	n	%
No	0	272	99.6
Yes	1	1	0.4
No response	N	3	.
Logical skip	S	778	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_6_R8	
LABEL	Over the past 6 months, in what ways have you used marijuana/cannabis? Injected?
TYPE	num
LENGTH	8
VARNUM	459

SU51_6_R8: Distribution	Value	n	%
No	0	271	99.3
Yes	1	2	0.7
No response	N	3	.
Logical skip	S	778	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_7_R8	
LABEL	Over the past 6 months, in what ways have you used marijuana/cannabis? None of these apply?
TYPE	num
LENGTH	8
VARNUM	460

SU51_7_R8: Distribution	Value	n	%
No	0	266	97.4
Yes	1	7	2.6
No response	N	3	.
Logical skip	S	778	.
Missing survey	Z	920	.
		1974	100.0

SU51_1_R9	
LABEL	Over the past 6 months, in what ways have you used cocaine/crack? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	461

SU51_1_R9: Distribution	Value	n	%
No	0	89	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	964	.
Missing survey	Z	920	.
		1974	100.0

SU51_2_R9	
LABEL	Over the past 6 months, in what ways have you used cocaine/crack? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	462

SU51_2_R9: Distribution	Value	n	%
No	0	89	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	964	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R9	
LABEL	Over the past 6 months, in what ways have you used cocaine/crack? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	463

SU51_3_R9: Distribution	Value	n	%
No	0	88	98.9
Yes	1	1	1.1
No response	N	1	.
Logical skip	S	964	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_4_R9	
LABEL	Over the past 6 months, in what ways have you used cocaine/crack? Smoked?
TYPE	num
LENGTH	8
VARNUM	464

SU51_4_R9: Distribution	Value	n	%
No	0	26	29.2
Yes	1	63	70.8
No response	N	1	.
Logical skip	S	964	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_5_R9	
LABEL	Over the past 6 months, in what ways have you used cocaine/crack? Snorted?
TYPE	num
LENGTH	8
VARNUM	465

SU51_5_R9: Distribution	Value	n	%
No	0	65	73.0
Yes	1	24	27.0
No response	N	1	.
Logical skip	S	964	.
Missing survey	Z	920	.
		1974	100.0

SU51_6_R9	
LABEL	Over the past 6 months, in what ways have you used cocaine/crack? Injected?
TYPE	num
LENGTH	8
VARNUM	466

SU51_6_R9: Distribution	Value	n	%
No	0	64	71.9
Yes	1	25	28.1
No response	N	1	.
Logical skip	S	964	.
Missing survey	Z	920	.
		1974	100.0

SU51_7_R9	
LABEL	Over the past 6 months, in what ways have you used cocaine/crack? None of these apply?
TYPE	num
LENGTH	8
VARNUM	467

SU51_7_R9: Distribution	Value	n	%
No	0	89	100.0

SU51_7_R9: Distribution	Value	n	%
Yes	1	0	.
No response	N	1	.
Logical skip	S	964	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_1_R10	
LABEL	Over the past 6 months, in what ways have you used methamphetamine/crank? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	468

SU51_1_R10: Distribution	Value	n	%
No	0	99	91.7
Yes	1	9	8.3
No response	N	0	.
Logical skip	S	946	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_2_R10	
LABEL	Over the past 6 months, in what ways have you used methamphetamine/crank? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	469

SU51_2_R10: Distribution	Value	n	%
No	0	101	93.5
Yes	1	7	6.5
No response	N	0	.
Logical skip	S	946	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU51_3_R10	
LABEL	Over the past 6 months, in what ways have you used methamphetamine/crank? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	470

SU51_3_R10: Distribution	Value	n	%
No	0	107	99.1
Yes	1	1	0.9
No response	N	0	.
Logical skip	S	946	.
Missing survey	Z	920	.
		1974	100.0

SU51_4_R10	
LABEL	Over the past 6 months, in what ways have you used methamphetamine/crank? Smoked?
TYPE	num
LENGTH	8
VARNUM	471

SU51_4_R10: Distribution	Value	n	%
No	0	28	25.9
Yes	1	80	74.1
No response	N	0	.
Logical skip	S	946	.
Missing survey	Z	920	.
		1974	100.0

SU51_5_R10	
LABEL	Over the past 6 months, in what ways have you used methamphetamine/crank? Snorted?
TYPE	num
LENGTH	8
VARNUM	472

SU51_5_R10: Distribution	Value	n	%
No	0	75	69.4

SU51_5_R10: Distribution	Value	n	%
Yes	1	33	30.6
No response	N	0	.
Logical skip	S	946	.
Missing survey	Z	920	.
		1974	100.0

SU51_6_R10	
LABEL	Over the past 6 months, in what ways have you used methamphetamine/crank? Injected?
TYPE	num
LENGTH	8
VARNUM	473

SU51_6_R10: Distribution	Value	n	%
No	0	61	56.5
Yes	1	47	43.5
No response	N	0	.
Logical skip	S	946	.
Missing survey	Z	920	.
		1974	100.0

SU51_7_R10	
LABEL	Over the past 6 months, in what ways have you used methamphetamine/crank? None of these apply?
TYPE	num
LENGTH	8
VARNUM	474

SU51_7_R10: Distribution	Value	n	%
No	0	107	99.1
Yes	1	1	0.9
No response	N	0	.
Logical skip	S	946	.
Missing survey	Z	920	.
		1974	100.0

SU60_R1	
LABEL	Over the past 90 days, how often did you use prescription opioids non-medically?
TYPE	num
LENGTH	8
VARNUM	475

SU60_R1: Distribution	Value	n	%
Never	1	8	13.1
Less than once a week	2	15	24.6
Once a week	3	11	18.0
More than once a week	4	17	27.9
Almost every day of the week	5	10	16.4
No response	N	0	.
Logical skip	S	993	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU60_R2	
LABEL	Over the past 90 days, how often did you use methadone/suboxone non-medically?
TYPE	num
LENGTH	8
VARNUM	476

SU60_R2: Distribution	Value	n	%
Never	1	32	36.8
Less than once a week	2	9	10.3
Once a week	3	3	3.4
More than once a week	4	7	8.0
Almost every day of the week	5	36	41.4
No response	N	1	.
Logical skip	S	966	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU60_R3	
LABEL	Over the past 90 days, how often did you use prescription stimulants non-medically?
TYPE	num

SU60_R3	
LENGTH	8
VARNUM	477

SU60_R3: Distribution	Value	n	%
Never	1	6	20.7
Less than once a week	2	12	41.4
Once a week	3	4	13.8
More than once a week	4	3	10.3
Almost every day of the week	5	4	13.8
No response	N	0	.
Logical skip	S	1025	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU60_R4	
LABEL	Over the past 90 days, how often did you use prescription sedatives non-medically?
TYPE	num
LENGTH	8
VARNUM	478

SU60_R4: Distribution	Value	n	%
Never	1	11	18.6
Less than once a week	2	15	25.4
Once a week	3	9	15.3
More than once a week	4	13	22.0
Almost every day of the week	5	11	18.6
No response	N	0	.
Logical skip	S	995	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU60_R5	
LABEL	Over the past 90 days, how often did you use heroin?
TYPE	num
LENGTH	8
VARNUM	479

SU60_R5: Distribution	Value	n	%
Never	1	10	4.8
Less than once a week	2	30	14.3
Once a week	3	25	11.9
More than once a week	4	49	23.3
Almost every day of the week	5	96	45.7
No response	N	2	.
Logical skip	S	842	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU60_R6	
LABEL	Over the past 90 days, how often did you use illicitly-made fentanyl?
TYPE	num
LENGTH	8
VARNUM	480

SU60_R6: Distribution	Value	n	%
Never	1	3	2.9
Less than once a week	2	19	18.1
Once a week	3	11	10.5
More than once a week	4	37	35.2
Almost every day of the week	5	35	33.3
No response	N	2	.
Logical skip	S	947	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU60_R7	
LABEL	Over the past 90 days, how often did you use Gabapentin?
TYPE	num
LENGTH	8
VARNUM	481

SU60_R7: Distribution	Value	n	%
Never	1	0	.
Less than once a week	2	4	10.0
Once a week	3	7	17.5
More than once a week	4	7	17.5
Almost every day of the week	5	22	55.0
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU60_R8	
LABEL	Over the past 90 days, how often did you use marijuana/cannabis?
TYPE	num
LENGTH	8
VARNUM	482

SU60_R8: Distribution	Value	n	%
Never	1	6	2.2
Less than once a week	2	34	12.5
Once a week	3	28	10.3
More than once a week	4	74	27.1
Almost every day of the week	5	131	48.0
No response	N	3	.
Logical skip	S	778	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU60_R9	
LABEL	Over the past 90 days, how often did you use cocaine/crack?
TYPE	num
LENGTH	8
VARNUM	483

SU60_R9: Distribution	Value	n	%
Never	1	6	6.7
Less than once a week	2	17	19.1

SU60_R9: Distribution	Value	n	%
Once a week	3	18	20.2
More than once a week	4	30	33.7
Almost every day of the week	5	18	20.2
No response	N	1	.
Logical skip	S	964	.
Missing survey	Z	920	.
		1974	100.0

SU60_R10	
LABEL	Over the past 90 days, how often did you use methamphetamine/crank?
TYPE	num
LENGTH	8
VARNUM	484

SU60_R10: Distribution	Value	n	%
Never	1	5	4.6
Less than once a week	2	20	18.5
Once a week	3	18	16.7
More than once a week	4	32	29.6
Almost every day of the week	5	33	30.6
No response	N	0	.
Logical skip	S	946	.
Missing survey	Z	920	.
		1974	100.0

SU61_1_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	485

SU61_1_R1: Distribution	Value	n	%
No	0	31	59.6
Yes	1	21	40.4
No response	N	1	.

SU61_1_R1: Distribution	Value	n	%
Logical skip	S	1001	.
Missing survey	Z	920	.
		1974	100.0

SU61_2_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	486

SU61_2_R1: Distribution	Value	n	%
No	0	47	90.4
Yes	1	5	9.6
No response	N	1	.
Logical skip	S	1001	.
Missing survey	Z	920	.
		1974	100.0

SU61_3_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	487

SU61_3_R1: Distribution	Value	n	%
No	0	51	98.1
Yes	1	1	1.9
No response	N	1	.
Logical skip	S	1001	.
Missing survey	Z	920	.
		1974	100.0

SU61_4_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	488

SU61_4_R1: Distribution	Value	n	%
No	0	43	82.7
Yes	1	9	17.3
No response	N	1	.
Logical skip	S	1001	.
Missing survey	Z	920	.
		1974	100.0

SU61_5_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	489

SU61_5_R1: Distribution	Value	n	%
No	0	27	51.9
Yes	1	25	48.1
No response	N	1	.
Logical skip	S	1001	.
Missing survey	Z	920	.
		1974	100.0

SU61_6_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	490

SU61_6_R1: Distribution	Value	n	%
No	0	42	80.8
Yes	1	10	19.2
No response	N	1	.
Logical skip	S	1001	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R1	
LABEL	Over the past 90 days, in what ways have you used prescription opioids non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	491

SU61_7_R1: Distribution	Value	n	%
No	0	51	98.1
Yes	1	1	1.9
No response	N	1	.
Logical skip	S	1001	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_1_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	492

SU61_1_R2: Distribution	Value	n	%
No	0	17	30.9
Yes	1	38	69.1
No response	N	1	.
Logical skip	S	998	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_2_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	493

SU61_2_R2: Distribution	Value	n	%
No	0	51	92.7
Yes	1	4	7.3
No response	N	1	.
Logical skip	S	998	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_3_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	494

SU61_3_R2: Distribution	Value	n	%
No	0	54	98.2
Yes	1	1	1.8
No response	N	1	.
Logical skip	S	998	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_4_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	495

SU61_4_R2: Distribution	Value	n	%
No	0	53	96.4
Yes	1	2	3.6
No response	N	1	.
Logical skip	S	998	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	496

SU61_5_R2: Distribution	Value	n	%
No	0	55	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	998	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	497

SU61_6_R2: Distribution	Value	n	%
No	0	51	92.7
Yes	1	4	7.3
No response	N	1	.
Logical skip	S	998	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R2	
LABEL	Over the past 90 days, in what ways have you used methadone/suboxone non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	498

SU61_7_R2: Distribution	Value	n	%
No	0	43	78.2
Yes	1	12	21.8
No response	N	1	.
Logical skip	S	998	.
Missing survey	Z	920	.
		1974	100.0

SU61_1_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	499

SU61_1_R3: Distribution	Value	n	%
No	0	5	21.7
Yes	1	18	78.3
No response	N	0	.
Logical skip	S	1031	.
Missing survey	Z	920	.
		1974	100.0

SU61_2_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	500

SU61_2_R3: Distribution	Value	n	%
No	0	19	82.6
Yes	1	4	17.4
No response	N	0	.
Logical skip	S	1031	.
Missing survey	Z	920	.
		1974	100.0

SU61_3_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	501

SU61_3_R3: Distribution	Value	n	%
No	0	23	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1031	.
Missing survey	Z	920	.
		1974	100.0

SU61_4_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	502

SU61_4_R3: Distribution	Value	n	%
No	0	21	91.3
Yes	1	2	8.7
No response	N	0	.
Logical skip	S	1031	.

SU61_4_R3: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

SU61_5_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	503

SU61_5_R3: Distribution	Value	n	%
No	0	19	82.6
Yes	1	4	17.4
No response	N	0	.
Logical skip	S	1031	.
Missing survey	Z	920	.
		1974	100.0

SU61_6_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	504

SU61_6_R3: Distribution	Value	n	%
No	0	20	87.0
Yes	1	3	13.0
No response	N	0	.
Logical skip	S	1031	.
Missing survey	Z	920	.
		1974	100.0

SU61_7_R3	
LABEL	Over the past 90 days, in what ways have you used prescription stimulants non-medically? None of these apply?

SU61_7_R3	
TYPE	num
LENGTH	8
VARNUM	505

SU61_7_R3: Distribution	Value	n	%
No	0	23	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1031	.
Missing survey	Z	920	.
		1974	100.0

SU61_1_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	506

SU61_1_R4: Distribution	Value	n	%
No	0	15	31.3
Yes	1	33	68.8
No response	N	0	.
Logical skip	S	1006	.
Missing survey	Z	920	.
		1974	100.0

SU61_2_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	507

SU61_2_R4: Distribution	Value	n	%
No	0	36	75.0

SU61_2_R4: Distribution	Value	n	%
Yes	1	12	25.0
No response	N	0	.
Logical skip	S	1006	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_3_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	508

SU61_3_R4: Distribution	Value	n	%
No	0	46	95.8
Yes	1	2	4.2
No response	N	0	.
Logical skip	S	1006	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_4_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	509

SU61_4_R4: Distribution	Value	n	%
No	0	46	95.8
Yes	1	2	4.2
No response	N	0	.
Logical skip	S	1006	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	510

SU61_5_R4: Distribution	Value	n	%
No	0	30	62.5
Yes	1	18	37.5
No response	N	0	.
Logical skip	S	1006	.
Missing survey	Z	920	.
		1974	100.0

SU61_6_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	511

SU61_6_R4: Distribution	Value	n	%
No	0	45	93.8
Yes	1	3	6.3
No response	N	0	.
Logical skip	S	1006	.
Missing survey	Z	920	.
		1974	100.0

SU61_7_R4	
LABEL	Over the past 90 days, in what ways have you used prescription sedatives non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	512

SU61_7_R4: Distribution	Value	n	%
No	0	48	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1006	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_1_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	513

SU61_1_R5: Distribution	Value	n	%
No	0	197	98.5
Yes	1	3	1.5
No response	N	2	.
Logical skip	S	852	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_2_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	514

SU61_2_R5: Distribution	Value	n	%
No	0	196	98.0
Yes	1	4	2.0
No response	N	2	.
Logical skip	S	852	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_3_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	515

SU61_3_R5: Distribution	Value	n	%
No	0	200	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	852	.
Missing survey	Z	920	.
		1974	100.0

SU61_4_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Smoked?
TYPE	num
LENGTH	8
VARNUM	516

SU61_4_R5: Distribution	Value	n	%
No	0	173	86.5
Yes	1	27	13.5
No response	N	2	.
Logical skip	S	852	.
Missing survey	Z	920	.
		1974	100.0

SU61_5_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Snorted?
TYPE	num
LENGTH	8
VARNUM	517

SU61_5_R5: Distribution	Value	n	%
No	0	121	60.5
Yes	1	79	39.5
No response	N	2	.
Logical skip	S	852	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? Injected?
TYPE	num
LENGTH	8
VARNUM	518

SU61_6_R5: Distribution	Value	n	%
No	0	72	36.0
Yes	1	128	64.0
No response	N	2	.
Logical skip	S	852	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R5	
LABEL	Over the past 90 days, in what ways have you used heroin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	519

SU61_7_R5: Distribution	Value	n	%
No	0	196	98.0
Yes	1	4	2.0
No response	N	2	.
Logical skip	S	852	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_1_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	520

SU61_1_R6: Distribution	Value	n	%
No	0	98	96.1
Yes	1	4	3.9
No response	N	2	.
Logical skip	S	950	.
Missing survey	Z	920	.
		1974	100.0

SU61_2_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	521

SU61_2_R6: Distribution	Value	n	%
No	0	100	98.0
Yes	1	2	2.0
No response	N	2	.
Logical skip	S	950	.
Missing survey	Z	920	.
		1974	100.0

SU61_3_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	522

SU61_3_R6: Distribution	Value	n	%
No	0	101	99.0
Yes	1	1	1.0
No response	N	2	.
Logical skip	S	950	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_4_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Smoked?
TYPE	num
LENGTH	8
VARNUM	523

SU61_4_R6: Distribution	Value	n	%
No	0	89	87.3
Yes	1	13	12.7
No response	N	2	.
Logical skip	S	950	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Snorted?
TYPE	num
LENGTH	8
VARNUM	524

SU61_5_R6: Distribution	Value	n	%
No	0	57	55.9
Yes	1	45	44.1
No response	N	2	.
Logical skip	S	950	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? Injected?
TYPE	num
LENGTH	8
VARNUM	525

SU61_6_R6: Distribution	Value	n	%
No	0	43	42.2
Yes	1	59	57.8
No response	N	2	.
Logical skip	S	950	.
Missing survey	Z	920	.
		1974	100.0

SU61_7_R6	
LABEL	Over the past 90 days, in what ways have you used illicitly-made fentanyl? None of these apply?
TYPE	num
LENGTH	8
VARNUM	526

SU61_7_R6: Distribution	Value	n	%
No	0	101	99.0
Yes	1	1	1.0
No response	N	2	.
Logical skip	S	950	.
Missing survey	Z	920	.
		1974	100.0

SU61_1_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	527

SU61_1_R7: Distribution	Value	n	%
No	0	2	5.0
Yes	1	38	95.0
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_2_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	528

SU61_2_R7: Distribution	Value	n	%
No	0	40	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_3_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	529

SU61_3_R7: Distribution	Value	n	%
No	0	40	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_4_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Smoked?
TYPE	num
LENGTH	8
VARNUM	530

SU61_4_R7: Distribution	Value	n	%
No	0	40	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Snorted?
TYPE	num
LENGTH	8
VARNUM	531

SU61_5_R7: Distribution	Value	n	%
No	0	37	92.5
Yes	1	3	7.5
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? Injected?
TYPE	num
LENGTH	8
VARNUM	532

SU61_6_R7: Distribution	Value	n	%
No	0	40	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		1974	100.0

SU61_7_R7	
LABEL	Over the past 90 days, in what ways have you used Gabapentin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	533

SU61_7_R7: Distribution	Value	n	%
No	0	40	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		1974	100.0

SU61_1_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	534

SU61_1_R8: Distribution	Value	n	%
No	0	262	98.1
Yes	1	5	1.9
No response	N	3	.
Logical skip	S	784	.
Missing survey	Z	920	.
		1974	100.0

SU61_2_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	535

SU61_2_R8: Distribution	Value	n	%
No	0	262	98.1
Yes	1	5	1.9
No response	N	3	.
Logical skip	S	784	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_3_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	536

SU61_3_R8: Distribution	Value	n	%
No	0	227	85.0
Yes	1	40	15.0
No response	N	3	.
Logical skip	S	784	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_4_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Smoked?
TYPE	num
LENGTH	8
VARNUM	537

SU61_4_R8: Distribution	Value	n	%
No	0	10	3.7
Yes	1	257	96.3
No response	N	3	.
Logical skip	S	784	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Snorted?
TYPE	num
LENGTH	8
VARNUM	538

SU61_5_R8: Distribution	Value	n	%
No	0	266	99.6
Yes	1	1	0.4
No response	N	3	.
Logical skip	S	784	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? Injected?
TYPE	num
LENGTH	8
VARNUM	539

SU61_6_R8: Distribution	Value	n	%
No	0	265	99.3
Yes	1	2	0.7
No response	N	3	.
Logical skip	S	784	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R8	
LABEL	Over the past 90 days, in what ways have you used marijuana/cannabis? None of these apply?
TYPE	num
LENGTH	8
VARNUM	540

SU61_7_R8: Distribution	Value	n	%
No	0	263	98.5
Yes	1	4	1.5
No response	N	3	.
Logical skip	S	784	.
Missing survey	Z	920	.
		1974	100.0

SU61_1_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	541

SU61_1_R9: Distribution	Value	n	%
No	0	82	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	970	.
Missing survey	Z	920	.
		1974	100.0

SU61_2_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	542

SU61_2_R9: Distribution	Value	n	%
No	0	82	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	970	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_3_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	543

SU61_3_R9: Distribution	Value	n	%
No	0	81	98.8
Yes	1	1	1.2
No response	N	2	.
Logical skip	S	970	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_4_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Smoked?
TYPE	num
LENGTH	8
VARNUM	544

SU61_4_R9: Distribution	Value	n	%
No	0	22	26.8
Yes	1	60	73.2
No response	N	2	.
Logical skip	S	970	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_5_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Snorted?
TYPE	num
LENGTH	8
VARNUM	545

SU61_5_R9: Distribution	Value	n	%
No	0	62	75.6
Yes	1	20	24.4
No response	N	2	.
Logical skip	S	970	.
Missing survey	Z	920	.
		1974	100.0

SU61_6_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? Injected?
TYPE	num
LENGTH	8
VARNUM	546

SU61_6_R9: Distribution	Value	n	%
No	0	62	75.6
Yes	1	20	24.4
No response	N	2	.
Logical skip	S	970	.
Missing survey	Z	920	.
		1974	100.0

SU61_7_R9	
LABEL	Over the past 90 days, in what ways have you used cocaine/crack? None of these apply?
TYPE	num
LENGTH	8
VARNUM	547

SU61_7_R9: Distribution	Value	n	%
No	0	82	100.0

SU61_7_R9: Distribution	Value	n	%
Yes	1	0	.
No response	N	2	.
Logical skip	S	970	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_1_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	548

SU61_1_R10: Distribution	Value	n	%
No	0	95	92.2
Yes	1	8	7.8
No response	N	0	.
Logical skip	S	951	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_2_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	549

SU61_2_R10: Distribution	Value	n	%
No	0	96	93.2
Yes	1	7	6.8
No response	N	0	.
Logical skip	S	951	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_3_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	550

SU61_3_R10: Distribution	Value	n	%
No	0	102	99.0
Yes	1	1	1.0
No response	N	0	.
Logical skip	S	951	.
Missing survey	Z	920	.
		1974	100.0

SU61_4_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Smoked?
TYPE	num
LENGTH	8
VARNUM	551

SU61_4_R10: Distribution	Value	n	%
No	0	25	24.3
Yes	1	78	75.7
No response	N	0	.
Logical skip	S	951	.
Missing survey	Z	920	.
		1974	100.0

SU61_5_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Snorted?
TYPE	num
LENGTH	8
VARNUM	552

SU61_5_R10: Distribution	Value	n	%
No	0	75	72.8

SU61_5_R10: Distribution	Value	n	%
Yes	1	28	27.2
No response	N	0	.
Logical skip	S	951	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_6_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? Injected?
TYPE	num
LENGTH	8
VARNUM	553

SU61_6_R10: Distribution	Value	n	%
No	0	60	58.3
Yes	1	43	41.7
No response	N	0	.
Logical skip	S	951	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU61_7_R10	
LABEL	Over the past 90 days, in what ways have you used methamphetamine/crank? None of these apply?
TYPE	num
LENGTH	8
VARNUM	554

SU61_7_R10: Distribution	Value	n	%
No	0	102	99.0
Yes	1	1	1.0
No response	N	0	.
Logical skip	S	951	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU70_R1	
LABEL	Over the past 30 days, how often did you use prescription opioids non-medically?
TYPE	num
LENGTH	8
VARNUM	555

SU70_R1: Distribution	Value	n	%
0	0	3	5.7
1	1	6	11.3
2	2	5	9.4
3	3	2	3.8
4	4	3	5.7
5	5	2	3.8
6	6	1	1.9
7	7	1	1.9
10	10	5	9.4
11	11	1	1.9
12	12	4	7.5
15	15	3	5.7
18	18	1	1.9
20	20	7	13.2
21	21	1	1.9
22	22	1	1.9
25	25	2	3.8
30	30	5	9.4
No response	N	0	.
Logical skip	S	1001	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU70_R2	
LABEL	Over the past 30 days, how often did you use methadone/suboxone non-medically?
TYPE	num
LENGTH	8
VARNUM	556

SU70_R2: Distribution	Value	n	%
0	0	10	18.5
1	1	3	5.6
2	2	3	5.6
3	3	4	7.4
5	5	2	3.7
7	7	1	1.9
10	10	5	9.3
15	15	1	1.9
20	20	1	1.9
24	24	1	1.9
28	28	1	1.9
30	30	22	40.7
No response	N	2	.
Logical skip	S	998	.
Missing survey	Z	920	.
		1974	100.0

SU70_R3	
LABEL	Over the past 30 days, how often did you use prescription stimulants non-medically?
TYPE	num
LENGTH	8
VARNUM	557

SU70_R3: Distribution	Value	n	%
0	0	7	30.4
1	1	3	13.0
2	2	2	8.7
3	3	1	4.3
4	4	2	8.7
5	5	1	4.3
10	10	3	13.0
15	15	1	4.3
20	20	1	4.3
25	25	1	4.3
28	28	1	4.3
No response	N	0	.
Logical skip	S	1031	.

SU70_R3: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

SU70_R4	
LABEL	Over the past 30 days, how often did you use prescription sedatives non-medically?
TYPE	num
LENGTH	8
VARNUM	558

SU70_R4: Distribution	Value	n	%
0	0	8	16.7
1	1	1	2.1
2	2	3	6.3
3	3	3	6.3
4	4	1	2.1
5	5	7	14.6
6	6	2	4.2
7	7	1	2.1
8	8	2	4.2
9	9	1	2.1
14	14	1	2.1
17	17	1	2.1
20	20	4	8.3
21	21	1	2.1
25	25	1	2.1
30	30	11	22.9
No response	N	0	.
Logical skip	S	1006	.
Missing survey	Z	920	.
		1974	100.0

SU70_R5	
LABEL	Over the past 30 days, how often did you use heroin?
TYPE	num
LENGTH	8
VARNUM	559

SU70_R5: Distribution	Value	n	%
0	0	18	9.0
1	1	9	4.5
2	2	13	6.5
3	3	6	3.0
4	4	5	2.5
5	5	9	4.5
6	6	2	1.0
7	7	3	1.5
8	8	5	2.5
9	9	2	1.0
10	10	5	2.5
12	12	1	0.5
14	14	1	0.5
15	15	12	6.0
16	16	2	1.0
17	17	1	0.5
18	18	2	1.0
20	20	14	7.0
21	21	1	0.5
22	22	3	1.5
23	23	1	0.5
24	24	1	0.5
25	25	12	6.0
26	26	1	0.5
27	27	1	0.5
28	28	8	4.0
29	29	1	0.5
30	30	61	30.5
No response	N	2	.
Logical skip	S	852	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU70_R6	
LABEL	Over the past 30 days, how often did you use illicitly-made fentanyl?
TYPE	num

SU70_R6	
LENGTH	8
VARNUM	560

SU70_R6: Distribution	Value	n	%
0	0	11	10.9
1	1	2	2.0
2	2	7	6.9
3	3	2	2.0
4	4	8	7.9
5	5	4	4.0
6	6	1	1.0
7	7	2	2.0
8	8	2	2.0
10	10	9	8.9
14	14	1	1.0
15	15	6	5.9
20	20	8	7.9
21	21	1	1.0
22	22	1	1.0
23	23	1	1.0
24	24	1	1.0
25	25	2	2.0
27	27	1	1.0
28	28	4	4.0
29	29	1	1.0
30	30	26	25.7
No response	N	3	.
Logical skip	S	950	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU70_R7	
LABEL	Over the past 30 days, how often did you use Gabapentin?
TYPE	num
LENGTH	8
VARNUM	561

SU70_R7: Distribution	Value	n	%
0	0	3	7.5
2	2	2	5.0
3	3	1	2.5
5	5	3	7.5
10	10	2	5.0
15	15	4	10.0
16	16	1	2.5
20	20	3	7.5
24	24	1	2.5
25	25	1	2.5
27	27	1	2.5
28	28	1	2.5
30	30	17	42.5
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		1974	100.0

SU70_R8	
LABEL	Over the past 30 days, how often did you use marijuana/cannabis?
TYPE	num
LENGTH	8
VARNUM	562

SU70_R8: Distribution	Value	n	%
0	0	9	3.4
1	1	7	2.6
2	2	13	4.9
3	3	7	2.6
4	4	7	2.6
5	5	18	6.7
6	6	3	1.1
7	7	10	3.7
8	8	1	0.4
9	9	1	0.4
10	10	19	7.1

SU70_R8: Distribution	Value	n	%
12	12	2	0.7
14	14	1	0.4
15	15	18	6.7
16	16	1	0.4
19	19	1	0.4
20	20	26	9.7
22	22	2	0.7
23	23	1	0.4
24	24	4	1.5
25	25	11	4.1
26	26	1	0.4
27	27	2	0.7
28	28	4	1.5
30	30	98	36.7
No response	N	3	.
Logical skip	S	784	.
Missing survey	Z	920	.
		1974	100.0

SU70_R9	
LABEL	Over the past 30 days, how often did you use cocaine/crack?
TYPE	num
LENGTH	8
VARNUM	563

SU70_R9: Distribution	Value	n	%
0	0	8	9.6
1	1	7	8.4
2	2	5	6.0
3	3	6	7.2
4	4	4	4.8
5	5	8	9.6
6	6	2	2.4
7	7	1	1.2
8	8	1	1.2
9	9	1	1.2
10	10	9	10.8

SU70_R9: Distribution	Value	n	%
12	12	2	2.4
14	14	1	1.2
15	15	2	2.4
19	19	3	3.6
20	20	2	2.4
21	21	1	1.2
25	25	5	6.0
27	27	2	2.4
28	28	5	6.0
29	29	1	1.2
30	30	7	8.4
No response	N	1	.
Logical skip	S	970	.
Missing survey	Z	920	.
		1974	100.0

SU70_R10	
LABEL	Over the past 30 days, how often did you use methamphetamine/crank?
TYPE	num
LENGTH	8
VARNUM	564

SU70_R10: Distribution	Value	n	%
0	0	12	11.7
1	1	3	2.9
2	2	3	2.9
3	3	2	1.9
4	4	2	1.9
5	5	4	3.9
6	6	2	1.9
7	7	5	4.9
8	8	2	1.9
10	10	2	1.9
12	12	1	1.0
13	13	1	1.0
15	15	14	13.6
16	16	1	1.0

SU70_R10: Distribution	Value	n	%
17	17	2	1.9
18	18	3	2.9
20	20	8	7.8
21	21	3	2.9
22	22	1	1.0
25	25	7	6.8
26	26	2	1.9
28	28	4	3.9
29	29	1	1.0
30	30	18	17.5
No response	N	0	.
Logical skip	S	951	.
Missing survey	Z	920	.
		1974	100.0

SU71_1_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	565

SU71_1_R1: Distribution	Value	n	%
No	0	30	61.2
Yes	1	19	38.8
No response	N	1	.
Logical skip	S	1004	.
Missing survey	Z	920	.
		1974	100.0

SU71_2_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	566

SU71_2_R1: Distribution	Value	n	%
No	0	45	91.8
Yes	1	4	8.2
No response	N	1	.
Logical skip	S	1004	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_3_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	567

SU71_3_R1: Distribution	Value	n	%
No	0	48	98.0
Yes	1	1	2.0
No response	N	1	.
Logical skip	S	1004	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_4_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	568

SU71_4_R1: Distribution	Value	n	%
No	0	40	81.6
Yes	1	9	18.4
No response	N	1	.
Logical skip	S	1004	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_5_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	569

SU71_5_R1: Distribution	Value	n	%
No	0	27	55.1
Yes	1	22	44.9
No response	N	1	.
Logical skip	S	1004	.
Missing survey	Z	920	.
		1974	100.0

SU71_6_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	570

SU71_6_R1: Distribution	Value	n	%
No	0	40	81.6
Yes	1	9	18.4
No response	N	1	.
Logical skip	S	1004	.
Missing survey	Z	920	.
		1974	100.0

SU71_7_R1	
LABEL	Over the past 30 days, in what ways have you used prescription opioids non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	571

SU71_7_R1: Distribution	Value	n	%
No	0	48	98.0
Yes	1	1	2.0
No response	N	1	.
Logical skip	S	1004	.
Missing survey	Z	920	.
		1974	100.0

SU71_1_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	572

SU71_1_R2: Distribution	Value	n	%
No	0	12	27.9
Yes	1	31	72.1
No response	N	3	.
Logical skip	S	1008	.
Missing survey	Z	920	.
		1974	100.0

SU71_2_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	573

SU71_2_R2: Distribution	Value	n	%
No	0	39	90.7
Yes	1	4	9.3
No response	N	3	.
Logical skip	S	1008	.

SU71_2_R2: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

SU71_3_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	574

SU71_3_R2: Distribution	Value	n	%
No	0	42	97.7
Yes	1	1	2.3
No response	N	3	.
Logical skip	S	1008	.
Missing survey	Z	920	.
		1974	100.0

SU71_4_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	575

SU71_4_R2: Distribution	Value	n	%
No	0	42	97.7
Yes	1	1	2.3
No response	N	3	.
Logical skip	S	1008	.
Missing survey	Z	920	.
		1974	100.0

SU71_5_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Snorted?

SU71_5_R2	
TYPE	num
LENGTH	8
VARNUM	576

SU71_5_R2: Distribution	Value	n	%
No	0	43	100.0
Yes	1	0	.
No response	N	3	.
Logical skip	S	1008	.
Missing survey	Z	920	.
		1974	100.0

SU71_6_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	577

SU71_6_R2: Distribution	Value	n	%
No	0	41	95.3
Yes	1	2	4.7
No response	N	3	.
Logical skip	S	1008	.
Missing survey	Z	920	.
		1974	100.0

SU71_7_R2	
LABEL	Over the past 30 days, in what ways have you used methadone/suboxone non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	578

SU71_7_R2: Distribution	Value	n	%
No	0	34	79.1

SU71_7_R2: Distribution	Value	n	%
Yes	1	9	20.9
No response	N	3	.
Logical skip	S	1008	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_1_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	579

SU71_1_R3: Distribution	Value	n	%
No	0	2	12.5
Yes	1	14	87.5
No response	N	0	.
Logical skip	S	1038	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_2_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	580

SU71_2_R3: Distribution	Value	n	%
No	0	14	87.5
Yes	1	2	12.5
No response	N	0	.
Logical skip	S	1038	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_3_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	581

SU71_3_R3: Distribution	Value	n	%
No	0	16	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1038	.
Missing survey	Z	920	.
		1974	100.0

SU71_4_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	582

SU71_4_R3: Distribution	Value	n	%
No	0	15	93.8
Yes	1	1	6.3
No response	N	0	.
Logical skip	S	1038	.
Missing survey	Z	920	.
		1974	100.0

SU71_5_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	583

SU71_5_R3: Distribution	Value	n	%
No	0	13	81.3
Yes	1	3	18.8
No response	N	0	.
Logical skip	S	1038	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	584

SU71_6_R3: Distribution	Value	n	%
No	0	14	87.5
Yes	1	2	12.5
No response	N	0	.
Logical skip	S	1038	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R3	
LABEL	Over the past 30 days, in what ways have you used prescription stimulants non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	585

SU71_7_R3: Distribution	Value	n	%
No	0	16	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1038	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_1_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	586

SU71_1_R4: Distribution	Value	n	%
No	0	13	32.5
Yes	1	27	67.5
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		1974	100.0

SU71_2_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	587

SU71_2_R4: Distribution	Value	n	%
No	0	30	75.0
Yes	1	10	25.0
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		1974	100.0

SU71_3_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	588

SU71_3_R4: Distribution	Value	n	%
No	0	38	95.0
Yes	1	2	5.0
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_4_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Smoked?
TYPE	num
LENGTH	8
VARNUM	589

SU71_4_R4: Distribution	Value	n	%
No	0	38	95.0
Yes	1	2	5.0
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_5_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Snorted?
TYPE	num
LENGTH	8
VARNUM	590

SU71_5_R4: Distribution	Value	n	%
No	0	31	77.5
Yes	1	9	22.5
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? Injected?
TYPE	num
LENGTH	8
VARNUM	591

SU71_6_R4: Distribution	Value	n	%
No	0	38	95.0
Yes	1	2	5.0
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		1974	100.0

SU71_7_R4	
LABEL	Over the past 30 days, in what ways have you used prescription sedatives non-medically? None of these apply?
TYPE	num
LENGTH	8
VARNUM	592

SU71_7_R4: Distribution	Value	n	%
No	0	40	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1014	.
Missing survey	Z	920	.
		1974	100.0

SU71_1_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	593

SU71_1_R5: Distribution	Value	n	%
No	0	180	98.9
Yes	1	2	1.1
No response	N	2	.
Logical skip	S	870	.
Missing survey	Z	920	.
		1974	100.0

SU71_2_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	594

SU71_2_R5: Distribution	Value	n	%
No	0	179	98.4
Yes	1	3	1.6
No response	N	2	.
Logical skip	S	870	.
Missing survey	Z	920	.
		1974	100.0

SU71_3_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	595

SU71_3_R5: Distribution	Value	n	%
No	0	182	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	870	.

SU71_3_R5: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

SU71_4_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Smoked?
TYPE	num
LENGTH	8
VARNUM	596

SU71_4_R5: Distribution	Value	n	%
No	0	156	85.7
Yes	1	26	14.3
No response	N	2	.
Logical skip	S	870	.
Missing survey	Z	920	.
		1974	100.0

SU71_5_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Snorted?
TYPE	num
LENGTH	8
VARNUM	597

SU71_5_R5: Distribution	Value	n	%
No	0	111	61.0
Yes	1	71	39.0
No response	N	2	.
Logical skip	S	870	.
Missing survey	Z	920	.
		1974	100.0

SU71_6_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? Injected?
TYPE	num

SU71_6_R5	
LENGTH	8
VARNUM	598

SU71_6_R5: Distribution	Value	n	%
No	0	72	39.6
Yes	1	110	60.4
No response	N	2	.
Logical skip	S	870	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R5	
LABEL	Over the past 30 days, in what ways have you used heroin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	599

SU71_7_R5: Distribution	Value	n	%
No	0	178	97.8
Yes	1	4	2.2
No response	N	2	.
Logical skip	S	870	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_1_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	600

SU71_1_R6: Distribution	Value	n	%
No	0	87	96.7
Yes	1	3	3.3
No response	N	3	.

SU71_1_R6: Distribution	Value	n	%
Logical skip	S	961	.
Missing survey	Z	920	.
		1974	100.0

SU71_2_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	601

SU71_2_R6: Distribution	Value	n	%
No	0	90	100.0
Yes	1	0	.
No response	N	3	.
Logical skip	S	961	.
Missing survey	Z	920	.
		1974	100.0

SU71_3_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	602

SU71_3_R6: Distribution	Value	n	%
No	0	89	98.9
Yes	1	1	1.1
No response	N	3	.
Logical skip	S	961	.
Missing survey	Z	920	.
		1974	100.0

SU71_4_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Smoked?
TYPE	num
LENGTH	8
VARNUM	603

SU71_4_R6: Distribution	Value	n	%
No	0	79	87.8
Yes	1	11	12.2
No response	N	3	.
Logical skip	S	961	.
Missing survey	Z	920	.
		1974	100.0

SU71_5_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Snorted?
TYPE	num
LENGTH	8
VARNUM	604

SU71_5_R6: Distribution	Value	n	%
No	0	51	56.7
Yes	1	39	43.3
No response	N	3	.
Logical skip	S	961	.
Missing survey	Z	920	.
		1974	100.0

SU71_6_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? Injected?
TYPE	num
LENGTH	8
VARNUM	605

SU71_6_R6: Distribution	Value	n	%
No	0	41	45.6

SU71_6_R6: Distribution	Value	n	%
Yes	1	49	54.4
No response	N	3	.
Logical skip	S	961	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R6	
LABEL	Over the past 30 days, in what ways have you used illicitly-made fentanyl? None of these apply?
TYPE	num
LENGTH	8
VARNUM	606

SU71_7_R6: Distribution	Value	n	%
No	0	89	98.9
Yes	1	1	1.1
No response	N	3	.
Logical skip	S	961	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_1_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	607

SU71_1_R7: Distribution	Value	n	%
No	0	2	5.4
Yes	1	35	94.6
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_2_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	608

SU71_2_R7: Distribution	Value	n	%
No	0	37	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	920	.
		1974	100.0

SU71_3_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	609

SU71_3_R7: Distribution	Value	n	%
No	0	37	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	920	.
		1974	100.0

SU71_4_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Smoked?
TYPE	num
LENGTH	8
VARNUM	610

SU71_4_R7: Distribution	Value	n	%
No	0	37	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_5_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Snorted?
TYPE	num
LENGTH	8
VARNUM	611

SU71_5_R7: Distribution	Value	n	%
No	0	35	94.6
Yes	1	2	5.4
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? Injected?
TYPE	num
LENGTH	8
VARNUM	612

SU71_6_R7: Distribution	Value	n	%
No	0	37	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R7	
LABEL	Over the past 30 days, in what ways have you used Gabapentin? None of these apply?
TYPE	num
LENGTH	8
VARNUM	613

SU71_7_R7: Distribution	Value	n	%
No	0	37	100.0
Yes	1	0	.
No response	N	0	.
Logical skip	S	1017	.
Missing survey	Z	920	.
		1974	100.0

SU71_1_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	614

SU71_1_R8: Distribution	Value	n	%
No	0	254	98.4
Yes	1	4	1.6
No response	N	3	.
Logical skip	S	793	.
Missing survey	Z	920	.
		1974	100.0

SU71_2_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	615

SU71_2_R8: Distribution	Value	n	%
No	0	254	98.4
Yes	1	4	1.6
No response	N	3	.
Logical skip	S	793	.
Missing survey	Z	920	.
		1974	100.0

SU71_3_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	616

SU71_3_R8: Distribution	Value	n	%
No	0	222	86.0
Yes	1	36	14.0
No response	N	3	.
Logical skip	S	793	.
Missing survey	Z	920	.
		1974	100.0

SU71_4_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Smoked?
TYPE	num
LENGTH	8
VARNUM	617

SU71_4_R8: Distribution	Value	n	%
No	0	8	3.1
Yes	1	250	96.9
No response	N	3	.
Logical skip	S	793	.
Missing survey	Z	920	.
		1974	100.0

SU71_5_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Snorted?
TYPE	num
LENGTH	8
VARNUM	618

SU71_5_R8: Distribution	Value	n	%
No	0	257	99.6
Yes	1	1	0.4
No response	N	3	.
Logical skip	S	793	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? Injected?
TYPE	num
LENGTH	8
VARNUM	619

SU71_6_R8: Distribution	Value	n	%
No	0	256	99.2
Yes	1	2	0.8
No response	N	3	.
Logical skip	S	793	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R8	
LABEL	Over the past 30 days, in what ways have you used marijuana/cannabis? None of these apply?
TYPE	num
LENGTH	8
VARNUM	620

SU71_7_R8: Distribution	Value	n	%
No	0	256	99.2
Yes	1	2	0.8
No response	N	3	.
Logical skip	S	793	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_1_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	621

SU71_1_R9: Distribution	Value	n	%
No	0	74	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	978	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_2_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	622

SU71_2_R9: Distribution	Value	n	%
No	0	74	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	978	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_3_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	623

SU71_3_R9: Distribution	Value	n	%
No	0	73	98.6
Yes	1	1	1.4
No response	N	2	.
Logical skip	S	978	.
Missing survey	Z	920	.
		1974	100.0

SU71_4_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Smoked?
TYPE	num
LENGTH	8
VARNUM	624

SU71_4_R9: Distribution	Value	n	%
No	0	21	28.4
Yes	1	53	71.6
No response	N	2	.
Logical skip	S	978	.
Missing survey	Z	920	.
		1974	100.0

SU71_5_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Snorted?
TYPE	num
LENGTH	8
VARNUM	625

SU71_5_R9: Distribution	Value	n	%
No	0	56	75.7
Yes	1	18	24.3
No response	N	2	.
Logical skip	S	978	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? Injected?
TYPE	num
LENGTH	8
VARNUM	626

SU71_6_R9: Distribution	Value	n	%
No	0	58	78.4
Yes	1	16	21.6
No response	N	2	.
Logical skip	S	978	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R9	
LABEL	Over the past 30 days, in what ways have you used cocaine/crack? None of these apply?
TYPE	num
LENGTH	8
VARNUM	627

SU71_7_R9: Distribution	Value	n	%
No	0	74	100.0
Yes	1	0	.
No response	N	2	.
Logical skip	S	978	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_1_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Oral, swallowed intact (e.g., whole pill)?
TYPE	num
LENGTH	8
VARNUM	628

SU71_1_R10: Distribution	Value	n	%
No	0	87	95.6
Yes	1	4	4.4
No response	N	0	.
Logical skip	S	963	.
Missing survey	Z	920	.
		1974	100.0

SU71_2_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Oral, swallowed after chewing/crushing?
TYPE	num
LENGTH	8
VARNUM	629

SU71_2_R10: Distribution	Value	n	%
No	0	87	95.6
Yes	1	4	4.4
No response	N	0	.
Logical skip	S	963	.
Missing survey	Z	920	.
		1974	100.0

SU71_3_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Oral, ate with food (e.g., marijuana brownies)?
TYPE	num
LENGTH	8
VARNUM	630

SU71_3_R10: Distribution	Value	n	%
No	0	90	98.9
Yes	1	1	1.1
No response	N	0	.
Logical skip	S	963	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_4_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Smoked?
TYPE	num
LENGTH	8
VARNUM	631

SU71_4_R10: Distribution	Value	n	%
No	0	23	25.3
Yes	1	68	74.7
No response	N	0	.
Logical skip	S	963	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_5_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Snorted?
TYPE	num
LENGTH	8
VARNUM	632

SU71_5_R10: Distribution	Value	n	%
No	0	73	80.2
Yes	1	18	19.8
No response	N	0	.
Logical skip	S	963	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_6_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? Injected?
TYPE	num
LENGTH	8
VARNUM	633

SU71_6_R10: Distribution	Value	n	%
No	0	55	60.4
Yes	1	36	39.6
No response	N	0	.
Logical skip	S	963	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SU71_7_R10	
LABEL	Over the past 30 days, in what ways have you used methamphetamine/crank? None of these apply?
TYPE	num
LENGTH	8
VARNUM	634

SU71_7_R10: Distribution	Value	n	%
No	0	90	98.9
Yes	1	1	1.1
No response	N	0	.
Logical skip	S	963	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO3	
LABEL	When was the last time you used prescription opioids non-medically?
TYPE	num
LENGTH	8
VARNUM	635

PO3: Distribution	Value	n	%
Today	1	23	19.2

PO3: Distribution	Value	n	%
Past 7 days	2	19	15.8
Past 30 days	3	24	20.0
Past 90 days	4	20	16.7
Past 6 months	5	12	10.0
Past 12 months	6	6	5.0
More than 1 year ago	7	16	13.3
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO4	
LABEL	In the past 6 months, how many months did you use prescription opioids non-medically? (Enter 1 if less than 1 month.)
TYPE	num
LENGTH	8
VARNUM	636

PO4: Distribution	Value	n	%
0	0	8	7.7
1	1	40	38.5
2	2	12	11.5
3	3	12	11.5
4	4	13	12.5
5	5	4	3.8
6	6	15	14.4
No response	N	0	.
Logical skip	S	950	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO5	
LABEL	In the most recent month that you used prescription opioids non-medically, how many days per month did you typically use it?
TYPE	num
LENGTH	8
VARNUM	637

PO5: Distribution	Value	n	%
0	0	14	11.8
1	1	27	22.7
2	2	17	14.3
3	3	12	10.1
4	4	4	3.4
5	5	9	7.6
6	6	3	2.5
7	7	4	3.4
9	9	1	0.8
10	10	1	0.8
14	14	1	0.8
15	15	4	3.4
18	18	1	0.8
20	20	3	2.5
25	25	4	3.4
26	26	1	0.8
30	30	13	10.9
No response	N	1	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO6	
LABEL	In the past 90 days, how many days did you use prescription opioids non-medically?
TYPE	num
LENGTH	8
VARNUM	638

PO6: Distribution	Value	n	%
0	0	11	12.8
1	1	10	11.6
2	2	9	10.5
3	3	9	10.5
4	4	3	3.5
5	5	4	4.7

PO6: Distribution	Value	n	%
6	6	3	3.5
7	7	2	2.3
8	8	3	3.5
9	9	2	2.3
10	10	4	4.7
13	13	1	1.2
15	15	2	2.3
20	20	3	3.5
27	27	1	1.2
30	30	8	9.3
45	45	1	1.2
56	56	1	1.2
60	60	5	5.8
80	80	1	1.2
90	90	3	3.5
No response	N	0	.
Logical skip	S	968	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO7A_1	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Got from one doctor?
TYPE	num
LENGTH	8
VARNUM	639

PO7A_1: Distribution	Value	n	%
No	0	76	63.3
Yes	1	44	36.7
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO7A_2	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Got from more than one doctor?
TYPE	num
LENGTH	8
VARNUM	640

PO7A_2: Distribution	Value	n	%
No	0	106	88.3
Yes	1	14	11.7
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO7A_3	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Wrote fake prescription?
TYPE	num
LENGTH	8
VARNUM	641

PO7A_3: Distribution	Value	n	%
No	0	116	96.7
Yes	1	4	3.3
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO7A_4	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Stole from Dr. office, clinic, hospital, or pharmacy?
TYPE	num
LENGTH	8
VARNUM	642

PO7A_4: Distribution	Value	n	%
No	0	117	97.5
Yes	1	3	2.5
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO7A_5	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Got from friend or relative for free?
TYPE	num
LENGTH	8
VARNUM	643

PO7A_5: Distribution	Value	n	%
No	0	67	55.8
Yes	1	53	44.2
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO7A_6	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Bought from friend or relative?
TYPE	num
LENGTH	8
VARNUM	644

PO7A_6: Distribution	Value	n	%
No	0	60	50.0
Yes	1	60	50.0
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO7A_7	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Stole from friend or relative?
TYPE	num
LENGTH	8
VARNUM	645

PO7A_7: Distribution	Value	n	%
No	0	104	86.7
Yes	1	16	13.3
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO7A_8	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Bought from drug dealer or another stranger?
TYPE	num
LENGTH	8
VARNUM	646

PO7A_8: Distribution	Value	n	%
No	0	64	53.3
Yes	1	56	46.7
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO7A_9	
LABEL	How did you acquire the prescription opioids you used non-medically? In lifetime? Got some other way?
TYPE	num
LENGTH	8
VARNUM	647

PO7A_9: Distribution	Value	n	%
No	0	113	94.2
Yes	1	7	5.8
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO7B_1	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 6 months? Got from one doctor?
TYPE	num
LENGTH	8
VARNUM	648

PO7B_1: Distribution	Value	n	%
No	0	94	79.0
Yes	1	25	21.0
No response	N	1	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO7B_2	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 6 months? Got from more than one doctor?
TYPE	num
LENGTH	8
VARNUM	649

PO7B_2: Distribution	Value	n	%
No	0	113	95.0
Yes	1	6	5.0
No response	N	1	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO7B_3	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 6 months? Wrote fake prescription?
TYPE	num
LENGTH	8
VARNUM	650

PO7B_3: Distribution	Value	n	%
No	0	119	100.0
Yes	1	0	.
No response	N	1	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO7B_4	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 6 months? Stole from Dr. office, clinic, hospital, or pharmacy?
TYPE	num
LENGTH	8
VARNUM	651

PO7B_4: Distribution	Value	n	%
No	0	118	99.2
Yes	1	1	0.8
No response	N	1	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO7B_5	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 6 months? Got from friend or relative for free?
TYPE	num
LENGTH	8
VARNUM	652

PO7B_5: Distribution	Value	n	%
No	0	82	68.9
Yes	1	37	31.1
No response	N	1	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO7B_6	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 6 months? Bought from friend or relative?
TYPE	num
LENGTH	8
VARNUM	653

PO7B_6: Distribution	Value	n	%
No	0	81	68.1
Yes	1	38	31.9
No response	N	1	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO7B_7	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 6 months? Stole from friend or relative?
TYPE	num
LENGTH	8
VARNUM	654

PO7B_7: Distribution	Value	n	%
No	0	113	95.0
Yes	1	6	5.0
No response	N	1	.
Logical skip	S	934	.

PO7B_7: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

PO7B_8	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 6 months? Bought from drug dealer or another stranger?
TYPE	num
LENGTH	8
VARNUM	655

PO7B_8: Distribution	Value	n	%
No	0	72	60.5
Yes	1	47	39.5
No response	N	1	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO7B_9	
LABEL	How did you acquire the prescription opioids you used non-medically? In the past 6 months? Got some other way?
TYPE	num
LENGTH	8
VARNUM	656

PO7B_9: Distribution	Value	n	%
No	0	114	95.8
Yes	1	5	4.2
No response	N	1	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO7C	
LABEL	How did you acquire the prescription opioids you used non-medically? Most typical way you acquire?

PO7C	
TYPE	num
LENGTH	8
VARNUM	657

PO7C: Distribution	Value	n	%
Got from one doctor	1	22	18.3
Got from more than one doctor	2	2	1.7
Wrote fake prescription	3	0	.
Stole from Dr. office, clinic, hospital, or pharmacy	4	0	.
Got from friend or relative for free	5	24	20.0
Bought from friend or relative	6	29	24.2
Stole from friend or relative	7	1	0.8
Bought from drug dealer or other stranger	8	38	31.7
Got some other way (specify):	9	4	3.3
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8A_1	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Immediate Release Oxycodone (e.g., Percocet, Roxicodone)?
TYPE	num
LENGTH	8
VARNUM	658

PO8A_1: Distribution	Value	n	%
No	0	28	23.3
Yes	1	92	76.7
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8A_2	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Extended Release Oxycodone (e.g. OxyContin OC/OP)?
TYPE	num
LENGTH	8
VARNUM	659

PO8A_2: Distribution	Value	n	%
No	0	70	58.3
Yes	1	50	41.7
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8A_3	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Immediate Release Hydrocodone (e.g., Vicodin)?
TYPE	num
LENGTH	8
VARNUM	660

PO8A_3: Distribution	Value	n	%
No	0	64	53.3
Yes	1	56	46.7
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8A_4	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Extended Release Hydrocodone (e.g., Hysingla, Zohydro)?
TYPE	num
LENGTH	8
VARNUM	661

PO8A_4: Distribution	Value	n	%
No	0	89	74.2
Yes	1	31	25.8
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8A_5	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Buprenorphine (e.g. Suboxone, Subutex)?
TYPE	num
LENGTH	8
VARNUM	662

PO8A_5: Distribution	Value	n	%
No	0	73	60.8
Yes	1	47	39.2
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8A_6	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Methadone?
TYPE	num
LENGTH	8
VARNUM	663

PO8A_6: Distribution	Value	n	%
No	0	66	55.0
Yes	1	54	45.0
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8A_7	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Fentanyl (patch or lollipop)?
TYPE	num
LENGTH	8
VARNUM	664

PO8A_7: Distribution	Value	n	%
No	0	84	70.0
Yes	1	36	30.0
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8A_8	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Morphine (e.g. Embeda, MS-Contin)?
TYPE	num
LENGTH	8
VARNUM	665

PO8A_8: Distribution	Value	n	%
No	0	77	64.2
Yes	1	43	35.8
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8A_9	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Oxymorphone (e.g., Opana)?
TYPE	num
LENGTH	8
VARNUM	666

PO8A_9: Distribution	Value	n	%
No	0	91	75.8
Yes	1	29	24.2
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8A_10	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Hydromorphone (e.g., Dilaudid)?
TYPE	num
LENGTH	8
VARNUM	667

PO8A_10: Distribution	Value	n	%
No	0	89	74.2
Yes	1	31	25.8
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8A_11	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Tramadol (e.g. Ultram)?
TYPE	num
LENGTH	8
VARNUM	668

PO8A_11: Distribution	Value	n	%
No	0	84	70.0
Yes	1	36	30.0
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8A_12	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Codeine (e.g., Tylenol #3)?
TYPE	num
LENGTH	8
VARNUM	669

PO8A_12: Distribution	Value	n	%
No	0	81	67.5
Yes	1	39	32.5
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8A_13	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Meperidine (e.g., Demerol)?
TYPE	num
LENGTH	8
VARNUM	670

PO8A_13: Distribution	Value	n	%
No	0	102	85.0
Yes	1	18	15.0
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8A_14	
LABEL	Which of the following prescription opioids you have used non-medically? In lifetime? Other (specify)?
TYPE	num
LENGTH	8
VARNUM	671

PO8A_14: Distribution	Value	n	%
No	0	116	96.7
Yes	1	4	3.3
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8B_1	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Immediate Release Oxycodone (e.g., Percocet, Roxicodone)?
TYPE	num
LENGTH	8
VARNUM	672

PO8B_1: Distribution	Value	n	%
No	0	47	39.2
Yes	1	73	60.8
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8B_2	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Extended Release Oxycodone (e.g. OxyContin OC/OP)?
TYPE	num
LENGTH	8
VARNUM	673

PO8B_2: Distribution	Value	n	%
No	0	101	84.2
Yes	1	19	15.8
No response	N	0	.
Logical skip	S	934	.

PO8B_2: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

PO8B_3	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Immediate Release Hydrocodone (e.g., Vicodin)?
TYPE	num
LENGTH	8
VARNUM	674

PO8B_3: Distribution	Value	n	%
No	0	93	77.5
Yes	1	27	22.5
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8B_4	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Extended Release Hydrocodone (e.g., Hysingla, Zohydro)?
TYPE	num
LENGTH	8
VARNUM	675

PO8B_4: Distribution	Value	n	%
No	0	108	90.0
Yes	1	12	10.0
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8B_5	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Buprenorphine (e.g. Suboxone, Subutex)?

PO8B_5	
TYPE	num
LENGTH	8
VARNUM	676

PO8B_5: Distribution	Value	n	%
No	0	99	82.5
Yes	1	21	17.5
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8B_6	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Methadone?
TYPE	num
LENGTH	8
VARNUM	677

PO8B_6: Distribution	Value	n	%
No	0	93	77.5
Yes	1	27	22.5
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8B_7	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Fentanyl (patch or lollipop)?
TYPE	num
LENGTH	8
VARNUM	678

PO8B_7: Distribution	Value	n	%
No	0	105	87.5

PO8B_7: Distribution	Value	n	%
Yes	1	15	12.5
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8B_8	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Morphine (e.g. Embeda, MS-Contin)?
TYPE	num
LENGTH	8
VARNUM	679

PO8B_8: Distribution	Value	n	%
No	0	104	86.7
Yes	1	16	13.3
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8B_9	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Oxymorphone (e.g., Opana)?
TYPE	num
LENGTH	8
VARNUM	680

PO8B_9: Distribution	Value	n	%
No	0	112	93.3
Yes	1	8	6.7
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8B_10	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Hydromorphone (e.g., Dilaudid)?
TYPE	num
LENGTH	8
VARNUM	681

PO8B_10: Distribution	Value	n	%
No	0	109	90.8
Yes	1	11	9.2
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8B_11	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Tramadol (e.g. Ultram)?
TYPE	num
LENGTH	8
VARNUM	682

PO8B_11: Distribution	Value	n	%
No	0	107	89.2
Yes	1	13	10.8
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO8B_12	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Codeine (e.g., Tylenol #3)?
TYPE	num
LENGTH	8
VARNUM	683

PO8B_12: Distribution	Value	n	%
No	0	111	92.5
Yes	1	9	7.5
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8B_13	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Meperidine (e.g., Demerol)?
TYPE	num
LENGTH	8
VARNUM	684

PO8B_13: Distribution	Value	n	%
No	0	117	97.5
Yes	1	3	2.5
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8B_14	
LABEL	Which of the following prescription opioids you have used non-medically? In the past 6 months? Other (specify)?
TYPE	num
LENGTH	8
VARNUM	685

PO8B_14: Distribution	Value	n	%
No	0	117	97.5
Yes	1	3	2.5
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO8C	
LABEL	Which of the following prescription opioids you have used non-medically? One I like the best? Pick one.
TYPE	num
LENGTH	8
VARNUM	686

PO8C: Distribution	Value	n	%
Immediate Release Oxycodone (e.g., Percocet, Roxicodone)	1	55	45.8
Extended Release Oxycodone (e.g. OxyContin OC/OP)	2	8	6.7
Immediate Release Hydrocodone (e.g., Vicodin)	3	6	5.0
Extended Release Hydrocodone (e.g., Hysingla, Zohydro)	4	0	.
Buprenorphine (e.g. Suboxone, Subutex)	5	6	5.0
Methadone	6	12	10.0
Fentanyl (patch or lollipop)	7	10	8.3
Morphine (e.g. Embeda, MS-Contin)	8	5	4.2
Oxymorphone (e.g. Opana)	9	7	5.8
Hydromorphone (e.g. Dilaudid)	10	5	4.2
Tramadol (e.g. Ultram)	11	3	2.5
Codeine (e.g. Tylenol #3)	12	1	0.8
Meperidine (e.g., Demerol)	13	0	.
Other (specify)	14	2	1.7
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		1974	100.0

PO9	
LABEL	The last time you used [One I like the best named in PO8c], what was the dose?
TYPE	num
LENGTH	8
VARNUM	687

PO9: Distribution	Value	n	%
Milligrams	1	111	92.5
Other units	2	9	7.5
No response	N	0	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO9_MG	
LABEL	The last time you used [One I like the best named in PO8c], what was the dose? Milligrams.
TYPE	num
LENGTH	8
VARNUM	688

PO9_MG: Distribution	Value	n	%
1	1	3	2.7
4	4	2	1.8
5	5	10	9.0
8	8	4	3.6
10	10	14	12.6
12	12	1	0.9
15	15	3	2.7
16	16	3	2.7
20	20	6	5.4
25	25	2	1.8
30	30	28	25.2
36	36	1	0.9
40	40	3	2.7
45	45	2	1.8
50	50	5	4.5
60	60	3	2.7
80	80	3	2.7
90	90	2	1.8
95	95	1	0.9
100	100	4	3.6
104	104	1	0.9
120	120	3	2.7
130	130	1	0.9

PO9_MG: Distribution	Value	n	%
140	140	1	0.9
150	150	2	1.8
160	160	1	0.9
300	300	1	0.9
500	500	1	0.9
No response	N	9	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PO9_OUA	
LABEL	The last time you used [One I like the best named in PO8c], what was the dose? Other units? Specify amount in those units.
TYPE	num
LENGTH	8
VARNUM	689

PO9_OUA: Distribution	Value	n	%
1	1	3	33.3
5	5	1	11.1
10	10	1	11.1
24	24	1	11.1
30	30	1	11.1
75	75	1	11.1
550	550	1	11.1
No response	N	111	.
Logical skip	S	934	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

FE2	
LABEL	Did you use a prescription opioid (e.g., Duragesic, Percocet, Roxycodone, OxyContin) prior to using illicitly-made fentanyl for the first time?
TYPE	num
LENGTH	8
VARNUM	690

FE2: Distribution	Value	n	%
Yes	1	121	87.1
No	2	18	12.9
No response	N	1	.
Logical skip	S	914	.
Missing survey	Z	920	.
		1974	100.0

FE3	
LABEL	When was the last time you used illicitly-made fentanyl?
TYPE	num
LENGTH	8
VARNUM	691

FE3: Distribution	Value	n	%
Today	1	36	25.9
Past 7 days	2	32	23.0
Past 30 days	3	26	18.7
Past 90 days	4	22	15.8
Past 6 months	5	14	10.1
Past 12 months	6	1	0.7
More than 1 year ago	7	8	5.8
No response	N	1	.
Logical skip	S	914	.
Missing survey	Z	920	.
		1974	100.0

FE4	
LABEL	In the past 6 months, how many months did you use illicitly-made fentanyl? (Enter 1 if less than 1 month.)
TYPE	num
LENGTH	8
VARNUM	692

FE4: Distribution	Value	n	%
1	1	39	29.8

FE4: Distribution	Value	n	%
2	2	13	9.9
3	3	13	9.9
4	4	6	4.6
5	5	11	8.4
6	6	49	37.4
No response	N	1	.
Logical skip	S	922	.
Missing survey	Z	920	.
		1974	100.0

FE5	
LABEL	In the most recent month that you used illicitly-made fentanyl, how many days per month did you typically use it?
TYPE	num
LENGTH	8
VARNUM	693

FE5: Distribution	Value	n	%
0	0	7	5.0
1	1	12	8.6
2	2	10	7.1
3	3	9	6.4
4	4	3	2.1
5	5	12	8.6
6	6	2	1.4
7	7	3	2.1
8	8	2	1.4
10	10	8	5.7
14	14	1	0.7
15	15	11	7.9
20	20	11	7.9
23	23	2	1.4
24	24	1	0.7
25	25	6	4.3
28	28	4	2.9
29	29	1	0.7
30	30	35	25.0

FE5: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	914	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

FE6	
LABEL	In the past 90 days, how many days did you use illicitly-made fentanyl?
TYPE	num
LENGTH	8
VARNUM	694

FE6: Distribution	Value	n	%
0	0	1	0.9
1	1	8	6.8
2	2	8	6.8
3	3	7	6.0
4	4	2	1.7
5	5	4	3.4
6	6	5	4.3
7	7	3	2.6
8	8	1	0.9
9	9	2	1.7
10	10	5	4.3
12	12	1	0.9
15	15	4	3.4
20	20	2	1.7
25	25	2	1.7
30	30	8	6.8
35	35	1	0.9
37	37	1	0.9
40	40	1	0.9
45	45	5	4.3
50	50	1	0.9
60	60	9	7.7
69	69	1	0.9
70	70	3	2.6
74	74	1	0.9

FE6: Distribution	Value	n	%
75	75	4	3.4
83	83	1	0.9
84	84	1	0.9
85	85	1	0.9
88	88	1	0.9
90	90	23	19.7
No response	N	0	.
Logical skip	S	937	.
Missing survey	Z	920	.
		1974	100.0

HU2	
LABEL	Did you use a prescription opioid (e.g., Duragesic, Percocet, Roxicodone, OxyContin) prior to using heroin for the first time?
TYPE	num
LENGTH	8
VARNUM	695

HU2: Distribution	Value	n	%
Yes	1	201	71.5
No	2	80	28.5
No response	N	0	.
Logical skip	S	773	.
Missing survey	Z	920	.
		1974	100.0

HU3	
LABEL	When was the last time you used heroin?
TYPE	num
LENGTH	8
VARNUM	696

HU3: Distribution	Value	n	%
Today	1	93	33.1
Past 7 days	2	52	18.5
Past 30 days	3	53	18.9

HU3: Distribution	Value	n	%
Past 90 days	4	28	10.0
Past 6 months	5	36	12.8
Past 12 months	6	5	1.8
More than 1 year ago	7	14	5.0
No response	N	0	.
Logical skip	S	773	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

HU4	
LABEL	In the past 6 months, how many months did you use heroin? (Enter 1 if less than 1 month.)
TYPE	num
LENGTH	8
VARNUM	697

HU4: Distribution	Value	n	%
1	1	79	29.7
2	2	19	7.1
3	3	24	9.0
4	4	27	10.2
5	5	22	8.3
6	6	95	35.7
No response	N	1	.
Logical skip	S	787	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

HU5	
LABEL	In the most recent month that you used heroin, how many days per month did you typically use it?
TYPE	num
LENGTH	8
VARNUM	698

HU5: Distribution	Value	n	%
1	1	43	15.4

HU5: Distribution	Value	n	%
2	2	28	10.0
3	3	20	7.2
4	4	12	4.3
5	5	17	6.1
6	6	2	0.7
7	7	2	0.7
8	8	1	0.4
10	10	9	3.2
14	14	1	0.4
15	15	18	6.5
16	16	1	0.4
17	17	3	1.1
18	18	2	0.7
19	19	1	0.4
20	20	10	3.6
22	22	4	1.4
23	23	2	0.7
24	24	3	1.1
25	25	7	2.5
26	26	2	0.7
27	27	4	1.4
28	28	5	1.8
29	29	5	1.8
30	30	77	27.6
No response	N	2	.
Logical skip	S	773	.
Missing survey	Z	920	.
		1974	100.0

HU6	
LABEL	In the past 90 days, how many days did you use heroin?
TYPE	num
LENGTH	8
VARNUM	699

HU6: Distribution	Value	n	%
0	0	3	1.3

HU6: Distribution	Value	n	%
1	1	20	8.9
2	2	17	7.6
3	3	15	6.7
4	4	2	0.9
5	5	8	3.6
6	6	8	3.6
7	7	1	0.4
8	8	2	0.9
10	10	4	1.8
15	15	6	2.7
20	20	7	3.1
25	25	2	0.9
28	28	1	0.4
30	30	9	4.0
35	35	1	0.4
36	36	1	0.4
37	37	1	0.4
38	38	1	0.4
40	40	3	1.3
45	45	9	4.0
50	50	6	2.7
55	55	1	0.4
58	58	1	0.4
60	60	12	5.4
65	65	1	0.4
66	66	1	0.4
67	67	1	0.4
69	69	2	0.9
70	70	5	2.2
75	75	6	2.7
76	76	1	0.4
79	79	2	0.9
80	80	8	3.6
83	83	1	0.4
85	85	5	2.2
86	86	2	0.9
87	87	1	0.4
88	88	1	0.4

HU6: Distribution	Value	n	%
90	90	46	20.5
No response	N	2	.
Logical skip	S	828	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

HU7	
LABEL	In the most recent month that you used heroin, how much heroin did you typically consume per day? (Select one.)
TYPE	num
LENGTH	8
VARNUM	700

HU7: Distribution	Value	n	%
One small bag	1	78	27.8
2-3 small bags	2	55	19.6
4-6 small bags	3	25	8.9
More than 6 small bags	4	12	4.3
Less than one gram	5	59	21.0
More than one gram	6	52	18.5
No response	N	0	.
Logical skip	S	773	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

HU7_GMS	
LABEL	Specify how many grams (of heroin you typically consume per day)
TYPE	num
LENGTH	8
VARNUM	701

HU7_GMS: Distribution	Value	n	%
1	1	4	7.7
1.5	1.5	5	9.6
2	2	27	51.9
2.5	2.5	1	1.9

HU7_GMS: Distribution	Value	n	%
3	3	6	11.5
4	4	4	7.7
5	5	1	1.9
7	7	1	1.9
10	10	1	1.9
11	11	1	1.9
12	12	1	1.9
No response	N	229	.
Logical skip	S	773	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

HU8	
LABEL	In the most recent month that you used heroin, how many times per day did you typically use it?
TYPE	num
LENGTH	8
VARNUM	702

HU8: Distribution	Value	n	%
1	1	65	23.1
2	2	59	21.0
3	3	54	19.2
4	4	31	11.0
5	5	20	7.1
6	6	17	6.0
7	7	6	2.1
8	8	10	3.6
9	9	1	0.4
10	10	8	2.8
20	20	3	1.1
30	30	7	2.5
No response	N	0	.
Logical skip	S	773	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

DO1	
LABEL	Have you ever had a drug overdose in your life?
TYPE	num
LENGTH	8
VARNUM	703

DO1: Distribution	Value	n	%
Yes	1	387	36.7
No	2	638	60.5
No Answer	3	29	2.8
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

DO6	
LABEL	Over the past 6 months, how many times did you have a drug overdose? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	704

DO6: Distribution	Value	n	%
0	0	340	87.9
1	1	24	6.2
2	2	17	4.4
3	3	5	1.3
5 or more	5	1	0.3
No response	N	0	.
Logical skip	S	667	.
Z	Z	920	.
		<i>1974</i>	<i>100.0</i>

DO7	
LABEL	Over the past 6 months, how many times did you overdose due to opioids? If none, enter 0.
TYPE	num

DO7	
LENGTH	8
VARNUM	705

DO7: Distribution	Value	n	%
0	0	13	27.7
1	1	18	38.3
2	2	13	27.7
3	3	2	4.3
5 or more	5	1	2.1
No response	N	0	.
Logical skip	S	1007	.
Z	Z	920	.
		<i>1974</i>	<i>100.0</i>

DO8	
LABEL	Over the past 90 days, how many times did you have a drug overdose? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	706

DO8: Distribution	Value	n	%
0	0	24	51.1
1	1	17	36.2
2	2	4	8.5
3 or more	3	2	4.3
No response	N	0	.
Logical skip	S	1007	.
Z	Z	920	.
		<i>1974</i>	<i>100.0</i>

DO9	
LABEL	Over the past 90 days, how many times did you overdose due to opioids? If none, enter 0.
TYPE	num
LENGTH	8
VARNUM	707

DO9: Distribution	Value	n	%
0	0	3	13.0
1	1	15	65.2
2	2	3	13.0
3	3	2	8.7
5 or more	5	0	.
No response	N	0	.
Logical skip	S	1031	.
Z	Z	920	.
		1974	100.0

DO10_1	
LABEL	Thinking about your last overdose that involved opioids? Did someone call? 911 or Emergency Medical Service (EMS)?
TYPE	num
LENGTH	8
VARNUM	708

DO10_1: Distribution	Value	n	%
No	0	173	44.7
Yes	1	214	55.3
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		1974	100.0

DO10_2	
LABEL	Thinking about your last overdose that involved opioids? Did someone call? Police or fire department?
TYPE	num
LENGTH	8
VARNUM	709

DO10_2: Distribution	Value	n	%
No	0	346	89.4
Yes	1	41	10.6
No response	N	0	.

DO10_2: Distribution	Value	n	%
Logical skip	S	667	.
Missing survey	Z	920	.
		1974	100.0

DO10_3	
LABEL	Thinking about your last overdose that involved opioids? Did someone call? Friend(s)?
TYPE	num
LENGTH	8
VARNUM	710

DO10_3: Distribution	Value	n	%
No	0	324	83.7
Yes	1	63	16.3
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		1974	100.0

DO10_4	
LABEL	Thinking about your last overdose that involved opioids? Did someone call? Someone else?
TYPE	num
LENGTH	8
VARNUM	711

DO10_4: Distribution	Value	n	%
No	0	354	91.5
Yes	1	33	8.5
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		1974	100.0

DO10_5	
LABEL	Thinking about your last overdose that involved opioids? Did someone call? None of these apply?

DO10_5	
TYPE	num
LENGTH	8
VARNUM	712

DO10_5: Distribution	Value	n	%
No	0	270	69.8
Yes	1	117	30.2
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		1974	100.0

DO11	
LABEL	Did the Emergency Medical Services come to treat you on site?
TYPE	num
LENGTH	8
VARNUM	713

DO11: Distribution	Value	n	%
Yes	1	242	62.5
No	2	145	37.5
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		1974	100.0

DO12	
LABEL	Were you administered naloxone?
TYPE	num
LENGTH	8
VARNUM	714

DO12: Distribution	Value	n	%
Yes	1	253	65.4
No	2	134	34.6

DO12: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		1974	100.0

DO13	
LABEL	Who provided the naloxone?
TYPE	num
LENGTH	8
VARNUM	715

DO13: Distribution	Value	n	%
First responder (Emergency Medical Service /police/fire fighter)	1	178	70.4
A person with me had naloxone and gave it to me	2	46	18.2
Other professional (i.e. counselor, CBO staff, etc.)	3	5	2.0
I had naloxone and someone gave it to me	4	18	7.1
Other way (specify):	5	6	2.4
No response	N	0	.
Logical skip	S	801	.
Missing survey	Z	920	.
		1974	100.0

DO14	
LABEL	Were you taken to an Emergency Department?
TYPE	num
LENGTH	8
VARNUM	716

DO14: Distribution	Value	n	%
Yes	1	215	55.6
No	2	172	44.4
No response	N	0	.
Logical skip	S	667	.

DO14: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

DO15_1	
LABEL	What other drugs were you on at the time of your overdose? Prescription opioids used non-medically (e.g., OxyContin, Percocet, Dilaudid, Opana, Vicodin, Duragesic, Ultram, Morphine, Tramadol)?
TYPE	num
LENGTH	8
VARNUM	717

DO15_1: Distribution	Value	n	%
No	0	324	83.7
Yes	1	63	16.3
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		1974	100.0

DO15_2	
LABEL	What other drugs were you on at the time of your overdose? Prescription opioid treatment medications used non-medically (e.g., Methadone, Suboxone)?
TYPE	num
LENGTH	8
VARNUM	718

DO15_2: Distribution	Value	n	%
No	0	359	92.8
Yes	1	28	7.2
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		1974	100.0

DO15_3	
LABEL	What other drugs were you on at the time of your overdose? Prescription stimulants used non-medically (e.g., Ritalin, Adderall)?
TYPE	num
LENGTH	8
VARNUM	719

DO15_3: Distribution	Value	n	%
No	0	373	96.4
Yes	1	14	3.6
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

DO15_4	
LABEL	What other drugs were you on at the time of your overdose? Prescription sedatives used non-medically (e.g., Xanax, Klonopin, Ativan)?
TYPE	num
LENGTH	8
VARNUM	720

DO15_4: Distribution	Value	n	%
No	0	298	77.0
Yes	1	89	23.0
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

DO15_5	
LABEL	What other drugs were you on at the time of your overdose? Heroin?
TYPE	num
LENGTH	8
VARNUM	721

DO15_5: Distribution	Value	n	%
No	0	151	39.0
Yes	1	236	61.0
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

DO15_6	
LABEL	What other drugs were you on at the time of your overdose? Illicitly-made fentanyl (not the prescription Duragesic patches)?
TYPE	num
LENGTH	8
VARNUM	722

DO15_6: Distribution	Value	n	%
No	0	314	81.1
Yes	1	73	18.9
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

DO15_7	
LABEL	What other drugs were you on at the time of your overdose? Neuropathics used non-medically (e.g., gabapentin, pregabalin)?
TYPE	num
LENGTH	8
VARNUM	723

DO15_7: Distribution	Value	n	%
No	0	371	95.9
Yes	1	16	4.1
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

DO15_8	
LABEL	What other drugs were you on at the time of your overdose? Marijuana/ Cannabis?
TYPE	num
LENGTH	8
VARNUM	724

DO15_8: Distribution	Value	n	%
No	0	325	84.0
Yes	1	62	16.0
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		1974	100.0

DO15_9	
LABEL	What other drugs were you on at the time of your overdose? Cocaine/Crack (e.g., powder, rock, or in any form/combination)?
TYPE	num
LENGTH	8
VARNUM	725

DO15_9: Distribution	Value	n	%
No	0	332	85.8
Yes	1	55	14.2
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		1974	100.0

DO15_10	
LABEL	What other drugs were you on at the time of your overdose? Methamphetamine/crank?
TYPE	num
LENGTH	8
VARNUM	726

DO15_10: Distribution	Value	n	%
No	0	330	85.3
Yes	1	57	14.7
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

DO15_11	
LABEL	What other drugs were you on at the time of your overdose? Krokodil?
TYPE	num
LENGTH	8
VARNUM	727

DO15_11: Distribution	Value	n	%
No	0	385	99.5
Yes	1	2	0.5
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

DO15_12	
LABEL	What other drugs were you on at the time of your overdose? Ecstasy, PCPs, or other synthetics?
TYPE	num
LENGTH	8
VARNUM	728

DO15_12: Distribution	Value	n	%
No	0	378	97.7
Yes	1	9	2.3
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

DO15_13	
LABEL	What other drugs were you on at the time of your overdose? Inhalants?
TYPE	num
LENGTH	8
VARNUM	729

DO15_13: Distribution	Value	n	%
No	0	386	99.7
Yes	1	1	0.3
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		1974	100.0

DO15_14	
LABEL	What other drugs were you on at the time of your overdose? Alcohol?
TYPE	num
LENGTH	8
VARNUM	730

DO15_14: Distribution	Value	n	%
No	0	317	81.9
Yes	1	70	18.1
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		1974	100.0

DO15_15	
LABEL	What other drugs were you on at the time of your overdose? Tobacco?
TYPE	num
LENGTH	8
VARNUM	731

DO15_15: Distribution	Value	n	%
No	0	229	59.2

DO15_15: Distribution	Value	n	%
Yes	1	158	40.8
No response	N	0	.
Logical skip	S	667	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PD1A	
LABEL	What sex were you assigned at birth, on your original birth certificate?
TYPE	num
LENGTH	8
VARNUM	732

PD1A: Distribution	Value	n	%
Male	1	416	39.5
Female	2	627	59.5
No Answer	3	11	1.0
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PD2_1	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Anemia?
TYPE	num
LENGTH	8
VARNUM	733

PD2_1: Distribution	Value	n	%
No	0	919	87.4
Yes	1	132	12.6
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PD2_2	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Arthritis?
TYPE	num
LENGTH	8
VARNUM	734

PD2_2: Distribution	Value	n	%
No	0	840	79.9
Yes	1	211	20.1
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_3	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Asthma?
TYPE	num
LENGTH	8
VARNUM	735

PD2_3: Distribution	Value	n	%
No	0	872	83.0
Yes	1	179	17.0
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_4	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Cancer?
TYPE	num
LENGTH	8
VARNUM	736

PD2_4: Distribution	Value	n	%
No	0	1022	97.2
Yes	1	29	2.8
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_5	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Cirrhosis of the liver?
TYPE	num
LENGTH	8
VARNUM	737

PD2_5: Distribution	Value	n	%
No	0	1036	98.6
Yes	1	15	1.4
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_6	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Diabetes Type I?
TYPE	num
LENGTH	8
VARNUM	738

PD2_6: Distribution	Value	n	%
No	0	1036	98.6
Yes	1	15	1.4
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_7	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Diabetes Type II?
TYPE	num
LENGTH	8
VARNUM	739

PD2_7: Distribution	Value	n	%
No	0	1003	95.4
Yes	1	48	4.6
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_8	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Fibromyalgia?
TYPE	num
LENGTH	8
VARNUM	740

PD2_8: Distribution	Value	n	%
No	0	988	94.0
Yes	1	63	6.0
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_9	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Heart Disease?
TYPE	num
LENGTH	8
VARNUM	741

PD2_9: Distribution	Value	n	%
No	0	1020	97.1
Yes	1	31	2.9
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_10	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Hepatitis C?
TYPE	num
LENGTH	8
VARNUM	742

PD2_10: Distribution	Value	n	%
No	0	788	75.0
Yes	1	263	25.0
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_11	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? High Blood Pressure (Hypertension)?
TYPE	num
LENGTH	8
VARNUM	743

PD2_11: Distribution	Value	n	%
No	0	859	81.7
Yes	1	192	18.3
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_12	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? HIV/AIDS?
TYPE	num
LENGTH	8
VARNUM	744

PD2_12: Distribution	Value	n	%
No	0	1037	98.7
Yes	1	14	1.3
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_13	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Osteoporosis?
TYPE	num
LENGTH	8
VARNUM	745

PD2_13: Distribution	Value	n	%
No	0	1019	97.0
Yes	1	32	3.0
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_14	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Pancreatitis?
TYPE	num
LENGTH	8
VARNUM	746

PD2_14: Distribution	Value	n	%
No	0	1031	98.1
Yes	1	20	1.9
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_15	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Pneumonia?
TYPE	num
LENGTH	8
VARNUM	747

PD2_15: Distribution	Value	n	%
No	0	940	89.4
Yes	1	111	10.6
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_16	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Sexually Transmitted Disease (e.g. chlamydia, herpes, syphilis, gonorrhea)?
TYPE	num
LENGTH	8
VARNUM	748

PD2_16: Distribution	Value	n	%
No	0	945	89.9
Yes	1	106	10.1
No response	N	3	.
Logical skip	S	0	.

PD2_16: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

PD2_17	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Sleep apnea?
TYPE	num
LENGTH	8
VARNUM	749

PD2_17: Distribution	Value	n	%
No	0	969	92.2
Yes	1	82	7.8
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_18	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Stroke?
TYPE	num
LENGTH	8
VARNUM	750

PD2_18: Distribution	Value	n	%
No	0	1021	97.1
Yes	1	30	2.9
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_20	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Ulcer(s)?

PD2_20	
TYPE	num
LENGTH	8
VARNUM	751

PD2_20: Distribution	Value	n	%
No	0	985	93.7
Yes	1	66	6.3
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PD2_21	
LABEL	Which of the following did a doctor or medical professional ever tell you that you had? Other condition/none of the above
TYPE	num
LENGTH	8
VARNUM	752

PD2_21: Distribution	Value	n	%
No	0	661	62.9
Yes	1	390	37.1
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

HV1	
LABEL	Have you ever been tested for HIV/AIDS?
TYPE	num
LENGTH	8
VARNUM	753

HV1: Distribution	Value	n	%
Yes	1	891	84.5
No	2	163	15.5

HV1: Distribution	Value	n	%
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

HV3	
LABEL	Do you know the results of your most recent HIV test?
TYPE	num
LENGTH	8
VARNUM	754

HV3: Distribution	Value	n	%
No, I took the test but did not get the result	1	16	1.8
Yes, it was negative	2	857	96.3
Yes, it was positive	3	17	1.9
No response	N	1	.
Logical skip	S	163	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

HC1	
LABEL	Have you ever been tested for Hepatitis C?
TYPE	num
LENGTH	8
VARNUM	755

HC1: Distribution	Value	n	%
Yes	1	836	79.5
No	2	216	20.5
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

HC3	
LABEL	Do you know the results of your most recent Hepatitis C test?
TYPE	num
LENGTH	8
VARNUM	756

HC3: Distribution	Value	n	%
No, I took the test but did not get the result	1	13	1.6
Yes, it was negative	2	596	71.4
Yes, it was positive	3	226	27.1
No response	N	3	.
Logical skip	S	216	.
Missing survey	Z	920	.
		1974	100.0

HC4	
LABEL	Did you receive treatment for Hepatitis C?
TYPE	num
LENGTH	8
VARNUM	757

HC4: Distribution	Value	n	%
Yes	1	56	24.8
No	2	170	75.2
No response	N	3	.
Logical skip	S	825	.
Missing survey	Z	920	.
		1974	100.0

EQ1	
LABEL	How is your mobility?
TYPE	num
LENGTH	8
VARNUM	758

EQ1: Distribution	Value	n	%
I have no problems in walking about	1	670	63.6
I have slight problems in walking about	2	188	17.8
I have moderate problems in walking about	3	124	11.8
I have severe problems in walking about	4	60	5.7
I am unable to walk about	5	12	1.1
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

EQ2	
LABEL	How well can you care for yourself?
TYPE	num
LENGTH	8
VARNUM	759

EQ2: Distribution	Value	n	%
I have no problems washing or dressing myself	1	879	83.4
I have slight problems washing or dressing myself	2	92	8.7
I have moderate problems washing or dressing myself	3	60	5.7
I have severe problems washing or dressing myself	4	16	1.5
I am unable to wash or dress myself	5	7	0.7
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

EQ3	
LABEL	How are you at regular activities (e.g. work, study, housework, family or leisure activities)?
TYPE	num

EQ3	
LENGTH	8
VARNUM	760

EQ3: Distribution	Value	n	%
I have no problems doing my usual activities	1	671	63.7
I have slight problems doing my usual activities	2	178	16.9
I have moderate problems doing my usual activities	3	132	12.5
I have severe problems doing my usual activities	4	54	5.1
I am unable to do my usual activities	5	19	1.8
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

EQ4	
LABEL	How is your pain or discomfort?
TYPE	num
LENGTH	8
VARNUM	761

EQ4: Distribution	Value	n	%
I have no pain or discomfort	1	320	30.4
I have slight pain or discomfort	2	275	26.1
I have moderate pain or discomfort	3	284	27.0
I have severe pain or discomfort	4	126	12.0
I have extreme pain or discomfort	5	48	4.6
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

EQ5	
LABEL	How is your anxiety or depression?
TYPE	num
LENGTH	8
VARNUM	762

EQ5: Distribution	Value	n	%
I am not anxious or depressed	1	268	25.5
I am slightly anxious or depressed	2	253	24.0
I am moderately anxious or depressed	3	268	25.5
I am severely anxious or depressed	4	158	15.0
I am extremely anxious or depressed	5	105	10.0
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

EQ6	
LABEL	We would like to know how good or bad your health is today. (This scale is numbered from 0 to 100. 100 means the best health you can imagine. 0 means the worst health you can imagine. Enter a number from 1 to 100.) My health today is?
TYPE	num
LENGTH	8
VARNUM	763

EQ6: Distribution	Value	n	%
1	1	5	0.5
2	2	1	0.1
3	3	1	0.1
4	4	3	0.3
5	5	4	0.4
6	6	4	0.4
7	7	5	0.5
8	8	4	0.4
9	9	1	0.1
10	10	13	1.2

EQ6: Distribution	Value	n	%
15	15	3	0.3
16	16	1	0.1
20	20	9	0.9
22	22	1	0.1
24	24	1	0.1
25	25	12	1.1
30	30	12	1.1
34	34	1	0.1
35	35	6	0.6
38	38	1	0.1
39	39	2	0.2
40	40	26	2.5
42	42	1	0.1
43	43	1	0.1
44	44	1	0.1
45	45	14	1.3
46	46	1	0.1
47	47	1	0.1
50	50	98	9.3
53	53	1	0.1
54	54	1	0.1
55	55	8	0.8
56	56	3	0.3
57	57	1	0.1
59	59	2	0.2
60	60	42	4.0
65	65	21	2.0
66	66	3	0.3
67	67	4	0.4
68	68	2	0.2
69	69	6	0.6
70	70	78	7.4
73	73	1	0.1
74	74	2	0.2
75	75	113	10.8
76	76	6	0.6
77	77	5	0.5
78	78	5	0.5

EQ6: Distribution	Value	n	%
79	79	3	0.3
80	80	128	12.2
82	82	1	0.1
83	83	3	0.3
84	84	3	0.3
85	85	71	6.8
86	86	4	0.4
87	87	10	1.0
88	88	15	1.4
89	89	13	1.2
90	90	109	10.4
92	92	4	0.4
94	94	2	0.2
95	95	38	3.6
96	96	3	0.3
97	97	4	0.4
98	98	3	0.3
99	99	13	1.2
100	100	86	8.2
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

BF1	
LABEL	How are you feeling physically?
TYPE	num
LENGTH	8
VARNUM	764

BF1: Distribution	Value	n	%
Excellent	1	110	10.4
Very good	2	225	21.3
Good	3	375	35.6
Fair	4	255	24.2
Poor	5	89	8.4
No response	N	0	.

BF1: Distribution	Value	n	%
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

BF2	
LABEL	Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	765

BF2: Distribution	Value	n	%
0	0	432	41.0
1	1	37	3.5
2	2	54	5.1
3	3	44	4.2
4	4	31	2.9
5	5	69	6.6
6	6	14	1.3
7	7	22	2.1
8	8	8	0.8
9	9	2	0.2
10	10	53	5.0
11	11	3	0.3
12	12	8	0.8
14	14	7	0.7
15	15	73	6.9
16	16	5	0.5
17	17	5	0.5
18	18	3	0.3
19	19	1	0.1
20	20	50	4.7
21	21	2	0.2
23	23	1	0.1
25	25	21	2.0
26	26	2	0.2

BF2: Distribution	Value	n	%
27	27	3	0.3
28	28	9	0.9
29	29	5	0.5
30	30	89	8.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BF3	
LABEL	Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	766

BF3: Distribution	Value	n	%
0	0	298	28.3
1	1	27	2.6
2	2	52	4.9
3	3	40	3.8
4	4	19	1.8
5	5	68	6.5
6	6	13	1.2
7	7	31	2.9
8	8	15	1.4
9	9	2	0.2
10	10	69	6.5
11	11	1	0.1
12	12	7	0.7
13	13	2	0.2
14	14	8	0.8
15	15	94	8.9
16	16	10	0.9
17	17	6	0.6
18	18	5	0.5

BF3: Distribution	Value	n	%
20	20	77	7.3
21	21	6	0.6
22	22	6	0.6
23	23	1	0.1
24	24	6	0.6
25	25	35	3.3
26	26	7	0.7
27	27	5	0.5
28	28	8	0.8
29	29	5	0.5
30	30	131	12.4
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BF4	
LABEL	During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	767

BF4: Distribution	Value	n	%
0	0	428	40.7
1	1	22	2.1
2	2	43	4.1
3	3	40	3.8
4	4	19	1.8
5	5	71	6.8
6	6	12	1.1
7	7	20	1.9
8	8	10	1.0
9	9	3	0.3
10	10	67	6.4
11	11	4	0.4

BF4: Distribution	Value	n	%
12	12	10	1.0
13	13	2	0.2
14	14	5	0.5
15	15	83	7.9
16	16	7	0.7
17	17	3	0.3
18	18	1	0.1
19	19	2	0.2
20	20	74	7.0
21	21	4	0.4
22	22	1	0.1
24	24	2	0.2
25	25	30	2.9
26	26	1	0.1
27	27	2	0.2
28	28	7	0.7
29	29	2	0.2
30	30	76	7.2
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BF5	
LABEL	These next questions are about physical, mental, or emotional problems or limitations you may have in your daily life. Are you LIMITED in any way in any activities because of any impairment or health problem?
TYPE	num
LENGTH	8
VARNUM	768

BF5: Distribution	Value	n	%
Yes	1	348	33.1
No	2	704	66.9
No response	N	2	.
Logical skip	S	0	.

BF5: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

BF6	
LABEL	What is the one MAJOR impairment or health problem that limits your activities?
TYPE	num
LENGTH	8
VARNUM	769

BF6: Distribution	Value	n	%
Arthritis/rheumatism	1	20	5.7
Back or neck problem	2	73	21.0
Fractures, bone/joint injury	3	25	7.2
Walking problem	4	27	7.8
Lung/breathing problem	5	22	6.3
Hearing problem	6	2	0.6
Eye/vision problem	7	7	2.0
Heart problem	8	3	0.9
Stroke problem	9	3	0.9
Hypertension/high blood pressure	10	3	0.9
Diabetes	11	4	1.1
Cancer	12	6	1.7
Depression/anxiety/emotional problem	13	124	35.6
Other impairment/problem	14	29	8.3
No response	N	2	.
Logical skip	S	704	.
Missing survey	Z	920	.
		1974	100.0

BF7_DAYS	
LABEL	For how long have your activities been limited because of your major impairment or health problem? (Days)
TYPE	num
LENGTH	8
VARNUM	770

BF7_DAYS: Distribution	Value	n	%
0	0	156	46.0
1	1	20	5.9
2	2	8	2.4
3	3	10	2.9
4	4	2	0.6
5	5	21	6.2
6	6	5	1.5
7	7	6	1.8
8	8	4	1.2
9	9	1	0.3
10	10	7	2.1
12	12	2	0.6
13	13	1	0.3
14	14	1	0.3
15	15	7	2.1
16	16	1	0.3
20	20	6	1.8
21	21	2	0.6
22	22	2	0.6
24	24	1	0.3
25	25	5	1.5
26	26	1	0.3
28	28	1	0.3
30	30	69	20.4
No response	N	11	.
Logical skip	S	704	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BF7_WKS	
LABEL	For how long have your activities been limited because of your major impairment or health problem? (Weeks)
TYPE	num
LENGTH	8
VARNUM	771

BF7_WKS: Distribution	Value	n	%
0	0	164	48.8
1	1	18	5.4
2	2	27	8.0
3	3	22	6.5
4	4	45	13.4
5	5	60	17.9
No response	N	14	.
Logical skip	S	704	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BF7_MONTHS	
LABEL	For how long have your activities been limited because of your major impairment or health problem? (Months)
TYPE	num
LENGTH	8
VARNUM	772

BF7_MONTHS: Distribution	Value	n	%
0	0	144	42.7
1	1	24	7.1
2	2	11	3.3
3	3	19	5.6
4	4	15	4.5
5	5	38	11.3
6	6	12	3.6
7	7	1	0.3
8	8	7	2.1
9	9	6	1.8
10	10	8	2.4
11	11	5	1.5
12	12	47	13.9
No response	N	13	.
Logical skip	S	704	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BF7_YEARS	
LABEL	For how long have your activities been limited because of your major impairment or health problem? (Years)
TYPE	num
LENGTH	8
VARNUM	773

BF7_YEARS: Distribution	Value	n	%
0	0	25	7.2
1	1	27	7.8
2	2	22	6.3
3	3	18	5.2
4	4	16	4.6
5	5	31	8.9
6	6	7	2.0
7	7	10	2.9
8	8	14	4.0
9	9	7	2.0
10	10	48	13.8
11	11	2	0.6
12	12	29	8.4
13	13	4	1.2
14	14	5	1.4
15	15	19	5.5
16	16	2	0.6
17	17	1	0.3
18	18	4	1.2
19	19	3	0.9
20	20	23	6.6
21	21	3	0.9
22	22	1	0.3
23	23	2	0.6
25	25	4	1.2
26	26	1	0.3
27	27	1	0.3
28	28	1	0.3
30	30	6	1.7
31	31	1	0.3

BF7_YEARS: Distribution	Value	n	%
32	32	1	0.3
34	34	1	0.3
35	35	2	0.6
40	40	3	0.9
44	44	1	0.3
45	45	1	0.3
48	48	1	0.3
No response	N	3	.
Logical skip	S	704	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BF8	
LABEL	Because of any impairment or health problem, do you need the help of other persons with your personal care needs, such as eating, bathing, dressing, or getting around the house?
TYPE	num
LENGTH	8
VARNUM	774

BF8: Distribution	Value	n	%
Yes	1	100	9.5
No	2	953	90.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BF9	
LABEL	Because of any impairment or health problem, do you need the help of other persons in handling your routine needs, such as everyday household chores, doing necessary business, shopping, or getting around for other purposes?
TYPE	num
LENGTH	8
VARNUM	775

BF9: Distribution	Value	n	%
Yes	1	191	18.1

BF9: Distribution	Value	n	%
No	2	863	81.9
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BF10	
LABEL	During the past 30 days, for about how many days did PAIN make it hard for you to do your usual activities, such as self-care, work, or recreation? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	776

BF10: Distribution	Value	n	%
0	0	464	44.0
1	1	23	2.2
2	2	53	5.0
3	3	43	4.1
4	4	28	2.7
5	5	57	5.4
6	6	12	1.1
7	7	14	1.3
8	8	6	0.6
9	9	3	0.3
10	10	61	5.8
11	11	1	0.1
12	12	8	0.8
13	13	1	0.1
14	14	4	0.4
15	15	56	5.3
16	16	4	0.4
18	18	3	0.3
19	19	1	0.1
20	20	47	4.5
21	21	3	0.3
22	22	3	0.3
24	24	2	0.2

BF10: Distribution	Value	n	%
25	25	25	2.4
26	26	3	0.3
27	27	4	0.4
28	28	4	0.4
29	29	1	0.1
30	30	120	11.4
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BF11	
LABEL	During the past 30 days, for about how many days have you felt SAD, BLUE, or DEPRESSED? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	777

BF11: Distribution	Value	n	%
0	0	295	28.0
1	1	32	3.0
2	2	54	5.1
3	3	55	5.2
4	4	28	2.7
5	5	77	7.3
6	6	11	1.0
7	7	14	1.3
8	8	11	1.0
9	9	6	0.6
10	10	85	8.1
11	11	2	0.2
12	12	4	0.4
13	13	2	0.2
14	14	4	0.4
15	15	84	8.0
16	16	2	0.2
17	17	10	0.9

BF11: Distribution	Value	n	%
18	18	2	0.2
19	19	3	0.3
20	20	82	7.8
21	21	3	0.3
22	22	3	0.3
23	23	2	0.2
24	24	1	0.1
25	25	39	3.7
26	26	5	0.5
27	27	3	0.3
28	28	9	0.9
29	29	5	0.5
30	30	120	11.4
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

BF12	
LABEL	During the past 30 days, for about how many days have you felt WORRIED, TENSE, or ANXIOUS? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	778

BF12: Distribution	Value	n	%
0	0	261	24.8
1	1	23	2.2
2	2	47	4.5
3	3	44	4.2
4	4	18	1.7
5	5	66	6.3
6	6	16	1.5
7	7	30	2.8
8	8	12	1.1
9	9	2	0.2
10	10	83	7.9

BF12: Distribution	Value	n	%
11	11	1	0.1
12	12	7	0.7
13	13	2	0.2
14	14	8	0.8
15	15	72	6.8
16	16	6	0.6
17	17	4	0.4
18	18	5	0.5
20	20	74	7.0
21	21	3	0.3
23	23	1	0.1
24	24	6	0.6
25	25	40	3.8
26	26	1	0.1
27	27	9	0.9
28	28	13	1.2
29	29	7	0.7
30	30	192	18.2
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BF13	
LABEL	During the past 30 days, for about how many days have you felt you did NOT get ENOUGH REST or SLEEP? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	779

BF13: Distribution	Value	n	%
0	0	264	25.1
1	1	16	1.5
2	2	26	2.5
3	3	42	4.0
4	4	21	2.0
5	5	77	7.3

BF13: Distribution	Value	n	%
6	6	16	1.5
7	7	26	2.5
8	8	10	0.9
9	9	11	1.0
10	10	68	6.5
11	11	5	0.5
12	12	3	0.3
14	14	8	0.8
15	15	96	9.1
16	16	7	0.7
17	17	3	0.3
18	18	9	0.9
19	19	4	0.4
20	20	89	8.5
21	21	2	0.2
22	22	3	0.3
23	23	3	0.3
24	24	6	0.6
25	25	42	4.0
26	26	6	0.6
27	27	4	0.4
28	28	8	0.8
29	29	7	0.7
30	30	171	16.2
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

BF14	
LABEL	During the past 30 days, for about how many days have you felt VERY HEALTHY AND FULL OF ENERGY? (Enter 0 if zero days.)
TYPE	num
LENGTH	8
VARNUM	780

BF14: Distribution	Value	n	%
0	0	303	28.8
1	1	16	1.5
2	2	51	4.8
3	3	27	2.6
4	4	30	2.8
5	5	91	8.6
6	6	13	1.2
7	7	18	1.7
8	8	8	0.8
9	9	4	0.4
10	10	84	8.0
11	11	2	0.2
12	12	5	0.5
14	14	4	0.4
15	15	75	7.1
16	16	6	0.6
17	17	2	0.2
18	18	8	0.8
19	19	4	0.4
20	20	81	7.7
21	21	5	0.5
22	22	6	0.6
23	23	7	0.7
24	24	3	0.3
25	25	49	4.7
26	26	6	0.6
27	27	12	1.1
28	28	21	2.0
29	29	9	0.9
30	30	103	9.8
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MD1_1	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Major Depression/Clinical Depression?
TYPE	num
LENGTH	8
VARNUM	781

MD1_1: Distribution	Value	n	%
No	0	651	61.8
Yes	1	402	38.2
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

MD1_2	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Bi-Polar Disorder/Mania/Manic Depression?
TYPE	num
LENGTH	8
VARNUM	782

MD1_2: Distribution	Value	n	%
No	0	810	76.9
Yes	1	243	23.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

MD1_3	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Dysthymia?
TYPE	num
LENGTH	8
VARNUM	783

MD1_3: Distribution	Value	n	%
No	0	1040	98.8
Yes	1	13	1.2
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MD1_4	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Generalized Anxiety Disorder?
TYPE	num
LENGTH	8
VARNUM	784

MD1_4: Distribution	Value	n	%
No	0	680	64.6
Yes	1	373	35.4
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MD1_5	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Phobia (e.g. specific phobias like spiders, or general phobias like agoraphobia)?
TYPE	num
LENGTH	8
VARNUM	785

MD1_5: Distribution	Value	n	%
No	0	1006	95.5
Yes	1	47	4.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

MD1_6	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Post-Traumatic Stress Disorder/PTSD?
TYPE	num
LENGTH	8
VARNUM	786

MD1_6: Distribution	Value	n	%
No	0	740	70.3
Yes	1	313	29.7
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

MD1_7	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Panic Disorder?
TYPE	num
LENGTH	8
VARNUM	787

MD1_7: Distribution	Value	n	%
No	0	889	84.4
Yes	1	164	15.6
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

MD1_8	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Conduct Disorder (before age 18)?
TYPE	num
LENGTH	8
VARNUM	788

MD1_8: Distribution	Value	n	%
No	0	1036	98.4
Yes	1	17	1.6
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

MD1_9	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Personality Disorder (e.g., Borderline Personality Disorder, Anti-social Personality Disorder)?
TYPE	num
LENGTH	8
VARNUM	789

MD1_9: Distribution	Value	n	%
No	0	962	91.4
Yes	1	91	8.6
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

MD1_10	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Intermittent Explosive Disorder?
TYPE	num
LENGTH	8
VARNUM	790

MD1_10: Distribution	Value	n	%
No	0	1042	99.0
Yes	1	11	1.0
No response	N	1	.
Logical skip	S	0	.

MD1_10: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

MD1_11	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Attention-Deficit Hyperactivity Disorder (ADHD)?
TYPE	num
LENGTH	8
VARNUM	791

MD1_11: Distribution	Value	n	%
No	0	897	85.2
Yes	1	156	14.8
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

MD1_12	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Obsessive-Compulsive Disorder?
TYPE	num
LENGTH	8
VARNUM	792

MD1_12: Distribution	Value	n	%
No	0	964	91.5
Yes	1	89	8.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

MD1_13	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Eating Disorder (e.g., Anorexia Nervosa, Binge Eating Disorder)?

MD1_13	
TYPE	num
LENGTH	8
VARNUM	793

MD1_13: Distribution	Value	n	%
No	0	1012	96.1
Yes	1	41	3.9
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

MD1_14	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? Other Mental Health Condition?
TYPE	num
LENGTH	8
VARNUM	794

MD1_14: Distribution	Value	n	%
No	0	970	92.1
Yes	1	83	7.9
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

MD1_15	
LABEL	Have you ever been diagnosed with any of the following mental health conditions? None?
TYPE	num
LENGTH	8
VARNUM	795

MD1_15: Distribution	Value	n	%
No	0	663	63.0
Yes	1	390	37.0

MD1_15: Distribution	Value	n	%
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

MD2	
LABEL	At any time in the past 6 months, did you seriously think about trying to kill yourself?
TYPE	num
LENGTH	8
VARNUM	796

MD2: Distribution	Value	n	%
Yes	1	93	8.8
No	2	960	91.2
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

MD3	
LABEL	During the past 6 months, did you try to kill yourself?
TYPE	num
LENGTH	8
VARNUM	797

MD3: Distribution	Value	n	%
Yes	1	14	1.3
No	2	1040	98.7
No response	N	0	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PS1A	
LABEL	In the past 30 days, how often have you... Been upset because of something that happened unexpectedly?
TYPE	num
LENGTH	8
VARNUM	798

PS1A: Distribution	Value	n	%
Never	1	154	14.6
Almost never	2	186	17.7
Sometimes	3	460	43.7
Fairly often	4	169	16.1
Very often	5	83	7.9
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PS1B	
LABEL	In the past 30 days, how often have you... Felt you were unable to control the important things in your life?
TYPE	num
LENGTH	8
VARNUM	799

PS1B: Distribution	Value	n	%
Never	1	227	21.6
Almost never	2	207	19.7
Sometimes	3	369	35.1
Fairly often	4	151	14.4
Very often	5	97	9.2
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PS1C	
LABEL	In the past 30 days, how often have you... Felt nervous and stressed?
TYPE	num
LENGTH	8
VARNUM	800

PS1C: Distribution	Value	n	%
Never	1	137	13.0
Almost never	2	124	11.8
Sometimes	3	390	37.1
Fairly often	4	222	21.1
Very often	5	177	16.9
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PS1D	
LABEL	In the past 30 days, how often have you... Felt confident about your ability to handle your personal problems?
TYPE	num
LENGTH	8
VARNUM	801

PS1D: Distribution	Value	n	%
Never	1	95	9.0
Almost never	2	108	10.3
Sometimes	3	387	36.8
Fairly often	4	274	26.1
Very often	5	187	17.8
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PS1E	
LABEL	In the past 30 days, how often have you... Felt that things were not going your way?

PS1E	
TYPE	num
LENGTH	8
VARNUM	802

PS1E: Distribution	Value	n	%
Never	1	152	14.4
Almost never	2	152	14.4
Sometimes	3	457	43.4
Fairly often	4	170	16.2
Very often	5	121	11.5
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PS1F	
LABEL	In the past 30 days, how often have you... Found that you could not cope with all the things you had to do?
TYPE	num
LENGTH	8
VARNUM	803

PS1F: Distribution	Value	n	%
Never	1	240	22.8
Almost never	2	222	21.1
Sometimes	3	347	33.0
Fairly often	4	166	15.8
Very often	5	78	7.4
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PS1G	
LABEL	In the past 30 days, how often have you... Been able to control irritations in your life?
TYPE	num

PS1G	
LENGTH	8
VARNUM	804

PS1G: Distribution	Value	n	%
Never	1	109	10.4
Almost never	2	133	12.7
Sometimes	3	394	37.6
Fairly often	4	255	24.4
Very often	5	156	14.9
No response	N	7	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PS1H	
LABEL	In the past 30 days, how often have you... Felt you were on top of things?
TYPE	num
LENGTH	8
VARNUM	805

PS1H: Distribution	Value	n	%
Never	1	115	11.0
Almost never	2	185	17.6
Sometimes	3	391	37.3
Fairly often	4	234	22.3
Very often	5	124	11.8
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PS1I	
LABEL	In the past 30 days, how often have you... Been angered because things were out of your control?
TYPE	num

PS1I	
LENGTH	8
VARNUM	806

PS1I: Distribution	Value	n	%
Never	1	191	18.2
Almost never	2	209	19.9
Sometimes	3	427	40.6
Fairly often	4	145	13.8
Very often	5	80	7.6
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PS1J	
LABEL	In the past 30 days, how often have you... Felt difficulties were piling up so high that you could not overcome them?
TYPE	num
LENGTH	8
VARNUM	807

PS1J: Distribution	Value	n	%
Never	1	235	22.4
Almost never	2	213	20.3
Sometimes	3	348	33.1
Fairly often	4	138	13.1
Very often	5	117	11.1
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PQ1A	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Little interest or pleasure in doing things?
TYPE	num

PQ1A	
LENGTH	8
VARNUM	808

PQ1A: Distribution	Value	n	%
Not at all	1	405	38.6
Several days	2	341	32.5
More than half the days	3	178	17.0
Nearly every day	4	126	12.0
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PQ1B	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling down, depressed, or hopeless?
TYPE	num
LENGTH	8
VARNUM	809

PQ1B: Distribution	Value	n	%
Not at all	1	386	36.8
Several days	2	375	35.7
More than half the days	3	155	14.8
Nearly every day	4	134	12.8
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PQ1C	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Trouble falling or staying asleep, or sleeping too much?
TYPE	num
LENGTH	8
VARNUM	810

PQ1C: Distribution	Value	n	%
Not at all	1	319	30.3
Several days	2	338	32.1
More than half the days	3	182	17.3
Nearly every day	4	213	20.2
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PQ1D	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling tired or having little energy?
TYPE	num
LENGTH	8
VARNUM	811

PQ1D: Distribution	Value	n	%
Not at all	1	277	26.4
Several days	2	382	36.4
More than half the days	3	181	17.2
Nearly every day	4	210	20.0
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PQ1E	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Poor appetite or overeating?
TYPE	num
LENGTH	8
VARNUM	812

PQ1E: Distribution	Value	n	%
Not at all	1	429	40.8
Several days	2	324	30.8

PQ1E: Distribution	Value	n	%
More than half the days	3	163	15.5
Nearly every day	4	135	12.8
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PQ1F	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Feeling bad about yourself or that you are a failure or have let yourself or your family down?
TYPE	num
LENGTH	8
VARNUM	813

PQ1F: Distribution	Value	n	%
Not at all	1	431	40.9
Several days	2	337	32.0
More than half the days	3	147	14.0
Nearly every day	4	138	13.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

PQ1G	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Trouble concentrating on things, such as reading the newspaper or watching television?
TYPE	num
LENGTH	8
VARNUM	814

PQ1G: Distribution	Value	n	%
Not at all	1	494	47.0
Several days	2	284	27.0
More than half the days	3	156	14.8

PQ1G: Distribution	Value	n	%
Nearly every day	4	117	11.1
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PQ1H	
LABEL	Over the past 2 weeks, how often have you been bothered by any of the following problems? Moving/speaking so slowly that other people could have noticed? Or the opposite; being so fidgety/ restless that you have been moving around a lot more than usual?
TYPE	num
LENGTH	8
VARNUM	815

PQ1H: Distribution	Value	n	%
Not at all	1	703	66.8
Several days	2	206	19.6
More than half the days	3	90	8.6
Nearly every day	4	53	5.0
No response	N	2	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PT1A	
LABEL	In your life, have you ever had any experience that was so frightening, horrible or upsetting that, in the past 30 days, you? Have had nightmares about it or thought about it when you did not want to?
TYPE	num
LENGTH	8
VARNUM	816

PT1A: Distribution	Value	n	%
Yes	1	415	39.5
No	2	635	60.5
No response	N	4	.
Logical skip	S	0	.

PT1A: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

PT1B	
LABEL	In your life, have you ever had any experience that was so frightening, horrible or upsetting that, in the past 30 days, you? Tried hard not to think about it or went out of your way to avoid situations that reminded you of it?
TYPE	num
LENGTH	8
VARNUM	817

PT1B: Distribution	Value	n	%
Yes	1	488	46.5
No	2	562	53.5
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PT1C	
LABEL	In your life, have you ever had any experience that was so frightening, horrible or upsetting that, in the past 30 days, you? Were constantly on guard, watchful or easily startled?
TYPE	num
LENGTH	8
VARNUM	818

PT1C: Distribution	Value	n	%
Yes	1	394	37.5
No	2	656	62.5
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

PT1D	
LABEL	In your life, have you ever had any experience that was so frightening, horrible or upsetting that, in the past 30 days, you? Felt numb or detached from others, activities, or your surroundings?
TYPE	num
LENGTH	8
VARNUM	819

PT1D: Distribution	Value	n	%
Yes	1	465	44.3
No	2	585	55.7
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SO1A	
LABEL	Would you say you? There is a special person who is around when I am in need?
TYPE	num
LENGTH	8
VARNUM	820

SO1A: Distribution	Value	n	%
Very Strongly Agree	1	435	41.4
Strongly Agree	2	207	19.7
Mildly Agree	3	116	11.0
Neutral	4	143	13.6
Mildly Disagree	5	48	4.6
Strongly Disagree	6	44	4.2
Very Strongly Disagree	7	57	5.4
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SO1B	
LABEL	Would you say you? There is a special person with whom I can share my joys and sorrows?

SO1B	
TYPE	num
LENGTH	8
VARNUM	821

SO1B: Distribution	Value	n	%
Very Strongly Agree	1	449	42.8
Strongly Agree	2	210	20.0
Mildly Agree	3	122	11.6
Neutral	4	128	12.2
Mildly Disagree	5	38	3.6
Strongly Disagree	6	39	3.7
Very Strongly Disagree	7	63	6.0
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SO1C	
LABEL	Would you say you? My family really tries to help me?
TYPE	num
LENGTH	8
VARNUM	822

SO1C: Distribution	Value	n	%
Very Strongly Agree	1	385	36.6
Strongly Agree	2	214	20.4
Mildly Agree	3	145	13.8
Neutral	4	132	12.6
Mildly Disagree	5	44	4.2
Strongly Disagree	6	56	5.3
Very Strongly Disagree	7	75	7.1
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SO1D	
LABEL	Would you say you? I get the emotional help and support I need from my family?
TYPE	num
LENGTH	8
VARNUM	823

SO1D: Distribution	Value	n	%
Very Strongly Agree	1	350	33.2
Strongly Agree	2	202	19.2
Mildly Agree	3	142	13.5
Neutral	4	150	14.2
Mildly Disagree	5	58	5.5
Strongly Disagree	6	60	5.7
Very Strongly Disagree	7	91	8.6
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SO1E	
LABEL	Would you say you? I have a special person who is a real source of comfort to me?
TYPE	num
LENGTH	8
VARNUM	824

SO1E: Distribution	Value	n	%
Very Strongly Agree	1	455	43.4
Strongly Agree	2	211	20.1
Mildly Agree	3	129	12.3
Neutral	4	117	11.2
Mildly Disagree	5	37	3.5
Strongly Disagree	6	35	3.3
Very Strongly Disagree	7	65	6.2
No response	N	5	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SO1F	
LABEL	Would you say you? My friends really try to help me?
TYPE	num
LENGTH	8
VARNUM	825

SO1F: Distribution	Value	n	%
Very Strongly Agree	1	273	26.1
Strongly Agree	2	200	19.1
Mildly Agree	3	162	15.5
Neutral	4	201	19.2
Mildly Disagree	5	65	6.2
Strongly Disagree	6	59	5.6
Very Strongly Disagree	7	86	8.2
No response	N	8	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SO1G	
LABEL	Would you say you? I can count on my friends when things go wrong?
TYPE	num
LENGTH	8
VARNUM	826

SO1G: Distribution	Value	n	%
Very Strongly Agree	1	270	25.7
Strongly Agree	2	166	15.8
Mildly Agree	3	147	14.0
Neutral	4	209	19.9
Mildly Disagree	5	79	7.5
Strongly Disagree	6	78	7.4
Very Strongly Disagree	7	100	9.5
No response	N	5	.
Logical skip	S	0	.

SO1G: Distribution	Value	n	%
Missing survey	Z	920	.
		1974	100.0

SO1H	
LABEL	Would you say you? I can talk about my problems with my family?
TYPE	num
LENGTH	8
VARNUM	827

SO1H: Distribution	Value	n	%
Very Strongly Agree	1	332	31.6
Strongly Agree	2	198	18.9
Mildly Agree	3	159	15.1
Neutral	4	150	14.3
Mildly Disagree	5	57	5.4
Strongly Disagree	6	60	5.7
Very Strongly Disagree	7	94	9.0
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SO1I	
LABEL	Would you say you? I have friends with whom I can share my joys and sorrows?
TYPE	num
LENGTH	8
VARNUM	828

SO1I: Distribution	Value	n	%
Very Strongly Agree	1	302	28.7
Strongly Agree	2	200	19.0
Mildly Agree	3	172	16.4
Neutral	4	163	15.5
Mildly Disagree	5	56	5.3
Strongly Disagree	6	62	5.9
Very Strongly Disagree	7	96	9.1

SO1I: Distribution	Value	n	%
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SO1J	
LABEL	Would you say you? There is a special person in my life who cares about my feelings?
TYPE	num
LENGTH	8
VARNUM	829

SO1J: Distribution	Value	n	%
Very Strongly Agree	1	467	44.4
Strongly Agree	2	207	19.7
Mildly Agree	3	130	12.4
Neutral	4	105	10.0
Mildly Disagree	5	46	4.4
Strongly Disagree	6	35	3.3
Very Strongly Disagree	7	61	5.8
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

SO1K	
LABEL	Would you say you? My family is willing to help me make decisions?
TYPE	num
LENGTH	8
VARNUM	830

SO1K: Distribution	Value	n	%
Very Strongly Agree	1	350	33.3
Strongly Agree	2	223	21.2
Mildly Agree	3	142	13.5
Neutral	4	156	14.8
Mildly Disagree	5	38	3.6

SO1K: Distribution	Value	n	%
Strongly Disagree	6	48	4.6
Very Strongly Disagree	7	94	8.9
No response	N	3	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

SO1L	
LABEL	Would you say you? I can talk about my problems with friends?
TYPE	num
LENGTH	8
VARNUM	831

SO1L: Distribution	Value	n	%
Very Strongly Agree	1	290	27.6
Strongly Agree	2	198	18.9
Mildly Agree	3	171	16.3
Neutral	4	168	16.0
Mildly Disagree	5	60	5.7
Strongly Disagree	6	82	7.8
Very Strongly Disagree	7	81	7.7
No response	N	4	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

HI1_1	
LABEL	Do you have any of the following types of health insurance? Insurance plan through current/former employer or union?
TYPE	num
LENGTH	8
VARNUM	832

HI1_1: Distribution	Value	n	%
No	0	962	91.4
Yes	1	91	8.6

HI1_1: Distribution	Value	n	%
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

HI1_2	
LABEL	Do you have any of the following types of health insurance? Insurance through the work plan of someone else (e.g., spouse/domestic partner, parent, or other)?
TYPE	num
LENGTH	8
VARNUM	833

HI1_2: Distribution	Value	n	%
No	0	1016	96.5
Yes	1	37	3.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

HI1_3	
LABEL	Do you have any of the following types of health insurance? Privately purchased insurance?
TYPE	num
LENGTH	8
VARNUM	834

HI1_3: Distribution	Value	n	%
No	0	1039	98.7
Yes	1	14	1.3
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

HI1_4	
LABEL	Do you have any of the following types of health insurance? Medicare?
TYPE	num
LENGTH	8
VARNUM	835

HI1_4: Distribution	Value	n	%
No	0	850	80.7
Yes	1	203	19.3
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

HI1_5	
LABEL	Do you have any of the following types of health insurance? Medicaid?
TYPE	num
LENGTH	8
VARNUM	836

HI1_5: Distribution	Value	n	%
No	0	469	44.5
Yes	1	584	55.5
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

HI1_6	
LABEL	Do you have any of the following types of health insurance? Veterans Administration-provided insurance?
TYPE	num
LENGTH	8
VARNUM	837

HI1_6: Distribution	Value	n	%
No	0	1041	98.9

HI1_6: Distribution	Value	n	%
Yes	1	12	1.1
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

HI1_7	
LABEL	Do you have any of the following types of health insurance? Other?
TYPE	num
LENGTH	8
VARNUM	838

HI1_7: Distribution	Value	n	%
No	0	996	94.6
Yes	1	57	5.4
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

HI1_8	
LABEL	Do you have any of the following types of health insurance? No, I do not have health insurance?
TYPE	num
LENGTH	8
VARNUM	839

HI1_8: Distribution	Value	n	%
No	0	891	84.6
Yes	1	162	15.4
No response	N	1	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

HI2	
LABEL	Does your health insurance cover any part of the costs associated with medication-assisted treatment services (i.e., methadone, buprenorphine, naltrexone)?
TYPE	num
LENGTH	8
VARNUM	840

HI2: Distribution	Value	n	%
Yes, most (75% or more of the costs)	1	0	.
Yes, some (less than 75% but more than 25% of the costs)	2	0	.
Yes, Very Little (less than 25%)	3	0	.
None	4	0	.
No response	N	163	.
Logical skip	S	891	.
Missing survey	Z	920	.
		1974	.

HI3	
LABEL	Does your health insurance cover any part of the costs associated with counseling services for treatment of substance abuse?
TYPE	num
LENGTH	8
VARNUM	841

HI3: Distribution	Value	n	%
Yes, most (75% or more of the costs)	1	0	.
Yes, some (less than 75% but more than 25% of the costs)	2	0	.
Yes, Very Little (less than 25%)	3	0	.
None	4	0	.
No response	N	163	.
Logical skip	S	891	.
Missing survey	Z	920	.
		1974	.

D11_1	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Car, truck or van driven by you?
TYPE	num
LENGTH	8
VARNUM	842

D11_1: Distribution	Value	n	%
No	0	389	48.5
Yes	1	413	51.5
No response	N	252	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

D11_2	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Car, truck or van driven by your family or friends?
TYPE	num
LENGTH	8
VARNUM	843

D11_2: Distribution	Value	n	%
No	0	672	83.8
Yes	1	130	16.2
No response	N	252	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

D11_3	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Public transportation (e.g., bus, subway)?
TYPE	num
LENGTH	8
VARNUM	844

D11_3: Distribution	Value	n	%
No	0	614	76.6
Yes	1	188	23.4
No response	N	252	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

D11_4	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Taxi cab or car service (e.g., Uber, Lyft)?
TYPE	num
LENGTH	8
VARNUM	845

D11_4: Distribution	Value	n	%
No	0	687	85.7
Yes	1	115	14.3
No response	N	252	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

D11_5	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Motorcycle?
TYPE	num
LENGTH	8
VARNUM	846

D11_5: Distribution	Value	n	%
No	0	801	99.9
Yes	1	1	0.1
No response	N	252	.
Logical skip	S	0	.
Missing survey	Z	920	.
		<i>1974</i>	<i>100.0</i>

D11_6	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Bicycle?
TYPE	num
LENGTH	8
VARNUM	847

D11_6: Distribution	Value	n	%
No	0	790	98.5
Yes	1	12	1.5
No response	N	252	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

D11_7	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Walk?
TYPE	num
LENGTH	8
VARNUM	848

D11_7: Distribution	Value	n	%
No	0	749	93.4
Yes	1	53	6.6
No response	N	252	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

D11_8	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) I lived at (FACILITY)?
TYPE	num
LENGTH	8
VARNUM	849

D11_8: Distribution	Value	n	%
No	0	795	99.1
Yes	1	7	0.9
No response	N	252	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

D11_9	
LABEL	How (do/did) you usually get to your appointments at [FACILITY]? (If you (use/used) multiple methods, tell us the one you (use/used) most.) Other?
TYPE	num
LENGTH	8
VARNUM	850

D11_9: Distribution	Value	n	%
No	0	766	95.5
Yes	1	36	4.5
No response	N	252	.
Logical skip	S	0	.
Missing survey	Z	920	.
		1974	100.0

pufsite_ID	
LABEL	Site ID
TYPE	num
LENGTH	8
VARNUM	851