

FAMILY PLANNING

AWARENESS, EVER USE, AND PROBLEMS WITH FAMILY PLANNING METHODS

Table FP-1: Awareness of family planning methods among women of reproductive age [Location and year]. {N = total surveyed}	
Method	% (n) women*
Pill	
IUD	
Male condom	
Female condom	
Implants	
Injectables	
Emergency contraception	
Tubal ligation	
Rhythm/calendar/counting days	
Withdrawal	
Other	

**Percentages may add up to greater than 100% as respondent may give more than 1 response.*

Key Indicator FP-A: Proportion of women who have ever used any family planning method among women of reproductive age [Location and year]. {N = total surveyed}	
Indicator	% (n) women
Ever used family planning method	

Table FP-2: Proportion of women who have been instructed how to use or have ever used family planning methods among women of reproductive age* [Location and year]. {N = total surveyed}		
Method	Instructed how to use method % (n) women	Ever used % (n) women
Pill		
IUD		
Male condom		
Female condom		
Implants		
Injectables		
Emergency contraception		
Tubal ligation		
Rhythm/calendar/counting days		
Withdrawal		
Other		

**Percentages may add up to greater than 100% as respondent may give more than 1 response.*

Table FP-3: Knowledge of where to get modern* family planning methods among women of reproductive age[†] [Location and year]. {N = total surveyed}

Method	Health Center % (n) women	Private clinic % (n) women	Market % (n) women	Friends/ relatives % (n) women	Pharmacy % (n) women	Don't Know % (n) women
Pill						
IUD						
Male condom						
Female condom						
Implants						
Injectables						
Emergency contraception						
Tubal ligation						

**Modern family planning methods include the pill, IUD, male and female condoms, implants, injectables, emergency hormonal contraception (EC), tubal ligation and vasectomy.*

†Percentages may add up to greater than 100% as respondent may give more than 1 response.

Table FP-4: Main problem reported with using specific family planning methods among women who have ever heard of that method [Location and year]. {N = total surveyed}				
Method	Lack of access	Opposition to use	Method-related	No problem
	% (n) women	% (n) women	% (n) women	% (n) women
Pill				
IUD				
Male condom				
Female condom				
Implants				
Injectables				
Emergency contraception				
Tubal ligation				
Rhythm/calendar/counting days				
Withdrawal				
Other				

CURRENT USE OF FAMILY PLANNING

Key Indicator: FP-B: Proportion of women who are currently using a <u>modern</u>* family planning method among women of reproductive age [Location and year]. {N=total surveyed[†]}	
Indicator	% (n) women
Contraceptive prevalence (modern methods)	

**Modern family planning methods include the pill, IUD, male and female condoms, implants, injectables, emergency hormonal contraception (EC), tubal ligation and vasectomy.*

†The denominator may include women who are not at risk for pregnancy because they are currently pregnant, infecund, or have had a hysterectomy.

Key Indicator: FP-C: Proportion of women who are currently using <u>any</u> family planning method among women of reproductive age [Location and year]. {N = total surveyed*}	
Indicator	% (n) women
Contraceptive prevalence (any method)	

**The denominator may include women who are not at risk for pregnancy because they are currently pregnant, infecund, or have had a hysterectomy.*

Table FP-5: Demographic characteristics of women who are currently using any family planning method [Location and year]. {N = Q307 = 1}	
Characteristic	% (n) women
Age	
15-24	
25-34	
35-49	
Relationship Status	
Living with a husband/partner	
Not living with husband/partner	
Total pregnancies	
0	
1-2	
3-4	
>4	
Sexually active in last 30 days	
Yes	
No	

FP-6: Family planning method being used among women who are currently using any family planning method [Location and year]. {N = 307 = 1}	
Method	% (n) women*
Pill	
IUD	
Male condom	
Female condom	
Implants	
Injectables	
Emergency contraception	
Tubal ligation	
Vasectomy	
Lactational amenorrhea	
Rhythm/calendar/counting days	
Withdrawal	
Periodic abstinence	
Other	

**Percentages may add up to greater than 100% as respondent may give more than 1 response.*

Table FP-7: Location where family planning method was last obtained among women who are currently using a <u>modern</u>* family planning method [Location and year]. {N = Q309 = 1 AND a modern method is used}	
Method	% (n) women
Health Center	
Hospital	
Supermarket/Market	
Pharmacy	

**Modern methods include the pill, IUD, female and male condoms, implants, injectables, emergency hormonal contraception (EC), tubal ligation and vasectomy.*

BARRIERS TO FAMILY PLANNING

Key Indicator FP-D: Proportion of women who are at risk for pregnancy,* desire to stop or delay childbearing, and are not using family planning among women of reproductive age [Location and year]. {N = total surveyed}	
Indicator	% (n) women
Unmet need*	

**Women who are at risk for pregnancy are women who report being fecund, sexually, active, NOT pregnant and NOT postpartum.*

FP-8: Barriers to family planning among women who are at risk for pregnancy, desire to stop or delay childbearing and are not using family planning [Location and year]. {N= (Q203=2) AND (Q509=1) AND (Q315=1) AND (Q307=2) AND (Q305=2 OR Q305=2 or 3) AND (Q315=1)}	
Barriers to family planning	% (n) women*
Fertility-related reasons	
Opposition to use	
Lack of knowledge	
Method-related reasons	
Lack of access	
Other	

**Percentages may add up to greater than 100% as respondent may give more than 1 response.*

Table FP-9: Demographic characteristics of women who reported barriers to family planning among women who are at risk for pregnancy, desire to stop or delay childbearing and are not using family planning [Location and year]. {N= (Q203=2) AND (Q509=1) AND (Q315=1) AND (Q307=2) AND (Q305=2 OR Q305=2 or 3) AND (Q315=1)}					
Characteristic	Fertility-related % (n) women	Opposition to use % (n) women	Lack of knowledge % (n) women	Method related % (n) women	Lack of access % (n) women
Age					
15-24					
25-34					
35-49					
Relationship Status					
Living with a husband/partner					
Not living with a husband/partner					
Total pregnancies					
0					
1-2					
3-4					
>4					
Sexually active in last 30 days					
Yes					
No					

INTENT TO USE A FAMILY PLANNING METHOD IN THE NEXT 12 MONTHS

Key Indicator FP-E: Proportion of women who are not currently using a family planning method, but plan to in the next 12 months [Location and year]. {N = Q307 = 2 (minus women who report a hysterectomy)}	
Indicator	% (n) women
Future intent to use family planning in next 12 months	