


Management of Women with Bleeding Irregularities While Using Contraception




Abbreviations: CHC = combined hormonal contraceptive; COC = combined oral contraceptive; Cu-IUD = copper-containing intrauterine device; DMPA = depot medroxyprogesterone acetate; LNG-IUD = levonorgestrel-releasing intrauterine device; NSAIDs = nonsteroidal anti-inflammatory drugs. ¹If clinically warranted, evaluate for underlying condition. Treat the condition or refer for care. ²Heavy or prolonged bleeding, either unscheduled or menstrual, is common.

Source: For the full recommendations, see the US Selected Practice Recommendations for Contraceptive Use, 2013 (<http://www.cdc.gov/mmwr/pdf/rr/rr6205.pdf>).



Centers for Disease Control and Prevention
National Center for Chronic Disease Prevention and Health Promotion

Management of the IUD When a Cu-IUD or an LNG-IUD User is Found to Have Pelvic Inflammatory Disease



Abbreviations: Cu-IUD = copper-containing intrauterine device; IUD = intrauterine device; LNG-IUD = levonorgestrel-releasing intrauterine device; PID = pelvic inflammatory disease

*Treat according to the CDC *Sexually Transmitted Diseases Treatment Guidelines* (available at <http://www.cdc.gov/std/treatment>).

Source: For the full recommendations, see the US Selected Practice Recommendations for Contraceptive Use, 2013 (<http://www.cdc.gov/mmwr/pdf/rr/rr6205.pdf>).