





<b>Disease/Diagnosis</b> <b>030</b> - HepB acute w/o delta <b>031</b> - HepB acute w/ delta <b>033</b> - HepB chronic w/o delta <b>034</b> - HepB chronic w/ delta <b>042</b> - Hepatitis delta <b>051</b> - Hepatitis C, acute <b>053</b> - Hepatitis E <b>054</b> - Hepatitis C, chronic <b>070</b> - Hepatitis, unknown <b>100</b> - Chancroid <b>200</b> - Chlamydia <b>300</b> - Gonorrhea (uncomplicated) <b>350</b> - Resistant Gonorrhea <b>400</b> - Non-Gonococcal Urethritis (NGU) <b>450</b> - Mucopurulent Cervicitis (MPC) <b>490</b> - PID Syndrome <b>500</b> - Granuloma Inguinale <b>600</b> - Lymphogranuloma Venereum (LGV) <b>710</b> - Syphilis, primary <b>720</b> - Syphilis, secondary <b>730</b> - Syphilis, early latent <b>740</b> - Syphilis, unknown duration <b>745</b> - Syphilis, late latent <b>750</b> - Syphilis, late w/ symptom <b>790</b> - Syphilis, congenital <b>800</b> - Genital Warts <b>850</b> - Herpes <b>900</b> - HIV Infection <b>950</b> - AIDS (Syndrome) <b>951</b> - Recounsel for previous AIDS case	<b>Referral Basis</b> <b>T1</b> - Positive Test Result <b>T2</b> - Case Report <b>T3</b> - Clinic Walk-In <b>F1</b> - Congenital Follow-Up <b>F2</b> - 900 Re-Counsel <b>F3</b> - Test of Cure <b>F4</b> - Treatment Restart <b>F5</b> - Treatment Only <b>F6</b> - Vaccination <b>M1</b> - Maternal Follow-up <b>M2</b> - Infant Follow-up <b>P1</b> - Sex Partner <b>P2</b> - Needlesharing Partner <b>P3</b> - Both Sex and Needle <b>S1</b> - Symptomatic <b>S2</b> - Named partner of infected <b>S3</b> - Anyone <b>A1</b> - Symptomatic <b>A2</b> - Named partner of infected <b>A3</b> - Anyone <b>C1</b> - Unnamed person from a venue screening	<b>Standard Documentation Abbreviations</b> <b>Bic</b> - Bicillin <b>C/B</b> - Call back/Called back <b>CLIX</b> - Cluster Interview <b>CX</b> - Contact <b>CL</b> - Cluster <b>CSW</b> - Commercial Sex Worker <b>FB</b> - Field Blood <b>FR</b> - Field Record <b>FV</b> - Field Visit <b>HX</b> - History <b>IM</b> - Intramuscular <b>IP</b> - Index Patient <b>IX</b> - Interview <b>LX</b> - Lesion <b>MSM</b> - Men who have Sex with Men <b>FR</b> - Field Record <b>OI</b> - Original Interview <b>OP</b> - Original Patient <b>P/C</b> - Phone Call <b>Pt</b> - Patient <b>RI</b> - Reinterview <b>RS</b> - Record Search <b>SX</b> - Symptoms <b>TX</b> - Treatment <b>PTC</b> - Post-test counsel <b>W/</b> - With <b>WBI</b> - Will be in <b>W/O</b> - Without
<b>Race</b> <b>AI/AN</b> - American Indian or Alaskan Native <b>A</b> - Asian <b>B</b> - Black or African American <b>NH/PI</b> - Native Hawaiian or Other Pacific Islander <b>W</b> - White <b>U</b> - Unknown <b>R</b> - Refused to Answer	<b>Type of Interview</b> <b>O</b> - Original Interview (OI) <b>R</b> - Reinterview Interview (RI) <b>C</b> - Cluster Interview <b>P</b> - Post-Test Counseling <b>U</b> - Unable to Interview but Partners, Social Contacts, and/or Associates were initiated	<b>Disposition Date</b> <u>Newly Examined and Treated</u> - Use the date of treatment. <u>Newly Examined, not Treated</u> - Use the date of examination. <u>Previously Examined and/or Treated</u> - Use the date the partner/cluster investigation is closed. <u>Not Examined</u> - Use the date the investigation is closed.
<b>Gender</b> <b>M</b> - Male <b>F</b> - Female <b>MTF</b> - Male to Female Transgender <b>FTM</b> - Female to Male Transgender <b>U</b> - Unknown <b>R</b> - Refused to Answer	<b>Type Referral</b> <b>1</b> - Patient <b>2</b> - Provider <b>3</b> - Dual <b>4</b> - Contract <b>5</b> - Third Party	<b>Internet Outcome</b> <b>I1</b> - Informed-Urgent Matter <b>I2</b> - Informed-General Exposure <b>I3</b> - Informed-Disease Specific <b>I4</b> - Demographics Found-Traditional Follow-up <b>I5</b> - Unknown Outcome <b>I6</b> - Unsuccessful/Negative Outcome <b>I7</b> - Not enough Info to Begin Investigation
<b>Marital Status</b> <b>S</b> - Single, Never Married <b>M</b> - Married <b>SEP</b> - Separated <b>D</b> - Divorced <b>W</b> - Widowed <b>C</b> - Cohabitation <b>U</b> - Unknown <b>R</b> - Refused to Answer	<b>STD Dispositions</b> <b>A</b> - Preventative Treatment <b>B</b> - Refused Preventative Treatment <b>C</b> - Infected, Brought to Treatment <b>D</b> - Infected, Not Treated <b>E</b> - Previously Treated for This Infection <b>F</b> - Not Infected <b>G</b> - Insufficient Information to Begin Investigation <b>H</b> - Unable to Locate <b>I</b> - Successful Interview/Recounsel <b>J</b> - Located, Not Examined, Treated, and/or Interview <b>K</b> - Sent Out Of Jurisdiction <b>L</b> - Other <b>Q</b> - Administrative Closure <b>V</b> - Domestic Violence Risk <b>X</b> - Patient Deceased <b>Z</b> - Previous Preventative Treatment	<b>Interviewed?</b> <b>01</b> Accepted <b>02</b> Refused
<b>Sexual Risk Factors</b> <b>Y</b> - Yes, Anal or Vaginal Intercourse (with or without Oral Sex) <b>O</b> - Yes, Oral Sex Only <b>U</b> - Unspecified Type of Sex <b>N</b> - No <b>R</b> - Refused to Answer <b>D</b> - Did Not Ask	<b>HIV Dispositions</b> STD Dispos G – X are applicable <b>1</b> - Previous Positive <b>2</b> - Previous Negative, New Positive <b>3</b> - Previous Negative, Still Negative <b>4</b> - Previous Negative, Not Re-tested <b>5</b> - Not Previously Tested, New Positive <b>6</b> - Not previously Tested, New Positive <b>7</b> - Not Previously Tested, Not Tested Now	<b>Notifiability</b> <b>01</b> No – Partner is deceased <b>02</b> No – Partner is out of jurisdiction <b>03</b> No – Partner has a risk of domestic violence <b>04</b> Yes – Partner is notifiable <b>88</b> Other
<b>Non-Sexual Risk Factors</b> <b>Y</b> – Yes <b>N</b> – No <b>R</b> – Refused <b>D</b> – Did Not Ask	<b>900 Case Status</b> <b>01</b> - <u>HIV Negative result</u> - The patient has tested HIV negative. <b>02</b> - <u>New HIV Case requiring partner services</u> The patient is newly diagnosed HIV positive. <b>03</b> - <u>Prior-positive HIV case: New Partner services</u> - The patient is a previously known HIV positive case requiring partner services due to being not previously known to health department as a named case. <b>04</b> - <u>Prior-positive HIV case: New Partner Services</u> - The patient is a previously reported HIV positive case requiring partner services due to other new STD infection or pregnancy. <b>05</b> - <u>Prior-positive HIV case: New Partner Services</u> The patient is a previously known or reported HIV positive case requiring partner services due to being identified as a sexual or social contact to an STD or HIV case. <b>06</b> - <u>Other</u> - None of the above 900 status apply to the patient but the status is known. Specify details within notes. <b>09</b> - <u>Unknown</u> - The patient HIV status is unknown.	<b>Notification Plan</b> <b>01</b> Provider notification <b>02</b> Client notification <b>03</b> Dual notification <b>04</b> Contract <b>05</b> Third-party notification <b>Notification Method</b> <b>01</b> Provider notification <b>02</b> Client notification <b>03</b> Dual notification <b>05</b> Third-party notification <b>06</b> Refused notification
		<b>Self-reported HIV Results</b> <b>01</b> Positive <b>02</b> Negative <b>03</b> Preliminary positive <b>04</b> Indeterminate <b>66</b> Not asked <b>77</b> Declined <b>99</b> Don't Know
		<b>Referred to HIV Testing</b> <b>0</b> No <b>1</b> Yes
		<b>Referral Test Result</b> <b>01</b> Positive/Reactive <b>03</b> Negative <b>04</b> Indeterminate <b>05</b> Invalid <b>06</b> No result
		<b>Referred to Medical Care (Referral 2)</b> <b>0</b> No, client was not referred to HIV medical care/evaluation/treatment. <b>1</b> Yes, referred to HIV medical care/examination/treatment. <b>If yes, did client attend first appointment</b> <b>02</b> Confirmed – Accessed service <b>03</b> Confirmed – Did not access service <b>99</b> Don't know