

# Maryland, 2010

## Primary and secondary syphilis

- CASES: Maryland reported 328 cases in 2010.
- RATES: Maryland ranked 8 among 52 areas (49 states; Washington, DC; and 2 territories) reporting at least one case of P&S syphilis with 5.8 cases per 100,000 population compared to the U.S. rate of 4.5 cases per 100,000 population.

## Rates of primary and secondary syphilis, by sex

- In Maryland, the rate among males was 10.9 per 100,000 population compared to the U.S. male rate of 7.9 per 100,000.
- The rate among females was 0.9 per 100,000 compared to the U.S. female rate of 1.1 per 100,000.


## Rates of primary and secondary syphilis, by race/ethnicity

- In Maryland, the race/ethnicity adjusted rates per 100,000 population were 1.1 among whites, 15.9 among blacks, 2.7 among Hispanics, 1.6 among Asian/Pacific Islanders, and 0.0 among American Indians/Alaska Natives.
- The rate among blacks was 14.5 times that of whites.
- The rate among Hispanics was 2.5 times that of whites.
- The rate among Asian/Pacific Islanders was 1.5 times that of whites.

## Congenital syphilis

- CASES: Maryland reported 22 cases in 2010.
- RATES: Maryland ranked 2 among among 30 areas (28 states; Washington, DC; and 1 territory) reporting at least one case of congenital syphilis with a rate of 28.2 cases per 100,000 live births compared to the U.S. rate of 8.7 cases per 100,000.

## Syphilis: P&S Rates and Congenital Cases, Maryland, 2001-2010



## Total P&S Syphilis Rates by County, Maryland, 2010

