

Nevada, 2010

Primary and secondary syphilis

- CASES: Nevada reported 130 cases in 2010.
- RATES: Nevada ranked 14 among 52 areas (49 states; Washington, DC; and 2 territories) reporting at least one case of P&S syphilis with 4.9 cases per 100,000 population compared to the U.S. rate of 4.5 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Nevada, the rate among males was 9.1 per 100,000 population compared to the U.S. male rate of 7.9 per 100,000.
- The rate among females was 0.5 per 100,000 compared to the U.S. female rate of 1.1 per 100,000.


Rates of primary and secondary syphilis, by race/ethnicity

- In Nevada, the race/ethnicity adjusted rates per 100,000 population were 3.1 among whites, 18.4 among blacks, 4.1 among Hispanics, 1.0 among Asian/Pacific Islanders, and 3.3 among American Indians/Alaska Natives.
- The rate among blacks was 5.9 times that of whites.
- The rate among Hispanics was 1.3 times that of whites.
- The rate among American Indians/Alaska Natives was 1.1 times that of whites.

Congenital syphilis

- CASES: Nevada reported 5 cases in 2010.
- RATES: Nevada ranked 11 among among 30 areas (28 states; Washington, DC; and 1 territory) reporting at least one case of congenital syphilis with a rate of 12.1 cases per 100,000 live births compared to the U.S. rate of 8.7 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Nevada, 2001-2010



Total P&S Syphilis Rates by County, Nevada, 2010

