

Oklahoma, 2010

Primary and secondary syphilis

- **CASES:** Oklahoma reported 92 cases in 2010.
- **RATES:** Oklahoma ranked 34 among 52 areas (49 states; Washington, DC; and 2 territories) reporting at least one case of P&S syphilis with 2.5 cases per 100,000 population compared to the U.S. rate of 4.5 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Oklahoma, the rate among males was 4.2 per 100,000 population compared to the U.S. male rate of 7.9 per 100,000.
- The rate among females was 0.9 per 100,000 compared to the U.S. female rate of 1.1 per 100,000.


Rates of primary and secondary syphilis, by race/ethnicity

- In Oklahoma, the race/ethnicity adjusted rates per 100,000 population were 1.6 among whites, 11.5 among blacks, 3.0 among Hispanics, 1.4 among Asian/Pacific Islanders, and 1.3 among American Indians/Alaska Natives.
- The rate among blacks was 7.2 times that of whites.
- The rate among Hispanics was 1.9 times that of whites.


Congenital syphilis

- **CASES:** Oklahoma reported 0 cases in 2010.
- **RATES:** Oklahoma had a rate of 0.0 cases per 100,000 live births compared to the U.S. rate of 8.7 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Oklahoma, 2001-2010



Total P&S Syphilis Rates by County, Oklahoma, 2010



Rate (per 100,000 population)

