

Minnesota, 2011

Primary and secondary syphilis

- **CASES:** Minnesota reported 139 cases in 2011.
- **RATES:** Minnesota ranked 33 among 51 areas (48 states; Washington, DC; and 2 territories) reporting at least one case of P&S syphilis with 2.6 cases per 100,000 population compared to the U.S. rate of 4.5 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Minnesota, the rate among males was 5.1 per 100,000 population compared to the U.S. male rate of 8.2 per 100,000.
- The rate among females was 0.2 per 100,000 compared to the U.S. female rate of 1.0 per 100,000.


Rates of primary and secondary syphilis, by race/ethnicity

- In Minnesota, the race/ethnicity adjusted rates per 100,000 population were 2.2 among whites, 8.4 among blacks, 4.0 among Hispanics, 1.8 among Asian/Pacific Islanders, and 1.6 among American Indians/Alaska Natives.
- The rate among blacks was 3.8 times that of whites.
- The rate among Hispanics was 1.8 times that of whites.

Congenital syphilis

- **CASES:** Minnesota reported 0 cases in 2011.
- **RATES:** Minnesota had a rate of 0.0 cases per 100,000 live births compared to the U.S. rate of 8.5 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Minnesota, 2002 – 2011



Total P&S Syphilis Rates by County, Minnesota, 2011

