

Region I

In 2008, the chlamydia positivity rate in 15- to 24-year-old women tested in family planning clinics in Region I was 5.2%, representing a slight increase since 2007 (4.8% positivity). Region I has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2004.





Figure A. Chlamydia - Trends in positivity in 15 to 24 year old women tested in family planning clinics: Region I , 1996 - 2008



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention


Region II

In 2008, the chlamydia positivity rate in 15- to 24-year-old women tested in family planning clinics in Region II was 6.2%, representing a slight increase since 2007 (5.9% positivity). In 2008, 77.4% of all chlamydia tests reported in this population were nucleic acid amplification tests.



Figure A. Chlamydia - Trends in positivity in 15 to 24 year old women tested in family planning clinics: Region II , 1997 - 2008

Percent Positive



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Region III

In 2008, the chlamydia positivity rate in 15- to 24-year-old women tested in family planning clinics in Region III was 6.3%, representing a slight increase since 2007 (5.5% positivity). In 2008, 77.9% of all chlamydia tests reported in this population were nucleic acid amplification tests.





Figure A. Chlamydia - Trends in positivity in 15 to 24 year old women tested in family planning clinics: Region III , 1994 - 2008

Percent Positive



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention


Region IV

In 2008, the chlamydia positivity rate in 15- to 24-year-old women tested in family planning clinics in Region IV was 9.6%, representing no change since 2007. In 2008, 100% of all chlamydia tests reported in this population were nucleic acid amplification tests.



Figure A. Chlamydia - Trends in positivity in 15 to 24 year old women tested in family planning clinics: Region IV , 1997 - 2008

Percent Positive



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Region V

In 2008, the chlamydia positivity rate in 15- to 24-year-old women tested in family planning clinics in Region V was 7.6%, representing no change since 2007. Region V has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2007.





Figure A. Chlamydia - Trends in positivity in 15 to 24 year old women tested in family planning clinics: Region V , 1997 - 2008

Percent Positive



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Region VI

In 2008, the chlamydia positivity rate in 15- to 24-year-old women tested in family planning clinics in Region VI was 10.2%, representing an increase since 2007 (8.8% positivity). In 2008, 91.5% of all chlamydia tests reported in this population were nucleic acid amplification tests.





Figure A. Chlamydia - Trends in positivity in 15 to 24 year old women tested in family planning clinics: Region VI , 1996 - 2008

Percent Positive



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Region VII

In 2008, the chlamydia positivity rate in 15- to 24-year-old women tested in family planning clinics in Region VII was 6.8%, representing a slight increase since 2007 (6.5% positivity). Region VII has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2004.





Figure A. Chlamydia - Trends in positivity in 15 to 24 year old women tested in family planning clinics: Region VII , 1996 - 2008

Percent Positive



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Region VIII

In 2008, the chlamydia positivity rate in 15- to 24-year-old women tested in family planning clinics in Region VIII was 7.8%, representing a slight increase since 2007 (7.3% positivity). Region VIII has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2005.





Figure A. Chlamydia - Trends in positivity in 15 to 24 year old women tested in family planning clinics: Region VIII , 1994 - 2008

Percent Positive



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention


Region IX

In 2008, the chlamydia positivity rate in 15- to 24-year-old women tested in family planning clinics in Region IX was 7.5%, representing a slight increase since 2007 (7.3% positivity). In 2008, 85.4% of all chlamydia tests reported in this population were nucleic acid amplification tests.



Figure A. Chlamydia - Trends in positivity in 15 to 24 year old women tested in family planning clinics: Region IX , 1996 - 2008

Percent Positive



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention


Region X

In 2008, the chlamydia positivity rate in 15- to 24-year-old women tested in family planning clinics in Region X was 6.0%, representing a slight increase since 2007 (5.8% positivity). In 2008, 61.7% of all chlamydia tests reported in this population were nucleic acid amplification tests.



Figure A. Chlamydia - Trends in positivity in 15 to 24 year old women tested in family planning clinics: Region X , 1988 - 2008

Percent Positive



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Alabama - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	69	32,660	11.3
STD	55	18,496	17.1
Juvenile Detention	1	103	32.0
Other	3	1,494	17.5

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Alaska - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	6	3,721	5.4
STD	1	712	16.9
Other	2	1,141	7.3

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Arizona - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	46	15,221	8.7
STD	3	2,570	15.0
Adult Corrections	1	319	23.5
Juvenile Detention	5	1,119	15.5
Other	4	2,066	8.1

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Arkansas - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	89	25,989	10.3
STD	45	4,070	22.1
Prenatal	36	3,907	11.5
Other	5	377	12.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



California - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	28	17,878	5.9
STD	17	6,282	18.1
Adult Corrections	5	5,223	12.9
Juvenile Detention	22	8,879	12.5
Other	30	7,457	5.4

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Colorado - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	32	12,505	7.5
STD	5	3,225	19.3
Juvenile Detention	1	105	20.0
Other	20	5,726	10.3

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Connecticut - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	11	5,319	7.4
STD	NA	NA	NA
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Delaware - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	12	6,727	8.6
STD	2	502	16.7
Adult Corrections	2	291	11.7
Other	26	4,358	7.4

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Florida - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	132	45,316	9.3
STD	111	26,598	17.5
Prenatal	59	12,610	7.0
Other	45	14,719	9.8

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Georgia - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	192	38,290	10.8
STD	97	13,165	20.9
Juvenile Detention	8	1,832	19.7
Other	61	12,074	14.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Hawaii - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	22	6,309	9.3
STD	1	665	19.2
Other	4	1,446	4.3

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Idaho - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	36	8,288	5.9
STD	9	1,076	14.7
Juvenile Detention	1	157	7.6
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Illinois - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	104	46,638	7.3
STD	31	9,513	17.8
Prenatal	3	534	11.6
Adult Corrections	2	606	11.9
Juvenile Detention	2	436	17.4
Other	81	15,988	9.9

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Indiana - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	46	29,428	8.4
STD	15	3,649	20.5
Prenatal	1	240	8.8
Adult Corrections	1	150	14.7
Other	14	3,894	8.4

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Iowa - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	44	29,124	6.1
STD	9	1,987	18.1
Prenatal	1	110	5.5
Other	6	2,424	5.7

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Kansas - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	60	11,091	7.1
STD	18	2,780	15.7
Prenatal	8	1,126	6.6
Juvenile Detention	1	247	12.6
Other	12	2,453	6.3

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Kentucky - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	127	24,508	4.7
STD	44	3,710	13.4
Prenatal	15	955	3.7
Juvenile Detention	1	157	21.0
Other	32	7,848	11.7

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Louisiana - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	74	18,775	12.3
STD	12	3,461	23.7
Prenatal	4	306	17.3
Other	9	2,808	14.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Maine - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	20	2,722	6.2
STD	3	132	14.4
Other	2	129	3.1

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Maryland - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	46	17,326	5.8
STD	23	7,108	13.2
Prenatal	5	628	3.0
Juvenile Detention	1	254	16.5
Other	11	4,201	12.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Massachusetts - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	16	4,883	5.1
STD	7	1,090	8.7
Adult Corrections	1	160	7.5
Other	7	486	6.8

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Michigan - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	103	29,643	6.9
STD	35	12,722	17.0
Juvenile Detention	4	971	20.4
Other	31	5,484	13.5

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Minnesota - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	26	12,522	6.5
STD	1	498	15.5
Other	4	2,106	10.8

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Mississippi - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	93	23,618	13.8
STD	61	8,581	19.8
Prenatal	30	3,483	14.4
Other	7	663	11.0

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Missouri - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	64	27,358	7.4
STD	47	10,186	17.2
Prenatal	1	155	8.4
Adult Corrections	1	128	11.7
Other	16	2,587	8.3

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Montana - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	20	7,254	5.9
STD	2	200	14.5
Other	17	1,632	8.0

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Nebraska - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	19	7,347	7.1
STD	4	1,012	15.8
Prenatal	1	230	10.4
Juvenile Detention	1	295	13.6
Other	20	3,146	9.0

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Nevada - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	21	5,858	7.6
STD	5	2,276	16.7
Juvenile Detention	1	135	20.7
Other	3	1,646	10.7

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



New Hampshire - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	16	5,191	3.9
STD	NA	NA	NA
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



New Jersey - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	42	32,649	8.4
STD	19	4,171	16.1
Juvenile Detention	1	105	27.6
Other	18	3,910	6.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



New Mexico - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008


Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	58	5,419	8.0
STD	15	1,342	17.2
Other	8	570	12.5

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



New York - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008



NOTE: Cases and rates for the state of New York are not available prior to 2000

Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	83	69,132	4.9
STD	25	24,333	14.7
Prenatal	7	1,692	3.8
Adult Corrections	1	139	11.5
Juvenile Detention	2	614	18.6
Other	12	10,581	10.4

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



North Carolina - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	97	35,914	7.9
STD	79	15,959	15.8
Prenatal	73	17,824	7.5
Other	44	3,068	11.1

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



North Dakota - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	7	4,910	8.4
STD	NA	NA	NA
Other	4	815	4.7

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Ohio - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	57	35,464	7.9
STD	20	3,918	13.6
Prenatal	3	729	9.2
Juvenile Detention	4	1,098	16.7
Other	7	1,537	12.3

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Oklahoma - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	88	24,872	6.8
STD	44	6,789	18.6
Prenatal	8	596	7.0
Other	9	1,016	12.7

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Oregon - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	60	23,780	4.8
STD	19	2,455	11.2
Prenatal	3	292	4.5
Juvenile Detention	2	308	10.1
Other	20	4,241	5.7

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Pennsylvania - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	114	59,932	6.5
STD	60	9,830	12.7
Prenatal	2	1,402	10.0
Adult Corrections	1	125	8.8
Other	53	29,974	8.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Puerto Rico - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	17	3,720	7.4
STD	14	3,090	12.9
Prenatal	9	2,387	15.2
Juvenile Detention	1	195	18.5
Other	59	5,814	10.1

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Rhode Island - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	6	1,812	7.6
STD	1	160	20.6
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



South Carolina - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	66	30,285	11.8
STD	58	14,346	15.3
Other	5	900	9.8

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



South Dakota - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	9	2,598	6.4
STD	4	755	10.3
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Tennessee - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	117	24,942	6.2
STD	100	28,082	11.2
Prenatal	7	704	4.3
Juvenile Detention	1	640	9.8
Other	25	2,046	7.9

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Texas - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	28	24,738	12.4
STD	13	11,504	22.5
Prenatal	3	969	11.2
Adult Corrections	1	316	20.9
Juvenile Detention	3	1,272	23.4
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Utah - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	10	4,297	12.5
STD	6	1,007	17.5
Other	18	1,918	8.3

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Vermont - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	14	7,375	3.7
STD	NA	NA	NA
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Virgin Islands - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	3	1,075	15.0
STD	2	293	26.6
Prenatal	4	452	19.2
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Virginia - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	116	20,852	7.3
STD	65	14,911	15.8
Other	34	5,693	7.1

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Washington - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	61	26,187	7.2
STD	6	993	10.6
Adult Corrections	1	219	7.3
Juvenile Detention	2	471	12.7
Other	29	5,915	6.9

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



West Virginia - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	83	13,038	3.1
STD	16	1,668	8.1
Prenatal	1	848	1.8
Other	24	4,103	5.5

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Wisconsin - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	61	24,105	8.5
STD	5	1,350	18.7
Adult Corrections	1	123	4.9
Other	11	6,316	5.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Wyoming - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	17	3,946	6.9
STD	3	403	14.1
Other	3	764	3.4

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008



Wisconsin - 2008

Figure A. Chlamydia rate per 100,000 women, 1999 - 2008




Figure B. Chlamydia positivity in women 15 to 24 years of age, years by testing site, 1999 - 2008




Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2008

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	61	24,105	8.5
STD	5	1,350	18.7
Adult Corrections	1	123	4.9
Other	11	6,316	5.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2008

