

# Region I

In 2009, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region I was 5.1%, representing a slight decrease since 2008 (5.2% positivity). Region I has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2004.





Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region I , 1996 - 2009



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention


## Region II

In 2009, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region II was 6.5%, representing a slight increase since 2008 (6.2% positivity). In 2009, 83.5% of all chlamydia tests reported in this population were nucleic acid amplification tests.



Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region II , 1997 - 2009

Percent Positive




SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

# Region III

In 2009, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region III was 6.4%, representing a slight increase since 2008 (6.3% positivity). In 2009, 99.3% of all chlamydia tests reported in this population were nucleic acid amplification tests.



Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region III , 1994 - 2009



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention


## Region IV

In 2009, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region IV was 9.4%, representing a slight decrease since 2008 (9.6% positivity). Region IV has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2008.



Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region IV , 1997 - 2009

Percent Positive



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

## Region V

In 2009, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region V was 7.9%, representing a slight increase since 2008 (7.6% positivity). Region V has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2007.





Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region V , 1997 - 2009

Percent Positive



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

## Region VI

In 2009, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region VI was 11.0%, representing a slight increase since 2008 (10.2% positivity). In 2009, 97.0% of all chlamydia tests reported in this population were nucleic acid amplification tests.





Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region VI , 1996 - 2009

Percent Positive



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

# Region VII

In 2009, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region VII was 7.6%, representing a slight increase since 2008 (6.8% positivity). Region VII has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2004.





Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region VII , 1996 - 2009



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

# Region VIII

In 2009, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region VIII was 7.6%, representing a slight decrease since 2008 (7.8% positivity). Region VIII has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2005.





Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region VIII , 1994 - 2009



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention


# Region IX

In 2009, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region IX was 8.3%, representing a slight increase since 2008 (7.5% positivity). In 2009, 99.1% of all chlamydia tests reported in this population were nucleic acid amplification tests.



Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region IX , 1996 - 2009

Percent Positive




SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

# Region X

In 2009, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region X was 6.0%, representing no change since 2008. In 2009, 76.2% of all chlamydia tests reported in this population were nucleic acid amplification tests.



Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region X , 1988 - 2009



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

# Alaska - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	8	4,583	5.9
STD	2	871	19.6
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Alabama - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	68	31,291	10.8
STD	59	15,038	20.9
Other	4	2,365	16.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Arkansas - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	89	28,262	10.7
STD	45	4,603	23.9
Prenatal	35	4,161	10.7
Adult Corrections	1	116	11.2
Other	5	536	14.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Arizona - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	41	14,373	9.7
STD	2	748	21.1
Adult Corrections	1	232	9.1
Juvenile Detention	5	822	17.3
Other	3	592	8.3

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# California - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	27	17,552	6.9
STD	17	5,761	16.9
Adult Corrections	5	4,525	12.6
Juvenile Detention	21	8,036	11.8
Other	29	7,169	5.5

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Colorado - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	30	12,390	7.7
STD	3	2,238	20.8
Other	22	8,504	8.8

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Connecticut - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	14	5,148	6.3
STD	NA	NA	NA
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Delaware - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	12	6,191	9.1
STD	1	362	13.5
Adult Corrections	2	298	16.4
Other	26	4,528	7.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Florida - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	141	49,929	8.6
STD	116	30,085	16.7
Prenatal	62	14,000	6.7
Other	64	17,322	10.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Georgia - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	186	36,602	10.8
STD	99	13,366	20.6
Juvenile Detention	9	1,887	19.5
Other	51	7,514	15.1

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Hawaii - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	20	7,071	8.9
STD	1	679	15.2
Other	4	1,275	5.5

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Iowa - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	44	27,986	6.8
STD	7	1,951	18.0
Other	6	2,082	6.0

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Idaho - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	36	7,788	6.6
STD	9	997	11.3
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Illinois - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	97	43,261	7.8
STD	20	8,814	17.9
Prenatal	2	408	6.6
Adult Corrections	2	659	12.6
Juvenile Detention	2	597	18.6
Other	99	17,505	10.4

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Indiana - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	50	26,934	8.8
STD	11	4,074	21.5
Adult Corrections	2	349	13.5
Other	14	2,890	7.9

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Kansas - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	60	11,292	7.3
STD	16	3,078	13.8
Prenatal	7	1,068	6.8
Juvenile Detention	1	201	14.9
Other	10	2,135	6.9

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Kentucky - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	126	21,097	5.4
STD	39	3,213	13.3
Prenatal	14	760	4.6
Other	29	8,031	11.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Louisiana - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	69	18,433	13.0
STD	42	7,887	22.2
Other	20	3,563	14.5

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Massachusetts - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	20	5,353	6.0
STD	2	435	6.2
Adult Corrections	1	163	7.4
Other	11	688	6.4

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Maryland - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	43	11,789	6.1
STD	26	8,238	13.8
Other	16	5,495	13.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Maine - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	20	2,531	4.7
STD	2	102	10.8
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Michigan - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	116	27,551	6.7
STD	51	12,811	16.2
Juvenile Detention	3	702	18.8
Other	41	5,113	14.4

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Minnesota - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	27	13,197	6.5
STD	1	444	15.5
Other	3	2,243	10.7

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Missouri - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	72	27,819	8.7
STD	50	8,889	15.7
Adult Corrections	1	123	12.2
Other	17	2,150	8.8

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Mississippi - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	92	25,111	13.7
STD	70	7,341	21.2
Prenatal	28	3,165	14.1
Other	8	1,184	12.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Montana - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	19	7,221	6.1
STD	2	161	9.9
Other	13	1,637	6.0

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# North Carolina - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	97	34,624	7.8
STD	80	17,609	15.8
Prenatal	78	17,009	7.5
Other	34	2,593	10.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# North Dakota - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	10	5,321	6.3
STD	NA	NA	NA
Other	5	924	5.1

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Nebraska - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	18	5,673	6.8
STD	4	958	18.8
Prenatal	1	437	13.7
Juvenile Detention	1	265	7.9
Other	36	4,306	9.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# New Hampshire - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	16	4,812	3.7
STD	NA	NA	NA
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# New Jersey - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	42	33,072	8.3
STD	19	4,164	16.0
Juvenile Detention	1	127	15.0
Other	17	3,751	7.1

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# New Mexico - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	44	4,648	14.7
STD	44	6,088	8.8
Other	3	145	7.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Nevada - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	16	5,216	8.1
STD	2	2,403	20.6
Juvenile Detention	2	421	21.1
Other	2	979	6.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# New York - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	85	66,101	5.3
STD	24	26,812	13.5
Prenatal	6	1,294	7.1
Adult Corrections	1	325	10.5
Juvenile Detention	3	642	15.9
Other	16	8,385	8.9

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Ohio - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	39	29,087	8.2
STD	20	3,953	13.3
Prenatal	1	454	7.9
Juvenile Detention	5	1,124	18.7
Other	7	1,921	11.5

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Oklahoma - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	92	23,117	7.0
STD	44	6,500	20.2
Prenatal	2	154	7.1
Other	3	616	9.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Oregon - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	59	23,731	5.4
STD	22	2,814	13.3
Prenatal	3	126	4.8
Juvenile Detention	1	135	14.8
Other	19	4,032	6.9

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Pennsylvania - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	132	76,495	6.4
STD	53	11,888	12.0
Prenatal	5	2,844	8.3
Adult Corrections	1	138	5.8
Juvenile Detention	3	407	9.6
Other	58	31,527	7.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Puerto Rico - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	13	4,443	10.1
STD	12	2,951	13.3
Prenatal	9	2,422	12.8
Other	52	6,451	9.0

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Rhode Island - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	9	1,698	7.5
STD	1	112	24.1
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# South Carolina - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	61	27,274	11.1
STD	54	14,559	15.5
Other	4	910	11.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# South Dakota - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	9	1,914	7.5
STD	4	623	11.6
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Tennessee - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	115	24,045	6.0
STD	102	27,231	11.9
Prenatal	3	264	3.4
Juvenile Detention	2	731	13.3
Other	23	2,045	7.8

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Texas - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	30	31,819	12.3
STD	14	11,224	25.0
Prenatal	3	804	13.1
Juvenile Detention	4	1,603	24.3
Other	14	4,929	16.4

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Utah - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	9	4,309	11.1
STD	4	769	18.7
Other	17	2,574	9.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Virginia - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	116	21,799	7.2
STD	64	13,750	16.1
Prenatal	28	3,582	6.1
Other	6	851	9.4

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Virgin Islands - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	3	931	15.5
STD	2	290	22.4
Prenatal	2	263	16.3
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Vermont - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	14	4,474	3.5
STD	NA	NA	NA
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Washington - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	53	21,476	6.3
STD	6	1,021	10.7
Adult Corrections	1	203	5.4
Juvenile Detention	1	116	12.1
Other	51	12,518	6.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Wisconsin - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	64	23,087	8.9
STD	3	1,259	18.7
Adult Corrections	1	106	4.7
Other	15	6,829	5.8

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# West Virginia - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	82	13,965	4.4
STD	22	1,844	10.9
Prenatal	1	193	4.7
Other	13	2,950	4.7

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009



# Wyoming - 2009

Figure A. Chlamydia rate per 100,000 women, 2000 - 2009




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2009




Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2009

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	12	3,221	8.1
STD	NA	NA	NA
Other	7	1,621	7.9

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2009

