


Region I

In 2010, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region I was 5.8%, representing an increase since 2009 (5.1% positivity). Region I has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2004.



Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region I , 1996 - 2010



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention


Region II

In 2010, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region II was 7.0%, representing an increase since 2009 (6.5% positivity). In 2010, 92.9% of all chlamydia tests reported in this population were nucleic acid amplification tests.



Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region II , 1997 - 2010

Percent Positive




SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Region III

In 2010, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region III was 7.4%, representing an increase since 2009 (6.4% positivity). In 2010, 100% of all chlamydia tests reported in this population were nucleic acid amplification tests.



Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region III , 1994 - 2010



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention


Region IV

In 2010, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region IV was 9.4%, representing no change since 2009. Region IV has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2008.



Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region IV , 1997 - 2010

Percent Positive



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Region V

In 2010, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region V was 8.9%, representing an increase since 2009 (7.9% positivity). Region V has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2007.





Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region V , 1997 - 2010

Percent Positive




SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Region VI

In 2010, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region VI was 11.3%, representing an increase since 2009 (10.6% positivity). In 2010, 97.8% of all chlamydia tests reported in this population were nucleic acid amplification tests.



Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region VI , 1996 - 2010



Note: Percent positivity for 2009 published in the 2009 Regional profiles has been corrected.

SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Region VII

In 2010, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region VII was 7.7%, representing a slight increase since 2009 (7.6% positivity). Region VII has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2004.





Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region VII , 1996 - 2010




SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Region VIII

In 2010, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region VIII was 8.3%, representing an increase since 2009 (7.6% positivity). Region VIII has been using nucleic acid amplification tests for all chlamydia testing (100%) in this population since 2005.



Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region VIII , 1994 - 2010




SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Region IX

In 2010, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region IX was 5.5%, representing a decrease since 2009 (8.3% positivity). Test volume in Region IX almost tripled in 2010 due to the implementation of an electronic data system in the California and Los Angeles Project Areas that reported data from almost every federally-funded family planning clinic site in the state (rather than the smaller number of sentinel sites reported in prior years). Consequently, trends in positivity should be interpreted with caution. It is likely that the decrease in positivity is an artifact of changes in reporting practices. In 2010, 94.8% of all chlamydia tests reported in this population were nucleic acid amplification tests.



Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region IX , 1996 - 2010




SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Region X

In 2010, the chlamydia positivity rate among women aged 15-24 years tested in family planning clinics in Region X was 6.6%, representing an increase since 2009 (6.0%). In 2010, 99.9% of all chlamydia tests reported in this population were nucleic acid amplification tests.



Figure A. Chlamydia - Trends in Positivity Among Women Aged 15-24 Years Tested in Family Planning Clinics, Infertility Prevention Project, United States, Region X , 1988 - 2010



SOURCE: Regional Infertility Prevention Projects; Office of Population Affairs; Local and State STD Control Programs; Centers for Disease Control and Prevention

Alabama - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	70	34,144	9.3
STD	58	16,266	15.7
Other	2	2,097	21.8

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Alaska - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	8	4,583	8.3
STD	2	1,154	15.6
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Arkansas - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	89	27,295	11.1
STD	47	4,780	23.5
Prenatal	32	4,131	11.8
Other	7	487	14.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Arizona - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	34	11,546	8.0
STD	1	1,859	20.4
Adult Corrections	1	366	14.8
Juvenile Detention	2	424	19.6
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



California - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	55	104692	4.9
STD	16	5,674	16.8
Adult Corrections	4	4,214	12.0
Juvenile Detention	19	7,115	13.4
Other	29	7,175	6.1

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Colorado - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	27	14,427	8.2
STD	2	2,568	18.3
Other	24	6,616	11.1

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Connecticut - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	13	4,432	7.2
STD	NA	NA	NA
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Delaware - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	13	5,482	9.3
STD	1	274	16.8
Adult Corrections	1	120	13.3
Other	28	4,654	8.9

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Florida - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	136	45,232	8.7
STD	122	29,443	16.7
Prenatal	56	10,979	6.0
Other	107	22,622	10.8

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Georgia - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	183	35,563	11.0
STD	91	11,494	20.7
Juvenile Detention	5	1,016	19.4
Other	42	6,663	15.1

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Hawaii - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	21	7,571	8.3
STD	1	692	13.7
Other	5	1,334	4.8

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Idaho - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	34	7,401	6.1
STD	9	973	14.4
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Illinois - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	84	41,052	9.0
STD	20	7,494	17.9
Prenatal	1	206	7.3
Adult Corrections	2	559	13.1
Juvenile Detention	2	534	17.8
Other	100	17,822	11.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Indiana - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	46	23,281	10.3
STD	10	3,741	22.1
Adult Corrections	2	601	14.8
Other	14	1,542	9.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Iowa - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	40	26,123	7.4
STD	7	1,800	17.4
Other	6	1,796	6.3

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Kansas - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	46	9,517	7.9
STD	17	3,088	12.5
Prenatal	8	1,019	6.5
Juvenile Detention	1	134	9.7
Other	9	2,117	7.0

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Kentucky - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	124	24,598	5.6
STD	56	5,028	13.5
Prenatal	17	1,107	6.4
Juvenile Detention	1	124	16.1
Other	51	9,126	11.0

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Louisiana - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	69	17,406	13.0
STD	61	10,679	20.8
Prenatal	2	102	20.6
Other	28	4,320	17.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Maine - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	13	2,038	5.8
STD	2	108	6.5
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Maryland - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	40	11,400	7.2
STD	23	7,825	15.0
Other	13	5,633	12.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Massachusetts - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	19	4,613	4.9
STD	1	376	8.0
Adult Corrections	1	147	6.8
Other	11	783	8.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Michigan - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	136	18,821	8.1
STD	38	10,891	16.7
Adult Corrections	1	325	11.4
Juvenile Detention	5	702	18.5
Other	32	4,185	15.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Minnesota - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	26	13,024	6.3
STD	2	2,029	13.5
Other	10	3,491	10.5

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Missouri - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	67	22,251	8.1
STD	50	9,952	16.2
Adult Corrections	1	119	26.1
Other	13	1,991	9.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Mississippi - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	93	23,337	13.7
STD	70	8,121	20.0
Prenatal	29	2,624	15.1
Juvenile Detention	1	160	23.1
Other	7	4,973	16.3

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Montana - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	19	7,408	6.2
STD	2	157	17.8
Other	12	1,240	6.1

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Nebraska - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	19	4,708	6.8
STD	3	800	15.0
Prenatal	1	454	11.9
Juvenile Detention	1	288	17.0
Other	44	6,099	9.3

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



New Hampshire - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	15	4,406	4.7
STD	NA	NA	NA
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



New Jersey - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	40	29,083	9.2
STD	18	4,163	16.9
Juvenile Detention	1	159	25.8
Other	17	3,714	7.0

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



New York - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	81	66,902	6.0
STD	24	27,230	13.5
Prenatal	6	585	6.7
Adult Corrections	1	285	3.9
Juvenile Detention	2	534	16.3
Other	16	7,249	9.8

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



New Mexico - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010





Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010




Note: Percent positivity for 2009 published in the 2009 State profiles has been corrected.

Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	59	8,251	10.2
STD	28	3,405	18.2
Other	16	966	12.1

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Nevada - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	15	5,227	8.6
STD	2	2,611	19.8
Juvenile Detention	1	280	18.6
Other	3	1,201	8.9

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



North Carolina - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	97	33,434	8.3
STD	80	18,411	15.5
Prenatal	73	14,924	7.7
Other	32	2,197	10.6

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



North Dakota - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	10	5,618	8.2
STD	NA	NA	NA
Other	5	813	6.4

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Ohio - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	38	23,132	8.6
STD	18	3,421	15.1
Prenatal	1	398	9.3
Juvenile Detention	5	1,116	18.4
Other	5	1,297	14.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Oklahoma - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	90	21,960	7.8
STD	46	6,292	19.9
Prenatal	3	600	4.3
Other	1	184	8.7

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Oregon - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	62	25,859	6.4
STD	25	3,265	12.8
Other	19	4,916	6.3

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Pennsylvania - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	124	72,563	7.7
STD	57	12,783	15.2
Prenatal	6	2,247	10.2
Adult Corrections	2	336	6.8
Juvenile Detention	2	351	11.7
Other	57	30,730	8.7

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Rhode Island - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	9	4,171	7.6
STD	NA	NA	NA
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



South Carolina - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	58	25,757	12.0
STD	56	14,766	15.9
Other	5	1,277	13.5

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



South Dakota - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	11	2,686	8.4
STD	5	298	16.1
Other	1	437	11.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Tennessee - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	112	22,062	6.7
STD	106	25,775	11.9
Juvenile Detention	2	637	11.8
Other	24	2,258	11.5

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Texas - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	28	46,673	12.7
STD	14	11,317	23.8
Juvenile Detention	5	2,865	21.4
Other	17	7,657	15.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Utah - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	9	5,764	12.0
STD	5	770	19.6
Other	20	1,909	8.5

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Virginia - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	116	21,581	7.6
STD	71	13,503	15.7
Prenatal	25	3,221	5.6
Other	6	751	11.9

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Vermont - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	11	1,543	3.9
STD	NA	NA	NA
Other	NA	NA	NA

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Washington - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	60	23,525	6.8
STD	4	765	8.2
Adult Corrections	1	150	8.0
Juvenile Detention	1	211	11.4
Other	36	4,793	5.8

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Wisconsin - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	62	24,594	9.7
STD	3	981	20.0
Adult Corrections	1	111	1.8
Other	16	6,765	6.0

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



West Virginia - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	80	14,029	4.5
STD	17	1,379	13.8
Prenatal	1	187	2.7
Other	13	2,897	5.4

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Wyoming - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	12	2,389	6.5
STD	1	185	23.8
Other	7	2,885	9.7

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Virgin Islands - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010





Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	3	1,043	12.8
STD	2	426	22.1
Prenatal	2	352	17.0
Other	3	395	15.2

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010



Puerto Rico - 2010

Figure A. Chlamydia rate per 100,000 women, 2000 - 2010




Figure B. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2000 - 2010




Table 1. Chlamydia positivity in women 15 to 24 years of age, by testing site, 2010

Testing Site	No. Clinics	No. Tested	Percent Positive
Family Planning	25	6,604	7.6
STD	11	2,718	13.3
Prenatal	7	2,032	14.0
Other	35	4,065	9.9

Figure C. Chlamydia positivity by age group in women attending family planning clinics, 2010

