

2020 STD Surveillance Report

State Ranking Tables

Table	Page
Chlamydia — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2020	2
Gonorrhea — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2020	3
Primary and Secondary Syphilis — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2020	4
Congenital Syphilis — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2020	5

Chlamydia — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2020

Rank*	State	Cases	Rate per 100,000 Population
1	Mississippi	23,919	803.7
2	Louisiana	32,997	709.8
3	Alaska	5,090	695.8
4	South Carolina	34,118	662.7
5	North Carolina	64,640	616.3
6	Georgia	62,582	589.4
7	New Mexico	12,084	576.3
8	Tennessee	37,907	555.1
9	Alabama	27,075	552.2
10	Illinois	68,716	542.3
11	Oklahoma	21,208	536.0
12	Maryland	32,398	535.9
13	Arkansas	16,053	531.9
14	Missouri	31,815	518.4
15	Arizona	37,289	512.3
16	Ohio	59,520	509.2
17	New York	97,722	502.3
18	Kansas	14,620	501.8
19	Delaware	4,855	498.6
20	Indiana	33,372	495.7
21	Hawaii	7,005	494.7
	US TOTAL[†]	1,579,885	481.3
22	Virginia	40,965	479.9
23	Nevada	14,739	478.5
24	Iowa	15,097	478.5
25	North Dakota	3,562	467.4
26	Texas	135,124	466.0
27	Florida	100,030	465.7
28	Nebraska	8,844	457.2
29	South Dakota	4,044	457.1
30	Wisconsin	26,564	456.2
31	Colorado	26,137	453.9
32	California	178,679	452.2
33	Michigan	44,769	448.3
34	Rhode Island	4,714	445.0
35	Kentucky	18,750	419.7
36	Washington	31,181	409.5
37	Pennsylvania	52,272	408.3
38	Minnesota	22,114	392.1
39	Montana	4,133	386.7
40	Oregon	15,858	376.0
41	Massachusetts	24,901	361.3
42	Connecticut	12,716	356.7
43	New Jersey	31,649	356.3
44	Idaho	6,273	351.0
45	Wyoming	1,961	338.8
46	Utah	10,466	326.5
47	West Virginia	5,431	303.0
48	Maine	3,466	257.8
49	New Hampshire	2,931	215.6
50	Vermont	1,117	179.0

* States were ranked by rate, then by case count, then in alphabetical order, with rates shown rounded to the nearest tenth.

† Total includes cases reported by the District of Columbia with 6,413 cases and a rate of 908.7, but excludes territories.

NOTE: The COVID-19 pandemic has introduced uncertainty and difficulty in interpreting 2020 case data. See [Impact of COVID-19 on STDs](#) for more information.

Gonorrhea — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2020

Rank*	State	Cases	Rate per 100,000 Population
1	Mississippi	13,773	462.8
2	Louisiana	15,483	333.1
3	South Carolina	16,705	324.4
4	Alabama	14,426	294.2
5	Oklahoma	11,204	283.1
6	Missouri	16,855	274.6
7	South Dakota	2,424	274.0
8	Alaska	1,982	270.9
9	Tennessee	18,458	270.3
10	North Carolina	28,258	269.4
11	Ohio	30,977	265.0
12	Arkansas	7,857	260.4
13	Illinois	31,055	245.1
14	Michigan	23,412	234.4
15	Arizona	16,342	224.5
16	Georgia	23,463	221.0
17	New Mexico	4,608	219.8
18	Iowa	6,919	219.3
19	New York	42,517	218.6
20	North Dakota	1,660	217.8
21	Indiana	14,111	209.6
22	Nevada	6,364	206.6
	US TOTAL†	677,769	206.5
23	Texas	58,246	200.9
24	Maryland	12,052	199.3
25	California	78,444	198.5
26	Kansas	5,626	193.1
27	Florida	40,788	189.9
28	Kentucky	8,393	187.9
29	Minnesota	10,320	183.0
30	Virginia	15,217	178.3
31	Wisconsin	10,346	177.7
32	Nebraska	3,434	177.5
33	Colorado	9,686	168.2
34	Montana	1,698	158.9
35	Delaware	1,503	154.3
36	Washington	11,667	153.2
37	Oregon	6,412	152.0
38	Pennsylvania	18,280	142.8
39	Rhode Island	1,399	132.1
40	Connecticut	4,604	129.1
41	New Jersey	10,060	113.3
42	Massachusetts	7,494	108.7
43	Hawaii	1,484	104.8
44	West Virginia	1,780	99.3
45	Utah	3,112	97.1
46	Idaho	1,480	82.8
47	Wyoming	392	67.7
48	Maine	520	38.7
49	New Hampshire	461	33.9
50	Vermont	139	22.3

* States were ranked by rate, then case count, then in alphabetical order, with rates shown rounded to the nearest tenth.

† Total includes cases reported by the District of Columbia with 3,879 cases and a rate of 549.6, but excludes territories.

NOTE: The COVID-19 pandemic has introduced uncertainty and difficulty in interpreting 2020 case data. See [Impact of COVID-19 on STDs](#) for more information.

Primary and Secondary Syphilis — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2020

Rank*	State	Cases	Rate per 100,000 Population
1	Nevada	767	24.9
2	Mississippi	741	24.9
3	Alaska	176	24.1
4	Oklahoma	941	23.8
5	New Mexico	467	22.3
6	Arizona	1,454	20.0
7	California	7,688	19.5
8	Arkansas	502	16.6
9	Georgia	1,757	16.5
10	Florida	3,520	16.4
11	New York	3,022	15.5
12	Louisiana	704	15.1
13	Oregon	628	14.9
14	Maryland	873	14.4
15	Missouri	829	13.5
16	Hawaii	182	12.9
	US TOTAL†	41,655	12.7
17	South Carolina	652	12.7
18	North Carolina	1,322	12.6
19	Illinois	1,467	11.6
20	Tennessee	767	11.2
21	Colorado	640	11.1
22	Washington	836	11.0
23	Alabama	529	10.8
24	Delaware	97	10.0
25	Kentucky	445	10.0
26	Texas	2,708	9.3
27	Ohio	1,084	9.3
28	Massachusetts	615	8.9
29	New Jersey	764	8.6
30	Rhode Island	89	8.4
31	Virginia	701	8.2
32	Pennsylvania	1,046	8.2
33	Michigan	787	7.9
34	Connecticut	280	7.9
35	Indiana	527	7.8
36	South Dakota	66	7.5
37	Minnesota	417	7.4
38	West Virginia	127	7.1
39	Wisconsin	366	6.3
40	Iowa	194	6.1
41	Nebraska	104	5.4
42	Kansas	150	5.1
43	Montana	45	4.2
44	North Dakota	32	4.2
45	Utah	131	4.1
46	New Hampshire	51	3.8
47	Idaho	66	3.7
48	Maine	38	2.8
49	Wyoming	11	1.9
50	Vermont	3	0.5

* States were ranked by rate, then case count, then in alphabetical order, with rates shown rounded to the nearest tenth.

† Total includes cases reported by the District of Columbia with 247 cases and a rate of 35.0, but excludes territories.

NOTE: The COVID-19 pandemic has introduced uncertainty and difficulty in interpreting 2020 case data. See [Impact of COVID-19 on STDs](#) for more information.

Congenital Syphilis — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2020

Rank*	State†	Cases	Rate per 100,000 Live Births
1	New Mexico	42	182.9
2	Arizona	120	151.2
3	Texas	561	148.6
4	Nevada	46	131.2
5	Oklahoma	53	107.8
6	California	481	107.7
7	Louisiana	63	106.9
8	Mississippi	37	101.0
9	Alaska	8	81.4
10	Hawaii	12	71.4
11	Florida	154	70.0
12	Georgia	82	64.9
13	Arkansas	23	62.9
	US TOTAL‡	2,148	57.3
14	Oregon	19	45.4
15	Maryland	31	44.2
16	West Virginia	8	44.1
17	Missouri	30	41.6
18	Tennessee	31	38.5
19	Alabama	21	35.8
20	Colorado	22	35.0
21	South Dakota	4	34.9
22	South Carolina	19	33.3
23	North Dakota	3	28.7
24	Michigan	29	26.9
25	North Carolina	31	26.1
26	Ohio	33	24.5
27	Kentucky	13	24.5
28	New Jersey	24	24.1
29	Kansas	8	22.6
30	Delaware	2	18.9
31	Illinois	26	18.6
32	Montana	2	18.1
33	Virginia	15	15.4
34	Wyoming	1	15.2
35	Massachusetts	10	14.5
36	New York	30	13.5
37	Washington	10	11.8
38	Minnesota	7	10.6
39	Pennsylvania	14	10.4
40	Rhode Island	1	9.8
41	Wisconsin	6	9.5
42	Idaho	2	9.1
43	Indiana	6	7.4
44	Connecticut	2	5.8
45	Nebraska	1	4.0
46	Iowa	1	2.7
47	Utah	1	2.1
	Maine	0	0.0
	New Hampshire	0	0.0
	Vermont	0	0.0

* States were ranked by rate; then case count, then in alphabetical order, with rates shown rounded to the nearest tenth.

† Mother's state of residence was used to assign case.

‡ Total includes cases reported by the District of Columbia with 3 case and a rate of 33.0, but excludes territories.
NOTE: The COVID-19 pandemic has introduced uncertainty and difficulty in interpreting 2020 case data. See [Impact of COVID-19 on STDs](#) for more information.