
2018 STD Surveillance Report: State Ranking Tables

Table 2. Chlamydia — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2018	Page 2
Table 13. Gonorrhea — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2018	Page 3
Table 26. Primary and Secondary Syphilis — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2018	Page 4
Table 40. Congenital Syphilis — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2018	Page 5

Table 2. Chlamydia — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2018

Rank*	State	Cases	Rate per 100,000 Population
1	Alaska	6,159	832.5
2	Louisiana	36,293	774.8
3	Mississippi	22,086	740.1
4	South Carolina	33,910	674.9
5	New Mexico	14,000	670.5
6	North Carolina	66,553	647.8
7	Georgia	65,936	632.2
8	Delaware	6,038	627.7
9	Illinois	77,325	604.0
10	New York	119,571	602.4
11	Arkansas	17,663	587.9
12	Maryland	35,482	586.3
13	California	231,415	585.3
14	Nevada	17,508	584.0
15	Alabama	28,437	583.4
16	Arizona	40,807	581.6
17	Tennessee	38,212	569.0
18	Missouri	34,728	568.1
19	Oklahoma	21,974	559.0
20	Ohio	63,220	542.3
21	Hawaii	7,735	541.8
	US TOTAL†	1,758,668	539.9
22	Indiana	34,926	523.9
23	Colorado	29,124	519.4
24	Rhode Island	5,487	517.8
25	Texas	146,510	517.6
26	South Dakota	4,432	509.6
27	Michigan	50,592	507.8
28	Virginia	42,965	507.3
29	Florida	104,758	499.2
30	Kansas	14,231	488.5
31	Wisconsin	28,027	483.6
32	Montana	4,917	468.1
33	Iowa	14,682	466.7
34	North Dakota	3,525	466.6
35	Connecticut	16,732	466.3
36	Washington	34,449	465.2
37	Oregon	19,224	464.0
38	Pennsylvania	59,340	463.4
39	Massachusetts	30,460	444.0
40	Kentucky	19,440	436.4
41	Minnesota	23,569	422.6
42	Nebraska	8,026	418.0
43	New Jersey	36,514	405.5
44	Idaho	6,572	382.8
45	Wyoming	2,169	374.4
46	Utah	10,541	339.8
47	Maine	4,345	325.2
48	New Hampshire	3,734	278.1
49	Vermont	1,712	274.5
50	West Virginia	3,599	198.2

* States were ranked by rate, then by case count, then in alphabetical order, with rates shown rounded to the nearest tenth.

† Total includes cases reported by the District of Columbia with 9,014 cases and a rate of 1,298.9 cases per 100,000 population, but excludes territories.

Table 13. Gonorrhea — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2018

Rank*	State	Cases	Rate per 100,000 Population
1	Mississippi	9,749	326.7
2	Alaska	2,247	303.7
3	South Carolina	13,801	274.7
4	Alabama	12,742	261.4
5	Louisiana	12,043	257.1
6	New Mexico	5,268	252.3
7	Missouri	15,090	246.8
8	Arkansas	7,300	243.0
9	North Carolina	23,725	230.9
10	Oklahoma	8,998	228.9
11	Tennessee	14,627	217.8
12	Nevada	6,475	216.0
13	Ohio	25,146	215.7
14	California	79,192	200.3
15	Georgia	20,867	200.1
16	Illinois	25,422	198.6
17	South Dakota	1,689	194.2
18	New York	37,262	187.7
19	Arizona	12,870	183.4
20	Indiana	12,193	182.9
21	North Dakota	1,369	181.2
22	Kansas	5,256	180.4
	US TOTAL†	583,405	179.1
23	Delaware	1,691	175.8
24	Maryland	10,305	170.3
25	Kentucky	7,470	167.7
26	Michigan	16,688	167.5
27	Texas	47,231	166.9
28	Colorado	8,894	158.6
29	Florida	32,644	155.6
30	Iowa	4,839	153.8
31	Washington	11,207	151.3
32	Oregon	5,913	142.7
33	Nebraska	2,696	140.4
34	Virginia	11,776	139.0
35	Connecticut	4,959	138.2
36	Wisconsin	7,882	136.0
37	Minnesota	7,542	135.2
38	Rhode Island	1,336	126.1
39	Pennsylvania	15,887	124.1
40	Massachusetts	8,076	117.7
41	Montana	1,181	112.4
42	Hawaii	1,495	104.7
43	New Jersey	9,067	100.7
44	Utah	2,895	93.3
45	Idaho	1,134	66.0
46	West Virginia	1,143	62.9
47	Wyoming	311	53.7
48	Maine	710	53.1
49	New Hampshire	594	44.2
50	Vermont	268	43.0

* States were ranked by rate, then by case count, then in alphabetical order, with rates shown rounded to the nearest tenth.

† Total includes cases reported by the District of Columbia with 4,240 cases and a rate of 611.0 cases per 100,000 population, but excludes territories.

Table 26. Primary and Secondary Syphilis — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2018

Rank*	State	Cases	Rate per 100,000 Population
1	Nevada	682	22.7
2	California	7,607	19.2
3	Mississippi	464	15.5
4	Georgia	1,607	15.4
5	Arizona	1,047	14.9
6	New Mexico	304	14.6
7	Louisiana	669	14.3
8	Florida	2,880	13.7
9	Oklahoma	531	13.5
10	New York	2,654	13.4
11	Missouri	806	13.2
12	Maryland	737	12.2
13	Illinois	1,408	11.0
14	Washington	802	10.8
	US TOTAL†	35,063	10.8
15	North Carolina	1,098	10.7
16	Oregon	424	10.2
17	Alabama	477	9.8
18	Arkansas	288	9.6
19	Rhode Island	96	9.1
20	Texas	2,538	9.0
21	Virginia	702	8.3
22	Tennessee	553	8.2
23	Kentucky	366	8.2
24	Massachusetts	552	8.0
25	South Carolina	384	7.6
26	Alaska	55	7.4
27	Michigan	649	6.5
28	Hawaii	92	6.4
29	Ohio	740	6.3
30	New Jersey	570	6.3
31	Pennsylvania	797	6.2
32	Nebraska	119	6.2
33	Colorado	337	6.0
34	Maine	74	5.5
35	Indiana	367	5.5
36	Utah	169	5.4
37	North Dakota	41	5.4
38	Minnesota	292	5.2
39	Kansas	152	5.2
40	New Hampshire	64	4.8
41	South Dakota	41	4.7
42	Montana	45	4.3
43	Wyoming	23	4.0
44	West Virginia	65	3.6
45	Delaware	30	3.1
46	Iowa	86	2.7
47	Idaho	46	2.7
48	Wisconsin	152	2.6
49	Connecticut	91	2.5
50	Vermont	11	1.8

* States were ranked by rate, then by case count, then in alphabetical order, with rates shown rounded to the nearest tenth.

† Total includes cases reported by the District of Columbia with 279 cases and a rate of 40.2 cases per 100,000 population, but excludes territories.

Table 40. Congenital Syphilis — Reported Cases and Rates of Reported Cases by State, Ranked by Rates, United States, 2018

Rank*	State†	Cases	Rate per 100,000 Live Births
1	Texas	367	92.2
2	Nevada	31	85.5
3	Louisiana	46	72.8
4	Arizona	61	72.2
5	California	332	67.9
6	Arkansas	25	65.3
7	Florida	108	48.0
8	New Mexico	10	40.5
9	Maryland	29	39.7
	US TOTAL‡	1,306	33.1
10	Georgia	31	23.8
11	Oklahoma	12	22.8
12	Missouri	17	22.8
13	Hawaii	4	22.1
14	Oregon	10	22.0
15	Kansas	8	21.0
16	Illinois	29	18.8
17	Kentucky	9	16.2
18	South Carolina	9	15.7
19	Tennessee	12	14.9
20	Ohio	20	14.5
21	Minnesota	10	14.3
22	North Carolina	17	14.1
23	New Jersey	13	12.7
24	New York	28	12.0
25	Alabama	7	11.8
26	Michigan	13	11.5
27	Colorado	7	10.5
28	Alaska	1	8.9
29	Virginia	9	8.8
30	New Hampshire	1	8.2
31	South Dakota	1	8.1
32	Mississippi	3	7.9
33	Washington	7	7.7
34	Iowa	3	7.6
35	Pennsylvania	9	6.5
36	Connecticut	2	5.6
37	West Virginia	1	5.2
38	Idaho	1	4.4
39	Utah	1	2.0
40	Wisconsin	1	1.5
41	Indiana	1	1.2
	Delaware	0	0.0
	Maine	0	0.0
	Massachusetts	0	0.0
	Montana	0	0.0
	Nebraska	0	0.0
	North Dakota	0	0.0
	Rhode Island	0	0.0
	Vermont	0	0.0
	Wyoming	0	0.0

* States were ranked by rate, then by case count, then in alphabetical order, with rates shown rounded to the nearest tenth.

† Mother's state of residence was used to assign case.

‡ Total includes cases reported by the District of Columbia with 0 cases and a rate of 0.0 cases per 100,000 live births, but excludes territories.