Hawaii, 2008

Primary and secondary syphilis

- CASES: Hawaii reported 29 cases in 2008.
- RATES: Hawaii ranked 27 among 50 states; Washington, DC; and 3 territories with 2.3 cases per 100,000 population compared to the U.S. rate of 4.5 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Hawaii, the rate among males was 3.4 per 100,000 population compared to the U.S. male rate of 7.6 per 100,000.
- The rate among females was 1.1 per 100,000 compared to the U.S. female rate of 1.5 per 100,000.

Rates of primary and secondary syphilis, by race/ethnicity

- In Hawaii, the race/ethnicity adjusted rates per 100,000 population were 3.1 among whites, 2.4 among blacks, 5.7 among Hispanics, 1.4 among Asian/Pacific Islanders, and 0.0 among American Indians/Alaska Natives.
- The rate among Hispanics was 1.8 times that of whites.

Congenital syphilis

- CASES: Hawaii reported 0 cases in 2008.
- RATES: Hawaii had a rate of 0.0 cases per 100,000 live births compared to the U.S. rate of 10.1 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Hawaii, 1999-2008



Total P&S Syphilis Rates by County, Hawaii, 2008