

Kansas, 2008

Primary and secondary syphilis

- **CASES:** Kansas reported 30 cases in 2008.
- **RATES:** Kansas ranked 40 among 50 states; Washington, DC; and 3 territories with 1.1 cases per 100,000 population compared to the U.S. rate of 4.5 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Kansas, the rate among males was 1.8 per 100,000 population compared to the U.S. male rate of 7.6 per 100,000.
- The rate among females was 0.4 per 100,000 compared to the U.S. female rate of 1.5 per 100,000.


Rates of primary and secondary syphilis, by race/ethnicity

- In Kansas, the race/ethnicity adjusted rates per 100,000 population were 0.6 among whites, 8.0 among blacks, 0.4 among Hispanics, 0.0 among Asian/Pacific Islanders, and 3.7 among American Indians/Alaska Natives.
- The rate among blacks was 13.3 times that of whites.
- The rate among American Indians/Alaska Natives was 6.2 times that of whites.


Congenital syphilis

- **CASES:** Kansas reported 0 cases in 2008.
- **RATES:** Kansas had a rate of 0.0 cases per 100,000 live births compared to the U.S. rate of 10.1 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Kansas, 1999-2008



Total P&S Syphilis Rates by County, Kansas, 2008



Rate (per 100,000 population)

