

Minnesota, 2008

Primary and secondary syphilis

- CASES: Minnesota reported 116 cases in 2008.
- RATES: Minnesota ranked 28 among 50 states; Washington, DC; and 3 territories with 2.2 cases per 100,000 population compared to the U.S. rate of 4.5 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Minnesota, the rate among males was 4.3 per 100,000 population compared to the U.S. male rate of 7.6 per 100,000.
- The rate among females was 0.2 per 100,000 compared to the U.S. female rate of 1.5 per 100,000.


Rates of primary and secondary syphilis, by race/ethnicity

- In Minnesota, the race/ethnicity adjusted rates per 100,000 population were 2.0 among whites, 8.1 among blacks, 1.5 among Hispanics, 0.5 among Asian/Pacific Islanders, and 0.0 among American Indians/Alaska Natives.
- The rate among blacks was 4.1 times that of whites.

Congenital syphilis

- CASES: Minnesota reported 0 cases in 2008.
- RATES: Minnesota had a rate of 0.0 cases per 100,000 live births compared to the U.S. rate of 10.1 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Minnesota, 1999-2008



Total P&S Syphilis Rates by County, Minnesota, 2008

