

Arizona, 2009

Primary and secondary syphilis

- CASES: Arizona reported 231 cases in 2009.
- RATES: Arizona ranked 18 among 50 states; Washington, DC; and 3 territories with 3.6 cases per 100,000 population compared to the U.S. rate of 4.6 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Arizona, the rate among males was 6.4 per 100,000 population compared to the U.S. male rate of 7.8 per 100,000.
- The rate among females was 0.7 per 100,000 compared to the U.S. female rate of 1.4 per 100,000.


Rates of primary and secondary syphilis, by race/ethnicity

- In Arizona, the race/ethnicity adjusted rates per 100,000 population were 3.0 among whites, 5.6 among blacks, 4.3 among Hispanics, 0.6 among Asian/Pacific Islanders, and 5.4 among American Indians/Alaska Natives.
- The rate among blacks was 1.9 times that of whites.
- The rate among Hispanics was 1.4 times that of whites.
- The rate among American Indians/Alaska Natives was 1.8 times that of whites.


Congenital syphilis

- CASES: Arizona reported 28 cases in 2009.
- RATES: Arizona ranked 3 among among 34 areas (33 states and 1 territory) reporting congenital syphilis cases with a rate of 27.3 cases per 100,000 live births compared to the U.S. rate of 10.0 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Arizona, 2000-2009



Total P&S Syphilis Rates by County, Arizona, 2009



Rate (per 100,000 population)

