

New Mexico, 2009

Primary and secondary syphilis

- CASES: New Mexico reported 61 cases in 2009.
- RATES: New Mexico ranked 20 among 50 states; Washington, DC; and 3 territories with 3.1 cases per 100,000 population compared to the U.S. rate of 4.6 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In New Mexico, the rate among males was 5.6 per 100,000 population compared to the U.S. male rate of 7.8 per 100,000.
- The rate among females was 0.6 per 100,000 compared to the U.S. female rate of 1.4 per 100,000.


Rates of primary and secondary syphilis, by race/ethnicity

- In New Mexico, the race/ethnicity adjusted rates per 100,000 population were 1.8 among whites, 12.5 among blacks, 2.4 among Hispanics, 14.2 among Asian/Pacific Islanders, and 8.5 among American Indians/Alaska Natives.
- The rate among blacks was 6.9 times that of whites.
- The rate among Hispanics was 1.3 times that of whites.
- The rate among Asian/Pacific Islanders was 7.9 times that of whites.
- The rate among American Indians/Alaska Natives was 4.7 times that of whites.


Congenital syphilis

- CASES: New Mexico reported 0 cases in 2009.
- RATES: New Mexico had a rate of 0.0 cases per 100,000 live births compared to the U.S. rate of 10.0 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, New Mexico, 2000-2009



Total P&S Syphilis Rates by County, New Mexico, 2009



Rate (per 100,000 population)

