

New York, 2009

Primary and secondary syphilis

- **CASES:** New York reported 1,182 cases in 2009.
- **RATES:** New York ranked 10 among 50 states; Washington, DC; and 3 territories with 6.1 cases per 100,000 population compared to the U.S. rate of 4.6 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In New York, the rate among males was 11.9 per 100,000 population compared to the U.S. male rate of 7.8 per 100,000.
- The rate among females was 0.5 per 100,000 compared to the U.S. female rate of 1.4 per 100,000.


Rates of primary and secondary syphilis, by race/ethnicity

- In New York, the race/ethnicity adjusted rates per 100,000 population were 2.8 among whites, 16.8 among blacks, 10.2 among Hispanics, 1.4 among Asian/Pacific Islanders, and 4.0 among American Indians/Alaska Natives.
- The rate among blacks was 6 times that of whites.
- The rate among Hispanics was 3.6 times that of whites.
- The rate among American Indians/Alaska Natives was 1.4 times that of whites.

Congenital syphilis

- **CASES:** New York reported 15 cases in 2009.
- **RATES:** New York ranked 22 among among 34 areas (33 states and 1 territory) reporting congenital syphilis cases with a rate of 6.0 cases per 100,000 live births compared to the U.S. rate of 10.0 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, New York, 2000-2009



Total P&S Syphilis Rates by County, New York, 2009

