Florida, 2011

Primary and secondary syphilis

- CASES: Florida reported 1,257 cases in 2011.
- RATES: Florida ranked 7 among 51 areas (48 states; Washington, DC; and 2 territories) reporting at least one case of P&S syphilis with 6.7 cases per 100,000 population compared to the U.S. rate of 4.5 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Florida, the rate among males was 12.2 per 100,000 population compared to the U.S. male rate of 8.2 per 100,000.
- The rate among females was 1.4 per 100,000 compared to the U.S. female rate of 1.0 per 100,000.

Rates of primary and secondary syphilis, by race/ethnicity

- In Florida, the race/ethnicity adjusted rates per 100,000 population were 4.2 among whites, 15.6 among blacks, 6.5 among Hispanics, 1.6 among Asian/Pacific Islanders, and 1.8 among American Indians/Alaska Natives.
- The rate among blacks was 3.7 times that of whites.
- The rate among Hispanics was 1.5 times that of whites.

Congenital syphilis

- CASES: Florida reported 32 cases in 2011.
- RATES: Florida ranked 7 among among 25 areas (23 states; Washington, DC; and 1 territory) reporting at least one case of congenital syphilis with a rate of 13.8 cases per 100,000 live births compared to the U.S. rate of 8.5 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Florida, 2002 – 2011



Total P&S Syphilis Rates by County, Florida, 2011