

Rhode Island, 2011

Primary and secondary syphilis

- CASES: Rhode Island reported 46 cases in 2011.
- RATES: Rhode Island ranked 19 among 51 areas (48 states; Washington, DC; and 2 territories) reporting at least one case of P&S syphilis with 4.4 cases per 100,000 population compared to the U.S. rate of 4.5 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Rhode Island, the rate among males was 8.5 per 100,000 population compared to the U.S. male rate of 8.2 per 100,000.
- The rate among females was 0.6 per 100,000 compared to the U.S. female rate of 1.0 per 100,000.


Rates of primary and secondary syphilis, by race/ethnicity

- In Rhode Island, the race/ethnicity adjusted rates per 100,000 population were 3.7 among whites, 14.1 among blacks, 0.8 among Hispanics, 3.0 among Asian/Pacific Islanders, and 0.0 among American Indians/Alaska Natives.
- The rate among blacks was 3.8 times that of whites.

Congenital syphilis

- CASES: Rhode Island reported 0 cases in 2011.
- RATES: Rhode Island had a rate of 0.0 cases per 100,000 live births compared to the U.S. rate of 8.5 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Rhode Island, 2002 – 2011



Total P&S Syphilis Rates by County, Rhode Island, 2011

