

# Connecticut, 2013

## Primary and secondary syphilis

- CASES: Connecticut reported 56 cases in 2013.
- RATES: Connecticut ranked 44 among 50 states reporting at least one case of P&S syphilis with 1.6 cases per 100,000 population compared to the U.S. rate of 5.5.

## Rates of primary and secondary syphilis, by sex

- In Connecticut, the rate among males was 2.7 cases per 100,000 population compared to the U.S. male rate of 10.3.
- The rate among females was 0.4 compared to the U.S. female rate of 0.9.


## Rates of primary and secondary syphilis, by race/ethnicity

- In Connecticut, the race/ethnicity adjusted rates per 100,000 population were 0.7 among whites, 5.5 among blacks, 2.3 among Hispanics, 0.0 among Asians, 0.0 among Native Hawaiian/Other Pacific Islanders, and 0.0 among American Indians/Alaska Natives.
- The rate among blacks was 8.2 times that of whites.
- The rate among Hispanics was 3.5 times that of whites.

## Congenital syphilis

- CASES: Connecticut reported 0 cases in 2013.
- RATES: Connecticut had a rate of 0.0 cases per 100,000 live births compared to the U.S. rate of 8.7.

## Syphilis: P&S Rates and Congenital Cases, Connecticut, 2004–2013



## Total P&S Syphilis Rates by County, Connecticut, 2013

