

# Oklahoma, 2013

## Primary and secondary syphilis

- CASES: Oklahoma reported 118 cases in 2013.
- RATES: Oklahoma ranked 34 among 50 states reporting at least one case of P&S syphilis with 3.1 cases per 100,000 population compared to the U.S. rate of 5.5.

## Rates of primary and secondary syphilis, by sex

- In Oklahoma, the rate among males was 5.6 cases per 100,000 population compared to the U.S. male rate of 10.3.
- The rate among females was 0.7 compared to the U.S. female rate of 0.9.


## Rates of primary and secondary syphilis, by race/ethnicity

- In Oklahoma, the race/ethnicity adjusted rates per 100,000 population were 2.8 among whites, 9.7 among blacks, 2.5 among Hispanics, 2.9 among Asians, 0.0 among Native Hawaiian/Other Pacific Islanders, and 1.0 among American Indians/Alaska Natives.
- The rate among blacks was 3.4 times that of whites.


## Congenital syphilis

- CASES: Oklahoma reported 0 cases in 2013.
- RATES: Oklahoma had a rate of 0.0 cases per 100,000 live births compared to the U.S. rate of 8.7.

## Syphilis: P&S Rates and Congenital Cases, Oklahoma, 2004–2013



## Total P&S Syphilis Rates by County, Oklahoma, 2013



Rate (per 100,000 population)

