Oregon, 2013

Primary and secondary syphilis

- CASES: Oregon reported 267 cases in 2013.
- RATES: Oregon ranked 8 among 50 states reporting at least one case of P&S syphilis with 6.8 cases per 100,000 population compared to the U.S. rate of 5.5.

Rates of primary and secondary syphilis, by sex

- In Oregon, the rate among males was 13.2 cases per 100,000 population compared to the U.S. male rate of 10.3.
- The rate among females was 0.6 compared to the U.S. female rate of 0.9.

Rates of primary and secondary syphilis, by race/ethnicity

- In Oregon, the race/ethnicity adjusted rates per 100,000 population were 6.2 among whites, 20.6 among blacks, 10.8 among Hispanics, 2.6 among Asians, 0.0 among Native Hawaiian/Other Pacific Islanders, and 4.6 among American Indians/Alaska Natives.
- The rate among blacks was 3.3 times that of whites.
- The rate among Hispanics was 1.7 times that of whites.

Congenital syphilis

- CASES: Oregon reported 0 cases in 2013.
- RATES: Oregon had a rate of 0.0 cases per 100,000 live births compared to the U.S. rate of 8.7.

Syphilis: P&S Rates and Congenital Cases, Oregon, 2004–2013



Total P&S Syphilis Rates by County, Oregon, 2013