

Tennessee, 2013

Primary and secondary syphilis

- CASES: Tennessee reported 214 cases in 2013.
- RATES: Tennessee ranked 29 among 50 states reporting at least one case of P&S syphilis with 3.3 cases per 100,000 population compared to the U.S. rate of 5.5.

Rates of primary and secondary syphilis, by sex

- In Tennessee, the rate among males was 6.1 cases per 100,000 population compared to the U.S. male rate of 10.3.
- The rate among females was 0.7 compared to the U.S. female rate of 0.9.


Rates of primary and secondary syphilis, by race/ethnicity

- In Tennessee, the race/ethnicity adjusted rates per 100,000 population were 1.5 among whites, 12.3 among blacks, 1.3 among Hispanics, 1.0 among Asians, 0.0 among Native Hawaiian/Other Pacific Islanders, and 0.0 among American Indians/Alaska Natives.
- The rate among blacks was 8.1 times that of whites.


Congenital syphilis

- CASES: Tennessee reported 2 cases in 2013.
- RATES: Tennessee ranked 21 among 25 states reporting at least one case of congenital syphilis with a rate of 2.5 cases per 100,000 live births compared to the U.S. rate of 8.7.

Syphilis: P&S Rates and Congenital Cases, Tennessee, 2004–2013



Total P&S Syphilis Rates by County, Tennessee, 2013



Rate (per 100,000 population)

