Table 4. Tuberculosis Cases, Percentages, and Case Rates per 100,000 Population by Age Group: United States, 1993–2012

Year	Total Cases	0–14			15–24			25–44			45–64			≥64			Unknown[1]	
		No.	(%)	Rate	No.	(%)	Rate	No.	(%)	Rate	No.	(%)	Rate	No.	(%)	Rate	No.	(%)
1993	25103	1660	(7)	2.9	1821	(7)	5.0	9589	(38)	11.5	6196	(25)	12.4	5820	(23)	17.7	17	(0)
1994	24205	1659	(7)	2.9	1832	(8)	5.0	9043	(37)	10.7	6125	(25)	11.9	5540	(23)	16.6	6	(0)
1995	22727	1536	(7)	2.6	1697	(7)	4.6	8200	(36)	9.7	5960	(26)	11.3	5329	(23)	15.8	5	(0)
1996	21210	1356	(6)	2.3	1637	(8)	4.4	7564	(36)	8.9	5572	(26)	10.2	5076	(24)	14.9	5	(0)
1997	19751	1251	(6)	2.1	1674	(8)	4.5	6884	(35)	8.0	5278	(27)	9.4	4663	(24)	13.6	1	(0)
1998	18287	1077	(6)	1.8	1543	(8)	4.1	6335	(35)	7.4	4954	(27)	8.5	4378	(24)	12.6	0	(0)
1999	17499	1038	(6)	1.7	1518	(9)	3.9	6062	(35)	7.1	4860	(28)	8.1	4019	(23)	11.5	2	(0)
2000	16309	965	(6)	1.6	1618	(10)	4.1	5576	(34)	6.6	4635	(28)	7.4	3515	(22)	10.0	0	(0)
2001	15945	929	(6)	1.5	1597	(10)	4.0	5610	(35)	6.6	4515	(28)	7.0	3293	(21)	9.3	1	(0)
2002	15055	944	(6)	1.6	1498	(10)	3.7	5288	(35)	6.3	4182	(28)	6.3	3142	(21)	8.8	1	(0)
2003	14835	911	(6)	1.5	1573	(11)	3.8	5074	(34)	6.1	4283	(29)	6.3	2994	(20)	8.3	0	(0)
2004	14498	952	(7)	1.6	1603	(11)	3.8	4939	(34)	5.9	4192	(29)	5.9	2811	(19)	7.8	1	(0)
2005	14061	851	(6)	1.4	1540	(11)	3.6	4738	(34)	5.7	4123	(29)	5.7	2809	(20)	7.7	0	(0)
2006	13727	803	(6)	1.3	1532	(11)	3.6	4689	(34)	5.6	4039	(29)	5.4	2663	(19)	7.2	1	(0)
2007	13282	777	(6)	1.3	1580	(12)	3.7	4314	(32)	5.2	4037	(30)	5.3	2574	(19)	6.8	0	(0)
2008	12895	785	(6)	1.3	1444	(11)	3.4	4241	(33)	5.1	3929	(30)	5.0	2496	(19)	6.4	0	(0)
2009	11520	647	(6)	1.0	1278	(11)	3.0	3887	(34)	4.7	3424	(30)	4.3	2284	(20)	5.8	0	(0)
2010	11163	636	(6)	1.0	1199	(11)	2.7	3669	(33)	4.5	3430	(31)	4.2	2228	(20)	5.5	1	(0)
2011	10517	577	(5)	0.9	1033	(10)	2.4	3367	(32)	4.1	3293	(31)	4.0	2246	(21)	5.4	1	(0)
2012	9945	486	(5)	0.8	1020	(10)	2.3	3118	(31)	3.8	3114	(31)	3.8	2204	(22)	5.1	3	(0)

[1]Includes unknown and missing.

Note: Previously published rates for 1993–1999 have been updated using Bridged-Race 1990–1999 Intercensal Population Estimates for 1990–1999 (ftp://ftp.cdc.gov/pub/health_statistics/nchs/datasets/nvss/bridgepop/documentationbridgedintercena1.doc) (accessed August 12, 2013) Denominators for computing 2000–2012 case rates were obtained from the Annual Estimates of the Resident Population by Sex and Five-Year Age Groups for the United States: April 1, 2000 to July 1, 2009 (http://www.census.gov/popest/data/historical/2000s/vintage_2009/index.html), andAnnual Estimates of the Resident Population for Selected Age Groups by Sex for the United States, States, Counties, and Puerto Rico Commonwealth and Municipios: April 1, 2010 to July 1, 2012 (http://factfinder2.census.gov/bkmk/table/1.0/en/PEP/2012/PEPAGESEX) (accessed August 12, 2013).

Data for all years updated through June 10, 2013.

See Technical Notes.

Zero % (0) denotes <0.5%.

See Surveillance Slides #7 and #8.