

**Table 27. Tuberculosis Cases and Percentages by Reason Tuberculosis Therapy Stopped and Type of Move: United States, 2012**

Type of Move	Total Cases	Completed Therapy		Adverse Event		Lost		Refused		Died		Other <sup>5</sup>		Unknown	
	No.	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Moved in state <sup>1</sup>	303	256	(84.5)	1	(0.3)	9	(3.0)	2	(0.7)	14	(4.6)	20	(6.6)	1	(0.3)
Moved out of state <sup>2</sup>	287	220	(76.7)	1	(0.3)	18	(6.3)	3	(1.0)	6	(2.1)	38	(13.2)	1	(0.3)
Moved out of country <sup>3</sup>	415	163	(39.3)	0	(0.0)	26	(6.3)	0	(0.0)	11	(2.7)	197	(47.5)	18	(4.3)
Did not move <sup>4</sup>	8646	7752	(89.7)	29	(0.3)	68	(0.8)	51	(0.6)	566	(6.5)	46	(0.5)	134	(1.5)

<sup>1</sup> Includes patients who were alive at diagnosis, started on treatment, and moved in state.

<sup>2</sup> Includes patients who were alive at diagnosis, started on treatment, and moved out of state.

<sup>3</sup> Includes patients who were alive at diagnosis, started on treatment, and moved out of the country; transnational referrals were provided for 282 (68.0%) TB patients who moved out of the country.

<sup>4</sup> Includes patients who were alive at diagnosis, started on treatment, and did not indicate having moved.

<sup>5</sup> Therapy was discontinued for a known reason other than those listed (e.g. patient moved outside the U.S., or patient moved from state A to state B, and though state A notified state B, state B never followed up).

**Note:** There may be differences in the way jurisdictions determine treatment completion for patients who moved out of the country; some reporting jurisdictions may be classifying all patients who moved out of the country as 'other' for reason therapy stopped.