

Table 59. Completion of Tuberculosis Therapy (COT) Cases and Percentages¹, by Hispanic Ethnicity and Non-Hispanic Race: Reporting Areas, 2013²

Reporting area	Total cases ³	Hispanic ⁴		Non-Hispanic													
				American Indian/ Alaska Native		Asian		Black/African American		Native Hawaiian/ Other Pacific Islander		White		Multiple race ⁵		Unknown/ missing	
		No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
United States	7,774	2,175	(90.1)	109	(89.9)	2,473	(90.4)	1,716	(89.0)	52	(78.8)	1,123	(88.2)	115	(91.3)	11	(81.8)
Alabama	94	18	(83.3)	0	...	5	(100.0)	43	(97.7)	0	...	28	(100.0)	0	...	0	...
Alaska	67	1	(100.0)	52	(94.2)	12	(83.3)	0	...	0	...	2	(100.0)	0	...	0	...
Arizona	131	67	(88.1)	15	(80.0)	22	(86.4)	8	(62.5)	0	...	19	(94.7)	0	...	0	...
Arkansas	61	11	(90.9)	0	...	6	(100.0)	15	(60.0)	5	(60.0)	24	(66.7)	0	...	0	...
California	1,758	637	(90.0)	3	(100.0)	784	(88.9)	114	(80.7)	7	(57.1)	132	(86.4)	81	(90.1)	0	...
Colorado	58	17	(94.1)	0	...	18	(94.4)	18	(94.4)	0	...	5	(100.0)	0	...	0	...
Connecticut	49	16	(93.8)	0	...	18	(83.3)	7	(100.0)	0	...	8	(62.5)	0	...	0	...
Delaware	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
District of Columbia	27	2	(100.0)	0	...	1	(0)	22	(86.4)	0	...	2	(100.0)	0	...	0	...
Florida	547	149	(93.3)	2	(50.0)	72	(94.4)	204	(94.1)	1	(100.0)	118	(93.2)	1	(100.0)	0	...
Georgia	290	49	(89.8)	2	(100.0)	56	(89.3)	147	(90.5)	0	...	32	(78.1)	2	(50.0)	2	(100.0)
Hawaii	102	0	...	1	(0)	81	(91.4)	1	(100.0)	11	(90.9)	2	(100.0)	6	(83.3)	0	...
Idaho	9	3	(100.0)	1	(100.0)	2	(100.0)	0	...	0	...	3	(66.7)	0	...	0	...
Illinois	267	84	(86.9)	0	...	96	(93.8)	61	(83.6)	0	...	26	(96.2)	0	...	0	...
Indiana	77	8	(100.0)	0	...	31	(96.8)	16	(93.8)	0	...	22	(95.5)	0	...	0	...
Iowa	41	5	(80.0)	0	...	15	(80.0)	8	(87.5)	1	(100.0)	10	(100.0)	2	(100.0)	0	...
Kansas	30	8	(100.0)	0	...	14	(100.0)	2	(100.0)	1	(100.0)	5	(100.0)	0	...	0	...
Kentucky	47	6	(100.0)	0	...	8	(100.0)	10	(90.0)	0	...	23	(87.0)	0	...	0	...
Louisiana	120	12	(83.3)	0	...	13	(69.2)	50	(78.0)	0	...	45	(68.9)	0	...	0	...
Maine	12	1	(100.0)	0	...	1	(100.0)	5	(100.0)	0	...	5	(80.0)	0	...	0	...
Maryland	149	20	(95.0)	0	...	42	(85.7)	64	(92.2)	2	(100.0)	21	(95.2)	0	...	0	...
Massachusetts	149	23	(87.0)	0	...	51	(90.2)	40	(95.0)	0	...	34	(94.1)	1	(100.0)	0	...
Michigan	107	13	(92.3)	0	...	38	(94.7)	27	(92.6)	3	(100.0)	26	(100.0)	0	...	0	...
Minnesota	125	15	(93.3)	3	(100.0)	47	(93.6)	50	(94.0)	0	...	10	(100.0)	0	...	0	...
Mississippi	42	7	(100.0)	0	...	3	(33.3)	24	(95.8)	0	...	8	(87.5)	0	...	0	...
Missouri	84	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Montana	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nebraska	20	9	(88.9)	0	...	5	(100.0)	1	(100.0)	0	...	3	(100.0)	1	(100.0)	1	(100.0)
Nevada	78	25	(96.0)	0	...	28	(96.4)	12	(100.0)	0	...	13	(92.3)	0	...	0	...
New Hampshire	12	3	(100.0)	0	...	4	(75.0)	3	(66.7)	0	...	2	(100.0)	0	...	0	...
New Jersey	252	88	(94.3)	0	...	98	(89.8)	37	(86.5)	0	...	29	(100.0)	0	...	0	...

Table 59. (Cont'd) Completion of Tuberculosis Therapy (COT) Cases and Percentages¹, by Hispanic Ethnicity and Non-Hispanic Race: Reporting Areas, 2013²

Reporting area	Total cases ³	Hispanic ⁴		Non-Hispanic													
				American Indian/ Alaska Native		Asian		Black/African American		Native Hawaiian/ Other Pacific Islander		White		Multiple race ⁵		Unknown/ missing	
		No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
New Mexico	34	17	(100.0)	3	(100.0)	9	(88.9)	0	...	0	...	5	(80.0)	0	...	0	...
New York State ⁶	172	45	(88.9)	2	(100.0)	57	(94.7)	39	(84.6)	0	...	25	(84.0)	1	(100.0)	3	(66.7)
New York City	544	140	(92.9)	0	...	247	(96.4)	110	(95.5)	1	(100.0)	37	(97.3)	8	(100.0)	1	(0)
North Carolina	178	33	(100.0)	8	(100.0)	39	(94.9)	70	(97.1)	0	...	23	(100.0)	5	(100.0)	0	...
North Dakota	8	1	(0)	3	(66.7)	0	...	0	...	0	...	3	(100.0)	0	...	1	(100.0)
Ohio	118	10	(100.0)	0	...	34	(88.2)	36	(80.6)	0	...	37	(78.4)	0	...	1	(100.0)
Oklahoma	58	11	(100.0)	7	(85.7)	9	(100.0)	5	(80.0)	2	(100.0)	22	(90.9)	2	(100.0)	0	...
Oregon	61	21	(95.2)	0	...	22	(86.4)	6	(50.0)	0	...	12	(91.7)	0	...	0	...
Pennsylvania	176	23	(82.6)	0	...	82	(78.0)	49	(71.4)	0	...	22	(72.7)	0	...	0	...
Rhode Island	23	5	(100.0)	0	...	7	(85.7)	7	(100.0)	0	...	4	(100.0)	0	...	0	...
South Carolina	92	10	(70.0)	0	...	5	(60.0)	52	(88.5)	1	(100.0)	24	(87.5)	0	...	0	...
South Dakota	6	1	(100.0)	3	(66.7)	0	...	2	(100.0)	0	...	0	...	0	...	0	...
Tennessee	118	15	(86.7)	0	...	18	(94.4)	56	(98.2)	0	...	28	(100.0)	1	(100.0)	0	...
Texas	951	468	(87.2)	0	...	158	(95.6)	186	(87.6)	0	...	136	(83.8)	2	(100.0)	1	(100.0)
Utah	28	10	(100.0)	0	...	7	(100.0)	5	(100.0)	2	(100.0)	4	(100.0)	0	...	0	...
Vermont	4	0	...	0	...	4	(100.0)	0	...	0	...	0	...	0	...	0	...
Virginia	148	27	(100.0)	0	...	56	(94.6)	50	(90.0)	0	...	15	(100.0)	0	...	0	...
Washington	178	26	(80.8)	2	(100.0)	96	(81.3)	20	(95.0)	9	(77.8)	23	(95.7)	1	(100.0)	1	(100.0)
West Virginia	9	0	...	0	...	1	(100.0)	1	(100.0)	0	...	6	(100.0)	1	(100.0)	0	...
Wisconsin	42	5	(100.0)	0	...	23	(91.3)	6	(83.3)	0	...	8	(87.5)	0	...	0	...
Wyoming	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
American Samoa ⁷	2	0	...	0	...	0	...	0	...	1	(100.0)	0	...	0	...	1	(100.0)
Fed. States of Micronesia ⁷	117	0	...	0	...	2	(0)	0	...	111	(94.6)	0	...	1	(100.0)	3	(100.0)
Guam ⁷	44	0	...	0	...	16	(93.8)	0	...	26	(96.2)	1	(100.0)	0	...	1	(100.0)
Marshall Islands ⁷	137	1	(100.0)	0	...	0	...	0	...	134	(91.0)	0	...	0	...	2	(50.0)
N. Mariana Islands ⁷	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico ⁷	37	34	(91.2)	0	...	1	(100.0)	2	(100.0)	0	...	0	...	0	...	0	...
Republic of Palau ⁷	7	0	...	0	...	3	(100.0)	0	...	3	(100.0)	0	...	0	...	1	(100.0)
U.S. Virgin Islands ⁷	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

¹Percentages shown only for reporting areas with information reported for ≥90% of cases, and indicate the percentage of those who completed therapy <1 year.

²Most recent year for which data are available.

³Therapy ≤1 year indicated in persons alive at diagnosis with an initial regimen of one or more drugs prescribed, who did not die within one year of initiating therapy. Excludes persons with initial isolate rifampin resistant, or patient with bone and joint disease, meningial disease or disease of the central nervous system, or pediatric patient (age <15) with military disease or positive blood culture or a positive nucleic acid amplification test on a blood specimen, and those who moved out of the country within one year of initiating treatment.

⁴Persons of Hispanic origin may be of any race.

⁵Indicates two or more races reported for a person and does not include persons of Hispanic ethnicity.

⁶Excludes New York City.

⁷Not included in U.S. totals.

Note: Case counts and percentage for race categories do not include persons of Hispanic ethnicity. See Technical Notes for description of completion of therapy calculation.

Ellipses (...) indicate that the percentage cannot be calculated, and the denominator is 0.