

**Table 61. Tuberculosis Cases and Percentages Among Persons Completing Therapy for Whom Therapy Was Indicated for ≤1 Year: Reporting Areas, 2009–2013<sup>1</sup>**

Reporting area	Year									
	2009		2010		2011		2012		2013	
	No. <sup>2</sup>	(%) <sup>3</sup>	No. <sup>2</sup>	(%) <sup>3</sup>	No. <sup>2</sup>	(%) <sup>3</sup>	No. <sup>2</sup>	(%) <sup>3</sup>	No. <sup>2</sup>	(%) <sup>3</sup>
<b>United States</b>	<b>9,510</b>	<b>(88.8)</b>	<b>9,122</b>	<b>(89.7)</b>	<b>8,492</b>	<b>(89.6)</b>	<b>8,113</b>	<b>(90.0)</b>	<b>7,774</b>	<b>(89.6)</b>
Alabama	141	(94.3)	117	(91.5)	138	(93.5)	119	(90.8)	94	(95.7)
Alaska	32	(84.4)	49	(93.9)	54	(88.9)	61	(93.4)	67	(92.5)
Arizona	173	(83.2)	217	(86.2)	166	(87.3)	139	(94.2)	131	(86.3)
Arkansas	58	(86.2)	69	(87.0)	67	(83.6)	58	(81.0)	61	(72.1)
California	2,081	(84.3)	1,897	(88.0)	1,875	(87.6)	1,769	(89.0)	1,758	(88.5)
Colorado	65	(95.4)	53	(92.5)	59	(96.6)	47	(95.7)	58	(94.8)
Connecticut	79	(88.6)	67	(92.5)	68	(94.1)	60	(93.3)	49	(85.7)
Delaware	16	(81.3)	13	(100.0)	17	(94.1)	21	—	17	—
District of Columbia	32	(81.3)	31	(87.1)	48	(81.3)	27	(96.3)	27	(85.2)
Florida	689	(93.2)	706	(94.9)	607	(92.9)	562	(91.5)	547	(93.6)
Georgia	335	(85.4)	330	(90.0)	277	(89.5)	292	(91.1)	290	(88.6)
Hawaii	92	(83.7)	104	(95.2)	110	(90.0)	91	(92.3)	102	(90.2)
Idaho	16	(93.8)	14	(85.7)	11	(81.8)	13	(84.6)	9	(88.9)
Illinois	340	(90.3)	301	(87.4)	278	(92.1)	289	(91.7)	267	(89.5)
Indiana	100	(91.0)	80	(93.8)	87	(89.7)	85	(92.9)	77	(96.1)
Iowa	39	(87.2)	39	(94.9)	32	(87.5)	36	(80.6)	41	(87.8)
Kansas	56	(100.0)	36	(100.0)	27	(88.9)	31	(93.5)	30	(100.0)
Kentucky	59	(91.5)	72	(88.9)	56	(82.1)	68	(94.1)	47	(91.5)
Louisiana	162	(88.9)	171	(80.7)	140	(82.9)	119	(80.7)	120	(74.2)
Maine	7	(100.0)	6	(100.0)	8	(75.0)	17	(64.7)	12	(91.7)
Maryland	180	(90.0)	179	(91.6)	194	(94.8)	192	(90.1)	149	(91.3)
Massachusetts	212	(83.0)	187	(84.0)	155	(83.9)	172	(84.9)	149	(91.9)
Michigan	109	(89.9)	145	(89.7)	138	(90.6)	115	(87.8)	107	(95.3)
Minnesota	133	(93.2)	116	(90.5)	101	(95.0)	133	(95.5)	125	(94.4)
Mississippi	104	(88.5)	101	(93.1)	73	(91.8)	67	(89.6)	42	(90.5)
Missouri	72	(87.5)	95	(86.3)	81	(91.4)	71	—	84	—
Montana	7	(100.0)	6	(100.0)	7	(100.0)	5	(80.0)	4	—
Nebraska	28	(85.7)	24	(91.7)	20	(85.0)	17	—	20	(95.0)
Nevada	91	(89.0)	100	(94.0)	82	(95.1)	71	(90.1)	78	(96.2)
New Hampshire	13	(100.0)	8	(87.5)	10	(100.0)	7	(100.0)	12	(83.3)
New Jersey	337	(92.9)	325	(92.9)	252	(90.1)	232	(93.5)	252	(92.1)
New Mexico	31	(93.5)	29	(93.1)	38	(92.1)	27	(96.3)	34	(94.1)
New York State <sup>4</sup>	182	(87.9)	204	(91.7)	187	(94.1)	169	(94.1)	172	(89.0)
New York City	634	(92.4)	599	(92.8)	565	(92.0)	540	(93.7)	544	(95.2)
North Carolina	215	(93.5)	248	(96.0)	200	(95.5)	187	(97.9)	178	(97.8)
North Dakota	3	(66.7)	8	(75.0)	5	—	24	(54.2)	8	(75.0)
Ohio	142	(91.5)	150	(89.3)	118	(88.1)	129	(86.0)	118	(83.9)
Oklahoma	85	(87.1)	69	(94.2)	72	(91.7)	72	(87.5)	58	(93.1)
Oregon	75	(97.3)	71	(98.6)	64	(89.1)	53	(96.2)	61	(86.9)
Pennsylvania	195	(83.1)	181	(86.7)	202	(85.1)	181	(81.8)	176	(76.1)
Rhode Island	21	(90.5)	22	(68.2)	25	(80.0)	19	(89.5)	23	(95.7)
South Carolina	134	(92.5)	125	(93.6)	113	(95.6)	105	(90.5)	92	(84.8)
South Dakota	16	(93.8)	13	(84.6)	12	(83.3)	14	(92.9)	6	(83.3)
Tennessee	173	(94.2)	146	(93.2)	130	(94.6)	142	(95.8)	118	(96.6)
Texas	1,187	(89.4)	1,093	(85.2)	1,071	(87.9)	1,025	(90.0)	951	(88.2)
Utah	26	(100.0)	13	(100.0)	25	(100.0)	29	(96.6)	28	(100.0)
Vermont	5	(80.0)	5	(100.0)	6	(83.3)	4	(100.0)	4	(100.0)
Virginia	237	(88.2)	235	(88.9)	190	(88.9)	191	(84.8)	148	(94.6)
Washington	219	(94.1)	194	(88.7)	155	(85.2)	148	(85.1)	178	(84.8)
West Virginia	15	(73.3)	12	(100.0)	10	(90.0)	7	(100.0)	9	(100.0)
Wisconsin	55	(83.6)	41	(90.2)	62	(90.3)	58	(91.4)	42	(90.5)
Wyoming	2	(50.0)	6	—	4	—	3	—	0	—
American Samoa <sup>5</sup>	3	(66.7)	3	(33.3)	3	—	1	(100.0)	2	(100.0)
Fed. States of Micronesia <sup>5</sup>	176	(83.0)	160	(91.9)	130	(90.0)	161	(88.2)	117	(93.2)
Guam <sup>5</sup>	93	(96.8)	86	(95.3)	72	(94.4)	60	(86.7)	44	(95.5)
Marshall Islands <sup>5</sup>	109	(87.2)	189	—	143	—	131	—	137	(90.5)
N. Mariana Islands <sup>5</sup>	28	(96.4)	25	(96.0)	29	(75.9)	19	(84.2)	0	—
Puerto Rico <sup>5</sup>	51	(94.1)	70	(90.0)	34	(94.1)	49	(91.8)	37	(91.9)
Republic of Palau <sup>5</sup>	15	(86.7)	16	(100.0)	6	(83.3)	4	(100.0)	7	(100.0)
U.S. Virgin Islands <sup>5</sup>	0	—	0	—	0	—	3	—	2	—

<sup>1</sup>Most recent year for which data are available.

<sup>2</sup>Total cases for which therapy ≤1 year indicated in persons alive at diagnosis with an initial regimen of one or more drugs prescribed who did not die within one year of initiating therapy. Excludes persons with initial isolate rifampin resistant, or patient with bone and joint disease, meningeal disease or disease of the central nervous system, or pediatric patient (age <15) with miliary disease or positive blood culture or a positive nucleic acid amplification test on a blood specimen, and those who moved out of the country within one year of initiating treatment.

<sup>3</sup>Percentage of total cases in persons who completed therapy within one year for whom therapy less than one year was indicated. Percentages shown only for reporting areas with information reported for ≥90% of cases.

<sup>4</sup>Excludes New York City.

<sup>5</sup>Not included in U.S. totals.

**Note:** See Technical Notes for description of completion of therapy calculation.