

Table 57. Completion of Tuberculosis Therapy (COT) Cases and Percentages, by Hispanic Ethnicity and Non-Hispanic Race: Reporting Areas, 2014¹

Reporting area	Total cases ²	Hispanic ³		Non-Hispanic													
				American Indian/ Alaska Native		Asian		Black/African American		Native Hawaiian/ Other Pacific Islander		White		Multiple race ⁴		Unknown/ missing	
		No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
United States	7,720	2231	(90.3)	93	(91.4)	2562	(91.3)	1661	(89.0)	81	(87.7)	1003	(88.6)	67	(91.0)	22	(68.2)
Alabama	112	10	(100.0)	0	...	11	(100.0)	59	(89.8)	1	(100.0)	31	(96.8)	0	...	0	...
Alaska	54	0	...	43	(93.0)	9	(100.0)	0	...	1	(100.0)	1	(100.0)	0	...	0	...
Arizona	130	69	(82.6)	9	(77.8)	23	(95.7)	16	(100.0)	0	...	13	(84.6)	0	...	0	...
Arkansas	80	9	(88.9)	1	(100.0)	8	(75.0)	18	(72.2)	22	(72.7)	22	(77.3)	0	...	0	...
California	1,745	632	(89.1)	2	(100.0)	874	(88.4)	100	(85.0)	10	(100.0)	122	(85.2)	4	(75.0)	1	(100.0)
Colorado	52	8	(87.5)	0	...	21	(95.2)	15	(100.0)	1	(100.0)	7	(100.0)	0	...	0	...
Connecticut	51	14	(100.0)	0	...	15	(93.3)	13	(100.0)	0	...	9	(100.0)	0	...	0	...
Delaware	20	3	(100.0)	0	...	6	(100.0)	6	(83.3)	0	...	5	(60.0)	0	...	0	...
District of Columbia	27	3	(100.0)	0	...	1	(100.0)	22	(90.9)	0	...	1	(100.0)	0	...	0	...
Florida	507	165	(95.2)	0	...	69	(95.7)	177	(89.8)	0	...	96	(92.7)	0	...	0	...
Georgia	282	51	(96.1)	0	...	66	(90.9)	127	(87.4)	0	...	36	(83.3)	1	(100.0)	1	(100.0)
Hawaii	121	3	(100.0)	0	...	99	(98.0)	0	...	17	(100.0)	1	(100.0)	1	(100.0)	0	...
Idaho	8	2	(100.0)	0	...	3	(100.0)	0	...	0	...	1	(100.0)	0	...	2	(0)
Illinois	262	78	(89.7)	0	...	76	(92.1)	66	(86.4)	0	...	42	(90.5)	0	...	0	...
Indiana	91	13	(84.6)	0	...	27	(92.6)	20	(95.0)	1	(100.0)	29	(93.1)	1	(100.0)	0	...
Iowa	43	7	(85.7)	0	...	13	(92.3)	3	(66.7)	3	(100.0)	14	(92.9)	3	(100.0)	0	...
Kansas	35	10	(100.0)	0	...	12	(91.7)	5	(80.0)	1	(100.0)	7	(100.0)	0	...	0	...
Kentucky	62	11	(100.0)	0	...	11	(100.0)	13	(92.3)	1	(100.0)	25	(92.0)	1	(100.0)	0	...
Louisiana	103	15	(66.7)	0	...	15	(86.7)	50	(84.0)	0	...	22	(72.7)	1	(100.0)	0	...
Maine	14	1	(100.0)	0	...	4	(75.0)	7	(85.7)	0	...	2	(50.0)	0	...	0	...
Maryland	163	32	(81.3)	0	...	55	(90.9)	64	(92.2)	0	...	12	(91.7)	0	...	0	...
Massachusetts	163	27	(88.9)	0	...	68	(86.8)	42	(90.5)	0	...	24	(91.7)	2	(100.0)	0	...
Michigan	87	12	(100.0)	0	...	37	(100.0)	26	(92.3)	0	...	11	(81.8)	1	(100.0)	0	...
Minnesota	122	12	(100.0)	3	(100.0)	37	(83.8)	52	(96.2)	0	...	17	(94.1)	1	(100.0)	0	...
Mississippi	60	8	(87.5)	0	...	4	(100.0)	35	(80.0)	0	...	13	(76.9)	0	...	0	...
Missouri	65	5	(40.0)	0	...	20	(65.0)	28	(78.6)	1	(100.0)	11	(63.6)	0	...	0	...
Montana	3	0	...	1	(100.0)	0	...	0	...	0	...	2	(100.0)	0	...	0	...
Nebraska	35	12	(58.3)	0	...	6	(83.3)	10	(70.0)	0	...	4	(100.0)	3	(33.3)	0	...
Nevada	66	15	(80.0)	0	...	33	(97.0)	9	(100.0)	0	...	6	(100.0)	3	(100.0)	0	...
New Hampshire	10	0	...	0	...	6	(100.0)	1	(100.0)	0	...	3	(100.0)	0	...	0	...
New Jersey	244	81	(96.3)	0	...	114	(92.1)	31	(87.1)	0	...	18	(88.9)	0	...	0	...

Table 57. (Cont'd) Completion of Tuberculosis Therapy (COT) Cases and Percentages, by Hispanic Ethnicity and Non-Hispanic Race: Reporting Areas, 2014¹

Reporting area	Total cases ²	Hispanic ³		Non-Hispanic													
				American Indian/ Alaska Native		Asian		Black/African American		Native Hawaiian/ Other Pacific Islander		White		Multiple race ⁴		Unknown/ missing	
		No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
New Mexico	35	17	(88.2)	8	(100.0)	5	(100.0)	0	...	1	(100.0)	4	(100.0)	0	...	0	...
New York State ⁵	167	44	(100.0)	0	...	75	(93.3)	20	(85.0)	0	...	25	(80.0)	1	(100.0)	2	(100.0)
New York City	476	123	(95.9)	0	...	200	(95.0)	95	(96.8)	0	...	30	(93.3)	22	(95.5)	6	(83.3)
North Carolina	159	31	(96.8)	5	(100.0)	20	(100.0)	68	(97.1)	0	...	32	(96.9)	3	(100.0)	0	...
North Dakota	12	0	...	1	(0)	0	...	0	...	0	...	1	(100.0)	0	...	10	(60.0)
Ohio	121	10	(90.0)	0	...	31	(93.5)	41	(92.7)	0	...	39	(87.2)	0	...	0	...
Oklahoma	53	8	(87.5)	8	(87.5)	16	(100.0)	3	(66.7)	2	(100.0)	11	(100.0)	5	(100.0)	0	...
Oregon	58	8	(100.0)	0	...	23	(100.0)	10	(90.0)	1	(100.0)	15	(86.7)	1	(100.0)	0	...
Pennsylvania	166	19	(73.7)	0	...	71	(84.5)	39	(74.4)	0	...	30	(76.7)	7	(100.0)	0	...
Rhode Island	17	9	(88.9)	0	...	1	(100.0)	5	(100.0)	0	...	2	(50.0)	0	...	0	...
South Carolina	65	10	(100.0)	0	...	5	(100.0)	40	(92.5)	0	...	10	(100.0)	0	...	0	...
South Dakota	5	1	(100.0)	2	(100.0)	0	...	2	(50.0)	0	...	0	...	0	...	0	...
Tennessee	128	21	(100.0)	0	...	18	(88.9)	58	(94.8)	0	...	31	(96.8)	0	...	0	...
Texas	1,025	554	(87.9)	3	(100.0)	188	(91.5)	182	(85.7)	1	(100.0)	92	(83.7)	5	(60.0)	0	...
Utah	23	9	(100.0)	1	(100.0)	7	(100.0)	4	(100.0)	0	...	2	(100.0)	0	...	0	...
Vermont	2	0	...	0	...	0	...	2	(100.0)	0	...	0	...	0	...	0	...
Virginia	170	28	(100.0)	0	...	68	(94.1)	42	(92.9)	0	...	32	(100.0)	0	...	0	...
Washington	169	24	(95.8)	4	(75.0)	76	(94.7)	27	(88.9)	16	(75.0)	21	(90.5)	1	(100.0)	0	...
West Virginia	12	0	...	0	...	0	...	1	(100.0)	1	(100.0)	10	(90.0)	0	...	0	...
Wisconsin	38	7	(100.0)	1	(100.0)	15	(86.7)	7	(71.4)	0	...	8	(100.0)	0	...	0	...
Wyoming	2	0	...	1	(100.0)	0	...	0	...	0	...	1	(100.0)	0	...	0	...
American Samoa ⁶	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fed. States of Micronesia ⁶	160	0	...	0	...	0	...	0	...	160	(92.5)	0	...	0	...	0	...
Guam ⁶	51	1	(100.0)	0	...	25	(92.0)	0	...	22	(95.5)	0	...	0	...	3	(100.0)
Marshall Islands ⁶	137	1	(100.0)	0	...	3	(100.0)	0	...	131	(92.4)	0	...	0	...	2	(50.0)
N. Mariana Islands ⁶	10	0	...	0	...	4	(100.0)	0	...	6	(100.0)	0	...	0	...	0	...
Puerto Rico ⁶	32	32	(90.6)	0	...	0	...	0	...	0	...	0	...	0	...	0	...
Republic of Palau ⁶	7	0	...	0	...	2	(100.0)	0	...	3	(100.0)	0	...	0	...	2	(100.0)
U.S. Virgin Islands ⁶	0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

¹Most recent year for which data are available.

²Therapy ≤1 year indicated in persons alive at diagnosis with an initial regimen of one or more drugs prescribed, who did not die within one year of initiating therapy. Excludes persons with initial isolate rifampin resistant, or patient with bone and joint disease, meningial disease or disease of the central nervous system, or pediatric patient (age <15) with miliary disease or positive blood culture or a positive nucleic acid amplification test on a blood specimen, and those who moved out of the country within one year of initiating treatment.

³Persons of Hispanic origin may be of any race.

⁴Indicates two or more races reported for a person and does not include persons of Hispanic ethnicity.

⁵Excludes New York City.

⁶Not included in U.S. totals.

Note: Case counts and percentage for race categories do not include persons of Hispanic ethnicity. See Technical Notes for description of completion of therapy calculation.

Ellipses (...) indicate that the percentage cannot be calculated, and the denominator is 0.