# Table Printing Tips

You may need to make adjustments to your print settings in your web browser so that the table content can fit on a single page.

## Print Settings in IE Browser

1. Print pages by pressing Ctrl + P on the keyboard or select the **File** menu > **Print**.
2. You can also see what the printed page will look like by selecting **File** > **Print Preview**.
3. In the **Print Preview** window, make sure "Scale" is set to "Shrink To Fit" or use the custom scaling to adjust the size to your preference.
4. Make sure the correct orientation is set (portrait/ landscape).
5. Click **Print**.

# Reported Tuberculosis in the United States, 2017

Return to Main Menu

(INH)[1], Origin of Birth, and Previous History

*(Screenshot of a Print Preview dialog overlaying a data table. Dialog shows scaling options: Shrink To Fit, 30%, 50%, 60%, 70%, 80%, 85%, 90%, 95%, 100%, 125%, 150%, 200%, Custom. Red annotations read "Page Layout" and "Custom Scaling". Preview header: "Table 8 | Reported TB in the US 2017 | Data & ...  CDC   Page 3 of 4". Footer: https://www.cdc.gov/tb/statistics/reports/2017/table8.htm   5/14/2019)*

| Cases | | | Non-U.S.–Born[3],[4] INH-Resistant | | | |
|---|---|---|---|---|---|---|
| No. | (%) | Eligible | No. | (%) | Eligible | No. |
| 789 | (6.7) | 301 | 75 | (24.9) | 4,665 | 564 |
| 708 | (6.4) | 336 | 93 | (27.7) | 5,291 | 632 |
| 554 | (5.4) | 364 | 91 | (25.0) | 5,652 | 618 |
| 495 | (5.1) | 303 | 74 | (24.4) | 5,676 | 637 |
| 435 | (5.0) | 286 | 74 | (25.9) | 5,708 | 640 |
| 366 | (4.8) | 262 | 60 | (22.9) | 5,692 | 643 |
| 284 | (4.1) | 284 | 55 | (19.4) | 5,596 | 614 |
| 269 | (4.4) | 272 | 62 | (22.8) | 5,659 | 617 |
| 241 | (4.3) | 302 | 59 | (19.5) | 5,908 | 558 |
| 206 | (4.1) | 265 | 57 | (21.5) | 5,720 | 619 |
| 213 | (4.4) | 271 | 49 | (18.1) | 5,869 | 606 |
| 214 | (4.6) | 263 | 49 | (18.6) | 5,789 | 587 |
| 188 | (4.3) | 267 | 52 | (19.5) | 5,652 | 567 |
| 173 | (4.2) | 289 | 57 | (19.7) | 5,765 | 596 |

| Year | | | | | | | | | | | No. | (%) | Eligible | No. | (%) | Eligible | No. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2007 | 798 | 496 | 71 | (14.3) | 9,646 | 715 | (7.4) | 206 | 14 | (6.8) | 3,837 | 163 | (4.2) | 288 | 57 | (19.8) | 5,755 | 548 |
| 2008 | 836 | 429 | 57 | (13.3) | 9,306 | 775 | (8.3) | 170 | 13 | (7.6) | 3,647 | 189 | (5.2) | 259 | 44 | (17.0) | 5,653 | 585 |
| 2009 | 763 | 341 | 52 | (15.2) | 7,739 | 651 | (8.4) | 115 | 6 | (5.2) | 3,014 | 187 | (6.2) | 225 | 46 | (20.4) | 4,717 | 464 |

## Print Settings in Firefox Browser

1. Print pages by pressing Ctrl + P on the keyboard or select the **File** menu > **Print**.
2. You can also see what the printed page will look like by selecting **File > Print Preview**.
3. In the **Print Preview** window, make sure "Scale" is set to "Shrink To Fit" or use the custom scaling to adjust the size to your preference.
4. Make sure the correct orientation is set (portrait/ landscape).
5. Click **Print**.

## Print Settings in Chrome Browser

Google Chrome can print a page with the default settings or you can change them yourself to suit any specific need. You can preview changes on the right side of the "Print Dialog Box" before selecting "Print".

1. Print pages by pressing Ctrl + P on the keyboard or click or tap the **three-dot** menu button from the top right of the Chrome window.
2. Choose **Print** from the menu.

3. Make sure the correct orientation is set (portrait/ landscape).
4. Click "More settings" for custom scale and margin
5. Click **Print**.

Select Print from the menu

**Reported Tuberculosis in the United States, 2017**

Return to Main Menu

Table 1. Tuberculosis Cases, Case Rates per 100,000 Population, Deaths, and Death Rates per 100,000 Population, and Percent Change: United States, 1953–2017

| Year | Tuberculosis Cases | | Percent Change | | Tuberculosis Deaths | | Percent Change | |
| | Number | Rate | Number | Rate | Number[1] | Rate[1] | Number | Rate |
|---|---|---|---|---|---|---|---|---|
| 1953 | 84,304 | 52.6 | — | — | 19,707 | 12.4 | — | — |
| 1954 | 79,775 | 48.9 | -5.4 | -7.0 | 16,527 | 10.2 | -16.1 | -17.7 |
| 1955 | 77,368 | 46.6 | -3.0 | -4.7 | 15,016 | 9.1 | -9.1 | -10.8 |
| 1956 | 69,895 | 41.4 | -9.7 | -11.1 | 14,137 | 8.4 | -5.9 | -7.7 |
| 1957 | 67,149 | 39.0 | -3.9 | -5.8 | 13,390 | 7.8 | -5.3 | -7.1 |
| 1958 | 63,534 | 36.4 | -5.4 | -6.9 | 12,417 | 7.1 | -7.3 | -9.0 |
| 1959 | 57,535 | 32.4 | -9.4 | -10.7 | 11,474 | 6.5 | -7.6 | -8.5 |
| 1960 | 55,494 | 30.7 | -3.5 | -5.2 | 10,866 | 6.0 | -5.3 | -7.7 |
| 1961 | 53,726 | 29.2 | -3.2 | -4.9 | 9,938 | 5.4 | -8.5 | -10.0 |
| 1962 | 53,315 | 28.6 | -0.8 | -2.1 | 9,506 | 5.1 | -4.3 | -5.6 |
| 1963 | 54,042 | 28.6 | 1.4 | 0.0 | 9,311 | 4.9 | -2.1 | -3.9 |
| 1964 | 50,874 | 26.5 | -5.9 | -7.3 | 8,303 | 4.3 | -10.8 | -12.2 |
| 1965 | 49,016 | 25.2 | -3.7 | -4.9 | 7,934 | 4.1 | -4.4 | -4.7 |
| 1966 | 47,767 | 24.3 | -2.5 | -3.6 | 7,625 | 3.9 | -3.9 | -4.9 |

---

Print

Total: 1 sheet of paper

[Print] [Cancel]

| Destination | ATL-1611 |
| Pages | All |
| Copies | 1 |
| Color | Color |
| More settings | ^ |
| Paper size | Letter |
| Pages per sheet | 1 |
| Margins | Minimum |
| Quality | 600 dpi |
| Scale | Custom |
| | 89 |
| Options | ☑ Headers and footers |
| | ☑ Two-sided |
| | ☐ Background graphics |

Print using system dialog... (Ctrl+Shift+P)

From the print window click on more setting to customize scale and margin

5/22/2019    Table 1 | Reported TB in the US 2017 | Data & Statistics | TB | CDC

Tuberculosis (TB)

Return to Main Menu

Table 1. Tuberculosis Cases, Case Rates per 100,000 Population, Deaths, and Death Rates per 100,000 Population, and Percent Change: United States, 1953–2017

| Year | Tuberculosis Cases | | Percent Change | | Tuberculosis Deaths | | Percent Change | |
| | Number | Rate | Number | Rate | Number[1] | Rate[1] | Number | Rate |
|---|---|---|---|---|---|---|---|---|
| 1953 | 84,304 | 52.6 | — | — | 19,707 | 12.4 | — | — |
| 1954 | 79,775 | 48.9 | -5.4 | -7.0 | 16,527 | 10.2 | -16.1 | -17.7 |
| 1955 | 77,368 | 46.6 | -3.0 | -4.7 | 15,016 | 9.1 | -9.1 | -10.8 |
| 1956 | 69,895 | 41.4 | -9.7 | -11.1 | 14,137 | 8.4 | -5.9 | -7.7 |
| 1957 | 67,149 | 39.0 | -3.9 | -5.8 | 13,390 | 7.8 | -5.3 | -7.1 |

[1]Official tuberculosis mortality statistics were compiled by the National Center for Health Statistics, CDC (http://wonder.cdc.gov/mcd-icd10.html); accessed June 12, 2018.
[2]Case data after 1974 are not comparable to prior years due to changes in the surveillance case definition that became effective in 1975.
[3]The large decrease in death rate in 1979 occurred because late effects of tuberculosis (e.g., bronchiectasis or fibrosis) and pleurisy with effusion (without mention of cause) are no longer included in tuberculosis deaths.
Percent change in tuberculosis death rates is calculated with unrounded figures. See Technical Notes.
**Note:** The 1993 to 2017 tuberculosis case counts and rates were updated using the following sources: Bridged-Race 1990–1999 Intercensal Population Estimates for 1990–1999 (ftp://ftp.cdc.gov/pub/health_statistics/nchs/datasets/nvss/bridgepop/documentationbridgedintercena1.doc ), Intercensal Estimates of the Resident Population for the United States, Regions, States, and Puerto Rico: April 1, 2000 to July 1, 2010 (https://www.census.gov/data/tables/time-series/demo/popest/intercensal-2000-2010-state.html) and Annual Estimates of the Resident Population for the United States, Regions, States, and Puerto Rico: April 1, 2010 July 1, 2018 (https://www.census.gov/data/tables/2017/demo/popest/nation-detail.html); accessed June 12, 2018.
Percentage change results reported to one decimal.

Page last reviewed: October 22, 2018