

WYOMING


Monitor

In Wyoming, 19.4% of the adult population (aged 18+ years)—over 78,000 individuals—are current cigarette smokers. Across all states, the prevalence of cigarette smoking among adults ranges from 9.3% to 26.5%. Wyoming ranks 30th among the states.

Among youth aged 12–17 years, 14.9% smoke in Wyoming. The range across all states is 6.5% to 15.9%. Wyoming ranks 50th among the states.

Among adults aged 35+ years, over 700 died as a result of tobacco use per year, on average, during 2000–2004. This represents a smoking-attributable mortality rate of 283.1/100,000. Wyoming’s smoking-attributable mortality rate ranks 35th among the states.


Current Smoking Among Adults by Demographic Characteristics




*** Data not shown because sample size is less than 50.

Source: BRFSS, 2007–2008

Past-Month Cigarette Use Among Youth Aged 12–17 Years



Smoking-Attributable Adult (35+ Years) Mortality




Protect

Wyoming does not have a statewide smoke-free law that provides adequate protection against exposure to secondhand smoke in public places.




Adults Who Reported Anyone Smoking in Work Area Within Past 2 Weeks



Among adults who work indoors, the percentage who reported anyone smoking in their work area within the preceding 2 weeks has remained higher in Wyoming than in the nation overall. Currently, Wyoming ranks 49th among the states for workplace exposure, at 12.2%.

Offer

Percentage of Smokers Calling Quitline



Best Practices estimates 8% of smokers could access quitlines each year. In Wyoming, 4.6% of current smokers who made a quit attempt in the past year called a quitline.

The Medicaid fee-for-service program in Wyoming provides only partial coverage for tobacco dependence treatment. Wyoming's Medicaid policy provides coverage for both bupropion and varenicline. Wyoming's Medicaid policy provides coverage for individual and group counseling but not telephone counseling.

Medicaid Coverage for Counseling and Medications

Nicotine Replacement	Varenicline	Bupropion	Counseling
Partial	 Yes	 Yes	Partial

Source: MMWR 2009;58(43):1199–204


WYOMING

Warn


Smoke-free home rules represent awareness of the dangers of secondhand smoke. In Wyoming, as in the nation, an increasing number of families have such a rule.

Currently, 70.2% of Wyoming homes have this rule. Wyoming ranks 44th among the states.

Households with No-Smoking Rules



Antitobacco Media Campaign Intensity, Per Quarter



Rating point data were available for 42 states and the District of Columbia. *Best Practices* recommendations translate into an average of 800 targeted rating points (TRPs) in effective youth and 1,200 gross rating points (GRPs) in effective general audience antitobacco media campaigns per quarter. Wyoming has no reported TRP or GRP data.

Enforce

Wyoming allows local regulation of tobacco industry promotions, sampling, and display of tobacco products in commercial establishments.

State Allows Local Advertising and Promotion Laws

Display	Promotion	Sampling
Yes	Yes	Yes

Source: STATE System, 2009

Retail Environment Tobacco Licensure


Over the Counter	Vending Machines
Yes	No

Source: STATE System, 2009

Wyoming requires all establishments selling tobacco products over the counter but not by vending machine to be licensed. Currently, 38 states require licensure for both over-the-counter and vending machine sales.

Raise

Amount of Cigarette Excise Tax



Wyoming maintains a \$0.60 per pack tax and ranks 40th among the states.

Wyoming does not have a minimum price law.

Minimum Price Law for Cigarettes



Source: CDC/OSH

Approximately 23% of the annual revenue generated from state excise taxes and settlement payments would fund Wyoming's tobacco control program at the *Best Practices* recommended amount. However, in 2007, Wyoming's funding for tobacco control was 78.2% of the recommended level. Wyoming ranks 3rd among the states.

State Funding for Tobacco Control

