

Selected Indicators for States and Ranks

Adult Cigarette Prevalence, 2011

State	% (95% CI)	Rank
United States Median	21.2	
Utah	11.8 (11.0-12.7)	1
California	13.7 (12.9-14.4)	2
Hawaii	16.8 (15.5-18.3)	3
New Jersey	16.8 (15.9-17.8)	3
Connecticut	17.1 (15.8-18.6)	5
Idaho	17.2 (15.6-18.9)	6
Washington	17.5 (16.4-18.7)	7
New York	18.1 (16.9-19.4)	8
Massachusetts	18.2 (17.3-19.2)	9
Colorado	18.3 (17.2-19.4)	10
Maryland	19.1 (17.8-20.5)	11
Minnesota	19.1 (18.1-20.1)	11
Vermont	19.1 (17.7-20.5)	11
Arizona	19.2 (17.3-21.2)	14
Texas	19.2 (18.0-20.4)	14
Florida	19.3 (18.2-20.5)	16
New Hampshire	19.4 (18.0-20.9)	17
Oregon	19.7 (18.3-21.2)	18
Nebraska	20.0 (19.3-20.7)	19
Rhode Island	20.0 (18.6-21.5)	19
Iowa	20.4 (19.1-21.6)	21
District of Columbia	20.8 (18.8-22.9)	22
Illinois	20.9 (19.2-22.7)	23
Virginia	20.9 (19.4-22.5)	23
Wisconsin	20.9 (19.2-22.7)	23
Georgia	21.2 (19.9-22.6)	26
New Mexico	21.5 (20.3-22.7)	27
Delaware	21.7 (19.9-23.7)	28
North Carolina	21.8 (20.5-23.1)	29
North Dakota	21.9 (20.3-23.5)	30
Kansas	22.0 (21.2-22.8)	31
Montana	22.1 (20.8-23.4)	32
Pennsylvania	22.4 (21.3-23.6)	33
Maine	22.8 (21.7-23.9)	34
Alaska	22.9 (21.0-25.0)	35
Nevada	22.9 (21.0-25.0)	35
South Dakota	23.0 (21.1-25.0)	37
Tennessee	23.0 (20.7-25.5)	37
Wyoming	23.0 (21.5-24.6)	37
South Carolina	23.1 (21.9-24.4)	40
Michigan	23.3 (22.0-24.6)	41
Alabama	24.3 (22.9-25.8)	42
Missouri	25.0 (23.5-26.6)	43
Ohio	25.1 (23.8-26.4)	44
Indiana	25.6 (24.3-27.0)	45
Louisiana	25.7 (24.3-27.2)	46
Mississippi	26.0 (24.6-27.4)	47
Oklahoma	26.1 (24.7-27.6)	48
Arkansas	27.0 (24.8-29.2)	49
West Virginia	28.6 (27.0-30.3)	50
Kentucky	29.0 (27.5-30.5)	51

Data Source: Behavioral Risk Factor Surveillance System, 2011

Adult Smokeless Tobacco Prevalence, 2011

State	% (95% CI)	Rank
United States Median	4.4	
California	1.4 (1.2-1.7)	1
Rhode Island	1.4 (1.0-1.9)	1
Connecticut	1.5 (1.2-2.0)	3
District of Columbia	1.5 (1.0-2.2)	3
New Jersey	1.6 (1.3-2.0)	5
Massachusetts	1.7 (1.4-2.1)	6
Hawaii	1.9 (1.4-2.4)	7
Maryland	2.1 (1.7-2.7)	8
Delaware	2.2 (1.6-2.9)	9
Nevada	2.3 (1.7-3.1)	10
New York	2.3 (1.8-2.9)	10
Vermont	2.7 (2.1-3.3)	12
Maine	2.8 (2.4-3.3)	13
Florida	3.0 (2.5-3.6)	14
New Hampshire	3.0 (2.3-3.8)	14
Utah	3.0 (2.6-3.5)	14
Arizona	3.1 (2.4-4.0)	17
Illinois	3.4 (2.7-4.2)	18
South Carolina	3.6 (3.1-4.2)	19
Washington	3.6 (3.0-4.2)	19
Texas	3.9 (3.4-4.5)	21
Wisconsin	4.0 (3.3-4.8)	22
Iowa	4.2 (3.6-4.9)	23
New Mexico	4.2 (3.6-4.9)	23
Virginia	4.3 (3.6-5.2)	25
Georgia	4.4 (3.8-5.1)	26
Michigan	4.4 (3.8-5.1)	26
Oregon	4.4 (3.7-5.2)	26
Pennsylvania	4.4 (3.9-5.1)	26
Colorado	4.5 (3.9-5.1)	30
Louisiana	4.5 (3.8-5.2)	30
Idaho	4.8 (4.0-5.8)	32
Minnesota	4.8 (4.3-5.4)	32
Indiana	5.0 (4.3-5.8)	34
Ohio	5.0 (4.3-5.7)	34
North Carolina	5.2 (4.5-5.9)	36
Kansas	5.3 (4.9-5.8)	37
Missouri	5.3 (4.5-6.2)	37
Nebraska	5.6 (5.2-6.0)	39
Alaska	5.9 (4.9-7.1)	40
Tennessee	6.4 (5.0-8.1)	41
Alabama	6.5 (5.7-7.4)	42
Kentucky	6.8 (6.0-7.6)	43
South Dakota	6.8 (5.7-8.2)	43
Oklahoma	6.9 (6.1-7.9)	45
Arkansas	7.1 (5.8-8.5)	46
Montana	7.1 (6.4-7.9)	46
West Virginia	7.5 (6.6-8.5)	48
North Dakota	7.6 (6.5-8.7)	49
Mississippi	8.0 (7.2-8.9)	50
Wyoming	9.8 (8.8-10.9)	51

Data Source: Behavioral Risk Factor Surveillance System, 2011

Youth Cigarette Prevalence, 2011

United States Mean	18.1 (16.7-19.5)	
States	% (95% CI)	Ranks
Utah	5.9 (4.9-7.2)	1
Hawaii	10.1 (8.4-12.2)	2
Rhode Island	11.4 (9.0-14.4)	3
District of Columbia	12.5 (10.2-15.1)	4
Maryland	12.5 (9.4-16.3)	4
New York	12.5 (10.8-14.5)	4
Vermont	13.3 (12.1-14.6)	7
Massachusetts	14.0 (12.2-16.0)	8
Michigan	14.0 (11.5-17.0)	8
Alaska	14.1 (10.8-18.3)	10
Florida	14.3 (12.9-15.8)	11
Idaho	14.3 (11.1-18.3)	11
Kansas	14.4 (12.0-17.2)	13
Wisconsin	14.6 (12.5-16.9)	14
Nebraska	15.0 (13.3-16.8)	15
Virginia	15.0 (11.3-19.5)	15
Maine	15.2 (14.0-16.5)	17
Colorado	15.7 (12.8-19.0)	18
Connecticut	15.9 (13.1-19.1)	19
New Jersey	16.1 (13.2-19.6)	20
Montana	16.5 (14.4-18.8)	21
Georgia	17.0 (14.2-20.1)	22
Arizona	17.4 (14.8-20.4)	23
Texas	17.4 (15.5-19.4)	23
Illinois	17.5 (15.3-20.0)	25
North Carolina	17.7 (14.9-20.9)	26
Mississippi	17.9 (15.2-21.1)	27
Indiana	18.1 (15.9-20.4)	28
Iowa	18.1 (15.5-21.0)	28
Arkansas	18.2 (15.2-21.6)	30
Delaware	18.3 (16.2-20.5)	31
South Carolina	19.1 (16.1-22.5)	32
West Virginia	19.1 (16.0-22.6)	32
North Dakota	19.4 (16.6-22.5)	34
New Hampshire	19.8 (16.3-23.9)	35
New Mexico	19.9 (17.6-22.4)	36
Ohio	21.1 (16.1-27.1)	37
Tennessee	21.6 (18.4-25.1)	38
Louisiana	21.8 (17.7-26.5)	39
Wyoming	22.0 (19.2-25.1)	40
Oklahoma	22.7 (19.1-26.7)	41
Alabama	22.9 (19.5-26.6)	42
South Dakota	23.1 (17.1-30.5)	43
Kentucky	24.1 (21.0-27.6)	44
California	No data reported	No data reported
Minnesota	No data reported	No data reported
Missouri	No data reported	No data reported
Nevada	No data reported	No data reported
Oregon	No data reported	No data reported
Pennsylvania	No data reported	No data reported
Washington	No data reported	No data reported

Data Source: Youth Risk Behavior Survey, 2011

Youth Smokeless Tobacco Prevalence, 2011

United States Mean	7.7 (6.6-9.0)	
States	% (95% CI)	Ranks
Hawaii	3.5 (2.6-4.7)	1
Utah	3.7 (2.8-5.0)	2
District of Columbia	4.1 (2.8-6.0)	3
Rhode Island	5.7 (4.7-6.7)	4
Illinois	5.8 (4.6-7.3)	5
Texas	6.2 (5.3-7.2)	6
Nebraska	6.4 (5.5-7.4)	7
Delaware	6.6 (5.4-8.0)	8
Vermont	6.7 (5.8-7.7)	9
Colorado	7.0 (5.5-8.9)	10
Arizona	7.1 (5.7-8.8)	11
Maryland	7.2 (4.7-11.1)	12
New York	7.3 (6.0-8.8)	13
Michigan	7.6 (6.0-9.6)	14
Maine	7.7 (6.8-8.7)	15
Indiana	8.2 (7.2-9.3)	16
Virginia	8.2 (5.9-11.2)	16
Wisconsin	8.3 (6.8-10.0)	18
Alaska	8.4 (6.7-10.0)	19
New Hampshire	8.4 (6.5-10.8)	19
Kansas	8.8 (7.1-10.9)	21
Idaho	9.0 (6.8-11.9)	22
New Mexico	9.5 (8.0-11.1)	23
Georgia	9.6 (7.3-13.0)	24
Alabama	9.8 (6.9-13.6)	25
Mississippi	10.2 (8.0-12.9)	26
Iowa	10.4 (8.4-12.9)	27
North Carolina	11.0 (8.7-13.8)	28
Louisiana	11.4 (9.0-14.2)	29
Arkansas	11.6 (8.6-16.0)	30
Ohio	12.2 (9.0-16.4)	31
Tennessee	12.6 (10.0-15.7)	32
South Carolina	13.0 (9.8-17.1)	33
Oklahoma	13.1 (10.1-16.9)	34
Montana	13.5 (11.3-15.9)	35
North Dakota	13.6 (11.1-16.6)	36
West Virginia	14.4 (11.6-17.8)	37
South Dakota	14.7 (10.9-19.6)	38
Wyoming	15.1 (13.4-16.8)	39
Kentucky	16.9 (14.0-20.2)	40
California	No data reported	No data reported
Connecticut	No data reported	No data reported
Florida	No data reported	No data reported
Massachusetts	No data reported	No data reported
Minnesota	No data reported	No data reported
Missouri	No data reported	No data reported
Nevada	No data reported	No data reported
New Jersey	No data reported	No data reported
Oregon	No data reported	No data reported
Pennsylvania	No data reported	No data reported
Washington	No data reported	No data reported

Data Source: Youth Risk Behavior Survey, 2011

Youth Cigar Prevalence, 2011

United States Mean	13.1 (12.2-14.1)	
States	% (95% CI)	Ranks
Utah	5.0 (3.7-6.6)	1
Hawaii	6.8 (5.4-8.6)	2
Nebraska	9.6 (8.3-11.1)	3
Alaska	10.3 (8.0-13.1)	4
Kansas	10.7 (8.9-12.9)	5
Idaho	11.0 (8.6-13.9)	6
West Virginia	11.7 (9.4-14.4)	7
Virginia	12.0 (9.3-15.2)	8
Michigan	12.1 (10.5-13.8)	9
Maine	12.6 (11.6-13.7)	10
Iowa	12.8 (10.3-15.9)	11
Vermont	12.8 (11.5-14.4)	11
Delaware	12.9 (11.0-15.0)	13
Maryland	12.9 (10.7-15.6)	13
Illinois	13.1 (10.8-15.9)	15
Rhode Island	13.3 (10.9-16.0)	16
North Dakota	13.5 (11.3-15.9)	17
District of Columbia	13.7 (11.6-16.2)	18
Ohio	13.7 (10.5-17.7)	18
Oklahoma	14.1 (12.1-16.4)	20
Massachusetts	14.3 (12.3-16.5)	21
Arkansas	14.4 (12.7-16.4)	22
Indiana	14.6 (12.6-16.9)	23
Mississippi	14.6 (12.6-16.9)	23
Wisconsin	14.8 (12.7-17.1)	25
New Mexico	15.1 (13.6-16.8)	26
Tennessee	15.5 (13.5-17.8)	27
Alabama	15.8 (12.4-19.9)	28
Arizona	15.8 (13.6-18.4)	28
Texas	16.0 (14.8-17.3)	30
Montana	16.1 (14.6-17.8)	31
New Hampshire	16.4 (13.9-19.2)	32
Wyoming	16.6 (14.6-18.7)	33
Louisiana	17.0 (14.5-19.9)	34
Kentucky	17.5 (15.3-19.9)	35
Georgia	17.8 (15.0-21.0)	36
South Carolina	18.3 (15.4-21.6)	37
California	No data reported	No data reported
Colorado	No data reported	No data reported
Connecticut	No data reported	No data reported
Florida	No data reported	No data reported
Minnesota	No data reported	No data reported
Missouri	No data reported	No data reported
Nevada	No data reported	No data reported
New Jersey	No data reported	No data reported
New York	No data reported	No data reported
North Carolina	No data reported	No data reported
Oregon	No data reported	No data reported
Pennsylvania	No data reported	No data reported
South Dakota	No data reported	No data reported
Washington	No data reported	No data reported

Data Source: Youth Risk Behavior Survey, 2011

Youth Tobacco Prevalence, 2011

United States Mean	23.4 (21.8-25.1)	
States	% (95% CI)	Ranks
Utah	7.8 (6.6-9.1)	1
Hawaii	12.0 (10.1-14.1)	2
District of Columbia	16.8 (14.5-19.4)	3
Maryland	17.9 (13.8-22.8)	4
Rhode Island	17.9 (14.6-21.7)	4
Nebraska	18.9 (17.1-20.8)	6
Michigan	19.6 (16.8-22.7)	7
Idaho	19.7 (15.9-24.2)	8
Alaska	20.0 (16.1-24.5)	9
Maine	20.3 (19.0-21.6)	10
Vermont	20.4 (18.8-22.2)	11
Virginia	20.7 (17.0-24.9)	12
Kansas	20.8 (17.9-24.2)	13
Arizona	21.8 (18.7-25.3)	14
Georgia	22.7 (18.9-27.0)	15
Texas	22.9 (20.9-25.2)	16
Illinois	23.4 (20.2-26.9)	17
Delaware	23.5 (21.2-26.0)	18
Wisconsin	23.9 (21.4-26.5)	19
Indiana	24.5 (21.8-27.3)	20
Arkansas	24.9 (21.0-29.2)	21
New Mexico	25.0 (22.6-27.6)	22
Iowa	25.3 (21.3-29.7)	23
Mississippi	25.5 (22.2-29.1)	24
West Virginia	27.2 (23.8-30.9)	25
Montana	27.3 (24.7-30.1)	26
New Hampshire	27.9 (24.0-32.1)	27
Ohio	27.9 (22.4-34.2)	27
Alabama	28.0 (23.8-32.6)	29
Louisiana	28.3 (24.5-32.4)	30
North Dakota	28.3 (24.5-32.6)	30
South Carolina	28.4 (24.6-32.6)	32
Oklahoma	29.9 (25.7-34.6)	33
Tennessee	29.9 (26.0-34.2)	33
Wyoming	30.0 (27.1-33.0)	35
Kentucky	31.9 (28.2-35.7)	36
California	No data reported	No data reported
Colorado	No data reported	No data reported
Connecticut	No data reported	No data reported
Florida	No data reported	No data reported
Massachusetts	No data reported	No data reported
Minnesota	No data reported	No data reported
Missouri	No data reported	No data reported
Nevada	No data reported	No data reported
New Jersey	No data reported	No data reported
New York	No data reported	No data reported
North Carolina	No data reported	No data reported
Oregon	No data reported	No data reported
Pennsylvania	No data reported	No data reported
South Dakota	No data reported	No data reported
Washington	No data reported	No data reported

Data Source: Youth Risk Behavior Survey, 2011

State Smoke-Free Policy, June 30, 2012

State	Worksites	Restaurants	Bars
Arizona	Yes	Yes	Yes
Colorado	Yes	Yes	Yes
Delaware	Yes	Yes	Yes
District of Columbia	Yes	Yes	Yes
Hawaii	Yes	Yes	Yes
Illinois	Yes	Yes	Yes
Iowa	Yes	Yes	Yes
Kansas	Yes	Yes	Yes
Maine	Yes	Yes	Yes
Maryland	Yes	Yes	Yes
Massachusetts	Yes	Yes	Yes
Michigan	Yes	Yes	Yes
Minnesota	Yes	Yes	Yes
Montana	Yes	Yes	Yes
Nebraska	Yes	Yes	Yes
New Jersey	Yes	Yes	Yes
New Mexico	Yes	Yes	Yes
New York	Yes	Yes	Yes
Ohio	Yes	Yes	Yes
Oregon	Yes	Yes	Yes
Rhode Island	Yes	Yes	Yes
South Dakota	Yes	Yes	Yes
Utah	Yes	Yes	Yes
Vermont	Yes	Yes	Yes
Washington	Yes	Yes	Yes
Wisconsin	Yes	Yes	Yes
Florida	Yes	Yes	No (No Law)
Louisiana	Yes	Yes	No (No Law)
Nevada	Yes	Yes	No (No Law)
North Carolina**	No (No Law)	Yes	Yes
Arkansas [†]	Yes	No (Designated Areas)	No (No Law)
Idaho	No (Designated Areas)	Yes	No (No Law)
New Hampshire*	No (Designated Areas)	Yes	No (No Law)
North Dakota	Yes	No (Designated Areas)	No (No Law)
Pennsylvania	Yes	No (Ventilated Areas)	No (No Law)
Tennessee [†]	Yes	No (Designated Areas)	No (No Law)
Alabama	No (Designated Areas)	No (No Law)	No (No Law)
Alaska	No (No Law)	No (Designated Areas)	No (No Law)
California	No (Ventilated Areas)	No (Ventilated Areas)	No (Ventilated Areas)
Connecticut	No (Ventilated Areas)	No (Ventilated Areas)	No (Ventilated Areas)
Georgia [†]	No (Designated Areas)	No (Designated Areas)	No (Designated Areas)
Missouri	No (Designated Areas)	No (Designated Areas)	No (Designated Areas)
Oklahoma	No (Designated Areas)	No (Ventilated Areas)	No (No Law)
Virginia	No (No Law)	No (Ventilated Areas)	No (Ventilated Areas)
Indiana	No (No Law)	No (No Law)	No (No Law)
Kentucky	No (No Law)	No (No Law)	No (No Law)
Mississippi	No (No Law)	No (No Law)	No (No Law)
South Carolina	No (No Law)	No (No Law)	No (No Law)
Texas	No (No Law)	No (No Law)	No (No Law)
West Virginia	No (No Law)	No (No Law)	No (No Law)
Wyoming	No (No Law)	No (No Law)	No (No Law)

[†] State law allows smoking in venues that prohibit minors in TN (Restaurants), Arkansas (Restaurants), and Georgia (Restaurants, Bars).

* SF: Local smoking restrictions allowed for non-hospitality worksites.

** SF: Local smoking restrictions prohibited for non-hospitality workplaces.

Data Source: STATE System, June 30, 2012

State Allows Local Smoke-free Laws, June 30, 2012

State	State Allows Local Smoke-free Laws
Alabama	Yes
Alaska	Yes
Arizona	Yes
Arkansas [†]	Yes
California	Yes
Colorado	Yes
Delaware	Yes
District of Columbia	Yes
Georgia [†]	Yes
Hawaii	Yes
Idaho	Yes
Illinois	Yes
Indiana	Yes
Iowa	Yes
Kansas	Yes
Kentucky	Yes
Louisiana	Yes
Maine	Yes
Maryland	Yes
Massachusetts	Yes
Minnesota	Yes
Mississippi	Yes
Missouri	Yes
Montana	Yes
Nebraska	Yes
Nevada	Yes
New Jersey	Yes
New Mexico	Yes
New York	Yes
North Dakota	Yes
Ohio	Yes
Oregon	Yes
Rhode Island	Yes
South Carolina	Yes
Texas	Yes
Vermont	Yes
West Virginia	Yes
Wisconsin	Yes
Wyoming	Yes
New Hampshire [*]	No
Connecticut	No
Florida	No
Michigan	No
North Carolina ^{**}	No
Oklahoma	No
Pennsylvania	No
South Dakota	No
Tennessee [†]	No
Utah	No
Virginia	No
Washington	No

[†] State law allows smoking in venues that prohibit minors in TN (Restaurants), Arkansas (Restaurants), and Georgia (Restaurants, Bars).

^{*} SF: Local smoking restrictions allowed for non-hospitality worksites.

^{**} SF: Local smoking restrictions prohibited for non-hospitality workplaces.

Data Source: STATE System, June 30, 2012

State Cigarette Excise Tax per Pack, June 30, 2012

United States Median		
	\$1.339	
Cigarette Excise Taxes		
State	(\$ Per Pack)	Rank
New York	\$4.350	1
Rhode Island	\$3.460	2
Connecticut	\$3.400	3
Hawaii	\$3.200	4
Washington	\$3.025	5
New Jersey	\$2.700	6
Vermont	\$2.620	7
Wisconsin	\$2.520	8
Massachusetts	\$2.510	9
District of Columbia	\$2.500	10
Alaska	\$2.000	11
Arizona	\$2.000	11
Maine	\$2.000	11
Maryland	\$2.000	11
Michigan	\$2.000	11
Illinois	\$1.980	16
Montana	\$1.700	17
Utah	\$1.700	17
New Hampshire	\$1.680	19
New Mexico	\$1.660	20
Delaware	\$1.600	21
Pennsylvania	\$1.600	21
South Dakota	\$1.530	23
Texas	\$1.410	24
Iowa	\$1.360	25
Florida	\$1.339	26
Ohio	\$1.250	27
Minnesota	\$1.230	28
Oregon	\$1.180	29
Arkansas	\$1.150	30
Oklahoma	\$1.030	31
Indiana	\$0.995	32
California	\$0.870	33
Colorado	\$0.840	34
Nevada	\$0.800	35
Kansas	\$0.790	36
Mississippi	\$0.680	37
Nebraska	\$0.640	38
Tennessee	\$0.620	39
Kentucky	\$0.600	40
Wyoming	\$0.600	40
Idaho	\$0.570	42
South Carolina	\$0.570	42
West Virginia	\$0.550	44
North Carolina	\$0.450	45
North Dakota	\$0.440	46
Alabama	\$0.425	47
Georgia	\$0.370	48
Louisiana	\$0.360	49
Virginia	\$0.300	50
Missouri	\$0.170	51

Data Source: STATE System, June 30, 2012

Tobacco Counter-Marketing Media Intensity—Household Quarterly General Rating Points (GRPs), 2010

State	Qtr Avg	Rank
United States Median	242.7	
Hawaii	3049.5	1
Utah	2656.1	2
Oklahoma	2406.5	3
Mississippi	1695.2	4
New Mexico	1559.1	5
California	1489.4	6
New York	1424.7	7
Florida	1400.6	8
Maine	1239.9	9
North Dakota	1035.6	10
Alaska	1017.2	11
Louisiana	952.0	12
North Carolina	862.8	13
Connecticut	810.4	14
Montana	722.9	15
Arizona	684.4	16
Minnesota	669.0	17
South Dakota	622.3	18
Arkansas	489.8	19
Iowa	456.4	20
Alabama	323.0	21
South Carolina	310.7	22
Nevada	292.9	23
Indiana	263.0	24
Washington	262.7	25
Nebraska	242.7	26
Rhode Island	230.6	27
Vermont	230.5	28
District of Columbia	226.4	29
Virginia	224.7	30
Colorado	165.9	31
Idaho	139.8	32
Kansas	109.6	33
West Virginia	106.7	34
Kentucky	106.6	35
Texas	100.4	36
Maryland	46.3	37
Oregon	40.3	38
Missouri	38.5	39
Ohio	37.9	40
Wisconsin	33.9	41
Michigan	22.6	42
Georgia	12.3	43
New Hampshire	11.1	44
Tennessee	1.2	45
New Jersey	0.8	46
Pennsylvania	0.4	47
Delaware	0.0	48
Illinois	0.0	48
Massachusetts	0.0	48
Wyoming	0.0	48

Data Source: CDC/OSH

Tobacco Counter-Marketing Media Intensity—Youth Quarterly Target Rating Points (TRPs), 2010

State	Qtr Avg	Rank
United States Median	39.7	
Hawaii	556.8	1
Utah	543.0	2
New Mexico	421.0	3
Oklahoma	354.3	4
Florida	306.9	5
California	276.1	6
North Carolina	261.9	7
Mississippi	260.1	8
Connecticut	226.2	9
Alaska	200.7	10
Maine	164.3	11
New York	157.9	12
North Dakota	143.6	13
Montana	127.3	14
Iowa	114.0	15
Minnesota	108.0	16
Louisiana	107.7	17
Arizona	103.8	18
Virginia	90.5	19
District of Columbia	79.2	20
South Dakota	78.9	21
Nevada	78.7	22
Vermont	65.3	23
Arkansas	54.7	24
Indiana	47.9	25
Washington	39.7	26
South Carolina	31.8	27
West Virginia	30.9	28
Nebraska	30.4	29
Idaho	27.5	30
Rhode Island	21.0	31
Colorado	20.5	32
Kansas	15.6	33
Texas	15.6	33
Alabama	15.3	35
Kentucky	15.2	36
Oregon	7.2	37
Wisconsin	6.8	38
Michigan	5.1	39
Maryland	4.7	40
Missouri	3.9	41
Ohio	3.0	42
Georgia	1.4	43
New Hampshire	0.5	44
Pennsylvania	0.0	45
Delaware	0.0	45
Illinois	0.0	45
Massachusetts	0.0	45
New Jersey	0.0	45
Tennessee	0.0	45
Wyoming	0.0	45

Data Source: CDC/OSH