


Monitor

Adult Current Cigarette/Smokeless Tobacco Use

In Pennsylvania, the percentage of adults (ages 18+) who currently smoke cigarettes was 22.4% in 2011. Across all states and D.C., the prevalence of cigarette smoking among adults ranged from 11.8% to 29.0%. Pennsylvania ranked 33rd among the states.


The percentage of adults who currently use smokeless tobacco was 4.4% in 2011. Across all states and D.C., the prevalence ranged from 1.4% to 9.8%. Pennsylvania ranked 26th among the states.



PENNSYLVANIA

Youth Current Cigarette/Smokeless Tobacco/Cigar Use

Pennsylvania had no reported YRBS data in 2011.




PENNSYLVANIA

Past-Year Cigarette Initiation

In 2008-2009, of all Pennsylvania youth ages 12-17 who had never smoked, 8.0% smoked a cigarette for the first time in the past year. This ranked 48th in the nation, with a range of 3.3%–9.2% among the states.

Of all young adults ages 18-25 who had never smoked, 7.2% smoked a cigarette for the first time in 2008-2009. This ranked 19th in the nation, with a range of 4.2%–14.7% among the states.



PENNSYLVANIA

Protect


Adult Exposure to Secondhand Smoke

Among all adults, the percentage who reported being exposed to secondhand smoke within the past 7 days was lower in Pennsylvania than in the nation overall. In 2009-2010, overall exposure to secondhand smoke in Pennsylvania was 47.6%, ranking 30th among the states.

Adults were exposed to secondhand smoke in various locations. The table shows the percentage of Pennsylvania adults who reported any exposure, as well as exposure in their home, in a vehicle, or in indoor or outdoor areas at work or public places in the past 7 days.

Overall	Workplaces	Homes	Vehicles	Public Places
47.6%	20.0%	13.5%	15.3%	32.2%

Source: National Adult Tobacco Survey, 2009–2010




Opinions about Smoking in the Workplace

In 2009-2010, 77.3% of adults in Pennsylvania thought that smoking should never be allowed in indoor workplaces, ranking 32nd among the states.

Smoke-Free Home Rules




In 2009-2010, 78.2% of adults in Pennsylvania reported that their homes had smoke-free home rules, ranking 36th among the states. The percentage of homes without smoke-free home rules with children living in them was 30.3%, ranking 19th among the states.



PENNSYLVANIA

State Smoke-Free Policy

As of June 30, 2012, Pennsylvania had a smoke-free law that prohibits smoking in indoor areas of workplaces, but not restaurants or bars. The state law did not allow local communities to enact local smoke-free laws.

Smoke-Free Legislation			
Workplaces	Restaurants	Bars	Local Laws Permitted
 Yes	 No[†]	 No	 No

* Designated Smoking Areas
[†] Ventilated Smoking Areas
[‡] No Restrictions
[¶] Allowed smoking in venues that prohibit minors

^a Allowed for non-hospitality workplaces.
^b Prohibited for non-hospitality workplaces.


Note: Not all footnotes may be used. Source: STATE System, June 2012

Offer

Adults Who Made a Quit Attempt in the Last Year

During 2009-2010, 54.1% of Pennsylvania adult smokers made a quit attempt in the past year, ranking 30th among the states.

Percentage of Smokers Attempting to Quit








Quitline Utilization

In 2010, the Pennsylvania quitline received 33,734 calls, and 13,351 tobacco users (an estimated 0.6% of all tobacco users in the state) received telephone counseling, cessation medications, or both from the state quitline.

Medicaid Coverage for Counseling and Medications

In 2010, Pennsylvania’s Medicaid program provided comprehensive coverage through both managed care and fee-for-service contracts for tobacco-dependence treatment including all nicotine replacement therapies, bupropion, varenicline, and counseling (individual and group).

Medicaid Coverage for Counseling and Medications			
Comprehensive Coverage			
 Yes			
NRTs (One or More)	Varenicline	Bupropion	Counseling (Individual and/or Group)
 Yes	 Yes	 Yes	 Yes

^a Pregnant women only
^b Fee-for-service only
^c Available only via the quitline

Note: Not all footnotes may be used. Source: Halpin, et al, 2011


PENNSYLVANIA

Warn

Tobacco Counter-Marketing Media Intensity


CDC *Best Practices* recommendations translate into an average quarterly exposure of 1,200 general audience gross rating points (GRPs) and 800 youth target rating points (TRPs) in effective anti-tobacco media campaigns. Pennsylvania had an average of 0.4 general audience GRPs and 0.0 youth TRPs per quarter in television advertising supporting tobacco control messages in 2010.

Anti-Tobacco Media Campaign Intensity, GRPs Per Quarter



Source: CDC/OSH

Anti-Tobacco Media Campaign Intensity, TRPs Per Quarter




Source: CDC/OSH


Knowledge of the Dangers of Tobacco

In Pennsylvania, 63.0% of adults thought that breathing smoke from other people's cigarettes or other tobacco products is very harmful to one's health in 2009-2010. Additionally, 86.6% thought that cigarette smoking is very addictive.

Secondhand Smoke



Addictiveness of Smoking






PENNSYLVANIA

Enforce

State Allows Local Advertising and Promotion Laws





As of June 30, 2012, Pennsylvania allowed local regulation of tobacco industry promotions, tobacco product sampling, and display of tobacco products in commercial establishments.

State Allows Local Laws		
Promotion	Sampling	Display
 Yes	 Yes	 Yes

Source: STATE System, June 2012

Over-the-Counter Retail Licensure

As of June 30, 2012, Pennsylvania required all establishments selling cigarettes over-the-counter to be licensed; the state does not have such a requirement for smokeless tobacco products. Nationally, 37 states required over-the-counter licensure for cigarettes, 29 of which also have a requirement for smokeless tobacco, with various renewal frequencies, fees and penalties for violations.

Over-the-Counter Licensure and Penalties				
Over-the-Counter License Required	Minimum License Fee	Renewal Required (& Frequency)	Penalty to Business	Licensure Includes Smokeless Tobacco
 Yes	\$25.00	 Yes^a	 Yes^b	 No

^a Annually
^b Fine or Imprisonment

*Note: Not all footnotes may be used.
Source: STATE System, June 2012*

PENNSYLVANIA

Raise

Amount of Tobacco Product Excise Tax

As of June 30, 2012, the excise tax on cigarettes in Pennsylvania was \$1.60 per pack, ranking 21st among the states. There was no tax on cigars, and for little cigars the tax was \$1.60 per pack of 20. There was no tax on smokeless tobacco.

Price Paid for Last Cigarettes Purchased

In Pennsylvania, 79.9% of adult smokers bought their last cigarettes by the pack, and 20.1% bought them by the carton in 2009-2010. The average price that Pennsylvania smokers reported paying for their last pack of cigarettes was \$5.45 in 2009-2010; the range among states was \$7.98 to \$4.04. The average price that Pennsylvania smokers reported paying for their last carton of cigarettes was \$46.96 in 2009-2010; the range among 45 states with valid data was \$64.45 to \$30.46.

Amount of Cigarette Excise Tax

