

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Would you say that in general your health is:

Question Number: 1

Variable Name: genhealth

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-EXCELLENT	24608	20.75	20.31	(19.82,20.80)
2	2-VERY GOOD	41125	34.68	32.86	(32.29,33.43)
3	3-GOOD	35028	29.54	31.32	(30.72,31.92)
4	4-FAIR	12356	10.42	11.07	(10.65,11.50)
5	5-POOR	5150	4.34	4.17	(3.93,4.41)
7	7-DON'T KNOW/NOT SURE	140	0.12	0.15	(0.10,0.20)
9	9-REFUSED	174	0.15	0.12	(0.09,0.16)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Have you smoked at least 100 cigarettes in your entire life?

Question Number: 2

Variable Name: smok100

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	50901	42.93	43.67	(43.05, 44.29)
2	2-NO	67272	56.73	56.06	(55.44, 56.67)
7	7-DON'T KNOW/NOT SURE	382	0.32	0.25	(0.19, 0.30)
9	9-REFUSED	26	0.02	0.03	(0.01, 0.05)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Do you now smoke cigarettes every day, some days, or not at all?

Question Number: 3

Variable Name: smoknow

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-EVERYDAY	12894	25.33	34.16	(33.26,35.06)
2	2-SOME DAYS	3648	7.17	10.41	(9.75,11.07)
3	3-NOT AT ALL	34327	67.44	55.36	(54.42,56.29)
7	7-DON'T KNOW/NOT SURE	15	0.03	0.04	(0.01,0.07)
9	9-REFUSED	17	0.03	0.03	(0.00,0.07)
.	.	67680	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

On the average, about how many cigarettes a day do you now smoke? __ RECORD NUMBER OF CIGARETTES

Question Number: 4

Variable Name: smokperday

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	74	0.57	0.55	(0.32,0.78)
2	2	97	0.75	1.21	(0.52,1.90)
3	3	162	1.26	1.40	(1.03,1.78)
4	4	187	1.45	1.64	(1.19,2.08)
5	5	514	3.99	4.37	(3.67,5.07)
6	6	316	2.45	2.98	(2.33,3.63)
7	7	259	2.01	2.32	(1.82,2.82)
8	8	290	2.25	2.06	(1.62,2.49)
9	9	58	0.45	0.54	(0.31,0.78)
10	10	2568	19.92	20.91	(19.53,22.29)
11	11	34	0.26	0.27	(0.12,0.43)
12	12	353	2.74	2.80	(2.25,3.34)
13	13	40	0.31	0.50	(0.26,0.74)
14	14	35	0.27	0.24	(0.10,0.39)
15	15	1367	10.60	9.95	(8.92,10.97)
16	16	49	0.38	0.28	(0.16,0.41)
17	17	55	0.43	0.45	(0.24,0.67)
18	18	101	0.78	0.61	(0.39,0.83)
19	19	14	0.11	0.13	(0.03,0.24)
20	20	4194	32.53	31.45	(29.91,32.98)
21	21	6	0.05	0.09	(0.00,0.23)
22	22	17	0.13	0.13	(0.03,0.24)
23	23	5	0.04	0.03	(0.00,0.05)
24	24	15	0.12	0.08	(0.03,0.14)
25	25	319	2.47	2.20	(1.78,2.62)
26	26	3	0.02	0.02	(0.00,0.04)
27	27	3	0.02	0.04	(0.00,0.09)
28	28	1	0.01	0.01	(0.00,0.02)
30	30	826	6.41	6.08	(5.31,6.85)
32	32	3	0.02	0.01	(0.00,0.02)
33	33	1	0.01	0.00	(0.00,0.00)
34	34	1	0.01	0.01	(0.00,0.02)
35	35	59	0.46	0.63	(0.37,0.90)
40	40	575	4.46	4.10	(3.46,4.74)
45	45	16	0.12	0.16	(0.00,0.35)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
47	47	1	0.01	0.01	(0.00,0.02)
50	50	44	0.34	0.32	(0.18,0.46)
55	55	1	0.01	0.00	(0.00,0.01)
60	60	73	0.57	0.36	(0.22,0.50)
70	70	3	0.02	0.07	(0.00,0.20)
75	75	1	0.01	0.00	(0.00,0.01)
80	80	16	0.12	0.09	(0.02,0.15)
100	100	7	0.05	0.04	(0.01,0.07)
150	150	1	0.01	0.00	(0.00,0.01)
160	160	1	0.01	0.00	(0.00,0.01)
180	180	1	0.01	0.08	(0.00,0.23)
666	666-LESS THAN ONE CIGARETTE A DAY	9	0.07	0.03	(0.00,0.06)
777	777-DON'T KNOW/NOT SURE	75	0.58	0.53	(0.32,0.74)
888	888-NONE	26	0.20	0.11	(0.04,0.18)
999	999-REFUSED	18	0.14	0.11	(0.01,0.22)
.	.	105687	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Have you ever tried cigarette smoking, even one or 2 puffs?

Question Number: 5

Variable Name: smokever

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	37737	55.78	51.94	(51.09, 52.79)
2	2-NO	29791	44.03	47.92	(47.07, 48.76)
7	7-DON'T KNOW/NOT SURE	113	0.17	0.13	(0.08, 0.18)
9	9-REFUSED	13	0.02	0.01	(0.00, 0.03)
.	.	50927	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Was the last time you smoked a cigarette, even one or 2 puffs...?

Question Number: 6

Variable Name: smoklast

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-WITHIN THE PAST 24 HOURS	512	0.71	1.50	(1.26,1.74)
2	02-WITHIN THE PAST 7 DAYS	427	0.59	1.26	(1.05,1.48)
3	03-WITHIN THE PAST 30 DAYS	947	1.31	2.47	(2.19,2.75)
4	04-WITHIN THE PAST 3 MONTHS	1269	1.76	3.45	(3.11,3.79)
5	05-WITHIN THE PAST 6 MONTHS	1159	1.61	2.86	(2.54,3.18)
6	06-WITHIN THE PAST 1 YEAR	1666	2.31	3.77	(3.40,4.15)
7	07-WITHIN THE PAST 5 YEARS	6835	9.48	13.54	(12.88,14.20)
8	08-WITHIN THE PAST 10 YEARS	7059	9.79	11.82	(11.31,12.33)
9	09-WITHIN THE PAST 15 YEARS	6239	8.66	9.11	(8.65,9.58)
10	10-MORE THAN 15 YEARS AGO	45614	63.28	49.79	(49.00,50.57)
77	77-DON'T KNOW/NOT SURE	161	0.22	0.18	(0.13,0.22)
99	99-REFUSED	191	0.26	0.25	(0.17,0.33)
.	.	46502	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

You said that you last smoked \:q6:. Have you not smoked \:q6: because you are trying to quit smoking for good?

Question Number: 7

Variable Name: smokorquit

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES, RESPONDENT IS TRYING TO QUIT SMOKING FOR GOOD	2846	52.05	47.51	(44.95,50.07)
2	2-NO, RESPONDENT IS NOT TRYING TO QUIT SMOKING FOR GOOD	2451	44.82	49.73	(47.16,52.30)
7	7-DON'T KNOW/NOT SURE	141	2.58	2.23	(1.56,2.90)
9	9-REFUSED	30	0.55	0.52	(0.24,0.81)
.	.	113113	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

During the past 30 days, that is, since \:daym30:, on how many days did you smoke cigarettes?

Question Number: 8

Variable Name: smokdays30

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	491	10.22	11.53	(9.82,13.24)
2	2	278	5.78	6.37	(5.04,7.71)
3	3	225	4.68	4.97	(3.85,6.09)
4	4	198	4.12	4.14	(2.83,5.44)
5	5	279	5.81	6.41	(4.94,7.87)
6	6	112	2.33	2.10	(1.44,2.76)
7	7	83	1.73	1.76	(1.16,2.36)
8	8	70	1.46	2.21	(1.26,3.15)
9	9	10	0.21	0.27	(0.04,0.49)
10	10	444	9.24	8.40	(6.90,9.90)
11	11	4	0.08	0.51	(0.00,1.46)
12	12	77	1.60	1.29	(0.75,1.83)
13	13	7	0.15	0.28	(0.00,0.60)
14	14	54	1.12	1.04	(0.61,1.47)
15	15	521	10.84	9.96	(8.27,11.65)
16	16	19	0.40	0.44	(0.13,0.75)
17	17	12	0.25	0.49	(0.02,0.95)
18	18	13	0.27	0.57	(0.10,1.05)
19	19	2	0.04	0.01	(0.00,0.02)
20	20	573	11.92	11.35	(9.50,13.20)
21	21	16	0.33	0.25	(0.08,0.41)
22	22	15	0.31	0.24	(0.06,0.43)
23	23	11	0.23	0.16	(0.00,0.32)
24	24	11	0.23	0.15	(0.04,0.25)
25	25	127	2.64	2.21	(1.51,2.90)
26	26	10	0.21	0.40	(0.10,0.71)
27	27	18	0.37	0.41	(0.11,0.71)
28	28	36	0.75	0.58	(0.26,0.89)
29	29	11	0.23	0.19	(0.01,0.37)
30	30	465	9.68	10.70	(8.78,12.62)
77	77-DON'T KNOW/NOT SURE	225	4.68	4.55	(3.20,5.91)
88	88-NONE	384	7.99	6.05	(5.01,7.10)
99	99-REFUSED	5	0.10	0.02	(0.00,0.04)
.	.	113775	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

On the average, on days when you smoked during the past 30 days, about how many cigarettes a day did you smoke?

Question Number: 9

Variable Name: smoksomeday

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	817	19.49	21.78	(19.35,24.20)
2	2	734	17.51	17.68	(15.38,19.97)
3	3	614	14.65	15.96	(13.54,18.38)
4	4	316	7.54	6.73	(5.39,8.07)
5	5	454	10.83	10.38	(8.48,12.27)
6	6	148	3.53	2.86	(2.01,3.70)
7	7	78	1.86	1.89	(1.21,2.57)
8	8	57	1.36	0.98	(0.53,1.43)
9	9	14	0.33	0.23	(0.04,0.41)
10	10	352	8.40	6.96	(5.63,8.29)
11	11	8	0.19	0.27	(0.00,0.58)
12	12	38	0.91	0.73	(0.36,1.10)
13	13	3	0.07	0.15	(0.00,0.43)
14	14	2	0.05	0.02	(0.00,0.05)
15	15	85	2.03	1.21	(0.77,1.66)
16	16	4	0.10	0.08	(0.00,0.21)
17	17	1	0.02	0.01	(0.00,0.03)
18	18	6	0.14	0.04	(0.00,0.08)
20	20	165	3.94	3.81	(2.40,5.22)
21	21	2	0.05	0.03	(0.00,0.06)
22	22	1	0.02	0.00	(0.00,0.00)
23	23	2	0.05	0.06	(0.00,0.16)
25	25	8	0.19	0.30	(0.02,0.58)
26	26	1	0.02	0.02	(0.00,0.05)
30	30	15	0.36	0.89	(0.08,1.69)
35	35	3	0.07	0.16	(0.00,0.38)
36	36	1	0.02	0.01	(0.00,0.04)
40	40	24	0.57	0.48	(0.00,1.08)
45	45	1	0.02	0.01	(0.00,0.02)
50	50	3	0.07	0.06	(0.00,0.16)
55	55	1	0.02	0.03	(0.00,0.08)
58	58	1	0.02	0.03	(0.00,0.09)
60	60	5	0.12	0.05	(0.00,0.13)
66	66	1	0.02	0.02	(0.00,0.06)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
77	77	1	0.02	0.00	(0.00,0.01)
80	80	1	0.02	0.07	(0.00,0.20)
88	88	2	0.05	0.07	(0.00,0.18)
100	100	2	0.05	0.02	(0.00,0.06)
110	110	1	0.02	0.01	(0.00,0.02)
150	150	1	0.02	0.00	(0.00,0.01)
180	180	2	0.05	0.17	(0.00,0.42)
666	666-LESS THAN ONE CIGARETTE A DAY	86	2.05	2.15	(1.12,3.18)
777	777-DON'T KNOW/NOT SURE	63	1.50	1.42	(0.82,2.01)
888	888-NONE	66	1.57	2.18	(1.30,3.06)
999	999-REFUSED	2	0.05	0.02	(0.00,0.04)
.	.	114389	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

In the past year, on about how many days did you smoke cigarettes, even just one puff?

Question Number: 10

Variable Name: smokpastyr

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	631	32.66	30.73	(26.72,34.74)
2	2	327	16.93	17.20	(13.77,20.63)
3	3	207	10.71	10.80	(8.31,13.28)
4	4	62	3.21	2.82	(1.32,4.31)
5	5	139	7.19	7.42	(5.55,9.29)
6	6	38	1.97	2.17	(1.07,3.27)
7	7	42	2.17	2.02	(1.08,2.97)
8	8	5	0.26	0.49	(0.00,1.04)
9	9	3	0.16	0.03	(0.00,0.06)
10	10	88	4.55	4.20	(2.85,5.55)
11	11	1	0.05	0.01	(0.00,0.02)
12	12	12	0.62	0.24	(0.02,0.45)
14	14	4	0.21	0.29	(0.00,0.70)
15	15	19	0.98	1.12	(0.45,1.80)
17	17	2	0.10	0.18	(0.00,0.50)
18	18	1	0.05	0.00	(0.00,0.01)
20	20	33	1.71	2.04	(1.03,3.04)
21	21	2	0.10	0.01	(0.00,0.02)
24	24	1	0.05	0.52	(0.00,1.54)
25	25	4	0.21	0.73	(0.00,1.79)
29	29	1	0.05	0.05	(0.00,0.16)
30	30	27	1.40	1.08	(0.55,1.61)
35	35	1	0.05	0.01	(0.00,0.04)
40	40	1	0.05	0.02	(0.00,0.05)
45	45	1	0.05	0.01	(0.00,0.02)
47	47	1	0.05	0.01	(0.00,0.02)
48	48	1	0.05	0.02	(0.00,0.05)
50	50	9	0.47	0.24	(0.05,0.43)
52	52	1	0.05	0.03	(0.00,0.08)
53	53	1	0.05	0.14	(0.00,0.42)
58	58	1	0.05	0.08	(0.00,0.25)
60	60	10	0.52	0.51	(0.07,0.94)
64	64	1	0.05	0.03	(0.00,0.08)
88	88	41	2.12	2.33	(1.14,3.52)
90	90	9	0.47	0.78	(0.00,1.64)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
94	94	1	0.05	0.20	(0.00,0.60)
100	100	2	0.10	0.30	(0.00,0.86)
120	120	2	0.10	0.04	(0.00,0.09)
150	150	6	0.31	0.18	(0.00,0.38)
160	160	1	0.05	0.00	(0.00,0.01)
170	170	1	0.05	0.01	(0.00,0.03)
180	180	6	0.31	0.13	(0.00,0.29)
182	182	2	0.10	0.08	(0.00,0.23)
200	200	5	0.26	0.43	(0.00,1.04)
210	210	1	0.05	0.00	(0.00,0.01)
215	215	1	0.05	0.01	(0.00,0.02)
220	220	1	0.05	0.04	(0.00,0.13)
240	240	1	0.05	0.16	(0.00,0.46)
250	250	4	0.21	0.05	(0.00,0.11)
270	270	1	0.05	0.02	(0.00,0.05)
280	280	1	0.05	0.01	(0.00,0.02)
300	300	4	0.21	0.06	(0.00,0.12)
330	330	2	0.10	0.09	(0.00,0.26)
365	365	17	0.88	0.73	(0.07,1.38)
777	777-DON'T KNOW/NOT SURE	46	2.38	4.43	(1.80,7.06)
888	888-NONE	97	5.02	4.60	(1.81,7.38)
999	999-REFUSED	3	0.16	0.12	(0.00,0.27)
.	.	116649	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

On the average, on days when you smoked during the past year, about how many cigarettes did you smoke a day?

Question Number: 11

Variable Name: smokyrnum

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	866	48.49	50.23	(45.88,54.57)
2	2	173	9.69	8.45	(6.32,10.58)
3	3	70	3.92	2.53	(1.54,3.53)
4	4	20	1.12	0.99	(0.23,1.75)
5	5	35	1.96	1.71	(0.73,2.70)
6	6	13	0.73	0.49	(0.05,0.94)
7	7	9	0.50	0.41	(0.04,0.78)
8	8	3	0.17	0.08	(0.00,0.18)
10	10	17	0.95	0.68	(0.26,1.09)
12	12	3	0.17	0.09	(0.00,0.20)
13	13	1	0.06	0.06	(0.00,0.19)
15	15	9	0.50	0.49	(0.00,1.00)
16	16	1	0.06	0.01	(0.00,0.04)
20	20	29	1.62	1.16	(0.42,1.90)
24	24	3	0.17	0.04	(0.00,0.09)
25	25	1	0.06	0.03	(0.00,0.08)
30	30	3	0.17	0.10	(0.00,0.27)
40	40	3	0.17	0.38	(0.00,1.03)
60	60	1	0.06	0.09	(0.00,0.26)
88	88	8	0.45	0.47	(0.05,0.88)
100	100	1	0.06	0.02	(0.00,0.07)
666	666-LESS THAN ONE CIGARETTE A DAY	229	12.82	13.24	(10.16,16.32)
777	777-DON'T KNOW/NOT SURE	9	0.50	0.37	(0.00,0.87)
888	888-NONE	276	15.45	17.78	(14.01,21.54)
999	999-REFUSED	3	0.17	0.09	(0.00,0.23)
.	.	116795	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Have you ever smoked a whole cigarette?

Question Number: 12

Variable Name: smokwholcig

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	18286	45.06	49.81	(48.76, 50.85)
2	2-NO	21801	53.72	49.44	(48.39, 50.48)
7	7-DON'T KNOW/NOT SURE	496	1.22	0.76	(0.64, 0.87)
9	9-REFUSED	1	0.00	0.00	(0.00, 0.00)
.	.	77997	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: How old were you when you smoked a whole cigarette for the 1st time?

Question Number: 13

Variable Name: smokwholage

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	4	0.01	0.00	(0.00,0.01)
2	2	3	0.00	0.00	(0.00,0.01)
3	3	14	0.02	0.05	(0.00,0.09)
4	4	32	0.05	0.06	(0.02,0.10)
5	5	134	0.20	0.17	(0.11,0.23)
6	6	188	0.28	0.25	(0.19,0.32)
7	7	295	0.45	0.44	(0.36,0.53)
8	8	521	0.79	0.92	(0.77,1.08)
9	9	626	0.95	1.30	(1.11,1.49)
10	10	1379	2.08	2.16	(1.90,2.43)
11	11	1014	1.53	1.94	(1.70,2.17)
12	12	3916	5.91	6.95	(6.44,7.47)
13	13	4504	6.80	7.96	(7.49,8.42)
14	14	5691	8.59	9.32	(8.82,9.81)
15	15	7516	11.35	11.81	(11.27,12.36)
16	16	8917	13.46	13.24	(12.70,13.78)
17	17	6001	9.06	9.24	(8.80,9.68)
18	18	8206	12.39	11.26	(10.78,11.75)
19	19	3774	5.70	5.61	(5.22,6.00)
20	20	3897	5.88	4.71	(4.40,5.01)
21	21	2321	3.50	3.04	(2.79,3.30)
22	22	1361	2.05	1.96	(1.74,2.18)
23	23	628	0.95	0.89	(0.76,1.02)
24	24	451	0.68	0.59	(0.49,0.70)
25	25	1031	1.56	1.28	(1.12,1.43)
26	26	246	0.37	0.32	(0.23,0.40)
27	27	184	0.28	0.35	(0.22,0.48)
28	28	221	0.33	0.27	(0.20,0.34)
29	29	83	0.13	0.10	(0.06,0.14)
30	30	453	0.68	0.53	(0.43,0.62)
31	31	51	0.08	0.08	(0.04,0.12)
32	32	92	0.14	0.09	(0.05,0.13)
33	33	51	0.08	0.08	(0.05,0.12)
34	34	42	0.06	0.07	(0.02,0.13)
35	35	175	0.26	0.33	(0.18,0.48)
36	36	36	0.05	0.04	(0.02,0.07)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
37	37	27	0.04	0.03	(0.00,0.06)
38	38	41	0.06	0.09	(0.03,0.15)
39	39	25	0.04	0.03	(0.01,0.06)
40	40	147	0.22	0.13	(0.09,0.18)
41	41	13	0.02	0.02	(0.00,0.03)
42	42	25	0.04	0.02	(0.01,0.03)
43	43	8	0.01	0.01	(0.00,0.02)
44	44	10	0.02	0.01	(0.00,0.02)
45	45	38	0.06	0.03	(0.01,0.05)
46	46	6	0.01	0.01	(0.00,0.01)
47	47	11	0.02	0.01	(0.00,0.01)
48	48	11	0.02	0.01	(0.00,0.01)
49	49	5	0.01	0.01	(0.00,0.01)
50	50	42	0.06	0.05	(0.01,0.08)
51	51	1	0.00	0.00	(0.00,0.00)
52	52	7	0.01	0.01	(0.00,0.01)
53	53	3	0.00	0.00	(0.00,0.00)
54	54	2	0.00	0.00	(0.00,0.00)
55	55	8	0.01	0.00	(0.00,0.01)
56	56	4	0.01	0.00	(0.00,0.00)
57	57	3	0.00	0.00	(0.00,0.01)
58	58	2	0.00	0.00	(0.00,0.00)
59	59	2	0.00	0.00	(0.00,0.00)
60	60	10	0.02	0.01	(0.00,0.02)
62	62	2	0.00	0.00	(0.00,0.00)
63	63	1	0.00	0.00	(0.00,0.00)
64	64	1	0.00	0.00	(0.00,0.00)
65	65	2	0.00	0.00	(0.00,0.00)
70	70	2	0.00	0.00	(0.00,0.00)
73	73	1	0.00	0.00	(0.00,0.00)
77	77	2	0.00	0.00	(0.00,0.00)
99	99	1	0.00	0.00	(0.00,0.00)
115	115	1	0.00	0.00	(0.00,0.00)
116	116	1	0.00	0.00	(0.00,0.00)
118	118	3	0.00	0.01	(0.00,0.02)
777	777-DON'T KNOW/NOT SURE	1595	2.41	1.91	(1.72,2.11)
888	888-NEVER SMOKED A WHOLE CIGARETTE	77	0.12	0.10	(0.05,0.15)
999	999-REFUSED	35	0.05	0.06	(0.02,0.10)
.	.	52348	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Have you ever smoked at least one cigarette every day for 30 days in a row?

Question Number: 14

Variable Name: smok30dever

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	33724	63.35	60.22	(59.30,61.15)
2	2-NO	19163	36.00	39.18	(38.26,40.10)
7	7-DON'T KNOW/NOT SURE	344	0.65	0.59	(0.43,0.74)
9	9-REFUSED	6	0.01	0.02	(0.00,0.03)
.	.	65344	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

How old were you when you 1st smoked at least one cigarette every day for 30 days in a row?

Question Number: 15

Variable Name: smok30dage

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	4	0.01	0.00	(0.00,0.01)
2	2	4	0.01	0.01	(0.00,0.03)
3	3	1	0.00	0.00	(0.00,0.00)
4	4	8	0.02	0.04	(0.00,0.10)
5	5	11	0.02	0.02	(0.00,0.03)
6	6	16	0.03	0.04	(0.01,0.06)
7	7	38	0.08	0.08	(0.03,0.14)
8	8	68	0.15	0.16	(0.09,0.23)
9	9	113	0.24	0.46	(0.32,0.60)
10	10	238	0.51	0.65	(0.50,0.81)
11	11	246	0.53	0.69	(0.55,0.84)
12	12	920	1.99	2.47	(2.19,2.75)
13	13	1388	3.00	4.02	(3.58,4.45)
14	14	2042	4.41	5.49	(5.01,5.97)
15	15	3721	8.03	9.82	(9.11,10.53)
16	16	5488	11.84	13.06	(12.42,13.70)
17	17	4173	9.01	9.66	(9.09,10.23)
18	18	8462	18.26	17.41	(16.69,18.14)
19	19	3521	7.60	6.70	(6.23,7.18)
20	20	4576	9.88	8.10	(7.64,8.55)
21	21	2519	5.44	4.38	(4.05,4.71)
22	22	1481	3.20	2.84	(2.53,3.15)
23	23	781	1.69	1.73	(1.47,1.99)
24	24	537	1.16	1.08	(0.88,1.29)
25	25	1463	3.16	2.67	(2.38,2.96)
26	26	269	0.58	0.57	(0.43,0.71)
27	27	206	0.44	0.45	(0.33,0.58)
28	28	258	0.56	0.46	(0.35,0.57)
29	29	101	0.22	0.20	(0.13,0.27)
30	30	612	1.32	1.09	(0.92,1.26)
31	31	58	0.13	0.21	(0.04,0.38)
32	32	120	0.26	0.18	(0.12,0.23)
33	33	60	0.13	0.08	(0.04,0.13)
34	34	46	0.10	0.08	(0.04,0.12)
35	35	229	0.49	0.43	(0.30,0.56)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
36	36	46	0.10	0.07	(0.03,0.10)
37	37	29	0.06	0.06	(0.00,0.11)
38	38	42	0.09	0.09	(0.04,0.15)
39	39	23	0.05	0.05	(0.01,0.09)
40	40	157	0.34	0.22	(0.13,0.31)
41	41	11	0.02	0.02	(0.00,0.04)
42	42	34	0.07	0.04	(0.02,0.05)
43	43	16	0.03	0.09	(0.00,0.24)
44	44	11	0.02	0.01	(0.00,0.03)
45	45	54	0.12	0.09	(0.05,0.13)
46	46	9	0.02	0.00	(0.00,0.01)
47	47	8	0.02	0.01	(0.00,0.01)
48	48	15	0.03	0.03	(0.01,0.05)
49	49	5	0.01	0.01	(0.00,0.01)
50	50	40	0.09	0.06	(0.02,0.10)
51	51	5	0.01	0.00	(0.00,0.01)
52	52	8	0.02	0.02	(0.00,0.04)
53	53	2	0.00	0.00	(0.00,0.00)
54	54	3	0.01	0.00	(0.00,0.01)
55	55	6	0.01	0.01	(0.00,0.03)
56	56	2	0.00	0.00	(0.00,0.00)
57	57	5	0.01	0.00	(0.00,0.01)
58	58	2	0.00	0.00	(0.00,0.01)
59	59	1	0.00	0.00	(0.00,0.00)
60	60	9	0.02	0.00	(0.00,0.01)
64	64	3	0.01	0.00	(0.00,0.01)
65	65	4	0.01	0.01	(0.00,0.03)
70	70	1	0.00	0.00	(0.00,0.00)
77	77	4	0.01	0.00	(0.00,0.01)
81	81	2	0.00	0.00	(0.00,0.00)
99	99	1	0.00	0.00	(0.00,0.00)
114	114	1	0.00	0.00	(0.00,0.00)
777	777-DON'T KNOW/NOT SURE	1961	4.23	3.65	(3.27,4.03)
999	999-REFUSED	35	0.08	0.08	(0.03,0.12)
.	.	72248	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Think about the last time you smoked at least one cigarette every day for 30 days in a row. How long ago was the last day of those 30 days? Was it... ?

Question Number: 16

Variable Name: smok30dlast

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-TODAY OR YESTERDAY	13011	29.35	39.70	(38.72,40.69)
2	02-IN THE PAST 7 DAYS	587	1.32	1.91	(1.59,2.23)
3	03-IN THE PAST 30 DAYS	670	1.51	1.99	(1.72,2.27)
4	04-IN THE PAST 1 YEAR	2221	5.01	6.86	(6.30,7.42)
5	05-IN THE PAST 5 YEARS	4069	9.18	10.09	(9.36,10.83)
6	06-IN THE PAST 10 YEARS	3972	8.96	8.54	(8.04,9.04)
7	07-IN THE PAST 15 YEARS	3468	7.82	6.26	(5.85,6.67)
8	08-MORE THAN 15 YEARS AGO	15915	35.90	23.84	(23.12,24.55)
77	77-DON'T KNOW/NOT SURE	263	0.59	0.54	(0.41,0.66)
99	99-REFUSED	161	0.36	0.27	(0.19,0.35)
.	.	74244	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Around this time last year, were you smoking cigarettes every day, some days, or not at all?

Question Number: 17

Variable Name: smokyrago

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-EVERYDAY	13910	67.54	62.40	(61.06,63.74)
2	2-SOME DAYS	3466	16.83	19.20	(18.07,20.32)
3	3-NOT AT ALL	3171	15.40	18.11	(17.03,19.18)
7	7-DON'T KNOW/NOT SURE	48	0.23	0.29	(0.07,0.50)
9	9-REFUSED	1	0.00	0.01	(0.00,0.03)
.	.	97985	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: How likely are you to smoke a cigarette next year?

Question Number: 18

Variable Name: futursmok2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-VERY LIKELY	761	0.75	1.24	(1.08,1.40)
2	2-SOMEWHAT LIKELY	1820	1.79	3.09	(2.83,3.35)
3	3-NOT AT ALL LIKELY	98776	97.34	95.46	(95.14,95.77)
7	7-DON'T KNOW/NOT SURE	110	0.11	0.20	(0.10,0.30)
9	9-REFUSED	12	0.01	0.01	(0.00,0.01)
.	.	17102	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Order of responses for q18 - How likely are you to smoke a cigarette next year?
Question Number: 18
Variable Name: futursmok2dsp
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-VERY LIKELY, SOMEWHAT LIKELY, NOT AT ALL LIKELY	50932	50.19	49.43	(48.75,50.12)
2	2-NOT AT ALL LIKELY, VERY LIKELY, SOMEWHAT LIKELY	50547	49.81	50.57	(49.88,51.25)
.	.	17102	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: How soon after you wake up do you have your 1st cigarette?

Question Number: 19

Variable Name: smokewake

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-WITHIN 5 MINUTES	3544	21.52	22.98	(21.69,24.26)
2	2-FROM 6 TO 30 MINUTES	4956	30.09	27.57	(26.28,28.87)
3	3-FROM MORE THAN 30 MINUTES TO 1 HOUR	3065	18.61	17.88	(16.70,19.06)
4	4-AFTER MORE THAN 1 HOUR	4663	28.31	30.43	(28.99,31.87)
7	7-DON'T KNOW/NOT SURE	195	1.18	0.95	(0.71,1.20)
9	9-REFUSED	49	0.30	0.19	(0.10,0.28)
.	.	102109	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: During the past 30 days, were the cigarettes that you usually smoked menthol?

Question Number: 20

Variable Name: mentholcigs2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	5017	30.55	35.60	(34.10,37.10)
2	2-NO	11380	69.29	64.29	(62.79,65.79)
7	7-DON'T KNOW/NOT SURE	21	0.13	0.09	(0.03,0.15)
9	9-REFUSED	5	0.03	0.03	(0.00,0.06)
.	.	102158	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Were any of the cigarettes that you smoked in the past 30 days flavored to taste like candy, fruit
, chocolate, or other sweets?

Question Number: 21

Variable Name: cigflavor

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	386	2.35	3.68	(2.99,4.38)
2	2-NO	16003	97.47	96.10	(95.39,96.81)
7	7-DON'T KNOW/NOT SURE	27	0.16	0.21	(0.08,0.35)
9	9-REFUSED	2	0.01	0.01	(0.00,0.02)
.	.	102163	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: During the past 30 days, what brand of cigarettes did you smoke most often?
Question Number: 22
Variable Name: brand2
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-BASIC (BRANDED DISCOUNT)	430	2.62	2.40	(1.98,2.82)
2	02-CAMEL	1088	6.63	8.18	(7.31,9.05)
3	03-DORAL (BRANDED DISCOUNT)	468	2.85	2.01	(1.68,2.34)
4	04-FORSYTH (PRIVATE LABEL)	4	0.02	0.02	(0.00,0.06)
5	05-GPC (BRANDED DISCOUNT)	111	0.68	0.47	(0.33,0.62)
6	06-KOOL	437	2.66	2.42	(2.02,2.82)
7	07-MARLBORO	5508	33.55	37.54	(36.03,39.05)
8	08-MISTY (BRANDED DISCOUNT)	406	2.47	1.11	(0.92,1.30)
9	09-NEWPORT	1263	7.69	14.46	(13.26,15.65)
10	10-PALL MALL	970	5.91	4.61	(4.01,5.22)
11	11-PARLIAMENT	183	1.11	1.22	(0.93,1.51)
12	12-SALEM	354	2.16	1.64	(1.35,1.94)
13	13-SONOMA (BRANDED DISCOUNT)	190	1.16	1.12	(0.83,1.40)
14	14-USA GOLD (BRANDED DISCOUNT)	341	2.08	1.58	(1.26,1.90)
15	15-VIRGINIA SLIMS	404	2.46	1.34	(1.11,1.57)
16	16-WINSTON	563	3.43	2.46	(2.09,2.82)
66	66-DID NOT SMOKE A USUAL BRAND DURING THE PAST 30 DAYS	215	1.31	0.92	(0.71,1.13)
77	77-DON'T KNOW/NOT SURE	116	0.71	0.38	(0.27,0.49)
96	96-OTHER (SPECIFY)	3299	20.10	15.82	(14.81,16.84)
99	99-REFUSED	66	0.40	0.29	(0.14,0.45)
.	.	102165	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: INTERVIEWER: ENTER OTHER MENTION ____

Question Number: 22

Variable Name: brand2oth

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
Other*	.	3299	100.0	100.0	(100.0,100.0)
.	.	115282	.	.	.

*Values are open-ended responses and have not been individually listed

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Have you bought any cigarettes for yourself in the past 30 days?
Question Number: 23
Variable Name: bghttpast30d
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	572	30.60	33.12	(29.10,37.14)
2	2-NO	1297	69.40	66.88	(62.86,70.90)
.	.	116712	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: During the past 30 days, what brand of cigarettes did you buy most often?.

Question Number: 24

Variable Name: brandpast30d

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-BASIC (BRANDED DISCOUNT)	9	1.57	0.75	(0.10,1.39)
2	02-CAMEL	62	10.84	14.91	(8.89,20.93)
3	03-DORAL (BRANDED DISCOUNT)	5	0.87	0.95	(0.00,1.97)
5	05-GPC (BRANDED DISCOUNT)	4	0.70	1.02	(0.00,2.66)
6	06-KOOL	14	2.45	2.91	(0.31,5.51)
7	07-MARLBORO	212	37.06	40.85	(33.30,48.40)
8	08-MISTY (BRANDED DISCOUNT)	9	1.57	0.57	(0.01,1.14)
9	09-NEWPORT	69	12.06	15.40	(9.82,20.98)
10	10-PALL MALL	29	5.07	4.00	(1.37,6.62)
11	11-PARLIAMENT	7	1.22	0.68	(0.08,1.28)
12	12-SALEM	14	2.45	0.87	(0.20,1.54)
13	13-SONOMA (BRANDED DISCOUNT)	8	1.40	0.61	(0.08,1.13)
14	14-USA GOLD (BRANDED DISCOUNT)	8	1.40	0.58	(0.00,1.29)
15	15-VIRGINIA SLIMS	13	2.27	0.81	(0.10,1.51)
16	16-WINSTON	9	1.57	0.63	(0.00,1.26)
66	66-DID NOT BUY ONE BRAND MOST OFTEN DURING THE PAST 30 DAYS	11	1.92	2.13	(0.00,4.48)
77	77-DON'T KNOW/NOT SURE	6	1.05	0.92	(0.00,2.17)
96	96-OTHER (SPECIFY)	81	14.16	11.31	(6.85,15.76)
99	99-REFUSED	2	0.35	0.12	(0.00,0.33)
.	.	118009	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: INTERVIEWER: ENTER OTHER MENTION ____

Question Number: 24

Variable Name: brandpast30doth

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
Other*	.	81	100.0	100.0	(100.0,100.0)
.	.	118500	.	.	.

*Values are open-ended responses and have not been individually listed

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

The last time you bought cigarettes for yourself, did you buy them by the pack or by the carton?

Question Number: 25

Variable Name: buyquant2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-BY THE PACK	10848	64.11	74.85	(73.69,76.01)
2	02-BY THE CARTON	5764	34.07	23.41	(22.30,24.53)
77	77-DON'T KNOW/NOT SURE	27	0.16	0.13	(0.04,0.22)
96	96-OTHER (SPECIFY)	270	1.60	1.55	(1.17,1.92)
99	99-REFUSED	11	0.07	0.07	(0.01,0.13)
.	.	101661	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

INTERVIEWER: ENTER OTHER MENTION ____

Question Number: 25

Variable Name: buyquant2oth

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
Other*	.	270	100.0	100.0	(100.0,100.0)
.	.	118311	.	.	.

*Values are open-ended and have not been individually listed

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: What price did you pay for the last pack of cigarettes you bought?

Question Number: 26

Variable Name: costpack2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1.00-1.99	63	0.58	0.58	(0.30,0.86)
2	2.00-2.99	271	2.50	1.63	(1.25,2.01)
3	3.00-3.99	1296	11.95	8.78	(7.92,9.63)
4	4.00-4.99	2693	24.82	21.61	(20.20,23.03)
5	5.00-5.99	2905	26.78	30.59	(28.90,32.28)
6	6.00-6.99	1557	14.35	18.08	(16.60,19.56)
7	7.00-7.99	971	8.95	8.94	(7.90,9.99)
8	8.00-8.99	462	4.26	4.40	(3.65,5.16)
9	9.00-9.99	118	1.09	1.60	(1.11,2.10)
10	10.00-10.99	48	0.44	0.54	(0.29,0.78)
11	11.00-11.99	13	0.12	0.09	(0.03,0.15)
12	12.00-12.99	4	0.04	0.04	(0.00,0.10)
13	13.00-13.99	2	0.02	0.00	(0.00,0.01)
14	14.00-14.99	2	0.02	0.00	(0.00,0.01)
15	15.00-15.99	7	0.06	0.05	(0.00,0.12)
18	18.00-18.99	1	0.01	0.00	(0.00,0.01)
19	19.00-19.99	1	0.01	0.00	(0.00,0.00)
20	20.00	2	0.02	0.00	(0.00,0.01)
77	DON'T KNOW/NOT SURE	410	3.78	2.91	(2.25,3.57)
99	REFUSED	22	0.20	0.14	(0.05,0.22)
.	.	107733	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: What price did you pay for the last pack of cigarettes you bought? - Recode
Question Number: 26
Variable Name: costpack2_r
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1.00-1.99	63	0.58	0.58	(0.30,0.86)
2	2.00-2.99	271	2.50	1.63	(1.25,2.01)
3	3.00-3.99	1296	11.95	8.78	(7.92,9.63)
4	4.00-4.99	2693	24.82	21.61	(20.20,23.03)
5	5.00-5.99	2905	26.78	30.59	(28.90,32.28)
6	6.00-6.99	1557	14.35	18.08	(16.60,19.56)
7	7.00-7.99	971	8.95	8.94	(7.90,9.99)
8	8.00-8.99	462	4.26	4.40	(3.65,5.16)
9	9.00-9.99	118	1.09	1.60	(1.11,2.10)
10	10.00-10.99	48	0.44	0.54	(0.29,0.78)
11	11.00-11.99	13	0.12	0.09	(0.03,0.15)
12	12.00-12.99	4	0.04	0.04	(0.00,0.10)
13	13.00-13.99	2	0.02	0.00	(0.00,0.01)
14	14.00-14.99	2	0.02	0.00	(0.00,0.01)
15	15.00-15.99	7	0.06	0.05	(0.00,0.12)
18	18.00-18.99	1	0.01	0.00	(0.00,0.01)
19	19.00-19.99	1	0.01	0.00	(0.00,0.00)
20	20.00	2	0.02	0.00	(0.00,0.01)
77	DON'T KNOW/NOT SURE	410	3.78	2.91	(2.25,3.57)
99	REFUSED	22	0.20	0.14	(0.05,0.22)
.	.	107733	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: What price did you pay for the last carton of cigarettes you bought?

Question Number: 27

Variable Name: costcarton2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	10.00-19.99	181	3.14	3.23	(2.40,4.06)
2	20.00-29.99	878	15.23	14.68	(12.85,16.52)
3	30.00-39.99	1693	29.37	26.56	(24.36,28.76)
4	40.00-49.99	1503	26.08	28.02	(25.67,30.37)
5	50.00-59.99	769	13.34	15.66	(13.81,17.51)
6	60.00-69.99	222	3.85	3.76	(2.81,4.71)
7	70.00-79.99	117	2.03	1.96	(1.12,2.80)
8	80.00-89.99	40	0.69	0.88	(0.24,1.52)
9	90.00	9	0.16	0.23	(0.00,0.54)
77	DON'T KNOW/NOT SURE	313	5.43	4.48	(3.62,5.34)
99	REFUSED	39	0.68	0.53	(0.22,0.84)
.	.	112817	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: What price did you pay for the last carton of cigarettes you bought? - Recode
Question Number: 27
Variable Name: costcarton2_r
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	10.00-19.99	181	3.14	3.23	(2.40,4.06)
2	20.00-29.99	878	15.23	14.68	(12.85,16.52)
3	30.00-39.99	1693	29.37	26.56	(24.36,28.76)
4	40.00-49.99	1503	26.08	28.02	(25.67,30.37)
5	50.00-59.99	769	13.34	15.66	(13.81,17.51)
6	60.00-69.99	222	3.85	3.76	(2.81,4.71)
7	70.00-79.99	117	2.03	1.96	(1.12,2.80)
8	80.00-89.99	40	0.69	0.88	(0.24,1.52)
9	90.00	9	0.16	0.23	(0.00,0.54)
77	DON'T KNOW/NOT SURE	313	5.43	4.48	(3.62,5.34)
99	REFUSED	39	0.68	0.53	(0.22,0.84)
.	.	112817	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

The last time you bought cigarettes, did you take advantage of coupons, rebates, buy 1 get 1 free, 2 for 1, or any other special promotions for cigarettes?

Question Number: 28

Variable Name: specoffers

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	2722	17.06	19.45	(18.22,20.69)
2	2-NO	13195	82.69	80.29	(79.05,81.53)
7	7-DON'T KNOW/NOT SURE	38	0.24	0.25	(0.11,0.39)
9	9-REFUSED	2	0.01	0.00	(0.00,0.01)
.	.	102624	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: In the past 12 months, have you bought cigarettes over the Internet?

Question Number: 29a

Variable Name: buynet2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	171	1.07	1.22	(0.89,1.54)
2	2-NO	15773	98.86	98.72	(98.39,99.05)
7	7-DON'T KNOW/NOT SURE	4	0.03	0.01	(0.00,0.03)
9	9-REFUSED	7	0.04	0.05	(0.00,0.11)
.	.	102626	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Bought cigarettes on an Indian reservation

Question Number: 29b

Variable Name: buyres2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	1347	10.30	8.81	(7.93,9.69)
2	2-NO	11692	89.40	90.78	(89.87,91.68)
7	7-DON'T KNOW/NOT SURE	36	0.28	0.40	(0.15,0.65)
9	9-REFUSED (INCLUDING HANG-UP)	4	0.03	0.01	(0.00,0.03)
.	.	105502	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Ever tried chewing tobacco, snuff, or dip, such as Skoal, Copenhagen, Grizzly, Levi Garrett, Red Man, or Day's Work, even just one time in your entire life?

Question Number: 30

Variable Name: sltever2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	22660	19.11	21.68	(21.17,22.18)
2	2-NO	95811	80.80	78.27	(77.76,78.77)
7	7-DON'T KNOW/NOT SURE	75	0.06	0.04	(0.02,0.05)
9	9-REFUSED	35	0.03	0.02	(0.01,0.03)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip?

Question Number: 31

Variable Name: sltnodays

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	395	1.74	2.56	(2.11,3.00)
2	2	198	0.87	1.46	(1.09,1.84)
3	3	102	0.45	0.55	(0.37,0.73)
4	4	48	0.21	0.37	(0.16,0.58)
5	5	108	0.48	0.44	(0.29,0.59)
6	6	21	0.09	0.12	(0.04,0.21)
7	7	50	0.22	0.24	(0.14,0.34)
8	8	11	0.05	0.04	(0.01,0.07)
9	9	2	0.01	0.02	(0.00,0.06)
10	10	94	0.41	0.62	(0.34,0.89)
12	12	10	0.04	0.06	(0.00,0.13)
13	13	1	0.00	0.01	(0.00,0.03)
14	14	20	0.09	0.13	(0.03,0.23)
15	15	82	0.36	0.53	(0.32,0.74)
16	16	3	0.01	0.02	(0.00,0.05)
17	17	1	0.00	0.01	(0.00,0.02)
18	18	1	0.00	0.00	(0.00,0.01)
20	20	99	0.44	0.46	(0.28,0.63)
21	21	2	0.01	0.01	(0.00,0.01)
22	22	3	0.01	0.01	(0.00,0.03)
23	23	1	0.00	0.01	(0.00,0.04)
24	24	1	0.00	0.01	(0.00,0.03)
25	25	27	0.12	0.16	(0.06,0.26)
27	27	3	0.01	0.04	(0.00,0.10)
28	28	11	0.05	0.09	(0.02,0.16)
29	29	8	0.04	0.01	(0.00,0.02)
30	30	1625	7.17	7.52	(6.87,8.18)
77	77-DON'T KNOW/NOT SURE	51	0.23	0.22	(0.12,0.31)
88	88-NONE	19674	86.82	84.26	(83.29,85.22)
99	99-REFUSED	8	0.04	0.01	(0.00,0.02)
.	.	95921	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: During the past 30 days, what brand of smokeless tobacco did you use most often?
Question Number: 32
Variable Name: sltbrand
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-BEECH-NUT REGULAR	44	1.50	1.16	(0.62,1.71)
2	02-COPENHAGEN	593	20.26	18.06	(15.40,20.72)
3	03-GRIZZLY	441	15.07	17.96	(15.37,20.56)
4	04-KODIAK	89	3.04	3.72	(2.65,4.79)
5	05-LEVI GARRETT	59	2.02	2.25	(0.97,3.53)
6	06-LONGHORN	103	3.52	2.11	(1.40,2.83)
7	07-MORGAN'S	4	0.14	0.04	(0.00,0.10)
8	08-RED MAN	176	6.01	5.37	(3.87,6.88)
9	09-RED MAN GOLDEN BLEND	24	0.82	0.84	(0.15,1.53)
10	10-RED SEAL	88	3.01	1.95	(1.34,2.56)
11	11-SKOAL	651	22.24	25.99	(22.90,29.07)
12	12-SOUTHERN PRIDE	9	0.31	0.12	(0.02,0.22)
13	13-STOKER CHEW	18	0.61	0.44	(0.02,0.85)
14	14-TAYLOR'S PRIDE	17	0.58	0.57	(0.13,1.00)
15	15-TIMBER WOLF	81	2.77	2.54	(1.65,3.44)
66	66-DID NOT USE ONE BRAND MOST OFTEN DURING THE PAST 30 DAYS	58	1.98	2.18	(1.16,3.20)
77	77-DON'T KNOW/NOT SURE	121	4.13	3.50	(2.35,4.64)
96	96-OTHER (SPECIFY)	342	11.68	11.08	(8.92,13.23)
99	99-REFUSED	9	0.31	0.13	(0.02,0.24)
.	.	115654	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: INTERVIEWER: ENTER OTHER MENTION ____
Question Number: 32
Variable Name: sltbrandoth
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
Other*	.	342	100.0	100.0	(100.0,100.0)
.	.	118239	.	.	.

*Values are open-ended responses and have not been individually listed

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Snus is moist, smokeless tobacco, and are placed under the lip against the gum. Have you ever tried snus, even just one time in your entire life?

Question Number: 33

Variable Name: snusever

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	8824	7.44	8.96	(8.61,9.30)
2	2-NO	109531	92.37	90.86	(90.52,91.21)
7	7-DON'T KNOW/NOT SURE	190	0.16	0.15	(0.10,0.20)
9	9-REFUSED	36	0.03	0.03	(0.01,0.04)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: During the past 30 days, on how many days did you use snus?

Question Number: 34

Variable Name: snusnodays

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	375	4.25	6.02	(4.93,7.10)
2	2	103	1.17	1.97	(1.36,2.59)
3	3	41	0.46	0.75	(0.41,1.08)
4	4	29	0.33	0.60	(0.26,0.95)
5	5	53	0.60	0.60	(0.35,0.84)
6	6	12	0.14	0.20	(0.01,0.39)
7	7	22	0.25	0.40	(0.14,0.66)
8	8	11	0.12	0.08	(0.02,0.15)
10	10	25	0.28	0.59	(0.21,0.97)
12	12	7	0.08	0.06	(0.01,0.10)
13	13	1	0.01	0.00	(0.00,0.01)
14	14	6	0.07	0.11	(0.00,0.23)
15	15	30	0.34	0.72	(0.17,1.26)
16	16	2	0.02	0.02	(0.00,0.06)
17	17	1	0.01	0.02	(0.00,0.05)
18	18	1	0.01	0.01	(0.00,0.02)
20	20	20	0.23	0.24	(0.08,0.40)
21	21	2	0.02	0.04	(0.00,0.11)
22	22	1	0.01	0.05	(0.00,0.14)
25	25	5	0.06	0.02	(0.00,0.04)
28	28	2	0.02	0.03	(0.00,0.09)
29	29	3	0.03	0.00	(0.00,0.01)
30	30	269	3.05	2.98	(2.21,3.75)
77	77-DON'T KNOW/NOT SURE	25	0.28	0.18	(0.09,0.28)
88	88-NONE	7777	88.13	84.31	(82.70,85.93)
99	99-REFUSED	1	0.01	0.01	(0.00,0.03)
.	.	109757	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Have you ever tried smoking cigars, cigarillos, or very small cigars that look like cigarettes in your entire life, even one or 2 puffs?

Question Number: 36

Variable Name: cigarever

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	46216	38.97	42.09	(41.48,42.71)
2	2-NO	72157	60.85	57.79	(57.17,58.40)
7	7-DON'T KNOW/NOT SURE	188	0.16	0.11	(0.08,0.14)
9	9-REFUSED	20	0.02	0.01	(0.00,0.01)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

During the past 30 days, on how many days did you smoke cigars, cigarillos, or very small cigars that look like cigarettes?

Question Number: 37

Variable Name: cigarnodays

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	1793	3.88	6.32	(5.80,6.85)
2	2	759	1.64	2.81	(2.45,3.16)
3	3	308	0.67	1.41	(1.10,1.71)
4	4	163	0.35	0.61	(0.46,0.76)
5	5	213	0.46	0.80	(0.62,0.98)
6	6	51	0.11	0.19	(0.11,0.26)
7	7	64	0.14	0.26	(0.14,0.39)
8	8	45	0.10	0.11	(0.06,0.15)
9	9	1	0.00	0.01	(0.00,0.02)
10	10	153	0.33	0.50	(0.36,0.64)
11	11	1	0.00	0.00	(0.00,0.00)
12	12	26	0.06	0.10	(0.05,0.16)
13	13	3	0.01	0.01	(0.00,0.02)
14	14	26	0.06	0.11	(0.05,0.18)
15	15	89	0.19	0.28	(0.17,0.39)
16	16	3	0.01	0.00	(0.00,0.01)
17	17	1	0.00	0.03	(0.00,0.08)
20	20	79	0.17	0.33	(0.19,0.46)
21	21	3	0.01	0.01	(0.00,0.02)
23	23	3	0.01	0.02	(0.00,0.04)
24	24	1	0.00	0.00	(0.00,0.01)
25	25	27	0.06	0.09	(0.03,0.15)
27	27	2	0.00	0.01	(0.00,0.03)
28	28	8	0.02	0.01	(0.00,0.03)
29	29	6	0.01	0.03	(0.00,0.07)
30	30	523	1.13	1.66	(1.37,1.94)
77	77-DON'T KNOW/NOT SURE	142	0.31	0.35	(0.23,0.48)
88	88-NONE	41707	90.24	83.93	(83.15,84.71)
99	99-REFUSED	16	0.03	0.02	(0.01,0.03)
.	.	72365	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Were any of the cigars, cigarillos, or very small cigars that you smoked in the past 30 days flavored to taste like candy, fruit, chocolate, or other sweets?

Question Number: 38

Variable Name: cigarflavr

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	1432	32.91	42.71	(39.93,45.50)
2	2-NO	2894	66.51	56.89	(54.11,59.67)
7	7-DON'T KNOW/NOT SURE	23	0.53	0.39	(0.11,0.67)
9	9-REFUSED	2	0.05	0.00	(0.00,0.01)
.	.	114230	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Have you ever tried smoking tobacco in a water pipe in your entire life, even one or 2 puffs?

Question Number: 39

Variable Name: pipewtrever

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	6805	5.74	9.76	(9.37,10.16)
2	2-NO	111606	94.12	90.13	(89.73,90.53)
7	7-DON'T KNOW/NOT SURE	118	0.10	0.08	(0.05,0.10)
9	9-REFUSED	52	0.04	0.03	(0.01,0.05)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: During the past 30 days, on how many days did you smoke tobacco in a water pipe?
Question Number: 40
Variable Name: pipewtrdays
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	311	4.57	7.05	(5.85,8.25)
2	2	131	1.93	3.63	(2.67,4.58)
3	3	40	0.59	1.14	(0.62,1.67)
4	4	32	0.47	0.98	(0.50,1.46)
5	5	37	0.54	0.88	(0.42,1.35)
6	6	11	0.16	0.32	(0.05,0.58)
7	7	5	0.07	0.13	(0.00,0.28)
8	8	12	0.18	0.15	(0.00,0.30)
10	10	11	0.16	0.30	(0.02,0.58)
11	11	2	0.03	0.01	(0.00,0.02)
12	12	4	0.06	0.07	(0.00,0.18)
13	13	1	0.01	0.00	(0.00,0.01)
14	14	4	0.06	0.14	(0.00,0.30)
15	15	15	0.22	0.43	(0.10,0.75)
17	17	1	0.01	0.05	(0.00,0.14)
20	20	4	0.06	0.20	(0.00,0.42)
24	24	1	0.01	0.01	(0.00,0.04)
25	25	1	0.01	0.07	(0.00,0.20)
29	29	1	0.01	0.02	(0.00,0.06)
30	30	17	0.25	0.19	(0.05,0.33)
77	77-DON'T KNOW/NOT SURE	8	0.12	0.10	(0.01,0.19)
88	88-NONE	6155	90.45	84.13	(82.39,85.86)
99	99-REFUSED	1	0.01	0.01	(0.00,0.02)
.	.	111776	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Have you ever smoked tobacco in a pipe other than a water pipe in your entire life, even one or 2 puffs?

Question Number: 41

Variable Name: pipeothever

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	18022	15.20	13.96	(13.54,14.38)
2	2-NO	100333	84.61	85.89	(85.46,86.31)
7	7-DON'T KNOW/NOT SURE	187	0.16	0.13	(0.09,0.16)
9	9-REFUSED	39	0.03	0.03	(0.01,0.05)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

During the past 30 days, on how many days did you smoke tobacco in a pipe other than a water pipe?

Question Number: 42

Variable Name: pipeothdays

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	254	1.41	2.91	(2.19,3.63)
2	2	127	0.70	1.33	(0.87,1.79)
3	3	68	0.38	0.80	(0.48,1.11)
4	4	30	0.17	0.35	(0.18,0.53)
5	5	40	0.22	0.45	(0.25,0.66)
6	6	11	0.06	0.04	(0.01,0.08)
7	7	14	0.08	0.13	(0.00,0.26)
8	8	16	0.09	0.05	(0.01,0.10)
10	10	37	0.21	0.49	(0.14,0.84)
12	12	5	0.03	0.01	(0.00,0.02)
14	14	6	0.03	0.08	(0.00,0.17)
15	15	27	0.15	0.18	(0.06,0.30)
16	16	2	0.01	0.09	(0.00,0.25)
20	20	14	0.08	0.05	(0.01,0.09)
22	22	1	0.01	0.01	(0.00,0.02)
24	24	1	0.01	0.00	(0.00,0.00)
25	25	6	0.03	0.12	(0.00,0.26)
27	27	1	0.01	0.00	(0.00,0.00)
28	28	2	0.01	0.01	(0.00,0.01)
29	29	3	0.02	0.01	(0.00,0.02)
30	30	147	0.82	0.69	(0.51,0.88)
77	77-DON'T KNOW/NOT SURE	42	0.23	0.21	(0.09,0.34)
88	88-NONE	17160	95.22	91.96	(90.93,93.00)
99	99-REFUSED	8	0.04	0.02	(0.00,0.05)
.	.	100559	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Are you aware of any telephone quitline services that are available to help people quit using tobacco?

Question Number: 43

Variable Name: qtlineawrnt

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	29364	30.69	27.82	(27.16,28.47)
2	2-NO	65595	68.56	71.36	(70.70,72.02)
7	7-DON'T KNOW/NOT SURE	680	0.71	0.78	(0.65,0.91)
9	9-REFUSED	34	0.04	0.04	(0.02,0.07)
.	.	22908	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Are you aware of any telephone quitline services that are available to help you quit using tobacco ?

Question Number: 44

Variable Name: qtlineawrt

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	12504	54.58	49.58	(48.32,50.84)
2	2-NO	10330	45.09	50.14	(48.88,51.40)
7	7-DON'T KNOW/NOT SURE	67	0.29	0.27	(0.17,0.38)
9	9-REFUSED	7	0.03	0.01	(0.00,0.01)
.	.	95673	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Are you aware of any individual or group counseling services, other than quitlines, that are available to help you quit smoking cigarettes?

Question Number: 45

Variable Name: qtasstawr

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	9595	52.07	46.49	(45.08,47.90)
2	2-NO	8734	47.40	53.05	(51.64,54.46)
7	7-DON'T KNOW/NOT SURE	86	0.47	0.38	(0.21,0.55)
9	9-REFUSED	13	0.07	0.08	(0.02,0.13)
.	.	100153	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

In the past 30 days, have you seen, read, or heard any ads about quitting cigarettes?

Question Number: 46

Variable Name: qtads

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	15353	83.31	80.39	(79.17,81.61)
2	2-NO	2940	15.95	19.04	(17.83,20.26)
7	7-DON'T KNOW/NOT SURE	133	0.72	0.52	(0.34,0.70)
9	9-REFUSED	2	0.01	0.04	(0.00,0.10)
.	.	100153	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Have you ever seen or heard the slogan Become an EX in an ad? EX is spelled E-X.
Question Number: 47
Variable Name: qtexads
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	4045	21.95	22.77	(21.60,23.94)
2	2-NO	13766	74.70	74.13	(72.89,75.37)
7	7-DON'T KNOW/NOT SURE	614	3.33	3.10	(2.55,3.64)
9	9-REFUSED	3	0.02	0.01	(0.00,0.01)
.	.	100153	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

In your whole life, how many times have you stopped smoking for one day or longer because you were trying to quit smoking cigarettes for good?

Question Number: 48

Variable Name: qtatt2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	2783	12.36	12.76	(11.88,13.64)
2	2	3002	13.33	13.24	(12.41,14.07)
3	3	2596	11.53	12.03	(11.18,12.88)
4	4	1498	6.65	6.20	(5.58,6.82)
5	5	1817	8.07	7.46	(6.84,8.07)
6	6	843	3.74	3.13	(2.68,3.58)
7	7	297	1.32	1.23	(0.88,1.58)
8	8	226	1.00	0.76	(0.48,1.04)
9	9	36	0.16	0.27	(0.06,0.48)
10	10	1482	6.58	5.99	(5.40,6.58)
11	11	9	0.04	0.02	(0.00,0.04)
12	12	404	1.79	1.34	(1.11,1.56)
13	13	13	0.06	0.08	(0.00,0.17)
14	14	26	0.12	0.11	(0.05,0.17)
15	15	286	1.27	1.13	(0.90,1.37)
16	16	4	0.02	0.03	(0.00,0.08)
17	17	9	0.04	0.06	(0.00,0.13)
18	18	6	0.03	0.02	(0.00,0.04)
20	20	661	2.93	2.72	(2.32,3.11)
21	21	3	0.01	0.00	(0.00,0.01)
22	22	3	0.01	0.00	(0.00,0.01)
23	23	2	0.01	0.00	(0.00,0.00)
24	24	26	0.12	0.04	(0.02,0.07)
25	25	92	0.41	0.31	(0.20,0.42)
28	28	1	0.00	0.00	(0.00,0.00)
30	30	291	1.29	1.06	(0.82,1.29)
32	32	5	0.02	0.02	(0.00,0.04)
33	33	2	0.01	0.00	(0.00,0.00)
35	35	8	0.04	0.08	(0.00,0.15)
36	36	3	0.01	0.00	(0.00,0.01)
37	37	3	0.01	0.03	(0.00,0.06)
39	39	1	0.00	0.00	(0.00,0.00)
40	40	67	0.30	0.34	(0.17,0.51)
45	45	6	0.03	0.02	(0.00,0.05)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
48	48	1	0.00	0.00	(0.00,0.00)
49	49	1	0.00	0.00	(0.00,0.01)
50	50	254	1.13	0.98	(0.74,1.21)
53	53	1	0.00	0.00	(0.00,0.00)
55	55	2	0.01	0.00	(0.00,0.01)
56	56	2	0.01	0.00	(0.00,0.00)
60	60	16	0.07	0.10	(0.02,0.18)
65	65	3	0.01	0.03	(0.00,0.07)
69	69	1	0.00	0.04	(0.00,0.12)
70	70	10	0.04	0.03	(0.00,0.06)
75	75	15	0.07	0.05	(0.00,0.11)
76	76	336	1.49	1.26	(0.99,1.52)
77	77-DON'T KNOW/NOT SURE	1024	4.55	3.93	(3.41,4.45)
88	88-NONE	4251	18.87	22.48	(21.37,23.59)
99	99-REFUSED	94	0.42	0.62	(0.35,0.89)
.	.	96059	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

During the past 12 months, how many times have you stopped smoking for one day or longer because you were trying to quit smoking cigarettes for good?

Question Number: 49

Variable Name: qt12mos

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	4384	25.56	27.98	(26.62,29.34)
2	2	2042	11.90	13.05	(12.08,14.01)
3	3	979	5.71	5.45	(4.82,6.09)
4	4	366	2.13	2.28	(1.88,2.68)
5	5	413	2.41	3.22	(2.62,3.82)
6	6	151	0.88	1.05	(0.71,1.39)
7	7	76	0.44	0.62	(0.37,0.88)
8	8	48	0.28	0.24	(0.11,0.37)
9	9	16	0.09	0.16	(0.05,0.28)
10	10	233	1.36	1.38	(0.98,1.78)
11	11	2	0.01	0.01	(0.00,0.04)
12	12	80	0.47	0.45	(0.29,0.61)
13	13	5	0.03	0.08	(0.00,0.20)
14	14	10	0.06	0.21	(0.00,0.58)
15	15	50	0.29	0.46	(0.25,0.66)
16	16	2	0.01	0.01	(0.00,0.02)
17	17	2	0.01	0.02	(0.00,0.04)
18	18	1	0.01	0.01	(0.00,0.02)
19	19	1	0.01	0.00	(0.00,0.00)
20	20	88	0.51	0.46	(0.28,0.64)
21	21	4	0.02	0.03	(0.00,0.07)
22	22	2	0.01	0.06	(0.00,0.17)
24	24	3	0.02	0.01	(0.00,0.02)
25	25	18	0.10	0.05	(0.01,0.09)
26	26	3	0.02	0.01	(0.00,0.02)
28	28	1	0.01	0.00	(0.00,0.00)
30	30	53	0.31	0.58	(0.29,0.88)
35	35	2	0.01	0.01	(0.00,0.02)
40	40	9	0.05	0.06	(0.00,0.15)
45	45	3	0.02	0.04	(0.00,0.09)
48	48	1	0.01	0.04	(0.00,0.11)
50	50	17	0.10	0.06	(0.03,0.09)
52	52	6	0.03	0.05	(0.00,0.12)
60	60	8	0.05	0.08	(0.00,0.20)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
62	62	1	0.01	0.00	(0.00,0.00)
70	70	4	0.02	0.02	(0.00,0.05)
72	72	3	0.02	0.01	(0.00,0.02)
75	75	2	0.01	0.01	(0.00,0.02)
76	76	59	0.34	0.34	(0.17,0.51)
77	77-DON'T KNOW/NOT SURE	277	1.61	1.56	(1.18,1.94)
88	88-NONE	7687	44.81	39.60	(38.18,41.02)
99	99-REFUSED	41	0.24	0.22	(0.08,0.35)
.	.	101428	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Did you call a telephone quitline to help you quit?

Question Number: 50

Variable Name: qtline

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	535	5.85	4.87	(4.02,5.71)
2	2-NO	8603	94.04	95.04	(94.19,95.89)
7	7-DON'T KNOW/NOT SURE	6	0.07	0.03	(0.00,0.07)
9	9-REFUSED	4	0.04	0.06	(0.00,0.16)
.	.	109433	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Did you use a class or program to help you quit?
Question Number: 51a
Variable Name: qtclasspgm
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	769	8.41	6.39	(5.56,7.21)
2	2-NO	8366	91.45	93.49	(92.66,94.32)
7	7-DON'T KNOW/NOT SURE	8	0.09	0.05	(0.00,0.10)
9	9-REFUSED	5	0.05	0.08	(0.00,0.18)
.	.	109433	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Did you use one-on-one counseling from a health professional to help you quit?

Question Number: 51b

Variable Name: qtcouns1

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	744	8.13	5.88	(5.11,6.66)
2	2-NO	8386	91.67	94.02	(93.25,94.80)
7	7-DON'T KNOW/NOT SURE	13	0.14	0.05	(0.00,0.09)
9	9-REFUSED	5	0.05	0.05	(0.00,0.10)
.	.	109433	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Did you use any of the following medications: a nicotine patch, nicotine gum, nicotine lozenges, nicotine nasal spray, a nicotine inhaler, or pills

Question Number: 52

Variable Name: qtmed2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	3721	40.68	34.27	(32.46,36.09)
2	2-NO	5416	59.20	65.58	(63.76,67.40)
7	7-DON'T KNOW/NOT SURE	3	0.03	0.01	(0.00,0.03)
9	9-REFUSED	8	0.09	0.13	(0.00,0.27)
.	.	109433	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Do you want to quit smoking cigarettes for good?

Question Number: 53

Variable Name: qtwant

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	11331	61.95	62.99	(61.61, 64.36)
2	2-NO	5872	32.10	31.17	(29.86, 32.48)
7	7-DON'T KNOW/NOT SURE	983	5.37	5.19	(4.54, 5.85)
9	9-REFUSED	106	0.58	0.65	(0.43, 0.87)
.	.	100289	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Do you have a time frame in mind for quitting?

Question Number: 54

Variable Name: qtframe

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	5324	46.99	49.00	(47.20,50.80)
2	2-NO	5739	50.65	48.57	(46.78,50.36)
7	7-DON'T KNOW/NOT SURE	248	2.19	2.23	(1.74,2.72)
9	9-REFUSED	20	0.18	0.20	(0.08,0.31)
.	.	107250	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

I'm going to read to you a set of possible answers. Please answer Yes or No to each answer. Do you plan to quit smoking cigarettes for good ... ?

Question Number: 55

Variable Name: qtwhen

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-IN THE NEXT 7 DAYS,	1805	33.90	36.36	(33.78,38.94)
2	2-IN THE NEXT 30 DAYS,	1495	28.08	25.69	(23.37,28.00)
3	3-IN THE NEXT 6 MONTHS,	1470	27.61	26.17	(23.97,28.38)
4	4-IN THE NEXT 1 YEAR,	288	5.41	6.19	(4.98,7.40)
5	5-MORE THAN 1 YEAR FROM NOW?	125	2.35	3.69	(2.51,4.86)
7	7-DON'T KNOW/NOT SURE	93	1.75	1.27	(0.84,1.70)
9	9-REFUSED	12	0.23	0.14	(0.00,0.29)
.	.	113257	.	.	
77	77	36	0.68	0.49	(0.00,.)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

When you try to quit smoking, do you plan to use a telephone quitline, a class or program or one-on-one counseling from a health professional to help you quit?

Question Number: 56

Variable Name: qtfutasst

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	1376	26.37	24.64	(22.35,26.93)
2	2-NO	3619	69.34	70.91	(68.50,73.33)
7	7-DON'T KNOW/NOT SURE	217	4.16	4.27	(3.19,5.35)
9	9-REFUSED	7	0.13	0.18	(0.00,0.36)
.	.	113362	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

When you try to quit smoking, do you plan to use a nicotine patch, nicotine gum, lozenges, nasal spray, an inhaler, or pills

Question Number: 57

Variable Name: qtfutmed

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	2620	50.20	47.13	(44.49,49.78)
2	2-NO	2456	47.06	50.16	(47.51,52.81)
7	7-DON'T KNOW/NOT SURE	140	2.68	2.59	(1.66,3.51)
9	9-REFUSED	3	0.06	0.12	(0.00,0.28)
.	.	113362	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

In the past 12 months, have you seen a doctor, dentist, nurse, or other health professional?

Question Number: 58

Variable Name: hcwcare2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	105896	89.30	83.72	(83.14,84.29)
2	2-NO	12535	10.57	16.16	(15.59,16.73)
7	7-DON'T KNOW/NOT SURE	66	0.06	0.06	(0.03,0.08)
9	9-REFUSED	84	0.07	0.07	(0.03,0.10)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

In the past 12 months, did any doctor, dentist, nurse, or other health professional advise you to quit smoking cigarettes or using any other tobacco products?

Question Number: 59

Variable Name: hcwadvise2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	11413	52.81	51.24	(49.93,52.55)
2	2-NO	10121	46.83	48.49	(47.18,49.80)
7	7-DON'T KNOW/NOT SURE	61	0.28	0.21	(0.13,0.29)
9	9-REFUSED	15	0.07	0.06	(0.01,0.10)
.	.	96971	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

The last time a health professional advised you to quit using tobacco, did they also ask if you wanted to try to quit?

Question Number: 60

Variable Name: hcwqtask

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	7295	63.92	63.42	(61.71,65.14)
2	2-NO	3915	34.30	35.50	(33.79,37.21)
7	7-DON'T KNOW/NOT SURE	199	1.74	1.06	(0.82,1.30)
9	9-REFUSED	4	0.04	0.02	(0.00,0.06)
.	.	107168	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

When the health professional asked if you wanted to try to quit, did you say ... ?

Question Number: 61

Variable Name: hcwqtresp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-THAT YOU DID WANT TO QUIT, OR	4779	65.51	65.24	(63.07,67.40)
2	2-THAT YOU DID NOT WANT TO QUIT	2184	29.94	30.77	(28.67,32.88)
7	7-DON'T KNOW/NOT SURE	297	4.07	3.66	(2.81,4.50)
9	9- REFUSED	35	0.48	0.33	(0.16,0.50)
.	.	111286	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

The last time a health professional advised you to quit using tobacco, did they also offer any assistance, information, or additional advice to help you quit?

Question Number: 62

Variable Name: hcwmoradvice

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	6600	57.83	57.10	(55.34,58.86)
2	2-NO	4728	41.43	42.23	(40.47,43.99)
7	7-DON'T KNOW/NOT SURE	74	0.65	0.60	(0.36,0.85)
9	9-REFUSED	11	0.10	0.06	(0.00,0.14)
.	.	107168	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

The last time a health professional advised you to quit using tobacco, did they provide you with booklets, videos, website addresses, to help you quit?

Question Number: 63

Variable Name: hcwmaterials2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	4102	62.15	63.38	(61.08, 65.68)
2	2-NO	2470	37.42	36.06	(33.76, 38.35)
7	7-DON'T KNOW/NOT SURE	22	0.33	0.40	(0.08, 0.72)
9	9-REFUSED	6	0.09	0.17	(0.00, 0.34)
.	.	111981	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Did they put you in contact with, or tell you how to contact, a telephone quitline, a class or program, or one-on-one counseling?

Question Number: 64

Variable Name: hcwsugasst2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	3018	45.73	47.06	(44.70,49.43)
2	2-NO	3522	53.36	51.79	(49.41,54.16)
7	7-DON'T KNOW/NOT SURE	57	0.86	1.03	(0.40,1.65)
9	9-REFUSED	3	0.05	0.12	(0.00,0.28)
.	.	111981	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Did they help you set a specific date to quit using tobacco products?

Question Number: 65

Variable Name: hcwsetdate2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	961	14.56	14.98	(13.12,16.84)
2	2-NO	5610	85.00	84.77	(82.91,86.63)
7	7-DON'T KNOW/NOT SURE	23	0.35	0.20	(0.08,0.32)
9	9-REFUSED	6	0.09	0.05	(0.00,0.13)
.	.	111981	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

(Did they) Recommend or prescribe a nicotine patch, nicotine gum, lozenges, nasal spray, an inhaler, or pills ?

Question Number: 66

Variable Name: hcwmed2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	4126	62.52	60.55	(58.26,62.84)
2	2-NO	2430	36.82	38.73	(36.45,41.02)
7	7-DON'T KNOW/NOT SURE	37	0.56	0.53	(0.21,0.84)
9	9-REFUSED	7	0.11	0.19	(0.00,0.38)
.	.	111981	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

(Did they) Schedule any follow-up contacts, either in person or by phone, or arrange for someone else to call you to see how your quit attempt was going?

Question Number: 67

Variable Name: hcwfollowup

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	1100	16.67	16.53	(14.62,18.44)
2	2-NO	5473	82.92	82.74	(80.75,84.73)
7	7-DON'T KNOW/NOT SURE	16	0.24	0.49	(0.00,1.16)
9	9-REFUSED	11	0.17	0.24	(0.05,0.44)
.	.	111981	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

In the past 12 months, did any doctor, dentist, nurse, or other health professional ask if you smoke cigarettes or use any other tobacco products?

Question Number: 68

Variable Name: hcwask

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	54127	57.29	61.72	(61.07,62.37)
2	2-NO	37943	40.16	36.22	(35.57,36.86)
7	7-DON'T KNOW/NOT SURE	2391	2.53	2.04	(1.88,2.19)
9	9-REFUSED	22	0.02	0.03	(0.01,0.04)
.	.	24098	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Do you have any kind of health insurance, including prepaid plans such as HMOs or government plans such as Medicare or Medicaid?

Question Number: 69

Variable Name: hccoverage

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	100639	84.87	76.67	(76.05,77.28)
2	2-NO	17197	14.50	22.50	(21.89,23.11)
7	7-DON'T KNOW/NOT SURE	422	0.36	0.60	(0.49,0.72)
9	9-REFUSED	323	0.27	0.23	(0.18,0.29)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Does your health insurance help pay for counseling or medications to help people stop smoking cigarettes?

Question Number: 70

Variable Name: hccpayqs

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	4153	31.77	32.98	(31.37,34.59)
2	2-NO	3162	24.19	22.75	(21.32,24.18)
7	7-DON'T KNOW/NOT SURE	5752	44.00	44.23	(42.54,45.93)
9	9-REFUSED	7	0.05	0.03	(0.00,0.07)
.	.	105507	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Does your health insurance help pay for counseling or medications to help people stop using tobacco products other than cigarettes?

Question Number: 71

Variable Name: hccpayqo

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	1616	28.25	28.21	(26.03,30.39)
2	2-NO	1148	20.07	19.89	(17.85,21.94)
7	7-DON'T KNOW/NOT SURE	2955	51.65	51.89	(49.41,54.37)
9	9-REFUSED	2	0.03	0.01	(0.00,0.02)
.	.	112860	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

On how many days did someone other than you smoke tobacco inside your home while you were at home?

Question Number: 72

Variable Name: smokhome7d2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	2166	1.83	2.12	(1.95,2.30)
2	2	1179	0.99	1.46	(1.29,1.63)
3	3	638	0.54	0.79	(0.66,0.92)
4	4	353	0.30	0.41	(0.33,0.49)
5	5	340	0.29	0.43	(0.34,0.51)
6	6	105	0.09	0.15	(0.10,0.21)
7	7	4933	4.16	6.68	(6.36,7.01)
77	77-DON'T KNOW/NOT SURE	282	0.24	0.38	(0.27,0.49)
88	88-NONE	108514	91.51	87.51	(87.08,87.94)
99	99-REFUSED	71	0.06	0.06	(0.03,0.09)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Not counting decks, porches, or garages, inside your home, is smoking ... ?
Question Number: 73
Variable Name: homerules2
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-ALWAYS ALLOWED	10339	8.72	10.24	(9.87,10.62)
2	2-ALLOWED ONLY AT SOME TIMES OR IN SOME PLACES	8752	7.38	8.61	(8.26,8.96)
3	3-NEVER ALLOWED	98908	83.41	80.80	(80.32,81.29)
7	7-DON'T KNOW/NOT SURE	463	0.39	0.27	(0.22,0.33)
9	9-REFUSED	119	0.10	0.08	(0.05,0.11)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Has anyone, including yourself, smoked tobacco inside your home when he or she was not supposed to
?

Question Number: 74

Variable Name: homecml

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	896	0.89	1.36	(1.21,1.52)
2	2-NO	99579	98.96	98.35	(98.15,98.54)
7	7-DON'T KNOW/NOT SURE	141	0.14	0.27	(0.16,0.38)
9	9-REFUSED	12	0.01	0.02	(0.00,0.03)
.	.	17953	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: In your opinion, inside a home, should smoking.... ?

Question Number: 75

Variable Name: homerulesopn

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-ALWAYS BE ALLOWED	6688	5.64	6.29	(5.99,6.58)
2	2-ALLOWED ONLY AT SOME TIMES OR IN SOME PLACES	13293	11.21	12.95	(12.53,13.37)
3	3-NEVER BE ALLOWED	85585	72.17	71.53	(70.99,72.08)
4	4-WHATEVER THE PEOPLE WHO LIVE THERE DECIDE	11204	9.45	8.10	(7.81,8.39)
7	7-DON'T KNOW/NOT SURE	1204	1.02	0.82	(0.71,0.92)
9	9-REFUSED	607	0.51	0.31	(0.27,0.35)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Order of response categories for q75

Question Number: 75

Variable Name: homerulesopndsp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-ALWAYS ALLOWED, SOME TIMES/SOME PLACE, NEVER ALLOWED	59549	50.22	49.80	(49.17, 50.42)
2	2-NEVER ALLOWED, SOME TIMES/SOME PLACE, ALWAYS ALLOWED	59032	49.78	50.20	(49.58, 50.83)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Are you currently working for pay or are self-employed, either part-time or full-time?

Question Number: 76

Variable Name: employ2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	65826	55.51	58.64	(58.03,59.26)
2	2-NO	52452	44.23	41.09	(40.47,41.71)
7	7-DON'T KNOW	80	0.07	0.04	(0.03,0.06)
9	9-REFUSED	223	0.19	0.22	(0.16,0.29)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Do you currently have one job or more than one job?

Question Number: 77

Variable Name: nojobs

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-ONE JOB	57859	87.90	88.31	(87.80,88.81)
2	2-MORE THAN ONE JOB	7830	11.89	11.50	(11.00,12.00)
7	7-DON'T KNOW	88	0.13	0.14	(0.07,0.20)
9	9-REFUSED	49	0.07	0.06	(0.03,0.09)
.	.	52755	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Most of the time, do you work ... ?, please choose the setting at which you have been working the longest.]

Question Number: 78

Variable Name: workplace

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-OUTDOORS	5398	8.22	11.45	(10.81,12.10)
2	02-IN A VEHICLE	2380	3.62	4.43	(4.10,4.76)
3	03-INDOORS AT HOME	5770	8.78	7.73	(7.31,8.15)
4	04-INDOORS LIKE AN OFFICE BUILDING, RETAIL STORE, RESTAURANT	49469	75.31	71.80	(71.01,72.59)
77	77-DON'T KNOW/NOT SURE	125	0.19	0.23	(0.14,0.31)
96	96-SOMEWHERE ELSE (SPECIFY)	2486	3.78	4.27	(3.91,4.64)
99	99-REFUSED	61	0.09	0.08	(0.04,0.11)
.	.	52892	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

INTERVIEWER: ENTER OTHER MENTION ____

Question Number: 78

Variable Name: workplaceoth

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
Other*	.	2486	100.0	100.0	(100.0,100.0)
.	.	116095	.	.	.

*Values are open-ended responses and have not been individually listed

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

During the past 7 days, either indoors or outdoors at your workplace, on how many days did you breathe the smoke from someone other than you?

Question Number: 79

Variable Name: shsexpwork

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	3027	4.62	5.45	(5.08,5.81)
2	2	2239	3.42	4.98	(4.57,5.38)
3	3	1329	2.03	2.76	(2.46,3.06)
4	4	711	1.09	1.58	(1.33,1.82)
5	5	1711	2.61	3.45	(3.15,3.76)
6	6	154	0.24	0.37	(0.26,0.48)
7	7	2128	3.25	5.60	(5.10,6.11)
77	77-DON'T KNOW/NOT SURE	315	0.48	0.67	(0.52,0.81)
88	88-NONE	53858	82.22	75.09	(74.31,75.86)
99	99-REFUSED	31	0.05	0.06	(0.00,0.11)
.	.	53078	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: At your workplace, is smoking in indoor areas ... ?

Question Number: 80

Variable Name: worksmokind

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-ALWAYS ALLOWED	1324	2.20	2.96	(2.66,3.27)
2	2-ALLOWED ONLY AT SOME TIMES OR IN SOME PLACES	2830	4.71	6.12	(5.68,6.56)
3	3-NEVER ALLOWED	55652	92.59	90.45	(89.92,90.98)
7	7-DON'T KNOW/NOT SURE	267	0.44	0.43	(0.32,0.54)
9	9-REFUSED	32	0.05	0.03	(0.01,0.05)
.	.	58476	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Order of response categories for Q80

Question Number: 80

Variable Name: worksmokinddsp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-Always allowed, some times/some place, never allowed	30068	50.02	49.29	(48.46,50.12)
2	2-Never allowed, some times/some place, always allowed	30039	49.98	50.71	(49.88,51.54)
.	.	58474	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: At your workplace, is smoking in outdoor areas ... ?
Question Number: 81
Variable Name: worksmokout
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-ALWAYS ALLOWED	23082	35.40	39.19	(38.40,39.98)
2	2-ALLOWED ONLY AT SOME TIMES OR IN SOME PLACES	21211	32.53	33.30	(32.51,34.08)
3	3-NEVER ALLOWED	19322	29.63	25.39	(24.70,26.07)
7	7-DON'T KNOW/NOT SURE	1513	2.32	2.05	(1.80,2.30)
9	9-REFUSED	76	0.12	0.07	(0.03,0.12)
.	.	53377	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Order of response categories for Q81

Question Number: 81

Variable Name: worksmokoutdsp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-Always allowed, some times/some place, never allowed	32645	50.06	49.27	(48.46,50.09)
2	2-Never allowed, some times/some place, always allowed	32561	49.94	50.73	(49.91,51.54)
.	.	53375	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: At your workplace, is the use of chewing tobacco, snuff, dip, or snus ... ?
Question Number: 82
Variable Name: worksmokless
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-ALWAYS ALLOWED	11327	17.81	20.27	(19.60,20.94)
2	2-ALLOWED ONLY AT SOME TIMES OR IN SOME PLACES	7434	11.69	13.54	(12.92,14.17)
3	3-NEVER ALLOWED	34130	53.65	50.56	(49.73,51.38)
7	7-DON'T KNOW/NOT SURE	10671	16.77	15.57	(15.02,16.12)
9	9-REFUSED	53	0.08	0.07	(0.03,0.10)
.	.	54966	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

To your knowledge, during the past 30 days, has anyone, including yourself, used tobacco of any kind at your work when he or she was not supposed to?

Question Number: 83

Variable Name: tobcompwork

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	4056	6.53	7.53	(7.10,7.96)
2	2-NO	55778	89.81	88.84	(88.31,89.36)
7	7-DON'T KNOW/NOT SURE	2249	3.62	3.61	(3.27,3.95)
9	9-REFUSED	21	0.03	0.02	(0.01,0.04)
.	.	56477	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: At workplaces, do you think smoking indoors should be ... ?

Question Number: 84

Variable Name: workindopn2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-ALWAYS ALLOWED	2061	1.74	2.14	(1.95,2.33)
2	2-ALLOWED ONLY AT SOME TIMES OR IN SOME PLACES	17111	14.43	15.99	(15.54,16.44)
3	3-NEVER ALLOWED	97471	82.20	80.53	(80.05,81.02)
7	7-DON'T KNOW/NOT SURE	1404	1.18	1.05	(0.94,1.16)
9	9-REFUSED	534	0.45	0.30	(0.25,0.34)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Order of response categories for Q84

Question Number: 84

Variable Name: workindopn2dsp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-Always allowed, some times/some place, never allowed	59549	50.22	49.80	(49.17,50.42)
2	2-Never allowed, some times/some place, always allowed	59032	49.78	50.20	(49.58,50.83)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: At workplaces, do you think smoking outdoors should be ... ?

Question Number: 85

Variable Name: workoutdopn2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-ALWAYS ALLOWED	28580	24.10	26.99	(26.45,27.53)
2	2-ALLOWED ONLY AT SOME TIMES OR IN SOME PLACES	57596	48.57	47.97	(47.35,48.60)
3	3-NEVER ALLOWED	30057	25.35	23.61	(23.06,24.15)
7	7-DON'T KNOW/NOT SURE	1826	1.54	1.14	(1.01,1.26)
9	9-REFUSED	522	0.44	0.30	(0.25,0.34)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Order of response categories for Q85

Question Number: 85

Variable Name: workoutdopn2dsp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-Always allowed, some times/some place, never allowed	59549	50.22	49.80	(49.17,50.42)
2	2-Never allowed, some times/some place, always allowed	59032	49.78	50.20	(49.58,50.83)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

During the past 7 days, on how many days did you ride in a vehicle where someone other than you was smoking tobacco?

Question Number: 86

Variable Name: shsvehexp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	4189	3.53	4.69	(4.42,4.96)
2	2	2820	2.38	3.68	(3.43,3.93)
3	3	1621	1.37	2.14	(1.94,2.33)
4	4	790	0.67	1.07	(0.93,1.21)
5	5	695	0.59	0.97	(0.83,1.10)
6	6	128	0.11	0.19	(0.14,0.24)
7	7	2553	2.15	4.35	(4.06,4.64)
77	77-DON'T KNOW/NOT SURE	238	0.20	0.29	(0.22,0.36)
88	88-NONE	105510	88.98	82.61	(82.12,83.11)
99	99-REFUSED	37	0.03	0.02	(0.01,0.03)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Not counting motorcycles, in the vehicles that you or family members who live with you own or lease, is smoking... ?

Question Number: 87

Variable Name: shsvehpol

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-ALWAYS ALLOWED IN ALL VEHICLES	9058	7.64	9.42	(9.05,9.78)
2	2-SOMETIMES ALLOWED IN AT LEAST ONE VEHICLE	14752	12.44	16.61	(16.13,17.09)
3	3-NEVER ALLOWED IN ANY VEHICLE	93104	78.52	72.70	(72.15,73.26)
7	7-DON'T KNOW/NOT SURE	729	0.61	0.55	(0.47,0.63)
8	8-RESPONDENT'S FAMILY DOES NOT OWN OR LEASE A VEHICLE	779	0.66	0.62	(0.53,0.71)
9	9-REFUSED	159	0.13	0.10	(0.07,0.12)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Order of response categories for Q87

Question Number: 87

Variable Name: shsvehpoldsp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-Always allowed, some times/some place, never allowed	59549	50.22	49.80	(49.17,50.42)
2	2-Never allowed, some times/some place, always allowed	59032	49.78	50.20	(49.58,50.83)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

During the past 7 days, on how many days did you breathe the smoke from someone else who was smoking in an indoor or outdoor public place?

Question Number: 88

Variable Name: shsexppub

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	13831	11.66	12.24	(11.83,12.66)
2	2	8068	6.80	8.56	(8.18,8.94)
3	3	3796	3.20	4.35	(4.08,4.62)
4	4	1592	1.34	1.84	(1.67,2.00)
5	5	1632	1.38	1.95	(1.77,2.14)
6	6	311	0.26	0.41	(0.31,0.50)
7	7	2899	2.44	4.15	(3.87,4.43)
77	77-DON'T KNOW/NOT SURE	2079	1.75	2.26	(2.03,2.48)
88	88-NONE	84284	71.08	64.17	(63.56,64.79)
99	99-REFUSED	88	0.07	0.07	(0.04,0.09)
.	.	1	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

To your knowledge, during the past 7 days, has anyone, used tobacco of any kind in an indoor or outdoor public place when he or she was not supposed to?

Question Number: 89

Variable Name: shscomppub

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	4753	4.01	5.66	(5.33,5.99)
2	2-NO	110438	93.13	91.92	(91.55,92.28)
7	7-DON'T KNOW/NOT SURE	3294	2.78	2.32	(2.15,2.49)
9	9-REFUSED	96	0.08	0.11	(0.07,0.14)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Should smoking indoors in restaurants ... ?

Question Number: 90

Variable Name: shsindropn1

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-ALWAYS BE ALLOWED	2488	2.10	2.52	(2.32,2.72)
2	2-BE ALLOWED ONLY AT SOME TIMES OR IN SOME PLACES	22947	19.35	22.36	(21.84,22.88)
3	3-NEVER BE ALLOWED	91953	77.54	74.34	(73.80,74.88)
7	7-DON'T KNOW/NOT SURE	829	0.70	0.57	(0.50,0.65)
9	9-REFUSED	364	0.31	0.21	(0.17,0.25)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Order of response categories for Q90

Question Number: 90

Variable Name: shsindropnldsp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-Always allowed, some times/some place, never allowed	59549	50.22	49.80	(49.17,50.42)
2	2-Never allowed, some times/some place, always allowed	59032	49.78	50.20	(49.58,50.83)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Should smoking indoors in bars, casinos, or clubs ... ?

Question Number: 91

Variable Name: shsindropn2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-ALWAYS BE ALLOWED	11721	9.88	12.48	(12.07,12.90)
2	2-BE ALLOWED ONLY AT SOME TIMES OR IN SOME PLACES	40034	33.76	36.67	(36.06,37.27)
3	3-NEVER BE ALLOWED	64261	54.19	49.24	(48.62,49.86)
7	7-DON'T KNOW/NOT SURE	1982	1.67	1.29	(1.16,1.42)
9	9-REFUSED	583	0.49	0.32	(0.27,0.37)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Order of response categories for Q91

Question Number: 91

Variable Name: shsindropn2dsp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-Always allowed, some times/some place, never allowed	59549	50.22	49.80	(49.17,50.42)
2	2-Never allowed, some times/some place, always allowed	59032	49.78	50.20	(49.58,50.83)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Should smoking at parks ... ?

Question Number: 92

Variable Name: shsoutdropn

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-ALWAYS BE ALLOWED	20198	17.03	18.41	(17.94,18.88)
2	2-BE ALLOWED ONLY AT SOME TIMES OR IN SOME PLACES	50550	42.63	41.63	(41.02,42.25)
3	3-NEVER BE ALLOWED	46001	38.79	38.88	(38.27,39.50)
7	7-DON'T KNOW/NOT SURE	1451	1.22	0.86	(0.78,0.95)
9	9-REFUSED	381	0.32	0.21	(0.17,0.25)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Order of response categories for Q92

Question Number: 92

Variable Name: shsoutdropndsp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-Always allowed, some times/some place, never allowed	59549	50.22	49.80	(49.17,50.42)
2	2-Never allowed, some times/some place, always allowed	59032	49.78	50.20	(49.58,50.83)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

How likely would you be to ask a stranger not to smoke around you if you couldn't move away from their smoke ... ?

Question Number: 93

Variable Name: shsasknot

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-VERY LIKELY	47321	39.91	38.55	(37.94,39.16)
2	2-SOMEWHAT LIKELY	39624	33.42	32.13	(31.55,32.70)
3	3-NOT AT ALL LIKELY	30640	25.84	28.57	(27.98,29.16)
7	7-DON'T KNOW/NOT SURE	798	0.67	0.62	(0.52,0.72)
9	9-REFUSED	198	0.17	0.13	(0.09,0.16)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Order of response categories for q93

Question Number: 93

Variable Name: shsasknotdsp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-VERY, SOMEWHAT, NOT AT ALL	59549	50.22	49.80	(49.17,50.42)
2	2-NOT AT ALL, SOMEWHAT, VERY	59032	49.78	50.20	(49.58,50.83)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Do you think that breathing smoke from other people's cigarettes or from other tobacco products is
... ?

Question Number: 94

Variable Name: shsharmopn

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-NOT AT ALL HARMFUL TO ONE'S HEALTH	4485	3.78	4.02	(3.77,4.26)
2	2-SOMEWHAT HARMFUL TO ONE'S HEALTH	35667	30.08	30.34	(29.79,30.90)
3	3-VERY HARMFUL TO ONE'S HEALTH	76503	64.52	64.16	(63.57,64.74)
7	7-DON'T KNOW/NOT SURE	1713	1.44	1.33	(1.18,1.48)
9	9-REFUSED	213	0.18	0.15	(0.11,0.19)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:
Order of response categories for Q94
Question Number: 94
Variable Name: shsharmopndsp
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-NOT AT ALL, SOMEWHAT, VERY	59549	50.22	49.80	(49.17, 50.42)
2	2-VERY, SOMEWHAT, NOT AT ALL	59032	49.78	50.20	(49.58, 50.83)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Should policies that don't allow tobacco use in indoor or outdoor public places be strictly enforced?

Question Number: 95

Variable Name: shspubopn

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	104643	88.25	86.64	(86.21,87.07)
2	2-NO	11076	9.34	11.13	(10.73,11.53)
7	7-DON'T KNOW/NOT SURE	2368	2.00	1.93	(1.75,2.10)
9	9-REFUSED	494	0.42	0.30	(0.25,0.35)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Marital status
Question Number: 96
Variable Name: marital2
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-MARRIED	65728	55.43	50.02	(49.41,50.64)
2	02-LIVING WITH A PARTNER	5342	4.50	7.75	(7.36,8.14)
3	03-DIVORCED	13440	11.33	10.81	(10.44,11.18)
4	04-WIDOWED	14075	11.87	6.50	(6.26,6.75)
5	05-SEPARATED	2075	1.75	2.23	(2.02,2.44)
6	06-SINGLE, NEVER MARRIED AND NOT NOW LIVING WITH A PARTNER	16841	14.20	21.77	(21.20,22.34)
77	77-DON'T KNOW/NOT SURE	70	0.06	0.08	(0.04,0.11)
96	96-OTHER (SPECIFY)	95	0.08	0.17	(0.11,0.23)
99	99-REFUSED	915	0.77	0.67	(0.56,0.77)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Enter other mention ____

Question Number: 96

Variable Name: marital2oth

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
Other*	.	95	100.0	100.0	(100.0,100.0)
.	.	118486	.	.	.

*Values are open-ended responses and have not been individually listed

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Are you Hispanic or Latino?

Question Number: 98

Variable Name: hispanic

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	4543	3.83	12.99	(12.36,13.62)
2	2-NO	113279	95.53	86.44	(85.81,87.08)
7	7-DON'T KNOW/NOT SURE	261	0.22	0.18	(0.14,0.22)
9	9-REFUSED	498	0.42	0.39	(0.31,0.46)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Which one or more of the following describe your Hispanic origin or ancestry? Choice 1

Question Number: 99

Variable Name: hispgroup_a

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-MEXICAN MEXICANO	2109	46.47	56.90	(54.24,59.57)
2	02-PUERTO RICAN	615	13.55	11.54	(10.06,13.03)
3	03-CUBAN	162	3.57	4.60	(3.22,5.99)
4	04-CENTRAL OR SOUTH AMERICAN	767	16.90	14.22	(12.43,16.00)
5	05-DOMINICAN	154	3.39	3.33	(2.47,4.18)
77	77-DON'T KNOW/NOT SURE	131	2.89	1.48	(0.89,2.08)
96	96-SOME OTHER HISPANIC OR LATINO GROUP (SPECIFY)	546	12.03	7.23	(5.97,8.50)
99	99-REFUSED	54	1.19	0.69	(0.28,1.10)
.	.	114043	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Which one or more of the following describe your Hispanic origin or ancestry? Choice 2

Question Number: 99

Variable Name: hispgroup_b

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-MEXICAN MEXICANO	1	2.27	3.25	(0.00,9.60)
2	02-PUERTO RICAN	14	31.82	31.57	(9.07,54.07)
3	03-CUBAN	9	20.45	21.99	(5.14,38.83)
4	04-CENTRAL OR SOUTH AMERICAN	2	4.55	8.38	(0.00,19.69)
5	05-DOMINICAN	7	15.91	4.97	(0.00,10.71)
96	96-SOME OTHER HISPANIC OR LATINO GROUP (SPECIFY)	11	25.00	29.85	(5.90,53.79)
.	.	118537	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Which one or more of the following describe your Hispanic origin or ancestry? Choice 3

Question Number: 99

Variable Name: hispgroup_c

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-MEXICAN MEXICANO	1	20.00	9.28	(0.00,28.81)
3	03-CUBAN	3	60.00	82.93	(55.56,100.00)
96	96-SOME OTHER HISPANIC OR LATINO GROUP (SPECIFY)	1	20.00	7.78	(0.00,24.38)
.	.	118576	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Which one or more of the following describe your Hispanic origin or ancestry? Choice 4

Question Number: 99

Variable Name: hispgroup_d

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
4	04-CENTRAL OR SOUTH AMERICAN	2	100.00	100.00	(100.00,100.00)
.	.	118579	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Which one or more of the following describe your Hispanic origin or ancestry? Choice 5

Question Number: 99

Variable Name: hispgroup_e

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
5	05-DOMINICAN	2	100.00	100.00	(100.00,100.00)
.	.	118579	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Which one or more of the following describe your Hispanic origin or ancestry? Choice 6

Question Number: 99

Variable Name: hispgroup_f

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
.	.	118581	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

ENTER OTHER MENTION _____

Question Number: 99

Variable Name: hispgrouppoth

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
Other*	.	558	100.00	100.00	(100.00,100.00)
.	.	118023	.	.	

*Values are open-ended responses and have not been individually listed

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following do you consider yourself to be? Choice 1
Question Number: 100
Variable Name: racemulti_a
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-WHITE	100838	85.04	74.47	(73.82,75.13)
2	02-BLACK OR AFRICAN AMERICAN	9052	7.63	12.14	(11.70,12.58)
3	03-ASIAN	2224	1.88	2.81	(2.53,3.10)
4	04-NATIVE HAWAIIAN or PACIFIC ISLANDER, OTHER THAN HAWAIIAN	556	0.47	0.83	(0.61,1.05)
5	05-AMERICAN INDIAN or ALASKA NATIVE	2103	1.77	2.13	(1.89,2.37)
9	09-NONE OF THE ABOVE	748	0.63	2.23	(1.92,2.54)
77	77-DON'T KNOW/NOT SURE	205	0.17	0.48	(0.35,0.61)
96	96-OTHER (SPECIFY)	1557	1.31	3.75	(3.40,4.11)
99	99-REFUSED	1298	1.09	1.16	(1.01,1.30)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following do you consider yourself to be? Choice 2
Question Number: 100
Variable Name: racemulti_b
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-WHITE	117	7.76	10.23	(6.68,13.79)
2	02-BLACK OR AFRICAN AMERICAN	224	14.85	17.06	(13.18,20.93)
3	03-ASIAN	134	8.89	11.14	(7.65,14.63)
4	04-NATIVE HAWAIIAN or PACIFIC ISLANDER, OTHER THAN HAWAIIAN	125	8.29	7.38	(4.74,10.01)
5	05-AMERICAN INDIAN or ALASKA NATIVE	887	58.82	52.81	(46.97,58.65)
96	96-OTHER (SPECIFY)	21	1.39	1.38	(0.36,2.40)
.	.	117073	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following do you consider yourself to be? Choice 3
Question Number: 100
Variable Name: racemulti_c
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-WHITE	12	11.88	14.02	(0.69,27.34)
2	02-BLACK OR AFRICAN AMERICAN	6	5.94	6.63	(0.00,15.51)
3	03-ASIAN	18	17.82	16.96	(4.90,29.02)
4	04-NATIVE HAWAIIAN or PACIFIC ISLANDER, OTHER THAN HAWAIIAN	13	12.87	22.41	(5.15,39.66)
5	05-AMERICAN INDIAN or ALASKA NATIVE	48	47.52	36.11	(20.36,51.86)
96	96-OTHER (SPECIFY)	4	3.96	3.88	(0.00,8.83)
.	.	118480	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following do you consider yourself to be? Choice 4
Question Number: 100
Variable Name: racemulti_d
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-WHITE	1	7.14	3.38	(0.00,10.42)
4	04-NATIVE HAWAIIAN or PACIFIC ISLANDER, OTHER THAN HAWAIIAN	9	64.29	80.23	(57.18,100.00)
5	05-AMERICAN INDIAN or ALASKA NATIVE	3	21.43	12.58	(0.00,31.09)
96	96-OTHER (SPECIFY)	1	7.14	3.81	(0.00,11.69)
.	.	118567	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following do you consider yourself to be? Choice 5
Question Number: 100
Variable Name: racemulti_e
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
5	05-AMERICAN INDIAN or ALASKA NATIVE	7	100.00	100.00	(100.00,100.00)
.	.	118574	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following do you consider yourself to be? Choice 6

Question Number: 100

Variable Name: racemulti_f

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
.	.	118581	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following do you consider yourself to be? Choice 7

Question Number: 100

Variable Name: racemulti_g

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
.	.	118581	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following do you consider yourself to be? Choice 8

Question Number: 100

Variable Name: racemulti_h

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
.	.	118581	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following describe your Asian ancestry? Choice 1
Question Number: 101
Variable Name: asian01_a
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-ASIAN INDIAN	544	23.69	22.31	(19.01,25.62)
2	02-CHINESE	544	23.69	27.11	(22.85,31.37)
3	03-FILIPINO	339	14.76	16.84	(13.15,20.53)
4	04-JAPANESE	491	21.39	8.53	(6.40,10.66)
5	05-KOREAN	139	6.05	6.99	(4.95,9.03)
6	06-VIETNAMESE	69	3.01	5.13	(3.11,7.14)
77	77-DON'T KNOW/NOT SURE	11	0.48	0.31	(0.00,0.64)
96	96-OTHER (SPECIFY)	131	5.71	11.47	(5.89,17.04)
99	99-REFUSED	28	1.22	1.31	(0.49,2.13)
.	.	116285	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following describe your Asian ancestry? Choice 2

Question Number: 101

Variable Name: asian01_b

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-ASIAN INDIAN	1	2.78	1.11	(0.00,3.36)
2	02-CHINESE	7	19.44	32.74	(3.70,61.79)
3	03-FILIPINO	11	30.56	46.43	(18.16,74.70)
4	04-JAPANESE	11	30.56	14.09	(0.00,29.54)
5	05-KOREAN	5	13.89	3.32	(0.00,7.18)
96	96-OTHER (SPECIFY)	1	2.78	2.30	(0.00,6.89)
.	.	118545	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following describe your Asian ancestry? Choice 3

Question Number: 101

Variable Name: asian01_c

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
4	04-JAPANESE	2	66.67	97.15	(90.04,100.00)
96	96-OTHER (SPECIFY)	1	33.33	2.85	(0.00,9.96)
.	.	118578	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following describe your Asian ancestry? Choice 4

Question Number: 101

Variable Name: asian01_d

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
.	.	118581	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following describe your Asian ancestry? Choice 5

Question Number: 101

Variable Name: asian01_e

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
.	.	118581	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following describe your Asian ancestry? Choice 6

Question Number: 101

Variable Name: asian01_f

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
.	.	118581	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Which one or more of the following describe your Asian ancestry? Choice 7

Question Number: 101

Variable Name: asian01_g

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
.	.	118581	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Enter other mention ____

Question Number: 101

Variable Name: asian01oth

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
Other*	.	133	100.0	100.0	(100.0, 100.0)
.	.	118448	.	.	.

*Values are open-ended responses and have not been individually listed

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

What is the highest level of school you have completed or the highest degree you have received?

Question Number: 102

Variable Name: educa2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-5TH GRADE OR LESS	306	0.26	0.80	(0.59,1.02)
2	02-6TH GRADE	239	0.20	0.56	(0.41,0.72)
3	03-7TH GRADE	341	0.29	0.57	(0.43,0.71)
4	04-8TH GRADE	991	0.84	1.26	(1.08,1.44)
5	05-9TH GRADE	916	0.77	1.77	(1.52,2.02)
6	06-10TH GRADE	1352	1.14	2.35	(2.09,2.61)
7	07-11TH GRADE	1693	1.43	3.52	(3.20,3.85)
8	08-12TH GRADE, NO DIPLOMA	2396	2.02	4.66	(4.24,5.07)
9	09-GED OR EQUIVALENT	1926	1.62	2.47	(2.27,2.68)
10	10-HIGH SCHOOL DIPLOMA	24842	20.95	26.98	(26.42,27.54)
11	11-SOME COLLEGE, NO DEGREE	18483	15.59	15.33	(14.93,15.73)
12	12-CERTIFICATE, DIPLOMA, OR ASSOCIATE DEGREE	6925	5.84	5.38	(5.13,5.62)
13	13-ASSOCIATE DEGREE: ACADEMIC PROGRAM	9586	8.08	8.71	(8.39,9.03)
14	14-BACHELOR'S DEGREE	26611	22.44	14.45	(14.12,14.78)
15	15-MASTER'S DEGREE	15129	12.76	7.63	(7.40,7.86)
16	16-PROFESSIONAL SCHOOL DEGREE (MD, DDS, DVM, LLB, JD)	2440	2.06	1.17	(1.09,1.26)
17	17-DOCTORAL DEGREE (EXAMPLES: PHD, EDD)	3608	3.04	1.74	(1.64,1.84)
77	77-DON'T KNOW/NOT SURE	259	0.22	0.20	(0.15,0.25)
99	99-REFUSED	538	0.45	0.44	(0.37,0.51)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: What is your age? __ RECORD AGE

Question Number: 103

Variable Name: age

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
18	18	812	0.68	2.71	(2.43,2.99)
19	19	660	0.56	1.72	(1.53,1.91)
20	20	677	0.57	1.88	(1.65,2.11)
21	21	722	0.61	1.75	(1.57,1.93)
22	22	731	0.62	1.74	(1.55,1.94)
23	23	729	0.61	1.49	(1.32,1.65)
24	24	786	0.66	1.63	(1.44,1.82)
25	25	895	0.75	1.78	(1.57,1.98)
26	26	856	0.72	1.57	(1.36,1.78)
27	27	1024	0.86	1.65	(1.48,1.82)
28	28	1151	0.97	1.93	(1.71,2.15)
29	29	1188	1.00	1.86	(1.67,2.05)
30	30	1355	1.14	1.97	(1.77,2.17)
31	31	1248	1.05	1.48	(1.34,1.63)
32	32	1511	1.27	1.96	(1.77,2.15)
33	33	1327	1.12	1.61	(1.44,1.77)
34	34	1396	1.18	1.73	(1.51,1.95)
35	35	1560	1.32	1.70	(1.54,1.86)
36	36	1413	1.19	1.61	(1.43,1.79)
37	37	1537	1.30	1.69	(1.51,1.86)
38	38	1687	1.42	1.83	(1.65,2.02)
39	39	1753	1.48	1.83	(1.66,2.00)
40	40	2015	1.70	2.14	(1.96,2.31)
41	41	1631	1.38	1.74	(1.56,1.91)
42	42	1879	1.58	2.05	(1.87,2.23)
43	43	1753	1.48	1.96	(1.72,2.21)
44	44	1777	1.50	1.94	(1.76,2.11)
45	45	2131	1.80	1.87	(1.69,2.04)
46	46	1983	1.67	1.62	(1.48,1.77)
47	47	2107	1.78	1.81	(1.66,1.97)
48	48	2176	1.84	1.79	(1.64,1.94)
49	49	2231	1.88	1.72	(1.57,1.86)
50	50	2881	2.43	2.35	(2.18,2.52)
51	51	2193	1.85	1.73	(1.59,1.86)
52	52	2625	2.21	2.01	(1.86,2.17)
53	53	2571	2.17	2.00	(1.83,2.16)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
54	54	2557	2.16	1.93	(1.79,2.07)
55	55	2843	2.40	1.80	(1.66,1.93)
56	56	2541	2.14	1.43	(1.31,1.55)
57	57	2660	2.24	1.45	(1.33,1.57)
58	58	2555	2.15	1.35	(1.25,1.45)
59	59	2463	2.08	1.29	(1.19,1.39)
60	60	2985	2.52	1.61	(1.49,1.73)
61	61	2434	2.05	1.21	(1.13,1.30)
62	62	2928	2.47	1.48	(1.38,1.59)
63	63	2489	2.10	1.28	(1.19,1.37)
64	64	1994	1.68	1.09	(0.99,1.18)
65	65	2458	2.07	1.23	(1.12,1.34)
66	66	2140	1.80	1.14	(1.03,1.26)
67	67	2113	1.78	1.04	(0.95,1.12)
68	68	1804	1.52	0.93	(0.84,1.01)
69	69	1735	1.46	0.82	(0.75,0.89)
70	70	2053	1.73	1.05	(0.96,1.15)
71	71	1521	1.28	0.78	(0.70,0.87)
72	72	1653	1.39	0.83	(0.75,0.90)
73	73	1492	1.26	0.75	(0.68,0.82)
74	74	1406	1.19	0.80	(0.71,0.89)
75	75	1438	1.21	0.73	(0.66,0.80)
76	76	1215	1.02	0.57	(0.52,0.63)
77	77	1247	1.05	0.60	(0.51,0.68)
78	78	1212	1.02	0.55	(0.49,0.61)
79	79	1137	0.96	0.53	(0.48,0.59)
80	80	1259	1.06	0.63	(0.56,0.69)
81	81	933	0.79	0.45	(0.40,0.50)
82	82	988	0.83	0.48	(0.42,0.53)
83	83	892	0.75	0.49	(0.41,0.58)
84	84	685	0.58	0.31	(0.27,0.35)
85	85	640	0.54	0.34	(0.27,0.41)
86	86	477	0.40	0.23	(0.18,0.27)
87	87	434	0.37	0.21	(0.17,0.25)
88	88	395	0.33	0.20	(0.16,0.23)
89	89	285	0.24	0.11	(0.09,0.14)
90	90	222	0.19	0.08	(0.06,0.10)
91	91	160	0.13	0.08	(0.05,0.11)
92	92	105	0.09	0.05	(0.03,0.08)
93	93	60	0.05	0.02	(0.01,0.03)
94	94	63	0.05	0.03	(0.01,0.04)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
95	95	37	0.03	0.01	(0.00,0.02)
96	96	19	0.02	0.01	(0.00,0.03)
97	97	16	0.01	0.01	(0.00,0.02)
98	98	9	0.01	0.00	(0.00,0.01)
99	99	11	0.01	0.01	(0.00,0.01)
100	100	6	0.01	0.00	(0.00,0.00)
113	113	1	0.00	0.00	(0.00,0.00)
777	777-DON'T KNOW/NOT SURE	187	0.16	0.14	(0.10,0.18)
999	999-REFUSED	2653	2.24	2.00	(1.82,2.19)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

How many children aged 17 or younger live in your household 6 months or more of the year?

Question Number: 97

Variable Name: childle17

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	14031	11.85	16.23	(15.71,16.74)
2	2	13154	11.11	13.84	(13.40,14.29)
3	3	5263	4.45	6.07	(5.73,6.42)
4	4	1554	1.31	2.03	(1.83,2.24)
5	5	492	0.42	0.70	(0.56,0.83)
6	6	167	0.14	0.31	(0.19,0.43)
7	7	60	0.05	0.07	(0.04,0.10)
8	8	29	0.02	0.07	(0.00,0.15)
9	9	8	0.01	0.02	(0.00,0.05)
10	10	5	0.00	0.00	(0.00,0.01)
11	11	4	0.00	0.00	(0.00,0.01)
12	12	2	0.00	0.00	(0.00,0.01)
13	13	4	0.00	0.01	(0.00,0.02)
15	15	2	0.00	0.00	(0.00,0.00)
17	17	1	0.00	0.00	(0.00,0.00)
19	19	1	0.00	0.00	(0.00,0.00)
20	20	1	0.00	0.00	(0.00,0.01)
22	22	1	0.00	0.00	(0.00,0.00)
24	24	1	0.00	0.00	(0.00,0.00)
26	26	1	0.00	0.01	(0.00,0.03)
77	77-DON'T KNOW/NOT SURE	43	0.04	0.04	(0.01,0.07)
88	88-NONE	83104	70.20	60.12	(59.48,60.76)
99	99-REFUSED	453	0.38	0.46	(0.37,0.55)
.	.	200	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Are you male or female?

Question Number: 104

Variable Name: gender

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-MALE	46449	39.17	48.52	(47.89,49.15)
2	02-FEMALE	71959	60.68	51.23	(50.60,51.86)
77	77-DON'T KNOW/NOT SURE	1	0.00	0.00	(0.00,0.00)
96	96-OTHER (SPECIFY)	3	0.00	0.00	(0.00,0.00)
99	99-REFUSED	169	0.14	0.25	(0.13,0.36)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: ENTER OTHER MENTION ____

Question Number: 104

Variable Name: genderoth

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
Other*	.	3	100.0	100.0	(100.0,100.0)
.	.	118578	.	.	.

*Values are open-ended responses and have not been individually listed

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: How many different telephone numbers your household has.

Question Number: 105

Variable Name: telnosgt1

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	6880	5.80	3.87	(3.67,4.07)
2	2-NO	110671	93.33	95.26	(95.00,95.53)
7	7-DON'T KNOW/NOT SURE	67	0.06	0.05	(0.03,0.08)
9	9-REFUSED	963	0.81	0.81	(0.63,1.00)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: How many of these are residential numbers?

Question Number: 106

Variable Name: telnosres

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1	2544	37.01	46.99	(44.34,49.64)
2	2	3786	55.08	45.59	(43.06,48.13)
3	3	302	4.39	3.21	(2.48,3.93)
4	4	64	0.93	0.79	(0.28,1.31)
5	5	19	0.28	0.15	(0.00,0.31)
6	6	20	0.29	0.16	(0.05,0.28)
7	7-DON'T KNOW/NOT SURE	47	0.68	1.52	(0.60,2.44)
8	8-NONE	61	0.89	0.85	(0.49,1.21)
9	9-REFUSED	31	0.45	0.73	(0.35,1.11)
.	.	111707	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: stateres

Question Number: 107

Variable Name: stateres

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-ALABAMA	1970	1.66	1.54	(1.47,1.62)
2	02-ALASKA	1849	1.56	0.22	(0.20,0.24)
4	04-ARIZONA	1910	1.61	2.05	(1.93,2.17)
5	05-ARKANSAS	2868	2.42	0.94	(0.87,1.01)
6	06-CALIFORNIA	2572	2.17	11.82	(11.36,12.29)
8	08-COLORADO	1961	1.65	1.60	(1.54,1.66)
9	09-CONNECTICUT	1895	1.60	1.18	(1.12,1.23)
10	10-DELAWARE	1984	1.67	0.29	(0.27,0.31)
11	11-DISTRICT OF COLUMBIA	1896	1.60	0.21	(0.19,0.23)
12	12-FLORIDA	2271	1.92	6.23	(6.01,6.46)
13	13-GEORGIA	4914	4.14	3.07	(2.99,3.15)
15	15-HAWAII	1821	1.54	0.44	(0.41,0.46)
16	16-IDAHO	1827	1.54	0.48	(0.45,0.50)
17	17-ILLINOIS	2050	1.73	4.22	(4.06,4.38)
18	18-INDIANA	2025	1.71	2.09	(2.02,2.16)
19	19-IOWA	2127	1.79	1.00	(0.96,1.03)
20	20-KANSAS	1920	1.62	0.91	(0.88,0.95)
21	21-KENTUCKY	1850	1.56	1.43	(1.37,1.49)
22	22-LOUISIANA	6351	5.36	1.45	(1.42,1.48)
23	23-MAINE	2031	1.71	0.46	(0.44,0.48)
24	24-MARYLAND	1975	1.67	1.88	(1.79,1.96)
25	25-MASSACHUSETTS	1952	1.65	2.23	(2.14,2.32)
26	26-MICHIGAN	2004	1.69	3.34	(3.23,3.46)
27	27-MINNESOTA	1904	1.61	1.73	(1.67,1.78)
28	28-MISSISSIPPI	1811	1.53	0.95	(0.90,1.00)
29	29-MISSOURI	1999	1.69	1.97	(1.90,2.03)
30	30-MONTANA	1862	1.57	0.32	(0.31,0.34)
31	31-NEBRASKA	1876	1.58	0.58	(0.56,0.61)
32	32-NEVADA	1854	1.56	0.83	(0.79,0.87)
33	33-NEW HAMPSHIRE	1961	1.65	0.45	(0.43,0.47)
34	34-NEW JERSEY	4095	3.45	2.89	(2.80,2.99)
35	35-NEW MEXICO	1853	1.56	0.64	(0.61,0.68)
36	36-NEW YORK	2239	1.89	6.57	(6.31,6.82)
37	37-NORTH CAROLINA	2019	1.70	3.01	(2.90,3.12)
38	38-NORTH DAKOTA	2221	1.87	0.22	(0.20,0.24)
39	39-OHIO	2145	1.81	3.85	(3.75,3.95)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
40	40-OKLAHOMA	3649	3.08	1.19	(1.17,1.22)
41	41-OREGON	2027	1.71	1.26	(1.22,1.30)
42	42-PENNSYLVANIA	3433	2.90	4.27	(4.16,4.37)
44	44-RHODE ISLAND	1932	1.63	0.36	(0.34,0.38)
45	45-SOUTH CAROLINA	5166	4.36	1.48	(1.42,1.53)
46	46-SOUTH DAKOTA	2025	1.71	0.26	(0.25,0.28)
47	47-TENNESSEE	1959	1.65	2.06	(1.99,2.14)
48	48-TEXAS	2358	1.99	7.56	(7.28,7.84)
49	49-UTAH	2108	1.78	0.80	(0.77,0.84)
50	50-VERMONT	2064	1.74	0.22	(0.20,0.23)
51	51-VIRGINIA	2448	2.06	2.59	(2.50,2.68)
53	53-WASHINGTON	2046	1.73	2.16	(2.09,2.24)
54	54-WEST VIRGINIA	1815	1.53	0.63	(0.60,0.66)
55	55-WISCONSIN	1937	1.63	1.88	(1.82,1.94)
56	56-WYOMING	1752	1.48	0.18	(0.16,0.19)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Have you ever been told by a doctor or other health professional that you have heart disease?

Question Number: 109

Variable Name: heartdisease

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	12280	10.42	7.73	(7.46,8.01)
2	2-NO	104749	88.89	91.71	(91.43,92.00)
7	7-DON'T KNOW/NOT SURE	272	0.23	0.16	(0.13,0.19)
9	9-REFUSED	535	0.45	0.39	(0.33,0.46)
.	.	745	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

(Have you ever been told by a doctor or other health professional that you have) cancer, other than skin cancer?

Question Number: 110

Variable Name: cancer

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	9596	8.15	5.53	(5.30,5.76)
2	2-NO	107567	91.34	94.06	(93.82,94.29)
7	7-DON'T KNOW/NOT SURE	78	0.07	0.05	(0.03,0.07)
9	9-REFUSED	519	0.44	0.37	(0.31,0.43)
.	.	821	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

(Have you ever been told by a doctor or other health professional that you have) diabetes, or sugar diabetes?

Question Number: 111

Variable Name: diabetes

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	12856	10.92	9.44	(9.09,9.79)
2	2-YES, BUT FEMALE TOLD ONLY DURING PREGNANCY	3688	3.13	3.36	(3.12,3.59)
3	3-NO	100578	85.42	86.75	(86.33,87.16)
7	7-DON'T KNOW/NOT SURE	109	0.09	0.10	(0.06,0.13)
9	9-REFUSED	508	0.43	0.36	(0.30,0.42)
.	.	842	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

(Have you ever been told by a doctor or other health professional that you have) a chronic lung disease, such as emphysema, chronic bronchitis, or c-o-p-d?

Question Number: 112

Variable Name: respdisease

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	6778	5.76	4.94	(4.69,5.20)
2	2-NO	110250	93.66	94.55	(94.28,94.81)
7	7-DON'T KNOW/NOT SURE	178	0.15	0.13	(0.09,0.16)
9	9-REFUSED	503	0.43	0.38	(0.32,0.45)
.	.	872	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

(Have you ever been told by a doctor or other health professional that you have) asthma?

Question Number: 113

Variable Name: asthma

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	13337	11.33	12.21	(11.80,12.63)
2	2-NO	103683	88.10	87.28	(86.86,87.71)
7	7-DON'T KNOW/NOT SURE	171	0.15	0.12	(0.08,0.17)
9	9-REFUSED	498	0.42	0.38	(0.31,0.44)
.	.	892	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

(Have you ever been told by a doctor or other health professional that you have) high cholesterol?

Question Number: 114

Variable Name: cholesterol

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	35492	30.16	23.49	(23.00,23.98)
2	2-NO	81070	68.89	75.62	(75.12,76.12)
7	7-DON'T KNOW/NOT SURE	584	0.50	0.47	(0.38,0.56)
9	9-REFUSED	536	0.46	0.42	(0.35,0.50)
.	.	899	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

(Have you ever been told by a doctor or other health professional that you have) high blood pressure, or hypertension?

Question Number: 115

Variable Name: hypertension

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	38954	33.10	26.46	(25.94,26.98)
2	2-NO	77939	66.24	72.90	(72.38,73.43)
7	7-DON'T KNOW/NOT SURE	226	0.19	0.21	(0.13,0.28)
9	9-REFUSED	550	0.47	0.43	(0.36,0.50)
.	.	912	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Would you be in favor of an increase in the tax on a pack of cigarettes if the money were used to improve the public's health?

Question Number: 116

Variable Name: cigtaxopn2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	83124	70.70	68.79	(68.21,69.36)
2	2-NO	30691	26.10	28.28	(27.73,28.83)
7	7-DON'T KNOW/NOT SURE	2932	2.49	2.25	(2.05,2.45)
9	9-REFUSED	830	0.71	0.68	(0.54,0.82)
.	.	1004	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Current prices for a pack of cigarettes range from about 4 to 8 dollars. Would you be in favor of an additional tax on a pack of cigarettes of... ?

Question Number: 117

Variable Name: cigtaxopn3

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-MORE THAN 2 DOLLARS A PACK?	62307	74.99	75.18	(74.55,75.82)
2	2-UP TO 2 DOLLARS A PACK?	10229	12.31	11.13	(10.68,11.57)
3	3-UP TO ONE DOLLAR A PACK?	5391	6.49	6.94	(6.57,7.32)
4	4-UP TO FIFTY CENTS A PACK?	2029	2.44	2.73	(2.48,2.98)
5	5-NO TAX INCREASE	1425	1.72	2.41	(2.17,2.66)
7	7-DON'T KNOW/NOT SURE	1154	1.39	1.07	(0.94,1.20)
9	9-REFUSED	553	0.67	0.53	(0.44,0.62)
.	.	35493	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Would you be in favor of an increase in the tax on chewing tobacco, snuff, dip, or snus if the money were used to improve the public's health?

Question Number: 118

Variable Name: slttaxopn

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	84748	72.13	70.48	(69.91,71.05)
2	2-NO	29204	24.86	26.79	(26.24,27.34)
7	7-DON'T KNOW/NOT SURE	2628	2.24	1.97	(1.79,2.16)
9	9-REFUSED	914	0.78	0.76	(0.63,0.88)
.	.	1087	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Overall, would you say that cigarette smoking is..... ?

Question Number: 119

Variable Name: rskaddictopn2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-NOT AT ALL ADDICTIVE	1426	1.21	2.15	(1.92,2.38)
2	2-MODERATELY ADDICTIVE	11633	9.90	12.73	(12.27,13.20)
3	3-VERY ADDICTIVE	102585	87.34	83.35	(82.83,83.87)
7	7-DON'T KNOW/NOT SURE	1414	1.20	1.36	(1.20,1.52)
9	9-REFUSED	400	0.34	0.40	(0.30,0.50)
.	.	1123	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: How important is it to prevent sales of tobacco products to youth under 18 ... ?
Question Number: 120
Variable Name: teensellopn
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-NOT AT ALL IMPORTANT	2418	2.06	2.81	(2.55,3.08)
2	2-SOMEWHAT IMPORTANT	6307	5.37	6.42	(6.11,6.72)
3	3-VERY IMPORTANT	107916	91.91	90.06	(89.65,90.47)
7	7-DON'T KNOW/NOT SURE	365	0.31	0.26	(0.21,0.31)
9	9-REFUSED	415	0.35	0.45	(0.33,0.56)
.	.	1160	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Order of response categories for Q120

Question Number: 120

Variable Name: teensellopndsp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-Not at all important, somewhat important, very important	58968	50.22	49.89	(49.26,50.51)
2	2-Very important, somewhat important, not at all important	58453	49.78	50.11	(49.49,50.74)
.	.	1160	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Should tobacco use be completely banned on school grounds, including fields and parking lots, and at all school events, even for teachers and other adults?

Question Number: 121

Variable Name: schoolopn2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	102671	87.46	85.38	(84.93,85.83)
2	2-NO	12703	10.82	12.95	(12.52,13.38)
7	7-DON'T KNOW/NOT SURE	1393	1.19	1.10	(0.98,1.21)
9	9-REFUSED	623	0.53	0.57	(0.46,0.69)
.	.	1191	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

How likely is it that you would ever use or wear something -- such as a lighter, t-shirt, hat or sunglasses -- that has a tobacco company name or picture on it ... ?

Question Number: 122

Variable Name: weartobco

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-VERY LIKELY	384	3.79	4.33	(3.66,5.00)
2	2-SOMEWHAT LIKELY	877	8.66	10.26	(9.21,11.30)
3	3-SOMEWHAT UNLIKELY	1272	12.57	13.20	(12.05,14.34)
4	4-VERY UNLIKELY	7545	74.54	71.68	(70.16,73.20)
7	7-DON'T KNOW/NOT SURE	13	0.13	0.14	(0.01,0.27)
9	9-REFUSED	31	0.31	0.39	(0.19,0.60)
.	.	108459	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Order of response categories for Q122

Question Number: 122

Variable Name: weartobcodsp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-Very likely, somwht likely, somwht unlikely, very unlikely	5064	50.03	49.32	(47.65,50.99)
2	2-Very unlikely, somwht unlikely, somwht likely, very likely	5058	49.97	50.68	(49.01,52.35)
.	.	108459	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Are you currently parenting any children aged 17 or younger?

Question Number: 123

Variable Name: parenting

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	33961	28.95	35.90	(35.27,36.52)
2	2-NO	82677	70.47	63.36	(62.73,63.99)
7	7-DON'T KNOW/NOT SURE	59	0.05	0.05	(0.03,0.06)
9	9-REFUSED	630	0.54	0.70	(0.56,0.83)
.	.	1254	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Is talking with these children about not using tobacco ... ?

Question Number: 124

Variable Name: tobusediscuss

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-NOT AT ALL IMPORTANT TO YOU	361	1.06	1.28	(0.97,1.58)
2	2-SOMEWHAT IMPORTANT TO YOU	1681	4.95	4.91	(4.48,5.35)
3	3-VERY IMPORTANT TO YOU	31840	93.77	93.59	(93.06,94.12)
7	7-DON'T KNOW/NOT SURE	43	0.13	0.10	(0.04,0.15)
9	9-REFUSED	30	0.09	0.13	(0.04,0.22)
.	.	84626	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Order of response categories for Q124

Question Number: 124

Variable Name: tobusediscussdsp

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-Nt at all imprtnt to you,somwht imprtnt,vry imprtnt to you	17139	50.48	49.79	(48.66,50.92)
2	2-Vry imprtnt to you,somwht imprtnt,nt at all imprtnt to you	16816	49.52	50.21	(49.08,51.34)
.	.	84626	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

In order to help a smoker you know to stop smoking, would you like the 1-800 quitline telephone number or the address for a website?

Question Number: 125

Variable Name: helpnonsmok

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	16572	16.74	21.22	(20.55,21.88)
2	2-NO	82442	83.26	78.78	(78.12,79.45)
.	.	19567	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

In order to get help to stop using tobacco for good, would you like the 1-800 quitline telephone number or the address for a website?

Question Number: 126

Variable Name: helpsmoker

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	1-YES	4932	27.05	29.58	(28.24,30.92)
2	2-NO	13299	72.95	70.42	(69.08,71.76)
.	.	100350	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Household annual Income

Question Number: 127

Variable Name: income2

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-LESS THAN \$20,000	12282	10.47	12.46	(12.00,12.91)
2	02-\$20,000 TO LESS THAN \$30,000	9814	8.37	9.52	(9.11,9.93)
3	03-\$30,000 TO LESS THAN \$40,000	11083	9.45	10.73	(10.30,11.16)
4	04-\$40,000 TO LESS THAN \$50,000	13104	11.17	11.50	(11.12,11.89)
5	05-\$50,000 TO LESS THAN \$70,000	18062	15.40	14.85	(14.41,15.30)
6	06-\$70,000 TO LESS THAN \$100,000	17975	15.33	13.80	(13.43,14.18)
7	07-\$100,000 TO LESS THAN \$150,000	12751	10.87	9.52	(9.20,9.84)
8	08-\$150,000 OR MORE	8183	6.98	6.02	(5.76,6.27)
77	77-DON'T KNOW/ NOT SURE	4211	3.59	4.68	(4.37,4.98)
99	99-REFUSED	9802	8.36	6.92	(6.61,7.23)
.	.	1314	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Do you consider yourself to be ... ?

Question Number: 128

Variable Name: sexualorient

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-HETEROSEXUAL, OR STRAIGHT	108410	92.46	91.99	(91.61,92.37)
2	02-GAY OR LESBIAN	1568	1.34	1.52	(1.36,1.68)
3	03-BISEXUAL	767	0.65	1.02	(0.86,1.17)
4	04-TRANSGENDER	96	0.08	0.17	(0.11,0.24)
6	06-RESPONDENT DOES NOT UNDERSTAND RESPONSES	610	0.52	0.80	(0.65,0.96)
7	7-DON'T KNOW/NOT SURE	590	0.50	0.56	(0.46,0.67)
9	9-REFUSED	5080	4.33	3.79	(3.53,4.05)
96	96-OTHER (SPECIFY)	134	0.11	0.15	(0.08,0.21)
.	.	1326	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Enter other/specify_____

Question Number: 128

Variable Name: sexualorientoth

Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
Other*	.	134	100.0	100.0	(100.0,100.0)
.	.	118447	.	.	.

*Values are open-ended responses and have not been individually listed

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Language
Question Number: 129
Variable Name: language
Source of Variable: Core Question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-ENGLISH	116600	99.47	97.48	(97.12,97.85)
2	02-SPANISH	619	0.53	2.52	(2.15,2.88)
.	.	1362	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Age Group - Recode

Question Number:

Variable Name: agegrp_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	18-24 yrs	5117	4.32	12.93	(12.43,13.43)
2	25-34 yrs	11951	10.08	17.53	(17.00,18.07)
3	35-44 yrs	17005	14.34	18.48	(17.96,19.00)
4	45-54 yrs	23455	19.78	18.82	(18.37,19.27)
5	55-64 yrs	25892	21.83	13.99	(13.65,14.32)
6	65+ yrs	32321	27.26	16.11	(15.76,16.46)
99	Unknown	2840	2.39	2.14	(1.95,2.33)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Gender - Recode

Question Number:

Variable Name: gender_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Male	46449	39.17	48.52	(47.89,49.15)
2	Female	71959	60.68	51.23	(50.60,51.86)
99	Unknown	173	0.15	0.25	(0.13,0.36)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Race Ethnicity (8 levels) - Recode

Question Number:

Variable Name: raceethnic

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	White Only, Non-Hispanic	97255	82.02	67.98	(67.30,68.66)
2	Black Only, Non-Hispanic	8664	7.31	11.52	(11.10,11.95)
3	Asian Only, Non-Hispanic	2135	1.80	2.67	(2.39,2.95)
4	Nat. Hawaiian or Other Pac. Isl. Only, Non-Hispanic	463	0.39	0.52	(0.42,0.63)
5	Amer. Indian, AK Nat. Only, Non-Hispanic	1762	1.49	1.26	(1.13,1.39)
6	Other Race Only, Non-Hispanic	669	0.56	0.58	(0.48,0.67)
7	Multiracial, Non-Hispanic	1426	1.20	1.26	(1.11,1.40)
8	Hispanic	4543	3.83	12.99	(12.36,13.62)
9	Unknown	1664	1.40	1.22	(1.10,1.34)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Race Ethnicity (5 levels) - Recode

Question Number:

Variable Name: raceethnic_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	White Only, Non-Hispanic	97255	82.02	67.98	(67.30,68.66)
2	Black Only, Non-Hispanic	8664	7.31	11.52	(11.10,11.95)
3	Asian Only, Non-Hispanic	2135	1.80	2.67	(2.39,2.95)
4	Other, Non-Hispanic	4320	3.64	3.62	(3.38,3.85)
5	Hispanic	4543	3.83	12.99	(12.36,13.62)
9	Unknown	1664	1.40	1.22	(1.10,1.34)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Education - Recode

Question Number:

Variable Name: educa2_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Less Than High School Diploma, GED, or Equivalent	8234	6.94	15.50	(14.85,16.15)
2	High School Diploma, GED, or Equivalent	26768	22.57	29.45	(28.88,30.03)
3	Some College, no degree	18483	15.59	15.33	(14.93,15.73)
4	Post High School Certificate or Diploma, or Associate degree	16511	13.92	14.09	(13.70,14.47)
5	Bachelor's Degree	26611	22.44	14.45	(14.12,14.78)
6	Master's, Professional, or Doctoral degree	21177	17.86	10.54	(10.28,10.81)
99	Unknown	797	0.67	0.64	(0.55,0.72)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Multiple Race - Calculated

Question Number:

Variable Name: racemulticlc

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	White Only	99627	84.02	73.38	(72.72,74.04)
2	Black or African American Only	8916	7.52	11.97	(11.54,12.41)
3	Asian Only	2189	1.85	2.77	(2.48,3.05)
4	Native Hawaiian or Other Pacific Islander Only	539	0.45	0.80	(0.59,1.02)
5	American Indian, Alaska Native Only	1993	1.68	2.02	(1.79,2.26)
6	Other Race Only	2305	1.94	5.98	(5.53,6.44)
7	Multiracial	1509	1.27	1.43	(1.26,1.60)
77	Don't know/Not sure (77)	205	0.17	0.48	(0.35,0.61)
99	Refused (99)	1298	1.09	1.16	(1.01,1.30)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Smoking Status (4 levels) - Recode

Question Number:

Variable Name: smokstatus_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Current everyday smoker	12894	10.87	14.92	(14.46,15.37)
2	Current some days smoker	3648	3.08	4.55	(4.25,4.85)
3	Former smoker	34327	28.95	24.18	(23.67,24.68)
4	Never smoker	67272	56.73	56.06	(55.44,56.67)
9	Unknown	440	0.37	0.30	(0.24,0.37)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Smoking Status (2 levels) - Recode

Question Number:

Variable Name: smokstatus2_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Current everyday or some days smoker	16542	13.95	19.47	(18.95,19.98)
2	Never smoker or former smoker	101599	85.68	80.23	(79.71,80.75)
9	Unknown	440	0.37	0.30	(0.24,0.37)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Have you ever tried cigarette smoking? - Recode

Question Number:

Variable Name: smokever_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	50901	42.93	43.67	(43.05,44.29)
2	No	67272	56.73	56.06	(55.44,56.67)
9	Unknown	408	0.34	0.27	(0.21,0.33)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

During the past 30 days, were the cigarettes that you usually smoked menthol? - Recode

Question Number:

Variable Name: mentholcigs2_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	5017	30.33	35.40	(33.91,36.89)
2	No	11380	68.79	63.92	(62.43,65.42)
9	Unknown	145	0.88	0.68	(0.47,0.88)
.	.	102039	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Were any of the cigarettes that you smoked in the past 30 days flavored to taste like candy, fruit, chocolate, or other sweets? - Recode

Question Number:

Variable Name: cigflavor_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	386	2.33	3.66	(2.97,4.35)
2	No	16003	96.74	95.53	(94.81,96.26)
9	Unknown	153	0.92	0.81	(0.57,1.04)
.	.	102039	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Ever tried chewing tobacco, snuff, or dip, such as Skoal, Copenhagen, Grizzly, Levi Garrett, Red Man, or Day's Work, even just one time in your entire life? - Recode

Question Number:

Variable Name: sltever2_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	22660	19.11	21.68	(21.17,22.18)
2	No	95811	80.80	78.27	(77.76,78.77)
9	Unknown	110	0.09	0.06	(0.04,0.07)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Current SLT use - Recode

Question Number:

Variable Name: currentslt_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	2927	2.47	3.37	(3.14,3.59)
2	No	115485	97.48	96.59	(96.36,96.81)
9	Unknown	59	0.05	0.05	(0.03,0.07)
.	.	110	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Snus is moist, smokeless tobacco, and are placed under the lip against the gum. Have you ever tried snus, even just one time during your entire life? - Recode

Question Number:

Variable Name: snusever_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	8824	7.44	8.96	(8.61,9.30)
2	No	109531	92.37	90.86	(90.52,91.21)
9	Unknown	226	0.19	0.18	(0.13,0.23)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Have you ever tried smoking cigars, cigarillos, or very small cigars that look like cigarettes in your entire life, even one or 2 puffs? - Recode

Question Number:

Variable Name: cigarever_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	46216	38.97	42.09	(41.48,42.71)
2	No	72157	60.85	57.79	(57.17,58.40)
9	Unknown	208	0.18	0.12	(0.09,0.15)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Current Cigar, Cigarillo use - Recode

Question Number:

Variable Name: currentcigar_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	4351	3.68	6.62	(6.27, 6.96)
2	No	113864	96.19	93.23	(92.88, 93.58)
9	Unknown	158	0.13	0.16	(0.10, 0.21)
.	.	208	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Have you ever tried smoking tobacco in a water pipe in your entire life, even one or 2 puffs? - R
ecode

Question Number:

Variable Name: pipewtrever_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	6805	5.74	9.76	(9.37,10.16)
2	No	111606	94.12	90.13	(89.73,90.53)
9	Unknown	170	0.14	0.11	(0.08,0.14)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Have you ever tried smoking tobacco in a pipe other than a water pipe in your entire life, even one or two puffs? - Recode

Question Number:

Variable Name: pipeothever_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	18022	15.20	13.96	(13.54,14.38)
2	No	100333	84.61	85.89	(85.46,86.31)
9	Unknown	226	0.19	0.16	(0.12,0.20)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Are you aware of any telephone quitline services that are available to help quit using tobacco? -
Recode

Question Number:

Variable Name: qtlineawr_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	41868	35.31	33.71	(33.12,34.30)
2	No	75925	64.03	65.61	(65.02,66.20)
9	Unknown	788	0.66	0.68	(0.57,0.78)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Quit attempt in past 12 months - Recode

Question Number:

Variable Name: qtattempt_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	6723	40.64	43.82	(42.32,45.33)
2	No	6547	39.58	34.74	(33.33,36.15)
9	Unknown	3272	19.78	21.44	(20.14,22.73)
.	.	102039	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Used effective cessation treatment when tried to quit - Recode

Question Number:

Variable Name: qteffect_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	4026	44.07	37.36	(35.49,39.23)
2	No	5109	55.93	62.64	(60.77,64.51)
.	.	109446	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Do you want to quit smoking cigarettes for good? - Recode

Question Number:

Variable Name: qtwant_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	10467	63.28	64.42	(62.96, 65.87)
2	No	5185	31.34	30.37	(28.97, 31.76)
9	Unknown	890	5.38	5.22	(4.51, 5.92)
.	.	102039	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Ask/Advise from Health Care Professional - Recode

Question Number:

Variable Name: hcwaskadv_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Yes	65540	55.27	56.36	(55.73,56.99)
2	No	37925	31.98	25.87	(25.36,26.37)
9	Unknown	15116	12.75	17.78	(17.20,18.35)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Not counting decks, porches, or garages, inside your home, is smoking ... ? - Recode

Question Number:

Variable Name: homerules2_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Always allowed	10339	8.72	10.24	(9.87,10.62)
2	Allowed only at some times or in some places	8752	7.38	8.61	(8.26,8.96)
3	Never allowed	98908	83.41	80.80	(80.32,81.29)
9	Unknown	582	0.49	0.35	(0.29,0.41)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: At your workplace, is smoking in indoor areas ... ? - Recode
Question Number:
Variable Name: worksmokind_r
Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Always allowed	1324	2.20	2.96	(2.66,3.27)
2	Allowed only at some times or in some places	2830	4.71	6.12	(5.68,6.56)
3	Never allowed	55652	92.59	90.45	(89.92,90.98)
9	Unknown	299	0.50	0.46	(0.35,0.57)
.	.	58476	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: At your workplace, is smoking in outdoor areas ... ? - Recode
Question Number:
Variable Name: worksmokout_r
Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Always allowed	23082	35.40	39.19	(38.40,39.98)
2	Allowed only at some times or in some places	21211	32.53	33.30	(32.51,34.08)
3	Never allowed	19322	29.63	25.39	(24.70,26.07)
9	Unknown	1589	2.44	2.12	(1.87,2.37)
.	.	53377	.	.	

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Not counting motorcycles, in the vehicles that you or family members who live with you own or lease, is smoking ... ? - Recode

Question Number:

Variable Name: shsvehpol_r

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Always allowed in all vehicles	9058	7.64	9.42	(9.05,9.78)
2	Sometimes allowed in at least one vehicle	14752	12.44	16.61	(16.13,17.09)
3	Never allowed in any vehicle	93104	78.52	72.70	(72.15,73.26)
9	Unknown	1667	1.41	1.27	(1.15,1.39)

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

What county do you live in?

Question Number: 109

Variable Name: countyfips

Source of Variable: Core question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
County*	.	117403	100.0	100.0	(100.0,100.0)
.	.	1178	.	.	.

*Counties not individually listed

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:
ENTER OTHER COUNTY MENTION ____
Question Number: 109
Variable Name: countyfips_oth
Source of Variable: Core question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
Other*	.	1830	100.0	100.0	(100.0,100.0)
.	.	116751	.	.	.

*Values are open-ended responses and have not been individually listed

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

That's my last question. Would you like the gift code now or later?

Variable Name: CCLOSE

Source of Variable: Core question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Get it now	4939	63.29	60.54	(59.08,61.99)
2	Get it later	2317	29.69	32.79	(31.38,34.21)
99	Declined incentive/Refused	548	7.02	6.67	(5.93,7.41)
.	.	110777	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: No problem. Would you like us to text message the gift certificate code or would you like to call us back at your convenience?

Variable Name: LATER

Source of Variable: Core question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	Text message	1838	79.33	81.97	(79.91,84.02)
2	Call back when convenient	393	16.96	15.21	(13.29,17.13)
99	Declined incentive	86	3.71	2.82	(1.93,3.71)
.	.	116264	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: No problem. Would you like us to text message the gift certificate code or would you like to call us back at your convenience?

Variable Name: LATER

Source of Variable: Core question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-GET IT NOW	99	47.37	48.00	(38.88,57.12)
2	02-CALL BACK WHEN CONVENIENT	110	52.63	52.00	(42.88,61.12)
.	.	118372	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: The quitline number is 1-800-QUIT NOW. A website that tells you about help you can get to stop smoking is www.smokefree.gov.

Variable Name: q126a

Source of Variable: Core question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	CONTINUE	4930	100.0	100.0	(100.0,100.0)
.	.	113651	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: The quitline number is 1-800-QUIT NOW. A website that tells you about help you can get to stop smoking is www.smokefree.gov.

Variable Name: QUITNO

Source of Variable: Core question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	CONTINUE	16570	100.0	100.0	(100.0,100.0)
.	.	102011	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Please let us know your carrier.

Variable Name: text

Source of Variable: Core question

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-ALLTEL	30	1.63	1.90	(1.08,2.72)
2	02-AT&T (CINGULAR)	471	25.63	22.22	(19.87,24.57)
3	03-CELLULARONE	3	0.16	0.10	(0.03,0.34)
4	04-CENTENNIAL	7	0.38	0.27	(0.01,0.54)
5	05-LEAP (CRICKET)	33	1.80	2.00	(1.05,2.95)
6	06-METROPCS	64	3.48	5.82	(4.18,7.46)
7	07-NEXTEL	20	1.09	0.83	(0.40,1.26)
9	09-SPRINT	186	10.12	10.10	(8.39,11.81)
10	10-SUNCOM	2	0.11	0.07	(0.02,0.28)
11	11-T-MOBILE	223	12.13	12.46	(10.58,14.34)
12	12-UNICEL (RURAL CELLULAR)	2	0.11	0.19	(0.05,0.79)
13	13-US CELLULAR	74	4.03	3.36	(2.37,4.35)
14	14-VERIZON	513	27.91	27.07	(24.55,29.59)
15	15-NONE OF THESE	150	8.16	11.42	(9.24,13.59)
77	77-DON'T KNOW	37	2.01	1.41	(0.82,2.00)
99	99-REFUSED	23	1.25	0.79	(0.30,1.27)
.	.	116743	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:
Variable Name: WT_Landline
Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
0.000-272.787	.	29640	25.00	.	.
272.788-737.296	.	29651	25.00	.	.
737.297-1864.691	.	29644	25.00	.	.
1864.692-253315.955	.	29646	25.00	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:
Variable Name: WT_National
Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
8.033-316.215	.	29648	25.00	.	.
316.216-778.830	.	29642	25.00	.	.
778.831-1938.498	.	29646	25.00	.	.
1938.499-204311.163	.	29645	25.00	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Variable Name: WT_State

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
0.000-316.450	.	29645	25.00	.	.
316.451-805.087	.	29646	25.00	.	.
805.088-2004.311	.	29645	25.00	.	.
2004.312-204311.163	.	29645	25.00	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Variable Name: cell

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
0	.	110634	93.30	.	.
1	.	7947	6.70	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Density Stratum - Sample Record

Variable Name: denstrs_samp

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	.	90548	76.36	.	.
2	.	20341	17.15	.	.
9	.	7692	6.49	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Geographic or Racial/Ethnic Stratum - Sample Record

Variable Name: geostrs_samp

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	.	1908	1.61	.	.
2	.	1842	1.55	.	.
3	.	1928	1.63	.	.
4	.	2873	2.42	.	.
5	.	2557	2.16	.	.
6	.	1938	1.63	.	.
7	.	1905	1.61	.	.
8	.	16	0.01	.	.
9	.	458	0.39	.	.
10	.	1046	0.88	.	.
11	.	468	0.39	.	.
12	.	1910	1.61	.	.
13	.	2264	1.91	.	.
14	.	209	0.18	.	.
15	.	230	0.19	.	.
16	.	255	0.22	.	.
17	.	228	0.19	.	.
18	.	214	0.18	.	.
19	.	337	0.28	.	.
20	.	230	0.19	.	.
21	.	193	0.16	.	.
22	.	287	0.24	.	.
23	.	270	0.23	.	.
24	.	259	0.22	.	.
25	.	268	0.23	.	.
26	.	277	0.23	.	.
27	.	270	0.23	.	.
28	.	297	0.25	.	.
29	.	291	0.25	.	.
30	.	300	0.25	.	.
31	.	244	0.21	.	.
32	.	247	0.21	.	.
33	.	1854	1.56	.	.
34	.	1827	1.54	.	.
35	.	2036	1.72	.	.
36	.	2015	1.70	.	.
37	.	2123	1.79	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
38	.	1903	1.60	.	.
39	.	1844	1.56	.	.
40	.	325	0.27	.	.
41	.	572	0.48	.	.
42	.	663	0.56	.	.
43	.	713	0.60	.	.
44	.	642	0.54	.	.
45	.	679	0.57	.	.
46	.	687	0.58	.	.
47	.	670	0.57	.	.
48	.	707	0.60	.	.
49	.	732	0.62	.	.
50	.	2036	1.72	.	.
51	.	1944	1.64	.	.
52	.	1926	1.62	.	.
53	.	2003	1.69	.	.
54	.	1898	1.60	.	.
55	.	1803	1.52	.	.
56	.	1995	1.68	.	.
57	.	1837	1.55	.	.
58	.	1878	1.58	.	.
59	.	1865	1.57	.	.
60	.	1971	1.66	.	.
61	.	4289	3.62	.	.
62	.	1866	1.57	.	.
63	.	2186	1.84	.	.
64	.	2002	1.69	.	.
65	.	2221	1.87	.	.
66	.	2132	1.80	.	.
67	.	3676	3.10	.	.
68	.	2012	1.70	.	.
69	.	3397	2.86	.	.
70	.	1936	1.63	.	.
71	.	81	0.07	.	.
72	.	655	0.55	.	.
73	.	625	0.53	.	.
74	.	697	0.59	.	.
75	.	635	0.54	.	.
76	.	643	0.54	.	.
77	.	619	0.52	.	.
78	.	625	0.53	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
79	.	636	0.54	.	.
80	.	2018	1.70	.	.
81	.	1982	1.67	.	.
82	.	2325	1.96	.	.
83	.	2122	1.79	.	.
84	.	2080	1.75	.	.
85	.	142	0.12	.	.
86	.	471	0.40	.	.
87	.	547	0.46	.	.
88	.	433	0.37	.	.
89	.	388	0.33	.	.
90	.	428	0.36	.	.
91	.	2034	1.72	.	.
92	.	1816	1.53	.	.
93	.	1945	1.64	.	.
94	.	1750	1.48	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Variable Name: imp_age_cat

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	.	5225	4.41	.	.
2	.	12190	10.28	.	.
3	.	17339	14.62	.	.
4	.	24011	20.25	.	.
5	.	26539	22.38	.	.
6	.	33277	28.06	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Variable Name: imp_education

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	.	8329	7.02	.	.
2	.	27008	22.78	.	.
3	.	35253	29.73	.	.
4	.	47991	40.47	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Variable Name: imp_gender

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	.	46532	39.24	.	.
2	.	72049	60.76	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Variable Name: imp_marital

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	.	66113	55.75	.	.
2	.	13622	11.49	.	.
3	.	14267	12.03	.	.
4	.	24579	20.73	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Variable Name: imp_race

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	.	98633	83.18	.	.
2	.	8834	7.45	.	.
3	.	4601	3.88	.	.
4	.	6513	5.49	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Sequence Number (char)

Variable Name: seqno_c

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
Seqno_c*	.	118581	100.0	100.0	(100.0,100.0)

*Sequence numbers not individually listed

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label: Would you like the number of the Amazon.com gift certificate code
now or would you like to call us back at your convenience?

Variable Name: notext

Source of Variable: Core

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1	01-GET IT NOW	99	47.37	48.00	(38.88,57.12)
2	02-CALL BACK WHEN CONVENIENT	110	52.63	52.00	(42.88,61.12)
.	.	118372	.	.	.

Codebook for National Adult Tobacco Survey
The counts, including missing values, always sum to 118581

Variable Label:

Variable Name: stratum

Source of Variable: Calculated

Value	Label	COUNT	PERCENT	Weighted_Percent	CI95
1-76	.	29699	25.05	.	.
77-130	.	29649	25.00	.	.
131-169	.	30863	26.03	.	.
170-229	.	28370	23.92	.	.