

PART 1 – INTRODUCTION

1 WHO FCTC

World Health Organization. WHO Framework Convention on Tobacco Control. Geneva, Switzerland: WHO; 2005. www.who.int

World Health Organization. WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int

2 MPOWER

World Health Organization. WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int

PART 2 – GTSS

3 GTSS Overview – GYTS and GSPS

MAPS & SYMBOLS

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

TEXT

Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998-2008. (In progress).

4 GTSS Overview – GHPSS and GATS

MAPS & SYMBOLS

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

TEXT

Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998-2008. (In progress).

PART 3 – GYTS

5 GYTS Monitoring Coverage

MAPS & SYMBOLS

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

TEXT

Warren CW, Jones NR, Peruga A, et al. Global youth tobacco surveillance, 2000-2007. CDC Morbidity and Mortality Weekly Report Summaries. 2008 Jan 25. Surveillance Summaries 57(1): 1-28. www.cdc.gov

Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998-2008. (In progress).

TEXT BOX

Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998-2008. (In progress).

6 GYTS Monitoring Cigarette Smoking – Boys

MAPS & SYMBOLS

Centers for Disease Control and Prevention. (2008). Global Youth Tobacco Survey (GYTS).

TEXT

Warren CW, Jones NR, Peruga A, et al. Global youth tobacco surveillance, 2000-2007. CDC Morbidity and Mortality Weekly Report Summaries. 2008 Jan 25. Surveillance Summaries 57(1): 1-28. www.cdc.gov

The Global Youth Tobacco Survey Collaborative Group. Differences in worldwide tobacco use by gender: findings from the Global Youth Tobacco Survey. Journal of School Health 2003;73:207-15.

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

FACTOID

The Global Youth Tobacco Survey Collaborative Group. 2003. op. cit.

7 GYTS Monitoring Cigarette Smoking – Girls

MAPS & SYMBOLS

Centers for Disease Control and Prevention. (2008). Global Youth Tobacco Survey (GYTS).

TEXT

Warren CW, Jones NR, Peruga A, et al. Global youth tobacco surveillance, 2000-2007. CDC Morbidity and Mortality Weekly Report Summaries. 2008 Jan 25. Surveillance Summaries 57(1): 1-28. www.cdc.gov

The Global Youth Tobacco Survey Collaborative Group. Differences in worldwide tobacco use by gender: findings from the Global Youth Tobacco Survey. Journal of School Health 2003;73:207-15.

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

FACTOID

World Health Organization. WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int

Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998-2008. (In progress).

8 GYTS Monitoring Other Tobacco Use – Boys

MAPS & SYMBOLS

Centers for Disease Control and Prevention. (2008). Global Youth Tobacco Survey (GYTS).

TEXT

Warren CW, Jones NR, Peruga A, et al. Global youth tobacco surveillance, 2000-2007. CDC Morbidity and Mortality Weekly Report Summaries. 2008 Jan 25. Surveillance Summaries 57(1): 1-28. www.cdc.gov

The Global Youth Tobacco Survey Collaborative Group. Differences in worldwide tobacco use by gender: findings from the Global Youth Tobacco Survey. Journal of School Health 2003;73:207-15.

Knishkowsky B, Amitai Y. Water-pipe (Narghile) smoking: an emerging health risk behavior. Pediatrics 2005;116:e113-19.

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

FACTOID

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

9 GYTS Monitoring Other Tobacco Use – Girls

MAPS & SYMBOLS

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

TEXT

Warren CW, Jones NR, Peruga A, et al. Global youth tobacco surveillance, 2000-2007. CDC Morbidity and Mortality Weekly Report Summaries. 2008 Jan 25. Surveillance Summaries 57(1): 1-28. www.cdc.gov

The Global Youth Tobacco Survey Collaborative Group. Differences in worldwide tobacco use by gender: findings from the Global Youth Tobacco Survey. Journal of School Health 2003;73:207-15.

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

FACTOID

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

10 GYTS Protect from Smoke

MAPS & SYMBOLS

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

TEXT

United States Department of Health and Human Services. (2006). The health consequences of involuntary exposure to tobacco smoke: A report of the surgeon general. Atlanta: US Department of Health and Human Services, Centers for Disease Control and Prevention, Office on Smoking and Health. www.surgeongeneral.gov

Warren CW, Jones NR, Peruga A, et al. Global youth tobacco surveillance, 2000-2007. CDC Morbidity and Mortality Weekly Report Summaries. 2008 Jan 25. Surveillance Summaries 57(1): 1-28. www.cdc.gov

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

FACTOID

World Health Organization. WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int

SCROLL

World Health Organization. WHO Framework Convention on Tobacco Control. Geneva, Switzerland: WHO; 2005. www.who.int

11 GYTS Offering Help

MAPS & SYMBOLS

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

TEXT

World Health Organization. WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int

Milton MH, Maule CO, Yee SL, Backinger C, Malarcher AM, Husten CG. Youth tobacco cessation: a guide for making informed decisions. Atlanta: US Department of Health and Human Services, Centers for Disease Control and Prevention; 2004.

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

FACTOID

Warren CW, Jones NR, Peruga A, et al. Global youth tobacco surveillance, 2000-2007. CDC Morbidity and Mortality Weekly Report Summaries. 2008 Jan 25. Surveillance Summaries 57(1): 1-28. www.cdc.gov/mmwr/preview/mmwrhtml/ss5701a1.htm

SCROLL

World Health Organization. WHO Framework Convention on Tobacco Control. Geneva, Switzerland: WHO; 2005. www.who.int

12 GYTS Warning of Dangers

MAPS, SYMBOLS, TEXT

World Health Organization. WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int

TEXT

SCROLL

World Health Organization. WHO Framework Convention on Tobacco Control. Geneva, Switzerland: WHO; 2005. www.who.int

13 GYTS Enforcing Bans

MAPS & SYMBOLS

Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.

TEXT
World Health Organization. WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int
Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.
Warren CW, Jones NR, Peruga A, et al. Global youth tobacco surveillance, 2000-2007. CDC Morbidity and Mortality Weekly Report Summaries. 2008 Jan 25. Surveillance Summaries 57(1): 1-28. www.cdc.gov

FACTOID
World Health Organization. WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int

SCROLL
World Health Organization. WHO Framework Convention on Tobacco Control. Geneva, Switzerland: WHO; 2005. www.who.int

14 GYTS Raising Taxes

GRAPH
Van Walbeek C. Tobacco excise taxation in South Africa. Geneva: WHO; 2003. Updated by Yussuf Saloojee, Executive Director, National Council Against Smoking, South Africa.

TEXT
Warren CW; 2008 Jan 25. op. cit. 13 Enforcing Bans.
World Bank. Curbing the epidemic: governments and the economics of tobacco control. Development in Practice. Washington DC: World Bank; 1999.
World Health Organization. WHO Framework Convention on Tobacco Control. Geneva, Switzerland: WHO; 2005. www.who.int

SCROLL
World Health Organization; 2005. op. cit.

PART 4 – GSPS

15 GSPS Monitoring – Coverage

MAPS & SYMBOLS
Centers for Disease Control and Prevention. Global Youth Tobacco Survey (GYTS). 2008.
TEXT & TEXT BOX

Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998-2008. (In progress).

16 GSPS Monitoring Results

MAPS, SYMBOLS, TEXT BOX
Centers for Disease Control and Prevention. Global School Personnel Survey (GSPS). 2008.

TEXT
The GTSS Collaborative Group. The Global School Personnel Survey: a cross-country overview. Tobacco Control 2006; 15 (Suppl II):ii20-ii30.
Centers for Disease Control and Prevention. Global School Personnel Survey (GSPS). 2008.

17 GSPS Protecting from Smoke

MAPS & SYMBOLS
Centers for Disease Control and Prevention. Global School Personnel Survey (GSPS). 2008.
TEXT
World Health Organization. WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int
The GTSS Collaborative Group. The Global School Personnel Survey: a cross-country overview. Tobacco Control 2006; 15 (Suppl II):ii20-ii30.
Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998-2008. (In progress).

SCROLL
World Health Organization. WHO Framework Convention on Tobacco Control. Geneva, Switzerland: WHO; 2005. www.who.int

18 GSPS Offering Help

MAPS & SYMBOLS
Centers for Disease Control and Prevention. Global School Personnel Survey (GSPS). 2008.
TEXT
World Health Organization. WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int
The GTSS Collaborative Group. The Global School Personnel Survey: a cross-country overview. Tobacco Control 2006; 15 (Suppl II):ii20-ii30.
Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998-2008. (In progress).

SCROLL
World Health Organization. WHO Framework Convention on Tobacco Control. Geneva, Switzerland: WHO; 2005. www.who.int

PART 5 – GHPSS

19 GHPSS Monitoring – Dentistry and Medicine

MAPS & SYMBOLS
Centers for Disease Control and Prevention. Global Health Professions Student Survey (GHPSS). 2008.

TEXT and TEXT BOX
Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998-2008. (In progress).

20 GHPSS Monitoring – Nursing and Pharmacy

MAPS & SYMBOLS
Centers for Disease Control and Prevention. (2008). Global health professions student survey (GHPSS).
TEXT
Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998 – 2008. (In progress).
TEXT BOX
Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998 – 2008. (In progress).

21 GHPSS Monitoring Results

MAPS & SYMBOLS
Centers for Disease Control and Prevention. Global Health Professions Student Survey (GHPSS). 2008.
TEXT
The GTSS Collaborative Group. Tobacco use and cessation counseling: Global Health Professionals Survey Pilot Study, 10 countries, 2005. Tobacco Control 2006; 15 (Suppl II):ii31-ii34.
Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998–2008. (In progress).
TEXT BOX
Simpson D. Doctors and tobacco: medicine's big challenge. Tobacco Control Resource Centre. European Commission; 2000.
FACTOID
Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998 – 2008. (In progress).

22 GHPSS Protecting from Smoke

MAPS & SYMBOLS
Centers for Disease Control and Prevention. Global Health Professions Student Survey (GHPSS). 2008.
TEXT
United States Department of Health and Human Services. (2006). The health consequences of involuntary exposure to tobacco smoke: A report of the surgeon general. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, Office on Smoking and Health. www.surgeongeneral.gov
World Health Organization. WHO report on the global

tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int
TEXT BOX
World Health Organization. WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int
SCROLL
World Health Organization. WHO Framework Convention on Tobacco Control. Geneva, Switzerland: WHO; 2005. www.who.int

23 GHPSS Offering Help

MAPS & SYMBOLS
Centers for Disease Control and Prevention. Global Health Professions Student Survey (GHPSS). 2008.
TEXT
United States Department of Health and Human Services. (2006). The health consequences of involuntary exposure to tobacco smoke: A report of the surgeon general. Atlanta: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, Office on Smoking and Health. www.surgeongeneral.gov
World Health Organization. WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int
Centers for Disease Control and Prevention. Global Health Professions Student Survey (GHPSS). 2008.
TEXT BOX
World Health Organization. WHO report on the global tobacco epidemic, 2008: The MPOWER package. Geneva: WHO; 2008. www.who.int
SCROLL
World Health Organization. WHO Framework Convention on Tobacco Control. Geneva, Switzerland: WHO; 2005. www.who.int

PART 6 – GATS

24 GATS Overview

MAPS & SYMBOLS
Centers for Disease Control and Prevention. Global Adult Tobacco Survey (GATS). 2008.
TEXT & TEXT BOX
Warren CW, et al. Evolution of the Global Tobacco Surveillance System (GTSS) 1998-2008. (In progress).

2000

Warren CW, Riley L, Asma S, Eriksen MP, Green L, Blanton C, Loo C, Batchelor S, Yach D. Tobacco use by youth: a surveillance report from the Global Youth Tobacco Survey project. *WHO Bulletin* 2000; 78: 868-76.

2001

Swart D, Reddy P, Pitt B, Pandey S. The prevalence and determinants of tobacco-use among Grade 8-10 learners in South Africa. MRC, Cape Town, 2001.

2002

The Global Youth Tobacco Survey Collaborative Group. Tobacco use among youth: a cross country comparison. *Tobacco Control* 2002; 11: 252-270.

Sinha DN, Gupta PC, Pednekar MS, Jones JT, Warren CW. Tobacco use among school personnel in Bihar, India. *Tobacco Control* 2002; 11: 82-83.

Fikri M and Abi Saab BH. Global Youth Tobacco Survey (GYTS): United Arab Emirates. Ministry of Health 2002: 1-30.

Martin JP, Peruga A. The global youth tobacco survey: results in the Americas. *Epidemiol Bull.* 2002; 23(2): 6-9.

2003

The Global Youth Tobacco Survey Collaborative Group. Differences in worldwide tobacco use by gender: findings from the Global Youth Tobacco Survey. *Journal of School Health* 2003; 73: 207-215.

Sinha DN, Gupta PC, and Pednekar MS. Tobacco use among school personnel in eight north-eastern states of India. *Indian Journal of Cancer* 2003; 40: 3-14.

Sinha DN, Gupta PC, and Pednekar MS. Tobacco use among students in eight north-eastern states of India. *Indian Journal of Cancer* 2003; 40: 43-59.

Sinha DN, Gupta PC, Pednekar MS. Prevalence of smoking and drinking among students of north-eastern India. *National Medical Journal of India.* 2003; 16: 49-50.

Sinha DN. Exposure vs. targeting youth in north and east of India. *Health for the Millions.* 2003; 29-30.

Asma S, Mensah GA, Warren CW, Henson R. Tobacco use and cardiovascular disease epidemic in developing countries: global crises and opportunity in the making. *Ethnicity and Disease.* 2003; 13: 81-87.

Swart D, Reddy P, Ruiters RA, de Vries H. Cigarette use among male and female grade 8-10 students of different ethnicity in South African schools. *Tobacco Control.* 2003; 12(1): e1.

2004

Gajalakshmi V, Asma S, and Warren CW. Tobacco survey

among youth in South India. *Asian Pacific Journal of Cancer Prevention* 2004; 5: 273-278.

Bjearano J. El consumo de tabaco en jóvenes Costarricenses escolarizados. *Salud y Drogas* 2004; 4(1): 67-82.

Sinha DN, Gupta PC, Pednekar MS. Use of tobacco products as dentifrice among adolescents in India: questionnaire study. *British Medical Journal* 2004; 328: 323-324.

Gupta PC. Tobacco and non-communicable diseases. *Indian Journal of Public Health* 2004; 48: 105-110.

Sinha DN, Gupta PC, and Pednekar MS. Tobacco use among students in Bihar (India). *Indian Journal of Public Health* 2004; 48: 111-117.

Sinha DN, Gupta PC, Warren CW, and Asma S. School policy and tobacco use in Bihar, India. *Indian Journal of Public Health* 2004; 48: 118-122.

Sinha DN and Gupta PC. Tobacco use among school personnel in Orissa. *Indian Journal of Public Health* 2004; 48: 123-127.

Sinha DN and Roychowdhury S. Tobacco control practices in 25 schools of West Bengal. *Indian Journal of Public Health* 2004; 48: 128-131.

Sinha DN and Gupta PC. Tobacco use among students in Uttar Pradesh and Uttaranchal, India. *Indian Journal of Public Health* 2004; 48: 132-137.

Sinha DN and Gupta PC. Tobacco control practices by medical doctors in developing world; a questionnaire study. *Indian Journal of Public Health* 2004; 48: 144-146.

Pednekar MS and Gupta PC. Tobacco use among school students in Goa, India. *Indian Journal of Public Health* 2004; 48: 147-152.

Sinha DN, Gupta PC, Warren CW, and Asma S. Effect of school policy on tobacco use by the school personnel in Bihar. *Journal of School Health* 2004; 74: 3-5.

Asma S, Warren CW, Althomsons S, Wisotzky M, Woollery T, and Henson R. Addressing the chronic disease burden with tobacco control programs. *Public Health Reports* 2004; 119: 253-262.

Asma S, Gupta PC, and Warren CW. Tobacco: the global challenge for health promotion. In: *Promoting Health: global issues and perspectives.* Scriven A, Garman S. Palgrave, editors. Macmillan. UK; 2004.

Ross H, Prezewozniak K. Poland 1999 Global Youth Tobacco Survey: Economic aspects. In: *Economics of tobacco control paper; no. 22.* The World Bank; 2004.

Sovinova H, Csemy L. Smoking behavior of Czech adolescents: results of the Global Youth Tobacco Survey in the Czech Republic, 2002. *Central European Journal of Public Health* 2004; 12: 26-31.

Reddy KS, Gupta PC, editors. Report on tobacco control in India. Ministry of Health and Family Welfare, Government of India, New Delhi, India; 2004.

Sharma R, Pednekar MS, Rehman AK, Gupta RK. Tobacco use among school personnel in Rajasthan, India. *Indian Journal of Cancer* 2004; October volume.

2005

Miguel-Baquilod M, Fishburn B, Santos J, Jones NR, Warren CW. Tobacco use among 13-15 year olds in the Philippines, 2000-2003. *CDC MMWR* ; 54(4): 94-97.

The Global Tobacco Surveillance System Collaborating Group. The global tobacco surveillance system (GTSS): purpose, production and potential. *Journal of School Health* 2005; 75: 15-24.

Choi BCK et al. Enhancing regional capacity in chronic disease surveillance in the Americas. *Pan Am J Public Health* 2005; 17: 130-141.

Sinha DN, Gupta PC. Tobacco use among students in Orissa and Uttar Pradesh, India. *Indian Pediatrics* 2005; 42: 846-848.

Arora M, Redd KS. Global Youth Tobacco Survey (GYTS), Delhi. *Indian Pediatrics* 2005; 42: 850-851.

Sorensen G, Gupta PC, Sinha DN, Shastri S, Kamat M, Pednekar MS. Teacher tobacco use and tobacco use prevention in two regions in India: results of the Global School Personnel Survey. *Preventive Medicine* 2005; 41: 417-423.

Costa de Silva V, Chauvin J, Jones NR, Warren CW, Asma S, Pechacek T. Tobacco use and cessation counseling – Global Health Professionals Survey Pilot Study, 10 Countries, 2005. *CDC MMWR* 54(20): 505-509.

Warren CW, Jones NR, Asma S (for the GTSS Collaborative Group). The need to develop effective youth smoking cessation programmes. *International Hospital Federation Reference Book* 2005/2006: 110-114.

Reddy KS, Arora M. Tobacco use among children in India: A burgeoning epidemic (Editorial). *Indian Pediatrics* 2005; 42: 757-761.

Sinha DN. Gutka advertisement and smokeless tobacco use by adolescents in Sikkim, India. *Indian Journal of Community Medicine* 2005; 30: 20-22.

Burgos BA, Gonzalez C, Chiu AM, Szot MJ. Encuesta Mundial de Tabaquismo en Jóvenes 2003 (Chile GYTS 2003). *Boletín de*

Vigilancia en Salud Pública de Chile, 8: 2-8.

WHO Regional Office for South-East Asia. Regional strategy for utilization of Global Youth Tobacco Survey data. New Delhi, India: World Health Organization; 2005.

WHO Western Pacific Region. Tobacco free initiative regional action plan 2005-2009. Manila, Philippines: World Health Organization; 2005.

Dean E. Global Health Professionals Survey (GHPS): cognitive review. Research Triangle Institute, Research Triangle Park, NC; August 18, 2005.

Health Bureau Macao. Youth Tobacco Survey in Macao, 2000. Health Bureau, Macao Special Administrative Region. 2005; 1-24.

Jindal SK, Aggarwal AN, Gupta D, Kashyap S, Chaudhary D. Prevalence of tobacco use among school going youth in North Indian States. *Indian J Chest Dis Allied Sci*, 47(3):161-6.

2006

Granero R, Sanchez M. Changes in tobacco use and related factors in Junior High School students, Lara State, Venezuela, 2000-2003. *Cad. Saúde Pública*, Rio de Janeiro, 22(9):1893-1899, set, 2006.

Warren CW, Jones NR, Eriksen MP, Asma S (for the Global Tobacco Surveillance System [GTSS] Collaborative Group). Patterns of global tobacco use in young people and implications for future chronic disease burden in adults. *Lancet* 2006; 367: 749-753.

Faeh D, Viswanathan B, Chiolerio A, Warren CW, Bovet P. Clustering of smoking, alcohol drinking and cannabis use in adolescents in a rapidly developing country. *BMC Public Health* 2006; 6: 169.

Sinha DN, Reddy KS, Rahman K, Warren CW, Jones NR, Asma S. Linking Global Youth Tobacco Survey (GYTS) data to the WHO Framework Convention on Tobacco Control: the case for India. *Indian Journal of Public Health* 2006; 50 (2): 74-87.

Erguder T, Soydal T, Ugurlu M, Cakir B, Warren CW. Tobacco use among youth and related characteristics, Turkey. *Social and Preventive Medicine* 2006; 51: 91-98.

Baska T, Sovinova H, Nemeth A, Przewozniak K, Warren CW, Kavcova E. Findings from the Global Youth Tobacco Survey (GYTS) in Czech Republic, Hungary, Poland and Slovakia – smoking initiation, prevalence of tobacco use and cessation. *Social and Preventive Medicine* 2006; 51: 110-116.

Bovet P, Viswanathan B, Faeh D, Warren CW. Comparison of smoking, drinking, and marijuana use between students present or absent on the day of a school-based survey. *Journal of School Health* 2006; 76: 133-137.

- The GTSS Collaborative Group. The Global Tobacco Surveillance System. *Tobacco Control* 2006; 15 (Suppl II): ii1–ii3.
- The GTSS Collaborative Group. A cross country comparison of exposure to secondhand smoke among youth. *Tobacco Control* 2006; 15 (Suppl II):ii4-ii19.
- The GTSS Collaborative Group. The Global School Personnel Survey: a cross-country overview. *Tobacco Control* 2006; 15 (Suppl II):ii20-ii30.
- The GTSS Collaborative Group. Tobacco use and cessation counseling: Global Health Professionals Survey Pilot Study, 10 countries, 2005. *Tobacco Control* 2006; 15 (Suppl II):ii31-ii34.
- Mochizuki-Kobayashi Y, Fishburn B, Baptiste J, El-Awa F, Nikogosian H, Peruga A, Rahman K, Costa de Silva V, Chauvin J, Warren CW, Jones NR, Lee J, Lea V, Lewis M, Babb S, Asma S. Use of cigarettes and other tobacco products among students aged 13-15 years – Worldwide, 1999-2005. *CDC MMWR* 55(20): 553-556.
- Barzani D, Sarhang JS, El-Awa F, Warren CW, Jones NR, Asma S. Tobacco use among students aged 13-15 years – Kurdistan Region, Iraq, 2005. *CDC MMWR* 55(20): 556-559.
- WHO Regional Office for South-East Asia. Data from South-East Asia – Global Youth Tobacco Survey. SEAR Brochure 2006.
- WHO Pan American Health Organization. Youth and Tobacco in Latin America and the Caribbean – Results from the Global Youth Tobacco Survey. AMR Brochure 2006.
- Valdes-SalgadoR, Thrasher J, Sanchez-Zamorano LM, Lazcano-Ponce E, Reynales-Shigematsu LM, Menses-Gonzalez F, Hernandez-Avila M. Main challenges of the Framework Convention on Tobacco Control in Mexico: a surveillance report from the Global Youth Tobacco Survey. *Salud Publica Mex*; 48 Suppl 1:55-16.
- Mpabulungi L, Muula AS. Tobacco use among high school students in a remote district of Arua, Uganda. *Rural Remote Health*. 2006; 6(4): 609.
- Singh V, Gupta R. Prevalence of tobacco use and awareness of risks among school children in Jaipur. *J Assoc Physicians India*. 2006; 54: 609-12.
- 2007**
- Kyrlesi A, Soteriades ES, Warren CW, Kremastinou J, Papastergiou P, Jones NR, Hadjichristodoulou C. Tobacco use among students aged 13-15 years in Greece: the GYTS Project. *BMC Public Health* 7(1): 3.
- Valdes-SalgadoR, Reynales-Shigematsu LM, Lazcano-Ponce E, Hernandez-Avila M. Before and after the Framework Convention on Tobacco Control in Mexico: a comparison from the 2003 and 2006 Global Youth Tobacco Survey. *Salud Publica Mex*; 49 Suppl 2:5155-69.
- Rudatsikira E, Abdo A, Muula AS. Prevalence and determinants of adolescent tobacco smoking in Addis Ababa, Ethiopia. *BMC Public Health* 7:176.
- Tobacco Research Program – Cyprus. A Strategic Plan for Tobacco Control in Cyprus. Cyprus International Institute for the Environment and Public Health in association with Harvard School of Public Health.
- Baška T, Sovinová H, Németh A, Przewozniak K, Warren CW, Bašková M. Environmental tobacco smoke of youngsters in Czech Republic, Hungary, Poland and Slovakia - Findings from the Global Youth Tobacco Survey (GYTS). *International Journal of Public Health*; 52: 62-66.
- Bettcher DW, Peruga A, Fishburn B, Baptiste J, El-Awa F, Nikogosian H, Rahman K, Costa de Silva V, Chauvin J, Warren CW, Jones NR, Lee J, Lea V, Lewis M, Babb S, Asma S, McKenna MT. Exposure to secondhand smoke among students aged 13-15 years – worldwide, 2000-2007. *CDC MMWR* 56(20): 497-500.
- Fadhil I. Tobacco control in Bahrain: an overview. *Eastern Mediterranean Health Journal* 2007; 13(3): 719-726.
- WHO Regional Office for Europe. The European Tobacco Control Report – 2007.
- WHO Regional Office for the Eastern Mediterranean. Trends in tobacco use among school students in the Eastern Mediterranean Region. WHO, 2007.
- El Shahawy O. Adolescents tobacco control in Egypt: Framework Convention on Tobacco Control, What is Next? Royal Tropical Institute, Vrije Universiteit Amsterdam, 43rd International Course in Health Development (ICHED), September 2007.
- Ertas N. Factors associated with stages of cigarette smoking among Turkish youth. *Eur J Public Health*. 2007; 17(2):155-61.
- Sinha DN, Gupta PC. Tobacco use among student and school personnel in India. *Asian Pac J Cancer Prev*. 2007; 8(3):417-21.
- Gururaj G, Girish N. Tobacco use amongst children in Karnataka. *Indian J Pediatr*. 2007; 74(12):1095-8.
- Muula AS. Prevalence and determinants of cigarette smoking among adolescents in Blantyre City, Malawi. *Tanzan Health Res Bull*. 2007; 9(1):48-51.
- Muula AS, Mpabulungi L. Cigarette smoking prevalence among school-going adolescents in two African capital cities: Kampala Uganda and Lilongwe Malawi. *Afr Health Sci*. 2007;7(1):45-9.
- Baska T, Baskova M, Hudeckova H, Straka S, Madar R. Increasing trends of tobacco use in medical students in Slovakia – a reason for concern? *Cent Eur J Public Health*. 2007; 15(1):29-32.
- 2008**
- Warren CW, Jones NR, Peruga A, Chauvin J, Baptiste JP, Costa de Silva V, El-Awa F, Tsouros A, Rahman K, Fishburn B, Bettcher DW, Asma S. Global Youth Tobacco Surveillance, 2000–2007. *CDC MMWR Surveillance Summary*, Vol 57/No.SS-1.
- Guindon GE, Georgiades K, Boyle MH. Susceptibility to smoking among south-east Asian youth: A multilevel analysis. *Tobacco Control*. 2008; 17: 190-197.
- Siziya S, Rudatsikira E, Muula AS. Antismoking messages and current cigarette smoking status in Somaliland: Results from the Global Youth Tobacco Survey 2004. *Confl Health*. 2008; 2: 6.
- Muula AS, Siziya S, Rudatsikira E. Cigarette smoking and associated factors among in-school adolescents in Jamaica: Comparison of the Global Youth Tobacco Surveys 2000 and 2006. *BMC Res Notes*. 2008 July 28; 1: 55.
- PW Gunasekara, Rahman K, Sinha DN, Warren CW, Lee J, Lea V, Asma S. Tobacco use among students aged 13-15 years – Sri Lanka, 1999-2007. *CDC MMWR*, Vol 57(20): 545-9.
- Al-Mulla A, Sahar Abdou Helmy, Jawad Al-Lawati, Sami Al Nasser, Salah Ali Abdel Rahman, Ayesha Almutawa, Bassam Abi Saab, Abdullah Mohammed Al-Bedah, Abdullah Mohamed Al-Rabeah, Ahmed Ali Bahaj, Fatimah El-Awa, Charles W. Warren, Nathan R. Jones, Samira Asma. Prevalence of Tobacco Use among Students Aged 13-15 Years in Health Ministers' Council/Gulf Cooperation Council Member States, 2001-2004. *Journal of School Health*. 2008; 78(6): 337-43.
- Christophi CA, Kolokotroni-Zacharopoulou O, Alpert HR, Warren CW, Jones NR, Demokritou P, Connolly GN. Prevalence and social environment of cigarette smoking in Cyprus youth. *BMC Public Health*. 2008; June 2; 8:190.
- Chen PL, Chiou HY, Chen YH. Chinese version of the GYTS: Cross-cultural instrument adaptation. *BMC Public Health*. 2008; April 30; 8: 144.
- Ljaljevic A, Zvrko E, Stojiljkovic M. Tobacco use among youth: Findings from the Global Youth Tobacco Survey in Montenegro. *Arh Hig Rada Toksikol*. 2008; 59(3): 183-9.
- Warren CW, Jones NR, Gupta P. Data sources for monitoring trends in tobacco use behaviors. In *Measuring the effectiveness of population based tobacco control interventions*. Second IARC handbook on Tobacco Control (Chapter 12). Borland R and Cummings M, editors (In Press).
- Chen PL, Huang W, Chuang YL, Warren CW, Jones NR, Asma S. Prevalence of tobacco use among Junior High and Senior High School Students in Taiwan. *Journal of School Health*, 2008; 78(12): 649-654.
- Stojiljkovic D, Haralanova M, Nikogosian H, Petrea I, Chauvin J, Warren CW, Jones NR, Asma S. Prevalence of tobacco use among students aged 13-15 years among members of the South-Eastern Europe Health Network. *American Journal of Health Behavior*. 2008; 32(4):438-445.
- Rudatsikira F, Muula AS, Siziya S, Mataya RH. Correlates of cigarette smoking among school-going adolescents in Thailand: Findings from theThai Global Youth Tobacco Survey 2005. *Int Arch Med*. 2008; 1(1):8.
- Loyola E. Linking Global Youth Tobacco Survey (GYTS) data to the WHO Framework Convention on Tobacco Control. *Preventive Medicine*. 2008; 47(Suppl 1): S1.
- Almeida LM, Cavalcante TM, Casado L, Fernández EM, Warren CW, Peruga A, Jones NR, Curi A, Asma S, Lee J. Linking Global Youth Tobacco Survey (GYTS) Data to the WHO Framework Convention on Tobacco Control (FCTC): The Case for Brazil. *Preventive Medicine*. 2008; 47(Suppl 1): S4 – S10.
- Aditama TY, Pradono J, Rahman K, Warren CW, Jones NR, Asma S, Lee J. Linking Global Youth Tobacco Survey (GYTS) Data to the WHO Framework Convention on Tobacco Control (FCTC): The case for Indonesia. *Preventive Medicine*. 2008; 47(Suppl 1): S11-S14.
- Saade G, Warren CW, Jones NR, Asma S, Mokdad A. Linking Global Youth Tobacco Survey (GYTS) Data to the WHO Framework Convention on Tobacco Control: the case for Lebanon. *Preventive Medicine*. 2008; 47(Suppl 1): S15-S19.
- Valdés Salgado R, Reynales LM, Hernandez M, Peruga A, Curi Hallal A, Warren CW, Jones NR, Asma S, Lee J. Linking Global Youth Tobacco Survey (GYTS) Data to the WHO Framework Convention on Tobacco Control (FCTC): the case for Mexico. *Preventive Medicine*. 2008; 47(Suppl 1): S20-S26.
- Miguel-Baquilod M, Fishburn B, Warren CW, Jones NR, Asma S. Linking Global Youth Tobacco Survey (GYTS) Data to the WHO Framework Convention on Tobacco Control (FCTC): the case for the Philippines. *Preventive Medicine*. 2008; 47(Suppl 1): 27-33.
- Viswanathan B, Warren CW, Jones NR, Asma S, Bovet P. Linking Global Youth Tobacco Survey (GYTS) Data to the WHO Framework Convention on Tobacco Control (FCTC): the case for the Seychelles. *Preventive Medicine*. 2008; 47(Suppl 1): S34-S37.
- Baska T, Pudule I, Tilgale N, Warren CW, Lee J, Lea V, Jones NR. Smoking tobacco in waterpipes among adolescents in Europe: the case of Latvia and Slovakia. *Tobacco Control*. 2008; (Editorial Note, In Press).