

RECOMMENDATIONS FOR FUTURE RESEARCH ON CHILD SEXUAL ABUSE

CDC surveillance systems, violence prevention initiatives, and efforts to support partners in the field have increased our understanding of child sexual abuse, but critical gaps still need to be addressed. We can all lead efforts to prevent child sexual abuse and improve the health, well-being, and quality of life for children, families, and communities. CDC has identified gaps in research and practice that are important to address in our efforts to promote primary prevention of child sexual abuse.

Improve surveillance systems and data collection

- ✔ Develop and implement surveillance systems to assess child sexual abuse perpetration and victimization in real-time to measure recent and lifetime exposure
- ✔ Use standard definitions and measures of child sexual abuse to increase availability and quality of data
- ✔ Collect data focused on victimization AND perpetration of all forms of child sexual abuse to improve our understanding of all aspects of child sexual abuse

Increase understanding of risk and protective factors

- ✔ Develop research that assesses exposure to child sexual abuse and risk and protective factors over time to inform primary prevention efforts
- ✔ Identify risk and protective factors for child sexual abuse at multiple levels of influence—individual, relationship, community, and societal
- ✔ Examine and identify distinctions between different types of child sexual abuse perpetration to inform primary prevention efforts
- ✔ Determine how risk and protective factors for child sexual abuse perpetration interact with other forms of violence perpetration to better prevent all forms of violence

Strengthen and develop evidence-based policies, programs, and practices

- ✔ Further evaluate evidence-based approaches in different populations, communities, and settings
- ✔ Identify, develop and evaluate programs and practices that reduce youth and adult perpetrated CSA
- ✔ Develop and evaluate comprehensive primary prevention programs, practices, and policies that address individual, relationship, community, and societal factors that impact child sexual abuse

Disseminate and implement evidence-based policies, programs, and practices

- ✔ Act on the best available evidence now – scale-up, implement, and communicate information about existing evidence-based strategies to prevent child sexual abuse
- ✔ Explore how to adapt the existing evidence-based interventions for different populations and settings
- ✔ Identify strategies for effectively communicating best practices for child sexual abuse prevention among practitioners, researchers, clinicians and others working directly with children

Youth and family-serving organizations, public/governmental agencies, faith communities, and others must have the information necessary for effective primary prevention strategies. Child sexual abuse is preventable, and CDC provides leadership, using a public health approach, to reduce children's exposure to sexual abuse and ensure safe, stable, nurturing relationships and environments for all children.

REFERENCES

- ¹ World Health Organization. (2003). *Guidelines for medico-legal care for victims of sexual violence*. Geneva, Switzerland: Author.
- ² Merrick MT, Ford DC, Ports KA, Guinn AS, Chen J, Klevens J, Ottley P. Vital Signs: Estimated Proportion of Adult Health Problems Attributable to Adverse Childhood Experiences and Implications for Prevention—25 States, 2015–2017. *Morbidity and Mortality Weekly Report* 2019; 68(44), 999.
- ³ Leeb, R. T., Lewis, T., & Zolotor, A. J. (2011). A review of physical and mental health consequences of child abuse and neglect and implications for practice. *American Journal of Lifestyle Medicine*, 5, 454–68.
- ⁴ Felitti, V. J., Anda, R. F., Nordenberg, D., ... & Marks, J. S. (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults: The Adverse Childhood Experiences (ACE) study. *American Journal of Lifestyle Medicine*, 14, 245-258.
- ⁵ Putnam, F. W. (2003). Ten-year research update review: Child sexual abuse. *Journal of the American Academy of Child & Adolescent Psychiatry*, 42, 269-278.
- ⁶ Tang S, Ports KA, Zhang K, Lin HC. Adverse childhood experiences, internalizing/externalizing symptoms, and associate prescription opioid misuse: A mediation analysis. *Prev Med*. 2020 May; 134. doi:10.106/j.ypmed.2020.106034.
- ⁷ Bebbington, P. E., Cooper, C., Minot, S., Brugha, T. S., Jenkins, R., Meltzer, H., & Dennis, M. (2009). Suicide attempts, gender, and sexual abuse: Data from the 2000 British Psychiatric Morbidity Survey. *American Journal of Psychiatry*, 166, 1135-1140.
- ⁸ Pereda, N., Guilera, G., Forns, M., & Gómez-Benito, J. (2009). The prevalence of child sexual abuse in community and student samples: A meta-analysis. *Clinical Psychology Review*, 29, 328–338. doi:10.1016/j.cpr.2009.02.007
- ⁹ Letourneau, E. J., Brown, D. S., Fang, X., Hassan, A., & Mercy, J. A. (2018). The economic burden of child sexual abuse in the United States. *Child Abuse & Neglect*, 79, 413-422.
- ¹⁰ Finkelhor, D., & Shattuck, A. (2012). *Characteristics of crimes against juveniles*. Durham, NH: Crimes Against Children Research Center. Retrieved from http://www.unh.edu/ccrc/pdf/CV26_Revised%20Characteristics%20of%20Crimes%20against%20Juveniles_5-2-12.pdf

TO LEARN MORE PLEASE VISIT:

www.cdc.gov/violenceprevention/childabuseandneglect/childsexualabuse.html
