



West Nile virus disease cases and presumptive viremic blood donors reported to ArboNET, United States, 2005

State	Neuroinvasive disease cases*	Non-neuroinvasive disease cases	Total cases†	Deaths	Presumptive viremic blood donors‡
Alabama	6	4	10	2	4
Arizona	52	61	113	5	20
Arkansas	13	15	28	4	0
California	305	575	880	19	88
Colorado	21	85	106	2	2
Connecticut	4	2	6	1	0
Delaware	1	1	2	0	0
District of Columbia	3	2	5	0	0
Florida	10	11	21	1	1
Georgia	9	11	20	2	4
Idaho	3	10	13	0	1
Illinois	137	115	252	13	12
Indiana	11	12	23	1	7
Iowa	14	23	37	2	18
Kansas	17	8	25	1	30
Kentucky	5	0	5	1	1
Louisiana	117	54	171	11	21
Maryland	4	1	5	0	2
Massachusetts	4	2	6	1	0
Michigan	54	8	62	4	6
Minnesota	18	27	45	3	11
Mississippi	39	31	70	6	2
Missouri	17	13	30	3	1
Montana	8	17	25	0	2
Nebraska	55	133	188	5	49
Nevada	14	17	31	1	3
New Jersey	3	3	6	0	0
New Mexico	20	13	33	2	5
New York	30	8	38	4	1
North Carolina	2	2	4	0	1
North Dakota	12	74	86	0	5
Ohio	46	15	61	2	16
Oklahoma	17	14	31	1	16
Oregon	1	6	7	0	1
Pennsylvania	14	11	25	2	4
Rhode Island	1	0	1	0	0
South Carolina	5	0	5	1	0
South Dakota	36	193	229	2	18
Tennessee	15	3	18	1	0
Texas	128	67	195	11	57
Utah	21	31	52	1	4
Virginia	0	1	1	0	0
Wisconsin	11	6	17	2	4
Wyoming	6	6	12	2	0
Total	1,309	1,691	3,000	119	417

*Includes cases reported as meningitis, encephalitis, or acute flaccid paralysis.

†Includes confirmed and probable cases.

‡Presumptive viremic blood donors (PVDs) are people who had no symptoms at the time of donating blood through a blood collection agency, but whose blood tested positive when screened for the presence of West Nile virus. Some PVDs develop symptoms after donation; of the 417 PVDs, 110 (26%) developed clinical illness and are also included as disease cases.