



West Nile virus disease cases and presumptive viremic blood donors reported to ArboNET, United States, 2006

State	Neuroinvasive disease cases*	Non-neuroinvasive disease cases	Total cases†	Deaths	Presumptive viremic blood donors‡
Alabama	8	0	8	0	0
Arizona	68	82	150	11	13
Arkansas	24	5	29	4	1
California	81	197	278	7	15
Colorado	66	279	345	7	28
Connecticut	7	2	9	1	0
District of Columbia	0	2	2	0	0
Florida	3	0	3	0	0
Georgia	2	6	8	1	1
Idaho	139	857	996	21	36
Illinois	127	88	215	10	3
Indiana	27	53	80	5	13
Iowa	22	15	37	0	10
Kansas	17	13	30	4	11
Kentucky	5	1	6	1	4
Louisiana	91	89	180	9	23
Maryland	10	1	11	1	1
Massachusetts	2	1	3	0	0
Michigan	43	12	55	7	3
Minnesota	31	34	65	3	5
Mississippi	89	94	183	14	10
Missouri	51	11	62	5	4
Montana	12	22	34	0	4
Nebraska	45	219	264	1	46
Nevada	34	90	124	1	3
New Jersey	2	3	5	0	0
New Mexico	3	5	8	1	0
New York	16	8	24	4	2
North Carolina	1	0	1	0	0
North Dakota	20	117	137	1	11
Ohio	36	12	48	4	12
Oklahoma	27	21	48	6	12
Oregon	7	62	69	2	1
Pennsylvania	8	1	9	2	1
South Carolina	1	0	1	0	0
South Dakota	38	75	113	3	12
Tennessee	16	6	22	1	0
Texas	233	121	354	32	36
Utah	56	102	158	5	24
Virginia	0	5	5	0	5
Washington	0	3	3	0	0
West Virginia	1	0	1	0	0
Wisconsin	11	10	21	1	10
Wyoming	15	50	65	2	1
Total	1,495	2,774	4,269	177	361

*Includes cases reported as meningitis, encephalitis, or acute flaccid paralysis.

†Includes confirmed and probable cases.

‡Presumptive viremic blood donors (PVDs) are people who had no symptoms at the time of donating blood through a blood collection agency, but whose blood tested positive when screened for the presence of West Nile virus. Some PVDs develop symptoms after donation; of the 361 PVDs, 91 (25%) developed clinical illness and are also included as disease cases.